CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

DX

LENGTH OF STAY BY DIAGNOSIS



UNITED STATES



1984



Length of Stay by Diagnosis, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals: U.S. Total[2] (2)	Short-Term Nonfederal Hospitals: Number in Books (3)	Short-Term Nonfederal Hospitals: Percent in Books (4)	Short-Term Nonfederal Hospital Beds: U.S. Total[2] (5)	Short-Term Nonfederal Hospital Beds: Number in Books (6)	Short-Term Nonfederal Hospital Beds: Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** **(impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

1,670 Hospitals, United States, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	785920	3.1	11	1	1	3	3	5	6	14
20-34	496450	3.5	20	<1	1	3	4	6	9	25
35-49	178534	5.1	33	1	1	3	6	10	15	30
50-64	126814	5.6	35	1	1	4	7	11	15	30
65+	112650	6.1	38	1	1	4	8	12	16	32
B. *Operated*										
0-19 YRS	294209	2.8	10	<1	<1	2	3	5	8	15
20-34	573564	3.3	8	<1	1	3	4	6	8	14
35-49	266165	4.2	15	<1	1	3	6	8	11	19
50-64	224402	4.9	21	1	1	3	6	10	13	22
65+	208891	5.4	32	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	675675	4.5	37	1	1	3	5	7	11	36
20-34	414513	5.6	47	1	1	4	6	11	19	34
35-49	409389	6.3	43	1	2	4	8	13	18	33
50-64	652830	6.8	41	1	2	5	8	13	18	33
65+	1389655	8.1	55	2	2	6	10	15	21	40
B. *Operated*										
0-19 YRS	240728	5.5	76	<1	1	3	6	11	20	54
20-34	632686	5.2	34	1	1	4	6	9	13	31
35-49	452458	6.8	52	1	2	5	8	13	19	40
50-64	561095	8.6	82	1	2	6	11	18	25	50
65+	877738	11.0	116	2	2	8	14	23	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1700368	3.8	21	1	1	3	4	7	10	24
B. *Operated*	1567231	3.9	16	<1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	3542062	6.7	49	1	2	5	8	13	19	36
B. *Operated*	2764705	8.0	82	1	2	5	10	17	24	50
1. SINGLE DX	3267599	3.8	18	<1	1	3	4	7	10	21
2. MULTIPLE DX	6306767	7.3	64	1	2	5	9	15	21	43
A. NOT OPERATED	5242430	5.8	41	1	1	4	7	12	17	33
B. OPERATED	4331936	6.5	62	1	1	4	8	14	20	42
TOTAL 0-19 YRS	1996532	3.8	29	1	1	3	4	6	9	29
20-34	2117213	4.4	27	1	1	3	5	8	12	28
35-49	1306546	5.9	40	1	1	4	7	12	16	32
50-64	1565141	7.1	54	1	2	5	9	14	20	38
65+	2588934	8.8	76	1	2	6	11	18	24	48
GRAND TOTAL	**9574366**	**6.1**	**51**	**1**	**1**	**4**	**7**	**13**	**18**	**37**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329368	3.5	25	1	1	2	4	6	8	25
20-34	496450	3.5	20	<1	1	3	4	6	9	25
35-49	178534	5.1	33	1	1	3	6	10	15	30
50-64	126814	5.6	35	1	1	4	7	11	15	30
65+	112650	6.1	38	1	1	4	8	12	16	32
B. *Operated*										
0-19 YRS	294002	2.8	10	<1	<1	2	3	5	8	15
20-34	573564	3.3	8	<1	1	3	4	6	8	14
35-49	266165	4.2	15	<1	1	3	6	8	11	19
50-64	224402	4.9	21	1	1	3	6	10	13	22
65+	208891	5.4	32	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393583	4.8	50	1	1	3	5	8	13	43
20-34	414513	5.6	47	1	1	4	6	11	19	34
35-49	409389	6.3	43	1	2	4	8	13	18	33
50-64	652830	6.8	41	1	2	5	8	13	18	33
65+	1389655	8.1	55	2	2	6	10	15	21	40
B. *Operated*										
0-19 YRS	230345	4.9	53	<1	1	3	5	10	16	41
20-34	632686	5.2	34	1	1	4	6	9	13	31
35-49	452458	6.8	52	1	2	5	8	13	19	40
50-64	561095	8.6	82	1	2	6	11	18	25	50
65+	877738	11.0	116	2	2	8	14	23	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243816	4.2	27	1	1	3	4	8	12	28
B. *Operated*	1567024	3.9	16	<1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	3259970	6.9	50	1	2	5	8	14	19	37
B. *Operated*	2754322	8.0	80	1	2	5	10	17	24	49
1. SINGLE DX	2810840	4.0	21	<1	1	3	5	8	11	23
2. MULTIPLE DX	6014292	7.4	64	1	2	5	9	15	22	43
A. NOT OPERATED	4503786	6.2	45	1	1	4	7	13	18	35
B. OPERATED	4321346	6.5	61	1	1	4	8	14	20	42
TOTAL 0-19 YRS	1247298	4.0	35	<1	1	3	4	7	11	33
20-34	2117213	4.4	27	1	1	3	5	8	12	28
35-49	1306546	5.9	40	1	1	4	7	12	16	32
50-64	1565141	7.1	54	1	2	5	9	14	20	38
65+	2588934	8.8	76	1	2	6	11	18	24	48
GRAND TOTAL	**8825132**	**6.3**	**53**	**1**	**1**	**4**	**8**	**13**	**19**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7206	3.0	5	1	1	3	4	5	7	10
20-34	3191	3.0	5	1	1	3	4	5	6	10
35-49	1269	3.4	7	1	1	3	4	6	7	10
50-64	735	3.5	5	1	1	3	5	7	8	11
65+	569	3.9	9	1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	131	4.7	12	1	2	4	6	8	11	19
20-34	225	5.4	11	2	2	4	7	9	13	17
35-49	98	5.8	13	2	3	5	7	10	12	21
50-64	48	5.9	14	2	2	6	8	9	11	23
65+	27	8.7	72	2	3	6	9	16	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12769	3.5	6	1	1	3	4	6	8	13
20-34	4777	3.4	6	1	1	3	4	6	8	12
35-49	2865	4.2	12	1	1	3	5	8	10	16
50-64	2960	4.5	11	1	2	4	6	8	10	16
65+	5587	5.7	27	2	2	4	7	10	14	25
B. *Operated*										
0-19 YRS	301	8.5	99	2	2	5	9	21	30	59
20-34	369	7.7	96	2	2	5	8	14	20	78
35-49	297	9.2	129	2	3	6	10	18	30	94
50-64	345	9.5	59	2	3	7	11	20	27	40
65+	499	12.4	124	3	4	9	15	24	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12970	3.1	5	1	1	3	4	5	7	11
B. *Operated*	529	5.5	15	2	2	4	7	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	28958	4.1	12	1	1	3	5	7	10	16
B. *Operated*	1811	9.7	106	2	3	7	11	20	29	65
1. SINGLE DX	13499	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	30769	4.4	19	1	1	3	5	8	11	21
A. NOT OPERATED	41928	3.8	10	1	1	3	5	7	9	15
B. OPERATED	2340	8.8	88	2	3	6	10	18	26	59
TOTAL 0-19 YRS	20407	3.4	8	1	1	3	4	6	7	13
20-34	8562	3.5	11	1	1	3	4	6	8	14
35-49	4529	4.3	20	1	1	3	5	8	10	19
50-64	4088	4.8	16	1	2	4	6	9	11	22
65+	6682	6.1	36	2	2	4	7	11	15	31
GRAND TOTAL	**44268**	**4.0**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	8.1	68	1	2	5	8	18	24	40
20-34	140	10.5	67	2	3	9	13	21	25	47
35-49	126	10.1	56	2	2	9	13	18	26	36
50-64	72	11.2	121	1	2	8	15	24	33	53
65+	65	11.4	62	1	3	11	15	22	27	33
B. *Operated*										
0-19 YRS	12	7.3	30	1	1	6	10	17	18	18
20-34	52	13.7	323	1	2	8	15	31	42	90
35-49	84	12.7	195	2	3	9	15	27	45	98
50-64	95	10.9	72	1	2	9	14	19	28	43
65+	50	12.4	72	2	3	10	18	26	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	10.3	93	1	3	7	15	19	31	50
20-34	186	13.7	158	3	4	11	16	26	33	76
35-49	244	14.2	128	3	4	12	18	29	37	65
50-64	281	14.4	180	3	4	11	18	28	50	99+
65+	471	14.5	149	3	4	12	17	27	36	82
B. *Operated*										
0-19 YRS	13	14.2	102	2	4	12	20	31	34	35
20-34	116	17.0	198	3	5	14	20	34	50	94
35-49	190	16.9	214	4	5	11	21	37	52	85
50-64	266	15.7	179	4	5	12	19	29	52	74
65+	476	18.7	227	4	5	14	24	38	52	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	10.2	72	2	2	8	14	21	27	46
B. *Operated*	293	12.0	150	2	2	9	15	24	34	90
2. MULTIPLE DX										
A. *Not Operated*	1228	14.1	151	3	4	11	17	27	37	83
B. *Operated*	1061	17.4	209	4	5	13	21	36	52	86
1. SINGLE DX	786	10.9	102	2	2	8	14	21	29	50
2. MULTIPLE DX	2289	15.6	181	3	4	12	19	31	43	86
A. NOT OPERATED	1721	13.0	132	2	3	10	16	25	34	68
B. OPERATED	1354	16.2	201	3	5	12	20	34	46	87
TOTAL 0-19 YRS	161	9.1	77	1	2	6	12	19	30	42
20-34	494	13.6	163	2	4	11	16	26	35	86
35-49	644	14.0	153	3	3	11	17	29	39	68
50-64	714	14.1	162	2	4	11	17	27	43	81
65+	1062	16.1	181	3	4	13	20	33	42	86
GRAND TOTAL	**3075**	**14.4**	**165**	**2**	**4**	**11**	**18**	**29**	**40**	**84**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	12.0	220	<1	1	5	16	38	42	42
20-34	6	8.0	68	2	2	6	10	22	23	23
35-49	12	7.5	48	2	2	5	10	19	23	24
50-64	4	10.5	22	6	6	9	13	17	17	17
65+	10	10.5	70	1	1	9	14	22	29	29
B. *Operated*										
0-19 YRS	22	3.9	10	<1	1	3	5	8	11	13
20-34	25	6.3	27	1	1	4	9	15	16	18
35-49	22	13.1	219	<1	1	7	16	29	52	61
50-64	26	9.3	100	1	2	5	13	20	33	43
65+	13	6.6	26	1	2	6	9	13	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.9	167	2	2	7	14	25	43	51
20-34	22	9.8	56	2	3	7	15	18	25	33
35-49	25	13.2	321	4	5	10	14	22	97	99+
50-64	45	10.8	104	1	2	7	15	25	35	44
65+	74	14.5	122	3	4	12	17	33	39	48
B. *Operated*										
0-19 YRS	21	15.3	384	1	1	8	17	39	65	80
20-34	51	17.1	237	2	3	15	22	47	70	99+
35-49	77	19.1	291	2	3	14	27	54	64	99+
50-64	77	17.9	272	2	3	13	22	39	61	94
65+	126	23.8	298	5	7	19	34	48	58	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	9.6	87	1	2	6	13	23	31	42
B. *Operated*	108	8.0	88	1	1	5	10	18	21	52
2. MULTIPLE DX										
A. *Not Operated*	182	12.5	141	2	3	9	16	28	38	81
B. *Operated*	352	20.0	293	2	4	15	28	48	62	99+
1. SINGLE DX	149	8.4	87	1	1	6	10	18	24	46
2. MULTIPLE DX	534	17.4	253	2	3	13	23	40	56	99+
A. NOT OPERATED	223	12.0	132	2	2	9	16	27	37	63
B. OPERATED	460	17.2	270	1	2	12	23	41	59	99+
TOTAL 0-19 YRS	68	10.1	203	1	1	5	10	28	43	75
20-34	104	12.4	158	1	2	10	16	29	47	99+
35-49	136	16.0	274	2	3	11	21	43	62	99+
50-64	152	14.1	199	1	3	9	18	32	44	79
65+	223	19.1	244	3	4	14	27	41	51	80
GRAND TOTAL	**683**	**15.5**	**231**	**1**	**2**	**11**	**21**	**37**	**53**	**98**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	776	2.7	2	1	1	2	3	5	5	7
20-34	307	2.9	2	1	2	3	4	4	5	7
35-49	90	3.3	2	1	2	3	4	5	6	8
50-64	24	3.8	2	1	2	4	5	6	6	6
65+	13	3.4	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	85	1.7	1	1	1	2	2	2	3	8
20-34	21	2.0	4	1	1	1	2	4	7	10
35-49	3	6.3	57	1	1	3	12	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2048	3.1	4	1	1	3	4	5	6	10
20-34	659	3.4	3	1	2	3	4	5	7	10
35-49	265	4.2	6	2	2	4	5	7	9	14
50-64	168	4.3	4	2	2	4	5	7	8	11
65+	111	5.6	18	2	2	4	7	11	15	23
B. *Operated*										
0-19 YRS	102	2.3	3	1	1	2	3	5	6	8
20-34	32	4.5	9	1	1	4	6	8	9	15
35-49	12	8.4	51	2	3	5	11	22	23	23
50-64	11	6.3	11	3	3	5	8	11	15	15
65+	9	10.1	30	4	4	9	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1210	2.8	2	1	1	3	4	5	5	7
B. *Operated*	109	1.9	3	1	1	2	2	3	3	12
2. MULTIPLE DX										
A. *Not Operated*	3251	3.4	5	1	1	3	4	6	7	11
B. *Operated*	166	3.9	14	1	1	2	5	8	11	21
1. SINGLE DX	1319	2.7	2	1	1	2	3	5	5	7
2. MULTIPLE DX	3417	3.4	5	1	1	3	4	6	7	12
A. NOT OPERATED	4461	3.2	4	1	1	3	4	5	7	10
B. OPERATED	275	3.1	11	1	1	2	3	7	9	19
TOTAL 0-19 YRS	3011	2.9	4	1	1	3	4	5	6	9
20-34	1019	3.2	3	1	2	3	4	5	6	9
35-49	370	4.1	7	2	2	3	5	7	9	14
50-64	203	4.3	4	2	2	4	5	7	8	11
65+	133	5.7	19	2	2	4	7	11	15	22
GRAND TOTAL	**4736**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1367	4.8	10	1	2	4	6	10	11	15
20-34	97	5.3	19	1	2	4	6	10	11	27
35-49	60	7.6	46	2	2	6	8	15	24	34
50-64	97	8.4	50	1	2	7	10	15	27	36
65+	215	8.6	42	3	3	7	11	14	19	38
B. *Operated*										
0-19 YRS	36	8.9	53	2	2	7	11	15	20	40
20-34	6	11.3	26	2	3	12	14	17	17	17
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	9	16.0	165	7	7	10	18	39	39	39
65+	16	17.4	115	3	4	16	29	35	77	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2383	6.2	23	2	2	5	8	12	14	23
20-34	835	9.8	69	2	3	7	12	18	27	42
35-49	959	10.1	59	3	4	8	12	18	26	38
50-64	2450	10.7	48	3	4	9	13	18	24	38
65+	11437	11.7	64	4	5	10	14	20	26	44
B. *Operated*										
0-19 YRS	216	13.9	174	3	4	10	17	28	42	97
20-34	293	17.0	203	3	5	13	21	39	47	93
35-49	390	18.3	194	4	6	15	23	38	49	77
50-64	893	19.4	202	5	7	16	24	40	53	99+
65+	2867	20.5	207	6	8	17	25	40	54	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1836	5.5	20	1	2	4	7	11	12	26
B. *Operated*	69	12.1	89	2	3	10	15	30	38	88
2. MULTIPLE DX										
A. *Not Operated*	18064	10.7	60	3	4	9	13	19	25	41
B. *Operated*	4659	19.6	206	5	7	16	24	39	53	96
1. SINGLE DX	1905	5.8	24	1	2	4	7	11	13	29
2. MULTIPLE DX	22723	12.5	103	3	4	10	15	24	32	59
A. NOT OPERATED	19900	10.2	58	2	3	9	13	18	24	41
B. OPERATED	4728	19.5	205	5	7	16	24	39	53	96
TOTAL 0-19 YRS	4002	6.1	31	1	2	5	8	11	14	27
20-34	1231	11.1	109	2	3	8	14	23	32	54
35-49	1411	12.2	110	3	4	9	15	24	32	55
50-64	3449	12.9	103	4	5	10	15	24	33	60
65+	14535	13.4	105	4	5	11	16	25	33	61
GRAND TOTAL	**24628**	**12.0**	**100**	**3**	**4**	**9**	**14**	**23**	**31**	**57**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	781	7.1	21	2	2	6	10	13	15	22
20-34	195	5.5	14	2	2	5	7	10	12	18
35-49	132	5.7	15	2	2	4	7	11	13	23
50-64	116	5.8	14	2	3	5	7	10	13	22
65+	54	5.9	11	3	3	5	7	10	13	19
B. *Operated*										
0-19 YRS	46	8.1	27	1	1	9	11	15	16	21
20-34	28	9.3	44	2	2	10	12	17	38	99+
35-49	31	11.6	60	2	3	10	15	25	27	28
50-64	25	12.0	87	1	2	10	18	28	30	33
65+	13	10.3	69	2	3	7	15	23	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	886	7.4	35	2	2	6	10	14	16	28
20-34	375	7.0	41	2	2	5	9	13	19	31
35-49	301	7.3	28	2	3	6	10	14	19	27
50-64	484	8.3	32	3	3	7	10	15	20	32
65+	1078	10.2	71	3	4	8	13	19	25	46
B. *Operated*										
0-19 YRS	115	14.2	131	2	4	11	19	29	36	83
20-34	111	17.7	268	3	4	12	23	45	52	93
35-49	113	16.1	192	2	3	13	21	35	46	88
50-64	183	17.2	231	3	4	12	23	37	48	86
65+	348	19.0	236	3	5	14	26	39	54	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	6.5	19	2	2	5	9	12	14	22
B. *Operated*	143	10.0	53	1	2	9	12	21	27	39
2. MULTIPLE DX										
A. *Not Operated*	3124	8.5	49	2	3	7	11	16	20	34
B. *Operated*	870	17.5	221	3	4	13	23	38	51	85
1. SINGLE DX	1421	6.9	23	2	2	6	10	12	15	24
2. MULTIPLE DX	3994	10.4	100	2	3	8	12	21	30	55
A. NOT OPERATED	4402	7.9	41	2	3	6	10	15	19	31
B. OPERATED	1013	16.4	204	2	4	12	21	35	48	83
TOTAL 0-19 YRS	1828	7.7	38	2	2	7	11	14	17	31
20-34	709	8.3	86	2	2	5	10	16	26	54
35-49	577	8.9	73	2	2	6	11	19	25	46
50-64	808	10.0	92	3	3	7	11	21	30	51
65+	1493	12.1	123	3	4	9	15	24	34	64
GRAND TOTAL	**5415**	**9.5**	**82**	**2**	**3**	**7**	**11**	**18**	**26**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2323	3.7	5	1	1	3	4	6	8	13
20-34	1361	3.8	6	1	2	3	5	7	8	12
35-49	309	4.7	9	1	2	4	6	8	10	15
50-64	65	5.4	10	1	2	5	8	10	11	14
65+	17	7.2	32	1	2	6	10	12	20	25
B. *Operated*										
0-19 YRS	35	5.1	9	2	3	4	6	9	10	17
20-34	19	4.9	9	1	1	5	7	8	11	13
35-49	7	14.9	132	3	4	10	27	31	31	31
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1121	4.4	10	1	2	4	5	8	11	19
20-34	757	4.6	10	1	2	4	6	8	10	14
35-49	244	5.8	15	2	2	5	7	10	13	19
50-64	122	7.1	87	2	2	5	8	12	17	45
65+	104	11.2	62	2	3	9	15	23	26	36
B. *Operated*										
0-19 YRS	44	12.2	263	2	3	7	13	22	44	98
20-34	42	10.8	168	2	3	8	10	19	37	77
35-49	12	16.4	207	2	2	11	24	42	42	42
50-64	16	10.6	68	2	3	8	13	19	31	36
65+	12	31.8	669	6	9	22	42	80	83	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4075	3.8	6	1	2	3	5	7	8	13
B. *Operated*	62	6.1	31	1	2	5	7	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	2348	5.0	19	1	2	4	6	9	12	22
B. *Operated*	126	13.8	268	2	3	8	15	35	43	87
1. SINGLE DX	4137	3.8	7	1	2	3	5	7	9	13
2. MULTIPLE DX	2474	5.5	35	1	2	4	6	10	14	25
A. NOT OPERATED	6423	4.3	11	1	2	3	5	8	10	17
B. OPERATED	188	11.3	202	2	2	7	12	23	40	82
TOTAL 0-19 YRS	3523	4.0	11	1	2	3	5	7	9	16
20-34	2179	4.2	12	1	2	3	5	7	9	14
35-49	572	5.5	20	2	2	4	7	10	13	26
50-64	204	6.8	62	2	2	5	8	12	15	30
65+	133	12.6	146	2	3	9	16	24	27	80
GRAND TOTAL	**6611**	**4.5**	**18**	**1**	**2**	**3**	**5**	**8**	**10**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1058	3.3	5	1	1	3	4	6	7	11
20-34	345	4.9	9	1	2	4	6	8	11	14
35-49	142	4.7	7	1	2	4	6	8	10	14
50-64	278	5.6	30	1	2	5	7	9	12	20
65+	450	6.1	25	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	20	6.5	63	1	2	4	5	19	29	30
20-34	28	3.4	6	<1	<1	2	5	7	8	9
35-49	16	8.1	111	<1	1	4	10	31	34	34
50-64	27	4.8	11	1	2	4	6	10	12	14
65+	30	4.1	10	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2468	3.9	8	1	2	3	5	7	9	15
20-34	612	5.7	27	2	2	5	7	9	11	21
35-49	412	6.9	32	2	2	6	8	12	15	28
50-64	1016	6.9	24	2	3	6	8	12	16	27
65+	3550	8.4	44	2	3	7	10	15	20	37
B. *Operated*										
0-19 YRS	57	10.1	107	2	2	6	13	29	50	99+
20-34	63	11.5	80	3	4	9	14	20	36	43
35-49	56	12.3	247	2	3	9	14	25	66	99
50-64	114	11.9	96	2	3	9	15	26	31	48
65+	332	13.5	131	2	3	10	17	29	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2273	4.4	14	1	2	4	6	8	10	17
B. *Operated*	121	5.0	32	<1	1	3	6	9	13	33
2. MULTIPLE DX										
A. *Not Operated*	8058	6.6	33	2	2	5	8	12	16	30
B. *Operated*	622	12.6	128	2	3	9	16	28	38	65
1. SINGLE DX	2394	4.5	15	1	2	4	6	8	11	17
2. MULTIPLE DX	8680	7.0	42	2	2	5	8	13	18	35
A. NOT OPERATED	10331	6.1	29	1	2	5	7	11	15	28
B. OPERATED	743	11.3	120	2	2	8	14	26	35	59
TOTAL 0-19 YRS	3603	3.8	10	1	1	3	5	7	8	16
20-34	1048	5.7	26	2	2	5	7	10	12	27
35-49	626	6.9	51	2	2	6	8	12	17	38
50-64	1435	7.0	33	2	2	6	8	12	17	31
65+	4362	8.5	51	2	3	7	10	16	21	40
GRAND TOTAL	**11074**	**6.5**	**37**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	465	5.4	17	2	2	5	7	9	11	21
20-34	1206	6.2	17	2	2	5	8	11	14	22
35-49	371	7.0	27	2	3	6	9	12	15	20
50-64	174	8.1	26	2	3	6	11	15	18	25
65+	69	7.3	34	2	2	6	10	15	16	36
B. *Operated*										
0-19 YRS	10	7.6	67	1	1	5	7	22	27	27
20-34	57	4.4	15	1	1	3	7	10	11	18
35-49	28	6.6	37	1	1	5	10	17	20	21
50-64	25	5.8	44	<1	1	2	10	13	19	28
65+	14	8.5	77	1	1	6	10	23	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	5.8	46	2	2	4	6	9	13	33
20-34	1019	6.7	22	2	2	5	8	12	15	24
35-49	470	8.3	38	2	3	7	10	15	18	33
50-64	381	8.7	32	2	3	7	11	16	19	27
65+	377	9.8	68	2	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	8	15.1	206	2	2	11	22	38	44	44
20-34	103	9.3	41	2	2	8	12	18	21	32
35-49	71	11.5	119	2	2	9	14	23	41	56
50-64	110	12.0	94	1	2	10	17	26	31	42
65+	98	11.3	46	2	3	11	15	22	25	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2285	6.3	20	2	2	5	8	11	14	22
B. *Operated*	134	5.8	36	1	1	4	8	13	19	28
2. MULTIPLE DX										
A. *Not Operated*	2523	7.7	38	2	3	6	10	14	18	31
B. *Operated*	390	11.1	75	2	2	9	14	23	28	45
1. SINGLE DX	2419	6.3	21	2	2	5	8	12	14	23
2. MULTIPLE DX	2913	8.1	44	2	3	6	10	15	20	34
A. NOT OPERATED	4808	7.0	30	2	2	6	9	13	17	27
B. OPERATED	524	9.7	70	1	1	8	13	21	26	43
TOTAL 0-19 YRS	759	5.7	31	2	2	5	7	9	12	27
20-34	2385	6.5	21	2	2	5	8	12	15	23
35-49	940	8.0	41	2	3	6	10	14	18	35
50-64	690	8.9	43	2	3	7	12	17	22	32
65+	558	9.7	61	2	3	8	12	19	23	39
GRAND TOTAL	**5332**	**7.3**	**34**	**2**	**2**	**6**	**9**	**14**	**18**	**29**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1669	3.9	6	1	2	3	5	7	8	12
20-34	550	4.3	5	2	2	4	5	7	9	12
35-49	80	5.2	15	1	2	4	7	10	12	21
50-64	15	6.1	7	1	3	6	8	9	10	10
65+	4	8.0	5	6	6	7	9	11	11	11
B. *Operated*										
0-19 YRS	17	4.4	10	<1	1	4	6	8	11	13
20-34	17	6.3	10	1	2	6	9	10	12	13
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2705	4.2	6	1	2	4	5	7	9	12
20-34	808	4.7	8	2	2	4	6	8	10	15
35-49	162	5.3	10	1	1	5	7	10	12	14
50-64	55	7.1	28	1	1	6	10	15	18	24
65+	24	6.7	42	<1	1	5	11	13	19	26
B. *Operated*										
0-19 YRS	76	6.4	19	2	2	5	9	12	15	23
20-34	42	8.0	24	3	3	7	9	16	18	22
35-49	19	9.7	66	3	4	8	11	19	30	37
50-64	10	12.6	38	4	6	12	15	21	27	27
65+	4	11.5	54	6	6	9	16	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2318	4.0	7	1	2	3	5	7	9	12
B. *Operated*	38	5.3	10	1	1	5	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	3754	4.4	7	1	2	4	5	8	10	13
B. *Operated*	151	7.8	31	2	3	6	10	15	18	27
1. SINGLE DX	2356	4.1	7	1	2	4	5	7	9	12
2. MULTIPLE DX	3905	4.5	9	1	2	4	6	8	10	15
A. NOT OPERATED	6072	4.3	7	1	2	4	5	7	9	13
B. OPERATED	189	7.3	27	2	2	6	9	14	17	26
TOTAL 0-19 YRS	4467	4.1	6	1	2	4	5	7	9	12
20-34	1417	4.7	8	2	2	4	6	8	10	15
35-49	263	5.6	17	1	2	5	7	10	12	21
50-64	82	7.5	29	1	1	7	10	15	18	26
65+	32	7.4	39	1	1	7	11	14	21	26
GRAND TOTAL	**6261**	**4.4**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.9	324	<1	<1	1	3	22	58	64
20-34	13	2.1	2	<1	<1	2	3	4	6	6
35-49	5	2.4	5	<1	<1	1	4	6	6	6
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	498	1.7	1	<1	<1	1	2	3	4	6
20-34	1410	1.9	2	<1	<1	2	2	3	4	7
35-49	441	2.3	4	<1	<1	2	3	4	5	10
50-64	122	2.4	4	<1	<1	2	3	4	5	12
65+	37	2.8	5	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	11	<1	<1	2	7	8	9	10
20-34	28	2.6	7	<1	<1	2	3	6	8	12
35-49	7	2.6	17	<1	<1	<1	1	10	12	12
50-64	4	3.8	24	<1	<1	1	6	11	11	11
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	148	2.5	4	<1	<1	2	3	5	6	9
20-34	539	2.9	17	<1	1	2	3	5	7	11
35-49	295	2.9	4	<1	1	2	4	5	7	12
50-64	141	3.5	9	<1	<1	3	4	7	9	16
65+	63	5.0	20	1	2	3	6	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.8	115	<1	<1	1	3	4	6	64
B. *Operated*	2508	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	57	3.1	10	<1	<1	2	4	8	11	12
B. *Operated*	1186	3.0	11	<1	1	2	4	6	8	13
1. SINGLE DX	2542	2.0	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1243	3.0	11	<1	1	2	4	6	8	13
A. NOT OPERATED	91	3.3	48	<1	<1	2	3	7	10	43
B. OPERATED	3694	2.3	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	674	2.0	8	<1	<1	1	2	4	5	8
20-34	1990	2.2	6	<1	<1	2	3	4	5	9
35-49	748	2.5	4	<1	<1	2	3	4	6	12
50-64	270	3.0	7	<1	<1	2	4	5	8	16
65+	103	4.2	15	<1	1	3	5	9	12	20
GRAND TOTAL	**3785**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5857	2.8	3	1	1	3	3	5	5	9
20-34	1311	3.4	6	1	1	3	4	6	7	12
35-49	558	3.7	10	1	1	3	5	6	8	13
50-64	325	4.1	9	1	2	3	5	7	8	16
65+	215	4.2	7	1	2	4	5	8	9	16
B. *Operated*										
0-19 YRS	167	3.4	14	<1	<1	3	4	6	7	24
20-34	73	4.8	15	1	1	3	6	9	14	20
35-49	36	5.2	20	1	1	3	7	13	13	20
50-64	22	9.7	177	1	1	6	10	25	40	61
65+	7	9.6	95	3	3	3	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7695	3.2	5	1	1	3	4	5	7	11
20-34	2918	3.8	8	1	1	3	5	7	9	15
35-49	1755	4.3	10	1	2	3	5	8	10	15
50-64	1757	4.6	14	1	2	4	6	8	11	19
65+	3000	5.7	26	2	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	252	5.7	44	1	1	4	6	11	18	36
20-34	256	8.7	101	1	2	6	10	18	27	60
35-49	146	11.0	195	1	2	7	12	22	41	82
50-64	175	11.0	131	2	3	8	13	22	37	76
65+	226	12.6	164	2	3	9	15	28	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8266	3.0	4	1	1	3	4	5	6	10
B. *Operated*	305	4.5	31	<1	1	3	5	8	13	26
2. MULTIPLE DX										
A. *Not Operated*	17125	4.0	12	1	1	3	5	7	9	17
B. *Operated*	1055	9.5	125	1	2	6	11	20	30	61
1. SINGLE DX	8571	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	18180	4.3	20	1	1	3	5	8	10	21
A. NOT OPERATED	25391	3.7	9	1	1	3	4	7	8	15
B. OPERATED	1360	8.4	108	1	2	5	10	18	28	60
TOTAL 0-19 YRS	13971	3.1	5	1	1	3	4	5	6	11
20-34	4558	3.9	14	1	1	3	5	7	9	18
35-49	2495	4.5	24	1	1	3	5	8	11	21
50-64	2279	5.1	27	1	2	4	6	9	13	28
65+	3448	6.1	37	2	2	5	7	11	15	31
GRAND TOTAL	**26751**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	4.0	5	1	2	4	5	7	8	10
20-34	107	4.1	6	1	2	4	5	7	9	14
35-49	81	3.9	4	1	2	4	5	6	7	14
50-64	43	5.3	10	2	2	4	7	10	12	15
65+	14	5.4	16	1	2	5	7	10	15	17
B. *Operated*										
0-19 YRS	5	5.0	15	1	1	4	8	10	10	10
20-34	4	5.8	3	4	4	5	7	8	8	8
35-49	3	6.3	25	1	1	7	10	11	11	11
50-64										
65+	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.6	7	1	2	4	6	8	10	14
20-34	85	4.9	12	1	2	4	6	10	11	17
35-49	55	5.9	21	2	2	5	7	10	13	31
50-64	47	6.8	16	2	2	6	8	12	14	20
65+	34	8.8	51	2	3	7	9	25	26	28
B. *Operated*										
0-19 YRS	10	16.9	662	2	2	6	10	63	79	79
20-34	13	9.7	49	1	2	10	13	18	24	26
35-49	4	9.8	69	3	3	7	16	21	21	21
50-64	8	17.8	434	3	4	10	18	54	67	67
65+	9	8.8	31	3	3	8	11	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	4.2	6	1	2	4	5	7	9	14
B. *Operated*	14	5.9	11	1	1	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	318	5.7	18	2	2	5	7	10	13	26
B. *Operated*	44	12.6	249	2	3	9	12	24	54	79
1. SINGLE DX	493	4.2	6	1	2	4	5	7	9	14
2. MULTIPLE DX	362	6.5	51	2	2	5	8	11	15	32
A. NOT OPERATED	797	4.8	11	1	2	4	6	8	11	17
B. OPERATED	58	11.0	199	1	2	8	11	21	39	78
TOTAL 0-19 YRS	346	4.6	27	1	2	4	6	8	9	13
20-34	209	4.8	12	1	2	4	6	10	11	17
35-49	143	4.9	14	1	2	4	6	8	11	22
50-64	98	7.0	54	2	2	5	8	12	14	46
65+	59	7.9	39	2	3	6	9	17	25	28
GRAND TOTAL	**855**	**5.2**	**26**	**1**	**2**	**4**	**6**	**9**	**12**	**25**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	5.0	8	2	2	4	6	9	11	14
20-34	521	4.9	8	2	2	4	6	8	11	15
35-49	84	5.6	21	1	1	4	8	11	14	25
50-64	26	7.3	27	1	2	7	11	13	19	21
65+	35	7.5	118	1	1	3	10	17	22	60
B. *Operated*										
0-19 YRS	58	3.3	6	<1	1	3	4	7	8	10
20-34	186	3.0	11	<1	<1	2	3	7	10	16
35-49	69	3.8	61	<1	<1	2	4	6	9	55
50-64	16	2.9	3	<1	1	2	4	6	6	6
65+	10	3.1	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	5.6	20	2	2	5	7	10	12	20
20-34	513	5.3	12	2	2	5	6	9	11	18
35-49	111	6.9	26	1	2	6	8	14	18	24
50-64	65	8.2	74	1	2	6	11	16	22	49
65+	122	8.8	58	1	2	7	12	16	20	43
B. *Operated*										
0-19 YRS	47	5.9	18	2	2	5	8	10	16	21
20-34	163	5.5	30	<1	1	4	7	11	14	30
35-49	78	7.4	161	<1	1	4	8	12	25	78
50-64	51	10.3	104	2	2	6	13	27	33	43
65+	68	11.3	87	2	2	8	15	27	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	997	5.1	14	1	2	4	6	10	11	17
B. *Operated*	339	3.2	20	<1	<1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1129	6.1	25	2	2	5	7	11	15	23
B. *Operated*	407	7.5	77	1	1	5	9	16	25	44
1. SINGLE DX	1336	4.6	16	1	1	4	6	9	11	17
2. MULTIPLE DX	1536	6.4	39	1	2	5	8	12	16	33
A. NOT OPERATED	2126	5.6	20	1	2	4	7	10	13	21
B. OPERATED	746	5.6	55	<1	1	3	7	11	19	36
TOTAL 0-19 YRS	754	5.2	14	1	2	4	7	9	11	16
20-34	1383	4.8	13	1	1	4	6	9	11	18
35-49	342	6.1	63	1	1	4	7	11	16	47
50-64	158	8.2	73	1	2	5	11	19	27	43
65+	235	9.1	75	1	1	7	12	20	26	45
GRAND TOTAL	**2872**	**5.6**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.8	47	1	1	3	6	8	11	45
20-34	48	6.2	21	1	2	5	8	12	15	25
35-49	38	8.6	74	2	2	6	11	20	24	43
50-64	27	6.9	95	1	1	4	8	13	24	51
65+	29	7.5	37	<1	3	5	9	14	21	29
B. *Operated*										
0-19 YRS	24	9.4	153	<1	1	4	9	30	39	46
20-34	47	10.0	81	1	2	8	13	23	29	44
35-49	64	7.8	48	1	1	6	9	20	23	32
50-64	71	7.6	55	<1	1	6	9	16	19	41
65+	46	6.6	24	<1	<1	6	10	12	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.4	23	<1	<1	3	6	9	12	25
20-34	154	6.1	28	1	2	5	7	11	14	34
35-49	147	8.4	78	2	2	6	10	16	31	62
50-64	209	10.2	146	1	2	7	11	19	32	66
65+	496	10.7	107	2	3	8	12	20	27	66
B. *Operated*										
0-19 YRS	35	22.9	416	3	3	12	41	57	62	72
20-34	141	14.6	252	1	2	9	17	39	52	67
35-49	178	14.7	264	2	3	9	16	34	59	99+
50-64	246	15.7	278	2	3	9	20	42	61	99+
65+	277	15.7	195	2	3	12	21	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	6.3	51	1	2	4	7	12	19	45
B. *Operated*	252	8.1	62	<1	1	6	10	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	1297	8.4	88	1	2	6	10	16	23	59
B. *Operated*	877	15.6	251	2	3	10	20	41	55	99+
1. SINGLE DX	482	7.2	58	1	1	5	8	15	22	44
2. MULTIPLE DX	2174	11.3	167	1	2	7	13	26	42	75
A. NOT OPERATED	1527	8.1	83	1	2	6	10	16	22	57
B. OPERATED	1129	13.9	219	1	2	9	17	35	50	98
TOTAL 0-19 YRS	438	6.2	90	<1	<1	4	6	11	22	57
20-34	390	9.6	129	1	2	6	10	21	35	62
35-49	427	10.9	160	2	2	7	13	25	40	98
50-64	553	12.2	201	1	2	8	14	30	46	90
65+	848	12.0	137	2	3	9	14	26	38	69
GRAND TOTAL	**2656**	**10.6**	**149**	**1**	**2**	**7**	**12**	**24**	**39**	**72**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	18	1	1	3	4	6	11	25
20-34	21	4.4	5	1	1	5	6	8	8	8
35-49	10	6.5	41	2	2	4	7	16	24	24
50-64	7	9.4	28	2	3	8	14	17	17	17
65+	4	16.3	95	8	8	13	23	30	30	30
B. *Operated*										
0-19 YRS	20	5.0	14	2	3	4	5	7	14	20
20-34	10	4.8	11	1	1	4	5	10	12	12
35-49	11	8.2	27	2	3	8	11	16	20	20
50-64	5	9.4	63	1	1	11	15	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.6	19	1	1	3	5	8	15	23
20-34	37	5.3	13	1	1	4	6	9	14	18
35-49	30	8.5	84	2	2	5	8	20	26	43
50-64	27	5.9	13	2	2	5	7	10	15	18
65+	24	9.3	37	3	4	7	12	18	22	28
B. *Operated*										
0-19 YRS	27	4.9	15	2	2	4	6	8	10	22
20-34	38	7.4	59	1	2	6	8	11	27	40
35-49	29	11.8	100	2	2	8	20	26	29	42
50-64	14	12.9	94	4	4	9	18	28	33	35
65+	14	16.4	132	3	3	16	23	34	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.3	29	1	1	3	6	11	16	28
B. *Operated*	46	6.2	23	2	2	5	8	13	20	20
2. MULTIPLE DX										
A. *Not Operated*	177	6.2	33	1	2	5	7	14	19	27
B. *Operated*	122	9.5	83	2	2	6	10	23	29	41
1. SINGLE DX	132	5.6	27	1	2	4	7	12	17	26
2. MULTIPLE DX	299	7.6	56	2	2	5	8	19	24	40
A. NOT OPERATED	263	5.9	32	1	2	4	7	13	18	28
B. OPERATED	168	8.6	69	2	2	6	9	21	27	40
TOTAL 0-19 YRS	150	4.5	17	1	1	3	5	8	13	23
20-34	106	5.8	29	1	2	5	7	9	13	35
35-49	80	9.4	78	2	2	6	11	23	26	43
50-64	53	8.5	47	2	2	6	11	18	23	35
65+	42	12.3	82	3	4	9	17	27	31	40
GRAND TOTAL	**431**	**7.0**	**48**	**1**	**2**	**5**	**8**	**16**	**23**	**36**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	4.7	8	1	1	4	6	9	11	12
20-34	130	4.6	13	1	2	4	6	8	11	20
35-49	78	6.2	13	2	2	6	8	11	13	17
50-64	37	6.0	27	1	2	4	7	11	15	29
65+	18	4.0	4	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	33	4.6	20	1	1	4	6	9	10	25
20-34	450	4.7	23	1	1	3	6	10	13	27
35-49	312	4.7	18	1	1	3	6	10	14	20
50-64	98	5.8	27	1	1	4	8	11	15	29
65+	24	5.1	22	1	1	3	7	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	6.1	43	1	1	5	8	11	13	21
20-34	289	6.7	42	1	2	5	8	12	16	31
35-49	318	8.2	48	2	3	6	10	17	22	41
50-64	245	7.9	39	2	3	6	10	14	18	32
65+	219	9.3	55	2	3	8	11	17	22	41
B. *Operated*										
0-19 YRS	38	10.1	101	2	2	8	12	19	31	52
20-34	589	10.5	88	2	2	8	15	24	29	48
35-49	549	12.6	155	2	2	9	16	27	36	70
50-64	281	11.6	120	1	2	9	15	24	32	58
65+	130	13.4	119	2	3	10	18	29	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	5.1	13	1	2	4	7	10	12	18
B. *Operated*	917	4.8	21	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	1283	7.6	46	1	2	6	10	14	19	34
B. *Operated*	1587	11.6	120	2	2	9	16	25	33	58
1. SINGLE DX	1247	4.9	19	1	1	3	7	10	13	23
2. MULTIPLE DX	2870	9.8	91	2	2	7	12	21	28	51
A. NOT OPERATED	1613	7.1	41	1	2	6	9	13	17	32
B. OPERATED	2504	9.1	95	1	2	6	12	21	28	50
TOTAL 0-19 YRS	350	6.1	42	1	1	5	8	11	15	25
20-34	1458	7.4	59	1	2	5	9	16	23	42
35-49	1257	9.1	95	1	2	6	11	20	27	48
50-64	661	9.0	76	1	2	7	11	18	27	50
65+	391	10.2	79	2	3	8	13	19	28	48
GRAND TOTAL	**4117**	**8.3**	**75**	**1**	**2**	**6**	**10**	**18**	**25**	**44**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	5.7	16	2	2	5	9	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	3	16.3	180	1	1	22	25	26	26	26
20-34	3	26.7	826	4	4	17	48	59	59	59
35-49	8	4.1	15	1	1	2	6	11	12	12
50-64	4	4.3	6	1	1	4	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.8	118	1	1	3	10	27	29	29
20-34	5	5.4	37	<1	<1	4	7	16	16	16
35-49	11	10.2	172	<1	1	6	10	32	44	45
50-64	9	7.3	40	1	1	7	9	17	22	22
65+	23	7.9	28	2	3	7	10	14	18	25
B. *Operated*										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	5	4.4	1	3	3	4	5	6	6	6
35-49	16	9.9	123	1	1	4	17	22	35	40
50-64	20	8.3	33	2	3	6	9	19	21	23
65+	10	4.6	21	1	1	3	6	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.7	15	2	2	5	10	12	12	12
B. *Operated*	18	9.9	206	1	1	4	12	25	46	59
2. MULTIPLE DX										
A. *Not Operated*	54	8.0	66	1	1	6	10	17	25	44
B. *Operated*	55	7.4	55	1	1	5	7	19	22	39
1. SINGLE DX	25	9.0	152	1	1	4	11	22	34	59
2. MULTIPLE DX	109	7.7	60	1	1	6	9	19	23	42
A. NOT OPERATED	61	7.9	60	1	1	6	10	15	24	43
B. OPERATED	73	8.1	91	1	1	5	8	20	23	55
TOTAL 0-19 YRS	14	8.4	96	1	1	4	10	26	28	29
20-34	14	9.5	226	<1	2	4	6	21	51	59
35-49	38	8.4	106	1	1	4	10	22	33	45
50-64	34	7.6	31	1	2	6	8	19	22	23
65+	34	7.0	27	1	2	6	10	14	15	25
GRAND TOTAL	**134**	**8.0**	**76**	**1**	**1**	**5**	**10**	**19**	**23**	**47**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	13	1	1	3	6	9	13	14
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	56	5.4	26	1	1	4	7	11	16	26
50-64	131	5.0	18	1	1	4	6	9	14	24
65+	90	5.0	17	1	1	4	6	9	16	21
B. *Operated*										
0-19 YRS	23	7.7	63	<1	1	4	14	23	24	25
20-34	77	3.8	15	1	1	3	4	7	11	23
35-49	267	5.2	37	1	1	3	6	11	17	30
50-64	813	5.8	50	1	1	3	7	13	19	35
65+	821	4.9	38	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.1	127	1	1	4	8	11	37	46
20-34	30	6.5	81	1	1	4	7	12	21	48
35-49	171	7.1	51	1	2	5	9	14	17	32
50-64	523	8.1	72	1	2	6	10	16	22	53
65+	618	9.1	105	1	2	6	11	18	28	58
B. *Operated*										
0-19 YRS	30	10.8	205	1	1	7	15	19	28	78
20-34	75	8.5	78	1	1	5	11	21	26	42
35-49	475	11.5	129	1	2	9	16	25	32	59
50-64	1740	12.0	147	1	2	8	16	28	35	76
65+	2353	11.5	163	1	2	8	15	25	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	5.1	19	1	1	4	6	9	14	23
B. *Operated*	2001	5.3	42	1	1	3	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	1357	8.4	85	1	2	6	10	16	24	53
B. *Operated*	4673	11.6	153	1	2	8	15	26	35	68
1. SINGLE DX	2294	5.3	39	1	1	3	6	11	16	32
2. MULTIPLE DX	6030	10.9	139	1	2	7	14	24	33	64
A. NOT OPERATED	1650	7.8	75	1	2	6	9	15	22	49
B. OPERATED	6674	9.7	128	1	2	6	13	23	31	62
TOTAL 0-19 YRS	80	8.3	122	1	1	5	10	18	24	68
20-34	186	6.2	55	1	1	4	7	14	22	42
35-49	969	8.6	92	1	1	5	11	20	27	49
50-64	3207	9.5	113	1	2	6	13	23	31	57
65+	3882	9.6	131	1	2	6	12	21	30	63
GRAND TOTAL	**8324**	**9.3**	**118**	**1**	**2**	**6**	**12**	**21**	**30**	**60**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	6.8	31	1	2	5	9	16	20	22
50-64	54	6.2	41	1	1	5	7	11	17	40
65+	85	6.7	41	1	2	4	8	15	24	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	38	13.2	185	1	2	9	16	28	50	58
50-64	197	11.3	122	1	2	8	15	24	31	58
65+	172	8.8	66	1	2	6	13	19	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	12	1	1	5	8	10	10	10
35-49	52	9.0	125	1	2	5	10	18	36	64
50-64	318	8.1	85	1	2	5	10	16	26	61
65+	497	8.9	65	2	2	7	11	18	23	43
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	11	19.7	199	6	7	12	35	40	42	42
35-49	111	18.5	278	2	4	14	24	40	46	96
50-64	760	17.5	233	2	4	14	22	38	51	80
65+	1078	16.4	233	2	3	12	21	35	48	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	6.6	40	1	2	4	8	14	21	30
B. *Operated*	409	10.4	105	1	2	7	14	23	29	55
2. MULTIPLE DX										
A. *Not Operated*	873	8.6	75	1	2	6	10	17	24	48
B. *Operated*	1962	17.0	235	2	3	13	22	37	49	82
1. SINGLE DX	566	9.3	90	1	2	6	13	21	28	47
2. MULTIPLE DX	2835	14.4	201	2	3	10	19	32	44	79
A. NOT OPERATED	1030	8.3	70	1	2	6	10	17	23	45
B. OPERATED	2371	15.9	219	2	3	12	21	34	46	80
TOTAL 0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	18	14.1	173	1	3	9	15	38	41	42
35-49	219	14.4	224	2	2	10	19	34	45	93
50-64	1329	13.9	192	2	2	10	18	31	42	78
65+	1832	13.2	178	2	2	9	17	29	40	71
GRAND TOTAL	**3401**	**13.6**	**186**	**2**	**2**	**9**	**18**	**30**	**41**	**72**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	42	1	1	2	12	15	15	15
35-49	7	5.1	18	1	1	3	8	11	12	12
50-64	40	5.0	21	<1	1	3	6	11	17	19
65+	65	6.5	55	1	2	5	7	10	17	46
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	12.2	38	2	4	13	18	19	20	20
35-49	44	11.3	64	1	2	10	14	24	30	99+
50-64	173	11.7	69	2	3	11	14	19	25	50
65+	248	13.4	94	2	2	12	17	26	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	5	3	3	4	6	8	8	8
20-34	18	6.3	21	1	1	5	9	13	16	17
35-49	79	6.3	34	2	2	4	8	13	20	27
50-64	310	7.9	64	1	2	6	9	17	24	40
65+	880	8.9	86	1	2	6	11	18	24	51
B. *Operated*										
0-19 YRS	5	11.6	65	4	4	11	16	24	24	24
20-34	58	16.9	173	3	5	14	22	31	35	77
35-49	243	17.3	147	4	6	14	21	32	41	61
50-64	1116	17.5	144	4	6	15	22	32	42	65
65+	2811	18.6	163	4	7	16	23	34	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	5.8	40	1	1	4	7	11	17	40
B. *Operated*	476	12.5	81	2	2	11	16	24	30	50
2. MULTIPLE DX										
A. *Not Operated*	1292	8.5	77	1	2	6	10	17	24	47
B. *Operated*	4233	18.2	157	4	6	15	23	33	43	71
1. SINGLE DX	595	11.2	80	1	2	10	15	23	29	49
2. MULTIPLE DX	5525	15.9	156	2	4	13	21	31	40	68
A. NOT OPERATED	1411	8.2	74	1	2	6	10	17	23	46
B. OPERATED	4709	17.6	152	4	6	15	22	32	42	70
TOTAL 0-19 YRS	11	8.2	40	3	3	6	10	18	23	24
20-34	93	13.5	140	2	2	11	17	27	33	70
35-49	373	14.0	132	2	3	11	19	27	37	60
50-64	1639	14.8	135	2	3	12	19	29	38	60
65+	4004	16.0	158	2	4	13	21	31	39	69
GRAND TOTAL	**6120**	**15.5**	**150**	**2**	**3**	**13**	**20**	**30**	**39**	**67**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	11.3	48	4	4	11	17	19	19	19
65+	3	10.0	63	4	4	7	16	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	10	10.1	22	3	4	9	15	16	17	17
50-64	19	18.7	223	6	7	15	26	44	55	57
65+	26	13.9	90	4	5	11	17	24	38	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	9	6.1	17	1	1	5	10	12	12	12
50-64	47	7.8	69	2	2	5	9	14	20	48
65+	73	8.2	44	2	2	6	11	18	23	31
B. *Operated*										
0-19 YRS										
20-34	18	12.6	63	4	6	10	17	21	30	36
35-49	64	17.7	259	6	7	13	20	32	55	91
50-64	200	18.8	186	6	8	15	22	38	49	68
65+	303	20.4	171	8	9	17	24	37	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	10.1	42	4	4	7	17	19	19	19
B. *Operated*	56	14.8	128	4	6	10	17	29	42	57
2. MULTIPLE DX										
A. *Not Operated*	131	7.9	50	2	2	6	10	16	20	38
B. *Operated*	585	19.3	184	7	8	16	23	37	52	73
1. SINGLE DX	64	14.2	118	4	5	10	17	28	39	56
2. MULTIPLE DX	716	17.2	179	3	5	14	21	34	47	70
A. NOT OPERATED	139	8.0	50	2	2	6	10	17	20	37
B. OPERATED	641	18.9	181	7	8	15	23	36	52	71
TOTAL 0-19 YRS										
20-34	21	12.0	56	4	6	9	15	21	28	36
35-49	84	15.4	219	3	5	11	16	26	52	85
50-64	270	16.7	183	3	5	13	20	35	46	62
65+	405	17.7	165	3	5	15	22	34	45	70
GRAND TOTAL	**780**	**17.0**	**175**	**3**	**5**	**13**	**21**	**33**	**46**	**70**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	15	3.0	8	<1	1	2	4	8	9	10
50-64	74	4.3	14	1	1	3	5	8	11	21
65+	161	6.0	73	<1	1	4	7	12	17	46
B. *Operated*										
0-19 YRS	5	6.8	13	3	3	8	10	10	10	10
20-34	31	11.8	14	6	8	11	14	17	18	21
35-49	237	10.2	16	3	5	10	12	16	17	22
50-64	1000	11.0	22	4	7	10	13	16	19	27
65+	1682	12.1	38	3	7	11	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	3	2	2	4	5	7	7	7
20-34	37	7.5	52	1	1	6	9	16	19	39
35-49	185	7.3	51	1	2	5	10	13	20	33
50-64	731	8.0	64	1	2	5	10	17	23	43
65+	2310	8.9	83	2	2	6	11	18	26	49
B. *Operated*										
0-19 YRS	29	12.5	54	3	4	12	17	20	23	38
20-34	136	12.9	72	3	5	11	16	22	27	74
35-49	896	13.9	69	5	7	12	16	22	27	47
50-64	4957	14.6	75	6	8	13	17	24	30	52
65+	15174	17.1	109	7	8	14	20	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	5.3	52	<1	1	3	6	11	14	41
B. *Operated*	2955	11.5	31	3	7	11	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	3269	8.6	77	1	2	6	10	18	25	46
B. *Operated*	21192	16.4	101	7	8	14	19	28	35	60
1. SINGLE DX	3209	11.0	35	2	4	10	13	18	21	31
2. MULTIPLE DX	24461	15.3	105	3	6	13	19	27	34	59
A. NOT OPERATED	3523	8.4	76	1	2	6	10	17	24	45
B. OPERATED	24147	15.8	95	6	8	13	19	27	34	58
TOTAL 0-19 YRS	41	10.4	51	2	3	10	14	18	22	38
20-34	207	11.6	63	2	3	11	15	20	23	53
35-49	1333	12.2	63	2	4	11	15	20	25	44
50-64	6762	13.3	71	3	5	12	16	23	28	48
65+	19327	15.6	109	3	6	13	19	28	35	60
GRAND TOTAL	**27670**	**14.8**	**98**	**3**	**6**	**13**	**18**	**26**	**33**	**57**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	68	1	1	6	13	20	20	20
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	25	3.3	4	<1	1	3	4	7	7	8
50-64	73	6.7	57	1	1	5	7	14	25	43
65+	87	5.4	20	1	2	4	7	13	15	20
B. *Operated*										
0-19 YRS	3	10.3	30	4	4	13	14	14	14	14
20-34	24	10.5	45	2	3	10	13	17	23	32
35-49	210	10.3	28	2	3	10	14	17	19	24
50-64	815	11.4	37	2	3	11	15	18	21	28
65+	1250	11.6	67	2	3	11	15	20	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	101	2	2	6	13	27	27	27
20-34	19	6.7	31	<1	1	5	9	17	20	20
35-49	111	7.3	38	1	2	5	9	14	18	34
50-64	508	8.2	57	1	2	6	10	19	23	37
65+	1286	8.9	79	2	2	6	11	17	26	52
B. *Operated*										
0-19 YRS	8	11.6	25	2	4	11	15	18	18	18
20-34	81	14.9	92	3	5	12	19	32	36	83
35-49	527	13.8	75	3	5	12	17	24	30	44
50-64	2629	15.4	90	4	6	13	19	26	33	50
65+	6859	17.1	127	3	6	15	21	31	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	5.7	34	1	1	4	7	12	16	29
B. *Operated*	2302	11.4	53	2	3	11	15	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	1929	8.6	70	1	2	6	11	17	24	46
B. *Operated*	10104	16.5	115	3	6	14	21	29	37	61
1. SINGLE DX	2493	10.9	53	2	2	11	14	19	22	34
2. MULTIPLE DX	12033	15.2	116	3	4	13	19	28	36	60
A. NOT OPERATED	2120	8.4	68	1	2	6	10	17	24	45
B. OPERATED	12406	15.5	108	3	5	13	19	28	35	58
TOTAL 0-19 YRS	20	10.3	46	1	2	10	14	19	23	27
20-34	126	12.7	82	2	3	11	16	28	34	58
35-49	873	11.8	64	2	3	11	15	20	26	43
50-64	4025	13.5	82	2	4	12	17	24	30	45
65+	9482	15.2	122	2	4	13	19	28	36	62
GRAND TOTAL	**14526**	**14.5**	**108**	**2**	**4**	**13**	**18**	**27**	**34**	**56**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	6	<1	<1	2	3	5	8	14
20-34	9	2.9	3	1	1	3	4	5	5	5
35-49	18	5.2	17	<1	1	5	6	12	15	16
50-64	41	5.8	25	1	1	4	8	12	15	27
65+	61	4.8	15	<1	1	4	6	10	12	20
B. *Operated*										
0-19 YRS	38	10.1	61	2	2	8	13	22	25	36
20-34	29	9.8	88	1	2	8	11	17	32	47
35-49	54	9.6	60	<1	1	7	13	23	27	30
50-64	145	10.9	71	1	2	9	14	21	27	40
65+	219	11.3	73	1	2	10	15	21	29	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.0	12	1	1	3	5	9	11	17
20-34	31	6.7	31	1	1	5	9	13	18	26
35-49	94	8.0	72	1	2	5	9	20	28	43
50-64	311	7.6	47	1	1	6	10	16	21	36
65+	656	9.0	59	2	2	7	11	19	23	39
B. *Operated*										
0-19 YRS	55	18.1	263	3	5	12	21	36	54	86
20-34	65	13.3	103	2	3	11	16	27	38	50
35-49	239	15.5	114	3	4	13	21	30	36	50
50-64	735	16.5	152	3	5	14	21	31	42	79
65+	1685	18.2	178	3	6	15	22	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.6	16	<1	1	3	6	9	13	20
B. *Operated*	485	10.8	71	1	2	9	14	21	27	39
2. MULTIPLE DX										
A. *Not Operated*	1153	8.2	55	1	2	6	11	17	23	38
B. *Operated*	2779	17.4	167	3	5	14	22	33	43	75
1. SINGLE DX	650	9.2	64	1	1	7	13	19	25	37
2. MULTIPLE DX	3932	14.7	151	2	3	12	19	29	38	69
A. NOT OPERATED	1318	7.7	51	1	2	6	10	16	22	36
B. OPERATED	3264	16.4	158	2	4	14	21	31	40	72
TOTAL 0-19 YRS	190	9.1	132	1	1	5	12	20	33	56
20-34	134	10.3	87	1	2	8	13	20	30	48
35-49	405	12.5	106	2	2	10	17	26	32	46
50-64	1232	13.3	129	1	2	11	17	27	36	66
65+	2621	15.0	154	2	3	12	19	30	37	72
GRAND TOTAL	**4582**	**13.9**	**143**	**2**	**3**	**11**	**18**	**28**	**36**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	10.0	57	2	2	11	15	17	17	17
35-49	10	8.1	78	1	1	7	10	21	31	31
50-64	71	5.8	46	1	1	4	7	11	13	39
65+	103	6.4	54	1	2	5	8	11	18	44
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	15.0	32	11	11	15	19	19	19	19
35-49	28	13.6	133	1	1	12	18	30	39	47
50-64	132	13.4	107	1	2	11	19	28	33	48
65+	196	15.5	112	2	3	14	20	28	37	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	18.8	243	7	7	12	27	45	45	45
20-34	8	4.1	22	1	1	3	4	12	15	15
35-49	116	7.3	47	1	1	5	10	15	18	35
50-64	665	7.8	53	2	2	6	9	16	21	42
65+	1328	9.2	70	2	2	7	12	18	25	42
B. *Operated*										
0-19 YRS	9	19.8	127	7	8	19	24	37	44	44
20-34	27	21.3	284	2	6	18	26	42	53	81
35-49	239	17.3	141	3	5	14	23	31	37	64
50-64	1277	17.7	150	3	6	15	22	33	43	65
65+	2771	18.9	149	4	7	16	25	34	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	6.3	51	1	2	4	8	11	18	39
B. *Operated*	359	14.5	111	1	2	13	20	28	35	51
2. MULTIPLE DX										
A. *Not Operated*	2122	8.7	64	2	2	6	11	18	23	42
B. *Operated*	4323	18.5	150	4	6	16	24	34	43	65
1. SINGLE DX	546	11.7	106	1	2	9	17	24	33	48
2. MULTIPLE DX	6445	15.3	143	2	3	13	20	30	38	59
A. NOT OPERATED	2309	8.5	64	2	2	6	10	17	23	42
B. OPERATED	4682	18.2	148	3	6	16	24	34	42	64
TOTAL 0-19 YRS	15	18.8	148	7	7	18	23	44	45	45
20-34	40	16.7	248	1	2	13	22	37	45	81
35-49	393	13.8	131	1	2	11	19	29	35	49
50-64	2145	14.0	136	2	3	11	19	29	36	58
65+	4398	15.5	142	2	3	13	21	31	38	59
GRAND TOTAL	**6991**	**15.0**	**141**	**2**	**3**	**12**	**20**	**30**	**38**	**58**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.3	7	1	1	6	7	8	8	8
35-49	142	3.7	14	1	1	2	4	8	12	19
50-64	529	5.0	30	1	1	3	6	11	17	28
65+	504	5.8	38	1	1	4	7	11	14	32
B. *Operated*										
0-19 YRS	7	9.7	22	3	4	10	12	17	18	18
20-34	36	10.8	50	2	3	9	12	22	25	37
35-49	435	8.5	36	1	2	8	12	16	19	30
50-64	1801	9.0	45	1	2	8	12	17	21	30
65+	1855	8.9	54	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.9	33	1	1	7	10	17	20	22
20-34	45	7.1	103	1	1	5	8	11	24	54
35-49	1199	7.4	54	1	2	5	9	16	21	39
50-64	5785	7.8	57	1	2	5	10	17	23	38
65+	7994	9.2	73	2	2	7	12	19	25	45
B. *Operated*										
0-19 YRS	17	9.5	109	1	2	4	15	20	34	42
20-34	91	12.7	110	2	3	10	16	23	33	61
35-49	1751	12.6	105	2	3	10	16	24	30	57
50-64	9988	12.7	98	2	3	10	16	24	31	50
65+	14076	13.3	110	2	3	11	17	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	5.2	32	1	1	4	7	11	15	31
B. *Operated*	4134	8.9	48	1	2	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	15039	8.5	66	1	2	6	11	18	24	41
B. *Operated*	25923	13.0	105	2	3	11	17	25	32	54
1. SINGLE DX	5315	8.1	47	1	1	7	11	17	20	32
2. MULTIPLE DX	40962	11.4	96	2	2	9	15	23	30	50
A. NOT OPERATED	16220	8.3	64	1	2	6	11	17	24	41
B. OPERATED	30057	12.5	100	2	3	10	16	24	31	52
TOTAL 0-19 YRS	40	8.9	61	1	2	7	12	18	21	42
20-34	178	10.7	98	1	2	8	13	21	29	54
35-49	3527	9.9	83	1	2	8	13	20	26	45
50-64	18103	10.6	84	2	2	8	14	22	28	45
65+	24429	11.5	97	2	3	9	15	23	30	52
GRAND TOTAL	**46277**	**11.0**	**91**	**2**	**2**	**9**	**14**	**22**	**29**	**49**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	5	11.2	131	1	1	9	18	29	29	29
35-49	20	4.6	27	<1	1	3	5	10	17	23
50-64	62	4.3	30	<1	<1	3	5	10	12	35
65+	52	3.6	11	1	1	3	4	7	9	2[illegible]
B. *Operated*										
0-19 YRS	27	6.8	40	1	1	5	10	16	22	25
20-34	44	6.9	37	<1	1	5	8	16	20	28
35-49	168	6.8	40	<1	1	4	11	16	20	25
50-64	776	6.7	63	<1	1	3	11	16	20	34
65+	702	5.9	57	<1	1	2	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	7	1	1	5	7	8	9	9
20-34	50	5.7	15	1	1	5	8	11	13	17
35-49	84	7.3	49	1	2	6	9	16	18	41
50-64	286	7.4	41	1	1	5	10	16	19	34
65+	359	7.7	68	1	1	5	10	17	23	54
B. *Operated*										
0-19 YRS	31	10.9	144	1	2	8	14	25	26	63
20-34	63	10.3	104	1	2	8	12	22	39	93
35-49	276	13.6	167	1	2	11	18	28	36	67
50-64	1286	13.1	155	1	2	11	18	28	38	76
65+	1523	12.9	181	1	2	10	18	30	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	4.2	26	<1	1	2	5	9	13	29
B. *Operated*	1717	6.4	57	<1	1	2	10	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	794	7.3	52	1	1	5	10	16	21	40
B. *Operated*	3179	13.0	168	1	2	10	18	29	39	77
1. SINGLE DX	1864	6.2	55	<1	1	2	10	15	20	33
2. MULTIPLE DX	3973	11.8	149	1	2	9	16	27	37	73
A. NOT OPERATED	941	6.8	49	1	1	5	9	15	19	38
B. OPERATED	4896	10.7	139	1	1	8	15	24	33	69
TOTAL 0-19 YRS	81	7.4	78	1	1	5	9	16	24	52
20-34	162	8.0	62	1	2	6	10	17	23	51
35-49	548	10.2	116	1	1	7	15	22	28	50
50-64	2410	10.1	119	1	1	7	14	23	30	59
65+	2636	10.2	140	1	1	6	14	24	34	72
GRAND TOTAL	**5837**	**10.1**	**126**	**1**	**1**	**7**	**14**	**23**	**32**	**61**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.8	12	1	1	3	4	6	8	19
20-34	34	6.5	206	1	1	3	5	11	17	85
35-49	15	6.3	40	1	3	4	7	9	23	28
50-64	34	5.6	25	1	2	5	7	8	15	28
65+	35	5.0	14	1	1	4	7	10	13	14
B. *Operated*										
0-19 YRS	263	6.8	41	1	1	5	10	13	16	33
20-34	221	6.6	37	1	2	5	9	12	17	28
35-49	190	6.9	36	1	1	6	9	13	20	29
50-64	248	7.0	49	1	1	5	9	14	19	36
65+	303	7.6	71	1	1	5	9	16	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	4.6	26	1	1	3	5	9	13	30
20-34	122	4.7	18	1	1	3	6	10	16	20
35-49	65	6.1	34	1	2	5	7	11	18	31
50-64	152	7.4	95	1	1	5	9	15	20	50
65+	252	8.5	74	1	2	6	11	18	25	45
B. *Operated*										
0-19 YRS	163	12.2	128	2	2	9	16	24	33	63
20-34	152	11.7	165	2	2	8	15	24	33	91
35-49	173	11.9	161	1	2	8	17	28	34	91
50-64	375	14.0	164	2	3	10	19	31	44	65
65+	672	13.2	171	2	2	9	17	30	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	4.7	40	1	1	3	5	8	13	27
B. *Operated*	1225	7.0	48	1	1	5	9	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	969	6.1	52	1	1	4	7	13	19	33
B. *Operated*	1535	13.0	163	2	2	9	17	29	40	71
1. SINGLE DX	1490	6.6	48	1	1	5	9	13	18	36
2. MULTIPLE DX	2504	10.4	131	1	2	7	13	23	33	63
A. NOT OPERATED	1234	5.8	49	1	1	4	7	12	18	32
B. OPERATED	2760	10.4	121	1	2	7	13	23	33	61
TOTAL 0-19 YRS	951	6.4	54	1	1	4	8	13	19	39
20-34	529	7.6	86	1	2	5	9	16	20	38
35-49	443	8.7	91	1	2	6	10	21	28	45
50-64	809	10.3	122	1	2	7	13	23	33	60
65+	1262	10.7	131	1	2	7	14	23	34	63
GRAND TOTAL	**3994**	**9.0**	**103**	**1**	**2**	**6**	**11**	**20**	**28**	**55**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	6.5	85	<1	<1	3	9	19	31	32
35-49	22	3.6	16	<1	1	2	4	8	14	17
50-64	26	5.4	41	<1	1	4	7	10	16	33
65+	10	7.7	45	1	2	5	11	18	24	24
B. *Operated*										
0-19 YRS	10	3.4	6	2	2	2	4	7	9	9
20-34	251	4.3	10	<1	1	4	6	8	9	14
35-49	462	4.3	10	1	1	3	6	8	10	16
50-64	532	5.0	14	1	1	4	7	10	12	18
65+	387	5.5	32	1	2	4	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	28	<1	<1	3	9	11	11	11
20-34	41	5.1	22	1	1	3	6	13	17	18
35-49	97	6.5	36	1	1	5	8	15	19	30
50-64	111	6.4	50	1	1	5	8	13	17	39
65+	143	7.5	38	1	2	5	10	15	20	39
B. *Operated*										
0-19 YRS	13	4.8	11	1	2	3	7	9	12	13
20-34	139	6.8	32	1	1	5	10	14	18	30
35-49	292	6.3	28	1	2	5	8	13	17	28
50-64	498	7.6	39	1	2	6	10	15	20	28
65+	670	8.8	77	2	2	6	11	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	5.3	40	<1	1	3	6	11	17	33
B. *Operated*	1642	4.8	16	1	1	4	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	395	6.6	40	1	1	5	9	14	18	33
B. *Operated*	1612	7.8	53	1	2	6	10	16	21	35
1. SINGLE DX	1711	4.8	17	1	1	4	7	9	12	19
2. MULTIPLE DX	2007	7.6	51	1	2	6	10	15	21	34
A. NOT OPERATED	464	6.5	40	1	1	5	8	14	17	33
B. OPERATED	3254	6.3	37	1	2	5	8	12	17	29
TOTAL 0-19 YRS	26	4.3	10	1	2	3	6	9	11	13
20-34	442	5.2	21	<1	1	4	7	10	14	23
35-49	873	5.2	20	1	1	4	7	10	13	23
50-64	1167	6.2	30	1	1	5	8	12	17	26
65+	1210	7.6	60	1	2	5	10	15	22	39
GRAND TOTAL	**3718**	**6.3**	**37**	**1**	**1**	**5**	**8**	**13**	**17**	**29**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	22	5.5	28	1	1	3	7	12	19	23
B. *Operated*										
0-19 YRS	36	2.3	3	<1	<1	2	3	5	6	8
20-34	110	2.8	14	<1	<1	2	3	5	8	23
35-49	315	2.2	6	<1	<1	2	2	4	6	12
50-64	758	2.5	7	<1	<1	2	3	5	6	13
65+	1502	3.0	12	<1	<1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	20	7.6	84	1	2	4	8	21	32	35
35-49	17	7.4	14	2	2	7	9	14	15	15
50-64	45	6.9	110	<1	1	4	7	16	24	64
65+	164	7.2	66	<1	1	4	9	16	22	42
B. *Operated*										
0-19 YRS	19	8.5	74	1	2	5	12	19	29	36
20-34	58	8.1	124	<1	<1	4	9	25	31	60
35-49	268	5.5	104	<1	<1	2	6	11	20	45
50-64	920	4.8	48	<1	1	3	5	11	16	36
65+	2845	5.6	55	1	1	3	7	12	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.3	25	1	1	3	6	12	17	23
B. *Operated*	2721	2.8	10	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	248	7.1	71	1	1	4	9	15	23	42
B. *Operated*	4110	5.5	58	1	1	3	6	12	18	38
1. SINGLE DX	2749	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX	4358	5.5	59	1	1	3	6	12	18	41
A. NOT OPERATED	276	6.9	66	1	1	4	8	15	23	42
B. OPERATED	6831	4.4	41	<1	1	2	5	10	14	32
TOTAL 0-19 YRS	58	4.6	35	<1	<1	2	5	12	16	35
20-34	192	4.9	60	<1	<1	2	5	11	21	36
35-49	600	3.8	53	<1	<1	2	3	8	12	32
50-64	1724	3.9	33	<1	<1	2	4	8	13	30
65+	4533	4.8	43	<1	1	3	5	11	15	33
GRAND TOTAL	**7107**	**4.5**	**42**	**<1**	**1**	**2**	**5**	**10**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	2.7	3	1	1	2	4	6	6	6
35-49	60	4.4	79	<1	1	2	4	7	15	61
50-64	79	4.5	16	1	1	3	6	9	14	20
65+	90	4.7	27	1	1	3	6	9	12	32
B. *Operated*										
0-19 YRS	11	4.5	4	1	2	5	6	7	7	7
20-34	491	5.2	9	1	2	5	7	9	10	13
35-49	2976	5.4	8	1	2	5	7	9	10	14
50-64	4490	5.9	9	1	2	6	7	9	11	15
65+	4298	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	40	2	2	5	9	18	18	18
20-34	83	5.8	36	<1	1	4	7	12	24	26
35-49	530	8.0	85	1	1	5	10	18	27	54
50-64	1182	8.4	71	1	1	6	11	18	26	44
65+	1357	9.7	109	1	2	7	12	20	29	53
B. *Operated*										
0-19 YRS	20	8.8	50	2	2	7	11	18	25	30
20-34	560	6.8	23	2	3	6	8	11	14	26
35-49	3820	7.2	29	2	3	6	8	11	14	29
50-64	7576	8.1	42	2	3	7	9	13	17	36
65+	11531	8.9	41	2	4	8	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	4.4	34	1	1	3	5	9	12	23
B. *Operated*	12266	5.9	10	1	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	3157	8.8	89	1	2	6	11	19	27	50
B. *Operated*	23507	8.3	39	2	3	7	10	14	18	35
1. SINGLE DX	12510	5.9	10	1	2	6	8	9	11	16
2. MULTIPLE DX	26664	8.4	45	2	3	7	10	14	19	37
A. NOT OPERATED	3401	8.5	87	1	1	6	11	19	26	49
B. OPERATED	35773	7.5	31	2	3	7	9	12	16	30
TOTAL 0-19 YRS	36	7.3	36	2	2	6	8	16	20	30
20-34	1149	6.0	18	1	2	5	8	10	12	24
35-49	7386	6.5	26	1	2	6	8	11	13	26
50-64	13327	7.4	35	2	3	6	9	12	16	31
65+	17276	8.3	40	2	3	7	10	14	18	35
GRAND TOTAL	**39174**	**7.6**	**36**	**2**	**3**	**7**	**9**	**13**	**16**	**32**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	53	3.5	3	1	2	3	4	5	6	9
35-49	163	3.8	10	1	2	3	4	5	6	22
50-64	209	3.8	9	1	2	3	4	5	8	21
65+	169	4.2	8	2	2	4	5	5	8	19
B. *Operated*										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	399	4.9	13	1	1	4	7	10	12	14
35-49	503	5.4	20	1	1	4	8	11	14	19
50-64	338	4.9	19	1	2	4	6	9	12	19
65+	255	4.0	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	89	6.7	47	1	1	5	8	13	23	38
35-49	281	6.2	59	1	1	4	7	11	18	43
50-64	366	6.2	41	1	1	4	7	13	19	32
65+	381	6.9	62	2	2	4	8	14	19	38
B. *Operated*										
0-19 YRS	8	9.5	64	2	2	8	11	22	27	27
20-34	410	7.6	48	1	2	6	9	14	19	33
35-49	762	9.7	87	2	2	7	11	19	28	50
50-64	686	9.5	90	1	2	7	12	20	28	58
65+	777	10.0	122	2	2	7	12	21	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	3.9	9	1	2	3	4	5	7	20
B. *Operated*	1498	4.9	16	1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	1118	6.4	53	1	1	4	7	13	19	37
B. *Operated*	2643	9.4	93	1	2	7	11	19	27	51
1. SINGLE DX	2093	4.6	14	1	1	4	6	9	12	18
2. MULTIPLE DX	3761	8.5	83	1	2	6	10	17	25	48
A. NOT OPERATED	1713	5.6	39	1	2	4	6	11	16	32
B. OPERATED	4141	7.8	70	1	2	6	10	16	22	46
TOTAL 0-19 YRS	13	7.3	48	2	2	4	10	15	25	27
20-34	951	6.2	32	1	1	5	8	12	15	27
35-49	1709	7.3	60	1	2	5	9	14	21	43
50-64	1599	7.0	58	1	2	4	8	15	21	39
65+	1582	7.7	84	1	2	5	9	16	22	48
GRAND TOTAL	**5854**	**7.1**	**62**	**1**	**2**	**5**	**9**	**14**	**21**	**43**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.2	1	3	3	4	5	6	6	6
35-49	27	3.0	1	1	1	3	4	4	5	5
50-64	158	3.3	2	1	2	3	4	5	5	8
65+	204	3.8	9	1	2	3	4	5	7	21
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	37	5.6	8	1	2	6	7	8	12	13
35-49	214	5.6	8	1	1	6	7	9	10	14
50-64	984	5.9	10	1	1	6	8	9	11	14
65+	964	6.1	14	1	2	6	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	12	1	1	6	8	9	9	9
20-34	16	5.1	17	1	1	4	7	10	15	17
35-49	38	3.5	8	1	1	3	4	6	9	16
50-64	244	5.4	61	1	1	4	6	11	16	31
65+	561	7.7	99	1	2	4	9	17	24	59
B. *Operated*										
0-19 YRS	7	9.3	4	7	7	10	11	12	12	12
20-34	64	9.7	126	3	4	7	10	14	33	72
35-49	587	7.1	19	1	2	7	8	11	15	25
50-64	2705	8.1	40	2	2	7	9	13	17	34
65+	3923	9.1	56	2	2	8	11	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	3.6	5	1	2	3	4	5	6	15
B. *Operated*	2200	6.0	12	1	1	6	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	863	6.9	84	1	1	4	8	15	21	55
B. *Operated*	7286	8.6	48	2	2	7	10	15	19	36
1. SINGLE DX	2595	5.6	12	1	1	6	7	9	11	17
2. MULTIPLE DX	8149	8.4	52	1	2	7	10	15	19	36
A. NOT OPERATED	1258	5.8	62	1	1	4	6	12	17	47
B. OPERATED	9486	8.0	41	1	2	7	9	14	18	33
TOTAL 0-19 YRS	12	8.1	9	1	4	8	10	11	12	12
20-34	123	7.6	75	1	2	6	8	12	15	54
35-49	866	6.4	16	1	2	6	8	11	13	21
50-64	4091	7.2	34	1	2	7	9	12	15	28
65+	5652	8.3	53	1	2	7	10	15	20	38
GRAND TOTAL	**10744**	**7.7**	**44**	**1**	**2**	**7**	**9**	**13**	**18**	**34**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	1	1	2	2	4	5	5
20-34	23	2.2	2	<1	1	2	2	5	6	6
35-49	88	2.7	12	1	1	2	2	5	7	23
50-64	262	2.5	8	<1	1	2	2	4	6	19
65+	191	3.0	10	1	1	2	3	5	8	18
B. *Operated*										
0-19 YRS	30	6.5	9	3	3	6	7	9	13	16
20-34	114	6.2	5	3	4	6	8	9	11	12
35-49	138	8.3	18	2	4	7	10	14	17	21
50-64	293	8.8	31	2	3	8	11	15	18	23
65+	161	10.0	34	3	4	8	11	18	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.1	79	2	2	3	6	24	28	29
20-34	59	4.3	26	1	1	3	5	10	13	32
35-49	227	4.0	18	1	1	2	5	9	12	23
50-64	853	4.4	32	1	1	2	5	9	14	33
65+	1000	6.6	65	1	1	4	8	15	22	41
B. *Operated*										
0-19 YRS	41	10.2	30	4	5	9	13	19	20	28
20-34	235	9.2	26	3	4	8	12	16	19	28
35-49	627	11.1	75	5	5	9	12	18	24	52
50-64	1592	13.4	96	5	6	11	16	24	31	53
65+	1771	16.3	123	6	7	13	20	29	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	2.7	9	1	1	2	3	5	7	19
B. *Operated*	736	8.5	26	2	4	7	10	14	18	24
2. MULTIPLE DX										
A. *Not Operated*	2151	5.4	47	1	1	3	6	13	18	34
B. *Operated*	4266	14.0	105	5	6	11	17	26	33	61
1. SINGLE DX	1310	5.9	27	1	1	5	8	12	16	23
2. MULTIPLE DX	6417	11.1	102	1	2	9	15	22	29	54
A. NOT OPERATED	2725	4.8	40	1	1	2	5	11	17	31
B. OPERATED	5002	13.2	97	4	5	10	16	24	31	58
TOTAL 0-19 YRS	93	7.7	32	1	2	7	9	15	20	29
20-34	431	7.4	24	1	2	7	9	14	17	26
35-49	1080	8.6	61	1	2	7	10	16	21	38
50-64	3000	9.4	83	1	1	8	12	19	26	47
65+	3123	12.1	118	1	2	10	16	25	32	60
GRAND TOTAL	**7727**	**10.2**	**93**	**1**	**2**	**8**	**13**	**21**	**28**	**52**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	3.2	2	1	1	3	4	5	6	6
35-49	11	2.1	1	1	1	2	3	3	3	3
50-64	19	2.6	2	<1	<1	2	4	5	5	5
65+	23	4.4	28	1	1	3	4	7	18	25
B. *Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	18	5.7	21	1	1	4	8	11	16	19
35-49	44	5.9	23	1	2	4	10	14	15	16
50-64	85	7.2	44	1	2	5	10	17	19	33
65+	186	8.4	80	1	2	6	10	19	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	4	1	1	3	5	5	5	5
20-34	5	3.8	7	<1	<1	3	5	8	8	8
35-49	19	10.2	236	<1	1	6	12	17	47	70
50-64	59	6.3	101	<1	1	3	7	14	17	68
65+	155	9.6	167	2	2	5	10	21	36	79
B. *Operated*										
0-19 YRS	5	8.6	18	6	6	7	10	16	16	16
20-34	28	11.4	108	3	3	7	15	27	33	45
35-49	81	13.1	196	1	2	9	16	31	44	98
50-64	189	12.8	150	2	2	9	16	26	40	85
65+	576	12.8	145	2	3	9	17	27	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.4	13	<1	1	3	4	5	8	23
B. *Operated*	335	7.6	60	1	2	5	10	16	23	38
2. MULTIPLE DX										
A. *Not Operated*	244	8.6	151	1	2	5	9	17	29	73
B. *Operated*	879	12.8	149	2	3	9	17	27	36	74
1. SINGLE DX	400	6.9	55	1	1	4	9	16	21	35
2. MULTIPLE DX	1123	11.9	152	2	2	8	15	26	35	74
A. NOT OPERATED	309	7.5	126	1	1	4	8	15	25	71
B. OPERATED	1214	11.4	130	2	2	8	15	25	32	65
TOTAL 0-19 YRS	14	6.8	19	1	1	6	10	13	15	16
20-34	62	7.7	67	1	2	4	10	18	25	43
35-49	155	9.9	150	1	2	6	13	20	33	93
50-64	352	9.8	119	1	2	7	12	21	29	72
65+	940	11.2	137	2	2	7	15	25	32	68
GRAND TOTAL	**1523**	**10.6**	**131**	**1**	**2**	**7**	**14**	**23**	**32**	**69**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34										
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	46	5.3	25	1	1	4	7	10	14	28
65+	184	6.5	44	1	1	5	8	12	17	36
B. *Operated*										
0-19 YRS	6	6.5	16	2	2	6	10	11	11	11
20-34	1	13.0		13	13	13	13	13	13	13
35-49	52	7.1	29	1	2	5	10	16	18	20
50-64	1485	6.2	23	1	1	5	8	13	16	22
65+	4038	5.9	18	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	8	1	1	4	6	8	10	10
20-34	1	8.0		8	8	8	8	8	8	8
35-49	23	6.9	71	1	1	4	9	14	25	40
50-64	549	7.9	63	1	2	6	10	16	23	42
65+	3252	8.6	71	1	2	6	10	18	24	45
B. *Operated*										
0-19 YRS	22	9.3	94	2	3	6	12	18	30	47
20-34	8	7.9	63	1	1	6	11	21	24	24
35-49	86	9.4	80	2	2	7	11	17	25	53
50-64	3133	8.5	51	2	2	7	11	16	21	37
65+	17296	9.1	57	2	3	7	11	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	6.2	39	1	1	5	8	12	16	35
B. *Operated*	5582	6.0	19	1	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	3835	8.5	70	1	2	6	10	18	24	45
B. *Operated*	20545	9.0	56	2	3	7	11	17	22	40
1. SINGLE DX	5820	6.0	20	1	2	5	8	11	14	22
2. MULTIPLE DX	24380	8.9	58	2	3	7	11	17	23	41
A. NOT OPERATED	4073	8.3	68	1	2	6	10	17	24	45
B. OPERATED	26127	8.4	50	2	2	7	10	16	21	37
TOTAL 0-19 YRS	42	7.2	59	1	2	6	10	13	18	47
20-34	10	8.4	52	1	1	8	13	19	24	24
35-49	165	8.2	62	1	2	6	10	16	19	49
50-64	5213	7.7	45	1	2	6	10	15	20	34
65+	24770	8.5	53	2	2	7	10	16	21	39
GRAND TOTAL	**30200**	**8.3**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**38**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	2	1	1	3	4	5	5	5
20-34	40	4.4	5	1	1	4	6	7	9	10
35-49	14	4.1	6	1	2	4	5	6	10	11
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-19 YRS	65	4.2	13	1	1	3	5	8	11	20
20-34	556	4.1	10	1	1	3	5	8	10	15
35-49	239	3.8	9	1	1	3	5	7	9	17
50-64	78	4.4	21	1	1	3	5	8	11	29
65+	66	5.6	17	1	2	5	7	10	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	2	1	2	4	5	5	7	7
20-34	157	5.9	24	1	1	5	7	9	15	32
35-49	57	5.3	16	1	2	4	5	10	16	21
50-64	12	7.3	115	1	2	4	6	20	37	40
65+	16	11.6	177	2	3	7	15	18	45	57
B. *Operated*										
0-19 YRS	34	7.6	31	1	1	7	10	14	18	25
20-34	289	8.4	73	1	2	6	10	18	25	51
35-49	136	6.7	33	1	2	5	9	15	20	26
50-64	107	7.5	48	1	1	5	9	17	22	35
65+	170	8.2	86	2	2	5	10	18	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.8	5	1	1	4	5	6	8	11
B. *Operated*	1004	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	258	6.1	36	1	2	5	6	11	16	34
B. *Operated*	736	7.9	63	1	2	5	10	17	23	44
1. SINGLE DX	1081	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX	994	7.4	57	1	2	5	9	15	21	41
A. NOT OPERATED	335	5.6	30	1	2	5	6	9	14	32
B. OPERATED	1740	5.7	37	1	1	4	7	12	17	29
TOTAL 0-19 YRS	129	4.9	17	1	1	4	7	10	13	22
20-34	1042	5.6	33	1	1	4	7	11	15	30
35-49	446	4.9	19	1	1	4	6	10	14	23
50-64	202	6.2	42	1	1	4	7	15	19	35
65+	256	7.6	74	1	2	5	9	15	21	54
GRAND TOTAL	**2075**	**5.7**	**36**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34										
35-49	7	4.9	47	1	1	3	5	17	20	20
50-64	30	3.4	10	<1	1	3	5	6	9	16
65+	102	4.5	41	<1	<1	3	5	8	12	38
B. *Operated*										
0-19 YRS	10	4.8	30	<1	<1	2	5	14	18	18
20-34	68	3.5	14	<1	1	2	4	6	9	22
35-49	477	4.0	19	1	1	3	5	8	13	22
50-64	2241	4.2	16	1	1	3	5	8	12	19
65+	4552	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.4	25	2	2	5	9	15	16	16
20-34										
35-49	26	7.3	28	1	1	6	12	14	18	20
50-64	228	6.6	71	1	1	4	8	18	25	41
65+	981	8.2	82	1	2	5	10	18	27	46
B. *Operated*										
0-19 YRS	17	6.9	30	1	2	5	9	14	20	22
20-34	57	5.6	50	<1	1	3	7	11	18	41
35-49	408	6.4	62	1	1	4	8	15	21	44
50-64	3314	7.4	68	1	2	5	9	17	23	41
65+	12213	7.9	70	1	2	5	9	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.3	33	<1	1	3	5	8	12	29
B. *Operated*	7348	4.3	17	1	1	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	1242	7.9	79	1	1	5	10	17	26	46
B. *Operated*	16009	7.8	69	1	2	5	9	17	23	43
1. SINGLE DX	7491	4.3	18	1	1	3	5	8	12	22
2. MULTIPLE DX	17251	7.8	70	1	2	5	9	17	24	44
A. NOT OPERATED	1385	7.5	75	1	1	5	9	17	25	45
B. OPERATED	23357	6.7	56	1	2	4	8	15	21	38
TOTAL 0-19 YRS	38	5.9	26	<1	1	4	8	14	17	22
20-34	125	4.4	31	<1	1	3	5	8	13	33
35-49	918	5.1	40	1	1	3	6	12	16	33
50-64	5813	6.1	50	1	1	4	7	14	19	36
65+	17848	7.0	60	1	2	5	8	15	22	40
GRAND TOTAL	**24742**	**6.7**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.8	6	<1	1	2	4	6	9	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	18	4.0	14	1	1	3	5	9	13	15
50-64	29	4.1	15	1	1	3	5	10	12	18
65+	43	5.2	15	1	1	4	7	10	12	21
B. *Operated*										
0-19 YRS	80	9.3	18	3	5	9	11	14	18	25
20-34	23	8.4	26	<1	1	9	11	16	18	19
35-49	181	9.2	26	2	4	9	11	15	18	30
50-64	422	9.2	21	2	3	9	11	15	18	23
65+	445	10.3	37	2	2	10	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.8	29	1	1	4	7	13	16	29
20-34	12	6.4	17	2	2	5	9	13	15	15
35-49	90	8.7	109	1	2	5	11	19	32	55
50-64	359	8.5	67	1	2	6	11	18	23	42
65+	615	9.1	64	1	2	7	12	19	23	42
B. *Operated*										
0-19 YRS	100	12.6	106	3	5	10	13	22	37	57
20-34	37	13.6	94	2	5	10	15	26	32	51
35-49	321	12.3	66	2	4	11	15	21	25	43
50-64	1364	12.8	75	3	5	11	15	22	27	54
65+	2435	14.5	96	3	5	13	18	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.1	13	1	1	3	5	9	11	19
B. *Operated*	1151	9.6	28	2	3	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	1152	8.6	66	1	2	6	11	18	23	45
B. *Operated*	4257	13.7	88	3	5	12	17	24	31	53
1. SINGLE DX	1279	9.0	29	1	2	9	11	16	19	26
2. MULTIPLE DX	5409	12.6	88	2	3	11	16	23	30	50
A. NOT OPERATED	1280	8.2	63	1	2	6	11	17	22	42
B. OPERATED	5408	12.8	78	2	4	11	16	22	29	49
TOTAL 0-19 YRS	293	8.7	61	1	1	8	10	15	21	45
20-34	73	10.6	67	1	2	9	13	19	26	47
35-49	610	10.6	63	2	3	9	13	19	22	44
50-64	2174	11.2	66	2	3	10	14	20	25	46
65+	3538	12.9	88	2	3	11	16	23	30	50
GRAND TOTAL	**6688**	**12.0**	**78**	**2**	**3**	**10**	**15**	**22**	**28**	**48**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	27	<1	<1	1	2	3	4	30
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS	44	2.6	4	<1	<1	2	4	5	6	13
20-34	11	3.0	4	1	1	3	4	6	7	7
35-49	21	3.3	16	1	1	3	3	4	12	20
50-64	41	4.1	12	1	1	3	5	8	11	19
65+	72	3.4	8	1	1	3	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	208	<1	<1	1	3	13	43	62
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	6.6	10	2	2	6	10	11	11	11
50-64	9	4.7	6	2	2	4	6	9	9	9
65+	23	7.0	27	1	2	6	10	14	18	22
B. *Operated*										
0-19 YRS	29	6.9	151	<1	<1	3	7	17	20	65
20-34	3	6.3	10	4	4	5	9	10	10	10
35-49	9	4.3	6	2	2	3	6	8	9	9
50-64	38	5.8	41	1	1	3	6	18	21	25
65+	93	5.1	36	1	2	3	5	11	13	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.6	24	<1	<1	1	2	4	7	30
B. *Operated*	189	3.3	9	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	61	6.2	72	<1	1	4	8	12	15	58
B. *Operated*	172	5.5	54	1	1	3	6	12	18	39
1. SINGLE DX	226	3.2	11	<1	1	2	4	6	8	20
2. MULTIPLE DX	233	5.7	58	1	1	3	6	12	17	43
A. NOT OPERATED	98	4.9	56	<1	<1	3	6	11	14	47
B. OPERATED	361	4.4	31	1	1	3	5	8	13	25
TOTAL 0-19 YRS	122	4.1	76	<1	<1	2	3	7	16	63
20-34	15	3.7	6	1	1	3	5	7	9	10
35-49	42	4.4	13	1	1	3	5	9	11	20
50-64	89	4.9	24	1	1	3	5	10	19	24
65+	191	4.7	25	1	2	3	5	9	12	31
GRAND TOTAL	**459**	**4.5**	**37**	**<1**	**1**	**3**	**5**	**9**	**13**	**30**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	4.4	25	<1	1	3	6	9	14	25
20-34	36	4.9	17	1	1	4	6	14	16	99+
35-49	97	8.0	112	1	2	5	8	18	28	63
50-64	154	9.1	147	1	1	6	10	19	32	65
65+	111	11.2	181	2	2	7	14	23	41	79
B. *Operated*										
0-19 YRS	215	9.5	35	2	2	9	12	17	20	33
20-34	217	10.8	67	2	3	9	14	19	24	40
35-49	247	11.3	74	2	3	9	14	20	27	63
50-64	325	14.5	110	3	5	13	18	25	32	64
65+	226	16.6	162	4	5	14	20	28	43	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	5.9	49	1	1	3	7	14	20	38
20-34	173	7.1	59	1	1	4	9	16	24	42
35-49	320	8.5	104	1	2	6	9	19	30	61
50-64	537	11.4	147	2	2	7	14	25	37	67
65+	652	12.2	152	2	3	8	14	27	46	69
B. *Operated*										
0-19 YRS	362	17.0	249	2	4	13	21	34	60	91
20-34	242	16.5	209	3	4	13	20	35	53	83
35-49	347	17.1	246	3	4	12	21	38	52	74
50-64	559	20.6	315	3	5	14	25	51	66	91
65+	596	23.2	297	5	8	18	29	53	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	7.9	116	1	1	5	9	16	26	66
B. *Operated*	1230	12.7	98	2	4	11	16	22	29	61
2. MULTIPLE DX										
A. *Not Operated*	1879	10.2	128	1	2	7	12	23	34	62
B. *Operated*	2106	19.7	282	3	5	15	24	44	61	91
1. SINGLE DX	1748	11.3	108	2	2	9	14	21	28	62
2. MULTIPLE DX	3985	15.2	232	2	3	11	19	34	53	84
A. NOT OPERATED	2397	9.7	126	1	2	6	11	22	33	63
B. OPERATED	3336	17.1	225	3	4	13	21	35	54	84
TOTAL 0-19 YRS	894	11.1	150	1	2	8	14	23	32	77
20-34	668	11.6	130	2	2	9	14	24	33	74
35-49	1011	12.1	160	2	2	8	14	26	37	71
50-64	1575	15.1	218	2	3	11	18	32	51	78
65+	1585	16.9	237	2	3	12	21	38	55	85
GRAND TOTAL	**5733**	**14.0**	**197**	**2**	**2**	**10**	**17**	**30**	**47**	**78**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	4	10.5	246	2	2	3	19	34	34	34
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	5	5.4	28	1	1	3	9	14	14	14
B. *Operated*										
0-19 YRS	29	10.1	41	2	3	9	12	20	23	25
20-34	26	11.8	90	1	1	10	18	24	30	40
35-49	22	7.9	43	1	1	6	11	18	21	24
50-64	19	15.8	145	2	3	12	21	37	39	40
65+	16	13.9	130	1	1	14	17	22	40	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	7.9	110	1	1	4	8	19	31	52
20-34	8	3.3	7	1	1	2	5	7	8	8
35-49	11	10.9	94	2	2	7	13	25	35	36
50-64	29	9.2	58	1	1	8	13	21	25	30
65+	42	10.5	76	1	2	8	15	22	26	44
B. *Operated*										
0-19 YRS	61	17.1	192	3	4	13	22	33	49	66
20-34	33	17.9	124	2	6	15	26	31	38	49
35-49	37	20.9	367	2	4	14	32	41	55	99
50-64	37	19.5	339	2	4	14	22	49	64	81
65+	67	22.6	226	3	7	19	30	47	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.0	53	1	1	3	5	10	23	34
B. *Operated*	112	11.6	87	1	2	10	16	23	31	43
2. MULTIPLE DX										
A. *Not Operated*	127	9.0	80	1	1	6	13	20	27	46
B. *Operated*	235	19.8	243	3	5	15	27	39	54	84
1. SINGLE DX	133	10.5	87	1	2	8	15	22	31	42
2. MULTIPLE DX	362	16.0	212	2	2	12	22	35	47	67
A. NOT OPERATED	148	8.5	78	1	1	6	11	19	27	44
B. OPERATED	347	17.1	207	2	3	13	23	35	48	68
TOTAL 0-19 YRS	135	12.2	147	1	2	8	17	30	33	57
20-34	71	13.6	123	1	2	11	20	29	34	47
35-49	71	15.1	253	1	2	11	19	36	42	91
50-64	88	14.8	213	2	2	11	19	32	41	75
65+	130	16.9	192	1	3	14	24	38	48	73
GRAND TOTAL	**495**	**14.5**	**184**	**1**	**2**	**11**	**19**	**32**	**41**	**65**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.2	7	<1	1	2	4	7	8	13
20-34	47	2.7	3	<1	1	2	4	5	6	8
35-49	44	2.5	2	1	1	2	3	4	5	8
50-64	30	2.5	3	1	1	2	3	5	6	8
65+	19	3.4	7	<1	1	3	4	7	10	11
B. *Operated*										
0-19 YRS	71	9.3	171	2	2	5	9	23	32	72
20-34	316	4.2	8	1	2	4	5	7	9	19
35-49	301	4.1	6	1	2	4	5	7	8	15
50-64	183	4.8	7	2	3	4	5	8	10	15
65+	110	5.9	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	5.7	55	<1	1	3	7	15	20	41
20-34	76	4.0	12	1	1	3	5	8	9	20
35-49	92	4.5	31	1	1	3	5	10	14	33
50-64	122	6.1	62	1	1	3	6	13	22	43
65+	158	9.5	175	2	2	6	11	18	27	89
B. *Operated*										
0-19 YRS	128	10.6	173	2	3	7	11	20	30	79
20-34	357	5.7	42	2	2	4	6	9	11	52
35-49	407	6.4	28	2	3	5	7	12	17	30
50-64	413	7.5	61	2	3	5	8	15	22	45
65+	440	10.7	131	3	3	6	13	25	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	2.8	4	1	1	2	4	5	7	11
B. *Operated*	981	4.9	21	2	2	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	552	6.4	85	1	1	4	7	14	20	48
B. *Operated*	1745	7.9	79	2	3	5	8	16	24	54
1. SINGLE DX	1179	4.5	19	1	2	4	5	8	10	20
2. MULTIPLE DX	2297	7.6	81	2	2	5	8	15	23	53
A. NOT OPERATED	750	5.5	66	1	1	3	6	11	17	42
B. OPERATED	2726	6.8	61	2	2	5	7	13	19	48
TOTAL 0-19 YRS	361	7.7	119	1	1	5	8	16	26	73
20-34	796	4.8	24	1	2	4	5	8	10	22
35-49	844	5.2	21	1	2	4	6	10	13	24
50-64	748	6.4	48	2	2	4	7	12	18	39
65+	727	9.5	123	2	3	6	11	20	28	70
GRAND TOTAL	**3476**	**6.5**	**62**	**1**	**2**	**4**	**7**	**13**	**19**	**44**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.9	3	<1	1	2	4	6	7	9
20-34	38	4.4	16	<1	<1	3	5	12	13	15
35-49	110	5.4	77	<1	1	3	5	10	17	52
50-64	297	6.2	59	1	1	4	8	13	17	45
65+	337	7.6	74	1	1	5	10	15	21	44
B. *Operated*										
0-19 YRS	60	5.7	19	1	1	5	7	11	14	25
20-34	71	5.7	24	<1	1	5	8	11	15	25
35-49	220	6.8	47	1	1	5	9	14	21	33
50-64	542	6.8	41	<1	1	5	9	15	20	28
65+	659	7.1	53	1	1	5	10	15	19	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.7	30	<1	1	3	5	10	14	33
20-34	718	6.4	42	1	1	5	8	14	19	33
35-49	2991	8.0	66	1	2	6	10	17	23	39
50-64	9466	8.7	74	1	2	6	11	19	25	44
65+	16567	9.6	82	2	2	7	12	20	27	47
B. *Operated*										
0-19 YRS	257	10.7	129	1	2	8	12	19	31	71
20-34	919	9.8	109	1	2	7	11	20	29	59
35-49	3512	10.9	105	1	2	8	14	23	31	55
50-64	10210	12.5	127	2	2	9	16	26	35	59
65+	15243	13.2	137	2	3	10	17	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	6.3	62	1	1	4	8	13	18	37
B. *Operated*	1552	6.8	45	1	1	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	29980	9.1	77	1	2	7	11	19	26	45
B. *Operated*	30141	12.6	130	2	2	9	16	26	35	60
1. SINGLE DX	2402	6.6	51	1	1	4	9	14	19	34
2. MULTIPLE DX	60121	10.8	106	2	2	8	14	23	31	54
A. NOT OPERATED	30830	9.0	77	1	2	6	11	19	25	45
B. OPERATED	31693	12.3	127	2	2	9	16	26	35	59
TOTAL 0-19 YRS	623	7.1	76	1	1	5	9	14	20	43
20-34	1746	8.1	79	1	2	6	10	16	24	46
35-49	6833	9.4	88	1	2	7	12	20	27	47
50-64	20515	10.5	103	1	2	8	14	23	30	53
65+	32806	11.2	110	2	2	8	14	23	31	55
GRAND TOTAL	62523	10.7	105	1	2	8	14	23	30	53

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.7	9	<1	1	2	3	5	10	15
20-34	96	3.4	12	1	1	2	4	7	9	20
35-49	58	4.5	34	<1	1	2	6	10	13	35
50-64	38	4.0	14	1	1	3	6	10	11	14
65+	27	5.7	23	1	1	5	8	11	19	19
B. *Operated*										
0-19 YRS	301	6.1	21	1	1	5	8	12	15	19
20-34	690	6.2	27	1	1	5	8	11	15	28
35-49	255	6.7	28	1	1	6	9	13	17	26
50-64	139	6.8	34	1	2	6	9	12	17	36
65+	80	7.4	36	1	2	6	10	16	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.7	47	1	1	2	5	12	16	39
20-34	309	4.6	18	1	1	3	6	10	13	23
35-49	134	7.5	110	1	1	5	8	15	24	68
50-64	146	7.4	56	1	1	6	9	18	21	35
65+	164	8.1	52	1	2	6	10	18	25	32
B. *Operated*										
0-19 YRS	133	9.8	107	1	2	8	11	17	21	54
20-34	437	9.5	90	1	2	7	11	19	25	47
35-49	240	9.9	78	1	2	8	12	21	28	43
50-64	222	12.0	108	2	2	9	16	25	32	54
65+	257	18.1	281	3	3	13	24	41	54	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	3.8	18	1	1	2	5	9	11	20
B. *Operated*	1465	6.4	27	1	1	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	817	6.3	51	1	1	4	8	14	19	32
B. *Operated*	1289	11.7	141	1	2	8	15	25	35	67
1. SINGLE DX	1743	6.0	27	1	1	5	8	12	15	24
2. MULTIPLE DX	2106	9.6	113	1	1	7	12	21	29	57
A. NOT OPERATED	1095	5.7	44	1	1	4	7	13	18	31
B. OPERATED	2754	8.9	[illegible]	1	2	7	11	18	25	48
TOTAL 0-19 YRS	557	6.5	47	1	1	5	8	13	17	34
20-34	1532	6.6	46	1	1	5	8	13	18	31
35-49	687	7.8	65	1	1	6	10	16	22	41
50-64	545	8.9	76	1	1	7	11	20	26	41
65+	528	12.7	186	1	2	8	16	29	39	79
GRAND TOTAL	3849	8.0	77	1	1	6	10	17	23	44

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	420	4.1	22	<1	<1	3	5	8	11	26
20-34	21	4.6	43	<1	<1	1	5	15	22	23
35-49	21	7.1	81	<1	<1	3	9	19	30	37
50-64	41	5.2	28	1	1	3	8	11	18	23
65+	67	6.1	38	1	1	3	9	18	20	24
B. *Operated*										
0-19 YRS	318	7.9	94	<1	1	5	9	18	26	51
20-34	43	16.8	298	1	1	10	28	37	46	82
35-49	35	10.5	137	1	2	5	14	33	37	41
50-64	68	7.5	64	1	2	5	9	21	28	35
65+	85	7.4	82	1	2	5	8	16	22	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	706	5.5	31	1	1	4	7	11	16	27
20-34	73	8.2	101	<1	<1	4	9	23	34	43
35-49	71	9.0	84	1	1	6	12	19	25	51
50-64	325	7.1	67	1	1	5	9	15	19	36
65+	907	8.3	72	1	2	6	10	17	24	40
B. *Operated*										
0-19 YRS	370	14.8	206	1	2	10	19	37	45	75
20-34	82	22.8	361	1	4	16	35	58	62	91
35-49	71	16.3	217	2	4	10	23	39	49	95
50-64	284	15.1	221	2	3	10	20	37	45	68
65+	646	12.2	130	2	3	9	15	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	4.5	27	<1	1	3	5	10	15	24
B. *Operated*	549	8.6	112	1	1	5	10	22	32	49
2. MULTIPLE DX										
A. *Not Operated*	2082	7.2	60	1	1	5	9	15	21	36
B. *Operated*	1453	14.2	190	2	3	10	18	34	45	71
1. SINGLE DX	1119	6.5	73	<1	1	4	7	15	24	42
2. MULTIPLE DX	3535	10.1	126	1	2	6	12	23	34	60
A. NOT OPERATED	2652	6.6	54	1	1	4	8	14	20	35
B. OPERATED	2002	12.7	175	1	2	8	16	31	41	66
TOTAL 0-19 YRS	1814	7.5	91	<1	1	4	9	17	26	50
20-34	219	15.0	278	<1	1	8	24	38	53	75
35-49	198	11.7	151	1	2	7	15	32	38	66
50-64	718	10.2	141	1	2	6	12	25	36	56
65+	1705	9.6	97	1	2	7	12	21	29	51
GRAND TOTAL	**4654**	**9.2**	**115**	**1**	**1**	**6**	**11**	**22**	**32**	**56**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	4.4	15	<1	<1	4	5	8	11	20
20-34	63	6.9	82	<1	<1	3	7	27	31	34
35-49	84	6.7	67	1	1	4	7	16	26	42
50-64	108	5.8	64	<1	1	3	7	13	18	48
65+	143	5.6	68	<1	1	3	6	13	20	47
B. *Operated*										
0-19 YRS	82	12.6	222	<1	1	7	14	38	47	59
20-34	86	15.3	243	1	1	7	28	36	41	69
35-49	99	14.9	268	1	2	6	25	39	49	68
50-64	113	12.1	199	1	2	6	14	38	45	55
65+	124	12.2	248	2	2	7	12	30	55	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	5.0	41	<1	1	4	5	10	15	24
20-34	164	8.0	92	1	1	5	9	19	27	48
35-49	191	7.3	103	1	1	4	8	16	25	56
50-64	516	7.4	74	1	1	5	9	17	25	47
65+	1196	7.1	60	1	1	4	9	16	22	42
B. *Operated*										
0-19 YRS	170	21.7	365	2	3	15	34	47	61	98
20-34	262	26.2	400	2	3	26	37	56	67	92
35-49	312	24.5	376	2	3	23	37	55	62	99
50-64	544	24.7	381	2	3	21	37	52	62	93
65+	988	19.4	299	3	3	13	30	45	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	5.6	55	<1	1	3	6	12	20	37
B. *Operated*	504	13.3	236	1	2	7	19	36	46	68
2. MULTIPLE DX										
A. *Not Operated*	2340	7.0	67	1	1	4	9	16	23	44
B. *Operated*	2276	22.3	353	2	3	16	34	50	61	92
1. SINGLE DX	1050	9.3	156	<1	1	5	9	28	38	60
2. MULTIPLE DX	4616	14.6	267	1	2	8	21	39	51	77
A. NOT OPERATED	2886	6.7	65	1	1	4	8	15	22	43
B. OPERATED	2780	20.7	343	2	3	14	33	48	60	89
TOTAL 0-19 YRS	673	10.0	191	<1	1	5	11	29	43	82
20-34	575	17.3	326	1	1	8	29	41	57	79
35-49	686	16.2	311	1	1	8	27	43	56	76
50-64	1281	15.0	285	1	1	8	23	41	50	76
65+	2451	12.2	202	1	2	7	15	33	45	71
GRAND TOTAL	**5666**	**13.6**	**250**	**1**	**1**	**7**	**19**	**37**	**49**	**75**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.3	16	<1	<1	2	4	6	9	26
20-34	82	3.7	12	1	1	3	5	8	11	18
35-49	231	3.8	17	1	1	2	5	8	12	23
50-64	358	5.1	37	1	1	3	6	10	15	30
65+	403	6.5	39	1	1	4	9	15	19	29
B. *Operated*										
0-19 YRS	126	7.4	55	1	1	5	10	16	26	36
20-34	218	7.0	45	1	1	5	9	14	23	35
35-49	420	6.1	30	1	1	4	8	13	17	26
50-64	884	7.4	52	1	1	5	10	16	21	37
65+	1092	7.3	49	1	1	5	10	15	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	4.3	24	<1	1	3	5	9	14	24
20-34	193	6.9	66	1	1	4	8	16	25	44
35-49	537	5.9	45	1	1	4	7	13	17	30
50-64	1598	8.3	76	1	1	6	10	18	24	44
65+	3510	9.4	89	1	2	7	12	20	28	51
B. *Operated*										
0-19 YRS	123	14.2	172	1	2	9	20	32	47	76
20-34	244	14.1	175	2	3	11	18	30	42	77
35-49	677	12.9	152	2	3	9	17	27	37	63
50-64	2199	13.5	161	2	3	10	17	29	41	68
65+	4401	14.4	160	2	3	11	19	30	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1168	5.1	32	1	1	3	6	11	16	25
B. *Operated*	2740	7.1	47	1	1	5	10	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	6019	8.6	80	1	2	6	11	19	26	47
B. *Operated*	7644	14.0	160	2	3	10	18	29	40	68
1. SINGLE DX	3908	6.5	43	1	1	4	9	14	19	33
2. MULTIPLE DX	13663	11.6	132	1	2	8	15	25	35	61
A. NOT OPERATED	7187	8.0	74	1	1	5	10	17	24	45
B. OPERATED	10384	12.2	140	1	2	9	16	26	36	63
TOTAL 0-19 YRS	524	7.2	82	<1	1	4	9	17	27	48
20-34	737	9.0	104	1	1	6	11	21	29	50
35-49	1865	8.2	90	1	1	5	10	18	26	45
50-64	5039	10.2	115	1	2	7	13	22	31	56
65+	9406	11.4	124	1	2	8	15	25	33	59
GRAND TOTAL	**17571**	**10.5**	**117**	**1**	**2**	**7**	**13**	**23**	**32**	**56**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	4	2.5	1	<1	<1	3	3	3	3	3
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	158	3.0	6	<1	1	2	3	6	8	11
20-34	510	2.8	4	1	1	3	4	5	5	7
35-49	633	2.8	2	1	1	3	4	5	5	7
50-64	714	3.1	3	1	1	3	4	5	6	9
65+	496	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	7.7	69	1	1	5	14	17	17	17
50-64	4	3.5		3	3	3	4	4	4	4
65+	8	3.6	11	1	1	3	4	9	11	11
B. *Operated*										
0-19 YRS	45	3.6	9	<1	1	2	5	6	11	14
20-34	112	3.1	5	1	1	3	4	5	6	14
35-49	245	3.4	5	1	1	3	4	6	8	13
50-64	441	3.9	6	1	2	3	5	7	8	13
65+	575	4.6	16	1	2	4	5	8	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*	2511	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	18	4.3	17	1	1	3	5	10	15	17
B. *Operated*	1418	4.0	10	1	2	3	5	7	9	16
1. SINGLE DX	2523	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1436	4.0	10	1	1	3	5	7	9	16
A. NOT OPERATED	30	3.3	12	<1	<1	2	4	7	11	17
B. OPERATED	3929	3.4	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	207	3.1	7	<1	1	2	4	6	9	13
20-34	628	2.9	4	1	1	3	4	5	5	8
35-49	883	3.0	3	1	1	3	4	5	6	9
50-64	1162	3.4	5	1	1	3	4	6	7	11
65+	1079	4.0	10	1	2	3	5	7	9	16
GRAND TOTAL	**3959**	**3.4**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	2	<1	<1	2	2	4	6	6
20-34	22	2.7	3	<1	1	2	3	5	7	8
35-49	68	2.3	5	<1	<1	2	3	4	5	14
50-64	114	1.8	1	<1	<1	1	2	3	4	6
65+	146	2.1	4	<1	<1	1	2	4	6	11
B. *Operated*										
0-19 YRS	141	4.0	15	<1	1	2	5	10	12	16
20-34	184	5.3	17	<1	1	4	8	11	13	18
35-49	457	4.0	15	<1	<1	2	6	10	12	17
50-64	1166	3.5	13	<1	<1	2	5	9	11	15
65+	1322	3.6	16	<1	1	2	4	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.6	11	1	1	3	6	9	10	16
20-34	43	4.8	25	1	2	3	5	10	15	28
35-49	108	3.8	7	1	1	3	5	7	9	13
50-64	319	3.9	11	<1	1	3	5	8	10	17
65+	759	4.9	29	1	1	3	6	10	13	28
B. *Operated*										
0-19 YRS	131	7.2	82	1	1	4	9	18	24	55
20-34	253	7.2	40	1	2	6	9	13	19	34
35-49	772	6.5	40	1	1	5	9	13	18	30
50-64	2734	5.8	39	1	1	4	8	12	16	30
65+	5637	6.9	54	1	1	4	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	3270	3.7	15	<1	<1	2	5	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	1259	4.6	22	1	1	3	6	9	12	23
B. *Operated*	9527	6.6	49	1	1	4	9	14	19	33
1. SINGLE DX	3653	3.6	14	<1	<1	2	5	9	11	16
2. MULTIPLE DX	10786	6.4	46	1	1	4	9	14	18	33
A. NOT OPERATED	1642	4.0	19	<1	1	3	5	8	11	21
B. OPERATED	12797	5.9	42	1	1	3	8	13	17	30
TOTAL 0-19 YRS	335	5.1	42	<1	1	3	7	11	16	25
20-34	502	6.1	30	1	1	5	8	12	15	26
35-49	1405	5.2	30	<1	1	3	7	11	15	27
50-64	4333	4.9	30	<1	1	3	7	11	14	25
65+	7864	6.1	46	1	1	4	8	14	18	32
GRAND TOTAL	**14439**	**5.6**	**39**	**1**	**1**	**3**	**8**	**12**	**17**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.6	1	<1	<1	1	2	2	3	6
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	9	2.1	2	<1	<1	2	3	5	5	5
50-64	4	2.3	4	1	1	2	3	5	5	5
65+	8	2.5	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	433	2.1	4	<1	<1	2	2	3	6	11
20-34	155	2.8	7	<1	<1	2	3	7	9	12
35-49	200	3.4	10	<1	<1	2	5	8	10	14
50-64	247	4.5	24	<1	1	2	7	10	12	22
65+	165	4.4	19	<1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	3	<1	<1	1	2	4	6	8
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	7	2.7	6	1	1	2	3	7	8	8
50-64	14	2.8	5	<1	1	2	3	5	9	10
65+	23	7.4	81	<1	1	4	8	19	32	35
B. *Operated*										
0-19 YRS	122	3.1	11	1	1	2	3	6	9	20
20-34	79	5.5	32	<1	1	4	8	13	17	28
35-49	153	6.2	34	1	1	4	8	12	16	34
50-64	271	6.2	29	1	1	5	9	14	17	25
65+	323	7.7	60	1	1	5	10	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	1.8	1	<1	<1	1	2	3	5	6
B. *Operated*	1200	3.2	12	<1	<1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	69	4.1	35	<1	1	2	4	8	14	34
B. *Operated*	948	6.3	40	1	1	4	9	15	18	32
1. SINGLE DX	1285	3.1	12	<1	<1	2	3	8	10	15
2. MULTIPLE DX	1017	6.1	40	1	1	4	8	14	18	33
A. NOT OPERATED	154	2.8	17	<1	1	2	3	5	8	30
B. OPERATED	2148	4.6	27	<1	1	2	6	11	15	25
TOTAL 0-19 YRS	637	2.2	5	<1	1	2	2	4	6	12
20-34	241	3.7	17	<1	1	2	5	10	12	18
35-49	369	4.5	21	<1	1	2	7	10	13	21
50-64	536	5.3	27	<1	1	3	8	12	15	25
65+	519	6.6	50	1	1	4	9	16	19	35
GRAND TOTAL	**2302**	**4.4**	**27**	**<1**	**1**	**2**	**6**	**10**	**14**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.3	9	<1	<1	1	2	6	8	15
20-34	18	2.7	8	1	1	2	3	5	10	13
35-49	22	2.6	4	<1	1	2	3	6	7	8
50-64	23	3.3	5	<1	1	3	5	7	8	9
65+	13	3.1	8	<1	1	2	3	7	10	11
B. *Operated*										
0-19 YRS	2092	2.5	3	<1	1	2	3	5	6	9
20-34	1944	2.5	4	<1	<1	2	3	4	6	11
35-49	2326	2.5	6	<1	<1	2	3	5	7	11
50-64	2055	2.6	6	<1	<1	2	3	5	7	12
65+	878	2.9	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.5	30	<1	<1	2	3	10	13	32
20-34	33	4.0	9	<1	<1	4	6	9	11	11
35-49	59	4.2	12	<1	<1	3	6	10	12	12
50-64	62	4.5	17	1	1	4	6	9	10	26
65+	93	5.6	28	1	1	4	8	11	13	32
B. *Operated*										
0-19 YRS	409	4.0	22	<1	1	3	4	8	12	21
20-34	727	3.8	14	<1	1	3	5	8	11	19
35-49	1279	4.0	20	<1	1	3	5	8	11	22
50-64	1725	4.3	24	1	1	3	5	9	12	23
65+	1331	5.2	34	1	1	3	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.8	7	<1	1	2	3	6	8	14
B. *Operated*	9295	2.6	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	292	4.6	21	<1	1	3	6	10	12	24
B. *Operated*	5471	4.3	24	1	1	3	5	9	13	23
1. SINGLE DX	9398	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX	5763	4.3	24	1	1	3	5	9	13	23
A. NOT OPERATED	395	4.1	18	<1	1	3	5	9	11	18
B. OPERATED	14766	3.2	13	<1	1	2	4	6	9	18
TOTAL 0-19 YRS	2573	2.8	7	<1	1	2	3	5	7	13
20-34	2722	2.9	7	<1	<1	2	3	5	8	14
35-49	3686	3.0	12	<1	<1	2	3	6	9	16
50-64	3865	3.4	15	<1	1	2	4	7	10	18
65+	2315	4.3	26	<1	1	3	5	9	13	25
GRAND TOTAL	**15161**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	6	<1	<1	2	4	5	8	12
20-34	16	2.8	7	1	1	2	3	6	9	11
35-49	13	3.1	4	1	1	2	3	6	8	8
50-64	15	2.9	6	<1	1	2	4	8	8	8
65+	11	3.8	8	<1	<1	2	7	8	8	8
B. *Operated*										
0-19 YRS	2057	2.3	5	<1	<1	2	2	4	6	12
20-34	636	2.5	5	<1	<1	2	3	5	7	10
35-49	524	2.8	7	<1	<1	2	3	6	8	13
50-64	426	2.7	10	<1	<1	2	3	5	7	18
65+	247	2.9	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.8	18	<1	<1	2	5	10	12	23
20-34	26	3.4	5	<1	1	3	5	7	8	9
35-49	30	4.7	13	<1	<1	4	7	10	11	14
50-64	47	4.3	7	<1	<1	4	6	8	10	12
65+	104	6.4	27	1	1	5	9	13	16	26
B. *Operated*										
0-19 YRS	536	4.2	42	<1	<1	2	4	9	14	34
20-34	360	3.6	14	<1	<1	2	4	9	12	17
35-49	454	4.2	25	<1	<1	2	5	9	14	28
50-64	484	4.8	51	<1	<1	3	6	10	13	31
65+	510	6.8	72	<1	1	4	8	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	2.8	6	<1	<1	2	4	6	8	11
B. *Operated*	3890	2.5	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	302	4.8	19	<1	1	4	7	10	13	24
B. *Operated*	2344	4.8	44	<1	<1	2	5	11	16	32
1. SINGLE DX	4014	2.5	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	2646	4.8	41	<1	<1	3	6	11	15	30
A. NOT OPERATED	426	4.2	16	<1	1	3	6	9	12	19
B. OPERATED	6234	3.3	22	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	2757	2.7	13	<1	<1	2	3	5	8	18
20-34	1038	2.9	9	<1	<1	2	3	6	9	15
35-49	1021	3.5	15	<1	<1	2	4	8	10	22
50-64	972	3.8	31	<1	<1	2	4	8	11	27
65+	872	5.6	52	<1	1	3	7	14	19	33
GRAND TOTAL	**6660**	**3.4**	**22**	**<1**	**<1**	**2**	**4**	**7**	**11**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	7	1.[illegible]		<1	<1	1	2	2	2	2
50-64	3	2[illegible]		2	2	2	2	2	2	2
65+	2	1[illegible]		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	550	1.8	2	<1	<1	2	2	3	3	5
20-34	1237	1.7	1	<1	<1	2	2	2	3	4
35-49	1025	1.9	5	<1	<1	2	2	3	3	6
50-64	495	2.0	2	<1	<1	2	2	3	3	9
65+	273	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	9	1.7	2	<1	<1	1	2	4	5	5
50-64	8	1.4		<1	<1	1	2	2	2	2
65+	5	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	85	2.3	2	<1	1	2	3	4	4	8
20-34	479	2.4	4	<1	<1	2	3	4	5	11
35-49	873	2.6	4	<1	1	2	3	4	6	12
50-64	652	2.8	8	<1	1	2	3	5	7	14
65+	583	3.2	6	1	1	2	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.7	1	<1	<1	2	2	2	4	5
B. *Operated*	3580	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	27	1.7	1	<1	<1	2	2	2	3	5
B. *Operated*	2672	2.7	6	<1	1	2	3	5	7	12
1. SINGLE DX	3599	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	2699	2.7	5	<1	1	2	3	5	7	12
A. NOT OPERATED	46	1.7	1	<1	<1	2	2	2	3	5
B. OPERATED	6252	2.2	4	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	640	1.9	2	<1	<1	2	2	3	3	6
20-34	1723	1.9	2	<1	<1	2	2	3	4	7
35-49	1914	2.2	5	<1	<1	2	2	3	5	10
50-64	1158	2.5	5	<1	1	2	3	4	6	11
65+	863	2.9	5	<1	1	2	3	5	7	12
GRAND TOTAL	**6298**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	66	3.2	4	<1	1	3	5	6	7	10
35-49	91	2.9	5	<1	1	2	3	6	8	11
50-64	14	3.4	7	1	1	3	5	7	9	10
65+	10	7.5	88	1	1	4	8	23	31	31
B. *Operated*										
0-19 YRS	7	4.7	5	1	1	5	6	8	8	8
20-34	1553	5.3	6	1	2	6	7	8	8	11
35-49	4774	5.7	5	1	2	6	7	8	9	11
50-64	739	5.5	8	1	1	6	7	8	9	12
65+	61	5.4	35	<1	1	5	7	8	9	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	230	3.1	8	<1	<1	2	4	6	8	13
35-49	594	3.2	11	<1	1	2	4	7	9	13
50-64	111	3.6	11	<1	1	2	5	8	9	18
65+	72	6.6	35	1	2	5	8	13	17	35
B. *Operated*										
0-19 YRS	39	6.6	13	1	2	6	8	11	12	20
20-34	5783	5.9	8	1	2	6	7	9	10	15
35-49	31368	6.4	8	2	3	6	7	9	10	16
50-64	6353	6.5	11	1	2	6	8	9	11	19
65+	812	8.7	33	2	4	8	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.3	10	<1	1	3	4	6	8	15
B. *Operated*	7134	5.6	6	1	2	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	1010	3.4	13	<1	1	2	5	7	9	16
B. *Operated*	44355	6.4	9	1	3	6	7	9	11	16
1. SINGLE DX	7317	5.5	6	1	2	6	7	8	9	11
2. MULTIPLE DX	45365	6.3	9	1	2	6	7	9	11	16
A. NOT OPERATED	1193	3.4	12	<1	1	2	5	7	9	16
B. OPERATED	51489	6.3	9	1	2	6	7	9	10	16
TOTAL 0-19 YRS	51	5.8	13	1	1	6	7	10	12	20
20-34	7632	5.7	8	1	2	6	7	8	10	15
35-49	36827	6.2	8	1	2	6	7	9	10	15
50-64	7217	6.4	11	1	2	6	8	9	11	18
65+	955	8.3	34	2	2	7	9	14	19	35
GRAND TOTAL	**52682**	**6.2**	**9**	**1**	**2**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	50	3.3	5	<1	<1	3	5	7	7	8
35-49	54	3.8	5	<1	1	4	5	7	8	9
50-64	22	3.6	6	<1	1	3	6	7	8	9
65+	11	4.1	11	1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	3.8	8	2	2	3	5	9	9	9
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	126	4.9	7	1	1	5	6	8	9	13
35-49	384	6.2	9	2	2	6	7	9	11	16
50-64	132	5.5	17	1	1	5	7	10	11	25
65+	67	5.2	13	1	1	4	8	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*	140	3.6	6	<1	1	2	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	10	3.6	5	1	1	3	4	7	9	9
B. *Operated*	712	5.7	11	1	2	6	7	9	11	16
1. SINGLE DX	143	3.6	6	<1	1	2	5	7	8	9
2. MULTIPLE DX	722	5.7	11	1	2	6	7	9	11	16
A. NOT OPERATED	13	3.5	4	1	1	3	4	6	8	9
B. OPERATED	852	5.4	10	1	1	6	7	9	10	15
TOTAL 0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	177	4.4	7	<1	1	5	6	7	8	12
35-49	447	5.9	9	1	2	6	7	9	10	15
50-64	156	5.2	16	<1	1	5	7	9	11	24
65+	79	5.0	13	1	1	4	7	10	13	15
GRAND TOTAL	**865**	**5.3**	**10**	**1**	**1**	**6**	**7**	**9**	**10**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	2	1	1	3	4	5	5	5
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	365	5.1	3	3	3	5	6	7	8	10
20-34	1536	5.1	2	3	3	5	6	7	7	10
35-49	510	5.9	3	3	4	6	7	8	9	12
50-64	320	6.9	9	4	5	7	8	9	12	15
65+	158	7.4	6	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	15	2.4	3	<1	<1	2	3	5	6	7
35-49	8	3.1	6	<1	<1	2	4	7	8	8
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	8	8.8	57	1	1	9	12	20	23	23
B. *Operated*										
0-19 YRS	288	5.7	6	3	4	5	6	8	9	16
20-34	1968	5.7	3	3	4	5	6	8	9	12
35-49	1600	6.8	8	4	4	6	7	9	11	19
50-64	1100	8.5	39	4	5	7	9	13	16	27
65+	942	10.7	48	5	6	9	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	2	<1	1	2	3	4	4	5
B. *Operated*	2889	5.6	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	37	4.0	20	<1	<1	2	5	10	12	23
B. *Operated*	5898	7.3	22	4	4	6	8	11	14	25
1. SINGLE DX	2916	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX	5935	7.3	22	4	4	6	8	11	14	25
A. NOT OPERATED	64	3.3	13	<1	1	2	4	7	11	22
B. OPERATED	8787	6.7	17	3	4	6	7	10	13	22
TOTAL 0-19 YRS	668	5.3	4	3	3	5	6	7	8	14
20-34	3529	5.4	3	3	4	5	6	7	8	11
35-49	2121	6.5	7	4	4	6	7	9	11	17
50-64	1425	8.1	33	4	5	7	9	12	15	25
65+	1108	10.2	44	5	6	8	12	17	22	38
GRAND TOTAL	**8851**	**6.7**	**17**	**3**	**4**	**6**	**7**	**10**	**13**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	4	4	4	4
20-34	52	3.7	5	<1	<1	4	5	7	8	9
35-49	56	2.6	4	<1	<1	2	4	6	7	9
50-64	36	3.2	7	<1	<1	2	5	7	8	12
65+	19	3.5	8	<1	<1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	9	3.7	3	1	1	5	5	5	5	5
20-34	59	4.5	10	<1	1	4	6	9	11	13
35-49	79	4.6	7	<1	1	5	7	8	8	13
50-64	64	5.5	9	1	2	5	7	10	11	15
65+	41	5.1	21	1	1	4	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	5	2	2	5	5	8	9	9
B. *Operated*	173	3.1	5	<1	<1	2	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	7	4.7	7	<1	<1	5	7	8	8	8
B. *Operated*	252	4.9	10	1	1	5	6	9	10	15
1. SINGLE DX	180	3.2	5	<1	<1	2	5	6	8	10
2. MULTIPLE DX	259	4.9	10	1	1	5	6	9	10	15
A. NOT OPERATED	14	4.6	5	<1	2	5	6	8	9	9
B. OPERATED	425	4.2	9	<1	<1	4	6	8	9	13
TOTAL 0-19 YRS	23	3.0	3	<1	<1	3	5	5	5	5
20-34	116	4.2	8	<1	1	4	6	8	9	13
35-49	138	3.8	7	<1	<1	3	6	8	8	10
50-64	101	4.7	10	<1	<1	4	7	9	10	14
65+	61	4.6	17	<1	1	3	6	9	11	25
GRAND TOTAL	**439**	**4.2**	**9**	**<1**	**<1**	**4**	**6**	**8**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	19	2.1	2	<1	<1	2	3	4	5	5
20-34	67	3.0	21	<1	1	2	3	5	6	31
35-49	51	2.1	1	<1	1	2	3	3	4	5
50-64	34	2.3	1	<1	1	2	3	4	5	6
65+	13	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	2.1	1	<1	<1	2	3	4	4	4
20-34	29	3.5	11	<1	1	3	4	6	13	16
35-49	35	3.8	12	1	1	2	5	8	10	17
50-64	43	4.2	19	1	1	3	5	8	12	26
65+	50	4.7	13	1	1	4	6	9	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	8	<1	<1	1	2	7	8	8
B. *Operated*	184	2.5	9	<1	1	2	3	4	5	16
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	176	3.9	13	1	1	3	5	8	12	18
1. SINGLE DX	190	2.5	8	<1	1	2	3	4	5	16
2. MULTIPLE DX	176	3.9	13	1	1	3	5	8	12	18
A. NOT OPERATED	6	2.3	8	<1	<1	1	2	7	8	8
B. OPERATED	360	3.2	11	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	39	2.1	2	<1	<1	2	3	4	5	5
20-34	96	3.2	18	<1	1	2	3	5	7	27
35-49	88	2.8	6	1	1	2	3	5	7	15
50-64	78	3.4	12	<1	1	3	4	6	9	22
65+	65	4.1	12	1	1	3	5	8	11	18
GRAND TOTAL	**366**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	17.0	450	2	2	17	32	32	32	32
65+										
B. *Operated*										
0-19 YRS	5	2.0	2	<1	<1	2	3	4	4	4
20-34	23	3.4	17	<1	<1	2	4	9	14	16
35-49	37	4.4	16	<1	1	3	5	11	13	14
50-64	105	3.5	11	<1	1	2	4	8	10	16
65+	88	3.7	14	<1	1	3	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.0	43	1	1	6	12	14	14	14
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	9	6.1	29	1	1	4	11	14	15	15
B. *Operated*										
0-19 YRS	11	7.2	68	1	1	5	9	19	29	30
20-34	36	4.6	13	<1	1	3	7	10	12	15
35-49	75	5.8	21	<1	1	4	8	11	13	25
50-64	155	5.0	26	<1	1	3	7	12	15	28
65+	297	5.7	30	1	2	4	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.7	143	2	2	3	4	29	32	32
B. *Operated*	258	3.6	13	<1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	18	5.4	22	1	1	3	8	13	15	15
B. *Operated*	574	5.5	27	1	1	3	8	12	15	28
1. SINGLE DX	264	3.7	16	<1	1	2	4	9	11	21
2. MULTIPLE DX	592	5.5	27	1	1	3	8	12	15	28
A. NOT OPERATED	24	6.0	48	1	1	3	7	14	20	32
B. OPERATED	832	4.9	24	1	1	3	7	11	14	27
TOTAL 0-19 YRS	18	5.2	47	<1	1	3	5	11	22	30
20-34	63	4.3	15	<1	<1	3	6	10	13	16
35-49	117	5.2	19	<1	1	3	8	11	13	19
50-64	264	4.5	23	<1	1	3	6	10	13	27
65+	394	5.3	27	1	1	3	7	12	14	28
GRAND TOTAL	**856**	**5.0**	**24**	**1**	**1**	**3**	**7**	**11**	**14**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	68	1.5	1	<1	<1	1	2	2	3	5
20-34	16	2.1	1	<1	<1	2	3	3	4	5
35-49	11	8.4	349	<1	<1	2	4	32	61	64
50-64	8	1.9		<1	<1	2	2	3	3	3
65+	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	12	2.8	18	<1	<1	2	2	7	15	16
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	4.4	37	1	1	3	3	15	18	18
50-64	10	8.1	176	1	1	3	8	27	45	45
65+	14	4.9	21	1	1	3	7	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	111	2.3	36	<1	<1	1	2	3	4	32
2. MULTIPLE DX										
A. *Not Operated*	4	4.8	13	2	2	3	7	10	10	10
B. *Operated*	45	4.9	55	1	1	3	4	13	17	45
1. SINGLE DX	115	2.3	35	<1	<1	1	2	3	4	29
2. MULTIPLE DX	49	4.9	51	1	1	3	4	12	16	45
A. NOT OPERATED	8	.9	10	1	1	2	3	8	10	10
B. OPERATED	156	3.1	43	<1	<1	2	2	4	9	43
TOTAL 0-19 YRS	87	1.7	3	<1	<1	1	2	2	3	12
20-34	18	2.3	1	<1	<1	2	3	4	5	5
35-49	18	6.8	222	<1	1	2	3	16	46	64
50-64	18	5.3	104	<1	1	2	4	9	31	45
65+	23	4.0	17	1	1	2	4	11	14	16
GRAND TOTAL	**164**	**3.0**	**41**	**<1**	**<1**	**2**	**2**	**4**	**9**	**41**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	10	<1	<1	3	6	8	8	8
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	24	3.2	8	<1	1	2	4	6	11	11
50-64	36	3.4	18	<1	1	2	4	7	11	23
65+	34	7.3	162	<1	1	4	7	12	23	74
B. *Operated*										
0-19 YRS	55	8.9	41	1	2	8	12	14	20	37
20-34	142	9.9	50	1	2	9	12	17	21	40
35-49	308	9.9	33	1	3	9	12	17	21	29
50-64	335	10.1	37	1	2	9	13	18	21	30
65+	175	12.6	94	2	3	11	16	23	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	9	2	2	4	7	10	11	11
20-34	26	6.5	41	<1	1	4	9	16	21	27
35-49	43	5.0	16	<1	1	3	7	12	14	16
50-64	98	6.2	34	1	2	4	8	13	18	32
65+	365	9.9	126	2	2	7	11	19	31	73
B. *Operated*										
0-19 YRS	64	11.4	55	2	3	11	15	22	24	38
20-34	141	14.6	157	2	4	11	17	32	47	99+
35-49	303	14.6	145	2	4	12	17	31	43	99+
50-64	630	16.4	176	2	5	13	20	34	53	99+
65+	694	19.9	227	3	6	16	26	40	53	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.6	64	<1	1	3	5	10	12	47
B. *Operated*	1015	10.4	49	1	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	541	8.6	98	1	2	6	10	17	26	62
B. *Operated*	1832	17.1	190	2	5	13	22	36	50	99+
1. SINGLE DX	1119	9.9	53	1	2	9	13	18	22	34
2. MULTIPLE DX	2373	15.2	182	2	3	12	19	33	47	99+
A. NOT OPERATED	645	7.9	94	1	2	5	10	16	25	62
B. OPERATED	2847	14.7	150	2	3	12	18	30	41	90
TOTAL 0-19 YRS	133	9.7	48	2	2	9	13	18	23	38
20-34	314	11.6	105	1	2	10	14	22	33	74
35-49	678	11.5	92	1	2	10	14	22	30	67
50-64	1099	13.1	132	2	2	11	17	26	37	99+
65+	1268	15.7	200	2	3	12	20	33	48	87
GRAND TOTAL	**3492**	**13.5**	**147**	**2**	**3**	**11**	**17**	**28**	**39**	**81**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	3.7		3	3	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	99	3.3	3	1	1	3	4	5	5	13
20-34	833	3.2	2	1	2	3	4	5	5	7
35-49	1039	3.4	2	1	2	3	4	5	5	7
50-64	628	3.6	2	2	2	3	4	5	6	9
65+	243	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	8	2.3	1	<1	<1	2	3	4	4	4
50-64	10	6.9	13	1	2	7	9	11	12	12
65+	18	6.4	25	2	2	5	8	11	19	23
B. *Operated*										
0-19 YRS	25	4.2	3	2	3	4	5	6	7	11
20-34	347	3.7	2	2	2	4	4	5	6	10
35-49	558	4.3	8	2	2	4	5	6	9	16
50-64	617	4.7	8	2	2	4	5	8	10	16
65+	423	5.9	50	2	3	4	6	9	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	2	2	2	3	4	6	7	7
B. *Operated*	2842	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	39	5.4	18	1	1	4	8	10	12	23
B. *Operated*	1970	4.7	17	2	2	4	5	7	10	18
1. SINGLE DX	2853	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX	2009	4.7	17	2	2	4	5	7	10	18
A. NOT OPERATED	50	5.0	15	1	1	4	7	9	12	23
B. OPERATED	4812	3.9	8	2	2	4	4	6	7	13
TOTAL 0-19 YRS	125	3.5	3	1	2	3	4	5	6	12
20-34	1188	3.4	2	1	2	3	4	5	6	8
35-49	1606	3.7	4	2	2	3	4	5	6	11
50-64	1258	4.2	6	2	2	4	5	6	8	14
65+	685	5.2	33	2	3	4	5	8	11	27
GRAND TOTAL	**4862**	**4.0**	**8**	**2**	**2**	**4**	**4**	**6**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	15	2.9	4	1	1	3	4	6	6	6
35-49	9	3.8	2	2	2	4	5	6	6	6
50-64	9	3.4	7	1	1	3	4	8	9	9
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	22	8.0	23	1	2	8	10	15	17	19
20-34	141	7.8	25	3	4	7	10	12	14	21
35-49	148	7.3	20	2	3	6	9	14	17	26
50-64	175	7.0	21	2	3	6	9	12	14	28
65+	94	7.4	57	2	3	5	8	14	17	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	1	1	3	4	4	4	4
20-34	57	5.3	24	1	1	4	7	11	13	27
35-49	59	6.2	47	2	2	4	7	11	16	47
50-64	71	4.9	12	1	1	4	7	10	12	16
65+	75	8.3	49	2	2	7	11	15	25	37
B. *Operated*										
0-19 YRS	25	11.4	124	2	3	10	14	16	33	59
20-34	166	9.9	83	3	4	8	12	16	19	67
35-49	273	9.6	101	3	3	7	11	17	23	64
50-64	465	10.1	109	3	3	7	11	19	29	67
65+	413	11.9	137	3	4	8	15	24	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.3	4	1	1	3	5	6	7	9
B. *Operated*	580	7.4	27	2	3	6	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	269	6.2	34	1	2	4	8	12	15	30
B. *Operated*	1342	10.5	114	3	3	8	12	20	27	69
1. SINGLE DX	621	7.1	27	2	3	6	9	12	15	28
2. MULTIPLE DX	1611	9.8	103	2	3	7	11	19	25	67
A. NOT OPERATED	310	5.8	31	1	1	4	7	12	14	29
B. OPERATED	1922	9.6	90	3	3	7	11	18	24	66
TOTAL 0-19 YRS	59	8.4	70	1	2	7	10	15	18	56
20-34	379	8.1	53	1	3	7	10	13	16	46
35-49	489	8.3	70	2	3	6	10	16	21	49
50-64	720	8.8	80	2	3	6	10	16	23	58
65+	585	10.7	116	3	3	7	13	22	29	75
GRAND TOTAL	**2232**	**9.1**	**83**	**2**	**3**	**7**	**10**	**17**	**23**	**60**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.7	2	<1	<1	3	4	5	5	5
35-49										
50-64	7	3.1		2	2	3	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	32	2.6	4	<1	<1	2	4	6	7	8
20-34	2231	3.5	6	<1	1	3	5	6	7	9
35-49	985	4.3	6	1	1	4	6	7	8	11
50-64	246	4.7	8	<1	1	5	7	8	9	12
65+	99	4.5	11	1	1	3	7	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	1.8	3	<1	<1	1	2	4	5	8
35-49	21	2.1	4	<1	<1	1	3	6	7	7
50-64	15	1.7	1	<1	<1	1	3	3	3	3
65+	9	4.3	15	<1	<1	2	6	11	12	12
B. *Operated*										
0-19 YRS	27	3.3	12	<1	<1	2	3	7	13	16
20-34	1986	4.7	7	1	1	5	6	8	9	13
35-49	1559	5.8	10	1	2	6	7	9	10	16
50-64	422	6.5	17	1	2	6	8	11	15	21
65+	307	6.5	23	1	2	6	8	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	2	<1	1	3	4	4	5	5
B. *Operated*	3593	3.8	6	1	1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	73	2.2	5	<1	<1	1	2	5	7	11
B. *Operated*	4301	5.4	11	1	1	5	7	9	10	16
1. SINGLE DX	3612	3.8	6	1	1	3	6	7	8	10
2. MULTIPLE DX	4374	5.3	11	1	1	5	7	9	10	16
A. NOT OPERATED	92	2.3	4	<1	<1	1	3	5	6	11
B. OPERATED	7894	4.7	9	1	1	5	6	8	9	15
TOTAL 0-19 YRS	59	2.9	8	<1	<1	2	3	6	8	16
20-34	4255	4.0	7	1	1	4	6	7	8	11
35-49	2565	5.2	9	1	1	5	7	8	9	14
50-64	690	5.7	14	1	1	6	7	10	12	19
65+	417	6.0	21	1	2	6	8	10	14	22
GRAND TOTAL	**7986**	**4.6**	**9**	**1**	**1**	**5**	**6**	**8**	**9**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	15	4.0	12	1	1	3	5	7	13	15
65+	10	3.8	6	<1	<1	3	4	8	9	9
B. *Operated*										
0-19 YRS	14	2.8	4	<1	1	2	3	6	6	6
20-34	88	3.3	6	<1	<1	3	5	7	8	11
35-49	245	4.3	11	1	1	3	6	8	11	16
50-64	369	4.8	32	1	1	3	6	10	13	23
65+	446	4.5	21	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.5	8	<1	<1	3	6	6	6	6
35-49	8	4.8	21	<1	1	3	6	13	15	15
50-64	29	5.1	25	<1	1	3	5	13	15	22
65+	70	6.0	36	1	1	4	7	13	20	31
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	110	6.4	69	1	1	5	7	12	18	54
35-49	358	5.1	10	1	2	5	7	9	11	15
50-64	754	6.9	45	1	2	5	9	13	18	33
65+	1387	8.3	69	1	2	6	11	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.6	9	<1	1	3	5	7	10	15
B. *Operated*	1162	4.4	21	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	112	5.6	30	1	1	4	7	13	17	27
B. *Operated*	2611	7.4	55	1	2	5	9	15	21	36
1. SINGLE DX	1190	4.4	21	1	1	3	6	9	12	18
2. MULTIPLE DX	2723	7.3	54	1	2	5	9	15	21	35
A. NOT OPERATED	140	5.2	27	<1	1	4	6	12	15	23
B. OPERATED	3773	6.5	46	1	1	4	8	13	18	32
TOTAL 0-19 YRS	17	3.7	7	<1	1	3	6	8	9	9
20-34	203	5.0	42	<1	1	4	6	8	13	36
35-49	613	4.8	11	1	1	4	6	9	11	16
50-64	1167	6.1	41	1	1	5	8	12	16	32
65+	1913	7.3	59	1	1	5	10	16	22	36
GRAND TOTAL	**3913**	**6.4**	**46**	**1**	**1**	**4**	**8**	**13**	**18**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.9	12	<1	<1	2	3	6	9	15
20-34	135	3.3	6	<1	1	3	4	7	9	11
35-49	148	3.5	8	1	1	3	5	7	9	12
50-64	221	3.8	11	<1	1	3	5	9	11	16
65+	228	5.4	45	1	1	3	7	10	14	33
B. *Operated*										
0-19 YRS	538	4.7	28	<1	1	3	6	10	13	23
20-34	748	4.1	12	1	1	3	5	8	11	18
35-49	768	3.7	11	<1	1	3	5	8	10	15
50-64	1068	4.5	21	1	1	3	6	10	13	22
65+	1027	4.5	24	1	1	3	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.8	33	1	1	3	4	8	11	40
20-34	199	5.0	52	<1	1	3	5	9	18	35
35-49	322	4.4	15	<1	1	3	6	9	12	21
50-64	729	5.5	29	<1	1	4	7	12	16	27
65+	1777	7.1	49	1	1	5	9	15	20	41
B. *Operated*										
0-19 YRS	332	7.9	55	1	2	6	11	18	22	38
20-34	657	7.0	69	1	2	5	8	13	19	53
35-49	933	7.3	67	1	2	6	9	14	21	54
50-64	1721	7.9	67	1	2	6	10	16	23	50
65+	3429	9.5	93	1	2	7	12	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	3.9	20	<1	1	3	5	9	11	19
B. *Operated*	4149	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	3236	6.1	41	1	1	4	8	13	18	33
B. *Operated*	7072	8.5	80	1	2	6	11	18	25	52
1. SINGLE DX	5032	4.3	19	1	1	3	5	9	12	20
2. MULTIPLE DX	10308	7.8	69	1	2	5	10	16	22	47
A. NOT OPERATED	4119	5.6	37	1	1	4	7	12	16	32
B. OPERATED	11221	7.0	62	1	1	4	9	15	20	42
TOTAL 0-19 YRS	1230	5.2	37	<1	1	3	6	12	17	31
20-34	1739	5.3	40	1	1	4	6	10	14	29
35-49	2171	5.4	39	1	1	4	7	11	15	34
50-64	3739	6.2	46	1	1	4	8	13	18	37
65+	6461	7.9	72	1	2	5	10	17	23	45
GRAND TOTAL	**15340**	**6.6**	**56**	**1**	**1**	**4**	**8**	**14**	**19**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	26	3.4	5	1	1	3	4	7	9	11
35-49	28	3.3	3	1	1	3	5	6	6	7
50-64	21	4.6	10	1	1	4	5	11	12	12
65+	11	4.2	4	1	2	4	5	7	9	9
B. *Operated*										
0-19 YRS	77	3.0	2	1	1	3	4	5	5	6
20-34	588	3.4	2	1	2	3	4	5	5	9
35-49	954	3.7	3	2	2	4	4	5	6	10
50-64	811	4.0	3	2	2	4	5	6	7	10
65+	333	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	1	2	2	3	4	5	5	5
20-34	57	3.7	9	<1	1	3	4	8	11	14
35-49	89	3.9	8	<1	1	3	5	7	10	15
50-64	118	4.4	15	1	1	4	5	8	13	21
65+	180	5.9	22	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	30	4.3	7	1	2	4	5	8	9	13
20-34	247	4.1	5	2	2	4	5	6	8	12
35-49	544	4.9	10	2	2	4	5	8	10	20
50-64	753	5.3	15	2	3	4	5	9	12	21
65+	658	6.9	31	3	3	5	8	13	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.7	6	1	1	3	5	7	9	12
B. *Operated*	2763	3.8	3	2	2	4	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	452	4.8	16	1	1	4	6	9	12	19
B. *Operated*	2232	5.5	18	2	3	4	6	10	13	23
1. SINGLE DX	2854	3.8	3	2	2	4	4	5	6	10
2. MULTIPLE DX	2684	5.4	18	2	2	4	6	10	13	22
A. NOT OPERATED	543	4.6	14	1	1	4	6	9	11	19
B. OPERATED	4995	4.6	10	2	2	4	5	7	10	19
TOTAL 0-19 YRS	120	3.3	3	1	1	3	4	5	6	10
20-34	918	3.6	4	1	2	3	4	5	7	11
35-49	1615	4.1	6	2	2	4	5	6	8	13
50-64	1703	4.6	10	2	2	4	5	7	10	18
65+	1182	6.0	23	2	3	5	7	11	14	25
GRAND TOTAL	**5538**	**4.6**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**19**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.9	7	1	2	3	5	7	10	13
20-34	302	4.4	9	1	1	4	6	8	10	16
35-49	258	4.7	10	1	2	4	6	9	10	14
50-64	201	4.4	6	1	2	4	5	7	9	13
65+	96	6.6	34	2	2	5	8	10	15	35
B. *Operated*										
0-19 YRS	132	4.6	10	1	2	4	5	7	9	20
20-34	585	4.3	4	2	2	4	5	6	7	12
35-49	497	4.1	5	2	2	4	5	6	8	11
50-64	369	4.0	4	2	2	4	5	6	7	10
65+	125	4.2	8	1	2	4	5	6	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	5.1	27	1	1	3	6	10	14	33
20-34	549	5.3	14	1	2	4	7	9	12	19
35-49	667	5.9	17	2	2	5	8	11	13	23
50-64	910	7.2	33	2	3	6	9	13	17	25
65+	1534	9.4	63	2	3	7	12	18	23	46
B. *Operated*										
0-19 YRS	63	6.4	46	2	3	4	7	11	23	37
20-34	314	5.8	20	2	3	4	6	10	15	26
35-49	410	6.8	46	2	3	5	7	13	19	46
50-64	453	6.6	29	2	3	5	8	13	18	29
65+	436	9.9	74	2	3	7	12	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	4.6	11	1	2	4	6	8	10	15
B. *Operated*	1708	4.2	5	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	3813	7.5	42	2	2	6	9	14	18	33
B. *Operated*	1676	7.3	47	2	3	5	8	15	21	38
1. SINGLE DX	2688	4.3	7	1	2	4	5	7	9	14
2. MULTIPLE DX	5489	7.4	44	2	2	6	9	14	19	35
A. NOT OPERATED	4793	6.9	37	2	2	5	8	13	17	30
B. OPERATED	3384	5.7	28	2	2	4	6	10	15	31
TOTAL 0-19 YRS	471	4.8	20	1	2	4	5	9	11	28
20-34	1750	4.9	11	2	2	4	6	8	10	19
35-49	1832	5.5	20	2	2	4	6	10	12	24
50-64	1933	6.1	26	2	2	5	7	11	15	24
65+	2191	9.1	63	2	3	7	11	18	24	45
GRAND TOTAL	**8177**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**17**	**31**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	827	5.8	27	2	2	5	7	9	11	17
20-34	357	4.9	8	1	2	4	6	8	9	16
35-49	320	4.9	7	1	2	5	6	8	10	12
50-64	428	5.5	10	2	2	5	7	9	11	17
65+	235	6.2	19	2	2	5	8	10	13	22
B. *Operated*										
0-19 YRS	9	4.4	6	1	1	6	6	7	7	7
20-34	10	5.8	7	3	3	5	8	10	11	11
35-49	12	7.0	29	2	2	5	10	14	19	20
50-64	17	7.1	36	2	2	5	9	18	19	19
65+	14	7.6	89	1	1	4	8	19	32	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	650	4.9	21	1	1	4	7	9	11	25
20-34	698	5.5	16	1	2	5	7	10	12	20
35-49	1475	6.0	14	2	3	5	8	10	12	19
50-64	2658	6.6	17	2	3	6	8	11	14	20
65+	2582	7.5	33	2	3	6	9	13	16	32
B. *Operated*										
0-19 YRS	10	12.8	151	4	4	7	16	34	40	40
20-34	75	9.1	129	1	3	7	10	15	21	78
35-49	155	9.6	50	2	3	7	13	17	27	35
50-64	341	10.3	84	2	3	8	12	19	27	51
65+	341	12.9	109	3	4	10	17	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2167	5.5	17	2	2	5	7	9	11	18
B. *Operated*	62	6.6	37	1	2	5	8	15	19	34
2. MULTIPLE DX										
A. *Not Operated*	8063	6.6	22	2	2	6	8	11	14	23
B. *Operated*	922	11.1	93	2	3	8	14	22	29	52
1. SINGLE DX	2229	5.5	17	2	2	5	7	9	11	19
2. MULTIPLE DX	8985	7.0	32	2	3	6	9	12	16	30
A. NOT OPERATED	10230	6.3	21	2	2	5	8	11	14	22
B. OPERATED	984	10.8	91	2	3	8	13	21	29	52
TOTAL 0-19 YRS	1496	5.5	25	1	2	5	7	9	11	23
20-34	1140	5.6	22	1	2	5	7	10	12	20
35-49	1962	6.1	17	2	2	5	8	10	13	22
50-64	3444	6.8	24	2	3	6	8	12	15	24
65+	3172	8.0	43	2	3	6	10	14	19	39
GRAND TOTAL	**11214**	**6.7**	**29**	**2**	**2**	**6**	**8**	**12**	**15**	**28**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2802	4.2	10	1	1	3	5	8	9	14
20-34	1632	4.0	6	1	2	3	5	7	9	12
35-49	620	5.1	11	1	2	4	7	10	12	16
50-64	374	5.8	11	2	2	5	7	10	12	18
65+	252	6.1	14	2	2	6	8	11	14	20
B. *Operated*										
0-19 YRS	11	5.7	9	2	2	6	7	10	12	12
20-34	20	6.6	42	2	2	4	6	17	23	26
35-49	9	8.2	87	2	2	7	8	23	32	32
50-64	2	10.0	72	4	4	10	16	16	16	16
65+	5	11.6	38	5	5	13	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2798	4.7	15	1	2	4	6	9	11	19
20-34	3423	5.4	22	1	2	4	7	10	13	23
35-49	2195	7.1	31	2	2	6	9	13	16	27
50-64	2184	8.3	34	2	3	7	10	15	19	29
65+	3101	10.3	67	3	4	8	12	18	24	47
B. *Operated*										
0-19 YRS	92	9.1	87	3	3	7	10	15	26	81
20-34	333	12.0	125	3	4	9	14	25	35	74
35-49	305	14.7	170	3	4	11	19	34	56	99+
50-64	339	19.4	245	5	7	14	24	44	59	99+
65+	408	20.6	242	5	7	16	24	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5680	4.4	10	1	2	4	6	8	10	15
B. *Operated*	47	7.4	43	2	2	6	8	16	22	32
2. MULTIPLE DX										
A. *Not Operated*	13701	7.1	39	2	2	6	9	13	17	31
B. *Operated*	1477	16.5	207	3	5	12	20	37	53	99+
1. SINGLE DX	5727	4.5	10	1	2	4	6	8	10	15
2. MULTIPLE DX	15178	8.0	63	2	2	6	10	15	21	46
A. NOT OPERATED	19381	6.3	32	1	2	5	8	12	16	28
B. OPERATED	1524	16.2	204	3	4	12	20	36	53	99+
TOTAL 0-19 YRS	5703	4.5	14	1	2	4	6	8	10	16
20-34	5408	5.4	27	1	2	4	7	10	13	26
35-49	3129	7.5	47	2	2	6	9	14	18	39
50-64	2899	9.3	69	2	3	7	11	17	23	49
65+	3766	11.1	94	3	4	9	13	21	29	59
GRAND TOTAL	**20905**	**7.0**	**51**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1459	5.4	10	2	2	5	7	9	11	15
20-34	1484	5.1	11	1	2	4	6	9	11	17
35-49	1779	5.6	11	2	2	5	7	10	11	16
50-64	2328	6.1	14	2	3	5	8	10	12	18
65+	1862	6.6	21	2	3	6	8	11	13	23
B. *Operated*										
0-19 YRS	20	4.3	9	1	2	3	6	8	11	13
20-34	85	5.3	37	1	2	3	6	11	15	37
35-49	108	5.7	50	1	1	3	7	12	17	43
50-64	307	5.4	52	1	2	3	6	11	19	41
65+	326	4.7	38	1	1	2	4	11	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1431	5.4	23	1	2	4	7	10	12	22
20-34	4482	6.1	26	1	2	5	8	11	14	25
35-49	9070	7.0	26	2	3	6	9	12	15	26
50-64	18477	7.6	26	2	3	6	9	13	16	27
65+	25011	8.5	44	3	3	7	10	15	19	37
B. *Operated*										
0-19 YRS	79	8.2	51	2	2	6	10	19	24	34
20-34	1144	10.6	117	2	2	8	13	22	30	65
35-49	2706	13.5	158	2	3	10	17	29	40	69
50-64	6301	15.4	204	2	3	11	19	34	47	84
65+	8426	17.5	231	2	4	13	23	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8912	5.8	14	2	2	5	7	10	12	18
B. *Operated*	846	5.1	44	1	2	3	6	11	17	38
2. MULTIPLE DX										
A. *Not Operated*	58471	7.7	34	2	3	6	9	14	17	30
B. *Operated*	18656	15.7	208	2	3	12	20	35	48	91
1. SINGLE DX	9758	5.8	17	2	2	5	7	10	12	20
2. MULTIPLE DX	77127	9.7	88	2	3	7	11	19	27	56
A. NOT OPERATED	67383	7.5	32	2	3	6	9	13	17	29
B. OPERATED	19502	15.3	205	2	3	11	20	34	47	90
TOTAL 0-19 YRS	2989	5.5	17	1	2	5	7	10	12	21
20-34	7195	6.6	41	1	2	5	8	12	16	32
35-49	13663	8.1	58	2	3	6	9	15	21	43
50-64	27413	9.2	78	2	3	7	11	17	25	52
65+	35625	10.5	102	2	3	8	12	21	30	63
GRAND TOTAL	**86885**	**9.2**	**81**	**2**	**3**	**7**	**11**	**18**	**25**	**54**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.1	15	1	1	2	3	4	12	19
20-34	40	3.4	5	1	1	3	5	7	8	9
35-49	7	5.4	61	2	2	2	4	19	23	23
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	82	3.5	3	<1	1	3	5	6	6	8
20-34	378	3.5	5	<1	1	3	5	6	7	10
35-49	33	3.9	5	<1	<1	4	6	7	8	8
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	3	1	1	3	4	7	7	7
20-34	81	4.1	13	<1	1	3	6	9	11	18
35-49	14	4.0	14	1	1	3	5	7	14	16
50-64	6	3.8	3	2	2	3	6	6	6	6
65+	3	8.0	43	2	2	7	13	15	15	15
B. *Operated*										
0-19 YRS	119	4.0	6	1	1	4	5	6	9	13
20-34	926	4.3	6	<1	1	4	6	7	8	12
35-49	183	5.7	11	<1	1	5	7	9	10	18
50-64	15	4.3	5	<1	<1	5	6	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.5	13	1	1	2	4	6	9	22
B. *Operated*	496	3.5	5	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	129	4.0	11	<1	1	3	5	8	11	17
B. *Operated*	1244	4.5	7	<1	1	4	6	7	9	13
1. SINGLE DX	564	3.5	6	<1	1	3	5	6	7	10
2. MULTIPLE DX	1373	4.4	7	<1	1	4	6	7	9	14
A. NOT OPERATED	197	3.8	12	1	1	3	5	7	10	19
B. OPERATED	1740	4.2	7	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	246	3.7	5	1	1	3	5	6	7	13
20-34	1425	4.1	6	<1	1	4	6	7	8	12
35-49	237	5.3	12	<1	1	5	7	9	10	20
50-64	24	3.9	4	<1	1	4	6	7	7	7
65+	5	6.2	31	1	1	6	9	15	15	15
GRAND TOTAL	**1937**	**4.2**	**7**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	599	2.8	12	<1	1	2	3	6	8	21
20-34	392	3.8	15	<1	1	3	5	7	9	15
35-49	309	3.8	9	1	1	3	4	6	8	20
50-64	218	4.0	12	1	1	3	5	8	10	19
65+	255	4.5	17	1	1	3	5	9	12	23
B. *Operated*										
0-19 YRS	63	4.5	9	<1	1	4	6	9	10	14
20-34	68	5.6	15	1	2	4	8	10	14	20
35-49	76	5.1	10	2	2	4	6	9	12	16
50-64	87	6.2	24	1	2	5	8	12	14	29
65+	55	7.2	34	2	3	5	8	16	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1155	3.5	18	<1	1	2	4	7	10	19
20-34	1370	4.6	22	1	1	3	6	9	12	21
35-49	1672	5.4	32	1	1	4	6	10	13	30
50-64	2725	6.0	28	1	2	5	7	11	15	27
65+	6556	6.9	37	1	2	5	9	13	17	32
B. *Operated*										
0-19 YRS	100	9.2	154	1	1	5	9	28	36	93
20-34	240	8.8	72	1	2	7	10	16	23	40
35-49	336	10.1	120	2	3	7	11	20	36	70
50-64	561	10.4	98	2	3	8	13	22	30	68
65+	806	13.5	131	3	4	10	17	26	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1773	3.6	13	1	1	3	4	7	9	21
B. *Operated*	349	5.7	18	1	2	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	13478	6.0	33	1	1	4	8	12	16	29
B. *Operated*	2043	11.3	117	2	3	8	14	23	33	67
1. SINGLE DX	2122	3.9	15	1	1	3	5	8	10	21
2. MULTIPLE DX	15521	6.7	47	1	2	5	8	13	18	37
A. NOT OPERATED	15251	5.7	31	1	1	4	7	11	15	28
B. OPERATED	2392	10.5	107	2	3	7	13	22	30	61
TOTAL 0-19 YRS	1917	3.6	25	<1	1	2	4	7	10	26
20-34	2070	5.0	28	1	1	4	6	9	13	26
35-49	2393	5.8	44	1	2	4	7	11	16	40
50-64	3591	6.6	41	1	2	5	8	13	18	33
65+	7672	7.5	51	1	2	6	9	15	20	39
GRAND TOTAL	**17643**	**6.4**	**44**	**1**	**1**	**5**	**8**	**13**	**18**	**34**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.4	17	1	1	4	8	12	13	17
20-34	7	5.1	12	2	2	4	6	11	12	12
35-49	5	3.6	8	<1	<1	3	6	7	7	7
50-64	13	5.9	18	1	2	5	9	11	15	16
65+	30	10.0	210	2	2	5	9	19	46	72
B. *Operated*										
0-19 YRS	4	8.8	32	3	3	8	13	16	16	16
20-34	8	5.5	11	1	1	5	8	10	10	10
35-49	14	7.3	77	1	2	4	12	16	30	34
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	25	8.0	37	1	2	7	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	10.6	147	2	3	6	13	24	36	74
20-34	104	10.1	136	2	2	7	13	19	31	71
35-49	159	10.0	85	2	3	7	12	20	26	51
50-64	367	10.7	77	3	3	8	14	22	28	47
65+	1780	10.3	78	3	3	8	13	20	27	56
B. *Operated*										
0-19 YRS	53	16.4	290	3	4	10	19	46	65	99
20-34	58	10.9	71	4	4	8	15	21	28	44
35-49	147	11.9	99	3	4	8	16	26	30	47
50-64	158	15.4	155	3	4	12	22	31	36	68
65+	582	15.5	160	3	4	12	20	33	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.7	75	1	2	4	9	12	17	58
B. *Operated*	53	7.3	41	1	2	6	9	15	17	34
2. MULTIPLE DX										
A. *Not Operated*	2631	10.4	86	2	3	8	13	20	28	57
B. *Operated*	998	14.7	153	3	4	11	19	30	38	72
1. SINGLE DX	156	6.9	64	1	2	5	9	12	17	45
2. MULTIPLE DX	3629	11.6	108	3	3	8	14	24	32	64
A. NOT OPERATED	2734	10.2	86	2	3	8	13	20	28	57
B. OPERATED	1051	14.3	150	3	4	11	18	30	38	72
TOTAL 0-19 YRS	326	10.8	158	2	2	6	12	25	41	79
20-34	177	10.0	105	2	3	7	13	19	29	62
35-49	325	10.7	92	2	3	7	14	23	30	47
50-64	540	11.9	103	3	3	9	15	25	32	48
65+	2417	11.5	103	3	3	8	14	23	32	66
GRAND TOTAL	**3785**	**11.4**	**107**	**2**	**3**	**8**	**14**	**23**	**32**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	505	10.6	36	2	3	10	14	17	20	28
20-34	186	12.0	32	2	6	11	14	19	23	30
35-49	6	9.8	57	4	4	7	12	23	24	24
50-64										
65+										
B. *Operated*										
0-19 YRS	27	15.5	185	1	2	14	18	28	37	71
20-34	7	12.4	142	3	3	10	13	33	38	38
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1042	11.3	56	2	3	11	14	20	24	36
20-34	516	12.3	52	4	5	12	15	19	24	38
35-49	46	12.5	29	2	4	12	16	21	21	23
50-64										
65+										
B. *Operated*										
0-19 YRS	129	17.3	284	2	4	13	18	37	55	91
20-34	75	17.6	137	4	7	14	22	33	46	54
35-49	3	23.3	325	6	6	22	37	42	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	697	11.0	36	2	3	11	14	18	21	28
B. *Operated*	40	13.0	168	1	1	11	18	25	34	71
2. MULTIPLE DX										
A. *Not Operated*	1604	11.7	54	2	3	11	15	20	24	36
B. *Operated*	207	17.5	229	2	5	13	20	36	49	84
1. SINGLE DX	737	11.1	43	2	3	11	14	18	22	31
2. MULTIPLE DX	1811	12.3	78	2	4	11	15	21	27	47
A. NOT OPERATED	2301	11.5	49	2	3	11	14	19	23	35
B. OPERATED	247	16.7	221	2	3	13	19	35	47	78
TOTAL 0-19 YRS	1703	11.6	72	2	3	11	14	19	25	45
20-34	784	12.8	58	3	5	12	15	21	26	43
35-49	61	11.7	55	2	2	11	16	21	23	40
50-64										
65+										
GRAND TOTAL	**2548**	**12.0**	**68**	**2**	**3**	**11**	**15**	**20**	**25**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	5.0	44	1	2	3	5	9	25	89
20-34	26	4.4	14	1	1	3	6	11	13	13
35-49	25	7.3	137	1	1	4	7	12	25	61
50-64	9	4.9	22	<1	<1	3	8	13	13	13
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	42	7.2	6	3	4	7	9	10	11	14
20-34	602	6.9	4	4	5	7	8	10	10	13
35-49	497	7.1	5	4	5	7	8	10	11	14
50-64	65	7.8	6	4	5	8	9	12	13	15
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	14.0	482	1	2	4	12	49	76	97
20-34	116	4.9	38	<1	1	3	5	10	13	59
35-49	211	5.1	35	<1	1	4	7	10	14	37
50-64	130	6.3	49	1	1	5	7	12	17	39
65+	44	5.7	21	1	2	5	7	10	17	22
B. *Operated*										
0-19 YRS	44	7.1	7	3	4	7	9	12	13	99+
20-34	1114	8.6	34	5	5	8	9	11	15	35
35-49	1726	8.9	35	5	5	8	10	12	16	33
50-64	430	9.8	45	5	5	8	10	15	20	38
65+	18	8.3	20	2	4	8	10	19	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.3	53	1	1	3	6	11	13	69
B. *Operated*	1208	7.1	5	4	5	7	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	591	6.7	115	1	1	4	7	12	23	76
B. *Operated*	3332	8.9	36	5	5	8	9	12	16	35
1. SINGLE DX	1337	6.9	10	3	4	7	8	10	11	14
2. MULTIPLE DX	3923	8.6	48	2	4	7	9	12	17	43
A. NOT OPERATED	720	6.5	104	1	1	4	7	12	22	76
B. OPERATED	4540	8.4	28	5	5	8	9	11	14	31
TOTAL 0-19 YRS	243	9.1	206	2	2	5	8	19	44	99+
20-34	1858	7.8	26	3	5	7	9	11	13	31
35-49	2459	8.2	32	3	5	7	9	11	15	32
50-64	634	8.8	44	2	3	8	10	13	19	35
65+	66	6.4	21	1	2	6	8	12	20	87
GRAND TOTAL	**5260**	**8.1**	**39**	**3**	**4**	**7**	**9**	**11**	**15**	**36**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.5	7	<1	<1	2	3	5	7	13
20-34	290	3.3	19	<1	<1	1	4	7	11	26
35-49	179	4.8	40	<1	<1	3	5	10	20	33
50-64	156	2.7	6	<1	<1	2	4	5	7	13
65+	98	4.6	14	1	1	4	5	9	12	19
B. *Operated*										
0-19 YRS	146	5.1	57	<1	1	3	5	12	18	34
20-34	272	3.3	10	<1	1	2	5	8	9	15
35-49	314	3.6	19	<1	<1	2	4	7	10	23
50-64	176	3.7	12	<1	1	3	5	8	10	18
65+	78	4.7	24	<1	1	3	6	10	12	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	809	4.9	38	<1	1	3	6	10	14	35
20-34	601	6.5	63	<1	1	4	8	14	19	49
35-49	864	6.0	45	<1	<1	4	8	13	17	35
50-64	952	6.8	38	<1	1	5	9	14	18	32
65+	1381	8.4	55	2	2	7	10	16	21	36
B. *Operated*										
0-19 YRS	229	12.3	295	1	2	6	14	31	75	99+
20-34	532	12.6	200	1	2	8	15	30	48	77
35-49	691	11.3	176	1	2	7	12	26	39	79
50-64	604	9.7	111	1	2	7	12	21	32	53
65+	636	12.0	119	2	3	9	15	25	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	3.2	15	<1	<1	2	4	7	9	20
B. *Operated*	986	3.9	21	<1	1	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	4607	6.7	49	<1	1	5	9	14	19	36
B. *Operated*	2692	11.5	163	1	2	8	14	26	38	78
1. SINGLE DX	2289	3.5	18	<1	<1	2	4	7	11	21
2. MULTIPLE DX	7299	8.5	97	1	1	6	10	18	26	58
A. NOT OPERATED	5910	6.0	44	<1	<1	4	8	13	18	32
B. OPERATED	3678	9.4	137	1	1	6	11	22	34	73
TOTAL 0-19 YRS	1764	5.1	72	<1	<1	3	5	10	17	58
20-34	1695	7.4	104	<1	<1	4	8	16	26	59
35-49	2048	7.3	93	<1	<1	4	8	16	24	56
50-64	1888	7.1	61	<1	1	5	9	15	21	42
65+	2193	9.1	75	2	2	7	11	18	25	49
GRAND TOTAL	**9588**	**7.3**	**82**	**<1**	**1**	**4**	**9**	**16**	**23**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	48	4.5	9	1	1	4	6	9	10	15
35-49	108	4.0	8	1	1	3	5	7	9	15
50-64	124	4.5	9	1	2	4	5	9	11	38
65+	139	4.3	8	1	2	4	5	8	10	13
B. *Operated*										
0-19 YRS										
20-34	9	5.6	7	3	3	5	6	10	12	12
35-49	21	3.9	5	1	1	3	5	8	9	9
50-64	33	5.2	21	1	1	3	7	12	15	20
65+	36	4.6	13	1	2	4	6	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	64	4.8	15	1	2	4	6	9	12	21
35-49	281	5.0	12	1	2	4	7	8	12	17
50-64	613	5.6	18	2	2	5	7	10	12	22
65+	1530	6.5	27	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS										
20-34	12	9.6	120	<1	1	7	10	23	39	42
35-49	64	5.5	21	<1	1	5	8	10	13	27
50-64	123	8.6	52	2	3	6	10	19	26	34
65+	257	10.4	85	2	2	7	14	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.3	8	1	2	4	5	8	10	16
B. *Operated*	99	4.8	14	1	2	4	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	2490	6.1	23	2	2	5	7	11	14	23
B. *Operated*	456	9.2	71	2	2	7	11	20	28	42
1. SINGLE DX	519	4.4	9	1	2	4	6	8	10	16
2. MULTIPLE DX	2946	6.5	32	2	2	5	8	12	16	29
A. NOT OPERATED	2910	5.8	21	2	2	5	7	11	14	22
B. OPERATED	555	8.4	63	1	2	6	10	18	26	41
TOTAL 0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	133	5.1	23	1	2	4	6	9	14	25
35-49	474	4.8	12	1	2	4	6	8	10	18
50-64	893	5.9	23	2	2	5	7	10	15	27
65+	1962	6.8	35	2	2	5	8	13	16	31
GRAND TOTAL	**3465**	**6.2**	**29**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	437	2.7	5	1	1	2	3	5	6	13
20-34	157	2.8	3	1	1	2	4	5	6	9
35-49	128	3.8	8	1	1	3	5	8	10	13
50-64	186	4.2	51	1	1	3	5	7	8	17
65+	475	5.5	39	1	2	4	6	9	13	29
B. *Operated*										
0-19 YRS	8	8.0	80	1	1	4	12	23	25	25
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	7	4.4	9	2	2	4	7	9	9	9
50-64	10	11.8	122	1	2	9	20	28	36	36
65+	10	12.5	292	1	2	6	17	38	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6356	3.3	8	1	1	3	4	6	8	14
20-34	2977	3.7	11	1	1	3	4	7	9	17
35-49	3274	4.8	19	1	2	4	6	9	12	21
50-64	6527	6.0	27	1	2	5	7	11	15	26
65+	29997	7.7	46	2	3	6	9	14	19	37
B. *Operated*										
0-19 YRS	161	10.1	130	1	2	6	14	25	45	99+
20-34	210	7.9	61	1	1	5	9	19	24	36
35-49	325	9.2	109	1	2	6	11	18	32	81
50-64	696	12.9	149	2	3	9	16	25	37	69
65+	2617	15.7	172	3	5	12	20	32	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1383	4.0	24	1	1	3	5	7	9	20
B. *Operated*	38	9.1	131	1	1	4	11	21	32	58
2. MULTIPLE DX										
A. *Not Operated*	49131	6.5	38	1	2	5	8	12	17	32
B. *Operated*	4009	14.0	162	2	3	11	18	29	43	91
1. SINGLE DX	1421	4.1	28	1	1	3	5	7	10	21
2. MULTIPLE DX	53140	7.0	51	1	2	5	8	14	19	40
A. NOT OPERATED	50514	6.4	38	1	2	5	8	12	16	31
B. OPERATED	4047	14.0	162	2	3	11	18	29	42	91
TOTAL 0-19 YRS	6962	3.5	12	1	1	3	4	6	8	17
20-34	3347	3.9	15	1	1	3	5	7	10	20
35-49	3734	5.1	28	1	2	4	6	9	13	25
50-64	7419	6.6	44	1	2	5	8	13	17	34
65+	33099	8.3	61	2	3	6	10	16	21	45
GRAND TOTAL	**54561**	**7.0**	**51**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.3	6	1	1	3	4	7	8	13
20-34	86	3.5	6	1	1	3	4	6	9	12
35-49	141	3.6	11	1	1	3	4	7	9	18
50-64	104	4.5	8	1	1	4	6	8	10	14
65+	313	4.3	26	<1	1	4	5	8	11	15
B. *Operated*										
0-19 YRS	23	4.7	11	1	1	4	6	9	12	15
20-34	25	5.1	14	1	2	5	6	8	11	20
35-49	44	5.8	9	1	2	5	8	9	12	15
50-64	38	5.2	13	1	1	5	7	8	13	19
65+	60	6.8	22	2	2	6	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	4.0	7	1	1	3	5	8	8	14
20-34	381	4.4	15	1	1	4	6	7	10	20
35-49	750	4.9	15	1	2	4	6	9	11	22
50-64	1150	5.7	22	1	2	5	7	10	14	20
65+	5794	6.4	34	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	56	6.1	16	2	2	5	8	11	12	23
20-34	148	6.3	25	1	2	5	8	13	16	26
35-49	394	7.3	30	2	3	6	9	13	16	26
50-64	542	8.7	49	2	3	7	10	15	20	39
65+	2149	10.3	67	3	4	8	12	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	791	3.9	15	1	1	3	5	7	9	14
B. *Operated*	190	5.8	15	1	2	5	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	8397	6.0	29	1	2	5	7	11	14	25
B. *Operated*	3289	9.4	59	2	3	8	11	17	22	42
1. SINGLE DX	981	4.3	16	1	1	3	6	8	10	15
2. MULTIPLE DX	11686	7.0	40	1	2	6	9	13	17	32
A. NOT OPERATED	9188	5.8	28	1	2	5	7	11	14	24
B. OPERATED	3479	9.2	57	2	3	7	11	16	21	42
TOTAL 0-19 YRS	548	4.1	8	1	1	3	6	8	10	15
20-34	640	4.8	17	1	1	4	6	8	12	22
35-49	1329	5.5	20	1	2	4	7	10	13	22
50-64	1834	6.5	31	1	2	5	8	12	15	28
65+	8316	7.4	45	1	2	6	9	14	18	35
GRAND TOTAL	**12667**	**6.8**	**38**	**1**	**2**	**5**	**8**	**13**	**16**	**32**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1793	4.1	7	1	1	4	5	7	9	14
20-34	1883	5.6	17	1	2	5	7	10	12	19
35-49	376	6.0	16	2	2	5	7	10	13	20
50-64	39	5.1	12	1	1	4	6	11	14	15
65+	8	5.5	28	2	2	3	7	15	17	17
B. *Operated*										
0-19 YRS	9	7.4	20	1	1	8	9	14	16	16
20-34	37	9.7	28	2	2	10	14	16	18	21
35-49	6	9.3	45	3	3	8	10	21	22	22
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1803	5.7	29	1	2	4	7	11	14	27
20-34	2428	7.1	28	2	2	6	9	13	17	29
35-49	693	7.8	32	2	3	6	9	15	18	30
50-64	122	7.7	32	2	2	7	9	14	17	28
65+	28	6.8	13	2	2	7	9	11	14	17
B. *Operated*										
0-19 YRS	69	10.7	91	2	2	8	14	23	33	43
20-34	212	13.6	108	3	4	11	19	27	31	64
35-49	73	12.3	117	3	4	9	14	23	29	62
50-64	17	13.5	85	4	5	9	22	26	31	33
65+	3	27.7	762	4	4	21	49	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4099	5.0	13	1	2	4	6	9	11	17
B. *Operated*	53	9.1	29	2	2	9	13	16	18	22
2. MULTIPLE DX										
A. *Not Operated*	5074	6.7	29	1	2	5	8	12	16	28
B. *Operated*	374	12.9	111	2	3	10	17	25	32	62
1. SINGLE DX	4152	5.0	14	1	2	4	6	9	11	18
2. MULTIPLE DX	5448	7.1	37	1	2	6	9	13	18	31
A. NOT OPERATED	9173	5.9	23	1	2	5	7	11	14	24
B. OPERATED	427	12.4	102	2	3	10	16	24	31	62
TOTAL 0-19 YRS	3674	5.0	21	1	1	4	6	9	12	22
20-34	4560	6.8	30	2	2	5	8	12	16	30
35-49	1148	7.5	34	2	3	6	9	14	18	29
50-64	179	7.6	37	2	2	6	9	15	19	31
65+	39	8.1	88	2	2	6	9	16	19	58
GRAND TOTAL	**9600**	**6.2**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	2.4	8	<1	<1	1	3	5	8	16
20-34	179	3.2	9	<1	<1	2	4	7	10	14
35-49	153	3.8	11	<1	1	3	5	8	9	15
50-64	248	3.5	11	<1	1	2	5	8	10	15
65+	1027	3.1	16	<1	1	2	4	6	9	18
B. *Operated*										
0-19 YRS	174	5.5	49	1	1	5	6	8	10	44
20-34	65	6.8	28	2	2	6	8	14	19	28
35-49	88	8.6	95	1	2	6	9	17	25	58
50-64	121	7.1	30	1	2	6	9	13	19	29
65+	216	7.1	34	2	2	5	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1076	3.4	16	<1	<1	2	4	8	10	17
20-34	650	4.4	25	<1	1	3	5	9	14	27
35-49	1192	4.6	24	1	1	3	6	10	13	24
50-64	2702	5.0	27	1	1	3	7	11	14	24
65+	10745	5.8	42	1	1	4	7	12	15	31
B. *Operated*										
0-19 YRS	280	8.6	104	1	1	5	10	20	33	88
20-34	292	9.3	104	1	2	7	11	18	25	71
35-49	492	9.7	86	2	2	7	11	19	27	47
50-64	1067	10.0	82	2	2	8	13	20	25	51
65+	3588	10.9	91	2	3	8	14	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2369	3.0	12	<1	<1	2	4	7	9	16
B. *Operated*	664	6.8	45	1	2	5	8	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	16365	5.4	36	1	1	4	7	11	15	29
B. *Operated*	5719	10.4	91	2	3	8	13	21	27	57
1. SINGLE DX	3033	3.8	22	<1	1	2	5	8	11	21
2. MULTIPLE DX	22084	6.7	55	1	1	5	8	14	19	38
A. NOT OPERATED	18734	5.1	34	1	1	3	7	11	14	27
B. OPERATED	6383	10.1	87	2	3	8	12	20	26	55
TOTAL 0-19 YRS	2292	3.8	30	<1	<1	2	5	8	12	27
20-34	1186	5.6	47	<1	1	4	7	12	16	32
35-49	1925	6.0	47	1	1	4	8	12	18	36
50-64	4138	6.3	45	1	1	4	8	14	18	33
65+	15576	6.8	57	1	1	5	9	14	19	38
GRAND TOTAL	**25117**	**6.3**	**52**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.1	15	1	1	3	5	10	11	22
20-34	48	3.5	3	1	1	3	4	6	7	10
35-49	18	3.6	10	<1	<1	3	5	6	11	15
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	5	17.2	124	4	4	18	25	32	32	32
20-34	9	8.6	115	2	2	5	8	26	36	36
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	4.5	27	1	1	3	5	9	11	31
20-34	86	4.9	13	1	1	4	7	9	11	20
35-49	37	6.9	72	1	1	4	7	14	27	43
50-64	30	10.1	121	1	2	6	11	25	40	45
65+	13	8.5	35	2	2	7	12	17	20	21
B. *Operated*										
0-19 YRS	23	20.9	495	2	3	15	23	55	75	90
20-34	19	10.8	99	2	3	9	15	17	33	46
35-49	7	9.3	70	1	2	7	12	24	26	26
50-64	9	23.9	433	1	2	18	43	49	52	52
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.9	11	1	1	3	5	7	11	15
B. *Operated*	17	11.1	119	1	2	5	19	30	35	36
2. MULTIPLE DX										
A. *Not Operated*	411	5.3	37	1	1	4	6	11	15	39
B. *Operated*	59	16.4	321	2	3	10	18	44	52	88
1. SINGLE DX	173	4.6	25	1	1	3	5	9	12	31
2. MULTIPLE DX	470	6.7	86	1	1	4	7	14	22	46
A. NOT OPERATED	567	4.9	30	1	1	3	6	10	13	34
B. OPERATED	76	15.2	279	2	3	9	18	40	50	84
TOTAL 0-19 YRS	359	5.7	72	1	1	3	6	11	18	40
20-34	162	5.4	30	1	2	4	6	10	14	34
35-49	63	6.4	58	<1	1	4	7	15	23	42
50-64	42	12.6	208	1	2	7	14	41	45	52
65+	17	7.2	32	1	2	5	12	15	19	21
GRAND TOTAL	**643**	**6.2**	**71**	**1**	**1**	**4**	**7**	**12**	**18**	**45**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	905	3.2	6	<1	1	2	4	6	8	13
20-34	149	4.7	23	1	1	3	6	10	14	31
35-49	175	3.8	16	1	1	2	5	8	12	20
50-64	141	4.4	22	1	1	3	6	9	11	18
65+	156	4.5	26	1	1	3	6	9	14	25
B. *Operated*										
0-19 YRS	445	4.9	13	1	1	4	6	8	11	19
20-34	277	6.6	16	2	2	6	8	12	14	19
35-49	152	6.3	24	2	2	6	7	11	15	27
50-64	158	7.6	33	2	2	6	9	15	20	30
65+	167	7.7	33	1	2	7	10	14	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1293	4.5	17	1	1	3	6	[illegible]	11	20
20-34	577	5.3	20	1	1	4	7	[illegible]	12	25
35-49	749	6.1	29	1	1	5	8	[illegible]	15	27
50-64	1568	6.4	29	1	2	5	8	12	15	27
65+	3278	6.9	43	1	1	5	9	14	18	34
B. *Operated*										
0-19 YRS	383	8.5	111	1	2	5	9	18	28	60
20-34	467	9.5	66	2	3	7	11	19	26	43
35-49	528	10.4	84	2	3	8	12	20	28	48
50-64	913	11.7	95	2	3	9	15	25	32	48
65+	1948	12.3	110	2	3	9	15	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1526	3.7	13	<1	1	3	5	7	10	17
B. *Operated*	1199	6.2	22	1	2	5	8	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	7465	6.2	33	1	1	5	8	12	16	28
B. *Operated*	4239	11.3	100	2	3	8	14	23	31	51
1. SINGLE DX	2725	4.8	18	1	1	4	6	9	12	21
2. MULTIPLE DX	11704	8.0	63	1	2	6	10	16	23	42
A. NOT OPERATED	8991	5.8	31	1	1	4	7	11	15	27
B. OPERATED	5438	10.2	87	2	3	7	12	21	29	49
TOTAL 0-19 YRS	3026	4.7	27	1	1	3	6	9	12	26
20-34	1470	6.8	38	1	2	5	8	13	18	34
35-49	1604	7.3	50	1	2	6	9	14	20	37
50-64	2780	8.1	57	1	2	6	10	16	22	41
65+	5549	8.8	73	1	2	7	11	18	25	45
GRAND TOTAL	**14429**	**7.4**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2567	2.0	1	1	1	2	2	3	4	6
20-34	598	2.0	1	1	1	2	2	4	5	6
35-49	131	2.5	2	1	1	2	3	4	5	9
50-64	18	2.5	2	<1	1	2	4	4	5	5
65+	11	2.8	3	1	1	2	3	5	7	7
B. *Operated*										
0-19 YRS	1317	3.5	2	2	2	3	4	5	6	8
20-34	466	4.0	8	2	2	4	5	6	7	11
35-49	56	4.7	17	2	2	4	5	7	10	29
50-64	8	5.1	3	3	3	5	6	7	7	7
65+	5	6.6	37	2	2	4	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1556	2.6	3	1	1	2	3	5	6	9
20-34	354	2.6	2	1	1	2	3	5	6	8
35-49	92	3.2	3	1	1	3	4	6	7	10
50-64	39	3.8	8	1	1	3	5	7	11	13
65+	19	4.4	4	1	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	634	4.4	8	2	2	4	5	7	8	17
20-34	338	4.8	7	2	3	4	5	8	10	16
35-49	50	5.9	9	2	3	5	7	9	13	17
50-64	20	7.6	11	2	3	7	9	12	14	15
65+	19	10.0	34	4	5	8	12	18	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3325	2.0	2	1	1	2	2	4	4	6
B. *Operated*	1852	3.7	4	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2060	2.7	3	1	1	2	3	5	6	9
B. *Operated*	1061	4.7	9	2	2	4	5	8	10	17
1. SINGLE DX	5177	2.6	3	1	1	2	3	5	5	7
2. MULTIPLE DX	3121	3.4	6	1	1	3	4	6	7	13
A. NOT OPERATED	5385	2.3	2	1	1	2	3	4	5	8
B. OPERATED	2913	4.1	6	2	2	4	5	6	7	14
TOTAL 0-19 YRS	6074	2.7	3	1	1	2	3	5	6	9
20-34	1756	3.2	6	1	1	3	4	5	7	11
35-49	329	3.6	8	1	1	3	4	6	9	14
50-64	85	4.6	10	1	1	4	6	9	12	14
65+	54	6.3	25	2	2	5	8	12	17	28
GRAND TOTAL	**8298**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	549	4.3	6	1	2	4	5	7	9	12
20-34	64	3.5	3	1	1	3	5	6	7	9
35-49	25	4.4	7	<1	1	4	6	8	9	11
50-64	7	3.6	7	1	1	3	5	7	8	8
65+	3	5.0	19	2	2	3	8	10	10	10
B. *Operated*										
0-19 YRS	340	3.0	7	<1	<1	2	4	7	8	13
20-34	233	2.9	6	<1	<1	2	3	6	8	13
35-49	110	3.1	11	<1	1	2	3	6	8	19
50-64	58	2.8	4	<1	<1	2	3	5	8	9
65+	40	2.8	4	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	4.3	7	1	2	4	6	7	8	13
20-34	89	4.4	9	1	2	4	5	8	9	19
35-49	40	4.8	9	1	2	4	6	9	12	13
50-64	31	5.5	9	1	2	5	7	9	12	14
65+	30	6.6	15	2	3	6	8	11	12	21
B. *Operated*										
0-19 YRS	200	4.4	13	<1	1	3	6	8	10	16
20-34	144	4.9	29	<1	1	4	6	9	12	18
35-49	125	4.9	16	1	1	3	6	9	14	21
50-64	92	5.7	21	1	2	4	8	12	17	22
65+	102	8.5	173	1	1	5	10	19	24	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	648	4.2	6	1	2	4	5	7	9	12
B. *Operated*	781	2.9	7	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	679	4.5	8	1	2	4	6	8	9	14
B. *Operated*	663	5.4	45	1	1	4	7	10	14	24
1. SINGLE DX	1429	3.5	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	1342	5.0	26	1	1	4	6	9	12	22
A. NOT OPERATED	1327	4.4	7	1	2	4	5	8	9	13
B. OPERATED	1444	4.1	26	<1	1	3	5	8	11	21
TOTAL 0-19 YRS	1578	4.0	8	1	1	3	5	7	9	13
20-34	530	3.7	13	<1	1	3	5	7	9	16
35-49	300	4.2	13	<1	1	3	5	9	12	19
50-64	188	4.7	15	<1	1	4	6	9	13	18
65+	175	6.8	110	<1	1	4	8	13	22	71
GRAND TOTAL	**2771**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	10.2	177	<1	1	4	17	28	43	52
20-34	108	12.1	189	1	1	8	16	30	41	72
35-49	43	11.0	178	2	2	8	13	20	34	77
50-64	58	14.3	414	1	2	7	15	25	67	96
65+	130	10.5	104	1	1	7	14	25	34	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	24.0		24	24	24	24	24	24	24
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	9.0	33	1	1	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.8	252	1	1	5	14	24	69	97
20-34	290	13.4	216	1	2	8	18	30	48	86
35-49	182	11.3	151	1	1	7	15	27	30	65
50-64	346	11.2	158	1	2	7	14	27	39	99+
65+	1244	8.9	64	2	2	7	12	18	24	42
B. *Operated*										
0-19 YRS	3	8.7	86	1	1	6	16	19	19	19
20-34	9	25.6	726	3	5	15	56	92	99+	99+
35-49	19	16.3	240	2	3	14	20	40	52	60
50-64	49	14.3	187	2	3	8	18	37	44	57
65+	87	18.8	385	3	4	12	20	43	72	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	11.6	192	1	1	7	15	25	37	77
B. *Operated*	7	9.1	70	1	1	9	13	22	24	24
2. MULTIPLE DX										
A. *Not Operated*	2122	10.1	115	1	2	7	13	22	30	67
B. *Operated*	167	17.4	325	2	4	11	20	43	61	89
1. SINGLE DX	377	11.5	189	1	1	7	15	25	37	76
2. MULTIPLE DX	2289	10.7	134	1	2	7	14	23	33	72
A. NOT OPERATED	2492	10.4	127	1	2	7	13	23	31	68
B. OPERATED	174	17.0	317	2	3	11	20	43	59	89
TOTAL 0-19 YRS	94	10.5	219	1	1	4	15	23	50	87
20-34	407	13.4	222	1	2	9	18	31	48	90
35-49	245	11.7	163	1	2	7	15	26	31	67
50-64	455	11.9	194	1	2	7	15	28	44	98
65+	1465	9.6	92	2	2	7	12	20	27	47
GRAND TOTAL	**2666**	**10.8**	**142**	**1**	**2**	**7**	**14**	**24**	**34**	**74**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.6	34	1	1	1	2	4	6	38
20-34	441	4.4	44	1	1	3	5	8	12	31
35-49	221	6.5	90	1	1	3	7	13	25	60
50-64	233	8.6	100	1	1	5	12	20	25	64
65+	1264	10.1	111	1	2	7	13	21	32	87
B. *Operated*										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	14	3.6	4	<1	1	3	5	7	7	7
35-49	6	8.3	42	<1	<1	7	12	18	19	19
50-64	12	6.7	55	1	1	4	7	19	25	26
65+	36	7.7	92	1	2	4	8	22	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	708	5.2	105	1	1	2	5	9	23	85
20-34	1410	7.1	60	1	2	5	8	15	21	49
35-49	946	8.7	91	1	2	6	10	19	27	56
50-64	1236	11.0	131	2	3	7	13	26	37	83
65+	10023	11.2	137	2	3	8	14	25	39	99+
B. *Operated*										
0-19 YRS	45	6.5	121	1	1	3	8	12	51	99+
20-34	99	11.2	188	1	1	7	12	32	59	99+
35-49	75	14.5	240	2	2	9	17	35	55	94
50-64	154	16.8	348	2	2	12	19	42	88	99+
65+	929	18.1	253	3	4	14	25	47	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2739	7.2	91	1	1	4	9	17	25	64
B. *Operated*	75	6.3	60	1	1	4	7	13	25	43
2. MULTIPLE DX										
A. *Not Operated*	14323	10.3	128	2	2	7	13	23	35	99+
B. *Operated*	1302	16.8	261	2	3	12	22	45	75	99+
1. SINGLE DX	2814	7.2	90	1	1	4	9	17	25	62
2. MULTIPLE DX	15625	10.9	142	2	2	7	13	25	39	99+
A. NOT OPERATED	17062	9.8	123	1	2	7	12	22	34	99+
B. OPERATED	1377	16.2	256	2	3	12	22	44	73	99+
TOTAL 0-19 YRS	1340	4.1	76	1	1	2	4	7	13	61
20-34	1964	6.7	65	1	1	4	7	14	22	53
35-49	1248	8.7	102	1	2	6	10	19	28	60
50-64	1635	11.2	151	2	2	7	14	25	38	97
65+	12252	11.6	147	2	3	8	14	26	42	99+
GRAND TOTAL	**18439**	**10.3**	**136**	**1**	**2**	**7**	**13**	**23**	**37**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.0	50	5	5	10	15	15	15	15
65+	52	10.9	72	1	2	9	16	22	24	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	36.0		36	36	36	36	36	36	36
65+	4	4.8	3	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	19.3	103	7	7	20	27	29	29	29
50-64	58	15.3	242	2	3	11	18	54	60	99+
65+	827	12.0	179	2	3	8	14	25	36	93
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	54.0		54	54	54	54	54	54	54
50-64	13	16.6	308	3	4	6	28	50	52	53
65+	78	20.6	376	4	4	15	31	71	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	10.9	70	1	2	9	16	22	24	37
B. *Operated*	5	11.0	198	3	3	5	14	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	889	12.3	183	2	3	8	14	26	41	97
B. *Operated*	92	20.4	374	3	4	14	30	65	99	99+
1. SINGLE DX	59	10.9	78	1	2	8	16	22	28	37
2. MULTIPLE DX	981	13.0	206	2	3	9	15	30	50	99+
A. NOT OPERATED	943	12.2	177	2	3	8	14	26	37	94
B. OPERATED	97	19.9	367	3	4	14	30	60	98	99+
TOTAL 0-19 YRS										
20-34										
35-49	5	26.2	319	7	7	26	35	54	54	54
50-64	74	15.7	247	2	3	11	19	52	59	99+
65+	961	12.6	194	2	3	9	15	28	43	99+
GRAND TOTAL	**1040**	**12.9**	**199**	**2**	**3**	**9**	**15**	**30**	**47**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	21	<1	<1	1	2	5	15	20
20-34	512	3.9	4	1	1	4	5	5	6	12
35-49	630	4.2	6	1	1	4	5	6	7	15
50-64	330	4.9	13	1	2	5	5	8	10	22
65+	85	6.6	84	1	2	4	6	15	18	59
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	15.0	72	9	9	15	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.0	99	<1	1	4	6	14	27	54
20-34	1949	6.3	43	1	2	4	7	12	23	31
35-49	3329	6.3	37	1	2	5	7	12	19	31
50-64	2607	7.4	52	2	2	5	8	15	21	40
65+	1167	9.6	81	2	3	7	12	20	26	50
B. *Operated*										
0-19 YRS	7	26.3	551	2	2	16	50	54	55	55
20-34	57	12.6	107	2	2	9	21	29	31	40
35-49	147	13.8	151	2	3	9	19	29	37	54
50-64	142	17.7	221	2	3	14	26	41	50	73
65+	94	17.6	128	4	6	17	23	33	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1574	4.4	12	1	1	4	5	6	8	19
B. *Operated*	5	8.8	55	2	2	8	12	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	9130	7.0	50	1	2	5	8	15	21	35
B. *Operated*	447	15.9	173	3	3	12	22	33	45	71
1. SINGLE DX	1579	4.4	12	1	1	4	5	6	8	19
2. MULTIPLE DX	9577	7.4	59	1	2	5	8	16	23	40
A. NOT OPERATED	10704	6.6	45	1	2	5	7	13	21	34
B. OPERATED	452	15.8	172	2	3	12	22	33	45	71
TOTAL 0-19 YRS	102	7.6	140	<1	1	3	6	18	44	56
20-34	2519	5.9	39	1	2	4	6	11	21	30
35-49	4108	6.2	39	1	2	5	7	12	19	31
50-64	3081	7.6	61	2	2	5	8	16	23	44
65+	1346	9.9	90	2	3	7	13	21	28	53
GRAND TOTAL	**11156**	**7.0**	**53**	**1**	**2**	**5**	**8**	**15**	**22**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	8.3	180	1	1	4	8	23	37	98
20-34	159	5.4	48	<1	1	3	7	14	17	29
35-49	61	6.9	113	<1	1	4	7	14	26	57
50-64	38	7.6	70	1	1	5	10	18	30	35
65+	57	5.4	21	1	1	4	6	11	16	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.0	242	3	3	14	25	25	25	25
65+	1	10.0		10	10	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	12.6	232	1	2	7	15	37	50	69
20-34	837	7.7	57	1	2	5	9	17	25	35
35-49	362	7.2	47	1	2	5	9	16	21	34
50-64	328	8.1	58	1	2	6	10	17	25	38
65+	796	7.8	52	2	2	6	9	15	21	34
B. *Operated*										
0-19 YRS	14	32.3	631	4	4	24	60	67	74	76
20-34	33	14.3	143	2	3	9	26	33	34	38
35-49	8	14.5	189	2	3	8	31	74	99+	99+
50-64	27	12.3	103	2	3	9	13	31	34	40
65+	51	11.5	103	2	3	10	15	19	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	6.4	83	1	1	4	7	14	24	54
B. *Operated*	3	12.7	126	3	3	17	62	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2513	8.1	69	1	2	6	10	17	25	44
B. *Operated*	133	14.7	204	2	3	10	21	34	48	80
1. SINGLE DX	397	6.5	83	1	1	4	7	15	25	57
2. MULTIPLE DX	2646	8.4	77	1	2	6	10	18	26	48
A. NOT OPERATED	2907	7.9	71	1	2	5	9	17	24	44
B. OPERATED	136	14.7	201	2	3	10	22	34	51	99+
TOTAL 0-19 YRS	283	12.4	258	1	1	6	14	37	52	86
20-34	1029	7.6	60	1	2	5	9	17	25	35
35-49	431	7.3	59	1	1	5	9	16	23	46
50-64	395	8.4	64	1	2	6	11	18	27	39
65+	905	7.9	54	2	2	6	10	16	21	36
GRAND TOTAL	**3043**	**8.2**	**79**	**1**	**2**	**6**	**10**	**17**	**26**	**50**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	17.1	221	1	2	15	22	37	55	99+
20-34	4086	13.9	159	1	2	11	19	30	39	63
35-49	2229	13.6	136	1	2	11	18	28	36	58
50-64	751	15.6	161	2	3	13	21	30	38	64
65+	237	14.9	104	1	3	13	20	31	34	44
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	6.3	19	1	2	5	10	13	14	14
35-49	10	18.3	170	<1	2	15	34	35	36	36
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	21.9	360	2	4	17	31	56	73	99+
20-34	2544	15.9	197	2	3	12	21	34	44	74
35-49	1668	14.6	137	2	3	12	20	30	38	60
50-64	897	17.0	161	3	4	14	22	34	43	62
65+	462	17.5	200	3	4	14	24	34	46	75
B. *Operated*										
0-19 YRS	9	23.6	434	3	3	14	39	56	58	58
20-34	85	25.1	318	5	7	19	36	51	62	96
35-49	68	25.4	291	7	11	22	30	47	51	98
50-64	52	25.0	300	5	7	20	32	57	67	99+
65+	37	27.5	344	9	10	22	42	62	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7568	14.1	153	1	2	11	19	30	38	63
B. *Operated*	25	13.6	156	1	2	11	17	35	38	45
2. MULTIPLE DX										
A. *Not Operated*	5759	16.0	181	2	3	13	22	33	43	74
B. *Operated*	251	25.5	310	5	8	21	34	51	62	99+
1. SINGLE DX	7593	14.1	153	1	2	11	19	30	38	63
2. MULTIPLE DX	6010	16.4	190	2	3	13	22	34	44	76
A. NOT OPERATED	13327	14.9	166	2	3	12	20	31	40	69
B. OPERATED	276	24.4	307	4	7	21	33	49	61	99+
TOTAL 0-19 YRS	463	19.2	285	2	3	15	27	44	62	99+
20-34	6727	14.8	177	1	2	11	20	32	42	69
35-49	3975	14.2	141	2	3	11	20	29	37	59
50-64	1701	16.6	168	2	4	14	22	33	42	69
65+	737	17.2	183	2	4	14	23	34	43	79
GRAND TOTAL	**13603**	**15.1**	**171**	**2**	**3**	**12**	**20**	**32**	**41**	**69**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	21.7	385	3	5	14	29	48	68	97
20-34	292	12.8	119	2	3	10	16	27	34	58
35-49	95	11.2	85	1	2	8	15	25	30	40
50-64	41	11.1	145	1	2	6	15	31	41	48
65+	9	18.3	116	9	9	12	24	36	38	38
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	21.9	345	3	5	18	30	73	99+	99+
20-34	236	15.6	181	2	3	12	20	34	44	63
35-49	82	16.0	147	2	4	12	21	35	39	57
50-64	28	11.0	40	3	3	10	16	21	22	23
65+	25	11.6	76	3	4	8	18	22	32	34
B. *Operated*										
0-19 YRS										
20-34	8	17.0	70	5	5	17	22	28	30	30
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	14.7	196	2	3	10	19	31	44	75
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	446	16.2	195	2	3	13	21	36	50	99
B. *Operated*	9	17.7	65	5	5	18	23	27	30	30
1. SINGLE DX	580	14.7	196	2	3	10	19	31	44	75
2. MULTIPLE DX	455	16.2	192	2	3	13	21	36	49	98
A. NOT OPERATED	1025	15.3	196	2	3	12	20	34	45	78
B. OPERATED	10	17.2	60	5	5	17	23	27	30	30
TOTAL 0-19 YRS	217	21.8	370	3	5	15	30	52	76	99+
20-34	537	14.1	147	2	3	11	18	28	38	62
35-49	178	13.5	118	1	3	10	20	29	36	49
50-64	69	11.1	101	2	3	8	16	22	35	48
65+	34	13.4	93	3	4	10	19	31	34	38
GRAND TOTAL	1035	15.4	195	2	3	12	20	34	45	78

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	20.2	332	2	3	15	28	48	65	99+
20-34	6103	14.6	177	1	2	11	20	31	41	67
35-49	3161	13.9	134	1	2	11	19	28	36	63
50-64	1431	15.7	153	2	3	13	21	31	38	61
65+	315	16.9	210	2	3	14	21	36	44	74
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	14	16.6	229	2	4	11	20	41	49	51
35-49	7	20.4	478	4	4	12	41	53	53	53
50-64	6	22.5	270	3	4	21	24	49	52	52
65+	3	18.0	91	8	8	19	25	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	524	22.6	371	2	4	19	33	53	76	99+
20-34	4447	16.4	203	2	3	13	22	36	47	78
35-49	3198	15.9	178	2	3	12	21	32	43	69
50-64	2037	16.5	162	3	4	14	22	33	43	68
65+	879	17.5	205	3	5	14	23	35	49	95
B. *Operated*										
0-19 YRS	20	31.2	423	11	12	26	41	55	78	92
20-34	183	24.3	313	5	7	20	33	51	71	99+
35-49	171	21.6	155	6	9	19	29	39	51	94
50-64	122	27.7	326	6	10	23	37	56	66	93
65+	75	29.7	429	8	9	24	39	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11669	14.9	174	1	2	12	20	31	41	68
B. *Operated*	31	18.6	253	3	4	13	24	51	52	53
2. MULTIPLE DX										
A. *Not Operated*	11085	16.7	198	2	3	13	22	35	47	81
B. *Operated*	571	25.1	295	6	9	20	34	50	66	99+
1. SINGLE DX	11700	14.9	174	1	2	12	20	31	41	68
2. MULTIPLE DX	11656	17.1	206	2	4	13	23	36	48	83
A. NOT OPERATED	22754	15.8	187	2	3	12	21	33	44	72
B. OPERATED	602	24.8	294	5	8	20	33	50	66	99+
TOTAL 0-19 YRS	1204	21.5	353	2	3	17	31	52	68	99+
20-34	10747	15.5	192	1	3	12	21	34	44	72
35-49	6537	15.1	159	2	3	12	20	31	40	67
50-64	3596	16.6	168	2	4	14	22	33	43	67
65+	1272	18.1	227	3	4	14	23	37	51	92
GRAND TOTAL	23356	16.0	191	2	3	13	21	34	45	74

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	21.7	483	<1	1	14	41	55	95	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	26.5	605	2	3	25	60	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	26.7	497	10	10	52	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	21.7	483	<1	1	14	41	55	95	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	88	26.5	605	2	3	25	60	99+	99+	99+
B. *Operated*	3	26.7	497	10	10	52	99+	99+	99+	99+
1. SINGLE DX	89	21.7	483	<1	1	14	41	55	95	99+
2. MULTIPLE DX	91	26.5	596	2	3	26	62	99+	99+	99+
A. NOT OPERATED	177	24.1	546	1	2	18	49	99	99+	99+
B. OPERATED	3	26.7	497	10	10	52	99+	99+	99+	99+
TOTAL 0-19 YRS	180	24.2	543	1	2	19	50	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**180**	**24.2**	**543**	**1**	**2**	**19**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	820	20.6	402	1	2	14	30	56	79	99+
20-34	3624	13.2	145	1	2	10	18	29	36	60
35-49	3687	13.9	143	1	2	11	19	29	37	58
50-64	2774	16.8	165	2	3	14	23	33	42	64
65+	2270	19.0	189	2	4	16	26	36	46	70
B. *Operated*										
0-19 YRS	4	12.0	24	6	6	12	15	18	18	18
20-34	12	21.0	142	7	10	16	30	38	44	45
35-49	22	20.7	225	3	4	14	32	37	48	64
50-64	14	25.6	249	3	11	18	41	48	50	50
65+	14	25.2	336	4	7	19	30	51	70	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1531	24.0	484	2	3	18	40	68	95	99+
20-34	6468	14.9	182	2	3	11	20	32	42	71
35-49	6853	15.6	171	2	3	12	21	32	42	72
50-64	5924	17.7	183	3	4	14	24	35	44	70
65+	6897	19.7	237	3	4	16	27	40	52	83
B. *Operated*										
0-19 YRS	44	30.3	449	3	7	33	57	99+	99+	99+
20-34	373	24.9	381	3	6	20	34	58	74	99+
35-49	481	23.9	266	5	8	20	32	46	60	97
50-64	432	26.4	299	6	8	23	35	50	65	99+
65+	571	29.8	379	6	9	27	40	60	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13175	15.6	178	1	3	12	21	32	42	70
B. *Operated*	66	22.2	227	4	7	17	31	42	49	73
2. MULTIPLE DX										
A. *Not Operated*	27673	17.3	216	2	3	13	24	37	48	85
B. *Operated*	1901	26.6	339	5	8	23	37	56	72	99+
1. SINGLE DX	13241	15.6	179	1	3	12	21	33	42	70
2. MULTIPLE DX	29574	17.9	229	2	4	14	25	38	50	89
A. NOT OPERATED	40848	16.8	205	2	3	13	23	35	46	81
B. OPERATED	1967	26.4	336	5	8	22	37	55	72	99+
TOTAL 0-19 YRS	2399	23.0	458	2	3	17	37	64	90	99+
20-34	10477	14.6	180	1	3	11	20	32	41	72
35-49	11043	15.4	170	2	3	12	21	32	42	70
50-64	9144	17.8	187	3	4	15	24	36	44	70
65+	9752	20.1	240	3	5	16	27	41	53	83
GRAND TOTAL	**42815**	**17.2**	**215**	**2**	**3**	**13**	**24**	**37**	**48**	**84**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	20.8	338	2	4	15	29	46	64	99+
20-34	3401	14.1	145	1	2	11	19	29	36	63
35-49	2863	13.8	121	1	3	11	19	28	35	56
50-64	1666	15.4	138	2	4	13	21	29	36	61
65+	656	18.2	172	2	4	16	25	33	44	71
B. *Operated*										
0-19 YRS	2	26.0	1152	2	2	26	50	50	50	50
20-34	5	23.8	44	17	17	24	28	33	33	33
35-49	14	16.0	141	1	1	12	28	34	36	36
50-64	11	28.9	681	3	4	15	43	70	81	82
65+	8	24.6	226	9	10	16	40	45	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	617	23.3	425	2	4	18	33	57	74	99+
20-34	3371	16.1	187	2	3	13	21	33	44	70
35-49	3186	15.5	158	2	3	12	21	32	41	63
50-64	2601	17.5	175	3	5	14	24	34	44	69
65+	1687	18.7	174	4	5	16	24	36	47	69
B. *Operated*										
0-19 YRS	23	34.1	568	5	8	32	50	86	92	99+
20-34	152	22.3	249	4	7	18	30	46	57	83
35-49	172	25.2	268	5	8	21	33	45	63	91
50-64	202	25.9	260	7	9	23	34	49	62	99
65+	160	29.5	371	7	10	26	38	60	77	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9046	14.9	151	2	3	12	20	30	38	65
B. *Operated*	40	22.8	325	2	4	16	34	45	56	82
2. MULTIPLE DX										
A. *Not Operated*	11462	17.0	190	2	4	14	23	35	45	73
B. *Operated*	709	26.0	301	6	8	22	35	50	66	99
1. SINGLE DX	9086	14.9	152	2	3	12	20	30	38	65
2. MULTIPLE DX	12171	17.5	201	2	4	14	23	36	46	76
A. NOT OPERATED	20508	16.1	174	2	3	13	22	32	42	70
B. OPERATED	749	25.9	302	6	8	22	35	50	65	99
TOTAL 0-19 YRS	1102	22.5	395	2	4	16	32	52	71	99+
20-34	6929	15.2	170	2	3	12	20	31	41	67
35-49	6235	15.0	147	2	3	12	20	30	39	62
50-64	4480	17.1	171	3	4	14	23	33	42	69
65+	2511	19.3	193	3	5	16	25	37	48	75
GRAND TOTAL	**21257**	**16.4**	**182**	**2**	**3**	**13**	**22**	**33**	**43**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	13.3	241	1	1	8	17	34	51	83
20-34	1230	9.8	100	1	1	7	13	21	29	49
35-49	764	10.3	89	1	1	8	14	22	28	45
50-64	501	11.3	109	1	2	9	15	25	31	52
65+	490	10.9	116	1	1	8	15	24	33	56
B. *Operated*										
0-19 YRS	4	3.3	2	<1	<1	4	4	4	4	4
20-34	6	6.8	59	2	2	4	6	20	22	22
35-49	3	10.0	31	5	5	9	14	16	16	16
50-64	8	7.8	28	2	2	7	12	15	16	16
65+	9	8.8	157	1	1	4	9	29	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	15.2	245	1	2	10	22	40	51	99+
20-34	1537	11.6	115	1	2	9	16	25	32	52
35-49	1130	11.7	120	1	2	8	16	25	33	55
50-64	1302	12.1	126	1	2	9	16	27	34	59
65+	3312	10.8	109	2	3	8	14	23	31	56
B. *Operated*										
0-19 YRS	8	11.8	138	1	1	10	15	31	37	37
20-34	55	16.7	192	3	4	13	24	36	53	98
35-49	43	20.9	266	2	3	17	29	44	60	68
50-64	116	16.7	222	3	3	13	23	39	54	99+
65+	297	17.4	241	3	5	12	22	39	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3322	10.7	116	1	1	8	14	23	31	56
B. *Operated*	30	7.5	66	1	2	5	9	16	22	41
2. MULTIPLE DX										
A. *Not Operated*	7687	11.6	123	1	2	8	15	25	34	58
B. *Operated*	519	17.4	232	3	4	13	23	38	56	99+
1. SINGLE DX	3352	10.6	116	1	1	8	14	23	31	56
2. MULTIPLE DX	8206	11.9	131	2	2	8	16	26	35	61
A. NOT OPERATED	11009	11.3	121	1	2	8	15	25	33	57
B. OPERATED	549	16.8	228	3	4	12	22	38	55	99
TOTAL 0-19 YRS	755	14.3	242	1	1	9	19	37	51	92
20-34	2828	10.9	111	1	2	8	15	23	31	53
35-49	1940	11.3	113	1	2	8	15	25	31	55
50-64	1927	12.2	128	1	2	9	16	27	35	59
65+	4108	11.3	122	2	2	8	14	24	34	61
GRAND TOTAL	**11558**	**11.6**	**127**	**1**	**2**	**8**	**15**	**25**	**34**	**59**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	5.0	74	<1	1	3	4	10	16	54
20-34	800	5.4	44	1	1	3	6	13	18	30
35-49	699	5.4	37	1	1	3	7	12	17	29
50-64	392	6.1	45	1	1	4	8	14	19	30
65+	209	6.3	84	<1	1	3	7	13	19	61
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.1	3	<1	1	3	5	6	6	6
35-49	8	5.9	16	2	2	5	8	12	13	13
50-64	8	5.6	16	1	1	5	9	11	11	11
65+	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	8.2	151	1	1	3	9	23	41	80
20-34	1771	7.8	77	1	1	4	9	19	27	41
35-49	2083	7.1	70	1	1	4	8	17	24	42
50-64	1792	7.1	59	1	1	4	8	16	23	39
65+	1600	6.3	54	1	1	4	7	14	20	34
B. *Operated*										
0-19 YRS	7	25.1	702	5	5	16	63	90	99+	99+
20-34	120	7.2	90	1	1	3	10	17	28	43
35-49	118	8.1	77	1	1	5	12	21	23	40
50-64	98	10.7	93	2	3	7	14	26	30	44
65+	75	10.6	128	1	3	7	11	24	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2281	5.6	48	1	1	3	7	13	18	33
B. *Operated*	30	5.1	22	1	1	4	6	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	7588	7.1	70	1	1	4	8	17	24	42
B. *Operated*	418	9.2	109	1	1	5	12	22	30	55
1. SINGLE DX	2311	5.6	48	1	1	3	7	13	18	33
2. MULTIPLE DX	8006	7.2	72	1	1	4	8	17	25	43
A. NOT OPERATED	9869	6.8	65	1	1	4	8	16	23	40
B. OPERATED	448	8.9	104	1	1	5	11	22	30	55
TOTAL 0-19 YRS	531	7.3	137	1	1	3	7	20	34	71
20-34	2702	7.0	69	1	1	4	8	17	25	39
35-49	2908	6.7	63	1	1	4	8	16	22	40
50-64	2290	7.1	58	1	1	4	8	16	23	39
65+	1886	6.5	61	1	1	4	7	14	21	37
GRAND TOTAL	**10317**	**6.9**	**67**	**1**	**1**	**4**	**8**	**16**	**23**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	20.7	429	1	2	13	33	56	71	99+
20-34	2161	9.9	97	1	2	7	14	22	29	47
35-49	1790	10.1	89	1	2	7	14	22	29	44
50-64	872	10.7	101	1	2	8	15	23	29	51
65+	407	11.5	118	1	2	7	15	25	34	52
B. *Operated*										
0-19 YRS										
20-34	5	12.8	90	2	2	10	21	25	25	25
35-49	9	14.8	59	8	9	11	17	27	33	33
50-64	8	11.5	114	2	2	10	16	28	33	33
65+	7	34.0	687	11	11	20	61	71	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1394	24.2	536	2	3	17	41	68	90	99+
20-34	4266	11.7	122	1	2	8	16	26	33	55
35-49	3942	11.5	106	2	2	8	16	26	32	46
50-64	2545	11.2	98	2	3	8	15	25	31	47
65+	2395	10.6	92	2	3	8	14	23	30	44
B. *Operated*										
0-19 YRS	39	26.4	372	3	7	25	43	55	88	99+
20-34	216	18.4	240	2	4	14	25	39	49	81
35-49	254	19.4	187	4	5	17	25	38	46	68
50-64	195	18.1	223	3	4	14	23	36	43	82
65+	203	17.5	219	4	5	13	22	35	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5992	11.6	151	1	2	7	15	26	37	66
B *Operated*	29	18.2	290	2	2	13	20	35	70	71
2. MULTIPLE DX										
A. *Not Operated*	14542	12.6	163	2	2	8	17	28	38	74
B. *Operated*	907	18.7	225	3	5	14	25	39	49	79
1. SINGLE DX	6021	11.6	152	1	2	7	15	26	37	67
2. MULTIPLE DX	15449	13.0	168	2	2	9	17	29	39	76
A. NOT OPERATED	20534	12.3	160	1	2	8	16	28	37	72
B. OPERATED	936	18.7	226	3	5	14	25	39	50	79
TOTAL 0-19 YRS	2195	23.0	499	2	3	16	38	63	86	99+
20-34	6648	11.4	120	1	2	8	16	25	32	54
35-49	5995	11.5	108	1	2	8	16	25	32	48
50-64	3620	11.4	108	2	3	8	15	25	32	51
65+	3012	11.3	109	2	3	8	14	24	32	50
GRAND TOTAL	**21470**	**12.6**	**164**	**1**	**2**	**8**	**17**	**28**	**38**	**72**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	712	12.0	254	1	1	5	16	38	54	99+
20-34	1424	8.6	111	<1	1	5	11	21	29	58
35-49	675	8.4	94	1	1	5	12	20	28	53
50-64	245	8.4	114	<1	1	5	11	20	26	52
65+	128	7.4	52	1	1	5	10	18	22	33
B. Operated										
0-19 YRS	9	9.4	145	1	1	4	28	66	99+	99+
20-34	102	7.8	38	1	2	9	9	14	16	36
35-49	98	5.8	22	1	2	4	9	11	13	25
50-64	81	4.5	8	1	1	4	6	9	10	13
65+	27	5.6	49	1	1	4	6	9	16	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1078	14.6	363	1	1	7	20	47	68	99+
20-34	3228	10.1	136	1	1	6	13	25	35	71
35-49	1860	10.4	136	1	2	6	14	23	32	64
50-64	983	9.7	116	1	2	6	13	24	31	56
65+	818	8.7	77	1	2	6	11	19	24	49
B. Operated										
0-19 YRS	48	20.1	651	<1	1	10	23	60	78	99
20-34	194	14.8	237	1	2	9	20	33	48	84
35-49	183	11.2	119	1	2	8	14	26	32	57
50-64	175	9.2	137	1	2	5	10	17	31	69
65+	116	13.2	221	2	3	8	15	28	49	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3184	9.3	139	1	1	5	12	23	35	66
B. Operated	317	6.2	31	1	2	5	9	11	14	35
2. MULTIPLE DX										
A. Not Operated	7967	10.6	161	1	1	6	14	26	37	79
B. Operated	716	12.6	214	1	2	8	14	29	47	78
1. SINGLE DX	3501	9.0	130	1	1	5	11	22	34	65
2. MULTIPLE DX	8683	10.8	165	1	1	6	14	27	38	78
A. NOT OPERATED	11151	10.2	155	1	1	6	13	25	37	75
B. OPERATED	1033	10.7	167	1	2	7	12	26	36	72
TOTAL 0-19 YRS	1847	13.7	329	1	1	6	19	43	64	99+
20-34	4948	9.8	132	1	1	6	13	24	33	64
[illegible]	2816	9.8	122	1	1	6	13	22	31	59
[illegible]	1484	9.2	113	1	2	5	11	22	30	54
[illegible]	1089	8.9	91	1	2	6	11	20	27	52
GRAND TOTAL	**12184**	**10.3**	**156**	**1**	**1**	**6**	**13**	**25**	**37**	**75**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	564	13.1	196	<1	<1	6	24	34	38	49
20-34	4790	11.3	108	1	1	5	21	28	30	36
35-49	4913	10.5	98	1	2	5	19	28	29	35
50-64	2152	10.1	99	1	2	5	17	28	29	35
65+	454	9.7	89	1	2	5	14	25	29	40
B. Operated										
0-19 YRS	5	36.6	401	1	1	45	46	49	49	49
20-34	27	18.8	125	1	2	21	28	31	34	36
35-49	30	16.6	97	3	4	21	23	28	31	38
50-64	12	19.6	113	3	4	21	26	34	35	35
65+	6	9.3	95	1	1	5	14	26	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2106	23.3	277	1	2	25	34	44	49	73
20-34	14088	13.6	123	1	2	8	25	29	30	38
35-49	15823	11.6	102	2	2	6	21	28	30	36
50-64	10132	11.6	103	2	2	7	20	28	30	37
65+	4241	11.7	99	2	3	8	20	27	30	39
B. Operated										
0-19 YRS	62	27.2	313	1	2	29	44	49	57	95
20-34	467	19.0	129	2	4	21	28	31	34	46
35-49	553	17.3	146	2	4	16	27	30	34	62
50-64	506	17.5	150	3	4	15	26	32	36	59
65+	274	19.2	163	3	5	19	27	33	41	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12873	10.8	106	1	2	5	20	28	30	36
B. Operated	80	18.5	148	1	3	21	27	33	40	48
2. MULTIPLE DX										
A. Not Operated	46390	12.8	122	1	2	7	22	29	31	42
B. Operated	1862	18.4	154	2	4	18	28	32	38	60
1. SINGLE DX	12953	10.9	107	1	2	5	21	28	30	37
2. MULTIPLE DX	48252	13.0	125	2	2	7	22	29	31	42
A. NOT OPERATED	59263	12.3	119	1	2	7	21	28	30	42
B. OPERATED	1942	18.4	153	2	4	18	28	32	38	59
TOTAL 0-19 YRS	2737	21.3	279	1	1	21	33	43	48	68
20-34	19372	13.2	121	1	2	7	24	29	30	38
35-49	21319	11.5	103	1	2	6	21	28	30	36
50-64	12802	11.6	106	2	2	7	21	28	30	37
65+	4975	11.9	105	2	3	8	20	28	30	42
GRAND TOTAL	**61205**	**12.5**	**122**	**1**	**2**	**7**	**22**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	12.7	174	1	2	7	19	29	40	56
20-34	567	10.4	68	1	2	8	14	22	28	34
35-49	155	11.3	77	1	3	9	14	24	30	42
50-64	24	16.0	152	4	4	10	25	32	42	42
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	3	14.7	137	6	6	10	23	28	28	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	18.1	140	2	3	18	28	33	34	42
20-34	1361	13.4	90	2	3	11	20	28	30	40
35-49	514	13.7	87	3	4	11	19	28	32	41
50-64	76	14.2	101	2	4	11	21	28	30	41
65+	45	12.8	80	3	3	11	21	27	29	32
B. *Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	77	16.8	78	5	7	14	20	29	33	42
35-49	31	19.0	178	2	4	15	27	38	42	60
50-64	6	24.8	222	9	9	23	33	47	49	49
65+	11	14.4	174	3	4	13	17	31	48	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	10.8	76	1	2	8	15	23	29	42
B. *Operated*	5	12.6	98	3	3	10	19	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	2056	13.6	91	2	3	11	20	28	31	40
B. *Operated*	127	17.3	118	4	5	14	21	32	40	52
1. SINGLE DX	774	10.8	77	1	2	8	15	23	29	42
2. MULTIPLE DX	2183	13.9	93	2	3	12	20	28	31	41
A. NOT OPERATED	2825	12.9	89	2	3	11	19	28	30	41
B. OPERATED	132	17.2	117	3	5	14	21	31	40	52
TOTAL 0-19 YRS	84	16.4	151	2	3	15	28	33	34	51
20-34	2007	12.7	86	2	3	10	18	27	30	40
35-49	703	13.4	91	2	4	11	18	28	32	42
50-64	106	15.2	122	2	4	11	24	30	35	45
65+	57	13.2	96	3	3	11	21	26	30	49
GRAND TOTAL	**2957**	**13.1**	**91**	**2**	**3**	**11**	**19**	**28**	**30**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	21.4	345	1	2	15	35	45	56	89
20-34	765	13.2	115	1	2	9	22	28	30	42
35-49	203	13.7	119	1	2	11	22	28	34	42
50-64	43	14.0	105	1	3	12	21	31	35	36
65+	14	14.2	92	2	4	13	23	28	31	32
B. *Operated*										
0-19 YRS										
20-34	5	11.0	109	1	1	8	21	23	23	23
35-49	1	27.0		27	27	27	27	27	27	27
50-64	3	13.3	208	5	5	5	24	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	948	25.6	299	2	4	27	37	48	57	93
20-34	2089	17.1	128	2	3	18	28	30	33	43
35-49	619	16.2	131	2	3	14	26	30	35	45
50-64	235	16.6	138	2	4	13	26	34	41	46
65+	128	16.8	123	2	4	15	25	30	38	45
B. *Operated*										
0-19 YRS	22	44.2	457	8	13	46	63	71	75	77
20-34	80	22.4	82	6	9	23	29	30	35	46
35-49	38	19.1	107	6	8	19	27	30	42	45
50-64	13	21.3	177	3	5	20	30	42	42	42
65+	4	19.3	120	4	4	21	26	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	14.9	169	1	2	10	24	31	40	56
B. *Operated*	9	13.6	133	1	1	8	24	29	30	30
2. MULTIPLE DX										
A. *Not Operated*	4019	18.9	183	2	3	19	28	35	42	62
B. *Operated*	157	24.5	210	5	8	22	29	44	53	74
1. SINGLE DX	1278	14.9	169	1	2	10	24	31	40	56
2. MULTIPLE DX	4176	19.1	185	2	3	20	28	35	42	63
A. NOT OPERATED	5288	18.0	182	2	3	17	28	34	42	59
B. OPERATED	166	23.9	212	5	7	22	29	44	52	73
TOTAL 0-19 YRS	1214	25.1	320	2	3	26	37	48	57	92
20-34	2939	16.2	127	2	3	16	27	30	33	42
35-49	861	15.7	129	2	3	14	25	30	35	44
50-64	294	16.4	136	2	4	13	25	34	40	45
65+	146	16.6	119	2	4	15	24	30	36	43
GRAND TOTAL	**5454**	**18.1**	**184**	**2**	**3**	**17**	**28**	**34**	**42**	**61**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	923	1.5	8	<1	<1	1	1	2	3	16
20-34	575	3.3	40	<1	<1	1	2	6	21	30
35-49	237	3.7	32	<1	<1	2	4	8	19	30
50-64	150	3.6	27	<1	1	2	4	7	11	30
65+	52	2.5	19	<1	<1	1	2	4	8	27
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	836	5.6	144	<1	<1	1	3	18	31	66
20-34	1237	5.2	51	<1	<1	2	5	16	22	30
35-49	859	5.4	44	<1	1	3	6	14	21	30
50-64	542	5.3	38	1	1	3	6	12	20	31
65+	300	5.5	57	1	1	3	6	11	20	47
B. *Operated*										
0-19 YRS	21	5.4	138	<1	<1	1	3	17	38	49
20-34	53	5.2	45	<1	<1	2	6	15	21	29
35-49	42	6.3	62	<1	<1	4	9	16	21	42
50-64	26	6.8	40	<1	<1	5	9	14	17	30
65+	23	11.0	87	1	2	10	17	24	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1937	2.5	23	<1	<1	1	2	4	8	30
B. *Operated*	5	2.8	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3774	5.4	68	<1	<1	2	5	15	22	41
B. *Operated*	165	6.6	68	<1	<1	3	9	17	23	41
1. SINGLE DX	1942	2.5	23	<1	<1	1	2	4	8	30
2. MULTIPLE DX	3939	5.4	69	<1	<1	2	5	15	22	41
A. NOT OPERATED	5711	4.4	55	<1	<1	2	4	11	20	34
B. OPERATED	170	6.5	67	<1	<1	3	9	17	22	40
TOTAL 0-19 YRS	1780	3.5	77	<1	<1	1	2	5	19	55
20-34	1868	4.6	48	<1	<1	2	4	15	21	30
35-49	1139	5.1	43	<1	<1	3	5	13	21	30
50-64	718	5.0	36	1	1	3	6	11	20	31
65+	376	5.4	56	1	1	3	6	12	21	35
GRAND TOTAL	**5881**	**4.5**	**55**	**<1**	**<1**	**2**	**4**	**11**	**21**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	11.3	224	<1	1	4	19	33	40	59
20-34	551	8.6	102	<1	1	4	9	28	29	44
35-49	116	10.7	113	<1	1	5	20	28	29	38
50-64	27	12.2	115	1	1	8	23	28	30	34
65+	15	9.3	71	<1	2	5	13	25	27	28
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	8.0	76	2	2	4	14	18	18	18
50-64	2	18.0	392	4	4	18	32	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	21.8	411	1	1	17	35	52	61	98
20-34	1565	11.9	129	1	1	7	21	29	32	43
35-49	394	12.5	126	1	2	8	21	28	31	44
50-64	125	11.4	120	1	2	7	18	28	34	43
65+	114	10.9	107	2	2	6	16	26	31	49
B. *Operated*										
0-19 YRS	19	33.9	769	4	6	29	63	82	97	99+
20-34	48	18.1	142	5	5	15	27	30	41	54
35-49	19	16.5	81	2	5	17	25	29	30	30
50-64	10	17.1	401	4	4	10	22	47	71	71
65+	14	20.6	335	5	7	14	22	61	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	9.5	129	<1	1	4	14	28	30	46
B. *Operated*	6	10.2	153	1	1	4	18	31	32	32
2. MULTIPLE DX										
A. *Not Operated*	2852	14.2	209	1	1	8	23	33	43	64
B. *Operated*	110	20.8	313	5	5	16	28	47	65	96
1. SINGLE DX	896	9.5	129	<1	1	4	14	28	30	46
2. MULTIPLE DX	2962	14.5	214	1	2	8	23	33	43	69
A. NOT OPERATED	3742	13.1	194	1	1	7	21	30	41	60
B. OPERATED	116	20.2	308	4	5	15	28	42	64	96
TOTAL 0-19 YRS	854	19.9	401	1	1	13	33	50	60	96
20-34	2165	11.2	125	1	1	6	20	28	31	43
35-49	532	12.2	122	1	2	7	21	28	30	43
50-64	164	12.0	136	1	2	7	19	28	34	50
65+	143	11.7	132	2	2	8	16	27	32	61
GRAND TOTAL	**3858**	**13.3**	**199**	**1**	**1**	**7**	**21**	**31**	**41**	**62**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	3.1	6	1	1	2	4	6	8	13
20-34	204	3.5	8	1	1	3	5	7	9	12
35-49	157	3.2	8	1	1	3	4	5	7	11
50-64	99	4.1	12	1	1	3	5	7	12	18
65+	54	3.8	7	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	12	4.6	11	1	2	4	5	10	13	13
20-34	15	4.3	8	<1	1	4	6	7	10	11
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	12	4.2	8	<1	1	3	7	8	9	9
65+	5	6.2	32	2	2	4	8	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	5.0	72	1	1	3	5	9	12	62
20-34	574	4.5	21	1	1	3	5	8	11	27
35-49	666	4.6	27	1	1	3	6	8	11	20
50-64	551	4.5	17	1	1	3	5	8	11	20
65+	664	5.2	24	1	2	4	6	10	13	25
B. *Operated*										
0-19 YRS	18	5.7	19	<1	1	5	7	12	15	17
20-34	65	7.6	63	1	2	6	9	14	21	49
35-49	62	6.8	30	1	2	6	9	13	16	30
50-64	54	7.7	58	2	2	6	8	13	23	46
65+	67	11.1	169	2	2	7	12	24	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	3.4	8	1	1	3	4	6	9	14
B. *Operated*	49	4.3	10	1	1	3	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2780	4.8	28	1	1	3	6	9	12	26
B. *Operated*	266	8.2	80	1	2	6	9	15	24	54
1. SINGLE DX	754	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	3046	5.1	34	1	1	4	6	9	13	28
A. NOT OPERATED	3485	4.5	25	1	1	3	5	8	11	24
B. OPERATED	315	7.6	71	1	2	6	9	14	23	53
TOTAL 0-19 YRS	546	4.4	47	1	1	3	5	8	11	50
20-34	858	4.5	22	1	1	3	5	9	11	25
35-49	890	4.5	25	1	1	3	5	8	11	20
50-64	716	4.7	20	1	1	3	5	9	11	22
65+	790	5.6	38	1	2	4	7	10	15	27
GRAND TOTAL	**3800**	**4.8**	**29**	**1**	**1**	**3**	**6**	**9**	**12**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2015	12.0	204	1	1	7	16	32	44	99+
20-34	2531	6.0	47	<1	1	4	7	14	19	34
35-49	1359	6.0	47	1	1	4	7	14	18	36
50-64	412	7.4	71	<1	1	4	9	17	24	45
65+	186	7.7	58	1	1	5	10	18	24	33
B. *Operated*										
0-19 YRS	8	19.6	252	1	2	23	37	79	99+	99+
20-34	7	7.7	95	1	1	6	7	25	29	29
35-49	3	6.7	54	1	1	4	12	15	15	15
50-64	5	6.2	16	2	2	7	8	12	12	12
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2946	14.4	270	1	1	8	20	40	53	99+
20-34	5208	7.8	77	1	1	5	10	18	25	44
35-49	3290	8.1	71	1	1	5	10	19	26	41
50-64	1387	8.3	76	1	2	5	11	18	26	44
65+	1063	8.6	75	1	2	6	11	18	25	40
B. *Operated*										
0-19 YRS	79	18.8	410	1	2	11	29	51	78	99+
20-34	204	11.0	147	1	1	8	15	22	31	68
35-49	112	15.8	157	2	4	13	21	32	37	67
50-64	50	13.7	116	2	3	11	18	28	31	54
65+	84	14.5	174	3	4	10	20	28	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6503	8.0	105	1	1	4	10	19	29	60
B. *Operated*	25	10.8	144	1	1	7	15	33	58	99+
2. MULTIPLE DX										
A. *Not Operated*	13894	9.4	123	1	1	6	12	22	31	61
B. *Operated*	529	14.0	196	1	2	10	19	30	42	89
1. SINGLE DX	6528	8.0	105	1	1	4	10	19	29	60
2. MULTIPLE DX	14423	9.6	127	1	1	6	12	23	32	61
A. NOT OPERATED	20397	9.0	118	1	1	5	11	21	30	61
B. OPERATED	554	13.8	193	1	2	10	19	30	43	96
TOTAL 0-19 YRS	5048	13.5	247	1	1	8	19	37	51	99+
20-34	7950	7.4	71	1	1	5	9	17	23	42
35-49	4764	7.7	68	1	1	5	10	18	24	40
50-64	1854	8.2	77	1	1	5	11	18	26	45
65+	1335	8.8	81	1	2	6	11	19	26	45
GRAND TOTAL	**20951**	**9.1**	**120**	**1**	**1**	**5**	**11**	**22**	**31**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2588	19.3	454	1	2	11	31	54	71	99+
20-34	1662	9.1	152	1	1	5	10	23	36	69
35-49	1106	7.9	82	1	1	5	9	19	26	44
50-64	488	10.1	127	1	2	6	13	23	31	54
65+	278	10.3	104	1	2	7	14	23	32	48
B. *Operated*										
0-19 YRS	23	8.5	113	<1	1	4	11	24	32	43
20-34	28	8.4	143	1	1	3	15	32	54	99+
35-49	33	6.1	58	1	1	3	7	12	22	39
50-64	16	10.0	322	1	2	4	6	33	59	70
65+	4	4.8	8	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4376	23.6	554	1	2	17	42	76	99+	99+
20-34	3859	10.2	155	1	2	6	12	26	36	70
35-49	2944	9.2	110	1	2	6	11	20	30	59
50-64	1950	9.3	104	1	2	6	11	22	30	50
65+	2224	9.5	90	2	3	6	11	20	28	48
B. *Operated*										
0-19 YRS	137	28.7	717	1	3	25	59	99+	99+	99+
20-34	243	14.3	179	2	3	11	20	34	56	99+
35-49	253	14.0	183	2	3	9	18	36	44	77
50-64	186	13.9	149	2	4	10	19	30	38	92
65+	230	14.2	171	3	4	10	18	32	48	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6122	13.4	289	1	1	6	17	40	54	93
B. *Operated*	104	7.8	129	1	1	4	8	22	38	83
2. MULTIPLE DX										
A. *Not Operated*	15353	13.6	284	1	2	7	17	40	61	99+
B. *Operated*	1049	16.0	266	2	3	11	22	43	67	99+
1. SINGLE DX	6226	13.3	287	1	1	6	17	39	53	93
2. MULTIPLE DX	16402	13.8	283	1	2	7	18	40	61	99+
A. NOT OPERATED	21475	13.5	285	1	2	7	17	40	59	99+
B. OPERATED	1153	15.3	259	2	3	10	21	40	65	99+
TOTAL 0-19 YRS	7124	22.1	525	1	2	14	39	68	93	99+
20-34	5792	10.0	156	1	2	5	12	26	37	72
35-49	4336	9.1	109	1	2	6	11	21	30	57
50-64	2640	9.8	114	1	2	6	12	23	30	54
65+	2736	10.0	99	2	3	7	12	22	30	51
GRAND TOTAL	**22628**	**13.6**	**284**	**1**	**2**	**7**	**17**	**40**	**59**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	8.3	58	2	2	8	10	14	15	44
20-34	35	6.6	41	1	1	4	10	15	17	31
35-49	8	8.6	46	1	1	6	14	19	20	20
50-64	6	7.0	12	2	2	7	10	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	9	5.4	8	2	2	4	8	10	10	10
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	12.0	252	1	1	7	13	31	49	98
20-34	177	11.3	146	1	2	8	15	24	37	99+
35-49	100	9.6	86	1	1	7	14	24	29	79
50-64	36	12.1	144	1	1	8	17	27	52	99+
65+	20	9.4	66	1	2	7	13	23	27	30
B. *Operated*										
0-19 YRS	33	6.6	52	1	2	4	7	17	22	34
20-34	18	10.1	387	1	1	2	8	24	62	84
35-49	10	7.2	72	1	1	2	9	22	24	24
50-64	5	7.2	23	3	3	6	10	15	15	15
65+	3	5.7	2	4	4	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	7.6	46	1	2	6	11	14	17	40
B. *Operated*	13	4.8	7	2	2	4	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	503	11.2	166	1	2	7	14	26	41	99+
B. *Operated*	69	7.6	134	1	2	4	7	18	24	74
1. SINGLE DX	97	7.2	41	1	2	5	10	14	16	38
2. MULTIPLE DX	572	10.7	164	1	2	7	14	25	39	99+
A. NOT OPERATED	587	10.7	151	1	2	7	14	24	38	99+
B. OPERATED	82	7.2	115	1	2	4	7	15	23	68
TOTAL 0-19 YRS	246	10.5	194	1	2	6	12	26	44	92
20-34	234	10.3	148	1	2	7	13	22	31	99+
35-49	118	9.3	82	1	1	7	14	23	28	71
50-64	47	11.0	117	1	2	8	15	24	43	99+
65+	24	9.0	57	1	2	7	12	23	26	30
GRAND TOTAL	**669**	**10.2**	**147**	**1**	**2**	**7**	**13**	**24**	**36**	**98**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1329	10.3	21	2	3	11	12	15	16	24
20-34	207	6.5	27	1	2	5	9	13	14	22
35-49	129	8.3	51	1	2	6	11	17	22	33
50-64	59	7.8	43	2	2	5	10	17	23	29
65+	32	9.0	105	<1	1	6	12	16	30	52
B. *Operated*										
0-19 YRS	148	11.4	49	1	2	11	13	16	24	39
20-34	93	8.1	81	1	2	4	11	24	28	36
35-49	108	7.8	91	1	1	4	10	17	26	50
50-64	99	8.1	82	1	2	5	10	20	27	48
65+	22	9.8	70	1	2	7	13	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1689	11.5	32	2	4	11	14	16	21	33
20-34	262	9.4	52	2	2	8	13	18	25	37
35-49	265	10.8	84	1	3	9	14	20	27	50
50-64	297	11.8	94	2	3	10	15	22	31	53
65+	276	15.9	189	3	4	14	19	31	40	99
B. *Operated*										
0-19 YRS	378	20.4	260	6	9	15	24	41	56	96
20-34	159	18.9	290	1	2	14	25	45	52	80
35-49	270	16.3	257	2	2	11	25	41	50	84
50-64	292	19.8	290	1	3	15	29	44	59	94
65+	169	24.9	355	3	7	21	35	54	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	9.6	28	2	3	10	12	15	17	25
B. *Operated*	470	9.2	75	1	2	7	12	19	26	44
2. MULTIPLE DX										
A. *Not Operated*	2789	11.7	63	2	3	11	14	19	24	45
B. *Operated*	1268	19.8	288	2	4	15	27	43	57	97
1. SINGLE DX	2226	9.5	38	1	2	10	12	15	19	30
2. MULTIPLE DX	4057	14.3	147	2	3	11	16	28	40	74
A. NOT OPERATED	4545	10.9	50	2	3	11	13	17	22	39
B. OPERATED	1738	16.9	253	2	2	12	23	39	52	88
TOTAL 0-19 YRS	3544	12.0	61	2	4	11	14	18	23	46
20-34	721	10.5	122	1	2	7	13	23	34	54
35-49	772	11.9	151	1	2	8	15	28	40	62
50-64	747	14.2	188	2	2	10	19	33	43	69
65+	499	18.2	260	2	4	14	23	38	56	99+
GRAND TOTAL	**6283**	**12.6**	**114**	**2**	**3**	**11**	**15**	**23**	**33**	**60**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	3	12.0	271	2	2	3	24	31	31	31
35-49	23	6.5	32	<1	1	5	8	15	21	23
50-64	140	8.1	42	2	3	6	10	16	20	37
65+	364	8.5	34	2	3	7	11	16	21	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	8.3	20	1	1	9	11	13	14	14
50-64	9	10.6	57	2	3	12	14	22	26	26
65+	12	10.8	42	3	3	9	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.1	44	4	4	6	11	21	24	24
20-34	9	6.8	21	1	1	7	12	12	12	12
35-49	56	9.4	61	2	3	7	11	22	28	32
50-64	478	10.2	79	2	3	8	13	20	26	52
65+	3616	10.8	93	3	3	8	13	21	30	76
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	30.6	1552	4	4	23	42	99	99	99+
35-49	9	4.3	8	1	1	4	5	9	10	10
50-64	81	15.4	212	2	3	11	18	40	51	57
65+	421	17.5	214	4	5	14	23	42	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	8.3	37	2	3	7	10	16	21	34
B. *Operated*	29	10.0	39	2	2	9	13	18	23	26
2. MULTIPLE DX										
A. *Not Operated*	4167	10.7	91	3	3	8	13	21	30	69
B. *Operated*	517	17.0	224	3	4	13	22	42	55	99+
1. SINGLE DX	561	8.4	37	2	3	7	11	16	21	34
2. MULTIPLE DX	4684	11.4	110	3	3	8	14	23	33	83
A. NOT OPERATED	4699	10.4	85	3	3	8	13	20	29	65
B. OPERATED	546	16.7	217	3	4	13	22	40	55	99+
TOTAL 0-19 YRS	11	9.4	31	4	5	9	11	17	23	24
20-34	17	14.7	548	1	2	7	15	29	75	99
35-49	96	8.1	48	1	2	6	10	19	24	32
50-64	708	10.3	90	2	3	8	13	20	29	55
65+	4413	11.2	104	3	3	8	13	23	32	87
GRAND TOTAL	**5245**	**11.0**	**103**	**3**	**3**	**8**	**13**	**22**	**32**	**76**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	8.1	40	1	2	6	11	16	21	28
20-34	613	8.0	42	1	2	7	10	15	19	32
35-49	784	8.8	39	1	2	8	12	16	20	30
50-64	283	9.2	50	1	2	8	12	17	22	42
65+	38	9.8	58	2	2	8	13	22	33	99+
B. *Operated*										
0-19 YRS	5	4.4	18	1	1	2	8	10	10	10
20-34	102	5.6	24	1	1	4	8	11	16	24
35-49	151	6.0	34	1	1	4	9	14	16	34
50-64	37	6.7	28	1	1	5	10	14	17	19
65+	6	5.8	49	2	2	3	4	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.2	26	1	1	8	10	12	15	25
20-34	669	10.3	84	2	3	8	13	20	27	46
35-49	1109	11.4	92	2	3	9	14	22	29	61
50-64	639	11.5	79	3	3	10	15	21	27	53
65+	181	10.6	81	2	3	8	14	22	27	87
B. *Operated*										
0-19 YRS	7	11.9	133	1	1	7	21	29	30	30
20-34	155	12.0	137	2	2	9	15	24	54	99+
35-49	366	15.5	223	2	3	11	20	34	52	99+
50-64	229	15.0	181	2	3	12	19	29	42	99+
65+	51	13.7	115	2	3	12	16	23	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1753	8.6	42	1	2	8	11	16	20	32
B. *Operated*	301	5.9	29	1	1	4	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	2627	11.0	85	2	3	9	14	21	28	54
B. *Operated*	808	14.6	188	2	3	11	18	30	49	99+
1. SINGLE DX	2054	8.2	41	1	2	7	11	16	20	32
2. MULTIPLE DX	3435	11.9	112	2	3	9	15	23	32	71
A. NOT OPERATED	4380	10.0	70	2	2	9	13	19	25	46
B. OPERATED	1109	12.2	160	1	2	9	16	27	38	99+
TOTAL 0-19 YRS	76	7.8	42	1	1	7	10	16	22	29
20-34	1539	9.2	71	1	2	7	12	18	23	53
35-49	2410	10.8	97	1	2	9	14	21	29	62
50-64	1188	11.5	95	2	3	10	15	22	28	63
65+	276	11.0	85	2	3	9	14	22	29	89
GRAND TOTAL	**5489**	**10.5**	**89**	**1**	**2**	**9**	**13**	**20**	**27**	**58**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2573	3.2	11	1	1	2	4	6	9	17
20-34	1582	3.4	11	1	1	2	4	6	9	18
35-49	799	3.4	8	1	1	3	4	7	9	15
50-64	471	3.7	11	1	1	3	4	7	9	16
65+	338	4.2	19	1	1	3	5	7	12	20
B. *Operated*										
0-19 YRS	48	7.1	60	1	2	5	8	13	21	46
20-34	49	9.4	112	1	1	7	11	23	29	52
35-49	32	4.3	14	<1	1	3	6	11	14	14
50-64	27	5.1	30	1	2	3	4	13	17	26
65+	13	6.9	59	2	2	4	8	15	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3750	4.8	37	1	1	3	5	10	14	32
20-34	2923	5.0	31	1	1	3	6	10	14	28
35-49	2408	5.3	33	1	1	4	6	10	14	27
50-64	2664	6.1	39	1	2	4	7	12	16	31
65+	4086	7.2	48	1	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	208	12.2	227	1	2	7	14	36	53	99+
20-34	261	10.0	135	1	2	7	13	23	29	89
35-49	262	11.4	192	2	2	7	14	25	37	98
50-64	302	13.7	194	2	3	9	17	33	50	92
65+	403	13.7	163	2	3	10	18	29	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5763	3.4	11	1	1	2	4	6	9	17
B. *Operated*	169	6.9	64	1	1	4	9	14	24	46
2. MULTIPLE DX										
A. *Not Operated*	15831	5.7	39	1	1	4	7	11	16	32
B. *Operated*	1436	12.4	180	2	2	8	16	29	45	99+
1. SINGLE DX	5932	3.5	13	1	1	3	4	7	10	18
2. MULTIPLE DX	17267	6.3	54	1	1	4	7	13	19	41
A. NOT OPERATED	21594	5.1	33	1	1	3	6	10	15	29
B. OPERATED	1605	11.8	171	2	2	8	15	28	43	99+
TOTAL 0-19 YRS	6579	4.4	35	1	1	3	5	9	14	33
20-34	4815	4.8	33	1	1	3	5	10	14	28
35-49	3501	5.3	43	1	1	3	6	11	15	32
50-64	3464	6.4	55	1	2	4	7	13	18	38
65+	4840	7.5	60	1	2	5	9	15	21	44
GRAND TOTAL	**23199**	**5.6**	**45**	**1**	**1**	**4**	**6**	**11**	**17**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	900	3.9	38	<1	1	2	4	8	11	89
20-34	933	4.6	28	1	1	3	6	9	12	29
35-49	651	4.6	19	1	1	3	6	10	13	19
50-64	540	5.8	33	1	1	4	7	12	16	27
65+	813	6.6	42	1	2	5	8	13	18	36
B. *Operated*										
0-19 YRS	872	4.8	15	1	1	4	6	10	12	19
20-34	625	5.9	36	1	1	4	8	12	15	27
35-49	625	5.8	34	1	1	4	8	12	17	28
50-64	528	6.1	37	1	1	4	8	13	16	25
65+	450	7.1	43	1	1	5	9	17	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2294	7.0	146	1	1	4	7	19	72	99+
20-34	1657	7.3	88	1	2	4	8	16	25	54
35-49	1823	8.1	99	1	2	5	9	17	26	65
50-64	2834	10.4	144	1	2	7	12	22	37	77
65+	9494	11.3	133	2	3	8	14	25	37	86
B. *Operated*										
0-19 YRS	1714	8.7	117	1	2	5	10	22	35	99+
20-34	1178	10.6	171	1	2	7	13	25	43	99+
35-49	1293	10.8	159	1	2	7	14	24	35	99
50-64	1914	12.3	167	2	2	8	15	29	44	99+
65+	3572	15.2	211	2	3	11	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3837	5.0	33	1	1	3	6	10	14	33
B. *Operated*	3100	5.8	31	1	1	4	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	18102	9.9	132	1	2	6	12	22	37	99+
B. *Operated*	9671	12.3	180	2	2	8	16	29	45	99+
1. SINGLE DX	6937	5.4	33	1	1	4	7	11	15	29
2. MULTIPLE DX	27773	10.8	150	1	2	7	13	25	40	99+
A. NOT OPERATED	21939	9.1	118	1	2	6	11	20	33	96
B. OPERATED	12771	10.7	152	1	2	7	13	25	37	95
TOTAL 0-19 YRS	5780	6.7	104	1	1	4	7	15	32	99+
20-34	4393	7.4	95	1	1	4	8	16	25	65
35-49	4392	8.0	100	1	2	5	10	17	25	68
50-64	5816	10.2	136	1	2	7	12	22	36	79
65+	14329	11.9	149	2	3	8	15	27	39	90
GRAND TOTAL	**34710**	**9.7**	**131**	**1**	**2**	**6**	**12**	**22**	**35**	**96**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	868	2.3	3	1	1	2	3	4	5	8
20-34	1983	3.2	5	1	1	3	4	6	7	11
35-49	1358	3.4	9	1	1	3	4	6	8	13
50-64	443	3.4	6	1	1	3	4	6	8	12
65+	85	3.3	5	1	1	3	5	6	9	11
B. *Operated*										
0-19 YRS	33	3.0	3	1	1	2	4	5	7	8
20-34	188	3.8	7	1	1	3	5	7	9	14
35-49	137	3.9	14	1	2	3	5	7	8	23
50-64	75	3.9	9	1	1	3	5	9	11	14
65+	6	4.8	11	2	2	4	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	681	3.3	9	1	1	3	4	6	8	16
20-34	2647	4.5	16	1	1	3	5	8	11	21
35-49	2508	4.8	17	1	2	4	6	9	12	21
50-64	1320	4.7	13	1	2	4	6	8	11	18
65+	487	4.7	12	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	43	5.4	62	1	1	4	6	9	12	52
20-34	217	6.7	29	2	2	5	9	13	16	29
35-49	264	6.7	29	2	2	5	8	12	17	31
50-64	222	6.1	25	2	2	5	7	11	15	24
65+	86	6.5	17	2	2	5	8	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4737	3.1	6	1	1	2	4	6	7	12
B. *Operated*	439	3.8	9	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	7643	4.5	15	1	1	4	6	8	11	19
B. *Operated*	832	6.4	28	2	2	5	8	12	15	31
1. SINGLE DX	5176	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX	8475	4.7	17	1	1	4	6	9	12	21
A. NOT OPERATED	12380	4.0	12	1	1	3	5	8	10	17
B. OPERATED	1271	5.5	23	1	2	4	7	11	14	27
TOTAL 0-19 YRS	1625	2.8	7	1	1	2	3	5	7	12
20-34	5035	4.0	13	1	1	3	5	8	10	17
35-49	4267	4.5	16	1	1	3	5	8	11	20
50-64	2060	4.6	14	1	1	4	6	8	11	18
65+	664	4.7	12	1	2	4	6	9	11	16
GRAND TOTAL	**13651**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	<1	<1	2	3	5	5	5
20-34	38	2.7	3	<1	<1	2	4	5	7	8
35-49	50	3.2	5	<1	<1	3	4	6	8	10
50-64	22	3.2	13	<1	1	2	5	5	10	18
65+	12	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	84	1.8	2	<1	<1	1	2	3	3	9
20-34	1697	1.7	1	<1	<1	1	2	3	3	5
35-49	2814	1.9	2	<1	<1	2	2	3	4	7
50-64	2671	1.9	1	<1	<1	2	2	3	4	6
65+	1480	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	63	3.2	8	<1	<1	2	4	8	9	13
35-49	116	4.1	15	<1	1	3	5	8	10	22
50-64	174	4.4	14	<1	1	3	5	10	11	17
65+	120	4.8	18	<1	1	4	6	10	14	22
B. *Operated*										
0-19 YRS	57	2.2	2	<1	1	2	3	4	5	8
20-34	698	2.5	4	<1	1	2	3	4	6	10
35-49	1618	3.0	12	<1	1	2	3	5	8	16
50-64	2291	3.0	9	<1	1	2	3	6	8	16
65+	2111	3.1	13	<1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.0	5	<1	<1	2	4	5	7	12
B. *Operated*	8746	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	476	4.2	15	<1	1	3	5	9	11	19
B. *Operated*	6775	3.0	10	<1	1	2	3	5	8	16
1. SINGLE DX	8874	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	7251	3.1	11	<1	1	2	3	6	8	16
A. NOT OPERATED	604	4.0	13	<1	1	3	5	8	11	18
B. OPERATED	15521	2.4	6	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	150	1.9	2	<1	<1	2	2	3	5	8
20-34	2496	2.0	2	<1	<1	2	2	3	4	8
35-49	4598	2.4	6	<1	<1	2	3	4	6	11
50-64	5158	2.5	6	<1	<1	2	3	4	6	13
65+	3723	2.7	9	<1	1	2	3	5	7	14
GRAND TOTAL	**16125**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	5.9	53	1	1	3	8	12	19	42
20-34	667	5.8	50	1	1	4	7	12	16	37
35-49	748	4.9	25	1	1	4	6	9	13	25
50-64	637	5.4	35	1	1	4	7	11	14	32
65+	434	5.5	25	1	1	4	7	11	16	28
B. *Operated*										
0-19 YRS	346	3.2	10	1	1	2	4	6	8	17
20-34	1999	3.5	10	<1	1	3	4	7	9	17
35-49	2546	3.4	10	<1	1	3	4	7	9	15
50-64	2161	3.5	16	<1	1	2	4	7	9	17
65+	925	3.6	12	1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	7.5	104	1	1	4	8	18	28	65
20-34	856	6.9	77	1	1	4	7	14	23	50
35-49	1465	6.4	42	1	2	5	8	12	16	35
50-64	2222	7.2	64	1	2	5	9	13	19	49
65+	3242	7.9	61	2	2	6	10	15	22	45
B. *Operated*										
0-19 YRS	309	7.0	160	1	1	3	6	14	37	91
20-34	1571	5.5	55	1	1	4	6	10	15	41
35-49	2217	5.8	55	1	2	4	7	11	17	41
50-64	2443	6.7	80	1	2	4	8	14	21	63
65+	2089	9.5	146	1	2	5	11	22	33	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2757	5.4	36	1	1	4	7	11	15	32
B. *Operated*	7977	3.5	12	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	8063	7.3	62	1	2	5	9	14	20	46
B. *Operated*	8629	6.9	90	1	2	4	8	15	22	71
1. SINGLE DX	10734	4.0	19	1	1	3	5	8	11	21
2. MULTIPLE DX	16692	7.1	77	1	2	5	8	14	21	57
A. NOT OPERATED	10820	6.8	56	1	2	5	8	13	19	42
B. OPERATED	16606	5.3	56	1	1	3	6	11	16	44
TOTAL 0-19 YRS	1204	5.8	83	1	1	3	6	11	22	55
20-34	5093	5.0	42	1	1	3	6	10	14	35
35-49	6976	5.0	34	1	1	3	6	10	13	29
50-64	7463	5.8	55	1	1	4	7	11	17	43
65+	6690	7.7	82	1	2	5	9	16	23	59
GRAND TOTAL	**27426**	**5.9**	**56**	**1**	**1**	**4**	**7**	**12**	**17**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	9	<1	<1	2	4	8	8	8
20-34	4	7.5	96	<1	<1	3	13	22	22	22
35-49	3	2.0	3	<1	<1	<1	3	4	4	4
50-64	7	3.3	4	<1	<1	4	5	6	6	6
65+	6	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	199	3.9	5	1	2	4	5	7	8	12
20-34	463	4.0	8	1	1	3	5	7	8	15
35-49	541	3.8	5	1	2	3	5	7	8	12
50-64	1540	3.7	4	1	2	3	5	6	7	10
65+	1383	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	3	<1	<1	1	3	5	6	6
20-34	21	2.6	8	<1	<1	1	3	7	10	11
35-49	22	3.9	13	<1	1	3	4	11	12	13
50-64	46	3.0	4	<1	<1	2	4	6	7	8
65+	66	3.3	12	<1	<1	2	5	7	10	19
B. *Operated*										
0-19 YRS	172	4.3	5	1	2	4	6	7	8	11
20-34	458	4.7	9	1	2	4	6	8	10	17
35-49	534	4.6	7	2	2	4	6	8	10	14
50-64	1828	4.5	8	1	2	4	5	7	9	14
65+	2682	4.7	10	2	2	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.4	18	<1	<1	2	4	6	11	22
B. *Operated*	4126	3.8	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	164	3.1	9	<1	<1	2	4	6	9	13
B. *Operated*	5674	4.6	9	2	2	4	6	8	9	15
1. SINGLE DX	4151	3.8	5	1	2	3	5	6	8	12
2. MULTIPLE DX	5838	4.6	9	1	2	4	6	8	9	15
A. NOT OPERATED	189	3.2	10	<1	<1	2	4	6	9	17
B. OPERATED	9800	4.3	7	1	2	4	5	7	9	14
TOTAL 0-19 YRS	385	4.0	5	1	2	4	5	7	8	11
20-34	946	4.4	9	1	2	4	5	7	9	16
35-49	1100	4.2	6	1	2	4	5	7	9	13
50-64	3421	4.1	6	1	2	4	5	7	8	12
65+	4137	4.4	9	1	2	4	5	7	9	14
GRAND TOTAL	**9989**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.0		<1	<1	1	1	1	1	1
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	22	1.8	1	<1	1	2	2	3	4	4
50-64	41	1.7	2	<1	1	1	2	3	4	8
65+	92	1.9	3	<1	1	1	2	4	4	12
B. *Operated*										
0-19 YRS	24	2.7	3	<1	1	2	4	5	7	8
20-34	46	2.3	2	1	1	2	3	4	5	8
35-49	122	2.8	6	1	1	2	3	5	7	13
50-64	375	2.5	3	1	1	2	3	4	6	10
65+	692	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	<1	<1	1	3	4	4	4
20-34	7	2.7	3	1	1	2	4	6	6	6
35-49	18	5.7	32	1	1	4	6	14	19	23
50-64	41	3.5	11	1	1	2	4	7	12	16
65+	187	3.7	20	1	1	2	4	8	11	29
B. *Operated*										
0-19 YRS	17	3.2	18	1	1	2	3	7	14	18
20-34	47	4.0	22	1	1	3	5	7	9	29
35-49	72	3.1	4	1	1	3	4	6	6	80
50-64	344	3.7	17	1	1	3	4	7	8	25
65+	1211	3.7	11	1	1	3	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	1259	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	262	3.7	18	1	1	2	4	8	12	27
B. *Operated*	1691	3.7	12	1	1	3	4	7	9	18
1. SINGLE DX	1427	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX	1953	3.7	13	1	1	3	4	7	10	19
A. NOT OPERATED	430	3.0	13	1	1	2	3	6	9	18
B. OPERATED	2950	3.2	9	1	1	2	4	6	8	15
TOTAL 0-19 YRS	60	2.4	7	<1	1	2	3	5	7	17
20-34	103	3.1	12	1	1	2	4	5	7	24
35-49	234	3.0	7	1	1	2	4	5	7	21
50-64	801	3.0	9	1	1	2	4	5	7	14
65+	2182	3.3	9	1	1	2	4	6	9	16
GRAND TOTAL	**3380**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	5	3.6	14	<1	<1	2	5	10	10	10
35-49	9	2.8	8	<1	<1	1	4	8	9	9
50-64	19	2.6	5	<1	1	2	3	6	7	8
65+	36	2.2	2	1	1	2	3	3	5	7
B. *Operated*										
0-19 YRS	21	2.4	2	<1	1	2	3	4	6	7
20-34	46	3.5	7	1	1	3	4	7	10	13
35-49	89	2.5	2	1	1	2	3	4	5	9
50-64	184	2.8	4	1	1	2	3	4	6	11
65+	405	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	4	<1	<1	1	5	5	5	5
20-34	13	4.7	17	<1	1	2	8	11	13	13
35-49	22	3.8	8	1	1	3	5	7	10	13
50-64	58	3.0	4	1	1	2	4	6	7	10
65+	131	4.5	48	1	1	3	5	8	12	38
B. *Operated*										
0-19 YRS	39	2.9	8	1	1	2	3	6	13	99+
20-34	80	3.8	13	1	1	3	4	7	10	22
35-49	90	3.8	9	1	1	3	5	7	7	19
50-64	299	3.9	18	1	1	3	4	8	10	21
65+	742	3.8	21	1	1	3	4	7	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.4	4	<1	1	2	3	5	7	10
B. *Operated*	745	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	234	4.0	30	1	1	3	5	7	10	23
B. *Operated*	1250	3.8	19	1	1	3	4	7	9	22
1. SINGLE DX	819	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1484	3.8	20	1	1	3	4	7	10	22
A. NOT OPERATED	308	3.6	24	1	1	3	4	7	9	19
B. OPERATED	1995	3.4	13	1	1	2	4	6	8	18
TOTAL 0-19 YRS	75	2.6	6	<1	1	2	3	5	7	78
20-34	144	3.7	12	1	1	3	4	8	11	18
35-49	210	3.2	6	1	1	3	4	6	7	12
50-64	560	3.4	12	1	1	2	4	7	9	17
65+	1314	3.5	18	1	1	2	4	6	9	20
GRAND TOTAL	**2303**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	2.1	4	<1	<1	1	3	5	6	6
50-64	25	1.6	2	<1	<1	1	2	2	5	7
65+	103	1.7	1	<1	<1	1	2	2	4	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	1557	1.9	1	<1	1	2	2	3	3	4
50-64	10389	1.9	1	<1	1	2	2	3	3	4
65+	45558	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	49	1.6	2	<1	<1	1	2	2	6	7
50-64	279	2.4	17	<1	<1	1	2	4	8	16
65+	1589	2.2	7	<1	<1	1	2	4	7	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	1067	2.4	5	1	1	2	2	4	4	11
50-64	9980	2.3	3	1	1	2	2	3	4	9
65+	56532	2.4	4	1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	1.7	2	<1	<1	1	2	2	4	7
B. *Operated*	57504	2.0	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1917	2.2	8	<1	<1	1	2	4	7	14
B. *Operated*	67579	2.4	4	1	1	2	2	3	4	10
1. SINGLE DX	57640	2.0	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	69496	2.4	4	1	1	2	2	3	4	10
A. NOT OPERATED	2053	2.2	8	<1	<1	1	2	4	7	13
B. OPERATED	125083	2.2	3	1	1	2	2	3	4	8
TOTAL 0-19 YRS										
20-34										
35-49	2681	2.1	2	<1	1	2	2	3	4	7
50-64	20673	2.1	2	1	1	2	2	3	4	7
65+	103782	2.2	3	1	1	2	2	3	4	8
GRAND TOTAL	**127136**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	186	2.2	7	<1	1	2	2	3	4	10
20-34	134	1.9	1	<1	1	2	2	3	3	6
35-49	246	1.9	1	<1	1	2	2	3	3	5
50-64	452	1.9		1	1	2	2	3	3	4
65+	852	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	5	<1	<1	2	4	7	7	7
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64	13	5.0	88	<1	<1	2	3	15	31	35
65+	25	2.5	9	<1	1	1	2	8	10	12
B. *Operated*										
0-19 YRS	151	2.5	2	1	1	2	3	4	5	8
20-34	135	2.9	16	1	1	2	3	4	5	33
35-49	248	2.3	2	1	1	2	2	4	5	7
50-64	581	2.3	2	1	1	2	2	3	4	9
65+	1047	2.3	3	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*	1870	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	62	2.9	24	<1	<1	1	2	7	10	32
B. *Operated*	2162	2.4	4	1	1	2	3	4	5	8
1. SINGLE DX	1880	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	2224	2.4	4	1	1	2	3	4	5	9
A. NOT OPERATED	72	2.7	20	<1	<1	1	2	6	10	30
B. OPERATED	4032	2.2	3	1	1	2	2	3	4	7
TOTAL 0-19 YRS	355	2.3	5	<1	1	2	3	4	5	9
20-34	272	2.4	8	<1	1	2	3	4	5	9
35-49	502	2.1	1	<1	1	2	2	3	4	7
50-64	1047	2.1	3	1	1	2	2	3	4	7
65+	1928	2.2	3	1	1	2	2	3	4	8
GRAND TOTAL	**4104**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.8	2	<1	<1	1	2	4	5	8
20-34	15	2.5	1	1	1	2	3	4	4	4
35-49	29	2.9	5	1	1	2	3	7	8	10
50-64	34	3.6	4	1	1	3	5	6	7	10
65+	28	3.4	5	1	1	3	4	7	8	10
B. *Operated*										
0-19 YRS	4425	1.4		<1	<1	1	2	2	2	2
20-34	645	1.7	1	<1	<1	2	2	2	3	4
35-49	381	1.7	1	<1	<1	2	2	2	3	6
50-64	187	1.9	1	<1	1	2	2	3	3	8
65+	113	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	1.7	4	<1	<1	1	1	4	5	15
20-34	43	3.4	6	<1	<1	3	5	7	7	11
35-49	48	4.2	7	<1	1	4	6	7	10	11
50-64	111	5.5	79	1	1	4	6	9	11	53
65+	190	5.2	13	1	2	4	7	11	13	16
B. *Operated*										
0-19 YRS	1257	1.5	1	<1	<1	1	2	2	2	4
20-34	300	1.9	2	1	1	2	2	3	3	8
35-49	219	2.4	15	1	1	2	2	3	4	17
50-64	210	3.2	20	1	1	2	3	7	9	19
65+	230	4.1	38	1	1	2	4	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.6	4	<1	<1	2	4	5	7	10
B. *Operated*	5751	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	578	3.9	24	<1	<1	3	5	8	11	16
B. *Operated*	2216	2.1	9	<1	<1	2	2	3	5	12
1. SINGLE DX	5927	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	2794	2.5	12	<1	<1	2	2	5	7	14
A. NOT OPERATED	754	3.6	20	<1	<1	3	5	7	10	16
B. OPERATED	7967	1.6	3	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	5938	1.4	1	<1	<1	1	2	2	2	4
20-34	1003	1.8	1	<1	1	2	2	2	3	8
35-49	677	2.2	6	<1	1	2	2	3	5	10
50-64	542	3.2	26	<1	1	2	3	6	8	18
65+	561	4.0	22	1	1	2	5	9	12	19
GRAND TOTAL	**8721**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	714	2.0	3	<1	<1	1	3	4	6	9
20-34	98	3.5	8	1	1	3	4	7	9	17
35-49	74	3.9	23	<1	1	3	5	8	11	32
50-64	66	4.6	15	<1	1	4	6	9	12	20
65+	120	5.1	55	<1	1	3	6	10	15	36
B. *Operated*										
0-19 YRS	639	1.7	2	<1	<1	1	2	3	4	7
20-34	654	2.2	2	<1	1	2	3	4	5	7
35-49	947	1.9	1	<1	<1	2	2	3	4	6
50-64	1051	2.0	2	<1	<1	2	2	3	4	7
65+	1912	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	638	3.5	8	<1	1	3	4	6	8	14
20-34	137	4.8	15	<1	1	4	6	9	14	31
35-49	144	4.3	14	<1	<1	3	6	9	12	21
50-64	205	4.9	18	<1	1	4	6	10	15	19
65+	528	6.0	40	1	1	4	7	11	17	31
B. *Operated*										
0-19 YRS	338	2.6	24	<1	<1	2	3	4	5	13
20-34	380	3.1	16	<1	1	2	3	5	9	22
35-49	830	2.8	12	<1	1	2	3	5	8	18
50-64	1585	2.9	9	1	1	2	3	5	7	18
65+	3781	3.2	12	1	1	2	4	5	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	2.8	13	<1	<1	2	4	6	8	15
B. *Operated*	5203	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1652	4.6	21	<1	1	4	6	9	13	22
B. *Operated*	6914	3.0	13	1	1	2	3	5	8	17
1. SINGLE DX	6275	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	8566	3.4	15	<1	1	2	4	6	9	19
A. NOT OPERATED	2724	3.9	19	<1	<1	3	5	8	11	21
B. OPERATED	12117	2.6	8	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	2329	2.4	8	<1	<1	2	3	5	6	11
20-34	1269	2.9	9	<1	1	2	3	5	7	16
35-49	1995	2.5	8	<1	<1	2	3	4	6	14
50-64	2907	2.7	8	<1	1	2	3	5	7	16
65+	6341	3.2	13	<1	1	2	4	6	8	17
GRAND TOTAL	**14841**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1272	3.6	4	1	1	3	4	6	8	11
20-34	269	3.8	8	1	1	3	5	7	8	13
35-49	153	3.9	9	1	1	3	5	7	9	16
50-64	142	3.5	6	1	1	3	4	7	9	12
65+	160	4.2	14	1	1	4	5	8	10	18
B. *Operated*										
0-19 YRS	218	2.8	7	<1	<1	2	3	6	8	15
20-34	306	2.5	5	<1	<1	2	3	4	6	11
35-49	376	2.3	5	<1	<1	2	2	4	6	12
50-64	913	2.3	3	<1	1	2	2	4	6	11
65+	2498	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1489	4.2	8	1	2	4	5	8	10	14
20-34	359	4.2	8	1	1	4	6	8	10	14
35-49	310	5.2	18	1	1	4	7	10	12	24
50-64	438	4.9	24	1	1	4	6	9	11	21
65+	801	5.2	18	1	1	4	7	10	13	22
B. *Operated*										
0-19 YRS	352	5.2	28	1	1	4	7	11	13	27
20-34	424	4.2	18	1	1	3	5	8	10	23
35-49	525	4.4	22	1	1	3	5	9	12	21
50-64	1604	3.9	17	1	1	2	4	8	10	24
65+	4380	3.5	16	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1996	3.7	6	1	1	3	5	7	8	12
B. *Operated*	4311	2.3	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	3397	4.6	14	1	1	4	6	9	11	19
B. *Operated*	7285	3.8	17	1	1	2	4	8	10	20
1. SINGLE DX	6307	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	10682	4.0	16	1	1	3	5	8	11	20
A. NOT OPERATED	5393	4.3	11	1	1	3	5	8	10	16
B. OPERATED	11596	3.2	13	1	1	2	3	6	9	17
TOTAL 0-19 YRS	3331	4.0	9	1	1	3	5	7	9	14
20-34	1358	3.7	11	<1	1	3	5	7	9	15
35-49	1364	3.9	16	<1	1	3	5	8	11	20
50-64	3097	3.5	14	1	1	2	4	7	9	18
65+	7839	3.3	13	1	1	2	3	7	9	17
GRAND TOTAL	**16989**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	1	<1	1	2	3	4	5	5
20-34	52	3.1	5	1	1	2	4	7	8	10
35-49	41	3.4	5	<1	1	3	4	7	8	9
50-64	37	3.3	4	1	1	3	4	6	7	11
65+	25	7.4	304	1	1	4	5	9	33	90
B. *Operated*										
0-19 YRS	36	1.6		<1	<1	2	2	2	2	3
20-34	98	1.9	11	<1	<1	<1	2	2	5	21
35-49	70	2.2	9	<1	<1	1	2	4	6	21
50-64	60	2.6	4	<1	<1	2	3	5	6	12
65+	38	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.5	5	<1	<1	2	3	5	8	11
20-34	105	3.2	6	<1	1	3	4	6	8	12
35-49	126	4.9	16	1	1	4	6	10	14	21
50-64	176	4.2	10	1	1	3	5	8	11	16
65+	250	6.0	57	1	2	4	7	11	15	39
B. *Operated*										
0-19 YRS	42	2.1	1	<1	1	2	2	3	4	7
20-34	115	3.1	7	<1	<1	2	3	6	10	14
35-49	108	3.3	7	<1	1	3	4	7	9	15
50-64	181	3.9	10	1	1	3	4	8	11	16
65+	211	4.6	30	1	1	3	6	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.4	41	1	1	2	4	6	8	12
B. *Operated*	302	2.1	7	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	764	4.5	27	1	1	3	5	9	12	22
B. *Operated*	657	3.8	16	1	1	3	4	8	10	17
1. SINGLE DX	513	2.6	21	<1	<1	2	3	5	7	12
2. MULTIPLE DX	1421	4.2	22	1	1	3	5	8	11	19
A. NOT OPERATED	975	4.3	30	1	1	3	5	8	11	21
B. OPERATED	959	3.2	13	<1	<1	2	4	7	10	16
TOTAL 0-19 YRS	241	2.2	3	<1	<1	2	2	4	5	8
20-34	370	2.8	8	<1	<1	2	3	6	8	13
35-49	345	3.7	12	<1	<1	3	4	8	10	17
50-64	454	3.8	9	1	1	3	5	8	11	15
65+	524	5.2	55	1	1	3	6	10	13	34
GRAND TOTAL	**1934**	**3.8**	**22**	**<1**	**1**	**3**	**4**	**8**	**10**	**18**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2287	2.8	3	1	1	2	3	5	6	8
20-34	57	3.9	6	1	1	3	5	8	9	12
35-49	24	2.8	5	<1	1	2	3	6	8	9
50-64	26	3.7	12	<1	1	2	5	8	12	15
65+	10	3.4	4	<1	<1	3	5	6	7	7
B. *Operated*										
0-19 YRS	9418	1.2	1	<1	<1	<1	1	1	2	4
20-34	823	1.8	1	<1	1	2	2	3	3	6
35-49	788	2.0	5	<1	1	2	2	3	3	9
50-64	708	1.9	1	1	1	2	2	3	3	4
65+	315	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8628	3.2	5	1	1	3	4	6	7	11
20-34	249	4.3	17	1	1	3	5	7	10	18
35-49	193	4.7	12	1	1	4	6	9	11	18
50-64	201	5.3	18	1	1	4	7	11	14	22
65+	175	6.0	21	1	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	8626	1.6	2	<1	<1	1	2	2	3	8
20-34	1119	2.3	3	1	1	2	3	3	5	9
35-49	1002	2.3	4	1	1	2	3	3	4	11
50-64	1141	2.6	12	1	1	2	3	4	5	12
65+	545	3.0	20	1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2404	2.8	3	1	1	2	4	5	6	9
B. *Operated*	12052	1.3	2	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	9446	3.4	7	1	1	3	4	6	8	13
B. *Operated*	12433	1.9	4	<1	<1	1	2	3	4	9
1. SINGLE DX	14456	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	21879	2.5	6	<1	<1	2	3	5	6	11
A. NOT OPERATED	11850	3.3	6	1	1	3	4	6	7	12
B. OPERATED	24485	1.6	3	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	28959	2.0	4	<1	<1	1	2	4	5	9
20-34	2248	2.4	4	<1	1	2	3	4	6	10
35-49	2007	2.4	6	1	1	2	3	4	6	13
50-64	2076	2.6	10	1	1	2	3	4	6	13
65+	1045	3.1	16	1	1	2	3	6	9	18
GRAND TOTAL	**36335**	**2.1**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	3.2	4	1	1	3	4	6	7	11
20-34	163	3.8	5	1	2	3	5	6	7	12
35-49	103	4.1	4	1	2	4	5	7	8	10
50-64	65	4.7	5	1	2	5	6	8	9	12
65+	38	5.6	24	2	2	5	6	9	15	29
B. *Operated*										
0-19 YRS	927	1.6	2	<1	<1	<1	1	3	4	8
20-34	195	2.7	11	<1	1	2	3	5	8	14
35-49	133	2.4	4	<1	1	2	3	4	5	14
50-64	132	2.4	7	<1	<1	2	3	4	5	20
65+	70	3.4	16	<1	1	2	3	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	3.9	12	1	1	3	5	7	9	14
20-34	310	4.6	10	1	2	4	6	8	10	17
35-49	255	5.4	15	1	2	4	6	10	12	21
50-64	236	6.8	24	2	3	5	9	12	15	27
65+	274	9.0	78	2	3	6	10	16	28	56
B. *Operated*										
0-19 YRS	1295	2.7	15	<1	<1	1	3	6	10	18
20-34	363	3.5	19	1	1	2	3	7	11	22
35-49	305	4.3	44	1	1	3	4	8	12	38
50-64	355	5.0	46	1	1	3	5	12	17	42
65+	297	8.7	114	1	1	4	12	22	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	3.7	6	1	1	3	5	7	8	12
B. *Operated*	1457	2.0	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2108	5.2	25	1	2	4	6	10	12	26
B. *Operated*	2615	4.0	38	<1	1	2	4	9	14	34
1. SINGLE DX	2227	2.6	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX	4723	4.5	33	<1	1	3	5	10	13	29
A. NOT OPERATED	2878	4.8	20	1	2	4	6	9	11	22
B. OPERATED	4072	3.3	27	<1	<1	2	3	7	11	28
TOTAL 0-19 YRS	3656	2.8	11	<1	<1	2	3	6	8	14
20-34	1031	3.7	13	1	1	3	5	7	10	18
35-49	796	4.3	24	1	1	3	5	8	11	24
50-64	788	5.1	32	1	1	3	6	11	15	31
65+	679	8.1	87	1	2	5	10	18	27	59
GRAND TOTAL	**6950**	**3.9**	**25**	**<1**	**<1**	**2**	**4**	**8**	**11**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.0	4	<1	1	2	4	5	7	11
20-34	425	3.2	4	1	1	3	4	5	7	12
35-49	792	3.1	6	1	1	3	4	6	7	12
50-64	1086	3.1	5	1	1	2	4	6	7	11
65+	1030	3.2	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	33	2.2	2	<1	<1	2	3	4	5	6
20-34	184	3.4	6	1	1	3	4	7	9	11
35-49	299	3.3	7	1	1	3	4	6	9	14
50-64	268	3.5	5	1	1	3	4	7	8	10
65+	140	3.7	8	1	1	3	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.5	4	1	1	3	5	6	7	9
20-34	690	3.9	8	1	1	3	5	7	8	13
35-49	1391	4.0	6	1	2	3	5	7	9	13
50-64	3336	4.3	9	1	2	4	6	8	10	16
65+	6220	4.7	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	25	3.4	7	<1	1	2	4	8	9	10
20-34	115	4.9	13	1	1	4	8	10	12	15
35-49	204	5.5	20	1	1	4	8	11	13	21
50-64	408	5.7	22	1	2	5	8	10	13	27
65+	529	7.2	28	2	2	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3418	3.2	5	1	1	3	4	6	7	11
B. *Operated*	924	3.4	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	11771	4.5	10	1	2	4	6	8	10	16
B. *Operated*	1281	6.2	24	1	2	5	8	12	15	26
1. SINGLE DX	4342	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	13052	4.6	12	1	2	4	6	9	11	17
A. NOT OPERATED	15189	4.2	9	1	1	3	5	8	10	15
B. OPERATED	2205	5.0	18	1	1	4	7	10	13	21
TOTAL 0-19 YRS	277	3.2	4	1	1	3	4	6	7	10
20-34	1414	3.7	7	1	1	3	5	7	9	13
35-49	2686	3.8	8	1	1	3	5	7	9	14
50-64	5098	4.1	10	1	1	3	5	8	10	16
65+	7919	4.7	12	1	2	4	6	9	11	17
GRAND TOTAL	**17394**	**4.3**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	14	2.0	1	<1	1	2	2	3	4	4
35-49	16	1.7		<1	1	2	2	2	3	3
50-64	28	2.1	2	1	1	2	2	3	4	8
65+	15	1.9		<1	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	71	2.1	1	1	1	2	3	3	3	5
20-34	695	2.1	1	1	1	2	3	3	4	5
35-49	1087	2.0	1	1	1	2	3	3	3	5
50-64	936	2.1	1	1	1	2	3	3	4	5
65+	360	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	101	<1	<1	1	9	24	24	24
20-34	8	1.3		<1	<1	1	2	2	2	2
35-49	14	2.7	11	<1	<1	1	4	5	11	13
50-64	24	2.2	4	<1	1	2	2	4	8	9
65+	22	4.7	27	1	1	2	5	11	18	22
B. *Operated*										
0-19 YRS	28	2.1	1	1	1	2	3	3	3	4
20-34	222	2.0	1	1	1	2	3	3	4	6
35-49	297	2.3	2	1	1	2	3	3	4	8
50-64	429	2.3	2	1	1	2	3	3	4	7
65+	225	2.5	1	1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.0	1	<1	1	2	2	2	3	7
B. *Operated*	3149	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	73	3.2	19	<1	<1	2	3	8	13	24
B. *Operated*	1201	2.3	1	1	1	2	3	3	4	7
1. SINGLE DX	3224	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1274	2.3	3	1	1	2	3	4	4	8
A. NOT OPERATED	148	2.6	10	<1	1	2	2	4	8	22
B. OPERATED	4350	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	106	2.3	5	1	1	2	3	3	4	13
20-34	939	2.1	1	1	1	2	3	3	4	5
35-49	1414	2.1	1	1	1	2	3	3	4	6
50-64	1417	2.2	1	1	1	2	3	3	4	6
65+	622	2.3	2	1	1	2	3	3	4	7
GRAND TOTAL	**4498**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.1	4	<1	<1	1	3	4	6	11
20-34	75	3.1	4	<1	<1	3	4	5	7	9
35-49	99	3.4	4	1	1	3	4	6	8	11
50-64	106	4.2	5	1	2	4	5	7	8	12
65+	55	3.9	5	1	1	4	5	8	8	9
B. *Operated*										
0-19 YRS	2171	1.6	1	<1	<1	2	2	2	3	4
20-34	1345	1.9	1	1	1	2	2	3	4	6
35-49	1077	1.9	1	1	1	2	2	3	4	7
50-64	849	2.0	1	1	1	2	2	3	4	6
65+	384	2.0	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	3.0	10	<1	<1	1	4	7	9	16
20-34	98	3.2	11	<1	<1	2	4	7	10	17
35-49	143	3.8	16	<1	1	3	5	6	10	24
50-64	209	4.1	8	1	1	4	5	8	9	14
65+	250	4.8	13	1	2	4	6	8	11	15
B. *Operated*										
0-19 YRS	2062	1.8	1	<1	1	2	2	3	3	7
20-34	1297	2.2	4	1	1	2	2	3	4	11
35-49	1149	2.1	2	1	1	2	2	3	4	9
50-64	1159	2.5	8	1	1	2	3	4	5	13
65+	663	2.9	8	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	3.4	5	<1	1	3	4	7	8	10
B. *Operated*	5826	1.8	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	837	4.0	12	<1	1	3	5	8	10	15
B. *Operated*	6330	2.2	4	<1	1	2	2	3	4	10
1. SINGLE DX	6240	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	7167	2.4	5	<1	1	2	3	4	6	11
A. NOT OPERATED	1251	3.8	9	<1	1	3	5	7	9	14
B. OPERATED	12156	2.0	3	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	4449	1.8	1	<1	<1	2	2	3	3	7
20-34	2815	2.1	3	1	1	2	2	3	4	10
35-49	2468	2.2	3	1	1	2	3	3	5	9
50-64	2323	2.5	6	1	1	2	3	4	6	11
65+	1352	3.0	8	1	1	2	3	6	8	14
GRAND TOTAL	**13407**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	6.6	23	2	2	5	8	13	15	26
20-34	45	6.8	19	2	3	5	9	12	12	27
35-49	20	6.0	11	2	2	5	9	11	12	13
50-64	11	8.0	22	2	3	8	10	14	19	19
65+	6	6.8	9	4	4	6	10	11	11	11
B. *Operated*										
0-19 YRS	2	4.5	25	<1	<1	4	8	8	8	8
20-34	5	5.6	16	1	1	6	9	10	10	10
35-49	3	10.7		10	10	11	11	11	11	11
50-64	10	5.5	39	1	1	3	9	15	21	21
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	7.6	39	2	3	5	10	15	18	38
20-34	74	5.6	13	2	2	5	6	10	12	20
35-49	63	6.8	49	2	2	5	8	13	16	47
50-64	107	8.9	107	2	2	6	10	18	30	59
65+	135	9.2	51	2	3	7	12	18	22	37
B. *Operated*										
0-19 YRS	8	27.4	283	1	3	31	40	45	47	47
20-34	21	10.3	58	1	2	9	16	20	26	30
35-49	36	10.1	162	2	2	7	11	20	23	75
50-64	57	10.9	60	1	1	11	16	22	23	35
65+	58	12.1	104	1	2	10	18	31	33	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	6.6	21	2	2	5	8	12	15	26
B. *Operated*	21	6.0	26	<1	1	5	9	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	501	7.9	56	2	2	6	10	15	19	38
B. *Operated*	180	11.8	113	1	2	10	16	24	33	66
1. SINGLE DX	294	6.6	22	2	2	5	8	12	15	26
2. MULTIPLE DX	681	8.9	74	2	2	6	11	18	24	46
A. NOT OPERATED	774	7.5	44	2	2	6	9	14	18	35
B. OPERATED	201	11.2	107	1	2	9	16	24	32	60
TOTAL 0-19 YRS	323	7.5	45	2	2	5	9	14	20	39
20-34	145	6.7	24	2	2	5	9	12	16	27
35-49	122	7.7	77	2	2	6	10	15	18	58
50-64	185	9.2	85	1	2	7	12	20	24	42
65+	200	10.0	67	2	2	8	12	20	30	47
GRAND TOTAL	**975**	**8.2**	**59**	**2**	**2**	**6**	**10**	**17**	**22**	**40**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	6.8	70	1	2	4	7	16	32	33
20-34	50	4.2	25	1	1	3	5	6	8	33
35-49	49	5.7	49	1	2	3	6	12	25	38
50-64	45	5.4	28	1	1	4	6	11	15	30
65+	34	4.3	7	1	2	4	6	9	9	10
B. *Operated*										
0-19 YRS	29	5.1	21	1	1	2	9	11	14	17
20-34	80	6.5	66	1	1	3	9	13	14	51
35-49	221	5.8	28	1	2	2	10	13	15	22
50-64	295	6.5	41	1	2	2	11	15	17	29
65+	107	7.5	119	1	1	2	12	18	20	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.5	12	1	1	3	6	10	11	16
20-34	211	5.4	39	1	1	4	6	9	12	37
35-49	471	5.3	20	1	1	4	7	10	13	25
50-64	871	6.6	28	1	2	5	8	13	17	29
65+	1333	8.8	52	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	58	8.9	195	1	2	3	10	20	27	88
20-34	200	9.9	75	1	2	9	14	19	26	44
35-49	721	9.6	71	1	2	9	13	19	25	37
50-64	1561	10.9	97	2	2	10	15	23	27	48
65+	1372	12.8	142	2	2	11	17	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	5.1	34	1	1	3	6	9	15	33
B. *Operated*	732	6.4	51	1	2	2	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2929	7.3	40	1	2	6	9	14	19	33
B. *Operated*	3912	11.2	110	2	2	10	15	24	30	52
1. SINGLE DX	936	6.1	47	1	1	3	10	14	17	30
2. MULTIPLE DX	6841	9.5	84	1	2	7	13	20	26	47
A. NOT OPERATED	3133	7.1	40	1	2	5	9	14	19	33
B. OPERATED	4644	10.5	104	1	2	9	15	22	29	50
TOTAL 0-19 YRS	156	6.6	94	1	2	3	8	15	20	47
20-34	541	7.1	60	1	1	4	9	15	21	44
35-49	1462	7.5	52	1	2	5	11	16	21	32
50-64	2772	9.0	73	1	2	7	13	19	24	44
65+	2846	10.6	102	2	2	8	14	22	30	52
GRAND TOTAL	**7777**	**9.1**	**81**	**1**	**2**	**7**	**12**	**20**	**26**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.4	5	1	1	3	4	7	8	11
20-34	431	3.5	5	1	1	3	4	6	8	10
35-49	1275	4.0	7	1	2	3	5	7	9	14
50-64	1354	4.0	7	1	2	3	5	7	9	14
65+	931	4.4	11	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	50	3.1	6	1	1	2	4	6	7	16
20-34	115	3.4	12	1	1	2	4	7	8	19
35-49	151	3.7	8	1	1	2	5	8	10	14
50-64	158	3.7	11	1	1	2	4	8	9	13
65+	76	4.3	10	1	1	3	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.5	11	1	1	4	6	9	12	17
20-34	1602	4.5	14	1	2	4	5	8	10	20
35-49	5748	5.1	14	2	2	4	6	9	11	18
50-64	8938	5.5	19	2	2	5	7	10	13	21
65+	10830	6.3	31	2	2	5	8	12	15	29
B. *Operated*										
0-19 YRS	61	6.8	116	1	1	4	7	12	29	69
20-34	252	6.4	56	1	2	5	8	12	15	20
35-49	853	8.0	51	2	2	6	10	15	20	42
50-64	1443	8.2	45	2	2	6	10	16	21	32
65+	1365	10.5	82	2	3	8	14	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4107	4.0	8	1	2	3	5	7	9	14
B. *Operated*	550	3.6	10	1	1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	27375	5.7	22	2	2	5	7	10	13	24
B. *Operated*	3974	8.8	62	2	2	7	11	17	22	39
1. SINGLE DX	4657	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	31349	6.1	29	2	2	5	7	11	15	27
A. NOT OPERATED	31482	5.5	21	1	2	4	7	10	13	22
B. OPERATED	4524	8.2	59	2	2	6	10	16	21	38
TOTAL 0-19 YRS	484	4.4	23	1	1	3	5	8	11	18
20-34	2400	4.5	17	1	2	4	5	8	10	19
35-49	8027	5.2	18	1	2	4	6	10	12	21
50-64	11893	5.7	22	1	2	4	7	10	14	23
65+	13202	6.6	37	2	2	5	8	13	17	31
GRAND TOTAL	**36006**	**5.8**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	30	4.4	12	1	2	3	6	8	8	19
35-49	172	4.6	6	1	2	4	6	8	10	12
50-64	264	5.0	13	1	2	4	6	9	11	20
65+	490	6.3	21	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS										
20-34	6	10.3	93	1	1	6	22	23	23	23
35-49	30	3.2	3	2	2	2	4	6	6	8
50-64	54	3.8	12	1	1	2	4	9	10	17
65+	39	3.8	10	1	1	2	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.6	17	3	3	6	8	12	17	19
20-34	139	5.6	20	2	2	5	7	10	12	20
35-49	1024	6.4	19	2	2	5	8	11	14	23
50-64	3490	7.5	37	2	3	6	9	13	18	29
65+	10466	8.7	51	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	30	6.5	27	2	2	5	8	13	17	25
35-49	239	8.4	53	2	2	8	11	15	19	35
50-64	665	8.9	63	2	2	7	12	19	25	40
65+	1237	13.1	125	2	3	10	17	27	36	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	959	5.6	17	2	2	5	7	10	13	22
B. *Operated*	129	4.0	15	1	1	2	5	9	10	22
2. MULTIPLE DX										
A. *Not Operated*	15137	8.2	46	2	3	7	10	15	20	35
B. *Operated*	2173	11.2	102	2	2	9	14	23	31	57
1. SINGLE DX	1088	5.4	17	1	2	5	7	10	13	22
2. MULTIPLE DX	17310	8.6	54	2	3	7	10	16	21	39
A. NOT OPERATED	16096	8.1	45	2	3	6	10	15	19	34
B. OPERATED	2302	10.8	99	2	2	8	14	23	30	56
TOTAL 0-19 YRS	23	7.0	16	3	3	6	8	13	15	19
20-34	205	5.7	22	2	2	5	7	10	13	24
35-49	1465	6.5	24	2	2	5	8	12	14	24
50-64	4473	7.5	40	2	2	6	9	14	19	31
65+	12232	9.1	60	2	3	7	11	17	22	42
GRAND TOTAL	**18398**	**8.4**	**52**	**2**	**3**	**7**	**10**	**16**	**21**	**39**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	4	1	1	3	5	7	7	8
20-34	32	4.5	11	1	1	3	6	9	11	13
35-49	77	5.1	14	1	1	4	7	9	12	19
50-64	79	5.5	17	1	2	4	7	11	15	20
65+	77	7.8	47	1	2	6	10	17	23	35
B. *Operated*										
0-19 YRS	23	5.8	27	1	2	4	8	15	17	20
20-34	91	7.3	66	1	1	4	10	18	22	39
35-49	114	6.4	41	1	1	4	9	14	20	30
50-64	146	5.5	24	1	2	4	7	11	17	25
65+	73	6.4	50	1	1	5	8	12	15	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	4.9	16	1	1	4	6	11	13	20
20-34	161	6.0	34	1	2	4	7	11	17	34
35-49	314	7.1	31	2	2	5	9	13	19	28
50-64	673	8.5	50	2	2	6	11	17	23	35
65+	1419	9.9	74	2	3	7	12	20	25	48
B. *Operated*										
0-19 YRS	95	10.4	122	1	2	7	13	24	37	55
20-34	342	9.8	90	1	2	7	13	22	27	44
35-49	543	10.2	103	2	2	7	14	23	29	51
50-64	993	11.5	118	2	2	9	15	24	33	59
65+	1093	14.0	163	2	3	10	18	30	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	5.7	24	1	2	4	7	12	15	25
B. *Operated*	447	6.3	41	1	1	4	8	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	2653	8.8	61	2	2	7	11	18	23	40
B. *Operated*	3066	12.0	131	2	2	9	16	26	35	64
1. SINGLE DX	739	6.1	34	1	1	4	8	13	17	27
2. MULTIPLE DX	5719	10.5	101	2	2	8	13	22	29	54
A. NOT OPERATED	2945	8.5	58	2	2	6	11	17	22	37
B. OPERATED	3513	11.2	123	2	2	8	15	24	33	61
TOTAL 0-19 YRS	231	7.1	67	1	2	4	8	15	20	46
20-34	626	8.2	72	1	2	5	10	18	25	38
35-49	1048	8.5	71	1	2	6	11	18	25	40
50-64	1891	9.8	87	2	2	7	12	21	27	49
65+	2662	11.5	114	2	3	8	15	24	32	61
GRAND TOTAL	**6458**	**10.0**	**95**	**2**	**2**	**7**	**13**	**21**	**28**	**51**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.4	13	2	3	9	11	12	14	15
20-34	179	8.9	15	2	4	9	11	14	15	21
35-49	2396	9.3	12	3	5	9	11	13	15	18
50-64	4920	9.8	15	4	5	10	12	14	16	21
65+	4070	10.1	16	4	6	10	12	15	17	23
B. *Operated*										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	65	8.2	17	2	2	9	11	13	14	19
35-49	604	8.6	21	2	2	9	11	14	16	21
50-64	895	10.0	26	2	2	10	13	16	19	26
65+	327	11.4	59	2	3	11	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	9.3	26	2	3	9	13	16	21	85
20-34	454	9.3	20	2	3	9	12	14	17	23
35-49	6758	10.0	18	3	5	10	12	15	17	23
50-64	24009	10.9	25	4	6	10	13	16	19	28
65+	47720	12.1	41	5	6	11	14	19	23	36
B. *Operated*										
0-19 YRS	17	9.4	26	1	2	9	14	17	17	17
20-34	255	9.6	34	2	2	9	13	17	20	26
35-49	3331	10.7	52	2	2	10	13	18	22	37
50-64	8834	13.0	77	2	3	11	16	22	28	49
65+	8600	16.6	111	5	7	14	20	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11581	9.8	15	4	5	10	12	14	16	21
B. *Operated*	1895	9.7	31	2	2	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	79010	11.6	34	4	6	11	14	18	21	33
B. *Operated*	21237	14.1	92	2	5	12	17	25	32	54
1. SINGLE DX	13476	9.8	17	3	5	10	12	14	16	22
2. MULTIPLE DX	100247	12.1	48	4	6	11	14	19	24	39
A. NOT OPERATED	90591	11.3	32	4	6	10	13	17	21	32
B. OPERATED	23132	13.7	88	2	4	12	17	24	31	53
TOTAL 0-19 YRS	106	9.1	24	1	2	9	12	15	18	57
20-34	953	9.2	23	2	2	9	12	15	18	23
35-49	13089	10.0	26	2	4	10	12	15	18	26
50-64	38658	11.2	37	3	5	10	13	17	21	34
65+	60917	12.6	52	5	6	11	15	20	25	42
GRAND TOTAL	**113723**	**11.8**	**44**	**4**	**6**	**11**	**14**	**19**	**23**	**38**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	4	1	1	2	5	6	7	7
20-34	184	3.3	4	1	1	3	4	6	7	11
35-49	1543	3.2	4	1	1	3	4	6	7	10
50-64	2393	3.5	5	1	1	3	5	6	7	12
65+	2104	3.7	6	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	49	3.7	10	1	2	2	5	7	9	17
35-49	452	3.2	7	1	1	2	4	7	9	15
50-64	746	3.2	10	1	1	2	3	7	10	15
65+	293	3.3	11	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.3	8	1	2	4	5	9	11	14
20-34	613	4.1	7	1	2	3	5	7	9	13
35-49	6946	4.3	9	1	2	4	5	8	9	14
50-64	19774	4.6	11	1	2	4	6	8	10	16
65+	32799	5.2	15	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	14	4.9	15	1	1	4	6	10	13	14
20-34	168	4.5	16	1	2	3	6	9	11	23
35-49	3525	4.7	18	1	1	3	7	10	13	19
50-64	10974	5.3	31	1	1	3	8	12	15	25
65+	7378	7.0	51	1	2	5	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6237	3.5	5	1	1	3	4	6	7	11
B. *Operated*	1543	3.2	9	1	1	2	3	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	60197	4.9	13	1	2	4	6	9	11	18
B. *Operated*	22059	5.7	36	1	2	3	8	12	16	28
1. SINGLE DX	7780	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	82256	5.1	19	1	2	4	6	10	13	21
A. NOT OPERATED	66434	4.8	12	1	2	4	6	8	11	17
B. OPERATED	23602	5.6	35	1	2	3	8	12	16	27
TOTAL 0-19 YRS	95	4.1	8	1	1	3	5	9	11	14
20-34	1014	4.0	8	1	2	3	5	8	9	14
35-49	12466	4.2	11	1	1	3	5	8	10	16
50-64	33887	4.7	17	1	2	4	6	9	12	19
65+	42574	5.4	21	1	2	4	7	10	13	22
GRAND TOTAL	**90036**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	85	3.8	7	1	1	3	5	7	9	14
35-49	1115	4.0	7	1	1	3	5	7	9	13
50-64	2498	4.4	8	1	2	4	6	8	10	14
65+	2669	4.7	8	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS										
20-34	15	4.0	5	1	1	4	5	6	8	9
35-49	222	5.0	13	1	1	4	7	10	12	18
50-64	541	5.3	18	1	2	4	7	11	14	18
65+	314	6.2	28	1	1	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.5	15	2	3	4	7	11	14	20
20-34	347	5.0	13	1	2	4	6	9	12	20
35-49	5841	5.0	12	1	2	4	6	9	11	17
50-64	21016	5.5	14	2	2	5	7	10	12	18
65+	41678	6.3	20	2	3	5	8	11	14	23
B. *Operated*										
0-19 YRS	12	6.0	15	1	1	6	10	11	11	11
20-34	106	6.5	20	1	2	5	9	12	14	23
35-49	2833	7.3	40	2	2	6	10	14	17	28
50-64	9947	8.5	45	2	2	8	12	16	20	33
65+	9157	10.8	76	2	2	9	14	21	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6371	4.4	8	1	2	4	6	8	10	14
B. *Operated*	1092	5.5	20	1	1	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	68941	6.0	18	2	2	5	7	10	13	21
B. *Operated*	22055	9.3	59	2	2	8	12	18	22	37
1. SINGLE DX	7463	4.6	10	1	2	4	6	8	10	16
2. MULTIPLE DX	90996	6.8	30	2	2	5	8	13	16	28
A. NOT OPERATED	75312	5.8	17	2	2	5	7	10	13	21
B. OPERATED	23147	9.1	58	2	2	8	12	18	22	37
TOTAL 0-19 YRS	75	5.5	14	2	2	4	8	10	13	19
20-34	553	5.1	14	1	2	4	6	10	12	20
35-49	10011	5.6	21	1	2	4	7	11	13	21
50-64	[illegible]	6.3	25	2	2	5	8	12	15	24
65+	53818	7.0	32	2	2	6	9	13	17	29
GRAND TOTAL	**98459**	**6.6**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	35	4.7	10	1	2	4	5	9	11	15
35-49	298	4.0	10	1	1	3	5	7	9	15
50-64	612	4.1	9	1	1	3	5	8	10	15
65+	558	5.2	26	1	2	4	6	10	13	27
B. *Operated*										
0-19 YRS	23	3.4	10	<1	1	2	5	9	10	11
20-34	113	4.0	12	1	1	2	5	10	11	15
35-49	2276	4.1	16	1	1	2	5	10	12	17
50-64	5992	4.4	20	1	1	2	6	11	13	19
65+	2237	5.0	27	1	1	2	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.4	22	1	2	4	6	12	18	20
20-34	169	4.5	10	1	1	4	6	9	10	16
35-49	2365	4.8	16	1	2	4	6	9	11	18
50-64	8275	5.4	16	1	2	4	7	10	13	19
65+	15619	6.8	31	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	47	5.0	23	1	2	2	8	12	15	21
20-34	329	5.2	29	1	2	2	7	12	14	29
35-49	7860	5.6	28	1	2	3	9	12	15	23
50-64	24376	6.8	43	1	2	4	10	14	18	30
65+	15229	8.9	79	1	2	7	12	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1504	4.5	16	1	1	4	5	8	11	19
B. *Operated*	10641	4.4	20	1	1	2	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	26460	6.1	25	2	2	5	8	11	14	24
B. *Operated*	47841	7.2	53	1	2	5	11	15	20	34
1. SINGLE DX	12145	4.4	20	1	1	2	6	11	13	20
2. MULTIPLE DX	74301	6.9	44	1	2	5	9	14	18	32
A. NOT OPERATED	27964	6.1	25	1	2	5	7	11	14	24
B. OPERATED	58482	6.7	49	1	2	4	10	15	19	32
TOTAL 0-19 YRS	103	4.7	20	1	1	3	7	11	14	20
20-34	646	4.8	20	1	1	3	6	10	13	23
35-49	12799	5.1	23	1	1	3	8	11	14	22
50-64	39255	6.1	34	1	2	4	9	13	16	26
65+	33643	7.6	54	1	2	6	10	16	20	37
GRAND TOTAL	**86446**	**6.5**	**41**	**1**	**2**	**4**	**9**	**14**	**18**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	9.2	13	2	5	10	11	13	15	18
20-34	318	8.2	13	2	4	8	10	12	15	19
35-49	416	8.7	14	2	4	8	11	13	16	20
50-64	428	9.6	14	4	5	9	12	14	16	20
65+	416	9.9	26	4	6	9	12	15	17	25
B. *Operated*										
0-19 YRS	4	11.0	29	5	5	10	14	18	18	18
20-34	57	9.9	31	3	4	9	11	17	22	30
35-49	111	10.7	30	4	5	10	12	17	21	32
50-64	88	10.4	24	5	6	9	13	16	18	30
65+	67	11.4	39	2	4	11	14	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	8.9	24	3	4	8	11	15	17	27
20-34	570	10.0	30	3	4	9	12	16	19	29
35-49	1175	10.5	28	4	5	10	13	17	19	27
50-64	2374	11.1	28	4	6	10	13	17	21	30
65+	5259	12.6	49	5	6	11	15	20	25	39
B. *Operated*										
0-19 YRS	19	10.8	23	2	3	12	14	17	18	18
20-34	212	13.1	59	5	6	11	15	21	29	40
35-49	361	13.9	84	6	7	12	15	22	31	48
50-64	835	15.0	87	6	7	12	18	26	33	49
65+	1353	16.7	117	6	8	14	20	28	39	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1601	9.2	17	3	5	9	11	14	16	22
B. *Operated*	327	10.6	30	3	5	10	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	9425	11.8	41	5	6	10	14	19	23	36
B. *Operated*	2780	15.5	100	6	7	13	18	26	35	56
1. SINGLE DX	1928	9.4	20	3	5	9	11	14	17	23
2. MULTIPLE DX	12205	12.6	57	5	6	11	15	21	26	43
A. NOT OPERATED	11026	11.4	38	4	6	10	14	18	22	35
B. OPERATED	3107	15.0	95	5	7	12	18	26	34	54
TOTAL 0-19 YRS	93	9.4	21	2	4	10	12	15	18	24
20-34	1157	10.1	33	3	4	9	12	16	20	33
35-49	2063	10.7	38	4	5	10	13	17	20	36
50-64	3725	11.8	43	5	6	10	14	19	24	37
65+	7095	13.2	63	5	7	11	15	21	27	46
GRAND TOTAL	**14133**	**12.2**	**53**	**4**	**6**	**11**	**14**	**20**	**25**	**41**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	22.5	156	3	5	29	32	35	35	35
20-34	34	17.7	213	<1	1	15	27	44	47	48
35-49	17	20.2	120	6	7	18	30	35	35	35
50-64	14	23.4	204	6	8	22	30	42	54	58
65+	10	15.1	79	5	5	13	19	30	31	31
B. *Operated*										
0-19 YRS	3	12.3	385	<1	<1	1	26	35	35	35
20-34	4	30.3	259	14	14	27	41	52	52	52
35-49	5	6.6	38	2	2	5	9	17	17	17
50-64	4	14.8	174	3	3	12	25	32	32	32
65+	4	11.3	151	<1	<1	7	19	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	24.8	281	2	3	25	37	44	47	79
20-34	289	22.3	178	3	4	23	31	41	44	55
35-49	200	23.4	207	4	6	25	33	42	47	59
50-64	235	24.1	214	2	4	23	33	44	49	54
65+	447	27.1	196	6	9	28	35	45	51	66
B. *Operated*										
0-19 YRS	25	30.2	346	5	8	30	42	55	70	75
20-34	183	32.4	298	6	10	31	44	53	67	87
35-49	129	31.8	241	11	14	30	40	48	61	84
50-64	160	33.5	317	5	12	33	44	54	68	92
65+	250	35.7	216	14	18	34	44	56	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	19.4	171	2	5	16	30	35	44	54
B. *Operated*	20	14.8	212	<1	1	8	26	33	43	52
2. MULTIPLE DX										
A. *Not Operated*	1243	24.7	205	3	6	26	33	43	48	62
B. *Operated*	747	33.6	268	9	13	32	44	53	66	89
1. SINGLE DX	105	18.5	180	1	3	15	29	35	44	55
2. MULTIPLE DX	1990	28.0	247	4	7	28	38	47	55	80
A. NOT OPERATED	1328	24.3	204	3	6	25	33	43	48	62
B. OPERATED	767	33.1	275	7	13	32	44	53	66	89
TOTAL 0-19 YRS	110	25.5	290	2	3	26	35	44	49	78
20-34	510	25.7	250	3	5	27	35	45	51	79
35-49	351	26.1	235	5	7	28	34	44	51	78
50-64	413	27.6	275	3	7	28	40	48	54	80
65+	711	29.9	222	7	11	29	39	48	58	81
GRAND TOTAL	**2095**	**27.5**	**248**	**4**	**7**	**28**	**38**	**46**	**54**	**79**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.7	12	<1	1	2	3	5	7	13
20-34	181	2.1	2	<1	<1	2	3	4	5	8
35-49	341	2.2	2	<1	1	2	3	4	5	8
50-64	399	2.4	3	<1	1	2	3	4	5	9
65+	281	3.0	6	1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	6	3.2	1	2	2	3	4	5	5	5
50-64	12	3.2	6	1	1	3	4	6	9	10
65+	7	4.3	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	3.2	7	1	1	2	4	6	7	15
20-34	325	3.2	6	<1	1	3	4	6	7	14
35-49	735	3.6	11	1	1	3	4	7	8	12
50-64	1681	4.1	10	1	1	3	5	8	10	15
65+	3223	5.4	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	6	4.0	7	2	2	3	5	9	9	9
20-34	19	5.6	12	1	2	5	8	11	13	13
35-49	52	5.0	19	1	1	4	6	9	13	24
50-64	132	6.6	22	1	2	6	9	13	16	21
65+	271	11.5	134	2	3	9	14	21	26	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1339	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	28	3.5	5	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	6111	4.6	16	1	1	4	6	9	11	20
B. *Operated*	480	9.2	92	2	2	7	12	17	23	48
1. SINGLE DX	1367	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	6591	5.0	23	1	1	4	6	10	13	23
A. NOT OPERATED	7450	4.2	15	1	1	3	5	8	11	18
B. OPERATED	508	8.8	89	2	2	7	11	16	22	47
TOTAL 0-19 YRS	291	3.0	9	<1	1	2	4	6	7	14
20-34	527	2.9	5	<1	1	2	4	5	7	13
35-49	1134	3.2	9	1	1	3	4	6	8	12
50-64	2224	4.0	11	1	1	3	5	8	10	16
65+	3782	5.6	31	1	2	4	7	11	14	26
GRAND TOTAL	**7958**	**4.5**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	6	<1	<1	1	3	6	8	11
20-34	376	1.9	2	<1	<1	2	2	4	5	7
35-49	721	2.3	3	<1	1	2	3	5	6	9
50-64	1277	2.7	6	<1	1	2	3	5	6	11
65+	1455	3.2	7	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	2.7	4	<1	<1	2	4	6	7	7
35-49	23	3.7	8	1	1	2	6	9	10	10
50-64	64	3.9	12	1	1	2	5	9	11	17
65+	42	6.6	52	1	1	5	8	13	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.9	16	<1	1	2	5	10	12	20
20-34	608	2.9	5	1	1	2	4	6	7	10
35-49	1691	3.7	9	1	1	3	5	8	9	14
50-64	7265	4.7	15	1	1	4	6	9	12	18
65+	21866	6.2	32	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	11	7.8	151	<1	<1	2	11	25	41	42
20-34	25	3.8	7	<1	1	3	6	7	9	11
35-49	135	8.1	65	1	2	6	10	17	22	47
50-64	734	8.5	60	1	2	7	11	16	22	35
65+	2264	11.9	108	2	3	9	15	23	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3852	2.8	6	<1	1	2	3	5	7	11
B. *Operated*	141	4.6	24	1	1	3	6	10	12	31
2. MULTIPLE DX										
A. *Not Operated*	31541	5.6	27	1	2	4	7	11	14	25
B. *Operated*	3169	10.9	97	2	3	9	14	21	28	61
1. SINGLE DX	3993	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	34710	6.1	36	1	2	5	8	12	16	29
A. NOT OPERATED	35393	5.3	25	1	1	4	7	10	14	24
B. OPERATED	3310	10.6	95	2	2	8	13	21	27	60
TOTAL 0-19 YRS	147	4.0	25	<1	1	2	5	10	12	25
20-34	1019	2.6	4	<1	1	2	3	5	7	9
35-49	2570	3.6	12	1	1	2	5	7	9	16
50-64	9340	4.7	19	1	1	4	6	9	12	21
65+	25627	6.5	41	1	2	5	8	13	17	33
GRAND TOTAL	**38703**	**5.8**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	3.0	8	<1	1	2	3	6	8	16
20-34	571	3.0	5	1	1	2	4	6	7	11
35-49	929	3.3	6	1	1	3	4	6	8	12
50-64	1359	3.6	7	1	1	3	5	7	9	14
65+	1425	4.2	10	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	71	4.0	12	1	1	2	5	10	13	15
20-34	62	4.5	9	1	1	4	6	8	10	15
35-49	155	3.9	12	1	1	3	5	8	10	15
50-64	396	5.2	16	1	2	4	7	10	11	16
65+	1155	6.0	18	2	2	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	548	3.9	13	1	1	3	5	8	9	19
20-34	1731	3.8	9	1	1	3	5	7	9	16
35-49	4257	4.5	12	1	1	4	6	8	11	18
50-64	11100	5.4	19	1	2	4	7	10	13	22
65+	28904	6.5	28	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	159	8.6	138	1	2	5	9	18	30	72
20-34	231	9.3	144	1	2	6	10	22	30	97
35-49	772	7.4	57	1	2	5	9	15	22	81
50-64	3374	8.7	62	2	2	7	11	17	22	41
65+	15086	10.0	63	3	3	8	12	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4574	3.6	8	1	1	3	5	7	9	14
B. *Operated*	1839	5.6	17	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	46540	5.9	24	1	2	5	7	11	14	24
B. *Operated*	19622	9.6	65	2	3	8	12	18	24	46
1. SINGLE DX	6413	4.2	11	1	1	3	5	8	10	16
2. MULTIPLE DX	66162	7.0	39	1	2	5	9	14	18	32
A. NOT OPERATED	51114	5.7	23	1	2	4	7	11	14	24
B. OPERATED	21461	9.3	62	2	3	7	12	18	23	43
TOTAL 0-19 YRS	1068	4.3	33	1	1	3	5	9	12	30
20-34	2595	4.1	23	1	1	3	5	8	10	23
35-49	6113	4.6	18	1	1	4	6	9	12	22
50-64	16229	5.9	29	1	2	5	7	11	15	27
65+	46570	7.5	41	2	2	6	9	14	19	33
GRAND TOTAL	**72575**	**6.8**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	7.3	35	1	1	5	9	18	18	28
20-34	27	5.6	15	1	2	5	8	10	15	16
35-49	132	5.4	13	1	2	5	6	10	11	20
50-64	742	6.0	27	1	2	5	8	11	15	23
65+	3445	6.2	23	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	9	4.7	15	1	1	4	6	11	11	11
50-64	26	8.3	36	1	2	7	14	17	18	20
65+	65	10.3	81	1	2	8	13	27	36	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	604	6.1	33	1	2	4	7	13	17	29
20-34	461	7.2	31	2	2	6	9	15	18	29
35-49	3231	7.2	29	2	3	6	9	13	17	28
50-64	21746	8.0	36	2	3	6	10	14	19	31
65+	111843	8.8	50	2	3	7	11	16	21	37
B. *Operated*										
0-19 YRS	107	11.7	190	2	2	8	13	32	44	99+
20-34	179	7.9	56	1	1	6	11	17	24	33
35-49	578	10.7	99	1	2	8	13	23	30	51
50-64	3065	13.7	143	2	3	10	17	27	36	68
65+	11141	16.1	156	4	5	13	20	31	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4390	6.2	23	2	2	5	8	11	15	24
B. *Operated*	104	9.1	64	1	2	8	12	18	30	66
2. MULTIPLE DX										
A. *Not Operated*	137885	8.6	47	2	3	7	10	16	21	36
B. *Operated*	15070	15.2	153	3	4	12	19	30	40	75
1. SINGLE DX	4494	6.2	24	2	2	5	8	12	15	25
2. MULTIPLE DX	152955	9.3	62	2	3	7	11	17	23	43
A. NOT OPERATED	142275	8.5	47	2	3	7	10	16	20	36
B. OPERATED	15174	15.2	152	3	4	12	19	30	40	75
TOTAL 0-19 YRS	758	6.9	59	1	2	5	8	15	20	43
20-34	668	7.4	37	1	2	6	9	16	19	31
35-49	3950	7.7	40	2	2	6	9	14	19	33
50-64	25579	8.6	52	2	3	7	10	16	21	38
65+	126494	9.4	63	2	3	7	11	18	23	44
GRAND TOTAL	**157449**	**9.2**	**61**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	4.0	11	1	1	3	5	7	10	18
20-34	870	3.8	9	1	1	3	5	7	9	15
35-49	969	4.1	11	1	1	3	5	7	9	20
50-64	713	4.4	10	1	2	4	6	8	10	16
65+	413	5.7	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	213	3.4	10	1	1	2	5	8	9	14
20-34	257	4.3	14	1	1	2	6	10	11	15
35-49	581	4.0	20	1	1	2	4	10	13	21
50-64	924	4.5	22	1	1	2	6	11	14	20
65+	490	5.4	36	1	1	2	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	5.1	21	1	1	4	6	10	13	23
20-34	1916	5.3	29	1	2	4	6	10	14	28
35-49	3501	5.9	29	1	2	5	7	11	15	27
50-64	6268	7.1	37	2	2	6	9	13	18	32
65+	10242	8.4	49	2	3	7	10	16	21	35
B. *Operated*										
0-19 YRS	348	7.0	80	1	1	3	8	17	24	43
20-34	653	8.4	76	1	2	6	11	18	24	46
35-49	1862	7.8	71	1	2	5	10	17	23	46
50-64	4583	8.8	88	1	2	6	12	19	26	49
65+	5098	11.4	120	1	2	9	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3211	4.3	12	1	1	3	5	8	11	17
B. *Operated*	2465	4.4	23	1	1	2	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	22461	7.3	41	2	2	6	9	14	13	33
B. *Operated*	12544	9.7	100	1	2	7	13	21	28	52
1. SINGLE DX	5676	4.4	16	1	1	3	5	9	12	20
2. MULTIPLE DX	35005	8.2	64	2	2	6	10	17	22	41
A. NOT OPERATED	25672	6.9	39	1	2	5	9	13	18	31
B. OPERATED	15009	8.8	91	1	2	6	12	20	26	48
TOTAL 0-19 YRS	1341	5.1	34	1	1	3	6	11	15	30
20-34	3696	5.4	34	1	1	4	7	11	15	29
35-49	6913	6.0	39	1	2	4	7	12	17	31
50-64	12488	7.4	55	1	2	5	10	15	21	37
65+	16243	9.2	72	2	2	7	12	19	24	44
GRAND TOTAL	**40681**	**7.6**	**59**	**1**	**2**	**5**	**10**	**16**	**21**	**39**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	4.5	10	<1	<1	4	5	10	10	10
50-64	14	4.8	30	2	2	3	5	11	20	22
65+	46	4.1	7	1	1	4	6	8	8	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	3.0	5	1	1	2	4	6	9	9
50-64	25	3.6	8	2	2	2	4	8	10	12
65+	11	5.2	34	1	1	3	5	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	5	2.8	1	2	2	3	3	4	4	4
35-49	131	5.0	20	1	1	4	6	9	12	27
50-64	672	6.0	31	2	2	5	7	11	14	25
65+	2206	7.5	49	2	2	6	9	14	20	41
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	5.8	25	1	1	5	10	11	11	11
35-49	152	5.5	34	1	2	3	8	12	16	31
50-64	453	6.2	44	1	2	4	9	14	18	30
65+	523	9.8	96	2	2	8	13	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.3	11	1	1	3	6	8	10	20
B. *Operated*	48	3.8	13	1	2	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3017	7.0	44	2	2	5	8	13	18	34
B. *Operated*	1134	7.8	70	1	2	5	10	17	22	46
1. SINGLE DX	114	4.1	12	1	2	3	5	8	10	20
2. MULTIPLE DX	4151	7.2	51	2	2	5	9	14	19	40
A. NOT OPERATED	3083	7.0	44	2	2	5	8	13	18	34
B. OPERATED	1182	7.6	68	1	2	5	10	16	22	46
TOTAL 0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	9	4.1	12	1	1	3	5	10	11	11
35-49	301	5.2	26	1	2	3	6	11	14	29
50-64	1164	6.0	36	1	2	4	8	12	16	28
65+	2786	7.9	58	2	2	6	9	15	21	46
GRAND TOTAL	**4265**	**7.2**	**51**	**2**	**2**	**5**	**9**	**14**	**19**	**39**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	113	1	1	8	16	16	16	16
20-34	21	5.5	87	<1	<1	2	4	17	28	40
35-49	29	4.6	32	<1	<1	2	5	13	17	23
50-64	27	8.4	71	<1	1	5	14	21	27	30
65+	24	10.4	110	<1	1	7	15	26	35	35
B. *Operated*										
0-19 YRS	12	12.4	57	2	4	11	15	23	30	31
20-34	87	15.9	117	2	3	15	21	29	36	58
35-49	166	16.7	143	2	5	14	21	29	38	61
50-64	123	18.6	161	2	3	17	24	35	42	66
65+	33	21.1	402	1	2	18	24	39	80	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	21	1	1	7	10	12	15	17
20-34	32	10.3	265	<1	1	5	11	24	39	85
35-49	43	11.7	290	<1	1	5	15	27	52	83
50-64	80	11.0	103	<1	1	9	17	27	36	99+
65+	188	15.9	153	2	4	14	23	31	46	99+
B. *Operated*										
0-19 YRS	12	21.9	194	5	8	20	26	46	51	52
20-34	103	23.8	395	3	5	17	29	60	71	98
35-49	241	23.7	274	5	7	20	32	55	73	99+
50-64	349	26.6	301	6	9	23	34	55	77	99+
65+	231	29.5	329	8	10	26	39	61	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	7.2	75	<1	1	3	11	20	25	37
B. *Operated*	421	17.3	162	2	4	16	22	31	40	66
2. MULTIPLE DX										
A. *Not Operated*	359	13.4	168	1	2	10	19	29	44	99+
B. *Operated*	936	26.2	314	5	9	22	34	58	73	99+
1. SINGLE DX	524	15.3	161	1	2	14	21	28	37	66
2. MULTIPLE DX	1295	22.7	306	2	4	19	31	53	69	99+
A. NOT OPERATED	462	12.0	154	1	1	8	18	28	39	97
B. OPERATED	1357	23.5	283	4	7	20	31	51	66	99+
TOTAL 0-19 YRS	42	12.8	117	1	2	10	16	25	36	52
20-34	243	17.6	287	1	2	14	23	39	61	86
35-49	479	19.1	245	1	3	16	25	40	62	99+
50-64	579	21.9	273	2	4	19	29	48	64	99+
65+	476	22.6	301	3	4	19	31	50	67	99+
GRAND TOTAL	**1819**	**20.5**	**275**	**2**	**3**	**17**	**27**	**46**	**63**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.8	225	4	4	23	54	99+	99+	99+
20-34	1	98.0		98	98	98	98	98	98	98
35-49	6	55.7	598	33	33	46	76	93	95	95
50-64	6	14.2	148	3	3	10	22	34	35	35
65+	17	26.5	493	4	7	25	39	95	99+	99+
B. *Operated*										
0-19 YRS	5	48.4	665	23	23	38	75	78	78	78
20-34	13	36.5	332	19	19	28	47	66	74	76
35-49	25	41.2	716	7	11	39	71	99	99+	99+
50-64	47	35.8	413	9	13	34	50	79	99+	99+
65+	35	42.3	532	16	17	40	56	84	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	30.8	696	4	5	25	46	97	99+	99+
B. *Operated*	125	39.3	503	9	17	36	58	85	99	99+
1. SINGLE DX										
2. MULTIPLE DX	159	37.5	553	7	11	35	56	87	99+	99+
A. NOT OPERATED	34	30.8	696	4	5	25	46	97	99+	99+
B. OPERATED	125	39.3	503	9	17	36	58	85	99	99+
TOTAL 0-19 YRS	9	35.7	645	4	8	33	74	89	99+	99+
20-34	14	40.9	577	19	19	33	51	78	94	98
35-49	31	44.0	706	8	16	44	72	96	99+	99+
50-64	53	33.3	427	6	9	31	45	73	96	99+
65+	52	37.2	565	7	10	34	55	87	97	99+
GRAND TOTAL	**159**	**37.5**	**553**	**7**	**11**	**35**	**56**	**87**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	6.3	45	<1	<1	3	11	18	19	19
20-34	13	6.5	26	1	2	5	8	16	17	17
35-49	13	8.5	119	<1	<1	6	11	23	35	38
50-64	67	9.7	148	1	1	6	10	29	33	96
65+	182	9.8	59	1	2	8	14	20	25	39
B. *Operated*										
0-19 YRS	40	8.8	31	3	3	8	11	17	19	29
20-34	59	8.5	70	1	2	7	11	15	20	54
35-49	65	9.1	38	2	2	8	12	18	24	26
50-64	127	12.7	102	3	4	9	15	25	39	49
65+	232	12.0	82	3	4	9	14	24	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	7.0	45	<1	1	6	8	14	25	30
20-34	37	10.2	121	1	2	6	12	32	42	99+
35-49	134	12.1	159	1	2	8	15	24	37	69
50-64	446	13.6	172	2	3	10	18	28	37	87
65+	1826	14.3	146	3	4	11	18	29	38	74
B. *Operated*										
0-19 YRS	78	13.6	114	2	3	11	19	25	37	87
20-34	103	16.8	204	2	4	13	21	36	59	99+
35-49	190	22.2	453	5	7	14	27	52	86	99+
50-64	448	20.8	304	4	6	16	29	54	75	99+
65+	1161	21.3	272	5	7	16	28	47	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	9.3	80	1	1	7	13	20	28	61
B. *Operated*	523	11.1	78	3	3	9	14	22	29	47
2. MULTIPLE DX										
A. *Not Operated*	2495	13.8	150	2	3	10	18	29	38	75
B. *Operated*	1980	20.8	290	4	6	16	27	47	69	99+
1. SINGLE DX	818	10.5	79	1	2	8	13	21	28	47
2. MULTIPLE DX	4475	16.9	224	3	4	13	22	37	52	99+
A. NOT OPERATED	2790	13.4	144	2	3	10	17	28	37	75
B. OPERATED	2503	18.7	261	3	5	14	24	43	61	99+
TOTAL 0-19 YRS	190	10.0	79	1	1	8	14	22	27	54
20-34	212	12.7	157	2	2	9	16	31	46	99+
35-49	402	16.3	309	2	3	11	19	39	58	96
50-64	1088	16.2	231	2	3	12	21	38	57	99+
65+	3401	16.3	194	3	4	12	21	34	47	94
GRAND TOTAL	**5293**	**15.9**	**207**	**2**	**4**	**12**	**20**	**34**	**48**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.3	65	5	5	12	19	24	24	24
20-34	7	21.4	132	6	7	22	29	37	39	39
35-49	37	16.1	319	1	3	9	18	45	63	69
50-64	158	20.8	316	4	6	15	26	41	74	98
65+	745	19.8	242	4	6	15	26	40	60	90
B. *Operated*										
0-19 YRS	10	20.0	161	2	3	22	26	38	39	39
20-34	21	28.5	342	9	10	24	46	61	84	99+
35-49	52	28.7	549	6	8	16	46	77	94	99+
50-64	87	30.7	465	7	9	26	50	77	99+	99+
65+	306	29.1	389	8	10	24	43	66	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	951	19.8	256	4	6	15	26	40	62	90
B. *Operated*	476	29.1	413	7	9	24	45	69	97	99+
1. SINGLE DX										
2. MULTIPLE DX	1427	22.9	327	5	7	17	30	53	71	99+
A. NOT OPERATED	951	19.8	256	4	6	15	26	40	62	90
B. OPERATED	476	29.1	413	7	9	24	45	69	97	99+
TOTAL 0-19 YRS	14	18.1	137	2	4	18	24	37	39	39
20-34	28	26.8	292	7	9	22	39	55	75	99+
35-49	89	23.4	488	3	4	14	37	62	82	99+
50-64	245	24.3	390	5	7	19	34	61	80	99+
65+	1051	22.5	302	5	7	17	29	51	66	99+
GRAND TOTAL	**1427**	**22.9**	**327**	**5**	**7**	**17**	**30**	**53**	**71**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	5	4.8	5	1	1	6	6	6	6	6
35-49	18	6.9	106	1	2	3	9	11	32	46
50-64	98	4.4	32	<1	1	3	5	9	12	35
65+	161	4.3	15	1	1	3	5	10	12	22
B. *Operated*										
0-19 YRS	7	6.7	28	<1	<1	6	10	15	16	16
20-34	24	6.1	19	1	1	5	8	13	15	16
35-49	208	5.3	24	1	1	4	7	10	12	28
50-64	1941	5.4	15	1	2	5	7	10	12	19
65+	3192	5.3	15	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.0	61	5	5	6	16	19	19	19
20-34	8	9.0	47	3	3	8	17	69	99+	99+
35-49	85	6.2	23	1	1	5	8	13	18	72
50-64	598	5.5	24	1	1	4	7	11	14	25
65+	2181	6.9	49	1	2	5	8	13	16	37
B. *Operated*										
0-19 YRS	19	8.4	56	1	1	5	14	21	24	25
20-34	38	10.4	121	1	2	7	12	29	40	44
35-49	611	7.5	59	1	2	6	9	13	19	34
50-64	6695	7.6	41	2	2	6	9	14	18	33
65+	15236	8.1	49	2	2	6	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.6	26	1	1	3	5	10	12	23
B. *Operated*	5372	5.3	16	1	2	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2875	6.6	43	1	2	5	8	13	16	34
B. *Operated*	22599	8.0	47	2	2	6	10	15	20	35
1. SINGLE DX	5656	5.3	16	1	2	5	7	10	12	19
2. MULTIPLE DX	25474	7.8	47	2	2	6	10	15	19	35
A. NOT OPERATED	3159	6.4	42	1	2	5	8	12	16	34
B. OPERATED	27971	7.5	42	2	2	6	9	14	19	33
TOTAL 0-19 YRS	31	8.0	46	1	1	6	11	18	23	25
20-34	75	8.5	75	1	2	6	11	16	32	85
35-49	922	6.9	50	1	2	5	9	12	18	34
50-64	9332	7.0	35	2	2	6	9	13	17	29
65+	20770	7.5	45	2	2	6	9	14	19	34
GRAND TOTAL	**31130**	**7.3**	**42**	**1**	**2**	**6**	**9**	**14**	**18**	**33**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	14.7	100	5	5	14	22	25	25	25
35-49	8	9.3	89	<1	<1	4	19	22	23	23
50-64	55	11.0	89	2	3	8	14	22	29	51
65+	196	13.6	161	3	4	9	15	34	43	85
B. *Operated*										
0-19 YRS	5	13.6	127	2	2	10	19	32	32	32
20-34	9	18.0	171	4	5	28	35	99+	99+	99+
35-49	38	10.3	78	1	1	7	16	21	31	35
50-64	340	12.5	163	2	3	9	15	27	38	90
65+	714	13.3	149	2	3	10	17	27	39	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	263	13.0	143	2	3	9	15	29	40	70
B. *Operated*	1106	13.0	151	2	3	10	16	28	39	88
1. SINGLE DX										
2. MULTIPLE DX	1369	13.0	150	2	3	9	16	28	39	86
A. NOT OPERATED	263	13.0	143	2	3	9	15	29	40	70
B. OPERATED	1106	13.0	151	2	3	10	16	28	39	88
TOTAL 0-19 YRS	6	14.0	103	2	3	12	16	30	32	32
20-34	12	17.2	145	4	5	19	31	99+	99+	99+
35-49	46	10.1	78	1	1	7	17	22	30	35
50-64	395	12.3	153	2	3	9	15	27	36	87
65+	910	13.4	152	2	3	10	17	29	41	83
GRAND TOTAL	**1369**	**13.0**	**150**	**2**	**3**	**9**	**16**	**28**	**39**	**86**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.9	108	<1	1	4	6	19	36	39
20-34	24	6.1	26	1	2	4	8	12	19	21
35-49	94	7.0	53	1	2	6	8	11	16	45
50-64	334	7.5	46	2	2	6	9	14	20	33
65+	1046	9.6	83	2	3	7	11	18	26	53
B. *Operated*										
0-19 YRS	5	10.8	37	5	5	9	13	21	21	21
20-34	35	6.5	29	1	2	5	8	14	16	26
35-49	68	5.7	14	1	2	5	7	11	13	17
50-64	146	8.2	104	1	2	5	9	18	27	57
65+	155	8.3	57	2	2	6	10	17	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	8.1	46	1	2	7	10	16	27	99+
20-34	105	8.7	46	2	3	8	11	15	19	41
35-49	517	8.9	58	2	3	7	11	16	23	44
50-64	3336	10.7	92	2	3	8	13	21	29	57
65+	16599	12.0	107	3	4	9	14	23	32	69
B. *Operated*										
0-19 YRS	22	10.8	76	1	2	8	15	27	30	33
20-34	66	10.7	115	1	2	9	14	21	32	96
35-49	318	12.0	151	2	3	9	14	26	36	88
50-64	1272	13.2	180	2	3	9	16	27	46	84
65+	3141	16.5	231	3	4	12	21	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1510	8.9	73	2	3	7	11	17	24	47
B. *Operated*	409	7.7	65	1	2	6	9	15	21	39
2. MULTIPLE DX										
A. *Not Operated*	20597	11.7	104	3	4	9	14	23	31	66
B. *Operated*	4819	15.2	213	3	4	11	19	34	53	99+
1. SINGLE DX	1919	8.6	71	2	2	6	10	16	24	46
2. MULTIPLE DX	25416	12.3	126	3	4	9	15	25	35	78
A. NOT OPERATED	22107	11.5	102	3	4	9	14	22	31	65
B. OPERATED	5228	14.6	205	2	3	10	18	33	51	99+
TOTAL 0-19 YRS	79	8.8	63	1	2	7	10	18	30	82
20-34	230	8.7	63	2	2	7	11	17	21	54
35-49	997	9.5	87	2	2	7	11	20	27	66
50-64	5088	11.0	113	2	3	8	13	22	31	68
65+	20941	12.5	127	3	4	9	15	25	36	79
GRAND TOTAL	**27335**	**12.1**	**123**	**3**	**3**	**9**	**15**	**24**	**34**	**76**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.1	68	3	3	8	15	23	29	33
20-34	30	15.8	278	3	3	10	21	38	61	71
35-49	157	13.4	157	2	4	10	16	26	45	67
50-64	1306	15.2	174	3	5	11	19	33	44	85
65+	7207	15.5	161	4	5	12	19	31	43	88
B. *Operated*										
0-19 YRS	10	9.9	39	3	4	9	13	55	96	99+
20-34	32	20.1	290	6	7	15	23	45	63	76
35-49	100	20.3	330	3	5	14	29	48	70	88
50-64	388	20.9	354	4	5	14	29	55	83	99+
65+	1201	22.1	313	5	7	17	30	54	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8720	15.4	163	4	5	12	19	31	43	86
B. *Operated*	1731	21.6	322	4	6	16	30	54	78	99+
1. SINGLE DX										
2. MULTIPLE DX	10451	16.4	195	4	5	12	20	35	49	99+
A. NOT OPERATED	8720	15.4	163	4	5	12	19	31	43	86
B. OPERATED	1731	21.6	322	4	6	16	30	54	78	99+
TOTAL 0-19 YRS	30	10.7	57	3	3	9	14	25	33	99+
20-34	62	18.0	284	3	4	12	21	42	63	75
35-49	257	16.1	234	3	4	11	18	38	54	75
50-64	1694	16.5	220	4	5	12	21	37	52	99+
65+	8408	16.4	188	4	5	12	20	34	48	99+
GRAND TOTAL	**10451**	**16.4**	**195**	**4**	**5**	**12**	**20**	**35**	**49**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	23	1	1	2	3	11	17	17
20-34	87	3.1	6	1	1	2	4	5	9	13
35-49	307	3.4	5	1	1	3	4	6	8	11
50-64	1066	3.6	8	1	1	3	5	7	8	12
65+	2728	4.2	19	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	35	4.1	16	1	1	3	6	7	9	23
35-49	173	4.1	10	1	1	3	5	8	10	17
50-64	594	4.1	9	1	1	3	6	8	10	14
65+	661	4.3	15	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.7	34	1	1	4	7	11	14	37
20-34	211	4.1	13	1	1	3	5	8	10	18
35-49	1145	4.8	13	1	2	4	6	9	11	18
50-64	6283	5.2	19	1	2	4	6	9	12	20
65+	32946	6.4	37	2	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	15	6.1	14	1	2	6	9	11	13	13
20-34	64	4.8	10	1	2	4	7	9	11	15
35-49	555	6.1	25	1	2	5	8	12	15	23
50-64	2957	6.8	33	2	2	5	9	13	17	28
65+	6874	8.8	73	2	2	7	11	17	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4198	4.0	15	1	1	3	5	7	9	17
B. *Operated*	1465	4.2	12	1	1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	40656	6.2	33	2	2	5	7	11	15	29
B. *Operated*	10465	8.0	60	2	2	6	10	16	21	42
1. SINGLE DX	5663	4.0	14	1	1	3	5	8	9	17
2. MULTIPLE DX	51121	6.6	39	2	2	5	8	12	16	33
A. NOT OPERATED	44854	6.0	32	1	2	5	7	11	14	28
B. OPERATED	11930	7.6	55	2	2	6	9	15	20	39
TOTAL 0-19 YRS	98	5.6	29	1	1	4	7	11	14	33
20-34	397	4.0	12	1	1	3	5	8	10	15
35-49	2180	4.9	16	1	2	4	6	9	12	18
50-64	10900	5.4	22	1	2	4	7	10	13	23
65+	43209	6.6	42	2	2	5	8	12	17	35
GRAND TOTAL	**56784**	**6.3**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.7	48	1	2	6	9	14	24	32
20-34	29	5.6	15	1	1	4	9	12	12	14
35-49	109	7.0	69	1	1	5	8	13	20	51
50-64	530	7.9	69	1	2	6	9	16	20	41
65+	1939	9.2	67	2	3	7	11	18	25	46
B. *Operated*										
0-19 YRS	9	6.2	31	1	1	6	9	16	17	17
20-34	12	6.3	10	3	3	5	9	11	12	12
35-49	37	8.3	54	1	2	6	13	18	24	28
50-64	125	8.7	66	1	2	6	11	17	24	44
65+	169	10.4	155	2	2	7	11	22	40	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	8.1	31	1	2	7	11	17	19	23
20-34	81	6.4	28	1	2	5	9	13	15	28
35-49	578	9.4	74	2	3	7	11	17	24	54
50-64	3823	10.6	107	2	3	8	13	21	30	68
65+	21661	11.8	112	3	4	9	14	23	32	71
B. *Operated*										
0-19 YRS	12	12.3	182	1	2	9	19	54	91	99+
20-34	53	11.6	111	2	3	8	15	29	34	51
35-49	193	10.1	68	2	3	8	12	21	25	85
50-64	1134	13.4	175	2	3	9	16	30	46	99+
65+	3162	17.6	251	3	5	13	23	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2626	8.8	68	2	2	7	11	17	24	45
B. *Operated*	352	9.3	106	1	2	6	11	20	28	54
2. MULTIPLE DX										
A. *Not Operated*	26196	11.6	110	3	3	9	14	22	32	70
B. *Operated*	4554	16.2	228	3	4	12	21	37	55	99+
1. SINGLE DX	2978	8.9	72	2	2	7	11	17	24	47
2. MULTIPLE DX	30750	12.2	131	3	3	9	15	24	36	80
A. NOT OPERATED	28822	11.3	107	2	3	8	14	22	31	67
B. OPERATED	4906	15.7	222	3	4	11	20	36	54	99+
TOTAL 0-19 YRS	93	8.3	54	1	2	7	11	17	22	74
20-34	175	7.8	56	1	2	5	10	15	24	36
35-49	917	9.2	72	2	2	7	11	18	24	54
50-64	5612	10.9	119	2	3	8	13	22	32	72
65+	26931	12.3	130	3	4	9	15	24	36	79
GRAND TOTAL	**33728**	**11.9**	**126**	**2**	**3**	**9**	**14**	**24**	**35**	**77**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	11.8	242	1	2	7	11	25	50	71
20-34	26	12.6	208	3	3	9	15	23	35	77
35-49	233	12.2	149	2	3	9	15	25	32	93
50-64	1542	14.5	183	3	4	10	18	31	43	78
65+	8323	15.0	158	3	5	12	19	31	44	99+
B. *Operated*										
0-19 YRS	9	17.3	417	2	3	7	27	52	62	62
20-34	15	12.9	77	4	5	12	16	37	82	99+
35-49	78	17.2	193	3	5	13	25	41	61	99+
50-64	353	19.3	305	4	5	14	27	51	83	99+
65+	1151	22.0	299	5	7	17	30	53	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10150	14.8	162	3	4	11	19	31	43	97
B. *Operated*	1606	21.1	296	5	6	16	29	52	74	99+
1. SINGLE DX										
2. MULTIPLE DX	11756	15.7	185	3	5	12	20	34	48	99+
A. NOT OPERATED	10150	14.8	162	3	4	11	19	31	43	97
B. OPERATED	1606	21.1	296	5	6	16	29	52	74	99+
TOTAL 0-19 YRS	35	13.2	282	1	2	7	14	38	58	71
20-34	41	12.7	157	3	4	10	15	23	54	99+
35-49	311	13.4	164	2	3	10	17	29	42	99+
50-64	1895	15.4	209	3	4	11	19	35	50	99+
65+	9474	15.8	180	3	5	12	20	33	48	99+
GRAND TOTAL	**11756**	**15.7**	**185**	**3**	**5**	**12**	**20**	**34**	**48**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	1	1	3	3	4	5	5
20-34	54	4.0	7	1	1	3	5	8	9	11
35-49	191	3.8	7	1	1	3	5	7	9	15
50-64	304	4.2	10	1	1	3	5	8	10	17
65+	593	5.0	26	1	2	4	6	10	13	27
B. *Operated*										
0-19 YRS	10	5.7	32	2	2	2	11	15	15	15
20-34	45	7.8	52	1	1	6	12	17	18	36
35-49	121	8.2	72	1	2	6	11	19	24	77
50-64	216	6.1	39	1	1	4	9	14	19	30
65+	238	4.8	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.9	29	1	1	4	8	12	22	25
20-34	219	5.0	19	1	1	4	6	9	13	29
35-49	913	5.5	26	1	2	4	7	10	12	31
50-64	2419	6.7	42	2	2	5	8	12	17	38
65+	10310	8.3	69	2	3	6	10	16	23	60
B. *Operated*										
0-19 YRS	26	9.8	114	1	2	5	15	27	30	42
20-34	126	11.8	109	2	2	9	16	27	32	49
35-49	339	12.8	220	2	2	8	15	29	46	85
50-64	982	10.5	131	2	2	7	13	23	34	67
65+	2148	11.1	135	2	2	8	14	24	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	4.5	18	1	1	3	6	9	11	22
B. *Operated*	630	6.1	42	1	1	4	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	13932	7.8	61	2	2	6	9	15	21	51
B. *Operated*	3621	11.1	141	2	2	8	14	24	36	94
1. SINGLE DX	1786	5.1	27	1	1	3	6	11	14	26
2. MULTIPLE DX	17553	8.5	80	2	2	6	10	17	25	61
A. NOT OPERATED	15088	7.5	59	2	2	6	9	14	21	50
B. OPERATED	4251	10.4	130	1	2	7	13	23	33	85
TOTAL 0-19 YRS	121	6.3	48	1	1	4	8	15	24	32
20-34	444	7.1	56	1	1	5	9	16	20	38
35-49	1564	7.1	79	1	2	5	8	14	21	53
50-64	3921	7.4	65	1	2	5	9	15	21	44
65+	13289	8.6	79	2	2	6	10	17	25	67
GRAND TOTAL	**19339**	**8.2**	**76**	**2**	**2**	**6**	**10**	**16**	**24**	**58**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	7	4.0	6	2	2	3	6	8	8	8
50-64	35	3.9	15	1	1	2	5	9	13	19
65+	59	4.2	17	1	1	3	5	9	14	22
B. *Operated*										
0-19 YRS	4	4.3	21	1	1	2	7	11	11	11
20-34	8	9.6	64	1	1	10	15	21	22	22
35-49	110	5.5	25	1	1	4	9	11	12	25
50-64	472	5.2	24	1	1	3	8	12	14	20
65+	499	5.8	38	1	1	3	9	13	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	2	<1	<1	4	4	5	5	5
20-34	6	5.8	25	2	2	3	10	14	14	14
35-49	73	4.8	23	1	1	3	5	9	15	27
50-64	364	5.4	22	1	1	4	7	12	15	21
65+	1504	8.0	68	2	2	6	10	16	23	49
B. *Operated*										
0-19 YRS	23	8.8	54	<1	1	6	15	17	24	28
20-34	49	6.0	38	1	1	3	9	14	15	34
35-49	595	9.3	83	1	2	8	12	18	28	48
50-64	3308	10.9	122	1	2	8	13	22	33	63
65+	6923	14.3	179	2	2	11	18	30	42	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.1	15	1	1	3	5	8	13	20
B. *Operated*	1093	5.5	31	1	1	3	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	1953	7.4	59	1	2	5	9	15	21	40
B. *Operated*	10898	12.9	159	2	2	10	16	28	39	78
1. SINGLE DX	1198	5.4	30	1	1	3	8	12	15	26
2. MULTIPLE DX	12851	12.1	147	1	2	9	15	26	37	75
A. NOT OPERATED	2058	7.2	57	1	2	5	9	14	20	39
B. OPERATED	11991	12.3	152	1	2	9	16	27	37	75
TOTAL 0-19 YRS	34	7.2	44	<1	1	5	11	16	21	28
20-34	66	6.3	39	1	1	4	9	14	19	32
35-49	785	8.3	71	1	2	6	11	17	25	46
50-64	4179	9.7	107	1	2	7	12	20	29	58
65+	8985	12.7	160	1	2	9	16	28	39	80
GRAND TOTAL	**14049**	**11.5**	**141**	**1**	**2**	**9**	**15**	**25**	**35**	**72**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	35	2.7	7	1	1	2	3	6	9	13
65+	100	4.7	20	<1	1	3	6	11	15	20
B. *Operated*										
0-19 YRS										
20-34	4	3.5	14	<1	<1	2	6	9	9	9
35-49	23	7.3	53	1	1	7	10	13	22	34
50-64	380	9.1	23	1	2	9	11	14	17	25
65+	679	10.0	35	1	2	10	13	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	3.1	6	<1	<1	3	5	7	7	7
35-49	23	4.5	13	<1	<1	4	7	9	12	15
50-64	219	5.5	51	1	1	3	7	11	14	45
65+	1389	7.1	44	1	2	5	9	14	20	39
B. *Operated*										
0-19 YRS	15	9.0	69	1	1	8	12	17	28	32
20-34	27	14.4	115	1	2	12	20	33	35	36
35-49	96	13.6	146	2	2	10	17	29	39	92
50-64	2075	13.3	88	2	5	11	15	23	31	61
65+	6033	15.3	120	2	5	13	18	27	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	4.2	17	<1	1	3	5	10	14	19
B. *Operated*	1086	9.6	31	1	2	10	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	1640	6.8	45	1	1	5	9	14	19	39
B. *Operated*	8246	14.8	113	2	5	12	17	26	35	67
1. SINGLE DX	1224	9.0	32	1	2	9	12	15	18	26
2. MULTIPLE DX	9886	13.4	110	2	3	11	16	25	33	63
A. NOT OPERATED	1778	6.6	43	1	1	5	8	14	19	39
B. OPERATED	9332	14.2	106	2	4	12	17	25	33	65
TOTAL 0-19 YRS	18	7.8	65	1	1	5	12	17	26	32
20-34	39	10.9	109	<1	<1	8	15	29	35	36
35-49	143	11.1	122	1	2	9	14	26	34	85
50-64	2709	12.0	82	2	2	10	14	21	28	52
65+	8201	13.3	110	2	3	11	16	24	33	62
GRAND TOTAL	**11110**	**12.9**	**104**	**2**	**3**	**11**	**16**	**24**	**32**	**60**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	14	2.7	4	<1	<1	2	3	6	7	8
65+	8	3.9	20	2	2	2	3	11	15	15
B. *Operated*										
0-19 YRS	24	5.0	29	<1	1	3	5	14	17	22
20-34	46	7.1	78	1	1	4	9	20	24	45
35-49	70	8.1	39	1	2	7	10	17	21	29
50-64	174	7.1	33	1	2	6	10	13	16	25
65+	178	7.4	31	1	2	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	31	4	4	5	11	16	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	36	5.7	73	1	1	3	6	11	14	51
65+	101	6.7	63	1	1	5	8	14	20	50
B. *Operated*										
0-19 YRS	21	11.1	104	2	2	8	15	27	36	38
20-34	56	13.4	174	2	3	9	15	31	47	59
35-49	181	11.6	143	1	2	9	15	23	35	81
50-64	623	11.4	99	2	2	9	14	20	29	50
65+	1123	13.2	135	2	3	10	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.9	8	<1	<1	2	3	5	8	15
B. *Operated*	492	7.2	37	1	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	146	6.4	63	1	1	4	8	13	17	51
B. *Operated*	2004	12.5	126	2	2	10	16	24	33	60
1. SINGLE DX	522	7.0	36	1	1	6	10	14	17	26
2. MULTIPLE DX	2150	12.1	124	2	2	9	15	23	33	59
A. NOT OPERATED	176	5.8	55	1	1	4	7	11	15	49
B. OPERATED	2496	11.5	113	2	2	9	14	22	30	56
TOTAL 0-19 YRS	49	7.8	68	1	2	4	13	16	23	38
20-34	104	10.4	138	1	1	6	13	26	36	57
35-49	262	10.3	114	1	2	8	13	21	27	72
50-64	847	10.1	87	1	2	8	13	19	26	47
65+	1410	12.0	122	2	2	9	15	23	32	57
GRAND TOTAL	**2672**	**11.1**	**111**	**1**	**2**	**9**	**14**	**22**	**30**	**55**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	7.1	29	1	1	6	9	17	19	20
35-49	46	5.3	16	1	1	4	9	10	13	17
50-64	96	4.5	19	1	1	3	6	10	13	23
65+	124	5.5	16	1	1	4	8	11	13	17
B. *Operated*										
0-19 YRS	14	6.7	23	1	1	6	10	13	15	15
20-34	77	6.4	26	1	1	6	9	12	17	24
35-49	410	6.2	21	1	1	6	9	12	14	20
50-64	1323	7.2	32	1	1	7	10	13	17	27
65+	1235	7.5	42	1	1	7	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.1	18	1	2	7	9	14	15	15
20-34	45	7.2	18	1	2	8	10	12	15	18
35-49	122	6.6	20	1	2	6	9	12	15	21
50-64	418	6.6	37	1	1	5	9	13	16	29
65+	1021	8.2	54	1	2	7	11	15	19	42
B. *Operated*										
0-19 YRS	32	6.2	33	1	1	5	8	10	24	26
20-34	178	12.0	193	1	2	8	14	23	43	70
35-49	1194	10.6	103	2	2	9	13	20	27	59
50-64	5709	11.2	95	2	2	9	14	21	28	59
65+	10518	13.4	134	2	2	11	17	26	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	5.3	19	1	1	4	8	11	13	20
B. *Operated*	3059	7.2	34	1	1	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1619	7.6	46	1	2	6	10	14	18	32
B. *Operated*	17631	12.5	121	2	2	10	15	24	33	67
1. SINGLE DX	3352	7.0	33	1	1	6	10	13	17	26
2. MULTIPLE DX	19250	12.1	117	2	2	10	15	24	32	65
A. NOT OPERATED	1912	7.3	43	1	2	6	10	14	18	31
B. OPERATED	20690	11.7	112	1	2	10	15	23	31	62
TOTAL 0-19 YRS	59	6.5	27	1	1	5	9	13	15	26
20-34	327	9.6	123	1	2	7	11	18	27	63
35-49	1772	9.2	80	1	2	8	11	17	24	49
50-64	7546	10.2	83	1	2	9	13	19	26	53
65+	12898	12.4	123	2	2	10	16	25	33	68
GRAND TOTAL	**22602**	**11.3**	**108**	**1**	**2**	**9**	**14**	**22**	**30**	**60**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	5.7	19	1	2	5	8	11	14	19
20-34	92	4.5	13	1	1	3	5	9	12	19
35-49	114	4.6	20	1	1	3	5	9	13	25
50-64	164	3.7	9	<1	1	3	5	7	9	16
65+	195	4.7	41	1	1	3	6	10	13	21
B. *Operated*										
0-19 YRS	76	5.9	43	1	1	3	8	11	17	37
20-34	149	6.1	47	1	1	4	7	14	23	35
35-49	352	4.9	23	1	1	3	7	10	12	24
50-64	870	5.0	26	1	1	3	7	11	14	27
65+	869	5.5	36	1	1	3	7	13	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	6.2	29	1	2	5	8	14	17	28
20-34	199	6.1	67	<1	1	4	7	11	15	58
35-49	420	5.8	29	<1	1	4	7	12	15	32
50-64	1021	6.0	37	1	1	4	7	12	17	28
65+	2573	7.5	55	1	2	6	9	15	20	39
B. *Operated*										
0-19 YRS	115	8.0	74	1	2	5	10	16	27	43
20-34	286	10.8	128	1	2	7	14	24	35	55
35-49	915	8.9	96	1	2	6	11	20	26	52
50-64	3465	9.9	112	1	2	7	13	20	30	58
65+	6459	12.4	159	2	2	9	16	27	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	4.9	22	1	1	4	6	10	13	20
B. *Operated*	2316	5.3	31	1	1	3	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	4491	6.9	48	1	2	5	9	14	19	34
B. *Operated*	11240	11.2	140	1	2	8	14	24	35	68
1. SINGLE DX	3234	5.2	29	1	1	3	7	11	15	26
2. MULTIPLE DX	15731	10.0	117	1	2	7	13	22	31	62
A. NOT OPERATED	5409	6.5	44	1	2	5	8	13	18	33
B. OPERATED	13556	10.2	126	1	2	7	13	22	32	63
TOTAL 0-19 YRS	822	6.2	33	1	2	5	8	13	17	33
20-34	726	7.7	86	1	1	5	9	17	25	50
35-49	1801	7.1	65	1	1	5	9	16	22	40
50-64	5520	8.2	86	1	2	5	11	17	25	50
65+	10096	10.4	127	1	2	7	13	23	32	67
GRAND TOTAL	**18965**	**9.2**	**105**	**1**	**2**	**6**	**12**	**20**	**29**	**57**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	6.0	17	1	2	5	8	11	13	21
20-34	1192	6.7	13	2	2	6	9	11	13	18
35-49	1688	7.4	18	2	3	7	9	12	14	21
50-64	1684	7.6	15	3	3	7	10	12	15	20
65+	1457	7.7	13	3	4	7	10	12	15	19
B. *Operated*										
0-19 YRS	76	7.1	15	1	2	7	9	13	14	18
20-34	563	6.9	19	1	2	7	10	12	14	22
35-49	692	7.1	20	1	2	7	9	13	15	21
50-64	718	7.6	23	1	2	7	10	13	15	24
65+	539	7.8	18	2	2	8	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	7.4	19	2	2	7	10	14	15	20
20-34	1374	8.3	29	2	3	8	10	14	17	28
35-49	2765	8.6	23	3	4	8	11	15	17	25
50-64	5034	9.0	26	3	4	8	11	15	18	26
65+	8405	9.6	34	3	4	8	11	16	19	33
B. *Operated*										
0-19 YRS	61	10.0	54	2	3	9	12	18	23	43
20-34	792	9.3	45	2	3	8	12	17	21	38
35-49	1474	9.9	58	2	3	8	12	18	25	41
50-64	2519	10.2	54	2	3	9	12	18	23	41
65+	3929	11.5	66	3	4	10	14	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6154	7.4	15	2	3	7	9	12	14	20
B. *Operated*	2588	7.4	20	1	2	7	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	17699	9.2	30	3	4	8	11	15	18	28
B. *Operated*	8775	10.6	60	2	3	9	13	19	24	45
1. SINGLE DX	8742	7.4	17	2	3	7	9	12	14	20
2. MULTIPLE DX	26474	9.6	40	3	4	8	12	16	20	35
A. NOT OPERATED	23853	8.7	27	3	4	8	11	14	17	26
B. OPERATED	11363	9.9	53	2	3	9	12	17	22	41
TOTAL 0-19 YRS	391	7.3	24	1	2	7	10	13	16	24
20-34	3921	7.8	27	2	2	7	10	13	16	27
35-49	6619	8.5	30	2	3	8	11	14	18	28
50-64	9955	9.0	32	3	4	8	11	15	18	29
65+	14330	9.8	41	3	4	9	12	16	20	36
GRAND TOTAL	**35216**	**9.1**	**35**	**2**	**3**	**8**	**11**	**15**	**19**	**31**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	38	4.9	15	1	1	4	5	11	13	18
35-49	59	6.2	27	1	1	5	8	13	17	24
50-64	105	7.5	34	1	2	6	11	15	19	28
65+	192	10.8	105	1	3	8	13	20	27	61
B. *Operated*										
0-19 YRS	89	2.9	2	1	1	3	4	5	5	7
20-34	2040	3.4	5	1	1	3	4	5	7	11
35-49	3148	3.8	7	1	2	3	4	6	8	14
50-64	2246	4.7	20	1	2	4	5	7	11	23
65+	759	7.8	62	2	2	5	9	19	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.0	19	1	1	7	11	12	12	12
20-34	91	6.2	53	<1	<1	4	7	14	23	37
35-49	303	8.4	45	1	1	7	11	16	21	32
50-64	649	9.7	62	2	3	8	12	18	24	45
65+	2203	11.2	78	3	4	9	14	21	28	46
B. *Operated*										
0-19 YRS	18	6.3	49	1	1	3	10	17	23	26
20-34	612	5.3	32	1	1	4	5	10	16	31
35-49	1495	5.9	37	1	2	4	6	11	17	32
50-64	1898	8.5	89	2	2	5	10	20	27	52
65+	2140	15.5	199	3	3	11	21	35	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	8.6	70	1	2	7	11	17	21	41
B. *Operated*	8282	4.3	16	1	2	3	5	7	10	23
2. MULTIPLE DX										
A. *Not Operated*	3254	10.5	73	2	3	8	13	20	27	43
B. *Operated*	6163	10.0	126	2	2	5	12	24	34	60
1. SINGLE DX	8678	4.5	20	1	2	3	5	7	11	24
2. MULTIPLE DX	9417	10.2	108	2	2	7	13	22	30	57
A. NOT OPERATED	3650	10.3	73	2	3	8	13	20	26	42
B. OPERATED	14445	6.7	71	1	2	4	6	15	23	46
TOTAL 0-19 YRS	117	3.6	12	1	1	3	4	6	11	21
20-34	2781	3.9	14	1	1	3	4	6	8	21
35-49	5005	4.7	20	1	2	4	5	8	12	25
50-64	4898	6.9	57	2	2	4	7	14	21	41
65+	5294	12.4	133	2	3	9	16	26	36	63
GRAND TOTAL	**18095**	**7.4**	**74**	**1**	**2**	**4**	**8**	**17**	**24**	**45**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.3	2	1	1	2	3	4	5	7
20-34	226	2.5	2	1	1	2	3	4	5	7
35-49	277	2.8	4	<1	1	2	4	6	7	9
50-64	226	2.9	5	<1	<1	2	4	5	7	12
65+	145	3.1	9	<1	<1	2	4	6	8	17
B. *Operated*										
0-19 YRS	68	3.2	3	1	1	3	4	6	6	9
20-34	1305	3.9	3	1	2	4	5	6	7	9
35-49	1750	4.2	4	1	2	4	5	6	8	10
50-64	1076	4.2	4	1	2	4	5	7	8	11
65+	372	4.5	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.2	3	1	1	3	4	6	7	8
20-34	393	3.2	5	<1	1	3	4	6	7	11
35-49	732	3.8	8	1	1	3	5	7	9	15
50-64	933	3.9	9	1	1	3	5	7	9	14
65+	1403	4.7	18	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	156	4.1	4	1	2	4	5	6	8	10
20-34	5161	4.4	4	2	2	4	5	7	8	11
35-49	8894	4.7	7	2	2	4	6	7	9	14
50-64	7011	5.1	8	2	2	5	6	8	10	15
65+	3836	6.3	21	2	3	5	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	914	2.8	4	<1	1	2	3	5	7	10
B. *Operated*	4571	4.1	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	3504	4.1	12	1	1	3	5	8	10	17
B. *Operated*	25058	5.0	9	2	2	4	6	8	10	16
1. SINGLE DX	5485	3.9	4	1	1	4	5	6	8	10
2. MULTIPLE DX	28562	4.9	10	2	2	4	6	8	10	16
A. NOT OPERATED	4418	3.8	11	1	1	3	5	7	9	16
B. OPERATED	29629	4.9	8	2	2	4	6	8	10	15
TOTAL 0-19 YRS	307	3.6	4	1	1	3	5	6	7	9
20-34	7085	4.2	4	1	2	4	5	7	8	11
35-49	11653	4.6	7	1	2	4	5	7	9	13
50-64	9246	4.8	8	1	2	4	6	8	10	15
65+	5756	5.7	20	1	2	5	7	10	13	23
GRAND TOTAL	**34047**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	15	1	1	3	6	9	13	19
20-34	446	6.5	21	1	1	6	9	12	14	20
35-49	483	6.4	16	1	2	6	9	11	13	18
50-64	536	6.6	20	1	1	6	9	12	14	23
65+	659	7.0	31	1	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	532	2.4	5	<1	1	2	3	4	7	13
20-34	1342	3.6	13	<1	1	2	4	9	11	18
35-49	691	5.0	24	1	1	3	8	11	14	24
50-64	527	6.3	21	1	1	5	10	12	14	20
65+	427	7.7	32	1	2	7	11	14	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.3	26	1	1	3	5	9	11	21
20-34	932	6.7	31	1	1	5	9	13	16	29
35-49	1614	6.9	31	1	2	6	9	13	17	26
50-64	3430	7.2	32	1	2	6	9	13	17	26
65+	8585	7.3	33	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	308	6.1	76	1	1	3	7	15	21	50
20-34	1610	5.6	41	1	1	3	8	13	17	30
35-49	1484	8.5	58	1	2	7	11	17	23	40
50-64	2368	10.7	85	2	2	9	13	20	27	50
65+	3900	11.8	105	2	3	9	14	22	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	6.5	23	1	1	6	9	12	14	20
B. *Operated*	3519	4.6	20	1	1	2	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	14877	7.1	32	1	2	6	9	13	17	28
B. *Operated*	9670	9.8	87	1	2	8	13	19	26	49
1. SINGLE DX	5788	5.3	22	1	1	4	8	11	13	20
2. MULTIPLE DX	24547	8.2	56	1	2	7	10	16	20	38
A. NOT OPERATED	17146	7.0	31	1	2	6	9	13	16	27
B. OPERATED	13189	8.4	75	1	1	7	11	17	23	45
TOTAL 0-19 YRS	1301	3.9	30	1	1	2	4	9	12	25
20-34	4330	5.3	30	1	1	3	7	12	15	27
35-49	4272	7.1	39	1	1	6	9	14	18	32
50-64	6861	8.3	52	1	2	7	11	16	20	37
65+	13571	8.6	58	2	2	7	11	16	21	40
GRAND TOTAL	**30335**	**7.6**	**51**	**1**	**2**	**6**	**10**	**15**	**19**	**36**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9291	2.5	3	1	1	2	3	4	5	8
20-34	1539	3.1	3	1	1	3	4	5	6	8
35-49	607	3.4	4	1	1	3	4	6	7	10
50-64	282	3.9	6	1	2	3	5	7	8	12
65+	220	4.3	8	1	1	4	5	7	9	16
B. *Operated*										
0-19 YRS	1492	1.8	2	<1	1	2	2	3	4	8
20-34	553	2.3	3	1	1	2	2	4	6	10
35-49	141	3.2	6	1	1	2	4	6	8	12
50-64	72	2.9	5	<1	1	2	3	6	8	11
65+	32	3.5	10	1	1	2	4	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18390	3.3	5	1	1	3	4	6	7	11
20-34	3995	3.6	5	1	2	3	4	6	8	12
35-49	2279	4.3	7	1	2	4	5	7	9	14
50-64	2354	5.4	15	2	2	4	7	10	12	18
65+	3510	6.6	26	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	1636	3.2	19	1	1	2	3	7	11	23
20-34	622	4.5	26	1	1	3	5	9	13	27
35-49	354	5.9	27	1	1	4	8	12	16	26
50-64	386	7.8	73	1	1	5	10	16	24	54
65+	387	9.6	80	2	2	7	12	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11939	2.7	4	1	1	2	3	5	6	8
B. *Operated*	2290	2.1	3	<1	1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	30528	3.9	10	1	1	3	5	7	9	15
B. *Operated*	3385	5.0	39	1	1	3	6	11	16	34
1. SINGLE DX	14229	2.6	4	1	1	2	3	5	6	8
2. MULTIPLE DX	33913	4.0	13	1	1	3	5	7	10	17
A. NOT OPERATED	42467	3.6	8	1	1	3	4	6	8	14
B. OPERATED	5675	3.8	27	1	1	2	4	9	13	26
TOTAL 0-19 YRS	30809	3.0	5	1	1	2	4	5	7	11
20-34	6709	3.5	6	1	1	3	4	6	7	12
35-49	3381	4.3	9	1	2	4	5	7	10	16
50-64	3094	5.5	22	1	2	4	7	10	13	22
65+	4149	6.7	31	2	2	5	8	12	16	27
GRAND TOTAL	**48142**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12512	3.5	5	1	1	3	4	6	7	10
20-34	933	3.8	7	1	2	3	4	6	7	10
35-49	910	4.1	5	2	2	4	5	7	8	12
50-64	799	4.7	7	2	2	4	6	8	9	13
65+	922	5.2	9	2	2	5	6	9	10	16
B. *Operated*										
0-19 YRS	58	3.8	9	<1	1	3	5	8	9	17
20-34	21	4.8	21	1	1	4	5	8	15	23
35-49	37	5.7	19	1	2	4	7	12	15	19
50-64	34	5.9	29	1	1	4	9	12	14	26
65+	31	5.6	40	<1	1	3	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16064	4.2	7	1	2	4	5	7	9	13
20-34	3222	4.7	10	2	2	4	6	8	10	16
35-49	4749	5.4	11	2	2	5	7	9	11	17
50-64	11208	6.6	22	2	3	5	8	12	15	23
65+	24101	7.4	28	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	220	8.5	74	2	2	6	10	17	23	46
20-34	215	7.5	34	2	2	6	10	14	20	30
35-49	475	7.7	34	2	2	6	9	15	21	32
50-64	1043	9.9	72	2	3	8	12	19	25	46
65+	1838	12.3	96	3	4	10	16	25	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16076	3.7	6	1	2	3	5	6	7	11
B. *Operated*	181	5.0	22	1	1	3	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	59344	6.1	20	2	2	5	7	11	14	22
B. *Operated*	3791	10.6	80	2	3	8	13	21	28	52
1. SINGLE DX	16257	3.7	6	1	2	3	5	6	7	11
2. MULTIPLE DX	63135	6.3	25	2	2	5	8	11	15	26
A. NOT OPERATED	75420	5.5	18	2	2	5	7	10	13	21
B. OPERATED	3972	10.3	79	2	3	8	13	21	27	50
TOTAL 0-19 YRS	28854	3.9	7	1	2	3	5	7	8	12
20-34	4391	4.6	11	2	2	4	6	8	10	17
35-49	6171	5.4	13	2	2	5	7	9	11	19
50-64	13084	6.7	26	2	3	6	8	12	15	26
65+	26892	7.6	33	2	3	6	9	13	17	31
GRAND TOTAL	**79392**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	1758	1.9	1	1	1	2	2	3	4	5
20-34	3912	2.0	1	1	1	2	2	3	4	5
35-49	1931	1.9	1	1	1	2	2	3	4	4
50-64	874	2.0	1	1	1	2	3	3	4	5
65+	206	2.1	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.3	1	<1	<1	1	1	2	3	5
20-34	87	1.4		<1	<1	1	2	2	3	4
35-49	66	1.3		<1	<1	1	1	2	3	4
50-64	47	2.2	4	<1	<1	1	3	5	6	9
65+	22	2.7	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	3592	2.0	1	1	1	2	3	3	4	5
20-34	9228	2.1	2	1	1	2	3	3	4	6
35-49	5897	2.2	2	1	1	2	3	4	4	6
50-64	3158	2.4	2	1	1	2	3	4	5	8
65+	970	2.5	3	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	8681	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	275	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	22845	2.2	2	1	1	2	3	3	4	6
1. SINGLE DX	8699	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	23120	2.2	2	1	1	2	3	3	4	6
A. NOT OPERATED	293	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	31526	2.1	2	1	1	2	3	3	4	6
TOTAL 0-19 YRS	5407	2.0	1	1	1	2	3	3	4	5
20-34	13233	2.1	1	1	1	2	3	3	4	5
35-49	7896	2.1	2	1	1	2	3	3	4	6
50-64	4083	2.3	2	1	1	2	3	4	4	7
65+	1200	2.5	3	1	1	2	3	4	5	10
GRAND TOTAL	**31819**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	96	1.9	1	<1	1	2	2	3	4	5
20-34	170	2.0	1	<1	1	2	2	4	4	6
35-49	229	2.0	1	<1	<1	2	2	4	4	6
50-64	307	2.0	1	<1	1	2	2	4	4	7
65+	167	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	12	3.5	3	<1	<1	4	5	6	6	6
35-49	19	2.9	25	<1	<1	1	3	5	15	23
50-64	18	3.7	24	<1	<1	2	5	6	16	22
65+	15	2.3	4	<1	1	1	3	5	7	7
B. *Operated*										
0-19 YRS	268	2.4	2	<1	1	2	3	4	5	8
20-34	603	2.3	3	<1	1	2	3	4	5	8
35-49	839	2.4	2	1	1	2	3	4	5	9
50-64	1028	2.6	3	1	1	2	3	4	5	10
65+	622	2.9	5	1	1	2	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	969	2.0	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	72	3.0	14	<1	<1	2	4	5	7	23
B. *Operated*	3360	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	974	2.0	1	<1	1	2	2	4	4	6
2. MULTIPLE DX	3432	2.5	3	1	1	2	3	4	5	9
A. NOT OPERATED	77	2.9	13	<1	<1	2	4	5	6	23
B. OPERATED	4329	2.4	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	374	2.2	2	<1	1	2	3	4	4	8
20-34	786	2.3	2	<1	1	2	3	4	5	7
35-49	1088	2.3	3	<1	1	2	3	4	5	9
50-64	1353	2.5	3	1	1	2	3	4	5	9
65+	805	2.8	4	1	1	2	3	5	6	9
GRAND TOTAL	**4406**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	1.7	1	<1	<1	1	2	3	4	6
20-34	59	2.2	1	<1	1	2	3	4	4	6
35-49	15	2.3	1	1	1	2	3	4	5	5
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	45793	1.5	1	<1	1	1	2	2	2	3
20-34	10998	1.7	1	1	1	2	2	3	3	4
35-49	1164	1.8	1	1	1	2	2	3	3	6
50-64	199	2.1	2	1	1	2	3	3	4	7
65+	86	1.8	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1016	1.6	2	<1	<1	1	1	3	4	7
20-34	163	1.9	2	<1	<1	1	3	4	5	7
35-49	32	2.0	2	<1	<1	2	2	4	5	7
50-64	9	2.8	2	<1	<1	3	4	5	5	5
65+	6	7.2	45	<1	<1	5	12	17	18	18
B. *Operated*										
0-19 YRS	30107	1.5	1	<1	1	1	2	2	3	4
20-34	2798	2.0	2	1	1	2	2	3	4	7
35-49	526	2.5	4	1	1	2	3	4	6	11
50-64	128	2.8	6	1	1	2	4	6	8	12
65+	75	3.4	45	1	1	2	3	6	9	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	58240	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1226	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	33634	1.6	1	<1	1	1	2	2	3	5
1. SINGLE DX	58512	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	34860	1.6	1	<1	1	1	2	2	3	5
A. NOT OPERATED	1498	1.7	2	<1	<1	1	2	3	5	7
B. OPERATED	91874	1.6	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	77112	1.5	1	<1	1	1	2	2	2	4
20-34	14018	1.8	1	1	1	2	2	3	3	5
35-49	1737	2.1	2	1	1	2	2	3	4	8
50-64	336	2.4	3	1	1	2	3	4	6	10
65+	169	2.7	23	1	1	2	2	5	7	17
GRAND TOTAL	**93372**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1650	2.8	3	<1	1	3	4	5	6	8
20-34	1147	3.1	3	1	1	3	4	5	6	9
35-49	490	3.1	4	1	1	3	4	5	7	10
50-64	211	3.3	7	<1	1	3	4	6	8	13
65+	144	2.9	4	<1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	1955	2.5	8	<1	1	2	3	4	6	13
20-34	2957	2.3	3	<1	1	2	3	4	5	8
35-49	2493	2.2	3	<1	1	2	3	4	5	9
50-64	2242	2.1	5	<1	1	2	2	4	5	9
65+	1085	2.2	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1860	3.7	6	1	1	3	5	7	8	14
20-34	1220	3.8	5	1	2	3	5	7	8	12
35-49	917	4.2	7	1	1	4	5	8	9	13
50-64	863	4.9	16	1	1	4	6	9	12	20
65+	838	5.2	16	1	2	4	7	10	13	18
B. *Operated*										
0-19 YRS	2426	3.2	19	<1	1	2	3	6	9	21
20-34	3608	2.7	8	1	1	2	3	5	6	13
35-49	3470	2.9	9	1	1	2	3	5	7	15
50-64	3376	3.5	18	1	1	2	4	7	11	21
65+	2422	4.4	37	1	1	2	4	9	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3642	3.0	3	1	1	3	4	5	6	9
B. *Operated*	10732	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	5698	4.2	9	1	1	3	5	8	10	15
B. *Operated*	15302	3.3	17	1	1	2	3	6	9	20
1. SINGLE DX	14374	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	21000	3.5	15	1	1	2	4	7	10	19
A. NOT OPERATED	9340	3.7	7	1	1	3	5	7	9	14
B. OPERATED	26034	2.8	12	<1	1	2	3	5	8	17
TOTAL 0-19 YRS	7891	3.1	10	<1	1	2	4	6	7	15
20-34	8932	2.7	5	1	1	2	3	5	6	11
35-49	7370	2.8	7	<1	1	2	3	5	7	13
50-64	6692	3.2	14	<1	1	2	4	6	9	18
65+	4489	4.0	25	1	1	2	4	8	13	25
GRAND TOTAL	**35374**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23493	3.9	5	1	2	3	5	7	8	11
20-34	4919	4.7	7	2	2	4	6	8	9	14
35-49	3611	5.2	9	2	2	5	7	9	10	16
50-64	3509	5.8	10	2	3	5	7	10	11	16
65+	5124	6.9	17	2	3	6	8	12	14	21
B. *Operated*										
0-19 YRS	140	5.7	23	1	1	5	8	11	14	22
20-34	147	7.6	32	2	2	6	10	17	19	28
35-49	190	8.4	37	1	2	7	11	16	20	30
50-64	312	8.3	34	1	2	7	11	16	20	27
65+	315	9.4	45	2	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33689	4.7	12	2	2	4	6	8	11	16
20-34	7447	6.1	19	2	2	5	7	11	14	22
35-49	9012	6.9	22	2	3	6	8	12	15	25
50-64	19646	7.9	30	3	3	7	10	14	17	28
65+	72007	9.7	50	3	4	8	12	17	21	38
B. *Operated*										
0-19 YRS	856	11.9	123	2	3	9	15	24	33	76
20-34	869	14.4	173	3	4	10	18	30	42	85
35-49	1359	14.3	148	3	4	11	17	26	38	74
50-64	3475	14.9	142	3	5	12	18	29	39	74
65+	8995	17.6	179	4	6	14	22	34	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40656	4.7	9	2	2	4	6	8	10	15
B. *Operated*	1104	8.2	37	1	2	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	141801	7.9	39	2	3	6	10	14	18	31
B. *Operated*	15554	16.2	168	4	5	13	20	32	44	87
1. SINGLE DX	41760	4.8	10	2	2	4	6	8	10	16
2. MULTIPLE DX	157355	8.7	58	2	3	7	11	16	21	41
A. NOT OPERATED	182457	7.2	34	2	2	6	9	13	17	29
B. OPERATED	16658	15.7	163	3	5	12	20	31	42	86
TOTAL 0-19 YRS	58178	4.5	12	1	2	4	5	8	10	16
20-34	13382	6.1	30	2	2	5	7	11	14	29
35-49	14172	7.2	37	2	3	6	9	13	17	31
50-64	26942	8.6	48	3	3	7	10	15	20	37
65+	86441	10.4	68	3	4	8	12	19	24	48
GRAND TOTAL	**199115**	**7.9**	**50**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	857	2.9	3	1	1	3	4	5	6	9
20-34	700	3.2	3	1	1	3	4	5	6	9
35-49	446	3.5	5	1	1	3	4	6	7	10
50-64	336	4.1	7	2	2	3	5	7	9	15
65+	404	4.6	8	2	2	4	6	8	9	15
B. *Operated*										
0-19 YRS	5	10.2	243	2	2	3	13	38	38	38
20-34	8	2.9	4	1	1	3	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	6.8	21	2	2	6	11	13	13	13
65+	4	9.5	26	3	3	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1848	3.3	4	1	1	3	4	5	7	11
20-34	1742	3.5	5	1	1	3	4	6	7	11
35-49	1197	4.4	7	2	2	4	5	8	9	13
50-64	1766	5.0	10	2	2	4	6	9	11	17
65+	4107	6.3	21	2	3	5	8	12	14	23
B. *Operated*										
0-19 YRS	26	7.4	48	1	3	5	8	14	28	29
20-34	53	6.9	41	1	2	5	8	15	20	32
35-49	46	8.9	54	2	3	6	11	18	23	39
50-64	90	9.6	44	2	3	8	13	19	24	32
65+	181	13.7	121	4	5	11	16	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2743	3.5	5	1	1	3	4	6	7	11
B. *Operated*	24	6.5	61	1	1	4	8	13	21	38
2. MULTIPLE DX										
A. *Not Operated*	10660	4.9	14	1	2	4	6	9	12	19
B. *Operated*	396	10.9	87	2	3	8	13	21	28	48
1. SINGLE DX	2767	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	11056	5.1	18	1	2	4	6	9	12	21
A. NOT OPERATED	13403	4.6	12	1	2	4	6	8	11	18
B. OPERATED	420	10.6	87	2	3	8	13	21	28	47
TOTAL 0-19 YRS	2736	3.2	5	1	1	3	4	5	7	10
20-34	2503	3.5	5	1	1	3	4	6	7	12
35-49	1690	4.3	9	1	2	4	5	8	9	14
50-64	2198	5.1	12	2	2	4	6	9	12	18
65+	4696	6.5	26	2	2	5	8	12	15	26
GRAND TOTAL	**13823**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2223	3.1	4	1	1	3	4	5	6	9
20-34	337	3.7	5	1	2	3	5	6	7	11
35-49	428	4.2	7	1	2	4	5	7	9	13
50-64	854	5.5	10	2	2	5	7	9	11	19
65+	907	5.9	17	2	2	5	7	10	13	20
B. Operated										
0-19 YRS	36	2.7	7	<1	<1	2	3	5	9	14
20-34	44	4.1	19	1	1	3	5	8	10	26
35-49	75	4.3	20	<1	<1	3	5	8	14	24
50-64	127	3.8	11	<1	1	3	5	8	11	16
65+	108	4.5	14	<1	1	3	7	9	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3303	3.9	7	1	2	3	5	7	8	13
20-34	1061	4.4	9	1	2	4	5	8	10	15
35-49	1741	5.7	21	2	2	5	7	10	13	21
50-64	4864	6.9	30	2	3	6	8	12	16	29
65+	9985	7.7	35	2	3	6	9	14	18	32
B. Operated										
0-19 YRS	78	6.7	112	1	2	4	7	12	20	70
20-34	157	6.1	23	1	2	5	8	13	16	24
35-49	390	7.8	63	1	2	6	10	15	23	51
50-64	905	8.6	78	1	2	6	11	17	25	52
65+	1314	10.8	115	2	2	8	13	23	32	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4749	4.2	9	1	2	3	5	7	9	15
B. Operated	390	4.0	14	<1	1	3	5	9	11	19
2. MULTIPLE DX										
A. Not Operated	20954	6.6	29	2	2	5	8	12	16	27
B. Operated	2844	9.3	93	1	2	7	12	19	28	59
1. SINGLE DX	5139	4.2	10	1	1	3	5	8	9	16
2. MULTIPLE DX	23798	6.9	38	2	2	5	8	13	17	32
A. NOT OPERATED	25703	6.2	26	2	2	5	8	11	15	26
B. OPERATED	3234	8.7	87	1	2	6	11	18	26	53
TOTAL 0-19 YRS	5640	3.6	7	1	1	3	4	6	8	12
20-34	1599	4.4	10	1	2	4	5	8	10	17
35-49	2634	5.7	26	1	2	4	7	10	14	26
50-64	6750	6.9	34	2	2	5	8	12	16	31
65+	12314	7.9	44	2	3	6	10	14	19	36
GRAND TOTAL	**28937**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	17	<1	<1	3	7	9	9	9
20-34	6	3.2	9	1	1	2	3	8	9	9
35-49	64	4.2	4	1	2	4	5	7	8	9
50-64	322	6.5	17	2	2	5	8	12	15	20
65+	429	6.9	38	2	2	5	8	13	17	27
B. Operated										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	16	8.9	28	2	3	8	10	14	22	25
35-49	26	7.7	10	3	3	8	9	12	14	16
50-64	25	8.2	118	1	1	6	10	19	65	99+
65+	13	5.8	22	1	1	4	9	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.4	24	1	2	4	5	[illegible]	18	18
20-34	29	4.9	7	1	2	4	7	[illegible]	10	11
35-49	275	7.4	55	2	2	5	8	[illegible]	22	41
50-64	2276	8.5	53	2	3	7	10	15	20	38
65+	5168	8.8	53	2	3	7	11	16	22	41
B. Operated										
0-19 YRS	16	10.1	38	2	4	9	14	18	22	24
20-34	68	11.1	35	4	5	9	14	21	23	28
35-49	107	15.4	197	3	4	11	21	33	40	92
50-64	320	14.9	206	2	4	10	18	33	47	98
65+	565	16.6	209	3	5	12	20	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	824	6.5	27	2	2	5	8	12	15	25
B. Operated	83	7.8	47	1	2	7	10	12	17	85
2. MULTIPLE DX										
A. Not Operated	7757	8.7	53	2	3	7	10	16	21	40
B. Operated	1076	15.5	195	3	4	11	19	35	47	99
1. SINGLE DX	907	6.6	29	2	2	5	8	12	15	25
2. MULTIPLE DX	8833	9.5	76	2	3	7	11	18	25	50
A. NOT OPERATED	8581	8.5	51	2	3	7	10	15	21	39
B. OPERATED	1159	15.0	189	3	4	11	18	33	46	99
TOTAL 0-19 YRS	31	8.1	33	1	2	6	11	18	18	24
20-34	119	8.9	34	2	3	8	11	18	22	26
35-49	472	8.8	91	2	2	6	10	19	26	56
50-64	2943	9.0	71	2	3	7	11	17	23	49
65+	6175	9.4	72	2	3	7	11	18	25	48
GRAND TOTAL	**9740**	**9.2**	**72**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28781	3.2	3	1	1	3	4	5	6	9
20-34	7024	3.8	5	1	2	3	5	7	8	11
35-49	5716	4.5	7	1	2	4	6	8	9	14
50-64	4797	5.0	9	1	2	4	6	9	10	15
65+	2892	5.5	11	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	75	4.0	6	<1	1	3	5	8	9	12
20-34	48	5.3	16	1	1	4	7	11	13	19
35-49	60	6.4	22	1	1	5	8	12	17	20
50-64	71	6.9	25	1	2	7	8	12	15	31
65+	38	7.8	21	1	2	7	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20369	3.8	6	1	2	3	5	6	8	12
20-34	6807	4.7	9	1	2	4	6	8	10	15
35-49	8803	5.7	15	2	2	5	7	10	12	20
50-64	14219	6.5	20	2	3	5	8	11	14	22
65+	17117	7.4	29	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	273	8.0	81	2	2	6	9	16	20	84
20-34	261	9.0	45	2	3	7	11	17	20	39
35-49	544	9.9	56	2	3	8	12	19	25	43
50-64	899	11.4	87	2	4	9	14	22	28	50
65+	973	13.2	107	3	4	11	16	25	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49210	3.7	6	1	2	3	5	7	8	12
B. *Operated*	292	5.9	19	1	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	67315	5.6	19	2	2	5	7	10	13	21
B. *Operated*	2950	11.2	86	2	3	9	14	21	29	56
1. SINGLE DX	49502	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	70265	5.8	23	2	2	5	7	11	14	24
A. NOT OPERATED	116525	4.8	14	1	2	4	6	9	11	18
B. OPERATED	3242	10.7	82	2	3	9	13	20	28	56
TOTAL 0-19 YRS	49498	3.4	5	1	1	3	4	6	7	11
20-34	14140	4.3	8	1	2	4	5	8	9	14
35-49	15123	5.4	15	2	2	5	7	9	12	19
50-64	19986	6.4	22	2	2	5	8	11	14	24
65+	21020	7.4	32	2	3	6	9	13	17	29
GRAND TOTAL	**119767**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	9	<1	1	3	5	9	10	12
20-34	70	4.5	9	1	2	4	6	8	9	19
35-49	337	5.3	14	1	2	4	7	9	13	21
50-64	2042	6.3	18	2	2	5	8	11	14	22
65+	2852	6.4	26	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	11	5.0	32	1	1	3	8	14	19	19
20-34	20	7.2	45	<1	1	5	9	17	22	26
35-49	41	7.1	22	2	2	6	10	13	16	20
50-64	121	7.6	112	1	1	4	8	15	25	55
65+	113	6.7	28	1	2	5	9	15	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	7.3	22	2	2	7	10	13	16	23
20-34	270	6.9	35	1	2	5	9	14	19	28
35-49	1872	6.7	31	2	2	5	8	12	16	27
50-64	13519	7.8	38	2	3	6	10	14	18	32
65+	28871	8.4	47	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	56	8.9	44	1	2	8	13	21	24	95
20-34	62	7.8	41	2	2	6	11	15	20	36
35-49	297	9.2	72	2	2	7	11	19	25	38
50-64	1607	12.4	144	2	3	9	15	25	37	91
65+	3118	14.3	167	3	4	11	18	29	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5361	6.2	22	2	2	5	8	11	14	23
B. *Operated*	306	7.1	61	1	1	5	9	15	20	47
2. MULTIPLE DX										
A. *Not Operated*	44746	8.1	44	2	3	7	10	15	19	34
B. *Operated*	5140	13.3	154	2	3	10	16	27	40	96
1. SINGLE DX	5667	6.3	24	2	2	5	8	11	14	23
2. MULTIPLE DX	49886	8.7	57	2	3	7	10	16	22	42
A. NOT OPERATED	50107	7.9	42	2	3	6	10	14	19	33
B. OPERATED	5446	12.9	150	2	3	9	16	27	39	94
TOTAL 0-19 YRS	341	6.9	25	1	2	6	10	13	17	26
20-34	422	6.6	33	1	2	5	8	13	18	27
35-49	2547	6.8	34	2	2	5	8	13	17	29
50-64	17289	8.1	48	2	3	6	10	15	20	37
65+	34954	8.8	59	2	3	7	11	16	22	44
GRAND TOTAL	**55553**	**8.4**	**55**	**2**	**3**	**7**	**10**	**16**	**21**	**41**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	3.1	6	1	1	2	4	6	7	12
20-34	611	3.2	5	1	1	3	4	6	7	13
35-49	154	3.6	6	1	1	3	5	7	8	13
50-64	50	5.2	25	1	1	4	6	11	15	25
65+	28	5.8	13	1	2	5	9	12	13	13
B. *Operated*										
0-19 YRS	465	6.0	18	2	3	5	7	11	13	22
20-34	2088	5.8	12	2	3	5	7	10	13	18
35-49	653	6.3	17	2	3	5	7	11	15	22
50-64	222	7.0	24	2	3	5	9	14	17	25
65+	131	7.4	28	2	3	6	10	13	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.9	10	1	1	3	5	8	9	19
20-34	233	4.5	16	1	1	3	6	9	13	20
35-49	137	5.0	21	1	1	4	6	10	14	22
50-64	192	7.2	27	1	2	6	9	15	18	26
65+	353	8.2	50	2	3	7	10	14	21	52
B. *Operated*										
0-19 YRS	168	9.9	41	4	4	8	13	19	22	32
20-34	839	9.1	37	3	4	8	11	16	20	34
35-49	562	9.8	64	2	3	7	13	19	26	41
50-64	834	11.6	89	3	4	9	15	24	30	50
65+	1187	12.6	104	3	4	9	16	25	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	3.4	7	1	1	3	4	6	8	13
B. *Operated*	3559	6.1	15	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	993	6.4	33	1	2	5	8	13	16	30
B. *Operated*	3590	11.0	78	3	4	8	14	21	29	44
1. SINGLE DX	4590	5.5	15	1	2	5	7	10	13	20
2. MULTIPLE DX	4583	10.0	72	2	3	7	12	20	27	43
A. NOT OPERATED	2024	4.9	22	1	1	4	6	10	13	23
B. OPERATED	7149	8.5	53	2	3	6	10	17	22	38
TOTAL 0-19 YRS	899	6.0	24	1	2	5	7	12	15	23
20-34	3771	6.0	20	1	2	5	7	11	15	22
35-49	1506	7.2	39	2	2	5	9	15	19	35
50-64	1298	9.9	71	2	3	7	12	20	27	44
65+	1699	11.1	90	3	3	8	14	23	31	50
GRAND TOTAL	**9173**	**7.7**	**48**	**2**	**2**	**6**	**9**	**15**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1699	3.1	6	1	1	3	4	5	7	13
20-34	744	3.3	12	1	1	2	4	6	8	16
35-49	679	4.0	11	1	1	3	5	8	10	15
50-64	667	4.4	15	1	1	3	5	9	11	22
65+	859	5.5	19	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	254	4.3	26	<1	1	2	5	10	15	23
20-34	361	5.8	38	1	1	4	8	12	16	31
35-49	529	6.8	36	1	1	5	9	15	18	29
50-64	809	6.3	38	1	1	5	8	13	17	27
65+	712	6.9	49	1	1	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3452	4.6	19	1	1	3	5	9	12	22
20-34	1838	5.4	28	1	1	4	7	10	15	29
35-49	2821	5.8	31	1	2	4	7	11	15	28
50-64	6969	6.9	34	1	2	5	9	13	17	29
65+	20345	8.7	50	2	3	7	11	16	21	37
B. *Operated*										
0-19 YRS	761	10.3	169	1	1	5	13	25	40	69
20-34	982	11.2	125	1	2	8	15	26	33	70
35-49	1812	10.5	96	1	2	8	14	22	31	52
50-64	4150	11.6	132	2	2	9	15	25	34	63
65+	7319	13.6	149	2	3	10	18	29	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4648	3.9	12	1	1	3	5	7	10	18
B. *Operated*	2665	6.3	40	1	1	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	35425	7.5	44	2	2	6	9	15	19	33
B. *Operated*	15024	12.4	139	2	2	9	16	26	36	68
1. SINGLE DX	7313	4.8	24	1	1	3	6	10	14	23
2. MULTIPLE DX	50449	9.0	77	2	2	7	11	18	25	48
A. NOT OPERATED	40073	7.1	41	1	2	5	9	14	18	32
B. OPERATED	17689	11.5	129	1	2	8	15	25	34	63
TOTAL 0-19 YRS	6166	4.9	39	1	1	3	5	10	15	32
20-34	3925	6.5	58	1	1	4	8	15	21	41
35-49	5841	7.2	55	1	2	5	9	15	20	38
50-64	12595	8.3	71	1	2	6	10	17	23	46
65+	29235	9.8	79	2	3	7	12	19	26	50
GRAND TOTAL	**57762**	**8.5**	**72**	**1**	**2**	**6**	**11**	**17**	**24**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.0	3	<1	1	3	4	5	6	8
20-34	133	3.4	6	<1	1	3	4	6	8	13
35-49	65	4.2	14	<1	1	3	5	10	13	17
50-64	41	4.1	17	<1	1	3	5	9	14	20
65+	21	4.8	29	<1	1	3	5	12	20	21
B. *Operated*										
0-19 YRS	5041	2.0	2	<1	<1	2	2	4	4	6
20-34	5133	2.5	3	<1	1	2	3	4	5	8
35-49	2221	2.6	2	<1	1	2	3	4	5	8
50-64	1187	2.5	6	<1	1	2	3	4	5	8
65+	512	2.5	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	514	3.0	5	<1	<1	2	4	6	7	12
20-34	464	3.3	8	<1	1	2	4	6	9	16
35-49	292	3.8	15	<1	1	3	5	8	10	20
50-64	251	4.3	23	<1	1	3	5	9	12	26
65+	242	4.9	25	<1	1	3	6	10	14	22
B. *Operated*										
0-19 YRS	4526	2.4	3	<1	<1	2	3	4	5	8
20-34	4777	3.0	8	1	1	2	4	5	6	11
35-49	2973	3.0	7	1	1	2	3	5	7	14
50-64	2995	3.3	17	1	1	2	3	5	8	20
65+	2394	3.3	14	1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.5	9	<1	1	3	4	6	9	17
B. *Operated*	14094	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1763	3.6	13	<1	1	3	5	7	10	19
B. *Operated*	17665	2.9	9	1	1	2	3	5	7	15
1. SINGLE DX	14499	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	19428	3.0	9	<1	1	2	4	5	7	15
A. NOT OPERATED	2168	3.6	12	<1	1	3	5	7	9	18
B. OPERATED	31759	2.7	6	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	10226	2.2	3	<1	<1	2	3	4	5	8
20-34	10507	2.8	6	<1	1	2	3	5	6	10
35-49	5551	2.9	6	1	1	2	3	5	6	12
50-64	4474	3.1	14	1	1	2	3	5	8	18
65+	3169	3.3	14	1	1	2	3	6	9	19
GRAND TOTAL	**33927**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	3.4	4	1	1	3	4	6	8	10
20-34	152	3.8	4	1	2	4	5	6	8	10
35-49	107	3.9	5	1	1	3	5	7	8	12
50-64	93	4.6	11	1	2	4	6	8	12	18
65+	74	5.0	10	1	2	4	7	9	12	15
B. *Operated*										
0-19 YRS	540	2.7	4	<1	<1	2	3	5	6	9
20-34	532	2.9	5	<1	1	2	4	5	8	13
35-49	551	2.8	4	<1	1	2	3	5	7	10
50-64	495	2.9	4	<1	1	2	4	5	6	10
65+	393	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	669	3.9	5	1	2	3	5	6	8	12
20-34	240	4.4	13	1	1	4	5	8	10	16
35-49	210	4.9	13	1	1	4	6	9	12	18
50-64	354	6.2	23	1	2	5	8	11	15	28
65+	628	7.4	30	2	2	6	9	14	17	28
B. *Operated*										
0-19 YRS	411	3.5	10	<1	1	3	4	7	9	17
20-34	470	4.2	24	1	1	3	4	8	12	29
35-49	606	4.1	20	1	1	3	4	8	11	21
50-64	802	4.3	14	1	1	3	5	9	11	20
65+	915	5.6	50	1	2	3	6	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	3.9	6	1	2	3	5	7	8	13
B. *Operated*	2511	2.9	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	2101	5.5	20	1	2	4	7	10	14	23
B. *Operated*	3204	4.5	27	1	1	3	5	9	13	26
1. SINGLE DX	3277	3.1	5	<1	1	3	4	6	7	12
2. MULTIPLE DX	5305	4.9	24	1	1	4	6	10	13	24
A. NOT OPERATED	2867	5.1	16	1	2	4	6	9	12	21
B. OPERATED	5715	3.8	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	1960	3.4	6	<1	1	3	4	6	8	12
20-34	1394	3.7	13	1	1	3	4	7	9	17
35-49	1474	3.7	13	1	1	3	4	7	9	17
50-64	1744	4.3	14	1	1	3	5	9	11	19
65+	2010	5.7	36	1	2	4	7	12	16	30
GRAND TOTAL	**8582**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1125	3.0	5	1	1	2	4	6	7	11
20-34	598	3.0	5	<1	1	3	4	5	7	12
35-49	863	2.9	4	<1	1	2	4	6	7	11
50-64	692	3.4	6	1	1	3	4	6	8	11
65+	521	3.9	12	1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	407	5.5	36	<1	1	3	8	12	15	28
20-34	313	4.8	14	<1	1	4	7	10	12	21
35-49	411	5.2	18	<1	1	4	7	10	13	22
50-64	444	5.1	29	1	1	4	7	10	12	33
65+	531	4.9	20	<1	1	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1639	4.2	15	1	1	3	5	8	10	20
20-34	1946	4.2	11	1	1	3	5	8	10	16
35-49	3778	4.2	9	1	1	4	5	8	10	15
50-64	5021	4.6	12	1	2	4	6	8	11	17
65+	7057	5.6	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	874	11.4	153	1	1	7	14	28	38	65
20-34	942	6.9	43	1	2	5	8	14	19	32
35-49	1831	7.0	39	1	2	6	9	13	18	34
50-64	3276	7.4	50	1	2	6	9	14	20	39
65+	5789	8.9	86	1	2	6	11	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3799	3.2	6	1	1	3	4	6	8	12
B. *Operated*	2106	5.1	24	<1	1	4	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	19441	4.8	15	1	2	4	6	9	11	19
B. *Operated*	12712	8.3	73	1	2	6	10	17	23	46
1. SINGLE DX	5905	3.9	13	<1	1	3	5	8	10	19
2. MULTIPLE DX	32153	6.2	41	1	2	4	7	12	17	34
A. NOT OPERATED	23240	4.5	14	1	1	4	6	8	11	18
B. OPERATED	14818	7.8	67	1	2	6	9	16	22	43
TOTAL 0-19 YRS	4045	5.6	54	1	1	3	6	11	18	42
20-34	3799	4.7	20	1	1	4	6	9	12	22
35-49	6883	4.9	19	1	1	4	6	9	12	22
50-64	9433	5.5	27	1	2	4	7	11	14	28
65+	13898	6.9	51	1	2	5	8	13	19	38
GRAND TOTAL	**38058**	**5.8**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.6	6	1	1	3	4	6	9	13
20-34	260	3.9	6	1	1	3	5	7	9	11
35-49	430	4.0	6	1	1	4	5	7	9	12
50-64	294	3.7	4	1	1	3	5	7	8	10
65+	242	4.4	7	<1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	21	4.5	4	1	2	5	6	7	8	8
20-34	127	6.6	21	<1	2	6	8	13	15	25
35-49	297	6.8	19	<1	2	6	9	11	14	20
50-64	307	6.2	21	<1	1	5	8	11	16	23
65+	225	6.2	31	<1	1	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	4.7	7	1	2	4	6	9	9	13
20-34	575	5.0	13	1	2	4	6	9	11	18
35-49	1121	5.3	12	2	2	5	7	9	12	18
50-64	1543	5.8	15	2	2	5	7	10	13	21
65+	2685	6.7	22	2	2	6	8	12	16	25
B. *Operated*										
0-19 YRS	32	7.7	34	2	3	6	10	14	20	28
20-34	328	7.6	32	2	2	6	9	14	17	28
35-49	994	8.2	53	2	3	7	10	15	19	39
50-64	1614	8.4	41	2	3	7	10	15	19	34
65+	2572	9.1	49	2	3	7	11	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1301	4.0	6	1	1	3	5	7	9	12
B. *Operated*	977	6.4	23	<1	1	6	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	6014	6.0	18	2	2	5	7	11	13	22
B. *Operated*	5540	8.6	46	2	3	7	11	16	20	37
1. SINGLE DX	2278	5.0	14	<1	1	4	7	9	11	18
2. MULTIPLE DX	11554	7.3	33	2	2	6	9	13	17	29
A. NOT OPERATED	7315	5.6	16	2	2	5	7	10	13	21
B. OPERATED	6517	8.3	43	2	3	7	10	15	19	35
TOTAL 0-19 YRS	218	4.7	12	1	2	4	6	9	11	17
20-34	1290	5.6	19	1	2	5	7	10	13	23
35-49	2842	6.3	29	1	2	5	8	12	15	24
50-64	3758	6.8	28	2	2	5	8	13	16	28
65+	5724	7.6	36	2	3	6	9	14	18	30
GRAND TOTAL	**13832**	**6.9**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.6	2	2	2	3	5	6	6	6
20-34	152	4.1	5	1	2	4	5	7	8	10
35-49	285	4.4	5	2	2	4	6	8	8	10
50-64	354	4.7	6	2	2	4	6	8	9	13
65+	443	5.5	17	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	19	5.9	8	1	2	6	8	9	10	10
20-34	111	6.9	12	3	3	7	9	11	13	20
35-49	234	7.2	13	2	3	7	9	11	14	17
50-64	321	7.4	20	2	3	6	10	12	15	22
65+	347	9.2	36	2	4	8	12	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.7	10	2	2	4	6	8	10	20
20-34	317	4.6	11	1	2	4	6	8	10	16
35-49	714	5.2	15	2	2	4	6	9	11	17
50-64	1647	5.9	15	2	3	5	7	10	12	18
65+	4286	7.7	34	3	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	27	9.9	128	2	3	7	11	16	26	62
20-34	203	8.2	50	2	3	7	10	14	18	42
35-49	598	10.1	70	3	3	8	12	19	26	43
50-64	1728	10.6	80	3	3	8	13	20	27	52
65+	4544	12.0	98	3	4	9	15	23	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	4.8	10	2	2	4	6	8	9	13
B. *Operated*	1032	7.9	24	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	7040	6.8	27	2	3	6	8	12	15	26
B. *Operated*	7100	11.4	90	3	4	9	14	22	29	54
1. SINGLE DX	2302	6.2	18	2	2	5	8	11	13	22
2. MULTIPLE DX	14140	9.1	64	2	3	7	11	17	23	46
A. NOT OPERATED	8310	6.5	25	2	3	5	8	11	14	25
B. OPERATED	8132	11.0	83	3	4	8	13	21	28	53
TOTAL 0-19 YRS	158	5.5	32	2	2	4	6	9	12	22
20-34	783	5.8	23	2	2	4	7	10	13	29
35-49	1831	7.0	36	2	2	5	8	13	17	31
50-64	4050	7.9	48	2	3	6	9	15	20	37
65+	9620	9.7	69	3	3	7	11	18	25	49
GRAND TOTAL	**16442**	**8.7**	**59**	**2**	**3**	**7**	**10**	**16**	**22**	**43**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.3	4	1	1	3	4	6	7	9
20-34	1556	3.4	4	1	1	3	4	6	7	10
35-49	1610	3.8	5	1	1	3	5	7	8	12
50-64	976	3.9	5	1	2	3	5	7	8	12
65+	547	4.3	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	16	6.4	11	1	2	6	9	11	12	12
20-34	190	8.0	23	3	4	7	9	11	16	32
35-49	355	8.2	23	2	3	8	10	14	18	25
50-64	197	8.0	21	1	2	8	10	14	17	22
65+	83	7.5	29	<1	<1	7	10	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	4.3	10	1	2	4	5	8	9	14
20-34	2281	4.6	9	1	2	4	6	8	10	15
35-49	3515	4.9	10	1	2	4	6	9	11	16
50-64	3866	5.3	12	2	2	4	7	9	11	18
65+	5012	6.4	25	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	38	7.6	23	1	2	7	9	15	18	20
20-34	436	8.9	59	2	3	7	11	17	21	40
35-49	993	9.5	55	2	3	8	12	18	21	35
50-64	1149	9.7	66	2	3	8	12	18	23	40
65+	1237	11.2	96	3	4	9	13	21	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5078	3.7	5	1	1	3	5	6	8	11
B. *Operated*	841	8.0	23	2	3	8	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	15069	5.4	16	2	2	4	7	9	12	19
B. *Operated*	3853	10.0	72	2	3	8	12	18	24	45
1. SINGLE DX	5919	4.3	10	1	1	3	5	8	10	16
2. MULTIPLE DX	18922	6.4	31	2	2	5	8	12	15	28
A. NOT OPERATED	20147	5.0	14	1	2	4	6	9	11	17
B. OPERATED	4694	9.7	64	2	3	8	12	18	23	42
TOTAL 0-19 YRS	838	4.0	9	1	1	3	5	7	9	14
20-34	4463	4.7	16	1	2	4	6	9	11	20
35-49	6473	5.5	21	1	2	4	7	10	13	22
50-64	6188	6.0	25	2	2	5	7	11	14	25
65+	6879	7.1	40	2	2	5	8	13	17	32
GRAND TOTAL	**24841**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.9	5	1	2	4	5	6	8	12
20-34	782	4.0	5	1	2	4	5	7	8	11
35-49	947	4.3	5	2	2	4	5	7	8	12
50-64	1064	4.7	6	2	2	4	6	8	9	13
65+	868	5.4	12	2	3	5	7	9	10	15
B. *Operated*										
0-19 YRS	37	7.5	17	1	2	7	9	13	16	18
20-34	275	8.1	18	4	5	7	9	12	15	23
35-49	411	8.3	14	3	4	8	10	13	15	19
50-64	412	8.7	18	3	4	8	11	14	17	23
65+	305	10.5	48	3	5	9	12	17	22	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.4	15	2	2	4	5	7	9	17
20-34	907	4.5	7	2	2	4	6	8	9	14
35-49	1716	5.2	11	2	2	5	6	9	10	17
50-64	2939	5.9	13	2	3	5	7	10	12	20
65+	6486	7.6	30	3	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	29	7.0	11	2	3	7	9	10	14	15
20-34	342	9.6	35	3	4	8	11	17	20	32
35-49	735	11.0	74	3	4	9	13	20	25	51
50-64	1518	12.5	105	3	4	10	15	23	31	63
65+	3349	14.8	137	4	5	12	18	28	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3769	4.6	7	2	2	4	6	8	9	13
B. *Operated*	1440	8.8	24	3	4	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	12185	6.6	23	2	3	5	8	11	15	26
B. *Operated*	5973	13.4	118	4	5	10	16	25	34	66
1. SINGLE DX	5209	5.8	15	2	2	5	7	10	12	19
2. MULTIPLE DX	18158	8.8	64	2	3	7	10	17	23	45
A. NOT OPERATED	15954	6.1	20	2	2	5	7	11	14	24
B. OPERATED	7413	12.5	103	4	5	10	15	23	32	62
TOTAL 0-19 YRS	311	4.8	13	2	2	4	6	9	10	16
20-34	2306	5.5	16	2	2	5	7	10	12	20
35-49	3809	6.4	28	2	2	5	8	11	15	26
50-64	5933	7.6	45	2	3	6	9	14	18	35
65+	11008	9.7	74	3	3	7	12	18	25	50
GRAND TOTAL	**23367**	**8.2**	**55**	**2**	**3**	**6**	**10**	**15**	**20**	**41**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	4	1	2	5	5	7	8	8
20-34	39	4.8	18	1	2	4	5	10	12	25
35-49	57	5.0	11	1	2	4	6	9	11	20
50-64	74	5.0	8	1	2	4	6	9	11	13
65+	80	6.4	10	2	3	6	8	11	12	18
B. *Operated*										
0-19 YRS	6	13.7	102	4	4	10	23	28	29	29
20-34	43	9.7	27	3	4	9	11	19	22	22
35-49	126	10.5	25	4	6	9	12	18	21	26
50-64	141	11.9	42	4	5	10	15	21	23	42
65+	118	12.0	46	4	5	11	15	21	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.1	21	3	4	6	12	15	17	17
20-34	64	6.1	17	1	2	5	8	12	15	19
35-49	161	7.2	27	2	3	6	10	14	16	29
50-64	244	6.8	15	2	3	6	8	13	14	20
65+	624	8.7	42	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	7	17.4	173	4	4	11	27	37	39	39
20-34	86	15.8	191	4	5	11	19	34	46	98
35-49	253	14.7	110	4	6	12	18	29	38	55
50-64	500	16.2	140	5	6	13	20	29	37	65
65+	1032	17.2	147	5	6	14	22	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	5.4	11	1	2	5	7	10	11	19
B. *Operated*	434	11.3	38	4	5	10	14	20	23	31
2. MULTIPLE DX										
A. *Not Operated*	1103	7.9	33	2	3	7	10	14	18	29
B. *Operated*	1878	16.5	143	5	6	13	20	32	40	70
1. SINGLE DX	696	9.1	36	2	3	8	11	17	21	28
2. MULTIPLE DX	2981	13.3	119	3	4	10	17	26	36	61
A. NOT OPERATED	1365	7.4	29	2	3	6	9	13	17	27
B. OPERATED	2312	15.6	127	4	6	13	19	29	39	65
TOTAL 0-19 YRS	35	9.6	79	2	3	6	11	23	29	39
20-34	232	10.1	104	2	3	8	12	20	28	61
35-49	597	10.9	73	2	3	9	14	20	27	47
50-64	959	12.3	103	3	4	10	15	23	30	59
65+	1854	13.6	117	3	4	11	17	27	36	61
GRAND TOTAL	**3677**	**12.5**	**106**	**3**	**4**	**10**	**16**	**24**	**33**	**56**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2015	2.5	2	1	1	2	3	4	6	8
20-34	3281	2.9	4	1	1	2	4	5	6	9
35-49	2326	3.2	4	1	1	3	4	6	7	10
50-64	1365	3.4	5	1	1	3	4	6	7	11
65+	767	3.6	7	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	62	4.8	96	<1	1	3	5	7	8	70
20-34	217	4.9	10	<1	1	4	7	9	11	15
35-49	264	5.4	17	<1	1	4	7	10	12	22
50-64	238	5.0	15	<1	<1	4	7	10	12	18
65+	108	5.4	26	<1	<1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4202	3.1	5	1	1	3	4	5	7	11
20-34	7725	4.0	9	1	1	3	5	7	9	14
35-49	9075	4.6	10	1	2	4	6	8	10	16
50-64	9191	5.0	13	1	2	4	6	9	11	19
65+	12506	6.1	24	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	220	5.0	12	1	1	4	7	9	12	17
20-34	1273	6.7	28	2	2	5	8	12	15	26
35-49	1910	7.6	36	2	3	6	9	14	18	30
50-64	2595	8.1	42	2	3	7	10	15	19	32
65+	3588	9.3	68	2	3	7	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9754	3.0	4	1	1	3	4	5	7	10
B. *Operated*	889	5.1	21	<1	1	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	42699	4.3	15	1	2	4	6	9	11	19
B. *Operated*	9586	8.2	49	2	3	7	10	15	20	37
1. SINGLE DX	10643	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	52285	5.5	23	1	2	4	7	10	13	23
A. NOT OPERATED	52453	4.5	13	1	2	4	6	8	11	18
B. OPERATED	10475	7.9	48	2	2	6	10	15	19	36
TOTAL 0-19 YRS	6499	3.0	5	1	1	3	4	5	7	11
20-34	12496	4.0	11	1	1	3	5	7	9	15
35-49	13575	4.8	14	1	2	4	6	9	11	19
50-64	13389	5.4	20	1	2	4	7	10	13	22
65+	16969	6.6	35	2	2	5	8	12	16	30
GRAND TOTAL	**62928**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**13**	**22**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.9	4	1	1	2	4	5	7	10
20-34	596	3.2	4	1	1	3	4	6	7	11
35-49	475	3.3	5	1	1	3	4	6	8	11
50-64	269	3.7	8	1	1	3	5	6	9	14
65+	186	4.3	12	1	1	3	6	9	11	15
B. *Operated*										
0-19 YRS	261	3.9	5	2	2	3	5	6	7	10
20-34	63	7.7	69	1	2	6	8	13	21	51
35-49	85	9.5	32	2	3	8	13	18	20	25
50-64	79	11.5	104	2	4	9	13	21	29	57
65+	71	12.1	133	1	2	9	17	21	28	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	784	4.3	35	1	1	3	4	7	11	34
20-34	1464	5.4	58	1	1	3	6	9	14	44
35-49	1631	4.7	18	1	2	4	6	8	11	18
50-64	1683	5.1	17	1	2	4	6	10	13	22
65+	2361	6.2	26	1	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	158	7.2	61	1	2	5	8	14	22	30
20-34	300	10.9	81	2	3	8	13	23	33	49
35-49	557	12.8	111	3	4	10	16	26	35	54
50-64	716	13.8	141	2	3	11	17	27	36	72
65+	1158	15.9	148	3	4	13	21	31	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1945	3.3	6	1	1	3	4	6	8	12
B. *Operated*	559	7.3	58	2	2	5	9	15	20	45
2. MULTIPLE DX										
A. *Not Operated*	7923	5.3	30	1	2	4	6	10	13	30
B. *Operated*	2889	13.8	132	2	4	11	18	28	37	64
1. SINGLE DX	2504	4.2	20	1	1	3	5	8	11	21
2. MULTIPLE DX	10812	7.6	71	1	2	5	9	16	23	45
A. NOT OPERATED	9868	4.9	26	1	1	4	6	9	13	26
B. OPERATED	3448	12.7	126	2	3	10	16	26	35	59
TOTAL 0-19 YRS	1622	4.2	26	1	1	3	5	7	10	29
20-34	2423	5.6	53	1	1	4	6	11	16	42
35-49	2748	6.2	47	1	2	4	7	13	18	38
50-64	2747	7.4	67	1	2	5	9	16	22	45
65+	3776	9.2	85	2	2	6	11	20	27	49
GRAND TOTAL	**13316**	**7.0**	**63**	**1**	**2**	**4**	**8**	**15**	**22**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.2	2	<1	1	2	3	4	4	6
20-34	130	2.2	2	<1	1	2	3	4	5	7
35-49	48	2.9	3	1	1	3	4	5	6	8
50-64	18	3.4	6	1	1	3	4	8	9	9
65+	7	5.7	17	2	2	6	6	12	14	14
B. *Operated*										
0-19 YRS	17186	3.4	2	2	2	3	4	5	6	8
20-34	12246	3.5	2	2	2	3	4	5	6	8
35-49	3732	4.0	3	2	2	4	5	6	7	10
50-64	1379	4.6	5	2	3	4	6	7	9	13
65+	383	5.7	9	2	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.5	6	1	1	2	3	5	6	14
20-34	70	2.9	7	1	1	2	3	6	9	13
35-49	31	4.4	6	1	1	4	7	8	8	9
50-64	23	5.8	14	1	1	5	8	12	13	14
65+	35	6.7	25	1	3	5	9	13	18	22
B. *Operated*										
0-19 YRS	3081	4.7	10	2	2	4	5	8	10	16
20-34	2886	4.9	9	2	2	4	6	8	10	17
35-49	1302	6.0	18	2	3	5	7	10	14	22
50-64	843	6.9	29	3	3	6	8	12	15	26
65+	603	8.9	53	3	4	7	10	15	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	2.4	3	<1	1	2	3	4	6	8
B. *Operated*	34926	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	271	3.6	12	1	1	2	5	8	10	19
B. *Operated*	8715	5.5	17	2	3	4	6	9	12	20
1. SINGLE DX	35305	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	8986	5.4	17	2	2	4	6	9	12	20
A. NOT OPERATED	650	2.9	7	1	1	2	3	6	8	14
B. OPERATED	43641	3.9	6	2	2	3	4	6	8	13
TOTAL 0-19 YRS	20555	3.5	3	2	2	3	4	5	7	10
20-34	15332	3.8	4	2	2	3	4	6	7	11
35-49	5113	4.5	8	2	2	4	5	7	9	15
50-64	2263	5.5	15	2	3	5	6	9	12	18
65+	1028	7.6	38	3	3	6	9	13	17	30
GRAND TOTAL	**44291**	**3.9**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	13	1	2	7	8	12	14	17
20-34	52	5.7	11	1	2	5	8	10	11	17
35-49	32	6.5	14	1	2	6	8	13	14	14
50-64	34	6.4	15	2	2	6	9	9	10	22
65+	11	9.5	69	4	5	7	9	20	33	34
B. *Operated*										
0-19 YRS	3733	6.8	12	3	3	6	8	11	12	17
20-34	2035	6.5	11	3	3	6	8	10	12	18
35-49	1241	7.2	12	3	4	7	9	11	13	20
50-64	887	8.1	14	4	4	7	10	13	15	22
65+	424	9.0	16	4	5	8	11	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.7	20	1	3	10	13	15	16	17
20-34	26	7.1	19	2	2	6	10	12	14	20
35-49	17	10.7	22	4	5	10	13	15	21	24
50-64	33	7.8	11	2	4	8	10	13	14	14
65+	52	10.7	49	1	3	9	14	20	23	36
B. *Operated*										
0-19 YRS	2295	9.4	30	4	4	8	11	16	20	30
20-34	1417	9.1	31	4	4	8	11	15	18	30
35-49	1247	10.3	40	4	5	9	12	17	21	35
50-64	1493	11.8	49	5	6	10	14	19	25	38
65+	1493	13.8	92	6	7	11	16	23	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	6.5	17	1	2	6	8	11	13	21
B. *Operated*	8320	7.0	12	3	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	148	9.3	30	2	3	9	12	16	19	29
B. *Operated*	7945	10.8	50	4	5	9	13	18	23	38
1. SINGLE DX	8491	7.0	13	3	3	7	9	11	13	19
2. MULTIPLE DX	8093	10.7	50	4	5	9	13	18	23	38
A. NOT OPERATED	319	7.8	25	1	2	7	10	14	16	26
B. OPERATED	16265	8.9	34	3	4	8	10	15	19	31
TOTAL 0-19 YRS	6090	7.8	20	3	3	7	9	12	16	25
20-34	3530	7.6	21	3	3	7	9	12	15	22
35-49	2537	8.7	28	3	4	8	10	14	17	30
50-64	2447	10.3	39	4	5	9	12	17	21	32
65+	1980	12.7	78	5	6	10	15	21	27	53
GRAND TOTAL	**16584**	**8.8**	**34**	**3**	**4**	**8**	**10**	**14**	**19**	**31**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	2.0	1	1	1	2	2	3	4	6
20-34	177	2.1	2	<1	1	2	3	4	5	7
35-49	67	2.4	3	1	1	2	3	5	6	8
50-64	29	3.6	7	1	1	3	5	7	8	14
65+	6	3.2	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1201	3.7	3	2	2	3	4	6	7	9
20-34	912	4.1	4	2	2	4	5	6	8	11
35-49	249	4.7	6	2	2	4	6	8	10	13
50-64	89	5.1	10	2	2	4	6	8	11	20
65+	32	6.1	11	2	2	5	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	2.6	6	1	1	2	3	4	5	10
20-34	125	2.7	3	1	1	2	3	5	7	9
35-49	51	3.9	5	<1	1	3	5	7	9	10
50-64	40	4.7	10	2	2	4	6	7	11	17
65+	42	5.7	19	1	2	5	7	10	16	22
B. *Operated*										
0-19 YRS	757	4.7	6	2	3	4	6	7	9	13
20-34	732	5.5	10	2	3	5	7	9	11	18
35-49	251	6.8	22	3	3	6	8	11	15	24
50-64	134	7.6	16	3	3	7	10	12	15	24
65+	86	10.0	115	3	3	7	11	18	21	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2483	4.0	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	419	3.3	8	1	1	3	4	6	8	16
B. *Operated*	1960	5.7	17	2	3	5	7	9	12	21
1. SINGLE DX	2982	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	2379	5.3	16	2	2	4	6	9	11	21
A. NOT OPERATED	918	2.7	5	1	1	2	3	5	7	10
B. OPERATED	4443	4.8	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	2339	3.8	5	1	2	3	5	6	7	11
20-34	1946	4.4	7	1	2	4	5	7	9	14
35-49	618	5.3	14	1	2	4	7	9	11	20
50-64	292	6.0	15	2	2	5	7	11	12	23
[illegible]	166	7.9	71	2	2	6	9	15	18	44
[illegible]	5361	4.4	10	1	2	4	5	7	9	15

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.5	2	<1	<1	1	1	2	3	8
20-34	76	2.0	2	<1	<1	2	3	4	5	6
35-49	37	2.5	2	<1	<1	2	4	5	6	6
50-64	52	2.4	7	<1	<1	2	3	4	6	19
65+	50	2.8	5	<1	<1	2	4	5	7	12
B. *Operated*										
0-19 YRS	10817	1.7	1	<1	<1	1	2	3	4	5
20-34	12298	2.8	2	1	1	3	4	4	5	6
35-49	11331	3.0	2	1	1	3	4	5	5	7
50-64	15294	3.3	3	1	1	3	4	5	6	8
65+	10628	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	550	1.5	5	<1	<1	1	1	2	4	7
20-34	140	2.0	3	<1	<1	1	2	4	5	9
35-49	157	2.3	4	<1	<1	1	3	5	6	9
50-64	317	2.6	8	<1	<1	2	3	5	7	16
65+	510	3.9	15	<1	1	3	5	9	12	17
B. *Operated*										
0-19 YRS	6561	1.9	3	<1	<1	2	2	3	4	8
20-34	4434	3.3	3	1	1	3	4	5	6	10
35-49	6616	3.8	5	1	2	3	5	6	8	12
50-64	14173	4.2	8	1	2	4	5	7	9	15
65+	18907	5.1	16	2	2	4	6	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	2.1	3	<1	<1	1	3	4	5	9
B. *Operated*	60368	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1674	2.5	9	<1	<1	1	3	6	8	14
B. *Operated*	50691	4.1	10	1	1	3	5	7	9	16
1. SINGLE DX	60675	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	52365	4.1	10	1	1	3	5	7	9	16
A. NOT OPERATED	1981	2.5	8	<1	<1	1	3	5	7	14
B. OPERATED	111059	3.5	7	1	1	3	4	6	7	12
TOTAL 0-19 YRS	18020	1.8	2	<1	<1	1	2	3	4	6
20-34	16948	2.9	2	1	1	3	4	5	5	8
35-49	18141	3.3	3	1	1	3	4	5	6	9
50-64	29836	3.7	6	1	2	3	4	6	7	12
65+	30095	4.5	12	1	2	4	5	8	10	17
GRAND TOTAL	**113040**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	1.1		<1	<1	1	1	2	2	3
20-34	13	1.9	1	<1	<1	1	3	3	4	4
35-49	11	2.4	5	<1	<1	1	3	6	8	8
50-64	15	1.7	1	<1	1	1	2	3	3	3
65+	39	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*										
0-19 YRS	1164	1.9	2	<1	1	2	2	4	4	7
20-34	520	3.2	3	1	1	3	4	5	6	9
35-49	403	3.5	3	1	2	3	4	6	7	10
50-64	652	4.0	4	1	2	4	5	7	8	10
65+	923	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.0	2	<1	<1	2	3	4	4	8
20-34	13	3.4	8	<1	<1	2	5	8	10	10
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	30	2.6	3	1	1	2	3	5	7	7
65+	230	5.8	69	1	1	4	7	12	15	32
B. *Operated*										
0-19 YRS	840	2.6	5	<1	1	2	3	5	7	11
20-34	251	3.8	4	1	2	3	5	6	8	12
35-49	315	5.0	12	1	2	4	6	9	11	18
50-64	832	6.1	23	2	3	5	7	10	13	25
65+	3150	8.5	55	2	3	7	10	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*	3662	3.4	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	324	4.8	52	<1	1	3	6	10	13	24
B. *Operated*	5388	6.8	42	1	2	5	8	13	18	34
1. SINGLE DX	3785	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	5712	6.7	43	1	2	5	8	13	17	34
A. NOT OPERATED	447	3.9	40	<1	1	2	4	8	12	21
B. OPERATED	9050	5.4	30	1	1	4	7	10	14	29
TOTAL 0-19 YRS	2095	2.2	3	<1	1	2	3	4	5	9
20-34	797	3.4	3	1	1	3	4	6	7	10
35-49	734	4.1	8	1	2	4	5	7	9	15
50-64	1529	5.1	16	2	2	4	6	8	11	19
65+	4342	7.5	48	2	3	6	9	14	19	35
GRAND TOTAL	**9497**	**5.3**	**31**	**1**	**1**	**4**	**7**	**10**	**14**	**28**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.5	1	<1	<1	1	2	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	6	2.5	8	<1	<1	1	2	7	8	8
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1722	1.9	6	<1	<1	2	2	3	3	5
20-34	645	2.8	3	1	1	2	3	5	6	8
35-49	892	2.8	3	1	1	3	4	5	6	8
50-64	659	3.1	3	1	1	3	4	5	6	9
65+	247	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	1.4	2	<1	<1	1	1	3	4	9
20-34	29	3.1	10	<1	1	2	3	9	10	12
35-49	39	2.8	6	<1	<1	2	4	6	8	11
50-64	48	3.4	6	<1	<1	3	5	7	9	11
65+	42	5.1	42	<1	1	3	6	11	13	40
B. *Operated*										
0-19 YRS	434	2.5	7	<1	<1	2	3	5	6	13
20-34	386	4.0	6	1	2	4	5	7	8	12
35-49	741	4.1	7	1	1	4	5	7	9	13
50-64	912	4.7	13	1	2	4	6	8	11	19
65+	651	5.7	19	1	2	5	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.7	2	<1	<1	1	2	3	3	8
B. *Operated*	4165	2.5	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	256	2.8	12	<1	<1	1	4	6	9	13
B. *Operated*	3124	4.4	12	1	1	4	5	8	10	18
1. SINGLE DX	4200	2.5	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3380	4.2	12	1	1	3	5	8	10	18
A. NOT OPERATED	291	2.7	11	<1	<1	1	3	6	9	13
B. OPERATED	7289	3.3	9	<1	1	3	4	6	8	14
TOTAL 0-19 YRS	2273	2.0	6	<1	<1	2	2	3	4	7
20-34	1063	3.2	4	1	1	3	4	6	7	10
35-49	1678	3.3	5	1	1	3	4	6	7	11
50-64	1622	4.0	9	1	1	3	5	7	9	16
65+	944	5.1	17	1	2	4	6	9	12	23
GRAND TOTAL	**7580**	**3.3**	**9**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	20	2.2	3	<1	<1	1	3	4	6	8
35-49	29	2.8	4	1	1	2	3	5	9	9
50-64	26	2.8	7	<1	1	2	3	6	8	13
65+	29	3.5	8	1	1	3	4	7	11	13
B. *Operated*										
0-19 YRS	341	2.3	4	<1	<1	2	3	4	5	9
20-34	1175	3.6	4	1	1	3	5	6	7	10
35-49	1936	4.3	5	1	2	4	5	7	8	12
50-64	2113	4.8	6	1	2	5	6	8	9	13
65+	1437	5.4	7	2	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	<1	<1	2	2	3	3	3
20-34	51	2.6	5	<1	<1	2	3	6	9	10
35-49	138	3.2	10	<1	<1	2	4	7	9	17
50-64	202	4.2	14	<1	<1	3	5	9	12	18
65+	322	4.8	19	1	1	4	6	10	13	24
B. *Operated*										
0-19 YRS	143	3.9	13	<1	1	3	5	8	10	18
20-34	876	5.3	17	2	2	5	6	9	11	19
35-49	2225	6.1	16	2	2	5	7	10	12	21
50-64	3511	7.1	30	2	3	6	8	12	15	27
65+	3658	7.8	30	2	3	7	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.9	6	<1	1	2	3	6	8	13
B. *Operated*	7002	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	726	4.1	15	<1	1	3	5	8	11	20
B. *Operated*	10413	6.9	27	2	3	6	8	12	15	27
1. SINGLE DX	7109	4.4	6	1	2	4	6	8	9	12
2. MULTIPLE DX	11139	6.8	26	2	2	6	8	12	15	26
A. NOT OPERATED	833	4.0	14	<1	1	3	5	8	11	19
B. OPERATED	17415	5.9	20	2	2	5	7	10	13	23
TOTAL 0-19 YRS	500	2.7	7	<1	1	2	3	5	8	14
20-34	2122	4.2	11	1	1	4	5	7	9	15
35-49	4328	5.2	12	1	2	5	6	9	11	17
50-64	5852	6.2	22	2	2	5	7	10	13	23
65+	5446	7.0	25	2	3	6	9	12	15	26
GRAND TOTAL	**18248**	**5.9**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	3	6	6	6
20-34	86	3.1	4	1	1	3	4	6	7	10
35-49	354	3.4	4	1	1	3	4	6	7	10
50-64	352	3.6	5	1	1	3	4	6	7	9
65+	277	3.6	4	1	1	3	5	6	7	10
B. *Operated*										
0-19 YRS	13	4.5	5	<1	<1	5	6	7	8	8
20-34	46	5.9	12	1	2	5	8	10	12	16
35-49	71	6.5	20	<1	1	6	8	11	17	24
50-64	159	7.7	10	2	4	8	9	11	13	17
65+	82	8.0	10	2	3	8	10	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.0	6	1	2	4	5	7	7	14
20-34	632	4.0	5	1	2	4	5	7	9	11
35-49	2090	4.2	7	1	2	4	5	7	9	13
50-64	3526	4.5	8	2	2	4	5	8	10	15
65+	5311	5.4	16	2	2	4	7	9	12	21
B. *Operated*										
0-19 YRS	52	9.9	64	4	4	7	11	19	23	50
20-34	335	7.5	21	2	3	7	9	11	16	24
35-49	916	8.2	28	2	3	7	10	13	17	32
50-64	1404	8.6	32	2	3	8	10	15	18	31
65+	1464	10.1	62	2	3	9	12	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	3.5	4	1	1	3	4	6	7	10
B. *Operated*	371	7.2	12	2	2	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	11611	4.8	12	2	2	4	6	8	11	18
B. *Operated*	4171	9.0	42	2	3	8	11	16	20	34
1. SINGLE DX	1446	4.4	9	1	1	4	6	9	10	14
2. MULTIPLE DX	15782	5.9	23	2	2	5	7	11	14	24
A. NOT OPERATED	12686	4.7	11	1	2	4	6	8	10	18
B. OPERATED	4542	8.8	40	2	3	8	11	15	20	33
TOTAL 0-19 YRS	123	6.5	39	1	2	5	7	12	17	32
20-34	1099	5.1	13	1	2	4	7	9	11	18
35-49	3431	5.2	16	1	2	4	7	9	12	20
50-64	5441	5.6	18	2	2	4	7	10	13	22
65+	7134	6.3	29	2	2	5	8	12	16	28
GRAND TOTAL	**17228**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	7	2.7	6	<1	<1	1	4	7	7	7
35-49	9	3.6	5	<1	<1	3	5	7	8	8
50-64	6	2.8	5	1	1	2	3	7	7	7
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	76	2.8	18	<1	1	2	3	5	6	30
20-34	246	2.9	2	1	1	3	4	5	6	7
35-49	342	3.3	4	1	1	3	4	5	7	9
50-64	338	3.8	6	1	1	3	5	7	8	14
65+	283	4.1	5	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	3	1	1	2	4	6	6	6
20-34	15	4.7	20	1	1	3	7	10	15	17
35-49	33	4.6	13	<1	1	3	6	10	11	14
50-64	35	4.2	6	<1	1	4	6	8	8	9
65+	68	5.3	13	1	1	5	7	9	14	19
B. *Operated*										
0-19 YRS	23	3.0	5	<1	<1	2	3	6	9	10
20-34	133	4.3	11	1	1	3	5	7	11	18
35-49	232	4.9	22	1	2	4	5	8	11	29
50-64	351	6.5	30	2	2	5	8	11	15	29
65+	601	6.3	25	2	2	5	8	11	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.9	4	<1	<1	3	4	7	7	8
B. *Operated*	1285	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	158	4.7	12	1	1	4	6	9	11	17
B. *Operated*	1340	5.8	25	1	2	4	7	10	13	28
1. SINGLE DX	1313	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1498	5.7	24	1	2	4	7	10	13	27
A. NOT OPERATED	186	4.5	11	<1	1	4	6	8	10	16
B. OPERATED	2625	4.7	17	1	2	4	6	8	11	22
TOTAL 0-19 YRS	109	2.8	14	<1	1	2	3	5	6	22
20-34	401	3.5	6	1	1	3	4	6	7	15
35-49	616	3.9	12	1	1	3	5	7	9	15
50-64	730	5.1	19	1	2	4	6	9	11	26
65+	955	5.5	19	1	2	4	7	10	12	22
GRAND TOTAL	**2811**	**4.7**	**16**	**1**	**1**	**4**	**6**	**8**	**11**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	19	2.2	2	<1	<1	2	3	4	5	5
35-49	27	2.9	4	<1	1	2	4	7	7	8
50-64	28	4.1	8	1	1	4	5	7	10	15
65+	60	3.8	5	1	1	3	5	7	9	10
B. *Operated*										
0-19 YRS	197	2.3	3	<1	1	2	3	4	6	10
20-34	468	3.3	5	1	1	3	4	6	8	11
35-49	841	4.0	6	1	1	3	5	7	9	12
50-64	849	5.0	9	1	2	4	6	9	11	15
65+	937	6.6	20	2	2	6	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	4	<1	<1	2	2	5	7	7
20-34	25	3.0	4	<1	1	3	4	6	7	9
35-49	69	3.7	7	1	1	3	5	7	8	15
50-64	164	4.8	13	1	1	4	7	9	12	19
65+	565	6.1	29	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	79	6.4	69	1	2	4	7	12	21	53
20-34	312	5.9	25	1	2	4	7	11	15	31
35-49	907	7.1	29	2	2	6	9	13	16	29
50-64	1743	8.5	45	2	3	7	10	15	20	38
65+	3712	11.1	84	3	4	9	14	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	3.4	6	<1	1	3	4	7	8	10
B. *Operated*	3292	4.8	12	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	832	5.5	24	1	2	4	7	10	14	24
B. *Operated*	6753	9.6	67	2	3	8	12	18	23	43
1. SINGLE DX	3432	4.7	12	1	1	4	6	9	11	16
2. MULTIPLE DX	7585	9.1	64	2	3	7	11	17	23	41
A. NOT OPERATED	972	5.2	22	1	1	4	7	10	13	23
B. OPERATED	10045	8.0	54	2	2	6	10	15	20	38
TOTAL 0-19 YRS	291	3.4	24	<1	1	2	4	6	9	22
20-34	824	4.2	14	1	1	3	5	8	11	17
35-49	1844	5.5	20	1	2	4	7	10	14	23
50-64	2784	7.2	35	2	2	6	9	13	17	32
65+	5274	9.7	71	2	3	8	12	18	23	44
GRAND TOTAL	**11017**	**7.8**	**52**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	616	2.6	4	1	1	2	3	5	6	10
20-34	909	3.9	7	1	1	3	5	7	9	13
35-49	1338	4.2	7	1	1	4	5	8	9	14
50-64	1517	4.5	8	1	2	4	6	8	10	13
65+	1839	5.0	12	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	576	6.2	16	2	3	5	8	10	12	18
20-34	579	8.9	18	4	5	8	10	14	17	23
35-49	793	9.6	25	4	5	9	11	15	18	28
50-64	803	10.6	33	5	6	9	13	16	21	34
65+	789	11.9	32	5	6	11	14	19	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	3.6	9	1	1	3	5	7	9	16
20-34	1288	5.0	17	1	2	4	6	9	12	19
35-49	2179	5.6	15	1	2	5	7	10	13	19
50-64	4121	6.3	26	1	2	5	8	11	14	26
65+	11850	7.4	37	2	2	6	9	14	17	31
B. *Operated*										
0-19 YRS	708	9.5	73	3	4	8	11	15	23	44
20-34	1172	12.4	75	4	5	10	15	22	28	49
35-49	1900	14.3	107	5	6	11	17	27	35	61
50-64	3078	16.0	130	6	7	13	19	29	38	70
65+	7415	17.5	137	6	8	14	21	31	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6219	4.3	9	1	1	4	6	8	10	15
B. *Operated*	3540	9.7	29	3	4	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	19989	6.7	31	2	2	5	8	12	16	28
B. *Operated*	14273	15.9	128	5	7	13	19	29	38	69
1. SINGLE DX	9759	6.2	23	1	2	5	8	12	15	24
2. MULTIPLE DX	34262	10.6	92	2	3	8	13	21	28	51
A. NOT OPERATED	26208	6.2	27	1	2	5	8	11	15	26
B. OPERATED	17813	14.7	114	5	6	12	18	27	35	64
TOTAL 0-19 YRS	2451	5.6	35	1	1	4	7	11	14	25
20-34	3948	7.5	44	1	2	6	9	14	19	35
35-49	6210	8.5	60	2	2	7	10	16	22	42
50-64	9519	9.5	79	2	2	7	12	19	26	47
65+	21893	10.8	92	2	3	8	14	21	28	52
GRAND TOTAL	**44021**	**9.6**	**80**	**2**	**2**	**7**	**12**	**19**	**26**	**47**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15915	2.6	3	1	1	2	3	4	5	8
20-34	7145	2.6	3	1	1	2	3	5	6	8
35-49	3233	3.0	5	1	1	3	4	5	7	10
50-64	2030	3.3	6	1	1	3	4	6	8	12
65+	1714	3.5	6	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	366	4.4	39	1	1	3	5	7	9	30
20-34	487	4.9	13	1	2	4	6	8	11	18
35-49	267	5.2	11	1	2	5	7	9	11	17
50-64	190	6.3	32	1	1	6	8	10	12	41
65+	82	6.0	17	1	1	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31759	3.4	6	1	1	3	4	6	7	12
20-34	11212	3.3	7	1	1	3	4	6	8	12
35-49	7720	4.1	9	1	2	3	5	7	9	15
50-64	9235	4.6	12	1	2	4	6	8	10	17
65+	19067	5.8	27	2	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	636	7.5	103	2	2	5	7	14	31	84
20-34	946	6.7	36	2	2	5	8	12	14	31
35-49	1047	8.3	55	2	3	6	10	15	21	38
50-64	1243	9.4	73	2	3	7	11	18	24	51
65+	2262	11.8	114	3	4	9	14	23	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30037	2.8	4	1	1	2	3	5	6	9
B. *Operated*	1392	5.1	22	1	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	78993	4.2	13	1	2	3	5	8	10	17
B. *Operated*	6134	9.5	86	2	3	7	11	18	26	56
1. SINGLE DX	31429	2.9	5	1	1	2	4	5	6	10
2. MULTIPLE DX	85127	4.6	20	1	2	3	5	8	11	22
A. NOT OPERATED	109030	3.8	11	1	1	3	5	7	9	16
B. OPERATED	7526	8.7	77	2	2	6	10	17	24	52
TOTAL 0-19 YRS	48676	3.2	7	1	1	3	4	5	7	11
20-34	19790	3.2	8	1	1	3	4	6	8	13
35-49	12267	4.2	14	1	1	3	5	8	10	18
50-64	12698	4.9	19	1	2	4	6	9	12	21
65+	23125	6.2	38	2	2	5	7	12	16	32
GRAND TOTAL	**116556**	**4.1**	**17**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	3	<1	1	5	6	7	7	7
20-34	238	4.3	5	1	2	4	5	7	8	11
35-49	1430	5.0	8	2	2	5	6	8	10	13
50-64	2729	5.0	9	1	2	4	7	8	10	15
65+	2948	4.8	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	8	6.4	9	1	2	6	9	10	10	10
20-34	140	8.0	15	3	4	7	9	12	15	25
35-49	422	9.9	25	4	5	9	11	16	18	27
50-64	739	10.4	23	3	5	10	12	16	19	26
65+	567	11.7	51	2	4	11	14	20	23	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.5	31	1	2	5	8	16	20	25
20-34	227	5.5	17	2	2	4	7	10	12	27
35-49	1858	5.5	10	2	2	5	7	9	11	16
50-64	6564	5.6	12	2	2	5	7	10	12	18
65+	20556	6.7	27	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	24	10.5	66	4	4	8	12	16	25	44
20-34	242	10.9	47	4	5	9	12	18	26	52
35-49	1346	12.0	54	3	5	10	14	21	25	43
50-64	3707	13.2	81	3	5	11	16	23	29	49
65+	7722	15.0	119	3	5	12	18	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7355	4.9	10	1	2	4	6	8	10	15
B. *Operated*	1876	10.5	32	3	5	10	12	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	29238	6.3	23	2	2	5	8	11	14	24
B. *Operated*	13041	14.1	101	3	5	12	17	26	33	58
1. SINGLE DX	9231	6.0	19	1	2	5	8	11	14	21
2. MULTIPLE DX	42279	8.7	60	2	3	7	11	17	23	41
A. NOT OPERATED	36593	6.1	21	2	2	5	7	11	13	22
B. OPERATED	14917	13.6	94	3	5	11	16	25	31	56
TOTAL 0-19 YRS	75	7.5	40	1	3	6	9	15	18	39
20-34	847	7.1	29	2	2	6	9	12	16	29
35-49	5056	7.4	31	2	3	6	9	13	17	29
50-64	13739	7.8	43	2	2	6	10	15	19	34
65+	31793	8.6	62	2	2	6	10	17	23	42
GRAND TOTAL	**51510**	**8.2**	**54**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.4	4	<1	1	2	3	5	7	9
20-34	162	3.0	4	<1	1	2	4	5	7	10
35-49	134	3.2	5	<1	1	3	4	6	8	12
50-64	90	3.4	6	<1	1	3	5	6	7	14
65+	39	4.1	11	1	1	3	6	8	10	16
B. *Operated*										
0-19 YRS	570	2.7	4	<1	1	2	3	5	6	12
20-34	3469	2.9	3	1	1	3	4	5	6	9
35-49	3396	3.1	4	1	1	3	4	5	7	10
50-64	1614	3.3	5	1	1	3	4	6	7	12
65+	578	3.8	13	1	1	3	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.5	7	1	1	3	5	8	9	12
20-34	257	4.1	22	<1	1	3	5	8	12	20
35-49	299	4.3	17	1	1	3	5	8	11	18
50-64	284	5.1	18	1	2	4	7	10	13	24
65+	321	7.1	56	1	2	6	8	13	18	43
B. *Operated*										
0-19 YRS	328	4.0	14	<1	1	3	5	8	11	21
20-34	3059	4.0	12	1	1	3	5	7	9	17
35-49	4276	4.2	13	1	2	4	5	7	10	18
50-64	3491	5.0	24	1	2	4	6	9	13	27
65+	2080	6.6	52	1	2	5	7	13	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.1	5	<1	1	2	4	6	8	11
B. *Operated*	9627	3.1	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1305	5.1	28	1	1	4	6	10	13	24
B. *Operated*	13234	4.7	23	1	2	4	5	8	12	25
1. SINGLE DX	10131	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	14539	4.8	23	1	2	4	5	9	12	25
A. NOT OPERATED	1809	4.5	23	1	1	3	6	9	12	21
B. OPERATED	22861	4.0	16	1	1	3	5	7	10	19
TOTAL 0-19 YRS	1121	3.2	8	<1	1	2	4	6	8	14
20-34	6947	3.4	8	1	1	3	4	6	7	13
35-49	8105	3.7	10	1	1	3	4	6	8	15
50-64	5479	4.5	19	1	2	4	5	8	11	22
65+	3018	6.1	45	1	2	4	7	12	17	34
GRAND TOTAL	**24670**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2419	3.2	10	1	1	2	4	6	8	14
20-34	3472	4.5	12	1	1	4	6	8	11	19
35-49	2414	4.4	13	1	1	3	5	8	10	17
50-64	1525	4.3	13	1	1	3	5	8	10	19
65+	1646	4.3	14	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	917	6.3	49	1	1	4	8	12	21	33
20-34	1997	7.1	36	1	2	6	9	14	19	29
35-49	1475	7.4	49	1	1	6	9	15	20	37
50-64	1191	7.1	40	1	1	6	9	14	19	32
65+	1051	7.4	36	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2890	4.1	17	1	1	3	5	8	11	21
20-34	5821	5.2	19	1	2	4	6	10	13	24
35-49	6318	5.4	17	1	2	4	7	10	13	22
50-64	7118	5.7	25	1	2	4	7	11	14	24
65+	16467	6.4	34	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	1306	9.8	128	1	2	7	11	21	33	66
20-34	4573	10.4	104	2	2	7	12	22	30	55
35-49	5021	10.8	107	2	3	8	13	22	30	56
50-64	5777	11.9	134	2	3	9	15	25	36	64
65+	9901	13.6	153	2	3	10	17	28	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11476	4.1	12	1	1	3	5	8	10	17
B. *Operated*	6631	7.1	42	1	1	5	9	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	38614	5.7	27	1	2	4	7	11	14	26
B. *Operated*	26578	11.9	132	2	3	9	15	25	35	64
1. SINGLE DX	18107	5.2	25	1	1	4	7	11	14	25
2. MULTIPLE DX	65192	8.3	79	1	2	6	10	17	24	49
A. NOT OPERATED	50090	5.4	24	1	2	4	7	10	14	24
B. OPERATED	33209	11.0	118	2	2	8	14	23	32	60
TOTAL 0-19 YRS	7532	5.1	43	1	1	3	6	10	15	35
20-34	15863	6.8	50	1	2	5	8	13	19	37
35-49	15228	7.2	56	1	2	5	9	14	20	40
50-64	15611	8.0	75	1	2	5	10	16	23	48
65+	29065	8.7	86	1	2	6	11	18	26	52
GRAND TOTAL	**83299**	**7.6**	**69**	**1**	**2**	**5**	**9**	**16**	**22**	**45**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	92	7.4	47	2	2	5	9	14	27	32
35-49	155	7.1	58	1	2	5	8	13	16	45
50-64	167	7.4	43	2	2	5	9	15	19	40
65+	52	7.9	24	2	3	7	10	14	18	25
B. *Operated*										
0-19 YRS										
20-34	22	3.9	50	<1	<1	2	3	8	19	34
35-49	85	4.9	26	1	1	3	7	12	17	24
50-64	85	6.1	56	1	1	3	9	13	22	39
65+	35	4.5	19	<1	1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.0	107	4	4	8	20	30	33	33
20-34	816	8.7	58	2	3	6	10	18	27	38
35-49	2353	9.4	60	2	3	7	11	18	24	41
50-64	2876	10.6	73	2	3	8	13	21	26	46
65+	1608	10.5	63	3	4	8	13	20	26	39
B. *Operated*										
0-19 YRS	3	16.7	282	2	2	13	29	35	35	35
20-34	185	11.7	105	2	2	9	16	27	35	84
35-49	740	12.8	131	1	2	10	17	25	35	62
50-64	1101	13.0	139	2	2	10	17	27	35	62
65+	590	15.0	161	2	3	12	20	31	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	7.3	46	2	2	5	9	14	18	33
B. *Operated*	227	5.2	39	1	1	3	7	12	17	35
2. MULTIPLE DX										
A. *Not Operated*	7661	10.0	66	2	3	7	13	20	26	43
B. *Operated*	2619	13.3	140	2	2	10	17	28	36	67
1. SINGLE DX	698	6.6	45	1	1	5	8	13	18	34
2. MULTIPLE DX	10280	10.8	87	2	3	8	14	22	29	49
A. NOT OPERATED	8132	9.8	65	2	3	7	12	19	26	43
B. OPERATED	2846	12.7	137	1	2	10	17	27	36	65
TOTAL 0-19 YRS	16	10.6	118	2	2	5	15	32	34	35
20-34	1115	9.0	67	2	2	6	10	19	28	42
35-49	3333	9.9	78	2	3	7	12	20	26	45
50-64	4229	11.0	91	2	3	8	14	22	28	50
65+	2285	11.5	92	2	3	9	14	23	31	52
GRAND TOTAL	**10978**	**10.6**	**85**	**2**	**3**	**8**	**13**	**22**	**28**	**48**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	5	<1	1	2	3	6	7	10
20-34	72	5.1	19	1	1	4	6	11	14	23
35-49	85	5.5	20	1	1	4	7	12	13	24
50-64	140	6.9	41	1	1	5	9	14	18	33
65+	79	7.3	41	1	1	6	9	15	21	33
B. *Operated*										
0-19 YRS	73	2.5	5	1	1	2	3	5	8	13
20-34	326	2.5	7	<1	1	2	2	5	8	14
35-49	337	2.4	6	<1	1	2	2	5	8	11
50-64	392	3.1	16	1	1	2	3	7	10	24
65+	215	4.3	35	1	1	2	5	11	16	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.7	18	1	1	5	8	12	14	18
20-34	231	6.4	23	1	2	6	8	11	14	25
35-49	612	8.5	59	2	2	7	11	16	21	41
50-64	1357	8.8	46	2	3	7	11	18	21	41
65+	1747	10.8	84	2	3	8	14	21	27	51
B. *Operated*										
0-19 YRS	82	6.4	109	1	1	3	7	16	21	65
20-34	352	6.4	64	1	1	3	8	15	25	35
35-49	724	8.3	92	1	1	5	11	19	25	45
50-64	1397	8.7	87	1	1	6	12	20	27	46
65+	1407	12.0	145	1	2	9	16	25	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	6.1	32	1	1	5	8	13	16	29
B. *Operated*	1343	2.9	14	<1	1	2	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	4028	9.4	64	2	3	7	12	18	24	45
B. *Operated*	3962	9.5	111	1	1	6	13	22	29	54
1. SINGLE DX	1747	3.7	20	1	1	2	4	9	12	24
2. MULTIPLE DX	7990	9.5	87	1	2	7	12	20	26	49
A. NOT OPERATED	4432	9.1	62	2	2	7	11	18	24	42
B. OPERATED	5305	7.9	94	1	1	4	11	19	26	48
TOTAL 0-19 YRS	264	4.7	44	1	1	2	5	11	14	24
20-34	981	5.0	35	1	1	3	6	11	15	30
35-49	1758	7.1	66	1	1	5	9	15	21	42
50-64	3286	8.0	63	1	1	6	10	18	23	42
65+	3448	10.8	108	1	2	8	14	23	30	54
GRAND TOTAL	**9737**	**8.4**	**80**	**1**	**1**	**6**	**11**	**18**	**25**	**46**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	4.2	8	1	1	3	5	7	9	14
20-34	554	5.1	12	1	2	4	7	9	12	16
35-49	246	5.3	11	2	2	5	6	9	12	17
50-64	214	5.8	20	1	2	5	7	10	12	26
65+	139	5.5	13	1	2	5	7	9	12	20
B. *Operated*										
0-19 YRS	51	7.1	91	1	1	3	8	19	30	47
20-34	121	4.4	21	1	1	3	6	9	13	27
35-49	133	5.1	61	1	1	3	7	12	15	41
50-64	131	5.2	35	1	1	2	7	15	18	26
65+	75	6.3	41	1	1	3	8	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.6	13	1	1	3	6	9	11	20
20-34	677	6.3	26	2	2	5	7	12	15	25
35-49	1020	8.3	64	2	2	6	10	17	25	43
50-64	1940	9.1	70	2	3	7	11	18	24	45
65+	2305	9.5	60	3	3	7	12	18	24	40
B. *Operated*										
0-19 YRS	83	11.3	144	1	1	6	17	30	34	51
20-34	234	10.6	139	1	1	7	14	22	35	69
35-49	438	11.0	126	1	2	8	14	25	34	62
50-64	729	12.8	146	1	2	9	17	28	37	60
65+	821	14.9	177	2	2	11	20	33	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	5.2	13	1	2	4	7	9	12	18
B. *Operated*	511	5.3	45	1	1	3	7	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	6179	8.6	60	2	3	6	10	17	23	41
B. *Operated*	2305	12.9	155	1	2	9	17	29	39	65
1. SINGLE DX	1864	5.2	22	1	1	4	7	10	13	23
2. MULTIPLE DX	8484	9.8	89	2	2	7	12	20	28	49
A. NOT OPERATED	7532	8.0	53	2	2	6	10	15	21	38
B. OPERATED	2816	11.5	144	1	1	8	15	27	36	62
TOTAL 0-19 YRS	571	5.6	43	1	1	4	6	11	18	34
20-34	1586	6.4	41	1	2	5	8	13	16	33
35-49	1837	8.3	75	1	2	6	10	17	25	46
50-64	3014	9.6	88	2	2	7	12	21	28	48
65+	3340	10.6	93	2	3	8	13	22	30	50
GRAND TOTAL	**10348**	**9.0**	**80**	**1**	**2**	**6**	**11**	**19**	**26**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.9	4	1	1	2	4	5	6	10
20-34	1325	2.7	4	1	1	2	3	5	6	9
35-49	1260	2.9	8	1	1	2	4	5	7	10
50-64	1222	3.2	5	1	1	3	4	6	7	10
65+	977	4.2	7	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS	1024	5.8	5	3	4	5	7	8	10	14
20-34	12148	6.0	5	3	4	6	7	9	10	13
35-49	10961	6.3	5	4	4	6	7	9	10	14
50-64	9410	6.8	7	4	4	6	8	10	11	16
65+	4527	8.1	12	4	5	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.6	6	<1	1	3	5	7	9	11
20-34	1457	3.5	6	1	1	3	4	6	8	11
35-49	1884	4.0	9	1	1	3	5	7	9	15
50-64	3557	4.8	13	1	2	4	6	9	11	17
65+	8036	6.3	24	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	780	8.2	30	3	4	7	10	14	17	28
20-34	9950	7.5	15	4	4	7	9	12	14	21
35-49	13219	7.9	19	4	5	7	9	12	15	23
50-64	18812	9.1	26	4	5	8	11	15	18	29
65+	23022	12.0	54	5	6	10	14	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4938	3.2	6	1	1	3	4	6	7	11
B. *Operated*	38070	6.5	7	4	4	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	15101	5.3	19	1	2	4	7	10	13	21
B. *Operated*	65783	9.6	36	4	5	8	11	16	20	33
1. SINGLE DX	43008	6.1	8	2	3	6	7	9	11	15
2. MULTIPLE DX	80884	8.8	35	3	4	7	11	15	19	32
A. NOT OPERATED	20039	4.8	16	1	1	4	6	9	12	19
B. OPERATED	103853	8.5	27	4	4	7	10	14	18	29
TOTAL 0-19 YRS	2125	6.3	17	2	3	6	7	10	13	21
20-34	24880	6.3	11	2	3	6	7	10	12	17
35-49	27324	6.8	14	2	3	6	8	11	13	20
50-64	33001	7.8	21	3	4	7	9	13	16	24
65+	36562	10.0	48	3	4	8	12	18	22	37
GRAND TOTAL	**123892**	**7.9**	**27**	**2**	**4**	**7**	**9**	**13**	**17**	**28**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	3.5	4	1	1	3	5	6	7	10
20-34	857	3.1	4	1	1	3	4	6	7	9
35-49	781	3.4	6	1	1	3	4	6	8	11
50-64	567	3.6	6	1	1	3	5	6	8	12
65+	469	4.6	12	1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	81	6.8	15	3	4	6	7	11	15	24
20-34	1044	6.6	9	3	4	6	8	11	13	18
35-49	1146	6.9	9	3	4	6	8	10	13	17
50-64	714	7.5	12	4	4	7	9	12	13	18
65+	379	9.2	16	4	5	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.0	7	1	2	3	5	7	9	15
20-34	995	4.2	7	1	1	4	6	8	9	14
35-49	1101	4.8	10	1	2	4	6	8	11	15
50-64	1510	5.3	13	1	2	5	7	10	12	16
65+	2813	7.0	34	2	2	6	9	12	15	27
B. *Operated*										
0-19 YRS	132	7.8	23	2	3	6	10	16	18	23
20-34	1552	8.0	21	3	4	7	10	13	16	24
35-49	2182	8.7	26	4	5	7	10	15	18	28
50-64	2271	10.2	44	4	5	9	12	17	21	34
65+	2615	13.6	83	5	6	11	16	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2800	3.6	7	1	1	3	5	6	8	12
B. *Operated*	3364	7.2	11	3	4	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	6533	5.7	22	1	2	5	7	10	13	21
B. *Operated*	8752	10.4	52	4	5	9	12	18	23	38
1. SINGLE DX	6164	5.5	12	1	2	5	7	10	12	17
2. MULTIPLE DX	15285	8.4	44	2	3	7	10	15	19	34
A. NOT OPERATED	9333	5.1	18	1	2	4	6	9	12	19
B. OPERATED	12116	9.5	42	4	5	8	11	16	21	35
TOTAL 0-19 YRS	453	5.5	16	1	2	5	7	10	14	19
20-34	4448	5.9	16	1	2	5	7	10	13	20
35-49	5210	6.7	20	2	2	6	8	12	15	22
50-64	5062	7.6	32	2	2	7	10	13	17	27
65+	6276	9.7	63	2	3	8	12	18	23	41
GRAND TOTAL	**21449**	**7.6**	**37**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	2	1	1	2	3	4	5	5
20-34	67	3.5	6	<1	1	3	5	7	8	11
35-49	95	3.6	6	1	1	3	5	7	8	11
50-64	107	3.6	5	1	1	3	5	7	7	12
65+	171	4.2	12	1	1	3	6	8	10	11
B. *Operated*										
0-19 YRS	43	7.4	11	3	4	7	9	11	14	18
20-34	426	7.4	14	2	4	7	9	11	14	21
35-49	360	7.2	16	2	2	7	9	12	14	19
50-64	447	7.9	26	1	2	7	10	14	16	29
65+	554	9.4	40	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.7	4	2	3	4	5	7	9	10
20-34	104	4.6	38	1	1	3	5	8	11	36
35-49	145	4.5	9	1	2	4	6	8	11	14
50-64	278	5.4	13	1	1	5	7	9	11	17
65+	857	7.2	36	2	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	61	9.9	50	4	5	9	11	16	22	47
20-34	469	9.5	34	4	5	8	11	16	19	28
35-49	540	10.9	54	3	5	9	13	19	25	38
50-64	1083	12.1	77	3	5	10	15	21	27	52
65+	3266	14.4	87	3	5	13	18	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.8	8	1	1	3	5	7	9	11
B. *Operated*	1830	8.1	26	1	2	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1398	6.3	29	1	2	5	8	12	15	24
B. *Operated*	5419	13.1	80	3	5	11	16	23	29	49
1. SINGLE DX	2283	7.2	25	1	2	7	10	13	16	25
2. MULTIPLE DX	6817	11.7	77	2	3	10	15	21	27	47
A. NOT OPERATED	1851	5.7	25	1	2	5	7	10	13	23
B. OPERATED	7249	11.8	71	2	4	10	15	21	27	44
TOTAL 0-19 YRS	131	7.8	33	1	3	7	9	13	17	30
20-34	1066	7.8	28	2	3	7	10	13	16	25
35-49	1140	8.3	39	2	2	7	11	15	19	31
50-64	1915	9.7	61	2	2	8	12	18	23	39
65+	4848	12.2	81	2	3	11	16	22	28	47
GRAND TOTAL	**9100**	**10.6**	**68**	**2**	**3**	**9**	**14**	**20**	**25**	**41**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.9	16	<1	1	6	7	12	14	16
20-34	98	3.5	6	1	1	3	5	6	7	14
35-49	98	4.7	14	1	1	4	6	9	10	21
50-64	114	4.6	10	1	2	4	6	10	11	13
65+	152	5.4	15	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	17	7.8	41	1	1	7	13	18	18	18
20-34	72	6.4	44	1	1	5	9	13	16	38
35-49	104	6.8	36	1	1	5	9	13	23	27
50-64	116	7.3	37	1	1	6	11	17	20	25
65+	116	7.7	55	1	1	6	12	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	9.3	43	2	3	8	12	18	20	34
20-34	162	6.2	24	1	2	5	8	12	15	28
35-49	299	5.8	27	1	2	5	7	10	14	31
50-64	431	6.9	31	1	2	6	9	12	15	30
65+	1237	8.1	50	2	3	7	10	14	19	35
B. *Operated*										
0-19 YRS	57	15.2	241	2	2	12	17	28	54	75
20-34	190	10.3	74	1	2	9	13	21	28	41
35-49	393	12.0	109	1	2	10	15	24	33	47
50-64	573	13.4	112	2	3	11	17	25	31	60
65+	1317	15.5	113	3	5	13	20	29	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	4.7	12	1	1	4	6	9	11	16
B. *Operated*	425	7.2	43	1	1	5	10	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	2234	7.5	42	2	2	6	9	13	18	32
B. *Operated*	2530	14.1	115	2	3	12	18	27	34	60
1. SINGLE DX	910	5.8	28	1	1	4	8	12	16	25
2. MULTIPLE DX	4764	11.0	91	2	2	9	14	22	29	50
A. NOT OPERATED	2719	7.0	38	1	2	6	9	13	17	30
B. OPERATED	2955	13.1	110	2	2	11	17	26	32	55
TOTAL 0-19 YRS	202	10.5	105	1	2	8	14	18	26	64
20-34	522	7.2	48	1	1	5	9	14	20	34
35-49	894	8.5	72	1	2	6	11	18	25	39
50-64	1234	9.7	79	1	2	8	13	19	26	44
65+	2822	11.4	93	2	3	9	15	23	30	52
GRAND TOTAL	**5674**	**10.2**	**85**	**1**	**2**	**8**	**13**	**21**	**28**	**47**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	301	4.8	10	1	2	4	6	8	11	19
20-34	1808	5.2	11	1	2	5	6	9	11	17
35-49	1853	5.7	15	2	2	5	7	10	12	20
50-64	1082	5.7	15	2	2	5	7	10	12	20
65+	666	6.1	14	2	2	5	7	10	13	18
B. Operated										
0-19 YRS	25	8.9	38	1	2	7	13	18	20	24
20-34	187	9.8	89	1	2	8	11	18	31	53
35-49	278	8.9	63	1	2	7	12	18	23	42
50-64	218	10.2	85	1	2	9	13	19	27	49
65+	114	9.3	131	1	1	6	11	19	30	61
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	5.8	18	2	2	5	8	11	13	19
20-34	4145	6.6	24	2	2	5	8	12	15	26
35-49	6483	7.2	30	2	3	6	9	13	17	30
50-64	4778	7.3	28	2	3	6	9	13	16	27
65+	5209	8.2	35	3	3	7	10	15	19	32
B. Operated										
0-19 YRS	98	17.5	290	2	4	11	22	44	54	78
20-34	864	15.0	179	3	4	11	19	33	43	84
35-49	1622	16.8	187	3	5	13	21	36	47	99+
50-64	1652	16.5	216	3	4	12	21	35	50	90
65+	1812	18.0	238	3	5	14	22	37	54	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5710	5.5	13	2	2	5	7	10	12	19
B. Operated	822	9.5	83	1	2	7	12	18	27	47
2. MULTIPLE DX										
A. Not Operated	20956	7.3	30	2	3	6	9	13	17	29
B. Operated	6048	16.8	212	3	5	12	21	36	50	90
1. SINGLE DX	6532	6.0	24	2	2	5	7	11	14	24
2. MULTIPLE DX	27004	9.5	86	2	3	7	11	18	26	53
A. NOT OPERATED	26666	7.0	27	2	3	6	8	12	16	27
B. OPERATED	6870	16.0	202	2	4	12	20	34	47	87
TOTAL 0-19 YRS	765	7.0	67	1	2	5	8	13	19	50
20-34	7004	7.4	51	2	2	6	9	13	19	40
35-49	10236	8.5	66	2	3	6	10	16	23	47
50-64	7730	9.1	84	2	3	7	11	17	25	51
65+	7801	10.3	100	2	3	8	12	20	28	60
GRAND TOTAL	**33536**	**8.8**	**76**	**2**	**3**	**6**	**10**	**17**	**24**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	340	2.6	3	1	1	2	3	5	6	9
20-34	441	3.0	4	1	1	3	4	5	6	10
35-49	489	3.6	9	1	1	3	5	6	8	13
50-64	521	3.8	8	1	1	3	5	7	8	11
65+	880	4.9	14	1	1	4	6	9	11	16
B. Operated										
0-19 YRS	27	4.5	12	1	1	3	6	8	10	17
20-34	43	5.5	14	2	2	5	7	10	12	22
35-49	50	5.5	11	1	1	5	8	10	11	15
50-64	73	7.0	48	1	2	5	8	15	17	42
65+	128	7.6	30	1	2	6	9	14	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	735	3.6	8	1	1	3	5	7	8	14
20-34	1783	4.1	10	1	1	3	5	7	10	15
35-49	2504	4.9	13	1	2	4	6	9	11	19
50-64	5055	5.7	20	2	2	5	7	10	13	23
65+	16804	6.9	29	2	2	6	8	13	16	27
B. Operated										
0-19 YRS	107	6.4	27	1	2	5	8	13	18	60
20-34	333	8.1	74	2	2	6	10	14	20	43
35-49	673	9.0	72	2	3	6	10	17	24	48
50-64	1604	9.6	66	2	3	7	12	19	25	41
65+	4744	11.1	97	3	4	8	14	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2671	3.8	9	1	1	3	5	7	9	13
B. Operated	321	6.6	28	1	2	5	8	13	16	25
2. MULTIPLE DX										
A. Not Operated	26881	6.2	25	2	2	5	8	11	15	25
B. Operated	7461	10.4	87	2	3	8	13	20	27	53
1. SINGLE DX	2992	4.1	12	1	1	3	5	8	10	16
2. MULTIPLE DX	34342	7.1	41	2	2	5	9	13	18	33
A. NOT OPERATED	29552	6.0	24	1	2	5	7	11	14	24
B. OPERATED	7782	10.2	85	2	3	8	13	20	27	52
TOTAL 0-19 YRS	1209	3.6	9	1	1	3	5	7	9	17
20-34	2600	4.4	20	1	1	3	5	8	11	20
35-49	3716	5.5	26	1	2	4	7	10	14	25
50-64	7253	6.4	33	1	2	5	8	12	17	29
65+	22556	7.7	46	2	3	6	9	14	19	36
GRAND TOTAL	**37334**	**6.9**	**40**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	3.6	8	1	1	3	4	7	9	13
20-34	19	4.9	12	1	1	4	7	10	12	13
35-49	26	4.7	9	1	2	4	7	9	10	12
50-64	22	7.0	28	1	1	5	11	15	19	20
65+	18	8.3	29	1	2	7	12	16	17	17
B. *Operated*										
0-19 YRS	39	7.8	300	<1	<1	2	6	24	42	93
20-34	29	6.7	30	1	2	6	8	14	16	27
35-49	26	7.3	34	1	2	6	10	16	39	99+
50-64	19	7.6	43	<1	1	4	12	19	20	20
65+	15	8.9	70	2	2	8	9	13	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	437	5.6	42	1	1	4	7	11	17	37
20-34	84	6.9	41	1	2	5	8	13	18	38
35-49	158	7.5	31	2	3	6	10	13	17	30
50-64	201	8.6	58	2	3	6	10	18	21	45
65+	312	10.4	94	2	3	8	12	20	29	53
B. *Operated*										
0-19 YRS	73	14.3	331	2	2	7	21	63	72	99+
20-34	87	10.0	66	2	3	8	13	21	29	43
35-49	134	13.0	111	3	4	10	16	24	38	54
50-64	181	15.3	190	3	5	11	20	29	51	98
65+	248	17.5	246	3	4	13	22	38	54	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	4.3	13	1	1	3	5	9	12	17
B. *Operated*	128	7.6	117	<1	1	5	9	17	26	94
2. MULTIPLE DX										
A. *Not Operated*	1192	7.7	60	1	2	5	9	15	21	40
B. *Operated*	723	14.9	199	2	4	11	19	31	49	94
1. SINGLE DX	431	5.3	46	1	1	4	6	11	15	30
2. MULTIPLE DX	1915	10.4	125	2	2	7	12	22	32	68
A. NOT OPERATED	1495	7.0	53	1	2	5	9	14	19	37
B. OPERATED	851	13.8	193	2	3	9	17	29	46	94
TOTAL 0-19 YRS	767	6.0	81	1	1	4	6	11	21	68
20-34	219	7.9	50	1	2	6	9	15	23	37
35-49	344	9.4	69	2	3	7	12	19	27	48
50-64	423	11.3	124	2	3	8	14	23	29	70
65+	593	13.3	168	3	3	9	16	27	38	72
GRAND TOTAL	**2346**	**9.5**	**114**	**1**	**2**	**6**	**11**	**20**	**29**	**65**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	4.9	22	1	1	4	6	10	13	26
20-34	59	4.2	6	1	2	4	6	8	9	12
35-49	30	4.0	4	1	1	4	5	6	8	9
50-64	26	5.4	18	1	2	4	6	10	15	20
65+	31	8.2	26	2	3	7	11	15	16	25
B. *Operated*										
0-19 YRS	244	3.3	8	1	1	2	3	7	9	16
20-34	163	3.3	8	1	1	2	4	7	8	16
35-49	105	3.1	10	1	1	2	3	6	8	21
50-64	88	4.3	19	1	1	2	5	10	16	20
65+	35	3.6	9	<1	1	3	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	510	5.6	28	1	1	4	7	11	15	30
20-34	165	5.7	18	1	2	5	7	11	14	21
35-49	176	6.6	32	2	2	5	8	14	17	30
50-64	296	7.8	44	2	2	6	10	15	19	33
65+	486	9.8	70	2	3	8	13	18	24	45
B. *Operated*										
0-19 YRS	234	10.2	199	1	2	5	12	28	37	85
20-34	311	7.5	72	1	1	5	11	16	20	49
35-49	327	7.1	48	1	2	4	9	17	20	34
50-64	376	9.6	125	1	2	5	12	22	36	59
65+	417	12.3	130	2	2	9	16	27	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	5.0	20	1	1	4	6	9	13	23
B. *Operated*	635	3.4	10	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1633	7.4	46	1	2	5	10	15	19	33
B. *Operated*	1665	9.4	115	1	2	6	12	21	31	57
1. SINGLE DX	1215	4.2	15	1	1	3	5	8	11	18
2. MULTIPLE DX	3298	8.4	82	1	2	6	11	18	25	49
A. NOT OPERATED	2213	6.7	40	1	2	5	9	14	17	32
B. OPERATED	2300	7.8	93	1	2	4	10	18	27	51
TOTAL 0-19 YRS	1422	5.7	55	1	1	4	7	12	17	45
20-34	698	5.8	42	1	1	4	7	13	16	31
35-49	638	6.2	37	1	2	4	8	14	19	30
50-64	786	8.2	82	1	2	5	10	17	24	51
65+	969	10.6	95	2	2	8	13	21	30	51
GRAND TOTAL	**4513**	**7.3**	**68**	**1**	**2**	**5**	**9**	**16**	**22**	**45**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	4.5	7	1	2	4	6	8	9	15
20-34	24	3.7	6	<1	1	3	5	7	9	10
35-49	11	4.0	3	2	2	4	5	6	8	8
50-64	5	6.2	21	2	2	7	9	13	13	13
65+	5	6.6	9	4	4	6	9	11	11	11
B. *Operated*										
0-19 YRS	24	3.9	7	1	1	3	4	8	10	11
20-34	13	6.2	21	1	1	5	10	12	14	14
35-49	9	3.7	7	1	1	2	5	8	9	9
50-64	6	7.2	63	1	1	3	14	19	20	20
65+	4	4.8	18	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	5.5	15	1	2	4	7	11	13	17
20-34	54	5.1	8	1	1	5	7	9	10	11
35-49	41	5.8	15	1	2	5	7	9	10	24
50-64	47	7.6	54	2	3	5	9	15	19	44
65+	121	9.0	34	3	3	8	11	17	21	53
B. *Operated*										
0-19 YRS	38	7.4	33	2	2	5	11	16	18	26
20-34	55	8.1	43	1	1	7	12	18	20	27
35-49	45	10.8	142	2	3	8	13	19	26	76
50-64	59	12.9	128	1	2	10	17	29	42	46
65+	79	16.0	130	2	4	13	22	29	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.5	7	1	2	4	6	8	9	14
B. *Operated*	56	4.8	17	1	1	3	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	448	6.7	25	1	2	5	9	13	16	28
B. *Operated*	276	11.7	110	1	2	9	16	24	31	50
1. SINGLE DX	271	4.6	9	1	2	4	6	8	11	16
2. MULTIPLE DX	724	8.6	64	1	2	6	11	17	24	43
A. NOT OPERATED	663	6.0	20	1	2	5	7	11	14	26
B. OPERATED	332	10.6	101	1	2	8	15	23	28	47
TOTAL 0-19 YRS	417	5.2	13	1	2	4	6	10	13	17
20-34	146	6.1	24	1	1	5	8	12	18	21
35-49	106	7.6	74	2	2	5	9	14	20	51
50-64	117	10.2	97	2	2	7	13	20	36	46
65+	209	11.5	82	2	3	9	15	23	29	54
GRAND TOTAL	**995**	**7.5**	**52**	**1**	**2**	**5**	**9**	**16**	**21**	**41**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.6	28	<1	<1	1	4	10	14	31
20-34	28	3.6	13	<1	1	2	5	7	10	17
35-49	28	3.1	12	<1	<1	2	3	8	12	15
50-64	40	3.0	4	1	1	2	4	6	7	11
65+	36	5.6	33	<1	<1	3	9	14	17	23
B. *Operated*										
0-19 YRS	72	9.5	85	2	2	7	12	20	27	51
20-34	124	6.4	33	1	1	4	10	16	19	23
35-49	137	5.9	37	<1	1	3	8	17	19	25
50-64	165	5.3	34	1	1	3	7	12	15	30
65+	139	5.8	37	1	1	4	7	14	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	4.9	90	<1	1	2	5	10	14	44
20-34	253	3.7	13	1	1	2	5	8	11	17
35-49	365	5.0	24	1	1	3	6	12	16	21
50-64	656	7.1	57	1	2	5	9	15	20	35
65+	1584	9.7	74	2	3	7	12	19	26	45
B. *Operated*										
0-19 YRS	364	14.3	177	2	3	10	20	30	43	62
20-34	976	11.8	148	1	2	8	16	27	35	67
35-49	1179	11.3	141	1	2	8	15	25	38	67
50-64	1670	11.3	135	2	2	8	15	25	36	60
65+	1883	13.7	175	2	2	10	18	30	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.8	19	<1	<1	2	4	10	14	21
B. *Operated*	637	6.2	42	1	1	4	9	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	3105	7.7	66	1	1	5	10	16	22	39
B. *Operated*	6072	12.3	154	2	2	8	16	28	38	68
1. SINGLE DX	818	5.7	38	<1	1	3	8	14	18	30
2. MULTIPLE DX	9177	10.8	129	1	2	7	14	24	34	64
A. NOT OPERATED	3286	7.5	64	1	1	5	10	16	21	39
B. OPERATED	6709	11.7	147	1	2	8	16	26	37	67
TOTAL 0-19 YRS	732	9.9	149	1	1	5	13	24	34	54
20-34	1381	9.7	122	1	1	6	13	22	31	65
35-49	1709	9.4	114	1	2	5	13	21	30	61
50-64	2531	9.7	112	1	2	6	12	21	31	57
65+	3642	11.5	130	2	2	8	15	25	34	68
GRAND TOTAL	**9995**	**10.3**	**124**	**1**	**2**	**7**	**14**	**23**	**33**	**62**

225: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.3	67	1	1	3	4	11	26	36
20-34	15	3.7	8	1	1	3	5	7	10	11
35-49	17	4.4	9	<1	1	4	6	9	11	12
50-64	26	6.7	32	1	2	5	8	18	19	20
65+	51	8.2	83	1	1	6	10	17	21	57
B. *Operated*										
0-19 YRS	7	7.9	16	1	2	8	10	13	14	14
20-34	9	5.8	23	1	1	4	9	12	14	14
35-49	11	13.7	452	1	2	9	12	41	73	76
50-64	33	7.6	86	1	1	4	9	21	28	37
65+	32	7.1	50	1	1	5	10	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.8	20	<1	1	4	9	12	15	19
20-34	104	6.6	35	1	2	5	9	13	16	34
35-49	190	8.1	41	1	2	6	10	17	22	30
50-64	573	9.5	47	2	3	8	12	18	22	33
65+	3053	11.1	74	3	4	9	14	21	27	47
B. *Operated*										
0-19 YRS	44	15.3	164	2	3	13	17	32	42	58
20-34	184	14.1	189	2	3	11	18	27	41	99
35-49	261	13.4	115	3	3	11	18	26	32	57
50-64	564	16.9	196	2	3	13	23	36	46	76
65+	1430	19.0	216	4	6	16	24	38	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	6.4	53	1	1	4	9	14	19	41
B. *Operated*	92	8.0	105	1	1	5	10	18	27	60
2. MULTIPLE DX										
A. *Not Operated*	3986	10.5	68	2	3	8	13	20	25	44
B. *Operated*	2483	17.5	202	3	4	14	22	35	48	83
1. SINGLE DX	219	7.1	75	1	1	4	9	16	20	43
2. MULTIPLE DX	6469	13.2	131	2	3	10	17	26	35	68
A. NOT OPERATED	4113	10.4	68	2	3	8	13	20	25	44
B. OPERATED	2575	17.2	202	3	4	14	22	35	48	83
TOTAL 0-19 YRS	135	8.9	91	1	1	6	12	17	30	56
20-34	312	10.9	139	1	2	8	14	22	31	89
35-49	479	11.0	97	2	3	8	14	22	28	52
50-64	1196	12.9	133	2	3	10	16	28	37	58
65+	4566	13.5	132	3	4	10	17	26	36	71
GRAND TOTAL	**6688**	**13.0**	**130**	**2**	**3**	**10**	**16**	**26**	**35**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1157	3.9	4	1	2	4	5	6	7	10
20-34	1870	4.0	4	1	2	4	5	6	7	9
35-49	527	4.3	4	2	2	4	5	7	8	11
50-64	284	4.8	6	2	2	4	6	8	9	13
65+	220	5.6	13	2	3	5	7	9	11	15
B. *Operated*										
0-19 YRS	62	4.8	8	2	2	4	6	7	9	17
20-34	82	6.0	9	3	3	5	7	11	11	17
35-49	43	5.8	10	1	2	6	8	10	11	16
50-64	19	5.8	14	1	2	5	6	12	15	15
65+	10	11.5	103	2	4	9	11	26	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1820	4.4	5	2	2	4	5	7	8	12
20-34	3463	4.7	6	2	2	4	6	7	9	13
35-49	1610	5.9	17	2	3	5	7	10	12	18
50-64	1887	6.5	15	2	3	6	8	11	14	21
65+	3961	7.7	28	3	3	7	9	13	16	29
B. *Operated*										
0-19 YRS	247	6.9	25	2	3	6	8	11	19	26
20-34	438	7.8	24	3	3	7	9	14	18	27
35-49	337	9.8	41	3	4	8	12	18	21	31
50-64	427	11.0	68	4	5	9	13	17	23	41
65+	748	13.3	107	4	5	11	16	23	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4058	4.2	5	2	2	4	5	7	8	11
B. *Operated*	216	5.8	15	2	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	12741	6.0	17	2	3	5	7	10	13	21
B. *Operated*	2197	10.5	69	3	4	8	13	19	24	47
1. SINGLE DX	4274	4.3	5	2	2	4	5	7	8	11
2. MULTIPLE DX	14938	6.7	27	2	3	5	8	12	15	26
A. NOT OPERATED	16799	5.6	15	2	2	5	7	9	12	19
B. OPERATED	2413	10.1	66	3	4	8	12	18	23	45
TOTAL 0-19 YRS	3286	4.4	7	2	2	4	5	7	8	14
20-34	5853	4.7	8	2	2	4	6	8	9	15
35-49	2517	6.1	20	2	3	5	7	10	14	21
50-64	2617	7.1	26	2	3	6	9	12	15	25
65+	4939	8.5	44	3	3	7	10	15	19	37
GRAND TOTAL	**19212**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1031	3.8	4	1	2	3	5	6	7	11
20-34	1446	4.0	4	1	2	4	5	6	7	11
35-49	412	4.4	6	2	2	4	5	7	8	14
50-64	237	4.8	7	2	2	4	6	8	9	14
65+	165	5.1	8	2	2	4	6	9	11	14
B. *Operated*										
0-19 YRS	91	5.0	14	<1	1	4	6	10	12	21
20-34	121	5.6	16	1	2	5	7	10	14	22
35-49	79	7.3	42	1	2	6	9	13	22	32
50-64	71	7.6	28	2	2	6	10	15	19	26
65+	46	8.5	25	1	2	9	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1353	4.4	7	2	2	4	5	7	9	13
20-34	2455	4.8	10	2	2	4	6	8	10	15
35-49	1173	5.7	11	2	3	5	7	9	11	18
50-64	1215	6.8	20	2	3	6	8	12	15	25
65+	2365	7.8	27	3	3	7	9	14	17	31
B. *Operated*										
0-19 YRS	299	6.9	28	1	2	6	9	13	17	28
20-34	570	8.8	63	2	3	7	11	15	22	39
35-49	409	10.7	83	2	3	8	13	20	28	47
50-64	575	12.4	117	3	4	9	15	25	31	59
65+	839	14.3	108	3	5	11	19	28	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3291	4.1	5	1	2	4	5	7	8	12
B. *Operated*	408	6.5	25	1	2	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	8561	6.0	18	2	2	5	7	10	13	23
B. *Operated*	2692	11.4	94	2	3	9	14	23	30	51
1. SINGLE DX	3699	4.3	7	1	2	4	5	7	9	15
2. MULTIPLE DX	11253	7.3	41	2	3	5	9	13	19	33
A. NOT OPERATED	11852	5.4	15	2	2	5	7	9	12	20
B. OPERATED	3100	10.7	88	2	3	8	13	22	28	50
TOTAL 0-19 YRS	2774	4.5	9	1	2	4	5	7	10	16
20-34	4592	5.1	17	2	2	4	6	8	11	19
35-49	2073	6.5	30	2	2	5	8	11	15	30
50-64	2098	8.2	53	2	3	6	10	15	21	40
65+	3415	9.2	55	3	3	7	11	17	24	38
GRAND TOTAL	**14952**	**6.5**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**31**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	2.2	2	1	1	2	3	4	5	6
20-34	1553	2.0	3	<1	1	2	3	4	5	7
35-49	2073	2.1	2	<1	1	2	3	4	5	8
50-64	1149	2.3	2	<1	1	2	3	4	5	8
65+	387	2.8	5	1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	87	5.9	16	1	2	5	8	11	13	21
20-34	812	6.3	14	2	2	6	8	11	13	18
35-49	1263	6.5	15	1	2	6	8	11	13	20
50-64	1071	6.7	17	1	2	6	9	11	14	18
65+	478	7.2	18	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.1	11	1	1	2	4	5	7	22
20-34	1341	3.0	8	1	1	2	4	6	7	12
35-49	1837	3.0	7	1	1	2	4	6	8	12
50-64	1763	3.4	8	1	1	3	4	7	8	14
65+	1434	4.6	19	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	128	9.3	73	1	2	7	11	21	26	40
20-34	999	8.1	43	2	2	7	10	14	20	32
35-49	1604	8.2	40	2	2	7	10	15	19	33
50-64	2096	9.0	42	2	3	8	11	17	21	32
65+	1915	10.5	72	2	3	9	13	20	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5384	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	3711	6.6	16	1	2	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	6553	3.5	11	1	1	3	4	7	9	16
B. *Operated*	6742	9.1	52	2	3	8	11	17	22	38
1. SINGLE DX	9095	4.0	13	1	1	3	6	9	11	16
2. MULTIPLE DX	13295	6.3	39	1	1	5	8	13	17	31
A. NOT OPERATED	11937	2.9	7	1	1	2	4	5	7	13
B. OPERATED	10453	8.2	40	2	2	7	10	15	19	32
TOTAL 0-19 YRS	615	4.5	29	1	1	3	5	9	14	27
20-34	4705	4.3	20	1	1	3	6	9	12	22
35-49	6777	4.6	21	1	1	3	6	10	13	21
50-64	6079	5.7	28	1	1	4	8	12	15	25
65+	4214	7.4	51	1	2	6	9	15	20	37
GRAND TOTAL	**22390**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	691	2.0	1	1	1	2	2	4	4	6
20-34	6313	1.9	2	<1	1	2	2	3	4	6
35-49	8034	1.9	2	<1	1	2	2	3	4	6
50-64	4449	2.1	2	1	1	2	3	4	5	7
65+	1241	2.3	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	383	4.4	8	1	2	4	6	8	10	14
20-34	3734	4.7	9	1	2	4	6	9	11	14
35-49	5095	4.9	11	1	2	4	7	9	11	15
50-64	3487	5.3	12	1	2	5	7	10	12	16
65+	1215	5.8	14	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	288	2.6	3	1	1	2	3	5	6	12
20-34	2625	2.4	3	1	1	2	3	4	6	8
35-49	3928	2.4	3	1	1	2	3	5	6	8
50-64	3553	2.8	4	1	1	2	4	5	7	10
65+	2185	3.4	10	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	202	5.9	12	2	2	5	8	11	12	17
20-34	2047	6.3	18	2	2	5	8	11	14	21
35-49	3385	6.3	18	2	2	5	8	12	14	21
50-64	4036	7.4	30	2	2	6	9	14	17	26
65+	3283	9.0	45	2	3	8	11	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20728	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	13914	5.0	11	1	2	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	12579	2.7	5	1	1	2	3	5	6	10
B. *Operated*	12953	7.3	30	2	2	6	9	14	17	27
1. SINGLE DX	34642	3.2	8	1	1	2	4	7	9	13
2. MULTIPLE DX	25532	5.0	23	1	1	4	7	11	14	22
A. NOT OPERATED	33307	2.2	3	1	1	2	3	4	5	8
B. OPERATED	26867	6.1	21	1	2	5	8	12	14	22
TOTAL 0-19 YRS	1564	3.2	7	1	1	2	4	6	9	13
20-34	14719	3.3	9	1	1	2	4	7	9	14
35-49	20442	3.5	10	1	1	2	4	8	10	15
50-64	15525	4.4	17	1	1	3	6	9	12	19
65+	7924	5.9	32	1	1	4	8	12	16	28
GRAND TOTAL	**60174**	**4.0**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.2	14	<1	1	2	4	6	8	23
20-34	124	2.6	3	1	1	2	3	4	7	10
35-49	135	2.8	6	1	1	2	3	5	6	12
50-64	120	3.1	6	1	1	2	4	7	8	12
65+	79	3.8	10	1	1	3	4	8	10	17
B. *Operated*										
0-19 YRS	1258	6.0	12	<1	1	6	8	10	11	15
20-34	554	6.2	20	1	1	6	8	11	14	22
35-49	487	5.5	16	1	1	5	8	11	12	17
50-64	463	5.0	21	1	1	3	7	10	13	21
65+	341	5.1	22	<1	1	3	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	374	4.2	39	1	1	3	5	8	11	17
20-34	397	3.9	16	1	1	3	5	7	10	20
35-49	430	4.8	16	1	1	3	6	10	13	20
50-64	570	5.7	28	1	1	4	7	11	15	26
65+	1501	8.2	54	2	2	6	10	17	22	37
B. *Operated*										
0-19 YRS	1671	7.1	28	1	1	7	9	13	16	27
20-34	1253	7.9	35	1	2	7	10	14	17	26
35-49	1319	8.0	39	1	2	7	10	15	20	32
50-64	2044	8.8	69	1	2	7	11	17	22	43
65+	2698	10.2	78	1	2	8	13	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	600	3.0	8	1	1	2	4	6	7	14
B *Operated*	3103	5.7	17	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3272	6.4	42	1	1	4	8	13	18	33
B. *Operated*	8985	8.7	56	1	2	7	11	17	22	38
1. SINGLE DX	3703	5.3	16	1	1	5	8	10	12	18
2. MULTIPLE DX	12257	8.1	53	1	2	6	10	16	22	37
A. NOT OPERATED	3872	5.8	38	1	1	4	7	12	17	31
B. OPERATED	12088	7.9	48	1	2	7	10	15	21	35
TOTAL 0-19 YRS	3445	6.2	24	1	1	6	8	11	14	23
20-34	2328	6.5	30	1	1	6	9	12	16	24
35-49	2371	6.6	31	1	1	5	9	13	17	28
50-64	3197	7.5	56	1	2	5	10	16	21	37
65+	4619	9.1	68	1	2	7	12	19	25	42
GRAND TOTAL	**15960**	**7.4**	**46**	**1**	**1**	**6**	**9**	**15**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.1	2	1	1	2	3	4	4	8
20-34	327	2.1	2	<1	1	2	3	4	5	8
35-49	377	2.0	2	<1	1	2	2	4	5	7
50-64	233	2.0	2	<1	1	2	3	4	5	8
65+	67	2.8	2	<1	1	3	3	5	6	7
B. *Operated*										
0-19 YRS	30	4.6	10	1	1	4	6	9	11	13
20-34	145	4.7	14	1	1	3	6	10	13	17
35-49	198	4.7	12	1	1	4	6	10	12	16
50-64	223	4.3	12	1	1	3	6	9	12	14
65+	248	4.4	16	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.8	18	<1	1	2	4	9	12	21
20-34	210	2.9	4	1	1	2	4	5	7	12
35-49	266	2.9	6	1	1	2	4	6	8	12
50-64	286	3.3	6	1	1	3	4	7	9	10
65+	203	4.1	13	1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	54	5.5	29	1	1	4	8	11	15	31
20-34	253	6.4	39	1	2	5	8	12	19	37
35-49	293	6.2	26	1	2	5	8	12	17	26
50-64	609	6.1	30	1	2	5	8	12	16	25
65+	1367	7.6	37	2	2	6	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1050	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	844	4.5	13	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	992	3.3	8	1	1	3	4	6	9	14
B. *Operated*	2576	6.9	35	1	2	5	9	14	18	28
1. SINGLE DX	1894	3.2	9	1	1	2	4	7	9	14
2. MULTIPLE DX	3568	5.9	30	1	1	4	8	12	16	26
A. NOT OPERATED	2042	2.7	5	1	1	2	3	5	7	11
B. OPERATED	3420	6.3	31	1	2	5	8	13	17	26
TOTAL 0-19 YRS	157	4.0	17	1	1	3	5	10	11	21
20-34	935	3.8	18	1	1	3	5	8	11	20
35-49	1134	3.8	14	1	1	3	5	8	11	19
50-64	1351	4.5	20	1	1	3	6	9	13	21
65+	1885	6.7	33	1	2	5	9	14	18	27
GRAND TOTAL	**5462**	**5.0**	**24**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	2.6	3	1	1	2	3	4	6	9
20-34	236	2.8	3	1	1	3	4	5	6	7
35-49	119	2.8	2	1	1	2	4	5	6	8
50-64	91	3.7	7	1	1	3	5	7	8	15
65+	103	4.1	9	1	2	4	5	7	9	18
B. *Operated*										
0-19 YRS	229	2.1	3	<1	<1	2	2	4	5	9
20-34	477	2.9	6	<1	<1	2	4	6	7	13
35-49	455	2.7	4	<1	1	2	3	5	7	11
50-64	578	3.0	6	<1	1	2	4	6	7	14
65+	696	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	3.3	4	1	1	3	4	6	7	10
20-34	598	4.2	14	1	1	3	5	8	10	17
35-49	445	4.5	8	1	2	4	6	8	10	13
50-64	638	5.3	15	2	2	4	6	10	12	22
65+	2013	7.0	24	2	3	6	9	13	17	25
B. *Operated*										
0-19 YRS	518	2.8	6	<1	1	2	4	6	7	14
20-34	1144	4.4	20	<1	1	3	6	9	12	22
35-49	1390	4.7	23	1	1	3	6	10	12	24
50-64	2049	5.2	26	1	1	4	7	10	14	24
65+	4403	6.6	46	1	2	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	789	3.0	4	1	1	3	4	5	6	11
B. *Operated*	2435	2.8	5	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	4103	5.7	20	1	2	5	7	11	14	23
B. *Operated*	9504	5.6	34	1	1	4	7	11	15	28
1. SINGLE DX	3224	2.9	5	<1	1	2	4	5	7	12
2. MULTIPLE DX	13607	5.6	30	1	1	4	7	11	15	27
A. NOT OPERATED	4892	5.3	18	1	2	4	7	10	13	22
B. OPERATED	11939	5.0	29	1	1	3	6	10	14	26
TOTAL 0-19 YRS	1396	2.8	5	<1	1	2	4	5	6	11
20-34	2455	3.9	15	<1	1	3	5	8	10	17
35-49	2409	4.2	16	1	1	3	5	8	11	19
50-64	3356	4.8	21	1	1	3	6	10	13	22
65+	7215	6.4	37	1	2	5	8	13	16	29
GRAND TOTAL	**16831**	**5.1**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	2	<1	1	2	3	3	5	6
20-34	13	1.6	1	<1	<1	1	2	3	4	4
35-49	9	2.0	2	1	1	1	3	4	5	5
50-64	15	2.9	2	<1	1	3	4	5	6	6
65+	26	3.8	16	1	1	3	4	8	14	19
B. *Operated*										
0-19 YRS	1356	1.6	2	<1	<1	1	2	3	4	8
20-34	833	2.6	4	<1	1	2	3	5	6	10
35-49	586	2.7	6	<1	<1	2	3	6	8	12
50-64	559	2.9	8	<1	1	2	4	6	7	13
65+	719	3.4	8	1	1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.4	3	<1	<1	2	3	5	6	9
20-34	19	3.4	7	<1	<1	3	5	8	9	10
35-49	34	3.9	12	<1	1	3	5	8	10	18
50-64	58	4.2	20	<1	<1	3	5	8	11	27
65+	219	4.7	12	1	1	4	6	9	13	15
B. *Operated*										
0-19 YRS	1335	2.0	3	<1	<1	1	2	4	5	9
20-34	1290	3.4	9	<1	1	2	4	7	9	16
35-49	1242	3.9	14	<1	1	3	5	8	11	18
50-64	1805	4.4	19	1	1	3	5	9	12	21
65+	3632	5.5	26	1	2	4	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.7	7	<1	1	2	3	5	6	17
B. *Operated*	4053	2.5	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	388	4.1	12	<1	1	3	5	9	11	16
B. *Operated*	9304	4.3	19	<1	1	3	5	9	12	21
1. SINGLE DX	4131	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	9692	4.3	19	<1	1	3	5	9	12	21
A. NOT OPERATED	466	3.9	12	<1	1	3	5	8	11	16
B. OPERATED	13357	3.7	16	<1	1	3	5	8	11	19
TOTAL 0-19 YRS	2764	1.8	3	<1	<1	1	2	3	5	9
20-34	2155	3.1	7	<1	1	2	4	6	8	14
35-49	1871	3.6	11	<1	1	3	4	7	10	17
50-64	2437	4.0	17	<1	1	3	5	8	11	20
65+	4596	5.1	23	1	2	4	6	10	13	24
GRAND TOTAL	**13823**	**3.7**	**15**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1910	3.0	4	1	1	3	4	5	6	9
20-34	1044	3.1	3	1	1	3	4	5	6	9
35-49	528	3.4	4	1	1	3	4	6	7	11
50-64	472	3.7	5	1	1	3	5	7	8	11
65+	902	4.9	13	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	1112	2.4	4	<1	<1	2	3	5	7	10
20-34	999	2.8	6	<1	<1	2	4	6	8	12
35-49	1014	3.1	10	<1	<1	2	4	6	8	14
50-64	1170	3.1	8	<1	1	2	4	6	8	14
65+	1414	3.7	9	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4798	4.0	7	1	2	3	5	7	9	13
20-34	3909	4.5	18	1	1	4	6	8	10	18
35-49	2920	5.5	19	1	2	4	7	10	12	20
50-64	5177	6.3	24	2	2	5	8	11	14	24
65+	23417	8.1	42	2	3	7	10	15	19	36
B. *Operated*										
0-19 YRS	1993	4.1	29	<1	<1	3	5	9	12	24
20-34	2328	5.3	42	1	1	4	6	10	15	32
35-49	2802	5.8	45	1	1	4	7	12	16	34
50-64	4956	6.5	51	1	1	5	8	14	18	35
65+	13504	8.6	73	2	2	6	11	17	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4856	3.5	6	1	1	3	4	6	8	12
B *Operated*	5709	3.1	8	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	40221	6.8	34	2	2	5	8	13	16	30
B. *Operated*	25583	7.3	62	1	1	5	9	15	21	41
1. SINGLE DX	10565	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	65804	7.0	45	1	2	5	9	13	18	35
A. NOT OPERATED	45077	6.5	32	1	2	5	8	12	16	28
B. OPERATED	31292	6.5	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	9813	3.6	11	<1	1	3	5	7	9	14
20-34	8280	4.4	22	1	1	3	5	8	11	21
35-49	7264	5.1	28	1	1	4	6	10	13	25
50-64	11775	6.0	35	1	2	5	7	11	15	29
65+	39237	8.0	52	2	2	6	10	15	20	40
GRAND TOTAL	**76369**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	3.8	8	1	1	3	6	8	8	8
35-49	9	3.8	15	<1	<1	2	6	10	12	12
50-64	53	3.4	10	<1	1	3	4	6	7	21
65+	116	3.6	13	<1	1	2	5	7	10	20
B. *Operated*										
0-19 YRS	15	5.5	7	2	2	6	7	9	9	9
20-34	16	3.1	12	<1	<1	2	4	8	12	14
35-49	367	3.5	6	<1	1	3	5	6	8	11
50-64	6015	4.9	7	1	2	5	6	8	9	13
65+	9743	5.7	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	9	4.1	12	1	1	3	5	10	11	11
35-49	47	3.8	5	1	1	3	5	6	8	11
50-64	504	3.9	10	1	1	3	5	8	10	15
65+	1842	5.3	36	1	1	4	7	11	14	28
B. *Operated*										
0-19 YRS	46	7.3	18	2	3	6	9	14	18	20
20-34	69	4.5	17	1	1	4	5	10	15	85
35-49	714	5.1	17	1	1	4	6	9	12	17
50-64	14092	6.4	18	2	2	5	8	11	14	21
65+	40344	7.9	33	2	3	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.5	12	<1	1	2	5	7	9	20
B. *Operated*	16156	5.3	9	1	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	2405	5.0	30	1	1	4	6	10	13	27
B. *Operated*	55265	7.5	29	2	3	6	9	13	17	28
1. SINGLE DX	16340	5.3	9	1	2	5	6	9	10	15
2. MULTIPLE DX	57670	7.4	30	2	3	6	9	13	16	28
A. NOT OPERATED	2589	4.9	29	1	1	4	6	10	13	26
B. OPERATED	71421	7.0	26	2	3	6	8	12	15	26
TOTAL 0-19 YRS	65	6.5	17	1	2	6	8	11	16	20
20-34	99	4.2	16	1	1	3	5	9	13	62
35-49	1137	4.5	13	1	1	4	6	8	11	15
50-64	20664	5.9	15	1	2	5	7	10	12	19
65+	52045	7.4	30	2	3	6	9	13	16	28
GRAND TOTAL	**74010**	**6.9**	**26**	**2**	**3**	**6**	**8**	**12**	**15**	**26**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	2	1	1	2	3	4	5	7
20-34	197	3.2	3	1	1	3	4	5	6	8
35-49	196	4.1	26	1	2	3	5	7	9	17
50-64	229	4.1	4	1	2	4	5	7	8	10
65+	84	4.1	4	1	2	4	5	7	8	9
B. *Operated*										
0-19 YRS	27	2.1	3	<1	<1	1	3	5	6	7
20-34	230	2.5	6	<1	<1	2	3	5	7	11
35-49	310	2.5	5	<1	<1	2	3	5	7	10
50-64	257	2.9	6	<1	1	2	3	6	7	12
65+	165	3.4	17	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.2	6	1	2	3	5	8	10	10
20-34	328	3.9	6	1	2	3	5	7	9	11
35-49	478	4.6	8	2	2	4	6	8	9	13
50-64	822	4.8	7	2	2	4	6	8	9	14
65+	771	5.4	11	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	47	3.0	4	<1	1	2	4	5	7	11
20-34	402	3.6	16	<1	1	2	4	7	11	20
35-49	744	4.0	10	<1	1	3	5	8	10	15
50-64	1095	5.1	19	1	1	4	7	10	13	22
65+	1176	6.6	30	1	2	5	9	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	3.8	10	1	2	3	5	6	7	10
B. *Operated*	989	2.7	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	2429	4.8	9	2	2	4	6	8	10	15
B. *Operated*	3464	5.2	22	1	1	4	7	10	13	23
1. SINGLE DX	1730	3.2	9	<1	1	3	4	6	7	11
2. MULTIPLE DX	5893	5.0	16	1	2	4	6	9	12	20
A. NOT OPERATED	3170	4.6	9	1	2	4	6	8	9	14
B. OPERATED	4453	4.6	20	<1	1	3	6	9	13	21
TOTAL 0-19 YRS	139	3.0	4	<1	1	2	4	6	7	10
20-34	1157	3.4	9	<1	1	3	4	6	8	13
35-49	1728	3.9	11	<1	1	3	5	7	9	13
50-64	2403	4.7	12	1	1	4	6	9	10	17
65+	2196	5.9	23	1	2	5	7	11	14	23
GRAND TOTAL	**7623**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.3		<1	<1	1	1	2	3	3
20-34	7	3.1	6	<1	<1	2	4	7	8	8
35-49	5	4.0	8	<1	<1	5	6	7	7	7
50-64	6	2.3	1	1	1	3	3	3	3	3
65+	4	4.3	5	<1	<1	5	6	6	6	6
B. *Operated*										
0-19 YRS	1006	1.7	1	<1	<1	1	2	3	3	6
20-34	461	2.4	2	1	1	2	3	4	4	7
35-49	520	2.4	2	1	1	2	3	4	5	8
50-64	824	2.6	2	1	1	2	3	4	5	8
65+	542	2.7	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	1.5	2	<1	<1	1	1	3	4	7
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	6	4.2	8	1	1	4	6	8	8	8
50-64	25	3.7	10	<1	<1	3	5	9	11	11
65+	36	4.0	10	<1	<1	3	7	8	9	14
B. *Operated*										
0-19 YRS	886	2.0	6	<1	<1	2	2	3	4	8
20-34	258	3.4	12	1	1	3	4	5	8	14
35-49	389	3.1	4	1	1	3	4	5	6	11
50-64	918	3.9	11	1	1	3	5	7	9	17
65+	945	4.3	12	1	2	3	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.3	4	<1	<1	1	3	5	6	8
B. *Operated*	3353	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	152	2.6	6	<1	<1	1	3	7	8	11
B. *Operated*	3396	3.4	10	1	1	3	4	6	8	15
1. SINGLE DX	3398	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	3548	3.3	10	<1	1	3	4	6	8	15
A. NOT OPERATED	197	2.5	6	<1	<1	1	3	6	8	11
B. OPERATED	6749	2.8	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	1990	1.8	3	<1	<1	1	2	3	4	6
20-34	736	2.7	6	1	1	2	3	4	5	10
35-49	920	2.7	3	1	1	2	3	5	6	9
50-64	1773	3.3	7	1	1	3	4	6	7	14
65+	1527	3.7	9	1	1	3	4	7	9	17
GRAND TOTAL	**6946**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.6	7	1	1	3	5	7	8	12
20-34	818	4.1	6	1	2	4	5	7	8	12
35-49	430	4.5	6	1	2	4	6	8	9	12
50-64	293	5.2	5	2	3	5	7	8	9	11
65+	173	5.7	8	3	3	5	7	9	10	17
B. *Operated*										
0-19 YRS	168	2.8	4	1	1	2	3	6	7	9
20-34	296	3.6	9	1	1	3	5	7	9	16
35-49	222	3.8	10	1	1	3	5	8	10	17
50-64	167	4.1	9	1	1	3	6	9	11	14
65+	110	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	3.9	7	1	1	3	5	8	10	13
20-34	442	4.7	12	1	2	4	6	8	10	15
35-49	434	5.3	8	2	2	5	7	9	11	14
50-64	606	6.0	10	2	3	5	7	10	11	17
65+	766	6.5	12	2	3	6	8	11	14	19
B. *Operated*										
0-19 YRS	121	3.7	7	1	1	3	5	8	9	12
20-34	270	5.0	22	1	1	4	6	9	12	21
35-49	292	5.9	35	1	1	4	8	11	15	32
50-64	440	6.8	30	2	2	6	9	13	16	24
65+	567	8.3	46	2	2	7	11	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2103	4.4	6	1	2	4	6	8	9	12
B. *Operated*	963	3.6	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2409	5.7	11	2	2	5	7	10	12	17
B. *Operated*	1690	6.6	35	1	2	5	9	13	17	27
1. SINGLE DX	3066	4.2	7	1	1	4	5	8	9	13
2. MULTIPLE DX	4099	6.1	21	1	2	5	8	11	14	22
A. NOT OPERATED	4512	5.1	9	1	2	5	6	9	11	15
B. OPERATED	2653	5.6	27	1	1	4	7	11	15	24
TOTAL 0-19 YRS	839	3.5	7	1	1	3	5	7	9	12
20-34	1826	4.3	10	1	1	4	5	8	10	15
35-49	1378	5.0	14	1	2	4	6	9	11	17
50-64	1506	5.9	15	2	2	5	7	10	12	19
65+	1616	6.9	25	2	3	6	9	13	16	23
GRAND TOTAL	**7165**	**5.3**	**16**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1354	1.4		<1	<1	1	2	2	2	4
20-34	303	1.7		<1	<1	2	2	2	3	4
35-49	178	1.7	1	<1	<1	2	2	2	3	3
50-64	121	1.8	1	<1	1	2	2	3	3	4
65+	64	1.8		<1	1	2	2	3	3	4
B. *Operated*										
0-19 YRS	1217	1.4		<1	<1	1	2	2	2	3
20-34	311	1.7	1	<1	<1	2	2	3	3	4
35-49	210	1.6	1	<1	<1	1	2	2	3	5
50-64	159	1.7	1	<1	<1	2	2	2	3	6
65+	92	2.1	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	1.5	1	<1	<1	1	2	2	3	8
20-34	139	2.2	3	<1	<1	2	2	4	5	9
35-49	169	2.6	5	<1	1	2	3	5	7	12
50-64	176	2.6	4	<1	1	2	3	5	7	11
65+	191	3.1	17	<1	1	2	3	6	8	15
B. *Operated*										
0-19 YRS	468	1.7	2	<1	<1	1	2	3	4	6
20-34	257	2.1	2	<1	<1	2	2	4	5	9
35-49	366	2.4	3	<1	1	2	3	5	6	10
50-64	419	2.8	15	<1	1	2	3	5	7	12
65+	504	3.9	32	1	1	2	4	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2020	1.5	1	<1	<1	1	2	2	3	4
B. *Operated*	1989	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1017	2.3	6	<1	<1	2	2	4	6	11
B. *Operated*	2014	2.6	13	<1	<1	2	3	5	7	13
1. SINGLE DX	4009	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	3031	2.5	11	<1	<1	2	3	5	7	12
A. NOT OPERATED	3037	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	4003	2.1	7	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	3381	1.4	1	<1	<1	1	2	2	3	5
20-34	1010	1.9	1	<1	<1	2	2	3	4	7
35-49	923	2.1	3	<1	<1	2	2	4	5	10
50-64	875	2.4	9	<1	1	2	3	4	6	11
65+	851	3.4	24	<1	1	2	3	7	9	21
GRAND TOTAL	7040	1.9	5	<1	<1	2	2	3	4	10

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	2.4	39	<1	<1	1	2	4	5	10
20-34	183	2.2	3	<1	1	2	3	4	5	9
35-49	129	2.3	2	<1	<1	2	3	4	5	8
50-64	89	2.2	3	<1	1	2	3	4	5	10
65+	47	2.6	4	<1	1	2	3	4	7	11
B. *Operated*										
0-19 YRS	2351	1.8	2	<1	1	1	2	3	4	7
20-34	1459	2.2	4	<1	1	2	3	4	5	9
35-49	988	2.7	6	<1	1	2	3	5	6	13
50-64	1149	3.1	5	1	1	3	4	5	6	9
65+	506	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.0	32	<1	<1	2	3	5	8	22
20-34	201	3.8	15	<1	1	2	5	7	10	23
35-49	233	3.5	11	<1	1	2	4	7	9	12
50-64	259	3.8	10	<1	1	3	5	8	10	17
65+	260	5.9	30	1	1	5	8	12	16	28
B. *Operated*										
0-19 YRS	1006	2.6	9	<1	1	2	3	5	6	14
20-34	1102	3.4	11	1	1	2	4	6	9	18
35-49	1254	4.3	24	1	1	3	5	8	11	24
50-64	2085	4.6	23	1	2	4	5	8	10	20
65+	1426	5.7	59	1	2	4	6	11	17	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	2.3	15	<1	<1	2	3	4	5	10
B. *Operated*	6453	2.4	4	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1158	4.1	20	<1	1	3	5	9	11	21
B. *Operated*	6873	4.3	28	1	1	3	5	8	11	24
1. SINGLE DX	7132	2.4	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	8031	4.3	27	1	1	3	5	8	11	24
A. NOT OPERATED	1837	3.4	19	<1	1	2	4	7	9	19
B. OPERATED	13326	3.4	17	1	1	2	4	6	9	18
TOTAL 0-19 YRS	3793	2.1	8	<1	1	2	2	4	5	10
20-34	2945	2.8	8	<1	1	2	3	5	7	14
35-49	2604	3.5	15	<1	1	2	4	7	9	18
50-64	3582	4.0	16	1	1	3	5	7	9	17
65+	2239	5.1	44	1	1	3	6	10	14	32
GRAND TOTAL	15163	3.4	17	1	1	2	4	6	9	18

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	22	2.0	2	<1	<1	2	2	4	5	5
35-49	47	1.8	4	<1	<1	1	2	3	5	13
50-64	21	1.8	2	<1	<1	1	2	4	5	6
65+	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	228	1.7	1	<1	<1	2	2	3	4	4
20-34	1995	2.1	2	<1	<1	2	2	4	5	7
35-49	5696	2.1	2	<1	<1	2	2	3	5	7
50-64	3111	2.1	1	<1	<1	2	2	3	4	7
65+	1224	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	1	1	4	5	5	5	5
20-34	38	2.8	4	<1	1	2	4	6	7	7
35-49	99	3.1	7	<1	<1	2	4	6	8	13
50-64	64	3.0	10	<1	<1	2	4	6	9	17
65+	50	3.5	9	1	1	3	4	8	12	12
B. *Operated*										
0-19 YRS	71	2.4	2	<1	1	2	3	4	6	8
20-34	1188	3.0	7	<1	1	2	4	6	7	13
35-49	3875	3.0	5	<1	1	2	4	6	7	11
50-64	3022	3.0	5	1	1	2	3	6	7	12
65+	1976	3.2	7	1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	12254	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	256	3.1	7	<1	1	2	4	6	9	13
B. *Operated*	10132	3.0	6	<1	1	2	4	6	7	12
1. SINGLE DX	12353	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	10388	3.0	6	<1	1	2	4	6	7	12
A. NOT OPERATED	355	2.8	6	<1	<1	2	4	6	7	13
B. OPERATED	22386	2.5	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	309	1.9	1	<1	<1	2	2	4	4	6
20-34	3243	2.4	4	<1	<1	2	3	4	6	9
35-49	9717	2.5	3	<1	<1	2	3	5	6	9
50-64	6218	2.5	4	<1	1	2	3	4	6	10
65+	3254	2.8	5	<1	1	2	3	5	7	12
GRAND TOTAL	**22741**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.8	5	1	2	3	5	6	8	13
20-34	172	3.3	4	1	1	3	4	6	7	10
35-49	79	3.9	8	1	1	3	5	8	10	13
50-64	43	3.1	5	<1	<1	2	5	6	7	10
65+	23	1.9	2	<1	<1	1	2	4	6	6
B. *Operated*										
0-19 YRS	1343	2.6	2	<1	1	2	3	4	5	7
20-34	2290	2.8	2	<1	1	3	4	5	5	8
35-49	1580	2.7	3	<1	1	2	4	5	6	8
50-64	1072	2.7	3	<1	1	2	3	5	5	9
65+	502	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.4	6	<1	<1	3	5	7	8	12
20-34	180	3.8	8	<1	1	3	5	7	9	14
35-49	203	4.0	19	<1	<1	3	5	8	9	18
50-64	153	3.8	14	<1	<1	2	5	9	10	18
65+	143	4.3	13	<1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	352	2.9	2	1	1	3	4	4	5	9
20-34	1284	3.4	7	1	1	3	4	5	7	14
35-49	1760	3.7	7	1	1	3	4	6	9	14
50-64	1447	3.8	9	1	1	3	5	7	9	16
65+	1026	4.0	17	1	2	3	5	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.4	5	<1	1	3	5	6	8	11
B. *Operated*	6787	2.7	2	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	744	3.9	13	<1	<1	3	5	8	10	17
B. *Operated*	5869	3.7	9	1	1	3	4	6	9	15
1. SINGLE DX	7181	2.7	3	<1	1	2	3	5	5	8
2. MULTIPLE DX	6613	3.7	10	1	1	3	4	7	9	16
A. NOT OPERATED	1138	3.7	10	<1	1	3	5	7	9	14
B. OPERATED	12656	3.1	6	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	1837	2.8	3	<1	1	3	3	4	5	8
20-34	3926	3.0	4	<1	1	3	4	5	6	10
35-49	3622	3.3	6	<1	1	3	4	6	8	12
50-64	2715	3.4	7	<1	1	3	4	6	8	14
65+	1694	3.5	13	<1	1	3	4	7	9	17
GRAND TOTAL	**13794**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1410	2.3	3	1	1	2	3	4	5	7
20-34	2461	2.2	2	1	1	2	3	4	5	7
35-49	523	2.5	2	1	1	2	3	4	5	8
50-64	33	2.2	2	1	1	2	3	4	5	6
65+	8	3.6	9	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	1612	3.8	4	1	1	4	5	6	7	10
20-34	5021	4.1	5	1	1	4	5	7	8	11
35-49	1383	5.0	6	1	2	5	6	8	9	13
50-64	236	6.1	6	1	3	6	7	9	9	15
65+	81	7.5	8	4	5	7	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	929	2.8	3	1	1	2	4	5	6	9
20-34	2021	2.9	4	1	1	2	4	6	7	9
35-49	555	3.4	6	1	1	3	4	6	8	11
50-64	60	4.1	5	1	1	4	5	7	9	12
65+	40	5.0	10	1	2	4	6	9	12	15
B. *Operated*										
0-19 YRS	1685	4.7	7	1	2	4	6	8	9	13
20-34	10917	5.2	9	1	2	5	6	8	10	15
35-49	5447	6.5	12	2	3	6	7	10	12	18
50-64	723	7.2	15	2	4	7	8	11	14	21
65+	466	9.6	39	4	5	8	11	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4435	2.3	2	1	1	2	3	4	5	7
B. *Operated*	8333	4.3	6	1	1	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3605	3.0	4	1	1	2	4	6	7	10
B. *Operated*	19238	5.7	11	1	2	5	7	9	11	17
1. SINGLE DX	12768	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	22843	5.3	11	1	2	5	7	9	11	16
A. NOT OPERATED	8040	2.6	3	1	1	2	3	5	6	9
B. OPERATED	27571	5.3	10	1	2	5	7	8	10	16
TOTAL 0-19 YRS	5636	3.5	5	1	1	3	5	6	8	11
20-34	20420	4.3	8	1	1	4	6	7	9	13
35-49	7908	5.7	11	1	2	6	7	9	11	17
50-64	1052	6.6	13	2	3	6	8	10	12	19
65+	595	8.9	35	3	5	8	10	14	19	34
GRAND TOTAL	**35611**	**4.7**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3224	4.0	4	1	2	4	5	7	8	11
20-34	8032	4.2	5	1	2	4	5	7	8	12
35-49	959	4.8	6	2	2	4	6	8	10	13
50-64	64	5.0	8	1	2	5	6	9	11	14
65+	26	5.7	21	1	2	4	7	14	16	18
B. *Operated*										
0-19 YRS	692	4.9	9	1	2	4	6	8	11	15
20-34	3762	4.5	9	<1	1	4	6	8	10	13
35-49	1034	5.1	11	<1	1	5	7	9	12	15
50-64	137	5.7	15	1	1	5	7	11	14	18
65+	34	6.6	31	<1	2	5	8	12	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2300	4.6	6	2	2	4	6	8	9	13
20-34	6699	4.7	7	2	2	4	6	8	9	14
35-49	1361	5.7	10	2	3	5	7	10	12	17
50-64	164	6.3	11	2	3	5	8	11	13	22
65+	94	9.2	70	2	3	7	11	17	21	51
B. *Operated*										
0-19 YRS	1456	6.1	14	1	2	6	8	10	13	18
20-34	14011	5.5	12	1	2	5	7	9	11	17
35-49	5263	6.9	20	1	2	6	8	12	14	23
50-64	574	9.1	58	2	3	7	10	17	21	44
65+	234	12.9	108	3	5	9	16	25	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12305	4.2	5	1	2	4	5	7	8	12
B. *Operated*	5659	4.7	10	<1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	10618	4.9	8	2	2	4	6	8	10	14
B. *Operated*	21538	6.1	17	1	2	6	7	10	13	21
1. SINGLE DX	17964	4.3	7	1	2	4	6	7	9	13
2. MULTIPLE DX	32156	5.7	15	1	2	5	7	9	12	19
A. NOT OPERATED	22923	4.5	6	2	2	4	6	7	9	13
B. OPERATED	27197	5.8	16	1	2	5	7	10	12	20
TOTAL 0-19 YRS	7672	4.7	8	1	2	4	6	8	10	14
20-34	32504	4.9	9	1	2	5	6	8	10	15
35-49	8617	6.3	17	1	2	6	8	11	13	20
50-64	939	7.9	43	2	2	7	9	14	19	34
65+	388	11.0	93	2	3	8	14	22	27	56
GRAND TOTAL	**50120**	**5.2**	**12**	**1**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	4	1	1	3	5	5	8	9
20-34	176	2.7	3	<1	1	2	3	6	7	9
35-49	48	2.6	3	<1	1	2	3	5	6	8
50-64	4	4.5	4	2	2	5	6	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	170	3.1	4	<1	<1	2	4	6	7	10
20-34	3185	4.1	6	<1	1	4	6	7	8	9
35-49	1824	5.2	5	<1	2	6	6	7	8	11
50-64	101	5.8	7	1	2	6	7	9	10	15
65+	11	5.2	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	10	<1	1	3	4	6	13	14
20-34	336	3.3	6	<1	1	3	5	6	8	13
35-49	135	3.7	9	<1	<1	3	5	8	9	14
50-64	5	4.0	1	3	3	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	266	4.0	6	1	1	4	6	7	8	11
20-34	12987	5.3	7	1	2	5	6	8	9	13
35-49	14305	6.2	7	2	4	6	7	8	10	14
50-64	1440	6.9	13	4	5	7	8	9	11	17
65+	167	8.6	22	4	5	7	10	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	3	<1	1	2	4	6	7	9
B. *Operated*	5291	4.5	6	<1	1	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	516	3.5	7	<1	1	3	5	6	8	13
B. *Operated*	29165	5.8	7	1	2	6	7	8	10	14
1. SINGLE DX	5557	4.4	6	<1	1	5	6	7	8	10
2. MULTIPLE DX	29681	5.8	8	1	2	6	7	8	10	14
A. NOT OPERATED	782	3.2	6	<1	1	3	4	6	8	13
B. OPERATED	34456	5.6	7	1	2	6	7	8	9	14
TOTAL 0-19 YRS	511	3.6	6	<1	1	3	5	7	8	11
20-34	16684	5.0	7	1	1	5	6	8	9	12
35-49	16312	6.1	7	2	4	6	7	8	10	14
50-64	1550	6.8	12	3	4	6	8	9	11	17
65+	181	8.3	22	3	5	7	9	15	18	26
GRAND TOTAL	**35238**	**5.6**	**7**	**1**	**2**	**6**	**7**	**8**	**9**	**14**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	3	1	1	3	5	6	6	6
20-34	13	2.6	2	1	1	2	4	5	5	5
35-49	7	3.9	9	1	1	3	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.1	1	<1	<1	2	2	3	5	5
20-34	287	2.6	4	<1	<1	2	3	5	7	10
35-49	210	2.4	3	<1	<1	2	3	5	7	8
50-64	84	2.0	2	<1	<1	2	2	3	6	8
65+	31	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.9	6	2	2	5	7	8	9	10
20-34	47	3.8	5	1	1	3	5	8	8	9
35-49	23	3.3	4	<1	1	3	5	6	7	7
50-64	9	3.6	11	1	1	2	5	9	11	11
65+	6	4.0	7	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	56	2.8	4	<1	1	2	3	6	7	10
20-34	1559	4.2	7	<1	1	4	6	7	9	12
35-49	1691	4.6	10	<1	1	5	7	8	9	14
50-64	533	4.1	11	<1	1	3	6	8	9	15
65+	195	4.7	16	1	2	3	6	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	4	1	1	2	5	5	7	10
B. *Operated*	627	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	100	3.9	6	1	1	3	5	7	8	10
B. *Operated*	4034	4.4	9	<1	1	4	6	8	9	14
1. SINGLE DX	654	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	4134	4.4	9	<1	1	4	6	8	9	14
A. NOT OPERATED	127	3.7	5	1	1	3	5	7	8	10
B. OPERATED	4661	4.1	9	<1	1	3	6	8	9	14
TOTAL 0-19 YRS	93	3.1	4	<1	1	2	4	6	7	10
20-34	1906	3.9	7	<1	1	3	6	7	8	12
35-49	1931	4.4	10	<1	1	4	6	8	9	14
50-64	626	3.8	10	<1	1	2	6	8	9	15
65+	232	4.4	14	1	1	3	6	9	11	20
GRAND TOTAL	**4788**	**4.1**	**9**	**<1**	**1**	**3**	**6**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.0	4	1	1	3	4	5	7	11
20-34	456	3.4	4	1	1	3	4	6	7	10
35-49	110	3.9	6	1	1	3	5	7	10	12
50-64	24	4.0	9	<1	1	3	5	8	10	13
65+	13	4.4	8	1	1	4	6	8	10	10
B. *Operated*										
0-19 YRS	268	2.1	2	<1	1	2	3	4	5	7
20-34	1671	2.1	2	<1	<1	2	3	4	5	7
35-49	84[illegible]	2.1	2	<1	<1	2	2	4	5	8
50-64	[illegible]	2.1	3	<1	<1	2	3	3	5	7
65+	[illegible]	2.8	4	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	4.0	7	1	1	3	5	7	8	15
20-34	708	4.3	6	1	2	4	5	7	9	12
35-49	220	4.9	14	1	2	4	6	8	11	15
50-64	90	6.6	25	2	2	5	8	12	16	27
65+	141	6.9	19	2	2	6	9	13	15	22
B. *Operated*										
0-19 YRS	178	3.7	10	1	1	3	5	7	10	17
20-34	1281	3.9	10	<1	1	3	5	7	9	15
35-49	842	4.2	23	<1	1	3	6	8	10	18
50-64	334	4.7	47	<1	1	3	5	10	15	44
65+	287	6.4	45	1	1	4	8	14	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	800	3.4	5	1	1	3	4	6	7	11
B. *Operated*	3115	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1411	4.8	11	1	2	4	6	8	10	16
B. *Operated*	2922	4.3	22	<1	1	3	6	8	11	22
1. SINGLE DX	3915	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	4333	4.4	18	1	1	3	6	8	11	20
A. NOT OPERATED	2211	4.3	9	1	1	4	5	7	9	15
B. OPERATED	6037	3.2	13	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	895	3.1	6	1	1	2	4	6	7	13
20-34	4116	3.2	6	<1	1	2	4	6	7	12
35-49	2015	3.4	14	<1	1	2	4	7	9	14
50-64	705	4.0	29	<1	1	2	4	8	11	27
65+	517	5.9	33	1	1	4	8	12	16	32
GRAND TOTAL	**8248**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.7	9	<1	<1	2	7	8	8	8
35-49	19	3.6	8	<1	<1	4	5	8	9	9
50-64	13	2.9	4	<1	<1	3	5	6	6	6
65+	15	3.3	6	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	15	6.4	13	2	2	5	9	11	13	14
20-34	1093	5.5	4	2	3	5	6	8	9	12
35-49	2021	5.9	5	3	3	6	7	9	10	12
50-64	2916	6.5	6	3	4	6	8	9	11	14
65+	2435	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	56	2.6	8	<1	<1	1	3	5	10	15
35-49	148	2.6	6	<1	<1	1	4	6	8	12
50-64	162	3.1	8	<1	<1	2	4	7	9	11
65+	317	4.3	20	<1	1	3	5	9	12	26
B. *Operated*										
0-19 YRS	38	6.0	6	2	3	6	8	9	9	13
20-34	4964	6.1	5	3	4	6	7	8	10	14
35-49	10394	6.7	7	4	4	6	8	10	11	16
50-64	9035	7.3	9	4	5	7	8	10	12	18
65+	9206	8.0	16	4	5	7	9	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.4	6	<1	1	3	5	7	9	9
B. *Operated*	8480	6.3	6	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	684	3.5	13	<1	<1	2	5	8	10	17
B. *Operated*	33637	7.1	10	4	4	7	8	10	12	18
1. SINGLE DX	8533	6.3	6	3	4	6	7	9	10	14
2. MULTIPLE DX	34321	7.1	10	3	4	7	8	10	12	18
A. NOT OPERATED	737	3.5	13	<1	<1	2	5	8	10	16
B. OPERATED	42117	7.0	9	4	4	7	8	10	12	17
TOTAL 0-19 YRS	54	6.0	8	2	2	6	8	9	11	14
20-34	6119	5.9	5	3	4	6	7	8	10	13
35-49	12582	6.6	7	3	4	6	8	9	11	15
50-64	12126	7.1	8	3	4	7	8	10	12	17
65+	11973	7.7	15	4	4	7	9	11	14	21
GRAND TOTAL	**42854**	**6.9**	**10**	**3**	**4**	**7**	**8**	**10**	**12**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	32	1.8	1	<1	<1	1	2	4	5	5
35-49	7	3.4	27	1	1	1	3	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.9	2	<1	1	1	2	3	4	7
20-34	252	1.8	2	<1	<1	1	2	3	5	7
35-49	363	1.7	2	<1	<1	1	2	3	4	7
50-64	51	1.7	1	<1	<1	2	2	2	3	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	1	1	1	3	3	4	5	5
20-34	37	2.3	2	<1	1	2	3	4	5	5
35-49	29	3.6	69	<1	<1	2	3	5	9	46
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	26	2.9	3	1	1	2	4	6	6	6
20-34	484	3.4	7	<1	1	2	5	7	8	12
35-49	809	3.8	10	<1	1	2	6	8	9	13
50-64	99	4.1	11	<1	1	2	6	9	11	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.0	5	<1	<1	1	2	4	5	15
B. *Operated*	690	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	84	2.8	25	<1	1	2	3	5	5	33
B. *Operated*	1418	3.7	9	<1	1	2	6	7	9	13
1. SINGLE DX	734	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	1502	3.6	10	<1	1	2	6	7	9	13
A. NOT OPERATED	128	2.5	18	<1	<1	2	3	4	5	22
B. OPERATED	2108	3.0	7	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	70	2.4	2	1	1	2	3	5	6	7
20-34	805	2.8	5	<1	<1	2	4	6	7	10
35-49	1208	3.1	10	<1	<1	2	5	7	8	13
50-64	153	3.2	8	<1	<1	2	5	8	9	12
65+										
GRAND TOTAL	**2236**	**3.0**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	1.9	2	<1	1	1	3	3	5	7
20-34	690	1.8	1	<1	<1	1	2	3	4	6
35-49	239	1.8	2	<1	<1	1	2	3	4	7
50-64	26	2.1	6	<1	<1	1	2	3	5	13
65+										
B. *Operated*										
0-19 YRS	577	1.8	1	<1	<1	1	2	3	4	6
20-34	6161	2.0	3	<1	<1	1	2	4	6	7
35-49	7237	2.0	3	<1	<1	1	2	5	6	8
50-64	889	1.7	2	<1	<1	1	2	3	5	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	2.6	3	1	1	2	3	5	6	9
20-34	1109	2.6	5	<1	1	2	3	5	7	11
35-49	729	2.5	6	<1	<1	2	3	5	7	11
50-64	81	2.6	5	<1	<1	2	3	5	7	14
65+										
B. *Operated*										
0-19 YRS	637	2.7	4	<1	1	2	4	5	7	9
20-34	12190	4.0	8	<1	1	4	6	7	8	12
35-49	19734	4.4	9	<1	1	5	6	8	9	13
50-64	2135	3.9	9	<1	1	3	6	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1272	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	14864	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2362	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	34696	4.2	9	<1	1	4	6	8	9	12
1. SINGLE DX	16136	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	37058	4.1	9	<1	1	4	6	7	9	12
A. NOT OPERATED	3634	2.3	4	<1	1	2	3	4	6	10
B. OPERATED	49560	3.5	8	<1	<1	2	6	7	8	12
TOTAL 0-19 YRS	1974	2.3	3	<1	1	2	3	4	6	9
20-34	20150	3.2	7	<1	<1	2	5	7	8	11
35-49	27939	3.7	8	<1	<1	2	6	7	8	12
50-64	3131	3.3	8	<1	<1	2	5	7	8	12
65+										
GRAND TOTAL	**53194**	**3.4**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	25	2.8	4	<1	1	3	3	6	7	9
50-64	30	2.2	3	<1	<1	2	2	4	5	9
65+	24	2.6	4	<1	1	2	3	6	7	8
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	2.6	4	<1	<1	2	4	6	7	8
35-49	738	1.5	1	<1	<1	1	2	2	3	6
50-64	2712	1.6	1	<1	<1	1	2	2	3	6
65+	883	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	3.0	4	1	1	2	4	6	7	7
35-49	88	3.6	9	<1	1	3	5	8	10	15
50-64	176	3.4	13	<1	1	2	4	7	9	18
65+	201	4.5	19	<1	1	3	6	9	14	28
B. *Operated*										
0-19 YRS	6	2.7	4	1	1	2	4	6	6	6
20-34	82	4.5	6	<1	1	5	6	7	9	12
35-49	1019	3.2	7	<1	<1	2	5	7	8	12
50-64	4431	3.0	9	<1	<1	2	3	7	9	14
65+	2453	3.6	18	1	1	2	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.5	3	<1	1	2	3	5	7	9
B. *Operated*	4358	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	473	3.9	15	<1	1	3	5	8	11	20
B. *Operated*	7991	3.2	11	<1	1	2	4	7	9	15
1. SINGLE DX	4439	1.7	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	8464	3.3	12	<1	1	2	4	7	9	15
A. NOT OPERATED	554	3.7	13	<1	1	3	5	8	10	20
B. OPERATED	12349	2.7	8	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	8	2.8	3	1	1	2	4	5	6	6
20-34	115	4.0	6	<1	1	4	6	7	8	12
35-49	1870	2.6	5	<1	<1	2	3	6	7	11
50-64	7349	2.5	7	<1	<1	2	2	6	8	12
65+	3561	3.2	14	<1	1	2	3	7	9	16
GRAND TOTAL	12903	2.7	9	<1	<1	2	3	6	8	13

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.3	3	<1	<1	2	3	5	5	9
20-34	349	2.4	4	<1	<1	2	3	5	5	11
35-49	109	2.7	4	<1	1	2	4	6	7	10
50-64	27	3.0	4	<1	1	2	4	6	7	9
65+	32	4.7	37	<1	1	3	5	12	17	31
B. *Operated*										
0-19 YRS	441	2.8	6	<1	<1	2	4	5	7	14
20-34	4462	2.8	5	<1	<1	2	4	6	7	9
35-49	3064	2.9	6	<1	<1	2	4	6	8	11
50-64	1619	2.8	7	<1	<1	2	3	7	8	12
65+	547	3.1	9	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	3.0	8	<1	1	2	4	6	7	14
20-34	449	2.9	9	<1	<1	2	3	6	8	15
35-49	283	3.2	8	<1	<1	2	4	7	8	12
50-64	156	4.2	41	<1	1	3	5	8	12	27
65+	288	6.1	33	1	2	4	8	12	16	27
B. *Operated*										
0-19 YRS	512	4.0	9	<1	1	3	5	7	9	16
20-34	6942	4.2	9	<1	1	4	6	7	9	13
35-49	9670	4.6	11	<1	1	5	6	8	9	15
50-64	5482	4.9	21	<1	1	4	7	9	11	21
65+	2833	6.4	51	1	1	4	8	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	2.5	5	<1	<1	2	3	5	6	12
B. *Operated*	10133	2.8	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1349	3.8	19	<1	1	3	5	8	10	21
B. *Operated*	25439	4.7	17	<1	1	4	6	8	11	20
1. SINGLE DX	10817	2.8	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	26788	4.7	18	<1	1	4	6	8	11	20
A. NOT OPERATED	2033	3.4	15	<1	1	2	4	7	9	19
B. OPERATED	35572	4.2	15	<1	1	3	6	8	10	18
TOTAL 0-19 YRS	1293	3.2	7	<1	1	2	4	6	8	14
20-34	12202	3.6	8	<1	1	3	5	7	8	12
35-49	13126	4.2	10	<1	<1	4	6	8	9	14
50-64	7284	4.4	19	<1	1	3	6	8	11	19
65+	3700	5.9	44	1	1	4	7	13	17	33
GRAND TOTAL	37605	4.2	15	<1	1	3	6	8	10	18

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	716	1.9	2	<1	1	2	2	3	4	7
20-34	1016	2.2	3	<1	<1	2	3	4	6	10
35-49	201	2.4	4	<1	1	2	3	5	7	10
50-64	23	2.7	5	<1	<1	2	4	7	8	8
65+	9	4.0	23	1	1	2	4	12	16	16
B. *Operated*										
0-19 YRS	383	2.5	4	<1	<1	2	3	5	7	10
20-34	3415	3.0	5	<1	<1	2	5	6	7	10
35-49	2091	5.4	9	<1	1	5	7	9	10	13
50-64	1242	6.6	8	2	4	7	8	10	11	16
65+	538	7.3	8	3	4	7	9	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	531	2.2	2	<1	1	2	3	4	5	8
20-34	1407	2.5	4	<1	1	2	3	5	7	9
35-49	446	2.9	8	<1	1	2	4	6	8	14
50-64	108	4.2	18	<1	1	3	5	10	13	59
65+	129	4.9	16	<1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	438	3.2	6	<1	1	2	5	6	8	11
20-34	10129	4.6	7	<1	1	5	6	7	9	13
35-49	6719	6.1	9	1	2	6	7	9	10	15
50-64	2541	7.5	14	3	4	7	9	11	13	19
65+	1611	8.4	20	3	4	8	10	13	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1965	2.1	3	<1	1	2	3	4	5	9
B. *Operated*	7669	4.6	10	<1	1	4	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2621	2.7	6	<1	1	2	3	5	7	12
B. *Operated*	21438	5.6	11	1	1	6	7	9	11	16
1. SINGLE DX	9634	4.1	9	<1	1	3	6	8	9	13
2. MULTIPLE DX	24059	5.3	11	1	1	5	7	9	11	16
A. NOT OPERATED	4586	2.5	5	<1	1	2	3	5	7	11
B. OPERATED	29107	5.4	11	<1	1	5	7	9	10	16
TOTAL 0-19 YRS	2068	2.4	3	<1	1	2	3	5	6	9
20-34	15967	3.9	7	<1	1	4	6	7	8	12
35-49	9457	5.7	10	1	2	6	7	9	10	15
50-64	3914	7.1	13	2	3	7	9	11	13	18
65+	2287	7.9	18	3	4	7	9	12	16	23
GRAND TOTAL	**33693**	**5.0**	**11**	**<1**	**1**	**5**	**7**	**9**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	2	<1	<1	1	3	4	4	4
20-34	147	2.0	2	<1	1	2	2	[illegible]	5	7
35-49	12	2.9	6	<1	<1	2	5	26	86	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	466	4.4	3	2	3	4	5	6	7	9
20-34	6682	4.6	3	2	3	4	5	6	7	9
35-49	718	4.8	3	3	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	1	<1	<1	2	3	4	4	4
20-34	86	2.7	4	<1	1	2	3	6	7	8
35-49	13	2.8	7	<1	<1	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	424	5.0	3	3	3	5	6	7	8	11
20-34	6671	5.0	4	3	3	5	6	7	8	12
35-49	1044	5.4	5	3	3	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	7866	4.6	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	108	2.7	4	<1	1	2	3	6	8	8
B. *Operated*	8139	5.0	4	3	3	5	6	7	8	12
1. SINGLE DX	8045	4.5	3	2	3	4	5	6	7	9
2. MULTIPLE DX	8247	5.0	4	3	3	5	6	7	8	12
A. NOT OPERATED	287	2.3	3	<1	<1	2	3	5	7	8
B. OPERATED	16005	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	919	4.6	3	2	3	4	5	6	7	11
20-34	13586	4.7	3	2	3	5	6	7	8	10
35-49	1787	5.1	5	3	3	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**16292**	**4.8**	**3**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	1.6	1	<1	1	1	2	3	4	6
20-34	187	1.5	1	<1	1	1	2	3	3	5
35-49	31	1.6	3	<1	<1	1	2	2	2	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4069	1.3	1	<1	<1	1	1	2	2	4
20-34	10981	1.2		<1	<1	<1	1	2	2	4
35-49	1275	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	1.6	2	<1	<1	<1	2	3	4	9
20-34	276	1.8	3	<1	<1	1	2	3	5	12
35-49	61	1.7	4	<1	<1	1	2	3	4	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1267	1.5	2	<1	<1	<1	1	2	4	8
20-34	4534	1.8	3	<1	<1	<1	2	3	5	9
35-49	1121	2.0	3	<1	<1	1	2	4	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	16325	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	423	1.7	3	<1	<1	1	2	3	5	12
B. *Operated*	6922	1.8	3	<1	<1	<1	2	3	5	9
1. SINGLE DX	16667	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	7345	1.8	3	<1	<1	<1	2	3	5	9
A. NOT OPERATED	765	1.6	2	<1	<1	1	2	3	4	9
B. OPERATED	23247	1.4	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	5546	1.4	1	<1	<1	<1	1	2	3	5
20-34	15978	1.4	1	<1	<1	<1	1	2	3	6
35-49	2488	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	24012	1.4	1	<1	<1	<1	1	2	3	6

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	10	1.9	2	1	1	2	2	4	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	3.5	11	1	1	2	6	9	11	11
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	14	1.8	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	12	3.6	9	1	1	2	6	8	11	11
1. SINGLE DX	15	1.9	2	<1	1	2	2	4	5	5
2. MULTIPLE DX	13	3.8	9	1	1	2	6	7	10	11
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	26	2.6	6	<1	1	2	3	6	7	11
TOTAL 0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	20	2.7	6	1	1	2	3	6	9	11
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64										
65+										
GRAND TOTAL	28	2.8	6	<1	1	2	4	6	7	11

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	808	1.5	1	<1	<1	1	2	3	3	5
20-34	2875	1.5	1	<1	<1	1	2	3	3	5
35-49	292	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5590	1.4	1	<1	<1	1	2	2	3	5
20-34	31977	1.4	1	<1	<1	1	1	2	3	5
35-49	4701	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.0	10	<1	<1	1	2	4	5	8
20-34	688	2.3	4	<1	1	2	3	5	6	9
35-49	98	2.4	3	<1	1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	925	2.1	3	<1	1	2	3	4	5	8
20-34	5799	2.1	4	<1	1	1	2	4	6	10
35-49	1305	2.1	4	<1	<1	1	2	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3975	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	42268	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	959	2.3	5	<1	1	2	3	4	6	9
B. *Operated*	8029	2.1	4	<1	1	1	2	4	6	10
1. SINGLE DX	46243	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	8988	2.1	4	<1	1	1	2	4	6	10
A. NOT OPERATED	4934	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	50297	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	7496	1.5	1	<1	<1	1	2	3	3	6
20-34	41339	1.5	2	<1	<1	1	2	2	3	6
35-49	6396	1.5	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**55231**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	2.7	3	<1	1	2	4	5	6	9
20-34	966	2.2	3	<1	1	2	3	4	6	10
35-49	118	2.1	2	<1	<1	2	2	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	631	1.9	2	<1	<1	1	2	3	5	9
20-34	5819	1.5	1	<1	<1	1	2	2	3	6
35-49	809	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.3	7	1	1	2	5	6	8	14
20-34	393	3.1	7	1	1	2	4	6	8	14
35-49	53	3.3	7	<1	1	2	4	8	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	238	3.1	7	1	1	2	4	7	9	14
20-34	1678	2.7	12	<1	<1	2	3	6	7	13
35-49	363	2.5	6	<1	<1	2	3	5	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	7259	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	546	3.1	7	1	1	2	4	6	8	14
B. *Operated*	2279	2.7	10	<1	1	2	3	6	8	13
1. SINGLE DX	8604	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2825	2.8	10	<1	1	2	3	6	8	13
A. NOT OPERATED	1891	2.5	4	<1	1	2	3	5	6	11
B. OPERATED	9538	1.8	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	1230	2.4	4	<1	1	2	3	5	6	11
20-34	8856	1.9	4	<1	<1	1	2	3	5	9
35-49	1343	1.9	3	<1	<1	1	2	4	5	10
50-64										
65+										
GRAND TOTAL	**11429**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	743	2.0	2	<1	1	2	2	4	4	6
20-34	4525	2.1	2	<1	1	2	3	4	5	7
35-49	354	2.3	2	<1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.6	6	<1	1	2	3	4	7	13
20-34	125	1.9	2	<1	<1	1	2	4	4	8
35-49	11	2.2	5	1	1	2	2	5	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.0	4	1	1	3	4	5	6	12
20-34	1291	3.0	8	1	1	2	4	5	7	12
35-49	112	2.8	5	1	1	2	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.5	2	1	1	2	3	5	6	6
20-34	103	3.5	9	<1	1	3	5	8	10	14
35-49	9	2.7	3	1	1	3	3	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5622	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	162	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1606	3.0	7	1	1	2	4	5	7	12
B. *Operated*	124	3.3	8	<1	1	3	4	7	9	13
1. SINGLE DX	5784	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1730	3.0	7	1	1	2	4	6	7	12
A. NOT OPERATED	7228	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	286	2.6	5	<1	1	2	3	6	8	12
TOTAL 0-19 YRS	984	2.2	2	<1	1	2	3	4	5	7
20-34	6044	2.3	3	<1	1	2	3	4	5	9
35-49	486	2.4	3	<1	1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**7514**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	<1	2	3	3	4	8
20-34	236	2.0	2	<1	1	2	3	3	4	8
35-49	10	1.6		<1	<1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	1	1	2	3	3	4	4
20-34	120	2.7	4	1	1	2	3	6	7	9
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	10	6.1	36	1	1	4	8	16	18	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	141	2.6	4	1	1	2	3	5	7	9
B. *Operated*	12	5.5	32	1	1	3	7	16	18	18
1. SINGLE DX	305	2.0	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX	153	2.8	6	1	1	2	3	6	8	15
A. NOT OPERATED	434	2.2	2	<1	1	2	3	4	6	9
B. OPERATED	24	3.6	19	<1	1	2	4	9	16	18
TOTAL 0-19 YRS	67	2.0	1	<1	<1	2	3	3	4	7
20-34	375	2.3	4	<1	1	2	3	4	6	9
35-49	16	1.8		<1	1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	**458**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	917	3.0	4	1	1	2	4	5	7	11
20-34	4709	3.1	4	1	1	3	4	5	7	11
35-49	399	3.4	6	<1	1	3	4	6	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	115	3.6	13	<1	<1	3	4	8	10	19
20-34	457	3.4	6	<1	1	3	4	6	9	13
35-49	41	2.9	3	<1	1	3	3	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	290	3.2	5	<1	1	3	4	6	8	11
20-34	1499	3.5	7	1	1	3	4	6	8	14
35-49	216	4.4	12	<1	1	3	6	9	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	64	3.7	9	<1	<1	3	5	7	9	15
20-34	407	3.3	10	<1	<1	2	4	8	10	15
35-49	53	4.0	9	<1	<1	3	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6025	3.1	4	1	1	3	4	5	7	11
B. *Operated*	613	3.4	7	<1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	2005	3.5	7	1	1	3	4	7	9	14
B. *Operated*	524	3.4	10	<1	<1	2	5	8	10	15
1. SINGLE DX	6638	3.1	5	1	1	3	4	6	7	12
2. MULTIPLE DX	2529	3.5	8	<1	1	3	4	7	9	14
A. NOT OPERATED	8030	3.2	5	1	1	3	4	6	7	12
B. OPERATED	1137	3.4	9	<1	<1	3	4	7	9	14
TOTAL 0-19 YRS	1386	3.1	5	<1	1	3	4	6	7	12
20-34	7072	3.2	5	1	1	3	4	6	8	13
35-49	709	3.7	8	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	**9167**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1357	3.2	4	1	1	3	4	5	7	11
20-34	7625	3.7	6	1	2	3	4	6	8	13
35-49	273	4.0	5	1	2	4	5	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.1	8	<1	<1	2	4	8	9	9
20-34	40	5.6	58	<1	<1	3	6	12	28	32
35-49	4	8.0	102	1	1	4	14	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	674	3.6	7	1	1	3	4	6	9	14
20-34	3122	4.1	14	1	2	3	5	7	9	16
35-49	145	4.3	5	1	2	4	6	8	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.9	10	1	1	3	5	9	11	14
20-34	121	7.4	57	1	2	5	8	18	23	38
35-49	6	5.3	15	1	1	5	9	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9255	3.6	6	1	2	3	4	6	8	13
B. *Operated*	56	5.3	50	<1	<1	3	6	11	25	32
2. MULTIPLE DX										
A. *Not Operated*	3941	4.0	12	1	2	3	5	7	9	15
B. *Operated*	154	6.7	49	1	2	5	7	14	22	37
1. SINGLE DX	9311	3.7	6	1	2	3	4	6	8	13
2. MULTIPLE DX	4095	4.1	14	1	2	3	5	7	10	17
A. NOT OPERATED	13196	3.7	8	1	2	3	4	6	8	14
B. OPERATED	210	6.3	50	<1	1	4	7	14	23	35
TOTAL 0-19 YRS	2070	3.3	5	1	1	3	4	6	8	13
20-34	10908	3.9	9	1	2	3	5	7	8	15
35-49	428	4.2	6	1	2	4	5	7	9	12
50-64										
65+										
GRAND TOTAL	**13406**	**3.8**	**9**	**1**	**2**	**3**	**4**	**7**	**8**	**14**

INTEN

BL

TIONA

ANK

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4779	1.1		<1	<1	<1	1	1	2	4
20-34	18933	1.1	1	<1	<1	<1	1	1	2	4
35-49	1067	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	605	1.2	1	<1	<1	<1	1	1	2	5
20-34	2337	1.1	1	<1	<1	<1	1	1	2	4
35-49	146	1.2	4	<1	<1	<1	1	1	1	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	549	1.5	1	<1	<1	1	2	3	4	6
20-34	2084	1.6	4	<1	<1	1	2	3	4	8
35-49	147	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	92	1.8	3	<1	<1	1	2	3	5	11
20-34	383	2.0	6	<1	<1	1	2	4	6	15
35-49	30	1.2		<1	<1	1	1	2	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24779	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	3088	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	2780	1.6	3	<1	<1	1	2	3	4	7
B. *Operated*	505	1.9	5	<1	<1	1	2	4	5	13
1. SINGLE DX	27867	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3285	1.6	4	<1	<1	1	2	3	4	9
A. NOT OPERATED	27559	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	3593	1.3	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	6025	1.2	1	<1	<1	<1	1	1	2	4
20-34	23737	1.2	1	<1	<1	<1	1	1	2	5
35-49	1390	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**31152**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.6	4	<1	1	2	3	5	6	13
20-34	1737	3.1	12	<1	1	2	4	5	8	19
35-49	193	3.2	18	<1	1	2	4	6	7	22
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	159	2.9	9	<1	1	2	3	6	10	16
35-49	22	3.8	13	<1	1	3	5	7	13	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.3	14	<1	<1	3	4	6	9	21
20-34	513	4.3	20	1	1	3	5	8	12	27
35-49	86	5.5	64	1	1	3	6	12	18	49
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.1	21	1	2	5	8	13	15	15
20-34	78	5.0	33	1	1	3	5	10	18	30
35-49	11	5.6	44	1	1	4	6	14	24	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2104	3.1	12	<1	1	2	4	5	7	18
B. *Operated*	191	3.0	9	<1	1	2	3	6	11	16
2. MULTIPLE DX										
A. *Not Operated*	665	4.3	25	<1	1	3	5	8	12	28
B. *Operated*	97	5.1	32	1	1	3	6	10	18	29
1. SINGLE DX	2295	3.1	12	<1	1	2	4	6	8	18
2. MULTIPLE DX	762	4.4	26	<1	1	3	5	9	13	28
A. NOT OPERATED	2769	3.4	16	<1	1	2	4	6	9	22
B. OPERATED	288	3.7	18	<1	1	2	4	7	13	25
TOTAL 0-19 YRS	258	2.9	8	<1	<1	2	4	6	7	15
20-34	2487	3.4	15	<1	1	2	4	6	9	22
35-49	312	4.0	32	<1	1	2	4	7	11	32
50-64										
65+										
GRAND TOTAL	**3057**	**3.4**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	471	1.8	2	<1	<1	1	2	3	4	7
20-34	2299	2.1	4	<1	<1	1	2	4	5	10
35-49	168	2.2	4	<1	<1	1	3	4	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	47	1.3		<1	<1	1	1	2	3	4
20-34	232	2.0	3	<1	<1	1	2	4	5	10
35-49	23	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	2.4	4	<1	<1	2	3	4	6	13
20-34	790	2.8	9	<1	1	2	3	5	8	14
35-49	62	2.9	8	<1	<1	2	3	6	8	18
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.8	7	1	1	2	3	6	10	11
20-34	122	3.9	23	<1	<1	2	4	8	15	28
35-49	14	2.9	13	<1	<1	2	3	6	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2938	2.0	4	<1	<1	1	2	4	5	10
B. *Operated*	302	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	1038	2.7	8	<1	<1	2	3	5	7	14
B. *Operated*	153	3.7	21	<1	<1	2	4	7	14	27
1. SINGLE DX	3240	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1191	2.9	10	<1	<1	2	3	5	8	17
A. NOT OPERATED	3976	2.2	5	<1	<1	2	3	4	6	11
B. OPERATED	455	2.5	9	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	721	1.9	2	<1	<1	1	2	4	5	8
20-34	3443	2.3	6	<1	<1	2	3	4	6	13
35-49	267	2.4	5	<1	<1	2	3	5	7	13
50-64										
65+										
GRAND TOTAL	**4431**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1093	3.0	3	<1	1	3	4	5	6	8
20-34	2429	2.9	3	<1	1	3	4	5	6	8
35-49	81	3.0	3	<1	<1	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	127	1.7	3	<1	<1	<1	2	4	6	8
20-34	251	2.3	5	<1	<1	1	3	5	7	11
35-49	5	3.6	8	<1	<1	4	5	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1456	3.5	4	<1	1	3	5	6	7	10
20-34	3044	3.4	5	<1	1	3	4	6	7	11
35-49	126	3.5	4	<1	1	3	5	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.4	11	<1	<1	2	5	7	10	17
20-34	313	3.6	8	<1	<1	3	5	7	9	13
35-49	13	3.4	5	<1	<1	3	5	6	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3603	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	383	2.2	4	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4626	3.5	5	<1	1	3	4	6	7	11
B. *Operated*	447	3.5	9	<1	<1	3	5	7	9	14
1. SINGLE DX	3986	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	5073	3.5	5	<1	1	3	4	6	7	11
A. NOT OPERATED	8229	3.2	4	<1	1	3	4	6	7	10
B. OPERATED	830	2.9	7	<1	<1	2	4	6	8	12
TOTAL 0-19 YRS	2797	3.3	4	<1	<1	3	4	6	7	10
20-34	6037	3.2	4	<1	1	3	4	6	7	10
35-49	225	3.3	4	<1	1	3	4	6	7	9
50-64										
65+										
GRAND TOTAL	**9059**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	3.1	10	<1	1	2	4	6	8	21
20-34	2192	3.7	11	1	1	3	4	7	9	16
35-49	282	4.4	9	1	1	4	6	9	10	15
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.0	4	<1	<1	3	4	6	6	9
20-34	147	3.8	12	<1	<1	3	5	9	10	15
35-49	24	4.8	24	<1	<1	3	6	12	18	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1086	3.3	14	<1	<1	2	4	7	8	17
20-34	6223	3.7	13	<1	1	3	5	7	9	17
35-49	660	4.2	10	1	1	3	5	8	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	136	4.0	34	<1	<1	3	5	9	10	23
20-34	805	4.4	20	<1	<1	3	6	9	11	25
35-49	70	5.1	14	<1	<1	4	7	11	11	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2787	3.7	11	1	1	3	4	7	9	16
B. *Operated*	201	3.8	12	<1	<1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	7969	3.7	13	<1	1	3	5	7	9	17
B. *Operated*	1011	4.4	22	<1	<1	3	6	9	11	24
1. SINGLE DX	2988	3.7	11	<1	1	3	4	7	9	16
2. MULTIPLE DX	8980	3.8	14	<1	1	3	5	7	10	18
A. NOT OPERATED	10756	3.7	12	<1	1	3	5	7	9	17
B. OPERATED	1212	4.3	20	<1	<1	3	6	9	11	23
TOTAL 0-19 YRS	1565	3.3	15	<1	<1	2	4	7	8	18
20-34	9367	3.8	13	<1	1	3	5	7	10	18
35-49	1036	4.3	11	1	1	3	6	9	11	16
50-64										
65+										
GRAND TOTAL	**11968**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3418	2.1	5	<1	<1	1	3	4	5	12
20-34	13839	2.3	9	<1	<1	1	3	4	6	13
35-49	768	2.6	11	<1	<1	1	3	5	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	828	2.2	5	<1	<1	1	3	5	6	10
20-34	5888	2.4	7	<1	<1	2	3	4	6	13
35-49	519	2.3	4	<1	<1	2	3	4	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1580	2.8	9	<1	<1	2	3	5	7	18
20-34	7121	3.1	17	<1	<1	2	3	6	8	20
35-49	531	3.9	40	<1	<1	2	4	8	11	31
50-64										
65+										
B. *Operated*										
0-19 YRS	485	3.0	12	<1	<1	2	4	6	9	19
20-34	3330	3.2	20	<1	<1	2	4	7	9	21
35-49	661	2.2	15	<1	<1	<1	2	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18025	2.3	9	<1	<1	1	3	4	6	13
B. *Operated*	7235	2.4	7	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	9232	3.1	17	<1	<1	2	3	6	8	20
B. *Operated*	4476	3.0	19	<1	<1	2	4	6	9	19
1. SINGLE DX	25260	2.3	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX	13708	3.1	17	<1	<1	2	4	6	8	20
A. NOT OPERATED	27257	2.5	12	<1	<1	1	3	5	7	15
B. OPERATED	11711	2.6	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	6311	2.4	7	<1	<1	1	3	5	6	13
20-34	30178	2.6	12	<1	<1	2	3	5	7	16
35-49	2479	2.7	17	<1	<1	1	3	5	8	15
50-64										
65+										
GRAND TOTAL	**38968**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	2.8	1	1	2	3	3	4	4	6
20-34	1942	2.8	2	1	2	3	3	4	4	7
35-49	144	2.9	1	1	2	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	180	3.5	5	2	2	3	4	6	7	16
20-34	1144	3.8	9	2	2	3	4	6	7	12
35-49	112	4.4	14	1	2	4	5	7	7	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	530	3.0	2	1	2	3	3	4	5	10
20-34	2636	3.1	6	1	2	3	3	4	5	11
35-49	213	3.3	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	657	5.0	47	2	2	3	5	7	12	38
20-34	5875	5.1	28	2	2	4	5	7	11	33
35-49	810	5.3	27	2	2	4	6	8	12	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2468	2.8	2	1	2	3	3	4	4	7
B. *Operated*	1436	3.8	9	2	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	3379	3.1	5	1	2	3	3	4	5	10
B. *Operated*	7342	5.1	29	2	2	4	5	8	11	33
1. SINGLE DX	3904	3.2	5	1	2	3	4	5	6	9
2. MULTIPLE DX	10721	4.5	23	2	2	3	5	7	9	27
A. NOT OPERATED	5847	3.0	4	1	2	3	3	4	5	8
B. OPERATED	8778	4.9	26	2	2	4	5	7	10	30
TOTAL 0-19 YRS	1749	3.8	20	1	2	3	4	6	7	24
20-34	11597	4.1	18	1	2	3	4	6	8	23
35-49	1279	4.6	20	2	2	4	5	7	10	21
50-64										
65+										
GRAND TOTAL	**14625**	**4.1**	**18**	**1**	**2**	**3**	**4**	**6**	**8**	**23**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27111	2.5	1	1	1	3	3	4	4	5
20-34	162379	2.6	1	1	1	3	3	4	4	5
35-49	9143	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5800	2.6	1	1	1	3	3	4	4	5
20-34	38366	2.6	1	1	1	3	3	4	4	5
35-49	2265	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1027	2.8	1	1	2	3	3	4	5	6
20-34	5141	2.9	2	1	1	3	3	4	5	7
35-49	417	2.9	2	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	614	2.9	1	1	2	3	3	4	5	6
20-34	21607	3.2	1	2	2	3	4	4	5	6
35-49	2714	3.3	2	2	2	3	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198633	2.6	1	1	1	3	3	4	4	5
B. *Operated*	46431	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	6585	2.8	2	1	1	3	3	4	5	7
B. *Operated*	24935	3.2	1	2	2	3	4	4	5	6
1. SINGLE DX	245064	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	31520	3.1	1	2	2	3	4	4	5	6
A. NOT OPERATED	205218	2.6	1	1	1	3	3	4	4	5
B. OPERATED	71366	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	34552	2.5	1	1	1	3	3	4	4	5
20-34	227493	2.6	1	1	1	3	3	4	4	5
35-49	14539	2.8	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**276584**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	3	1	1	2	3	4	7	8
20-34	107	2.8	2	1	1	3	3	4	5	9
35-49	8	3.0	17	1	1	2	3	10	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.7	7	2	2	5	5	7	8	19
20-34	690	7.1	66	3	3	5	6	10	20	52
35-49	95	7.8	61	3	3	5	7	18	23	43
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	3	1	1	3	3	5	7	8
20-34	113	4.7	46	1	1	3	4	8	14	42
35-49	11	5.2	39	1	1	3	5	14	22	23
50-64										
65+										
B. *Operated*										
0-19 YRS	116	6.2	32	2	3	5	7	10	13	38
20-34	1659	8.8	116	3	3	5	8	17	31	65
35-49	341	9.4	135	3	4	6	8	17	37	68
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.8	3	1	1	3	3	4	5	11
B. *Operated*	835	7.1	62	3	3	5	6	10	20	49
2. MULTIPLE DX										
A. *Not Operated*	145	4.5	39	1	1	3	4	8	13	37
B. *Operated*	2116	8.8	115	3	3	5	8	17	31	64
1. SINGLE DX	967	6.5	56	2	3	5	6	9	17	46
2. MULTIPLE DX	2261	8.5	111	2	3	5	7	16	30	63
A. NOT OPERATED	277	3.7	23	1	1	3	4	5	8	30
B. OPERATED	2951	8.3	100	3	3	5	7	15	29	61
TOTAL 0-19 YRS	204	5.2	22	1	2	4	6	8	11	26
20-34	2569	7.9	97	2	3	5	7	14	28	61
35-49	455	8.8	116	3	3	6	7	17	33	61
50-64										
65+										
GRAND TOTAL	**3228**	**7.9**	**95**	**2**	**3**	**5**	**7**	**14**	**28**	**59**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.2	1	<1	1	2	3	4	4	5
20-34	812	2.7	3	1	1	3	3	4	5	8
35-49	48	2.7	2	1	1	3	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	141	4.1	5	1	2	4	5	7	8	12
20-34	857	4.1	5	1	2	4	5	6	7	9
35-49	53	4.3	7	1	2	4	5	6	7	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.6	2	1	1	2	3	4	6	7
20-34	697	3.0	8	1	1	3	3	5	6	13
35-49	67	2.8	2	1	1	3	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	406	4.5	10	1	2	4	5	7	8	13
20-34	2755	4.8	17	2	2	4	6	7	9	20
35-49	329	5.4	23	2	2	5	6	8	11	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	2.6	3	1	1	3	3	4	5	8
B. *Operated*	1051	4.1	5	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	887	3.0	7	1	1	3	3	5	6	12
B. *Operated*	3490	4.8	17	2	2	4	6	7	9	20
1. SINGLE DX	2052	3.4	4	1	1	3	4	6	6	9
2. MULTIPLE DX	4377	4.5	16	1	2	4	5	7	8	19
A. NOT OPERATED	1888	2.8	5	1	1	3	3	4	5	10
B. OPERATED	4541	4.7	14	1	2	4	5	7	8	18
TOTAL 0-19 YRS	811	3.7	7	1	1	3	5	6	7	11
20-34	5121	4.1	12	1	2	4	5	6	8	16
35-49	497	4.7	18	1	2	4	6	7	9	23
50-64										
65+										
GRAND TOTAL	**6429**	**4.1**	**12**	**1**	**2**	**4**	**5**	**6**	**8**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	7	1	1	2	3	4	8	14
20-34	176	2.5	1	1	1	2	3	4	4	5
35-49	9	2.9		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	285	2.4	1	1	1	2	3	3	4	5
20-34	2042	2.6	1	1	1	3	3	4	4	6
35-49	135	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	1	1	1	2	3	4	5	5
20-34	58	2.8	2	1	1	2	4	5	6	7
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	160	2.9	2	1	1	3	3	4	5	8
20-34	1432	3.1	4	1	2	3	4	5	6	9
35-49	148	3.3	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.5	2	1	1	2	3	4	4	6
B. *Operated*	2462	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	79	2.7	2	1	1	2	3	4	5	7
B. *Operated*	1740	3.1	4	1	1	3	4	5	6	9
1. SINGLE DX	2669	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	1819	3.1	4	1	1	3	4	5	6	9
A. NOT OPERATED	286	2.6	2	1	1	2	3	4	4	6
B. OPERATED	4202	2.8	2	1	1	3	3	4	5	8
TOTAL 0-19 YRS	483	2.6	1	1	1	3	3	4	4	6
20-34	3708	2.8	2	1	1	3	3	4	5	8
35-49	297	3.0	2	1	1	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**4488**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.6	1	1	1	3	3	4	4	5
20-34	852	2.6	1	1	1	3	3	4	4	5
35-49	39	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	88	2.7	1	1	2	3	3	4	4	5
20-34	502	2.8	2	1	1	3	3	4	5	6
35-49	27	3.3	2	1	1	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.0	2	1	2	3	4	4	5	7
20-34	537	2.9	3	1	1	3	3	4	5	6
35-49	34	2.9	2	1	2	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	141	3.0	1	1	2	3	4	4	5	6
20-34	806	3.3	3	1	2	3	4	5	6	10
35-49	62	3.3	5	1	1	3	4	5	6	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1040	2.6	1	1	1	3	3	4	4	5
B. *Operated*	617	2.8	2	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	669	2.9	3	1	1	3	3	4	5	7
B. *Operated*	1009	3.2	3	1	2	3	4	5	5	10
1. SINGLE DX	1657	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1678	3.1	3	1	2	3	4	4	5	8
A. NOT OPERATED	1709	2.7	2	1	1	3	3	4	4	6
B. OPERATED	1626	3.1	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	476	2.8	1	1	2	3	3	4	5	5
20-34	2697	2.9	2	1	1	3	3	4	5	7
35-49	162	3.1	3	1	1	3	4	4	5	10
50-64										
65+										
GRAND TOTAL	**3335**	**2.9**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	1	1	1	3	3	4	4	5
20-34	442	3.3	3	1	2	3	4	5	5	9
35-49	26	3.5	3	1	1	4	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.8	6	1	1	3	5	6	7	14
20-34	317	4.3	3	2	2	4	5	7	7	10
35-49	30	4.0	3	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.3	10	1	1	3	4	5	7	21
20-34	438	4.0	9	1	2	3	5	6	9	18
35-49	38	3.3	1	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	229	5.9	23	2	2	5	6	10	15	30
20-34	2719	5.6	27	2	3	5	6	8	10	28
35-49	279	5.9	41	2	3	5	6	8	12	39
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	3.3	3	1	2	3	4	5	5	9
B. *Operated*	377	4.2	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	517	3.9	8	1	2	3	4	5	8	19
B. *Operated*	3227	5.7	28	2	3	5	6	8	11	29
1. SINGLE DX	885	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX	3744	5.4	26	2	2	5	6	8	10	27
A. NOT OPERATED	1025	3.6	6	1	2	3	4	5	6	14
B. OPERATED	3604	5.5	26	2	3	5	6	8	10	27
TOTAL 0-19 YRS	340	5.0	19	1	2	4	6	8	12	27
20-34	3916	5.1	21	2	2	4	6	7	9	24
35-49	373	5.3	33	2	2	4	6	7	10	31
50-64										
65+										
GRAND TOTAL	**4629**	**5.1**	**22**	**2**	**2**	**4**	**6**	**7**	**10**	**25**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.2	1	1	1	2	3	3	4	5
20-34	645	2.6	1	1	1	3	3	4	4	6
35-49	52	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	899	4.5	2	2	3	[illegible]	5	6	7	9
20-34	6644	4.5	2	2	3	[illegible]	5	6	7	7
35-49	415	4.6	2	2	3	[illegible]	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	3	1	1	2	3	5	6	9
20-34	294	2.8	2	1	1	3	3	4	5	9
35-49	20	2.9	2	<1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	967	5.0	5	2	3	5	6	7	9	13
20-34	8265	5.0	5	2	3	5	6	7	8	12
35-49	877	5.1	4	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	2.6	1	1	1	3	3	4	4	6
B. *Operated*	7958	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	361	2.8	2	1	1	3	3	5	5	9
B. *Operated*	10109	5.0	5	2	3	5	6	7	8	13
1. SINGLE DX	8731	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	10470	4.9	5	2	3	5	6	7	8	12
A. NOT OPERATED	1134	2.6	2	1	1	3	3	4	5	7
B. OPERATED	18067	4.8	4	2	3	5	6	7	7	11
TOTAL 0-19 YRS	1989	4.6	4	2	2	5	5	7	8	11
20-34	15848	4.6	4	2	3	5	5	6	7	10
35-49	1364	4.8	4	2	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**19201**	**4.6**	**4**	**2**	**3**	**5**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	2.9	32	1	1	3	3	4	4	4
20-34	1850	2.5	1	1	1	3	3	4	4	5
35-49	137	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	561	3.6	2	2	2	3	4	6	6	8
20-34	3924	3.7	2	2	2	3	5	6	6	8
35-49	275	4.0	3	1	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.0	9	1	1	3	3	4	6	12
20-34	1200	2.7	2	1	1	3	3	4	5	7
35-49	82	3.0	2	1	1	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1819	4.2	4	2	2	4	5	6	7	11
20-34	13512	4.2	5	2	2	4	5	6	7	10
35-49	1277	4.8	5	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2214	2.6	4	1	1	3	3	4	4	5
B. *Operated*	4760	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	1417	2.8	2	1	1	3	3	4	5	7
B. *Operated*	16608	4.3	5	2	2	4	5	6	7	10
1. SINGLE DX	6974	3.3	3	1	2	3	4	5	6	8
2. MULTIPLE DX	18025	4.2	5	2	2	4	5	6	7	10
A. NOT OPERATED	3631	2.7	3	1	1	3	3	4	4	6
B. OPERATED	21368	4.2	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2742	3.9	6	2	2	3	5	6	7	11
20-34	20486	3.9	4	1	2	4	5	6	7	9
35-49	1771	4.5	5	2	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**24999**	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.0	3	<1	1	3	3	5	7	9
20-34	168	3.1	2	1	2	3	4	4	5	7
35-49	15	3.3	2	1	2	3	4	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1573	5.0	2	3	4	5	6	7	7	10
20-34	8279	5.1	2	3	4	5	6	7	7	8
35-49	374	5.4	2	3	4	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.2	5	1	2	4	6	7	8	9
20-34	102	3.7	4	1	2	3	4	5	6	13
35-49	7	3.4	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3764	5.6	4	3	4	5	6	8	9	13
20-34	20325	5.3	4	3	4	5	6	7	8	11
35-49	1426	5.7	5	3	4	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.1	2	1	2	3	4	4	5	8
B. *Operated*	10226	5.1	2	3	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	132	3.8	4	1	2	4	5	6	7	11
B. *Operated*	25515	5.4	4	3	4	5	6	7	8	12
1. SINGLE DX	10436	5.0	2	3	4	5	6	7	7	9
2. MULTIPLE DX	25647	5.4	4	3	4	5	6	7	8	12
A. NOT OPERATED	342	3.3	3	1	2	3	4	5	6	9
B. OPERATED	35741	5.3	3	3	4	5	6	7	8	11
TOTAL 0-19 YRS	5387	5.4	4	3	4	5	6	7	9	13
20-34	28874	5.2	3	3	4	5	6	7	8	10
35-49	1822	5.6	5	3	4	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**36083**	**5.3**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	446	2.8	1	1	2	3	3	4	4	5
20-34	2677	2.8	1	1	1	3	3	4	4	5
35-49	157	2.8	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	692	3.7	3	1	2	4	5	6	6	8
20-34	4903	3.8	2	2	2	4	5	6	6	8
35-49	291	4.0	4	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	3.0	2	1	2	3	4	4	5	8
20-34	1820	3.0	1	1	2	3	4	4	5	7
35-49	106	2.8	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1923	4.1	4	2	2	4	5	6	8	11
20-34	12438	4.1	3	2	2	4	5	6	7	9
35-49	1014	4.5	6	2	2	4	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3280	2.8	1	1	1	3	3	4	4	5
B. *Operated*	5886	3.8	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	2217	3.0	1	1	2	3	4	4	5	7
B. *Operated*	15375	4.1	4	2	2	4	5	6	7	10
1. SINGLE DX	9166	3.5	2	1	2	3	4	5	6	7
2. MULTIPLE DX	17592	4.0	4	2	2	4	5	6	7	10
A. NOT OPERATED	5497	2.9	1	1	2	3	3	4	5	6
B. OPERATED	21261	4.1	3	2	2	4	5	6	7	9
TOTAL 0-19 YRS	3352	3.8	4	1	2	3	5	6	7	10
20-34	21838	3.8	3	1	2	4	5	6	7	9
35-49	1568	4.2	5	1	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**26758**	**3.8**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	1	1	1	2	3	4	4	7
20-34	471	2.9	9	1	1	3	3	4	4	6
35-49	59	2.8	1	<1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	160	4.1	3	2	2	4	5	6	7	9
20-34	1607	4.2	3	2	2	4	5	6	7	8
35-49	116	5.2	58	1	2	5	6	7	8	35
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.9	3	1	1	3	3	4	5	11
20-34	318	3.2	16	1	1	3	4	4	5	10
35-49	31	3.1	2	1	1	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	438	4.9	6	2	2	5	6	7	8	14
20-34	4156	5.1	13	2	3	5	6	7	8	14
35-49	522	5.3	19	2	3	5	6	7	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	2.9	7	1	1	3	3	4	4	6
B. *Operated*	1883	4.3	6	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	384	3.2	14	1	1	3	4	4	5	10
B. *Operated*	5116	5.1	13	2	3	5	6	7	8	14
1. SINGLE DX	2462	3.9	7	1	2	4	5	6	7	8
2. MULTIPLE DX	5500	4.9	13	2	2	5	6	7	8	14
A. NOT OPERATED	963	3.0	10	1	1	3	3	4	5	7
B. OPERATED	6999	4.9	11	2	2	5	6	7	8	13
TOTAL 0-19 YRS	682	4.5	5	2	2	4	6	7	8	13
20-34	6552	4.6	11	2	2	4	6	7	8	12
35-49	728	5.0	23	2	2	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**7962**	**4.6**	**12**	**2**	**2**	**4**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.6	2	1	1	2	3	5	6	8
20-34	530	2.6	2	1	1	2	3	4	5	7
35-49	45	2.7	2	<1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1442	5.0	2	3	4	5	6	7	7	8
20-34	26383	5.1	2	3	4	5	6	7	7	8
35-49	1766	5.4	4	3	4	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	2	1	1	3	3	4	5	6
20-34	299	3.2	7	1	1	3	4	5	6	8
35-49	30	2.8	2	1	1	3	4	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1051	5.3	7	3	3	5	6	7	8	12
20-34	32119	5.3	4	3	4	5	6	7	8	11
35-49	3842	5.7	5	3	4	6	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	2.6	2	1	1	2	3	4	5	7
B. *Operated*	29591	5.1	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	349	3.1	6	1	1	3	4	5	6	7
B. *Operated*	37012	5.3	4	3	4	5	6	7	8	11
1. SINGLE DX	30197	5.1	2	3	3	5	6	7	7	8
2. MULTIPLE DX	37361	5.3	4	3	4	5	6	7	8	11
A. NOT OPERATED	955	2.8	3	1	1	3	3	5	5	7
B. OPERATED	66603	5.2	3	3	4	5	6	7	7	10
TOTAL 0-19 YRS	2544	5.1	4	3	3	5	6	7	7	10
20-34	59331	5.2	3	3	3	5	6	7	7	9
35-49	5683	5.6	4	3	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**67558**	**5.2**	**3**	**3**	**3**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	751	3.0	2	1	2	3	4	4	5	7
20-34	4753	3.0	2	1	2	3	4	4	5	7
35-49	288	3.2	7	1	2	3	4	5	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	522	3.3	3	2	2	3	4	5	6	8
20-34	3879	3.2	2	1	2	3	4	5	6	8
35-49	251	3.4	6	1	2	3	4	5	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	593	3.4	5	1	2	3	4	5	6	11
20-34	3403	3.3	4	1	2	3	4	5	6	10
35-49	260	3.6	6	1	2	3	4	6	7	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1803	4.4	12	2	2	4	5	7	9	16
20-34	13558	4.3	8	2	2	4	5	6	8	13
35-49	1392	4.7	11	2	2	4	6	7	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5792	3.0	3	1	2	3	4	4	5	7
B. *Operated*	4652	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	4256	3.4	4	1	2	3	4	5	6	10
B. *Operated*	16753	4.3	9	2	2	4	5	7	8	14
1. SINGLE DX	10444	3.1	3	1	2	3	4	4	5	8
2. MULTIPLE DX	21009	4.1	8	2	2	4	5	6	8	13
A. NOT OPERATED	10048	3.2	3	1	2	3	4	4	5	9
B. OPERATED	21405	4.1	8	2	2	4	5	6	7	13
TOTAL 0-19 YRS	3669	3.8	8	2	2	3	4	6	7	13
20-34	25593	3.7	6	1	2	3	4	6	7	11
35-49	2191	4.2	10	1	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**31453**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2339	2.5	1	1	1	3	3	4	4	5
20-34	18546	2.6	2	1	1	3	3	4	4	5
35-49	1078	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1190	2.6	1	1	1	3	3	4	4	6
20-34	9121	2.7	1	1	1	3	3	4	4	6
35-49	517	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	634	2.7	1	1	1	3	3	4	4	6
20-34	4451	2.7	1	1	1	3	3	4	4	6
35-49	350	2.7	3	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1385	3.0	5	1	1	3	3	4	5	8
20-34	12490	3.1	3	1	2	3	4	5	5	7
35-49	1138	3.4	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21963	2.6	2	1	1	3	3	4	4	5
B. *Operated*	10828	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	5435	2.7	2	1	1	3	3	4	4	6
B. *Operated*	15013	3.1	3	1	2	3	4	5	5	7
1. SINGLE DX	32791	2.6	2	1	1	3	3	4	4	5
2. MULTIPLE DX	20448	3.0	3	1	2	3	4	4	5	7
A. NOT OPERATED	27398	2.6	2	1	1	3	3	4	4	5
B. OPERATED	25841	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	5548	2.7	2	1	1	3	3	4	4	6
20-34	44608	2.8	2	1	1	3	3	4	5	6
35-49	3083	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**53239**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	2.2	1	1	1	2	3	3	4	4
20-34	3247	2.3	1	1	1	2	3	3	4	5
35-49	235	2.3	1	<1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4196	2.4	1	1	1	2	3	3	4	5
20-34	33246	2.4	1	1	1	2	3	4	4	5
35-49	2675	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	2.6	1	1	1	2	3	4	4	7
20-34	1024	2.6	2	1	1	2	3	4	4	7
35-49	80	2.7	2	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2081	2.7	2	1	1	3	3	4	5	7
20-34	20011	2.8	3	1	1	3	3	4	5	6
35-49	2210	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4003	2.3	1	1	1	2	3	3	4	5
B. *Operated*	40117	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1276	2.6	2	1	1	2	3	4	4	7
B. *Operated*	24302	2.8	2	1	1	3	3	4	5	7
1. SINGLE DX	44120	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	25578	2.8	2	1	1	3	3	4	5	7
A. NOT OPERATED	5279	2.4	1	1	1	2	3	3	4	5
B. OPERATED	64419	2.6	2	1	1	3	3	4	4	6
TOTAL 0-19 YRS	6970	2.5	1	1	1	2	3	4	4	5
20-34	57528	2.5	2	1	1	3	3	4	4	5
35-49	5200	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**69698**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	2.6	1	1	1	3	3	4	4	6
20-34	1521	2.7	1	1	1	3	3	4	4	5
35-49	51	2.8	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4011	2.7	1	1	2	3	3	4	4	5
20-34	16675	2.8	1	1	2	3	3	4	4	5
35-49	589	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.0	2	1	2	3	4	4	6	8
20-34	402	2.9	2	1	1	3	3	4	5	8
35-49	18	2.9	2	1	2	3	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2700	3.1	3	1	2	3	3	4	5	8
20-34	12312	3.1	2	1	2	3	4	4	5	7
35-49	590	3.3	2	2	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	2.7	1	1	1	3	3	4	4	5
B. *Operated*	21275	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	529	2.9	2	1	2	3	3	4	5	8
B. *Operated*	15602	3.1	2	1	2	3	4	4	5	7
1. SINGLE DX	23176	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	16131	3.1	2	1	2	3	4	4	5	7
A. NOT OPERATED	2430	2.7	1	1	1	3	3	4	4	6
B. OPERATED	36877	2.9	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	7149	2.8	2	1	2	3	3	4	4	6
20-34	30910	2.9	1	1	2	3	3	4	5	6
35-49	1248	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**39307**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	2.4	1	1	1	2	3	3	4	5
20-34	1248	2.5	2	1	1	2	3	4	4	6
35-49	53	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1570	2.6	1	1	2	3	3	4	4	5
20-34	6862	2.6	1	1	1	3	3	4	4	5
35-49	290	2.8	1	1	1	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	2.7	1	1	2	3	3	4	4	7
20-34	521	2.7	2	1	1	3	3	4	5	7
35-49	19	2.4	1	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1220	2.9	2	1	2	3	3	4	5	8
20-34	6537	3.0	2	1	2	3	4	4	5	8
35-49	378	3.4	3	1	2	3	4	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	2.5	1	1	1	2	3	4	4	6
B. *Operated*	8722	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	665	2.7	1	1	1	3	3	4	5	7
B. *Operated*	8135	3.0	2	1	2	3	4	4	5	8
1. SINGLE DX	10298	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	8800	3.0	2	1	2	3	3	4	5	8
A. NOT OPERATED	2241	2.6	1	1	1	3	3	4	4	6
B. OPERATED	16857	2.8	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	3190	2.7	1	1	2	3	3	4	4	6
20-34	15168	2.8	2	1	1	3	3	4	5	7
35-49	740	3.1	2	1	2	3	4	4	6	9
50-64										
65+										
GRAND TOTAL	**19098**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4425	2.7	2	1	1	3	3	4	5	8
20-34	22576	2.7	2	1	1	3	3	4	5	7
35-49	1537	2.8	3	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	8973	3.1	3	1	2	3	4	5	6	9
20-34	48146	3.2	3	1	2	3	4	5	6	8
35-49	2805	3.5	4	1	2	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3053	3.0	4	1	1	3	3	5	6	10
20-34	14416	2.9	4	1	1	3	3	5	6	10
35-49	1142	3.2	11	1	1	3	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	12606	4.1	9	1	2	3	5	7	9	15
20-34	76116	4.1	10	1	2	3	5	7	8	16
35-49	7287	4.7	15	2	2	4	5	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28538	2.7	2	1	1	3	3	4	5	7
B. *Operated*	59924	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	18611	3.0	4	1	1	3	3	5	6	10
B. *Operated*	96009	4.2	10	1	2	3	5	7	8	16
1. SINGLE DX	88462	3.0	3	1	2	3	4	5	5	8
2. MULTIPLE DX	114620	4.0	9	1	2	3	5	6	8	15
A. NOT OPERATED	47149	2.8	3	1	1	3	3	4	5	8
B. OPERATED	155933	3.8	7	1	2	3	4	6	7	13
TOTAL 0-19 YRS	29057	3.5	6	1	2	3	4	6	7	12
20-34	161254	3.5	6	1	2	3	4	6	7	12
35-49	12771	4.1	11	1	2	3	5	7	8	16
50-64										
65+										
GRAND TOTAL	**203082**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.4	2	1	2	3	4	6	6	8
20-34	623	3.7	3	2	2	3	4	6	7	10
35-49	38	4.5	6	1	2	4	5	8	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.3	7	2	2	2	3	8	9	9
20-34	59	4.8	11	1	1	4	7	9	12	17
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.3	9	2	2	4	5	7	8	20
20-34	333	4.4	8	2	2	4	5	7	10	13
35-49	21	4.6	6	2	2	4	6	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.1	13	1	2	4	6	8	13	18
20-34	103	6.8	64	1	2	5	9	13	20	46
35-49	7	6.4	28	2	2	6	8	15	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	826	3.6	3	2	2	3	4	6	7	10
B. *Operated*	68	4.7	11	1	1	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	448	4.4	8	2	2	4	5	7	10	13
B. *Operated*	133	6.5	53	1	2	5	8	12	18	32
1. SINGLE DX	894	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	581	4.9	19	2	2	4	5	8	11	23
A. NOT OPERATED	1274	3.9	5	2	2	3	5	6	8	12
B. OPERATED	201	5.9	40	1	2	4	7	11	16	24
TOTAL 0-19 YRS	289	3.8	6	2	2	3	5	6	7	12
20-34	1118	4.2	11	1	2	4	5	7	9	15
35-49	68	4.8	8	2	2	4	6	9	10	16
50-64										
65+										
GRAND TOTAL	**1475**	**4.2**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.6	1	<1	1	1	2	3	3	4
20-34	273	1.6	1	<1	<1	1	2	3	3	6
35-49	14	1.9	1	<1	<1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	133	1.6	1	<1	1	1	2	3	3	5
20-34	1033	1.6	1	<1	<1	1	2	3	4	6
35-49	49	1.6	1	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.3	3	<1	1	2	3	4	6	9
20-34	201	2.1	2	<1	1	2	3	4	5	7
35-49	12	2.8	4	1	1	2	3	5	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	105	2.5	4	1	1	2	3	4	7	13
20-34	691	2.5	4	1	1	2	3	5	6	11
35-49	47	2.8	4	<1	1	2	4	5	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	1215	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	251	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	843	2.5	4	1	1	2	3	5	6	11
1. SINGLE DX	1558	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1094	2.4	4	1	1	2	3	4	6	11
A. NOT OPERATED	594	1.9	1	<1	1	2	2	3	4	7
B. OPERATED	2058	2.0	3	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	332	2.0	2	<1	1	2	2	3	4	8
20-34	2198	1.9	2	<1	<1	1	2	4	5	8
35-49	122	2.2	3	<1	<1	2	3	4	6	9
50-64										
65+										
GRAND TOTAL	**2652**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.5	6	1	1	3	4	6	9	11
20-34	401	4.1	10	1	1	3	5	9	12	15
35-49	32	5.0	13	1	2	4	6	12	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	126	3.5	13	1	1	3	3	7	10	21
20-34	632	3.2	9	<1	1	2	3	7	9	18
35-49	64	2.3	2	<1	<1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.3	18	1	1	3	5	9	16	21
20-34	296	4.5	17	1	1	3	5	9	13	20
35-49	37	6.1	30	1	1	5	8	12	18	28
50-64										
65+										
B. *Operated*										
0-19 YRS	94	4.0	20	1	1	3	4	9	12	28
20-34	533	4.5	22	1	1	3	5	10	14	21
35-49	70	6.6	46	1	1	4	8	14	20	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	4.1	10	1	1	3	5	9	11	15
B. *Operated*	822	3.2	9	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	386	4.6	18	1	1	3	5	10	13	21
B. *Operated*	697	4.6	25	1	1	3	5	10	15	25
1. SINGLE DX	1328	3.5	10	1	1	3	4	7	10	16
2. MULTIPLE DX	1083	4.6	22	1	1	3	5	10	14	23
A. NOT OPERATED	892	4.3	13	1	1	3	5	9	12	18
B. OPERATED	1519	3.9	17	1	1	3	4	8	12	20
TOTAL 0-19 YRS	346	3.8	14	1	1	3	4	7	10	18
20-34	1862	4.0	15	1	1	3	4	8	12	18
35-49	203	4.9	27	<1	1	3	5	11	14	27
50-64										
65+										
GRAND TOTAL	**2411**	**4.0**	**16**	**1**	**1**	**3**	**4**	**9**	**12**	**19**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2720	3.9	5	1	2	3	5	7	8	11
20-34	2462	4.1	6	1	2	4	5	7	8	12
35-49	1752	4.8	9	2	2	4	6	8	10	16
50-64	1279	5.4	14	2	2	5	7	9	12	20
65+	1132	6.4	20	2	3	5	8	11	14	21
B. *Operated*										
0-19 YRS	1218	4.6	15	1	1	4	6	9	11	20
20-34	1392	5.1	19	1	1	4	6	10	13	24
35-49	865	5.8	22	1	2	4	7	11	14	23
50-64	552	6.4	26	1	2	5	8	12	15	23
65+	359	7.5	49	1	2	6	9	15	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3310	4.5	10	2	2	4	5	8	10	16
20-34	3924	5.5	17	2	2	4	7	10	13	22
35-49	4347	6.6	23	2	3	5	8	12	15	25
50-64	6149	7.6	30	2	3	6	9	14	17	29
65+	10970	8.8	45	3	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	1282	6.4	34	1	2	5	7	12	17	29
20-34	2493	8.6	67	2	2	6	10	17	24	43
35-49	2506	10.2	98	2	3	8	12	20	30	54
50-64	3126	12.2	120	2	3	9	15	25	35	59
65+	4300	14.3	152	3	4	11	18	29	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9345	4.6	10	2	2	4	6	8	10	15
B. *Operated*	4386	5.4	23	1	1	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	28700	7.3	33	2	3	6	9	13	17	30
B. *Operated*	13707	11.3	115	2	3	8	14	23	33	63
1. SINGLE DX	13731	4.9	14	1	2	4	6	9	11	19
2. MULTIPLE DX	42407	8.6	63	2	3	6	10	16	23	44
A. NOT OPERATED	38045	6.6	29	2	2	5	8	12	16	27
B. OPERATED	18093	9.9	99	2	2	7	12	21	29	56
TOTAL 0-19 YRS	8530	4.6	13	1	2	4	6	8	10	19
20-34	10271	5.9	30	1	2	4	7	11	15	29
35-49	9470	7.1	44	2	2	5	9	13	18	35
50-64	11106	8.6	59	2	3	7	10	16	22	42
65+	16761	10.0	78	3	3	8	12	19	26	54
GRAND TOTAL	**56138**	**7.7**	**54**	**2**	**2**	**6**	**9**	**15**	**20**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	935	3.9	6	1	2	3	5	7	8	12
20-34	449	4.0	6	2	2	3	5	7	9	15
35-49	251	4.4	9	1	2	3	6	8	11	16
50-64	168	4.8	8	2	2	4	6	9	10	14
65+	106	6.0	18	2	2	5	7	12	14	23
B. *Operated*										
0-19 YRS	666	3.5	8	<1	<1	3	5	8	9	14
20-34	505	4.3	15	<1	1	3	5	9	10	22
35-49	339	4.3	17	<1	<1	3	5	9	13	22
50-64	239	5.3	37	<1	1	4	6	11	16	33
65+	142	5.7	41	<1	1	4	7	12	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1273	4.4	7	1	2	4	6	8	9	14
20-34	691	4.9	19	1	2	4	6	8	11	27
35-49	617	6.0	26	2	2	5	7	10	14	31
50-64	871	7.5	41	2	3	6	9	13	16	34
65+	1339	8.1	35	2	3	7	10	14	18	36
B. *Operated*										
0-19 YRS	616	5.4	25	1	1	4	7	10	14	24
20-34	674	7.2	66	1	2	5	8	14	24	43
35-49	675	8.0	57	1	2	6	10	17	24	41
50-64	911	10.4	98	2	2	8	13	22	30	52
65+	941	11.5	117	2	3	9	14	22	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1909	4.2	7	1	2	4	5	7	9	14
B. *Operated*	1891	4.2	18	<1	1	3	5	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	4791	6.3	28	2	2	5	8	11	15	28
B. *Operated*	3817	8.9	83	1	2	6	11	18	26	49
1. SINGLE DX	3800	4.2	13	<1	1	3	5	8	10	19
2. MULTIPLE DX	8608	7.4	54	2	2	5	9	15	20	42
A. NOT OPERATED	6700	5.7	23	2	2	4	7	10	14	25
B. OPERATED	5708	7.3	66	1	1	5	9	15	22	43
TOTAL 0-19 YRS	3490	4.3	10	1	1	4	5	8	10	15
20-34	2319	5.3	31	1	2	4	6	10	13	30
35-49	1882	6.2	35	1	2	5	7	12	17	33
50-64	2189	8.2	66	2	2	6	10	16	23	47
65+	2528	9.2	69	2	3	7	11	17	23	48
GRAND TOTAL	**12408**	**6.4**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**37**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.6	14	<1	1	2	4	5	14	19
20-34	56	3.1	4	<1	<1	3	4	5	7	11
35-49	9	2.2	1	<1	<1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2901	3.1	6	1	1	3	4	5	6	9
20-34	5129	3.1	3	1	1	3	4	5	6	9
35-49	736	3.2	4	1	1	3	4	5	6	10
50-64	152	3.4	5	1	1	3	4	6	9	13
65+	37	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	5	<1	<1	3	4	6	8	8
20-34	59	3.4	10	<1	<1	2	5	9	9	15
35-49	13	5.3	14	<1	1	4	9	11	11	11
50-64	12	5.1	8	1	2	5	7	9	9	9
65+	6	8.3	12	3	3	8	12	12	12	12
B. *Operated*										
0-19 YRS	386	4.1	10	1	2	3	5	7	9	16
20-34	927	4.2	10	1	1	3	5	7	9	16
35-49	335	4.3	14	1	1	4	5	8	10	20
50-64	134	6.1	41	1	2	4	7	12	17	34
65+	64	6.7	32	2	3	5	9	12	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.2	7	<1	<1	3	4	5	7	17
B. *Operated*	8955	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	115	4.0	11	<1	<1	3	6	9	11	13
B. *Operated*	1846	4.4	14	1	2	4	5	8	11	20
1. SINGLE DX	9052	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1961	4.4	14	1	1	4	5	8	11	20
A. NOT OPERATED	212	3.6	9	<1	<1	3	5	8	9	14
B. OPERATED	10801	3.4	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	3343	3.2	7	1	1	3	4	5	7	10
20-34	6171	3.3	4	1	1	3	4	5	7	11
35-49	1093	3.6	7	1	1	3	4	6	8	12
50-64	299	4.7	23	1	1	3	6	9	12	21
65+	107	5.8	24	1	2	4	7	11	14	29
GRAND TOTAL	**11013**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	5	<1	<1	1	3	6	8	8
20-34	9	2.0	4	1	1	1	2	5	7	7
35-49	4	1.5		1	1	1	2	2	2	2
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	476	1.5	1	<1	<1	1	2	2	3	5
20-34	637	1.7	2	<1	<1	1	2	3	4	7
35-49	500	1.6	2	<1	<1	1	2	3	4	6
50-64	415	1.6	1	<1	<1	1	2	3	3	6
65+	205	2.1	4	<1	<1	1	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	4	<1	<1	1	3	5	6	8
20-34	16	3.4	4	<1	<1	3	5	5	8	9
35-49	17	3.7	7	<1	<1	3	5	8	9	10
50-64	18	2.9	5	<1	<1	2	4	6	8	9
65+	14	3.5	9	<1	<1	2	5	8	10	10
B. *Operated*										
0-19 YRS	94	2.2	3	<1	<1	2	3	5	6	9
20-34	214	2.8	9	<1	<1	2	3	6	9	14
35-49	278	3.2	11	<1	<1	2	4	6	8	15
50-64	307	3.3	10	<1	<1	2	4	7	9	17
65+	241	4.4	24	<1	1	3	5	9	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.1	3	<1	<1	1	3	4	7	8
B. *Operated*	2233	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	85	3.1	6	<1	<1	3	4	7	8	10
B. *Operated*	1134	3.3	13	<1	<1	2	4	7	9	20
1. SINGLE DX	2264	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1219	3.3	12	<1	<1	2	4	7	9	18
A. NOT OPERATED	116	2.8	5	<1	<1	2	4	6	8	10
B. OPERATED	3367	2.2	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	603	1.6	1	<1	<1	1	2	3	4	7
20-34	876	2.0	4	<1	<1	1	2	4	5	10
35-49	799	2.2	6	<1	<1	1	2	4	6	12
50-64	742	2.4	6	<1	<1	2	3	5	6	12
65+	463	3.3	16	<1	<1	2	4	7	10	24
GRAND TOTAL	**3483**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1403	3.7	14	1	1	3	4	7	10	21
20-34	785	6.1	56	1	1	4	7	14	21	39
35-49	639	6.8	80	1	1	4	7	17	26	49
50-64	500	7.3	63	1	1	4	8	18	24	37
65+	470	7.8	57	2	2	5	9	18	22	40
B. *Operated*										
0-19 YRS	1838	2.9	20	<1	<1	2	3	5	9	21
20-34	2192	4.0	39	<1	<1	2	4	8	13	31
35-49	1711	4.3	45	<1	<1	2	4	9	14	39
50-64	1513	3.9	30	<1	<1	2	4	9	13	27
65+	1116	6.5	88	<1	<1	3	8	17	24	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1934	4.8	28	1	1	3	5	9	13	26
20-34	1521	7.3	71	1	1	5	8	17	24	43
35-49	1845	8.2	76	1	2	5	10	18	24	46
50-64	2592	9.2	74	2	2	6	11	20	26	44
65+	6977	11.3	101	2	3	8	14	22	31	63
B. *Operated*										
0-19 YRS	1506	7.2	130	<1	1	3	8	17	31	61
20-34	2843	11.3	228	1	1	5	14	31	47	81
35-49	3258	10.8	204	1	1	5	13	29	43	86
50-64	4244	12.0	232	1	1	6	15	32	49	94
65+	7494	16.8	260	2	3	12	23	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3797	5.7	48	1	1	3	6	13	20	37
B. *Operated*	8370	4.1	42	<1	<1	2	4	9	14	35
2. MULTIPLE DX										
A. *Not Operated*	14869	9.3	86	1	2	7	11	20	27	51
B. *Operated*	19345	13.2	239	1	2	8	18	34	50	95
1. SINGLE DX	12167	4.6	44	<1	<1	2	5	10	16	36
2. MULTIPLE DX	34214	11.5	176	1	2	7	14	28	40	82
A. NOT OPERATED	18666	8.5	80	1	2	6	11	19	26	48
B. OPERATED	27715	10.5	197	<1	1	5	13	28	42	86
TOTAL 0-19 YRS	6681	4.6	48	<1	1	3	5	9	15	39
20-34	7341	7.7	130	<1	1	4	8	20	31	66
35-49	7453	8.3	132	1	1	4	9	21	32	69
50-64	8849	9.5	150	1	1	5	12	23	35	72
65+	16057	13.4	185	2	2	9	17	30	43	91
GRAND TOTAL	**46381**	**9.7**	**151**	**1**	**1**	**5**	**12**	**24**	**35**	**74**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	5.0	18	<1	1	4	7	11	14	22
20-34	213	5.8	25	1	2	5	7	10	16	26
35-49	179	6.7	68	2	2	5	8	11	13	41
50-64	113	6.6	18	2	2	6	8	11	14	23
65+	43	9.3	59	2	3	7	13	19	23	40
B. *Operated*										
0-19 YRS	76	4.5	16	1	2	3	6	11	12	21
20-34	112	6.3	33	1	1	4	9	14	16	29
35-49	92	5.8	30	1	1	4	8	13	16	28
50-64	66	6.7	24	1	1	6	9	12	14	27
65+	35	8.2	82	1	2	5	11	17	18	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	7.5	58	1	2	5	9	16	20	35
20-34	666	7.5	39	2	2	6	9	15	19	31
35-49	739	8.1	49	1	2	6	10	16	22	36
50-64	799	8.5	53	2	3	7	10	17	21	38
65+	694	9.7	53	2	3	8	12	19	25	38
B. *Operated*										
0-19 YRS	134	13.2	233	2	2	8	17	30	57	99+
20-34	367	13.0	176	2	2	9	17	29	43	84
35-49	401	13.9	168	2	3	11	17	28	41	87
50-64	448	13.6	166	2	3	10	17	31	40	78
65+	405	14.5	124	2	3	12	19	28	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	685	6.2	37	1	2	5	7	11	16	28
B. *Operated*	381	6.1	32	1	1	4	9	13	15	29
2. MULTIPLE DX										
A. *Not Operated*	3182	8.4	50	2	2	7	10	17	22	36
B. *Operated*	1755	13.7	164	2	3	10	18	29	41	79
1. SINGLE DX	1066	6.2	35	1	2	4	8	12	16	28
2. MULTIPLE DX	4937	10.3	97	2	2	7	13	21	29	54
A. NOT OPERATED	3867	8.0	49	2	2	6	10	16	21	35
B. OPERATED	2136	12.3	149	2	2	9	16	27	37	77
TOTAL 0-19 YRS	631	7.8	91	1	2	5	9	17	24	61
20-34	1358	8.6	81	1	2	6	10	18	25	51
35-49	1411	9.4	92	1	2	7	12	19	27	54
50-64	1426	9.8	91	2	3	7	12	20	29	48
65+	1177	11.3	84	2	3	9	14	23	29	47
GRAND TOTAL	**6003**	**9.5**	**89**	**2**	**2**	**7**	**12**	**20**	**27**	**52**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	5.5	18	1	2	4	7	10	13	24
20-34	201	5.9	20	1	2	5	8	11	13	18
35-49	339	6.1	13	2	2	5	8	11	12	19
50-64	534	6.7	20	2	2	6	8	12	17	22
65+	429	7.1	20	2	3	6	9	13	16	22
B. *Operated*										
0-19 YRS	83	6.6	52	1	1	4	9	15	21	38
20-34	231	5.9	27	1	1	4	8	13	15	27
35-49	580	7.1	32	1	2	5	10	14	17	28
50-64	1211	7.9	43	1	2	6	11	16	19	32
65+	745	9.5	51	2	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	7.6	58	1	2	5	9	16	23	36
20-34	299	6.9	29	2	2	5	9	14	16	25
35-49	718	6.8	29	2	2	5	8	13	16	30
50-64	1894	8.0	39	2	3	7	10	14	18	31
65+	2926	8.9	44	2	3	7	11	16	20	38
B. *Operated*										
0-19 YRS	95	10.4	109	1	2	7	14	25	30	53
20-34	279	8.9	91	1	2	6	12	17	22	48
35-49	799	8.3	56	2	2	6	11	17	21	40
50-64	2124	9.9	83	2	2	8	13	20	25	44
65+	2257	12.5	107	2	3	10	16	24	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1849	6.4	19	2	2	5	8	12	15	21
B. *Operated*	2850	8.0	43	1	2	6	11	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	6138	8.2	41	2	3	7	10	15	19	33
B. *Operated*	5554	10.7	92	2	3	9	14	21	28	52
1. SINGLE DX	4699	7.3	34	1	2	6	10	15	18	28
2. MULTIPLE DX	11692	9.4	67	2	3	7	12	18	23	44
A. NOT OPERATED	7987	7.8	36	2	3	6	10	14	18	31
B. OPERATED	8404	9.8	77	2	2	8	13	19	25	46
TOTAL 0-19 YRS	825	6.9	49	1	2	5	8	14	22	35
20-34	1010	7.0	45	1	2	5	9	14	17	31
35-49	2436	7.3	37	2	2	6	9	14	18	31
50-64	5763	8.6	55	2	2	6	11	16	21	37
65+	6357	10.1	69	2	3	8	13	19	25	47
GRAND TOTAL	**16391**	**8.8**	**58**	**2**	**2**	**7**	**11**	**17**	**21**	**41**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	5	1	1	3	6	6	6	6
20-34	32	4.1	5	1	1	4	6	8	8	9
35-49	86	5.1	37	1	1	4	6	10	11	40
50-64	201	4.8	12	1	1	4	6	9	12	15
65+	437	5.5	23	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	56	3.4	9	1	1	2	4	8	10	16
20-34	645	3.9	14	<1	1	3	5	9	12	18
35-49	1612	5.1	20	1	1	3	8	12	14	19
50-64	5384	8.6	33	1	2	9	12	16	18	24
65+	7549	12.0	31	2	5	12	15	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.1	38	1	1	5	8	18	22	23
20-34	64	5.4	32	<1	<1	4	7	14	17	30
35-49	367	6.0	22	1	2	5	8	12	15	24
50-64	1362	5.9	22	1	1	5	8	11	15	23
65+	5404	7.2	42	1	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	86	6.5	56	1	1	4	9	14	17	44
20-34	642	5.1	29	1	1	3	6	11	15	26
35-49	1799	6.4	40	1	1	4	9	14	17	32
50-64	7488	10.2	64	1	2	10	14	18	23	39
65+	17572	14.2	70	3	6	13	17	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	5.2	21	1	1	4	7	10	13	20
B. *Operated*	15246	9.7	37	1	2	10	14	17	19	26
2. MULTIPLE DX										
A. *Not Operated*	7213	6.9	38	1	2	5	9	13	17	30
B. *Operated*	27587	12.4	72	2	3	12	16	21	26	43
1. SINGLE DX	16007	9.5	37	1	2	10	13	17	19	26
2. MULTIPLE DX	34800	11.3	70	2	2	10	15	20	25	42
A. NOT OPERATED	7974	6.7	36	1	2	5	8	13	17	29
B. OPERATED	42833	11.4	61	2	2	11	15	19	24	38
TOTAL 0-19 YRS	163	5.4	38	1	1	3	7	13	16	23
20-34	1383	4.5	22	<1	1	3	5	10	14	22
35-49	3864	5.8	30	1	1	4	8	12	16	25
50-64	14435	9.1	50	1	2	9	13	17	20	32
65+	30962	12.3	62	2	3	12	16	20	25	41
GRAND TOTAL	**50807**	**10.7**	**60**	**1**	**2**	**10**	**15**	**19**	**23**	**37**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	6.9	27	1	2	5	9	15	18	23
20-34	313	5.6	21	2	2	4	7	11	14	25
35-49	203	6.0	26	1	2	4	8	12	16	27
50-64	197	6.1	30	1	2	4	7	11	17	32
65+	200	6.3	50	2	2	5	7	11	15	57
B. *Operated*										
0-19 YRS	353	10.7	55	2	2	9	14	22	25	32
20-34	655	4.9	24	1	1	3	6	10	14	25
35-49	681	4.9	22	1	1	4	6	10	13	23
50-64	724	6.2	30	1	2	4	9	14	17	24
65+	363	10.3	59	2	2	10	14	19	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	450	8.4	44	2	2	7	11	17	22	29
20-34	488	6.8	34	2	2	5	8	13	18	32
35-49	544	6.8	32	2	2	5	8	12	17	32
50-64	782	7.2	33	1	2	6	9	14	18	30
65+	1636	8.5	61	2	2	6	10	17	25	42
B. *Operated*										
0-19 YRS	418	14.1	76	3	4	13	20	27	31	42
20-34	712	8.8	111	1	2	5	10	19	28	56
35-49	868	8.9	101	1	2	6	11	20	28	53
50-64	1131	10.7	120	1	2	7	14	23	32	56
65+	1300	16.0	180	2	3	13	21	34	45	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	6.3	29	1	2	5	8	13	16	26
B. *Operated*	2776	6.7	39	1	2	4	9	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	3900	7.8	47	2	2	6	9	15	21	36
B. *Operated*	4429	11.9	137	2	2	8	16	26	36	61
1. SINGLE DX	4101	6.5	36	1	2	5	8	14	18	27
2. MULTIPLE DX	8329	10.0	99	2	2	7	13	22	29	53
A. NOT OPERATED	5225	7.4	43	2	2	6	9	15	20	34
B. OPERATED	7205	9.9	106	1	2	7	13	22	29	53
TOTAL 0-19 YRS	1633	10.0	58	2	2	8	14	21	25	37
20-34	2168	6.7	57	1	2	4	8	14	19	44
35-49	2296	6.9	57	1	2	5	8	15	21	38
50-64	2834	8.3	71	1	2	6	11	18	23	43
65+	3499	11.4	118	2	3	8	14	24	33	60
GRAND TOTAL	**12430**	**8.8**	**81**	**1**	**2**	**6**	**11**	**19**	**26**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	4	<1	1	2	3	6	7	9
20-34	78	2.9	6	<1	1	2	4	6	8	12
35-49	37	2.5	6	<1	<1	2	3	4	9	12
50-64	21	3.0	5	<1	<1	2	5	6	7	7
65+	12	2.9	3	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	2214	2.3	2	<1	<1	2	3	4	5	8
20-34	5150	2.5	3	<1	<1	2	3	5	6	9
35-49	2762	2.5	4	<1	<1	2	3	5	6	10
50-64	1414	2.6	4	<1	1	2	3	5	6	11
65+	387	2.8	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	2.1	4	<1	<1	1	2	5	8	10
20-34	150	2.2	5	<1	<1	1	3	5	7	11
35-49	108	2.7	6	<1	<1	2	3	6	9	12
50-64	108	3.4	15	<1	<1	2	4	8	10	21
65+	72	5.7	37	1	1	4	7	11	15	39
B. *Operated*										
0-19 YRS	1784	2.6	3	<1	1	2	4	5	6	9
20-34	5418	2.9	7	<1	1	2	4	5	7	11
35-49	3842	2.9	8	<1	1	2	3	6	7	14
50-64	3483	3.1	10	<1	1	2	4	6	8	17
65+	1693	3.6	13	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.8	5	<1	1	2	4	6	7	12
B. *Operated*	11927	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	510	3.1	13	<1	<1	2	4	7	9	17
B. *Operated*	16220	3.0	8	<1	1	2	4	5	7	14
1. SINGLE DX	12123	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	16730	3.0	8	<1	1	2	4	6	7	14
A. NOT OPERATED	706	3.0	11	<1	<1	2	4	7	9	15
B. OPERATED	28147	2.8	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	4118	2.5	3	<1	<1	2	3	5	6	8
20-34	10796	2.7	5	<1	<1	2	3	5	6	10
35-49	6749	2.7	6	<1	1	2	3	5	7	12
50-64	5026	3.0	9	<1	1	2	3	5	7	16
65+	2164	3.5	12	1	1	3	4	6	10	18
GRAND TOTAL	**28853**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	549	3.4	8	1	1	3	4	7	8	13
20-34	277	3.6	10	<1	1	3	4	6	9	16
35-49	238	4.6	15	<1	1	3	6	10	12	19
50-64	176	4.2	9	1	1	4	5	8	10	15
65+	218	5.4	23	1	1	4	7	12	15	23
B. *Operated*										
0-19 YRS	3609	2.9	3	1	1	3	4	5	6	9
20-34	5940	3.1	4	1	1	3	4	5	6	10
35-49	2062	3.3	7	<1	1	3	4	6	8	14
50-64	859	3.7	11	1	1	3	4	7	10	17
65+	333	5.8	32	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	567	3.9	15	<1	1	3	5	8	11	18
20-34	586	4.4	26	<1	1	3	5	9	13	24
35-49	601	4.7	20	1	1	3	6	10	13	24
50-64	726	5.6	31	1	1	4	7	11	15	26
65+	1678	7.4	55	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	2286	4.3	25	1	1	3	5	8	11	24
20-34	3421	3.9	14	1	1	3	5	7	10	19
35-49	1999	4.6	26	1	1	3	5	9	13	28
50-64	1494	5.8	41	1	1	4	7	13	17	33
65+	1216	9.6	111	1	2	6	12	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1458	4.0	12	1	1	3	5	8	11	19
B. *Operated*	12803	3.2	6	1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4158	5.8	38	1	1	4	7	12	16	30
B. *Operated*	10416	5.1	37	1	1	3	5	10	16	30
1. SINGLE DX	14261	3.3	6	1	1	3	4	6	7	14
2. MULTIPLE DX	14574	5.3	37	1	1	3	6	11	16	30
A. NOT OPERATED	5616	5.4	32	1	1	4	7	11	15	28
B. OPERATED	23219	4.0	20	1	1	3	4	7	11	23
TOTAL 0-19 YRS	7011	3.5	12	1	1	3	4	6	8	18
20-34	10224	3.5	9	1	1	3	4	6	8	15
35-49	4900	4.1	17	1	1	3	5	8	11	21
50-64	3255	5.1	30	1	1	3	6	11	15	27
65+	3445	7.9	73	1	2	5	10	16	22	43
GRAND TOTAL	**28835**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	8	2	2	3	7	9	9	9
20-34	19	4.9	8	2	3	4	6	8	11	14
35-49	30	6.2	29	2	2	4	9	11	16	26
50-64	11	6.1	34	2	2	4	7	14	22	23
65+	6	5.2	18	2	2	3	7	12	13	13
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	5	8.4	88	1	1	2	17	21	21	21
35-49	10	6.8	56	2	2	4	8	18	27	27
50-64	3	9.0	28	5	5	7	13	15	15	15
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.2	63	1	1	7	10	20	28	29
20-34	39	5.6	20	1	2	4	8	11	13	25
35-49	60	7.2	23	2	2	5	9	13	17	24
50-64	65	8.3	125	2	3	5	9	15	16	72
65+	74	9.0	96	2	3	7	10	15	17	68
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	10.5	107	2	3	6	9	30	37	38
35-49	28	13.3	99	2	3	12	17	35	43	99+
50-64	33	17.6	339	3	3	10	24	43	53	82
65+	28	13.9	186	2	3	12	17	25	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.6	21	2	2	4	7	11	14	25
B. *Operated*	21	7.8	49	1	2	5	10	18	24	27
2. MULTIPLE DX										
A. *Not Operated*	250	7.8	73	2	3	6	9	14	17	58
B. *Operated*	109	14.2	197	2	3	9	17	37	42	89
1. SINGLE DX	94	6.1	27	2	2	4	8	13	16	27
2. MULTIPLE DX	359	9.7	119	2	3	7	11	17	28	75
A. NOT OPERATED	323	7.3	62	2	2	5	9	13	16	37
B. OPERATED	130	13.1	178	2	3	9	16	29	40	85
TOTAL 0-19 YRS	22	6.6	39	1	2	4	9	12	21	29
20-34	82	6.7	44	1	2	4	8	13	20	37
35-49	128	8.2	49	2	2	6	11	17	25	53
50-64	112	10.9	193	3	3	6	11	23	42	78
65+	109	10.1	119	2	3	8	13	17	22	76
GRAND TOTAL	**453**	**9.0**	**102**	**2**	**2**	**6**	**10**	**17**	**26**	**72**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	3	1	1	3	4	5	6	6
20-34	121	4.9	15	1	1	4	7	9	11	21
35-49	442	5.7	27	1	2	4	7	10	13	31
50-64	589	5.5	14	1	2	5	7	10	13	19
65+	577	6.2	21	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	14	4.1	7	1	1	3	6	8	9	10
20-34	271	4.9	24	1	1	3	7	10	13	25
35-49	1346	5.6	21	1	1	4	8	11	14	22
50-64	1704	6.0	25	1	1	5	8	12	15	23
65+	639	7.2	38	1	1	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.4	73	1	2	4	8	20	27	38
20-34	234	6.7	30	2	2	5	9	12	15	42
35-49	1346	6.4	19	2	2	5	8	12	15	22
50-64	3192	6.9	22	2	2	6	9	12	15	25
65+	6865	7.6	35	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	16	7.4	79	2	2	4	8	16	31	37
20-34	334	7.4	36	1	2	6	9	14	18	33
35-49	1679	7.3	38	1	2	6	10	14	18	28
50-64	3039	8.5	54	1	2	7	11	17	21	36
65+	2980	11.6	106	2	2	9	15	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1740	5.8	20	1	2	5	7	11	13	25
B. *Operated*	3974	5.9	26	1	1	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	11661	7.2	30	2	3	6	9	13	17	27
B. *Operated*	8048	9.4	72	1	2	7	12	19	25	43
1. SINGLE DX	5714	5.9	24	1	1	5	8	11	15	25
2. MULTIPLE DX	19709	8.1	48	2	2	6	10	15	20	37
A. NOT OPERATED	13401	7.0	29	2	2	6	9	13	16	27
B. OPERATED	12022	8.2	60	1	2	6	11	17	22	39
TOTAL 0-19 YRS	65	6.0	50	1	2	4	6	11	20	38
20-34	960	6.2	30	1	2	5	8	12	15	31
35-49	4813	6.4	28	1	2	5	8	12	16	26
50-64	8524	7.2	35	1	2	6	9	14	17	29
65+	11061	8.6	57	2	2	7	10	16	22	40
GRAND TOTAL	**25423**	**7.6**	**44**	**1**	**2**	**6**	**10**	**15**	**19**	**34**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	6.6	22	1	1	6	9	12	14	22
20-34	3670	6.3	16	1	2	6	8	11	14	19
35-49	5264	6.7	19	1	2	6	9	12	14	21
50-64	2887	7.1	19	1	2	6	9	13	15	21
65+	810	7.0	21	1	2	6	9	13	15	21
B. *Operated*										
0-19 YRS	625	5.8	23	1	1	5	8	12	16	22
20-34	15016	6.3	25	1	1	5	8	12	15	24
35-49	21042	6.7	26	1	2	6	9	13	16	24
50-64	9091	7.2	30	1	2	6	10	14	17	25
65+	1836	7.9	40	1	1	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	7.0	30	1	2	6	9	12	18	32
20-34	2070	7.1	26	1	2	6	9	13	16	25
35-49	4447	7.7	25	2	2	7	10	14	17	25
50-64	4738	8.2	28	2	3	7	10	14	18	26
65+	4307	8.8	36	2	3	8	11	15	19	31
B. *Operated*										
0-19 YRS	161	7.7	45	1	2	6	11	15	18	33
20-34	4981	8.6	43	1	2	7	11	16	21	33
35-49	10050	9.2	47	2	2	8	12	17	22	33
50-64	8269	10.1	59	2	2	9	13	19	24	38
65+	4457	12.2	80	2	3	10	16	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12796	6.7	18	1	2	6	9	12	15	20
B. *Operated*	47610	6.7	27	1	1	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	15643	8.1	29	2	3	7	10	14	18	27
B. *Operated*	27918	9.8	57	2	2	8	13	19	24	36
1. SINGLE DX	60406	6.7	25	1	2	6	9	13	16	24
2. MULTIPLE DX	43561	9.2	48	2	2	8	12	17	22	34
A. NOT OPERATED	28439	7.5	25	1	2	7	10	13	16	25
B. OPERATED	75528	7.9	40	1	2	7	10	15	20	30
TOTAL 0-19 YRS	1032	6.3	27	1	1	5	8	13	17	24
20-34	25737	6.8	28	1	2	6	9	13	16	26
35-49	40803	7.5	31	1	2	6	10	14	18	27
50-64	24985	8.3	40	1	2	7	11	16	20	31
65+	11410	9.8	57	2	3	8	13	19	24	36
GRAND TOTAL	**103967**	**7.8**	**36**	**1**	**2**	**7**	**10**	**15**	**19**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	4.5	7	1	1	4	6	7	9	13
20-34	517	6.1	19	1	2	5	8	11	14	22
35-49	924	6.2	15	1	2	6	8	11	13	19
50-64	538	6.5	16	1	2	6	9	12	14	18
65+	150	6.4	18	1	2	6	8	11	13	28
B. *Operated*										
0-19 YRS	42	5.7	22	1	1	5	8	10	14	26
20-34	1429	6.0	23	1	1	5	8	12	15	24
35-49	3731	6.1	20	1	1	5	8	12	14	21
50-64	1725	6.4	24	1	1	5	9	12	15	23
65+	212	7.3	41	1	1	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	67	1	1	4	6	21	27	29
20-34	349	6.5	20	1	2	6	9	11	15	22
35-49	1146	6.7	23	1	2	6	9	12	15	22
50-64	1336	7.1	20	2	2	6	9	13	15	22
65+	1212	7.8	40	2	3	7	10	14	18	34
B. *Operated*										
0-19 YRS	17	6.5	53	1	1	4	8	15	25	30
20-34	640	7.8	45	1	2	6	10	15	20	30
35-49	2408	7.9	39	1	2	6	10	15	20	30
50-64	2053	8.6	50	1	2	7	11	16	21	35
65+	611	10.7	85	2	2	8	13	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2172	6.2	16	1	2	6	8	11	14	19
B. *Operated*	7139	6.2	22	1	1	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	4056	7.1	27	2	2	6	9	13	16	25
B. *Operated*	5729	8.4	49	1	2	7	11	16	21	35
1. SINGLE DX	9311	6.2	21	1	1	5	8	12	15	22
2. MULTIPLE DX	9785	7.9	40	1	2	7	10	15	19	32
A. NOT OPERATED	6228	6.8	24	1	2	6	9	12	15	23
B. OPERATED	12868	7.2	35	1	2	6	9	14	18	29
TOTAL 0-19 YRS	115	5.5	26	1	1	4	7	10	15	29
20-34	2935	6.5	27	1	1	5	9	12	16	26
35-49	8209	6.7	26	1	2	6	9	13	16	24
50-64	5652	7.4	32	1	2	6	10	14	17	27
65+	2185	8.5	53	2	2	7	10	16	22	41
GRAND TOTAL	**19096**	**7.1**	**32**	**1**	**2**	**6**	**9**	**13**	**17**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	23	1	1	4	7	13	15	20
20-34	368	5.9	15	1	1	5	8	10	13	19
35-49	451	6.2	18	1	1	5	8	11	14	20
50-64	187	6.4	16	1	2	5	9	12	15	18
65+	55	5.7	27	1	1	5	7	9	12	31
B. *Operated*										
0-19 YRS	11	4.4	21	1	1	3	5	10	16	17
20-34	357	4.9	19	1	1	3	7	11	14	20
35-49	391	5.3	20	1	1	4	8	11	14	21
50-64	110	5.6	25	1	1	3	9	13	15	22
65+	10	7.4	72	1	1	4	9	21	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.8	37	2	2	8	12	16	21	28
20-34	477	7.1	19	2	3	7	9	12	14	21
35-49	776	7.3	17	2	3	7	9	12	15	23
50-64	531	7.9	21	2	3	7	10	14	15	23
65+	328	7.5	26	2	2	7	9	13	15	27
B. *Operated*										
0-19 YRS	13	6.2	32	1	2	5	8	13	21	23
20-34	328	8.2	41	2	2	7	10	15	18	32
35-49	492	8.7	48	1	2	8	11	16	20	39
50-64	232	9.3	52	1	2	9	12	18	22	40
65+	64	11.0	49	2	3	10	15	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	6.1	17	1	1	5	8	11	14	20
B. *Operated*	879	5.2	21	1	1	3	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	2141	7.5	20	2	3	7	9	13	15	23
B. *Operated*	1129	8.8	47	1	2	8	11	17	20	38
1. SINGLE DX	1966	5.7	19	1	1	5	8	11	14	21
2. MULTIPLE DX	3270	7.9	30	2	3	7	10	14	18	27
A. NOT OPERATED	3228	7.0	19	2	2	6	9	12	15	22
B. OPERATED	2008	7.2	39	1	1	6	10	14	18	30
TOTAL 0-19 YRS	79	6.7	31	1	2	5	9	14	19	27
20-34	1530	6.5	24	1	2	6	9	12	15	24
35-49	2110	7.0	26	1	2	6	9	13	16	24
50-64	1060	7.7	29	1	2	7	10	14	17	25
65+	457	7.7	32	1	2	7	10	14	18	30
GRAND TOTAL	**5236**	**7.1**	**27**	**1**	**2**	**6**	**9**	**13**	**16**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	5.1	8	1	2	5	6	10	11	13
20-34	326	6.0	14	1	2	5	8	11	13	17
35-49	475	6.5	17	1	2	6	8	12	14	23
50-64	286	6.9	17	1	2	6	9	12	14	21
65+	162	7.0	33	1	2	6	9	13	15	30
B. Operated										
0-19 YRS	14	2.4	1	1	1	2	3	4	5	5
20-34	306	4.6	23	1	1	3	6	12	14	22
35-49	349	4.5	18	1	1	3	6	11	14	19
50-64	196	4.6	22	1	1	3	5	11	13	22
65+	49	5.4	29	1	1	3	8	14	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	6.2	23	1	1	5	9	11	14	23
20-34	385	6.9	16	2	3	6	9	12	15	20
35-49	656	7.6	24	2	3	7	9	14	16	27
50-64	851	8.0	25	2	3	7	10	14	17	26
65+	1234	8.6	33	3	3	7	11	15	19	26
B. Operated										
0-19 YRS	9	5.1	16	1	1	3	8	11	12	12
20-34	184	7.4	35	1	1	6	11	15	20	27
35-49	278	8.4	42	1	2	7	12	17	21	28
50-64	258	9.5	59	1	2	8	13	18	21	35
65+	189	11.5	88	1	3	9	15	21	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1276	6.5	19	1	2	6	8	12	14	21
B. Operated	914	4.6	21	1	1	3	6	11	14	22
2. MULTIPLE DX										
A. Not Operated	3153	8.0	27	2	3	7	10	14	17	25
B. Operated	918	9.1	57	1	2	8	12	19	22	32
1. SINGLE DX	2190	5.7	20	1	1	5	8	12	14	22
2. MULTIPLE DX	4071	8.2	34	2	3	7	10	15	19	27
A. NOT OPERATED	4429	7.6	25	2	3	7	10	13	16	25
B. OPERATED	1832	6.8	44	1	1	5	10	15	19	28
TOTAL 0-19 YRS	77	5.0	14	1	1	4	7	10	12	20
20-34	1201	6.2	21	1	1	5	8	12	15	23
35-49	1758	6.8	26	1	2	6	9	13	16	25
50-64	1591	7.6	30	1	2	6	10	14	18	27
65+	1634	8.7	41	2	3	7	11	16	20	29
GRAND TOTAL	**6261**	**7.4**	**31**	**1**	**2**	**6**	**10**	**14**	**17**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	3.8	12	1	1	3	6	8	9	12
20-34	3734	5.7	19	1	1	5	7	11	13	20
35-49	5071	6.1	20	1	2	5	8	11	14	22
50-64	2565	6.1	19	1	1	5	8	11	14	22
65+	1009	6.0	23	1	1	5	8	12	15	22
B. Operated										
0-19 YRS	242	3.7	13	1	1	2	4	8	12	17
20-34	3616	4.2	15	1	1	3	6	9	12	18
35-49	5046	4.8	20	1	1	3	7	10	13	21
50-64	3223	5.6	27	1	1	4	8	12	15	23
65+	1373	7.2	34	1	1	6	10	14	18	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	479	4.8	17	<1	1	4	6	10	13	22
20-34	4455	6.4	25	1	2	5	8	12	16	23
35-49	7253	7.2	29	1	2	6	9	14	18	26
50-64	6397	7.3	27	2	2	6	9	13	17	26
65+	6780	7.6	32	2	2	6	10	14	18	28
B. Operated										
0-19 YRS	202	6.3	71	1	1	4	8	12	17	51
20-34	3084	6.6	45	1	1	5	9	14	18	34
35-49	5406	7.3	45	1	2	6	10	15	19	33
50-64	5593	8.7	59	1	2	7	11	17	22	39
65+	4779	12.0	96	2	2	10	15	23	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12799	5.9	20	1	1	5	8	11	14	22
B. Operated	13500	5.0	22	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	25364	7.2	29	1	2	6	9	13	17	26
B. Operated	19064	8.8	66	1	2	7	11	18	23	40
1. SINGLE DX	26299	5.4	21	1	1	4	8	11	14	22
2. MULTIPLE DX	44428	7.8	45	1	2	6	10	15	19	33
A. NOT OPERATED	38163	6.7	26	1	2	6	9	13	16	25
B. OPERATED	32564	7.2	51	1	1	5	10	15	20	34
TOTAL 0-19 YRS	1343	4.5	23	1	1	3	6	9	12	23
20-34	14889	5.7	26	1	1	4	8	11	15	23
35-49	22776	6.5	30	1	2	5	9	13	16	26
50-64	17778	7.3	37	1	2	6	9	14	18	30
65+	13941	8.9	59	1	2	7	11	17	23	38
GRAND TOTAL	**70727**	**7.0**	**38**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	3.5	8	1	1	3	4	6	8	14
20-34	392	3.8	6	1	1	3	5	7	8	11
35-49	424	4.4	10	1	2	4	6	8	10	16
50-64	382	4.6	20	1	2	4	5	8	11	16
65+	216	4.8	15	1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	964	2.4	3	<1	<1	2	3	4	6	10
20-34	2682	2.6	4	<1	<1	2	3	5	6	11
35-49	4006	2.7	5	<1	1	2	3	5	6	11
50-64	3305	2.9	5	<1	<1	2	4	5	7	12
65+	900	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	4.1	9	1	1	3	5	8	9	16
20-34	462	4.9	14	1	1	4	6	9	11	19
35-49	812	5.3	16	1	2	4	7	10	12	19
50-64	1131	5.7	17	1	2	5	7	10	13	21
65+	1432	6.7	29	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	451	3.5	17	<1	1	2	4	7	10	18
20-34	1754	3.5	12	<1	1	3	4	7	9	16
35-49	2923	3.9	14	1	1	3	5	7	10	18
50-64	3434	4.1	14	1	1	3	5	8	11	20
65+	1705	5.6	41	1	2	4	6	11	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2064	4.1	11	1	1	3	5	8	10	15
B. *Operated*	11857	2.7	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	4223	5.7	20	1	2	5	7	11	14	22
B. *Operated*	10267	4.2	19	1	1	3	5	8	11	21
1. SINGLE DX	13921	2.9	6	<1	1	2	4	5	7	12
2. MULTIPLE DX	14490	4.6	20	1	1	3	6	9	12	22
A. NOT OPERATED	6287	5.2	18	1	2	4	7	10	12	20
B. OPERATED	22124	3.4	12	<1	1	3	4	6	9	17
TOTAL 0-19 YRS	2451	3.1	8	<1	1	2	4	6	8	14
20-34	5290	3.2	8	<1	1	2	4	6	8	14
35-49	8165	3.5	10	<1	1	3	4	6	9	15
50-64	8252	3.9	12	<1	1	3	5	7	10	17
65+	4253	5.4	30	1	1	4	7	11	14	28
GRAND TOTAL	**28411**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	15	2.3	5	<1	<1	1	3	4	8	9
35-49	12	3.5	17	<1	<1	2	4	8	15	16
50-64	11	3.0	9	<1	<1	2	4	7	11	11
65+	6	6.0	36	2	2	4	5	17	18	18
B. *Operated*										
0-19 YRS	939	2.9	2	1	1	3	4	4	5	7
20-34	2025	2.9	3	1	1	3	4	5	6	7
35-49	2268	3.1	3	1	1	3	4	5	6	8
50-64	2650	3.2	6	1	1	3	4	5	6	9
65+	1265	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.4	2	<1	<1	1	1	2	6	7
20-34	63	1.4	1	<1	<1	1	1	3	4	5
35-49	91	1.5	1	<1	<1	1	1	3	4	7
50-64	129	2.0	3	<1	<1	1	2	4	6	9
65+	104	3.2	10	<1	<1	2	4	8	10	14
B. *Operated*										
0-19 YRS	1043	3.3	3	1	1	3	4	5	6	9
20-34	3207	3.4	7	1	1	3	4	5	6	9
35-49	4644	3.5	4	1	2	3	4	6	7	10
50-64	7740	3.9	6	1	2	4	5	6	7	11
65+	5516	4.2	8	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.0	12	<1	<1	2	4	5	11	18
B. *Operated*	9147	3.1	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	415	2.1	5	<1	<1	1	2	4	7	11
B. *Operated*	22150	3.8	6	1	2	3	5	6	7	12
1. SINGLE DX	9199	3.1	4	1	1	3	4	5	6	8
2. MULTIPLE DX	22565	3.7	6	1	2	3	5	6	7	12
A. NOT OPERATED	467	2.2	5	<1	<1	1	2	5	7	11
B. OPERATED	31297	3.6	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	2018	3.0	2	1	1	3	4	5	6	8
20-34	5310	3.2	5	1	1	3	4	5	6	9
35-49	7015	3.4	4	1	1	3	4	5	6	9
50-64	10530	3.7	6	1	2	3	5	6	7	11
65+	6891	4.0	8	1	2	3	5	7	8	14
GRAND TOTAL	**31764**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5		<1	<1	1	2	2	3	3
20-34	29	1.9	1	<1	<1	1	3	4	4	4
35-49	19	1.6	1	<1	<1	1	2	3	4	5
50-64	28	2.6	5	<1	1	2	3	6	7	10
65+	11	3.2	3	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1189	1.6	1	<1	<1	1	2	2	3	4
20-34	2108	1.7	1	<1	<1	1	2	3	3	5
35-49	1480	1.9	2	<1	<1	2	2	3	4	6
50-64	922	2.2	2	<1	<1	2	3	4	5	8
65+	356	2.4	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	7	<1	<1	1	1	3	7	14
20-34	44	2.4	8	<1	<1	1	3	5	7	17
35-49	37	3.0	13	<1	<1	2	4	6	7	21
50-64	46	4.5	25	<1	1	3	5	10	14	29
65+	69	5.0	15	<1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	151	2.0	1	<1	<1	2	2	3	4	6
20-34	533	2.6	6	<1	<1	2	3	5	7	11
35-49	666	2.9	5	<1	1	2	3	5	7	13
50-64	721	3.4	8	<1	1	3	4	6	8	14
65+	491	4.3	19	<1	1	3	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	6055	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	225	3.6	16	<1	<1	2	5	7	12	21
B. *Operated*	2562	3.2	9	<1	1	2	4	6	8	14
1. SINGLE DX	6159	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2787	3.2	9	<1	<1	2	4	6	8	14
A. NOT OPERATED	329	3.1	12	<1	<1	2	4	7	9	18
B. OPERATED	8617	2.2	4	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	1386	1.6	1	<1	<1	1	2	3	3	5
20-34	2714	1.9	3	<1	<1	2	2	3	4	8
35-49	2202	2.2	3	<1	<1	2	3	4	5	9
50-64	1717	2.8	5	<1	<1	2	3	5	7	13
65+	927	3.6	13	<1	1	3	4	7	10	15
GRAND TOTAL	**8946**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	341	12.6	75	2	3	11	17	24	29	40
20-34	120	10.1	71	1	2	7	14	23	29	35
35-49	104	11.5	111	2	3	8	14	24	38	49
50-64	108	11.3	107	2	3	8	13	27	31	53
65+	97	11.7	74	3	3	10	15	22	27	44
B. *Operated*										
0-19 YRS	345	13.7	118	2	2	11	19	29	34	47
20-34	336	12.2	137	1	2	8	15	28	41	54
35-49	259	11.8	128	1	2	9	15	26	32	53
50-64	288	11.9	129	2	2	8	15	28	36	56
65+	226	11.1	88	2	3	9	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	14.9	105	2	4	13	22	29	34	45
20-34	247	12.9	148	1	2	9	17	30	39	51
35-49	317	13.9	132	2	3	11	17	30	42	50
50-64	466	15.0	149	2	3	11	19	33	42	58
65+	717	15.5	176	3	4	12	19	32	42	70
B. *Operated*										
0-19 YRS	512	19.2	179	3	5	16	26	39	46	58
20-34	819	19.1	272	2	4	14	28	44	54	81
35-49	940	19.1	244	3	4	15	27	41	52	77
50-64	1374	19.6	245	3	4	15	27	42	51	79
65+	1771	21.4	291	3	5	17	29	47	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	11.8	84	2	3	9	16	24	29	43
B. *Operated*	1454	12.3	122	1	2	9	16	28	36	53
2. MULTIPLE DX										
A. *Not Operated*	2059	14.7	149	2	3	11	19	31	42	59
B. *Operated*	5416	20.0	258	3	4	15	28	44	54	87
1. SINGLE DX	2224	12.1	109	2	2	9	16	26	33	49
2. MULTIPLE DX	7475	18.5	234	3	4	14	25	42	50	80
A. NOT OPERATED	2829	13.9	133	2	3	11	18	29	39	56
B. OPERATED	6870	18.3	240	2	4	14	25	42	51	82
TOTAL 0-19 YRS	1510	15.6	133	2	4	13	22	30	39	50
20-34	1522	15.8	218	2	3	11	22	39	46	73
35-49	1620	16.4	205	2	3	12	22	37	46	69
50-64	2236	17.2	213	2	4	13	23	38	47	75
65+	2811	18.7	252	3	4	14	25	43	54	94
GRAND TOTAL	**9699**	**17.1**	**213**	**2**	**4**	**13**	**23**	**38**	**47**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	5.0	29	<1	1	3	7	11	15	26
20-34	400	3.7	13	1	1	3	4	7	10	18
35-49	573	3.6	8	1	1	3	4	7	8	13
50-64	438	4.4	14	1	1	3	5	9	12	17
65+	751	6.8	27	1	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	3460	4.3	17	1	1	3	5	9	11	21
20-34	3164	3.8	9	1	1	3	5	7	9	16
35-49	1804	5.0	21	1	1	4	6	10	12	21
50-64	1305	6.0	29	1	1	4	8	13	15	24
65+	878	9.1	51	1	2	8	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	423	6.1	75	1	1	4	7	12	23	85
20-34	857	4.4	22	1	1	3	5	8	11	23
35-49	1715	4.8	18	1	1	4	6	9	12	23
50-64	2978	6.7	41	1	2	5	8	13	18	31
65+	12560	9.3	54	2	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	1455	5.6	48	1	1	3	6	12	19	36
20-34	2407	5.9	50	1	1	4	7	12	18	37
35-49	2149	8.1	85	1	2	5	10	16	22	48
50-64	2917	10.5	100	2	2	8	14	21	28	57
65+	4879	15.2	143	3	4	13	19	29	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2674	4.9	21	1	1	4	6	10	13	22
B. *Operated*	10611	4.9	22	1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	18533	8.2	51	2	2	6	10	16	21	36
B. *Operated*	13807	10.5	114	1	2	8	14	22	31	57
1. SINGLE DX	13285	4.9	21	1	1	3	6	10	13	22
2. MULTIPLE DX	32340	9.2	79	1	2	7	12	19	25	47
A. NOT OPERATED	21207	7.8	48	1	2	6	10	15	20	35
B. OPERATED	24418	8.1	81	1	1	5	10	18	24	47
TOTAL 0-19 YRS	5850	4.8	30	1	1	3	6	10	14	29
20-34	6828	4.6	27	1	1	3	5	9	12	28
35-49	6241	5.9	44	1	1	4	7	12	16	33
50-64	7638	7.9	65	1	2	5	10	16	22	40
65+	19068	10.7	83	2	3	8	14	20	27	51
GRAND TOTAL	**45625**	**7.9**	**66**	**1**	**2**	**5**	**10**	**16**	**22**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	6	<1	<1	1	3	6	9	10
20-34	7	1.7	2	<1	<1	1	3	4	4	4
35-49	10	5.8	29	1	1	4	7	14	19	19
50-64	6	9.3	210	1	1	2	14	35	37	37
65+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
0-19 YRS	881	4.0	19	1	1	3	4	6	8	17
20-34	448	3.2	8	<1	<1	2	4	6	9	16
35-49	274	3.6	11	<1	1	2	4	7	11	18
50-64	214	4.2	13	<1	1	3	5	9	12	18
65+	62	6.1	25	1	2	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	4.2	38	<1	<1	2	4	13	18	76
20-34	33	2.9	6	<1	<1	2	4	7	9	9
35-49	21	4.4	59	<1	<1	2	4	11	23	35
50-64	71	10.8	121	1	1	7	15	29	31	56
65+	124	17.8	205	2	4	15	24	36	46	71
B. *Operated*										
0-19 YRS	1487	5.1	36	1	2	4	6	8	11	35
20-34	768	4.8	37	1	1	4	6	9	12	26
35-49	556	4.6	15	1	1	3	6	9	12	17
50-64	649	6.1	36	1	2	4	7	12	15	27
65+	385	8.8	103	2	2	6	11	17	24	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.0	37	<1	<1	2	4	9	15	37
B. *Operated*	1879	3.8	15	<1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	340	10.4	152	<1	1	6	15	28	35	64
B. *Operated*	3845	5.5	41	1	2	4	6	10	14	32
1. SINGLE DX	1931	3.8	16	<1	1	3	4	7	10	18
2. MULTIPLE DX	4185	5.9	52	1	1	4	6	11	17	38
A. NOT OPERATED	392	9.6	141	<1	1	5	14	27	35	62
B. OPERATED	5724	4.9	33	1	1	4	6	9	13	27
TOTAL 0-19 YRS	2486	4.6	30	1	1	4	5	7	10	32
20-34	1256	4.1	26	<1	1	3	5	8	10	20
35-49	861	4.3	15	1	1	3	5	9	12	19
50-64	940	6.0	40	1	1	4	7	12	16	34
65+	573	10.5	132	2	2	7	13	22	30	68
GRAND TOTAL	**6116**	**5.2**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**34**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	4	<1	1	3	5	6	7	7
20-34	70	4.7	12	1	1	3	6	10	13	16
35-49	130	5.2	11	1	1	5	7	10	12	14
50-64	104	5.5	10	1	2	5	7	10	12	15
65+	47	5.4	20	1	2	4	6	10	16	24
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	68	3.5	12	1	1	2	4	7	9	22
35-49	119	4.9	17	1	1	4	6	11	15	19
50-64	58	4.8	16	1	1	3	6	12	13	16
65+	21	6.1	21	1	1	5	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	1	1	3	6	6	6	6
20-34	107	6.1	24	1	2	5	8	11	14	27
35-49	215	6.3	15	2	2	5	8	11	13	21
50-64	300	7.2	34	1	2	6	9	13	17	28
65+	354	7.5	30	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	6	7.5	107	1	1	3	8	26	28	28
20-34	53	6.8	25	1	2	6	9	14	18	21
35-49	119	7.7	70	1	1	5	10	17	19	53
50-64	118	8.8	65	1	2	7	12	19	24	71
65+	98	10.5	53	2	2	10	14	19	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	5.2	12	1	1	4	7	10	12	16
B. *Operated*	268	4.6	16	1	1	3	6	10	14	18
2. MULTIPLE DX										
A. *Not Operated*	986	6.9	27	2	2	6	9	12	16	26
B. *Operated*	394	8.6	60	1	2	7	12	17	21	45
1. SINGLE DX	630	4.9	14	1	1	4	6	10	12	17
2. MULTIPLE DX	1380	7.4	37	1	2	6	9	14	18	31
A. NOT OPERATED	1348	6.5	24	1	2	5	8	12	15	24
B. OPERATED	662	7.0	46	1	1	5	10	15	19	33
TOTAL 0-19 YRS	29	4.1	25	<1	1	3	5	7	9	28
20-34	298	5.3	20	1	1	4	7	11	14	21
35-49	583	6.0	27	1	1	5	8	11	15	23
50-64	580	7.0	35	1	2	6	9	13	17	32
65+	520	7.8	35	2	2	6	10	15	18	29
GRAND TOTAL	**2010**	**6.6**	**31**	**1**	**2**	**5**	**9**	**13**	**16**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	688	2.8	14	1	1	2	3	6	8	12
20-34	1078	4.4	12	1	1	4	6	8	10	16
35-49	1191	4.7	17	1	1	4	6	9	11	19
50-64	688	4.6	19	1	1	3	6	9	11	24
65+	385	5.2	21	1	1	4	6	10	14	25
B. *Operated*										
0-19 YRS	2162	5.1	21	<1	1	3	8	11	14	20
20-34	2527	3.6	16	<1	1	2	4	8	11	18
35-49	1965	3.8	13	<1	1	3	5	8	11	17
50-64	2071	3.1	8	<1	1	2	3	6	9	16
65+	1165	2.9	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	776	4.0	28	<1	1	3	5	8	11	24
20-34	2095	5.1	17	1	1	4	7	10	12	20
35-49	2939	5.6	25	1	2	4	7	11	14	25
50-64	2865	5.7	22	1	2	5	7	11	14	24
65+	3291	6.8	35	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	2612	5.6	61	1	1	3	7	13	18	43
20-34	3778	4.6	37	1	1	3	5	10	15	30
35-49	3201	5.2	33	1	1	3	6	11	16	29
50-64	3161	5.7	45	1	1	4	7	12	17	34
65+	2515	7.4	75	1	2	4	9	16	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4030	4.3	16	1	1	3	6	8	10	19
B. *Operated*	9890	3.8	15	<1	1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	11966	5.8	26	1	2	5	7	11	14	25
B. *Operated*	15267	5.6	49	1	1	3	7	12	17	35
1. SINGLE DX	13920	3.9	15	<1	1	3	5	9	11	18
2. MULTIPLE DX	27233	5.7	39	1	1	4	7	12	16	31
A. NOT OPERATED	15996	5.4	24	1	1	4	7	10	13	24
B. OPERATED	25157	4.9	36	1	1	3	6	11	15	29
TOTAL 0-19 YRS	6238	4.9	39	<1	1	3	6	11	14	27
20-34	9478	4.4	24	1	1	3	5	9	12	25
35-49	9296	5.0	25	1	1	3	6	10	13	25
50-64	8785	5.0	28	1	1	3	6	10	14	26
65+	7356	6.3	46	1	1	4	8	13	18	33
GRAND TOTAL	**41153**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	36	4.2	7	1	2	4	5	6	7	17
35-49	47	6.0	26	1	2	5	7	11	16	29
50-64	21	6.4	12	2	2	6	7	9	14	18
65+	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	3.5	4	<1	1	3	4	7	7	8
35-49	23	4.2	7	1	2	3	6	8	9	11
50-64										
65+	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	6	1	1	4	6	7	9	10
20-34	228	5.7	10	2	3	5	7	10	11	18
35-49	271	6.0	14	2	3	5	8	10	13	20
50-64	150	6.7	18	2	3	6	9	11	14	20
65+	60	6.0	17	2	2	5	7	10	15	22
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	54	6.9	23	1	2	5	10	14	17	19
35-49	64	7.8	23	2	3	7	11	14	16	23
50-64	24	6.1	35	2	2	3	7	13	19	27
65+	12	7.0	13	<1	1	8	10	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.2	16	1	2	4	6	8	12	22
B. *Operated*	47	4.0	7	1	2	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	729	6.0	14	2	3	5	8	10	13	20
B. *Operated*	156	7.1	24	1	2	6	11	14	16	24
1. SINGLE DX	163	4.9	14	1	2	4	6	8	11	19
2. MULTIPLE DX	885	6.2	16	2	2	5	8	11	14	20
A. NOT OPERATED	845	5.9	14	2	2	5	7	10	13	20
B. OPERATED	203	6.4	22	1	2	5	9	12	15	21
TOTAL 0-19 YRS	31	3.6	5	1	1	3	5	7	7	10
20-34	339	5.6	12	2	2	5	7	10	13	18
35-49	405	6.2	17	2	2	5	8	11	14	20
50-64	195	6.6	19	2	3	5	9	11	14	24
65+	78	6.1	16	2	2	5	8	11	13	22
GRAND TOTAL	**1048**	**6.0**	**16**	**2**	**2**	**5**	**8**	**11**	**14**	**20**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	2.7	16	<1	<1	1	3	6	8	26
20-34	11	3.1	8	1	1	2	3	8	10	10
35-49	8	5.1	16	1	1	4	7	11	13	13
50-64	3	5.3		5	5	5	6	6	6	6
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	401	6.4	21	2	2	6	8	12	15	23
20-34	50	7.1	17	1	2	8	10	12	13	18
35-49	33	8.9	48	1	1	8	12	19	25	26
50-64	23	7.2	24	2	2	8	10	13	16	21
65+	7	8.9	24	2	3	9	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	5.8	97	<1	1	3	6	13	22	99
20-34	29	4.4	20	1	1	2	5	13	14	17
35-49	40	8.8	75	1	2	5	12	20	28	38
50-64	20	3.3	6	<1	1	3	4	5	9	12
65+	51	7.2	112	1	1	3	8	17	26	65
B. *Operated*										
0-19 YRS	733	10.5	136	2	2	7	13	24	36	72
20-34	88	13.8	280	2	3	9	14	28	60	87
35-49	57	11.8	131	1	2	9	15	26	42	97
50-64	34	13.5	219	1	3	9	20	59	89	99+
65+	36	15.2	332	2	4	9	16	33	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	2.9	15	<1	<1	2	3	6	8	24
B. *Operated*	514	6.7	22	1	2	6	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	713	6.0	92	1	1	3	6	14	22	95
B. *Operated*	948	11.2	160	2	2	7	14	25	37	92
1. SINGLE DX	716	5.6	23	<1	1	4	8	12	14	24
2. MULTIPLE DX	1661	[illegible].9	137	1	1	5	10	22	33	94
A. NOT OPERATED	915	5.3	76	<1	1	3	5	12	18	78
B. OPERATED	1462	9.6	116	2	2	7	11	21	30	72
TOTAL 0-19 YRS	1884	7.5	95	1	1	4	9	17	26	72
20-34	178	9.7	164	1	2	7	11	16	28	77
35-49	138	9.8	90	1	2	7	13	22	28	67
50-64	80	8.8	118	1	2	5	12	21	46	99+
65+	97	10.2	197	1	1	6	11	22	33	80
GRAND TOTAL	**2377**	**7.9**	**105**	**1**	**1**	**5**	**9**	**17**	**26**	**74**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	1.3	2	<1	<1	<1	1	2	4	6
20-34	6	2.8	7	<1	<1	1	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1895	1.9	2	<1	<1	2	2	3	4	8
20-34	447	2.4	3	<1	1	2	3	4	6	10
35-49	267	2.3	5	<1	<1	2	3	4	5	11
50-64	234	2.2	1	<1	1	2	2	3	4	7
65+	175	2.1	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	1.8	3	<1	<1	1	2	4	5	11
20-34	18	2.1	4	<1	<1	1	2	6	7	8
35-49	6	5.3	4	3	3	5	7	8	8	8
50-64	10	3.8	12	<1	<1	3	4	9	12	12
65+	7	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	769	2.7	12	<1	1	2	3	5	7	15
20-34	171	2.7	5	1	1	2	3	5	7	14
35-49	147	2.6	3	<1	1	2	3	5	6	8
50-64	214	2.7	7	<1	1	2	3	4	8	17
65+	269	3.2	17	1	1	2	3	5	8	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	1.4	2	<1	<1	<1	1	2	4	7
B. *Operated*	3018	2.1	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	238	2.0	4	<1	<1	1	2	5	6	12
B. *Operated*	1570	2.8	10	1	1	2	3	5	7	17
1. SINGLE DX	3358	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1808	2.7	10	<1	1	2	3	5	7	15
A. NOT OPERATED	578	1.6	3	<1	<1	1	1	3	5	8
B. OPERATED	4588	2.3	5	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	3191	2.1	5	<1	<1	2	2	4	5	9
20-34	642	2.5	4	<1	1	2	3	4	6	11
35-49	421	2.5	4	<1	1	2	3	4	6	9
50-64	460	2.5	4	<1	1	2	3	4	6	11
65+	452	2.8	11	<1	1	2	3	4	6	23
GRAND TOTAL	5166	2.2	5	<1	<1	2	2	4	5	10

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.8	10	<1	<1	2	3	5	7	21
20-34	41	2.8	5	<1	<1	2	3	6	8	10
35-49	32	3.7	10	<1	1	3	5	7	12	14
50-64	23	4.5	38	<1	1	3	4	8	17	31
65+	9	3.9	25	1	1	2	3	12	17	17
B. *Operated*										
0-19 YRS	3041	4.7	18	1	1	3	7	9	12	20
20-34	400	4.5	19	1	1	2	7	9	12	19
35-49	210	5.3	26	1	1	3	8	12	16	25
50-64	130	5.4	41	1	1	3	7	11	15	33
65+	49	6.1	30	<1	1	4	10	14	20	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1006	4.3	35	<1	1	3	5	9	12	32
20-34	179	4.9	15	1	1	4	7	11	12	20
35-49	131	5.5	28	1	1	4	7	10	15	28
50-64	135	6.8	34	2	2	5	9	14	18	32
65+	275	7.1	47	1	2	5	8	14	18	33
B. *Operated*										
0-19 YRS	5490	7.1	78	1	1	5	9	16	23	51
20-34	589	7.0	50	1	1	5	10	15	20	32
35-49	370	8.7	95	1	2	7	11	20	28	80
50-64	437	8.3	55	1	2	7	12	18	23	36
65+	316	10.6	95	1	2	9	14	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.1	12	<1	<1	2	3	6	8	21
B. *Operated*	3830	4.7	19	1	1	3	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1726	5.1	35	<1	1	3	6	10	14	31
B. *Operated*	7202	7.4	77	1	1	5	10	16	23	49
1. SINGLE DX	4115	4.6	19	1	1	2	7	10	12	21
2. MULTIPLE DX	8928	7.0	69	1	1	4	9	15	22	46
A. NOT OPERATED	2011	4.8	32	<1	1	3	6	10	14	31
B. OPERATED	11032	6.5	58	1	1	4	9	14	20	40
TOTAL 0-19 YRS	9717	6.0	55	1	1	3	8	13	18	39
20-34	1209	5.7	35	1	1	3	8	12	16	27
35-49	743	7.0	63	1	1	4	9	15	22	46
50-64	725	7.4	50	1	2	5	10	16	21	32
65+	649	8.7	72	1	2	6	11	19	26	46
GRAND TOTAL	13043	6.2	55	1	1	4	8	13	19	38

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	5	<1	<1	1	4	6	7	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1868	3.6	3	1	2	3	5	6	7	8
20-34	55	2.9	2	1	1	3	4	4	5	10
35-49	11	3.4	2	1	1	4	4	5	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	1.8	8	<1	<1	1	1	3	5	16
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1660	4.1	12	1	2	3	5	7	8	14
20-34	70	3.1	3	1	1	3	4	5	6	9
35-49	23	3.5	23	1	1	3	3	4	12	25
50-64	7	3.9	5	1	1	3	5	7	8	8
65+	5	4.8	2	3	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	5	<1	<1	1	4	6	7	9
B. *Operated*	1940	3.5	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	171	1.8	7	<1	<1	1	1	3	5	16
B. *Operated*	1765	4.1	12	1	2	3	5	7	8	14
1. SINGLE DX	1964	3.5	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1936	3.9	12	1	1	3	5	7	8	14
A. NOT OPERATED	195	1.9	7	<1	<1	1	1	4	6	15
B. OPERATED	3705	3.8	7	1	2	3	5	6	7	11
TOTAL 0-19 YRS	3719	3.7	8	1	2	3	5	6	7	11
20-34	128	3.0	3	1	1	3	4	5	6	9
35-49	34	3.5	16	1	1	3	4	4	6	25
50-64	10	3.1	5	1	1	2	5	7	8	8
65+	9	3.6	4	<1	<1	3	5	6	7	7
GRAND TOTAL	**3900**	**3.7**	**7**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.5	3	<1	1	2	3	4	6	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2139	3.4	3	2	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.0	3	1	1	2	4	6	7	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	596	4.9	12	2	2	4	6	8	11	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	2139	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	72	3.0	3	1	1	2	4	6	7	9
B. *Operated*	596	4.9	12	2	2	4	6	8	11	18
1. SINGLE DX	2217	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.7	12	2	2	4	6	8	10	17
A. NOT OPERATED	150	2.7	3	1	1	2	3	5	6	9
B. OPERATED	2735	3.8	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	2885	3.7	5	1	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2885**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	2.7	12	<1	<1	2	3	6	8	17
20-34	11	5.7	33	1	1	4	7	14	20	21
35-49	17	5.6	54	1	1	4	6	13	25	31
50-64	19	3.4	7	<1	<1	3	5	8	9	9
65+	21	4.7	12	1	1	3	6	11	12	12
B. *Operated*										
0-19 YRS	1249	5.1	25	<1	1	3	7	11	14	24
20-34	172	4.4	13	<1	1	3	6	8	10	19
35-49	96	5.0	17	1	1	4	7	10	12	21
50-64	54	5.6	16	1	1	5	8	11	13	18
65+	33	5.0	19	<1	1	4	7	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	535	5.1	44	<1	1	3	6	11	17	39
20-34	53	5.0	18	1	1	4	6	10	13	24
35-49	60	5.6	19	1	1	4	7	14	15	18
50-64	76	4.7	14	<1	1	3	6	9	12	18
65+	169	6.4	22	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	1458	8.7	118	1	1	6	10	19	29	67
20-34	279	6.5	38	1	1	5	9	13	16	35
35-49	203	7.5	39	1	1	6	10	15	20	33
50-64	220	8.8	46	1	2	8	11	16	22	36
65+	264	10.5	74	1	2	9	14	21	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.0	14	<1	<1	2	3	6	9	20
B. *Operated*	1604	5.0	23	<1	1	4	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	893	5.3	34	1	1	4	6	12	16	32
B. *Operated*	2424	8.6	92	1	1	6	11	17	25	53
1. SINGLE DX	2028	4.6	22	<1	1	3	6	10	13	23
2. MULTIPLE DX	3317	7.7	78	1	1	5	10	16	23	51
A. NOT OPERATED	1317	4.6	29	<1	<1	3	6	10	14	29
B. OPERATED	4028	7.2	67	1	1	5	9	15	21	46
TOTAL 0-19 YRS	3598	6.3	68	<1	1	4	8	14	21	47
20-34	515	5.6	28	1	1	4	7	11	15	24
35-49	376	6.5	32	1	1	5	8	14	17	30
50-64	369	7.2	37	1	1	6	10	14	17	30
65+	487	8.4	55	1	2	7	11	18	22	38
GRAND TOTAL	**5345**	**6.5**	**59**	**<1**	**1**	**4**	**8**	**14**	**19**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.1		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2529	1.9	1	<1	<1	2	2	3	4	6
20-34	186	2.4	1	1	1	2	3	4	4	6
35-49	62	2.4	2	1	1	2	3	4	6	8
50-64	14	2.2	1	<1	1	2	3	3	5	5
65+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	1.3	1	<1	<1	1	1	2	3	4
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	2519	2.1	2	<1	<1	2	3	4	5	7
20-34	207	3.0	4	1	1	3	4	6	7	10
35-49	102	3.1	5	1	1	2	4	5	7	13
50-64	20	3.9	7	1	1	3	5	8	9	10
65+	15	5.0	20	<1	1	3	8	17	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.1		<1	<1	1	1	2	2	2
B. *Operated*	2794	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	157	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	2863	2.3	3	<1	1	2	3	4	5	8
1. SINGLE DX	2819	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	3020	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	182	1.3	1	<1	<1	1	1	2	3	4
B. OPERATED	5657	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	5221	2.0	2	<1	<1	2	2	3	4	7
20-34	399	2.7	3	1	1	2	3	4	6	8
35-49	165	2.8	4	1	1	2	3	5	6	13
50-64	36	3.1	5	<1	1	3	4	6	8	10
65+	18	4.7	18	<1	1	3	7	15	63	99+
GRAND TOTAL	**5839**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.2	4	<1	<1	1	2	5	7	11
20-34	34	3.3	3	1	1	3	5	6	6	8
35-49	13	3.7	5	<1	1	4	5	7	9	9
50-64	11	5.1	23	1	1	4	7	13	17	17
65+	10	3.8	12	<1	<1	3	5	9	13	13
B. *Operated*										
0-19 YRS	2797	4.6	15	<1	1	3	7	10	12	16
20-34	607	3.8	10	<1	<1	3	5	7	9	14
35-49	166	4.6	12	1	1	4	7	10	12	14
50-64	84	4.7	14	1	1	4	6	10	13	17
65+	51	4.9	14	1	1	4	6	9	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	3.1	23	<1	<1	1	3	7	11	15
20-34	118	4.0	13	1	1	3	5	7	9	22
35-49	147	5.1	12	1	2	4	7	10	12	16
50-64	117	6.6	36	1	2	5	8	13	20	32
65+	107	6.4	18	2	2	5	9	11	15	20
B. *Operated*										
0-19 YRS	2164	6.3	35	<1	1	5	8	13	16	31
20-34	866	5.4	16	<1	1	5	7	10	12	23
35-49	471	6.6	35	1	2	6	8	12	15	31
50-64	303	8.4	67	1	2	6	10	16	22	49
65+	239	8.9	68	1	2	7	11	20	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.8	6	<1	<1	2	4	6	8	14
B. *Operated*	3705	4.5	14	<1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	765	4.6	22	<1	<1	3	6	10	13	21
B. *Operated*	4043	6.5	36	1	1	5	8	13	17	31
1. SINGLE DX	3881	4.4	14	<1	1	3	6	9	12	16
2. MULTIPLE DX	4808	6.2	34	<1	1	5	8	12	16	29
A. NOT OPERATED	941	4.3	20	<1	<1	3	5	9	12	20
B. OPERATED	7748	5.5	26	<1	1	4	7	11	14	25
TOTAL 0-19 YRS	5345	5.2	24	<1	1	4	7	11	13	24
20-34	1625	4.7	14	<1	1	4	6	9	11	19
35-49	797	5.8	26	1	1	5	7	11	14	22
50-64	515	7.3	52	1	2	5	9	15	19	39
65+	407	7.6	49	1	2	6	10	15	22	30
GRAND TOTAL	**8689**	**5.4**	**26**	**<1**	**1**	**4**	**7**	**11**	**14**	**25**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	1.8	7	<1	<1	<1	1	3	6	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1554	3.4	4	1	1	3	4	6	7	10
20-34	78	4.4	6	1	2	4	5	7	8	16
35-49	46	3.6	4	1	2	3	5	5	7	11
50-64	26	4.7	10	1	2	4	5	8	10	17
65+	13	4.2	3	2	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	1.3	1	<1	<1	1	1	2	3	34
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	5	3.0	12	<1	<1	1	4	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	1013	4.2	23	1	2	3	5	7	9	15
20-34	227	4.1	10	1	2	4	5	7	8	22
35-49	170	3.9	4	1	2	4	5	6	8	11
50-64	202	4.7	10	1	2	4	5	8	10	19
65+	103	5.0	17	2	2	4	5	9	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	1.8	7	<1	<1	<1	1	3	6	15
B. *Operated*	1717	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	129	1.4	1	<1	<1	1	1	2	4	27
B. *Operated*	1715	4.3	17	1	2	4	5	7	9	17
1. SINGLE DX	1776	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1844	4.1	17	1	1	3	5	7	9	17
A. NOT OPERATED	188	1.5	3	<1	<1	1	1	2	5	15
B. OPERATED	3432	3.9	11	1	2	3	5	6	8	13
TOTAL 0-19 YRS	2746	3.6	11	1	1	3	4	6	8	12
20-34	308	4.2	9	1	2	4	5	7	8	20
35-49	221	3.8	4	1	1	4	5	6	8	11
50-64	229	4.7	10	1	2	4	5	8	10	18
65+	116	5.0	15	2	2	4	5	8	11	26
GRAND TOTAL	**3620**	**3.8**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	717	2.7	24	<1	<1	2	3	6	9	24
20-34	118	4.5	16	<1	1	4	6	9	12	20
35-49	121	5.7	20	1	1	5	8	11	15	21
50-64	55	4.8	8	1	1	5	7	8	10	14
65+	25	5.8	20	1	2	5	7	11	16	19
B. *Operated*										
0-19 YRS	5471	4.0	15	<1	1	3	5	8	10	20
20-34	1486	3.6	16	<1	<1	2	4	8	11	19
35-49	820	4.2	16	<1	1	3	5	10	12	19
50-64	404	5.1	24	1	1	3	7	11	14	23
65+	123	5.2	24	1	1	3	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1105	4.8	69	<1	<1	2	5	10	16	61
20-34	271	6.2	34	1	1	5	8	12	17	28
35-49	238	6.1	16	1	2	5	8	11	14	19
50-64	246	7.4	62	2	2	6	9	13	16	77
65+	293	8.3	36	2	2	7	11	15	20	32
B. *Operated*										
0-19 YRS	3040	6.4	67	1	1	4	7	13	20	50
20-34	1028	6.1	53	1	1	4	8	13	19	37
35-49	889	6.7	41	1	1	4	9	14	19	33
50-64	719	8.1	66	1	2	6	11	17	22	32
65+	391	11.0	119	1	2	8	15	24	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	3.5	23	<1	<1	2	4	8	10	21
B. *Operated*	8304	4.0	16	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	2153	5.9	55	<1	1	4	8	12	17	40
B. *Operated*	6067	6.9	66	1	1	4	8	15	21	43
1. SINGLE DX	9340	3.9	17	<1	1	3	5	8	11	20
2. MULTIPLE DX	8220	6.6	63	1	1	4	8	14	20	42
A. NOT OPERATED	3189	5.1	46	<1	1	3	7	11	15	36
B. OPERATED	14371	5.2	39	1	1	3	6	11	16	32
TOTAL 0-19 YRS	10333	4.7	38	<1	1	3	5	9	14	33
20-34	2903	4.8	32	<1	1	3	6	10	15	28
35-49	2068	5.6	28	1	1	4	8	12	16	25
50-64	1424	7.0	53	1	2	5	9	14	19	34
65+	832	9.0	77	1	2	7	12	19	25	41
GRAND TOTAL	**17560**	**5.2**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8548	3.2	16	1	1	2	3	5	9	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	198	4.0	20	<1	<1	2	4	9	14	24
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5908	8.7	127	1	2	4	10	22	32	58
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	703	18.7	437	1	2	11	27	61	89	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8548	3.2	16	1	1	2	3	5	9	21
B. *Operated*	198	4.0	20	<1	<1	2	4	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	5908	8.7	127	1	2	4	10	22	32	58
B. *Operated*	703	18.7	437	1	2	11	27	61	89	99+
1. SINGLE DX	8746	3.2	16	1	1	2	3	6	9	21
2. MULTIPLE DX	6611	9.8	170	1	2	5	11	26	39	77
A. NOT OPERATED	14456	5.5	68	1	1	3	5	12	21	45
B. OPERATED	901	15.4	382	1	1	8	21	52	78	99+
TOTAL 0-19 YRS	15357	6.0	92	1	1	3	5	14	24	56
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**15357**	**6.0**	**92**	**1**	**1**	**3**	**5**	**14**	**24**	**56**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6615	2.6	4	1	1	2	3	5	6	10
20-34	2408	2.9	6	1	1	2	4	5	7	12
35-49	1230	3.3	7	1	1	3	4	6	8	14
50-64	761	3.7	15	1	1	3	5	7	9	14
65+	608	4.0	10	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	64	4.1	18	1	1	3	4	9	16	22
20-34	68	4.4	18	1	1	3	5	9	12	23
35-49	63	4.0	7	1	2	3	5	9	10	13
50-64	32	4.6	4	2	2	4	6	8	8	8
65+	25	4.4	18	<1	1	3	6	12	36	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10475	3.2	10	1	1	2	4	6	8	15
20-34	3609	4.3	17	1	1	3	5	8	11	22
35-49	3453	4.9	26	1	1	4	6	9	12	22
50-64	3970	5.7	28	1	2	4	7	11	15	28
65+	6358	6.7	41	1	2	5	8	13	17	35
B. *Operated*										
0-19 YRS	263	7.3	75	1	2	5	8	17	25	59
20-34	269	8.0	131	1	2	5	9	15	24	69
35-49	347	10.5	130	2	2	7	13	23	28	63
50-64	455	10.4	112	2	3	7	13	23	31	77
65+	601	11.8	100	3	4	9	15	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11622	2.9	6	1	1	2	4	5	7	12
B. *Operated*	252	4.2	13	1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	27865	4.7	25	1	1	3	6	9	13	24
B. *Operated*	1935	10.1	111	2	2	7	12	21	30	63
1. SINGLE DX	11874	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	29800	5.1	32	1	1	3	6	10	14	29
A. NOT OPERATED	39487	4.2	20	1	1	3	5	8	11	22
B. OPERATED	2187	9.4	104	2	2	6	11	20	28	61
TOTAL 0-19 YRS	17417	3.0	9	1	1	2	4	5	7	14
20-34	6354	3.9	19	1	1	3	5	7	10	20
35-49	5093	4.9	31	1	1	4	6	9	13	25
50-64	5218	5.8	36	1	2	4	7	11	16	31
65+	7592	6.9	46	1	2	5	8	13	18	38
GRAND TOTAL	**41674**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2054	2.8	4	1	1	2	3	5	6	9
20-34	356	4.0	8	1	2	3	5	7	10	14
35-49	247	4.4	7	1	2	4	6	8	9	14
50-64	228	4.7	8	2	2	4	6	9	10	14
65+	242	4.9	12	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	42	6.2	21	1	2	5	8	14	15	20
20-34	33	9.5	24	3	4	8	13	16	20	22
35-49	33	8.5	34	3	4	7	9	14	22	32
50-64	36	9.9	34	2	3	9	13	16	23	26
65+	20	11.2	49	3	4	10	13	18	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4119	3.3	6	1	1	3	4	6	7	12
20-34	1133	4.5	13	1	2	4	6	8	10	19
35-49	994	5.4	16	2	2	4	7	9	12	20
50-64	1691	6.1	17	2	2	5	8	11	14	21
65+	3647	7.0	30	2	3	6	8	13	16	29
B. *Operated*										
0-19 YRS	168	7.3	47	1	2	5	9	13	20	41
20-34	231	9.4	56	2	2	7	13	20	25	37
35-49	253	11.4	93	2	3	9	15	23	30	47
50-64	386	12.6	101	3	3	10	16	24	31	53
65+	576	13.7	123	4	4	10	16	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3127	3.4	7	1	1	3	4	6	8	12
B. *Operated*	164	8.7	33	2	3	8	12	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	11584	5.2	19	1	2	4	6	10	13	22
B. *Operated*	1614	11.8	100	2	3	9	15	24	30	54
1. SINGLE DX	3291	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	13198	6.0	34	1	2	4	7	12	16	30
A. NOT OPERATED	14711	4.8	17	1	2	4	6	9	12	21
B. OPERATED	1778	11.5	94	2	3	9	14	23	30	52
TOTAL 0-19 YRS	6383	3.3	7	1	1	3	4	5	7	13
20-34	1753	5.1	21	1	2	4	6	10	14	25
35-49	1527	6.3	33	2	2	5	7	12	16	30
50-64	2341	7.1	37	2	2	5	8	13	18	29
65+	4485	7.7	47	2	3	6	9	14	20	36
GRAND TOTAL	**16489**	**5.5**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	710	2.5	3	1	1	2	3	5	5	9
20-34	1435	3.2	6	1	1	3	4	6	8	12
35-49	931	3.8	11	1	1	3	4	7	9	17
50-64	366	3.4	8	1	1	3	4	7	8	14
65+	117	3.3	5	1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	35	2.9	5	1	1	2	3	7	9	10
20-34	174	3.6	7	1	1	3	5	7	8	14
35-49	172	3.5	8	1	1	3	4	7	9	16
50-64	81	3.8	10	1	1	3	5	8	10	15
65+	23	3.4	5	1	1	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1010	3.1	5	1	1	3	4	6	7	12
20-34	2607	4.3	12	1	1	4	5	8	10	17
35-49	2226	4.7	15	1	2	4	6	9	11	18
50-64	1625	4.6	10	1	2	4	6	8	11	17
65+	1265	4.8	12	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	52	6.4	47	1	2	3	9	15	22	36
20-34	282	5.9	30	1	2	4	7	11	16	31
35-49	357	6.8	29	1	2	6	9	13	17	26
50-64	290	7.1	34	2	2	5	9	14	19	29
65+	234	7.9	47	2	2	6	9	16	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Opurated*	3559	3.3	7	1	1	3	4	6	8	13
B. *Operated*	485	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	8733	4.4	12	1	1	4	6	8	11	17
B. *Operated*	1215	6.9	35	2	2	5	9	14	18	30
1. SINGLE DX	4044	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX	9948	4.7	15	1	1	4	6	9	12	19
A. NOT OPERATED	12292	4.1	11	1	1	3	5	8	10	17
B. OPERATED	1700	5.9	29	1	2	4	7	12	17	27
TOTAL 0-19 YRS	1807	3.0	6	1	1	2	4	5	7	12
20-34	4498	4.1	12	1	1	3	5	8	10	17
35-49	3686	4.6	15	1	1	4	6	9	11	19
50-64	2362	4.7	14	1	1	4	6	9	12	19
65+	1639	5.1	18	1	2	4	6	10	12	22
GRAND TOTAL	13992	4.3	13	1	1	3	5	8	11	18

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.3	2	<1	<1	2	3	5	5	8
20-34	173	3.0	3	1	1	3	4	6	6	8
35-49	268	3.2	4	1	1	3	4	6	7	9
50-64	466	3.3	4	1	1	3	4	6	7	10
65+	453	3.1	5	<1	1	3	4	5	6	10
B. *Operated*										
0-19 YRS	134	2.2	4	<1	<1	1	3	5	6	24
20-34	162	3.7	4	1	1	3	5	6	7	11
35-49	267	4.2	7	1	2	4	6	7	9	13
50-64	394	4.4	10	1	2	4	6	7	9	13
65+	366	4.3	7	1	1	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.3	2	<1	1	2	3	4	5	9
20-34	189	3.5	5	1	1	3	5	6	8	12
35-49	384	4.0	11	1	1	3	5	7	10	17
50-64	1035	3.9	6	1	1	3	5	7	8	14
65+	2183	4.2	12	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	99	3.3	6	1	1	2	4	7	9	12
20-34	141	5.0	13	1	2	4	6	9	12	19
35-49	315	5.1	10	1	2	5	7	9	11	14
50-64	817	5.5	18	1	2	5	7	9	12	18
65+	1318	6.3	44	1	2	5	7	11	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.1	4	<1	1	3	4	6	7	9
B. *Operated*	1323	4.0	7	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3969	4.0	10	1	1	3	5	7	9	15
B. *Operated*	2690	5.7	30	1	2	5	7	10	13	25
1. SINGLE DX	2778	3.5	6	1	1	3	5	6	7	11
2. MULTIPLE DX	6659	4.7	18	1	1	4	6	9	11	18
A. NOT OPERATED	5424	3.7	8	1	1	3	5	7	9	14
B. OPERATED	4013	5.2	23	1	1	4	6	9	12	21
TOTAL 0-19 YRS	506	2.4	4	<1	<1	2	3	5	6	10
20-34	665	3.7	6	1	1	3	5	7	8	14
35-49	1234	4.1	9	1	1	3	5	7	9	14
50-64	2712	4.3	11	1	1	4	6	8	9	15
65+	4320	4.7	22	1	1	4	6	9	11	20
GRAND TOTAL	**9437**	**4.3**	**15**	**1**	**1**	**4**	**5**	**8**	**10**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.3	9	<1	1	2	4	7	8	12
20-34	102	2.8	3	<1	1	2	3	5	6	9
35-49	74	3.4	7	1	1	3	4	6	7	14
50-64	80	2.8	4	<1	1	2	3	6	7	10
65+	65	3.3	8	<1	1	2	4	7	11	14
B. *Operated*										
0-19 YRS	625	2.0	3	<1	<1	2	2	4	5	9
20-34	620	2.3	3	<1	<1	2	3	4	6	10
35-49	438	2.3	5	<1	<1	2	3	4	6	13
50-64	284	2.6	5	<1	<1	2	3	5	7	13
65+	129	2.7	8	<1	<1	2	3	5	6	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	4.0	20	1	1	3	5	8	11	22
20-34	354	4.0	12	1	1	3	5	8	11	18
35-49	413	4.2	14	1	1	3	5	8	11	20
50-64	622	5.5	26	1	1	4	7	12	16	27
65+	1309	7.4	49	1	2	5	10	15	19	30
B. *Operated*										
0-19 YRS	223	3.8	16	1	1	2	5	8	13	22
20-34	425	5.6	44	1	1	3	7	13	17	37
35-49	406	5.8	57	1	1	3	7	12	19	35
50-64	457	8.1	113	1	1	4	9	18	33	61
65+	628	10.9	131	1	2	7	15	24	33	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.1	7	1	1	2	4	6	8	12
B. *Operated*	2096	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2980	5.8	34	1	1	4	7	12	16	27
B. *Operated*	2139	7.6	90	1	1	4	9	18	26	54
1. SINGLE DX	2582	2.4	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	5119	6.5	58	1	1	4	8	15	20	40
A. NOT OPERATED	3466	5.4	31	1	1	4	7	12	16	26
B. OPERATED	4235	4.9	54	<1	<1	2	5	12	18	40
TOTAL 0-19 YRS	1295	2.9	10	<1	<1	2	3	6	8	17
20-34	1501	3.7	19	<1	1	2	4	8	11	20
35-49	1331	4.0	26	<1	1	2	5	8	12	29
50-64	1443	5.6	53	1	1	3	6	12	17	42
65+	2131	8.0	74	1	2	5	10	18	23	49
GRAND TOTAL	**7701**	**5.2**	**44**	**<1**	**1**	**3**	**6**	**12**	**17**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	72	5	5	11	17	17	17	17
20-34	6	3.0	2	1	1	3	4	5	5	5
35-49	9	8.8	58	1	1	7	12	21	25	25
50-64	14	4.6	16	1	1	3	7	10	14	15
65+	38	8.6	32	1	2	8	11	15	19	28
B. *Operated*										
0-19 YRS	50	5.1	24	<1	<1	3	7	12	15	24
20-34	81	5.7	38	<1	1	3	7	13	17	30
35-49	71	8.3	82	1	1	5	12	19	26	50
50-64	127	10.6	110	1	1	8	14	25	34	47
65+	305	12.2	90	2	4	10	15	25	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.0	35	1	1	5	7	16	19	19
20-34	25	10.5	48	2	4	8	14	20	25	30
35-49	39	10.4	77	1	3	8	12	21	27	45
50-64	177	10.3	91	2	3	7	12	19	27	52
65+	713	9.9	82	2	3	8	12	19	24	64
B. *Operated*										
0-19 YRS	71	8.4	88	<1	1	4	12	21	27	44
20-34	228	12.8	169	1	2	8	18	32	40	79
35-49	394	16.2	211	1	2	12	22	37	49	66
50-64	1373	19.7	257	3	4	16	26	41	55	85
65+	4543	18.9	212	4	6	15	24	38	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	7.4	33	1	1	6	10	15	18	27
B. *Operated*	634	10.1	88	1	2	8	13	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	962	10.0	82	2	3	8	12	19	24	57
B. *Operated*	6609	18.6	221	3	5	15	24	38	52	89
1. SINGLE DX	703	9.8	83	1	2	8	13	22	28	47
2. MULTIPLE DX	7571	17.5	212	3	4	14	23	36	50	88
A. NOT OPERATED	1031	9.8	79	2	3	8	12	19	24	54
B. OPERATED	[illegible]43	17.8	215	2	4	14	23	37	50	87
TOTAL 0-19 YRS	131	7.0	62	<1	<1	4	10	16	24	42
20-34	340	10.7	136	1	2	6	15	28	37	70
35-49	513	14.5	189	1	2	10	19	35	46	65
50-64	1691	17.9	241	2	4	14	23	38	52	81
65+	5599	17.3	198	3	5	14	22	35	49	90
GRAND TOTAL	**8274**	**16.8**	**205**	**2**	**4**	**13**	**22**	**35**	**48**	**85**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	2.4	2	1	1	2	3	4	5	7
20-34	2396	2.6	3	1	1	2	3	5	6	9
35-49	6908	2.7	3	1	1	2	3	5	6	9
50-64	5111	2.9	3	1	1	2	4	5	6	9
65+	1722	3.0	5	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	9	2.4	2	1	1	2	3	5	5	5
20-34	270	2.6	4	1	1	2	3	6	8	9
35-49	1727	2.5	3	1	1	2	2	5	6	9
50-64	1895	2.5	3	1	1	2	2	4	6	10
65+	404	2.4	3	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	3.0	4	1	1	3	4	5	7	11
20-34	4427	3.2	5	1	1	3	4	6	7	11
35-49	16810	3.5	6	1	1	3	4	6	8	12
50-64	21249	3.8	7	1	1	3	5	7	8	13
65+	16411	4.2	10	1	2	3	5	8	10	15
B. *Operated*										
0-19 YRS	32	3.8	24	1	1	2	4	6	15	26
20-34	608	4.5	16	1	1	3	6	9	13	22
35-49	3898	4.0	12	1	1	3	5	8	10	17
50-64	6051	4.0	13	1	1	2	5	8	11	18
65+	2671	5.3	25	1	2	3	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16402	2.8	3	1	1	2	3	5	6	9
B. *Operated*	4305	2.5	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	59363	3.8	7	1	1	3	5	7	9	13
B. *Operated*	13260	4.3	16	1	1	3	5	9	12	19
1. SINGLE DX	20707	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	72623	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	75765	3.6	7	1	1	3	4	6	8	13
B. OPERATED	17565	3.8	13	1	1	2	5	8	11	18
TOTAL 0-19 YRS	772	2.8	4	1	1	2	4	5	6	10
20-34	7701	3.1	5	1	1	2	4	6	7	12
35-49	29343	3.3	6	1	1	3	4	6	8	12
50-64	34306	3.6	7	1	1	3	4	7	8	14
65+	21208	4.2	12	1	1	3	5	8	10	17
GRAND TOTAL	**93330**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1849	3.0	8	1	1	2	4	6	8	14
20-34	126	2.5	4	<1	1	2	3	5	7	9
35-49	155	2.8	6	<1	1	2	4	6	8	13
50-64	203	3.3	9	<1	1	2	4	6	8	17
65+	208	4.0	13	<1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	113	2.8	6	<1	1	2	4	6	7	12
20-34	113	3.5	8	1	1	3	4	8	10	13
35-49	250	3.0	6	<1	1	2	4	6	8	14
50-64	364	3.4	8	1	1	2	4	7	9	16
65+	248	3.4	16	<1	1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2631	4.0	14	1	1	3	5	8	11	19
20-34	626	3.9	13	1	1	3	5	7	11	19
35-49	982	4.4	12	1	1	3	6	8	11	18
50-64	2600	5.9	24	1	2	5	8	11	15	25
65+	4935	6.7	33	1	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	261	6.6	60	1	1	4	9	14	22	40
20-34	209	6.2	35	1	1	4	9	14	17	26
35-49	553	5.6	45	1	1	4	7	10	14	35
50-64	1343	6.2	40	1	1	4	8	12	17	30
65+	1700	7.7	67	1	2	5	10	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2541	3.1	8	1	1	2	4	6	8	15
B. *Operated*	1088	3.2	9	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	11774	5.6	25	1	1	4	7	11	14	24
B. *Operated*	4066	6.8	53	1	1	5	8	14	19	37
1. SINGLE DX	3629	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX	15840	5.9	33	1	1	4	7	12	16	29
A. NOT OPERATED	14315	5.1	23	1	1	4	6	10	14	24
B. OPERATED	5154	6.0	46	1	1	4	8	12	17	35
TOTAL 0-19 YRS	4854	3.7	15	1	1	3	5	7	10	19
20-34	1074	4.1	17	1	1	3	5	9	12	22
35-49	1940	4.4	21	1	1	3	6	9	11	20
50-64	4510	5.6	28	1	1	4	7	11	15	26
65+	7091	6.7	41	1	2	5	8	13	18	32
GRAND TOTAL	**19469**	**5.4**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	2.1	2	1	1	2	3	4	5	8
20-34	1092	2.1	2	<1	1	2	3	4	5	7
35-49	1220	2.0	2	<1	1	2	2	3	4	7
50-64	722	2.1	2	1	1	2	3	4	5	7
65+	344	2.7	4	1	1	2	3	5	6	12
B. *Operated*										
0-19 YRS	267	2.2	8	<1	<1	1	2	4	7	16
20-34	190	3.6	5	<1	1	3	5	7	8	10
35-49	204	3.9	7	1	1	3	5	8	9	15
50-64	176	4.9	11	1	1	4	7	10	11	14
65+	206	5.0	13	1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	2.9	7	1	1	2	3	6	7	13
20-34	959	2.8	5	1	1	2	3	5	7	12
35-49	1229	3.1	7	1	1	2	4	6	7	15
50-64	1374	3.9	17	1	1	3	5	7	10	18
65+	2722	5.6	33	1	2	4	7	10	14	30
B. *Operated*										
0-19 YRS	414	3.4	17	<1	<1	2	4	7	11	23
20-34	424	5.8	24	1	2	5	7	10	13	28
35-49	550	5.8	21	1	2	5	8	11	14	22
50-64	931	7.2	27	1	2	6	9	14	17	27
65+	2637	8.7	42	2	3	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3651	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	1043	3.8	10	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	6616	4.2	21	1	1	3	5	8	11	22
B. *Operated*	4956	7.4	36	1	2	6	9	14	18	32
1. SINGLE DX	4694	2.5	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	11572	5.6	30	1	1	4	7	11	15	28
A. NOT OPERATED	10267	3.5	15	1	1	2	4	7	9	17
B. OPERATED	5999	6.8	33	1	1	5	9	13	17	30
TOTAL 0-19 YRS	1286	2.8	10	<1	<1	2	3	6	8	17
20-34	2665	3.1	9	1	1	2	4	6	8	13
35-49	3203	3.2	9	<1	1	2	4	6	9	15
50-64	3203	4.5	20	1	1	3	6	9	12	21
65+	5909	6.8	38	1	2	5	9	13	17	33
GRAND TOTAL	**16266**	**4.7**	**25**	**1**	**1**	**3**	**6**	**10**	**13**	**25**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7113	2.2	2	<1	1	2	3	4	5	8
20-34	6799	2.6	4	<1	1	2	3	5	6	9
35-49	3614	3.0	5	1	1	2	4	6	7	11
50-64	1972	3.2	6	1	1	3	4	6	7	11
65+	1260	3.5	8	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	781	3.5	4	1	1	3	4	6	8	11
20-34	1173	3.9	8	1	1	3	5	7	9	14
35-49	535	4.3	12	1	1	3	6	8	10	16
50-64	268	5.0	14	1	1	4	7	10	12	19
65+	110	5.3	24	1	1	3	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5457	2.6	4	1	1	2	3	5	6	10
20-34	8077	3.3	7	1	1	3	4	6	8	13
35-49	6103	4.1	9	1	1	3	5	8	10	15
50-64	6085	4.4	11	1	1	4	6	8	10	17
65+	8879	5.1	17	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	706	4.4	15	1	1	4	5	8	11	18
20-34	2017	5.4	17	1	1	5	7	10	13	20
35-49	1397	7.1	33	1	2	6	9	13	17	30
50-64	1175	7.6	46	1	2	6	10	14	18	36
65+	1367	8.9	47	2	3	7	11	18	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20758	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	2867	4.0	9	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	34601	4.0	11	1	1	3	5	8	10	16
B. *Operated*	6662	6.8	33	1	2	5	9	13	17	28
1. SINGLE DX	23625	2.8	5	1	1	2	4	5	7	10
2. MULTIPLE DX	41263	4.4	16	1	1	3	6	9	11	19
A. NOT OPERATED	55359	3.5	9	1	1	3	4	7	9	14
B. OPERATED	9529	5.9	28	1	2	5	8	12	15	26
TOTAL 0-19 YRS	14057	2.5	4	1	1	2	3	5	6	10
20-34	18066	3.3	8	1	1	3	4	6	8	14
35-49	11649	4.1	12	1	1	3	5	8	10	17
50-64	9500	4.6	16	1	1	4	6	9	11	19
65+	11616	5.3	22	1	2	4	7	10	13	23
GRAND TOTAL	**64888**	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	719	2.7	4	1	1	2	3	5	7	10
20-34	340	3.1	8	<1	1	2	4	6	7	15
35-49	267	3.0	6	1	1	2	4	6	7	10
50-64	241	3.8	19	<1	1	3	5	8	9	24
65+	276	3.6	8	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	76	3.7	11	<1	1	3	5	8	11	17
20-34	133	3.8	9	<1	1	3	5	8	10	14
35-49	118	5.2	23	<1	1	4	7	11	15	26
50-64	111	4.0	12	<1	<1	2	6	9	12	15
65+	84	5.2	55	<1	1	3	6	11	18	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2273	3.2	12	1	1	2	4	6	8	17
20-34	1435	3.7	18	1	1	3	4	7	10	17
35-49	1403	4.6	18	1	1	3	6	9	12	21
50-64	2271	5.4	21	1	1	4	7	11	14	23
65+	4673	6.1	31	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	254	5.7	39	1	1	4	8	12	15	30
20-34	435	6.1	31	1	1	5	8	12	15	26
35-49	506	7.8	55	1	1	6	9	16	22	34
50-64	749	8.8	67	1	2	7	11	20	27	38
65+	1219	10.1	86	2	2	8	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1843	3.1	8	1	1	2	4	6	8	13
B. *Operated*	522	4.4	21	<1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	12055	4.9	24	1	1	4	6	10	13	22
B. *Operated*	3163	8.5	67	1	1	6	11	18	24	44
1. SINGLE DX	2365	3.4	11	<1	1	2	4	7	9	16
2. MULTIPLE DX	15218	5.7	35	1	1	4	7	12	16	28
A. NOT OPERATED	13898	4.7	22	1	1	3	6	9	12	22
B. OPERATED	3685	7.9	63	1	1	6	10	17	23	40
TOTAL 0-19 YRS	3322	3.3	13	1	1	2	4	6	9	17
20-34	2343	4.1	20	1	1	3	5	8	11	18
35-49	2294	5.1	27	1	1	4	6	10	15	27
50-64	3372	6.0	33	1	1	4	8	12	17	29
65+	6252	6.7	44	1	2	5	8	13	18	32
GRAND TOTAL	**17583**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4604	3.4	13	1	1	2	4	6	8	18
20-34	2437	3.8	22	<1	1	3	4	6	10	30
35-49	2371	3.7	19	1	1	3	4	6	10	29
50-64	2802	3.9	23	1	1	3	5	7	10	24
65+	3288	5.1	36	1	1	3	6	10	14	29
B. *Operated*										
0-19 YRS	446	3.2	25	<1	<1	2	3	6	10	22
20-34	707	3.4	20	<1	1	2	4	7	9	30
35-49	799	3.8	33	<1	1	2	4	8	11	34
50-64	885	4.2	31	<1	1	2	4	9	14	31
65+	674	6.0	51	1	1	3	8	15	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7798	4.6	26	1	1	3	5	9	12	24
20-34	5414	4.1	19	1	1	3	5	7	10	21
35-49	7327	4.6	19	1	1	3	6	9	11	20
50-64	16006	5.8	31	1	2	4	7	11	15	27
65+	39630	6.6	36	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	742	8.8	138	1	1	4	11	23	35	83
20-34	1136	5.8	59	1	1	4	7	11	18	48
35-49	1609	6.4	66	1	1	4	8	13	20	45
50-64	3428	9.0	120	1	2	6	11	20	31	72
65+	6102	11.3	150	2	2	8	14	24	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15502	4.0	23	1	1	3	4	8	11	27
B. *Operated*	3511	4.2	33	<1	1	2	4	9	14	32
2. MULTIPLE DX										
A. *Not Operated*	76175	5.8	32	1	2	4	7	11	15	28
B. *Operated*	13017	9.5	127	1	2	6	11	21	31	73
1. SINGLE DX	19013	4.0	25	1	1	3	4	8	11	28
2. MULTIPLE DX	89192	6.4	47	1	2	4	8	13	18	36
A. NOT OPERATED	91677	5.5	31	1	1	4	7	11	15	28
B. OPERATED	16528	8.3	112	1	1	5	10	19	28	67
TOTAL 0-19 YRS	13590	4.4	30	1	1	3	5	8	12	27
20-34	9694	4.2	25	1	1	3	5	8	11	29
35-49	12106	4.6	27	1	1	3	5	9	12	27
50-64	23121	6.0	45	1	1	4	7	12	17	35
65+	49694	7.1	53	1	2	5	9	14	19	37
GRAND TOTAL	**108205**	**6.0**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1460	2.1	3	1	1	1	2	4	5	10
20-34	112	3.5	11	1	1	2	5	7	11	18
35-49	61	3.3	12	<1	1	2	4	7	10	20
50-64	36	5.2	25	1	1	4	7	12	15	25
65+	14	9.5	158	<1	1	6	12	28	42	46
B. *Operated*										
0-19 YRS	297	5.2	17	1	2	4	6	9	13	25
20-34	90	7.8	69	1	2	6	9	15	21	49
35-49	30	7.8	26	2	2	6	11	15	17	21
50-64	11	7.3	26	2	2	6	11	15	18	18
65+	6	12.8	47	5	5	13	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1127	3.3	11	1	1	2	4	7	10	17
20-34	316	5.5	48	1	1	4	6	13	19	38
35-49	153	7.6	110	1	1	4	9	15	25	55
50-64	128	7.0	51	1	1	5	9	15	21	36
65+	157	9.4	87	1	2	6	11	24	30	46
B. *Operated*										
0-19 YRS	448	10.9	167	1	2	7	13	29	46	99+
20-34	427	13.4	253	1	2	9	16	40	68	99+
35-49	171	12.5	186	1	2	9	17	28	53	99+
50-64	109	17.4	296	2	2	12	27	47	80	99+
65+	95	20.0	427	2	3	14	27	60	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1683	2.3	6	1	1	2	3	4	6	12
B. *Operated*	434	6.1	30	1	2	5	7	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	1881	4.8	39	1	1	3	5	10	16	31
B. *Operated*	1250	13.3	236	1	2	8	17	37	57	99+
1. SINGLE DX	2117	3.1	13	1	1	2	4	7	9	18
2. MULTIPLE DX	3131	8.2	135	1	1	4	9	20	34	98
A. NOT OPERATED	3564	3.6	25	1	1	2	4	8	11	25
B. OPERATED	1684	11.4	193	1	2	7	14	30	50	99+
TOTAL 0-19 YRS	3332	3.9	37	1	1	2	4	8	13	36
20-34	945	9.1	155	1	1	5	11	21	39	99+
35-49	415	9.0	131	1	1	6	11	20	31	84
50-64	284	10.8	168	1	2	6	14	28	41	99+
65+	272	13.2	232	1	2	8	18	32	47	99+
GRAND TOTAL	**5248**	**6.1**	**92**	**1**	**1**	**3**	**7**	**14**	**23**	**70**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	752	2.3	4	1	1	2	3	5	6	10
20-34	202	4.0	15	<1	1	3	5	10	11	20
35-49	88	3.6	7	1	1	3	5	7	8	15
50-64	41	4.5	7	<1	1	3	7	9	9	9
65+	29	6.2	31	<1	1	4	10	14	18	20
B. *Operated*										
0-19 YRS	79	4.8	16	1	1	4	6	9	12	23
20-34	77	7.1	98	1	1	4	8	12	22	61
35-49	25	5.6	14	<1	1	6	8	9	12	17
50-64	10	10.6	39	3	4	9	14	20	24	24
65+	7	5.7	29	1	1	4	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	797	4.7	43	1	1	3	5	9	14	36
20-34	570	6.1	53	1	1	4	7	13	19	39
35-49	254	6.1	32	1	1	5	8	13	16	31
50-64	174	9.2	78	2	2	7	12	18	27	44
65+	257	9.5	68	1	2	7	13	20	26	43
B. *Operated*										
0-19 YRS	348	12.2	214	1	2	7	15	31	45	89
20-34	475	13.6	256	1	2	8	18	37	64	99+
35-49	174	13.0	203	1	2	8	17	31	59	99+
50-64	122	16.0	341	1	3	10	20	37	80	99+
65+	114	18.7	358	1	2	13	26	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1112	2.9	8	1	1	2	3	6	9	14
B. *Operated*	198	6.1	51	1	1	4	8	12	17	40
2. MULTIPLE DX										
A. *Not Operated*	2052	6.3	53	1	1	4	8	14	19	40
B. *Operated*	1233	13.8	257	1	2	8	18	37	59	99+
1. SINGLE DX	1310	3.4	15	1	1	2	4	8	10	17
2. MULTIPLE DX	3285	9.1	143	1	1	5	11	21	35	88
A. NOT OPERATED	3164	5.1	40	1	1	3	6	11	16	32
B. OPERATED	1431	12.8	236	1	2	8	16	32	54	99+
TOTAL 0-19 YRS	1976	5.1	69	1	1	3	5	11	18	48
20-34	1324	8.5	137	1	1	5	10	20	33	88
35-49	541	7.9	95	1	1	5	9	17	28	88
50-64	347	11.1	175	1	2	8	13	25	37	90
65+	407	11.8	164	1	2	8	15	26	43	90
GRAND TOTAL	**4595**	**7.5**	**113**	**1**	**1**	**4**	**8**	**17**	**27**	**72**

343: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	1.6	1	<1	<1	1	2	3	4	5
20-34	209	2.0	2	<1	<1	1	2	4	5	8
35-49	65	2.2	5	<1	<1	2	2	4	6	14
50-64	28	3.1	6	1	1	3	4	6	7	13
65+	20	2.3	2	1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	2641	2.0	3	<1	<1	1	2	4	5	8
20-34	3503	2.5	4	<1	1	2	3	5	6	10
35-49	944	2.8	6	<1	1	2	3	5	7	12
50-64	297	2.8	4	<1	1	2	4	5	7	11
65+	114	3.3	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	2.3	10	<1	1	2	3	4	6	11
20-34	716	2.5	4	<1	<1	2	3	5	6	9
35-49	331	3.6	19	<1	1	2	4	7	10	22
50-64	262	4.1	14	1	1	3	5	8	11	23
65+	460	6.1	36	1	1	4	8	12	15	37
B. *Operated*										
0-19 YRS	2726	3.7	17	1	1	3	4	7	10	21
20-34	4900	4.4	24	1	1	3	5	9	12	24
35-49	1797	5.5	43	1	1	4	7	11	16	34
50-64	820	6.5	81	1	1	4	7	13	19	51
65+	735	7.9	79	1	2	5	10	17	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	7499	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2170	3.6	17	<1	1	2	4	7	10	20
B. *Operated*	10978	4.8	35	1	1	3	6	10	14	30
1. SINGLE DX	7964	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	13148	4.6	32	1	1	3	5	9	13	28
A. NOT OPERATED	2635	3.3	15	<1	1	2	4	7	9	18
B. OPERATED	18477	3.8	23	<1	1	2	4	8	11	23
TOTAL 0-19 YRS	5911	2.8	10	<1	<1	2	3	5	7	15
20-34	9328	3.5	15	<1	1	2	4	7	9	19
35-49	3137	4.4	30	1	1	3	5	9	13	26
50-64	1407	5.2	53	1	1	3	6	10	15	40
65+	1329	6.8	59	1	1	4	8	14	19	42
GRAND TOTAL	**21112**	**3.7**	**22**	**<1**	**1**	**2**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	4.1	12	1	1	3	5	8	10	17
20-34	1462	5.0	25	1	1	4	6	9	12	21
35-49	855	5.5	17	1	2	5	7	10	13	21
50-64	783	6.3	17	1	2	5	8	11	14	20
65+	1248	7.6	31	2	3	6	10	14	17	27
B. *Operated*										
0-19 YRS	112	9.1	34	2	3	8	11	18	21	27
20-34	259	10.4	56	2	3	9	13	19	26	39
35-49	105	10.2	128	2	2	7	13	19	27	68
50-64	55	11.0	62	2	4	9	13	22	28	39
65+	56	11.9	44	3	4	10	16	21	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	770	5.1	26	1	1	4	6	10	13	31
20-34	1843	5.9	28	1	2	5	8	11	14	26
35-49	1222	7.1	34	1	2	6	9	13	17	29
50-64	2094	8.5	42	2	3	7	11	15	20	33
65+	9619	10.1	56	3	4	8	13	18	23	40
B. *Operated*										
0-19 YRS	298	13.6	183	2	3	9	17	29	42	69
20-34	835	12.6	142	2	3	9	17	27	35	81
35-49	446	13.5	160	2	3	9	17	31	45	77
50-64	412	14.5	159	3	4	11	19	31	45	90
65+	1072	17.7	212	4	5	14	21	36	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5110	5.8	23	1	2	5	7	11	14	22
B. *Operated*	587	10.3	64	2	3	8	13	19	26	37
2. MULTIPLE DX										
A. *Not Operated*	15548	8.9	51	2	3	7	11	16	21	38
B. *Operated*	3063	14.9	180	2	4	11	19	31	45	83
1. SINGLE DX	5697	6.3	30	1	2	5	8	12	15	26
2. MULTIPLE DX	18611	9.9	77	2	3	8	12	19	25	49
A. NOT OPERATED	20658	8.1	46	2	2	7	10	15	20	35
B. OPERATED	3650	14.1	164	2	3	10	18	29	41	79
TOTAL 0-19 YRS	1942	6.2	56	1	1	4	7	13	18	42
20-34	4399	7.2	59	1	2	5	9	14	20	43
35-49	2628	7.8	61	1	2	6	9	15	21	45
50-64	3344	8.8	57	2	3	7	11	16	21	45
65+	11995	10.5	73	3	4	8	13	19	25	47
GRAND TOTAL	**24308**	**9.0**	**68**	**2**	**2**	**7**	**11**	**17**	**23**	**46**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.4	26	1	1	5	7	9	18	23
20-34	47	6.9	31	1	1	5	9	14	16	31
35-49	20	4.7	16	1	1	3	6	12	14	14
50-64	13	7.5	28	2	3	5	10	16	19	20
65+	17	7.5	90	1	1	3	12	13	31	40
B. *Operated*										
0-19 YRS	24	11.6	90	1	3	10	14	30	32	37
20-34	61	21.4	299	3	4	18	30	44	63	73
35-49	25	18.8	174	4	5	15	26	40	70	99+
50-64	7	28.6	745	2	3	15	54	68	70	70
65+	4	14.5	122	8	8	9	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.1	187	1	1	6	18	49	99+	99+
20-34	54	14.2	391	1	2	7	11	43	57	89
35-49	32	12.7	207	1	2	7	16	33	45	59
50-64	36	8.3	69	1	1	6	10	23	37	99+
65+	143	11.9	107	3	3	9	14	25	38	63
B. *Operated*										
0-19 YRS	89	27.9	331	8	11	24	39	74	99+	99+
20-34	224	30.4	465	7	9	27	51	94	99+	99+
35-49	96	30.9	492	7	9	27	58	99+	99+	99+
50-64	47	27.6	491	3	6	21	43	70	98	99+
65+	60	30.2	501	4	7	26	48	67	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.5	36	1	1	5	8	13	15	34
B. *Operated*	121	19.1	262	3	4	14	25	40	62	81
2. MULTIPLE DX										
A. *Not Operated*	290	11.9	173	1	2	8	14	28	47	99+
B. *Operated*	516	29.8	452	6	9	26	49	89	99+	99+
1. SINGLE DX	236	12.9	191	1	2	8	16	31	40	71
2. MULTIPLE DX	806	23.3	425	2	4	18	38	71	99+	99+
A. NOT OPERATED	405	10.3	140	1	2	7	12	24	40	93
B. OPERATED	637	27.7	433	4	7	24	44	78	99+	99+
TOTAL 0-19 YRS	156	20.1	317	1	3	16	31	55	89	99+
20-34	386	23.8	447	2	4	19	37	71	99+	99+
35-49	173	22.8	431	2	3	17	40	72	99+	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.0	2	<1	<1	2	3	4	5	7
20-34	268	2.5	2	1	1	2	3	5	5	7
35-49	327	3.1	5	1	1	2	4	6	7	11
50-64	330	3.6	7	1	1	3	5	7	8	16
65+	358	4.4	10	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	21	3.5	6	<1	1	3	4	7	9	10
35-49	16	5.6	15	1	1	5	8	11	13	14
50-64	11	7.2	36	2	2	5	10	18	18	18
65+	9	15.2	524	1	2	9	12	51	75	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	3.5	14	1	1	2	4	7	9	16
20-34	1213	3.8	10	1	1	3	5	8	9	14
35-49	1644	4.6	13	1	1	4	6	9	11	18
50-64	2300	5.7	21	1	2	5	7	11	13	21
65+	5360	7.6	43	2	2	6	10	14	19	35
B. *Operated*										
0-19 YRS	138	7.9	88	1	2	5	10	16	24	55
20-34	542	8.0	51	1	2	6	10	17	21	35
35-49	472	9.3	74	2	2	7	11	18	26	46
50-64	515	11.9	141	2	3	9	14	26	34	67
65+	776	14.3	138	3	4	11	18	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1386	3.4	7	1	1	3	4	7	8	13
B. *Operated*	62	6.4	96	1	1	4	7	11	17	68
2. MULTIPLE DX										
A. *Not Operated*	10847	6.2	31	1	2	5	8	12	15	28
B. *Operated*	2443	11.1	111	2	2	8	14	23	32	56
1. SINGLE DX	1448	3.5	11	1	1	3	4	7	9	14
2. MULTIPLE DX	13290	7.1	49	1	2	5	9	14	19	38
A. NOT OPERATED	12233	5.9	29	1	1	5	8	12	15	26
B. OPERATED	2505	10.9	111	2	2	8	14	23	32	57
TOTAL 0-19 YRS	576	4.3	34	1	1	3	5	9	12	30
20-34	2044	4.7	24	1	1	3	6	10	13	25

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	5.1	20	1	2	4	6	10	13	22
20-34	350	7.3	52	2	2	5	9	14	21	44
35-49	195	8.4	72	1	2	6	10	16	22	47
50-64	282	9.1	43	2	3	8	12	18	23	31
65+	1060	10.0	50	2	3	9	13	18	22	35
B. *Operated*										
0-19 YRS	38	12.1	187	1	2	7	12	40	47	49
20-34	50	18.6	250	2	3	15	27	39	52	76
35-49	25	20.6	279	4	4	17	27	40	58	66
50-64	15	30.7	486	4	6	23	50	66	71	73
65+	16	21.1	241	3	9	17	28	39	57	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	560	7.5	40	1	2	6	9	15	20	31
20-34	776	10.3	74	2	3	8	12	20	30	45
35-49	471	11.8	113	3	4	9	14	23	32	62
50-64	822	12.3	99	3	4	10	15	23	32	54
65+	6085	12.9	93	3	4	11	16	23	30	57
B. *Operated*										
0-19 YRS	303	17.9	287	3	4	12	23	43	58	84
20-34	581	23.9	374	3	5	17	36	52	60	91
35-49	272	26.1	377	5	7	20	40	54	71	99+
50-64	293	25.9	367	5	7	20	37	55	64	94
65+	785	23.5	299	6	8	18	32	50	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2252	8.5	49	2	2	7	11	16	21	35
B. *Operated*	144	18.8	282	2	3	13	26	42	55	73
2. MULTIPLE DX										
A. *Not Operated*	8714	12.2	92	3	4	10	15	23	29	54
B. *Operated*	2234	23.5	340	4	6	17	34	51	62	95
1. SINGLE DX	2396	9.1	69	2	2	7	11	18	23	46
2. MULTIPLE DX	10948	14.5	163	3	4	11	18	29	43	72
A. NOT OPERATED	10966	11.4	85	2	3	9	14	22	28	51
B. OPERATED	2378	23.2	338	4	5	17	33	51	62	93
TOTAL 0-19 YRS	1266	9.4	122	1	2	6	11	21	33	59
20-34	1757	14.4	221	2	3	9	17	36	48	70
35-49	963	15.4	232	3	3	10	18	39	50	84
50-64	1412	14.7	185	3	4	10	18	32	48	72
65+	7946	13.5	120	3	4	11	17	25	34	67
GRAND TOTAL	13344	13.5	150	3	4	10	16	27	40	69

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	3.0	21	<1	1	1	2	7	14	26
20-34	168	2.9	14	<1	<1	2	3	6	8	27
35-49	106	3.4	17	<1	1	2	4	6	9	25
50-64	252	3.2	11	1	1	2	4	6	7	18
65+	729	4.2	18	1	1	3	5	8	11	23
B. *Operated*										
0-19 YRS	4473	3.4	18	1	1	2	3	7	13	21
20-34	535	3.8	15	1	1	3	5	7	9	24
35-49	432	3.9	11	1	1	3	5	7	10	17
50-64	646	4.9	21	1	1	4	6	9	12	22
65+	909	5.9	29	1	1	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	4.0	22	1	1	2	5	8	13	27
20-34	193	4.8	26	1	1	3	6	10	17	26
35-49	181	5.7	42	1	1	4	6	12	16	38
50-64	586	6.1	36	1	1	4	7	12	19	30
65+	3391	7.9	63	2	2	6	10	16	23	46
B. *Operated*										
0-19 YRS	1201	6.3	54	1	1	4	7	17	22	35
20-34	732	8.6	88	1	2	5	10	19	29	49
35-49	523	7.9	70	1	2	5	9	16	26	44
50-64	1010	9.0	115	1	2	6	10	20	28	63
65+	2798	11.0	114	2	3	8	14	23	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1899	3.5	18	1	1	2	4	7	11	24
B. *Operated*	6995	3.9	20	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	4648	7.2	56	1	2	5	9	15	21	41
B. *Operated*	6264	9.3	99	1	2	6	11	20	28	54
1. SINGLE DX	8894	3.8	19	1	1	2	4	8	13	22
2. MULTIPLE DX	10912	8.4	82	1	2	6	10	18	26	50
A. NOT OPERATED	6547	6.1	48	1	1	4	7	13	19	37
B. OPERATED	13259	6.4	64	1	1	4	8	15	21	41
TOTAL 0-19 YRS	6615	3.9	26	1	1	2	4	9	16	25
20-34	1628	6.0	55	1	1	4	7	13	20	38
35-49	1242	5.8	45	1	1	4	6	12	17	35
50-64	2494	6.7	66	1	1	4	8	14	20	42
65+	7827	8.5	78	1	2	6	10	18	25	51
GRAND TOTAL	**19806**	**6.3**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99t (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	1.5	1	<1	<1	1	2	3	4	5
20-34	118	2.3	2	<1	<1	2	3	4	5	7
35-49	98	2.2	3	<1	<1	2	3	4	5	9
50-64	98	2.2	3	<1	1	2	3	4	6	10
65+	133	2.6	8	1	1	2	3	4	7	17
B. *Operated*										
0-19 YRS	7863	1.7	2	<1	1	1	2	3	4	7
20-34	2284	2.8	6	1	1	2	4	5	6	12
35-49	1751	2.7	4	1	1	2	3	5	6	10
50-64	2227	2.6	5	1	1	2	3	5	6	11
65+	2060	2.9	7	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	2.5	11	<1	1	2	3	4	6	19
20-34	262	3.3	19	<1	1	2	4	6	8	26
35-49	171	3.6	9	1	1	3	4	8	9	15
50-64	242	4.7	22	1	1	4	6	9	12	25
65+	806	7.0	56	1	2	5	9	15	21	46
B. *Operated*										
0-19 YRS	1769	3.5	22	1	1	2	4	7	10	26
20-34	1826	5.9	49	1	1	4	7	12	18	34
35-49	1252	5.8	56	1	1	4	6	11	17	40
50-64	1770	5.4	46	1	1	3	6	10	16	33
65+	3553	6.4	51	1	1	4	8	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	753	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	16185	2.2	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1717	5.2	38	1	1	3	6	11	16	30
B. *Operated*	10170	5.6	47	1	1	4	6	12	17	34
1. SINGLE DX	16938	2.2	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	11887	5.5	45	1	1	4	6	11	17	34
A. NOT OPERATED	2470	4.2	30	<1	1	3	5	9	13	27
B. OPERATED	26355	3.5	23	1	1	2	4	7	10	23
TOTAL 0-19 YRS	10174	2.0	6	<1	1	1	2	4	5	11
20-34	4490	4.1	27	1	1	3	5	8	12	27
35-49	3272	3.9	27	1	1	3	4	7	10	23
50-64	4337	3.9	24	1	1	3	4	7	10	24
65+	6552	5.3	40	1	1	3	6	11	17	31
GRAND TOTAL	**28825**	**3.6**	**24**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	3	<1	<1	1	3	4	4	9
20-34	106	2.2	2	<1	<1	2	3	5	5	6
35-49	62	2.4	3	1	1	2	3	5	6	7
50-64	34	2.8	9	<1	1	2	3	4	12	14
65+	34	2.6	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	1822	1.7	2	<1	<1	1	2	3	4	7
20-34	2472	1.9	2	<1	<1	2	2	3	4	7
35-49	1016	2.0	3	<1	<1	2	2	4	5	9
50-64	531	2.2	3	<1	1	2	3	4	5	9
65+	238	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.0	15	<1	1	2	3	5	7	23
20-34	210	3.1	8	<1	<1	2	4	6	9	16
35-49	114	3.3	8	<1	1	3	4	6	10	14
50-64	98	4.7	26	1	1	3	6	9	12	32
65+	237	6.6	37	1	2	5	8	12	17	40
B. *Operated*										
0-19 YRS	895	3.1	14	<1	1	2	4	6	9	19
20-34	1702	3.4	19	1	1	2	4	7	9	21
35-49	925	3.5	24	<1	1	2	4	7	10	26
50-64	658	3.7	16	1	1	2	4	7	11	23
65+	498	5.0	32	1	1	3	6	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	6079	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	791	4.3	23	<1	1	3	5	9	12	25
B. *Operated*	4678	3.6	20	1	1	2	4	7	10	24
1. SINGLE DX	6396	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	5469	3.7	21	1	1	2	4	7	11	25
A. NOT OPERATED	1108	3.8	18	<1	1	3	4	8	11	22
B. OPERATED	10757	2.6	11	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	2930	2.2	6	<1	<1	1	2	4	6	13
20-34	4490	2.6	9	<1	<1	2	3	5	7	13
35-49	2117	2.7	13	<1	1	2	3	5	7	16
50-64	1321	3.1	12	<1	1	2	4	6	9	18
65+	1007	4.7	28	1	1	3	6	11	13	28
GRAND TOTAL	**11865**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	15.1	242	1	1	9	24	35	42	86
20-34	39	4.4	33	<1	<1	3	5	6	14	33
35-49	39	8.6	268	1	1	4	8	26	69	99+
50-64	120	10.3	108	1	2	8	13	20	26	58
65+	555	8.3	62	1	1	6	11	16	21	41
B. *Operated*										
0-19 YRS	378	10.4	93	2	3	7	13	22	29	49
20-34	228	10.3	77	3	4	8	12	19	28	46
35-49	411	10.2	72	4	5	8	11	17	21	59
50-64	1736	11.3	34	5	6	10	14	18	21	33
65+	8704	14.2	56	6	8	13	17	22	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	13.7	167	<1	1	8	23	32	38	48
20-34	56	14.0	382	1	2	6	13	46	55	83
35-49	79	10.4	110	1	2	7	13	22	30	61
50-64	282	11.4	130	1	3	8	13	23	36	60
65+	2869	12.3	137	2	3	9	15	25	36	74
B. *Operated*										
0-19 YRS	346	15.3	124	3	5	13	20	30	35	55
20-34	568	17.2	212	4	6	12	21	38	50	95
35-49	757	16.1	157	5	6	12	19	32	44	97
50-64	3468	16.3	119	6	7	14	19	28	37	66
65+	39135	17.9	126	7	9	15	21	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	9.6	113	1	1	6	12	21	29	53
B. *Operated*	11457	13.4	57	5	7	12	16	21	26	43
2. MULTIPLE DX										
A. *Not Operated*	3386	12.3	141	2	3	9	15	25	37	72
B. *Operated*	44274	17.7	128	7	8	15	20	30	41	84
1. SINGLE DX	12364	13.1	62	4	6	12	16	21	26	44
2. MULTIPLE DX	47660	17.3	131	6	8	15	20	30	41	83
A. NOT OPERATED	4293	11.7	136	1	2	9	15	24	36	70
B. OPERATED	55731	16.8	116	7	8	14	19	29	38	77
TOTAL 0-19 YRS	978	13.2	140	2	3	9	18	29	35	54
20-34	891	14.7	193	2	4	10	17	32	46	84
35-49	1286	13.6	139	4	5	10	16	26	40	83
50-64	5606	14.4	99	5	6	12	17	24	33	62
65+	51263	16.8	118	6	8	14	19	29	38	78
GRAND TOTAL	**60024**	**16.4**	**119**	**6**	**7**	**14**	**19**	**28**	**38**	**77**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1618	17.1	164	1	2	18	24	32	39	58
20-34	91	18.7	347	1	1	7	34	46	50	64
35-49	49	21.8	540	1	2	11	46	59	91	99+
50-64	65	16.0	301	2	2	9	25	45	56	97
65+	201	14.1	275	1	2	8	18	41	50	91
B. *Operated*										
0-19 YRS	1819	12.9	144	1	1	9	20	30	36	50
20-34	520	12.0	100	2	3	10	15	22	33	54
35-49	191	13.1	154	1	2	10	17	27	42	72
50-64	186	13.7	117	3	4	11	17	28	41	58
65+	488	17.2	139	5	7	14	20	31	46	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	757	18.5	244	1	2	17	26	39	48	76
20-34	134	24.5	557	2	3	14	45	58	69	89
35-49	109	22.2	545	2	2	13	36	59	78	99+
50-64	190	18.4	358	2	2	10	28	48	58	87
65+	1042	17.7	316	3	3	11	24	47	60	99+
B. *Operated*										
0-19 YRS	1817	19.7	236	2	4	16	27	42	50	78
20-34	1545	19.9	282	3	5	15	25	45	61	96
35-49	517	22.5	347	2	4	17	31	53	72	99+
50-64	632	21.8	295	3	6	17	28	51	66	99+
65+	2461	22.6	278	6	8	17	28	48	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2024	16.9	197	1	2	16	24	34	43	65
B. *Operated*	3204	13.5	138	1	2	11	19	29	37	55
2. MULTIPLE DX										
A. *Not Operated*	2232	18.7	323	2	3	13	26	47	58	95
B. *Operated*	6972	21.1	276	3	6	16	27	46	62	99+
1. SINGLE DX	5228	14.8	164	1	2	12	21	31	40	60
2. MULTIPLE DX	9204	20.5	289	3	4	16	27	46	61	99+
A. NOT OPERATED	4256	17.8	264	1	2	14	25	40	52	83
B. OPERATED	10176	18.7	245	2	4	15	24	41	54	94
TOTAL 0-19 YRS	6011	16.8	197	1	2	14	24	34	44	66
20-34	2290	18.3	271	2	4	13	23	43	57	89
35-49	866	20.3	354	2	3	15	28	51	70	99+
50-64	1073	19.5	285	2	4	14	26	47	61	99+
65+	4192	20.3	279	4	6	15	26	46	62	99+
GRAND TOTAL	**14432**	**18.5**	**251**	**2**	**3**	**15**	**24**	**41**	**53**	**90**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1176	2.4	12	1	1	2	3	5	6	10
20-34	481	3.2	8	<1	1	3	4	6	8	15
35-49	360	4.2	14	1	1	3	5	8	11	18
50-64	325	5.6	29	1	2	4	7	12	15	29
65+	394	6.5	21	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	3177	3.7	12	1	1	3	5	7	10	18
20-34	2373	5.5	22	1	2	4	7	11	14	24
35-49	1510	6.0	24	1	2	5	7	11	15	27
50-64	1009	7.3	31	1	2	6	10	14	17	32
65+	603	9.5	63	2	3	8	12	17	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	4.4	50	1	1	3	5	8	11	36
20-34	428	5.0	36	1	1	3	6	10	15	30
35-49	331	6.1	38	1	1	4	8	12	16	34
50-64	568	8.5	76	1	2	6	11	17	22	49
65+	1250	10.0	90	2	3	7	12	20	29	58
B. *Operated*										
0-19 YRS	1632	8.6	108	1	2	5	10	17	29	55
20-34	2274	10.9	137	2	2	7	13	23	35	65
35-49	1527	11.7	145	2	3	8	14	24	37	77
50-64	1404	13.1	156	2	4	10	16	28	39	91
65+	1501	15.6	187	3	4	12	19	32	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2736	3.8	17	1	1	3	5	8	11	19
B. *Operated*	8672	5.4	25	1	1	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	3016	7.7	73	1	2	5	9	16	22	49
B. *Operated*	8338	11.8	150	2	3	8	14	25	38	76
1. SINGLE DX	11408	5.0	24	1	1	4	6	10	13	24
2. MULTIPLE DX	11354	10.7	133	2	2	7	13	23	34	71
A. NOT OPERATED	5752	5.9	50	1	1	4	7	12	18	39
B. OPERATED	17010	8.6	97	1	2	6	10	18	27	57
TOTAL 0-19 YRS	6424	4.8	44	1	1	3	5	9	14	36
20-34	5556	7.5	78	1	2	5	9	15	23	51
35-49	3728	8.2	83	1	2	5	10	16	24	53
50-64	3306	9.8	100	2	2	7	12	20	28	65
65+	3748	11.8	128	2	3	9	14	24	34	75
GRAND TOTAL	22762	7.9	86	1	1	5	9	17	24	54

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.2	3	<1	1	2	3	4	5	8
20-34	629	2.9	5	<1	1	2	4	6	7	11
35-49	451	3.4	7	<1	1	3	4	7	9	13
50-64	461	3.8	8	1	1	3	5	7	9	13
65+	493	4.8	19	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	3605	3.2	7	1	1	3	4	6	7	12
20-34	5428	4.0	7	1	1	4	5	7	9	14
35-49	4069	4.5	9	1	2	4	6	8	10	15
50-64	3589	5.4	12	1	2	5	7	9	11	17
65+	1939	6.8	21	2	3	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	3.3	15	<1	1	2	4	6	9	14
20-34	682	4.2	17	1	1	3	5	8	10	20
35-49	517	4.7	21	1	1	3	6	10	12	26
50-64	814	5.8	26	1	2	4	7	11	15	28
65+	1765	7.6	54	1	2	6	9	14	19	41
B. *Operated*										
0-19 YRS	1920	5.7	38	1	1	4	6	11	17	33
20-34	4133	6.6	53	1	2	5	7	12	18	40
35-49	2976	7.0	50	2	2	5	8	13	18	40
50-64	3382	8.0	51	2	3	6	9	15	20	40
65+	3784	10.3	80	3	4	8	12	19	25	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2614	3.3	9	<1	1	3	4	7	9	14
B. *Operated*	18630	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	4115	6.0	37	1	1	4	7	12	16	32
B. *Operated*	16195	7.7	59	2	2	6	9	15	21	44
1. SINGLE DX	21244	4.4	11	1	1	4	6	8	10	16
2. MULTIPLE DX	20310	7.3	55	1	2	5	9	14	19	41
A. NOT OPERATED	6729	4.9	28	1	1	4	6	10	13	26
B. OPERATED	34825	6.0	36	1	2	4	7	11	15	32
TOTAL 0-19 YRS	6442	3.8	18	1	1	3	4	7	10	24
20-34	10872	4.9	27	1	1	4	6	9	12	26
35-49	8013	5.4	26	1	2	4	6	10	13	25
50-64	8246	6.4	31	2	2	5	8	11	15	31
65+	7981	8.5	59	2	3	7	10	16	21	46
GRAND TOTAL	41554	5.8	35	1	2	4	7	11	15	31

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	1.8	2	<1	1	1	2	3	4	8
20-34	111	2.1	3	<1	<1	2	3	4	5	9
35-49	55	2.4	3	<1	1	2	3	5	6	10
50-64	22	2.5	4	<1	1	2	3	6	7	9
65+	49	3.4	11	1	1	3	4	7	8	18
B. *Operated*										
0-19 YRS	194	2.3	2	1	1	2	3	4	5	7
20-34	181	2.8	4	1	1	3	3	4	5	10
35-49	68	3.2	3	1	1	3	4	5	6	8
50-64	33	3.0	3	1	1	3	4	5	6	7
65+	8	3.4	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	387	2.8	6	<1	1	2	3	6	8	13
20-34	618	3.4	13	1	1	2	4	7	9	15
35-49	326	4.1	21	1	1	3	5	8	9	20
50-64	337	5.3	25	1	1	4	7	12	15	24
65+	688	8.4	64	1	2	7	10	17	23	40
B. *Operated*										
0-19 YRS	167	5.5	45	1	1	3	6	12	19	40
20-34	304	5.5	41	1	1	4	7	12	17	36
35-49	135	5.5	31	1	1	4	6	11	14	34
50-64	102	7.7	72	1	1	5	11	18	21	44
65+	133	10.6	87	2	2	8	14	22	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	484	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2356	5.1	34	1	1	3	6	11	15	27
B. *Operated*	841	6.6	54	1	1	4	8	14	20	41
1. SINGLE DX	842	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	3197	5.5	40	1	1	4	7	12	17	32
A. NOT OPERATED	2714	4.7	31	1	1	3	6	10	14	26
B. OPERATED	1325	5.2	39	1	1	3	6	11	17	33
TOTAL 0-19 YRS	869	3.1	13	1	1	2	3	6	9	19
20-34	1214	3.7	19	1	1	3	4	7	10	20
35-49	584	4.1	20	1	1	3	5	8	10	19
50-64	494	5.5	34	1	1	4	7	12	16	23
65+	878	8.4	66	1	2	6	10	17	23	40
GRAND TOTAL	**4039**	**4.9**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.6	4	1	1	2	3	4	7	12
20-34	13	2.2	2	<1	<1	2	3	4	5	5
35-49	9	6.2	19	<1	1	5	8	14	14	14
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	5	12.0	41	5	5	12	16	21	21	21
B. *Operated*										
0-19 YRS	19	7.1	42	1	1	6	10	13	22	29
20-34	12	8.3	21	3	3	8	12	14	17	17
35-49	13	4.8	17	1	1	3	7	12	13	13
50-64	6	15.5	49	7	8	13	20	26	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.9	309	1	1	3	8	15	83	99+
20-34	26	8.0	81	1	1	5	9	28	31	32
35-49	16	6.1	28	1	1	4	8	12	18	21
50-64	22	9.6	84	1	2	6	14	27	29	30
65+	28	13.4	209	2	3	9	15	27	49	69
B. *Operated*										
0-19 YRS	40	15.2	232	2	3	12	26	37	89	99+
20-34	79	19.7	380	3	4	14	26	68	99+	99+
35-49	39	26.4	472	3	4	21	43	53	66	95
50-64	23	28.0	741	2	3	20	40	90	96	99+
65+	26	19.5	142	2	4	18	33	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.7	15	1	1	2	4	8	13	20
B. *Operated*	50	7.8	39	1	2	6	12	13	20	29
2. MULTIPLE DX										
A. *Not Operated*	140	9.1	181	1	1	5	10	21	31	95
B. *Operated*	207	21.0	390	2	4	15	29	62	95	99+
1. SINGLE DX	122	5.4	28	1	1	3	7	13	14	28
2. MULTIPLE DX	347	16.2	339	1	2	11	22	46	80	99+
A. NOT OPERATED	212	7.3	131	1	1	4	8	15	28	87
B. OPERATED	257	18.4	348	2	3	13	26	49	89	99+
TOTAL 0-19 YRS	150	8.2	187	1	1	4	10	23	34	99+
20-34	130	14.6	291	1	2	10	19	36	85	99+
35-49	77	16.2	355	1	2	8	22	47	53	88
50-64	53	18.1	432	2	2	13	24	47	87	99+
65+	59	16.0	172	2	3	13	20	36	45	97
GRAND TOTAL	**469**	**13.4**	**280**	**1**	**1**	**8**	**17**	**35**	**63**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	2	<1	1	2	3	4	5	5
20-34	55	1.9	11	<1	<1	1	2	3	4	24
35-49	17	1.7	1	<1	<1	1	2	3	4	4
50-64	13	2.2	4	<1	<1	1	2	6	7	7
65+	33	4.0	21	<1	<1	2	5	10	16	20
B. *Operated*										
0-19 YRS	416	2.4	2	<1	1	2	3	4	5	7
20-34	1681	2.5	2	1	1	2	3	4	5	7
35-49	525	2.5	2	<1	1	2	3	4	5	8
50-64	201	2.3	4	<1	1	2	3	4	5	9
65+	216	2.3	5	1	1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	1	2	3	4	5	6
20-34	125	3.6	35	<1	<1	2	4	7	11	27
35-49	62	3.0	5	1	1	2	4	7	8	9
50-64	46	4.4	10	1	1	4	7	9	11	11
65+	129	6.9	74	1	1	4	8	15	22	47
B. *Operated*										
0-19 YRS	102	3.2	7	1	1	2	4	5	7	15
20-34	420	3.7	11	1	1	3	4	7	9	17
35-49	238	3.8	14	1	1	3	5	7	9	17
50-64	196	4.4	20	1	1	3	6	9	14	24
65+	451	5.3	37	1	1	3	6	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.4	11	<1	<1	1	3	5	7	21
B. *Operated*	3039	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	386	4.6	41	<1	1	3	5	10	14	32
B. *Operated*	1407	4.3	21	1	1	3	5	9	13	26
1. SINGLE DX	3175	2.5	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	1793	4.4	25	1	1	3	5	9	13	26
A. NOT OPERATED	522	4.1	34	<1	1	2	5	8	12	26
B. OPERATED	4446	3.0	9	1	1	2	4	5	7	17
TOTAL 0-19 YRS	560	2.5	3	<1	1	2	3	4	5	8
20-34	2281	2.8	6	1	1	2	3	5	6	11
35-49	842	2.9	6	<1	1	2	4	5	7	12
50-64	456	3.4	12	<1	1	2	4	7	10	17
65+	829	4.7	36	1	1	3	6	11	17	29
GRAND TOTAL	4968	3.1	12	1	1	2	4	6	8	17

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.0	2	<1	<1	2	2	4	4	8
20-34	82	3.2	13	<1	1	2	4	7	9	22
35-49	36	2.7	3	<1	<1	2	4	6	6	6
50-64	14	3.1	5	1	1	3	4	7	8	8
65+	10	3.3	5	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	2389	2.3	3	<1	1	2	3	4	5	8
20-34	5122	2.4	3	<1	<1	2	3	4	6	8
35-49	2743	2.4	3	<1	<1	2	3	4	6	9
50-64	1362	2.6	4	<1	1	2	3	5	6	9
65+	340	3.2	16	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	2.7	33	<1	<1	1	3	5	7	84
20-34	119	2.5	11	<1	<1	1	2	6	8	20
35-49	90	2.5	5	<1	<1	1	4	6	7	9
50-64	71	3.5	12	<1	<1	2	5	9	12	15
65+	84	6.1	22	1	1	5	8	15	16	19
B. *Operated*										
0-19 YRS	1791	2.9	6	<1	1	2	4	5	6	11
20-34	4268	2.9	9	<1	1	2	4	6	7	13
35-49	2758	3.0	8	<1	1	2	4	6	8	15
50-64	2486	3.2	9	<1	1	2	4	6	9	16
65+	1195	4.2	20	1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	2.7	7	<1	1	2	3	6	7	13
B. *Operated*	11956	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	447	3.4	18	<1	<1	2	4	8	11	18
B. *Operated*	12498	3.1	9	<1	1	2	4	6	8	15
1. SINGLE DX	12166	2.4	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	12945	3.1	10	<1	1	2	4	6	8	16
A. NOT OPERATED	657	3.2	15	<1	<1	2	4	7	9	18
B. OPERATED	24454	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	4331	2.6	5	<1	1	2	3	5	6	9
20-34	9591	2.7	6	<1	<1	2	3	5	6	11
35-49	5627	2.7	6	<1	<1	2	3	5	7	12
50-64	3933	2.9	7	<1	1	2	3	6	8	15
65+	1629	4.1	19	1	1	3	5	8	12	20
GRAND TOTAL	25111	2.8	7	<1	1	2	3	5	7	13

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.5	16	<1	1	2	4	7	12	22
20-34	173	4.9	14	1	1	4	7	11	13	17
35-49	125	5.4	13	1	1	5	7	10	12	16
50-64	59	5.9	37	1	1	4	8	11	22	29
65+	36	4.9	44	<1	1	2	6	11	20	33
B. *Operated*										
0-19 YRS	764	2.8	13	<1	1	2	3	6	9	20
20-34	912	3.7	18	<1	1	2	4	9	12	22
35-49	457	3.8	14	<1	1	3	5	8	12	19
50-64	254	4.1	30	1	1	2	4	9	17	25
65+	163	4.8	36	<1	1	3	6	11	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.9	34	<1	1	3	6	11	17	28
20-34	437	6.8	36	1	2	5	8	11	15	31
35-49	380	7.5	44	1	2	7	9	13	17	26
50-64	229	7.4	37	1	2	6	10	13	16	27
65+	244	7.6	53	1	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	512	7.4	89	1	1	4	9	16	24	52
20-34	900	7.3	76	1	1	4	9	16	22	49
35-49	522	7.7	104	1	1	4	9	19	26	59
50-64	471	10.2	192	1	1	5	12	23	40	72
65+	443	10.3	159	1	1	5	14	27	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.8	19	1	1	4	6	10	13	23
B. *Operated*	2550	3.6	18	<1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	1437	7.0	41	1	2	6	9	13	17	30
B. *Operated*	2848	8.3	117	1	1	4	10	20	30	62
1. SINGLE DX	3077	3.8	19	<1	1	2	4	8	12	23
2. MULTIPLE DX	4285	7.9	92	1	1	5	9	17	24	57
A. NOT OPERATED	1964	6.4	36	1	1	5	8	12	16	28
B. OPERATED	5398	6.1	76	1	1	3	7	14	22	48
TOTAL 0-19 YRS	1557	4.5	44	<1	1	2	5	11	16	34
20-34	2422	5.7	45	1	1	4	7	12	17	34
35-49	1484	6.3	56	1	1	4	8	13	18	37
50-64	1013	7.8	113	1	1	4	9	16	25	61
65+	886	8.3	107	1	1	5	10	21	30	67
GRAND TOTAL	**7362**	**6.2**	**66**	**1**	**1**	**4**	**7**	**13**	**20**	**43**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	2.0	2	<1	<1	2	3	4	5	8
20-34	184	2.6	5	<1	<1	2	3	5	7	12
35-49	109	2.9	5	<1	1	2	4	6	6	12
50-64	86	3.1	6	1	1	2	4	7	8	12
65+	78	4.4	11	1	1	3	6	9	10	18
B. *Operated*										
0-19 YRS	1410	2.9	3	<1	1	3	4	5	6	8
20-34	2075	3.2	4	<1	1	3	4	6	7	9
35-49	642	3.4	5	<1	1	3	5	6	7	12
50-64	191	4.1	6	1	1	4	5	7	9	12
65+	80	5.5	18	1	2	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	2.6	3	1	1	2	4	5	6	8
20-34	234	3.6	9	1	1	3	5	7	8	14
35-49	152	4.3	10	1	1	3	6	9	11	13
50-64	242	4.9	15	1	1	4	6	10	13	18
65+	542	6.9	39	2	2	5	9	13	17	27
B. *Operated*										
0-19 YRS	1568	3.7	6	1	1	3	5	6	7	14
20-34	2932	4.1	7	1	1	4	5	7	8	13
35-49	1079	4.5	14	1	1	4	6	8	10	20
50-64	384	6.2	35	1	2	5	8	11	14	34
65+	239	8.3	38	2	2	7	11	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	2.8	5	<1	1	2	4	6	7	12
B. *Operated*	4398	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1298	5.2	25	1	1	4	7	10	14	21
B. *Operated*	6202	4.4	12	1	1	4	5	7	9	19
1. SINGLE DX	4988	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	7500	4.5	14	1	1	4	6	8	10	19
A. NOT OPERATED	1888	4.5	20	1	1	3	6	9	12	19
B. OPERATED	10600	3.9	9	1	1	3	5	7	8	15
TOTAL 0-19 YRS	3239	3.3	5	<1	1	3	4	6	7	10
20-34	5425	3.7	6	<1	1	3	5	6	8	11
35-49	1982	4.0	10	1	1	3	5	7	9	17
50-64	903	5.1	22	1	1	4	6	9	12	28
65+	939	6.9	36	2	2	5	9	14	18	27
GRAND TOTAL	**12488**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	4.3	9	1	1	3	6	8	11	13
20-34	3494	5.4	11	1	2	5	7	10	11	16
35-49	3450	6.0	12	2	2	5	8	10	13	18
50-64	1371	6.1	13	2	2	5	8	11	13	18
65+	394	5.7	12	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	26	5.5	18	1	1	4	6	11	16	18
20-34	578	5.6	21	1	1	4	8	12	14	21
35-49	513	6.5	25	1	2	5	9	13	16	22
50-64	126	7.0	29	1	2	6	10	14	19	23
65+	12	8.7	41	1	2	6	11	17	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	4.8	10	1	1	4	7	9	11	14
20-34	3594	6.3	17	2	2	5	8	11	13	22
35-49	4848	6.9	18	2	3	6	9	12	15	21
50-64	3663	7.0	20	2	3	6	9	12	15	23
65+	3213	7.4	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	30	8.4	56	1	2	6	9	20	21	35
20-34	590	8.8	37	2	2	8	11	16	20	30
35-49	788	9.5	39	2	2	8	13	18	22	29
50-64	426	10.1	50	2	3	9	13	19	23	36
65+	221	11.7	61	3	4	10	15	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9070	5.7	12	2	2	5	7	10	12	17
B. *Operated*	1255	6.1	24	1	1	5	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	15689	6.8	20	2	3	6	9	12	15	23
B. *Operated*	2055	9.6	44	2	3	9	13	18	22	32
1. SINGLE DX	10325	5.8	13	1	2	5	7	10	13	18
2. MULTIPLE DX	17744	7.1	24	2	3	6	9	13	16	25
A. NOT OPERATED	24759	6.4	17	2	2	6	8	11	14	21
B. OPERATED	3310	8.3	39	1	2	7	11	16	20	28
TOTAL 0-19 YRS	788	4.7	12	1	1	4	6	9	11	17
20-34	8256	6.1	17	1	2	5	8	11	13	21
35-49	9599	6.7	19	2	2	6	9	12	15	22
50-64	5586	7.0	21	2	3	6	9	12	15	24
65+	3840	7.4	29	2	3	6	9	14	17	27
GRAND TOTAL	**28069**	**6.6**	**20**	**2**	**2**	**6**	**8**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	727	2.8	6	<1	1	2	3	6	7	13
20-34	2886	4.9	12	1	1	4	7	9	11	17
35-49	2338	5.6	13	1	2	5	7	10	12	17
50-64	889	5.6	13	1	2	5	7	10	12	17
65+	257	4.8	16	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	34	5.2	17	1	1	4	8	11	15	16
20-34	694	4.5	15	1	1	3	6	10	12	18
35-49	528	5.2	20	1	1	4	7	12	14	21
50-64	120	5.1	21	1	1	3	7	11	13	22
65+	11	4.5	13	1	1	5	5	9	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1069	4.1	12	1	1	3	6	8	10	17
20-34	5977	5.9	16	1	2	5	8	11	13	19
35-49	5541	6.4	17	2	2	6	8	11	14	21
50-64	3282	6.3	16	2	2	6	8	11	14	20
65+	2517	6.3	20	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	77	4.9	18	1	1	4	7	11	14	19
20-34	871	7.1	35	1	2	6	10	14	18	27
35-49	990	7.9	40	1	2	6	11	16	20	29
50-64	411	8.3	37	2	2	7	11	16	19	30
65+	188	10.8	85	2	2	9	13	21	29	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7097	5.0	12	1	1	4	7	9	12	17
B. *Operated*	1387	4.8	17	1	1	3	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	18386	6.1	17	1	2	5	8	11	14	20
B. *Operated*	2537	7.8	42	1	2	6	11	16	20	30
1. SINGLE DX	8484	4.9	13	1	1	4	7	9	12	17
2. MULTIPLE DX	20923	6.3	20	1	2	5	8	12	14	22
A. NOT OPERATED	25483	5.8	16	1	2	5	7	11	13	19
B. OPERATED	3924	6.8	35	1	2	5	9	14	18	27
TOTAL 0-19 YRS	1907	3.7	10	1	1	3	5	7	10	15
20-34	10428	5.6	17	1	2	5	7	10	13	20
35-49	9397	6.3	19	1	2	5	8	12	15	21
50-64	4702	6.3	18	1	2	6	8	12	14	21
65+	2973	6.4	26	1	2	5	8	12	15	25
GRAND TOTAL	**29407**	**5.9**	**19**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	2.6	5	<1	1	2	3	5	7	12
20-34	371	2.7	5	<1	1	2	3	5	7	12
35-49	262	3.2	5	1	1	2	4	6	8	10
50-64	159	3.5	7	1	1	3	5	7	10	13
65+	152	4.7	16	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	574	2.3	3	<1	1	2	3	4	5	7
20-34	1927	2.6	2	<1	1	2	3	4	5	7
35-49	1688	3.0	3	1	1	3	4	5	6	9
50-64	1659	3.7	4	1	2	3	5	6	7	10
65+	570	4.4	6	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	2.9	8	<1	1	2	3	5	8	19
20-34	559	3.5	8	<1	1	3	4	7	9	15
35-49	490	4.4	18	1	1	3	5	9	12	25
50-64	604	4.8	14	1	1	4	6	9	12	18
65+	1165	6.5	28	1	2	5	9	13	16	30
B. *Operated*										
0-19 YRS	289	2.7	4	<1	1	2	3	5	6	10
20-34	624	3.4	11	1	1	3	4	6	7	21
35-49	742	4.2	13	1	1	3	5	7	10	17
50-64	1312	5.0	15	2	2	4	6	9	11	22
65+	851	6.3	27	2	2	5	7	11	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1224	3.1	7	1	1	2	4	6	9	12
B. *Operated*	6418	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3081	5.0	20	1	1	4	6	11	13	21
B. *Operated*	3818	4.7	17	1	2	4	5	8	11	21
1. SINGLE DX	7642	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	6899	4.8	18	1	1	4	6	9	12	21
A. NOT OPERATED	4305	4.5	17	1	1	3	6	9	12	20
B. OPERATED	10236	3.7	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1406	2.5	4	<1	1	2	3	4	6	10
20-34	3481	2.9	5	<1	1	2	4	5	6	11
35-49	3182	3.5	8	1	1	3	4	6	8	14
50-64	3734	4.3	10	1	2	4	5	8	9	17
65+	2738	5.9	23	1	2	5	7	11	14	24
GRAND TOTAL	**14541**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7904	1.4	1	<1	1	1	2	2	3	5
20-34	2314	1.9	2	<1	1	1	2	4	5	8
35-49	680	2.4	4	<1	1	2	3	5	6	9
50-64	315	2.4	5	<1	1	2	3	4	6	12
65+	221	2.8	7	1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	46	2.5	10	1	1	1	2	9	11	13
20-34	21	3.3	10	<1	1	2	4	9	10	12
35-49	7	3.1	8	1	1	2	5	8	8	8
50-64	7	3.4	8	1	1	3	5	8	9	9
65+	2	46.0	3528	4	4	46	88	88	88	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9312	2.0	4	<1	1	1	2	4	5	9
20-34	7722	3.1	8	<1	1	2	4	6	8	15
35-49	3433	3.9	14	1	1	3	5	8	10	19
50-64	2304	4.1	15	1	1	3	5	8	11	18
65+	2924	5.5	38	1	1	4	7	12	16	31
B. *Operated*										
0-19 YRS	2066	3.3	26	<1	1	2	3	6	10	27
20-34	2605	3.9	36	<1	1	2	4	8	12	32
35-49	1034	4.6	31	1	1	3	6	10	14	30
50-64	696	5.7	64	1	1	3	7	13	18	48
65+	940	7.7	106	1	1	5	9	16	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11434	1.6	2	<1	1	1	2	3	4	7
B. *Operated*	83	3.9	97	1	1	2	3	9	11	63
2. MULTIPLE DX										
A. *Not Operated*	25695	3.2	13	1	1	2	4	7	9	17
B. *Operated*	7341	4.5	46	1	1	2	5	9	14	39
1. SINGLE DX	11517	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	33036	3.5	20	1	1	2	4	7	10	22
A. NOT OPERATED	37129	2.7	10	<1	1	2	3	6	8	15
B. OPERATED	7424	4.5	46	1	1	2	5	9	14	39
TOTAL 0-19 YRS	19328	1.9	5	<1	1	1	2	3	5	10
20-34	12662	3.0	13	<1	1	2	4	6	8	17
35-49	5154	3.8	17	1	1	3	5	8	11	21
50-64	3322	4.3	25	1	1	3	5	9	12	25
65+	4087	5.9	55	1	1	4	7	12	17	43
GRAND TOTAL	**44553**	**3.0**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3084	1.6	3	<1	1	1	2	3	4	9
20-34	841	3.1	29	<1	<1	2	3	6	10	26
35-49	297	2.6	6	<1	1	2	3	5	8	14
50-64	112	4.4	36	<1	1	2	5	9	17	34
65+	141	5.6	106	<1	1	3	6	12	18	70
B. *Operated*										
0-19 YRS	162	9.6	133	1	2	6	12	20	30	55
20-34	131	9.9	132	1	2	7	12	19	30	99+
35-49	72	10.0	77	1	3	8	12	19	27	54
50-64	90	9.8	106	2	3	7	11	17	23	66
65+	149	11.8	66	3	4	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4351	2.9	27	<1	1	2	3	6	8	28
20-34	3027	4.7	43	<1	1	3	6	9	14	37
35-49	1315	4.9	40	<1	1	3	6	10	14	37
50-64	987	6.0	58	1	1	4	7	13	18	39
65+	1842	7.9	83	1	1	5	10	17	24	58
B. *Operated*										
0-19 YRS	1073	12.0	298	1	1	5	16	42	67	99+
20-34	1463	14.1	377	1	1	6	21	56	89	99+
35-49	603	15.5	364	1	1	8	23	55	87	99+
50-64	506	15.4	317	1	1	10	22	45	76	99+
65+	1184	17.4	262	1	2	13	24	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4475	2.2	13	<1	1	1	2	4	6	16
B. *Operated*	604	10.3	105	1	2	8	12	20	29	77
2. MULTIPLE DX										
A. *Not Operated*	11522	4.7	47	1	1	2	5	10	16	38
B. *Operated*	4829	14.7	327	1	1	8	21	47	75	99+
1. SINGLE DX	5079	3.1	31	<1	1	1	3	7	11	27
2. MULTIPLE DX	16351	7.6	151	1	1	3	8	20	36	99+
A. NOT OPERATED	15997	4.0	39	<1	1	2	4	9	13	33
B. OPERATED	5433	14.2	304	1	1	8	20	43	69	99+
TOTAL 0-19 YRS	8670	3.7	65	<1	1	1	3	7	14	54
20-34	5462	7.1	151	<1	1	3	7	18	35	99+
35-49	2287	7.6	146	1	1	3	8	19	37	99+
50-64	1695	8.9	155	1	1	5	10	22	36	96
65+	3316	11.4	168	1	1	7	14	27	40	83
GRAND TOTAL	**21430**	**6.6**	**126**	**1**	**1**	**2**	**7**	**17**	**30**	**88**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.7	3	1	1	2	4	5	6	9
20-34	171	3.1	5	<1	1	2	4	6	8	10
35-49	78	2.6	6	<1	1	2	3	5	8	14
50-64	48	3.2	6	1	1	2	4	8	9	10
65+	23	3.7	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	154	5.2	10	2	2	4	6	9	11	18
20-34	378	5.1	10	2	2	4	6	9	11	15
35-49	92	5.4	10	2	2	5	7	10	11	17
50-64	62	7.0	55	2	3	5	8	12	14	52
65+	21	5.5	14	1	2	4	7	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	3.8	11	1	1	3	5	8	10	12
20-34	564	4.0	10	1	1	3	5	7	10	15
35-49	350	4.7	13	1	1	4	6	8	10	19
50-64	351	5.9	26	1	2	5	7	12	14	27
65+	459	7.8	32	2	2	7	10	15	18	28
B. *Operated*										
0-19 YRS	429	9.4	98	2	3	7	10	17	25	60
20-34	1377	9.0	78	2	3	7	10	17	25	50
35-49	648	9.7	90	3	3	7	11	18	25	59
50-64	484	12.2	159	3	4	8	14	23	36	71
65+	548	14.2	161	4	5	10	17	28	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	2.9	5	1	1	2	4	6	8	10
B. *Operated*	707	5.3	14	2	2	4	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	2019	5.3	20	1	1	4	7	10	13	23
B. *Operated*	3486	10.5	110	2	3	7	12	20	29	64
1. SINGLE DX	1144	4.4	12	1	1	4	6	8	10	15
2. MULTIPLE DX	5505	8.6	84	2	2	6	10	16	24	54
A. NOT OPERATED	2456	4.9	18	1	1	4	6	10	12	20
B. OPERATED	4193	9.6	98	2	3	7	11	18	27	60
TOTAL 0-19 YRS	995	6.3	55	1	2	4	7	11	16	39
20-34	2490	6.9	53	1	2	5	8	13	17	42
35-49	1168	7.4	62	1	2	5	9	14	20	45
50-64	945	9.1	105	2	2	6	10	17	25	63
65+	1051	11.0	110	2	3	8	13	22	30	67
GRAND TOTAL	**6649**	**7.8**	**74**	**1**	**2**	**6**	**9**	**15**	**22**	**50**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	902	3.3	8	1	1	2	4	7	9	13
20-34	467	3.2	6	1	1	2	4	6	8	13
35-49	118	3.6	6	1	1	3	5	7	10	11
50-64	67	3.3	5	1	1	3	4	7	8	12
65+	24	2.5	3	1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	420	6.5	14	2	3	6	8	10	13	19
20-34	517	6.6	16	2	3	6	8	9	11	19
35-49	164	7.0	16	2	3	6	8	12	15	23
50-64	60	7.0	14	1	2	6	9	13	14	16
65+	20	7.7	11	3	3	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1172	3.8	13	1	1	3	5	8	10	17
20-34	1074	3.9	15	1	1	3	5	8	10	18
35-49	462	4.4	15	1	1	3	6	9	11	21
50-64	294	4.8	14	1	1	4	6	9	12	16
65+	367	5.9	23	1	2	4	8	12	16	23
B. *Operated*										
0-19 YRS	1307	11.3	112	3	4	8	12	22	32	61
20-34	2545	12.3	141	3	5	9	13	25	38	76
35-49	959	13.8	160	4	5	10	16	30	44	92
50-64	505	15.1	193	3	5	11	17	32	47	90
65+	413	16.4	197	3	4	12	21	35	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1578	3.3	7	1	1	2	4	7	9	13
B. *Operated*	1181	6.7	15	2	3	6	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	3369	4.2	16	1	1	3	5	9	11	19
B. *Operated*	5729	12.9	148	3	5	9	14	27	39	77
1. SINGLE DX	2759	4.7	14	1	1	4	7	9	11	16
2. MULTIPLE DX	9098	9.7	116	1	2	7	11	20	31	66
A. NOT OPERATED	4947	3.9	13	1	1	3	5	8	10	17
B. OPERATED	6910	11.8	131	3	4	8	13	24	35	74
TOTAL 0-19 YRS	3801	6.6	58	1	1	5	8	13	19	39
20-34	4603	8.8	100	1	2	6	10	17	27	60
35-49	1703	9.9	117	1	2	7	11	21	32	71
50-64	926	10.4	137	1	2	7	12	22	36	74
65+	824	11.1	138	1	2	8	14	24	35	75
GRAND TOTAL	**11857**	**8.5**	**97**	**1**	**1**	**6**	**10**	**17**	**27**	**59**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.4	4	<1	<1	1	3	5	6	10
20-34	40	2.7	3	<1	1	2	4	5	6	6
35-49	13	2.5	4	<1	<1	2	4	6	6	6
50-64	8	2.5	1	1	1	2	3	4	4	4
65+	4	6.5	23	2	2	6	10	12	12	12
B. *Operated*										
0-19 YRS	742	2.5	3	<1	1	2	3	5	6	8
20-34	474	2.8	5	1	1	2	4	5	7	11
35-49	181	2.6	3	1	1	2	3	5	6	8
50-64	95	2.9	6	1	1	2	4	5	7	15
65+	67	2.8	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	2.8	3	<1	1	2	4	5	6	8
20-34	79	3.1	18	<1	1	2	3	6	9	28
35-49	40	3.8	7	1	1	3	5	7	9	13
50-64	21	4.7	19	1	1	4	5	11	15	19
65+	21	3.8	6	1	1	3	4	8	9	10
B. *Operated*										
0-19 YRS	811	3.5	11	1	1	3	5	7	9	14
20-34	854	3.9	11	1	1	3	5	7	10	17
35-49	382	4.1	16	1	1	3	5	8	10	18
50-64	211	4.3	15	1	1	3	5	9	11	16
65+	233	5.5	34	1	1	4	7	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.6	4	<1	<1	2	4	5	6	10
B. *Operated*	1559	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	277	3.3	9	<1	1	3	4	6	8	13
B. *Operated*	2491	4.0	14	1	1	3	5	8	10	18
1. SINGLE DX	1689	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	2768	3.9	14	1	1	3	5	7	10	17
A. NOT OPERATED	407	3.1	8	<1	1	2	4	6	7	12
B. OPERATED	4050	3.5	11	1	1	3	4	7	9	15
TOTAL 0-19 YRS	1734	3.0	7	<1	1	2	4	6	7	12
20-34	1447	3.5	9	1	1	3	5	6	9	16
35-49	616	3.6	12	1	1	3	5	7	9	14
50-64	335	3.9	13	1	1	3	5	8	11	18
65+	325	4.8	28	1	1	3	6	9	14	24
GRAND TOTAL	**4457**	**3.4**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	339	2.0	2	<1	1	1	3	4	5	7
20-34	242	2.1	3	<1	<1	2	3	4	5	8
35-49	85	2.3	3	<1	<1	2	3	4	6	7
50-64	40	2.2	9	<1	<1	1	2	4	5	19
65+	41	2.5	5	1	1	1	3	6	7	10
B. *Operated*										
0-19 YRS	1268	1.8	2	<1	<1	1	2	3	5	8
20-34	656	2.5	11	<1	<1	2	3	4	6	13
35-49	216	2.7	9	<1	<1	2	3	5	8	17
50-64	100	2.8	13	<1	1	2	3	6	8	22
65+	73	2.4	4	<1	1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	817	2.7	13	<1	1	2	3	5	7	12
20-34	1035	2.9	11	<1	1	2	3	6	8	16
35-49	525	3.0	7	<1	1	2	4	6	9	13
50-64	372	3.8	15	<1	1	3	5	8	10	21
65+	715	5.4	38	1	1	4	7	11	15	26
B. *Operated*										
0-19 YRS	2431	2.8	18	<1	1	2	3	6	8	20
20-34	2959	3.5	21	<1	1	2	4	7	10	24
35-49	1293	4.4	32	1	1	3	5	9	14	28
50-64	815	5.3	68	1	1	3	6	10	15	51
65+	1319	5.8	60	1	1	4	7	12	18	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	2.1	3	<1	<1	1	3	4	5	8
B. *Operated*	2313	2.1	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	3464	3.5	18	<1	1	2	4	7	10	20
B. *Operated*	8817	4.0	33	<1	1	2	4	8	12	29
1. SINGLE DX	3060	2.1	5	<1	<1	1	2	4	6	10
2. MULTIPLE DX	12281	3.8	29	<1	1	2	4	8	11	26
A. NOT OPERATED	4211	3.2	16	<1	1	2	4	7	9	18
B. OPERATED	11130	3.6	28	<1	1	2	4	7	11	26
TOTAL 0-19 YRS	4855	2.5	12	<1	1	2	3	5	7	15
20-34	4892	3.2	17	<1	1	2	4	6	9	20
35-49	2119	3.8	23	<1	1	2	4	8	11	22
50-64	1327	4.6	48	1	1	3	5	9	13	40
65+	2148	5.5	50	1	1	4	7	11	16	37
GRAND TOTAL	**15341**	**3.5**	**24**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	1.9	3	<1	<1	2	2	3	4	7
20-34	857	2.0	2	<1	1	2	2	4	5	8
35-49	268	2.0	2	<1	1	2	2	4	5	8
50-64	76	2.3	5	<1	1	2	3	4	6	15
65+	16	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-19 YRS	618	2.5	6	<1	1	2	3	5	7	13
20-34	820	3.5	16	<1	1	3	5	7	8	13
35-49	239	3.7	22	<1	1	2	5	8	9	21
50-64	66	3.2	20	1	1	2	4	6	9	30
65+	29	3.3	7	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	2.6	5	<1	1	2	3	5	7	11
20-34	730	3.1	14	<1	1	2	4	6	8	22
35-49	288	3.8	19	1	1	2	5	8	10	27
50-64	118	4.4	23	1	1	3	6	9	10	23
65+	97	6.5	44	1	1	5	9	12	18	74
B. *Operated*										
0-19 YRS	660	5.5	50	1	1	4	7	10	14	41
20-34	1583	7.1	62	1	1	5	9	14	21	43
35-49	527	7.7	69	1	1	5	9	16	23	43
50-64	222	8.6	82	1	1	7	11	17	21	50
65+	129	8.2	76	1	1	6	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1659	2.0	3	<1	1	2	2	4	4	8
B. *Operated*	1772	3.1	14	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1539	3.4	17	<1	1	2	4	7	9	22
B. *Operated*	3121	7.0	63	1	1	5	9	14	20	42
1. SINGLE DX	3431	2.6	9	<1	1	2	3	5	7	11
2. MULTIPLE DX	4660	5.8	51	1	1	4	7	12	17	39
A. NOT OPERATED	3198	2.7	10	<1	1	2	3	5	7	14
B. OPERATED	4893	5.6	49	1	1	4	7	11	16	38
TOTAL 0-19 YRS	2026	3.4	22	<1	1	2	4	7	10	20
20-34	3990	4.5	36	<1	1	3	6	9	13	30
35-49	1322	5.0	41	1	1	3	6	10	15	35
50-64	482	5.8	54	1	1	4	7	13	17	40
65+	271	6.7	56	1	1	5	8	14	20	44
GRAND TOTAL	**8091**	**4.5**	**35**	**<1**	**1**	**3**	**5**	**9**	**13**	**31**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	2.7	3	<1	1	2	3	5	6	9
20-34	731	2.8	4	<1	1	2	4	5	6	9
35-49	252	3.3	16	<1	1	3	4	6	7	9
50-64	111	2.7	2	1	1	2	4	5	5	7
65+	54	3.8	7	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	2920	2.1	5	<1	<1	1	2	4	6	11
20-34	4718	2.3	7	<1	<1	2	3	4	6	11
35-49	1978	2.4	6	<1	1	2	3	5	6	14
50-64	1021	2.4	9	<1	1	2	3	5	7	14
65+	378	2.4	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	3.3	12	<1	1	3	4	6	7	16
20-34	867	3.8	16	<1	1	3	5	7	9	22
35-49	352	4.1	20	<1	1	3	5	8	11	28
50-64	209	5.1	39	1	1	4	6	9	13	44
65+	204	6.3	46	1	2	5	8	11	16	35
B. *Operated*										
0-19 YRS	2538	2.9	17	<1	1	2	3	6	9	19
20-34	4672	3.4	21	<1	1	2	4	7	10	23
35-49	1975	3.7	28	1	1	2	4	8	12	29
50-64	1228	4.0	32	1	1	2	4	8	12	24
65+	730	4.8	39	1	1	3	6	11	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1608	2.8	5	<1	1	2	4	5	6	9
B. *Operated*	11015	2.3	6	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2071	4.1	22	<1	1	3	5	8	11	26
B. *Operated*	11143	3.5	24	1	1	2	4	7	11	24
1. SINGLE DX	12623	2.4	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	13214	3.6	24	<1	1	2	4	7	11	24
A. NOT OPERATED	3679	3.6	15	<1	1	3	4	7	8	19
B. OPERATED	22158	2.9	16	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	6357	2.6	11	<1	1	2	3	5	7	15
20-34	10988	2.9	14	<1	1	2	3	6	8	19
35-49	4557	3.1	18	<1	1	2	3	6	9	22
50-64	2569	3.4	23	<1	1	2	4	7	9	22
65+	1366	4.3	31	1	1	3	5	9	14	27
GRAND TOTAL	**25837**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	562	2.9	7	<1	1	2	4	6	8	14
20-34	622	2.9	5	<1	1	2	4	6	7	10
35-49	188	3.2	14	<1	1	2	4	6	8	12
50-64	82	3.9	26	<1	<1	2	4	8	13	28
65+	56	5.9	21	1	2	5	7	12	16	23
B. *Operated*										
0-19 YRS	2052	3.7	17	<1	1	2	4	8	11	21
20-34	1664	4.0	21	1	1	3	5	8	11	24
35-49	625	3.6	10	<1	1	3	5	7	10	15
50-64	308	4.5	25	1	1	3	6	9	15	25
65+	174	6.0	41	1	1	4	7	13	18	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	4.5	23	1	1	3	5	8	11	25
20-34	456	4.2	14	1	1	3	5	8	11	17
35-49	261	5.3	31	1	1	4	7	9	13	23
50-64	195	6.3	33	1	2	5	8	12	17	42
65+	243	6.7	23	1	2	6	9	14	16	25
B. *Operated*										
0-19 YRS	1121	6.4	73	1	1	4	7	14	21	50
20-34	1464	7.8	103	1	1	4	9	17	27	53
35-49	597	8.2	97	1	1	5	9	19	30	53
50-64	418	9.3	110	1	1	6	12	21	32	63
65+	453	12.1	156	1	2	8	15	27	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1510	3.1	9	<1	1	2	4	6	8	14
B. *Operated*	4823	3.9	19	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1512	5.1	24	1	1	4	6	10	13	23
B. *Operated*	4053	8.1	103	1	1	5	9	19	28	54
1. SINGLE DX	6333	3.7	17	<1	1	3	4	8	10	21
2. MULTIPLE DX	5565	7.3	83	1	1	4	8	16	25	51
A. NOT OPERATED	3022	4.1	17	1	1	3	5	8	11	21
B. OPERATED	8876	5.8	62	1	1	3	7	13	20	44
TOTAL 0-19 YRS	4092	4.4	33	1	1	3	5	9	13	30
20-34	4206	5.2	50	1	1	3	6	10	16	39
35-49	1671	5.5	49	1	1	3	6	11	16	40
50-64	1003	6.8	67	1	1	4	8	16	22	48
65+	926	9.1	99	1	2	6	11	20	28	62
GRAND TOTAL	**11898**	**5.4**	**51**	**1**	**1**	**3**	**6**	**11**	**17**	**40**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.0	2	<1	<1	2	2	4	6	6
20-34	17	2.6	4	1	1	2	3	6	8	8
35-49	10	2.9	4	<1	<1	2	5	6	6	6
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operatud*										
0-19 YRS	52	3.4	12	1	1	2	5	7	11	18
20-34	95	5.4	35	1	1	3	6	14	18	31
35-49	41	3.7	9	<1	1	2	5	9	10	12
50-64	22	5.6	50	<1	1	3	7	13	26	28
65+	13	6.0	31	<1	<1	4	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.8	28	1	1	3	6	9	20	23
20-34	35	4.3	34	<1	1	3	4	9	20	28
35-49	19	6.5	24	<1	1	5	9	13	17	19
50-64	21	4.4	13	1	1	3	5	10	12	13
65+	30	6.3	21	1	2	5	9	13	14	20
B. *Operated*										
0-19 YRS	193	7.0	91	1	1	4	8	16	25	52
20-34	559	9.1	175	1	1	5	10	22	37	92
35-49	213	8.6	114	1	1	5	10	21	31	49
50-64	89	12.4	269	1	1	6	14	37	58	94
65+	74	14.9	251	1	2	10	19	30	58	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.3	3	<1	1	2	3	6	6	8
B. *Operated*	223	4.7	27	1	1	3	6	10	16	27
2. MULTIPLE DX										
A. *Not Operated*	140	5.2	25	1	1	4	7	11	15	24
B. *Operated*	1128	9.3	165	1	1	5	11	24	34	79
1. SINGLE DX	276	4.2	23	1	1	2	6	9	14	26
2. MULTIPLE DX	1268	8.8	151	1	1	5	10	21	33	77
A. NOT OPERATED	193	4.4	21	1	1	3	6	10	13	23
B. OPERATED	1351	8.5	145	1	1	5	10	20	32	76
TOTAL 0-19 YRS	300	5.8	67	1	1	3	7	12	21	51
20-34	706	8.2	148	1	1	4	9	18	32	86
35-49	283	7.6	93	1	1	5	9	18	29	41
50-64	136	9.8	199	1	1	4	10	27	45	87
65+	119	11.5	182	1	2	7	14	25	36	72
GRAND TOTAL	**1544**	**8.0**	**131**	**1**	**1**	**4**	**9**	**18**	**29**	**70**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.1	21	<1	<1	2	5	12	14	21
20-34	60	4.5	16	<1	1	3	5	10	13	19
35-49	38	3.9	6	1	1	3	5	6	10	12
50-64	26	5.7	23	<1	1	4	10	13	15	17
65+	14	8.6	82	1	3	6	11	15	33	38
B. *Operated*										
0-19 YRS	418	3.6	17	<1	1	2	4	7	11	21
20-34	715	3.5	13	<1	1	2	4	7	9	22
35-49	328	3.7	14	<1	1	2	4	8	10	17
50-64	200	3.6	10	1	1	3	4	8	10	17
65+	65	5.7	40	<1	1	3	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	7.4	113	1	1	3	7	23	44	99+
20-34	174	9.2	192	<1	1	4	10	25	43	87
35-49	131	7.1	55	1	2	5	9	14	18	41
50-64	99	8.0	54	1	2	6	9	18	26	34
65+	156	10.1	121	1	2	6	13	20	25	66
B. *Operated*										
0-19 YRS	327	4.7	53	1	1	3	4	8	14	72
20-34	776	5.5	72	1	1	3	5	10	17	46
35-49	457	5.6	45	1	1	4	5	12	17	40
50-64	337	6.9	58	1	2	4	8	15	26	37
65+	229	10.7	109	1	2	7	14	23	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	4.7	22	<1	1	3	6	11	13	20
B *Operated*	1726	3.6	15	<1	1	2	4	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	653	8.5	116	1	1	5	10	20	29	67
B. *Operated*	2126	6.2	68	1	1	4	6	13	22	44
1. SINGLE DX	1908	3.7	16	<1	1	3	4	8	11	21
2. MULTIPLE DX	2779	6.7	80	1	1	4	7	15	24	53
A. NOT OPERATED	835	7.7	98	1	1	5	9	17	26	56
B. OPERATED	3852	5.0	46	1	1	3	5	10	16	36
TOTAL 0-19 YRS	882	4.4	42	1	1	3	4	9	14	53
20-34	1725	5.0	61	1	1	3	5	9	15	45
35-49	954	5.1	35	1	1	3	6	11	15	32
50-64	662	6.0	44	1	1	4	7	13	18	36
65+	464	9.7	105	1	2	6	13	22	28	56
GRAND TOTAL	**4687**	**5.5**	**56**	**1**	**1**	**3**	**6**	**12**	**18**	**40**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	905	3.9	4	1	1	4	5	6	7	10
20-34	309	3.6	5	1	1	3	5	6	7	11
35-49	95	3.6	3	1	1	4	5	5	6	9
50-64	29	3.2	2	1	1	3	4	5	6	6
65+	18	3.2	3	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	35	6.3	22	1	1	5	10	12	13	21
20-34	17	4.5	15	1	1	3	6	10	14	15
35-49	9	5.4	13	2	2	4	9	11	11	11
50-64	5	2.8	3	1	1	3	4	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	575	3.7	5	1	1	3	5	6	8	12
20-34	387	3.3	6	<1	1	3	4	6	7	14
35-49	153	3.8	6	1	1	3	5	7	9	11
50-64	81	4.3	12	1	1	4	5	8	11	21
65+	122	6.1	56	1	1	4	7	11	17	49
B. *Operated*										
0-19 YRS	98	5.0	8	1	2	5	6	9	11	14
20-34	104	4.5	16	1	1	3	6	10	12	19
35-49	58	4.6	14	<1	1	3	6	11	12	16
50-64	32	5.4	12	1	2	5	7	11	11	14
65+	40	7.9	140	1	2	5	8	12	27	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1356	3.8	4	1	1	4	5	6	7	10
B. *Operated*	69	5.3	18	1	1	4	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1318	3.8	11	1	1	3	5	7	8	15
B. *Operated*	332	5.2	29	1	1	4	6	10	12	21
1. SINGLE DX	1425	3.8	5	1	1	4	5	6	8	11
2. MULTIPLE DX	1650	4.1	15	1	1	3	5	7	10	17
A. NOT OPERATED	2674	3.8	8	1	1	3	5	6	8	12
B. OPERATED	401	5.2	27	1	1	4	7	10	12	20
TOTAL 0-19 YRS	1613	3.9	5	1	1	4	5	6	8	12
20-34	817	3.6	7	1	1	3	5	6	8	16
35-49	315	3.9	7	1	1	3	5	7	9	13
50-64	147	4.3	10	1	1	4	5	8	11	15
65+	183	6.1	70	1	1	4	7	10	16	51
GRAND TOTAL	**3075**	**4.0**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2319	1.8	2	<1	1	1	2	3	4	7
20-34	1973	2.4	6	<1	1	2	3	5	6	10
35-49	966	2.8	7	1	1	2	4	6	8	12
50-64	521	3.0	5	1	1	2	4	6	7	11
65+	661	4.1	19	1	1	3	5	9	11	15
B. *Operated*										
0-19 YRS	405	2.6	6	<1	<1	2	3	5	7	14
20-34	383	3.3	11	<1	<1	2	4	7	9	17
35-49	177	4.0	14	<1	1	3	5	8	12	20
50-64	135	3.9	8	1	1	3	5	8	9	14
65+	97	5.2	13	1	1	4	7	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4471	2.2	4	<1	1	2	3	4	6	10
20-34	5253	2.9	7	<1	1	2	4	6	8	14
35-49	3037	3.8	14	1	1	3	5	8	10	18
50-64	2856	4.7	17	1	1	4	6	10	12	23
65+	8028	6.6	45	1	2	5	8	13	17	36
B. *Operated*										
0-19 YRS	644	3.8	22	1	1	2	5	8	11	22
20-34	897	4.6	39	<1	1	3	5	10	15	24
35-49	484	5.6	27	1	1	4	8	11	16	25
50-64	552	8.5	91	1	2	6	11	17	26	56
65+	950	10.2	91	1	2	8	14	21	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6440	2.5	6	<1	1	2	3	5	7	11
B. *Operated*	1197	3.4	10	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	23645	4.4	25	1	1	3	5	9	13	24
B. *Operated*	3527	6.7	63	1	1	4	9	15	21	43
1. SINGLE DX	7637	2.6	7	<1	1	2	3	5	7	12
2. MULTIPLE DX	27172	4.7	30	1	1	3	6	10	14	27
A. NOT OPERATED	30085	4.0	21	1	1	3	5	8	11	22
B. OPERATED	4724	5.9	52	1	1	4	7	13	19	36
TOTAL 0-19 YRS	7839	2.2	5	<1	1	2	3	4	6	11
20-34	8506	3.0	11	<1	1	2	4	6	8	15
35-49	4664	3.8	14	1	1	3	5	8	10	19
50-64	4064	5.0	28	1	1	4	6	10	14	26
65+	9736	6.8	49	1	2	5	8	14	19	39
GRAND TOTAL	**34809**	**4.2**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.2	5	1	1	2	2	4	6	12
20-34	174	2.4	4	<1	1	2	3	5	6	10
35-49	61	3.1	5	<1	1	2	4	6	8	11
50-64	39	3.9	35	1	1	3	4	7	10	37
65+	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	105	4.0	36	<1	1	2	4	9	14	35
20-34	243	4.8	40	1	1	3	6	10	19	41
35-49	105	5.0	40	<1	1	3	5	11	17	36
50-64	76	5.5	50	<1	1	3	7	14	21	35
65+	16	3.6	27	<1	<1	2	3	9	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	3.1	9	1	1	2	4	6	8	18
20-34	226	3.8	12	1	1	3	5	8	10	18
35-49	78	3.9	9	1	1	3	5	7	10	15
50-64	46	3.9	12	<1	1	3	5	8	13	16
65+	34	6.9	16	1	2	6	10	12	15	16
B. *Operated*										
0-19 YRS	195	7.1	66	1	1	4	9	17	28	39
20-34	503	6.9	79	1	1	4	8	16	23	54
35-49	260	7.0	93	1	1	4	8	16	23	44
50-64	158	10.2	184	1	1	4	14	28	35	61
65+	50	9.9	116	1	1	7	14	21	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	2.5	7	1	1	2	3	5	7	12
B. *Operated*	545	4.7	40	<1	1	3	5	10	18	39
2. MULTIPLE DX										
A. *Not Operated*	509	3.8	12	1	1	3	5	8	10	17
B. *Operated*	1166	7.5	97	1	1	4	9	18	27	52
1. SINGLE DX	992	3.8	27	1	1	2	4	8	12	30
2. MULTIPLE DX	1675	6.4	74	1	1	3	7	15	22	46
A. NOT OPERATED	956	3.2	10	1	1	2	4	7	9	16
B. OPERATED	1711	6.7	81	1	1	3	8	16	23	47
TOTAL 0-19 YRS	592	4.3	35	1	1	2	5	10	16	33
20-34	1146	5.2	49	1	1	3	6	11	18	41
35-49	504	5.6	60	1	1	3	6	12	19	38
50-64	319	7.4	116	1	1	3	8	20	30	55
65+	106	7.6	70	1	1	5	10	17	21	50
GRAND TOTAL	**2667**	**5.4**	**58**	**1**	**1**	**3**	**6**	**12**	**19**	**41**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.2		<1	<1	1	1	2	2	3
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	6	1.7	1	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.6	2	<1	<1	1	1	3	5	7
20-34	15	1.5	1	1	1	1	2	2	4	4
35-49	8	1.3		<1	<1	1	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34	7	1.9	1	<1	<1	2	2	4	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	4	4.5	6	1	1	5	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	2.5	4	1	1	2	4	5	7	7
20-34	17	3.0	7	<1	<1	2	4	8	9	9
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.3		<1	<1	1	1	2	3	3
B *Operated*	67	1.7	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	26	2.5	3	<1	<1	2	4	6	6	6
B. *Operated*	37	2.7	4	<1	1	2	4	6	8	9
1. SINGLE DX	113	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX	63	2.6	4	<1	1	2	4	6	7	9
A. NOT OPERATED	72	1.7	2	<1	<1	1	2	3	5	6
B. OPERATED	104	2.0	3	<1	<1	1	2	4	6	9
TOTAL 0-19 YRS	99	1.6	2	<1	<1	1	2	3	4	7
20-34	42	2.1	4	<1	<1	1	2	5	7	9
35-49	26	2.0	2	<1	<1	1	3	4	5	6
50-64	7	4.4	8	1	1	5	6	8	9	9
65+	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**176**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2223	1.3	1	<1	<1	1	1	2	3	5
20-34	442	1.6	2	<1	<1	1	2	3	4	7
35-49	369	1.4	1	<1	<1	1	1	2	3	7
50-64	368	1.5	2	<1	<1	1	1	2	3	8
65+	316	1.7	3	<1	1	1	2	3	5	9
B. *Operated*										
0-19 YRS	705	1.8	3	<1	<1	1	2	4	5	9
20-34	98	3.2	10	<1	<1	2	4	8	10	14
35-49	89	2.5	6	<1	<1	1	3	7	8	10
50-64	70	2.7	17	<1	1	1	3	6	8	28
65+	76	2.4	9	<1	1	1	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	650	2.2	4	<1	1	1	3	4	6	10
20-34	238	3.0	13	<1	1	2	3	6	10	18
35-49	291	3.0	9	<1	1	2	4	7	8	15
50-64	450	3.4	22	<1	1	2	4	8	11	24
65+	1019	4.0	20	1	1	3	5	9	12	25
B. *Operated*										
0-19 YRS	289	3.9	26	<1	1	2	5	8	12	22
20-34	148	5.7	57	<1	1	3	7	12	16	38
35-49	178	8.3	152	1	1	4	9	18	29	73
50-64	299	6.0	74	<1	1	3	8	13	17	33
65+	617	6.5	77	1	1	4	8	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3718	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	1038	2.1	5	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	2648	3.2	15	<1	1	2	4	7	10	21
B. *Operated*	1531	6.1	75	1	1	3	7	13	19	40
1. SINGLE DX	4756	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	4179	4.3	39	<1	1	2	5	10	13	29
A. NOT OPERATED	6366	2.2	8	<1	<1	1	2	4	7	14
B. OPERATED	2569	4.5	51	<1	1	2	5	10	15	32
TOTAL 0-19 YRS	3867	1.7	4	<1	<1	1	2	3	5	10
20-34	926	2.8	16	<1	<1	1	3	6	10	17
35-49	927	3.3	39	<1	<1	1	3	8	10	29
50-64	1187	3.4	31	<1	1	2	3	8	11	25
65+	2028	4.3	37	1	1	2	5	10	14	29
GRAND TOTAL	**8935**	**2.8**	**21**	**<1**	**<1**	**1**	**3**	**6**	**10**	**21**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	6.5	32	1	1	5	9	15	17	23
20-34	82	6.0	27	1	1	4	9	13	16	25
35-49	57	6.5	68	1	1	4	10	12	15	54
50-64	28	7.2	32	<1	1	6	11	14	19	23
65+	11	14.3	151	4	6	12	15	30	47	49
B. *Operated*										
0-19 YRS	307	9.3	91	1	2	6	11	22	28	47
20-34	284	8.2	68	1	2	6	10	18	21	52
35-49	141	8.6	105	1	1	5	10	19	29	53
50-64	80	11.3	132	2	2	8	15	24	39	55
65+	52	12.9	182	1	2	7	18	30	40	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	7.7	55	1	1	6	10	15	25	34
20-34	247	6.5	39	1	1	4	9	14	19	27
35-49	157	8.1	74	1	2	6	10	17	24	49
50-64	117	10.2	68	1	2	8	15	20	27	41
65+	134	13.6	113	2	4	10	17	29	38	47
B. *Operated*										
0-19 YRS	600	17.0	237	2	3	13	23	38	49	92
20-34	656	18.6	325	2	3	13	25	46	59	99+
35-49	425	20.8	307	2	3	16	30	47	61	99+
50-64	350	20.8	300	3	4	16	31	49	64	99+
65+	378	27.4	437	5	7	22	39	64	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	6.7	43	1	1	5	10	14	17	30
B. *Operated*	864	9.2	96	1	2	6	11	21	28	52
2. MULTIPLE DX										
A. *Not Operated*	951	8.6	69	1	2	6	11	19	25	42
B. *Operated*	2409	20.3	325	2	4	15	29	48	63	99+
1. SINGLE DX	1187	8.5	83	1	1	6	11	18	25	51
2. MULTIPLE DX	3360	17.0	280	2	2	12	23	41	55	99+
A. NOT OPERATED	1274	8.1	63	1	1	6	11	17	23	41
B. OPERATED	3273	17.4	288	2	2	12	24	42	56	99+
TOTAL 0-19 YRS	1348	12.1	162	1	2	8	15	28	38	66
20-34	1269	13.1	225	1	2	8	16	32	48	88
35-49	780	15.0	246	1	2	9	21	37	50	89
50-64	575	16.7	243	2	3	12	23	41	53	99+
65+	575	22.6	376	3	5	17	32	53	73	99+
GRAND TOTAL	**4547**	**14.8**	**242**	**1**	**2**	**9**	**20**	**36**	**50**	**94**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1155	4.5	18	1	1	3	6	10	13	20
20-34	679	3.9	16	1	1	2	5	9	12	20
35-49	291	4.4	18	1	1	2	6	11	14	18
50-64	126	5.3	40	1	1	2	6	15	19	28
65+	53	7.4	38	1	2	6	9	15	20	31
B. *Operated*										
0-19 YRS	276	9.0	106	1	1	6	11	20	24	46
20-34	187	7.8	63	1	1	5	10	17	23	43
35-49	103	9.1	64	1	1	7	15	19	24	37
50-64	52	8.3	81	1	1	4	13	17	26	45
65+	25	10.5	61	1	2	9	13	19	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2717	5.5	29	1	1	4	7	12	15	23
20-34	1609	4.9	23	1	1	3	7	10	14	24
35-49	893	5.9	35	1	1	4	8	13	18	27
50-64	532	7.1	48	1	1	5	10	16	19	37
65+	524	10.4	125	2	2	7	13	21	30	67
B. *Operated*										
0-19 YRS	652	11.3	135	1	2	8	14	25	35	55
20-34	517	11.2	136	1	2	8	15	24	34	56
35-49	286	13.7	152	2	2	10	18	30	41	78
50-64	251	14.5	170	2	3	10	18	34	43	69
65+	217	19.3	251	3	5	15	25	47	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2304	4.4	20	1	1	3	6	10	13	21
B. *Operated*	643	8.7	83	1	1	6	11	19	24	43
2. MULTIPLE DX										
A. *Not Operated*	6275	5.9	40	1	1	4	8	13	17	30
B. *Operated*	1923	13.0	162	1	2	9	17	29	41	73
1. SINGLE DX	2947	5.4	36	1	1	3	7	12	17	27
2. MULTIPLE DX	8198	7.6	78	1	1	5	9	17	23	47
A. NOT OPERATED	8579	5.5	35	1	1	4	7	12	16	27
B. OPERATED	2566	11.9	146	1	2	8	16	26	37	70
TOTAL 0-19 YRS	4800	6.3	50	1	1	4	8	13	18	34
20-34	2992	5.9	50	1	1	4	8	13	18	37
35-49	1573	7.2	65	1	1	5	10	17	23	41
50-64	961	8.8	92	1	1	6	12	19	27	49
65+	819	12.5	167	2	3	9	16	27	43	99
GRAND TOTAL	**11145**	**7.0**	**68**	**1**	**1**	**4**	**9**	**16**	**21**	**43**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.9	21	<1	1	2	3	5	9	25
20-34	167	3.7	7	<1	1	3	5	7	10	13
35-49	85	3.6	11	1	1	2	4	8	11	15
50-64	36	5.6	23	<1	1	4	8	12	13	23
65+	12	6.1	33	<1	1	3	10	15	18	18
B. *Operated*										
0-19 YRS	225	2.1	2	<1	1	2	2	4	5	9
20-34	445	2.6	13	<1	1	2	3	5	7	15
35-49	201	2.6	7	<1	1	2	3	5	9	15
50-64	106	3.0	8	<1	<1	2	3	6	10	15
65+	25	4.7	38	<1	1	2	5	12	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.4	38	1	1	3	5	8	14	34
20-34	217	5.7	66	1	1	3	8	12	16	70
35-49	177	5.6	24	1	1	4	8	11	16	26
50-64	126	6.9	102	1	1	5	8	12	17	58
65+	218	9.8	93	2	2	7	12	20	31	59
B. *Operated*										
0-19 YRS	368	3.6	62	<1	1	2	3	6	11	45
20-34	736	4.8	86	<1	1	2	4	9	20	65
35-49	355	6.0	156	<1	1	3	5	11	24	92
50-64	194	8.8	241	1	1	3	8	26	39	84
65+	125	14.6	372	1	1	7	17	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	3.7	14	<1	1	3	5	8	11	15
B. *Operated*	1002	2.6	10	<1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	878	6.7	68	1	1	4	9	14	19	43
B. *Operated*	1778	5.9	140	<1	1	2	5	13	28	84
1. SINGLE DX	1416	2.9	11	<1	1	2	3	6	9	15
2. MULTIPLE DX	2656	6.2	116	1	1	3	6	13	24	76
A. NOT OPERATED	1292	5.7	53	1	1	4	7	12	16	35
B. OPERATED	2780	4.7	95	<1	1	2	4	9	17	64
TOTAL 0-19 YRS	847	3.2	37	<1	1	2	3	6	9	33
20-34	1565	4.2	55	<1	1	2	4	9	13	46
35-49	818	4.8	78	<1	1	2	5	10	15	55
50-64	462	6.7	137	<1	1	3	7	13	25	66
65+	380	10.9	187	1	1	7	13	26	40	93
GRAND TOTAL	**4072**	**5.0**	**82**	**<1**	**1**	**2**	**5**	**10**	**16**	**60**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1050	2.1	3	<1	1	1	2	4	6	9
20-34	935	2.6	8	<1	1	2	3	5	7	13
35-49	399	3.1	7	1	1	2	4	6	8	14
50-64	160	4.0	12	1	1	3	5	9	12	17
65+	137	3.8	11	1	1	3	4	8	11	17
B. *Operated*										
0-19 YRS	283	3.8	22	<1	1	2	4	8	13	27
20-34	424	4.2	36	<1	1	2	5	9	13	22
35-49	137	4.5	21	1	1	3	6	11	14	21
50-64	87	5.6	80	1	1	3	8	11	14	57
65+	41	9.7	225	1	1	5	11	18	44	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1124	3.0	16	1	1	2	3	6	8	16
20-34	1616	3.6	11	1	1	3	5	7	9	16
35-49	963	4.5	16	1	1	3	6	9	11	21
50-64	744	5.4	23	1	1	4	7	11	14	24
65+	1385	6.9	32	1	2	5	9	14	18	30
B. *Operated*										
0-19 YRS	391	6.9	77	1	1	4	8	15	25	54
20-34	790	8.3	115	1	1	5	10	20	28	77
35-49	408	8.8	114	1	1	5	11	20	28	57
50-64	315	10.4	134	1	1	7	13	24	36	68
65+	348	13.3	203	2	2	9	16	26	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2681	2.6	7	<1	1	2	3	5	7	13
B. *Operated*	972	4.5	43	1	1	3	5	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	5832	4.6	22	1	1	3	6	10	13	23
B. *Operated*	2252	9.2	128	1	1	6	11	21	31	71
1. SINGLE DX	3653	3.1	17	<1	1	2	4	6	9	18
2. MULTIPLE DX	8084	5.9	56	1	1	4	7	13	18	41
A. NOT OPERATED	8513	4.0	18	1	1	3	5	8	11	20
B. OPERATED	3224	7.8	107	1	1	4	9	18	26	64
TOTAL 0-19 YRS	2848	3.3	23	<1	1	2	4	7	10	25
20-34	3765	4.4	39	<1	1	3	5	9	14	31
35-49	1907	5.1	39	1	1	3	6	10	15	31
50-64	1306	6.5	57	1	1	4	8	13	18	43
65+	1911	7.9	73	1	2	6	10	16	22	48
GRAND TOTAL	**11737**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6465	1.6	2	<1	<1	1	2	3	4	7
20-34	2842	1.9	3	<1	<1	1	2	4	5	8
35-49	1079	2.2	11	<1	<1	2	2	4	5	10
50-64	365	2.7	9	<1	1	2	3	6	8	14
65+	253	3.4	11	1	1	3	4	7	8	16
B. *Operated*										
0-19 YRS	15	2.9	5	<1	<1	2	4	6	7	8
20-34	24	3.2	10	1	1	2	4	7	10	13
35-49	12	2.8	2	<1	1	2	4	5	5	5
50-64	6	6.7	60	1	1	4	7	20	22	22
65+	7	9.3	49	1	1	10	13	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7698	3.6	38	<1	1	2	3	6	11	33
20-34	11383	3.7	31	<1	1	2	4	7	12	29
35-49	6234	4.4	37	<1	1	2	5	9	15	32
50-64	3386	5.5	37	1	1	4	7	12	17	30
65+	5269	6.6	40	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	104	10.5	171	1	1	5	13	28	47	99+
20-34	356	9.3	154	1	1	5	11	21	32	80
35-49	252	11.0	148	1	2	6	15	27	39	68
50-64	233	13.1	150	2	3	10	17	31	40	85
65+	417	13.5	149	2	3	10	17	29	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11004	1.9	4	<1	<1	1	2	3	4	8
B. *Operated*	64	4.0	19	<1	1	2	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	33970	4.4	37	<1	1	3	5	9	14	31
B. *Operated*	1362	11.6	155	1	2	8	15	27	40	82
1. SINGLE DX	11068	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	35332	4.7	43	<1	1	3	5	10	16	34
A. NOT OPERATED	44974	3.8	30	<1	1	2	4	8	12	28
B. OPERATED	1426	11.3	151	1	2	7	15	27	39	82
TOTAL 0-19 YRS	14282	2.7	24	<1	1	1	3	5	8	25
20-34	14605	3.5	30	<1	1	2	4	7	11	29
35-49	7577	4.3	39	<1	1	2	4	9	15	33
50-64	3990	5.7	45	1	1	4	7	13	18	35
65+	5946	7.0	50	1	2	5	8	14	19	38
GRAND TOTAL	**46400**	**4.0**	**35**	**<1**	**1**	**2**	**4**	**9**	**13**	**31**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3228	1.8	3	<1	1	1	2	4	6	9
20-34	1340	1.6	1	<1	<1	1	2	3	4	6
35-49	781	1.6	1	<1	1	1	2	3	4	6
50-64	380	1.7	1	<1	1	1	2	3	4	7
65+	171	1.9	3	1	1	1	2	3	5	11
B. *Operated*										
0-19 YRS	42	3.4	7	1	1	2	5	7	10	11
20-34	39	5.3	23	1	2	3	7	11	12	26
35-49	15	4.1	15	1	1	4	4	8	14	16
50-64	9	5.0	12	1	1	4	7	10	11	11
65+	7	11.0	161	2	2	6	20	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1765	3.0	22	<1	1	2	3	6	8	22
20-34	1559	3.2	24	<1	1	2	3	6	10	27
35-49	1088	3.4	24	<1	1	2	4	7	11	31
50-64	823	4.0	38	1	1	2	4	8	12	34
65+	763	4.7	37	1	1	3	5	10	15	32
B. *Operated*										
0-19 YRS	67	9.8	132	1	1	6	11	26	39	50
20-34	114	9.2	146	1	1	5	11	23	49	99+
35-49	82	10.6	230	1	2	6	12	26	54	99+
50-64	67	14.2	321	1	2	8	18	44	53	99
65+	73	15.5	368	2	2	9	16	38	59	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5900	1.8	2	<1	1	1	2	3	5	8
B. *Operated*	112	4.8	25	1	1	3	6	10	12	29
2. MULTIPLE DX										
A. *Not Operated*	5998	3.5	27	<1	1	2	4	7	11	28
B. *Operated*	403	11.6	234	1	1	7	13	31	49	99+
1. SINGLE DX	6012	1.8	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	6401	4.0	44	<1	1	2	4	8	13	37
A. NOT OPERATED	11898	2.6	16	<1	1	1	3	5	7	18
B. OPERATED	515	10.1	196	1	1	6	11	24	44	99
TOTAL 0-19 YRS	5102	2.4	13	<1	1	1	2	5	7	14
20-34	3052	2.7	21	<1	1	1	3	5	8	26
35-49	1966	3.0	27	<1	1	2	3	6	9	31
50-64	1279	3.8	48	1	1	2	4	8	13	41
65+	1014	5.1	65	1	1	3	5	11	16	40
GRAND TOTAL	**12413**	**2.9**	**25**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1474	2.3	9	<1	1	2	3	4	6	12
20-34	893	2.2	6	<1	1	1	2	4	5	13
35-49	665	2.2	4	<1	1	1	3	4	6	12
50-64	514	2.7	7	1	1	2	3	5	8	13
65+	381	3.3	8	1	1	2	4	7	9	13
B. *Operated*										
0-19 YRS	28	5.4	16	<1	1	5	8	11	12	17
20-34	41	6.6	57	1	1	5	8	14	22	40
35-49	28	11.7	164	1	1	6	17	33	37	45
50-64	22	7.4	74	1	1	5	8	23	30	32
65+	15	7.2	36	1	2	6	10	13	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1916	3.7	24	1	1	2	4	8	11	24
20-34	1684	3.4	19	1	1	2	4	6	10	22
35-49	1636	3.9	16	1	1	3	5	8	11	21
50-64	2427	4.9	24	1	1	4	6	10	13	22
65+	5439	6.5	42	1	2	5	8	12	17	33
B. *Operated*										
0-19 YRS	119	13.0	264	1	1	6	17	47	55	99+
20-34	156	12.2	318	1	1	6	14	39	63	99+
35-49	209	11.6	212	1	1	7	13	29	61	99+
50-64	344	14.1	241	1	2	9	19	40	55	99+
65+	624	14.4	193	2	3	10	19	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3927	2.4	7	<1	1	2	3	5	6	12
B. *Operated*	134	7.6	74	1	1	5	9	19	29	41
2. MULTIPLE DX										
A. *Not Operated*	13102	5.1	31	1	1	4	6	10	14	28
B. *Operated*	1452	13.6	227	1	1	9	17	36	54	99+
1. SINGLE DX	4061	2.6	10	<1	1	2	3	5	7	15
2. MULTIPLE DX	14554	5.9	57	1	1	4	7	12	18	44
A. NOT OPERATED	17029	4.5	27	1	1	3	5	9	13	25
B. OPERATED	1586	13.1	217	1	1	9	17	34	52	99+
TOTAL 0-19 YRS	3537	3.4	29	1	1	2	4	7	10	30
20-34	2774	3.6	37	<1	1	2	4	7	11	32
35-49	2538	4.2	36	1	1	3	5	9	13	34
50-64	3307	5.5	54	1	1	3	6	11	16	45
65+	6459	7.1	61	1	2	5	8	14	20	44
GRAND TOTAL	**18615**	**5.2**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**40**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	3.1	7	<1	1	2	4	7	9	13
20-34	204	4.0	22	<1	<1	2	5	9	14	26
35-49	165	4.3	14	<1	1	4	6	9	10	14
50-64	166	5.4	27	1	1	4	6	11	15	24
65+	316	6.1	56	1	1	4	8	14	20	41
B. *Operated*										
0-19 YRS	1457	4.5	19	<1	1	3	5	9	13	26
20-34	1653	4.2	29	<1	1	2	5	9	13	26
35-49	1543	5.2	34	<1	1	3	7	12	16	26
50-64	2110	7.0	53	1	1	4	10	15	20	32
65+	3674	7.3	54	1	1	4	11	16	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	628	5.2	31	1	1	3	7	12	17	26
20-34	608	5.7	32	1	1	4	7	12	16	30
35-49	617	6.0	41	1	1	4	8	12	15	30
50-64	1007	6.8	43	1	1	5	9	15	20	33
65+	2144	7.5	64	1	1	5	9	15	21	43
B. *Operated*										
0-19 YRS	2850	8.2	85	1	2	5	10	19	27	49
20-34	3136	7.5	78	1	1	4	9	17	24	47
35-49	4528	8.0	89	1	1	5	10	18	26	53
50-64	8297	9.6	108	1	2	6	13	22	30	56
65+	14404	10.9	134	1	2	7	15	24	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	4.7	29	<1	1	3	6	10	14	28
B. *Operated*	10437	6.1	43	1	1	4	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	5004	6.7	49	1	1	5	8	14	19	36
B. *Operated*	33215	9.6	113	1	2	6	13	22	30	58
1. SINGLE DX	11542	5.9	42	1	1	4	8	14	18	31
2. MULTIPLE DX	38219	9.2	106	1	2	6	12	21	29	55
A. NOT OPERATED	6109	6.3	46	1	1	4	8	13	18	35
B. OPERATED	43652	8.8	99	1	1	5	12	20	28	53
TOTAL 0-19 YRS	5189	6.5	59	1	1	4	8	15	22	40
20-34	5601	6.2	59	<1	1	4	8	14	20	43
35-49	6853	7.1	72	1	1	4	9	16	22	45
50-64	11580	8.8	92	1	1	6	12	20	27	51
65+	20538	9.9	114	1	2	6	13	22	30	58
GRAND TOTAL	**49761**	**8.5**	**93**	**1**	**1**	**5**	**11**	**19**	**27**	**51**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	829	1.6	1	<1	<1	1	2	3	3	7
20-34	905	2.2	2	<1	1	2	3	4	5	8
35-49	496	2.8	11	1	1	2	3	5	7	10
50-64	509	3.2	4	1	1	3	4	6	7	11
65+	717	3.6	6	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	765	1.7	2	<1	<1	1	2	3	4	7
20-34	954	2.6	6	<1	1	2	3	5	7	12
35-49	449	2.8	5	1	1	2	4	6	7	11
50-64	316	3.8	9	1	1	3	5	8	10	14
65+	272	4.5	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	2.4	5	<1	1	2	3	5	7	10
20-34	415	3.3	7	1	1	3	4	6	9	13
35-49	387	3.7	8	1	1	3	5	7	9	13
50-64	733	4.0	10	1	1	3	5	8	11	18
65+	1474	4.6	20	1	1	4	6	8	12	22
B. *Operated*										
0-19 YRS	203	2.7	9	1	1	2	3	5	10	16
20-34	525	4.6	29	1	1	3	6	10	13	26
35-49	379	5.6	45	1	1	4	7	12	16	37
50-64	500	6.5	47	1	1	4	8	14	18	36
65+	939	7.0	58	1	1	5	9	14	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3456	2.6	5	<1	1	2	3	5	6	9
B. *Operated*	2756	2.7	7	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	3230	4.1	14	1	1	3	5	8	10	18
B. *Operated*	2546	5.8	46	1	1	4	7	13	17	33
1. SINGLE DX	6212	2.6	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	5776	4.8	29	1	1	3	6	10	13	25
A. NOT OPERATED	6686	3.3	10	1	1	3	4	6	8	14
B. OPERATED	5302	4.2	28	1	1	3	5	9	13	25
TOTAL 0-19 YRS	2018	1.8	3	<1	<1	1	2	3	5	10
20-34	2799	2.9	10	1	1	2	3	6	8	14
35-49	1711	3.6	17	1	1	3	4	7	10	17
50-64	2058	4.4	19	1	1	3	5	8	12	21
65+	3402	5.1	28	1	1	4	6	10	13	25
GRAND TOTAL	**11988**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	4.6	9	1	2	4	6	9	11	14
20-34	581	5.1	11	2	2	4	6	9	12	17
35-49	480	5.8	23	2	2	5	7	10	13	21
50-64	339	6.7	21	2	2	6	9	13	16	23
65+	248	7.3	31	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	287	7.1	31	1	2	6	9	14	17	32
20-34	485	7.4	41	1	2	6	9	16	19	30
35-49	401	7.3	67	1	2	6	9	14	18	40
50-64	346	8.5	62	1	2	6	11	18	24	42
65+	252	10.3	93	1	2	8	13	22	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	5.7	18	1	2	5	7	11	14	21
20-34	678	5.8	15	2	2	5	7	10	13	22
35-49	823	7.2	33	2	3	6	9	13	18	29
50-64	1086	8.8	53	2	3	7	10	16	22	42
65+	1396	9.5	61	2	3	7	12	17	23	41
B. *Operated*										
0-19 YRS	349	11.5	119	1	2	9	15	23	28	56
20-34	793	12.5	144	2	3	9	16	28	39	83
35-49	824	12.1	122	2	3	9	15	27	38	65
50-64	1271	14.7	178	2	3	11	19	32	43	75
65+	1483	15.5	157	3	4	12	20	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1966	5.8	19	2	2	5	7	10	13	21
B. *Operated*	1771	8.0	58	1	2	6	10	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	4315	8.0	45	2	3	6	10	15	20	34
B. *Operated*	4720	13.9	153	2	3	10	18	30	41	71
1. SINGLE DX	3737	6.8	38	2	2	5	8	13	17	30
2. MULTIPLE DX	9035	11.1	110	2	3	8	14	23	32	60
A. NOT OPERATED	6281	7.3	38	2	2	6	9	14	18	31
B. OPERATED	6491	12.3	134	2	3	9	16	27	37	65
TOTAL 0-19 YRS	1286	7.3	53	1	2	5	9	15	19	38
20-34	2537	8.1	69	2	2	6	9	16	24	50
35-49	2528	8.6	72	2	2	6	10	17	24	47
50-64	3042	11.0	113	2	3	8	13	23	33	61
65+	3379	12.0	113	2	3	9	15	25	34	60
GRAND TOTAL	**12772**	**9.8**	**93**	**2**	**3**	**7**	**12**	**20**	**29**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	2.9	7	1	1	2	4	6	8	14
20-34	484	3.6	14	1	1	2	5	8	10	15
35-49	444	4.7	27	1	1	3	6	10	13	22
50-64	347	5.2	36	1	1	4	7	10	13	26
65+	301	5.2	20	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	281	4.7	27	<1	1	3	6	10	15	28
20-34	589	5.1	38	<1	1	3	7	11	14	25
35-49	587	5.7	36	<1	1	4	7	13	18	27
50-64	569	6.2	45	1	1	4	8	13	20	37
65+	580	5.8	50	1	1	4	7	12	17	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	484	3.3	21	1	1	2	4	7	11	22
20-34	896	4.1	20	1	1	3	5	9	12	21
35-49	988	5.1	24	1	1	4	7	11	14	24
50-64	1323	6.3	37	1	1	5	8	13	18	32
65+	1877	7.1	51	1	1	5	9	14	19	35
B. *Operated*										
0-19 YRS	520	6.7	85	1	1	3	8	17	26	51
20-34	1225	7.7	99	1	1	5	9	16	26	57
35-49	1579	9.6	101	1	1	7	12	21	28	57
50-64	2251	11.0	135	1	2	7	14	24	36	60
65+	3306	11.4	149	1	2	8	15	26	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1796	4.3	22	1	1	3	6	9	12	20
B. *Operated*	2606	5.6	41	1	1	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	5568	5.7	37	1	1	4	7	12	16	30
B. *Operated*	8881	10.2	128	1	1	7	13	23	33	64
1. SINGLE DX	4402	5.1	33	1	1	3	7	11	14	28
2. MULTIPLE DX	14449	8.5	98	1	1	5	11	19	27	56
A. NOT OPERATED	7364	5.4	34	1	1	4	7	11	15	28
B. OPERATED	11487	9.1	112	1	1	6	11	21	30	60
TOTAL 0-19 YRS	1505	4.7	45	1	1	2	5	11	17	34
20-34	3194	5.6	56	1	1	3	7	12	17	37
35-49	3598	7.1	65	1	1	5	9	16	22	41
50-64	4490	8.5	93	1	1	6	11	19	27	53
65+	6064	9.2	108	1	1	6	12	20	29	60
GRAND TOTAL	**18851**	**7.7**	**85**	**1**	**1**	**5**	**10**	**17**	**25**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.6	4	1	1	2	3	5	6	11
20-34	60	2.7	7	<1	<1	2	3	6	8	14
35-49	30	3.7	27	1	1	3	4	7	8	29
50-64	24	5.0	12	1	1	5	7	9	13	14
65+	14	2.5	3	1	1	2	4	5	6	6
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	10	4.6	7	1	1	4	7	8	8	8
35-49	5	13.0	308	1	1	5	21	43	43	43
50-64	6	9.2	209	<1	<1	3	9	35	38	38
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	3.4	22	1	1	2	4	6	7	17
20-34	104	5.0	19	1	1	4	6	11	14	22
35-49	117	5.8	31	1	1	4	7	13	18	29
50-64	153	5.3	20	1	1	4	7	11	13	22
65+	269	5.2	33	1	1	3	7	12	17	26
B. *Operated*										
0-19 YRS	15	20.5	398	<1	2	11	40	45	58	62
20-34	48	11.7	246	1	1	6	12	33	50	70
35-49	30	10.7	170	1	1	6	15	22	46	57
50-64	55	9.3	103	1	2	6	12	19	30	50
65+	62	12.4	156	1	2	9	15	29	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	3.0	9	1	1	2	4	6	8	14
B. *Operated*	26	7.0	108	<1	<1	4	7	13	39	43
2. MULTIPLE DX										
A. *Not Operated*	801	4.9	27	1	1	3	6	11	15	24
B. *Operated*	210	11.8	185	1	2	7	13	29	44	65
1. SINGLE DX	275	3.4	19	1	1	2	4	6	8	26
2. MULTIPLE DX	1011	6.3	67	1	1	4	7	13	19	45
A. NOT OPERATED	1050	4.5	23	1	1	3	5	10	14	23
B. OPERATED	236	11.2	178	1	1	7	13	29	44	63
TOTAL 0-19 YRS	297	3.9	47	1	1	2	4	6	8	45
20-34	222	5.8	74	1	1	3	7	12	17	53
35-49	182	6.4	64	1	1	4	7	14	22	45
50-64	238	6.3	45	1	1	4	8	13	18	39
65+	347	6.4	62	1	1	4	8	16	19	43
GRAND TOTAL	**1286**	**5.7**	**58**	**1**	**1**	**3**	**7**	**12**	**18**	**44**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	1.3		<1	<1	1	2	2	3	3
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.0	2	<1	<1	2	3	4	5	7
20-34	9791	1.6	1	<1	<1	1	2	3	4	5
35-49	4214	1.6	1	<1	<1	1	2	3	3	5
50-64	32	1.4	1	<1	<1	1	2	3	3	5
65+	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	208	1.6	23	<1	<1	1	1	2	3	10
35-49	73	1.2		<1	<1	1	1	2	2	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	60	2.7	4	<1	<1	2	4	5	6	11
20-34	6824	2.1	2	<1	<1	2	3	4	5	7
35-49	3608	2.1	2	<1	<1	2	3	4	5	7
50-64	23	2.1	2	<1	<1	2	3	4	5	6
65+	4	3.0	5	<1	<1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.3		<1	<1	1	1	2	3	3
B. *Operated*	14101	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	287	1.5	17	<1	<1	1	1	2	3	7
B. *Operated*	10519	2.1	2	<1	<1	2	3	4	5	7
1. SINGLE DX	14136	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	10806	2.1	3	<1	<1	2	3	4	5	7
A. NOT OPERATED	322	1.5	15	<1	<1	1	1	2	3	6
B. OPERATED	24620	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	116	2.3	3	<1	<1	2	3	5	5	9
20-34	16848	1.8	2	<1	<1	1	2	3	4	6
35-49	7905	1.8	2	<1	<1	1	2	3	4	6
50-64	57	1.7	1	<1	<1	1	2	3	5	6
65+	16	2.0	2	<1	<1	2	3	3	5	6
GRAND TOTAL	**24942**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	8.5	1	8	8	8	9	9	9	9
1000-1499	6	35.7	188	18	19	34	50	52	52	52
1500-1749	14	17.1	51	7	8	20	23	24	27	28
1750-2499	6625	3.0	3	1	1	3	4	5	6	10
2500+	443868	2.7	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	5	38.0	220	15	15	39	46	56	56	56
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	11	12.5	50	1	2	14	16	20	25	25
2500+	184	4.6	35	1	2	3	5	8	11	44
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	152	63.5	486	17	37	68	86	99	99+	99+
1000-1499	905	40.4	253	16	21	40	50	61	69	95
1500-1749	1320	24.3	96	11	13	23	29	36	42	54
1750-2499	20588	7.0	40	2	2	5	9	15	19	30
2500+	251050	3.6	4	1	2	3	4	6	7	10
B. *Operated*										
1-999 G	284	72.0	465	27	56	89	99+	99+	99+	99+
1000-1499	894	50.8	333	23	30	51	66	89	99+	99+
1500-1749	597	33.6	180	16	20	32	40	52	62	94
1750-2499	1998	17.3	169	3	5	15	22	31	42	80
2500+	5676	7.6	63	1	2	5	9	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450515	2.8	2	1	1	3	3	4	5	7
B. *Operated*	201	5.9	69	1	2	3	5	12	18	48
2. MULTIPLE DX										
A. *Not Operated*	274015	4.1	17	1	2	3	5	6	8	21
B. *Operated*	9449	17.3	399	2	3	9	24	54	79	99+
1. SINGLE DX	450716	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	283464	4.5	36	1	2	3	5	7	10	34
A. NOT OPERATED	724530	3.3	8	1	1	3	4	5	6	12
B. OPERATED	9650	17.1	395	2	3	9	24	53	78	99+
TOTAL 1-999 G	438	68.8	502	22	47	84	99+	99+	99+	99+
1000-1499	1810	45.5	319	18	24	45	58	75	92	99+
1500-1749	1932	27.1	140	11	14	25	33	42	49	71
1750-2499	29222	6.8	51	1	2	4	8	15	20	34
2500+	700778	3.1	3	1	1	3	4	5	6	8
GRAND TOTAL	**734180**	**3.4**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	27.5	247	13	13	25	40	46	46	46
1500-1749	9	18.2	52	8	10	16	22	29	32	32
1750-2499	879	4.7	7	2	2	4	5	7	9	16
2500+	3917	4.1	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749										
1750-2499	1	19.0		19	19	19	19	19	19	19
2500+	3	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	18	59.6	924	10	13	71	92	99+	99+	99+
1000-1499	170	40.6	261	18	23	39	51	60	70	93
1500-1749	329	24.5	105	12	14	23	29	37	44	62
1750-2499	3430	9.0	48	3	3	7	12	18	22	32
2500+	3258	5.3	10	2	3	5	6	7	9	20
B. *Operated*										
1-999 G	52	63.0	648	15	33	88	99+	99+	99+	99+
1000-1499	197	51.4	381	22	30	50	68	88	99+	99+
1500-1749	133	31.3	130	15	19	30	37	46	52	70
1750-2499	367	18.6	142	5	6	17	25	32	37	72
2500+	100	9.9	119	2	4	7	10	17	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4809	4.3	5	2	2	4	5	6	7	11
B. *Operated*	5	16.0	318	5	5	5	26	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	7205	8.9	88	2	3	6	10	19	27	51
B. *Operated*	849	29.9	500	5	7	26	46	79	99+	99+
1. SINGLE DX	4814	4.3	5	2	2	4	5	6	7	11
2. MULTIPLE DX	8054	11.1	173	3	3	6	13	26	40	87
A. NOT OPERATED	12014	7.0	60	2	3	5	7	14	21	43
B. OPERATED	854	29.8	500	5	7	26	46	78	99+	99+
TOTAL 1-999 G	70	62.1	709	14	23	84	99+	99+	99+	99+
1000-1499	372	46.2	355	19	24	44	58	79	91	99+
1500-1749	471	26.3	121	12	14	25	32	39	48	66
1750-2499	4677	9.0	58	2	3	6	12	18	24	36
2500+	7278	4.7	8	2	2	4	6	7	8	14
GRAND TOTAL	**12868**	**8.6**	**121**	**2**	**3**	**5**	**8**	**19**	**30**	**71**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	51	2.8	4	1	1	3	3	5	5	14
2500+	1177	2.2	2	<1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	49.5	950	25	25	59	92	99+	99+	99+
1000-1499	17	44.4	281	22	30	42	49	56	83	98
1500-1749	21	27.2	78	10	14	29	31	36	43	49
1750-2499	209	7.9	59	1	2	5	11	18	20	39
2500+	621	3.6	11	1	1	3	4	7	9	14
B. *Operated*										
1-999 G	4	58.0	686	23	30	86	99+	99+	99+	99+
1000-1499	7	62.6	589	35	36	72	81	92	94	94
1500-1749	8	25.5	43	16	17	26	31	33	34	34
1750-2499	28	16.9	254	2	4	12	22	34	60	66
2500+	38	6.2	39	1	1	4	7	14	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	2.3	2	<1	1	2	3	3	4	6
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	872	6.2	85	1	1	3	6	13	26	49
B. *Operated*	85	18.6	479	1	2	11	28	66	87	99+
1. SINGLE DX	1229	2.3	2	<1	1	2	3	3	4	6
2. MULTIPLE DX	957	7.3	132	1	1	3	7	18	31	76
A. NOT OPERATED	2100	3.9	40	1	1	2	3	6	12	36
B. OPERATED	86	18.5	476	1	2	10	28	66	86	99+
TOTAL 1-999 G	8	53.8	722	23	24	75	99+	99+	99+	99+
1000-1499	24	49.7	420	26	32	42	55	83	95	98
1500-1749	29	26.8	67	10	16	28	31	35	39	49
1750-2499	288	7.9	80	1	2	5	10	18	23	52
2500+	1837	2.8	6	1	1	2	3	5	6	12
GRAND TOTAL	**2186**	**4.5**	**65**	**1**	**1**	**2**	**4**	**8**	**16**	**48**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1	3	<1	<1	1	3	4	6	9
20-34	35	2.4	6	<1	<1	1	3	7	8	11
35-49	9	1.8	1	<1	<1	1	2	4	4	4
50-64	17	2.5	8	<1	<1	2	2	3	9	13
65+	18	4.1	18	<1	<1	2	6	10	14	16
B. *Operated*										
0-19 YRS	2344	2.1	2	<1	<1	2	3	4	5	7
20-34	3135	2.2	3	<1	<1	2	3	4	5	8
35-49	1535	2.5	5	<1	<1	2	3	5	6	10
50-64	1144	2.5	5	<1	<1	2	3	4	6	9
65+	700	3.5	11	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	13	<1	<1	1	2	4	7	22
20-34	28	1.6	2	<1	<1	1	2	3	6	7
35-49	35	1.5	1	<1	<1	1	2	3	4	5
50-64	26	3.8	43	<1	1	2	3	8	16	33
65+	34	5.7	177	<1	<1	2	4	13	16	77
B. *Operated*										
0-19 YRS	908	2.9	7	<1	<1	2	3	5	7	12
20-34	944	3.6	16	<1	1	2	4	7	10	20
35-49	588	4.0	34	<1	1	3	4	7	11	24
50-64	623	4.2	28	1	1	3	5	7	11	31
65+	704	6.1	40	1	2	4	7	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	2.5	7	<1	<1	1	3	6	8	14
B. *Operated*	8858	2.4	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	189	2.9	44	<1	<1	1	2	5	9	29
B. *Operated*	3767	4.1	24	<1	1	3	4	8	11	25
1. SINGLE DX	8984	2.4	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	3956	4.0	25	<1	1	3	4	8	11	25
A. NOT OPERATED	315	2.7	29	<1	<1	1	2	5	8	20
B. OPERATED	12625	2.9	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	3365	2.3	4	<1	<1	2	3	4	5	9
20-34	4142	2.5	6	<1	<1	2	3	4	6	12
35-49	2167	2.9	13	<1	<1	2	3	5	7	15
50-64	1810	3.1	14	<1	1	2	4	5	7	17
65+	1456	4.8	31	<1	1	3	6	10	15	26
GRAND TOTAL	**12940**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	<1	2	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	6	2.8	13	1	1	2	2	9	10	10
65+	12	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	4.0	18	<1	<1	3	7	7	7	7
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.5	2	<1	<1	1	1	3	5	8
20-34	37	2.3	2	<1	1	2	3	4	4	7
35-49	144	2.3	2	<1	1	2	2	4	5	8
50-64	171	1.7	2	<1	<1	1	2	2	3	10
65+	392	1.6	2	<1	<1	1	2	2	3	9
B. *Operated*										
0-19 YRS	11	4.4	9	2	2	3	5	10	10	10
20-34	109	3.1	15	<1	<1	2	3	7	10	21
35-49	160	3.3	19	<1	<1	1	4	9	11	17
50-64	189	5.0	68	<1	<1	2	6	12	17	46
65+	114	5.8	100	<1	<1	3	7	11	19	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*	7	2.3	5	<1	<1	2	2	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	826	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	583	4.3	50	<1	<1	2	5	10	15	34
1. SINGLE DX	39	1.9	3	<1	<1	1	2	3	6	10
2. MULTIPLE DX	1409	2.8	24	<1	<1	1	2	6	9	23
A. NOT OPERATED	858	1.8	2	<1	<1	1	2	3	4	9
B. OPERATED	590	4.3	50	<1	<1	2	5	10	14	34
TOTAL 0-19 YRS	99	1.9	3	<1	<1	1	2	4	5	10
20-34	147	2.9	12	<1	<1	2	3	6	10	17
35-49	314	2.8	11	<1	<1	2	3	5	9	17
50-64	368	3.4	38	<1	<1	2	3	8	13	33
65+	520	2.5	26	<1	<1	1	2	5	8	22
GRAND TOTAL	**1448**	**2.8**	**23**	**<1**	**<1**	**1**	**2**	**5**	**9**	**23**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3384	2.4	13	<1	<1	1	3	4	6	17
20-34	4836	2.3	16	<1	<1	1	2	4	6	22
35-49	1643	2.6	17	<1	<1	1	3	5	7	24
50-64	1794	2.5	15	<1	<1	1	2	5	6	24
65+	1440	4.4	83	<1	<1	2	4	10	23	79
B. *Operated*										
0-19 YRS	1567	2.9	9	<1	<1	2	3	3	9	14
20-34	4192	3.1	11	<1	<1	2	4	7	9	13
35-49	2472	3.6	11	<1	<1	2	5	8	10	15
50-64	1682	4.3	15	<1	1	2	7	10	12	16
65+	1223	5.0	27	<1	1	3	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8034	3.8	49	<1	1	2	4	6	11	44
20-34	7755	4.2	58	<1	1	2	4	6	13	45
35-49	12624	3.7	36	1	1	2	4	6	10	33
50-64	32130	3.7	30	1	1	2	4	6	10	31
65+	32306	5.3	71	1	1	3	5	11	22	47
B. *Operated*										
0-19 YRS	2616	4.5	55	<1	1	2	5	10	14	47
20-34	5229	4.4	46	<1	<1	3	5	9	12	44
35-49	6060	5.1	45	<1	1	3	6	10	15	35
50-64	8965	5.9	56	1	1	3	7	12	17	41
65+	10617	6.9	81	1	1	4	9	15	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13097	2.6	23	<1	<1	1	2	5	7	25
B. *Operated*	11136	3.6	14	<1	<1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	92849	4.3	50	1	1	2	4	7	15	40
B. *Operated*	33487	5.7	61	<1	1	3	7	12	18	45
1. SINGLE DX	24233	3.0	19	<1	<1	2	3	7	10	21
2. MULTIPLE DX	126336	4.7	53	1	1	2	5	9	16	42
A. NOT OPERATED	105946	4.1	47	<1	1	2	4	7	14	39
B. OPERATED	44623	5.2	50	<1	1	3	6	11	15	39
TOTAL 0-19 YRS	15601	3.5	39	<1	<1	2	4	7	10	35
20-34	22012	3.6	38	<1	<1	2	4	7	10	36
35-49	22799	4.0	35	<1	1	2	5	8	11	31
50-64	44571	4.1	35	1	1	2	5	8	12	32
65+	45586	5.7	73	1	1	3	6	13	22	48
GRAND TOTAL	**150569**	**4.4**	**48**	**<1**	**1**	**2**	**5**	**9**	**15**	**39**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40-671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

90	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
80	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular – *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.2-

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

LENGTH OF STAY BY OPERATION



UNITED STATES



1984



Length of Stay by Operation, United States, 1984

A Companion Volume To Length of Stay by Diagnosis, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups. 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402790	3.0	14	<1	1	2	3	5	8	18
20-34	857395	3.3	9	<1	1	3	4	6	7	14
35-49	336703	4.3	17	<1	1	3	6	9	11	20
50-64	271501	5.0	23	1	1	4	6	10	13	22
65+	249754	5.6	33	1	1	4	7	12	16	27
2. MULTIPLE DX										
0-19 YRS	362871	5.4	68	1	1	3	6	11	18	50
20-34	802630	5.2	35	1	1	4	6	9	13	32
35-49	621254	6.7	48	1	2	5	8	13	18	37
50-64	842797	8.2	69	1	2	6	10	16	23	45
65+	1513906	10.1	93	2	2	7	13	20	28	55
TOT. SINGLE DX	2118143	3.9	16	<1	1	3	5	8	11	20
" MULTIPLE DX	4143458	7.8	72	1	2	5	10	16	23	47
TOTAL 0-19 YRS	765661	4.1	41	<1	1	3	4	8	12	36
20-34	1660025	4.2	22	1	1	3	5	7	10	24
35-49	957957	5.9	39	1	1	4	7	11	16	32
50-64	1114298	7.4	60	1	2	5	9	15	21	41
65+	1763660	9.4	87	2	2	7	12	19	26	52
GRAND TOTAL	6261601	6.5	57	1	1	4	8	14	19	40

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	439	8.6	44	1	2	8	11	16	21	34
20-34	439	11.3	81	2	4	9	13	20	27	45
35-49	543	11.4	44	3	5	10	14	20	25	36
50-64	637	13.7	92	4	5	12	16	24	31	48
65+	572	14.3	122	4	6	11	17	24	34	67
2. MULTIPLE DX										
0-19 YRS	807	17.2	275	2	3	12	22	41	60	99+
20-34	677	20.8	306	4	7	15	28	53	78	99+
35-49	918	20.1	273	6	7	15	26	47	67	99+
50-64	1719	20.9	264	5	7	16	26	46	63	99+
65+	2431	23.0	269	6	8	18	30	48	64	99+
TOT. SINGLE DX	2630	12.1	83	2	4	10	15	22	28	50
" MULTIPLE DX	6552	21.1	276	5	7	16	27	47	64	99+
TOTAL 0-19 YRS	1246	14.2	211	1	2	10	18	31	48	92
20-34	1116	17.1	239	3	5	12	22	38	62	99+
35-49	1461	16.9	206	5	6	13	20	35	54	99+
50-64	2356	18.9	228	5	6	14	23	40	58	99+
65+	3003	21.3	253	5	7	17	27	44	60	99+
GRAND TOTAL	**9182**	**18.5**	**238**	**4**	**6**	**14**	**23**	**40**	**58**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	7.3	32	2	3	6	9	13	16	31
20-34	180	11.8	86	3	4	9	14	21	28	54
35-49	144	12.6	116	3	4	10	15	23	27	69
50-64	205	13.6	116	4	4	10	16	26	36	63
65+	170	13.2	73	4	5	11	16	23	28	47
2. MULTIPLE DX										
0-19 YRS	416	16.6	211	4	5	11	24	43	54	99+
20-34	384	19.9	298	4	6	15	31	64	99+	99+
35-49	316	20.6	279	5	6	16	29	50	97	99+
50-64	519	22.7	292	6	7	18	30	53	75	99+
65+	767	23.7	308	6	8	18	31	51	66	99+
TOT. SINGLE DX	1083	10.9	82	3	4	8	13	21	28	49
" MULTIPLE DX	2402	21.3	289	5	6	16	29	50	74	99+
TOTAL 0-19 YRS	800	12.2	147	3	4	8	14	30	43	99+
20-34	564	17.3	245	3	5	13	23	49	86	99+
35-49	460	18.1	242	4	6	14	23	44	77	99+
50-64	724	20.1	259	5	6	15	26	45	66	99+
65+	937	21.8	283	6	7	17	27	47	63	99+
GRAND TOTAL	**3485**	**18.0**	**248**	**4**	**5**	**13**	**24**	**43**	**63**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	688	5.1	8	2	2	5	6	8	10	15
20-34	189	6.4	49	2	2	5	7	10	13	49
35-49	73	6.3	19	1	2	5	9	13	15	22
50-64	58	7.0	22	2	3	6	8	13	17	27
65+	14	7.1	14	2	3	7	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	486	9.1	98	2	3	7	10	18	26	65
20-34	356	11.2	160	2	3	8	13	28	47	99+
35-49	183	12.0	157	2	3	8	15	25	44	74
50-64	111	11.6	115	3	4	8	17	29	50	99+
65+	71	13.9	311	3	4	9	13	29	76	98
TOT. SINGLE DX	1022	5.6	18	2	2	5	7	9	12	18
" MULTIPLE DX	1207	10.7	141	2	3	7	12	22	40	99+
TOTAL 0-19 YRS	1174	6.8	49	2	3	5	7	11	17	43
20-34	545	9.5	128	2	3	6	11	19	39	99+
35-49	256	10.4	125	2	3	7	13	21	35	71
50-64	169	10.0	88	2	3	7	13	23	35	99+
65+	85	12.8	268	3	3	8	12	26	65	96
GRAND TOTAL	**2229**	**8.4**	**91**	**2**	**3**	**6**	**9**	**16**	**26**	**78**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	6.0	17	2	3	5	7	10	13	23
20-34	73	9.4	38	3	4	8	11	17	22	35
35-49	59	9.3	52	5	5	8	11	14	18	54
50-64	72	10.2	40	3	3	10	12	18	19	41
65+	143	12.6	97	4	5	10	17	23	28	43
2. MULTIPLE DX										
0-19 YRS	777	14.4	284	3	3	8	17	41	73	99+
20-34	158	16.1	215	4	6	12	19	39	66	99+
35-49	111	17.7	226	3	4	13	25	52	92	99+
50-64	251	21.7	279	6	7	16	31	53	73	99+
65+	635	23.3	271	6	8	19	30	47	67	99+
TOT. SINGLE DX	813	8.1	44	2	3	7	10	15	20	31
" MULTIPLE DX	1932	18.6	286	3	4	13	25	46	70	99+
TOTAL 0-19 YRS	1243	11.3	201	2	3	7	12	28	49	99+
20-34	231	14.0	169	3	5	11	17	29	51	99+
35-49	170	14.8	181	3	5	10	19	38	61	99+
50-64	323	19.1	249	5	6	13	25	47	69	99+
65+	778	21.3	257	5	7	18	28	43	61	99+
GRAND TOTAL	**2745**	**15.5**	**238**	**3**	**3**	**10**	**20**	**37**	**57**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	908	5.2	18	1	2	4	6	10	14	25
20-34	156	8.9	62	2	2	7	11	21	26	36
35-49	83	8.8	109	2	2	6	10	18	23	67
50-64	60	11.3	148	2	3	7	10	28	40	60
65+	55	8.1	52	2	2	7	9	16	26	97
2. MULTIPLE DX										
0-19 YRS	1784	10.4	170	2	2	6	12	25	36	83
20-34	410	18.5	375	2	4	11	26	52	78	99+
35-49	255	14.2	208	2	3	10	21	42	72	99+
50-64	272	20.9	301	3	5	16	29	52	66	99+
65+	360	21.1	309	3	4	17	30	47	61	98
TOT. SINGLE DX	1262	6.3	41	1	2	4	7	12	18	33
" MULTIPLE DX	3081	14.0	249	2	2	8	18	36	52	99+
TOTAL 0-19 YRS	2692	8.7	126	2	2	5	9	20	30	72
20-34	566	15.9	308	2	3	9	21	40	66	99+
35-49	338	12.9	189	2	2	8	17	37	59	99+
50-64	332	19.1	287	3	4	14	27	49	62	99+
65+	415	19.4	295	2	4	14	28	45	60	99+
GRAND TOTAL	4343	11.8	200	2	2	7	14	30	45	96

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	10.4	70	4	5	8	13	19	24	54
20-34	728	8.8	31	3	4	7	10	16	20	30
35-49	1526	9.0	34	3	4	8	11	15	18	29
50-64	1511	9.5	32	4	4	8	11	16	20	32
65+	865	10.6	30	5	5	9	12	17	21	32
2. MULTIPLE DX										
0-19 YRS	142	16.4	191	5	6	12	20	33	45	74
20-34	712	13.2	123	4	5	10	15	24	39	77
35-49	1758	12.5	96	4	5	10	15	23	32	71
50-64	3007	13.4	100	5	6	10	16	25	33	61
65+	3292	16.5	139	6	7	13	20	30	39	73
TOT. SINGLE DX	4715	9.5	34	4	4	8	11	16	20	31
" MULTIPLE DX	8911	14.4	120	5	6	11	17	27	36	68
TOTAL 0-19 YRS	227	14.2	154	5	5	10	16	28	40	67
20-34	1440	10.9	82	4	4	8	13	20	26	60
35-49	3284	10.9	71	4	5	9	12	19	26	48
50-64	4518	12.1	81	4	5	10	14	22	29	54
65+	4157	15.2	122	5	6	12	18	28	36	65
GRAND TOTAL	13626	12.7	96	4	5	10	15	23	31	59

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	8.5	39	2	2	7	11	16	21	34
20-34	607	6.3	34	1	2	4	8	13	18	26
35-49	738	6.3	34	1	2	4	8	14	17	28
50-64	383	6.6	36	1	2	5	9	14	17	29
65+	143	8.2	50	1	1	7	11	17	21	33
2. MULTIPLE DX										
0-19 YRS	419	14.3	163	3	4	11	18	31	44	99+
20-34	609	12.2	176	1	2	9	15	28	42	99+
35-49	824	11.7	146	2	2	8	14	26	[illegible]	67
50-64	758	14.1	159	2	3	11	18	31	[illegible]	75
65+	690	18.4	238	2	4	14	25	39	[illegible]	89
TOT. SINGLE DX	2087	6.7	37	1	2	5	9	14	18	28
" MULTIPLE DX	3300	14.1	182	2	2	10	18	32	44	84
TOTAL 0-19 YRS	635	12.4	129	2	3	9	15	24	37	76
20-34	1216	9.3	115	1	2	6	12	21	30	75
35-49	1562	9.1	101	1	2	6	12	20	28	59
50-64	1141	11.6	131	2	2	8	15	26	34	64
65+	833	16.7	221	2	3	13	22	37	49	87
GRAND TOTAL	5387	11.2	139	1	2	8	14	25	36	71

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.9	5	<1	<1	2	3	7	8	11
20-34	599	2.9	7	<1	<1	2	3	7	9	13
35-49	926	3.2	8	<1	1	2	4	7	10	14
50-64	996	3.0	14	<1	1	2	3	6	8	14
65+	455	3.6	13	<1	1	2	4	8	10	20
2. MULTIPLE DX										
0-19 YRS	129	5.6	62	1	1	3	5	14	19	38
20-34	464	4.9	42	<1	1	3	5	10	15	36
35-49	660	5.6	38	1	1	3	7	12	17	30
50-64	951	6.0	57	1	1	3	8	12	20	50
65+	708	7.3	74	1	2	4	9	16	22	45
TOT. SINGLE DX	3109	3.1	11	<1	1	2	3	7	9	15
" MULTIPLE DX	2912	6.0	56	1	1	3	7	13	19	40
TOTAL 0-19 YRS	262	4.2	35	<1	1	2	4	9	14	30
20-34	1063	3.8	24	<1	1	2	4	8	11	26
35-49	1586	4.2	23	<1	1	3	5	9	12	23
50-64	1947	4.5	38	<1	1	3	5	9	13	31
65+	1163	5.8	54	1	1	3	7	13	18	37
GRAND TOTAL	6021	4.5	35	<1	1	3	5	10	14	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	474	2.2	4	<1	1	2	3	4	5	10
20-34	2961	2.0	2	<1	<1	2	2	3	4	8
35-49	3971	2.2	3	<1	<1	2	2	4	5	9
50-64	3575	2.2	2	<1	<1	2	2	4	5	9
65+	1847	2.2	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
0-19 YRS	692	2.9	21	<1	1	2	3	5	8	27
20-34	2046	3.1	19	<1	1	2	3	6	8	19
35-49	2788	3.8	22	1	1	2	4	8	11	24
50-64	3409	3.9	20	1	1	2	4	8	12	23
65+	2967	4.3	35	1	1	2	4	9	14	30
TOT. SINGLE DX	12828	2.2	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	11902	3.8	25	1	1	2	4	8	11	25
TOTAL 0-19 YRS	1166	2.6	15	<1	1	2	3	4	7	17
20-34	5007	2.5	10	<1	<1	2	3	4	6	12
35-49	6759	2.8	12	<1	<1	2	3	5	8	17
50-64	6984	3.0	12	<1	1	2	3	6	9	18
65+	4814	3.5	25	<1	1	2	3	7	11	25
GRAND TOTAL	24730	2.9	14	<1	<1	2	3	5	8	18

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.7	3	2	2	5	6	7	8	9
20-34	137	6.2	18	1	2	5	7	12	16	23
35-49	99	6.2	31	1	2	5	7	12	15	37
50-64	72	6.1	12	1	2	5	9	11	13	15
65+	64	9.3	29	3	4	8	12	15	18	34
2. MULTIPLE DX										
0-19 YRS	12	7.8	36	2	2	6	10	19	19	19
20-34	161	7.9	79	2	3	6	8	14	19	40
35-49	162	9.5	60	2	3	7	11	19	25	41
50-64	269	13.5	152	4	4	10	16	26	39	71
65+	644	15.6	135	5	6	13	19	28	35	72
TOT. SINGLE DX	386	6.6	23	1	2	5	8	12	15	23
" MULTIPLE DX	1248	13.3	129	3	4	10	16	25	33	69
TOTAL 0-19 YRS	26	6.2	20	2	2	5	6	13	19	19
20-34	298	7.1	52	1	3	6	7	13	18	27
35-49	261	8.3	52	1	2	6	10	16	23	40
50-64	341	12.0	132	2	4	9	14	23	32	70
65+	708	15.0	129	4	6	12	18	27	34	70
GRAND TOTAL	1634	11.7	112	2	4	9	15	22	31	65

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.9	27	1	1	4	8	12	19	22
20-34	118	4.5	20	<1	<1	3	6	11	13	22
35-49	124	5.9	24	<1	1	5	8	12	13	26
50-64	110	4.1	20	<1	<1	3	5	10	12	23
65+	53	4.7	23	<1	1	3	7	11	13	25
2. MULTIPLE DX										
0-19 YRS	17	7.1	93	1	1	4	8	12	32	42
20-34	169	8.5	63	1	2	6	11	16	27	40
35-49	233	8.4	74	1	2	6	11	18	23	45
50-64	241	9.4	95	1	2	7	11	19	24	60
65+	294	10.6	116	1	2	8	13	22	34	58
TOT. SINGLE DX	427	4.9	23	<1	<1	3	7	11	13	23
" MULTIPLE DX	954	9.3	92	1	2	7	12	19	26	56
TOTAL 0-19 YRS	39	6.4	55	1	1	4	8	12	20	42
20-34	287	6.9	50	<1	1	5	9	14	21	37
35-49	357	7.5	59	<1	1	6	10	16	21	33
50-64	351	7.7	78	<1	1	5	10	16	22	56
65+	347	9.7	106	1	2	7	12	20	32	56
GRAND TOTAL	1381	8.0	75	<1	1	5	10	17	23	47

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	3.7	5	1	2	3	4	5	7	15
20-34	2259	3.6	2	1	2	3	4	5	6	9
35-49	2724	3.7	2	2	2	4	4	5	6	10
50-64	1944	3.9	3	2	2	4	5	5	7	10
65+	774	4.4	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	156	4.9	10	2	3	4	6	8	11	19
20-34	1166	4.6	13	2	2	4	5	7	10	16
35-49	1774	5.1	14	2	3	4	5	8	12	22
50-64	1990	5.5	20	2	3	4	6	10	13	26
65+	1584	7.6	65	2	3	5	8	15	22	42
TOT. SINGLE DX	8045	3.8	3	2	2	4	4	5	6	10
" MULTIPLE DX	6670	5.7	29	2	3	4	6	10	14	29
TOTAL 0-19 YRS	500	4.1	8	1	2	4	5	6	8	18
20-34	3425	4.0	7	2	2	4	5	6	7	12
35-49	4498	4.2	8	2	2	4	5	6	8	16
50-64	3934	4.7	13	2	2	4	5	7	10	18
65+	2358	6.5	48	2	3	5	7	12	18	40
GRAND TOTAL	**14715**	**4.7**	**16**	**2**	**2**	**4**	**5**	**7**	**10**	**21**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	812	2.0	1	<1	1	2	2	3	4	7
20-34	441	2.9	7	1	1	3	3	5	6	10
35-49	352	3.2	3	1	1	3	4	5	6	9
50-64	286	4.2	12	1	2	4	5	7	10	16
65+	173	5.2	33	1	2	4	5	8	14	22
2. MULTIPLE DX										
0-19 YRS	159	4.1	20	1	1	2	5	9	15	24
20-34	304	6.4	46	1	2	4	8	13	16	33
35-49	465	6.4	37	2	2	5	8	12	15	30
50-64	780	7.2	42	2	3	5	8	13	19	35
65+	771	10.4	108	2	3	7	13	23	30	55
TOT. SINGLE DX	2064	3.0	8	1	1	2	4	5	6	13
" MULTIPLE DX	2479	7.7	65	2	2	5	9	16	22	44
TOTAL 0-19 YRS	971	2.4	5	<1	1	2	3	4	5	14
20-34	745	4.4	26	1	1	3	5	8	12	26
35-49	817	5.0	25	1	2	4	6	9	12	24
50-64	1066	6.4	36	2	2	5	7	12	17	34
65+	944	9.4	99	2	3	6	11	21	27	52
GRAND TOTAL	**4543**	**5.6**	**45**	**1**	**1**	**4**	**6**	**11**	**17**	**34**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	9.0	70	2	4	7	9	15	22	56
20-34	178	8.7	25	4	5	8	10	13	16	27
35-49	140	9.4	20	4	5	8	11	16	20	23
50-64	124	9.6	36	4	5	8	11	14	18	38
65+	51	11.5	82	4	6	9	13	19	27	56
2. MULTIPLE DX										
0-19 YRS	58	13.2	184	4	5	9	14	23	40	82
20-34	218	11.3	55	5	6	10	13	19	23	39
35-49	261	13.2	112	5	6	10	15	24	31	57
50-64	346	14.3	145	4	6	10	17	27	35	66
65+	303	16.9	210	3	6	13	21	31	53	99+
TOT. SINGLE DX	564	9.3	38	4	5	8	11	14	19	35
" MULTIPLE DX	1186	14.1	144	4	6	10	17	25	35	78
TOTAL 0-19 YRS	129	10.9	125	3	4	8	12	18	29	67
20-34	396	10.1	44	5	5	9	11	17	20	29
35-49	401	11.9	84	4	5	9	14	21	26	47
50-64	470	13.1	121	4	5	10	14	24	33	65
65+	354	16.2	195	3	6	13	20	30	51	99+
GRAND TOTAL	**1750**	**12.6**	**114**	**4**	**5**	**10**	**14**	**23**	**31**	**67**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	515	1.2		<1	<1	1	1	2	2	4
20-34	105	1.7	1	<1	<1	1	2	3	5	7
35-49	141	2.0	16	<1	<1	1	2	2	4	27
50-64	199	1.9	1	<1	<1	2	2	3	4	6
65+	278	2.0	2	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	94	2.7	30	<1	<1	1	2	4	8	37
20-34	55	5.4	84	<1	1	2	5	16	22	56
35-49	173	4.4	35	<1	<1	2	5	9	15	34
50-64	303	4.8	40	<1	1	2	6	11	17	33
65+	660	5.6	59	<1	1	3	7	13	20	36
TOT. SINGLE DX	1238	1.6	3	<1	<1	1	2	3	4	6
" MULTIPLE DX	1285	5.0	51	<1	1	2	6	12	18	36
TOTAL 0-19 YRS	609	1.4	5	<1	<1	1	1	2	2	6
20-34	160	3.0	33	<1	<1	2	2	6	9	27
35-49	314	3.3	28	<1	<1	2	3	7	12	32
50-64	502	3.7	27	<1	<1	2	3	8	12	30
65+	938	4.5	45	<1	<1	2	5	10	16	32
GRAND TOTAL	**2523**	**3.4**	**30**	**<1**	**<1**	**2**	**3**	**8**	**12**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	853	1.7	1	<1	<1	1	2	3	3	7
20-34	276	2.0	1	<1	<1	2	2	3	4	6
35-49	480	1.7		<1	<1	1	2	3	3	4
50-64	660	1.7	1	<1	<1	1	2	3	3	5
65+	917	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	983	2.9	17	<1	1	2	3	5	7	24
20-34	1187	3.3	21	<1	1	2	4	6	9	22
35-49	1001	3.0	10	<1	1	2	3	6	8	20
50-64	1355	3.4	29	<1	1	2	3	6	9	32
65+	2075	4.5	51	1	1	2	4	11	16	42
TOT. SINGLE DX	3186	1.7	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	6601	3.6	31	<1	1	2	4	7	11	29
TOTAL 0-19 YRS	1836	2.3	11	<1	1	2	2	4	6	15
20-34	1463	3.1	18	<1	1	2	3	6	8	21
35-49	1481	2.6	8	<1	<1	2	3	5	7	15
50-64	2015	2.8	21	<1	1	2	3	5	7	25
65+	2992	3.7	38	<1	1	2	3	8	13	34
GRAND TOTAL	**9787**	**3.0**	**22**	**<1**	**1**	**2**	**3**	**5**	**9**	**24**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	1.7		<1	<1	1	2	3	3	6
20-34	146	2.0	2	1	1	2	2	3	4	7
35-49	153	1.9		1	1	2	2	3	3	7
50-64	149	2.1		1	1	2	2	3	3	5
65+	286	2.2	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	108	2.4	11	<1	1	2	2	4	5	23
20-34	114	2.3	2	1	1	2	2	4	6	10
35-49	106	2.6	2	1	1	2	3	4	6	10
50-64	191	2.7	17	1	1	2	3	4	5	12
65+	504	3.0	10	1	1	2	3	5	7	14
TOT. SINGLE DX	904	2.0	2	1	1	2	2	3	3	7
" MULTIPLE DX	1023	2.7	10	1	1	2	3	4	6	13
TOTAL 0-19 YRS	278	2.0	5	<1	<1	2	2	3	4	8
20-34	260	2.1	2	1	1	2	2	3	5	10
35-49	259	2.2	2	1	1	2	3	4	5	8
50-64	340	2.4	10	1	1	2	3	3	4	7
65+	790	2.7	8	1	1	2	3	4	6	13
GRAND TOTAL	**1927**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	1.8	3	<1	<1	1	2	3	6	12
20-34	36	2.6	8	<1	<1	2	2	4	8	17
35-49	24	1.9	2	<1	<1	1	2	4	6	7
50-64	30	2.0	2	<1	<1	2	2	4	4	8
65+	34	2.0	2	<1	<1	2	2	3	6	9
2. MULTIPLE DX										
0-19 YRS	47	3.0	7	<1	<1	2	4	6	8	15
20-34	43	3.6	54	<1	1	2	4	6	8	49
35-49	33	5.5	58	<1	1	3	6	10	21	40
50-64	51	4.0	14	<1	1	2	5	9	13	17
65+	90	3.9	18	<1	1	2	4	9	12	23
TOT. SINGLE DX	193	2.0	4	<1	<1	1	2	4	6	11
" MULTIPLE DX	264	3.9	26	<1	1	2	4	8	12	25
TOTAL 0-19 YRS	116	2.3	6	<1	<1	1	2	5	7	14
20-34	79	3.1	33	<1	<1	2	3	5	8	40
35-49	57	3.9	38	<1	<1	2	4	9	11	39
50-64	81	3.3	11	<1	<1	2	4	8	10	16
65+	124	3.3	15	<1	1	2	3	8	11	21
GRAND TOTAL	**457**	**3.1**	**18**	**<1**	**<1**	**2**	**3**	**7**	**9**	**19**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.6	9	1	1	3	4	6	9	20
20-34	261	2.8	3	1	1	3	3	5	5	9
35-49	211	2.6	1	1	1	2	3	4	5	8
50-64	198	3.1	6	1	1	3	4	5	7	10
65+	647	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	83	4.0	10	1	1	3	5	6	9	21
20-34	119	4.0	12	1	1	3	5	8	11	20
35-49	171	3.9	14	1	1	3	4	8	13	21
50-64	356	4.0	12	1	1	3	4	7	10	21
65+	1832	3.7	8	1	1	3	4	6	8	15
TOT. SINGLE DX	1379	2.9	4	1	1	3	4	5	6	9
" MULTIPLE DX	2561	3.8	10	1	1	3	4	6	8	18
TOTAL 0-19 YRS	145	3.8	10	1	1	3	4	6	9	21
20-34	380	3.2	6	1	1	3	4	5	7	16
35-49	382	3.2	8	1	1	3	4	5	8	16
50-64	554	3.7	11	1	1	3	4	6	8	21
65+	2479	3.5	8	1	1	3	4	6	7	15
GRAND TOTAL	**3940**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	2.8	3	<1	<1	2	4	6	6	9
20-34	432	1.9	2	<1	<1	1	2	4	5	7
35-49	333	1.6	1	<1	<1	1	2	3	3	7
50-64	191	2.1	3	<1	<1	2	2	4	6	11
65+	204	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	265	3.8	6	1	1	3	5	7	8	13
20-34	257	4.3	10	1	1	4	6	8	11	20
35-49	189	3.8	13	<1	1	3	5	8	11	19
50-64	164	3.5	12	<1	1	2	4	7	10	20
65+	382	4.2	28	1	1	2	4	10	14	24
TOT. SINGLE DX	1499	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	1257	4.0	16	1	1	3	5	8	11	20
TOTAL 0-19 YRS	604	3.2	5	<1	1	3	4	6	7	11
20-34	689	2.8	6	<1	<1	2	4	6	8	13
35-49	522	2.4	7	<1	<1	2	3	5	7	14
50-64	355	2.8	8	<1	<1	2	3	6	8	16
65+	586	3.4	20	<1	1	2	4	7	12	23
GRAND TOTAL	**2756**	**2.9**	**9**	**<1**	**<1**	**2**	**4**	**6**	**8**	**16**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	2.3	8	<1	1	2	3	4	5	24
20-34	96	2.9	5	1	1	2	3	6	8	13
35-49	184	2.8	4	1	1	2	3	5	6	10
50-64	441	2.7	2	1	1	2	3	4	6	10
65+	834	2.6	2	<1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	126	2.9	13	1	1	2	3	5	8	48
20-34	116	4.1	18	1	1	3	5	7	12	26
35-49	143	4.2	24	1	1	3	5	7	11	52
50-64	528	4.4	30	1	1	3	5	8	12	37
65+	1425	3.7	14	1	1	3	4	7	10	19
TOT. SINGLE DX	1705	2.6	4	1	1	2	3	4	6	11
" MULTIPLE DX	2338	3.9	19	1	1	3	4	7	10	24
TOTAL 0-19 YRS	276	2.6	10	<1	1	2	3	5	6	24
20-34	212	3.6	13	1	1	3	4	7	9	21
35-49	327	3.4	14	1	1	3	4	6	8	22
50-64	969	3.6	19	1	1	2	4	7	9	23
65+	2259	3.3	11	1	1	2	4	6	9	16
GRAND TOTAL	**4043**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	3.8	11	<1	1	3	5	8	11	17
20-34	133	3.1	5	1	1	3	4	6	7	13
35-49	101	2.7	7	<1	1	2	3	5	7	16
50-64	180	2.5	4	<1	1	2	3	5	6	10
65+	406	2.5	5	<1	1	2	3	4	6	15
2. MULTIPLE DX										
0-19 YRS	154	4.4	23	<1	1	3	5	8	12	20
20-34	178	4.1	9	1	1	3	5	9	12	15
35-49	112	4.3	24	1	1	3	5	8	10	34
50-64	271	4.4	24	1	1	3	5	10	13	27
65+	886	4.7	30	1	1	3	5	10	15	33
TOT. SINGLE DX	951	2.8	7	<1	1	2	3	5	7	15
" MULTIPLE DX	1601	4.5	26	1	1	3	5	10	13	28
TOTAL 0-19 YRS	285	4.1	18	<1	1	3	5	8	11	20
20-34	311	3.7	8	1	1	3	5	7	10	15
35-49	213	3.5	17	1	1	2	4	7	9	26
50-64	451	3.6	17	1	1	2	4	7	11	20
65+	1292	4.0	24	1	1	2	4	9	12	27
GRAND TOTAL	**2552**	**3.9**	**19**	**1**	**1**	**2**	**4**	**8**	**12**	**23**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.2	2	<1	1	2	2	3	5	10
20-34	34	2.5	1	1	1	2	3	4	5	8
35-49	460	2.1		1	1	2	2	3	3	4
50-64	3455	2.1		1	1	2	2	3	3	4
65+	14705	2.2	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	62	3.1	5	<1	1	3	4	5	10	13
20-34	56	4.1	22	1	2	3	4	7	11	33
35-49	419	3.1	9	1	2	2	3	5	8	20
50-64	3544	2.8	10	1	2	2	3	4	6	13
65+	19263	2.8	10	1	2	2	3	4	6	15
TOT. SINGLE DX	18749	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	23344	2.8	11	1	2	2	3	4	6	15
TOTAL 0-19 YRS	157	2.6	4	<1	1	2	3	4	7	11
20-34	90	3.5	15	1	1	2	4	6	9	25
35-49	879	2.6	5	1	1	2	3	4	5	13
50-64	6999	2.4	6	1	1	2	3	3	4	10
65+	33968	2.5	7	1	2	2	3	3	4	12
GRAND TOTAL	42093	2.5	7	1	1	2	3	3	4	11

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	2.1	4	<1	1	2	2	3	4	7
20-34	144	1.9		<1	1	2	2	3	3	6
35-49	1405	1.8		<1	1	2	2	3	3	4
50-64	7451	1.8		<1	1	2	2	2	3	4
65+	31153	1.9		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	238	3.4	40	1	1	2	3	6	8	29
20-34	156	2.9	10	1	1	2	3	5	8	16
35-49	1024	2.3	4	1	1	2	2	3	4	11
50-64	7342	2.3	4	1	1	2	2	3	4	11
65+	38585	2.4	7	1	1	2	2	3	4	12
TOT. SINGLE DX	40450	1.9	1	<1	1	2	2	2	3	4
" MULTIPLE DX	47345	2.4	7	1	1	2	2	3	5	12
TOTAL 0-19 YRS	535	2.7	21	<1	1	2	3	4	6	15
20-34	300	2.4	6	<1	1	2	2	3	5	12
35-49	2429	2.0	2	<1	1	2	2	3	3	7
50-64	14793	2.1	3	<1	1	2	2	3	3	8
65+	69738	2.2	4	1	1	2	2	3	4	9
GRAND TOTAL	87795	2.2	4	1	1	2	2	3	4	9

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.1	2	<1	1	2	2	3	6	7
20-34	38	2.0		1	1	2	2	3	3	5
35-49	165	1.8		<1	1	2	2	2	3	4
50-64	854	1.9	1	<1	1	2	2	2	3	4
65+	2987	1.9		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	23	2.0	1	1	1	2	2	4	5	5
20-34	32	2.3	2	1	1	2	3	4	6	9
35-49	121	2.4	5	1	1	2	2	4	5	15
50-64	831	2.4	13	1	1	2	2	3	4	10
65+	3650	2.4	8	1	1	2	2	3	4	13
TOT. SINGLE DX	4058	1.9	1	<1	1	2	2	3	3	4
" MULTIPLE DX	4657	2.4	9	1	1	2	2	3	4	12
TOTAL 0-19 YRS	37	2.1	2	1	1	2	2	4	5	7
20-34	70	2.1	2	1	1	2	2	3	5	8
35-49	286	2.1	3	<1	1	2	2	3	4	10
50-64	1685	2.1	8	1	1	2	2	3	3	8
65+	6637	2.2	5	1	1	2	2	3	4	10
GRAND TOTAL	8715	2.2	5	1	1	2	2	3	4	9

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	3.9	4	1	1	4	5	7	8	12
20-34	483	3.9	7	1	1	3	5	7	8	16
35-49	575	3.8	4	1	2	3	5	6	8	12
50-64	1557	3.7	4	1	2	3	5	6	7	10
65+	1385	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	191	4.5	6	1	2	4	6	8	10	99+
20-34	547	4.8	8	1	2	4	6	8	10	17
35-49	630	4.8	10	2	2	4	6	8	10	15
50-64	1992	4.6	10	1	2	4	6	8	9	15
65+	2824	4.7	8	2	2	4	6	8	9	15
TOT. SINGLE DX	4218	3.8	5	1	2	3	5	6	8	12
" MULTIPLE DX	6184	4.7	9	2	2	4	6	8	10	15
TOTAL 0-19 YRS	409	4.1	5	1	2	4	5	7	9	15
20-34	1030	4.4	9	1	2	4	5	7	9	16
35-49	1205	4.3	8	1	2	4	5	7	9	14
50-64	3549	4.2	8	1	2	4	5	7	8	13
65+	4209	4.4	7	2	2	4	5	7	9	15
GRAND TOTAL	10402	4.3	8	1	2	4	5	7	9	14

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.9	6	1	1	2	4	5	6	16
20-34	96	3.8	7	1	1	3	5	7	10	14
35-49	68	3.1	3	1	1	3	4	6	7	9
50-64	207	3.4	5	1	1	3	4	7	9	11
65+	441	3.0	5	1	1	2	3	6	7	11
2. MULTIPLE DX										
0-19 YRS	154	5.0	107	1	1	3	5	8	9	86
20-34	390	4.8	26	1	2	3	5	9	11	30
35-49	354	5.1	43	1	2	4	5	9	13	44
50-64	770	4.3	17	1	1	3	5	8	11	25
65+	1621	4.0	22	1	2	3	4	7	10	20
TOT. SINGLE DX	897	3.2	6	1	1	2	4	6	8	11
" MULTIPLE DX	3289	4.3	28	1	2	3	5	8	11	25
TOTAL 0-19 YRS	239	4.3	72	1	1	3	4	7	9	28
20-34	486	4.6	23	1	2	3	5	8	11	26
35-49	422	4.8	37	1	2	4	5	8	12	33
50-64	977	4.1	15	1	1	3	5	8	10	22
65+	2062	3.8	19	1	1	3	4	7	10	19
GRAND TOTAL	4186	4.1	24	1	1	3	5	7	10	22

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4455	1.4		<1	<1	1	2	2	2	2
20-34	638	1.6		<1	<1	2	2	2	2	3
35-49	367	1.7		<1	<1	2	2	2	3	4
50-64	168	1.7		<1	<1	2	2	2	3	4
65+	106	1.7		<1	<1	2	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	1304	1.5		<1	<1	1	2	2	2	4
20-34	292	1.7		1	1	2	2	2	3	5
35-49	208	2.1	13	1	1	2	2	3	3	6
50-64	187	2.1	2	1	1	2	2	3	4	9
65+	164	2.4	9	1	1	2	2	3	5	33
TOT. SINGLE DX	5734	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	2155	1.7	3	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	5759	1.4		<1	<1	1	2	2	2	3
20-34	930	1.7	1	<1	1	2	2	2	3	4
35-49	575	1.8	5	<1	1	2	2	2	3	4
50-64	355	1.9	2	<1	1	2	2	3	3	6
65+	270	2.1	6	<1	1	2	2	3	4	15
GRAND TOTAL	7889	1.5	1	<1	<1	1	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.4		<1	<1	1	2	2	2	2
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	6.7	65	2	2	2	13	16	16	16
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	16	2.2	2	<1	1	2	2	4	6	7
20-34	15	2.9	4	<1	1	2	4	7	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	10	3.9	8	1	1	3	5	8	11	11
65+	9	5.3	24	1	1	3	8	13	16	16
TOT. SINGLE DX	25	2.1	9	<1	<1	1	2	2	7	16
" MULTIPLE DX	53	3.2	8	1	1	2	4	7	9	16
TOTAL 0-19 YRS	27	1.9	2	<1	<1	2	2	3	5	7
20-34	21	2.5	4	<1	1	2	3	6	7	7
35-49	6	1.3		1	1	1	2	2	2	2
50-64	13	4.5	19	1	1	3	5	12	15	16
65+	11	4.6	22	<1	1	2	7	12	16	16
GRAND TOTAL	78	2.8	9	<1	1	2	3	6	9	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	2.9	4	<1	<1	2	4	6	8	11
20-34	299	3.3	9	1	1	2	4	6	9	15
35-49	201	3.2	7	1	1	3	4	6	9	14
50-64	201	3.2	7	1	1	2	4	6	7	17
65+	296	2.9	6	1	1	2	3	5	7	16
2. MULTIPLE DX										
0-19 YRS	341	5.3	45	1	1	3	6	11	14	26
20-34	430	4.8	41	1	1	3	5	9	15	22
35-49	308	4.9	26	1	2	3	6	9	14	24
50-64	371	5.5	64	1	2	3	5	11	17	47
65+	871	5.3	47	1	1	3	6	11	14	37
TOT. SINGLE DX	1390	3.0	7	<1	1	2	4	6	8	14
" MULTIPLE DX	2321	5.2	46	1	1	3	6	11	14	33
TOTAL 0-19 YRS	734	4.0	25	<1	1	2	5	8	11	18
20-34	729	4.1	29	1	1	3	5	8	12	21
35-49	509	4.2	20	1	1	3	5	9	12	20
50-64	572	4.7	46	1	1	3	5	9	13	35
65+	1167	4.7	38	1	1	3	5	10	14	31
GRAND TOTAL	3711	4.4	32	1	1	3	5	9	12	26

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1127	1.9	2	<1	<1	1	2	4	5	8
20-34	338	2.4	6	<1	<1	2	3	4	7	12
35-49	242	2.2	8	<1	<1	2	2	4	5	15
50-64	237	2.5	9	<1	<1	2	3	5	7	21
65+	303	2.8	9	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	908	3.3	22	<1	1	2	4	6	7	29
20-34	532	4.6	36	<1	1	3	5	10	15	33
35-49	297	5.0	34	<1	1	3	6	13	16	29
50-64	363	6.1	64	1	1	3	7	14	20	36
65+	732	7.7	91	1	2	5	9	17	24	60
TOT. SINGLE DX	2247	2.2	5	<1	<1	2	2	4	6	11
" MULTIPLE DX	2832	5.2	52	1	1	3	6	12	17	36
TOTAL 0-19 YRS	2035	2.5	12	<1	<1	2	3	5	6	15
20-34	870	3.7	26	<1	<1	2	4	8	12	27
35-49	539	3.7	25	<1	<1	2	4	8	15	29
50-64	600	4.7	46	<1	1	2	5	10	16	33
65+	1035	6.3	72	<1	1	3	7	14	20	50
GRAND TOTAL	5079	3.9	34	<1	<1	2	4	8	13	31

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	171	2.0		1	1	2	3	3	3	5
20-34	791	2.1	1	1	1	2	3	3	4	5
35-49	1190	2.0		1	1	2	2	3	3	5
50-64	1023	2.1		1	1	2	3	3	4	5
65+	394	2.0		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	150	1.9	1	1	1	2	2	3	3	8
20-34	373	2.0	1	1	1	2	2	3	4	5
35-49	440	2.3	3	1	1	2	3	3	4	8
50-64	593	2.5	6	1	1	2	3	4	4	10
65+	284	2.5	1	1	1	2	3	4	5	7
TOT. SINGLE DX	3569	2.0	1	1	1	2	3	3	4	5
" MULTIPLE DX	1840	2.3	3	1	1	2	3	3	4	8
TOTAL 0-19 YRS	321	1.9	1	1	1	2	2	3	3	5
20-34	1164	2.0	1	1	1	2	3	3	4	5
35-49	1630	2.1	1	1	1	2	3	3	4	6
50-64	1616	2.2	3	1	1	2	3	3	4	6
65+	678	2.2	1	1	1	2	3	3	4	6
GRAND TOTAL	5409	2.1	2	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1888	1.6		<1	1	2	2	2	3	3
20-34	1247	1.8		1	1	2	2	3	3	4
35-49	1087	1.8		1	1	2	2	3	3	4
50-64	830	1.9		1	1	2	2	3	3	4
65+	352	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1915	1.7	1	<1	1	2	2	3	3	6
20-34	1166	2.0	8	1	1	2	2	3	4	6
35-49	1028	2.1	2	1	1	2	2	3	4	9
50-64	1156	2.3	10	1	1	2	3	3	4	9
65+	492	2.4	2	1	1	2	3	3	5	9
TOT. SINGLE DX	5404	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	5757	2.0	5	1	1	2	2	3	4	8
TOTAL 0-19 YRS	3803	1.7	1	<1	1	2	2	2	3	4
20-34	2413	1.9	5	1	1	2	2	3	3	5
35-49	2115	1.9	2	1	1	2	2	3	3	6
50-64	1986	2.1	6	1	1	2	2	3	4	6
65+	844	2.1	2	1	1	2	3	3	4	8
GRAND TOTAL	11161	1.9	3	1	1	2	2	3	3	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9038	1.1	1	<1	<1	<1	<1	1	1	3
20-34	241	1.6	1	<1	<1	1	2	3	4	8
35-49	206	1.7	1	<1	<1	1	2	3	5	7
50-64	173	1.6	1	<1	<1	1	2	2	3	8
65+	101	1.7	6	<1	<1	1	2	2	3	18
2. MULTIPLE DX										
0-19 YRS	7697	1.9	7	<1	<1	1	2	3	6	12
20-34	314	3.5	46	<1	<1	2	3	6	11	30
35-49	268	4.5	66	<1	1	2	4	11	15	36
50-64	286	4.7	42	<1	1	2	4	13	17	32
65+	236	7.8	133	<1	1	3	11	19	26	74
TOT. SINGLE DX	9759	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	8801	2.3	17	<1	<1	1	2	4	8	20
TOTAL 0-19 YRS	16735	1.5	5	<1	<1	<1	1	2	3	9
20-34	555	2.7	28	<1	<1	2	2	5	8	28
35-49	474	3.3	40	<1	<1	2	3	7	12	33
50-64	459	3.5	29	<1	<1	2	3	9	15	28
65+	337	6.0	103	<1	<1	2	7	16	21	65
GRAND TOTAL	**18560**	**1.7**	**9**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	657	2.1	1	1	1	2	2	3	4	8
20-34	486	2.3	2	1	1	2	3	4	5	8
35-49	368	2.4	4	1	1	2	3	4	5	14
50-64	346	2.3	1	1	1	2	3	4	4	8
65+	149	2.8	3	1	1	3	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	1209	2.8	13	1	1	2	3	4	7	17
20-34	879	2.8	9	1	1	2	3	5	7	16
35-49	763	2.9	12	1	1	2	3	4	7	21
50-64	818	3.3	17	1	1	2	3	5	8	22
65+	506	4.5	39	1	1	3	4	9	15	43
TOT. SINGLE DX	2006	2.3	3	1	1	2	3	4	5	9
" MULTIPLE DX	4175	3.1	17	1	1	2	3	5	8	21
TOTAL 0-19 YRS	1866	2.6	9	1	1	2	3	4	6	13
20-34	1365	2.6	7	1	1	2	3	4	6	13
35-49	1131	2.8	10	1	1	2	3	4	6	19
50-64	1164	3.0	13	1	1	2	3	4	7	16
65+	655	4.1	31	1	1	3	4	7	13	41
GRAND TOTAL	**6181**	**2.9**	**12**	**1**	**1**	**2**	**3**	**4**	**7**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	668	1.7	2	<1	<1	1	2	2	3	10
20-34	469	2.2	2	1	1	2	3	4	6	8
35-49	529	2.5	6	1	1	2	3	4	6	14
50-64	436	2.4	2	1	1	2	3	4	5	9
65+	217	2.6	4	1	1	2	3	4	7	13
2. MULTIPLE DX										
0-19 YRS	690	2.3	7	<1	<1	2	2	4	7	16
20-34	425	2.9	7	1	1	2	3	6	9	15
35-49	409	3.3	22	1	1	2	3	7	10	23
50-64	449	3.5	20	1	1	2	3	6	10	30
65+	297	5.0	61	1	1	3	5	11	15	46
TOT. SINGLE DX	2319	2.2	4	<1	1	2	2	4	5	10
" MULTIPLE DX	2270	3.2	21	<1	1	2	3	6	10	21
TOTAL 0-19 YRS	1358	2.0	5	<1	<1	1	2	3	5	13
20-34	894	2.6	5	1	1	2	3	5	7	12
35-49	938	2.9	13	1	1	2	3	5	7	19
50-64	885	3.0	12	1	1	2	3	5	8	15
65+	514	4.0	39	1	1	2	4	8	13	30
GRAND TOTAL	**4589**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	651	2.1		1	1	2	3	3	4	5
20-34	1415	2.1	1	1	1	2	3	3	4	5
35-49	717	2.1		1	1	2	3	3	4	5
50-64	307	2.2	1	1	1	2	3	4	4	5
65+	70	2.7	7	1	1	2	3	4	5	19
2. MULTIPLE DX										
0-19 YRS	1633	2.2	5	1	1	2	3	3	4	6
20-34	3947	2.4	2	1	1	2	3	4	4	7
35-49	2415	2.5	6	1	1	2	3	4	5	9
50-64	1295	2.7	5	1	1	2	3	4	6	12
65+	421	3.3	11	1	1	3	3	5	9	16
TOT. SINGLE DX	3160	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	9711	2.5	5	1	1	2	3	4	5	9
TOTAL 0-19 YRS	2284	2.2	4	1	1	2	3	3	4	5
20-34	5362	2.3	2	1	1	2	3	4	4	6
35-49	3132	2.4	5	1	1	2	3	4	4	8
50-64	1602	2.6	5	1	1	2	3	4	5	11
65+	491	3.2	11	1	1	2	3	5	8	18
GRAND TOTAL	**12871**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2068	2.0	1	1	1	2	2	3	4	6
20-34	3850	1.9	1	<1	1	2	2	3	4	5
35-49	1859	1.9	1	1	1	2	2	3	4	5
50-64	863	2.0	1	1	1	2	2	3	4	6
65+	261	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	3845	2.2	3	1	1	2	3	4	4	7
20-34	8476	2.2	4	1	1	2	3	3	4	8
35-49	5373	2.3	3	1	1	2	3	4	5	9
50-64	2796	2.7	6	1	1	2	3	4	5	15
65+	1147	3.7	18	1	1	2	4	7	11	26
TOT. SINGLE DX	8901	1.9	1	1	1	2	2	3	4	5
" MULTIPLE DX	21637	2.4	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	5913	2.1	3	1	1	2	3	3	4	7
20-34	12326	2.1	4	1	1	2	3	3	4	7
35-49	7232	2.2	3	1	1	2	3	4	4	8
50-64	3659	2.5	6	1	1	2	3	4	5	13
65+	1408	3.4	16	1	1	2	4	7	10	24
GRAND TOTAL	**30538**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.0	1	<1	<1	2	2	3	5	8
20-34	365	1.9	1	<1	<1	2	2	3	4	6
35-49	377	2.0	2	<1	<1	2	2	3	4	9
50-64	561	2.2	4	<1	<1	2	2	4	5	10
65+	544	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	590	2.5	5	<1	1	2	3	5	6	14
20-34	1077	2.6	14	<1	1	2	3	4	6	15
35-49	1195	2.7	9	<1	1	2	3	5	7	15
50-64	1449	3.2	15	1	1	2	3	6	9	20
65+	1550	5.1	50	1	1	3	6	11	15	39
TOT. SINGLE DX	2165	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	5861	3.4	23	1	1	2	4	6	10	23
TOTAL 0-19 YRS	908	2.3	5	<1	<1	2	3	4	6	13
20-34	1442	2.4	12	<1	1	2	3	4	5	13
35-49	1572	2.6	8	<1	1	2	3	4	6	14
50-64	2010	2.9	12	<1	1	2	3	5	8	18
65+	2094	4.4	40	<1	1	3	5	9	14	33
GRAND TOTAL	**8026**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1622	1.6	1	<1	<1	1	2	3	4	6
20-34	1319	2.0	2	<1	<1	1	2	4	5	8
35-49	507	3.0	5	<1	1	2	4	6	7	11
50-64	465	3.8	5	1	1	4	5	7	8	12
65+	363	4.1	7	1	1	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	1223	3.1	21	<1	1	2	3	5	8	22
20-34	1765	3.3	15	1	1	2	4	6	8	14
35-49	951	4.5	28	1	1	3	5	8	11	29
50-64	1112	5.3	20	1	2	4	6	10	12	21
65+	1645	6.3	40	1	2	5	7	12	16	34
TOT. SINGLE DX	4276	2.3	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	6696	4.5	27	1	1	3	5	9	11	25
TOTAL 0-19 YRS	2845	2.2	11	<1	<1	1	2	4	5	11
20-34	3084	2.7	10	<1	1	2	3	5	7	12
35-49	1458	3.9	21	1	1	3	5	8	10	22
50-64	1577	4.9	16	1	1	4	6	9	11	19
65+	2008	5.9	35	1	2	5	7	11	15	32
GRAND TOTAL	**10972**	**3.6**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	2.3	3	1	1	2	3	4	5	10
20-34	610	2.3	3	1	1	2	3	4	5	12
35-49	584	2.6	4	1	1	2	3	4	5	10
50-64	437	2.7	3	1	1	2	3	5	6	10
65+	228	2.8	3	1	1	2	3	5	5	12
2. MULTIPLE DX										
0-19 YRS	242	3.6	43	1	1	2	3	6	8	42
20-34	853	3.5	15	1	1	2	4	7	11	21
35-49	979	3.7	20	1	1	3	4	7	10	22
50-64	902	4.1	22	1	1	3	4	9	13	22
65+	590	5.0	30	1	2	3	5	10	16	25
TOT. SINGLE DX	2006	2.5	4	1	1	2	3	4	5	11
" MULTIPLE DX	3566	4.0	23	1	1	3	4	8	12	24
TOTAL 0-19 YRS	389	3.1	29	1	1	2	3	5	7	17
20-34	1463	3.0	11	1	1	2	3	5	8	19
35-49	1563	3.3	15	1	1	2	4	5	9	16
50-64	1339	3.7	17	1	1	3	4	7	11	19
65+	818	4.4	24	1	1	3	4	9	14	25
GRAND TOTAL	5572	3.5	17	1	1	2	4	6	10	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	2.6	6	<1	<1	2	3	6	8	12
20-34	455	3.0	7	<1	1	2	4	6	8	16
35-49	455	3.1	17	<1	1	2	4	6	8	20
50-64	387	3.2	7	1	1	2	4	7	8	15
65+	178	3.4	13	1	1	2	4	8	9	17
2. MULTIPLE DX										
0-19 YRS	549	5.0	41	<1	1	3	6	11	16	37
20-34	949	4.0	28	1	1	3	4	8	12	27
35-49	926	4.4	32	1	1	3	5	9	14	28
50-64	1004	4.9	34	1	1	3	6	10	15	31
65+	732	6.3	54	1	1	4	8	14	20	41
TOT. SINGLE DX	1744	3.0	10	<1	1	2	4	6	8	15
" MULTIPLE DX	4160	4.9	38	1	1	3	5	11	15	32
TOTAL 0-19 YRS	818	4.2	31	<1	1	2	5	10	13	34
20-34	1404	3.7	22	1	1	2	4	7	11	24
35-49	1381	4.0	28	1	1	3	4	8	12	26
50-64	1391	4.4	27	1	1	3	5	9	13	27
65+	910	5.7	48	1	1	3	7	13	18	36
GRAND TOTAL	5904	4.3	30	1	1	3	5	9	13	28

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2870	1.4		<1	<1	1	2	2	2	3
20-34	2235	1.5	1	<1	<1	1	2	2	2	4
35-49	581	1.9	1	<1	<1	2	2	3	3	9
50-64	360	1.9	1	<1	1	2	2	3	4	7
65+	257	2.4	11	<1	1	2	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	2134	2.3	18	<1	<1	2	2	4	5	26
20-34	2794	4.1	55	<1	1	2	3	9	17	41
35-49	1964	4.2	44	1	1	2	3	9	15	34
50-64	2271	4.6	47	1	1	2	4	10	16	40
65+	2465	6.7	105	1	1	3	7	17	28	90
TOT. SINGLE DX	6303	1.6	2	<1	<1	1	2	2	2	5
" MULTIPLE DX	11628	4.4	58	1	1	2	4	10	17	46
TOTAL 0-19 YRS	5004	1.8	8	<1	<1	1	2	2	3	11
20-34	5029	3.0	33	<1	<1	2	2	5	10	29
35-49	2545	3.7	36	<1	1	2	3	7	13	31
50-64	2631	4.2	42	1	1	2	4	9	15	38
65+	2722	6.3	98	1	1	3	6	15	27	70
GRAND TOTAL	17931	3.4	40	<1	1	2	3	7	12	37

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	572	1.2		<1	<1	1	1	2	2	3
20-34	61	2.0	2	<1	<1	1	2	4	5	8
35-49	36	2.1	5	<1	<1	2	2	3	4	15
50-64	16	3.3	4	<1	1	3	5	7	8	8
65+	9	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	822	1.7	5	<1	<1	1	2	2	4	11
20-34	211	3.2	48	<1	<1	2	2	5	9	34
35-49	61	4.5	46	<1	1	2	4	10	22	35
50-64	35	3.3	6	1	1	2	4	8	9	11
65+	29	6.9	120	1	1	3	6	14	29	55
TOT. SINGLE DX	694	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	1158	2.3	20	<1	<1	1	2	4	6	23
TOTAL 0-19 YRS	1394	1.5	4	<1	<1	1	1	2	3	8
20-34	272	2.9	39	<1	<1	2	2	5	8	27
35-49	97	3.6	33	<1	<1	2	3	5	15	33
50-64	51	3.3	6	1	1	2	4	8	8	11
65+	38	5.6	96	1	1	2	4	13	23	55
GRAND TOTAL	1852	1.9	13	<1	<1	1	2	3	5	15

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	2.3	5	<1	<1	2	3	4	5	14
20-34	244	2.3	3	<1	<1	2	3	4	6	9
35-49	463	2.2	2	<1	<1	2	3	4	4	7
50-64	406	2.6	3	<1	1	2	3	4	5	12
65+	122	3.1	5	1	1	3	4	5	6	15
2. MULTIPLE DX										
0-19 YRS	448	2.8	41	<1	<1	2	3	4	6	16
20-34	387	3.6	32	1	1	2	3	7	10	29
35-49	446	3.3	21	<1	1	2	3	5	9	21
50-64	589	4.3	47	1	1	3	4	8	12	35
65+	469	5.1	44	1	2	3	5	11	18	39
TOT. SINGLE DX	1462	2.4	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	2339	3.9	39	1	1	2	4	7	11	30
TOTAL 0-19 YRS	675	2.6	29	<1	<1	2	3	4	6	16
20-34	631	3.1	21	<1	1	2	3	5	9	22
35-49	909	2.8	12	<1	1	2	3	4	6	18
50-64	995	3.6	30	1	1	2	3	6	9	28
65+	591	4.7	37	1	2	3	5	9	16	35
GRAND TOTAL	**3801**	**3.3**	**26**	**<1**	**1**	**2**	**3**	**5**	**9**	**23**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	405	2.8	4	<1	1	2	3	5	6	12
20-34	974	2.9	5	1	1	3	4	5	6	10
35-49	1201	2.9	3	1	1	3	4	5	6	8
50-64	1206	3.3	3	1	1	3	4	5	7	10
65+	902	3.5	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	180	3.7	11	1	1	3	5	7	10	17
20-34	447	3.7	14	1	1	3	4	6	8	26
35-49	716	4.2	16	1	2	3	5	8	11	21
50-64	1135	4.7	16	1	2	4	5	8	11	22
65+	1524	6.0	42	2	2	4	7	11	15	35
TOT. SINGLE DX	4688	3.1	4	1	1	3	4	5	6	10
" MULTIPLE DX	4002	4.9	27	1	2	4	5	9	13	27
TOTAL 0-19 YRS	585	3.1	7	<1	1	2	4	5	8	14
20-34	1421	3.2	8	1	1	3	4	5	6	13
35-49	1917	3.4	8	1	1	3	4	6	8	15
50-64	2341	4.0	10	1	2	3	5	7	9	16
65+	2426	5.0	29	1	2	4	5	9	13	28
GRAND TOTAL	**8690**	**4.0**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1152	3.4	2	1	1	3	4	6	7	8
20-34	45	2.9	1	1	1	3	4	4	5	6
35-49	42	3.4	5	1	1	3	4	6	7	14
50-64	41	3.0	3	1	1	2	4	6	7	8
65+	10	3.3	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	1123	4.0	6	2	2	4	5	7	8	11
20-34	67	3.7	14	1	1	3	5	6	10	25
35-49	71	4.7	46	1	1	3	4	8	12	40
50-64	79	4.3	24	1	1	3	4	7	14	29
65+	20	4.9	6	1	2	5	7	8	10	11
TOT. SINGLE DX	1290	3.4	3	1	1	3	4	6	7	8
" MULTIPLE DX	1360	4.1	10	1	2	4	5	7	8	14
TOTAL 0-19 YRS	2275	3.7	5	1	2	3	5	6	7	10
20-34	112	3.4	10	1	1	3	4	5	6	19
35-49	113	4.2	32	1	1	3	4	7	9	39
50-64	120	3.8	17	1	1	3	4	6	8	26
65+	30	4.4	6	1	1	4	6	8	9	11
GRAND TOTAL	**2650**	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1779	2.9	5	<1	<1	2	4	6	7	9
20-34	493	3.3	11	<1	<1	2	4	7	8	15
35-49	462	3.3	10	<1	1	2	4	7	9	20
50-64	834	3.9	19	<1	1	2	4	9	12	21
65+	788	3.8	22	<1	1	2	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	1715	4.0	33	1	1	3	5	7	10	30
20-34	1136	4.7	30	1	1	3	6	10	14	27
35-49	942	6.4	70	1	1	4	7	14	22	41
50-64	1642	7.9	98	1	1	4	10	19	28	56
65+	2356	8.4	112	1	2	5	10	19	27	60
TOT. SINGLE DX	4356	3.3	12	<1	1	2	4	7	9	17
" MULTIPLE DX	7791	6.6	79	1	1	4	8	15	22	48
TOTAL 0-19 YRS	3494	3.4	20	<1	1	2	4	6	8	20
20-34	1629	4.3	25	<1	1	3	5	9	12	26
35-49	1404	5.4	53	<1	1	3	6	12	19	38
50-64	2476	6.6	75	1	1	3	8	16	23	44
65+	3144	7.3	94	1	1	4	9	16	24	53
GRAND TOTAL	**12147**	**5.4**	**57**	**<1**	**1**	**3**	**6**	**11**	**18**	**39**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17720	1.6		<1	1	1	2	2	3	4
20-34	10780	1.7		1	1	2	2	3	3	4
35-49	1184	1.9	1	1	1	2	2	3	4	6
50-64	198	2.3	2	1	1	2	3	4	5	11
65+	70	2.4	3	1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	4993	1.8	2	1	1	1	2	3	3	7
20-34	2813	2.2	2	1	1	2	2	4	5	9
35-49	569	2.9	9	1	1	2	3	5	8	18
50-64	158	4.6	40	1	1	3	5	9	15	37
65+	72	5.2	23	1	1	3	9	12	15	21
TOT. SINGLE DX	29952	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	8605	2.0	4	1	1	2	2	3	4	10
TOTAL 0-19 YRS	22713	1.6	1	1	1	1	2	2	3	4
20-34	13593	1.8	1	1	1	2	2	3	3	5
35-49	1753	2.2	4	1	1	2	2	4	5	10
50-64	356	3.3	21	1	1	2	3	6	10	24
65+	142	3.8	16	1	1	2	4	10	12	18
GRAND TOTAL	38557	1.7	1	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28656	1.5	1	<1	1	1	2	2	2	3
20-34	884	1.8	1	1	1	2	2	3	3	5
35-49	72	2.2	2	1	1	2	3	3	5	9
50-64	14	2.0		<1	1	2	2	3	4	4
65+	25	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	23381	1.6	1	<1	1	1	2	2	3	5
20-34	411	2.2	4	1	1	2	3	4	5	8
35-49	45	3.1	4	1	1	2	4	6	7	9
50-64	9	2.8	5	1	1	1	4	7	7	7
65+	18	2.8	9	<1	1	2	3	6	11	14
TOT. SINGLE DX	29651	1.5	1	<1	1	1	2	2	2	3
" MULTIPLE DX	23864	1.6	1	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	52037	1.5	1	<1	1	1	2	2	2	4
20-34	1295	1.9	2	1	1	2	2	3	4	6
35-49	117	2.5	3	1	1	2	3	5	6	9
50-64	23	2.3	3	<1	1	2	3	5	6	7
65+	43	2.0	5	<1	1	1	2	3	5	14
GRAND TOTAL	53515	1.5	1	<1	1	1	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1521	1.3		<1	<1	1	2	2	2	2
20-34	22	1.5		<1	<1	1	2	2	3	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	4	2.3	6	<1	<1	1	4	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	4810	1.4	4	<1	<1	1	2	2	2	5
20-34	35	2.3	7	<1	<1	2	2	4	11	12
35-49	4	3.5	11	<1	<1	2	6	8	8	8
50-64	8	1.5	1	<1	<1	1	2	3	4	4
65+	4	3.0	11	<1	<1	1	5	8	8	8
TOT. SINGLE DX	1550	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	4861	1.4	5	<1	<1	1	2	2	2	6
TOTAL 0-19 YRS	6331	1.4	4	<1	<1	1	2	2	2	4
20-34	57	2.0	5	<1	<1	1	2	3	7	12
35-49	7	3.0	7	<1	<1	2	4	7	8	8
50-64	12	1.8	3	<1	<1	1	2	5	6	6
65+	4	3.0	11	<1	<1	1	5	8	8	8
GRAND TOTAL	6411	1.4	4	<1	<1	1	2	2	2	5

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1730	2.2	4	<1	1	2	3	4	5	8
20-34	1129	2.5	3	1	1	2	3	5	6	9
35-49	449	2.7	8	<1	1	2	3	5	6	13
50-64	377	3.3	15	<1	1	2	3	7	10	21
65+	302	3.8	16	<1	1	2	4	9	11	17
2. MULTIPLE DX										
0-19 YRS	651	3.8	31	1	1	3	4	6	10	30
20-34	481	3.9	26	1	1	3	5	7	9	18
35-49	421	5.4	47	1	1	3	6	11	17	42
50-64	681	7.8	86	1	1	4	10	18	26	50
65+	749	9.0	132	1	1	5	11	21	28	64
TOT. SINGLE DX	3987	2.6	7	<1	1	2	3	5	6	12
" MULTIPLE DX	2983	6.3	75	1	1	3	7	14	21	46
TOTAL 0-19 YRS	2381	2.6	13	<1	1	2	3	5	6	14
20-34	1610	2.9	11	1	1	2	4	5	7	12
35-49	870	4.0	29	1	1	2	4	8	12	31
50-64	1058	6.2	66	1	1	3	7	14	22	43
65+	1051	7.5	105	1	1	4	9	18	26	59
GRAND TOTAL	6970	4.1	40	1	1	2	4	9	13	34

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	1.8	2	<1	<1	1	2	4	5	7
20-34	103	2.7	3	1	1	2	3	5	6	10
35-49	124	2.9	4	<1	1	2	4	6	7	12
50-64	153	4.0	18	1	1	3	5	7	9	28
65+	158	3.3	5	<1	1	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	416	3.5	12	1	1	3	4	6	7	12
20-34	89	5.4	83	1	1	4	5	10	13	61
35-49	174	5.0	33	1	1	4	6	10	15	27
50-64	385	5.2	35	1	1	4	6	9	12	26
65+	829	5.4	42	1	1	4	6	11	14	32
TOT. SINGLE DX	725	2.9	7	<1	<1	2	4	6	7	11
" MULTIPLE DX	1893	4.9	36	1	1	4	5	9	13	29
TOTAL 0-19 YRS	603	3.0	10	<1	<1	2	3	5	7	11
20-34	192	4.0	42	1	1	3	5	6	11	24
35-49	298	4.2	22	<1	1	3	5	8	11	23
50-64	538	4.8	31	1	1	4	6	9	12	27
65+	987	5.0	37	1	1	4	6	10	13	30
GRAND TOTAL	**2618**	**4.3**	**29**	**<1**	**1**	**3**	**5**	**8**	**11**	**24**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	489	1.8	2	<1	<1	1	2	2	4	10
20-34	561	1.5	1	<1	<1	1	2	2	2	4
35-49	1088	1.7	1	<1	<1	2	2	2	3	7
50-64	1721	1.9	2	<1	<1	2	2	3	3	10
65+	1009	2.0	9	<1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	242	3.1	21	<1	1	2	3	7	10	23
20-34	286	2.7	16	<1	1	2	2	4	8	30
35-49	739	3.6	36	<1	1	2	3	8	13	27
50-64	1781	4.2	45	<1	1	2	4	10	15	39
65+	1717	5.0	69	1	1	2	4	11	20	53
TOT. SINGLE DX	4868	1.8	4	<1	<1	2	2	2	3	9
" MULTIPLE DX	4765	4.2	50	<1	1	2	4	10	16	40
TOTAL 0-19 YRS	731	2.2	9	<1	<1	2	2	4	7	14
20-34	847	1.9	7	<1	<1	1	2	2	4	15
35-49	1827	2.5	17	<1	<1	2	2	4	8	20
50-64	3502	3.1	26	<1	1	2	2	6	11	25
65+	2726	3.9	49	<1	1	2	3	9	15	40
GRAND TOTAL	**9633**	**3.0**	**28**	**<1**	**1**	**2**	**2**	**6**	**10**	**27**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.8	13	<1	1	2	2	8	12	17
20-34	33	4.2	23	<1	1	2	5	13	15	22
35-49	51	6.0	29	1	1	3	10	14	17	21
50-64	129	8.4	83	1	1	6	11	19	28	49
65+	95	8.7	61	1	1	9	13	18	22	39
2. MULTIPLE DX										
0-19 YRS	85	6.9	126	<1	1	2	7	20	30	59
20-34	43	6.1	65	1	1	4	8	10	12	53
35-49	60	10.8	105	<1	1	8	17	27	30	46
50-64	225	12.9	104	1	2	11	18	24	32	59
65+	251	13.5	214	1	2	10	18	32	49	99+
TOT. SINGLE DX	351	7.0	59	1	1	3	11	16	21	37
" MULTIPLE DX	664	11.7	153	1	2	9	16	26	35	87
TOTAL 0-19 YRS	128	5.5	92	<1	1	2	5	15	22	51
20-34	76	5.3	48	1	1	3	7	11	14	45
35-49	111	8.6	75	1	1	6	13	21	27	38
50-64	354	11.2	101	1	1	9	16	24	31	51
65+	346	12.2	176	1	2	10	16	26	40	99+
GRAND TOTAL	**1015**	**10.1**	**125**	**1**	**1**	**7**	**14**	**22**	**32**	**65**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.5	43	3	3	6	12	18	18	18
35-49	35	13.3	30	3	8	13	15	21	24	26
50-64	153	15.8	46	9	10	14	18	23	30	58
65+	97	16.4	59	9	10	14	18	25	33	48
2. MULTIPLE DX										
0-19 YRS										
20-34	2	12.5	1	12	12	12	13	13	13	13
35-49	82	22.9	223	8	10	19	26	47	52	85
50-64	471	20.6	148	10	11	17	25	37	49	99+
65+	474	22.6	218	10	10	18	27	42	62	99+
TOT. SINGLE DX	290	15.5	51	8	10	14	18	23	30	50
" MULTIPLE DX	1029	21.7	188	9	11	18	26	40	55	99+
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	9.8	30	3	3	9	13	17	18	18
35-49	117	20.0	184	7	9	17	22	34	50	78
50-64	624	19.4	128	10	10	16	23	33	45	99+
65+	571	21.6	197	9	10	17	25	39	57	99+
GRAND TOTAL	**1319**	**20.3**	**164**	**9**	**10**	**16**	**24**	**37**	**49**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	11.8	115	1	1	10	22	26	26	26
20-34	4	6.5	16	3	3	5	9	12	12	12
35-49	10	6.9	50	1	2	4	6	19	25	25
50-64	17	23.7	767	1	2	6	49	66	79	84
65+	22	9.1	49	1	2	8	15	20	23	25
2. MULTIPLE DX										
0-19 YRS	45	25.1	456	2	4	24	53	99+	99+	99+
20-34	46	35.6	797	2	3	38	74	99+	99+	99+
35-49	57	27.0	532	3	4	26	44	84	99+	99+
50-64	219	27.9	469	5	6	24	46	79	99+	99+
65+	310	33.3	523	4	8	32	54	85	99+	99+
TOT. SINGLE DX	59	13.1	297	1	2	6	15	34	53	83
" MULTIPLE DX	677	30.7	528	4	6	29	51	87	99+	99+
TOTAL 0-19 YRS	51	23.5	432	1	3	20	47	98	99+	99+
20-34	50	33.3	797	2	3	30	68	99+	99+	99+
35-49	67	24.0	511	3	4	20	42	80	99	99+
50-64	236	27.6	489	4	6	23	46	76	99+	99+
65+	332	31.7	528	4	7	29	51	83	99+	99+
GRAND TOTAL	736	29.3	532	3	5	26	50	84	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	5.5	56	<1	1	3	7	11	17	55
20-34	67	3.3	10	<1	<1	2	4	7	10	18
35-49	80	5.9	98	<1	1	3	7	11	16	62
50-64	115	6.5	127	1	1	2	7	17	32	80
65+	106	5.2	65	<1	1	2	6	13	17	50
2. MULTIPLE DX										
0-19 YRS	471	17.2	403	1	1	11	26	65	99+	99+
20-34	300	23.3	580	2	2	14	42	82	99+	99+
35-49	315	25.8	599	2	3	19	44	83	99+	99+
50-64	906	24.8	568	1	2	18	47	76	99+	99+
65+	1256	31.5	642	2	3	31	57	93	99+	99+
TOT. SINGLE DX	524	5.4	75	<1	1	2	6	13	18	57
" MULTIPLE DX	3248	26.3	600	1	2	21	49	84	99+	99+
TOTAL 0-19 YRS	627	14.3	343	1	1	8	20	56	95	99+
20-34	367	19.7	537	1	2	10	34	74	99+	99+
35-49	395	21.8	562	1	2	13	37	73	95	99+
50-64	1021	22.8	552	1	2	15	43	71	99+	99+
65+	1362	29.4	647	1	2	28	54	89	99+	99+
GRAND TOTAL	3772	23.4	579	1	2	16	44	77	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	4.1	14	<1	1	3	5	10	12	17
20-34	376	5.2	27	1	1	3	7	11	13	33
35-49	601	6.4	60	1	1	4	8	13	19	38
50-64	1258	6.1	31	1	1	4	8	13	17	28
65+	1333	6.2	38	1	1	4	8	14	18	29
2. MULTIPLE DX										
0-19 YRS	125	8.9	80	1	2	6	12	22	30	61
20-34	931	11.6	121	2	2	8	16	26	35	58
35-49	2270	10.9	108	2	2	8	14	23	31	55
50-64	7084	10.8	90	2	2	9	14	22	28	49
65+	12348	12.0	104	2	3	9	16	24	31	56
TOT. SINGLE DX	3643	6.0	38	1	1	4	8	13	17	29
" MULTIPLE DX	22758	11.5	101	2	2	9	15	23	31	54
TOTAL 0-19 YRS	200	7.1	61	1	1	4	10	17	24	47
20-34	1307	9.8	103	1	2	7	13	22	30	55
35-49	2871	10.0	102	1	2	7	13	21	29	54
50-64	8342	10.1	84	1	2	8	13	21	27	47
65+	13681	11.4	101	2	2	9	15	23	30	54
GRAND TOTAL	26401	10.7	96	2	2	8	14	22	29	52

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49										
50-64	2	12.0	200	2	2	12	22	22	22	22
65+	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	10	17.9	784	1	1	7	12	66	89	89
20-34	4	15.0	111	4	4	15	24	25	25	25
35-49	2	18.5	25	15	15	18	22	22	22	22
50-64	12	11.1	60	1	1	12	15	23	25	25
65+	11	13.0	148	2	3	11	14	29	45	47
TOT. SINGLE DX	6	9.2	77	1	1	8	15	21	22	22
" MULTIPLE DX	39	14.2	260	1	2	11	15	25	46	89
TOTAL 0-19 YRS	10	17.9	785	1	1	7	12	66	89	89
20-34	6	12.3	98	1	1	10	23	25	25	25
35-49	2	18.5	25	15	15	18	22	22	22	22
50-64	14	11.2	67	1	1	12	15	23	24	25
65+	13	12.3	133	2	2	11	15	23	42	47
GRAND TOTAL	45	13.5	236	1	1	11	15	25	45	89

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	10.6	95	3	4	8	12	20	24	62
20-34	291	9.2	56	1	3	8	11	16	22	28
35-49	452	8.6	32	1	2	8	11	16	20	29
50-64	856	8.9	38	1	2	8	11	16	20	34
65+	752	8.8	58	1	1	8	12	17	20	36
2. MULTIPLE DX										
0-19 YRS	225	13.8	159	3	5	9	18	29	47	84
20-34	665	13.5	123	3	5	10	17	26	33	61
35-49	1190	13.1	125	2	4	10	16	26	34	65
50-64	3736	13.5	111	2	4	11	17	26	34	58
65+	5272	13.9	130	2	3	11	18	27	36	61
TOT. SINGLE DX	2439	8.9	48	1	2	8	11	16	20	34
" MULTIPLE DX	11088	13.7	124	2	4	11	17	26	35	61
TOTAL 0-19 YRS	313	12.9	143	3	4	9	15	26	39	74
20-34	956	12.2	107	2	4	9	15	23	30	57
35-49	1642	11.9	104	2	3	9	15	23	31	59
50-64	4592	12.6	101	2	3	10	16	24	32	53
65+	6024	13.3	124	2	3	11	17	26	34	59
GRAND TOTAL	13527	12.8	114	2	3	10	16	25	33	58

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	11.8	58	5	5	10	16	21	29	36
20-34	35	10.5	29	4	6	9	12	17	19	33
35-49	140	11.4	21	6	7	10	13	17	19	31
50-64	449	12.3	30	7	7	11	14	20	23	33
65+	363	13.2	34	7	8	12	[illegible]	20	25	34
2. MULTIPLE DX										
0-19 YRS	48	14.5	78	7	7	11	17	25	37	44
20-34	96	15.9	179	6	7	12	17	29	39	83
35-49	468	15.7	118	6	7	13	18	29	35	71
50-64	2046	16.2	96	7	8	14	19	27	33	59
65+	2185	17.8	100	8	9	15	22	31	37	59
TOT. SINGLE DX	1010	12.4	32	7	7	11	15	19	24	34
" MULTIPLE DX	4843	16.9	102	7	8	14	20	29	36	59
TOTAL 0-19 YRS	71	13.6	73	5	6	10	17	24	35	44
20-34	131	14.4	144	6	7	11	15	24	35	72
35-49	608	14.7	99	6	7	12	17	26	33	61
50-64	2495	15.5	87	7	8	13	19	26	32	56
65+	2548	17.1	93	8	9	14	21	29	36	58
GRAND TOTAL	5853	16.1	93	7	8	13	19	28	34	58

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	828	3.1	25	<1	1	2	3	7	9	22
20-34	367	5.5	34	1	1	3	7	11	17	30
35-49	562	5.4	32	<1	1	3	7	12	16	27
50-64	924	5.9	32	1	1	4	8	13	17	26
65+	859	6.6	43	1	1	4	9	14	19	34
2. MULTIPLE DX										
0-19 YRS	1200	8.4	122	1	1	5	10	19	27	79
20-34	1036	10.5	102	1	2	8	14	22	30	56
35-49	2072	10.0	98	1	2	7	13	21	28	58
50-64	5341	10.5	98	2	2	8	13	22	29	56
65+	8392	13.0	132	2	3	10	17	26	34	64
TOT. SINGLE DX	3540	5.3	36	<1	1	3	7	12	16	28
" MULTIPLE DX	18041	11.5	119	2	2	9	15	24	32	60
TOTAL 0-19 YRS	2028	6.2	90	1	1	3	7	14	22	56
20-34	1403	9.2	90	1	2	7	12	20	28	52
35-49	2634	9.1	88	1	2	6	12	20	26	53
50-64	6265	9.9	92	1	2	7	13	20	27	52
65+	9251	12.4	128	2	2	10	16	25	33	62
GRAND TOTAL	21581	10.5	110	1	2	8	14	22	30	57

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	5.7	10	2	2	5	7	10	12	17
20-34	203	5.5	12	2	2	4	7	10	13	18
35-49	77	6.9	30	1	2	5	9	13	19	28
50-64	53	8.3	83	1	1	5	9	17	32	43
65+	37	6.4	29	1	1	5	9	16	18	21
2. MULTIPLE DX										
0-19 YRS	96	10.3	105	2	3	7	12	22	33	56
20-34	206	10.5	103	3	3	8	11	20	32	72
35-49	163	10.0	62	2	3	7	13	22	29	39
50-64	274	13.8	135	2	3	10	19	29	37	59
65+	358	13.0	111	2	3	10	18	26	33	56
TOT. SINGLE DX	430	6.2	26	1	2	5	7	11	16	28
" MULTIPLE DX	1097	12.0	110	2	3	9	16	26	33	59
TOTAL 0-19 YRS	156	8.5	74	2	3	6	9	17	23	47
20-34	409	8.1	64	2	3	6	9	15	21	46
35-49	240	9.0	54	2	3	6	12	20	28	36
50-64	327	12.9	131	1	2	9	18	28	37	53
65+	395	12.4	107	2	3	10	17	26	33	55
GRAND TOTAL	1527	10.4	93	2	3	7	13	22	29	50

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	561	5.3	11	2	2	5	7	9	11	18
20-34	2113	5.4	14	2	2	5	7	9	12	17
35-49	740	6.2	19	2	2	5	7	11	15	22
50-64	388	8.3	45	2	3	7	11	15	20	30
65+	312	9.0	62	2	3	7	11	16	21	41
2. MULTIPLE DX										
0-19 YRS	1006	13.1	219	2	3	8	15	32	51	99+
20-34	2169	9.5	89	2	3	7	11	19	27	57
35-49	1694	10.8	88	3	3	8	13	22	29	50
50-64	3010	12.6	114	3	4	9	16	25	34	59
65+	4308	14.5	132	3	4	11	18	28	37	67
TOT. SINGLE DX	4114	6.1	23	2	2	5	7	11	14	23
" MULTIPLE DX	12187	12.5	125	3	4	9	15	25	35	68
TOTAL 0-19 YRS	1567	10.3	159	2	3	6	11	22	37	94
20-34	4282	7.5	57	2	3	5	8	14	19	43
35-49	2434	9.4	72	2	3	7	11	19	26	45
50-64	3398	12.1	108	3	4	9	15	24	32	58
65+	4620	14.1	129	3	4	11	18	27	36	64
GRAND TOTAL	16301	10.9	107	2	3	8	13	22	31	60

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	723	5.7	9	1	2	6	7	8	10	18
20-34	494	6.0	24	1	1	5	8	12	15	25
35-49	427	6.0	25	<1	1	5	9	13	15	25
50-64	473	6.6	38	1	1	5	9	15	19	26
65+	380	7.6	58	1	1	5	10	17	22	36
2. MULTIPLE DX										
0-19 YRS	359	10.1	102	2	3	7	11	21	28	53
20-34	698	11.8	106	1	2	9	15	25	32	48
35-49	983	11.4	103	2	2	9	15	24	32	50
50-64	2156	12.3	123	2	2	9	16	25	33	61
65+	3389	13.5	133	2	3	10	18	27	36	58
TOT. SINGLE DX	2497	6.3	29	1	1	5	8	12	17	26
" MULTIPLE DX	7585	12.6	124	2	3	9	16	26	34	57
TOTAL 0-19 YRS	1082	7.2	45	1	2	6	8	12	18	31
20-34	1192	9.4	81	1	2	7	12	21	27	43
35-49	1410	9.8	86	1	2	8	13	21	28	48
50-64	2629	11.3	113	1	2	9	15	23	30	58
65+	3769	12.9	129	2	3	10	17	27	35	57
GRAND TOTAL	10082	11.0	108	1	2	8	14	23	31	54

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	789	9.0	19	5	5	8	10	14	17	26
20-34	132	9.3	13	6	6	9	10	13	15	27
35-49	188	11.7	26	6	7	10	13	18	22	32
50-64	284	12.6	25	7	8	12	15	19	21	33
65+	155	14.2	65	8	9	13	16	20	23	38
2. MULTIPLE DX										
0-19 YRS	1765	12.9	102	5	6	10	15	24	33	81
20-34	452	16.2	162	6	7	11	18	34	45	80
35-49	850	15.8	113	7	8	13	18	27	37	68
50-64	2173	17.0	104	8	9	14	20	28	36	60
65+	2395	19.8	150	9	10	16	23	35	46	79
TOT. SINGLE DX	1548	10.5	29	5	6	9	12	16	20	30
" MULTIPLE DX	7635	16.7	129	7	8	13	20	30	40	73
TOTAL 0-19 YRS	2554	11.7	80	5	6	9	13	20	29	68
20-34	584	14.6	137	6	7	11	15	28	42	78
35-49	1038	15.0	100	7	8	12	17	25	34	65
50-64	2457	16.5	97	8	9	14	19	27	35	59
65+	2550	19.4	147	9	10	16	23	35	45	77
GRAND TOTAL	9183	15.7	118	6	7	13	18	28	37	69

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	22	10.1	5	7	7	10	11	13	15	16
35-49	482	10.8	14	6	7	10	12	15	18	28
50-64	1451	11.4	18	7	8	11	13	16	19	29
65+	652	12.3	22	7	8	11	15	18	22	28
2. MULTIPLE DX										
0-19 YRS	15	12.2	16	6	8	11	15	18	20	21
20-34	115	12.0	27	7	8	11	14	18	21	34
35-49	3868	11.9	32	7	8	10	13	18	21	35
50-64	15062	13.3	48	7	8	11	15	21	26	43
65+	10751	15.9	84	8	9	13	18	26	33	59
TOT. SINGLE DX	2609	11.5	19	7	8	11	13	17	19	28
" MULTIPLE DX	29811	14.1	62	7	8	12	16	22	29	49
TOTAL 0-19 YRS	17	11.8	15	7	8	11	14	18	20	21
20-34	137	11.7	24	7	8	11	13	18	20	33
35-49	4350	11.8	31	7	8	10	13	17	21	33
50-64	16513	13.1	46	7	8	11	15	20	25	42
65+	11403	15.7	82	8	9	13	18	26	33	58
GRAND TOTAL	32420	13.9	59	7	8	12	16	22	28	47

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1769	1.8	2	1	1	2	2	2	3	9
20-34	798	3.0	7	1	1	2	3	7	9	14
35-49	5005	3.0	7	1	1	2	3	7	9	13
50-64	8716	2.9	7	1	1	2	2	6	9	14
65+	2954	3.1	10	1	1	2	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	3654	2.7	25	1	1	2	2	4	7	24
20-34	1879	4.8	31	1	1	2	6	11	14	25
35-49	16707	4.3	19	1	1	2	6	10	13	21
50-64	42167	4.6	24	1	1	2	6	11	14	23
65+	24848	5.8	38	1	1	3	8	13	18	29
TOT. SINGLE DX	19242	2.9	8	1	1	2	2	6	9	14
" MULTIPLE DX	89255	4.8	28	1	1	2	6	11	15	25
TOTAL 0-19 YRS	5423	2.4	18	1	1	2	2	3	6	18
20-34	2677	4.3	25	1	1	2	5	10	13	23
35-49	21712	4.0	17	1	1	2	5	9	12	19
50-64	50883	4.3	22	1	1	2	5	10	13	22
65+	27802	5.5	37	1	1	3	7	13	17	29
GRAND TOTAL	**108497**	**4.5**	**25**	**1**	**1**	**2**	**6**	**10**	**14**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	4.6	7	1	2	4	6	9	10	13
20-34	72	4.3	12	1	1	3	6	9	11	17
35-49	126	5.2	15	1	2	4	7	10	12	20
50-64	574	6.0	20	1	2	5	8	12	15	21
65+	2344	5.0	17	1	2	4	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	157	7.3	47	1	2	5	9	14	22	37
20-34	199	8.2	61	1	2	6	11	16	23	44
35-49	736	10.3	66	2	2	9	14	19	23	42
50-64	4421	10.6	65	2	3	9	14	20	25	40
65+	23947	10.9	77	2	3	9	14	21	27	47
TOT. SINGLE DX	3195	5.2	18	1	2	4	7	10	13	21
" MULTIPLE DX	29460	10.8	75	2	3	9	14	21	27	46
TOTAL 0-19 YRS	236	6.4	35	1	2	5	8	12	18	33
20-34	271	7.2	51	1	2	5	9	15	20	41
35-49	862	9.6	63	2	2	8	13	18	23	37
50-64	4995	10.1	63	2	3	8	14	19	24	39
65+	26291	10.4	75	2	3	8	13	20	27	46
GRAND TOTAL	**32655**	**10.3**	**73**	**2**	**3**	**8**	**13**	**20**	**26**	**44**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	6.0	9	1	2	6	8	10	11	13
20-34	102	5.7	10	1	2	6	8	10	11	15
35-49	515	4.8	14	1	2	3	7	10	13	17
50-64	891	4.7	15	2	2	3	6	10	12	21
65+	305	4.8	17	1	2	3	6	11	14	21
2. MULTIPLE DX										
0-19 YRS	231	11.7	167	1	2	8	13	24	37	65
20-34	371	10.3	82	2	3	8	13	21	32	46
35-49	2325	6.9	44	2	2	5	9	13	18	34
50-64	5485	7.4	49	2	2	5	9	15	20	36
65+	3058	9.2	81	2	2	7	12	19	26	49
TOT. SINGLE DX	1926	4.9	15	2	2	3	6	10	12	19
" MULTIPLE DX	11470	7.9	62	2	2	5	10	16	22	42
TOTAL 0-19 YRS	344	9.8	123	1	2	7	11	19	29	58
20-34	473	9.3	70	2	2	7	11	18	27	45
35-49	2840	6.5	39	2	2	4	9	13	17	30
50-64	6376	7.0	46	2	2	5	9	14	19	34
65+	3363	8.8	77	2	2	6	11	18	24	47
GRAND TOTAL	**13396**	**7.5**	**56**	**2**	**2**	**5**	**10**	**15**	**20**	**39**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1041	2.8	9	<1	<1	2	3	6	8	17
20-34	413	3.6	24	<1	1	2	4	8	10	33
35-49	499	3.5	22	<1	<1	2	4	8	12	23
50-64	697	3.8	20	<1	<1	2	4	10	14	20
65+	618	4.9	40	<1	1	2	6	12	17	28
2. MULTIPLE DX										
0-19 YRS	2261	5.8	55	1	1	3	6	12	18	43
20-34	950	9.1	80	1	2	7	12	19	28	51
35-49	1737	8.7	71	1	1	6	11	18	25	46
50-64	4307	9.7	87	1	2	7	13	20	27	49
65+	10570	12.0	110	2	3	9	15	24	31	59
TOT. SINGLE DX	3268	3.6	22	<1	1	2	4	9	12	22
" MULTIPLE DX	19825	10.4	99	1	2	8	14	22	29	53
TOTAL 0-19 YRS	3302	4.8	43	<1	1	3	5	10	15	36
20-34	1363	7.4	70	1	1	5	10	16	23	48
35-49	2236	7.5	65	1	1	5	10	17	23	42
50-64	5004	8.9	82	1	1	6	12	19	26	46
65+	11188	11.6	110	1	2	9	15	24	31	58
GRAND TOTAL	**23093**	**9.4**	**94**	**1**	**1**	**7**	**13**	**20**	**27**	**50**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.9	2	<1	1	3	4	5	6	8
20-34	2047	3.4	4	1	1	3	4	5	6	10
35-49	3111	3.6	4	1	2	3	4	6	7	11
50-64	2141	4.2	9	1	2	4	5	7	8	17
65+	558	5.0	16	2	2	4	6	9	13	22
2. MULTIPLE DX										
0-19 YRS	19	5.2	36	<1	1	3	4	16	21	23
20-34	604	4.4	12	1	1	4	5	7	10	22
35-49	1417	5.3	25	1	2	4	6	10	14	25
50-64	1614	6.3	35	2	2	5	7	12	17	33
65+	977	8.7	86	2	3	6	10	17	25	55
TOT. SINGLE DX	7947	3.8	7	1	2	3	4	6	7	13
" MULTIPLE DX	4631	6.3	42	2	2	4	7	12	17	32
TOTAL 0-19 YRS	109	3.3	9	<1	1	3	4	5	6	21
20-34	2651	3.6	6	1	1	3	4	6	7	13
35-49	4528	4.1	12	1	2	3	5	7	9	18
50-64	3755	5.1	22	2	2	4	6	9	13	25
65+	1535	7.3	64	2	2	5	8	15	21	43
GRAND TOTAL	**12578**	**4.7**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	7.2	13	2	3	7	9	11	13	21
20-34	107	7.3	52	1	1	5	9	16	21	39
35-49	378	8.1	27	1	2	8	10	13	16	27
50-64	1195	9.9	33	3	4	9	12	16	19	31
65+	1031	10.6	40	3	5	9	13	17	22	32
2. MULTIPLE DX										
0-19 YRS	421	12.5	129	3	5	9	15	22	33	81
20-34	693	12.2	145	2	2	9	16	26	35	70
35-49	1972	12.7	126	2	3	10	15	25	34	67
50-64	7683	14.5	134	4	6	11	17	27	38	71
65+	11668	17.2	160	5	7	14	21	33	44	79
TOT. SINGLE DX	2815	9.7	36	2	4	9	12	16	20	31
" MULTIPLE DX	22437	15.6	150	4	6	12	19	30	41	75
TOTAL 0-19 YRS	525	11.4	111	3	4	9	13	20	30	76
20-34	800	11.6	136	1	2	8	15	25	34	68
35-49	2350	12.0	114	2	3	9	14	23	32	64
50-64	8878	13.8	123	4	5	11	16	25	36	68
65+	12699	16.7	154	5	7	13	20	32	43	78
GRAND TOTAL	**25252**	**15.0**	**141**	**4**	**5**	**12**	**18**	**29**	**39**	**73**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	27.3	108	19	19	24	35	39	39	39
2. MULTIPLE DX										
0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34	2	39.0	722	20	20	39	58	58	58	58
35-49	7	16.7	35	11	11	15	22	26	26	26
50-64	12	19.7	176	8	9	17	23	36	54	57
65+	20	13.6	113	2	4	11	15	30	40	44
TOT. SINGLE DX	7	15.7	155	6	6	9	23	36	39	39
" MULTIPLE DX	43	17.1	152	4	7	13	20	29	49	58
TOTAL 0-19 YRS	3	14.0	79	7	7	11	21	24	24	24
20-34	3	29.0	661	9	9	20	48	58	58	58
35-49	8	15.4	45	6	7	14	20	25	26	26
50-64	13	18.6	176	6	8	17	21	33	52	57
65+	23	15.3	130	3	4	12	19	37	41	44
GRAND TOTAL	**50**	**16.9**	**150**	**4**	**6**	**13**	**20**	**32**	**44**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.7	9	<1	<1	3	5	9	9	9
20-34	36	4.0	11	1	1	3	5	10	11	12
35-49	42	5.5	49	<1	1	4	7	9	13	44
50-64	38	5.8	48	1	1	4	6	12	25	30
65+	55	6.8	68	<1	1	4	8	15	20	51
2. MULTIPLE DX										
0-19 YRS	192	5.5	31	1	1	4	6	12	18	29
20-34	1583	5.7	37	1	1	4	7	12	16	31
35-49	2106	6.3	44	1	1	4	8	13	17	33
50-64	3831	7.0	54	1	2	5	9	14	20	39
65+	3993	8.3	73	1	2	6	10	17	24	46
TOT. SINGLE DX	185	5.5	45	<1	1	4	7	11	18	39
" MULTIPLE DX	11705	7.1	57	1	2	5	9	15	20	41
TOTAL 0-19 YRS	206	5.3	30	1	1	4	6	12	17	28
20-34	1619	5.7	37	1	1	4	7	12	16	31
35-49	2148	6.3	45	1	1	4	8	13	17	33
50-64	3869	7.0	54	1	2	5	9	14	20	39
65+	4048	8.3	73	1	2	6	10	17	24	46
GRAND TOTAL	**11890**	**7.1**	**57**	**1**	**2**	**5**	**9**	**15**	**20**	**41**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1120	6.7	33	1	2	5	8	12	15	32
20-34	841	5.9	42	1	1	4	8	14	18	32
35-49	1088	7.2	58	1	1	5	9	16	21	37
50-64	3206	7.2	32	1	2	6	9	13	17	28
65+	4122	7.5	29	2	3	6	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	8375	17.8	363	2	3	10	24	51	74	99+
20-34	3000	9.9	142	1	1	6	12	24	34	71
35-49	4911	10.5	127	1	2	7	13	24	33	66
50-64	18303	11.2	108	2	3	8	14	23	32	60
65+	33769	12.6	116	3	4	10	16	25	33	63
TOT. SINGLE DX	10377	7.2	35	1	2	6	9	13	17	29
" MULTIPLE DX	68358	12.6	151	2	3	9	15	26	38	79
TOTAL 0-19 YRS	9495	16.5	337	2	3	9	22	48	69	99+
20-34	3841	9.0	123	1	1	5	11	21	31	62
35-49	5999	9.9	117	1	2	7	12	22	31	61
50-64	21509	10.6	99	2	3	8	13	21	29	56
65+	37891	12.0	110	2	4	9	15	24	32	60
GRAND TOTAL	78735	11.9	139	2	3	9	14	25	36	75

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1522	3.0	9	<1	<1	2	4	6	9	15
20-34	1481	3.8	21	<1	<1	2	4	8	11	23
35-49	1069	3.8	16	<1	<1	2	4	9	12	18
50-64	1083	4.8	21	<1	1	3	6	10	14	23
65+	911	5.4	28	<1	1	4	7	12	15	28
2. MULTIPLE DX										
0-19 YRS	795	4.9	20	1	1	4	7	11	13	22
20-34	1332	8.0	79	1	1	6	10	16	22	48
35-49	1651	7.9	79	1	1	5	10	17	24	43
50-64	3084	8.9	79	1	2	6	11	20	26	43
65+	4197	10.3	97	1	2	8	13	22	29	50
TOT. SINGLE DX	6066	4.0	19	<1	<1	2	5	9	12	21
" MULTIPLE DX	11059	8.9	84	1	2	6	11	19	26	47
TOTAL 0-19 YRS	2317	3.6	14	<1	<1	2	5	8	11	18
20-34	2813	5.8	54	<1	1	3	7	13	18	38
35-49	2720	6.3	59	<1	1	4	8	14	19	37
50-64	4167	7.9	68	1	1	5	10	17	24	41
65+	5108	9.5	89	1	2	7	12	20	27	48
GRAND TOTAL	17125	7.2	67	<1	1	4	9	16	22	41

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.8	8	1	1	3	5	8	10	14
20-34	126	5.0	12	1	2	4	8	9	11	19
35-49	157	5.3	14	<1	1	4	7	10	13	20
50-64	247	6.7	33	1	2	6	8	12	17	28
65+	251	6.8	24	2	2	6	8	12	16	24
2. MULTIPLE DX										
0-19 YRS	64	6.7	25	1	2	6	9	13	17	25
20-34	259	7.9	25	2	3	7	9	14	17	26
35-49	340	9.1	92	2	2	7	10	17	26	58
50-64	973	10.9	95	2	3	8	13	22	30	51
65+	1231	11.4	106	3	4	8	13	22	30	59
TOT. SINGLE DX	846	6.0	23	1	2	5	8	10	15	24
" MULTIPLE DX	2867	10.5	94	2	3	8	12	21	29	55
TOTAL 0-19 YRS	129	5.2	19	1	1	4	7	10	13	23
20-34	385	6.9	23	1	2	6	9	12	15	24
35-49	497	7.9	71	1	2	6	9	15	22	51
50-64	1220	10.0	86	2	3	7	12	20	28	50
65+	1482	10.7	96	2	3	8	12	21	29	55
GRAND TOTAL	3713	9.5	81	2	3	7	11	19	26	50

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	7	8.6	13	5	5	7	11	14	15	15
35-49	6	16.2	254	3	3	11	25	42	44	44
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	3	5.3	24	2	2	3	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	20.8	134	6	6	23	30	30	30	30
20-34	9	20.0	487	2	2	11	25	59	65	65
35-49	5	17.6	373	2	2	10	31	48	48	48
50-64	8	6.1	15	2	2	5	10	11	11	11
65+	9	7.7	27	2	2	7	11	15	17	17
TOT. SINGLE DX	22	8.9	93	1	2	6	11	18	33	44
" MULTIPLE DX	35	13.4	222	2	2	10	16	30	49	65
TOTAL 0-19 YRS	6	15.3	152	3	3	12	30	30	30	30
20-34	16	15.0	299	2	3	9	14	47	60	65
35-49	11	16.8	277	2	2	10	25	46	48	48
50-64	12	5.2	14	1	1	4	8	11	11	11
65+	12	7.1	26	2	2	6	11	14	17	17
GRAND TOTAL	57	11.6	174	2	2	7	13	29	47	64

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	32.0	914	3	4	26	58	72	74	74
20-34	9	30.2	506	5	5	28	33	65	82	82
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	41.9	377	11	19	44	55	82	98	99+
20-34	17	45.4	238	28	29	39	59	68	75	78
35-49	8	34.8	80	22	24	32	41	48	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+	2	43.5	1513	16	16	43	71	71	71	71
TOT. SINGLE DX	17	31.1	654	4	5	28	45	73	79	82
" MULTIPLE DX	62	41.8	295	15	24	39	53	71	82	99+
TOTAL 0-19 YRS	39	39.9	483	4	7	44	55	77	92	99+
20-34	26	40.2	369	6	25	37	56	69	79	82
35-49	8	34.8	80	22	24	32	41	48	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+	2	43.5	1513	16	16	43	71	71	71	71
GRAND TOTAL	**79**	**39.5**	**385**	**6**	**12**	**38**	**51**	**72**	**81**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1291	6.0	32	1	1	5	7	10	13	32
20-34	975	7.3	41	2	2	6	8	13	18	35
35-49	695	8.0	62	2	2	6	9	15	25	41
50-64	832	7.9	54	2	2	6	9	15	22	37
65+	1029	8.2	62	2	2	6	10	16	23	42
2. MULTIPLE DX										
0-19 YRS	1946	9.9	115	1	2	7	11	22	30	55
20-34	2729	11.6	114	2	3	8	13	24	35	60
35-49	3010	12.0	123	2	3	9	15	25	35	60
50-64	6415	12.3	123	2	3	9	15	25	35	60
65+	17269	12.8	117	3	4	10	16	25	34	62
TOT. SINGLE DX	4822	7.3	49	1	2	6	8	14	20	37
" MULTIPLE DX	31369	12.3	120	2	3	9	15	25	34	61
TOTAL 0-19 YRS	3237	8.3	86	1	2	6	9	17	25	50
20-34	3704	10.5	99	2	3	8	12	22	31	56
35-49	3705	11.3	114	2	3	8	14	24	34	58
50-64	7247	11.8	118	2	3	9	14	24	34	58
65+	18298	12.6	116	3	4	10	15	25	33	61
GRAND TOTAL	**36191**	**11.7**	**113**	**2**	**3**	**9**	**14**	**24**	**33**	**59**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	311	10.1	145	1	2	5	14	27	35	54
20-34	230	10.8	130	1	1	7	14	25	31	57
35-49	210	8.9	109	1	1	4	12	24	32	56
50-64	250	8.9	127	<1	1	5	10	23	38	54
65+	140	10.4	170	1	2	6	13	25	34	89
2. MULTIPLE DX										
0-19 YRS	1065	16.7	313	1	2	10	24	46	67	99+
20-34	1196	14.4	203	2	2	10	19	33	44	72
35-49	1793	12.9	182	1	2	8	17	31	42	73
50-64	3199	13.3	174	2	2	9	17	31	41	70
65+	3901	16.0	201	2	3	12	21	35	46	77
TOT. SINGLE DX	1141	9.8	135	1	1	5	13	25	33	59
" MULTIPLE DX	11154	14.6	204	2	2	10	19	34	46	79
TOTAL 0-19 YRS	1376	15.2	283	1	2	9	21	42	58	99+
20-34	1426	13.8	194	1	2	9	18	32	43	72
35-49	2003	12.5	176	1	2	8	16	30	42	72
50-64	3449	13.0	172	1	2	8	17	31	41	70
65+	4041	15.8	201	2	3	12	21	35	46	77
GRAND TOTAL	**12295**	**14.2**	**199**	**2**	**2**	**10**	**19**	**33**	**45**	**77**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	307	3.4	21	<1	<1	2	4	8	11	24
20-34	254	4.6	16	1	1	3	6	11	13	22
35-49	380	4.6	27	<1	1	3	6	10	14	23
50-64	635	5.7	46	1	1	3	7	12	19	39
65+	668	5.3	30	<1	1	4	7	12	15	27
2. MULTIPLE DX										
0-19 YRS	588	7.5	129	1	1	3	9	17	29	69
20-34	978	7.5	58	1	2	5	9	15	23	40
35-49	1959	8.4	72	1	2	6	10	18	24	43
50-64	4224	9.1	96	1	2	6	11	19	28	58
65+	8019	10.2	107	1	2	7	13	21	29	57
TOT. SINGLE DX	2244	4.9	32	<1	1	3	6	11	15	29
" MULTIPLE DX	15768	9.4	99	1	2	7	12	20	28	55
TOTAL 0-19 YRS	895	6.1	96	<1	1	3	7	14	22	55
20-34	1232	6.9	51	1	1	5	9	14	20	39
35-49	2339	7.8	67	1	1	5	10	17	22	42
50-64	4859	8.7	92	1	2	6	11	18	27	54
65+	8687	9.8	103	1	2	7	12	20	28	56
GRAND TOTAL	**18012**	**8.9**	**93**	**1**	**2**	**6**	**11**	**19**	**26**	**54**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2340	3.5	2	2	2	3	4	5	6	9
20-34	18	10.0	128	2	3	7	10	15	38	53
35-49	8	6.6	36	1	1	5	11	16	16	16
50-64	9	13.9	47	6	6	13	16	25	29	29
65+	11	12.1	70	3	3	14	17	24	29	29
2. MULTIPLE DX										
0-19 YRS	695	5.3	22	2	2	4	6	9	12	25
20-34	35	19.4	330	4	4	13	22	50	63	72
35-49	44	15.3	106	3	4	12	21	32	38	99+
50-64	76	18.5	194	7	7	16	21	39	66	99+
65+	186	20.0	232	6	8	16	23	39	51	91
TOT. SINGLE DX	2386	3.6	5	2	2	3	4	6	7	12
" MULTIPLE DX	1036	9.8	128	2	3	6	11	22	31	79
TOTAL 0-19 YRS	3035	3.9	8	2	2	3	4	6	8	13
20-34	53	16.2	279	3	4	9	18	44	56	72
35-49	52	14.0	105	2	3	12	21	30	33	99
50-64	85	18.0	180	7	7	15	21	35	57	99+
65+	197	19.6	226	5	8	16	23	37	50	89
GRAND TOTAL	**3422**	**5.5**	**51**	**2**	**2**	**4**	**5**	**10**	**17**	**42**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	15.2	313	2	2	8	20	37	64	73
20-34	8	22.5	328	6	7	15	42	82	99+	99+
35-49	17	7.5	54	1	1	6	8	15	25	31
50-64	52	13.4	104	3	4	11	16	29	37	48
65+	97	15.4	216	2	3	9	20	41	54	99+
2. MULTIPLE DX										
0-19 YRS	318	19.4	324	3	4	14	27	55	80	99+
20-34	133	22.1	445	4	5	15	34	76	99+	99+
35-49	202	18.9	313	3	4	14	27	63	99+	99+
50-64	635	21.3	320	4	6	16	29	52	76	99+
65+	3207	21.8	298	4	6	17	30	51	75	99+
TOT. SINGLE DX	207	14.5	198	2	3	9	18	38	48	99+
" MULTIPLE DX	4495	21.4	309	4	6	17	29	52	77	99+
TOTAL 0-19 YRS	351	19.0	324	3	4	14	26	53	76	99+
20-34	141	22.1	437	4	5	15	36	76	99+	99+
35-49	219	18.0	302	3	4	14	25	51	99	99+
50-64	687	20.7	308	4	5	15	27	51	72	99+
65+	3304	21.6	297	4	6	17	30	51	74	99+
GRAND TOTAL	**4702**	**21.1**	**306**	**4**	**5**	**16**	**29**	**51**	**76**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	5.6	18	1	1	5	7	11	16	76
20-34	354	5.2	14	1	2	4	7	9	11	17
35-49	600	5.3	23	<1	1	4	7	10	11	21
50-64	690	5.5	18	<1	1	5	7	10	12	20
65+	684	6.4	27	<1	1	5	8	12	15	26
2. MULTIPLE DX										
0-19 YRS	206	6.5	44	1	2	5	7	11	18	34
20-34	1536	7.1	37	2	3	6	8	13	18	32
35-49	3205	7.7	37	2	3	6	9	14	18	32
50-64	6257	8.5	48	2	3	7	10	16	21	38
65+	14271	10.3	73	3	3	8	12	19	26	47
TOT. SINGLE DX	2408	5.7	22	<1	1	5	7	10	13	22
" MULTIPLE DX	25475	9.3	62	2	3	7	11	17	23	42
TOTAL 0-19 YRS	286	6.3	37	1	2	5	7	11	18	35
20-34	1890	6.8	34	2	2	5	8	13	16	30
35-49	3805	7.3	36	2	2	6	9	14	18	32
50-64	6947	8.2	47	2	3	7	10	15	20	37
65+	14955	10.1	72	2	3	8	12	19	26	47
GRAND TOTAL	**27883**	**9.0**	**59**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	7.7	21	2	2	7	10	15	17	18
20-34	150	10.1	24	4	6	9	12	16	19	25
35-49	377	11.1	21	6	7	10	13	17	20	27
50-64	368	11.9	25	6	7	10	14	19	22	29
65+	307	15.3	64	8	8	14	18	24	29	47
2. MULTIPLE DX										
0-19 YRS	16	15.4	144	3	4	12	17	33	45	50
20-34	298	16.1	145	6	7	13	18	31	45	89
35-49	908	16.0	118	7	8	13	18	28	35	60
50-64	1688	17.5	120	8	9	15	20	30	40	69
65+	2922	21.3	179	9	10	18	25	38	50	84
TOT. SINGLE DX	1220	12.2	38	6	7	11	14	19	23	33
" MULTIPLE DX	5832	19.1	156	8	9	16	22	34	46	76
TOTAL 0-19 YRS	34	11.3	92	2	3	9	14	19	32	50
20-34	448	14.1	113	6	6	11	16	24	37	65
35-49	1285	14.5	95	7	7	11	17	24	32	57
50-64	2056	16.5	108	8	8	14	19	28	37	65
65+	3229	20.7	171	8	9	17	25	37	49	83
GRAND TOTAL	7052	17.9	142	7	8	15	21	32	43	74

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	5	14.0	23	7	7	14	18	19	19	19
35-49	13	16.1	38	8	9	14	23	24	25	25
50-64	54	19.6	145	9	11	15	22	34	48	70
65+	51	18.7	89	10	10	16	23	29	35	63
2. MULTIPLE DX										
0-19 YRS										
20-34	18	22.5	167	8	9	17	30	37	49	57
35-49	88	22.5	183	9	11	18	28	45	57	87
50-64	348	23.9	222	10	11	19	28	43	56	80
65+	478	24.7	203	11	12	21	29	43	60	99+
TOT. SINGLE DX	124	18.6	106	9	10	16	22	29	38	65
" MULTIPLE DX	932	24.2	208	10	12	20	29	43	57	96
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	23	20.7	146	7	8	17	27	37	44	57
35-49	101	21.7	169	9	10	18	25	45	56	83
50-64	402	23.3	213	10	11	19	27	42	53	79
65+	529	24.2	195	11	12	21	29	41	58	99+
GRAND TOTAL	1056	23.5	199	10	11	20	28	42	56	88

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	11.1	6	8	8	10	13	15	16	16
20-34	164	9.5	30	5	6	8	10	14	19	35
35-49	249	9.7	16	5	6	9	10	14	18	25
50-64	183	11.3	37	6	7	10	13	17	21	39
65+	80	12.6	39	6	7	11	15	19	21	39
2. MULTIPLE DX										
0-19 YRS	12	17.7	175	6	7	10	29	58	92	99+
20-34	183	11.6	36	6	7	10	13	19	23	31
35-49	465	12.7	64	6	7	10	15	20	28	56
50-64	630	15.4	99	7	8	12	18	27	35	59
65+	745	18.4	123	7	8	16	22	32	41	62
TOT. SINGLE DX	685	10.4	29	6	6	9	12	17	19	33
" MULTIPLE DX	2035	15.6	101	7	7	13	18	28	36	58
TOTAL 0-19 YRS	21	14.9	110	7	8	10	23	36	69	99+
20-34	347	10.6	35	5	6	9	12	18	21	31
35-49	714	11.7	50	6	6	10	13	18	24	48
50-64	813	14.5	88	6	7	12	17	25	32	57
65+	825	17.8	118	7	8	15	21	32	40	59
GRAND TOTAL	2720	14.3	88	6	7	11	17	25	33	56

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	7.7	36	2	2	7	9	13	18	35
20-34	949	7.3	7	4	5	7	8	10	11	14
35-49	948	8.0	11	4	5	7	9	11	14	21
50-64	481	9.4	27	5	6	8	10	14	18	31
65+	325	12.0	46	5	7	10	14	20	25	39
2. MULTIPLE DX										
0-19 YRS	752	17.3	238	4	5	12	22	40	56	99+
20-34	1832	9.7	60	5	5	8	10	15	22	48
35-49	3095	10.5	67	5	6	8	11	17	25	51
50-64	2228	14.1	131	5	6	10	16	27	35	67
65+	3285	18.8	164	7	8	15	22	36	45	76
TOT. SINGLE DX	2982	8.4	21	4	5	8	9	13	16	26
" MULTIPLE DX	11192	14.0	133	5	6	10	16	27	37	69
TOTAL 0-19 YRS	1031	14.7	202	2	4	10	18	34	50	99+
20-34	2781	8.9	44	5	5	8	9	12	17	40
35-49	4043	9.9	56	5	5	8	10	16	23	43
50-64	2709	13.3	116	5	6	10	15	24	33	64
65+	3610	18.2	158	7	8	14	22	35	43	73
GRAND TOTAL	14174	12.8	115	5	6	9	14	24	34	65

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	5.0	30	1	1	4	6	9	12	25
20-34	1140	5.7	19	1	2	5	7	10	13	22
35-49	1088	5.0	18	<1	1	4	7	10	13	21
50-64	1660	4.3	19	<1	<1	2	6	10	12	20
65+	1652	4.2	21	<1	1	2	6	10	12	22
2. MULTIPLE DX										
0-19 YRS	916	7.3	73	1	2	5	8	14	21	52
20-34	2656	7.7	50	2	2	6	9	14	20	38
35-49	3747	7.8	52	1	2	6	9	15	20	36
50-64	7917	7.8	52	1	2	6	10	16	21	37
65+	17341	9.3	77	1	2	7	12	19	25	48
TOT. SINGLE DX	6157	4.7	21	<1	1	3	7	10	12	22
" MULTIPLE DX	32577	8.6	67	1	2	7	11	17	23	43
TOTAL 0-19 YRS	1533	6.4	58	1	1	5	8	12	16	45
20-34	3796	7.1	42	1	2	6	8	13	18	35
35-49	4835	7.2	46	1	2	6	9	14	19	35
50-64	9577	7.2	49	1	1	6	9	15	19	36
65+	18993	8.9	75	1	2	7	11	18	24	46
GRAND TOTAL	38734	8.0	62	1	2	6	10	16	22	40

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	10.0	31	5	5	8	12	18	23	30
20-34	135	10.3	20	5	6	9	12	17	19	25
35-49	146	12.1	58	5	6	9	13	23	29	42
50-64	160	12.2	45	6	7	10	14	19	25	43
65+	204	12.9	43	6	7	11	16	20	27	40
2. MULTIPLE DX										
0-19 YRS	297	17.1	320	5	6	11	21	70	99+	99+
20-34	655	15.2	150	6	7	11	17	28	44	77
35-49	823	17.2	165	7	7	13	20	34	49	97
50-64	1367	19.9	219	7	8	15	24	41	56	99
65+	2854	20.6	200	8	9	16	25	39	53	88
TOT. SINGLE DX	730	11.8	42	5	6	10	14	19	25	40
" MULTIPLE DX	5996	19.2	204	7	8	15	23	39	54	99+
TOTAL 0-19 YRS	382	15.5	265	5	6	10	18	48	95	99+
20-34	790	14.4	131	6	7	11	16	27	41	73
35-49	969	16.4	153	6	7	12	19	32	46	91
50-64	1527	19.1	206	7	8	15	23	39	53	95
65+	3058	20.1	194	8	9	16	24	38	52	86
GRAND TOTAL	6726	18.4	192	7	8	14	22	38	51	99

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	11.4	79	4	6	9	12	17	26	51
20-34	433	11.8	47	5	6	10	13	20	27	39
35-49	784	11.2	28	6	7	10	13	17	19	36
50-64	1873	11.4	18	7	7	10	13	17	20	28
65+	2313	12.8	34	7	8	11	15	19	23	37
2. MULTIPLE DX										
0-19 YRS	360	18.3	327	6	7	11	20	50	71	99+
20-34	1118	15.9	139	7	7	12	18	30	42	85
35-49	2693	14.9	94	7	8	12	17	25	33	58
50-64	8450	15.5	87	7	8	13	18	26	33	60
65+	21588	18.3	122	8	9	15	21	31	40	70
TOT. SINGLE DX	5563	12.0	31	7	7	11	13	18	22	34
" MULTIPLE DX	34209	17.2	117	8	9	14	20	30	38	68
TOTAL 0-19 YRS	520	16.2	261	5	6	10	17	37	64	99+
20-34	1551	14.8	117	6	7	11	17	27	37	68
35-49	3477	14.1	82	7	7	11	16	23	31	55
50-64	10323	14.7	78	7	8	12	17	24	31	56
65+	23901	17.7	117	8	9	15	21	30	39	67
GRAND TOTAL	39772	16.5	108	7	8	13	19	28	37	65

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	7.9	20	2	3	7	10	14	17	24
20-34	31	11.0	52	4	4	9	13	23	26	34
35-49	51	10.3	64	4	5	9	10	16	26	44
50-64	82	9.7	21	4	5	9	12	14	20	26
65+	113	13.0	74	5	6	11	15	22	27	55
2. MULTIPLE DX										
0-19 YRS	80	13.5	138	4	5	10	15	28	48	90
20-34	153	14.9	192	4	5	11	17	29	43	94
35-49	229	15.4	112	6	7	13	18	31	43	99+
50-64	475	17.7	130	6	8	14	21	34	45	72
65+	1206	19.9	167	8	9	16	25	36	48	89
TOT. SINGLE DX	325	10.8	52	4	5	9	13	18	24	44
" MULTIPLE DX	2143	18.4	158	7	8	15	23	34	46	89
TOTAL 0-19 YRS	128	11.4	101	3	4	9	14	21	33	74
20-34	184	14.3	170	4	5	11	16	28	39	92
35-49	280	14.5	107	6	7	11	17	31	43	91
50-64	557	16.5	123	6	7	14	20	30	43	62
65+	1319	19.3	163	7	8	16	24	35	47	86
GRAND TOTAL	2468	17.4	150	6	7	14	21	33	44	84

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	549	6.1	11	2	3	6	8	10	12	18
20-34	475	8.3	11	4	5	8	10	12	14	22
35-49	468	8.6	15	4	5	8	10	13	16	25
50-64	552	9.2	16	4	5	9	11	13	15	26
65+	644	9.8	22	4	5	9	12	15	17	28
2. MULTIPLE DX										
0-19 YRS	856	11.1	120	3	4	8	12	22	34	99+
20-34	1033	11.9	94	4	5	9	13	21	32	62
35-49	1295	12.9	85	5	6	10	14	24	33	61
50-64	2266	13.9	116	5	6	11	15	25	37	71
65+	4328	14.6	103	5	7	12	17	26	34	61
TOT. SINGLE DX	2688	8.5	18	3	4	8	10	13	16	24
" MULTIPLE DX	9778	13.6	106	5	6	11	16	25	34	66
TOTAL 0-19 YRS	1405	9.2	84	3	3	7	10	16	26	78
20-34	1508	10.7	71	4	5	9	11	18	25	49
35-49	1763	11.8	70	5	6	9	13	21	30	55
50-64	2818	13.0	100	5	6	10	14	23	33	64
65+	4972	14.0	95	5	6	11	16	24	32	59
GRAND TOTAL	12466	12.5	91	4	5	10	14	22	31	60

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	11.6	95	4	5	8	14	22	26	59
20-34	40	12.9	213	1	3	10	13	24	28	93
35-49	54	12.5	85	3	5	11	14	21	25	63
50-64	91	13.8	71	5	6	11	17	24	31	48
65+	139	14.5	52	5	7	13	19	23	27	38
2. MULTIPLE DX										
0-19 YRS	159	21.6	401	4	6	14	25	53	73	99+
20-34	175	20.9	362	5	7	14	28	59	90	99+
35-49	331	19.0	218	6	8	14	22	37	55	99+
50-64	1067	20.8	200	7	8	17	25	40	51	82
65+	2540	22.4	199	8	10	19	28	42	57	99+
TOT. SINGLE DX	382	13.4	85	4	5	11	17	23	27	56
" MULTIPLE DX	4272	21.7	216	7	9	18	27	42	56	99+
TOTAL 0-19 YRS	217	18.9	338	4	5	13	22	47	64	99
20-34	215	19.4	343	5	6	12	26	48	87	99+
35-49	385	18.1	205	5	8	14	21	35	53	98
50-64	1158	20.2	194	7	8	16	25	40	49	80
65+	2679	22.0	195	8	9	19	28	41	56	99+
GRAND TOTAL	4654	21.0	210	7	8	17	26	41	54	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23905	3.9	4	2	2	3	4	7	8	12
20-34	16247	3.9	4	2	2	3	5	6	8	11
35-49	5412	4.7	6	2	2	4	6	8	9	13
50-64	2344	5.9	10	2	3	5	7	10	12	17
65+	835	7.3	15	3	3	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	7254	6.1	20	2	3	5	7	11	14	24
20-34	6100	6.0	20	2	3	5	7	10	13	21
35-49	2998	7.7	30	3	3	6	9	14	17	30
50-64	2421	9.5	41	3	4	8	12	16	20	34
65+	2146	11.9	71	4	5	10	14	21	26	48
TOT. SINGLE DX	48743	4.2	6	2	2	4	5	7	9	13
" MULTIPLE DX	20919	7.3	33	2	3	6	9	13	17	30
TOTAL 0-19 YRS	31159	4.4	9	2	2	4	5	8	10	16
20-34	22347	4.5	9	2	2	4	5	8	9	15
35-49	8410	5.8	17	2	3	5	7	10	13	22
50-64	4765	7.7	30	3	3	6	10	13	17	28
65+	2981	10.6	60	4	4	9	12	19	23	43
GRAND TOTAL	69662	5.1	16	2	2	4	6	9	12	20

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	4.0	5	2	2	4	5	6	8	13
20-34	163	4.5	3	2	2	4	6	7	8	10
35-49	58	5.7	6	3	3	5	7	8	10	17
50-64	18	6.2	8	2	3	6	8	10	11	11
65+	6	9.3	32	3	3	8	12	18	19	19
2. MULTIPLE DX										
0-19 YRS	125	5.6	14	2	3	4	7	10	13	21
20-34	147	5.7	9	2	3	5	7	9	11	19
35-49	52	8.1	26	3	4	6	10	14	20	24
50-64	31	13.4	246	4	5	9	14	21	31	91
65+	30	17.6	292	5	7	12	21	44	85	99+
TOT. SINGLE DX	473	4.5	6	2	2	4	5	7	8	12
" MULTIPLE DX	385	7.5	66	2	3	5	8	13	19	48
TOTAL 0-19 YRS	353	4.6	9	2	2	4	5	8	9	19
20-34	310	5.0	7	2	2	4	6	8	10	17
35-49	110	6.8	17	3	3	6	8	12	15	23
50-64	49	10.8	169	3	4	7	11	19	22	91
65+	36	16.2	257	4	6	12	18	37	75	99+
GRAND TOTAL	858	5.9	35	2	2	5	7	10	13	28

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	8.2	22	2	3	8	11	15	18	22
20-34	68	7.8	15	3	4	7	9	13	14	22
35-49	27	10.9	23	5	5	10	15	18	19	23
50-64	24	10.6	33	3	4	10	13	16	23	28
65+	16	10.0	20	3	4	9	12	17	19	20
2. MULTIPLE DX										
0-19 YRS	51	11.4	27	4	5	11	14	19	22	23
20-34	45	10.6	29	4	5	10	13	17	21	29
35-49	30	12.9	50	3	5	12	15	22	27	36
50-64	45	14.6	53	6	7	13	18	28	30	37
65+	47	16.8	123	6	8	15	20	27	36	68
TOT. SINGLE DX	205	8.9	22	3	3	8	11	15	18	23
" MULTIPLE DX	218	13.3	61	5	5	12	16	22	28	40
TOTAL 0-19 YRS	121	9.6	27	3	3	9	13	17	20	23
20-34	113	8.9	22	3	4	8	11	14	19	25
35-49	57	11.9	38	4	5	11	15	18	24	35
50-64	69	13.2	50	5	7	12	16	22	28	36
65+	63	15.1	106	5	7	12	19	24	31	65
GRAND TOTAL	423	11.1	47	3	4	10	14	19	23	35

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	3.4	9	<1	1	2	4	7	10	14
20-34	399	3.6	15	<1	1	3	4	7	9	16
35-49	302	3.9	15	1	1	3	4	8	10	22
50-64	512	4.3	27	<1	1	3	5	9	13	26
65+	898	4.7	26	1	1	3	6	9	13	24
2. MULTIPLE DX										
0-19 YRS	313	6.5	78	1	1	4	7	13	18	62
20-34	490	6.0	42	1	2	4	7	12	16	30
35-49	754	6.9	40	1	2	5	9	15	21	31
50-64	1490	7.0	43	1	2	5	9	15	20	32
65+	3914	9.2	83	2	2	7	12	19	26	53
TOT. SINGLE DX	2488	4.1	21	<1	1	3	5	8	11	22
" MULTIPLE DX	6961	8.1	69	1	2	6	10	17	23	44
TOTAL 0-19 YRS	690	4.8	43	<1	1	3	5	10	13	31
20-34	889	4.9	32	1	1	3	6	10	14	25
35-49	1056	6.0	35	1	1	4	7	12	18	30
50-64	2002	6.3	41	1	1	4	8	14	19	31
65+	4812	8.4	76	1	2	6	10	18	24	49
GRAND TOTAL	9449	7.1	59	1	2	5	9	15	21	40

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	2.8	5	1	1	2	3	5	7	14
20-34	926	2.9	4	1	1	2	4	5	7	10
35-49	705	3.1	5	1	1	3	4	6	7	11
50-64	314	3.5	6	1	1	3	4	6	8	14
65+	110	5.3	27	1	2	4	6	9	14	28
2. MULTIPLE DX										
0-19 YRS	114	4.4	13	1	1	4	5	8	11	20
20-34	577	4.4	20	1	1	3	5	8	11	23
35-49	662	5.7	54	1	1	4	7	11	16	39
50-64	606	7.0	64	1	2	4	8	16	22	43
65+	449	9.5	81	2	2	6	12	21	28	47
TOT. SINGLE DX	2238	3.2	6	1	1	3	4	6	7	13
" MULTIPLE DX	2408	6.4	55	1	2	4	7	13	20	40
TOTAL 0-19 YRS	297	3.4	9	1	1	3	4	7	9	17
20-34	1503	3.5	11	1	1	3	4	6	8	15
35-49	1367	4.4	31	1	1	3	5	8	11	27
50-64	920	5.8	47	1	1	4	6	12	18	37
65+	559	8.6	73	2	2	6	11	19	27	44
GRAND TOTAL	4646	4.8	34	1	1	3	5	10	14	29

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	10.8	22	5	7	10	12	15	19	31
20-34	75	13.4	65	4	6	11	15	24	27	49
35-49	176	12.3	24	6	8	12	14	18	20	29
50-64	531	13.1	22	7	8	12	15	19	22	28
65+	629	14.5	53	6	8	13	17	22	26	42
2. MULTIPLE DX										
0-19 YRS	160	12.9	86	5	6	10	14	23	30	69
20-34	176	16.2	112	5	8	13	19	29	38	59
35-49	496	16.0	84	7	8	13	18	29	35	56
50-64	1833	17.4	92	8	9	15	21	29	36	58
65+	4175	19.8	127	9	10	17	24	33	42	74
TOT. SINGLE DX	1522	13.4	39	6	8	12	16	20	24	36
" MULTIPLE DX	6840	18.6	116	8	9	16	22	31	40	66
TOTAL 0-19 YRS	271	12.0	61	5	7	10	13	20	27	60
20-34	251	15.4	100	5	7	12	18	28	36	57
35-49	672	15.0	71	7	8	13	17	25	32	52
50-64	2364	16.5	80	8	9	14	19	27	33	53
65+	4804	19.1	121	8	10	16	23	32	40	71
GRAND TOTAL	8362	17.7	106	8	9	15	21	30	37	63

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	909	3.6	13	<1	1	3	5	7	9	13
20-34	2745	4.6	13	1	1	4	6	8	11	17
35-49	2783	4.6	14	1	1	4	6	9	11	18
50-64	2466	4.8	18	<1	1	4	6	9	11	19
65+	2080	5.4	25	<1	1	4	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	1740	5.7	33	1	2	4	7	10	14	32
20-34	8795	6.2	33	1	2	5	7	11	15	30
35-49	13340	6.8	34	2	2	5	8	12	16	30
50-64	18251	7.4	40	2	2	6	9	14	18	33
65+	32151	9.0	61	2	3	7	11	17	22	42
TOT. SINGLE DX	10983	4.7	17	<1	1	4	6	9	11	19
" MULTIPLE DX	74277	7.8	48	2	2	6	9	15	20	37
TOTAL 0-19 YRS	2649	5.0	27	1	1	4	6	9	12	28
20-34	11540	5.8	29	1	2	4	7	11	14	28
35-49	16123	6.4	32	1	2	5	8	12	16	29
50-64	20717	7.1	38	1	2	6	9	13	17	32
65+	34231	8.8	60	2	3	7	11	17	22	42
GRAND TOTAL	85260	7.4	45	2	2	6	9	14	19	35

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	2.3	2	<1	<1	2	3	4	5	8
20-34	1074	2.9	3	1	1	3	4	5	6	8
35-49	1263	3.0	3	1	1	3	4	5	6	9
50-64	638	3.1	3	1	1	3	4	5	6	11
65+	236	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	64	3.8	16	<1	1	3	4	8	12	22
20-34	943	4.0	9	1	1	3	5	6	9	18
35-49	1395	3.9	8	1	1	3	5	6	8	16
50-64	1141	4.4	12	1	2	4	5	7	10	19
65+	618	5.6	39	1	2	4	6	10	15	27
TOT. SINGLE DX	3378	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	4161	4.3	15	1	2	4	5	7	10	20
TOTAL 0-19 YRS	231	2.7	7	<1	<1	2	3	5	7	16
20-34	2017	3.4	6	1	1	3	4	6	7	14
35-49	2658	3.4	6	1	1	3	4	6	7	13
50-64	1779	3.9	10	1	2	3	4	7	9	16
65+	854	4.9	31	1	2	4	5	9	13	26
GRAND TOTAL	7539	3.7	10	1	1	3	4	6	8	16

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	2.3	3	<1	<1	2	3	4	4	12
20-34	1028	2.6	3	<1	1	2	3	4	5	8
35-49	648	3.0	3	<1	1	3	4	5	6	9
50-64	313	3.2	3	1	1	3	4	5	6	11
65+	149	3.7	12	1	1	3	4	6	9	21
2. MULTIPLE DX										
0-19 YRS	95	4.6	80	1	1	3	4	5	8	58
20-34	1007	3.9	16	1	1	3	5	6	8	15
35-49	1358	4.0	9	1	2	4	5	6	8	15
50-64	1085	4.5	11	1	2	4	5	7	10	18
65+	862	6.4	43	2	2	4	7	12	16	33
TOT. SINGLE DX	2286	2.8	4	<1	1	3	4	5	6	9
" MULTIPLE DX	4407	4.6	20	1	2	4	5	8	11	22
TOTAL 0-19 YRS	243	3.2	34	<1	1	2	4	5	6	21
20-34	2035	3.2	10	1	1	3	4	5	7	11
35-49	2006	3.7	8	1	1	3	4	6	7	14
50-64	1398	4.2	10	1	2	4	5	7	9	16
65+	1011	6.0	40	1	2	4	7	11	15	32
GRAND TOTAL	6693	4.0	16	1	1	3	5	7	9	19

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.4	3	1	1	3	4	6	7	9
20-34	1231	4.0	3	1	2	4	5	6	7	9
35-49	1666	4.2	3	2	2	4	5	7	8	10
50-64	1038	4.3	4	1	2	4	5	7	8	11
65+	352	4.5	4	2	2	4	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	158	4.3	8	1	2	4	5	6	8	12
20-34	5228	4.5	6	2	2	4	5	7	8	13
35-49	8935	4.9	9	2	2	4	6	8	9	15
50-64	7089	5.3	11	2	3	5	6	9	11	18
65+	3905	6.5	25	2	3	5	8	12	15	28
TOT. SINGLE DX	4349	4.2	4	1	2	4	5	7	8	10
" MULTIPLE DX	25315	5.2	12	2	2	4	6	8	11	18
TOTAL 0-19 YRS	220	4.0	7	1	1	4	5	6	8	11
20-34	6459	4.4	6	2	2	4	5	7	8	12
35-49	10601	4.8	9	2	2	4	6	7	9	15
50-64	8127	5.2	11	2	2	4	6	8	10	17
65+	4257	6.4	24	2	3	5	7	11	14	27
GRAND TOTAL	29664	5.0	11	2	2	4	6	8	10	17

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	3.2	6	<1	1	3	4	6	8	14
20-34	1056	3.0	3	1	1	3	4	5	6	10
35-49	967	3.3	7	1	1	3	4	6	7	11
50-64	486	3.7	10	1	1	3	5	6	8	18
65+	281	4.1	7	1	1	3	5	8	10	13
2. MULTIPLE DX										
0-19 YRS	263	5.7	42	1	2	4	7	10	15	36
20-34	889	4.6	27	1	1	3	5	8	11	24
35-49	1142	4.7	19	1	1	4	6	9	11	24
50-64	1053	6.1	46	1	2	4	7	12	16	40
65+	1084	7.9	75	2	2	5	9	16	22	47
TOT. SINGLE DX	3108	3.3	7	1	1	3	4	6	7	12
" MULTIPLE DX	4431	5.9	44	1	2	4	7	11	16	35
TOTAL 0-19 YRS	581	4.3	24	1	1	3	5	8	11	20
20-34	1945	3.7	15	1	1	3	4	7	9	16
35-49	2109	4.0	15	1	1	3	5	8	10	19
50-64	1539	5.3	36	1	1	4	6	10	14	35
65+	1365	7.1	64	1	2	5	8	15	20	43
GRAND TOTAL	7539	4.8	30	1	1	3	5	9	13	27

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	10.1	48	2	3	7	17	20	22	22
20-34	27	10.1	39	1	3	9	13	19	23	27
35-49	19	7.2	24	2	3	6	9	15	18	20
50-64	22	10.0	60	1	2	8	15	22	27	28
65+	16	11.1	74	1	1	13	16	23	27	29
2. MULTIPLE DX										
0-19 YRS	32	15.4	111	4	5	11	22	33	41	99+
20-34	78	17.9	225	4	5	13	22	43	64	99+
35-49	71	16.8	185	2	4	13	23	36	45	68
50-64	138	15.6	147	2	2	13	21	33	43	66
65+	188	18.0	174	3	4	15	24	36	46	72
TOT. SINGLE DX	95	9.6	48	1	2	7	14	20	23	29
" MULTIPLE DX	507	17.0	173	2	4	14	23	36	45	87
TOTAL 0-19 YRS	43	14.1	99	3	4	11	21	31	40	99+
20-34	105	15.9	189	3	5	12	20	36	51	99+
35-49	90	14.8	166	2	4	10	18	34	42	63
50-64	160	14.8	139	2	2	13	20	31	42	61
65+	204	17.4	170	3	3	15	23	35	45	71
GRAND TOTAL	602	15.8	160	2	4	13	22	34	43	77

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	4.9	24	1	1	3	6	13	16	23
20-34	720	3.7	24	1	1	2	5	8	12	21
35-49	703	3.8	29	<1	1	2	4	9	12	24
50-64	760	3.9	24	<1	1	2	4	10	15	24
65+	467	5.7	45	1	1	3	8	14	20	32
2. MULTIPLE DX										
0-19 YRS	517	11.5	182	1	2	7	14	28	37	75
20-34	1397	10.1	129	1	1	7	13	23	32	67
35-49	2281	9.8	115	1	1	7	13	22	31	59
50-64	4021	9.9	89	1	1	8	14	21	28	47
65+	4536	12.2	115	1	2	10	16	24	33	56
TOT. SINGLE DX	2895	4.2	30	1	1	2	5	10	15	25
" MULTIPLE DX	12752	10.8	113	1	2	8	14	23	31	56
TOTAL 0-19 YRS	762	9.4	141	1	1	6	11	23	32	71
20-34	2117	8.0	103	1	1	5	10	18	27	62
35-49	2984	8.4	102	1	1	5	11	19	27	52
50-64	4781	9.0	84	1	1	7	12	20	26	45
65+	5003	11.6	113	1	2	9	15	24	32	55
GRAND TOTAL	15647	9.6	104	1	1	7	13	21	29	52

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1141	6.0	5	3	4	5	7	9	10	15
20-34	13433	6.1	5	3	4	6	7	9	10	14
35-49	12222	6.4	5	4	4	6	7	9	11	15
50-64	10297	7.0	7	4	4	6	8	10	12	17
65+	5089	8.4	14	4	5	8	10	13	15	23
2. MULTIPLE DX										
0-19 YRS	991	8.9	42	4	4	7	10	15	19	34
20-34	12053	7.8	19	4	4	7	9	12	15	25
35-49	16042	8.5	26	4	5	7	10	14	17	29
50-64	22179	9.7	37	4	5	8	11	16	20	34
65+	28098	13.0	71	5	6	11	15	22	28	49
TOT. SINGLE DX	42182	6.7	8	4	4	6	8	10	12	16
" MULTIPLE DX	79363	10.3	49	4	5	8	12	18	23	39
TOTAL 0-19 YRS	2132	7.3	25	3	4	6	8	12	15	26
20-34	25486	6.9	13	4	4	6	8	10	13	20
35-49	28264	7.6	19	4	4	7	9	12	15	23
50-64	32476	8.9	29	4	5	7	10	14	18	30
65+	33187	12.3	65	5	6	10	15	21	27	46
GRAND TOTAL	121545	9.1	38	4	5	7	10	15	20	34

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	12.3	47	2	3	11	18	22	22	30
20-34	156	7.0	35	1	2	6	9	12	16	37
35-49	215	8.0	39	1	2	7	11	17	21	28
50-64	275	10.1	59	1	2	9	14	20	24	37
65+	442	11.5	80	1	2	10	15	21	29	42
2. MULTIPLE DX										
0-19 YRS	87	20.0	321	2	4	15	22	44	58	88
20-34	278	11.8	88	2	2	9	15	24	32	46
35-49	527	14.2	107	2	3	12	18	27	34	52
50-64	1252	16.4	146	3	5	14	20	30	40	65
65+	3704	17.5	134	4	6	15	22	32	40	68
TOT. SINGLE DX	1134	9.9	63	1	2	9	13	20	24	39
" MULTIPLE DX	5848	16.7	138	3	5	14	21	31	39	66
TOTAL 0-19 YRS	133	17.3	239	2	3	14	21	36	53	78
20-34	434	10.1	75	1	2	8	12	20	28	42
35-49	742	12.4	96	1	2	10	17	24	32	46
50-64	1527	15.2	137	2	4	12	19	29	37	64
65+	4146	16.9	132	3	5	14	21	31	39	66
GRAND TOTAL	6982	15.6	132	2	4	13	20	30	37	62

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.9	36	1	1	3	8	14	18	27
20-34	332	6.0	39	1	1	4	8	11	16	34
35-49	501	5.9	40	<1	1	4	8	12	17	36
50-64	503	7.3	59	1	1	4	10	16	23	39
65+	400	7.6	90	1	1	4	9	19	25	47
2. MULTIPLE DX										
0-19 YRS	101	19.2	325	1	2	13	27	43	58	84
20-34	762	12.1	166	1	2	8	15	28	41	80
35-49	1418	13.6	177	1	2	10	17	31	44	96
50-64	2060	14.0	186	2	2	10	18	32	44	70
65+	3034	14.2	187	2	3	10	18	31	43	77
TOT. SINGLE DX	1774	6.7	57	1	1	4	9	14	20	38
" MULTIPLE DX	7375	13.9	186	2	2	10	18	31	43	77
TOTAL 0-19 YRS	139	15.6	281	1	2	10	22	37	52	82
20-34	1094	10.2	136	1	2	7	12	23	36	69
35-49	1919	11.6	153	1	2	8	15	28	39	73
50-64	2563	12.7	169	1	2	9	16	29	40	68
65+	3434	13.5	181	1	2	10	17	29	41	77
GRAND TOTAL	9149	12.5	169	1	2	9	16	29	40	72

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	905	3.7	11	<1	1	3	4	7	9	19
20-34	2331	4.5	19	1	1	4	5	8	11	19
35-49	2204	4.6	14	1	1	4	6	9	11	18
50-64	2493	4.6	18	<1	1	4	6	9	11	20
65+	2500	4.8	22	<1	1	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	1209	5.7	39	1	2	4	7	11	15	33
20-34	4931	6.0	31	2	2	5	7	11	15	30
35-49	7660	6.4	32	2	2	5	8	12	16	29
50-64	13711	6.8	39	1	2	5	8	13	17	32
65+	32739	8.2	53	2	2	6	10	15	21	41
TOT. SINGLE DX	10433	4.6	18	<1	1	4	6	9	11	20
" MULTIPLE DX	60250	7.4	46	2	2	6	9	14	19	36
TOTAL 0-19 YRS	2114	4.8	28	1	1	3	6	9	12	26
20-34	7262	5.6	28	1	2	4	7	10	14	28
35-49	9864	6.0	29	1	2	5	7	11	15	28
50-64	16204	6.5	37	1	2	5	8	12	16	31
65+	35239	7.9	52	2	2	6	10	15	20	40
GRAND TOTAL	70683	7.0	43	1	2	5	9	13	18	34

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9207	1.8	1	<1	<1	2	2	3	4	5
20-34	11844	2.8	2	1	1	3	3	4	5	7
35-49	10354	3.0	2	1	1	3	4	5	5	7
50-64	13907	3.2	3	1	1	3	4	5	6	8
65+	10319	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	5365	2.3	14	<1	<1	2	2	4	5	13
20-34	4232	3.4	5	1	1	3	4	5	7	11
35-49	6037	3.9	7	1	2	3	5	6	8	15
50-64	12936	4.3	10	1	2	4	5	7	9	16
65+	19745	5.7	26	2	2	4	7	10	14	27
TOT. SINGLE DX	55631	2.9	3	1	1	3	4	5	6	8
" MULTIPLE DX	48315	4.5	18	1	1	4	5	8	11	21
TOTAL 0-19 YRS	14572	2.0	6	<1	<1	2	2	3	4	8
20-34	16076	2.9	3	1	1	3	4	5	5	8
35-49	16391	3.3	4	1	1	3	4	5	6	11
50-64	26843	3.8	7	1	2	3	4	6	8	13
65+	30064	5.0	20	1	2	4	6	9	12	23
GRAND TOTAL	103946	3.7	11	1	1	3	4	6	8	16

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2797	1.5		<1	<1	1	2	2	3	5
20-34	991	3.3	1	1	1	3	4	5	5	7
35-49	1389	3.6	2	1	2	4	5	6	6	8
50-64	2014	3.8	2	1	2	4	5	6	7	9
65+	1215	4.1	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	2386	3.3	87	<1	<1	1	2	4	9	86
20-34	512	3.8	5	1	2	3	4	6	7	12
35-49	1016	4.3	5	1	2	4	5	7	8	14
50-64	2172	4.9	12	2	2	4	6	8	10	17
65+	2721	6.3	26	2	3	5	7	11	14	26
TOT. SINGLE DX	8406	3.0	3	<1	<1	3	4	5	6	8
" MULTIPLE DX	8807	4.7	37	<1	1	4	5	8	11	31
TOTAL 0-19 YRS	5183	2.3	41	<1	<1	1	2	3	4	47
20-34	1503	3.4	3	1	2	3	4	5	6	9
35-49	2405	3.9	4	1	2	4	5	6	7	10
50-64	4186	4.4	8	1	2	4	5	7	8	14
65+	3936	5.6	20	2	2	5	6	9	12	22
GRAND TOTAL	17213	3.9	21	<1	1	3	5	7	9	19

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.4	3	<1	1	2	3	4	5	11
20-34	280	3.0	2	1	1	3	4	5	6	8
35-49	442	3.2	2	1	1	3	4	5	6	9
50-64	514	3.9	5	1	2	4	5	6	7	11
65+	626	5.0	9	1	2	4	6	8	11	18
2. MULTIPLE DX										
0-19 YRS	20	5.4	47	<1	<1	3	5	16	24	27
20-34	138	3.7	4	1	1	3	4	6	7	15
35-49	248	3.9	4	1	2	4	5	6	8	12
50-64	497	5.9	20	2	2	5	7	11	15	25
65+	1551	8.5	57	2	3	6	10	17	22	38
TOT. SINGLE DX	1939	3.9	7	1	1	3	5	7	8	13
" MULTIPLE DX	2454	7.2	45	2	2	5	9	14	19	34
TOTAL 0-19 YRS	97	3.0	13	<1	1	2	3	5	8	24
20-34	418	3.2	3	1	1	3	4	5	6	9
35-49	690	3.5	4	1	1	3	4	6	7	11
50-64	1011	4.9	14	1	2	4	6	8	11	20
65+	2177	7.5	46	2	3	5	9	14	20	35
GRAND TOTAL	4393	5.8	31	1	2	4	7	11	15	30

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1844	1.9	6	<1	<1	2	2	3	3	5
20-34	836	2.8	2	1	1	2	3	5	6	8
35-49	1261	2.9	2	1	1	3	4	5	6	9
50-64	904	3.3	3	1	1	3	4	6	7	10
65+	457	4.6	14	1	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	516	3.7	38	<1	<1	2	4	6	11	36
20-34	503	4.2	8	1	2	4	5	7	9	15
35-49	1095	4.8	14	1	2	4	6	8	11	20
50-64	1514	5.7	22	1	2	4	7	11	15	26
65+	1412	8.0	59	2	2	6	9	16	21	44
TOT. SINGLE DX	5302	2.8	6	<1	1	2	3	5	6	10
" MULTIPLE DX	5040	5.8	34	1	2	4	7	11	16	30
TOTAL 0-19 YRS	2360	2.3	14	<1	<1	2	2	3	5	13
20-34	1339	3.3	5	1	1	3	4	6	7	12
35-49	2356	3.8	9	1	1	3	5	7	9	15
50-64	2418	4.8	17	1	2	4	6	9	12	22
65+	1869	7.2	51	2	2	5	8	14	19	42
GRAND TOTAL	10342	4.2	22	<1	1	3	5	8	11	23

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	391	2.3	3	<1	<1	2	3	4	5	9
20-34	1357	3.5	4	1	1	3	5	6	7	9
35-49	2233	4.4	5	1	2	4	6	7	9	12
50-64	2461	4.9	6	1	2	5	6	8	10	13
65+	1706	5.6	7	2	2	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	177	4.1	16	<1	1	3	5	8	11	24
20-34	1019	5.6	20	2	2	5	7	9	13	23
35-49	2646	6.6	24	2	2	5	8	11	15	27
50-64	4346	7.6	34	2	3	6	9	13	17	31
65+	5103	9.0	54	3	3	7	11	16	21	40
TOT. SINGLE DX	8148	4.5	7	1	2	4	6	8	9	13
" MULTIPLE DX	13291	7.7	40	2	3	6	9	14	18	32
TOTAL 0-19 YRS	568	2.9	8	<1	<1	2	3	6	8	15
20-34	2376	4.4	12	1	1	4	5	8	9	18
35-49	4879	5.6	17	2	2	5	7	10	12	21
50-64	6807	6.6	26	2	3	6	8	11	14	26
65+	6809	8.1	45	2	3	7	10	14	19	34
GRAND TOTAL	21439	6.5	30	2	2	5	8	11	15	27

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	4.2	8	<1	1	4	6	7	11	14
20-34	84	6.1	10	2	3	6	8	10	14	16
35-49	85	6.7	12	2	2	7	9	10	12	19
50-64	169	7.4	11	2	3	7	9	11	13	18
65+	121	9.3	25	3	4	9	11	15	20	28
2. MULTIPLE DX										
0-19 YRS	107	12.8	224	2	2	8	16	28	59	99+
20-34	210	8.9	32	3	5	8	10	14	20	35
35-49	428	9.9	42	4	5	8	11	16	20	44
50-64	659	11.1	43	5	6	9	13	18	24	40
65+	822	14.8	115	6	7	12	18	25	34	74
TOT. SINGLE DX	523	7.1	17	2	2	7	9	12	14	21
" MULTIPLE DX	2226	12.1	82	5	6	10	14	21	28	60
TOTAL 0-19 YRS	171	9.6	161	1	1	6	11	23	33	97
20-34	294	8.1	28	3	4	7	9	13	16	33
35-49	513	9.4	39	3	5	8	11	16	20	42
50-64	828	10.4	39	4	5	9	12	17	22	39
65+	943	14.1	107	5	6	11	17	23	32	71
GRAND TOTAL	2749	11.2	74	3	5	9	13	20	26	51

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	707	3.9	14	<1	1	3	5	8	10	15
20-34	1016	4.3	14	1	1	3	5	8	11	20
35-49	746	5.1	25	1	1	4	7	10	14	24
50-64	744	6.5	31	1	1	5	9	13	18	28
65+	515	7.7	45	1	2	6	10	16	20	32
2. MULTIPLE DX										
0-19 YRS	688	7.2	57	1	1	5	9	15	22	41
20-34	1617	8.2	74	1	2	6	10	17	25	47
35-49	2428	10.2	93	1	2	7	12	21	29	53
50-64	4386	11.5	101	2	3	9	15	23	31	56
65+	5796	13.2	124	2	3	10	17	26	34	60
TOT. SINGLE DX	3728	5.3	26	1	1	4	7	11	14	24
" MULTIPLE DX	14915	11.4	108	2	2	9	15	24	31	56
TOTAL 0-19 YRS	1395	5.5	39	<1	1	4	7	11	16	31
20-34	2633	6.7	55	1	1	5	8	14	20	41
35-49	3174	9.0	83	1	2	6	11	19	26	51
50-64	5130	10.8	95	1	2	8	14	22	29	52
65+	6311	12.7	120	2	3	10	17	26	33	58
GRAND TOTAL	18643	10.2	97	1	2	7	13	22	29	52

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	756	5.7	20	2	2	5	7	10	13	21
20-34	1572	5.6	12	2	2	5	7	9	12	19
35-49	644	7.3	23	2	3	6	9	12	16	26
50-64	414	9.0	33	3	4	8	11	15	19	33
65+	326	11.4	41	3	5	10	14	19	22	40
2. MULTIPLE DX										
0-19 YRS	1116	9.1	89	3	3	6	10	16	29	60
20-34	2871	8.6	75	2	3	6	9	16	24	53
35-49	1753	11.8	116	3	4	8	14	23	34	66
50-64	2015	15.8	165	4	6	12	19	30	42	76
65+	2797	18.0	158	6	7	15	22	34	44	75
TOT. SINGLE DX	3712	6.8	24	2	3	6	8	12	16	24
" MULTIPLE DX	10552	13.0	138	3	4	9	16	26	37	69
TOTAL 0-19 YRS	1872	7.7	64	2	3	6	9	14	19	46
20-34	4443	7.5	55	2	3	6	8	13	19	42
35-49	2397	10.6	96	3	4	8	12	20	29	57
50-64	2429	14.6	150	4	5	11	18	28	39	71
65+	3123	17.3	150	5	7	14	21	32	43	73
GRAND TOTAL	14264	11.4	116	3	3	8	14	23	32	64

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1295	2.9	5	<1	1	2	4	6	8	11
20-34	5496	2.4	4	<1	<1	2	3	5	7	10
35-49	1000	2.3	4	<1	<1	2	2	5	7	11
50-64	158	2.9	14	<1	<1	2	3	6	8	19
65+	58	2.7	5	<1	<1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	1319	3.9	9	<1	1	3	5	8	9	14
20-34	7821	3.2	10	<1	<1	2	4	7	9	15
35-49	1727	3.5	17	<1	<1	2	4	8	11	20
50-64	295	5.6	39	<1	1	3	7	13	18	33
65+	248	10.1	102	1	2	7	14	22	31	47
TOT. SINGLE DX	8007	2.5	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	11410	3.5	15	<1	<1	2	4	8	10	18
TOTAL 0-19 YRS	2614	3.4	8	<1	1	2	5	7	9	13
20-34	13317	2.9	8	<1	<1	2	4	6	8	13
35-49	2727	3.1	13	<1	<1	2	3	7	10	18
50-64	453	4.6	32	<1	1	2	5	11	16	32
65+	306	8.7	92	1	1	5	13	21	26	47
GRAND TOTAL	19417	3.1	11	<1	<1	2	4	7	9	16

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	404	6.3	20	1	2	6	8	10	13	22
20-34	1383	5.9	15	1	1	5	8	11	14	20
35-49	1051	7.8	27	1	2	7	10	13	16	28
50-64	799	9.2	33	2	4	8	11	15	18	32
65+	654	10.7	29	4	5	10	13	18	22	29
2. MULTIPLE DX										
0-19 YRS	828	10.4	127	2	3	7	12	21	32	69
20-34	4683	6.9	43	1	2	5	8	13	18	36
35-49	3290	10.4	87	2	3	8	12	21	27	53
50-64	3178	13.9	116	3	4	11	17	27	36	60
65+	4562	17.0	152	5	7	14	21	31	42	80
TOT. SINGLE DX	4291	7.8	28	1	2	7	10	14	17	27
" MULTIPLE DX	16541	11.9	116	2	3	9	15	24	33	61
TOTAL 0-19 YRS	1232	9.1	96	1	2	7	10	17	26	58
20-34	6066	6.7	38	1	2	5	8	12	16	33
35-49	4341	9.8	74	2	3	8	12	19	25	47
50-64	3977	12.9	104	3	4	10	16	25	33	55
65+	5216	16.2	142	5	6	13	20	30	40	76
GRAND TOTAL	20832	11.1	101	2	3	8	14	22	30	56

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	8.0	16	3	4	8	10	12	15	26
20-34	185	8.3	8	5	6	8	9	11	13	20
35-49	248	9.3	13	5	6	9	10	13	16	22
50-64	400	10.3	13	6	6	9	12	15	18	22
65+	362	11.8	26	6	7	11	14	18	21	31
2. MULTIPLE DX										
0-19 YRS	431	10.1	46	4	4	8	12	18	24	38
20-34	498	11.7	98	5	5	9	12	21	27	67
35-49	711	13.7	103	6	6	11	16	23	33	77
50-64	1608	13.9	69	6	7	12	16	23	30	49
65+	2437	16.6	100	7	8	14	20	29	37	65
TOT. SINGLE DX	1330	10.0	18	5	6	9	12	15	18	25
" MULTIPLE DX	5685	14.6	92	6	7	12	17	26	33	60
TOTAL 0-19 YRS	566	9.6	40	3	4	8	11	17	23	35
20-34	683	10.8	76	5	6	8	11	18	23	59
35-49	959	12.5	84	5	6	10	14	21	29	65
50-64	2008	13.2	60	6	7	11	15	22	27	47
65+	2799	16.0	94	7	8	13	19	28	36	63
GRAND TOTAL	7015	13.7	81	6	7	11	16	24	31	56

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	842	5.7	24	1	2	4	8	11	14	23
20-34	1141	6.8	21	1	2	6	9	12	15	23
35-49	1334	7.1	23	1	2	7	9	12	15	24
50-64	1104	7.1	19	1	2	7	9	12	15	20
65+	540	7.4	24	1	2	7	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	1148	11.6	112	2	2	8	15	25	33	49
20-34	2054	11.2	96	2	2	9	14	22	29	51
35-49	2282	11.6	98	2	2	9	15	22	30	55
50-64	2740	11.9	101	2	2	10	15	23	30	58
65+	2813	13.3	118	2	3	10	17	26	34	57
TOT. SINGLE DX	4961	6.8	23	1	2	6	9	12	15	23
" MULTIPLE DX	11037	12.0	106	2	2	9	15	24	32	55
TOTAL 0-19 YRS	1990	9.1	84	1	2	6	11	20	28	45
20-34	3195	9.6	74	2	2	8	12	19	25	42
35-49	3616	9.9	75	2	2	8	12	19	26	47
50-64	3844	10.5	83	2	2	9	13	20	26	50
65+	3353	12.3	108	2	3	10	15	24	32	55
GRAND TOTAL	15998	10.4	86	2	2	8	13	21	28	49

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	6.1	10	1	2	6	8	11	12	16
20-34	789	7.0	11	2	3	7	9	11	13	16
35-49	1185	7.6	14	2	3	7	10	12	13	19
50-64	990	7.8	13	2	3	8	10	12	14	19
65+	375	8.7	16	3	5	8	11	14	17	21
2. MULTIPLE DX										
0-19 YRS	91	6.7	17	1	1	7	10	12	15	18
20-34	722	9.0	36	2	4	8	11	15	18	28
35-49	1115	9.2	27	3	4	8	11	15	18	30
50-64	1669	10.5	44	3	4	9	13	18	22	33
65+	1657	12.5	66	3	4	11	16	22	29	42
TOT. SINGLE DX	3423	7.6	14	2	3	7	10	12	14	19
" MULTIPLE DX	5254	10.6	49	2	4	9	13	18	23	36
TOTAL 0-19 YRS	175	6.4	14	1	2	6	9	11	13	17
20-34	1511	7.9	24	2	3	7	10	13	16	23
35-49	2300	8.4	21	2	3	8	10	13	16	25
50-64	2659	9.5	35	2	4	8	12	16	19	29
65+	2032	11.8	60	3	5	10	15	21	27	41
GRAND TOTAL	**8677**	**9.4**	**37**	**2**	**4**	**8**	**12**	**16**	**20**	**32**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	744	6.9	6	3	4	7	8	10	11	14
20-34	79	8.8	17	2	3	9	10	14	15	24
35-49	51	10.6	21	3	5	11	14	16	19	22
50-64	29	11.0	22	5	6	10	13	16	18	26
65+	37	14.4	67	2	5	13	20	23	32	36
2. MULTIPLE DX										
0-19 YRS	939	9.4	38	3	4	8	11	16	20	34
20-34	208	13.2	102	5	6	10	14	26	31	59
35-49	158	14.6	91	6	7	12	17	23	30	51
50-64	245	17.4	194	4	7	13	20	35	39	84
65+	380	19.1	148	6	8	16	25	34	43	77
TOT. SINGLE DX	940	7.7	14	3	4	7	9	12	14	23
" MULTIPLE DX	1930	13.2	107	4	5	10	16	25	33	56
TOTAL 0-19 YRS	1683	8.3	26	3	4	7	10	13	16	27
20-34	287	12.0	83	4	5	9	14	20	28	50
35-49	209	13.6	77	5	6	12	17	21	26	49
50-64	274	16.7	180	4	7	13	18	34	39	84
65+	417	18.6	143	5	8	16	24	34	42	77
GRAND TOTAL	**2870**	**11.4**	**83**	**3**	**5**	**9**	**13**	**21**	**28**	**49**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	301	4.5	11	<1	1	4	6	9	12	15
20-34	2141	4.0	7	1	1	3	5	7	9	13
35-49	2710	4.0	6	1	1	3	5	7	9	12
50-64	1733	4.2	7	1	2	4	5	7	10	14
65+	632	4.7	13	1	2	4	6	8	11	16
2. MULTIPLE DX										
0-19 YRS	290	8.1	48	1	2	6	11	16	20	35
20-34	1143	5.6	30	1	2	4	7	10	13	24
35-49	1775	5.3	18	1	2	4	7	10	12	21
50-64	1979	6.3	25	2	2	5	8	11	16	27
65+	1746	8.3	50	2	2	6	10	16	22	36
TOT. SINGLE DX	7517	4.1	8	1	2	4	5	7	9	14
" MULTIPLE DX	6933	6.5	33	2	2	5	8	12	17	29
TOTAL 0-19 YRS	591	6.3	33	1	1	5	8	13	16	26
20-34	3284	4.6	16	1	2	4	6	8	10	17
35-49	4485	4.5	11	1	2	4	6	8	10	16
50-64	3712	5.4	18	1	2	4	7	10	13	22
65+	2378	7.3	43	2	2	6	9	15	19	34
GRAND TOTAL	**14450**	**5.3**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1749	2.1	4	<1	<1	1	2	5	6	11
20-34	2564	3.6	9	<1	<1	3	5	7	9	15
35-49	2941	3.6	9	<1	1	3	5	7	9	14
50-64	3058	3.6	12	<1	1	2	5	8	10	16
65+	2723	3.9	14	<1	1	3	5	8	10	19
2. MULTIPLE DX										
0-19 YRS	2701	3.6	22	<1	<1	2	4	8	10	20
20-34	5082	5.8	38	1	1	4	7	12	16	32
35-49	6975	6.5	49	1	1	5	8	13	19	36
50-64	11883	6.8	61	1	1	5	9	14	20	40
65+	24019	9.0	91	1	2	6	11	19	26	56
TOT. SINGLE DX	13035	3.5	11	<1	<1	2	5	7	9	16
" MULTIPLE DX	50660	7.5	72	1	1	5	9	16	22	46
TOTAL 0-19 YRS	4450	3.0	16	<1	<1	2	4	7	9	17
20-34	7646	5.1	30	<1	1	4	6	10	14	28
35-49	9916	5.7	39	1	1	4	7	11	16	31
50-64	14941	6.2	53	1	1	4	8	13	18	38
65+	26742	8.5	86	1	2	6	11	18	25	53
GRAND TOTAL	**63695**	**6.7**	**62**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.1	7	<1	<1	2	4	7	9	12
20-34	199	2.8	7	<1	1	2	3	5	6	17
35-49	658	2.9	4	1	1	2	4	5	7	11
50-64	2581	3.4	8	1	1	3	4	6	8	13
65+	4958	3.7	8	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	111	5.6	46	1	1	3	7	13	17	39
20-34	511	5.0	52	<1	1	3	6	9	13	34
35-49	1208	4.7	23	<1	1	3	6	10	13	25
50-64	4713	5.2	33	1	1	4	6	10	14	30
65+	16118	6.6	50	1	2	5	8	14	19	37
TOT. SINGLE DX	8444	3.5	8	1	1	3	4	6	8	13
" MULTIPLE DX	22661	6.2	46	1	2	4	7	13	18	35
TOTAL 0-19 YRS	159	4.8	36	<1	1	3	6	11	13	34
20-34	710	4.4	41	<1	1	3	5	9	11	28
35-49	1866	4.0	18	<1	1	3	5	8	11	23
50-64	7294	4.5	25	1	1	3	5	9	12	25
65+	21076	5.9	42	1	2	4	7	12	17	34
GRAND TOTAL	31105	5.5	37	1	1	4	6	11	15	31

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	5.4	23	1	1	4	7	11	15	28
20-34	333	5.0	24	1	1	4	7	9	13	23
35-49	551	5.7	26	1	1	4	7	11	14	30
50-64	824	5.7	24	1	1	4	8	13	15	22
65+	1130	6.4	36	1	1	4	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	807	9.2	99	1	2	6	11	20	29	60
20-34	810	9.5	126	1	2	6	11	20	30	68
35-49	1161	9.3	111	1	2	6	11	19	27	79
50-64	2591	9.8	100	1	2	7	13	20	27	49
65+	6821	11.3	114	2	2	8	15	24	32	63
TOT. SINGLE DX	3089	5.8	29	1	1	4	8	13	16	26
" MULTIPLE DX	12190	10.5	112	1	2	8	14	22	31	61
TOTAL 0-19 YRS	1058	8.3	84	1	2	6	10	17	26	54
20-34	1143	8.2	101	1	1	5	9	17	25	56
35-49	1712	8.1	87	1	2	6	10	16	24	57
50-64	3415	8.8	85	1	2	6	12	18	24	45
65+	7951	10.6	106	1	2	8	14	23	31	59
GRAND TOTAL	15279	9.5	99	1	2	7	12	21	28	57

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	1.3	1	<1	<1	1	1	2	2	4
20-34	43	2.3	4	<1	<1	1	3	5	6	11
35-49	31	2.9	6	<1	<1	2	4	7	9	11
50-64	32	2.1	2	<1	<1	2	2	5	7	7
65+	33	3.1	7	<1	<1	2	4	6	9	13
2. MULTIPLE DX										
0-19 YRS	351	2.1	2	<1	<1	1	2	4	6	7
20-34	87	4.1	35	<1	<1	2	5	8	14	36
35-49	82	3.4	9	<1	<1	2	5	8	10	14
50-64	120	4.4	20	<1	<1	3	6	11	13	23
65+	143	6.5	29	1	2	5	9	14	18	25
TOT. SINGLE DX	571	1.6	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	783	3.6	17	<1	<1	2	4	8	12	22
TOTAL 0-19 YRS	783	1.6	2	<1	<1	1	2	3	4	7
20-34	130	3.5	26	<1	<1	2	4	7	11	31
35-49	113	3.3	9	<1	<1	2	4	8	9	14
50-64	152	3.9	18	<1	<1	2	5	9	13	22
65+	176	5.9	27	<1	1	4	8	13	17	25
GRAND TOTAL	1354	2.8	12	<1	<1	1	3	6	9	18

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2057	4.8	14	<1	1	4	7	10	12	16
20-34	484	3.5	9	<1	<1	2	5	8	10	15
35-49	352	4.4	8	<1	1	4	6	8	10	12
50-64	329	4.1	11	<1	1	3	6	9	10	14
65+	308	3.9	10	1	1	3	5	8	10	16
2. MULTIPLE DX										
0-19 YRS	1274	5.9	22	<1	1	5	8	12	14	21
20-34	427	5.5	60	<1	1	3	6	12	16	37
35-49	519	6.2	38	1	1	5	8	12	15	34
50-64	630	5.7	23	1	1	4	7	12	15	23
65+	1113	6.8	45	1	2	5	8	14	19	35
TOT. SINGLE DX	3530	4.5	13	<1	1	3	6	9	11	16
" MULTIPLE DX	3963	6.1	35	1	1	4	8	12	16	30
TOTAL 0-19 YRS	3331	5.2	18	<1	1	4	8	11	13	17
20-34	911	4.5	34	<1	1	3	5	9	12	27
35-49	871	5.4	27	1	1	4	7	10	13	27
50-64	959	5.1	20	1	1	4	7	10	13	21
65+	1421	6.2	39	1	1	4	8	13	17	32
GRAND TOTAL	7493	5.3	25	<1	1	4	7	11	14	24

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	440	1.8	1	<1	<1	1	2	3	5	8
20-34	348	2.8	5	<1	<1	2	4	6	8	11
35-49	307	2.9	5	<1	<1	2	3	6	8	13
50-64	280	3.0	8	<1	<1	2	4	6	7	16
65+	317	3.0	5	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	1109	[illegible]	18	<1	<1	1	3	6	8	16
20-34	1312	[illegible]	39	<1	1	4	7	11	15	32
35-49	1497	5.9	40	<1	1	4	8	12	16	31
50-64	2157	6.7	55	1	1	5	9	14	19	40
65+	4968	8.7	67	1	2	7	11	18	25	44
TOT. SINGLE DX	1692	2.6	6	<1	<1	2	3	5	7	12
" MULTIPLE DX	11043	6.9	57	1	1	5	9	15	21	40
TOTAL 0-19 YRS	1549	2.4	14	<1	<1	1	3	5	7	13
20-34	1660	4.8	33	<1	1	3	6	10	13	31
35-49	1804	5.4	36	<1	1	4	7	11	15	30
50-64	2437	6.3	51	1	1	4	8	13	18	37
65+	5285	8.4	66	1	2	6	11	17	24	43
GRAND TOTAL	**12735**	**6.4**	**52**	**<1**	**1**	**4**	**8**	**14**	**19**	**38**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	397	2.0	2	<1	<1	1	2	4	5	9
20-34	502	3.0	8	<1	1	2	4	6	8	15
35-49	364	3.3	7	<1	1	2	4	7	9	13
50-64	331	3.5	9	1	1	3	4	7	9	15
65+	441	3.7	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	446	2.9	25	<1	<1	2	3	6	8	21
20-34	670	3.8	18	1	1	2	4	8	11	19
35-49	676	4.7	22	1	1	3	6	10	13	26
50-64	960	5.6	32	1	2	4	7	11	16	28
65+	2178	7.0	50	1	2	5	8	15	21	39
TOT. SINGLE DX	2035	3.1	8	<1	1	2	4	6	8	14
" MULTIPLE DX	4930	5.6	39	1	1	4	7	12	17	33
TOTAL 0-19 YRS	843	2.4	15	<1	<1	2	3	5	7	13
20-34	1172	3.5	15	1	1	2	4	7	10	17
35-49	1040	4.2	18	1	1	3	5	9	12	22
50-64	1291	5.1	27	1	1	3	6	10	14	25
65+	2619	6.5	45	1	2	4	8	13	19	37
GRAND TOTAL	**6965**	**4.9**	**31**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.2	8	2	2	7	8	10	11	11
20-34	205	6.1	4	2	4	6	7	8	10	12
35-49	876	6.9	5	4	4	7	8	10	11	13
50-64	741	7.3	6	4	5	7	8	10	11	16
65+	327	8.1	8	4	5	8	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	9	5.2	7	3	3	3	8	8	8	8
20-34	378	7.3	12	4	5	7	8	10	13	20
35-49	1555	8.0	14	4	5	7	9	11	14	23
50-64	1593	8.5	19	4	5	8	10	13	15	23
65+	1124	9.6	27	4	5	8	11	15	19	29
TOT. SINGLE DX	2158	7.1	6	4	4	7	8	10	11	16
" MULTIPLE DX	4659	8.5	20	4	5	8	10	13	16	23
TOTAL 0-19 YRS	18	5.7	8	2	3	7	8	8	10	11
20-34	583	6.9	10	3	4	6	8	10	11	19
35-49	2431	7.6	12	4	5	7	9	11	13	19
50-64	2334	8.1	16	4	5	7	9	12	14	21
65+	1451	9.3	24	4	5	8	10	14	18	27
GRAND TOTAL	**6817**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**14**	**22**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	2	2	3	5	5	7	7	7
20-34	105	6.0	4	3	4	6	7	9	10	12
35-49	356	5.9	4	3	4	6	7	8	9	14
50-64	363	6.3	6	3	4	6	8	9	10	18
65+	207	6.9	5	4	4	7	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	17	6.6	15	1	2	6	9	11	14	16
20-34	130	6.4	7	3	4	6	7	9	11	17
35-49	543	7.3	18	3	4	7	8	11	13	22
50-64	753	7.3	12	3	4	7	9	11	13	21
65+	644	8.2	15	4	4	8	10	13	15	24
TOT. SINGLE DX	1039	6.2	6	3	4	6	8	9	10	15
" MULTIPLE DX	2087	7.5	15	3	4	7	9	11	14	23
TOTAL 0-19 YRS	25	6.0	12	2	2	5	8	11	12	16
20-34	235	6.2	6	3	4	6	7	9	10	15
35-49	899	6.8	13	3	4	6	8	10	12	17
50-64	1116	6.9	11	3	4	6	8	10	12	20
65+	851	7.9	14	4	4	7	9	12	15	23
GRAND TOTAL	**3126**	**7.1**	**12**	**3**	**4**	**6**	**8**	**11**	**13**	**20**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.0	6	<1	1	3	6	7	9	10
20-34	89	4.8	7	1	2	4	6	9	10	13
35-49	135	5.1	13	1	1	4	7	9	12	19
50-64	109	4.8	16	1	1	4	7	8	11	24
65+	40	4.1	10	1	1	3	5	9	10	16
2. MULTIPLE DX										
0-19 YRS	49	5.8	70	<1	1	3	7	14	18	52
20-34	159	6.5	22	1	2	5	8	12	15	24
35-49	181	6.9	33	1	2	5	8	15	19	28
50-64	296	8.1	74	1	2	6	10	17	23	46
65+	370	9.7	83	1	2	8	12	19	26	50
TOT. SINGLE DX	397	4.8	12	1	1	4	6	9	11	17
" MULTIPLE DX	1055	8.1	64	1	2	6	10	17	22	44
TOTAL 0-19 YRS	73	5.2	50	<1	1	3	6	10	16	46
20-34	248	5.9	18	1	2	5	8	11	14	23
35-49	316	6.1	25	1	2	5	8	12	17	27
50-64	405	7.2	61	1	1	5	8	15	21	41
65+	410	9.2	79	1	2	7	12	18	24	49
GRAND TOTAL	1452	7.2	52	1	2	5	9	15	20	36

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.9	51	1	1	4	7	12	25	29
20-34	51	6.5	22	1	2	6	8	11	14	28
35-49	53	6.2	25	1	2	5	8	10	12	32
50-64	37	7.1	38	1	2	5	8	15	17	34
65+	25	8.2	48	1	2	6	11	21	24	26
2. MULTIPLE DX										
0-19 YRS	24	9.9	54	2	3	7	14	19	26	31
20-34	85	8.4	80	1	2	6	11	15	17	58
35-49	94	10.1	36	3	4	9	13	20	22	28
50-64	149	12.9	128	2	3	9	16	26	34	63
65+	253	12.3	100	2	3	10	15	25	33	51
TOT. SINGLE DX	181	6.7	32	1	2	6	8	12	17	31
" MULTIPLE DX	605	11.5	95	2	3	9	14	23	30	52
TOTAL 0-19 YRS	39	8.4	55	1	1	6	11	19	27	31
20-34	136	7.7	59	1	2	6	10	14	16	58
35-49	147	8.7	36	2	3	8	10	17	22	28
50-64	186	11.8	115	2	3	9	15	25	33	59
65+	278	11.9	97	2	3	9	15	25	32	50
GRAND TOTAL	786	10.4	84	2	2	8	13	21	28	50

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.2	5	2	3	7	8	9	9	9
20-34	11	5.3	19	<1	<1	4	7	13	14	14
35-49	217	5.2	6	2	3	5	6	8	10	16
50-64	5012	5.5	5	3	3	5	6	8	9	13
65+	9941	6.1	8	3	4	6	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	57	9.4	74	3	4	7	10	18	23	57
20-34	50	9.6	68	2	3	6	13	27	32	99+
35-49	542	7.0	37	3	3	6	8	11	15	30
50-64	13967	7.3	29	3	4	6	8	12	16	30
65+	51457	9.2	55	3	4	7	10	16	22	42
TOT. SINGLE DX	15193	5.9	7	3	3	5	7	9	10	15
" MULTIPLE DX	66073	8.8	50	3	4	7	10	16	21	40
TOTAL 0-19 YRS	69	8.8	64	3	3	7	9	18	20	53
20-34	61	8.8	62	1	2	5	12	26	30	99+
35-49	759	6.5	29	2	3	5	7	11	14	28
50-64	18979	6.8	24	3	4	6	8	11	14	26
65+	61398	8.7	49	3	4	7	10	15	21	39
GRAND TOTAL	81266	8.2	43	3	4	6	9	14	19	36

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	19	9.7	30	1	2	9	13	19	20	20
50-64	514	10.6	17	5	6	10	13	16	19	24
65+	828	10.9	20	5	7	10	13	16	20	27
2. MULTIPLE DX										
0-19 YRS	13	8.2	30	2	2	8	13	16	18	18
20-34	5	3.0	2	<1	<1	3	4	5	5	5
35-49	33	13.3	77	2	6	12	17	23	24	51
50-64	1225	12.4	41	5	7	11	15	20	23	37
65+	4147	13.6	55	6	7	12	16	22	27	43
TOT. SINGLE DX	1367	10.7	20	5	6	10	13	16	19	25
" MULTIPLE DX	5423	13.3	53	6	7	12	16	21	26	41
TOTAL 0-19 YRS	16	7.1	30	2	2	4	12	15	17	18
20-34	8	4.1	14	<1	1	3	4	11	13	13
35-49	52	12.0	62	2	3	11	15	19	24	50
50-64	1739	11.9	35	5	6	11	14	18	22	33
65+	4975	13.1	51	6	7	11	15	21	26	40
GRAND TOTAL	6790	12.8	47	5	7	11	15	20	25	38

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.0	9	1	1	2	4	8	10	10
20-34	23	3.2	8	<1	1	2	4	6	10	13
35-49	182	2.1	1	<1	1	2	2	3	5	8
50-64	1425	2.3	4	<1	1	2	2	4	5	11
65+	1886	2.7	9	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	16	4.6	20	<1	1	3	6	9	15	18
20-34	37	4.8	29	<1	<1	2	7	11	18	24
35-49	278	4.4	18	1	1	3	6	10	12	26
50-64	2050	4.6	32	1	1	3	5	10	14	26
65+	5132	6.3	52	1	1	4	8	14	20	37
TOT. SINGLE DX	3524	2.5	7	<1	1	2	3	4	6	12
" MULTIPLE DX	7513	5.8	47	1	1	3	7	13	18	34
TOTAL 0-19 YRS	24	4.1	17	<1	1	2	6	9	12	18
20-34	60	4.2	22	<1	1	2	5	10	13	24
35-49	460	3.5	13	1	1	2	4	8	10	15
50-64	3475	3.7	22	<1	1	2	4	8	11	22
65+	7018	5.4	44	1	1	3	6	12	17	33
GRAND TOTAL	11037	4.7	36	1	1	3	5	11	15	30

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	462	2.1	2	<1	<1	2	3	4	5	9
20-34	364	2.7	4	<1	1	2	3	5	6	11
35-49	280	3.3	12	<1	1	2	4	6	8	17
50-64	273	2.9	4	1	1	2	4	5	7	12
65+	189	3.1	5	1	1	3	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	304	3.0	13	<1	1	2	3	6	8	22
20-34	274	4.6	21	1	1	3	6	9	11	25
35-49	317	5.8	47	1	1	4	7	11	16	32
50-64	421	7.0	101	1	2	4	8	13	19	63
65+	501	7.8	76	1	2	5	10	17	23	67
TOT. SINGLE DX	1568	2.7	6	<1	1	2	3	5	6	13
" MULTIPLE DX	1817	6.0	61	1	1	4	7	12	18	41
TOTAL 0-19 YRS	766	2.4	7	<1	<1	2	3	4	6	16
20-34	638	3.5	12	1	1	3	4	7	9	18
35-49	597	4.6	33	1	1	3	5	9	13	31
50-64	694	5.4	67	1	1	3	5	11	15	48
65+	690	6.5	61	1	1	4	8	15	20	47
GRAND TOTAL	3385	4.5	38	1	1	3	5	9	14	31

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	666	2.2	2	<1	1	2	3	4	5	8
20-34	864	3.5	10	1	1	3	4	6	8	15
35-49	403	3.2	5	1	1	3	4	6	7	11
50-64	295	3.8	10	1	1	3	5	7	10	18
65+	651	3.9	9	1	1	3	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	661	2.6	5	<1	1	2	3	5	6	11
20-34	585	5.2	40	1	1	3	5	11	16	35
35-49	407	5.8	56	1	1	4	7	12	17	44
50-64	821	7.7	85	1	2	5	10	16	20	45
65+	3444	8.3	75	1	2	5	11	18	24	46
TOT. SINGLE DX	2879	3.3	8	1	1	3	4	6	8	15
" MULTIPLE DX	5918	7.1	68	1	1	4	9	16	21	42
TOTAL 0-19 YRS	1327	2.4	4	<1	1	2	3	4	5	10
20-34	1449	4.2	23	1	1	3	5	8	12	25
35-49	810	4.5	33	1	1	3	5	9	13	25
50-64	1116	6.7	68	1	1	4	8	14	19	39
65+	4095	7.6	68	1	2	5	10	17	22	44
GRAND TOTAL	8797	5.9	52	1	1	3	7	13	18	38

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3268	1.9	1	<1	<1	2	2	3	4	6
20-34	431	2.1	1	1	1	2	3	4	5	7
35-49	48	2.4	2	<1	1	2	3	4	5	10
50-64	12	2.3	1	<1	<1	2	3	4	5	5
65+	4	3.0	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	2431	2.2	4	<1	1	2	3	4	5	8
20-34	153	2.7	3	1	1	2	3	5	6	8
35-49	43	3.2	4	<1	1	3	4	5	7	13
50-64	12	4.3	7	1	1	4	6	8	11	11
65+	9	13.3	550	<1	1	4	11	52	74	74
TOT. SINGLE DX	3763	1.9	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	2648	2.3	7	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	5699	2.0	3	<1	<1	2	2	3	4	7
20-34	584	2.2	2	1	1	2	3	4	5	8
35-49	91	2.7	4	<1	1	2	4	5	6	12
50-64	24	3.3	6	<1	1	3	4	6	8	11
65+	13	10.2	392	<1	<1	3	6	31	66	74
GRAND TOTAL	6411	2.1	4	<1	<1	2	2	4	5	7

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	682	1.8	1	<1	1	1	2	3	4	6
20-34	469	2.2	4	<1	1	2	3	3	5	9
35-49	189	2.3	2	<1	1	2	3	4	6	10
50-64	48	2.5	1	1	1	2	3	4	5	6
65+	16	2.8	3	1	1	2	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	276	2.9	9	<1	1	2	3	5	9	18
20-34	240	3.0	8	<1	1	2	4	5	7	17
35-49	117	3.4	13	1	1	2	4	7	9	20
50-64	98	5.2	29	1	2	3	5	15	19	25
65+	59	7.5	56	1	2	4	9	19	24	35
TOT. SINGLE DX	1404	2.0	3	<1	1	2	2	3	5	8
" MULTIPLE DX	790	3.6	17	1	1	2	4	7	13	22
TOTAL 0-19 YRS	958	2.1	4	<1	1	2	2	4	5	11
20-34	709	2.5	6	<1	1	2	3	4	5	14
35-49	306	2.7	7	<1	1	2	3	5	8	16
50-64	146	4.3	22	1	1	3	4	7	17	24
65+	75	6.5	49	1	1	4	7	15	22	34
GRAND TOTAL	2194	2.6	9	<1	1	2	3	4	7	17

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	306	1.2		<1	<1	<1	1	2	2	3
35-49	228	1.4	6	<1	<1	<1	1	2	3	10
50-64	27	4.3	14	<1	<1	3	7	9	12	14
65+	6	5.8	13	1	1	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	6	2.0		<1	<1	2	3	3	3	3
20-34	126	4.9	82	<1	<1	2	3	14	28	42
35-49	149	3.4	18	<1	<1	2	4	8	11	24
50-64	33	5.5	24	<1	<1	4	7	10	15	24
65+	23	11.3	77	1	3	10	14	23	32	38
TOT. SINGLE DX	571	1.5	4	<1	<1	<1	1	2	3	10
" MULTIPLE DX	337	4.7	50	<1	<1	2	5	11	17	32
TOTAL 0-19 YRS	10	1.9	1	<1	<1	2	3	3	3	3
20-34	432	2.3	27	<1	<1	<1	1	3	8	29
35-49	377	2.2	12	<1	<1	<1	2	4	7	22
50-64	60	5.0	20	<1	<1	4	7	10	13	23
65+	29	10.2	68	1	2	9	13	19	29	38
GRAND TOTAL	908	2.7	24	<1	<1	<1	2	6	10	28

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1630	1.8	1	<1	<1	2	2	3	3	6
20-34	1984	2.1	1	<1	1	2	3	3	4	6
35-49	1586	2.2	1	<1	1	2	3	4	4	7
50-64	1203	2.6	2	1	1	2	3	4	5	8
65+	594	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1029	2.1	8	<1	<1	2	2	3	4	7
20-34	1399	2.6	7	<1	1	2	3	4	6	12
35-49	1064	3.0	9	1	1	2	3	5	8	14
50-64	1407	4.0	11	1	1	3	5	7	10	20
65+	1080	4.6	25	1	2	3	5	8	11	27
TOT. SINGLE DX	6997	2.2	2	<1	1	2	3	4	4	7
" MULTIPLE DX	5979	3.3	13	1	1	2	4	6	8	16
TOTAL 0-19 YRS	2659	1.9	4	<1	<1	2	2	3	4	6
20-34	3383	2.3	4	<1	1	2	3	4	5	9
35-49	2650	2.5	5	<1	1	2	3	4	6	11
50-64	2610	3.3	8	1	1	3	4	6	8	14
65+	1674	3.9	18	1	1	3	4	7	10	23
GRAND TOTAL	12976	2.7	7	<1	1	2	3	5	6	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1280	1.4	1	<1	<1	1	2	2	2	5
20-34	389	1.8	9	<1	<1	2	2	3	3	4
35-49	288	1.6		<1	<1	2	2	2	3	5
50-64	204	1.7		<1	<1	2	2	2	3	5
65+	115	2.2	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
0-19 YRS	558	2.8	19	<1	<1	1	2	5	11	24
20-34	354	3.0	14	<1	1	2	3	6	9	24
35-49	552	3.4	13	<1	1	2	4	8	10	14
50-64	599	3.9	35	<1	1	2	5	8	11	24
65+	708	5.0	48	1	1	2	6	11	16	39
TOT. SINGLE DX	4502	1.6	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	4171	4.0	34	<1	1	2	4	9	13	30
TOTAL 0-19 YRS	3617	2.1	13	<1	<1	1	2	3	6	21
20-34	1299	2.3	12	<1	<1	2	2	4	6	13
35-49	1323	2.8	10	<1	<1	2	3	6	9	14
50-64	1227	3.2	22	<1	1	2	3	7	9	19
65+	1207	4.7	49	1	1	2	5	10	15	40
GRAND TOTAL	8673	2.8	19	<1	<1	2	2	5	9	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	340	2.8	6	<1	<1	2	3	7	8	13
20-34	316	2.8	10	<1	<1	2	3	5	7	19
35-49	330	4.2	12	1	1	3	5	7	10	19
50-64	712	4.0	6	1	2	4	5	6	7	13
65+	359	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	308	4.1	24	<1	<1	3	4	9	11	30
20-34	400	6.5	47	1	1	4	8	14	21	31
35-49	744	5.9	38	1	2	4	7	11	14	34
50-64	1610	4.9	13	1	2	4	6	8	11	19
65+	1046	5.7	37	1	2	4	6	10	17	33
TOT. SINGLE DX	2057	3.7	9	<1	1	3	5	7	8	14
" MULTIPLE DX	4108	5.4	29	1	2	4	6	10	14	28
TOTAL 0-19 YRS	648	3.4	16	<1	<1	2	4	7	10	18
20-34	716	4.8	34	<1	1	3	6	10	16	30
35-49	1074	5.4	31	1	2	4	6	9	13	29
50-64	2322	4.6	12	1	2	4	6	8	10	17
65+	1405	5.3	30	1	2	4	6	9	14	28
GRAND TOTAL	6165	4.8	23	1	1	4	6	8	12	25

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	964	4.9	3	2	3	5	6	7	8	12
20-34	3132	4.9	3	2	3	5	6	7	8	11
35-49	465	5.4	5	2	3	5	6	8	9	14
50-64	78	6.9	7	2	4	7	8	11	12	17
65+	49	8.0	16	1	2	8	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	1079	5.6	8	2	3	5	6	9	11	16
20-34	6837	5.6	7	2	3	5	6	8	10	16
35-49	1387	6.5	15	2	3	6	7	10	13	20
50-64	245	10.7	67	2	4	8	13	19	28	41
65+	330	14.8	110	5	6	12	18	28	34	51
TOT. SINGLE DX	4688	5.0	4	2	3	5	6	7	8	12
" MULTIPLE DX	9878	6.2	17	2	3	5	7	9	12	23
TOTAL 0-19 YRS	2043	5.3	6	2	3	5	6	8	10	14
20-34	9969	5.4	6	2	3	5	6	8	9	15
35-49	1852	6.2	13	2	3	6	7	10	13	19
50-64	323	9.8	56	2	4	8	11	18	23	40
65+	379	13.9	103	4	5	11	17	27	33	51
GRAND TOTAL	14566	5.8	13	2	3	5	6	9	11	20

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	463	5.3	3	3	3	5	6	8	8	12
20-34	2754	5.3	4	3	3	5	6	7	9	12
35-49	1120	5.7	4	3	4	6	7	8	9	13
50-64	189	6.5	6	4	4	6	7	9	12	17
65+	86	7.6	10	4	4	7	8	11	14	22
2. MULTIPLE DX										
0-19 YRS	680	6.4	9	3	4	6	7	10	11	18
20-34	7199	6.0	6	3	4	6	7	9	10	16
35-49	3723	6.9	17	4	4	6	8	10	13	20
50-64	528	10.6	83	4	5	8	12	19	26	62
65+	564	14.2	112	5	6	11	17	26	34	54
TOT. SINGLE DX	4612	5.5	5	3	3	5	6	8	9	13
" MULTIPLE DX	12694	6.8	22	3	4	6	7	10	14	26
TOTAL 0-19 YRS	1143	5.9	7	3	4	5	7	9	10	16
20-34	9953	5.8	6	3	4	5	7	8	10	15
35-49	4843	6.6	15	3	4	6	7	10	12	19
50-64	717	9.5	66	4	5	7	10	16	22	56
65+	650	13.3	104	5	6	10	16	25	32	53
GRAND TOTAL	**17306**	**6.5**	**17**	**3**	**4**	**6**	**7**	**10**	**12**	**23**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.7	2	1	3	5	6	7	77	99+
20-34	339	5.8	3	3	4	6	7	8	9	13
35-49	504	6.0	4	3	4	6	7	8	9	13
50-64	291	7.5	10	4	5	7	9	12	14	20
65+	119	8.3	13	4	5	7	10	12	17	23
2. MULTIPLE DX										
0-19 YRS	26	8.2	85	3	4	6	8	11	27	50
20-34	1609	6.6	10	4	4	6	7	10	12	18
35-49	3098	7.0	13	4	4	6	8	10	13	21
50-64	1130	9.7	42	4	5	8	11	17	21	33
65+	895	13.1	68	5	6	10	16	23	30	54
TOT. SINGLE DX	1267	6.5	7	4	4	6	7	9	11	17
" MULTIPLE DX	6758	8.2	30	4	4	7	9	14	18	31
TOTAL 0-19 YRS	40	7.0	58	3	3	5	7	10	34	99+
20-34	1948	6.4	9	4	4	6	7	9	12	18
35-49	3602	6.9	12	4	4	6	8	10	13	20
50-64	1421	9.2	37	4	5	7	10	16	20	32
65+	1014	12.6	65	5	6	10	15	22	29	46
GRAND TOTAL	**8025**	**7.9**	**27**	**4**	**4**	**6**	**9**	**13**	**17**	**30**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	243	3.1	4	<1	1	3	4	5	7	12
20-34	826	3.0	4	<1	1	2	4	6	7	9
35-49	154	3.1	7	<1	<1	2	4	6	7	15
50-64	14	4.1	5	1	1	4	6	7	9	9
65+	6	4.2	3	1	1	5	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	315	4.7	9	1	1	4	6	8	11	14
20-34	2660	4.3	7	1	1	4	6	7	8	14
35-49	607	4.7	14	<1	1	4	6	9	12	18
50-64	52	7.4	36	1	1	7	10	14	21	28
65+	24	13.7	147	3	4	10	16	29	48	49
TOT. SINGLE DX	1243	3.0	5	<1	1	2	4	6	7	10
" MULTIPLE DX	3658	4.5	11	1	1	4	6	8	9	16
TOTAL 0-19 YRS	558	4.0	8	1	1	3	5	7	9	13
20-34	3486	4.0	7	<1	1	4	5	7	8	13
35-49	761	4.4	13	<1	1	4	6	8	11	17
50-64	66	6.7	32	1	1	5	9	14	18	28
65+	30	11.8	132	3	3	8	14	23	48	49
GRAND TOTAL	**4901**	**4.1**	**10**	**<1**	**1**	**4**	**6**	**7**	**9**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	1.8	2	<1	<1	<1	2	4	6	7
20-34	4713	1.3		<1	<1	1	2	2	2	4
35-49	2111	1.3		<1	<1	1	1	2	2	3
50-64	15	1.2		<1	<1	1	1	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	27	1.5		<1	<1	1	2	3	3	3
20-34	4243	1.8	4	<1	<1	1	2	3	4	7
35-49	2260	1.9	10	<1	<1	1	2	3	4	11
50-64	9	1.9		<1	<1	2	2	3	3	3
65+										
TOT. SINGLE DX	6862	1.3	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	6539	1.8	7	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	50	1.7	1	<1	<1	1	2	3	4	7
20-34	8956	1.6	3	<1	<1	1	2	2	3	6
35-49	4371	1.6	6	<1	<1	1	2	2	3	7
50-64	24	1.5		<1	<1	1	2	2	3	3
65+										
GRAND TOTAL	**13401**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.9	1	<1	1	3	4	4	5	7
20-34	5995	2.2	1	<1	<1	2	3	4	5	6
35-49	2130	2.1	1	<1	<1	2	3	4	4	6
50-64	12	3.2	4	1	1	2	5	6	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	142	3.7	9	1	2	3	4	5	8	15
20-34	12548	3.3	3	1	1	3	4	5	6	8
35-49	3354	3.2	4	1	1	3	4	5	6	10
50-64	22	8.0	70	1	2	6	11	14	26	41
65+										
TOT. SINGLE DX	8198	2.2	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	16066	3.3	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	203	3.4	7	1	1	3	4	5	7	14
20-34	18543	2.9	3	1	1	3	4	5	5	8
35-49	5484	2.8	4	<1	1	3	4	5	6	9
50-64	34	6.3	52	1	1	5	6	13	15	41
65+										
GRAND TOTAL	24264	2.9	3	<1	1	3	4	5	6	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	448	4.4	2	2	3	4	5	6	7	10
20-34	6788	4.5	3	2	3	4	5	6	7	9
35-49	918	4.6	3	1	2	5	6	7	7	11
50-64	7	5.0	10	1	1	4	7	10	10	10
65+	6	5.2	2	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	536	5.2	4	2	3	5	6	8	9	13
20-34	8617	4.9	5	2	3	5	6	7	8	11
35-49	1508	5.2	10	2	2	5	6	8	9	14
50-64	24	10.2	70	3	4	8	10	26	31	35
65+	16	15.5	102	3	6	13	20	34	35	35
TOT. SINGLE DX	8167	4.5	4	2	3	4	5	6	7	9
" MULTIPLE DX	10701	5.0	6	2	3	5	6	7	8	12
TOTAL 0-19 YRS	984	4.8	4	2	3	5	6	7	8	12
20-34	15405	4.7	5	2	3	5	6	7	7	11
35-49	2426	4.9	8	1	2	5	6	7	8	13
50-64	31	9.0	61	1	3	7	10	21	29	35
65+	22	12.7	96	3	4	9	18	32	34	35
GRAND TOTAL	18868	4.8	5	2	3	5	6	7	8	11

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	1.9	1	<1	<1	2	2	3	3	7
20-34	2297	1.9	1	<1	<1	2	2	3	4	6
35-49	944	2.0	2	<1	<1	2	2	3	4	7
50-64	290	2.0	1	<1	<1	2	2	3	4	7
65+	132	2.2	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	67	2.4	4	<1	<1	2	3	4	6	14
20-34	1618	2.3	12	<1	1	2	3	4	5	10
35-49	936	2.5	8	<1	1	2	3	4	6	18
50-64	416	2.8	7	<1	1	2	3	5	8	15
65+	244	4.9	63	1	1	2	5	10	15	38
TOT. SINGLE DX	3747	1.9	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	3281	2.6	15	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	151	2.1	3	<1	<1	2	2	3	4	9
20-34	3915	2.1	6	<1	<1	2	2	3	4	7
35-49	1880	2.3	5	<1	<1	2	3	4	5	12
50-64	706	2.4	5	<1	1	2	3	4	6	12
65+	376	3.9	44	1	1	2	3	9	13	33
GRAND TOTAL	7028	2.3	8	<1	<1	2	3	4	5	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.9	2	<1	<1	2	2	4	4	9
20-34	960	1.8	1	<1	<1	1	2	3	4	6
35-49	1030	1.9	2	<1	<1	2	2	3	4	8
50-64	632	2.2	3	<1	<1	2	2	4	6	10
65+	307	3.4	7	1	1	2	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	98	2.4	3	<1	<1	2	3	5	7	9
20-34	1671	2.6	7	<1	<1	2	3	5	7	14
35-49	2826	2.7	11	<1	<1	2	2	5	8	16
50-64	1689	3.6	23	<1	1	2	3	8	11	24
65+	1428	6.1	43	1	2	4	8	12	17	34
TOT. SINGLE DX	2986	2.1	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	7712	3.5	21	<1	1	2	3	8	11	22
TOTAL 0-19 YRS	155	2.2	3	<1	<1	2	3	4	7	9
20-34	2631	2.3	6	<1	<1	2	2	4	6	12
35-49	3856	2.5	9	<1	<1	2	2	4	7	16
50-64	2321	3.2	19	<1	1	2	3	7	10	20
65+	1735	5.6	38	1	2	3	7	12	15	32
GRAND TOTAL	10698	3.1	16	<1	<1	2	3	7	10	19

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.3	9	1	1	3	4	5	7	15
20-34	2837	2.5	2	1	1	2	3	4	5	8
35-49	301	2.4	2	1	1	2	3	4	5	9
50-64	4	1.3		1	1	1	2	2	2	2
65+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	45	3.9	5	1	2	3	4	7	10	12
20-34	873	3.9	26	1	1	3	4	7	9	28
35-49	117	3.9	28	1	1	3	4	6	11	32
50-64	4	3.8	6	1	1	3	5	7	7	7
65+	2	9.0	18	6	6	9	12	12	12	12
TOT. SINGLE DX	3273	2.6	3	1	1	2	3	4	5	8
" MULTIPLE DX	1041	3.9	26	1	1	3	4	7	10	27
TOTAL 0-19 YRS	173	3.5	9	1	1	3	4	6	8	12
20-34	3710	2.9	9	1	1	2	3	5	6	12
35-49	418	2.8	10	1	1	2	3	5	6	13
50-64	8	2.5	5	1	1	2	3	6	7	7
65+	5	5.8	15	2	2	6	8	12	12	12
GRAND TOTAL	4314	2.9	9	1	1	2	3	5	6	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.9	8	<1	1	4	5	6	7	18
20-34	978	4.9	5	<1	1	5	6	7	8	11
35-49	401	4.4	6	<1	1	5	6	7	8	10
50-64	94	2.8	6	<1	<1	2	3	6	8	13
65+	49	3.0	7	<1	1	2	3	7	10	14
2. MULTIPLE DX										
0-19 YRS	67	3.7	5	<1	1	3	5	7	8	10
20-34	1919	5.4	20	1	1	5	6	8	10	19
35-49	1061	5.3	18	<1	1	5	7	9	11	21
50-64	322	5.0	47	<1	1	2	6	11	19	36
65+	288	8.0	96	1	2	4	10	19	24	65
TOT. SINGLE DX	1563	4.5	6	<1	1	5	6	7	8	11
" MULTIPLE DX	3657	5.5	29	1	1	5	7	9	12	27
TOTAL 0-19 YRS	108	3.8	7	<1	1	3	5	7	8	13
20-34	2897	5.2	15	1	1	5	6	8	10	16
35-49	1462	5.0	16	<1	1	5	7	8	10	18
50-64	416	4.5	39	<1	1	2	5	10	17	30
65+	337	7.3	87	1	2	4	9	18	24	55
GRAND TOTAL	5220	5.2	22	<1	1	5	6	8	11	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.3	5	3	3	6	7	9	10	15
20-34	3670	6.2	3	4	4	6	7	8	9	12
35-49	6819	6.5	3	4	5	6	7	8	9	13
50-64	2146	7.2	5	4	5	7	8	10	11	16
65+	938	7.9	10	5	5	7	9	11	13	21
2. MULTIPLE DX										
0-19 YRS	221	7.6	15	4	4	6	9	12	15	23
20-34	24778	6.6	7	4	5	6	7	9	11	16
35-49	57896	7.0	7	4	5	6	8	9	11	17
50-64	15211	7.9	16	5	5	7	8	11	14	24
65+	6467	10.5	45	5	6	8	12	17	23	39
TOT. SINGLE DX	13602	6.6	4	4	5	6	7	9	10	14
" MULTIPLE DX	104573	7.2	12	4	5	7	8	10	12	21
TOTAL 0-19 YRS	250	7.5	15	4	4	6	8	12	15	20
20-34	28448	6.6	7	4	5	6	7	9	10	16
35-49	64715	6.9	7	4	5	6	8	9	11	17
50-64	17357	7.8	16	5	5	7	8	11	14	23
65+	7405	10.2	41	5	6	8	11	16	22	37
GRAND TOTAL	118175	7.2	11	4	5	6	8	10	12	20

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.6	10	4	4	6	7	12	14	14
20-34	2254	5.2	2	3	4	5	6	7	8	10
35-49	2288	5.5	3	3	4	5	6	7	9	11
50-64	1137	6.9	4	4	5	7	8	10	11	14
65+	984	7.3	6	5	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	39	5.4	3	2	2	6	7	8	8	9
20-34	9177	5.6	3	3	4	5	6	8	9	13
35-49	16681	6.0	5	3	4	6	7	8	10	14
50-64	5293	7.2	9	4	5	7	8	10	12	18
65+	4508	8.3	15	5	5	7	9	12	14	22
TOT. SINGLE DX	6671	5.9	4	3	4	6	7	8	10	13
" MULTIPLE DX	35698	6.4	8	4	4	6	7	9	11	16
TOTAL 0-19 YRS	47	5.6	5	2	2	6	7	8	9	14
20-34	11431	5.5	4	3	4	5	6	7	9	12
35-49	18969	6.0	5	3	4	6	7	8	10	14
50-64	6430	7.2	9	4	5	7	8	10	12	17
65+	5492	8.1	14	5	5	7	9	11	14	22
GRAND TOTAL	42369	6.3	7	4	4	6	7	9	11	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	86	9.8	7	6	7	10	11	13	14	19
35-49	95	11.0	12	7	7	10	13	15	18	23
50-64	32	12.0	27	6	7	10	15	19	20	29
65+	21	12.4	19	6	7	12	15	18	21	23
2. MULTIPLE DX										
0-19 YRS	4	14.0	82	6	6	11	19	27	27	27
20-34	118	11.3	30	5	6	10	14	18	24	29
35-49	226	13.6	92	6	7	11	15	21	35	50
50-64	159	17.3	147	6	8	14	21	32	42	92
65+	133	19.0	163	9	9	16	22	28	37	92
TOT. SINGLE DX	235	10.8	14	6	7	10	13	16	18	23
" MULTIPLE DX	640	15.2	116	6	7	12	18	26	35	68
TOTAL 0-19 YRS	5	13.2	65	6	6	11	16	27	27	27
20-34	204	10.7	21	5	6	10	12	16	19	27
35-49	321	12.8	70	6	7	11	14	20	27	48
50-64	191	16.4	131	6	8	13	19	29	37	86
65+	154	18.1	149	8	9	16	20	27	36	90
GRAND TOTAL	**875**	**14.0**	**93**	**6**	**7**	**11**	**16**	**23**	**30**	**53**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	543	1.2		<1	<1	<1	1	2	2	4
20-34	2446	1.2		<1	<1	<1	1	1	2	5
35-49	328	1.2		<1	<1	<1	1	1	2	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	129	2.9	7	<1	<1	2	4	6	8	13
20-34	849	2.9	11	<1	<1	2	3	6	9	18
35-49	274	2.3	7	<1	<1	1	3	4	8	15
50-64										
65+										
TOT. SINGLE DX	3317	1.2	1	<1	<1	<1	1	1	2	5
" MULTIPLE DX	1252	2.7	10	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	672	1.5	2	<1	<1	<1	1	3	4	9
20-34	3295	1.6	4	<1	<1	<1	1	3	5	10
35-49	602	1.7	4	<1	<1	1	2	3	5	10
50-64										
65+										
GRAND TOTAL	**4569**	**1.6**	**4**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6471	1.6	1	<1	<1	1	2	3	4	6
20-34	42211	1.5	1	<1	<1	1	2	2	3	6
35-49	13948	1.5	1	<1	<1	1	2	2	3	6
50-64	4588	1.6	1	<1	<1	1	2	2	3	7
65+	1437	2.3	6	<1	<1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	2505	2.8	6	<1	1	2	3	6	7	13
20-34	22485	2.7	8	<1	<1	2	3	6	8	14
35-49	19217	2.5	11	<1	<1	2	2	5	8	16
50-64	8641	2.9	16	<1	<1	2	3	6	10	20
65+	4679	4.4	36	1	1	2	5	10	15	28
TOT. SINGLE DX	68655	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	57527	2.8	13	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	8976	1.9	3	<1	<1	1	2	4	5	9
20-34	64696	1.9	4	<1	<1	1	2	4	5	9
35-49	33165	2.1	7	<1	<1	1	2	4	6	13
50-64	13229	2.5	11	<1	<1	2	2	5	8	16
65+	6116	3.9	30	<1	1	2	4	9	13	26
GRAND TOTAL	**126182**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1997	1.1		<1	<1	<1	<1	1	1	3
20-34	7081	1.1		<1	<1	<1	<1	1	1	3
35-49	901	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	925	1.8	28	<1	<1	<1	<1	2	4	16
20-34	3416	1.9	13	<1	<1	<1	1	3	6	17
35-49	746	1.9	3	<1	<1	1	2	3	5	9
50-64										
65+										
TOT. SINGLE DX	9979	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	5087	1.9	14	<1	<1	<1	2	3	5	16
TOTAL 0-19 YRS	2922	1.3	9	<1	<1	<1	<1	1	2	7
20-34	10497	1.4	5	<1	<1	<1	1	2	3	8
35-49	1647	1.5	2	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**15066**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1020	1.3		<1	<1	1	1	2	3	4
20-34	6292	1.3		<1	<1	1	1	2	3	4
35-49	968	1.3		<1	<1	1	1	2	3	4
50-64	8	2.0	1	<1	<1	2	2	4	5	5
65+	5	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	208	3.0	13	<1	1	2	3	6	7	20
20-34	1324	2.2	4	<1	<1	1	3	4	6	10
35-49	324	2.2	4	<1	<1	1	2	5	6	10
50-64	18	8.1	189	<1	<1	2	5	31	46	50
65+	30	14.1	367	2	2	7	17	34	38	98
TOT. SINGLE DX	8293	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	1904	2.5	15	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1228	1.6	3	<1	<1	1	2	3	4	7
20-34	7616	1.4	1	<1	<1	1	1	2	3	6
35-49	1292	1.5	2	<1	<1	1	1	2	4	7
50-64	26	6.2	138	<1	<1	2	5	13	41	50
65+	35	12.4	332	1	2	7	15	33	37	98
GRAND TOTAL	**10197**	**1.5**	**4**	**<1**	**<1**	**1**	**2**	**2**	**4**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.6	2	3	3	5	6	6	6	6
20-34	99	4.3	4	<1	1	5	5	7	8	10
35-49	32	5.1	8	<1	<1	5	7	8	9	13
50-64	13	6.9	1	5	5	7	8	9	9	9
65+	6	9.2	7	5	6	10	12	83	99+	99+
2. MULTIPLE DX										
0-19 YRS	35	5.3	2	4	4	5	6	8	8	9
20-34	561	5.1	4	2	3	5	6	7	8	13
35-49	63	5.2	6	1	2	5	7	8	10	13
50-64	26	8.2	18	3	4	7	9	15	19	20
65+	45	9.1	19	4	5	8	11	14	18	24
TOT. SINGLE DX	155	4.9	6	<1	1	5	6	8	9	13
" MULTIPLE DX	730	5.5	7	2	3	5	6	8	10	17
TOTAL 0-19 YRS	40	5.3	2	3	4	5	6	8	8	9
20-34	660	5.0	5	1	2	5	6	7	8	13
35-49	95	5.2	7	<1	1	5	7	8	9	13
50-64	39	7.7	13	4	4	7	9	10	18	20
65+	51	9.1	18	4	5	8	11	15	21	98
GRAND TOTAL	**885**	**5.4**	**7**	**1**	**2**	**5**	**6**	**8**	**10**	**17**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	2.3	4	<1	1	1	3	5	6	9
20-34	651	2.8	8	<1	<1	2	4	6	7	10
35-49	183	3.0	4	<1	<1	3	4	6	8	10
50-64	98	3.6	5	<1	1	3	4	5	7	15
65+	68	3.6	1	2	2	4	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	93	4.0	10	1	1	3	5	7	10	17
20-34	989	3.7	7	<1	1	3	5	7	8	14
35-49	301	4.2	19	<1	1	3	5	8	10	22
50-64	193	4.1	8	1	2	3	5	6	9	17
65+	207	5.1	38	2	2	4	5	9	11	37
TOT. SINGLE DX	1157	2.9	7	<1	<1	2	4	6	7	10
" MULTIPLE DX	1783	4.0	14	<1	1	3	5	7	9	18
TOTAL 0-19 YRS	250	2.9	7	<1	1	2	4	6	8	15
20-34	1640	3.4	8	<1	1	3	5	6	7	12
35-49	484	3.8	14	<1	<1	3	5	7	9	19
50-64	291	3.9	7	1	2	3	4	6	9	16
65+	275	4.7	30	2	2	4	5	7	10	22
GRAND TOTAL	**2940**	**3.6**	**11**	**<1**	**1**	**3**	**5**	**6**	**8**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.3	10	1	1	4	5	10	10	10
20-34	222	4.9	6	1	2	5	6	8	10	13
35-49	892	5.6	5	2	3	5	7	8	9	12
50-64	1558	6.2	5	3	4	6	7	9	11	15
65+	1049	6.4	5	3	4	6	8	9	11	15
2. MULTIPLE DX										
0-19 YRS	7	6.4	6	3	3	6	8	10	10	10
20-34	661	6.4	9	3	3	6	8	10	11	17
35-49	2158	6.9	11	3	4	6	8	10	12	18
50-64	3291	7.2	11	4	4	7	8	11	13	19
65+	3005	7.8	19	4	4	7	9	12	14	24
TOT. SINGLE DX	3727	6.0	6	3	3	6	7	9	10	14
" MULTIPLE DX	9122	7.3	14	3	4	7	8	11	13	21
TOTAL 0-19 YRS	13	5.5	9	1	2	5	7	10	10	10
20-34	883	6.0	10	2	3	6	7	9	11	15
35-49	3050	6.5	10	3	4	6	8	10	12	17
50-64	4849	6.9	10	3	4	6	8	10	12	18
65+	4054	7.5	16	4	4	7	8	11	14	23
GRAND TOTAL	**12849**	**6.9**	**12**	**3**	**4**	**6**	**8**	**10**	**12**	**19**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.9	8	<1	<1	2	4	7	9	14
20-34	572	3.3	5	<1	1	3	4	6	7	11
35-49	226	3.6	6	1	1	3	5	7	9	12
50-64	142	5.1	13	1	1	5	7	9	11	18
65+	78	5.7	12	1	1	6	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	165	4.9	26	1	1	3	6	11	15	21
20-34	365	4.3	11	1	1	4	5	8	10	20
35-49	272	5.8	22	1	1	5	7	11	15	25
50-64	281	9.1	75	2	3	7	10	17	24	56
65+	309	10.0	96	2	3	8	11	18	27	64
TOT. SINGLE DX	1191	3.7	8	<1	1	3	5	7	9	14
" MULTIPLE DX	1392	6.9	53	1	1	5	8	13	18	39
TOTAL 0-19 YRS	338	3.9	18	<1	1	2	5	10	12	20
20-34	937	3.7	8	1	1	3	5	7	9	15
35-49	498	4.8	17	1	1	4	6	9	12	22
50-64	423	7.8	58	1	2	6	9	14	19	44
65+	387	9.2	83	1	2	7	10	16	24	55
GRAND TOTAL	2583	5.4	35	1	1	4	7	10	14	30

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	365	3.2	12	<1	<1	2	4	7	10	14
20-34	1071	3.2	8	<1	<1	2	4	7	9	13
35-49	423	3.7	18	<1	1	2	5	8	10	15
50-64	256	4.0	10	<1	1	3	5	8	9	17
65+	354	5.0	10	1	2	4	7	8	10	19
2. MULTIPLE DX										
0-19 YRS	396	4.1	31	<1	1	3	5	8	11	35
20-34	1315	4.6	18	<1	1	3	6	9	12	23
35-49	686	6.0	34	1	1	4	8	13	17	32
50-64	806	7.0	45	1	2	5	8	13	19	40
65+	1358	8.0	61	2	2	6	9	15	24	49
TOT. SINGLE DX	2469	3.6	12	<1	<1	3	5	8	9	15
" MULTIPLE DX	4561	6.2	42	1	1	5	8	12	17	36
TOTAL 0-19 YRS	761	3.6	22	<1	<1	2	5	8	10	18
20-34	2386	4.0	14	<1	<1	3	5	8	11	19
35-49	1109	5.1	29	<1	1	3	7	11	15	28
50-64	1062	6.3	38	1	2	5	7	11	18	38
65+	1712	7.4	53	2	2	6	8	14	21	44
GRAND TOTAL	7030	5.3	33	<1	1	4	7	10	15	31

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	2.1	2	<1	<1	2	2	4	6	8
20-34	2036	2.0	2	<1	<1	2	2	4	4	6
35-49	1012	2.0	1	<1	<1	2	2	3	4	7
50-64	408	2.3	4	<1	<1	2	3	4	5	10
65+	199	3.4	16	1	1	2	3	6	9	29
2. MULTIPLE DX										
0-19 YRS	275	4.0	31	1	1	3	5	7	10	23
20-34	949	3.5	22	<1	1	2	4	7	9	21
35-49	695	4.3	43	<1	1	3	5	9	13	29
50-64	542	5.7	49	1	1	3	7	13	19	34
65+	659	7.4	70	1	2	5	9	16	22	48
TOT. SINGLE DX	4197	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	3120	4.9	45	1	1	3	5	10	15	35
TOTAL 0-19 YRS	817	2.7	13	<1	<1	2	3	5	7	12
20-34	2985	2.5	9	<1	<1	2	3	4	6	12
35-49	1707	2.9	20	<1	<1	2	3	5	8	19
50-64	950	4.2	33	<1	1	2	4	9	14	30
65+	858	6.4	61	1	1	4	8	14	20	45
GRAND TOTAL	7317	3.3	23	<1	<1	2	3	6	10	24

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.4		<1	<1	3	3	3	3	3
20-34	37	4.0	10	<1	1	3	6	8	9	15
35-49	69	6.0	41	1	2	4	7	14	16	40
50-64	63	7.9	51	1	2	5	10	19	21	36
65+	107	9.6	98	1	2	7	12	22	26	58
2. MULTIPLE DX										
0-19 YRS	5	2.6	2	1	1	2	4	4	4	4
20-34	48	7.3	52	1	1	4	10	21	23	26
35-49	80	9.7	161	1	2	6	12	18	30	81
50-64	101	13.7	184	2	3	10	18	29	42	96
65+	278	15.1	158	3	4	12	20	30	38	60
TOT. SINGLE DX	285	7.4	64	1	2	5	9	16	21	43
" MULTIPLE DX	512	13.1	160	2	2	9	18	27	36	63
TOTAL 0-19 YRS	14	2.5	1	<1	1	3	3	4	4	4
20-34	85	5.8	37	1	1	3	8	15	22	26
35-49	149	8.0	109	1	2	5	9	16	22	49
50-64	164	11.5	141	2	2	8	16	25	32	87
65+	385	13.5	148	2	3	10	18	28	37	60
GRAND TOTAL	797	11.1	133	1	2	7	15	25	32	58

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	1.7	3	<1	<1	1	2	3	4	14
20-34	199	2.9	3	<1	1	2	3	5	7	11
35-49	51	2.9	4	<1	1	2	4	5	7	11
50-64	39	2.9	4	<1	1	2	4	5	7	11
65+	13	3.7	10	1	1	3	4	7	13	14
2. MULTIPLE DX										
0-19 YRS	89	3.0	21	<1	1	2	3	6	9	29
20-34	187	3.7	15	1	1	3	4	7	9	14
35-49	71	6.0	88	<1	1	4	6	12	14	65
50-64	36	4.5	15	<1	1	3	7	11	13	15
65+	34	7.1	55	1	2	4	9	17	18	39
TOT. SINGLE DX	458	2.5	4	<1	1	2	3	5	6	13
" MULTIPLE DX	417	4.3	34	<1	1	3	5	8	12	26
TOTAL 0-19 YRS	245	2.2	10	<1	<1	1	2	4	6	14
20-34	386	3.3	10	<1	1	3	4	6	8	13
35-49	122	4.7	56	<1	1	3	5	9	12	36
50-64	75	3.7	10	<1	1	3	4	8	11	15
65+	47	6.2	45	1	2	4	7	16	17	39
GRAND TOTAL	**875**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.0	3	<1	<1	1	2	3	6	11
20-34	36	2.8	8	<1	<1	2	4	5	7	16
35-49	16	2.6	3	<1	<1	2	3	5	7	8
50-64	7	4.0	18	1	1	2	5	12	13	13
65+	5	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	3.6	14	<1	<1	2	4	11	13	14
20-34	60	7.6	196	1	1	4	7	14	27	92
35-49	19	11.3	98	<1	1	7	21	27	29	29
50-64	19	6.9	43	<1	<1	6	11	14	21	26
65+	31	7.0	63	1	1	4	9	19	30	31
TOT. SINGLE DX	96	2.6	6	<1	<1	2	3	5	7	15
" MULTIPLE DX	155	7.2	111	<1	1	4	8	15	26	42
TOTAL 0-19 YRS	58	2.7	9	<1	<1	2	3	7	11	14
20-34	96	5.8	130	<1	1	3	6	10	18	73
35-49	35	7.3	73	<1	<1	3	8	24	27	29
50-64	26	6.1	37	<1	1	4	10	13	17	26
65+	36	6.3	57	1	1	4	7	17	27	31
GRAND TOTAL	**251**	**5.4**	**76**	**<1**	**<1**	**2**	**6**	**13**	**21**	**33**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6354	2.8	1	1	2	3	3	4	4	6
20-34	32881	2.9	1	1	2	3	3	4	4	6
35-49	1638	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5364	3.2	3	1	2	3	4	5	5	9
20-34	31153	3.3	3	2	2	3	4	5	5	8
35-49	2295	3.6	4	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	40873	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	38812	3.3	4	2	2	3	4	5	5	9
TOTAL 0-19 YRS	11718	3.0	2	1	2	3	3	4	5	8
20-34	64034	3.1	2	2	2	3	4	4	5	7
35-49	3933	3.4	4	2	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	**79685**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	2.6	1	1	1	3	3	4	4	6
20-34	812	2.7		1	1	3	3	4	4	5
35-49	67	2.7		1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	204	2.7	2	1	1	2	3	5	6	9
20-34	1574	3.2	6	1	1	3	4	5	6	14
35-49	187	3.4	3	1	1	3	4	5	7	12
50-64										
65+										
TOT. SINGLE DX	957	2.7	1	1	1	3	3	4	4	5
" MULTIPLE DX	1965	3.2	6	1	1	3	4	5	6	13
TOTAL 0-19 YRS	282	2.7	2	1	1	2	3	4	5	8
20-34	2386	3.1	5	1	1	3	3	4	5	10
35-49	254	3.2	3	1	1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**2922**	**3.0**	**4**	**1**	**1**	**3**	**3**	**4**	**6**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1119	2.8	1	1	2	3	3	4	4	5
20-34	7528	2.9	1	1	2	3	3	4	5	6
35-49	464	3.0	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1877	3.1	3	1	2	3	4	4	5	9
20-34	11977	3.3	3	1	2	3	4	5	5	8
35-49	968	3.4	3	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	9111	2.9	1	1	2	3	3	4	5	6
" MULTIPLE DX	14822	3.3	3	1	2	3	4	5	5	9
TOTAL 0-19 YRS	2996	3.0	3	1	2	3	3	4	5	7
20-34	19505	3.1	3	1	2	3	4	4	5	8
35-49	1432	3.3	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	23933	3.1	3	1	2	3	4	4	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44112	2.6	1	1	1	3	3	4	4	5
20-34	266456	2.6	1	1	1	3	3	4	4	5
35-49	15171	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13499	3.0	3	1	1	3	3	4	6	9
20-34	94481	3.1	4	1	2	3	4	4	5	9
35-49	8412	3.3	5	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	325739	2.6	1	1	1	3	3	4	4	5
" MULTIPLE DX	116392	3.1	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	57611	2.7	2	1	1	3	3	4	4	6
20-34	360937	2.7	2	1	1	3	3	4	4	6
35-49	23583	2.9	3	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	442131	2.7	2	1	1	3	3	4	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5307	5.1	2	3	4	5	6	7	7	10
20-34	49544	5.2	3	3	4	5	6	7	7	9
35-49	3279	5.6	7	3	4	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11933	5.9	9	3	4	5	6	8	10	17
20-34	103176	5.7	9	3	4	5	6	7	9	16
35-49	11228	6.1	14	4	4	6	7	8	10	21
50-64										
65+										
TOT. SINGLE DX	58130	5.2	3	3	4	5	6	7	7	9
" MULTIPLE DX	126337	5.7	10	3	4	5	6	8	9	17
TOTAL 0-19 YRS	17240	5.6	7	3	4	5	6	8	9	15
20-34	152720	5.5	8	3	4	5	6	7	8	14
35-49	14507	6.0	13	3	4	5	6	8	9	20
50-64										
65+										
GRAND TOTAL	184467	5.6	8	3	4	5	6	7	8	15

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	411	5.0	2	3	3	5	6	6	7	9
20-34	2403	5.0	3	3	3	5	6	7	7	10
35-49	137	5.7	8	3	4	5	6	8	9	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	586	6.0	14	3	4	5	7	9	10	21
20-34	4372	6.0	14	3	4	5	6	8	10	21
35-49	511	6.6	29	3	4	6	7	10	12	30
50-64										
65+										
TOT. SINGLE DX	2951	5.1	4	3	3	5	6	7	7	10
" MULTIPLE DX	5469	6.1	16	3	4	5	6	8	11	22
TOTAL 0-19 YRS	997	5.6	9	3	4	5	6	8	10	16
20-34	6775	5.7	11	3	4	5	6	8	9	18
35-49	648	6.4	26	3	4	5	7	9	11	28
50-64										
65+										
GRAND TOTAL	8420	5.7	12	3	4	5	6	8	9	18

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.1	2	2	2	4	5	7	7	8
20-34	294	4.3	2	2	3	4	5	6	7	9
35-49	21	5.9	14	3	3	5	6	8	15	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	22	5.0	7	2	3	4	6	7	11	16
20-34	386	5.4	14	3	3	5	6	8	10	18
35-49	40	5.8	7	3	3	5	7	9	12	15
50-64										
65+										
TOT. SINGLE DX	340	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	448	5.4	14	3	3	5	6	8	10	16
TOTAL 0-19 YRS	47	4.5	5	2	3	4	5	7	7	16
20-34	680	4.9	10	2	3	4	6	7	8	14
35-49	61	5.8	10	3	3	5	6	9	12	20
50-64										
65+										
GRAND TOTAL	**788**	**4.9**	**10**	**2**	**3**	**4**	**6**	**7**	**8**	**15**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1369	1.7		1	1	2	2	2	3	4
20-34	1774	1.7		1	1	2	2	3	3	5
35-49	153	1.8		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	251	1.9	1	<1	1	2	2	3	4	8
20-34	451	2.5	6	<1	1	2	3	4	6	15
35-49	65	2.2	3	<1	1	2	3	5	6	10
50-64										
65+										
TOT. SINGLE DX	3296	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	767	2.3	5	<1	1	2	2	4	6	12
TOTAL 0-19 YRS	1620	1.7	1	1	1	2	2	2	3	5
20-34	2225	1.9	2	1	1	2	2	3	3	7
35-49	218	1.9	2	1	1	2	2	3	4	7
50-64										
65+										
GRAND TOTAL	**4063**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	3.6	9	<1	1	3	5	8	9	16
20-34	856	3.6	15	<1	<1	2	4	8	10	21
35-49	84	3.2	14	<1	<1	1	3	7	14	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	128	5.4	47	1	1	3	6	11	18	33
20-34	1138	4.4	37	<1	<1	2	5	10	15	32
35-49	667	1.7	5	<1	<1	<1	<1	3	6	12
50-64										
65+										
TOT. SINGLE DX	1126	3.6	15	<1	<1	2	4	8	10	19
" MULTIPLE DX	1933	3.5	29	<1	<1	1	4	9	13	26
TOTAL 0-19 YRS	314	4.3	26	<1	1	3	5	9	11	24
20-34	1994	4.1	28	<1	<1	2	5	9	13	27
35-49	751	1.8	7	<1	<1	<1	<1	4	6	15
50-64										
65+										
GRAND TOTAL	**3059**	**3.5**	**24**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3744	2.2	1	<1	<1	2	3	3	4	6
20-34	21195	2.4	2	<1	<1	2	3	4	4	6
35-49	1311	2.4	2	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1563	2.8	6	<1	<1	3	3	4	5	10
20-34	9917	2.9	6	<1	1	3	3	4	5	11
35-49	843	3.0	4	<1	1	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	26250	2.3	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	12323	2.9	6	<1	<1	3	3	4	5	11
TOTAL 0-19 YRS	5307	2.3	3	<1	<1	2	3	4	4	7
20-34	31112	2.6	4	<1	<1	2	3	4	4	7
35-49	2154	2.7	3	<1	<1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**38573**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6570	2.5		1	1	3	3	4	4	5
20-34	41213	2.5	1	1	1	3	3	4	4	5
35-49	2860	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6058	2.9	3	1	1	3	3	4	5	8
20-34	40002	2.9	3	1	1	3	3	4	5	8
35-49	3541	3.1	6	1	1	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	50643	2.5	1	1	1	3	3	4	4	5
" MULTIPLE DX	49601	2.9	4	1	1	3	3	4	5	8
TOTAL 0-19 YRS	12628	2.7	2	1	1	3	3	4	4	7
20-34	81215	2.7	2	1	1	3	3	4	4	6
35-49	6401	2.8	4	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**100244**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.0	4	<1	1	2	4	6	8	37
20-34	141	3.3	6	<1	1	3	4	6	8	15
35-49	125	3.4	7	1	1	2	4	7	9	13
50-64	115	6.1	61	1	1	3	7	12	17	48
65+	88	5.6	29	1	1	3	7	13	16	28
2. MULTIPLE DX										
0-19 YRS	117	3.6	6	1	1	3	4	5	8	14
20-34	176	4.2	22	1	2	3	4	7	10	33
35-49	187	6.0	63	1	2	3	6	13	24	51
50-64	282	8.8	116	1	2	4	11	22	34	56
65+	290	10.2	107	1	2	7	15	23	30	54
TOT. SINGLE DX	590	4.1	22	1	1	3	5	9	12	25
" MULTIPLE DX	1052	7.3	83	1	2	4	8	18	27	51
TOTAL 0-19 YRS	238	3.3	6	1	1	3	4	5	8	14
20-34	317	3.8	16	1	1	3	4	6	9	25
35-49	312	4.9	42	1	1	3	5	10	18	43
50-64	397	8.0	102	1	1	4	9	19	31	52
65+	378	9.1	93	1	2	6	13	21	27	52
GRAND TOTAL	**1642**	**6.2**	**63**	**1**	**1**	**3**	**7**	**15**	**22**	**48**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1396	3.5	3	1	2	3	4	5	6	9
20-34	2656	3.3	2	1	2	3	4	5	6	8
35-49	1119	3.3	2	1	2	3	4	5	6	8
50-64	359	3.0	2	1	1	3	4	5	6	9
65+	104	3.9	16	1	1	3	4	9	15	22
2. MULTIPLE DX										
0-19 YRS	1429	4.1	8	2	2	4	4	6	8	14
20-34	1969	4.0	8	2	2	4	4	6	7	12
35-49	860	4.0	7	2	2	3	4	6	8	16
50-64	477	4.6	30	1	2	3	5	7	12	37
65+	180	6.5	77	2	2	3	7	16	23	91
TOT. SINGLE DX	5634	3.4	3	1	2	3	4	5	6	9
" MULTIPLE DX	4915	4.2	13	2	2	4	4	6	8	19
TOTAL 0-19 YRS	2825	3.8	6	2	2	3	4	5	7	12
20-34	4625	3.6	5	1	2	3	4	5	6	9
35-49	1979	3.6	5	1	2	3	4	5	6	13
50-64	836	3.9	19	1	2	3	4	6	9	23
65+	284	5.5	57	1	2	3	5	14	19	62
GRAND TOTAL	**10549**	**3.7**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	529	2.5	3	1	1	2	3	4	5	10
20-34	823	2.8	3	1	1	2	4	5	6	10
35-49	181	2.7	3	1	1	2	3	5	6	9
50-64	44	3.0	5	1	1	2	4	6	9	11
65+	20	3.5	3	1	1	3	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	778	4.6	49	1	1	3	5	8	11	30
20-34	1143	4.8	23	1	1	3	5	10	13	26
35-49	348	5.9	37	1	2	4	7	12	16	45
50-64	130	7.8	149	1	2	4	7	18	40	83
65+	119	8.4	59	2	2	5	11	20	23	37
TOT. SINGLE DX	1597	2.7	4	1	1	2	3	5	6	10
" MULTIPLE DX	2518	5.2	43	1	1	3	6	10	15	33
TOTAL 0-19 YRS	1307	3.8	32	1	1	3	4	7	9	23
20-34	1966	4.0	16	1	1	3	5	8	11	23
35-49	529	4.8	28	1	1	3	6	10	14	27
50-64	174	6.6	117	1	1	3	6	13	28	74
65+	139	7.7	55	2	2	5	10	19	22	35
GRAND TOTAL	**4115**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	501	2.9	6	1	1	2	4	5	7	12
20-34	1377	3.0	5	1	1	2	4	5	7	12
35-49	467	3.3	7	1	1	3	4	7	9	15
50-64	150	3.3	5	1	1	3	4	6	8	14
65+	55	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	942	5.8	43	1	2	4	7	11	16	43
20-34	2221	6.1	52	1	2	4	7	12	17	41
35-49	882	7.3	84	1	2	5	8	14	20	54
50-64	425	9.0	138	2	2	6	10	17	34	82
65+	284	10.3	95	2	2	7	13	21	31	48
TOT. SINGLE DX	2550	3.1	6	1	1	2	4	6	8	12
" MULTIPLE DX	4754	6.8	68	1	2	4	8	13	19	47
TOTAL 0-19 YRS	1443	4.8	32	1	1	3	5	9	13	31
20-34	3598	4.9	37	1	1	3	6	10	13	29
35-49	1349	6.0	61	1	1	4	7	12	17	40
50-64	575	7.5	110	1	2	4	8	15	22	75
65+	339	9.2	87	2	2	6	11	19	28	46
GRAND TOTAL	7304	5.5	50	1	1	4	6	11	16	38

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	3.2	4	1	1	3	4	5	8	12
20-34	103	3.8	9	1	1	3	5	8	10	15
35-49	135	3.3	5	1	1	3	4	6	8	12
50-64	135	2.6	2	1	1	2	3	4	5	10
65+	51	2.8	2	2	2	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	122	4.1	12	1	2	3	5	7	10	21
20-34	147	6.5	123	1	1	4	6	10	16	62
35-49	128	5.3	40	1	1	3	6	13	19	35
50-64	151	5.3	60	1	1	3	5	10	16	46
65+	127	7.4	84	1	2	4	10	15	24	50
TOT. SINGLE DX	539	3.2	5	1	1	3	4	6	8	12
" MULTIPLE DX	675	5.7	67	1	1	3	6	11	18	49
TOTAL 0-19 YRS	237	3.6	9	1	1	3	4	7	9	17
20-34	250	5.4	78	1	1	3	6	9	14	59
35-49	263	4.3	23	1	1	3	5	8	13	25
50-64	286	4.0	35	1	1	3	4	7	11	36
65+	178	6.1	65	1	2	3	7	13	20	43
GRAND TOTAL	1214	4.6	41	1	1	3	5	9	13	35

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1620	5.0	25	1	1	4	6	10	14	25
20-34	1039	4.2	18	1	1	3	5	6	11	22
35-49	901	4.5	12	1	1	4	6	8	11	18
50-64	1005	5.6	19	1	2	5	7	9	12	22
65+	330	7.6	47	2	2	6	9	14	20	45
2. MULTIPLE DX										
0-19 YRS	1618	7.1	61	2	2	5	7	15	22	43
20-34	1195	6.8	82	1	1	4	7	14	22	52
35-49	1167	6.7	65	1	2	4	7	13	24	44
50-64	1736	7.3	57	2	2	5	8	14	21	44
65+	959	10.4	109	2	2	7	12	22	30	60
TOT. SINGLE DX	4895	5.1	23	1	1	4	6	9	13	[illegible]
" MULTIPLE DX	6675	7.5	73	1	2	5	8	16	24	[illegible]
TOTAL 0-19 YRS	3238	6.0	45	1	2	4	6	12	18	38
20-34	2234	5.6	55	1	1	3	6	11	17	43
35-49	2068	5.7	43	1	2	4	6	10	15	37
50-64	2741	6.7	44	1	2	5	8	12	17	38
65+	1289	9.6	95	2	2	7	11	20	29	54
GRAND TOTAL	11570	6.5	53	1	2	4	7	12	19	42

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	802	3.0	1	1	1	3	4	5	5	7
20-34	1596	3.1	2	1	1	3	4	5	6	8
35-49	1735	3.2	3	1	1	3	4	5	6	8
50-64	1899	3.4	2	1	1	3	4	5	6	9
65+	773	3.4	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	1046	3.3	2	1	1	3	4	5	6	9
20-34	2748	3.5	8	1	2	3	4	5	6	11
35-49	3946	3.7	7	1	2	3	4	6	7	11
50-64	6444	4.0	7	1	2	4	5	6	7	13
65+	4353	4.5	13	1	2	4	5	7	9	18
TOT. SINGLE DX	6805	3.2	3	1	1	3	4	5	6	8
" MULTIPLE DX	18537	3.9	9	1	2	3	5	6	8	14
TOTAL 0-19 YRS	1848	3.2	2	1	1	3	4	5	6	8
20-34	4344	3.4	6	1	1	3	4	5	6	9
35-49	5681	3.6	6	1	1	3	4	6	7	10
50-64	8343	3.9	6	1	2	4	5	6	7	12
65+	5126	4.3	12	1	2	4	5	7	9	17
GRAND TOTAL	25342	3.7	7	1	2	3	4	6	7	12

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4386	3.4	13	1	1	2	4	6	8	20
20-34	5090	3.5	14	<1	1	3	4	6	9	19
35-49	3854	3.7	14	<1	1	3	4	7	10	20
50-64	2771	4.3	26	1	1	3	5	8	12	28
65+	1313	5.4	35	1	1	4	6	11	17	34
2. MULTIPLE DX										
0-19 YRS	2331	7.3	106	1	1	3	7	19	30	55
20-34	4752	7.2	124	1	1	3	7	17	30	68
35-49	4799	6.7	88	1	1	4	7	15	25	51
50-64	5374	8.4	127	1	2	4	9	20	32	68
65+	4777	12.5	187	2	2	8	16	29	43	83
TOT. SINGLE DX	17414	3.8	18	1	1	3	4	7	10	22
" MULTIPLE DX	22033	8.5	134	1	1	4	10	21	33	68
TOTAL 0-19 YRS	6717	4.7	50	1	1	3	4	9	17	39
20-34	9842	5.3	71	1	1	3	5	10	18	50
35-49	8653	5.3	58	1	1	3	5	11	18	43
50-64	8145	7.0	97	1	1	4	7	16	26	55
65+	6090	10.9	163	1	2	6	14	26	39	76
GRAND TOTAL	39447	6.4	88	1	1	3	6	15	24	53

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1817	6.0	44	1	2	4	7	11	20	36
20-34	1201	4.4	18	1	1	4	5	8	11	21
35-49	582	5.5	42	1	1	4	7	10	13	29
50-64	514	7.6	53	1	2	6	9	13	18	46
65+	692	11.9	87	2	4	11	15	19	24	68
2. MULTIPLE DX										
0-19 YRS	1117	9.4	160	1	2	5	9	23	38	69
20-34	1002	9.1	133	1	2	5	10	22	34	70
35-49	626	10.7	158	1	2	7	12	25	36	76
50-64	827	13.0	177	2	3	9	16	27	42	85
65+	2446	16.8	177	4	6	13	20	32	44	83
TOT. SINGLE DX	4806	6.6	50	1	2	4	8	13	18	36
" MULTIPLE DX	6018	13.0	176	2	2	9	16	28	41	78
TOTAL 0-19 YRS	2934	7.3	91	1	2	4	7	16	26	52
20-34	2203	6.6	76	1	1	4	7	14	22	54
35-49	1208	8.2	109	1	2	5	9	17	27	63
50-64	1341	10.9	136	2	2	8	13	22	36	72
65+	3138	15.7	162	4	5	13	18	30	41	78
GRAND TOTAL	10824	10.1	131	1	2	6	13	22	32	67

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2766	2.5	10	<1	<1	2	3	4	6	18
20-34	3804	2.6	10	<1	<1	2	3	4	6	12
35-49	1916	2.9	8	<1	<1	2	3	5	7	17
50-64	1547	3.2	13	<1	1	2	3	6	8	18
65+	1192	5.1	38	<1	1	3	6	11	17	30
2. MULTIPLE DX										
0-19 YRS	1463	5.0	72	<1	1	3	4	9	18	51
20-34	1697	5.7	72	1	1	3	6	12	21	46
35-49	1140	6.2	74	1	1	3	7	13	21	47
50-64	1330	6.8	84	1	1	4	7	15	24	50
65+	2223	10.8	138	2	2	7	14	24	35	67
TOT. SINGLE DX	11225	3.0	14	<1	<1	2	3	5	8	19
" MULTIPLE DX	7853	7.3	99	1	1	4	8	18	26	55
TOTAL 0-19 YRS	4229	3.4	33	<1	<1	2	3	5	9	33
20-34	5501	3.6	32	<1	<1	2	4	6	10	33
35-49	3056	4.1	36	<1	1	2	4	8	13	32
50-64	2877	4.8	50	<1	1	3	5	10	16	41
65+	3415	8.8	111	1	2	5	11	21	29	62
GRAND TOTAL	19078	4.7	53	<1	1	3	5	10	17	42

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	361	16.8	174	3	4	13	24	33	44	55
20-34	128	12.2	100	3	4	10	14	23	38	64
35-49	84	12.4	136	3	4	9	15	22	38	66
50-64	225	10.4	52	4	5	9	12	16	20	40
65+	678	13.5	58	6	7	12	16	20	26	57
2. MULTIPLE DX										
0-19 YRS	350	20.9	224	5	7	17	27	43	48	81
20-34	297	18.2	205	5	6	14	21	39	53	78
35-49	140	19.2	267	4	6	14	24	46	62	89
50-64	415	16.7	170	5	6	13	19	34	48	99+
65+	2961	17.2	129	7	8	14	20	31	43	85
TOT. SINGLE DX	1476	13.7	98	4	5	11	16	25	33	55
" MULTIPLE DX	4163	17.6	152	6	8	14	20	33	46	86
TOTAL 0-19 YRS	711	18.8	203	3	5	15	25	37	46	70
20-34	425	16.4	181	4	6	12	20	34	49	77
35-49	224	16.7	229	4	5	11	20	37	55	78
50-64	640	14.5	138	5	6	11	16	28	39	94
65+	3639	16.5	118	6	8	14	19	29	39	83
GRAND TOTAL	5639	16.6	141	5	7	14	19	31	43	78

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	584	9.5	47	2	3	8	12	18	23	33
20-34	488	11.4	62	3	4	9	14	19	24	42
35-49	437	11.3	73	4	5	9	13	20	25	59
50-64	1118	11.7	38	5	6	10	14	19	22	37
65+	4810	14.5	60	6	8	13	17	23	28	46
2. MULTIPLE DX										
0-19 YRS	856	16.6	166	4	6	13	20	31	46	76
20-34	1338	18.6	205	6	7	14	23	37	52	97
35-49	891	18.4	201	6	7	14	22	39	50	96
50-64	2675	17.7	151	6	8	14	21	32	43	83
65+	22786	18.6	145	7	9	15	22	33	46	99
TOT. SINGLE DX	7437	13.3	60	5	6	12	16	21	26	45
" MULTIPLE DX	28546	18.4	151	7	8	15	22	33	46	95
TOTAL 0-19 YRS	1440	13.7	130	3	4	11	17	26	34	66
20-34	1826	16.6	177	5	6	13	20	33	47	86
35-49	1328	16.1	170	5	6	12	19	34	45	84
50-64	3793	15.9	125	6	7	13	19	28	38	70
65+	27596	17.9	133	7	9	15	21	31	42	90
GRAND TOTAL	**35983**	**17.4**	**137**	**6**	**8**	**14**	**20**	**31**	**42**	**87**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1067	10.6	134	1	1	5	17	27	33	49
20-34	66	13.9	193	2	2	8	20	36	46	55
35-49	36	13.1	285	1	2	5	17	46	55	61
50-64	60	11.1	134	1	2	8	13	25	37	58
65+	150	14.2	179	1	3	10	17	30	40	69
2. MULTIPLE DX										
0-19 YRS	568	16.2	189	2	2	13	24	35	43	60
20-34	213	23.3	385	3	4	17	33	56	63	93
35-49	87	22.7	350	3	5	16	36	58	74	99+
50-64	160	20.7	328	2	3	14	32	52	57	99+
65+	621	19.9	290	3	5	14	26	46	65	99+
TOT. SINGLE DX	1379	11.3	147	1	1	6	17	28	35	55
" MULTIPLE DX	1649	19.3	280	2	3	14	27	45	58	99+
TOTAL 0-19 YRS	1635	12.6	161	1	1	8	20	30	37	52
20-34	279	21.0	355	2	4	15	31	50	60	88
35-49	123	19.9	348	2	3	13	33	54	67	99+
50-64	220	18.1	293	2	2	12	25	48	56	98
65+	771	18.8	273	3	4	13	25	42	63	99+
GRAND TOTAL	**3028**	**15.6**	**236**	**1**	**2**	**11**	**22**	**37**	**50**	**82**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1404	4.1	32	1	1	2	4	11	17	24
20-34	1050	3.2	12	<1	1	2	4	6	9	19
35-49	749	3.4	15	<1	1	2	4	7	9	19
50-64	778	3.8	20	1	1	2	4	8	10	23
65+	580	3.9	20	1	1	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	480	8.0	91	1	1	4	11	20	26	52
20-34	624	8.2	98	1	1	5	9	20	26	52
35-49	478	7.7	99	1	1	5	9	16	22	64
50-64	651	7.9	102	1	1	5	9	17	26	51
65+	891	9.2	112	1	2	6	11	22	33	76
TOT. SINGLE DX	4561	3.7	22	<1	1	2	4	8	12	22
" MULTIPLE DX	3124	8.3	102	1	1	5	10	20	28	61
TOTAL 0-19 YRS	1884	5.1	50	1	1	2	5	14	20	35
20-34	1674	5.1	50	<1	1	3	6	10	18	36
35-49	1227	5.1	53	1	1	3	6	11	16	45
50-64	1429	5.7	62	1	1	3	7	12	18	42
65+	1471	7.1	83	1	1	4	8	17	26	57
GRAND TOTAL	**7685**	**5.6**	**60**	**1**	**1**	**3**	**6**	**13**	**20**	**44**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6808	3.1	6	1	1	2	4	6	7	12
20-34	8678	3.8	9	1	1	3	5	7	9	15
35-49	5437	4.5	12	1	1	4	6	8	10	17
50-64	4400	5.3	13	1	2	5	7	9	12	18
65+	2517	6.8	26	2	2	5	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	3098	6.5	68	1	1	4	7	14	21	50
20-34	6518	7.5	81	1	2	5	8	15	23	51
35-49	4353	7.9	82	1	2	5	9	16	23	54
50-64	4663	9.2	91	2	3	6	11	19	27	54
65+	5536	11.4	109	3	4	8	14	22	31	64
TOT. SINGLE DX	27840	4.3	13	1	1	3	5	8	10	18
" MULTIPLE DX	24168	8.7	91	1	2	6	10	18	26	55
TOTAL 0-19 YRS	9906	4.2	28	1	1	3	5	8	11	29
20-34	15196	5.4	44	1	1	4	6	10	15	36
35-49	9790	6.0	47	1	2	4	7	11	16	36
50-64	9063	7.3	58	1	2	5	8	14	20	43
65+	8053	10.0	88	2	3	7	12	19	26	55
GRAND TOTAL	**52008**	**6.3**	**54**	**1**	**1**	**4**	**7**	**13**	**18**	**41**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12437	2.1	6	<1	1	1	2	4	6	14
20-34	3053	3.4	12	<1	1	2	4	7	9	16
35-49	2135	3.5	13	1	1	3	4	7	9	19
50-64	2321	3.7	15	1	1	2	4	8	11	19
65+	2303	4.2	27	1	1	3	5	9	12	25
2. MULTIPLE DX										
0-19 YRS	3493	4.8	49	1	1	2	5	11	17	39
20-34	2719	7.0	91	1	1	4	8	14	23	55
35-49	1898	7.8	114	1	1	5	9	16	26	59
50-64	2523	7.7	91	1	1	5	9	17	25	56
65+	5308	9.0	114	1	2	6	11	20	28	67
TOT. SINGLE DX	22249	2.8	12	<1	1	2	3	6	8	17
" MULTIPLE DX	15941	7.4	95	1	1	4	9	16	24	56
TOTAL 0-19 YRS	15930	2.7	17	<1	1	1	3	5	8	21
20-34	5772	5.1	53	1	1	3	6	10	15	41
35-49	4033	5.5	66	1	1	3	6	11	17	48
50-64	4844	5.8	59	1	1	3	7	12	18	44
65+	7611	7.5	93	1	1	5	9	16	25	58
GRAND TOTAL	**38190**	**4.7**	**52**	**1**	**1**	**2**	**5**	**10**	**16**	**40**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	937	3.9	32	<1	<1	2	4	11	17	24
20-34	770	2.6	12	<1	<1	1	3	5	7	18
35-49	413	2.3	4	<1	<1	1	3	4	6	11
50-64	394	3.6	34	<1	1	2	3	7	14	31
65+	659	4.9	34	1	1	3	6	12	16	29
2. MULTIPLE DX										
0-19 YRS	431	7.4	90	1	1	4	9	19	29	47
20-34	691	7.1	85	1	1	4	8	18	26	49
35-49	383	7.3	119	<1	1	4	8	18	27	61
50-64	512	7.0	77	1	1	4	9	16	21	47
65+	1272	8.6	99	1	1	5	11	21	28	49
TOT. SINGLE DX	3173	3.5	25	<1	1	2	4	9	14	24
" MULTIPLE DX	3289	7.7	95	1	1	4	10	19	27	49
TOTAL 0-19 YRS	1368	5.0	53	<1	1	2	5	14	20	33
20-34	1461	4.7	52	<1	1	2	5	12	18	39
35-49	796	4.7	66	<1	1	2	4	10	18	48
50-64	906	5.5	62	1	1	3	6	13	21	38
65+	1931	7.3	80	1	1	4	9	18	25	43
GRAND TOTAL	**6462**	**5.7**	**65**	**<1**	**1**	**3**	**6**	**14**	**21**	**40**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	588	3.7	12	1	1	3	4	7	11	19
20-34	1096	3.0	7	1	1	2	4	5	6	14
35-49	429	3.4	8	1	1	3	4	6	8	13
50-64	212	4.3	11	1	1	3	5	8	10	20
65+	132	9.5	69	1	2	7	13	19	26	38
2. MULTIPLE DX										
0-19 YRS	268	7.1	87	1	2	4	7	15	23	57
20-34	419	6.1	55	1	1	4	7	13	21	34
35-49	250	6.7	80	1	1	4	7	14	20	46
50-64	226	8.8	115	1	2	6	10	17	33	67
65+	316	13.5	137	2	3	11	17	26	36	79
TOT. SINGLE DX	2457	3.7	15	1	1	3	4	6	10	21
" MULTIPLE DX	1479	8.4	100	1	2	5	10	19	27	58
TOTAL 0-19 YRS	856	4.8	39	1	1	3	5	9	15	27
20-34	1515	3.9	23	1	1	3	4	7	10	27
35-49	679	4.6	37	1	1	3	5	8	12	31
50-64	438	6.6	70	1	1	4	7	13	20	50
65+	448	12.3	120	2	3	10	16	24	32	64
GRAND TOTAL	**3936**	**5.5**	**52**	**1**	**1**	**3**	**6**	**12**	**18**	**40**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2487	3.5	16	<1	1	2	4	7	11	22
20-34	2224	3.0	8	<1	1	2	3	5	7	16
35-49	1226	3.4	13	<1	1	2	4	6	10	20
50-64	673	5.0	57	<1	1	3	5	11	15	47
65+	371	8.9	103	1	2	5	12	19	30	57
2. MULTIPLE DX										
0-19 YRS	1762	5.7	57	1	1	3	6	15	22	41
20-34	2235	5.0	51	1	1	3	5	10	16	44
35-49	1495	6.2	71	1	1	3	7	15	22	42
50-64	1300	9.5	140	1	2	5	12	24	34	59
65+	1430	16.4	261	2	2	12	22	39	52	88
TOT. SINGLE DX	6981	3.8	24	<1	1	2	4	7	12	24
" MULTIPLE DX	8222	8.1	124	1	1	4	9	21	31	60
TOTAL 0-19 YRS	4249	4.4	35	1	1	3	4	10	16	31
20-34	4459	4.0	31	<1	1	2	4	7	12	29
35-49	2721	5.0	47	1	1	3	5	11	17	35
50-64	1973	8.0	117	1	1	4	9	21	30	55
65+	1801	14.8	238	2	2	10	20	36	49	80
GRAND TOTAL	**15203**	**6.1**	**82**	**1**	**1**	**3**	**6**	**15**	**23**	**50**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	421	7.0	22	2	2	6	9	13	17	23
20-34	10579	7.5	24	2	3	6	9	13	17	26
35-49	16100	7.9	23	3	3	7	10	14	17	25
50-64	7109	8.7	27	3	4	8	11	15	19	26
65+	1452	10.2	39	3	4	9	13	18	22	32
2. MULTIPLE DX										
0-19 YRS	152	11.6	153	2	3	8	13	24	47	99
20-34	3589	10.2	52	3	4	8	12	18	23	38
35-49	8066	10.5	49	3	4	9	13	18	23	35
50-64	7260	11.8	63	4	5	10	14	21	27	43
65+	4003	14.9	106	5	6	12	18	26	34	60
TOT. SINGLE DX	35661	8.0	26	3	3	7	10	14	18	26
" MULTIPLE DX	23070	11.6	68	4	5	9	14	21	26	44
TOTAL 0-19 YRS	573	8.2	61	2	3	6	10	16	20	52
20-34	14168	8.2	33	2	3	7	10	15	19	29
35-49	24166	8.8	34	3	4	7	11	15	19	30
50-64	14369	10.2	48	3	4	9	12	18	23	36
65+	5455	13.6	93	4	5	11	17	24	31	54
GRAND TOTAL	58731	9.4	45	3	4	8	12	17	22	34

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1963	2.2	1	<1	<1	2	3	4	5	6
20-34	5420	2.3	2	<1	<1	2	3	4	5	8
35-49	3442	2.4	3	<1	<1	2	3	4	6	9
50-64	2092	2.6	4	<1	1	2	3	5	6	10
65+	597	3.0	7	<1	1	2	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	1786	2.7	5	<1	1	2	4	5	6	9
20-34	5429	2.7	6	<1	<1	2	3	5	6	12
35-49	4202	2.9	9	<1	1	2	3	5	7	16
50-64	4896	3.1	10	<1	1	2	4	6	8	16
65+	2707	3.7	18	1	1	3	4	7	10	21
TOT. SINGLE DX	13514	2.4	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	19020	3.0	10	<1	1	2	4	6	7	16
TOTAL 0-19 YRS	3749	2.4	4	<1	1	2	3	5	5	8
20-34	10849	2.5	5	<1	<1	2	3	5	6	10
35-49	7644	2.7	7	<1	<1	2	3	5	6	13
50-64	6988	3.0	9	<1	1	2	3	5	7	15
65+	3304	3.6	16	1	1	2	4	7	9	19
GRAND TOTAL	32534	2.7	7	<1	1	2	3	5	7	13

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3419	2.2	6	<1	<1	2	2	4	5	15
20-34	5690	2.2	5	<1	<1	2	3	4	5	11
35-49	3271	2.6	6	<1	<1	2	3	4	6	12
50-64	2091	3.0	10	<1	1	2	3	5	8	16
65+	784	3.9	20	<1	1	2	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	2202	3.1	20	<1	1	2	3	5	9	23
20-34	4780	3.2	18	<1	1	2	3	6	9	23
35-49	3451	3.9	31	<1	1	2	4	8	12	31
50-64	3222	5.2	61	1	1	3	5	11	18	44
65+	2078	7.9	116	1	1	4	9	20	29	57
TOT. SINGLE DX	15255	2.5	8	<1	<1	2	3	4	6	14
" MULTIPLE DX	15733	4.4	46	<1	1	2	4	9	15	38
TOTAL 0-19 YRS	5621	2.6	12	<1	<1	2	3	4	6	21
20-34	10470	2.7	12	<1	<1	2	3	5	7	17
35-49	6722	3.3	20	<1	1	2	3	6	9	24
50-64	5313	4.3	42	<1	1	2	4	8	14	37
65+	2862	6.8	93	1	1	3	7	16	25	52
GRAND TOTAL	30988	3.4	28	<1	1	2	3	6	10	28

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	970	10.3	18	5	6	9	11	15	19	26
20-34	845	10.3	43	4	5	9	12	16	21	36
35-49	1110	8.9	27	4	4	8	11	14	17	26
50-64	528	8.8	34	4	4	8	10	14	17	27
65+	85	10.1	26	4	5	10	13	17	19	29
2. MULTIPLE DX										
0-19 YRS	916	14.9	130	6	7	11	16	28	40	73
20-34	1015	14.9	159	5	6	11	17	30	45	99+
35-49	1363	12.6	98	4	5	10	14	24	35	66
50-64	1038	13.9	152	4	5	10	16	26	36	85
65+	409	18.9	241	6	7	13	23	38	54	96
TOT. SINGLE DX	3538	9.6	30	4	5	9	11	15	19	28
" MULTIPLE DX	4741	14.4	144	5	6	11	16	28	40	86
TOTAL 0-19 YRS	1886	12.5	79	5	7	10	14	21	29	57
20-34	1860	12.8	112	5	6	10	14	23	34	84
35-49	2473	10.9	70	4	5	9	12	19	26	55
50-64	1566	12.2	118	4	5	9	13	22	32	71
65+	494	17.4	215	5	6	13	21	36	49	94
GRAND TOTAL	8279	12.3	101	4	5	10	14	22	31	66

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	3.9	8	1	1	3	5	7	8	13
20-34	878	3.9	7	1	1	3	5	7	9	14
35-49	820	4.1	8	1	1	4	5	8	9	14
50-64	916	4.0	13	1	1	3	5	7	10	16
65+	448	4.1	16	<1	1	3	5	8	12	20
2. MULTIPLE DX										
0-19 YRS	559	5.5	27	1	2	4	6	9	12	32
20-34	872	5.5	43	1	2	4	6	9	13	34
35-49	946	5.9	45	1	2	4	7	11	15	33
50-64	1227	5.6	26	1	2	4	7	11	16	24
65+	908	7.0	61	1	2	5	8	15	22	39
TOT. SINGLE DX	3491	4.0	11	1	1	3	5	7	9	16
" MULTIPLE DX	4512	5.9	41	1	2	4	7	11	16	35
TOTAL 0-19 YRS	988	4.8	20	1	2	4	6	8	11	22
20-34	1750	4.7	26	1	1	4	6	8	11	24
35-49	1766	5.0	29	1	1	4	6	9	12	24
50-64	2143	4.9	21	1	1	4	6	9	13	22
65+	1356	6.1	49	1	1	4	7	13	19	36
GRAND TOTAL	8003	5.1	29	1	1	4	6	9	13	27

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	12.3	17	6	7	12	15	17	20	22
20-34	197	11.6	20	6	7	11	14	17	20	30
35-49	574	11.9	30	6	7	11	14	17	20	31
50-64	2379	12.3	20	7	8	11	15	17	21	28
65+	4251	13.4	28	7	8	13	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	42	17.0	182	7	8	12	17	34	56	64
20-34	331	13.8	51	7	8	12	17	22	29	55
35-49	897	14.0	57	7	8	12	16	22	30	46
50-64	3818	15.4	78	8	9	13	17	24	31	53
65+	11682	16.9	94	8	9	15	19	27	35	65
TOT. SINGLE DX	7419	12.9	26	7	8	12	15	18	22	31
" MULTIPLE DX	16770	16.3	89	8	9	14	18	26	33	61
TOTAL 0-19 YRS	60	15.6	136	6	8	12	16	26	45	63
20-34	528	13.0	41	7	8	11	15	20	26	39
35-49	1471	13.2	48	7	8	11	15	20	25	43
50-64	6197	14.2	58	7	8	12	16	22	27	46
65+	15933	16.0	79	8	9	14	18	25	32	58
GRAND TOTAL	24189	15.3	72	8	9	13	17	24	30	54

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	8.8	46	2	3	7	11	21	22	34
20-34	55	9.7	18	3	5	9	12	17	18	20
35-49	157	10.3	14	5	6	10	13	15	17	22
50-64	562	12.4	26	6	7	12	15	19	21	30
65+	3000	14.4	46	7	8	13	16	21	26	43
2. MULTIPLE DX										
0-19 YRS	47	10.5	104	3	3	8	14	19	23	67
20-34	110	13.5	67	4	6	12	16	26	34	63
35-49	235	15.6	123	6	7	13	17	26	36	69
50-64	1285	17.2	121	7	8	14	20	30	41	73
65+	13406	18.2	125	8	9	15	21	31	42	83
TOT. SINGLE DX	3817	13.8	43	7	8	13	16	20	24	40
" MULTIPLE DX	15083	18.0	125	8	9	15	21	31	41	82
TOTAL 0-19 YRS	90	9.7	77	2	3	7	12	19	22	54
20-34	165	12.3	54	4	6	10	15	21	30	39
35-49	392	13.5	86	5	7	11	15	21	28	60
50-64	1847	15.7	97	7	8	13	18	26	36	66
65+	16406	17.5	113	8	9	15	20	29	39	78
GRAND TOTAL	18900	17.2	111	7	9	15	20	29	38	75

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1994	3.8	3	1	1	4	5	6	7	10
20-34	2990	4.1	6	1	1	4	5	7	8	14
35-49	1180	5.6	24	1	1	4	7	12	15	24
50-64	2079	11.2	31	2	4	11	15	18	20	29
65+	3950	13.3	26	6	8	13	16	19	21	29
2. MULTIPLE DX										
0-19 YRS	1895	4.6	10	1	2	4	5	7	9	18
20-34	3851	4.9	13	1	2	4	6	8	10	19
35-49	1845	6.3	38	1	2	5	7	13	17	31
50-64	3410	12.6	65	2	3	12	16	20	25	44
65+	9600	15.6	62	7	9	14	18	24	30	48
TOT. SINGLE DX	12193	8.4	36	1	2	7	12	16	19	26
" MULTIPLE DX	20601	11.2	70	2	3	10	15	20	25	42
TOTAL 0-19 YRS	3889	4.2	7	1	2	4	5	6	8	14
20-34	6841	4.6	11	1	2	4	5	8	9	17
35-49	3025	6.0	33	1	1	4	7	13	16	28
50-64	5489	12.1	53	2	3	11	15	19	24	39
65+	13550	14.9	53	7	8	14	17	22	27	44
GRAND TOTAL	32794	10.2	59	2	2	9	14	19	23	37

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2261	2.9	2	1	1	3	4	4	5	8
20-34	4976	3.0	2	1	1	3	4	5	6	8
35-49	2365	3.2	5	1	1	3	4	5	7	12
50-64	2068	4.0	18	1	1	3	5	7	9	16
65+	816	5.0	18	1	2	4	6	10	12	19
2. MULTIPLE DX										
0-19 YRS	732	3.6	11	1	1	3	4	6	8	26
20-34	1963	3.8	13	1	1	3	4	6	8	16
35-49	1841	4.3	16	1	2	3	5	7	10	20
50-64	2788	4.8	19	1	2	4	5	8	11	22
65+	1999	6.7	47	2	2	5	8	13	18	36
TOT. SINGLE DX	12487	3.3	7	1	1	3	4	5	7	12
" MULTIPLE DX	9323	4.8	24	1	2	4	5	9	12	25
TOTAL 0-19 YRS	2994	3.0	5	1	1	3	4	5	6	9
20-34	6939	3.2	6	1	1	3	4	5	6	10
35-49	4206	3.7	10	1	1	3	4	6	8	17
50-64	4856	4.5	19	1	2	4	5	8	10	20
65+	2815	6.2	40	1	2	4	7	12	16	31
GRAND TOTAL	**21810**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1219	3.5	15	<1	<1	2	4	8	11	21
20-34	1101	3.2	9	<1	<1	2	4	7	9	16
35-49	995	3.0	10	<1	<1	2	3	6	9	17
50-64	849	2.6	10	<1	<1	2	3	5	7	18
65+	308	3.6	22	<1	<1	2	4	8	12	28
2. MULTIPLE DX										
0-19 YRS	1309	5.8	49	1	2	4	6	11	18	36
20-34	1021	7.4	81	1	1	5	9	16	23	47
35-49	959	6.9	78	1	1	4	8	15	22	46
50-64	935	7.1	90	1	1	4	8	16	23	48
65+	774	11.3	165	1	2	7	15	26	40	71
TOT. SINGLE DX	4472	3.2	13	<1	<1	2	4	6	10	18
" MULTIPLE DX	4998	7.4	90	1	1	4	8	17	25	51
TOTAL 0-19 YRS	2528	4.7	35	<1	1	3	5	10	15	30
20-34	2122	5.2	48	<1	1	3	6	11	16	38
35-49	1954	4.9	47	<1	1	3	5	11	16	37
50-64	1784	5.0	57	<1	<1	2	5	11	18	35
65+	1082	9.1	137	<1	1	5	11	22	33	62
GRAND TOTAL	**9470**	**5.4**	**58**	**<1**	**1**	**3**	**6**	**12**	**18**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1757	2.0	3	<1	<1	2	2	3	5	11
20-34	2622	2.0	3	<1	<1	2	2	3	5	11
35-49	1956	2.3	6	<1	<1	2	3	4	6	13
50-64	1453	2.7	6	<1	<1	2	3	5	7	13
65+	689	3.6	16	<1	<1	2	4	8	11	21
2. MULTIPLE DX										
0-19 YRS	430	4.8	49	<1	1	2	5	10	16	39
20-34	915	5.2	56	<1	1	3	5	11	19	35
35-49	1217	5.4	45	<1	1	3	6	12	19	31
50-64	1575	7.3	80	1	1	4	9	17	24	45
65+	1474	9.2	98	1	2	6	12	21	28	52
TOT. SINGLE DX	8477	2.3	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	5611	6.9	74	<1	1	4	8	16	23	45
TOTAL 0-19 YRS	2187	2.6	14	<1	<1	2	2	4	8	17
20-34	3537	2.8	19	<1	<1	2	3	5	9	22
35-49	3173	3.5	24	<1	<1	2	4	7	12	24
50-64	3028	5.1	50	<1	1	3	5	12	18	36
65+	2163	7.4	79	<1	1	4	9	18	24	46
GRAND TOTAL	**14088**	**4.1**	**38**	**<1**	**<1**	**2**	**4**	**10**	**15**	**31**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	1.9	2	<1	<1	2	2	3	6	8
20-34	163	2.6	7	<1	<1	2	3	5	6	17
35-49	330	2.1	2	<1	<1	2	2	3	5	8
50-64	1010	2.1	3	<1	1	2	2	3	4	8
65+	727	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	85	4.3	43	1	1	2	4	7	20	39
20-34	163	4.4	35	<1	1	2	4	10	14	28
35-49	261	3.7	36	<1	1	2	3	6	11	28
50-64	696	3.2	14	1	1	2	3	5	9	19
65+	701	3.4	16	1	1	2	3	6	10	22
TOT. SINGLE DX	2311	2.1	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	1906	3.5	22	1	1	2	3	6	10	23
TOTAL 0-19 YRS	166	3.2	25	<1	1	2	3	5	7	28
20-34	326	3.5	22	<1	1	2	3	7	11	26
35-49	591	2.8	18	<1	<1	2	3	5	7	20
50-64	1706	2.5	8	<1	1	2	3	4	6	15
65+	1428	2.7	10	<1	1	2	3	4	6	17
GRAND TOTAL	**4217**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**4**	**6**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1313	1.9	2	<1	<1	1	2	3	4	7
20-34	2106	2.0	3	<1	<1	2	2	4	5	8
35-49	887	2.0	3	<1	<1	2	2	3	5	11
50-64	521	2.2	4	<1	<1	2	3	4	5	11
65+	163	2.3	4	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	1136	2.2	3	<1	1	2	3	4	5	10
20-34	2095	2.6	9	<1	1	2	3	5	7	14
35-49	944	3.0	19	<1	1	2	3	5	8	25
50-64	546	3.5	23	1	1	2	4	6	10	24
65+	278	4.0	26	<1	1	2	4	9	12	29
TOT. SINGLE DX	4990	2.0	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	4999	2.8	13	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	2449	2.0	3	<1	1	2	2	4	5	8
20-34	4201	2.3	7	<1	1	2	3	4	6	11
35-49	1831	2.5	12	<1	1	2	3	4	6	15
50-64	1067	2.9	15	<1	1	2	3	5	7	21
65+	441	3.4	19	<1	1	2	3	7	11	23
GRAND TOTAL	**9989**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	798	2.5	6	<1	1	2	3	4	6	13
20-34	1757	2.7	4	<1	1	2	3	5	6	12
35-49	1621	3.0	6	1	1	3	4	5	7	10
50-64	1751	3.6	5	1	1	3	4	6	7	12
65+	703	4.1	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	538	4.2	54	1	1	2	4	7	11	43
20-34	1248	4.6	50	1	1	3	5	8	15	41
35-49	1206	5.0	30	1	1	4	5	9	15	30
50-64	1703	5.4	44	1	2	4	6	10	14	32
65+	1181	7.6	98	1	2	5	8	14	24	63
TOT. SINGLE DX	6630	3.1	6	1	1	3	4	5	7	12
" MULTIPLE DX	5876	5.5	56	1	1	4	6	10	16	43
TOTAL 0-19 YRS	1336	3.1	26	<1	1	2	3	6	8	24
20-34	3005	3.5	24	<1	1	2	4	6	9	22
35-49	2827	3.9	17	1	1	3	4	7	9	22
50-64	3454	4.5	25	1	1	4	5	8	10	23
65+	1884	6.3	67	1	2	4	7	12	18	50
GRAND TOTAL	**12506**	**4.2**	**31**	**1**	**1**	**3**	**5**	**7**	**11**	**28**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1766	3.2	4	1	1	3	4	5	6	11
20-34	1437	3.3	8	1	1	3	4	6	7	15
35-49	1044	3.3	7	1	1	3	4	6	7	14
50-64	611	3.6	6	1	1	3	4	6	8	14
65+	226	5.4	41	1	2	4	6	10	12	27
2. MULTIPLE DX										
0-19 YRS	2091	4.4	44	1	1	3	5	7	10	29
20-34	907	6.1	72	1	1	4	6	11	21	53
35-49	583	7.0	125	1	1	4	6	14	30	90
50-64	558	6.9	74	1	2	4	7	14	24	57
65+	455	10.7	214	2	2	6	12	22	45	99+
TOT. SINGLE DX	5084	3.4	8	1	1	3	4	6	7	13
" MULTIPLE DX	4594	6.0	84	1	2	4	6	11	19	61
TOTAL 0-19 YRS	3857	3.8	27	1	1	3	4	6	8	22
20-34	2344	4.4	35	1	1	3	5	7	11	33
35-49	1627	4.7	53	1	1	3	5	7	13	50
50-64	1169	5.2	42	1	1	4	5	9	15	47
65+	681	9.0	163	1	2	5	9	17	37	97
GRAND TOTAL	**9678**	**4.6**	**46**	**1**	**1**	**3**	**5**	**8**	**12**	**41**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	268	2.2	3	<1	1	2	2	4	6	11
20-34	584	2.5	6	<1	1	2	3	5	7	14
35-49	354	2.7	15	<1	1	2	3	5	8	18
50-64	265	2.9	18	<1	1	2	3	6	8	25
65+	141	2.9	11	<1	1	2	3	5	9	17
2. MULTIPLE DX										
0-19 YRS	197	3.8	27	1	1	2	5	9	11	19
20-34	531	6.1	112	1	1	3	5	13	29	70
35-49	376	5.8	100	1	1	3	5	13	22	58
50-64	394	6.2	99	1	1	3	6	15	24	49
65+	360	9.4	166	1	1	4	11	25	34	82
TOT. SINGLE DX	1612	2.6	11	<1	1	2	3	5	7	16
" MULTIPLE DX	1858	6.4	111	1	1	3	6	16	27	62
TOTAL 0-19 YRS	465	2.9	14	1	1	2	3	6	9	15
20-34	1115	4.2	60	<1	1	2	4	8	14	46
35-49	730	4.3	62	<1	1	2	4	8	16	45
50-64	659	4.9	69	<1	1	2	4	10	20	46
65+	501	7.5	131	1	1	3	8	20	31	73
GRAND TOTAL	**3470**	**4.6**	**68**	**<1**	**1**	**2**	**4**	**10**	**18**	**47**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	4.9	31	<1	1	2	5	13	19	21
20-34	41	5.1	22	1	1	4	7	11	13	24
35-49	29	6.2	48	1	1	4	7	14	24	31
50-64	21	4.0	17	<1	1	3	4	11	15	16
65+	17	6.3	29	<1	<1	5	7	16	18	19
2. MULTIPLE DX										
0-19 YRS	20	16.2	505	<1	<1	6	20	44	68	91
20-34	48	10.0	130	1	1	6	13	33	51	99+
35-49	41	16.5	287	1	2	9	33	49	54	99+
50-64	52	16.7	217	1	3	12	23	36	41	74
65+	83	17.7	281	3	4	11	23	40	49	80
TOT. SINGLE DX	135	5.3	30	1	1	4	6	13	17	25
" MULTIPLE DX	244	15.6	261	1	2	9	22	41	51	99+
TOTAL 0-19 YRS	47	9.7	258	<1	1	4	11	21	44	91
20-34	89	7.8	86	1	1	5	10	24	37	99+
35-49	70	12.2	213	1	2	5	15	42	50	91
50-64	73	13.0	192	1	1	8	20	30	40	70
65+	100	15.8	256	2	3	9	19	38	44	79
GRAND TOTAL	**379**	**12.0**	**203**	**1**	**1**	**6**	**16**	**33**	**44**	**87**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	3.7	13	<1	1	3	4	9	12	18
20-34	102	4.8	23	1	1	3	5	10	16	63
35-49	115	6.3	63	1	1	4	6	16	20	42
50-64	143	7.1	51	1	2	5	9	14	23	38
65+	214	7.8	77	1	2	5	9	16	25	46
2. MULTIPLE DX										
0-19 YRS	108	6.9	72	1	1	4	7	17	24	43
20-34	308	12.8	180	1	2	8	17	29	41	65
35-49	674	15.5	177	2	3	12	20	35	44	66
50-64	1838	17.7	221	3	4	14	23	37	50	84
65+	3113	17.5	222	3	4	14	23	37	50	94
TOT. SINGLE DX	711	6.2	52	1	1	4	7	14	20	39
" MULTIPLE DX	6041	16.9	216	2	3	13	22	36	49	84
TOTAL 0-19 YRS	245	5.1	42	1	1	3	5	12	17	33
20-34	410	10.8	153	1	1	6	14	26	39	65
35-49	789	14.2	171	1	2	10	19	32	42	64
50-64	1981	16.9	217	2	3	13	22	36	50	83
65+	3327	16.9	219	2	3	13	22	37	49	93
GRAND TOTAL	**6752**	**15.8**	**209**	**2**	**3**	**12**	**21**	**35**	**47**	**82**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	18.9	205	6	6	16	25	43	49	49
20-34	27	15.6	129	5	5	12	22	30	39	53
35-49	34	15.0	178	3	5	11	17	27	48	64
50-64	40	17.3	152	6	7	14	19	37	45	56
65+	95	17.9	166	6	7	14	22	32	46	71
2. MULTIPLE DX										
0-19 YRS	25	18.3	235	3	3	16	28	47	69	99+
20-34	134	25.4	383	5	7	20	37	60	71	99+
35-49	386	23.7	268	6	8	20	32	47	63	99+
50-64	1339	25.3	295	7	9	21	34	52	68	99+
65+	3720	24.7	299	7	9	20	32	53	72	99+
TOT. SINGLE DX	205	17.0	161	5	6	13	22	33	46	65
" MULTIPLE DX	5604	24.8	298	7	9	20	33	53	71	99+
TOTAL 0-19 YRS	34	18.5	221	3	4	16	27	47	58	99+
20-34	161	23.8	354	5	6	17	34	58	69	99+
35-49	420	23.0	266	6	7	19	31	47	61	99+
50-64	1379	25.0	293	7	9	21	33	52	67	99+
65+	3815	24.6	297	7	9	20	32	53	72	99+
GRAND TOTAL	**5809**	**24.5**	**295**	**7**	**9**	**20**	**32**	**52**	**70**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	8.8	16	4	4	8	12	14	17	18
20-34	17	13.4	151	3	4	9	15	20	44	57
35-49	10	13.1	105	5	5	10	12	31	38	38
50-64	48	15.7	100	6	6	13	20	31	35	51
65+	145	13.0	77	5	6	10	15	24	35	46
2. MULTIPLE DX										
0-19 YRS	38	17.6	179	3	4	14	23	36	41	66
20-34	58	22.6	311	4	8	19	28	61	92	99+
35-49	147	23.3	293	6	8	18	34	56	83	99+
50-64	671	24.7	313	7	8	20	33	54	75	99+
65+	4268	20.7	249	6	7	16	27	45	63	99+
TOT. SINGLE DX	238	13.3	85	4	5	10	15	24	35	49
" MULTIPLE DX	5182	21.3	261	6	7	17	28	46	65	99+
TOTAL 0-19 YRS	56	14.8	143	4	4	11	19	32	39	64
20-34	75	20.5	288	4	6	16	25	53	85	99+
35-49	157	22.6	287	6	7	18	34	54	80	99+
50-64	719	24.1	304	7	8	19	33	52	74	99+
65+	4413	20.5	245	6	7	16	26	44	62	99+
GRAND TOTAL	**5420**	**21.0**	**256**	**6**	**7**	**16**	**27**	**45**	**64**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.7	21	2	2	4	6	13	18	20
20-34	21	10.0	73	1	2	7	14	18	28	39
35-49	24	9.1	45	1	2	8	11	16	26	29
50-64	23	12.4	82	3	4	10	17	28	32	34
65+	29	11.8	47	3	4	10	18	22	23	28
2. MULTIPLE DX										
0-19 YRS	35	13.1	174	1	3	7	18	33	37	59
20-34	66	26.6	497	4	6	22	35	91	99+	99+
35-49	215	23.5	310	4	6	19	34	53	68	99+
50-64	527	27.4	349	6	9	23	37	53	70	97
65+	881	26.5	345	6	8	22	36	54	68	99+
TOT. SINGLE DX	125	9.7	56	2	2	7	14	18	25	35
" MULTIPLE DX	1724	26.1	349	5	8	22	36	54	70	99+
TOTAL 0-19 YRS	63	9.8	119	1	2	5	12	24	33	56
20-34	87	22.6	444	4	5	18	33	58	99	99+
35-49	239	22.0	302	4	5	16	33	52	65	99+
50-64	550	26.7	347	6	8	22	36	53	70	97
65+	910	26.0	343	5	8	21	35	53	67	99+
GRAND TOTAL	**1849**	**25.0**	**346**	**4**	**7**	**20**	**34**	**53**	**68**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	4.4	35	<1	1	2	6	9	14	35
20-34	114	5.2	21	1	1	4	7	9	12	27
35-49	70	4.7	10	1	2	4	6	8	11	18
50-64	28	5.0	11	1	1	4	7	8	12	15
65+	12	5.3	33	<1	<1	2	8	16	17	17
2. MULTIPLE DX										
0-19 YRS	49	5.6	55	1	1	4	7	10	12	50
20-34	89	9.7	82	1	2	8	11	18	29	47
35-49	56	8.7	68	1	2	6	11	19	29	39
50-64	37	5.4	16	1	2	4	7	9	15	19
65+	18	7.4	119	1	1	4	5	19	37	46
TOT. SINGLE DX	325	4.8	23	1	1	3	7	9	12	24
" MULTIPLE DX	249	7.9	69	1	1	6	9	16	23	46
TOTAL 0-19 YRS	150	4.8	42	1	1	2	7	10	13	41
20-34	203	7.2	53	1	1	6	9	13	19	39
35-49	126	6.5	40	1	2	5	8	13	20	37
50-64	65	5.2	14	1	2	4	7	9	14	19
65+	30	6.5	84	<1	1	4	7	16	23	46
GRAND TOTAL	**574**	**6.1**	**45**	**1**	**1**	**4**	**8**	**12**	**18**	**39**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	2.4	6	<1	1	2	2	5	7	13
20-34	187	3.9	60	<1	1	2	4	7	11	31
35-49	141	3.4	12	<1	1	2	4	7	11	18
50-64	118	6.5	63	1	1	3	8	14	26	41
65+	108	9.0	83	1	2	6	10	22	29	45
2. MULTIPLE DX										
0-19 YRS	61	3.7	26	<1	1	2	4	7	12	32
20-34	159	7.2	129	1	1	4	8	14	22	70
35-49	178	11.7	180	1	2	7	15	29	42	59
50-64	374	13.3	199	2	2	9	16	31	43	81
65+	567	14.1	156	3	3	10	19	30	41	97
TOT. SINGLE DX	635	5.0	52	<1	1	3	5	11	16	36
" MULTIPLE DX	1339	12.3	170	1	2	8	16	28	40	83
TOTAL 0-19 YRS	142	3.0	15	<1	1	2	3	6	9	22
20-34	346	5.5	95	<1	1	3	5	11	17	64
35-49	319	8.0	123	1	1	4	9	20	31	55
50-64	492	11.6	175	1	2	7	15	28	40	68
65+	675	13.3	148	2	3	9	18	29	39	88
GRAND TOTAL	**1974**	**9.9**	**144**	**1**	**1**	**6**	**13**	**24**	**34**	**65**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.3	35	1	1	3	9	14	14	14
20-34	11	4.5	56	1	1	3	3	13	26	27
35-49	11	4.2	9	1	2	3	4	10	11	11
50-64	19	6.0	47	1	1	3	6	19	23	24
65+	11	7.7	18	3	3	7	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	3	19.7	786	2	2	5	40	52	52	52
20-34	14	3.8	5	1	1	3	5	7	9	9
35-49	12	9.9	151	1	2	5	11	32	40	41
50-64	27	8.7	58	2	2	5	13	24	36	99+
65+	45	12.0	50	2	3	11	15	23	25	31
TOT. SINGLE DX	56	5.6	34	1	1	3	7	14	20	27
" MULTIPLE DX	101	9.9	81	1	2	8	13	23	28	75
TOTAL 0-19 YRS	7	11.4	339	1	1	3	12	44	52	52
20-34	25	4.1	26	1	1	3	4	7	13	27
35-49	23	7.2	89	1	2	3	8	17	33	41
50-64	46	7.6	55	1	2	4	11	23	25	99+
65+	56	11.1	47	2	3	10	14	23	25	31
GRAND TOTAL	**157**	**8.4**	**68**	**1**	**2**	**5**	**11**	**22**	**25**	**51**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	987	1.8	1	<1	<1	2	2	3	3	5
20-34	3820	1.9	1	<1	<1	2	2	3	4	6
35-49	7801	2.1	2	<1	<1	2	2	3	4	8
50-64	5170	2.3	3	<1	<1	2	3	4	6	10
65+	2873	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	242	3.5	30	<1	1	2	3	6	9	38
20-34	2035	3.4	26	<1	<1	2	3	7	10	24
35-49	5845	3.5	17	<1	1	2	4	7	10	20
50-64	5774	4.4	31	1	1	2	5	10	13	29
65+	6152	6.1	52	1	1	3	8	14	19	37
TOT. SINGLE DX	20651	2.2	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	20048	4.5	35	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	1229	2.1	8	<1	<1	2	2	3	4	10
20-34	5855	2.4	11	<1	<1	2	2	4	6	13
35-49	13646	2.7	10	<1	<1	2	3	5	7	15
50-64	10944	3.4	19	<1	1	2	3	7	10	22
65+	9025	5.0	40	<1	1	3	6	11	16	32
GRAND TOTAL	**40699**	**3.3**	**20**	**<1**	**<1**	**2**	**3**	**7**	**10**	**22**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.4	1	<1	1	2	3	4	5	7
20-34	165	2.8	3	<1	1	2	3	6	7	10
35-49	262	4.4	6	1	2	4	6	8	9	11
50-64	227	4.7	12	1	2	4	6	8	10	20
65+	443	5.5	10	1	2	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	36	2.7	2	<1	1	2	3	4	6	7
20-34	111	5.4	27	1	2	4	6	8	14	31
35-49	408	5.7	15	2	3	5	6	10	12	23
50-64	606	8.1	89	2	2	5	9	15	23	54
65+	1458	9.3	59	2	3	7	11	18	24	41
TOT. SINGLE DX	1266	4.4	9	1	1	4	6	8	9	14
" MULTIPLE DX	2619	8.2	60	2	3	6	9	16	22	40
TOTAL 0-19 YRS	205	2.5	2	<1	1	2	3	4	5	7
20-34	276	3.9	15	<1	1	3	5	7	8	21
35-49	670	5.2	13	1	2	4	6	9	11	19
50-64	833	7.2	70	1	2	5	8	13	20	48
65+	1901	8.4	51	2	3	7	10	16	22	39
GRAND TOTAL	**3885**	**7.0**	**47**	**1**	**2**	**5**	**8**	**13**	**19**	**36**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.9	4	1	2	4	6	7	7	7
20-34	314	6.2	7	2	3	6	7	10	11	14
35-49	2049	6.2	6	3	4	6	7	9	11	14
50-64	3312	6.6	7	3	4	6	8	10	11	15
65+	2997	7.1	8	3	4	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	17	11.4	223	1	2	7	12	27	51	63
20-34	394	6.7	9	3	4	6	8	11	12	18
35-49	2897	7.2	13	3	4	7	9	11	13	19
50-64	5895	8.0	19	3	4	7	9	12	15	26
65+	8341	9.0	29	4	5	8	10	15	18	31
TOT. SINGLE DX	8685	6.7	8	3	4	6	8	10	11	16
" MULTIPLE DX	17544	8.3	24	4	4	7	10	13	16	28
TOTAL 0-19 YRS	30	8.2	139	1	2	5	7	13	30	63
20-34	708	6.4	8	3	3	6	8	10	12	16
35-49	4946	6.8	11	3	4	6	8	10	12	18
50-64	9207	7.5	16	3	4	7	9	11	14	22
65+	11338	8.5	25	4	4	8	10	13	17	28
GRAND TOTAL	**26229**	**7.8**	**19**	**3**	**4**	**7**	**9**	**12**	**15**	**24**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1115	2.8	1	1	1	3	3	4	5	8
20-34	2574	2.8	3	<1	<1	3	4	5	6	8
35-49	2171	3.1	3	<1	1	3	4	5	6	9
50-64	967	3.4	3	1	1	3	4	5	7	10
65+	223	3.3	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	372	3.5	13	1	1	3	4	5	7	14
20-34	1801	3.6	9	1	1	3	4	6	7	16
35-49	3482	3.9	7	1	1	3	5	7	8	13
50-64	2136	4.3	14	1	2	4	5	7	9	17
65+	587	4.9	24	1	2	4	5	9	13	27
TOT. SINGLE DX	7050	3.0	3	<1	1	3	4	5	6	9
" MULTIPLE DX	8378	4.0	11	1	1	3	5	7	9	16
TOTAL 0-19 YRS	1487	2.9	5	1	1	3	4	5	5	9
20-34	4375	3.1	6	<1	1	3	4	5	6	11
35-49	5653	3.6	6	1	1	3	5	6	8	12
50-64	3103	4.0	11	1	1	3	5	7	8	16
65+	810	4.5	20	1	2	3	5	8	12	24
GRAND TOTAL	15428	3.5	8	1	1	3	4	6	7	13

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2782	3.1	6	1	1	3	4	5	6	9
20-34	4963	3.1	2	1	1	3	4	5	6	9
35-49	712	3.2	3	1	1	3	4	5	7	10
50-64	149	3.5	9	1	1	3	4	6	9	13
65+	39	3.3	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	383	4.4	24	1	2	4	5	8	10	22
20-34	940	4.6	18	1	1	4	5	8	11	23
35-49	351	4.9	30	1	1	4	5	9	12	37
50-64	150	6.4	42	1	2	5	7	12	18	30
65+	89	9.5	155	2	2	5	10	21	36	73
TOT. SINGLE DX	8645	3.1	4	1	1	3	4	5	6	9
" MULTIPLE DX	1913	5.0	32	1	2	4	5	9	12	29
TOTAL 0-19 YRS	3165	3.3	8	1	1	3	4	5	7	10
20-34	5903	3.4	6	1	1	3	4	5	7	11
35-49	1063	3.8	13	1	1	3	4	6	8	17
50-64	299	5.0	28	1	1	4	6	9	13	29
65+	128	7.6	117	1	2	4	8	14	26	58
GRAND TOTAL	10558	3.5	10	1	1	3	4	6	7	13

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3292	2.2	6	<1	<1	1	2	4	6	13
20-34	3245	2.7	11	<1	<1	2	3	5	8	16
35-49	3048	2.7	10	<1	<1	2	3	5	8	15
50-64	2681	2.8	12	<1	<1	2	3	5	8	18
65+	1764	3.5	17	<1	<1	2	4	8	12	22
2. MULTIPLE DX										
0-19 YRS	1734	5.9	96	<1	1	3	6	12	25	59
20-34	2988	7.8	104	<1	1	4	9	20	28	52
35-49	4047	7.6	87	<1	1	4	9	17	27	51
50-64	5593	8.0	84	1	1	5	10	18	26	49
65+	7976	10.2	119	1	2	7	13	22	32	70
TOT. SINGLE DX	14030	2.7	11	<1	<1	2	3	5	8	16
" MULTIPLE DX	22338	8.5	103	1	1	5	10	19	28	57
TOTAL 0-19 YRS	5026	3.5	40	<1	<1	2	3	7	11	38
20-34	6233	5.2	63	<1	<1	3	5	12	21	42
35-49	7095	5.5	60	<1	<1	3	6	12	20	41
50-64	8274	6.3	67	<1	1	3	8	14	21	43
65+	9740	9.0	108	1	1	6	11	20	29	63
GRAND TOTAL	36368	6.3	76	<1	<1	3	7	15	22	47

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5415	3.9	24	<1	1	2	5	8	12	26
20-34	5961	4.2	25	<1	1	3	5	9	12	25
35-49	3327	4.9	30	<1	1	3	6	10	14	29
50-64	2423	5.6	43	<1	1	4	7	13	17	32
65+	1993	6.9	66	1	1	4	9	15	23	44
2. MULTIPLE DX										
0-19 YRS	9308	5.7	75	1	1	3	6	12	21	49
20-34	14371	6.9	97	1	1	4	8	15	25	56
35-49	9347	9.2	129	1	1	5	11	22	31	67
50-64	10472	11.7	165	1	2	8	15	27	39	73
65+	18341	14.2	207	2	2	10	18	33	48	99+
TOT. SINGLE DX	19119	4.7	33	<1	1	3	6	10	14	29
" MULTIPLE DX	61839	10.0	154	1	1	6	12	24	36	77
TOTAL 0-19 YRS	14723	5.0	57	<1	1	3	5	11	17	42
20-34	20332	6.1	77	1	1	3	7	13	21	50
35-49	12674	8.1	107	1	1	5	10	18	28	58
50-64	12895	10.5	148	1	1	7	13	24	36	69
65+	20334	13.5	198	1	2	9	17	31	46	99
GRAND TOTAL	80958	8.8	130	1	1	5	11	21	32	68

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	901	6.6	66	1	1	4	8	15	22	41
20-34	909	6.7	55	<1	1	4	9	15	21	42
35-49	551	7.1	71	<1	1	4	9	17	23	42
50-64	478	8.1	81	1	1	5	10	20	27	42
65+	467	12.0	125	1	2	9	17	25	33	57
2. MULTIPLE DX										
0-19 YRS	992	13.6	173	1	2	9	19	31	42	71
20-34	1287	14.7	211	1	2	10	20	34	46	88
35-49	1046	16.6	218	2	2	13	23	37	47	86
50-64	1463	17.1	227	2	3	13	24	39	53	99+
65+	2851	21.1	255	3	5	18	28	45	57	99+
TOT. SINGLE DX	3306	7.7	78	1	1	5	10	18	25	44
" MULTIPLE DX	7639	17.7	235	2	3	14	24	40	52	99+
TOTAL 0-19 YRS	1893	10.3	134	1	1	7	14	24	35	60
20-34	2196	11.4	162	1	1	7	15	27	37	68
35-49	1597	13.3	188	1	2	9	19	31	42	73
50-64	1941	14.9	207	1	2	11	21	35	49	99+
65+	3318	19.8	247	2	4	16	27	43	54	99+
GRAND TOTAL	10945	14.7	209	1	2	10	21	35	46	86

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	311	3.4	34	<1	<1	2	3	7	10	26
20-34	457	4.2	44	<1	1	2	4	8	14	41
35-49	253	5.2	60	<1	<1	2	6	14	17	44
50-64	159	5.4	65	<1	<1	2	6	13	21	44
65+	77	7.5	68	<1	1	5	9	19	24	41
2. MULTIPLE DX										
0-19 YRS	250	7.8	146	1	1	3	8	21	29	63
20-34	504	13.3	320	1	1	5	18	36	57	91
35-49	354	13.9	291	1	1	8	17	40	57	99
50-64	379	16.9	415	1	1	8	27	48	69	98
65+	487	19.6	397	1	2	14	28	55	77	99+
TOT. SINGLE DX	1257	4.6	50	<1	1	2	5	11	17	40
" MULTIPLE DX	1974	15.0	343	1	1	7	21	43	61	99+
TOTAL 0-19 YRS	561	5.4	89	<1	1	2	5	12	23	55
20-34	961	9.0	210	<1	1	3	9	26	41	80
35-49	607	10.3	213	<1	1	4	12	29	46	83
50-64	538	13.5	339	<1	1	5	18	42	58	93
65+	564	17.9	369	1	2	12	26	52	74	99+
GRAND TOTAL	3231	10.9	255	<1	1	4	13	32	50	91

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1411	2.3	6	<1	<1	2	2	4	6	13
20-34	864	2.4	6	<1	<1	2	3	5	7	9
35-49	850	2.8	6	<1	<1	2	4	5	7	11
50-64	840	2.5	5	<1	1	2	3	5	6	10
65+	328	2.9	23	<1	1	2	3	5	7	22
2. MULTIPLE DX										
0-19 YRS	1001	4.2	38	<1	1	2	4	9	13	34
20-34	1149	4.9	39	1	1	3	6	9	13	34
35-49	1484	5.4	39	1	1	4	6	10	16	35
50-64	1742	6.0	68	1	1	3	7	13	20	44
65+	1833	11.4	160	1	2	8	14	27	44	99+
TOT. SINGLE DX	4293	2.5	8	<1	<1	2	3	5	6	12
" MULTIPLE DX	7209	6.8	85	1	1	4	8	15	23	64
TOTAL 0-19 YRS	2412	3.1	21	<1	<1	2	3	6	9	25
20-34	2013	3.8	27	<1	1	2	5	8	10	27
35-49	2334	4.4	29	<1	1	3	5	9	12	30
50-64	2582	4.9	51	1	1	3	5	10	17	41
65+	2161	10.1	149	1	1	7	13	24	39	99+
GRAND TOTAL	11502	5.2	60	<1	1	3	6	11	18	47

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R3850-L3-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX

LENGTH OF STAY BY DIAGNOSIS



UNITED STATES NORTH CENTRAL REGION

1984

Length of Stay by Diagnosis, North Central Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

- . . . by Diagnosis, United States, 1984
- . . . by Diagnosis, United States, North Central Region, 1984
- . . . by Diagnosis, United States, Northeastern Region, 1984
- . . . by Diagnosis, United States, Southern Region, 1984
- . . . by Diagnosis, United States, Western Region, 1984
- . . . by Diagnosis, Canada, 1984

- . . . by Operation, United States, 1984
- . . . by Operation, United States, North Central Region, 1984
- . . . by Operation, United States, Northeastern Region, 1984
- . . . by Operation, United States, Southern Region, 1984
- . . . by Operation, United States, Western Region, 1984
- . . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 5
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 17
    Summary of All Patients. 18
    Summary of All Patients Except Newborn 19
    Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — see Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282971	3.3	15	1	1	3	4	5	6	16
20-34	180790	3.8	22	<1	1	3	4	6	10	28
35-49	61731	5.5	40	1	1	4	6	11	18	31
50-64	42444	5.9	40	1	1	4	7	12	17	31
65+	35234	6.2	38	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	94685	2.9	10	<1	1	2	3	5	8	16
20-34	186563	3.5	8	1	1	3	4	6	8	14
35-49	82419	4.5	16	1	1	3	6	9	11	19
50-64	73386	5.1	21	1	1	4	7	11	13	22
65+	67145	5.4	28	1	1	3	7	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269400	4.7	37	1	2	3	5	8	12	36
20-34	163320	5.9	48	1	1	4	6	12	21	34
35-49	157444	6.6	44	1	2	5	8	13	19	32
50-64	243100	6.9	39	1	2	5	9	13	18	32
65+	498316	7.9	40	2	2	6	10	15	19	32
B. *Operated*										
0-19 YRS	84278	5.5	72	1	1	3	6	11	19	52
20-34	219247	5.4	34	1	2	4	6	9	14	31
35-49	157564	7.2	52	1	2	6	8	14	19	39
50-64	207874	8.8	77	1	2	6	11	18	24	47
65+	315479	10.8	96	2	2	8	14	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603170	4.0	24	1	1	3	4	7	11	27
B. *Operated*	504198	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1331580	6.7	42	1	2	5	8	13	18	33
B. *Operated*	984442	8.1	74	1	2	6	10	17	24	45
1. SINGLE DX	1107368	4.0	20	1	1	3	5	8	11	23
2. MULTIPLE DX	2315022	7.3	56	1	2	5	9	15	21	39
A. NOT OPERATED	1934750	5.9	38	1	2	4	7	12	16	31
B. OPERATED	1488640	6.7	58	1	1	4	8	15	20	39
TOTAL 0-19 YRS	731334	4.0	30	1	1	3	4	7	10	30
20-34	749920	4.7	29	1	1	3	5	8	13	29
35-49	459158	6.3	42	1	1	5	8	12	18	33
50-64	566804	7.3	52	1	2	5	9	15	20	37
65+	916174	8.6	61	2	2	7	11	17	23	40
GRAND TOTAL	3423390	6.2	47	1	1	4	7	13	18	35

594 Hospitals, North Central Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124665	3.7	31	1	1	3	4	6	9	30
20-34	180790	3.8	22	<1	1	3	4	6	10	28
35-49	61731	5.5	40	1	1	4	6	11	18	31
50-64	42444	5.9	40	1	1	4	7	12	17	31
65+	35234	6.2	38	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	94599	2.9	10	<1	1	2	3	5	8	16
20-34	186563	3.5	8	1	1	3	4	6	8	14
35-49	82419	4.5	16	1	1	3	6	9	11	19
50-64	73386	5.1	21	1	1	4	7	11	13	22
65+	67145	5.4	28	1	1	3	7	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162409	4.9	47	1	1	3	5	8	13	42
20-34	163320	5.9	48	1	1	4	6	12	21	34
35-49	157444	6.6	44	1	2	5	8	13	19	32
50-64	243100	6.9	39	1	2	5	9	13	18	32
65+	498316	7.9	40	2	2	6	10	15	19	32
B. *Operated*										
0-19 YRS	80836	4.9	47	1	1	3	5	10	15	38
20-34	219247	5.4	34	1	2	4	6	9	14	31
35-49	157564	7.2	52	1	2	6	8	14	19	39
50-64	207874	8.8	77	1	2	6	11	18	24	47
65+	315479	10.8	96	2	2	8	14	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444864	4.4	31	1	1	3	5	8	13	29
B. *Operated*	504112	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1224589	6.9	43	1	2	5	8	14	19	33
B. *Operated*	981000	8.1	72	1	2	6	10	17	24	44
1. SINGLE DX	948976	4.2	22	1	1	3	5	8	12	24
2. MULTIPLE DX	2205589	7.4	57	1	2	5	9	15	21	39
A. NOT OPERATED	1669453	6.2	41	1	1	4	8	13	18	32
B. OPERATED	1485112	6.7	56	1	1	4	8	15	20	39
TOTAL 0-19 YRS	462509	4.2	36	1	1	3	4	7	11	34
20-34	749920	4.7	29	1	1	3	5	8	13	29
35-49	459158	6.3	42	1	1	5	8	12	18	33
50-64	566804	7.3	52	1	2	5	9	15	20	37
65+	916174	8.6	61	2	2	7	11	17	23	40
GRAND TOTAL	**3154565**	**6.5**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**35**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2501	3.1	4	1	1	3	4	5	7	10
20-34	985	3.0	4	1	1	3	4	5	7	10
35-49	400	3.5	6	1	1	3	4	6	8	10
50-64	229	3.6	4	1	1	3	5	7	7	10
65+	137	4.0	7	1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	43	4.5	8	1	2	4	6	8	10	17
20-34	66	5.9	10	2	3	5	7	10	13	15
35-49	34	6.3	19	2	3	6	7	10	13	26
50-64	18	6.9	25	1	2	6	9	11	18	23
65+	7	14.6	207	5	5	6	27	37	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4814	3.6	6	1	1	3	4	6	8	12
20-34	1690	3.6	6	1	1	3	4	7	8	12
35-49	982	4.2	8	1	2	4	5	8	9	14
50-64	1016	4.7	10	1	2	4	6	8	10	17
65+	1814	5.7	21	2	2	5	7	10	14	24
B. *Operated*										
0-19 YRS	108	8.6	77	2	3	6	10	20	27	48
20-34	118	8.6	135	2	3	6	9	14	25	92
35-49	94	10.4	254	2	3	6	11	17	74	99+
50-64	112	9.1	39	3	4	7	10	19	26	55
65+	153	12.0	108	3	4	9	15	23	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4252	3.2	4	1	1	3	4	6	7	10
B. *Operated*	168	6.1	23	2	3	5	7	10	13	32
2. MULTIPLE DX										
A. *Not Operated*	10316	4.1	10	1	2	3	5	7	9	15
B. *Operated*	585	9.9	119	2	3	7	11	20	28	94
1. SINGLE DX	4420	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	10901	4.4	17	1	2	3	5	8	10	20
A. NOT OPERATED	14568	3.8	8	1	1	3	5	7	9	15
B. OPERATED	753	9.0	100	2	3	6	10	18	27	92
TOTAL 0-19 YRS	7466	3.5	7	1	1	3	4	6	7	12
20-34	2859	3.7	12	1	1	3	4	7	8	13
35-49	1510	4.5	25	1	1	4	5	8	10	18
50-64	1375	4.9	13	1	2	4	6	9	11	22
65+	2111	6.1	30	2	2	5	7	11	15	29
GRAND TOTAL	**15321**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.3	34	1	2	7	11	18	21	22
20-34	33	11.3	83	2	3	11	16	26	32	35
35-49	33	9.9	40	2	3	10	13	16	24	29
50-64	20	13.8	184	3	4	9	15	34	49	54
65+	26	11.8	79	2	3	9	18	25	28	33
B. *Operated*										
0-19 YRS	5	7.6	32	1	1	6	11	16	16	16
20-34	13	7.9	31	<1	1	6	11	17	19	19
35-49	16	12.0	118	3	3	9	15	42	81	99+
50-64	26	9.0	22	2	2	9	14	15	16	18
65+	11	12.5	42	4	6	11	17	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.9	48	2	3	5	15	19	22	25
20-34	47	14.3	118	3	5	12	16	26	33	58
35-49	58	11.3	83	3	3	9	15	23	28	52
50-64	79	13.7	139	3	4	11	18	24	42	90
65+	144	14.2	102	3	4	12	18	25	30	58
B. *Operated*										
0-19 YRS	7	10.3	50	2	3	8	17	21	21	21
20-34	38	14.6	44	5	6	15	18	27	30	99+
35-49	50	16.9	167	4	6	12	23	37	47	53
50-64	78	14.7	139	4	5	12	18	26	39	67
65+	163	18.9	184	4	5	15	25	35	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	10.9	78	2	3	9	14	22	28	46
B. *Operated*	71	9.9	50	2	3	9	14	18	25	88
2. MULTIPLE DX										
A. *Not Operated*	347	13.3	108	3	4	11	17	24	30	65
B. *Operated*	336	17.0	156	4	6	14	22	33	42	85
1. SINGLE DX	207	10.6	68	2	3	9	14	21	27	49
2. MULTIPLE DX	683	15.1	135	3	5	12	19	29	38	70
A. NOT OPERATED	483	12.6	101	3	3	11	16	24	29	58
B. OPERATED	407	15.7	144	3	5	13	20	31	41	85
TOTAL 0-19 YRS	55	8.7	39	1	2	7	12	19	21	25
20-34	131	13.0	82	2	3	12	16	25	29	66
35-49	157	12.9	111	3	3	10	15	28	37	54
50-64	203	13.5	130	3	4	11	17	24	38	69
65+	344	16.2	143	3	5	14	21	31	38	74
GRAND TOTAL	**890**	**14.1**	**123**	**3**	**4**	**12**	**18**	**27**	**35**	**67**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	20	<1	<1	5	9	10	10	10
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	5.0	4	3	3	4	7	8	8	8
20-34	7	5.0	21	2	2	4	5	13	15	15
35-49	8	14.4	220	2	3	7	21	39	46	46
50-64	4	11.0	179	3	3	5	18	31	31	31
65+	5	7.4	52	3	3	4	10	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.1	63	2	2	3	12	20	22	22
20-34	11	7.7	28	2	2	5	12	16	17	17
35-49	5	9.6	13	4	4	10	11	14	14	14
50-64	16	11.3	134	2	3	7	14	31	40	44
65+	19	12.3	85	2	2	11	17	28	32	33
B. *Operated*										
0-19 YRS	7	13.7	315	2	2	8	12	45	53	53
20-34	9	15.0	131	<1	1	13	22	31	36	36
35-49	19	15.8	191	3	4	14	18	33	50	59
50-64	31	16.8	197	3	5	16	22	24	44	75
65+	31	21.4	244	1	6	19	31	44	56	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	21	<1	<1	5	10	12	13	13
B. *Operated*	30	8.7	100	2	2	4	7	21	31	46
2. MULTIPLE DX										
A. *Not Operated*	59	10.2	78	2	2	8	14	21	32	43
B. *Operated*	97	17.7	212	2	4	14	22	38	50	67
1. SINGLE DX	38	8.1	84	1	2	5	8	21	27	46
2. MULTIPLE DX	156	14.9	174	2	3	11	20	32	44	59
A. NOT OPERATED	67	9.7	73	2	2	7	13	19	31	42
B. OPERATED	127	15.6	199	2	3	11	21	35	45	63
TOTAL 0-19 YRS	24	8.3	117	1	2	5	9	17	31	53
20-34	29	9.2	70	2	2	5	13	21	25	36
35-49	33	14.5	162	3	4	10	17	28	45	59
50-64	52	14.5	175	3	3	9	21	27	43	74
65+	56	16.7	196	1	2	12	23	38	44	58
GRAND TOTAL	**194**	**13.6**	**163**	**2**	**2**	**9**	**19**	**31**	**43**	**59**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	2.8	2	1	1	3	3	5	5	7
20-34	110	3.0	2	1	2	3	4	5	5	7
35-49	30	2.9	2	1	2	3	3	4	6	7
50-64	4	5.0	1	4	4	5	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	26	1.7		1	1	2	2	2	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	850	3.1	5	1	1	3	4	5	6	11
20-34	266	3.3	3	1	2	3	4	5	6	9
35-49	105	4.1	5	2	2	3	5	7	8	13
50-64	63	4.6	4	2	3	4	6	7	9	11
65+	38	5.9	25	1	3	5	7	13	16	27
B. *Operated*										
0-19 YRS	39	2.3	2	1	1	2	2	5	6	7
20-34	12	4.7	7	1	2	4	6	9	9	9
35-49	5	13.0	87	3	3	14	21	23	23	23
50-64	4	5.8	2	5	5	5	7	8	8	8
65+	5	10.8	35	6	6	9	13	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	2.9	2	1	1	3	4	5	5	7
B. *Operated*	30	2.2	6	1	1	2	2	3	3	15
2. MULTIPLE DX										
A. *Not Operated*	1322	3.4	5	1	1	3	4	6	7	12
B. *Operated*	65	4.4	22	1	1	3	5	9	16	23
1. SINGLE DX	471	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	1387	3.4	6	1	1	3	4	6	7	13
A. NOT OPERATED	1763	3.3	5	1	1	3	4	5	7	10
B. OPERATED	95	3.7	18	1	1	2	4	8	13	22
TOTAL 0-19 YRS	1211	3.0	4	1	1	3	4	5	6	10
20-34	390	3.2	3	1	2	3	4	5	6	9
35-49	142	4.2	10	2	2	3	5	7	9	21
50-64	71	4.7	4	2	3	4	6	7	9	11
65+	44	6.4	27	2	3	5	8	13	17	27
GRAND TOTAL	**1858**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	4.8	11	1	2	4	6	10	11	15
20-34	30	5.9	29	2	2	4	7	10	20	27
35-49	12	9.2	88	1	2	5	13	24	29	30
50-64	39	7.4	31	2	3	5	10	12	21	28
65+	71	8.2	28	3	3	7	11	14	16	32
B. *Operated*										
0-19 YRS	9	8.9	39	2	2	8	11	19	22	22
20-34	3	8.7	34	2	2	11	12	13	13	13
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	6	17.3	121	5	6	13	26	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	831	6.3	24	2	2	5	8	12	14	19
20-34	335	9.8	50	3	3	8	13	18	25	33
35-49	389	10.4	61	3	4	8	12	19	27	41
50-64	965	11.0	48	4	5	9	14	19	23	41
65+	4183	11.5	48	4	5	10	14	20	24	38
B. *Operated*										
0-19 YRS	64	14.0	135	4	5	11	17	24	32	98
20-34	110	17.3	175	3	5	14	24	40	48	99+
35-49	167	17.5	142	5	6	14	22	31	41	69
50-64	334	20.6	214	5	8	16	25	44	53	73
65+	1063	19.9	167	6	8	17	25	38	47	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	5.6	18	2	2	4	7	11	13	25
B. *Operated*	19	11.6	71	2	3	10	13	24	31	35
2. MULTIPLE DX										
A. *Not Operated*	6703	10.6	49	3	4	9	13	18	23	37
B. *Operated*	1738	19.4	175	6	7	16	24	38	48	77
1. SINGLE DX	585	5.8	21	2	2	4	7	11	13	27
2. MULTIPLE DX	8441	12.4	87	3	4	10	15	23	30	51
A. NOT OPERATED	7269	10.2	48	3	4	9	13	18	23	36
B. OPERATED	1757	19.3	174	5	7	16	24	38	47	77
TOTAL 0-19 YRS	1318	6.2	29	2	2	5	8	12	14	24
20-34	478	11.3	89	3	3	8	14	23	32	52
35-49	568	12.5	95	3	4	10	15	25	31	48
50-64	1339	13.3	107	4	5	10	16	25	35	60
65+	5323	13.1	83	4	5	11	16	23	31	50
GRAND TOTAL	**9026**	**12.0**	**86**	**3**	**4**	**10**	**15**	**22**	**30**	**50**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	6.9	20	1	2	6	10	12	14	22
20-34	59	5.7	10	2	3	5	7	10	13	15
35-49	41	5.9	18	2	2	5	7	11	14	23
50-64	41	5.7	10	2	3	5	6	9	11	19
65+	14	5.4	2	3	3	5	7	7	8	8
B. *Operated*										
0-19 YRS	13	8.6	29	<1	1	8	13	16	17	17
20-34	5	8.2	16	3	3	10	11	12	12	12
35-49	11	9.2	57	2	3	8	10	21	27	28
50-64	4	8.3	17	3	3	9	11	12	12	12
65+	6	6.0	11	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	7.0	34	2	2	6	10	12	15	29
20-34	137	6.7	34	2	2	5	8	11	15	30
35-49	99	7.3	29	2	3	6	10	14	18	30
50-64	162	8.3	27	3	3	7	10	15	19	26
65+	365	10.3	80	3	4	8	12	19	26	42
B. *Operated*										
0-19 YRS	39	15.1	103	5	5	12	20	35	36	38
20-34	33	15.1	196	4	4	11	18	41	52	57
35-49	38	19.1	282	4	5	15	22	49	70	99+
50-64	69	16.7	198	4	5	13	23	33	46	98
65+	129	19.7	227	5	7	14	28	39	55	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	6.4	17	2	2	5	9	12	13	21
B. *Operated*	39	8.3	30	2	2	8	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	1064	8.3	50	2	3	7	10	15	20	34
B. *Operated*	308	17.9	210	4	5	13	23	37	50	85
1. SINGLE DX	432	6.6	18	2	2	6	9	12	14	22
2. MULTIPLE DX	1372	10.5	102	2	3	8	12	21	31	57
A. NOT OPERATED	1457	7.8	42	2	3	6	10	14	17	32
B. OPERATED	347	16.8	198	4	5	12	21	36	47	81
TOTAL 0-19 YRS	591	7.6	36	2	2	6	11	13	16	34
20-34	234	7.7	59	2	3	6	9	13	18	53
35-49	189	9.5	102	2	3	6	11	19	28	71
50-64	276	10.0	82	3	3	7	11	22	28	47
65+	514	12.5	132	3	4	9	15	26	35	64
GRAND TOTAL	**1804**	**9.5**	**84**	**2**	**3**	**7**	**11**	**18**	**27**	**53**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	639	3.7	6	1	2	3	4	6	8	13
20-34	345	3.9	5	1	2	3	5	6	8	12
35-49	73	5.6	10	2	2	5	7	9	12	17
50-64	21	5.7	11	1	2	6	8	10	12	14
65+	4	7.8	14	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	9	6.8	18	3	3	5	8	14	17	17
20-34	5	5.6	5	2	2	6	7	8	8	8
35-49	4	19.8	170	7	7	20	31	31	31	31
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.5	9	1	2	4	6	8	10	15
20-34	205	4.6	7	1	2	4	6	8	10	12
35-49	67	5.8	9	2	3	5	7	10	12	15
50-64	35	7.2	26	2	2	6	9	13	17	25
65+	21	11.6	39	3	4	11	15	19	24	27
B. *Operated*										
0-19 YRS	8	13.8	175	4	4	8	18	37	43	43
20-34	10	6.7	6	3	3	6	9	10	10	10
35-49	4	16.5	310	2	2	11	27	42	42	42
50-64	6	8.2	19	3	3	7	11	15	15	15
65+	3	31.7	358	10	10	40	44	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1082	4.0	6	1	2	3	5	7	9	14
B. *Operated*	18	9.3	73	2	3	6	9	27	31	31
2. MULTIPLE DX										
A. *Not Operated*	644	5.1	12	1	2	4	6	9	11	18
B. *Operated*	31	12.5	155	3	3	8	12	41	43	45
1. SINGLE DX	1100	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	675	5.4	21	1	2	4	7	10	12	23
A. NOT OPERATED	1726	4.4	9	1	2	4	5	8	10	15
B. OPERATED	49	11.3	125	3	3	7	11	31	42	45
TOTAL 0-19 YRS	972	4.1	9	1	2	3	5	7	9	15
20-34	565	4.2	6	1	2	4	5	8	9	12
35-49	148	6.4	27	2	2	5	7	10	14	31
50-64	62	6.8	20	2	2	6	8	13	15	24
65+	28	13.2	102	3	4	10	15	25	40	45
GRAND TOTAL	**1775**	**4.6**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	3.1	4	1	1	3	4	5	7	10
20-34	116	4.9	7	2	2	4	6	8	11	14
35-49	38	4.2	6	1	2	3	6	7	9	11
50-64	95	4.9	8	2	2	4	7	9	11	14
65+	167	6.5	39	2	2	5	8	11	14	35
B. *Operated*										
0-19 YRS	5	8.2	123	2	2	4	10	28	28	28
20-34	8	4.3	8	2	2	3	6	8	9	9
35-49	3	22.7	352	1	1	33	34	34	34	34
50-64	10	5.8	12	2	2	5	8	11	11	11
65+	13	4.6	10	1	2	3	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	983	3.7	6	1	2	3	5	6	8	12
20-34	231	5.7	27	2	2	5	7	9	11	23
35-49	137	6.5	18	1	2	6	8	12	15	21
50-64	422	6.9	21	2	3	6	9	12	16	23
65+	1305	8.1	31	2	3	7	10	15	18	30
B. *Operated*										
0-19 YRS	18	9.3	54	2	2	7	14	16	25	30
20-34	19	11.7	119	2	4	8	13	28	41	44
35-49	20	17.8	565	3	3	9	20	84	93	99+
50-64	53	13.2	104	2	3	12	17	27	35	51
65+	113	13.7	140	2	4	10	16	29	45	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	4.3	14	1	2	3	5	8	10	16
B. *Operated*	39	6.7	62	1	2	4	7	11	31	34
2. MULTIPLE DX										
A. *Not Operated*	3078	6.3	24	2	2	5	8	12	15	26
B. *Operated*	223	13.4	161	2	3	10	16	29	44	83
1. SINGLE DX	851	4.4	16	1	2	3	6	8	11	18
2. MULTIPLE DX	3301	6.7	37	2	2	5	8	13	17	31
A. NOT OPERATED	3890	5.9	23	1	2	5	7	11	14	24
B. OPERATED	262	12.4	151	2	3	9	15	28	38	79
TOTAL 0-19 YRS	1402	3.6	7	1	1	3	4	6	8	13
20-34	374	5.7	27	2	2	5	7	10	12	29
35-49	198	7.4	88	1	2	6	8	14	19	85
50-64	580	7.1	31	2	2	6	9	13	17	30
65+	1598	8.3	42	2	3	7	10	15	20	35
GRAND TOTAL	**4152**	**6.3**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	5.8	27	2	2	5	7	10	12	22
20-34	403	6.7	21	2	3	6	8	12	15	25
35-49	144	7.6	32	3	3	6	9	13	17	22
50-64	61	8.5	21	2	3	8	11	15	17	23
65+	15	7.8	32	2	3	5	10	17	21	22
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	15	4.1	10	1	1	3	7	8	10	10
35-49	9	11.2	52	1	3	10	19	21	21	21
50-64	10	7.2	73	1	1	3	11	20	28	28
65+	2	16.0	72	10	10	16	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.6	18	2	2	5	6	9	14	26
20-34	339	7.2	22	2	3	6	9	13	16	23
35-49	172	8.8	30	3	4	7	10	16	21	30
50-64	139	9.4	30	3	4	8	12	17	19	32
65+	116	9.0	35	2	3	8	12	16	21	28
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	39	10.5	36	2	3	10	14	18	21	30
35-49	23	14.0	145	1	2	10	22	31	42	43
50-64	39	12.8	79	2	4	11	16	25	33	38
65+	29	12.2	45	3	4	12	19	24	25	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	6.8	25	2	3	6	8	12	15	24
B. *Operated*	38	7.2	47	1	1	5	10	20	22	28
2. MULTIPLE DX										
A. *Not Operated*	873	7.9	27	2	3	7	10	15	18	28
B. *Operated*	131	12.2	70	2	3	11	16	23	28	53
1. SINGLE DX	835	6.9	26	2	3	6	8	12	16	24
2. MULTIPLE DX	1004	8.5	35	2	3	7	11	16	21	31
A. NOT OPERATED	1670	7.4	26	2	3	6	9	13	17	26
B. OPERATED	169	11.1	69	1	2	10	15	23	28	43
TOTAL 0-19 YRS	284	5.8	24	2	2	5	7	10	12	21
20-34	796	7.1	22	2	3	6	9	13	16	24
35-49	348	8.7	41	3	3	7	10	16	21	34
50-64	249	9.6	39	3	3	8	12	17	21	32
65+	162	9.6	38	2	3	9	13	19	23	29
GRAND TOTAL	**1839**	**7.7**	**31**	**2**	**3**	**6**	**10**	**14**	**19**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	720	4.2	9	1	2	4	5	7	9	12
20-34	211	4.1	5	2	2	4	5	7	8	11
35-49	30	5.0	14	1	1	4	7	11	13	15
50-64	5	5.8	9	3	3	5	9	9	9	9
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	7	5.1	18	1	1	4	7	12	13	13
20-34	6	5.0	7	1	1	5	6	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1175	4.3	6	1	2	4	5	7	9	12
20-34	342	4.9	10	2	2	4	6	8	10	15
35-49	67	5.6	7	2	3	5	7	9	11	13
50-64	22	7.6	27	2	2	6	10	16	19	20
65+	7	8.6	12	2	3	10	11	12	12	12
B. *Operated*										
0-19 YRS	33	6.2	23	2	2	5	8	11	15	25
20-34	16	7.1	26	3	3	5	8	17	17	17
35-49	7	9.9	33	5	5	9	11	20	22	22
50-64	3	12.3	4	10	10	13	14	14	14	14
65+	2	16.5	61	11	11	16	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	967	4.2	8	1	2	4	5	7	9	13
B. *Operated*	13	5.1	12	1	1	5	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	1613	4.6	7	2	2	4	6	8	10	13
B. *Operated*	61	7.5	29	2	2	5	10	15	19	25
1. SINGLE DX	980	4.2	8	1	2	4	5	7	9	13
2. MULTIPLE DX	1674	4.7	8	2	2	4	6	8	10	15
A. NOT OPERATED	2580	4.4	7	2	2	4	5	8	9	13
B. OPERATED	74	7.1	27	1	2	5	9	14	17	24
TOTAL 0-19 YRS	1935	4.3	7	1	2	4	5	7	9	12
20-34	575	4.7	9	2	2	4	6	8	10	16
35-49	104	5.7	12	2	2	5	8	10	12	18
50-64	30	7.8	24	2	2	6	10	14	19	20
65+	10	10.1	26	2	4	10	11	17	22	22
GRAND TOTAL	**2654**	**4.5**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	18.5	920	3	3	4	34	64	64	64
20-34	6	2.2	4	<1	<1	1	3	6	6	6
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	156	1.7	1	<1	<1	1	2	3	4	7
20-34	314	2.0	2	<1	1	2	2	4	5	8
35-49	128	2.9	8	<1	1	2	3	5	8	15
50-64	36	2.7	2	1	1	3	4	4	5	5
65+	7	2.7	3	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	<1	<1	<1	6	8	8	8
20-34	7	3.4	16	<1	<1	2	4	11	12	12
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.7	3	<1	1	2	4	5	6	9
20-34	172	3.3	40	<1	1	2	4	6	7	16
35-49	104	2.8	4	<1	1	2	4	5	6	11
50-64	50	3.7	9	<1	1	3	4	8	9	16
65+	20	7.5	29	2	3	6	9	14	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.5	291	<1	<1	3	4	18	55	64
B. *Operated*	641	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	12	3.0	13	<1	<1	<1	4	9	12	12
B. *Operated*	398	3.4	22	<1	1	2	4	6	9	16
1. SINGLE DX	654	2.3	9	<1	<1	2	3	4	5	9
2. MULTIPLE DX	410	3.4	22	<1	1	2	4	6	9	16
A. NOT OPERATED	25	5.4	157	<1	<1	2	4	8	25	64
B. OPERATED	1039	2.6	11	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	215	2.3	20	<1	<1	2	3	4	5	9
20-34	499	2.5	16	<1	1	2	3	4	6	11
35-49	236	2.9	6	<1	1	2	3	5	8	12
50-64	87	3.3	6	1	1	3	4	6	8	14
65+	27	6.3	27	1	2	5	8	12	18	24
GRAND TOTAL	**1064**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1671	2.8	3	1	1	2	3	5	6	8
20-34	394	3.5	5	1	1	3	4	6	8	12
35-49	154	3.8	12	1	1	3	5	6	8	12
50-64	96	4.2	13	1	2	3	5	7	9	23
65+	54	4.4	11	1	1	4	5	8	11	17
B. *Operated*										
0-19 YRS	45	3.9	25	<1	1	3	4	6	9	34
20-34	20	4.5	9	1	2	3	6	8	11	13
35-49	13	5.1	22	1	1	3	7	13	13	13
50-64	9	12.3	337	3	3	7	8	41	61	61
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2773	3.2	4	1	1	3	4	5	7	11
20-34	875	3.9	8	1	1	3	5	7	9	15
35-49	527	4.3	9	1	2	3	5	8	10	16
50-64	524	4.8	20	1	2	4	6	8	10	20
65+	885	5.5	18	2	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	99	6.2	42	1	1	4	7	13	21	37
20-34	68	10.0	162	2	2	6	12	22	33	98
35-49	40	16.2	404	2	3	9	16	43	70	86
50-64	54	13.1	250	2	3	8	15	35	62	99
65+	51	11.8	82	2	3	9	16	25	32	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2369	3.1	4	1	1	3	4	5	6	10
B. *Operated*	88	5.1	55	1	1	3	5	8	13	51
2. MULTIPLE DX										
A. *Not Operated*	5584	3.9	10	1	1	3	5	7	9	15
B. *Operated*	312	10.4	166	2	2	6	13	22	34	87
1. SINGLE DX	2457	3.1	6	1	1	3	4	5	7	11
2. MULTIPLE DX	5896	4.3	20	1	1	3	5	8	10	20
A. NOT OPERATED	7953	3.7	8	1	1	3	4	6	8	15
B. OPERATED	400	9.3	147	1	2	5	10	20	32	84
TOTAL 0-19 YRS	4588	3.1	5	1	1	3	4	5	6	11
20-34	1357	4.1	17	1	1	3	5	7	10	18
35-49	734	4.8	38	1	2	3	5	8	12	25
50-64	683	5.4	47	1	2	4	6	9	13	38
65+	991	5.8	23	2	2	4	7	11	14	27
GRAND TOTAL	**8353**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	4	1	2	3	5	7	8	10
20-34	18	3.2	2	1	1	3	4	6	6	6
35-49	8	4.6	19	1	1	3	5	12	15	15
50-64	6	3.5	1	2	2	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.8	9	1	2	4	7	8	10	14
20-34	21	4.9	14	<1	1	4	6	11	14	15
35-49	14	6.9	62	2	2	5	8	13	28	32
50-64	8	7.9	7	5	5	7	10	12	12	12
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	2	27.5	841	7	7	27	48	48	48	48
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49										
50-64										
65+	2	6.5	25	3	3	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.8	5	1	2	3	4	6	8	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	5.6	21	1	2	5	7	11	13	28
B. *Operated*	7	11.3	271	1	1	6	9	40	48	48
1. SINGLE DX	73	3.8	5	1	2	3	4	6	8	14
2. MULTIPLE DX	78	6.1	43	1	2	5	7	11	14	44
A. NOT OPERATED	144	4.7	13	1	2	4	6	8	11	16
B. OPERATED	7	11.3	271	1	1	6	9	40	48	48
TOTAL 0-19 YRS	69	5.0	34	1	2	4	6	8	9	42
20-34	42	4.1	9	1	1	3	5	7	11	15
35-49	22	6.1	46	1	2	4	7	12	22	32
50-64	14	6.0	9	2	3	5	7	12	12	12
65+	4	6.3	9	3	3	6	8	10	10	10
GRAND TOTAL	**151**	**5.0**	**26**	**1**	**2**	**4**	**6**	**8**	**12**	**32**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	5.3	8	2	3	5	7	10	11	13
20-34	192	5.1	11	2	2	4	6	9	12	16
35-49	28	5.5	9	2	2	5	8	10	11	13
50-64	12	7.6	27	1	2	7	11	14	17	18
65+	13	9.2	258	1	1	3	10	26	54	60
B. *Operated*										
0-19 YRS	17	2.9	6	<1	1	2	4	6	9	10
20-34	57	3.1	9	<1	1	2	4	7	9	17
35-49	16	3.6	5	2	2	3	4	6	9	10
50-64	5	2.6	4	<1	<1	2	3	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	5.1	10	2	2	4	7	9	10	16
20-34	165	5.1	8	1	2	5	6	8	10	17
35-49	36	7.6	33	1	2	6	11	18	20	21
50-64	16	7.6	51	2	2	5	10	19	25	27
65+	49	9.8	62	1	2	8	14	18	22	40
B. *Operated*										
0-19 YRS	15	5.6	20	2	2	4	7	8	17	20
20-34	55	5.5	18	1	1	5	8	11	13	23
35-49	30	7.3	120	1	1	4	7	11	27	59
50-64	16	10.9	95	1	2	7	17	26	31	33
65+	26	11.5	85	2	2	8	17	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	5.4	18	2	2	4	6	10	12	18
B. *Operated*	96	3.1	7	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	378	6.1	22	1	2	5	7	11	15	22
B. *Operated*	142	7.6	65	1	2	5	9	18	25	35
1. SINGLE DX	470	4.9	17	1	2	4	6	10	11	17
2. MULTIPLE DX	520	6.5	34	1	2	5	8	12	18	30
A. NOT OPERATED	752	5.8	20	2	2	5	7	11	13	21
B. OPERATED	238	5.8	46	1	1	4	7	11	21	31
TOTAL 0-19 YRS	273	5.1	9	2	2	4	7	9	11	15
20-34	469	4.9	11	1	2	4	6	9	11	17
35-49	110	6.4	47	1	2	4	8	12	18	40
50-64	49	8.2	58	1	2	5	11	20	26	33
65+	89	10.1	95	1	1	7	14	21	30	52
GRAND TOTAL	**990**	**5.8**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.3	19	1	1	3	4	11	13	20
20-34	16	6.9	11	2	3	7	8	12	14	15
35-49	14	8.8	39	3	3	7	13	18	22	23
50-64	7	5.3	8	2	2	4	7	10	10	10
65+	12	9.1	53	3	3	7	11	18	27	29
B. *Operated*										
0-19 YRS	6	6.3	19	1	1	5	11	12	12	12
20-34	19	9.3	56	2	2	8	12	21	27	29
35-49	17	8.9	71	1	2	6	9	22	29	33
50-64	22	9.7	104	1	2	6	12	22	34	44
65+	15	6.6	14	<1	2	7	10	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	4.3	9	1	1	4	6	9	11	14
20-34	60	4.9	8	2	2	4	6	9	11	14
35-49	50	6.4	25	2	2	5	9	12	13	31
50-64	81	9.5	111	1	2	7	10	18	37	56
65+	165	10.6	122	2	3	8	12	21	32	66
B. *Operated*										
0-19 YRS	9	15.7	291	2	3	9	21	44	57	57
20-34	49	10.7	167	1	2	6	11	27	41	65
35-49	75	11.9	125	2	2	9	15	25	29	63
50-64	89	15.2	284	1	2	9	20	40	55	92
65+	110	17.5	259	2	4	12	24	43	51	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	6.3	28	1	2	[illegible]	9	13	16	27
B. *Operated*	79	8.6	61	1	2	6	11	18	27	41
2. MULTIPLE DX										
A. *Not Operated*	455	7.8	77	1	2	6	9	14	22	56
B. *Operated*	332	14.6	227	2	3	9	19	35	50	82
1. SINGLE DX	162	7.4	45	1	2	6	10	14	21	33
2. MULTIPLE DX	787	10.7	151	1	2	7	12	24	38	69
A. NOT OPERATED	538	7.6	70	1	2	6	9	13	21	47
B. OPERATED	411	13.4	201	2	2	9	16	31	46	79
TOTAL 0-19 YRS	148	5.1	34	1	1	4	6	11	13	25
20-34	144	7.6	74	2	2	5	9	14	26	53
35-49	156	9.5	84	2	2	7	12	21	26	54
50-64	199	11.9	192	1	2	7	13	29	45	79
65+	302	12.9	176	2	3	9	15	29	43	72
GRAND TOTAL	**949**	**10.1**	**134**	**1**	**2**	**7**	**11**	**22**	**33**	**66**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	4	1	1	3	4	5	8	9
20-34	7	4.6	4	2	2	5	6	8	8	8
35-49	3	3.7		3	3	4	4	4	4	4
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	9	6.2	29	2	2	5	6	15	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	20.0		20	20	20	20	20	20	20
50-64	2	10.5	181	1	1	10	20	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.9	4	1	2	4	5	7	7	8
20-34	11	4.3	2	3	3	4	5	6	8	8
35-49	6	7.7	29	3	3	5	11	16	17	17
50-64	7	5.1	3	3	3	5	6	8	8	8
65+	5	10.6	37	5	5	8	16	19	19	19
B. *Operated*										
0-19 YRS	12	5.5	30	1	2	4	5	12	21	22
20-34	11	11.4	152	1	3	8	9	35	40	40
35-49	7	13.7	72	5	5	8	22	24	24	24
50-64	5	13.4	159	5	5	8	19	35	35	35
65+	2	29.5	221	19	19	29	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.8	4	1	2	3	5	8	8	9
B. *Operated*	13	7.8	51	1	2	5	10	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	54	5.2	13	2	2	4	6	8	14	19
B. *Operated*	37	11.2	119	2	3	7	15	30	38	40
1. SINGLE DX	39	5.2	22	1	2	4	5	9	20	20
2. MULTIPLE DX	91	7.6	64	2	2	5	8	19	24	40
A. NOT OPERATED	80	4.7	10	2	2	4	6	8	10	18
B. OPERATED	50	10.3	102	1	3	6	14	23	35	40
TOTAL 0-19 YRS	60	4.4	13	1	2	4	5	7	9	22
20-34	30	6.9	66	2	3	5	8	9	31	40
35-49	17	10.2	58	3	3	7	18	23	24	24
50-64	16	8.4	72	1	2	6	8	19	30	35
65+	7	16.0	147	5	5	15	19	36	40	40
GRAND TOTAL	**130**	**6.9**	**52**	**2**	**2**	**5**	**7**	**18**	**22**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.7	6	1	2	4	6	9	9	11
20-34	38	3.9	11	1	1	3	5	8	9	19
35-49	27	6.2	10	2	3	6	8	10	12	16
50-64	16	6.9	45	2	2	5	9	11	24	29
65+	6	3.2	5	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	137	4.9	14	1	1	4	7	11	12	16
35-49	105	4.7	10	1	2	4	7	9	11	13
50-64	34	5.5	45	1	1	3	7	12	20	34
65+	12	6.1	36	1	1	4	9	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	7.2	18	1	2	7	10	12	15	21
20-34	101	4.9	9	1	1	4	6	9	12	14
35-49	127	7.1	22	2	3	6	8	12	17	26
50-64	85	8.8	53	3	3	7	10	15	20	44
65+	95	8.9	23	3	3	8	12	15	18	23
B. *Operated*										
0-19 YRS	9	12.1	52	4	4	9	18	22	23	23
20-34	184	8.9	55	2	2	7	12	18	23	35
35-49	161	10.1	81	2	2	8	12	18	31	48
50-64	94	10.6	99	1	2	9	15	18	28	59
65+	41	11.9	129	2	3	9	14	23	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	5.0	15	1	2	4	7	9	11	22
B. *Operated*	292	4.9	17	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	514	7.3	26	2	3	6	9	13	16	26
B. *Operated*	489	9.9	78	2	2	8	13	19	27	47
1. SINGLE DX	410	4.9	16	1	[illegible]	4	7	10	12	19
2. MULTIPLE DX	1003	8.6	53	2	[illegible]	7	11	16	21	35
A. NOT OPERATED	632	6.9	25	1	2	6	9	12	15	26
B. OPERATED	781	8.0	61	1	2	6	10	16	22	36
TOTAL 0-19 YRS	150	6.9	20	1	2	6	9	12	16	21
20-34	460	6.4	33	1	2	4	9	14	17	30
35-49	420	7.6	45	2	2	6	9	15	19	35
50-64	229	8.9	73	1	2	7	12	16	25	51
65+	154	9.3	55	2	3	8	12	17	21	30
GRAND TOTAL	**1413**	**7.5**	**45**	**1**	**2**	**6**	**10**	**15**	**18**	**33**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	31.5	1513	4	4	31	59	59	59	59
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	234	2	2	3	22	29	29	29
20-34	3	7.0	63	<1	<1	4	13	16	16	16
35-49	7	7.1	58	<1	<1	6	8	20	23	23
50-64	7	7.9	45	1	2	7	8	19	22	22
65+	7	8.6	12	4	4	8	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	14.0	195	1	1	12	21	36	40	40
50-64	11	7.2	32	2	3	6	7	15	22	23
65+	5	3.2	15	1	1	1	5	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.3	26	2	2	5	10	12	12	12
B. *Operated*	7	14.4	462	1	1	4	21	52	59	59
2. MULTIPLE DX										
A. *Not Operated*	27	8.1	51	<1	1	7	9	21	24	29
B. *Operated*	23	8.4	87	1	1	6	10	22	29	40
1. SINGLE DX	10	12.0	329	1	1	4	12	42	59	59
2. MULTIPLE DX	50	8.3	66	1	1	6	10	22	23	40
A. NOT OPERATED	30	8.0	48	<1	1	6	9	19	23	29
B. OPERATED	30	9.8	169	1	1	6	10	24	40	59
TOTAL 0-19 YRS	4	15.0	210	2	2	14	27	29	29	29
20-34	5	16.8	590	<1	<1	4	27	59	59	59
35-49	18	8.8	111	<1	1	5	12	23	33	40
50-64	21	7.3	33	1	2	6	8	16	22	23
65+	12	6.3	20	1	1	6	9	13	13	13
GRAND TOTAL	**60**	**8.9**	**107**	**1**	**1**	**6**	**10**	**22**	**27**	**57**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	27	1	1	4	9	14	14	14
20-34										
35-49	14	5.7	15	<1	2	5	7	11	14	15
50-64	40	4.6	11	<1	1	4	7	8	10	16
65+	34	3.5	3	1	2	3	5	6	7	7
B. *Operated*										
0-19 YRS	10	7.6	60	1	1	4	15	20	24	24
20-34	20	3.8	8	1	1	3	4	7	10	13
35-49	78	5.3	40	1	1	3	5	11	16	39
50-64	233	5.4	28	1	1	4	6	12	17	28
65+	228	4.9	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	14.8	438	2	2	5	26	46	46	46
20-34	6	4.3	9	1	1	4	7	8	8	8
35-49	70	6.8	38	1	1	5	9	14	18	29
50-64	216	7.6	48	1	2	6	9	15	20	39
65+	208	9.1	90	1	2	6	11	19	26	51
B. *Operated*										
0-19 YRS	13	7.5	29	1	2	7	10	17	18	18
20-34	28	6.5	43	1	1	4	8	16	21	29
35-49	184	11.8	136	1	2	9	16	25	30	68
50-64	688	11.9	132	2	2	9	17	28	34	83
65+	835	12.0	154	1	2	8	16	25	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.4	10	1	1	4	6	8	11	16
B. *Operated*	569	5.2	29	1	1	3	6	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	504	8.1	67	1	2	6	10	16	24	45
B. *Operated*	1748	11.8	141	1	2	8	16	26	34	63
1. SINGLE DX	662	5.1	26	1	1	3	6	11	15	26
2. MULTIPLE DX	2252	11.0	127	1	2	8	15	24	33	60
A. NOT OPERATED	597	7.5	60	1	2	6	9	15	21	44
B. OPERATED	2317	10.2	122	1	2	7	14	23	31	59
TOTAL 0-19 YRS	32	8.2	82	1	1	5	10	17	23	46
20-34	54	5.3	27	1	1	4	7	11	17	29
35-49	346	9.1	98	1	2	6	12	21	27	57
50-64	1177	9.6	100	1	2	6	13	21	30	56
65+	1305	10.1	125	1	2	6	13	22	31	58
GRAND TOTAL	**2914**	**9.6**	**110**	**1**	**2**	**6**	**13**	**21**	**30**	**57**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	12	3	3	4	6	11	11	11
50-64	19	4.5	8	<1	1	4	6	9	11	11
65+	27	8.5	62	2	2	5	10	23	28	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	14	9.3	36	2	3	9	10	17	23	25
50-64	73	12.2	107	2	2	9	18	27	31	43
65+	43	9.5	72	1	1	7	14	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	26	6.5	23	1	1	6	9	15	16	17
50-64	133	6.6	37	1	2	5	8	13	18	35
65+	176	7.5	29	2	2	7	9	14	17	31
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	48	16.6	160	2	3	13	23	38	45	46
50-64	260	17.9	215	4	5	15	22	37	48	79
65+	389	16.0	217	2	3	12	21	32	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.7	40	1	2	4	7	14	24	29
B. *Operated*	131	10.9	89	1	2	8	16	24	30	42
2. MULTIPLE DX										
A. *Not Operated*	337	7.1	32	1	2	6	9	14	17	34
B. *Operated*	698	16.8	212	2	4	13	22	35	46	79
1. SINGLE DX	182	9.8	78	1	2	7	14	23	28	41
2. MULTIPLE DX	1035	13.6	174	2	3	10	18	28	40	73
A. NOT OPERATED	388	7.0	33	1	2	6	9	14	18	32
B. OPERATED	829	15.9	197	2	3	12	21	32	44	79
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	93	12.1	117	1	2	9	16	25	39	46
50-64	485	13.5	168	2	3	9	18	28	40	71
65+	635	12.9	164	2	2	9	17	26	37	65
GRAND TOTAL	**1217**	**13.0**	**162**	**2**	**2**	**9**	**17**	**27**	**39**	**67**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	12	4.7	27	<1	<1	3	5	13	18	19
65+	23	7.5	90	2	2	5	8	13	28	48
B. *Operated*										
0-19 YRS										
20-34	2	11.5	41	7	7	11	16	16	16	16
35-49	11	10.1	51	2	2	10	13	20	26	27
50-64	53	10.9	48	2	3	10	14	18	25	34
65+	57	13.1	120	2	3	10	16	24	35	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	8.0	32	2	2	7	11	17	17	17
35-49	30	5.8	16	2	2	4	8	11	12	18
50-64	128	8.0	87	1	2	5	9	15	29	53
65+	307	8.6	45	2	2	6	11	17	22	31
B. *Operated*										
0-19 YRS										
20-34	30	17.9	258	3	4	15	23	29	57	79
35-49	92	18.4	147	4	7	16	23	36	42	58
50-64	353	17.9	143	4	6	15	22	33	42	66
65+	911	19.2	165	5	7	17	24	34	45	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.3	65	<1	1	4	7	11	18	48
B. *Operated*	123	11.9	81	2	3	10	15	21	31	46
2. MULTIPLE DX										
A. *Not Operated*	470	8.2	55	2	2	6	10	17	22	35
B. *Operated*	1386	18.8	160	4	7	16	23	33	44	68
1. SINGLE DX	161	10.5	83	1	2	9	14	19	28	47
2. MULTIPLE DX	1856	16.1	154	3	4	13	21	30	39	66
A. NOT OPERATED	508	8.1	55	2	2	6	10	17	21	39
B. OPERATED	1509	18.2	157	4	6	16	23	33	43	67
TOTAL 0-19 YRS										
20-34	37	16.2	226	3	4	13	20	28	47	79
35-49	136	14.6	138	2	3	12	20	28	40	56
50-64	546	14.6	138	2	3	12	19	30	37	62
65+	1298	16.2	155	3	4	14	21	30	39	67
GRAND TOTAL	**2017**	**15.7**	**151**	**2**	**4**	**13**	**21**	**30**	**39**	**66**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	12.7	60	4	4	15	18	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	11.3	52	3	3	15	16	16	16	16
50-64	7	21.7	300	6	7	15	27	51	57	57
65+	5	18.4	246	7	7	11	26	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	5	6.8	15	2	2	7	10	11	11	11
50-64	15	6.7	20	1	3	5	9	14	16	17
65+	42	8.4	42	2	2	6	12	18	24	26
B. *Operated*										
0-19 YRS										
20-34	7	15.6	115	7	7	11	21	33	36	36
35-49	27	19.4	422	5	7	12	20	49	68	96
50-64	67	18.8	252	6	7	15	20	38	54	89
65+	108	21.6	175	8	10	19	25	39	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.3	48	4	4	11	17	19	19	19
B. *Operated*	15	18.5	222	4	6	15	21	45	54	57
2. MULTIPLE DX										
A. *Not Operated*	64	7.9	33	2	3	6	11	15	20	26
B. *Operated*	209	20.2	228	7	8	16	23	38	57	94
1. SINGLE DX	19	17.0	190	3	5	15	20	39	52	57
2. MULTIPLE DX	273	17.3	210	3	5	14	21	32	52	88
A. NOT OPERATED	68	8.1	34	2	3	6	11	16	20	26
B. OPERATED	224	20.1	227	7	8	16	23	39	57	93
TOTAL 0-19 YRS										
20-34	9	13.9	98	7	7	9	19	30	36	36
35-49	35	16.9	350	2	4	12	16	31	60	96
50-64	92	16.9	229	4	5	14	19	30	52	84
65+	156	17.9	173	3	4	15	23	35	48	70
GRAND TOTAL	**292**	**17.3**	**208**	**3**	**5**	**14**	**21**	**32**	**52**	**84**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	29	4.1	6	2	2	4	5	7	9	11
65+	49	5.0	15	1	1	4	7	10	12	18
B. *Operated*										
0-19 YRS	3	5.3	16	3	3	3	8	10	10	10
20-34	6	10.7	10	8	8	10	14	15	15	15
35-49	82	10.4	18	4	6	10	12	16	18	26
50-64	332	10.9	17	4	7	11	13	16	19	25
65+	510	12.3	30	5	7	11	15	19	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	12	6.3	13	1	1	6	8	12	13	13
35-49	63	8.2	56	1	2	6	11	15	29	33
50-64	257	7.4	55	1	2	5	8	15	23	42
65+	828	8.6	60	2	2	6	10	18	23	38
B. *Operated*										
0-19 YRS	7	15.6	133	4	5	12	20	35	38	38
20-34	51	13.3	51	5	6	12	17	22	27	40
35-49	319	14.0	82	6	7	12	16	21	29	58
50-64	1765	14.3	57	6	8	13	17	23	29	45
65+	5170	16.7	85	7	9	14	20	27	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.6	11	1	2	4	6	9	11	17
B. *Operated*	933	11.6	25	4	7	11	14	18	20	27
2. MULTIPLE DX										
A. *Not Operated*	1162	8.3	59	1	2	6	10	17	23	38
B. *Operated*	7312	16.0	79	7	8	14	19	26	32	50
1. SINGLE DX	1015	11.1	28	2	5	11	13	17	20	27
2. MULTIPLE DX	8474	14.9	83	4	6	13	18	25	31	49
A. NOT OPERATED	1244	8.0	56	1	2	6	10	17	22	38
B. OPERATED	8245	15.5	75	7	8	13	19	25	31	48
TOTAL 0-19 YRS	13	10.8	99	3	3	7	13	25	36	38
20-34	69	11.8	48	3	5	10	15	22	23	38
35-49	467	12.5	72	3	5	11	15	20	27	47
50-64	2383	13.0	57	3	5	12	16	21	27	42
65+	6557	15.3	86	4	6	13	19	26	32	49
GRAND TOTAL	**9489**	**14.5**	**79**	**3**	**6**	**13**	**18**	**25**	**31**	**48**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	68	1	1	6	13	20	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	3.2	3	1	1	3	4	6	7	7
50-64	28	5.1	31	1	1	4	6	8	11	31
65+	31	6.2	24	1	2	4	7	15	16	21
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	12	11.7	70	1	2	11	15	23	31	32
35-49	70	10.3	24	2	3	11	14	16	18	22
50-64	261	11.1	25	3	4	11	14	17	20	25
65+	369	10.8	47	2	2	11	15	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	129	6	6	9	22	27	27	27
20-34	7	9.0	36	4	4	6	12	19	20	20
35-49	37	8.4	51	1	2	5	13	18	22	34
50-64	179	7.9	60	1	2	5	9	16	24	42
65+	471	8.5	58	2	2	7	10	16	21	39
B. *Operated*										
0-19 YRS	3	11.7	6	9	9	12	13	14	14	14
20-34	33	15.1	126	3	5	12	16	35	36	46
35-49	178	13.7	72	3	6	12	16	22	31	43
50-64	885	15.4	82	4	6	13	19	26	32	46
65+	2376	16.8	108	3	6	15	21	29	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.4	26	1	1	4	6	11	16	29
B. *Operated*	713	10.9	37	2	3	11	14	18	21	28
2. MULTIPLE DX										
A. *Not Operated*	697	8.4	58	2	2	6	10	16	22	39
B. *Operated*	3475	16.3	100	3	6	14	20	28	35	53
1. SINGLE DX	787	10.4	38	2	2	10	14	17	21	28
2. MULTIPLE DX	4172	14.9	102	3	4	13	19	27	34	51
A. NOT OPERATED	771	8.1	56	2	2	6	10	16	21	38
B. OPERATED	4188	15.3	93	3	5	14	19	27	34	51
TOTAL 0-19 YRS	11	11.2	54	1	3	9	14	23	27	27
20-34	53	13.3	103	3	4	11	15	33	35	46
35-49	295	11.9	62	2	3	11	15	19	27	41
50-64	1353	13.4	76	2	4	12	17	24	30	44
65+	3247	14.8	104	2	4	13	19	27	34	53
GRAND TOTAL	**4959**	**14.2**	**94**	**2**	**4**	**12**	**18**	**26**	**32**	**49**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	8	1	1	4	6	9	9	9
20-34	5	2.6	3	1	1	3	4	5	5	5
35-49	7	5.9	18	<1	<1	5	7	13	14	14
50-64	13	8.2	46	2	2	8	10	17	25	27
65+	16	6.0	23	1	2	5	8	10	18	21
B. *Operated*										
0-19 YRS	13	12.5	70	2	3	12	20	24	26	26
20-34	14	14.1	135	5	6	9	15	33	44	47
35-49	25	10.3	46	2	2	10	14	18	24	29
50-64	46	12.5	95	1	2	11	14	25	37	44
65+	53	10.0	36	2	3	10	13	19	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	20	<1	1	3	5	11	15	17
20-34	19	7.2	40	1	1	5	10	16	22	26
35-49	32	7.7	93	2	2	4	9	22	31	43
50-64	105	7.5	33	1	2	6	9	15	19	30
65+	236	8.7	43	1	2	7	12	18	23	32
B. *Operated*										
0-19 YRS	17	23.6	329	4	6	17	37	54	56	56
20-34	21	13.2	166	2	3	9	16	33	46	52
35-49	73	15.1	122	2	4	13	19	28	39	55
50-64	244	17.1	141	4	5	15	23	31	45	99+
65+	576	18.7	161	5	7	16	23	32	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	6.1	26	1	1	5	8	12	16	27
B. *Operated*	151	11.4	68	2	3	10	14	22	27	44
2. MULTIPLE DX										
A. *Not Operated*	410	8.1	44	1	2	6	11	16	22	33
B. *Operated*	931	18.0	158	4	6	15	22	32	45	73
1. SINGLE DX	197	10.2	63	1	2	8	13	21	26	41
2. MULTIPLE DX	1341	15.0	144	2	3	12	20	29	38	69
A. NOT OPERATED	456	7.9	42	1	2	6	10	16	22	32
B. OPERATED	1082	17.1	150	3	5	14	22	31	42	72
TOTAL 0-19 YRS	53	12.5	194	1	1	8	17	31	49	56
20-34	59	10.6	115	1	2	8	13	24	36	52
35-49	137	12.0	107	2	2	10	17	24	32	50
50-64	408	13.9	123	2	3	11	19	27	37	70
65+	881	15.3	142	2	4	13	20	28	36	65
GRAND TOTAL	**1538**	**14.4**	**136**	**2**	**3**	**12**	**19**	**27**	**36**	**58**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	5	10.4	147	1	1	8	15	31	31	31
50-64	24	6.5	57	1	2	5	7	10	21	39
65+	37	6.1	24	2	2	5	7	12	19	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	13.9	236	1	1	11	18	39	47	47
50-64	36	11.9	82	1	2	9	15	25	31	35
65+	46	14.2	85	2	3	12	20	25	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	46	7.3	37	1	1	6	9	16	19	29
50-64	230	7.2	50	2	2	6	8	14	18	43
65+	494	8.8	54	2	2	7	11	18	23	36
B. *Operated*										
0-19 YRS	2	35.0	162	26	26	35	44	44	44	44
20-34	9	26.1	476	8	8	22	27	61	81	81
35-49	77	17.5	111	4	6	14	25	32	38	49
50-64	402	18.6	150	4	7	16	24	35	44	65
65+	893	19.1	139	4	8	16	25	35	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.8	44	1	2	5	8	13	20	38
B. *Operated*	90	13.3	95	2	2	12	18	25	32	47
2. MULTIPLE DX										
A. *Not Operated*	771	8.2	52	2	2	6	10	17	22	36
B. *Operated*	1383	19.0	143	4	7	16	25	35	42	60
1. SINGLE DX	158	10.5	83	1	2	8	14	22	28	46
2. MULTIPLE DX	2154	15.1	137	2	3	12	20	30	37	56
A. NOT OPERATED	839	8.1	52	2	2	6	10	17	22	37
B. OPERATED	1473	18.6	142	4	7	16	24	35	42	60
TOTAL 0-19 YRS	2	35.0	162	26	26	35	44	44	44	44
20-34	12	22.2	406	3	6	18	24	45	76	81
35-49	136	13.6	114	1	2	11	18	30	35	48
50-64	692	14.1	140	2	3	11	19	29	38	56
65+	1470	15.2	131	2	4	13	20	30	37	55
GRAND TOTAL	**2312**	**14.8**	**135**	**2**	**3**	**12**	**20**	**30**	**37**	**55**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	52	3.4	11	1	1	2	4	9	12	14
50-64	184	5.5	28	1	1	4	7	12	18	25
65+	156	5.5	29	1	1	4	7	10	14	24
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	14	10.1	49	<1	2	9	12	22	25	26
35-49	144	9.4	32	1	2	9	13	17	20	25
50-64	581	9.1	37	2	2	8	12	17	21	29
65+	521	9.0	47	1	2	8	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.6	44	1	2	7	10	20	22	22
20-34	22	7.4	127	<1	1	4	8	14	32	54
35-49	491	7.1	44	1	2	5	9	15	20	35
50-64	2289	7.7	53	1	2	5	10	17	22	37
65+	2954	9.0	59	2	2	7	11	18	24	40
B. *Operated*										
0-19 YRS	10	8.5	52	2	2	4	16	19	20	20
20-34	28	13.4	191	1	2	9	15	29	38	67
35-49	620	12.4	89	2	3	10	16	23	28	44
50-64	3715	13.2	100	3	4	11	17	24	31	50
65+	4994	13.3	89	3	4	11	17	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	5.2	26	1	1	4	7	11	16	23
B. *Operated*	1262	9.1	41	1	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	5763	8.3	56	1	2	6	11	17	23	39
B. *Operated*	9367	13.2	94	3	4	11	17	24	31	49
1. SINGLE DX	1655	8.2	40	1	2	7	11	16	20	28
2. MULTIPLE DX	15130	11.3	85	2	3	9	15	22	28	45
A. NOT OPERATED	6156	8.1	55	1	2	6	10	17	22	39
B. OPERATED	10629	12.7	89	2	3	11	16	24	30	47
TOTAL 0-19 YRS	19	8.1	43	1	2	6	11	19	21	22
20-34	65	10.6	140	1	1	8	12	26	31	65
35-49	1307	9.7	70	1	2	8	13	19	24	38
50-64	6769	10.7	84	2	2	9	14	22	27	45
65+	8625	11.4	80	2	3	9	15	22	28	43
GRAND TOTAL	**16785**	**11.0**	**81**	**2**	**3**	**9**	**15**	**22**	**28**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	6	4.7	5	2	2	4	6	8	8	8
50-64	18	4.1	9	<1	1	4	5	6	11	14
65+	19	3.8	18	1	1	2	4	6	14	20
B. *Operated*										
0-19 YRS	9	7.8	63	1	1	5	10	21	25	25
20-34	22	6.7	31	<1	1	6	8	16	19	22
35-49	52	9.7	51	1	2	10	15	21	22	25
50-64	250	7.5	67	1	1	4	12	16	21	33
65+	214	6.2	54	1	1	3	9	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	5	1	2	5	6	8	8	8
20-34	14	7.1	24	1	3	5	10	16	17	17
35-49	35	7.2	29	2	2	6	11	17	17	18
50-64	108	7.5	37	1	2	6	10	16	20	28
65+	129	7.7	63	1	2	5	9	16	21	46
B. *Operated*										
0-19 YRS	13	15.2	291	1	2	8	24	34	57	63
20-34	21	8.5	64	1	2	7	10	15	28	38
35-49	93	13.5	143	1	2	11	19	26	28	69
50-64	469	12.8	125	1	2	11	18	27	37	68
65+	498	13.5	168	1	2	11	18	30	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.0	12	1	1	3	5	6	10	20
B. *Operated*	547	7.2	60	1	1	3	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	294	7.5	46	1	2	6	10	16	19	37
B. *Operated*	1094	13.1	147	1	2	11	18	28	38	75
1. SINGLE DX	591	7.0	57	1	1	3	11	16	21	35
2. MULTIPLE DX	1388	11.9	131	1	2	9	17	26	35	67
A. NOT OPERATED	338	7.0	43	1	2	5	9	16	18	35
B. OPERATED	1641	11.2	126	1	1	9	16	25	32	55
TOTAL 0-19 YRS	31	10.0	157	1	2	5	13	25	26	63
20-34	57	7.5	41	1	2	6	9	16	18	37
35-49	186	11.0	98	1	2	9	17	22	26	36
50-64	845	10.4	102	1	1	8	14	23	29	49
65+	860	10.6	132	1	1	7	15	26	35	55
GRAND TOTAL	**1979**	**10.5**	**114**	**1**	**1**	**8**	**15**	**23**	**30**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	4	1	2	4	5	7	8	8
20-34	6	3.8	2	2	2	4	5	6	6	6
35-49	3	4.0	9	1	1	4	6	7	7	7
50-64	16	6.0	38	2	2	4	7	8	22	28
65+	12	3.5	5	<1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	67	7.4	70	2	2	5	9	14	19	56
20-34	56	7.1	74	2	2	5	9	12	16	58
35-49	56	7.8	44	1	1	7	10	15	24	30
50-64	72	6.9	30	2	2	5	9	14	17	26
65+	88	6.8	50	1	1	4	9	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.1	13	1	1	3	5	11	13	14
20-34	32	5.6	30	1	1	4	8	13	16	24
35-49	29	6.6	50	2	2	4	8	11	29	31
50-64	78	6.0	24	1	1	5	8	12	17	21
65+	100	6.8	35	1	1	5	10	13	15	34
B. *Operated*										
0-19 YRS	39	14.2	167	2	4	10	17	25	45	64
20-34	49	10.3	61	2	3	8	15	19	30	35
35-49	62	11.5	156	1	2	7	17	24	32	68
50-64	139	14.4	171	2	3	9	19	37	48	99+
65+	234	11.9	98	2	2	9	16	24	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.4	13	1	2	4	6	7	8	25
B. *Operated*	339	7.2	52	1	2	5	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	308	5.8	29	1	1	4	8	12	15	26
B. *Operated*	523	12.6	127	2	2	9	17	27	39	62
1. SINGLE DX	402	6.7	47	1	2	5	9	14	18	29
2. MULTIPLE DX	831	10.1	101	1	2	7	13	22	31	55
A. NOT OPERATED	371	5.6	26	1	1	4	7	12	14	27
B. OPERATED	862	10.4	104	2	2	7	14	22	31	59
TOTAL 0-19 YRS	201	7.2	74	1	2	5	9	14	20	60
20-34	143	7.7	60	1	2	5	10	16	20	37
35-49	150	9.0	94	1	2	6	10	22	29	53
50-64	305	10.0	109	1	2	7	12	24	36	56
65+	434	9.5	78	1	2	7	13	20	26	43
GRAND TOTAL	**1233**	**9.0**	**86**	**1**	**2**	**6**	**12**	**20**	**28**	**51**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	8.2	151	<1	<1	2	11	30	32	32
35-49	13	3.8	20	<1	1	2	6	8	15	17
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	68	4.7	10	1	1	4	7	9	10	14
35-49	135	4.5	11	1	1	3	7	9	11	16
50-64	140	5.7	17	1	2	5	8	11	15	19
65+	83	5.4	13	2	2	5	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	6.8	33	1	1	5	9	17	18	18
35-49	36	6.8	36	<1	1	6	9	15	22	25
50-64	42	5.7	31	1	1	4	7	13	16	30
65+	41	8.1	25	1	2	7	11	14	16	25
B. *Operated*										
0-19 YRS	5	4.0	7	1	1	3	6	8	8	8
20-34	47	6.6	36	1	2	5	9	12	17	36
35-49	88	6.9	37	1	2	5	9	14	20	31
50-64	166	8.3	39	1	2	7	11	17	20	29
65+	192	9.2	63	2	2	7	11	18	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.6	42	<1	1	2	5	10	18	32
B. *Operated*	428	5.1	13	1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	137	6.9	31	1	1	5	9	15	17	26
B. *Operated*	498	8.2	48	1	2	7	10	17	21	37
1. SINGLE DX	456	5.1	15	1	1	4	7	9	12	18
2. MULTIPLE DX	635	7.9	45	1	2	6	10	16	20	33
A. NOT OPERATED	165	6.5	33	1	1	5	9	15	17	29
B. OPERATED	926	6.8	34	1	2	5	9	13	18	30
TOTAL 0-19 YRS	7	3.6	5	1	1	3	5	7	8	8
20-34	139	5.7	28	1	1	5	8	11	15	32
35-49	272	5.5	24	1	1	4	7	11	15	27
50-64	354	6.9	30	1	2	5	9	14	17	28
65+	319	8.0	47	2	2	6	10	16	21	39
GRAND TOTAL	**1091**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**18**	**30**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	7.7	6	5	5	8	9	10	10	10
B. *Operated*										
0-19 YRS	11	3.2	5	1	1	3	4	6	8	8
20-34	28	3.0	7	<1	<1	2	4	5	11	11
35-49	57	2.5	4	<1	1	2	3	4	6	13
50-64	169	2.8	5	1	1	2	3	5	8	11
65+	337	3.2	7	1	1	2	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	3.0	1	2	2	3	4	4	4	4
35-49	6	9.8	17	6	6	8	15	15	15	15
50-64	14	8.1	266	<1	1	3	6	16	53	64
65+	48	7.1	53	<1	1	5	10	16	19	39
B. *Operated*										
0-19 YRS	6	10.0	166	2	2	5	8	33	36	36
20-34	15	9.9	77	1	2	7	12	26	30	32
35-49	56	7.9	342	1	1	3	5	11	38	97
50-64	231	5.3	47	1	1	3	6	12	18	39
65+	797	5.1	27	1	1	3	7	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	7.6	18	2	2	8	11	13	13	13
B. *Operated*	602	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	77	7.1	82	<1	1	4	9	15	18	57
B. *Operated*	1105	5.4	49	1	1	3	7	12	15	34
1. SINGLE DX	607	3.0	6	1	1	2	4	6	9	13
2. MULTIPLE DX	1182	5.5	51	1	1	3	7	12	15	36
A. NOT OPERATED	82	7.1	78	<1	1	4	9	15	18	56
B. OPERATED	1707	4.5	35	1	1	3	5	10	13	28
TOTAL 0-19 YRS	19	5.9	62	1	1	4	5	11	26	36
20-34	51	5.0	35	<1	1	3	5	11	15	32
35-49	119	5.4	170	1	1	2	4	9	14	97
50-64	415	4.4	39	1	1	3	5	9	13	34
65+	1185	4.7	24	1	1	3	6	10	13	24
GRAND TOTAL	**1789**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**13**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	18	4.1	17	<1	1	2	5	10	15	17
50-64	31	5.3	16	1	1	4	7	12	14	16
65+	38	3.9	7	1	1	3	4	8	11	12
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	174	5.6	9	1	2	6	7	9	10	16
35-49	925	5.7	7	1	2	6	7	8	10	13
50-64	1394	6.2	8	2	3	6	8	9	11	15
65+	1207	6.7	10	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	16	7.4	54	<1	1	5	9	22	25	26
35-49	168	7.8	75	1	1	5	10	15	25	42
50-64	419	7.8	55	1	1	5	10	17	22	41
65+	455	8.4	64	1	2	7	11	17	22	37
B. *Operated*										
0-19 YRS	7	14.4	76	5	6	12	20	28	30	30
20-34	161	7.1	17	3	3	6	8	11	14	25
35-49	1347	7.3	18	2	3	7	9	12	14	23
50-64	2519	8.6	38	3	4	7	10	14	18	35
65+	3904	9.0	33	3	4	8	11	15	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.4	12	1	1	3	6	10	12	17
B. *Operated*	3702	6.2	9	2	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1060	8.0	62	1	2	6	10	17	23	40
B. *Operated*	7938	8.6	32	3	4	8	10	14	18	32
1. SINGLE DX	3794	6.2	9	2	3	6	8	9	11	16
2. MULTIPLE DX	8998	8.5	36	2	3	7	10	14	18	33
A. NOT OPERATED	1152	7.7	59	1	1	6	10	16	22	40
B. OPERATED	11640	7.8	26	2	3	7	9	13	16	28
TOTAL 0-19 YRS	11	11.1	67	4	4	8	15	25	30	30
20-34	356	6.4	15	2	2	6	8	10	12	24
35-49	2458	6.7	18	2	3	6	8	11	13	23
50-64	4363	7.7	31	2	3	7	9	12	16	30
65+	5604	8.4	31	2	3	8	10	14	18	30
GRAND TOTAL	**12792**	**7.8**	**29**	**2**	**3**	**7**	**9**	**13**	**17**	**29**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.5	1	1	2	3	4	5	6	6
35-49	51	4.3	17	2	2	4	4	5	6	26
50-64	73	3.9	7	2	2	4	4	5	8	20
65+	42	4.4	4	2	3	4	5	5	7	15
B. *Operated*										
0-19 YRS										
20-34	158	5.3	14	1	1	4	8	11	12	17
35-49	186	5.5	15	1	1	4	7	12	14	17
50-64	127	4.8	9	1	2	4	6	9	11	15
65+	83	3.7	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	6.5	62	<1	1	4	8	13	19	40
35-49	118	5.8	30	1	1	4	6	11	18	31
50-64	141	6.2	35	1	1	4	8	12	19	31
65+	138	7.9	112	2	2	5	8	16	20	60
B. *Operated*										
0-19 YRS	5	7.0	12	3	3	8	9	11	11	11
20-34	150	7.3	31	1	2	6	9	12	17	33
35-49	276	9.5	64	2	3	7	12	18	26	42
50-64	253	9.6	60	2	2	8	13	19	27	52
65+	276	9.5	72	2	3	7	11	20	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	4.1	9	2	2	4	4	5	7	23
B. *Operated*	554	5.0	13	1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	423	6.7	61	1	1	5	8	13	19	37
B. *Operated*	960	9.2	60	2	3	7	11	18	25	45
1. SINGLE DX	739	4.8	12	1	2	4	6	10	12	17
2. MULTIPLE DX	1383	8.4	62	1	2	6	10	16	24	43
A. NOT OPERATED	608	5.9	47	1	2	4	6	11	16	33
B. OPERATED	1514	7.7	47	1	2	6	10	15	21	37
TOTAL 0-19 YRS	5	7.0	12	3	3	8	9	11	11	11
20-34	353	6.1	25	1	1	5	8	11	13	27
35-49	631	7.2	44	1	2	5	9	14	20	36
50-64	594	7.1	42	1	2	5	9	15	21	35
65+	539	7.8	72	1	2	5	9	16	22	47
GRAND TOTAL	**2122**	**7.1**	**48**	**1**	**2**	**5**	**9**	**14**	**20**	**36**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	13	3.2	1	1	2	3	4	4	5	5
50-64	57	3.7	1	2	2	4	4	5	5	5
65+	80	3.8	3	1	2	4	5	6	7	11
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	17	6.1	13	1	1	6	7	12	13	13
35-49	72	5.8	7	1	2	6	7	9	10	14
50-64	334	6.2	10	1	2	6	8	9	11	16
65+	287	6.1	13	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	8	4.5	11	1	1	3	7	9	10	10
35-49	17	3.3	5	1	1	3	4	6	9	10
50-64	107	5.4	91	1	1	4	6	9	12	56
65+	215	6.3	41	1	2	4	8	13	19	34
B. *Operated*										
0-19 YRS	3	9.0	7	7	7	8	11	12	12	12
20-34	20	12.2	258	4	5	8	9	23	53	76
35-49	213	7.7	19	2	3	7	9	13	16	26
50-64	962	8.3	25	2	3	7	9	13	16	30
65+	1394	9.3	41	2	3	8	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.7	2	1	2	4	4	5	6	7
B. *Operated*	711	6.1	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	349	5.8	54	1	1	4	7	12	17	32
B. *Operated*	2592	8.8	35	2	3	8	10	15	19	33
1. SINGLE DX	863	5.7	10	1	2	6	7	9	11	16
2. MULTIPLE DX	2941	8.5	38	2	2	7	10	15	19	33
A. NOT OPERATED	501	5.2	39	1	1	4	5	10	14	29
B. OPERATED	3303	8.2	31	2	2	7	10	14	18	31
TOTAL 0-19 YRS	6	7.8	14	1	2	8	10	12	12	12
20-34	47	8.3	125	1	2	6	8	12	17	76
35-49	315	6.9	16	1	2	7	8	11	14	21
50-64	1460	7.4	27	1	2	7	9	12	15	27
65+	1976	8.3	38	2	2	7	10	15	19	33
GRAND TOTAL	**3804**	**7.8**	**33**	**1**	**2**	**7**	**9**	**13**	**17**	**31**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.7	2	1	1	2	4	5	5	5
35-49	24	2.3	2	1	1	2	2	4	6	6
50-64	96	2.9	13	1	1	2	3	4	11	23
65+	41	3.2	11	<1	1	2	3	6	11	17
B. *Operated*										
0-19 YRS	6	6.7	7	3	3	7	9	9	9	9
20-34	46	6.4	5	3	4	6	8	9	11	12
35-49	48	8.6	16	4	5	8	11	14	18	20
50-64	116	8.6	17	3	4	8	11	14	16	21
65+	54	10.6	53	3	5	9	11	20	30	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.7	112	2	2	4	6	27	29	29
20-34	23	4.0	16	1	1	2	5	11	13	14
35-49	83	3.3	10	1	1	2	4	6	11	17
50-64	332	4.3	30	1	1	2	4	10	14	31
65+	354	6.0	48	1	1	4	7	13	18	42
B. *Operated*										
0-19 YRS	14	9.7	34	2	3	8	13	19	20	20
20-34	73	8.7	22	3	4	7	10	16	19	25
35-49	182	10.4	33	5	5	9	12	16	22	36
50-64	516	13.7	96	5	6	11	16	24	33	56
65+	578	16.6	119	6	8	14	20	29	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.9	11	1	1	2	3	4	8	19
B. *Operated*	270	8.6	23	3	4	8	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	798	4.9	37	1	1	3	6	12	15	35
B. *Operated*	1363	14.2	99	5	6	12	17	26	32	59
1. SINGLE DX	438	6.4	26	1	1	6	9	12	16	25
2. MULTIPLE DX	2161	10.8	96	1	2	9	14	22	29	53
A. NOT OPERATED	966	4.6	33	1	1	2	5	11	15	29
B. OPERATED	1633	13.3	91	4	6	11	16	24	31	54
TOTAL 0-19 YRS	27	8.3	44	1	2	7	10	19	21	29
20-34	148	7.0	19	1	2	6	9	12	16	20
35-49	337	7.8	34	1	2	7	10	15	18	32
50-64	1060	9.2	80	1	2	7	12	19	25	44
65+	1027	12.1	115	1	2	10	16	25	32	55
GRAND TOTAL	**2599**	**10.0**	**87**	**1**	**2**	**8**	**13**	**20**	**27**	**50**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	2.3	1	1	1	2	3	3	3	3
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	4	8.5	122	2	2	3	14	25	25	25
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	18	5.9	24	1	2	4	7	14	15	16
50-64	23	7.5	73	1	1	3	11	17	26	38
65+	62	8.6	41	2	3	7	11	18	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	6	5.3	24	<1	<1	3	11	12	12	12
50-64	22	4.3	12	1	1	3	5	9	13	15
65+	60	9.6	205	1	2	5	10	16	27	80
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	15	8.3	51	2	3	5	11	17	26	29
35-49	32	12.6	132	2	2	9	17	32	34	49
50-64	55	12.8	83	3	4	10	17	26	37	97
65+	207	13.1	120	2	3	10	18	28	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.0	31	1	1	3	4	5	18	25
B. *Operated*	107	7.7	44	1	2	6	11	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	89	7.9	148	1	2	5	9	14	21	80
B. *Operated*	310	12.7	111	2	3	9	17	27	34	51
1. SINGLE DX	124	7.2	44	1	2	5	10	15	21	34
2. MULTIPLE DX	399	11.6	123	2	3	8	15	26	33	61
A. NOT OPERATED	106	7.3	131	1	1	4	8	14	22	80
B. OPERATED	417	11.4	99	2	2	9	15	25	32	48
TOTAL 0-19 YRS	3	7.0	7	5	5	6	9	10	10	10
20-34	20	6.8	45	1	1	4	10	14	23	29
35-49	63	8.8	90	1	2	5	13	20	32	47
50-64	104	9.5	76	1	2	7	12	24	27	69
65+	333	11.6	123	2	3	8	15	25	32	56
GRAND TOTAL	**523**	**10.6**	**108**	**2**	**2**	**7**	**14**	**24**	**31**	**50**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64	12	4.8	9	<1	1	4	7	9	9	9
65+	58	6.3	36	1	1	5	9	13	15	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	15	7.7	25	1	2	6	11	16	17	18
50-64	498	6.8	25	1	2	6	9	14	17	23
65+	1140	6.0	15	1	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34										
35-49	8	5.9	17	1	1	5	9	12	13	13
50-64	201	7.5	55	1	2	5	9	16	22	40
65+	1122	8.2	48	2	2	6	10	16	22	35
B. *Operated*										
0-19 YRS	5	8.0	18	4	4	6	12	13	13	13
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	29	10.2	109	2	2	8	10	21	30	54
50-64	1127	8.9	49	2	2	7	12	17	22	32
65+	6152	9.2	45	2	3	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	6.1	31	1	1	5	9	12	14	33
B. *Operated*	1653	6.3	18	1	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1334	8.0	49	1	2	6	10	16	22	35
B. *Operated*	7315	9.1	46	2	3	7	12	17	22	34
1. SINGLE DX	1724	6.3	19	1	2	5	8	12	15	21
2. MULTIPLE DX	8649	9.0	47	2	3	7	11	17	22	35
A. NOT OPERATED	1405	7.9	48	1	2	6	10	16	21	36
B. OPERATED	8968	8.6	42	2	2	7	11	16	21	32
TOTAL 0-19 YRS	9	8.1	10	4	4	7	11	13	13	13
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	52	8.8	72	2	2	8	10	17	23	53
50-64	1838	8.1	44	1	2	7	10	16	20	31
65+	8472	8.6	43	2	3	7	11	16	21	34
GRAND TOTAL	**10373**	**8.5**	**43**	**2**	**2**	**7**	**11**	**16**	**21**	**33**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	14	5.8	6	2	3	5	8	9	10	10
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	4.0	8	1	1	4	5	7	10	12
20-34	204	4.2	12	1	1	3	5	9	12	15
35-49	78	4.0	9	1	1	3	5	8	9	16
50-64	19	6.3	56	1	2	4	6	13	26	34
65+	15	5.3	12	1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	1	3	3	5	5	5	5	5
20-34	62	5.7	22	1	2	5	7	9	14	30
35-49	8	5.8	14	1	1	5	9	10	11	11
50-64	4	11.8	356	1	1	3	22	40	40	40
65+	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-19 YRS	10	8.9	36	2	2	8	13	17	18	18
20-34	121	8.4	98	1	2	6	10	16	25	59
35-49	42	6.5	34	1	2	5	8	16	21	23
50-64	40	5.5	15	1	1	5	7	11	14	18
65+	66	7.7	32	2	2	6	11	16	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.7	6	1	2	4	6	8	9	10
B. *Operated*	333	4.3	13	1	1	3	5	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	81	6.1	35	1	1	5	7	10	16	37
B. *Operated*	279	7.6	59	1	2	5	10	15	20	47
1. SINGLE DX	356	4.4	13	1	1	3	5	9	11	16
2. MULTIPLE DX	360	7.2	54	1	2	5	9	15	19	39
A. NOT OPERATED	104	5.8	29	1	2	5	7	9	14	35
B. OPERATED	612	5.8	37	1	1	4	7	12	16	27
TOTAL 0-19 YRS	36	5.3	18	1	2	4	6	12	16	18
20-34	401	5.8	42	1	1	4	7	12	15	30
35-49	130	4.9	18	1	1	4	6	9	15	23
50-64	65	6.0	44	1	1	4	6	12	16	39
65+	84	7.3	29	2	2	5	10	15	18	26
GRAND TOTAL	**716**	**5.8**	**36**	**1**	**1**	**4**	**7**	**12**	**15**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	9	4.6	25	<1	<1	3	5	13	16	16
65+	30	3.2	11	<1	<1	2	4	8	12	13
B. *Operated*										
0-19 YRS	3	4.7	30	<1	<1	2	9	11	11	11
20-34	28	3.1	12	1	1	2	4	5	9	19
35-49	155	3.5	17	1	1	2	4	7	11	23
50-64	663	4.1	15	1	1	3	5	8	12	19
65+	1356	4.5	20	1	1	3	5	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	8	8.0	17	2	2	8	11	13	14	14
50-64	83	5.3	40	1	1	4	6	10	20	32
65+	336	7.7	54	1	2	5	10	16	21	39
B. *Operated*										
0-19 YRS	4	9.5	74	3	3	6	15	22	22	22
20-34	21	7.6	102	<1	1	4	8	18	35	42
35-49	154	6.4	47	1	1	4	9	13	21	38
50-64	1086	8.0	69	1	2	5	10	17	24	42
65+	4143	7.9	61	1	2	5	10	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.6	14	<1	<1	2	4	9	12	16
B. *Operated*	2205	4.3	18	1	1	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	428	7.3	51	1	2	5	9	15	20	38
B. *Operated*	5408	7.9	62	1	2	5	10	17	23	39
1. SINGLE DX	2245	4.3	18	1	1	3	5	8	12	21
2. MULTIPLE DX	5836	7.9	62	1	2	5	10	17	23	39
A. NOT OPERATED	468	7.0	49	1	1	5	9	15	20	37
B. OPERATED	7613	6.9	52	1	2	4	8	15	21	36
TOTAL 0-19 YRS	8	7.1	47	<1	1	5	9	19	22	22
20-34	49	5.0	54	<1	1	2	5	9	20	42
35-49	318	5.0	33	1	1	3	6	12	16	32
50-64	1841	6.5	52	1	1	4	7	15	20	38
65+	5865	7.1	53	1	2	5	9	16	21	36
GRAND TOTAL	**8081**	**6.9**	**52**	**1**	**2**	**4**	**8**	**15**	**21**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	1	1	1	2	4	4	4
20-34										
35-49	5	3.8	6	1	1	4	5	7	7	7
50-64	10	3.4	8	<1	<1	2	5	8	9	9
65+	13	5.1	5	2	2	5	7	8	9	9
B. *Operated*										
0-19 YRS	23	10.5	32	4	5	9	13	21	23	26
20-34	6	12.3	24	8	8	10	18	19	19	19
35-49	64	9.4	23	2	4	9	12	15	19	25
50-64	148	8.8	21	1	2	9	11	15	16	20
65+	132	9.9	37	1	2	9	12	17	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	24	<1	<1	3	11	12	13	13
20-34	1	5.0		5	5	5	5	5	5	5
35-49	41	7.8	45	1	2	5	10	19	21	32
50-64	145	8.7	52	2	3	6	11	18	24	37
65+	216	8.6	35	2	3	7	12	16	21	26
B. *Operated*										
0-19 YRS	28	12.8	121	2	4	9	12	28	43	48
20-34	12	14.4	35	5	8	14	18	23	26	26
35-49	117	13.3	84	3	6	11	17	22	29	61
50-64	496	12.9	71	2	4	11	16	23	28	52
65+	876	14.5	92	3	5	13	18	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.3	6	1	1	2	5	7	8	9
B. *Operated*	373	9.4	28	1	2	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	413	8.5	42	1	2	7	11	17	22	31
B. *Operated*	1529	13.9	85	3	5	12	17	24	31	56
1. SINGLE DX	416	8.8	29	1	2	9	11	15	19	25
2. MULTIPLE DX	1942	12.7	81	2	4	11	16	23	29	50
A. NOT OPERATED	456	8.0	41	1	2	6	11	17	21	30
B. OPERATED	1902	13.0	77	2	5	11	16	23	29	50
TOTAL 0-19 YRS	76	8.8	75	1	1	8	11	18	25	47
20-34	19	13.3	33	5	6	12	17	21	24	26
35-49	227	11.0	64	2	3	10	14	19	22	40
50-64	799	11.3	62	2	3	10	14	20	25	45
65+	1237	12.9	82	2	4	11	16	23	29	50
GRAND TOTAL	**2358**	**12.0**	**74**	**2**	**3**	**10**	**15**	**22**	**27**	**48**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	110	1	1	2	4	25	30	30
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.9	3	1	1	2	4	5	6	6
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	10	2.5	2	1	1	2	3	4	5	5
50-64	10	4.1	29	1	1	2	4	12	19	19
65+	33	3.2	3	1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	5.8	9	2	2	5	8	10	10	10
50-64	6	3.5	2	2	2	4	4	5	5	5
65+	12	5.1	10	1	2	4	6	11	11	11
B. *Operated*										
0-19 YRS	6	16.2	602	2	2	5	17	60	65	65
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	3	2.7		2	2	3	3	3	3	3
50-64	12	7.4	76	1	1	3	12	22	25	25
65+	37	5.8	67	2	2	3	5	11	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.3	110	1	1	2	4	25	30	30
B. *Operated*	70	3.2	7	1	1	3	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*	27	4.3	8	1	1	4	5	9	11	11
B. *Operated*	60	7.1	117	2	2	3	6	18	31	62
1. SINGLE DX	77	3.5	15	1	1	3	4	6	8	27
2. MULTIPLE DX	87	6.2	84	1	2	3	6	11	22	55
A. NOT OPERATED	34	4.7	27	1	1	3	5	10	11	30
B. OPERATED	130	5.0	61	1	1	3	4	8	19	44
TOTAL 0-19 YRS	31	6.0	152	1	1	2	4	11	29	65
20-34	5	5.8	8	3	3	5	8	10	10	10
35-49	18	3.4	5	1	1	3	5	6	9	10
50-64	28	5.4	44	1	1	3	4	19	21	25
65+	82	4.7	34	1	2	3	5	8	11	38
GRAND TOTAL	164	5.0	54	1	1	3	5	8	18	39

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.1	8	<1	1	3	6	9	9	10
20-34	17	4.6	15	<1	1	4	6	8	14	17
35-49	30	5.6	24	1	1	4	7	13	18	19
50-64	51	7.3	32	2	2	6	9	14	19	26
65+	37	10.1	84	2	3	7	14	22	23	49
B. *Operated*										
0-19 YRS	59	10.1	41	1	3	9	13	17	21	38
20-34	77	11.3	104	2	2	10	14	19	24	68
35-49	101	11.7	107	2	3	10	13	20	26	70
50-64	110	14.9	115	4	5	13	17	25	41	62
65+	57	15.1	90	4	6	15	18	24	31	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.2	36	1	2	4	8	15	22	25
20-34	72	6.2	37	1	2	4	8	12	17	33
35-49	125	9.3	117	1	2	6	11	22	33	71
50-64	202	12.1	153	2	2	8	16	24	34	66
65+	236	11.1	114	2	3	8	13	24	36	55
B. *Operated*										
0-19 YRS	120	16.6	221	2	4	13	22	33	54	99+
20-34	82	15.7	219	2	3	12	17	30	51	80
35-49	125	18.4	295	2	3	14	23	42	55	81
50-64	188	20.6	292	3	6	16	25	47	60	97
65+	214	24.2	220	6	8	20	31	49	55	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	6.6	39	1	2	5	8	14	19	26
B *Operated*	404	12.7	99	2	4	11	16	21	27	63
2. MULTIPLE DX										
A. *Not Operated*	694	10.2	115	2	2	7	12	22	30	60
B. *Operated*	729	20.1	260	3	5	16	25	44	56	87
1. SINGLE DX	578	10.9	89	2	2	9	14	20	25	57
2. MULTIPLE DX	1423	15.2	214	2	3	11	20	33	50	78
A. NOT OPERATED	868	9.4	102	1	2	6	11	21	28	55
B. OPERATED	1133	17.5	215	3	5	14	21	35	53	78
TOTAL 0-19 YRS	277	11.2	137	1	2	8	15	24	32	85
20-34	248	10.8	132	1	2	8	14	20	29	77
35-49	381	12.6	183	2	2	9	15	27	40	75
50-64	551	15.1	200	2	3	11	19	29	48	78
65+	544	16.6	190	3	3	13	22	37	50	61
GRAND TOTAL	2001	14.0	181	2	2	10	18	29	44	76

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	19.0	450	4	4	19	34	34	34	34
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	12.1	58	2	3	11	17	24	25	25
20-34	15	11.6	113	1	2	9	15	27	37	40
35-49	5	6.8	94	1	1	3	9	24	24	24
50-64	9	12.7	70	2	4	12	14	26	32	32
65+	7	17.6	206	3	4	15	18	42	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	20	<1	1	3	6	10	16	19
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	6	9.5	38	2	2	9	14	18	18	18
50-64	10	11.9	124	1	1	8	25	28	30	30
65+	13	14.5	117	4	6	12	17	30	41	44
B. *Operated*										
0-19 YRS	14	15.6	166	3	4	11	28	33	42	45
20-34	12	16.8	107	2	3	15	27	31	33	33
35-49	9	30.0	840	7	7	20	38	78	99	99+
50-64	17	18.0	299	1	4	13	20	49	60	64
65+	20	19.6	136	6	9	17	29	42	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	9.2	193	2	2	3	11	34	34	34
B. *Operated*	43	12.3	106	1	2	11	16	25	35	48
2. MULTIPLE DX										
A. *Not Operated*	49	9.2	82	1	1	6	13	23	26	44
B. *Operated*	72	19.3	264	3	4	15	28	39	52	99+
1. SINGLE DX	48	12.0	112	2	2	10	16	26	35	48
2. MULTIPLE DX	121	15.2	213	1	2	12	20	32	46	99
A. NOT OPERATED	54	9.2	89	1	1	6	13	25	29	44
B. OPERATED	115	16.7	215	2	3	13	21	35	48	99
TOTAL 0-19 YRS	38	10.2	102	1	2	7	12	27	31	45
20-34	32	13.2	124	1	2	10	18	31	34	40
35-49	20	18.1	507	1	2	13	22	41	73	99
50-64	38	14.3	191	1	2	12	20	31	45	64
65+	41	17.2	141	3	6	14	21	40	48	99+
GRAND TOTAL	**169**	**14.3**	**186**	**1**	**2**	**11**	**19**	**31**	**44**	**92**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	3	<1	<1	2	4	5	6	6
20-34	20	2.9	4	<1	<1	2	4	6	7	8
35-49	16	2.2	2	<1	1	2	3	4	5	5
50-64	12	2.9	5	1	1	2	4	7	8	8
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	10	9.2	98	1	1	6	8	27	32	32
20-34	118	4.7	8	2	2	4	5	7	10	19
35-49	107	4.2	4	2	2	4	5	6	7	13
50-64	71	5.5	11	2	3	4	6	10	13	17
65+	36	6.7	18	2	3	5	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.8	30	1	1	4	7	15	19	20
20-34	40	3.8	6	1	1	3	5	8	9	11
35-49	47	4.9	18	1	2	3	6	12	14	17
50-64	51	5.1	60	1	1	3	5	10	12	54
65+	46	8.7	51	2	2	7	12	17	21	38
B. *Operated*										
0-19 YRS	40	9.0	58	3	3	6	11	21	28	32
20-34	134	5.7	36	2	2	4	7	10	11	31
35-49	129	7.2	31	2	3	5	9	14	18	32
50-64	134	7.7	45	2	3	5	9	16	25	33
65+	143	9.8	87	3	3	6	12	24	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.6	3	<1	1	2	4	5	6	8
B. *Operated*	342	5.0	12	2	2	4	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	223	5.7	36	1	1	4	7	13	17	29
B. *Operated*	580	7.7	53	2	3	5	9	15	24	38
1. SINGLE DX	405	4.6	11	1	2	4	5	8	11	18
2. MULTIPLE DX	803	7.2	49	2	2	5	9	14	20	37
A. NOT OPERATED	286	5.0	31	1	1	3	6	11	15	24
B. OPERATED	922	6.7	39	2	3	5	8	13	18	34
TOTAL 0-19 YRS	100	7.1	48	1	1	5	8	16	24	32
20-34	312	4.9	20	1	2	4	6	9	11	20
35-49	299	5.5	20	2	2	4	6	11	14	23
50-64	268	6.4	38	1	2	4	7	13	17	32
65+	229	9.0	69	2	3	6	11	18	26	52
GRAND TOTAL	**1208**	**6.3**	**38**	**1**	**2**	**4**	**7**	**13**	**17**	**33**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.8	4	<1	1	4	5	7	7	8
20-34	8	2.5	3	<1	<1	2	4	5	5	5
35-49	25	5.9	22	1	1	5	7	12	17	19
50-64	94	5.1	18	1	1	4	7	12	13	21
65+	83	7.0	52	1	1	5	9	12	15	45
B. *Operated*										
0-19 YRS	13	4.9	12	1	1	4	7	9	13	14
20-34	22	5.6	28	<1	1	5	6	13	18	23
35-49	59	7.8	58	<1	1	6	11	19	21	43
50-64	145	7.9	48	1	1	6	11	16	21	33
65+	182	7.1	54	1	1	5	10	16	18	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.3	32	1	1	4	6	12	17	31
20-34	300	6.0	27	1	1	5	7	12	16	29
35-49	1128	7.9	55	1	2	6	10	16	22	36
50-64	3787	8.6	63	1	2	6	11	18	24	39
65+	6386	9.2	60	2	2	7	12	18	24	39
B. *Operated*										
0-19 YRS	87	10.7	143	2	2	8	12	18	40	68
20-34	331	10.7	128	2	2	8	13	22	32	73
35-49	1266	11.4	105	2	2	9	15	23	31	55
50-64	3840	13.0	122	2	3	10	17	26	35	54
65+	5567	13.5	124	2	3	10	18	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.7	30	1	1	4	7	11	14	28
B. *Operated*	421	7.3	50	1	1	5	10	16	20	41
2. MULTIPLE DX										
A. *Not Operated*	11676	8.8	60	2	2	7	11	18	24	38
B. *Operated*	11091	13.0	122	2	3	10	17	27	35	55
1. SINGLE DX	651	6.7	43	1	1	5	9	14	18	40
2. MULTIPLE DX	22767	10.8	95	2	2	8	14	23	30	49
A. NOT OPERATED	11906	8.7	60	2	2	6	11	18	23	38
B. OPERATED	11512	12.8	121	2	3	10	17	26	35	55
TOTAL 0-19 YRS	195	7.5	85	1	1	5	9	14	22	52
20-34	661	8.3	83	1	2	6	10	17	24	50
35-49	2478	9.7	83	1	2	7	12	20	26	46
50-64	7866	10.7	96	2	2	8	14	23	30	50
65+	12218	11.1	94	2	3	8	14	23	30	49
GRAND TOTAL	**23418**	**10.7**	**94**	**2**	**2**	**8**	**14**	**22**	**30**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	18	<1	1	2	4	12	15	15
20-34	38	2.9	4	1	1	2	4	5	8	9
35-49	14	4.1	7	1	1	3	7	7	9	9
50-64	4	5.0	38	1	1	3	9	14	14	14
65+	4	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	96	6.3	20	1	2	5	9	14	15	17
20-34	268	6.3	26	1	1	6	8	11	15	28
35-49	100	7.0	25	1	2	6	9	13	16	27
50-64	48	7.1	41	2	2	6	10	14	16	39
65+	19	8.9	57	1	2	7	15	20	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.0	24	1	1	3	6	13	15	18
20-34	153	5.0	22	1	1	3	7	11	14	27
35-49	53	5.5	18	1	2	4	6	10	13	25
50-64	53	7.0	47	1	1	5	9	18	21	28
65+	47	7.8	36	1	2	7	10	15	20	30
B. *Operated*										
0-19 YRS	60	11.1	173	1	1	8	14	18	28	88
20-34	172	10.0	115	1	2	8	12	21	28	68
35-49	94	10.5	69	1	2	9	12	23	29	40
50-64	81	13.3	131	1	3	10	18	27	35	62
65+	91	15.7	166	3	4	12	20	30	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.4	9	1	1	2	4	7	9	15
B. *Operated*	531	6.6	27	1	2	6	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	337	5.8	28	1	1	4	8	13	16	27
B. *Operated*	498	11.8	129	1	2	9	15	24	33	61
1. SINGLE DX	609	6.2	26	1	1	5	8	13	15	26
2. MULTIPLE DX	835	9.4	97	1	1	7	12	20	27	44
A. NOT OPERATED	415	5.3	26	1	1	4	7	12	15	26
B. OPERATED	1029	9.1	83	1	2	7	11	18	26	41
TOTAL 0-19 YRS	205	7.3	71	1	1	5	10	15	17	36
20-34	631	6.8	52	1	1	5	8	13	20	35
35-49	261	7.8	43	1	2	6	10	15	21	33
50-64	186	9.7	91	1	1	7	13	21	27	48
65+	161	12.3	126	2	3	9	16	26	33	54
GRAND TOTAL	**1444**	**8.0**	**69**	**1**	**1**	**6**	**10**	**17**	**22**	**38**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	3.8	21	<1	<1	3	4	7	8	28
20-34	14	4.0	36	<1	<1	2	5	10	20	23
35-49	3	12.0	13	8	8	13	14	15	15	15
50-64	14	4.4	27	1	1	3	4	10	18	20
65+	27	5.2	22	1	2	3	7	12	14	22
B. *Operated*										
0-19 YRS	98	9.2	102	1	1	7	13	20	28	58
20-34	15	14.6	200	<1	2	10	23	40	43	44
35-49	13	10.4	125	2	3	5	15	29	36	38
50-64	26	5.2	15	1	1	4	7	13	14	14
65+	31	6.6	44	1	1	4	8	17	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	6.1	35	1	2	4	8	14	17	30
20-34	29	7.2	118	<1	<1	3	7	23	35	45
35-49	19	7.2	29	2	3	5	10	16	19	20
50-64	134	8.0	106	1	1	6	10	15	24	49
65+	380	8.1	64	1	2	6	10	16	20	36
B. *Operated*										
0-19 YRS	93	13.7	118	1	2	12	21	30	39	74
20-34	30	23.0	394	1	3	16	35	58	60	63
35-49	28	15.2	156	3	4	12	20	36	40	50
50-64	112	14.5	188	2	3	10	20	34	40	71
65+	254	11.3	97	2	3	8	15	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	4.2	23	<1	1	3	5	8	12	24
B. *Operated*	183	8.7	93	1	1	5	12	21	28	52
2. MULTIPLE DX										
A. *Not Operated*	786	7.5	65	1	2	5	9	15	19	36
B. *Operated*	517	13.3	147	2	3	9	18	30	39	63
1. SINGLE DX	366	6.5	63	<1	1	4	7	15	22	42
2. MULTIPLE DX	1303	9.8	105	1	2	6	12	22	31	53
A. NOT OPERATED	969	6.8	58	1	1	5	8	15	19	35
B. OPERATED	700	12.1	137	1	2	8	16	28	37	60
TOTAL 0-19 YRS	540	7.4	69	1	1	4	9	18	26	41
20-34	88	13.4	266	<1	<1	6	21	39	48	62
35-49	63	11.6	113	2	3	7	15	26	38	49
50-64	286	10.1	138	1	2	6	13	24	34	60
65+	692	9.1	77	2	2	7	11	19	25	43
GRAND TOTAL	**1669**	**9.1**	**98**	**1**	**2**	**6**	**11**	**20**	**29**	**51**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	27	<1	<1	3	6	10	15	25
20-34	29	7.0	97	<1	<1	3	6	29	31	33
35-49	19	5.1	9	1	1	5	6	10	12	13
50-64	27	5.3	30	<1	1	3	7	14	17	23
65+	39	6.5	60	<1	1	3	8	17	27	32
B. *Operated*										
0-19 YRS	24	13.5	327	<1	<1	6	13	46	50	60
20-34	41	15.8	262	1	2	8	26	38	44	75
35-49	36	14.3	331	2	2	5	22	41	62	67
50-64	45	12.7	176	2	3	7	14	38	44	46
65+	47	8.4	100	1	2	6	10	15	27	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.8	22	<1	<1	4	7	11	15	23
20-34	67	8.7	136	1	1	4	10	22	40	58
35-49	71	7.6	140	1	1	4	8	19	28	75
50-64	199	7.4	64	1	1	5	10	18	24	44
65+	384	7.1	56	1	1	5	9	16	21	37
B. *Operated*										
0-19 YRS	54	26.4	454	1	4	22	38	51	81	91
20-34	92	27.1	444	3	4	26	39	59	68	86
35-49	121	25.8	383	3	4	24	38	56	61	76
50-64	212	23.4	340	3	5	20	35	49	58	94
65+	343	18.7	259	3	4	13	27	43	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	5.8	48	<1	1	4	7	13	24	32
B. *Operated*	193	12.7	225	1	2	7	14	38	46	67
2. MULTIPLE DX										
A. *Not Operated*	793	7.1	69	1	1	5	9	16	23	43
B. *Operated*	822	22.4	341	3	4	16	35	49	60	87
1. SINGLE DX	336	9.8	161	<1	1	5	11	28	41	61
2. MULTIPLE DX	1615	14.9	266	1	2	8	21	39	51	75
A. NOT OPERATED	936	6.9	66	1	1	4	9	16	23	41
B. OPERATED	1015	20.6	333	2	3	14	33	47	58	83
TOTAL 0-19 YRS	179	12.4	284	<1	<1	5	14	37	46	87
20-34	229	17.2	349	1	1	8	28	43	58	76
35-49	247	17.3	350	1	2	8	28	47	58	74
50-64	483	14.8	253	1	1	8	22	40	49	80
65+	813	12.0	176	1	2	7	15	31	41	65
GRAND TOTAL	**1951**	**14.0**	**251**	**1**	**2**	**7**	**20**	**38**	**49**	**72**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	5	<1	<1	2	4	7	8	9
20-34	15	4.0	23	<1	1	3	4	7	17	20
35-49	60	4.0	13	1	1	3	5	8	12	18
50-64	122	4.5	15	1	1	3	6	10	13	18
65+	122	6.7	36	1	1	5	9	14	20	28
B. *Operated*										
0-19 YRS	49	8.9	69	1	2	6	13	20	27	38
20-34	65	7.4	34	1	2	6	9	14	18	29
35-49	131	5.9	23	1	1	5	8	11	16	24
50-64	292	7.5	44	1	1	6	10	15	19	33
65+	366	7.2	41	1	1	5	10	15	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.7	47	<1	<1	2	4	9	20	39
20-34	55	6.5	45	1	1	5	9	12	24	32
35-49	163	5.5	30	1	1	4	7	13	16	27
50-64	584	8.6	72	1	2	6	11	18	25	43
65+	1204	9.2	68	1	2	7	12	18	25	42
B. *Operated*										
0-19 YRS	36	14.4	158	3	4	10	19	38	53	99+
20-34	84	17.3	248	3	3	12	24	37	53	94
35-49	246	12.7	150	2	3	9	17	27	36	50
50-64	910	13.1	149	2	3	10	16	28	40	60
65+	1635	13.9	133	3	3	11	18	28	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	5.1	23	1	1	3	7	11	15	24
B. *Operated*	903	7.2	41	1	1	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	2051	8.6	66	1	2	6	11	18	25	42
B. *Operated*	2911	13.7	143	2	3	10	17	28	39	60
1. SINGLE DX	1241	6.7	37	1	1	5	9	14	18	28
2. MULTIPLE DX	4962	11.6	118	2	2	8	15	24	34	55
A. NOT OPERATED	2389	8.1	61	1	2	6	10	17	24	41
B. OPERATED	3814	12.1	126	2	3	9	15	25	35	57
TOTAL 0-19 YRS	149	8.2	91	<1	1	4	10	20	29	56
20-34	219	10.8	144	1	2	7	13	27	33	75
35-49	600	8.4	89	1	1	5	11	19	26	44
50-64	1908	10.3	109	1	2	7	13	21	32	55
65+	3327	11.2	103	2	2	8	15	23	31	52
GRAND TOTAL	**6203**	**10.6**	**105**	**1**	**2**	**8**	**14**	**22**	**31**	**52**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	39	2.9	6	<1	1	2	3	7	9	11
20-34	180	2.7	2	1	1	3	3	4	5	7
35-49	207	2.8	2	1	1	3	4	5	5	7
50-64	225	3.1	2	1	1	3	4	5	6	8
65+	152	3.4	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	11.0	72	5	5	11	17	17	17	17
50-64										
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	14	3.7	7	1	1	3	5	7	10	11
20-34	31	3.5	10	1	1	3	4	5	6	19
35-49	87	3.5	4	1	1	3	4	6	7	11
50-64	166	4.1	7	1	2	4	5	7	9	13
65+	200	4.9	16	1	2	4	6	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	803	3.0	2	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	6	5.7	33	1	1	4	5	16	17	17
B. *Operated*	498	4.3	11	1	2	4	5	7	10	16
1. SINGLE DX	805	3.0	2	1	1	3	4	5	5	9
2. MULTIPLE DX	504	4.3	11	1	2	4	5	7	10	16
A. NOT OPERATED	8	4.6	28	<1	<1	3	5	13	17	17
B. OPERATED	1301	3.5	6	1	1	3	4	6	7	12
TOTAL 0-19 YRS	54	3.1	6	<1	1	2	3	6	10	11
20-34	211	2.8	3	1	1	3	3	4	5	8
35-49	296	3.1	3	1	1	3	4	5	6	10
50-64	392	3.5	4	1	1	3	4	6	7	12
65+	356	4.3	11	1	2	4	5	7	10	15
GRAND TOTAL	**1309**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	2	<1	<1	2	2	3	5	6
20-34	7	2.3	1	<1	<1	3	3	3	3	3
35-49	18	3.3	13	1	1	3	4	6	12	16
50-64	32	1.9	1	1	1	2	3	4	4	5
65+	30	2.5	3	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	31	3.8	9	1	1	3	7	9	10	10
20-34	51	5.7	17	1	1	5	8	12	13	18
35-49	131	4.4	17	1	1	2	7	11	13	17
50-64	292	4.2	16	1	1	2	7	10	11	18
65+	301	4.6	26	1	1	2	7	11	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.4	9	2	2	3	8	9	10	10
20-34	12	3.4	4	2	2	3	4	7	8	8
35-49	36	4.3	6	1	1	5	5	7	9	12
50-64	107	4.5	13	1	1	4	6	9	12	20
65+	207	5.3	25	1	1	4	7	11	13	31
B. *Operated*										
0-19 YRS	34	6.5	136	1	1	4	7	10	17	69
20-34	86	7.5	44	2	2	6	9	14	16	42
35-49	252	7.3	41	1	1	6	10	15	18	40
50-64	857	6.6	47	1	1	5	9	14	18	31
65+	1690	7.4	50	1	1	5	10	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.4	4	<1	1	2	3	5	6	11
B. *Operated*	806	4.5	20	1	1	2	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	373	4.9	19	1	1	4	6	10	12	22
B. *Operated*	2919	7.1	50	1	1	5	10	15	19	33
1. SINGLE DX	906	4.2	18	1	1	2	6	10	12	19
2. MULTIPLE DX	3292	6.9	47	1	1	5	9	14	19	33
A. NOT OPERATED	473	4.3	17	1	1	3	5	9	12	20
B. OPERATED	3725	6.6	44	1	1	5	9	14	18	31
TOTAL 0-19 YRS	89	4.8	58	<1	1	3	7	9	10	49
20-34	156	6.3	32	1	1	5	9	12	15	20
35-49	437	6.0	32	1	1	5	8	13	16	25
50-64	1288	5.7	38	1	1	4	8	12	16	28
65+	2228	6.7	45	1	1	5	9	14	19	33
GRAND TOTAL	**4198**	**6.3**	**42**	**1**	**1**	**4**	**9**	**13**	**18**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	2	<1	<1	1	1	2	5	6
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	111	2.5	6	<1	<1	2	2	6	8	14
20-34	39	4.3	13	1	1	3	6	10	12	13
35-49	62	3.8	9	1	1	3	6	8	9	13
50-64	63	5.1	47	<1	1	2	7	11	14	44
65+	43	4.4	14	<1	1	3	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	9	3.2	8	1	1	2	4	8	10	10
65+	4	7.5	20	4	4	6	10	14	14	14
B. *Operated*										
0-19 YRS	29	3.5	14	1	1	2	4	9	10	18
20-34	25	5.2	18	<1	1	4	8	10	13	18
35-49	49	6.7	30	1	1	5	10	13	16	28
50-64	78	7.5	27	2	2	7	10	13	16	25
65+	94	8.5	51	1	1	6	13	18	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.6	2	<1	<1	1	2	4	5	6
B. *Operated*	318	3.7	18	<1	1	2	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	21	3.7	12	<1	1	2	5	9	12	14
B. *Operated*	275	7.1	36	1	1	5	10	16	19	26
1. SINGLE DX	338	3.6	17	<1	1	2	5	9	11	15
2. MULTIPLE DX	296	6.8	35	1	1	5	10	15	18	26
A. NOT OPERATED	41	2.7	8	<1	<1	1	3	6	9	14
B. OPERATED	593	5.3	29	1	1	3	8	12	16	25
TOTAL 0-19 YRS	161	2.5	7	<1	<1	1	2	6	8	16
20-34	64	4.6	15	1	1	3	7	10	12	17
35-49	116	5.0	19	1	1	4	7	10	13	23
50-64	150	6.2	36	1	1	5	9	13	15	25
65+	143	7.2	42	1	1	4	11	17	20	27
GRAND TOTAL	**634**	**5.1**	**28**	**<1**	**1**	**3**	**8**	**12**	**16**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	20	<1	<1	2	3	11	15	15
20-34	6	3.3	23	1	1	1	3	12	13	13
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	5	2.6	5	1	1	1	5	5	5	5
65+	5	4.2	16	1	1	3	6	11	11	11
B. *Operated*										
0-19 YRS	653	2.6	3	1	1	2	3	4	6	9
20-34	520	2.7	3	<1	1	2	3	5	6	9
35-49	578	2.7	5	1	1	2	3	5	7	11
50-64	526	2.9	7	1	1	2	3	6	9	14
65+	209	3.4	18	1	1	2	3	6	7	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	<1	1	2	3	3	3
20-34	13	2.5	3	<1	<1	2	3	6	6	6
35-49	21	3.9	12	<1	<1	3	4	10	12	12
50-64	22	3.8	6	1	1	3	5	7	9	10
65+	31	5.6	14	1	1	4	9	11	12	13
B. *Operated*										
0-19 YRS	120	4.1	22	1	1	2	4	9	17	24
20-34	248	4.2	16	1	1	3	5	9	13	20
35-49	436	4.2	16	1	1	3	5	9	12	21
50-64	604	4.6	20	1	1	3	5	10	13	24
65+	472	5.6	35	1	2	4	7	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.1	13	<1	1	1	4	8	13	15
B. *Operated*	2486	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	101	3.9	10	<1	1	3	5	9	11	13
B. *Operated*	1880	4.7	23	1	1	3	5	10	13	24
1. SINGLE DX	2519	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	1981	4.6	22	1	1	3	5	10	13	24
A. NOT OPERATED	134	3.7	11	<1	1	3	5	9	12	14
B. OPERATED	4366	3.6	14	1	1	2	4	7	10	21
TOTAL 0-19 YRS	797	2.8	6	1	1	2	3	5	6	15
20-34	787	3.1	8	1	1	2	4	6	8	13
35-49	1042	3.4	10	1	1	2	4	7	9	14
50-64	1157	3.8	15	1	1	3	4	8	11	21
65+	717	4.9	30	1	1	3	6	10	15	27
GRAND TOTAL	**4500**	**3.6**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	4	<1	<1	2	4	5	7	8
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	6	3.3	5	2	2	3	3	8	8	8
50-64	4	4.3	7	2	2	3	6	8	8	8
65+	5	5.0	9	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	517	2.4	5	<1	<1	2	3	5	7	11
20-34	155	3.1	9	<1	1	2	4	5	7	15
35-49	139	3.7	10	1	1	3	5	8	10	15
50-64	96	3.1	7	1	1	2	3	6	8	15
65+	64	2.8	6	1	1	2	3	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.2	15	<1	1	2	6	10	12	17
20-34	11	4.5	4	2	2	5	6	7	7	7
35-49	12	5.4	17	1	1	4	8	12	14	14
50-64	20	4.6	9	<1	1	4	7	9	10	10
65+	40	6.7	28	1	2	5	8	15	17	24
B. *Operated*										
0-19 YRS	181	4.3	49	<1	1	2	4	9	14	30
20-34	105	4.0	17	1	1	2	4	9	13	20
35-49	133	5.4	30	1	1	3	7	11	15	30
50-64	142	4.9	24	1	1	3	6	10	13	26
65+	171	6.5	64	1	1	4	7	14	22	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.1	5	<1	<1	2	4	8	8	8
B. *Operated*	971	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	124	5.2	18	1	1	4	7	11	14	19
B. *Operated*	732	5.1	40	1	1	3	6	11	15	35
1. SINGLE DX	1012	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX	856	5.1	37	1	1	3	6	11	15	32
A. NOT OPERATED	165	4.7	16	1	1	4	6	10	13	17
B. OPERATED	1703	3.8	22	<1	1	2	4	8	11	22
TOTAL 0-19 YRS	762	3.0	17	<1	<1	2	3	6	9	17
20-34	274	3.5	12	<1	1	2	4	7	9	17
35-49	290	4.5	20	1	1	3	6	9	13	22
50-64	262	4.2	17	1	1	3	5	8	11	19
65+	280	5.7	47	1	1	4	7	13	17	39
GRAND TOTAL	**1868**	**3.9**	**22**	**<1**	**1**	**2**	**5**	**8**	**11**	**22**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	106	2.3	10	<1	<1	2	2	3	5	18
20-34	218	1.8	1	<1	<1	2	2	3	3	5
35-49	211	1.9	1	<1	<1	2	2	3	4	7
50-64	111	2.2	3	<1	<1	2	2	3	5	11
65+	69	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	17	3.3	3	1	2	3	4	6	8	8
20-34	137	3.0	5	1	1	2	4	6	8	11
35-49	245	2.7	4	<1	1	2	3	5	8	10
50-64	198	3.0	6	1	1	2	3	6	7	11
65+	199	3.5	7	1	1	3	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	715	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	796	3.0	5	1	1	2	4	6	8	11
1. SINGLE DX	723	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	801	3.0	5	1	1	2	4	6	8	11
A. NOT OPERATED	13	1.7	1	<1	<1	1	2	3	5	5
B. OPERATED	1511	2.5	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	124	2.4	9	<1	<1	2	2	4	5	14
20-34	358	2.3	3	<1	1	2	3	4	5	10
35-49	462	2.3	3	<1	1	2	3	4	6	10
50-64	310	2.7	5	<1	1	2	3	5	7	11
65+	270	3.1	6	1	1	2	4	6	8	15
GRAND TOTAL	**1524**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	3.4	6	<1	1	3	5	6	9	10
35-49	32	3.1	6	<1	1	3	4	7	8	12
50-64	5	5.0	9	3	3	4	6	10	10	10
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	456	5.6	6	1	2	6	7	8	8	11
35-49	1258	6.1	4	2	4	6	7	8	9	12
50-64	189	5.8	6	1	2	6	7	9	9	13
65+	15	7.1	15	2	2	7	9	9	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	80	3.0	5	<1	1	2	4	6	7	11
35-49	189	3.4	15	<1	1	2	4	8	10	15
50-64	33	3.7	7	1	1	3	5	7	8	13
65+	24	5.3	13	2	2	4	7	13	13	14
B. *Operated*										
0-19 YRS	12	5.9	2	2	4	6	7	7	8	8
20-34	1823	6.5	8	2	4	6	7	9	11	16
35-49	9591	6.7	7	3	4	6	8	9	11	16
50-64	1850	7.2	10	2	5	7	8	10	13	20
65+	243	9.2	31	3	5	8	10	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.4	7	<1	1	3	5	7	9	12
B. *Operated*	1920	5.9	5	2	3	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	327	3.5	12	<1	1	2	4	7	10	14
B. *Operated*	13519	6.8	8	3	4	6	8	9	11	18
1. SINGLE DX	1975	5.9	5	2	2	6	7	8	9	12
2. MULTIPLE DX	13846	6.7	9	2	4	6	8	9	11	17
A. NOT OPERATED	382	3.5	11	<1	1	3	4	7	10	14
B. OPERATED	15439	6.7	8	2	4	6	8	9	11	17
TOTAL 0-19 YRS	15	5.7	3	2	2	6	7	8	8	8
20-34	2375	6.1	8	1	2	6	7	9	10	15
35-49	11070	6.6	7	2	4	6	8	9	11	16
50-64	2077	7.0	10	2	4	7	8	10	12	19
65+	284	8.7	30	2	4	8	10	15	18	33
GRAND TOTAL	**15821**	**6.6**	**8**	**2**	**4**	**6**	**8**	**9**	**11**	**17**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.5	6	1	1	3	5	7	8	8
35-49	7	5.0	6	2	2	5	7	9	9	9
50-64	6	5.5	5	2	2	5	6	9	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	11	2	2	3	6	9	9	9
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	33	4.8	7	1	1	5	7	8	8	10
35-49	130	7.3	9	4	5	7	8	10	13	19
50-64	38	6.9	29	1	1	6	9	12	20	25
65+	25	4.4	9	1	2	3	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	4.1	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	9	2	2	3	5	9	9	9
B. *Operated*	228	6.5	13	1	2	6	8	10	13	25
1. SINGLE DX	28	4.1	6	1	1	4	6	8	9	9
2. MULTIPLE DX	233	6.4	13	1	2	6	8	10	13	25
A. NOT OPERATED	5	4.0	9	2	2	3	5	9	9	9
B. OPERATED	256	6.2	13	1	2	6	8	10	13	24
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	45	4.4	7	1	1	5	7	8	8	10
35-49	141	7.1	10	2	4	7	8	10	13	19
50-64	44	6.7	26	1	2	6	8	11	17	25
65+	28	4.1	8	1	2	3	5	8	9	14
GRAND TOTAL	**261**	**6.2**	**13**	**1**	**2**	**6**	**8**	**9**	**13**	**24**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	104	5.4	4	3	4	5	6	7	8	15
20-34	488	5.2	2	3	4	5	6	7	7	10
35-49	170	5.8	3	4	4	6	7	8	9	13
50-64	107	6.9	5	4	5	7	8	10	12	14
65+	55	7.5	5	4	5	7	9	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.0	2	<1	<1	2	2	4	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	4	4.3	34	1	1	2	7	13	13	13
B. *Operated*										
0-19 YRS	103	6.3	9	4	4	5	8	9	12	20
20-34	665	5.8	3	3	4	6	6	8	9	12
35-49	531	7.0	11	4	4	6	8	10	12	21
50-64	370	8.7	25	5	5	8	10	14	16	22
65+	310	10.4	39	5	6	9	12	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	2	3	4	5	5
B. *Operated*	924	5.6	4	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	12	2.7	12	<1	<1	1	2	7	12	13
B. *Operated*	1979	7.4	18	4	4	6	8	11	14	23
1. SINGLE DX	934	5.6	4	3	4	5	6	8	9	13
2. MULTIPLE DX	1991	7.4	18	4	4	6	8	11	14	23
A. NOT OPERATED	22	2.6	7	<1	<1	2	3	5	8	13
B. OPERATED	2903	6.9	14	4	4	6	8	10	13	21
TOTAL 0-19 YRS	212	5.8	7	3	4	5	6	8	10	19
20-34	1163	5.5	3	3	4	5	6	7	8	12
35-49	704	6.7	9	4	4	6	7	9	11	18
50-64	477	8.3	21	5	5	7	9	13	15	22
65+	369	9.9	35	5	6	9	11	16	20	30
GRAND TOTAL	**2925**	**6.8**	**14**	**4**	**4**	**6**	**8**	**10**	**13**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	18	3.7	4	<1	1	4	5	6	7	8
35-49	18	3.3	5	<1	1	3	5	6	7	8
50-64	6	6.2	11	2	2	6	6	11	12	12
65+	4	4.8	18	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	23	5.1	10	<1	1	6	6	10	12	12
35-49	22	4.8	5	2	2	5	6	8	8	9
50-64	21	6.3	12	1	2	6	8	11	14	15
65+	11	7.2	52	2	2	4	7	19	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*	48	3.9	6	1	1	4	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	6	2	2	5	7	8	8	8
B. *Operated*	78	5.6	15	1	2	5	7	9	13	23
1. SINGLE DX	51	3.9	6	1	1	4	5	6	8	12
2. MULTIPLE DX	82	5.6	14	1	2	5	7	9	13	23
A. NOT OPERATED	7	4.7	5	2	2	5	6	8	8	8
B. OPERATED	126	5.0	12	1	1	5	6	9	12	18
TOTAL 0-19 YRS	5	4.0	3	1	1	5	5	5	5	5
20-34	44	4.5	8	1	1	4	6	8	10	12
35-49	41	4.2	5	1	1	4	6	7	8	9
50-64	28	6.1	12	1	2	6	7	11	13	15
65+	15	6.5	42	2	2	4	7	15	23	26
GRAND TOTAL	**133**	**5.0**	**12**	**1**	**1**	**5**	**6**	**8**	**12**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	19	2.5	1	1	1	2	3	4	5	5
35-49	17	2.3	1	1	1	2	3	4	5	5
50-64	8	2.3	2	<1	<1	2	3	4	5	5
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	2	1	1	3	4	4	4	4
20-34	9	3.9	13	1	1	3	4	9	13	13
35-49	11	2.8	6	1	1	2	4	7	8	8
50-64	16	3.6	4	1	1	3	5	7	8	8
65+	13	2.9	8	1	1	2	3	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	11	1	1	2	5	8	8	8
B. *Operated*	57	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	53	3.3	6	1	1	2	4	7	8	13
1. SINGLE DX	61	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	53	3.3	6	1	1	2	4	7	8	13
A. NOT OPERATED	4	3.0	11	1	1	2	5	8	8	8
B. OPERATED	110	2.7	4	1	1	2	3	5	7	12
TOTAL 0-19 YRS	15	1.9	1	<1	<1	1	3	4	4	4
20-34	28	2.9	5	1	1	3	4	4	6	13
35-49	29	2.4	3	1	1	2	3	5	7	8
50-64	24	3.1	4	<1	1	3	4	5	7	8
65+	18	3.1	7	1	1	2	3	7	10	11
GRAND TOTAL	**114**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	1	32.0		32	32	32	32	32	32	32
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	6.6	32	<1	<1	6	10	15	16	16
35-49	3	1.7		1	1	2	2	2	2	2
50-64	25	4.1	11	1	1	2	6	10	11	11
65+	21	3.1	11	<1	1	2	3	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	5.2	36	1	1	2	9	15	15	15
B. *Operated*										
0-19 YRS	6	6.3	13	2	2	6	10	11	11	11
20-34	20	4.8	12	1	2	3	6	9	12	15
35-49	32	6.3	15	2	2	6	9	12	13	15
50-64	48	5.0	19	1	1	4	7	10	12	24
65+	88	6.4	35	1	1	4	9	14	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	17.5	421	3	3	17	32	32	32	32
B. *Operated*	60	3.8	14	<1	1	2	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	10	4.8	19	1	1	3	7	11	15	15
B. *Operated*	194	5.9	25	1	2	4	8	12	14	26
1. SINGLE DX	62	4.3	26	<1	1	2	6	11	12	30
2. MULTIPLE DX	204	5.8	25	1	2	4	8	12	14	25
A. NOT OPERATED	12	6.9	78	1	1	3	7	20	30	32
B. OPERATED	254	5.4	23	1	1	4	8	11	14	25
TOTAL 0-19 YRS	11	4.3	13	<1	1	3	6	10	11	11
20-34	29	5.3	17	1	1	5	7	12	15	16
35-49	37	5.9	15	1	2	5	8	12	13	15
50-64	75	5.0	26	1	1	3	7	10	12	30
65+	114	5.8	32	1	1	3	8	13	15	27
GRAND TOTAL	**266**	**5.5**	**25**	**1**	**1**	**4**	**8**	**12**	**14**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	8	2.4	1	<1	<1	2	3	4	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	23.5	925	2	2	23	45	45	45	45
65+	5	8.4	37	2	2	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	29	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	7.2	140	1	1	2	8	19	39	45
1. SINGLE DX	30	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	14	7.2	140	1	1	2	8	19	39	45
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	43	3.5	51	<1	<1	2	2	6	14	45
TOTAL 0-19 YRS	21	1.3		<1	<1	1	2	2	2	2
20-34	8	2.4	1	<1	<1	2	3	4	5	5
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	4	13.0	455	2	2	3	24	45	45	45
65+	8	5.8	35	1	1	3	10	15	16	16
GRAND TOTAL	**44**	**3.4**	**50**	**<1**	**<1**	**2**	**2**	**5**	**14**	**45**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	10	3.0	9	<1	<1	2	4	8	11	11
50-64	11	3.1	11	1	1	2	4	8	12	12
65+	11	5.1	9	2	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	20	8.1	38	<1	1	7	13	15	19	23
20-34	53	10.2	33	2	3	10	13	17	20	32
35-49	106	9.6	36	1	2	9	12	15	19	34
50-64	114	10.3	30	2	3	10	13	17	20	30
65+	62	12.4	61	2	3	12	15	23	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	4	2	2	3	5	7	7	7
20-34	8	6.0	18	<1	<1	6	10	11	11	11
35-49	15	3.4	5	<1	<1	3	4	8	8	8
50-64	34	5.9	20	1	2	4	8	10	14	24
65+	123	8.6	52	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	21	11.7	35	3	5	11	15	18	23	28
20-34	41	12.1	65	2	3	10	16	23	28	37
35-49	89	15.0	129	2	4	12	20	35	43	80
50-64	216	16.3	179	2	3	13	20	33	49	99+
65+	225	19.1	229	3	4	16	24	39	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.5	10	1	1	3	4	10	11	12
B. *Operated*	355	10.3	39	2	3	10	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	185	7.5	43	1	2	5	10	15	19	28
B. *Operated*	592	16.7	182	2	3	13	21	33	46	80
1. SINGLE DX	391	9.7	40	1	2	9	13	16	20	30
2. MULTIPLE DX	777	14.5	164	2	3	11	18	30	43	74
A. NOT OPERATED	221	6.8	39	1	1	5	9	14	18	27
B. OPERATED	947	14.3	138	2	3	12	17	28	39	73
TOTAL 0-19 YRS	47	9.1	40	1	2	9	14	16	20	28
20-34	105	10.4	48	1	2	10	13	19	23	35
35-49	220	11.1	84	1	2	9	14	22	32	47
50-64	375	13.1	130	2	3	11	16	25	36	79
65+	421	14.7	171	2	3	12	18	30	40	65
GRAND TOTAL	**1168**	**12.9**	**128**	**2**	**3**	**10**	**16**	**25**	**36**	**65**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.4	3	1	1	3	4	5	7	10
20-34	278	3.3	3	1	2	3	4	5	5	7
35-49	312	3.4	2	1	2	3	4	5	5	9
50-64	178	3.5	1	2	2	4	4	5	5	7
65+	66	3.6	1	2	2	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	6	7.3	18	1	1	8	11	12	12	12
65+	9	7.4	38	3	3	5	8	17	23	23
B. *Operated*										
0-19 YRS	10	4.0	2	2	2	4	4	6	6	6
20-34	123	4.0	3	2	2	4	5	6	7	10
35-49	201	4.4	6	2	2	4	5	7	9	16
50-64	235	4.7	9	2	3	4	5	7	10	16
65+	163	4.9	6	2	3	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	875	3.4	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	19	6.3	27	<1	1	5	9	12	18	23
B. *Operated*	732	4.5	6	2	2	4	5	7	9	15
1. SINGLE DX	877	3.4	2	1	2	3	4	5	5	8
2. MULTIPLE DX	751	4.6	7	2	2	4	5	7	10	16
A. NOT OPERATED	21	5.9	26	<1	1	5	8	11	17	23
B. OPERATED	1607	3.9	4	2	2	4	4	6	7	13
TOTAL 0-19 YRS	52	3.5	3	1	2	3	4	5	6	10
20-34	403	3.5	3	1	2	3	4	5	6	9
35-49	516	3.8	4	2	2	4	4	5	7	12
50-64	419	4.3	6	2	2	4	5	6	8	15
65+	238	4.7	7	2	3	4	5	7	10	15
GRAND TOTAL	**1628**	**3.9**	**5**	**2**	**2**	**4**	**4**	**6**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	4	3.5	8	1	1	3	6	6	6	6
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	8.8	25	1	2	9	10	16	19	19
20-34	54	6.9	12	2	3	6	9	11	12	18
35-49	45	7.1	19	3	3	6	8	13	17	21
50-64	58	7.0	27	2	3	5	8	13	17	30
65+	28	9.8	110	3	4	6	13	17	26	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	24	5.0	13	1	1	3	7	11	12	12
35-49	32	5.4	13	2	2	5	7	10	14	17
50-64	23	5.7	12	1	2	5	8	11	13	14
65+	35	7.7	37	1	2	5	12	15	20	26
B. *Operated*										
0-19 YRS	9	8.4	10	3	4	8	10	13	14	14
20-34	67	10.6	90	3	4	9	12	18	20	67
35-49	101	9.1	38	3	3	8	11	18	23	29
50-64	155	11.2	128	3	4	8	13	22	31	66
65+	138	11.7	76	3	4	9	15	24	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	3	1	1	3	4	6	6	6
B. *Operated*	194	7.5	33	2	3	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	115	6.1	21	1	2	4	8	12	15	23
B. *Operated*	470	10.8	86	3	4	8	13	21	25	51
1. SINGLE DX	207	7.2	32	2	3	6	9	13	17	26
2. MULTIPLE DX	585	9.8	77	3	3	8	12	19	24	46
A. NOT OPERATED	128	5.8	20	1	2	4	8	12	14	22
B. OPERATED	664	9.8	73	3	4	8	12	19	24	49
TOTAL 0-19 YRS	21	7.8	19	1	2	8	10	13	16	19
20-34	149	8.2	52	2	3	7	10	14	18	22
35-49	181	7.9	30	2	3	6	10	16	20	25
50-64	239	9.5	96	2	3	7	11	19	26	56
65+	202	10.7	76	3	3	8	15	22	26	51
GRAND TOTAL	**792**	**9.2**	**66**	**2**	**3**	**7**	**11**	**18**	**23**	**37**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.2	3	<1	<1	1	3	5	5	5
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	715	3.8	7	1	1	4	6	7	7	9
35-49	277	4.6	7	1	1	5	6	8	8	13
50-64	81	5.2	9	<1	1	5	7	9	11	14
65+	31	4.2	5	2	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	5	2.4	5	1	1	1	4	6	6	6
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	11	3.8	19	<1	<1	2	3	11	16	16
20-34	679	4.9	7	1	1	5	6	8	9	13
35-49	540	6.1	8	1	2	6	7	9	10	16
50-64	143	6.6	13	2	2	7	8	10	13	19
65+	89	6.5	15	2	2	6	8	12	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	2	<1	<1	3	4	5	5	5
B. *Operated*	1108	4.1	7	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	4	<1	<1	1	4	5	6	6
B. *Operated*	1462	5.6	9	1	2	6	7	9	10	16
1. SINGLE DX	1117	4.1	7	1	1	4	6	7	8	11
2. MULTIPLE DX	1474	5.6	9	1	2	6	7	9	10	16
A. NOT OPERATED	21	2.5	3	<1	<1	2	4	5	6	6
B. OPERATED	2570	5.0	9	1	1	5	7	8	9	15
TOTAL 0-19 YRS	15	3.4	14	<1	<1	2	3	7	14	16
20-34	1402	4.3	7	1	1	5	6	7	8	11
35-49	822	5.5	8	1	2	6	7	8	10	15
50-64	228	6.0	12	1	2	6	8	10	12	19
65+	124	5.8	13	2	2	6	7	10	14	16
GRAND TOTAL	**2591**	**4.9**	**9**	**1**	**1**	**5**	**7**	**8**	**9**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	5.8	8	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	30	3.6	7	<1	<1	3	6	7	8	11
35-49	90	4.6	11	1	1	4	6	8	12	17
50-64	102	4.9	14	1	2	3	7	9	13	17
65+	128	5.0	17	1	1	3	6	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	6.0	61	<1	<1	2	12	15	15	15
50-64	8	4.5	18	<1	<1	3	5	12	14	14
65+	22	5.5	22	1	1	4	7	11	16	21
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	41	5.6	17	<1	1	5	7	8	12	25
35-49	132	5.3	11	1	1	5	7	9	12	16
50-64	255	7.7	55	1	2	6	9	14	18	36
65+	477	8.8	68	1	2	6	12	18	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	8	1	1	4	6	9	9	9
B. *Operated*	355	4.7	13	1	1	3	6	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	33	5.3	22	<1	1	4	7	12	15	21
B. *Operated*	906	7.8	55	1	2	6	10	16	22	36
1. SINGLE DX	362	4.7	13	1	1	3	6	9	13	17
2. MULTIPLE DX	939	7.7	54	1	2	6	10	16	21	36
A. NOT OPERATED	40	5.1	20	<1	1	4	7	11	14	21
B. OPERATED	1261	7.0	45	1	2	5	9	15	18	35
TOTAL 0-19 YRS	6	3.2	9	<1	<1	2	3	8	9	9
20-34	71	4.7	14	<1	1	5	6	8	10	23
35-49	226	5.0	11	1	1	5	7	9	12	16
50-64	367	6.8	44	1	2	6	9	13	17	33
65+	631	7.9	58	1	2	5	10	17	22	37
GRAND TOTAL	**1301**	**6.9**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**34**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.9	8	<1	1	2	3	5	10	15
20-34	39	3.4	5	1	1	3	4	7	9	10
35-49	47	3.9	9	1	1	3	5	10	11	12
50-64	70	4.0	10	1	1	3	5	8	11	15
65+	66	5.6	24	1	1	4	9	11	15	24
B. *Operated*										
0-19 YRS	183	4.7	37	1	1	3	6	9	10	29
20-34	259	4.5	14	1	1	3	6	9	12	19
35-49	227	3.9	13	1	1	3	5	9	10	18
50-64	320	4.8	21	1	1	3	7	11	14	18
65+	264	4.7	37	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	7	1	1	3	4	8	9	13
20-34	89	4.6	15	1	1	4	6	9	12	19
35-49	123	4.1	8	<1	1	4	6	8	9	14
50-64	256	5.6	26	<1	1	4	7	12	15	29
65+	602	7.3	42	1	2	5	9	15	20	35
B. *Operated*										
0-19 YRS	97	7.5	47	1	2	6	10	15	19	38
20-34	247	6.5	25	1	2	5	8	12	17	29
35-49	324	7.4	62	1	2	6	8	14	22	55
50-64	583	7.9	55	1	2	6	10	16	23	53
65+	1241	9.1	67	1	2	7	12	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.1	13	1	1	3	5	9	11	17
B. *Operated*	1253	4.5	24	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1130	6.2	32	1	1	4	8	13	16	29
B. *Operated*	2492	8.3	59	1	2	6	11	17	22	42
1. SINGLE DX	1528	4.5	22	1	1	3	6	9	12	18
2. MULTIPLE DX	3622	7.6	52	1	2	6	10	16	21	39
A. NOT OPERATED	1405	5.8	29	1	1	4	7	12	16	28
B. OPERATED	3745	7.0	50	1	2	5	9	15	19	38
TOTAL 0-19 YRS	393	4.9	33	1	1	3	6	10	14	29
20-34	634	5.2	19	1	1	4	7	10	13	21
35-49	721	5.5	36	1	1	4	7	10	14	35
50-64	1229	6.4	39	1	1	4	9	14	17	37
65+	2173	8.0	57	1	2	6	11	16	21	39
GRAND TOTAL	**5150**	**6.7**	**45**	**1**	**1**	**5**	**9**	**14**	**18**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	11	4.9	8	2	2	4	7	9	11	11
35-49	7	3.7	2	1	1	4	4	6	6	6
50-64	4	3.8	2	3	3	3	5	6	6	6
65+	3	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	26	3.1	2	<1	1	3	4	5	6	6
20-34	190	3.5	3	1	2	3	4	5	6	11
35-49	297	3.8	2	2	2	4	4	5	6	10
50-64	259	4.0	2	2	2	4	5	6	7	9
65+	123	4.5	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	2	2	2	3	4	5	5	5
20-34	27	3.9	8	<1	<1	4	5	8	10	11
35-49	35	3.6	9	<1	1	3	4	7	9	16
50-64	47	4.6	10	1	1	4	6	8	10	15
65+	71	6.0	14	1	2	5	8	11	15	18
B. *Operated*										
0-19 YRS	11	4.6	11	1	2	3	5	10	13	13
20-34	91	4.5	4	2	3	4	5	7	9	11
35-49	196	5.6	15	2	3	4	6	10	13	21
50-64	257	5.6	20	2	3	5	6	10	13	21
65+	236	7.2	37	2	3	5	8	13	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.1	4	2	2	4	5	7	8	11
B. *Operated*	895	3.9	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	185	4.8	12	1	1	4	6	9	11	16
B. *Operated*	791	5.9	23	2	3	5	6	11	14	28
1. SINGLE DX	923	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX	976	5.7	21	2	3	4	6	10	14	24
A. NOT OPERATED	213	4.7	11	1	1	4	6	9	11	16
B. OPERATED	1686	4.8	13	2	2	4	5	8	11	20
TOTAL 0-19 YRS	45	3.4	4	1	2	3	4	5	7	13
20-34	319	3.9	4	1	2	3	4	6	8	11
35-49	535	4.4	8	2	2	4	5	7	10	16
50-64	567	4.8	11	2	2	4	5	7	10	18
65+	433	6.2	25	2	3	5	7	11	15	33
GRAND TOTAL	**1899**	**4.8**	**13**	**2**	**2**	**4**	**5**	**8**	**11**	**20**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.9	7	1	1	3	5	7	9	14
20-34	110	4.6	8	1	2	4	7	8	9	14
35-49	111	4.6	7	1	2	4	6	9	10	14
50-64	75	5.1	7	2	2	5	6	8	11	15
65+	28	6.6	23	2	3	5	8	11	15	26
B. *Operated*										
0-19 YRS	52	4.0	4	1	2	4	5	6	7	12
20-34	175	4.1	3	2	2	4	5	6	7	11
35-49	150	4.3	6	2	2	4	5	6	8	11
50-64	122	4.1	3	1	2	4	5	6	7	11
65+	36	4.8	17	1	2	4	5	7	8	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.9	14	1	1	3	7	11	13	17
20-34	224	5.4	10	2	2	5	7	9	11	17
35-49	254	6.3	15	2	3	5	8	12	13	19
50-64	358	7.3	26	2	3	6	9	13	16	26
65+	578	8.6	35	2	3	7	11	16	21	31
B. *Operated*										
0-19 YRS	28	7.0	69	3	3	5	7	10	33	38
20-34	108	5.9	21	2	3	4	6	11	14	27
35-49	157	6.7	39	2	2	5	8	13	16	43
50-64	164	6.2	30	2	2	5	7	10	16	28
65+	171	9.7	61	2	3	7	13	21	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	4.8	9	1	2	4	6	9	10	15
B. *Operated*	535	4.2	5	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1482	7.2	26	2	3	6	9	13	17	27
B. *Operated*	628	7.3	43	2	3	5	9	15	21	36
1. SINGLE DX	905	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX	2110	7.2	31	2	3	6	9	14	17	30
A. NOT OPERATED	1852	6.7	24	2	2	5	9	12	16	26
B. OPERATED	1163	5.9	28	2	2	4	6	11	15	31
TOTAL 0-19 YRS	194	4.7	18	1	2	4	5	9	11	26
20-34	617	5.0	10	2	2	4	6	9	11	17
35-49	672	5.7	18	2	2	5	7	11	13	21
50-64	719	6.3	22	2	3	5	8	11	15	23
65+	813	8.6	40	2	3	7	11	17	21	33
GRAND TOTAL	**3015**	**6.4**	**25**	**2**	**2**	**5**	**8**	**12**	**15**	**27**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	5.8	8	2	2	6	7	9	11	16
20-34	167	4.9	10	1	1	4	6	8	10	18
35-49	145	4.7	8	1	2	4	6	8	10	14
50-64	202	5.6	9	2	3	5	7	9	11	16
65+	112	6.5	26	1	2	6	8	10	15	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.8	13	3	3	4	8	11	11	11
35-49	6	6.0	16	2	2	4	10	12	12	12
50-64	6	7.3	44	2	2	5	12	17	18	18
65+	5	13.8	208	1	1	14	22	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	5.3	9	1	2	5	8	9	11	13
20-34	283	5.7	14	1	2	5	7	11	12	20
35-49	694	6.4	15	2	3	6	8	10	13	20
50-64	1277	6.8	16	2	3	6	9	12	14	20
65+	1189	7.4	24	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	3	11.3	41	4	4	14	15	16	16	16
20-34	36	10.0	218	1	2	8	10	15	19	92
35-49	75	9.4	40	2	4	7	13	17	22	34
50-64	177	10.2	65	2	3	8	12	18	24	47
65+	149	13.5	104	2	4	11	17	27	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	934	5.5	11	1	2	5	7	9	11	18
B. *Operated*	22	7.9	68	1	1	4	12	17	25	36
2. MULTIPLE DX										
A. *Not Operated*	3667	6.8	18	2	3	6	8	11	14	21
B. *Operated*	440	11.2	88	2	3	9	14	20	28	50
1. SINGLE DX	956	5.6	12	1	2	5	7	9	11	18
2. MULTIPLE DX	4107	7.2	28	2	3	6	9	12	16	27
A. NOT OPERATED	4601	6.5	17	2	3	6	8	11	14	21
B. OPERATED	462	11.0	88	2	3	9	14	20	28	49
TOTAL 0-19 YRS	536	5.6	9	1	2	5	7	9	11	15
20-34	490	5.7	28	1	2	5	7	10	12	20
35-49	920	6.4	17	2	3	6	8	10	14	22
50-64	1662	7.0	22	2	3	6	9	12	15	24
65+	1455	8.0	36	2	3	7	10	14	18	36
GRAND TOTAL	**5063**	**6.9**	**25**	**2**	**3**	**6**	**8**	**12**	**15**	**25**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1075	4.4	9	1	2	4	6	8	10	14
20-34	567	4.2	6	1	2	4	5	8	9	12
35-49	200	5.3	12	1	2	4	7	10	12	19
50-64	110	6.6	11	2	3	6	8	10	14	17
65+	81	6.6	14	2	2	6	8	11	14	19
B. *Operated*										
0-19 YRS	4	5.3	6	2	2	6	7	7	7	7
20-34	8	8.3	41	2	2	6	11	19	21	21
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1140	5.0	13	1	2	4	6	9	11	16
20-34	1286	5.6	19	2	2	4	7	10	13	24
35-49	794	7.8	39	2	3	7	10	14	16	30
50-64	717	8.5	25	3	3	7	11	15	19	24
65+	1077	10.0	46	3	4	9	12	17	22	36
B. *Operated*										
0-19 YRS	25	8.7	16	3	5	8	11	15	16	18
20-34	133	12.2	81	3	4	10	15	23	29	45
35-49	114	15.7	171	2	4	11	19	37	47	77
50-64	126	20.5	276	6	8	14	26	49	59	90
65+	134	18.8	147	5	7	16	22	32	47	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2033	4.6	9	1	2	4	6	9	10	14
B. *Operated*	16	6.9	28	2	2	6	8	14	19	21
2. MULTIPLE DX										
A. *Not Operated*	5014	7.2	31	2	2	6	9	13	17	28
B. *Operated*	532	16.4	172	4	5	13	20	33	47	79
1. SINGLE DX	2049	4.7	9	1	2	4	6	9	10	15
2. MULTIPLE DX	5546	8.0	52	2	2	6	10	15	20	38
A. NOT OPERATED	7047	6.4	26	2	2	5	8	12	15	25
B. OPERATED	548	16.1	170	4	5	12	20	33	47	79
TOTAL 0-19 YRS	2244	4.7	11	1	2	4	6	9	10	16
20-34	1994	5.[illegible]	23	1	2	4	7	10	13	25
35-49	1110	8.1	55	2	2	7	10	15	19	44
50-64	953	9.9	74	3	3	8	11	18	23	53
65+	1294	10.7	62	3	4	9	13	20	24	45
GRAND TOTAL	**7595**	**7.1**	**43**	**2**	**2**	**6**	**9**	**13**	**18**	**34**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	593	5.5	8	2	2	5	7	9	11	15
20-34	621	5.0	8	1	2	5	6	8	10	14
35-49	706	5.7	9	2	2	5	7	10	11	15
50-64	916	6.3	11	2	3	6	8	10	12	17
65+	639	6.2	11	2	3	5	8	11	13	18
B. *Operated*										
0-19 YRS	8	4.6	6	2	2	4	6	8	9	9
20-34	29	5.1	14	2	2	3	8	11	12	14
35-49	27	5.6	18	1	2	4	7	12	16	17
50-64	91	5.6	47	1	2	3	7	11	20	39
65+	95	3.6	14	1	2	2	3	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	5.8	21	1	2	5	7	10	12	21
20-34	2042	6.1	18	2	2	5	8	11	14	24
35-49	4142	7.1	19	2	3	6	9	12	15	22
50-64	8142	7.6	21	3	3	7	9	13	16	23
65+	9953	8.2	29	3	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	35	8.3	38	2	2	6	11	18	22	26
20-34	482	10.5	99	2	2	8	13	20	28	55
35-49	1066	12.8	116	2	3	10	16	26	34	57
50-64	2402	14.0	146	2	4	11	17	28	38	70
65+	3050	15.9	160	2	4	13	21	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3475	5.8	10	2	2	5	7	10	11	16
B. *Operated*	250	4.8	27	1	2	3	5	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	24933	7.6	24	2	3	7	9	13	16	25
B. *Operated*	7035	14.4	146	2	3	11	18	29	39	66
1. SINGLE DX	3725	5.7	11	2	2	5	7	10	11	17
2. MULTIPLE DX	31968	9.1	59	2	3	7	11	17	22	42
A. NOT OPERATED	28408	7.3	22	2	3	6	9	13	16	25
B. OPERATED	7285	14.0	145	2	3	11	18	29	39	64
TOTAL 0-19 YRS	1290	5.7	16	2	2	5	7	10	12	19
20-34	3174	6.5	32	2	2	5	8	12	16	29
35-49	5941	7.9	40	2	3	6	9	14	18	34
50-64	11551	8.8	53	2	3	7	10	16	21	40
65+	13737	9.8	68	3	3	8	11	18	25	45
GRAND TOTAL	**35693**	**8.7**	**55**	**2**	**3**	**7**	**10**	**16**	**21**	**41**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	2	1	1	2	4	4	4	4
20-34	14	3.4	6	1	1	2	5	7	9	9
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.8	4	1	1	4	5	6	6	8
20-34	112	4.0	6	1	1	4	6	6	7	12
35-49	8	3.9	6	<1	<1	4	6	7	7	7
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	1	1	1	3	4	5	5	5
20-34	31	4.5	15	1	1	3	6	10	14	15
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.9	5	1	1	4	5	6	9	10
20-34	302	4.6	7	1	1	5	6	8	9	14
35-49	66	5.4	9	1	1	5	7	9	10	18
50-64	6	5.3	2	3	3	5	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.0	4	1	1	2	4	5	8	9
B. *Operated*	154	3.9	5	1	1	4	6	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	47	4.0	11	1	1	3	4	9	11	15
B. *Operated*	422	4.7	7	1	1	5	6	8	9	14
1. SINGLE DX	178	3.8	5	1	1	4	5	6	7	11
2. MULTIPLE DX	469	4.6	8	1	1	4	6	8	9	14
A. NOT OPERATED	71	3.7	9	1	1	3	4	8	10	15
B. OPERATED	576	4.5	7	1	1	4	6	7	9	13
TOTAL 0-19 YRS	100	3.6	4	1	1	4	5	6	7	10
20-34	459	4.4	7	1	1	4	6	8	9	14
35-49	80	5.1	9	<1	1	5	7	9	10	16
50-64	8	4.5	4	2	2	5	6	7	7	7
65+										
GRAND TOTAL	**647**	**4.4**	**7**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.0	11	1	1	2	3	6	8	19
20-34	152	4.1	12	1	1	3	5	7	9	24
35-49	95	4.0	13	1	2	3	4	7	9	23
50-64	58	4.0	11	1	1	3	5	10	11	14
65+	69	4.3	12	1	1	3	6	8	9	21
B. *Operated*										
0-19 YRS	17	4.6	6	1	2	4	6	8	10	11
20-34	22	5.9	17	1	1	5	8	11	15	17
35-49	28	5.6	13	2	2	4	7	12	13	15
50-64	28	6.9	44	1	2	5	8	13	19	35
65+	13	5.3	7	1	2	5	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	3.5	12	1	1	2	5	7	9	14
20-34	600	4.6	19	1	1	4	6	9	11	17
35-49	687	5.5	22	1	2	4	7	11	13	27
50-64	1020	6.2	32	1	2	5	8	11	16	28
65+	2503	6.9	30	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS	24	8.8	107	2	2	5	8	21	34	47
20-34	105	8.7	88	2	2	7	10	14	21	55
35-49	118	12.0	134	2	3	8	14	30	38	55
50-64	195	11.5	95	3	4	9	15	23	32	67
65+	280	13.5	119	3	4	11	17	25	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	3.7	12	1	1	3	5	7	9	22
B. *Operated*	108	5.8	20	1	2	5	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	5252	6.0	28	1	2	5	8	12	15	27
B. *Operated*	722	11.9	113	3	3	9	15	23	33	58
1. SINGLE DX	683	4.0	14	1	1	3	5	8	10	22
2. MULTIPLE DX	5974	6.7	42	1	2	5	8	13	17	34
A. NOT OPERATED	5827	5.8	27	1	1	4	7	11	15	26
B. OPERATED	830	11.1	105	2	3	8	14	22	32	55
TOTAL 0-19 YRS	684	3.5	16	1	1	2	4	7	9	18
20-34	879	5.0	28	1	1	4	6	10	12	23
35-49	928	6.2	40	1	2	4	8	12	16	35
50-64	1301	6.9	45	1	2	5	8	13	19	34
65+	2865	7.5	42	2	2	6	9	15	19	34
GRAND TOTAL	**6657**	**6.5**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	7	1	1	3	4	8	10	12
20-34	4	6.0	21	2	2	5	9	12	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	9.7	42	3	3	10	14	16	16	16
65+	11	6.5	26	1	2	5	8	13	19	20
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	5.3	33	2	2	2	10	12	12	12
50-64										
65+	7	9.7	90	2	2	7	15	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	8.7	102	2	2	6	9	18	29	89
20-34	39	12.3	245	3	3	7	15	23	55	74
35-49	72	8.5	28	2	3	7	11	16	19	24
50-64	156	10.4	53	3	3	8	14	21	24	31
65+	725	9.9	61	3	3	8	12	18	24	38
B. *Operated*										
0-19 YRS	13	15.0	248	2	3	8	19	43	49	50
20-34	13	13.8	133	4	6	9	16	33	43	45
35-49	38	13.9	137	2	3	12	17	28	30	64
50-64	60	19.1	207	4	5	16	26	35	40	78
65+	248	16.3	178	4	4	13	21	32	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.2	17	1	2	4	7	11	14	20
B. *Operated*	12	7.4	64	2	2	4	10	20	27	28
2. MULTIPLE DX										
A. *Not Operated*	1080	9.9	68	2	3	8	12	19	24	46
B. *Operated*	372	16.4	180	3	4	13	21	33	39	73
1. SINGLE DX	52	5.7	28	1	2	4	7	12	17	28
2. MULTIPLE DX	1452	11.5	104	3	3	9	14	23	29	59
A. NOT OPERATED	1120	9.7	67	2	3	8	12	19	24	45
B. OPERATED	384	16.1	178	3	4	13	21	32	39	72
TOTAL 0-19 YRS	123	8.5	107	2	2	5	9	16	35	80
20-34	57	12.0	201	2	3	7	14	24	43	74
35-49	114	10.2	71	2	3	8	13	19	25	42
50-64	219	12.8	109	3	4	9	18	25	32	51
65+	991	11.5	98	3	4	9	14	22	28	57
GRAND TOTAL	**1504**	**11.3**	**103**	**2**	**3**	**8**	**14**	**23**	**29**	**58**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	10.8	33	2	3	11	14	16	21	27
20-34	47	12.0	27	5	6	11	16	18	23	25
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	10.3	44	2	2	11	15	17	17	17
20-34	3	10.7	12	7	7	11	13	14	14	14
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	11.3	45	3	4	11	14	18	23	35
20-34	133	12.5	77	3	4	12	15	21	25	48
35-49	8	8.6	7	4	5	9	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	21	25.2	674	1	2	15	36	65	85	93
20-34	21	17.0	132	5	6	13	22	35	41	47
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	11.1	31	2	4	11	14	18	21	25
B. *Operated*	9	8.7	32	2	2	8	14	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	467	11.6	54	3	4	11	14	19	24	36
B. *Operated*	43	21.6	411	2	4	15	27	49	64	93
1. SINGLE DX	190	11.0	32	2	3	11	14	17	21	25
2. MULTIPLE DX	510	12.4	91	3	4	11	15	21	28	54
A. NOT OPERATED	648	11.4	48	3	4	11	14	18	23	34
B. OPERATED	52	19.3	368	2	3	14	21	47	57	93
TOTAL 0-19 YRS	484	11.8	76	3	3	11	14	19	23	51
20-34	204	12.8	72	3	5	12	16	21	25	44
35-49	12	10.0	112	2	3	8	10	22	39	42
50-64										
65+										
GRAND TOTAL	**700**	**12.0**	**75**	**3**	**4**	**11**	**14**	**19**	**25**	**47**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	4.7	41	2	2	3	5	8	11	39
20-34	12	5.5	22	1	1	4	9	13	13	13
35-49	16	5.6	16	1	1	4	8	12	13	13
50-64	4	5.0	29	1	1	3	8	13	13	13
65+										
B. *Operated*										
0-19 YRS	12	7.7	5	5	5	7	9	11	12	12
20-34	237	7.0	4	4	5	7	8	10	10	13
35-49	163	7.6	6	4	5	7	9	11	12	14
50-64	22	7.8	5	5	5	7	9	11	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	30	2	2	3	6	9	19	28
20-34	39	5.4	43	1	1	3	7	12	30	99+
35-49	100	4.4	16	<1	1	3	6	9	14	18
50-64	58	6.7	72	1	1	5	7	11	18	54
65+	19	6.5	20	3	3	5	8	11	17	22
B. *Operated*										
0-19 YRS	19	7.6	9	2	4	7	10	12	13	13
20-34	517	8.6	22	5	6	8	9	11	14	27
35-49	776	9.1	27	5	6	8	10	12	16	32
50-64	186	10.0	37	5	6	9	11	16	19	34
65+	4	8.8	75	1	1	6	14	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.1	30	1	1	3	6	12	13	35
B. *Operated*	434	7.3	5	4	5	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	246	5.4	36	1	1	4	7	10	15	36
B. *Operated*	1502	9.0	27	5	6	8	10	12	16	31
1. SINGLE DX	501	7.0	9	3	4	7	8	10	11	14
2. MULTIPLE DX	1748	8.5	29	2	5	8	10	12	16	32
A. NOT OPERATED	313	5.3	35	1	1	4	6	11	14	36
B. OPERATED	1936	8.6	22	5	5	8	9	11	14	29
TOTAL 0-19 YRS	96	5.8	28	2	2	5	7	10	12	34
20-34	805	7.9	19	4	5	7	9	11	13	27
35-49	1055	8.3	24	2	5	8	10	11	14	29
50-64	270	9.0	44	2	4	8	10	14	17	35
65+	23	6.9	27	2	3	5	8	14	21	22
GRAND TOTAL	**2249**	**8.2**	**25**	**2**	**4**	**7**	**9**	**11**	**14**	**29**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	3.0	7	<1	<1	2	4	6	8	15
20-34	66	4.2	12	<1	1	3	6	9	11	18
35-49	57	3.6	5	1	1	3	5	6	8	12
50-64	53	2.8	2	<1	1	3	4	5	6	7
65+	36	4.9	18	1	1	4	5	12	17	18
B. *Operated*										
0-19 YRS	51	5.0	37	<1	1	3	5	12	20	32
20-34	101	4.1	15	<1	1	3	6	9	13	15
35-49	96	4.3	22	<1	<1	3	6	8	11	27
50-64	50	4.4	12	1	1	4	6	9	12	16
65+	20	6.5	60	<1	1	4	6	16	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.4	34	<1	<1	3	5	9	11	33
20-34	215	5.8	27	<1	<1	4	8	13	15	27
35-49	327	5.2	28	<1	<1	4	7	12	15	29
50-64	334	7.3	47	<1	1	6	10	15	20	37
65+	494	8.2	32	2	3	7	10	16	19	29
B. *Operated*										
0-19 YRS	69	11.1	287	2	2	5	11	29	50	99
20-34	171	10.3	113	2	2	8	13	22	30	60
35-49	239	8.3	46	2	3	7	9	17	24	39
50-64	214	9.0	72	1	2	7	11	17	25	46
65+	246	11.4	106	2	3	9	15	21	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.4	8	<1	<1	3	4	6	9	16
B. *Operated*	318	4.5	23	<1	1	3	6	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	1686	6.4	36	<1	1	5	8	14	18	30
B. *Operated*	939	9.8	98	2	2	7	12	20	29	58
1. SINGLE DX	698	3.9	15	<1	1	3	5	8	11	19
2. MULTIPLE DX	2625	7.7	61	<1	1	6	9	16	21	41
A. NOT OPERATED	2066	5.9	32	<1	1	4	8	13	16	29
B. OPERATED	1257	8.5	85	1	2	6	10	18	26	52
TOTAL 0-19 YRS	604	4.8	60	<1	<1	3	5	10	14	46
20-34	553	6.7	56	<1	1	5	8	14	19	36
35-49	719	6.0	34	<1	<1	4	8	12	17	34
50-64	651	7.3	52	<1	1	5	9	15	20	40
65+	796	9.0	58	2	3	7	11	18	23	40
GRAND TOTAL	**3323**	**6.9**	**54**	**<1**	**1**	**5**	**9**	**14**	**19**	**37**

80: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	4.9	9	1	2	4	7	8	11	14
35-49	38	4.2	13	1	1	4	5	8	9	22
50-64	46	4.4	5	2	2	4	6	8	9	9
65+	44	4.0	4	1	2	4	5	7	7	8
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	7	3.9	9	1	1	3	6	9	9	9
50-64	10	6.4	32	2	2	5	8	15	20	20
65+	10	4.4	12	1	1	3	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	31	4.1	8	1	1	3	5	9	10	10
35-49	113	5.0	13	1	2	4	7	9	13	18
50-64	248	5.7	13	2	2	5	7	10	12	20
65+	592	6.3	18	2	2	5	8	12	14	23
B. *Operated*										
0-19 YRS										
20-34	6	6.8	9	3	3	7	7	12	12	12
35-49	22	4.2	7	<1	1	4	6	8	9	9
50-64	48	8.8	50	2	3	6	12	20	22	35
65+	87	10.4	58	3	3	8	14	21	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.3	7	1	2	4	5	8	9	14
B. *Operated*	28	5.3	20	1	2	4	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	986	5.9	16	2	2	5	8	11	14	20
B. *Operated*	163	8.9	51	2	2	7	12	18	23	34
1. SINGLE DX	177	4.4	9	1	2	4	6	8	9	18
2. MULTIPLE DX	1149	6.4	22	2	2	5	8	12	15	25
A. NOT OPERATED	1135	5.7	15	2	2	5	7	10	13	20
B. OPERATED	191	8.4	48	2	2	6	10	18	22	33
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	59	4.8	10	1	1	4	7	10	11	14
35-49	180	4.7	12	1	1	4	6	9	11	19
50-64	352	6.0	19	2	2	5	7	11	14	22
65+	733	6.6	24	2	2	5	8	13	16	27
GRAND TOTAL	**1326**	**6.1**	**21**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.6	3	1	1	2	3	5	6	10
20-34	51	3.1	6	1	1	2	4	6	9	15
35-49	46	4.0	7	1	1	3	5	8	9	12
50-64	66	4.0	8	1	2	3	5	7	9	18
65+	157	5.2	31	1	2	4	6	8	16	27
B. *Operated*										
0-19 YRS	2	.0	162	1	1	10	19	19	19	19
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	16.0	246	3	3	12	28	36	36	36
65+	4	20.5	666	3	3	10	37	58	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2816	3.4	7	1	1	3	4	6	8	13
20-34	1243	3.9	14	1	1	3	5	7	9	18
35-49	1331	4.9	18	1	2	4	6	9	12	20
50-64	2636	6.2	24	2	2	5	8	11	15	25
65+	11554	7.7	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	65	10.8	208	1	1	6	12	32	60	99+
20-34	94	8.0	56	1	2	5	10	21	26	31
35-49	140	10.3	85	1	2	8	15	22	33	99+
50-64	317	13.6	130	2	3	10	16	27	37	60
65+	1125	15.1	114	4	5	12	19	29	38	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	3.8	15	1	1	3	5	7	9	20
B. *Operated*	11	15.3	324	1	2	4	20	45	57	58
2. MULTIPLE DX										
A. *Not Operated*	19580	6.5	29	2	2	5	8	12	16	27
B. *Operated*	1741	13.9	119	2	4	11	18	28	37	57
1. SINGLE DX	480	4.1	24	1	1	3	5	7	10	21
2. MULTIPLE DX	21321	7.1	40	2	2	5	9	14	19	32
A. NOT OPERATED	20049	6.4	28	1	2	5	8	12	16	27
B. OPERATED	1752	13.9	120	2	4	11	18	28	37	58
TOTAL 0-19 YRS	3032	3.5	13	1	1	3	4	6	8	15
20-34	1388	4.2	18	1	1	3	5	8	10	21
35-49	1518	5.4	27	1	2	4	7	10	14	30
50-64	3023	6.9	41	2	2	5	8	13	18	33
65+	12840	8.3	44	2	3	7	10	16	21	35
GRAND TOTAL	**21801**	**7.0**	**40**	**2**	**2**	**5**	**9**	**14**	**18**	**32**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.5	5	1	1	3	5	7	8	11
20-34	36	4.1	8	1	1	4	6	8	9	12
35-49	37	3.6	8	1	1	3	4	7	11	13
50-64	33	5.3	9	1	1	5	7	10	10	13
65+	91	4.3	9	1	1	4	5	9	11	14
B. *Operated*										
0-19 YRS	7	4.6	5	1	1	4	6	8	8	8
20-34	8	4.8	3	2	2	5	6	7	7	7
35-49	14	6.6	14	1	2	6	9	11	14	15
50-64	12	5.9	19	3	3	5	6	11	18	19
65+	15	7.3	16	2	2	6	9	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.3	8	1	1	3	6	8	10	14
20-34	133	4.8	13	1	1	4	6	8	12	18
35-49	287	5.2	14	1	2	4	7	9	11	22
50-64	429	5.9	15	1	2	5	7	10	13	19
65+	2075	6.2	19	2	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	25	5.8	10	1	2	6	8	11	11	12
20-34	63	5.8	14	2	2	5	7	11	13	19
35-49	170	7.6	31	2	3	7	9	13	17	32
50-64	223	9.3	53	3	4	8	11	17	21	32
65+	817	10.0	46	3	4	8	12	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.1	8	1	1	3	5	8	10	13
B. *Operated*	56	6.1	13	2	2	5	8	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	3054	5.9	17	1	2	5	7	11	14	21
B. *Operated*	1298	9.3	45	3	3	8	11	17	21	34
1. SINGLE DX	314	4.5	9	1	1	4	6	9	10	15
2. MULTIPLE DX	4352	6.9	28	2	2	6	9	13	17	27
A. NOT OPERATED	3312	5.8	17	1	2	5	7	11	14	20
B. OPERATED	1354	9.2	44	3	3	8	11	17	21	34
TOTAL 0-19 YRS	223	4.2	8	1	1	3	6	8	10	13
20-34	240	4.9	12	1	2	4	6	9	12	17
35-49	508	5.9	21	2	2	5	7	10	14	21
50-64	697	6.9	29	2	2	6	8	13	17	25
65+	2998	7.2	29	2	2	6	9	14	17	28
GRAND TOTAL	**4666**	**6.8**	**27**	**1**	**2**	**6**	**8**	**13**	**16**	**27**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	705	4.0	6	1	1	3	5	7	9	14
20-34	737	6.2	23	1	2	5	8	11	14	25
35-49	125	6.3	12	2	3	6	8	10	13	19
50-64	8	6.8	25	2	2	5	10	15	15	15
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	8.0	1	7	7	8	9	9	9	9
20-34	22	10.4	30	2	3	11	15	17	19	21
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	627	5.9	31	1	2	5	7	10	14	25
20-34	1050	7.5	33	2	3	6	9	14	18	30
35-49	236	8.0	29	2	3	7	10	16	17	24
50-64	21	7.6	19	2	3	7	9	14	18	19
65+	9	5.8	7	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS	20	12.3	68	4	4	11	16	21	30	38
20-34	101	13.4	77	2	4	11	18	25	29	47
35-49	24	10.2	136	3	3	8	12	14	29	62
50-64	6	11.0	123	3	3	7	10	31	33	33
65+	1	58.0		58	58	58	58	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1577	5.2	16	1	2	4	6	9	12	19
B. *Operated*	27	9.8	26	2	3	10	14	16	18	21
2. MULTIPLE DX										
A. *Not Operated*	1943	7.0	32	2	2	6	9	13	17	28
B. *Operated*	152	12.9	100	3	4	10	16	25	31	58
1. SINGLE DX	1604	5.3	16	1	2	4	7	10	12	20
2. MULTIPLE DX	2095	7.5	39	2	2	6	9	14	18	31
A. NOT OPERATED	3520	6.2	26	1	2	5	8	11	15	25
B. OPERATED	179	12.5	90	3	4	10	16	23	29	57
TOTAL 0-19 YRS	1355	5.0	20	1	2	4	6	9	12	22
20-34	1910	7.3	34	2	2	6	9	14	18	30
35-49	387	7.6	31	2	3	6	9	14	17	24
50-64	35	8.0	36	2	3	6	9	15	18	33
65+	12	9.7	238	2	2	5	8	24	53	58
GRAND TOTAL	**3699**	**6.5**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	10	<1	<1	1	3	6	10	18
20-34	65	3.4	11	<1	<1	2	4	8	10	16
35-49	43	3.6	6	<1	1	3	5	7	9	9
50-64	71	4.0	12	<1	1	3	6	10	12	14
65+	309	3.5	32	1	1	2	4	6	9	28
B. *Operated*										
0-19 YRS	71	4.5	9	1	2	4	6	7	10	19
20-34	16	6.5	16	2	2	6	8	11	15	17
35-49	38	9.1	106	1	2	7	10	17	24	61
50-64	37	5.7	16	1	1	6	7	11	13	21
65+	67	7.1	32	2	2	6	9	12	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	358	3.9	27	<1	1	2	5	8	11	26
20-34	232	4.5	21	<1	1	3	6	10	13	25
35-49	415	4.4	24	1	1	3	6	9	12	24
50-64	939	5.1	25	1	1	4	7	11	14	23
65+	3797	5.6	25	1	1	4	8	11	14	24
B. *Operated*										
0-19 YRS	98	7.9	82	1	1	5	9	16	22	55
20-34	108	9.6	82	2	3	8	11	17	23	80
35-49	201	9.4	57	2	3	7	12	18	22	33
50-64	390	10.7	74	2	3	8	13	22	25	48
65+	1256	10.3	60	3	4	8	13	20	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	3.4	20	<1	1	2	4	7	10	17
B. *Operated*	229	6.4	35	1	2	5	8	11	17	28
2. MULTIPLE DX										
A. *Not Operated*	5741	5.3	25	1	1	4	7	11	14	24
B. *Operated*	2053	10.2	65	2	3	8	13	20	24	42
1. SINGLE DX	887	4.1	26	<1	1	3	5	9	11	21
2. MULTIPLE DX	7794	6.6	40	1	1	5	8	13	18	30
A. NOT OPERATED	6399	5.1	25	1	1	4	7	10	13	24
B. OPERATED	2282	9.8	63	2	3	8	12	19	24	42
TOTAL 0-19 YRS	697	4.3	31	<1	1	3	5	9	12	29
20-34	421	5.7	40	<1	1	4	8	12	16	29
35-49	697	6.1	42	1	1	4	7	13	18	31
50-64	1437	6.6	44	1	1	5	8	14	18	32
65+	5429	6.6	38	1	1	5	9	13	17	30
GRAND TOTAL	**8681**	**6.3**	**39**	**1**	**1**	**5**	**8**	**13**	**17**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	6	1	1	2	4	7	8	10
20-34	13	4.1	3	2	2	4	5	6	7	7
35-49	4	5.5	40	2	2	3	9	15	15	15
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34	5	5.4	15	2	2	5	7	12	12	12
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.0	28	<1	1	2	4	9	12	33
20-34	21	4.8	15	1	1	3	6	11	13	15
35-49	10	11.3	213	1	1	4	15	37	43	43
50-64	4	8.8	32	3	3	8	13	16	16	16
65+	3	4.7	1	4	4	4	6	6	6	6
B. *Operated*										
0-19 YRS	6	30.8	953	7	8	18	38	85	90	90
20-34	6	8.3	25	3	3	7	10	16	17	17
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	15.7	561	1	1	3	33	43	43	43
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	8	1	1	3	5	7	9	15
B. *Operated*	6	5.2	13	2	2	4	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	119	5.0	43	<1	1	3	6	11	15	41
B. *Operated*	16	18.1	513	2	3	9	19	42	76	90
1. SINGLE DX	50	4.0	8	1	1	3	5	7	10	15
2. MULTIPLE DX	135	6.5	114	1	1	3	7	15	21	50
A. NOT OPERATED	163	4.7	34	1	1	3	5	10	15	39
B. OPERATED	22	14.5	404	2	2	7	15	39	62	90
TOTAL 0-19 YRS	113	5.3	101	<1	1	3	5	11	15	58
20-34	45	5.1	14	1	2	4	6	10	13	17
35-49	15	9.5	153	1	2	4	13	32	40	43
50-64	9	10.3	171	1	2	6	11	32	43	43
65+	3	4.7	1	4	4	4	6	6	6	6
GRAND TOTAL	185	5.8	86	1	1	3	6	12	16	43

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	3.3	6	1	1	3	4	6	8	14
20-34	44	3.7	6	<1	1	3	5	7	9	12
35-49	98	3.4	16	1	1	1	4	9	12	19
50-64	50	3.7	8	1	1	3	5	7	9	16
65+	31	4.4	11	1	1	4	6	9	13	13
B. *Operated*										
0-19 YRS	170	4.7	9	1	2	4	6	8	10	16
20-34	99	5.7	9	2	2	5	7	9	10	18
35-49	50	6.0	23	1	2	5	7	12	15	27
50-64	60	7.1	17	2	3	6	9	12	16	21
65+	56	7.2	21	1	2	6	10	13	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	487	4.5	16	1	1	3	5	9	12	21
20-34	206	5.0	15	1	1	4	6	10	12	22
35-49	287	6.5	26	1	2	5	9	13	15	28
50-64	570	6.2	21	1	2	5	8	12	14	23
65+	1090	6.7	34	1	2	5	9	13	16	30
B. *Operated*										
0-19 YRS	131	8.7	132	1	2	5	9	19	32	64
20-34	158	9.4	53	2	3	7	11	19	24	37
35-49	177	8.7	40	2	3	8	11	16	21	33
50-64	344	11.7	89	2	3	9	15	25	33	46
65+	716	12.0	86	3	4	9	15	24	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.4	8	1	1	3	4	7	9	16
B. *Operated*	435	5.7	14	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	2640	6.0	26	1	1	5	8	12	15	27
B. *Operated*	1526	11.0	83	2	3	8	13	22	30	46
1. SINGLE DX	1005	4.4	12	1	1	4	6	9	11	17
2. MULTIPLE DX	4166	7.8	53	1	2	6	10	16	22	37
A. NOT OPERATED	3210	5.6	24	1	1	4	7	11	14	24
B. OPERATED	1961	9.8	73	2	3	7	12	20	28	45
TOTAL 0-19 YRS	1135	4.6	28	1	1	3	5	8	11	27
20-34	507	6.4	29	1	2	5	8	12	17	29
35-49	612	6.6	31	1	1	5	9	14	16	27
50-64	1024	8.0	50	1	2	6	10	16	22	37
65+	1893	8.7	60	1	2	7	11	17	24	39
GRAND TOTAL	5171	7.2	47	1	2	5	9	15	19	36

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1214	2.1	2	1	1	2	3	4	5	7
20-34	224	1.9	1	1	1	2	2	3	4	6
35-49	47	2.3	1	1	1	2	3	4	4	6
50-64	5	2.8	1	1	1	3	3	4	4	4
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	436	3.6	3	2	2	3	4	5	6	8
20-34	139	4.3	19	2	2	4	5	6	7	19
35-49	17	4.6	11	2	2	4	5	9	13	15
50-64	4	5.8	2	4	4	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	794	2.8	4	1	1	2	3	5	6	10
20-34	151	2.7	3	1	1	2	4	5	6	8
35-49	47	3.4	2	1	1	3	4	5	6	8
50-64	14	3.9	8	2	2	3	6	7	11	12
65+	9	4.9	3	2	3	5	6	7	8	8
B. *Operated*										
0-19 YRS	240	4.4	3	2	3	4	5	7	8	11
20-34	112	4.8	6	2	3	4	6	8	9	14
35-49	18	5.3	4	2	3	5	7	8	9	9
50-64	4	6.5	4	4	4	6	8	9	9	9
65+	6	12.3	72	5	5	9	16	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1493	2.1	2	1	1	2	3	4	5	6
B. *Operated*	596	3.8	7	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	1015	2.8	4	1	1	2	4	5	6	10
B. *Operated*	380	4.7	6	2	3	4	6	7	9	13
1. SINGLE DX	2089	2.6	4	1	1	2	3	5	5	7
2. MULTIPLE DX	1395	3.3	5	1	1	3	4	6	7	11
A. NOT OPERATED	2508	2.4	3	1	1	2	3	4	5	8
B. OPERATED	976	4.1	7	2	2	4	5	6	7	13
TOTAL 0-19 YRS	2684	2.7	3	1	1	2	3	5	6	9
20-34	626	3.2	8	1	1	3	4	5	7	11
35-49	129	3.4	4	1	1	3	4	6	7	11
50-64	27	4.4	6	1	2	4	6	7	9	12
65+	18	6.9	39	1	2	5	8	14	23	28
GRAND TOTAL	**3484**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	4.4	6	1	2	4	5	7	9	14
20-34	27	4.0	5	1	1	3	5	7	8	9
35-49	8	3.5	6	1	1	3	5	7	8	8
50-64	3	4.7	12	1	1	5	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	99	3.3	8	<1	1	2	4	7	9	14
20-34	67	3.2	7	<1	1	2	4	7	9	12
35-49	35	4.3	21	1	1	3	6	8	17	20
50-64	15	3.6	6	<1	2	3	5	8	9	9
65+	6	2.8	5	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	4.4	7	1	2	4	5	7	9	14
20-34	40	5.3	15	1	2	4	6	9	13	21
35-49	17	4.9	9	2	2	4	6	10	12	13
50-64	12	5.2	7	1	2	5	7	9	10	10
65+	15	7.0	20	3	4	6	8	11	18	21
B. *Operated*										
0-19 YRS	77	4.1	11	<1	1	3	6	9	11	15
20-34	38	4.7	14	<1	1	4	7	11	12	15
35-49	44	5.6	20	1	2	4	7	10	15	22
50-64	29	6.6	29	2	2	5	8	15	18	24
65+	34	7.7	54	1	2	5	10	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	4.3	6	1	2	4	5	7	8	13
B. *Operated*	222	3.4	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	317	4.7	9	1	2	4	6	8	10	18
B. *Operated*	222	5.4	23	1	1	4	7	11	15	24
1. SINGLE DX	488	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX	539	5.0	15	1	1	4	6	9	12	22
A. NOT OPERATED	583	4.5	8	1	2	4	6	8	9	16
B. OPERATED	444	4.4	17	<1	1	3	6	9	12	23
TOTAL 0-19 YRS	636	4.2	7	1	1	4	5	7	9	14
20-34	172	4.2	10	1	1	3	5	9	11	16
35-49	104	4.9	18	1	1	4	6	9	13	21
50-64	59	5.5	19	1	2	4	7	10	15	23
65+	56	6.9	40	1	2	5	8	19	24	26
GRAND TOTAL	**1027**	**4.5**	**12**	**1**	**1**	**4**	**6**	**8**	**11**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	12.7	262	<1	<1	5	19	40	50	52
20-34	25	11.9	161	<1	1	7	21	27	43	45
35-49	9	6.4	34	1	1	5	7	16	20	20
50-64	14	14.5	593	1	2	6	14	31	82	96
65+	31	7.6	58	<1	1	5	11	22	23	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	24.0		24	24	24	24	24	24	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.3	121	<1	1	3	6	20	35	42
20-34	77	12.9	179	1	1	8	18	26	38	71
35-49	67	13.9	172	<1	2	10	20	29	34	65
50-64	101	11.7	173	1	2	7	17	30	38	92
65+	386	8.5	53	2	2	6	11	17	22	42
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	33.5	1013	11	11	33	56	56	56	56
35-49	5	16.4	259	4	4	9	26	43	43	43
50-64	15	10.1	88	2	3	7	10	25	34	37
65+	29	18.2	413	2	4	12	19	44	72	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	10.4	192	<1	1	5	15	23	36	77
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	647	10.0	105	1	2	7	13	22	29	54
B. *Operated*	52	15.9	321	2	3	9	17	43	55	84
1. SINGLE DX	93	10.6	192	<1	1	5	17	24	35	77
2. MULTIPLE DX	699	10.5	123	1	2	7	13	23	31	56
A. NOT OPERATED	739	10.1	115	1	2	6	13	23	29	54
B. OPERATED	53	16.1	316	2	3	9	18	43	54	84
TOTAL 0-19 YRS	30	9.4	181	<1	1	3	17	29	42	52
20-34	104	13.1	188	1	1	8	19	27	43	66
35-49	82	13.3	164	1	2	9	20	28	36	64
50-64	130	11.8	205	1	2	7	15	28	37	97
65+	446	9.0	82	2	2	6	12	18	25	45
GRAND TOTAL	**792**	**10.5**	**131**	**1**	**2**	**7**	**13**	**23**	**31**	**57**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	2.5	30	1	1	2	3	4	6	24
20-34	166	3.9	12	1	1	3	5	7	10	21
35-49	99	6.1	63	1	2	3	6	13	21	46
50-64	79	10.1	105	1	2	5	15	24	26	52
65+	397	9.4	69	1	2	7	13	19	27	42
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	5	5.0	3	3	3	5	6	7	7	7
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	4.6	41	1	1	2	6	16	16	16
65+	11	8.8	175	1	2	5	7	25	46	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	313	5.1	100	1	1	3	4	8	18	86
20-34	618	7.4	63	1	2	5	9	15	21	52
35-49	389	8.8	84	2	2	6	10	19	26	52
50-64	444	10.1	82	2	2	7	12	23	30	41
65+	3497	9.6	66	2	3	7	12	19	26	41
B. *Operated*										
0-19 YRS	27	4.3	15	1	1	3	5	10	11	17
20-34	41	9.7	88	2	3	7	12	23	36	99+
35-49	39	12.7	117	2	3	10	18	32	43	99+
50-64	66	13.3	104	2	2	12	17	22	24	64
65+	327	15.1	114	3	5	13	19	30	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	957	6.6	62	1	1	4	8	15	22	40
B. *Operated*	26	6.0	84	1	1	4	7	9	22	48
2. MULTIPLE DX										
A. *Not Operated*	5261	9.1	72	2	2	7	11	18	26	43
B. *Operated*	500	13.7	112	2	3	11	18	26	36	61
1. SINGLE DX	983	6.6	62	1	1	4	8	15	22	41
2. MULTIPLE DX	5761	9.5	77	2	2	7	12	20	27	45
A. NOT OPERATED	6218	8.7	71	1	2	6	11	18	25	42
B. OPERATED	526	13.3	114	2	3	11	18	26	36	58
TOTAL 0-19 YRS	559	4.0	70	1	1	2	4	7	10	63
20-34	830	6.8	56	1	2	5	8	13	21	51
35-49	529	8.6	85	1	2	6	10	20	27	58
50-64	594	10.4	88	2	2	8	14	23	29	43
65+	4232	10.0	72	2	3	8	13	20	27	43
GRAND TOTAL	**6744**	**9.0**	**76**	**1**	**2**	**7**	**11**	**19**	**26**	**45**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	13	12.5	54	3	4	11	19	23	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	36.0		36	36	36	36	36	36	36
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	29.0		29	29	29	29	29	29	29
50-64	19	15.4	214	3	4	12	17	37	51	60
65+	264	9.7	64	2	3	7	12	18	25	40
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	11.6	103	3	3	5	17	28	28	28
65+	31	16.4	196	3	4	12	21	30	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	12.5	54	3	4	11	19	23	24	24
B. *Operated*	1	36.0		36	36	36	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	284	10.1	76	2	3	8	12	18	26	46
B. *Operated*	40	15.3	176	3	4	12	21	28	37	72
1. SINGLE DX	14	14.2	89	3	4	13	19	25	34	36
2. MULTIPLE DX	324	10.8	91	2	3	8	13	22	29	52
A. NOT OPERATED	297	10.2	76	2	3	8	13	19	26	45
B. OPERATED	41	15.8	182	3	4	12	22	30	38	72
TOTAL 0-19 YRS										
20-34										
35-49	1	29.0		29	29	29	29	29	29	29
50-64	29	14.9	187	3	4	12	18	34	42	60
65+	308	10.5	80	2	3	8	13	21	27	44
GRAND TOTAL	**338**	**10.9**	**91**	**2**	**3**	**8**	**13**	**23**	**29**	**50**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	75	3.3	6	1	1	3	4	6	7	15
35-49	81	3.3	11	1	1	3	4	6	7	22
50-64	51	4.7	29	1	1	3	5	8	10	31
65+	23	5.1	23	<1	<1	4	7	12	17	18
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	9.7	199	<1	1	4	10	27	49	57
20-34	619	6.9	56	1	2	4	8	19	24	32
35-49	933	6.5	37	1	2	4	8	14	20	33
50-64	759	7.6	55	2	2	5	9	16	22	39
65+	333	9.1	57	2	3	7	12	17	24	43
B. *Operated*										
0-19 YRS										
20-34	19	11.6	74	4	4	9	15	25	31	35
35-49	44	14.6	128	3	4	12	19	29	41	51
50-64	48	16.2	172	3	4	12	22	34	42	60
65+	30	18.2	129	4	5	15	29	36	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.8	15	1	1	3	5	6	8	27
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	2668	7.3	51	1	2	5	8	16	22	36
B. *Operated*	141	15.5	138	3	4	12	21	33	40	63
1. SINGLE DX	235	3.8	15	1	1	3	5	7	9	27
2. MULTIPLE DX	2809	7.7	59	1	2	5	9	17	24	38
A. NOT OPERATED	2901	7.0	49	1	2	5	8	15	22	35
B. OPERATED	143	15.4	137	3	4	12	21	33	40	62
TOTAL 0-19 YRS	27	8.8	183	<1	<1	3	10	24	47	57
20-34	714	6.7	53	1	1	4	7	18	23	33
35-49	1058	6.6	42	1	2	4	8	15	21	34
50-64	859	7.9	64	2	2	5	9	17	25	40
65+	386	9.6	67	2	3	7	12	19	28	44
GRAND TOTAL	**3044**	**7.4**	**56**	**1**	**2**	**5**	**9**	**17**	**23**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	10.8	183	1	1	6	13	33	43	52
20-34	50	5.4	35	1	1	3	7	15	17	29
35-49	22	7.8	169	<1	<1	3	7	19	41	58
50-64	10	9.1	111	1	1	4	16	26	34	34
65+	17	4.2	6	1	1	4	5	9	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	13.9	222	2	2	9	18	37	48	68
20-34	183	7.6	56	1	2	5	10	17	25	34
35-49	99	7.9	53	1	1	6	10	16	24	37
50-64	83	7.4	46	1	2	4	10	15	22	33
65+	269	7.7	29	2	2	6	10	14	20	30
B. *Operated*										
0-19 YRS	3	14.0	124	4	4	12	22	26	26	26
20-34	8	11.3	128	2	2	8	16	30	34	34
35-49	2	7.0	2	6	6	8	77	99+	99+	99+
50-64	8	12.1	137	2	3	9	11	32	40	40
65+	18	8.6	19	3	4	8	12	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	7.1	95	1	1	4	7	17	29	53
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	688	8.2	59	1	2	6	10	17	23	39
B. *Operated*	39	10.2	68	2	3	8	12	24	37	99+
1. SINGLE DX	126	7.1	95	1	1	4	7	17	29	53
2. MULTIPLE DX	727	8.3	60	1	2	6	11	17	24	41
A. NOT OPERATED	814	8.0	65	1	2	5	10	17	24	41
B. OPERATED	39	10.2	68	2	3	8	12	24	37	99+
TOTAL 0-19 YRS	84	12.9	204	1	2	8	17	35	44	63
20-34	241	7.3	55	1	1	5	9	17	24	34
35-49	123	7.9	72	1	1	5	10	16	25	69
50-64	101	8.0	59	1	2	5	10	17	23	37
65+	304	7.6	28	2	2	6	10	14	18	28
GRAND TOTAL	**853**	**8.1**	**65**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	20.7	261	1	2	18	31	46	92	99+
20-34	1385	15.4	163	1	3	13	21	32	40	65
35-49	691	15.2	138	1	3	13	20	30	39	58
50-64	240	16.7	171	3	4	14	22	31	43	66
65+	74	15.4	108	2	4	14	20	32	33	52
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	11.0		11	11	11	11	11	11	11
35-49	3	20.7	180	11	11	15	31	36	36	36
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	22.7	270	4	6	21	32	48	64	99+
20-34	910	17.6	201	2	4	14	23	35	45	76
35-49	598	16.3	146	2	3	14	22	31	40	55
50-64	315	18.0	153	4	5	15	24	34	42	57
65+	170	16.8	177	3	4	14	21	31	39	71
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	31	20.9	96	8	10	18	29	37	38	41
35-49	32	25.5	149	11	12	22	33	48	51	51
50-64	26	23.0	140	8	11	21	27	38	47	58
65+	19	27.9	318	9	9	22	43	56	62	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2454	15.6	158	1	3	13	21	32	40	64
B. *Operated*	5	16.8	118	11	11	11	20	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	2043	17.3	178	2	4	14	23	34	43	70
B. *Operated*	110	23.7	164	9	11	21	31	42	49	62
1. SINGLE DX	2459	15.6	158	1	3	13	21	32	40	64
2. MULTIPLE DX	2153	17.7	179	3	4	14	24	34	44	70
A. NOT OPERATED	4497	16.4	168	2	3	14	22	33	42	67
B. OPERATED	115	23.4	163	9	11	20	31	42	49	62
TOTAL 0-19 YRS	117	21.3	261	2	4	18	32	46	67	99+
20-34	2327	16.3	178	2	3	13	22	33	42	70
35-49	1324	16.0	144	2	3	14	21	31	39	57
50-64	581	17.7	161	3	5	15	23	34	43	59
65+	263	17.2	175	3	4	14	22	33	42	66
GRAND TOTAL	**4612**	**16.6**	**169**	**2**	**3**	**14**	**22**	**33**	**42**	**66**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	27.8	372	3	4	25	43	51	61	75
20-34	58	16.9	179	3	4	14	24	30	41	67
35-49	26	15.5	128	3	4	10	25	35	39	40
50-64	8	17.0	290	2	3	10	28	45	48	48
65+	2	26.0	128	18	18	26	34	34	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	27.9	359	6	11	24	42	69	89	99+
20-34	78	16.7	160	2	3	15	23	33	42	61
35-49	30	20.0	110	4	8	20	27	36	37	39
50-64	14	11.4	45	1	3	11	16	20	22	22
65+	11	13.2	79	4	5	9	18	26	33	34
B. *Operated*										
0-19 YRS										
20-34	3	24.7	22	21	21	23	28	30	30	30
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	19.8	248	3	4	14	28	43	48	69
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	150	17.9	171	2	4	16	24	35	43	72
B. *Operated*	3	24.7	22	21	21	23	28	30	30	30
1. SINGLE DX	130	19.8	248	3	4	14	28	43	48	69
2. MULTIPLE DX	153	18.0	168	2	4	16	24	35	43	72
A. NOT OPERATED	280	18.8	207	3	4	15	26	39	47	70
B. OPERATED	3	24.7	22	21	21	23	28	30	30	30
TOTAL 0-19 YRS	53	27.8	361	4	6	25	43	54	71	99
20-34	139	17.0	165	2	4	14	23	32	42	63
35-49	56	17.9	121	3	6	15	25	36	38	40
50-64	22	13.4	132	2	3	11	17	26	41	48
65+	13	15.2	100	4	5	14	19	34	34	34
GRAND TOTAL	**283**	**18.8**	**205**	**3**	**4**	**15**	**26**	**39**	**47**	**70**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	23.5	416	3	5	19	33	55	73	99+
20-34	2152	15.0	165	1	3	12	20	32	42	63
35-49	1125	14.5	146	2	3	12	20	30	37	68
50-64	471	15.6	168	2	3	13	20	29	39	69
65+	91	17.0	214	2	3	13	22	37	48	69
B. *Operated*										
0-19 YRS										
20-34	6	16.5	303	2	3	11	14	47	51	51
35-49	3	36.0	769	4	4	51	52	53	53	53
50-64	2	19.0	50	14	14	19	24	24	24	24
65+	3	18.0	91	8	8	19	25	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	25.0	356	3	5	21	35	55	71	99+
20-34	1743	17.6	198	2	4	14	23	37	47	68
35-49	1252	16.7	173	3	4	13	21	32	41	67
50-64	818	16.4	152	3	4	13	21	32	40	68
65+	328	17.0	177	3	5	13	22	33	42	65
B. *Operated*										
0-19 YRS	10	31.1	611	12	12	22	44	68	92	92
20-34	85	23.6	260	7	8	18	30	49	63	72
35-49	88	21.6	151	8	9	19	28	39	52	87
50-64	55	28.1	356	10	11	21	35	61	68	89
65+	34	26.3	340	8	9	20	36	47	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4091	15.5	181	1	3	12	20	33	43	69
B. *Operated*	14	21.4	316	2	4	14	27	51	53	53
2. MULTIPLE DX										
A. *Not Operated*	4333	17.4	190	3	4	14	23	35	46	70
B. *Operated*	272	24.5	269	8	9	20	30	47	63	92
1. SINGLE DX	4105	15.5	182	1	3	12	20	33	43	69
2. MULTIPLE DX	4605	17.8	198	3	4	14	23	36	47	74
A. NOT OPERATED	8424	16.5	187	2	3	13	21	34	45	70
B. OPERATED	286	24.3	271	8	9	19	30	49	52	91
TOTAL 0-19 YRS	454	24.3	394	3	5	20	35	55	73	99+
20-34	3986	16.3	185	2	3	13	21	35	45	66
35-49	2468	15.9	163	2	4	13	21	32	41	67
50-64	1346	16.6	171	3	4	13	21	32	41	72
65+	456	17.7	201	3	5	14	23	36	47	67
GRAND TOTAL	**8710**	**16.7**	**191**	**2**	**4**	**13**	**22**	**35**	**45**	**70**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	31.3	609	2	5	27	47	90	97	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	33.3	621	3	5	34	71	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	31.3	609	2	5	27	47	90	97	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	33.3	621	3	5	34	71	99+	99+	99+
B. *Operated*										
1. SINGLE DX	38	31.3	609	2	5	27	47	90	97	99+
2. MULTIPLE DX	31	33.3	621	3	6	36	74	99+	99+	99+
A. NOT OPERATED	69	32.2	606	2	5	30	55	99	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	69	32.2	606	2	5	31	60	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**69**	**32.2**	**606**	**2**	**5**	**31**	**60**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	23.4	408	2	3	18	33	59	75	99+
20-34	1487	13.8	136	1	2	11	19	29	37	55
35-49	1489	15.3	153	2	3	12	21	31	40	57
50-64	1076	17.9	186	2	3	16	24	36	44	71
65+	765	20.5	201	3	5	18	27	40	49	76
B. *Operated*										
0-19 YRS	4	12.0	24	6	6	12	15	18	18	18
20-34	7	23.9	160	11	11	25	31	42	45	45
35-49	8	26.0	139	9	10	31	36	37	37	37
50-64	7	28.3	296	12	12	18	46	50	50	50
65+	3	20.3	72	14	14	17	27	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	662	25.5	459	2	3	21	40	66	86	99+
20-34	2717	15.6	175	2	3	12	21	34	42	80
35-49	2949	16.6	165	2	4	14	23	34	43	70
50-64	2485	18.3	177	3	5	15	25	36	44	64
65+	2712	19.6	223	3	4	16	27	39	50	76
B. *Operated*										
0-19 YRS	24	32.4	474	6	8	30	41	65	74	85
20-34	184	21.7	265	3	7	17	29	45	66	99+
35-49	238	24.0	243	7	9	19	32	45	53	76
50-64	215	27.4	257	7	10	24	36	48	56	95
65+	224	27.9	343	7	8	24	38	55	71	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5160	16.7	187	2	3	14	23	35	44	71
B. *Operated*	29	23.5	168	9	11	18	33	43	48	50
2. MULTIPLE DX										
A. *Not Operated*	11525	18.0	206	3	4	14	25	37	47	80
B. *Operated*	885	25.6	288	7	8	21	34	48	63	98
1. SINGLE DX	5189	16.8	187	2	3	14	23	35	44	71
2. MULTIPLE DX	12410	18.5	216	3	4	15	25	38	49	83
A. NOT OPERATED	16685	17.6	201	2	4	14	24	36	46	77
B. OPERATED	914	25.5	285	7	9	21	34	48	63	98
TOTAL 0-19 YRS	1033	24.9	443	2	3	20	39	64	82	99+
20-34	4395	15.2	168	2	3	12	21	32	41	73
35-49	4684	16.6	169	2	3	14	23	34	43	66
50-64	3783	18.7	189	3	4	16	25	37	45	69
65+	3704	20.3	229	3	5	17	28	40	51	78
GRAND TOTAL	**17599**	**18.0**	**208**	**2**	**4**	**15**	**25**	**37**	**47**	**78**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	22.4	394	2	3	16	33	56	75	99+
20-34	1291	14.2	141	2	3	11	19	29	37	64
35-49	1011	14.8	127	2	4	12	20	30	37	61
50-64	584	16.8	146	3	5	15	22	31	39	64
65+	204	20.4	170	3	6	18	28	36	47	61
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	2	30.0	18	27	27	30	33	33	33	33
35-49	4	20.0	170	7	7	19	31	34	34	34
50-64	8	26.1	678	5	6	13	38	70	82	82
65+	4	22.3	211	14	14	15	30	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	24.0	427	2	4	19	34	54	77	99+
20-34	1435	16.8	193	2	4	14	22	35	44	72
35-49	1320	16.7	167	3	4	13	22	33	42	63
50-64	1006	18.2	163	4	5	15	25	35	42	68
65+	588	18.8	169	3	5	16	25	37	45	60
B. *Operated*										
0-19 YRS	10	25.2	220	7	7	20	39	45	49	49
20-34	71	23.2	246	5	7	19	32	45	58	70
35-49	86	24.7	268	5	9	20	30	42	57	88
50-64	88	25.1	194	6	8	23	33	42	53	70
65+	69	26.2	220	7	9	25	34	45	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3310	15.8	162	2	3	13	21	31	40	69
B. *Operated*	19	25.7	373	6	7	16	35	48	68	82
2. MULTIPLE DX										
A. *Not Operated*	4664	17.8	195	3	4	14	24	36	45	73
B. *Operated*	324	24.8	230	6	8	22	33	43	52	74
1. SINGLE DX	3329	15.8	164	2	3	13	21	31	40	69
2. MULTIPLE DX	4988	18.3	200	3	4	15	25	37	46	73
A. NOT OPERATED	7974	17.0	182	2	4	14	23	34	43	72
B. OPERATED	343	24.9	237	6	8	22	33	43	52	78
TOTAL 0-19 YRS	546	23.4	410	2	4	17	34	54	74	99+
20-34	2799	15.8	173	2	3	13	21	32	42	68
35-49	2421	16.2	157	2	4	13	22	32	41	64
50-64	1686	18.1	164	3	5	15	24	34	41	68
65+	865	19.8	177	4	6	17	26	37	47	61
GRAND TOTAL	**8317**	**17.3**	**187**	**2**	**4**	**14**	**23**	**35**	**44**	**73**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	14.2	249	1	1	10	18	35	51	72
20-34	448	11.9	124	1	2	9	17	25	33	55
35-49	272	11.7	99	1	2	10	16	25	31	49
50-64	172	12.8	138	1	2	10	16	27	38	54
65+	153	10.4	100	1	1	7	14	22	31	48
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	12.0	13	9	9	11	15	16	16	16
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	17.6	315	1	2	12	26	41	55	89
20-34	565	12.8	105	2	3	10	18	25	32	48
35-49	442	12.8	107	2	2	10	18	26	33	55
50-64	489	12.9	140	2	3	10	16	29	35	61
65+	1224	10.3	82	2	3	8	13	22	27	47
B. *Operated*										
0-19 YRS	4	16.8	224	1	1	14	26	37	37	37
20-34	21	20.2	182	4	7	18	29	47	75	99+
35-49	14	18.6	303	2	4	12	27	38	61	68
50-64	46	14.8	134	3	3	12	22	29	35	55
65+	119	15.3	143	3	4	12	20	27	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1147	12.0	128	1	1	9	16	26	35	55
B. *Operated*	8	8.1	35	1	1	7	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	2855	12.0	114	2	3	9	16	25	33	55
B. *Operated*	204	16.0	157	3	4	13	22	31	39	74
1. SINGLE DX	1155	11.9	128	1	1	9	16	26	35	55
2. MULTIPLE DX	3059	12.2	118	2	3	9	16	25	33	56
A. NOT OPERATED	4002	12.0	118	1	2	9	16	25	33	55
B. OPERATED	212	15.7	154	2	4	12	21	30	38	73
TOTAL 0-19 YRS	241	16.2	286	1	2	11	23	38	51	77
20-34	1036	12.5	116	1	2	10	18	26	33	54
35-49	729	12.5	108	1	2	10	17	26	32	50
50-64	710	13.0	138	1	3	10	17	28	36	59
65+	1498	10.7	90	2	3	8	14	22	28	49
GRAND TOTAL	**4214**	**12.2**	**121**	**1**	**2**	**9**	**16**	**26**	**34**	**55**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	6.0	96	1	1	3	6	13	18	60
20-34	370	5.5	41	<1	1	3	7	14	18	30
35-49	314	5.7	40	1	1	3	7	14	20	31
50-64	186	6.5	60	1	1	4	8	14	21	32
65+	86	6.3	115	<1	1	3	6	14	18	68
B. *Operated*										
0-19 YRS										
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	9.0	135	<1	1	4	13	24	42	95
20-34	819	7.9	71	1	1	5	10	19	27	37
35-49	971	7.3	67	1	1	4	8	18	24	42
50-64	778	7.0	51	1	1	4	9	16	23	32
65+	677	6.0	34	1	1	4	7	14	19	29
B. *Operated*										
0-19 YRS	6	28.2	765	5	5	16	58	67	68	68
20-34	35	11.2	100	<1	1	9	15	27	35	37
35-49	53	10.7	101	2	2	7	15	22	30	55
50-64	54	9.9	89	2	2	6	12	25	29	45
65+	36	12.8	185	1	3	8	15	27	51	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	5.8	54	1	1	3	7	14	19	37
B. *Operated*	8	4.6	9	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	3410	7.2	62	1	1	4	9	17	24	39
B. *Operated*	184	11.5	140	2	2	7	15	26	33	57
1. SINGLE DX	1049	5.8	54	1	1	3	7	14	19	37
2. MULTIPLE DX	3594	7.4	66	1	1	4	9	18	25	41
A. NOT OPERATED	4451	6.9	60	1	1	4	8	17	23	38
B. OPERATED	192	11.2	136	2	2	7	15	25	32	57
TOTAL 0-19 YRS	256	8.5	145	1	1	4	10	23	40	70
20-34	1227	7.3	64	1	1	4	9	18	25	37
35-49	1341	7.0	63	1	1	4	8	17	23	40
50-64	1019	7.1	55	1	1	4	9	16	24	32
65+	800	6.4	51	1	1	4	7	14	20	32
GRAND TOTAL	**4643**	**7.1**	**64**	**1**	**1**	**4**	**8**	**17**	**24**	**40**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	24.3	450	2	3	18	40	57	72	99
20-34	970	11.5	121	1	2	8	16	24	32	57
35-49	807	11.1	87	1	2	8	15	24	30	42
50-64	356	11.4	93	1	2	9	16	24	31	47
65+	154	12.2	144	1	3	7	17	26	35	61
B. *Operated*										
0-19 YRS										
20-34	2	22.5	13	20	20	22	25	25	25	25
35-49	3	20.0	139	10	10	17	29	33	33	33
50-64	3	7.3	85	2	2	2	14	18	18	18
65+	2	70.5	1	70	70	70	71	71	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	676	24.2	467	2	3	19	40	62	81	99+
20-34	2026	12.4	106	1	2	10	17	27	33	50
35-49	1813	12.3	108	2	3	9	17	27	34	45
50-64	1059	12.0	106	2	3	9	16	27	33	48
65+	1008	10.4	80	2	3	7	14	22	29	42
B. *Operated*										
0-19 YRS	19	29.8	389	8	9	26	43	52	67	78
20-34	107	18.7	190	3	5	15	27	38	42	75
35-49	126	19.4	153	4	6	18	24	35	44	61
50-64	91	18.5	189	4	5	16	24	35	41	77
65+	94	16.7	234	3	4	12	20	34	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2679	13.3	177	1	2	9	18	29	42	69
B *Operated*	10	26.8	622	2	2	19	33	70	71	71
2. MULTIPLE DX										
A. *Not Operated*	6582	13.2	154	2	3	9	18	29	39	67
B. *Operated*	437	18.9	202	4	5	15	25	37	44	78
1. SINGLE DX	2689	13.3	179	1	2	9	18	30	42	70
2. MULTIPLE DX	7019	13.6	159	2	3	10	18	29	39	68
A. NOT OPERATED	9261	13.2	160	2	2	9	18	29	39	68
B. OPERATED	447	19.1	211	3	5	16	25	38	44	78
TOTAL 0-19 YRS	1087	24.3	459	2	3	19	40	60	77	99+
20-34	3105	12.4	115	1	2	9	17	27	33	51
35-49	2749	12.2	107	2	2	9	17	26	33	45
50-64	1509	12.3	110	2	3	9	17	27	34	49
65+	1258	11.2	107	2	3	8	15	24	31	50
GRAND TOTAL	**9708**	**13.5**	**164**	**2**	**2**	**9**	**18**	**29**	**40**	**69**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	16.9	345	1	1	9	31	46	64	99+
20-34	542	9.0	107	<1	1	5	12	21	30	50
35-49	242	9.0	106	1	1	5	13	21	31	63
50-64	84	9.7	93	1	1	7	11	23	33	44
65+	40	7.7	57	1	1	5	10	20	24	29
B. *Operated*										
0-19 YRS	3	10.7	226	1	1	15	64	99+	99+	99+
20-34	28	8.2	100	1	1	5	13	16	20	52
35-49	32	5.4	40	1	2	4	5	12	16	34
50-64	12	4.7	11	1	1	5	6	9	12	13
65+	6	3.7	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	461	14.7	350	1	1	8	20	44	72	99+
20-34	1273	10.8	120	1	1	7	15	26	34	60
35-49	751	10.9	125	1	2	7	15	24	31	56
50-64	365	10.2	113	1	2	6	13	24	34	50
65+	263	8.5	59	2	2	6	11	18	23	43
B. *Operated*										
0-19 YRS	20	23.4	629	2	3	11	42	65	73	76
20-34	71	17.5	254	2	4	10	28	44	56	94
35-49	75	12.6	150	1	2	9	18	28	46	89
50-64	62	10.7	110	1	3	7	12	28	35	47
65+	38	13.0	174	2	3	8	15	32	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1203	10.9	174	1	1	6	14	31	42	75
B. *Operated*	81	6.3	60	1	1	4	6	15	21	85
2. MULTIPLE DX										
A. *Not Operated*	3113	11.2	152	1	2	7	15	27	37	83
B. *Operated*	266	14.3	217	1	3	9	19	35	49	75
1. SINGLE DX	1284	10.6	168	1	1	6	14	29	42	76
2. MULTIPLE DX	3379	11.4	157	1	2	7	15	28	38	82
A. NOT OPERATED	4316	11.1	158	1	1	7	15	28	39	79
B. OPERATED	347	12.5	191	1	2	7	16	31	47	76
TOTAL 0-19 YRS	779	15.7	356	1	1	8	25	46	70	99+
20-34	1914	10.5	123	1	1	7	15	26	33	57
35-49	1100	10.4	122	1	2	7	14	24	32	57
50-64	523	10.0	107	1	2	6	13	24	34	47
65+	347	8.8	73	1	2	6	11	20	24	49
GRAND TOTAL	**4663**	**11.2**	**160**	**1**	**1**	**7**	**15**	**28**	**40**	**79**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	15.6	188	<1	1	13	28	34	37	48
20-34	2641	13.7	115	1	2	11	23	28	30	33
35-49	2400	13.1	114	1	2	8	23	28	30	34
50-64	1029	12.9	124	1	2	7	24	29	30	36
65+	203	11.3	101	1	2	6	21	28	29	35
B. *Operated*										
0-19 YRS										
20-34	2	27.5	1	27	27	27	28	28	28	28
35-49	4	10.3	21	5	5	10	14	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1269	23.7	245	1	2	27	35	42	47	57
20-34	6458	14.9	125	1	2	14	26	29	30	35
35-49	6071	13.2	113	2	2	8	23	29	30	35
50-64	3818	13.1	114	2	2	8	23	29	31	37
65+	1425	12.5	100	2	3	8	21	28	30	37
B. *Operated*										
0-19 YRS	24	20.0	210	<1	1	22	34	41	57	99+
20-34	240	19.8	121	3	5	21	28	31	33	48
35-49	246	18.6	127	2	5	20	28	31	35	57
50-64	208	18.4	137	4	5	17	27	33	36	52
65+	104	18.5	142	4	5	16	27	33	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6642	13.4	120	1	2	9	23	29	30	35
B. *Operated*	6	16.0	92	5	5	14	27	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	19041	14.4	132	1	2	10	25	30	32	42
B. *Operated*	822	18.9	132	3	5	20	28	32	36	57
1. SINGLE DX	6648	13.4	120	1	2	9	23	29	30	35
2. MULTIPLE DX	19863	14.6	133	1	2	11	25	30	32	42
A. NOT OPERATED	25683	14.1	129	1	2	10	25	29	31	42
B. OPERATED	828	18.9	132	3	5	20	28	32	36	57
TOTAL 0-19 YRS	1662	21.9	243	1	1	22	34	42	45	57
20-34	9341	14.7	123	1	2	14	25	29	30	35
35-49	8721	13.3	115	1	2	8	23	29	30	35
50-64	5055	13.3	118	2	2	8	24	29	31	37
65+	1732	12.7	105	2	3	8	21	28	31	38
GRAND TOTAL	**26511**	**14.3**	**130**	**1**	**2**	**10**	**25**	**29**	**32**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	20.0	98	2	4	21	29	29	29	29
20-34	197	9.9	81	1	2	5	17	26	28	31
35-49	45	10.5	98	1	1	5	17	28	29	32
50-64	9	15.7	128	4	4	18	26	30	31	31
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	19.0	162	10	10	19	28	28	28	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	23.6	148	3	4	28	33	34	39	42
20-34	418	13.4	110	2	3	9	22	28	30	36
35-49	137	13.0	96	3	3	9	21	29	32	35
50-64	20	13.4	111	3	4	7	23	29	31	33
65+	12	14.3	101	1	2	15	22	28	29	29
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	27	14.4	88	3	5	13	20	29	33	39
35-49	10	16.3	99	2	2	17	23	29	32	32
50-64	2	29.0	800	9	9	29	49	49	49	49
65+	6	19.2	261	6	6	17	19	47	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	10.5	88	1	2	5	19	27	29	32
B. *Operated*	2	19.0	162	10	10	19	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	612	13.8	112	2	3	9	22	29	33	36
B. *Operated*	46	16.0	128	3	5	13	20	31	41	50
1. SINGLE DX	260	10.5	89	1	2	5	19	27	29	32
2. MULTIPLE DX	658	13.9	113	2	3	10	22	29	33	38
A. NOT OPERATED	870	12.8	107	2	3	7	21	28	30	36
B. OPERATED	48	16.1	127	3	5	13	21	31	40	50
TOTAL 0-19 YRS	32	22.6	137	3	4	26	33	34	38	42
20-34	642	12.4	103	2	3	7	21	28	30	36
35-49	194	12.7	98	2	3	9	21	28	31	35
50-64	31	15.0	146	4	4	9	25	30	33	49
65+	19	16.2	141	2	4	17	21	28	41	50
GRAND TOTAL	**918**	**13.0**	**108**	**2**	**3**	**8**	**21**	**28**	**31**	**36**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	21.9	323	1	3	20	35	45	56	70
20-34	477	13.9	104	2	2	12	22	28	30	35
35-49	123	14.6	94	1	2	17	23	28	28	31
50-64	23	15.2	120	2	4	12	24	32	35	36
65+	5	16.4	165	4	4	12	29	32	32	32
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	17.5	313	5	5	17	30	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	518	24.7	237	2	3	28	34	43	49	86
20-34	962	17.1	119	2	3	20	28	30	31	36
35-49	278	16.3	122	2	3	15	25	29	34	43
50-64	93	17.2	117	4	5	14	28	30	35	43
65+	50	17.3	117	2	4	16	28	30	35	42
B. *Operated*										
0-19 YRS	6	51.2	654	14	15	59	70	76	77	77
20-34	40	21.5	69	5	7	25	28	30	30	36
35-49	18	20.0	103	7	8	20	28	30	39	45
50-64	3	11.7	58	5	5	10	17	20	20	20
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	15.8	161	2	2	14	24	31	38	57
B. *Operated*	3	14.3	186	5	5	8	24	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	1901	19.1	163	2	3	21	29	34	41	51
B. *Operated*	68	23.3	197	6	8	21	28	30	53	76
1. SINGLE DX	809	15.8	161	2	2	14	24	31	37	57
2. MULTIPLE DX	1969	19.2	165	2	3	21	29	34	41	52
A. NOT OPERATED	2707	18.1	165	2	3	18	28	34	41	52
B. OPERATED	71	22.9	197	5	7	21	28	30	51	76
TOTAL 0-19 YRS	702	24.2	269	1	3	27	35	43	50	79
20-34	1480	16.2	115	2	3	18	27	30	30	36
35-49	419	16.0	113	2	3	16	25	29	31	41
50-64	121	16.7	117	4	5	13	28	30	35	42
65+	56	17.3	117	2	4	16	28	30	34	42
GRAND TOTAL	**2778**	**18.2**	**166**	**2**	**3**	**19**	**28**	**34**	**41**	**54**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	1.8	13	<1	<1	1	1	2	3	24
20-34	340	4.0	55	<1	<1	1	2	17	25	31
35-49	124	4.3	42	<1	<1	2	4	9	20	31
50-64	70	4.4	50	<1	1	2	4	8	24	32
65+	21	2.6	15	1	1	2	2	4	11	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	4.9	80	<1	<1	1	3	18	22	44
20-34	587	6.3	63	<1	<1	3	7	19	23	30
35-49	353	6.0	51	<1	1	3	7	18	21	29
50-64	244	6.3	53	1	1	3	7	19	21	34
65+	110	5.0	45	<1	1	3	5	12	22	32
B. *Operated*										
0-19 YRS	11	4.8	70	<1	<1	1	3	17	28	29
20-34	25	5.5	52	<1	<1	2	6	17	23	29
35-49	14	5.9	41	<1	<1	3	11	16	20	21
50-64	12	7.9	62	<1	1	5	10	18	28	30
65+	6	11.3	112	1	1	8	14	29	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	3.1	36	<1	<1	1	2	5	20	31
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1671	5.8	62	<1	<1	2	6	19	22	32
B. *Operated*	68	6.4	59	<1	<1	3	8	16	29	31
1. SINGLE DX	951	3.1	36	<1	<1	1	2	5	20	31
2. MULTIPLE DX	1739	5.8	62	<1	<1	2	6	19	22	32
A. NOT OPERATED	2621	4.8	54	<1	<1	2	4	17	21	31
B. OPERATED	69	6.4	58	<1	<1	4	8	16	29	31
TOTAL 0-19 YRS	783	3.3	48	<1	<1	1	2	6	19	35
20-34	952	5.4	61	<1	<1	2	5	19	23	30
35-49	492	5.5	49	<1	<1	3	6	17	21	31
50-64	326	5.9	53	1	1	3	6	19	22	33
65+	137	4.9	45	1	1	2	5	12	21	31
GRAND TOTAL	**2690**	**4.9**	**54**	**<1**	**<1**	**2**	**4**	**17**	**21**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	13.1	154	1	1	9	21	28	29	56
20-34	236	9.6	105	<1	1	4	20	27	29	31
35-49	44	14.8	133	1	2	17	28	28	31	36
50-64	7	18.0	95	7	7	21	27	29	29	29
65+	6	11.2	88	<1	<1	10	13	26	28	28
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	32.0		32	32	32	32	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	18.4	340	1	1	13	29	47	62	99+
20-34	627	12.3	123	1	1	7	21	29	31	39
35-49	156	12.3	128	1	2	8	21	28	29	39
50-64	38	12.8	117	1	2	7	21	28	34	34
65+	36	12.4	106	2	3	7	21	29	31	39
B. *Operated*										
0-19 YRS	2	45.5	1201	21	21	45	70	70	70	70
20-34	19	15.2	98	4	5	10	25	28	30	31
35-49	6	19.0	94	4	5	19	28	30	30	30
50-64	4	26.3	894	10	10	12	42	71	71	71
65+	4	11.8	46	5	5	11	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	11.1	121	1	1	5	21	28	29	35
B. *Operated*	3	17.0	241	1	1	18	28	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	1073	13.5	172	1	2	8	22	30	34	64
B. *Operated*	35	18.4	246	4	5	14	25	30	60	71
1. SINGLE DX	367	11.1	122	1	1	5	21	28	29	35
2. MULTIPLE DX	1108	13.7	174	1	2	8	22	30	34	69
A. NOT OPERATED	1437	12.9	160	1	1	7	21	29	33	60
B. OPERATED	38	18.3	239	4	5	15	25	31	55	71
TOTAL 0-19 YRS	289	17.3	306	1	1	12	28	40	60	99+
20-34	883	11.6	119	1	1	6	21	28	30	39
35-49	207	13.1	128	1	2	9	21	28	30	38
50-64	50	15.0	176	2	2	9	24	30	34	71
65+	46	12.2	95	2	3	8	19	28	30	39
GRAND TOTAL	**1475**	**13.1**	**162**	**1**	**1**	**7**	**21**	**29**	**33**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.8	3	1	1	2	4	5	6	9
20-34	87	3.4	8	<1	1	3	4	7	8	17
35-49	50	3.2	4	1	2	3	4	6	7	11
50-64	28	3.7	9	1	1	3	5	6	8	17
65+	19	3.2	6	1	1	2	4	7	9	10
B. *Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	7	4.6	5	1	1	6	6	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.7	37	1	1	4	5	7	9	43
20-34	230	4.8	31	1	1	3	5	9	14	31
35-49	277	4.6	15	1	1	3	6	8	13	21
50-64	224	4.4	14	1	1	3	6	9	11	19
65+	237	4.8	15	1	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	8	4.3	5	2	2	4	6	7	7	7
20-34	26	8.3	40	1	1	7	10	19	22	28
35-49	26	7.2	27	1	1	7	9	15	18	23
50-64	26	8.2	76	2	2	7	8	14	23	47
65+	21	9.9	167	1	1	7	9	24	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.2	6	1	1	3	4	6	7	12
B. *Operated*	16	3.9	3	1	2	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1106	4.7	21	1	1	3	6	9	11	25
B. *Operated*	107	8.0	68	1	2	7	9	15	23	52
1. SINGLE DX	293	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1213	5.0	26	1	1	4	6	9	13	27
A. NOT OPERATED	1383	4.4	18	1	1	3	5	8	10	22
B. OPERATED	123	7.5	61	1	2	6	8	14	21	50
TOTAL 0-19 YRS	244	4.0	23	1	1	3	5	7	8	34
20-34	350	4.7	27	1	1	3	6	9	13	28
35-49	354	4.6	15	1	1	3	6	9	13	21
50-64	279	4.7	21	1	1	3	6	9	12	20
65+	279	5.1	27	1	1	4	6	9	11	26
GRAND TOTAL	**1506**	**4.6**	**22**	**1**	**1**	**3**	**6**	**9**	**11**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	813	13.0	214	1	1	8	18	34	46	95
20-34	925	6.6	46	<1	1	4	9	15	21	32
35-49	503	6.8	60	1	1	4	8	16	21	40
50-64	127	8.9	102	1	1	6	11	20	31	51
65+	63	6.2	31	<1	1	4	9	14	18	25
B. *Operated*										
0-19 YRS	4	15.5	108	3	3	17	24	25	25	25
20-34	2	17.5	265	6	6	17	29	29	29	29
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1145	15.0	287	1	2	9	21	41	58	99+
20-34	1824	8.9	83	1	1	6	12	21	27	45
35-49	1101	9.9	95	1	2	6	13	23	30	46
50-64	482	9.1	84	1	2	6	12	20	28	48
65+	361	8.0	55	1	2	6	10	15	23	37
B. *Operated*										
0-19 YRS	27	17.0	244	2	3	11	23	43	52	59
20-34	64	13.5	91	1	2	13	19	25	33	43
35-49	50	19.4	206	4	5	17	27	34	37	79
50-64	13	15.9	115	5	6	12	21	29	40	43
65+	33	14.7	155	2	3	8	24	28	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2431	8.9	116	1	1	5	12	21	31	62
B. *Operated*	7	14.3	124	3	3	11	24	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	4913	10.5	138	1	1	6	14	25	34	64
B. *Operated*	187	16.0	159	2	3	13	22	31	38	60
1. SINGLE DX	2438	8.9	116	1	1	5	12	21	31	62
2. MULTIPLE DX	5100	10.7	140	1	2	7	14	25	34	64
A. NOT OPERATED	7344	10.0	131	1	1	6	13	23	33	64
B. OPERATED	194	15.9	157	2	3	13	23	30	37	60
TOTAL 0-19 YRS	1989	14.2	257	1	1	8	19	38	54	99+
20-34	2815	8.2	73	1	1	5	11	19	25	40
35-49	1654	9.2	92	1	1	6	12	22	29	46
50-64	623	9.2	89	1	2	6	12	20	28	50
65+	457	8.2	62	1	2	6	10	17	24	37
GRAND TOTAL	**7538**	**10.1**	**133**	**1**	**1**	**6**	**13**	**24**	**33**	**64**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1187	22.6	515	1	2	15	38	61	79	99+
20-34	598	9.6	157	1	1	5	11	24	37	67
35-49	336	8.4	97	1	1	5	10	19	30	45
50-64	139	10.0	121	1	1	6	13	22	33	54
65+	83	10.4	99	1	2	7	13	23	32	49
B. *Operated*										
0-19 YRS	6	13.5	278	1	1	5	24	41	43	43
20-34	10	13.7	320	1	1	5	22	45	52	52
35-49	17	5.9	33	1	2	4	8	12	20	24
50-64	6	4.3	11	2	2	3	4	10	11	11
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1851	23.1	488	2	3	17	36	66	87	99+
20-34	1522	10.3	135	1	2	6	13	25	36	63
35-49	1098	9.3	100	1	2	6	11	21	30	50
50-64	732	9.0	86	2	2	6	11	21	27	42
65+	909	9.5	89	2	3	6	11	20	28	47
B. *Operated*										
0-19 YRS	63	26.5	562	2	3	22	42	77	99+	99+
20-34	120	14.4	154	2	4	11	19	31	47	99+
35-49	109	14.8	173	3	3	10	19	34	42	63
50-64	81	12.6	77	3	4	9	18	28	31	79
65+	91	13.8	152	4	4	9	18	28	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2343	16.1	370	1	2	8	22	44	63	96
B. *Operated*	40	8.8	141	1	1	4	9	24	40	52
2. MULTIPLE DX										
A. *Not Operated*	6112	13.7	261	2	2	7	18	36	53	99+
B. *Operated*	464	15.7	217	2	4	11	21	38	50	99+
1. SINGLE DX	2383	16.0	367	1	2	8	21	44	63	95
2. MULTIPLE DX	6576	13.9	258	2	2	8	18	37	53	99+
A. NOT OPERATED	8455	14.4	292	1	2	7	19	40	58	99+
B. OPERATED	504	15.2	214	2	3	10	20	37	49	99+
TOTAL 0-19 YRS	3107	23.0	500	2	2	17	37	64	84	99+
20-34	2250	10.3	143	1	2	6	13	25	37	65
35-49	1560	9.5	106	1	2	6	11	21	31	49
50-64	958	9.4	91	1	2	6	12	22	29	48
65+	1084	9.9	96	2	3	7	12	21	30	48
GRAND TOTAL	**8959**	**14.4**	**288**	**1**	**2**	**8**	**19**	**40**	**57**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	10	1	1	4	7	10	10	10
20-34	7	5.6	28	1	1	3	8	15	16	16
35-49	2	16.0	32	12	12	16	20	20	20	20
50-64	3	5.7	22	2	2	4	9	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	7	5.1	6	2	2	4	7	9	9	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	12.3	228	1	2	7	14	28	41	84
20-34	66	13.0	119	2	3	10	17	25	35	56
35-49	43	9.0	59	1	1	7	13	16	25	38
50-64	10	13.6	294	1	1	7	23	74	98	99+
65+	6	9.0	51	4	4	7	9	22	23	23
B. *Operated*										
0-19 YRS	14	6.8	43	1	2	4	6	19	22	23
20-34	6	5.7	28	1	1	4	9	13	14	14
35-49	5	7.0	72	1	1	2	12	21	21	21
50-64	3	8.0	39	3	3	6	13	15	15	15
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.5	26	1	2	5	10	13	17	20
B. *Operated*	7	5.1	6	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	169	11.7	140	1	2	8	15	25	37	79
B. *Operated*	28	6.7	40	1	1	4	9	18	21	23
1. SINGLE DX	31	6.2	21	1	2	4	9	12	16	20
2. MULTIPLE DX	197	11.0	128	1	2	7	14	24	31	71
A. NOT OPERATED	193	11.0	128	1	2	8	14	24	32	72
B. OPERATED	35	6.4	33	1	1	4	8	15	20	23
TOTAL 0-19 YRS	76	9.6	151	1	2	6	11	23	28	75
20-34	79	11.8	111	1	2	9	16	22	31	55
35-49	50	9.1	60	1	1	7	14	20	24	38
50-64	16	11.1	197	1	2	6	16	51	85	99+
65+	7	9.4	44	4	4	8	11	21	23	23
GRAND TOTAL	**228**	**10.3**	**116**	**1**	**2**	**7**	**14**	**22**	**28**	**63**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	10.3	16	2	4	11	12	15	16	23
20-34	68	6.9	42	1	2	6	9	13	14	43
35-49	38	9.5	53	2	2	7	14	22	24	27
50-64	22	7.7	38	1	2	6	10	16	21	27
65+	9	6.2	33	<1	<1	4	12	15	15	15
B. *Operated*										
0-19 YRS	48	12.6	66	1	6	11	14	20	24	55
20-34	20	9.7	106	1	2	4	15	26	31	35
35-49	38	8.4	96	1	1	4	11	22	31	45
50-64	27	6.7	34	1	1	4	10	17	18	20
65+	8	6.5	20	1	1	6	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	552	11.7	40	2	4	11	14	16	21	42
20-34	89	9.2	41	2	2	8	12	17	23	29
35-49	91	11.2	97	2	3	9	14	20	27	54
50-64	97	12.1	71	2	3	12	15	22	25	45
65+	94	16.5	202	3	5	14	19	31	38	90
B. *Operated*										
0-19 YRS	116	20.4	198	7	10	15	26	40	50	77
20-34	53	17.5	248	1	2	13	23	46	52	58
35-49	88	18.0	282	2	3	12	26	44	51	90
50-64	114	18.4	196	3	3	14	25	40	44	60
65+	58	25.4	300	7	8	22	30	46	63	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	9.7	24	2	3	10	12	15	16	24
B. *Operated*	141	9.6	75	1	1	9	12	20	25	46
2. MULTIPLE DX										
A. *Not Operated*	923	12.0	68	2	3	11	14	19	24	48
B. *Operated*	429	19.7	239	3	4	15	26	43	52	75
1. SINGLE DX	695	9.6	35	2	2	10	12	15	18	27
2. MULTIPLE DX	1352	14.4	135	2	4	11	16	27	40	59
A. NOT OPERATED	1477	11.1	53	2	3	11	13	17	22	40
B. OPERATED	570	17.2	217	2	3	13	23	39	49	72
TOTAL 0-19 YRS	1133	12.1	57	3	4	11	14	17	24	46
20-34	230	10.5	109	2	2	8	13	23	29	53
35-49	255	12.9	167	1	2	9	16	32	44	67
50-64	260	13.9	137	2	3	11	19	31	40	54
65+	169	18.5	250	3	4	15	23	36	48	86
GRAND TOTAL	**2047**	**12.8**	**106**	**2**	**3**	**11**	**15**	**23**	**33**	**55**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	16.5	421	2	2	16	31	31	31	31
35-49	7	9.1	53	<1	1	8	13	21	23	23
50-64	51	6.6	19	2	2	5	9	12	15	24
65+	127	7.5	21	2	3	7	9	13	16	46
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	108	6	6	6	20	24	24	24
20-34	5	7.8	21	3	3	9	12	12	12	12
35-49	25	10.2	64	2	3	7	14	22	26	32
50-64	189	10.0	50	2	3	8	13	19	22	35
65+	1376	9.6	43	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	42.0	2527	4	4	23	80	99	99	99+
35-49	3	4.3	6	2	2	4	6	7	7	7
50-64	41	16.1	221	2	3	10	21	42	51	56
65+	153	14.2	113	3	4	11	19	28	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	7.4	24	2	3	6	9	13	16	31
B. *Operated*	4	5.8	11	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1598	9.6	44	3	3	8	12	18	22	35
B. *Operated*	201	14.9	169	3	4	11	19	29	45	55
1. SINGLE DX	191	7.4	24	2	3	6	9	13	16	31
2. MULTIPLE DX	1799	10.2	61	3	3	8	13	19	24	41
A. NOT OPERATED	1785	9.4	43	3	3	8	12	17	22	35
B. OPERATED	205	14.7	167	3	4	11	19	28	45	55
TOTAL 0-19 YRS	4	11.3	74	6	6	8	16	24	24	24
20-34	10	19.8	864	2	2	10	23	65	99	99
35-49	37	9.3	56	1	2	7	11	22	24	32
50-64	281	10.3	76	2	3	8	13	20	27	48
65+	1658	9.8	50	3	3	8	12	18	23	37
GRAND TOTAL	**1990**	**9.9**	**58**	**3**	**3**	**8**	**12**	**19**	**24**	**40**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	8.1	42	1	1	7	13	17	20	21
20-34	260	8.7	52	1	2	8	11	15	19	37
35-49	341	8.6	33	1	2	8	11	16	19	29
50-64	114	9.8	38	3	4	9	11	16	17	38
65+	12	8.3	17	3	4	8	11	14	16	16
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	46	6.1	24	1	1	5	8	15	16	22
35-49	70	6.0	36	1	2	3	9	15	16	32
50-64	19	6.7	21	1	2	5	10	13	16	17
65+	4	7.8	67	3	3	4	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.9	12	2	3	8	9	12	14	14
20-34	326	10.0	57	2	3	8	13	19	23	42
35-49	507	11.2	73	2	3	9	14	22	27	43
50-64	271	11.3	50	3	4	10	15	20	22	41
65+	74	9.0	36	2	3	7	12	18	22	28
B. *Operated*										
0-19 YRS	2	12.0	242	1	1	12	23	23	23	23
20-34	78	13.2	110	3	4	12	17	27	58	99+
35-49	196	15.0	171	2	3	13	19	32	48	94
50-64	111	14.0	85	2	3	12	21	27	33	64
65+	18	13.3	135	3	4	11	16	17	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	8.8	40	1	2	8	11	16	19	31
B. *Operated*	141	6.1	30	1	2	4	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	1187	10.7	61	2	3	9	14	20	25	42
B. *Operated*	405	14.3	134	2	3	12	19	29	40	99+
1. SINGLE DX	882	8.4	40	1	2	8	11	15	18	31
2. MULTIPLE DX	1592	11.6	82	2	3	9	15	22	28	53
A. NOT OPERATED	1928	10.0	54	2	3	9	13	18	23	39
B. OPERATED	546	12.2	120	2	2	10	16	25	36	99
TOTAL 0-19 YRS	27	7.9	39	1	1	8	11	16	21	23
20-34	710	9.6	61	2	2	8	12	18	23	52
35-49	1114	10.7	82	2	3	9	14	20	28	49
50-64	515	11.4	57	3	4	10	15	21	25	42
65+	108	9.6	53	2	3	8	13	17	21	40
GRAND TOTAL	**2474**	**10.5**	**69**	**2**	**3**	**9**	**13**	**20**	**25**	**47**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	833	3.4	14	1	1	2	4	6	9	20
20-34	603	3.5	8	1	1	3	4	7	9	14
35-49	265	3.5	7	1	1	3	4	7	10	14
50-64	157	3.7	9	1	1	3	5	6	7	19
65+	109	4.0	19	1	1	3	5	7	9	26
B. *Operated*										
0-19 YRS	20	7.0	40	2	2	5	8	12	22	30
20-34	17	6.2	31	1	1	4	9	11	18	22
35-49	10	3.3	2	<1	1	3	4	5	6	6
50-64	8	4.3	17	<1	<1	3	4	11	14	14
65+	5	6.0	12	3	3	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1501	5.2	44	1	1	3	5	11	17	36
20-34	1216	5.2	23	1	1	4	6	11	14	26
35-49	934	5.4	30	1	2	4	6	10	14	28
50-64	977	6.1	29	1	2	5	8	11	14	29
65+	1358	6.7	29	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	88	9.5	87	2	3	7	12	22	39	99+
20-34	110	8.8	106	1	2	6	12	18	27	94
35-49	101	12.0	154	2	3	8	15	27	36	70
50-64	117	12.4	159	2	3	9	15	25	43	90
65+	146	13.4	135	3	3	10	17	27	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	3.5	11	1	1	3	4	6	9	16
B. *Operated*	60	5.7	26	1	1	4	8	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	5986	5.7	32	1	2	4	7	11	15	30
B. *Operated*	562	11.4	132	2	3	8	15	24	31	89
1. SINGLE DX	2027	3.6	12	1	1	3	4	7	9	17
2. MULTIPLE DX	6548	6.2	43	1	2	4	7	12	17	33
A. NOT OPERATED	7953	5.2	28	1	1	4	6	10	14	28
B. OPERATED	622	10.9	125	2	3	8	14	24	30	86
TOTAL 0-19 YRS	2442	4.7	37	1	1	3	5	10	15	34
20-34	1946	4.8	25	1	1	3	6	10	14	25
35-49	1310	5.5	39	1	1	4	6	11	15	32
50-64	1259	6.4	43	1	2	5	8	12	16	33
65+	1618	7.1	42	1	2	5	9	15	19	31
GRAND TOTAL	**8575**	**5.6**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	3.7	14	1	1	3	4	8	10	17
20-34	329	4.9	34	1	1	3	6	9	12	29
35-49	223	5.1	24	1	2	4	6	11	13	23
50-64	193	6.0	21	1	2	5	8	12	15	24
65+	256	6.3	33	1	2	5	7	11	18	29
B. *Operated*										
0-19 YRS	293	4.7	12	1	2	3	6	9	11	18
20-34	218	6.1	38	1	1	4	8	12	16	30
35-49	218	6.5	32	1	2	5	9	13	17	32
50-64	187	6.0	24	1	1	4	8	13	16	22
65+	137	7.3	46	1	2	5	10	18	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	712	5.8	70	1	1	3	6	12	20	66
20-34	672	7.7	97	1	2	5	8	17	25	68
35-49	727	8.3	82	2	2	6	10	16	24	48
50-64	1095	10.4	124	2	3	7	12	21	35	61
65+	3481	10.3	88	2	3	8	12	20	29	50
B. *Operated*										
0-19 YRS	559	9.1	99	2	2	6	11	21	29	95
20-34	430	10.8	151	1	2	7	13	23	37	92
35-49	467	11.7	168	2	2	8	15	25	40	99+
50-64	750	12.5	152	2	2	9	16	29	44	99+
65+	1361	14.6	166	2	3	11	19	31	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	5.1	26	1	1	4	6	10	13	25
B. *Operated*	1053	5.9	29	1	2	4	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	6687	9.4	94	2	2	7	11	19	28	53
B. *Operated*	3567	12.5	155	2	2	9	16	28	40	99+
1. SINGLE DX	2346	5.5	27	1	1	4	7	11	15	25
2. MULTIPLE DX	10254	10.5	118	2	2	7	13	23	33	68
A. NOT OPERATED	7980	8.7	86	1	2	6	10	18	26	51
B. OPERATED	4620	11.0	133	2	2	8	14	25	35	88
TOTAL 0-19 YRS	1856	6.3	65	1	1	4	7	14	21	60
20-34	1649	7.7	95	1	2	5	9	17	24	66
35-49	1635	8.6	97	1	2	6	10	18	26	65
50-64	2225	10.4	121	2	2	7	13	23	35	69
65+	5235	11.2	109	2	3	8	14	23	32	59
GRAND TOTAL	**12600**	**9.5**	**105**	**1**	**2**	**7**	**11**	**21**	**30**	**62**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	339	2.4	2	1	1	2	3	4	5	8
20-34	810	3.1	5	1	1	3	4	6	7	12
35-49	528	3.6	12	1	1	3	4	7	9	14
50-64	181	3.6	7	1	1	3	4	7	9	13
65+	28	2.8	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	17	3.4	3	1	1	3	4	6	7	8
20-34	85	3.8	6	1	1	3	5	7	8	13
35-49	65	3.6	9	1	1	3	5	7	8	20
50-64	30	4.7	11	1	2	4	6	10	12	13
65+	5	5.0	14	2	2	5	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	3.7	12	1	1	3	4	7	10	19
20-34	1165	4.6	14	1	1	4	6	8	11	17
35-49	1089	5.1	19	1	2	4	6	10	13	22
50-64	570	5.1	15	1	2	4	6	9	12	19
65+	188	4.7	10	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	22	4.6	12	1	1	4	6	9	13	15
20-34	110	6.6	24	2	2	5	9	12	14	28
35-49	117	6.9	29	2	2	5	9	12	18	56
50-64	101	7.1	37	2	2	5	9	13	17	36
65+	46	6.7	17	2	3	5	9	13	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1886	3.2	7	1	1	3	4	6	7	12
B. *Operated*	202	3.9	8	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3313	4.8	16	1	2	4	6	9	12	19
B. *Operated*	396	6.7	27	2	2	5	9	13	15	34
1. SINGLE DX	2088	3.2	7	1	1	3	4	6	7	12
2. MULTIPLE DX	3709	5.0	17	1	2	4	6	9	12	21
A. NOT OPERATED	5199	4.2	13	1	1	3	5	8	10	17
B. OPERATED	598	5.8	23	1	2	5	7	11	14	26
TOTAL 0-19 YRS	679	3.0	7	1	1	2	4	5	7	14
20-34	2170	4.1	12	1	1	3	5	8	10	15
35-49	1799	4.8	18	1	1	4	6	9	12	22
50-64	882	5.0	17	1	2	4	6	10	12	19
65+	267	4.8	11	1	2	4	6	10	12	17
GRAND TOTAL	**5797**	**4.4**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	15	3.3	4	<1	1	3	5	6	7	7
35-49	24	3.5	3	1	1	4	5	5	7	8
50-64	14	3.6	19	1	1	2	5	7	15	18
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	26	2.0	3	<1	1	2	2	3	5	10
20-34	508	1.8	1	<1	1	2	2	3	3	5
35-49	866	2.1	3	<1	<1	2	2	3	4	9
50-64	735	2.0	2	<1	1	2	2	3	4	7
65+	354	2.1	2	<1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	32	3.8	10	1	1	3	4	9	11	13
35-49	50	4.7	23	1	1	4	6	8	14	27
50-64	72	5.2	13	1	1	4	7	11	12	15
65+	47	4.6	12	1	1	4	6	9	12	16
B. *Operated*										
0-19 YRS	19	2.6	2	<1	1	2	4	5	6	6
20-34	244	2.8	6	<1	1	2	3	5	8	11
35-49	653	3.5	13	1	1	2	4	7	10	20
50-64	880	3.4	12	1	1	2	4	6	9	17
65+	729	3.3	14	1	1	2	4	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.4	7	<1	1	3	5	5	7	17
B. *Operated*	2489	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	202	4.7	15	1	1	4	6	10	12	17
B. *Operated*	2525	3.3	12	1	1	2	4	6	9	18
1. SINGLE DX	2548	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX	2727	3.4	12	1	1	2	4	7	10	18
A. NOT OPERATED	261	4.4	13	1	1	4	5	9	11	18
B. OPERATED	5014	2.7	8	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	49	2.3	3	<1	1	2	3	4	5	10
20-34	799	2.2	3	<1	1	2	3	4	5	9
35-49	1593	2.8	9	<1	1	2	3	5	8	15
50-64	1701	2.9	8	<1	1	2	3	5	8	15
65+	1133	3.0	11	1	1	2	3	5	9	16
GRAND TOTAL	**5275**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	5.2	29	1	1	3	7	11	17	29
20-34	281	6.2	66	1	1	4	8	11	18	55
35-49	267	4.9	21	1	1	4	6	10	14	22
50-64	235	5.8	40	1	1	4	7	11	16	29
65+	154	5.4	20	1	2	4	7	11	14	28
B. *Operated*										
0-19 YRS	104	3.3	12	1	1	2	4	6	9	22
20-34	661	3.7	13	1	1	3	4	7	10	18
35-49	807	3.5	8	1	1	3	4	7	9	15
50-64	721	3.5	12	1	1	2	4	7	9	19
65+	301	4.2	15	1	1	3	5	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	6.0	32	1	1	4	7	12	18	27
20-34	394	6.8	64	1	2	5	8	13	22	37
35-49	634	6.4	36	1	2	5	8	12	16	35
50-64	965	6.9	37	2	2	5	9	13	18	36
65+	1353	7.6	38	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS	95	7.7	157	1	2	3	6	24	49	83
20-34	549	5.7	62	1	1	4	7	11	14	41
35-49	836	6.3	71	1	2	4	7	13	18	48
50-64	954	7.2	86	1	2	4	9	15	21	54
65+	844	9.9	122	2	2	6	13	22	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1040	5.6	38	1	1	4	7	11	15	35
B. *Operated*	2594	3.6	11	1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	3463	7.0	40	2	2	5	9	13	18	32
B. *Operated*	3278	7.4	92	1	2	4	9	16	24	59
1. SINGLE DX	3634	4.2	20	1	1	3	5	9	11	21
2. MULTIPLE DX	6741	7.2	65	1	2	5	9	15	21	47
A. NOT OPERATED	4503	6.7	40	1	2	5	8	13	18	32
B. OPERATED	5872	5.7	60	1	1	3	6	12	18	43
TOTAL 0-19 YRS	419	5.5	57	1	1	3	6	11	18	52
20-34	1885	5.3	47	1	1	3	6	10	15	35
35-49	2544	5.3	39	1	1	4	6	10	15	35
50-64	2875	6.1	49	1	2	4	7	12	18	38
65+	2652	7.8	64	1	2	5	10	16	22	44
GRAND TOTAL	**10375**	**6.2**	**51**	**1**	**1**	**4**	**7**	**12**	**18**	**37**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64										
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	79	3.4	3	1	1	3	4	6	7	10
20-34	162	3.6	6	1	1	3	5	6	7	15
35-49	180	3.3	3	1	1	3	4	6	7	9
50-64	536	3.3	4	1	1	3	4	6	7	10
65+	448	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	8	3.1	13	<1	<1	1	4	9	11	11
35-49	7	4.9	24	<1	<1	2	9	12	13	13
50-64	15	2.6	4	1	1	2	4	5	7	8
65+	25	3.0	19	<1	<1	1	3	6	15	20
B. *Operated*										
0-19 YRS	58	4.3	5	2	2	4	5	7	8	12
20-34	163	4.5	9	1	2	4	5	9	10	17
35-49	164	4.0	5	2	2	4	5	6	8	14
50-64	577	4.1	6	1	2	3	5	7	9	13
65+	913	4.3	9	1	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.2	67	1	1	2	8	21	22	22
B. *Operated*	1405	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.1	14	<1	<1	1	4	7	12	19
B. *Operated*	1875	4.2	8	1	2	4	5	7	9	15
1. SINGLE DX	1411	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1934	4.2	8	1	2	4	5	7	9	15
A. NOT OPERATED	65	3.4	19	<1	1	1	4	8	13	22
B. OPERATED	3280	3.9	6	1	2	3	5	7	8	13
TOTAL 0-19 YRS	143	3.8	4	1	2	3	5	7	8	10
20-34	334	4.1	8	1	1	4	5	7	9	16
35-49	351	3.7	5	1	2	3	4	6	7	11
50-64	1128	3.7	5	1	1	3	5	6	8	12
65+	1389	4.0	8	1	2	3	5	7	8	15
GRAND TOTAL	**3345**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64	15	1.6	1	1	1	1	2	3	4	4
65+	35	1.9	1	<1	<1	2	2	3	4	4
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	10	1.6	1	1	1	1	2	3	3	3
35-49	39	2.8	2	1	1	2	4	5	5	8
50-64	134	2.7	2	1	1	2	3	4	5	10
65+	247	2.8	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	10	5.6	19	1	1	4	6	13	14	14
50-64	13	4.2	17	1	1	3	5	11	14	15
65+	77	3.4	15	1	1	2	4	6	8	25
B. *Operated*										
0-19 YRS	7	5.0	34	2	2	3	5	15	18	18
20-34	15	4.7	20	1	1	4	6	7	16	19
35-49	31	3.6	6	1	1	3	5	6	9	12
50-64	140	3.5	5	1	1	3	4	6	7	11
65+	503	3.8	8	1	2	3	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	437	2.7	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	106	3.6	15	1	1	2	4	7	11	22
B. *Operated*	696	3.7	7	1	2	3	4	7	9	15
1. SINGLE DX	497	2.6	3	1	1	2	3	4	5	11
2. MULTIPLE DX	802	3.7	8	1	1	3	4	7	9	16
A. NOT OPERATED	166	3.0	11	1	1	2	3	6	8	16
B. OPERATED	1133	3.3	6	1	1	3	4	6	8	13
TOTAL 0-19 YRS	19	2.8	14	1	1	2	2	4	12	18
20-34	30	3.3	12	1	1	2	4	6	7	19
35-49	86	3.4	6	1	1	3	4	6	8	14
50-64	302	3.1	4	1	1	3	4	5	7	11
65+	862	3.4	7	1	1	3	4	6	9	14
GRAND TOTAL	**1299**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	4.0	27	<1	<1	1	8	10	10	10
35-49	6	2.2	4	<1	<1	1	3	6	6	6
50-64	6	2.7	3	1	1	2	3	6	6	6
65+	12	1.9	1	<1	<1	2	2	3	4	4
B. *Operated*										
0-19 YRS	5	3.0	2	1	1	4	4	4	4	4
20-34	16	4.0	5	2	2	3	5	7	8	9
35-49	26	2.2	1	1	1	2	3	4	5	6
50-64	81	2.7	2	1	1	2	3	4	6	9
65+	136	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	5	1	1	1	5	5	5	5
20-34	4	3.8	24	<1	<1	1	6	11	11	11
35-49	7	3.4	7	1	1	3	6	7	7	7
50-64	24	2.5	3	<1	1	2	3	5	6	7
65+	41	4.2	13	1	1	3	5	10	12	17
B. *Operated*										
0-19 YRS	10	2.6	4	1	1	2	4	44	95	99+
20-34	30	3.5	6	1	1	3	4	7	9	11
35-49	26	3.4	4	1	1	3	5	7	7	7
50-64	111	4.2	31	1	1	3	4	8	10	37
65+	298	3.9	18	1	1	3	4	7	9	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.3	4	<1	<1	2	3	5	6	10
B. *Operated*	264	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	81	3.5	10	1	1	3	4	7	11	16
B. *Operated*	475	3.9	19	1	1	3	4	7	9	28
1. SINGLE DX	293	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	556	3.8	18	1	1	3	4	7	10	26
A. NOT OPERATED	110	3.2	8	<1	1	2	4	7	10	14
B. OPERATED	739	3.5	13	1	1	3	4	7	8	21
TOTAL 0-19 YRS	22	2.6	3	<1	1	2	4	6	39	99+
20-34	53	3.7	7	1	1	3	5	8	10	11
35-49	65	2.8	3	1	1	2	3	6	7	7
50-64	222	3.4	17	1	1	2	4	6	8	22
65+	487	3.6	13	1	1	3	4	7	8	20
GRAND TOTAL	**849**	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**8**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	11	1.5	1	<1	<1	1	1	3	5	5
65+	51	1.9	2	<1	1	2	2	3	4	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	604	1.9		1	1	2	2	3	3	4
50-64	4050	2.0	1	1	1	2	2	3	3	4
65+	17547	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	1.7	1	<1	<1	1	2	2	5	6
50-64	95	2.1	4	<1	<1	1	2	5	7	10
65+	539	2.1	5	<1	<1	1	2	4	7	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	424	2.5	4	1	1	2	3	4	5	12
50-64	3906	2.3	3	1	1	2	2	3	4	9
65+	21927	2.4	3	1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	1.8	2	<1	1	1	2	3	4	9
B. *Operated*	22201	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	652	2.1	5	<1	<1	1	2	4	7	12
B. *Operated*	26257	2.4	3	1	1	2	2	3	4	10
1. SINGLE DX	22267	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	26909	2.4	3	1	1	2	2	3	4	10
A. NOT OPERATED	718	2.1	5	<1	<1	1	2	4	6	11
B. OPERATED	48458	2.2	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	1050	2.1	2	1	1	2	2	3	4	8
50-64	8062	2.1	2	1	1	2	2	3	4	7
65+	40064	2.2	2	1	1	2	2	3	4	8
GRAND TOTAL	**49176**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	65	2.1	2	1	1	2	2	3	4	9
20-34	57	1.9	1	<1	1	2	2	3	3	4
35-49	110	1.9	1	1	1	2	2	3	3	5
50-64	233	1.9		1	1	2	2	3	3	4
65+	375	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	8	1.8	2	1	1	1	2	4	5	5
B. *Operated*										
0-19 YRS	54	2.5	2	1	1	2	3	4	6	6
20-34	43	2.4	1	1	1	2	3	4	5	6
35-49	98	2.2	1	1	1	2	2	3	4	7
50-64	234	2.3	2	1	1	2	2	3	4	8
65+	360	2.2	2	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	840	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	19	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	789	2.3	2	1	1	2	2	4	4	7
1. SINGLE DX	842	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	808	2.3	2	1	1	2	2	4	4	7
A. NOT OPERATED	21	1.9	2	<1	<1	1	2	5	6	6
B. OPERATED	1629	2.1	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	123	2.2	2	1	1	2	2	4	5	8
20-34	101	2.1	1	1	1	2	2	4	4	6
35-49	211	2.1	1	1	1	2	2	3	4	6
50-64	470	2.1	1	1	1	2	2	3	4	7
65+	745	2.0	1	1	1	2	2	3	4	6
GRAND TOTAL	**1650**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.8	3	<1	<1	1	2	4	6	8
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	11	2.4	7	1	1	1	3	6	10	10
50-64	16	3.3	3	1	1	3	5	6	6	6
65+	7	4.1	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	1356	1.4	1	<1	<1	1	2	2	2	3
20-34	225	1.5	1	<1	<1	1	2	2	2	3
35-49	146	1.7	1	<1	1	2	2	2	3	5
50-64	72	1.8	1	<1	1	2	2	3	3	6
65+	42	1.9	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.0	6	<1	<1	1	2	4	9	97
20-34	13	4.4	7	<1	<1	4	6	8	10	11
35-49	18	3.6	4	<1	1	3	6	6	7	7
50-64	56	4.9	18	1	1	4	6	8	10	29
65+	68	5.3	12	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	331	1.6	1	<1	<1	1	2	2	2	5
20-34	107	2.0	2	1	1	2	2	3	3	11
35-49	92	2.7	32	1	1	2	2	3	6	38
50-64	82	2.9	6	1	1	2	3	6	8	13
65+	97	4.6	27	1	1	2	5	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.6	4	<1	<1	2	3	5	7	10
B. *Operated*	1841	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	207	4.2	13	<1	1	3	6	9	11	22
B. *Operated*	709	2.4	10	<1	1	2	2	4	7	15
1. SINGLE DX	1906	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	916	2.8	11	<1	1	2	3	6	8	16
A. NOT OPERATED	272	3.8	11	<1	1	3	5	8	10	16
B. OPERATED	2550	1.7	4	<1	<1	1	2	2	3	9
TOTAL 0-19 YRS	1765	1.5	1	<1	<1	1	2	2	2	4
20-34	350	1.8	2	<1	1	2	2	2	3	10
35-49	267	2.2	12	<1	1	2	2	3	5	10
50-64	226	3.1	8	1	1	2	4	6	8	13
65+	214	4.3	18	1	1	2	5	9	13	21
GRAND TOTAL	**2822**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	2.4	3	<1	<1	2	3	5	6	8
20-34	31	3.5	17	1	1	2	4	8	16	18
35-49	24	3.3	8	<1	1	2	4	7	11	12
50-64	27	5.2	12	1	2	4	6	10	13	17
65+	45	5.0	23	<1	1	3	6	13	16	20
B. *Operated*										
0-19 YRS	166	1.7	2	<1	<1	1	2	3	4	9
20-34	226	2.5	3	1	1	2	3	4	5	10
35-49	261	2.2	1	1	1	2	3	4	4	6
50-64	284	2.1	2	1	1	2	3	4	5	6
65+	560	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	227	3.6	8	1	1	3	5	7	8	16
20-34	65	4.6	14	1	1	4	6	9	14	17
35-49	51	4.3	9	1	1	4	6	9	12	12
50-64	81	5.6	21	1	1	4	7	13	16	21
65+	206	5.9	31	1	1	5	7	11	17	30
B. *Operated*										
0-19 YRS	104	2.2	4	<1	1	2	2	3	6	12
20-34	121	3.1	8	1	1	2	3	6	8	15
35-49	266	3.1	11	1	1	2	3	6	10	20
50-64	494	3.0	7	1	1	2	3	5	7	18
65+	1399	3.4	13	1	1	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	3.2	10	<1	<1	2	4	6	9	18
B. *Operated*	1497	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	630	4.8	19	1	1	4	6	9	12	23
B. *Operated*	2384	3.2	11	1	1	2	4	6	8	17
1. SINGLE DX	1784	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	3014	3.6	13	1	1	3	4	7	9	18
A. NOT OPERATED	917	4.3	16	<1	1	3	5	8	12	21
B. OPERATED	3881	2.9	8	1	1	2	3	5	7	14
TOTAL 0-19 YRS	657	2.6	5	<1	<1	2	3	5	7	10
20-34	443	3.1	7	1	1	2	3	5	8	17
35-49	602	2.8	7	1	1	2	3	5	7	15
50-64	886	3.0	8	1	1	2	3	5	8	17
65+	2210	3.4	13	1	1	3	4	6	8	19
GRAND TOTAL	**4798**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	3.6	4	1	2	3	4	6	8	10
20-34	111	3.9	11	1	1	3	5	7	7	21
35-49	59	3.7	7	1	1	3	5	7	8	16
50-64	44	3.7	6	1	1	3	5	7	8	12
65+	65	4.3	11	1	1	4	5	8	11	17
B. *Operated*										
0-19 YRS	55	2.7	4	1	1	2	4	7	8	9
20-34	85	3.3	9	1	2	2	4	6	7	19
35-49	114	2.5	3	1	1	2	3	4	6	10
50-64	317	2.2	2	1	1	2	2	3	4	11
65+	785	2.2	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	4.1	7	1	2	4	5	7	10	13
20-34	146	4.2	7	1	1	4	6	8	10	18
35-49	141	5.2	19	1	1	4	7	10	12	27
50-64	152	5.0	12	1	1	5	7	9	10	20
65+	306	5.2	18	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	121	5.2	23	1	1	3	7	10	13	28
20-34	143	4.0	14	1	1	3	4	8	10	26
35-49	202	4.7	32	1	2	3	5	9	12	23
50-64	611	3.9	19	1	1	2	4	8	9	27
65+	1510	3.5	12	1	1	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	3.8	6	1	2	3	5	7	8	13
B. *Operated*	1356	2.3	3	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	1270	4.6	12	1	1	4	6	9	11	16
B. *Operated*	2587	3.8	16	1	1	2	4	8	10	18
1. SINGLE DX	2037	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	3857	4.1	15	1	1	3	5	8	10	18
A. NOT OPERATED	1951	4.3	10	1	1	4	5	8	10	16
B. OPERATED	3943	3.3	12	1	1	2	3	6	9	17
TOTAL 0-19 YRS	1103	4.0	8	1	2	3	5	7	9	13
20-34	485	3.9	10	1	1	3	5	7	9	22
35-49	516	4.2	20	1	1	3	5	8	11	20
50-64	1124	3.6	14	1	1	2	4	7	9	18
65+	2666	3.3	11	1	1	2	4	7	9	16
GRAND TOTAL	**5894**	**3.6**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	1	<1	<1	2	3	4	4	4
20-34	17	4.2	7	1	1	3	6	8	9	10
35-49	12	4.7	8	1	1	4	7	8	9	9
50-64	16	3.3	3	1	2	3	4	6	7	7
65+	7	4.4	1	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	11	1.7		1	1	2	2	2	2	2
20-34	17	1.8	2	<1	<1	1	2	4	5	6
35-49	13	2.8	2	1	1	2	3	5	6	6
50-64	18	2.6	3	1	1	2	4	5	6	7
65+	14	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.7	6	<1	1	2	3	5	7	14
20-34	44	3.3	7	<1	1	3	4	6	9	12
35-49	56	5.3	16	1	2	4	6	13	15	17
50-64	67	4.7	16	1	1	3	5	11	14	19
65+	91	5.2	17	2	2	4	7	10	15	21
B. *Operated*										
0-19 YRS	15	2.2	1	1	2	2	2	3	4	5
20-34	41	3.9	12	1	1	3	4	10	12	15
35-49	43	3.5	8	<1	1	3	4	8	10	14
50-64	71	4.9	16	1	2	3	6	12	13	18
65+	86	4.2	9	1	1	4	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.3	5	1	1	3	4	7	8	10
B. *Operated*	73	2.2	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	304	4.5	14	1	1	3	5	9	13	18
B. *Operated*	256	4.1	11	1	1	3	5	9	12	17
1. SINGLE DX	152	2.8	4	1	1	2	4	6	7	9
2. MULTIPLE DX	560	4.3	13	1	1	3	5	9	13	17
A. NOT OPERATED	383	4.2	13	1	1	3	5	8	12	17
B. OPERATED	329	3.7	10	1	1	3	4	8	11	16
TOTAL 0-19 YRS	99	2.3	3	<1	1	2	3	4	5	11
20-34	119	3.4	8	<1	1	2	4	7	11	14
35-49	124	4.3	12	1	1	3	5	9	13	16
50-64	172	4.4	14	1	1	3	5	10	13	18
65+	198	4.5	12	1	1	4	6	9	11	18
GRAND TOTAL	**712**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**12**	**17**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	2.5	2	1	1	2	3	4	5	7
20-34	26	3.7	4	<1	1	3	4	6	8	8
35-49	9	1.8		<1	<1	2	2	3	3	3
50-64	15	2.9	9	<1	1	2	3	8	10	11
65+	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	1638	1.3	1	<1	<1	1	1	2	2	5
20-34	330	1.9	1	1	1	2	2	3	3	4
35-49	324	2.0	4	1	1	2	2	3	3	7
50-64	270	1.9		1	1	2	2	3	3	4
65+	101	1.9		<1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3418	3.2	5	1	1	3	4	6	7	11
20-34	105	4.9	27	1	2	4	5	7	10	37
35-49	85	4.9	12	1	1	4	7	10	11	19
50-64	88	5.6	18	1	1	5	7	11	14	22
65+	73	5.8	20	1	2	4	8	10	14	26
B. *Operated*										
0-19 YRS	2604	1.7	3	<1	<1	1	2	3	4	9
20-34	470	2.3	2	1	1	2	3	3	5	8
35-49	400	2.2	3	1	1	2	2	3	4	11
50-64	498	2.4	3	1	1	2	3	4	5	11
65+	215	2.9	8	1	1	2	3	5	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	2.6	2	1	1	2	3	4	5	7
B. *Operated*	2663	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	3769	3.4	7	1	1	3	4	6	8	13
B. *Operated*	4187	2.0	3	<1	<1	2	2	3	5	10
1. SINGLE DX	3478	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	7956	2.7	6	<1	1	2	3	5	7	11
A. NOT OPERATED	4584	3.3	6	1	1	3	4	6	7	12
B. OPERATED	6850	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	8422	2.3	4	<1	<1	2	3	4	6	10
20-34	931	2.5	5	1	1	2	3	4	6	9
35-49	818	2.4	5	1	1	2	2	4	6	11
50-64	871	2.6	5	1	1	2	3	4	7	13
65+	392	3.2	10	1	1	2	3	6	9	18
GRAND TOTAL	**11434**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.9	3	1	1	3	3	5	6	10
20-34	61	3.7	3	1	1	3	5	6	7	9
35-49	38	4.1	5	1	2	3	6	8	8	9
50-64	13	4.2	4	1	2	4	5	7	9	9
65+	16	4.7	4	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	198	1.9	3	<1	<1	1	2	4	6	10
20-34	57	2.7	8	1	1	2	3	4	10	16
35-49	34	2.2	2	<1	1	2	3	4	5	7
50-64	37	2.0	1	<1	1	2	2	3	4	5
65+	20	4.8	22	1	1	3	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	3.7	6	1	1	3	5	7	9	14
20-34	131	4.6	8	1	1	4	6	8	10	13
35-49	97	4.9	7	1	2	4	6	10	10	13
50-64	85	7.1	31	2	3	5	9	14	16	34
65+	112	8.6	45	2	3	7	11	16	27	31
B. *Operated*										
0-19 YRS	365	2.8	18	<1	1	2	3	6	10	16
20-34	103	3.3	10	1	1	2	4	6	10	18
35-49	91	4.2	34	1	1	3	4	8	12	38
50-64	100	5.3	46	1	1	2	6	13	18	36
65+	87	10.2	147	1	1	6	14	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	4	1	1	3	4	6	8	9
B. *Operated*	346	2.2	5	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	793	5.1	18	1	2	4	6	10	12	21
B. *Operated*	746	4.2	43	1	1	2	4	10	15	33
1. SINGLE DX	613	2.8	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX	1539	4.7	30	1	1	3	6	10	14	29
A. NOT OPERATED	1060	4.6	15	1	2	4	6	9	11	18
B. OPERATED	1092	3.6	32	<1	1	2	3	8	13	29
TOTAL 0-19 YRS	1070	3.0	10	<1	1	2	3	6	8	14
20-34	352	3.7	8	1	1	3	5	7	9	15
35-49	260	4.2	16	1	1	3	5	8	10	17
50-64	235	5.4	34	1	1	3	6	12	16	32
65+	235	8.6	81	1	2	6	11	18	27	43
GRAND TOTAL	**2152**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.2	6	1	1	2	5	7	8	12
20-34	194	3.1	4	1	1	3	4	5	7	11
35-49	347	3.3	7	1	1	3	4	6	7	14
50-64	401	3.4	5	1	1	3	4	7	8	10
65+	369	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	7	2.7	3	1	1	2	4	6	6	6
20-34	65	3.6	9	1	1	3	4	9	10	13
35-49	117	3.3	6	1	1	2	4	7	9	13
50-64	116	3.7	6	1	1	3	5	8	9	11
65+	57	3.8	10	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.9	4	1	2	4	5	6	8	9
20-34	330	4.1	6	1	1	4	5	7	8	12
35-49	646	4.2	7	1	2	4	6	7	8	14
50-64	1351	4.4	9	1	2	4	6	8	10	14
65+	2406	4.9	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	10	4.7	9	1	1	4	8	9	10	10
20-34	46	5.4	13	1	1	5	8	11	12	15
35-49	96	5.7	23	1	1	4	7	12	13	28
50-64	199	6.1	19	2	2	5	8	12	14	20
65+	250	7.3	23	2	3	6	9	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1349	3.3	5	1	1	3	4	6	7	11
B. *Operated*	362	3.5	7	1	1	3	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	4792	4.6	9	1	2	4	6	8	10	14
B. *Operated*	601	6.4	21	2	2	5	9	12	15	22
1. SINGLE DX	1711	3.4	6	1	1	3	4	6	8	11
2. MULTIPLE DX	5393	4.8	11	1	2	4	6	9	11	16
A. NOT OPERATED	6141	4.3	8	1	2	4	6	8	10	14
B. OPERATED	963	5.4	18	1	2	4	7	11	13	20
TOTAL 0-19 YRS	114	3.7	5	1	1	3	5	7	8	11
20-34	635	3.8	7	1	1	3	5	7	9	12
35-49	1206	4.0	9	1	1	3	5	7	9	14
50-64	2067	4.4	9	1	2	4	6	8	10	15
65+	3082	4.9	11	1	2	4	6	9	11	16
GRAND TOTAL	**7104**	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	31	2.1	1	1	1	2	3	3	3	4
20-34	291	2.1	1	1	1	2	3	3	4	4
35-49	417	2.1	1	1	1	2	3	3	3	4
50-64	380	2.2	1	1	1	2	3	3	4	4
65+	122	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	7	1.6	1	<1	<1	1	2	4	4	4
65+	8	6.8	45	1	1	5	8	18	22	22
B. *Operated*										
0-19 YRS	5	2.4	1	<1	<1	3	3	3	3	3
20-34	82	2.0	1	1	1	2	2	3	3	6
35-49	119	2.4	3	1	1	2	3	4	5	12
50-64	198	2.3	1	1	1	2	3	4	4	7
65+	102	2.6	1	1	1	3	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*	1241	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	26	3.2	19	<1	<1	1	4	7	12	22
B. *Operated*	506	2.3	2	1	1	2	3	3	4	7
1. SINGLE DX	1250	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	532	2.4	2	1	1	2	3	4	4	8
A. NOT OPERATED	35	2.7	15	<1	<1	1	3	5	8	22
B. OPERATED	1747	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	38	2.2	1	<1	1	2	3	3	4	4
20-34	380	2.1	1	1	1	2	3	3	3	4
35-49	545	2.1	1	1	1	2	3	3	4	6
50-64	587	2.3	1	1	1	2	3	3	4	5
65+	232	2.6	3	1	1	2	3	4	4	8
GRAND TOTAL	**1782**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	6	<1	<1	1	3	5	8	11
20-34	32	3.1	3	<1	<1	3	4	5	5	9
35-49	40	3.5	4	1	1	4	4	5	8	11
50-64	45	3.9	2	1	2	4	4	6	7	7
65+	22	3.0	3	<1	1	4	4	5	6	7
B. *Operated*										
0-19 YRS	674	1.6	1	1	1	1	2	2	3	5
20-34	439	1.8	1	1	1	2	2	3	4	5
35-49	328	1.9	2	1	1	2	2	3	4	8
50-64	268	1.8	1	1	1	2	2	3	3	4
65+	105	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.7	11	<1	<1	2	5	8	10	15
20-34	36	3.4	6	<1	1	3	5	7	9	9
35-49	49	3.6	7	<1	1	3	5	7	10	13
50-64	95	4.3	7	1	1	4	6	8	9	13
65+	95	4.9	8	1	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	712	1.8	2	<1	1	2	2	3	3	7
20-34	501	2.1	3	1	1	2	2	3	4	10
35-49	391	2.2	3	1	1	2	2	3	4	9
50-64	420	2.7	15	1	1	2	3	4	6	21
65+	219	2.9	6	1	1	2	3	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.3	4	<1	1	4	4	5	7	11
B. *Operated*	1814	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	327	4.2	8	<1	1	4	6	8	9	13
B. *Operated*	2243	2.2	5	1	1	2	2	3	5	10
1. SINGLE DX	1978	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	2570	2.5	6	1	1	2	3	4	6	12
A. NOT OPERATED	491	3.9	7	<1	1	4	5	7	9	13
B. OPERATED	4057	2.0	3	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1463	1.8	2	<1	1	2	2	3	4	8
20-34	1008	2.1	2	1	1	2	2	3	4	9
35-49	808	2.2	3	1	1	2	3	4	5	10
50-64	828	2.7	9	1	1	2	3	5	6	11
65+	441	3.1	6	1	1	2	4	6	8	13
GRAND TOTAL	**4548**	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**5**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	6.3	23	2	2	5	7	10	15	26
20-34	20	7.2	35	2	2	5	10	12	20	27
35-49	10	6.3	10	2	2	5	10	11	11	11
50-64	5	7.2	7	4	4	7	9	11	11	11
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	8.5	81	1	1	6	15	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.4	16	3	3	5	8	12	14	22
20-34	31	6.8	22	1	2	5	10	13	15	21
35-49	22	5.8	12	2	3	5	7	13	14	14
50-64	35	8.6	65	1	3	6	10	23	29	33
65+	38	9.2	40	1	3	8	11	18	21	34
B. *Operated*										
0-19 YRS	3	25.0	399	8	8	20	40	47	47	47
20-34	6	11.8	39	2	2	14	16	18	18	18
35-49	5	9.2	20	4	4	9	11	16	16	16
50-64	15	11.5	89	1	2	7	17	22	32	35
65+	21	9.1	62	2	2	7	11	23	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	6.5	23	2	2	5	8	11	14	27
B. *Operated*	6	8.8	50	1	1	8	11	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	172	7.4	33	2	3	6	9	13	18	32
B. *Operated*	50	11.1	87	2	2	8	16	22	32	47
1. SINGLE DX	111	6.6	24	2	2	5	8	11	15	27
2. MULTIPLE DX	222	8.3	47	2	3	6	10	16	22	34
A. NOT OPERATED	277	7.1	29	2	3	6	9	13	18	29
B. OPERATED	56	10.9	82	2	2	8	16	22	30	46
TOTAL 0-19 YRS	119	6.8	35	2	2	5	8	12	18	33
20-34	57	7.5	29	2	2	5	11	15	17	27
35-49	38	6.5	14	2	3	6	9	12	14	16
50-64	59	9.2	66	1	2	7	11	22	29	35
65+	60	9.1	47	2	2	7	11	18	24	34
GRAND TOTAL	**333**	**7.7**	**40**	**2**	**2**	**6**	**9**	**14**	**22**	**33**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.4	16	1	1	4	5	9	15	16
20-34	13	4.2	18	1	1	3	5	8	15	17
35-49	12	6.3	103	1	1	3	4	17	35	38
50-64	14	5.1	14	1	2	4	8	11	13	13
65+	5	4.6	7	2	2	4	6	9	9	9
B. *Operated*										
0-19 YRS	13	5.4	27	1	1	2	8	15	17	17
20-34	23	8.0	174	1	1	4	10	13	32	65
35-49	73	5.5	21	1	1	2	10	12	13	16
50-64	86	7.0	49	1	2	2	12	16	19	34
65+	34	9.4	282	1	1	3	11	20	26	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.8	15	1	2	4	6	11	13	16
20-34	76	5.3	25	1	2	4	6	9	15	28
35-49	151	5.4	19	1	2	4	7	10	13	24
50-64	260	7.0	31	2	2	6	9	12	17	34
65+	460	8.4	37	2	3	7	10	15	18	36
B. *Operated*										
0-19 YRS	25	7.2	52	1	2	3	11	18	23	24
20-34	68	9.9	67	2	2	9	14	18	22	47
35-49	246	10.0	69	2	2	9	14	20	24	36
50-64	516	11.0	97	2	2	10	15	23	27	52
65+	416	12.5	154	2	2	9	17	27	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.9	32	1	1	4	5	10	15	37
B. *Operated*	229	6.9	86	1	1	3	10	14	18	40
2. MULTIPLE DX										
A. *Not Operated*	971	7.2	33	2	2	6	9	13	18	31
B. *Operated*	1271	11.1	109	2	2	9	15	23	30	55
1. SINGLE DX	285	6.5	76	1	1	3	10	14	17	37
2. MULTIPLE DX	2242	9.4	80	2	2	7	12	19	25	45
A. NOT OPERATED	1027	7.1	33	2	2	5	9	13	17	32
B. OPERATED	1500	10.5	107	2	2	9	14	22	29	55
TOTAL 0-19 YRS	74	5.7	30	1	2	3	8	15	17	24
20-34	180	7.3	63	1	2	5	10	16	20	44
35-49	482	7.8	52	1	2	6	11	16	22	33
50-64	876	9.3	76	2	2	7	13	19	25	45
65+	915	10.3	103	2	2	8	13	20	29	55
GRAND TOTAL	**2527**	**9.1**	**80**	**2**	**2**	**7**	**12**	**18**	**24**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	3	1	2	3	5	6	7	8
20-34	146	3.6	4	1	1	3	5	6	7	9
35-49	488	4.3	8	1	2	4	5	7	9	17
50-64	545	4.3	8	1	2	4	5	8	9	14
65+	344	4.5	10	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	22	3.3	4	1	1	3	4	7	8	8
20-34	45	3.5	6	<1	1	2	5	7	8	10
35-49	53	4.4	12	1	2	3	6	9	12	16
50-64	61	3.3	6	1	1	2	4	7	9	13
65+	27	4.9	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	4.8	12	1	2	4	6	9	12	18
20-34	674	4.8	14	1	2	4	6	8	10	23
35-49	2413	5.3	12	2	2	5	7	9	12	18
50-64	3930	5.8	18	2	2	5	7	10	13	20
65+	4396	6.1	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	24	7.2	211	1	1	4	6	10	30	74
20-34	107	7.3	100	1	2	5	9	14	16	53
35-49	380	8.3	45	2	2	7	11	16	19	40
50-64	711	8.6	47	2	2	7	10	17	21	33
65+	597	10.6	61	2	3	9	14	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1567	4.2	8	1	2	4	5	7	9	15
B. *Operated*	208	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	11515	5.8	17	2	2	5	7	10	13	21
B. *Operated*	1819	9.1	57	2	2	7	11	17	22	34
1. SINGLE DX	1775	4.2	8	1	2	3	5	7	9	15
2. MULTIPLE DX	13334	6.2	24	2	2	5	8	11	15	25
A. NOT OPERATED	13082	5.6	16	2	2	5	7	10	12	20
B. OPERATED	2027	8.6	55	2	2	7	11	17	21	34
TOTAL 0-19 YRS	192	4.7	34	1	2	4	6	8	10	18
20-34	972	4.8	22	1	2	4	6	9	11	20
35-49	3334	5.5	17	2	2	4	7	10	13	20
50-64	5247	6.0	22	2	2	5	7	11	14	23
65+	5364	6.5	25	2	2	5	8	12	16	27
GRAND TOTAL	**15109**	**6.0**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	4.4	5	1	2	4	7	7	8	8
35-49	60	5.2	7	1	2	5	7	9	11	11
50-64	93	5.1	11	1	2	4	6	9	13	18
65+	156	6.2	12	2	2	6	8	11	13	17
B. *Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	8	3.4	3	2	2	3	5	6	6	6
50-64	20	4.3	8	1	2	3	7	9	9	10
65+	14	4.9	13	1	2	4	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	14	3	3	7	10	13	13	13
20-34	49	5.8	9	2	2	6	7	10	12	14
35-49	418	6.6	16	2	3	6	8	11	14	22
50-64	1301	7.4	24	2	3	6	9	13	16	26
65+	3287	8.2	31	3	3	7	10	15	19	28
B. *Operated*										
0-19 YRS										
20-34	8	9.5	63	2	3	6	14	23	25	25
35-49	111	7.7	28	2	2	7	10	14	16	28
50-64	288	9.3	56	2	2	8	13	19	25	38
65+	454	12.5	113	2	3	10	15	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	5.6	11	2	2	5	7	10	12	16
B. *Operated*	44	4.4	8	1	2	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	5061	7.9	28	2	3	7	10	14	18	27
B. *Operated*	861	10.8	86	2	2	9	14	21	28	42
1. SINGLE DX	368	5.4	11	2	2	5	7	10	12	15
2. MULTIPLE DX	5922	8.3	38	2	3	7	10	15	20	31
A. NOT OPERATED	5385	7.7	27	2	3	7	9	14	17	27
B. OPERATED	905	10.5	84	2	2	8	13	21	28	42
TOTAL 0-19 YRS	7	7.4	12	3	3	8	10	12	13	13
20-34	73	6.0	15	2	2	5	7	10	13	23
35-49	597	6.6	18	2	2	6	9	12	14	22
50-64	1702	7.6	30	2	2	6	10	14	18	28
65+	3911	8.6	42	2	3	7	10	15	20	33
GRAND TOTAL	**6290**	**8.1**	**36**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	4	1	1	4	5	7	7	7
20-34	7	6.9	13	3	3	5	9	12	13	13
35-49	26	5.4	11	1	1	5	7	9	12	14
50-64	18	4.8	6	2	2	4	6	8	10	12
65+	18	10.8	86	2	3	7	15	22	33	39
B. *Operated*										
0-19 YRS	11	6.2	37	1	1	4	7	17	20	20
20-34	24	7.3	43	1	2	5	11	17	21	22
35-49	25	6.7	37	1	1	3	10	17	19	21
50-64	43	4.5	13	1	1	4	6	10	12	17
65+	17	5.1	12	1	2	5	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.2	21	1	1	4	6	12	17	20
20-34	54	5.7	31	1	1	5	7	10	13	36
35-49	107	6.5	16	2	2	6	8	11	15	19
50-64	232	8.1	29	2	3	6	11	15	19	25
65+	454	9.2	45	2	3	8	11	17	21	31
B. *Operated*										
0-19 YRS	39	11.8	183	2	2	7	14	34	47	57
20-34	106	10.9	106	2	2	8	15	22	32	54
35-49	154	11.5	167	2	2	7	15	27	36	86
50-64	330	11.5	86	2	3	10	16	24	33	44
65+	366	12.8	110	2	3	10	17	24	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.4	31	1	2	5	7	12	16	34
B. *Operated*	120	5.8	26	1	1	4	8	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	886	8.2	37	2	3	7	11	16	20	29
B. *Operated*	995	11.9	113	2	2	9	16	24	34	55
1. SINGLE DX	201	6.0	28	1	1	4	8	13	17	23
2. MULTIPLE DX	1881	10.2	81	2	2	8	13	20	27	45
A. NOT OPERATED	967	8.0	36	2	2	6	10	15	20	29
B. OPERATED	1115	11.3	107	2	2	9	15	23	33	51
TOTAL 0-19 YRS	101	7.7	93	1	2	5	8	17	22	54
20-34	191	8.8	79	1	2	6	11	18	26	42
35-49	312	8.9	98	1	2	6	11	17	27	60
50-64	623	9.6	63	2	2	7	12	20	25	41
65+	855	10.7	76	2	3	9	14	21	26	41
GRAND TOTAL	**2082**	**9.8**	**77**	**2**	**2**	**7**	**13**	**20**	**26**	**43**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	3	7	7	10	12	12	12	12
20-34	50	8.9	14	2	4	9	12	14	14	17
35-49	718	9.4	11	3	5	9	11	13	15	18
50-64	1539	9.9	14	4	6	10	12	14	16	21
65+	1214	10.2	15	4	6	10	12	15	17	23
B. *Operated*										
0-19 YRS										
20-34	23	7.9	22	1	1	9	10	13	16	19
35-49	266	8.5	18	2	2	9	11	14	15	18
50-64	371	9.6	26	2	2	10	12	15	18	27
65+	116	11.2	34	1	2	11	14	18	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	11.7	30	4	6	11	13	22	24	25
20-34	137	9.2	17	2	2	10	12	14	16	19
35-49	2183	10.1	18	3	5	10	12	15	17	22
50-64	7515	11.1	26	4	6	11	13	16	19	28
65+	15105	12.2	34	5	7	11	14	19	22	33
B. *Operated*										
0-19 YRS	6	8.7	26	1	1	8	12	16	16	16
20-34	84	9.9	33	2	2	10	13	18	21	24
35-49	1193	10.8	49	2	2	10	14	18	22	37
50-64	3222	13.1	73	2	4	12	16	22	28	47
65+	3034	16.5	99	5	8	14	20	29	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3528	9.9	14	4	6	10	12	14	16	21
B. *Operated*	776	9.4	25	2	2	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	24962	11.6	30	5	6	11	14	18	21	32
B. *Operated*	7539	14.1	84	2	5	12	17	24	31	50
1. SINGLE DX	4304	9.8	16	3	5	10	12	14	16	22
2. MULTIPLE DX	32501	12.2	44	4	6	11	14	19	24	37
A. NOT OPERATED	28490	11.4	29	5	6	11	14	17	21	31
B. OPERATED	8315	13.6	80	2	4	12	17	24	30	49
TOTAL 0-19 YRS	35	10.9	24	3	6	11	12	16	22	25
20-34	294	9.3	21	2	2	10	12	14	17	22
35-49	4360	10.1	26	2	4	10	12	15	18	26
50-64	12647	11.4	38	3	5	11	14	17	21	34
65+	19469	12.7	46	5	7	11	15	20	25	38
GRAND TOTAL	**36805**	**11.9**	**41**	**4**	**6**	**11**	**14**	**19**	**23**	**36**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	5	1	1	3	5	6	7	7
20-34	94	3.5	5	1	1	3	4	6	8	12
35-49	577	3.3	4	1	1	3	4	6	7	10
50-64	744	3.5	5	1	1	3	5	6	8	10
65+	614	3.9	8	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	4.1	12	1	2	3	5	8	12	17
35-49	200	3.2	6	1	1	2	4	7	9	11
50-64	301	2.9	6	1	1	2	3	6	9	12
65+	117	3.8	19	1	1	2	3	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.9	5	1	2	3	4	7	10	11
20-34	296	4.3	8	1	2	4	5	8	10	13
35-49	2727	4.4	8	1	2	4	6	8	9	14
50-64	7183	4.8	11	1	2	4	6	9	11	16
65+	11353	5.2	11	2	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	5	4.2	9	2	2	3	6	9	9	9
20-34	80	4.8	18	1	2	3	6	11	13	22
35-49	1478	4.7	19	1	1	3	7	11	13	19
50-64	4716	5.1	25	1	2	3	7	11	15	22
65+	2772	7.0	48	1	2	5	10	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	3.6	5	1	1	3	5	6	8	10
B. *Operated*	641	3.2	9	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	21583	5.0	11	2	2	4	6	9	11	16
B. *Operated*	9051	5.6	32	1	2	3	8	12	16	25
1. SINGLE DX	2679	3.5	6	1	1	3	4	6	8	11
2. MULTIPLE DX	30634	5.2	17	1	2	4	7	10	12	20
A. NOT OPERATED	23621	4.8	10	1	2	4	6	9	11	16
B. OPERATED	9692	5.5	31	1	2	3	8	12	15	24
TOTAL 0-19 YRS	39	3.8	5	1	1	3	5	7	9	11
20-34	492	4.2	9	1	2	3	5	8	11	15
35-49	4982	4.3	11	1	2	3	6	8	10	16
50-64	12944	4.8	16	1	2	4	6	10	12	19
65+	14856	5.5	19	2	2	4	7	10	13	21
GRAND TOTAL	**33313**	**5.0**	**16**	**1**	**2**	**4**	**6**	**10**	**12**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	37	4.1	5	1	2	4	5	7	8	11
35-49	333	4.0	6	1	2	4	5	7	8	11
50-64	670	4.2	6	1	2	4	5	7	9	12
65+	663	4.5	7	1	2	4	6	7	10	14
B. *Operated*										
0-19 YRS										
20-34	10	4.4	5	1	1	4	6	8	9	9
35-49	105	5.4	17	2	2	4	7	10	14	20
50-64	242	5.4	18	1	2	4	8	12	14	18
65+	110	6.8	23	1	2	6	10	14	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	22	3	3	4	7	14	18	20
20-34	132	5.9	20	2	2	5	7	11	14	24
35-49	2057	5.2	12	2	2	4	7	9	11	17
50-64	6684	5.6	12	2	2	5	7	10	12	18
65+	12577	6.2	16	2	3	5	8	11	13	21
B. *Operated*										
0-19 YRS	6	6.8	17	1	1	7	10	11	11	11
20-34	45	6.5	22	1	2	6	9	13	14	24
35-49	1208	7.3	34	2	2	6	10	14	17	25
50-64	4250	8.5	43	2	2	8	12	16	19	29
65+	3443	10.7	70	2	2	9	14	20	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	4.3	6	1	2	4	5	7	9	12
B. *Operated*	467	5.7	19	1	2	4	8	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	21469	5.9	14	2	2	5	7	10	13	20
B. *Operated*	8952	9.2	54	2	2	8	12	17	22	35
1. SINGLE DX	2172	4.6	9	1	2	4	6	8	10	16
2. MULTIPLE DX	30421	6.9	28	2	2	5	9	13	16	26
A. NOT OPERATED	23174	5.8	14	2	2	5	7	10	12	19
B. OPERATED	9419	9.0	53	2	2	8	12	17	22	35
TOTAL 0-19 YRS	27	6.0	19	2	3	4	8	11	17	20
20-34	224	5.7	18	1	2	4	7	11	14	23
35-49	3703	5.7	20	2	2	4	7	11	14	21
50-64	11846	6.5	25	2	2	5	9	13	15	23
65+	16793	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**32593**	**6.7**	**27**	**2**	**2**	**5**	**9**	**13**	**16**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	4.2	7	1	2	4	5	7	10	12
35-49	129	4.4	16	1	1	3	5	7	9	25
50-64	239	4.3	10	1	1	4	5	8	9	14
65+	223	5.7	40	1	2	4	7	11	14	55
B. *Operated*										
0-19 YRS	7	3.3	4	2	2	2	4	7	7	7
20-34	43	3.8	9	1	2	2	5	9	11	11
35-49	851	4.3	16	1	1	2	6	10	12	17
50-64	2248	4.8	21	1	2	2	8	11	13	20
65+	760	5.2	27	1	1	2	8	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	4	1	1	3	5	6	6	6
20-34	83	5.0	13	1	2	4	6	9	11	21
35-49	1009	4.9	10	1	2	4	6	9	11	16
50-64	3444	5.7	15	1	2	5	7	10	13	21
65+	6576	6.8	24	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	18	5.6	28	2	2	3	8	13	19	21
20-34	127	5.3	24	1	2	3	8	13	16	20
35-49	2867	5.9	29	1	2	3	9	13	15	24
50-64	9119	6.9	42	1	2	4	10	15	18	29
65+	5448	9.5	80	2	2	8	13	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	607	4.8	23	1	2	4	6	9	11	28
B. *Operated*	3909	4.8	21	1	1	2	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	11126	6.3	21	2	2	5	8	11	14	23
B. *Operated*	17579	7.5	53	1	2	5	11	16	20	34
1. SINGLE DX	4516	4.8	21	1	1	2	7	11	13	20
2. MULTIPLE DX	28705	7.1	41	1	2	5	10	14	18	31
A. NOT OPERATED	11733	6.2	21	2	2	5	8	11	14	23
B. OPERATED	21488	7.0	49	1	2	4	10	15	19	32
TOTAL 0-19 YRS	39	4.3	16	1	2	3	6	9	13	21
20-34	269	4.9	18	1	2	3	7	11	14	18
35-49	4856	5.4	23	1	2	3	8	12	14	21
50-64	15050	6.3	33	1	2	4	9	13	16	26
65+	13007	7.8	50	2	2	6	10	16	20	35
GRAND TOTAL	**33221**	**6.7**	**39**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	9	1	1	6	8	10	10	10
20-34	101	7.9	12	2	3	8	10	12	13	18
35-49	133	8.8	13	2	5	9	11	13	16	18
50-64	132	10.3	16	4	6	10	12	15	16	23
65+	126	10.2	16	5	6	10	12	15	17	23
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	24	10.5	37	3	3	10	12	18	25	30
35-49	40	11.5	32	4	5	11	14	19	23	28
50-64	29	10.6	31	5	5	10	13	16	17	33
65+	18	14.4	50	6	9	12	17	27	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	10.4	16	5	6	10	14	16	17	17
20-34	223	10.6	39	3	4	10	12	17	22	38
35-49	437	11.0	37	3	5	10	13	18	21	36
50-64	825	11.1	29	4	6	10	13	17	20	31
65+	1793	12.5	42	5	7	11	15	20	24	37
B. *Operated*										
0-19 YRS	5	12.0	48	2	2	14	18	18	18	18
20-34	87	14.2	51	5	7	13	18	23	28	41
35-49	133	12.9	39	5	7	12	15	21	24	33
50-64	287	15.2	79	6	8	13	18	27	32	47
65+	470	16.9	122	7	8	14	20	27	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	9.3	15	3	5	9	11	14	16	21
B. *Operated*	112	11.5	37	4	5	10	14	18	26	32
2. MULTIPLE DX										
A. *Not Operated*	3291	11.8	38	5	6	11	14	18	23	36
B. *Operated*	982	15.6	93	6	8	13	19	26	33	55
1. SINGLE DX	611	9.7	20	3	5	9	12	15	17	27
2. MULTIPLE DX	4273	12.7	53	5	6	11	15	20	25	41
A. NOT OPERATED	3790	11.5	36	4	6	10	14	18	22	34
B. OPERATED	1094	15.2	89	6	7	13	18	25	32	53
TOTAL 0-19 YRS	26	9.3	24	2	3	8	14	17	18	18
20-34	435	10.7	39	3	4	10	13	18	23	37
35-49	743	11.0	34	4	5	10	13	18	21	30
50-64	1273	12.0	42	5	6	11	14	18	24	37
65+	2407	13.3	59	5	7	12	15	22	26	43
GRAND TOTAL	**4884**	**12.3**	**50**	**5**	**6**	**11**	**15**	**20**	**24**	**39**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	6.7	31	<1	<1	6	9	15	16	16
35-49	3	10.7	16	7	7	10	14	15	15	15
50-64	4	23.0	225	5	5	23	34	40	40	40
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	19.2	235	<1	2	17	30	43	45	46
20-34	85	21.7	181	2	4	22	30	42	43	55
35-49	50	28.1	206	3	7	29	35	47	52	61
50-64	66	24.3	215	4	5	21	33	45	50	60
65+	119	26.6	199	8	11	25	35	46	56	87
B. *Operated*										
0-19 YRS	8	37.9	316	13	17	36	42	66	75	75
20-34	62	34.0	297	8	12	33	44	60	70	98
35-49	39	34.4	229	16	18	31	43	54	61	83
50-64	41	30.3	280	5	8	29	43	50	59	68
65+	77	33.4	151	15	18	32	42	48	60	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.1	110	<1	1	9	16	29	37	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	340	24.7	205	3	6	25	33	44	50	63
B. *Operated*	227	33.3	232	10	14	32	43	53	65	87
1. SINGLE DX	15	12.1	110	<1	1	9	16	29	37	40
2. MULTIPLE DX	567	28.2	233	5	8	28	39	47	55	81
A. NOT OPERATED	355	24.2	207	3	6	24	33	44	49	63
B. OPERATED	227	33.3	232	10	14	32	43	53	65	87
TOTAL 0-19 YRS	29	23.9	319	1	3	21	37	44	47	75
20-34	153	26.1	271	3	6	26	38	45	56	83
35-49	92	30.2	229	6	8	29	41	50	56	75
50-64	111	26.5	244	4	5	28	40	47	52	66
65+	197	29.2	191	10	13	28	38	47	56	91
GRAND TOTAL	**582**	**27.8**	**236**	**4**	**8**	**28**	**38**	**47**	**55**	**80**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	25	<1	1	2	3	5	6	36
20-34	81	2.3	2	<1	1	2	3	4	5	8
35-49	145	2.3	3	<1	1	2	3	4	5	9
50-64	138	2.5	3	<1	1	2	3	5	6	10
65+	101	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	3	5.0	7	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.9	4	1	1	2	4	6	7	8
20-34	141	3.3	5	1	1	3	4	6	8	11
35-49	281	3.7	6	1	1	3	5	7	9	12
50-64	622	4.4	13	1	1	3	6	8	10	17
65+	1097	5.3	15	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	11	6.2	17	1	2	5	9	13	13	13
35-49	25	5.0	14	1	2	5	6	8	12	19
50-64	59	6.5	17	1	2	6	9	13	14	17
65+	106	10.1	35	3	4	9	13	17	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.6	5	<1	1	2	3	5	6	9
B. *Operated*	12	3.7	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2195	4.6	13	1	1	4	6	9	11	17
B. *Operated*	205	8.2	30	2	2	7	11	15	18	25
1. SINGLE DX	533	2.6	5	<1	1	2	3	5	6	9
2. MULTIPLE DX	2400	4.9	15	1	1	4	6	10	12	19
A. NOT OPERATED	2716	4.2	12	1	1	3	5	8	10	16
B. OPERATED	217	7.9	30	2	2	7	11	15	17	25
TOTAL 0-19 YRS	115	3.0	14	<1	1	2	4	5	7	19
20-34	233	3.1	5	1	1	2	4	6	8	13
35-49	456	3.3	6	1	1	3	4	6	8	11
50-64	822	4.2	12	1	1	3	5	8	10	16
65+	1307	5.5	18	1	2	4	7	11	14	22
GRAND TOTAL	**2933**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	11	<1	<1	1	2	8	11	11
20-34	140	2.0	2	<1	1	1	2	4	6	7
35-49	235	2.5	3	<1	1	2	3	5	6	9
50-64	393	3.0	7	<1	1	2	4	6	7	13
65+	394	3.4	7	<1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS										
20-34	4	3.8	6	<1	<1	3	5	7	7	7
35-49	7	4.7	8	1	1	5	7	9	9	9
50-64	24	4.2	12	1	2	3	5	10	13	14
65+	8	4.4	7	1	1	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	24	<1	1	2	5	10	13	25
20-34	209	3.1	8	1	1	2	4	6	7	11
35-49	594	3.9	8	1	1	3	5	8	9	13
50-64	2433	4.8	14	1	1	4	6	9	11	18
65+	6995	6.1	21	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	5	12.8	289	<1	<1	8	19	42	42	42
20-34	10	4.6	10	1	1	4	7	9	11	11
35-49	53	8.5	89	2	2	6	10	17	22	52
50-64	274	8.7	44	1	2	7	11	16	24	33
65+	784	11.4	72	2	3	9	15	21	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1172	2.9	6	<1	1	2	4	6	7	12
B. *Operated*	43	4.3	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	10268	5.6	19	1	2	5	7	11	13	22
B. *Operated*	1126	10.6	68	2	3	9	14	20	25	42
1. SINGLE DX	1215	2.9	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	11394	6.1	26	1	2	5	8	12	15	25
A. NOT OPERATED	11440	5.3	18	1	1	4	7	10	13	21
B. OPERATED	1169	10.3	67	2	3	9	13	20	25	42
TOTAL 0-19 YRS	52	4.6	49	<1	<1	2	6	11	13	42
20-34	363	2.7	6	<1	1	2	3	5	7	10
35-49	889	3.8	14	1	1	3	5	8	9	16
50-64	3124	4.9	17	1	1	4	6	10	12	21
65+	8181	6.5	28	1	2	5	8	12	16	26
GRAND TOTAL	**12609**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.9	5	<1	1	2	3	5	6	14
20-34	231	3.3	7	1	1	3	4	6	8	14
35-49	382	3.5	7	1	1	3	5	6	8	13
50-64	508	3.8	8	1	1	3	5	7	9	15
65+	458	4.3	10	1	1	3	6	8	10	14
B. *Operated*										
0-19 YRS	42	3.7	10	1	1	2	5	8	10	15
20-34	25	4.9	11	1	2	5	7	8	10	16
35-49	66	3.9	16	<1	1	3	5	8	10	25
50-64	144	5.2	25	1	1	4	7	10	12	18
65+	327	6.3	16	2	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	4.0	13	1	1	3	5	8	9	23
20-34	745	4.0	9	1	1	3	5	7	8	14
35-49	1695	4.6	11	1	1	4	6	9	11	17
50-64	4272	5.6	18	1	2	5	7	10	13	21
65+	10401	6.5	22	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	62	8.2	117	1	2	5	9	14	31	69
20-34	91	8.6	101	1	2	6	9	22	28	54
35-49	321	7.2	42	1	2	6	10	15	22	38
50-64	1322	9.0	56	2	2	7	11	17	22	39
65+	5094	10.1	49	3	3	8	13	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1684	3.7	8	1	1	3	5	7	9	14
B. *Operated*	604	5.6	18	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	17331	5.9	19	1	2	5	7	11	14	22
B. *Operated*	6890	9.7	52	2	3	8	12	18	23	36
1. SINGLE DX	2288	4.2	11	1	1	3	5	8	10	17
2. MULTIPLE DX	24221	7.0	32	2	2	6	9	13	17	29
A. NOT OPERATED	19015	5.7	19	1	2	5	7	11	14	21
B. OPERATED	7494	9.4	50	2	3	8	12	18	22	36
TOTAL 0-19 YRS	427	4.3	28	1	1	3	5	8	12	31
20-34	1092	4.2	18	1	1	3	5	8	10	23
35-49	2464	4.8	15	1	1	4	6	9	12	21
50-64	6246	6.2	28	1	2	5	8	12	15	26
65+	16280	7.5	33	2	3	6	9	14	18	30
GRAND TOTAL	**26509**	**6.8**	**30**	**1**	**2**	**5**	**9**	**13**	**17**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.9	23	<1	1	5	8	12	17	18
20-34	13	6.5	20	2	2	5	8	15	16	16
35-49	40	5.6	11	<1	1	5	8	10	11	16
50-64	236	6.2	22	1	2	5	8	11	16	25
65+	1109	6.2	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	12	9.3	33	2	2	9	14	17	18	18
65+	22	11.3	55	2	4	10	13	19	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	6.6	47	1	2	5	7	13	18	40
20-34	174	7.0	25	2	2	6	9	14	18	25
35-49	1266	7.5	28	2	3	6	9	14	18	28
50-64	8316	8.0	32	2	3	7	10	14	18	29
65+	41913	8.6	34	3	3	7	11	15	19	30
B. *Operated*										
0-19 YRS	35	13.3	189	2	3	9	14	33	42	67
20-34	62	9.1	64	2	2	7	12	19	23	45
35-49	215	10.3	89	2	3	7	12	22	32	56
50-64	1272	13.7	122	2	4	11	17	26	35	60
65+	4070	15.4	117	4	5	13	19	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1410	6.1	20	2	2	5	8	11	14	23
B. *Operated*	37	10.2	46	2	2	9	13	17	24	35
2. MULTIPLE DX										
A. *Not Operated*	51882	8.5	33	3	3	7	10	15	19	30
B. *Operated*	5654	14.8	118	3	5	12	19	28	35	57
1. SINGLE DX	1447	6.2	21	2	2	5	8	11	15	24
2. MULTIPLE DX	57536	9.1	45	3	3	7	11	17	21	35
A. NOT OPERATED	53292	8.4	33	3	3	7	10	15	19	30
B. OPERATED	5691	14.7	118	3	5	12	19	28	35	56
TOTAL 0-19 YRS	262	7.4	69	1	2	5	8	15	20	52
20-34	249	7.5	35	2	2	6	9	16	19	26
35-49	1522	7.8	37	2	3	6	10	15	19	33
50-64	9836	8.7	47	2	3	7	11	16	21	35
65+	47114	9.1	45	3	3	7	11	17	21	34
GRAND TOTAL	58983	9.0	45	3	3	7	11	16	21	35

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.8	4	1	1	4	5	6	7	10
20-34	351	3.8	8	1	1	3	5	7	9	16
35-49	322	4.2	10	1	1	3	5	7	9	20
50-64	246	4.8	9	1	2	4	6	8	10	15
65+	120	6.3	14	2	3	6	8	11	13	21
B. *Operated*										
0-19 YRS	70	3.7	8	1	1	2	6	7	9	13
20-34	92	3.7	9	1	1	2	5	9	10	12
35-49	220	4.1	23	1	1	2	4	10	14	26
50-64	316	4.2	16	1	2	2	5	11	13	18
65+	150	5.2	27	1	2	2	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	5.5	24	1	2	4	7	11	13	20
20-34	790	5.5	32	1	2	4	6	10	13	28
35-49	1306	6.0	25	2	2	5	7	11	14	24
50-64	2234	7.3	33	2	2	6	9	14	18	30
65+	3686	8.5	40	2	3	7	10	16	20	32
B. *Operated*										
0-19 YRS	144	6.5	79	1	1	2	7	12	29	44
20-34	241	8.5	63	1	2	6	11	18	24	40
35-49	737	7.8	75	1	2	5	10	15	22	49
50-64	1752	8.7	80	1	2	6	12	19	24	42
65+	1755	11.5	104	2	2	10	16	23	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	4.4	10	1	2	4	5	8	10	16
B. *Operated*	848	4.3	19	1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	8247	7.4	36	2	2	6	9	14	18	30
B. *Operated*	4629	9.5	90	1	2	7	13	20	27	47
1. SINGLE DX	1980	4.3	13	1	1	3	5	9	12	19
2. MULTIPLE DX	12876	8.1	56	2	2	6	10	16	22	37
A. NOT OPERATED	9379	7.0	34	2	2	5	9	13	18	29
B. OPERATED	5477	8.7	82	1	2	6	12	19	25	45
TOTAL 0-19 YRS	538	5.2	34	1	1	4	6	10	13	33
20-34	1474	5.5	32	1	2	4	7	10	14	29
35-49	2585	6.1	38	1	2	4	8	12	16	30
50-64	4548	7.5	50	1	2	5	10	15	20	34
65+	5711	9.3	61	2	2	7	12	18	24	40
GRAND TOTAL	14856	7.6	52	2	2	6	10	16	21	36

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	7.8	56	2	2	5	10	21	22	22
65+	10	4.4	12	<1	<1	3	8	10	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	2.0		2	2	2	2	2	2	2
50-64	8	4.0	13	2	2	2	5	10	12	12
65+	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	39	5.5	28	1	2	4	7	11	19	26
50-64	209	6.7	30	1	2	5	8	12	18	30
65+	705	7.1	24	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	67	5.2	35	1	2	2	8	11	13	31
50-64	209	6.0	53	1	1	3	9	13	19	32
65+	207	8.7	38	2	2	8	12	17	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.6	27	<1	1	5	8	11	18	22
B. *Operated*	16	3.4	8	2	2	2	3	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	958	6.9	26	2	2	6	9	13	16	26
B. *Operated*	484	7.1	46	1	2	5	10	15	20	31
1. SINGLE DX	33	4.5	19	1	1	3	6	10	12	22
2. MULTIPLE DX	1442	6.9	32	2	2	5	9	14	18	27
A. NOT OPERATED	975	6.9	26	2	2	6	8	13	16	26
B. OPERATED	500	6.9	45	1	2	4	10	15	19	30
TOTAL 0-19 YRS	4	4.3	5	1	1	5	6	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	112	5.2	31	1	2	3	7	11	14	31
50-64	432	6.3	41	1	2	4	8	13	19	31
65+	925	7.4	28	2	2	6	10	14	18	26
GRAND TOTAL	1475	6.9	32	2	2	5	9	14	18	27

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.3	52	<1	<1	1	2	17	19	19
35-49	7	7.0	82	<1	<1	2	13	22	23	23
50-64	5	3.8	33	1	1	1	5	14	14	14
65+	5	9.8	30	5	5	8	12	19	19	19
B. *Operated*										
0-19 YRS	4	9.5	28	2	2	11	13	14	14	14
20-34	22	14.9	54	3	5	14	19	25	29	29
35-49	62	18.0	139	3	8	16	21	30	50	60
50-64	38	16.1	124	1	2	16	22	31	38	49
65+	8	14.1	87	<1	<1	19	21	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	27	1	1	3	11	12	12	12
20-34	11	15.9	652	<1	1	5	15	58	83	85
35-49	15	17.3	572	1	1	8	17	64	78	83
50-64	22	12.3	114	1	2	9	18	25	36	42
65+	54	13.4	85	3	4	9	20	28	30	39
B. *Operated*										
0-19 YRS	3	23.3	310	9	9	18	37	43	43	43
20-34	32	21.6	289	3	5	19	27	51	59	70
35-49	90	26.3	350	5	6	22	34	62	73	99+
50-64	105	27.2	358	3	9	23	35	61	88	99+
65+	94	30.8	354	8	10	28	41	65	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.2	51	<1	1	2	9	19	21	23
B. *Operated*	134	16.5	115	2	3	16	21	28	36	55
2. MULTIPLE DX										
A. *Not Operated*	108	13.5	208	1	2	8	18	28	39	84
B. *Operated*	324	27.4	350	4	8	23	36	63	73	99+
1. SINGLE DX	157	15.0	119	1	2	14	20	25	35	54
2. MULTIPLE DX	432	23.9	350	3	5	19	32	56	71	99+
A. NOT OPERATED	131	12.2	188	1	1	8	18	26	32	83
B. OPERATED	458	24.2	306	3	6	20	32	55	68	99+
TOTAL 0-19 YRS	13	10.7	125	1	1	10	13	23	39	43
20-34	71	17.2	266	1	2	14	23	34	56	82
35-49	174	21.8	304	2	5	17	27	52	64	98
50-64	170	22.1	309	2	3	18	30	53	67	99+
65+	161	23.5	314	4	6	20	31	55	67	99+
GRAND TOTAL	589	21.5	304	2	4	18	28	51	65	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	98.0		98	98	98	98	98	98	98
35-49	5	57.6	720	33	33	47	81	95	95	95
50-64	3	22.7	144	11	11	22	32	35	35	35
65+										
B. *Operated*										
0-19 YRS	5	48.4	665	23	23	38	75	78	78	78
20-34	4	43.0	673	19	19	38	63	76	76	76
35-49	6	32.5	1096	8	8	31	81	99	99+	99+
50-64	21	39.0	499	13	17	39	50	85	92	99+
65+	11	41.0	484	16	17	34	53	76	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	46.7	1029	11	12	36	76	96	98	98
B. *Operated*	47	40.0	560	9	16	35	57	82	96	99+
1. SINGLE DX										
2. MULTIPLE DX	57	41.2	632	10	16	35	63	86	97	99+
A. NOT OPERATED	10	46.7	1029	11	12	36	76	96	98	98
B. OPERATED	47	40.0	560	9	16	35	57	82	96	99+
TOTAL 0-19 YRS	6	42.5	741	13	14	33	74	78	78	78
20-34	5	54.0	1110	19	19	51	81	98	98	98
35-49	11	43.9	1008	8	8	36	85	97	99+	99+
50-64	24	37.0	477	10	16	35	47	85	89	99+
65+	11	41.0	484	16	17	34	53	76	78	78
GRAND TOTAL	**57**	**41.2**	**632**	**10**	**16**	**35**	**63**	**86**	**97**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	28	1	1	2	4	13	17	17
20-34	3	7.3	9	4	4	8	9	10	10	10
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	16	10.4	115	1	2	7	12	31	35	37
65+	56	10.4	53	1	2	10	15	21	24	29
B. *Operated*										
0-19 YRS	15	9.7	21	4	6	8	11	18	20	21
20-34	17	6.1	26	2	2	5	8	11	18	22
35-49	18	10.5	53	2	2	10	14	22	25	26
50-64	32	12.4	117	3	3	9	15	24	42	49
65+	67	12.1	74	3	4	10	14	24	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	53	1	1	6	9	16	27	29
20-34	16	6.8	35	1	2	5	8	12	21	25
35-49	36	10.9	69	2	3	8	13	23	27	39
50-64	117	14.0	136	2	4	10	20	28	35	63
65+	629	12.6	69	3	4	11	17	24	29	41
B. *Operated*										
0-19 YRS	27	11.1	50	3	4	9	17	24	34	99+
20-34	40	18.1	230	2	5	13	20	40	57	68
35-49	72	22.2	406	5	7	14	30	46	77	92
50-64	185	22.4	345	3	6	17	31	58	86	99+
65+	420	20.8	226	5	7	16	27	41	52	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	9.3	62	1	1	7	13	20	25	35
B. *Operated*	149	11.1	72	2	3	9	13	22	29	45
2. MULTIPLE DX										
A. *Not Operated*	811	12.5	79	2	3	10	17	25	29	42
B. *Operated*	744	20.8	270	5	6	16	27	45	62	99+
1. SINGLE DX	237	10.4	69	2	2	8	13	21	28	43
2. MULTIPLE DX	1555	16.5	187	3	4	13	21	34	46	86
A. NOT OPERATED	899	12.2	78	2	3	10	17	24	29	41
B. OPERATED	893	19.2	250	4	6	14	25	43	56	99+
TOTAL 0-19 YRS	64	9.1	45	1	2	8	11	21	25	89
20-34	76	12.6	166	2	2	9	14	25	43	65
35-49	130	16.8	287	2	3	12	19	39	47	88
50-64	350	18.1	263	2	4	13	25	44	66	99+
65+	1172	15.4	141	3	4	12	20	30	38	64
GRAND TOTAL	**1792**	**15.7**	**176**	**3**	**4**	**12**	**20**	**32**	**44**	**79**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	21.0	258	6	6	19	34	39	39	39
35-49	10	11.7	229	1	1	4	14	38	48	48
50-64	38	22.3	364	4	5	17	26	46	73	83
65+	266	17.2	137	4	6	14	21	31	38	63
B. *Operated*										
0-19 YRS	6	21.3	126	4	5	23	26	36	37	37
20-34	7	27.4	345	10	10	22	44	54	56	56
35-49	18	32.5	374	7	8	41	51	60	83	99+
50-64	38	30.9	398	8	10	30	53	84	99+	99+
65+	115	28.0	351	8	10	23	35	56	74	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	318	17.7	170	4	6	14	22	33	42	64
B. *Operated*	184	28.8	354	8	10	24	41	61	82	99+
1. SINGLE DX										
2. MULTIPLE DX	502	21.8	266	5	7	17	28	48	62	99+
A. NOT OPERATED	318	17.7	170	4	6	14	22	33	42	64
B. OPERATED	184	28.8	354	8	10	24	41	61	82	99+
TOTAL 0-19 YRS	6	21.3	126	4	5	23	26	36	37	37
20-34	11	25.1	295	6	8	22	37	51	56	56
35-49	28	25.1	415	2	3	14	45	55	65	99+
50-64	76	26.6	395	5	7	21	38	70	91	99+
65+	381	20.4	226	5	7	17	25	38	55	83
GRAND TOTAL	**502**	**21.8**	**266**	**5**	**7**	**17**	**28**	**48**	**62**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	4.9	13	2	2	4	6	11	12	12
50-64	31	4.2	9	<1	1	3	5	9	10	13
65+	58	4.1	9	1	1	3	5	9	11	13
B. *Operated*										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34	12	5.6	11	1	1	5	8	11	11	11
35-49	69	4.6	10	1	1	4	6	8	10	19
50-64	770	5.4	12	2	2	5	7	10	12	17
65+	1174	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	4	7.0	30	3	3	5	10	15	15	15
35-49	28	5.7	15	1	1	5	9	13	18	99+
50-64	213	5.5	17	1	1	4	7	11	14	23
65+	875	6.5	30	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	7	6.7	34	1	1	7	10	16	17	17
20-34	19	10.1	159	2	2	5	12	32	44	44
35-49	255	7.8	40	2	2	6	9	17	20	31
50-64	2697	7.8	40	2	2	6	10	14	19	33
65+	6268	8.4	44	2	2	7	10	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	9	1	1	3	5	10	11	13
B. *Operated*	2027	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1122	6.3	27	1	2	5	8	12	15	25
B. *Operated*	9246	8.2	43	2	2	7	10	15	20	34
1. SINGLE DX	2125	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX	10368	8.0	42	2	2	6	10	15	19	33
A. NOT OPERATED	1220	6.2	26	1	2	5	8	11	14	25
B. OPERATED	11273	7.7	39	2	2	6	10	15	19	32
TOTAL 0-19 YRS	11	7.1	30	1	1	6	10	16	17	17
20-34	35	8.2	95	1	2	5	11	14	37	44
35-49	361	7.0	33	1	2	6	9	13	19	30
50-64	3711	7.1	34	2	2	6	9	13	17	29
65+	8375	7.7	39	2	2	6	10	15	19	32
GRAND TOTAL	**12493**	**7.5**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	15.7	121	3	3	21	22	23	23	23
50-64	20	8.5	35	2	3	6	12	19	20	21
65+	80	12.3	106	3	4	10	14	26	31	58
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	6	19.5	188	4	4	19	31	35	36	36
35-49	15	12.3	109	1	2	12	17	29	33	35
50-64	130	11.9	103	2	3	9	15	27	37	65
65+	265	13.6	126	2	3	11	17	25	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	105	11.7	92	3	4	9	14	23	28	56
B. *Operated*	418	13.1	119	2	3	10	16	26	35	61
1. SINGLE DX										
2. MULTIPLE DX	523	12.8	114	2	3	10	16	26	33	59
A. NOT OPERATED	105	11.7	92	3	4	9	14	23	28	56
B. OPERATED	418	13.1	119	2	3	10	16	26	35	61
TOTAL 0-19 YRS	3	9.0	49	2	2	9	14	16	16	16
20-34	7	18.7	161	4	5	14	30	35	36	36
35-49	18	12.9	105	1	2	12	21	27	33	35
50-64	150	11.4	95	2	3	9	15	25	35	57
65+	345	13.3	121	3	4	11	16	25	33	60
GRAND TOTAL	**523**	**12.8**	**114**	**2**	**3**	**10**	**16**	**26**	**33**	**59**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	11	4.4	11	1	1	3	8	9	10	10
35-49	21	7.6	37	2	2	6	8	17	23	25
50-64	93	8.2	41	2	2	6	10	15	20	36
65+	313	9.6	59	2	3	8	12	17	22	36
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	7.8	21	2	2	7	10	15	16	16
35-49	28	5.6	15	1	2	4	8	12	13	14
50-64	65	9.4	105	1	2	6	11	26	31	53
65+	54	9.0	46	2	2	7	11	19	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.7	23	2	3	8	12	16	17	17
20-34	37	8.9	23	3	3	9	13	14	16	23
35-49	158	8.8	48	1	2	7	12	15	22	40
50-64	1078	10.3	68	3	3	8	12	20	27	43
65+	5739	11.3	65	3	4	9	14	21	26	42
B. *Operated*										
0-19 YRS	7	5.4	36	1	1	2	11	15	15	15
20-34	20	14.9	275	3	4	11	18	50	87	99+
35-49	138	10.0	95	2	2	7	12	20	25	52
50-64	571	13.1	164	3	3	9	15	26	41	77
65+	1367	14.7	155	3	4	11	18	30	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	9.1	53	2	3	7	11	17	21	36
B. *Operated*	158	8.5	64	2	2	6	10	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	7027	11.1	65	3	4	9	14	21	26	42
B. *Operated*	2103	14.0	156	3	4	10	17	29	40	69
1. SINGLE DX	599	8.9	56	2	2	7	11	17	22	36
2. MULTIPLE DX	9130	11.8	87	3	4	9	14	22	29	52
A. NOT OPERATED	7468	11.0	64	3	4	9	14	20	26	42
B. OPERATED	2261	13.6	152	2	3	10	17	28	39	68
TOTAL 0-19 YRS	26	7.2	26	1	2	5	11	15	16	17
20-34	78	9.7	95	2	3	8	12	16	28	93
35-49	345	8.9	65	2	2	7	12	17	22	41
50-64	1807	11.1	101	2	3	8	13	22	30	54
65+	7473	11.9	83	3	4	9	15	22	29	50
GRAND TOTAL	**9729**	**11.6**	**86**	**3**	**4**	**9**	**14**	**22**	**29**	**51**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.9	40	3	3	8	14	20	21	21
20-34	6	22.3	606	4	4	14	21	66	71	71
35-49	56	15.4	206	2	3	13	18	32	52	74
50-64	432	15.7	164	3	5	12	19	31	40	81
65+	2659	14.7	111	4	5	12	18	28	35	58
B. *Operated*										
0-19 YRS	2	19.0	72	13	13	25	81	99+	99+	99+
20-34	14	18.1	187	3	6	14	21	44	49	50
35-49	30	22.0	344	2	6	15	30	54	63	70
50-64	165	22.6	397	5	6	16	30	52	83	99+
65+	490	21.7	234	6	8	17	28	44	56	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3163	14.9	121	4	5	12	18	28	36	61
B. *Operated*	701	21.9	274	5	7	17	28	46	60	98
1. SINGLE DX										
2. MULTIPLE DX	3864	16.1	156	4	5	13	20	31	43	71
A. NOT OPERATED	3163	14.9	121	4	5	12	18	28	36	61
B. OPERATED	701	21.9	274	5	7	17	28	46	60	98
TOTAL 0-19 YRS	12	11.4	52	3	3	11	19	40	89	99+
20-34	20	19.4	291	3	5	14	21	46	60	71
35-49	86	17.7	261	2	3	13	21	45	55	73
50-64	597	17.6	237	4	5	13	22	38	49	98
65+	3149	15.8	137	4	5	13	19	30	40	64
GRAND TOTAL	**3864**	**16.1**	**156**	**4**	**5**	**13**	**20**	**31**	**43**	**71**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	34	2.9	5	1	1	2	4	4	7	13
35-49	103	3.4	3	1	1	3	4	6	7	9
50-64	340	3.5	5	1	1	3	4	6	8	11
65+	878	3.9	7	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS										
20-34	19	4.4	5	1	1	5	6	7	8	9
35-49	77	4.4	10	1	2	4	6	9	9	17
50-64	224	4.6	9	1	2	4	6	9	10	13
65+	261	4.2	20	1	1	3	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.1	20	1	2	5	7	11	13	24
20-34	102	4.2	8	1	1	3	5	9	10	13
35-49	455	5.0	14	1	2	4	6	9	11	16
50-64	2283	5.2	12	1	2	4	7	9	11	19
65+	12054	6.0	18	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	8	7.0	15	2	2	7	10	12	13	13
20-34	34	4.7	9	1	2	4	8	9	10	12
35-49	254	6.3	20	2	2	5	8	11	13	22
50-64	1335	7.0	30	2	2	6	9	13	17	25
65+	3031	8.6	46	2	3	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1360	3.7	6	1	1	3	5	7	8	14
B. *Operated*	581	4.4	14	1	2	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	14925	5.8	17	2	2	5	7	10	13	21
B. *Operated*	4662	8.0	40	2	2	6	10	15	19	32
1. SINGLE DX	1941	3.9	9	1	1	3	5	7	9	14
2. MULTIPLE DX	19587	6.3	23	2	2	5	8	12	15	24
A. NOT OPERATED	16285	5.7	16	2	2	5	7	10	13	21
B. OPERATED	5243	7.6	38	2	2	6	10	14	18	31
TOTAL 0-19 YRS	44	5.9	18	1	2	5	7	11	13	24
20-34	189	4.1	8	1	1	3	5	8	10	13
35-49	889	5.1	15	1	2	4	7	10	12	19
50-64	4182	5.6	18	1	2	5	7	10	13	21
65+	16224	6.3	24	2	2	5	8	12	15	25
GRAND TOTAL	**21528**	**6.1**	**22**	**2**	**2**	**5**	**8**	**11**	**14**	**24**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.5	16	1	2	6	9	12	15	15
20-34	7	6.9	28	1	1	5	12	14	14	14
35-49	31	6.8	57	1	2	6	8	14	20	40
50-64	126	7.1	30	1	2	6	9	16	19	24
65+	555	8.9	45	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	5	6.4	4	4	4	6	8	9	9	9
35-49	13	9.2	55	1	2	6	16	19	24	25
50-64	54	9.0	56	2	3	7	10	20	28	34
65+	66	9.7	82	1	2	8	11	20	24	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	8.3	47	1	1	6	13	19	21	23
20-34	22	6.1	16	1	2	5	9	11	14	17
35-49	196	9.2	36	2	3	8	12	16	22	29
50-64	1242	10.6	88	2	3	8	13	21	28	46
65+	7225	10.8	63	3	4	9	14	20	25	42
B. *Operated*										
0-19 YRS	4	6.5	15	1	1	8	32	99+	99+	99+
20-34	20	10.7	63	2	3	9	14	20	28	35
35-49	80	11.6	97	3	5	9	13	22	27	89
50-64	488	13.9	167	3	4	10	16	31	42	69
65+	1281	16.0	158	4	5	12	21	32	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	8.4	42	2	2	7	11	17	20	36
B. *Operated*	142	9.1	65	1	2	7	11	20	24	41
2. MULTIPLE DX										
A. *Not Operated*	8705	10.8	66	3	4	9	13	20	25	43
B. *Operated*	1873	15.2	158	3	4	11	20	31	42	76
1. SINGLE DX	873	8.5	46	2	2	7	11	17	21	36
2. MULTIPLE DX	10578	11.5	85	3	4	9	14	22	29	51
A. NOT OPERATED	9436	10.6	64	3	4	9	13	19	25	42
B. OPERATED	2015	14.7	154	3	4	11	19	30	41	74
TOTAL 0-19 YRS	40	7.2	31	1	2	6	10	18	21	99+
20-34	54	7.9	37	1	2	7	10	15	19	34
35-49	320	9.5	55	2	3	8	12	19	23	44
50-64	1910	11.2	106	2	3	8	13	22	31	58
65+	9127	11.4	79	3	4	9	14	21	28	48
GRAND TOTAL	**11451**	**11.3**	**83**	**3**	**4**	**9**	**14**	**21**	**28**	**49**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	11.0	218	2	2	3	14	37	45	45
20-34	8	9.1	54	2	3	7	12	22	24	24
35-49	87	13.6	157	2	4	11	18	26	32	78
50-64	497	15.3	195	3	4	11	19	33	43	83
65+	2875	13.9	99	4	5	11	17	26	33	53
B. *Operated*										
0-19 YRS	5	16.6	192	5	5	10	27	38	38	38
20-34	3	7.3	10	5	5	6	10	11	11	11
35-49	30	18.6	188	2	5	16	25	40	41	59
50-64	158	21.3	340	4	5	16	27	49	68	99
65+	459	20.7	230	5	7	16	27	40	53	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3476	14.0	115	3	5	11	17	27	35	59
B. *Operated*	655	20.6	254	5	6	16	27	41	54	90
1. SINGLE DX										
2. MULTIPLE DX	4131	15.1	142	4	5	12	19	29	39	66
A. NOT OPERATED	3476	14.0	115	3	5	11	17	27	35	59
B. OPERATED	655	20.6	254	5	6	16	27	41	54	90
TOTAL 0-19 YRS	14	13.0	201	2	2	6	23	39	44	45
20-34	11	8.6	41	2	3	7	10	19	24	24
35-49	117	14.9	168	2	4	11	20	29	40	70
50-64	655	16.8	236	4	5	12	20	37	50	90
65+	3334	14.8	122	4	5	12	18	28	37	60
GRAND TOTAL	**4131**	**15.1**	**142**	**4**	**5**	**12**	**19**	**29**	**39**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	4.0	8	1	1	3	5	9	10	10
35-49	77	3.9	7	1	1	3	5	6	8	15
50-64	109	4.0	7	1	1	3	5	8	9	12
65+	222	4.9	23	1	1	4	6	10	13	32
B. *Operated*										
0-19 YRS	5	6.8	35	2	2	4	12	15	15	15
20-34	15	6.3	33	1	2	4	10	17	18	18
35-49	50	6.2	91	1	2	4	7	11	12	68
50-64	96	6.0	34	1	1	3	9	14	19	27
65+	94	5.3	32	1	1	3	7	10	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	7.1	41	1	1	5	9	17	23	25
20-34	96	4.8	11	1	1	4	6	9	12	16
35-49	396	6.0	37	2	2	5	7	10	13	36
50-64	1001	6.9	41	2	2	5	8	13	18	35
65+	4278	7.5	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	6	3.5	11	1	1	2	6	9	9	9
20-34	49	13.1	136	2	3	10	15	31	38	53
35-49	145	11.8	161	2	2	8	14	27	37	66
50-64	434	9.7	89	2	2	7	12	20	26	45
65+	986	10.3	84	2	2	8	14	21	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.4	15	1	1	3	5	8	11	23
B. *Operated*	260	5.8	44	1	1	4	8	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	5803	7.3	35	2	2	6	9	13	18	30
B. *Operated*	1620	10.3	94	2	2	8	13	21	28	52
1. SINGLE DX	689	5.0	26	1	1	3	6	10	13	27
2. MULTIPLE DX	7423	8.0	49	2	2	6	10	15	20	37
A. NOT OPERATED	6232	7.1	34	2	2	6	9	13	18	29
B. OPERATED	1880	9.7	89	2	2	7	12	20	27	50
TOTAL 0-19 YRS	44	6.5	36	1	1	4	9	14	23	25
20-34	180	7.1	60	1	1	5	9	15	18	45
35-49	668	7.0	71	1	2	5	8	12	19	52
50-64	1640	7.4	53	1	2	5	9	15	20	38
65+	5580	7.9	43	2	2	6	10	15	20	33
GRAND TOTAL	**8112**	**7.7**	**48**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	18	4.3	23	1	1	3	4	12	17	19
65+	22	4.3	17	<1	1	3	4	10	16	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	49	5.1	13	1	2	4	9	10	11	13
50-64	192	5.0	20	1	1	2	8	12	14	18
65+	182	5.9	36	1	1	3	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	30	4.4	28	1	1	3	5	7	12	29
50-64	187	5.1	23	1	1	4	6	10	15	23
65+	672	7.4	49	2	2	6	9	14	20	33
B. *Operated*										
0-19 YRS	13	9.8	27	2	3	10	15	16	16	16
20-34	17	5.9	32	1	2	3	9	14	19	21
35-49	264	9.5	84	1	2	8	12	18	28	48
50-64	1318	10.5	103	1	2	8	14	22	30	54
65+	2582	13.6	150	2	2	11	17	28	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.1	17	1	1	3	4	8	15	19
B. *Operated*	426	5.4	26	1	1	3	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	895	6.8	44	1	2	5	8	14	19	32
B. *Operated*	4194	12.4	133	2	2	10	16	26	35	59
1. SINGLE DX	472	5.3	25	1	1	3	8	12	14	19
2. MULTIPLE DX	5089	11.4	122	1	2	9	15	24	33	56
A. NOT OPERATED	941	6.6	43	1	2	5	8	13	18	32
B. OPERATED	4620	11.7	127	1	2	9	15	24	34	57
TOTAL 0-19 YRS	17	8.4	28	2	3	6	14	16	16	16
20-34	24	5.4	27	1	1	3	7	14	16	21
35-49	347	8.4	72	1	2	6	11	17	26	41
50-64	1715	9.3	90	1	2	7	12	20	26	48
65+	3458	11.9	132	2	2	9	16	25	34	57
GRAND TOTAL	**5561**	**10.9**	**117**	**1**	**2**	**8**	**14**	**23**	**32**	**54**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	16	1.9	1	1	1	2	3	3	4	4
65+	25	5.1	21	<1	1	4	6	14	16	18
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	5.9	27	1	1	5	9	13	15	15
50-64	148	8.6	18	2	2	9	11	13	14	19
65+	202	9.5	25	1	2	10	13	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	7	3.7	6	<1	<1	3	5	8	8	8
50-64	77	5.9	49	1	1	4	7	12	14	42
65+	483	7.0	35	1	2	5	9	14	17	32
B. *Operated*										
0-19 YRS	4	6.3	26	2	2	6	10	12	12	12
20-34	11	12.6	145	1	1	10	15	34	35	35
35-49	44	14.5	119	2	3	11	17	34	40	44
50-64	749	13.7	86	3	7	12	16	24	28	62
65+	2053	15.2	111	2	5	13	18	27	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.9	15	1	1	3	5	8	14	18
B. *Operated*	360	9.0	23	1	2	10	12	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	570	6.7	36	1	2	5	9	13	17	36
B. *Operated*	2861	14.8	105	2	5	12	17	26	33	61
1. SINGLE DX	401	8.5	24	1	2	9	12	14	16	22
2. MULTIPLE DX	3431	13.4	102	2	3	12	16	24	32	57
A. NOT OPERATED	611	6.6	36	1	1	5	8	13	17	34
B. OPERATED	3221	14.1	99	2	4	12	17	24	32	58
TOTAL 0-19 YRS	5	5.6	21	2	2	3	10	12	12	12
20-34	15	9.8	127	<1	1	5	13	34	35	35
35-49	59	12.0	110	1	2	9	15	29	39	44
50-64	990	12.2	80	2	3	11	14	21	27	51
65+	2763	13.2	102	2	3	12	16	24	31	56
GRAND TOTAL	**3832**	**12.9**	**97**	**2**	**3**	**11**	**16**	**24**	**30**	**55**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	4	4.3	8	2	2	4	6	8	8	8
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	19	8.3	54	<1	1	6	13	21	23	23
35-49	20	8.9	45	1	2	8	10	16	23	30
50-64	70	6.6	25	1	2	6	9	13	16	24
65+	53	6.5	21	1	2	6	9	12	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64	8	7.5	29	2	2	7	12	14	15	15
65+	30	5.7	19	1	1	5	8	12	13	19
B. *Operated*										
0-19 YRS	10	13.9	159	2	3	10	14	36	38	38
20-34	20	15.3	156	2	3	10	25	32	41	49
35-49	82	13.0	188	2	2	10	16	25	38	81
50-64	238	11.9	86	2	3	10	15	22	30	48
65+	409	12.9	101	2	3	11	16	24	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	4	1	1	2	3	6	8	8
B. *Operated*	167	6.9	29	1	1	6	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	43	6.1	22	1	1	5	9	13	15	19
B. *Operated*	759	12.7	107	2	3	10	15	24	32	58
1. SINGLE DX	179	6.6	28	1	1	6	9	13	17	25
2. MULTIPLE DX	802	12.3	105	2	3	10	15	23	31	57
A. NOT OPERATED	55	5.4	20	1	1	4	8	13	15	19
B. OPERATED	926	11.6	98	2	2	9	14	22	29	52
TOTAL 0-19 YRS	16	10.5	127	1	1	6	14	33	37	38
20-34	40	11.6	116	1	1	8	16	26	32	49
35-49	109	11.6	156	2	2	9	14	23	30	78
50-64	320	10.5	75	2	2	9	13	19	27	46
65+	496	11.7	93	2	3	10	15	22	29	54
GRAND TOTAL	**981**	**11.3**	**96**	**2**	**2**	**9**	**14**	**22**	**29**	**50**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.8	10	1	1	4	7	9	11	11
35-49	15	5.3	9	2	2	4	8	10	10	10
50-64	34	4.0	16	<1	1	2	5	9	12	20
65+	35	5.4	19	1	1	4	7	11	14	19
B. *Operated*										
0-19 YRS	4	6.0	18	1	1	6	9	10	10	10
20-34	33	6.4	21	<1	1	8	9	11	15	19
35-49	141	6.4	24	1	1	6	10	13	14	24
50-64	498	7.5	37	1	2	7	10	14	18	27
65+	366	7.1	29	1	1	7	10	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	22	6	6	8	13	15	15	15
20-34	21	8.8	16	2	4	9	11	14	17	18
35-49	37	7.4	20	2	2	8	9	12	18	20
50-64	148	6.7	33	1	1	6	9	14	16	28
65+	336	8.4	51	1	2	7	11	17	19	32
B. *Operated*										
0-19 YRS	10	6.9	48	1	1	5	9	17	25	25
20-34	63	11.2	142	2	2	9	14	21	34	68
35-49	411	10.0	95	1	2	8	12	19	26	50
50-64	2066	11.5	91	2	2	10	14	22	30	55
65+	3459	13.4	112	2	3	11	17	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.8	15	1	1	4	7	10	12	20
B. *Operated*	1042	7.2	32	1	1	7	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	545	7.9	43	1	2	7	10	15	18	29
B. *Operated*	6009	12.5	105	2	2	10	16	24	32	57
1. SINGLE DX	1139	7.0	31	1	1	6	10	13	16	25
2. MULTIPLE DX	6554	12.1	102	2	2	10	15	23	31	55
A. NOT OPERATED	642	7.5	40	1	2	6	10	15	18	28
B. OPERATED	7051	11.7	98	2	2	10	15	22	30	52
TOTAL 0-19 YRS	17	7.2	35	1	1	6	9	14	21	25
20-34	130	8.9	83	1	2	8	11	17	21	58
35-49	604	8.9	74	1	2	8	11	17	23	45
50-64	2746	10.4	81	1	2	9	13	20	27	49
65+	4196	12.4	104	2	2	10	16	24	31	53
GRAND TOTAL	**7693**	**11.4**	**95**	**2**	**2**	**9**	**15**	**22**	**29**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.2	23	1	2	5	8	12	14	24
20-34	38	4.3	9	1	1	3	6	9	10	12
35-49	38	4.5	11	1	1	4	6	9	12	14
50-64	57	3.9	7	<1	<1	3	5	7	9	13
65+	60	5.9	104	1	1	3	6	11	18	71
B. *Operated*										
0-19 YRS	27	6.5	43	1	1	4	9	13	18	32
20-34	51	5.7	27	1	1	4	7	14	18	25
35-49	133	4.5	21	1	1	3	6	8	10	23
50-64	310	5.1	27	1	1	3	7	11	13	28
65+	263	5.0	28	1	1	3	6	11	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	6.7	35	1	2	5	9	14	18	34
20-34	86	5.3	15	<1	1	4	7	11	14	18
35-49	169	5.1	20	<1	<1	4	7	9	13	28
50-64	404	6.0	25	1	1	5	8	12	17	24
65+	900	7.1	35	1	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	30	8.0	72	1	2	5	11	18	23	41
20-34	124	11.4	152	1	2	8	15	22	31	72
35-49	365	8.3	63	1	2	6	11	18	23	43
50-64	1441	9.6	102	1	2	7	13	19	29	52
65+	2442	11.7	123	2	2	9	16	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	5.3	33	1	1	4	7	10	14	21
B. *Operated*	784	5.1	27	1	1	3	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1674	6.5	31	1	2	5	8	13	17	29
B. *Operated*	4402	10.7	113	2	2	8	14	23	31	54
1. SINGLE DX	1092	5.1	29	1	1	3	7	11	14	26
2. MULTIPLE DX	6076	9.5	94	1	2	7	12	20	28	50
A. NOT OPERATED	1982	6.3	31	1	2	5	8	12	16	29
B. OPERATED	5186	9.9	104	1	2	7	13	21	30	52
TOTAL 0-19 YRS	287	6.6	35	1	2	5	9	13	17	33
20-34	299	7.7	82	1	2	5	10	17	21	50
35-49	705	6.6	45	1	1	5	9	15	19	33
50-64	2212	8.2	79	1	2	5	11	17	23	48
65+	3665	10.0	100	1	2	7	13	21	30	51
GRAND TOTAL	**7168**	**8.9**	**86**	**1**	**2**	**6**	**11**	**19**	**27**	**48**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	6.3	17	2	2	6	9	12	15	18
20-34	462	6.6	14	2	2	6	9	11	13	19
35-49	648	7.4	14	2	3	7	9	12	14	18
50-64	594	7.3	12	3	3	7	9	11	13	18
65+	455	7.9	14	3	4	7	10	13	15	19
B. *Operated*										
0-19 YRS	32	6.4	13	1	2	6	8	11	13	17
20-34	236	7.4	18	2	2	7	10	12	15	19
35-49	276	7.6	22	2	2	7	10	14	17	22
50-64	255	7.0	15	2	2	6	10	12	14	19
65+	194	7.9	13	2	3	8	10	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	7.8	26	1	2	7	10	15	18	23
20-34	596	8.7	37	2	3	8	11	15	20	32
35-49	1146	8.4	20	3	4	8	10	14	17	24
50-64	1866	8.7	22	3	4	8	11	14	17	24
65+	2969	9.2	25	3	4	8	11	15	18	27
B. *Operated*										
0-19 YRS	25	9.3	35	2	2	10	11	17	23	25
20-34	355	9.5	52	2	3	8	12	17	22	36
35-49	637	9.7	56	2	3	8	12	17	24	43
50-64	1047	9.9	46	3	3	9	12	17	21	38
65+	1461	11.0	46	3	4	10	14	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2202	7.3	14	2	3	7	9	12	14	18
B. *Operated*	993	7.4	17	2	2	7	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*	6623	8.9	24	3	4	8	11	14	17	25
B. *Operated*	3525	10.3	49	2	3	9	13	18	23	37
1. SINGLE DX	3195	7.3	15	2	3	7	9	12	14	19
2. MULTIPLE DX	10148	9.4	33	3	4	8	11	16	19	30
A. NOT OPERATED	8825	8.5	22	3	4	8	10	14	17	24
B. OPERATED	4518	9.7	43	2	3	9	12	17	21	35
TOTAL 0-19 YRS	146	7.3	23	2	2	7	10	14	17	23
20-34	1649	8.1	32	2	3	7	10	14	18	29
35-49	2707	8.4	28	2	3	8	10	14	17	27
50-64	3762	8.7	28	3	4	8	11	14	17	26
65+	5079	9.6	30	3	4	9	12	16	19	30
GRAND TOTAL	**13343**	**8.9**	**30**	**3**	**3**	**8**	**11**	**15**	**18**	**28**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	5.2	27	<1	1	3	6	14	17	18
35-49	21	6.4	32	<1	1	5	8	14	21	24
50-64	35	6.5	24	1	2	5	8	12	15	24
65+	63	9.8	61	1	3	8	13	18	24	44
B. *Operated*										
0-19 YRS	24	2.7	2	<1	1	3	4	4	5	6
20-34	715	3.4	6	1	1	3	4	5	7	11
35-49	1056	3.7	8	1	1	3	4	6	7	16
50-64	719	4.8	20	1	2	4	5	8	12	24
65+	224	7.1	36	1	2	5	9	17	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	31	4.9	20	<1	<1	4	6	9	13	23
35-49	121	9.1	43	1	2	8	12	17	22	36
50-64	245	9.7	52	2	3	8	12	17	23	39
65+	853	10.7	55	3	4	9	14	20	25	38
B. *Operated*										
0-19 YRS	6	12.3	90	1	1	12	19	25	26	26
20-34	235	5.2	25	1	2	4	5	10	16	27
35-49	546	5.7	26	2	2	4	6	11	16	27
50-64	674	8.1	62	2	3	5	9	20	25	42
65+	676	14.9	169	3	3	11	21	31	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	7.9	46	1	1	6	11	16	21	30
B *Operated*	2738	4.2	14	1	2	3	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	1252	10.2	53	2	3	8	13	19	24	38
B. *Operated*	2137	9.3	98	2	2	5	11	22	28	53
1. SINGLE DX	2871	4.4	16	1	2	3	5	7	11	22
2. MULTIPLE DX	3389	9.7	82	2	3	7	12	21	27	46
A. NOT OPERATED	1385	10.0	53	2	3	8	13	19	24	37
B. OPERATED	4875	6.5	57	1	2	4	6	15	22	41
TOTAL 0-19 YRS	33	4.8	32	1	1	3	4	12	18	26
20-34	994	3.9	12	1	1	3	4	6	8	20
35-49	1744	4.8	18	1	2	4	5	9	12	25
50-64	1673	6.9	46	2	2	5	8	14	21	36
65+	1816	11.8	102	2	3	9	15	24	30	54
GRAND TOTAL	**6260**	**7.2**	**58**	**1**	**2**	**5**	**8**	**16**	**23**	**39**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	1	1	2	4	5	6	7
20-34	78	2.7	3	1	1	3	4	5	6	7
35-49	74	3.2	5	<1	1	3	4	6	7	10
50-64	59	2.9	5	1	1	2	4	5	7	13
65+	32	3.8	13	1	1	3	5	7	13	17
B. *Operated*										
0-19 YRS	23	3.3	4	1	1	3	4	6	8	9
20-34	418	3.9	3	1	2	4	5	6	7	9
35-49	536	4.2	4	1	2	4	5	7	8	11
50-64	314	4.2	4	1	2	4	5	7	9	10
65+	121	4.4	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	3	1	1	3	4	6	7	8
20-34	152	3.8	8	1	1	3	5	7	8	17
35-49	253	4.0	7	1	1	3	5	7	9	12
50-64	323	4.1	8	1	1	3	5	8	9	12
65+	495	4.7	15	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	56	4.5	4	1	2	4	6	7	8	12
20-34	1792	4.5	4	2	2	4	5	7	8	12
35-49	3045	4.8	8	2	2	4	6	8	9	14
50-64	2498	5.2	8	2	3	5	6	8	10	16
65+	1288	6.4	20	2	3	5	8	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.1	5	1	1	3	4	6	7	13
B. *Operated*	1412	4.1	4	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1242	4.2	10	1	1	3	5	8	10	16
B. *Operated*	8679	5.1	10	2	2	5	6	8	10	16
1. SINGLE DX	1670	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX	9921	5.0	10	2	2	4	6	8	10	16
A. NOT OPERATED	1500	4.0	10	1	1	3	5	7	9	15
B. OPERATED	10091	5.0	9	2	2	4	6	8	10	15
TOTAL 0-19 YRS	113	3.8	4	1	1	4	5	7	8	10
20-34	2440	4.3	5	1	2	4	5	7	8	11
35-49	3908	4.7	8	1	2	4	6	7	9	13
50-64	3194	5.0	8	2	2	4	6	8	10	15
65+	1936	5.8	19	2	2	5	7	10	13	22
GRAND TOTAL	**11591**	**4.9**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	4.3	15	1	1	3	5	10	13	18
20-34	147	6.6	20	1	2	6	9	12	15	20
35-49	183	6.5	12	1	2	7	9	10	12	18
50-64	186	6.5	19	1	1	6	9	12	14	19
65+	212	6.1	14	1	2	5	8	11	12	18
B. *Operated*										
0-19 YRS	1[illegible]6	2.6	7	1	1	2	3	4	9	13
20-34	355	4.1	16	1	1	2	6	9	11	21
35-49	211	5.8	20	1	1	4	9	12	14	19
50-64	186	7.3	20	1	2	7	11	13	15	18
65+	151	8.7	31	1	2	9	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.4	43	1	1	3	5	8	10	34
20-34	366	7.2	34	1	1	6	10	14	18	29
35-49	616	7.2	34	1	2	6	9	14	17	32
50-64	1231	7.2	30	1	2	6	9	13	16	26
65+	3200	7.2	23	2	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	103	6.7	75	<1	1	3	8	17	23	46
20-34	584	6.2	48	1	1	3	9	14	18	31
35-49	595	9.2	54	1	2	8	12	18	22	36
50-64	992	10.7	83	2	2	9	13	19	27	53
65+	1510	11.8	89	2	3	10	14	22	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	789	6.2	16	1	2	6	9	11	13	18
B. *Operated*	1059	5.4	23	1	1	3	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5535	7.1	27	2	2	6	9	13	16	25
B. *Operated*	3784	10.1	79	1	2	8	13	19	25	46
1. SINGLE DX	1848	5.8	20	1	1	5	9	12	14	20
2. MULTIPLE DX	9319	8.3	50	1	2	7	11	16	20	36
A. NOT OPERATED	6324	7.0	26	1	2	6	9	13	16	24
B. OPERATED	4843	9.1	70	1	2	8	12	18	23	43
TOTAL 0-19 YRS	442	4.3	36	1	1	2	4	9	14	27
20-34	1452	6.0	35	1	1	4	9	13	17	28
35-49	1605	7.7	39	1	2	7	10	15	18	31
50-64	2595	8.5	52	2	2	7	11	15	20	35
65+	5073	8.5	47	2	2	7	11	15	20	36
GRAND TOTAL	**11167**	**7.9**	**46**	**1**	**2**	**7**	**10**	**15**	**19**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3696	2.6	3	1	1	2	3	5	6	8
20-34	537	3.2	4	1	1	3	4	5	6	8
35-49	191	3.4	3	1	1	3	5	6	7	9
50-64	88	4.1	6	1	2	3	5	8	9	13
65+	62	3.8	6	1	1	4	4	6	8	15
B. *Operated*										
0-19 YRS	556	1.8	2	<1	1	1	2	3	4	7
20-34	184	2.1	3	1	1	2	3	4	5	10
35-49	42	2.9	5	<1	1	2	4	6	7	10
50-64	16	3.1	6	1	1	2	3	8	9	9
65+	6	2.0	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8180	3.3	5	1	1	3	4	6	7	11
20-34	1590	3.7	4	1	2	3	4	6	8	11
35-49	901	4.5	7	1	2	4	6	8	10	14
50-64	920	5.2	11	2	2	4	6	9	12	16
65+	1337	6.4	21	2	3	5	8	11	14	24
B. *Operated*										
0-19 YRS	589	3.4	22	1	1	2	3	7	12	31
20-34	186	4.2	13	1	1	3	6	9	11	17
35-49	114	6.3	28	1	2	5	8	12	17	27
50-64	138	8.4	79	1	1	6	10	17	25	49
65+	141	9.1	40	2	2	8	11	17	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4574	2.8	3	1	1	2	3	5	6	8
B. *Operated*	804	1.9	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	12928	3.9	8	1	1	3	5	7	9	14
B. *Operated*	1168	5.1	35	1	1	3	7	12	16	34
1. SINGLE DX	5378	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	14096	4.0	10	1	1	3	5	7	9	16
A. NOT OPERATED	17502	3.6	7	1	1	3	4	6	8	13
B. OPERATED	1972	3.8	24	1	1	2	4	9	13	24
TOTAL 0-19 YRS	13021	3.1	5	1	1	3	4	5	7	11
20-34	2497	3.5	5	1	1	3	4	6	8	12
35-49	1248	4.5	9	1	2	4	5	8	10	16
50-64	1162	5.5	20	1	2	4	7	10	13	23
65+	1546	6.5	23	2	2	5	8	12	15	24
GRAND TOTAL	19474	3.6	9	1	1	3	4	7	8	14

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5880	3.6	6	1	1	3	5	6	7	10
20-34	400	4.1	12	2	2	4	5	6	7	11
35-49	392	4.2	4	2	2	4	5	7	8	11
50-64	274	4.7	5	2	2	4	5	8	9	13
65+	285	5.1	7	2	2	5	6	8	10	13
B. *Operated*										
0-19 YRS	14	6.4	20	1	1	7	8	11	16	18
20-34	7	7.6	48	4	4	5	7	20	23	23
35-49	14	6.2	23	2	2	5	7	13	18	19
50-64	13	6.2	14	1	2	5	10	11	12	12
65+	9	9.2	86	2	2	7	9	24	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7593	4.4	7	1	2	4	5	7	9	14
20-34	1532	4.9	11	2	2	4	6	8	11	18
35-49	2003	5.4	9	2	2	5	7	9	11	16
50-64	4157	6.5	17	2	3	6	8	11	14	22
65+	8001	7.1	20	3	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	101	8.3	33	2	3	7	11	16	20	28
20-34	92	8.3	31	2	3	7	11	15	21	25
35-49	201	7.9	28	2	3	7	10	16	19	23
50-64	417	9.8	54	2	3	8	12	18	23	42
65+	587	11.9	76	3	4	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7231	3.8	7	1	2	3	5	6	7	10
B. *Operated*	57	6.9	32	1	2	5	9	12	19	32
2. MULTIPLE DX										
A. *Not Operated*	23286	5.8	15	2	2	5	7	10	13	20
B. *Operated*	1398	10.2	59	2	3	8	13	19	24	43
1. SINGLE DX	7288	3.8	7	1	2	3	5	6	8	11
2. MULTIPLE DX	24684	6.1	18	2	2	5	7	11	14	22
A. NOT OPERATED	30517	5.3	14	2	2	4	7	9	12	19
B. OPERATED	1455	10.1	58	2	3	8	13	19	24	43
TOTAL 0-19 YRS	13588	4.1	7	1	2	4	5	7	8	13
20-34	2031	4.9	13	2	2	4	6	8	11	19
35-49	2610	5.4	11	2	2	5	7	9	12	17
50-64	4861	6.7	21	2	3	6	8	12	15	24
65+	8882	7.4	24	2	3	6	9	13	16	27
GRAND TOTAL	31972	5.6	17	2	2	5	7	10	13	21

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	484	1.7	1	1	1	2	2	3	3	5
20-34	1076	1.9	1	1	1	2	2	3	4	5
35-49	542	1.9	1	1	1	2	2	3	4	4
50-64	240	2.0	1	1	1	2	3	3	4	5
65+	84	2.3	4	1	1	2	2	4	4	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.7	2	<1	<1	1	2	4	5	5
20-34	24	1.4	1	<1	<1	1	2	2	3	4
35-49	20	1.4		<1	<1	1	2	2	3	3
50-64	11	2.2	2	1	1	2	3	5	5	5
65+	7	1.9	1	<1	<1	2	2	4	4	4
B. Operated										
0-19 YRS	1201	2.1	1	1	1	2	3	3	4	6
20-34	2948	2.2	2	1	1	2	3	4	4	6
35-49	1977	2.3	2	1	1	2	3	4	4	8
50-64	1144	2.4	3	1	1	2	3	4	5	8
65+	383	2.6	3	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	<1	<1	2	2	3	3	3
B. Operated	2426	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	75	1.6	1	<1	<1	1	2	3	4	5
B. Operated	7653	2.3	2	1	1	2	3	4	4	7
1. SINGLE DX	2433	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	7728	2.3	2	1	1	2	3	4	4	7
A. NOT OPERATED	82	1.6	1	<1	<1	1	2	3	4	5
B. OPERATED	10079	2.2	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1700	2.0	1	1	1	2	3	3	4	6
20-34	4052	2.1	2	1	1	2	3	3	4	6
35-49	2539	2.2	2	1	1	2	3	4	4	7
50-64	1395	2.4	2	1	1	2	3	4	4	7
65+	475	2.5	3	1	1	2	3	4	5	11
GRAND TOTAL	**10161**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	31	2.3	1	<1	1	2	3	4	4	5
20-34	54	2.1	1	1	1	2	2	4	5	6
35-49	69	2.0	1	1	1	2	2	4	4	6
50-64	90	2.1	2	1	1	2	3	4	5	7
65+	61	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	6	4.2	1	2	2	4	5	5	5	5
35-49	8	4.4	59	<1	<1	1	3	18	23	23
50-64	9	2.3	2	<1	<1	2	3	4	5	5
65+	4	2.5	4	<1	<1	2	4	5	5	5
B. Operated										
0-19 YRS	87	2.3	2	1	1	2	3	4	4	10
20-34	207	2.3	2	1	1	2	3	4	5	6
35-49	292	2.4	2	1	1	2	3	4	5	9
50-64	373	2.7	3	1	1	2	3	5	6	10
65+	217	2.7	3	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	305	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	31	3.2	16	<1	<1	2	4	5	5	23
B. Operated	1176	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	307	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX	1207	2.6	3	1	1	2	3	4	5	9
A. NOT OPERATED	33	3.1	15	<1	<1	2	4	5	5	23
B. OPERATED	1481	2.5	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	122	2.3	2	1	1	2	3	4	4	8
20-34	268	2.3	2	1	1	2	3	4	5	6
35-49	369	2.4	3	1	1	2	3	4	5	9
50-64	472	2.6	3	1	1	2	3	4	5	9
65+	283	2.6	3	1	1	2	3	5	6	9
GRAND TOTAL	**1514**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	1.6	1	<1	<1	1	2	3	4	6
20-34	20	2.0	1	<1	1	2	3	4	4	4
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16841	1.5	1	<1	1	1	2	2	2	3
20-34	3362	1.7	1	1	1	2	2	3	3	4
35-49	329	1.9	1	1	1	2	2	3	4	6
50-64	61	2.1	2	1	1	2	3	3	4	8
65+	19	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	1.7	3	<1	<1	1	2	4	5	7
20-34	56	2.2	3	<1	<1	2	3	4	6	9
35-49	11	2.2	2	1	1	2	3	4	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	3	8.0	79	<1	<1	5	15	18	18	18
B. *Operated*										
0-19 YRS	11512	1.5	1	<1	1	1	2	2	3	4
20-34	972	2.1	3	1	1	2	2	4	4	8
35-49	188	2.7	5	1	1	2	3	5	7	12
50-64	43	3.1	6	1	1	2	4	7	9	10
65+	20	3.3	7	1	1	3	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	20612	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	431	1.9	3	<1	<1	1	2	4	5	8
B. *Operated*	12735	1.6	1	<1	1	1	2	2	3	5
1. SINGLE DX	20722	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	13166	1.6	1	<1	1	1	2	2	3	6
A. NOT OPERATED	541	1.8	3	<1	<1	1	2	4	5	7
B. OPERATED	33347	1.5	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	28795	1.5	1	<1	1	1	2	2	2	4
20-34	4410	1.8	2	1	1	2	2	3	4	5
35-49	533	2.2	3	1	1	2	2	4	5	10
50-64	108	2.6	3	1	1	2	3	5	6	10
65+	42	3.1	10	<1	1	2	3	5	10	18
GRAND TOTAL	**33888**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	536	2.9	3	1	1	3	4	5	6	8
20-34	357	3.1	3	1	2	3	4	5	6	9
35-49	161	3.2	4	1	1	3	4	5	7	10
50-64	55	3.8	12	1	1	3	5	9	9	20
65+	47	2.9	4	<1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	571	2.5	4	1	1	2	3	4	6	11
20-34	822	2.3	2	1	1	2	3	4	5	8
35-49	704	2.2	4	1	1	2	2	4	5	9
50-64	602	2.2	3	1	1	2	2	4	5	10
65+	281	2.3	4	1	1	2	2	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	718	3.9	7	1	2	3	5	7	9	16
20-34	469	3.9	6	1	2	4	5	7	9	12
35-49	351	4.2	6	1	2	4	5	8	9	12
50-64	325	4.9	15	1	2	4	6	9	11	19
65+	326	5.4	14	1	2	4	8	11	13	16
B. *Operated*										
0-19 YRS	821	3.5	28	1	1	2	3	7	10	25
20-34	1162	2.9	13	1	1	2	3	5	7	15
35-49	1115	3.0	8	1	1	2	3	6	8	15
50-64	1126	3.7	20	1	1	2	4	7	11	23
65+	781	4.4	29	1	1	3	5	9	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	3.0	3	1	1	3	4	5	6	9
B. *Operated*	2980	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2189	4.3	9	1	2	4	5	8	10	15
B. *Operated*	5005	3.4	19	1	1	2	4	7	10	21
1. SINGLE DX	4136	2.5	4	1	1	2	3	4	6	10
2. MULTIPLE DX	7194	3.7	16	1	1	3	4	7	10	19
A. NOT OPERATED	3345	3.9	8	1	1	3	5	7	9	14
B. OPERATED	7985	3.0	13	1	1	2	3	5	8	17
TOTAL 0-19 YRS	2646	3.3	12	1	1	2	4	6	8	16
20-34	2810	2.9	8	1	1	2	4	5	7	12
35-49	2331	2.9	7	1	1	2	4	5	7	13
50-64	2108	3.5	15	1	1	2	4	7	10	19
65+	1435	4.2	21	1	1	3	5	9	13	23
GRAND TOTAL	**11330**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10470	4.1	5	1	2	4	5	7	8	11
20-34	1954	4.6	6	2	2	4	6	8	9	13
35-49	1363	5.2	7	2	3	5	6	9	10	14
50-64	1275	5.7	8	2	3	5	7	9	11	15
65+	1620	6.6	14	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	33	6.5	20	1	2	6	9	11	16	20
20-34	47	8.6	36	2	3	6	12	18	19	29
35-49	60	8.6	23	2	3	8	11	14	17	29
50-64	92	7.9	36	2	2	7	11	15	18	33
65+	91	7.8	24	2	2	7	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YR	14808	4.9	12	2	2	4	6	8	11	16
20-34	2893	6.0	16	2	3	5	7	11	13	20
35-49	3447	6.8	21	2	3	6	8	11	14	24
50-64	7186	7.8	24	3	3	7	10	13	17	27
65+	25058	9.3	33	3	4	8	11	16	20	30
B. *Operated*										
0-19 YRS	299	13.0	115	3	4	10	16	26	36	90
20-34	339	13.6	164	3	4	10	17	28	34	79
35-49	496	13.9	112	3	4	11	16	25	36	52
50-64	1307	14.5	107	4	5	12	18	28	35	54
65+	2989	16.9	133	5	6	14	21	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16682	4.6	7	2	2	4	6	8	9	14
B. *Operated*	323	8.0	29	2	2	7	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	53392	7.5	28	2	3	6	9	14	17	27
B. *Operated*	5430	15.6	128	4	5	13	20	30	37	59
1. SINGLE DX	17005	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	58822	8.3	43	2	3	7	10	15	20	33
A. NOT OPERATED	70074	6.9	24	2	3	6	9	13	16	25
B. OPERATED	5753	15.2	125	3	5	12	19	29	37	58
TOTAL 0-19 YRS	25610	4.7	11	2	2	4	6	8	10	16
20-34	5233	6.0	26	2	2	5	7	10	14	26
35-49	5366	7.1	31	2	3	6	8	12	16	30
50-64	9860	8.4	39	3	3	7	10	15	20	33
65+	29758	9.9	48	3	4	8	12	18	22	36
GRAND TOTAL	**75827**	**7.5**	**37**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	2.9	4	1	1	2	4	5	6	9
20-34	216	2.9	2	1	1	3	4	5	5	7
35-49	144	3.1	3	1	1	3	4	5	6	8
50-64	94	3.8	5	2	2	3	5	6	7	15
65+	149	4.2	6	2	2	4	6	7	8	12
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	7	2.9	5	1	1	3	4	6	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	3.3	4	1	1	3	4	5	7	10
20-34	636	3.5	5	1	1	3	4	6	7	12
35-49	407	4.2	5	1	2	4	5	7	9	12
50-64	602	5.0	10	2	2	4	6	9	11	16
65+	1436	5.9	16	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	7	4.3	1	3	3	4	5	6	6	6
20-34	19	6.4	20	1	2	6	8	14	17	17
35-49	14	7.6	92	2	3	4	6	16	34	39
50-64	23	10.7	52	2	3	9	14	22	26	31
65+	56	13.9	144	3	5	10	17	26	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	3.2	4	1	1	3	4	6	7	9
B. *Operated*	10	3.0	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	3700	4.7	11	1	2	4	6	9	11	17
B. *Operated*	119	10.8	101	2	3	8	13	21	28	53
1. SINGLE DX	951	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX	3819	4.9	15	1	2	4	6	9	12	19
A. NOT OPERATED	4641	4.4	10	1	2	4	5	8	10	17
B. OPERATED	129	10.2	98	2	3	8	13	20	27	50
TOTAL 0-19 YRS	967	3.2	4	1	1	3	4	5	7	9
20-34	878	3.4	5	1	1	3	4	6	7	12
35-49	565	4.0	7	1	2	4	5	7	8	12
50-64	719	5.0	12	2	2	4	6	9	12	18
65+	1641	6.0	22	2	2	5	7	11	14	22
GRAND TOTAL	**4770**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1085	3.2	4	1	1	3	4	6	7	9
20-34	142	3.6	4	1	1	3	4	6	7	10
35-49	152	4.0	5	1	2	4	5	6	8	11
50-64	276	5.3	12	2	2	5	6	8	11	18
65+	266	5.8	16	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	14	3.3	12	1	1	2	4	7	12	14
20-34	9	5.1	13	1	1	5	7	10	12	12
35-49	27	5.2	32	1	1	4	7	8	22	25
50-64	39	4.8	12	<1	1	4	6	10	12	14
65+	31	4.7	13	1	1	3	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1754	4.0	6	1	2	3	5	7	8	13
20-34	448	4.6	7	2	2	4	6	8	10	14
35-49	713	5.7	26	2	2	5	7	10	13	21
50-64	1746	6.7	20	2	3	6	8	12	15	24
65+	3527	7.6	30	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	24	9.0	246	1	1	4	9	18	39	78
20-34	74	6.6	23	2	2	5	9	13	16	24
35-49	160	8.1	61	1	2	6	10	16	24	57
50-64	367	9.0	74	2	2	7	11	17	26	48
65+	449	10.7	96	2	3	8	13	21	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1921	3.9	8	1	1	3	5	7	8	14
B. *Operated*	120	4.7	16	1	1	4	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	8188	6.3	23	2	2	5	8	11	15	24
B. *Operated*	1074	9.4	83	2	2	7	11	18	26	47
1. SINGLE DX	2041	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	9262	6.7	31	2	2	5	8	12	16	28
A. NOT OPERATED	10109	5.9	21	2	2	5	7	11	14	23
B. OPERATED	1194	8.9	78	1	2	7	11	17	25	46
TOTAL 0-19 YRS	2877	3.7	8	1	1	3	5	6	8	12
20-34	673	4.6	9	1	2	4	6	8	10	16
35-49	1052	5.8	30	2	2	4	7	10	14	25
50-64	2428	6.9	28	2	3	6	8	12	16	28
65+	4273	7.8	37	2	3	6	9	14	18	32
GRAND TOTAL	**11303**	**6.2**	**28**	**2**	**2**	**5**	**8**	**11**	**15**	**26**

182: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	27	4.0	5	1	1	3	5	6	8	9
50-64	137	6.2	14	2	2	5	8	10	13	20
65+	151	6.3	21	2	2	5	8	11	15	20
B. *Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	6	10.2	61	2	2	8	10	23	25	25
35-49	12	7.0	7	3	3	7	9	10	11	11
50-64	8	11.6	332	1	2	5	10	42	56	56
65+	4	11.8	6	9	9	11	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	44	1	1	4	8	18	18	18
20-34	14	5.2	8	1	2	4	7	9	11	11
35-49	117	7.2	43	1	2	5	8	14	21	37
50-64	986	8.5	50	2	3	7	10	15	19	34
65+	2125	8.5	43	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	7	13.3	39	6	6	11	17	23	24	24
20-34	23	12.0	32	5	6	10	15	22	23	23
35-49	37	14.9	216	3	4	9	18	27	34	86
50-64	139	14.9	183	2	4	11	17	33	43	63
65+	225	14.7	130	4	5	11	19	32	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	6.0	17	2	2	5	8	10	13	20
B. *Operated*	32	9.5	92	2	3	8	10	13	24	56
2. MULTIPLE DX										
A. *Not Operated*	3247	8.5	45	2	3	7	10	15	19	34
B. *Operated*	431	14.6	147	3	5	11	18	31	39	62
1. SINGLE DX	350	6.3	24	2	2	5	8	10	14	23
2. MULTIPLE DX	3678	9.2	61	2	3	7	11	17	23	40
A. NOT OPERATED	3565	8.2	43	2	3	7	10	15	19	34
B. OPERATED	463	14.3	145	3	4	10	18	30	39	59
TOTAL 0-19 YRS	14	10.3	43	2	3	9	15	19	23	24
20-34	46	9.0	38	1	3	8	11	21	22	25
35-49	193	8.2	80	1	2	6	9	17	24	38
50-64	1270	9.0	67	2	3	7	10	16	22	46
65+	2505	9.0	53	2	3	7	11	17	22	39
GRAND TOTAL	**4028**	**8.9**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**40**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11492	3.3	3	1	1	3	4	5	7	9
20-34	2313	3.8	4	1	2	3	5	6	8	10
35-49	1800	4.5	7	1	2	4	6	8	9	13
50-64	1499	5.0	8	2	2	4	6	9	10	15
65+	827	5.5	11	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	20	5.7	8	1	3	5	7	10	11	12
20-34	17	7.0	14	2	3	6	10	13	14	14
35-49	19	7.9	17	2	3	8	10	12	16	20
50-64	23	7.7	45	1	2	7	8	12	21	35
65+	8	8.6	38	3	3	7	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8763	3.9	6	1	2	3	5	7	8	12
20-34	2580	4.6	8	2	2	4	6	8	10	15
35-49	3239	5.8	12	2	2	5	7	10	12	19
50-64	5085	6.6	17	2	3	6	8	11	14	21
65+	5695	7.4	23	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	123	8.0	54	2	3	6	10	16	19	72
20-34	108	9.1	30	3	4	8	12	18	21	24
35-49	242	9.8	46	3	4	8	12	18	24	38
50-64	347	10.8	52	3	4	9	13	19	25	39
65+	318	12.9	93	3	4	10	16	25	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17931	3.7	5	1	2	3	5	6	8	11
B. *Operated*	87	7.2	24	2	3	6	8	12	14	30
2. MULTIPLE DX										
A. *Not Operated*	25362	5.5	15	2	2	5	7	10	12	19
B. *Operated*	1138	10.7	62	3	4	9	13	20	26	47
1. SINGLE DX	18018	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	26500	5.8	18	2	2	5	7	10	13	21
A. NOT OPERATED	43293	4.8	11	1	2	4	6	9	11	17
B. OPERATED	1225	10.5	61	3	4	9	13	19	25	43
TOTAL 0-19 YRS	20398	3.6	5	1	2	3	4	6	7	11
20-34	5018	4.4	7	1	2	4	5	7	9	15
35-49	5300	5.5	13	2	2	5	7	10	12	19
50-64	6954	6.5	18	2	3	5	8	11	14	22
65+	6848	7.4	26	2	3	6	9	13	16	28
GRAND TOTAL	**44518**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	5	<1	1	3	5	6	7	10
20-34	30	4.6	15	1	1	4	6	8	10	21
35-49	121	5.2	14	1	2	4	6	9	13	19
50-64	621	6.2	17	2	2	5	8	11	14	21
65+	801	6.1	15	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	6	7.7	20	2	2	7	10	14	15	15
35-49	14	6.1	25	1	2	5	9	11	18	20
50-64	33	8.2	88	1	1	7	9	16	26	50
65+	26	6.8	20	1	2	6	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.6	9	2	2	5	7	10	12	14
20-34	109	6.4	28	1	2	5	8	12	15	30
35-49	761	6.4	24	2	3	5	8	11	14	26
50-64	5018	7.6	29	2	3	6	9	14	17	29
65+	9964	8.2	34	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	14	8.4	49	1	2	8	11	19	24	26
20-34	18	6.3	18	1	2	5	9	13	15	15
35-49	117	9.3	49	2	3	7	12	19	25	33
50-64	623	12.9	121	3	4	10	16	25	36	67
65+	1031	13.6	123	3	4	11	17	27	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1598	6.0	16	2	2	5	7	11	14	20
B. *Operated*	82	7.2	48	1	2	6	9	14	18	43
2. MULTIPLE DX										
A. *Not Operated*	15903	7.9	32	2	3	7	10	14	18	30
B. *Operated*	1803	13.0	117	3	4	10	16	25	34	64
1. SINGLE DX	1680	6.1	17	2	2	5	8	11	14	21
2. MULTIPLE DX	17706	8.4	43	2	3	7	10	15	20	34
A. NOT OPERATED	17501	7.7	31	2	3	6	9	14	18	29
B. OPERATED	1885	12.7	116	3	4	10	16	25	34	62
TOTAL 0-19 YRS	93	5.3	16	1	2	4	7	10	12	23
20-34	163	6.1	24	1	2	5	8	11	15	24
35-49	1013	6.6	27	2	2	5	8	12	15	27
50-64	6295	8.0	40	2	3	6	10	15	19	34
65+	11822	8.5	44	2	3	7	10	16	20	34
GRAND TOTAL	**19386**	**8.2**	**41**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	4	1	1	2	4	6	7	9
20-34	225	3.0	4	1	1	2	4	5	6	13
35-49	51	3.4	4	1	1	3	4	7	8	9
50-64	15	5.7	36	1	2	4	5	12	22	25
65+	9	8.0	11	3	3	8	10	12	13	13
B. *Operated*										
0-19 YRS	168	6.3	18	2	3	5	8	12	14	23
20-34	713	6.0	12	2	3	5	7	11	13	18
35-49	196	6.2	12	2	3	6	8	10	14	19
50-64	71	6.8	17	2	3	5	8	13	15	19
65+	40	6.5	18	2	2	5	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.4	4	1	1	3	5	5	8	9
20-34	90	4.8	22	1	1	3	6	10	13	28
35-49	60	4.7	12	1	1	4	6	9	12	18
50-64	71	7.4	26	2	3	6	10	15	18	26
65+	132	7.9	39	2	3	7	9	13	18	37
B. *Operated*										
0-19 YRS	65	8.9	27	3	4	8	11	16	22	26
20-34	321	9.2	44	3	3	8	11	17	21	38
35-49	193	10.1	59	3	3	8	13	20	26	38
50-64	261	11.6	105	3	4	9	14	22	30	56
65+	397	13.5	124	3	4	10	18	28	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	3.3	6	1	1	3	4	6	8	13
B. *Operated*	1188	6.1	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	388	6.2	28	1	2	5	8	12	15	28
B. *Operated*	1237	11.2	87	3	4	8	14	22	29	44
1. SINGLE DX	1558	5.4	13	1	2	5	7	10	13	19
2. MULTIPLE DX	1625	10.0	77	2	3	7	12	20	27	43
A. NOT OPERATED	758	4.8	20	1	1	4	6	9	12	23
B. OPERATED	2425	8.7	57	2	3	6	10	17	22	38
TOTAL 0-19 YRS	338	5.8	20	1	2	5	7	11	14	22
20-34	1349	6.2	23	1	2	5	8	12	15	23
35-49	500	7.2	35	2	2	6	9	15	18	33
50-64	418	9.9	79	3	3	7	12	19	26	46
65+	578	11.7	103	3	3	8	15	24	32	52
GRAND TOTAL	**3183**	**7.8**	**51**	**2**	**2**	**6**	**9**	**16**	**20**	**36**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	675	3.2	5	1	1	3	4	5	7	12
20-34	298	3.2	7	1	1	2	4	6	9	12
35-49	228	3.8	7	1	1	3	5	7	9	13
50-64	203	4.2	15	1	1	3	5	7	11	24
65+	233	5.5	16	1	2	5	7	10	14	20
B. *Operated*										
0-19 YRS	81	5.1	35	<1	1	2	7	14	17	31
20-34	115	5.3	20	1	1	4	8	11	16	20
35-49	191	7.1	32	1	2	6	9	14	17	26
50-64	257	7.0	53	1	1	6	9	13	18	30
65+	192	6.4	31	1	1	5	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1536	4.9	19	1	2	4	6	9	13	22
20-34	708	5.4	29	1	1	4	7	10	14	29
35-49	1088	5.7	30	1	2	4	7	11	15	26
50-64	2409	7.0	34	2	2	6	9	13	16	27
65+	7043	8.5	36	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	261	10.6	138	1	1	7	14	25	40	62
20-34	345	11.2	112	2	2	8	15	26	33	72
35-49	627	11.2	104	2	2	8	14	24	32	57
50-64	1433	11.6	124	2	2	9	15	24	33	57
65+	2496	13.5	122	2	3	11	17	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1637	3.7	9	1	1	3	5	7	9	15
B. *Operated*	836	6.5	37	1	1	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	12784	7.4	35	2	2	6	9	14	18	29
B. *Operated*	5162	12.4	122	2	2	9	16	26	35	57
1. SINGLE DX	2473	4.7	20	1	1	3	6	9	13	21
2. MULTIPLE DX	17946	8.8	65	2	2	7	11	18	24	42
A. NOT OPERATED	14421	6.9	33	1	2	5	9	14	17	28
B. OPERATED	5998	11.5	114	1	2	9	15	24	33	56
TOTAL 0-19 YRS	2553	5.0	32	1	1	3	6	10	15	29
20-34	1466	6.3	51	1	1	4	8	14	20	38
35-49	2134	7.2	56	1	2	5	9	15	20	41
50-64	4302	8.4	70	1	2	6	10	17	23	43
65+	9964	9.6	62	2	3	8	12	19	24	41
GRAND TOTAL	**20419**	**8.3**	**61**	**1**	**2**	**6**	**10**	**17**	**23**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.1	2	<1	1	3	4	5	5	6
20-34	51	3.9	7	1	1	3	5	7	10	12
35-49	23	3.5	8	<1	1	3	4	8	10	11
50-64	11	4.0	8	<1	1	3	5	9	10	10
65+	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	1155	2.3	3	<1	1	2	3	4	5	7
20-34	1348	2.8	3	1	1	3	4	5	5	8
35-49	627	2.7	2	1	1	2	3	4	5	7
50-64	357	2.7	8	1	1	2	3	4	6	11
65+	102	2.8	8	1	1	2	3	4	6	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	3.3	4	<1	1	3	4	6	7	12
20-34	168	3.6	8	<1	1	3	5	6	9	15
35-49	122	3.9	9	<1	1	3	5	8	10	16
50-64	91	4.5	17	1	1	3	5	9	16	21
65+	83	4.3	8	<1	1	3	6	8	10	13
B. *Operated*										
0-19 YRS	1292	2.6	3	1	1	2	3	5	5	8
20-34	1416	3.2	15	1	1	2	4	5	7	16
35-49	1064	2.9	6	1	1	2	3	5	7	13
50-64	1098	3.0	9	1	1	2	3	5	8	16
65+	798	3.6	14	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.5	5	1	1	3	4	6	8	12
B. *Operated*	3589	2.6	4	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	633	3.8	9	<1	1	3	5	7	9	16
B. *Operated*	5668	3.0	9	1	1	2	4	5	7	15
1. SINGLE DX	3732	2.6	4	1	1	2	3	5	5	8
2. MULTIPLE DX	6301	3.1	9	1	1	2	4	5	7	15
A. NOT OPERATED	776	3.7	8	<1	1	3	5	7	9	15
B. OPERATED	9257	2.9	7	1	1	2	3	5	6	13
TOTAL 0-19 YRS	2670	2.5	3	<1	1	2	3	4	5	8
20-34	2983	3.0	9	1	1	3	4	5	6	12
35-49	1836	2.9	5	1	1	2	4	5	6	11
50-64	1557	3.1	9	1	1	2	3	5	8	16
65+	987	3.6	13	1	1	2	4	7	9	19
GRAND TOTAL	**10033**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.2	3	1	1	3	4	5	6	9
20-34	70	3.8	3	1	2	4	5	6	8	10
35-49	36	3.9	4	1	1	4	6	7	7	8
50-64	34	5.0	14	1	2	4	6	9	15	19
65+	21	5.0	9	1	2	4	6	10	11	12
B. *Operated*										
0-19 YRS	177	2.8	5	<1	1	2	3	6	7	11
20-34	164	2.5	3	1	1	2	3	5	6	10
35-49	179	2.8	4	1	1	2	3	5	6	13
50-64	164	3.2	4	1	1	3	4	5	7	9
65+	126	3.2	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.1	6	1	2	3	5	7	8	13
20-34	96	5.1	20	1	2	4	6	9	11	28
35-49	82	5.2	17	1	2	4	6	10	14	22
50-64	140	5.9	21	2	2	5	7	10	13	30
65+	231	6.9	20	2	3	6	9	13	15	26
B. *Operated*										
0-19 YRS	150	3.7	9	1	1	3	5	7	9	16
20-34	174	4.6	37	1	1	3	5	8	15	36
35-49	233	4.1	12	1	1	3	5	7	11	18
50-64	311	4.5	13	1	1	3	5	9	11	18
65+	323	6.1	54	1	2	4	6	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.8	5	1	2	3	5	6	8	12
B. *Operated*	810	2.9	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	840	5.4	16	1	2	4	7	10	13	21
B. *Operated*	1191	4.8	28	1	1	3	5	10	14	27
1. SINGLE DX	1087	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2031	5.0	23	1	2	4	6	10	13	25
A. NOT OPERATED	1117	5.0	14	1	2	4	6	9	12	18
B. OPERATED	2001	4.0	19	1	1	3	4	8	11	20
TOTAL 0-19 YRS	734	3.6	6	1	1	3	4	6	8	13
20-34	504	3.9	19	1	1	3	4	7	9	23
35-49	530	3.8	10	1	1	3	4	7	10	17
50-64	649	4.5	13	1	1	3	5	9	11	19
65+	701	5.8	34	1	2	4	7	12	15	30
GRAND TOTAL	**3118**	**4.4**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	3.0	4	1	1	2	4	6	7	11
20-34	206	3.1	4	<1	1	3	4	6	7	11
35-49	248	3.0	4	<1	1	2	4	6	7	10
50-64	217	3.6	8	1	1	3	4	6	8	13
65+	125	4.0	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	79	6.0	29	1	1	5	8	14	21	78
20-34	98	5.6	17	1	1	5	8	11	13	21
35-49	120	5.9	15	1	2	6	8	10	12	21
50-64	156	5.1	28	1	1	4	7	10	13	30
65+	140	5.2	15	1	1	5	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.4	15	1	1	3	6	8	10	21
20-34	712	4.6	16	1	1	4	6	8	10	17
35-49	1295	4.5	8	1	2	4	6	8	10	15
50-64	1646	4.7	10	1	2	4	6	8	10	16
65+	2307	5.6	17	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	236	11.8	112	1	2	9	16	27	34	50
20-34	324	7.1	33	1	2	5	9	15	20	29
35-49	685	7.5	39	2	2	6	9	14	18	32
50-64	1201	8.1	55	2	2	6	10	15	20	40
65+	2032	9.1	76	2	2	7	11	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1184	3.2	5	1	1	3	4	6	7	11
B. *Operated*	593	5.5	21	1	1	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	6581	4.9	14	1	2	4	6	9	11	18
B. *Operated*	4478	8.6	65	2	2	6	11	17	23	43
1. SINGLE DX	1777	4.0	12	1	1	3	5	8	10	17
2. MULTIPLE DX	11059	6.4	37	1	2	5	8	12	17	31
A. NOT OPERATED	7765	4.7	13	1	2	4	6	9	11	17
B. OPERATED	5071	8.2	61	1	2	6	10	16	22	42
TOTAL 0-19 YRS	1324	5.4	39	1	1	3	6	11	17	34
20-34	1340	5.1	20	1	1	4	6	10	13	22
35-49	2348	5.3	20	1	2	4	7	10	13	22
50-64	3220	5.9	31	1	2	5	7	11	15	29
65+	4604	7.1	46	2	2	5	9	14	18	35
GRAND TOTAL	**12836**	**6.1**	**35**	**1**	**2**	**5**	**7**	**12**	**16**	**30**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	8	1	2	3	5	8	12	13
20-34	102	3.9	5	1	2	3	5	7	8	11
35-49	125	4.0	6	1	2	3	5	7	9	12
50-64	96	3.7	3	1	2	3	5	6	7	8
65+	76	4.8	7	2	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	6	6.3	1	5	5	6	7	8	8	8
20-34	40	6.9	20	2	2	6	9	12	13	25
35-49	101	7.1	19	2	3	7	9	11	13	27
50-64	95	5.8	11	2	2	6	7	9	11	18
65+	66	6.6	13	2	3	6	9	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.3	8	1	2	5	7	9	10	13
20-34	259	5.0	9	1	2	4	6	9	11	16
35-49	448	5.5	11	2	2	5	7	9	12	19
50-64	614	5.9	11	2	3	5	7	10	13	17
65+	997	6.7	21	2	3	5	8	12	15	23
B. *Operated*										
0-19 YRS	12	8.3	27	3	3	7	10	16	20	21
20-34	150	7.5	21	2	3	6	9	14	16	24
35-49	417	8.8	49	2	3	7	11	15	19	34
50-64	668	8.7	37	3	3	7	11	16	20	33
65+	999	9.2	44	3	4	8	11	17	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	4.1	5	1	2	4	5	7	9	12
B. *Operated*	308	6.6	15	2	2	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	2364	6.0	15	2	2	5	7	11	13	20
B. *Operated*	2246	8.9	41	3	3	7	11	16	20	33
1. SINGLE DX	745	5.1	11	1	2	4	7	9	11	16
2. MULTIPLE DX	4610	7.4	30	2	3	6	9	14	17	28
A. NOT OPERATED	2801	5.7	14	2	2	5	7	10	13	19
B. OPERATED	2554	8.6	39	2	3	7	11	15	19	32
TOTAL 0-19 YRS	102	5.3	11	1	2	4	7	10	12	17
20-34	551	5.6	14	2	2	5	7	10	13	18
35-49	1091	6.7	29	2	2	6	8	12	15	25
50-64	1473	7.0	25	2	3	6	9	13	16	27
65+	2138	7.8	33	2	3	6	10	14	18	29
GRAND TOTAL	**5355**	**7.1**	**28**	**2**	**2**	**6**	**9**	**13**	**16**	**27**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	2	2	2	4	5	6	6	6
20-34	49	3.9	8	1	1	4	4	6	7	20
35-49	82	4.7	5	2	2	4	6	8	8	10
50-64	98	4.6	6	2	2	4	6	8	10	13
65+	123	5.6	22	2	3	5	7	9	10	24
B. *Operated*										
0-19 YRS	9	5.0	7	1	1	6	7	8	8	8
20-34	37	6.4	16	2	3	6	8	10	13	23
35-49	75	7.6	11	2	3	7	10	11	14	15
50-64	92	7.6	16	3	3	7	10	13	15	21
65+	94	8.8	30	2	4	8	10	15	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.5	5	2	2	4	6	8	9	10
20-34	126	5.0	16	2	2	4	6	9	10	25
35-49	246	5.0	7	2	2	4	6	8	10	14
50-64	545	6.0	12	2	3	5	7	10	13	18
65+	1437	7.8	31	3	3	6	9	13	16	30
B. *Operated*										
0-19 YRS	13	11.7	251	2	2	7	10	28	56	62
20-34	88	9.0	56	3	3	7	10	15	22	42
35-49	208	9.6	48	3	3	7	13	20	23	30
50-64	609	10.8	68	3	4	8	14	21	27	50
65+	1593	12.2	87	3	4	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	4.9	12	2	2	4	6	8	9	13
B. *Operated*	307	7.7	19	2	3	7	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	2387	6.9	25	2	3	6	8	12	14	26
B. *Operated*	2511	11.5	80	3	4	9	14	21	28	49
1. SINGLE DX	670	6.2	17	2	2	5	8	10	13	20
2. MULTIPLE DX	4898	9.3	58	3	3	7	11	17	23	44
A. NOT OPERATED	2750	6.6	23	2	3	6	8	11	14	24
B. OPERATED	2818	11.1	75	3	4	9	14	20	27	48
TOTAL 0-19 YRS	66	5.8	59	2	2	4	6	9	10	55
20-34	300	6.2	30	2	2	4	8	11	15	36
35-49	611	6.8	26	2	3	6	8	13	17	25
50-64	1344	8.2	43	2	3	6	10	15	21	40
65+	3247	9.9	64	3	4	8	12	18	24	45
GRAND TOTAL	**5568**	**8.9**	**54**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.3	3	1	1	3	4	6	6	8
20-34	563	3.4	4	1	1	3	4	6	7	11
35-49	538	3.9	5	1	2	3	5	7	8	12
50-64	320	3.9	5	1	2	3	5	7	8	11
65+	155	4.2	5	2	2	4	5	7	8	13
B. *Operated*										
0-19 YRS	5	5.4	7	3	3	5	6	10	10	10
20-34	64	8.5	32	3	4	8	9	12	18	39
35-49	118	8.0	22	2	2	7	10	14	18	24
50-64	72	9.0	24	2	3	8	12	17	19	20
65+	21	8.7	35	2	2	7	12	17	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.5	15	1	1	4	6	7	9	14
20-34	938	4.9	9	2	2	4	6	8	10	16
35-49	1371	5.3	12	2	2	5	7	9	11	17
50-64	1438	5.5	13	2	2	5	7	9	12	19
65+	1783	6.4	18	2	3	5	8	11	14	19
B. *Operated*										
0-19 YRS	10	8.0	27	1	1	8	9	15	20	20
20-34	173	9.1	39	2	3	8	11	17	21	35
35-49	425	10.2	65	3	3	8	12	19	28	43
50-64	420	9.9	48	3	4	8	12	18	22	38
65+	479	10.4	63	3	4	8	12	19	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1726	3.7	5	1	2	3	5	6	8	11
B. *Operated*	280	8.4	26	2	3	8	10	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	5698	5.6	14	2	2	5	7	10	12	18
B. *Operated*	1507	10.0	57	3	3	8	12	18	23	40
1. SINGLE DX	2006	4.4	10	1	2	4	5	8	10	17
2. MULTIPLE DX	7205	6.5	26	2	2	5	8	12	15	27
A. NOT OPERATED	7424	5.2	12	2	2	4	6	9	11	17
B. OPERATED	1787	9.8	52	2	3	8	12	18	22	40
TOTAL 0-19 YRS	333	4.0	10	1	1	3	5	7	9	14
20-34	1738	5.0	14	1	2	4	6	9	11	21
35-49	2452	6.0	25	2	2	5	7	11	14	25
50-64	2250	6.2	22	2	2	5	8	11	15	23
65+	2438	7.0	29	2	3	6	9	13	16	28
GRAND TOTAL	**9211**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	2	2	2	3	4	5	6	7
20-34	232	3.9	5	1	2	3	5	7	8	11
35-49	277	4.4	5	2	2	4	5	7	8	13
50-64	298	4.7	6	2	2	4	6	8	9	16
65+	265	5.3	6	2	2	5	7	8	10	13
B. *Operated*										
0-19 YRS	12	7.9	14	<1	3	7	10	14	15	15
20-34	60	7.9	9	4	5	8	9	11	13	19
35-49	108	8.2	13	3	4	8	10	13	16	19
50-64	110	8.4	16	3	4	8	10	13	15	22
65+	96	10.1	29	3	4	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.5	6	2	2	4	6	7	9	13
20-34	330	4.7	7	2	2	4	6	8	9	14
35-49	547	5.4	10	2	3	5	6	9	11	18
50-64	945	6.0	15	2	3	5	7	10	12	20
65+	2179	7.6	24	3	3	7	9	13	16	27
B. *Operated*										
0-19 YRS	12	7.3	10	3	3	7	9	11	14	15
20-34	124	9.4	29	3	4	9	12	15	19	33
35-49	253	10.8	57	3	4	9	13	20	26	50
50-64	539	12.6	93	3	5	10	15	24	31	62
65+	1153	14.8	110	5	6	12	18	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1106	4.6	6	2	2	4	6	8	9	13
B. *Operated*	386	8.7	18	3	4	8	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	4045	6.7	19	2	3	6	8	11	14	24
B. *Operated*	2081	13.4	97	4	5	11	16	25	33	56
1. SINGLE DX	1492	5.6	12	2	2	5	7	10	12	18
2. MULTIPLE DX	6126	8.9	56	3	3	7	11	17	22	39
A. NOT OPERATED	5151	6.2	17	2	3	5	8	11	13	21
B. OPERATED	2467	12.6	87	4	5	10	15	23	31	53
TOTAL 0-19 YRS	102	4.8	8	2	2	4	6	9	10	15
20-34	746	5.5	14	2	2	5	7	10	12	19
35-49	1185	6.6	25	2	3	5	8	12	16	27
50-64	1892	7.8	46	2	3	6	9	14	20	35
65+	3693	9.7	62	3	4	8	11	18	24	42
GRAND TOTAL	**7618**	**8.3**	**49**	**2**	**3**	**6**	**10**	**15**	**21**	**37**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	6	1	1	4	5	8	8	8
20-34	10	7.0	45	4	4	4	5	18	25	25
35-49	17	5.1	9	2	2	4	6	8	12	14
50-64	23	5.1	6	1	2	5	7	8	10	11
65+	20	6.1	5	2	3	6	8	9	10	10
B. *Operated*										
0-19 YRS	3	6.7	14	4	4	5	9	11	11	11
20-34	18	10.9	16	5	7	11	11	18	19	19
35-49	48	10.1	27	3	6	9	11	20	22	26
50-64	44	11.9	34	3	4	10	16	22	23	24
65+	36	12.9	44	4	4	12	17	23	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	29	3	3	6	12	16	17	17
20-34	22	5.9	14	2	3	5	7	11	15	16
35-49	48	6.9	17	2	2	6	10	13	14	18
50-64	75	7.3	19	2	3	6	10	14	15	20
65+	218	8.3	26	2	3	7	11	15	18	26
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	26	15.8	93	5	6	14	20	34	39	40
35-49	93	14.4	73	4	6	12	19	23	35	41
50-64	150	15.0	83	4	5	14	19	26	33	51
65+	329	17.1	144	5	7	14	21	32	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.5	11	2	2	5	7	9	11	22
B. *Operated*	149	11.3	33	4	5	10	14	21	23	26
2. MULTIPLE DX										
A. *Not Operated*	369	7.8	23	2	3	7	10	14	17	23
B. *Operated*	599	16.1	116	4	6	14	20	28	37	57
1. SINGLE DX	225	9.4	33	2	3	8	11	19	22	26
2. MULTIPLE DX	968	12.9	97	3	4	11	16	24	33	50
A. NOT OPERATED	445	7.4	22	2	3	6	10	14	17	23
B. OPERATED	748	15.1	103	4	6	13	19	27	35	51
TOTAL 0-19 YRS	16	7.3	34	1	2	5	9	16	21	23
20-34	76	10.6	61	3	4	9	14	20	24	40
35-49	206	10.9	56	2	3	9	14	20	24	39
50-64	292	11.8	67	3	3	10	16	22	26	36
65+	603	13.3	109	3	4	11	16	25	33	53
GRAND TOTAL	**1193**	**12.3**	**87**	**3**	**4**	**10**	**16**	**23**	**29**	**46**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	941	2.6	2	1	1	2	3	4	6	8
20-34	1274	3.0	3	1	1	3	4	5	6	9
35-49	832	3.3	4	1	1	3	4	6	7	10
50-64	460	3.4	4	1	1	3	5	6	7	11
65+	231	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	17	4.8	5	1	2	5	7	8	8	8
20-34	65	5.4	8	2	3	5	7	9	10	16
35-49	78	5.8	13	2	2	5	7	10	12	21
50-64	63	5.9	15	1	2	5	8	11	14	20
65+	21	7.6	32	2	2	4	12	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2054	3.2	5	1	1	3	4	5	7	10
20-34	3383	4.2	9	1	2	3	5	7	9	14
35-49	3669	4.9	11	1	2	4	6	9	11	17
50-64	3650	5.1	12	2	2	4	6	9	11	18
65+	4527	6.0	16	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	94	5.6	13	2	2	5	7	9	15	18
20-34	538	7.0	24	2	3	6	9	13	15	24
35-49	827	7.8	27	2	3	7	10	14	18	29
50-64	1071	8.6	43	3	3	7	10	15	20	31
65+	1296	9.2	52	3	3	8	11	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3738	3.0	3	1	1	3	4	5	7	10
B. *Operated*	244	5.8	14	2	2	5	7	10	14	19
2. MULTIPLE DX										
A. *Not Operated*	17283	4.9	12	1	2	4	6	9	11	18
B. *Operated*	3826	8.4	40	2	3	7	10	15	19	32
1. SINGLE DX	3982	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	21109	5.5	19	1	2	4	7	10	13	22
A. NOT OPERATED	21021	4.6	11	1	2	4	6	8	11	17
B. OPERATED	4070	8.2	39	2	3	7	10	15	19	32
TOTAL 0-19 YRS	3106	3.1	5	1	1	3	4	5	7	10
20-34	5260	4.2	10	1	1	3	5	8	9	16
35-49	5406	5.1	14	1	2	4	6	9	12	19
50-64	5244	5.7	20	2	2	5	7	10	13	23
65+	6075	6.6	26	2	2	5	8	12	15	26
GRAND TOTAL	**25091**	**5.2**	**17**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	3.0	5	1	1	2	4	5	7	10
20-34	192	3.3	5	1	1	3	4	6	8	11
35-49	141	3.3	6	<1	1	3	4	5	7	15
50-64	93	4.0	11	1	1	3	5	7	9	20
65+	60	4.8	9	1	1	4	6	9	11	14
B. *Operated*										
0-19 YRS	88	3.9	4	2	2	3	5	7	8	10
20-34	19	8.9	68	1	2	7	12	15	28	38
35-49	32	9.6	33	3	3	8	11	18	24	25
50-64	26	11.5	103	3	4	9	14	19	28	55
65+	23	12.9	253	1	2	8	15	23	45	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	3.4	7	1	1	3	4	6	8	15
20-34	532	4.6	14	1	1	4	6	8	11	20
35-49	598	4.7	11	1	2	4	6	9	11	17
50-64	632	5.4	18	1	2	4	7	10	14	22
65+	845	6.3	23	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	61	7.3	28	1	2	6	8	14	18	26
20-34	109	11.1	72	3	4	9	13	21	30	45
35-49	217	14.3	151	3	5	11	17	29	39	56
50-64	262	14.5	155	3	4	12	17	28	44	80
65+	439	15.9	128	4	5	13	20	30	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	642	3.5	7	1	1	3	4	6	8	14
B. *Operated*	188	7.5	70	2	2	5	9	14	19	49
2. MULTIPLE DX										
A. *Not Operated*	2940	5.2	17	1	2	4	6	10	13	20
B. *Operated*	1088	14.3	132	3	4	11	17	28	38	60
1. SINGLE DX	830	4.4	24	1	1	3	5	8	11	22
2. MULTIPLE DX	4028	7.6	64	1	2	5	9	16	22	43
A. NOT OPERATED	3582	4.9	15	1	2	4	6	9	12	20
B. OPERATED	1276	13.3	129	3	3	10	16	26	36	60
TOTAL 0-19 YRS	638	3.8	9	1	1	3	5	7	9	18
20-34	852	5.2	26	1	1	4	6	10	14	29
35-49	988	6.8	58	1	2	4	8	14	20	40
50-64	1013	7.8	72	1	2	5	10	16	22	52
65+	1367	9.4	80	2	2	7	12	20	26	46
GRAND TOTAL	**4858**	**7.1**	**59**	**1**	**2**	**5**	**8**	**15**	**21**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.0	1	<1	<1	2	2	3	4	5
20-34	40	2.2	2	1	1	2	3	4	6	6
35-49	11	2.2	2	<1	<1	2	3	4	5	5
50-64	6	2.8	3	1	1	2	3	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5575	3.4	2	2	2	3	4	5	6	8
20-34	4099	3.5	2	2	2	3	4	5	6	8
35-49	1189	4.0	3	2	2	4	5	6	7	10
50-64	450	4.6	5	2	2	4	6	7	9	12
65+	107	5.3	5	2	3	5	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	3	1	1	2	3	4	6	8
20-34	24	2.8	8	1	1	2	3	5	8	14
35-49	10	5.1	3	2	2	5	6	7	8	8
50-64	4	4.3	4	3	3	4	5	7	7	7
65+	10	6.7	35	2	2	4	9	16	22	22
B. *Operated*										
0-19 YRS	1160	4.6	8	2	2	4	5	8	10	15
20-34	1069	5.0	8	2	3	4	6	8	10	15
35-49	447	6.1	15	3	3	5	7	10	13	20
50-64	291	6.6	11	3	3	6	8	11	13	18
65+	185	9.6	60	4	4	7	11	17	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	11420	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	82	3.4	10	1	1	3	4	7	8	19
B. *Operated*	3152	5.4	14	2	3	4	6	9	12	19
1. SINGLE DX	11531	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3234	5.4	14	2	3	4	6	9	12	19
A. NOT OPERATED	193	2.7	6	1	1	2	3	5	6	12
B. OPERATED	14572	4.0	5	2	2	3	5	6	8	13
TOTAL 0-19 YRS	6822	3.6	3	2	2	3	4	5	7	10
20-34	5232	3.8	4	2	2	3	4	6	7	11
35-49	1657	4.5	7	2	2	4	5	7	9	15
50-64	751	5.4	9	2	3	5	7	9	11	15
65+	303	8.0	44	3	3	6	9	13	18	40
GRAND TOTAL	**14765**	**4.0**	**5**	**2**	**2**	**3**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	10	<1	<1	7	7	9	9	9
20-34	18	5.1	7	1	2	5	7	8	10	12
35-49	8	7.5	19	3	3	5	12	13	14	14
50-64	13	6.1	9	2	2	6	9	9	10	10
65+	2	20.0	392	6	6	20	34	34	34	34
B. *Operated*										
0-19 YRS	1179	6.7	11	3	3	6	8	10	12	16
20-34	622	6.5	8	3	3	6	8	10	11	16
35-49	410	7.6	14	3	4	7	9	12	13	21
50-64	273	8.1	13	4	4	8	10	12	16	22
65+	112	8.8	10	5	5	8	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	7.3	5	5	5	7	10	10	10	10
35-49	6	9.2	15	4	4	8	12	15	15	15
50-64	8	7.8	13	2	3	8	9	13	14	14
65+	19	11.5	76	2	3	10	13	25	33	36
B. *Operated*										
0-19 YRS	828	9.4	29	4	5	8	11	15	19	31
20-34	474	8.9	27	4	5	8	10	14	17	31
35-49	439	10.0	36	4	5	9	11	15	18	35
50-64	510	11.7	37	5	6	11	14	19	24	33
65+	526	13.9	77	6	7	12	16	23	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	6.5	26	1	2	6	8	11	12	34
B. *Operated*	2596	7.0	11	3	3	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	39	9.7	44	3	4	8	11	16	24	36
B. *Operated*	2777	10.7	44	4	5	9	13	18	22	35
1. SINGLE DX	2644	7.0	11	3	3	7	8	11	13	18
2. MULTIPLE DX	2816	10.7	44	4	5	9	13	18	22	35
A. NOT OPERATED	87	7.9	37	2	2	7	10	13	16	35
B. OPERATED	5373	8.9	31	3	4	8	11	15	18	31
TOTAL 0-19 YRS	2014	7.8	20	3	4	7	9	12	15	23
20-34	1120	7.5	17	3	4	7	9	12	14	22
35-49	863	8.8	27	3	4	8	10	14	17	32
50-64	804	10.4	31	4	5	9	13	17	21	32
65+	659	13.0	70	5	6	11	15	21	26	41
GRAND TOTAL	**5460**	**8.9**	**31**	**3**	**4**	**8**	**11**	**15**	**18**	**31**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.9	1	1	1	2	2	3	4	7
20-34	71	2.1	2	1	1	2	3	4	4	8
35-49	29	2.8	3	1	1	2	3	6	7	8
50-64	7	2.9	2	2	2	2	3	5	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	471	3.9	3	2	2	4	5	6	7	9
20-34	324	4.4	5	2	2	4	5	7	9	12
35-49	94	4.7	5	2	3	4	6	8	10	12
50-64	31	5.4	7	2	3	5	7	9	12	12
65+	10	6.5	21	2	2	5	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.6	2	1	1	2	4	4	5	9
20-34	51	2.8	4	1	1	2	3	6	7	10
35-49	26	3.6	4	<1	1	3	5	7	8	8
50-64	18	4.2	3	2	2	4	5	7	7	7
65+	20	4.7	10	1	2	4	6	8	12	15
B. *Operated*										
0-19 YRS	349	4.7	5	2	3	4	6	7	9	12
20-34	318	5.8	12	2	3	5	7	9	12	21
35-49	115	7.6	30	3	4	6	9	12	15	39
50-64	49	7.5	16	3	3	7	10	11	13	24
65+	31	8.6	22	3	4	8	11	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	2.1	2	1	1	2	3	3	5	8
B. *Operated*	930	4.2	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	195	3.1	4	1	1	3	4	6	7	10
B. *Operated*	862	5.8	14	3	3	5	7	10	12	22
1. SINGLE DX	1133	3.9	5	1	2	3	5	6	8	11
2. MULTIPLE DX	1057	5.3	13	2	2	5	6	9	11	19
A. NOT OPERATED	398	2.6	3	1	1	2	3	5	6	9
B. OPERATED	1792	5.0	9	2	2	4	6	8	10	17
TOTAL 0-19 YRS	995	3.9	4	1	2	4	5	6	7	11
20-34	764	4.7	9	1	2	4	6	8	10	18
35-49	264	5.6	19	2	2	5	7	10	12	23
50-64	105	6.0	12	2	2	5	8	11	12	19
65+	62	6.9	20	2	3	6	9	14	16	22
GRAND TOTAL	**2190**	**4.6**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.5	2	<1	<1	1	1	3	4	7
20-34	29	2.0	2	<1	<1	1	3	4	5	6
35-49	7	3.6	2	<1	<1	4	5	5	5	5
50-64	13	3.4	25	<1	<1	1	3	9	17	19
65+	9	4.4	13	1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	2888	1.8	1	<1	<1	2	2	3	4	5
20-34	4240	2.8	2	1	1	3	4	4	5	6
35-49	3673	3.1	2	1	1	3	4	5	6	8
50-64	4928	3.4	4	1	1	3	4	5	6	8
65+	3029	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	1.7	2	<1	<1	1	2	3	6	8
20-34	50	2.0	2	<1	<1	1	2	4	5	6
35-49	53	2.6	5	<1	<1	1	4	6	8	10
50-64	102	2.3	4	<1	<1	1	3	5	6	10
65+	178	4.0	14	<1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	2041	2.0	3	<1	<1	2	2	3	4	9
20-34	1613	3.4	3	1	1	3	4	5	6	10
35-49	2382	3.9	6	1	2	3	5	6	8	14
50-64	4993	4.4	7	1	2	4	5	7	9	15
65+	6248	5.3	14	2	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.4	7	<1	<1	1	3	5	7	17
B. *Operated*	18758	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	519	2.7	8	<1	<1	2	3	6	8	14
B. *Operated*	17277	4.3	10	1	1	4	5	8	9	16
1. SINGLE DX	18843	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	17796	4.2	10	1	1	4	5	7	9	16
A. NOT OPERATED	604	2.7	8	<1	<1	2	3	6	8	14
B. OPERATED	36035	3.6	7	1	1	3	4	6	8	13
TOTAL 0-19 YRS	5092	1.9	2	<1	<1	2	2	3	4	7
20-34	5932	3.0	2	1	1	3	4	5	5	8
35-49	6115	3.4	4	1	1	3	4	5	6	10
50-64	10036	3.9	6	1	2	4	5	6	8	12
65+	9464	4.8	11	1	2	4	6	8	10	18
GRAND TOTAL	**36639**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.1		<1	<1	1	1	1	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	5	3.2	9	<1	<1	2	5	8	8	8
50-64	6	1.7		<1	<1	2	2	2	2	2
65+	19	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-19 YRS	401	1.9	2	<1	1	2	2	4	4	7
20-34	177	3.2	3	1	1	3	4	5	6	7
35-49	121	3.6	3	1	2	3	4	6	6	10
50-64	185	3.9	3	1	2	4	5	6	7	10
65+	275	5.0	6	2	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	1	<1	<1	1	2	3	4	4
20-34	4	1.8	2	<1	<1	<1	2	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	13	3.1	2	1	1	3	4	5	5	5
65+	80	4.7	13	<1	1	4	7	9	12	16
B. *Operated*										
0-19 YRS	317	2.7	5	<1	1	2	3	5	7	12
20-34	86	3.8	4	2	2	3	5	6	8	13
35-49	98	5.7	16	2	2	5	7	9	12	25
50-64	299	5.9	14	2	3	5	7	9	13	23
65+	1149	8.4	39	3	3	7	10	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	1159	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	115	3.9	11	<1	1	3	5	8	11	15
B. *Operated*	1949	6.7	32	1	2	5	8	13	17	28
1. SINGLE DX	1212	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2064	6.6	31	1	2	5	8	13	16	28
A. NOT OPERATED	168	3.2	9	<1	<1	2	4	8	9	15
B. OPERATED	3108	5.5	24	1	1	4	7	11	14	24
TOTAL 0-19 YRS	755	2.2	3	<1	1	2	3	4	5	10
20-34	270	3.4	3	1	1	3	4	5	6	10
35-49	225	4.5	10	1	2	4	5	8	9	18
50-64	503	5.1	11	2	2	4	6	8	10	17
65+	1523	7.5	34	2	3	6	9	14	18	30
GRAND TOTAL	**3276**	**5.3**	**24**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	1	2	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.0	11	<1	<1	1	5	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	427	2.0	21	<1	<1	2	2	3	3	6
20-34	207	2.8	3	1	1	2	3	5	6	10
35-49	294	2.9	3	1	1	2	4	5	6	9
50-64	200	3.2	3	1	1	3	4	5	7	10
65+	80	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.6	1	<1	<1	1	2	4	4	4
20-34	10	4.6	18	1	1	3	9	11	12	12
35-49	11	2.9	5	<1	<1	2	5	6	7	7
50-64	15	3.6	3	1	1	4	5	5	7	7
65+	12	6.2	19	1	2	5	10	13	13	13
B. *Operated*										
0-19 YRS	142	2.2	2	<1	<1	2	3	4	5	7
20-34	137	4.4	9	1	2	4	6	7	10	17
35-49	256	4.3	6	1	2	4	5	7	9	12
50-64	339	4.9	15	1	2	4	6	9	12	18
65+	244	5.3	12	2	2	5	7	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.7	3	<1	<1	1	2	3	6	8
B. *Operated*	1208	2.7	10	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	77	3.3	9	<1	<1	2	4	7	11	13
B. *Operated*	1118	4.5	11	1	1	4	6	8	10	17
1. SINGLE DX	1225	2.6	9	<1	1	2	3	5	6	9
2. MULTIPLE DX	1195	4.4	11	1	1	4	6	8	10	17
A. NOT OPERATED	94	3.0	9	<1	<1	2	4	7	10	13
B. OPERATED	2326	3.5	11	<1	1	3	4	7	8	14
TOTAL 0-19 YRS	608	2.0	15	<1	<1	2	2	3	4	6
20-34	355	3.5	6	1	1	3	4	7	8	13
35-49	565	3.5	5	1	1	3	5	6	8	11
50-64	555	4.3	11	1	2	3	5	8	10	17
65+	337	5.0	11	2	2	4	6	9	11	19
GRAND TOTAL	**2420**	**3.5**	**11**	**<1**	**1**	**3**	**4**	**7**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.6	1	<1	<1	1	2	4	4	4
35-49	9	3.2	6	<1	<1	3	4	7	9	9
50-64	5	3.0	4	1	1	3	4	6	6	6
65+	8	4.5	15	1	1	3	6	11	13	13
B. *Operated*										
0-19 YRS	97	2.6	8	<1	1	2	3	4	8	17
20-34	396	3.7	5	1	1	3	5	6	8	11
35-49	588	4.4	5	1	2	4	6	7	9	12
50-64	702	4.9	7	1	2	5	6	8	9	13
65+	427	5.4	6	2	3	5	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	3	3	3
20-34	15	3.0	8	<1	1	2	3	9	10	10
35-49	51	3.4	15	<1	<1	2	4	7	12	22
50-64	77	5.1	17	<1	1	4	6	11	14	19
65+	122	4.5	12	<1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	52	4.3	13	1	1	3	6	9	14	15
20-34	328	5.4	12	1	2	5	7	9	11	18
35-49	842	6.2	16	2	3	5	8	10	13	22
50-64	1270	7.3	31	2	3	6	9	12	15	27
65+	1290	8.1	29	3	3	7	10	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	7	<1	<1	3	4	7	9	13
B. *Operated*	2210	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	271	4.3	14	<1	1	3	5	9	12	20
B. *Operated*	3782	7.1	26	2	3	6	9	12	15	26
1. SINGLE DX	2239	4.5	7	1	2	4	6	8	9	12
2. MULTIPLE DX	4053	6.9	26	2	3	6	8	12	15	26
A. NOT OPERATED	300	4.2	13	<1	1	3	5	9	12	19
B. OPERATED	5992	6.2	20	2	2	5	8	11	14	23
TOTAL 0-19 YRS	155	3.2	10	<1	1	2	3	7	9	15
20-34	746	4.4	9	1	1	4	5	8	9	16
35-49	1490	5.4	12	1	2	5	7	9	11	19
50-64	2054	6.4	24	2	2	5	8	11	13	24
65+	1847	7.2	24	2	3	6	9	13	16	25
GRAND TOTAL	**6292**	**6.1**	**20**	**1**	**2**	**5**	**8**	**11**	**13**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	3.2	5	1	1	3	4	6	8	11
35-49	82	3.6	4	1	1	3	5	6	7	10
50-64	105	3.8	7	1	2	4	5	6	7	16
65+	87	3.8	4	1	2	3	5	6	8	10
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	5.6	9	2	2	6	6	9	13	14
35-49	25	6.1	12	2	2	5	8	9	12	18
50-64	61	8.0	8	3	5	8	10	11	13	17
65+	25	8.6	4	4	7	9	10	11	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.0	3	1	2	4	5	7	7	7
20-34	225	4.3	5	1	2	4	5	7	8	11
35-49	719	4.4	8	1	2	4	6	8	9	14
50-64	1201	4.8	9	2	2	4	6	8	10	15
65+	1869	5.4	15	2	2	5	7	9	12	21
B. *Operated*										
0-19 YRS	26	9.0	30	4	4	7	10	16	23	25
20-34	99	8.2	16	4	4	8	9	12	17	25
35-49	300	9.1	26	3	4	8	11	15	18	32
50-64	499	9.1	40	2	3	8	11	15	20	38
65+	560	10.3	57	2	3	9	12	18	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	3.7	5	1	1	3	5	6	7	10
B. *Operated*	125	7.5	9	2	3	8	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	4032	5.0	11	2	2	4	6	9	11	18
B. *Operated*	1484	9.5	42	3	3	8	11	16	21	38
1. SINGLE DX	430	4.8	9	1	2	4	6	9	10	14
2. MULTIPLE DX	5516	6.2	24	2	2	5	8	11	14	26
A. NOT OPERATED	4337	4.9	11	2	2	4	6	8	10	18
B. OPERATED	1609	9.3	40	2	3	8	11	16	20	38
TOTAL 0-19 YRS	47	6.7	24	2	2	5	8	11	17	25
20-34	366	5.4	11	2	2	5	7	9	11	18
35-49	1126	5.6	17	1	2	5	7	10	13	21
50-64	1866	6.0	21	2	2	5	8	11	13	23
65+	2541	6.5	28	2	2	5	8	12	16	28
GRAND TOTAL	**5946**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**14**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	5.3	5	3	3	5	7	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	16	2.6	3	<1	1	2	3	6	6	6
20-34	83	3.1	3	1	1	3	4	5	6	10
35-49	108	3.3	4	1	1	3	4	6	6	11
50-64	100	4.1	7	1	2	4	5	7	7	19
65+	83	4.1	4	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	3.9	7	1	1	3	5	8	9	9
35-49	11	5.3	22	<1	<1	3	9	12	14	14
50-64	11	4.9	8	1	1	5	8	9	9	9
65+	21	4.6	6	<1	1	5	6	8	9	10
B. *Operated*										
0-19 YRS	11	3.9	9	<1	1	3	5	9	10	10
20-34	50	4.4	9	1	1	4	5	9	10	15
35-49	71	4.8	11	1	2	4	6	9	12	17
50-64	133	7.6	47	2	2	6	9	14	21	35
65+	196	6.9	34	2	3	6	8	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	7	1	1	3	6	8	8	8
B. *Operated*	390	3.6	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	53	4.6	9	<1	1	4	6	9	10	14
B. *Operated*	461	6.5	32	2	2	5	8	11	15	29
1. SINGLE DX	399	3.6	5	1	1	3	4	6	7	12
2. MULTIPLE DX	514	6.3	30	1	2	5	8	11	14	29
A. NOT OPERATED	62	4.5	9	<1	1	4	6	9	10	14
B. OPERATED	851	5.1	22	1	2	4	6	9	12	25
TOTAL 0-19 YRS	30	3.1	5	<1	1	2	4	6	9	10
20-34	142	3.6	6	1	1	3	4	7	9	12
35-49	194	4.0	8	1	1	3	5	7	10	15
50-64	246	6.0	32	2	2	5	7	11	16	29
65+	301	6.0	26	2	2	5	7	10	12	24
GRAND TOTAL	**913**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.5	3	<1	<1	2	4	5	5	5
35-49	8	2.4	2	1	1	2	4	4	4	4
50-64	8	3.6	5	1	1	3	5	7	7	7
65+	16	3.7	7	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	67	2.2	2	<1	<1	2	3	4	6	7
20-34	136	3.4	4	1	1	3	4	6	8	9
35-49	278	4.0	5	1	2	4	5	7	8	10
50-64	260	5.1	9	2	2	4	6	10	11	15
65+	289	6.4	17	2	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34	11	3.7	6	<1	1	3	5	7	9	9
35-49	29	3.9	7	1	1	3	5	7	9	13
50-64	55	5.0	12	1	1	4	7	9	10	19
65+	210	5.6	15	2	2	5	7	10	11	20
B. *Operated*										
0-19 YRS	29	5.4	20	2	2	4	6	11	16	21
20-34	101	6.3	18	2	2	5	8	12	15	22
35-49	312	7.3	37	2	3	6	9	14	16	36
50-64	606	8.4	41	2	3	7	10	15	18	36
65+	1278	11.1	74	3	4	9	14	20	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.0	5	<1	1	3	4	6	8	9
B. *Operated*	1030	4.7	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	310	5.2	14	1	2	4	7	9	11	19
B. *Operated*	2326	9.6	60	2	3	8	12	18	22	41
1. SINGLE DX	1071	4.7	11	1	2	4	6	9	11	16
2. MULTIPLE DX	2636	9.1	57	2	3	7	11	17	21	41
A. NOT OPERATED	351	5.0	13	1	1	4	7	9	11	19
B. OPERATED	3356	8.1	50	2	2	6	10	16	20	39
TOTAL 0-19 YRS	104	3.1	9	<1	<1	2	4	6	8	18
20-34	254	4.5	12	1	1	4	6	8	11	17
35-49	627	5.6	24	1	2	4	7	10	14	24
50-64	929	7.2	33	2	2	6	9	13	16	30
65+	1793	9.6	63	2	3	8	12	18	23	43
GRAND TOTAL	**3707**	**7.8**	**47**	**2**	**2**	**6**	**10**	**15**	**19**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.3	2	1	1	2	3	4	5	7
20-34	297	3.9	6	1	1	3	5	7	8	14
35-49	419	4.1	6	1	1	4	5	7	8	13
50-64	438	4.5	6	1	2	4	6	8	9	11
65+	494	5.2	14	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	184	5.8	10	2	3	5	8	10	12	15
20-34	183	8.9	15	4	5	8	11	14	16	21
35-49	270	9.9	23	4	5	9	12	15	19	27
50-64	261	10.6	28	5	6	9	13	16	22	32
65+	235	11.9	25	5	7	11	14	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	4.0	11	1	1	3	5	8	10	17
20-34	518	5.1	14	1	2	4	7	9	12	16
35-49	795	5.9	16	2	2	5	8	11	13	20
50-64	1425	6.5	27	2	2	5	8	12	15	27
65+	4309	7.5	28	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	259	9.5	86	3	4	8	10	16	21	66
20-34	473	12.8	82	4	6	10	15	23	28	55
35-49	726	14.2	97	5	6	11	17	26	32	56
50-64	1100	16.3	144	6	7	13	19	29	39	73
65+	2674	17.7	119	7	8	15	21	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1857	4.3	9	1	1	4	5	8	9	15
B. *Operated*	1133	9.7	25	3	4	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	7264	6.9	26	2	2	6	9	13	16	27
B. *Operated*	5232	16.1	121	5	7	13	20	28	37	64
1. SINGLE DX	2990	6.3	22	1	2	5	8	12	15	23
2. MULTIPLE DX	12496	10.7	86	2	3	8	13	21	28	48
A. NOT OPERATED	9121	6.3	23	1	2	5	8	12	15	25
B. OPERATED	6365	14.9	110	5	6	12	18	27	34	61
TOTAL 0-19 YRS	869	5.6	39	1	1	4	7	10	14	26
20-34	1471	7.8	48	2	2	6	10	15	19	38
35-49	2210	8.8	58	2	2	7	11	17	23	40
50-64	3224	9.9	87	2	3	7	12	19	26	49
65+	7712	11.0	83	2	3	9	14	22	28	46
GRAND TOTAL	**15486**	**9.9**	**77**	**2**	**3**	**8**	**12**	**20**	**26**	**45**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6562	2.7	3	1	1	2	3	5	6	8
20-34	2517	2.7	4	1	1	2	3	5	6	9
35-49	1082	3.2	4	1	1	3	4	6	7	11
50-64	673	3.5	6	1	1	3	4	7	8	12
65+	541	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	103	4.3	17	1	2	4	5	6	8	26
20-34	155	4.8	7	1	2	4	6	8	10	17
35-49	74	5.3	9	1	2	5	7	8	11	17
50-64	71	6.0	11	1	2	6	8	10	12	19
65+	18	7.0	15	2	3	6	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14307	3.4	5	1	1	3	4	6	7	11
20-34	4567	3.5	7	1	1	3	4	6	8	13
35-49	2957	4.3	10	1	2	4	5	8	10	15
50-64	3451	4.8	11	1	2	4	6	9	11	17
65+	7270	5.7	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	260	8.0	98	1	2	5	8	15	31	58
20-34	372	6.7	21	2	3	6	8	11	14	23
35-49	394	8.9	50	3	3	7	10	17	24	36
50-64	462	9.2	51	2	3	7	11	17	22	37
65+	760	11.6	116	3	4	9	13	22	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11375	2.8	4	1	1	2	4	5	6	9
B. *Operated*	421	5.1	11	1	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	32552	4.2	10	1	2	3	5	7	10	16
B. *Operated*	2248	9.4	76	2	3	7	11	17	25	50
1. SINGLE DX	11796	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	34800	4.5	16	1	2	4	5	8	11	19
A. NOT OPERATED	43927	3.8	9	1	1	3	5	7	9	15
B. OPERATED	2669	8.7	69	2	3	7	10	16	22	46
TOTAL 0-19 YRS	21232	3.3	6	1	1	3	4	5	7	11
20-34	7611	3.4	7	1	1	3	4	6	8	13
35-49	4507	4.4	14	1	1	4	5	8	10	19
50-64	4657	5.1	16	1	2	4	6	9	12	20
65+	8589	6.1	29	2	2	5	7	11	15	26
GRAND TOTAL	**46596**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	5	<1	<1	5	6	7	7	7
20-34	80	4.0	4	1	1	4	5	7	8	10
35-49	462	5.0	7	2	2	4	6	8	9	13
50-64	852	5.0	9	1	2	5	6	9	10	14
65+	870	4.9	12	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	39	7.9	14	5	5	7	9	11	12	27
35-49	117	10.2	27	3	5	9	12	17	19	30
50-64	241	10.1	16	4	6	10	12	15	18	25
65+	159	11.7	35	2	5	11	15	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.3	24	3	4	5	8	17	19	20
20-34	91	6.1	27	2	2	5	7	10	17	29
35-49	684	5.3	8	2	2	5	7	9	11	15
50-64	2361	5.7	10	2	2	5	7	10	12	16
65+	7041	6.3	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	13	11.8	112	3	4	9	13	22	40	44
20-34	84	11.0	49	5	6	9	12	18	23	43
35-49	461	11.6	53	4	5	10	14	20	26	42
50-64	1272	13.0	78	3	5	11	15	22	28	48
65+	2633	14.7	101	4	5	12	18	27	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	4.9	10	1	2	4	6	8	10	15
B. *Operated*	558	10.4	24	3	5	[illegible]	12	17	19	27
2. MULTIPLE DX										
A. *Not Operated*	10193	6.1	16	2	2	5	8	11	13	20
B. *Operated*	4463	13.8	89	4	5	12	17	25	31	51
1. SINGLE DX	2827	6.0	17	1	2	5	8	11	13	20
2. MULTIPLE DX	14656	8.4	51	2	3	6	10	16	22	37
A. NOT OPERATED	12462	5.9	15	2	2	5	7	10	13	19
B. OPERATED	5021	13.5	83	4	5	11	16	24	30	48
TOTAL 0-19 YRS	36	8.3	58	2	3	6	9	17	19	44
20-34	294	7.2	32	2	2	6	9	12	17	32
35-49	1724	7.2	29	2	3	6	9	13	17	30
50-64	4726	7.7	40	2	3	6	10	14	18	32
65+	10703	8.3	52	2	3	6	10	16	22	37
GRAND TOTAL	**17483**	**8.1**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.5	4	<1	1	2	3	5	7	9
20-34	60	2.9	4	1	1	2	4	5	7	9
35-49	45	3.7	8	1	1	3	5	7	9	14
50-64	30	3.7	8	1	1	3	5	5	8	16
65+	13	2.7	5	<1	<1	2	4	6	8	8
B. *Operated*										
0-19 YRS	189	2.8	5	1	1	2	3	5	7	13
20-34	1011	3.0	4	1	1	3	4	5	6	10
35-49	978	3.2	4	1	1	3	4	6	7	11
50-64	464	3.3	5	1	1	3	4	6	7	12
65+	150	3.9	11	1	2	3	4	6	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.2	5	1	1	3	4	7	9	[illegible]
20-34	105	4.8	37	1	1	3	5	8	12	38
35-49	109	4.3	10	1	1	3	6	7	10	17
50-64	106	5.2	18	1	2	4	7	8	12	25
65+	121	6.4	32	2	2	6	8	10	13	31
B. *Operated*										
0-19 YRS	113	4.0	16	1	1	3	5	7	10	25
20-34	1011	4.1	17	1	1	3	5	7	10	22
35-49	1349	4.3	11	1	1	4	5	8	10	17
50-64	1246	5.1	21	1	2	4	6	9	12	25
65+	708	6.8	47	1	2	5	8	14	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.1	6	1	1	2	4	6	8	13
B. *Operated*	2792	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	515	4.9	23	1	1	4	6	8	11	20
B. *Operated*	4427	4.9	22	1	1	4	5	9	12	24
1. SINGLE DX	2970	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	4942	4.9	22	1	1	4	6	9	12	24
A. NOT OPERATED	693	4.5	19	1	1	3	6	8	10	18
B. OPERATED	7219	4.2	16	1	1	3	5	7	10	20
TOTAL 0-19 YRS	406	3.2	8	1	1	2	4	6	8	14
20-34	2187	3.6	12	1	1	3	4	6	8	16
35-49	2481	3.8	8	1	1	3	5	7	9	14
50-64	1846	4.6	17	1	2	4	5	8	11	22
65+	992	6.3	40	1	2	5	7	12	18	27
GRAND TOTAL	**7912**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	932	3.2	6	1	1	3	4	6	8	11
20-34	1271	4.4	10	1	1	4	5	8	10	17
35-49	781	4.5	10	1	2	4	6	9	10	16
50-64	475	4.1	9	1	1	3	5	8	9	14
65+	472	4.2	13	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	319	6.8	43	1	1	5	9	13	21	32
20-34	712	7.6	34	1	2	6	10	15	19	28
35-49	465	7.7	39	1	2	6	10	15	19	32
50-64	370	7.7	35	1	2	7	10	14	18	27
65+	277	8.0	35	1	2	7	11	16	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1223	4.1	14	1	1	3	5	8	10	20
20-34	2305	5.3	18	1	2	4	7	10	13	23
35-49	2342	5.5	16	1	2	4	7	10	13	20
50-64	2664	5.9	23	2	2	5	7	11	14	23
65+	5967	6.2	24	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	471	9.9	119	2	2	7	11	21	33	71
20-34	1728	10.3	86	2	3	8	12	21	28	47
35-49	1874	11.3	112	2	3	8	14	22	31	61
50-64	2065	12.2	132	2	3	9	15	25	36	63
65+	3477	13.3	131	2	3	10	17	26	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3931	4.1	9	1	1	3	5	8	10	15
B. *Operated*	2143	7.6	37	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	14501	5.7	21	1	2	5	7	11	14	23
B. *Operated*	9615	11.9	120	2	3	9	15	24	33	60
1. SINGLE DX	6074	5.3	22	1	1	4	7	11	14	23
2. MULTIPLE DX	24116	8.2	70	2	2	6	10	16	23	45
A. NOT OPERATED	18432	5.4	19	1	2	4	7	10	13	22
B. OPERATED	11758	11.2	108	2	3	8	14	22	31	56
TOTAL 0-19 YRS	2945	5.0	37	1	1	3	6	10	13	32
20-34	6016	6.8	43	1	2	5	8	13	19	34
35-49	5462	7.5	58	1	2	5	9	15	20	41
50-64	5574	8.2	72	1	2	6	10	16	23	47
65+	10193	8.6	72	2	2	6	11	17	24	45
GRAND TOTAL	**30190**	**7.6**	**61**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	31	5.1	11	2	2	4	6	12	12	14
35-49	37	6.3	24	1	2	5	8	12	16	25
50-64	46	8.5	47	2	2	6	10	19	22	30
65+	14	6.9	11	2	3	7	8	11	13	14
B. *Operated*										
0-19 YRS										
20-34	8	6.6	127	1	1	2	5	26	34	34
35-49	30	5.7	39	1	1	3	7	15	20	26
50-64	16	7.7	121	1	1	3	7	27	36	40
65+	13	4.4	18	1	1	3	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	221	9.3	77	2	2	6	11	20	26	44
35-49	661	9.3	50	2	3	8	11	17	23	38
50-64	911	10.7	68	2	3	9	14	21	26	44
65+	519	10.1	47	3	4	8	13	19	25	32
B. *Operated*										
0-19 YRS	2	24.0	242	13	13	24	35	35	35	35
20-34	54	11.8	109	1	2	9	16	24	34	55
35-49	240	11.7	114	1	2	9	16	23	30	63
50-64	364	13.5	166	2	2	10	17	28	36	66
65+	174	15.4	146	2	3	12	20	32	42	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	6.8	29	2	2	5	8	13	18	29
B. *Operated*	67	6.0	63	1	1	3	7	14	26	39
2. MULTIPLE DX										
A. *Not Operated*	2312	10.0	60	2	3	8	13	19	25	42
B. *Operated*	834	13.3	145	1	2	10	17	27	36	66
1. SINGLE DX	198	6.5	40	1	1	4	8	14	19	32
2. MULTIPLE DX	3146	10.9	84	2	3	8	14	22	28	46
A. NOT OPERATED	2443	9.9	58	2	3	8	12	19	25	41
B. OPERATED	901	12.7	142	1	2	10	17	26	35	65
TOTAL 0-19 YRS	5	11.4	193	3	3	3	18	35	35	35
20-34	314	9.2	80	2	2	6	11	19	26	44
35-49	968	9.7	67	2	3	8	12	19	25	41
50-64	1337	11.4	97	2	3	9	14	22	28	51
65+	720	11.2	76	3	4	9	14	23	29	48
GRAND TOTAL	**3344**	**10.6**	**83**	**2**	**3**	**8**	**14**	**21**	**28**	**46**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	32	5.2	24	<1	1	4	6	10	15	25
35-49	24	5.9	13	2	2	5	9	12	12	13
50-64	49	7.4	42	1	2	6	9	15	18	32
65+	18	6.9	16	2	3	6	9	13	15	16
B. *Operated*										
0-19 YRS	16	2.6	3	1	1	2	4	6	6	6
20-34	92	2.3	5	1	1	2	2	5	9	10
35-49	79	2.8	8	1	1	2	3	7	9	15
50-64	111	3.3	16	1	1	2	3	7	10	22
65+	52	4.0	23	1	1	2	5	10	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.8	20	1	1	5	8	13	15	19
20-34	92	6.8	10	2	3	7	8	11	14	16
35-49	226	9.3	78	2	3	7	11	17	25	53
50-64	518	8.9	41	2	3	7	11	17	20	30
65+	575	10.5	69	2	3	8	14	20	26	39
B. *Operated*										
0-19 YRS	24	3.7	15	<1	1	2	4	8	12	18
20-34	92	7.4	87	1	1	5	10	16	25	53
35-49	266	8.7	69	1	1	6	12	20	25	40
50-64	435	9.3	72	1	1	7	14	20	25	41
65+	459	11.9	114	1	2	9	16	24	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	6.3	28	1	2	5	8	13	16	30
B. Operated	350	3.0	12	1	1	2	3	7	9	18
2. MULTIPLE DX										
A. Not Operated	1437	9.4	57	2	3	8	12	18	23	39
B. Operated	1276	9.9	89	1	1	8	14	21	27	48
1. SINGLE DX	478	3.9	18	1	1	2	5	9	12	20
2. MULTIPLE DX	2713	9.6	72	1	2	8	13	19	25	44
A. NOT OPERATED	1565	9.2	55	2	3	7	11	17	23	38
B. OPERATED	1626	8.4	80	1	1	5	12	19	25	44
TOTAL 0-19 YRS	71	4.1	15	1	1	2	5	9	13	19
20-34	308	5.5	37	1	1	4	8	11	14	27
35-49	595	8.0	66	1	1	6	10	17	23	42
50-64	1113	8.5	53	1	2	7	11	17	22	34
65+	1104	10.7	87	1	2	8	14	22	28	48
GRAND TOTAL	**3191**	**8.8**	**68**	**1**	**1**	**7**	**12**	**18**	**25**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.5	6	1	2	4	6	8	9	13
20-34	168	5.2	10	2	2	4	7	10	11	15
35-49	92	5.6	11	2	2	5	7	9	11	18
50-64	77	5.4	9	2	3	5	7	9	11	18
65+	36	5.7	10	2	2	5	7	9	13	16
B. *Operated*										
0-19 YRS	13	5.2	78	<1	1	2	4	12	30	34
20-34	38	4.5	12	1	1	3	7	9	12	13
35-49	45	4.7	20	<1	1	2	8	12	14	16
50-64	37	5.1	35	1	1	3	6	15	20	25
65+	18	5.1	21	1	1	4	7	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.2	13	1	2	4	7	9	11	21
20-34	239	7.1	37	2	2	5	9	14	18	32
35-49	383	8.3	63	2	2	6	10	17	23	40
50-64	639	9.1	56	2	3	7	11	18	24	43
65+	778	9.6	47	3	3	8	12	18	23	34
B. *Operated*										
0-19 YRS	25	10.2	99	1	2	5	17	27	30	31
20-34	88	10.8	145	1	1	9	14	21	32	98
35-49	160	11.8	106	1	2	9	15	23	34	47
50-64	237	13.4	159	1	2	10	17	29	39	66
65+	256	14.0	114	2	3	12	19	29	37	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	453	5.2	9	2	2	5	7	9	11	16
B. Operated	151	4.8	26	1	1	3	7	11	15	25
2. MULTIPLE DX										
A. Not Operated	2114	8.8	51	2	3	7	11	17	23	37
B. Operated	766	12.9	130	1	2	10	17	28	36	62
1. SINGLE DX	604	5.1	14	1	2	4	7	9	12	17
2. MULTIPLE DX	2880	9.9	75	2	3	7	12	20	27	43
A. NOT OPERATED	2567	8.2	46	2	3	6	10	16	21	34
B. OPERATED	917	11.6	122	1	2	9	16	25	34	60
TOTAL 0-19 YRS	193	5.5	28	1	2	4	7	10	14	31
20-34	533	7.0	48	1	2	5	9	14	18	33
35-49	680	8.6	68	2	2	6	11	17	23	40
50-64	990	9.7	82	2	3	7	12	20	27	48
65+	1088	10.5	66	2	3	8	13	21	27	41
GRAND TOTAL	**3484**	**9.1**	**68**	**2**	**2**	**7**	**11**	**18**	**25**	**41**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.4	6	1	1	3	4	5	9	13
20-34	539	2.7	3	<1	1	2	3	5	7	9
35-49	482	2.9	12	1	1	2	4	5	6	10
50-64	432	3.1	4	1	1	3	4	6	7	10
65+	336	4.2	7	1	1	4	5	8	9	13
B. *Operated*										
0-19 YRS	359	6.1	5	3	4	5	7	9	11	14
20-34	4482	6.0	5	3	4	6	7	9	10	13
35-49	3925	6.3	5	3	4	6	7	9	11	14
50-64	3301	6.8	6	4	4	6	8	10	11	16
65+	1449	8.0	9	4	5	7	9	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.9	7	1	1	3	5	8	10	11
20-34	628	3.6	5	1	1	3	5	7	8	11
35-49	759	4.1	7	1	1	4	5	8	9	14
50-64	1431	4.8	10	1	2	4	6	9	11	15
65+	2984	6.1	18	2	2	5	8	11	13	23
B. *Operated*										
0-19 YRS	261	8.8	46	4	4	7	10	14	18	33
20-34	3917	7.6	16	4	4	7	9	12	14	22
35-49	4986	8.1	17	4	5	7	9	13	15	22
50-64	6906	9.2	26	4	5	8	11	15	18	28
65+	7872	11.9	44	5	6	10	14	20	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1843	3.2	7	1	1	3	4	6	7	10
B. *Operated*	13516	6.5	6	4	4	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	5869	5.2	14	1	2	4	7	10	12	18
B. *Operated*	23942	9.6	32	4	5	8	11	16	20	31
1. SINGLE DX	15359	6.1	7	2	3	6	7	9	11	15
2. MULTIPLE DX	29811	8.7	31	3	4	7	11	15	19	29
A. NOT OPERATED	7712	4.7	13	1	1	4	6	9	11	17
B. OPERATED	37458	8.5	25	4	5	7	10	14	17	28
TOTAL 0-19 YRS	741	6.6	23	2	3	6	8	11	13	20
20-34	9566	6.3	11	2	3	6	7	10	12	17
35-49	10152	6.8	14	2	3	6	8	11	13	19
50-64	12070	7.8	21	3	4	7	9	13	16	24
65+	12641	9.9	40	3	4	8	12	17	22	33
GRAND TOTAL	**45170**	**7.8**	**25**	**2**	**4**	**7**	**9**	**13**	**16**	**27**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.5	3	1	1	3	5	6	7	9
20-34	330	3.2	5	1	1	3	4	6	7	10
35-49	290	3.3	4	1	1	3	4	6	7	9
50-64	202	3.2	3	1	1	3	4	6	7	9
65+	145	4.4	10	1	1	4	6	7	9	17
B. *Operated*										
0-19 YRS	31	6.5	10	3	3	6	8	11	14	15
20-34	353	7.0	11	3	4	6	8	11	13	21
35-49	372	6.8	8	3	4	6	8	10	13	16
50-64	233	7.6	15	4	4	7	9	12	13	19
65+	103	8.5	11	4	5	8	10	13	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.9	6	1	2	3	5	6	8	15
20-34	451	4.2	6	1	2	4	6	8	9	11
35-49	483	4.8	9	1	2	4	6	8	10	15
50-64	612	5.3	12	1	2	5	7	9	12	17
65+	1066	6.4	19	2	2	5	8	12	14	22
B. *Operated*										
0-19 YRS	60	8.1	20	2	4	7	10	15	18	22
20-34	637	8.5	22	4	4	7	10	14	17	26
35-49	860	8.7	20	4	5	8	10	15	18	25
50-64	869	9.9	28	4	5	9	12	16	20	29
65+	893	13.6	76	5	6	12	16	22	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1026	3.4	5	1	1	3	4	6	7	10
B. *Operated*	1092	7.2	11	3	4	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2664	5.4	14	1	2	5	7	10	12	18
B. *Operated*	3319	10.3	42	4	5	9	12	17	22	35
1. SINGLE DX	2118	5.4	12	1	2	5	7	9	12	16
2. MULTIPLE DX	5983	8.1	35	2	3	7	10	15	18	29
A. NOT OPERATED	3690	4.9	12	1	2	4	6	9	11	17
B. OPERATED	4411	9.5	36	4	5	8	11	16	20	31
TOTAL 0-19 YRS	202	5.4	14	1	2	5	7	9	14	19
20-34	1771	6.1	17	1	2	5	8	11	14	21
35-49	2005	6.6	17	2	2	6	8	12	15	20
50-64	1916	7.5	25	2	3	6	10	13	16	25
65+	2207	9.3	54	2	3	8	12	17	22	37
GRAND TOTAL	**8101**	**7.4**	**31**	**2**	**2**	**6**	**9**	**14**	**17**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	17	3.7	7	1	1	3	5	9	10	10
35-49	35	4.0	5	1	1	3	5	8	8	11
50-64	37	2.9	2	1	1	3	4	5	6	7
65+	60	4.2	8	1	1	3	6	9	10	11
B. *Operated*										
0-19 YRS	13	7.0	8	3	3	8	9	10	10	10
20-34	130	7.5	13	2	3	7	10	12	14	19
35-49	103	6.8	16	2	2	7	9	12	14	19
50-64	142	7.5	28	1	2	7	10	12	14	30
65+	159	9.2	36	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	9	2	2	4	7	10	10	10
20-34	33	4.5	6	2	2	4	6	8	10	11
35-49	58	4.2	6	1	2	4	5	7	9	12
50-64	104	5.4	11	1	1	5	8	10	11	14
65+	316	6.7	20	2	2	6	8	11	16	24
B. *Operated*										
0-19 YRS	19	11.3	112	2	4	8	13	20	37	50
20-34	150	10.3	64	4	5	9	11	17	20	53
35-49	188	10.8	43	3	5	10	13	18	21	37
50-64	373	11.4	48	3	4	10	14	20	23	36
65+	1129	14.4	80	3	5	13	18	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.7	6	1	1	3	5	7	9	11
B. *Operated*	547	7.9	25	1	2	7	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	517	6.0	16	1	2	5	8	10	13	22
B. *Operated*	1859	13.1	71	3	5	11	16	22	28	47
1. SINGLE DX	700	7.0	24	1	2	6	10	13	15	22
2. MULTIPLE DX	2376	11.5	68	2	3	10	15	21	26	42
A. NOT OPERATED	670	5.5	15	1	2	5	7	10	12	21
B. OPERATED	2406	11.9	66	2	4	10	15	21	26	43
TOTAL 0-19 YRS	42	8.3	61	2	3	7	10	13	20	50
20-34	330	8.2	40	2	3	7	10	13	17	34
35-49	384	8.1	34	2	2	7	11	15	18	29
50-64	656	9.1	43	1	2	8	11	17	22	31
65+	1664	12.1	74	2	3	11	16	22	28	43
GRAND TOTAL	**3076**	**10.5**	**61**	**2**	**3**	**9**	**14**	**19**	**24**	**39**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	5	<1	1	3	6	7	7	7
20-34	36	3.3	3	<1	1	3	4	5	7	8
35-49	40	4.6	11	1	1	4	6	8	12	15
50-64	31	4.2	8	1	2	3	5	9	10	13
65+	48	4.7	7	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	5	6.4	49	1	1	3	10	18	18	18
20-34	26	5.2	15	1	1	4	8	10	14	15
35-49	38	6.7	31	1	2	5	9	14	21	25
50-64	37	6.4	28	2	2	4	9	13	18	24
65+	37	8.8	42	1	2	6	13	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	8.1	24	2	3	7	11	15	17	19
20-34	62	6.7	23	1	2	6	9	13	15	26
35-49	116	5.7	25	1	2	4	8	10	13	31
50-64	163	6.7	38	2	2	6	8	11	13	23
65+	415	7.8	38	2	3	6	10	13	17	31
B. *Operated*										
0-19 YRS	12	9.4	62	2	2	8	13	20	27	28
20-34	72	12.0	88	2	3	11	14	23	28	55
35-49	159	12.2	131	1	2	10	15	25	34	47
50-64	196	14.3	147	2	3	12	18	27	34	71
65+	441	16.0	96	3	5	14	21	30	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	4.2	8	1	1	3	6	8	9	14
B. *Operated*	143	6.9	31	1	2	5	9	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	788	7.2	35	2	2	6	9	13	16	29
B. *Operated*	880	14.5	115	2	3	12	19	28	34	54
1. SINGLE DX	305	5.5	20	1	2	4	7	12	15	24
2. MULTIPLE DX	1668	11.0	91	2	2	9	14	23	29	45
A. NOT OPERATED	950	6.7	31	1	2	5	9	12	15	28
B. OPERATED	1023	13.5	110	2	3	11	18	27	32	51
TOTAL 0-19 YRS	56	7.7	32	1	2	6	11	16	18	27
20-34	196	7.8	53	1	2	6	10	16	22	35
35-49	353	8.6	82	1	2	6	11	18	25	39
50-64	427	10.0	101	2	2	7	13	20	27	50
65+	941	11.5	82	2	3	9	15	24	30	42
GRAND TOTAL	**1973**	**10.2**	**84**	**2**	**2**	**8**	**13**	**22**	**28**	**41**

219: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	4.3	8	1	2	4	5	7	9	16
20-34	664	5.2	10	1	2	5	6	9	11	16
35-49	608	5.9	14	2	2	5	7	10	11	19
50-64	358	6.1	17	2	2	5	7	11	13	23
65+	226	6.2	13	2	3	5	7	10	13	18
B. *Operated*										
0-19 YRS	11	9.5	48	2	3	7	14	20	24	24
20-34	74	9.6	108	2	2	6	11	19	36	56
35-49	99	8.4	41	2	2	7	10	16	22	34
50-64	70	10.6	76	2	2	9	15	22	27	45
65+	34	7.6	38	1	2	6	9	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	5.7	11	2	2	5	8	11	12	16
20-34	1689	6.6	19	2	3	6	8	11	15	25
35-49	2457	7.3	24	2	3	6	9	12	15	28
50-64	1797	7.4	22	2	3	6	9	13	15	24
65+	1909	8.2	27	3	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	29	19.4	361	4	5	11	24	51	62	75
20-34	351	14.4	155	3	4	11	17	30	42	84
35-49	601	16.7	186	3	5	13	21	37	46	91
50-64	633	17.0	184	4	5	13	22	35	45	67
65+	649	17.8	215	4	6	14	21	34	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1970	5.6	13	2	2	5	7	10	12	20
B. *Operated*	288	9.2	67	2	2	7	11	18	23	41
2. MULTIPLE DX										
A. *Not Operated*	7987	7.3	23	2	3	6	9	13	16	26
B. *Operated*	2263	16.8	192	3	5	13	21	35	47	82
1. SINGLE DX	2258	6.1	21	2	2	5	7	11	14	23
2. MULTIPLE DX	10250	9.4	76	2	3	7	11	18	24	50
A. NOT OPERATED	9957	7.0	22	2	3	6	9	12	15	25
B. OPERATED	2551	15.9	184	3	4	12	20	33	45	80
TOTAL 0-19 YRS	289	6.7	64	2	2	5	7	11	16	51
20-34	2778	7.3	44	2	2	6	9	13	18	38
35-49	3765	8.6	61	2	3	7	10	16	22	44
50-64	2858	9.4	75	2	3	7	11	18	24	47
65+	2818	10.2	87	3	3	8	12	19	25	55
GRAND TOTAL	**12508**	**8.8**	**68**	**2**	**3**	**7**	**10**	**16**	**23**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.4	2	1	1	2	3	4	5	8
20-34	145	3.1	3	1	1	3	4	5	6	9
35-49	144	4.1	17	1	1	3	5	7	9	15
50-64	172	4.0	6	1	1	4	5	7	9	12
65+	261	4.9	10	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	10	4.2	4	1	1	4	6	7	7	7
20-34	18	5.9	20	2	3	5	6	9	17	22
35-49	14	7.1	17	1	3	7	8	14	15	15
50-64	19	5.7	9	2	2	5	7	11	12	13
65+	39	7.7	23	1	2	7	11	14	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	3.5	5	1	1	3	5	7	8	10
20-34	603	4.3	8	1	1	4	5	8	10	15
35-49	877	5.3	13	1	2	4	7	9	13	19
50-64	1723	6.1	23	2	2	5	7	10	14	26
65+	6051	7.1	26	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	47	5.9	14	1	2	5	7	13	16	99+
20-34	134	9.0	81	2	3	7	11	15	22	60
35-49	260	9.1	78	2	3	6	10	17	23	58
50-64	607	10.3	62	2	3	8	13	21	26	44
65+	1836	11.3	84	3	4	9	14	21	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	3.9	9	1	1	3	5	7	9	13
B. *Operated*	100	6.6	18	2	2	6	8	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	9531	6.5	23	2	2	5	8	12	15	24
B. *Operated*	2884	10.7	78	3	4	8	13	21	28	50
1. SINGLE DX	938	4.2	11	1	1	3	5	8	10	15
2. MULTIPLE DX	12415	7.5	39	2	2	6	9	14	18	32
A. NOT OPERATED	10369	6.3	23	2	2	5	8	11	15	24
B. OPERATED	2984	10.6	77	3	4	8	13	20	27	50
TOTAL 0-19 YRS	450	3.5	6	1	1	3	5	7	8	13
20-34	900	4.8	22	1	2	4	6	9	12	21
35-49	1295	5.9	29	1	2	5	7	11	15	24
50-64	2521	7.0	35	2	2	5	8	13	18	31
65+	8187	8.0	42	2	3	6	10	15	19	34
GRAND TOTAL	**13353**	**7.2**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**32**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.5	6	1	1	3	4	7	8	13
20-34	4	8.0	7	5	5	8	10	11	11	11
35-49	10	4.8	13	1	1	4	7	10	12	12
50-64	7	4.0	2	2	2	4	5	6	6	6
65+	3	12.0	48	4	4	16	16	16	16	16
B. *Operated*										
0-19 YRS	19	3.5	32	<1	1	2	4	6	17	26
20-34	13	6.6	15	1	3	6	9	13	15	15
35-49	9	10.1	71	1	2	9	13	24	28	28
50-64	4	11.8	38	4	4	12	16	19	19	19
65+	3	17.7	281	7	7	9	30	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	5.7	47	1	2	4	7	10	15	36
20-34	32	6.2	21	1	2	5	8	12	14	23
35-49	57	9.1	54	2	3	7	10	15	29	38
50-64	67	8.8	59	2	3	7	10	19	20	50
65+	91	9.9	66	3	4	8	11	18	32	43
B. *Operated*										
0-19 YRS	33	13.9	359	1	2	6	15	40	67	73
20-34	28	11.4	67	4	4	9	14	27	30	34
35-49	58	13.7	142	3	4	10	16	32	43	57
50-64	62	16.5	199	5	5	12	23	28	46	73
65+	90	14.1	99	3	4	12	18	26	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.0	9	1	1	3	5	7	11	16
B. *Operated*	48	7.2	58	1	1	5	9	16	26	37
2. MULTIPLE DX										
A. *Not Operated*	466	7.4	54	2	2	5	9	13	19	37
B. *Operated*	271	14.3	159	3	4	10	18	28	39	69
1. SINGLE DX	178	4.8	24	1	1	3	6	10	14	27
2. MULTIPLE DX	737	9.9	103	2	2	7	11	21	29	57
A. NOT OPERATED	596	6.7	46	1	2	5	8	13	17	36
B. OPERATED	319	13.2	150	2	3	9	17	27	37	69
TOTAL 0-19 YRS	377	5.7	68	1	1	4	6	10	16	52
20-34	77	8.2	41	2	3	6	10	15	23	33
35-49	134	10.8	96	2	3	8	12	21	34	50
50-64	140	12.1	134	2	4	8	15	24	28	69
65+	187	12.1	87	3	4	9	16	24	32	46
GRAND TOTAL	**915**	**8.9**	**92**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	4.3	11	1	1	4	6	8	10	25
20-34	22	4.2	6	1	2	4	5	9	9	9
35-49	9	5.0	4	2	3	5	6	8	9	9
50-64	7	5.1	10	2	2	4	8	10	10	10
65+	15	6.9	9	3	3	7	9	10	13	14
B. *Operated*										
0-19 YRS	76	3.6	8	1	1	2	4	7	9	15
20-34	44	3.5	12	1	1	2	4	8	13	16
35-49	27	4.1	27	1	2	2	3	9	20	23
50-64	20	3.8	13	1	2	2	3	9	12	15
65+	4	6.0	12	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	5.5	20	1	1	4	7	12	14	18
20-34	58	6.4	19	1	2	5	8	13	16	21
35-49	72	6.5	30	1	2	5	8	11	15	30
50-64	102	9.4	76	2	2	8	11	16	24	52
65+	192	9.5	53	2	3	8	12	17	22	38
B. *Operated*										
0-19 YRS	80	11.4	267	1	2	6	13	26	60	96
20-34	114	9.8	125	1	1	6	14	22	31	61
35-49	115	7.9	64	1	2	5	11	18	21	41
50-64	125	10.6	122	1	2	7	13	28	37	51
65+	140	11.9	99	2	2	10	16	25	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	4.6	10	1	1	4	6	9	10	20
B. *Operated*	171	3.7	13	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	608	7.6	44	1	2	6	10	14	18	33
B. *Operated*	574	10.3	127	1	2	7	14	23	32	62
1. SINGLE DX	372	4.2	11	1	1	3	6	9	10	19
2. MULTIPLE DX	1182	8.9	86	1	2	6	11	18	26	48
A. NOT OPERATED	809	6.9	37	1	2	5	9	13	17	31
B. OPERATED	745	8.8	108	1	2	5	12	20	29	56
TOTAL 0-19 YRS	488	5.8	62	1	1	4	7	12	17	64
20-34	238	7.3	74	1	1	4	9	16	21	45
35-49	223	6.9	48	1	2	5	9	15	20	37
50-64	254	9.4	95	1	2	7	12	20	31	48
65+	351	10.3	71	2	3	8	13	20	26	42
GRAND TOTAL	**1554**	**7.8**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**44**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	6	1	2	4	5	8	10	12
20-34	9	3.0	4	1	1	2	5	6	6	6
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	10.0	18	7	7	10	13	13	13	13
65+										
B. *Operated*										
0-19 YRS	9	4.2	7	<1	1	4	5	9	10	10
20-34	4	7.0	36	2	2	6	12	14	14	14
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.0	15	2	2	5	7	12	15	17
20-34	19	5.4	9	<1	1	6	8	10	10	10
35-49	16	4.8	5	<1	1	5	6	7	8	9
50-64	23	7.0	22	2	3	5	9	15	17	18
65+	45	9.2	36	2	3	9	12	16	18	35
B. *Operated*										
0-19 YRS	13	6.7	16	1	3	5	9	13	15	15
20-34	19	8.4	52	1	1	7	14	18	23	27
35-49	19	9.3	34	2	3	8	13	17	21	24
50-64	24	15.1	187	1	2	11	20	41	44	46
65+	25	14.5	62	4	7	14	19	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.3	7	1	2	4	5	8	10	13
B. *Operated*	17	4.5	14	<1	1	3	5	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	160	6.8	22	2	2	5	9	13	16	22
B. *Operated*	100	11.5	87	1	2	9	16	22	32	44
1. SINGLE DX	86	4.4	8	1	2	4	5	9	10	14
2. MULTIPLE DX	260	8.6	52	1	2	7	11	16	21	42
A. NOT OPERATED	229	6.1	19	1	2	5	8	12	15	19
B. OPERATED	117	10.5	83	1	2	8	15	20	26	44
TOTAL 0-19 YRS	135	5.3	11	2	2	4	6	10	13	16
20-34	51	6.2	29	1	1	5	8	14	16	27
35-49	41	6.5	25	1	2	5	8	15	17	24
50-64	49	11.1	116	2	3	7	13	22	41	46
65+	70	11.1	51	3	3	9	14	19	23	41
GRAND TOTAL	**346**	**7.6**	**45**	**1**	**2**	**5**	**10**	**16**	**19**	**41**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	4	<1	<1	3	3	6	8	8
20-34	9	6.1	22	2	2	5	7	14	17	17
35-49	6	3.7	31	<1	<1	1	3	14	15	15
50-64	6	3.3	15	1	1	2	4	10	11	11
65+	8	4.6	23	<1	<1	3	8	12	13	13
B. *Operated*										
0-19 YRS	25	8.0	21	3	4	7	12	15	16	17
20-34	33	6.8	29	1	2	5	10	15	18	21
35-49	44	6.5	40	1	1	4	9	17	18	30
50-64	28	6.0	32	1	1	3	10	14	16	23
65+	24	5.3	22	1	2	3	7	12	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	4.9	43	1	1	3	5	9	14	40
20-34	63	4.9	18	<1	1	4	7	10	12	23
35-49	97	5.7	21	1	1	4	8	13	16	19
50-64	170	7.8	44	<1	1	6	10	17	20	30
65+	572	9.3	49	2	3	8	11	17	23	38
B. *Operated*										
0-19 YRS	98	14.2	124	2	3	12	20	29	38	49
20-34	286	12.3	140	1	2	9	17	27	34	60
35-49	321	11.2	95	1	2	9	15	22	32	51
50-64	443	12.2	132	2	3	9	15	26	36	66
65+	509	14.6	172	2	3	11	20	30	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.2	17	<1	<1	3	5	11	14	17
B. *Operated*	154	6.5	30	1	1	4	10	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	980	8.0	46	1	2	6	10	16	21	34
B. *Operated*	1657	12.9	140	2	3	10	17	27	37	65
1. SINGLE DX	193	6.1	29	1	1	4	10	14	17	22
2. MULTIPLE DX	2637	11.1	110	1	2	8	14	23	31	54
A. NOT OPERATED	1019	7.9	45	1	2	6	10	16	21	34
B. OPERATED	1811	12.3	134	2	2	9	16	26	36	64
TOTAL 0-19 YRS	211	9.5	96	1	2	5	13	21	32	45
20-34	391	10.5	117	1	2	7	14	24	30	51
35-49	468	9.5	80	1	2	7	13	19	27	47
50-64	647	10.7	108	1	2	8	14	22	33	60
65+	1113	11.6	113	2	3	9	14	24	31	54
GRAND TOTAL	**2830**	**10.7**	**106**	**1**	**2**	**8**	**14**	**23**	**31**	**53**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	14	2	2	4	6	11	11	11
20-34	6	3.8	5	2	2	4	5	7	7	7
35-49	6	3.8	5	<1	<1	3	6	7	7	7
50-64	5	9.8	44	4	4	6	16	18	18	18
65+	15	9.8	41	3	3	9	11	17	25	28
B. *Operated*										
0-19 YRS	4	8.3	30	1	1	9	12	14	14	14
20-34	5	7.4	25	1	1	9	10	14	14	14
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	6	13.5	170	2	2	9	19	35	37	37
65+	7	6.6	28	1	1	5	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.1	7	<1	1	3	5	9	10	11
20-34	30	5.3	13	1	1	5	7	11	13	13
35-49	65	8.6	40	1	2	7	11	18	22	29
50-64	208	10.1	46	2	3	9	13	18	22	31
65+	1136	11.2	61	3	4	9	14	21	25	38
B. *Operated*										
0-19 YRS	11	12.9	234	2	3	8	13	36	54	56
20-34	59	14.4	186	2	3	11	18	28	39	79
35-49	91	14.1	103	3	4	11	19	28	33	52
50-64	186	17.9	187	3	5	14	24	36	46	82
65+	518	19.1	192	4	6	16	25	36	49	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.2	32	2	2	6	9	16	18	28
B. *Operated*	24	9.0	67	1	1	8	13	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	1468	10.7	58	3	4	9	14	20	25	37
B. *Operated*	865	17.9	184	3	5	15	23	34	47	83
1. SINGLE DX	61	7.9	46	1	2	6	10	16	19	36
2. MULTIPLE DX	2333	13.4	117	3	4	10	17	26	33	57
A. NOT OPERATED	1505	10.6	58	3	4	9	14	20	25	36
B. OPERATED	889	17.7	183	3	5	14	23	34	46	83
TOTAL 0-19 YRS	49	6.5	69	1	1	4	8	11	15	56
20-34	100	10.7	134	1	2	7	14	24	32	64
35-49	164	11.5	83	2	3	9	16	22	30	50
50-64	405	13.7	127	2	4	11	17	27	36	61
65+	1676	13.6	115	3	4	11	17	26	34	58
GRAND TOTAL	**2394**	**13.2**	**116**	**3**	**4**	**10**	**17**	**26**	**33**	**57**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	498	4.0	5	2	2	4	5	6	8	10
20-34	681	4.2	3	2	2	4	5	7	7	9
35-49	199	4.5	5	2	2	4	6	7	9	11
50-64	96	4.9	6	2	2	5	6	8	10	14
65+	72	5.2	7	2	3	5	7	9	11	13
B. *Operated*										
0-19 YRS	22	5.5	9	2	3	5	7	8	12	16
20-34	31	6.0	7	2	3	6	7	10	11	11
35-49	15	6.5	4	4	4	6	8	9	10	10
50-64	4	8.3	28	4	4	7	12	15	15	15
65+	4	7.5	19	2	2	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	4.5	5	2	2	4	5	7	8	12
20-34	1366	5.0	7	2	2	4	6	8	9	14
35-49	588	6.0	13	2	3	5	7	10	12	20
50-64	687	6.8	15	3	3	6	8	12	15	20
65+	1374	7.5	19	3	3	7	9	12	15	23
B. *Operated*										
0-19 YRS	104	7.6	31	3	3	6	9	11	21	33
20-34	193	7.8	22	3	4	7	9	12	17	30
35-49	159	10.1	37	3	4	9	12	17	21	30
50-64	179	10.9	45	4	5	9	13	17	22	41
65+	247	13.0	83	4	5	10	15	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1546	4.3	5	2	2	4	5	7	8	11
B. *Operated*	76	6.1	8	2	3	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	4735	6.0	13	2	3	5	7	10	13	19
B. *Operated*	882	10.3	51	3	4	8	12	18	24	41
1. SINGLE DX	1622	4.4	5	2	2	4	5	7	8	11
2. MULTIPLE DX	5617	6.7	22	2	3	6	8	11	15	24
A. NOT OPERATED	6281	5.6	12	2	3	5	7	9	12	19
B. OPERATED	958	9.9	49	3	4	8	12	17	23	40
TOTAL 0-19 YRS	1344	4.6	8	2	2	4	5	7	9	13
20-34	2271	5.0	8	2	2	4	6	8	10	16
35-49	961	6.4	18	2	3	5	8	11	14	22
50-64	966	7.4	23	3	3	6	9	13	16	27
65+	1697	8.2	31	3	3	7	10	14	18	30
GRAND TOTAL	**7239**	**6.2**	**19**	**2**	**3**	**5**	**7**	**11**	**14**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368	3.7	3	1	2	3	5	6	7	9
20-34	480	4.1	3	2	2	4	5	6	7	11
35-49	124	4.4	5	2	2	4	6	8	9	11
50-64	75	5.3	11	2	2	5	6	8	9	21
65+	49	4.1	5	1	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	28	6.6	24	2	3	5	9	10	17	25
20-34	33	5.7	14	2	2	5	7	11	12	20
35-49	29	7.9	54	1	2	6	9	14	31	32
50-64	24	10.3	43	2	3	9	14	19	22	27
65+	10	8.7	21	2	3	8	10	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	513	4.5	7	2	2	4	5	7	9	13
20-34	893	4.9	8	2	2	4	6	8	10	15
35-49	414	5.8	11	2	3	5	7	9	11	18
50-64	411	6.9	23	2	3	6	8	12	15	28
65+	822	8.0	24	3	4	7	10	13	16	31
B. *Operated*										
0-19 YRS	112	6.7	21	1	2	6	8	11	16	25
20-34	211	9.2	80	2	3	7	11	15	22	51
35-49	151	12.1	135	3	4	9	13	25	42	51
50-64	217	12.6	125	3	4	9	15	26	32	62
65+	323	14.6	101	4	5	11	19	28	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1096	4.1	4	2	2	4	5	7	8	11
B. *Operated*	124	7.5	33	2	3	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	3053	6.0	16	2	2	5	7	10	13	23
B. *Operated*	1014	11.8	105	3	4	9	14	24	31	54
1. SINGLE DX	1220	4.4	8	2	2	4	5	7	9	16
2. MULTIPLE DX	4067	7.5	44	2	3	6	9	14	19	34
A. NOT OPERATED	4149	5.5	14	2	2	5	7	10	12	20
B. OPERATED	1138	11.3	99	3	4	9	14	23	30	52
TOTAL 0-19 YRS	1021	4.5	8	1	2	4	5	7	9	16
20-34	1617	5.2	18	2	2	4	6	9	11	18
35-49	718	7.0	45	2	3	5	8	11	16	43
50-64	727	8.6	60	2	3	6	10	16	23	46
65+	1204	9.6	53	3	4	8	11	17	25	39
GRAND TOTAL	**5287**	**6.8**	**38**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.1	1	1	1	2	3	4	5	6
20-34	484	2.2	2	<1	1	2	3	4	5	8
35-49	736	2.0	2	<1	1	2	3	4	5	7
50-64	344	2.3	3	<1	1	2	3	4	5	9
65+	106	2.6	4	1	1	2	3	5	7	12
B. *Operated*										
0-19 YRS	24	5.5	8	2	3	5	7	9	11	14
20-34	239	6.2	13	2	2	6	8	10	12	19
35-49	372	6.6	13	2	2	6	8	11	13	20
50-64	322	6.5	16	1	2	6	9	11	13	17
65+	138	7.4	20	2	3	7	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	11	1	1	2	4	5	6	24
20-34	468	3.1	11	1	1	2	4	6	8	13
35-49	659	3.2	10	1	1	2	4	6	8	16
50-64	554	3.4	7	1	1	3	5	7	8	14
65+	463	4.5	14	1	1	4	5	8	11	20
B. *Operated*										
0-19 YRS	38	8.4	63	1	2	7	9	19	31	34
20-34	342	8.2	50	2	2	6	11	14	18	29
35-49	578	8.3	41	2	3	7	10	15	20	30
50-64	791	9.0	37	2	3	8	11	17	19	29
65+	669	10.1	64	2	3	8	12	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1754	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	1095	6.6	14	1	2	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2202	3.5	11	1	1	3	4	7	9	16
B. *Operated*	2418	9.0	48	2	3	8	11	17	22	33
1. SINGLE DX	2849	3.9	12	1	1	3	5	9	10	16
2. MULTIPLE DX	4620	6.4	38	1	1	5	8	13	18	29
A. NOT OPERATED	3956	2.9	7	1	1	2	4	6	7	13
B. OPERATED	3513	8.3	39	2	3	7	10	15	19	30
TOTAL 0-19 YRS	204	3.9	22	1	1	3	5	8	10	30
20-34	1533	4.4	23	1	1	3	6	10	12	22
35-49	2345	4.7	22	1	1	3	6	10	13	22
50-64	2011	5.9	27	1	1	5	8	12	16	24
65+	1376	7.4	46	1	2	6	9	15	21	31
GRAND TOTAL	**7469**	**5.4**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**25**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	2.2	2	1	1	2	3	4	4	7
20-34	2040	1.9	1	<1	1	2	2	3	4	6
35-49	2609	2.0	1	<1	1	2	2	3	4	6
50-64	1389	2.1	2	1	1	2	3	4	4	7
65+	357	2.4	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	119	4.7	8	1	2	4	6	8	9	14
20-34	1178	5.0	10	1	2	4	7	10	11	14
35-49	1571	5.2	11	1	2	5	7	9	11	16
50-64	1069	5.5	13	1	2	5	7	10	13	17
65+	359	6.2	16	1	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.7	4	1	1	2	3	5	6	54
20-34	897	2.5	3	1	1	2	3	5	6	8
35-49	1410	2.5	3	1	1	2	3	5	6	9
50-64	1256	2.9	4	1	1	2	4	5	7	10
65+	774	3.4	10	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	82	5.6	11	2	2	5	7	10	12	17
20-34	758	6.2	17	2	2	5	8	11	14	20
35-49	1300	6.4	18	2	2	5	9	12	14	21
50-64	1551	7.4	33	2	2	6	10	14	17	24
65+	1148	9.1	42	2	3	8	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6593	2.0	2	<1	1	2	3	4	4	6
B. *Operated*	4296	5.3	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	4439	2.8	5	1	1	2	4	5	6	10
B. *Operated*	4839	7.3	29	2	2	6	9	14	17	27
1. SINGLE DX	10889	3.3	8	1	1	2	4	7	9	14
2. MULTIPLE DX	9278	5.2	23	1	1	4	7	11	14	22
A. NOT OPERATED	11032	2.3	3	1	1	2	3	4	5	8
B. OPERATED	9135	6.4	22	1	2	5	8	12	15	23
TOTAL 0-19 YRS	501	3.4	7	1	1	3	4	7	9	14
20-34	4873	3.4	9	1	1	2	4	7	10	14
35-49	6890	3.6	10	1	1	3	5	8	10	15
50-64	5265	4.6	19	1	1	3	6	10	13	19
65+	2638	6.1	31	1	1	4	8	13	17	30
GRAND TOTAL	**20167**	**4.2**	**16**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.7	5	<1	1	2	3	6	8	11
20-34	39	2.5	3	1	1	2	3	4	7	9
35-49	51	2.9	3	1	1	3	4	5	6	8
50-64	38	2.7	4	1	1	2	3	5	7	11
65+	20	3.3	6	1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	379	6.1	10	1	2	6	8	10	11	14
20-34	177	6.3	25	1	1	5	9	11	13	32
35-49	147	5.6	17	1	1	5	9	12	13	15
50-64	155	5.1	21	1	1	4	7	11	13	20
65+	103	4.8	14	1	1	3	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	4.3	67	1	1	3	5	9	10	26
20-34	137	4.3	26	1	1	3	5	8	11	35
35-49	145	5.0	19	1	1	4	6	10	14	21
50-64	200	6.1	35	1	1	4	8	12	16	30
65+	491	7.6	36	2	3	6	9	15	20	30
B. *Operated*										
0-19 YRS	591	7.1	23	1	2	7	9	13	15	23
20-34	466	7.6	23	2	2	7	10	14	16	22
35-49	500	7.9	35	1	2	7	10	15	19	32
50-64	785	8.7	58	1	2	7	11	17	22	33
65+	1008	10.3	71	1	2	8	13	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.8	4	1	1	2	3	5	7	10
B. *Operated*	961	5.8	16	1	1	5	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	1109	6.2	38	1	1	4	8	12	16	30
B. *Operated*	3350	8.6	49	1	2	7	11	17	21	35
1. SINGLE DX	1169	5.2	16	1	1	4	8	10	12	16
2. MULTIPLE DX	4459	8.0	47	1	2	6	10	16	21	34
A. NOT OPERATED	1317	5.6	34	1	1	4	7	11	15	28
B. OPERATED	4311	8.0	43	1	2	7	10	15	20	33
TOTAL 0-19 YRS	1166	6.2	24	1	1	6	8	11	13	20
20-34	819	6.5	26	1	2	6	9	12	15	22
35-49	843	6.7	29	1	2	5	9	13	17	28
50-64	1178	7.6	50	1	2	6	10	15	21	33
65+	1622	9.0	59	1	2	7	12	19	24	39
GRAND TOTAL	**5628**	**7.4**	**42**	**1**	**2**	**6**	**10**	**14**	**20**	**33**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	1	1	1	3	4	4	4
20-34	125	2.0	2	<1	1	2	2	4	5	6
35-49	130	2.1	2	<1	1	2	3	3	5	9
50-64	78	1.9	2	<1	1	1	2	3	5	7
65+	13	3.8	4	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	9	3.9	3	1	1	4	5	6	6	6
20-34	51	4.8	13	2	2	3	6	11	12	17
35-49	69	4.9	12	1	2	4	7	10	11	16
50-64	67	4.3	9	1	1	3	6	9	11	14
65+	70	4.4	14	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	32	<1	1	3	5	14	20	21
20-34	78	2.9	5	1	1	2	4	6	6	14
35-49	89	2.8	5	1	1	2	3	6	8	11
50-64	106	3.5	5	1	1	3	5	7	8	9
65+	79	4.4	16	1	1	4	5	8	11	26
B. *Operated*										
0-19 YRS	24	6.4	43	1	2	4	9	11	19	32
20-34	97	6.7	49	1	2	5	9	12	19	42
35-49	111	6.2	23	1	2	5	8	12	17	24
50-64	219	6.7	34	1	2	5	8	14	19	25
65+	464	8.0	39	2	2	6	10	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	266	4.6	12	1	1	3	6	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	364	3.5	9	1	1	3	4	7	8	13
B. *Operated*	915	7.3	37	1	2	6	9	14	19	28
1. SINGLE DX	625	3.1	8	1	1	2	4	7	9	13
2. MULTIPLE DX	1279	6.2	32	1	1	5	8	13	17	26
A. NOT OPERATED	723	2.8	6	<1	1	2	3	5	7	11
B. OPERATED	1181	6.7	33	1	2	5	9	13	17	26
TOTAL 0-19 YRS	58	4.7	27	1	1	3	5	10	12	31
20-34	351	3.9	21	1	1	2	5	8	12	20
35-49	399	3.9	13	1	1	3	5	9	11	19
50-64	470	4.8	22	1	1	3	6	10	14	24
65+	626	7.0	35	1	2	5	9	14	18	27
GRAND TOTAL	**1904**	**5.2**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.6	2	1	1	2	3	4	6	8
20-34	89	2.8	3	1	1	3	4	5	5	9
35-49	39	2.9	3	<1	1	2	4	5	7	8
50-64	37	3.9	8	1	1	3	5	8	10	13
65+	38	3.6	5	<1	1	3	5	6	9	9
B. *Operated*										
0-19 YRS	70	2.5	3	<1	<1	2	3	5	6	8
20-34	144	3.0	7	<1	1	2	4	6	9	11
35-49	115	2.9	5	<1	1	2	4	6	7	11
50-64	163	3.1	6	<1	1	2	4	6	7	13
65+	185	3.1	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	3.7	6	1	1	3	4	6	7	11
20-34	309	4.3	11	1	2	3	5	8	10	18
35-49	206	4.8	10	1	2	4	6	9	11	17
50-64	313	5.5	14	2	2	5	7	9	11	22
65+	861	6.9	20	2	2	6	9	12	16	24
B. *Operated*										
0-19 YRS	229	3.3	8	1	1	3	4	6	8	15
20-34	483	5.2	30	1	1	4	7	9	13	29
35-49	567	5.1	24	1	1	4	7	10	12	26
50-64	843	5.7	25	1	2	4	7	11	14	27
65+	1735	6.8	34	1	2	5	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.0	4	1	1	2	4	5	7	10
B. *Operated*	677	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1897	5.6	16	1	2	5	7	10	13	21
B. *Operated*	3857	5.9	30	1	1	4	8	12	15	28
1. SINGLE DX	993	3.0	5	<1	1	2	4	6	7	10
2. MULTIPLE DX	5754	5.8	25	1	2	4	7	11	15	26
A. NOT OPERATED	2213	5.3	15	1	2	4	7	10	12	21
B. OPERATED	4534	5.5	27	1	1	4	7	11	14	27
TOTAL 0-19 YRS	620	3.2	6	1	1	3	4	6	7	12
20-34	1025	4.4	19	1	1	3	5	8	10	21
35-49	927	4.6	18	1	1	4	6	9	11	23
50-64	1356	5.3	21	1	1	4	7	10	13	23
65+	2819	6.6	28	1	2	5	8	13	16	27
GRAND TOTAL	**6747**	**5.4**	**23**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	3	6	6	6
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	8	4.6	35	1	1	3	4	14	19	19
B. *Operated*										
0-19 YRS	334	1.8	2	<1	<1	1	2	3	4	7
20-34	270	2.6	4	<1	1	2	3	5	6	11
35-49	193	2.9	5	<1	1	2	4	6	8	12
50-64	178	3.0	6	1	1	2	4	5	7	10
65+	226	3.3	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	4	1	1	2	4	5	7	9
20-34	8	3.9	6	<1	<1	4	5	7	8	8
35-49	10	4.3	5	1	1	4	5	7	8	8
50-64	20	3.2	9	<1	<1	2	4	8	11	11
65+	91	4.9	11	1	1	4	6	9	12	15
B. *Operated*										
0-19 YRS	465	2.2	3	<1	<1	2	3	4	6	8
20-34	507	3.4	8	<1	<1	3	4	6	9	14
35-49	516	4.1	13	<1	1	3	5	9	12	17
50-64	707	4.7	23	1	1	3	6	10	12	21
65+	1406	5.4	19	1	2	4	7	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.2	13	1	1	2	3	4	10	19
B. *Operated*	1201	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	151	4.3	9	1	1	4	5	9	11	14
B. *Operated*	3601	4.4	16	<1	1	3	6	9	12	19
1. SINGLE DX	1225	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	3752	4.4	16	<1	1	3	6	9	12	19
A. NOT OPERATED	175	4.1	10	1	1	3	5	8	11	15
B. OPERATED	4802	3.9	14	<1	1	3	5	8	11	18
TOTAL 0-19 YRS	827	2.1	3	<1	<1	2	3	4	5	8
20-34	788	3.1	6	<1	1	2	4	6	8	13
35-49	721	3.8	11	<1	1	3	4	8	11	16
50-64	910	4.3	20	1	1	3	5	9	12	20
65+	1731	5.1	17	1	1	4	6	10	13	21
GRAND TOTAL	**4977**	**3.9**	**14**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	709	2.9	3	1	1	3	4	5	6	8
20-34	386	3.1	3	1	1	3	4	5	6	8
35-49	196	3.6	6	1	1	3	5	6	9	13
50-64	140	3.9	5	1	1	4	5	7	8	10
65+	277	5.0	11	1	2	4	7	9	11	15
B. *Operated*										
0-19 YRS	266	2.6	4	<1	<1	2	3	5	7	11
20-34	302	3.0	5	<1	<1	2	4	6	8	11
35-49	274	3.6	10	<1	1	3	5	7	9	17
50-64	361	3.3	6	1	1	3	4	6	9	13
65+	443	3.7	9	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1889	4.0	7	1	2	3	5	7	9	14
20-34	1482	4.8	22	1	2	4	6	8	11	21
35-49	1060	5.9	27	1	2	5	7	11	13	26
50-64	1828	6.1	19	2	2	5	8	11	13	21
65+	8048	7.7	26	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	651	4.5	36	<1	1	3	6	9	11	24
20-34	907	5.8	52	1	1	4	7	11	16	33
35-49	1083	6.4	58	1	1	4	8	13	17	38
50-64	1992	6.8	40	1	2	5	9	14	18	31
65+	5501	8.3	51	2	2	6	10	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1708	3.4	5	1	1	3	4	6	8	12
B. *Operated*	1646	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	14307	6.6	24	2	2	5	8	12	15	25
B. *Operated*	10134	7.3	50	1	2	5	9	15	20	34
1. SINGLE DX	3354	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	24441	6.9	35	1	2	5	9	13	17	30
A. NOT OPERATED	16015	6.2	23	1	2	5	8	11	15	23
B. OPERATED	11780	6.8	46	1	1	5	9	14	19	33
TOTAL 0-19 YRS	3515	3.8	12	1	1	3	5	7	9	14
20-34	3077	4.7	28	1	1	4	6	9	11	24
35-49	2613	5.7	38	1	1	4	7	11	15	30
50-64	4321	6.1	28	1	2	5	8	12	15	28
65+	14269	7.7	35	2	2	6	10	14	18	31
GRAND TOTAL	**27795**	**6.5**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	40	1	1	1	9	12	12	12
50-64	18	3.2	5	1	1	3	4	6	8	9
65+	41	3.5	6	<1	1	3	5	6	8	12
B. *Operated*										
0-19 YRS	5	4.8	9	2	2	5	7	9	9	9
20-34	4	1.3		1	1	1	2	2	2	2
35-49	114	3.6	5	<1	1	3	5	6	8	10
50-64	1895	5.0	6	1	2	5	6	8	9	13
65+	2724	5.7	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0		3	3	3	3	3	3	3
35-49	14	3.1	2	1	2	3	4	5	6	6
50-64	172	3.8	8	1	1	3	5	8	10	14
65+	594	5.1	20	1	1	4	6	11	14	24
B. *Operated*										
0-19 YRS	20	7.3	22	1	3	6	9	14	19	20
20-34	25	4.2	17	1	1	3	5	10	13	20
35-49	270	4.9	9	1	1	4	6	9	11	14
50-64	5021	6.5	17	2	3	6	8	11	14	21
65+	13489	7.9	26	3	4	7	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.5	7	1	1	3	5	6	8	12
B. *Operated*	4742	5.4	7	1	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	783	4.8	17	1	1	4	6	10	13	23
B. *Operated*	18825	7.5	24	2	3	6	9	13	16	25
1. SINGLE DX	4804	5.4	7	1	2	5	7	8	10	14
2. MULTIPLE DX	19608	7.4	24	2	3	6	9	13	16	25
A. NOT OPERATED	845	4.7	17	1	1	4	6	10	12	22
B. OPERATED	23567	7.1	21	2	3	6	8	12	15	24
TOTAL 0-19 YRS	25	6.8	20	1	2	6	9	11	18	20
20-34	32	3.7	14	1	1	3	4	7	10	20
35-49	401	4.5	8	1	1	4	6	8	10	14
50-64	7106	6.1	14	2	2	5	7	10	13	19
65+	16848	7.5	24	2	3	6	9	13	16	25
GRAND TOTAL	**24412**	**7.0**	**21**	**2**	**3**	**6**	**8**	**12**	**15**	**24**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	55	3.0	2	1	1	3	4	5	6	7
35-49	50	3.7	4	1	1	3	4	7	8	9
50-64	65	4.1	4	1	2	4	5	7	8	11
65+	23	4.7	3	3	3	4	6	7	8	9
B. *Operated*										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34	74	2.7	4	<1	<1	2	4	6	7	11
35-49	76	3.0	8	<1	1	2	4	5	8	17
50-64	83	3.4	7	<1	1	3	4	7	9	15
65+	40	2.9	5	<1	1	2	4	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	8	2	2	3	6	9	10	10
20-34	90	3.9	5	1	1	3	5	8	9	10
35-49	150	4.8	5	2	2	5	6	8	9	12
50-64	258	4.9	8	2	2	4	6	8	9	15
65+	218	5.3	11	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	14	3.3	5	1	1	3	4	6	8	9
20-34	138	4.0	24	<1	1	3	5	7	11	30
35-49	253	4.4	11	1	1	3	6	9	11	15
50-64	386	5.5	20	1	2	5	7	10	14	19
65+	470	6.6	25	1	2	5	8	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.7	4	1	1	3	5	6	7	10
B. *Operated*	277	3.0	6	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	723	4.9	8	2	2	4	6	8	10	13
B. *Operated*	1261	5.5	21	1	1	5	7	11	14	21
1. SINGLE DX	481	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1984	5.3	17	1	2	4	7	10	13	20
A. NOT OPERATED	927	4.6	8	1	2	4	6	8	9	13
B. OPERATED	1538	5.0	19	1	1	4	7	10	13	21
TOTAL 0-19 YRS	36	3.1	5	1	1	3	4	7	8	10
20-34	357	3.5	12	<1	1	3	4	7	8	14
35-49	529	4.2	9	1	1	4	6	8	10	13
50-64	792	5.0	14	1	2	4	6	9	11	17
65+	751	6.0	20	1	2	5	8	11	15	21
GRAND TOTAL	**2465**	**4.9**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49										
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	284	1.7	1	<1	<1	1	2	3	3	5
20-34	157	2.2	1	1	1	2	3	4	4	7
35-49	181	2.4	2	1	1	2	3	4	5	7
50-64	283	2.7	3	1	1	2	3	4	5	9
65+	168	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	2	<1	<1	1	2	4	5	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	7	4.4	9	<1	<1	4	6	9	9	9
65+	11	3.8	18	<1	<1	2	6	10	14	14
B. *Operated*										
0-19 YRS	307	1.9	2	<1	1	2	2	3	4	7
20-34	102	3.4	4	1	1	3	4	6	7	12
35-49	134	3.2	5	1	1	3	4	6	8	11
50-64	346	4.0	12	1	1	3	5	7	11	20
65+	342	4.5	15	1	2	3	5	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	1	3	5	5	5
B. *Operated*	1073	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	51	2.8	8	<1	<1	1	4	7	8	14
B. *Operated*	1231	3.5	10	1	1	3	4	6	9	16
1. SINGLE DX	1086	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1282	3.4	10	1	1	3	4	6	9	16
A. NOT OPERATED	64	2.6	7	<1	<1	1	3	6	8	13
B. OPERATED	2304	2.9	7	1	1	2	3	5	7	14
TOTAL 0-19 YRS	628	1.8	1	<1	<1	1	2	3	4	6
20-34	262	2.7	3	1	1	2	3	5	6	9
35-49	318	2.7	4	1	1	2	4	5	6	10
50-64	638	3.4	8	1	1	3	4	6	8	15
65+	522	3.9	12	1	1	3	4	7	10	17
GRAND TOTAL	**2368**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.6	6	1	1	3	5	7	8	11
20-34	321	3.9	6	1	1	4	5	7	8	13
35-49	162	4.5	5	2	2	4	6	8	9	13
50-64	105	5.2	4	3	3	5	6	7	10	12
65+	55	5.5	4	3	3	5	7	9	9	10
B. *Operated*										
0-19 YRS	55	2.9	5	<1	1	2	3	7	8	11
20-34	101	3.6	8	1	1	3	5	7	9	14
35-49	80	4.1	10	1	1	3	5	8	10	17
50-64	64	4.1	9	1	1	3	6	9	10	13
65+	33	4.2	9	1	1	3	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.0	7	1	1	3	5	8	10	13
20-34	184	4.6	6	1	2	4	6	8	9	14
35-49	192	5.4	7	2	2	5	7	9	11	13
50-64	258	6.1	10	2	3	5	8	10	12	17
65+	287	6.4	14	2	3	6	8	11	14	20
B. *Operated*										
0-19 YRS	50	3.5	6	1	1	3	4	7	8	11
20-34	126	5.0	21	1	1	4	7	10	12	22
35-49	111	5.5	36	1	2	4	7	10	13	32
50-64	200	7.0	20	2	2	6	9	12	15	25
65+	234	8.7	32	2	3	7	11	17	20	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	4.3	6	1	2	4	5	7	9	12
B. *Operated*	333	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	992	5.6	10	2	2	5	7	10	12	17
B. *Operated*	721	6.7	28	1	2	5	9	13	16	25
1. SINGLE DX	1111	4.1	7	1	1	4	5	7	9	13
2. MULTIPLE DX	1713	6.1	18	2	2	5	8	11	14	21
A. NOT OPERATED	1770	5.0	9	1	2	4	6	9	10	16
B. OPERATED	1054	5.8	24	1	1	4	8	11	15	22
TOTAL 0-19 YRS	311	3.6	6	1	1	3	5	7	8	11
20-34	732	4.2	9	1	1	4	5	8	9	14
35-49	545	4.9	13	1	2	4	6	9	10	15
50-64	627	6.0	13	2	2	5	8	10	12	18
65+	609	7.1	21	2	3	6	9	13	17	22
GRAND TOTAL	**2824**	**5.3**	**14**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	1.6	1	<1	<1	1	2	2	3	4
20-34	49	1.7	1	<1	<1	2	2	2	3	5
35-49	28	1.7		<1	<1	2	2	3	3	3
50-64	23	1.6	1	<1	<1	1	2	3	3	3
65+	15	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-19 YRS	207	1.4		<1	<1	1	2	2	3	3
20-34	54	1.7	1	<1	1	2	2	3	3	4
35-49	51	1.4		<1	<1	1	2	2	3	4
50-64	41	1.5	1	<1	1	1	2	2	3	6
65+	19	2.1	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	4	<1	<1	2	2	5	7	10
20-34	25	2.0	2	<1	1	2	2	4	5	5
35-49	39	3.6	12	<1	1	3	4	9	12	16
50-64	47	2.7	4	<1	<1	2	3	6	7	8
65+	64	2.7	5	1	1	2	3	5	6	14
B. *Operated*										
0-19 YRS	99	1.6	1	<1	<1	1	2	3	4	6
20-34	68	2.0	2	<1	1	2	2	4	4	7
35-49	107	3.1	6	1	1	2	4	7	8	12
50-64	162	2.9	5	1	1	2	4	6	8	12
65+	170	3.6	12	1	1	2	4	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	1.6	1	<1	<1	2	2	2	3	4
B. *Operated*	372	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	232	2.7	6	<1	1	2	3	5	8	13
B. *Operated*	606	2.8	7	<1	1	2	3	6	8	12
1. SINGLE DX	691	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	838	2.8	6	<1	1	2	3	6	8	12
A. NOT OPERATED	551	2.1	3	<1	<1	2	2	4	5	10
B. OPERATED	978	2.3	5	<1	<1	2	3	5	7	11
TOTAL 0-19 YRS	567	1.6	1	<1	<1	1	2	2	3	6
20-34	196	1.9	1	<1	1	2	2	3	4	6
35-49	225	2.6	6	<1	1	2	3	5	7	12
50-64	273	2.5	4	<1	1	2	3	6	7	12
65+	268	3.2	9	1	1	2	3	7	9	15
GRAND TOTAL	**1529**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.0	2	<1	1	1	3	4	5	7
20-34	49	2.0	4	<1	<1	1	2	3	7	10
35-49	32	2.8	4	<1	1	2	4	6	8	9
50-64	37	2.2	4	1	1	1	2	5	6	10
65+	15	2.8	6	<1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	760	1.8	2	1	1	1	2	3	4	7
20-34	445	2.2	3	1	1	2	3	4	5	10
35-49	296	2.8	9	<1	1	2	4	5	7	14
50-64	354	3.1	3	1	1	3	4	5	6	8
65+	135	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	73	<1	1	2	4	7	9	59
20-34	81	4.6	17	1	1	4	6	8	14	22
35-49	89	4.2	20	<1	1	3	5	8	10	27
50-64	102	4.0	11	<1	1	3	6	8	10	17
65+	82	6.2	32	1	1	5	8	12	18	31
B. *Operated*										
0-19 YRS	361	2.7	7	1	1	2	3	5	8	11
20-34	393	3.4	10	1	1	3	4	6	9	17
35-49	460	4.3	30	1	1	3	5	8	10	22
50-64	744	4.7	21	1	2	4	6	8	11	18
65+	494	5.9	52	1	2	4	6	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	2.2	4	<1	1	1	3	5	7	9
B. *Operated*	1990	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	425	4.5	29	1	1	3	6	9	11	22
B. *Operated*	2452	4.4	26	1	1	3	5	8	11	23
1. SINGLE DX	2201	2.4	4	1	1	2	3	4	6	9
2. MULTIPLE DX	2877	4.4	26	1	1	3	5	8	11	23
A. NOT OPERATED	636	3.8	22	<1	1	2	5	8	10	19
B. OPERATED	4442	3.5	17	1	1	2	4	7	9	18
TOTAL 0-19 YRS	1270	2.2	8	1	1	2	2	4	5	9
20-34	968	2.9	7	1	1	2	4	6	8	15
35-49	877	3.8	21	1	1	3	5	7	9	16
50-64	1237	4.1	15	1	1	3	5	7	10	16
65+	726	5.3	41	1	1	4	6	10	17	29
GRAND TOTAL	**5078**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.1	2	1	1	2	3	4	4	4
35-49	17	2.4	9	<1	<1	1	2	5	10	13
50-64	6	1.5	1	1	1	1	2	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	35	1.7	1	<1	<1	2	2	3	4	4
20-34	455	2.3	2	<1	1	2	3	4	5	8
35-49	1547	2.3	3	<1	1	2	3	4	5	9
50-64	797	2.1	1	<1	1	2	2	3	4	7
65+	268	2.2	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	2.6	3	<1	1	2	4	5	6	6
35-49	39	3.9	8	<1	1	3	6	8	10	10
50-64	21	3.0	15	<1	1	1	4	6	12	18
65+	19	4.2	12	1	1	3	5	11	12	12
B. *Operated*										
0-19 YRS	23	2.9	4	<1	<1	2	4	6	7	8
20-34	327	3.4	8	1	1	2	4	7	9	13
35-49	1305	3.1	6	1	1	2	4	6	7	12
50-64	968	3.1	6	1	1	2	4	6	8	13
65+	653	3.3	7	1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.1	5	<1	1	1	3	4	5	13
B. *Operated*	3102	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	96	3.5	9	<1	1	3	5	7	10	15
B. *Operated*	3276	3.2	6	1	1	2	4	6	8	13
1. SINGLE DX	3136	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	3372	3.2	6	1	1	2	4	6	8	13
A. NOT OPERATED	130	3.2	9	<1	1	2	4	7	10	14
B. OPERATED	6378	2.7	4	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	60	2.2	2	<1	<1	2	2	4	6	8
20-34	806	2.7	5	<1	1	2	3	5	7	11
35-49	2908	2.7	4	<1	1	2	3	5	7	10
50-64	1792	2.6	4	1	1	2	3	5	6	11
65+	942	3.0	5	1	1	2	3	6	8	12
GRAND TOTAL	**6508**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	6	2	2	3	5	6	10	13
20-34	64	3.6	5	1	1	3	5	6	9	11
35-49	21	4.7	12	1	1	4	6	10	12	14
50-64	14	3.1	5	<1	<1	2	5	7	7	7
65+	8	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-19 YRS	447	2.7	3	<1	1	2	3	4	5	7
20-34	591	2.9	3	1	1	3	4	5	6	8
35-49	430	2.9	3	1	1	3	4	5	6	8
50-64	286	3.0	4	1	1	3	4	5	7	11
65+	116	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	4	<1	<1	4	5	6	7	7
20-34	59	4.4	10	1	1	4	6	7	12	15
35-49	63	5.2	40	<1	1	4	6	9	12	43
50-64	37	4.1	16	<1	<1	3	5	9	14	17
65+	42	4.7	13	1	1	4	7	9	13	14
B. *Operated*										
0-19 YRS	109	2.9	2	1	1	3	4	5	5	8
20-34	357	3.6	5	1	1	3	4	6	7	14
35-49	503	3.9	9	1	1	3	5	7	9	16
50-64	453	4.0	13	1	1	3	5	7	11	18
65+	334	4.1	16	1	2	3	5	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.7	7	<1	1	3	5	7	9	13
B. *Operated*	1870	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	219	4.6	20	<1	1	4	6	8	12	17
B. *Operated*	1756	3.9	10	1	1	3	5	7	9	16
1. SINGLE DX	1998	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1975	3.9	11	1	1	3	5	7	9	17
A. NOT OPERATED	347	4.2	15	<1	1	3	5	8	11	17
B. OPERATED	3626	3.3	7	1	1	3	4	6	7	13
TOTAL 0-19 YRS	595	2.8	3	1	1	3	4	5	5	8
20-34	1071	3.3	4	1	1	3	4	5	7	12
35-49	1017	3.6	9	1	1	3	4	6	8	14
50-64	790	3.6	10	1	1	3	4	7	9	16
65+	500	3.7	12	1	1	3	4	7	9	16
GRAND TOTAL	**3973**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	2.4	2	1	1	2	3	4	5	7
20-34	762	2.3	2	1	1	2	3	4	5	7
35-49	148	2.6	3	1	1	2	3	4	5	9
50-64	11	1.7	1	1	1	1	2	3	5	5
65+	3	5.0	19	2	2	3	8	10	10	10
B. *Operated*										
0-19 YRS	547	4.0	5	1	1	4	5	7	8	12
20-34	1579	4.3	6	1	1	4	6	7	8	11
35-49	439	5.1	7	1	2	5	6	8	9	14
50-64	66	5.9	5	2	2	6	7	9	9	12
65+	28	7.4	6	4	5	7	9	12	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	384	2.9	3	1	1	2	4	5	6	9
20-34	831	3.0	4	1	1	2	4	6	7	9
35-49	208	3.8	8	1	1	3	5	7	8	16
50-64	20	3.8	5	<1	1	3	5	8	9	9
65+	19	5.7	14	2	2	5	8	11	14	15
B. *Operated*										
0-19 YRS	639	5.0	7	1	2	5	6	8	10	13
20-34	3797	5.6	10	1	2	5	7	9	11	16
35-49	1875	6.7	12	2	4	6	8	10	13	18
50-64	221	7.8	20	4	4	7	8	13	16	25
65+	146	10.6	49	4	5	9	12	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	2.3	2	1	1	2	3	4	5	7
B. *Operated*	2659	4.4	6	1	1	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1462	3.1	4	1	1	3	4	6	7	9
B. *Operated*	6678	6.0	13	1	2	6	7	10	12	18
1. SINGLE DX	4114	3.7	6	1	1	3	5	7	8	11
2. MULTIPLE DX	8140	5.5	12	1	2	5	7	9	11	17
A. NOT OPERATED	2917	2.7	3	1	1	2	3	5	6	9
B. OPERATED	9337	5.6	11	1	2	5	7	9	11	17
TOTAL 0-19 YRS	2101	3.7	6	1	1	3	5	7	8	11
20-34	6969	4.6	9	1	1	4	6	8	10	15
35-49	2670	6.0	12	1	2	6	7	10	12	18
50-64	318	7.0	18	2	3	6	8	11	15	23
65+	196	9.6	42	3	4	8	11	15	20	35
GRAND TOTAL	**12254**	**4.9**	**11**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1249	4.0	4	1	2	4	5	7	8	11
20-34	2971	4.2	5	1	2	4	5	7	8	12
35-49	303	4.7	5	2	2	4	6	8	9	11
50-64	22	5.4	6	2	3	5	7	9	10	11
65+	7	6.1	16	3	3	5	8	13	14	14
B. *Operated*										
0-19 YRS	259	5.2	10	1	2	5	7	9	11	15
20-34	1196	5.1	13	1	1	5	7	9	11	16
35-49	289	5.6	11	1	2	5	7	10	12	16
50-64	46	5.2	10	1	1	5	8	9	10	13
65+	6	5.7	7	3	3	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1008	4.7	6	2	2	4	6	8	9	12
20-34	2895	4.9	7	2	2	4	6	8	10	14
35-49	530	5.8	9	2	3	5	7	10	12	16
50-64	67	6.2	10	3	3	5	8	11	13	15
65+	36	7.4	30	2	3	6	9	13	19	29
B. *Operated*										
0-19 YRS	573	6.4	11	2	3	6	8	11	13	17
20-34	4888	6.0	13	1	2	6	7	10	13	18
35-49	1727	7.2	19	2	3	6	8	12	15	24
50-64	208	9.8	55	2	3	8	12	19	22	45
65+	76	14.6	161	2	6	10	18	28	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4552	4.2	5	1	2	4	5	7	8	11
B. *Operated*	1796	5.2	12	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	4536	5.0	7	2	2	5	6	8	10	14
B. *Operated*	7472	6.5	18	1	2	6	8	11	14	22
1. SINGLE DX	6348	4.5	7	1	2	4	6	8	9	13
2. MULTIPLE DX	12008	5.9	15	2	2	5	7	10	13	19
A. NOT OPERATED	9088	4.6	6	2	2	4	6	8	9	13
B. OPERATED	9268	6.3	17	1	2	6	8	10	13	20
TOTAL 0-19 YRS	3089	4.8	7	1	2	4	6	8	10	14
20-34	11950	5.2	10	1	2	5	6	9	11	16
35-49	2849	6.5	16	2	3	6	8	11	14	21
50-64	343	8.2	41	2	3	7	10	14	19	30
65+	125	11.6	121	3	3	8	14	25	29	61
GRAND TOTAL	**18356**	**5.4**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	4	<1	1	3	5	5	7	9
20-34	60	2.7	3	1	1	2	3	5	7	7
35-49	20	2.7	2	<1	1	2	3	5	6	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	56	3.9	5	1	1	4	5	7	8	11
20-34	1009	4.6	5	1	1	5	6	7	8	10
35-49	591	5.5	4	2	3	6	7	7	8	11
50-64	30	5.4	5	2	2	5	6	9	10	10
65+	5	5.6	6	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	8	<1	1	3	4	5	10	14
20-34	140	3.5	7	1	1	3	5	6	8	13
35-49	44	4.3	14	<1	<1	3	6	8	9	22
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	78	4.3	6	1	1	4	6	7	8	11
20-34	4443	5.6	7	1	2	6	7	8	9	14
35-49	4950	6.5	5	4	4	6	7	9	10	14
50-64	509	7.3	22	4	5	7	8	10	11	17
65+	39	9.2	17	5	5	7	11	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.9	3	1	1	2	4	5	7	8
B. *Operated*	1691	4.9	5	1	2	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	206	3.7	8	<1	1	3	5	7	8	15
B. *Operated*	10019	6.1	7	2	4	6	7	9	10	14
1. SINGLE DX	1791	4.8	5	1	1	5	6	7	8	10
2. MULTIPLE DX	10225	6.1	7	2	3	6	7	9	10	14
A. NOT OPERATED	306	3.4	7	<1	1	3	4	6	8	13
B. OPERATED	11710	6.0	7	2	3	6	7	8	10	14
TOTAL 0-19 YRS	172	4.0	6	1	1	4	5	7	8	12
20-34	5652	5.4	7	1	2	5	7	8	9	13
35-49	5605	6.4	5	3	4	6	7	9	10	14
50-64	542	7.1	21	4	5	7	8	10	11	17
65+	45	8.6	18	3	5	7	11	15	17	22
GRAND TOTAL	**12016**	**5.9**	**7**	**1**	**3**	**6**	**7**	**8**	**10**	**14**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	6	2.8	3	1	1	2	5	5	5	5
35-49	5	4.4	12	1	1	3	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	3	5	5	5
20-34	91	2.7	4	<1	1	2	3	6	6	9
35-49	63	2.7	4	<1	1	2	4	6	7	7
50-64	29	2.3	3	<1	1	2	3	5	6	8
65+	9	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	5	3	3	6	7	8	8	8
20-34	17	4.2	7	1	1	3	7	8	9	9
35-49	5	3.4	2	2	2	4	4	5	5	5
50-64	7	2.1	2	1	1	2	2	4	5	5
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	22	3.3	6	1	1	3	4	7	8	10
20-34	603	4.5	8	1	1	5	6	8	9	13
35-49	662	5.2	9	1	1	6	7	8	10	14
50-64	173	4.9	11	1	1	5	7	9	10	15
65+	59	5.0	10	1	2	4	7	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.5	6	1	1	3	5	6	9	10
B. *Operated*	199	2.6	3	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	37	3.9	6	1	1	3	6	8	8	9
B. *Operated*	1519	4.9	9	1	1	5	7	8	10	14
1. SINGLE DX	213	2.6	4	<1	1	2	3	6	7	9
2. MULTIPLE DX	1556	4.8	9	1	1	5	7	8	10	14
A. NOT OPERATED	51	3.8	6	1	1	3	5	8	8	10
B. OPERATED	1718	4.6	9	1	1	5	7	8	9	14
TOTAL 0-19 YRS	38	3.5	5	1	1	3	5	7	8	10
20-34	717	4.3	8	<1	1	4	6	8	9	13
35-49	735	5.0	9	1	1	5	7	8	10	14
50-64	209	4.5	10	1	1	3	7	8	9	15
65+	70	4.5	10	1	1	3	7	9	11	14
GRAND TOTAL	**1769**	**4.6**	**9**	**1**	**1**	**5**	**7**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.6	7	1	1	3	4	7	8	16
20-34	178	3.6	4	1	1	3	5	6	7	11
35-49	35	3.5	3	1	1	3	5	5	7	9
50-64	8	3.5	3	<1	1	3	4	6	7	7
65+	7	4.1	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	81	2.4	3	1	1	2	3	5	6	9
20-34	407	2.2	2	<1	1	2	3	4	5	7
35-49	202	2.2	3	<1	1	2	3	4	5	9
50-64	61	2.3	7	<1	<1	2	3	4	5	19
65+	23	3.3	6	1	1	2	3	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	4.4	8	1	2	4	6	7	11	15
20-34	256	4.4	7	1	2	4	5	7	9	12
35-49	85	5.0	9	1	2	5	6	9	10	16
50-64	35	7.7	41	2	2	6	9	16	24	28
65+	48	7.0	25	2	2	6	9	14	20	22
B. *Operated*										
0-19 YRS	70	3.4	8	1	1	3	5	7	10	13
20-34	475	4.1	9	1	1	3	6	7	10	15
35-49	283	4.7	17	1	1	4	6	9	12	20
50-64	113	5.6	47	1	1	3	6	11	17	43
65+	111	6.3	36	1	2	5	8	13	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	3.6	5	1	1	3	5	6	7	11
B. *Operated*	774	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	519	5.0	12	1	2	4	6	9	11	21
B. *Operated*	1052	4.6	18	1	1	3	6	9	12	22
1. SINGLE DX	1072	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	1571	4.7	16	1	1	4	6	9	12	22
A. NOT OPERATED	817	4.5	10	1	2	4	5	8	10	17
B. OPERATED	1826	3.6	13	1	1	2	5	7	10	18
TOTAL 0-19 YRS	316	3.5	7	1	1	3	5	7	9	13
20-34	1316	3.5	7	1	1	3	5	7	8	12
35-49	605	3.8	11	1	1	3	5	7	10	17
50-64	217	4.9	37	<1	1	3	6	10	16	32
65+	189	6.0	29	1	2	5	8	12	18	30
GRAND TOTAL	**2643**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	3.7	8	<1	<1	4	5	8	9	9
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	3	3.0	4	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	8.8	20	5	5	8	12	14	14	14
20-34	326	5.7	4	3	4	6	7	8	10	12
35-49	649	6.2	5	3	4	6	7	9	10	13
50-64	998	6.7	6	3	4	6	8	10	11	14
65+	793	6.8	6	4	4	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.5	11	<1	<1	2	4	10	11	11
35-49	45	2.3	3	<1	1	2	3	5	6	7
50-64	65	2.8	7	<1	<1	2	4	6	8	16
65+	94	4.9	20	1	1	4	6	10	11	27
B. *Operated*										
0-19 YRS	13	6.1	5	3	3	6	8	9	9	9
20-34	1615	6.5	5	4	4	6	7	9	10	15
35-49	3389	7.1	7	4	5	7	8	10	12	17
50-64	3173	7.6	9	4	5	7	9	11	13	18
65+	3264	8.4	18	4	5	8	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.3	6	<1	<1	3	5	6	8	9
B. *Operated*	2770	6.5	5	3	4	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	223	3.7	13	<1	1	3	5	8	10	19
B. *Operated*	11454	7.5	11	4	5	7	9	11	13	19
1. SINGLE DX	2785	6.5	6	3	4	6	8	9	10	14
2. MULTIPLE DX	11677	7.4	11	4	5	7	9	11	13	19
A. NOT OPERATED	238	3.6	13	<1	1	3	5	8	10	18
B. OPERATED	14224	7.3	10	4	4	7	8	10	12	18
TOTAL 0-19 YRS	17	6.7	9	3	3	6	9	11	13	14
20-34	1960	6.3	5	3	4	6	7	9	10	14
35-49	4092	6.9	7	3	4	7	8	10	11	16
50-64	4239	7.3	8	4	4	7	8	11	12	17
65+	4154	8.0	16	4	5	7	9	12	14	22
GRAND TOTAL	**14462**	**7.3**	**10**	**4**	**4**	**7**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	16	1.6	1	<1	<1	1	2	3	4	5
35-49	4	4.5	49	1	1	1	8	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	1	3	3	3	3
20-34	67	1.8	1	<1	1	2	2	3	4	7
35-49	65	1.7	1	<1	<1	1	2	3	4	7
50-64	11	1.5		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	13	2.4	2	1	1	3	3	4	5	5
35-49	12	5.8	164	<1	<1	2	4	19	42	46
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	6	2.7	3	1	1	2	3	6	6	6
20-34	144	3.9	8	<1	1	3	6	7	8	14
35-49	244	4.6	11	<1	1	4	7	8	10	14
50-64	39	4.5	10	<1	1	5	7	9	11	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.0	9	<1	<1	1	2	4	8	15
B. *Operated*	148	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	32	3.7	62	<1	1	2	3	5	7	46
B. *Operated*	433	4.3	10	<1	1	4	6	8	9	14
1. SINGLE DX	171	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	465	4.3	14	<1	1	4	6	8	9	14
A. NOT OPERATED	55	3.0	40	<1	<1	1	3	5	7	44
B. OPERATED	581	3.7	9	<1	1	2	6	7	9	13
TOTAL 0-19 YRS	20	2.3	2	1	1	2	3	4	5	6
20-34	240	3.1	6	<1	1	2	5	7	7	12
35-49	325	4.1	16	<1	1	3	6	8	9	15
50-64	51	3.8	9	1	1	2	6	8	10	12
65+										
GRAND TOTAL	**636**	**3.6**	**12**	**<1**	**1**	**2**	**6**	**7**	**9**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	1.9	1	<1	1	1	3	4	5	15
20-34	292	1.8	1	<1	<1	1	2	3	4	6
35-49	92	1.9	1	<1	<1	1	2	4	5	6
50-64	10	2.8	14	<1	<1	2	3	8	13	13
65+										
B. *Operated*										
0-19 YRS	191	1.9	2	<1	1	2	2	3	4	8
20-34	1609	2.2	3	<1	<1	2	2	5	6	8
35-49	1504	2.5	4	<1	<1	2	3	6	7	9
50-64	185	2.1	3	<1	<1	1	2	5	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.8	3	1	1	2	4	5	6	10
20-34	497	2.8	5	1	1	2	4	5	7	13
35-49	292	2.6	7	<1	<1	2	3	5	7	12
50-64	29	2.8	10	<1	1	1	3	6	10	15
65+										
B. *Operated*										
0-19 YRS	232	3.0	4	1	1	2	4	6	8	9
20-34	4254	4.4	9	1	1	4	6	8	9	13
35-49	6417	5.0	10	1	1	5	7	8	10	14
50-64	727	4.5	9	1	1	4	7	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	1.9	2	<1	1	1	2	3	5	6
B. *Operated*	3489	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1023	2.8	5	<1	1	2	3	5	7	12
B. *Operated*	11630	4.7	10	1	1	5	7	8	9	14
1. SINGLE DX	4022	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	12653	4.5	10	1	1	4	6	8	9	13
A. NOT OPERATED	1556	2.5	4	<1	1	2	3	5	6	12
B. OPERATED	15119	4.1	9	<1	1	4	6	8	9	13
TOTAL 0-19 YRS	767	2.5	3	1	1	2	3	5	6	9
20-34	6652	3.6	8	<1	1	3	5	7	8	12
35-49	8305	4.4	10	<1	1	4	6	8	9	14
50-64	951	4.0	9	<1	1	3	6	8	9	13
65+										
GRAND TOTAL	**16675**	**4.0**	**9**	**<1**	**1**	**3**	**6**	**8**	**9**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	2.5	1	1	1	3	3	4	4	4
50-64	10	2.8	6	1	1	2	3	7	9	9
65+	8	3.1	8	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS										
20-34	5	3.0	6	<1	<1	2	5	6	6	6
35-49	131	1.6	1	<1	<1	1	2	3	4	6
50-64	481	1.8	2	<1	<1	2	2	3	4	9
65+	180	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	21	5.2	13	1	1	4	7	10	13	15
50-64	57	3.8	8	<1	1	3	5	8	9	13
65+	64	3.9	11	1	1	3	5	8	9	18
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	4.6	7	1	1	5	6	9	9	9
35-49	276	3.9	10	<1	1	3	6	8	10	15
50-64	1235	3.6	10	<1	1	2	5	8	10	16
65+	733	3.6	11	1	1	2	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.8	5	1	1	2	3	6	8	9
B. *Operated*	797	1.8	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	145	4.0	10	1	1	3	6	8	10	16
B. *Operated*	2261	3.6	11	1	1	2	5	8	10	15
1. SINGLE DX	825	1.9	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX	2406	3.7	11	1	1	2	5	8	10	15
A. NOT OPERATED	173	3.8	9	1	1	3	5	8	9	16
B. OPERATED	3058	3.2	9	<1	1	2	4	7	9	13
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	23	4.1	6	<1	1	4	6	7	9	9
35-49	438	3.3	8	<1	<1	2	5	7	9	12
50-64	1783	3.1	9	<1	1	2	4	7	9	13
65+	985	3.3	10	1	1	2	4	7	9	14
GRAND TOTAL	**3231**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	4	<1	<1	2	3	4	5	12
20-34	120	2.3	3	<1	<1	2	3	5	6	10
35-49	31	2.7	5	1	1	2	3	6	8	10
50-64	7	1.7		1	1	2	2	2	2	2
65+	10	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	136	3.1	7	<1	1	2	4	6	7	15
20-34	1156	3.0	6	<1	1	2	4	6	7	12
35-49	831	3.3	7	<1	1	2	5	7	8	12
50-64	417	3.4	10	<1	1	2	5	7	8	18
65+	145	3.0	8	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.1	6	1	1	3	4	6	7	14
20-34	183	3.0	5	<1	1	2	4	6	8	10
35-49	100	3.2	6	<1	<1	2	5	6	8	11
50-64	56	4.5	21	<1	1	3	6	10	12	26
65+	105	6.5	26	2	2	5	8	13	18	24
B. *Operated*										
0-19 YRS	177	4.2	10	1	1	4	6	7	9	16
20-34	2241	4.5	10	1	1	4	6	8	9	14
35-49	3207	5.0	11	<1	1	5	7	8	10	14
50-64	1820	5.5	22	1	1	5	7	10	12	23
65+	965	7.0	58	1	1	5	9	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.4	3	<1	<1	2	3	5	6	10
B. *Operated*	2685	3.2	7	<1	1	2	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	512	3.9	13	<1	1	3	5	8	11	21
B. *Operated*	8410	5.2	19	1	1	5	7	9	11	22
1. SINGLE DX	2915	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	8922	5.1	19	1	1	5	7	9	11	22
A. NOT OPERATED	742	3.5	11	<1	1	2	4	7	9	16
B. OPERATED	11095	4.7	17	<1	1	4	6	8	11	20
TOTAL 0-19 YRS	443	3.5	8	<1	1	3	5	6	8	15
20-34	3700	3.9	9	1	1	3	6	7	9	13
35-49	4169	4.6	11	<1	1	5	7	8	9	14
50-64	2300	5.0	20	1	1	5	7	9	12	22
65+	1225	6.5	51	1	1	4	8	14	20	34
GRAND TOTAL	**11837**	**4.6**	**16**	**<1**	**1**	**4**	**6**	**8**	**11**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	1.9	2	1	1	1	2	3	4	7
20-34	360	2.2	3	<1	1	2	3	4	6	8
35-49	64	2.5	3	1	1	2	3	5	6	8
50-64	7	3.7	9	1	1	4	6	8	8	8
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	107	2.8	5	<1	1	2	4	6	8	10
20-34	872	3.7	6	<1	1	3	6	7	8	10
35-49	712	6.0	10	1	2	6	7	9	10	14
50-64	443	6.8	7	3	4	7	8	9	11	16
65+	205	7.1	7	3	4	7	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	2.3	3	<1	1	2	3	4	5	10
20-34	528	2.6	4	<1	1	2	3	5	7	10
35-49	150	3.2	7	<1	1	2	4	6	8	14
50-64	38	4.8	31	<1	1	3	7	10	12	31
65+	50	6.3	22	1	2	5	8	12	14	26
B. *Operated*										
0-19 YRS	150	3.4	7	1	1	3	5	7	9	11
20-34	2948	4.9	7	1	1	5	6	8	9	14
35-49	2169	6.7	10	2	3	7	8	10	11	17
50-64	1002	7.8	13	3	4	7	9	12	14	20
65+	622	8.7	20	3	4	8	10	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	2.1	3	<1	1	2	3	4	5	8
B. *Operated*	2339	5.2	10	1	1	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	986	2.9	7	<1	1	2	3	6	8	13
B. *Operated*	6891	6.2	12	1	2	6	8	10	12	17
1. SINGLE DX	3043	4.5	10	1	1	4	7	8	9	13
2. MULTIPLE DX	7877	5.8	12	1	1	6	8	10	12	17
A. NOT OPERATED	1690	2.6	5	<1	1	2	3	5	7	11
B. OPERATED	9230	6.0	11	1	2	6	8	9	11	17
TOTAL 0-19 YRS	747	2.5	4	<1	1	2	3	5	6	10
20-34	4708	4.2	7	1	1	4	6	8	9	13
35-49	3095	6.3	10	1	2	6	8	9	11	16
50-64	1490	7.4	12	2	4	7	9	11	13	19
65+	880	8.2	18	3	4	8	10	13	16	23
GRAND TOTAL	**10920**	**5.4**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**16**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	55	2.0	2	<1	1	2	2	4	5	7
35-49	3	4.3	12	<1	<1	6	54	99+	99+	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	177	4.5	2	3	3	5	5	6	7	8
20-34	2157	4.7	2	3	3	5	5	6	7	10
35-49	191	4.9	3	3	3	5	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	41	2.8	4	1	1	2	3	6	7	8
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	149	5.1	3	3	4	5	6	7	8	11
20-34	2213	5.3	4	3	3	5	6	7	8	12
35-49	289	5.9	10	3	4	5	7	8	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.1	2	<1	<1	2	3	4	6	86
B. *Operated*	2525	4.7	2	3	3	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	47	2.9	4	1	1	3	3	7	8	8
B. *Operated*	2651	5.3	5	3	3	5	6	7	9	12
1. SINGLE DX	2589	4.6	3	2	3	5	5	6	7	10
2. MULTIPLE DX	2698	5.3	5	3	3	5	6	7	9	12
A. NOT OPERATED	111	2.4	3	<1	1	2	3	5	7	43
B. OPERATED	5176	5.0	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	334	4.7	2	3	3	5	5	7	7	9
20-34	4466	4.9	4	3	3	5	6	7	8	11
35-49	487	5.5	7	3	3	5	6	8	10	15
50-64										
65+										
GRAND TOTAL	**5287**	**5.0**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.6	1	<1	<1	1	2	3	4	4
20-34	35	1.8	1	<1	1	1	2	3	3	6
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	99	1.8	1	<1	<1	1	2	3	4	7
20-34	245	1.7	1	<1	<1	1	2	3	4	6
35-49	43	1.7	2	<1	<1	1	2	3	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	7	1	1	2	4	8	9	9
20-34	50	2.8	8	1	1	2	3	5	12	13
35-49	13	2.2	2	<1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	157	2.0	4	1	1	1	2	4	6	9
20-34	453	2.7	7	1	1	2	3	6	8	14
35-49	118	2.7	6	<1	1	2	3	6	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	1.7	1	<1	1	1	2	3	3	6
B. *Operated*	387	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	72	2.8	7	1	1	2	3	5	9	13
B. *Operated*	728	2.6	6	1	1	2	3	5	8	13
1. SINGLE DX	459	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	800	2.6	6	1	1	2	3	5	8	13
A. NOT OPERATED	144	2.2	4	<1	1	2	3	4	6	12
B. OPERATED	1115	2.3	5	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	298	1.9	3	<1	1	1	2	3	5	9
20-34	783	2.4	5	<1	<1	2	3	5	7	13
35-49	178	2.4	5	<1	<1	2	3	5	7	10
50-64										
65+										
GRAND TOTAL	1259	2.3	5	<1	1	2	2	4	6	12

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
1. SINGLE DX	7	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX	2	4.0	8	2	2	4	6	6	6	6
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	8	2.0	3	1	1	2	2	5	6	6
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	9	2.2	3	1	1	2	3	5	6	6

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	1.6	1	<1	<1	1	2	3	4	5
20-34	1164	1.5	1	<1	<1	1	2	3	3	5
35-49	97	1.5	1	<1	<1	1	2	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2166	1.5	1	<1	<1	1	2	3	3	5
20-34	11217	1.4	1	<1	<1	1	2	2	3	5
35-49	1399	1.4	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.3	22	<1	1	1	2	3	4	34
20-34	249	2.2	3	<1	1	2	3	5	6	8
35-49	35	2.0	2	1	1	2	2	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	390	2.4	3	<1	1	2	3	5	6	8
20-34	2171	2.2	4	<1	1	2	3	4	6	10
35-49	408	2.3	3	<1	1	2	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1586	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	14782	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	350	2.2	6	<1	1	2	2	4	6	8
B. *Operated*	2969	2.3	4	<1	1	2	3	4	6	10
1. SINGLE DX	16368	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	3319	2.2	4	<1	1	2	3	4	6	10
A. NOT OPERATED	1936	1.6	2	<1	<1	1	2	3	4	6
B. OPERATED	17751	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2947	1.6	2	<1	<1	1	2	3	4	6
20-34	14801	1.6	2	<1	<1	1	2	3	4	7
35-49	1939	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**19687**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.7	3	<1	1	2	4	5	6	8
20-34	337	2.2	3	<1	1	2	3	4	6	10
35-49	35	1.9	2	<1	<1	1	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	189	1.9	1	<1	<1	2	2	3	4	7
20-34	1754	1.6	1	<1	<1	1	2	3	3	5
35-49	193	1.6	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.6	6	1	1	3	5	7	9	11
20-34	149	2.9	5	1	1	2	4	6	6	13
35-49	18	4.2	6	1	2	4	5	8	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	91	3.5	10	1	1	2	5	7	11	15
20-34	579	2.7	6	<1	1	2	3	5	8	13
35-49	103	2.7	7	<1	<1	2	3	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	2136	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	213	3.2	5	1	1	3	4	6	7	12
B. *Operated*	773	2.8	7	<1	1	2	3	6	8	14
1. SINGLE DX	2591	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	986	2.9	6	<1	1	2	3	6	8	13
A. NOT OPERATED	668	2.6	4	<1	1	2	3	5	6	10
B. OPERATED	2909	1.9	3	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	409	2.6	5	<1	1	2	3	5	6	12
20-34	2819	1.9	3	<1	<1	1	2	4	5	9
35-49	349	2.1	3	<1	<1	2	2	4	5	11
50-64										
65+										
GRAND TOTAL	**3577**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	2.1	2	<1	1	2	3	4	5	7
20-34	2227	2.2	2	<1	1	2	3	4	5	7
35-49	149	2.4	2	<1	1	2	3	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	4	5	6	6
20-34	50	1.9	1	<1	<1	1	2	4	4	5
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.2	4	1	1	3	4	5	7	11
20-34	629	3.2	6	1	1	3	4	6	7	11
35-49	50	3.4	6	1	1	3	4	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	51	3.8	7	1	1	3	6	8	8	11
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2741	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	65	2.1	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	793	3.2	5	1	1	3	4	6	7	11
B. *Operated*	58	3.7	6	1	1	3	5	7	8	11
1. SINGLE DX	2806	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	851	3.2	5	1	1	3	4	6	8	11
A. NOT OPERATED	3534	2.4	3	<1	1	2	3	4	5	9
B. OPERATED	123	2.8	5	<1	1	2	4	6	8	11
TOTAL 0-19 YRS	495	2.4	2	<1	1	2	3	4	5	7
20-34	2957	2.4	3	<1	1	2	3	4	5	9
35-49	205	2.7	4	1	1	2	3	5	7	9
50-64										
65+										
GRAND TOTAL	**3657**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	3	<1	<1	2	3	4	6	8
20-34	106	1.9	1	<1	<1	2	3	3	4	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	60	2.6	4	<1	1	2	3	6	7	9
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	1.9	1	<1	<1	2	3	3	4	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	67	2.6	4	<1	1	2	3	6	6	9
B. *Operated*	4	2.0	2	1	1	2	3	4	4	4
1. SINGLE DX	131	2.0	1	<1	<1	2	3	3	4	7
2. MULTIPLE DX	71	2.6	4	1	1	2	3	6	6	9
A. NOT OPERATED	195	2.2	2	<1	1	2	3	4	6	8
B. OPERATED	7	2.4	2	1	1	2	4	4	4	4
TOTAL 0-19 YRS	26	2.3	2	<1	<1	2	3	4	5	8
20-34	170	2.2	2	<1	1	2	3	4	6	8
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
GRAND TOTAL	**202**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	2.9	3	1	1	2	3	5	6	10
20-34	1829	3.1	4	1	1	3	4	5	6	11
35-49	106	3.5	6	<1	1	3	4	6	8	14
50-64										
65+										
B. *Operated*										
0-19 YRS	40	3.8	12	<1	1	2	4	10	13	13
20-34	174	3.5	7	<1	1	3	4	6	9	14
35-49	17	2.7	2	1	1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.1	4	<1	1	3	4	6	7	11
20-34	594	3.4	6	1	1	3	4	6	8	14
35-49	73	4.4	12	<1	1	3	6	10	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.3	9	<1	1	4	5	7	10	15
20-34	139	3.4	11	<1	<1	2	5	8	10	16
35-49	16	4.6	8	<1	<1	5	7	7	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	3.1	4	1	1	3	4	5	7	11
B. *Operated*	231	3.5	7	<1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	789	3.5	6	1	1	3	4	6	8	13
B. *Operated*	178	3.7	10	<1	<1	3	5	8	10	16
1. SINGLE DX	2500	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	967	3.5	7	<1	1	3	4	7	9	14
A. NOT OPERATED	3058	3.2	4	1	1	3	4	5	7	11
B. OPERATED	409	3.5	9	<1	1	3	5	7	9	14
TOTAL 0-19 YRS	519	3.1	4	1	1	3	4	5	7	12
20-34	2736	3.2	5	1	1	3	4	5	7	12
35-49	212	3.8	8	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	**3467**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	568	3.3	4	1	1	3	4	5	7	12
20-34	2890	3.8	6	1	2	3	5	6	8	12
35-49	97	4.6	6	1	2	4	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	16	5.5	45	<1	<1	3	8	13	22	26
35-49	2	13.5	181	4	4	13	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	3.9	8	1	1	3	5	7	10	15
20-34	1341	4.3	19	1	2	3	5	8	9	16
35-49	55	4.3	5	1	2	4	6	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.2	13	<1	<1	4	6	10	11	11
20-34	43	9.2	98	1	2	5	11	22	33	42
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3555	3.7	6	1	2	3	4	6	8	12
B. *Operated*	20	5.9	54	<1	<1	3	8	18	24	26
2. MULTIPLE DX										
A. *Not Operated*	1742	4.2	16	1	2	3	5	7	9	15
B. *Operated*	53	8.3	85	1	1	5	9	20	31	42
1. SINGLE DX	3575	3.7	6	1	2	3	4	6	8	12
2. MULTIPLE DX	1795	4.3	19	1	2	3	5	8	10	19
A. NOT OPERATED	5297	3.9	9	1	2	3	5	7	8	13
B. OPERATED	73	7.6	77	<1	1	4	9	20	28	41
TOTAL 0-19 YRS	925	3.5	6	1	1	3	4	6	8	13
20-34	4290	4.0	11	1	2	3	5	7	9	15
35-49	155	4.6	8	1	2	4	6	8	10	14
50-64										
65+										
GRAND TOTAL	**5370**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2194	1.1	1	<1	<1	<1	1	1	2	4
20-34	8568	1.1	1	<1	<1	<1	1	1	2	4
35-49	405	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	296	1.2	1	<1	<1	<1	1	1	2	4
20-34	1098	1.2	1	<1	<1	<1	1	1	2	5
35-49	55	1.5	11	<1	<1	<1	1	1	2	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	1.5	1	<1	<1	1	2	3	4	5
20-34	945	1.6	3	<1	<1	1	2	3	4	9
35-49	47	1.2	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	42	2.0	4	<1	<1	1	2	4	7	10
20-34	178	2.2	8	<1	<1	1	2	4	6	17
35-49	10	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11167	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	1449	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	1243	1.6	3	<1	<1	1	2	3	4	8
B. *Operated*	230	2.1	7	<1	<1	1	2	4	6	15
1. SINGLE DX	12616	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1473	1.7	4	<1	<1	1	2	3	4	9
A. NOT OPERATED	12410	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	1679	1.3	2	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	2783	1.2	1	<1	<1	<1	1	1	2	4
20-34	10789	1.2	1	<1	<1	<1	1	1	2	5
35-49	517	1.2	2	<1	<1	1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**14089**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.6	4	<1	1	2	4	4	6	12
20-34	669	3.1	10	<1	1	2	4	6	7	18
35-49	69	3.0	13	<1	1	2	3	6	8	24
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	53	3.5	15	<1	1	2	4	8	15	16
35-49	6	5.8	28	1	1	4	6	15	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	3	<1	<1	3	4	5	6	9
20-34	219	4.1	18	1	1	3	5	7	9	28
35-49	27	3.5	8	1	1	3	5	8	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.9	9	1	1	4	7	9	10	10
20-34	32	5.2	26	1	1	4	6	11	18	24
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	3.0	9	<1	1	2	4	5	7	17
B. *Operated*	64	3.5	16	<1	1	2	4	7	15	16
2. MULTIPLE DX										
A. *Not Operated*	272	3.9	16	1	1	3	5	7	9	28
B. *Operated*	43	5.0	21	1	1	4	6	10	15	24
1. SINGLE DX	888	3.1	10	<1	1	2	4	6	7	16
2. MULTIPLE DX	315	4.1	17	1	1	3	5	8	10	27
A. NOT OPERATED	1096	3.2	11	<1	1	2	4	6	8	20
B. OPERATED	107	4.1	18	<1	1	3	5	10	15	21
TOTAL 0-19 YRS	124	2.7	4	<1	<1	2	4	5	6	11
20-34	973	3.4	13	<1	1	3	4	6	8	21
35-49	106	3.3	12	<1	1	2	4	7	8	21
50-64										
65+										
GRAND TOTAL	**1203**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	1.7	1	<1	<1	1	2	3	4	7
20-34	936	2.1	4	<1	<1	1	2	4	5	12
35-49	55	1.8	1	<1	<1	1	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	89	1.9	2	<1	<1	1	2	3	4	8
35-49	11	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.5	5	<1	<1	2	3	4	7	13
20-34	324	2.9	9	<1	1	2	4	6	8	15
35-49	23	2.8	4	<1	1	2	3	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.1	11	1	1	2	3	9	11	11
20-34	42	4.9	31	<1	1	3	5	13	18	27
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1180	2.0	4	<1	<1	1	2	4	5	11
B. *Operated*	120	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	426	2.8	8	<1	1	2	3	6	8	14
B. *Operated*	53	4.4	27	<1	1	3	5	11	18	27
1. SINGLE DX	1300	2.0	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX	479	3.0	10	<1	1	2	3	6	9	18
A. NOT OPERATED	1606	2.2	5	<1	<1	1	3	4	6	12
B. OPERATED	173	2.6	11	<1	<1	2	3	4	8	19
TOTAL 0-19 YRS	296	1.9	3	<1	<1	1	2	4	4	10
20-34	1391	2.3	6	<1	<1	1	3	4	6	13
35-49	92	2.0	2	<1	<1	2	3	3	4	8
50-64										
65+										
GRAND TOTAL	1779	2.2	6	<1	<1	1	3	4	6	12

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	3.0	3	<1	1	3	4	5	6	9
20-34	918	2.8	3	<1	1	3	4	5	6	8
35-49	27	2.8	2	<1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	38	2.0	3	<1	<1	1	2	5	6	6
20-34	65	2.7	5	<1	<1	2	4	5	7	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	594	3.4	4	<1	1	3	5	6	7	9
20-34	1199	3.3	5	<1	1	3	4	6	7	12
35-49	41	3.0	5	<1	<1	2	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.2	4	<1	<1	3	5	6	7	8
20-34	110	4.1	9	<1	1	4	6	8	10	16
35-49	7	4.1	6	<1	<1	4	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1361	2.8	3	<1	1	3	4	5	6	8
B. *Operated*	104	2.4	4	<1	<1	1	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1834	3.4	5	<1	1	3	4	6	7	10
B. *Operated*	154	3.9	8	<1	1	3	5	8	9	14
1. SINGLE DX	1465	2.8	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	1988	3.4	5	<1	1	3	4	6	7	11
A. NOT OPERATED	3195	3.1	4	<1	1	3	4	6	6	9
B. OPERATED	258	3.3	7	<1	<1	3	5	7	8	11
TOTAL 0-19 YRS	1085	3.2	4	<1	<1	3	4	6	6	9
20-34	2292	3.1	5	<1	1	3	4	6	7	10
35-49	76	3.0	4	<1	<1	3	4	6	7	9
50-64										
65+										
GRAND TOTAL	3453	3.2	4	<1	1	3	4	6	7	10

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.4	9	<1	1	3	4	6	7	20
20-34	700	3.6	10	<1	1	3	4	7	8	13
35-49	76	4.1	7	1	1	3	5	8	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.3	3	<1	<1	2	3	5	6	6
20-34	44	3.9	12	<1	<1	3	5	10	11	15
35-49	6	2.7	4	<1	<1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	451	3.5	21	<1	<1	2	4	7	9	24
20-34	2604	3.7	12	<1	1	3	5	7	9	18
35-49	238	4.2	9	1	1	4	6	8	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	48	6.1	80	<1	1	4	7	10	16	61
20-34	312	5.1	25	<1	1	4	7	10	14	29
35-49	20	5.8	14	<1	1	5	9	11	12	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	873	3.6	9	<1	1	3	4	7	8	14
B. *Operated*	63	3.5	9	<1	<1	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	3293	3.7	13	<1	1	3	5	7	9	18
B. *Operated*	380	5.3	32	<1	1	4	7	11	14	30
1. SINGLE DX	936	3.6	9	<1	1	3	4	7	8	14
2. MULTIPLE DX	3673	3.9	16	<1	1	3	5	8	10	19
A. NOT OPERATED	4166	3.7	13	<1	1	3	5	7	9	17
B. OPERATED	443	5.0	29	<1	1	4	7	10	13	28
TOTAL 0-19 YRS	609	3.7	24	<1	<1	3	4	7	9	24
20-34	3660	3.8	13	<1	1	3	5	7	10	19
35-49	340	4.2	9	1	1	4	6	8	11	14
50-64										
65+										
GRAND TOTAL	**4609**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1280	2.1	5	<1	<1	1	3	4	5	12
20-34	5236	2.2	7	<1	<1	1	3	4	6	12
35-49	245	2.7	14	<1	<1	1	3	6	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	268	2.3	3	<1	<1	2	3	5	6	8
20-34	2171	2.5	10	<1	<1	2	3	4	6	15
35-49	165	2.3	4	<1	<1	2	3	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	663	2.7	5	<1	<1	2	3	5	7	12
20-34	2692	3.1	17	<1	<1	2	4	6	8	19
35-49	195	4.2	71	<1	<1	2	4	8	11	61
50-64										
65+										
B. *Operated*										
0-19 YRS	180	3.0	10	<1	<1	2	4	6	8	18
20-34	1150	3.4	20	<1	<1	2	4	7	10	22
35-49	87	3.6	10	<1	<1	3	5	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6761	2.2	7	<1	<1	1	3	4	6	12
B. *Operated*	2604	2.5	9	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	3550	3.1	18	<1	<1	2	4	6	8	18
B. *Operated*	1417	3.4	18	<1	<1	2	4	7	10	21
1. SINGLE DX	9365	2.3	7	<1	<1	1	3	4	6	12
2. MULTIPLE DX	4967	3.2	18	<1	<1	2	4	6	9	19
A. NOT OPERATED	10311	2.5	11	<1	<1	2	3	5	7	14
B. OPERATED	4021	2.8	12	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	2391	2.4	6	<1	<1	2	3	5	6	12
20-34	11249	2.6	11	<1	<1	2	3	5	7	15
35-49	692	3.1	28	<1	<1	2	4	6	8	17
50-64										
65+										
GRAND TOTAL	**14332**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.9	1	2	2	3	3	4	4	7
20-34	519	3.0	1	2	2	3	3	4	5	7
35-49	31	3.5	4	2	2	3	4	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.7	5	2	2	3	4	6	7	15
20-34	340	3.8	3	2	2	3	5	6	6	10
35-49	34	3.9	3	2	2	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	3.2	2	2	2	3	4	4	5	8
20-34	1001	3.3	7	1	2	3	4	4	6	11
35-49	52	3.8	7	2	2	3	4	6	8	17
50-64										
65+										
B. *Operated*										
0-19 YRS	232	5.6	58	2	2	4	5	9	17	40
20-34	1947	5.4	29	2	3	4	6	8	11	37
35-49	195	5.5	35	2	3	5	6	8	10	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	3.0	1	2	2	3	3	4	5	7
B. *Operated*	418	3.8	3	2	2	3	5	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	1276	3.3	6	2	2	3	4	4	6	12
B. *Operated*	2374	5.4	32	2	3	4	6	8	12	37
1. SINGLE DX	1081	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3650	4.7	24	2	2	4	5	7	9	33
A. NOT OPERATED	1939	3.2	5	2	2	3	4	4	5	8
B. OPERATED	2792	5.2	28	2	2	4	5	7	11	35
TOTAL 0-19 YRS	612	4.1	24	2	2	3	4	6	8	28
20-34	3807	4.4	18	2	2	3	5	6	8	29
35-49	312	4.9	24	2	2	4	5	7	9	20
50-64										
65+										
GRAND TOTAL	**4731**	**4.4**	**19**	**2**	**2**	**3**	**5**	**6**	**8**	**28**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8796	2.7	1	1	2	3	3	4	4	5
20-34	55827	2.8	1	1	2	3	3	4	4	5
35-49	2664	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2532	2.8	1	2	2	3	3	4	4	5
20-34	15483	2.9	1	2	2	3	3	4	4	5
35-49	759	3.0	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	2.9	1	2	2	3	3	4	5	7
20-34	1889	3.1	2	1	2	3	4	4	5	7
35-49	140	3.0	2	1	1	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	222	3.1	1	2	2	3	4	4	5	7
20-34	7188	3.5	1	2	2	3	4	5	5	6
35-49	805	3.6	1	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67287	2.8	1	1	2	3	3	4	4	5
B. *Operated*	18774	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	2377	3.0	2	1	2	3	4	4	5	7
B. *Operated*	8215	3.5	1	2	2	3	4	5	5	6
1. SINGLE DX	86061	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	10592	3.4	1	2	2	3	4	5	5	7
A. NOT OPERATED	69664	2.8	1	1	2	3	3	4	4	5
B. OPERATED	26989	3.0	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	11898	2.7	1	1	2	3	3	4	4	5
20-34	80387	2.9	1	1	2	3	3	4	4	5
35-49	4368	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**96653**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Piacenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	32	3.0	1	1	2	3	3	4	4	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	12	4.9	3	2	2	5	6	7	7	7
20-34	261	7.8	73	3	4	5	7	12	23	53
35-49	34	9.9	107	4	5	6	7	22	39	45
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	42	5.5	31	2	3	4	5	11	16	32
35-49	2	12.0	242	1	1	12	23	23	23	23
50-64										
65+										
B. *Operated*										
0-19 YRS	44	6.2	8	3	4	6	8	10	12	16
20-34	576	9.2	117	3	4	6	8	18	33	64
35-49	102	9.9	134	4	4	6	9	25	36	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.9	1	1	1	3	3	4	4	7
B. *Operated*	307	7.9	75	3	4	5	7	13	25	52
2. MULTIPLE DX										
A. *Not Operated*	51	5.3	33	1	2	3	4	11	20	32
B. *Operated*	722	9.1	113	3	4	6	8	17	32	63
1. SINGLE DX	343	7.4	69	3	3	5	7	12	22	51
2. MULTIPLE DX	773	8.8	109	3	3	6	8	17	31	62
A. NOT OPERATED	87	4.3	21	1	1	3	4	7	13	29
B. OPERATED	1029	8.7	102	3	4	6	7	16	29	59
TOTAL 0-19 YRS	65	5.4	8	2	2	5	7	8	10	16
20-34	911	8.4	98	3	3	5	7	15	28	59
35-49	140	9.8	126	3	4	6	8	23	37	56
50-64										
65+										
GRAND TOTAL	1116	8.4	97	3	3	5	7	15	28	56

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	1	<1	1	2	3	4	4	4
20-34	298	2.9	4	1	1	3	3	4	5	9
35-49	15	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.0	5	1	1	4	5	7	7	11
20-34	322	4.3	7	1	2	4	5	6	7	13
35-49	11	4.1	3	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	2	1	2	3	3	5	6	7
20-34	254	3.3	6	1	1	3	4	5	6	13
35-49	22	3.0	2	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	152	4.6	4	2	2	4	6	7	8	11
20-34	1030	5.1	19	2	2	5	6	7	9	21
35-49	108	5.4	13	2	3	5	6	8	13	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	2.8	3	1	1	3	3	4	5	8
B. *Operated*	383	4.2	6	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	316	3.2	5	1	1	3	4	5	6	12
B. *Operated*	1290	5.1	17	2	2	5	6	7	9	20
1. SINGLE DX	747	3.5	5	1	1	3	4	6	6	10
2. MULTIPLE DX	1606	4.7	15	2	2	4	5	7	9	20
A. NOT OPERATED	680	3.0	4	1	1	3	3	4	5	10
B. OPERATED	1673	4.9	14	2	2	4	6	7	9	20
TOTAL 0-19 YRS	293	3.9	4	1	2	3	5	6	7	11
20-34	1904	4.4	13	1	2	4	5	7	8	19
35-49	156	4.8	11	2	2	4	6	7	11	20
50-64										
65+										
GRAND TOTAL	2353	4.3	12	1	2	4	5	7	8	18

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	60	2.7	1	1	2	3	3	4	5	6
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	119	2.6	1	1	2	3	3	4	4	5
20-34	816	2.8	1	1	1	3	3	4	5	6
35-49	51	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	3	3	3
20-34	26	3.1	2	1	1	3	4	5	6	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	62	3.1	1	1	2	3	4	4	5	6
20-34	574	3.3	2	2	2	3	4	5	6	9
35-49	53	3.5	3	1	1	3	4	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.7	1	1	2	3	3	4	5	6
B. *Operated*	986	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	2	1	1	3	4	5	6	7
B. *Operated*	689	3.3	2	1	2	3	4	5	6	8
1. SINGLE DX	1054	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	724	3.3	2	1	2	3	4	5	6	8
A. NOT OPERATED	103	2.8	1	1	2	3	3	4	5	7
B. OPERATED	1675	3.0	1	1	2	3	4	4	5	7
TOTAL 0-19 YRS	194	2.8	1	1	2	3	3	4	4	6
20-34	1476	3.0	2	1	2	3	4	4	5	7
35-49	108	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**1778**	**3.0**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.9	1	1	2	3	4	4	4	4
20-34	276	2.9	1	1	1	3	3	4	5	5
35-49	13	2.6	1	<1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.9	1	1	2	3	3	4	4	5
20-34	167	3.2	2	1	2	3	4	5	5	6
35-49	7	3.6	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.2	1	1	1	3	4	5	5	5
20-34	173	3.3	6	2	2	3	4	4	5	9
35-49	9	2.7	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.2	1	2	2	3	4	4	5	6
20-34	287	3.6	3	2	2	3	4	5	6	11
35-49	16	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	2.9	1	1	1	3	3	4	4	5
B. *Operated*	211	3.2	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	211	3.3	5	2	2	3	4	4	5	8
B. *Operated*	356	3.5	2	2	2	3	4	5	6	9
1. SINGLE DX	543	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	567	3.4	4	2	2	3	4	5	5	9
A. NOT OPERATED	543	3.0	3	1	2	3	4	4	5	5
B. OPERATED	567	3.4	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	162	3.1	1	1	2	3	4	4	5	5
20-34	903	3.3	3	1	2	3	4	5	5	8
35-49	45	2.9	1	1	1	3	3	4	5	5
50-64										
65+										
GRAND TOTAL	**1110**	**3.2**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2		3	3	3	4	4	4	4
20-34	150	3.4	1	2	2	3	4	5	5	6
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	[illegible]	18	1	1	3	6	12	14	14
20-34	105	[illegible]	3	3	3	4	5	7	8	11
35-49	10	[illegible]	4	2	2	4	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	1	1	3	3	4	4	4
20-34	168	4.3	9	2	2	4	5	6	10	20
35-49	11	3.6	2	1	2	4	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	89	5.7	16	2	3	5	7	9	14	25
20-34	958	5.9	25	3	3	5	6	8	10	28
35-49	97	6.5	60	3	3	5	6	10	17	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.4	1	1	2	3	4	5	5	6
B. *Operated*	123	4.4	4	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	193	4.1	9	1	2	4	5	6	10	19
B. *Operated*	1144	5.9	28	3	3	5	6	8	11	29
1. SINGLE DX	286	3.8	3	2	2	4	4	5	7	9
2. MULTIPLE DX	1337	5.7	25	2	3	5	6	8	11	28
A. NOT OPERATED	356	3.8	5	1	2	3	4	5	6	14
B. OPERATED	1267	5.8	26	3	3	5	6	8	10	28
TOTAL 0-19 YRS	120	5.1	14	1	2	4	6	8	13	21
20-34	1381	5.3	20	2	3	5	6	8	9	24
35-49	122	5.9	50	2	3	5	6	8	14	42
50-64										
65+										
GRAND TOTAL	**1623**	**5.3**	**22**	**2**	**3**	**5**	**6**	**8**	**10**	**25**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	1	1	1	3	3	4	4	4
20-34	259	2.8	1	1	1	3	3	4	4	5
35-49	23	2.8	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	313	4.7	1	3	3	5	5	6	7	8
20-34	2256	4.7	2	3	3	5	5	6	7	7
35-49	118	5.1	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	5	1	1	2	3	6	8	9
20-34	122	2.8	2	1	1	3	3	4	5	7
35-49	7	4.1	1	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	327	5.1	4	2	3	5	6	7	8	13
20-34	2820	5.1	5	3	3	5	6	7	8	12
35-49	267	5.1	4	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	2.8	1	1	1	3	3	4	4	5
B. *Operated*	2687	4.7	2	3	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	146	2.9	2	1	1	3	3	4	5	9
B. *Operated*	3414	5.1	5	2	3	5	6	7	8	12
1. SINGLE DX	2988	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX	3560	5.0	5	2	3	5	6	7	8	12
A. NOT OPERATED	447	2.8	1	1	1	3	3	4	4	6
B. OPERATED	6101	4.9	4	3	3	5	6	7	7	11
TOTAL 0-19 YRS	676	4.8	3	2	3	5	5	7	8	12
20-34	5457	4.8	4	2	3	5	6	6	7	10
35-49	415	4.9	4	2	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**6548**	**4.8**	**4**	**2**	**3**	**5**	**6**	**7**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.7	81	1	2	3	3	4	4	56
20-34	699	2.9	1	2	2	3	3	4	4	5
35-49	41	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	177	3.7	3	2	2	3	5	6	6	8
20-34	1305	3.9	2	2	2	4	5	6	6	8
35-49	83	4.3	3	2	2	4	5	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.6	19	1	2	3	4	5	7	32
20-34	476	3.0	1	2	2	3	3	4	5	7
35-49	25	3.0	1	1	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	690	4.5	3	2	3	4	5	7	8	11
20-34	4755	4.5	5	2	3	4	5	6	7	10
35-49	380	5.1	6	2	3	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	828	3.0	9	2	2	3	3	4	4	5
B. *Operated*	1565	3.9	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	559	3.1	3	1	2	3	3	4	5	7
B. *Operated*	5825	4.5	5	2	3	4	5	6	7	10
1. SINGLE DX	2393	3.6	5	2	2	3	4	5	6	8
2. MULTIPLE DX	6384	4.4	5	2	3	4	5	6	7	10
A. NOT OPERATED	1387	3.0	7	2	2	3	3	4	4	6
B. OPERATED	7390	4.4	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1013	4.2	11	2	2	4	5	6	7	11
20-34	7235	4.1	4	2	2	4	5	6	7	9
35-49	529	4.7	5	2	2	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**8777**	**4.2**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	1	1	2	3	3	4	6	6
20-34	87	3.2	1	1	2	3	4	4	5	8
35-49	5	3.2	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	455	5.2	2	3	4	5	6	7	7	9
20-34	2215	5.3	2	4	4	5	6	7	7	9
35-49	81	5.6	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	3	2	2	4	5	7	8	8
20-34	39	3.6	1	2	2	4	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1317	5.8	4	4	4	5	6	8	9	14
20-34	6362	5.6	4	4	4	5	6	7	8	11
35-49	352	5.8	4	4	4	6	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.2	1	1	2	3	4	4	5	8
B. *Operated*	2751	5.3	2	4	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	49	3.7	2	2	2	4	4	5	6	8
B. *Operated*	8031	5.6	4	4	4	5	6	7	8	11
1. SINGLE DX	2856	5.2	2	3	4	5	6	7	7	9
2. MULTIPLE DX	8080	5.6	4	4	4	5	6	7	8	11
A. NOT OPERATED	154	3.3	2	2	2	3	4	5	6	8
B. OPERATED	10782	5.5	4	4	4	5	6	7	8	11
TOTAL 0-19 YRS	1794	5.6	3	3	4	5	6	8	9	13
20-34	8703	5.5	4	3	4	5	6	7	8	10
35-49	439	5.7	4	4	4	6	6	7	8	10
50-64										
65+										
GRAND TOTAL	**10936**	**5.5**	**4**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.1	1	2	2	3	4	4	5	6
20-34	914	3.1	1	2	2	3	4	4	5	5
35-49	43	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	223	4.1	3	2	2	4	5	6	7	9
20-34	1560	4.0	2	2	2	4	5	6	6	8
35-49	66	4.4	8	2	3	4	5	6	7	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.4	1	2	2	3	4	5	6	7
20-34	557	3.3	1	2	2	3	4	4	5	7
35-49	17	3.4	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	676	4.6	4	2	3	4	5	7	8	12
20-34	4091	4.4	3	2	3	4	5	6	7	10
35-49	249	5.1	12	2	3	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1092	3.1	1	2	2	3	4	4	5	6
B. *Operated*	1849	4.0	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	655	3.3	1	2	2	3	4	4	5	7
B. *Operated*	5016	4.5	4	2	3	4	5	7	7	10
1. SINGLE DX	2941	3.7	2	2	2	3	4	5	6	7
2. MULTIPLE DX	5671	4.4	3	2	3	4	5	6	7	10
A. NOT OPERATED	1747	3.2	1	2	2	3	4	4	5	6
B. OPERATED	6865	4.4	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1115	4.2	4	2	2	4	5	6	7	11
20-34	7122	4.1	3	2	2	4	5	6	7	9
35-49	375	4.7	10	2	3	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	8612	4.1	3	2	2	4	5	6	7	9

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	2	1	1	3	3	5	6	7
20-34	165	3.1	1	2	2	3	4	4	5	6
35-49	14	3.1	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	54	4.1	3	2	2	4	5	6	7	10
20-34	509	4.2	3	2	2	4	5	6	7	9
35-49	24	4.7	4	1	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	1	2	2	3	4	4	5	5
20-34	107	3.0	5	1	1	3	4	4	5	13
35-49	5	2.4	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	171	5.0	4	2	3	5	6	7	8	12
20-34	1448	5.1	8	2	3	5	6	7	8	13
35-49	169	5.8	33	2	3	5	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.1	1	1	2	3	4	4	5	7
B. *Operated*	587	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	126	3.0	4	1	1	3	4	4	5	10
B. *Operated*	1788	5.2	10	2	3	5	6	7	8	13
1. SINGLE DX	783	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX	1914	5.0	10	2	3	5	6	7	8	13
A. NOT OPERATED	322	3.0	2	1	2	3	4	4	5	7
B. OPERATED	2375	4.9	8	2	3	5	6	7	8	12
TOTAL 0-19 YRS	256	4.6	4	2	2	5	6	7	8	11
20-34	2229	4.6	7	2	2	5	6	7	7	12
35-49	212	5.4	27	2	3	5	6	8	9	15
50-64										
65+										
GRAND TOTAL	2697	4.7	8	2	2	5	6	7	8	12

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	145	3.0	2	1	2	3	3	5	6	8
35-49	9	3.3	3	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	579	5.3	1	4	4	5	6	7	7	8
20-34	9412	5.3	2	3	4	5	6	7	7	8
35-49	528	5.5	2	4	4	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	1	2	2	3	4	5	6	6
20-34	74	3.2	2	1	2	3	4	5	6	7
35-49	8	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	405	5.7	13	3	4	5	6	7	9	16
20-34	10884	5.6	5	4	4	5	6	7	8	11
35-49	1113	5.9	3	4	4	6	7	8	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.0	2	1	2	3	3	5	6	8
B. *Operated*	10519	5.3	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	91	3.2	2	1	2	3	4	5	6	7
B. *Operated*	12402	5.6	5	4	4	5	6	7	8	11
1. SINGLE DX	10678	5.3	2	3	4	5	6	7	7	8
2. MULTIPLE DX	12493	5.6	5	4	4	5	6	7	8	11
A. NOT OPERATED	250	3.1	2	1	2	3	4	5	6	8
B. OPERATED	22921	5.5	3	4	4	5	6	7	7	10
TOTAL 0-19 YRS	998	5.4	6	3	4	5	6	7	8	11
20-34	20515	5.4	3	3	4	5	6	7	7	10
35-49	1658	5.7	3	4	4	6	6	7	8	11
50-64										
65+										
GRAND TOTAL	**23171**	**5.4**	**4**	**3**	**4**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	3.2	2	2	2	3	4	4	5	8
20-34	1483	3.2	2	2	2	3	4	4	5	7
35-49	85	3.7	18	1	2	3	4	5	7	30
50-64										
65+										
B. *Operated*										
0-19 YRS	198	3.5	3	2	2	3	4	5	6	8
20-34	1468	3.3	2	2	2	3	4	5	5	7
35-49	82	3.2	2	1	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.6	6	2	2	3	4	5	6	15
20-34	1131	3.5	4	2	2	3	4	5	6	9
35-49	64	4.0	11	1	2	3	4	5	8	21
50-64										
65+										
B. *Operated*										
0-19 YRS	692	4.5	7	2	2	4	5	7	8	14
20-34	4784	4.4	8	2	2	4	5	6	7	13
35-49	415	4.8	6	2	3	4	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	3.2	3	2	2	3	4	4	5	7
B. *Operated*	1748	3.3	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	1404	3.5	5	2	2	3	4	5	6	10
B. *Operated*	5891	4.4	8	2	2	4	5	6	8	13
1. SINGLE DX	3552	3.3	2	2	2	3	4	4	5	7
2. MULTIPLE DX	7295	4.3	8	2	2	4	5	6	7	13
A. NOT OPERATED	3208	3.4	4	2	2	3	4	5	5	9
B. OPERATED	7639	4.2	7	2	2	4	5	6	7	12
TOTAL 0-19 YRS	1335	4.0	6	2	2	3	5	6	7	12
20-34	8866	[illegible]	6	2	2	3	4	6	7	11
35-49	646	4.3	8	2	2	4	5	7	8	16
50-64										
65+										
GRAND TOTAL	**10847**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1007	2.8	1	1	2	3	3	4	4	5
20-34	7892	2.9	2	1	2	3	3	4	4	5
35-49	389	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	508	2.9	1	2	2	3	3	4	4	5
20-34	3559	3.0	1	2	2	3	3	4	4	6
35-49	173	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	2.9	2	1	2	3	3	4	5	6
20-34	1760	3.0	2	2	2	3	3	4	5	6
35-49	113	3.1	4	1	2	3	4	4	5	13
50-64										
65+										
B. *Operated*										
0-19 YRS	569	3.2	3	2	2	3	4	5	5	7
20-34	4705	3.4	4	2	2	3	4	5	6	7
35-49	356	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9288	2.9	2	1	2	3	3	4	4	5
B. *Operated*	4240	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	2116	3.0	2	1	2	3	3	4	5	6
B. *Operated*	5630	3.4	3	2	2	3	4	5	6	7
1. SINGLE DX	13528	2.9	2	2	2	3	3	4	4	5
2. MULTIPLE DX	7746	3.3	3	2	2	3	4	5	5	7
A. NOT OPERATED	11404	2.9	2	1	2	3	3	4	4	5
B. OPERATED	9870	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2327	2.9	2	2	2	3	3	4	4	6
20-34	17916	3.0	2	2	2	3	3	4	5	6
35-49	1031	3.3	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**21274**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.5	1	1	2	3	3	3	4	4
20-34	1213	2.6	1	1	1	3	3	4	4	5
35-49	81	2.6	1	1	1	3	3	4	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1408	2.6	1	1	2	3	3	4	4	5
20-34	11200	2.7	1	1	2	3	3	4	4	5
35-49	758	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.6	1	1	1	3	3	4	4	4
20-34	354	2.8	2	1	1	3	3	4	4	7
35-49	15	3.1	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	762	3.0	2	2	2	3	3	4	5	7
20-34	6764	3.1	2	2	2	3	4	4	5	7
35-49	612	3.2	2	1	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1464	2.6	1	1	1	3	3	4	4	5
B. *Operated*	13366	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	429	2.8	2	1	1	3	3	4	4	6
B. *Operated*	8138	3.1	2	2	2	3	4	4	5	7
1. SINGLE DX	14830	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	8567	3.1	2	1	2	3	4	4	5	7
A. NOT OPERATED	1893	2.6	1	1	1	3	3	4	4	5
B. OPERATED	21504	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	2400	2.7	1	1	2	3	3	4	4	6
20-34	19531	2.8	1	1	2	3	3	4	4	6
35-49	1466	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**23397**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	2.9	1	2	2	3	3	4	4	5
20-34	737	3.0	1	2	2	3	3	4	4	5
35-49	29	3.0	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1508	2.9	1	2	2	3	3	4	4	5
20-34	6230	3.0	1	2	2	3	3	4	4	5
35-49	178	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.3	2	1	2	3	4	5	6	8
20-34	150	3.1	1	1	2	3	4	4	5	6
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1134	3.3	2	2	2	3	4	4	5	8
20-34	4667	3.4	2	2	2	3	4	5	5	7
35-49	190	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	3.0	1	2	2	3	3	4	4	5
B. *Operated*	7916	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	195	3.1	1	1	2	3	4	4	5	6
B. *Operated*	5991	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	8806	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX	6186	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	1085	3.0	1	2	2	3	3	4	4	6
B. OPERATED	13907	3.1	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	2807	3.0	1	2	2	3	3	4	5	7
20-34	11784	3.2	1	2	2	3	4	4	5	6
35-49	401	3.3	1	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**14992**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.6	1	1	2	3	3	4	4	5
20-34	560	2.7	1	1	2	3	3	4	4	5
35-49	21	3.0	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	729	2.8	1	2	2	3	3	4	4	5
20-34	3059	2.8	1	1	2	3	3	4	4	6
35-49	119	2.9	1	1	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	2	1	2	3	3	4	5	11
20-34	251	2.9	1	1	2	3	3	4	4	6
35-49	7	3.0	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	601	3.1	1	2	2	3	3	4	5	8
20-34	2855	3.2	2	2	2	3	4	4	5	8
35-49	161	3.5	3	2	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	2.7	1	1	2	3	3	4	4	5
B. *Operated*	3907	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	314	2.9	1	1	2	3	3	4	4	7
B. *Operated*	3617	3.2	2	2	2	3	4	4	5	8
1. SINGLE DX	4601	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	3931	3.2	2	2	2	3	4	4	5	8
A. NOT OPERATED	1008	2.8	1	1	2	3	3	4	4	6
B. OPERATED	7524	3.0	1	2	2	3	3	4	5	7
TOTAL 0-19 YRS	1499	2.9	1	2	2	3	3	4	4	6
20-34	6725	3.0	1	2	2	3	3	4	5	6
35-49	308	3.2	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**8532**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1424	2.8	2	1	1	3	3	4	5	7
20-34	7587	2.9	2	1	2	3	3	4	5	7
35-49	434	3.0	3	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	3087	3.3	2	2	2	3	4	5	6	9
20-34	15982	3.4	2	2	2	3	4	5	6	8
35-49	793	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1052	3.1	3	1	2	3	4	5	6	10
20-34	4871	3.2	4	1	2	3	4	5	6	11
35-49	351	3.2	4	1	1	3	4	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4617	4.3	8	2	2	4	5	7	9	15
20-34	26558	4.4	9	2	2	4	5	7	8	15
35-49	2051	5.0	18	2	2	4	6	7	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9445	2.9	2	1	2	3	3	4	5	7
B. *Operated*	19862	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	6274	3.2	4	1	2	3	4	5	6	11
B. *Operated*	33226	4.4	10	2	2	4	5	7	9	16
1. SINGLE DX	29307	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX	39500	4.2	9	2	2	4	5	7	8	15
A. NOT OPERATED	15719	3.0	3	1	2	3	3	4	5	8
B. OPERATED	53088	4.0	7	2	2	3	5	6	8	13
TOTAL 0-19 YRS	10180	3.7	5	2	2	3	4	6	7	12
20-34	54998	3.8	6	2	2	3	4	6	7	12
35-49	3629	4.3	12	2	2	4	5	7	8	17
50-64										
65+										
GRAND TOTAL	**68807**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.6	3	1	2	3	5	6	7	9
20-34	205	3.9	4	1	2	4	5	6	7	12
35-49	12	4.4	4	1	2	5	5	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	4.5	9	1	1	3	7	9	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.8	14	2	2	4	6	7	7	26
20-34	102	4.2	5	2	2	4	5	7	10	13
35-49	6	5.3	9	2	2	5	7	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	9	5.8	6	2	3	6	7	9	11	11
20-34	27	6.2	25	2	2	4	8	12	18	23
35-49	2	10.0	98	3	3	10	17	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.9	4	1	2	4	5	6	7	10
B. *Operated*	21	4.3	8	1	1	3	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	149	4.4	7	2	2	4	5	7	10	14
B. *Operated*	38	6.3	23	2	2	5	8	12	17	23
1. SINGLE DX	297	3.9	4	1	2	3	5	6	7	11
2. MULTIPLE DX	187	4.8	11	2	2	4	5	8	11	21
A. NOT OPERATED	425	4.0	5	2	2	4	5	6	7	12
B. OPERATED	59	5.6	18	1	2	4	7	11	15	22
TOTAL 0-19 YRS	111	4.2	8	2	2	4	5	6	7	17
20-34	353	4.2	6	1	2	4	5	7	9	14
35-49	20	5.3	13	1	2	5	6	9	13	17
50-64										
65+										
GRAND TOTAL	**484**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.8	1	<1	<1	2	2	3	4	4
20-34	117	1.6	1	<1	<1	1	2	3	3	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	61	1.6	1	<1	1	1	2	3	3	5
20-34	394	1.6	1	<1	<1	1	2	3	4	7
35-49	17	1.5		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	4	1	1	2	3	6	7	9
20-34	63	2.2	2	1	1	2	3	4	5	8
35-49	6	2.8	7	1	1	2	3	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	54	2.3	2	1	1	2	3	4	5	7
20-34	288	2.7	5	1	1	2	3	5	6	13
35-49	15	2.9	3	1	1	2	4	5	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	472	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	90	2.4	3	1	1	2	3	4	6	9
B. *Operated*	357	2.6	4	1	1	2	3	5	6	12
1. SINGLE DX	610	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	447	2.6	4	1	1	2	3	5	6	11
A. NOT OPERATED	228	1.9	2	<1	1	2	2	3	4	8
B. OPERATED	829	2.1	3	<1	1	2	2	4	5	8
TOTAL 0-19 YRS	156	2.0	2	1	1	2	2	4	5	7
20-34	862	2.0	3	<1	1	1	2	4	5	8
35-49	39	2.2	3	<1	1	2	3	4	6	8
50-64										
65+										
GRAND TOTAL	**1057**	**2.0**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	6	1	1	3	3	6	10	11
20-34	146	4.0	8	1	1	3	5	8	10	16
35-49	11	5.1	11	2	2	5	6	10	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.2	3	1	1	3	4	6	7	9
20-34	190	3.1	7	1	1	3	3	6	8	16
35-49	18	2.4	2	<1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	12	1	1	3	5	8	12	14
20-34	106	4.3	19	1	1	3	5	9	13	24
35-49	11	6.5	15	1	2	5	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	39	4.7	33	1	2	3	5	9	13	35
20-34	201	4.3	19	1	1	3	5	10	14	18
35-49	29	5.9	23	1	2	4	8	13	19	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.9	8	1	1	3	5	8	10	16
B. *Operated*	252	3.1	6	1	1	3	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	132	4.5	18	1	1	3	5	9	13	22
B. *Operated*	269	4.5	21	1	1	3	5	10	13	20
1. SINGLE DX	437	3.4	7	1	1	3	4	6	9	15
2. MULTIPLE DX	401	4.5	20	1	1	3	5	10	13	20
A. NOT OPERATED	317	4.1	12	1	1	3	5	8	12	17
B. OPERATED	521	3.8	15	1	1	3	4	8	11	18
TOTAL 0-19 YRS	126	3.7	14	1	1	3	4	7	9	19
20-34	643	3.9	13	1	1	3	4	8	11	17
35-49	69	4.9	16	1	1	4	6	11	13	20
50-64										
65+										
GRAND TOTAL	**838**	**4.0**	**14**	**1**	**1**	**3**	**4**	**8**	**12**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	874	3.9	5	2	2	3	5	7	8	11
20-34	723	4.2	9	1	2	4	5	7	9	13
35-49	549	4.7	8	2	2	4	6	8	10	15
50-64	390	5.2	10	2	2	5	6	8	10	16
65+	309	6.1	12	2	3	5	8	11	13	19
B. *Operated*										
0-19 YRS	388	4.8	18	1	1	4	6	9	11	20
20-34	419	5.3	23	1	1	4	7	11	14	25
35-49	248	5.3	16	1	2	4	7	10	12	22
50-64	170	6.7	20	1	2	6	9	12	16	23
65+	102	7.3	33	1	2	6	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1261	4.6	11	2	2	4	5	8	10	17
20-34	1467	5.8	20	2	2	5	7	11	14	24
35-49	1530	6.9	26	2	3	5	9	12	15	27
50-64	2109	7.7	30	2	3	6	9	14	17	29
65+	3718	8.4	30	3	4	7	10	15	19	29
B. *Operated*										
0-19 YRS	453	6.4	29	1	2	5	7	11	15	28
20-34	996	9.0	70	2	3	7	11	18	25	42
35-49	919	9.9	83	2	3	8	12	18	26	51
50-64	1107	11.6	90	2	3	9	14	23	30	48
65+	1478	13.5	109	3	4	11	17	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2845	4.6	8	2	2	4	6	8	9	15
B. *Operated*	1327	5.5	21	1	1	4	7	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	10085	7.2	27	2	3	6	9	13	17	27
B. *Operated*	4953	10.9	90	2	3	8	13	22	29	50
1. SINGLE DX	4172	4.9	13	1	2	4	6	9	11	18
2. MULTIPLE DX	15038	8.4	51	2	3	7	10	16	21	37
A. NOT OPERATED	12930	6.6	24	2	2	5	8	12	15	25
B. OPERATED	6280	9.7	80	2	2	7	12	20	27	46
TOTAL 0-19 YRS	2976	4.7	13	1	2	4	6	8	11	17
20-34	3605	6.3	35	2	2	5	7	12	16	30
35-49	3246	7.3	42	2	2	5	9	13	17	34
50-64	3776	8.5	50	2	3	7	10	16	22	40
65+	5607	9.6	56	3	4	8	12	18	23	41
GRAND TOTAL	**19210**	**7.6**	**45**	**2**	**2**	**6**	**9**	**14**	**20**	**35**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	3.9	4	1	2	4	5	7	8	10
20-34	127	4.0	4	1	2	3	5	7	8	12
35-49	67	4.3	11	1	2	3	5	8	10	19
50-64	48	4.4	6	1	1	4	6	9	9	11
65+	35	5.3	9	1	2	5	7	9	11	13
B. *Operated*										
0-19 YRS	189	3.9	11	<1	1	3	5	9	11	15
20-34	155	4.6	20	1	1	3	5	10	14	24
35-49	91	4.6	18	1	1	3	6	9	12	24
50-64	69	5.2	27	1	1	4	6	9	16	30
65+	33	6.6	58	1	1	4	7	14	30	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	479	4.3	6	1	2	4	5	7	9	12
20-34	237	4.7	26	1	2	4	5	8	10	24
35-49	202	6.0	33	2	2	5	7	9	11	41
50-64	280	7.9	58	2	3	6	9	14	17	57
65+	473	8.1	38	3	3	7	9	14	18	35
B. *Operated*										
0-19 YRS	224	5.5	20	1	1	5	7	10	14	26
20-34	219	7.9	88	2	2	5	9	14	27	60
35-49	259	8.4	61	1	2	6	11	17	24	41
50-64	304	10.0	79	2	2	8	12	22	30	48
65+	299	10.9	100	2	2	8	14	20	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	602	4.1	6	1	2	4	5	7	9	12
B. *Operated*	537	4.6	20	1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	1671	6.2	33	2	2	5	7	10	14	34
B. *Operated*	1305	8.8	75	1	2	6	11	18	27	45
1. SINGLE DX	1139	4.3	12	1	1	3	5	8	10	19
2. MULTIPLE DX	2976	7.3	53	2	2	5	9	14	19	41
A. NOT OPERATED	2273	5.7	26	2	2	4	7	10	13	28
B. OPERATED	1842	7.5	62	1	2	5	9	16	23	41
TOTAL 0-19 YRS	1217	4.4	9	1	2	4	6	8	10	15
20-34	738	5.5	42	1	2	4	6	10	13	43
35-49	619	6.6	43	1	2	5	8	13	19	40
50-64	701	8.3	64	2	2	6	10	16	23	49
65+	840	8.9	62	2	3	7	11	16	23	39
GRAND TOTAL	**4115**	**6.5**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**36**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	21	<1	1	4	5	8	17	19
20-34	22	3.1	3	<1	1	3	4	5	6	8
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	798	3.2	4	1	1	3	4	5	6	9
20-34	1524	3.1	3	1	1	3	4	5	6	8
35-49	226	3.2	5	1	1	3	4	6	7	12
50-64	56	3.3	5	1	1	3	4	7	9	10
65+	10	3.7	8	1	1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	7	<1	1	3	6	8	8	8
20-34	24	4.0	12	<1	1	3	5	9	11	15
35-49	4	5.0	17	2	2	3	7	11	11	11
50-64	6	4.5	9	1	1	4	7	9	9	9
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	146	4.6	8	1	2	4	6	8	10	15
20-34	343	4.3	12	1	1	4	5	7	9	21
35-49	118	4.6	15	1	1	4	5	8	11	22
50-64	51	5.6	19	1	2	4	7	13	16	18
65+	15	6.3	11	2	3	7	9	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.4	9	<1	<1	3	4	5	7	19
B. *Operated*	2614	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	48	4.4	11	<1	1	4	6	9	11	15
B. *Operated*	673	4.6	12	1	2	4	5	8	11	20
1. SINGLE DX	2653	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	721	4.6	12	1	1	4	5	8	11	19
A. NOT OPERATED	87	3.9	10	<1	1	3	5	8	10	18
B. OPERATED	3287	3.4	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	969	3.4	5	1	1	3	4	6	8	11
20-34	1913	3.3	5	1	1	3	4	5	7	10
35-49	351	3.7	9	1	1	3	5	6	8	15
50-64	114	4.4	12	1	1	3	5	9	13	17
65+	27	5.6	12	2	2	4	9	10	12	12
GRAND TOTAL	**3374**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	7	1	1	3	4	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	115	1.7	1	<1	<1	1	2	3	4	7
20-34	135	2.1	2	<1	<1	2	2	4	5	8
35-49	85	2.1	3	<1	<1	2	2	4	5	9
50-64	74	2.3	4	<1	<1	2	2	4	6	14
65+	28	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	5	1	1	2	4	6	8	8
20-34	7	3.0	3	<1	<1	4	4	5	5	5
35-49	10	4.7	7	1	2	4	6	9	10	10
50-64	5	2.0	2	1	1	1	3	4	4	4
65+	3	3.0	12	1	1	1	6	7	7	7
B. *Operated*										
0-19 YRS	21	2.3	3	<1	<1	2	3	5	6	6
20-34	61	3.4	8	1	1	3	4	8	10	14
35-49	89	4.1	22	1	1	3	4	8	12	29
50-64	99	4.1	15	1	1	3	5	7	10	25
65+	73	4.2	19	1	1	3	5	8	9	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.9	5	1	1	3	3	6	8	8
B. *Operated*	437	2.0	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	35	3.2	6	1	1	3	4	7	8	10
B. *Operated*	343	3.9	16	1	1	3	5	7	10	22
1. SINGLE DX	446	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	378	3.8	15	1	1	3	5	7	10	21
A. NOT OPERATED	44	3.2	5	1	1	3	4	7	8	10
B. OPERATED	780	2.9	9	<1	<1	2	3	6	8	16
TOTAL 0-19 YRS	151	1.9	2	<1	<1	1	2	4	5	8
20-34	205	2.5	5	<1	<1	2	3	5	7	11
35-49	184	3.2	13	<1	1	2	4	6	10	19
50-64	179	3.3	11	<1	1	2	4	6	9	21
65+	105	3.7	15	1	1	3	4	7	9	24
GRAND TOTAL	**824**	**2.9**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	4.2	22	1	1	3	4	9	13	25
20-34	343	7.9	94	1	1	4	9	21	28	47
35-49	287	9.1	141	1	1	4	10	27	37	51
50-64	179	8.7	99	1	1	5	9	23	31	46
65+	200	7.9	55	2	2	6	9	18	22	40
B. *Operated*										
0-19 YRS	546	3.1	26	<1	<1	2	3	6	10	24
20-34	622	4.5	50	1	1	3	5	8	14	36
35-49	463	5.0	51	1	1	3	5	10	17	41
50-64	427	4.2	25	1	1	2	4	10	15	26
65+	286	7.5	84	1	1	4	10	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	834	4.6	21	1	1	3	5	9	13	23
20-34	649	8.3	102	1	2	5	9	21	31	48
35-49	775	8.8	95	1	2	6	10	19	28	51
50-64	1031	9.5	72	2	2	7	11	21	30	40
65+	2722	10.9	78	2	3	8	14	21	28	49
B. *Operated*										
0-19 YRS	433	8.7	150	1	1	4	9	22	32	61
20-34	1008	12.4	253	1	2	6	16	34	52	87
35-49	1158	11.1	196	1	2	6	14	29	41	87
50-64	1583	12.2	218	1	2	7	16	32	49	91
65+	2650	16.6	207	2	3	13	22	36	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1581	6.9	76	1	1	4	7	17	26	44
B. *Operated*	2344	4.6	46	<1	1	2	5	10	16	34
2. MULTIPLE DX										
A. *Not Operated*	6011	9.2	78	1	2	7	11	19	27	44
B. *Operated*	6832	13.5	218	1	2	8	18	33	46	84
1. SINGLE DX	3925	5.5	59	1	1	3	6	12	21	40
2. MULTIPLE DX	12843	11.5	157	1	2	7	15	27	37	70
A. NOT OPERATED	7592	8.7	79	1	2	6	11	19	27	44
B. OPERATED	9176	11.3	189	1	1	6	15	28	41	77
TOTAL 0-19 YRS	2385	4.9	49	1	1	3	5	10	16	38
20-34	2622	8.9	156	1	1	4	10	23	36	70
35-49	2683	9.2	140	1	1	5	11	23	34	67
50-64	3220	10.1	146	1	2	6	12	24	36	64
65+	5858	13.2	146	2	3	10	17	28	37	67
GRAND TOTAL	**16768**	**10.1**	**141**	**1**	**2**	**6**	**13**	**24**	**35**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.5	15	<1	<1	4	6	9	11	22
20-34	69	6.0	34	1	1	5	7	10	16	38
35-49	67	6.3	23	2	2	5	8	10	12	30
50-64	37	6.6	11	2	3	7	9	10	13	17
65+	13	7.2	16	2	3	7	9	14	15	15
B. *Operated*										
0-19 YRS	25	4.6	10	1	2	4	7	10	11	11
20-34	38	7.6	47	1	2	6	10	14	25	31
35-49	27	7.4	37	1	2	5	11	16	21	24
50-64	22	6.8	13	2	2	6	9	12	13	14
65+	10	6.1	16	1	2	5	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.1	40	1	1	5	8	17	20	32
20-34	248	8.5	42	2	3	7	10	16	21	32
35-49	236	8.1	39	1	2	7	10	15	19	29
50-64	283	8.5	61	2	3	6	10	17	24	41
65+	231	9.3	44	3	3	8	11	16	22	39
B. *Operated*										
0-19 YRS	42	12.4	244	2	3	8	14	24	35	94
20-34	127	12.7	173	2	2	9	15	30	37	63
35-49	157	14.5	160	2	3	12	17	27	47	78
50-64	162	14.2	192	2	3	10	17	35	40	99+
65+	128	15.8	144	3	5	13	20	30	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	5.9	22	1	2	5	7	10	14	28
B. *Operated*	122	6.7	29	1	2	5	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	1099	8.4	47	2	3	7	10	16	21	34
B. *Operated*	616	14.2	174	2	3	11	18	30	39	85
1. SINGLE DX	359	6.2	25	1	2	5	8	11	14	28
2. MULTIPLE DX	1715	10.5	100	2	3	8	13	21	29	54
A. NOT OPERATED	1336	8.0	43	2	2	6	10	15	20	33
B. OPERATED	738	12.9	157	2	2	10	16	28	36	79
TOTAL 0-19 YRS	219	7.2	76	1	2	5	8	15	21	37
20-34	482	9.1	80	2	2	7	11	18	28	44
35-49	487	9.9	86	2	2	7	13	19	25	56
50-64	504	10.1	105	2	3	7	12	22	32	66
65+	382	11.3	86	3	3	9	14	22	29	45
GRAND TOTAL	**2074**	**9.7**	**89**	**2**	**2**	**7**	**12**	**20**	**28**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	6.0	17	2	2	5	8	11	12	21
20-34	82	7.0	32	1	2	6	9	13	15	36
35-49	113	7.1	15	2	3	6	10	12	15	19
50-64	234	7.2	22	2	3	6	9	13	17	21
65+	152	7.4	18	2	3	6	10	13	16	21
B. *Operated*										
0-19 YRS	28	5.9	56	1	1	3	8	10	18	39
20-34	88	6.2	27	1	1	4	8	14	16	26
35-49	214	6.8	18	2	2	5	10	13	15	18
50-64	429	7.9	34	2	2	6	12	16	18	30
65+	252	9.4	36	2	2	9	14	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	7.6	66	2	2	5	9	14	21	46
20-34	131	7.9	40	2	3	6	10	15	20	34
35-49	303	7.4	26	2	2	6	9	14	17	28
50-64	821	8.5	38	2	3	7	11	15	18	26
65+	1187	8.8	29	2	3	8	11	16	19	29
B. *Operated*										
0-19 YRS	36	9.6	78	1	1	6	13	24	31	34
20-34	114	9.1	53	1	2	8	12	17	21	44
35-49	309	8.7	53	2	2	7	11	17	21	44
50-64	845	10.4	76	2	3	9	14	20	25	44
65+	879	12.8	94	3	4	11	16	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	7.0	20	2	2	6	9	12	16	21
B. *Operated*	1011	7.8	33	2	2	6	11	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	2547	8.5	34	2	3	7	11	15	18	28
B. *Operated*	2183	11.1	81	2	3	9	14	21	27	49
1. SINGLE DX	1723	7.5	28	2	2	6	10	15	17	24
2. MULTIPLE DX	4730	9.7	57	2	3	8	12	18	23	41
A. NOT OPERATED	3259	8.1	31	2	3	7	11	15	18	26
B. OPERATED	3194	10.0	68	2	3	8	13	19	25	45
TOTAL 0-19 YRS	300	7.0	46	1	2	5	9	13	18	34
20-34	415	7.7	40	1	2	6	10	15	17	35
35-49	939	7.6	32	2	2	6	10	14	18	29
50-64	2329	9.0	51	2	3	7	12	17	20	37
65+	2470	10.2	56	2	3	9	13	18	24	42
GRAND TOTAL	**6453**	**9.1**	**50**	**2**	**3**	**7**	**12**	**17**	**21**	**38**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	3.9	2	2	2	4	5	6	6	6
35-49	29	6.4	94	1	1	4	8	11	13	54
50-64	75	5.3	17	1	1	4	7	12	13	22
65+	155	5.4	16	1	1	4	7	11	14	18
B. *Operated*										
0-19 YRS	13	2.8	7	<1	<1	2	3	7	9	10
20-34	215	4.2	14	1	1	3	5	10	12	17
35-49	558	5.4	19	1	1	4	8	12	14	18
50-64	2023	8.9	33	1	2	9	12	16	18	24
65+	2785	12.2	23	3	6	12	15	17	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	49	1	1	4	6	18	23	23
20-34	31	5.9	19	1	1	5	8	14	15	16
35-49	172	6.4	17	1	2	6	9	12	15	18
50-64	583	6.1	21	1	2	5	8	11	15	23
65+	2222	6.8	21	1	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	23	6.7	24	1	1	5	12	13	15	16
20-34	223	5.2	25	1	1	3	7	12	14	23
35-49	726	6.6	35	1	1	5	9	14	17	31
50-64	3139	10.5	61	2	2	10	14	18	22	37
65+	7072	14.2	61	3	6	13	17	22	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	5.4	24	1	1	4	7	11	13	19
B *Operated*	5594	10.0	33	1	2	10	14	17	18	24
2. MULTIPLE DX										
A. *Not Operated*	3016	6.6	21	1	2	6	8	12	15	23
B. *Operated*	11183	12.5	65	2	3	12	16	21	25	40
1. SINGLE DX	5868	9.8	33	1	2	10	14	16	18	24
2. MULTIPLE DX	14199	11.2	61	2	3	11	15	19	24	38
A. NOT OPERATED	3290	6.5	21	1	2	5	8	12	15	23
B. OPERATED	16777	11.7	55	2	3	11	15	19	23	36
TOTAL 0-19 YRS	45	5.4	25	1	1	4	7	13	14	23
20-34	483	4.8	19	1	1	3	6	11	13	20
35-49	1485	6.1	28	1	1	5	9	13	16	25
50-64	5820	9.4	49	1	2	9	13	17	20	32
65+	12234	12.3	53	2	4	12	16	19	24	37
GRAND TOTAL	**20067**	**10.8**	**53**	**2**	**2**	**11**	**15**	**18**	**22**	**35**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.3	25	1	2	5	7	14	18	22
20-34	117	5.6	19	2	2	5	6	10	15	25
35-49	71	5.3	19	1	1	4	7	9	13	23
50-64	76	5.1	10	2	2	4	7	9	12	16
65+	72	6.8	45	2	2	5	8	14	16	39
B. *Operated*										
0-19 YRS	96	12.4	65	2	4	11	17	23	28	36
20-34	191	5.2	31	1	1	3	6	10	16	26
35-49	220	5.6	30	1	1	4	7	10	15	27
50-64	260	6.5	29	2	2	5	9	13	17	23
65+	93	10.0	48	2	2	10	14	18	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	8.2	38	2	2	7	11	16	21	29
20-34	191	7.1	35	2	2	5	8	15	19	32
35-49	224	7.1	33	2	2	5	9	14	18	30
50-64	305	7.4	33	2	2	6	9	15	18	27
65+	630	7.9	41	2	3	6	10	15	22	32
B. *Operated*										
0-19 YRS	118	15.6	71	3	6	15	21	26	32	40
20-34	206	10.4	168	1	2	6	14	21	44	58
35-49	277	9.5	116	1	2	6	11	21	30	53
50-64	403	10.8	128	2	2	7	14	22	35	56
65+	467	16.3	174	2	3	13	21	32	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	5.8	24	1	2	5	7	12	15	23
B. *Operated*	860	7.0	41	1	2	5	9	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	1519	7.6	37	2	2	6	9	15	20	30
B. *Operated*	1471	12.6	149	2	2	9	17	27	39	59
1. SINGLE DX	1326	6.6	35	1	2	5	8	14	18	28
2. MULTIPLE DX	2990	10.1	99	2	2	7	13	21	29	51
A. NOT OPERATED	1985	7.2	35	2	2	6	9	14	19	30
B. OPERATED	2331	10.6	117	1	2	7	14	22	31	53
TOTAL 0-19 YRS	513	10.2	60	2	2	8	15	21	26	36
20-34	705	7.3	75	1	2	5	8	16	21	51
35-49	792	7.4	63	1	2	5	9	16	21	46
50-64	1044	8.3	71	2	2	6	11	17	22	46
65+	1262	11.1	107	2	3	8	14	22	31	51
GRAND TOTAL	**4316**	**9.0**	**82**	**2**	**2**	**6**	**11**	**19**	**25**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	6	1	1	2	3	8	9	9
20-34	31	3.1	4	1	1	3	5	6	7	8
35-49	14	2.7	9	<1	<1	2	3	7	11	12
50-64	7	3.3	7	1	1	2	6	7	7	7
65+	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	549	2.4	3	<1	1	2	3	5	5	8
20-34	1255	2.6	4	<1	1	2	3	5	6	9
35-49	672	2.7	4	1	1	2	3	5	7	10
50-64	367	2.9	5	1	1	2	3	6	7	12
65+	92	3.2	6	1	1	2	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.2	4	<1	<1	1	3	5	7	8
20-34	55	2.4	5	<1	1	1	3	5	7	11
35-49	35	3.3	8	<1	<1	3	4	9	11	12
50-64	44	3.5	18	<1	<1	2	4	6	12	23
65+	35	5.7	15	<1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	545	2.8	3	1	1	2	4	5	7	9
20-34	1542	3.0	8	1	1	2	4	6	7	12
35-49	1122	3.3	9	1	1	2	4	6	9	17
50-64	1085	3.4	10	1	1	2	4	6	8	18
65+	535	3.9	17	1	1	3	5	7	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.0	6	<1	1	2	4	7	8	11
B. *Operated*	2935	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	196	3.4	11	<1	<1	2	4	7	10	19
B. *Operated*	4829	3.2	9	1	1	2	4	6	8	15
1. SINGLE DX	3009	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	5025	3.2	9	1	1	2	4	6	8	16
A. NOT OPERATED	270	3.3	10	<1	<1	2	4	7	9	18
B. OPERATED	7764	3.0	7	1	1	2	4	6	7	13
TOTAL 0-19 YRS	1139	2.6	3	<1	1	2	4	5	6	9
20-34	2883	2.8	6	1	1	2	4	5	7	11
35-49	1843	3.1	7	1	1	2	4	6	8	14
50-64	1503	3.3	9	1	1	2	4	6	8	17
65+	666	3.9	15	1	1	3	5	7	11	21
GRAND TOTAL	**8034**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.5	8	1	1	3	4	6	8	15
20-34	101	3.1	5	<1	<1	3	4	6	8	11
35-49	80	4.6	12	<1	1	4	7	10	12	15
50-64	58	4.2	13	1	1	3	5	9	11	20
65+	85	5.2	15	1	2	4	7	11	12	21
B. *Operated*										
0-19 YRS	1163	3.0	3	1	1	3	4	5	6	9
20-34	1734	3.3	4	1	1	3	4	6	7	10
35-49	611	3.5	8	1	1	3	4	6	9	15
50-64	298	3.8	10	1	1	3	5	7	10	17
65+	122	6.5	34	1	2	4	9	14	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	3.5	9	<1	1	3	4	8	10	15
20-34	232	4.3	32	<1	1	3	5	9	13	23
35-49	253	4.6	22	1	1	3	6	10	14	23
50-64	297	5.2	24	1	1	4	7	11	14	19
65+	639	6.6	25	1	2	5	9	13	16	24
B. *Operated*										
0-19 YRS	733	4.0	12	1	1	3	5	7	9	20
20-34	1088	4.2	19	1	1	3	5	8	11	22
35-49	627	5.0	36	1	1	3	5	11	16	30
50-64	558	6.3	47	1	2	4	8	13	17	38
65+	451	8.9	68	1	2	6	12	19	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	4.0	10	1	1	3	5	8	11	16
B. *Operated*	3928	3.4	6	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	1646	5.3	24	1	1	4	7	11	14	22
B. *Operated*	3457	5.3	34	1	1	3	6	11	16	30
1. SINGLE DX	4461	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	5103	5.3	31	1	1	4	6	11	15	28
A. NOT OPERATED	2179	5.0	21	1	1	4	6	10	14	22
B. OPERATED	7385	4.3	20	1	1	3	5	8	12	23
TOTAL 0-19 YRS	2330	3.4	7	1	1	3	4	6	8	14
20-34	3155	3.7	11	1	1	3	4	6	9	16
35-49	1571	4.4	22	1	1	3	5	9	12	24
50-64	1211	5.3	32	1	1	4	6	11	15	26
65+	1297	7.3	42	1	2	5	10	15	19	33
GRAND TOTAL	**9564**	**4.4**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	14	2	2	8	9	9	9	9
20-34	6	4.3	4	2	2	4	5	8	8	8
35-49	11	8.5	54	2	2	4	11	20	25	26
50-64	4	9.3	87	3	3	5	15	23	23	23
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	2	18.5	13	16	16	18	21	21	21	21
35-49	3	11.3	184	3	3	4	21	27	27	27
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	19	1	1	5	9	11	11	11
20-34	14	6.1	13	1	2	6	9	11	12	12
35-49	27	7.8	22	2	2	8	11	14	17	20
50-64	20	9.5	245	2	3	6	9	11	43	75
65+	25	10.7	241	2	3	6	13	17	35	81
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.3	70	2	2	3	13	17	17	17
35-49	12	12.7	120	2	2	12	18	52	91	99+
50-64	11	13.3	220	1	3	8	15	35	52	54
65+	8	19.1	508	4	4	12	18	58	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.0	39	2	2	4	9	16	24	26
B. *Operated*	6	12.7	103	3	3	10	21	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	92	8.6	127	2	2	6	10	13	17	78
B. *Operated*	35	13.6	227	2	2	10	16	38	67	99+
1. SINGLE DX	32	8.0	53	2	2	4	10	22	26	27
2. MULTIPLE DX	127	10.0	158	2	2	7	11	17	26	85
A. NOT OPERATED	118	8.2	108	2	2	6	10	14	19	77
B. OPERATED	41	13.5	206	2	3	10	17	31	62	99+
TOTAL 0-19 YRS	10	5.5	15	1	1	5	9	10	11	11
20-34	25	6.8	27	1	2	5	9	16	18	21
35-49	53	9.3	58	2	2	8	12	20	27	98
50-64	36	10.5	208	2	3	6	10	22	45	75
65+	35	12.2	293	2	3	6	13	20	60	81
GRAND TOTAL	**159**	**9.6**	**137**	**2**	**2**	**6**	**11**	**17**	**25**	**80**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	45	4.9	15	1	1	4	6	9	11	22
35-49	181	6.4	39	1	2	5	7	11	22	34
50-64	228	6.0	18	2	2	5	8	10	14	24
65+	197	6.1	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	120	4.6	13	1	1	3	6	10	13	16
35-49	546	6.0	26	1	2	5	8	12	15	26
50-64	648	5.9	23	1	1	5	8	11	15	21
65+	213	7.4	37	1	2	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.8	38	2	2	5	8	17	22	22
20-34	101	7.2	50	2	2	5	9	12	16	79
35-49	628	7.1	23	2	3	6	9	13	16	26
50-64	1461	7.3	25	2	3	6	9	13	16	27
65+	2882	7.3	24	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	122	7.8	50	1	2	6	10	16	21	36
35-49	696	7.9	40	2	2	6	11	15	19	29
50-64	1228	8.8	55	1	2	7	12	17	22	36
65+	1111	12.0	97	2	3	9	16	24	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	6.1	23	1	2	5	8	11	14	28
B. *Operated*	1529	6.1	25	1	2	5	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	5081	7.3	25	2	3	6	9	13	16	25
B. *Operated*	3161	9.7	69	2	2	8	12	19	25	40
1. SINGLE DX	2183	6.1	25	1	2	5	8	12	15	25
2. MULTIPLE DX	8242	8.2	43	2	2	7	10	15	20	34
A. NOT OPERATED	5735	7.1	25	2	3	6	9	13	16	26
B. OPERATED	4690	8.5	58	1	2	7	11	17	22	38
TOTAL 0-19 YRS	18	6.0	23	2	2	5	8	10	17	22
20-34	388	6.3	36	1	2	5	8	12	16	36
35-49	2051	7.0	31	1	2	6	9	13	17	28
50-64	3565	7.5	36	2	2	6	10	14	18	31
65+	4403	8.4	47	2	3	7	10	16	21	36
GRAND TOTAL	**10425**	**7.7**	**40**	**2**	**2**	**6**	**10**	**15**	**19**	**33**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	6.0	16	1	1	6	9	11	12	21
20-34	1225	6.3	14	1	2	6	8	11	13	18
35-49	1868	6.8	18	2	2	6	9	12	14	21
50-64	983	7.1	17	2	2	6	9	12	15	19
65+	243	7.0	18	2	2	6	9	13	16	19
B. *Operated*										
0-19 YRS	222	5.6	25	1	1	4	8	12	16	22
20-34	5196	6.5	25	1	2	5	9	13	16	23
35-49	7441	6.8	25	1	2	6	9	13	16	24
50-64	3159	7.4	31	1	2	6	10	14	18	25
65+	593	7.7	38	1	1	6	11	15	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.8	33	2	2	6	8	12	16	34
20-34	842	7.4	23	1	2	7	9	13	16	23
35-49	1798	7.8	20	2	3	7	10	13	16	23
50-64	1947	8.3	21	2	3	8	11	14	17	22
65+	1634	8.5	25	3	3	8	11	15	17	25
B. *Operated*										
0-19 YRS	69	8.3	62	1	2	6	12	16	21	47
20-34	1879	8.8	41	2	2	8	11	16	21	32
35-49	3857	9.4	43	2	2	8	12	18	22	31
50-64	3312	10.4	57	2	2	9	14	20	24	37
65+	1713	12.3	79	2	3	11	16	23	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4377	6.7	17	1	2	6	9	12	14	20
B. *Operated*	16611	6.8	27	1	2	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	6258	8.1	22	2	3	7	10	14	17	24
B. *Operated*	10830	10.1	54	2	2	9	13	19	24	35
1. SINGLE DX	20988	6.8	25	1	2	6	9	13	16	24
2. MULTIPLE DX	17088	9.3	43	2	3	8	12	17	22	32
A. NOT OPERATED	10635	7.5	20	2	3	7	10	13	16	23
B. OPERATED	27441	8.1	40	1	2	7	11	16	20	30
TOTAL 0-19 YRS	386	6.3	32	1	1	5	8	12	16	28
20-34	9142	7.0	28	1	2	6	9	13	16	25
35-49	14964	7.6	29	1	2	7	10	14	18	26
50-64	9401	8.6	39	2	2	7	11	16	20	30
65+	4183	9.8	53	2	3	8	13	18	23	35
GRAND TOTAL	**38076**	**7.9**	**35**	**1**	**2**	**7**	**10**	**15**	**19**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	8	2	2	5	7	8	11	13
20-34	188	6.4	21	1	2	5	8	12	15	24
35-49	283	6.1	13	1	2	5	8	11	12	18
50-64	173	6.9	17	1	2	6	10	13	15	17
65+	46	6.0	13	2	2	5	9	11	13	15
B. *Operated*										
0-19 YRS	12	4.0	11	1	1	3	6	9	11	11
20-34	464	6.1	26	1	1	5	8	12	17	24
35-49	1203	6.3	22	1	2	5	8	12	15	22
50-64	548	6.5	24	1	1	5	9	13	15	21
65+	70	7.7	42	1	1	7	10	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	128	6.5	19	1	2	5	9	11	15	23
35-49	456	7.0	19	2	2	6	9	12	15	23
50-64	532	7.7	19	2	3	7	10	14	16	21
65+	433	7.8	36	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	6	4.5	8	2	2	3	7	9	9	9
20-34	218	8.2	36	2	2	7	11	14	18	30
35-49	863	8.5	42	1	2	7	11	17	20	32
50-64	788	8.6	42	2	2	8	11	16	21	33
65+	233	10.7	83	2	2	9	14	22	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	709	6.3	16	1	2	6	8	12	14	19
B. *Operated*	2297	6.4	24	1	1	5	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1553	7.4	24	2	3	6	9	13	16	23
B. *Operated*	2108	8.7	46	1	2	7	11	17	21	33
1. SINGLE DX	3006	6.3	22	1	2	5	8	12	15	22
2. MULTIPLE DX	3661	8.2	37	2	2	7	11	15	19	30
A. NOT OPERATED	2262	7.1	22	2	2	6	9	13	15	22
B. OPERATED	4405	7.5	36	1	2	6	10	15	18	29
TOTAL 0-19 YRS	41	4.5	8	1	1	4	6	8	10	13
20-34	998	6.7	27	1	2	5	9	13	17	25
35-49	2805	7.1	28	1	2	6	9	13	17	25
50-64	2041	7.6	30	1	2	7	10	14	17	26
65+	782	8.5	51	2	2	7	11	16	22	43
GRAND TOTAL	**6667**	**7.4**	**31**	**1**	**2**	**6**	**10**	**14**	**18**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	6	1	1	3	5	7	9	9
20-34	182	5.9	16	1	1	5	8	11	13	21
35-49	218	6.3	21	1	1	6	8	11	14	23
50-64	92	6.5	17	1	1	6	9	11	15	19
65+	25	4.3	9	1	1	4	7	8	9	9
B. *Operated*										
0-19 YRS	6	3.3	3	1	1	3	5	5	5	5
20-34	121	4.0	12	1	1	3	6	9	10	16
35-49	140	5.5	18	1	1	4	8	11	14	21
50-64	37	5.6	25	1	1	3	8	13	17	20
65+	4	1.8	1	1	1	2	2	3	3	[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.6	28	2	2	5	8	13	20	21
20-34	281	6.8	15	2	3	6	9	11	13	18
35-49	455	7.5	16	3	3	7	9	12	14	23
50-64	297	8.3	20	3	3	8	10	14	15	23
65+	171	7.2	18	2	2	7	9	12	14	22
B. *Operated*										
0-19 YRS	6	5.2	12	1	1	5	8	10	10	10
20-34	128	8.7	39	2	2	8	11	16	19	32
35-49	241	8.8	44	1	2	8	11	17	20	39
50-64	121	10.0	45	2	2	10	13	19	21	35
65+	23	11.3	71	2	3	9	14	22	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	6.0	18	1	1	5	8	11	14	20
B. *Operated*	308	4.8	17	1	1	3	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1216	7.5	17	2	3	7	9	12	15	23
B. *Operated*	519	9.1	44	1	2	8	12	17	20	36
1. SINGLE DX	838	5.6	18	1	1	5	8	11	13	20
2. MULTIPLE DX	1735	8.0	26	2	3	7	10	14	17	26
A. NOT OPERATED	1746	7.1	18	1	2	7	9	12	14	22
B. OPERATED	827	7.5	38	1	2	7	10	15	19	30
TOTAL 0-19 YRS	37	4.9	14	1	1	4	6	10	10	21
20-34	712	6.5	21	1	2	6	9	12	14	25
35-49	1054	7.3	25	1	2	7	9	13	16	25
50-64	547	8.2	27	2	2	8	11	14	18	24
65+	223	7.2	25	1	2	7	9	13	15	31
GRAND TOTAL	**2573**	**7.2**	**25**	**1**	**2**	**7**	**9**	**13**	**16**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.2	10	2	2	4	7	10	11	11
20-34	102	6.2	14	1	2	5	8	11	13	18
35-49	167	7.0	22	1	2	6	9	12	16	26
50-64	84	6.8	12	2	3	6	9	11	13	19
65+	36	6.3	11	2	2	5	8	11	13	14
B. *Operated*										
0-19 YRS	6	2.3	2	1	1	2	2	5	5	5
20-34	122	4.8	29	1	1	3	6	12	17	25
35-49	135	4.4	20	1	1	3	6	9	15	24
50-64	89	4.5	18	1	1	3	5	11	12	21
65+	29	5.8	32	1	1	4	8	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	11	1	1	2	6	9	9	9
20-34	134	6.8	14	2	3	6	9	12	14	18
35-49	250	7.6	24	2	3	7	10	13	15	27
50-64	356	7.9	20	3	3	7	10	14	15	23
65+	478	8.2	28	3	3	7	10	14	16	26
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	66	8.5	31	2	3	8	11	17	19	25
35-49	92	9.8	43	2	2	9	13	19	23	28
50-64	107	10.4	82	2	2	9	15	19	27	50
65+	61	11.3	41	3	4	10	15	21	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	6.6	16	2	2	6	9	12	14	19
B. *Operated*	381	4.6	23	1	1	3	6	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	1225	7.8	23	2	3	7	10	13	16	25
B. *Operated*	329	10.0	53	2	3	9	13	19	22	31
1. SINGLE DX	782	5.7	21	1	1	4	8	11	14	23
2. MULTIPLE DX	1554	8.3	31	2	3	7	10	15	18	27
A. NOT OPERATED	1626	7.5	22	2	3	7	10	13	15	24
B. OPERATED	710	7.1	44	1	1	5	10	16	20	28
TOTAL 0-19 YRS	28	4.5	12	1	1	3	7	10	11	12
20-34	424	6.3	22	1	1	5	9	13	16	23
35-49	644	7.1	28	1	2	6	9	14	17	27
50-64	636	7.7	32	1	2	7	10	14	18	27
65+	604	8.3	30	2	3	7	10	14	18	26
GRAND TOTAL	**2336**	**7.4**	**29**	**1**	**2**	**6**	**10**	**14**	**17**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	8	1	1	3	6	8	9	12
20-34	1338	5.7	17	1	2	5	7	10	13	20
35-49	1729	6.1	17	1	2	5	8	11	13	21
50-64	825	6.1	17	1	2	5	8	11	13	19
65+	320	5.9	19	1	1	5	8	12	15	20
B. *Operated*										
0-19 YRS	103	3.9	16	1	1	2	4	9	13	21
20-34	1236	4.2	14	1	1	3	6	9	11	18
35-49	1776	4.8	18	1	1	3	7	10	14	20
50-64	1137	5.9	34	1	1	4	8	12	16	26
65+	437	7.6	41	1	1	7	10	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	4.6	13	<1	1	4	6	10	13	19
20-34	1823	6.7	21	1	2	6	9	12	15	23
35-49	2915	7.4	25	2	2	6	9	13	16	25
50-64	2517	7.4	24	2	3	6	9	13	16	25
65+	2588	7.5	23	2	3	6	10	14	17	24
B. *Operated*										
0-19 YRS	73	5.3	36	1	1	4	6	11	15	37
20-34	1143	7.1	44	1	2	5	9	15	19	30
35-49	1932	7.7	41	1	2	6	10	16	19	33
50-64	2154	9.1	64	1	2	7	12	18	24	40
65+	1697	12.4	87	2	3	11	16	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4362	5.9	17	1	2	5	8	11	13	20
B. *Operated*	4689	5.1	24	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	10047	7.2	24	2	2	6	9	13	16	25
B. *Operated*	6999	9.1	64	1	2	7	12	18	24	39
1. SINGLE DX	9051	5.5	21	1	1	4	7	11	14	21
2. MULTIPLE DX	17046	8.0	41	1	2	7	10	15	19	31
A. NOT OPERATED	14409	6.8	22	1	2	6	9	12	15	24
B. OPERATED	11688	7.5	52	1	1	6	10	16	20	35
TOTAL 0-19 YRS	530	4.4	15	1	1	3	6	9	12	20
20-34	5540	6.0	24	1	1	5	8	12	15	24
35-49	8352	6.6	27	1	2	5	9	13	16	25
50-64	6633	7.5	39	1	2	6	10	15	18	30
65+	5042	9.0	52	2	2	7	12	17	22	37
GRAND TOTAL	**26097**	**7.1**	**35**	**1**	**2**	**6**	**9**	**14**	**18**	**29**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	3.4	9	1	1	3	4	6	7	19
20-34	128	3.9	5	1	2	3	5	7	8	11
35-49	146	4.4	10	1	1	4	6	8	10	20
50-64	167	4.6	33	1	2	3	5	8	10	15
65+	71	4.5	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	275	2.5	3	<1	1	2	3	5	6	9
20-34	813	2.8	5	1	1	2	3	5	6	11
35-49	1255	2.8	4	1	1	2	3	5	6	12
50-64	1076	3.2	4	1	1	3	4	5	7	12
65+	242	3.4	6	<1	1	3	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	4.2	6	1	2	4	5	7	8	13
20-34	185	5.3	17	1	2	4	7	10	12	18
35-49	338	5.4	16	1	2	5	7	10	12	19
50-64	463	5.9	16	1	2	5	8	10	14	22
65+	578	6.5	25	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	168	4.1	32	1	1	3	4	8	10	31
20-34	605	3.8	16	1	1	3	4	8	10	21
35-49	1077	4.2	15	1	1	3	5	8	11	21
50-64	1293	4.4	14	1	1	3	5	8	11	19
65+	595	5.6	30	1	2	4	7	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	771	4.0	15	1	1	3	5	7	10	15
B. *Operated*	3661	2.9	4	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1730	5.8	19	1	2	5	7	10	13	21
B. *Operated*	3738	4.4	18	1	1	3	5	9	12	22
1. SINGLE DX	4432	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX	5468	4.9	19	1	1	4	6	9	12	22
A. NOT OPERATED	2501	5.2	18	1	2	4	7	10	12	20
B. OPERATED	7399	3.7	12	1	1	3	4	7	10	18
TOTAL 0-19 YRS	868	3.4	11	1	1	3	4	6	8	14
20-34	1731	3.5	11	1	1	3	4	7	9	14
35-49	2816	3.7	11	1	1	3	4	7	10	17
50-64	2999	4.2	13	1	1	3	5	8	10	17
65+	1486	5.6	24	1	2	4	7	11	14	23
GRAND TOTAL	9900	4.1	14	1	1	3	5	8	10	19

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	4	2.5	3	<1	<1	2	4	4	4	4
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	385	2.8	2	1	1	3	3	4	5	7
20-34	750	2.9	2	1	1	3	4	5	5	8
35-49	870	3.1	2	1	1	3	4	5	6	8
50-64	957	3.2	2	1	1	3	4	5	6	8
65+	422	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	28	1.6	1	<1	<1	1	2	3	4	4
35-49	25	1.6	1	<1	<1	1	2	4	4	5
50-64	45	2.1	3	<1	<1	1	3	4	6	9
65+	33	3.9	14	<1	<1	2	6	9	13	16
B. *Operated*										
0-19 YRS	441	3.2	3	1	1	3	4	5	6	9
20-34	1363	3.4	3	1	2	3	4	5	6	9
35-49	1970	3.6	4	1	2	3	4	6	7	10
50-64	3264	3.9	5	1	2	4	5	6	7	11
65+	2161	4.2	8	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.9	1	<1	<1	2	3	4	4	4
B. *Operated*	3384	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	143	2.3	6	<1	<1	1	3	5	7	13
B. *Operated*	9199	3.8	5	1	2	3	5	6	7	11
1. SINGLE DX	3400	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	9342	3.8	5	1	2	3	5	6	7	11
A. NOT OPERATED	159	2.2	5	<1	<1	1	3	4	7	13
B. OPERATED	12583	3.6	4	1	2	3	4	6	7	11
TOTAL 0-19 YRS	840	3.0	2	1	1	3	4	5	6	8
20-34	2147	3.2	3	1	1	3	4	5	6	8
35-49	2869	3.4	3	1	2	3	4	5	6	10
50-64	4270	3.7	5	1	2	3	5	6	7	11
65+	2616	4.0	7	1	2	4	5	6	8	15
GRAND TOTAL	12742	3.6	4	1	2	3	4	6	7	11

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	10	1.9	1	<1	<1	2	3	4	4	4
35-49	7	1.7	2	<1	<1	<1	2	4	5	5
50-64	9	2.7	3	<1	<1	2	4	5	6	6
65+										
B. *Operated*										
0-19 YRS	311	1.7	1	<1	<1	2	2	3	3	4
20-34	455	1.8	1	<1	<1	2	2	3	4	6
35-49	364	2.2	2	<1	<1	2	3	4	5	6
50-64	236	2.3	2	<1	1	2	3	4	4	6
65+	83	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	11	3.2	23	<1	<1	1	4	9	16	17
35-49	9	3.6	7	<1	<1	3	6	7	7	7
50-64	12	3.9	4	<1	1	4	5	6	7	7
65+	20	4.7	6	<1	1	5	7	8	9	10
B. *Operated*										
0-19 YRS	43	2.3	2	1	1	2	3	4	5	8
20-34	172	2.9	9	<1	1	2	3	5	7	11
35-49	214	3.1	7	<1	1	2	3	7	9	13
50-64	247	4.0	10	1	1	3	5	7	10	20
65+	178	4.7	14	1	1	4	6	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	1449	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	54	4.0	9	<1	<1	4	6	7	8	17
B. *Operated*	854	3.6	10	<1	1	3	4	7	10	14
1. SINGLE DX	1480	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	908	3.6	10	<1	1	3	4	7	10	15
A. NOT OPERATED	85	3.2	7	<1	<1	2	5	7	7	15
B. OPERATED	2303	2.6	5	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	361	1.7	1	<1	<1	2	2	3	4	6
20-34	648	2.2	4	<1	<1	2	3	4	5	8
35-49	594	2.5	4	<1	<1	2	3	5	6	11
50-64	504	3.2	6	<1	1	3	4	6	8	13
65+	281	4.0	11	1	1	3	5	8	11	17
GRAND TOTAL	**2388**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	13.1	68	3	4	11	18	22	28	42
20-34	39	10.7	66	1	3	8	14	26	29	29
35-49	35	10.5	78	2	4	8	12	20	21	53
50-64	27	9.5	47	2	3	8	11	22	23	29
65+	27	12.2	43	3	4	13	16	21	25	25
B. *Operated*										
0-19 YRS	102	14.3	91	2	3	14	18	29	33	42
20-34	117	13.4	177	1	2	10	17	37	46	71
35-49	75	13.2	195	1	2	10	17	28	45	77
50-64	86	11.6	138	2	3	8	14	26	37	91
65+	69	10.6	82	2	2	8	14	22	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	14.8	109	2	4	13	22	28	35	48
20-34	89	11.8	145	1	1	8	14	27	43	56
35-49	130	15.0	120	2	4	12	20	30	41	48
50-64	161	14.0	131	2	3	11	19	31	41	51
65+	253	14.0	100	2	4	12	18	29	35	44
B. *Operated*										
0-19 YRS	157	20.6	164	3	6	18	29	42	45	54
20-34	281	19.2	275	2	4	14	28	46	58	99+
35-49	349	19.1	258	3	5	15	26	42	52	77
50-64	469	18.7	218	3	4	15	23	41	50	72
65+	584	20.6	246	3	5	16	27	44	54	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	11.7	65	3	4	10	15	22	26	41
B. *Operated*	449	12.8	139	2	2	10	17	28	41	59
2. MULTIPLE DX										
A. *Not Operated*	734	14.0	117	2	3	11	18	29	37	49
B. *Operated*	1840	19.6	239	3	5	15	26	43	51	77
1. SINGLE DX	672	12.5	114	2	3	10	16	26	34	53
2. MULTIPLE DX	2574	18.0	211	3	4	14	24	41	48	72
A. NOT OPERATED	957	13.5	106	2	3	11	18	28	34	47
B. OPERATED	2289	18.3	227	2	4	14	24	42	50	76
TOTAL 0-19 YRS	455	16.3	125	3	4	14	22	32	41	48
20-34	526	16.0	227	2	3	11	21	42	50	94
35-49	589	17.0	216	2	4	12	22	37	46	71
50-64	743	16.5	192	3	4	13	21	36	44	70
65+	933	17.8	202	3	4	14	23	39	48	73
GRAND TOTAL	**3246**	**16.9**	**196**	**2**	**4**	**13**	**22**	**38**	**46**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	213	5.0	19	1	1	4	7	12	15	20
20-34	170	4.1	18	1	1	3	4	9	11	23
35-49	237	3.5	6	1	1	3	5	6	7	13
50-64	156	4.0	9	1	1	3	5	8	11	14
65+	226	6.2	14	1	2	6	8	12	14	17
B. *Operated*										
0-19 YRS	1247	4.4	16	1	1	3	5	9	11	20
20-34	1075	3.9	9	1	1	3	5	8	10	15
35-49	594	5.0	18	1	2	4	6	10	12	20
50-64	437	6.0	37	1	1	4	8	12	15	22
65+	305	9.1	55	1	2	8	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	5.1	29	1	1	4	7	9	12	25
20-34	385	4.8	25	1	1	3	5	9	12	32
35-49	727	5.1	18	1	2	4	6	9	12	24
50-64	1107	6.9	38	1	2	5	9	14	18	30
65+	4620	8.8	35	2	3	8	11	16	20	30
B. *Operated*										
0-19 YRS	485	5.8	59	1	1	3	6	13	19	44
20-34	845	5.5	31	1	1	4	7	12	15	31
35-49	739	8.3	77	1	2	6	11	17	22	48
50-64	1037	9.9	76	2	2	8	13	20	26	50
65+	1766	14.7	112	3	4	13	18	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1002	4.6	14	1	1	3	6	9	13	17
B. *Operated*	3658	4.9	22	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	6995	7.8	35	2	2	7	10	15	19	29
B. *Operated*	4872	10.2	93	1	2	8	14	22	28	50
1. SINGLE DX	4660	4.9	20	1	1	3	6	10	13	21
2. MULTIPLE DX	11867	8.8	60	2	2	7	11	17	23	39
A. NOT OPERATED	7997	7.4	34	1	2	6	10	14	18	29
B. OPERATED	8530	8.0	69	1	2	5	11	17	23	41
TOTAL 0-19 YRS	2101	4.8	28	1	1	3	6	10	13	26
20-34	2475	4.6	20	1	1	3	5	9	12	24
35-49	2297	6.0	39	1	2	4	7	12	16	32
50-64	2737	7.7	54	1	2	5	10	16	21	38
65+	6917	10.3	61	2	3	8	13	19	24	39
GRAND TOTAL	16527	7.7	52	1	2	6	10	16	21	36

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	7	<1	<1	2	3	7	9	9
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	6	5.2	9	1	1	5	7	9	9	9
50-64										
65+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
0-19 YRS	361	4.2	14	1	2	4	5	6	9	22
20-34	139	3.2	7	1	1	2	4	6	9	14
35-49	93	3.5	7	1	1	3	4	7	10	13
50-64	74	4.4	13	1	1	4	6	8	12	18
65+	14	6.9	22	2	2	6	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	9	<1	1	2	3	7	8	15
20-34	11	3.1	7	<1	<1	2	4	8	9	9
35-49	4	10.8	262	2	2	3	19	35	35	35
50-64	32	9.6	76	1	2	7	12	21	33	35
65+	54	19.1	248	2	3	15	27	42	51	75
B. *Operated*										
0-19 YRS	504	5.0	38	1	2	4	5	8	11	32
20-34	273	4.7	25	1	1	4	6	8	13	20
35-49	207	4.8	13	1	2	4	6	9	11	17
50-64	253	6.0	38	1	2	4	7	11	15	23
65+	128	9.1	109	2	2	6	10	17	26	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.0	13	<1	1	3	6	9	12	15
B. *Operated*	681	4.0	12	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	134	11.2	174	1	1	7	15	29	35	65
B. *Operated*	1365	5.5	40	1	2	4	6	10	13	31
1. SINGLE DX	703	4.0	12	1	1	3	5	7	9	17
2. MULTIPLE DX	1499	6.0	54	1	2	4	6	11	17	39
A. NOT OPERATED	156	10.2	157	1	1	6	14	27	35	62
B. OPERATED	2046	5.0	31	1	2	4	6	9	12	26
TOTAL 0-19 YRS	908	4.6	27	1	2	4	5	7	10	27
20-34	427	4.2	19	1	1	3	5	8	10	18
35-49	310	4.5	14	1	1	3	6	9	11	17
50-64	359	6.0	37	1	2	4	7	11	17	33
65+	198	11.7	159	2	2	8	14	27	33	69
GRAND TOTAL	2202	5.4	42	1	2	4	6	10	14	34

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	5	<1	<1	3	5	6	7	7
20-34	27	5.9	17	<1	2	5	8	13	14	15
35-49	51	5.3	11	1	1	5	8	10	12	12
50-64	46	6.0	13	1	2	5	9	10	13	16
65+	15	7.4	37	1	2	6	10	15	22	24
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	4.1	21	1	1	3	5	7	13	24
35-49	51	4.5	15	1	1	3	5	10	12	18
50-64	22	5.1	15	1	1	4	8	12	13	14
65+	7	6.1	15	1	2	5	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	5	2	2	2	6	6	6	6
20-34	53	7.0	37	2	2	5	9	14	17	38
35-49	96	7.0	19	2	2	6	9	12	14	24
50-64	130	7.6	29	2	2	6	10	15	18	28
65+	162	7.3	21	2	2	7	10	13	16	22
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	25	6.7	28	2	2	5	9	14	20	21
35-49	63	6.4	27	1	1	5	8	15	17	24
50-64	52	9.8	92	1	2	7	13	21	31	99
65+	36	10.7	46	2	4	10	14	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.7	15	1	1	5	8	11	13	16
B. *Operated*	106	4.6	16	1	1	3	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	446	7.3	25	2	2	6	9	14	16	24
B. *Operated*	177	8.3	53	1	2	6	12	17	21	52
1. SINGLE DX	253	5.3	16	1	1	4	7	11	13	18
2. MULTIPLE DX	623	7.6	33	2	2	6	10	15	18	29
A. NOT OPERATED	593	6.9	23	1	2	6	9	13	15	24
B. OPERATED	283	6.9	42	1	1	5	9	15	19	36
TOTAL 0-19 YRS	15	3.5	6	<1	1	2	6	7	8	8
20-34	130	6.2	29	1	2	5	8	13	15	27
35-49	261	6.0	19	1	1	5	8	12	15	23
50-64	250	7.6	40	1	2	6	10	15	19	33
65+	220	7.9	27	2	2	7	11	14	17	25
GRAND TOTAL	**876**	**6.9**	**29**	**1**	**2**	**6**	**9**	**14**	**16**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	3.1	7	1	1	2	4	6	9	12
20-34	473	4.6	16	1	1	4	6	8	9	22
35-49	548	5.1	19	1	1	4	6	10	12	21
50-64	283	5.1	21	1	1	4	6	9	12	29
65+	140	5.5	24	1	1	4	7	10	16	26
B. *Operated*										
0-19 YRS	704	4.9	21	1	1	3	8	11	14	19
20-34	836	3.6	13	1	1	2	4	9	11	16
35-49	644	3.9	11	1	1	3	5	9	11	16
50-64	666	3.3	10	1	1	2	4	6	9	18
65+	339	3.2	11	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.7	10	1	1	3	5	8	9	14
20-34	1003	5.4	16	1	1	5	7	10	12	18
35-49	1413	6.0	26	1	2	5	8	11	14	23
50-64	1269	6.1	23	1	2	5	8	11	14	23
65+	1319	6.8	28	2	2	6	8	12	16	27
B. *Operated*										
0-19 YRS	921	5.1	50	1	1	3	5	11	15	36
20-34	1360	4.6	29	1	1	3	5	10	15	26
35-49	1215	5.5	28	1	1	4	7	12	16	25
50-64	1164	5.8	36	1	1	4	7	12	17	31
65+	891	7.0	52	1	2	5	9	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1679	4.7	18	1	1	4	6	9	11	24
B. *Operated*	3189	3.8	14	1	1	2	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	5303	6.0	23	1	2	5	8	11	14	23
B. *Operated*	5551	5.5	38	1	1	3	7	12	16	30
1. SINGLE DX	4868	4.1	15	1	1	3	5	9	11	19
2. MULTIPLE DX	10854	5.7	31	1	1	4	7	12	15	27
A. NOT OPERATED	6982	5.7	22	1	2	5	7	11	14	24
B. OPERATED	8740	4.9	30	1	1	3	6	11	15	26
TOTAL 0-19 YRS	2159	4.6	31	1	1	3	6	10	13	26
20-34	3672	4.6	20	1	1	3	6	10	12	21
35-49	3820	5.4	24	1	1	4	7	11	14	23
50-64	3382	5.3	26	1	1	4	7	11	14	25
65+	2689	6.3	35	1	2	5	8	12	17	29
GRAND TOTAL	**15722**	**5.2**	**27**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	23	4.6	9	1	2	4	5	6	10	17
35-49	30	7.0	35	1	2	5	8	14	19	29
50-64	18	6.6	11	2	3	6	7	8	14	18
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.7	4	1	1	3	5	7	8	8
35-49	11	5.1	11	1	1	5	8	9	11	11
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	3	1	2	4	6	7	7	7
20-34	148	5.6	9	2	3	5	7	10	11	16
35-49	200	6.6	16	3	3	6	8	12	15	20
50-64	106	7.3	20	3	3	6	9	12	14	25
65+	24	7.9	23	3	3	7	9	13	19	23
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	26	8.1	26	2	3	7	12	15	17	19
35-49	41	8.2	29	1	2	8	11	16	17	24
50-64	16	4.8	11	2	2	3	6	11	12	13
65+	7	7.1	6	4	4	7	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.8	21	1	2	5	7	11	16	26
B. *Operated*	31	4.3	7	1	1	3	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	490	6.4	16	3	3	5	8	11	14	20
B. *Operated*	92	7.3	24	2	2	6	11	14	16	22
1. SINGLE DX	109	5.4	17	1	2	5	7	8	13	23
2. MULTIPLE DX	582	6.6	17	2	3	5	9	12	15	20
A. NOT OPERATED	568	6.4	16	2	3	5	8	11	14	20
B. OPERATED	123	6.6	21	1	2	5	9	13	16	20
TOTAL 0-19 YRS	20	3.5	3	1	1	3	5	6	7	7
20-34	215	5.6	12	2	3	5	7	10	14	18
35-49	282	6.8	20	2	3	6	9	13	16	22
50-64	140	6.9	18	2	3	6	9	11	14	21
65+	34	7.4	19	2	3	7	9	12	17	23
GRAND TOTAL	**691**	**6.4**	**17**	**2**	**3**	**5**	**8**	**12**	**15**	**20**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	27	<1	<1	2	2	6	8	33
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	2	7.0		7	7	7	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	103	6.1	19	1	2	5	8	12	15	24
20-34	17	8.4	20	1	2	9	11	13	16	18
35-49	7	11.1	63	2	3	8	16	24	25	25
50-64	13	6.7	16	2	2	8	10	12	13	13
65+	2	12.0	72	6	6	12	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	5.1	29	1	1	4	6	10	15	30
20-34	12	6.3	31	1	1	4	10	15	17	17
35-49	15	7.7	40	1	2	5	14	17	18	19
50-64	7	1.9	1	<1	<1	1	3	4	4	4
65+	21	5.0	33	1	1	3	5	12	19	26
B. *Operated*										
0-19 YRS	196	10.0	144	2	2	6	12	23	33	83
20-34	25	16.3	357	2	4	10	15	37	69	78
35-49	24	10.5	93	2	3	7	13	19	29	48
50-64	6	7.8	28	2	2	7	13	15	15	15
65+	14	13.1	133	2	4	10	14	35	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.2	25	<1	<1	2	3	7	8	33
B. *Operated*	142	6.8	23	1	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	204	5.2	30	1	1	4	6	12	16	28
B. *Operated*	265	10.7	158	2	2	7	13	24	36	77
1. SINGLE DX	188	5.9	26	1	1	5	8	12	15	26
2. MULTIPLE DX	469	8.3	110	1	2	5	10	18	27	64
A. NOT OPERATED	250	4.8	29	1	1	3	6	10	16	30
B. OPERATED	407	9.3	114	2	2	6	11	19	27	68
TOTAL 0-19 YRS	487	7.1	79	1	1	4	8	16	23	47
20-34	57	11.2	187	1	2	9	13	17	36	77
35-49	48	9.5	67	2	2	7	13	19	21	48
50-64	27	5.6	19	1	1	4	9	12	14	15
65+	38	8.3	84	1	1	5	10	22	31	40
GRAND TOTAL	**657**	**7.6**	**87**	**1**	**1**	**5**	**9**	**16**	**24**	**49**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.5	2	<1	<1	1	1	3	4	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	605	2.0	2	<1	1	2	2	3	4	7
20-34	163	2.4	2	1	1	2	3	4	6	8
35-49	81	2.4	6	1	1	2	3	4	5	17
50-64	70	2.1	1	1	1	2	2	3	4	6
65+	46	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.8	2	<1	<1	1	2	4	5	7
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	4	6.0	5	3	3	6	7	8	8	8
50-64	3	5.7	32	1	1	4	10	12	12	12
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	242	2.6	5	<1	1	2	3	5	7	12
20-34	63	3.0	7	1	1	2	3	5	10	15
35-49	57	2.6	2	1	1	2	3	5	5	8
50-64	69	3.1	8	1	1	2	3	7	9	18
65+	86	3.3	11	1	2	2	3	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	1.5	2	<1	<1	1	1	4	4	8
B. *Operated*	965	2.1	3	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	66	2.2	5	<1	<1	1	3	5	7	11
B. *Operated*	517	2.8	6	1	1	2	3	5	8	14
1. SINGLE DX	1045	2.1	3	<1	1	2	2	3	4	8
2. MULTIPLE DX	583	2.7	6	<1	1	2	3	5	7	13
A. NOT OPERATED	146	1.8	3	<1	<1	1	2	4	6	8
B. OPERATED	1482	2.3	4	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	976	2.1	3	<1	<1	2	2	4	5	8
20-34	231	2.6	4	1	1	2	3	4	6	11
35-49	143	2.6	5	1	1	2	3	4	6	10
50-64	143	2.7	5	1	1	2	3	4	8	13
65+	135	2.9	8	1	1	2	3	4	6	20
GRAND TOTAL	**1628**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.3	13	<1	1	3	4	5	8	24
20-34	11	2.4	3	1	1	2	2	5	6	6
35-49	12	4.4	20	<1	<1	3	6	13	14	14
50-64	5	8.4	161	1	1	3	11	31	31	31
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	956	4.5	16	1	1	2	7	9	12	20
20-34	139	5.2	27	1	1	3	8	10	14	25
35-49	67	3.8	13	1	1	2	5	9	12	18
50-64	40	5.8	30	1	1	3	8	14	18	22
65+	12	5.3	21	<1	<1	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	4.1	29	<1	1	2	5	8	13	25
20-34	70	4.6	11	1	1	4	7	10	11	15
35-49	51	6.5	53	1	1	4	8	14	19	43
50-64	47	6.8	25	1	2	5	10	14	18	22
65+	81	6.3	19	1	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	1694	7.4	80	1	1	5	9	16	24	51
20-34	176	7.1	48	1	1	6	9	15	22	36
35-49	125	9.4	123	1	2	7	11	23	30	88
50-64	148	8.9	55	2	2	8	12	19	24	30
65+	107	11.9	133	2	2	9	15	25	32	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.6	22	<1	1	2	4	6	11	29
B. *Operated*	1214	4.6	18	1	1	2	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	518	5.0	28	1	1	4	7	11	14	25
B. *Operated*	2250	7.8	82	1	1	6	10	17	25	51
1. SINGLE DX	1289	4.5	18	1	1	2	7	9	12	21
2. MULTIPLE DX	2768	7.3	73	1	1	5	9	16	23	47
A. NOT OPERATED	593	4.8	27	1	1	3	6	10	14	25
B. OPERATED	3464	6.7	62	1	1	4	9	14	21	42
TOTAL 0-19 YRS	2965	6.1	56	1	1	3	8	13	18	40
20-34	396	5.9	34	1	1	4	8	12	17	32
35-49	255	7.1	81	1	1	4	9	15	25	47
50-64	240	8.0	48	1	2	6	11	17	23	30
65+	201	9.2	88	1	2	7	12	20	26	66
GRAND TOTAL	**4057**	**6.4**	**57**	**1**	**1**	**4**	**8**	**13**	**20**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	6	<1	<1	1	5	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	558	3.5	4	1	2	3	4	6	7	9
20-34	20	2.7	2	<1	1	2	4	4	5	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.1	6	<1	<1	1	2	5	8	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	653	4.1	11	2	2	3	5	7	8	16
20-34	19	3.3	3	1	2	3	4	5	7	9
35-49	10	2.7	1	1	1	3	3	4	4	4
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	6	<1	<1	1	5	6	6	6
B. *Operated*	582	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	47	2.1	6	<1	<1	1	2	5	8	12
B. *Operated*	686	4.1	10	2	2	3	5	7	8	16
1. SINGLE DX	587	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX	733	4.0	10	1	2	3	5	7	8	16
A. NOT OPERATED	52	2.2	6	<1	<1	1	2	5	7	12
B. OPERATED	1268	3.8	7	1	2	3	5	7	8	12
TOTAL 0-19 YRS	1262	3.7	8	1	2	3	5	7	8	12
20-34	40	2.9	3	1	1	2	4	5	6	9
35-49	13	2.5	1	1	1	3	3	4	4	4
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**1320**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.1	1	<1	1	2	3	4	5	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	796	3.4	3	1	2	3	4	5	6	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	3	1	1	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	239	4.8	6	2	2	4	6	8	10	12
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.1	1	<1	1	2	3	4	5	6
B. *Operated*	796	3.4	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	31	3.0	3	1	1	3	4	5	6	8
B. *Operated*	239	4.8	6	2	2	4	6	8	10	12
1. SINGLE DX	823	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	270	4.6	6	2	2	4	6	8	10	12
A. NOT OPERATED	58	2.6	2	1	1	2	4	4	5	8
B. OPERATED	1035	3.7	4	1	2	3	4	6	7	11
TOTAL 0-19 YRS	1093	3.7	4	1	2	3	4	6	7	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1093**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.4	24	<1	<1	2	3	6	11	31
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	6	6.2	23	1	1	6	6	14	15	15
50-64	4	3.5	4	1	1	3	5	6	6	6
65+	7	4.1	3	3	3	4	4	7	8	8
B. *Operated*										
0-19 YRS	375	5.1	18	1	1	4	7	11	13	22
20-34	61	5.3	16	1	2	4	7	10	14	19
35-49	24	5.4	13	1	2	4	7	12	12	12
50-64	22	4.9	9	1	1	4	7	9	10	10
65+	9	7.8	28	2	2	7	11	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.6	26	1	1	3	5	10	14	27
20-34	19	4.3	7	1	1	4	6	8	10	10
35-49	29	4.6	13	1	1	3	6	10	14	14
50-64	27	5.0	22	1	1	4	6	12	17	19
65+	55	6.3	26	1	2	5	8	12	17	26
B. *Operated*										
0-19 YRS	435	7.9	95	1	1	5	10	15	26	66
20-34	84	6.4	17	1	2	6	9	11	15	19
35-49	70	8.4	34	1	2	7	11	17	21	25
50-64	78	9.4	50	1	2	8	13	16	22	36
65+	87	11.3	85	2	2	9	16	21	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.6	21	<1	<1	2	4	6	11	28
B. *Operated*	491	5.2	17	1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	321	4.9	23	1	1	4	6	10	14	22
B. *Operated*	754	8.3	76	1	2	6	10	16	22	52
1. SINGLE DX	591	4.9	18	1	1	4	7	10	13	21
2. MULTIPLE DX	1075	7.3	63	1	1	5	9	15	21	44
A. NOT OPERATED	421	4.6	23	1	1	3	6	9	14	22
B. OPERATED	1245	7.1	55	1	1	5	9	14	19	41
TOTAL 0-19 YRS	1081	6.0	53	1	1	4	8	12	16	40
20-34	167	5.7	16	1	2	5	8	10	14	19
35-49	129	6.9	27	1	2	6	10	14	18	23
50-64	131	7.5	41	1	2	6	10	15	19	36
65+	158	9.1	64	1	2	7	12	19	23	43
GRAND TOTAL	**1666**	**6.5**	**48**	**1**	**1**	**5**	**8**	**13**	**18**	**36**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	677	2.0	2	<1	1	2	3	4	4	6
20-34	45	2.2	1	1	1	2	3	4	4	5
35-49	18	2.6	3	1	1	2	3	5	6	7
50-64	4	2.5		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.5	1	<1	<1	1	2	3	4	4
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	820	2.2	2	<1	1	2	3	4	5	8
20-34	80	2.8	3	1	1	2	4	5	6	8
35-49	42	3.0	7	<1	1	2	4	6	8	14
50-64	8	4.0	9	1	1	3	5	9	10	10
65+	7	6.7	32	3	3	3	9	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	744	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	37	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	957	2.4	3	1	1	2	3	4	6	8
1. SINGLE DX	751	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX	994	2.3	3	<1	1	2	3	4	5	8
A. NOT OPERATED	44	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	1701	2.2	2	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	1540	2.1	2	<1	1	2	3	4	5	7
20-34	125	2.6	2	1	1	2	3	5	6	7
35-49	61	2.9	5	1	1	2	3	6	7	14
50-64	12	3.5	6	1	1	3	4	7	10	10
65+	7	6.7	32	3	3	3	9	16	18	18
GRAND TOTAL	**1745**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	2	<1	<1	1	2	4	5	6
20-34	5	3.4	2	2	2	4	4	5	5	5
35-49	4	4.3	12	1	1	3	6	9	9	9
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	5.2	20	2	2	3	7	13	13	13
B. *Operated*										
0-19 YRS	800	4.2	9	1	1	3	6	9	10	12
20-34	177	4.3	9	1	1	4	6	7	8	14
35-49	47	5.0	17	1	1	3	7	12	13	17
50-64	27	3.6	7	<1	1	3	6	7	9	9
65+	13	4.2	9	<1	1	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.0	20	<1	<1	1	3	6	10	28
20-34	44	3.6	8	1	2	3	4	7	8	17
35-49	56	5.2	15	1	2	4	6	11	15	19
50-64	58	6.4	26	1	2	5	8	12	18	27
65+	46	6.4	15	2	2	5	8	11	16	18
B. *Operated*										
0-19 YRS	735	5.8	27	1	1	5	8	11	13	26
20-34	282	5.9	17	1	2	5	7	11	13	23
35-49	148	7.1	54	2	2	6	9	12	16	48
50-64	110	8.1	58	2	2	6	10	17	19	44
65+	79	9.2	55	1	2	8	12	21	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.6	5	<1	<1	2	3	5	6	13
B. *Operated*	1064	4.2	9	1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	290	4.7	19	<1	1	4	6	10	14	20
B. *Operated*	1354	6.4	33	1	2	5	8	12	15	28
1. SINGLE DX	1113	4.2	9	1	1	3	6	8	10	13
2. MULTIPLE DX	1644	6.1	31	1	1	5	8	12	15	28
A. NOT OPERATED	339	4.4	18	<1	1	3	5	9	12	19
B. OPERATED	2418	5.4	24	1	1	5	7	10	13	24
TOTAL 0-19 YRS	1654	4.8	18	1	1	4	7	10	12	18
20-34	508	5.1	14	1	1	5	6	9	12	19
35-49	255	6.3	38	1	2	5	8	11	14	27
50-64	197	6.9	43	1	2	5	9	14	18	30
65+	143	7.7	40	1	2	6	10	16	22	31
GRAND TOTAL	2757	5.3	23	1	1	4	7	10	13	23

326: Clubfoot (754.5-754.7)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	20	<1	<1	1	2	12	15	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	543	3.2	3	1	1	3	4	5	6	9
20-34	17	3.5	4	1	1	4	5	6	7	7
35-49	22	3.8	5	1	1	4	5	6	8	11
50-64	11	5.5	20	1	1	5	7	12	17	17
65+	6	4.2	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.3	1	<1	<1	1	1	2	3	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	378	3.7	5	1	2	3	4	6	7	12
20-34	83	3.8	7	1	2	3	4	6	7	18
35-49	73	4.0	3	2	2	4	5	6	7	8
50-64	88	4.4	9	2	2	4	5	8	11	19
65+	52	5.5	21	2	3	4	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.1	20	<1	<1	1	2	12	15	15
B. *Operated*	599	3.3	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	43	1.6	2	<1	<1	1	1	3	5	9
B. *Operated*	674	4.0	7	2	2	3	5	6	8	17
1. SINGLE DX	616	3.3	4	1	1	3	4	5	6	12
2. MULTIPLE DX	717	3.8	7	1	2	3	5	6	8	17
A. NOT OPERATED	60	2.0	8	<1	<1	1	2	4	7	15
B. OPERATED	1273	3.7	5	1	2	3	4	6	7	12
TOTAL 0-19 YRS	975	3.3	4	1	1	3	4	5	7	12
20-34	101	3.7	6	1	2	3	4	6	7	16
35-49	99	4.0	3	1	2	4	5	6	7	10
50-64	100	4.5	10	2	2	4	5	8	11	19
65+	58	5.4	19	2	2	4	5	10	15	27
GRAND TOTAL	1333	3.6	5	1	1	3	4	6	7	13

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.5	7	<1	<1	2	3	5	7	14
20-34	38	5.0	10	1	1	5	7	10	12	13
35-49	37	6.1	16	2	2	6	8	12	15	19
50-64	21	4.9	6	1	2	4	6	8	9	10
65+	5	8.6	43	3	3	6	13	19	19	19
B. *Operated*										
0-19 YRS	1667	3.9	15	1	1	3	5	8	11	19
20-34	423	3.8	15	1	1	3	5	9	11	22
35-49	268	4.5	20	1	1	3	6	10	12	21
50-64	138	5.3	29	1	1	3	7	10	15	25
65+	30	4.7	14	1	2	3	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	4.6	45	<1	1	3	5	11	15	58
20-34	134	6.2	33	1	1	5	8	12	17	26
35-49	106	6.3	13	2	3	5	8	11	13	18
50-64	97	8.0	65	1	2	7	9	14	18	50
65+	119	7.6	32	2	2	6	10	14	19	29
B. *Operated*										
0-19 YRS	937	6.0	47	1	1	4	7	12	18	46
20-34	336	6.4	50	1	1	4	9	14	19	37
35-49	307	6.8	39	1	1	5	10	14	18	33
50-64	278	9.1	95	1	2	7	12	18	23	37
65+	126	11.2	173	1	2	7	13	26	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.5	11	<1	<1	2	5	8	11	17
B. *Operated*	2526	4.0	16	1	1	3	5	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	758	6.0	40	1	1	4	8	12	16	34
B. *Operated*	1984	6.9	63	1	1	4	9	15	21	41
1. SINGLE DX	2830	4.0	15	1	1	3	5	8	11	20
2. MULTIPLE DX	2742	6.7	57	1	1	4	9	14	19	40
A. NOT OPERATED	1062	5.3	33	<1	1	4	7	11	15	28
B. OPERATED	4510	5.3	39	1	1	3	6	12	16	30
TOTAL 0-19 YRS	3109	4.5	28	1	1	3	5	9	14	28
20-34	931	5.2	31	1	1	3	6	11	15	29
35-49	718	5.8	28	1	1	4	8	12	16	26
50-64	534	7.7	72	1	2	6	10	15	20	35
65+	280	8.9	98	1	2	6	11	18	26	53
GRAND TOTAL	**5572**	**5.3**	**38**	**1**	**1**	**3**	**7**	**11**	**16**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2440	3.2	15	1	1	2	3	5	8	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	52	4.5	21	1	1	3	5	10	15	25
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1847	7.9	103	1	2	4	9	20	29	51
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	268	16.1	284	1	2	10	23	45	68	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2440	3.2	15	1	1	2	3	5	8	21
B. *Operated*	52	4.5	21	1	1	3	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	1847	7.9	103	1	2	4	9	20	29	51
B. *Operated*	268	16.1	284	1	2	10	23	45	68	99+
1. SINGLE DX	2492	3.2	15	1	1	2	3	5	8	21
2. MULTIPLE DX	2115	9.0	133	1	2	5	10	22	34	69
A. NOT OPERATED	4287	5.2	58	1	1	3	5	11	19	41
B. OPERATED	320	14.2	259	1	2	9	17	39	61	99+
TOTAL 0-19 YRS	4607	5.9	78	1	1	3	6	14	23	48
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4607**	**5.9**	**78**	**1**	**1**	**3**	**6**	**14**	**23**	**48**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2469	2.7	4	1	1	2	3	5	6	10
20-34	914	3.0	4	1	1	3	4	6	7	11
35-49	484	3.5	6	1	1	3	4	6	8	12
50-64	269	4.0	9	1	1	3	5	7	10	13
65+	185	4.0	11	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	26	4.5	24	1	2	3	5	7	18	23
20-34	33	4.4	18	1	2	3	5	9	16	19
35-49	25	4.2	7	1	2	3	5	7	10	13
50-64	12	5.2	5	2	3	5	7	8	8	8
65+	6	8.2	49	2	2	5	13	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4613	3.4	10	1	1	3	4	6	8	15
20-34	1507	4.6	18	1	1	3	6	9	12	22
35-49	1318	5.2	15	1	2	4	7	10	13	21
50-64	1510	6.0	26	1	2	5	8	11	14	25
65+	2301	6.6	32	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	106	5.9	25	2	2	5	7	11	16	60
20-34	131	8.2	92	1	2	5	10	16	21	51
35-49	151	11.0	114	2	2	8	15	23	28	54
50-64	217	10.8	105	2	3	8	13	23	29	45
65+	244	11.4	85	3	4	9	15	21	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4321	3.0	5	1	1	2	4	5	7	11
B. *Operated*	102	4.7	17	1	2	3	5	8	15	21
2. MULTIPLE DX										
A. *Not Operated*	11249	4.8	20	1	1	4	6	9	12	22
B. *Operated*	849	10.0	92	2	3	7	12	20	27	49
1. SINGLE DX	4423	3.1	5	1	1	3	4	6	7	12
2. MULTIPLE DX	12098	5.1	27	1	1	4	6	10	14	26
A. NOT OPERATED	15570	4.3	17	1	1	3	5	8	11	20
B. OPERATED	951	9.4	87	2	2	7	12	20	26	47
TOTAL 0-19 YRS	7214	3.2	8	1	1	3	4	6	7	14
20-34	2585	4.2	18	1	1	3	5	8	11	21
35-49	1978	5.2	24	1	1	4	6	10	13	24
50-64	2008	6.2	35	1	2	5	8	12	16	30
65+	2736	6.9	38	2	2	5	8	13	17	32
GRAND TOTAL	**16521**	**4.6**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	722	2.9	8	1	1	3	3	5	6	10
20-34	114	4.1	6	1	2	3	5	7	9	13
35-49	84	4.6	7	1	2	4	6	8	10	13
50-64	56	4.7	4	1	2	5	6	7	8	10
65+	60	5.1	14	1	2	4	7	9	14	19
B. *Operated*										
0-19 YRS	10	7.5	31	2	2	7	14	15	15	15
20-34	7	11.9	34	1	3	12	15	19	20	20
35-49	12	6.9	8	3	4	7	8	11	13	13
50-64	13	7.1	21	1	2	6	10	14	15	15
65+	4	10.3	49	2	2	10	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1713	3.3	5	1	1	3	4	6	7	12
20-34	335	5.0	21	1	2	4	6	8	11	25
35-49	296	5.8	25	2	2	5	7	9	14	22
50-64	539	6.2	16	2	2	5	8	12	14	20
65+	1010	6.9	23	2	3	6	9	13	15	26
B. *Operated*										
0-19 YRS	56	6.7	24	1	1	6	9	12	15	27
20-34	80	8.9	48	2	2	7	11	18	24	35
35-49	73	11.5	94	3	4	9	15	27	31	54
50-64	120	14.4	115	3	4	12	20	28	34	52
65+	176	14.5	144	4	5	10	17	28	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	3.4	8	1	1	3	4	6	7	11
B. *Operated*	46	8.1	25	2	2	8	12	15	16	20
2. MULTIPLE DX										
A. *Not Operated*	3893	5.0	16	1	2	4	6	9	12	21
B. *Operated*	505	12.3	109	3	4	9	15	26	31	59
1. SINGLE DX	1082	3.6	10	1	1	3	4	6	8	14
2. MULTIPLE DX	4398	5.8	32	1	2	4	7	11	15	28
A. NOT OPERATED	4929	4.6	15	1	2	4	6	9	12	19
B. OPERATED	551	11.9	103	2	3	9	15	24	31	59
TOTAL 0-19 YRS	2501	3.3	7	1	1	3	4	6	7	12
20-34	536	5.5	25	1	2	4	6	10	14	25
35-49	465	6.5	37	2	2	5	8	12	16	31
50-64	728	7.4	41	2	2	6	9	14	20	32
65+	1250	7.9	47	2	3	6	9	14	19	37
GRAND TOTAL	**5480**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.8	2	1	1	3	4	5	6	8
20-34	532	3.4	7	1	1	3	4	6	8	12
35-49	311	3.9	14	1	1	3	5	7	10	25
50-64	115	3.6	9	1	1	3	4	7	8	17
65+	38	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	18	3.8	8	1	1	3	7	8	10	10
20-34	74	3.8	7	1	1	3	5	7	8	15
35-49	71	3.3	5	1	1	3	4	7	7	12
50-64	35	4.0	12	1	1	3	6	8	12	16
65+	6	2.7	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	3.3	5	1	1	3	4	6	7	11
20-34	1117	4.6	11	1	1	4	6	8	10	16
35-49	898	5.0	13	1	2	4	6	9	12	17
50-64	693	5.0	12	1	2	4	6	9	12	18
65+	483	5.0	12	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	21	6.2	25	1	2	4	9	14	18	19
20-34	121	6.4	31	2	2	5	8	13	17	34
35-49	158	7.4	29	2	2	6	9	14	18	22
50-64	139	7.6	40	2	2	6	10	15	18	31
65+	92	8.0	31	2	3	6	9	16	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1265	3.4	8	1	1	3	4	6	8	13
B. *Operated*	204	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	3624	4.7	11	1	2	4	6	9	11	17
B. *Operated*	531	7.3	33	2	2	6	9	15	18	29
1. SINGLE DX	1469	3.4	8	1	1	3	4	6	8	13
2. MULTIPLE DX	4155	5.0	15	1	2	4	6	9	12	19
A. NOT OPERATED	4889	4.3	11	1	1	4	5	8	10	16
B. OPERATED	735	6.3	28	1	2	5	8	13	17	28
TOTAL 0-19 YRS	741	3.2	5	1	1	3	4	6	7	11
20-34	1844	4.3	11	1	1	4	6	8	10	16
35-49	1438	5.0	16	1	2	4	6	10	12	19
50-64	982	5.2	17	1	2	4	6	10	13	19
65+	619	5.3	15	1	2	4	7	10	13	20
GRAND TOTAL	**5624**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	2	<1	1	2	3	4	6	8
20-34	65	3.1	4	1	1	3	4	5	7	11
35-49	78	3.2	5	<1	1	3	4	6	7	12
50-64	174	3.3	3	1	1	3	4	6	7	10
65+	157	3.0	6	<1	1	2	4	6	7	14
B. *Operated*										
0-19 YRS	31	2.3	3	1	1	2	3	6	8	99+
20-34	46	3.6	4	1	1	3	5	7	7	9
35-49	91	4.1	8	1	2	4	6	7	8	17
50-64	127	4.3	16	1	1	4	5	7	9	19
65+	135	4.0	8	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.3	3	<1	<1	2	3	4	6	10
20-34	77	3.2	3	1	1	3	4	5	7	9
35-49	150	4.1	12	1	1	3	5	8	11	16
50-64	427	4.0	6	1	1	4	5	8	9	13
65+	941	4.2	12	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	38	3.1	5	<1	1	2	4	7	8	10
20-34	51	4.7	17	1	1	4	6	8	10	25
35-49	111	4.7	11	1	1	4	6	9	10	17
50-64	329	5.2	13	1	2	5	6	10	12	17
65+	490	5.8	19	1	2	5	7	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	3.1	4	1	1	3	4	6	7	11
B. *Operated*	430	3.9	10	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1670	4.0	10	1	1	3	5	8	9	15
B. *Operated*	1019	5.3	16	1	2	4	7	10	13	20
1. SINGLE DX	941	3.5	7	1	1	3	4	6	8	12
2. MULTIPLE DX	2689	4.5	12	1	1	4	6	9	11	17
A. NOT OPERATED	2181	3.8	9	1	1	3	5	7	9	14
B. OPERATED	1449	4.9	14	1	1	4	6	9	12	19
TOTAL 0-19 YRS	181	2.4	3	<1	1	2	3	5	7	10
20-34	239	3.6	7	1	1	3	4	6	8	13
35-49	430	4.1	10	1	1	3	5	8	9	15
50-64	1057	4.3	9	1	1	4	6	8	9	15
65+	1723	4.5	14	1	1	4	6	9	12	17
GRAND TOTAL	**3630**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	15	1	1	3	5	8	10	24
20-34	35	2.7	5	<1	1	2	3	5	8	10
35-49	18	4.3	11	1	1	4	6	9	12	13
50-64	26	2.5	4	<1	1	2	4	5	6	9
65+	18	3.6	8	<1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	185	2.2	3	<1	<1	2	2	4	5	9
20-34	165	2.5	4	1	1	2	3	5	7	11
35-49	106	2.4	5	<1	<1	2	3	4	7	13
50-64	70	2.6	4	<1	1	2	3	5	5	12
65+	38	2.4	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.9	11	<1	1	3	5	8	10	17
20-34	143	3.9	9	1	1	3	5	8	11	16
35-49	170	4.3	9	1	1	4	6	8	10	15
50-64	252	5.8	30	1	1	4	7	14	18	27
65+	519	7.6	44	1	2	6	10	16	20	29
B. *Operated*										
0-19 YRS	83	4.3	17	<1	1	3	6	10	13	21
20-34	151	6.5	70	1	1	4	8	14	17	44
35-49	151	6.1	64	1	1	4	7	12	18	42
50-64	183	9.2	143	1	2	5	10	19	36	64
65+	205	11.7	127	2	2	8	17	24	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.3	10	<1	1	2	4	7	10	13
B. *Operated*	564	2.4	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1195	6.0	31	1	1	4	8	12	16	26
B. *Operated*	773	8.2	102	1	1	5	10	18	26	56
1. SINGLE DX	721	2.6	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	1968	6.9	60	1	1	4	9	15	20	39
A. NOT OPERATED	1352	5.7	30	1	1	4	7	12	16	25
B. OPERATED	1337	5.7	69	1	1	3	6	14	20	42
TOTAL 0-19 YRS	439	3.2	10	<1	1	2	4	7	10	15
20-34	494	4.2	29	1	1	2	5	8	12	24
35-49	445	4.5	29	1	1	3	5	9	12	25
50-64	531	6.4	69	1	1	4	8	15	21	43
65+	780	8.3	69	1	2	6	11	18	23	38
GRAND TOTAL	**2689**	**5.7**	**49**	**1**	**1**	**3**	**7**	**13**	**18**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	11.5	116	1	1	10	20	25	25	25
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	14	8.6	29	1	1	9	12	15	18	19
B. *Operated*										
0-19 YRS	9	6.2	21	1	1	6	9	13	15	15
20-34	32	6.2	53	1	1	3	8	14	28	30
35-49	31	9.2	124	1	1	5	13	19	30	55
50-64	46	12.0	151	1	2	7	16	32	40	48
65+	91	11.9	81	2	3	11	15	23	28	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	60	1	1	6	13	19	19	19
20-34	15	12.1	50	3	5	10	15	23	28	30
35-49	14	14.6	138	2	4	11	19	32	42	45
50-64	67	9.6	34	2	4	8	13	19	22	26
65+	278	9.8	48	3	3	8	12	19	24	36
B. *Operated*										
0-19 YRS	24	10.2	113	1	2	6	14	25	34	45
20-34	96	13.5	158	2	2	9	19	34	42	79
35-49	157	15.0	153	2	3	11	22	33	37	60
50-64	540	20.4	259	3	5	16	27	41	54	81
65+	1686	19.2	195	4	6	16	25	36	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.9	41	1	1	5	12	16	21	25
B. *Operated*	209	10.4	100	1	2	8	14	23	30	51
2. MULTIPLE DX										
A. *Not Operated*	378	10.0	50	2	3	8	13	19	24	37
B. *Operated*	2503	18.9	207	3	5	15	25	36	48	75
1. SINGLE DX	232	10.2	94	1	2	8	13	22	29	49
2. MULTIPLE DX	2881	17.7	195	3	4	14	23	35	46	73
A. NOT OPERATED	401	9.9	49	2	3	8	13	19	23	35
B. OPERATED	2712	18.2	204	3	4	15	24	36	47	74
TOTAL 0-19 YRS	38	8.9	83	1	1	6	12	18	27	45
20-34	145	11.6	130	1	2	8	15	30	38	57
35-49	206	14.0	150	1	2	10	19	31	36	58
50-64	655	18.6	242	2	4	14	25	38	50	80
65+	2069	17.5	181	3	5	14	23	34	44	71
GRAND TOTAL	**3113**	**17.1**	**192**	**2**	**4**	**14**	**23**	**35**	**45**	**72**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.3	2	1	1	2	3	4	5	6
20-34	940	2.7	3	1	1	2	3	5	6	10
35-49	2363	2.8	3	1	1	2	3	5	6	9
50-64	1656	3.0	4	1	1	3	4	5	7	9
65+	454	3.3	6	1	1	3	4	6	7	14
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	123	2.7	4	1	1	2	3	6	7	9
35-49	719	2.5	3	1	1	2	2	4	6	10
50-64	795	2.5	4	1	1	2	2	4	6	10
65+	134	2.4	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	3.2	4	1	1	3	4	6	7	11
20-34	1884	3.5	6	1	1	3	4	6	8	12
35-49	6411	3.7	6	1	1	3	5	7	8	12
50-64	7277	3.9	7	1	2	3	5	7	9	14
65+	5290	4.4	10	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	12	2.8	2	1	1	2	4	5	6	6
20-34	246	4.7	16	1	2	3	6	10	13	22
35-49	1580	4.3	14	1	1	3	6	9	11	18
50-64	2532	4.2	13	1	1	3	5	9	11	18
65+	967	5.6	25	1	2	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5532	2.9	3	1	1	2	4	5	6	9
B. *Operated*	1773	2.5	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	21088	4.0	7	1	1	3	5	7	9	14
B. *Operated*	5337	4.5	16	1	2	3	6	9	12	19
1. SINGLE DX	7305	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX	26425	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	26620	3.7	7	1	1	3	5	7	8	13
B. OPERATED	7110	4.0	14	1	1	2	5	8	11	18
TOTAL 0-19 YRS	359	2.9	3	1	1	2	4	5	6	10
20-34	3193	3.3	6	1	1	3	4	6	8	12
35-49	11073	3.5	7	1	1	3	4	7	8	13
50-64	12260	3.8	8	1	1	3	5	7	9	14
65+	6845	4.5	12	1	2	4	6	8	11	18
GRAND TOTAL	33730	3.8	8	1	1	3	5	7	9	14

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	643	3.1	5	1	1	3	4	6	7	11
20-34	52	2.6	4	<1	1	2	4	6	7	9
35-49	61	3.5	9	<1	1	3	4	7	10	16
50-64	64	4.0	12	1	1	3	5	8	10	18
65+	69	3.9	16	<1	1	3	5	7	11	25
B. *Operated*										
0-19 YRS	38	3.3	9	<1	1	2	4	7	10	14
20-34	38	3.9	8	1	1	3	5	9	10	11
35-49	71	3.5	5	1	1	3	4	6	10	12
50-64	121	4.2	12	1	1	3	5	9	12	17
65+	52	4.3	30	1	1	3	5	8	9	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1164	4.1	12	1	1	3	5	8	11	17
20-34	267	4.2	15	1	1	3	5	8	11	22
35-49	417	4.7	12	1	1	4	6	8	12	19
50-64	1180	6.2	23	1	2	5	8	12	15	25
65+	2027	6.8	29	2	2	5	8	13	17	26
B. *Operated*										
0-19 YRS	112	7.5	88	1	1	4	9	18	32	73
20-34	80	7.7	45	2	2	6	11	16	21	36
35-49	222	6.9	59	1	2	5	9	12	16	42
50-64	512	6.7	38	1	2	5	8	13	19	33
65+	600	8.3	65	1	2	6	10	17	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	3.2	7	1	1	3	4	6	8	13
B. *Operated*	320	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	5055	5.7	23	1	2	4	7	11	15	24
B. *Operated*	1526	7.5	56	1	2	5	9	15	22	38
1. SINGLE DX	1209	3.4	8	1	1	3	4	7	8	15
2. MULTIPLE DX	6581	6.1	31	1	2	5	8	12	16	29
A. NOT OPERATED	5944	5.3	21	1	1	4	7	11	14	23
B. OPERATED	1846	6.8	50	1	1	5	9	14	20	37
TOTAL 0-19 YRS	1957	4.0	15	1	1	3	5	7	10	19
20-34	437	4.6	21	1	1	3	6	10	12	23
35-49	771	5.1	26	1	1	4	7	10	13	23
50-64	1877	6.1	26	1	2	5	8	12	16	27
65+	2748	7.0	37	1	2	5	9	14	18	32
GRAND TOTAL	7790	5.7	29	1	1	4	7	11	15	27

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	2	<1	1	2	3	4	5	7
20-34	311	2.2	3	<1	1	2	3	4	5	9
35-49	313	2.1	3	<1	1	2	2	4	5	9
50-64	176	2.0	1	<1	1	2	3	4	5	5
65+	118	2.9	5	1	1	2	3	6	7	13
B. *Operated*										
0-19 YRS	73	2.4	6	<1	<1	2	3	5	8	11
20-34	46	3.9	6	1	2	3	6	7	8	12
35-49	60	4.2	9	1	1	4	5	8	9	17
50-64	62	5.7	11	1	2	5	7	10	13	14
65+	62	5.5	17	1	1	5	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.9	5	1	1	2	4	6	7	11
20-34	364	2.8	5	1	1	2	4	6	7	11
35-49	427	3.2	8	1	1	2	4	6	7	16
50-64	511	4.0	20	1	1	3	5	7	10	23
65+	1088	5.5	22	1	2	4	7	11	13	25
B. *Operated*										
0-19 YRS	138	3.3	8	<1	1	3	4	7	10	14
20-34	178	5.8	25	1	2	5	7	10	13	30
35-49	220	5.6	17	1	2	5	7	10	14	19
50-64	393	7.5	27	2	2	6	10	14	17	27
65+	1198	9.0	33	2	3	8	11	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	303	4.3	11	1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	2522	4.3	17	1	1	3	5	9	11	20
B. *Operated*	2127	7.8	34	1	2	6	10	15	18	30
1. SINGLE DX	1321	2.7	5	<1	1	2	3	5	7	13
2. MULTIPLE DX	4649	5.9	28	1	1	4	8	12	16	27
A. NOT OPERATED	3540	3.7	14	1	1	3	5	7	10	17
B. OPERATED	2430	7.3	32	1	2	6	9	14	18	30
TOTAL 0-19 YRS	443	2.8	6	<1	1	2	3	6	7	12
20-34	899	3.2	10	1	1	2	4	6	8	14
35-49	1020	3.4	10	1	1	2	4	7	9	16
50-64	1142	5.0	23	1	1	4	6	10	13	21
65+	2466	7.1	33	1	2	6	9	14	17	29
GRAND TOTAL	5970	5.2	25	1	1	4	7	11	14	25

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2570	2.2	2	<1	1	2	3	4	5	8
20-34	2182	2.7	4	<1	1	2	3	5	6	9
35-49	1062	3.1	6	1	1	2	4	6	7	12
50-64	571	3.3	8	1	1	3	4	6	8	14
65+	343	3.3	6	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	250	3.8	5	1	2	3	5	6	9	11
20-34	332	4.3	8	1	1	3	6	8	9	15
35-49	158	4.4	9	1	1	4	5	9	10	14
50-64	83	5.6	17	1	1	4	7	11	13	20
65+	29	4.4	17	1	1	3	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2190	2.7	4	1	1	2	3	5	7	11
20-34	2967	3.4	8	1	1	3	4	7	9	14
35-49	2129	4.3	10	1	1	3	5	8	10	16
50-64	2038	4.5	13	1	1	4	6	8	10	18
65+	3035	5.1	14	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	255	4.6	13	1	1	4	5	9	12	19
20-34	700	5.9	17	1	2	5	8	11	13	21
35-49	454	7.6	32	1	2	6	10	14	17	32
50-64	413	8.1	39	1	2	7	11	15	19	36
65+	516	9.6	48	2	3	8	12	18	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6728	2.7	4	1	1	2	3	5	6	10
B. *Operated*	852	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	12359	4.0	11	1	1	3	5	8	10	16
B. *Operated*	2338	7.3	33	1	2	6	9	14	18	30
1. SINGLE DX	7580	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	14697	4.6	16	1	1	3	6	9	12	20
A. NOT OPERATED	19087	3.6	9	1	1	3	5	7	9	14
B. OPERATED	3190	6.5	28	1	2	5	8	13	16	27
TOTAL 0-19 YRS	5265	2.6	4	1	1	2	3	5	6	10
20-34	6181	3.5	8	1	1	3	4	7	9	15
35-49	3803	4.3	13	1	1	3	5	8	11	17
50-64	3105	4.8	17	1	1	4	6	9	12	20
65+	3923	5.5	21	1	2	4	7	10	14	23
GRAND TOTAL	22277	4.0	13	1	1	3	5	8	10	17

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	2.9	4	1	1	2	4	5	7	10
20-34	104	3.4	12	<1	1	2	4	6	8	23
35-49	75	3.4	6	1	1	3	5	7	8	10
50-64	74	3.4	13	1	1	3	4	6	8	24
65+	71	3.8	8	1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	17	5.4	26	<1	1	3	9	12	16	18
20-34	43	4.3	9	1	1	4	6	8	9	15
35-49	31	5.4	12	<1	1	5	7	10	11	17
50-64	27	5.6	13	1	1	5	7	11	13	16
65+	24	8.2	143	<1	1	3	9	20	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	932	3.2	7	1	1	2	4	6	8	13
20-34	464	4.0	11	1	1	3	5	8	11	18
35-49	441	4.7	19	1	1	4	6	9	11	18
50-64	734	5.5	23	1	1	4	7	11	15	21
65+	1533	6.2	27	1	2	5	8	11	16	23
B. *Operated*										
0-19 YRS	100	4.4	17	1	1	3	7	11	12	19
20-34	148	7.0	56	1	1	5	8	15	19	48
35-49	173	8.2	61	1	1	6	10	17	26	37
50-64	269	9.6	66	1	2	7	12	21	27	38
65+	423	10.2	56	1	2	8	14	20	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	3.2	7	1	1	2	4	6	8	12
B. *Operated*	142	5.6	36	1	1	4	7	11	15	38
2. MULTIPLE DX										
A. *Not Operated*	4104	5.0	20	1	1	4	6	10	13	21
B. *Operated*	1113	8.8	59	1	1	7	11	19	24	37
1. SINGLE DX	751	3.6	13	1	1	3	5	7	9	18
2. MULTIPLE DX	5217	5.8	31	1	1	4	7	12	16	27
A. NOT OPERATED	4713	4.7	19	1	1	4	6	9	12	20
B. OPERATED	1255	8.4	57	1	1	7	11	18	23	37
TOTAL 0-19 YRS	1334	3.2	8	1	1	2	4	6	8	14
20-34	759	4.5	22	1	1	3	6	9	13	21
35-49	720	5.4	30	1	1	4	7	10	15	28
50-64	1104	6.4	36	1	1	5	8	13	17	31
65+	2051	6.9	37	1	2	5	9	14	18	27
GRAND TOTAL	**5968**	**5.5**	**29**	**1**	**1**	**4**	**7**	**11**	**16**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1980	3.4	16	1	1	3	4	6	8	19
20-34	1216	4.7	37	1	1	3	5	8	20	31
35-49	1107	4.5	29	1	1	3	5	8	13	31
50-64	1221	4.9	42	1	1	3	6	10	14	31
65+	1445	6.5	52	1	1	4	8	13	18	35
B. *Operated*										
0-19 YRS	166	3.7	20	<1	<1	2	4	8	13	22
20-34	327	4.1	36	<1	1	2	4	9	12	35
35-49	358	5.0	56	1	1	3	6	10	16	46
50-64	421	5.6	48	1	1	3	6	13	21	36
65+	376	8.1	72	1	1	5	11	19	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3624	4.4	16	1	1	3	5	8	11	21
20-34	2327	4.3	15	1	1	3	5	8	10	18
35-49	2932	4.9	21	1	1	4	6	9	12	20
50-64	6000	6.2	33	1	2	5	8	12	16	30
65+	14169	6.7	31	2	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	278	9.6	151	1	1	5	12	23	37	93
20-34	469	6.7	79	1	1	4	8	14	22	57
35-49	684	6.9	74	1	1	4	8	15	22	43
50-64	1474	9.3	117	1	2	6	11	20	31	66
65+	2489	11.4	146	2	2	8	14	24	34	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6969	4.7	35	1	1	3	5	9	14	31
B. *Operated*	1648	5.6	52	1	1	3	6	13	19	40
2. MULTIPLE DX										
A. *Not Operated*	29052	6.0	28	1	2	5	7	12	15	26
B. *Operated*	5394	9.8	126	1	2	6	12	21	31	71
1. SINGLE DX	8617	4.9	38	1	1	3	5	10	15	32
2. MULTIPLE DX	34446	6.6	45	1	2	5	8	13	18	35
A. NOT OPERATED	36021	5.7	30	1	1	4	7	11	15	28
B. OPERATED	7042	8.8	112	1	1	5	11	20	29	64
TOTAL 0-19 YRS	6048	4.3	24	1	1	3	5	8	12	24
20-34	4339	4.6	30	1	1	3	5	9	13	31
35-49	5081	5.1	33	1	1	4	6	10	14	29
50-64	9116	6.5	50	1	2	4	8	13	18	38
65+	18479	7.4	51	1	2	5	9	15	19	36
GRAND TOTAL	**43063**	**6.2**	**44**	**1**	**1**	**4**	**7**	**13**	**17**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.2	3	1	1	2	3	4	5	10
20-34	38	4.6	23	1	1	3	6	11	13	24
35-49	25	3.0	5	1	1	2	4	6	8	10
50-64	12	3.9	5	1	1	3	6	7	8	8
65+	8	12.4	253	1	1	7	18	40	46	46
B. *Operated*										
0-19 YRS	88	4.6	10	1	1	4	6	9	11	15
20-34	23	6.6	38	1	2	4	8	11	20	31
35-49	9	7.4	37	2	2	4	14	16	17	17
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	445	3.1	10	1	1	2	4	6	9	14
20-34	123	5.3	66	1	1	3	6	10	18	40
35-49	60	8.2	95	1	1	5	10	22	28	54
50-64	40	7.8	39	1	1	7	11	15	19	31
65+	75	10.0	93	1	2	7	13	22	32	45
B. *Operated*										
0-19 YRS	157	10.6	134	1	2	6	13	28	38	96
20-34	157	12.0	197	1	2	8	13	36	61	99+
35-49	63	10.7	127	1	2	7	15	22	41	95
50-64	41	20.2	333	3	3	16	32	48	69	99+
65+	39	16.4	290	1	2	13	19	37	59	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	2.5	8	1	1	2	3	5	6	12
B. *Operated*	123	5.2	18	1	1	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	743	4.8	42	1	1	3	6	11	15	33
B. *Operated*	457	12.5	192	1	2	8	15	33	53	99+
1. SINGLE DX	786	2.9	11	1	1	2	3	6	8	15
2. MULTIPLE DX	1200	7.7	113	1	1	4	9	19	31	71
A. NOT OPERATED	1406	3.7	27	1	1	2	4	8	11	26
B. OPERATED	580	10.9	164	1	2	7	13	29	43	99+
TOTAL 0-19 YRS	1270	3.7	29	1	1	2	4	8	12	33
20-34	341	8.4	130	1	1	5	9	19	36	99+
35-49	157	8.3	96	1	1	5	11	21	27	61
50-64	95	12.7	204	1	2	8	16	34	45	96
65+	123	12.2	170	1	2	8	16	26	41	66
GRAND TOTAL	**1986**	**5.8**	**78**	**1**	**1**	**3**	**6**	**13**	**22**	**59**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	2.4	4	1	1	2	3	5	6	11
20-34	52	3.7	14	1	1	2	5	7	9	25
35-49	28	4.2	13	1	1	3	6	8	12	17
50-64	10	4.9	6	3	3	4	7	8	9	9
65+	8	4.5	15	1	1	4	6	11	13	13
B. *Operated*										
0-19 YRS	16	4.2	6	<1	1	4	6	8	8	8
20-34	26	6.0	22	1	1	5	8	11	14	23
35-49	8	3.8	7	1	1	3	6	8	8	8
50-64	3	13.3	9	10	10	14	15	16	16	16
65+	3	8.7	41	4	4	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	3.8	11	1	1	3	5	8	11	16
20-34	179	5.9	41	1	1	4	7	11	19	37
35-49	82	5.5	20	1	1	4	7	11	15	24
50-64	64	7.9	55	2	2	6	10	14	22	38
65+	86	8.8	50	2	2	7	12	18	21	37
B. *Operated*										
0-19 YRS	101	11.6	154	1	2	7	14	28	41	58
20-34	146	11.5	213	2	2	7	13	25	39	97
35-49	69	13.6	287	1	2	8	17	31	67	98
50-64	50	18.0	347	3	5	11	24	37	53	90
65+	43	20.6	359	1	2	16	28	49	58	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.9	7	1	1	2	3	6	8	13
B. *Operated*	56	5.7	19	1	1	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	656	5.6	33	1	1	4	7	12	16	25
B. *Operated*	409	13.6	250	1	2	8	17	31	50	89
1. SINGLE DX	393	3.3	10	1	1	2	4	7	9	16
2. MULTIPLE DX	1065	8.7	131	1	1	5	10	20	29	68
A. NOT OPERATED	993	4.7	26	1	1	3	6	10	14	26
B. OPERATED	465	12.7	229	1	2	8	16	29	47	88
TOTAL 0-19 YRS	601	4.6	43	1	1	3	5	10	15	35
20-34	403	7.6	107	1	1	5	9	16	25	68
35-49	187	8.2	133	1	1	5	8	17	28	83
50-64	127	11.8	190	2	2	8	14	27	36	88
65+	140	12.2	173	1	2	7	16	26	41	69
GRAND TOTAL	**1458**	**7.3**	**104**	**1**	**1**	**4**	**8**	**16**	**25**	**56**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.7	1	<1	<1	1	2	3	4	6
20-34	76	1.9	2	<1	<1	1	2	3	5	8
35-49	22	1.9	1	<1	<1	2	2	4	5	5
50-64	9	3.4	15	1	1	2	4	10	13	13
65+	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	722	2.1	3	<1	<1	2	3	4	5	6
20-34	1044	2.6	4	1	1	2	3	5	6	10
35-49	281	2.8	6	1	1	2	3	6	7	14
50-64	89	2.9	4	1	1	2	4	6	7	10
65+	32	3.9	14	1	1	3	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	2.4	4	<1	<1	2	3	5	6	11
20-34	270	2.4	3	<1	<1	2	3	5	6	8
35-49	113	3.3	12	<1	1	2	4	7	9	19
50-64	96	4.1	10	1	1	3	6	8	11	16
65+	172	5.8	22	1	1	5	7	11	13	28
B. *Operated*										
0-19 YRS	888	3.6	14	1	1	3	4	7	9	19
20-34	1760	4.3	20	1	1	3	5	9	11	23
35-49	634	5.3	23	1	1	4	7	11	15	24
50-64	311	6.3	64	1	1	4	8	13	17	48
65+	255	8.1	65	1	2	6	11	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	2168	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	807	3.5	11	<1	1	2	4	7	9	16
B. *Operated*	3848	4.7	27	1	1	3	6	10	13	26
1. SINGLE DX	2334	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	4655	4.5	24	1	1	3	5	9	13	24
A. NOT OPERATED	973	3.2	10	<1	1	2	4	7	9	15
B. OPERATED	6016	3.9	20	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1818	2.9	9	<1	1	2	3	5	7	14
20-34	3150	3.5	13	1	1	3	4	7	9	17
35-49	1050	4.3	18	1	1	3	6	9	13	22
50-64	505	5.2	45	1	1	3	6	11	15	28
65+	466	6.9	47	1	1	5	9	13	18	38
GRAND TOTAL	**6989**	**3.8**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.9	9	1	1	3	5	8	9	14
20-34	448	4.4	9	1	1	4	6	8	10	14
35-49	288	5.5	13	1	2	5	7	10	12	18
50-64	257	6.0	12	2	2	5	8	11	13	17
65+	396	7.2	18	2	3	6	9	13	15	21
B. *Operated*										
0-19 YRS	33	8.4	26	2	3	8	11	16	19	20
20-34	81	10.4	59	2	3	8	13	19	27	38
35-49	29	9.5	39	2	2	8	15	18	19	27
50-64	15	12.4	90	2	5	9	15	24	35	39
65+	18	10.8	41	1	3	10	18	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	5.0	26	1	1	4	6	9	14	37
20-34	603	5.9	23	1	2	5	8	11	13	25
35-49	438	7.2	32	2	2	6	9	13	17	28
50-64	745	8.5	35	2	3	7	10	15	19	32
65+	3568	9.5	32	3	4	8	12	16	20	29
B. *Operated*										
0-19 YRS	103	13.4	123	2	2	11	18	29	33	55
20-34	244	12.9	137	2	2	9	18	27	37	69
35-49	149	13.7	183	2	3	9	16	33	47	77
50-64	162	15.3	184	3	4	11	20	30	47	74
65+	395	15.8	125	4	5	13	20	31	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1642	5.5	14	1	2	5	7	10	13	17
B. *Operated*	176	10.1	50	2	3	9	13	18	25	37
2. MULTIPLE DX										
A. *Not Operated*	5625	8.6	33	2	3	7	11	15	19	30
B. *Operated*	1053	14.5	146	2	4	11	19	30	42	60
1. SINGLE DX	1818	5.9	19	1	2	5	8	14	14	22
2. MULTIPLE DX	6678	9.5	56	2	3	8	12	18	22	42
A. NOT OPERATED	7267	7.9	31	2	2	7	10	14	18	27
B. OPERATED	1229	13.9	134	2	3	11	18	28	38	60
TOTAL 0-19 YRS	660	6.0	45	1	1	4	7	13	19	38
20-34	1376	6.9	50	1	2	5	8	14	20	39
35-49	904	7.8	59	2	2	6	9	15	19	47
50-64	1179	8.9	59	2	3	7	11	16	21	47
65+	4377	9.9	43	3	4	8	13	18	22	34
GRAND TOTAL	**8496**	**8.8**	**50**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	7	1	1	6	7	7	7	7
20-34	14	6.4	16	1	3	5	8	14	15	15
35-49	5	6.2	11	3	3	5	9	11	11	11
50-64	3	8.3	9	5	5	9	10	11	11	11
65+	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	7	10.9	156	<1	1	5	13	32	37	37
20-34	18	18.3	288	2	3	11	35	37	54	65
35-49	3	17.0	49	12	12	14	22	25	25	25
50-64	3	29.3	754	12	12	15	49	61	61	61
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	11.9	138	2	2	7	24	74	99+	99+
20-34	24	20.3	704	<1	1	8	29	61	88	89
35-49	6	16.2	447	3	3	8	11	54	59	59
50-64	12	10.7	116	2	2	9	13	54	91	99+
65+	50	10.6	70	3	3	8	13	21	32	39
B. *Operated*										
0-19 YRS	20	26.4	576	6	10	17	55	99+	99+	99+
20-34	60	32.3	530	8	9	32	51	99+	99+	99+
35-49	16	36.7	375	11	14	49	78	99+	99+	99+
50-64	14	32.0	798	6	9	17	57	98	99+	99+
65+	20	24.3	275	6	7	20	40	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.7	13	1	1	5	8	11	14	15
B. *Operated*	32	17.3	267	2	3	12	23	37	59	65
2. MULTIPLE DX										
A. *Not Operated*	100	13.4	260	2	3	8	14	38	58	99+
B. *Operated*	130	30.7	507	8	9	28	55	99+	99+	99+
1. SINGLE DX	64	11.5	172	1	2	7	13	35	37	64
2. MULTIPLE DX	230	23.1	472	3	4	16	40	89	99+	99+
A. NOT OPERATED	132	11.5	211	1	2	7	13	32	51	99+
B. OPERATED	162	28.0	486	4	8	24	48	99	99+	99+
TOTAL 0-19 YRS	41	17.8	399	1	2	14	27	85	99+	99+
20-34	116	24.5	538	2	4	18	40	89	99+	99+
35-49	30	25.5	435	3	5	26	57	99+	99+	99+
50-64	32	21.5	543	3	5	12	42	74	99	99+
65+	75	13.7	162	2	3	9	15	38	45	89
GRAND TOTAL	**294**	**20.6**	**429**	**2**	**3**	**14**	**36**	**71**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.8	1	<1	1	1	2	3	5	5
20-34	71	2.5	2	1	1	2	3	4	6	9
35-49	87	2.9	3	1	1	2	4	5	6	10
50-64	105	3.7	7	1	1	3	5	7	9	14
65+	101	4.4	12	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.0	2	<1	<1	3	4	4	4	4
35-49	5	3.4	3	1	1	3	4	6	6	6
50-64	3	5.3	8	2	2	7	7	7	7	7
65+	3	7.3	10	5	5	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.1	6	1	1	2	4	6	8	12
20-34	411	4.0	12	1	1	3	5	8	9	15
35-49	556	4.8	15	1	1	4	6	9	11	18
50-64	803	5.8	19	1	2	5	8	11	13	20
65+	1961	7.2	25	2	2	6	10	13	17	26
B. *Operated*										
0-19 YRS	40	6.6	28	1	2	5	8	14	19	24
20-34	184	7.8	41	1	2	6	10	17	20	32
35-49	148	9.6	72	2	3	7	11	21	29	47
50-64	170	10.8	106	2	3	8	13	21	31	54
65+	274	12.8	98	3	4	10	16	23	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.3	7	1	1	3	4	6	9	14
B. *Operated*	17	4.2	7	<1	1	4	6	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	3839	6.1	22	1	2	5	8	12	15	24
B. *Operated*	816	10.4	83	2	3	8	13	21	28	49
1. SINGLE DX	416	3.4	7	1	1	3	4	6	9	14
2. MULTIPLE DX	4655	6.9	35	1	2	5	9	13	17	31
A. NOT OPERATED	4238	5.9	21	1	2	5	8	11	14	22
B. OPERATED	833	10.3	82	2	2	8	13	21	28	49
TOTAL 0-19 YRS	184	3.6	12	1	1	2	4	7	10	19
20-34	671	4.9	22	1	1	4	6	10	14	24
35-49	796	5.5	29	1	1	4	7	11	15	30
50-64	1081	6.4	35	1	2	5	8	12	15	32
65+	2339	7.8	37	2	2	6	10	15	19	30
GRAND TOTAL	**5071**	**6.6**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	5.2	21	1	1	4	7	10	14	24
20-34	111	7.6	47	2	2	5	9	14	22	38
35-49	68	7.6	39	2	3	6	10	14	17	35
50-64	89	8.6	41	2	3	7	10	15	25	33
65+	335	9.4	30	3	4	9	12	16	20	29
B. *Operated*										
0-19 YRS	10	8.4	93	2	2	5	10	22	34	34
20-34	13	14.8	113	3	3	16	20	31	37	38
35-49	10	22.0	212	3	3	19	39	40	40	40
50-64	5	34.2	778	6	6	23	58	73	73	73
65+	3	27.3	1120	1	1	16	53	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	7.7	43	1	2	6	10	15	22	31
20-34	262	10.7	78	2	3	8	13	21	31	48
35-49	146	11.7	116	3	4	9	13	23	28	59
50-64	299	12.6	102	3	4	10	16	24	36	56
65+	2217	11.7	57	3	4	10	15	20	25	39
B. *Operated*										
0-19 YRS	125	15.6	211	3	4	10	22	39	45	71
20-34	184	24.2	339	4	5	20	36	52	56	92
35-49	90	29.3	470	5	8	23	42	60	84	96
50-64	90	24.2	312	4	5	19	33	49	58	85
65+	278	21.2	250	6	7	16	26	45	56	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	8.1	35	2	2	7	11	15	20	30
B. *Operated*	41	18.3	306	2	3	15	24	40	58	73
2. MULTIPLE DX										
A. *Not Operated*	3141	11.4	66	3	4	10	14	21	25	48
B. *Operated*	767	22.3	311	4	6	16	31	49	57	86
1. SINGLE DX	778	8.7	54	2	2	7	11	16	22	39
2. MULTIPLE DX	3908	13.6	132	3	4	11	16	26	38	60
A. NOT OPERATED	3878	10.8	62	2	3	9	14	20	24	43
B. OPERATED	808	22.1	311	4	5	16	30	49	57	85
TOTAL 0-19 YRS	486	9.1	96	1	2	6	10	22	28	48
20-34	570	14.6	202	2	3	10	18	35	49	60
35-49	314	16.2	278	3	3	10	18	40	51	87
50-64	483	14.3	165	3	4	10	17	32	42	63
65+	2833	12.4	82	3	4	10	15	22	28	51
GRAND TOTAL	**4686**	**12.8**	**123**	**3**	**4**	**10**	**15**	**24**	**34**	**58**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	3.3	25	<1	1	1	3	9	16	26
20-34	60	3.5	26	<1	1	2	4	7	9	29
35-49	43	3.1	12	1	1	2	3	6	10	17
50-64	108	3.2	10	1	1	2	4	6	7	18
65+	275	3.8	10	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	1565	3.6	21	1	1	2	3	8	15	22
20-34	166	3.9	19	1	1	3	5	6	9	26
35-49	134	3.6	11	1	1	3	5	6	8	23
50-64	215	5.0	16	1	1	4	6	10	13	22
65+	298	5.6	23	1	1	4	7	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.1	26	1	1	2	5	8	13	27
20-34	60	4.7	19	1	1	4	6	10	17	20
35-49	76	4.9	16	1	2	4	5	9	12	23
50-64	243	5.8	35	1	1	4	7	12	16	35
65+	1346	7.0	30	2	2	5	9	14	17	27
B. *Operated*										
0-19 YRS	468	6.3	57	1	1	3	7	17	22	33
20-34	225	8.5	70	1	2	6	11	19	26	52
35-49	191	8.0	71	1	2	5	9	15	24	44
50-64	388	8.8	117	1	2	6	10	20	26	61
65+	1053	9.9	68	2	3	8	13	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	740	3.5	16	1	1	2	4	7	11	24
B. *Operated*	2378	4.0	20	1	1	2	4	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	1837	6.5	30	1	2	5	8	13	17	27
B. *Operated*	2325	8.7	76	1	2	6	11	19	25	44
1. SINGLE DX	3118	3.9	19	1	1	2	4	8	14	23
2. MULTIPLE DX	4162	7.7	57	1	2	5	10	16	22	37
A. NOT OPERATED	2577	5.6	28	1	1	4	7	12	16	27
B. OPERATED	4703	6.3	54	1	1	4	8	15	20	35
TOTAL 0-19 YRS	2399	4.1	30	1	1	2	4	11	17	26
20-34	511	6.0	47	1	1	4	7	14	21	32
35-49	444	5.7	42	1	1	4	6	12	16	36
50-64	954	6.5	65	1	1	4	7	13	20	41
65+	2972	7.6	45	1	2	6	10	15	20	35
GRAND TOTAL	**7280**	**6.1**	**45**	**1**	**1**	**4**	**8**	**14**	**19**	**32**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.5	1	<1	<1	1	2	3	4	6
20-34	33	2.4	2	<1	<1	2	4	4	5	6
35-49	42	2.3	3	<1	1	2	3	4	6	9
50-64	33	2.0	2	1	1	1	3	4	6	6
65+	63	2.5	3	<1	1	2	3	4	7	9
B. *Operated*										
0-19 YRS	3125	1.6	2	<1	1	1	2	3	4	7
20-34	718	2.6	3	1	1	2	3	5	6	8
35-49	623	2.6	3	1	1	2	3	5	6	9
50-64	808	2.5	7	1	1	2	3	4	6	10
65+	769	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.7	14	<1	1	1	3	5	7	25
20-34	85	3.3	13	1	1	2	4	7	8	23
35-49	65	3.8	9	<1	1	3	6	9	10	12
50-64	104	4.3	14	1	1	4	5	8	9	23
65+	333	6.0	23	1	1	5	8	12	16	25
B. *Operated*										
0-19 YRS	712	3.2	21	1	1	2	4	6	9	28
20-34	587	5.6	48	1	1	4	7	11	15	41
35-49	473	5.4	36	1	1	4	6	11	17	26
50-64	711	4.9	34	1	1	3	5	10	14	29
65+	1477	5.9	31	1	1	4	7	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.0	2	<1	1	1	3	4	5	8
B. *Operated*	6043	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	678	4.7	19	1	1	4	6	9	13	24
B. *Operated*	3960	5.1	34	1	1	3	6	11	15	29
1. SINGLE DX	6327	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4638	5.0	32	1	1	3	6	10	15	28
A. NOT OPERATED	962	3.9	16	<1	1	3	5	8	11	21
B. OPERATED	10003	3.3	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	4041	1.9	6	<1	1	1	2	3	5	10
20-34	1423	3.9	24	1	1	3	5	7	10	22
35-49	1203	3.8	18	1	1	3	4	7	10	21
50-64	1656	3.6	20	1	1	2	4	7	10	23
65+	2642	4.9	24	1	1	3	6	10	14	25
GRAND TOTAL	**10965**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	2	<1	<1	1	2	4	5	7
20-34	33	1.9	1	<1	<1	1	2	4	5	5
35-49	18	2.2	2	<1	1	2	3	5	6	6
50-64	11	1.9	2	<1	<1	1	3	4	4	4
65+	10	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	604	1.6	1	<1	<1	1	2	3	4	5
20-34	737	1.9	2	<1	1	2	2	3	4	7
35-49	300	2.0	3	<1	<1	2	2	3	5	9
50-64	173	2.1	4	<1	1	2	3	4	5	7
65+	73	2.7	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	3	<1	1	2	4	5	6	7
20-34	61	3.2	11	<1	<1	3	4	5	6	22
35-49	45	3.0	6	<1	1	2	4	5	9	11
50-64	36	5.2	55	1	1	3	5	11	21	39
65+	76	6.1	17	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	327	2.9	9	<1	1	2	3	6	8	16
20-34	626	3.5	27	1	1	2	4	7	8	21
35-49	321	3.5	21	1	1	2	4	7	10	26
50-64	263	3.6	17	1	1	2	4	7	10	23
65+	200	5.0	27	1	1	3	6	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	1887	1.9	2	<1	1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	266	4.1	18	<1	1	3	5	8	11	24
B. *Operated*	1737	3.6	21	1	1	2	4	7	10	24
1. SINGLE DX	1986	1.9	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	2003	3.6	21	1	1	2	4	7	10	24
A. NOT OPERATED	365	3.5	14	<1	1	2	4	7	10	22
B. OPERATED	3624	2.7	12	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	1006	2.1	4	<1	1	1	2	4	5	11
20-34	1457	2.6	13	<1	1	2	3	5	7	13
35-49	684	2.8	12	<1	1	2	3	5	7	17
50-64	483	3.1	16	1	1	2	3	6	9	23
65+	359	4.7	21	1	1	3	6	11	13	25
GRAND TOTAL	**3989**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	14.8	177	1	1	12	25	34	39	45
20-34	13	5.5	71	1	1	3	5	12	29	33
35-49	17	6.2	56	1	1	4	7	8	25	34
50-64	32	9.3	49	1	3	8	12	16	20	37
65+	174	8.0	28	1	2	7	11	15	18	23
B. *Operated*										
0-19 YRS	139	10.0	72	2	3	8	13	20	27	49
20-34	58	10.1	70	3	3	8	12	18	20	48
35-49	129	10.5	99	4	5	8	11	15	20	70
50-64	466	11.5	34	5	6	10	14	18	21	29
65+	2756	13.4	28	7	8	13	16	19	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	14.2	172	1	1	8	23	31	37	50
20-34	14	16.9	536	2	2	8	13	58	76	81
35-49	19	10.3	43	2	4	8	13	22	23	23
50-64	91	9.1	65	1	3	7	11	16	24	46
65+	1091	10.6	71	2	3	9	14	20	27	51
B. *Operated*										
0-19 YRS	107	15.0	97	3	4	13	19	26	34	51
20-34	184	17.2	192	5	6	13	21	34	44	77
35-49	263	16.8	175	5	6	13	20	33	44	99+
50-64	1157	16.0	98	6	8	13	19	27	35	66
65+	13806	16.2	66	8	9	15	19	25	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	9.2	69	1	1	7	12	20	28	39
B. *Operated*	3548	12.8	35	6	7	12	15	19	22	32
2. MULTIPLE DX										
A. *Not Operated*	1245	10.6	78	2	3	9	14	21	28	51
B. *Operated*	15517	16.2	72	7	9	15	19	25	31	51
1. SINGLE DX	3840	12.6	38	4	6	12	15	19	22	33
2. MULTIPLE DX	16762	15.8	74	6	8	14	19	25	31	51
A. NOT OPERATED	1537	10.4	76	1	2	8	14	21	28	49
B. OPERATED	19065	15.6	67	7	8	14	18	24	30	49
TOTAL 0-19 YRS	332	12.8	111	1	2	10	18	27	34	48
20-34	269	15.1	189	3	4	11	17	31	44	78
35-49	428	14.2	152	4	5	11	16	29	42	98
50-64	1746	14.4	84	5	7	12	17	24	31	58
65+	17827	15.4	63	6	8	14	18	24	29	47
GRAND TOTAL	**20602**	**15.2**	**69**	**6**	**8**	**14**	**18**	**24**	**30**	**49**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	16.4	135	1	2	18	24	30	35	50
20-34	23	18.3	339	1	2	7	39	46	49	50
35-49	14	24.9	444	1	1	25	42	52	61	63
50-64	22	14.2	181	2	2	9	19	40	41	42
65+	67	11.6	161	1	2	7	15	22	41	70
B. *Operated*										
0-19 YRS	628	13.4	132	1	2	11	22	29	34	47
20-34	157	11.0	50	2	3	10	15	19	23	34
35-49	56	12.9	176	1	2	8	16	27	51	98
50-64	60	12.9	81	4	5	10	15	23	33	49
65+	173	16.4	118	6	7	14	18	28	44	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	16.1	172	1	2	15	24	35	42	55
20-34	39	18.1	422	1	2	10	30	50	62	75
35-49	33	17.6	465	1	1	7	20	58	68	78
50-64	71	16.4	323	2	2	9	18	47	53	78
65+	375	15.6	240	3	4	10	19	39	50	74
B. *Operated*										
0-19 YRS	591	19.1	227	2	3	16	27	39	47	79
20-34	496	19.4	263	3	5	15	24	42	59	90
35-49	157	22.6	336	4	6	16	31	49	68	92
50-64	225	19.2	182	3	7	16	23	42	55	99+
65+	904	21.2	228	7	9	16	25	41	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	16.1	154	1	2	17	24	30	40	51
B. *Operated*	1074	13.5	119	1	2	12	19	27	34	56
2. MULTIPLE DX										
A. *Not Operated*	762	16.0	244	2	3	10	22	38	49	74
B. *Operated*	2373	20.2	239	3	6	16	25	42	54	88
1. SINGLE DX	1800	14.5	135	1	2	13	22	29	36	53
2. MULTIPLE DX	3135	19.2	243	2	4	15	25	41	53	83
A. NOT OPERATED	1488	16.1	200	1	2	13	23	35	44	63
B. OPERATED	3447	18.1	211	2	4	15	23	37	49	83
TOTAL 0-19 YRS	2063	16.2	170	1	2	15	24	32	40	57
20-34	715	17.5	238	2	4	13	21	39	52	84
35-49	260	20.0	336	1	3	14	27	49	65	92
50-64	378	17.4	197	2	4	14	22	39	51	94
65+	1519	18.9	224	4	5	15	22	39	52	82
GRAND TOTAL	**4935**	**17.5**	**209**	**2**	**3**	**14**	**23**	**36**	**47**	**76**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	448	2.5	4	1	1	2	3	5	6	10
20-34	140	3.3	12	<1	1	3	4	6	8	26
35-49	97	4.4	9	1	1	3	6	8	10	15
50-64	96	5.6	35	1	2	4	6	11	14	36
65+	119	5.7	13	1	2	5	8	11	13	15
B. *Operated*										
0-19 YRS	1073	3.6	12	1	1	3	5	7	9	16
20-34	703	5.6	20	1	2	5	7	10	13	24
35-49	502	6.1	24	1	2	5	8	11	15	28
50-64	331	7.3	28	2	2	6	10	13	16	33
65+	194	8.2	25	2	3	7	11	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.4	10	1	1	3	4	7	9	15
20-34	136	4.5	24	1	1	3	5	9	12	30
35-49	128	5.7	21	1	1	5	7	11	14	26
50-64	198	7.6	46	2	2	6	10	15	19	38
65+	450	8.5	31	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	568	8.2	93	1	2	5	9	16	27	53
20-34	775	10.5	114	2	2	7	13	23	33	59
35-49	540	12.0	160	2	3	8	14	23	41	70
50-64	502	12.2	120	2	4	9	15	25	36	56
65+	562	13.9	111	4	5	11	17	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.6	12	1	1	3	5	7	10	15
B. *Operated*	2803	5.3	21	1	1	4	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1090	6.7	32	1	1	5	9	14	17	29
B. *Operated*	2947	11.3	122	2	3	8	14	23	34	61
1. SINGLE DX	3703	4.9	20	1	1	4	6	10	13	23
2. MULTIPLE DX	4037	10.0	102	1	2	7	12	20	29	56
A. NOT OPERATED	1990	5.3	25	1	1	4	7	11	15	26
B. OPERATED	5750	8.4	82	1	2	6	10	17	24	52
TOTAL 0-19 YRS	2267	4.5	35	1	1	3	5	9	13	32
20-34	1754	7.5	69	1	2	5	9	15	23	51
35-49	1267	8.5	90	1	2	6	10	16	24	54
50-64	1127	9.4	79	2	2	7	11	19	27	50
65+	1325	10.5	71	2	3	8	13	19	26	48
GRAND TOTAL	**7740**	**7.6**	**69**	**1**	**1**	**5**	**9**	**15**	**22**	**47**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.2	2	<1	1	2	3	4	6	8
20-34	222	2.9	4	<1	1	2	4	5	7	10
35-49	163	3.1	5	<1	1	3	4	6	7	12
50-64	186	3.8	8	<1	1	3	5	7	9	13
65+	177	4.3	10	1	1	4	5	8	11	16
B. *Operated*										
0-19 YRS	1261	3.2	8	1	1	3	4	6	7	12
20-34	1847	4.0	6	1	1	4	5	7	8	13
35-49	1408	4.5	7	1	2	4	6	8	9	13
50-64	1197	5.4	12	2	2	5	7	9	11	17
65+	634	6.6	15	2	3	6	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	6	<1	<1	2	4	6	7	14
20-34	255	4.1	11	<1	1	3	5	9	10	17
35-49	206	4.5	13	1	1	4	6	9	11	18
50-64	340	5.7	21	1	2	4	7	11	13	27
65+	677	6.6	25	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	673	5.3	26	1	1	4	6	10	15	28
20-34	1463	6.7	55	1	2	5	8	12	19	40
35-49	1082	6.9	51	2	2	5	8	12	16	31
50-64	1310	7.6	38	2	3	6	9	14	17	33
65+	1396	9.7	54	3	4	8	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1007	3.2	6	<1	1	3	4	6	8	13
B. *Operated*	6347	4.5	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1610	5.4	20	1	1	4	7	11	13	23
B. *Operated*	5924	7.5	49	2	2	6	9	14	19	35
1. SINGLE DX	7354	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX	7534	7.1	44	1	2	5	9	13	18	33
A. NOT OPERATED	2617	4.5	16	1	1	4	6	9	12	19
B. OPERATED	12271	5.9	31	1	2	5	7	11	14	28
TOTAL 0-19 YRS	2325	3.7	13	1	1	3	4	7	9	19
20-34	3787	5.0	27	1	1	4	6	9	12	26
35-49	2859	5.3	26	1	2	4	6	10	12	22
50-64	3033	6.3	26	2	2	5	8	11	15	27
65+	2884	8.0	39	2	3	7	10	14	18	32
GRAND TOTAL	**14888**	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.7	2	<1	1	1	2	3	4	8
20-34	39	2.0	2	<1	<1	1	3	4	5	7
35-49	23	2.7	5	<1	<1	2	3	6	8	10
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	16	3.3	12	1	1	2	3	7	13	15
B. *Operated*										
0-19 YRS	93	2.4	2	1	1	2	3	4	5	6
20-34	71	2.9	3	1	1	3	4	4	7	10
35-49	32	3.0	3	1	1	3	3	5	7	8
50-64	12	2.7	1	1	1	3	3	4	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	2.9	6	<1	1	2	4	6	8	13
20-34	197	3.4	21	<1	1	2	4	7	9	13
35-49	121	4.3	35	1	1	3	5	8	10	29
50-64	123	4.9	25	1	1	3	6	10	14	29
65+	251	7.8	38	1	2	7	10	15	19	34
B. *Operated*										
0-19 YRS	46	6.5	72	1	1	4	6	11	27	44
20-34	93	6.5	51	1	2	4	7	15	20	41
35-49	52	4.9	16	1	1	4	6	12	14	18
50-64	40	7.3	44	1	1	5	11	19	22	23
65+	61	10.9	74	2	3	8	15	22	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*	210	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	830	5.0	30	1	1	3	7	10	14	26
B. *Operated*	292	7.2	55	1	2	5	9	17	23	41
1. SINGLE DX	346	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1122	5.6	38	1	1	4	7	12	17	33
A. NOT OPERATED	966	4.6	27	1	1	3	6	10	13	26
B. OPERATED	502	5.3	38	1	1	3	6	12	18	34
TOTAL 0-19 YRS	329	3.1	15	1	1	2	3	6	8	21
20-34	400	3.9	25	1	1	3	4	7	11	23
35-49	228	4.1	24	1	1	3	5	8	10	16
50-64	181	5.1	29	1	1	3	6	12	15	25
65+	330	8.1	46	1	2	6	11	17	21	37
GRAND TOTAL	**1468**	**4.8**	**31**	**1**	**1**	**3**	**6**	**11**	**15**	**26**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	12	1	1	3	5	9	12	12
20-34	11	2.3	2	<1	<1	2	3	4	5	5
35-49	5	5.2	21	<1	<1	4	7	13	13	13
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	8	6.4	12	1	2	6	9	11	11	11
20-34	6	10.7	18	5	5	11	13	17	17	17
35-49	4	7.3	18	3	3	6	10	13	13	13
50-64	5	16.0	59	7	7	13	22	27	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	19	1	1	4	10	11	12	13
20-34	9	7.1	75	2	2	4	6	20	30	30
35-49	8	6.6	41	1	1	5	8	17	21	21
50-64	8	11.6	111	1	1	7	19	28	30	30
65+	11	9.9	37	2	3	10	14	19	21	21
B. *Operated*										
0-19 YRS	17	12.6	111	1	2	9	21	29	32	33
20-34	29	18.0	295	4	5	14	19	51	62	63
35-49	12	31.1	519	2	3	32	48	59	68	69
50-64	12	26.1	864	2	3	19	41	96	99	99+
65+	11	19.7	99	7	9	18	25	36	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.0	12	<1	1	3	5	9	12	13
B. *Operated*	23	9.7	35	2	3	9	13	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	51	7.8	51	1	1	6	10	18	24	30
B. *Operated*	81	20.2	365	3	4	14	27	51	65	98
1. SINGLE DX	55	6.4	29	<1	1	5	10	13	16	27
2. MULTIPLE DX	132	15.4	280	1	2	10	21	35	60	96
A. NOT OPERATED	83	6.3	39	1	1	4	8	14	21	30
B. OPERATED	104	17.9	310	3	3	13	23	46	62	97
TOTAL 0-19 YRS	52	7.5	58	1	1	5	10	15	27	33
20-34	55	12.3	209	1	2	6	15	30	55	63
35-49	29	16.6	373	1	2	7	25	49	56	69
50-64	27	18.4	459	2	2	13	23	63	95	99+
65+	24	14.4	85	3	4	13	18	27	36	38
GRAND TOTAL	**187**	**12.8**	**223**	**1**	**2**	**7**	**15**	**30**	**48**	**88**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	1	1	1	3	3	3	3
20-34	23	1.5	1	<1	<1	1	2	3	4	4
35-49	8	1.6	1	<1	<1	1	2	3	3	3
50-64	8	2.6	6	<1	<1	1	4	7	7	7
65+	13	4.4	34	<1	<1	1	5	14	19	20
B. *Operated*										
0-19 YRS	130	2.3	2	<1	1	2	3	4	4	6
20-34	590	2.5	2	1	1	2	3	4	5	7
35-49	176	2.6	2	<1	1	2	3	4	5	8
50-64	77	1.9	1	<1	<1	2	2	3	4	5
65+	70	2.3	5	1	1	1	2	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	<1	1	2	3	4	4	4
20-34	42	3.8	15	<1	1	2	5	9	13	16
35-49	24	2.6	3	<1	1	2	4	5	6	7
50-64	14	5.0	11	<1	1	5	8	9	11	11
65+	48	6.4	25	1	1	5	8	15	18	22
B. *Operated*										
0-19 YRS	42	3.4	12	1	1	2	4	6	14	16
20-34	159	4.2	18	1	1	3	5	8	10	25
35-49	82	3.6	9	<1	1	3	4	8	10	14
50-64	60	4.6	19	1	1	3	6	10	14	20
65+	186	5.0	36	1	1	3	6	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.3	10	<1	<1	1	2	4	7	19
B. *Operated*	1043	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	139	4.5	17	<1	1	3	6	10	14	19
B. *Operated*	529	4.4	23	1	1	3	5	9	13	24
1. SINGLE DX	1102	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	668	4.4	21	1	1	3	5	9	13	22
A. NOT OPERATED	198	3.8	16	<1	1	2	5	9	13	19
B. OPERATED	1572	3.1	10	1	1	2	4	5	8	17
TOTAL 0-19 YRS	190	2.5	4	1	1	2	3	4	5	15
20-34	814	2.8	6	1	1	2	3	5	6	12
35-49	290	2.9	4	<1	1	2	4	5	7	11
50-64	159	3.2	11	<1	1	2	4	8	9	16
65+	317	4.6	29	1	1	3	6	11	16	26
GRAND TOTAL	**1770**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.8	1	<1	<1	1	2	3	4	6
20-34	28	3.6	12	1	1	2	5	8	9	17
35-49	15	3.7	3	1	2	3	6	6	6	6
50-64	5	3.4	2	2	2	4	4	5	5	5
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	691	2.3	2	<1	1	2	3	4	5	7
20-34	1279	2.5	3	<1	1	2	3	5	6	8
35-49	617	2.6	4	<1	1	2	3	5	7	10
50-64	298	2.8	4	1	1	2	4	5	6	9
65+	78	3.7	9	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.0	2	<1	<1	2	3	4	5	5
20-34	33	2.8	14	<1	<1	1	3	7	12	18
35-49	30	3.2	7	<1	<1	2	5	7	8	9
50-64	24	4.2	16	1	1	3	5	11	15	15
65+	28	6.3	14	1	1	6	8	12	15	15
B. *Operated*										
0-19 YRS	573	2.9	6	1	1	2	4	5	7	10
20-34	1168	3.3	8	1	1	2	4	6	8	14
35-49	772	3.4	10	1	1	2	4	7	9	16
50-64	708	3.6	13	1	1	3	4	7	10	18
65+	366	4.7	22	1	1	3	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.9	6	<1	<1	2	4	6	7	14
B. *Operated*	2963	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	150	3.6	12	<1	<1	2	5	8	11	15
B. *Operated*	3587	3.4	11	1	1	3	4	7	9	17
1. SINGLE DX	3045	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	3737	3.5	11	1	1	3	4	7	9	16
A. NOT OPERATED	232	3.3	10	<1	<1	2	4	7	9	16
B. OPERATED	6550	3.0	7	1	1	2	4	6	8	14
TOTAL 0-19 YRS	1330	2.6	4	<1	1	2	3	5	6	9
20-34	2508	2.9	5	<1	1	2	4	6	7	12
35-49	1434	3.1	7	1	1	2	4	6	8	13
50-64	1035	3.4	11	1	1	2	4	6	9	16
65+	475	4.6	20	1	1	3	5	10	13	22
GRAND TOTAL	**6782**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.6	15	<1	1	2	5	7	12	22
20-34	46	4.7	17	<1	1	3	7	10	14	18
35-49	28	5.4	11	2	2	4	8	10	12	14
50-64	16	5.9	32	1	1	4	8	11	19	23
65+	6	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	255	2.6	9	<1	1	2	3	5	8	18
20-34	270	3.8	16	<1	1	2	4	9	12	21
35-49	142	3.7	15	1	1	2	4	8	12	19
50-64	86	4.9	37	1	1	3	5	13	21	31
65+	61	4.2	21	1	1	3	5	8	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.9	35	<1	1	3	6	13	19	27
20-34	65	5.6	33	<1	1	4	7	12	14	34
35-49	60	5.8	21	1	1	5	7	13	15	23
50-64	41	7.5	34	1	2	6	10	14	19	30
65+	87	7.1	60	1	1	4	10	16	20	45
B. *Operated*										
0-19 YRS	160	6.6	65	1	1	4	8	14	26	43
20-34	302	7.3	78	1	1	4	9	16	23	49
35-49	184	7.1	69	1	1	4	9	17	25	43
50-64	163	10.3	175	1	2	5	13	23	39	61
65+	137	10.9	183	1	1	6	14	27	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.5	17	<1	1	3	6	10	13	22
B. *Operated*	814	3.5	17	<1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	292	6.2	39	1	1	4	8	13	17	29
B. *Operated*	946	8.2	108	1	1	4	10	20	29	51
1. SINGLE DX	959	3.7	17	<1	1	2	4	8	12	23
2. MULTIPLE DX	1238	7.7	93	1	1	4	9	18	26	49
A. NOT OPERATED	437	5.6	33	1	1	4	7	12	16	24
B. OPERATED	1760	6.0	71	1	1	3	7	14	22	43
TOTAL 0-19 YRS	503	4.1	32	<1	1	2	4	9	14	29
20-34	683	5.6	48	1	1	3	7	13	18	35
35-49	414	5.6	41	1	1	4	7	12	17	31
50-64	306	8.2	115	1	1	4	10	19	29	54
65+	291	8.1	116	1	1	4	10	20	28	57
GRAND TOTAL	**2197**	**5.9**	**63**	**1**	**1**	**3**	**7**	**14**	**21**	**42**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	2	<1	1	2	3	4	5	8
20-34	78	2.7	5	<1	1	2	3	5	7	13
35-49	38	3.1	6	1	1	3	4	6	6	15
50-64	27	3.4	7	1	1	2	5	7	9	11
65+	29	4.4	9	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	408	3.0	3	1	1	3	4	5	6	9
20-34	514	3.4	5	1	1	3	5	6	7	9
35-49	171	3.8	6	1	1	3	5	7	8	12
50-64	65	4.4	10	1	1	4	6	9	10	16
65+	24	6.1	12	1	2	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	3	1	1	2	3	5	6	8
20-34	107	3.7	7	1	1	3	6	8	8	11
35-49	68	3.7	9	1	1	3	5	7	9	16
50-64	116	4.9	17	1	2	4	6	8	12	26
65+	249	6.4	19	2	2	5	8	12	14	20
B. *Operated*										
0-19 YRS	553	3.7	6	1	1	4	5	6	7	12
20-34	885	4.2	7	1	1	4	5	7	8	11
35-49	300	4.6	13	1	1	4	6	8	11	20
50-64	138	6.3	33	2	2	5	8	12	14	32
65+	110	9.0	49	2	3	7	12	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	2.9	6	1	1	2	4	6	7	14
B. *Operated*	1182	3.4	5	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	602	4.9	15	1	1	4	6	10	12	19
B. *Operated*	1986	4.5	13	1	1	4	5	8	10	19
1. SINGLE DX	1417	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2588	4.6	14	1	1	4	6	8	11	19
A. NOT OPERATED	837	4.3	13	1	1	3	6	9	12	18
B. OPERATED	3168	4.1	10	1	1	4	5	7	9	16
TOTAL 0-19 YRS	1086	3.3	5	1	1	3	4	6	7	10
20-34	1584	3.8	6	1	1	4	5	7	8	10
35-49	577	4.2	10	1	1	3	5	8	9	19
50-64	346	5.2	22	1	2	4	6	10	13	30
65+	412	6.9	28	2	2	5	9	13	17	24
GRAND TOTAL	**4005**	**4.2**	**11**	**1**	**1**	**4**	**5**	**7**	**10**	**17**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	4.1	9	1	1	3	5	8	10	13
20-34	1437	5.6	11	2	2	5	7	10	11	16
35-49	1343	5.9	12	2	2	5	8	10	12	17
50-64	502	6.0	11	2	2	5	8	10	12	16
65+	158	5.5	12	2	2	5	8	9	12	15
B. *Operated*										
0-19 YRS	10	6.3	34	1	1	4	6	17	18	18
20-34	181	6.0	21	1	1	5	9	12	14	17
35-49	150	6.5	24	1	2	6	9	12	14	23
50-64	41	9.0	45	1	2	8	12	20	21	25
65+	5	9.8	79	3	3	6	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	4.8	10	1	1	4	7	9	11	14
20-34	1649	6.4	16	2	2	6	8	11	13	21
35-49	2209	7.0	18	2	3	6	9	12	15	21
50-64	1592	7.2	20	2	3	6	9	12	15	24
65+	1326	7.3	20	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	11	9.9	91	3	3	6	9	26	34	35
20-34	246	9.6	39	2	3	9	12	17	22	31
35-49	362	9.9	34	2	3	9	13	18	22	27
50-64	200	10.5	39	2	4	9	13	19	24	31
65+	103	12.8	73	4	5	11	17	21	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3579	5.7	11	2	2	5	7	10	12	16
B. *Operated*	387	6.6	26	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	6940	6.9	18	2	3	6	9	12	15	22
B. *Operated*	922	10.3	42	2	3	9	13	18	23	30
1. SINGLE DX	3966	5.8	13	2	2	5	8	10	12	17
2. MULTIPLE DX	7862	7.3	22	2	3	6	9	13	16	25
A. NOT OPERATED	10519	6.5	16	2	2	6	8	11	14	21
B. OPERATED	1309	9.2	40	2	2	8	12	17	21	28
TOTAL 0-19 YRS	324	4.7	14	1	1	4	6	9	11	20
20-34	3513	6.3	17	2	2	5	8	11	13	21
35-49	4064	6.9	18	2	3	6	9	12	15	23
50-64	2335	7.3	21	2	3	6	9	13	16	25
65+	1592	7.5	25	2	3	6	10	14	17	25
GRAND TOTAL	11828	6.8	20	2	2	6	9	12	15	23

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	2.6	5	<1	1	2	3	5	6	11
20-34	1057	4.9	10	1	1	4	7	9	11	16
35-49	785	5.7	13	1	2	5	7	10	12	18
50-64	286	5.7	14	1	2	5	7	10	13	17
65+	90	5.1	21	1	1	4	6	10	13	27
B. *Operated*										
0-19 YRS	8	3.8	4	1	1	4	5	6	6	6
20-34	182	5.0	17	1	1	4	7	10	13	21
35-49	143	5.6	24	1	1	4	7	12	16	25
50-64	40	5.3	14	1	1	4	8	11	12	14
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	3.8	11	1	1	3	5	7	10	15
20-34	2534	6.1	20	1	2	5	8	11	14	20
35-49	2288	6.6	18	2	2	6	8	12	15	21
50-64	1308	6.4	17	2	2	6	8	11	14	19
65+	965	6.3	18	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	30	5.2	17	1	1	4	8	11	12	18
20-34	335	7.4	34	1	2	6	10	15	18	27
35-49	428	8.9	49	1	2	7	12	17	21	31
50-64	185	9.6	44	2	3	8	13	18	21	32
65+	80	10.0	59	1	2	9	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2523	5.0	12	1	1	4	7	9	12	16
B. *Operated*	375	5.2	19	1	1	4	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	7535	6.2	18	1	2	5	8	11	14	20
B. *Operated*	1058	8.5	44	1	2	7	11	17	21	31
1. SINGLE DX	2898	5.0	13	1	1	4	7	9	12	17
2. MULTIPLE DX	8593	6.5	22	1	2	5	8	12	15	22
A. NOT OPERATED	10058	5.9	17	1	2	5	8	11	14	19
B. OPERATED	1433	7.6	40	1	2	6	10	16	19	28
TOTAL 0-19 YRS	783	3.4	9	1	1	3	4	7	9	15
20-34	4108	5.9	19	1	2	5	8	11	13	20
35-49	3644	6.6	21	1	2	6	8	12	15	22
50-64	1819	6.6	21	1	2	6	8	12	15	22
65+	1137	6.5	22	1	2	5	8	12	15	23
GRAND TOTAL	11491	6.1	20	1	2	5	8	11	14	21

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.3	3	<1	1	2	3	4	6	10
20-34	149	2.8	6	<1	1	2	4	6	7	10
35-49	85	3.1	5	1	1	2	4	6	8	11
50-64	60	3.4	7	1	1	2	4	8	10	11
65+	64	4.8	15	1	1	4	7	11	12	19
B. *Operated*										
0-19 YRS	200	2.3	1	1	1	2	3	4	5	6
20-34	602	2.6	2	1	1	2	3	4	5	7
35-49	526	3.0	3	1	1	3	4	5	6	9
50-64	571	3.7	3	1	2	3	5	6	7	8
65+	149	4.3	5	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.8	6	<1	1	2	4	5	7	13
20-34	220	3.4	9	<1	1	3	4	7	10	15
35-49	194	4.5	20	1	1	3	6	9	12	26
50-64	250	5.2	16	1	1	4	7	11	13	19
65+	494	6.3	20	1	2	5	8	13	15	20
B. *Operated*										
0-19 YRS	105	2.7	4	<1	1	2	3	5	7	10
20-34	222	3.6	13	1	1	3	4	6	9	22
35-49	263	4.6	22	1	2	3	5	7	12	28
50-64	475	5.3	20	2	2	4	6	9	13	30
65+	275	6.4	24	2	2	5	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.0	7	<1	1	2	4	6	9	12
B. *Operated*	2048	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1276	5.0	17	1	1	4	6	10	13	20
B. *Operated*	1340	4.9	20	1	2	4	6	9	13	24
1. SINGLE DX	2543	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	2616	5.0	19	1	1	4	6	9	13	21
A. NOT OPERATED	1771	4.5	15	1	1	3	6	9	12	19
B. OPERATED	3388	3.8	11	1	1	3	5	7	9	17
TOTAL 0-19 YRS	560	2.5	3	<1	1	2	3	5	6	9
20-34	1193	3.0	6	1	1	2	4	5	7	13
35-49	1068	3.7	11	1	1	3	4	6	8	17
50-64	1356	4.5	12	1	2	4	5	8	10	19
65+	982	6.0	19	1	2	5	7	12	14	20
GRAND TOTAL	5159	4.0	12	1	1	3	5	8	10	18

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3014	1.5	1	<1	1	1	2	2	3	5
20-34	838	2.0	3	<1	1	1	2	4	5	8
35-49	266	2.6	5	1	1	2	3	5	7	10
50-64	117	2.5	4	<1	1	2	3	4	6	11
65+	66	2.8	5	1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	15	3.8	17	<1	1	2	4	11	12	13
20-34	5	4.0	9	1	1	3	5	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.7	14	2	2	3	7	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3645	2.1	4	<1	1	2	2	4	5	9
20-34	3061	3.3	10	1	1	2	4	7	9	16
35-49	1381	3.9	11	1	1	3	5	8	10	17
50-64	887	4.2	13	1	1	3	6	8	11	17
65+	1063	5.1	20	1	1	4	6	10	14	21
B. *Operated*										
0-19 YRS	697	3.2	24	1	1	2	3	7	10	26
20-34	886	3.9	31	<1	1	2	4	8	11	28
35-49	364	4.6	30	1	1	3	5	11	14	30
50-64	219	5.5	55	1	1	3	6	12	16	45
65+	323	6.9	69	1	1	4	8	14	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4301	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	24	3.8	13	<1	1	2	4	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	10037	3.2	10	1	1	2	4	7	9	16
B. *Operated*	2489	4.3	37	1	1	2	5	9	13	33
1. SINGLE DX	4325	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	12526	3.4	16	1	1	2	4	7	10	19
A. NOT OPERATED	14338	2.8	8	1	1	2	3	6	8	14
B. OPERATED	2513	4.3	37	1	1	2	5	9	13	32
TOTAL 0-19 YRS	7371	1.9	5	<1	1	1	2	3	5	9
20-34	4790	3.2	13	<1	1	2	4	7	9	17
35-49	2012	3.[illegible]	14	1	1	3	5	8	10	19
50-64	1226	4.3	20	1	1	3	5	8	12	21
65+	1452	5.4	31	1	1	4	7	11	15	29
GRAND TOTAL	16851	3.0	13	1	1	2	4	6	9	17

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1223	1.5	2	<1	1	1	2	3	4	8
20-34	309	3.4	45	<1	<1	1	3	7	12	44
35-49	105	2.8	6	<1	1	2	4	6	9	11
50-64	43	5.1	38	<1	1	3	6	12	18	32
65+	51	4.5	32	<1	1	2	5	10	18	30
B. *Operated*										
0-19 YRS	47	8.6	55	1	2	6	10	19	24	36
20-34	39	8.0	46	1	2	6	14	21	59	99+
35-49	18	11.6	191	1	2	8	13	25	47	60
50-64	30	8.5	22	2	3	8	11	16	16	23
65+	35	13.0	95	3	4	10	17	25	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1996	2.9	28	<1	1	2	3	6	8	24
20-34	1476	4.6	38	<1	1	3	6	8	12	31
35-49	644	4.8	26	<1	1	4	7	9	12	31
50-64	459	6.0	45	1	1	4	7	13	17	32
65+	707	7.3	61	1	1	5	9	17	21	39
B. *Operated*										
0-19 YRS	440	10.6	289	1	1	4	11	35	61	99+
20-34	637	11.1	287	<1	1	4	15	43	80	99+
35-49	281	13.5	324	1	1	6	19	45	66	99+
50-64	200	14.6	322	1	1	8	21	40	59	97
65+	443	15.3	216	1	2	11	20	35	47	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1731	2.1	13	<1	1	1	2	4	6	16
B. *Operated*	169	9.7	72	2	2	7	13	21	27	91
2. MULTIPLE DX										
A. *Not Operated*	5282	4.5	38	1	1	3	6	9	13	32
B. *Operated*	2001	12.6	283	1	1	6	17	39	62	99+
1. SINGLE DX	1900	2.8	22	<1	1	1	2	6	10	24
2. MULTIPLE DX	7283	6.7	119	1	1	3	7	16	28	80
A. NOT OPERATED	7013	3.9	33	<1	1	2	5	8	12	28
B. OPERATED	2170	12.4	268	1	1	7	16	37	59	99+
TOTAL 0-19 YRS	3706	3.4	58	<1	1	1	3	6	11	49
20-34	2461	6.2	112	<1	1	3	7	14	26	99+
35-49	1048	7.1	123	1	1	4	7	15	32	97
50-64	732	8.4	134	1	1	4	10	19	30	69
65+	1236	10.3	132	1	1	7	13	24	34	59
GRAND TOTAL	**9183**	**5.9**	**101**	**<1**	**1**	**2**	**6**	**14**	**24**	**69**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.6	2	1	1	2	3	5	6	6
20-34	58	2.9	5	1	1	2	3	7	8	10
35-49	19	2.6	3	<1	1	2	4	5	7	7
50-64	10	3.1	6	<1	<1	2	5	6	7	7
65+	5	2.6	1	2	2	2	3	4	4	4
B. *Operated*										
0-19 YRS	49	5.3	10	2	2	5	6	9	12	18
20-34	96	5.2	9	2	2	4	6	10	12	15
35-49	22	5.2	17	2	2	4	5	10	16	19
50-64	16	5.6	12	2	3	5	6	12	14	15
65+	8	3.9	6	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	3.8	20	1	1	3	5	8	10	27
20-34	185	4.3	10	1	2	4	6	8	12	15
35-49	134	4.9	10	1	2	4	6	9	10	17
50-64	128	5.6	23	1	2	5	7	11	12	24
65+	156	7.8	27	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	157	9.8	129	3	3	7	10	17	28	73
20-34	486	9.1	80	2	3	7	10	17	24	66
35-49	202	10.1	93	3	3	7	11	19	29	61
50-64	164	13.6	246	3	3	9	14	24	57	79
65+	194	13.0	109	3	4	10	17	26	32	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	2.8	4	1	1	2	3	6	7	9
B. *Operated*	191	5.2	10	2	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	695	5.4	19	1	2	4	7	11	13	20
B. *Operated*	1203	10.6	119	2	3	8	12	20	30	72
1. SINGLE DX	317	4.2	9	1	1	4	5	8	10	15
2. MULTIPLE DX	1898	8.7	89	2	2	6	10	16	24	61
A. NOT OPERATED	821	5.0	18	1	1	4	6	10	12	19
B. OPERATED	1394	9.9	107	2	3	7	11	18	27	71
TOTAL 0-19 YRS	332	6.7	77	1	2	5	8	12	18	46
20-34	825	7.1	57	1	2	5	9	13	17	43
35-49	377	7.6	62	1	2	6	9	15	21	53
50-64	318	9.7	153	2	2	6	11	16	29	73
65+	363	10.4	79	2	3	8	12	20	28	68
GRAND TOTAL	**2215**	**8.1**	**80**	**2**	**2**	**6**	**10**	**15**	**23**	**58**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	3.2	6	1	1	2	4	7	9	11
20-34	157	3.1	6	1	1	2	4	7	8	11
35-49	34	3.5	7	1	1	3	4	7	9	11
50-64	20	3.5	7	1	1	3	4	7	10	12
65+	5	2.4	4	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	118	7.4	17	3	4	7	9	11	15	28
20-34	153	6.5	12	2	3	6	8	9	11	19
35-49	35	7.8	24	2	2	7	10	14	19	24
50-64	17	6.7	10	1	2	7	9	10	13	14
65+	3	8.0	7	5	5	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	4.0	19	1	1	3	5	8	11	17
20-34	366	3.6	12	1	1	2	4	8	10	15
35-49	166	4.6	14	1	1	4	6	9	11	22
50-64	108	5.2	18	1	1	4	6	11	13	22
65+	131	5.3	14	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	443	11.3	100	3	4	8	12	22	32	54
20-34	802	12.2	136	3	5	9	13	24	36	70
35-49	291	13.9	177	4	5	10	15	32	45	96
50-64	181	14.0	165	3	5	10	16	27	43	75
65+	157	16.8	221	3	4	12	21	34	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	3.2	6	1	1	2	4	7	8	11
B. *Operated*	326	7.0	15	2	3	7	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	1211	4.2	16	1	1	3	5	9	11	17
B. *Operated*	1874	12.8	145	3	5	9	14	26	37	76
1. SINGLE DX	831	4.7	13	1	1	4	7	9	11	16
2. MULTIPLE DX	3085	9.5	112	1	2	7	11	19	29	61
A. NOT OPERATED	1716	3.9	13	1	1	3	5	8	10	16
B. OPERATED	2200	12.0	130	3	4	8	13	23	34	70
TOTAL 0-19 YRS	1290	6.7	56	1	1	5	8	13	19	35
20-34	1478	8.5	95	1	2	6	10	17	26	56
35-49	526	9.9	125	1	2	7	11	21	34	85
50-64	326	10.1	118	1	2	7	12	20	31	56
65+	296	11.3	157	2	2	8	14	24	34	76
GRAND TOTAL	**3916**	**8.5**	**95**	**1**	**1**	**6**	**10**	**17**	**26**	**54**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	7	<1	<1	1	3	7	9	10
20-34	16	2.6	3	<1	<1	2	3	5	6	6
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	256	2.4	3	<1	1	2	3	5	6	8
20-34	165	2.8	5	<1	1	2	4	6	7	12
35-49	62	2.3	2	<1	1	2	3	4	5	7
50-64	31	2.5	2	1	1	2	4	5	5	6
65+	21	3.6	6	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.7	2	1	1	2	4	5	6	6
20-34	29	3.4	37	1	1	2	3	5	9	34
35-49	15	3.7	9	<1	1	3	4	7	11	13
50-64	7	5.6	36	1	1	4	4	16	19	19
65+	9	4.1	6	2	2	3	5	8	9	9
B. *Operated*										
0-19 YRS	291	3.4	15	1	1	3	4	6	8	16
20-34	300	3.9	8	1	1	3	5	7	10	14
35-49	137	4.4	24	1	1	4	5	7	10	19
50-64	70	4.2	8	1	1	4	5	8	10	14
65+	69	5.4	14	1	2	5	7	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.6	5	<1	<1	2	3	5	9	10
B. *Operated*	535	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	102	3.4	16	1	1	3	4	5	8	26
B. *Operated*	867	3.9	14	1	1	3	5	7	10	15
1. SINGLE DX	579	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	969	3.9	14	1	1	3	5	7	9	16
A. NOT OPERATED	146	3.2	13	<1	1	2	4	5	8	20
B. OPERATED	1402	3.4	10	1	1	3	4	6	8	14
TOTAL 0-19 YRS	610	2.9	9	1	1	2	4	5	7	12
20-34	510	3.5	9	1	1	3	5	6	8	14
35-49	218	3.7	17	1	1	3	5	7	8	13
50-64	110	3.8	9	1	1	3	5	7	10	16
65+	100	4.9	12	1	1	4	6	9	13	18
GRAND TOTAL	**1548**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.2	2	<1	1	2	3	4	5	7
20-34	75	2.2	6	<1	<1	1	2	5	7	15
35-49	24	2.2	2	<1	<1	2	3	4	6	6
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	13	2.2	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	490	1.7	2	<1	1	1	2	3	4	7
20-34	221	2.4	12	<1	<1	2	3	4	6	12
35-49	67	2.6	11	<1	1	2	2	6	8	22
50-64	30	3.5	34	1	1	2	3	7	11	32
65+	21	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	2.5	6	<1	1	2	3	5	6	11
20-34	370	2.9	13	<1	1	2	3	5	7	22
35-49	194	3.2	7	<1	1	2	4	7	9	12
50-64	147	3.9	11	1	1	3	5	8	9	17
65+	258	4.8	15	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	880	2.7	11	<1	1	2	3	5	8	18
20-34	1069	3.2	12	<1	1	2	4	7	10	16
35-49	489	4.6	29	1	1	3	5	10	14	31
50-64	305	5.5	91	1	1	3	6	10	14	53
65+	500	5.4	44	1	1	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.2	3	<1	<1	1	3	4	6	8
B. *Operated*	829	2.0	7	<1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1289	3.3	11	<1	1	2	4	7	9	16
B. *Operated*	3243	3.8	28	<1	1	2	4	8	11	23
1. SINGLE DX	1080	2.1	6	<1	1	1	2	4	5	10
2. MULTIPLE DX	4532	3.7	23	<1	1	2	4	8	11	22
A. NOT OPERATED	1540	3.1	10	<1	1	2	4	7	9	16
B. OPERATED	4072	3.5	24	<1	1	2	4	7	11	22
TOTAL 0-19 YRS	1822	2.4	7	<1	1	2	3	5	6	14
20-34	1735	3.0	12	<1	1	2	4	6	9	17
35-49	774	4.0	22	1	1	2	5	8	11	25
50-64	489	4.8	63	1	1	3	5	8	12	51
65+	792	5.1	33	1	1	4	7	10	14	24
GRAND TOTAL	**5612**	**3.4**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	1.8	1	<1	<1	2	2	3	4	6
20-34	250	2.0	3	<1	<1	1	2	4	4	8
35-49	87	2.1	2	<1	1	2	3	4	5	8
50-64	26	2.9	12	<1	<1	2	3	5	12	16
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	208	2.5	6	<1	1	2	3	5	7	13
20-34	239	3.8	41	<1	1	3	4	7	9	15
35-49	53	5.5	72	1	1	4	5	10	19	55
50-64	16	2.7	3	1	1	2	4	6	6	6
65+	11	3.3	7	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	2.6	4	<1	1	2	3	5	7	10
20-34	263	3.0	13	<1	1	2	4	6	8	16
35-49	93	4.5	34	1	1	3	5	9	15	34
50-64	49	4.0	9	1	1	3	6	8	10	13
65+	39	5.5	14	1	2	5	7	12	13	18
B. *Operated*										
0-19 YRS	254	5.3	35	1	1	4	7	10	14	30
20-34	548	7.0	52	1	1	5	9	14	20	39
35-49	174	6.5	32	1	1	6	8	13	16	31
50-64	70	8.7	102	<1	1	7	10	18	22	64
65+	41	9.1	67	1	1	6	13	23	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	2.0	3	<1	<1	2	2	4	4	8
B. *Operated*	527	3.4	29	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	566	3.4	15	<1	1	2	4	7	9	20
B. *Operated*	1087	6.7	49	1	1	5	8	14	20	35
1. SINGLE DX	1037	2.7	17	<1	1	2	3	5	7	14
2. MULTIPLE DX	1653	5.6	40	1	1	4	7	12	16	33
A. NOT OPERATED	1076	2.7	10	<1	1	2	3	5	7	15
B. OPERATED	1614	5.6	45	1	1	4	7	11	16	33
TOTAL 0-19 YRS	730	3.3	17	<1	1	2	4	7	9	18
20-34	1300	4.6	37	<1	1	3	6	10	14	30
35-49	407	5.0	34	1	1	3	7	10	14	33
50-64	161	5.8	56	<1	1	4	7	11	16	40
65+	92	6.8	41	1	1	5	8	15	23	31
GRAND TOTAL	**2690**	**4.5**	**33**	**<1**	**1**	**3**	**6**	**9**	**14**	**29**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.5	3	1	1	2	3	5	5	8
20-34	227	2.4	3	<1	1	2	3	4	6	9
35-49	84	3.6	42	<1	1	2	4	6	8	43
50-64	35	2.8	2	1	1	2	4	5	6	6
65+	10	3.1	6	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	1036	2.1	6	<1	1	1	2	4	5	11
20-34	1620	2.2	8	<1	<1	1	2	4	6	11
35-49	631	2.3	7	<1	1	2	3	5	6	13
50-64	368	2.5	12	<1	1	2	3	5	7	15
65+	136	2.6	9	<1	1	2	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	3.2	20	<1	1	2	4	5	7	15
20-34	309	3.9	17	<1	1	3	5	7	9	27
35-49	96	4.4	31	<1	1	3	5	7	13	32
50-64	78	5.3	49	1	1	4	6	9	13	47
65+	62	6.1	23	1	2	5	8	11	16	27
B. *Operated*										
0-19 YRS	939	2.8	12	<1	1	2	3	6	9	16
20-34	1656	3.3	21	<1	1	2	4	7	10	23
35-49	712	3.7	35	1	1	2	4	8	11	27
50-64	461	3.8	28	1	1	2	4	7	11	27
65+	267	4.8	53	1	1	3	6	10	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	2.7	9	<1	1	2	3	5	6	9
B. *Operated*	3791	2.2	8	<1	1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	706	4.2	24	<1	1	3	5	8	10	27
B. *Operated*	4035	3.4	24	1	1	2	4	7	11	24
1. SINGLE DX	4296	2.3	8	<1	1	2	3	4	6	12
2. MULTIPLE DX	4741	3.5	24	<1	1	2	4	7	11	24
A. NOT OPERATED	1211	3.5	19	<1	1	3	4	6	8	21
B. OPERATED	7826	2.8	17	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	2285	2.5	10	<1	1	2	3	5	7	14
20-34	3812	2.9	14	<1	1	2	3	6	8	20
35-49	1523	3.1	24	<1	1	2	3	6	9	24
50-64	942	3.4	23	1	1	2	4	7	9	22
65+	475	4.3	37	1	1	2	5	9	13	27
GRAND TOTAL	**9037**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	3.0	6	<1	1	2	4	5	8	14
20-34	194	2.9	4	1	1	2	4	5	7	10
35-49	46	3.1	5	<1	1	2	5	6	8	11
50-64	33	3.5	29	<1	<1	2	4	7	11	30
65+	9	6.2	26	<1	1	5	8	14	18	18
B. *Operated*										
0-19 YRS	689	3.7	18	1	1	2	4	8	10	24
20-34	507	3.9	19	1	1	3	4	8	11	23
35-49	205	3.6	8	<1	1	3	4	7	11	14
50-64	105	4.8	33	1	1	3	6	10	16	36
65+	36	4.6	14	1	1	3	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.4	32	1	1	3	5	7	11	35
20-34	159	3.9	10	1	1	3	5	8	11	16
35-49	84	4.9	17	1	1	4	7	9	12	24
50-64	47	6.5	18	1	2	5	10	13	15	99+
65+	87	6.6	23	2	2	5	8	13	16	24
B. *Operated*										
0-19 YRS	412	6.5	67	1	1	4	7	14	20	47
20-34	510	7.5	88	1	1	4	8	17	27	50
35-49	181	8.6	104	1	1	5	10	21	28	56
50-64	124	8.3	66	1	1	5	12	20	26	59
65+	126	12.9	218	1	2	8	15	27	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	3.1	7	<1	1	2	4	6	8	14
B. *Operated*	1542	3.9	18	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	509	4.9	21	1	1	4	6	10	13	25
B. *Operated*	1353	7.9	96	1	1	5	9	18	27	53
1. SINGLE DX	2011	3.7	16	1	1	3	4	7	10	21
2. MULTIPLE DX	1862	7.1	78	1	1	4	8	15	24	50
A. NOT OPERATED	978	4.0	15	1	1	3	5	8	11	19
B. OPERATED	2895	5.7	59	1	1	3	6	12	19	42
TOTAL 0-19 YRS	1420	4.5	33	1	1	3	5	9	13	31
20-34	1370	5.1	45	1	1	3	6	10	16	38
35-49	516	5.5	48	1	1	3	6	11	17	34
50-64	309	6.3	47	1	1	4	8	15	21	40
65+	258	9.4	129	1	2	6	11	20	27	65
GRAND TOTAL	**3873**	**5.3**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**37**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	2.4	4	<1	<1	2	3	6	6	6
20-34	[illegible]	2.4		2	2	2	3	3	3	3
35-49	[illegible]	2.2	3	<1	<1	2	3	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	24	3.3	18	1	1	2	4	8	14	18
20-34	29	5.8	58	1	1	3	6	12	27	34
35-49	12	3.5	10	1	1	2	4	8	11	12
50-64	9	6.6	49	2	2	4	7	18	24	24
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.3	42	1	1	3	6	15	22	23
20-34	9	2.3	2	1	1	2	3	4	5	5
35-49	9	6.7	20	1	1	7	9	13	15	15
50-64	4	5.5	18	1	1	5	9	10	10	10
65+	13	7.2	25	2	2	6	9	14	19	20
B. *Operated*										
0-19 YRS	67	5.9	92	1	1	3	6	10	17	64
20-34	193	8.5	156	1	1	4	10	17	27	75
35-49	65	9.8	206	1	1	5	10	28	39	77
50-64	36	9.8	243	1	1	5	10	25	38	85
65+	29	16.3	273	2	3	11	21	31	65	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	5	6	6
B. *Operated*	76	4.7	35	1	1	3	5	11	17	32
2. MULTIPLE DX										
A. *Not Operated*	46	5.5	24	1	1	4	8	11	16	23
B. *Operated*	390	9.0	174	1	1	5	10	21	30	76
1. SINGLE DX	99	4.1	29	1	1	2	5	9	13	31
2. MULTIPLE DX	436	8.6	159	1	1	5	10	19	28	72
A. NOT OPERATED	69	4.4	19	1	1	3	6	10	12	22
B. OPERATED	466	8.3	154	1	1	4	9	18	28	71
TOTAL 0-19 YRS	112	5.0	64	1	1	3	6	10	15	46
20-34	236	7.8	137	1	1	4	9	16	26	67
35-49	91	8.3	157	1	1	5	9	20	32	72
50-64	51	8.6	183	1	1	4	9	19	28	85
65+	45	12.8	205	2	2	8	16	26	41	70
GRAND TOTAL	**535**	**7.8**	**138**	**1**	**1**	**4**	**9**	**17**	**27**	**70**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	24	<1	<1	2	5	12	15	17
20-34	21	5.0	19	<1	1	3	6	10	15	19
35-49	18	4.2	6	1	1	4	5	6	9	11
50-64	12	7.5	31	<1	<1	7	12	15	17	17
65+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	159	4.2	28	<1	1	3	5	9	12	24
20-34	253	3.9	14	1	1	3	4	8	11	24
35-49	108	4.7	19	1	1	3	6	9	13	22
50-64	84	3.3	9	1	1	2	4	6	9	17
65+	19	4.4	37	<1	<1	2	5	9	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	9.2	156	1	1	4	10	23	43	53
20-34	72	8.9	170	<1	1	4	10	25	34	97
35-49	45	8.9	90	1	1	6	12	16	24	59
50-64	29	6.9	32	1	2	5	8	15	19	25
65+	68	9.8	81	2	2	6	14	20	26	46
B. *Operated*										
0-19 YRS	157	5.2	67	1	1	4	5	8	22	97
20-34	358	5.5	74	1	2	4	5	9	14	38
35-49	190	5.6	46	1	2	4	5	10	18	40
50-64	150	5.9	38	1	2	4	7	11	15	36
65+	89	10.0	89	2	2	7	12	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.0	19	<1	1	4	6	12	14	19
B. *Operated*	623	4.0	19	1	1	3	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	260	9.0	114	1	1	5	12	21	28	58
B. *Operated*	944	5.9	65	1	2	4	6	11	20	44
1. SINGLE DX	697	4.1	19	1	1	3	5	9	12	23
2. MULTIPLE DX	1204	6.6	77	1	1	4	7	14	23	53
A. NOT OPERATED	334	8.1	96	1	1	5	11	19	25	54
B. OPERATED	1567	5.2	47	1	1	4	5	10	14	37
TOTAL 0-19 YRS	382	5.2	61	1	1	3	5	11	20	58
20-34	704	5.2	63	1	1	4	5	10	15	36
35-49	361	5.6	43	1	1	4	6	11	15	34
50-64	275	5.3	30	1	1	4	6	11	15	28
65+	179	9.2	81	1	2	6	12	21	26	45
GRAND TOTAL	**1901**	**5.7**	**57**	**1**	**1**	**4**	**6**	**12**	**18**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	3.6	4	1	1	3	5	5	6	11
20-34	124	3.4	5	<1	1	3	5	5	7	11
35-49	27	3.1	2	1	1	3	4	5	5	5
50-64	12	3.4	2	1	1	3	5	5	6	6
65+	10	3.8	3	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	10	6.5	17	1	1	6	10	11	12	12
20-34	5	3.4	5	1	1	3	5	7	7	7
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	3.6	4	1	1	3	5	7	7	10
20-34	155	3.1	6	<1	1	3	4	6	8	11
35-49	53	3.8	6	1	1	3	5	8	9	11
50-64	30	3.7	4	1	1	4	5	7	7	8
65+	47	4.8	12	1	1	4	7	9	10	19
B. *Operated*										
0-19 YRS	35	4.3	8	1	1	4	6	6	11	14
20-34	36	5.0	18	1	1	4	6	11	15	18
35-49	19	5.4	19	1	1	4	7	13	15	16
50-64	13	6.8	16	1	2	7	10	12	14	14
65+	8	8.8	69	2	2	7	9	23	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	3.5	4	1	1	3	5	5	6	11
B. *Operated*	19	5.3	15	1	1	4	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	513	3.6	6	1	1	3	5	7	8	11
B. *Operated*	111	5.3	19	1	1	4	6	11	14	22
1. SINGLE DX	520	3.6	5	1	1	3	5	6	7	11
2. MULTIPLE DX	624	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	1014	3.6	5	1	1	3	5	6	7	11
B. OPERATED	130	5.3	18	1	1	4	7	11	14	20
TOTAL 0-19 YRS	601	3.7	5	1	1	3	5	6	7	12
20-34	320	3.5	7	<1	1	3	4	6	8	16
35-49	101	4.0	8	1	1	3	5	8	10	15
50-64	56	4.4	8	1	1	4	6	8	11	14
65+	66	5.1	19	1	1	4	7	9	11	27
GRAND TOTAL	1144	3.8	7	1	1	3	5	7	8	13

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	881	1.8	2	<1	1	1	2	3	4	7
20-34	727	2.5	5	<1	<1	2	3	5	7	11
35-49	346	2.9	7	<1	1	2	4	6	8	12
50-64	179	3.0	6	1	1	2	4	6	7	11
65+	227	3.9	8	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	131	2.9	8	<1	1	2	3	7	8	15
20-34	117	3.8	13	1	1	2	5	8	13	18
35-49	60	3.9	12	1	1	3	5	8	10	19
50-64	47	3.9	5	1	1	4	6	7	8	10
65+	34	4.2	15	1	1	3	5	8	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1870	2.2	4	<1	1	2	3	4	6	9
20-34	2100	3.0	8	<1	1	2	4	6	8	14
35-49	1167	3.9	14	1	1	3	5	8	10	18
50-64	1134	4.7	19	1	1	3	6	9	12	24
65+	3133	6.1	26	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	246	3.6	12	<1	1	3	5	7	10	16
20-34	358	4.5	40	<1	1	3	5	10	14	25
35-49	193	6.1	37	1	1	4	9	13	18	30
50-64	216	8.4	85	1	2	6	11	16	22	47
65+	359	10.1	70	2	2	8	14	22	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2360	2.4	5	<1	1	2	3	5	7	11
B. *Operated*	389	3.6	11	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	9404	4.2	18	1	1	3	5	9	12	20
B. *Operated*	1372	6.7	56	1	1	4	9	15	21	33
1. SINGLE DX	2749	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	10776	4.5	23	1	1	3	6	9	13	23
A. NOT OPERATED	11764	3.8	15	<1	1	3	5	8	11	19
B. OPERATED	1761	6.0	48	1	1	4	8	14	19	32
TOTAL 0-19 YRS	3128	2.2	4	<1	1	2	3	4	6	10
20-34	3302	3.1	11	<1	1	2	4	6	9	15
35-49	1766	4.0	15	1	1	3	5	8	11	19
50-64	1576	5.0	28	1	1	4	6	10	14	25
65+	3753	6.3	31	1	2	5	8	13	17	27
GRAND TOTAL	13525	4.1	20	1	1	3	5	9	12	22

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.2	4	1	1	1	2	5	7	11
20-34	57	2.1	3	<1	1	2	3	4	5	10
35-49	16	3.0	7	<1	<1	2	3	8	10	11
50-64	14	2.5	2	1	1	2	3	4	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	32	4.0	22	<1	1	2	5	9	14	23
20-34	88	5.4	42	<1	1	4	6	10	24	77
35-49	32	4.7	54	<1	1	3	4	7	14	42
50-64	31	6.7	65	<1	1	3	8	20	29	30
65+	10	4.1	41	<1	<1	1	3	15	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.5	3	<1	1	2	3	5	6	9
20-34	75	3.7	16	<1	1	2	5	6	10	24
35-49	25	4.4	15	1	1	3	6	8	14	16
50-64	27	3.6	12	<1	<1	2	5	8	9	16
65+	12	7.0	11	1	2	7	9	11	12	12
B. *Operated*										
0-19 YRS	56	7.1	69	1	1	3	9	15	32	34
20-34	197	6.8	87	1	1	4	8	14	27	55
35-49	98	7.0	75	1	1	3	9	18	25	44
50-64	61	8.8	158	1	1	4	9	20	41	60
65+	19	10.0	150	1	1	5	18	22	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	2.2	3	1	1	2	3	5	6	11
B. *Operated*	193	5.2	44	<1	1	3	6	10	22	42
2. MULTIPLE DX										
A. *Not Operated*	206	3.6	12	<1	1	2	5	8	9	17
B. *Operated*	431	7.3	95	1	1	4	8	18	31	54
1. SINGLE DX	362	3.8	27	<1	1	2	4	8	12	31
2. MULTIPLE DX	637	6.1	71	1	1	3	7	14	21	49
A. NOT OPERATED	375	3.0	8	<1	1	2	3	6	8	15
B. OPERATED	624	6.7	80	1	1	3	7	15	26	51
TOTAL 0-19 YRS	234	3.7	26	1	1	2	4	8	12	32
20-34	417	5.3	56	1	1	3	6	11	18	44
35-49	171	5.8	58	1	1	3	6	13	21	40
50-64	133	6.6	95	1	1	3	7	17	28	54
65+	44	7.3	82	1	1	4	9	19	21	50
GRAND TOTAL	**999**	**5.3**	**56**	**1**	**1**	**3**	**6**	**12**	**19**	**42**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.1	4	<1	<1	1	2	6	7	7
20-34	4	1.5		1	1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	3	<1	<1	<1	3	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	5	3.4	6	1	1	4	5	7	7	7
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	19	1.8	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	9	3.0	5	<1	<1	2	5	6	6	6
B. *Operated*	13	2.4	4	1	1	1	4	5	7	7
1. SINGLE DX	32	1.7	2	<1	<1	1	2	3	6	7
2. MULTIPLE DX	22	2.6	4	<1	<1	2	4	6	7	7
A. NOT OPERATED	22	2.0	3	<1	<1	1	3	5	6	6
B. OPERATED	32	2.1	3	<1	<1	1	2	5	7	7
TOTAL 0-19 YRS	31	1.9	3	<1	<1	1	2	5	7	7
20-34	11	1.6	1	<1	<1	1	2	3	4	4
35-49	10	2.2	3	<1	<1	2	3	5	6	6
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
GRAND TOTAL	**54**	**2.1**	**3**	**<1**	**<1**	**1**	**2**	**5**	**6**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	721	1.4	1	<1	<1	1	1	2	3	6
20-34	132	1.6	1	<1	<1	1	2	3	4	6
35-49	110	1.5	2	<1	<1	1	2	2	4	8
50-64	104	1.5	2	<1	<1	1	1	2	3	10
65+	87	1.7	3	1	1	1	2	3	5	10
B. *Operated*										
0-19 YRS	201	1.8	2	<1	<1	1	2	4	5	8
20-34	38	3.9	14	<1	<1	2	6	10	11	16
35-49	28	2.7	5	<1	<1	2	4	7	8	9
50-64	19	3.1	50	<1	1	1	2	3	19	32
65+	17	2.9	11	<1	1	1	3	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	2.2	4	<1	1	1	3	5	7	11
20-34	69	3.0	11	<1	1	2	3	6	12	17
35-49	104	3.0	6	<1	<1	2	4	8	8	9
50-64	151	3.2	15	<1	1	2	4	8	11	20
65+	336	4.2	20	1	1	3	5	9	13	22
B. *Operated*										
0-19 YRS	100	4.1	41	<1	1	2	5	8	12	39
20-34	48	5.3	20	<1	1	4	7	12	13	20
35-49	54	8.3	93	1	1	5	11	16	27	56
50-64	105	6.0	67	<1	1	4	8	13	16	49
65+	211	6.7	67	1	1	4	8	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	1.5	1	<1	<1	1	1	2	3	7
B. *Operated*	303	2.3	8	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	912	3.3	13	<1	1	2	4	7	10	18
B. *Operated*	518	6.1	62	1	1	4	8	13	18	35
1. SINGLE DX	1457	1.6	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1430	4.3	32	1	1	2	5	10	13	26
A. NOT OPERATED	2066	2.3	7	<1	<1	1	2	5	7	14
B. OPERATED	821	4.7	45	<1	1	2	6	11	15	31
TOTAL 0-19 YRS	1274	1.8	5	<1	<1	1	2	4	5	10
20-34	287	2.8	10	<1	<1	1	3	7	11	16
35-49	296	3.4	26	<1	<1	2	4	8	11	24
50-64	379	3.5	30	<1	1	2	4	9	12	24
65+	651	4.6	35	1	1	3	5	10	14	27
GRAND TOTAL	**2887**	**3.0**	**19**	**<1**	**<1**	**1**	**3**	**7**	**10**	**20**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	6.8	26	1	1	6	9	15	18	22
20-34	24	6.7	28	1	2	5	10	13	18	22
35-49	22	5.0	15	<1	1	3	9	11	11	12
50-64	10	8.1	50	<1	<1	7	12	18	23	23
65+	3	7.7	16	4	4	7	11	12	12	12
B. *Operated*										
0-19 YRS	82	8.7	90	1	2	6	10	24	31	45
20-34	105	8.7	71	1	2	7	10	16	21	54
35-49	41	8.8	104	1	1	5	10	19	28	55
50-64	22	11.2	56	2	3	9	17	23	24	24
65+	14	11.8	81	3	4	7	20	24	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	8.5	61	1	2	6	11	22	26	35
20-34	107	5.5	25	1	1	4	8	10	14	27
35-49	64	7.7	76	1	1	5	9	16	26	48
50-64	53	8.8	42	2	3	7	13	17	20	34
65+	40	13.4	96	3	5	10	16	26	35	46
B. *Operated*										
0-19 YRS	215	18.6	265	3	4	14	24	36	55	93
20-34	211	19.7	335	3	4	14	25	46	56	91
35-49	132	21.8	269	3	4	19	31	43	59	99+
50-64	96	20.0	257	2	3	16	28	42	53	72
65+	108	27.1	354	5	6	21	39	55	64	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	6.6	26	1	1	5	9	13	17	23
B. *Operated*	264	9.1	81	1	2	7	11	20	26	51
2. MULTIPLE DX										
A. *Not Operated*	379	8.1	59	1	2	6	10	16	25	38
B. *Operated*	762	20.8	303	3	4	16	28	45	57	91
1. SINGLE DX	371	8.4	66	1	2	6	10	18	23	46
2. MULTIPLE DX	1141	16.6	258	2	3	12	22	38	50	84
A. NOT OPERATED	486	7.7	52	1	2	6	10	15	23	37
B. OPERATED	1026	17.8	272	2	3	13	24	40	54	86
TOTAL 0-19 YRS	460	13.1	184	1	2	9	16	28	38	82
20-34	447	13.0	223	1	2	8	16	31	47	77
35-49	259	14.8	224	1	2	9	23	36	46	85
50-64	181	15.0	186	1	3	11	20	34	42	59
65+	165	22.1	308	4	5	17	29	48	58	74
GRAND TOTAL	**1512**	**14.6**	**223**	**1**	**2**	**9**	**19**	**35**	**46**	**77**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	472	4.4	18	1	1	3	6	9	13	20
20-34	273	4.1	19	1	1	3	5	9	12	21
35-49	102	4.0	17	1	1	2	6	10	15	17
50-64	47	4.6	24	1	1	3	5	13	16	20
65+	19	5.6	19	1	1	4	8	13	16	16
B. *Operated*										
0-19 YRS	104	7.3	59	1	1	5	10	16	21	44
20-34	59	7.4	59	1	1	5	10	16	19	46
35-49	36	9.4	60	1	1	7	15	22	24	25
50-64	13	8.1	78	1	2	4	11	19	30	33
65+	6	10.2	68	2	2	8	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1181	5.7	33	1	1	4	8	11	15	24
20-34	609	4.6	19	1	1	3	6	10	13	25
35-49	344	5.2	30	1	1	3	7	12	15	23
50-64	209	6.7	40	1	1	5	10	15	18	31
65+	162	9.2	93	2	3	7	12	16	19	48
B. *Operated*										
0-19 YRS	208	11.1	99	1	2	8	15	24	29	54
20-34	163	10.7	129	1	2	7	14	24	37	50
35-49	84	12.7	110	1	2	10	17	27	33	50
50-64	71	12.7	155	1	3	10	15	24	43	68
65+	63	18.7	206	3	5	14	25	45	51	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	4.3	18	1	1	3	6	9	13	19
B. *Operated*	218	7.8	60	1	1	5	11	16	22	43
2. MULTIPLE DX										
A. *Not Operated*	2505	5.7	35	1	1	4	8	12	15	26
B. *Operated*	589	12.2	132	1	2	9	16	26	37	55
1. SINGLE DX	1131	5.0	28	1	1	3	7	11	15	24
2. MULTIPLE DX	3094	6.9	60	1	1	5	9	15	20	42
A. NOT OPERATED	3418	5.3	31	1	1	4	7	11	15	23
B. OPERATED	807	11.0	116	1	2	8	15	24	33	54
TOTAL 0-19 YRS	1965	6.0	41	1	1	4	8	13	18	29
20-34	1104	5.5	43	1	1	4	7	12	17	37
35-49	566	6.4	50	1	1	4	9	15	19	33
50-64	340	7.7	70	1	1	5	10	16	20	47
65+	250	11.4	133	2	3	8	14	22	40	63
GRAND TOTAL	**4225**	**6.4**	**52**	**1**	**1**	**4**	**8**	**14**	**19**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.5	4	<1	1	2	3	5	6	11
20-34	52	3.9	10	<1	1	3	6	7	10	14
35-49	29	3.9	10	<1	1	3	5	10	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	49	2.0	4	<1	1	2	2	3	4	13
20-34	109	2.5	7	<1	1	2	3	6	7	16
35-49	51	2.7	10	<1	1	2	2	7	13	14
50-64	32	3.5	11	<1	1	2	5	8	12	14
65+	5	4.6	9	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.5	13	1	1	3	4	8	9	22
20-34	69	6.7	101	1	1	4	8	12	17	69
35-49	72	5.6	19	1	1	4	8	10	13	24
50-64	54	6.4	22	1	1	6	9	11	16	22
65+	73	9.8	52	2	4	8	12	17	24	39
B. *Operated*										
0-19 YRS	111	2.4	5	<1	<1	2	3	5	9	45
20-34	219	4.9	112	<1	1	2	4	11	24	98
35-49	119	6.4	211	<1	1	2	5	11	26	95
50-64	64	6.0	64	1	1	3	7	15	25	37
65+	41	15.4	472	1	1	7	17	63	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.4	8	<1	1	3	5	7	10	13
B. *Operated*	246	2.6	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	316	6.6	48	1	1	5	9	13	17	33
B. *Operated*	554	5.7	141	<1	1	2	4	12	25	97
1. SINGLE DX	372	2.9	8	<1	1	2	3	6	9	14
2. MULTIPLE DX	870	6.0	107	1	1	3	7	13	22	90
A. NOT OPERATED	442	5.7	38	1	1	4	8	11	15	27
B. OPERATED	800	4.7	102	<1	1	2	4	10	19	92
TOTAL 0-19 YRS	247	2.6	6	<1	1	2	3	5	9	13
20-34	449	4.5	74	<1	1	2	4	9	15	73
35-49	271	5.2	102	1	1	2	6	10	14	90
50-64	152	5.6	38	1	1	3	7	12	17	37
65+	123	11.3	196	1	2	8	13	23	44	96
GRAND TOTAL	**1242**	**5.1**	**79**	**1**	**1**	**2**	**5**	**11**	**16**	**65**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	387	2.2	4	<1	1	2	2	4	6	10
20-34	304	2.7	13	<1	1	2	3	6	7	13
35-49	135	3.0	7	1	1	2	3	6	8	15
50-64	51	3.8	12	1	1	3	5	8	12	17
65+	32	4.0	23	<1	1	2	4	8	15	24
B. *Operated*										
0-19 YRS	94	3.9	22	<1	1	3	5	8	14	26
20-34	126	4.0	16	1	1	2	5	9	12	19
35-49	44	3.9	19	1	1	2	4	9	15	20
50-64	22	4.9	11	1	1	4	8	9	10	12
65+	9	6.4	24	2	2	4	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	2.9	6	1	1	2	4	6	8	14
20-34	624	3.6	9	1	1	3	5	7	9	14
35-49	374	4.8	18	1	1	4	6	10	12	22
50-64	293	5.6	26	1	1	4	7	11	13	29
65+	504	6.6	26	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	133	7.3	92	1	1	4	8	16	25	51
20-34	284	7.4	98	1	1	5	8	20	25	80
35-49	139	10.0	142	1	1	6	12	25	35	58
50-64	107	10.1	82	1	2	8	13	21	31	70
65+	120	12.5	109	2	3	10	16	24	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	909	2.6	9	<1	1	2	3	5	7	14
B. *Operated*	295	4.1	18	1	1	3	5	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	2217	4.6	18	1	1	3	6	9	12	21
B. *Operated*	783	9.0	107	1	1	6	11	20	28	61
1. SINGLE DX	1204	3.0	11	<1	1	2	3	6	9	16
2. MULTIPLE DX	3000	5.8	45	1	1	4	7	12	17	36
A. NOT OPERATED	3126	4.0	16	1	1	3	5	8	11	20
B. OPERATED	1078	7.7	88	1	1	5	9	19	25	55
TOTAL 0-19 YRS	1036	3.3	20	1	1	2	4	7	9	23
20-34	1338	4.3	32	<1	1	3	5	8	12	26
35-49	692	5.4	46	1	1	3	6	11	16	35
50-64	473	6.4	41	1	1	4	8	13	18	37
65+	665	7.5	47	1	2	6	9	15	20	39
GRAND TOTAL	**4204**	**5.0**	**37**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2356	1.7	2	<1	<1	1	2	3	4	7
20-34	994	1.9	5	<1	<1	1	2	3	4	10
35-49	370	2.5	26	<1	1	2	3	4	7	11
50-64	99	2.8	14	1	1	2	3	6	8	23
65+	69	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	10	2.4	4	1	1	2	4	6	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	7.0	31	2	2	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2976	3.9	47	<1	1	2	4	7	12	37
20-34	4171	3.8	34	<1	1	2	4	7	12	31
35-49	2253	4.5	35	<1	1	3	5	10	16	32
50-64	1212	5.7	35	1	1	4	7	12	16	30
65+	1791	6.3	28	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	36	13.3	193	1	1	8	19	43	51	99+
20-34	150	9.6	132	1	1	6	13	23	32	70
35-49	88	10.3	113	1	2	6	13	27	35	45
50-64	82	14.2	146	3	3	11	17	33	37	60
65+	140	11.7	70	2	3	10	15	23	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3888	1.9	5	<1	<1	1	2	3	4	9
B. *Operated*	19	3.3	10	<1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	12403	4.5	37	<1	1	3	5	9	14	32
B. *Operated*	496	11.3	120	1	2	8	14	27	36	66
1. SINGLE DX	3907	1.9	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX	12899	4.8	42	1	1	3	5	10	16	35
A. NOT OPERATED	16291	3.9	31	<1	1	2	4	8	12	29
B. OPERATED	515	11.1	118	1	2	8	14	27	35	64
TOTAL 0-19 YRS	5371	3.0	30	<1	1	2	3	5	8	30
20-34	5325	3.6	33	<1	1	2	4	7	12	31
35-49	2713	4.4	38	<1	1	3	5	9	15	33
50-64	1394	6.0	44	1	1	4	7	13	18	35
65+	2003	6.6	33	1	2	5	8	13	17	29
GRAND TOTAL	**16806**	**4.1**	**35**	**<1**	**1**	**2**	**4**	**9**	**13**	**32**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1144	1.7	2	<1	1	1	2	4	5	7
20-34	478	1.5	1	<1	<1	1	2	3	4	6
35-49	256	1.5	1	<1	1	1	2	3	3	5
50-64	119	1.6	1	<1	1	1	2	3	4	6
65+	50	1.8	2	1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	10	2.4	8	<1	<1	2	2	6	10	10
20-34	7	6.3	78	2	2	3	5	22	26	26
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+	3	11.3	146	2	2	7	20	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	700	3.1	23	<1	1	2	4	6	8	20
20-34	578	2.9	17	<1	1	2	3	6	10	20
35-49	410	3.2	18	1	1	2	4	6	10	27
50-64	310	4.2	42	1	1	2	4	9	14	39
65+	258	4.5	21	1	1	3	6	9	12	27
B. *Operated*										
0-19 YRS	21	8.7	116	<1	1	7	11	17	33	50
20-34	46	9.4	113	1	1	6	13	23	42	99+
35-49	22	7.6	31	2	3	6	12	14	19	25
50-64	19	13.3	209	1	1	8	20	47	74	99+
65+	27	13.6	177	1	2	8	20	35	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2047	1.6	2	<1	1	1	2	3	5	7
B. *Operated*	22	5.2	49	<1	1	2	6	14	25	26
2. MULTIPLE DX										
A. *Not Operated*	2256	3.4	23	<1	1	2	4	7	10	25
B. *Operated*	135	10.4	128	1	1	7	14	25	43	99+
1. SINGLE DX	2069	1.7	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	2391	3.8	32	1	1	2	4	8	12	32
A. NOT OPERATED	4303	2.6	14	<1	1	1	3	5	7	16
B. OPERATED	157	9.7	120	1	1	6	13	24	40	96
TOTAL 0-19 YRS	1875	2.3	12	<1	1	1	2	5	6	13
20-34	1109	2.6	17	<1	1	1	3	4	8	22
35-49	690	2.7	13	<1	1	2	3	5	8	20
50-64	448	3.9	43	1	1	2	4	8	15	49
65+	338	4.9	39	1	1	3	6	10	15	36
GRAND TOTAL	4460	2.8	19	<1	1	2	3	6	8	22

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	536	2.4	7	1	1	2	3	4	6	13
20-34	341	2.4	7	<1	1	2	3	5	8	15
35-49	250	2.4	5	<1	1	2	3	5	6	14
50-64	177	3.1	12	1	1	2	3	6	9	21
65+	141	3.4	9	1	1	3	4	7	10	14
B. *Operated*										
0-19 YRS	15	5.7	22	<1	<1	5	9	11	15	17
20-34	15	4.9	10	1	2	5	6	10	11	12
35-49	7	14.9	247	1	1	11	22	41	45	45
50-64	10	11.1	131	2	2	5	21	30	32	32
65+	5	6.4	23	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	777	3.8	34	1	1	2	4	7	10	33
20-34	684	3.5	23	<1	1	2	4	7	10	18
35-49	656	4.2	17	1	1	3	5	8	12	22
50-64	949	5.1	18	1	1	4	7	10	13	20
65+	2029	6.4	29	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	49	14.5	338	1	1	4	25	49	54	56
20-34	71	10.0	265	1	1	4	11	22	51	80
35-49	107	12.7	263	1	1	8	13	34	54	73
50-64	137	14.3	283	1	2	9	17	38	65	99+
65+	241	14.3	161	2	3	11	19	28	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1445	2.6	7	1	1	2	3	5	7	14
B. *Operated*	52	7.8	76	1	1	5	10	18	28	45
2. MULTIPLE DX										
A. *Not Operated*	5095	5.1	27	1	1	4	6	10	14	24
B. *Operated*	605	13.5	234	1	1	9	17	33	52	84
1. SINGLE DX	1497	2.8	11	1	1	2	3	5	9	17
2. MULTIPLE DX	5700	6.0	55	1	1	4	7	12	17	42
A. NOT OPERATED	6540	4.5	23	1	1	3	6	9	13	23
B. OPERATED	657	13.1	223	1	1	9	16	31	52	81
TOTAL 0-19 YRS	1377	3.6	39	1	1	2	4	7	10	37
20-34	1111	3.6	36	<1	1	2	4	7	11	24
35-49	1020	4.7	50	1	1	3	5	10	14	38
50-64	1273	5.9	55	1	1	4	7	12	16	45
65+	2416	7.0	47	1	2	5	9	14	19	37
GRAND TOTAL	7197	5.3	48	1	1	3	6	11	16	37

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.3	9	<1	1	2	4	8	10	14
20-34	64	4.2	14	<1	1	3	5	9	11	21
35-49	46	4.6	12	1	1	3	7	10	11	14
50-64	69	4.6	12	1	1	4	6	9	11	17
65+	93	7.1	89	1	1	4	7	18	28	52
B. *Operated*										
0-19 YRS	479	4.4	17	1	1	3	5	8	14	23
20-34	464	4.7	29	1	1	3	6	10	14	27
35-49	457	5.5	32	1	1	4	7	13	17	26
50-64	692	7.4	41	1	2	5	11	15	20	30
65+	1202	7.9	58	1	2	5	12	17	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	5.3	30	1	1	3	7	12	17	25
20-34	237	5.9	30	1	1	5	8	12	16	27
35-49	225	6.8	71	1	1	4	8	13	17	43
50-64	362	6.8	37	1	1	5	9	14	18	29
65+	735	7.3	55	1	2	5	9	15	20	40
B. *Operated*										
0-19 YRS	991	8.0	74	1	2	5	10	20	26	44
20-34	941	8.3	83	1	2	5	11	18	24	49
35-49	1412	8.3	72	1	1	6	11	18	27	52
50-64	2694	9.7	95	1	2	7	13	21	28	51
65+	4895	11.3	121	2	2	8	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	4.9	34	1	1	3	6	10	13	29
B. *Operated*	3294	6.5	43	1	1	4	9	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	1822	6.6	47	1	1	5	9	14	18	36
B. *Operated*	10933	10.0	103	1	2	7	13	22	29	53
1. SINGLE DX	3642	6.3	42	1	1	4	9	15	18	31
2. MULTIPLE DX	12755	9.5	96	1	2	6	13	21	28	51
A. NOT OPERATED	2170	6.4	45	1	1	4	8	13	18	35
B. OPERATED	14227	9.2	91	1	2	6	12	20	27	50
TOTAL 0-19 YRS	1809	6.5	53	1	1	4	8	15	22	35
20-34	1706	6.8	61	1	1	4	9	15	20	44
35-49	2140	7.5	64	1	1	5	10	16	23	43
50-64	3817	8.9	80	1	2	6	12	19	26	46
65+	6925	10.3	106	1	2	7	14	22	30	53
GRAND TOTAL	**16397**	**8.8**	**86**	**1**	**2**	**6**	**12**	**19**	**26**	**48**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	1.6	1	<1	<1	1	2	3	3	7
20-34	335	2.2	3	<1	1	2	3	4	5	9
35-49	163	2.9	24	<1	1	2	3	5	6	8
50-64	166	3.3	4	1	1	3	4	6	7	11
65+	256	3.5	6	1	1	3	4	6	7	16
B. *Operated*										
0-19 YRS	314	1.7	2	<1	<1	1	2	3	4	7
20-34	328	2.8	5	<1	1	2	3	6	7	11
35-49	156	2.8	5	1	1	2	4	6	7	10
50-64	124	4.2	10	1	1	3	5	8	11	14
65+	93	4.3	10	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.3	3	<1	1	2	3	4	6	8
20-34	169	3.4	9	1	1	3	4	6	8	18
35-49	141	3.6	8	1	1	3	5	7	9	14
50-64	284	3.8	7	1	1	3	5	7	10	14
65+	546	4.5	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	112	2.3	7	1	1	1	3	4	6	16
20-34	200	4.4	23	1	1	3	6	9	13	29
35-49	146	5.6	56	1	1	3	7	11	15	38
50-64	194	6.4	39	1	1	4	8	14	20	32
65+	342	6.8	44	1	1	5	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1285	2.5	6	<1	1	2	3	5	6	9
B. *Operated*	1015	2.8	6	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1218	4.0	10	1	1	3	5	8	10	16
B. *Operated*	994	5.5	38	1	1	4	7	12	17	31
1. SINGLE DX	2300	2.6	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	2212	4.7	23	1	1	3	6	9	13	24
A. NOT OPERATED	2503	3.2	9	1	1	2	4	6	8	14
B. OPERATED	2009	4.1	24	1	1	3	5	9	12	24
TOTAL 0-19 YRS	869	1.8	2	<1	<1	1	2	3	4	8
20-34	1032	3.0	9	1	1	2	4	6	8	15
35-49	606	3.7	24	1	1	3	4	7	9	19
50-64	768	4.4	16	1	1	3	5	8	12	22
65+	1237	4.9	21	1	1	4	6	10	13	23
GRAND TOTAL	**4512**	**3.6**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	4.7	10	1	2	4	6	9	12	16
20-34	225	5.1	12	2	2	4	6	9	11	17
35-49	142	5.5	14	1	2	5	6	9	11	22
50-64	112	7.0	23	2	3	6	9	13	16	27
65+	68	6.7	18	2	3	6	8	13	14	23
B. *Operated*										
0-19 YRS	101	7.1	29	1	3	6	9	14	17	30
20-34	143	7.6	38	1	2	6	9	16	19	32
35-49	111	7.2	65	2	2	5	9	12	19	47
50-64	128	9.3	45	2	2	8	12	18	21	33
65+	67	8.8	57	2	2	7	11	14	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.4	21	1	2	5	9	12	16	22
20-34	248	5.7	13	2	2	5	7	10	12	21
35-49	291	7.1	32	2	3	6	8	12	17	30
50-64	415	8.1	27	2	3	7	10	15	19	27
65+	487	9.4	48	2	3	8	12	17	22	36
B. *Operated*										
0-19 YRS	119	10.3	64	1	2	8	14	23	25	40
20-34	263	12.9	153	2	3	8	16	28	40	77
35-49	272	11.9	125	2	3	9	15	25	42	79
50-64	456	14.0	149	2	3	10	18	30	42	54
65+	529	14.9	147	3	4	11	19	31	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	5.6	15	2	2	5	7	10	13	22
B. *Operated*	550	8.0	46	2	2	6	10	16	19	36
2. MULTIPLE DX										
A. *Not Operated*	1563	7.8	34	2	3	6	10	14	19	30
B. *Operated*	1639	13.5	140	2	3	10	17	29	41	63
1. SINGLE DX	1207	6.7	31	2	2	5	8	13	16	28
2. MULTIPLE DX	3202	10.7	96	2	3	8	13	22	30	53
A. NOT OPERATED	2220	7.2	29	2	2	6	9	13	17	28
B. OPERATED	2189	12.1	122	2	3	9	15	26	36	58
TOTAL 0-19 YRS	452	7.2	35	1	2	5	9	15	19	28
20-34	879	8.0	70	2	2	6	9	16	23	46
35-49	816	8.4	70	2	3	6	10	16	23	49
50-64	1111	10.6	87	2	3	8	13	22	30	45
65+	1151	11.7	101	3	3	9	14	24	32	59
GRAND TOTAL	**4409**	**9.6**	**82**	**2**	**3**	**7**	**12**	**19**	**28**	**49**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	9	<1	1	2	4	6	11	14
20-34	182	2.9	6	1	1	2	3	6	8	14
35-49	152	4.5	16	1	1	3	6	9	14	20
50-64	138	5.6	51	1	1	4	7	10	15	34
65+	104	4.8	12	1	1	4	7	10	11	15
B. *Operated*										
0-19 YRS	104	5.4	31	<1	1	4	7	12	17	29
20-34	200	5.8	32	1	1	4	8	12	15	27
35-49	203	6.0	33	1	1	4	8	14	19	24
50-64	187	6.6	55	1	1	4	8	13	24	36
65+	193	5.9	33	1	1	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	3.5	15	1	1	2	4	7	11	23
20-34	327	4.5	20	1	1	3	6	10	12	21
35-49	353	5.1	19	1	1	4	7	11	14	22
50-64	464	6.0	28	1	1	5	8	12	16	28
65+	658	6.6	28	1	1	5	9	13	16	25
B. *Operated*										
0-19 YRS	193	5.2	39	1	1	3	6	14	19	34
20-34	501	7.8	112	1	1	5	9	16	25	63
35-49	576	9.3	91	1	1	7	12	21	27	47
50-64	775	11.2	126	1	2	8	15	25	36	60
65+	1130	12.1	161	1	2	8	15	28	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	660	4.1	20	1	1	3	5	9	11	19
B. *Operated*	887	6.0	37	1	1	4	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	1968	5.6	25	1	1	4	7	11	15	25
B. *Operated*	3175	10.3	128	1	1	7	13	23	33	64
1. SINGLE DX	1547	5.2	31	1	1	3	7	11	15	27
2. MULTIPLE DX	5143	8.5	94	1	1	6	11	19	27	53
A. NOT OPERATED	2628	5.2	24	1	1	4	7	11	14	24
B. OPERATED	4062	9.3	112	1	1	6	12	21	30	61
TOTAL 0-19 YRS	547	4.4	27	1	1	2	5	10	15	27
20-34	1210	5.8	61	1	1	4	7	12	17	39
35-49	1284	7.0	57	1	1	5	9	15	21	37
50-64	1564	8.6	88	1	1	6	11	19	27	53
65+	2085	9.4	108	1	2	6	12	20	29	62
GRAND TOTAL	**6690**	**7.7**	**81**	**1**	**1**	**5**	**10**	**17**	**24**	**48**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	3	1	1	2	3	6	6	7
20-34	18	1.8	1	<1	<1	2	2	4	4	4
35-49	11	3.5	6	1	1	4	5	7	8	8
50-64	7	6.3	17	1	1	6	8	13	14	14
65+	7	2.4	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	52	1	1	2	4	6	8	51
20-34	35	5.5	31	1	1	4	7	11	20	24
35-49	47	5.4	34	1	1	4	6	9	23	29
50-64	48	4.3	12	1	1	3	6	10	11	15
65+	83	5.2	31	1	1	3	7	15	19	23
B. *Operated*										
0-19 YRS	7	30.4	544	2	3	42	45	59	62	62
20-34	22	16.1	393	1	1	9	22	49	65	70
35-49	7	10.7	67	2	2	7	19	22	22	22
50-64	23	10.7	129	1	2	7	13	22	39	50
65+	31	10.9	99	1	2	9	13	27	31	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.8	5	1	1	2	4	6	7	12
B. *Operated*	6	2.7	6	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	273	4.8	33	1	1	3	6	10	17	24
B. *Operated*	90	13.6	228	1	2	8	18	38	45	67
1. SINGLE DX	97	2.8	5	1	1	2	4	6	7	11
2. MULTIPLE DX	363	7.0	96	1	1	4	8	17	24	54
A. NOT OPERATED	364	4.3	27	1	1	3	5	9	14	24
B. OPERATED	96	12.9	221	1	1	8	16	35	45	66
TOTAL 0-19 YRS	116	4.8	99	1	1	2	4	6	15	57
20-34	78	7.6	152	1	1	3	8	19	32	68
35-49	66	5.6	35	1	1	4	6	13	22	28
50-64	79	6.3	54	1	1	4	8	13	18	45
65+	121	6.5	54	1	1	4	9	17	21	34
GRAND TOTAL	**460**	**6.1**	**79**	**1**	**1**	**3**	**7**	**14**	**22**	**49**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.4		<1	<1	1	2	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	4	5	6	6
20-34	1963	1.7	1	<1	<1	1	2	3	4	5
35-49	669	1.6	1	<1	<1	1	2	3	4	5
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	47	1.3	1	<1	<1	1	1	2	3	5
35-49	11	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.1	2	<1	1	2	2	4	5	5
20-34	2013	2.2	3	<1	<1	2	3	4	5	8
35-49	828	2.2	3	<1	<1	2	3	4	5	8
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.3		<1	<1	1	1	2	3	3
B. *Operated*	2649	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	59	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2866	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	2663	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	2925	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	73	1.3		<1	<1	1	1	2	3	5
B. OPERATED	5515	2.0	2	<1	<1	1	2	4	5	7
TOTAL 0-19 YRS	34	2.2	2	<1	1	2	3	4	5	6
20-34	4034	2.0	2	<1	<1	1	2	4	5	7
35-49	1511	1.9	2	<1	<1	1	2	4	5	7
50-64	8	1.6	2	<1	<1	1	2	4	5	5
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**5588**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	21.0	2	20	20	21	22	22	22	22
1750-2499	1920	3.3	3	2	2	3	4	5	6	10
2500+	154270	3.0	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	1	37.0		37	37	37	37	37	37	37
1500-1749										
1750-2499	3	6.7	30	3	3	4	11	13	13	13
2500+	81	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	75	65.5	488	17	37	70	88	99+	99+	99+
1000-1499	375	43.8	239	21	25	42	53	65	72	95
1500-1749	503	26.1	90	12	15	25	32	38	43	54
1750-2499	7467	7.7	41	2	2	5	10	16	20	31
2500+	95553	3.8	4	2	2	3	5	6	7	10
B. *Operated*										
1-999 G	102	71.2	529	20	54	89	99+	99+	99+	99+
1000-1499	329	52.9	305	25	33	52	67	84	99+	99+
1500-1749	213	33.8	141	15	20	33	40	48	55	71
1750-2499	622	18.8	163	4	6	17	24	33	43	79
2500+	1877	8.0	64	2	3	6	10	15	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156192	3.0	2	1	2	3	3	5	5	7
B. *Operated*	85	3.9	17	1	2	3	4	6	7	29
2. MULTIPLE DX										
A. *Not Operated*	103973	4.3	20	2	2	3	5	6	8	22
B. *Operated*	3143	18.6	425	2	3	10	27	55	78	99+
1. SINGLE DX	156277	3.0	2	1	2	3	3	5	5	7
2. MULTIPLE DX	107116	4.8	37	2	2	3	5	7	10	36
A. NOT OPERATED	260165	3.5	9	2	2	3	4	5	6	13
B. OPERATED	3228	18.2	420	2	3	10	26	54	77	99+
TOTAL 1-999 G	177	68.8	517	20	46	82	99+	99+	99+	99+
1000-1499	705	48.0	290	22	27	48	58	75	89	99+
1500-1749	718	28.4	117	13	16	27	35	42	48	59
1750-2499	10012	7.5	53	2	2	5	10	17	22	34
2500+	251781	3.3	3	1	2	3	4	5	6	9
GRAND TOTAL	**263393**	**3.7**	**17**	**2**	**2**	**3**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	23.0	162	14	14	23	32	32	32	32
1750-2499	284	4.8	5	2	3	4	5	7	9	14
2500+	1440	4.4	2	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	70.1	754	23	30	85	94	99+	99+	99+
1000-1499	55	44.6	257	15	23	43	54	60	76	87
1500-1749	134	25.2	105	12	13	25	30	37	41	85
1750-2499	1209	10.0	54	3	3	7	13	19	25	37
2500+	1258	5.6	10	3	3	5	6	8	10	21
B. *Operated*										
1-999 G	25	59.2	811	12	19	71	99+	99+	99+	99+
1000-1499	75	51.8	352	26	31	50	66	83	90	99+
1500-1749	42	32.2	110	18	20	33	36	49	54	55
1750-2499	97	18.5	86	6	7	18	24	31	37	76
2500+	33	11.3	194	2	5	7	10	20	29	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1726	4.4	3	2	3	4	5	6	7	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2663	9.6	96	3	3	6	11	20	28	51
B. *Operated*	272	32.6	531	6	7	29	51	81	96	99+
1. SINGLE DX	1727	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	2935	11.7	181	3	3	6	13	27	41	85
A. NOT OPERATED	4389	7.6	66	3	3	5	7	15	23	44
B. OPERATED	273	32.5	532	6	7	29	50	81	96	99+
TOTAL 1-999 G	32	61.6	795	13	20	77	99	99+	99+	99+
1000-1499	130	48.7	322	19	29	48	57	79	86	99+
1500-1749	178	26.8	115	13	14	26	32	39	49	74
1750-2499	1590	9.6	56	3	3	7	13	19	26	37
2500+	2732	5.0	9	2	3	5	6	7	8	17
GRAND TOTAL	**4662**	**9.0**	**127**	**3**	**3**	**5**	**8**	**20**	**31**	**70**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	13	2.9	1	2	2	3	3	5	5	5
2500+	375	2.5	2	1	1	2	3	4	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	49.5	950	25	25	59	92	99+	99+	99+
1000-1499	9	44.0	70	32	33	42	50	56	56	56
1500-1749	7	30.6	76	22	23	29	31	45	49	49
1750-2499	82	8.1	70	2	2	5	10	18	25	48
2500+	253	3.9	9	1	2	3	4	7	9	14
B. *Operated*										
1-999 G	1	23.0		23	23	23	23	23	23	23
1000-1499	2	55.5	545	39	39	55	72	72	72	72
1500-1749	3	27.3	69	18	18	30	33	34	34	34
1750-2499	8	17.6	142	2	3	15	28	34	35	35
2500+	13	6.5	59	1	2	4	6	18	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	2.5	2	1	1	2	3	4	4	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	355	7.0	106	1	2	4	6	14	29	57
B. *Operated*	27	16.4	274	2	2	12	28	35	44	72
1. SINGLE DX	388	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX	382	7.6	123	1	2	4	7	19	31	58
A. NOT OPERATED	743	4.6	57	1	1	3	4	8	14	49
B. OPERATED	27	16.4	274	2	2	12	28	35	44	72
TOTAL 1-999 G	5	44.2	853	23	23	42	89	99	99+	99+
1000-1499	11	46.1	132	32	34	42	53	62	71	72
1500-1749	10	29.6	68	18	20	29	31	41	49	49
1750-2499	103	8.2	76	2	2	5	10	19	26	45
2500+	641	3.1	6	1	1	3	3	5	7	14
GRAND TOTAL	**770**	**5.0**	**69**	**1**	**1**	**3**	**4**	**9**	**19**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	<1	<1	2	3	4	4	4
20-34	9	3.0	7	<1	<1	1	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	4.0	26	<1	<1	2	5	13	13	13
65+	4	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	711	2.2	2	<1	<1	2	3	4	5	8
20-34	849	2.4	4	<1	1	2	3	4	6	9
35-49	403	2.9	8	1	1	2	3	5	7	12
50-64	324	2.7	9	1	1	2	3	4	6	8
65+	199	3.6	8	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	28	<1	<1	1	3	7	17	23
20-34	7	2.0	3	<1	<1	1	2	5	6	6
35-49	12	1.8	2	<1	<1	1	2	4	5	5
50-64	6	8.8	157	1	1	3	12	31	33	33
65+	10	2.2	6	<1	<1	1	3	6	9	9
B. *Operated*										
0-19 YRS	266	2.9	7	<1	1	2	3	5	7	10
20-34	268	3.5	13	1	1	3	4	7	10	17
35-49	177	4.2	58	1	1	3	4	7	10	24
50-64	198	4.5	27	1	1	3	5	8	12	28
65+	227	5.7	28	2	2	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.0	7	<1	<1	2	4	6	8	13
B. *Operated*	2486	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	53	3.2	31	<1	<1	1	3	7	12	33
B. *Operated*	1136	4.1	25	1	1	3	5	8	11	23
1. SINGLE DX	2515	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	1189	4.0	25	1	1	3	4	8	11	23
A. NOT OPERATED	82	3.1	22	<1	<1	1	3	6	10	30
B. OPERATED	3622	3.0	12	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1005	2.4	4	<1	<1	2	3	4	5	8
20-34	1133	2.7	6	<1	1	2	3	5	6	11
35-49	593	3.2	23	1	1	2	4	5	7	20
50-64	533	3.5	18	1	1	2	4	6	8	20
65+	440	4.7	19	1	1	3	6	9	12	22
GRAND TOTAL	**3704**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64										
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	24	2.0	2	<1	1	2	2	3	5	7
35-49	78	2.4	1	1	2	2	2	4	5	8
50-64	87	1.6	1	<1	<1	1	2	2	2	5
65+	226	1.6	1	<1	<1	1	2	2	2	6
B. *Operated*										
0-19 YRS										
20-34	69	2.5	14	<1	<1	<1	2	5	7	25
35-49	91	2.5	11	<1	<1	<1	3	6	10	17
50-64	113	4.5	46	<1	<1	<1	5	13	19	37
65+	60	5.0	65	<1	<1	3	6	10	15	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	418	1.8	1	<1	<1	2	2	2	4	7
B. *Operated*	333	3.6	34	<1	<1	<1	4	9	14	29
1. SINGLE DX	10	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX	751	2.6	17	<1	<1	1	2	5	9	23
A. NOT OPERATED	425	1.8	1	<1	<1	2	2	2	4	7
B. OPERATED	336	3.6	34	<1	<1	<1	4	9	14	29
TOTAL 0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	93	2.4	11	<1	<1	1	2	4	7	21
35-49	175	2.4	6	<1	<1	2	2	5	8	16
50-64	201	3.2	28	<1	<1	1	2	8	13	29
65+	289	2.3	16	<1	<1	1	2	4	7	16
GRAND TOTAL	**761**	**2.6**	**16**	**<1**	**<1**	**1**	**2**	**5**	**8**	**22**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1168	2.5	21	<1	<1	1	3	4	7	22
20-34	1802	1.7	7	<1	<1	1	2	3	4	10
35-49	375	2.7	19	<1	<1	1	3	5	8	29
50-64	382	2.2	4	<1	1	1	3	5	6	11
65+	358	8.0	224	<1	1	2	8	26	65	99+
B. *Operated*										
0-19 YRS	496	2.8	8	<1	<1	2	3	8	9	13
20-34	1586	2.8	15	<1	<1	2	4	6	8	12
35-49	720	3.7	10	<1	1	2	5	8	10	16
50-64	484	4.5	16	1	1	3	7	10	13	16
65+	345	5.3	21	1	1	3	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2867	3.9	42	<1	1	2	4	6	10	40
20-34	2681	4.0	46	<1	1	2	4	6	12	44
35-49	4694	3.7	33	1	1	2	4	6	9	29
50-64	12640	3.9	32	1	1	2	4	6	10	31
65+	12365	5.7	74	1	1	3	5	13	23	48
B. *Operated*										
0-19 YRS	1031	3.9	39	<1	1	2	4	9	12	35
20-34	1925	4.2	46	<1	<1	2	5	8	11	37
35-49	1965	5.3	43	1	1	3	6	10	15	35
50-64	3186	6.3	66	1	1	4	8	12	19	47
65+	3920	7.3	92	1	1	4	9	16	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4085	2.7	34	<1	<1	1	2	4	8	34
B. *Operated*	3631	3.5	14	<1	<1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	35247	4.5	49	1	1	3	5	8	15	41
B. *Operated*	12027	5.9	67	1	1	3	7	12	19	46
1. SINGLE DX	7716	3.0	25	<1	<1	1	3	7	10	21
2. MULTIPLE DX	47274	4.9	54	1	1	3	5	9	16	42
A. NOT OPERATED	39332	4.3	48	<1	1	2	4	7	14	40
B. OPERATED	15658	5.3	56	<1	1	3	6	11	16	42
TOTAL 0-19 YRS	5562	3.5	34	<1	<1	2	4	7	10	36
20-34	7994	3.3	32	<1	<1	2	4	6	9	28
35-49	7754	4.1	33	1	1	2	5	8	11	31
50-64	16692	4.3	38	1	1	3	5	8	12	34
65+	16988	6.1	81	1	1	3	6	14	23	50
GRAND TOTAL	**54990**	**4.6**	**50**	**<1**	**1**	**2**	**5**	**9**	**15**	**41**

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular – *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number Title

Injury (continued)
  382 Spinal cord
  376 Superficial
Insufficiency, heart valve – *see Valvular disease*
250 Intermenstrual bleeding
160 Intermittent cerebral ischemia
301 Internal derangement of joint, except knee
300 Internal derangement of knee
211 Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107 Intoxication, acute alcohol
98 Involutional melancholia
128 Iridocyclitis
128 Iritis
82 Iron deficiency anemia
211 Irritable colon or bowel
143 Ischemic heart disease, except acute or subacute
142 Ischemic heart disease, acute or subacute, except acute myocardial infarction
163 Ischemic cerebrovascular disease, generalized

116 Jacksonian epilepsy
340 Jaundice, except newborn
328 Jaundice of newborn
125 Juvenile cataract
Juvenile diabetes – *see Diabetes mellitus*

230 Kidney disease, except nephritis, nephrosis, infection, and calculus
227 Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73 Kimmelstiel-Wilson disease
316 Kyphosis

Laceration
  370 Abdominal wall
  371 Arm
  370 Back
  365 Cerebral
  370 Chest
  368 Eye
  371 Hand
  369 Head, except eye
  372 Leg
  372 Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

LENGTH OF STAY BY OPERATION



UNITED STATES

NORTH CENTRAL REGION

1984



Length of Stay by Operation, North Central Region, 1984

A Companion Volume To Length of Stay by Diagnosis, North Central Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 2
  Coverage 3
  Organization of Length of Stay Tables 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals: U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds: U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138189	3.3	18	1	1	2	4	6	8	21
20-34	291615	3.5	9	1	1	3	4	6	8	15
35-49	109009	4.6	19	1	1	3	6	9	12	22
50-64	91100	5.2	23	1	1	4	7	11	14	23
65+	81653	5.5	29	1	1	4	7	12	16	24
2. MULTIPLE DX										
0-19 YRS	139776	5.5	65	1	1	3	6	10	18	48
20-34	291465	5.5	35	1	2	4	6	10	14	32
35-49	228959	7.0	47	1	2	5	8	13	18	36
50-64	321150	8.3	63	2	2	6	10	16	22	42
65+	562306	9.8	74	2	2	8	12	19	25	44
TOT. SINGLE DX	711566	4.1	17	1	1	3	5	8	11	20
" MULTIPLE DX	1543656	7.9	63	1	2	6	10	16	22	41
TOTAL 0-19 YRS	277965	4.4	43	1	1	3	5	8	12	37
20-34	583080	4.5	23	1	1	3	5	8	11	25
35-49	337968	6.3	39	1	2	5	8	12	16	32
50-64	412250	7.6	56	1	2	6	10	15	21	39
65+	643959	9.2	70	2	2	7	12	18	24	43
GRAND TOTAL	**2255222**	**6.7**	**51**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	8.8	46	1	2	8	11	16	20	33
20-34	149	11.2	69	3	4	10	14	19	23	35
35-49	190	11.7	49	4	5	10	14	19	27	41
50-64	219	13.4	75	4	6	12	16	22	28	51
65+	154	14.5	96	5	6	13	17	24	30	62
2. MULTIPLE DX										
0-19 YRS	225	18.6	306	3	4	13	25	45	65	99+
20-34	210	20.8	338	5	7	14	25	50	70	97
35-49	320	20.7	282	6	7	15	24	45	57	96
50-64	608	21.5	256	6	8	17	26	45	60	99+
65+	825	23.0	223	6	8	19	30	46	57	81
TOT. SINGLE DX	833	12.2	71	3	5	11	15	20	25	47
" MULTIPLE DX	2188	21.6	262	5	7	17	28	46	60	99+
TOTAL 0-19 YRS	346	15.2	237	2	3	11	18	34	57	99+
20-34	359	16.8	249	4	5	12	19	33	56	92
35-49	510	17.4	214	5	6	13	20	35	51	88
50-64	827	19.3	221	5	7	15	24	41	57	99+
65+	979	21.7	213	6	8	18	28	43	55	79
GRAND TOTAL	3021	19.0	227	4	6	14	24	39	55	91

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	7.7	39	2	3	6	9	15	22	32
20-34	59	10.6	37	2	4	10	15	19	22	29
35-49	48	15.2	242	6	6	10	15	21	63	78
50-64	65	12.9	109	4	4	9	15	28	33	58
65+	45	13.8	94	4	5	10	18	24	38	48
2. MULTIPLE DX										
0-19 YRS	151	17.1	197	4	5	12	25	43	53	99+
20-34	135	18.9	232	4	7	14	27	57	99+	99+
35-49	111	20.5	267	5	6	15	31	51	92	99+
50-64	188	23.0	266	5	7	20	30	52	76	99+
65+	267	23.7	284	7	9	18	31	49	64	96
TOT. SINGLE DX	336	11.1	96	3	4	8	14	20	28	61
" MULTIPLE DX	852	21.2	260	5	6	17	30	49	68	99+
TOTAL 0-19 YRS	270	12.9	150	3	4	9	16	32	43	99+
20-34	194	16.4	187	3	5	13	21	46	67	99+
35-49	159	18.9	264	5	6	13	27	47	78	99+
50-64	253	20.4	245	4	6	17	27	45	68	99+
65+	312	22.3	269	6	8	17	29	47	60	94
GRAND TOTAL	1188	18.3	234	4	5	14	25	43	61	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	5.1	6	1	2	5	6	8	10	14
20-34	57	5.9	19	2	2	5	8	9	12	30
35-49	26	6.3	25	2	2	4	7	14	18	22
50-64	22	8.5	15	3	4	8	10	15	17	18
65+	8	6.3	15	2	2	6	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	160	9.2	85	2	3	7	10	16	27	56
20-34	99	11.0	111	2	3	8	14	27	44	99+
35-49	52	8.8	62	2	3	6	13	19	29	98
50-64	31	11.4	127	2	3	8	16	32	49	99+
65+	25	13.5	224	3	3	10	15	31	82	99+
TOT. SINGLE DX	290	5.6	12	2	2	5	7	9	13	18
" MULTIPLE DX	367	10.1	102	2	3	7	12	21	36	99+
TOTAL 0-19 YRS	337	7.0	48	2	3	5	8	12	16	43
20-34	156	9.2	83	2	2	7	11	20	34	99+
35-49	78	8.0	51	2	2	5	11	17	22	84
50-64	53	10.2	82	3	3	8	12	19	34	98
65+	33	11.8	182	3	3	9	13	23	69	99+
GRAND TOTAL	657	8.1	68	2	3	6	9	16	23	77

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	5.5	16	2	2	5	7	9	13	23
20-34	27	9.9	54	2	3	8	12	19	23	37
35-49	23	8.2	13	4	5	7	11	13	16	17
50-64	27	9.5	19	3	3	10	12	16	18	19
65+	40	13.0	52	3	5	11	19	23	25	31
2. MULTIPLE DX										
0-19 YRS	312	13.7	287	2	3	8	16	33	66	99+
20-34	57	17.5	244	5	6	12	21	54	68	99+
35-49	41	18.5	214	3	5	15	31	63	99+	99+
50-64	110	23.9	315	6	8	19	39	65	99+	99+
65+	215	23.8	252	7	9	20	30	44	53	99+
TOT. SINGLE DX	276	7.6	33	2	2	6	10	16	20	29
" MULTIPLE DX	735	18.8	295	3	4	14	26	47	72	99+
TOTAL 0-19 YRS	471	10.9	211	2	2	6	11	24	47	99+
20-34	84	15.1	195	3	4	11	17	37	64	99+
35-49	64	14.8	166	3	5	11	22	49	99+	99+
50-64	137	21.1	289	5	6	15	30	54	92	99+
65+	255	22.1	237	6	8	19	28	40	52	99+
GRAND TOTAL	1011	15.7	248	2	3	11	21	40	61	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	4.9	15	1	2	4	6	9	14	22
20-34	51	8.6	50	2	2	7	11	19	26	36
35-49	26	6.8	19	2	2	6	9	13	15	21
50-64	24	13.5	254	2	3	8	13	45	53	61
65+	22	8.2	99	1	2	6	8	18	32	46
2. MULTIPLE DX										
0-19 YRS	627	9.2	132	1	2	5	11	22	31	73
20-34	146	17.2	316	3	4	11	23	41	71	99+
35-49	84	12.8	111	2	3	10	21	35	55	99+
50-64	99	21.1	266	3	4	18	27	51	65	99+
65+	127	20.0	224	3	4	17	28	44	53	75
TOT. SINGLE DX	413	6.2	43	1	2	4	7	12	17	45
" MULTIPLE DX	1083	12.9	200	2	2	8	18	32	47	99+
TOTAL 0-19 YRS	917	7.8	99	1	2	4	8	18	27	68
20-34	197	15.0	261	2	3	9	18	34	52	98
35-49	110	11.4	96	2	3	9	14	30	42	99+
50-64	123	19.6	271	3	4	15	26	50	61	99+
65+	149	18.3	222	2	3	15	27	43	52	68
GRAND TOTAL	**1496**	**11.0**	**166**	**2**	**2**	**6**	**14**	**28**	**41**	**92**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	12.4	132	4	5	10	15	19	32	62
20-34	198	8.7	30	3	4	7	10	17	20	32
35-49	466	9.6	44	4	4	8	11	16	21	34
50-64	468	10.0	36	4	5	9	12	17	20	35
65+	275	10.9	38	4	5	9	13	18	21	37
2. MULTIPLE DX										
0-19 YRS	38	14.9	103	6	7	13	17	25	35	59
20-34	236	13.8	146	4	5	10	16	25	37	78
35-49	544	12.4	77	4	5	10	15	23	29	57
50-64	1085	14.3	112	5	6	11	17	26	35	65
65+	1132	17.7	134	6	7	14	22	31	41	63
TOT. SINGLE DX	1431	9.9	41	4	4	8	12	17	21	35
" MULTIPLE DX	3035	15.2	121	5	6	12	18	28	37	64
TOTAL 0-19 YRS	62	14.0	114	5	6	11	16	21	35	62
20-34	434	11.5	100	4	4	9	13	21	29	64
35-49	1010	11.1	64	4	5	9	13	20	27	44
50-64	1553	13.0	94	4	5	10	16	23	31	61
65+	1407	16.4	123	6	7	13	20	30	38	60
GRAND TOTAL	**4466**	**13.5**	**101**	**4**	**5**	**10**	**16**	**25**	**32**	**59**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	8.2	44	2	2	6	11	19	23	32
20-34	226	6.0	30	1	1	4	8	13	17	26
35-49	309	6.0	29	1	1	4	8	14	17	26
50-64	154	6.0	31	1	1	4	8	12	15	21
65+	34	6.9	35	1	1	6	10	16	19	23
2. MULTIPLE DX										
0-19 YRS	123	13.8	157	3	3	10	17	31	36	87
20-34	227	11.0	143	1	2	7	14	26	39	99+
35-49	350	10.7	152	1	2	6	14	24	35	74
50-64	318	13.5	142	1	2	11	17	31	37	59
65+	222	18.9	266	2	4	15	26	38	59	95
TOT. SINGLE DX	780	6.2	32	1	1	4	8	13	17	26
" MULTIPLE DX	1240	13.3	177	2	2	9	17	31	40	77
TOTAL 0-19 YRS	180	12.0	128	2	3	9	14	24	35	79
20-34	453	8.5	93	1	2	5	11	20	27	71
35-49	659	8.5	100	1	2	5	10	19	25	50
50-64	472	11.1	119	1	2	8	15	25	33	51
65+	256	17.3	252	2	3	13	23	36	53	93
GRAND TOTAL	**2020**	**10.5**	**133**	**1**	**2**	**7**	**14**	**24**	**33**	**68**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.9	6	<1	<1	2	3	8	8	10
20-34	179	3.5	11	<1	1	2	4	9	11	16
35-49	283	3.5	11	1	1	2	4	8	11	15
50-64	328	3.0	6	1	1	2	3	6	9	13
65+	176	4.1	17	1	1	3	4	9	14	21
2. MULTIPLE DX										
0-19 YRS	44	6.8	127	1	1	3	6	17	31	62
20-34	124	4.1	18	1	1	3	5	9	11	25
35-49	243	5.2	28	1	1	3	6	12	17	26
50-64	327	5.8	63	1	1	3	6	11	19	56
65+	265	7.1	60	1	2	4	10	16	20	42
TOT. SINGLE DX	1005	3.4	11	1	1	2	4	8	10	17
" MULTIPLE DX	1003	5.8	52	1	1	3	7	13	19	35
TOTAL 0-19 YRS	83	5.0	74	<1	1	2	5	9	20	52
20-34	303	3.7	14	1	1	2	4	9	11	20
35-49	526	4.3	20	1	1	3	5	10	13	21
50-64	655	4.4	37	1	1	3	5	9	12	26
65+	441	5.9	46	1	1	3	8	14	18	31
GRAND TOTAL	**2008**	**4.6**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**27**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	2.2	3	1	1	2	2	4	6	11
20-34	926	2.1	2	<1	1	2	3	4	5	8
35-49	1244	2.3	3	<1	1	2	3	4	5	10
50-64	1031	2.3	2	<1	1	2	3	4	5	9
65+	443	2.5	6	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	233	3.2	25	<1	1	2	3	6	11	40
20-34	701	3.2	22	1	1	2	3	6	9	20
35-49	1103	4.3	25	1	1	3	5	10	13	27
50-64	1315	4.4	28	1	1	3	5	10	13	23
65+	1071	4.8	40	1	1	3	5	11	14	33
TOT. SINGLE DX	3778	2.3	4	<1	1	2	3	4	5	10
" MULTIPLE DX	4423	4.2	30	1	1	3	5	9	13	27
TOTAL 0-19 YRS	367	2.9	18	<1	1	2	3	5	9	27
20-34	1627	2.6	12	<1	1	2	3	5	7	14
35-49	2347	3.3	15	<1	1	2	3	6	10	19
50-64	2346	3.5	18	1	1	2	4	7	10	21
65+	1514	4.1	31	1	1	2	4	10	13	30
GRAND TOTAL	**8201**	**3.3**	**19**	**1**	**1**	**2**	**3**	**7**	**10**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	5	2	2	5	6	9	9	9
20-34	59	6.3	22	1	2	5	7	14	18	23
35-49	32	7.0	44	2	3	5	7	11	15	40
50-64	19	6.5	12	2	2	6	8	12	14	15
65+	25	8.9	20	2	3	9	12	15	16	19
2. MULTIPLE DX										
0-19 YRS	7	8.1	36	2	2	6	12	18	19	19
20-34	71	6.9	16	3	4	6	7	12	14	27
35-49	51	11.9	111	2	3	8	14	28	36	48
50-64	87	12.0	88	4	5	10	14	21	28	59
65+	191	14.4	79	5	6	12	18	25	31	49
TOT. SINGLE DX	141	6.9	25	2	2	6	8	13	15	25
" MULTIPLE DX	407	12.2	81	4	5	10	15	23	29	48
TOTAL 0-19 YRS	13	6.8	23	2	2	6	7	15	18	19
20-34	130	6.6	19	2	3	6	7	12	15	24
35-49	83	10.0	91	2	3	7	11	23	33	46
50-64	106	11.0	79	3	4	9	13	19	25	53
65+	216	13.8	75	5	6	12	17	24	29	48
GRAND TOTAL	**548**	**10.8**	**72**	**3**	**4**	**9**	**14**	**20**	**27**	**46**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	5.6	26	1	1	3	9	13	17	17
20-34	41	6.5	28	1	1	5	9	11	21	23
35-49	51	6.4	16	1	2	5	9	12	12	21
50-64	25	5.3	19	1	1	3	7	11	16	17
65+	16	5.5	21	1	1	4	9	12	15	16
2. MULTIPLE DX										
0-19 YRS	7	5.4	14	1	1	6	7	11	12	12
20-34	81	9.2	66	2	2	7	12	17	27	43
35-49	118	8.1	38	2	2	6	11	16	24	55
50-64	102	9.6	84	2	2	7	12	19	25	51
65+	109	11.4	114	2	3	9	14	20	35	58
TOT. SINGLE DX	143	6.1	21	1	1	5	9	12	16	22
" MULTIPLE DX	417	9.5	76	2	2	7	12	19	26	50
TOTAL 0-19 YRS	17	5.5	20	1	1	4	8	11	15	17
20-34	122	8.3	55	1	2	6	10	16	22	40
35-49	169	7.6	33	2	2	6	10	14	22	33
50-64	127	8.7	74	1	2	6	11	18	23	42
65+	125	10.6	106	1	2	8	13	20	33	57
GRAND TOTAL	**560**	**8.6**	**64**	**1**	**2**	**7**	**11**	**17**	**23**	**46**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	3.6	3	1	2	3	4	6	7	12
20-34	727	3.7	3	1	2	3	4	5	6	10
35-49	844	3.7	2	2	2	4	4	5	6	10
50-64	619	4.0	2	2	2	4	5	6	7	9
65+	249	4.6	8	2	2	4	5	7	9	22
2. MULTIPLE DX										
0-19 YRS	65	4.5	3	2	3	4	5	7	8	12
20-34	409	4.8	9	2	2	4	5	8	10	15
35-49	625	5.5	17	2	3	4	6	9	13	20
50-64	687	5.7	22	2	3	4	6	10	14	28
65+	560	7.4	49	3	3	5	8	13	21	41
TOT. SINGLE DX	2571	3.9	3	2	2	4	4	5	7	11
" MULTIPLE DX	2346	5.9	26	2	3	4	6	10	14	30
TOTAL 0-19 YRS	197	3.9	4	1	2	4	5	6	8	12
20-34	1136	4.1	6	2	2	4	5	6	8	12
35-49	1469	4.5	10	2	2	4	5	7	9	17
50-64	1306	4.9	14	2	2	4	5	7	11	19
65+	809	6.5	38	2	3	5	7	12	18	40
GRAND TOTAL	4917	4.8	15	2	2	4	5	8	11	21

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	1.9	1	<1	1	2	2	3	4	6
20-34	136	2.7	3	1	1	2	3	5	6	12
35-49	126	3.5	4	1	1	3	4	5	7	13
50-64	94	4.4	24	1	2	4	5	6	9	33
65+	45	4.5	6	2	2	4	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	54	4.0	16	1	1	2	5	9	11	21
20-34	113	6.3	62	1	2	4	7	12	14	46
35-49	158	6.2	22	2	2	5	8	12	14	28
50-64	243	6.7	23	2	3	5	8	12	16	33
65+	260	9.9	82	2	3	6	12	22	27	45
TOT. SINGLE DX	680	2.9	7	1	1	2	4	5	6	13
" MULTIPLE DX	828	7.4	50	2	2	5	9	14	21	35
TOTAL 0-19 YRS	333	2.3	5	<1	1	2	3	4	5	12
20-34	249	4.3	33	1	1	3	5	8	12	26
35-49	284	5.0	16	1	2	4	6	10	13	22
50-64	337	6.0	25	2	2	5	7	10	15	33
65+	305	9.1	74	2	3	6	11	20	26	44
GRAND TOTAL	1508	5.4	35	1	1	4	6	11	15	31

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.0	43	2	3	8	10	18	24	32
20-34	64	9.0	21	5	5	8	11	14	18	28
35-49	43	9.2	14	5	6	8	11	14	18	21
50-64	38	11.3	80	5	5	8	13	19	33	48
65+	19	13.4	119	6	7	12	15	17	38	56
2. MULTIPLE DX										
0-19 YRS	16	9.8	16	3	4	9	13	15	16	17
20-34	82	12.3	79	6	6	10	15	20	23	60
35-49	93	12.7	46	4	6	10	16	23	26	33
50-64	133	14.6	154	3	5	11	17	28	33	71
65+	96	16.5	100	4	6	15	22	31	42	99+
TOT. SINGLE DX	190	10.0	45	5	5	8	12	16	20	43
" MULTIPLE DX	420	14.0	101	4	6	11	17	25	31	70
TOTAL 0-19 YRS	42	9.3	33	3	4	8	11	16	20	32
20-34	146	10.9	56	5	5	9	12	18	21	31
35-49	136	11.6	39	5	6	10	15	21	25	33
50-64	171	13.9	140	4	5	10	16	26	33	65
65+	115	16.0	104	5	6	14	20	30	43	99+
GRAND TOTAL	610	12.7	87	4	5	10	15	23	31	58

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	1.3		<1	<1	1	2	2	2	4
20-34	22	1.9	1	<1	1	2	2	3	5	6
35-49	22	3.8	75	<1	<1	2	2	5	22	42
50-64	31	2.4	1	1	1	2	3	4	6	6
65+	45	2.6	4	<1	1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	32	4.3	79	<1	<1	2	2	8	34	37
20-34	20	5.6	51	1	1	2	9	15	24	28
35-49	50	6.8	59	<1	1	4	8	14	29	35
50-64	82	7.1	77	1	1	3	9	18	27	44
65+	213	6.2	44	1	1	3	8	14	21	31
TOT. SINGLE DX	220	2.0	9	<1	<1	1	2	3	6	9
" MULTIPLE DX	397	6.3	56	1	1	3	8	15	22	36
TOTAL 0-19 YRS	132	2.0	21	<1	<1	1	2	2	3	36
20-34	42	3.6	28	1	1	2	3	9	14	28
35-49	72	5.9	66	<1	1	2	7	13	28	40
50-64	113	5.8	61	1	1	3	6	15	24	40
65+	258	5.6	39	1	1	3	7	13	20	30
GRAND TOTAL	617	4.8	44	<1	1	2	5	12	19	34

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	1.7	2	<1	1	1	2	3	3	7
20-34	92	2.0	1	<1	<1	2	2	4	4	7
35-49	119	1.8		<1	1	2	2	3	3	4
50-64	165	1.8		<1	1	2	2	3	4	5
65+	235	1.8		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	372	2.9	12	<1	1	2	3	5	8	21
20-34	434	3.2	16	<1	1	2	4	6	9	21
35-49	364	3.3	14	1	1	2	4	7	9	21
50-64	439	4.0	50	1	1	2	4	7	11	50
65+	704	4.8	46	1	1	2	5	11	17	32
TOT. SINGLE DX	889	1.8	1	<1	1	2	2	3	3	6
" MULTIPLE DX	2313	3.8	32	1	1	2	4	8	12	27
TOTAL 0-19 YRS	650	2.4	8	<1	1	2	2	4	6	18
20-34	526	3.0	14	<1	1	2	3	6	8	21
35-49	483	3.0	12	1	1	2	3	6	8	21
50-64	604	3.4	38	1	1	2	3	5	9	37
65+	939	4.1	37	1	1	2	4	10	14	27
GRAND TOTAL	3202	3.3	24	1	1	2	3	6	10	25

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	1.7		<1	1	2	2	3	3	6
20-34	61	2.1	3	1	1	2	2	3	4	13
35-49	52	1.9	1	1	1	2	2	3	3	7
50-64	48	2.0		1	1	2	2	3	3	4
65+	81	2.3	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	44	2.3	20	<1	<1	2	2	3	3	31
20-34	44	2.1	1	1	1	2	2	3	5	6
35-49	37	2.4	1	1	1	2	3	5	6	6
50-64	67	2.4	2	1	1	2	3	4	4	11
65+	145	2.9	4	1	1	2	3	5	8	13
TOT. SINGLE DX	296	2.0	2	1	1	2	2	3	4	8
" MULTIPLE DX	337	2.6	5	1	1	2	3	4	6	12
TOTAL 0-19 YRS	98	2.0	9	<1	1	2	2	3	3	19
20-34	105	2.1	2	1	1	2	2	3	4	10
35-49	89	2.1	1	1	1	2	2	3	5	7
50-64	115	2.3	2	1	1	2	3	3	4	9
65+	226	2.6	4	1	1	2	3	4	7	11
GRAND TOTAL	633	2.3	4	1	1	2	2	3	5	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.5	1	<1	<1	1	2	2	4	7
20-34	16	2.2		<1	<1	2	3	4	4	4
35-49	4	2.5	5	1	1	2	4	6	6	6
50-64	7	1.9		1	1	2	2	3	3	3
65+	7	2.4	4	1	1	2	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	22	2.9	6	<1	<1	2	4	6	8	10
20-34	14	2.5	3	1	1	2	3	6	7	7
35-49	11	5.3	39	1	1	3	6	14	22	23
50-64	15	3.9	16	<1	1	3	4	8	15	17
65+	27	3.6	13	<1	1	2	5	8	10	17
TOT. SINGLE DX	56	1.9	2	<1	<1	2	2	3	5	7
" MULTIPLE DX	89	3.5	14	1	1	2	4	7	9	21
TOTAL 0-19 YRS	44	2.2	4	<1	<1	1	2	6	7	10
20-34	30	2.3	2	<1	<1	2	3	4	6	7
35-49	15	4.5	31	1	1	2	6	8	19	23
50-64	22	3.3	12	<1	1	2	3	6	12	17
65+	34	3.4	12	1	1	2	4	8	9	17
GRAND TOTAL	145	2.9	10	<1	1	2	3	6	8	18

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.4		1	1	2	3	4	4	4
20-34	101	3.1	3	1	2	3	4	5	5	13
35-49	80	2.7	1	1	1	3	3	4	5	7
50-64	80	3.1	3	1	1	3	4	5	6	11
65+	276	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	23	3.4	4	1	2	3	4	6	8	11
20-34	42	4.8	13	2	2	3	5	9	13	19
35-49	62	3.8	8	1	2	3	4	6	10	17
50-64	154	4.2	7	2	2	3	5	7	10	18
65+	845	3.9	9	1	2	3	4	6	8	15
TOT. SINGLE DX	554	3.0	3	1	1	3	4	5	6	8
" MULTIPLE DX	1126	4.0	9	1	2	3	4	7	9	15
TOTAL 0-19 YRS	40	3.0	3	1	1	3	3	5	6	11
20-34	143	3.6	7	1	2	3	4	6	8	17
35-49	142	3.2	5	1	1	3	4	5	6	13
50-64	234	3.8	6	1	2	3	4	6	8	15
65+	1121	3.7	8	1	2	3	4	6	7	14
GRAND TOTAL	1680	3.7	7	1	2	3	4	6	8	14

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	3.0	3	1	1	3	4	6	6	10
20-34	106	2.5	2	1	1	2	3	5	6	9
35-49	59	2.0	1	<1	1	2	3	3	5	6
50-64	44	2.3	4	<1	1	2	3	5	7	11
65+	51	2.5	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	87	3.6	5	1	1	3	4	7	9	13
20-34	89	4.5	10	1	1	4	6	9	11	17
35-49	64	4.3	14	1	1	3	5	8	12	20
50-64	52	4.4	20	1	1	3	5	10	11	27
65+	134	4.3	20	1	1	3	4	9	13	25
TOT. SINGLE DX	373	2.6	3	1	1	2	3	5	6	9
" MULTIPLE DX	426	4.2	14	1	1	3	5	9	11	20
TOTAL 0-19 YRS	200	3.3	5	1	1	3	4	6	8	11
20-34	195	3.5	7	1	1	3	5	6	9	13
35-49	123	3.2	9	1	1	2	4	7	9	17
50-64	96	3.4	14	1	1	2	4	8	11	22
65+	185	3.8	16	1	1	2	4	8	11	22
GRAND TOTAL	799	3.4	10	1	1	2	4	7	9	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.7	14	1	1	2	2	4	8	24
20-34	29	3.5	7	1	1	3	4	7	9	12
35-49	56	2.6	2	1	1	2	4	4	5	8
50-64	181	2.7	2	1	1	2	3	4	6	10
65+	291	2.8	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	30	2.7	3	1	1	2	3	6	8	99+
20-34	49	4.4	22	1	1	3	5	8	11	29
35-49	55	4.9	45	1	1	3	6	9	12	47
50-64	210	4.5	25	1	1	3	5	8	12	32
65+	630	3.7	8	1	2	3	4	7	9	15
TOT. SINGLE DX	597	2.8	4	1	1	2	3	4	6	11
" MULTIPLE DX	974	4.0	15	1	1	3	4	7	10	18
TOTAL 0-19 YRS	70	2.7	10	1	1	2	3	6	8	84
20-34	78	4.1	17	1	1	3	5	7	10	26
35-49	111	3.8	25	1	1	3	4	6	9	28
50-64	391	3.7	16	1	1	3	4	7	9	20
65+	921	3.4	7	1	1	3	4	6	9	14
GRAND TOTAL	1571	3.5	11	1	1	3	4	6	9	16

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.5	7	<1	1	3	4	8	10	12
20-34	41	3.4	8	1	1	3	4	7	10	15
35-49	27	2.4	2	<1	1	2	3	5	6	7
50-64	57	2.6	2	1	1	2	4	5	6	7
65+	133	2.5	3	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	43	5.0	51	<1	1	3	6	9	13	47
20-34	60	4.2	10	1	1	3	5	9	12	15
35-49	45	4.2	4	1	2	4	5	7	8	10
50-64	100	5.3	33	1	1	4	7	11	14	36
65+	290	4.8	36	1	1	3	5	10	14	34
TOT. SINGLE DX	304	2.8	5	1	1	2	3	5	7	12
" MULTIPLE DX	538	4.8	31	1	1	3	5	10	13	32
TOTAL 0-19 YRS	89	4.2	29	<1	1	3	5	8	11	34
20-34	101	3.9	10	1	1	3	5	8	12	15
35-49	72	3.5	4	1	1	3	5	7	7	10
50-64	157	4.3	24	1	1	3	5	10	12	26
65+	423	4.1	27	1	1	2	4	9	12	31
GRAND TOTAL	842	4.1	23	1	1	3	4	8	12	27

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.1		1	1	2	2	4	4	5
20-34	13	2.8	3	1	1	2	3	6	8	8
35-49	149	2.1		1	1	2	2	3	3	4
50-64	1138	2.1	1	1	1	2	2	3	3	5
65+	4740	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	20	2.7	2	1	1	2	4	5	6	6
20-34	20	[illegible]	7	2	2	3	5	9	11	11
35-49	141	2.9	4	1	2	2	3	4	6	14
50-64	1108	2.9	6	1	2	2	3	4	6	15
65+	6110	2.7	5	1	2	2	3	4	6	13
TOT. SINGLE DX	6067	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	7399	2.8	6	1	2	2	3	4	6	13
TOTAL 0-19 YRS	47	2.4	1	1	1	2	3	4	5	6
20-34	33	3.4	6	1	2	2	4	7	10	11
35-49	290	2.5	3	1	1	2	3	4	4	12
50-64	2246	2.5	4	1	1	2	3	3	5	11
65+	10850	2.5	4	1	2	2	3	3	4	11
GRAND TOTAL	**13466**	**2.5**	**4**	**1**	**2**	**2**	**3**	**3**	**4**	**11**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.1	1	1	1	2	2	3	4	8
20-34	59	1.9		<1	1	2	2	3	3	5
35-49	585	1.9		1	1	2	2	2	3	5
50-64	3139	1.9		1	1	2	2	2	3	4
65+	12893	2.0		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	72	2.5	3	1	1	2	3	4	6	13
20-34	52	2.2	1	1	1	2	2	3	5	9
35-49	432	2.4	3	1	1	2	2	4	5	11
50-64	3149	2.4	3	1	1	2	2	3	5	11
65+	16284	2.4	4	1	1	2	2	3	4	11
TOT. SINGLE DX	16783	1.9		1	1	2	2	2	3	4
" MULTIPLE DX	19989	2.4	4	1	1	2	2	3	5	11
TOTAL 0-19 YRS	179	2.3	2	1	1	2	2	4	5	8
20-34	111	2.1	1	1	1	2	2	3	4	7
35-49	1017	2.1	2	1	1	2	2	3	4	9
50-64	6288	2.1	2	1	1	2	2	3	4	8
65+	29177	2.2	3	1	1	2	2	3	4	9
GRAND TOTAL	**36772**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	15	2.1	1	1	1	2	2	3	5	5
35-49	67	1.9		1	1	2	2	2	3	6
50-64	334	1.9	2	1	1	2	2	2	3	3
65+	1018	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	10	1.9		1	1	2	2	3	4	4
20-34	15	2.5	3	1	1	2	2	3	8	9
35-49	46	2.9	11	1	1	2	3	5	7	21
50-64	337	2.3	1	1	1	2	2	3	4	9
65+	1173	2.5	4	1	1	2	2	3	5	13
TOT. SINGLE DX	1437	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1581	2.5	4	1	1	2	2	3	5	12
TOTAL 0-19 YRS	13	1.9	1	1	1	2	2	3	4	4
20-34	30	2.3	2	1	1	2	2	3	5	9
35-49	113	2.3	5	1	1	2	2	3	5	16
50-64	671	2.1	2	1	1	2	2	3	3	8
65+	2191	2.3	3	1	1	2	2	3	4	11
GRAND TOTAL	**3018**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.4	3	1	1	3	4	6	7	10
20-34	159	3.7	8	1	1	3	5	6	7	16
35-49	182	3.2	2	1	1	3	4	5	6	9
50-64	533	3.3	3	1	1	3	4	6	7	10
65+	452	3.6	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	78	4.0	4	1	2	4	5	8	9	99+
20-34	195	4.4	7	1	2	4	5	8	10	15
35-49	189	4.2	7	2	2	4	5	7	9	17
50-64	613	4.2	12	1	2	3	5	7	9	15
65+	976	4.3	9	1	2	4	5	7	9	16
TOT. SINGLE DX	1414	3.4	4	1	1	3	4	6	7	10
" MULTIPLE DX	2051	4.3	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	166	3.7	4	1	1	3	5	7	8	84
20-34	354	4.1	8	1	1	4	5	7	9	16
35-49	371	3.7	5	1	2	3	4	6	8	13
50-64	1146	3.8	9	1	1	3	5	7	8	13
65+	1428	4.1	8	1	2	3	5	7	8	15
GRAND TOTAL	**3465**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.9	11	1	1	2	3	5	7	20
20-34	34	3.9	8	1	2	3	4	8	11	14
35-49	24	3.6	3	1	2	3	5	7	7	7
50-64	51	3.0	2	1	1	2	4	6	6	7
65+	164	2.8	3	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	52	5.0	147	1	1	3	4	6	8	87
20-34	167	4.9	31	1	2	4	5	9	12	28
35-49	130	5.3	42	1	2	4	5	10	14	30
50-64	268	4.3	19	1	1	3	5	7	11	24
65+	580	3.8	11	1	2	3	4	7	10	17
TOT. SINGLE DX	307	3.0	5	1	1	2	3	6	7	12
" MULTIPLE DX	1197	4.3	26	1	2	3	5	8	11	20
TOTAL 0-19 YRS	86	4.2	94	1	1	2	4	6	7	64
20-34	201	4.8	28	1	2	3	5	9	12	25
35-49	154	5.0	37	1	2	4	5	9	13	21
50-64	319	4.1	17	1	1	3	5	7	9	20
65+	744	3.6	10	1	1	3	4	7	9	17
GRAND TOTAL	1504	4.0	22	1	1	3	4	7	10	19

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1381	1.4		<1	<1	1	2	2	2	3
20-34	230	1.5		<1	<1	1	2	2	2	3
35-49	142	1.6		<1	1	2	2	2	3	4
50-64	68	1.7		<1	1	2	2	2	3	4
65+	42	1.6		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	347	1.6		<1	<1	2	2	2	2	5
20-34	106	1.7		1	1	2	2	2	3	4
35-49	86	2.3	30	1	1	2	2	2	3	35
50-64	70	2.0		1	1	2	2	3	3	6
65+	59	2.1	3	1	1	2	2	3	4	15
TOT. SINGLE DX	1863	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	668	1.8	5	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	1728	1.5	1	<1	<1	1	2	2	2	3
20-34	336	1.6		<1	1	2	2	2	2	3
35-49	228	1.9	12	<1	1	2	2	2	3	4
50-64	138	1.8	1	<1	1	2	2	3	3	5
65+	101	1.9	2	<1	1	2	2	2	3	10
GRAND TOTAL	2531	1.5	2	<1	<1	1	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	5	3.0	5	1	1	2	4	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	7.8	36	2	2	6	12	16	16	16
TOT. SINGLE DX	5	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	17	3.6	14	1	1	2	4	8	13	16
TOTAL 0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	6	2.7	5	1	1	2	3	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.3		2	2	2	3	3	3	3
65+	4	7.8	36	2	2	6	12	16	16	16
GRAND TOTAL	22	3.1	12	<1	1	2	3	7	11	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.4	3	<1	1	2	3	5	7	10
20-34	112	3.3	6	1	1	2	4	7	8	13
35-49	68	2.9	3	1	1	3	3	5	6	11
50-64	73	2.9	6	1	1	2	4	5	6	17
65+	111	3.0	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	102	5.8	57	1	2	4	6	12	15	47
20-34	145	4.6	14	1	2	3	6	10	12	20
35-49	110	5.1	38	1	1	3	6	11	14	37
50-64	132	5.4	50	1	2	3	5	10	19	46
65+	301	4.7	26	1	2	3	6	9	13	29
TOT. SINGLE DX	459	2.9	5	1	1	2	3	6	7	11
" MULTIPLE DX	790	5.0	34	1	2	3	6	10	14	31
TOTAL 0-19 YRS	197	4.2	34	1	1	2	5	9	12	26
20-34	257	4.0	11	1	1	3	5	8	11	19
35-49	178	4.3	26	1	1	3	5	7	13	25
50-64	205	4.5	36	1	1	3	4	9	13	37
65+	412	4.3	21	1	1	3	5	8	12	24
GRAND TOTAL	1249	4.2	24	1	1	3	5	8	12	22

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	2.0	2	<1	<1	1	2	4	5	8
20-34	95	2.5	3	<1	1	2	3	5	7	10
35-49	43	2.2	2	<1	1	2	3	4	6	7
50-64	61	2.8	11	<1	1	2	3	5	8	21
65+	78	3.1	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	306	3.3	20	<1	1	2	4	6	7	26
20-34	206	5.0	43	<1	1	3	5	11	17	34
35-49	104	6.5	50	1	1	3	9	16	25	30
50-64	106	7.0	85	1	1	4	8	17	23	52
65+	264	7.1	45	1	2	5	10	15	18	32
TOT. SINGLE DX	622	2.3	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	986	5.4	45	1	1	3	7	13	17	32
TOTAL 0-19 YRS	651	2.6	12	<1	<1	2	3	5	6	15
20-34	301	4.2	32	<1	1	2	5	8	15	31
35-49	147	5.3	40	1	1	2	7	15	16	30
50-64	167	5.4	62	1	1	3	6	13	19	35
65+	342	6.2	40	1	1	4	8	14	17	27
GRAND TOTAL	1608	4.2	31	<1	1	2	5	9	15	28

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.9		1	1	2	3	3	3	4
20-34	317	2.1		1	1	2	3	3	3	4
35-49	455	2.0		1	1	2	3	3	3	4
50-64	415	2.2		1	1	2	3	3	4	5
65+	133	2.2		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	53	1.9		1	1	2	2	3	3	4
20-34	154	1.9		1	1	2	2	3	3	5
35-49	172	2.3	2	1	1	2	3	4	4	11
50-64	255	2.6	10	1	1	2	3	4	5	9
65+	120	2.6	1	1	1	3	3	4	4	7
TOT. SINGLE DX	1399	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	754	2.3	5	1	1	2	3	3	4	8
TOTAL 0-19 YRS	132	1.9	1	1	1	2	3	3	3	4
20-34	471	2.0	1	1	1	2	3	3	3	4
35-49	627	2.1	1	1	1	2	3	3	4	6
50-64	670	2.4	5	1	1	2	3	3	4	6
65+	253	2.4	1	1	1	2	3	3	4	6
GRAND TOTAL	2153	2.2	2	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	681	1.6		1	1	2	2	2	3	4
20-34	498	1.8		1	1	2	2	3	3	5
35-49	400	1.8		1	1	2	2	3	3	4
50-64	295	1.9		1	1	2	2	3	3	4
65+	107	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	751	1.7		1	1	2	2	2	3	4
20-34	469	2.0	1	1	1	2	2	3	4	7
35-49	388	2.1	3	1	1	2	2	3	4	10
50-64	487	2.3	4	1	1	2	3	3	5	10
65+	187	2.4	2	1	1	2	3	4	5	10
TOT. SINGLE DX	1981	1.8	1	1	1	2	2	2	3	4
" MULTIPLE DX	2282	2.0	2	1	1	2	2	3	4	8
TOTAL 0-19 YRS	1432	1.7	1	1	1	2	2	2	3	4
20-34	967	1.9	1	1	1	2	2	3	3	6
35-49	788	2.0	2	1	1	2	2	3	3	8
50-64	782	2.1	3	1	1	2	2	3	4	9
65+	294	2.2	2	1	1	2	2	3	4	9
GRAND TOTAL	4263	1.9	1	1	1	2	2	3	3	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1290	1.2		<1	<1	<1	1	1	2	5
20-34	58	1.8	4	<1	<1	1	2	3	4	15
35-49	68	1.8	1	<1	<1	1	2	4	5	8
50-64	39	1.8	4	<1	<1	1	2	3	4	14
65+	28	2.4	21	<1	<1	1	1	2	17	20
2. MULTIPLE DX										
0-19 YRS	2180	2.2	10	<1	<1	1	2	5	8	15
20-34	106	3.8	23	<1	1	2	4	8	14	28
35-49	90	5.4	56	<1	1	2	6	13	25	33
50-64	103	5.6	69	1	1	2	5	17	24	44
65+	88	11.1	245	1	1	7	14	22	59	98
TOT. SINGLE DX	1483	1.3	1	<1	<1	<1	1	2	2	6
" MULTIPLE DX	2567	2.8	26	<1	<1	1	2	6	10	26
TOTAL 0-19 YRS	3470	1.8	7	<1	<1	1	2	3	6	12
20-34	164	3.1	18	<1	1	2	3	6	10	25
35-49	158	3.8	36	<1	1	2	3	9	14	33
50-64	142	4.5	54	<1	<1	2	4	14	18	41
65+	116	9.0	205	<1	1	3	12	20	38	96
GRAND TOTAL	**4050**	**2.3**	**18**	**<1**	**<1**	**1**	**2**	**4**	**8**	**20**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	2.0	1	1	1	2	2	3	4	7
20-34	160	2.4	2	1	1	2	3	4	4	11
35-49	118	2.4	4	1	1	2	3	4	5	12
50-64	121	2.3	1	1	1	2	3	4	5	8
65+	46	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	449	2.5	13	1	1	2	3	4	5	13
20-34	317	2.6	3	1	1	2	3	4	7	13
35-49	269	3.1	18	1	1	2	3	5	8	26
50-64	273	2.9	6	1	1	2	3	5	7	15
65+	162	4.5	50	1	1	2	4	8	16	43
TOT. SINGLE DX	668	2.2	2	1	1	2	3	4	4	8
" MULTIPLE DX	1470	2.9	15	1	1	2	3	4	7	17
TOTAL 0-19 YRS	672	2.3	9	1	1	2	2	3	5	13
20-34	477	2.5	3	1	1	2	3	4	6	11
35-49	387	2.9	14	1	1	2	3	4	7	23
50-64	394	2.7	5	1	1	2	3	4	7	14
65+	208	4.1	40	1	1	2	4	7	13	41
GRAND TOTAL	**2138**	**2.7**	**11**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (1
1. SINGLE DX										
0-19 YRS	179	1.8	2	<1	<1	2	2	3	3	14
20-34	162	2.2	1	1	1	2	3	3	5	9
35-49	171	2.5	7	1	1	2	3	4	5	11
50-64	172	2.6	2	1	1	2	3	4	6	9
65+	75	3.0	7	1	1	2	3	5	7	16
2. MULTIPLE DX										
0-19 YRS	242	2.4	8	<1	<1	1	2	5	7	18
20-34	161	3.0	8	1	1	2	3	7	10	15
35-49	154	3.7	39	1	1	2	3	7	11	33
50-64	172	3.8	31	1	1	2	4	7	12	30
65+	111	6.1	78	1	1	3	6	14	16	58
TOT. SINGLE DX	759	2.3	4	<1	1	2	2	4	5	10
" MULTIPLE DX	840	3.5	29	<1	1	2	3	7	12	25
TOTAL 0-19 YRS	421	2.2	6	<1	<1	2	2	4	6	17
20-34	323	2.6	5	1	1	2	3	5	8	12
35-49	325	3.1	23	1	1	2	3	5	8	27
50-64	344	3.2	17	1	1	2	3	6	8	19
65+	186	4.8	52	1	1	3	5	12	15	46
GRAND TOTAL	**1599**	**3.0**	**18**	**<1**	**1**	**2**	**3**	**5**	**9**	**18**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.1		1	1	2	2	3	4	5
20-34	324	2.1		1	1	2	3	3	4	5
35-49	187	2.1		1	1	2	3	3	4	6
50-64	82	2.2	1	1	1	2	3	4	4	6
65+	30	2.9	14	1	1	2	3	4	5	22
2. MULTIPLE DX										
0-19 YRS	555	2.2	3	1	1	2	3	3	4	7
20-34	1168	2.7	6	1	1	2	3	4	5	13
35-49	778	2.7	10	1	1	2	3	4	5	12
50-64	425	2.9	7	1	1	2	3	5	7	15
65+	158	3.7	19	1	1	3	4	6	9	33
TOT. SINGLE DX	756	2.1	2	1	1	2	3	3	4	5
" MULTIPLE DX	3084	2.7	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	688	2.2	3	1	1	2	3	3	4	6
20-34	1492	2.5	5	1	1	2	3	4	5	11
35-49	965	2.6	9	1	1	2	3	4	5	10
50-64	507	2.8	7	1	1	2	3	4	6	13
65+	188	3.5	18	1	1	3	4	6	9	29
GRAND TOTAL	**3840**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	648	1.8	2	1	1	2	2	3	4	6
20-34	1131	1.9	1	1	1	2	2	3	4	5
35-49	557	1.9	1	1	1	2	2	3	4	5
50-64	248	2.0	1	1	1	2	2	3	4	6
65+	92	2.6	4	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	1325	2.3	4	1	1	2	3	4	5	8
20-34	2907	2.3	5	1	1	2	3	4	4	9
35-49	1903	2.4	3	1	1	2	3	4	5	10
50-64	1044	2.8	8	1	1	2	3	4	6	17
65+	458	3.5	12	1	1	2	4	7	10	20
TOT. SINGLE DX	2676	1.9	2	1	1	2	2	3	4	6
" MULTIPLE DX	7637	2.5	6	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1973	2.2	4	1	1	2	3	4	4	7
20-34	4038	2.1	4	1	1	2	3	4	4	8
35-49	2460	2.3	3	1	1	2	3	4	4	9
50-64	1292	2.7	7	1	1	2	3	4	6	16
65+	550	3.4	12	1	1	2	4	7	9	19
GRAND TOTAL	**10313**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	2.2	2	<1	1	2	2	4	5	8
20-34	96	1.9		1	1	2	2	3	4	5
35-49	103	2.3	3	1	1	2	3	4	5	12
50-64	150	2.3	3	<1	1	2	3	4	5	8
65+	136	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	199	2.5	4	1	1	2	3	5	7	13
20-34	343	3.2	35	1	1	2	3	5	6	22
35-49	373	3.2	18	1	1	2	3	6	8	23
50-64	513	3.5	11	1	1	2	4	7	10	19
65+	523	4.8	28	1	1	3	6	11	14	28
TOT. SINGLE DX	587	2.3	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1951	3.6	21	1	1	2	4	7	11	21
TOTAL 0-19 YRS	301	2.4	4	1	1	2	3	4	6	11
20-34	439	2.9	29	1	1	2	3	4	6	18
35-49	476	3.0	15	1	1	2	3	5	8	21
50-64	663	3.2	10	1	1	2	4	6	9	18
65+	659	4.4	24	1	1	3	5	10	14	27
GRAND TOTAL	**2538**	**3.3**	**18**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	357	1.5	1	<1	<1	1	2	3	4	7
20-34	307	2.1	3	<1	1	2	2	4	6	9
35-49	149	3.0	6	1	1	2	4	6	7	9
50-64	144	3.7	5	1	1	3	5	7	8	13
65+	123	3.8	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	428	3.6	40	<1	1	2	4	6	7	37
20-34	716	3.4	18	1	1	3	4	6	8	12
35-49	369	4.2	17	1	1	3	5	8	11	24
50-64	430	5.4	19	1	2	4	6	10	14	23
65+	584	5.9	26	1	2	5	7	11	15	30
TOT. SINGLE DX	1080	2.5	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	2527	4.5	25	1	1	3	5	9	11	24
TOTAL 0-19 YRS	785	2.7	23	<1	<1	2	3	5	6	31
20-34	1023	3.0	14	<1	1	2	4	6	7	11
35-49	518	3.9	15	1	1	3	5	7	9	22
50-64	574	4.9	17	1	1	4	6	9	12	20
65+	707	5.6	24	1	2	4	7	10	14	25
GRAND TOTAL	**3607**	**3.9**	**20**	**<1**	**1**	**3**	**5**	**7**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.3	3	1	1	2	3	4	6	10
20-34	170	2.3	3	1	1	2	3	4	6	12
35-49	138	2.5	2	1	1	2	3	5	6	9
50-64	108	2.5	4	1	1	2	3	5	5	13
65+	62	3.1	5	1	1	3	4	5	7	14
2. MULTIPLE DX										
0-19 YRS	78	3.2	24	1	1	2	3	4	6	34
20-34	248	3.9	19	1	1	3	4	8	12	22
35-49	289	4.1	20	1	1	3	4	9	12	22
50-64	283	4.1	20	1	1	3	4	9	13	17
65+	173	6.0	41	1	2	3	6	14	23	31
TOT. SINGLE DX	520	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	1071	4.3	24	1	1	3	4	9	14	25
TOTAL 0-19 YRS	120	2.9	17	1	1	2	3	4	6	23
20-34	418	3.3	13	1	1	2	4	7	10	18
35-49	427	3.6	15	1	1	3	4	7	10	18
50-64	391	3.7	16	1	1	3	4	7	12	17
65+	235	5.2	34	1	1	3	5	13	17	29
GRAND TOTAL	1591	3.7	18	1	1	3	4	7	11	23

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.4	4	<1	1	2	3	6	7	9
20-34	133	2.8	5	<1	1	2	4	5	8	13
35-49	140	3.0	15	<1	1	2	4	5	8	23
50-64	126	3.4	9	1	1	2	4	7	9	16
65+	55	2.8	7	1	1	2	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	177	6.1	58	1	1	3	7	14	19	44
20-34	306	4.3	39	1	1	3	5	9	13	25
35-49	302	4.8	33	1	1	3	5	11	15	31
50-64	336	4.9	37	1	1	3	6	10	13	29
65+	229	6.2	46	1	1	4	8	13	18	33
TOT. SINGLE DX	528	2.9	9	1	1	2	4	6	8	16
" MULTIPLE DX	1350	5.1	42	1	1	3	6	12	15	33
TOTAL 0-19 YRS	251	5.0	45	1	1	3	6	11	17	37
20-34	439	3.9	30	1	1	3	4	8	11	22
35-49	442	4.2	28	1	1	3	4	9	14	30
50-64	462	4.5	30	1	1	3	5	9	13	27
65+	284	5.6	40	1	1	3	7	13	16	27
GRAND TOTAL	1878	4.5	33	1	1	3	5	10	14	28

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	461	1.3		<1	<1	1	2	2	2	3
20-34	324	1.7	7	<1	1	1	2	2	3	8
35-49	115	1.9	4	1	1	2	2	2	3	13
50-64	86	1.8		<1	1	2	2	2	3	6
65+	39	3.2	46	<1	1	2	3	4	6	44
2. MULTIPLE DX										
0-19 YRS	564	2.3	10	1	1	1	2	4	6	16
20-34	846	4.6	54	1	1	2	4	11	18	36
35-49	728	4.2	39	1	1	2	4	9	14	30
50-64	857	4.5	38	1	1	2	4	10	16	37
65+	822	6.5	63	1	1	3	8	16	23	43
TOT. SINGLE DX	1025	1.6	5	<1	1	1	2	2	3	7
" MULTIPLE DX	3817	4.5	45	1	1	2	4	11	17	36
TOTAL 0-19 YRS	1025	1.9	6	<1	1	1	2	3	5	13
20-34	1170	3.8	43	1	1	2	3	9	15	34
35-49	843	3.8	35	1	1	2	3	8	13	30
50-64	943	4.2	36	1	1	2	4	9	15	36
65+	861	6.3	63	1	1	3	7	16	23	44
GRAND TOTAL	4842	3.9	38	1	1	2	3	9	15	33

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	1.3		<1	<1	1	1	2	3	4
20-34	13	1.8	1	<1	<1	1	2	4	5	5
35-49	8	1.8	1	1	1	1	3	3	3	3
50-64	6	2.5	5	1	1	2	3	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	175	2.2	14	<1	<1	1	2	4	5	20
20-34	53	2.8	6	1	1	2	3	6	8	15
35-49	23	4.7	53	1	1	2	4	12	25	31
50-64	14	3.0	3	1	2	2	4	5	7	8
65+	13	4.1	15	1	1	3	4	10	14	15
TOT. SINGLE DX	120	1.4	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	278	2.6	16	<1	1	2	2	5	8	23
TOTAL 0-19 YRS	266	1.9	10	<1	<1	1	2	3	4	11
20-34	66	2.6	6	<1	1	2	3	5	7	14
35-49	31	4.0	41	1	1	2	3	7	21	31
50-64	20	2.9	4	1	1	2	4	6	7	8
65+	15	3.7	14	1	1	2	4	9	13	15
GRAND TOTAL	398	2.3	12	<1	<1	1	2	4	6	19

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.8	8	<1	1	2	3	5	5	21
20-34	61	2.1	1	<1	<1	2	3	4	5	5
35-49	105	2.3	4	<1	1	2	3	3	5	13
50-64	116	2.7	4	1	1	2	3	4	6	13
65+	27	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	132	2.8	5	1	1	2	3	5	7	15
20-34	123	3.9	53	1	1	2	4	8	10	41
35-49	168	3.9	45	<1	1	2	3	6	15	41
50-64	203	4.3	40	1	1	2	4	9	15	33
65+	164	5.1	29	1	2	3	6	11	17	25
TOT. SINGLE DX	360	2.5	4	<1	1	2	3	4	5	12
" MULTIPLE DX	790	4.1	35	1	1	2	4	8	13	29
TOTAL 0-19 YRS	183	2.8	7	1	1	2	3	5	7	16
20-34	184	3.3	37	<1	1	2	3	6	9	26
35-49	273	3.3	30	<1	1	2	3	5	9	28
50-64	319	3.7	28	1	1	2	4	7	11	29
65+	191	4.8	26	1	2	3	5	10	16	24
GRAND TOTAL	1150	3.6	26	1	1	2	3	6	10	28

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	2.8	5	1	1	2	3	6	8	12
20-34	349	2.7	2	1	1	3	3	4	5	8
35-49	409	2.9	2	1	1	3	3	5	5	9
50-64	380	3.4	3	1	1	3	4	5	7	10
65+	284	3.7	3	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	62	4.0	8	1	1	3	5	7	10	16
20-34	161	4.0	19	1	1	3	4	6	10	28
35-49	276	4.3	12	1	2	3	5	8	10	19
50-64	439	4.8	16	1	2	4	5	9	12	22
65+	527	5.9	30	2	2	4	7	12	15	29
TOT. SINGLE DX	1550	3.1	3	1	1	3	4	5	6	10
" MULTIPLE DX	1465	5.0	21	1	2	4	6	9	13	24
TOTAL 0-19 YRS	190	3.2	6	1	1	3	4	6	8	14
20-34	510	3.1	8	1	1	3	4	5	6	12
35-49	685	3.5	7	1	1	3	4	6	7	16
50-64	819	4.2	11	1	2	3	5	7	10	18
65+	811	5.1	22	1	2	4	6	10	14	23
GRAND TOTAL	3015	4.0	13	1	1	3	5	7	10	18

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	354	3.4	3	1	1	3	4	6	7	8
20-34	20	2.5	1	1	1	2	3	4	4	4
35-49	15	2.9	1	2	2	3	4	4	6	6
50-64	18	3.6	4	1	1	3	4	7	8	8
65+	7	3.0	6	1	1	2	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	431	4.0	5	2	2	3	5	7	8	11
20-34	26	4.2	30	1	1	2	4	9	17	27
35-49	28	4.8	49	1	1	3	4	8	12	39
50-64	27	4.9	34	1	1	3	5	12	22	24
65+	8	5.0	9	2	2	4	6	10	11	11
TOT. SINGLE DX	414	3.3	3	1	1	3	4	6	7	8
" MULTIPLE DX	520	4.1	10	2	2	3	5	7	8	17
TOTAL 0-19 YRS	785	3.7	4	1	2	3	5	7	7	10
20-34	46	3.4	18	1	1	2	4	5	10	27
35-49	43	4.2	33	1	2	3	4	7	9	39
50-64	45	4.3	22	1	1	3	5	8	16	24
65+	15	4.1	8	1	1	3	5	8	10	11
GRAND TOTAL	934	3.8	7	1	2	3	5	7	8	11

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	541	2.9	5	<1	1	2	4	6	7	10
20-34	125	3.0	4	1	1	2	4	5	7	11
35-49	140	3.1	4	1	1	2	4	6	8	11
50-64	251	4.1	17	1	1	3	5	9	12	19
65+	209	3.8	13	1	1	2	4	9	11	19
2. MULTIPLE DX										
0-19 YRS	674	4.2	36	1	1	3	5	7	11	31
20-34	429	4.5	24	1	1	3	6	10	14	26
35-49	344	6.5	64	1	1	4	8	13	22	40
50-64	598	8.4	102	1	1	5	10	19	28	56
65+	821	8.7	96	1	2	5	11	19	27	53
TOT. SINGLE DX	1266	3.3	9	1	1	2	4	7	9	14
" MULTIPLE DX	2866	6.7	73	1	1	4	8	15	22	45
TOTAL 0-19 YRS	1215	3.6	23	<1	1	2	4	7	8	26
20-34	554	4.2	21	1	1	3	5	9	13	24
35-49	484	5.5	49	1	1	3	6	11	17	37
50-64	849	7.1	81	1	1	4	9	17	23	48
65+	1030	7.7	84	1	1	4	10	18	24	51
GRAND TOTAL	4132	5.6	56	1	1	3	7	12	19	39

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6273	1.5		1	1	1	2	2	3	4
20-34	3371	1.7	1	1	1	2	2	3	3	5
35-49	349	2.0	1	1	1	2	2	3	4	6
50-64	58	2.1	1	1	1	2	3	4	5	6
65+	17	2.7	4	1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	1950	1.7	2	1	1	1	2	3	3	7
20-34	1006	2.3	4	1	1	2	3	4	5	10
35-49	200	3.1	9	1	1	2	4	6	9	17
50-64	58	4.5	35	1	1	3	5	11	16	34
65+	24	5.9	25	<1	1	4	9	12	16	22
TOT. SINGLE DX	10068	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	3238	2.1	5	1	1	2	2	3	5	10
TOTAL 0-19 YRS	8223	1.6	1	1	1	1	2	2	3	5
20-34	4377	1.8	2	1	1	2	2	3	4	6
35-49	549	2.4	5	1	1	2	3	4	6	10
50-64	116	3.3	20	1	1	2	3	6	11	28
65+	41	4.6	19	1	1	3	7	10	12	22
GRAND TOTAL	**13306**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10842	1.4		<1	1	1	2	2	2	3
20-34	206	1.8		1	1	2	2	3	3	5
35-49	15	1.7		<1	1	1	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9232	1.5	1	<1	1	1	2	2	3	5
20-34	103	2.0	1	1	1	2	2	3	4	6
35-49	14	2.5	2	1	1	2	3	5	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	11071	1.4	1	<1	1	1	2	2	2	3
" MULTIPLE DX	9351	1.5	1	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	20074	1.5	1	<1	1	1	2	2	2	4
20-34	309	1.9	1	1	1	2	2	3	3	6
35-49	29	2.1	2	1	1	2	3	4	5	6
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	6	1.7		<1	<1	2	2	2	2	2
GRAND TOTAL	**20422**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	1.2		<1	<1	1	1	2	2	2
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1459	1.5	7	<1	<1	1	2	2	2	8
20-34	15	2.1	3	<1	<1	2	2	4	7	8
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	487	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	1478	1.5	7	<1	<1	1	2	2	2	8
TOTAL 0-19 YRS	1939	1.4	6	<1	<1	1	2	2	2	6
20-34	21	2.0	3	<1	<1	1	2	4	6	8
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**1965**	**1.4**	**6**	**<1**	**<1**	**1**	**2**	**2**	**2**	**7**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	620	2.1	2	<1	1	2	3	4	5	9
20-34	390	2.5	2	1	1	2	3	5	6	8
35-49	143	2.7	13	1	1	2	3	4	5	22
50-64	114	3.4	16	1	1	2	3	6	13	22
65+	99	3.7	10	1	1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	237	4.1	32	1	1	3	4	7	10	34
20-34	174	4.5	36	1	1	3	5	8	10	18
35-49	155	5.4	33	1	1	4	6	11	17	28
50-64	263	8.1	80	1	1	5	10	19	26	43
65+	246	9.0	100	1	2	6	12	21	27	48
TOT. SINGLE DX	1366	2.5	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1075	6.4	65	1	1	4	8	14	21	39
TOTAL 0-19 YRS	857	2.7	12	<1	1	2	3	5	6	15
20-34	564	3.1	14	1	1	3	4	6	7	11
35-49	298	4.1	26	1	1	3	4	8	13	28
50-64	377	6.7	66	1	1	4	8	16	22	41
65+	345	7.5	80	1	1	4	10	18	23	40
GRAND TOTAL	**2441**	**4.3**	**35**	**1**	**1**	**2**	**4**	**9**	**14**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	2.2	2	<1	<1	2	3	5	6	7
20-34	43	3.2	4	1	1	3	4	6	7	12
35-49	49	3.3	7	1	1	3	4	6	8	14
50-64	48	4.5	31	1	1	3	5	7	10	39
65+	62	3.4	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	185	3.5	3	1	2	3	4	6	8	11
20-34	31	7.4	217	1	1	4	5	11	30	81
35-49	67	4.4	13	1	1	3	6	8	12	19
50-64	172	5.3	38	1	2	4	6	9	11	17
65+	338	4.8	14	1	1	4	6	9	14	17
TOT. SINGLE DX	250	3.3	11	<1	1	3	4	6	8	12
" MULTIPLE DX	793	4.7	25	1	2	4	5	8	11	17
TOTAL 0-19 YRS	233	3.2	4	<1	1	3	4	6	7	10
20-34	74	5.0	96	1	1	3	5	7	12	69
35-49	116	3.9	11	1	1	3	5	7	11	17
50-64	220	5.1	37	1	2	4	6	9	11	24
65+	400	4.6	14	1	1	4	6	9	13	17
GRAND TOTAL	**1043**	**4.3**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	1.9	3	<1	<1	1	2	4	6	11
20-34	118	1.5		<1	1	1	2	2	3	4
35-49	273	1.9	3	<1	1	2	2	2	3	13
50-64	408	2.0	2	<1	1	2	2	3	4	9
65+	253	2.0	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	72	2.8	6	<1	1	2	3	8	9	12
20-34	105	2.9	22	<1	1	2	2	6	13	62
35-49	262	4.1	25	1	1	2	4	10	14	27
50-64	623	4.9	40	1	1	2	6	11	17	35
65+	564	6.0	76	1	1	3	7	15	20	44
TOT. SINGLE DX	1181	1.9	3	<1	1	2	2	3	4	10
" MULTIPLE DX	1626	4.9	49	1	1	2	5	12	17	36
TOTAL 0-19 YRS	201	2.2	5	<1	<1	2	2	5	8	11
20-34	223	2.2	11	<1	1	1	2	3	6	28
35-49	535	3.0	16	<1	1	2	2	6	11	22
50-64	1031	3.7	27	<1	1	2	3	9	13	27
65+	817	4.7	57	1	1	2	5	10	17	39
GRAND TOTAL	**2807**	**3.6**	**31**	**<1**	**1**	**2**	**3**	**8**	**13**	**27**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.5	27	<1	<1	2	8	12	16	17
20-34	12	4.4	33	1	1	3	4	11	20	22
35-49	13	7.3	32	1	1	9	11	15	17	17
50-64	50	8.4	90	1	1	5	11	18	28	49
65+	24	9.3	68	1	2	9	12	18	27	37
2. MULTIPLE DX										
0-19 YRS	17	10.4	161	1	1	6	14	26	40	47
20-34	16	6.1	12	2	2	5	9	11	12	12
35-49	18	13.4	126	1	2	12	20	21	37	48
50-64	78	13.1	76	2	3	12	18	24	29	41
65+	81	13.9	159	2	2	11	19	28	47	99+
TOT. SINGLE DX	111	7.6	67	1	1	4	11	17	23	42
" MULTIPLE DX	210	12.7	117	2	2	10	18	26	32	87
TOTAL 0-19 YRS	29	8.0	112	1	1	2	10	24	27	47
20-34	28	5.4	21	1	2	4	8	11	13	22
35-49	31	10.8	94	1	1	10	17	20	21	48
50-64	128	11.3	87	1	2	10	16	24	29	45
65+	105	12.9	142	2	2	11	18	27	37	99+
GRAND TOTAL	**321**	**10.9**	**106**	**1**	**2**	**9**	**16**	**23**	**29**	**68**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.0	72	6	6	12	18	18	18	18
35-49	16	14.9	31	6	10	15	20	22	24	25
50-64	56	15.6	28	10	10	14	17	25	27	32
65+	32	16.8	56	10	11	14	19	27	35	42
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	29	20.9	237	9	10	17	23	29	42	92
50-64	169	20.2	121	10	11	17	25	37	48	99+
65+	167	21.0	140	10	10	17	26	38	47	95
TOT. SINGLE DX	106	15.8	38	10	10	14	18	25	27	39
" MULTIPLE DX	366	20.6	138	10	11	17	25	37	47	99+
TOTAL 0-19 YRS										
20-34	3	12.3	36	6	6	13	17	18	18	18
35-49	45	18.8	171	9	10	16	21	27	32	92
50-64	225	19.0	102	10	11	16	23	33	45	99+
65+	199	20.3	129	10	10	16	25	37	46	87
GRAND TOTAL	**472**	**19.5**	**120**	**10**	**10**	**16**	**24**	**33**	**44**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	12	28.4	880	2	3	10	53	73	82	84
65+	5	6.2	28	2	2	5	9	15	15	15
2. MULTIPLE DX										
0-19 YRS	15	14.3	258	1	1	10	34	91	99+	99+
20-34	14	35.4	835	2	3	36	90	99+	99+	99+
35-49	28	29.8	615	3	5	31	49	94	99+	99+
50-64	94	30.3	514	4	6	27	44	70	95	99+
65+	120	36.0	519	6	9	37	54	84	99+	99+
TOT. SINGLE DX	22	18.4	596	2	2	7	15	60	75	84
" MULTIPLE DX	271	32.2	548	4	6	31	50	87	99+	99+
TOTAL 0-19 YRS	15	14.3	258	1	1	10	34	91	99+	99+
20-34	16	32.1	803	2	4	30	81	99+	99+	99+
35-49	31	27.3	613	3	4	27	48	91	99+	99+
50-64	106	30.1	548	3	5	26	45	70	89	99+
65+	125	34.8	534	5	7	36	54	83	99+	99+
GRAND TOTAL	**293**	**31.1**	**563**	**3**	**5**	**30**	**50**	**85**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	5.1	30	1	1	3	7	13	15	30
20-34	20	4.0	19	<1	1	2	5	9	14	19
35-49	26	5.9	128	<1	1	3	6	9	20	60
50-64	38	7.0	116	1	1	2	8	17	29	56
65+	29	4.0	16	1	1	3	4	13	14	14
2. MULTIPLE DX										
0-19 YRS	154	17.9	382	1	1	12	35	65	99+	99+
20-34	96	24.0	521	2	3	17	39	77	99+	99+
35-49	103	27.5	652	2	2	21	43	87	95	99+
50-64	322	22.2	481	2	2	16	41	62	92	99+
65+	428	31.6	616	2	2	30	51	76	94	99+
TOT. SINGLE DX	164	5.3	62	1	1	3	6	13	16	53
" MULTIPLE DX	1103	25.9	563	2	2	21	46	73	98	99+
TOTAL 0-19 YRS	205	14.7	325	1	1	9	23	57	99+	99+
20-34	116	20.5	491	1	2	12	36	69	99+	99+
35-49	129	23.1	621	1	2	12	36	74	94	99+
50-64	360	20.6	464	1	2	13	38	61	84	99+
65+	457	29.9	623	2	2	27	49	75	92	99+
GRAND TOTAL	**1267**	**23.2**	**546**	**1**	**2**	**16**	**41**	**67**	**93**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	5.6	22	1	1	4	7	14	17	17
20-34	117	5.5	20	1	1	4	8	12	13	22
35-49	187	6.9	39	1	2	5	9	14	18	42
50-64	402	6.6	28	1	2	5	9	14	17	26
65+	362	6.4	28	1	2	5	8	12	17	28
2. MULTIPLE DX										
0-19 YRS	51	9.4	83	1	2	6	13	19	32	45
20-34	289	9.6	68	2	2	8	13	19	27	41
35-49	753	9.5	71	2	2	8	12	18	25	45
50-64	2704	11.1	76	2	3	9	14	22	28	44
65+	4369	12.0	85	2	3	10	16	23	29	46
TOT. SINGLE DX	1087	6.4	29	1	2	5	8	13	17	28
" MULTIPLE DX	8166	11.4	81	2	3	9	15	22	28	45
TOTAL 0-19 YRS	70	8.4	69	1	1	6	11	18	23	43
20-34	406	8.4	58	1	2	7	11	17	22	36
35-49	940	9.0	66	2	2	7	11	18	24	45
50-64	3106	10.6	73	2	2	9	14	21	27	43
65+	4731	11.5	83	2	3	9	15	23	28	45
GRAND TOTAL	**9253**	**10.8**	**78**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49										
50-64	1	22.0		22	22	22	22	22	22	22
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	13.5	5	12	12	13	15	15	15	15
65+	3	10.0	13	6	6	11	12	13	13	13
TOT. SINGLE DX	2	17.5	41	13	13	17	22	22	22	22
" MULTIPLE DX	6	13.2	28	6	6	12	15	21	22	22
TOTAL 0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	22.0		22	22	22	22	22	22	22
50-64	3	16.3	26	12	12	15	20	22	22	22
65+	3	10.0	13	6	6	11	12	13	13	13
GRAND TOTAL	**8**	**14.3**	**30**	**6**	**7**	**13**	**18**	**22**	**22**	**22**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	10.2	34	3	4	8	13	20	22	27
20-34	111	8.8	24	1	2	8	11	15	17	25
35-49	183	8.6	33	1	2	8	11	15	19	28
50-64	275	8.9	37	1	2	8	11	16	20	35
65+	231	8.6	55	1	1	8	11	17	21	37
2. MULTIPLE DX										
0-19 YRS	75	14.5	184	4	4	11	18	27	56	95
20-34	251	14.6	164	2	5	10	18	29	39	71
35-49	440	12.4	80	2	4	10	16	23	29	52
50-64	1456	13.7	113	2	4	11	17	25	33	59
65+	1883	13.5	100	2	3	11	18	25	33	49
TOT. SINGLE DX	840	8.8	40	1	2	8	11	16	20	29
" MULTIPLE DX	4105	13.5	108	2	4	11	17	25	33	54
TOTAL 0-19 YRS	115	13.0	136	4	4	10	17	23	32	86
20-34	362	12.8	129	2	4	10	15	24	33	63
35-49	623	11.3	70	2	3	9	14	22	26	44
50-64	1731	12.9	105	2	4	10	16	24	31	54
65+	2114	13.0	98	2	3	11	17	25	32	47
GRAND TOTAL	**4945**	**12.7**	**100**	**2**	**3**	**10**	**16**	**24**	**31**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	11.0	48	5	5	8	13	23	25	25
20-34	13	9.7	10	4	6	10	11	13	16	17
35-49	43	11.9	16	7	8	11	15	18	19	25
50-64	146	12.2	28	7	7	10	15	20	24	30
65+	106	12.6	25	8	8	12	15	18	23	32
2. MULTIPLE DX										
0-19 YRS	15	13.3	84	7	7	10	14	21	38	44
20-34	32	15.0	143	8	8	10	16	24	41	67
35-49	160	14.4	64	7	8	12	17	22	30	41
50-64	710	16.8	113	7	8	14	20	28	33	75
65+	726	18.1	80	8	9	16	22	30	36	47
TOT. SINGLE DX	317	12.2	26	7	8	11	15	19	23	29
" MULTIPLE DX	1643	17.1	96	8	8	15	21	28	35	56
TOTAL 0-19 YRS	24	12.5	70	6	6	10	13	21	31	44
20-34	45	13.4	109	7	8	10	14	21	32	67
35-49	203	13.9	56	7	8	12	16	21	28	39
50-64	856	16.0	102	7	8	14	19	26	32	69
65+	832	17.4	77	8	9	15	22	29	35	47
GRAND TOTAL	**1960**	**16.3**	**88**	**7**	**8**	**14**	**20**	**27**	**33**	**52**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	277	3.2	13	<1	1	2	4	7	10	20
20-34	104	5.7	27	<1	1	4	8	14	17	25
35-49	176	5.8	26	1	1	4	8	11	18	26
50-64	259	6.6	35	1	2	5	9	14	17	30
65+	218	6.9	42	1	1	5	9	16	20	33
2. MULTIPLE DX										
0-19 YRS	568	7.7	92	1	1	5	10	18	23	54
20-34	399	9.9	67	2	2	8	13	21	27	45
35-49	749	10.2	83	2	2	8	13	21	27	50
50-64	1909	10.4	81	2	2	8	13	21	28	46
65+	2780	12.7	100	2	3	10	16	24	32	54
TOT. SINGLE DX	1034	5.5	31	1	1	4	7	12	17	28
" MULTIPLE DX	6405	11.1	93	2	2	9	15	22	30	50
TOTAL 0-19 YRS	845	6.2	71	1	1	3	8	15	20	43
20-34	503	9.0	62	1	2	7	12	20	25	43
35-49	925	9.4	76	1	2	7	12	20	26	48
50-64	2168	10.0	77	2	2	8	13	20	27	43
65+	2998	12.3	99	2	3	10	16	24	31	52
GRAND TOTAL	**7439**	**10.3**	**88**	**1**	**2**	**8**	**14**	**22**	**28**	**47**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.3	4	2	3	5	7	8	9	10
20-34	51	5.7	11	2	2	5	7	10	14	17
35-49	19	6.2	15	<1	1	6	10	12	13	14
50-64	16	6.5	15	1	1	7	10	11	12	13
65+	15	6.1	28	1	1	4	9	17	18	18
2. MULTIPLE DX										
0-19 YRS	30	9.4	81	1	3	7	10	20	23	47
20-34	76	10.2	39	3	4	8	13	18	27	82
35-49	53	11.0	72	3	3	7	15	25	29	36
50-64	88	12.9	126	1	2	9	17	28	37	56
65+	131	12.6	77	2	3	11	18	24	29	60
TOT. SINGLE DX	116	5.9	14	1	2	5	8	11	14	18
" MULTIPLE DX	378	11.7	82	2	3	9	16	24	30	50
TOTAL 0-19 YRS	45	8.0	59	2	3	6	9	17	23	47
20-34	127	8.4	33	3	3	7	11	16	20	49
35-49	72	9.7	61	2	3	7	12	23	29	35
50-64	104	11.9	114	1	2	9	14	27	35	53
65+	146	11.9	76	2	3	10	18	23	28	52
GRAND TOTAL	**494**	**10.3**	**72**	**2**	**3**	**8**	**13**	**22**	**28**	**46**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	5.2	9	1	2	5	7	9	12	18
20-34	699	5.5	11	2	2	5	7	10	13	17
35-49	220	6.2	16	2	2	5	8	10	15	23
50-64	125	7.9	24	3	3	7	10	14	18	24
65+	87	8.4	40	2	3	7	10	15	21	35
2. MULTIPLE DX										
0-19 YRS	353	13.6	263	2	3	8	14	37	57	99+
20-34	759	8.9	62	2	3	6	11	17	24	48
35-49	528	11.2	86	3	4	8	14	22	28	47
50-64	983	12.7	107	3	4	10	16	25	34	57
65+	1410	14.8	114	4	5	12	19	28	35	55
TOT. SINGLE DX	1327	6.0	16	2	3	5	7	11	14	22
" MULTIPLE DX	4033	12.6	117	3	4	9	16	25	35	60
TOTAL 0-19 YRS	549	10.6	189	2	3	6	11	21	45	99
20-34	1458	7.3	41	2	3	5	8	14	19	37
35-49	748	9.8	71	3	3	7	12	20	25	45
50-64	1108	12.2	100	3	4	9	15	24	32	56
65+	1497	14.5	113	4	5	12	19	28	35	55
GRAND TOTAL	**5360**	**11.0**	**100**	**3**	**3**	**8**	**14**	**22**	**30**	**55**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	5.4	13	1	2	5	6	9	11	20
20-34	170	6.1	23	1	1	5	8	12	15	25
35-49	139	6.9	21	1	2	6	10	14	16	19
50-64	128	6.3	24	1	1	5	9	13	16	22
65+	98	7.9	61	1	1	5	10	18	24	41
2. MULTIPLE DX										
0-19 YRS	135	9.8	70	1	2	7	12	21	26	50
20-34	226	12.4	120	2	2	9	17	25	30	70
35-49	307	12.0	100	1	2	9	16	26	33	48
50-64	707	12.6	109	2	3	10	16	25	31	56
65+	1065	13.3	119	2	3	10	17	26	35	61
TOT. SINGLE DX	729	6.4	26	1	2	5	8	13	17	25
" MULTIPLE DX	2440	12.7	112	2	3	10	17	25	33	55
TOTAL 0-19 YRS	329	7.2	41	1	2	5	8	15	21	28
20-34	396	9.7	89	1	2	7	13	21	28	43
35-49	446	10.4	81	1	2	8	14	21	28	44
50-64	835	11.7	102	2	3	9	15	23	30	53
65+	1163	12.8	117	2	3	10	17	25	34	59
GRAND TOTAL	**3169**	**11.2**	**99**	**2**	**2**	**9**	**15**	**23**	**30**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	8.9	17	5	5	8	10	13	16	25
20-34	46	9.1	5	6	7	8	10	13	14	15
35-49	56	11.9	26	6	7	11	13	19	22	33
50-64	87	12.6	29	7	8	12	14	19	22	34
65+	46	14.8	170	8	9	12	15	20	26	96
2. MULTIPLE DX										
0-19 YRS	587	12.8	102	5	6	9	14	25	35	66
20-34	151	17.4	186	7	7	12	20	38	47	66
35-49	298	15.8	106	8	8	12	18	28	37	65
50-64	722	16.9	91	8	9	14	20	27	35	57
65+	766	20.0	146	9	10	16	23	36	45	84
TOT. SINGLE DX	464	10.6	39	5	6	9	12	16	20	33
" MULTIPLE DX	2524	16.8	125	7	8	13	20	30	40	69
TOTAL 0-19 YRS	816	11.7	82	5	6	9	12	21	30	52
20-34	197	15.5	157	6	7	11	16	32	44	65
35-49	354	15.2	95	7	8	12	17	25	34	65
50-64	809	16.5	86	8	9	14	19	27	34	56
65+	812	19.7	149	9	10	16	23	35	45	86
GRAND TOTAL	**2988**	**15.8**	**116**	**6**	**7**	**13**	**18**	**28**	**38**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	9.9	1	8	8	10	11	11	11	11
35-49	202	10.7	13	7	8	10	12	15	18	25
50-64	637	11.2	16	7	8	10	12	16	19	27
65+	236	12.3	21	7	8	11	15	18	20	31
2. MULTIPLE DX										
0-19 YRS	7	12.6	25	6	7	11	16	20	21	21
20-34	51	11.7	15	7	8	11	14	18	18	27
35-49	1453	12.2	26	7	8	11	14	18	21	33
50-64	5668	13.6	47	8	8	12	15	21	26	46
65+	3739	16.6	86	8	9	14	19	27	34	59
TOT. SINGLE DX	1082	11.4	17	7	8	10	13	16	19	28
" MULTIPLE DX	10918	14.4	60	8	8	12	16	23	29	50
TOTAL 0-19 YRS	7	12.6	26	6	7	11	16	20	21	21
20-34	58	11.5	14	7	8	11	14	17	18	26
35-49	1655	12.0	25	7	8	11	14	18	21	32
50-64	6305	13.4	45	8	8	12	15	20	25	44
65+	3975	16.3	84	8	9	14	19	26	33	59
GRAND TOTAL	**12000**	**14.1**	**57**	**8**	**8**	**12**	**16**	**22**	**28**	**48**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	587	1.9	1	1	1	2	2	2	3	9
20-34	316	2.9	5	1	1	2	3	6	8	11
35-49	2012	3.1	7	1	1	2	3	7	10	14
50-64	3277	3.0	8	1	1	2	3	7	10	14
65+	961	3.3	11	1	1	2	3	8	10	16
2. MULTIPLE DX										
0-19 YRS	1172	2.6	14	1	1	2	2	4	7	18
20-34	717	4.9	27	1	1	3	6	11	14	23
35-49	6498	4.4	19	1	1	2	6	10	13	20
50-64	16927	4.8	24	1	2	2	6	11	14	23
65+	9048	6.1	36	1	2	4	8	14	18	28
TOT. SINGLE DX	7153	3.0	8	1	1	2	3	7	9	14
" MULTIPLE DX	34362	5.0	27	1	2	3	7	11	15	24
TOTAL 0-19 YRS	1759	2.3	11	1	1	2	2	3	6	15
20-34	1033	4.3	21	1	1	2	6	10	13	22
35-49	8510	4.1	17	1	1	2	5	9	12	19
50-64	20204	4.5	22	1	1	2	6	10	13	22
65+	10009	5.8	35	1	2	3	8	13	17	27
GRAND TOTAL	**41515**	**4.6**	**24**	**1**	**1**	**2**	**6**	**11**	**14**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	5.0	6	<1	2	5	7	8	10	11
20-34	30	4.7	15	1	1	4	6	10	15	16
35-49	43	6.1	22	1	2	5	9	11	13	27
50-64	173	6.0	20	1	2	4	8	12	15	22
65+	659	5.2	16	1	2	4	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	46	9.7	95	2	3	5	11	27	33	42
20-34	67	6.9	28	1	2	5	8	14	17	28
35-49	260	10.2	46	2	2	9	14	20	24	30
50-64	1546	10.9	58	3	3	9	14	20	25	39
65+	7936	11.0	63	2	3	9	14	21	26	40
TOT. SINGLE DX	935	5.4	17	1	2	4	7	11	13	20
" MULTIPLE DX	9855	10.9	62	2	3	9	14	20	26	40
TOTAL 0-19 YRS	76	7.8	65	2	2	5	9	14	29	41
20-34	97	6.2	25	1	1	5	8	14	16	25
35-49	303	9.6	45	2	2	8	13	19	23	29
50-64	1719	10.4	57	2	3	9	14	19	25	38
65+	8595	10.5	62	2	3	9	14	20	25	39
GRAND TOTAL	**10790**	**10.4**	**61**	**2**	**3**	**9**	**14**	**20**	**25**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	5.8	8	1	2	6	8	9	11	13
20-34	41	5.2	7	1	2	5	7	9	10	11
35-49	223	5.0	15	1	2	3	7	11	12	17
50-64	364	4.9	14	2	2	3	6	11	12	20
65+	131	4.7	14	2	2	3	6	10	14	20
2. MULTIPLE DX										
0-19 YRS	87	12.4	211	1	2	8	14	30	38	82
20-34	135	9.5	64	2	3	8	11	18	26	53
35-49	888	6.6	31	2	2	5	9	13	15	27
50-64	2238	7.5	47	2	2	5	10	15	20	33
65+	1197	9.6	84	2	2	7	12	19	26	48
TOT. SINGLE DX	803	5.0	14	2	2	3	7	10	12	18
" MULTIPLE DX	4545	8.0	59	2	2	6	10	16	21	38
TOTAL 0-19 YRS	131	10.2	152	1	2	7	11	21	33	65
20-34	176	8.5	54	2	3	7	10	17	23	45
35-49	1111	6.2	29	2	2	4	8	12	15	26
50-64	2602	7.1	43	2	2	5	9	14	18	32
65+	1328	9.1	80	2	2	7	12	19	25	47
GRAND TOTAL	**5348**	**7.6**	**54**	**2**	**2**	**5**	**10**	**15**	**20**	**36**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	302	3.0	8	<1	1	2	3	6	9	15
20-34	129	3.5	12	1	1	2	4	9	12	35
35-49	170	3.9	28	<1	1	2	4	9	14	26
50-64	219	4.3	21	1	1	2	6	11	14	20
65+	191	5.2	45	1	1	3	6	12	21	32
2. MULTIPLE DX										
0-19 YRS	1203	5.5	54	1	2	3	5	11	17	44
20-34	365	8.9	60	1	2	7	12	18	23	44
35-49	648	8.7	64	1	2	7	11	18	23	43
50-64	1556	9.8	79	1	2	8	13	21	27	41
65+	3761	11.9	87	2	3	10	16	23	29	46
TOT. SINGLE DX	1011	3.9	23	<1	1	2	5	9	14	23
" MULTIPLE DX	7533	10.0	82	1	2	8	13	21	27	45
TOTAL 0-19 YRS	1505	5.0	46	1	1	3	5	10	15	39
20-34	494	7.5	53	1	1	5	11	17	21	43
35-49	818	7.7	61	1	1	5	10	16	22	42
50-64	1775	9.1	75	1	2	7	12	20	26	40
65+	3952	11.5	87	2	2	9	15	23	29	46
GRAND TOTAL	**8544**	**9.3**	**79**	**1**	**2**	**7**	**12**	**20**	**26**	**44**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.7	2	<1	1	2	4	5	5	6
20-34	724	3.4	5	1	1	3	4	5	7	9
35-49	1044	3.6	4	1	1	3	4	6	7	11
50-64	677	4.2	6	1	2	4	5	7	8	15
65+	165	4.9	12	1	2	4	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	5	7.4	57	1	1	3	13	19	19	19
20-34	227	4.2	10	1	1	4	5	7	10	17
35-49	544	5.4	17	2	2	4	6	10	14	25
50-64	579	6.6	38	2	2	5	7	13	18	31
65+	295	8.5	59	2	3	6	10	17	23	43
TOT. SINGLE DX	2631	3.7	6	1	2	3	4	6	7	13
" MULTIPLE DX	1650	6.2	33	2	2	5	7	12	17	29
TOTAL 0-19 YRS	26	3.6	14	<1	1	3	4	6	13	19
20-34	951	3.6	6	1	1	3	4	6	7	10
35-49	1588	4.2	9	1	2	4	5	7	9	17
50-64	1256	5.3	23	2	2	4	6	9	13	27
65+	460	7.2	46	2	2	5	9	14	19	33
GRAND TOTAL	**4281**	**4.7**	**18**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	6.7	6	2	4	6	8	11	12	12
20-34	34	7.9	36	1	2	6	10	17	21	25
35-49	112	8.5	20	2	3	8	10	13	17	27
50-64	393	10.7	34	4	5	10	12	16	20	33
65+	281	10.8	33	4	6	9	13	17	24	32
2. MULTIPLE DX										
0-19 YRS	116	11.3	50	4	5	9	14	22	28	59
20-34	200	12.5	148	2	2	9	16	28	36	78
35-49	640	13.5	131	3	4	10	16	26	33	75
50-64	2631	14.9	125	5	6	12	17	27	37	67
65+	3771	17.4	139	6	8	14	21	31	40	71
TOT. SINGLE DX	854	10.2	32	3	5	9	12	16	20	31
" MULTIPLE DX	7358	16.0	135	5	6	13	19	30	38	70
TOTAL 0-19 YRS	150	10.3	45	4	5	8	12	20	27	39
20-34	234	11.8	135	2	2	9	16	25	35	72
35-49	752	12.8	118	2	4	10	15	24	32	67
50-64	3024	14.4	115	5	6	11	17	25	36	65
65+	4052	17.0	135	6	7	14	20	31	39	70
GRAND TOTAL	**8212**	**15.4**	**128**	**5**	**6**	**12**	**18**	**29**	**37**	**68**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	5	15.2	25	8	8	17	19	20	20	20
65+	5	14.0	301	1	1	8	21	44	44	44
TOT. SINGLE DX	1	9.0		9	9	9	9	9	9	9
" MULTIPLE DX	10	14.6	146	1	2	12	19	32	44	44
TOTAL 0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	5	15.2	26	8	8	17	19	20	20	20
65+	5	14.0	302	1	1	8	21	44	44	44
GRAND TOTAL	**11**	**14.1**	**134**	**1**	**3**	**12**	**18**	**30**	**43**	**44**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.7	8	<1	<1	<1	4	8	8	8
20-34	9	4.0	18	1	1	1	9	10	10	10
35-49	13	5.3	25	<1	<1	5	8	11	17	18
50-64	7	1.7	1	<1	<1	1	3	4	4	4
65+	12	6.3	43	<1	<1	3	11	16	19	20
2. MULTIPLE DX										
0-19 YRS	51	6.1	50	<1	1	4	7	13	24	38
20-34	518	5.4	32	<1	1	4	7	11	15	27
35-49	639	6.4	64	<1	<1	4	7	13	20	40
50-64	1185	6.8	55	<1	1	5	8	13	18	41
65+	1156	8.0	59	1	2	6	10	17	23	41
TOT. SINGLE DX	47	4.4	24	<1	<1	2	8	10	15	20
" MULTIPLE DX	3549	6.9	56	<1	1	5	9	15	20	40
TOTAL 0-19 YRS	57	5.7	47	<1	<1	4	6	10	23	37
20-34	527	5.4	33	<1	1	4	7	11	14	27
35-49	652	6.4	64	<1	<1	4	7	13	20	40
50-64	1192	6.8	55	<1	1	5	8	13	18	41
65+	1168	8.0	59	1	2	6	10	17	22	41
GRAND TOTAL	**3596**	**6.9**	**55**	**<1**	**1**	**5**	**9**	**15**	**20**	**40**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	348	6.4	26	1	2	5	8	12	15	25
20-34	253	6.3	41	1	1	4	8	15	21	32
35-49	370	7.5	61	1	1	5	10	17	19	49
50-64	1193	7.4	25	2	3	6	9	13	17	25
65+	1369	7.4	21	2	3	6	9	13	16	21
2. MULTIPLE DX										
0-19 YRS	2490	19.8	402	2	4	12	28	54	75	99+
20-34	956	10.1	136	1	1	7	13	23	33	56
35-49	1722	11.1	128	1	2	8	14	24	35	63
50-64	6701	11.4	97	2	3	9	14	22	30	52
65+	12244	12.6	98	3	4	10	16	24	31	54
TOT. SINGLE DX	3533	7.2	29	1	2	6	9	13	17	25
" MULTIPLE DX	24113	12.8	140	2	3	10	16	26	36	70
TOTAL 0-19 YRS	2838	18.2	376	2	3	11	25	51	72	99+
20-34	1209	9.3	119	1	1	6	12	21	31	54
35-49	2092	10.4	119	1	2	7	13	23	32	59
50-64	7894	10.8	89	2	3	8	13	21	28	50
65+	13613	12.1	93	3	4	10	15	23	30	53
GRAND TOTAL	**27646**	**12.1**	**129**	**2**	**3**	**9**	**15**	**24**	**34**	**66**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	452	3.2	9	<1	<1	2	4	7	8	16
20-34	432	4.2	22	1	1	3	5	9	12	23
35-49	296	4.0	11	<1	1	3	5	9	11	16
50-64	326	5.4	21	1	1	4	8	11	14	23
65+	244	5.9	34	1	1	4	8	13	17	28
2. MULTIPLE DX										
0-19 YRS	308	5.4	24	1	1	4	7	12	15	25
20-34	457	7.7	61	1	2	6	9	15	20	42
35-49	536	7.5	44	1	2	6	10	15	21	35
50-64	1155	9.6	76	2	2	7	12	21	26	42
65+	1482	10.4	79	2	3	8	13	21	27	44
TOT. SINGLE DX	1750	4.3	20	<1	1	3	6	9	13	21
" MULTIPLE DX	3938	9.0	70	1	2	7	11	19	25	42
TOTAL 0-19 YRS	760	4.1	17	<1	1	3	5	9	12	19
20-34	889	6.0	46	1	1	4	8	12	17	35
35-49	832	6.2	36	1	1	4	8	13	17	31
50-64	1481	8.7	68	1	2	6	11	18	24	41
65+	1726	9.7	76	2	2	8	13	20	26	43
GRAND TOTAL	**5688**	**7.6**	**59**	**1**	**1**	**5**	**10**	**16**	**22**	**38**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.4	9	1	1	2	4	6	11	15
20-34	37	5.7	16	1	2	4	8	10	13	20
35-49	45	6.3	9	3	3	6	8	9	13	16
50-64	59	7.0	23	2	2	6	8	12	18	29
65+	68	6.5	10	2	3	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	17	6.6	24	2	2	5	10	15	17	18
20-34	83	8.1	29	2	4	7	9	14	17	33
35-49	109	10.9	149	2	3	7	11	20	31	71
50-64	354	11.8	89	3	4	9	15	22	30	46
65+	378	12.1	102	3	5	9	15	22	29	55
TOT. SINGLE DX	228	6.2	15	2	2	6	8	10	13	20
" MULTIPLE DX	941	11.4	96	3	4	8	14	21	29	53
TOTAL 0-19 YRS	36	4.9	19	1	2	3	6	13	15	18
20-34	120	7.4	26	2	2	7	9	13	16	27
35-49	154	9.6	113	2	3	7	10	16	26	70
50-64	413	11.1	83	3	4	8	14	21	30	45
65+	446	11.3	92	3	4	8	13	20	29	54
GRAND TOTAL	**1169**	**10.4**	**85**	**2**	**3**	**8**	**12**	**19**	**28**	**50**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34	3	23.3	1302	2	2	3	49	65	65	65
35-49	3	27.7	366	10	10	25	42	48	48	48
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	2	9.5	113	2	2	9	17	17	17	17
TOT. SINGLE DX	5	5.2	28	1	1	3	8	14	14	14
" MULTIPLE DX	12	17.4	398	2	2	10	21	53	63	65
TOTAL 0-19 YRS	3	9.7	40	6	6	6	14	17	17	17
20-34	3	23.3	1302	2	2	3	49	65	65	65
35-49	4	24.3	291	10	10	19	36	48	48	48
50-64	3	5.0	28	1	1	3	9	11	11	11
65+	4	6.0	54	2	2	3	10	17	17	17
GRAND TOTAL	**17**	**13.8**	**313**	**1**	**2**	**6**	**17**	**43**	**59**	**65**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	16.5	265	5	5	16	28	28	28	28
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	36.5	75	26	27	37	53	99+	99+	99+
20-34	10	44.7	240	28	29	41	56	68	78	78
35-49	7	33.1	69	22	24	31	36	47	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+										
TOT. SINGLE DX	2	16.5	265	5	5	16	28	28	28	28
" MULTIPLE DX	29	38.9	138	26	29	38	47	67	99	99+
TOTAL 0-19 YRS	8	36.5	76	26	27	37	53	99+	99+	99+
20-34	12	40.0	341	7	21	38	50	65	76	78
35-49	7	33.1	69	22	24	31	36	47	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+										
GRAND TOTAL	**31**	**37.5**	**169**	**23**	**27**	**37**	**45**	**63**	**96**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	5.9	29	1	2	5	7	10	13	33
20-34	361	7.2	36	2	2	6	8	12	17	36
35-49	252	8.0	66	1	2	6	9	15	26	41
50-64	323	7.2	33	2	2	6	9	13	17	32
65+	342	7.3	37	1	2	5	9	15	20	32
2. MULTIPLE DX										
0-19 YRS	637	9.5	100	2	2	7	11	21	27	50
20-34	925	11.3	105	2	3	8	13	24	33	63
35-49	1077	11.6	110	2	3	9	14	24	34	52
50-64	2391	12.0	107	3	3	9	15	25	34	51
65+	6007	11.9	83	3	4	9	15	22	30	48
TOT. SINGLE DX	1710	7.0	39	1	2	6	8	13	17	36
" MULTIPLE DX	11037	11.7	95	3	3	9	14	23	31	50
TOTAL 0-19 YRS	1069	8.0	75	1	2	6	9	16	24	45
20-34	1286	10.1	89	2	3	7	11	21	29	54
35-49	1329	10.9	104	2	3	8	14	23	32	52
50-64	2714	11.5	101	2	3	8	14	23	32	49
65+	6349	11.6	82	3	4	9	14	22	29	47
GRAND TOTAL	**12747**	**11.1**	**90**	**2**	**3**	**8**	**14**	**22**	**30**	**48**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	9.5	105	1	2	5	12	25	31	45
20-34	109	11.3	145	1	2	9	14	23	30	73
35-49	70	8.8	106	1	1	5	12	21	29	59
50-64	108	9.8	123	<1	1	6	12	24	34	54
65+	54	10.5	84	2	2	8	15	21	24	52
2. MULTIPLE DX										
0-19 YRS	403	16.9	312	2	2	10	25	46	58	99+
20-34	503	15.2	211	2	3	10	20	34	44	70
35-49	729	12.8	168	1	2	9	17	30	42	66
50-64	1393	13.3	164	2	3	9	17	31	41	67
65+	1633	15.7	178	2	3	12	21	34	44	66
TOT. SINGLE DX	430	10.0	117	1	2	6	13	23	30	54
" MULTIPLE DX	4661	14.6	189	2	3	10	19	33	44	72
TOTAL 0-19 YRS	492	15.5	282	1	2	9	22	42	56	99+
20-34	612	14.5	202	2	3	10	19	32	42	72
35-49	799	12.5	164	1	2	8	16	29	40	65
50-64	1501	13.0	162	2	3	9	17	30	41	66
65+	1687	15.6	176	2	3	12	21	34	44	66
GRAND TOTAL	**5091**	**14.2**	**185**	**2**	**3**	**10**	**19**	**32**	**44**	**72**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	4.8	35	1	1	3	5	15	22	26
20-34	83	5.3	20	1	1	4	8	11	14	21
35-49	117	4.3	11	1	1	3	7	9	11	16
50-64	212	6.4	48	1	1	4	8	13	22	35
65+	175	5.0	21	1	1	4	7	10	15	21
2. MULTIPLE DX										
0-19 YRS	163	8.9	171	1	1	4	10	19	39	85
20-34	393	7.6	58	1	2	6	9	15	20	31
35-49	751	8.5	56	1	2	6	11	17	23	40
50-64	1549	9.5	94	1	2	7	11	19	28	57
65+	2833	10.4	100	2	2	8	13	21	28	56
TOT. SINGLE DX	640	5.4	30	1	1	4	7	11	17	27
" MULTIPLE DX	5689	9.7	93	1	2	7	12	19	27	54
TOTAL 0-19 YRS	216	7.9	141	1	1	4	9	18	33	75
20-34	476	7.2	53	1	2	5	9	15	19	28
35-49	868	7.9	52	1	2	6	10	16	22	39
50-64	1761	9.1	90	1	2	6	11	19	27	53
65+	3008	10.1	97	1	2	8	13	20	27	55
GRAND TOTAL	**6329**	**9.2**	**88**	**1**	**2**	**7**	**11**	**19**	**26**	**52**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	861	3.4	3	1	2	3	4	5	6	10
20-34	6	7.7	20	3	3	7	8	15	16	16
35-49	4	6.8	47	1	1	5	12	16	16	16
50-64	2	13.0	18	10	10	13	16	16	16	16
65+	3	12.0	52	4	4	14	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	277	5.0	7	2	2	4	6	9	11	14
20-34	12	27.7	447	6	6	18	42	61	70	72
35-49	18	15.1	167	2	3	10	21	28	45	55
50-64	24	17.0	174	6	8	16	20	69	99+	99+
65+	69	19.0	153	4	7	16	24	40	43	53
TOT. SINGLE DX	876	3.5	4	1	2	3	4	5	7	11
" MULTIPLE DX	400	9.3	105	2	3	6	10	20	30	64
TOTAL 0-19 YRS	1138	3.8	5	1	2	3	5	6	8	12
20-34	18	21.0	390	4	5	14	31	52	66	72
35-49	22	13.5	153	1	2	10	18	27	39	55
50-64	26	16.7	162	6	8	16	20	59	99+	99+
65+	72	18.8	150	4	6	16	24	40	43	53
GRAND TOTAL	**1276**	**5.3**	**43**	**1**	**2**	**4**	**5**	**10**	**17**	**42**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	17.5	354	4	4	8	20	47	65	67
20-34	4	17.5	200	6	6	15	53	99+	99+	99+
35-49	6	5.3	5	2	2	6	7	8	8	8
50-64	15	13.1	51	3	4	13	16	21	29	32
65+	24	20.0	225	4	6	15	27	45	49	58
2. MULTIPLE DX										
0-19 YRS	107	17.3	258	4	5	13	19	42	57	93
20-34	51	20.5	427	3	5	11	27	58	80	99+
35-49	73	18.1	226	4	5	15	24	42	86	99+
50-64	241	22.3	348	5	7	17	28	48	70	90
65+	1274	20.2	186	5	6	17	27	39	49	79
TOT. SINGLE DX	60	16.2	191	3	4	12	20	39	51	96
" MULTIPLE DX	1746	20.2	223	4	6	16	27	41	52	93
TOTAL 0-19 YRS	118	17.3	265	4	5	13	20	42	58	92
20-34	55	20.3	408	3	5	11	29	64	86	99+
35-49	79	17.2	221	3	5	13	24	41	77	99+
50-64	256	21.8	335	4	7	16	27	46	68	90
65+	1298	20.2	187	5	6	17	27	40	49	79
GRAND TOTAL	**1806**	**20.1**	**222**	**4**	**6**	**16**	**26**	**41**	**52**	**94**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	5.3	7	1	2	5	7	10	13	99+
20-34	133	5.8	16	2	2	5	7	10	11	19
35-49	215	6.0	22	2	2	5	7	10	12	22
50-64	221	6.1	23	2	2	5	7	10	14	25
65+	198	7.4	27	2	3	6	9	13	16	28
2. MULTIPLE DX										
0-19 YRS	93	6.9	33	2	3	5	8	10	18	35
20-34	709	7.2	26	2	3	6	9	13	17	27
35-49	1444	8.3	33	2	3	7	10	15	19	31
50-64	2619	8.9	45	3	3	7	11	15	21	38
65+	5278	10.3	59	3	4	8	12	19	24	42
TOT. SINGLE DX	804	6.3	23	2	2	5	8	10	14	26
" MULTIPLE DX	10143	9.4	51	3	3	8	11	17	22	39
TOTAL 0-19 YRS	130	6.4	27	2	3	5	8	10	17	48
20-34	842	7.0	26	2	3	6	8	13	16	27
35-49	1659	8.0	33	2	3	6	10	15	19	31
50-64	2840	8.7	44	2	3	7	10	15	20	37
65+	5476	10.2	59	3	4	8	12	18	24	42
GRAND TOTAL	**10947**	**9.2**	**49**	**3**	**3**	**7**	**11**	**17**	**22**	**38**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.0	21	2	2	6	10	14	15	15
20-34	45	10.2	33	3	6	9	12	16	19	38
35-49	115	11.5	22	7	7	10	13	17	22	29
50-64	86	12.7	20	7	8	12	15	19	21	27
65+	83	14.9	77	8	9	13	17	21	27	64
2. MULTIPLE DX										
0-19 YRS	2	29.0	882	8	8	29	50	50	50	50
20-34	100	15.9	99	7	8	13	17	29	38	59
35-49	312	16.8	125	7	8	14	20	31	37	60
50-64	530	18.1	105	8	9	16	21	31	40	62
65+	895	21.6	174	9	10	18	26	38	49	78
TOT. SINGLE DX	337	12.3	40	6	7	11	14	19	22	34
" MULTIPLE DX	1839	19.5	147	8	9	16	23	34	44	71
TOTAL 0-19 YRS	10	11.4	200	2	2	7	11	32	50	50
20-34	145	14.1	86	6	7	11	16	24	37	54
35-49	427	15.4	103	7	8	12	18	27	34	56
50-64	616	17.4	97	8	9	15	20	29	39	62
65+	978	21.0	169	9	10	17	25	36	48	78
GRAND TOTAL	**2176**	**18.4**	**137**	**8**	**9**	**15**	**22**	**32**	**42**	**69**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	14.3	86	8	8	10	21	25	25	25
50-64	14	16.9	57	4	9	16	22	26	32	34
65+	13	21.2	245	10	10	15	23	45	60	63
2. MULTIPLE DX										
0-19 YRS										
20-34	10	24.1	206	9	12	17	30	47	57	57
35-49	36	24.5	154	11	12	21	29	45	50	55
50-64	103	23.8	160	10	11	20	28	41	48	70
65+	141	25.1	195	12	13	21	29	45	62	99+
TOT. SINGLE DX	31	18.4	135	8	10	15	21	34	40	63
" MULTIPLE DX	290	24.5	177	11	12	21	29	44	55	81
TOTAL 0-19 YRS										
20-34	11	23.2	195	9	12	17	29	45	56	57
35-49	39	23.7	155	10	11	21	28	45	50	55
50-64	117	23.0	152	10	11	20	27	39	47	69
65+	154	24.8	199	11	12	20	29	45	62	99
GRAND TOTAL	**321**	**23.9**	**176**	**10**	**12**	**20**	**28**	**43**	**54**	**79**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.7	4	9	9	10	12	13	13	13
20-34	45	9.9	13	6	6	9	11	16	19	19
35-49	77	9.9	18	5	6	9	10	14	22	25
50-64	68	11.4	16	7	8	10	13	17	22	23
65+	28	14.3	50	7	7	12	18	20	34	35
2. MULTIPLE DX										
0-19 YRS	3	13.3	70	8	8	9	19	23	23	23
20-34	60	12.8	32	7	7	12	16	21	25	31
35-49	163	13.7	77	6	7	11	16	20	30	55
50-64	222	15.5	92	7	8	13	18	27	36	63
65+	276	19.1	119	8	9	16	23	34	41	54
TOT. SINGLE DX	221	10.9	23	6	7	9	12	18	21	28
" MULTIPLE DX	724	16.2	100	7	8	14	19	29	37	57
TOTAL 0-19 YRS	6	12.0	32	8	8	10	13	22	23	23
20-34	105	11.6	26	6	7	10	13	19	21	30
35-49	240	12.5	61	6	7	10	15	20	24	51
50-64	290	14.5	78	7	8	12	17	23	33	60
65+	304	18.7	115	8	9	16	22	33	40	50
GRAND TOTAL	**945**	**15.0**	**87**	**7**	**7**	**12**	**18**	**26**	**34**	**51**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	6.6	25	1	2	6	8	11	14	83
20-34	322	7.4	8	4	5	7	8	10	11	14
35-49	302	8.4	11	5	5	8	10	12	15	21
50-64	140	8.9	9	5	6	8	11	13	15	19
65+	98	12.3	43	5	6	10	15	22	24	37
2. MULTIPLE DX										
0-19 YRS	218	16.6	193	4	5	12	23	35	49	95
20-34	769	10.0	58	5	6	8	10	15	21	46
35-49	1226	10.8	64	5	6	9	11	17	26	48
50-64	808	13.9	108	6	7	10	16	25	33	60
65+	1167	19.0	151	8	9	15	22	35	43	71
TOT. SINGLE DX	938	8.4	17	4	5	8	10	12	16	24
" MULTIPLE DX	4188	13.9	116	6	6	10	16	26	35	61
TOTAL 0-19 YRS	294	14.0	169	2	4	9	18	32	42	97
20-34	1091	9.3	45	5	5	8	10	13	18	42
35-49	1528	10.3	55	5	6	8	11	16	24	40
50-64	948	13.2	97	6	6	10	15	23	32	59
65+	1265	18.5	146	7	8	15	22	34	43	68
GRAND TOTAL	**5126**	**12.9**	**102**	**5**	**6**	**9**	**14**	**24**	**33**	**59**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	4.9	14	1	1	4	7	10	12	21
20-34	411	6.2	24	2	2	5	7	11	15	25
35-49	328	5.2	18	1	1	4	7	10	13	24
50-64	456	5.2	27	1	1	4	7	11	13	25
65+	355	4.9	27	1	1	3	7	11	15	24
2. MULTIPLE DX										
0-19 YRS	331	7.3	72	1	2	5	8	13	21	40
20-34	985	7.7	40	2	3	6	9	13	19	35
35-49	1405	8.2	52	2	2	6	10	15	21	34
50-64	2854	8.3	49	1	2	7	10	16	20	37
65+	5762	9.3	59	1	2	8	12	18	24	39
TOT. SINGLE DX	1757	5.3	24	1	1	4	7	11	14	24
" MULTIPLE DX	11337	8.7	55	2	2	7	11	17	22	37
TOTAL 0-19 YRS	538	6.4	52	1	1	5	8	12	16	34
20-34	1396	7.3	36	2	3	6	9	13	18	32
35-49	1733	7.6	47	1	2	6	9	14	19	33
50-64	3310	7.9	48	1	2	6	10	15	20	37
65+	6117	9.1	59	1	2	7	12	18	23	38
GRAND TOTAL	**13094**	**8.3**	**53**	**1**	**2**	**7**	**10**	**16**	**21**	**37**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	11.6	37	6	7	9	12	20	26	29
20-34	43	10.7	15	6	6	10	12	16	19	23
35-49	44	10.1	18	4	5	9	13	15	16	27
50-64	52	11.3	34	7	7	10	14	16	19	42
65+	57	12.6	28	7	8	11	15	19	26	31
2. MULTIPLE DX										
0-19 YRS	93	17.9	344	6	6	11	22	74	99+	99+
20-34	270	15.9	171	6	7	11	18	30	45	83
35-49	308	18.1	196	7	8	14	21	39	56	99+
50-64	515	20.6	247	7	8	16	24	42	58	91
65+	995	20.3	175	8	9	16	23	37	48	76
TOT. SINGLE DX	213	11.3	26	6	7	10	13	17	20	30
" MULTIPLE DX	2181	19.4	204	7	8	15	23	39	52	95
TOTAL 0-19 YRS	110	16.9	301	6	7	11	20	67	99+	99+
20-34	313	15.2	154	6	7	11	17	28	43	80
35-49	352	17.1	181	7	7	13	19	36	50	99+
50-64	567	19.7	235	7	8	15	23	39	55	88
65+	1052	19.9	171	8	9	16	23	36	48	75
GRAND TOTAL	**2394**	**18.7**	**194**	**7**	**8**	**14**	**22**	**37**	**50**	**91**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	11.4	56	5	6	10	13	18	25	51
20-34	152	11.8	57	6	6	9	13	19	27	49
35-49	258	11.7	29	6	7	10	14	17	21	36
50-64	628	11.2	15	7	7	10	13	16	19	25
65+	707	12.9	28	8	8	11	15	19	22	34
2. MULTIPLE DX										
0-19 YRS	104	14.6	155	6	7	11	17	29	54	99+
20-34	419	15.8	114	7	8	12	19	29	35	57
35-49	897	15.2	110	7	8	12	17	26	35	65
50-64	2907	15.4	79	8	9	13	18	25	32	58
65+	7369	18.0	102	9	10	15	21	30	37	60
TOT. SINGLE DX	1801	12.0	28	7	8	11	14	18	21	32
" MULTIPLE DX	11696	17.0	99	8	9	14	20	28	36	60
TOTAL 0-19 YRS	160	13.5	123	5	6	10	14	26	42	97
20-34	571	14.8	102	7	7	11	17	27	35	55
35-49	1155	14.4	94	7	8	11	16	23	32	61
50-64	3535	14.7	71	7	8	12	17	24	30	53
65+	8076	17.6	98	8	9	15	21	29	36	59
GRAND TOTAL	**13497**	**16.4**	**93**	**8**	**9**	**14**	**19**	**27**	**35**	**58**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.2	6	4	4	6	9	11	12	12
20-34	13	7.0	8	3	4	7	9	11	11	11
35-49	15	14.1	174	4	4	9	13	44	44	44
50-64	26	8.2	8	4	5	8	10	12	13	14
65+	40	14.1	92	5	7	12	17	22	27	62
2. MULTIPLE DX										
0-19 YRS	28	14.0	205	3	5	10	15	22	56	67
20-34	59	15.0	253	3	5	10	18	30	48	91
35-49	75	14.0	53	7	7	13	17	26	36	99+
50-64	156	18.3	120	7	8	16	22	35	46	61
65+	440	19.4	129	8	9	16	24	33	41	69
TOT. SINGLE DX	111	10.8	70	4	5	9	12	18	24	51
" MULTIPLE DX	758	18.1	136	7	8	15	22	32	43	72
TOTAL 0-19 YRS	45	11.4	139	4	5	9	12	17	31	67
20-34	72	13.6	218	3	4	9	13	25	42	87
35-49	90	14.0	72	6	7	12	17	26	43	99+
50-64	182	16.8	117	6	7	14	20	32	45	59
65+	480	18.9	128	8	9	16	24	32	40	68
GRAND TOTAL	**869**	**17.2**	**133**	**6**	**7**	**14**	**21**	**31**	**42**	**69**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	5.7	9	2	2	5	8	9	11	18
20-34	158	8.7	14	4	5	8	10	12	15	28
35-49	144	8.8	13	4	5	8	10	14	16	21
50-64	170	9.3	14	4	5	9	11	14	15	21
65+	205	9.8	23	4	5	9	12	15	17	28
2. MULTIPLE DX										
0-19 YRS	278	10.9	114	4	4	8	12	22	34	99+
20-34	347	12.4	115	5	5	9	13	24	34	76
35-49	452	13.4	96	5	6	10	15	26	37	72
50-64	789	14.3	124	6	6	11	16	26	38	74
65+	1580	14.7	95	5	7	12	17	25	32	61
TOT. SINGLE DX	858	8.5	18	3	4	8	10	13	16	21
" MULTIPLE DX	3446	13.9	107	5	6	11	16	25	35	69
TOTAL 0-19 YRS	459	8.9	80	2	3	7	10	16	26	99+
20-34	505	11.3	87	5	5	9	12	20	26	63
35-49	596	12.3	80	5	6	10	14	23	32	62
50-64	959	13.4	109	5	6	10	15	23	36	68
65+	1785	14.1	90	5	6	12	17	24	31	60
GRAND TOTAL	**4304**	**12.8**	**94**	**4**	**5**	**10**	**15**	**23**	**32**	**62**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	10.1	91	4	5	7	10	17	35	44
20-34	12	19.5	580	5	6	11	21	45	86	93
35-49	17	10.9	21	4	5	11	13	15	21	24
50-64	36	13.1	50	4	7	11	16	24	29	34
65+	45	13.1	36	5	6	12	15	20	25	36
2. MULTIPLE DX										
0-19 YRS	50	23.8	568	4	6	14	32	69	92	99+
20-34	60	20.9	352	4	6	13	31	50	81	99+
35-49	127	20.5	280	7	8	15	21	46	63	97
50-64	383	20.8	165	7	8	17	26	38	46	70
65+	948	21.2	139	9	10	18	26	37	45	68
TOT. SINGLE DX	127	13.0	98	5	5	11	15	22	25	55
" MULTIPLE DX	1568	21.1	178	8	9	17	26	38	49	85
TOTAL 0-19 YRS	67	20.3	481	4	5	12	23	52	91	99+
20-34	72	20.6	383	4	6	13	29	47	84	99+
35-49	144	19.3	259	5	8	14	20	43	58	96
50-64	419	20.2	160	7	8	17	25	37	45	69
65+	993	20.8	138	8	10	18	26	36	45	67
GRAND TOTAL	**1695**	**20.5**	**177**	**7**	**9**	**17**	**25**	**37**	**47**	**85**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7774	3.9	4	2	2	3	5	6	8	11
20-34	5329	3.9	3	2	2	4	5	6	8	11
35-49	1734	4.8	7	2	2	4	6	8	10	13
50-64	745	5.8	9	2	3	5	7	10	12	17
65+	223	7.0	11	3	3	7	8	11	13	18
2. MULTIPLE DX										
0-19 YRS	2723	6.1	19	2	3	5	7	11	14	22
20-34	2196	6.0	17	2	3	5	7	10	13	21
35-49	1065	7.7	28	3	3	7	9	13	16	32
50-64	846	9.5	37	3	4	8	12	16	20	33
65+	739	12.4	66	5	5	10	15	21	26	46
TOT. SINGLE DX	15805	4.2	5	2	2	4	5	7	8	12
" MULTIPLE DX	7569	7.3	31	2	3	6	9	13	17	30
TOTAL 0-19 YRS	10497	4.5	9	2	2	4	5	8	10	16
20-34	7525	4.5	9	2	2	4	5	8	9	14
35-49	2799	5.9	17	2	3	5	7	10	13	20
50-64	1591	7.8	28	3	3	7	10	14	17	27
65+	962	11.1	59	4	5	9	13	19	24	43
GRAND TOTAL	**23374**	**5.2**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.1	2	2	2	4	5	7	8	9
20-34	49	4.9	5	2	2	5	6	8	10	11
35-49	20	5.4	4	3	3	5	7	8	9	10
50-64	5	5.4	5	3	3	6	7	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	37	5.9	13	2	3	5	7	9	15	19
20-34	52	6.7	12	3	3	6	8	11	12	20
35-49	15	8.7	38	3	3	7	11	20	23	24
50-64	7	9.6	11	6	6	8	12	15	15	15
65+	9	16.9	137	4	6	12	28	34	38	38
TOT. SINGLE DX	130	4.6	4	2	2	4	6	8	8	10
" MULTIPLE DX	120	7.7	32	3	3	6	9	13	19	32
TOTAL 0-19 YRS	93	4.8	8	2	2	4	6	8	9	18
20-34	101	5.8	9	2	3	5	7	10	11	18
35-49	35	6.8	21	3	3	6	8	11	18	24
50-64	12	7.8	13	3	3	7	9	14	15	15
65+	9	16.9	138	4	6	12	28	34	38	38
GRAND TOTAL	**250**	**6.1**	**20**	**2**	**3**	**5**	**7**	**10**	**13**	**28**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.3	13	2	3	7	9	13	15	15
20-34	14	7.9	28	2	2	6	10	15	20	21
35-49	8	11.0	20	4	5	11	14	17	18	18
50-64	9	11.1	51	4	5	8	13	23	28	28
65+	3	12.7	16	9	9	12	16	17	17	17
2. MULTIPLE DX										
0-19 YRS	18	10.6	36	3	4	11	13	21	23	23
20-34	13	11.2	50	3	4	10	15	21	27	29
35-49	6	10.2	14	7	7	9	12	16	17	17
50-64	13	12.6	34	6	7	11	15	20	26	28
65+	13	17.1	35	8	8	19	21	24	25	25
TOT. SINGLE DX	58	8.8	26	2	3	8	12	15	18	27
" MULTIPLE DX	63	12.4	41	4	5	11	17	22	24	29
TOTAL 0-19 YRS	42	8.7	25	2	3	8	12	15	20	23
20-34	27	9.5	40	2	3	8	13	18	22	29
35-49	14	10.6	17	4	6	10	13	17	18	18
50-64	22	12.0	40	5	6	11	14	21	28	28
65+	16	16.3	34	8	8	17	21	23	24	25
GRAND TOTAL	121	10.7	37	3	4	10	14	19	23	28

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	4.1	9	1	1	3	5	9	11	15
20-34	122	3.7	7	1	1	3	4	7	8	16
35-49	83	4.1	21	1	1	3	4	9	13	28
50-64	162	4.3	13	1	1	3	5	8	10	23
65+	242	4.1	10	1	1	3	5	9	11	17
2. MULTIPLE DX										
0-19 YRS	115	5.6	21	1	2	4	7	11	13	26
20-34	177	5.6	17	1	2	5	7	12	16	20
35-49	253	7.4	50	1	2	5	9	16	25	32
50-64	521	7.1	35	1	2	5	9	14	19	31
65+	1411	9.1	71	2	2	7	11	18	24	48
TOT. SINGLE DX	724	4.1	12	1	1	3	5	8	10	17
" MULTIPLE DX	2477	8.1	57	1	2	6	10	17	23	37
TOTAL 0-19 YRS	230	4.9	16	1	1	4	6	10	11	25
20-34	299	4.8	15	1	1	4	6	9	13	18
35-49	336	6.6	45	1	2	4	8	14	23	32
50-64	683	6.4	32	1	2	5	8	13	18	27
65+	1653	8.3	66	1	2	6	10	17	23	39
GRAND TOTAL	3201	7.2	50	1	2	5	9	15	20	35

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.9	5	1	1	2	3	5	7	15
20-34	282	2.9	3	1	1	2	4	5	6	10
35-49	192	3.5	5	1	1	3	4	6	8	11
50-64	96	3.7	7	1	1	3	5	8	9	14
65+	23	5.9	36	2	2	4	6	14	21	27
2. MULTIPLE DX										
0-19 YRS	39	4.5	13	1	2	4	5	7	11	22
20-34	185	4.7	32	1	1	3	5	8	12	31
35-49	202	6.0	55	1	2	4	7	12	15	60
50-64	218	6.8	54	1	2	4	8	13	22	41
65+	154	9.7	79	2	2	6	13	23	28	41
TOT. SINGLE DX	649	3.3	6	1	1	3	4	6	8	13
" MULTIPLE DX	798	6.6	55	1	2	4	7	13	21	38
TOTAL 0-19 YRS	95	3.6	9	1	1	3	4	7	8	19
20-34	467	3.6	15	1	1	3	4	6	8	19
35-49	394	4.8	33	1	1	3	6	9	13	27
50-64	314	5.9	42	1	2	4	7	12	17	34
65+	177	9.2	75	2	2	6	13	22	27	40
GRAND TOTAL	1447	5.1	36	1	1	3	6	11	15	30

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	10.8	10	7	8	10	12	14	16	25
20-34	32	12.8	34	4	7	12	17	23	24	25
35-49	65	12.2	17	6	8	11	14	18	20	26
50-64	169	12.7	20	7	8	12	15	17	19	27
65+	191	14.0	28	7	9	13	16	21	22	33
2. MULTIPLE DX										
0-19 YRS	60	13.6	146	4	5	10	14	25	34	69
20-34	81	14.3	68	4	7	12	17	24	31	45
35-49	183	15.7	76	7	8	14	18	27	35	55
50-64	649	17.5	84	9	10	15	21	28	35	53
65+	1468	19.6	95	9	11	17	24	31	38	58
TOT. SINGLE DX	499	13.0	24	7	8	12	15	19	22	27
" MULTIPLE DX	2441	18.4	94	8	10	16	22	30	38	56
TOTAL 0-19 YRS	102	12.4	92	5	7	10	13	19	26	67
20-34	113	13.9	59	4	7	12	17	23	28	44
35-49	248	14.8	63	7	8	13	17	25	32	48
50-64	818	16.5	75	8	9	14	19	26	32	50
65+	1659	19.0	91	9	10	16	23	30	37	56
GRAND TOTAL	2940	17.5	86	8	9	15	21	29	35	53

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	3.7	5	1	1	3	5	7	9	11
20-34	934	4.8	12	1	2	4	6	9	11	20
35-49	831	5.0	11	1	2	4	6	9	11	17
50-64	689	5.1	14	1	1	4	7	9	11	19
65+	573	5.6	26	1	2	5	7	10	12	31
2. MULTIPLE DX										
0-19 YRS	652	5.7	23	1	2	5	7	10	13	28
20-34	3357	6.8	38	2	2	5	8	12	17	34
35-49	4952	7.4	37	2	3	6	9	14	18	33
50-64	6570	7.9	40	2	3	6	10	14	19	35
65+	11255	9.1	50	2	3	7	11	17	22	38
TOT. SINGLE DX	3307	5.0	15	1	1	4	6	9	11	20
" MULTIPLE DX	26786	8.1	45	2	3	6	10	15	20	35
TOTAL 0-19 YRS	932	5.1	19	1	1	4	7	9	11	20
20-34	4291	6.4	34	2	2	5	8	11	16	32
35-49	5783	7.0	34	2	2	6	8	13	17	32
50-64	7259	7.6	39	2	3	6	9	14	18	34
65+	11828	8.9	50	2	3	7	11	17	22	37
GRAND TOTAL	**30093**	**7.8**	**42**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	2.0	1	<1	1	2	3	4	4	5
20-34	295	3.0	6	1	1	3	4	5	7	11
35-49	364	3.1	2	1	1	3	4	5	6	9
50-64	187	3.1	3	1	1	3	4	5	6	12
65+	63	3.0	1	1	1	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	18	3.9	17	1	1	3	5	7	15	19
20-34	293	4.0	8	1	1	4	5	7	9	17
35-49	430	4.0	8	1	1	3	5	7	9	17
50-64	377	4.7	16	1	2	4	5	8	11	20
65+	195	6.5	36	1	2	4	8	15	22	29
TOT. SINGLE DX	964	3.0	4	1	1	3	4	5	6	10
" MULTIPLE DX	1313	4.6	16	1	1	4	5	8	11	23
TOTAL 0-19 YRS	73	2.5	6	1	1	2	3	4	5	16
20-34	588	3.5	8	1	1	3	4	6	8	14
35-49	794	3.6	6	1	1	3	4	6	8	14
50-64	564	4.2	13	1	1	3	5	7	10	16
65+	258	5.7	31	1	2	4	6	12	19	26
GRAND TOTAL	**2277**	**3.9**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.2	4	<1	<1	2	3	4	4	15
20-34	263	2.6	2	1	1	2	3	4	6	9
35-49	179	3.1	6	1	1	3	4	5	6	16
50-64	92	3.4	3	1	1	3	4	6	6	10
65+	38	3.3	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	27	4.1	13	2	2	3	5	5	9	21
20-34	288	4.2	30	1	1	3	5	7	9	24
35-49	394	4.1	11	1	1	4	5	7	9	17
50-64	359	4.7	11	1	2	4	6	8	11	16
65+	311	6.4	30	2	2	5	8	13	17	31
TOT. SINGLE DX	623	2.9	4	1	1	3	4	5	6	10
" MULTIPLE DX	1379	4.8	21	1	2	4	5	8	12	23
TOTAL 0-19 YRS	78	2.9	8	<1	1	2	3	5	5	19
20-34	551	3.5	18	1	1	3	4	6	7	12
35-49	573	3.8	10	1	1	3	5	6	8	17
50-64	451	4.4	10	1	2	4	5	8	10	14
65+	349	6.1	29	2	2	4	7	12	16	29
GRAND TOTAL	**2002**	**4.2**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.4	4	1	1	3	4	6	8	9
20-34	392	3.9	3	1	2	4	5	6	7	9
35-49	508	4.2	4	1	2	4	5	7	8	11
50-64	301	4.3	4	1	2	4	5	7	9	11
65+	116	4.5	3	1	2	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	58	4.8	15	1	2	4	6	8	8	29
20-34	1821	4.6	6	2	2	4	5	7	9	13
35-49	3065	5.0	10	2	2	4	6	8	10	16
50-64	2542	5.5	11	2	3	5	6	9	11	19
65+	1318	6.7	22	2	3	5	8	12	15	25
TOT. SINGLE DX	1339	4.1	4	1	2	4	5	7	8	10
" MULTIPLE DX	8804	5.3	12	2	2	5	6	9	11	19
TOTAL 0-19 YRS	80	4.4	13	1	1	4	5	7	8	25
20-34	2213	4.5	6	2	2	4	5	7	8	13
35-49	3573	4.9	10	2	2	4	6	8	9	15
50-64	2843	5.3	11	2	3	5	6	9	11	18
65+	1434	6.5	21	2	3	5	8	12	14	24
GRAND TOTAL	**10143**	**5.1**	**11**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	3.4	8	1	1	3	4	6	9	18
20-34	307	3.2	3	1	1	3	4	6	6	11
35-49	288	3.2	4	1	1	3	4	6	7	11
50-64	136	3.6	4	1	1	3	5	6	8	11
65+	77	4.1	6	1	1	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	71	6.1	80	1	1	4	6	11	15	61
20-34	317	4.5	18	1	1	3	5	10	13	24
35-49	409	4.8	20	1	1	4	6	10	12	27
50-64	387	6.0	37	1	2	4	7	12	15	30
65+	383	7.6	52	2	2	5	9	16	21	39
TOT. SINGLE DX	903	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1567	5.8	36	1	1	4	7	11	16	32
TOTAL 0-19 YRS	166	4.6	41	1	1	3	5	8	12	30
20-34	624	3.9	12	1	1	3	5	7	10	20
35-49	697	4.2	15	1	1	3	5	8	10	18
50-64	523	5.4	30	1	2	4	6	11	14	24
65+	460	7.0	46	1	2	5	8	15	20	39
GRAND TOTAL	**2470**	**4.9**	**26**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	5	8.2	20	2	2	10	11	13	13	13
35-49	7	9.1	47	2	2	6	14	19	20	20
50-64	6	9.0	62	2	2	5	18	20	20	20
65+	3	11.0	49	3	3	14	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	11	18.0	120	6	6	17	25	34	40	41
20-34	22	21.0	279	7	9	16	25	52	87	99+
35-49	18	18.7	292	2	4	15	25	36	60	74
50-64	46	15.4	175	2	3	13	20	43	48	99+
65+	67	16.0	118	3	4	14	23	34	40	90
TOT. SINGLE DX	22	9.5	40	2	2	8	15	19	20	20
" MULTIPLE DX	164	17.0	174	2	4	14	23	39	45	99+
TOTAL 0-19 YRS	12	17.9	109	6	6	17	24	33	40	41
20-34	27	18.6	254	5	7	13	23	43	82	99+
35-49	25	16.0	238	2	3	13	21	29	48	74
50-64	52	14.7	165	2	2	13	20	41	45	99
65+	70	15.8	116	3	4	14	23	33	40	89
GRAND TOTAL	**186**	**16.1**	**164**	**2**	**4**	**13**	**22**	**36**	**45**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	5.7	30	1	1	4	7	14	19	24
20-34	221	4.5	44	1	1	2	5	9	13	37
35-49	188	5.1	36	1	1	3	6	12	16	30
50-64	198	4.5	32	1	1	2	5	12	18	27
65+	118	5.8	48	1	1	3	8	14	19	39
2. MULTIPLE DX										
0-19 YRS	154	10.4	118	1	2	7	10	23	33	56
20-34	459	11.2	136	1	2	8	14	23	33	73
35-49	775	10.5	121	1	2	8	14	22	33	63
50-64	1356	10.6	87	1	2	8	15	22	28	48
65+	1448	12.2	90	2	2	10	16	24	30	48
TOT. SINGLE DX	796	4.9	39	1	1	2	6	12	17	29
" MULTIPLE DX	4192	11.2	102	1	2	9	15	23	30	51
TOTAL 0-19 YRS	225	8.9	95	1	2	6	10	20	29	51
20-34	680	9.0	116	1	1	6	12	19	28	66
35-49	963	9.4	110	1	1	7	12	20	29	56
50-64	1554	9.8	85	1	1	8	14	21	26	46
65+	1566	11.8	90	1	2	10	16	24	30	47
GRAND TOTAL	**4988**	**10.2**	**97**	**1**	**1**	**8**	**14**	**22**	**28**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	399	6.2	6	3	4	6	7	9	11	16
20-34	4887	6.1	5	3	4	6	7	9	10	14
35-49	4304	6.4	5	3	4	6	7	9	11	14
50-64	3574	6.9	7	4	4	6	8	10	12	16
65+	1592	8.2	12	4	5	8	10	13	15	19
2. MULTIPLE DX										
0-19 YRS	350	9.7	67	4	5	8	11	16	21	50
20-34	4733	8.0	21	4	4	7	9	13	16	26
35-49	6047	8.5	22	4	5	7	10	14	16	26
50-64	8142	9.8	33	5	5	8	12	16	20	33
65+	9596	13.1	61	5	6	11	16	22	28	44
TOT. SINGLE DX	14756	6.6	7	4	4	6	8	10	11	16
" MULTIPLE DX	28868	10.3	43	4	5	8	12	17	22	36
TOTAL 0-19 YRS	749	7.9	38	4	4	6	9	13	16	33
20-34	9620	7.1	14	4	4	6	8	11	13	21
35-49	10351	7.6	17	4	4	7	9	12	15	22
50-64	11716	8.9	27	4	5	8	10	14	18	29
65+	11188	12.4	58	5	6	10	15	21	26	43
GRAND TOTAL	**43624**	**9.1**	**34**	**4**	**5**	**7**	**11**	**15**	**19**	**32**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.2	67	3	3	9	17	25	29	30
20-34	45	5.9	10	2	2	6	8	10	12	14
35-49	67	8.2	31	2	2	7	11	16	21	25
50-64	86	9.5	47	1	2	8	13	20	22	33
65+	136	11.1	47	1	2	11	14	20	22	34
2. MULTIPLE DX										
0-19 YRS	14	13.1	122	1	2	11	17	30	37	39
20-34	83	13.7	127	2	3	11	16	26	39	58
35-49	181	14.0	90	2	4	12	17	24	33	46
50-64	408	16.5	157	3	5	13	21	29	40	72
65+	1242	17.3	122	4	7	15	21	31	37	66
TOT. SINGLE DX	346	9.5	43	2	2	9	13	19	21	33
" MULTIPLE DX	1928	16.6	128	3	6	14	20	30	37	65
TOTAL 0-19 YRS	26	12.7	94	2	3	9	17	28	32	39
20-34	128	10.9	100	2	2	8	14	20	34	55
35-49	248	12.4	81	2	3	11	17	23	29	41
50-64	494	15.3	145	2	4	12	20	27	36	67
65+	1378	16.7	118	3	7	14	20	30	36	58
GRAND TOTAL	**2274**	**15.5**	**121**	**3**	**4**	**13**	**20**	**28**	**35**	**58**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.4	25	<1	<1	2	5	12	17	18
20-34	120	6.2	54	1	2	4	8	11	13	45
35-49	177	5.8	30	1	2	4	8	12	17	25
50-64	182	7.2	57	1	1	4	10	15	23	41
65+	114	6.0	32	1	1	4	8	14	19	26
2. MULTIPLE DX										
0-19 YRS	30	23.8	331	3	3	21	34	51	61	69
20-34	258	11.7	166	1	2	8	14	24	37	93
35-49	498	13.9	197	2	2	9	17	33	46	89
50-64	747	14.6	195	2	2	10	19	35	44	70
65+	981	14.4	179	2	3	11	18	31	42	75
TOT. SINGLE DX	606	6.3	44	1	1	4	9	13	18	34
" MULTIPLE DX	2514	14.2	190	2	2	10	18	32	44	76
TOTAL 0-19 YRS	43	18.0	317	1	1	11	29	45	56	69
20-34	378	9.9	137	1	2	7	11	23	32	82
35-49	675	11.8	166	1	2	8	15	28	43	75
50-64	929	13.1	177	1	2	9	17	31	43	67
65+	1095	13.5	170	2	2	10	17	29	39	72
GRAND TOTAL	**3120**	**12.7**	**171**	**1**	**2**	**9**	**16**	**29**	**41**	**70**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	298	3.9	11	1	1	3	5	7	9	21
20-34	779	4.6	17	1	2	4	5	8	10	21
35-49	722	4.9	15	1	2	4	6	9	11	20
50-64	795	5.0	18	1	1	4	6	9	13	20
65+	707	5.2	21	1	1	4	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	485	6.1	46	1	2	4	7	11	17	40
20-34	1930	6.5	32	2	2	5	8	12	16	30
35-49	3032	6.7	31	2	2	5	8	12	16	29
50-64	5372	7.0	33	2	2	5	9	13	17	30
65+	12650	8.0	41	2	3	6	10	15	19	34
TOT. SINGLE DX	3301	4.8	18	1	1	4	6	9	11	20
" MULTIPLE DX	23469	7.4	38	2	2	6	9	14	18	32
TOTAL 0-19 YRS	783	5.3	34	1	2	4	6	9	14	29
20-34	2709	5.9	29	1	2	5	7	11	15	28
35-49	3754	6.4	29	2	2	5	8	11	15	28
50-64	6167	6.7	32	2	2	5	8	13	16	29
65+	13357	7.8	41	2	3	6	10	15	19	34
GRAND TOTAL	**26770**	**7.1**	**36**	**2**	**2**	**6**	**9**	**13**	**18**	**31**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2783	1.9	1	<1	<1	2	2	3	4	6
20-34	4027	2.8	1	1	1	3	4	4	5	7
35-49	3340	3.0	2	1	1	3	4	5	5	7
50-64	4425	3.3	4	1	1	3	4	5	6	8
65+	2912	3.8	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1932	2.4	12	<1	<1	2	3	4	6	16
20-34	1517	3.4	5	1	1	3	4	5	7	11
35-49	2161	4.0	8	1	2	3	5	7	9	16
50-64	4524	4.5	10	1	2	4	5	7	9	17
65+	6539	5.9	21	2	2	5	7	11	14	25
TOT. SINGLE DX	17487	3.0	3	1	1	3	4	5	6	8
" MULTIPLE DX	16673	4.6	16	1	1	4	5	8	11	21
TOTAL 0-19 YRS	4715	2.1	6	<1	<1	2	2	4	4	8
20-34	5544	3.0	3	1	1	3	4	5	5	8
35-49	5501	3.4	5	1	1	3	4	5	7	12
50-64	8949	3.9	8	1	2	3	5	6	8	14
65+	9451	5.2	17	2	2	4	6	9	12	22
GRAND TOTAL	**34160**	**3.8**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**16**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	499	1.6		<1	<1	1	2	3	3	5
20-34	390	3.3	1	1	2	3	4	5	5	7
35-49	459	3.7	2	1	2	4	5	6	6	8
50-64	675	3.9	2	1	2	4	5	6	7	9
65+	388	4.2	3	1	2	4	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	590	3.6	74	<1	1	2	2	5	13	66
20-34	208	4.0	4	2	2	4	5	6	7	14
35-49	372	4.4	6	2	2	4	5	7	8	15
50-64	791	5.1	8	2	3	5	6	8	10	17
65+	989	6.7	23	2	3	5	8	11	15	25
TOT. SINGLE DX	2411	3.4	3	1	1	3	4	5	6	8
" MULTIPLE DX	2950	5.2	28	1	1	4	6	9	12	25
TOTAL 0-19 YRS	1089	2.7	42	<1	<1	2	2	4	6	48
20-34	598	3.6	3	1	2	3	4	5	6	9
35-49	831	4.0	5	1	2	4	5	6	7	10
50-64	1466	4.6	6	2	2	4	5	7	9	14
65+	1377	6.0	19	2	3	5	7	10	13	21
GRAND TOTAL	5361	4.4	18	1	1	4	5	8	9	18

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.5	2	<1	<1	2	3	5	7	8
20-34	97	3.1	2	1	1	3	4	5	6	9
35-49	135	3.2	3	1	1	3	4	5	6	9
50-64	152	3.8	3	1	2	4	5	6	7	10
65+	184	4.8	8	2	2	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	10	5.9	63	<1	1	3	5	19	27	27
20-34	47	3.8	6	1	1	3	4	7	8	15
35-49	69	4.0	6	1	2	4	5	6	8	17
50-64	186	6.1	20	2	2	5	7	10	14	26
65+	490	8.7	55	2	3	6	10	17	22	40
TOT. SINGLE DX	587	3.8	5	1	2	3	5	6	7	14
" MULTIPLE DX	802	7.4	43	2	2	5	9	14	20	35
TOTAL 0-19 YRS	29	3.7	25	<1	<1	2	3	7	12	27
20-34	144	3.3	4	1	1	3	4	5	7	10
35-49	204	3.5	4	1	1	3	4	5	6	13
50-64	338	5.1	14	2	2	4	6	9	11	21
65+	674	7.6	45	2	3	6	9	15	20	37
GRAND TOTAL	1389	5.9	30	1	2	4	7	11	16	29

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	468	2.0	18	<1	<1	2	2	3	3	6
20-34	259	2.9	3	1	1	3	4	5	6	9
35-49	427	3.1	3	1	1	3	4	5	6	10
50-64	287	3.4	3	1	1	3	4	6	7	11
65+	150	4.3	6	1	2	4	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	170	3.5	23	<1	1	2	4	7	10	28
20-34	178	4.9	15	1	2	4	6	9	12	23
35-49	400	5.0	13	1	2	4	6	9	12	19
50-64	562	6.0	25	1	2	5	7	11	15	29
65+	518	7.8	45	2	3	6	9	15	20	42
TOT. SINGLE DX	1591	2.9	9	<1	1	2	4	5	6	10
" MULTIPLE DX	1828	5.9	29	1	2	4	7	11	16	29
TOTAL 0-19 YRS	638	2.4	21	<1	<1	2	2	4	6	15
20-34	437	3.7	9	1	1	3	4	7	9	16
35-49	827	4.0	9	1	1	3	5	7	9	16
50-64	849	5.1	20	1	2	4	6	10	12	24
65+	668	7.0	39	2	2	5	8	13	18	35
GRAND TOTAL	3419	4.5	22	1	1	3	5	9	12	23

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.6	6	<1	1	2	3	4	8	14
20-34	439	3.6	5	1	1	3	5	6	8	10
35-49	684	4.4	5	1	2	4	6	7	9	11
50-64	804	5.0	7	2	2	5	6	8	10	15
65+	506	5.6	7	2	3	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	63	4.2	12	<1	1	3	6	9	13	15
20-34	378	5.7	17	1	2	5	7	10	13	21
35-49	971	6.9	26	2	3	6	8	12	15	29
50-64	1572	7.7	32	2	3	6	9	13	17	28
65+	1794	9.2	48	3	3	8	11	16	21	36
TOT. SINGLE DX	2548	4.6	7	1	2	4	6	8	9	13
" MULTIPLE DX	4778	7.9	37	2	3	7	9	14	18	31
TOTAL 0-19 YRS	178	3.1	9	<1	1	2	4	7	9	15
20-34	817	4.6	12	1	2	4	6	8	10	18
35-49	1655	5.9	19	2	2	5	7	10	13	22
50-64	2376	6.8	26	2	3	6	8	11	15	25
65+	2300	8.4	42	2	3	7	10	15	19	32
GRAND TOTAL	7326	6.7	29	2	2	6	8	12	15	28

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.4	8	<1	<1	5	6	7	10	11
20-34	29	5.0	7	1	2	4	7	8	9	14
35-49	26	6.9	15	2	2	7	9	10	14	20
50-64	67	7.8	10	3	4	8	9	11	13	18
65+	36	8.5	10	3	4	9	11	12	13	19
2. MULTIPLE DX										
0-19 YRS	40	12.0	248	1	3	8	11	26	73	99+
20-34	69	8.1	17	3	4	8	9	12	16	26
35-49	156	10.4	39	4	6	9	12	16	20	41
50-64	233	12.0	58	5	6	10	13	20	27	47
65+	317	14.6	119	6	6	12	17	24	32	62
TOT. SINGLE DX	172	7.1	12	2	3	7	9	11	13	19
" MULTIPLE DX	815	12.4	88	5	6	10	14	21	29	57
TOTAL 0-19 YRS	54	10.0	197	1	1	7	10	21	55	99
20-34	98	7.2	16	2	3	7	8	10	15	25
35-49	182	9.9	37	3	5	8	12	15	20	38
50-64	300	11.1	51	4	6	9	12	18	25	45
65+	353	14.0	112	5	6	11	16	23	31	61
GRAND TOTAL	**987**	**11.5**	**79**	**3**	**5**	**9**	**13**	**19**	**26**	**52**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	4.5	25	<1	1	3	6	9	11	25
20-34	343	4.5	18	1	1	4	6	9	11	22
35-49	222	5.1	15	1	1	4	7	9	12	22
50-64	240	6.9	39	1	1	6	9	14	19	32
65+	149	7.9	49	1	2	5	10	17	22	33
2. MULTIPLE DX										
0-19 YRS	222	6.7	48	1	1	5	8	13	21	36
20-34	604	8.2	64	1	2	6	10	16	22	43
35-49	816	10.5	96	2	3	8	13	22	30	58
50-64	1536	12.0	99	2	3	10	15	24	31	51
65+	1926	13.3	111	2	3	10	17	26	34	52
TOT. SINGLE DX	1172	5.5	29	1	1	4	7	11	15	27
" MULTIPLE DX	5104	11.5	101	2	3	9	15	23	31	51
TOTAL 0-19 YRS	440	5.6	38	1	1	4	7	11	15	31
20-34	947	6.9	51	1	1	5	8	14	19	38
35-49	1038	9.3	84	1	2	7	11	19	27	52
50-64	1776	11.3	94	2	3	9	14	22	30	50
65+	2075	12.9	109	2	3	10	17	25	33	51
GRAND TOTAL	**6276**	**10.4**	**93**	**1**	**2**	**8**	**13**	**22**	**29**	**49**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	5.5	11	2	3	5	6	9	12	20
20-34	554	5.7	13	1	2	5	7	10	12	18
35-49	221	7.2	20	2	3	6	9	12	17	24
50-64	133	8.9	19	3	4	8	11	14	18	24
65+	104	10.9	30	3	5	10	14	17	20	35
2. MULTIPLE DX										
0-19 YRS	433	9.1	84	3	3	6	10	17	28	57
20-34	949	8.9	73	3	4	6	10	16	22	48
35-49	619	11.9	102	4	5	8	14	23	32	59
50-64	750	16.4	171	4	6	13	20	33	42	85
65+	1072	18.2	144	6	7	15	23	33	43	71
TOT. SINGLE DX	1299	6.7	19	2	3	6	8	12	15	22
" MULTIPLE DX	3823	13.5	134	3	4	10	17	27	38	69
TOTAL 0-19 YRS	720	7.7	59	2	3	6	8	14	19	41
20-34	1503	7.7	53	2	3	6	9	13	19	42
35-49	840	10.7	85	3	4	8	12	21	29	54
50-64	883	15.3	155	4	5	11	19	29	41	78
65+	1176	17.6	139	6	7	15	22	32	42	69
GRAND TOTAL	**5122**	**11.8**	**114**	**3**	**4**	**8**	**14**	**24**	**33**	**64**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.5	7	1	1	3	5	8	9	14
20-34	1505	2.9	8	<1	1	2	4	6	7	12
35-49	240	2.8	5	<1	1	2	3	6	8	13
50-64	47	3.9	38	1	1	2	3	8	11	40
65+	11	3.0	8	<1	<1	2	3	7	11	11
2. MULTIPLE DX										
0-19 YRS	460	4.4	11	1	1	4	6	8	10	15
20-34	2420	3.9	14	<1	1	3	5	8	10	18
35-49	529	4.6	27	<1	1	2	6	10	14	21
50-64	113	5.7	36	<1	1	3	8	14	17	31
65+	89	10.4	95	1	2	8	14	22	35	47
TOT. SINGLE DX	2213	3.0	9	<1	1	2	4	6	8	13
" MULTIPLE DX	3611	4.2	20	<1	1	3	6	9	12	21
TOTAL 0-19 YRS	870	4.0	10	1	1	3	5	8	9	15
20-34	3925	3.5	13	<1	1	2	5	7	10	16
35-49	769	4.0	21	<1	1	2	5	9	12	20
50-64	160	5.2	38	1	1	3	6	12	17	33
65+	100	9.6	91	1	1	7	14	22	30	47
GRAND TOTAL	**5824**	**3.8**	**16**	**<1**	**1**	**2**	**5**	**8**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	6.1	13	1	2	6	8	10	12	21
20-34	453	6.1	14	1	1	5	8	11	14	18
35-49	348	8.0	24	1	3	7	10	14	18	25
50-64	265	9.6	45	2	4	8	12	15	21	44
65+	180	11.0	26	4	6	10	14	17	21	31
2. MULTIPLE DX										
0-19 YRS	288	10.4	107	2	3	8	12	22	32	76
20-34	1688	7.4	42	1	2	6	9	14	20	36
35-49	1240	10.7	79	2	3	8	14	22	28	44
50-64	1163	13.8	117	3	4	11	17	26	36	63
65+	1613	17.2	157	5	7	14	21	31	42	76
TOT. SINGLE DX	1372	7.9	28	1	2	7	10	14	17	25
" MULTIPLE DX	5992	12.1	113	2	3	9	15	24	32	57
TOTAL 0-19 YRS	414	9.1	83	2	2	7	10	17	27	57
20-34	2141	7.1	37	1	2	6	8	13	18	32
35-49	1588	10.1	69	2	3	8	12	20	26	42
50-64	1428	13.0	107	3	4	10	16	24	35	57
65+	1793	16.6	148	5	7	13	20	30	39	74
GRAND TOTAL	**7364**	**11.3**	**100**	**2**	**3**	**9**	**14**	**22**	**30**	**55**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	8.0	23	3	4	7	9	14	20	26
20-34	61	8.7	11	5	5	8	10	12	17	21
35-49	84	9.4	13	5	5	9	11	14	17	21
50-64	133	10.3	13	6	7	9	12	15	18	21
65+	108	11.6	28	6	7	10	13	18	20	35
2. MULTIPLE DX										
0-19 YRS	133	9.9	47	3	4	8	12	19	25	34
20-34	172	11.6	69	5	5	9	13	20	25	55
35-49	263	14.8	138	6	7	12	17	25	34	86
50-64	556	14.4	71	7	8	12	17	23	30	56
65+	887	16.9	96	7	8	14	21	29	36	60
TOT. SINGLE DX	420	10.0	19	5	6	9	11	16	19	26
" MULTIPLE DX	2011	15.0	94	6	7	12	18	26	34	61
TOTAL 0-19 YRS	167	9.5	43	3	4	8	11	18	24	32
20-34	233	10.8	56	5	5	9	12	18	23	52
35-49	347	13.5	114	5	6	10	16	22	30	86
50-64	689	13.6	63	7	7	11	16	22	28	54
65+	995	16.3	92	7	8	14	20	28	36	58
GRAND TOTAL	**2431**	**14.1**	**85**	**6**	**7**	**12**	**17**	**24**	**31**	**57**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	5.7	18	1	2	4	8	11	15	17
20-34	334	6.7	20	1	2	6	9	12	16	23
35-49	418	7.4	21	1	2	7	10	13	17	21
50-64	338	7.2	18	1	2	7	9	12	14	21
65+	157	7.4	21	1	2	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	364	11.3	102	2	2	8	14	23	32	50
20-34	705	11.4	93	2	2	9	14	22	30	46
35-49	819	11.6	87	2	3	9	15	22	30	48
50-64	985	12.2	93	2	3	10	15	23	29	52
65+	950	13.3	101	2	3	11	17	26	32	54
TOT. SINGLE DX	1491	6.9	20	1	2	6	9	12	15	22
" MULTIPLE DX	3823	12.1	96	2	3	10	15	23	30	50
TOTAL 0-19 YRS	608	9.0	76	1	2	7	11	18	26	43
20-34	1039	9.9	75	1	2	8	12	20	25	41
35-49	1237	10.2	69	2	2	8	13	19	26	44
50-64	1323	10.9	80	2	2	9	13	20	26	50
65+	1107	12.5	94	2	3	10	16	25	31	50
GRAND TOTAL	**5314**	**10.7**	**80**	**2**	**2**	**9**	**13**	**20**	**28**	**46**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	5.9	7	1	3	6	8	9	11	12
20-34	217	7.6	13	2	3	7	10	12	13	16
35-49	345	7.8	16	2	3	8	10	12	14	20
50-64	282	8.1	16	2	3	8	10	14	15	23
65+	122	8.9	17	3	5	8	11	15	17	21
2. MULTIPLE DX										
0-19 YRS	32	5.5	13	<1	1	5	8	10	11	15
20-34	250	9.1	27	2	3	8	11	16	18	25
35-49	411	9.6	28	3	4	9	12	16	20	30
50-64	638	10.7	46	2	4	9	13	19	23	34
65+	592	12.8	62	3	5	11	16	23	30	39
TOT. SINGLE DX	993	7.9	16	2	3	8	10	13	14	21
" MULTIPLE DX	1923	10.8	47	2	4	9	14	19	24	35
TOTAL 0-19 YRS	59	5.7	11	1	1	5	8	10	11	15
20-34	467	8.4	22	2	3	8	11	14	16	24
35-49	756	8.8	24	2	4	8	11	14	18	25
50-64	920	9.9	39	2	4	9	12	17	22	31
65+	714	12.1	57	3	5	10	15	21	28	38
GRAND TOTAL	**2916**	**9.8**	**38**	**2**	**4**	**9**	**12**	**17**	**22**	**33**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	6.9	7	3	3	7	9	11	11	13
20-34	25	8.8	15	3	3	9	11	13	15	20
35-49	11	10.3	9	5	6	11	13	14	14	14
50-64	10	12.2	16	6	7	13	15	17	18	18
65+	15	12.8	38	2	7	13	14	23	24	24
2. MULTIPLE DX										
0-19 YRS	339	8.6	30	3	3	8	10	14	19	27
20-34	75	13.3	102	5	6	11	15	21	30	65
35-49	58	13.7	46	5	7	13	17	20	22	45
50-64	92	18.9	254	7	8	14	21	37	50	88
65+	126	18.9	116	6	9	16	26	34	43	75
TOT. SINGLE DX	309	7.6	12	3	3	7	9	12	13	20
" MULTIPLE DX	690	12.8	105	3	4	10	15	24	33	54
TOTAL 0-19 YRS	587	7.9	21	3	3	7	10	12	15	24
20-34	100	12.2	84	4	5	10	14	19	28	60
35-49	69	13.2	42	5	7	12	16	19	21	44
50-64	102	18.2	234	6	8	14	19	36	44	87
65+	141	18.3	112	6	8	15	24	33	42	70
GRAND TOTAL	**999**	**11.2**	**82**	**3**	**4**	**9**	**13**	**20**	**28**	**48**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	5.0	10	1	2	4	7	9	11	15
20-34	677	4.3	7	1	2	4	5	7	9	14
35-49	824	4.3	6	1	2	4	6	8	9	13
50-64	527	4.5	8	1	2	4	6	8	10	15
65+	181	5.0	10	1	1	4	7	9	12	16
2. MULTIPLE DX										
0-19 YRS	121	7.4	57	1	1	5	9	15	21	43
20-34	441	5.8	32	2	2	5	7	10	14	21
35-49	693	5.2	13	1	2	4	6	9	11	17
50-64	737	6.5	23	2	2	5	8	12	16	24
65+	657	8.4	48	2	2	6	10	17	22	38
TOT. SINGLE DX	2298	4.4	8	1	2	4	6	8	10	14
" MULTIPLE DX	2649	6.5	32	2	2	5	8	12	16	29
TOTAL 0-19 YRS	210	6.4	39	1	2	5	8	12	16	32
20-34	1118	4.9	18	1	2	4	6	9	11	17
35-49	1517	4.7	10	1	2	4	6	8	10	14
50-64	1264	5.6	18	1	2	5	7	10	14	22
65+	838	7.7	43	2	2	6	10	15	20	34
GRAND TOTAL	**4947**	**5.6**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	412	2.6	4	<1	<1	2	3	5	8	11
20-34	810	4.0	12	<1	1	3	5	8	10	18
35-49	835	4.0	11	<1	1	3	5	8	9	15
50-64	865	4.0	13	1	1	3	5	8	10	17
65+	766	4.1	16	1	1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	879	4.1	17	<1	1	3	5	8	11	22
20-34	1999	6.2	37	1	1	5	8	12	16	31
35-49	2694	7.1	54	1	1	5	9	14	20	38
50-64	4537	7.2	58	1	1	5	9	15	20	40
65+	9041	8.8	67	1	2	7	11	18	24	42
TOT. SINGLE DX	3688	3.9	13	<1	1	3	5	8	10	16
" MULTIPLE DX	19150	7.7	60	1	1	6	10	16	21	39
TOTAL 0-19 YRS	1291	3.6	14	<1	<1	2	5	8	10	18
20-34	2809	5.6	31	1	1	4	7	11	14	29
35-49	3529	6.4	46	1	1	5	8	13	18	33
50-64	5402	6.7	52	1	1	5	9	13	19	38
65+	9807	8.4	66	1	2	6	11	17	23	41
GRAND TOTAL	**22838**	**7.1**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.9	8	<1	<1	2	4	7	10	11
20-34	57	2.6	2	1	1	2	3	5	5	10
35-49	194	2.8	6	<1	1	2	3	5	7	15
50-64	738	3.5	10	1	1	3	4	6	8	13
65+	1431	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	40	5.5	34	1	1	4	7	11	17	32
20-34	180	6.1	88	<1	1	4	7	10	14	67
35-49	431	4.9	26	1	1	3	6	10	15	28
50-64	1568	5.5	31	1	1	4	7	11	15	33
65+	5572	6.6	39	1	2	5	8	14	18	31
TOT. SINGLE DX	2432	3.6	10	1	1	3	4	6	8	13
" MULTIPLE DX	7791	6.3	39	1	2	4	8	13	17	31
TOTAL 0-19 YRS	52	4.9	30	1	1	3	6	10	17	32
20-34	237	5.2	70	1	1	3	6	9	12	38
35-49	625	4.2	21	1	1	3	5	8	12	23
50-64	2306	4.9	26	1	1	4	6	9	13	30
65+	7003	6.0	35	1	2	4	7	12	17	30
GRAND TOTAL	**10223**	**5.6**	**33**	**1**	**1**	**4**	**7**	**11**	**16**	**30**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.2	13	1	1	4	7	11	12	15
20-34	109	5.1	19	1	1	4	7	10	15	22
35-49	188	6.2	38	1	1	5	7	12	16	36
50-64	286	5.4	21	1	1	4	7	13	15	21
65+	353	6.3	32	1	1	4	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	309	9.2	78	2	3	7	11	19	27	52
20-34	311	9.0	80	1	2	6	11	19	27	43
35-49	456	9.6	120	2	2	7	11	19	33	80
50-64	995	10.1	99	1	2	7	13	21	28	48
65+	2594	11.2	97	2	2	9	15	24	31	48
TOT. SINGLE DX	1008	5.8	28	1	1	4	8	13	16	23
" MULTIPLE DX	4665	10.6	98	2	2	8	14	22	30	49
TOTAL 0-19 YRS	381	8.4	69	1	2	6	10	17	24	51
20-34	420	8.0	67	1	2	6	10	18	24	42
35-49	644	8.6	99	1	2	6	10	17	28	52
50-64	1281	9.1	86	1	2	6	12	19	25	45
65+	2947	10.6	92	2	2	8	14	23	29	47
GRAND TOTAL	**5673**	**9.7**	**89**	**1**	**2**	**7**	**13**	**21**	**28**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	1.4		<1	<1	1	1	3	3	6
20-34	8	2.0	3	<1	<1	1	2	5	6	6
35-49	5	2.4	7	<1	<1	1	3	7	7	7
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	8	3.6	17	<1	<1	2	4	11	13	13
2. MULTIPLE DX										
0-19 YRS	122	2.3	2	<1	<1	2	3	5	6	7
20-34	38	5.0	57	<1	<1	2	5	11	20	41
35-49	29	4.4	14	<1	<1	3	6	11	13	15
50-64	55	5.0	23	<1	<1	3	7	12	15	22
65+	70	6.8	35	1	2	5	10	15	21	25
TOT. SINGLE DX	97	1.7	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	314	4.3	24	<1	<1	2	5	11	14	24
TOTAL 0-19 YRS	192	2.0	2	<1	<1	1	2	4	5	7
20-34	46	4.5	49	<1	<1	2	5	10	16	41
35-49	34	4.1	13	<1	<1	3	6	9	13	15
50-64	61	4.8	22	<1	<1	3	7	12	14	22
65+	78	6.5	34	1	1	4	10	15	20	25
GRAND TOTAL	**411**	**3.7**	**20**	**<1**	**<1**	**2**	**4**	**9**	**12**	**23**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	4.3	9	1	1	3	6	9	10	13
20-34	105	4.2	10	<1	1	3	5	9	11	14
35-49	118	4.8	8	1	1	5	7	9	10	12
50-64	107	4.6	9	1	1	4	6	9	10	14
65+	89	3.6	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	482	5.1	13	1	1	4	7	10	12	18
20-34	185	5.9	84	1	1	3	6	10	14	48
35-49	236	6.7	44	1	1	5	9	12	15	45
50-64	260	6.5	21	1	2	6	9	12	14	22
65+	456	6.6	35	1	2	5	9	13	17	28
TOT. SINGLE DX	1036	4.3	9	1	1	4	6	9	10	13
" MULTIPLE DX	1619	6.1	34	1	1	5	8	12	15	26
TOTAL 0-19 YRS	1099	4.6	11	1	1	4	7	9	11	15
20-34	290	5.3	58	1	1	3	6	10	13	34
35-49	354	6.0	33	1	1	5	8	11	13	29
50-64	367	6.0	19	1	1	5	8	12	14	20
65+	545	6.1	32	1	2	5	8	12	16	26
GRAND TOTAL	**2655**	**5.4**	**25**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	2.0	2	<1	<1	1	2	4	5	7
20-34	104	3.2	6	<1	<1	2	4	7	9	11
35-49	100	3.1	5	<1	<1	2	4	6	7	13
50-64	87	3.0	3	<1	1	2	4	6	6	9
65+	111	3.0	5	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	411	3.3	20	<1	1	2	4	7	8	20
20-34	570	6.3	58	<1	1	4	7	12	19	40
35-49	685	6.5	40	<1	1	5	9	14	17	32
50-64	1032	7.3	51	1	2	6	10	15	19	38
65+	2122	8.5	57	1	2	7	11	17	22	38
TOT. SINGLE DX	528	2.8	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	4820	7.3	53	1	1	5	9	15	20	38
TOTAL 0-19 YRS	537	3.0	17	<1	<1	2	4	6	8	16
20-34	674	5.8	52	<1	1	4	7	11	16	38
35-49	785	6.1	37	<1	1	4	8	13	17	31
50-64	1119	7.0	49	1	1	5	9	14	19	36
65+	2233	8.3	56	1	2	6	11	16	22	37
GRAND TOTAL	**5348**	**6.8**	**50**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.2	1	<1	<1	2	3	4	5	7
20-34	165	3.1	13	1	1	2	3	6	8	17
35-49	114	3.3	7	<1	1	2	4	7	9	14
50-64	96	3.6	11	1	1	3	4	7	10	21
65+	157	3.7	8	1	1	3	4	7	10	14
2. MULTIPLE DX										
0-19 YRS	165	3.2	13	<1	1	2	4	6	9	24
20-34	266	4.4	30	1	1	3	5	9	12	39
35-49	262	4.8	23	1	1	3	6	10	13	33
50-64	366	5.9	36	1	2	4	7	13	17	27
65+	876	6.8	41	1	2	5	9	14	19	32
TOT. SINGLE DX	625	3.2	9	1	1	2	4	6	8	15
" MULTIPLE DX	1935	5.7	36	1	1	4	7	12	17	30
TOTAL 0-19 YRS	258	2.8	9	<1	<1	2	3	5	7	20
20-34	431	3.9	25	1	1	3	4	8	11	24
35-49	376	4.3	19	1	1	3	5	9	12	22
50-64	462	5.4	32	1	1	4	7	12	16	27
65+	1033	6.4	38	1	2	4	8	13	18	30
GRAND TOTAL	**2560**	**5.1**	**30**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.3	3	7	7	8	9	11	11	11
20-34	87	6.4	4	3	4	6	8	10	10	12
35-49	327	6.9	5	3	4	7	8	10	11	15
50-64	243	7.4	6	4	5	7	8	10	12	16
65+	106	7.9	8	3	4	8	9	11	13	17
2. MULTIPLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	168	7.4	14	4	5	7	8	10	11	31
35-49	624	8.5	15	5	5	8	9	12	16	25
50-64	552	8.8	16	5	5	8	10	13	16	23
65+	444	10.0	26	5	6	9	11	16	19	28
TOT. SINGLE DX	767	7.1	6	4	4	7	8	10	11	16
" MULTIPLE DX	1790	8.9	19	5	5	8	10	13	17	26
TOTAL 0-19 YRS	6	7.3	7	3	3	7	8	11	11	11
20-34	255	7.0	11	4	5	7	8	10	11	20
35-49	951	7.9	13	4	5	7	9	11	14	21
50-64	795	8.4	14	4	5	8	9	12	15	22
65+	550	9.6	24	5	6	9	11	15	19	27
GRAND TOTAL	**2557**	**8.3**	**16**	**4**	**5**	**8**	**9**	**12**	**15**	**23**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	49	5.8	4	3	3	5	7	9	9	12
35-49	147	6.3	5	3	4	6	8	9	10	14
50-64	142	6.4	6	3	4	6	8	9	10	16
65+	78	7.1	5	4	4	7	9	10	11	13
2. MULTIPLE DX										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	52	6.6	7	3	4	6	8	9	10	17
35-49	214	7.9	29	4	4	7	9	12	14	30
50-64	289	7.7	10	4	5	7	9	12	14	19
65+	241	8.7	15	4	5	8	10	14	16	24
TOT. SINGLE DX	419	6.4	6	3	4	6	8	9	10	14
" MULTIPLE DX	800	8.0	17	4	4	7	9	12	14	23
TOTAL 0-19 YRS	7	4.3	2	3	3	4	4	6	7	7
20-34	101	6.2	6	3	4	6	8	9	10	16
35-49	361	7.2	20	3	4	7	8	11	13	25
50-64	431	7.3	9	4	4	7	9	11	13	18
65+	319	8.3	13	4	5	8	10	13	15	23
GRAND TOTAL	**1219**	**7.4**	**14**	**4**	**4**	**7**	**9**	**11**	**13**	**20**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	6	1	1	6	6	6	6	6
20-34	29	5.2	8	1	2	5	7	10	11	11
35-49	45	4.8	9	1	2	4	6	8	10	18
50-64	32	3.5	4	1	1	3	5	7	8	8
65+	14	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	13	5.9	17	1	2	6	9	11	15	16
20-34	66	6.8	22	1	2	5	9	12	14	27
35-49	74	6.8	30	1	2	5	9	14	18	26
50-64	106	8.0	57	1	2	6	9	17	25	40
65+	129	9.6	60	2	2	8	12	18	24	42
TOT. SINGLE DX	124	4.3	8	1	2	4	6	8	9	14
" MULTIPLE DX	388	8.0	47	1	2	6	10	16	22	35
TOTAL 0-19 YRS	17	5.6	14	1	1	6	7	9	14	16
20-34	95	6.3	18	1	2	5	8	11	13	25
35-49	119	6.0	23	1	2	5	8	12	17	25
50-64	138	6.9	49	1	2	5	8	15	21	35
65+	143	9.0	59	1	2	7	12	16	24	41
GRAND TOTAL	512	7.1	40	1	2	6	9	14	20	32

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.0	14	1	1	2	6	10	12	12
20-34	20	6.8	15	<1	1	7	10	12	13	14
35-49	16	8.0	59	2	2	6	9	18	28	32
50-64	14	7.0	69	1	2	4	8	14	29	34
65+	5	7.6	34	1	1	9	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	7	11.9	103	3	3	6	17	28	31	31
20-34	35	8.3	96	1	1	6	11	16	18	58
35-49	39	10.6	31	4	5	9	15	19	22	25
50-64	70	12.7	96	3	4	9	[illegible]	27	33	49
65+	107	12.2	101	2	3	10	[illegible]	24	33	52
TOT. SINGLE DX	64	6.8	39	1	1	5	9	13	15	34
" MULTIPLE DX	258	11.5	90	2	3	9	15	22	31	50
TOTAL 0-19 YRS	16	7.4	65	1	1	5	9	18	27	31
20-34	55	7.7	67	1	1	6	10	14	16	56
35-49	55	9.9	40	2	4	8	13	19	22	32
50-64	84	11.7	96	3	3	9	15	26	33	48
65+	112	12.0	99	2	3	10	15	24	33	51
GRAND TOTAL	322	10.6	83	2	3	8	13	21	30	47

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	80	5.2	6	2	3	5	6	8	10	16
50-64	1631	5.6	4	3	4	5	6	8	10	14
65+	2881	6.1	6	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	23	9.2	32	4	5	6	11	19	21	24
20-34	12	11.6	81	3	4	8	17	27	29	29
35-49	210	7.4	59	3	3	6	8	11	15	46
50-64	5246	7.7	28	3	4	6	9	13	16	29
65+	18448	9.2	40	4	4	7	11	16	21	34
TOT. SINGLE DX	4597	5.9	6	3	4	5	7	9	10	14
" MULTIPLE DX	23939	8.9	39	4	4	7	10	16	20	33
TOTAL 0-19 YRS	25	9.1	30	4	5	6	10	19	21	24
20-34	15	9.5	83	<1	1	5	14	26	28	29
35-49	290	6.8	46	3	3	5	8	11	14	41
50-64	6877	7.2	23	3	4	6	8	12	15	27
65+	21329	8.8	37	4	4	7	10	16	20	33
GRAND TOTAL	28536	8.4	35	4	4	7	10	15	19	32

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	158	11.4	20	5	7	10	14	18	20	25
65+	184	10.6	18	4	6	10	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	5	4.6	22	2	2	3	6	13	13	13
20-34										
35-49	10	11.4	37	2	2	11	14	20	23	23
50-64	339	13.3	40	6	7	12	16	21	24	39
65+	1150	13.9	49	5	7	13	17	21	26	38
TOT. SINGLE DX	344	11.0	19	4	6	10	14	17	19	24
" MULTIPLE DX	1504	13.7	48	5	7	12	17	21	25	38
TOTAL 0-19 YRS	5	4.6	22	2	2	3	6	13	13	13
20-34										
35-49	12	11.2	31	2	3	11	13	19	22	23
50-64	497	12.7	35	6	7	11	15	20	22	35
65+	1334	13.5	46	5	7	12	16	21	25	37
GRAND TOTAL	1848	13.2	43	5	7	12	16	21	24	36

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	4	1.5		1	1	1	2	2	2	2
35-49	50	2.1	2	1	1	2	3	3	5	11
50-64	477	2.5	6	1	1	2	3	4	6	13
65+	497	2.9	8	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	4	5.3	12	1	1	5	8	9	9	9
20-34	20	5.3	32	<1	1	3	7	12	18	24
35-49	115	4.7	22	1	1	3	6	9	12	30
50-64	768	4.9	34	1	1	3	6	11	16	24
65+	1850	6.7	50	1	1	4	9	15	21	34
TOT. SINGLE DX	1032	2.7	7	1	1	2	3	5	7	12
" MULTIPLE DX	2757	6.1	46	1	1	4	8	14	19	32
TOTAL 0-19 YRS	8	3.9	9	1	1	3	6	8	9	9
20-34	24	4.6	29	<1	1	2	6	11	16	24
35-49	165	3.9	18	1	1	2	5	9	11	27
50-64	1245	4.0	25	1	1	2	4	9	12	23
65+	2347	5.9	44	1	1	3	7	13	19	32
GRAND TOTAL	3789	5.2	37	1	1	3	6	11	17	30

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	1.9	1	<1	1	2	2	3	4	6
20-34	119	2.7	4	1	1	2	4	5	7	11
35-49	105	3.4	16	1	1	3	4	6	8	25
50-64	82	3.0	4	1	1	3	4	5	6	13
65+	62	2.9	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	138	2.8	10	1	1	2	3	5	7	18
20-34	116	4.2	8	1	1	4	6	9	10	14
35-49	126	6.4	86	1	1	4	7	13	19	48
50-64	180	6.5	47	1	2	4	8	13	18	42
65+	186	8.5	99	1	2	5	10	18	27	47
TOT. SINGLE DX	510	2.7	6	1	1	2	3	5	6	11
" MULTIPLE DX	746	5.9	58	1	1	4	7	12	18	37
TOTAL 0-19 YRS	280	2.4	6	1	1	2	3	4	6	14
20-34	235	3.4	7	1	1	3	5	7	9	13
35-49	231	5.1	57	1	1	3	5	9	14	37
50-64	262	5.4	36	1	1	3	6	11	16	28
65+	248	7.1	82	1	1	4	8	16	22	41
GRAND TOTAL	1256	4.6	39	1	1	3	5	9	15	32

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	2.2	2	1	1	2	3	4	5	9
20-34	281	3.6	7	1	1	3	4	7	10	15
35-49	132	3.5	7	1	1	3	4	7	8	17
50-64	101	4.1	8	1	1	3	5	8	10	17
65+	190	4.4	13	1	1	3	5	11	13	18
2. MULTIPLE DX										
0-19 YRS	232	2.7	3	1	1	2	3	5	7	11
20-34	248	5.3	44	1	1	3	6	12	15	29
35-49	140	6.0	60	1	1	3	7	13	16	54
50-64	314	8.1	77	2	2	6	10	17	21	37
65+	1230	8.5	61	1	2	6	12	18	22	38
TOT. SINGLE DX	915	3.5	9	1	1	3	4	7	10	15
" MULTIPLE DX	2164	7.3	59	1	2	4	10	17	21	37
TOTAL 0-19 YRS	443	2.5	3	1	1	2	3	4	6	11
20-34	529	4.4	26	1	1	3	5	9	13	25
35-49	272	4.8	36	1	1	3	5	9	13	32
50-64	415	7.1	64	1	2	5	9	15	20	34
65+	1420	7.9	57	1	2	5	11	18	21	37
GRAND TOTAL	3079	6.1	47	1	1	4	8	14	19	33

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	950	1.9	1	<1	1	2	2	3	4	6
20-34	135	2.1	2	1	1	2	3	4	5	8
35-49	15	2.5	6	<1	1	1	3	5	9	10
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	791	2.4	3	1	1	2	3	4	6	9
20-34	53	2.7	2	1	1	2	4	5	6	8
35-49	14	2.4	1	1	1	2	3	4	5	5
50-64	7	5.3	8	2	2	4	6	10	11	11
65+	3	4.7	8	3	3	3	7	8	8	8
TOT. SINGLE DX	1102	1.9	2	<1	1	2	2	3	4	7
" MULTIPLE DX	868	2.4	4	1	1	2	3	4	6	9
TOTAL 0-19 YRS	1741	2.1	3	<1	1	2	3	4	5	8
20-34	188	2.3	2	1	1	2	3	4	5	8
35-49	29	2.4	4	1	1	2	3	4	5	10
50-64	9	4.3	10	<1	<1	4	6	9	11	11
65+	3	4.7	8	3	3	3	7	8	8	8
GRAND TOTAL	1970	2.1	3	<1	1	2	3	4	5	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	199	1.8	1	<1	1	1	2	3	5	8
20-34	139	2.3	3	1	1	2	3	4	5	12
35-49	57	2.3	4	<1	1	2	3	4	8	11
50-64	14	2.9	2	1	1	3	3	5	6	6
65+	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	86	3.0	9	<1	1	2	3	6	9	18
20-34	81	3.1	7	<1	1	2	4	5	8	16
35-49	41	3.1	7	1	1	2	4	6	8	16
50-64	39	5.1	27	1	2	4	5	11	20	24
65+	18	8.3	51	1	1	7	14	21	22	22
TOT. SINGLE DX	413	2.1	3	<1	1	2	3	4	5	10
" MULTIPLE DX	265	3.7	16	1	1	2	4	7	13	22
TOTAL 0-19 YRS	285	2.2	4	<1	1	2	2	4	6	11
20-34	220	2.6	5	<1	1	2	3	5	6	15
35-49	98	2.7	6	1	1	2	3	5	8	14
50-64	53	4.5	21	1	2	3	4	7	17	24
65+	22	7.3	47	1	1	4	9	20	22	22
GRAND TOTAL	678	2.7	9	1	1	2	3	5	8	18

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	49	1.5	3	<1	<1	1	1	2	3	12
35-49	22	4.0	63	<1	<1	1	2	9	27	33
50-64	4	7.0	4	4	4	8	8	8	8	8
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	53	7.4	167	<1	<1	2	5	28	31	71
35-49	59	4.2	20	<1	<1	3	6	10	12	23
50-64	11	6.7	44	<1	<1	5	9	16	23	24
65+	14	14.5	89	4	5	12	17	30	36	38
TOT. SINGLE DX	77	2.6	22	<1	<1	1	2	6	9	30
" MULTIPLE DX	141	6.5	92	<1	<1	3	7	17	28	41
TOTAL 0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	102	4.6	96	<1	<1	1	2	13	28	51
35-49	81	4.1	31	<1	<1	2	5	10	15	30
50-64	15	6.8	32	<1	<1	6	8	11	21	24
65+	15	14.1	85	4	6	12	16	29	36	38
GRAND TOTAL	218	5.2	70	<1	<1	2	5	13	24	35

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	475	1.7		<1	1	1	2	3	3	6
20-34	566	2.1	1	1	1	2	3	4	4	8
35-49	443	2.2	2	1	1	2	3	4	4	8
50-64	409	2.6	2	1	1	2	3	4	5	10
65+	175	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	344	2.1	2	<1	1	2	3	4	5	7
20-34	504	2.7	11	<1	1	2	3	5	7	14
35-49	373	3.1	7	1	1	2	4	6	9	14
50-64	515	4.1	12	1	1	3	5	8	11	18
65+	404	4.6	14	1	2	3	5	9	12	17
TOT. SINGLE DX	2068	2.2	2	1	1	2	3	4	4	8
" MULTIPLE DX	2140	3.4	11	1	1	2	4	6	9	15
TOTAL 0-19 YRS	819	1.9	2	<1	1	2	2	3	4	6
20-34	1070	2.3	6	<1	1	2	3	4	5	10
35-49	816	2.6	5	1	1	2	3	4	7	13
50-64	924	3.4	9	1	1	3	4	6	9	14
65+	579	4.0	12	1	1	3	5	8	10	16
GRAND TOTAL	4208	2.8	7	1	1	2	3	5	7	13

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	1.5		<1	<1	1	2	2	3	6
20-34	71	2.5	45	<1	1	2	2	3	3	47
35-49	68	1.6	1	<1	<1	1	2	2	3	7
50-64	55	1.6		1	1	1	2	2	3	6
65+	25	1.9		<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	131	3.1	18	<1	<1	1	3	7	12	23
20-34	103	3.6	28	<1	1	2	3	8	11	32
35-49	190	4.3	12	1	1	3	6	10	11	14
50-64	253	4.4	40	1	1	2	5	9	12	20
65+	276	5.2	35	1	1	3	7	11	17	33
TOT. SINGLE DX	785	1.7	5	<1	<1	1	2	2	3	5
" MULTIPLE DX	1338	4.5	31	1	1	2	6	10	14	25
TOTAL 0-19 YRS	619	2.4	13	<1	<1	1	2	4	9	20
20-34	284	3.0	26	<1	1	2	3	6	9	26
35-49	369	3.5	10	<1	1	2	5	9	10	14
50-64	423	3.8	32	<1	1	2	5	8	10	19
65+	428	4.9	33	1	1	2	6	11	16	31
GRAND TOTAL	2123	3.4	23	<1	<1	2	4	8	11	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.2	7	<1	<1	2	4	7	9	15
20-34	103	3.1	17	<1	1	2	4	6	9	27
35-49	110	4.5	19	1	2	4	5	8	12	29
50-64	203	4.1	4	1	2	4	5	7	7	12
65+	90	3.8	4	1	1	4	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	105	4.0	23	<1	1	3	5	7	9	31
20-34	143	7.6	61	2	2	5	8	16	28	45
35-49	281	5.9	24	2	2	5	7	11	15	27
50-64	553	5.0	10	2	2	4	6	8	11	18
65+	318	6.3	34	2	2	5	7	13	18	33
TOT. SINGLE DX	608	3.8	10	1	1	3	5	7	8	16
" MULTIPLE DX	1400	5.7	25	1	2	4	6	10	15	28
TOTAL 0-19 YRS	207	3.6	16	<1	1	3	4	7	9	19
20-34	246	5.7	48	1	1	4	6	13	21	32
35-49	391	5.5	23	1	2	4	6	10	15	27
50-64	756	4.8	9	2	2	4	6	8	10	17
65+	408	5.8	29	1	2	4	6	11	17	30
GRAND TOTAL	2008	5.1	22	1	2	4	6	9	13	27

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	5.0	5	2	3	5	6	7	9	13
20-34	917	5.1	3	2	3	5	6	7	8	12
35-49	154	5.5	6	2	3	5	7	8	10	16
50-64	22	6.9	10	2	2	7	8	11	13	15
65+	18	8.1	12	2	4	8	10	12	15	17
2. MULTIPLE DX										
0-19 YRS	393	5.8	8	3	3	5	7	9	12	17
20-34	2412	5.9	8	2	3	5	7	9	11	17
35-49	459	6.8	16	2	3	6	8	12	14	20
50-64	80	11.3	70	3	5	8	14	21	34	39
65+	114	15.4	117	4	6	13	19	28	37	58
TOT. SINGLE DX	1442	5.2	5	2	3	5	6	7	9	13
" MULTIPLE DX	3458	6.5	18	2	3	6	7	10	13	23
TOTAL 0-19 YRS	724	5.4	7	2	3	5	6	8	10	16
20-34	3329	5.7	7	2	3	5	6	8	10	15
35-49	613	6.5	15	2	3	6	8	11	13	20
50-64	102	10.4	61	3	4	8	12	19	32	39
65+	132	14.4	109	4	6	12	18	26	33	54
GRAND TOTAL	4900	6.1	14	2	3	5	7	9	12	21

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	5.2	2	3	3	5	6	8	8	12
20-34	946	5.5	5	3	3	5	6	8	9	12
35-49	366	5.9	4	3	4	6	7	9	10	15
50-64	71	6.7	4	4	4	6	8	9	12	14
65+	32	7.3	7	4	4	7	8	10	11	18
2. MULTIPLE DX										
0-19 YRS	262	6.8	8	4	4	6	8	10	12	20
20-34	2571	6.3	8	3	4	6	7	9	11	17
35-49	1308	7.2	17	4	4	6	8	11	14	25
50-64	196	10.3	76	4	5	8	12	16	24	59
65+	172	15.8	146	5	6	13	20	28	36	68
TOT. SINGLE DX	1579	5.6	5	3	4	5	6	8	9	13
" MULTIPLE DX	4509	7.1	23	3	4	6	8	11	15	26
TOTAL 0-19 YRS	426	6.2	7	3	4	6	7	9	11	17
20-34	3517	6.1	8	3	4	6	7	9	11	16
35-49	1674	6.9	15	3	4	6	8	11	13	20
50-64	267	9.4	60	4	5	7	11	15	20	53
65+	204	14.5	134	5	6	11	18	26	33	67
GRAND TOTAL	**6088**	**6.7**	**19**	**3**	**4**	**6**	**7**	**10**	**13**	**24**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	118	6.1	4	3	4	6	7	9	9	15
35-49	131	6.3	6	4	4	6	7	8	10	18
50-64	96	7.5	7	5	5	7	8	11	13	19
65+	28	8.4	8	4	4	8	11	12	13	13
2. MULTIPLE DX										
0-19 YRS	7	6.4	4	4	4	6	8	10	10	10
20-34	553	7.0	15	4	4	6	8	11	13	18
35-49	1002	7.2	13	4	4	6	8	10	14	22
50-64	354	10.4	40	5	5	8	13	18	23	33
65+	316	13.3	52	6	6	11	16	22	28	41
TOT. SINGLE DX	375	6.7	7	4	4	6	7	9	12	16
" MULTIPLE DX	2232	8.5	29	4	5	7	9	15	19	31
TOTAL 0-19 YRS	9	6.4	4	4	4	6	7	9	10	10
20-34	671	6.8	14	4	4	6	8	10	13	18
35-49	1133	7.1	13	4	4	6	8	10	14	22
50-64	450	9.8	35	5	5	8	11	16	21	33
65+	344	12.9	51	6	6	11	16	22	27	40
GRAND TOTAL	**2607**	**8.3**	**26**	**4**	**5**	**7**	**9**	**14**	**18**	**30**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	3.2	5	<1	1	3	4	6	7	13
20-34	236	3.2	5	1	1	3	5	6	8	9
35-49	44	3.7	11	1	1	3	5	7	10	17
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	125	4.9	12	1	1	4	6	9	12	18
20-34	857	4.7	10	1	1	5	6	8	9	16
35-49	173	5.2	19	1	1	5	6	9	13	36
50-64	15	7.5	19	1	2	8	11	14	14	14
65+	5	16.8	345	3	3	8	24	49	49	49
TOT. SINGLE DX	373	3.3	6	1	1	3	5	6	8	13
" MULTIPLE DX	1175	4.9	14	1	1	5	6	8	11	18
TOTAL 0-19 YRS	211	4.2	10	1	1	4	6	8	11	15
20-34	1093	4.4	9	1	1	4	6	7	9	16
35-49	217	4.9	18	1	1	4	6	8	13	30
50-64	19	6.6	19	1	1	7	10	13	14	14
65+	8	12.3	238	3	3	7	12	39	49	49
GRAND TOTAL	**1548**	**4.5**	**12**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	748	1.4		<1	<1	1	2	2	2	4
35-49	296	1.2		<1	<1	1	1	2	2	3
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	1103	2.1	4	<1	<1	1	2	4	5	9
35-49	485	2.4	29	<1	<1	1	2	3	6	15
50-64										
65+										
TOT. SINGLE DX	1051	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	1595	2.2	12	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	10	1.6	1	<1	<1	1	2	3	4	4
20-34	1851	1.8	3	<1	<1	1	2	3	4	8
35-49	781	1.9	19	<1	<1	1	2	3	4	13
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+										
GRAND TOTAL	**2646**	**1.8**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.5	2	1	1	3	5	6	7	7
20-34	1620	2.4	2	1	1	2	3	4	5	7
35-49	457	2.2	1	1	1	2	3	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	34	3.7	7	1	1	3	5	7	9	13
20-34	3837	3.4	3	1	1	3	4	5	6	9
35-49	867	3.5	6	1	1	3	4	6	7	14
50-64	11	10.6	118	1	3	6	13	24	40	41
65+										
TOT. SINGLE DX	2094	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	4749	3.4	5	1	1	3	4	5	6	11
TOTAL 0-19 YRS	50	3.7	6	1	1	3	5	7	8	13
20-34	5457	3.1	4	1	1	3	4	5	6	9
35-49	1324	3.0	5	1	1	3	4	5	7	10
50-64	12	9.9	114	1	2	6	12	22	38	41
65+										
GRAND TOTAL	6843	3.1	4	1	1	3	4	5	6	9

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	4.6	1	3	3	5	5	6	7	9
20-34	2143	4.6	6	2	3	5	5	6	7	9
35-49	230	4.8	3	2	3	5	6	7	8	12
50-64	3	3.7	14	1	1	2	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	202	5.5	5	3	3	5	6	8	10	14
20-34	2851	5.1	5	2	3	5	6	7	8	12
35-49	429	5.5	10	2	2	5	6	8	10	15
50-64	11	9.0	80	4	4	6	9	21	34	35
65+	7	10.6	18	6	6	9	13	17	18	18
TOT. SINGLE DX	2545	4.6	6	2	3	5	5	6	7	10
" MULTIPLE DX	3500	5.2	7	2	3	5	6	7	9	13
TOTAL 0-19 YRS	371	5.1	4	3	3	5	6	7	9	13
20-34	4994	4.9	6	2	3	5	6	7	8	11
35-49	659	5.2	8	2	3	5	6	8	10	13
50-64	14	7.9	69	1	2	6	8	14	30	35
65+	7	10.6	19	6	6	9	13	17	18	18
GRAND TOTAL	6045	5.0	6	2	3	5	6	7	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.9		<1	1	2	2	3	4	4
20-34	560	1.8	2	<1	1	1	2	3	4	5
35-49	222	2.0	1	<1	1	2	2	3	4	8
50-64	74	1.9	1	<1	1	2	2	3	5	7
65+	44	2.4	4	1	1	2	2	4	8	11
2. MULTIPLE DX										
0-19 YRS	19	2.0	1	<1	<1	2	3	4	5	5
20-34	462	2.2	5	<1	1	2	3	4	6	11
35-49	281	3.1	15	<1	1	2	3	6	10	22
50-64	140	3.1	12	1	1	2	3	6	8	22
65+	68	4.8	33	1	1	3	5	12	16	34
TOT. SINGLE DX	924	1.9	2	<1	1	2	2	3	4	7
" MULTIPLE DX	970	2.8	12	<1	1	2	3	5	8	21
TOTAL 0-19 YRS	43	1.9	1	<1	<1	2	2	3	4	5
20-34	1022	2.0	4	<1	1	2	2	3	4	8
35-49	503	2.6	10	<1	1	2	3	5	7	19
50-64	214	2.7	9	1	1	2	3	5	7	21
65+	112	3.8	23	1	1	2	4	9	14	26
GRAND TOTAL	1894	2.4	8	<1	1	2	3	4	6	14

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.8		<1	<1	2	2	3	4	4
20-34	244	2.0	1	<1	1	2	2	4	4	6
35-49	188	2.1	2	<1	<1	2	2	4	5	7
50-64	131	2.7	4	<1	1	2	3	6	7	10
65+	73	3.6	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	39	2.7	4	1	1	2	3	7	8	9
20-34	623	2.9	6	<1	1	2	3	5	8	15
35-49	739	3.6	22	<1	<1	2	4	8	11	20
50-64	430	4.5	26	<1	1	3	6	10	12	28
65+	484	6.6	36	1	2	5	9	13	18	29
TOT. SINGLE DX	653	2.3	3	<1	1	2	3	4	6	8
" MULTIPLE DX	2315	4.2	23	<1	1	2	5	9	12	24
TOTAL 0-19 YRS	56	2.4	4	1	1	2	3	5	8	9
20-34	867	2.6	5	<1	1	2	3	5	7	14
35-49	927	3.3	19	<1	<1	2	3	7	10	18
50-64	561	4.1	22	<1	1	2	5	9	12	25
65+	557	6.2	33	1	2	4	8	12	17	29
GRAND TOTAL	2968	3.8	19	<1	1	2	4	8	11	22

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	2.8	1	1	1	3	3	4	6	7
20-34	1111	2.5	2	1	1	2	3	4	5	8
35-49	109	2.3	2	1	1	2	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	3.8	6	1	1	3	4	8	10	10
20-34	337	3.7	12	1	1	3	4	7	9	19
35-49	36	4.2	10	1	1	3	5	10	12	15
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	1265	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	395	3.8	12	1	1	3	4	7	10	18
TOTAL 0-19 YRS	64	3.1	3	1	1	3	4	5	7	10
20-34	1448	2.8	5	1	1	2	3	5	6	11
35-49	145	2.8	5	1	1	2	3	5	6	12
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	1660	2.8	5	1	1	2	3	5	6	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.4	20	1	1	3	5	10	16	18
20-34	294	5.0	5	1	1	5	6	7	9	12
35-49	106	4.2	7	1	1	4	6	7	8	14
50-64	21	3.3	6	<1	<1	2	4	8	9	9
65+	10	3.0	15	<1	<1	2	3	9	14	14
2. MULTIPLE DX										
0-19 YRS	26	3.7	7	<1	1	2	5	8	9	10
20-34	635	5.4	23	1	1	5	7	9	11	19
35-49	291	5.2	14	<1	1	5	7	9	12	18
50-64	72	6.3	68	<1	1	3	7	15	25	42
65+	92	9.2	94	1	2	5	12	24	30	47
TOT. SINGLE DX	444	4.6	7	1	1	5	6	7	9	13
" MULTIPLE DX	1116	5.7	31	1	1	5	7	10	14	31
TOTAL 0-19 YRS	39	3.9	11	1	1	2	5	8	9	18
20-34	929	5.3	18	1	1	5	6	8	10	17
35-49	397	4.9	12	<1	1	5	7	9	11	17
50-64	93	5.6	56	<1	<1	3	7	11	25	40
65+	102	8.6	90	1	2	5	11	23	29	45
GRAND TOTAL	1560	5.4	24	1	1	5	7	9	12	26

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.7	5	3	3	5	7	9	10	10
20-34	1307	6.3	3	4	5	6	7	8	9	12
35-49	2145	6.5	2	4	5	6	7	8	9	13
50-64	691	7.2	5	5	5	7	8	10	11	16
65+	282	8.0	8	5	6	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	64	7.7	12	4	4	7	9	13	15	20
20-34	8492	6.9	8	4	5	6	7	9	11	17
35-49	19913	7.1	7	5	5	7	8	9	11	18
50-64	5318	8.1	13	5	5	7	9	12	14	23
65+	2186	10.6	38	6	6	9	12	17	22	38
TOT. SINGLE DX	4432	6.7	4	4	5	6	7	9	10	14
" MULTIPLE DX	35973	7.4	11	5	5	7	8	10	13	21
TOTAL 0-19 YRS	71	7.5	12	3	4	6	9	13	15	20
20-34	9799	6.8	8	4	5	6	7	9	11	16
35-49	22058	7.1	7	5	5	7	8	9	11	17
50-64	6009	8.0	13	5	5	7	9	11	14	23
65+	2468	10.3	36	6	6	9	11	17	21	37
GRAND TOTAL	40405	7.3	11	5	5	7	8	10	12	20

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	640	5.4	2	3	4	5	6	7	8	11
35-49	681	5.7	2	4	4	5	7	8	9	11
50-64	384	7.1	4	4	5	7	8	10	11	14
65+	322	7.3	4	5	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	13	4.8	4	2	2	6	6	7	8	8
20-34	2643	6.0	4	4	4	6	7	8	10	14
35-49	5223	6.5	5	4	4	6	7	9	11	15
50-64	1806	7.6	13	4	5	7	8	11	12	19
65+	1513	8.6	12	5	6	8	10	12	15	22
TOT. SINGLE DX	2029	6.1	4	4	4	6	7	9	10	13
" MULTIPLE DX	11198	6.9	8	4	4	6	8	10	11	17
TOTAL 0-19 YRS	15	5.3	10	2	2	6	6	8	12	14
20-34	3283	5.9	4	4	4	6	7	8	9	13
35-49	5904	6.4	6	4	4	6	7	9	10	15
50-64	2190	7.5	12	4	5	7	8	10	12	19
65+	1835	8.4	11	5	6	8	9	12	14	21
GRAND TOTAL	13227	6.7	8	4	4	6	8	10	11	16

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	33	10.3	4	7	8	10	11	12	14	18
35-49	36	11.4	13	6	7	11	14	16	17	23
50-64	16	10.9	17	4	6	10	14	17	18	19
65+	6	13.0	19	7	7	12	17	19	19	19
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	35	10.2	17	5	6	10	11	14	17	27
35-49	68	13.8	56	7	8	12	15	21	25	47
50-64	69	17.3	96	6	8	15	23	31	44	92
65+	46	18.8	73	9	10	17	22	33	37	47
TOT. SINGLE DX	91	11.0	11	7	7	11	13	15	18	21
" MULTIPLE DX	219	15.4	74	6	8	13	18	25	36	51
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	68	10.3	11	6	7	10	11	13	16	25
35-49	104	12.9	43	6	7	12	14	20	24	46
50-64	85	16.1	88	6	8	14	18	28	38	85
65+	52	18.1	71	9	10	16	21	32	36	47
GRAND TOTAL	310	14.1	60	6	8	12	16	23	29	48

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.8		<1	1	2	2	3	4	4
20-34	148	2.0	3	<1	<1	1	2	4	5	9
35-49	30	1.8	1	1	1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	3.7	9	1	1	3	6	8	9	12
20-34	150	4.1	16	1	1	3	5	9	12	20
35-49	35	3.4	15	1	1	2	4	9	11	19
50-64										
65+										
TOT. SINGLE DX	202	1.9	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	216	3.9	15	1	1	2	5	9	12	20
TOTAL 0-19 YRS	55	2.9	6	1	1	2	3	7	9	12
20-34	298	3.0	11	<1	1	2	3	7	10	19
35-49	65	2.6	9	1	1	2	3	6	9	18
50-64										
65+										
GRAND TOTAL	418	2.9	10	<1	1	2	3	7	9	18

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2473	1.7	1	<1	<1	1	2	3	4	7
20-34	14166	1.6	1	<1	<1	1	2	3	4	6
35-49	3303	1.7	2	<1	<1	1	2	3	3	7
50-64	958	1.9	3	<1	<1	2	2	3	4	10
65+	348	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	1010	3.3	8	1	1	2	4	7	8	14
20-34	8097	3.2	11	<1	1	2	4	7	9	16
35-49	5560	3.3	17	<1	1	2	4	7	10	18
50-64	2496	3.6	19	<1	1	2	4	8	12	23
65+	1532	4.9	29	1	1	3	6	11	16	28
TOT. SINGLE DX	21248	1.6	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	18695	3.4	16	<1	1	2	4	7	10	19
TOTAL 0-19 YRS	3483	2.1	4	<1	<1	1	2	4	6	10
20-34	22263	2.2	6	<1	<1	1	2	4	6	11
35-49	8863	2.7	12	<1	<1	2	3	6	8	16
50-64	3454	3.1	16	<1	1	2	3	7	10	20
65+	1880	4.4	26	1	1	2	5	10	15	27
GRAND TOTAL	39943	2.5	9	<1	<1	2	3	5	7	15

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	1.9	2	<1	<1	1	2	4	5	8
20-34	182	1.6	1	<1	<1	1	2	3	4	7
35-49	28	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	46	4.5	102	<1	1	2	4	8	11	69
20-34	229	4.6	36	<1	1	3	6	10	13	29
35-49	70	2.6	3	<1	<1	2	3	5	6	11
50-64										
65+										
TOT. SINGLE DX	253	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	345	4.2	39	<1	1	2	5	9	11	29
TOTAL 0-19 YRS	89	3.2	55	<1	<1	1	3	6	8	47
20-34	411	3.3	23	<1	<1	2	3	7	11	20
35-49	98	2.3	3	<1	<1	2	3	5	6	10
50-64										
65+										
GRAND TOTAL	598	3.1	25	<1	<1	2	3	7	10	20

594 Hospitals, North Central Region, January-December 1984, by Operation

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	1.4		<1	<1	1	2	2	3	4
20-34	1776	1.3		<1	<1	1	1	2	3	5
35-49	211	1.3		<1	<1	1	1	2	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	69	3.6	28	<1	1	2	4	7	13	34
20-34	426	2.2	3	<1	1	2	3	4	6	10
35-49	90	2.2	5	<1	<1	1	2	5	6	14
50-64	6	3.2	3	1	1	3	5	5	5	5
65+	10	14.5	181	2	2	10	22	37	38	38
TOT. SINGLE DX	2275	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	601	2.6	12	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	355	1.8	7	<1	<1	1	2	3	4	13
20-34	2202	1.5	1	<1	<1	1	2	3	4	6
35-49	301	1.6	2	<1	<1	1	2	3	4	7
50-64	7	3.0	3	1	1	2	5	5	5	5
65+	11	13.4	177	2	2	7	20	37	38	38
GRAND TOTAL	**2876**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	35	4.7	4	1	1	5	6	7	8	10
35-49	10	5.7	2	4	4	5	6	8	9	9
50-64	3	7.3	4	5	5	8	9	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	15	5.3	1	3	4	5	6	7	7	7
20-34	208	5.4	4	2	3	5	6	7	9	13
35-49	22	7.0	6	3	4	7	8	11	12	13
50-64	8	7.6	16	4	4	7	9	14	16	16
65+	8	7.9	6	5	5	8	9	11	12	12
TOT. SINGLE DX	49	5.1	4	1	2	5	6	8	9	99+
" MULTIPLE DX	261	5.7	5	2	3	5	7	8	10	13
TOTAL 0-19 YRS	16	5.3	2	3	4	5	6	7	7	7
20-34	243	5.3	4	2	3	5	6	7	9	13
35-49	32	6.6	5	3	4	6	7	10	12	13
50-64	11	7.5	12	4	4	8	9	12	16	16
65+	8	7.9	6	5	5	8	10	65	99+	99+
GRAND TOTAL	**310**	**5.6**	**5**	**2**	**3**	**5**	**6**	**8**	**10**	**14**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.4	6	1	1	2	5	8	8	9
20-34	203	3.5	17	<1	1	3	4	6	7	24
35-49	49	3.6	3	<1	<1	3	5	6	8	9
50-64	39	3.8	1	2	3	4	4	6	7	7
65+	32	3.5	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	40	4.5	11	1	1	4	6	9	12	15
20-34	328	3.9	8	1	1	3	5	7	8	16
35-49	70	4.0	12	1	1	3	5	7	10	22
50-64	69	4.3	13	2	2	3	4	9	12	22
65+	84	5.0	43	2	2	4	5	6	12	45
TOT. SINGLE DX	356	3.5	11	<1	1	3	4	6	7	14
" MULTIPLE DX	591	4.1	15	1	1	3	5	7	9	19
TOTAL 0-19 YRS	73	4.0	9	1	1	3	5	8	9	15
20-34	531	3.7	12	1	1	3	5	6	8	17
35-49	119	3.8	9	<1	1	3	5	7	9	18
50-64	108	4.1	9	2	2	3	4	7	9	19
65+	116	4.6	32	2	2	3	5	6	9	34
GRAND TOTAL	**947**	**3.9**	**14**	**1**	**1**	**3**	**5**	**6**	**8**	**18**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	76	5.4	6	2	2	5	7	8	10	14
35-49	308	5.7	5	2	3	6	7	9	9	13
50-64	533	6.3	6	3	4	6	7	9	10	14
65+	349	6.4	4	3	4	6	7	9	11	12
2. MULTIPLE DX										
0-19 YRS	5	6.8	7	3	3	6	9	10	10	10
20-34	266	6.6	9	3	3	6	8	10	12	19
35-49	758	7.1	10	3	4	7	8	10	12	21
50-64	1179	7.6	12	4	4	7	9	12	14	21
65+	1076	8.1	17	4	5	7	9	13	16	25
TOT. SINGLE DX	1267	6.1	6	3	3	6	7	9	10	13
" MULTIPLE DX	3284	7.5	14	4	4	7	9	11	14	22
TOTAL 0-19 YRS	6	6.5	7	3	3	6	9	10	10	10
20-34	342	6.3	9	2	3	6	7	10	12	18
35-49	1066	6.7	10	3	4	6	8	10	12	18
50-64	1712	7.2	11	3	4	7	8	11	13	20
65+	1425	7.7	15	4	4	7	9	11	14	24
GRAND TOTAL	**4551**	**7.1**	**12**	**3**	**4**	**7**	**8**	**11**	**13**	**20**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.9	6	<1	1	2	4	5	8	14
20-34	208	3.4	5	1	1	3	4	6	8	13
35-49	56	3.7	7	1	1	3	5	7	10	12
50-64	60	5.5	17	1	1	5	7	9	14	23
65+	25	5.9	10	1	1	6	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	60	4.3	16	1	1	3	5	11	12	19
20-34	124	4.7	14	1	1	4	6	8	10	22
35-49	97	5.9	21	1	2	5	8	11	14	26
50-64	105	10.0	91	3	4	7	11	17	25	58
65+	96	12.2	139	2	5	9	13	22	32	74
TOT. SINGLE DX	406	3.8	9	1	1	3	5	7	10	14
" MULTIPLE DX	482	7.5	67	1	1	6	9	14	20	37
TOTAL 0-19 YRS	117	3.6	12	1	1	2	5	8	11	17
20-34	332	3.9	9	1	1	3	5	7	9	18
35-49	153	5.1	17	1	1	4	7	10	12	22
50-64	165	8.3	69	1	2	6	10	16	23	40
65+	121	10.9	119	1	3	8	12	20	28	63
GRAND TOTAL	888	5.9	44	1	1	4	7	11	16	31

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	4.1	17	<1	1	3	6	9	11	21
20-34	300	3.6	9	<1	1	3	5	8	10	14
35-49	118	4.0	9	1	1	3	6	9	10	13
50-64	65	4.5	14	1	1	4	5	8	14	20
65+	110	5.5	10	1	2	5	7	9	12	17
2. MULTIPLE DX										
0-19 YRS	135	4.1	35	1	1	3	5	7	9	30
20-34	444	4.8	20	1	1	4	6	10	13	25
35-49	239	6.1	30	1	1	4	8	13	17	31
50-64	306	7.6	54	2	2	6	8	14	21	44
65+	545	7.9	57	2	2	6	9	14	21	43
TOT. SINGLE DX	706	4.1	12	1	1	3	6	9	10	16
" MULTIPLE DX	1669	6.4	43	1	1	5	8	12	17	35
TOTAL 0-19 YRS	248	4.1	27	1	1	3	5	8	10	24
20-34	744	4.3	16	1	1	3	6	9	12	20
35-49	357	5.4	24	1	1	4	7	11	14	25
50-64	371	7.0	49	1	2	5	8	13	19	41
65+	655	7.5	51	2	2	6	9	13	19	40
GRAND TOTAL	2375	5.8	35	1	1	4	7	11	15	32

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	2.4	3	<1	<1	2	3	5	7	8
20-34	464	2.2	3	<1	1	2	3	4	5	8
35-49	230	2.1	1	<1	1	2	3	4	5	6
50-64	99	2.8	10	<1	1	2	3	5	7	21
65+	63	3.4	4	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	102	4.4	55	1	1	3	5	7	11	47
20-34	350	3.9	18	1	1	3	4	8	10	22
35-49	243	4.8	52	<1	1	3	5	10	15	27
50-64	181	6.3	41	1	1	4	8	15	21	31
65+	244	7.8	83	1	2	5	9	16	20	49
TOT. SINGLE DX	1018	2.3	4	<1	1	2	3	4	5	9
" MULTIPLE DX	1120	5.4	49	1	1	3	6	11	17	31
TOTAL 0-19 YRS	264	3.2	24	<1	1	2	4	6	8	17
20-34	814	2.9	11	<1	1	2	3	5	8	20
35-49	473	3.5	29	<1	1	2	4	7	10	19
50-64	280	5.1	33	1	1	3	6	12	18	30
65+	307	6.9	70	1	2	4	9	14	19	44
GRAND TOTAL	2138	3.9	30	<1	1	2	4	8	12	25

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	9	2.6	5	<1	<1	2	3	6	8	8
35-49	20	5.2	18	1	2	4	6	13	15	16
50-64	18	9.5	82	1	3	6	13	20	31	38
65+	34	9.6	44	2	3	9	12	15	25	32
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	7.6	68	2	2	4	9	23	24	25
35-49	27	9.6	113	2	2	6	12	22	34	49
50-64	32	12.5	116	1	2	8	23	28	42	99+
65+	99	16.1	148	3	4	12	21	33	38	61
TOT. SINGLE DX	84	7.5	47	1	2	5	10	14	21	36
" MULTIPLE DX	176	13.5	137	2	3	10	19	30	37	64
TOTAL 0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	25	5.8	51	1	1	3	5	23	24	25
35-49	47	7.7	77	2	2	5	9	16	24	49
50-64	50	11.4	104	1	2	7	19	27	38	99
65+	133	14.4	129	3	4	11	18	31	36	56
GRAND TOTAL	260	11.6	116	2	2	8	15	27	33	53

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.5		<1	<1	1	2	3	3	6
20-34	74	3.0	3	1	1	3	4	5	7	12
35-49	19	2.6	5	<1	1	2	3	5	9	11
50-64	13	3.2	4	1	1	3	4	6	8	8
65+	4	4.8	38	1	1	2	8	14	14	14
2. MULTIPLE DX										
0-19 YRS	35	2.7	6	<1	1	2	3	7	10	10
20-34	76	3.4	5	1	1	3	4	6	9	11
35-49	22	8.2	249	<1	1	4	8	13	39	77
50-64	9	6.9	16	1	2	8	9	12	14	14
65+	10	9.2	27	3	3	8	13	16	17	17
TOT. SINGLE DX	159	2.6	4	<1	1	2	3	5	7	13
" MULTIPLE DX	152	4.5	46	1	1	3	5	9	12	17
TOTAL 0-19 YRS	84	2.0	3	<1	<1	1	2	3	6	10
20-34	150	3.2	4	1	1	3	4	5	8	11
35-49	41	5.6	142	<1	1	3	6	10	13	77
50-64	22	4.7	12	1	1	3	8	9	12	14
65+	14	7.9	32	1	2	6	13	16	17	17
GRAND TOTAL	311	3.5	26	<1	1	2	4	7	10	15

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.6	7	<1	1	2	2	6	10	11
20-34	11	2.9	4	<1	<1	3	4	6	8	8
35-49	7	3.7	6	1	1	3	5	7	8	8
50-64	2	7.5	61	2	2	7	13	13	13	13
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	8	3.6	6	<1	<1	3	5	8	8	8
20-34	19	8.5	134	1	1	4	10	27	38	43
35-49	8	13.3	121	1	1	10	24	28	29	29
50-64	8	4.6	6	1	1	5	7	8	8	8
65+	9	9.7	115	1	1	5	18	27	31	31
TOT. SINGLE DX	36	3.1	8	<1	1	2	4	8	10	13
" MULTIPLE DX	52	8.1	94	1	1	4	9	24	31	43
TOTAL 0-19 YRS	23	3.0	7	<1	<1	2	3	7	9	11
20-34	30	6.5	93	1	1	3	7	16	33	43
35-49	15	8.8	87	1	1	5	11	25	28	29
50-64	10	5.2	14	1	1	5	7	10	13	13
65+	10	8.8	110	1	1	4	17	26	31	31
GRAND TOTAL	88	6.1	64	1	1	3	7	16	25	39

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2200	3.0	1	2	2	3	3	4	4	5
20-34	11126	3.1		2	2	3	4	4	5	6
35-49	502	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2186	3.4	2	2	2	3	4	5	6	9
20-34	11203	3.6	3	2	2	3	4	5	6	9
35-49	667	3.8	2	2	2	4	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	13828	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	14056	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4386	3.2	2	2	2	3	4	4	5	8
20-34	22329	3.3	2	2	2	3	4	4	5	7
35-49	1169	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	27884	3.3	2	2	2	3	4	4	5	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.8	1	1	1	3	3	4	5	5
20-34	254	2.9		2	2	3	3	4	4	5
35-49	14	2.9	1	1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	66	3.2	4	1	1	3	4	6	7	12
20-34	554	3.4	4	1	1	3	4	5	6	10
35-49	55	3.4	2	1	1	3	4	6	6	7
50-64										
65+										
TOT. SINGLE DX	289	2.9	1	1	2	3	3	4	4	5
" MULTIPLE DX	675	3.3	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	87	3.1	4	1	1	3	3	5	6	12
20-34	808	3.2	4	1	2	3	4	5	6	9
35-49	69	3.3	2	1	1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	964	3.2	4	1	2	3	4	5	6	9

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	346	3.0		2	2	3	4	4	4	5
20-34	2433	3.2	1	2	2	3	4	4	5	6
35-49	120	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	622	3.4	2	2	2	3	4	5	5	7
20-34	4084	3.6	3	2	2	3	4	5	6	8
35-49	278	3.9	3	2	2	4	4	6	7	12
50-64										
65+										
TOT. SINGLE DX	2899	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	4984	3.6	3	2	2	3	4	5	6	8
TOTAL 0-19 YRS	968	3.3	2	2	2	3	4	4	5	6
20-34	6517	3.5	2	2	2	3	4	5	5	8
35-49	398	3.7	3	2	2	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**7883**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15615	2.8	1	1	2	3	3	4	4	5
20-34	97645	2.9	1	1	2	3	3	4	4	5
35-49	4687	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5104	3.2	2	1	2	3	4	5	6	10
20-34	35055	3.4	4	2	2	3	4	5	6	9
35-49	2663	3.6	4	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	117947	2.9	1	1	2	3	3	4	4	5
" MULTIPLE DX	42822	3.4	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	20719	2.9	2	1	2	3	3	4	4	7
20-34	132700	3.0	2	1	2	3	3	4	5	6
35-49	7350	3.2	3	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**160769**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1772	5.3	1	4	4	5	6	7	7	9
20-34	16118	5.4	3	4	4	5	6	7	7	9
35-49	893	5.7	5	4	4	5	6	7	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4345	6.1	9	4	4	5	7	9	10	17
20-34	34266	5.9	10	4	4	5	6	7	9	17
35-49	3084	6.4	17	4	4	6	7	8	10	24
50-64										
65+										
TOT. SINGLE DX	18783	5.4	3	4	4	5	6	7	7	9
" MULTIPLE DX	41695	6.0	11	4	4	5	6	8	9	17
TOTAL 0-19 YRS	6117	5.8	8	4	4	5	6	8	9	15
20-34	50384	5.7	8	4	4	5	6	7	8	15
35-49	3977	6.3	15	4	4	6	7	8	10	23
50-64										
65+										
GRAND TOTAL	**60478**	**5.8**	**8**	**4**	**4**	**5**	**6**	**7**	**8**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	5.1	2	3	4	5	6	6	8	10
20-34	966	5.4	3	4	4	5	6	7	7	11
35-49	53	6.4	16	3	4	6	7	8	9	32
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	210	6.5	17	4	4	6	7	9	12	31
20-34	1820	6.2	14	4	4	6	7	8	10	20
35-49	182	7.1	44	4	4	6	7	10	12	41
50-64										
65+										
TOT. SINGLE DX	1162	5.4	4	4	4	5	6	7	7	11
" MULTIPLE DX	2212	6.3	18	4	4	6	7	9	11	22
TOTAL 0-19 YRS	353	5.9	12	3	4	5	6	8	10	22
20-34	2786	5.9	11	4	4	5	6	8	9	17
35-49	235	6.9	38	4	4	6	7	9	11	35
50-64										
65+										
GRAND TOTAL	**3374**	**6.0**	**13**	**4**	**4**	**5**	**6**	**8**	**10**	**19**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	4	2	2	4	6	8	8	8
20-34	94	4.6	2	3	3	4	5	7	8	11
35-49	5	5.2		4	4	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	7.0	26	4	4	5	8	16	16	16
20-34	124	6.3	34	3	3	5	7	8	12	34
35-49	11	5.4	11	3	3	4	6	10	15	15
50-64										
65+										
TOT. SINGLE DX	107	4.7	3	3	3	4	6	7	8	10
" MULTIPLE DX	140	6.2	32	3	3	5	7	9	13	28
TOTAL 0-19 YRS	13	5.6	12	2	3	5	6	10	15	16
20-34	218	5.6	21	3	3	5	6	8	10	21
35-49	16	5.3	8	3	3	5	6	6	12	15
50-64										
65+										
GRAND TOTAL	247	5.6	20	3	3	5	6	8	11	19

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.7		1	1	2	2	2	3	3
20-34	37	1.5		1	1	1	2	2	3	4
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	92	1.4		1	1	1	2	2	2	3
20-34	130	1.6		1	1	1	2	3	3	5
35-49	9	1.2		1	1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	71	1.6		1	1	2	2	2	3	4
" MULTIPLE DX	231	1.5	1	1	1	1	2	2	3	4
TOTAL 0-19 YRS	122	1.5		1	1	1	2	2	2	3
20-34	167	1.6	1	1	1	1	2	2	3	4
35-49	13	1.4		1	1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	302	1.5		1	1	1	2	2	3	4

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	3.7	9	<1	1	3	5	7	9	18
20-34	384	4.0	21	<1	<1	3	5	9	14	25
35-49	25	3.6	8	<1	1	3	4	6	9	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	41	6.1	97	1	1	3	6	9	22	61
20-34	325	5.8	45	<1	1	4	8	12	17	39
35-49	39	5.5	14	<1	1	5	8	10	12	19
50-64										
65+										
TOT. SINGLE DX	484	3.9	19	<1	<1	3	5	8	13	24
" MULTIPLE DX	405	5.8	48	<1	1	4	7	11	17	40
TOTAL 0-19 YRS	116	4.6	42	<1	1	3	5	8	10	37
20-34	709	4.8	33	<1	<1	3	6	11	15	27
35-49	64	4.8	13	<1	1	4	6	9	12	18
50-64										
65+										
GRAND TOTAL	889	4.8	33	<1	<1	3	5	10	15	27

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1645	2.2	1	<1	<1	2	3	3	4	5
20-34	8384	2.4	2	<1	<1	2	3	4	4	5
35-49	410	2.4	3	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	647	2.8	2	<1	<1	3	3	4	5	9
20-34	3844	3.0	6	<1	<1	3	3	4	5	10
35-49	259	2.8	2	<1	<1	3	4	4	5	7
50-64										
65+										
TOT. SINGLE DX	10439	2.4	2	<1	<1	2	3	4	4	5
" MULTIPLE DX	4750	2.9	5	<1	<1	3	3	4	5	10
TOTAL 0-19 YRS	2292	2.4	2	<1	<1	2	3	4	4	7
20-34	12228	2.6	4	<1	<1	3	3	4	4	7
35-49	669	2.5	3	<1	<1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	15189	2.5	3	<1	<1	2	3	4	4	7

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2209	2.7		1	2	3	3	4	4	5
20-34	13320	2.7		1	2	3	3	4	4	5
35-49	824	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2185	3.1	2	2	2	3	3	4	5	8
20-34	13323	3.1	3	1	2	3	4	4	5	8
35-49	1043	3.4	10	1	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	16353	2.7	1	1	2	3	3	4	4	5
" MULTIPLE DX	16551	3.2	4	2	2	3	4	4	5	8
TOTAL 0-19 YRS	4394	2.9	2	2	2	3	3	4	4	7
20-34	26643	2.9	2	1	2	3	3	4	5	7
35-49	1867	3.1	6	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	32904	2.9	2	1	2	3	3	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.8	4	1	1	2	3	4	8	11
20-34	46	2.8	3	1	1	2	3	5	5	12
35-49	35	3.3	12	1	1	2	3	9	10	19
50-64	38	5.9	62	1	1	3	7	14	17	46
65+	26	6.0	35	1	1	4	9	13	22	24
2. MULTIPLE DX										
0-19 YRS	30	3.3	6	1	1	3	4	7	8	12
20-34	55	4.0	15	1	2	3	4	6	14	23
35-49	52	5.8	59	1	1	3	6	12	23	39
50-64	93	8.5	103	1	2	4	12	21	35	78
65+	112	11.2	96	1	2	9	16	24	30	69
TOT. SINGLE DX	181	4.0	24	1	1	3	4	9	12	23
" MULTIPLE DX	342	7.8	80	1	2	4	11	19	27	50
TOTAL 0-19 YRS	66	3.0	5	1	1	2	3	5	8	12
20-34	101	3.4	10	1	1	3	3	5	8	20
35-49	87	4.8	42	1	1	3	4	10	19	37
50-64	131	7.8	93	1	1	4	9	17	33	59
65+	138	10.2	89	1	2	7	15	23	28	56
GRAND TOTAL	523	6.5	64	1	1	3	7	17	23	48

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	557	3.3	1	1	2	3	4	5	5	8
20-34	963	3.2	2	1	1	3	4	5	5	8
35-49	395	3.1	2	1	1	3	4	5	6	8
50-64	135	3.1	2	1	1	3	4	5	6	10
65+	44	4.2	29	1	1	2	3	10	19	25
2. MULTIPLE DX										
0-19 YRS	509	3.8	3	2	2	3	4	5	6	12
20-34	645	3.9	12	2	2	3	4	5	6	12
35-49	293	4.0	6	2	2	3	4	6	8	17
50-64	188	4.2	22	1	2	3	4	7	11	33
65+	76	7.3	132	2	2	3	7	17	33	65
TOT. SINGLE DX	2094	3.3	3	1	1	3	4	5	6	9
" MULTIPLE DX	1711	4.1	16	2	2	3	4	6	8	19
TOTAL 0-19 YRS	1066	3.5	3	1	2	3	4	5	6	9
20-34	1608	3.5	7	1	2	3	4	5	6	9
35-49	688	3.5	4	1	2	3	4	5	6	10
50-64	323	3.8	14	1	2	3	4	6	9	21
65+	120	6.2	96	1	2	3	5	15	22	54
GRAND TOTAL	3805	3.6	9	1	2	3	4	5	6	12

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	2.5	2	1	1	2	3	4	5	9
20-34	274	2.8	3	1	1	2	4	5	6	10
35-49	52	2.6	2	1	1	2	3	5	6	7
50-64	13	2.9	2	2	2	2	3	5	7	7
65+	8	3.5	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	254	4.3	52	1	1	3	5	7	9	27
20-34	407	4.8	21	1	1	4	5	10	14	24
35-49	131	6.4	49	1	1	4	7	14	19	45
50-64	56	8.4	154	1	2	4	8	21	54	97
65+	43	9.0	75	1	2	6	12	17	28	44
TOT. SINGLE DX	545	2.7	3	1	1	2	3	5	6	9
" MULTIPLE DX	891	5.3	47	1	1	3	6	10	16	43
TOTAL 0-19 YRS	452	3.5	31	1	1	3	4	6	8	13
20-34	681	4.0	15	1	1	3	5	7	11	22
35-49	183	5.3	39	1	1	3	6	12	16	39
50-64	69	7.4	130	1	2	4	7	17	54	92
65+	51	8.2	68	1	2	5	11	16	26	44
GRAND TOTAL	1436	4.3	32	1	1	3	5	8	12	27

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.1	7	1	1	3	4	5	7	10
20-34	466	2.9	4	1	1	2	4	5	7	11
35-49	142	3.4	7	1	1	3	4	7	10	13
50-64	51	3.2	4	1	1	3	4	6	8	11
65+	16	3.9	4	1	2	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	342	5.7	36	1	2	4	6	11	16	40
20-34	769	6.0	54	1	2	4	7	12	15	34
35-49	306	7.5	86	1	2	5	9	15	19	41
50-64	161	8.4	89	2	2	6	10	16	19	51
65+	100	9.8	69	2	2	8	12	19	25	46
TOT. SINGLE DX	840	3.0	6	1	1	2	4	6	7	11
" MULTIPLE DX	1678	6.7	62	1	2	4	8	13	17	42
TOTAL 0-19 YRS	507	4.8	29	1	1	3	5	9	13	31
20-34	1235	4.8	38	1	1	3	5	10	13	28
35-49	448	6.2	65	1	1	4	7	13	17	33
50-64	212	7.1	74	1	2	5	9	15	17	49
65+	116	9.0	64	2	2	7	11	18	25	45
GRAND TOTAL	2518	5.5	46	1	1	4	6	11	15	33

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	3.0	1	1	2	3	3	4	6	7
20-34	37	3.4	4	1	2	3	4	6	8	11
35-49	50	2.8	2	1	1	2	4	5	5	10
50-64	61	2.4	2	1	1	2	3	4	4	10
65+	15	2.4		1	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	41	3.0	2	1	1	3	3	5	7	8
20-34	55	5.8	93	1	1	4	5	9	14	56
35-49	55	4.3	25	1	1	3	5	8	14	32
50-64	60	4.7	32	1	1	3	4	12	13	36
65+	41	5.1	31	1	1	3	6	12	17	29
TOT. SINGLE DX	202	2.8	3	1	1	2	3	5	6	10
" MULTIPLE DX	252	4.7	40	1	1	3	5	9	14	38
TOTAL 0-19 YRS	80	3.0	2	1	1	3	3	5	6	8
20-34	92	4.8	59	1	1	3	5	8	10	53
35-49	105	3.6	15	1	1	2	4	6	9	24
50-64	121	3.6	18	1	1	2	3	6	12	23
65+	56	4.4	25	1	1	3	4	9	15	28
GRAND TOTAL	454	3.8	24	1	1	3	4	7	10	29

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	590	4.8	22	1	2	4	5	9	13	22
20-34	349	4.2	18	1	1	3	5	8	11	23
35-49	334	4.2	8	1	1	3	6	8	9	14
50-64	377	5.4	14	1	2	5	7	9	11	16
65+	117	7.4	32	2	2	6	8	13	17	34
2. MULTIPLE DX										
0-19 YRS	552	6.5	41	1	2	5	7	13	21	34
20-34	437	6.3	76	1	2	4	6	12	20	51
35-49	488	6.6	62	1	2	4	7	12	21	44
50-64	753	6.8	36	2	2	5	8	12	18	35
65+	358	10.0	95	2	2	7	12	22	29	52
TOT. SINGLE DX	1767	4.9	18	1	2	4	6	9	12	20
" MULTIPLE DX	2588	7.1	59	1	2	5	8	14	22	43
TOTAL 0-19 YRS	1142	5.6	32	1	2	4	6	11	17	30
20-34	786	5.4	52	1	1	3	6	10	16	47
35-49	822	5.6	42	1	1	4	6	10	14	40
50-64	1130	6.3	30	2	2	5	8	11	15	34
65+	475	9.4	81	2	2	6	11	20	26	47
GRAND TOTAL	4355	6.2	44	1	2	4	7	12	18	40

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	335	2.9	1	1	1	3	4	4	5	7
20-34	609	3.0	2	1	1	3	4	5	6	8
35-49	688	3.2	2	1	1	3	4	5	6	8
50-64	700	3.3	2	1	2	3	4	5	6	8
65+	274	3.4	3	1	2	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	443	3.2	2	1	2	3	4	5	6	8
20-34	1167	3.5	4	1	2	3	4	5	6	11
35-49	1652	3.8	9	1	2	3	4	6	7	12
50-64	2718	4.1	7	1	2	4	5	6	8	15
65+	1728	4.4	10	2	2	4	5	7	9	18
TOT. SINGLE DX	2606	3.2	2	1	1	3	4	5	6	8
" MULTIPLE DX	7708	4.0	8	1	2	4	5	6	7	14
TOTAL 0-19 YRS	778	3.1	2	1	1	3	4	5	6	7
20-34	1776	3.4	4	1	2	3	4	5	6	9
35-49	2340	3.6	7	1	2	3	4	5	6	11
50-64	3418	3.9	6	1	2	4	5	6	7	13
65+	2002	4.3	10	1	2	4	5	7	8	17
GRAND TOTAL	10314	3.8	7	1	2	3	4	6	7	12

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1441	3.4	14	1	1	2	4	6	8	19
20-34	1589	3.5	16	1	1	3	4	6	8	20
35-49	1188	3.5	13	1	1	3	4	6	8	17
50-64	907	4.4	22	1	1	3	5	8	12	24
65+	379	5.6	38	1	1	4	6	11	18	33
2. MULTIPLE DX										
0-19 YRS	758	7.0	95	1	1	3	7	19	29	49
20-34	1593	6.9	115	1	1	3	7	16	28	61
35-49	1720	6.5	74	1	1	4	7	15	23	45
50-64	1964	8.3	115	1	2	4	9	19	30	60
65+	1652	11.6	146	2	2	8	15	26	36	61
TOT. SINGLE DX	5504	3.8	18	1	1	3	4	7	10	21
" MULTIPLE DX	7687	8.2	115	1	1	4	9	19	30	57
TOTAL 0-19 YRS	2199	4.6	45	1	1	3	4	9	17	36
20-34	3182	5.2	69	1	1	3	5	10	18	49
35-49	2908	5.3	52	1	1	3	5	11	17	41
50-64	2871	7.0	89	1	2	4	7	16	24	51
65+	2031	10.5	132	1	2	7	13	24	35	59
GRAND TOTAL	13191	6.3	79	1	1	3	6	15	23	49

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	695	5.8	33	1	2	4	6	11	18	32
20-34	419	4.4	11	1	1	4	5	8	11	19
35-49	208	5.4	40	1	1	4	7	10	13	27
50-64	164	7.2	28	1	2	6	9	14	18	23
65+	238	10.9	36	2	4	11	14	18	20	23
2. MULTIPLE DX										
0-19 YRS	363	9.6	170	1	2	5	10	23	41	61
20-34	343	8.4	108	1	2	5	9	20	33	99+
35-49	226	10.4	160	1	2	7	12	21	35	85
50-64	302	13.2	192	2	2	9	16	28	44	90
65+	944	15.8	118	5	6	13	18	27	38	67
TOT. SINGLE DX	1724	6.2	33	1	2	4	8	13	17	27
" MULTIPLE DX	2178	12.7	149	2	3	10	16	26	39	72
TOTAL 0-19 YRS	1058	7.1	84	1	2	4	7	15	24	51
20-34	762	6.2	59	1	1	4	6	14	19	60
35-49	434	8.0	109	1	1	5	9	15	23	73
50-64	466	11.1	143	1	2	8	13	22	38	71
65+	1182	14.8	106	4	6	13	17	25	35	63
GRAND TOTAL	3902	9.8	108	1	2	7	13	20	29	61

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	855	2.6	10	<1	<1	2	3	4	6	21
20-34	1061	2.8	12	<1	1	2	3	5	7	14
35-49	532	3.2	11	1	1	2	4	6	7	20
50-64	458	3.3	14	1	1	2	4	6	9	18
65+	372	5.5	36	1	1	3	6	11	17	30
2. MULTIPLE DX										
0-19 YRS	422	5.4	87	1	1	3	5	9	23	55
20-34	530	6.0	67	1	1	3	6	13	19	42
35-49	375	6.2	79	1	1	3	7	14	20	40
50-64	436	6.2	43	1	2	4	7	13	20	35
65+	824	10.6	117	2	2	7	15	23	29	55
TOT. SINGLE DX	3278	3.2	16	<1	1	2	3	6	8	21
" MULTIPLE DX	2587	7.4	89	1	1	4	8	18	25	46
TOTAL 0-19 YRS	1277	3.5	38	<1	1	2	3	6	9	34
20-34	1591	3.9	33	1	1	2	4	7	12	32
35-49	907	4.5	42	1	1	3	5	8	14	27
50-64	894	4.7	30	1	1	3	5	10	15	28
65+	1196	9.0	98	1	2	5	11	21	27	50
GRAND TOTAL	5865	5.1	52	1	1	3	5	11	18	37

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	17.6	156	3	3	15	25	34	44	53
20-34	31	12.1	79	3	5	10	14	19	31	49
35-49	23	14.3	154	2	3	10	18	38	41	43
50-64	64	11.0	85	4	5	9	12	19	23	66
65+	251	13.0	40	6	7	12	15	19	22	37
2. MULTIPLE DX										
0-19 YRS	111	19.7	184	4	6	16	28	36	46	65
20-34	94	18.6	164	5	6	16	22	40	47	61
35-49	49	19.3	306	5	6	12	25	47	56	88
50-64	159	15.7	108	5	7	12	19	31	42	96
65+	1232	15.5	74	7	8	14	18	24	30	52
TOT. SINGLE DX	490	13.8	87	4	6	12	16	24	32	49
" MULTIPLE DX	1645	16.1	99	6	8	14	19	27	35	59
TOTAL 0-19 YRS	232	18.6	171	3	4	16	26	35	45	58
20-34	125	17.0	151	5	6	14	20	32	46	59
35-49	72	17.7	260	3	5	12	25	41	50	84
50-64	223	14.3	106	5	6	11	17	26	37	80
65+	1483	15.1	70	7	8	13	18	23	29	49
GRAND TOTAL	2135	15.6	97	6	7	13	18	27	35	57

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	10.5	45	3	4	9	14	20	24	31
20-34	147	10.9	37	3	4	10	14	18	21	27
35-49	138	10.5	90	4	5	8	12	15	20	74
50-64	325	11.7	31	6	6	10	14	18	22	30
65+	1441	13.7	36	7	8	13	16	20	23	33
2. MULTIPLE DX										
0-19 YRS	275	16.0	143	4	6	13	19	27	41	66
20-34	457	17.8	172	6	7	14	22	33	44	81
35-49	284	18.9	189	6	7	15	23	40	48	90
50-64	880	17.3	122	6	8	14	21	30	38	74
65+	7690	16.7	74	8	9	15	19	26	33	52
TOT. SINGLE DX	2251	12.7	41	5	6	12	15	19	23	33
" MULTIPLE DX	9586	16.8	89	7	9	15	20	27	34	57
TOTAL 0-19 YRS	475	13.7	109	3	4	11	17	24	31	54
20-34	604	16.1	148	5	6	13	19	30	40	74
35-49	422	16.2	172	5	6	12	19	34	44	82
50-64	1205	15.7	104	6	7	13	19	27	35	68
65+	9131	16.2	69	7	9	15	19	25	31	50
GRAND TOTAL	11837	16.1	82	7	8	14	19	26	32	54

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	367	11.1	137	1	1	5	19	28	33	53
20-34	14	8.5	32	2	2	7	11	20	20	20
35-49	12	18.8	461	1	2	6	30	57	60	61
50-64	15	8.1	44	1	2	6	12	17	23	25
65+	40	14.1	182	2	3	10	16	29	48	65
2. MULTIPLE DX										
0-19 YRS	200	16.3	222	1	2	12	26	33	41	78
20-34	74	25.9	449	3	4	19	40	59	63	86
35-49	23	24.8	431	4	5	16	43	81	99+	99+
50-64	47	22.0	385	3	6	15	33	55	61	99+
65+	230	20.5	295	4	5	14	25	44	61	81
TOT. SINGLE DX	448	11.4	145	1	1	7	18	27	34	56
" MULTIPLE DX	574	20.0	311	2	3	15	27	46	59	88
TOTAL 0-19 YRS	567	12.9	173	1	1	8	21	30	35	56
20-34	88	23.1	423	2	4	17	32	59	63	84
35-49	35	22.7	436	3	3	15	43	60	93	99+
50-64	62	18.7	337	2	3	13	25	52	56	99+
65+	270	19.5	283	4	5	13	24	42	59	80
GRAND TOTAL	1022	16.2	256	1	2	12	23	37	52	81

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	482	4.3	30	1	1	2	4	13	18	25
20-34	309	3.1	7	<1	1	2	4	6	9	11
35-49	251	3.5	24	<1	1	2	4	7	8	22
50-64	255	4.1	31	1	1	3	5	8	12	32
65+	182	3.4	8	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	150	6.8	61	1	1	3	10	19	25	36
20-34	230	7.6	94	1	1	4	9	18	26	51
35-49	179	7.9	123	1	1	5	9	15	21	69
50-64	246	7.0	97	1	1	4	8	14	21	51
65+	349	8.6	87	1	2	5	11	19	26	46
TOT. SINGLE DX	1479	3.8	22	1	1	2	4	8	13	22
" MULTIPLE DX	1154	7.7	93	1	1	5	9	17	24	50
TOTAL 0-19 YRS	632	4.9	39	1	1	2	5	14	20	28
20-34	539	5.0	49	<1	1	3	6	10	16	35
35-49	430	5.3	70	1	1	3	6	11	15	63
50-64	501	5.5	66	1	1	3	7	11	16	44
65+	531	6.8	66	1	1	4	8	16	22	43
GRAND TOTAL	2633	5.5	57	1	1	3	6	13	18	36

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2264	3.1	7	1	1	2	4	6	7	12
20-34	2782	3.9	9	1	1	3	5	7	9	15
35-49	1774	4.5	8	1	2	4	6	8	10	15
50-64	1484	5.3	13	1	2	5	7	9	11	19
65+	828	6.6	19	2	2	5	8	12	15	22
2. MULTIPLE DX										
0-19 YRS	1079	6.4	62	1	1	4	7	14	21	44
20-34	2176	7.4	71	1	2	5	8	15	22	48
35-49	1560	8.2	91	1	2	5	10	16	22	57
50-64	1775	9.0	82	2	3	6	10	17	25	50
65+	2099	10.7	69	3	4	9	13	20	25	46
TOT. SINGLE DX	9132	4.3	11	1	1	4	5	8	10	17
" MULTIPLE DX	8689	8.5	78	1	2	6	10	17	24	49
TOTAL 0-19 YRS	3343	4.2	28	1	1	3	5	8	11	29
20-34	4958	5.4	40	1	1	4	6	10	15	34
35-49	3334	6.2	51	1	2	5	7	11	16	38
50-64	3259	7.3	54	2	2	5	8	14	19	41
65+	2927	9.5	59	2	3	8	12	18	23	42
GRAND TOTAL	17821	6.4	48	1	2	4	7	13	18	37

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4870	2.1	5	<1	1	1	2	4	6	13
20-34	1055	3.3	11	1	1	2	4	6	9	16
35-49	785	3.5	16	1	1	3	4	7	9	25
50-64	852	3.4	10	<1	1	2	4	7	10	14
65+	873	3.6	11	1	1	2	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	1420	4.5	41	1	1	2	5	10	15	33
20-34	1021	6.6	78	1	1	4	7	13	21	50
35-49	751	6.9	75	1	1	4	8	15	23	49
50-64	1026	6.8	61	1	1	4	8	14	20	45
65+	2100	7.7	67	1	2	5	9	16	22	42
TOT. SINGLE DX	8435	2.7	9	1	1	2	3	5	8	15
" MULTIPLE DX	6318	6.6	65	1	1	4	8	14	21	45
TOTAL 0-19 YRS	6290	2.6	15	1	1	1	3	5	8	20
20-34	2076	4.9	47	1	1	3	5	10	15	39
35-49	1536	5.2	48	1	1	3	6	10	16	41
50-64	1878	5.2	41	1	1	3	6	11	16	32
65+	2973	6.5	54	1	1	4	8	14	19	38
GRAND TOTAL	**14753**	**4.3**	**37**	**1**	**1**	**2**	**5**	**10**	**14**	**30**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	3.8	25	<1	<1	1	4	10	17	22
20-34	257	2.5	13	<1	<1	1	3	5	7	12
35-49	138	2.3	5	<1	<1	1	3	5	7	13
50-64	145	4.1	47	<1	1	1	3	10	23	34
65+	204	4.7	24	1	1	3	6	11	15	25
2. MULTIPLE DX										
0-19 YRS	146	6.4	82	1	1	3	7	14	24	49
20-34	242	7.3	92	1	1	3	9	19	29	48
35-49	134	8.2	122	<1	1	4	10	24	31	58
50-64	182	6.2	53	1	1	4	8	14	18	43
65+	470	7.9	68	1	1	5	11	18	25	38
TOT. SINGLE DX	1060	3.5	24	<1	1	2	4	9	14	23
" MULTIPLE DX	1174	7.3	79	1	1	4	10	17	26	48
TOTAL 0-19 YRS	462	4.6	45	<1	1	2	5	13	17	28
20-34	499	4.8	58	<1	1	2	5	12	19	43
35-49	272	5.2	72	<1	<1	2	5	12	24	49
50-64	327	5.3	51	1	1	2	6	14	21	34
65+	674	6.9	57	1	1	4	9	16	22	35
GRAND TOTAL	**2234**	**5.5**	**56**	**<1**	**1**	**3**	**6**	**14**	**21**	**35**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	4.4	18	1	1	3	5	10	15	23
20-34	414	2.9	6	1	1	3	4	5	6	12
35-49	169	3.7	12	1	1	3	4	7	8	15
50-64	63	3.9	4	1	2	4	5	7	8	12
65+	47	9.4	37	2	3	8	14	18	22	26
2. MULTIPLE DX										
0-19 YRS	94	6.5	53	1	2	4	7	15	22	42
20-34	143	5.2	25	1	1	4	7	11	16	28
35-49	71	9.2	111	1	1	6	10	21	31	54
50-64	81	8.5	87	1	2	6	10	16	23	89
65+	122	14.6	135	2	3	13	19	28	33	68
TOT. SINGLE DX	894	3.8	14	1	1	3	4	7	11	19
" MULTIPLE DX	511	8.8	91	1	2	6	12	20	26	50
TOTAL 0-19 YRS	295	5.1	31	1	1	3	6	12	16	27
20-34	557	3.5	12	1	1	3	4	6	9	20
35-49	240	5.4	48	1	1	3	6	9	15	42
50-64	144	6.5	56	1	2	4	8	14	17	68
65+	169	13.2	113	2	3	12	17	25	30	58
GRAND TOTAL	**1405**	**5.6**	**47**	**1**	**1**	**3**	**6**	**13**	**18**	**36**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	778	3.5	16	1	1	2	4	6	10	25
20-34	605	3.2	8	1	1	2	4	6	8	17
35-49	360	3.9	17	1	1	3	4	8	12	22
50-64	206	5.1	53	1	1	3	5	11	17	42
65+	121	9.7	118	1	2	6	13	20	38	72
2. MULTIPLE DX										
0-19 YRS	555	5.2	40	1	1	3	5	13	20	35
20-34	684	5.5	63	1	1	3	6	12	19	49
35-49	482	6.9	76	1	1	4	8	16	26	41
50-64	495	8.8	135	1	2	5	10	21	29	72
65+	496	16.2	235	2	2	12	22	36	48	73
TOT. SINGLE DX	2070	4.0	26	1	1	3	4	8	13	27
" MULTIPLE DX	2712	8.2	121	1	1	4	10	21	31	58
TOTAL 0-19 YRS	1333	4.2	27	1	1	3	4	8	15	28
20-34	1289	4.4	39	1	1	3	4	9	14	38
35-49	842	5.6	53	1	1	3	6	13	20	36
50-64	701	7.7	114	1	1	4	8	19	26	59
65+	617	14.9	219	1	2	11	21	36	47	71
GRAND TOTAL	**4782**	**6.4**	**84**	**1**	**1**	**3**	**6**	**15**	**24**	**49**

594 Hospitals, North Central Region, January-December 1984, by Operation

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	6.3	19	1	2	5	8	12	16	23
20-34	3771	7.5	26	2	3	6	10	14	17	25
35-49	5672	8.0	24	3	3	7	10	14	18	25
50-64	2463	8.7	30	3	3	8	11	16	19	26
65+	461	10.1	36	3	4	9	13	18	21	32
2. MULTIPLE DX										
0-19 YRS	60	12.2	162	2	3	8	13	38	55	99+
20-34	1297	10.4	53	3	4	9	12	19	24	40
35-49	2906	10.7	43	4	4	9	13	19	23	34
50-64	2745	12.1	62	4	5	10	15	22	27	41
65+	1454	15.4	110	5	6	13	19	27	35	55
TOT. SINGLE DX	12508	8.0	27	2	3	7	10	15	18	25
" MULTIPLE DX	8462	11.9	67	4	5	10	15	22	27	43
TOTAL 0-19 YRS	201	8.0	69	2	2	6	10	16	24	78
20-34	5068	8.3	35	2	3	7	10	15	19	29
35-49	8578	8.9	33	3	4	8	11	16	20	30
50-64	5208	10.5	50	3	4	9	13	19	24	35
65+	1915	14.1	98	4	5	12	18	25	31	51
GRAND TOTAL	**20970**	**9.6**	**47**	**3**	**4**	**8**	**12**	**18**	**22**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	539	2.2	1	<1	1	2	3	4	5	6
20-34	1363	2.4	3	<1	1	2	3	4	6	9
35-49	841	2.6	3	<1	1	2	3	5	6	10
50-64	508	3.0	5	1	1	2	4	6	7	13
65+	147	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	550	3.0	10	1	1	2	4	5	7	12
20-34	1516	3.0	8	1	1	2	4	6	7	15
35-49	1238	3.3	11	1	1	2	4	6	9	18
50-64	1521	3.5	14	1	1	2	4	7	10	17
65+	850	4.0	19	1	1	3	5	7	10	28
TOT. SINGLE DX	3398	2.5	4	<1	1	2	3	5	6	9
" MULTIPLE DX	5675	3.3	13	1	1	2	4	6	9	18
TOTAL 0-19 YRS	1089	2.6	6	<1	1	2	3	5	6	9
20-34	2879	2.7	6	<1	1	2	3	5	6	12
35-49	2079	3.0	9	<1	1	2	4	6	8	15
50-64	2029	3.4	12	1	1	2	4	6	9	17
65+	997	3.8	17	1	1	3	4	7	10	24
GRAND TOTAL	**9073**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	939	2.4	8	<1	1	2	3	4	6	17
20-34	1407	2.4	7	<1	1	2	3	4	6	13
35-49	817	2.8	6	1	1	2	3	5	7	14
50-64	563	3.2	8	1	1	2	4	6	8	17
65+	211	4.8	31	1	1	3	5	11	18	31
2. MULTIPLE DX										
0-19 YRS	741	3.3	26	<1	1	2	3	6	10	24
20-34	1452	3.5	20	<1	1	2	4	7	10	25
35-49	1061	4.6	37	1	1	3	5	10	16	34
50-64	1076	5.5	56	1	1	3	5	12	19	45
65+	750	8.2	110	1	2	4	9	20	29	55
TOT. SINGLE DX	3937	2.7	9	<1	1	2	3	5	7	17
" MULTIPLE DX	5080	4.8	49	1	1	3	5	10	17	39
TOTAL 0-19 YRS	1680	2.8	16	<1	1	2	3	5	8	21
20-34	2859	3.0	15	<1	1	2	3	6	8	20
35-49	1878	3.8	25	1	1	2	4	8	11	27
50-64	1639	4.7	41	1	1	3	5	10	15	35
65+	961	7.4	95	1	2	4	8	18	26	53
GRAND TOTAL	**9017**	**3.9**	**32**	**1**	**1**	**2**	**4**	**8**	**12**	**30**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	10.8	24	6	6	10	12	17	20	31
20-34	260	10.1	39	4	5	9	11	15	22	36
35-49	414	8.6	17	4	4	8	10	13	16	22
50-64	212	8.7	49	4	4	8	10	14	16	33
65+	35	11.2	23	5	5	10	14	19	21	22
2. MULTIPLE DX										
0-19 YRS	298	14.9	120	6	7	11	15	27	38	60
20-34	303	14.5	134	5	6	11	16	31	45	99+
35-49	482	12.8	98	4	5	10	15	24	31	66
50-64	410	13.9	138	4	5	10	16	27	34	68
65+	141	17.2	145	5	6	13	22	32	43	63
TOT. SINGLE DX	1205	9.5	31	4	5	9	11	15	18	28
" MULTIPLE DX	1634	14.1	124	5	6	11	16	27	37	66
TOTAL 0-19 YRS	582	12.9	78	6	7	10	14	21	30	55
20-34	563	12.5	95	4	5	10	14	23	36	89
35-49	896	10.9	66	4	5	9	12	18	25	59
50-64	622	12.1	114	4	5	9	13	23	32	61
65+	176	16.0	126	5	6	13	19	31	41	60
GRAND TOTAL	**2839**	**12.2**	**90**	**4**	**5**	**10**	**14**	**22**	**31**	**60**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.9	9	1	1	3	5	7	8	16
20-34	258	3.9	6	1	1	3	5	7	9	13
35-49	254	4.1	6	1	1	4	5	7	9	12
50-64	311	4.1	9	1	1	3	5	8	10	17
65+	130	4.9	18	1	1	4	6	11	15	20
2. MULTIPLE DX										
0-19 YRS	179	5.0	11	2	2	4	5	9	11	20
20-34	28[illegible]	5.0	24	1	1	4	6	9	11	21
35-49	31[illegible]	6.0	58	1	2	4	7	11	15	27
50-64	449	5.9	31	1	2	4	7	12	17	24
65+	318	7.8	87	1	2	5	9	16	27	49
TOT. SINGLE DX	1091	4.1	9	1	1	3	5	7	10	17
" MULTIPLE DX	1547	6.0	46	1	2	4	7	11	16	31
TOTAL 0-19 YRS	317	4.5	11	1	2	4	5	8	10	19
20-34	540	4.5	16	1	1	4	5	8	10	19
35-49	573	5.2	36	1	2	4	6	9	12	22
50-64	760	5.2	23	1	1	4	6	10	15	22
65+	448	6.9	69	1	2	4	8	15	21	39
GRAND TOTAL	**2638**	**5.3**	**32**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.1	16	6	6	12	14	16	16	16
20-34	60	12.9	29	6	8	12	15	18	24	32
35-49	196	12.1	23	6	8	11	14	17	21	33
50-64	848	12.5	17	8	8	12	14	17	20	27
65+	1441	13.4	20	8	9	13	15	18	21	30
2. MULTIPLE DX										
0-19 YRS	19	14.8	137	7	8	11	14	27	47	57
20-34	118	13.7	27	7	9	12	17	20	24	55
35-49	321	14.5	53	8	9	13	16	22	31	56
50-64	1419	15.6	76	8	9	13	17	24	30	49
65+	4243	16.8	74	9	10	15	19	26	33	54
TOT. SINGLE DX	2552	13.0	20	8	9	12	15	18	21	29
" MULTIPLE DX	6120	16.3	74	8	9	14	18	25	32	53
TOTAL 0-19 YRS	26	13.8	106	6	7	11	14	16	39	57
20-34	178	13.4	28	7	8	12	16	20	24	34
35-49	517	13.6	44	7	8	12	15	21	26	42
50-64	2267	14.4	57	8	9	13	16	22	27	45
65+	5684	15.9	63	9	9	14	18	24	30	51
GRAND TOTAL	**8672**	**15.3**	**60**	**8**	**9**	**14**	**17**	**23**	**29**	**48**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	8.6	51	<1	2	5	13	21	22	22
20-34	22	10.1	23	3	4	10	13	17	19	20
35-49	56	10.2	10	5	7	10	12	14	16	20
50-64	179	12.5	37	6	7	11	15	19	22	42
65+	1032	13.5	24	7	8	13	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	12	8.0	22	3	3	6	11	15	18	18
20-34	37	12.7	53	6	6	11	14	21	31	38
35-49	91	15.1	62	7	8	14	17	25	30	50
50-64	458	16.8	95	8	9	14	20	28	37	58
65+	4897	16.9	77	8	9	15	19	26	32	55
TOT. SINGLE DX	1301	13.1	27	7	8	12	15	19	22	33
" MULTIPLE DX	5495	16.8	79	8	9	15	19	26	33	54
TOTAL 0-19 YRS	24	8.3	36	2	3	6	11	18	21	22
20-34	59	11.7	43	4	6	10	14	19	25	37
35-49	147	13.2	48	7	7	12	15	20	26	44
50-64	637	15.6	83	7	8	13	18	26	34	53
65+	5929	16.3	70	8	9	15	19	25	31	51
GRAND TOTAL	**6796**	**16.1**	**71**	**8**	**9**	**14**	**18**	**25**	**31**	**52**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	3.7	3	1	1	4	5	6	7	9
20-34	805	4.3	6	1	1	4	5	7	9	14
35-49	350	6.1	20	1	1	5	9	12	15	21
50-64	812	11.3	25	3	4	11	15	17	19	26
65+	1574	13.3	21	7	8	13	16	18	20	27
2. MULTIPLE DX										
0-19 YRS	661	4.6	13	1	2	4	5	7	9	17
20-34	1168	5.0	15	1	2	4	6	8	11	22
35-49	580	6.9	41	1	1	5	9	16	20	32
50-64	1493	12.6	57	2	4	12	16	20	25	44
65+	4109	15.3	49	8	9	14	17	23	28	42
TOT. SINGLE DX	4158	9.1	34	2	2	9	13	17	18	24
" MULTIPLE DX	8011	11.8	61	2	3	11	16	20	25	39
TOTAL 0-19 YRS	1278	4.2	9	1	2	4	5	6	8	13
20-34	1973	4.7	12	1	2	4	5	8	10	18
35-49	930	6.6	34	1	1	5	9	14	18	28
50-64	2305	12.2	47	2	4	12	15	19	22	39
65+	5683	14.7	42	7	9	14	17	21	26	39
GRAND TOTAL	**12169**	**10.9**	**54**	**2**	**3**	**11**	**15**	**19**	**23**	**35**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	759	2.9	2	1	1	3	4	4	5	8
20-34	1433	3.0	2	1	1	3	4	5	6	8
35-49	790	3.3	3	1	1	3	4	5	7	11
50-64	788	4.2	18	1	2	3	5	7	10	16
65+	267	5.3	13	2	2	4	6	10	13	17
2. MULTIPLE DX										
0-19 YRS	256	3.4	8	1	1	3	4	5	7	17
20-34	644	3.8	10	1	1	3	5	6	8	15
35-49	696	4.5	14	1	2	4	5	8	10	21
50-64	1126	5.1	20	2	2	4	6	9	12	22
65+	719	6.8	37	2	2	5	8	13	17	32
TOT. SINGLE DX	4037	3.4	7	1	1	3	4	6	7	13
" MULTIPLE DX	3441	5.0	21	1	2	4	6	9	12	23
TOTAL 0-19 YRS	1015	3.0	4	1	1	3	4	5	5	9
20-34	2077	3.3	5	1	1	3	4	5	6	10
35-49	1486	3.8	9	1	1	3	4	7	8	16
50-64	1914	4.8	20	1	2	4	5	8	11	20
65+	986	6.4	32	2	2	5	8	12	16	29
GRAND TOTAL	7478	4.1	14	1	2	3	5	7	10	18

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.8	14	<1	1	3	4	8	12	21
20-34	334	3.5	10	1	1	3	4	7	9	15
35-49	244	3.2	12	<1	1	2	3	5	11	20
50-64	154	3.5	15	<1	1	2	4	7	11	22
65+	61	4.3	15	<1	<1	3	5	11	13	18
2. MULTIPLE DX										
0-19 YRS	435	5.3	33	1	2	4	6	9	16	34
20-34	344	7.6	77	1	1	5	9	19	23	56
35-49	308	7.0	59	1	2	4	8	17	19	41
50-64	298	7.6	80	1	1	5	10	18	23	39
65+	244	11.6	161	1	2	7	15	26	32	75
TOT. SINGLE DX	1203	3.6	13	<1	1	3	4	7	11	20
" MULTIPLE DX	1629	7.5	79	1	2	4	9	18	24	45
TOTAL 0-19 YRS	845	4.6	25	1	1	3	5	9	14	28
20-34	678	5.6	49	1	1	3	6	12	19	39
35-49	552	5.4	42	1	1	3	6	13	18	32
50-64	452	6.2	62	1	1	3	7	14	21	31
65+	305	10.1	140	1	2	6	13	23	29	65
GRAND TOTAL	2832	5.8	55	1	1	3	6	13	19	36

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	494	2.2	4	<1	<1	2	2	4	6	12
20-34	634	2.4	5	<1	<1	2	3	4	6	12
35-49	498	2.8	10	<1	<1	2	3	5	7	16
50-64	421	3.2	11	<1	1	2	4	6	9	17
65+	183	4.1	20	1	1	3	4	8	14	25
2. MULTIPLE DX										
0-19 YRS	127	5.6	64	1	1	3	6	12	22	51
20-34	315	6.0	76	<1	1	3	6	13	21	46
35-49	432	6.4	54	1	1	3	9	15	21	39
50-64	575	7.8	71	1	1	5	10	19	25	41
65+	533	9.8	104	1	2	7	12	22	30	53
TOT. SINGLE DX	2230	2.7	9	<1	<1	2	3	5	8	16
" MULTIPLE DX	1982	7.6	79	1	1	4	10	18	25	49
TOTAL 0-19 YRS	621	2.9	19	<1	<1	2	3	5	8	22
20-34	949	3.6	31	<1	<1	2	3	7	11	30
35-49	930	4.4	34	<1	1	2	4	10	16	28
50-64	996	5.9	51	1	1	3	7	13	21	36
65+	716	8.3	89	1	1	5	11	20	28	50
GRAND TOTAL	4212	5.0	48	<1	1	3	5	12	18	35

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.1	2	<1	<1	2	2	4	7	8
20-34	41	3.4	13	1	1	2	3	8	12	17
35-49	86	2.3	2	<1	1	2	3	4	5	11
50-64	309	2.1	1	<1	1	2	3	3	4	7
65+	189	2.1	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	29	5.3	80	1	1	3	4	15	23	44
20-34	55	5.1	37	1	1	3	6	13	20	28
35-49	88	4.3	51	1	1	2	4	8	16	45
50-64	244	3.4	10	1	1	2	4	6	10	17
65+	237	3.6	14	1	1	2	4	7	12	22
TOT. SINGLE DX	647	2.2	3	<1	1	2	3	3	4	10
" MULTIPLE DX	653	3.8	23	1	1	2	4	7	13	24
TOTAL 0-19 YRS	51	3.9	49	<1	1	2	3	6	20	44
20-34	96	4.4	28	1	1	2	5	11	16	27
35-49	174	3.3	28	<1	1	2	3	5	9	22
50-64	553	2.7	6	1	1	2	3	4	6	16
65+	426	3.0	9	1	1	2	3	5	7	18
GRAND TOTAL	1300	3.0	13	1	1	2	3	5	8	20

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	434	1.9	1	<1	<1	1	2	3	4	7
20-34	703	2.0	2	<1	<1	2	2	4	5	9
35-49	290	2.3	5	<1	1	2	2	4	6	13
50-64	176	2.2	2	<1	1	2	3	4	5	11
65+	50	2.5	6	<1	<1	2	3	4	5	15
2. MULTIPLE DX										
0-19 YRS	405	2.1	2	<1	1	2	3	4	5	7
20-34	747	2.7	14	1	1	2	3	5	7	14
35-49	335	3.1	31	1	1	2	3	5	8	26
50-64	175	3.5	22	1	1	2	4	6	10	21
65+	99	4.8	41	1	1	3	5	10	18	37
TOT. SINGLE DX	1653	2.1	3	<1	1	2	2	4	5	10
" MULTIPLE DX	1761	2.9	17	1	1	2	3	5	7	21
TOTAL 0-19 YRS	839	2.0	2	<1	1	2	2	4	5	7
20-34	1450	2.4	9	<1	1	2	3	4	6	11
35-49	625	2.7	19	1	1	2	3	5	7	17
50-64	351	2.8	13	1	1	2	3	5	7	20
65+	149	4.0	30	<1	1	2	4	8	14	31
GRAND TOTAL	3414	2.5	11	<1	1	2	3	4	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	2.3	3	<1	1	2	3	4	5	9
20-34	557	2.6	3	<1	1	2	3	4	6	12
35-49	514	3.0	5	1	1	3	4	5	7	10
50-64	596	3.7	3	1	1	3	5	6	7	10
65+	183	4.3	5	1	2	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	193	4.1	37	<1	1	2	4	7	11	37
20-34	428	4.7	64	1	1	3	5	9	15	55
35-49	407	4.9	30	1	1	4	5	9	14	23
50-64	595	5.7	41	1	2	4	6	11	16	33
65+	399	7.7	73	1	2	5	8	17	23	44
TOT. SINGLE DX	2115	3.1	5	1	1	3	4	5	7	11
" MULTIPLE DX	2022	5.6	51	1	1	4	6	11	17	41
TOTAL 0-19 YRS	458	3.0	19	<1	1	2	3	6	7	25
20-34	985	3.5	31	<1	1	2	4	6	9	25
35-49	921	3.9	17	1	1	3	4	7	10	19
50-64	1191	4.7	24	1	2	4	5	8	11	24
65+	582	6.6	55	1	2	4	7	13	19	41
GRAND TOTAL	4137	4.3	29	1	1	3	5	8	12	28

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	586	3.1	4	1	1	3	4	5	6	11
20-34	422	3.2	5	1	1	3	4	6	6	10
35-49	310	3.4	4	1	1	3	4	6	7	12
50-64	208	3.7	6	1	1	3	4	6	8	16
65+	71	5.2	19	1	1	4	6	10	11	28
2. MULTIPLE DX										
0-19 YRS	669	3.9	31	1	2	3	4	6	7	23
20-34	299	5.9	64	1	1	4	6	11	19	71
35-49	218	7.9	157	1	2	4	7	21	47	99+
50-64	204	6.4	64	1	2	4	7	10	20	76
65+	154	9.2	157	1	2	6	11	17	22	92
TOT. SINGLE DX	1597	3.3	6	1	1	3	4	6	7	11
" MULTIPLE DX	1544	5.7	75	1	2	4	6	10	18	82
TOTAL 0-19 YRS	1255	3.5	19	1	1	3	4	5	7	15
20-34	721	4.3	32	1	1	3	5	7	10	32
35-49	528	5.3	72	1	1	3	5	9	17	88
50-64	412	5.0	37	1	2	4	6	9	12	52
65+	225	8.0	117	1	2	5	9	14	20	82
GRAND TOTAL	3141	4.5	41	1	1	3	5	7	11	46

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.1	3	<1	1	2	2	4	5	11
20-34	234	2.7	9	<1	1	2	3	6	8	19
35-49	130	2.9	20	<1	1	2	3	5	7	23
50-64	105	3.4	35	<1	1	2	3	7	8	37
65+	58	3.4	22	1	1	2	3	9	14	27
2. MULTIPLE DX										
0-19 YRS	67	3.5	12	1	1	2	5	10	11	15
20-34	208	6.5	128	1	1	3	6	13	29	66
35-49	153	6.0	128	1	1	2	5	12	27	69
50-64	159	6.0	81	1	1	3	6	14	27	46
65+	132	8.7	122	1	1	4	10	25	32	55
TOT. SINGLE DX	622	2.8	17	<1	1	2	3	5	8	22
" MULTIPLE DX	719	6.4	108	1	1	3	7	14	28	56
TOTAL 0-19 YRS	162	2.7	8	1	1	2	3	7	11	14
20-34	442	4.5	69	<1	1	2	4	9	15	44
35-49	283	4.6	81	1	1	2	4	9	16	51
50-64	264	5.0	65	1	1	2	4	11	23	45
65+	190	7.1	98	1	1	3	9	18	31	51
GRAND TOTAL	1341	4.7	69	1	1	2	4	10	18	46

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.1	9	1	1	2	4	8	11	11
20-34	20	5.8	32	1	1	4	8	12	18	24
35-49	11	9.5	96	1	1	5	12	27	31	31
50-64	7	3.0	1	1	1	3	4	4	4	4
65+	6	6.2	14	2	2	5	7	12	13	13
2. MULTIPLE DX										
0-19 YRS	4	24.3	1982	<1	<1	2	47	91	91	91
20-34	17	12.0	172	1	1	8	20	26	42	51
35-49	15	19.0	332	2	2	14	30	48	54	56
50-64	24	15.5	169	3	3	10	24	37	40	41
65+	31	16.6	124	5	5	16	24	33	37	45
TOT. SINGLE DX	54	5.7	38	1	1	4	6	12	22	31
" MULTIPLE DX	91	16.2	241	2	2	10	24	37	47	77
TOTAL 0-19 YRS	14	9.1	562	<1	1	2	4	19	75	91
20-34	37	8.6	104	1	1	5	11	23	26	51
35-49	26	15.0	248	1	2	9	18	46	50	56
50-64	31	12.7	159	2	2	7	21	36	40	41
65+	37	14.9	121	3	5	10	22	32	36	45
GRAND TOTAL	145	12.3	191	1	1	7	18	31	40	58

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	3.6	11	1	1	3	4	8	10	19
20-34	35	4.7	14	1	1	3	6	10	14	16
35-49	40	6.0	86	1	1	3	5	15	19	55
50-64	52	6.3	42	1	1	4	7	15	17	32
65+	54	7.4	106	1	2	4	8	14	22	62
2. MULTIPLE DX										
0-19 YRS	41	6.9	94	1	1	4	7	15	24	56
20-34	122	13.4	192	1	2	9	18	29	42	69
35-49	201	15.1	122	2	4	12	21	31	37	50
50-64	614	15.9	191	2	3	13	21	33	46	85
65+	1041	16.4	167	3	4	13	22	34	42	63
TOT. SINGLE DX	231	5.7	55	1	1	3	6	12	17	46
" MULTIPLE DX	2019	15.8	172	2	3	13	21	33	42	69
TOTAL 0-19 YRS	91	5.1	51	1	1	3	5	10	17	46
20-34	157	11.4	165	1	2	7	15	28	38	63
35-49	241	13.6	128	1	2	10	19	29	36	54
50-64	666	15.2	186	2	3	12	20	32	45	84
65+	1095	16.0	168	2	3	13	21	34	42	63
GRAND TOTAL	2250	14.7	170	2	3	11	19	31	41	65

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.3	152	10	10	17	30	34	34	34
20-34	11	19.7	205	4	7	15	26	43	52	53
35-49	9	8.3	13	3	3	8	11	13	14	14
50-64	11	17.2	132	7	7	15	18	37	43	44
65+	26	15.4	60	5	6	14	21	25	29	38
2. MULTIPLE DX										
0-19 YRS	10	21.8	282	4	6	17	31	47	61	61
20-34	48	25.9	415	6	7	20	41	64	73	99+
35-49	133	21.8	186	7	8	18	29	42	53	77
50-64	483	25.7	280	8	10	21	33	49	60	96
65+	1309	23.6	219	8	10	19	29	44	56	86
TOT. SINGLE DX	60	15.7	103	4	6	13	19	30	37	52
" MULTIPLE DX	1983	24.0	238	8	9	20	30	46	57	92
TOTAL 0-19 YRS	13	21.5	238	5	7	17	31	39	57	61
20-34	59	24.8	378	5	7	17	36	59	71	98
35-49	142	21.0	186	6	8	17	26	39	52	75
50-64	494	25.5	278	8	9	21	33	49	60	96
65+	1335	23.4	218	8	10	19	29	43	56	86
GRAND TOTAL	2043	23.8	236	7	9	19	30	46	57	91

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.8	31	4	4	7	12	18	18	18
20-34	4	7.8	21	3	3	7	11	14	14	14
35-49	3	11.0	3	9	9	12	12	12	12	12
50-64	13	15.1	94	6	7	10	21	31	34	35
65+	41	13.8	91	5	6	11	15	22	39	49
2. MULTIPLE DX										
0-19 YRS	8	14.3	138	4	4	13	17	34	40	40
20-34	21	27.2	439	9	11	21	52	99+	99+	99+
35-49	49	24.2	356	6	7	19	40	60	98	99+
50-64	235	24.2	283	7	8	20	31	49	71	99+
65+	1449	20.1	189	6	8	16	25	37	48	77
TOT. SINGLE DX	66	13.2	82	5	6	11	15	23	34	49
" MULTIPLE DX	1762	20.8	212	6	8	17	26	40	53	90
TOTAL 0-19 YRS	13	12.2	99	4	4	10	16	23	37	40
20-34	[illegible]	24.1	422	6	7	19	42	95	99+	99+
35-49	52	23.4	345	6	8	17	39	59	96	99+
50-64	248	23.7	277	7	8	19	30	46	70	99+
65+	1490	19.9	188	6	8	16	25	37	48	76
GRAND TOTAL	1828	20.5	209	6	8	17	26	39	52	86

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.9	3	1	1	4	5	6	7	7
20-34	6	7.3	41	1	1	5	12	17	18	18
35-49	10	8.5	23	2	2	8	13	14	15	15
50-64	9	8.0	20	4	4	6	11	15	17	17
65+	5	11.2	13	8	8	10	14	16	16	16
2. MULTIPLE DX										
0-19 YRS	13	15.7	276	3	3	10	22	38	55	59
20-34	32	26.3	430	4	6	21	36	58	93	99+
35-49	71	21.9	309	5	6	16	30	50	64	97
50-64	164	26.0	296	6	9	22	35	49	58	96
65+	238	25.1	233	7	9	22	32	49	60	82
TOT. SINGLE DX	41	7.3	22	1	2	6	10	15	16	18
" MULTIPLE DX	518	24.8	279	5	7	21	33	49	60	99
TOTAL 0-19 YRS	24	10.3	182	2	2	5	10	32	41	59
20-34	38	23.3	415	3	4	18	34	57	81	99+
35-49	81	20.2	293	3	5	14	29	46	63	96
50-64	173	25.0	298	5	7	21	33	47	57	96
65+	243	24.8	233	7	9	22	32	48	60	81
GRAND TOTAL	559	23.5	280	4	6	19	32	48	59	99

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.7	71	<1	1	2	7	11	26	41
20-34	40	5.8	32	1	1	5	7	9	12	36
35-49	17	4.2	7	1	2	4	5	7	10	12
50-64	16	4.8	17	1	1	3	7	12	14	15
65+	3	6.7	54	1	1	4	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	16	2.9	7	<1	<1	2	4	8	9	9
20-34	38	10.4	108	2	2	8	11	22	33	52
35-49	22	6.0	15	1	1	6	9	11	13	15
50-64	14	4.9	20	1	2	4	5	10	17	19
65+	5	12.8	351	2	2	4	18	46	46	46
TOT. SINGLE DX	112	5.4	39	1	1	4	7	11	15	38
" MULTIPLE DX	95	7.4	75	1	1	5	9	18	22	49
TOTAL 0-19 YRS	52	4.8	53	<1	<1	2	7	10	19	41
20-34	78	8.1	74	1	2	6	9	18	24	48
35-49	39	5.2	12	1	1	4	7	11	12	15
50-64	30	4.9	18	1	1	4	7	10	15	19
65+	8	10.5	227	1	1	4	12	37	46	46
GRAND TOTAL	207	6.3	56	1	1	4	8	12	19	43

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.3	8	1	1	2	4	8	11	12
20-34	58	3.8	18	1	1	2	4	9	12	24
35-49	48	4.4	16	1	1	3	6	11	14	16
50-64	37	6.3	50	1	1	3	8	12	27	28
65+	43	6.9	32	1	1	5	9	15	17	28
2. MULTIPLE DX										
0-19 YRS	19	4.1	27	1	1	2	4	12	19	21
20-34	67	7.6	149	1	1	4	9	15	30	80
35-49	61	9.8	102	1	2	7	12	23	31	50
50-64	153	11.9	137	2	2	9	15	25	34	84
65+	199	15.3	180	3	4	11	21	32	42	83
TOT. SINGLE DX	214	4.9	26	1	1	3	6	11	15	28
" MULTIPLE DX	499	12.1	157	1	2	8	16	26	37	76
TOTAL 0-19 YRS	47	3.6	16	1	1	2	4	8	13	21
20-34	125	5.9	92	1	1	3	7	12	17	48
35-49	109	7.4	71	1	1	4	9	18	27	45
50-64	190	10.8	125	1	2	8	14	24	32	76
65+	242	13.8	164	2	3	10	19	29	39	69
GRAND TOTAL	713	10.0	128	1	1	6	13	23	32	64

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	2.1	1	1	1	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	6.4	48	2	2	3	8	18	22	22
65+	5	8.6	20	3	3	9	11	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	3.0	2	1	1	3	4	5	5	5
35-49	5	5.0	6	2	2	4	7	8	8	8
50-64	9	6.4	12	3	3	5	8	12	14	14
65+	17	11.5	18	4	7	11	13	19	20	20
TOT. SINGLE DX	23	5.0	27	1	1	3	7	11	17	22
" MULTIPLE DX	38	7.9	23	2	2	7	11	14	18	20
TOTAL 0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	12	2.5	2	1	1	3	3	4	5	5
35-49	6	4.7	5	2	2	4	7	8	8	8
50-64	17	6.4	27	2	2	5	8	13	19	22
65+	22	10.8	19	3	5	10	13	16	20	20
GRAND TOTAL	61	6.8	26	1	2	5	10	14	17	22

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	2.1	5	<1	<1	2	2	3	5	6
20-34	797	2.0	1	<1	<1	2	2	3	4	7
35-49	1968	2.2	2	<1	1	2	2	4	5	9
50-64	1319	2.5	3	<1	1	2	3	5	6	10
65+	653	3.1	8	1	1	2	3	6	9	18
2. MULTIPLE DX										
0-19 YRS	74	4.3	32	<1	1	3	4	8	11	37
20-34	609	4.3	34	1	1	3	5	9	12	27
35-49	1943	4.0	23	1	1	2	4	9	12	24
50-64	1881	4.8	36	1	1	3	5	11	14	31
65+	2163	6.2	42	1	2	4	8	13	18	33
TOT. SINGLE DX	4947	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	6670	5.0	35	1	1	3	6	11	15	29
TOTAL 0-19 YRS	284	2.7	13	<1	<1	2	3	5	6	20
20-34	1406	3.0	17	<1	1	2	3	6	9	17
35-49	3911	3.1	14	<1	1	2	3	6	9	18
50-64	3200	3.8	24	1	1	2	4	8	12	24
65+	2816	5.5	37	1	1	3	7	12	16	29
GRAND TOTAL	11617	3.8	24	<1	1	2	4	8	12	24

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.6	2	<1	1	2	3	4	6	9
20-34	35	3.4	5	1	1	3	5	7	8	10
35-49	94	4.4	5	1	2	4	6	8	9	9
50-64	79	5.4	19	1	1	5	6	10	11	28
65+	142	5.4	10	1	2	5	7	9	10	17
2. MULTIPLE DX										
0-19 YRS	11	3.4	2	2	2	3	4	6	7	7
20-34	35	5.9	17	2	3	5	6	12	16	21
35-49	163	6.1	24	2	2	5	7	10	16	24
50-64	195	8.1	64	2	3	6	9	14	21	51
65+	524	9.5	39	3	4	8	12	18	23	33
TOT. SINGLE DX	404	4.6	11	1	1	4	6	8	9	15
" MULTIPLE DX	928	8.4	43	2	3	6	10	16	21	35
TOTAL 0-19 YRS	65	2.7	3	<1	1	2	3	5	6	9
20-34	70	4.7	13	1	1	4	6	8	12	20
35-49	257	5.5	18	1	2	5	6	9	11	24
50-64	274	7.3	53	2	2	5	8	13	20	44
65+	666	8.6	36	2	3	7	10	16	21	32
GRAND TOTAL	1332	7.2	36	2	2	6	9	14	19	32

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	127	6.2	6	3	4	6	7	9	10	14
35-49	676	6.4	6	3	4	6	7	9	10	15
50-64	1055	6.8	6	3	4	6	8	10	11	15
65+	874	7.2	7	4	5	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	5	23.0	612	1	1	12	38	63	63	63
20-34	108	6.7	7	3	4	6	8	10	11	19
35-49	1062	7.3	10	3	4	7	8	11	13	20
50-64	1992	8.4	18	4	5	7	10	13	16	25
65+	2810	9.3	25	4	5	8	11	15	18	29
TOT. SINGLE DX	2735	6.8	7	4	4	6	8	10	11	16
" MULTIPLE DX	5977	8.6	21	4	5	8	10	13	17	26
TOTAL 0-19 YRS	8	16.0	444	1	2	7	21	53	63	63
20-34	235	6.4	7	3	4	6	7	9	10	18
35-49	1738	6.9	9	3	4	6	8	10	12	19
50-64	3047	7.8	15	4	4	7	9	12	14	22
65+	3684	8.8	22	4	5	8	10	14	17	26
GRAND TOTAL	8712	8.0	17	4	5	7	9	12	15	23

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	366	2.8	1	1	1	3	4	4	5	8
20-34	681	3.1	3	1	1	3	4	5	6	8
35-49	630	3.5	3	1	1	3	4	6	7	9
50-64	256	3.7	4	1	2	3	5	6	7	11
65+	50	3.5	5	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	125	4.0	32	1	1	3	4	6	7	44
20-34	537	3.9	10	1	1	3	5	6	8	15
35-49	1002	4.2	7	1	1	4	5	7	9	14
50-64	614	4.7	11	1	2	4	6	8	10	17
65+	161	5.5	24	2	2	4	6	12	16	27
TOT. SINGLE DX	1983	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	2439	4.3	12	1	1	4	5	7	9	16
TOTAL 0-19 YRS	491	3.1	10	1	1	3	4	5	6	9
20-34	1218	3.5	7	1	1	3	4	6	7	12
35-49	1632	3.9	6	1	1	3	5	7	8	12
50-64	870	4.4	10	1	2	4	5	7	9	15
65+	211	5.0	21	2	2	4	6	10	15	25
GRAND TOTAL	4422	3.8	8	1	1	3	5	6	8	14

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	764	3.1	4	1	1	3	4	5	6	9
20-34	1474	3.0	2	1	1	3	4	5	6	8
35-49	216	3.1	3	1	1	3	4	6	7	10
50-64	55	3.3	5	1	1	3	4	7	9	10
65+	10	3.7	7	1	1	3	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	143	4.6	10	1	2	4	6	8	11	17
20-34	349	4.9	20	1	1	4	6	9	14	24
35-49	126	5.1	22	1	2	4	6	11	12	24
50-64	58	6.7	31	2	2	5	8	14	18	29
65+	31	10.6	129	2	2	7	11	24	42	50
TOT. SINGLE DX	2519	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	707	5.3	26	1	2	4	6	10	14	26
TOTAL 0-19 YRS	907	3.4	5	1	1	3	4	6	7	11
20-34	1823	3.4	7	1	1	3	4	6	7	14
35-49	342	3.8	12	1	1	3	5	7	9	15
50-64	113	5.0	21	1	2	4	6	9	14	27
65+	41	8.9	108	2	2	6	10	19	35	50
GRAND TOTAL	3226	3.6	9	1	1	3	4	6	8	15

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	891	2.5	8	<1	<1	2	3	5	7	14
20-34	834	3.4	19	<1	1	2	4	7	10	23
35-49	677	3.4	20	<1	1	2	4	7	10	27
50-64	636	3.6	19	1	1	2	4	7	11	22
65+	374	4.2	20	1	1	3	5	10	13	24
2. MULTIPLE DX										
0-19 YRS	579	6.5	96	<1	1	3	6	14	29	58
20-34	1124	9.4	121	1	2	5	11	25	31	55
35-49	1510	8.6	87	1	2	5	10	20	28	47
50-64	2062	8.8	94	1	2	6	10	19	27	50
65+	2799	9.9	83	2	2	8	12	20	28	48
TOT. SINGLE DX	3412	3.3	17	<1	1	2	4	7	10	22
" MULTIPLE DX	8074	9.1	94	1	2	6	11	20	29	50
TOTAL 0-19 YRS	1470	4.1	47	<1	<1	2	4	8	13	41
20-34	1958	6.8	87	1	1	3	8	17	28	47
35-49	2187	7.0	72	1	1	4	8	16	25	42
50-64	2698	7.6	82	1	1	5	9	16	24	48
65+	3173	9.3	80	1	2	7	12	19	26	47
GRAND TOTAL	11486	7.4	78	1	1	4	9	17	25	46

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1849	3.9	22	<1	1	2	5	8	12	25
20-34	1863	4.1	22	<1	1	3	5	8	12	24
35-49	981	5.0	29	1	1	3	6	11	16	31
50-64	689	6.1	46	1	1	4	8	13	19	32
65+	558	7.2	62	1	1	5	9	15	23	39
2. MULTIPLE DX										
0-19 YRS	3312	5.5	74	1	1	3	6	11	20	48
20-34	5175	6.7	89	1	1	4	8	15	24	53
35-49	3306	9.0	122	1	1	5	11	21	30	62
50-64	3689	11.3	137	1	2	8	15	26	36	65
65+	6550	13.6	169	2	2	10	17	29	41	70
TOT. SINGLE DX	5940	4.7	31	1	1	3	6	10	15	29
" MULTIPLE DX	22032	9.7	134	1	1	6	12	23	33	63
TOTAL 0-19 YRS	5161	5.0	57	1	1	3	5	10	16	43
20-34	7038	6.0	73	1	1	3	7	13	21	49
35-49	4287	8.1	104	1	1	5	10	18	28	55
50-64	4378	10.5	127	1	2	7	13	24	33	63
65+	7108	13.1	164	1	2	9	17	29	40	69
GRAND TOTAL	27972	8.6	116	1	1	5	11	21	30	57

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	5.8	51	1	1	3	8	13	18	41
20-34	283	7.3	69	1	1	5	9	16	26	47
35-49	168	7.1	77	1	1	4	8	17	21	53
50-64	167	7.1	52	1	1	5	9	17	23	35
65+	137	10.3	61	1	2	9	16	22	25	30
2. MULTIPLE DX										
0-19 YRS	361	14.8	175	1	2	12	21	31	39	69
20-34	462	15.3	229	1	2	11	20	34	49	95
35-49	370	17.5	247	1	3	14	25	38	48	86
50-64	480	16.9	222	2	2	13	25	39	52	99+
65+	966	20.8	229	3	5	17	28	44	53	86
TOT. SINGLE DX	1052	7.2	64	1	1	4	9	17	23	39
" MULTIPLE DX	2639	17.9	229	2	3	14	25	39	50	87
TOTAL 0-19 YRS	658	10.7	139	1	1	7	15	25	35	59
20-34	745	12.3	184	1	1	8	16	28	40	69
35-49	538	14.3	217	1	2	9	20	33	44	80
50-64	647	14.4	197	1	2	10	21	34	46	91
65+	1103	19.5	221	2	4	16	27	41	50	85
GRAND TOTAL	3691	14.8	205	1	2	11	21	34	46	76

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	4.3	77	<1	1	2	3	8	13	57
20-34	155	4.5	43	1	1	2	4	10	14	34
35-49	89	5.2	34	<1	1	3	6	15	17	26
50-64	62	6.0	61	<1	1	3	7	16	24	38
65+	24	5.3	36	<1	1	4	5	18	20	24
2. MULTIPLE DX										
0-19 YRS	89	8.6	194	1	1	3	10	25	29	83
20-34	141	15.8	456	1	1	5	22	50	76	99+
35-49	115	13.4	309	1	1	7	16	36	48	87
50-64	111	16.1	347	1	2	8	24	41	54	87
65+	161	17.8	265	2	2	14	26	37	53	80
TOT. SINGLE DX	424	4.9	51	<1	1	2	5	12	17	34
" MULTIPLE DX	617	14.9	329	1	1	8	22	37	55	92
TOTAL 0-19 YRS	183	6.4	138	<1	1	2	5	16	28	72
20-34	296	9.9	271	1	1	3	10	31	51	92
35-49	204	9.9	205	1	1	4	11	26	40	75
50-64	173	12.5	268	1	1	5	18	35	42	81
65+	185	16.2	253	1	2	12	24	35	49	80
GRAND TOTAL	1041	10.8	240	1	1	4	14	30	42	80

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	474	2.5	10	<1	1	2	2	4	6	15
20-34	245	2.8	9	<1	1	2	4	5	7	12
35-49	232	3.2	6	<1	1	3	4	6	7	12
50-64	244	2.7	5	1	1	2	4	5	7	11
65+	99	2.7	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	311	4.5	35	<1	1	2	5	10	14	33
20-34	399	5.5	37	1	1	4	6	10	16	35
35-49	580	5.9	41	1	1	4	7	12	17	34
50-64	709	6.1	63	1	1	4	7	14	19	42
65+	601	8.8	58	1	2	7	11	18	23	41
TOT. SINGLE DX	1294	2.7	8	<1	1	2	3	5	7	13
" MULTIPLE DX	2600	6.4	52	1	1	4	8	14	19	37
TOTAL 0-19 YRS	785	3.3	22	<1	1	2	3	6	10	26
20-34	644	4.5	28	1	1	3	5	9	12	29
35-49	812	5.2	33	1	1	4	6	10	15	31
50-64	953	5.2	51	1	1	3	6	11	17	34
65+	700	7.9	56	1	1	6	10	17	22	39
GRAND TOTAL	3894	5.2	40	1	1	3	6	11	17	33

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	5.4	25	1	1	4	6	11	16	29
20-34	46	7.2	52	2	2	5	9	13	27	34
35-49	45	5.3	37	1	1	3	6	10	20	32
50-64	29	4.8	20	1	1	3	6	11	18	18
65+	19	5.3	17	1	1	5	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	168	10.4	188	2	2	5	10	25	42	72
20-34	184	7.2	43	2	3	5	9	12	17	26
35-49	211	7.9	47	2	3	7	9	14	17	26
50-64	269	9.1	59	2	2	8	11	18	23	38
65+	432	10.9	52	3	4	9	14	20	25	38
TOT. SINGLE DX	196	5.7	33	1	1	4	7	11	17	33
" MULTIPLE DX	1264	9.4	72	2	3	7	11	18	24	46
TOTAL 0-19 YRS	225	9.1	152	1	2	5	9	22	35	66
20-34	230	7.2	45	2	2	5	9	12	18	33
35-49	256	7.4	47	1	2	6	9	14	18	27
50-64	298	8.7	58	1	2	7	11	17	23	38
65+	451	10.7	53	2	4	9	14	20	24	37
GRAND TOTAL	**1460**	**8.9**	**68**	**2**	**2**	**7**	**11**	**17**	**23**	**43**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	3.6	17	1	1	2	4	8	12	21
20-34	3665	3.9	14	1	1	2	5	9	12	17
35-49	5037	4.0	14	1	1	2	5	9	12	18
50-64	2714	4.1	16	1	1	3	5	10	12	19
65+	666	3.8	13	1	1	2	4	9	12	18
2. MULTIPLE DX										
0-19 YRS	226	4.5	35	1	1	3	6	9	11	18
20-34	2506	6.4	35	1	1	4	9	14	17	27
35-49	4440	6.6	37	1	1	5	9	14	17	27
50-64	4088	6.7	39	1	1	5	9	15	19	30
65+	2515	8.7	64	1	2	6	12	18	24	37
TOT. SINGLE DX	12360	4.0	15	1	1	2	5	9	12	18
" MULTIPLE DX	13775	6.9	43	1	2	5	9	15	19	30
TOTAL 0-19 YRS	504	4.0	26	1	1	2	5	9	12	20
20-34	6171	4.9	24	1	1	3	7	11	15	22
35-49	9477	5.2	27	1	1	3	7	11	15	24
50-64	6802	5.7	32	1	1	3	8	12	17	27
65+	3181	7.7	58	1	1	5	10	17	22	36
GRAND TOTAL	**26135**	**5.5**	**32**	**1**	**1**	**3**	**8**	**12**	**16**	**26**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	4.1	27	1	1	3	5	8	11	28
20-34	390	3.7	8	1	1	3	5	7	9	15
35-49	491	4.1	16	1	1	3	5	8	12	24
50-64	859	4.1	14	1	1	3	5	9	11	20
65+	897	3.8	15	1	1	2	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	173	6.7	73	1	2	4	8	13	22	40
20-34	530	7.2	55	1	2	5	9	14	21	44
35-49	1131	7.3	59	2	2	5	9	15	21	44
50-64	3766	7.2	50	2	2	5	9	14	19	37
65+	6824	7.7	48	2	2	6	10	15	20	34
TOT. SINGLE DX	2752	3.9	15	1	1	3	5	8	11	20
" MULTIPLE DX	12424	7.5	51	2	2	6	9	15	20	37
TOTAL 0-19 YRS	288	5.7	56	1	1	3	7	11	17	40
20-34	920	5.7	39	1	2	4	7	12	17	35
35-49	1622	6.3	49	1	2	4	8	13	19	37
50-64	4625	6.6	45	1	2	5	8	14	18	32
65+	7721	7.2	46	1	2	5	9	14	19	33
GRAND TOTAL	**15176**	**6.8**	**46**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	3.9	26	1	1	2	4	11	18	19
35-49	86	3.0	6	1	1	2	3	6	10	14
50-64	151	3.2	9	1	1	2	3	7	10	14
65+	51	3.6	10	1	1	2	4	9	10	15
2. MULTIPLE DX										
0-19 YRS	4	8.0	15	3	3	8	11	12	12	12
20-34	25	5.5	22	1	1	3	9	13	15	17
35-49	274	5.2	23	1	1	4	7	11	13	27
50-64	710	5.7	24	1	1	4	8	12	15	23
65+	434	7.1	36	2	2	6	9	14	18	33
TOT. SINGLE DX	299	3.3	10	1	1	2	3	8	10	15
" MULTIPLE DX	1447	6.0	28	1	2	4	9	13	16	26
TOTAL 0-19 YRS	4	8.0	15	3	3	8	11	12	12	12
20-34	36	5.0	24	1	1	3	7	13	16	19
35-49	360	4.7	20	1	1	3	6	10	12	25
50-64	861	5.3	23	1	1	3	7	12	14	22
65+	485	6.7	35	1	2	5	9	14	17	31
GRAND TOTAL	**1746**	**5.6**	**26**	**1**	**1**	**4**	**8**	**12**	**15**	**25**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	3.8	11	1	1	3	5	8	10	14
20-34	841	5.3	18	1	1	4	8	11	13	18
35-49	935	5.2	17	1	1	4	8	11	13	20
50-64	1336	4.6	16	1	1	3	7	10	12	19
65+	1070	4.8	17	1	1	3	7	11	13	19
2. MULTIPLE DX										
0-19 YRS	238	7.0	41	1	2	5	10	15	21	31
20-34	1308	7.5	45	1	2	6	10	15	19	33
35-49	2532	7.4	42	1	2	6	10	14	18	31
50-64	5830	7.3	44	1	2	6	10	15	18	35
65+	8605	8.5	55	1	2	7	11	16	22	39
TOT. SINGLE DX	4395	4.9	17	1	1	3	7	11	13	19
" MULTIPLE DX	18513	7.8	50	1	2	6	10	15	20	36
TOTAL 0-19 YRS	451	5.5	30	1	1	3	7	11	15	27
20-34	2149	6.6	36	1	1	5	9	13	17	28
35-49	3467	6.8	37	1	2	5	9	14	17	28
50-64	7166	6.8	40	1	2	5	9	14	17	31
65+	9675	8.0	52	1	2	6	11	16	21	37
GRAND TOTAL	**22908**	**7.3**	**45**	**1**	**2**	**6**	**10**	**15**	**19**	**33**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16561	3.7	24	1	1	3	4	6	8	22
20-34	23056	4.2	22	1	1	3	5	8	11	26
35-49	15044	4.9	24	1	1	4	6	9	13	28
50-64	10832	5.5	25	1	1	4	7	10	14	27
65+	8435	6.2	26	1	2	5	8	12	15	27
2. MULTIPLE DX										
0-19 YRS	26535	5.3	46	1	1	4	6	9	14	40
20-34	38632	5.8	34	1	2	4	7	11	16	31
35-49	42980	6.5	33	1	2	5	8	12	16	30
50-64	66786	7.3	36	2	2	6	9	14	18	31
65+	140980	8.5	40	2	3	7	10	16	20	33
TOT. SINGLE DX	73928	4.6	25	1	1	3	6	9	12	26
" MULTIPLE DX	315913	7.4	40	2	2	6	9	14	18	32
TOTAL 0-19 YRS	43096	4.7	38	1	1	3	5	8	12	35
20-34	61688	5.2	31	1	1	4	6	10	14	30
35-49	58024	6.1	32	1	2	5	8	12	16	29
50-64	77618	7.1	35	2	2	6	9	13	17	30
65+	149415	8.3	40	2	3	7	10	15	20	33
GRAND TOTAL	**389841**	**6.8**	**38**	**1**	**2**	**5**	**8**	**13**	**18**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7162	7.1	125	1	1	3	6	19	30	63
20-34	4483	8.3	73	1	2	6	10	18	26	44
35-49	4125	8.0	55	1	2	6	10	16	23	39
50-64	3017	7.4	54	1	2	5	9	15	21	37
65+	2132	7.9	60	2	2	6	10	15	21	41
2. MULTIPLE DX										
0-19 YRS	9513	7.7	124	1	2	4	7	17	30	65
20-34	7606	8.7	78	2	2	6	10	18	27	47
35-49	9354	8.6	62	2	3	7	10	16	24	41
50-64	13369	8.9	58	2	3	7	11	16	22	43
65+	28526	9.9	61	3	3	8	12	18	24	42
TOT. SINGLE DX	20919	7.7	84	1	2	5	9	17	25	46
" MULTIPLE DX	68368	9.1	72	2	3	7	11	18	25	46
TOTAL 0-19 YRS	16675	7.5	125	1	2	4	7	18	30	64
20-34	12089	8.6	77	1	2	6	10	18	27	46
35-49	13479	8.5	60	2	2	6	10	16	24	40
50-64	16386	8.6	58	2	3	7	10	16	22	41
65+	30658	9.8	62	2	3	8	12	18	24	42
GRAND TOTAL	**89287**	**8.8**	**75**	**2**	**2**	**6**	**11**	**17**	**25**	**46**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patiants with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procadures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patiants with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8231	4.0	23	1	1	3	4	6	8	27
20-34	5101	4.4	33	<1	1	3	5	8	14	31
35-49	3738	5.1	30	1	1	4	6	10	14	28
50-64	3560	5.5	30	1	1	4	7	11	14	26
65+	3198	6.6	42	1	2	5	8	13	17	35
2. MULTIPLE DX										
0-19 YRS	17034	5.7	61	1	2	4	6	10	17	48
20-34	10866	6.1	53	1	1	4	7	12	20	38
35-49	13875	6.5	42	1	2	5	8	13	18	35
50-64	26444	7.2	39	2	2	6	9	14	18	33
65+	60782	8.3	42	2	3	7	10	15	20	33
TOT. SINGLE DX	23828	4.8	31	1	1	3	5	9	13	29
" MULTIPLE DX	129001	7.4	47	2	2	5	9	14	19	35
TOTAL 0-19 YRS	25265	5.1	50	1	1	3	5	8	14	42
20-34	15967	5.6	48	1	1	4	6	11	18	36
35-49	17613	6.2	40	1	2	4	7	12	17	33
50-64	30004	7.0	39	2	2	5	9	13	18	32
65+	63980	8.2	43	2	3	7	10	15	20	34
GRAND TOTAL	**152829**	**7.0**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**35**

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number **Title**

- 533 Epilation, eyelid
- 697 Episioperinorrhaphy
- 697 Episiorrhaphy
- 690 Episiotomy, except with forceps delivery
  - 687 With low forceps delivery
  - 689 With other forceps delivery
- 544 Epistaxis control, except by anterior packing
  - 557 Anterior packing
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 Surgical approach
- 588 Esophagotomy
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 Eyeball
  - 673 Pelvic
- Examination
  - 764 Eye
  - 764 General physical
  - 764 Gynecologic
  - 764 Pelvic
  - 761 Psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 Intrauterine
- Excision – *see also Excision of lesion (and destruction of tissue)*
  - 610 Anal fistula
  - 727 Baker's cyst
  - 705 Bone, except facial
    - 699 Facial, except partial
      - 698 Partial
  - 556 Branchial cleft cyst
  - 704 Bunion
  - 517 Chalazion, eyelid
  - 599 Colon
  - 665 Fallopian tubes, bilateral, except endoscopic approach
    - 664 Endoscopic approach
  - 670 Fibroid, uterine
  - 616 Gallbladder
  - 508 Ganglion, except of tendon
    - 727 Tendon (of hand)
  - 612 Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number Title

Excision of lesion (continued)
- 660 Ovary
- 550 Parotid gland
- 658 Penis
- Perineum
  - 683 Female
  - 747 Male
- 508 Peripheral nerve
- 607 Perirectal tissue
- 626 Peritoneum
- 606 Rectum
- 550 Salivary gland
- 524 Sclera
- 651 Scrotum
- 747 Skin, except radical and of pilonidal cyst or sinus
  - 746 Pilonidal cyst or sinus
  - 748 Radical
- 501 Skull
- 597 Small intestine
- 507 Spinal meninges
- 592 Stomach
- 727 Tendon
- 654 Testis
- 552 Tongue
- 559 Trachea
- 635 Ureter
- 640 Urethra
- 679 Uterine ligament
- 670 Uterus
- 682 Vagina
- 559 Vocal cord
- 683 Vulva

Exenteration
- 532 Eyeball, orbit
- 673 Pelvic

Exploration
- 627 Abdominal cavity
- 617 Bile duct
- 632 Kidney

627 Exploratory laparotomy

600 Exteriorization, intestine

579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

Reduction (continued)
    Femur
710   Closed, except with internal fixation
708   With internal fixation
710   Open, except with internal fixation
709   With internal fixation
701   Mandible, except closed reduction
700   Closed reduction
701   Maxillofacial, except closed reduction
700   Closed reduction
544   Nose
619 Hemorrhoids
  Hernia – *see also Herniorrhaphy*
764   Manual
601 Intestinal torsion
601 Intussusception, intestine
745 Mammoplasty
601 Volvulus, intestine
Release
  Adhesions – *see Lysis, adhesions*
728 Dupuytren's contracture
749 Scar contracture, skin
642 Urethral stricture
Removal
  Calculus
617   Biliary tract
638   Bladder
632   Kidney, except transurethral approach
635   Transurethral approach
519   Lacrimal tract (by incision)
533   Without incision
633   Ureter, except transurethral approach
635   Transurethral approach
764 Catheter, nonoperatively
764 Cholecystotomy tube
693 Ectopic fetus
707 Fixation device, internal
  Foreign body
762   Bronchus, except with incision
563   With incision
532   Eye, except as below
524   Anterior chamber
520   Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3830-7.5-a

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX

LENGTH OF STAY BY DIAGNOSIS



UNITED STATES

Northeastern REGION

1984

Length of Stay by Diagnosis, Northeastern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 5
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 17

- Summary of All Patients. 18
- Summary of All Patients Except Newborn 19
- Diagnosis Groups 1-398 20

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	 Number in Books (3)	 Percent in Books (4)	Short-Term Nonfederal Hospital Beds U.S. Total[2] (5)	 Number in Books (6)	 Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

tep 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
- gangrenous (*see also* Cholecystitis, acute) 575.0
- paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
- suppurative (*see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

332 Hospitals, Northeastern Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138807	3.4	12	1	1	3	4	5	7	15
20-34	115345	3.9	23	1	1	3	4	6	10	26
35-49	42574	5.4	35	1	1	4	6	11	16	30
50-64	31551	6.1	40	1	1	4	8	12	17	32
65+	29653	7.1	54	1	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	72523	2.9	11	<1	<1	2	3	6	8	16
20-34	146070	3.3	9	<1	<1	3	4	6	8	14
35-49	68609	4.1	17	<1	1	3	5	8	11	20
50-64	57984	5.0	26	<1	1	3	7	11	14	24
65+	55980	6.0	46	1	1	3	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118734	4.8	40	1	1	3	5	8	12	36
20-34	83794	6.1	53	1	1	4	7	13	20	38
35-49	86144	7.0	51	1	2	5	8	14	20	37
50-64	153349	7.8	55	1	2	6	10	15	21	40
65+	342690	10.1	96	2	3	8	12	20	28	66
B. *Operated*										
0-19 YRS	48597	5.2	71	<1	1	3	6	11	19	51
20-34	133651	5.4	42	<1	1	4	6	9	14	37
35-49	100987	7.1	67	1	1	5	8	14	21	45
50-64	132446	9.7	112	1	2	7	12	21	30	62
65+	223726	13.2	181	2	2	9	17	30	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357930	4.3	26	1	1	3	5	8	12	26
B. *Operated*	401166	4.0	20	<1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	784711	8.1	74	1	2	6	10	16	23	50
B. *Operated*	639407	9.3	122	1	2	6	11	21	31	68
1. SINGLE DX	759096	4.2	23	<1	1	3	5	8	12	24
2. MULTIPLE DX	1424118	8.6	96	1	2	6	10	19	27	60
A. NOT OPERATED	1142641	6.9	62	1	2	4	8	14	20	44
B. OPERATED	1040573	7.2	89	<1	1	4	8	17	25	55
TOTAL 0-19 YRS	378661	4.0	29	<1	1	3	4	7	10	28
20-34	478860	4.5	31	<1	1	3	5	8	12	29
35-49	298314	6.1	48	1	1	4	7	12	18	36
50-64	375330	7.9	72	1	2	5	10	16	23	47
65+	652049	10.7	124	2	2	8	13	23	32	75
GRAND TOTAL	**2183214**	**7.1**	**75**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

332 Hospitals, Northeastern Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76265	3.5	21	1	1	3	4	6	9	22
20-34	115345	3.9	23	1	1	3	4	6	10	26
35-49	42574	5.4	35	1	1	4	6	11	16	30
50-64	31551	6.1	40	1	1	4	8	12	17	32
65+	29653	7.1	54	1	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	72497	2.9	11	<1	<1	2	3	6	8	16
20-34	146070	3.3	9	<1	<1	3	4	6	8	14
35-49	68609	4.1	17	<1	1	3	5	8	11	20
50-64	57984	5.0	26	<1	1	3	7	11	14	24
65+	55980	6.0	46	1	1	3	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76586	4.8	50	1	1	3	5	9	14	44
20-34	83794	6.1	53	1	1	4	7	13	20	38
35-49	86144	7.0	51	1	2	5	8	14	20	37
50-64	153349	7.8	55	1	2	6	10	15	21	40
65+	342690	10.1	96	2	3	8	12	20	28	66
B. *Operated*										
0-19 YRS	47641	5.0	59	<1	1	3	5	11	17	44
20-34	133651	5.4	42	<1	1	4	6	9	14	37
35-49	100987	7.1	67	1	1	5	8	14	21	45
50-64	132446	9.7	112	1	2	7	12	21	30	62
65+	223726	13.2	181	2	2	9	17	30	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295388	4.6	30	1	1	3	5	9	13	28
B. *Operated*	401140	4.0	20	<1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	742563	8.3	76	1	2	6	10	17	24	52
B. *Operated*	638451	9.3	121	1	2	6	11	21	31	68
1. SINGLE DX	696528	4.2	24	<1	1	3	5	8	12	25
2. MULTIPLE DX	1381014	8.7	97	1	2	6	11	19	27	60
A. NOT OPERATED	1037951	7.2	66	1	2	5	9	15	21	46
B. OPERATED	1039591	7.2	89	<1	1	4	8	17	25	55
TOTAL 0-19 YRS	272989	4.0	34	<1	1	3	4	7	11	30
20-34	478860	4.5	31	<1	1	3	5	8	12	29
35-49	298314	6.1	48	1	1	4	7	12	18	36
50-64	375330	7.9	72	1	2	5	10	16	23	47
65+	652049	10.7	124	2	2	8	13	23	32	75
GRAND TOTAL	**2077542**	**7.2**	**77**	**1**	**1**	**4**	**9**	**16**	**23**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1688	3.2	5	1	1	3	4	6	7	12
20-34	797	3.3	11	1	1	3	4	6	7	11
35-49	266	3.9	13	1	1	3	5	6	7	16
50-64	159	4.0	7	1	1	3	5	8	10	12
65+	155	4.4	15	1	1	3	5	9	11	23
B. *Operated*										
0-19 YRS	26	5.2	8	2	3	4	7	8	12	14
20-34	66	5.4	12	2	2	5	7	8	12	21
35-49	23	6.9	13	2	3	6	8	13	15	16
50-64	11	6.3	5	3	3	7	8	9	9	9
65+	6	7.3	28	3	3	5	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2328	3.7	9	1	1	3	4	6	8	15
20-34	931	3.8	8	1	1	3	5	7	9	17
35-49	588	4.6	22	1	1	4	5	8	11	17
50-64	669	5.0	14	1	2	4	6	9	11	18
65+	1369	6.9	48	2	2	5	8	13	17	37
B. *Operated*										
0-19 YRS	53	8.2	70	3	3	5	8	21	35	97
20-34	85	8.7	128	2	2	5	9	17	28	68
35-49	71	10.7	107	2	3	7	11	23	39	46
50-64	80	11.0	73	2	3	8	14	26	29	41
65+	134	14.4	181	3	4	10	18	31	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3065	3.4	8	1	1	3	4	6	7	13
B. *Operated*	132	5.8	11	2	3	5	7	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	5885	4.7	22	1	2	4	5	9	12	20
B. *Operated*	423	11.2	128	2	3	7	13	26	34	63
1. SINGLE DX	3197	3.5	8	1	1	3	4	6	8	13
2. MULTIPLE DX	6308	5.1	31	1	2	4	6	10	13	29
A. NOT OPERATED	8950	4.2	17	1	1	3	5	8	10	18
B. OPERATED	555	9.9	106	2	3	7	11	21	32	60
TOTAL 0-19 YRS	4095	3.5	8	1	1	3	4	6	8	14
20-34	1879	3.9	16	1	1	3	5	7	9	18
35-49	948	4.9	29	1	2	4	6	8	12	32
50-64	919	5.4	21	1	2	4	6	10	13	26
65+	1664	7.2	61	2	2	5	9	14	19	44
GRAND TOTAL	**9505**	**4.6**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	9.7	123	3	3	5	8	34	38	42
20-34	48	12.8	93	3	4	11	16	22	26	51
35-49	38	13.9	91	3	4	11	18	27	31	48
50-64	15	14.1	157	1	2	9	20	23	44	51
65+	7	11.6	65	4	4	11	14	25	27	27
B. *Operated*										
0-19 YRS	2	12.5	61	7	7	12	18	18	18	18
20-34	21	22.4	624	1	2	14	28	61	89	90
35-49	36	17.4	356	2	2	12	21	35	61	94
50-64	30	13.0	69	1	2	13	17	20	26	42
65+	14	13.7	92	1	2	13	20	28	32	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	14.3	199	1	1	12	16	37	48	50
20-34	56	16.4	208	3	6	12	18	30	42	92
35-49	75	19.1	196	3	4	16	25	37	55	92
50-64	76	21.9	348	5	6	17	28	66	85	99+
65+	110	17.0	270	3	5	13	20	34	65	99+
B. *Operated*										
0-19 YRS	2	24.5	61	19	19	24	30	30	30	30
20-34	41	24.0	390	3	7	19	31	52	65	91
35-49	56	16.8	240	4	5	11	19	36	59	99
50-64	65	17.0	207	4	6	13	21	32	60	96
65+	104	19.6	211	3	5	17	24	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	12.4	105	3	3	9	16	24	35	51
B. *Operated*	103	16.5	289	2	2	13	19	33	44	92
2. MULTIPLE DX										
A. *Not Operated*	329	18.4	260	3	5	14	24	37	66	99+
B. *Operated*	268	19.1	246	3	6	15	24	41	58	99+
1. SINGLE DX	245	14.2	185	2	3	11	18	27	39	89
2. MULTIPLE DX	597	18.7	253	3	5	14	24	39	63	99+
A. NOT OPERATED	471	16.6	220	3	4	13	21	35	51	99+
B. OPERATED	371	18.4	258	3	5	14	23	38	58	98
TOTAL 0-19 YRS	50	11.5	141	1	3	7	15	33	38	50
20-34	166	18.0	286	3	5	13	21	36	51	91
35-49	205	17.2	217	3	4	13	21	35	53	96
50-64	186	18.1	247	3	5	14	22	38	67	99+
65+	235	17.8	230	3	4	14	23	36	58	99+
GRAND TOTAL	**842**	**17.4**	**238**	**3**	**4**	**14**	**21**	**36**	**55**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	16.0	98	9	9	16	23	23	23	23
35-49	4	8.8	106	2	2	4	15	24	24	24
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	5	15.6	74	5	5	14	19	29	29	29
B. *Operated*										
0-19 YRS	5	5.0	32	<1	<1	1	10	13	13	13
20-34	13	7.5	32	1	2	7	11	16	18	18
35-49	6	18.8	463	2	2	12	19	57	61	61
50-64	11	11.2	162	<1	1	4	18	29	42	43
65+	3	6.0	16	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	5	16.6	120	6	6	18	22	33	33	33
35-49	8	9.6	38	5	5	9	15	69	99+	99+
50-64	6	12.2	64	4	4	11	16	24	25	25
65+	21	18.8	200	3	4	16	29	39	44	50
B. *Operated*										
0-19 YRS	3	12.7	226	3	3	5	24	30	30	30
20-34	25	21.4	355	2	3	16	28	64	77	99+
35-49	32	25.4	452	5	7	14	38	63	77	99+
50-64	21	17.7	282	2	3	11	23	45	56	60
65+	41	27.6	483	3	7	22	39	70	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.2	69	2	3	10	17	24	28	29
B. *Operated*	38	9.9	141	<1	1	7	13	19	34	61
2. MULTIPLE DX										
A. *Not Operated*	42	15.4	139	4	5	12	22	37	43	99+
B. *Operated*	122	23.7	412	3	4	17	34	60	76	99+
1. SINGLE DX	53	10.5	120	1	2	7	15	21	28	60
2. MULTIPLE DX	164	21.6	354	3	4	16	32	55	71	99+
A. NOT OPERATED	57	14.6	121	3	4	12	21	35	40	96
B. OPERATED	160	20.4	381	2	2	13	30	55	68	99+
TOTAL 0-19 YRS	12	7.8	65	<1	1	6	10	18	28	30
20-34	45	16.6	253	2	2	14	19	44	66	99+
35-49	50	20.8	392	3	5	12	32	61	78	99+
50-64	40	14.9	204	1	2	10	18	38	48	60
65+	70	23.2	377	3	5	18	34	51	75	98
GRAND TOTAL	**217**	**18.9**	**319**	**2**	**3**	**13**	**27**	**51**	**65**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.8	3	1	1	2	3	5	6	8
20-34	54	2.8	2	1	1	3	4	5	5	6
35-49	19	3.6	2	2	2	3	4	6	7	7
50-64	3	3.3		3	3	3	4	4	4	4
65+	6	4.0	1	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	2.0	3	1	1	2	2	2	3	10
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	3.3	4	1	2	3	4	5	7	10
20-34	114	3.9	4	1	2	3	5	6	8	12
35-49	43	5.3	11	2	2	4	6	11	13	14
50-64	29	4.4	5	2	2	4	6	8	9	11
65+	16	6.8	21	2	2	5	10	15	16	17
B. *Operated*										
0-19 YRS	26	2.3	3	<1	1	2	2	6	6	6
20-34	6	6.8	23	2	2	7	8	14	15	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	10.0	50	5	5	10	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	2.9	2	1	1	3	4	5	6	8
B. *Operated*	33	1.9	2	1	1	2	2	2	2	10
2. MULTIPLE DX										
A. *Not Operated*	674	3.7	5	1	2	3	4	6	8	13
B. *Operated*	37	3.6	12	1	1	2	5	7	12	15
1. SINGLE DX	311	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX	711	3.7	5	1	2	3	4	6	8	13
A. NOT OPERATED	952	3.4	4	1	2	3	4	6	7	12
B. OPERATED	70	2.8	8	1	1	2	2	6	8	15
TOTAL 0-19 YRS	722	3.1	3	1	1	3	4	5	6	9
20-34	179	3.6	5	1	2	3	4	6	7	12
35-49	63	4.8	9	2	2	4	6	9	13	14
50-64	34	4.3	5	2	2	4	5	7	9	11
65+	24	6.4	19	2	2	5	8	15	16	17
GRAND TOTAL	**1022**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	4.8	11	1	2	4	6	9	11	16
20-34	21	5.9	8	1	2	6	7	10	11	11
35-49	22	8.0	65	2	2	5	8	18	30	34
50-64	27	12.7	96	2	3	9	14	30	33	40
65+	47	12.0	70	5	6	9	14	21	33	42
B. *Operated*										
0-19 YRS	14	7.5	23	2	2	6	11	14	15	15
20-34	2	15.5	5	14	14	15	17	17	17	17
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64										
65+	4	24.5	71	16	16	29	50	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	6.4	21	2	2	5	8	12	15	24
20-34	166	11.9	143	2	3	8	14	27	38	63
35-49	172	11.2	62	3	4	9	13	22	30	40
50-64	513	12.3	72	4	5	10	15	23	31	45
65+	2476	14.0	106	4	6	12	16	24	32	70
B. *Operated*										
0-19 YRS	36	12.5	100	3	4	10	15	27	33	47
20-34	47	14.1	143	3	4	11	18	40	46	99+
35-49	75	20.9	213	4	6	16	28	47	55	89
50-64	197	21.2	211	6	8	17	28	42	55	99+
65+	650	24.3	290	8	9	19	31	55	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	6.2	32	1	2	5	7	11	15	33
B. *Operated*	22	12.0	72	2	3	11	17	30	57	99+
2. MULTIPLE DX										
A. *Not Operated*	3781	12.6	97	3	4	10	15	23	31	58
B. *Operated*	1005	22.5	263	6	8	18	29	50	65	99+
1. SINGLE DX	465	6.5	35	1	2	5	8	12	17	34
2. MULTIPLE DX	4786	14.7	148	3	5	11	18	29	41	79
A. NOT OPERATED	4224	11.9	94	3	3	10	14	22	30	55
B. OPERATED	1027	22.3	262	5	8	18	29	49	65	99+
TOTAL 0-19 YRS	830	6.0	23	1	2	5	8	11	14	26
20-34	236	11.8	133	2	3	8	14	27	40	69
35-49	271	13.7	124	3	4	10	16	29	39	56
50-64	737	14.7	125	4	5	11	18	30	38	62
65+	3177	16.1	160	5	6	13	19	31	44	91
GRAND TOTAL	**5251**	**14.0**	**143**	**3**	**4**	**11**	**17**	**28**	**39**	**78**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	7.9	19	2	3	7	11	14	15	21
20-34	49	6.3	24	1	2	5	8	12	13	29
35-49	36	6.7	20	2	2	6	9	13	14	23
50-64	33	5.7	13	3	3	5	6	10	16	18
65+	16	7.1	19	3	3	6	8	13	17	19
B. *Operated*										
0-19 YRS	9	11.3	25	2	5	11	12	19	21	21
20-34	7	10.4	140	<1	1	9	24	80	99+	99+
35-49	7	15.6	59	8	8	12	23	27	27	27
50-64	5	13.6	187	2	2	6	25	33	33	33
65+	4	14.8	131	5	5	12	23	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	8.4	51	2	2	7	11	15	19	35
20-34	62	9.2	88	2	3	7	11	19	25	58
35-49	58	8.3	32	2	3	6	11	17	22	24
50-64	121	9.1	33	3	4	7	11	17	20	31
65+	223	12.2	76	4	4	10	15	22	32	74
B. *Operated*										
0-19 YRS	13	13.2	27	5	7	13	17	21	22	22
20-34	23	31.8	538	4	6	28	47	60	87	88
35-49	16	19.9	176	3	5	16	29	42	46	47
50-64	37	19.8	359	2	3	12	31	45	65	75
65+	66	23.4	301	5	6	18	33	48	55	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	7.3	19	2	2	6	10	13	15	21
B. *Operated*	32	12.8	86	2	2	11	18	31	35	99+
2. MULTIPLE DX										
A. *Not Operated*	665	9.9	60	2	3	8	13	18	23	46
B. *Operated*	155	22.6	330	4	5	17	32	48	55	88
1. SINGLE DX	362	7.8	28	2	2	7	11	14	16	30
2. MULTIPLE DX	820	12.3	136	3	3	9	15	24	36	67
A. NOT OPERATED	995	9.0	48	2	3	7	11	16	21	39
B. OPERATED	187	20.9	301	3	5	15	30	45	55	89
TOTAL 0-19 YRS	419	8.4	35	2	2	8	11	14	17	27
20-34	141	11.9	216	2	2	7	13	31	48	89
35-49	117	9.8	68	2	3	8	12	22	27	44
50-64	196	10.7	115	3	4	7	12	18	32	63
65+	309	14.3	144	4	5	11	17	31	38	85
GRAND TOTAL	**1182**	**10.9**	**107**	**2**	**3**	**8**	**13**	**21**	**31**	**60**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	4.0	7	1	2	3	5	8	9	15
20-34	322	4.3	9	1	2	3	5	8	10	16
35-49	90	4.5	7	1	2	4	6	8	10	12
50-64	18	5.3	10	<1	1	5	8	11	11	11
65+	4	5.3	8	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	8	4.9	6	2	2	4	6	8	9	9
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.7	13	2	2	4	5	9	12	20
20-34	187	5.5	19	2	2	5	7	9	12	19
35-49	60	7.2	33	2	2	5	10	16	18	28
50-64	26	5.4	11	1	2	5	6	8	12	17
65+	28	13.2	102	2	3	10	19	26	30	46
B. *Operated*										
0-19 YRS	8	8.6	20	3	3	9	12	14	15	15
20-34	13	15.7	422	4	4	8	13	45	71	77
35-49	5	16.4	253	2	2	10	26	42	42	42
50-64	2	24.5	265	13	13	24	36	36	36	36
65+	3	61.3	1226	21	21	79	83	84	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	915	4.2	8	1	2	3	5	8	10	14
B. *Operated*	12	4.3	5	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	516	5.8	26	2	2	4	7	11	16	26
B. *Operated*	31	19.0	514	3	4	10	21	56	79	84
1. SINGLE DX	927	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	547	6.5	62	2	2	4	7	12	18	42
A. NOT OPERATED	1431	4.8	15	1	2	4	6	9	12	20
B. OPERATED	43	14.9	412	2	3	7	13	38	78	84
TOTAL 0-19 YRS	712	4.3	9	1	2	3	5	8	11	16
20-34	526	5.0	25	1	2	4	6	8	11	21
35-49	155	5.9	28	2	2	4	7	12	16	29
50-64	46	6.2	31	1	2	5	8	11	14	36
65+	35	16.4	355	2	3	10	20	28	71	84
GRAND TOTAL	**1474**	**5.1**	**29**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	3.4	8	1	1	3	4	6	7	14
20-34	82	4.7	7	1	2	4	6	8	10	12
35-49	28	4.7	5	1	2	4	6	8	9	11
50-64	61	5.8	23	1	1	5	6	10	13	30
65+	89	6.2	19	1	1	5	8	12	15	23
B. *Operated*										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	6	3.3	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	4.1	9	1	2	3	5	7	9	16
20-34	135	6.4	16	2	2	6	8	11	13	22
35-49	99	8.7	85	2	2	7	10	16	23	55
50-64	173	7.5	28	2	3	6	9	14	16	26
65+	794	10.6	85	2	3	8	13	21	29	55
B. *Operated*										
0-19 YRS	11	13.5	154	3	4	10	15	32	46	47
20-34	15	11.5	84	3	3	9	15	25	32	35
35-49	9	7.4	10	2	3	8	10	11	11	11
50-64	17	15.0	162	2	2	12	24	31	41	46
65+	63	17.3	212	2	4	13	25	41	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.4	12	1	1	4	6	8	10	17
B. *Operated*	18	3.5	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1697	8.0	59	2	2	6	10	16	22	43
B. *Operated*	115	15.1	172	2	3	11	22	36	47	73
1. SINGLE DX	545	4.4	12	1	1	4	6	8	10	17
2. MULTIPLE DX	1812	8.4	69	2	2	6	10	17	25	47
A. NOT OPERATED	2224	7.1	50	1	2	5	8	14	20	41
B. OPERATED	133	13.5	165	2	3	9	19	32	45	66
TOTAL 0-19 YRS	779	4.0	12	1	1	3	5	7	8	17
20-34	234	6.1	19	1	2	5	8	11	13	25
35-49	138	7.8	65	2	2	6	9	15	21	47
50-64	254	7.5	40	1	2	6	9	14	19	32
65+	952	10.6	91	2	3	8	13	22	30	59
GRAND TOTAL	**2357**	**7.5**	**59**	**1**	**2**	**5**	**9**	**15**	**22**	**43**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	6.0	16	2	2	5	7	10	12	25
20-34	268	6.6	15	2	3	6	8	12	15	21
35-49	84	7.4	44	2	2	6	10	14	16	42
50-64	52	8.7	33	2	3	7	11	18	23	25
65+	18	7.1	20	2	3	6	10	15	16	16
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	10	5.4	23	<1	<1	4	8	13	15	15
35-49	5	6.6	26	2	2	5	11	13	13	13
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	12.7	258	1	1	6	25	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	8.3	184	1	2	6	7	14	24	90
20-34	212	8.5	38	2	3	7	10	16	19	35
35-49	110	9.9	56	2	3	8	13	18	24	43
50-64	92	10.2	44	4	4	9	12	17	22	41
65+	105	12.0	136	3	4	9	14	21	32	70
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	18	11.8	81	2	2	8	18	24	31	35
35-49	15	13.7	94	5	6	11	15	20	39	45
50-64	26	18.2	134	2	3	16	26	33	40	46
65+	24	11.8	78	2	3	9	16	26	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	6.8	22	2	3	6	8	12	16	24
B. *Operated*	21	7.1	53	<1	1	5	11	15	23	31
2. MULTIPLE DX										
A. *Not Operated*	565	9.7	74	2	3	8	12	17	23	42
B. *Operated*	84	14.2	103	2	3	12	20	29	34	46
1. SINGLE DX	543	6.8	23	2	2	6	8	12	16	24
2. MULTIPLE DX	649	10.3	80	2	3	8	13	19	26	45
A. NOT OPERATED	1087	8.3	51	2	3	7	10	15	19	36
B. OPERATED	105	12.8	101	1	2	10	18	27	32	45
TOTAL 0-19 YRS	149	6.8	70	1	2	6	7	11	14	35
20-34	508	7.5	29	2	3	6	9	14	18	28
35-49	214	9.1	56	2	3	7	12	16	20	47
50-64	171	11.0	63	3	4	9	13	22	26	45
65+	150	11.4	115	2	3	8	14	21	31	51
GRAND TOTAL	**1192**	**8.7**	**57**	**2**	**3**	**7**	**11**	**16**	**22**	**39**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	3.8	5	1	2	3	5	7	8	11
20-34	161	4.6	7	2	2	4	6	8	10	12
35-49	20	6.2	25	1	2	5	8	11	17	23
50-64	6	6.7	3	4	4	7	8	9	9	9
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	5.7	11	1	1	6	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	666	4.4	7	2	2	4	5	7	9	15
20-34	223	4.9	9	2	2	4	6	9	11	14
35-49	37	6.0	14	2	2	5	9	11	13	14
50-64	11	10.4	36	4	4	8	13	20	24	24
65+	7	12.6	52	4	4	12	15	24	26	26
B. *Operated*										
0-19 YRS	15	7.9	18	3	3	8	10	13	17	18
20-34	13	8.3	13	3	4	9	10	14	15	15
35-49	4	7.8	24	4	4	6	11	15	15	15
50-64	3	10.7	14	8	8	9	13	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	4.1	6	1	2	3	5	7	9	11
B. *Operated*	9	5.1	9	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	944	4.7	9	2	2	4	6	8	11	15
B. *Operated*	36	8.2	15	3	4	8	10	15	15	18
1. SINGLE DX	628	4.1	6	1	2	3	5	7	9	11
2. MULTIPLE DX	980	4.8	10	2	2	4	6	9	11	16
A. NOT OPERATED	1563	4.5	8	1	2	4	5	8	10	14
B. OPERATED	45	7.6	15	2	3	7	9	14	15	18
TOTAL 0-19 YRS	1115	4.2	7	1	2	4	5	7	9	13
20-34	403	4.9	8	2	2	4	6	9	11	14
35-49	62	6.2	17	2	2	5	9	11	14	22
50-64	20	9.3	25	4	4	8	11	16	20	24
65+	8	11.9	48	4	5	11	14	23	26	26
GRAND TOTAL	**1608**	**4.6**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	171	1.7	1	<1	<1	1	2	3	4	6
20-34	569	1.9	2	<1	<1	2	2	3	4	7
35-49	150	2.0	2	<1	<1	2	3	3	4	7
50-64	40	2.3	8	<1	<1	2	3	3	4	19
65+	13	2.3	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	4	6	6	8	9	10	10	10
20-34	8	2.4	6	<1	<1	1	3	7	8	8
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	32	2.5	8	<1	<1	2	3	4	5	17
20-34	160	2.6	6	<1	1	2	3	4	6	10
35-49	91	3.0	6	<1	1	2	3	6	7	12
50-64	51	3.2	7	<1	<1	2	4	7	10	11
65+	19	3.3	4	<1	1	2	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	943	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	16	3.8	14	<1	<1	2	7	10	11	12
B. *Operated*	353	2.8	6	<1	<1	2	3	5	7	12
1. SINGLE DX	948	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	369	2.8	6	<1	<1	2	3	6	7	12
A. NOT OPERATED	21	3.1	12	<1	<1	1	4	9	11	12
B. OPERATED	1296	2.1	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	209	1.9	3	<1	<1	1	2	4	4	10
20-34	737	2.0	3	<1	<1	2	2	4	4	8
35-49	243	2.4	4	<1	<1	2	3	4	6	12
50-64	95	2.7	7	<1	<1	2	3	5	8	15
65+	33	2.8	3	<1	<1	2	4	6	6	7
GRAND TOTAL	**1317**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2012	2.9	4	1	1	3	4	5	6	10
20-34	329	3.6	12	1	1	3	4	6	9	14
35-49	161	3.8	9	1	1	3	5	7	9	15
50-64	88	4.2	10	1	1	3	5	7	9	19
65+	64	4.1	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	57	3.1	9	<1	<1	2	4	6	7	19
20-34	17	5.0	28	<1	<1	3	5	13	19	21
35-49	7	6.9	37	3	3	5	7	18	20	20
50-64	5	8.8	105	<1	<1	5	14	26	26	26
65+	2	12.5	181	3	3	12	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2007	3.3	5	1	1	3	4	6	7	10
20-34	657	4.1	8	1	1	3	5	7	9	15
35-49	409	4.8	11	1	2	4	6	9	11	18
50-64	446	4.9	13	1	2	4	6	9	12	19
65+	864	6.7	43	2	2	5	8	11	16	35
B. *Operated*										
0-19 YRS	53	4.3	27	<1	<1	3	5	7	10	30
20-34	72	8.9	86	1	2	6	12	18	25	55
35-49	39	9.5	68	1	2	8	12	19	27	41
50-64	53	11.1	59	2	3	9	14	21	27	42
65+	76	15.9	283	3	5	9	17	36	56	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2654	3.1	5	1	1	3	4	5	7	11
B. *Operated*	88	4.3	24	<1	<1	3	5	8	20	24
2. MULTIPLE DX										
A. *Not Operated*	4383	4.4	16	1	2	3	5	8	10	20
B. *Operated*	293	10.4	133	1	2	7	12	20	31	59
1. SINGLE DX	2742	3.2	6	1	1	3	4	5	7	12
2. MULTIPLE DX	4676	4.7	25	1	2	3	5	9	11	25
A. NOT OPERATED	7037	3.9	12	1	1	3	5	7	9	16
B. OPERATED	381	8.9	115	<1	1	6	10	19	28	58
TOTAL 0-19 YRS	4129	3.1	5	1	1	3	4	5	7	10
20-34	1075	4.3	16	1	1	3	5	8	10	19
35-49	616	4.8	16	1	2	4	6	9	12	21
50-64	592	5.4	21	1	2	4	7	10	14	23
65+	1006	7.2	65	2	2	5	8	12	18	47
GRAND TOTAL	**7418**	**4.2**	**19**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	9	1	2	4	6	9	11	13
20-34	15	4.9	11	1	1	4	6	7	13	15
35-49	23	3.8	3	1	1	4	5	6	7	7
50-64	9	4.8	11	2	2	3	7	10	12	12
65+	2	[illegible]	32	9	9	13	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	12	1	2	4	6	11	12	12
20-34	14	6.8	24	2	3	5	8	16	18	18
35-49	8	5.3	6	<1	1	5	7	8	9	9
50-64	2	12.5	113	5	5	12	20	20	20	20
65+	2	17.0	162	8	8	17	26	26	26	26
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	21.0		21	21	21	21	21	21	21
50-64	2	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.7	10	1	2	4	6	8	11	16
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	38	6.8	29	1	2	5	8	15	19	26
B. *Operated*	5	12.6	35	6	6	10	17	21	21	21
1. SINGLE DX	82	4.8	9	1	2	4	6	8	11	16
2. MULTIPLE DX	43	7.4	33	1	3	5	10	17	20	26
A. NOT OPERATED	118	5.4	17	1	2	5	6	10	14	22
B. OPERATED	7	10.6	36	4	4	10	15	20	21	21
TOTAL 0-19 YRS	44	4.9	9	1	2	4	6	10	11	13
20-34	31	6.1	20	1	2	5	6	15	16	18
35-49	33	4.8	13	1	1	4	6	7	9	21
50-64	13	6.8	27	2	2	5	10	14	19	20
65+	4	15.0	70	8	8	13	21	26	26	26
GRAND TOTAL	**125**	**5.7**	**19**	**1**	**2**	**5**	**7**	**11**	**16**	**22**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	5.5	11	1	2	5	7	10	13	15
20-34	110	5.6	9	2	3	5	7	10	11	15
35-49	24	7.5	46	<1	1	6	11	15	21	29
50-64	7	6.6	50	1	1	3	9	19	21	21
65+	10	5.6	45	1	1	2	10	16	21	21
B. *Operated*										
0-19 YRS	18	3.9	6	1	1	3	6	8	9	10
20-34	50	3.0	12	<1	<1	2	2	9	12	14
35-49	19	5.0	199	<1	<1	1	2	5	37	63
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	6.2	10	2	3	6	9	10	12	15
20-34	97	6.8	28	2	3	5	9	11	16	33
35-49	22	6.6	22	1	2	6	8	12	19	21
50-64	21	11.0	163	1	1	6	13	28	44	51
65+	29	9.6	102	2	2	6	12	21	27	51
B. *Operated*										
0-19 YRS	8	3.1	6	<1	<1	2	4	7	8	8
20-34	34	6.4	79	<1	<1	3	7	13	28	44
35-49	16	13.0	493	1	2	5	10	43	74	86
50-64	13	10.5	137	1	2	5	18	30	35	36
65+	18	12.2	123	2	2	9	16	27	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.8	16	1	2	5	7	10	14	21
B. *Operated*	95	3.6	46	<1	<1	2	3	7	11	41
2. MULTIPLE DX										
A. *Not Operated*	248	7.2	43	2	2	6	9	12	18	42
B. *Operated*	89	9.0	167	<1	1	5	10	25	36	70
1. SINGLE DX	318	5.1	26	<1	1	4	7	10	13	21
2. MULTIPLE DX	337	7.7	76	1	2	6	9	14	21	47
A. NOT OPERATED	471	6.6	31	1	2	5	8	11	15	28
B. OPERATED	184	6.2	112	<1	<1	3	6	13	26	57
TOTAL 0-19 YRS	177	5.5	10	1	2	5	7	10	12	15
20-34	291	5.6	25	<1	1	5	7	10	13	27
35-49	81	7.8	164	<1	1	4	8	15	25	79
50-64	46	9.3	123	1	1	5	11	23	37	51
65+	60	9.4	97	1	1	6	12	21	27	50
GRAND TOTAL	**655**	**6.5**	**53**	**1**	**1**	**5**	**8**	**12**	**16**	**44**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.5	5	2	2	4	6	8	9	10
20-34	8	4.9	5	1	2	5	6	7	8	8
35-49	9	10.0	180	2	2	5	9	33	43	43
50-64	6	14.3	364	1	1	6	19	48	51	51
65+	3	13.3	64	5	5	14	19	21	21	21
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	6	4.7	11	<1	<1	4	7	10	10	10
35-49	7	5.0	11	1	1	5	8	9	9	9
50-64	13	6.5	57	<1	<1	4	8	14	26	29
65+	6	9.5	33	2	2	10	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.1	30	<1	2	4	7	13	19	28
20-34	30	8.1	86	1	1	5	11	13	35	43
35-49	26	13.7	209	3	4	7	15	39	47	61
50-64	42	11.3	214	1	2	6	14	20	48	72
65+	110	13.0	152	2	4	10	16	23	45	70
B. *Operated*										
0-19 YRS	6	19.2	287	3	4	11	31	46	48	48
20-34	26	22.5	476	2	3	10	41	60	63	66
35-49	23	25.8	465	6	8	21	48	98	99+	99+
50-64	32	17.8	411	2	3	11	21	52	90	99+
65+	32	14.8	155	2	4	13	18	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	7.6	97	1	2	5	7	19	28	51
B. *Operated*	34	6.2	33	<1	1	5	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	262	10.8	141	1	2	7	12	21	36	67
B. *Operated*	119	19.6	365	3	4	13	30	56	89	99+
1. SINGLE DX	78	7.0	68	1	1	5	8	13	20	49
2. MULTIPLE DX	381	13.6	227	2	3	8	17	38	53	99+
A. NOT OPERATED	306	10.4	135	1	2	6	12	20	36	65
B. OPERATED	153	16.6	322	2	2	10	25	50	70	99+
TOTAL 0-19 YRS	80	6.7	53	1	2	4	7	12	20	43
20-34	70	12.8	268	1	2	6	11	42	56	65
35-49	65	16.5	319	2	3	9	24	49	87	99+
50-64	93	13.0	276	1	2	7	15	38	58	98
65+	151	13.2	145	2	4	10	17	26	45	72
GRAND TOTAL	**459**	**12.5**	**206**	**2**	**2**	**8**	**15**	**31**	**49**	**99**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	19	1	1	3	5	11	16	16
20-34	5	5.0	5	3	3	5	6	8	8	8
35-49	5	9.0	74	3	3	5	12	24	24	24
50-64	4	12.3	24	6	6	13	16	17	17	17
65+	2	20.5	181	11	11	20	30	30	30	30
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	9.5	16	4	4	10	12	13	13	13
50-64	3	8.7	34	2	2	11	12	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	14	1	1	4	5	11	13	13
20-34	8	7.5	21	1	2	7	11	14	14	14
35-49	4	18.8	380	2	2	15	34	43	43	43
50-64	6	6.8	19	3	3	5	10	14	14	14
65+	4	9.0	25	2	2	10	12	14	14	14
B. *Operated*										
0-19 YRS	6	4.5	5	2	2	5	6	7	7	7
20-34	6	6.8	7	3	3	7	8	11	11	11
35-49	10	15.8	186	2	2	12	27	35	42	42
50-64	4	15.3	94	4	4	15	22	27	27	27
65+	5	19.0	118	3	3	19	25	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.9	51	2	2	5	11	17	25	30
B. *Operated*	13	6.3	21	1	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	29	8.5	74	1	2	5	11	14	27	43
B. *Operated*	31	12.3	114	2	3	7	19	28	33	42
1. SINGLE DX	39	7.4	41	1	2	5	11	16	21	30
2. MULTIPLE DX	60	10.5	97	2	2	6	14	26	30	43
A. NOT OPERATED	55	8.2	62	1	2	5	11	16	25	42
B. OPERATED	44	10.5	93	2	2	7	14	27	29	42
TOTAL 0-19 YRS	26	4.6	11	1	2	4	5	7	14	16
20-34	22	6.0	13	1	2	5	8	12	13	14
35-49	23	13.7	158	2	3	9	24	31	42	43
50-64	17	10.4	44	2	3	11	14	18	24	27
65+	11	15.6	101	2	3	14	22	31	33	33
GRAND TOTAL	**99**	**9.3**	**76**	**2**	**2**	**6**	**13**	**23**	**28**	**43**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.7	10	1	2	5	7	12	12	12
20-34	37	5.2	18	1	2	4	7	8	13	24
35-49	26	8.0	17	2	3	7	11	14	16	18
50-64	7	5.9	15	2	2	5	7	13	14	14
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	6	4.5	8	1	1	4	6	9	9	9
20-34	148	5.0	38	1	1	3	6	10	14	37
35-49	94	5.7	33	1	2	3	7	15	19	25
50-64	32	6.3	20	2	2	5	9	10	15	23
65+	5	3.8	9	2	2	3	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.2	175	1	2	5	6	9	15	81
20-34	59	10.8	122	2	3	8	12	21	29	64
35-49	80	11.8	99	2	3	9	15	23	38	47
50-64	63	8.4	51	2	2	6	10	20	27	32
65+	49	11.8	105	3	4	10	13	18	31	64
B. *Operated*										
0-19 YRS	7	12.0	324	2	2	6	11	44	52	52
20-34	167	14.0	140	2	2	11	22	29	40	57
35-49	188	17.5	258	2	3	14	24	37	48	99+
50-64	86	13.9	151	2	2	11	18	31	40	58
65+	38	14.1	135	2	3	9	19	34	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.1	17	1	2	5	8	12	14	22
B. *Operated*	285	5.4	33	1	1	3	7	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	286	10.3	105	2	3	7	12	20	27	59
B. *Operated*	486	15.3	191	2	2	12	22	33	43	96
1. SINGLE DX	373	5.5	29	1	2	4	7	12	15	27
2. MULTIPLE DX	772	13.4	165	2	3	10	18	29	40	78
A. NOT OPERATED	374	9.3	87	2	2	7	11	18	24	50
B. OPERATED	771	11.6	156	1	2	7	16	27	37	70
TOTAL 0-19 YRS	63	7.1	134	1	2	5	7	10	14	77
20-34	411	9.5	106	1	2	6	12	24	30	51
35-49	388	12.8	179	2	2	9	17	27	37	91
50-64	188	10.5	100	2	2	7	13	23	31	55
65+	95	12.0	115	2	3	9	15	27	38	83
GRAND TOTAL	**1145**	**10.9**	**134**	**1**	**2**	**7**	**14**	**25**	**34**	**64**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	4	12.5	87	4	4	10	19	25	25	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.0	12	4	4	7	10	10	10	10
B. *Operated*	3	9.3	121	2	2	4	17	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	7	9.1	68	1	1	7	13	23	25	25
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
1. SINGLE DX	7	8.0	48	2	2	4	10	20	22	22
2. MULTIPLE DX	9	8.3	55	1	2	7	11	21	25	25
A. NOT OPERATED	11	8.4	46	1	2	7	10	18	24	25
B. OPERATED	5	7.8	66	2	2	4	11	22	22	22
TOTAL 0-19 YRS	4	9.3	86	1	1	7	16	22	22	22
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	4.8	13	2	2	3	7	10	10	10
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	5	12.0	67	4	4	10	17	25	25	25
GRAND TOTAL	**16**	**8.2**	**48**	**1**	**2**	**6**	**10**	**21**	**24**	**25**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	20	6.5	34	1	1	5	8	13	21	26
50-64	39	6.0	28	1	1	6	7	10	18	27
65+	27	6.4	27	1	1	6	7	15	18	22
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	11	6.0	60	1	2	3	4	19	26	27
35-49	64	7.3	73	<1	1	4	9	21	25	44
50-64	199	7.9	98	1	1	4	9	18	30	62
65+	211	6.1	86	1	1	3	7	14	20	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	6	6.7	25	3	3	5	8	15	16	16
35-49	45	7.7	103	2	2	5	8	14	18	66
50-64	134	10.2	138	1	2	7	12	22	32	62
65+	193	10.5	157	2	2	7	12	20	34	78
B. *Operated*										
0-19 YRS	4	29.5	1055	9	9	15	47	78	78	78
20-34	15	15.5	176	3	3	10	24	42	42	42
35-49	113	13.2	106	2	2	12	19	26	30	50
50-64	401	13.9	210	1	2	9	20	32	42	83
65+	582	13.1	220	2	2	9	17	28	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	6.2	27	1	1	6	7	11	17	27
B. *Operated*	486	7.0	89	1	1	4	8	16	23	56
2. MULTIPLE DX										
A. *Not Operated*	380	10.0	141	1	2	7	12	20	31	67
B. *Operated*	1115	13.5	207	2	2	9	18	29	43	83
1. SINGLE DX	577	6.9	80	1	1	4	8	16	23	50
2. MULTIPLE DX	1495	12.6	192	2	2	8	16	28	40	79
A. NOT OPERATED	471	9.2	121	1	2	6	11	18	28	65
B. OPERATED	1601	11.6	180	1	2	7	15	26	38	77
TOTAL 0-19 YRS	8	20.3	578	6	6	12	19	61	78	78
20-34	36	9.9	114	2	3	5	13	27	37	42
35-49	242	10.1	99	1	2	6	14	23	28	47
50-64	773	11.3	167	1	2	7	15	27	38	74
65+	1013	11.0	183	1	2	7	14	24	38	80
GRAND TOTAL	**2072**	**11.0**	**167**	**1**	**2**	**7**	**14**	**25**	**36**	**76**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	10.5	65	1	1	9	18	22	22	22
50-64	15	9.9	102	1	3	7	10	22	36	41
65+	29	7.4	40	1	1	6	10	15	17	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	30.0	507	4	5	29	53	58	58	58
50-64	60	11.7	176	1	2	8	15	25	34	70
65+	65	10.0	89	1	2	7	13	24	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	20	1	1	6	9	10	10	10
35-49	15	12.9	309	2	3	5	13	41	58	64
50-64	91	11.1	171	1	2	6	14	30	44	85
65+	129	12.5	121	2	3	9	16	25	36	53
B. *Operated*										
0-19 YRS										
20-34	5	26.8	284	8	8	36	40	42	42	42
35-49	25	24.6	499	3	8	19	29	70	95	99+
50-64	194	21.4	319	2	4	17	29	47	64	84
65+	283	19.0	294	2	3	14	25	41	57	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	8.5	60	1	1	6	10	17	22	41
B. *Operated*	132	11.8	165	1	2	7	15	27	38	64
2. MULTIPLE DX										
A. *Not Operated*	238	11.9	149	2	2	8	15	27	41	65
B. *Operated*	507	20.3	314	2	4	15	28	45	64	90
1. SINGLE DX	182	10.9	138	1	2	7	14	25	34	61
2. MULTIPLE DX	745	17.6	276	2	3	12	23	40	55	85
A. NOT OPERATED	288	11.3	135	1	2	8	15	25	41	64
B. OPERATED	639	18.5	295	2	3	13	25	41	58	85
TOTAL 0-19 YRS										
20-34	8	18.9	288	1	2	9	37	41	42	42
35-49	53	20.4	427	2	3	14	26	59	70	99+
50-64	360	16.7	273	2	2	12	22	40	55	80
65+	506	15.5	225	2	3	11	20	34	47	78
GRAND TOTAL	**927**	**16.3**	**256**	**2**	**2**	**11**	**21**	**38**	**51**	**81**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	7	4.7	3	3	3	5	6	7	7	7
65+	21	5.9	18	1	1	5	8	10	15	19
B. *Operated*										
0-19 YRS										
20-34	3	9.7	86	2	2	7	17	20	20	20
35-49	14	12.0	133	<1	1	10	15	28	37	40
50-64	40	14.0	105	1	2	12	17	24	31	58
65+	100	15.4	123	1	2	14	23	30	33	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	9	4.7	8	2	2	4	5	9	11	11
50-64	85	9.0	59	1	2	7	11	17	25	35
65+	252	11.0	154	1	2	8	14	21	31	71
B. *Operated*										
0-19 YRS	3	14.0	100	4	4	14	21	24	24	24
20-34	7	16.4	97	2	4	16	22	31	33	33
35-49	51	20.3	260	4	8	15	23	40	58	79
50-64	336	19.3	179	4	6	16	24	36	47	81
65+	875	21.1	192	5	8	18	27	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.4	14	1	2	4	7	10	11	19
B. *Operated*	157	14.6	118	1	2	13	21	29	33	52
2. MULTIPLE DX										
A. *Not Operated*	347	10.4	128	1	2	7	13	20	31	67
B. *Operated*	1272	20.5	191	5	8	18	26	38	50	86
1. SINGLE DX	189	13.1	112	1	2	11	18	27	32	50
2. MULTIPLE DX	1619	18.4	195	2	4	15	24	36	48	84
A. NOT OPERATED	379	9.9	120	1	2	7	12	19	30	64
B. OPERATED	1429	19.9	186	3	7	17	26	37	49	84
TOTAL 0-19 YRS	3	14.0	100	4	4	14	21	24	24	24
20-34	12	13.3	88	2	2	12	19	26	32	33
35-49	77	16.4	231	2	2	12	21	32	52	77
50-64	468	16.7	166	2	4	14	22	34	43	67
65+	1248	18.3	195	2	4	16	24	36	47	85
GRAND TOTAL	**1808**	**17.8**	**189**	**2**	**4**	**15**	**24**	**35**	**46**	**82**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	6	14.8	121	7	7	8	28	30	30	30
65+	9	13.2	101	3	4	10	16	30	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	5.3	23	1	1	4	8	12	12	12
50-64	12	7.6	21	2	3	7	10	14	17	17
65+	14	8.5	30	2	3	7	11	17	19	20
B. *Operated*										
0-19 YRS										
20-34	3	10.3	52	2	2	14	15	15	15	15
35-49	15	19.6	260	5	7	15	21	52	59	61
50-64	63	21.6	175	9	10	17	26	44	48	62
65+	83	22.4	162	9	10	19	27	40	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	12.5	85	6	6	12	19	19	19	19
B. *Operated*	18	13.1	87	4	6	9	14	29	34	36
2. MULTIPLE DX										
A. *Not Operated*	30	7.7	25	2	2	6	10	15	17	20
B. *Operated*	164	21.6	174	8	10	18	26	41	51	62
1. SINGLE DX	20	13.1	82	4	5	9	16	29	33	36
2. MULTIPLE DX	194	19.4	176	3	7	16	25	40	48	62
A. NOT OPERATED	32	8.0	27	2	3	7	11	17	19	20
B. OPERATED	182	20.7	171	7	9	17	26	40	49	62
TOTAL 0-19 YRS										
20-34	4	10.0	35	2	2	11	14	15	15	15
35-49	22	15.5	216	2	4	11	18	34	56	61
50-64	81	19.0	172	4	7	15	25	40	45	61
65+	107	19.8	162	4	8	16	25	37	43	63
GRAND TOTAL	**214**	**18.8**	**170**	**3**	**6**	**15**	**24**	**38**	**46**	**61**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	22	4.3	27	1	1	3	5	10	18	23
65+	53	7.8	138	<1	1	4	11	15	25	73
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	13.5	12	10	10	12	16	19	21	21
35-49	44	9.7	14	<1	3	10	11	15	16	18
50-64	294	11.8	29	5	7	11	13	18	22	33
65+	550	13.2	56	2	5	12	16	22	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	9.1	54	1	1	7	16	19	20	20
35-49	53	7.8	42	1	2	6	10	15	23	30
50-64	247	9.1	90	1	2	6	11	19	27	53
65+	706	10.7	140	2	2	7	12	23	33	70
B. *Operated*										
0-19 YRS	8	11.5	37	4	4	11	18	18	18	18
20-34	31	15.1	177	1	5	12	17	28	41	70
35-49	231	15.3	64	7	8	13	18	25	31	45
50-64	1477	16.3	103	6	8	14	19	27	35	62
65+	4863	19.6	155	7	9	16	24	35	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.4	100	<1	1	3	7	14	22	62
B. *Operated*	902	12.6	45	2	7	11	15	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	1016	10.1	122	1	2	7	12	21	31	60
B. *Operated*	6610	18.7	143	7	9	16	22	33	43	76
1. SINGLE DX	984	12.1	52	2	3	11	15	20	24	38
2. MULTIPLE DX	7626	17.5	148	4	6	15	21	32	42	74
A. NOT OPERATED	1098	9.9	122	1	2	6	12	21	30	61
B. OPERATED	7512	18.0	135	6	9	15	21	32	41	71
TOTAL 0-19 YRS	11	9.8	38	2	3	9	16	18	18	18
20-34	53	13.5	119	1	3	12	16	21	35	69
35-49	334	13.2	65	2	4	12	16	24	28	42
50-64	2040	14.7	98	3	5	12	18	25	33	58
65+	6172	17.9	156	4	6	15	22	33	43	79
GRAND TOTAL	**8610**	**16.9**	**140**	**3**	**6**	**14**	**21**	**31**	**40**	**70**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.2	8	1	1	5	6	8	8	8
50-64	24	9.1	113	1	1	5	9	26	32	47
65+	25	6.1	23	1	1	4	9	14	15	18
B. *Operated*										
0-19 YRS										
20-34	4	8.8	39	2	2	9	14	15	15	15
35-49	46	10.9	32	2	3	11	14	18	20	25
50-64	239	12.5	57	2	3	12	15	20	25	36
65+	418	13.7	106	2	3	12	17	25	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	2.5	6	<1	<1	1	4	7	7	7
35-49	29	6.0	28	1	2	5	7	14	17	24
50-64	166	9.2	60	1	2	7	13	21	25	35
65+	404	11.0	113	2	3	7	14	26	37	81
B. *Operated*										
0-19 YRS	4	12.0	54	2	2	14	17	18	18	18
20-34	14	14.8	42	3	5	16	20	25	81	99+
35-49	132	15.4	107	3	5	14	19	28	31	58
50-64	845	17.0	101	4	8	15	21	29	36	57
65+	2202	19.8	174	4	7	17	25	37	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.3	63	1	1	5	8	15	24	46
B. *Operated*	707	13.1	85	2	3	12	17	22	28	43
2. MULTIPLE DX										
A. *Not Operated*	607	10.1	95	1	2	7	14	23	32	62
B. *Operated*	3197	18.8	153	4	7	16	24	34	43	82
1. SINGLE DX	761	12.7	85	2	3	12	16	22	27	45
2. MULTIPLE DX	3804	17.4	154	3	4	15	23	33	42	77
A. NOT OPERATED	661	9.9	93	1	2	7	13	22	31	59
B. OPERATED	3904	17.8	146	3	5	15	22	32	41	76
TOTAL 0-19 YRS	6	9.0	54	2	2	7	17	18	18	18
20-34	24	10.7	58	<1	1	11	17	23	44	99+
35-49	212	12.9	90	2	3	11	17	24	29	48
50-64	1274	15.0	96	2	4	13	19	27	34	50
65+	3049	17.7	168	3	4	15	23	34	44	83
GRAND TOTAL	**4565**	**16.7**	**146**	**2**	**4**	**14**	**21**	**31**	**40**	**74**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	7.0	45	1	1	5	12	16	16	16
50-64	12	4.6	25	<1	<1	3	5	13	16	17
65+	15	4.8	13	1	1	4	6	11	13	14
B. *Operated*										
0-19 YRS	4	6.0	38	2	2	4	10	15	15	15
20-34	7	4.1	5	1	1	4	6	7	7	7
35-49	7	14.3	86	4	4	11	23	26	27	27
50-64	39	12.2	75	2	3	10	16	24	31	40
65+	59	14.5	146	1	2	11	20	32	37	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	5	1	1	4	6	7	7	7
20-34	4	5.8	30	1	1	4	10	13	13	13
35-49	21	10.6	97	2	3	6	15	22	32	43
50-64	91	7.7	64	1	1	5	10	17	23	39
65+	173	10.4	98	2	3	8	13	21	29	96
B. *Operated*										
0-19 YRS	7	20.6	66	10	11	21	22	33	36	36
20-34	14	14.1	102	1	5	11	20	32	37	38
35-49	56	17.7	162	3	5	14	24	36	39	63
50-64	195	17.9	154	2	5	15	25	35	46	90
65+	460	20.8	217	4	7	17	26	37	55	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.7	19	<1	1	3	6	12	15	17
B. *Operated*	116	12.8	112	1	2	11	17	28	33	50
2. MULTIPLE DX										
A. *Not Operated*	296	9.4	86	1	1	7	12	20	27	68
B. *Operated*	732	19.7	194	3	6	17	25	37	50	86
1. SINGLE DX	151	10.9	102	1	2	8	15	25	32	45
2. MULTIPLE DX	1028	16.7	185	2	3	14	22	35	44	84
A. NOT OPERATED	331	8.9	81	1	1	6	11	19	25	57
B. OPERATED	848	18.7	189	2	5	16	24	36	47	79
TOTAL 0-19 YRS	21	9.4	94	<1	1	5	16	22	28	36
20-34	26	9.8	81	1	1	7	12	21	32	38
35-49	88	15.2	145	2	4	11	22	33	38	56
50-64	337	14.0	139	1	2	12	19	31	38	62
65+	707	17.4	201	2	4	14	23	35	48	88
GRAND TOTAL	**1179**	**16.0**	**178**	**2**	**3**	**13**	**21**	**34**	**42**	**79**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	13	5.2	10	2	2	4	6	11	12	12
65+	30	8.7	136	1	2	5	10	16	27	63
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	9	16.3	190	1	1	12	26	36	38	38
50-64	41	17.4	154	1	2	17	23	34	41	52
65+	65	18.5	142	2	5	16	23	35	41	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	33.0	288	21	21	33	45	45	45	45
20-34	2	1.0		1	1	1	1	1	1	1
35-49	26	9.6	60	<1	1	8	15	18	26	31
50-64	163	8.8	68	2	2	6	10	19	25	43
65+	329	11.8	119	2	3	8	16	24	36	59
B. *Operated*										
0-19 YRS	3	21.0	7	18	18	22	23	23	23	23
20-34	6	28.7	264	2	4	28	42	47	48	48
35-49	60	18.5	191	3	5	17	24	32	38	80
50-64	359	18.9	157	4	6	17	24	33	45	67
65+	787	21.7	187	4	7	19	28	41	51	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	7.7	100	1	2	5	9	12	22	63
B. *Operated*	116	17.9	147	1	2	16	24	34	40	56
2. MULTIPLE DX										
A. *Not Operated*	522	10.8	103	2	3	8	14	22	32	46
B. *Operated*	1215	20.8	180	4	7	18	27	39	50	70
1. SINGLE DX	159	15.1	154	1	2	12	20	33	39	57
2. MULTIPLE DX	1737	17.8	178	3	4	15	24	35	45	67
A. NOT OPERATED	565	10.6	104	2	2	7	13	22	31	47
B. OPERATED	1331	20.5	178	4	6	18	27	38	49	68
TOTAL 0-19 YRS	5	25.8	119	18	18	22	28	45	45	45
20-34	9	20.6	321	1	1	23	34	46	48	48
35-49	95	15.9	167	1	2	14	23	31	36	73
50-64	576	15.6	150	2	3	13	21	31	41	58
65+	1211	18.5	186	3	4	16	25	37	47	67
GRAND TOTAL	**1896**	**17.5**	**176**	**2**	**4**	**15**	**23**	**35**	**45**	**66**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	14	1	1	7	8	8	8	8
35-49	39	4.8	24	1	1	3	7	11	17	22
50-64	147	5.3	44	1	1	4	6	11	16	38
65+	157	6.5	65	1	1	4	7	12	19	48
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	13.3	92	7	7	10	14	29	37	37
35-49	123	9.1	51	2	2	8	11	18	25	37
50-64	511	10.0	65	1	2	9	14	20	24	41
65+	576	10.3	74	1	2	9	14	20	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	25	1	1	3	9	13	13	13
20-34	14	8.1	133	1	1	5	7	14	40	47
35-49	321	8.6	85	1	2	5	11	19	28	57
50-64	1435	8.6	69	1	2	6	11	19	25	40
65+	2131	11.4	121	2	2	8	15	24	33	57
B. *Operated*										
0-19 YRS	3	15.7	522	1	1	4	32	42	42	42
20-34	19	14.4	146	2	4	13	16	29	44	53
35-49	460	14.7	127	3	4	12	19	28	34	57
50-64	2456	14.6	117	2	4	12	19	29	37	54
65+	3694	16.0	172	2	4	13	21	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.8	51	1	1	4	7	11	16	44
B. *Operated*	1220	10.1	68	1	2	9	14	20	26	39
2. MULTIPLE DX										
A. *Not Operated*	3906	10.1	101	1	2	7	13	22	30	54
B. *Operated*	6632	15.4	149	2	4	12	20	30	40	65
1. SINGLE DX	1566	9.1	67	1	2	7	12	19	24	40
2. MULTIPLE DX	10538	13.4	137	2	3	10	18	28	37	61
A. NOT OPERATED	4252	9.8	98	1	2	7	12	22	29	54
B. OPERATED	7852	14.6	140	2	3	12	19	29	38	62
TOTAL 0-19 YRS	9	9.3	168	1	1	4	11	30	42	42
20-34	45	11.6	127	1	3	8	14	21	39	53
35-49	943	11.5	109	2	2	9	15	25	31	53
50-64	4549	11.9	103	2	2	10	16	24	31	49
65+	6558	13.8	151	2	3	11	18	28	38	65
GRAND TOTAL	**12104**	**12.9**	**130**	**2**	**2**	**10**	**17**	**27**	**35**	**59**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	13.0	200	3	3	13	23	23	23	23
50-64	14	5.6	14	<1	1	5	10	11	11	11
65+	18	3.3	6	<1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	6	7.5	57	2	2	5	11	20	21	21
20-34	9	7.9	84	2	2	3	9	24	28	28
35-49	47	5.8	33	<1	1	3	10	14	19	21
50-64	215	7.7	81	1	1	2	13	20	24	44
65+	210	6.6	87	1	1	2	9	17	23	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.8	16	1	1	5	10	12	12	12
35-49	17	6.5	23	1	2	6	8	13	17	19
50-64	71	9.8	66	1	1	9	14	19	26	37
65+	106	9.3	117	1	1	6	12	26	33	99+
B. *Operated*										
0-19 YRS	3	7.3	36	<1	<1	8	12	13	13	13
20-34	17	12.6	143	2	2	8	22	40	76	99+
35-49	70	15.2	237	1	2	11	20	35	50	68
50-64	352	14.5	216	1	2	12	20	33	46	91
65+	448	14.8	245	1	2	11	22	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.5	20	<1	1	3	7	10	11	23
B. *Operated*	487	7.0	78	1	1	2	11	18	23	45
2. MULTIPLE DX										
A. *Not Operated*	205	9.1	87	1	1	7	12	19	30	83
B. *Operated*	890	14.7	230	1	2	11	21	34	47	99+
1. SINGLE DX	524	6.8	74	1	1	2	11	18	22	44
2. MULTIPLE DX	1095	13.6	208	1	2	10	19	32	45	99+
A. NOT OPERATED	242	8.4	79	1	1	6	11	18	28	73
B. OPERATED	1377	12.0	190	1	1	8	18	30	40	87
TOTAL 0-19 YRS	10	6.8	44	<1	<1	5	11	17	21	21
20-34	39	9.0	94	1	2	5	12	25	39	99+
35-49	136	10.8	158	1	1	7	15	25	36	66
50-64	652	11.6	161	1	1	9	17	26	36	73
65+	782	11.6	195	1	1	6	17	30	42	99
GRAND TOTAL	**1619**	**11.4**	**175**	**1**	**1**	**7**	**16**	**28**	**38**	**85**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	52	<1	1	3	11	19	19	19
20-34	5	26.8	1074	7	7	13	35	85	85	85
35-49	4	10.0	145	3	3	4	16	28	28	28
50-64	7	7.3	27	2	2	7	11	15	16	16
65+	11	6.5	13	1	2	7	9	11	12	12
B. *Operated*										
0-19 YRS	56	6.6	43	1	2	4	9	13	17	41
20-34	37	6.3	37	1	2	4	7	14	22	29
35-49	50	5.7	22	<1	1	5	7	10	13	24
50-64	58	9.2	109	1	2	6	11	25	35	50
65+	90	9.8	143	2	2	6	12	21	42	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	6.6	58	<1	1	4	9	15	25	33
20-34	20	5.3	27	<1	<1	3	7	14	18	19
35-49	13	5.2	5	1	2	5	7	8	8	8
50-64	27	11.8	320	2	3	7	11	22	37	96
65+	63	11.7	112	1	2	9	17	24	31	59
B. *Operated*										
0-19 YRS	34	11.9	136	3	3	9	16	21	27	66
20-34	36	12.5	244	1	2	9	17	24	27	92
35-49	44	11.5	120	1	1	8	19	28	39	99+
50-64	89	13.9	188	2	3	10	17	30	44	63
65+	160	16.4	308	2	3	10	20	41	66	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.3	181	1	1	5	12	18	22	85
B. *Operated*	291	7.9	85	1	2	5	9	16	29	49
2. MULTIPLE DX										
A. *Not Operated*	164	9.1	120	1	1	6	10	20	26	59
B. *Operated*	363	14.4	235	2	2	10	19	33	50	95
1. SINGLE DX	334	8.1	97	1	2	5	9	17	28	51
2. MULTIPLE DX	527	12.8	205	1	2	8	16	30	42	93
A. NOT OPERATED	207	9.1	132	1	1	6	11	19	26	72
B. OPERATED	654	11.5	178	1	2	7	14	28	41	77
TOTAL 0-19 YRS	147	7.8	73	1	1	5	10	18	20	43
20-34	98	9.4	178	1	2	5	11	20	25	89
35-49	111	8.1	69	1	1	5	9	23	28	65
50-64	181	11.8	178	2	2	8	14	29	36	64
65+	324	13.3	223	2	2	9	16	34	47	83
GRAND TOTAL	**861**	**10.9**	**168**	**1**	**2**	**7**	**13**	**25**	**36**	**76**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	3.3		3	3	3	4	4	4	4
50-64	11	5.9	15	<1	1	4	9	11	12	12
65+	2	16.0	128	8	8	16	24	24	24	24
B. *Operated*										
0-19 YRS	5	2.4	1	2	2	2	3	4	4	4
20-34	54	5.7	16	1	2	5	8	9	12	23
35-49	117	4.9	13	1	2	4	7	10	12	19
50-64	168	5.2	13	1	2	4	7	9	11	19
65+	136	6.3	57	1	2	4	7	13	17	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	6.2	35	1	1	3	12	14	14	14
35-49	23	6.5	66	<1	1	4	5	21	27	34
50-64	32	7.6	49	1	1	5	11	19	24	27
65+	51	9.1	68	2	3	6	13	25	31	99
B. *Operated*										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	33	8.1	29	3	3	6	10	15	19	26
35-49	75	7.2	31	1	2	7	9	13	17	32
50-64	150	8.8	56	2	2	7	11	17	23	34
65+	202	9.9	104	2	2	8	12	20	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.1	30	<1	1	4	9	11	19	24
B. *Operated*	480	5.5	26	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	113	7.9	60	1	2	5	11	20	29	58
B. *Operated*	464	8.9	71	2	2	7	11	18	23	37
1. SINGLE DX	499	5.5	26	1	2	4	7	10	13	23
2. MULTIPLE DX	577	8.7	69	1	2	6	11	18	24	37
A. NOT OPERATED	132	7.7	56	1	1	5	10	19	27	46
B. OPERATED	944	7.2	51	1	2	5	9	14	19	34
TOTAL 0-19 YRS	11	2.7	3	<1	1	2	3	5	7	7
20-34	95	6.5	22	1	2	6	8	12	15	25
35-49	218	5.9	25	1	2	4	8	11	15	27
50-64	361	6.9	37	1	2	5	8	14	19	27
65+	391	8.6	85	1	2	6	11	18	24	59
GRAND TOTAL	**1076**	**7.2**	**52**	**1**	**2**	**5**	**9**	**15**	**21**	**35**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+	10	7.1	50	<1	1	5	7	19	23	23
B. *Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	27	3.8	38	<1	1	2	3	7	12	33
35-49	100	2.3	13	<1	<1	2	2	4	6	22
50-64	234	2.7	10	<1	<1	2	3	5	8	17
65+	511	3.3	18	<1	<1	2	3	7	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	13.9	177	2	2	8	26	34	35	35
35-49	10	6.4	7	2	2	7	8	9	10	10
50-64	9	6.3	62	<1	<1	4	7	20	26	26
65+	57	7.8	94	1	1	3	10	18	35	42
B. *Operated*										
0-19 YRS	5	11.0	32	4	4	14	15	17	17	17
20-34	20	11.7	253	<1	<1	6	12	33	49	62
35-49	89	6.1	67	<1	<1	2	7	19	25	39
50-64	288	5.7	80	<1	<1	3	6	14	20	51
65+	872	7.2	104	1	1	3	9	17	26	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.5	43	<1	1	4	7	18	22	23
B. *Operated*	878	3.0	16	<1	<1	2	3	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	83	8.0	88	1	1	4	10	20	32	42
B. *Operated*	1274	6.9	99	<1	1	3	8	17	25	60
1. SINGLE DX	890	3.1	16	<1	<1	2	3	6	9	23
2. MULTIPLE DX	1357	6.9	98	<1	1	3	8	17	25	56
A. NOT OPERATED	95	7.8	82	<1	2	4	9	19	29	42
B. OPERATED	2152	5.3	68	<1	<1	2	5	12	19	41
TOTAL 0-19 YRS	11	5.8	38	<1	<1	2	12	15	17	17
20-34	56	7.9	143	<1	<1	3	8	30	34	60
35-49	199	4.2	40	<1	<1	2	4	10	19	32
50-64	531	4.4	51	<1	<1	2	4	10	16	37
65+	1450	5.8	76	<1	1	3	7	14	21	44
GRAND TOTAL	**2247**	**5.4**	**69**	**<1**	**<1**	**2**	**6**	**13**	**20**	**42**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	7.4	294	<1	1	2	4	18	55	66
50-64	16	3.9	13	1	1	3	5	7	13	16
65+	17	4.6	15	<1	1	3	7	10	13	15
B. *Operated*										
0-19 YRS	5	4.8	7	1	1	6	7	7	7	7
20-34	118	5.2	9	1	1	5	7	9	10	13
35-49	759	5.7	11	1	2	6	8	9	11	15
50-64	1236	6.4	12	1	2	6	8	10	12	16
65+	1224	6.7	11	2	2	7	8	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	5.9	41	<1	1	4	7	17	21	26
35-49	149	9.8	120	1	1	7	13	20	36	99+
50-64	339	10.7	114	1	2	7	14	24	31	58
65+	473	12.4	171	2	3	8	16	27	34	84
B. *Operated*										
0-19 YRS	4	8.5	14	6	6	7	11	14	14	14
20-34	144	7.0	27	2	2	6	8	11	13	26
35-49	944	8.0	48	2	3	7	9	12	17	41
50-64	2182	9.0	64	2	4	7	10	15	20	50
65+	3370	10.0	61	3	4	8	11	17	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.1	93	1	1	3	5	9	15	66
B. *Operated*	3342	6.3	12	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	983	11.3	142	1	2	8	15	25	33	77
B. *Operated*	6644	9.4	60	2	4	8	10	16	22	48
1. SINGLE DX	3390	6.3	13	1	2	6	8	10	12	17
2. MULTIPLE DX	7627	9.6	71	2	3	8	11	17	24	51
A. NOT OPERATED	1031	11.0	141	1	2	7	14	25	33	75
B. OPERATED	9986	8.3	46	2	3	7	10	14	18	40
TOTAL 0-19 YRS	9	6.4	13	1	2	7	7	11	14	14
20-34	285	6.1	21	1	2	6	8	11	12	23
35-49	1866	7.2	42	1	2	6	9	12	15	39
50-64	3773	8.3	53	2	3	7	9	14	19	43
65+	5084	9.4	62	2	3	8	11	16	24	46
GRAND TOTAL	**11017**	**8.6**	**55**	**2**	**3**	**7**	**10**	**15**	**20**	**43**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.9	6	1	1	4	5	7	9	9
35-49	25	3.8	8	1	2	4	4	5	8	16
50-64	31	5.1	23	2	2	4	5	8	11	28
65+	43	4.7	11	2	2	4	5	7	12	19
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	68	4.0	9	<1	1	3	6	8	10	13
35-49	103	5.3	21	1	1	4	7	12	14	22
50-64	93	5.0	18	1	1	3	7	10	16	19
65+	77	5.1	16	1	2	4	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	7.7	48	1	2	5	10	18	25	28
35-49	39	7.5	81	1	1	4	10	18	28	44
50-64	59	7.4	47	<1	1	6	10	16	25	30
65+	77	7.8	39	2	2	6	10	19	22	25
B. *Operated*										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	81	9.0	128	<1	1	6	11	20	26	69
35-49	161	9.4	87	1	2	7	12	21	26	40
50-64	175	9.9	92	1	2	7	14	22	28	69
65+	205	11.8	199	2	2	8	15	25	36	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	4.5	13	2	2	4	5	7	11	23
B. *Operated*	343	4.9	17	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	198	7.6	50	1	2	5	10	18	23	30
B. *Operated*	624	10.3	131	1	2	7	14	22	29	78
1. SINGLE DX	453	4.8	16	1	1	4	6	10	13	19
2. MULTIPLE DX	822	9.7	113	1	2	7	12	21	27	71
A. NOT OPERATED	308	6.5	39	1	2	4	8	14	22	29
B. OPERATED	967	8.4	97	1	2	5	10	19	25	56
TOTAL 0-19 YRS	4	12.8	104	3	3	10	19	27	27	27
20-34	183	6.7	71	1	1	4	8	14	21	32
35-49	328	7.5	63	1	2	5	10	17	23	37
50-64	358	7.8	64	1	2	5	10	19	23	35
65+	402	9.0	122	2	2	5	11	19	26	74
GRAND TOTAL	**1275**	**8.0**	**84**	**1**	**2**	**5**	**10**	**18**	**23**	**42**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	11	2.7	2	<1	<1	3	4	4	4	4
50-64	39	2.8	1	1	1	3	4	5	5	5
65+	33	5.2	37	1	1	3	5	9	24	26
B. *Operated*										
0-19 YRS										
20-34	6	6.3	3	3	3	7	8	8	8	8
35-49	71	5.5	13	<1	1	6	8	10	10	17
50-64	276	6.1	11	<1	1	7	8	10	11	14
65+	270	6.7	19	1	2	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	9	4.1	22	<1	<1	2	4	12	16	16
50-64	65	6.4	65	1	2	4	6	15	22	47
65+	144	12.2	222	2	2	7	15	28	53	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	7.2	14	1	1	8	10	12	13	13
35-49	153	6.8	23	<1	1	7	9	12	16	25
50-64	749	8.3	63	1	2	7	9	14	18	40
65+	1077	9.9	90	2	2	8	12	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.8	16	1	1	3	4	5	7	26
B. *Operated*	623	6.3	15	1	1	7	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	219	10.1	174	1	2	5	12	22	39	99
B. *Operated*	1998	9.0	75	1	2	8	11	17	23	45
1. SINGLE DX	708	6.0	16	1	1	6	8	10	12	20
2. MULTIPLE DX	2217	9.1	85	1	2	8	11	17	23	51
A. NOT OPERATED	304	8.3	138	1	2	4	10	20	29	91
B. OPERATED	2621	8.4	62	1	2	7	10	15	20	37
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	27	6.9	10	1	2	7	9	11	12	13
35-49	244	6.1	20	<1	1	6	8	10	15	21
50-64	1129	7.4	50	1	2	7	9	13	17	34
65+	1524	9.5	91	1	2	8	11	18	25	52
GRAND TOTAL	**2925**	**8.4**	**70**	**1**	**2**	**7**	**10**	**15**	**21**	**46**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.6	4	1	1	2	3	6	6	6
35-49	27	3.4	20	1	1	2	3	8	11	23
50-64	81	2.5	7	1	1	2	2	4	5	18
65+	83	2.7	5	1	1	2	3	5	7	14
B. *Operated*										
0-19 YRS	8	7.0	8	4	4	6	8	12	13	13
20-34	22	6.9	4	4	5	7	8	10	11	11
35-49	26	9.3	15	4	5	9	12	16	16	17
50-64	70	10.4	62	2	5	9	12	16	19	56
65+	43	11.6	31	4	6	10	16	19	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	9	2.9	7	1	1	2	3	7	10	10
35-49	44	4.7	29	1	1	3	6	10	14	30
50-64	240	4.9	41	1	1	3	6	11	17	35
65+	300	8.1	106	1	2	4	10	19	28	57
B. *Operated*										
0-19 YRS	9	13.1	52	5	6	12	16	25	28	28
20-34	54	11.5	33	5	6	10	15	18	23	97
35-49	161	13.9	157	6	6	10	15	23	36	78
50-64	436	15.3	122	6	7	12	19	27	36	57
65+	479	18.5	158	7	8	15	22	34	51	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.7	8	1	1	2	3	5	7	18
B. *Operated*	169	9.9	39	4	5	9	12	17	19	26
2. MULTIPLE DX										
A. *Not Operated*	594	6.5	75	1	1	3	7	14	23	44
B. *Operated*	1139	16.2	141	6	7	13	20	29	42	73
1. SINGLE DX	366	6.0	35	1	1	4	9	13	17	23
2. MULTIPLE DX	1733	12.9	140	1	2	10	17	26	36	70
A. NOT OPERATED	791	5.5	61	1	1	3	6	13	19	35
B. OPERATED	1308	15.4	133	5	7	12	19	28	39	72
TOTAL 0-19 YRS	19	9.7	38	3	4	7	12	18	25	28
20-34	90	9.0	32	2	2	8	11	16	22	74
35-49	258	10.8	124	1	2	8	12	21	28	66
50-64	827	10.6	109	1	1	8	14	22	29	51
65+	905	13.3	154	1	2	11	18	28	38	72
GRAND TOTAL	**2099**	**11.7**	**128**	**1**	**2**	**9**	**15**	**24**	**33**	**63**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	2.3		2	2	2	3	3	3	3
65+	9	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	7	6.3	14	1	2	5	9	12	12	12
35-49	13	7.5	33	1	1	7	13	15	16	16
50-64	25	7.6	45	1	1	5	11	20	22	25
65+	56	9.6	120	1	1	5	14	26	32	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	7	18.3	550	1	2	10	17	60	70	70
50-64	12	10.8	400	<1	1	4	9	32	67	73
65+	46	11.3	208	2	2	6	11	26	48	70
B. *Operated*										
0-19 YRS										
20-34	8	13.3	199	3	4	7	16	38	45	45
35-49	10	12.5	103	<1	1	10	25	57	96	99+
50-64	59	14.6	202	1	2	11	20	35	42	72
65+	158	13.4	173	2	3	10	17	29	38	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.5	7	<1	1	3	4	6	10	13
B. *Operated*	101	8.6	83	1	1	5	12	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	67	11.7	265	1	2	6	11	26	54	73
B. *Operated*	235	13.7	177	2	2	10	19	29	40	90
1. SINGLE DX	120	7.8	74	1	1	4	11	19	25	42
2. MULTIPLE DX	302	13.3	196	2	2	9	17	29	43	81
A. NOT OPERATED	86	9.9	219	1	2	5	9	21	48	72
B. OPERATED	336	12.1	154	1	2	9	16	27	38	76
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	21	8.4	91	2	2	6	8	16	32	45
35-49	32	11.1	172	1	2	9	15	28	64	99+
50-64	99	12.0	188	1	2	8	16	24	40	74
65+	269	11.9	166	1	2	7	15	27	38	73
GRAND TOTAL	**422**	**11.7**	**167**	**1**	**2**	**7**	**15**	**26**	**39**	**74**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	8	6.0	81	<1	<1	3	4	21	28	28
65+	44	7.6	78	1	2	5	8	15	27	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	5.6	15	1	1	5	9	11	13	13
50-64	328	6.4	31	1	2	5	8	13	16	25
65+	1062	6.7	26	2	2	6	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	144	10.0	87	1	2	7	13	22	29	47
65+	876	11.1	136	2	2	7	14	24	36	76
B. *Operated*										
0-19 YRS	5	16.6	318	4	4	8	25	47	47	47
20-34										
35-49	16	11.8	179	2	2	8	12	33	46	51
50-64	740	9.4	69	2	2	7	12	19	23	43
65+	4261	11.2	95	2	3	9	14	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.1	74	1	1	4	7	15	27	47
B. *Operated*	1400	6.6	27	1	2	6	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	1024	11.0	129	2	2	7	14	23	35	68
B. *Operated*	5022	11.0	92	2	3	8	14	21	29	56
1. SINGLE DX	1455	6.6	29	1	2	6	8	12	16	26
2. MULTIPLE DX	6046	11.0	98	2	3	8	14	22	30	57
A. NOT OPERATED	1079	10.8	127	2	2	7	13	23	35	66
B. OPERATED	6422	10.0	81	2	2	8	12	20	26	51
TOTAL 0-19 YRS	7	12.4	263	<1	1	6	15	41	47	47
20-34										
35-49	31	8.5	106	2	2	5	10	15	34	51
50-64	1220	8.7	63	1	2	6	11	17	23	41
65+	6243	10.4	92	2	3	8	13	21	28	56
GRAND TOTAL	**7501**	**10.1**	**88**	**2**	**2**	**8**	**13**	**20**	**27**	**53**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.4	3	1	2	5	5	7	7	7
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	18	5.6	23	1	2	4	7	12	18	21
20-34	144	4.5	10	1	2	4	6	8	10	19
35-49	64	4.4	11	1	1	4	5	7	11	18
50-64	15	4.9	12	1	1	4	8	9	11	12
65+	26	6.3	29	2	3	5	7	10	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	35	6.9	46	2	3	5	7	9	26	34
35-49	16	7.3	43	1	2	4	11	18	20	21
50-64	5	5.2	17	2	2	3	7	12	12	12
65+	7	8.6	30	3	3	7	12	17	18	18
B. *Operated*										
0-19 YRS	7	8.4	9	3	4	9	10	12	13	13
20-34	56	11.0	97	1	3	7	15	24	31	45
35-49	40	7.8	32	1	2	6	10	16	20	25
50-64	27	9.0	45	1	2	6	14	19	22	24
65+	46	10.1	167	2	2	5	12	27	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	3	1	1	4	5	6	7	7
B. *Operated*	267	4.8	13	1	2	4	6	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	65	7.0	39	2	2	5	7	14	19	34
B. *Operated*	176	9.6	89	2	2	6	12	22	27	46
1. SINGLE DX	284	4.7	13	1	2	4	6	8	10	20
2. MULTIPLE DX	241	8.9	77	2	2	6	10	20	26	45
A. NOT OPERATED	82	6.3	33	1	2	5	7	12	18	33
B. OPERATED	443	6.7	49	1	2	4	8	14	21	38
TOTAL 0-19 YRS	28	6.1	19	2	2	5	8	12	14	21
20-34	244	6.4	42	1	2	5	7	11	22	34
35-49	123	5.9	24	1	2	4	7	13	18	22
50-64	49	7.1	34	1	1	5	9	16	20	24
65+	81	8.6	109	2	2	5	8	19	28	58
GRAND TOTAL	**525**	**6.6**	**46**	**1**	**2**	**5**	**8**	**14**	**20**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	3.3	5	<1	<1	3	5	6	6	6
65+	31	7.0	92	1	2	4	7	16	25	49
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	20	2.9	3	<1	<1	2	4	6	6	6
35-49	160	4.6	26	<1	1	3	6	11	15	29
50-64	753	4.6	20	1	1	3	5	9	13	25
65+	1494	4.9	20	1	2	4	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34										
35-49	4	5.8	20	2	2	4	9	12	12	12
50-64	69	8.6	108	<1	1	4	12	25	28	48
65+	338	10.4	133	1	2	6	13	26	36	56
B. *Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	16	4.6	12	<1	1	3	7	9	12	13
35-49	120	7.0	72	1	1	4	8	16	24	47
50-64	1148	7.4	77	1	2	4	9	17	23	45
65+	3950	9.0	96	2	2	6	11	20	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.7	63	1	1	4	6	8	24	49
B. *Operated*	2429	4.8	20	1	1	4	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	414	10.0	127	1	2	6	12	26	35	53
B. *Operated*	5237	8.6	91	2	2	5	10	19	27	53
1. SINGLE DX	2477	4.8	21	1	1	4	6	9	13	25
2. MULTIPLE DX	5651	8.7	94	1	2	5	11	19	27	53
A. NOT OPERATED	462	9.6	122	1	2	6	12	24	34	52
B. OPERATED	7666	7.4	72	1	2	5	9	16	23	46
TOTAL 0-19 YRS	12	4.7	10	<1	1	4	6	9	12	12
20-34	36	3.6	8	<1	<1	3	5	8	9	13
35-49	285	5.6	46	1	1	3	6	14	17	34
50-64	1982	6.4	58	1	2	4	7	14	20	38
65+	5813	8.0	82	1	2	5	9	18	26	49
GRAND TOTAL	**8128**	**7.5**	**75**	**1**	**2**	**5**	**9**	**17**	**24**	**47**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	4.6	25	1	1	3	6	13	15	15
50-64	3	8.3	70	3	3	4	14	18	18	18
65+	12	8.1	30	1	3	7	11	15	20	21
B. *Operated*										
0-19 YRS	13	8.8	15	2	3	9	11	14	15	15
20-34	7	7.0	34	1	1	4	12	15	15	15
35-49	46	10.6	51	2	3	9	12	18	28	35
50-64	107	10.0	24	2	4	10	12	16	19	25
65+	137	11.8	44	2	2	11	15	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	116	1	1	4	11	27	31	31
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	21	8.7	203	<1	1	3	9	26	47	59
50-64	81	10.2	139	1	2	7	13	21	32	67
65+	163	12.1	123	1	2	9	16	25	30	57
B. *Operated*										
0-19 YRS	18	20.7	270	3	8	14	24	45	59	67
20-34	9	13.7	57	9	9	11	14	26	33	33
35-49	72	12.7	47	3	5	11	17	21	25	38
50-64	364	13.8	89	3	5	12	17	23	28	62
65+	687	16.2	112	3	6	14	20	29	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.0	29	1	1	4	8	14	18	21
B. *Operated*	310	10.7	37	2	2	10	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	274	11.1	133	1	2	8	14	24	31	59
B. *Operated*	1150	15.3	104	3	6	13	19	26	36	58
1. SINGLE DX	338	10.3	38	2	2	10	13	18	22	31
2. MULTIPLE DX	1424	14.5	112	2	4	12	18	26	35	58
A. NOT OPERATED	302	10.6	126	1	2	8	13	22	30	58
B. OPERATED	1460	14.3	93	3	5	12	17	25	33	52
TOTAL 0-19 YRS	43	12.9	179	1	1	10	14	29	44	67
20-34	19	9.5	55	1	2	10	13	15	25	33
35-49	146	11.0	72	1	2	10	14	20	27	42
50-64	555	12.5	86	2	3	11	15	22	27	56
65+	999	14.8	108	2	4	13	19	26	35	54
GRAND TOTAL	**1762**	**13.7**	**101**	**2**	**3**	**12**	**17**	**25**	**32**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	7	3.7	18	1	1	2	4	11	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	11.0	162	2	2	11	20	20	20	20
50-64	13	5.2	13	2	2	3	8	10	12	13
65+	15	3.9	6	1	1	3	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	<1	<1	2	3	4	4	4
20-34										
35-49	4	8.5	7	5	5	9	10	11	11	11
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	6	11.2	37	5	5	10	13	21	22	22
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	8	6.3	46	1	1	3	8	18	21	21
65+	13	6.2	39	1	1	3	9	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	38	4.6	16	1	2	3	7	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	17	7.3	29	<1	1	7	10	13	19	22
B. *Operated*	24	6.0	35	1	1	3	7	16	21	21
1. SINGLE DX	39	4.7	16	1	2	3	7	9	13	20
2. MULTIPLE DX	41	6.5	32	1	1	4	9	14	21	22
A. NOT OPERATED	18	7.2	27	<1	1	6	10	13	18	22
B. OPERATED	62	5.1	24	1	1	3	7	13	17	21
TOTAL 0-19 YRS	13	3.0	10	<1	1	2	3	6	12	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	8.1	33	2	2	7	10	17	20	20
50-64	23	5.7	23	1	2	4	8	11	16	21
65+	35	6.1	29	1	1	5	8	13	19	22
GRAND TOTAL	**80**	**5.6**	**25**	**1**	**1**	**4**	**8**	**13**	**17**	**22**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	15	<1	<1	1	2	8	13	15
20-34	5	6.6	31	1	1	7	14	91	99+	99+
35-49	27	14.4	279	2	2	8	18	35	59	69
50-64	34	15.5	398	2	3	8	13	38	63	91
65+	24	13.0	308	2	2	7	13	30	54	83
B. *Operated*										
0-19 YRS	50	9.6	35	2	2	9	12	16	19	32
20-34	52	11.5	37	3	5	10	16	19	23	29
35-49	48	13.1	76	2	4	10	18	28	33	99+
50-64	86	16.9	175	4	6	14	20	30	39	76
65+	66	22.1	241	6	7	19	23	43	59	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.8	51	<1	1	3	7	18	22	29
20-34	31	9.4	108	1	1	5	16	24	29	44
35-49	70	10.6	185	1	2	6	12	21	31	84
50-64	120	13.0	189	2	3	8	16	35	52	99+
65+	162	17.2	274	2	3	11	22	51	57	96
B. *Operated*										
0-19 YRS	72	16.8	280	2	4	11	19	39	53	86
20-34	55	26.3	324	10	11	21	32	63	68	74
35-49	79	21.6	272	5	6	16	29	49	57	73
50-64	133	27.9	455	6	8	20	40	68	75	99+
65+	147	28.1	473	6	9	21	39	76	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	12.4	287	1	1	7	13	33	59	95
B *Operated*	302	15.3	145	3	5	13	19	28	37	73
2. MULTIPLE DX										
A. *Not Operated*	410	13.5	217	1	2	8	18	34	53	93
B. *Operated*	486	25.1	404	5	7	18	34	61	75	99+
1. SINGLE DX	407	14.6	182	2	3	11	18	29	42	83
2. MULTIPLE DX	896	19.8	352	2	3	14	26	52	69	99+
A. NOT OPERATED	515	13.3	231	1	2	8	16	34	53	94
B. OPERATED	788	21.4	327	4	6	15	26	52	68	99+
TOTAL 0-19 YRS	164	11.5	168	1	1	8	14	22	33	76
20-34	143	16.6	221	2	3	13	21	35	59	76
35-49	224	15.5	224	2	3	10	19	33	52	78
50-64	373	19.4	339	3	3	14	25	51	67	98
65+	399	21.8	369	3	5	16	29	56	74	99+
GRAND TOTAL	**1303**	**18.2**	**305**	**2**	**3**	**13**	**23**	**45**	**63**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	10	11.4	42	4	4	10	18	21	23	23
20-34	4	17.3	26	12	12	16	21	24	24	24
35-49	5	9.8	31	3	3	10	13	18	18	18
50-64	5	20.0	287	3	3	17	36	40	40	40
65+	3	16.0	7	14	14	15	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.5	116	2	2	6	16	29	30	30
20-34	5	3.8	8	1	1	3	6	8	8	8
35-49										
50-64	6	8.7	31	1	1	10	13	15	15	15
65+	15	11.6	67	1	1	11	17	23	26	27
B. *Operated*										
0-19 YRS	24	19.1	221	3	5	16	20	35	59	67
20-34	10	19.8	151	9	10	14	25	40	49	49
35-49	13	22.5	289	3	7	13	34	45	56	59
50-64	4	36.0	953	11	11	26	54	81	81	81
65+	20	30.3	375	3	8	26	44	61	65	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	27	14.1	82	3	4	12	18	24	36	40
2. MULTIPLE DX										
A. *Not Operated*	32	9.6	63	1	1	8	15	21	27	30
B. *Operated*	71	23.9	315	4	8	18	31	53	63	78
1. SINGLE DX	29	13.4	83	3	4	11	18	24	35	40
2. MULTIPLE DX	103	19.5	279	2	3	15	25	43	59	74
A. NOT OPERATED	34	9.3	61	1	1	7	15	20	26	30
B. OPERATED	98	21.2	269	3	5	16	27	46	60	74
TOTAL 0-19 YRS	40	15.9	171	3	4	14	19	30	44	67
20-34	20	14.4	132	1	2	12	18	28	40	49
35-49	19	18.3	240	2	4	12	30	40	51	59
50-64	15	19.7	425	1	3	13	27	40	71	81
65+	38	21.8	302	1	3	17	27	50	62	67
GRAND TOTAL	**132**	**18.1**	**242**	**2**	**3**	**14**	**23**	**39**	**55**	**70**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.6	10	<1	<1	2	5	7	11	13
20-34	7	2.4	1	1	1	3	3	4	4	4
35-49	13	3.4	3	2	2	3	4	6	8	8
50-64	5	3.6	2	2	2	3	4	6	6	6
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	22	6.7	29	2	3	5	8	10	19	28
20-34	58	4.3	4	2	2	4	5	7	8	13
35-49	65	5.0	11	2	3	4	6	8	14	18
50-64	35	4.9	6	3	3	4	5	8	10	14
65+	27	6.0	21	2	2	5	6	10	19	[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	47	<1	<1	1	6	14	23	26
20-34	4	9.3	81	2	2	6	15	22	22	22
35-49	6	3.7	3	2	2	3	4	7	7	7
50-64	27	7.8	87	1	2	4	10	23	31	39
65+	46	15.1	471	2	2	8	13	41	76	96
B. *Operated*										
0-19 YRS	26	15.1	434	2	2	7	19	28	79	84
20-34	75	7.8	115	2	3	5	8	10	21	59
35-49	90	7.6	50	3	3	5	8	16	23	39
50-64	99	7.6	61	2	3	5	8	15	22	45
65+	120	13.7	200	3	4	7	17	34	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.3	6	<1	1	3	4	6	8	13
B. *Operated*	207	5.1	12	2	3	4	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	103	10.3	262	1	1	5	11	23	40	93
B. *Operated*	410	9.9	140	3	3	6	11	22	33	72
1. SINGLE DX	257	4.8	11	1	2	4	5	8	10	19
2. MULTIPLE DX	513	10.0	164	2	3	5	11	22	35	75
A. NOT OPERATED	153	8.0	189	<1	1	4	8	15	28	90
B. OPERATED	617	8.3	102	2	3	5	8	17	26	64
TOTAL 0-19 YRS	90	7.9	164	<1	1	4	8	19	26	82
20-34	144	6.2	66	2	3	4	6	9	12	58
35-49	174	6.2	33	2	2	4	6	12	18	35
50-64	166	7.0	53	2	3	5	8	14	21	38
65+	196	12.8	243	2	3	7	15	32	46	94
GRAND TOTAL	**770**	**8.2**	**119**	**2**	**2**	**5**	**8**	**17**	**26**	**69**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	12	<1	<1	2	4	9	9	9
20-34	10	7.4	26	<1	1	6	12	14	15	15
35-49	34	2.9	6	<1	<1	2	4	5	9	11
50-64	63	10.0	173	1	1	7	11	22	35	66
65+	81	9.8	171	1	1	5	12	19	31	80
B. *Operated*										
0-19 YRS	15	6.3	10	<1	2	6	9	11	12	12
20-34	8	6.0	77	<1	<1	1	8	21	26	26
35-49	51	7.9	64	<1	1	5	12	21	27	28
50-64	136	7.2	52	1	1	4	10	18	23	33
65+	204	7.5	59	1	1	5	10	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	40	<1	<1	4	8	10	14	33
20-34	151	8.2	73	1	2	5	10	22	29	39
35-49	690	9.7	93	1	2	7	12	21	29	45
50-64	2430	10.5	109	2	2	7	14	23	30	57
65+	4379	12.2	139	2	3	9	15	25	36	67
B. *Operated*										
0-19 YRS	51	12.1	188	2	3	8	13	23	35	71
20-34	184	12.2	181	1	2	8	14	27	41	68
35-49	804	12.1	142	1	2	8	15	27	37	60
50-64	2522	13.9	164	2	2	10	18	31	40	73
65+	3779	15.9	197	2	3	12	21	33	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	8.4	137	<1	1	5	10	16	25	68
B. *Operated*	414	7.4	56	1	1	5	10	17	23	32
2. MULTIPLE DX										
A. *Not Operated*	7679	11.4	124	2	2	8	14	24	34	62
B. *Operated*	7340	14.7	181	2	3	11	19	31	42	75
1. SINGLE DX	607	7.7	82	1	1	5	10	17	23	46
2. MULTIPLE DX	15019	13.0	155	2	2	9	17	28	38	69
A. NOT OPERATED	7872	11.3	125	2	2	8	14	24	33	62
B. OPERATED	7754	14.3	177	2	2	10	19	31	42	74
TOTAL 0-19 YRS	100	8.9	119	<1	1	7	9	17	29	69
20-34	353	10.2	132	1	2	7	12	24	36	60
35-49	1579	10.7	118	1	2	7	14	24	33	55
50-64	5151	12.1	138	2	2	9	16	26	35	65
65+	8443	13.8	167	2	3	10	18	29	40	75
GRAND TOTAL	**15626**	**12.8**	**153**	**2**	**2**	**9**	**17**	**28**	**38**	**68**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	4	<1	<1	1	4	5	7	7
20-34	41	4.4	20	<1	1	3	5	9	15	20
35-49	25	5.6	57	<1	<1	2	8	11	20	36
50-64	13	4.7	14	1	1	3	8	11	11	11
65+	12	7.5	41	1	1	6	10	19	19	19
B. *Operated*										
0-19 YRS	74	6.1	17	1	2	6	8	11	13	22
20-34	199	6.4	32	<1	1	6	8	12	16	25
35-49	67	6.9	37	1	1	6	9	15	17	34
50-64	56	6.5	19	1	2	6	9	11	15	20
65+	31	8.3	41	1	2	7	13	17	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	4	<1	<1	2	3	6	6	6
20-34	71	4.5	12	1	1	4	6	10	11	15
35-49	44	10.0	197	<1	1	5	12	23	39	71
50-64	45	7.7	28	1	2	6	9	18	19	22
65+	64	8.7	70	1	2	6	11	19	28	37
B. *Operated*										
0-19 YRS	33	10.5	70	1	2	10	12	19	24	46
20-34	113	10.4	123	2	2	8	11	20	29	67
35-49	69	10.7	94	1	2	9	14	23	36	43
50-64	57	14.8	149	2	3	11	20	33	39	57
65+	86	23.8	419	3	4	18	35	56	79	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.8	29	<1	1	3	7	11	16	28
B. *Operated*	427	6.6	29	1	1	6	9	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	233	7.2	70	1	1	5	9	15	21	41
B. *Operated*	358	14.4	217	2	2	10	18	35	47	79
1. SINGLE DX	530	6.2	30	1	1	5	8	12	17	24
2. MULTIPLE DX	591	11.5	171	1	2	8	14	26	38	73
A. NOT OPERATED	336	6.5	59	1	1	4	8	14	19	36
B. OPERATED	785	10.1	130	1	2	7	11	22	34	66
TOTAL 0-19 YRS	128	6.6	35	1	1	6	9	12	17	30
20-34	424	6.9	56	1	1	5	9	13	19	44
35-49	205	8.7	95	1	1	6	11	17	28	49
50-64	171	9.4	78	1	2	7	11	20	28	41
65+	193	15.3	276	1	2	9	19	36	52	81
GRAND TOTAL	**1121**	**9.0**	**111**	**1**	**1**	**6**	**11**	**19**	**28**	**59**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	27	<1	<1	1	2	6	8	32
20-34	4	9.5	83	1	1	7	16	22	22	22
35-49	9	10.3	152	<1	1	5	15	32	37	37
50-64	13	6.2	34	1	1	4	8	12	21	23
65+	14	7.6	64	<1	1	4	10	22	24	24
B. *Operated*										
0-19 YRS	58	9.6	204	<1	<1	4	9	26	43	71
20-34	12	18.0	226	3	3	12	29	40	48	49
35-49	9	14.1	253	1	1	6	30	39	41	41
50-64	24	9.1	71	2	3	6	10	23	29	33
65+	22	11.3	216	2	3	6	14	22	42	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	4.9	18	<1	<1	4	8	11	13	18
20-34	15	7.7	59	1	1	4	14	21	22	22
35-49	23	9.6	136	<1	1	6	14	19	35	55
50-64	67	8.4	50	1	2	7	11	17	21	34
65+	233	10.5	105	1	2	7	13	24	30	53
B. *Operated*										
0-19 YRS	73	18.9	329	<1	<1	14	26	45	61	78
20-34	15	21.9	380	4	4	17	37	70	92	99+
35-49	14	16.2	207	2	4	10	23	39	48	50
50-64	59	15.9	251	3	4	10	22	38	53	70
65+	177	14.4	186	2	4	10	16	30	44	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.9	51	<1	<1	2	6	11	23	35
B. *Operated*	125	10.9	187	<1	1	5	13	28	39	71
2. MULTIPLE DX										
A. *Not Operated*	440	8.7	81	1	1	6	11	18	25	51
B. *Operated*	338	16.0	239	2	3	11	21	38	50	74
1. SINGLE DX	224	8.2	136	<1	<1	4	9	23	34	55
2. MULTIPLE DX	778	11.9	163	1	2	8	15	28	38	66
A. NOT OPERATED	539	8.0	78	<1	1	5	10	18	25	40
B. OPERATED	463	14.7	230	1	2	9	19	36	48	73
TOTAL 0-19 YRS	292	8.9	171	<1	<1	4	10	24	38	70
20-34	46	15.2	236	1	2	10	22	42	52	99+
35-49	55	12.1	173	1	1	6	15	35	40	55
50-64	163	11.0	137	2	2	7	12	28	35	56
65+	446	12.0	144	2	2	9	15	25	35	64
GRAND TOTAL	**1002**	**11.1**	**159**	**<1**	**1**	**7**	**14**	**26**	**37**	**66**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	15	<1	<1	1	4	10	12	14
20-34	19	6.9	67	<1	1	4	7	23	28	29
35-49	21	6.0	85	1	1	3	6	12	28	43
50-64	34	8.6	153	1	1	4	9	20	34	64
65+	52	6.4	115	1	1	3	6	14	24	61
B. *Operated*										
0-19 YRS	9	6.8	54	1	1	2	11	19	21	21
20-34	19	16.2	234	1	1	8	30	39	40	40
35-49	16	19.3	253	1	3	23	29	43	48	50
50-64	25	16.7	336	1	2	8	32	48	55	58
65+	33	19.3	483	2	3	8	22	57	77	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.9	9	<1	<1	2	4	5	9	15
20-34	25	6.4	18	1	1	6	8	9	14	22
35-49	39	9.5	150	1	1	6	10	18	33	68
50-64	142	8.4	105	1	1	5	9	20	31	49
65+	320	8.5	81	1	1	5	12	20	25	48
B. *Operated*										
0-19 YRS	28	25.6	398	1	3	25	39	50	60	85
20-34	40	27.6	488	3	5	27	41	71	94	99+
35-49	60	24.8	372	2	3	24	35	51	64	99+
50-64	127	29.6	469	3	5	29	44	60	72	98
65+	209	22.2	347	3	4	15	33	50	67	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	6.5	99	<1	1	3	7	15	25	61
B. *Operated*	102	17.0	328	1	2	8	26	42	54	79
2. MULTIPLE DX										
A. *Not Operated*	553	8.2	87	1	1	5	10	19	27	48
B. *Operated*	464	25.2	405	3	4	21	38	55	69	99+
1. SINGLE DX	249	10.8	219	1	1	5	12	31	44	71
2. MULTIPLE DX	1017	16.0	304	1	2	9	24	42	55	92
A. NOT OPERATED	700	7.8	90	1	1	5	9	18	26	49
B. OPERATED	566	23.7	401	2	3	19	36	53	67	99+
TOTAL 0-19 YRS	85	11.0	248	<1	<1	3	14	36	44	75
20-34	103	16.5	334	1	1	8	28	41	68	99+
35-49	136	16.9	309	1	2	9	28	43	53	99
50-64	328	17.2	367	1	2	8	29	48	59	86
65+	614	13.6	239	1	2	8	18	36	48	79
GRAND TOTAL	**1266**	**14.9**	**291**	**1**	**1**	**8**	**22**	**41**	**53**	**85**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	49	<1	<1	1	4	7	22	29
20-34	30	5.0	13	1	1	4	7	11	12	14
35-49	58	4.4	22	1	1	3	5	9	14	23
50-64	102	6.4	77	1	1	4	7	12	21	56
65+	138	7.5	50	<1	1	5	11	17	24	30
B. *Operated*										
0-19 YRS	15	4.5	15	<1	1	3	7	9	13	15
20-34	73	7.5	65	<1	1	5	10	21	28	35
35-49	114	7.1	41	1	2	5	9	15	20	33
50-64	260	8.6	71	1	2	6	11	19	24	45
65+	302	9.0	58	1	2	7	12	18	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	12	<1	<1	1	3	10	11	11
20-34	57	6.1	53	<1	<1	3	7	16	21	35
35-49	137	7.6	90	1	1	5	9	16	26	40
50-64	402	10.0	100	1	1	7	13	22	28	58
65+	1028	11.5	141	1	2	8	15	25	37	73
B. *Operated*										
0-19 YRS	23	16.2	236	1	2	10	21	47	51	54
20-34	56	13.4	172	2	3	10	14	36	43	64
35-49	179	14.9	172	2	3	12	20	31	39	89
50-64	553	15.9	205	2	3	11	21	36	50	82
65+	1179	18.5	252	2	4	14	24	39	54	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	6.3	51	<1	1	4	7	14	21	30
B. *Operated*	764	8.3	60	1	2	6	11	18	24	41
2. MULTIPLE DX										
A. *Not Operated*	1636	10.5	125	1	2	7	14	23	33	65
B. *Operated*	1990	17.3	231	2	3	13	23	37	51	85
1. SINGLE DX	1108	7.7	58	1	1	5	11	17	23	37
2. MULTIPLE DX	3626	14.2	195	2	2	10	19	32	44	81
A. NOT OPERATED	1980	9.8	115	1	1	7	13	22	30	64
B. OPERATED	2754	14.8	200	2	2	11	19	33	44	80
TOTAL 0-19 YRS	66	8.1	132	<1	<1	4	9	21	34	53
20-34	216	8.3	91	<1	1	5	11	20	31	48
35-49	488	9.8	116	1	2	7	13	23	30	56
50-64	1317	11.9	148	1	2	8	16	26	38	63
65+	2647	14.1	193	2	2	10	18	32	43	80
GRAND TOTAL	**4734**	**12.7**	**170**	**1**	**2**	**9**	**16**	**28**	**39**	**75**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	52	3.4	9	1	1	2	4	7	9	18
20-34	134	3.3	10	1	1	3	4	5	6	12
35-49	163	3.2	2	1	1	3	4	5	5	7
50-64	201	3.5	3	1	1	3	4	6	7	9
65+	125	3.7	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	3.3		3	3	3	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	15	3.1	10	<1	<1	2	3	6	12	14
20-34	29	2.9	4	1	1	2	3	6	7	9
35-49	63	3.9	7	<1	1	3	4	7	10	15
50-64	120	4.4	8	2	2	4	5	7	9	17
65+	136	4.9	19	2	2	4	5	9	11	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	<1	<1	3	3	3	3	3
B. *Operated*	675	3.4	5	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	5	2.6	1	1	1	3	3	4	4	4
B. *Operated*	363	4.3	12	1	2	4	5	7	9	19
1. SINGLE DX	678	3.4	5	1	1	3	4	5	6	8
2. MULTIPLE DX	368	4.3	12	1	2	4	5	7	9	19
A. NOT OPERATED	8	2.5	1	<1	<1	3	3	4	4	4
B. OPERATED	1038	3.7	7	1	1	3	5	6	8	14
TOTAL 0-19 YRS	68	3.3	9	<1	1	2	4	7	9	17
20-34	165	3.3	9	1	1	3	4	5	6	9
35-49	226	3.4	4	1	1	3	4	5	6	11
50-64	324	3.8	5	1	2	3	5	6	8	12
65+	263	4.3	12	1	2	4	5	7	9	19
GRAND TOTAL	**1046**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**7**	**14**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9		<1	<1	2	2	3	3	3
20-34	6	3.7	8	1	1	3	6	8	8	8
35-49	27	1.6	1	<1	<1	1	2	3	4	5
50-64	39	1.6	1	<1	<1	1	2	4	5	5
65+	71	2.3	6	<1	<1	1	3	4	8	14
B. *Operated*										
0-19 YRS	28	4.4	17	<1	<1	2	9	11	12	13
20-34	46	4.5	11	<1	<1	4	7	10	11	13
35-49	134	3.9	18	<1	<1	2	6	10	13	17
50-64	458	3.0	12	<1	<1	2	3	9	11	16
65+	547	3.2	12	<1	<1	2	3	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	10	1	1	4	6	10	10	10
20-34	10	8.7	65	1	1	6	13	21	28	28
35-49	23	3.3	8	<1	<1	2	5	8	9	10
50-64	90	3.7	13	<1	<1	2	5	9	11	18
65+	282	5.6	46	1	1	4	7	12	15	47
B. *Operated*										
0-19 YRS	31	8.3	55	1	1	7	12	20	24	25
20-34	52	6.4	56	<1	<1	3	8	18	23	34
35-49	213	6.5	56	<1	1	4	9	15	21	39
50-64	875	5.6	41	<1	1	3	8	13	16	30
65+	1932	7.4	71	1	1	4	10	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.0	4	<1	<1	1	2	4	6	11
B. *Operated*	1213	3.3	13	<1	<1	2	3	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	411	5.1	37	<1	1	3	7	11	14	31
B. *Operated*	3103	6.8	62	1	1	4	9	15	21	37
1. SINGLE DX	1364	3.2	12	<1	<1	2	3	9	11	17
2. MULTIPLE DX	3514	6.6	59	<1	1	4	9	15	20	37
A. NOT OPERATED	562	4.3	30	<1	<1	2	5	10	13	28
B. OPERATED	4316	5.8	51	<1	1	3	8	14	19	32
TOTAL 0-19 YRS	73	5.8	35	<1	1	3	10	13	20	25
20-34	114	5.7	37	<1	1	4	8	12	19	31
35-49	397	5.1	39	<1	<1	2	7	12	17	29
50-64	1462	4.6	31	<1	<1	2	6	11	14	26
65+	2832	6.3	59	<1	1	3	9	14	20	36
GRAND TOTAL	**4878**	**5.7**	**49**	**<1**	**1**	**3**	**8**	**13**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	95	2.2	2	1	1	2	2	2	4	11
20-34	42	2.4	3	<1	<1	2	2	6	7	7
35-49	50	4.0	12	<1	<1	2	7	9	10	14
50-64	78	4.4	14	<1	1	3	7	9	10	19
65+	49	4.6	22	<1	1	2	6	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65+	10	11.3	151	2	2	5	16	33	35	35
B. *Operated*										
0-19 YRS	21	2.7	2	1	2	2	3	4	6	8
20-34	26	7.3	59	<1	<1	4	12	16	21	32
35-49	38	6.9	53	<1	1	3	11	16	20	35
50-64	73	5.5	25	1	1	3	8	14	17	19
65+	97	9.1	108	1	2	6	13	23	34	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	1	1	2	3	4	6	6
B. *Operated*	314	3.4	11	<1	1	2	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	17	7.4	109	<1	1	3	6	28	34	35
B. *Operated*	255	7.0	65	1	1	4	10	16	21	50
1. SINGLE DX	327	3.4	11	<1	1	2	4	8	10	17
2. MULTIPLE DX	272	7.0	68	1	1	4	10	16	23	48
A. NOT OPERATED	30	5.2	67	1	1	2	4	13	31	35
B. OPERATED	569	5.0	39	<1	1	2	7	12	16	34
TOTAL 0-19 YRS	125	2.2	2	1	1	2	2	3	4	10
20-34	71	4.2	29	<1	<1	2	5	11	15	29
35-49	91	5.1	30	<1	1	2	8	12	15	29
50-64	154	4.8	20	1	1	3	7	10	15	19
65+	158	7.7	87	1	1	4	10	18	31	56
GRAND TOTAL	**599**	**5.0**	**40**	**<1**	**1**	**2**	**7**	**12**	**17**	**35**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	4	<1	<1	1	2	5	7	7
20-34	7	2.1	2	1	1	2	2	4	5	5
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	11	4.1	8	1	1	4	6	8	9	9
65+	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	562	2.8	4	<1	1	2	3	5	6	12
20-34	657	2.4	4	<1	<1	2	3	4	6	13
35-49	821	2.4	9	<1	<1	2	3	4	6	14
50-64	736	2.5	5	<1	<1	2	3	4	6	11
65+	298	2.8	6	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.1	58	<1	<1	1	3	9	24	32
20-34	9	6.3	18	<1	<1	7	11	11	11	11
35-49	20	5.3	15	<1	<1	4	9	11	12	12
50-64	15	5.7	45	1	1	4	7	9	23	28
65+	28	5.7	17	1	1	5	7	12	14	19
B. *Operated*										
0-19 YRS	112	4.2	39	<1	1	3	4	9	11	36
20-34	176	3.9	20	<1	1	2	5	8	14	22
35-49	335	4.2	35	<1	1	2	4	9	12	35
50-64	487	4.1	24	<1	1	3	5	9	13	19
65+	375	5.4	48	1	1	3	6	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.8	5	<1	<1	2	4	6	8	9
B. *Operated*	3074	2.5	6	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	89	5.4	28	<1	<1	4	7	11	13	30
B. *Operated*	1485	4.4	34	<1	1	3	5	10	14	26
1. SINGLE DX	3111	2.5	6	<1	<1	2	3	4	6	13
2. MULTIPLE DX	1574	4.5	33	<1	1	3	5	10	14	28
A. NOT OPERATED	126	4.6	23	<1	<1	3	7	10	12	29
B. OPERATED	4559	3.1	16	<1	<1	2	3	6	9	18
TOTAL 0-19 YRS	700	3.0	11	<1	<1	2	4	5	7	15
20-34	849	2.8	8	<1	<1	2	3	5	7	16
35-49	1183	2.9	17	<1	<1	2	3	5	9	18
50-64	1249	3.1	14	<1	<1	2	3	6	9	18
65+	704	4.3	31	<1	1	3	5	9	13	28
GRAND TOTAL	**4685**	**3.2**	**16**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	8	<1	<1	2	4	7	10	12
20-34	6	3.5	15	1	1	2	4	10	11	11
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	4	3.0	11	<1	<1	1	5	8	8	8
65+	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*										
0-19 YRS	623	2.1	4	<1	<1	2	2	4	5	11
20-34	217	2.2	3	<1	<1	2	3	4	6	10
35-49	174	2.2	5	<1	<1	2	2	5	5	13
50-64	157	2.7	19	<1	<1	2	2	4	6	29
65+	78	2.8	14	<1	<1	2	2	4	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	5	<1	<1	<1	1	1	5	11
20-34	7	3.0	9	<1	<1	1	4	8	9	9
35-49	8	4.0	9	<1	<1	4	7	7	7	7
50-64	13	4.0	4	<1	<1	4	5	7	8	8
65+	26	8.6	24	2	3	8	11	15	18	24
B. *Operated*										
0-19 YRS	143	4.1	55	<1	<1	2	4	9	14	46
20-34	108	3.1	11	<1	<1	2	4	8	10	17
35-49	153	3.6	26	<1	<1	2	3	8	11	28
50-64	157	4.5	69	<1	<1	2	4	9	14	32
65+	161	7.7	113	<1	1	4	11	17	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.4	9	<1	<1	2	4	8	11	12
B. *Operated*	1249	2.2	7	<1	<1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	76	4.7	20	<1	<1	3	7	11	13	22
B. *Operated*	722	4.7	61	<1	<1	2	5	11	17	33
1. SINGLE DX	1282	2.3	7	<1	<1	2	2	4	6	15
2. MULTIPLE DX	798	4.7	57	<1	<1	2	5	11	17	33
A. NOT OPERATED	109	4.3	17	<1	<1	3	7	10	12	19
B. OPERATED	1971	3.2	28	<1	<1	2	3	6	11	25
TOTAL 0-19 YRS	805	2.5	14	<1	<1	2	2	4	7	16
20-34	338	2.5	6	<1	<1	2	3	5	8	13
35-49	338	2.9	15	<1	<1	2	3	6	9	26
50-64	331	3.6	43	<1	<1	2	3	7	13	30
65+	268	6.3	80	<1	<1	3	8	16	22	39
GRAND TOTAL	**2080**	**3.2**	**27**	**<1**	**<1**	**2**	**3**	**7**	**11**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	223	1.7		<1	<1	2	2	2	3	4
20-34	592	1.7	1	<1	<1	2	2	2	3	4
35-49	440	1.8	1	<1	<1	2	2	3	3	6
50-64	183	2.0	1	<1	<1	2	2	3	3	5
65+	86	2.4	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	29	1.9	1	<1	<1	2	2	3	3	3
20-34	171	2.1	2	<1	<1	2	2	4	4	8
35-49	299	2.4	3	<1	1	2	3	4	5	13
50-64	208	2.9	10	<1	1	2	3	5	7	20
65+	181	3.5	9	1	2	3	4	6	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		1	1	1	2	2	2	2
B. *Operated*	1524	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	9	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	888	2.7	6	<1	1	2	3	4	6	14
1. SINGLE DX	1528	1.8	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	897	2.7	6	<1	1	2	3	4	6	14
A. NOT OPERATED	13	1.7	1	<1	<1	1	2	3	5	5
B. OPERATED	2412	2.1	3	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	253	1.7		<1	<1	2	2	2	3	4
20-34	765	1.8	1	<1	<1	2	2	3	3	4
35-49	744	2.1	2	<1	<1	2	2	3	4	8
50-64	395	2.4	6	<1	1	2	3	3	5	13
65+	268	3.2	6	1	2	2	3	5	9	14
GRAND TOTAL	**2425**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	2.8	2	<1	1	3	4	5	6	6
35-49	33	2.9	5	<1	1	2	3	6	9	10
50-64	5	3.4	7	1	1	3	5	7	7	7
65+	2	9.5	85	3	3	9	16	16	16	16
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	435	5.1	7	<1	1	6	7	8	8	11
35-49	1699	5.7	7	<1	1	6	7	8	9	12
50-64	313	5.5	10	<1	1	6	8	8	9	14
65+	17	6.0	102	1	1	3	7	8	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	61	3.4	15	<1	<1	2	4	7	9	25
35-49	180	3.2	14	<1	<1	2	5	7	9	23
50-64	49	3.5	10	<1	1	2	4	8	9	17
65+	21	8.6	39	<1	2	7	11	18	23	26
B. *Operated*										
0-19 YRS	11	6.9	34	1	1	6	10	15	20	20
20-34	1276	5.4	11	<1	1	6	7	8	10	16
35-49	8644	6.3	12	1	1	7	8	9	11	17
50-64	2116	6.1	14	<1	1	7	8	9	11	18
65+	243	8.8	39	2	2	8	10	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.1	6	<1	1	3	4	6	7	15
B. *Operated*	2466	5.5	8	<1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	311	3.7	17	<1	<1	2	5	8	11	26
B. *Operated*	12290	6.2	13	1	1	7	8	9	11	17
1. SINGLE DX	2532	5.5	8	<1	1	6	7	8	9	12
2. MULTIPLE DX	12601	6.1	13	1	1	6	8	9	11	18
A. NOT OPERATED	377	3.6	15	<1	<1	2	5	7	10	24
B. OPERATED	14756	6.1	12	1	1	6	8	9	11	17
TOTAL 0-19 YRS	14	6.1	29	1	1	6	8	13	18	20
20-34	1797	5.2	10	<1	1	6	7	8	10	15
35-49	10556	6.1	11	1	1	6	8	9	11	16
50-64	2483	6.0	13	<1	1	6	8	9	11	17
65+	283	8.7	43	1	2	7	10	16	22	41
GRAND TOTAL	**15133**	**6.0**	**12**	**1**	**1**	**6**	**8**	**9**	**11**	**17**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	2.6	4	<1	<1	2	3	6	7	7
35-49	23	3.4	6	<1	1	2	6	7	8	8
50-64	9	3.6	7	<1	<1	2	6	7	7	7
65+	5	4.6	16	2	2	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	5.1	8	<1	1	5	7	8	8	15
35-49	121	5.7	10	1	1	6	7	9	10	15
50-64	46	4.9	15	1	1	4	7	10	11	19
65+	18	5.7	16	1	1	6	8	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	50	3.3	6	<1	1	2	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	3	1	1	4	4	4	4	4
B. *Operated*	221	5.4	11	1	1	6	7	9	11	15
1. SINGLE DX	52	3.3	6	<1	1	2	5	7	8	11
2. MULTIPLE DX	224	5.4	11	1	1	6	7	9	11	15
A. NOT OPERATED	5	3.4	2	1	1	4	4	5	5	5
B. OPERATED	271	5.1	11	1	1	5	7	9	10	15
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	48	4.5	8	<1	1	5	6	7	8	15
35-49	146	5.3	10	1	1	6	7	8	10	14
50-64	57	4.6	14	1	1	4	6	10	11	18
65+	23	5.5	15	1	1	6	8	11	13	15
GRAND TOTAL	**276**	**5.0**	**11**	**1**	**1**	**5**	**7**	**8**	**10**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	2	1	1	3	4	4	4	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	5.5	2	3	4	5	6	7	8	10
20-34	421	5.6	2	3	4	6	6	7	8	11
35-49	146	6.5	4	4	4	6	7	8	10	13
50-64	78	7.6	19	4	5	7	8	9	13	34
65+	40	7.8	7	4	5	7	9	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.0	8	<1	<1	2	5	7	7	7
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	75	6.0	6	3	4	6	7	8	10	16
20-34	478	6.0	3	3	4	6	7	8	9	13
35-49	367	7.2	10	4	5	7	8	10	13	22
50-64	287	9.2	57	5	6	8	9	14	17	34
65+	266	12.5	72	6	6	10	15	22	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	2	1	1	2	3	4	4	4
B. *Operated*	768	6.1	5	4	4	6	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	8	4.6	14	<1	<1	4	7	10	11	11
B. *Operated*	1473	8.1	34	4	5	7	8	13	17	32
1. SINGLE DX	776	6.0	5	4	4	6	7	8	9	13
2. MULTIPLE DX	1481	8.1	33	4	5	7	8	13	17	32
A. NOT OPERATED	16	3.4	9	<1	1	2	5	8	10	11
B. OPERATED	2241	7.4	25	4	4	6	8	11	15	28
TOTAL 0-19 YRS	164	5.6	4	3	4	5	6	8	8	15
20-34	906	5.7	3	3	4	6	7	7	8	11
35-49	515	7.0	8	4	5	6	7	9	11	20
50-64	365	8.9	49	5	6	7	9	13	16	35
65+	307	11.9	66	5	6	9	14	20	28	45
GRAND TOTAL	**2257**	**7.4**	**25**	**4**	**4**	**6**	**8**	**11**	**15**	**28**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	10	4.1	7	<1	<1	5	6	7	8	8
35-49	17	2.4	5	<1	<1	1	3	6	8	9
50-64	18	2.6	4	<1	<1	2	3	7	7	7
65+	3	3.0	7	<1	<1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	14	4.4	16	<1	1	2	8	10	12	13
35-49	31	4.1	10	1	1	3	6	8	8	14
50-64	15	4.6	8	<1	2	3	7	8	9	10
65+	11	3.0	3	1	1	3	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	51	2.8	5	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	75	4.1	9	1	1	3	6	8	10	14
1. SINGLE DX	52	2.9	6	<1	<1	2	5	7	8	9
2. MULTIPLE DX	76	4.0	9	<1	1	3	6	8	10	14
A. NOT OPERATED	2	5.0	32	<1	<1	4	9	9	9	9
B. OPERATED	126	3.5	8	<1	<1	2	6	8	8	13
TOTAL 0-19 YRS	8	2.6	3	<1	<1	2	4	5	5	5
20-34	25	4.4	12	<1	<1	4	7	9	11	13
35-49	48	3.5	9	<1	<1	2	6	8	8	14
50-64	33	3.5	7	<1	<1	2	6	7	8	10
65+	14	3.0	3	<1	1	3	4	6	6	6
GRAND TOTAL	**128**	**3.6**	**8**	**<1**	**<1**	**2**	**6**	**8**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.8	3	<1	<1	2	5	5	5	5
20-34	20	5.0	63	<1	1	2	4	14	27	33
35-49	15	2.2	1	<1	1	2	3	3	4	4
50-64	7	2.9	2	<1	<1	3	3	5	6	6
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	11	2.9	3	<1	<1	3	4	5	6	6
35-49	9	5.1	9	2	2	5	7	10	11	11
50-64	15	6.4	42	<1	2	4	8	13	23	26
65+	14	6.8	21	3	3	5	8	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	51	3.4	27	<1	<1	2	3	5	6	33
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	57	4.9	21	<1	1	3	5	11	14	25
1. SINGLE DX	51	3.4	27	<1	<1	2	3	5	6	33
2. MULTIPLE DX	57	4.9	21	<1	1	3	5	11	14	25
A. NOT OPERATED										
B. OPERATED	108	4.2	24	<1	1	3	5	8	13	29
TOTAL 0-19 YRS	14	2.1	2	<1	<1	2	3	5	5	5
20-34	31	4.2	42	<1	1	3	4	6	20	33
35-49	24	3.3	6	<1	1	3	4	7	9	11
50-64	22	5.3	32	<1	1	3	5	12	18	26
65+	17	5.8	22	<1	1	5	7	14	17	18
GRAND TOTAL	**108**	**4.2**	**24**	**<1**	**1**	**3**	**5**	**8**	**13**	**29**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	19	4.7	18	<1	1	3	8	12	14	14
50-64	38	3.7	16	<1	<1	3	3	9	11	22
65+	31	3.7	11	<1	1	3	4	8	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3	12.7	226	3	3	5	24	30	30	30
20-34	11	4.4	19	<1	<1	2	8	11	12	12
35-49	15	3.9	10	<1	<1	3	5	10	11	11
50-64	52	4.2	16	<1	1	3	5	11	14	16
65+	101	5.6	25	2	2	3	8	12	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	98	3.7	14	<1	<1	3	4	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	182	5.1	24	<1	1	3	7	11	14	28
1. SINGLE DX	100	3.7	13	<1	<1	3	4	9	12	18
2. MULTIPLE DX	183	5.1	24	1	1	3	7	11	14	28
A. NOT OPERATED	3	2.7		2	2	3	3	3	3	3
B. OPERATED	280	4.6	21	<1	1	3	6	11	14	25
TOTAL 0-19 YRS	3	12.7	226	3	3	5	24	30	30	30
20-34	21	3.0	12	<1	<1	1	3	9	11	12
35-49	35	4.3	14	<1	<1	3	5	10	12	14
50-64	92	4.0	15	<1	1	3	5	9	12	20
65+	132	5.1	22	1	2	3	6	11	14	27
GRAND TOTAL	**283**	**4.6**	**21**	**<1**	**1**	**3**	**6**	**11**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.7	1	<1	<1	1	2	3	4	4
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	6	12.2	646	<1	<1	2	4	58	64	64
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	7.3	86	1	1	3	14	18	18	18
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	4.0	18	1	1	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	29	3.9	135	<1	<1	2	2	4	7	64
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	9	4.6	31	1	1	3	6	14	18	18
1. SINGLE DX	32	3.6	122	<1	<1	1	2	3	4	64
2. MULTIPLE DX	10	5.1	30	1	1	3	7	14	18	18
A. NOT OPERATED	4	3.3	20	1	1	1	6	10	10	10
B. OPERATED	38	4.0	109	<1	<1	2	3	5	14	64
TOTAL 0-19 YRS	20	1.6	1	<1	<1	1	2	3	3	4
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	9	10.6	431	<1	<1	2	7	46	64	64
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	3	6.0	21	1	1	7	9	10	10	10
GRAND TOTAL	**42**	**4.0**	**99**	**<1**	**<1**	**2**	**3**	**6**	**13**	**64**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	6	2.0		1	1	2	2	3	3	3
50-64	10	3.5	8	<1	<1	3	5	8	10	10
65+	13	12.6	385	<1	<1	6	12	35	67	74
B. *Operated*										
0-19 YRS	11	11.4	92	3	4	9	13	24	37	38
20-34	39	12.0	106	1	2	10	16	23	33	51
35-49	62	11.7	33	2	4	11	14	21	22	26
50-64	63	10.8	46	1	2	11	14	19	24	31
65+	45	15.9	182	2	4	15	18	26	31	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	5	7	7	7	10	11	11	11
20-34	7	7.0	34	2	2	6	8	17	19	19
35-49	15	6.1	17	3	3	5	8	13	15	16
50-64	23	8.5	63	1	2	6	11	19	26	36
65+	121	14.5	263	2	3	9	16	38	61	99+
B. *Operated*										
0-19 YRS	13	12.2	49	2	2	11	16	23	25	25
20-34	37	20.7	308	2	4	16	29	54	91	99+
35-49	73	18.0	226	3	5	14	22	40	67	99+
50-64	156	21.0	235	3	7	17	27	53	72	99+
65+	201	23.9	319	4	6	20	33	53	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	7.3	185	<1	1	3	6	13	25	74
B. *Operated*	220	12.3	85	2	2	11	15	21	26	43
2. MULTIPLE DX										
A. *Not Operated*	169	12.6	209	2	3	8	14	31	54	97
B. *Operated*	480	21.5	274	3	6	17	29	52	73	99+
1. SINGLE DX	250	11.7	99	1	2	11	15	21	26	51
2. MULTIPLE DX	649	19.2	273	3	4	15	26	47	65	99+
A. NOT OPERATED	199	11.8	208	1	2	7	13	29	51	94
B. OPERATED	700	18.6	233	2	5	15	24	40	60	99+
TOTAL 0-19 YRS	28	11.3	58	2	3	10	14	21	26	38
20-34	83	15.5	211	2	2	13	19	41	54	99+
35-49	156	13.7	141	2	3	12	16	27	38	99
50-64	252	16.6	196	2	3	14	21	37	57	99+
65+	380	19.6	306	3	4	14	27	45	64	99+
GRAND TOTAL	**899**	**17.1**	**235**	**2**	**3**	**13**	**22**	**38**	**59**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	18	3.4	1	2	3	3	4	5	5	5
20-34	192	3.6	1	2	2	4	4	5	6	7
35-49	284	3.9	2	2	3	4	5	5	6	8
50-64	184	4.1	2	2	3	4	5	5	6	11
65+	70	4.8	4	3	3	4	6	7	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	5	7.4	12	3	3	8	10	12	12	12
B. *Operated*										
0-19 YRS	6	5.2	9	3	3	4	5	10	11	11
20-34	65	4.1	2	2	3	4	5	5	6	11
35-49	122	4.9	9	2	3	4	5	8	9	21
50-64	142	5.5	8	3	3	5	6	9	11	17
65+	96	8.8	173	2	3	5	8	18	28	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	3	3	3	4	6	7	7	7
B. *Operated*	748	3.9	2	2	3	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	10	5.6	12	1	1	5	8	10	12	12
B. *Operated*	431	5.9	47	2	3	4	6	9	14	30
1. SINGLE DX	754	3.9	2	2	3	4	5	5	6	9
2. MULTIPLE DX	441	5.9	46	2	3	4	6	9	13	30
A. NOT OPERATED	16	5.1	9	1	2	4	7	9	11	12
B. OPERATED	1179	4.6	19	2	3	4	5	6	9	19
TOTAL 0-19 YRS	24	3.8	3	2	3	3	4	5	7	11
20-34	261	3.7	2	2	2	4	4	5	6	8
35-49	408	4.2	4	2	3	4	5	6	7	11
50-64	330	4.7	5	3	3	4	5	7	10	14
65+	172	7.1	102	3	3	5	6	12	19	65
GRAND TOTAL	**1195**	**4.7**	**19**	**2**	**3**	**4**	**5**	**6**	**9**	**19**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	21	10.2	106	3	4	8	10	14	32	53
35-49	31	8.4	26	3	3	7	10	16	18	25
50-64	32	8.7	35	3	3	7	10	14	24	29
65+	22	8.4	79	3	3	5	9	16	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	6.4	12	1	2	5	10	11	11	11
35-49	10	6.7	35	2	2	4	8	16	22	22
50-64	26	4.8	10	1	1	4	7	9	10	12
65+	24	10.3	88	2	3	7	11	28	33	40
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	32	8.8	11	4	5	9	11	13	14	15
35-49	54	11.8	215	3	4	8	12	21	32	96
50-64	119	11.6	154	3	4	8	12	21	31	71
65+	84	15.4	279	3	4	9	18	31	56	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	3	1	1	3	4	5	5	5
B. *Operated*	108	8.8	53	3	3	7	10	15	25	45
2. MULTIPLE DX										
A. *Not Operated*	70	7.1	45	1	2	5	9	12	22	38
B. *Operated*	291	12.4	187	3	4	9	13	23	34	76
1. SINGLE DX	113	8.5	53	3	3	7	10	14	24	45
2. MULTIPLE DX	361	11.4	164	3	3	8	12	22	31	72
A. NOT OPERATED	75	6.8	43	1	2	5	8	12	20	37
B. OPERATED	399	11.4	153	3	4	8	12	21	31	71
TOTAL 0-19 YRS	5	6.2	14	2	2	5	9	11	11	11
20-34	65	8.7	43	3	3	8	10	13	14	47
35-49	96	10.1	135	3	3	7	11	20	25	75
50-64	178	10.0	116	2	3	7	10	18	25	69
65+	130	13.2	217	3	3	8	14	28	49	80
GRAND TOTAL	**474**	**10.7**	**139**	**3**	**3**	**8**	**11**	**20**	**30**	**70**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.8		2	2	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	9	3.9	8	1	1	3	7	8	8	8
20-34	582	3.2	6	<1	1	2	5	6	7	9
35-49	363	4.1	6	1	1	3	6	7	9	11
50-64	84	4.3	7	<1	1	4	7	8	9	11
65+	28	4.6	20	1	1	3	7	9	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	1.4	1	<1	<1	<1	1	3	4	4
35-49	9	1.7	2	<1	<1	1	2	4	5	5
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	402	4.3	9	1	1	3	6	8	10	14
35-49	387	6.0	14	1	2	6	8	10	11	16
50-64	104	6.7	28	1	1	7	8	13	16	30
65+	78	7.1	44	2	2	6	9	11	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8		2	2	3	3	3	3	3
B. *Operated*	1066	3.6	7	<1	1	3	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	30	1.7	1	<1	<1	1	2	4	5	5
B. *Operated*	977	5.4	17	1	1	5	7	10	11	17
1. SINGLE DX	1070	3.6	7	<1	1	3	6	7	8	11
2. MULTIPLE DX	1007	5.3	17	1	1	5	7	9	11	17
A. NOT OPERATED	34	1.8	1	<1	<1	1	2	3	5	5
B. OPERATED	2043	4.5	12	1	1	3	6	8	10	15
TOTAL 0-19 YRS	15	3.3	6	1	1	2	5	7	8	8
20-34	996	3.6	7	<1	1	3	5	7	8	12
35-49	759	5.0	11	1	1	5	7	9	10	13
50-64	198	5.5	20	1	1	5	7	10	14	25
65+	109	6.3	38	1	2	5	9	11	15	37
GRAND TOTAL	**2077**	**4.4**	**12**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.0	3	2	2	5	5	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	3.5	4	2	2	3	6	6	6	6
20-34	21	2.4	3	<1	<1	2	3	6	6	7
35-49	46	4.2	11	1	1	3	6	8	11	16
50-64	102	4.5	28	<1	1	2	6	10	13	30
65+	111	5.0	39	1	1	3	6	10	14	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64	5	4.0	2	2	2	5	5	5	5	5
65+	15	6.7	36	1	1	4	10	17	20	21
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	22	7.6	187	<1	1	4	7	14	37	66
35-49	93	5.2	10	1	2	6	7	9	10	14
50-64	201	6.7	57	1	2	4	9	13	19	36
65+	344	9.1	101	1	2	6	12	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	2	2	2	4	5	5	5	5
B. *Operated*	286	4.5	27	<1	1	3	6	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	23	5.9	26	1	1	5	8	12	18	21
B. *Operated*	661	7.8	79	1	2	5	10	16	24	47
1. SINGLE DX	291	4.5	27	<1	1	3	6	9	13	30
2. MULTIPLE DX	684	7.7	78	1	2	5	9	16	23	45
A. NOT OPERATED	28	5.5	22	1	1	4	6	11	17	21
B. OPERATED	947	6.8	66	1	1	4	8	14	22	39
TOTAL 0-19 YRS	7	4.1	6	2	2	3	6	8	8	8
20-34	45	5.0	98	<1	<1	2	5	8	14	66
35-49	140	4.9	10	1	1	5	7	9	10	15
50-64	311	5.9	47	1	1	3	8	13	17	32
65+	472	8.1	87	1	1	5	10	18	26	48
GRAND TOTAL	**975**	**6.7**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**38**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.5	4	<1	<1	1	4	6	7	9
20-34	40	4.2	9	<1	1	3	6	9	10	12
35-49	42	3.6	8	<1	1	3	5	7	9	12
50-64	70	4.7	16	<1	<1	4	7	11	12	17
65+	79	7.1	89	1	1	5	9	13	16	59
B. *Operated*										
0-19 YRS	139	4.7	28	<1	1	2	6	11	15	24
20-34	199	3.8	10	<1	1	3	5	7	8	20
35-49	268	3.9	15	<1	1	2	5	9	10	20
50-64	362	4.2	24	1	1	2	5	9	12	30
65+	383	4.5	24	<1	1	3	5	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.1	111	1	1	3	5	11	20	99+
20-34	38	4.0	28	<1	<1	2	4	8	16	27
35-49	88	5.4	31	<1	<1	4	6	14	19	25
50-64	200	6.1	43	<1	1	4	8	13	20	30
65+	570	8.1	72	1	1	6	10	18	25	55
B. *Operated*										
0-19 YRS	82	7.7	50	1	1	5	10	19	22	32
20-34	148	8.2	126	1	1	6	8	15	23	84
35-49	263	7.7	66	1	2	6	9	16	23	66
50-64	524	8.2	63	1	2	6	11	17	24	38
65+	1061	11.0	136	2	2	8	14	25	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.8	35	<1	1	3	7	9	12	25
B. *Operated*	1351	4.2	20	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	944	7.1	64	1	1	5	9	16	22	51
B. *Operated*	2078	9.5	106	1	2	6	12	21	29	59
1. SINGLE DX	1626	4.3	23	<1	1	3	5	9	12	23
2. MULTIPLE DX	3022	8.8	94	1	2	6	11	19	27	56
A. NOT OPERATED	1219	6.6	58	<1	1	4	8	15	20	50
B. OPERATED	3429	7.4	79	1	1	4	10	16	24	48
TOTAL 0-19 YRS	313	5.2	45	<1	1	3	6	12	19	34
20-34	425	5.4	56	<1	1	4	6	9	15	28
35-49	661	5.6	40	<1	1	4	7	12	17	35
50-64	1156	6.4	48	1	1	4	8	14	19	35
65+	2093	8.9	102	1	2	6	11	19	28	58
GRAND TOTAL	**4648**	**7.2**	**74**	**1**	**1**	**4**	**9**	**16**	**23**	**48**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	5	7.0	15	3	3	5	10	12	12	12
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	14	3.8	1	2	3	4	4	5	5	5
20-34	99	3.9	2	2	3	4	5	5	6	10
35-49	201	4.3	3	2	3	4	5	6	7	10
50-64	159	4.5	3	2	3	4	5	6	8	12
65+	72	4.8	5	2	3	5	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	15	3.1	5	<1	<1	3	5	7	7	7
50-64	18	6.6	46	1	1	4	8	17	23	26
65+	50	7.2	49	<1	1	5	9	14	22	42
B. *Operated*										
0-19 YRS	7	5.3	6	3	3	5	7	9	9	9
20-34	32	4.3	17	2	2	4	5	5	5	26
35-49	89	5.5	10	3	3	5	6	9	11	21
50-64	160	5.9	17	3	3	5	6	10	15	23
65+	143	7.7	31	3	3	6	9	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.7	10	2	3	5	7	11	12	12
B. *Operated*	545	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	88	6.0	41	<1	1	4	7	12	19	36
B. *Operated*	431	6.3	21	3	3	5	7	11	16	25
1. SINGLE DX	557	4.4	3	2	3	4	5	6	7	12
2. MULTIPLE DX	519	6.3	24	2	3	5	7	11	18	25
A. NOT OPERATED	100	6.0	37	<1	1	4	7	12	18	34
B. OPERATED	976	5.2	12	2	3	4	5	8	11	22
TOTAL 0-19 YRS	21	4.3	3	2	3	4	5	7	8	9
20-34	138	3.9	5	2	2	4	5	5	6	13
35-49	309	4.6	5	2	3	4	5	6	8	15
50-64	342	5.3	12	2	3	4	5	9	11	23
65+	266	6.8	28	2	3	5	8	13	19	25
GRAND TOTAL	**1076**	**5.3**	**14**	**2**	**3**	**4**	**5**	**9**	**12**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.3	8	1	1	4	6	9	11	11
20-34	63	4.8	13	1	1	4	6	10	12	20
35-49	54	5.5	21	1	2	4	7	10	11	29
50-64	33	4.9	8	2	2	4	7	9	10	13
65+	27	7.3	73	2	2	5	8	10	29	43
B. *Operated*										
0-19 YRS	17	5.5	17	1	2	5	6	9	15	19
20-34	114	4.8	5	3	3	4	5	7	8	16
35-49	75	5.0	10	2	3	4	5	8	11	21
50-64	70	4.4	4	2	3	4	5	6	8	12
65+	21	3.7	3	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.4	27	1	2	5	8	12	15	28
20-34	85	5.8	20	1	2	5	7	11	13	27
35-49	115	7.3	31	2	2	6	9	13	18	30
50-64	188	8.8	33	2	3	7	12	17	20	25
65+	400	12.4	136	3	3	10	16	25	36	99+
B. *Operated*										
0-19 YRS	11	7.6	69	<1	1	5	6	23	27	27
20-34	53	6.9	30	3	3	5	8	13	21	28
35-49	66	8.5	80	2	3	5	9	19	26	53
50-64	74	8.3	49	2	3	6	10	20	24	84
65+	99	12.1	101	3	4	10	15	26	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	5.3	22	1	2	4	6	10	11	28
B. *Operated*	297	4.7	6	2	3	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	821	9.9	88	2	3	8	13	19	26	84
B. *Operated*	303	9.3	73	3	3	6	12	21	29	77
1. SINGLE DX	502	4.9	13	1	2	4	6	8	10	20
2. MULTIPLE DX	1124	9.7	84	2	3	7	12	20	27	84
A. NOT OPERATED	1026	9.0	78	2	2	7	11	18	24	61
B. OPERATED	600	7.0	45	2	3	5	7	14	21	45
TOTAL 0-19 YRS	89	5.7	24	1	2	5	7	10	15	28
20-34	315	5.4	15	2	2	4	6	9	13	23
35-49	310	6.7	36	2	2	5	8	12	18	32
50-64	365	7.5	31	2	3	6	9	16	20	29
65+	547	11.7	125	2	3	9	15	24	35	99+
GRAND TOTAL	**1626**	**8.3**	**67**	**2**	**3**	**6**	**10**	**17**	**23**	**56**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	119	7.2	74	2	3	5	8	11	15	49
20-34	31	5.3	4	3	3	5	7	8	9	10
35-49	25	6.5	14	2	2	6	10	11	13	17
50-64	33	5.8	13	2	2	4	8	10	15	16
65+	20	6.3	22	1	2	6	8	12	17	21
B. ***Operated***										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	10.8	81	2	2	11	18	19	19	19
65+	4	4.8	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	72	4.9	16	1	1	4	7	12	23	99+
20-34	71	6.7	29	1	2	6	8	10	11	38
35-49	107	7.1	26	1	3	6	9	12	15	30
50-64	222	8.1	29	2	3	7	10	14	18	32
65+	309	9.9	82	3	4	8	12	18	27	86
B. ***Operated***										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	6	12.8	171	1	1	7	22	34	35	35
35-49	12	13.7	103	1	4	12	21	29	31	31
50-64	28	15.3	201	3	4	9	20	30	49	63
65+	56	16.8	181	3	5	15	23	37	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	228	6.6	45	2	3	5	8	10	13	31
B. ***Operated***	10	7.0	41	1	1	5	8	18	19	19
2. MULTIPLE DX										
A. ***Not Operated***	781	8.3	51	2	3	7	10	15	20	72
B. ***Operated***	103	16.0	178	3	4	13	23	33	49	99+
1. SINGLE DX	238	6.6	44	2	2	5	8	10	15	31
2. MULTIPLE DX	884	9.2	71	2	3	7	11	18	26	79
A. NOT OPERATED	1009	7.9	50	2	3	6	10	14	18	52
B. OPERATED	113	15.2	172	2	4	12	22	31	47	99+
TOTAL 0-19 YRS	193	6.5	58	1	2	5	7	12	16	99+
20-34	108	6.6	31	2	3	5	8	10	12	38
35-49	145	7.5	33	1	2	6	9	13	17	31
50-64	287	8.5	49	2	3	7	11	16	19	37
65+	389	10.7	99	3	4	8	13	21	30	99+
GRAND TOTAL	**1122**	**8.6**	**67**	**2**	**3**	**6**	**10**	**16**	**24**	**77**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	580	4.4	10	1	1	4	6	9	10	15
20-34	360	4.6	9	1	2	4	6	8	11	16
35-49	140	6.5	14	2	2	6	9	12	14	18
50-64	101	6.5	13	2	2	6	8	10	12	21
65+	55	6.4	16	2	2	6	8	11	13	23
B. ***Operated***										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	8.6	98	2	2	6	11	26	26	26
35-49	1	32.0		32	32	32	32	32	32	32
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	443	5.7	37	1	2	4	7	11	14	28
20-34	666	6.8	49	2	2	5	8	12	17	37
35-49	413	8.6	50	2	3	7	11	18	22	35
50-64	476	10.3	59	3	4	9	13	18	23	39
65+	753	13.0	104	3	4	11	16	24	32	77
B. ***Operated***										
0-19 YRS	16	11.1	153	1	3	8	11	22	44	53
20-34	60	12.8	94	3	4	9	20	28	35	94
35-49	50	16.1	151	5	6	15	21	34	97	99+
50-64	73	22.3	288	7	8	16	34	50	87	99+
65+	125	26.9	360	8	10	20	38	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	1236	5.0	11	1	2	4	7	9	11	16
B. ***Operated***	8	13.4	128	2	2	9	23	30	32	32
2. MULTIPLE DX										
A. ***Not Operated***	2751	9.2	72	2	2	7	11	18	24	45
B. ***Operated***	324	20.8	285	5	6	16	27	52	76	99+
1. SINGLE DX	1244	5.0	12	1	2	4	7	9	11	17
2. MULTIPLE DX	3075	10.4	107	2	3	8	13	21	29	67
A. NOT OPERATED	3987	7.9	57	2	2	6	10	16	21	39
B. OPERATED	332	20.6	282	5	6	16	27	51	72	99+
TOTAL 0-19 YRS	1040	5.1	24	1	2	4	6	9	12	22
20-34	1091	6.4	42	2	2	5	7	12	17	35
35-49	604	8.8	56	2	3	7	11	18	23	41
50-64	650	11.1	95	3	3	9	13	21	28	67
65+	934	14.5	159	3	4	11	17	28	44	95
GRAND TOTAL	**4319**	**8.9**	**86**	**2**	**2**	**6**	**11**	**18**	**25**	**57**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	5.9	13	1	2	5	7	10	13	20
20-34	425	6.1	18	1	2	5	8	11	13	18
35-49	477	6.3	17	2	3	5	8	11	14	21
50-64	675	6.6	23	2	3	6	8	11	14	18
65+	580	8.2	41	2	3	7	10	14	18	31
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	28	5.6	64	1	2	3	6	13	18	42
35-49	36	5.9	89	1	2	2	5	16	25	50
50-64	122	5.9	72	1	2	3	6	13	25	52
65+	127	5.7	64	1	1	2	5	16	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	6.3	44	1	2	5	8	12	17	44
20-34	976	7.2	39	2	2	6	9	13	16	30
35-49	2133	8.2	45	2	3	7	10	14	18	36
50-64	4949	8.7	39	3	3	7	11	15	20	32
65+	7410	10.4	79	3	4	8	12	19	26	61
B. *Operated*										
0-19 YRS	18	6.4	58	1	2	5	7	9	25	35
20-34	214	11.5	134	2	2	8	15	25	38	99+
35-49	698	17.4	244	2	3	13	22	39	53	84
50-64	1915	19.6	313	2	3	14	26	47	64	99+
65+	2822	22.0	333	2	4	17	31	53	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2565	6.7	24	2	3	6	8	11	14	23
B. *Operated*	317	5.7	68	1	2	2	6	15	24	50
2. MULTIPLE DX										
A. *Not Operated*	15764	9.3	60	2	3	7	11	17	22	46
B. *Operated*	5667	20.2	313	2	4	15	28	48	67	99+
1. SINGLE DX	2882	6.6	29	2	2	5	8	12	15	26
2. MULTIPLE DX	21431	12.2	150	2	3	8	14	26	39	85
A. NOT OPERATED	18329	8.9	56	2	3	7	11	16	21	44
B. OPERATED	5984	19.4	311	2	3	14	27	47	65	99+
TOTAL 0-19 YRS	726	6.1	27	1	2	5	8	11	13	26
20-34	1643	7.4	49	2	2	6	9	14	18	42
35-49	3344	9.8	99	2	3	7	11	19	28	57
50-64	7661	11.2	130	2	3	8	13	22	33	71
65+	10939	13.3	170	3	4	9	16	29	44	99+
GRAND TOTAL	**24313**	**11.5**	**139**	**2**	**3**	**8**	**13**	**24**	**37**	**82**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	10	3.0	5	1	1	2	4	7	7	7
35-49	3	9.0	147	2	2	2	18	23	23	23
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.6	4	1	1	3	5	6	7	7
20-34	114	2.7	5	<1	<1	2	4	6	7	10
35-49	8	3.6	8	<1	<1	2	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	5	2	2	4	7	7	7	7
20-34	13	5.2	26	1	1	3	7	12	18	19
35-49										
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	32	3.5	3	1	1	3	5	6	7	8
20-34	238	3.5	6	<1	<1	3	6	7	8	9
35-49	38	5.5	12	<1	<1	6	7	10	12	14
50-64	5	3.0	8	<1	<1	1	5	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	29	1	1	2	4	7	18	23
B. *Operated*	136	2.9	5	<1	<1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	21	5.3	22	1	1	3	7	12	17	19
B. *Operated*	313	3.7	7	<1	<1	3	6	7	8	11
1. SINGLE DX	152	3.0	8	<1	<1	2	5	6	7	10
2. MULTIPLE DX	334	3.8	8	<1	<1	3	6	7	8	14
A. NOT OPERATED	37	4.8	25	1	1	3	7	10	18	23
B. OPERATED	449	3.5	6	<1	<1	2	5	7	8	10
TOTAL 0-19 YRS	54	3.6	3	1	1	3	5	6	7	8
20-34	375	3.3	6	<1	<1	2	5	7	8	10
35-49	49	5.4	18	<1	<1	5	7	10	14	23
50-64	7	3.0	5	<1	<1	3	5	7	7	7
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**486**	**3.6**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.3	13	<1	<1	1	2	4	8	26
20-34	81	4.7	42	1	1	4	5	9	11	43
35-49	74	3.9	8	1	1	3	4	7	9	17
50-64	49	3.5	7	<1	1	3	4	7	8	14
65+	54	6.1	33	1	1	4	7	15	18	30
B. *Operated*										
0-19 YRS	13	5.1	15	1	1	3	8	9	13	14
20-34	20	5.6	18	<1	1	5	7	9	14	20
35-49	12	4.3	2	2	3	4	5	6	7	7
50-64	14	5.3	5	1	3	5	6	8	9	10
65+	17	10.5	48	3	4	8	15	21	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	3.5	30	<1	1	2	4	7	8	25
20-34	263	5.4	31	1	1	4	7	10	16	28
35-49	308	7.1	84	1	2	4	8	12	20	53
50-64	613	6.8	33	1	2	5	8	13	18	28
65+	1360	8.7	64	2	2	7	11	17	23	51
B. *Operated*										
0-19 YRS	14	14.5	541	2	2	5	15	46	78	87
20-34	38	9.3	77	<1	1	8	11	22	28	42
35-49	75	11.4	181	1	3	8	12	26	36	84
50-64	125	11.9	158	3	3	8	15	26	46	99+
65+	188	17.0	189	4	5	14	23	36	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	3.7	21	<1	1	2	4	7	11	23
B. *Operated*	76	6.3	23	1	2	5	8	10	19	25
2. MULTIPLE DX										
A. *Not Operated*	2782	7.3	56	1	2	5	9	15	20	48
B. *Operated*	440	13.8	186	3	4	9	18	29	45	99+
1. SINGLE DX	476	4.2	22	<1	1	3	5	8	11	25
2. MULTIPLE DX	3222	8.2	78	1	2	6	10	17	24	55
A. NOT OPERATED	3182	6.9	53	1	1	5	8	14	19	45
B. OPERATED	516	12.7	169	2	3	8	17	27	41	99+
TOTAL 0-19 YRS	407	3.5	44	<1	<1	2	4	7	9	27
20-34	402	5.6	38	1	1	4	7	11	16	32
35-49	469	7.2	90	1	2	4	8	13	20	52
50-64	801	7.4	55	1	2	5	9	15	20	41
65+	1619	9.6	84	2	2	7	12	20	27	60
GRAND TOTAL	**3698**	**7.7**	**73**	**1**	**1**	**5**	**9**	**16**	**23**	**53**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.4	27	1	1	7	12	15	17	17
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	4	6.0	12	3	3	6	9	9	9	9
65+	7	13.6	666	2	2	5	5	59	72	72
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	5	4.4	19	1	1	3	6	12	12	12
50-64										
65+	13	7.1	15	1	2	7	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	10.6	159	3	4	7	12	23	35	78
20-34	20	8.1	37	2	3	7	8	16	23	28
35-49	24	12.5	136	2	2	8	17	28	35	52
50-64	61	15.0	145	3	4	11	19	32	44	54
65+	310	13.3	133	3	4	10	17	29	38	99+
B. *Operated*										
0-19 YRS	14	13.1	109	3	3	12	16	43	86	99+
20-34	10	10.2	45	2	3	8	13	21	22	22
35-49	24	16.5	118	2	2	15	25	33	35	38
50-64	29	13.9	165	2	3	12	18	24	30	69
65+	136	16.8	190	3	4	13	25	38	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	9.0	198	1	2	5	9	14	33	72
B. *Operated*	21	6.6	15	1	2	7	9	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	464	13.0	135	3	4	9	16	28	38	95
B. *Operated*	213	15.8	167	2	4	12	23	37	53	99+
1. SINGLE DX	45	7.8	112	1	2	6	9	12	15	72
2. MULTIPLE DX	677	13.9	146	3	4	10	18	30	43	99+
A. NOT OPERATED	488	12.8	138	3	4	9	16	28	38	90
B. OPERATED	234	15.0	160	2	3	11	21	36	51	99+
TOTAL 0-19 YRS	74	10.7	130	2	4	7	13	25	37	94
20-34	33	8.7	36	2	4	7	10	19	22	28
35-49	55	13.1	125	2	2	10	19	30	34	51
50-64	94	14.2	147	2	4	11	18	26	43	63
65+	466	14.2	157	3	4	10	18	34	48	99+
GRAND TOTAL	**722**	**13.5**	**146**	**2**	**4**	**10**	**17**	**30**	**42**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	12.9	51	3	5	13	15	20	23	49
20-34	87	13.3	39	2	7	12	16	23	26	32
35-49	3	8.0	16	4	4	8	11	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	20.5	613	3	3	20	38	38	38	38
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	13.6	96	2	4	12	17	26	32	45
20-34	158	12.6	45	4	4	13	15	19	25	36
35-49	10	11.4	55	2	2	11	18	20	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	23	20.7	197	5	6	15	35	43	47	48
20-34	19	24.9	217	9	12	20	25	53	54	54
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	13.0	46	3	5	13	15	21	24	38
B. *Operated*	4	11.0	325	1	1	2	20	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	400	13.1	75	3	4	12	16	22	29	43
B. *Operated*	42	22.6	206	6	7	18	35	47	53	54
1. SINGLE DX	233	13.0	49	2	5	13	15	21	25	40
2. MULTIPLE DX	442	14.0	95	3	4	13	17	25	33	48
A. NOT OPERATED	629	13.1	64	3	4	12	16	21	27	43
B. OPERATED	46	21.6	220	3	5	17	35	46	53	54
TOTAL 0-19 YRS	395	13.7	89	2	4	13	16	24	32	48
20-34	266	13.7	66	4	5	13	16	22	28	52
35-49	14	10.0	48	2	2	9	17	20	21	21
50-64										
65+										
GRAND TOTAL	**675**	**13.7**	**79**	**3**	**4**	**13**	**16**	**23**	**31**	**48**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.2	151	1	1	4	24	68	99+	99+
20-34	5	5.2	6	1	1	6	6	7	7	7
35-49	3	5.0	12	1	1	7	7	7	7	7
50-54	2	6.5	61	<1	<1	6	12	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	11	7.6	6	5	5	7	9	11	14	14
20-34	117	7.1	3	5	5	7	8	9	10	12
35-49	110	7.3	5	5	5	7	9	10	11	15
50-64	10	7.7	6	5	5	7	8	11	14	14
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	31.1	882	1	3	23	57	85	93	99+
20-34	26	3.2	7	<1	<1	2	5	7	9	9
35-49	45	7.2	67	<1	<1	5	10	14	21	44
50-64	14	6.0	29	1	1	5	7	16	17	17
65+	5	7.0	7	3	3	7	8	10	10	10
B. *Operated*										
0-19 YRS	6	7.8	10	5	5	7	12	83	99+	99+
20-34	206	8.8	46	5	5	7	9	12	16	40
35-49	314	9.0	33	5	5	8	9	12	17	35
50-64	72	9.4	40	4	5	8	10	13	23	42
65+	2	8.0	8	6	6	10	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	7.0	74	<1	1	6	7	29	65	99+
B. *Operated*	249	7.3	4	5	5	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	122	12.5	382	<1	1	5	11	42	71	95
B. *Operated*	600	9.0	38	5	5	8	9	13	18	46
1. SINGLE DX	269	7.2	9	4	5	7	8	10	11	23
2. MULTIPLE DX	722	9.5	97	2	5	7	10	14	24	76
A. NOT OPERATED	142	11.7	341	<1	1	6	11	37	71	99+
B. OPERATED	849	8.5	28	5	5	7	9	11	15	33
TOTAL 0-19 YRS	58	20.8	634	1	2	8	36	79	96	99+
20-34	354	7.7	31	3	5	7	9	10	13	31
35-49	472	8.4	30	4	5	7	9	12	16	33
50-64	98	8.7	36	2	4	7	10	13	19	38
65+	9	7.1	8	3	3	8	10	55	99+	99+
GRAND TOTAL	**991**	**8.9**	**74**	**3**	**5**	**7**	**9**	**12**	**19**	**73**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.0	7	<1	<1	1	2	3	6	12
20-34	93	4.3	42	<1	<1	1	4	11	19	31
35-49	44	8.7	101	1	2	5	9	23	31	46
50-64	19	4.6	10	1	1	4	5	9	12	13
65+	24	5.9	16	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	27	7.4	190	1	1	4	5	18	30	71
20-34	71	3.0	8	1	1	2	4	6	9	15
35-49	106	3.8	29	<1	1	2	4	8	12	31
50-64	57	4.2	18	<1	<1	3	6	8	16	20
65+	25	2.8	5	<1	<1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	5.4	65	<1	1	3	6	11	16	51
20-34	154	9.2	129	1	2	5	11	21	35	71
35-49	212	7.9	83	<1	1	5	9	19	25	58
50-64	201	8.3	46	2	3	7	10	16	20	37
65+	318	10.2	116	2	2	7	12	19	28	62
B. *Operated*										
0-19 YRS	46	12.7	199	1	2	8	21	28	31	81
20-34	160	19.2	356	1	2	14	25	54	65	97
35-49	200	17.4	341	1	2	10	24	44	63	96
50-64	154	10.3	146	1	2	6	13	27	42	98
65+	144	16.4	210	2	3	12	23	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.6	30	<1	<1	1	4	8	12	30
B. *Operated*	286	3.9	35	<1	1	2	4	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	1055	8.4	92	1	1	6	10	17	25	56
B. *Operated*	704	15.8	275	1	2	10	22	40	56	99+
1. SINGLE DX	701	3.7	32	<1	<1	2	4	8	12	30
2. MULTIPLE DX	1759	11.4	178	1	2	7	14	27	42	78
A. NOT OPERATED	1470	7.1	79	<1	<1	4	9	16	23	51
B. OPERATED	990	12.3	234	1	1	6	16	34	49	90
TOTAL 0-19 YRS	478	4.5	66	<1	<1	2	4	10	17	36
20-34	478	10.7	211	<1	<1	5	13	28	49	78
35-49	562	10.5	194	<1	1	5	14	29	42	80
50-64	431	8.3	80	1	2	6	10	18	26	53
65+	511	11.4	145	2	2	8	14	25	37	71
GRAND TOTAL	**2460**	**9.2**	**148**	**<1**	**1**	**5**	**11**	**23**	**35**	**72**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	4.9	12	1	1	3	8	10	10	10
35-49	24	4.3	5	1	2	4	6	7	9	9
50-64	29	4.8	13	1	1	4	6	11	12	13
65+	35	4.6	8	2	2	4	6	9	11	13
B. *Operated*										
0-19 YRS										
20-34	5	4.4	1	3	3	5	5	5	5	5
35-49	5	3.8	10	<1	<1	3	5	9	9	9
50-64	9	5.1	17	1	1	3	7	12	13	13
65+	10	5.9	19	2	2	4	7	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.3	18	<1	1	4	6	11	16	16
35-49	51	6.1	26	2	2	5	7	11	15	33
50-64	132	6.5	39	2	2	5	7	11	19	38
65+	351	7.5	50	2	3	6	9	13	16	42
B. *Operated*										
0-19 YRS										
20-34	5	13.6	283	<1	<1	8	22	42	42	42
35-49	14	5.8	10	2	2	6	8	10	10	10
50-64	26	11.8	91	2	2	9	15	29	32	34
65+	80	11.7	90	2	3	9	15	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	4.6	9	1	2	4	6	9	11	13
B. *Operated*	29	5.0	13	1	2	4	6	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	544	7.1	45	2	2	5	8	13	17	41
B. *Operated*	125	11.1	90	2	2	8	14	25	32	43
1. SINGLE DX	125	4.7	10	1	2	4	6	9	11	14
2. MULTIPLE DX	669	7.8	56	2	2	6	9	15	20	42
A. NOT OPERATED	640	6.7	40	2	2	5	8	12	16	39
B. OPERATED	154	10.0	81	2	2	7	12	22	29	42
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	6.6	65	<1	1	5	7	14	20	42
35-49	94	5.5	18	2	2	4	7	9	12	26
50-64	196	6.9	44	1	2	5	8	13	20	35
65+	476	7.9	57	2	2	6	10	15	20	42
GRAND TOTAL	**794**	**7.3**	**50**	**2**	**2**	**5**	**9**	**14**	**19**	**41**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.9	9	1	1	2	3	4	8	18
20-34	26	3.2	3	<1	1	3	4	6	6	6
35-49	24	5.2	15	1	2	4	7	12	13	15
50-64	28	3.2	5	<1	<1	3	4	7	8	8
65+	100	7.2	96	1	2	5	8	13	19	61
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	10.0	162	1	1	10	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	655	3.5	16	1	1	3	4	6	9	20
20-34	347	4.1	13	1	1	3	5	7	10	21
35-49	404	5.4	30	1	2	4	7	10	13	22
50-64	922	7.0	54	2	2	5	8	14	19	47
65+	4685	9.9	104	2	3	7	11	19	29	71
B. *Operated*										
0-19 YRS	16	7.9	37	1	2	7	14	20	72	99+
20-34	21	10.9	108	1	2	9	14	24	34	44
35-49	41	10.3	231	2	3	6	10	14	40	90
50-64	87	14.6	214	2	3	10	20	26	56	70
65+	497	21.8	333	4	6	17	28	57	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	4.8	47	1	1	3	6	10	13	23
B. *Operated*	4	6.8	70	1	1	3	12	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	7013	8.4	86	2	2	6	10	17	24	64
B. *Operated*	662	19.5	314	3	5	15	25	50	73	99+
1. SINGLE DX	257	4.9	47	1	1	3	6	10	13	23
2. MULTIPLE DX	7675	9.3	115	2	2	6	11	19	29	76
A. NOT OPERATED	7266	8.2	85	2	2	6	10	16	24	63
B. OPERATED	666	19.4	314	3	4	15	24	49	73	99+
TOTAL 0-19 YRS	747	3.5	16	1	1	3	4	6	9	21
20-34	394	4.4	20	1	1	3	5	8	11	25
35-49	470	5.8	48	1	2	4	7	11	14	31
50-64	1037	7.6	70	2	2	5	9	15	21	55
65+	5284	11.0	138	2	3	8	13	22	36	90
GRAND TOTAL	**7932**	**9.2**	**114**	**2**	**2**	**6**	**11**	**19**	**29**	**75**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.3	12	<1	1	4	5	10	13	14
20-34	14	2.8	2	1	1	3	4	5	5	5
35-49	31	5.0	32	1	1	3	6	11	17	27
50-64	22	4.7	10	1	2	4	6	8	11	15
65+	95	5.0	67	<1	1	4	6	8	11	51
B. *Operated*										
0-19 YRS	8	3.9	10	1	1	3	5	9	10	10
20-34	5	6.4	4	3	3	7	8	8	8	8
35-49	10	6.1	9	2	3	6	7	10	13	13
50-64	10	5.6	18	1	1	5	7	12	15	15
65+	26	7.3	33	1	2	6	8	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.8	10	<1	1	4	7	9	11	97
20-34	83	4.9	13	1	2	4	7	10	13	19
35-49	148	5.6	20	1	1	4	7	11	15	22
50-64	254	6.5	24	1	2	5	9	13	16	25
65+	1606	8.0	71	1	2	6	10	15	20	50
B. *Operated*										
0-19 YRS	7	8.3	53	2	2	6	11	21	23	23
20-34	31	8.7	54	2	3	6	12	18	23	36
35-49	89	7.4	24	2	2	7	10	14	16	27
50-64	122	10.3	78	2	3	9	12	17	29	47
65+	624	12.7	113	3	5	10	15	23	37	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.7	42	<1	1	3	6	8	11	23
B. *Operated*	59	6.3	21	1	2	6	8	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	2143	7.5	59	1	2	6	9	14	18	42
B. *Operated*	873	11.6	99	3	4	9	14	21	32	69
1. SINGLE DX	250	5.1	37	<1	1	4	6	9	13	27
2. MULTIPLE DX	3016	8.7	74	1	2	7	11	16	22	51
A. NOT OPERATED	2334	7.3	58	1	2	6	9	14	18	40
B. OPERATED	932	11.3	96	2	3	9	13	20	31	67
TOTAL 0-19 YRS	96	4.8	14	<1	1	4	7	10	13	64
20-34	133	5.6	24	1	2	4	7	12	14	25
35-49	278	6.1	23	1	1	5	8	12	16	22
50-64	408	7.5	43	1	2	6	10	14	17	37
65+	2351	9.1	86	1	2	7	11	17	24	58
GRAND TOTAL	**3266**	**8.4**	**72**	**1**	**2**	**7**	**10**	**16**	**21**	**51**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	4.6	9	1	1	4	6	9	10	15
20-34	472	5.7	18	1	2	5	7	10	13	18
35-49	105	6.9	29	2	2	6	8	13	16	31
50-64	14	6.4	11	1	3	6	7	12	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	10.8	29	4	4	11	16	17	17	17
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	6.8	35	1	2	5	9	13	16	30
20-34	377	8.0	32	2	3	6	10	15	18	31
35-49	158	10.3	54	3	4	8	13	20	26	34
50-64	28	10.1	68	3	4	9	12	17	20	47
65+	4	11.8	14	9	9	11	14	17	17	17
B. *Operated*										
0-19 YRS	10	12.3	90	1	2	11	21	26	29	29
20-34	31	13.5	92	3	4	11	20	29	42	99+
35-49	16	14.6	193	2	5	12	17	21	50	62
50-64	7	18.3	68	6	6	21	24	26	26	26
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	5.4	16	1	2	5	7	10	12	18
B. *Operated*	10	9.6	50	1	1	8	16	19	22	22
2. MULTIPLE DX										
A. *Not Operated*	887	8.1	40	2	3	7	10	15	18	32
B. *Operated*	65	14.2	111	3	4	11	21	28	33	94
1. SINGLE DX	1026	5.4	16	1	2	5	7	10	12	18
2. MULTIPLE DX	952	8.5	47	2	3	7	11	16	21	34
A. NOT OPERATED	1903	6.6	29	1	2	5	8	12	16	30
B. OPERATED	75	13.6	105	2	3	11	21	27	30	90
TOTAL 0-19 YRS	756	5.6	23	1	2	4	7	11	14	21
20-34	886	7.0	29	2	2	6	9	13	17	31
35-49	281	9.3	56	2	3	7	12	18	23	37
50-64	49	10.2	64	3	4	8	12	21	24	47
65+	6	11.7	45	2	3	11	17	21	21	21
GRAND TOTAL	**1978**	**6.9**	**33**	**1**	**2**	**5**	**9**	**13**	**17**	**31**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.0	6	<1	<1	1	2	5	6	14
20-34	48	3.3	11	<1	<1	2	4	8	12	14
35-49	52	3.8	11	1	1	3	5	9	11	15
50-64	52	3.8	14	<1	<1	3	5	8	12	20
65+	293	3.7	14	<1	1	2	4	8	11	20
B. *Operated*										
0-19 YRS	38	6.7	120	1	1	5	7	9	16	69
20-34	18	8.5	48	1	2	7	8	18	26	30
35-49	20	12.7	168	2	3	8	16	30	42	54
50-64	40	9.3	37	1	2	8	11	19	23	26
65+	62	8.7	49	2	3	7	12	16	20	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	3.2	13	<1	<1	1	4	8	11	17
20-34	149	4.9	46	<1	1	2	6	12	18	32
35-49	283	5.1	25	1	1	3	7	11	15	24
50-64	670	5.7	37	1	1	4	8	13	16	28
65+	2947	7.4	86	1	1	5	9	15	21	53
B. *Operated*										
0-19 YRS	43	7.9	100	1	2	4	8	19	29	53
20-34	55	14.1	219	2	2	10	16	25	45	75
35-49	115	11.4	91	2	3	9	14	21	34	49
50-64	283	11.7	121	2	3	10	16	22	31	72
65+	1051	14.1	157	3	4	11	17	28	40	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	3.1	11	<1	<1	2	4	7	10	18
B. *Operated*	178	8.8	76	1	2	7	11	18	23	52
2. MULTIPLE DX										
A. *Not Operated*	4278	6.7	70	1	1	4	8	14	20	45
B. *Operated*	1547	13.3	148	2	4	10	16	26	39	82
1. SINGLE DX	873	4.2	30	<1	<1	2	5	10	14	23
2. MULTIPLE DX	5825	8.4	99	1	1	6	11	18	25	59
A. NOT OPERATED	4973	6.2	64	<1	1	4	8	13	19	40
B. OPERATED	1725	12.8	142	2	3	10	16	25	37	79
TOTAL 0-19 YRS	560	3.2	26	<1	<1	1	4	7	10	21
20-34	270	6.7	89	<1	1	4	8	15	24	51
35-49	470	6.8	55	1	1	4	9	15	20	42
50-64	1045	7.4	66	1	1	5	10	16	21	40
65+	4353	8.8	108	1	1	6	11	19	27	66
GRAND TOTAL	**6698**	**7.9**	**92**	**1**	**1**	**5**	**10**	**17**	**24**	**55**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	7	<1	1	3	4	7	10	12
20-34	7	3.9	8	2	2	3	4	9	10	10
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	36.0		36	36	36	36	36	36	36
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.6	28	1	1	4	5	8	11	37
20-34	10	4.7	6	1	1	4	6	8	9	9
35-49	5	9.2	37	2	2	7	13	18	18	18
50-64	13	15.1	218	1	3	8	19	41	44	45
65+	4	10.5	66	2	2	9	16	21	21	21
B. *Operated*										
0-19 YRS	3	15.0	79	5	5	18	21	22	22	22
20-34	2	8.5	41	4	4	8	13	13	13	13
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64	2	48.5	25	45	45	48	52	52	52	52
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.2	7	<1	<1	3	4	7	10	12
B. *Operated*	1	36.0		36	36	36	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	93	6.5	66	1	1	4	7	12	21	43
B. *Operated*	11	16.0	302	1	3	7	21	48	52	52
1. SINGLE DX	30	4.3	42	<1	<1	3	4	9	12	36
2. MULTIPLE DX	104	7.5	97	1	1	4	7	17	36	48
A. NOT OPERATED	122	5.8	53	1	1	4	6	12	17	41
B. OPERATED	12	17.7	308	1	3	10	29	47	51	52
TOTAL 0-19 YRS	83	4.7	28	1	1	4	5	9	14	33
20-34	20	6.4	58	1	2	4	7	11	24	36
35-49	11	5.6	30	<1	<1	5	7	14	18	18
50-64	15	19.5	327	2	4	11	39	45	50	52
65+	5	9.2	58	2	2	7	14	21	21	21
GRAND TOTAL	**134**	**6.8**	**86**	**1**	**1**	**4**	**7**	**13**	**32**	**46**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	3.3	8	<1	<1	2	4	7	9	13
20-34	46	6.9	49	1	1	5	9	15	23	32
35-49	43	4.0	20	<1	1	3	5	7	12	27
50-64	30	5.8	14	<1	1	6	9	11	12	13
65+	56	5.9	53	<1	1	2	9	15	22	36
B. *Operated*										
0-19 YRS	108	5.9	18	1	2	5	7	10	13	24
20-34	90	8.3	25	3	4	8	10	14	16	32
35-49	38	7.3	37	2	2	6	9	11	17	37
50-64	39	9.1	44	2	2	7	11	20	23	30
65+	46	9.6	57	2	3	8	11	20	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	4.9	19	<1	1	4	7	10	13	21
20-34	151	6.1	24	1	2	5	8	11	16	26
35-49	176	6.9	55	1	1	5	8	11	17	34
50-64	364	7.9	51	1	2	6	9	15	20	41
65+	887	8.2	60	1	2	6	10	16	22	38
B. *Operated*										
0-19 YRS	76	8.8	89	1	1	6	10	20	27	55
20-34	133	11.2	81	2	3	9	14	22	30	45
35-49	136	13.4	127	3	4	10	16	27	37	55
50-64	231	13.8	129	3	4	10	18	29	33	60
65+	547	15.0	149	3	4	11	19	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	436	4.3	21	<1	<1	3	6	9	13	25
B. *Operated*	321	7.6	33	2	2	6	9	13	19	34
2. MULTIPLE DX										
A. *Not Operated*	1893	7.3	50	1	2	5	9	14	20	35
B. *Operated*	1123	13.7	133	3	4	10	17	28	37	58
1. SINGLE DX	757	5.7	29	<1	1	5	7	11	15	30
2. MULTIPLE DX	3016	9.7	90	1	2	7	12	20	28	50
A. NOT OPERATED	2329	6.7	46	1	1	5	8	13	19	34
B. OPERATED	1444	12.3	117	2	3	9	15	26	34	56
TOTAL 0-19 YRS	760	4.9	24	<1	<1	4	6	10	12	23
20-34	420	8.3	50	1	2	7	10	15	23	37
35-49	393	8.9	86	1	2	6	10	18	27	47
50-64	664	9.9	84	2	2	7	12	20	28	50
65+	1536	10.6	103	1	2	8	13	22	31	51
GRAND TOTAL	**3773**	**8.9**	**80**	**1**	**2**	**6**	**11**	**19**	**26**	**48**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	674	2.1	2	1	1	2	3	4	4	7
20-34	183	2.2	2	1	1	2	3	4	5	9
35-49	44	2.5	3	1	1	2	3	4	6	9
50-64	7	2.7	3	1	1	2	4	5	5	5
65+	5	2.6		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	250	3.9	3	2	2	4	5	6	6	11
20-34	85	4.3	3	2	3	4	5	6	7	11
35-49	5	4.2	2	3	3	4	5	6	6	6
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	2.5	2	1	1	2	3	4	6	8
20-34	95	2.6	2	1	1	3	3	4	5	7
35-49	21	3.2	4	1	1	3	4	6	8	9
50-64	11	3.6	4	1	1	3	6	7	7	7
65+	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
0-19 YRS	95	5.5	12	3	3	4	6	10	14	19
20-34	52	5.7	15	2	3	5	6	10	16	19
35-49	9	7.9	13	2	3	8	10	13	13	13
50-64	7	7.6	18	2	3	7	10	14	15	15
65+	5	8.0	12	3	3	8	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	2.1	2	1	1	2	3	4	5	7
B. *Operated*	342	4.0	3	2	2	4	5	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	486	2.6	3	1	1	2	3	5	6	8
B. *Operated*	168	5.8	14	2	3	5	7	10	15	19
1. SINGLE DX	1255	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	654	3.4	7	1	1	3	4	6	8	16
A. NOT OPERATED	1399	2.3	2	1	1	2	3	4	5	8
B. OPERATED	510	4.6	7	2	3	4	5	7	10	17
TOTAL 0-19 YRS	1375	2.8	4	1	1	2	4	5	6	10
20-34	415	3.2	5	1	1	3	4	5	7	12
35-49	79	3.4	7	1	1	3	4	7	9	13
50-64	27	4.5	10	1	1	4	6	9	11	15
65+	13	5.1	13	1	2	3	8	10	12	12
GRAND TOTAL	**1909**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	4.5	7	1	2	4	6	8	10	12
20-34	15	2.6	3	<1	1	2	4	5	6	7
35-49	7	5.0	12	<1	<1	5	6	10	11	11
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	85	2.8	7	<1	<1	2	3	6	8	14
20-34	79	2.8	9	<1	<1	2	3	5	7	20
35-49	33	2.9	8	1	1	2	3	5	6	17
50-64	20	2.3	1	<1	<1	2	3	4	5	5
65+	12	3.1	8	<1	<1	2	3	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.1	14	1	2	5	6	8	10	25
20-34	15	3.2	2	1	2	3	5	5	5	5
35-49	5	4.4	5	1	1	5	6	7	7	7
50-64	7	7.4	19	3	3	6	11	14	14	14
65+	4	8.0	18	2	2	9	11	12	12	12
B. *Operated*										
0-19 YRS	39	5.1	14	<1	1	5	8	10	14	16
20-34	52	5.1	62	<1	1	3	6	10	14	54
35-49	41	4.7	19	<1	1	3	7	11	15	17
50-64	28	6.3	17	2	2	5	9	12	14	17
65+	35	12.9	401	1	1	7	13	19	70	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.3	7	1	1	4	5	8	10	12
B. *Operated*	229	2.8	7	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	116	5.1	13	1	2	5	6	9	10	20
B. *Operated*	195	6.6	104	1	1	4	8	13	16	72
1. SINGLE DX	381	3.4	8	<1	<1	2	4	7	9	14
2. MULTIPLE DX	311	6.0	71	1	1	4	7	11	14	40
A. NOT OPERATED	268	4.6	10	1	2	4	6	8	10	13
B. OPERATED	424	4.5	55	<1	<1	2	5	9	14	22
TOTAL 0-19 YRS	335	4.3	10	<1	1	4	6	8	10	14
20-34	161	3.5	26	<1	<1	2	4	7	9	20
35-49	86	4.0	14	<1	1	3	5	9	13	17
50-64	58	4.9	15	<1	1	3	6	11	13	17
65+	52	10.2	287	<1	1	6	11	17	23	93
GRAND TOTAL	**692**	**4.6**	**38**	**<1**	**1**	**3**	**6**	**9**	**12**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	67	1	1	6	15	21	22	22
20-34	34	18.0	347	1	3	12	22	40	58	89
35-49	13	19.2	436	2	4	13	19	54	73	77
50-64	14	25.9	768	3	4	21	25	77	89	92
65+	35	16.9	182	1	2	12	26	36	44	51
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	20.1	561	1	2	13	23	69	71	71
20-34	65	22.9	422	2	3	18	31	63	79	99+
35-49	35	11.4	186	1	2	7	15	28	45	60
50-64	73	12.6	174	1	2	8	17	28	51	92
65+	226	10.2	75	2	2	7	14	23	30	59
B. *Operated*										
0-19 YRS										
20-34	5	29.2	991	8	8	16	41	84	84	84
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	9	25.7	336	6	6	21	37	54	57	57
65+	17	34.8	668	7	10	31	45	79	86	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	18.2	341	1	2	12	23	41	54	90
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	412	13.1	191	2	2	9	18	29	48	99+
B. *Operated*	33	29.8	592	6	7	21	40	76	83	90
1. SINGLE DX	105	17.9	340	1	2	12	22	39	53	90
2. MULTIPLE DX	445	14.3	239	2	2	9	19	32	52	99+
A. NOT OPERATED	515	14.1	224	2	2	9	19	32	49	94
B. OPERATED	35	28.2	602	2	6	18	38	75	83	90
TOTAL 0-19 YRS	20	16.0	408	1	1	10	22	47	70	71
20-34	104	21.6	420	2	3	16	29	60	78	99+
35-49	50	13.3	250	1	2	8	17	28	51	77
50-64	97	15.6	296	2	2	9	21	43	58	96
65+	279	12.5	159	2	2	8	17	30	36	87
GRAND TOTAL	**550**	**15.0**	**259**	**2**	**2**	**10**	**20**	**34**	**52**	**92**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.5	6	1	1	2	3	5	7	11
20-34	123	6.2	122	1	1	3	5	12	28	69
35-49	52	6.9	136	1	1	4	6	10	31	66
50-64	59	7.6	47	1	1	5	12	18	23	93
65+	276	14.4	224	2	3	10	20	41	69	99+
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	13.5	61	8	8	13	19	19	19	19
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	14.2	164	3	3	8	27	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	5.7	102	1	1	3	5	11	41	99+
20-34	398	6.6	45	1	2	5	7	12	19	54
35-49	301	8.6	70	2	3	6	9	16	27	43
50-64	267	13.7	204	3	4	9	17	47	61	99+
65+	2079	17.4	305	3	4	12	25	61	99+	99+
B. *Operated*										
0-19 YRS	6	12.5	520	2	2	4	45	92	99+	99+
20-34	24	11.4	147	1	1	9	15	48	99+	99+
35-49	9	17.7	301	3	3	14	20	47	58	58
50-64	23	33.1	1141	3	4	28	88	99	99+	99+
65+	233	26.8	464	5	6	24	52	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	8.8	153	1	1	4	10	23	43	99+
B. *Operated*	9	12.0	108	2	2	8	21	28	30	30
2. MULTIPLE DX										
A. *Not Operated*	3191	14.4	252	2	3	9	19	46	85	99+
B. *Operated*	295	25.4	507	3	5	22	49	99+	99+	99+
1. SINGLE DX	687	8.8	152	1	1	4	11	23	42	99+
2. MULTIPLE DX	3486	15.3	283	2	3	10	21	52	99+	99+
A. NOT OPERATED	3869	13.4	240	1	2	8	17	42	77	99+
B. OPERATED	304	25.0	500	3	5	21	48	99+	99+	99+
TOTAL 0-19 YRS	320	4.1	61	1	1	2	4	7	13	99+
20-34	546	6.7	68	1	1	5	7	13	20	69
35-49	364	8.6	86	2	2	6	9	16	28	56
50-64	350	13.9	266	2	3	8	17	48	88	99+
65+	2593	17.9	319	3	4	12	26	64	99+	99+
GRAND TOTAL	**4173**	**14.2**	**268**	**1**	**2**	**9**	**19**	**48**	**91**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	22	11.9	102	1	2	10	18	26	34	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	24.9	607	1	2	19	59	99+	99+	99+
65+	213	19.2	408	4	4	12	24	61	88	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	14	43.9	537	16	18	52	99	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	11.6	99	1	2	9	18	25	34	37
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	222	19.5	415	4	4	12	25	66	88	99+
B. *Operated*	16	39.0	642	5	11	43	98	99+	99+	99+
1. SINGLE DX	25	11.1	94	1	2	7	17	23	33	37
2. MULTIPLE DX	238	20.8	452	4	4	14	31	78	99+	99+
A. NOT OPERATED	245	18.7	390	3	4	12	24	60	88	99+
B. OPERATED	18	35.3	684	4	6	42	90	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	12	19.9	523	1	2	14	57	99+	99+	99+
65+	251	19.8	423	3	4	13	29	71	95	99+
GRAND TOTAL	**263**	**19.8**	**425**	**3**	**4**	**13**	**30**	**72**	**99**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34	323	4.5	3	2	3	5	5	5	6	12
35-49	375	4.7	3	2	2	5	5	5	7	14
50-64	176	5.2	7	2	3	5	5	6	9	21
65+	23	9.7	239	2	3	5	5	20	47	74
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	7	1	1	4	6	8	9	11
20-34	559	5.2	18	1	2	5	6	9	12	21
35-49	893	6.4	34	2	3	5	7	12	15	33
50-64	681	7.9	55	2	3	6	9	15	21	56
65+	242	11.5	134	2	3	8	14	24	37	86
B. *Operated*										
0-19 YRS										
20-34	9	11.7	134	2	2	9	13	30	40	40
35-49	41	13.0	196	3	4	9	14	27	34	83
50-64	36	21.1	336	3	4	15	31	54	69	99+
65+	18	18.9	225	5	6	19	24	55	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	4.8	11	2	3	5	5	5	7	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2395	7.1	49	2	2	5	8	13	18	42
B. *Operated*	104	16.7	253	3	4	12	23	41	65	99+
1. SINGLE DX	901	4.8	11	2	3	5	5	5	7	16
2. MULTIPLE DX	2499	7.5	61	2	2	5	8	14	21	54
A. NOT OPERATED	3296	6.4	40	2	3	5	7	12	16	38
B. OPERATED	104	16.7	253	3	4	12	23	41	65	99+
TOTAL 0-19 YRS	24	4.1	7	<1	1	4	6	7	9	11
20-34	891	5.0	14	2	2	5	5	8	11	20
35-49	1309	6.1	32	2	3	5	6	11	14	28
50-64	893	7.9	65	2	3	5	8	15	23	60
65+	283	11.9	150	3	3	8	15	27	38	94
GRAND TOTAL	**3400**	**6.8**	**49**	**2**	**3**	**5**	**7**	**12**	**18**	**42**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	6.9	48	1	2	5	8	22	59	99+
20-34	37	7.0	98	1	1	4	7	13	26	55
35-49	9	9.7	59	1	1	6	15	22	23	23
50-64	5	2.0	1	1	1	2	3	3	3	3
65+	12	6.5	45	1	1	4	10	15	23	24
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	13.3	172	1	2	8	19	32	43	56
20-34	186	9.8	70	2	2	8	13	20	25	48
35-49	77	8.8	75	1	2	6	11	20	22	49
50-64	57	9.0	40	1	2	8	14	19	23	94
65+	138	10.3	129	2	2	8	12	20	29	65
B. Operated										
0-19 YRS										
20-34	6	12.2	49	5	5	10	14	24	25	25
35-49	2	14.0	288	2	2	14	26	26	26	26
50-64	5	16.2	185	5	5	7	30	33	33	33
65+	9	19.4	338	3	3	13	26	51	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	6.9	68	1	1	4	8	18	25	84
B. Operated										
2. MULTIPLE DX										
A. Not Operated	499	10.0	93	2	2	8	13	20	26	53
B. Operated	22	16.2	199	2	3	11	25	38	50	52
1. SINGLE DX	84	6.9	68	1	1	4	8	18	25	84
2. MULTIPLE DX	521	10.3	98	2	2	8	14	21	28	53
A. NOT OPERATED	583	9.5	90	1	2	7	13	20	26	55
B. OPERATED	22	16.2	199	2	3	11	25	38	50	52
TOTAL 0-19 YRS	62	11.1	138	1	2	7	15	31	42	94
20-34	229	9.4	75	1	2	7	12	19	25	50
35-49	88	9.0	75	1	2	6	12	20	23	47
50-64	67	9.0	53	1	2	7	13	21	28	88
65+	159	10.6	138	1	2	8	13	21	31	60
GRAND TOTAL	**605**	**9.8**	**95**	**1**	**2**	**7**	**13**	**21**	**27**	**55**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	23.1	295	2	6	19	31	55	72	99+
20-34	963	18.6	226	2	4	15	25	38	48	78
35-49	538	17.3	181	2	3	15	24	35	42	77
50-64	182	18.3	184	2	4	15	24	33	40	80
65+	63	17.3	110	2	5	16	23	37	39	92
B. Operated										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	28.0	127	15	15	34	35	35	35	35
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	24.5	453	3	5	21	29	49	79	94
20-34	564	21.0	281	3	4	16	29	43	56	78
35-49	361	18.9	190	3	5	17	26	36	47	98
50-64	201	21.7	248	3	7	18	29	45	53	95
65+	114	21.5	257	3	5	18	30	43	52	92
B. Operated										
0-19 YRS	3	21.3	758	3	3	8	42	53	53	53
20-34	25	33.0	358	11	11	33	50	60	81	99+
35-49	16	26.8	511	2	7	22	30	49	83	97
50-64	5	49.2	648	24	25	53	83	98	99+	99+
65+	6	37.7	976	12	14	37	98	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1820	18.3	208	2	4	15	25	37	46	82
B. Operated	6	27.3	181	9	10	30	35	44	45	45
2. MULTIPLE DX										
A. Not Operated	1292	20.7	256	3	5	17	28	42	53	87
B. Operated	55	32.5	513	7	11	29	50	91	99+	99+
1. SINGLE DX	1826	18.3	208	2	4	15	25	37	46	81
2. MULTIPLE DX	1347	21.2	272	3	5	18	29	44	56	94
A. NOT OPERATED	3112	19.3	229	2	4	16	26	39	49	84
B. OPERATED	61	32.0	479	7	11	29	48	83	99+	99+
TOTAL 0-19 YRS	129	23.6	361	2	5	20	31	54	75	99+
20-34	1553	19.7	252	2	4	15	27	42	51	78
35-49	918	18.1	191	2	4	15	25	36	44	85
50-64	389	20.5	234	3	5	17	26	39	52	92
65+	184	20.7	240	3	5	18	29	43	53	99+
GRAND TOTAL	**3173**	**19.6**	**237**	**2**	**4**	**16**	**27**	**40**	**51**	**86**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	24.4	514	3	6	18	29	74	93	99+
20-34	83	16.7	124	1	3	14	22	31	39	51
35-49	27	11.5	68	<1	1	9	17	22	28	31
50-64	9	13.3	209	<1	<1	10	18	36	47	47
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	23.1	427	3	5	19	28	78	86	99+
20-34	53	21.1	219	3	6	17	28	44	52	59
35-49	18	18.9	201	3	5	14	28	43	48	51
50-64	4	9.3	18	5	5	8	12	15	15	15
65+	5	15.8	124	3	3	18	23	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	18.1	258	1	3	14	23	34	47	96
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	102	20.4	249	3	5	17	28	44	54	89
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	174	18.1	258	1	3	14	23	34	47	96
2. MULTIPLE DX	103	20.3	249	3	5	16	27	44	54	89
A. NOT OPERATED	276	19.0	255	1	4	15	25	41	50	96
B. OPERATED	1	5.0		5	5	5	5	5	5	5
TOTAL 0-19 YRS	76	24.1	483	3	5	18	29	75	92	99+
20-34	137	18.3	164	2	4	15	24	38	45	56
35-49	45	14.5	131	1	2	12	19	30	41	51
50-64	13	12.1	148	<1	1	9	16	25	43	47
65+	6	14.8	105	3	3	14	20	30	31	31
GRAND TOTAL	**277**	**18.9**	**255**	**1**	**4**	**15**	**25**	**41**	**50**	**96**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	22.5	280	2	4	17	32	48	58	99+
20-34	1509	18.3	234	1	3	15	25	37	48	75
35-49	738	17.6	161	2	4	15	23	34	43	68
50-64	359	19.6	171	2	4	17	26	36	48	62
65+	97	20.4	285	2	5	17	24	40	59	83
B. *Operated*										
0-19 YRS										
20-34	2	28.5	145	20	20	28	37	37	37	37
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	22.6	363	3	5	19	27	56	72	92
20-34	919	19.8	252	2	4	16	27	44	58	99+
35-49	698	18.9	216	3	5	15	25	40	52	87
50-64	465	20.7	195	4	6	19	27	43	54	99+
65+	222	23.0	281	5	8	19	30	54	69	99+
B. *Operated*										
0-19 YRS	2	19.5	41	15	15	19	24	24	24	24
20-34	31	27.9	418	5	8	22	36	69	88	99+
35-49	34	27.1	207	8	12	26	32	46	53	74
50-64	29	32.4	234	12	16	25	44	56	57	66
65+	16	39.1	687	12	15	30	60	94	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2842	18.6	212	2	3	15	25	37	48	75
B. *Operated*	4	19.0	177	6	6	16	28	37	37	37
2. MULTIPLE DX										
A. *Not Operated*	2406	20.2	239	3	5	17	27	44	56	99+
B. *Operated*	112	30.3	346	8	12	26	40	58	74	99+
1. SINGLE DX	2846	18.6	212	2	3	15	25	37	48	75
2. MULTIPLE DX	2518	20.6	248	3	5	17	27	45	58	99+
A. NOT OPERATED	5248	19.3	225	2	4	16	26	40	52	89
B. OPERATED	116	29.9	343	8	11	25	39	58	74	99+
TOTAL 0-19 YRS	243	22.5	311	3	4	18	31	50	62	99+
20-34	2461	19.0	244	2	3	15	26	40	52	88
35-49	1472	18.5	190	2	5	15	25	37	47	73
50-64	853	20.6	191	3	5	19	27	41	54	97
65+	335	23.0	313	4	7	19	29	54	74	99+
GRAND TOTAL	**5364**	**19.5**	**230**	**2**	**4**	**16**	**26**	**41**	**53**	**90**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	11.9	275	<1	<1	4	12	47	49	49
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.1	226	1	1	4	15	56	89	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	11.9	275	<1	<1	4	12	47	49	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	14	10.1	226	1	1	4	15	56	89	99+
B. *Operated*										
1. SINGLE DX	16	11.9	275	<1	<1	4	12	47	49	49
2. MULTIPLE DX	14	10.1	226	1	1	4	15	56	89	99+
A. NOT OPERATED	30	11.1	245	<1	<1	4	12	49	56	99+
B. OPERATED										
TOTAL 0-19 YRS	30	11.1	245	<1	<1	4	12	49	56	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**30**	**11.1**	**245**	**<1**	**<1**	**4**	**12**	**49**	**56**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	17.3	281	2	3	14	25	41	67	99+
20-34	594	14.7	158	1	2	12	20	30	38	73
35-49	709	14.8	146	1	2	12	20	28	36	57
50-64	641	17.8	164	2	4	15	25	34	41	58
65+	688	20.3	198	1	4	18	27	39	48	69
B. *Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	9.3	21	4	4	12	12	12	12	12
50-64	2	35.5	41	31	31	35	40	40	40	40
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	20.2	372	1	2	14	31	52	76	99+
20-34	1071	17.1	211	2	3	13	23	36	46	70
35-49	1156	17.4	210	2	4	14	23	35	45	79
50-64	1217	20.5	222	3	6	17	28	41	50	87
65+	1682	23.5	284	4	6	20	32	48	61	99+
B. *Operated*										
0-19 YRS	2	26.5	313	14	14	39	85	99+	99+	99+
20-34	51	30.0	399	5	8	27	42	56	76	99+
35-49	74	21.3	201	5	6	19	26	41	46	75
50-64	76	26.5	330	6	7	24	35	61	85	99+
65+	155	36.2	427	10	15	32	51	75	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2752	17.0	177	1	3	14	23	34	42	69
B. *Operated*	7	20.7	170	4	6	16	31	38	40	40
2. MULTIPLE DX										
A. *Not Operated*	5292	20.0	249	3	4	16	27	41	53	89
B. *Operated*	358	30.1	386	7	9	26	41	65	90	99+
1. SINGLE DX	2759	17.0	177	1	3	14	23	34	42	69
2. MULTIPLE DX	5650	20.7	263	3	5	17	28	43	56	96
A. NOT OPERATED	8044	19.0	226	2	4	15	26	39	50	84
B. OPERATED	365	29.9	383	6	9	26	41	64	89	99+
TOTAL 0-19 YRS	288	19.0	334	1	3	14	29	46	77	99+
20-34	1717	16.6	204	1	3	13	23	35	45	74
35-49	1942	16.6	188	2	3	13	22	33	42	73
50-64	1936	19.9	211	3	5	17	27	39	49	84
65+	2526	23.4	282	3	6	20	32	48	60	99+
GRAND TOTAL	**8409**	**19.5**	**238**	**2**	**4**	**16**	**27**	**40**	**52**	**89**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	23.2	266	3	5	21	33	42	55	79
20-34	710	17.4	197	1	3	15	24	35	43	72
35-49	632	16.0	128	2	4	14	22	29	37	56
50-64	393	17.5	146	3	5	15	23	33	38	71
65+	190	18.3	186	1	3	17	25	35	45	91
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	2	10.5	13	8	8	10	13	13	13	13
50-64										
65+	2	27.5	685	9	9	27	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	24.7	391	2	5	21	33	57	87	99+
20-34	623	18.9	211	2	4	16	26	37	49	70
35-49	572	19.5	192	3	6	16	26	37	50	71
50-64	555	21.8	234	4	7	19	28	43	55	99
65+	358	21.0	214	4	7	18	28	42	50	92
B. *Operated*										
0-19 YRS	3	25.7	630	2	2	37	76	99+	99+	99+
20-34	30	23.3	207	2	8	19	31	39	51	63
35-49	27	26.0	229	6	8	25	37	46	55	57
50-64	35	29.1	307	9	11	26	42	56	65	72
65+	34	41.9	603	14	18	35	64	83	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1987	17.2	167	2	4	15	23	33	41	69
B. *Operated*	5	20.0	252	8	8	13	29	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	2186	20.4	220	3	5	17	27	40	52	88
B. *Operated*	129	30.4	393	8	10	26	41	61	77	99+
1. SINGLE DX	1992	17.2	167	2	4	15	24	33	41	69
2. MULTIPLE DX	2315	20.9	235	3	6	18	28	42	54	92
A. NOT OPERATED	4173	18.9	198	2	4	16	25	36	48	78
B. OPERATED	134	30.0	389	8	9	26	41	60	76	99+
TOTAL 0-19 YRS	143	24.1	336	2	5	21	33	52	66	99+
20-34	1364	18.2	204	2	3	15	25	36	46	70
35-49	1233	17.8	164	3	5	15	23	34	44	62
50-64	983	20.3	208	4	6	17	26	39	49	86
65+	584	21.4	255	3	6	19	28	44	57	97
GRAND TOTAL	**4307**	**19.2**	**207**	**2**	**4**	**16**	**26**	**37**	**49**	**81**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	17.2	322	<1	1	13	23	49	72	99+
20-34	214	11.5	119	<1	1	9	16	27	33	63
35-49	139	12.2	96	1	2	10	16	26	31	45
50-64	82	12.2	113	1	1	11	16	24	30	59
65+	99	15.1	183	1	2	12	21	33	42	62
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64	2	7.5	61	2	2	7	13	13	13	13
65+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	17.6	296	2	2	13	28	51	90	99+
20-34	266	13.8	152	1	2	10	18	29	37	63
35-49	209	13.1	152	1	2	9	17	27	40	62
50-64	199	13.6	130	2	3	10	18	26	35	61
65+	511	14.8	186	2	3	11	19	33	47	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	20.6	142	6	6	20	31	36	37	37
35-49	8	24.4	309	9	10	18	28	55	64	64
50-64	16	26.6	545	4	6	19	54	96	99+	99+
65+	57	24.5	431	5	6	20	40	63	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	13.0	149	1	1	10	17	29	37	66
B. *Operated*	6	9.0	62	2	2	7	13	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	1249	14.3	170	2	3	10	19	30	44	82
B. *Operated*	90	24.4	402	5	6	19	38	64	99	99+
1. SINGLE DX	609	12.9	148	1	1	10	17	29	37	66
2. MULTIPLE DX	1339	15.0	192	2	3	11	20	33	48	99+
A. NOT OPERATED	1852	13.9	164	1	2	10	18	30	43	72
B. OPERATED	96	23.4	394	4	6	18	35	63	98	99+
TOTAL 0-19 YRS	135	17.3	304	1	2	13	26	49	78	99+
20-34	489	12.9	139	1	2	10	17	28	37	63
35-49	356	13.0	136	1	2	10	17	27	35	64
50-64	299	13.9	154	2	3	11	18	28	40	80
65+	669	15.7	213	2	3	11	21	38	53	99+
GRAND TOTAL	**1948**	**14.3**	**179**	**1**	**2**	**11**	**19**	**31**	**45**	**88**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.6	49	<1	<1	3	4	8	21	34
20-34	113	5.8	41	1	1	4	7	13	21	29
35-49	114	5.9	56	1	1	4	7	14	17	42
50-64	59	6.0	30	1	1	4	9	14	18	26
65+	39	7.8	76	1	2	5	10	17	25	47
B. *Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	3	6.7	24	1	1	9	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	8.1	210	<1	1	3	8	26	63	99+
20-34	266	9.8	112	1	1	6	13	24	33	46
35-49	287	7.6	66	1	1	5	9	18	24	38
50-64	345	8.7	101	1	2	5	9	22	31	52
65+	311	8.0	101	1	1	5	9	18	26	55
B. *Operated*										
0-19 YRS										
20-34	52	2.6	21	1	1	1	2	5	15	26
35-49	33	4.5	54	<1	1	1	4	13	26	30
50-64	8	19.9	227	3	4	16	34	41	41	41
65+	15	10.7	145	2	2	5	11	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	6.0	49	1	1	4	7	14	20	32
B. *Operated*	7	6.3	15	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1247	8.5	99	1	2	5	10	21	29	53
B. *Operated*	108	5.6	84	1	1	1	5	17	29	40
1. SINGLE DX	356	6.0	48	1	1	4	7	14	20	32
2. MULTIPLE DX	1355	8.2	98	1	1	5	9	21	29	52
A. NOT OPERATED	1596	7.9	89	1	1	5	9	19	27	48
B. OPERATED	115	5.6	79	1	1	1	5	16	29	40
TOTAL 0-19 YRS	62	6.7	149	<1	1	3	6	17	43	95
20-34	433	7.9	88	1	1	4	9	21	27	41
35-49	436	6.9	63	1	1	4	9	17	22	38
50-64	415	8.5	96	1	2	5	9	21	30	49
65+	365	8.1	100	1	2	5	9	19	26	52
GRAND TOTAL	**1711**	**7.8**	**89**	**1**	**1**	**4**	**9**	**19**	**28**	**47**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	18.8	567	1	2	8	22	70	90	99+
20-34	249	9.6	89	1	2	6	14	21	27	40
35-49	189	10.5	78	1	1	8	14	25	29	40
50-64	114	11.8	86	2	2	9	17	25	33	41
65+	77	11.3	112	1	2	8	15	23	35	50
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	33.7	891	1	2	25	60	90	98	99+
20-34	581	14.8	184	1	2	11	21	28	41	70
35-49	529	13.9	127	2	3	10	21	28	34	57
50-64	402	13.0	124	2	3	10	18	28	33	61
65+	403	12.6	142	2	3	9	17	28	34	61
B. *Operated*										
0-19 YRS	5	11.4	62	2	2	8	19	21	21	21
20-34	18	17.6	195	3	4	15	20	43	49	51
35-49	16	18.9	211	4	5	13	34	40	44	46
50-64	13	21.5	282	2	4	20	25	44	63	67
65+	37	23.1	188	8	9	19	33	46	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	758	11.9	179	1	2	8	15	26	39	85
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2120	15.7	254	2	3	11	21	32	53	93
B. *Operated*	89	20.3	201	4	5	16	28	41	48	61
1. SINGLE DX	759	11.9	179	1	2	8	15	26	39	85
2. MULTIPLE DX	2209	15.8	253	2	3	11	21	33	52	92
A. NOT OPERATED	2878	14.7	237	1	2	10	20	31	49	91
B. OPERATED	90	20.2	200	4	5	16	28	41	48	61
TOTAL 0-19 YRS	339	27.7	810	1	2	15	56	85	97	99+
20-34	848	13.3	162	1	2	10	20	27	36	62
35-49	735	13.1	119	2	3	10	20	28	33	55
50-64	529	12.9	121	2	3	10	18	28	34	60
65+	517	13.2	148	[illegible]	3	9	18	29	36	54
GRAND TOTAL	**2968**	**14.8**	**237**	**1**	**2**	**10**	**20**	**31**	**49**	**91**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	9.5	149	1	1	5	13	22	38	99
20-34	325	10.0	131	1	1	6	13	24	33	59
35-49	162	10.3	109	1	2	7	14	23	28	56
50-64	58	10.1	206	<1	1	5	13	23	29	93
65+	30	8.4	61	1	1	6	11	16	24	38
B. *Operated*										
0-19 YRS	4	11.3	208	1	1	6	21	32	32	32
20-34	15	8.4	44	<1	2	5	13	18	21	22
35-49	19	7.5	22	1	1	8	12	13	15	16
50-64	19	5.3	8	1	2	5	7	9	12	13
65+	8	9.5	141	2	2	5	9	30	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	12.6	304	1	1	6	16	31	53	96
20-34	610	12.6	185	1	2	8	17	30	42	79
35-49	318	12.5	165	1	2	9	16	28	39	68
50-64	201	12.6	198	1	2	7	16	28	35	72
65+	191	10.2	111	1	2	7	12	22	38	99+
B. *Operated*										
0-19 YRS	5	31.8	1484	2	2	21	43	99	99	99+
20-34	34	18.2	383	3	3	12	21	42	66	93
35-49	27	10.4	117	1	1	8	14	21	28	55
50-64	36	8.6	127	2	3	6	8	15	23	68
65+	34	17.6	324	3	4	9	25	49	62	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	9.9	132	1	1	6	13	23	33	64
B. *Operated*	65	7.5	46	1	2	5	10	13	19	37
2. MULTIPLE DX										
A. *Not Operated*	1499	12.3	188	1	2	8	16	28	40	82
B. *Operated*	136	14.5	302	2	3	8	16	28	55	94
1. SINGLE DX	792	9.7	126	1	1	6	13	23	32	62
2. MULTIPLE DX	1635	12.5	197	1	2	8	16	28	41	83
A. NOT OPERATED	2226	11.5	171	1	1	7	15	27	38	79
B. OPERATED	201	12.2	229	1	2	7	13	26	42	82
TOTAL 0-19 YRS	340	11.5	254	1	1	6	15	29	48	99
20-34	984	11.9	175	1	1	8	16	28	40	77
35-49	526	11.6	141	1	2	8	15	25	34	58
50-64	314	11.2	183	1	2	6	14	26	34	72
65+	263	10.9	139	1	2	8	13	24	39	96
GRAND TOTAL	**2427**	**11.6**	**176**	**1**	**1**	**7**	**15**	**27**	**38**	**79**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.4	27	<1	1	2	6	11	13	26
20-34	1282	6.0	25	1	2	5	6	11	18	27
35-49	1409	6.1	22	1	2	5	6	9	17	28
50-64	487	6.6	28	1	2	5	7	14	19	27
65+	105	7.0	29	2	3	5	8	14	20	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	14.9	128	1	1	13	27	28	29	33
20-34	4020	9.8	77	2	3	6	12	26	28	31
35-49	5118	8.3	49	2	3	6	8	19	27	30
50-64	2711	8.7	55	2	3	6	9	20	27	32
65+	855	10.2	105	2	3	7	12	25	29	55
B. *Operated*										
0-19 YRS	9	10.8	110	<1	1	5	23	26	26	26
20-34	69	15.0	132	1	5	11	22	29	33	60
35-49	98	15.4	143	4	5	11	22	30	35	66
50-64	97	14.2	132	2	2	11	19	28	38	58
65+	62	22.6	279	4	6	20	29	45	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3379	6.1	24	1	2	5	6	11	18	27
B. *Operated*	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	13027	9.1	66	2	3	6	10	25	28	32
B. *Operated*	335	16.2	170	2	5	12	23	31	39	64
1. SINGLE DX	3383	6.1	24	1	2	5	6	11	18	27
2. MULTIPLE DX	13362	9.3	70	2	3	6	10	25	28	33
A. NOT OPERATED	16406	8.5	59	2	3	6	8	22	28	31
B. OPERATED	339	16.1	170	2	4	12	23	31	39	64
TOTAL 0-19 YRS	428	12.5	124	<1	1	7	25	28	29	33
20-34	5371	9.0	69	1	2	6	10	25	28	31
35-49	6626	7.9	46	2	3	6	7	17	26	30
50-64	3297	8.5	55	2	3	6	9	19	27	32
65+	1023	10.6	118	2	3	7	13	26	29	57
GRAND TOTAL	**16745**	**8.7**	**62**	**2**	**3**	**6**	**9**	**23**	**28**	**32**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.9	41	1	2	10	15	18	19	19
20-34	221	10.4	32	2	3	11	14	16	19	27
35-49	75	10.7	18	3	5	11	13	17	18	19
50-64	5	14.2	50	7	7	13	21	22	22	22
65+										
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.9	75	2	2	12	18	24	28	29
20-34	523	12.5	40	3	5	12	16	21	23	31
35-49	211	13.3	52	4	6	13	16	21	27	39
50-64	9	11.8	41	3	4	11	14	21	25	25
65+	4	5.8	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS										
20-34	23	19.0	75	7	10	19	23	31	36	40
35-49	11	19.5	121	7	8	16	28	35	41	42
50-64	2	27.0	72	21	21	27	33	33	33	33
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	10.6	29	2	3	11	14	17	19	24
B. *Operated*	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	771	12.6	44	3	5	12	16	21	25	33
B. *Operated*	37	19.2	91	6	8	18	26	33	38	42
1. SINGLE DX	311	10.5	29	2	3	11	14	17	19	24
2. MULTIPLE DX	808	12.9	48	3	5	12	16	21	26	36
A. NOT OPERATED	1080	12.0	41	3	4	12	15	20	23	31
B. OPERATED	39	18.5	97	4	6	17	25	32	37	42
TOTAL 0-19 YRS	32	11.4	66	1	2	12	16	23	28	29
20-34	768	12.1	41	3	4	12	15	20	23	31
35-49	298	12.8	48	4	5	12	16	20	26	40
50-64	16	14.4	65	4	6	13	21	25	31	33
65+	5	5.4	7	3	3	5	6	10	10	10
GRAND TOTAL	**1119**	**12.3**	**44**	**3**	**4**	**12**	**15**	**20**	**24**	**33**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.2	14	1	1	7	10	11	11	11
20-34	82	7.6	34	1	2	7	9	15	19	31
35-49	26	8.7	26	2	3	7	12	18	19	20
50-64	4	12.0	121	1	1	10	19	27	27	27
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	13.5	104	1	2	9	23	28	29	34
20-34	348	13.2	87	2	3	12	19	27	28	35
35-49	85	11.7	73	2	3	9	17	27	28	36
50-64	47	16.2	139	3	4	13	22	38	46	99+
65+	16	8.7	36	1	2	7	13	18	19	20
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	8	23.4	151	7	8	23	28	42	47	47
35-49	5	12.4	33	7	7	9	18	20	20	20
50-64	4	21.5	36	14	14	22	26	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	7.9	33	1	2	7	11	15	19	30
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	616	13.1	92	2	3	11	20	27	29	39
B. *Operated*	18	19.2	104	7	8	19	24	29	40	47
1. SINGLE DX	125	7.9	33	1	2	7	11	15	19	30
2. MULTIPLE DX	634	13.3	93	2	3	11	20	28	29	40
A. NOT OPERATED	740	12.3	86	2	3	10	18	27	28	38
B. OPERATED	19	18.3	114	4	7	19	24	29	39	47
TOTAL 0-19 YRS	132	12.8	99	1	2	9	23	28	29	33
20-34	439	12.3	85	2	3	10	17	26	28	35
35-49	116	11.1	62	2	3	9	16	23	28	34
50-64	55	16.3	131	2	4	14	22	36	43	97
65+	17	9.1	36	1	2	8	14	18	19	20
GRAND TOTAL	**759**	**12.4**	**87**	**2**	**3**	**10**	**18**	**27**	**28**	**39**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	1.3	1	<1	<1	1	1	2	2	4
20-34	104	2.1	11	<1	<1	1	2	4	5	21
35-49	34	2.5	4	<1	<1	2	4	4	7	9
50-64	22	2.7	5	<1	<1	2	4	5	7	10
65+	12	4.7	53	<1	1	2	3	14	25	27
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	2.4	31	<1	<1	1	2	3	5	46
20-34	262	4.3	26	<1	<1	2	5	9	14	28
35-49	163	4.7	20	<1	1	4	6	10	14	22
50-64	105	4.5	19	1	1	3	5	9	14	22
65+	86	6.6	108	1	1	4	7	11	29	89
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	8	3.0	17	<1	<1	1	3	10	13	13
35-49	5	5.0	19	<1	<1	4	9	10	10	10
50-64	9	6.4	25	<1	<1	7	9	14	14	14
65+	10	11.6	109	1	1	9	20	27	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	1.7	5	<1	<1	1	2	3	4	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	831	4.1	35	<1	<1	2	5	9	14	30
B. *Operated*	34	6.7	54	<1	<1	4	10	15	22	33
1. SINGLE DX	453	1.7	5	<1	<1	1	2	3	4	11
2. MULTIPLE DX	865	4.2	36	<1	<1	2	5	9	14	31
A. NOT OPERATED	1284	3.3	26	<1	<1	1	4	7	11	27
B. OPERATED	34	6.7	54	<1	<1	4	10	15	22	33
TOTAL 0-19 YRS	498	1.8	14	<1	<1	1	2	2	4	18
20-34	374	3.6	22	<1	<1	2	5	8	13	27
35-49	202	4.4	17	<1	<1	3	5	10	14	20
50-64	136	4.4	18	<1	1	3	5	9	14	22
65+	108	6.8	103	1	1	4	7	14	29	82
GRAND TOTAL	**1318**	**3.4**	**27**	**<1**	**<1**	**2**	**4**	**7**	**12**	**28**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	12	<1	<1	2	4	6	11	18
20-34	100	5.0	33	<1	1	4	7	9	14	33
35-49	18	3.9	10	<1	1	3	6	10	10	10
50-64	5	12.2	186	<1	<1	5	21	34	34	34
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	8.9	99	1	1	5	11	20	30	51
20-34	288	7.7	55	1	1	6	10	16	25	34
35-49	64	11.8	116	1	2	7	17	28	30	52
50-64	28	10.4	113	2	2	6	13	29	34	40
65+	18	12.6	137	2	3	9	16	27	40	49
B. *Operated*										
0-19 YRS	3	34.0	2704	2	2	6	72	94	94	94
20-34	6	23.2	331	7	7	16	36	52	54	54
35-49	5	12.6	27	7	7	15	17	17	17	17
50-64	2	13.5	145	5	5	13	22	22	22	22
65+	3	28.7	837	10	10	14	50	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.7	32	<1	1	3	6	9	14	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	478	8.8	79	1	1	6	12	22	28	42
B. *Operated*	19	21.9	564	3	5	15	21	59	80	94
1. SINGLE DX	161	4.7	32	<1	1	3	6	9	14	33
2. MULTIPLE DX	497	9.3	102	1	1	6	12	23	28	51
A. NOT OPERATED	639	7.8	70	1	1	5	9	18	26	41
B. OPERATED	19	21.9	564	3	5	15	21	59	80	94
TOTAL 0-19 YRS	121	7.7	139	<1	1	4	8	17	28	64
20-34	394	7.3	58	1	1	5	9	15	24	39
35-49	87	10.2	99	1	1	6	15	26	30	48
50-64	35	10.9	117	1	2	6	17	31	34	40
65+	21	14.9	233	2	4	10	16	36	55	62
GRAND TOTAL	**658**	**8.2**	**89**	**1**	**1**	**5**	**10**	**19**	**27**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	11	1	1	2	6	8	10	16
20-34	37	3.7	6	1	1	3	5	6	8	13
35-49	35	4.0	24	<1	1	3	5	7	10	29
50-64	27	3.5	8	1	1	3	4	7	8	14
65+	13	5.2	12	2	2	4	7	10	13	14
B. *Operated*										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	8.0	52	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.8	173	<1	1	3	5	12	34	72
20-34	101	4.8	24	1	1	3	6	9	15	27
35-49	111	4.4	11	1	2	3	6	8	12	19
50-64	121	4.6	22	1	2	4	5	7	9	34
65+	175	6.7	44	1	2	5	8	12	15	41
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	7	11.9	338	2	2	5	10	45	53	53
35-49	10	8.1	26	1	1	8	13	14	15	15
50-64	8	5.3	4	3	3	5	7	8	8	8
65+	17	12.3	56	2	3	11	17	24	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.9	12	1	1	3	5	7	9	16
B. *Operated*	8	5.1	31	<1	<1	2	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	563	5.5	43	1	2	4	6	10	14	35
B. *Operated*	44	9.6	84	2	2	8	12	21	25	53
1. SINGLE DX	159	3.9	13	1	1	3	5	7	10	16
2. MULTIPLE DX	607	5.8	47	1	2	4	7	11	15	36
A. NOT OPERATED	714	5.1	37	1	1	4	6	9	13	31
B. OPERATED	52	8.9	78	1	2	7	12	17	24	52
TOTAL 0-19 YRS	96	5.5	105	1	1	3	5	9	15	67
20-34	147	4.9	35	1	1	3	6	9	13	30
35-49	157	4.5	16	1	1	3	6	9	12	19
50-64	158	4.4	19	1	2	3	5	7	8	32
65+	208	7.1	45	1	2	5	9	14	16	35
GRAND TOTAL	**766**	**5.4**	**40**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	407	10.2	132	1	1	7	14	25	34	47
20-34	501	6.9	60	1	1	5	8	16	21	42
35-49	242	6.8	55	1	1	4	9	14	20	39
50-64	95	9.5	91	<1	1	7	13	24	29	43
65+	30	12.3	86	1	2	11	19	24	31	34
B. *Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	532	12.7	212	1	2	8	16	33	48	97
20-34	1099	9.4	94	1	2	7	13	19	26	53
35-49	683	9.2	75	1	2	7	12	21	28	42
50-64	280	10.2	110	1	2	7	13	21	29	53
65+	279	12.2	124	2	3	9	16	27	34	55
B. *Operated*										
0-19 YRS	15	14.1	131	<1	<1	12	27	32	80	99+
20-34	28	9.4	37	1	2	9	12	16	19	31
35-49	11	19.7	124	2	7	19	28	35	40	41
50-64	11	17.0	192	3	4	13	19	37	53	54
65+	12	16.5	82	7	8	13	25	50	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1275	8.2	87	1	1	5	11	19	28	43
B. *Operated*	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2873	10.3	117	1	2	7	13	22	31	59
B. *Operated*	77	14.0	105	1	3	12	19	30	39	99+
1. SINGLE DX	1278	8.2	87	1	1	5	11	19	28	43
2. MULTIPLE DX	2950	10.4	117	1	2	7	13	23	32	60
A. NOT OPERATED	4148	9.7	109	1	1	6	13	22	30	55
B. OPERATED	80	13.8	104	1	3	12	19	30	39	99+
TOTAL 0-19 YRS	954	11.6	178	1	1	7	15	29	40	87
20-34	1630	8.6	83	1	1	6	11	18	25	49
35-49	937	8.7	73	1	2	6	11	19	27	42
50-64	386	10.2	108	1	2	7	13	22	29	51
65+	321	12.4	119	2	3	9	17	27	34	64
GRAND TOTAL	**4228**	**9.8**	**109**	**1**	**1**	**7**	**13**	**22**	**30**	**55**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	15.5	371	1	1	7	22	50	71	99+
20-34	183	11.5	199	1	1	5	15	32	41	65
35-49	127	7.5	81	1	1	4	9	19	31	44
50-64	54	11.5	119	2	2	7	17	25	35	50
65+	47	12.1	144	1	2	8	15	24	35	67
B. *Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	6	5.2	35	1	1	2	8	15	16	16
35-49	5	6.8	24	2	2	6	10	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	593	23.1	683	1	2	13	46	87	99+	99+
20-34	464	12.1	213	1	2	7	15	29	43	84
35-49	293	11.0	163	1	2	7	13	26	35	64
50-64	232	11.2	147	2	2	7	15	25	34	63
65+	347	11.6	135	2	3	8	14	25	39	64
B. *Operated*										
0-19 YRS	13	46.4	1751	1	3	83	99	99+	99+	99+
20-34	23	14.5	354	<1	1	5	20	30	56	86
35-49	26	16.6	214	2	3	12	22	40	50	52
50-64	23	14.5	109	2	2	13	22	34	56	99+
65+	38	19.8	267	4	6	14	29	55	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	813	12.9	265	1	1	6	18	36	54	99+
B. *Operated*	16	4.7	22	<1	1	3	7	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	1929	15.1	356	1	2	8	19	48	75	99+
B. *Operated*	123	19.9	469	2	3	13	29	77	99+	99+
1. SINGLE DX	829	12.7	261	1	1	6	17	35	54	99+
2. MULTIPLE DX	2052	15.4	364	1	2	8	20	49	77	99+
A. NOT OPERATED	2742	14.5	330	1	2	7	19	42	69	99+
B. OPERATED	139	18.2	441	1	2	12	25	65	99	99+
TOTAL 0-19 YRS	1012	20.3	592	1	2	10	34	78	99+	99+
20-34	676	12.0	213	1	1	6	16	30	41	83
35-49	451	10.3	145	1	2	6	13	26	35	60
50-64	310	11.5	139	2	2	7	16	26	36	66
65+	432	12.4	152	2	3	8	15	27	41	73
GRAND TOTAL	**2881**	**14.6**	**336**	**1**	**2**	**8**	**19**	**43**	**70**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	15.5	366	3	3	7	26	44	44	44
20-34	16	8.8	68	1	1	6	13	18	27	31
35-49	2	8.5	113	1	1	8	16	16	16	16
50-64	3	8.3	2	7	7	8	9	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.5	155	<1	<1	4	12	17	57	99+
20-34	40	14.1	337	1	2	8	16	38	81	99+
35-49	19	10.8	99	<1	1	8	17	32	67	99+
50-64	10	10.4	144	1	1	7	13	28	42	42
65+	4	6.3	25	2	2	5	10	13	13	13
B. *Operated*										
0-19 YRS	7	7.0	143	2	2	2	4	28	34	34
20-34	6	3.0	6	2	2	2	2	7	8	8
35-49	4	7.5	121	2	2	2	13	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	9.8	100	1	1	8	13	18	34	44
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	109	11.1	208	<1	1	7	15	26	71	99+
B. *Operated*	17	5.7	82	2	2	2	3	21	30	34
1. SINGLE DX	26	9.6	96	1	1	7	13	18	34	44
2. MULTIPLE DX	126	10.3	193	1	1	6	14	25	56	99+
A. NOT OPERATED	134	10.8	187	1	1	7	14	25	51	99+
B. OPERATED	18	5.7	78	2	2	2	5	19	30	34
TOTAL 0-19 YRS	47	8.9	165	<1	1	4	11	24	47	99+
20-34	63	11.5	243	1	2	7	15	22	62	98
35-49	25	10.1	96	<1	1	7	16	29	48	99+
50-64	13	9.9	109	1	1	7	11	20	38	42
65+	4	6.3	25	2	2	5	10	13	13	13
GRAND TOTAL	**152**	**10.2**	**176**	**1**	**1**	**7**	**14**	**24**	**43**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	10.8	24	1	3	11	13	16	19	25
20-34	47	7.1	21	2	2	6	11	14	16	20
35-49	27	7.3	20	1	2	8	11	13	15	17
50-64	17	8.8	66	1	2	5	13	21	26	29
65+	5	7.8	64	<1	<1	3	16	17	17	17
B. *Operated*										
0-19 YRS	29	11.0	16	3	6	11	13	16	18	20
20-34	28	6.5	74	1	1	3	6	20	27	37
35-49	18	8.7	139	2	2	5	10	14	38	53
50-64	27	9.6	151	2	2	5	11	25	34	57
65+	5	11.0	96	2	2	7	16	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	12.1	40	2	4	11	15	19	24	37
20-34	65	12.6	88	2	2	11	16	30	36	90
35-49	48	13.1	97	2	3	11	15	24	38	48
50-64	66	13.4	154	2	3	9	16	31	37	64
65+	64	19.6	314	4	5	15	28	42	87	99+
B. *Operated*										
0-19 YRS	54	21.3	280	2	7	17	27	44	57	99+
20-34	33	25.5	386	2	4	21	37	49	66	81
35-49	46	15.8	260	2	2	9	27	39	45	79
50-64	53	27.0	550	2	3	22	43	65	84	99+
65+	27	29.8	562	2	4	33	40	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	9.9	28	1	3	11	13	16	19	25
B. *Operated*	107	9.1	89	2	2	6	11	19	26	55
2. MULTIPLE DX										
A. *Not Operated*	503	13.4	106	2	3	11	16	25	35	89
B. *Operated*	213	23.2	410	2	3	19	35	54	80	99+
1. SINGLE DX	452	9.7	42	1	2	10	12	16	20	29
2. MULTIPLE DX	716	16.3	217	2	3	12	19	36	48	99+
A. NOT OPERATED	848	12.0	77	2	3	11	15	20	29	55
B. OPERATED	320	18.5	347	2	2	12	27	45	63	99+
TOTAL 0-19 YRS	592	12.3	62	2	3	11	14	19	25	45
20-34	173	12.6	168	2	2	9	15	31	41	78
35-49	139	12.3	150	2	2	9	14	28	40	56
50-64	163	16.7	324	2	2	10	22	44	61	88
65+	101	21.3	386	2	4	17	32	51	98	99+
GRAND TOTAL	**1168**	**13.8**	**159**	**2**	**3**	**11**	**16**	**29**	**40**	**94**

114: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	44	11.2	81	2	3	8	16	22	35	39
65+	112	10.7	60	3	4	8	13	23	29	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	10.8	4	9	9	11	12	14	14	14
50-64	7	10.9	65	2	2	12	13	23	26	26
65+	7	12.0	28	3	4	13	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	14	9.9	78	1	3	7	12	27	31	32
50-64	119	13.5	178	4	4	8	15	30	41	67
65+	927	15.0	188	3	4	11	19	35	58	99+
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	5.5	10	3	3	4	7	10	10	10
50-64	17	21.6	257	3	5	13	37	43	53	58
65+	125	24.3	369	5	7	21	37	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	10.7	65	3	3	8	13	22	29	37
B. *Operated*	19	11.3	32	2	3	11	14	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	1062	14.7	186	3	4	11	19	34	57	99+
B. *Operated*	147	23.3	354	4	7	19	34	67	99+	99+
1. SINGLE DX	179	10.8	61	3	3	8	13	22	28	37
2. MULTIPLE DX	1209	15.7	214	3	4	11	20	38	65	99+
A. NOT OPERATED	1222	14.2	171	3	4	10	18	32	48	99+
B. OPERATED	166	22.0	332	4	6	17	29	65	99+	99+
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	26	8.7	49	1	3	8	11	14	27	32
50-64	187	13.6	163	3	4	9	16	33	40	63
65+	1171	15.5	204	3	4	11	20	37	65	99+
GRAND TOTAL	**1388**	**15.1**	**197**	**3**	**4**	**11**	**20**	**35**	**58**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.3	31	2	3	5	9	17	20	20
20-34	186	8.2	33	1	2	7	10	14	20	32
35-49	239	9.7	39	2	3	9	13	17	20	31
50-64	77	11.5	87	1	3	10	16	24	27	43
65+	13	13.2	99	3	6	10	21	42	87	99+
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	24	7.2	39	1	2	5	11	13	21	27
35-49	36	7.9	42	2	2	6	10	15	18	34
50-64	6	9.3	39	1	1	10	14	17	17	17
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	14	2	2	6	9	10	10	10
20-34	147	11.7	114	2	3	10	15	21	30	96
35-49	237	12.6	103	3	3	10	16	27	38	99+
50-64	170	13.9	132	4	5	11	18	27	37	99
65+	54	13.9	146	2	4	11	18	30	46	98
B. *Operated*										
0-19 YRS	3	8.3	65	1	1	7	14	17	17	17
20-34	34	12.3	125	2	4	10	14	22	57	99+
35-49	78	17.2	245	2	3	13	24	34	68	99+
50-64	65	18.2	354	3	4	13	22	45	85	99+
65+	15	16.5	185	2	3	13	20	35	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5[illegible]5	9.5	47	1	3	9	12	18	21	38
B. *Operated*	69	7.6	39	1	2	6	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*	613	12.8	117	2	3	10	16	25	37	99+
B. *Operated*	195	16.5	254	2	4	12	21	34	73	99+
1. SINGLE DX	594	9.3	46	1	2	8	12	18	21	37
2. MULTIPLE DX	808	13.7	152	2	3	10	17	28	40	99+
A. NOT OPERATED	1138	11.3	87	2	3	10	14	22	30	60
B. OPERATED	264	14.1	213	2	2	10	18	30	55	99+
TOTAL 0-19 YRS	19	7.2	27	1	2	6	10	16	19	20
20-34	391	9.8	75	2	2	9	12	18	22	61
35-49	590	11.8	98	2	3	10	14	24	32	87
50-64	318	14.1	169	3	4	11	18	28	41	99+
65+	84	14.0	143	2	2	11	18	35	49	99+
GRAND TOTAL	**1402**	**11.8**	**112**	**2**	**3**	**10**	**14**	**23**	**33**	**96**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	628	3.6	12	1	1	3	4	8	12	17
20-34	411	4.2	21	1	1	3	5	9	14	24
35-49	255	4.0	14	1	1	3	5	8	11	17
50-64	140	4.2	16	1	1	3	5	8	11	18
65+	100	5.2	19	1	1	4	6	11	17	20
B. *Operated*										
0-19 YRS	9	6.0	22	2	2	5	8	13	16	16
20-34	23	13.9	180	2	2	9	20	31	47	52
35-49	7	5.1	23	1	1	2	8	13	14	14
50-64	9	7.1	69	2	2	3	8	22	26	26
65+	2	16.5	421	2	2	16	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	840	5.3	34	1	1	3	7	11	16	36
20-34	678	5.6	42	1	1	4	7	12	16	34
35-49	596	6.3	54	1	1	5	8	13	18	28
50-64	622	7.0	50	1	2	5	8	14	19	38
65+	1046	9.2	91	2	2	6	11	19	27	66
B. *Operated*										
0-19 YRS	33	9.8	119	1	1	6	14	32	45	99+
20-34	59	12.9	232	1	2	8	15	28	53	78
35-49	64	12.3	150	2	2	9	16	33	53	99+
50-64	73	16.7	224	2	3	10	26	38	55	99+
65+	103	17.9	257	4	4	13	26	43	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1534	4.0	16	1	1	3	5	8	12	20
B. *Operated*	50	10.1	124	2	2	6	13	26	31	52
2. MULTIPLE DX										
A. *Not Operated*	3782	6.9	59	1	2	5	8	14	20	50
B. *Operated*	332	14.9	217	2	2	10	22	36	61	99+
1. SINGLE DX	1584	4.2	20	1	1	3	5	9	13	23
2. MULTIPLE DX	4114	7.5	77	1	2	5	9	16	23	63
A. NOT OPERATED	5316	6.1	48	1	1	4	7	13	18	40
B. OPERATED	382	14.2	207	2	2	10	21	35	57	99+
TOTAL 0-19 YRS	1510	4.7	28	1	1	3	5	10	15	29
20-34	1171	5.7	51	1	1	4	6	12	18	38
35-49	922	6.1	53	1	1	4	7	13	18	38
50-64	844	7.4	69	1	2	5	8	15	23	51
65+	1251	9.6	106	2	2	6	11	20	30	71
GRAND TOTAL	**5698**	**6.6**	**63**	**1**	**1**	**4**	**8**	**14**	**20**	**52**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	5.5	119	<1	<1	3	6	13	74	99+
20-34	224	5.1	29	1	1	4	6	10	15	39
35-49	147	4.6	21	1	1	3	6	10	15	22
50-64	136	6.6	45	1	2	5	8	13	18	31
65+	176	8.1	72	1	2	6	9	16	26	58
B. *Operated*										
0-19 YRS	148	5.1	29	<1	1	3	6	11	15	32
20-34	125	6.6	29	1	1	5	10	13	15	25
35-49	124	6.6	64	1	1	4	8	15	25	42
50-64	136	6.4	31	1	2	4	10	15	18	26
65+	103	8.1	47	1	2	6	11	20	23	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	599	9.8	331	1	2	4	11	99+	99+	99+
20-34	328	7.8	81	1	2	5	9	18	30	52
35-49	346	7.9	100	1	2	5	9	17	28	99+
50-64	586	12.5	226	2	2	8	14	33	53	99+
65+	2146	15.1	246	2	3	10	19	43	63	99+
B. *Operated*										
0-19 YRS	237	8.4	120	1	1	5	11	28	75	99+
20-34	245	11.1	211	1	2	6	13	29	51	99+
35-49	258	10.6	139	1	2	7	14	24	34	99+
50-64	405	14.4	249	2	2	9	18	38	62	99+
65+	896	19.3	355	2	3	13	27	56	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	5.9	61	1	1	4	7	12	20	99+
B. *Operated*	636	6.4	40	1	1	4	9	15	20	30
2. MULTIPLE DX										
A. *Not Operated*	4005	12.7	237	2	2	8	16	42	76	99+
B. *Operated*	2041	15.0	279	2	2	9	20	43	69	99+
1. SINGLE DX	1526	6.1	52	1	1	4	8	13	20	62
2. MULTIPLE DX	6046	13.5	253	2	2	8	17	42	74	99+
A. NOT OPERATED	4895	11.5	212	1	2	7	14	36	65	99+
B. OPERATED	2677	12.9	235	1	2	8	17	35	61	99+
TOTAL 0-19 YRS	1191	8.2	218	1	1	4	9	71	99+	99+
20-34	922	7.9	100	1	1	5	9	17	29	81
35-49	875	8.0	97	1	2	5	10	18	26	97
50-64	1263	11.8	201	1	2	7	14	29	50	99+
65+	3321	15.6	268	2	3	10	20	44	67	99+
GRAND TOTAL	**7572**	**12.0**	**221**	**1**	**2**	**7**	**15**	**35**	**63**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.5	5	1	1	2	3	5	7	12
20-34	382	3.5	9	1	1	3	5	7	9	14
35-49	246	2.9	4	1	1	2	4	5	8	11
50-64	87	3.3	4	1	1	3	4	6	7	10
65+	18	3.9	7	1	1	3	5	6	10	12
B. *Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	29	4.2	9	2	2	3	5	9	9	14
35-49	14	6.2	71	2	2	3	7	16	29	33
50-64	16	4.1	10	1	2	3	6	9	10	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.1	7	1	1	3	4	5	6	17
20-34	436	4.3	12	1	1	3	5	8	10	20
35-49	390	4.1	8	1	1	3	5	8	9	16
50-64	197	4.9	14	1	2	4	6	8	11	22
65+	71	5.4	18	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	5	7.8	2	7	7	7	8	10	10	10
20-34	24	6.5	26	1	2	5	8	13	19	23
35-49	36	6.1	26	1	1	5	8	14	19	22
50-64	28	6.5	25	2	2	5	8	11	14	27
65+	8	6.9	8	3	3	7	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	919	3.1	7	1	1	2	4	6	8	12
B. *Operated*	64	4.4	22	1	2	3	5	9	12	30
2. MULTIPLE DX										
A. *Not Operated*	1237	4.2	11	1	1	3	5	8	10	19
B. *Operated*	101	6.5	23	1	2	5	8	12	17	25
1. SINGLE DX	983	3.2	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1338	4.4	12	1	1	4	5	8	11	20
A. NOT OPERATED	2156	3.8	9	1	1	3	5	7	9	17
B. OPERATED	165	5.7	23	1	2	4	7	10	14	26
TOTAL 0-19 YRS	339	2.8	6	1	1	2	4	5	7	13
20-34	871	4.0	11	1	1	3	5	8	10	19
35-49	686	3.8	10	1	1	3	5	7	9	17
50-64	328	4.6	13	1	1	4	6	8	10	22
65+	97	5.2	15	1	1	4	6	11	12	20
GRAND TOTAL	**2321**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	1.4	1	<1	<1	<1	2	3	3	3
35-49	7	2.3	7	<1	<1	1	2	7	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	23	1.7	2	<1	<1	1	2	3	5	7
20-34	406	1.7	1	<1	<1	2	2	3	3	4
35-49	758	1.9	1	<1	<1	2	2	3	4	5
50-64	825	1.9	1	<1	<1	2	2	3	3	5
65+	487	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	2.8	7	<1	<1	2	3	7	10	10
35-49	16	2.8	4	<1	<1	2	4	6	7	7
50-64	32	4.3	28	<1	<1	3	5	8	16	27
65+	21	4.0	8	<1	<1	4	5	8	10	11
B. *Operated*										
0-19 YRS	18	2.6	3	1	1	2	3	5	7	8
20-34	163	2.5	3	<1	1	2	3	4	5	11
35-49	400	2.8	18	<1	1	2	3	4	6	18
50-64	661	2.9	8	<1	1	2	3	5	8	17
65+	634	3.0	8	1	1	2	3	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	3	<1	<1	1	2	3	6	8
B. *Operated*	2499	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.7	15	<1	<1	2	5	7	10	24
B. *Operated*	1876	2.9	10	<1	1	2	3	5	8	16
1. SINGLE DX	2519	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1957	2.9	10	<1	1	2	3	5	8	16
A. NOT OPERATED	101	3.3	13	<1	<1	2	5	6	9	22
B. OPERATED	4375	2.3	5	<1	<1	2	3	3	5	11
TOTAL 0-19 YRS	42	2.1	2	<1	<1	2	2	4	6	8
20-34	588	1.9	2	<1	<1	2	2	3	4	7
35-49	1181	2.2	7	<1	<1	2	2	3	4	9
50-64	1519	2.4	5	<1	<1	2	3	4	5	12
65+	1146	2.6	6	<1	1	2	3	4	6	13
GRAND TOTAL	**4476**	**2.3**	**8**	**<1**	**<1**	**2**	**3**	**4**	**5**	**12**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	7.3	96	1	1	4	8	15	29	51
20-34	128	6.3	38	1	1	4	8	13	19	33
35-49	145	5.6	54	1	1	4	6	10	15	40
50-64	113	5.3	31	1	1	4	6	9	11	37
65+	103	6.6	38	1	2	5	8	13	16	38
B. *Operated*										
0-19 YRS	90	3.2	13	1	1	3	3	5	7	24
20-34	435	3.3	5	<1	1	3	4	6	8	12
35-49	527	3.8	15	<1	1	3	4	8	10	15
50-64	462	3.8	26	<1	1	3	4	7	10	18
65+	176	4.0	19	1	1	3	4	9	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	11.7	225	<1	1	4	16	35	49	97
20-34	150	8.3	135	1	2	4	8	21	33	66
35-49	297	7.4	84	1	2	5	9	14	20	69
50-64	484	7.9	77	1	2	5	9	17	23	59
65+	721	9.9	111	2	2	7	12	21	30	90
B. *Operated*										
0-19 YRS	65	7.9	217	1	2	4	7	15	29	91
20-34	253	6.2	96	1	1	4	6	11	19	53
35-49	358	5.9	60	1	2	4	7	12	18	82
50-64	481	7.2	105	1	2	4	8	16	31	99+
65+	400	12.5	258	2	2	7	15	30	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	6.0	47	1	1	4	7	11	16	39
B. *Operated*	1690	3.6	16	<1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1710	8.8	104	1	2	6	10	19	28	77
B. *Operated*	1557	8.1	144	1	2	4	8	18	33	95
1. SINGLE DX	2234	4.2	24	1	1	3	5	8	11	22
2. MULTIPLE DX	3267	8.5	123	1	2	5	10	19	30	86
A. NOT OPERATED	2254	8.1	91	1	2	5	9	17	26	67
B. OPERATED	3247	5.8	82	1	1	3	6	12	19	72
TOTAL 0-19 YRS	268	7.0	134	1	1	3	7	15	33	70
20-34	966	5.2	57	1	1	3	5	10	15	40
35-49	1327	5.4	49	1	1	3	6	11	15	40
50-64	1540	6.2	70	1	2	4	7	13	19	62
65+	1400	9.6	143	2	2	6	11	21	33	86
GRAND TOTAL	**5501**	**6.8**	**87**	**1**	**2**	**4**	**8**	**14**	**22**	**70**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	4.8	1	4	4	5	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	43	4.6	8	1	2	4	5	9	11	13
20-34	99	4.6	11	1	2	4	5	7	11	21
35-49	133	4.6	7	2	2	4	5	8	11	14
50-64	410	4.1	5	1	2	4	5	7	8	10
65+	354	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.2	9	2	2	3	6	9	9	9
35-49	6	4.0	16	<1	<1	3	3	11	12	12
50-64	13	3.2	6	<1	<1	3	5	7	8	8
65+	28	4.3	8	<1	1	5	6	9	9	11
B. *Operated*										
0-19 YRS	32	4.8	5	2	2	4	6	7	10	11
20-34	64	5.4	12	2	3	4	6	10	15	18
35-49	72	5.8	18	2	2	4	7	11	14	25
50-64	411	5.0	10	2	2	4	6	8	9	19
65+	512	5.5	11	2	3	5	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	2	2	2	4	5	6	6	6
B. *Operated*	1039	4.4	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	53	3.9	8	<1	<1	3	5	8	9	12
B. *Operated*	1091	5.3	11	2	2	5	6	9	11	18
1. SINGLE DX	1047	4.4	6	1	2	4	5	7	8	13
2. MULTIPLE DX	1144	5.2	11	2	2	5	6	9	11	18
A. NOT OPERATED	61	4.0	7	<1	1	3	5	8	9	12
B. OPERATED	2130	4.8	9	2	2	4	6	8	10	15
TOTAL 0-19 YRS	77	4.6	7	1	2	4	5	8	11	13
20-34	169	4.9	11	2	2	4	5	8	11	18
35-49	212	5.0	11	2	2	4	6	9	12	17
50-64	838	4.5	8	1	2	4	6	7	9	14
65+	895	5.1	9	2	2	4	6	8	10	15
GRAND TOTAL	**2191**	**4.8**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	10	1.8	1	1	1	2	2	3	4	4
65+	22	1.8	2	<1	1	1	2	4	5	6
B. *Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	9	3.2	3	1	1	3	4	6	7	7
35-49	32	3.1	13	1	1	2	3	5	8	21
50-64	96	2.3	1	<1	1	2	3	4	5	6
65+	210	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	4.0	12	2	2	2	7	8	8	8
50-64	15	3.0	4	1	1	2	5	6	6	6
65+	46	4.8	31	1	1	3	5	11	15	31
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	6.8	85	1	1	4	6	22	29	29
35-49	14	3.0	2	2	2	3	4	6	76	99+
50-64	83	4.1	31	1	2	3	5	7	8	39
65+	302	3.7	9	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.8	1	1	1	1	2	4	4	6
B. *Operated*	352	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	69	4.3	22	1	1	2	5	10	12	28
B. *Operated*	408	3.8	15	1	2	3	4	7	10	23
1. SINGLE DX	390	2.5	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	477	3.9	16	1	1	3	4	8	10	25
A. NOT OPERATED	107	3.4	16	1	1	2	4	8	11	23
B. OPERATED	760	3.2	10	1	1	2	4	5	8	19
TOTAL 0-19 YRS	9	3.1	5	<1	<1	3	4	7	8	8
20-34	20	4.8	36	1	1	3	5	7	18	29
35-49	54	3.0	9	1	1	2	3	6	8	96
50-64	204	3.0	14	1	1	2	3	5	6	18
65+	580	3.3	9	1	1	2	4	6	9	18
GRAND TOTAL	**867**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS										
20-34	10	3.3	11	1	1	2	4	8	12	12
35-49	19	3.2	4	1	1	3	4	5	8	10
50-64	45	2.8	3	1	1	2	3	4	6	11
65+	113	2.9	3	<1	1	3	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	6.8	13	4	4	6	8	13	13	13
50-64	11	3.0	5	1	1	2	5	6	8	8
65+	37	6.7	126	1	1	4	7	9	18	69
B. *Operated*										
0-19 YRS	8	3.8	12	1	1	3	4	10	12	12
20-34	11	2.3	2	1	1	2	3	4	5	5
35-49	22	4.6	22	1	2	3	5	8	16	23
50-64	66	3.2	8	1	1	2	4	5	7	18
65+	175	4.1	39	1	2	3	4	7	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	3	<1	<1	1	2	4	7	7
B. *Operated*	187	2.9	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	56	5.7	87	1	1	4	6	9	13	66
B. *Operated*	282	3.9	29	1	1	3	4	7	11	21
1. SINGLE DX	199	2.9	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	338	4.2	39	1	1	3	4	7	11	22
A. NOT OPERATED	68	5.0	74	1	1	3	6	8	12	60
B. OPERATED	469	3.5	19	1	1	2	4	6	9	19
TOTAL 0-19 YRS	10	3.2	11	1	1	2	3	8	12	12
20-34	23	2.7	5	1	1	2	3	5	8	12
35-49	47	4.2	14	1	1	3	5	7	11	23
50-64	126	3.0	6	1	1	2	3	5	7	15
65+	331	4.0	37	1	1	3	4	7	10	22
GRAND TOTAL	**537**	**3.7**	**26**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	5	2.4	7	1	1	1	3	7	7	7
65+	7	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	374	2.0	1	<1	1	2	2	3	3	5
50-64	2812	2.0	1	1	1	2	2	3	3	4
65+	12162	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	1.8	3	<1	<1	1	2	4	6	7
50-64	113	2.7	33	<1	<1	1	2	4	10	31
65+	553	2.5	10	<1	<1	1	2	5	9	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	257	2.7	10	1	1	2	3	4	5	20
50-64	2882	2.5	5	1	2	2	3	3	4	11
65+	16881	2.6	6	1	2	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	4	<1	1	1	2	6	7	7
B. *Operated*	15348	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	686	2.5	14	<1	<1	1	2	5	9	17
B. *Operated*	20020	2.6	6	1	2	2	3	4	5	12
1. SINGLE DX	15362	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX	20706	2.6	6	1	1	2	3	4	5	12
A. NOT OPERATED	700	2.5	14	<1	<1	1	2	5	9	17
B. OPERATED	35368	2.4	4	1	1	2	2	3	4	9
TOTAL 0-19 YRS										
20-34										
35-49	653	2.3	5	<1	1	2	2	3	4	9
50-64	5812	2.3	4	1	1	2	2	3	4	8
65+	29603	2.4	4	1	1	2	2	3	4	10
GRAND TOTAL	**36068**	**2.4**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	39	3.1	25	<1	1	2	3	4	6	33
20-34	34	2.1		<1	<1	2	2	3	3	4
35-49	56	2.1	1	1	1	2	2	3	3	5
50-64	105	2.0		<1	1	2	2	3	3	4
65+	271	2.5	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	8	<1	<1	2	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	8.3	183	<1	<1	2	10	32	35	35
65+	13	3.3	16	1	1	1	4	10	12	12
B. *Operated*										
0-19 YRS	22	2.8	2	1	1	3	4	5	5	6
20-34	26	4.0	40	2	2	2	3	4	14	34
35-49	50	2.3	2	1	1	2	2	4	4	9
50-64	141	2.6	4	<1	1	2	3	4	6	11
65+	303	2.8	9	1	2	2	3	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	505	2.3	3	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	27	4.3	49	<1	1	1	6	10	15	35
B. *Operated*	542	2.8	8	1	2	2	3	4	6	11
1. SINGLE DX	506	2.3	3	1	1	2	3	3	4	7
2. MULTIPLE DX	569	2.8	10	1	1	2	3	4	7	14
A. NOT OPERATED	28	4.1	48	<1	<1	1	5	10	14	35
B. OPERATED	1047	2.6	6	1	1	2	3	4	5	10
TOTAL 0-19 YRS	67	3.0	16	1	1	2	3	5	6	29
20-34	61	2.9	18	<1	1	2	3	3	4	31
35-49	107	2.2	1	1	1	2	2	3	4	7
50-64	252	2.5	7	<1	1	2	2	3	5	10
65+	588	2.6	6	1	1	2	3	4	6	11
GRAND TOTAL	**1075**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	3	<1	<1	1	2	4	6	7
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64	7	4.6	8	2	2	4	6	9	10	10
65+	10	3.3	8	<1	<1	2	4	8	10	10
B. *Operated*										
0-19 YRS	1237	1.4		<1	<1	1	2	2	2	3
20-34	199	1.8	1	<1	<1	2	2	2	3	4
35-49	96	1.9	1	<1	1	2	2	2	3	8
50-64	40	1.9	2	<1	<1	2	2	3	3	9
65+	30	2.5	2	1	1	2	3	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	1.6	4	<1	<1	1	1	2	5	13
20-34	9	3.4	6	<1	<1	3	5	7	7	7
35-49	10	6.6	6	4	4	6	7	11	11	11
50-64	22	4.5	8	<1	1	4	5	9	11	11
65+	52	5.5	15	1	2	4	7	12	15	16
B. *Operated*										
0-19 YRS	332	1.4		<1	<1	1	2	2	2	3
20-34	78	2.0	1	<1	1	2	2	3	4	8
35-49	47	2.1	1	<1	1	2	2	3	4	4
50-64	36	3.9	20	1	1	2	3	10	16	20
65+	38	4.9	116	1	1	2	3	11	12	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.5,	5	<1	<1	2	3	6	7	10
B. *Operated*	1602	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	157	3.7	12	<1	<1	3	5	8	11	16
B. *Operated*	531	2.0	11	<1	<1	2	2	3	3	11
1. SINGLE DX	1654	1.6	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	688	2.4	12	<1	<1	2	2	4	7	14
A. NOT OPERATED	209	3.4	10	<1	<1	2	5	8	11	15
B. OPERATED	2133	1.6	3	<1	<1	1	2	2	2	6
TOTAL 0-19 YRS	1659	1.4	1	<1	<1	1	2	2	2	3
20-34	290	1.9	1	<1	<1	2	2	3	3	8
35-49	158	2.3	3	<1	1	2	2	4	6	11
50-64	105	3.3	11	<1	1	2	3	8	10	19
65+	130	4.4	42	1	1	3	5	9	13	26
GRAND TOTAL	**2342**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.5	5	<1	<1	1	4	6	7	11
20-34	23	3.5	5	<1	1	4	5	6	8	9
35-49	14	2.9	3	<1	1	2	4	5	6	6
50-64	15	3.7	7	<1	<1	3	6	7	7	7
65+	26	7.6	185	1	2	4	7	11	28	72
B. *Operated*										
0-19 YRS	171	1.5	1	<1	<1	1	2	2	3	6
20-34	149	2.1	2	<1	<1	2	2	3	5	7
35-49	285	1.8	1	<1	<1	2	2	3	3	6
50-64	362	1.9	1	<1	<1	2	2	3	4	7
65+	561	2.2	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	3.9	12	<1	<1	3	5	8	11	18
20-34	22	5.0	26	<1	<1	5	6	16	49	99+
35-49	28	3.3	9	<1	<1	2	5	7	8	13
50-64	39	4.0	20	<1	<1	2	5	10	16	19
65+	134	7.0	79	<1	1	5	9	14	21	61
B. *Operated*										
0-19 YRS	63	2.7	10	<1	<1	2	2	5	7	22
20-34	83	3.4	37	<1	1	2	2	4	12	38
35-49	283	2.3	7	<1	<1	2	3	4	5	9
50-64	542	2.6	4	<1	1	2	3	4	6	10
65+	927	3.4	20	1	1	2	3	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	3.3	28	<1	<1	2	4	7	8	13
B. *Operated*	1528	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	374	5.0	39	<1	<1	3	6	11	14	30
B. *Operated*	1898	3.0	14	<1	1	2	3	5	7	17
1. SINGLE DX	1752	2.1	5	<1	<1	2	2	4	5	8
2. MULTIPLE DX	2272	3.3	19	<1	1	2	3	6	9	22
A. NOT OPERATED	598	4.4	36	<1	<1	3	5	9	13	25
B. OPERATED	3426	2.5	9	<1	<1	2	3	4	6	13
TOTAL 0-19 YRS	531	2.6	7	<1	<1	2	3	5	7	13
20-34	277	2.8	15	<1	<1	2	3	5	7	26
35-49	610	2.1	4	<1	<1	2	2	4	5	8
50-64	958	2.4	4	<1	1	2	3	4	6	10
65+	1648	3.3	23	<1	1	2	3	6	9	22
GRAND TOTAL	**4024**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	3.8	5	1	1	4	5	7	8	11
20-34	65	3.9	7	1	1	3	5	7	10	12
35-49	29	5.3	18	1	1	5	6	10	12	22
50-64	30	3.8	8	1	1	3	5	8	10	11
65+	34	4.3	10	<1	1	4	5	8	13	14
B. *Operated*										
0-19 YRS	39	3.6	12	1	1	2	4	9	13	16
20-34	49	2.9	5	<1	1	2	4	5	6	15
35-49	70	3.2	14	<1	1	2	3	6	9	23
50-64	242	2.6	4	1	1	2	3	4	7	11
65+	773	2.4	4	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	5.2	16	1	2	4	7	10	12	19
20-34	71	4.6	8	1	2	4	5	9	11	14
35-49	71	5.5	18	1	1	5	7	11	14	21
50-64	111	6.1	63	1	2	5	7	11	15	86
65+	202	6.1	23	1	1	5	8	11	16	24
B. *Operated*										
0-19 YRS	51	5.6	45	1	1	4	6	11	13	43
20-34	74	4.6	38	1	2	3	5	8	10	42
35-49	96	5.1	29	1	1	3	6	12	17	27
50-64	360	4.0	16	1	2	3	4	8	12	23
65+	1218	3.7	25	1	1	2	3	7	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.0	7	1	1	4	5	7	8	12
B. *Operated*	1173	2.5	5	1	1	2	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	769	5.5	24	1	2	4	7	11	13	23
B. *Operated*	1799	3.9	25	1	1	2	4	8	12	27
1. SINGLE DX	1642	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX	2568	4.4	25	1	1	3	5	9	12	24
A. NOT OPERATED	1238	4.9	18	1	1	4	6	9	12	21
B. OPERATED	2972	3.4	17	1	1	2	3	6	10	21
TOTAL 0-19 YRS	715	4.5	13	1	1	4	5	8	11	16
20-34	259	4.1	16	1	1	3	5	7	10	18
35-49	266	4.7	21	1	1	3	6	11	14	24
50-64	743	3.9	20	1	1	2	4	8	11	21
65+	2227	3.5	18	1	1	2	3	7	10	22
GRAND TOTAL	**4210**	**3.8**	**18**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	2	<1	<1	1	3	4	5	5
20-34	7	1.7	1	1	1	2	2	3	3	3
35-49	8	4.1	6	1	1	4	6	7	8	8
50-64	3	6.7	14	4	4	5	9	11	11	11
65+	7	15.9	1076	1	1	4	8	74	90	90
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	5	7.0	152	<1	<1	2	9	29	29	29
35-49	7	2.9	8	1	1	2	4	8	9	9
50-64	6	3.7	6	2	2	3	5	8	8	8
65+	8	2.1	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.1	3	<1	<1	2	3	4	6	9
20-34	13	3.3	4	1	1	3	4	6	8	8
35-49	19	4.5	14	1	1	3	7	10	13	14
50-64	33	4.9	12	1	1	4	7	11	13	13
65+	61	8.8	160	1	2	6	9	13	34	76
B. *Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	10	2.7	2	1	1	2	3	5	6	6
35-49	13	3.1	6	1	1	2	4	6	9	10
50-64	25	4.2	9	1	2	3	7	9	10	11
65+	36	6.5	122	1	2	3	6	10	22	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.3	205	<1	1	2	4	7	10	90
B. *Operated*	31	3.3	26	<1	<1	2	3	6	9	29
2. MULTIPLE DX										
A. *Not Operated*	150	5.9	76	1	1	3	7	11	13	55
B. *Operated*	90	4.7	54	1	1	3	5	9	10	49
1. SINGLE DX	69	4.4	124	<1	1	2	4	7	9	78
2. MULTIPLE DX	240	5.4	68	1	1	3	7	10	13	56
A. NOT OPERATED	188	5.8	102	1	1	3	7	10	13	70
B. OPERATED	121	4.3	47	<1	1	3	4	8	10	39
TOTAL 0-19 YRS	48	2.1	3	<1	<1	1	3	4	5	9
20-34	35	3.3	22	1	1	2	3	5	7	29
35-49	47	3.8	10	1	1	3	5	8	10	14
50-64	67	4.6	10	1	2	4	7	9	11	13
65+	112	8.0	191	1	2	4	8	12	29	83
GRAND TOTAL	**309**	**5.2**	**80**	**1**	**1**	**3**	**6**	**9**	**12**	**59**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	790	3.1	3	1	1	3	4	5	6	9
20-34	12	4.6	9	2	2	3	7	9	10	10
35-49	4	2.0		2	2	2	2	2	2	2
50-64	6	2.8	4	2	2	2	2	7	7	7
65+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
0-19 YRS	2900	1.1		<1	<1	<1	<1	1	2	3
20-34	159	1.9	1	<1	<1	2	2	3	4	6
35-49	116	2.3	5	<1	<1	2	3	3	4	15
50-64	164	2.1	1	<1	1	2	3	3	3	8
65+	73	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2187	3.6	7	1	1	3	5	6	7	12
20-34	35	3.8	12	<1	1	3	5	7	11	18
35-49	28	5.4	19	1	1	4	7	10	17	19
50-64	35	5.8	24	<1	1	5	7	14	17	21
65+	34	7.4	38	1	2	6	10	14	18	32
B. *Operated*										
0-19 YRS	2118	1.4	2	<1	<1	1	1	2	3	7
20-34	204	2.6	6	<1	1	2	3	4	6	15
35-49	194	2.7	8	1	1	2	3	4	6	14
50-64	205	2.9	7	1	1	3	3	4	5	12
65+	119	3.5	13	1	1	3	3	6	9	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	3.1	3	1	1	3	4	5	7	9
B. *Operated*	3412	1.2	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2319	3.7	8	1	1	3	5	6	8	14
B. *Operated*	2840	1.8	4	<1	<1	1	2	3	4	9
1. SINGLE DX	4227	1.6	2	<1	<1	<1	2	3	4	7
2. MULTIPLE DX	5159	2.6	7	<1	<1	2	3	5	7	12
A. NOT OPERATED	3134	3.5	7	1	1	3	4	6	8	13
B. OPERATED	6252	1.5	2	<1	<1	<1	1	3	3	7
TOTAL 0-19 YRS	7995	2.1	4	<1	<1	1	3	4	6	9
20-34	410	2.5	5	<1	<1	2	3	4	6	11
35-49	342	2.8	8	<1	1	2	3	4	7	16
50-64	410	2.8	7	<1	1	2	3	4	7	15
65+	229	3.5	16	<1	1	2	3	7	11	23
GRAND TOTAL	**9386**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	3.6	6	1	1	3	4	7	9	12
20-34	42	4.1	4	1	2	4	5	6	7	11
35-49	27	4.1	5	2	2	4	5	8	9	10
50-64	18	5.4	7	1	2	5	7	9	11	12
65+	13	5.9	19	2	2	5	6	14	16	16
B. *Operated*										
0-19 YRS	390	1.3	1	<1	<1	<1	1	2	3	6
20-34	55	2.3	1	<1	<1	2	3	4	4	6
35-49	36	2.8	5	<1	1	2	3	4	6	13
50-64	36	2.7	11	<1	<1	2	3	4	8	20
65+	20	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	313	3.7	7	1	1	3	5	6	8	14
20-34	65	5.3	16	1	2	4	7	10	13	23
35-49	62	6.3	21	2	2	5	8	12	17	21
50-64	54	6.8	26	2	2	5	9	11	17	27
65+	51	8.6	72	2	3	6	10	15	22	58
B. *Operated*										
0-19 YRS	422	2.4	12	<1	<1	1	2	5	9	18
20-34	94	4.5	45	1	1	3	4	8	16	41
35-49	74	4.2	25	1	2	3	4	11	11	30
50-64	100	6.5	94	1	2	3	5	16	27	53
65+	84	8.7	103	1	2	4	12	23	34	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	4.0	6	1	2	3	5	7	9	13
B. *Operated*	537	1.6	2	<1	<1	<1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	545	5.0	20	1	2	4	6	9	12	23
B. *Operated*	774	4.0	42	<1	<1	2	3	10	15	38
1. SINGLE DX	776	2.4	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	1319	4.4	33	<1	<1	3	5	10	14	30
A. NOT OPERATED	784	4.7	16	1	2	4	6	9	11	21
B. OPERATED	1311	3.0	27	<1	<1	1	3	5	11	29
TOTAL 0-19 YRS	1264	2.5	8	<1	<1	1	3	5	7	12
20-34	256	4.2	22	1	1	3	5	7	11	26
35-49	199	4.6	19	1	1	3	5	10	12	25
50-64	208	5.8	56	1	1	3	6	12	19	43
65+	168	7.6	80	1	2	5	9	17	25	59
GRAND TOTAL	**2095**	**3.7**	**24**	**<1**	**<1**	**2**	**4**	**7**	**11**	**25**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	3	<1	<1	3	3	5	6	6
20-34	78	3.5	6	1	1	3	4	6	7	13
35-49	141	3.5	5	1	1	3	4	6	7	11
50-64	246	3.4	6	1	1	3	4	6	8	16
65+	218	3.4	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	7	2.9	2	<1	<1	3	4	5	5	5
20-34	25	3.5	3	1	2	3	4	6	7	8
35-49	35	4.5	13	1	2	3	5	11	13	16
50-64	37	3.7	5	1	2	3	4	5	8	13
65+	16	4.1	7	2	2	3	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	3	1	1	3	5	5	6	6
20-34	111	3.8	11	1	2	3	4	6	8	23
35-49	222	4.3	6	1	2	4	6	8	9	12
50-64	746	4.8	11	1	2	4	6	9	11	16
65+	1368	5.4	17	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	4.8	9	3	3	4	5	8	12	14
35-49	15	5.1	13	1	2	4	8	10	13	14
50-64	51	6.7	48	2	2	4	7	12	26	35
65+	68	9.7	66	2	2	8	11	21	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	3.4	5	1	1	3	4	6	8	12
B. *Operated*	120	3.9	7	1	2	3	4	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	2475	5.0	14	1	2	4	6	9	12	18
B. *Operated*	151	7.7	52	2	2	5	10	14	24	37
1. SINGLE DX	821	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	2626	5.2	16	1	2	4	6	10	12	20
A. NOT OPERATED	3176	4.6	12	1	2	4	6	9	11	18
B. OPERATED	271	6.0	35	2	2	4	7	12	17	35
TOTAL 0-19 YRS	54	3.0	2	<1	1	3	4	5	6	6
20-34	230	3.7	8	1	1	3	4	6	8	15
35-49	413	4.1	7	1	2	3	5	8	9	14
50-64	1080	4.5	12	1	2	4	6	8	11	17
65+	1670	5.3	18	1	2	4	6	10	13	21
GRAND TOTAL	**3447**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	2.0		<1	1	2	2	3	3	3
35-49	10	2.0		1	1	2	2	3	3	3
50-64	25	2.2	2	1	2	2	2	2	4	8
65+	15	1.9		<1	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	8	2.3	1	1	1	2	3	3	3	3
20-34	138	2.7	1	1	2	3	3	4	4	6
35-49	215	2.5	1	1	2	2	3	3	4	6
50-64	204	2.6	1	1	2	2	3	4	4	6
65+	72	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	176	1	1	1	18	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.5	3	<1	<1	2	4	4	4	4
50-64	13	2.2	3	1	1	2	2	4	7	8
65+	12	3.0	14	1	1	2	2	6	14	15
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	31	2.6	1	1	1	2	3	4	4	5
35-49	48	2.7	1	1	2	3	3	4	5	7
50-64	64	2.6	1	1	2	2	3	4	5	7
65+	40	3.2	1	2	2	3	4	5	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.1	1	1	2	2	2	2	3	7
B. *Operated*	637	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	35	3.1	20	<1	1	2	2	4	13	24
B. *Operated*	187	2.7	1	1	2	3	3	4	5	7
1. SINGLE DX	700	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX	222	2.8	4	1	2	2	3	4	5	10
A. NOT OPERATED	98	2.4	8	1	1	2	2	3	4	20
B. OPERATED	824	2.6	1	1	2	2	3	4	4	6
TOTAL 0-19 YRS	17	3.5	29	1	1	2	3	4	17	24
20-34	181	2.6	1	1	2	2	3	4	4	5
35-49	279	2.5	1	1	2	2	3	3	4	7
50-64	306	2.5	1	1	2	2	3	4	4	7
65+	139	2.6	2	1	2	2	3	4	5	7
GRAND TOTAL	**922**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	<1	1	2	3	4	5	5
20-34	10	3.0	5	<1	<1	2	4	6	8	8
35-49	10	3.9	7	1	1	3	6	8	8	8
50-64	24	5.8	7	1	2	7	8	9	9	10
65+	16	5.2	8	<1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	441	1.8	1	<1	<1	2	2	3	3	5
20-34	261	2.2	2	1	1	2	3	4	5	9
35-49	222	2.3	2	1	1	2	3	3	5	8
50-64	201	2.3	1	1	1	2	3	3	4	8
65+	92	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.8	2	<1	<1	1	2	4	5	8
20-34	20	2.9	21	<1	<1	2	3	4	13	22
35-49	19	5.0	26	<1	1	3	6	10	18	23
50-64	31	4.5	11	<1	<1	4	7	8	12	14
65+	44	5.2	20	<1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	365	2.0	2	<1	1	2	2	3	4	8
20-34	205	2.5	3	1	1	2	3	4	6	11
35-49	188	2.5	3	1	1	2	3	4	5	11
50-64	239	2.6	3	1	1	2	3	4	5	11
65+	129	3.6	19	1	1	3	4	6	9	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.4	8	<1	1	4	7	8	9	10
B. *Operated*	1217	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	142	4.0	17	<1	<1	3	5	8	12	23
B. *Operated*	1126	2.5	5	1	1	2	3	4	5	11
1. SINGLE DX	1290	2.2	2	<1	1	2	3	3	5	9
2. MULTIPLE DX	1268	2.7	6	<1	1	2	3	4	7	13
A. NOT OPERATED	215	4.1	14	<1	<1	3	6	8	10	22
B. OPERATED	2343	2.3	3	<1	1	2	3	3	5	10
TOTAL 0-19 YRS	847	1.9	2	<1	<1	2	2	3	3	7
20-34	496	2.4	3	1	1	2	3	4	5	10
35-49	439	2.5	4	1	1	2	3	4	6	11
50-64	495	2.8	4	1	1	2	3	5	7	10
65+	281	3.6	14	1	1	3	4	7	9	19
GRAND TOTAL	**2558**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	9.3	39	2	3	7	14	16	21	30
20-34	11	7.8	9	2	4	8	10	12	13	13
35-49	6	4.7	9	2	2	4	6	10	10	10
50-64	2	14.0	50	9	9	14	19	19	19	19
65+	3	8.7	10	5	5	10	11	11	11	11
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	9.4	58	2	4	7	11	17	20	40
20-34	12	5.4	6	2	3	5	7	9	10	10
35-49	13	10.6	178	2	3	5	13	23	47	52
50-64	31	12.8	231	2	3	8	13	28	45	76
65+	41	11.7	98	2	3	9	17	21	34	49
B. *Operated*										
0-19 YRS	3	39.7	1	39	39	39	41	41	41	41
20-34	3	9.0	7	7	7	8	11	12	12	12
35-49	7	6.1	43	2	2	3	7	18	20	20
50-64	9	12.9	27	6	7	12	16	21	23	23
65+	9	12.0	91	2	2	12	17	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	8.7	31	2	3	7	11	16	20	29
B. *Operated*	3	3.0	7	<1	<1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	125	10.8	122	2	3	8	13	20	34	58
B. *Operated*	31	13.3	124	2	2	12	17	39	41	99+
1. SINGLE DX	62	8.4	31	2	2	7	11	15	19	29
2. MULTIPLE DX	156	11.3	123	2	3	8	14	22	39	74
A. NOT OPERATED	184	10.1	94	2	3	7	12	18	25	51
B. OPERATED	34	12.4	122	2	2	10	16	39	41	99+
TOTAL 0-19 YRS	69	10.6	84	2	3	7	14	19	39	41
20-34	28	6.6	9	2	3	6	8	11	12	13
35-49	26	8.0	105	2	2	4	10	16	26	52
50-64	42	12.9	176	2	3	9	15	23	39	76
65+	53	11.6	90	2	3	10	17	24	34	98
GRAND TOTAL	**218**	**10.5**	**98**	**2**	**3**	**8**	**13**	**20**	**34**	**59**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	16.0	217	3	3	13	27	32	32	32
20-34	11	7.2	78	1	2	6	7	18	32	33
35-49	21	7.0	53	1	1	3	8	19	25	26
50-64	17	7.0	56	<1	1	5	7	18	26	30
65+	16	4.0	7	1	2	3	5	9	9	9
B. *Operated*										
0-19 YRS										
20-34	21	6.0	22	1	1	3	10	13	14	14
35-49	58	6.1	42	2	2	2	11	15	19	29
50-64	115	7.1	48	2	2	2	13	16	18	29
65+	39	7.1	44	2	2	3	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	10	2	2	5	8	10	10	10
20-34	60	5.8	54	1	1	4	6	10	20	43
35-49	145	6.2	28	1	2	5	7	11	15	32
50-64	301	7.6	33	2	2	6	10	15	19	31
65+	469	10.9	78	3	3	8	14	22	30	51
B. *Operated*										
0-19 YRS	12	12.7	632	1	1	3	11	38	83	91
20-34	46	11.6	70	1	2	11	15	24	26	42
35-49	184	10.5	98	2	2	9	15	24	27	48
50-64	461	12.2	128	2	2	11	18	26	33	54
65+	382	15.3	193	2	2	13	22	33	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.7	54	1	2	4	8	15	26	33
B. *Operated*	233	6.7	43	2	2	2	12	16	18	27
2. MULTIPLE DX										
A. *Not Operated*	982	8.9	59	2	2	7	11	18	24	45
B. *Operated*	1085	13.0	152	2	2	11	18	28	37	62
1. SINGLE DX	301	6.7	46	1	2	3	11	16	19	31
2. MULTIPLE DX	2067	11.0	112	2	2	8	15	24	32	53
A. NOT OPERATED	1050	8.7	59	2	2	7	11	18	24	44
B. OPERATED	1318	11.9	138	2	2	10	17	26	34	57
TOTAL 0-19 YRS	22	10.8	370	1	2	4	10	20	56	91
20-34	138	7.9	63	1	1	5	11	15	26	42
35-49	408	8.2	67	2	2	6	11	17	25	38
50-64	894	9.9	90	2	2	7	15	22	27	47
65+	906	12.5	131	2	2	9	17	27	35	61
GRAND TOTAL	**2368**	**10.5**	**106**	**2**	**2**	**7**	**15**	**23**	**31**	**52**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	5	<1	1	3	4	8	8	8
20-34	68	4.1	8	1	2	3	5	8	8	16
35-49	228	4.4	8	1	2	4	6	8	10	14
50-64	297	4.4	8	1	2	4	6	8	10	15
65+	229	4.9	12	1	2	4	6	8	12	17
B. *Operated*										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	16	2.4	7	1	1	2	2	4	10	12
35-49	31	4.3	7	1	2	3	6	9	9	10
50-64	29	5.1	34	<1	2	2	8	10	13	30
65+	13	4.4	10	2	2	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.8	21	1	2	4	8	14	15	17
20-34	247	5.2	21	1	2	4	6	9	12	36
35-49	1046	5.9	21	2	2	5	7	11	14	23
50-64	1723	6.2	25	2	2	5	8	11	15	27
65+	2550	8.0	64	2	2	6	10	15	21	52
B. *Operated*										
0-19 YRS	10	5.2	16	1	1	4	7	12	12	12
20-34	34	6.0	22	1	2	5	9	13	16	19
35-49	117	10.1	112	2	2	7	12	20	28	62
50-64	239	9.4	58	2	2	7	12	20	27	34
65+	317	13.4	162	2	3	10	17	25	39	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	845	4.5	9	1	2	4	6	8	11	15
B. *Operated*	97	4.0	16	1	1	2	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	5610	6.9	43	2	2	5	8	13	17	36
B. *Operated*	717	11.1	115	2	2	8	14	22	31	64
1. SINGLE DX	942	4.4	10	1	2	4	6	8	11	15
2. MULTIPLE DX	6327	7.4	53	2	2	5	9	14	19	42
A. NOT OPERATED	6455	6.6	39	2	2	5	8	12	16	34
B. OPERATED	814	10.2	108	2	2	7	13	21	30	58
TOTAL 0-19 YRS	85	4.7	16	1	1	3	6	12	14	16
20-34	365	4.9	18	1	2	4	6	9	12	20
35-49	1422	6.0	28	2	2	5	7	11	14	26
50-64	2288	6.3	28	2	2	5	8	12	16	29
65+	3109	8.3	74	2	2	6	10	16	23	55
GRAND TOTAL	**7269**	**7.0**	**48**	**2**	**2**	**5**	**8**	**13**	**18**	**38**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	6.5	42	2	2	4	8	18	19	19
35-49	46	5.1	7	2	2	5	7	9	9	12
50-64	62	6.4	27	1	2	5	8	11	15	29
65+	166	7.5	34	2	3	6	9	13	17	37
B. *Operated*										
0-19 YRS										
20-34	2	22.5	1	22	22	22	23	23	23	23
35-49	8	2.8	5	2	2	2	2	6	8	8
50-64	18	4.3	24	1	1	2	5	14	17	17
65+	12	3.8	10	1	1	2	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	7.5	83	<1	1	5	9	12	28	43
35-49	234	7.8	33	2	3	6	10	14	18	24
50-64	971	9.2	63	3	3	7	11	17	23	40
65+	3505	10.7	87	3	4	8	13	20	27	60
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	6	5.0	14	1	1	5	8	10	10	10
35-49	43	10.7	133	2	2	9	12	19	32	63
50-64	135	10.6	99	2	2	8	16	24	36	99+
65+	362	17.3	166	3	5	14	24	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	6.8	29	2	2	6	8	12	16	31
B. *Operated*	40	4.8	32	1	1	2	5	13	19	23
2. MULTIPLE DX										
A. *Not Operated*	4731	10.2	80	3	3	8	12	19	25	56
B. *Operated*	548	15.0	155	2	2	12	21	33	46	99+
1. SINGLE DX	320	6.6	30	2	2	5	8	12	17	30
2. MULTIPLE DX	5279	10.7	90	3	3	8	13	21	28	61
A. NOT OPERATED	5011	10.1	78	3	3	8	12	19	25	55
B. OPERATED	588	14.3	153	2	2	11	21	31	44	99+
TOTAL 0-19 YRS	3	9.7	17	5	5	11	12	13	13	13
20-34	34	7.8	71	1	1	5	10	19	23	43
35-49	331	7.7	44	2	2	6	10	14	18	31
50-64	1186	9.1	65	2	3	7	11	18	23	42
65+	4045	11.2	96	3	4	8	13	21	30	64
GRAND TOTAL	**5599**	**10.5**	**87**	**2**	**3**	**8**	**13**	**20**	**28**	**58**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	4	1	1	2	5	5	5	5
20-34	7	4.0	11	1	1	3	5	10	11	11
35-49	24	6.6	19	2	2	6	8	11	15	21
50-64	24	6.9	18	2	2	6	9	12	15	20
65+	34	7.8	44	1	1	6	10	18	24	26
B. *Operated*										
0-19 YRS	4	6.3	38	2	2	4	10	15	15	15
20-34	30	9.3	84	1	2	6	13	20	29	41
35-49	45	7.3	61	1	2	4	9	16	26	36
50-64	45	6.6	40	2	2	4	9	18	21	26
65+	28	8.9	105	2	3	6	9	17	28	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.1	7	1	1	4	5	7	9	11
20-34	40	7.5	54	1	2	5	8	18	25	34
35-49	92	9.1	53	2	3	7	11	20	23	35
50-64	241	10.7	81	2	3	8	14	22	26	41
65+	523	12.6	124	3	4	9	16	25	33	64
B. *Operated*										
0-19 YRS	12	6.8	38	1	1	6	8	14	23	24
20-34	69	8.7	47	2	2	6	13	20	24	28
35-49	150	11.3	102	2	2	8	16	25	30	51
50-64	286	14.1	189	2	2	11	18	30	43	78
65+	357	17.6	241	3	3	14	25	40	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	6.7	27	1	2	5	9	13	19	26
B. *Operated*	152	7.8	66	2	2	5	10	18	25	41
2. MULTIPLE DX										
A. *Not Operated*	914	11.3	103	2	3	8	15	23	30	55
B. *Operated*	874	14.5	191	2	3	11	19	33	43	82
1. SINGLE DX	246	7.4	51	1	2	5	10	16	21	36
2. MULTIPLE DX	1788	12.9	148	2	3	9	17	27	37	75
A. NOT OPERATED	1008	10.9	98	2	3	8	14	22	29	53
B. OPERATED	1026	13.5	178	2	2	9	18	30	41	79
TOTAL 0-19 YRS	39	5.0	19	1	1	4	7	9	13	24
20-34	146	8.3	55	2	2	5	11	19	24	34
35-49	311	9.7	78	2	2	7	13	22	27	40
50-64	596	11.9	133	2	2	9	15	24	34	70
65+	942	14.2	173	2	3	10	18	30	42	82
GRAND TOTAL	**2034**	**12.2**	**140**	**2**	**2**	**9**	**16**	**26**	**35**	**73**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	49	1	1	7	13	15	15	15
20-34	49	10.1	14	3	6	10	12	15	16	23
35-49	727	10.3	12	4	6	10	12	14	16	19
50-64	1556	11.0	17	5	6	11	13	16	17	24
65+	1221	11.6	17	5	7	11	14	16	19	25
B. *Operated*										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	12	8.3	24	2	2	9	11	15	17	17
35-49	96	10.9	24	2	5	11	13	17	20	26
50-64	153	12.5	22	5	8	12	15	18	21	26
65+	66	15.6	142	4	7	14	18	25	29	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.4	29	2	3	11	14	42	92	99+
20-34	144	10.2	21	3	4	10	12	16	19	24
35-49	2010	11.2	19	5	6	11	13	16	19	24
50-64	7726	12.0	26	5	7	11	14	18	21	30
65+	14782	13.8	57	6	7	12	16	21	27	46
B. *Operated*										
0-19 YRS	2	14.5	13	12	12	14	17	17	17	17
20-34	45	11.3	39	2	2	12	14	18	23	27
35-49	541	13.6	72	2	5	13	16	22	26	56
50-64	1616	16.6	113	5	8	14	20	28	38	72
65+	2067	20.5	148	8	10	17	25	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3556	11.0	16	5	7	11	13	15	18	24
B. *Operated*	331	12.4	50	2	6	11	15	19	21	31
2. MULTIPLE DX										
A. *Not Operated*	24673	13.0	45	6	7	12	15	20	24	40
B. *Operated*	4271	18.0	130	6	8	15	21	31	42	81
1. SINGLE DX	3887	11.2	19	5	7	11	13	16	18	25
2. MULTIPLE DX	28944	13.8	61	6	7	12	16	22	27	48
A. NOT OPERATED	28229	12.8	42	5	7	12	15	19	23	38
B. OPERATED	4602	17.6	127	6	8	15	21	31	41	80
TOTAL 0-19 YRS	20	8.9	31	1	2	10	14	17	54	99+
20-34	250	10.3	23	2	4	10	13	16	19	26
35-49	3374	11.4	27	4	6	11	14	17	20	29
50-64	11051	12.6	40	5	7	12	15	19	23	38
65+	18136	14.4	70	6	7	13	17	23	29	52
GRAND TOTAL	**32831**	**13.5**	**56**	**5**	**7**	**12**	**15**	**21**	**26**	**46**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	44	3.1	2	1	1	3	4	5	6	7
35-49	409	3.5	4	1	1	3	4	6	7	11
50-64	689	4.0	6	1	2	3	5	7	8	13
65+	563	4.3	7	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS										
20-34	10	3.2	7	2	2	2	2	8	9	9
35-49	88	3.2	7	1	2	2	3	6	9	14
50-64	153	2.9	5	1	2	2	2	6	9	12
65+	55	2.6	3	1	2	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	13	3	3	5	9	12	12	12
20-34	135	4.3	9	1	2	4	5	7	10	19
35-49	1779	4.7	11	1	2	4	6	9	11	18
50-64	5165	5.2	15	2	2	4	6	9	12	19
65+	7964	6.2	26	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	30	4.8	30	2	2	2	7	10	12	29
35-49	601	5.1	23	2	2	2	8	10	13	25
50-64	1893	6.3	52	2	2	3	9	13	18	35
65+	1277	9.0	86	2	2	7	12	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	4.0	6	1	2	3	5	7	8	13
B. *Operated*	306	2.9	5	1	2	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	15049	5.7	21	2	2	5	7	10	13	22
B. *Operated*	3803	7.0	61	2	2	3	10	15	20	39
1. SINGLE DX	2011	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	18852	5.9	29	2	2	5	7	11	15	26
A. NOT OPERATED	16754	5.5	20	2	2	4	7	10	13	21
B. OPERATED	4109	6.7	58	2	2	3	9	15	19	37
TOTAL 0-19 YRS	8	5.6	12	2	2	5	8	11	12	12
20-34	219	4.1	10	1	2	3	5	7	9	19
35-49	2877	4.6	13	1	2	3	6	9	11	19
50-64	7900	5.3	23	2	2	4	7	10	13	23
65+	9859	6.4	34	2	2	5	8	12	16	29
GRAND TOTAL	**20863**	**5.7**	**27**	**2**	**2**	**4**	**7**	**11**	**14**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	33	4.0	10	1	1	4	5	9	10	15
35-49	445	4.6	9	1	2	4	6	8	10	15
50-64	1001	5.2	10	2	2	4	7	9	11	17
65+	1025	5.4	11	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	29	5.4	11	2	2	5	7	10	12	13
50-64	97	6.3	17	2	2	6	9	12	13	17
65+	51	8.6	45	2	2	8	11	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.3	16	2	2	7	11	12	13	13
20-34	111	5.3	9	2	3	5	6	9	12	17
35-49	1964	5.6	12	2	2	5	7	10	12	18
50-64	7569	6.2	18	2	3	5	8	11	13	20
65+	14592	7.5	28	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	20	9.0	28	2	2	9	11	17	20	22
35-49	560	8.7	54	2	2	8	12	16	19	36
50-64	1831	10.2	65	2	2	9	13	19	24	39
65+	1823	14.2	120	2	3	12	18	27	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2505	5.2	10	2	2	4	6	9	11	17
B. *Operated*	179	6.8	25	2	2	6	10	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	24248	6.9	24	2	3	6	8	12	15	25
B. *Operated*	4236	11.7	92	2	2	10	15	22	29	51
1. SINGLE DX	2684	5.3	11	2	2	5	7	9	11	18
2. MULTIPLE DX	28484	7.6	37	2	3	6	9	14	18	31
A. NOT OPERATED	26753	6.7	23	2	3	6	8	12	15	24
B. OPERATED	4415	11.5	90	2	2	10	15	22	29	50
TOTAL 0-19 YRS	15	6.8	15	2	2	7	10	12	13	13
20-34	166	5.5	13	1	2	5	7	10	12	19
35-49	2998	6.0	21	2	2	5	8	11	14	21
50-64	10498	6.8	28	2	2	5	8	12	16	26
65+	17491	8.0	42	2	3	6	10	15	19	34
GRAND TOTAL	**31168**	**7.4**	**35**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	7.3	12	3	4	7	9	12	15	15
35-49	67	4.5	6	2	2	4	6	8	10	12
50-64	153	4.2	9	1	1	4	5	8	10	15
65+	147	5.3	26	1	2	4	7	9	13	23
B. *Operated*										
0-19 YRS	5	4.4	14	1	1	2	8	9	9	9
20-34	24	4.7	17	1	2	2	7	11	14	16
35-49	581	4.4	20	1	2	2	5	11	13	20
50-64	1558	4.8	25	1	2	2	7	12	15	22
65+	616	5.6	35	1	2	2	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	17.3	14	13	13	19	20	20	20	20
20-34	25	4.8	7	2	2	4	7	10	10	10
35-49	436	5.3	28	1	1	4	6	10	12	32
50-64	1556	5.8	16	1	2	5	7	11	13	19
65+	2812	8.4	62	2	3	7	10	15	21	56
B. *Operated*										
0-19 YRS	6	6.5	51	2	2	2	13	17	18	18
20-34	81	5.8	56	1	2	2	6	13	26	37
35-49	1619	5.6	34	1	2	3	9	13	16	27
50-64	5059	7.3	59	1	2	3	11	16	21	36
65+	2814	10.8	128	1	2	8	15	24	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	4.8	16	1	2	4	6	9	11	17
B. *Operated*	2784	4.9	26	1	2	2	7	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	4832	7.3	46	2	2	6	9	13	18	40
B. *Operated*	9579	8.0	79	1	2	4	12	18	24	44
1. SINGLE DX	3161	4.9	25	1	2	2	7	12	15	23
2. MULTIPLE DX	14411	7.8	68	1	2	5	11	17	22	43
A. NOT OPERATED	5209	7.1	44	2	2	6	9	13	17	39
B. OPERATED	12363	7.3	69	1	2	3	11	17	22	40
TOTAL 0-19 YRS	14	8.1	52	1	2	5	13	19	20	20
20-34	140	5.5	37	2	2	3	7	11	15	33
35-49	2703	5.3	30	1	2	3	8	12	15	25
50-64	8326	6.5	45	1	2	3	10	15	18	32
65+	6389	9.1	91	2	2	6	12	19	26	56
GRAND TOTAL	**17572**	**7.3**	**61**	**1**	**2**	**4**	**10**	**16**	**21**	**40**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.0	15	5	6	10	13	17	18	18
20-34	71	10.0	15	5	6	10	12	16	19	19
35-49	94	9.8	19	3	4	9	12	16	18	23
50-64	98	10.0	15	4	5	10	12	14	17	22
65+	76	11.3	32	3	4	11	14	18	21	33
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	12.1	26	8	8	10	15	21	21	21
35-49	22	11.5	34	4	6	10	12	20	24	28
50-64	18	12.6	18	7	8	12	16	18	20	21
65+	16	11.3	31	2	2	12	15	18	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.3	51	1	2	7	9	18	27	27
20-34	121	10.7	35	1	4	10	13	17	20	32
35-49	230	11.3	35	4	5	10	14	18	22	37
50-64	572	12.5	34	5	6	11	15	20	24	34
65+	1211	15.2	85	6	7	13	18	25	32	60
B. *Operated*										
0-19 YRS	6	9.5	31	2	2	10	14	15	15	15
20-34	50	13.7	94	4	6	11	16	26	34	57
35-49	76	17.5	195	7	8	13	18	32	47	84
50-64	203	17.5	126	6	8	14	21	33	41	56
65+	308	18.3	91	8	9	16	23	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	10.2	20	3	5	10	12	15	18	23
B. *Operated*	66	11.8	26	4	7	11	15	19	21	27
2. MULTIPLE DX										
A. *Not Operated*	2144	13.8	66	5	7	12	16	22	28	49
B. *Operated*	643	17.5	115	7	8	15	21	32	41	88
1. SINGLE DX	413	10.5	21	3	5	10	13	17	19	24
2. MULTIPLE DX	2787	14.6	80	5	7	13	17	24	32	54
A. NOT OPERATED	2491	13.3	61	5	6	12	16	21	27	45
B. OPERATED	709	17.0	110	6	8	15	20	31	40	78
TOTAL 0-19 YRS	25	9.6	31	2	3	9	12	15	20	27
20-34	251	11.1	42	3	5	10	14	18	21	35
35-49	422	12.1	67	4	6	10	14	19	23	46
50-64	891	13.3	58	5	7	12	16	22	27	42
65+	1611	15.6	85	6	8	13	18	26	33	66
GRAND TOTAL	**3200**	**14.1**	**74**	**5**	**7**	**12**	**17**	**23**	**31**	**51**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	21	22.7	246	1	3	20	36	46	47	48
35-49	10	25.7	86	9	11	28	34	35	35	35
50-64	6	31.5	202	15	16	29	31	55	58	58
65+	4	16.3	130	5	5	14	25	31	31	31
B. *Operated*										
0-19 YRS										
20-34	4	30.3	259	14	14	27	41	52	52	52
35-49	2	9.5	113	2	2	9	17	17	17	17
50-64	3	13.7	254	3	3	6	25	32	32	32
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	28.8	182	3	6	30	37	46	48	49
20-34	112	26.3	167	4	6	28	32	42	48	58
35-49	75	25.3	241	3	6	28	34	42	50	71
50-64	84	27.4	186	2	9	28	39	45	50	51
65+	147	30.1	203	7	12	29	37	47	57	70
B. *Operated*										
0-19 YRS	3	49.0	31	44	44	48	53	55	55	55
20-34	51	34.2	295	8	14	31	45	50	71	89
35-49	32	34.1	243	14	15	33	43	48	62	89
50-64	54	37.4	199	13	18	40	46	55	67	98
65+	80	40.5	172	24	27	41	46	60	72	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	24.3	190	3	5	26	32	45	47	58
B. *Operated*	10	21.0	248	2	2	20	31	42	52	52
2. MULTIPLE DX										
A. *Not Operated*	434	27.7	198	5	7	29	36	45	50	62
B. *Operated*	220	37.5	222	14	18	37	45	55	68	92
1. SINGLE DX	52	23.6	198	2	4	25	32	45	48	58
2. MULTIPLE DX	654	31.0	227	6	10	30	41	49	56	79
A. NOT OPERATED	476	27.4	198	4	7	29	35	45	50	62
B. OPERATED	230	36.8	233	13	17	36	45	55	67	91
TOTAL 0-19 YRS	20	32.0	201	3	8	31	43	48	52	55
20-34	188	28.1	224	4	7	29	37	46	49	77
35-49	119	27.4	244	4	7	29	35	44	52	79
50-64	147	31.0	217	6	11	31	42	50	55	70
65+	232	33.4	219	9	15	31	43	53	61	80
GRAND TOTAL	**706**	**30.4**	**228**	**5**	**9**	**30**	**41**	**48**	**55**	**77**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	6	<1	1	2	3	7	8	9
20-34	34	1.9	1	<1	<1	2	3	3	4	5
35-49	71	2.7	3	1	1	2	3	5	6	9
50-64	92	2.7	3	1	1	2	3	5	5	9
65+	68	3.8	12	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	5	<1	1	3	6	6	7	9
20-34	56	3.3	5	1	1	3	5	6	7	13
35-49	151	3.9	8	1	1	3	5	7	9	16
50-64	389	4.8	10	1	2	4	6	9	11	15
65+	775	7.0	39	2	2	5	9	13	18	31
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	10.2	77	3	3	8	16	24	24	24
50-64	20	9.3	31	2	4	7	14	17	20	23
65+	57	18.4	383	4	6	11	21	31	66	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.9	5	1	1	2	3	5	7	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1396	5.9	27	1	2	5	7	11	15	26
B. *Operated*	84	15.4	288	3	4	11	17	26	42	98
1. SINGLE DX	284	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1480	6.4	47	1	2	5	8	12	16	31
A. NOT OPERATED	1680	5.4	25	1	1	4	7	10	14	25
B. OPERATED	84	15.4	288	3	4	11	17	26	42	98
TOTAL 0-19 YRS	45	3.2	5	<1	1	3	5	6	8	9
20-34	91	2.8	4	<1	1	2	4	6	6	11
35-49	227	3.7	9	1	1	3	5	7	9	16
50-64	501	4.6	11	1	2	4	6	9	11	16
65+	900	7.5	67	2	2	5	9	14	21	41
GRAND TOTAL	**1764**	**5.8**	**42**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	90	2.0	2	<1	1	2	3	4	4	6
35-49	206	2.6	5	<1	1	2	3	5	7	10
50-64	327	3.1	5	1	1	2	4	6	8	12
65+	418	3.8	10	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.0	16	1	1	2	7	10	10	10
50-64	11	5.6	11	1	1	6	8	10	10	10
65+	12	8.3	39	2	2	6	12	17	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.2	9	1	1	3	5	9	10	12
20-34	161	3.3	6	1	1	2	4	7	8	12
35-49	415	4.2	13	1	1	3	6	9	11	18
50-64	1991	5.6	22	1	2	4	7	11	14	23
65+	5930	8.0	58	2	2	6	10	15	21	43
B. *Operated*										
0-19 YRS										
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	21	13.4	100	2	3	11	18	31	35	37
50-64	164	11.0	87	2	2	9	14	21	27	52
65+	626	16.2	188	4	5	13	19	36	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	3.2	7	<1	1	2	4	6	8	13
B. *Operated*	30	6.1	25	1	1	6	10	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	8523	7.1	48	1	2	5	9	14	19	36
B. *Operated*	815	15.0	170	3	4	12	18	32	48	99+
1. SINGLE DX	1076	3.3	8	<1	1	2	4	6	9	13
2. MULTIPLE DX	9338	7.8	64	1	2	6	10	15	21	47
A. NOT OPERATED	9569	6.7	45	1	2	5	8	13	18	34
B. OPERATED	845	14.7	167	2	4	12	18	30	47	99+
TOTAL 0-19 YRS	32	3.7	9	<1	1	3	5	9	10	12
20-34	256	2.8	4	1	1	2	4	5	7	10
35-49	647	4.0	16	1	1	3	5	8	11	19
50-64	2493	5.6	26	1	1	4	7	11	15	24
65+	6986	8.5	74	2	2	6	10	17	23	56
GRAND TOTAL	**10414**	**7.3**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**46**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.4	14	<1	1	2	4	7	11	21
20-34	136	3.1	4	1	1	3	4	6	7	11
35-49	214	3.6	8	<1	1	3	5	7	9	16
50-64	395	4.0	9	1	1	3	5	8	10	14
65+	368	5.1	16	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	7	4.3	18	1	1	3	5	12	13	13
20-34	9	3.3	2	2	2	3	4	5	6	6
35-49	30	4.4	6	1	1	4	6	8	10	10
50-64	100	6.1	13	2	2	5	8	10	12	20
65+	374	6.9	24	2	3	6	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.5	19	1	1	3	6	9	13	23
20-34	386	4.1	13	1	1	3	5	7	11	20
35-49	960	5.0	16	1	1	4	6	9	12	21
50-64	2754	6.2	25	1	2	5	8	11	15	25
65+	7179	8.0	45	2	3	6	10	15	20	36
B. *Operated*										
0-19 YRS	27	6.3	34	1	2	5	7	15	22	23
20-34	41	10.1	255	1	2	5	11	26	30	96
35-49	126	9.2	78	2	2	7	13	18	43	99+
50-64	670	10.7	98	2	3	8	13	21	27	59
65+	3966	12.2	96	3	4	9	15	22	30	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	4.1	11	1	1	3	5	8	10	17
B. *Operated*	520	6.5	21	2	3	5	8	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	11395	7.1	38	2	2	6	9	13	18	32
B. *Operated*	4830	11.8	98	3	4	9	14	22	30	70
1. SINGLE DX	1696	4.9	15	1	1	4	6	10	12	21
2. MULTIPLE DX	16225	8.5	60	2	2	7	10	17	22	44
A. NOT OPERATED	12571	6.8	36	1	2	5	8	13	17	31
B. OPERATED	5350	11.3	93	3	4	9	14	22	29	67
TOTAL 0-19 YRS	213	4.4	20	1	1	3	5	9	14	23
20-34	572	4.3	31	1	1	3	5	7	11	25
35-49	1330	5.2	22	1	1	4	7	10	14	27
50-64	3919	6.7	39	1	2	5	8	13	17	30
65+	11887	9.2	65	2	3	7	11	18	23	49
GRAND TOTAL	**17921**	**8.2**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**43**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	26	3	3	5	8	16	18	18
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	24	7.3	30	2	2	6	9	14	21	25
50-64	176	6.7	49	1	2	5	8	13	15	22
65+	920	7.2	31	2	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	4.8	14	2	2	4	6	11	11	11
50-64	4	6.0	54	2	2	3	10	17	17	17
65+	12	15.1	158	1	3	11	30	51	91	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.8	34	1	2	6	12	17	19	26
20-34	100	9.3	46	2	3	7	12	18	22	35
35-49	725	8.3	36	2	3	7	10	15	19	30
50-64	5647	9.2	51	3	3	7	11	17	22	37
65+	30605	10.8	88	3	4	8	13	20	27	62
B. *Operated*										
0-19 YRS	14	18.3	619	1	2	8	25	41	84	96
20-34	27	9.2	57	2	2	7	13	23	26	28
35-49	125	14.7	147	2	3	11	19	28	42	58
50-64	721	17.2	217	2	4	13	22	36	50	88
65+	3297	19.8	235	5	6	16	25	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	7.1	34	2	2	6	9	13	17	28
B. *Operated*	22	10.5	120	1	2	8	16	36	60	99+
2. MULTIPLE DX										
A. *Not Operated*	37152	10.5	82	3	4	8	13	20	26	54
B. *Operated*	4184	19.2	231	4	6	15	24	40	58	99+
1. SINGLE DX	1154	7.2	36	2	2	6	9	13	17	29
2. MULTIPLE DX	41336	11.4	104	3	4	9	14	22	30	67
A. NOT OPERATED	38284	10.4	81	3	4	8	12	19	26	54
B. OPERATED	4206	19.1	231	4	6	15	24	40	58	99+
TOTAL 0-19 YRS	98	9.2	126	1	2	6	12	17	24	67
20-34	131	9.1	47	2	3	7	12	18	23	33
35-49	879	9.2	57	2	3	7	11	18	24	43
50-64	6548	10.0	76	3	3	8	12	19	26	47
65+	34834	11.6	108	3	4	9	14	22	31	70
GRAND TOTAL	**42490**	**11.3**	**102**	**3**	**4**	**8**	**14**	**22**	**30**	**66**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.3	12	1	1	4	6	8	11	18
20-34	234	4.4	13	1	2	4	6	8	10	24
35-49	282	4.8	16	1	2	4	6	9	13	23
50-64	201	5.1	14	1	2	4	6	10	11	18
65+	136	6.6	22	2	2	5	8	14	16	22
B. *Operated*										
0-19 YRS	27	3.0	9	<1	1	2	4	6	11	14
20-34	58	4.2	20	1	1	2	5	10	12	24
35-49	129	4.2	27	1	1	2	4	10	13	27
50-64	270	5.1	36	1	1	2	8	14	18	29
65+	149	6.5	56	2	2	2	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.8	17	1	2	4	5	9	11	24
20-34	423	5.9	31	1	2	4	7	11	16	34
35-49	865	6.9	41	2	2	5	8	12	18	32
50-64	1582	8.2	56	2	3	6	10	15	22	41
65+	2494	9.9	78	2	3	8	12	18	25	46
B. *Operated*										
0-19 YRS	50	9.0	130	1	1	4	14	21	40	52
20-34	114	9.2	59	2	2	8	14	18	23	38
35-49	322	9.7	102	2	2	6	14	22	28	46
50-64	891	11.2	145	2	2	8	15	26	34	90
65+	1115	13.7	176	2	2	11	20	30	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	5.0	16	1	2	4	6	10	12	21
B. *Operated*	633	5.1	37	1	1	2	6	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	5456	8.5	63	2	3	6	10	16	23	42
B. *Operated*	2492	12.0	152	2	2	9	17	27	36	69
1. SINGLE DX	1546	5.0	25	1	2	3	6	11	15	24
2. MULTIPLE DX	7948	9.6	93	2	2	7	12	20	28	53
A. NOT OPERATED	6369	8.0	58	2	2	6	10	16	21	39
B. OPERATED	3125	10.6	136	2	2	7	15	25	33	62
TOTAL 0-19 YRS	229	5.4	43	1	1	3	6	11	18	41
20-34	829	5.8	32	1	2	4	7	13	16	30
35-49	1598	6.9	51	1	2	5	8	14	21	37
50-64	2944	8.6	82	2	2	6	11	18	26	50
65+	3894	10.7	107	2	2	8	14	22	30	59
GRAND TOTAL	**9494**	**8.9**	**85**	**2**	**2**	**6**	**11**	**19**	**26**	**48**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	9	4.1	3	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	5	3.2	7	2	2	2	4	8	8	8
65+	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	4.1	6	1	1	4	6	8	8	9
50-64	105	6.1	18	1	2	5	7	13	14	20
65+	442	10.0	119	2	3	7	12	20	32	99+
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	16	7.6	66	2	2	3	13	20	26	28
50-64	39	6.2	30	1	2	3	10	14	16	22
65+	77	16.7	319	2	2	12	23	45	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.5	5	2	2	4	6	7	9	10
B. *Operated*	10	4.0	16	2	2	2	4	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	567	9.1	100	2	3	6	11	18	27	93
B. *Operated*	133	12.5	225	2	2	7	16	31	46	92
1. SINGLE DX	24	4.3	9	2	2	4	5	8	11	14
2. MULTIPLE DX	700	9.7	125	2	2	6	12	20	32	94
A. NOT OPERATED	581	9.0	98	2	2	6	11	18	27	89
B. OPERATED	143	11.9	215	2	2	6	15	30	46	91
TOTAL 0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	41	5.6	32	1	1	4	7	13	18	28
50-64	151	6.0	21	1	2	5	8	13	14	22
65+	531	10.9	151	2	3	7	13	23	43	99+
GRAND TOTAL	**724**	**9.6**	**122**	**2**	**2**	**6**	**12**	**19**	**31**	**92**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	10.0	284	1	1	3	14	40	40	40
35-49	15	4.8	22	<1	1	3	8	11	14	15
50-64	11	4.8	21	<1	<1	4	8	12	15	15
65+	8	10.5	229	1	1	3	19	35	35	35
B. *Operated*										
0-19 YRS	4	12.3	37	5	5	12	17	19	19	19
20-34	22	18.5	173	5	6	17	24	29	46	66
35-49	34	19.3	189	5	8	16	23	34	36	81
50-64	35	19.8	130	2	5	19	24	36	38	55
65+	7	28.7	983	2	2	19	43	82	90	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	9	4.1	7	1	1	4	5	8	9	9
35-49	14	5.2	49	<1	1	3	4	13	24	27
50-64	22	13.5	149	1	2	15	19	36	70	99+
65+	57	20.4	218	4	5	18	27	48	85	99+
B. *Operated*										
0-19 YRS	4	31.5	190	23	23	25	39	52	52	52
20-34	20	28.2	678	4	7	16	45	86	98	99+
35-49	41	24.3	193	9	11	22	31	48	61	99+
50-64	78	28.5	383	7	9	26	42	71	99+	99+
65+	32	32.2	311	10	12	32	48	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.5	91	<1	1	3	8	15	35	40
B. *Operated*	102	19.7	209	3	6	17	24	34	43	85
2. MULTIPLE DX										
A. *Not Operated*	104	15.2	197	1	2	13	23	43	69	99+
B. *Operated*	175	28.2	353	7	10	25	42	69	99+	99+
1. SINGLE DX	142	16.0	210	1	2	14	21	34	37	82
2. MULTIPLE DX	279	23.4	334	2	4	20	33	60	99	99+
A. NOT OPERATED	144	12.8	182	1	1	9	20	34	49	99+
B. OPERATED	277	25.1	316	5	8	21	33	58	85	99+
TOTAL 0-19 YRS	11	16.9	216	1	2	15	24	37	51	52
20-34	56	18.9	397	1	3	14	24	51	75	99+
35-49	104	17.3	208	1	2	14	25	34	48	90
50-64	146	22.3	313	2	4	19	31	56	85	99+
65+	104	23.8	328	2	4	21	35	69	99+	99+
GRAND TOTAL	**421**	**20.9**	**304**	**1**	**3**	**18**	**30**	**51**	**79**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34										
35-49	1	46.0		46	46	46	46	46	46	46
50-64	1	9.0		9	9	9	9	9	9	9
65+	7	29.1	426	3	6	38	74	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	4	43.5	230	27	27	42	54	63	63	63
35-49	3	47.3	856	28	28	57	90	99+	99+	99+
50-64	12	32.5	277	8	13	32	46	74	95	99+
65+	9	40.6	780	7	11	35	57	84	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	26.3	422	3	4	38	74	99+	99+	99+
B. *Operated*	28	38.3	463	7	15	35	54	84	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	38	35.1	469	6	9	35	61	99+	99+	99+
A. NOT OPERATED	10	26.3	422	3	4	38	74	99+	99+	99+
B. OPERATED	28	38.3	463	7	15	35	54	84	99+	99+
TOTAL 0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	4	43.5	230	27	27	42	54	63	63	63
35-49	4	47.0	571	28	28	46	86	99+	99+	99+
50-64	13	30.7	296	7	9	30	43	70	93	99+
65+	16	35.6	621	5	8	36	65	96	99+	99+
GRAND TOTAL	**38**	**35.1**	**469**	**6**	**9**	**35**	**61**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	108	<1	<1	1	14	19	19	19
20-34	7	7.4	42	1	1	5	13	17	17	17
35-49	3	22.0	217	9	9	19	33	38	38	38
50-64	25	12.6	278	<1	1	8	19	30	84	99+
65+	36	14.4	90	2	3	14	20	27	38	99+
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	11	15.0	244	4	5	8	16	41	55	56
35-49	14	10.8	43	5	5	9	12	24	26	26
50-64	35	15.9	106	4	4	14	21	27	38	46
65+	45	16.2	151	4	5	12	19	32	36	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	63	<1	<1	2	8	13	27	30
20-34	9	12.8	194	<1	2	8	31	71	99+	99+
35-49	28	17.4	241	4	5	13	22	36	54	68
50-64	124	16.7	213	2	3	14	21	30	53	99+
65+	426	20.4	312	3	5	14	28	47	70	99+
B. *Operated*										
0-19 YRS	10	21.6	258	1	3	23	24	47	54	54
20-34	12	27.6	209	10	13	22	33	51	60	61
35-49	41	34.2	827	7	8	24	51	90	94	99+
50-64	102	21.9	295	5	7	16	31	58	72	99+
65+	239	27.2	417	5	8	22	41	72	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	13.1	156	1	1	10	19	29	38	99+
B. *Operated*	107	15.1	129	4	5	12	19	31	36	61
2. MULTIPLE DX										
A. *Not Operated*	600	19.0	287	3	4	14	26	43	61	99+
B. *Operated*	404	26.4	426	6	8	21	39	71	98	99+
1. SINGLE DX	181	14.3	140	1	4	11	19	30	38	93
2. MULTIPLE DX	1004	22.0	355	3	5	16	30	54	80	99+
A. NOT OPERATED	674	18.4	275	2	4	13	25	42	61	99+
B. OPERATED	511	24.1	385	5	7	18	32	61	90	99+
TOTAL 0-19 YRS	28	11.8	178	<1	<1	7	21	28	41	54
20-34	39	17.0	230	1	4	12	26	44	58	99+
35-49	86	24.5	571	5	6	15	31	70	90	99
50-64	286	18.1	242	2	4	14	24	42	65	99+
65+	746	22.0	339	4	6	17	30	53	79	99+
GRAND TOTAL	**1185**	**20.8**	**330**	**3**	**5**	**15**	**28**	**51**	**75**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	17.0	98	10	10	17	24	24	24	24
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	7.0		7	7	7	7	7	7	7
50-64	36	26.0	442	6	8	22	40	76	94	99+
65+	155	29.1	433	7	9	24	38	66	82	99+
B. *Operated*										
0-19 YRS	2	20.5	685	2	2	20	39	39	39	39
20-34	5	29.8	694	10	10	25	74	97	99+	99+
35-49	8	24.0	269	11	12	18	28	51	61	61
50-64	14	35.6	628	9	10	35	54	88	97	99+
65+	65	37.5	462	9	12	41	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	196	28.2	430	7	8	22	38	68	83	99+
B. *Operated*	94	35.3	484	9	11	34	61	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	290	30.5	457	7	9	26	48	77	99+	99+
A. NOT OPERATED	196	28.2	430	7	8	22	38	68	83	99+
B. OPERATED	94	35.3	484	9	11	34	61	99+	99+	99+
TOTAL 0-19 YRS	4	18.8	265	2	2	17	31	39	39	39
20-34	6	28.0	575	10	11	19	64	95	99+	99+
35-49	10	20.6	260	7	7	15	28	45	61	61
50-64	50	28.7	502	8	9	23	40	80	98	99+
65+	220	31.6	454	7	10	28	49	76	99+	99+
GRAND TOTAL	**290**	**30.5**	**457**	**7**	**9**	**26**	**48**	**77**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	19.3	549	2	2	10	37	46	46	46
50-64	24	3.7	11	<1	1	3	4	11	11	12
65+	46	5.2	25	1	1	4	7	12	15	24
B. *Operated*										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	53	6.6	38	1	2	5	8	11	20	35
50-64	419	6.2	20	2	2	5	8	11	15	22
65+	500	6.6	21	2	2	6	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34										
35-49	31	8.1	39	1	1	7	11	19	22	22
50-64	214	6.5	38	1	2	5	8	14	18	36
65+	642	8.6	90	1	2	6	11	15	22	63
B. *Operated*										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	4	15.8	159	6	6	11	24	34	34	34
35-49	131	9.2	151	2	2	7	10	16	18	91
50-64	1455	8.6	45	2	2	7	11	17	21	35
65+	2655	10.2	91	2	3	8	12	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.2	43	1	1	3	6	11	13	40
B. *Operated*	978	6.4	22	2	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	888	8.1	76	1	2	6	10	15	22	55
B. *Operated*	4247	9.7	77	2	3	7	12	18	25	50
1. SINGLE DX	1053	6.3	23	1	2	5	8	12	15	25
2. MULTIPLE DX	5135	9.4	77	2	2	7	11	18	25	50
A. NOT OPERATED	963	7.9	74	1	2	6	10	15	21	49
B. OPERATED	5225	9.1	68	2	2	7	11	17	24	45
TOTAL 0-19 YRS	7	8.6	48	1	1	6	15	18	19	19
20-34	8	9.3	120	1	1	7	19	74	99+	99+
35-49	218	8.5	113	2	2	6	10	16	21	71
50-64	2112	7.9	40	2	2	6	10	15	20	34
65+	3843	9.4	82	2	2	7	11	18	25	54
GRAND TOTAL	**6188**	**8.9**	**69**	**2**	**2**	**7**	**11**	**17**	**23**	**45**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	15	9.5	15	3	5	10	13	14	15	15
65+	61	17.7	248	3	5	13	23	41	65	96
B. *Operated*										
0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34										
35-49	8	8.6	40	1	2	6	12	19	20	20
50-64	77	15.6	288	2	3	12	18	28	69	98
65+	151	17.5	257	3	4	13	24	45	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	80	15.4	209	2	4	11	19	35	54	91
B. *Operated*	238	16.6	261	2	4	12	21	39	83	99+
1. SINGLE DX										
2. MULTIPLE DX	318	16.3	247	2	4	12	20	39	65	99+
A. NOT OPERATED	80	15.4	209	2	4	11	19	35	54	91
B. OPERATED	238	16.6	261	2	4	12	21	39	83	99+
TOTAL 0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34	1	5.0		5	5	52	99+	99+	99+	99+
35-49	11	7.1	36	1	1	6	8	18	20	20
50-64	92	14.7	248	2	3	11	16	26	47	97
65+	212	17.5	254	3	4	13	24	44	66	99+
GRAND TOTAL	**318**	**16.3**	**247**	**2**	**4**	**12**	**20**	**39**	**65**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	14.7	446	<1	<1	4	30	39	39	39
20-34	4	7.8	48	3	3	5	12	18	18	18
35-49	26	8.3	130	1	2	6	10	12	25	61
50-64	100	9.7	77	2	3	7	11	17	25	55
65+	251	11.9	155	2	3	8	14	25	32	84
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	5	5.4	9	2	2	5	8	9	9	9
35-49	14	6.6	19	2	3	5	8	13	16	17
50-64	24	9.5	283	1	2	4	8	19	45	83
65+	15	12.7	193	2	2	7	11	39	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.7	30	2	2	9	14	75	99+	99+
20-34	24	11.0	114	3	3	9	13	21	38	49
35-49	129	10.2	76	3	3	8	12	18	24	51
50-64	949	12.6	138	3	4	9	15	25	34	95
65+	4288	15.9	201	4	5	12	20	35	54	99+
B. *Operated*										
0-19 YRS	8	12.9	78	6	6	9	18	27	27	27
20-34	19	9.8	34	2	3	9	14	19	21	21
35-49	57	18.1	301	4	5	12	20	61	75	99+
50-64	254	16.2	255	3	4	11	21	43	72	99+
65+	633	24.6	411	4	7	19	37	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	11.1	134	2	3	8	13	24	31	83
B. *Operated*	59	9.5	172	2	2	6	9	20	38	79
2. MULTIPLE DX										
A. *Not Operated*	5397	15.1	189	3	4	11	19	33	49	99+
B. *Operated*	971	21.6	370	4	6	15	31	67	99+	99+
1. SINGLE DX	443	10.9	139	2	3	7	12	24	32	83
2. MULTIPLE DX	6368	16.1	222	3	5	11	20	37	59	99+
A. NOT OPERATED	5781	14.9	186	3	4	11	18	32	48	99+
B. OPERATED	1030	20.9	367	3	5	15	30	65	93	99+
TOTAL 0-19 YRS	19	11.7	103	1	2	9	19	33	69	99+
20-34	52	9.8	70	2	3	8	13	19	21	49
35-49	226	11.8	148	3	3	9	13	22	36	81
50-64	1327	13.0	161	3	4	9	16	27	42	99+
65+	5187	16.7	234	4	5	12	21	40	63	99+
GRAND TOTAL	**6811**	**15.8**	**218**	**3**	**4**	**11**	**20**	**37**	**58**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	181	6	6	15	25	25	25	25
20-34	10	14.1	139	2	3	10	23	32	41	41
35-49	29	13.0	108	4	5	10	16	22	34	55
50-64	365	17.2	204	4	5	13	22	38	60	99+
65+	1701	21.2	292	5	6	16	28	48	70	99+
B. *Operated*										
0-19 YRS	3	10.0	9	7	7	10	12	13	13	13
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	23	27.2	440	6	8	23	36	74	83	99+
50-64	73	23.3	266	6	8	19	38	60	99+	99+
65+	273	27.8	474	5	7	25	50	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2107	20.3	277	5	6	16	27	47	67	99+
B. *Operated*	374	26.6	430	5	7	23	44	98	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	2481	21.3	305	5	6	16	29	53	81	99+
A. NOT OPERATED	2107	20.3	277	5	6	16	27	47	67	99+
B. OPERATED	374	26.6	430	5	7	23	44	98	99+	99+
TOTAL 0-19 YRS	5	12.2	59	6	6	10	16	25	25	25
20-34	12	13.8	117	2	4	10	19	29	39	41
35-49	52	19.3	300	4	6	14	25	43	74	99
50-64	438	18.2	218	4	5	14	25	43	67	99+
65+	1974	22.1	323	5	7	17	30	56	85	99+
GRAND TOTAL	**2481**	**21.3**	**305**	**5**	**6**	**16**	**29**	**53**	**81**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	60	1	1	2	10	17	17	17
20-34	21	3.6	8	1	1	3	4	8	11	12
35-49	77	4.0	6	1	2	3	5	8	9	12
50-64	315	4.4	14	1	1	4	6	8	9	16
65+	743	5.9	49	1	2	4	7	11	14	37
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	33	4.0	8	1	1	3	6	7	9	13
50-64	104	5.1	14	2	2	4	7	9	12	19
65+	105	5.6	15	1	2	5	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.6	123	2	2	6	10	25	40	41
20-34	44	4.8	25	1	1	3	6	8	11	32
35-49	299	5.5	14	1	2	5	6	10	12	21
50-64	1729	6.3	36	2	2	5	8	11	14	27
65+	9639	8.7	79	2	3	6	10	16	23	66
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	96	8.1	53	2	2	6	11	15	18	45
50-64	529	8.4	59	2	2	7	10	16	22	40
65+	1342	13.3	173	2	3	10	16	28	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	5.3	36	1	1	4	6	9	12	28
B. *Operated*	244	5.2	14	1	2	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	11722	8.2	72	2	3	6	10	15	21	62
B. *Operated*	1973	11.7	141	2	3	8	14	24	37	99+
1. SINGLE DX	1404	5.3	32	1	2	4	6	10	12	26
2. MULTIPLE DX	13695	8.7	83	2	3	6	10	17	24	69
A. NOT OPERATED	12882	8.0	69	2	2	6	9	15	21	59
B. OPERATED	2217	11.0	131	2	2	8	13	22	35	98
TOTAL 0-19 YRS	17	8.4	92	1	1	6	9	17	33	41
20-34	71	4.3	18	1	1	3	5	8	10	28
35-49	505	5.6	21	1	2	5	7	10	14	22
50-64	2677	6.5	39	1	2	5	3	12	15	29
65+	11829	9.0	90	2	3	6	11	17	25	75
GRAND TOTAL	**15099**	**8.4**	**80**	**2**	**2**	**6**	**10**	**16**	**23**	**64**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	11	4	4	7	10	12	12	12
20-34	6	4.7	11	<1	<1	4	5	10	11	11
35-49	29	6.6	102	1	1	5	7	10	17	56
50-64	143	9.9	109	2	3	8	12	17	27	50
65+	448	11.4	104	2	3	8	14	23	35	56
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	4	7.3	55	1	1	5	13	17	17	17
50-64	22	9.2	79	2	2	6	12	16	27	43
65+	25	14.0	279	2	3	9	17	52	76	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	12	4	4	9	11	12	12	12
20-34	15	9.5	77	2	2	7	13	27	28	29
35-49	138	12.5	133	2	3	9	15	29	39	80
50-64	934	12.9	133	3	4	9	16	28	40	99+
65+	5000	16.4	225	3	5	12	20	37	57	99+
B. *Operated*										
0-19 YRS	4	14.5	347	3	3	7	26	42	42	42
20-34	9	20.2	303	3	3	15	32	45	51	51
35-49	26	9.8	43	2	2	10	13	19	24	25
50-64	183	18.2	264	3	5	14	25	57	99+	99+
65+	651	26.3	454	5	7	21	42	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	10.8	105	2	3	8	13	22	32	56
B. *Operated*	52	11.2	175	2	2	6	13	27	52	99
2. MULTIPLE DX										
A. *Not Operated*	6091	15.7	210	3	4	11	20	35	55	99+
B. *Operated*	873	24.0	416	4	6	19	36	79	99+	99+
1. SINGLE DX	682	10.8	110	2	3	8	13	22	33	60
2. MULTIPLE DX	6964	16.7	243	3	4	12	21	41	64	99+
A. NOT OPERATED	6721	15.2	202	3	4	11	19	34	53	99+
B. OPERATED	925	23.2	411	4	5	18	35	76	99+	99+
TOTAL 0-19 YRS	13	9.6	106	3	3	7	11	18	38	42
20-34	30	11.7	58	2	2	6	14	30	37	51
35-49	197	11.1	119	1	2	8	13	23	35	67
50-64	1282	13.2	153	3	4	10	16	29	45	99+
65+	6124	17.0	252	3	4	12	22	43	65	99+
GRAND TOTAL	**7646**	**16.2**	**234**	**3**	**4**	**12**	**20**	**39**	**60**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	27.3	895	7	7	15	46	71	71	71
20-34	9	11.2	44	3	4	10	13	22	23	23
35-49	46	16.0	318	1	3	10	17	32	61	84
50-64	353	18.7	232	3	5	14	24	41	58	98
65+	1823	21.0	295	4	6	16	29	52	87	99+
B. *Operated*										
0-19 YRS										
20-34	3	10.3	9	7	7	12	56	99+	99+	99+
35-49	14	17.8	265	5	5	11	29	64	91	99+
50-64	64	20.8	280	6	6	16	40	99+	99+	99+
65+	264	28.7	432	7	8	25	51	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2235	20.5	286	4	6	16	28	50	78	99+
B. *Operated*	345	26.6	406	6	8	22	47	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	2580	21.3	307	4	6	17	30	56	90	99+
A. NOT OPERATED	2235	20.5	286	4	6	16	28	50	78	99+
B. OPERATED	345	26.6	406	6	8	22	47	99+	99+	99+
TOTAL 0-19 YRS	4	27.3	895	7	7	15	46	71	71	71
20-34	12	11.0	34	3	5	10	15	38	88	99+
35-49	60	16.5	302	2	4	11	21	45	63	98
50-64	417	19.0	240	4	5	15	25	46	66	99+
65+	2087	21.9	318	4	6	17	31	58	93	99+
GRAND TOTAL	**2580**	**21.3**	**307**	**4**	**6**	**17**	**30**	**56**	**90**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	5.4	11	1	1	4	8	10	11	11
35-49	29	4.6	12	1	1	3	6	10	12	12
50-64	73	5.8	21	1	2	5	7	12	15	23
65+	122	6.6	58	2	2	5	8	12	16	82
B. *Operated*										
0-19 YRS										
20-34	11	9.7	101	<1	<1	9	12	23	35	36
35-49	24	10.7	69	1	2	8	16	24	27	29
50-64	32	7.2	58	1	2	4	9	16	29	33
65+	19	8.6	65	2	2	5	12	17	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	4	2	2	2	6	6	6	6
20-34	22	5.4	11	1	2	5	7	10	12	14
35-49	142	6.1	27	2	2	5	8	12	15	31
50-64	484	7.7	63	2	2	5	9	14	20	53
65+	2346	11.6	152	2	3	8	14	26	46	99+
B. *Operated*										
0-19 YRS	6	8.3	92	2	2	3	15	24	25	25
20-34	25	14.7	110	2	3	14	20	28	33	46
35-49	62	19.3	451	2	2	12	27	50	85	99+
50-64	174	13.5	209	2	2	9	17	32	54	96
65+	393	17.1	302	2	3	12	23	55	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	6.0	39	1	2	5	7	12	15	32
B. *Operated*	86	8.8	67	1	2	6	12	19	29	36
2. MULTIPLE DX										
A. *Not Operated*	3000	10.6	133	2	3	7	12	23	37	99+
B. *Operated*	660	16.2	285	2	3	11	22	46	85	99+
1. SINGLE DX	322	6.8	48	1	2	5	8	14	19	35
2. MULTIPLE DX	3660	11.6	165	2	3	8	14	27	49	99+
A. NOT OPERATED	3236	10.3	128	2	3	7	12	22	36	99+
B. OPERATED	746	15.3	265	2	3	11	20	41	84	99+
TOTAL 0-19 YRS	14	5.2	45	1	2	2	6	16	23	25
20-34	68	9.5	78	1	1	7	13	20	28	44
35-49	257	9.5	162	2	2	5	10	23	31	85
50-64	763	8.8	99	2	2	6	10	18	26	61
65+	2880	12.1	173	2	3	8	15	29	54	99+
GRAND TOTAL	**3982**	**11.2**	**158**	**2**	**3**	**8**	**14**	**26**	**45**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.4	18	1	1	2	9	9	9	9
65+	8	5.5	22	1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS										
20-34	3	12.3	100	2	2	13	20	22	22	22
35-49	23	7.6	64	1	1	6	10	12	22	40
50-64	97	6.0	28	1	1	3	10	13	14	26
65+	113	6.6	53	1	1	3	9	13	17	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	15	5.3	11	1	2	4	7	10	12	13
50-64	59	6.6	24	1	2	5	9	15	18	21
65+	265	12.0	168	2	2	8	15	28	49	99+
B. *Operated*										
0-19 YRS	2	25.0	18	22	22	25	28	28	28	28
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	104	11.6	143	2	2	10	15	25	44	99+
50-64	639	15.2	219	2	2	11	18	36	51	85
65+	1534	19.4	296	2	3	15	26	46	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.1	19	1	1	2	9	11	13	13
B. *Operated*	236	6.5	44	1	1	4	10	13	16	40
2. MULTIPLE DX										
A. *Not Operated*	339	10.8	141	2	2	7	14	25	38	99+
B. *Operated*	2283	17.8	272	2	3	13	23	43	62	99+
1. SINGLE DX	249	6.4	43	1	1	4	10	13	15	40
2. MULTIPLE DX	2622	16.9	261	2	3	12	22	41	60	99+
A. NOT OPERATED	352	10.6	138	1	2	7	13	24	37	99+
B. OPERATED	2519	16.8	262	2	2	12	22	41	59	99+
TOTAL 0-19 YRS	2	25.0	18	22	22	25	28	28	28	28
20-34	7	7.7	59	1	1	5	12	20	22	22
35-49	142	10.3	121	1	2	8	12	24	35	99+
50-64	800	13.4	193	1	2	10	16	31	45	84
65+	1920	17.6	277	2	2	13	23	43	65	99+
GRAND TOTAL	**2871**	**16.0**	**251**	**2**	**2**	**12**	**21**	**39**	**58**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	2.9	10	<1	<1	2	3	9	10	10
65+	32	5.0	19	1	1	3	8	11	15	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.5	12	4	4	9	11	12	12	12
50-64	83	10.6	34	2	3	10	12	17	24	33
65+	191	11.5	55	2	2	11	15	19	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	8	<1	<1	1	5	6	6	6
35-49	6	5.3	12	<1	<1	5	8	10	10	10
50-64	70	7.2	90	1	1	4	9	14	26	49
65+	424	8.6	59	1	2	7	11	19	24	50
B. *Operated*										
0-19 YRS	2	16.5	481	1	1	16	32	32	32	32
20-34	5	15.2	85	8	8	12	19	31	31	31
35-49	18	15.1	82	1	3	15	20	29	33	33
50-64	491	14.9	100	3	6	13	17	26	37	59
65+	1527	17.6	166	3	7	14	20	33	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.6	18	<1	1	3	7	10	14	16
B. *Operated*	278	11.2	48	2	2	11	14	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	503	8.3	63	1	2	6	10	18	24	49
B. *Operated*	2043	16.9	150	3	7	14	19	32	41	84
1. SINGLE DX	317	10.4	49	1	2	10	13	18	20	36
2. MULTIPLE DX	2546	15.2	145	2	3	13	18	29	39	81
A. NOT OPERATED	542	8.1	60	1	2	6	10	18	23	49
B. OPERATED	2321	16.2	142	2	6	14	19	30	40	81
TOTAL 0-19 YRS	2	16.5	481	1	1	16	32	32	32	32
20-34	8	10.5	93	<1	<1	9	13	26	31	31
35-49	28	12.1	73	1	2	11	16	23	32	33
50-64	651	13.4	98	2	3	12	16	24	35	53
65+	2174	15.1	148	2	3	13	18	29	39	82
GRAND TOTAL	**2863**	**14.7**	**136**	**2**	**3**	**12**	**18**	**27**	**38**	**78**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	8.4	85	<1	<1	3	16	22	22	22
20-34	14	9.6	162	1	1	4	13	31	42	45
35-49	26	8.3	51	1	2	6	14	21	21	22
50-64	27	9.2	22	3	4	9	12	15	16	23
65+	55	9.3	30	2	2	9	12	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	15	3.6	4	1	2	3	5	6	8	8
65+	34	8.6	148	<1	1	4	8	22	40	57
B. *Operated*										
0-19 YRS	3	6.7	65	2	2	2	13	16	16	16
20-34	12	17.0	286	1	2	10	23	47	54	55
35-49	28	13.7	122	1	1	12	19	26	37	46
50-64	157	12.5	119	2	2	10	16	22	30	61
65+	277	15.6	204	2	3	12	19	34	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	3	5	5	5
B. *Operated*	127	9.0	47	2	2	8	12	16	22	33
2. MULTIPLE DX										
A. *Not Operated*	52	7.0	102	1	1	4	7	15	23	57
B. *Operated*	477	14.5	173	2	2	11	18	29	41	70
1. SINGLE DX	133	8.8	47	1	2	8	12	15	22	32
2. MULTIPLE DX	529	13.7	171	2	2	10	17	28	41	69
A. NOT OPERATED	58	6.5	93	1	1	4	6	15	23	56
B. OPERATED	604	13.3	152	2	2	11	16	26	37	65
TOTAL 0-19 YRS	10	7.2	55	<1	1	3	14	19	22	22
20-34	26	13.0	224	1	1	6	17	42	47	55
35-49	58	10.5	92	1	2	8	16	22	26	45
50-64	201	11.3	103	2	2	9	14	20	29	54
65+	367	14.0	180	2	2	10	17	29	41	70
GRAND TOTAL	**662**	**12.7**	**150**	**2**	**2**	**10**	**16**	**24**	**37**	**62**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	9.1	51	1	1	9	15	19	20	20
35-49	14	5.4	29	<1	1	3	9	14	16	17
50-64	27	5.4	35	1	1	3	6	13	17	26
65+	45	5.3	18	1	2	3	8	13	13	16
B. *Operated*										
0-19 YRS	4	5.5	15	1	1	5	8	10	10	10
20-34	12	5.3	9	1	2	5	7	10	11	11
35-49	84	7.4	21	1	2	7	10	12	14	23
50-64	353	8.2	31	2	2	8	11	14	17	27
65+	381	9.3	57	2	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	9	5.1	11	2	2	5	8	10	11	11
35-49	34	6.0	31	<1	1	4	9	13	19	23
50-64	130	7.1	51	1	2	5	10	14	17	38
65+	327	9.1	85	1	2	7	11	17	23	57
B. *Operated*										
0-19 YRS	5	7.8	13	4	4	8	10	13	13	13
20-34	32	18.8	475	1	2	10	25	49	60	99
35-49	290	13.3	166	2	2	11	15	25	41	82
50-64	1545	13.2	132	2	3	11	16	24	34	80
65+	2984	16.5	199	2	3	13	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.6	27	1	1	3	9	13	16	23
B. *Operated*	834	8.6	42	2	2	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	502	8.3	72	1	2	7	11	16	21	55
B. *Operated*	4856	15.3	180	2	3	12	19	31	46	99
1. SINGLE DX	927	8.3	41	1	2	8	11	16	19	31
2. MULTIPLE DX	5358	14.6	174	2	3	12	18	30	44	95
A. NOT OPERATED	595	7.9	66	1	2	6	10	15	20	52
B. OPERATED	5690	14.3	165	2	2	11	18	29	42	92
TOTAL 0-19 YRS	11	5.9	15	1	1	5	9	11	13	13
20-34	60	12.9	299	1	2	7	14	32	49	95
35-49	422	11.3	131	1	2	9	14	22	30	64
50-64	2055	11.9	114	2	2	10	14	22	30	69
65+	3737	15.0	181	2	2	12	19	31	47	99+
GRAND TOTAL	**6285**	**13.7**	**159**	**2**	**2**	**11**	**17**	**27**	**41**	**90**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	6.9	30	1	2	6	9	12	17	30
20-34	29	5.7	24	1	2	4	5	16	18	19
35-49	27	4.9	20	2	2	3	5	10	15	22
50-64	42	4.1	16	<1	1	3	5	10	14	18
65+	65	4.3	12	<1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	15	5.1	27	1	1	2	9	14	16	17
20-34	28	7.7	85	1	1	4	8	24	31	35
35-49	77	6.1	23	2	2	5	9	11	15	25
50-64	186	5.6	30	1	1	3	9	12	16	28
65+	227	6.7	61	1	2	4	9	16	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	7.4	37	1	2	5	10	17	18	28
20-34	37	10.9	281	<1	1	5	10	23	60	73
35-49	85	7.5	57	1	2	5	8	15	25	37
50-64	244	7.2	76	1	2	5	8	15	22	56
65+	763	9.5	94	1	2	7	12	19	28	79
B. *Operated*										
0-19 YRS	22	9.8	112	1	1	7	11	21	37	48
20-34	57	13.0	142	2	2	10	17	29	39	57
35-49	189	12.3	173	1	2	8	16	29	40	70
50-64	747	11.9	146	2	2	9	15	25	38	64
65+	1708	16.1	264	2	2	11	21	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	5.3	22	1	1	4	7	11	16	22
B. *Operated*	533	6.2	45	1	1	4	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	1187	8.8	92	1	2	6	11	18	26	66
B. *Operated*	2723	14.5	226	2	2	10	18	34	50	97
1. SINGLE DX	774	6.0	38	1	1	4	8	13	17	30
2. MULTIPLE DX	3910	12.8	192	2	2	9	16	29	44	90
A. NOT OPERATED	1428	8.2	82	1	2	6	10	17	24	60
B. OPERATED	3256	13.2	205	2	2	9	17	31	45	93
TOTAL 0-19 YRS	173	7.3	43	1	2	6	10	15	18	32
20-34	151	10.1	148	1	2	6	12	24	37	64
35-49	378	9.4	114	1	2	6	12	22	33	53
50-64	1219	9.7	118	1	2	6	13	21	29	60
65+	2763	13.2	209	2	2	9	17	31	47	99
GRAND TOTAL	**4684**	**11.7**	**173**	**1**	**2**	**8**	**14**	**26**	**40**	**84**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	6.3	25	1	2	5	8	11	17	25
20-34	276	7.5	16	2	2	7	10	12	15	18
35-49	411	8.3	27	2	3	8	10	14	17	27
50-64	430	8.7	16	3	4	8	11	14	16	21
65+	403	8.5	16	3	4	8	10	14	16	22
B. *Operated*										
0-19 YRS	17	8.1	22	<1	2	9	10	15	17	18
20-34	114	7.0	30	1	2	6	10	13	15	31
35-49	169	7.3	21	1	2	7	10	13	15	20
50-64	197	8.5	34	1	2	7	12	15	18	30
65+	121	8.7	23	1	2	9	12	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.2	12	1	2	8	10	11	12	14
20-34	338	8.5	26	2	3	8	11	14	16	27
35-49	637	9.7	30	3	4	9	12	17	20	26
50-64	1336	10.5	39	3	5	9	13	17	21	32
65+	2233	11.3	55	4	5	10	14	19	24	45
B. *Operated*										
0-19 YRS	15	11.9	48	4	4	11	14	20	28	31
20-34	177	10.9	55	2	3	10	15	20	22	41
35-49	336	12.1	86	2	3	10	15	23	28	50
50-64	664	11.7	72	2	4	10	14	20	27	51
65+	1021	14.2	122	4	5	11	17	27	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1557	8.3	19	2	3	8	10	14	16	22
B. *Operated*	618	7.9	28	1	2	7	11	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	4570	10.6	45	3	4	9	13	18	22	36
B. *Operated*	2213	12.8	97	3	4	11	15	23	31	62
1. SINGLE DX	2175	8.2	22	2	3	8	10	14	16	23
2. MULTIPLE DX	6783	11.3	63	3	4	10	14	19	24	50
A. NOT OPERATED	6127	10.0	40	3	4	9	12	17	20	35
B. OPERATED	2831	11.8	86	2	3	10	14	21	29	57
TOTAL 0-19 YRS	95	7.8	28	1	2	7	10	13	18	28
20-34	905	8.5	31	2	2	8	11	15	17	29
35-49	1553	9.6	43	2	3	9	12	17	21	32
50-64	2627	10.3	44	3	4	9	13	17	21	35
65+	3778	11.7	71	4	5	10	14	20	26	56
GRAND TOTAL	**8958**	**10.6**	**55**	**3**	**4**	**9**	**13**	**18**	**23**	**43**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.3	7	1	2	4	5	9	11	11
35-49	15	6.1	26	1	2	4	8	16	16	16
50-64	33	7.5	25	2	3	5	11	15	18	20
65+	68	13.9	189	3	4	10	17	27	36	79
B. *Operated*										
0-19 YRS	22	2.9	2	<1	1	3	4	5	5	5
20-34	643	3.7	6	1	2	3	5	6	7	13
35-49	963	4.1	6	1	2	4	5	6	8	14
50-64	728	4.9	20	2	2	4	5	8	11	26
65+	247	9.2	94	2	3	5	11	23	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	29	5.3	47	<1	<1	2	7	14	23	28
35-49	80	8.2	39	1	1	7	11	17	21	27
50-64	183	11.0	88	2	3	8	14	23	32	47
65+	602	13.9	130	3	4	11	17	27	37	72
B. *Operated*										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	189	5.2	35	1	2	4	5	9	15	28
35-49	408	6.7	48	2	2	5	7	13	18	39
50-64	591	9.6	136	2	3	5	11	21	35	65
65+	690	18.8	272	3	3	15	26	43	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	10.4	123	2	2	7	13	19	27	73
B *Operated*	2603	4.7	21	2	2	4	5	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	896	12.5	115	2	3	10	16	25	34	62
B. *Operated*	1882	11.9	186	2	3	6	15	31	42	82
1. SINGLE DX	2732	5.0	27	2	2	4	5	8	13	28
2. MULTIPLE DX	2778	12.1	163	2	3	7	16	28	40	72
A. NOT OPERATED	1025	12.3	117	2	3	9	16	25	33	63
B. OPERATED	4485	7.7	102	2	2	4	7	18	29	59
TOTAL 0-19 YRS	28	3.5	5	1	1	3	4	5	8	11
20-34	874	4.1	14	1	2	3	5	6	8	20
35-49	1466	5.0	22	1	2	4	5	9	13	25
50-64	1535	7.5	79	2	2	5	8	16	24	49
65+	1607	15.3	199	3	3	11	21	34	45	85
GRAND TOTAL	**5510**	**8.6**	**108**	**2**	**2**	**5**	**9**	**20**	**30**	**60**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	51	2.2	1	<1	1	2	3	4	5	5
35-49	87	2.7	4	<1	<1	2	4	7	7	9
50-64	73	2.7	7	<1	<1	2	3	6	8	13
65+	54	3.3	13	<1	<1	2	4	6	8	21
B. *Operated*										
0-19 YRS	21	3.7	2	1	1	4	4	5	6	6
20-34	306	4.0	4	1	2	4	5	6	7	11
35-49	471	4.3	3	1	2	4	5	6	8	10
50-64	314	4.1	3	1	2	4	5	6	7	9
65+	102	4.5	5	1	2	4	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	4	1	2	3	6	7	7	7
20-34	72	3.3	6	<1	1	3	4	6	8	11
35-49	162	4.6	12	<1	1	4	6	9	12	18
50-64	220	4.1	15	<1	1	3	5	8	10	21
65+	402	5.7	32	1	1	4	7	11	14	31
B. *Operated*										
0-19 YRS	37	3.5	3	1	1	4	4	5	6	8
20-34	1219	4.2	4	1	2	4	5	7	8	11
35-49	1890	4.7	8	2	2	4	6	7	9	15
50-64	1623	5.0	10	2	2	4	6	8	10	16
65+	987	6.8	33	2	2	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	2.7	6	<1	<1	2	3	6	7	13
B. *Operated*	1214	4.2	3	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	865	4.9	22	<1	1	4	6	10	12	24
B. *Operated*	5756	5.0	13	2	2	4	6	8	11	18
1. SINGLE DX	1486	3.9	4	1	1	4	5	6	7	10
2. MULTIPLE DX	6621	5.0	14	2	2	4	6	8	11	19
A. NOT OPERATED	1137	4.4	19	<1	1	3	6	9	11	20
B. OPERATED	6970	4.9	11	2	2	4	6	8	10	17
TOTAL 0-19 YRS	74	3.4	3	1	1	4	4	6	6	8
20-34	1648	4.1	4	1	2	4	5	6	8	11
35-49	2610	4.5	7	1	2	4	5	7	9	14
50-64	2230	4.7	10	1	2	4	6	8	10	16
65+	1545	6.2	31	1	2	5	7	12	16	30
GRAND TOTAL	**8107**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.0	20	1	1	3	8	10	13	22
20-34	116	6.7	24	1	1	6	10	12	14	24
35-49	113	6.1	20	1	1	5	9	11	14	23
50-64	130	6.8	23	1	1	6	10	13	15	24
65+	166	8.5	74	1	2	7	11	15	18	42
B. *Operated*										
0-19 YRS	209	2.5	6	<1	1	2	3	4	7	16
20-34	544	3.0	10	1	1	2	3	6	9	16
35-49	267	3.9	17	1	1	2	4	10	12	21
50-64	155	5.5	24	1	1	4	9	12	14	21
65+	87	7.2	47	<1	1	5	11	16	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.9	13	1	1	2	5	9	11	17
20-34	187	7.8	48	1	2	6	10	15	23	36
35-49	316	7.4	33	1	2	6	10	14	18	26
50-64	761	8.5	48	2	2	7	11	16	20	33
65+	1830	9.2	63	2	3	8	11	17	22	45
B. *Operated*										
0-19 YRS	72	5.1	78	<1	1	2	4	12	21	56
20-34	455	5.1	46	1	1	3	5	12	17	28
35-49	340	8.5	77	1	2	5	11	19	29	42
50-64	529	12.1	110	1	2	10	15	23	32	51
65+	842	14.5	177	2	3	11	17	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	7.1	39	1	1	6	10	13	16	26
B. *Operated*	1262	3.7	17	1	1	2	3	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3155	8.6	55	2	2	7	11	16	21	38
B. *Operated*	2238	10.8	130	1	2	8	14	22	32	59
1. SINGLE DX	1818	4.7	26	1	1	3	7	11	13	22
2. MULTIPLE DX	5393	9.5	87	1	2	7	12	19	25	51
A. NOT OPERATED	3711	8.4	53	1	2	7	11	15	20	37
B. OPERATED	3500	8.2	101	1	1	4	11	18	26	51
TOTAL 0-19 YRS	373	3.4	23	1	1	2	3	8	11	22
20-34	1302	4.8	32	1	1	2	5	11	15	28
35-49	1036	6.7	45	1	2	4	9	15	19	36
50-64	1575	9.3	69	1	2	8	12	18	23	42
65+	2925	10.6	102	2	3	8	13	20	29	57
GRAND TOTAL	**7211**	**8.3**	**76**	**1**	**2**	**6**	**11**	**17**	**23**	**46**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2257	2.6	2	1	1	2	3	5	6	8
20-34	367	3.3	3	1	1	3	4	5	6	9
35-49	136	3.7	6	1	2	3	4	7	8	14
50-64	61	4.2	8	1	1	4	5	7	8	17
65+	50	4.5	10	1	1	4	6	8	11	17
B. *Operated*										
0-19 YRS	273	1.9	3	1	1	2	2	3	5	9
20-34	104	2.6	3	1	1	2	3	6	6	8
35-49	34	3.6	5	1	1	3	6	6	8	8
50-64	23	3.6	7	<1	1	3	5	7	9	12
65+	11	4.2	11	<1	1	2	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3760	3.5	6	1	1	3	4	6	8	11
20-34	694	3.9	7	1	2	3	5	7	8	13
35-49	340	4.7	9	1	2	4	6	8	10	16
50-64	423	6.2	26	2	2	5	8	12	15	22
65+	758	7.7	36	2	3	6	9	15	19	31
B. *Operated*										
0-19 YRS	242	3.8	29	1	1	2	4	8	12	33
20-34	113	6.3	76	<1	1	3	6	14	27	44
35-49	54	5.9	19	1	2	5	7	12	16	21
50-64	81	8.2	46	1	2	6	12	17	25	29
65+	83	11.6	160	1	2	8	15	27	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2871	2.8	3	1	1	2	4	5	6	9
B. *Operated*	445	2.3	4	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5975	4.3	14	1	1	3	5	8	10	19
B. *Operated*	573	6.2	66	1	1	3	7	15	23	42
1. SINGLE DX	3316	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	6548	4.5	19	1	1	3	5	8	11	23
A. NOT OPERATED	8846	3.8	11	1	1	3	5	7	9	17
B. OPERATED	1018	4.5	42	1	1	2	5	10	16	36
TOTAL 0-19 YRS	6532	3.1	6	1	1	3	4	6	7	11
20-34	1278	3.8	12	1	1	3	5	7	8	17
35-49	564	4.5	10	1	2	4	6	8	10	16
50-64	588	6.2	27	1	2	5	8	12	16	26
65+	902	7.8	48	2	2	6	10	15	20	35
GRAND TOTAL	**9864**	**3.9**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2816	3.6	4	1	1	3	4	6	7	10
20-34	135	3.7	5	1	2	3	5	7	8	11
35-49	128	4.2	4	2	2	4	5	6	8	11
50-64	133	4.8	7	2	2	4	6	8	10	14
65+	189	5.7	14	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	7	3.6	5	1	1	3	5	7	7	7
20-34	5	3.2	5	1	1	3	4	7	7	7
35-49	7	3.9	14	<1	<1	2	7	10	10	10
50-64	12	6.1	60	<1	1	2	9	18	25	26
65+	7	3.6	30	<1	<1	2	2	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3155	4.3	7	1	2	4	5	7	9	14
20-34	492	4.7	11	1	2	4	6	9	10	15
35-49	772	5.5	13	2	2	5	7	9	11	20
50-64	2341	7.6	35	2	3	6	9	13	17	32
65+	5866	8.9	50	3	3	7	11	16	20	41
B. *Operated*										
0-19 YRS	32	10.4	126	1	2	7	12	25	27	56
20-34	45	6.6	30	2	2	5	10	13	14	32
35-49	81	6.5	23	1	2	6	8	13	17	77
50-64	218	11.2	128	1	2	9	13	22	30	84
65+	484	15.2	144	3	5	12	20	31	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3401	3.8	5	1	2	3	5	6	8	11
B. *Operated*	38	4.4	28	<1	<1	2	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	12626	7.1	37	2	2	6	9	13	17	32
B. *Operated*	860	12.7	131	2	3	10	16	27	34	85
1. SINGLE DX	3439	3.8	5	1	2	3	5	6	8	12
2. MULTIPLE DX	13486	7.5	45	2	2	6	9	14	19	35
A. NOT OPERATED	16027	6.4	32	2	2	5	8	12	16	29
B. OPERATED	898	12.4	130	2	2	9	16	26	33	84
TOTAL 0-19 YRS	6010	4.0	7	1	2	3	5	7	8	13
20-34	677	4.6	11	1	2	4	6	9	10	15
35-49	988	5.4	13	2	2	5	7	9	11	21
50-64	2704	7.7	43	2	3	6	9	14	18	34
65+	6546	9.2	59	3	3	7	11	17	22	46
GRAND TOTAL	**16925**	**6.7**	**39**	**2**	**2**	**5**	**8**	**13**	**17**	**33**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	773	2.2	1	1	1	2	3	3	4	5
20-34	1629	2.2	1	1	1	2	3	3	4	5
35-49	709	2.2	1	1	1	2	3	3	4	4
50-64	294	2.2	1	1	1	2	3	3	4	5
65+	43	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	3
20-34	32	1.3		<1	<1	1	2	2	3	3
35-49	21	1.3	1	<1	<1	1	1	3	4	4
50-64	10	2.1	5	<1	<1	1	1	6	7	7
65+	8	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1194	2.3	1	1	1	2	3	3	4	5
20-34	2796	2.3	2	1	1	2	3	3	4	5
35-49	1442	2.4	1	1	1	2	3	4	4	6
50-64	801	2.6	2	1	1	2	3	4	5	7
65+	206	2.7	4	1	1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	3448	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	93	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*	6439	2.4	1	1	1	2	3	4	4	6
1. SINGLE DX	3452	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	6532	2.4	1	1	1	2	3	3	4	6
A. NOT OPERATED	97	1.6	1	<1	<1	1	2	3	5	7
B. OPERATED	9887	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1990	2.2	1	1	1	2	3	3	4	5
20-34	4458	2.3	1	1	1	2	3	3	4	5
35-49	2172	2.3	1	1	1	2	3	3	4	5
50-64	1106	2.5	1	1	1	2	3	4	4	7
65+	258	2.7	3	1	1	2	3	4	5	14
GRAND TOTAL	**9984**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.7		<1	<1	2	2	3	3	3
20-34	60	2.0	1	<1	<1	2	3	4	4	6
35-49	82	2.1	1	<1	<1	2	3	4	5	5
50-64	105	2.1	1	<1	1	2	2	4	4	6
65+	61	2.6	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	2.3	5	<1	<1	<1	4	5	5	5
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	7	5.6	58	<1	<1	2	6	19	22	22
65+	6	2.7	7	1	1	1	5	7	7	7
B. *Operated*										
0-19 YRS	76	2.5	1	1	1	2	3	4	5	6
20-34	163	2.8	6	<1	1	2	3	4	6	17
35-49	256	2.7	3	1	1	2	3	4	5	10
50-64	330	2.7	4	1	1	2	3	4	6	14
65+	218	3.3	8	1	1	3	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	328	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	22	3.3	22	<1	<1	1	5	7	13	22
B. *Operated*	1043	2.8	5	1	1	2	3	4	6	13
1. SINGLE DX	328	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX	1065	2.8	5	1	1	2	3	4	6	13
A. NOT OPERATED	22	3.3	22	<1	<1	1	5	7	13	22
B. OPERATED	1371	2.7	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	97	2.3	1	<1	1	2	3	4	4	6
20-34	226	2.6	5	<1	1	2	3	4	5	14
35-49	343	2.5	2	<1	1	2	3	4	5	10
50-64	442	2.6	4	<1	1	2	3	4	5	14
65+	285	3.1	7	1	1	2	4	5	7	12
GRAND TOTAL	**1393**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.8	1	<1	<1	1	2	4	4	4
20-34	12	1.8	1	<1	<1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	11015	1.5	1	<1	1	1	2	2	2	3
20-34	2756	1.8	1	1	1	2	2	3	3	4
35-49	234	1.9	1	1	1	2	2	3	3	4
50-64	35	2.2	1	1	1	2	3	3	4	5
65+	24	1.8	2	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	1.4	1	<1	<1	<1	1	3	4	5
20-34	43	1.5	1	<1	<1	1	2	3	4	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	3	6.3	30	<1	<1	6	10	12	12	12
B. *Operated*										
0-19 YRS	6116	1.5	1	<1	<1	1	2	2	3	4
20-34	410	2.3	2	1	1	2	3	4	4	8
35-49	50	2.7	3	1	1	2	3	4	5	13
50-64	24	2.5	7	<1	1	2	3	5	8	14
65+	18	5.6	169	1	1	2	3	8	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.8	1	<1	<1	2	2	3	4	4
B. *Operated*	14064	1.6	1	<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	398	1.5	2	<1	<1	<1	1	3	4	6
B. *Operated*	6618	1.6	2	<1	<1	1	2	2	3	5
1. SINGLE DX	14106	1.6	1	<1	1	1	2	2	3	3
2. MULTIPLE DX	7016	1.6	2	<1	<1	1	2	2	3	5
A. NOT OPERATED	440	1.5	1	<1	<1	1	1	3	4	6
B. OPERATED	20682	1.6	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	17504	1.5	1	<1	1	1	2	2	2	4
20-34	3221	1.9	1	1	1	2	2	3	3	5
35-49	288	2.0	1	1	1	2	2	3	3	5
50-64	63	2.3	3	<1	1	2	3	4	5	13
65+	46	3.5	70	1	1	2	3	6	10	57
GRAND TOTAL	**21122**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	3.0	3	<1	1	3	4	6	6	8
20-34	293	3.2	3	1	1	3	4	5	6	11
35-49	109	3.4	6	1	1	3	4	7	8	14
50-64	49	2.9	5	<1	<1	2	4	6	7	13
65+	36	2.9	3	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	461	2.7	4	<1	1	2	3	5	6	9
20-34	803	2.4	3	<1	1	2	3	4	5	9
35-49	678	2.2	3	<1	1	2	2	4	5	10
50-64	688	2.2	9	<1	1	2	2	3	4	9
65+	348	2.4	5	1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	3.7	5	1	1	3	5	6	8	11
20-34	217	3.8	5	1	2	3	4	7	8	12
35-49	138	4.0	9	<1	1	4	5	8	9	15
50-64	156	4.9	20	1	2	4	6	8	13	29
65+	170	5.8	25	1	1	4	8	11	15	29
B. *Operated*										
0-19 YRS	436	3.2	21	1	1	2	3	6	9	16
20-34	646	2.7	6	1	1	2	3	4	6	15
35-49	637	2.8	7	1	1	2	3	5	7	14
50-64	750	3.7	28	1	1	2	3	8	11	34
65+	608	5.0	53	1	1	2	5	12	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	3.1	4	1	1	3	4	5	7	9
B. *Operated*	2978	2.3	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1029	4.3	12	1	1	4	5	8	10	16
B. *Operated*	3077	3.5	24	1	1	2	3	6	11	25
1. SINGLE DX	3934	2.5	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	4106	3.7	21	1	1	2	4	7	10	23
A. NOT OPERATED	1985	3.7	8	1	1	3	5	7	8	14
B. OPERATED	6055	2.9	15	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	1714	3.1	8	1	1	3	4	6	7	12
20-34	1959	2.8	5	1	1	2	3	5	6	12
35-49	1562	2.7	6	<1	1	2	3	5	6	12
50-64	1643	3.2	19	<1	1	2	3	6	8	22
65+	1162	4.3	35	1	1	2	4	9	15	30
GRAND TOTAL	**8040**	**3.1**	**13**	**1**	**1**	**2**	**3**	**6**	**8**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4293	4.2	7	1	2	4	5	7	9	13
20-34	1123	5.5	10	2	2	5	7	9	11	16
35-49	815	5.9	11	2	3	5	8	10	12	18
50-64	770	6.4	12	2	3	6	8	10	12	20
65+	1184	8.1	26	3	4	7	10	14	16	27
B. *Operated*										
0-19 YRS	21	8.0	57	2	3	5	9	13	25	38
20-34	32	6.7	30	1	2	5	9	13	14	28
35-49	48	7.9	41	<1	1	7	11	17	22	30
50-64	83	8.6	46	1	1	7	13	17	21	32
65+	74	11.2	85	2	2	10	13	20	26	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5517	5.2	18	2	2	4	6	9	12	21
20-34	1647	7.2	30	2	3	6	9	13	17	30
35-49	1997	8.1	30	3	3	7	10	14	18	29
50-64	4328	9.3	45	3	4	8	11	17	21	36
65+	17662	11.9	90	4	5	10	14	20	28	66
B. *Operated*										
0-19 YRS	101	14.2	203	2	3	10	16	30	45	77
20-34	219	18.6	262	3	5	14	23	42	56	91
35-49	284	17.2	224	3	5	14	22	33	51	99
50-64	836	17.2	199	3	5	13	21	35	51	92
65+	2485	21.9	279	5	7	17	28	50	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8185	5.3	13	2	2	4	7	9	12	18
B. *Operated*	258	8.9	57	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	31151	9.8	71	2	3	8	12	18	23	50
B. *Operated*	3925	20.1	260	4	6	16	25	45	64	99+
1. SINGLE DX	8443	5.4	15	2	2	5	7	10	12	19
2. MULTIPLE DX	35076	11.0	103	3	3	8	13	21	29	69
A. NOT OPERATED	39336	8.9	62	2	3	7	11	16	21	44
B. OPERATED	4183	19.5	255	4	6	15	24	43	63	99+
TOTAL 0-19 YRS	9932	4.9	16	2	2	4	6	8	11	19
20-34	3021	7.3	50	2	3	6	8	13	18	38
35-49	3144	8.4	52	2	3	7	10	15	20	36
50-64	6017	10.0	72	3	4	8	12	19	25	48
65+	21405	12.8	120	4	5	10	15	23	34	82
GRAND TOTAL	**43519**	**9.9**	**91**	**2**	**3**	**7**	**12**	**19**	**26**	**62**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	2.9	3	1	1	3	4	5	5	8
20-34	63	3.3	5	1	1	3	4	5	7	13
35-49	35	3.1	2	1	2	3	4	5	6	8
50-64	32	4.8	13	1	2	4	6	8	11	20
65+	40	5.2	11	1	2	5	6	8	11	18
B. *Operated*										
0-19 YRS	1	38.0		38	38	38	38	38	38	38
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	3.4	4	1	2	3	4	5	7	12
20-34	144	3.8	6	1	1	3	5	7	8	13
35-49	119	4.5	14	1	2	4	6	8	10	21
50-64	204	5.9	17	2	2	4	7	11	16	19
65+	490	8.1	48	2	3	6	10	14	19	34
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	4	10.5	158	<1	<1	6	18	29	29	29
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64	17	13.1	62	4	5	10	17	25	30	32
65+	30	17.4	174	4	5	13	22	37	49	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	3.5	6	1	1	3	4	6	7	13
B. *Operated*	3	18.7	305	4	4	14	32	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	1306	5.7	28	1	2	4	7	11	14	26
B. *Operated*	56	14.7	129	4	5	11	17	29	42	55
1. SINGLE DX	326	3.6	10	1	1	3	4	6	8	15
2. MULTIPLE DX	1362	6.1	35	1	2	4	7	12	16	29
A. NOT OPERATED	1629	5.3	24	1	2	4	6	10	13	23
B. OPERATED	59	14.9	134	4	5	12	17	29	42	54
TOTAL 0-19 YRS	505	3.3	6	1	2	3	4	5	7	12
20-34	211	3.8	9	1	1	3	5	7	8	14
35-49	158	4.3	12	1	2	3	5	8	10	16
50-64	253	6.2	23	2	2	5	7	12	17	25
65+	561	8.4	57	2	3	6	10	15	21	45
GRAND TOTAL	**1688**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.2	4	1	1	3	4	5	7	9
20-34	35	3.6	6	1	2	3	5	6	9	13
35-49	65	4.1	5	1	2	4	6	8	9	10
50-64	184	6.1	11	2	2	6	8	10	12	18
65+	216	7.0	33	2	2	6	8	12	17	45
B. *Operated*										
0-19 YRS	5	3.6	14	<1	<1	3	5	10	10	10
20-34	10	2.7	5	1	1	2	5	6	7	7
35-49	18	2.8	7	<1	<1	2	4	6	9	11
50-64	33	3.8	12	1	1	2	6	9	12	15
65+	39	4.7	20	<1	1	3	7	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	4.0	11	1	2	3	5	7	10	20
20-34	155	4.5	11	1	2	4	5	7	12	18
35-49	236	6.3	29	2	2	5	7	12	15	29
50-64	950	8.0	51	2	3	6	10	14	20	38
65+	2234	9.2	57	3	3	7	11	17	23	50
B. *Operated*										
0-19 YRS	11	3.6	3	2	2	4	4	6	8	8
20-34	25	6.2	44	<1	1	4	6	19	22	24
35-49	66	6.3	33	<1	2	4	8	13	17	29
50-64	178	8.8	111	1	1	5	13	21	32	99+
65+	349	13.6	179	2	2	10	17	32	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	4.9	16	1	2	4	6	9	11	19
B. *Operated*	105	3.8	13	<1	1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	3916	8.1	51	2	3	6	10	15	21	42
B. *Operated*	629	11.0	145	1	2	8	14	27	40	99+
1. SINGLE DX	936	4.8	16	1	2	4	6	9	11	19
2. MULTIPLE DX	4545	8.5	65	2	2	6	10	16	23	50
A. NOT OPERATED	4747	7.5	46	2	2	6	9	14	19	41
B. OPERATED	734	10.0	132	1	2	6	13	24	36	99+
TOTAL 0-19 YRS	688	3.6	8	1	1	3	4	7	8	14
20-34	225	4.4	14	1	1	4	5	7	13	22
35-49	385	5.7	25	1	2	4	7	11	14	27
50-64	1345	7.8	54	2	2	6	9	15	20	45
65+	2838	9.5	73	2	3	7	11	18	25	59
GRAND TOTAL	**5481**	**7.9**	**59**	**2**	**2**	**6**	**10**	**15**	**21**	**46**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	14	4.6	3	2	2	4	6	7	7	7
50-64	75	8.2	26	2	3	7	12	15	17	24
65+	123	8.1	50	2	2	6	10	16	20	38
B. *Operated*										
0-19 YRS										
20-34	5	9.0	13	4	4	9	11	14	14	14
35-49	5	8.8	7	6	6	8	10	13	13	13
50-64	8	7.9	36	1	2	8	13	68	99+	99+
65+	4	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	8	5.3	7	2	2	5	7	9	10	10
35-49	53	9.5	145	2	2	5	9	24	39	59
50-64	498	10.5	97	3	4	8	12	18	27	55
65+	1268	11.1	95	3	4	8	13	22	30	61
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	22	10.9	49	4	5	8	15	22	25	29
35-49	27	19.8	339	1	3	13	32	51	83	99+
50-64	92	17.2	296	4	5	12	20	41	72	99+
65+	162	21.6	355	3	5	16	29	51	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	7.9	39	2	2	6	10	15	19	28
B. *Operated*	22	7.5	20	1	2	8	10	15	48	99+
2. MULTIPLE DX										
A. *Not Operated*	1831	10.8	97	3	4	8	12	21	30	59
B. *Operated*	305	19.2	319	3	5	14	25	48	77	99+
1. SINGLE DX	237	7.8	37	2	2	6	10	15	19	35
2. MULTIPLE DX	2136	12.0	137	3	4	9	14	25	38	82
A. NOT OPERATED	2046	10.5	91	3	3	8	12	20	28	58
B. OPERATED	327	18.5	308	3	5	13	24	47	77	99+
TOTAL 0-19 YRS	7	6.3	13	3	3	5	8	12	13	13
20-34	37	9.1	38	3	4	8	10	19	22	29
35-49	99	11.6	196	2	2	7	12	32	47	90
50-64	673	11.1	121	3	4	8	13	20	31	77
65+	1557	11.9	130	3	3	9	14	25	38	83
GRAND TOTAL	**2373**	**11.6**	**129**	**3**	**3**	**8**	**14**	**24**	**36**	**80**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7787	3.4	5	1	1	3	4	6	7	10
20-34	2539	4.3	6	1	2	4	5	7	9	11
35-49	2037	5.0	8	2	2	4	6	9	10	15
50-64	1426	5.5	9	2	2	5	7	9	11	15
65+	791	6.3	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	13	4.6	6	2	2	4	5	9	11	11
20-34	8	6.3	36	1	1	4	8	16	19	19
35-49	16	7.1	28	1	1	6	10	16	18	19
50-64	15	7.8	11	1	1	8	11	12	12	12
65+	9	8.3	28	<1	1	7	13	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4327	4.0	10	1	2	3	5	7	8	14
20-34	1732	5.3	14	2	2	4	6	9	11	19
35-49	2280	6.4	22	2	3	5	8	11	14	24
50-64	3592	7.3	27	2	3	6	9	13	16	29
65+	4328	8.8	49	3	3	7	11	15	20	36
B. *Operated*										
0-19 YRS	29	9.0	37	1	2	9	13	20	24	99+
20-34	65	10.8	75	3	4	9	13	17	27	53
35-49	114	12.4	88	2	4	10	16	21	36	47
50-64	216	12.5	101	2	4	10	15	23	31	45
65+	283	16.7	156	5	6	13	19	37	46	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14580	4.1	7	1	2	4	5	7	9	13
B. *Operated*	61	6.8	20	1	2	6	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	16259	6.5	30	2	2	5	8	12	15	28
B. *Operated*	707	13.9	121	3	4	11	17	28	38	70
1. SINGLE DX	14641	4.1	7	1	2	4	5	7	9	13
2. MULTIPLE DX	16966	6.8	36	2	2	5	8	12	16	31
A. NOT OPERATED	30839	5.4	20	1	2	4	7	10	13	22
B. OPERATED	768	13.3	117	2	4	11	16	27	37	66
TOTAL 0-19 YRS	12156	3.6	7	1	2	3	4	6	7	12
20-34	4344	4.8	11	1	2	4	6	8	10	15
35-49	4447	5.9	19	2	2	5	7	10	13	21
50-64	5249	7.0	27	2	3	6	9	12	15	29
65+	5411	8.9	54	2	3	7	11	16	20	40
GRAND TOTAL	31607	5.6	24	1	2	4	7	10	13	25

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	18	<1	<1	4	10	11	12	12
20-34	11	4.3	2	2	2	4	6	7	7	7
35-49	87	5.3	10	2	2	5	7	9	10	19
50-64	539	7.0	21	2	3	6	9	13	15	23
65+	906	7.5	37	2	3	6	9	13	17	41
B. *Operated*										
0-19 YRS	3	10.0	81	1	1	10	17	19	19	19
20-34	2	10.0	128	2	2	10	18	18	18	18
35-49	9	5.9	17	2	2	6	9	12	13	13
50-64	41	10.4	229	1	1	4	10	31	47	69
65+	43	7.5	47	1	1	4	12	20	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	7.1	22	2	2	6	10	16	17	17
20-34	42	10.0	77	1	2	7	14	23	27	43
35-49	359	8.4	50	2	3	6	11	16	21	32
50-64	3081	9.3	58	3	3	7	11	17	23	42
65+	7491	10.4	82	3	4	8	12	19	26	57
B. *Operated*										
0-19 YRS	7	5.7	55	2	2	2	6	19	22	22
20-34	14	11.3	101	2	3	8	13	24	35	38
35-49	52	10.4	68	2	3	8	13	24	32	98
50-64	359	16.1	264	2	3	12	21	37	62	99+
65+	946	18.3	264	3	4	13	24	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	7.1	30	2	3	6	9	12	16	30
B. *Operated*	98	8.7	122	1	1	5	11	21	23	59
2. MULTIPLE DX										
A. *Not Operated*	10995	10.0	74	3	3	8	12	19	25	53
B. *Operated*	1378	17.3	257	3	4	13	23	42	62	99+
1. SINGLE DX	1653	7.2	36	2	3	6	9	13	17	32
2. MULTIPLE DX	12373	10.8	100	3	3	8	13	21	29	70
A. NOT OPERATED	12550	9.7	70	3	3	8	12	18	24	52
B. OPERATED	1476	16.7	253	2	3	12	22	41	61	99+
TOTAL 0-19 YRS	44	6.7	28	1	2	5	10	15	18	22
20-34	69	9.4	73	2	2	6	12	22	27	42
35-49	507	8.1	46	2	2	6	10	15	21	35
50-64	4020	9.6	78	2	3	7	11	18	25	56
65+	9386	10.9	103	3	4	8	13	21	29	75
GRAND TOTAL	14026	10.4	94	3	3	8	12	20	28	67

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.4	8	<1	1	3	5	6	10	14
20-34	186	3.5	6	1	1	3	5	6	8	13
35-49	48	3.8	7	1	1	3	5	7	9	13
50-64	15	5.5	36	1	1	4	6	15	21	23
65+	13	5.8	14	<1	2	5	8	12	13	13
B. *Operated*										
0-19 YRS	122	6.3	27	2	3	5	8	12	13	30
20-34	567	6.1	13	2	3	5	7	11	13	20
35-49	190	7.3	26	2	3	6	8	14	20	28
50-64	54	8.1	27	3	3	7	11	14	17	29
65+	32	8.5	16	4	4	8	12	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	7	1	1	4	4	8	10	10
20-34	54	4.0	12	1	1	3	5	7	11	18
35-49	40	6.1	41	1	1	4	7	15	18	33
50-64	54	7.8	21	3	3	7	10	15	17	21
65+	82	9.8	103	3	3	7	11	16	35	88
B. *Operated*										
0-19 YRS	39	10.4	40	3	4	9	13	20	22	30
20-34	207	9.8	42	3	4	8	12	18	22	36
35-49	147	10.5	83	3	3	8	14	21	29	69
50-64	198	13.0	90	3	4	10	18	25	31	55
65+	261	13.4	91	3	5	11	17	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	3.8	8	1	1	3	5	6	10	15
B. *Operated*	965	6.5	19	2	3	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	244	7.1	54	1	2	5	9	14	17	55
B. *Operated*	852	11.8	77	3	4	9	15	23	30	47
1. SINGLE DX	1272	5.9	18	1	2	5	7	11	14	21
2. MULTIPLE DX	1096	10.8	76	2	3	8	14	22	29	49
A. NOT OPERATED	551	5.3	31	1	1	4	6	11	14	33
B. OPERATED	1817	9.0	53	3	3	7	11	18	24	39
TOTAL 0-19 YRS	220	6.3	29	1	2	5	8	12	16	25
20-34	1014	6.3	22	1	2	5	8	12	15	24
35-49	425	7.9	49	2	3	6	9	17	21	39
50-64	321	10.9	72	3	3	8	14	23	27	44
65+	388	12.0	89	3	4	10	14	24	33	57
GRAND TOTAL	**2368**	**8.1**	**50**	**2**	**2**	**6**	**10**	**16**	**22**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	3.5	10	1	1	3	4	6	8	19
20-34	155	3.7	29	1	1	3	4	6	7	29
35-49	153	5.1	22	1	1	4	6	10	14	26
50-64	168	4.9	18	1	1	4	6	10	13	19
65+	229	6.2	26	1	1	5	8	12	17	27
B. *Operated*										
0-19 YRS	32	4.3	15	<1	1	2	6	9	14	16
20-34	91	7.1	69	1	1	4	9	15	25	45
35-49	131	7.1	48	<1	1	5	10	16	21	32
50-64	219	6.3	32	1	1	5	9	13	17	26
65+	217	8.3	73	1	1	6	12	18	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	467	5.0	24	1	2	4	6	11	15	21
20-34	395	6.4	40	1	1	5	8	13	18	39
35-49	564	7.0	52	1	2	5	8	14	20	41
50-64	1612	7.8	41	2	2	6	10	15	20	33
65+	5018	10.3	78	2	3	8	13	19	26	54
B. *Operated*										
0-19 YRS	105	13.1	276	<1	<1	7	18	33	60	83
20-34	193	14.6	212	1	2	9	21	33	43	99
35-49	376	12.6	121	2	2	10	17	29	35	54
50-64	932	13.8	178	2	2	10	18	31	45	86
65+	1857	16.4	211	2	3	12	21	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	949	4.7	21	1	1	3	6	9	13	24
B. *Operated*	690	7.1	53	1	1	5	10	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	8056	9.1	67	2	2	7	11	18	23	45
B. *Operated*	3463	15.1	196	2	2	11	20	34	47	99+
1. SINGLE DX	1639	5.7	36	1	1	4	7	12	16	30
2. MULTIPLE DX	11519	10.9	113	2	2	8	14	23	32	66
A. NOT OPERATED	9005	8.6	64	2	2	7	11	17	23	43
B. OPERATED	4153	13.7	181	1	2	10	18	31	43	96
TOTAL 0-19 YRS	848	5.5	59	1	1	3	6	12	19	51
20-34	834	7.9	95	1	1	5	9	19	29	56
35-49	1224	8.5	77	1	2	6	11	19	28	48
50-64	2931	9.4	92	1	2	7	12	20	28	53
65+	7321	11.7	118	2	3	9	14	23	33	72
GRAND TOTAL	**13158**	**10.2**	**107**	**1**	**2**	**7**	**13**	**21**	**30**	**62**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.1	6	<1	1	2	5	6	7	12
20-34	33	2.2	1	<1	<1	2	3	4	4	5
35-49	16	5.2	16	<1	1	4	7	12	13	14
50-64	10	5.5	28	1	1	4	8	13	18	18
65+	7	3.4	7	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	2200	1.7	1	<1	<1	1	2	3	4	6
20-34	1999	1.9	3	<1	<1	2	2	3	4	7
35-49	653	2.1	2	<1	<1	2	3	3	4	6
50-64	390	2.3	9	<1	<1	2	2	3	4	8
65+	229	2.2	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.7	6	<1	<1	2	3	6	8	13
20-34	142	2.6	5	<1	1	2	3	5	6	12
35-49	68	3.2	11	<1	<1	2	4	8	9	20
50-64	56	4.5	55	<1	<1	2	4	8	23	43
65+	71	5.8	51	1	1	3	7	14	19	43
B. *Operated*										
0-19 YRS	1530	2.1	2	<1	<1	2	2	4	5	7
20-34	1710	2.5	4	<1	1	2	3	5	6	9
35-49	865	2.6	5	<1	1	2	3	5	6	14
50-64	903	3.1	23	1	1	2	3	5	8	24
65+	809	3.2	18	1	1	2	3	5	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.4	9	<1	<1	3	5	7	9	16
B. *Operated*	5471	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	486	3.4	20	<1	<1	2	4	7	9	22
B. *Operated*	5817	2.6	9	<1	1	2	3	4	6	13
1. SINGLE DX	5577	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	6303	2.7	10	<1	1	2	3	5	6	14
A. NOT OPERATED	592	3.4	18	<1	<1	2	4	7	9	21
B. OPERATED	11288	2.2	6	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	3919	1.9	2	<1	<1	2	2	3	4	7
20-34	3884	2.2	3	<1	<1	2	2	4	5	8
35-49	1602	2.5	4	<1	<1	2	3	4	6	12
50-64	1359	2.9	21	<1	1	2	3	4	7	23
65+	1116	3.1	17	1	1	2	3	5	9	20
GRAND TOTAL	**11880**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.8	5	1	1	3	5	7	9	12
20-34	33	3.8	6	1	1	4	5	6	8	13
35-49	22	4.2	7	1	2	3	6	8	9	10
50-64	24	4.7	7	2	2	4	6	7	10	14
65+	20	5.1	12	<1	1	5	7	10	12	14
B. *Operated*										
0-19 YRS	119	2.4	3	<1	<1	2	3	5	6	9
20-34	129	3.3	8	<1	1	2	4	7	10	14
35-49	143	2.9	4	<1	1	3	3	6	7	9
50-64	122	2.8	4	<1	1	2	3	5	6	11
65+	95	4.0	15	1	1	3	4	7	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.2	5	2	2	4	5	7	8	14
20-34	50	3.4	6	<1	1	3	5	6	7	14
35-49	45	4.6	7	1	1	4	6	9	10	12
50-64	82	6.9	27	1	2	5	9	12	20	26
65+	154	8.6	33	2	3	7	11	16	19	29
B. *Operated*										
0-19 YRS	72	4.1	18	1	1	3	5	9	13	24
20-34	90	4.1	12	<1	1	3	5	9	11	19
35-49	119	4.9	48	1	1	3	5	10	13	45
50-64	177	4.9	21	1	1	3	6	10	15	26
65+	187	6.1	48	1	2	4	7	12	18	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	4.1	7	1	1	4	5	8	9	13
B. *Operated*	608	3.0	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	444	6.2	23	1	2	5	8	12	16	25
B. *Operated*	645	5.0	33	1	1	3	6	10	14	32
1. SINGLE DX	797	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	1089	5.5	29	1	2	4	7	11	15	28
A. NOT OPERATED	633	5.6	19	1	2	4	7	11	14	23
B. OPERATED	1253	4.1	21	<1	1	3	5	8	12	22
TOTAL 0-19 YRS	394	3.5	8	<1	1	3	4	6	9	14
20-34	302	3.6	8	<1	1	3	4	7	9	15
35-49	329	3.9	21	1	1	3	4	8	9	21
50-64	405	4.7	18	1	1	3	5	10	13	24
65+	456	6.5	37	1	2	4	9	14	17	33
GRAND TOTAL	**1886**	**4.6**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	3.2	6	<1	1	3	4	6	8	12
20-34	110	3.4	7	<1	1	3	4	7	9	13
35-49	174	3.1	5	<1	<1	2	4	6	7	11
50-64	163	3.6	9	<1	<1	3	5	7	9	14
65+	145	4.8	24	<1	1	3	6	9	14	27
B. *Operated*										
0-19 YRS	83	4.8	29	1	1	2	6	10	16	29
20-34	60	4.2	10	<1	<1	3	6	10	11	90
35-49	90	4.9	32	<1	<1	2	7	12	19	26
50-64	106	5.6	47	<1	<1	3	6	11	18	39
65+	175	4.8	21	<1	<1	3	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	4.5	25	1	1	3	5	9	12	31
20-34	289	4.5	14	1	1	4	6	8	9	22
35-49	662	4.6	13	1	1	4	6	8	10	17
50-64	994	5.2	18	1	2	4	6	10	13	21
65+	1668	6.9	38	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	156	11.9	157	1	2	7	15	30	44	59
20-34	159	8.0	85	<1	1	5	10	16	26	52
35-49	288	8.4	77	1	2	6	10	16	24	66
50-64	636	8.1	63	<1	1	6	11	17	25	41
65+	1461	10.2	130	1	2	7	13	22	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	3.5	10	<1	1	3	5	7	9	16
B. *Operated*	514	4.9	28	<1	1	3	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	3912	5.7	27	1	2	4	7	11	14	25
B. *Operated*	2700	9.5	109	1	2	6	12	20	30	63
1. SINGLE DX	1344	4.1	17	<1	1	3	5	8	11	24
2. MULTIPLE DX	6612	7.3	64	1	2	5	9	15	21	43
A. NOT OPERATED	4742	5.3	24	1	1	4	7	10	14	25
B. OPERATED	3214	8.8	99	1	1	6	11	19	28	56
TOTAL 0-19 YRS	776	5.6	56	1	1	3	6	12	20	46
20-34	618	5.2	33	<1	1	4	6	10	14	32
35-49	1214	5.3	31	1	1	4	7	10	14	30
50-64	1899	6.1	36	1	1	4	7	13	17	32
65+	3449	8.1	79	1	2	6	10	16	23	49
GRAND TOTAL	**7956**	**6.7**	**57**	**1**	**1**	**5**	**8**	**14**	**20**	**42**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	3	1	1	3	4	6	7	7
20-34	38	4.2	9	<1	1	3	6	8	10	16
35-49	94	4.3	11	<1	<1	3	6	9	11	17
50-64	54	3.9	6	<1	<1	4	5	8	9	10
65+	62	4.6	11	<1	<1	4	6	8	10	17
B. *Operated*										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	27	6.0	18	<1	<1	5	8	13	15	16
35-49	54	6.9	20	<1	<1	7	9	12	16	20
50-64	81	5.8	22	<1	<1	5	9	12	16	19
65+	75	7.0	68	<1	<1	5	9	15	21	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	10	1	1	3	5	9	11	11
20-34	63	6.7	44	1	1	4	8	18	23	30
35-49	165	5.9	12	1	2	5	8	10	12	18
50-64	273	6.6	30	1	2	5	8	12	16	31
65+	586	8.2	35	2	3	7	10	16	21	29
B. *Operated*										
0-19 YRS	4	10.5	140	2	2	6	17	28	28	28
20-34	43	8.7	47	2	3	8	10	16	20	42
35-49	148	8.8	81	<1	2	7	10	16	19	52
50-64	296	9.8	74	<1	2	8	12	18	23	55
65+	559	10.7	68	2	3	9	14	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	4.2	9	<1	<1	3	6	8	10	16
B. *Operated*	241	6.4	35	<1	<1	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1095	7.3	32	1	2	6	9	13	19	29
B. *Operated*	1050	10.1	71	1	3	8	13	18	25	45
1. SINGLE DX	497	5.3	23	<1	<1	4	7	10	14	20
2. MULTIPLE DX	2145	8.7	53	1	2	7	11	17	22	39
A. NOT OPERATED	1351	6.7	29	1	2	5	8	12	17	28
B. OPERATED	1291	9.4	66	<1	2	8	12	18	23	44
TOTAL 0-19 YRS	24	4.7	30	1	1	3	5	8	16	28
20-34	171	6.5	35	<1	1	5	8	13	18	29
35-49	461	6.6	37	<1	1	5	9	12	16	24
50-64	704	7.7	50	<1	1	6	10	15	20	34
65+	1282	9.0	53	1	2	7	11	18	23	37
GRAND TOTAL	**2642**	**8.0**	**49**	**<1**	**2**	**6**	**10**	**16**	**21**	**36**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	2	1	2	4	5	6	6	6
20-34	22	5.2	4	2	3	5	6	8	9	9
35-49	61	4.9	4	2	3	5	6	7	9	13
50-64	93	5.1	6	2	2	5	6	8	10	13
65+	114	6.8	17	2	3	6	8	10	13	23
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	22	7.0	19	2	3	6	8	14	16	18
35-49	47	7.4	14	3	3	7	9	12	14	20
50-64	78	8.9	27	2	4	9	11	13	19	30
65+	103	11.5	48	4	5	10	14	20	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	7	3	3	4	6	9	12	12
20-34	50	5.2	10	1	1	5	7	9	12	15
35-49	147	6.4	13	2	3	6	8	11	13	21
50-64	401	6.9	27	2	3	6	8	11	14	27
65+	1076	9.1	51	3	4	7	11	15	20	42
B. *Operated*										
0-19 YRS	4	9.0	9	6	6	8	11	13	13	13
20-34	32	9.9	64	4	4	8	11	17	33	37
35-49	127	12.1	84	4	4	9	14	26	31	48
50-64	362	12.1	117	3	4	9	14	24	32	68
65+	1082	14.8	143	4	5	11	18	29	42	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.7	10	2	3	5	7	9	11	15
B. *Operated*	252	9.5	35	3	4	8	12	17	20	31
2. MULTIPLE DX										
A. *Not Operated*	1686	8.2	42	3	3	7	10	14	17	35
B. *Operated*	1607	13.9	132	4	5	10	17	27	37	76
1. SINGLE DX	551	7.4	25	2	3	6	9	13	17	29
2. MULTIPLE DX	3293	10.9	94	3	4	8	13	21	30	62
A. NOT OPERATED	1985	7.8	38	2	3	6	9	13	17	33
B. OPERATED	1859	13.3	121	4	5	10	16	26	36	73
TOTAL 0-19 YRS	27	5.7	8	2	3	5	7	10	12	13
20-34	126	6.7	28	1	2	6	8	12	14	35
35-49	382	8.2	44	2	3	6	9	14	20	40
50-64	934	8.9	67	3	3	7	10	15	23	50
65+	2375	11.7	100	3	4	9	14	23	31	64
GRAND TOTAL	**3844**	**10.4**	**86**	**3**	**4**	**8**	**12**	**20**	**28**	**57**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.6	10	<1	1	3	5	6	7	22
20-34	219	3.7	5	1	1	3	5	7	8	10
35-49	266	4.3	10	1	1	4	5	8	9	15
50-64	198	4.5	7	<1	2	4	5	8	10	13
65+	151	4.9	9	<1	2	4	7	9	11	14
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	21	10.0	63	3	4	8	11	20	30	36
35-49	60	8.1	36	<1	1	8	11	15	18	31
50-64	35	7.9	33	<1	<1	8	11	16	19	24
65+	26	7.0	25	<1	<1	5	10	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.5	10	1	2	4	5	8	13	15
20-34	315	5.0	15	2	2	4	6	9	12	18
35-49	550	5.4	12	2	2	5	7	9	12	17
50-64	771	6.1	17	2	2	5	8	11	13	22
65+	1149	8.0	46	2	3	7	9	14	18	36
B. *Operated*										
0-19 YRS	7	7.7	7	5	5	7	8	12	13	13
20-34	71	11.1	126	2	3	8	13	21	27	70
35-49	144	10.9	80	2	4	9	13	18	24	54
50-64	245	10.7	67	2	3	9	13	21	27	40
65+	323	15.3	194	4	5	11	18	31	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	893	4.2	8	1	1	4	5	8	9	13
B. *Operated*	144	8.2	37	<1	<1	7	11	16	18	32
2. MULTIPLE DX										
A. *Not Operated*	2848	6.6	29	2	2	5	8	12	15	27
B. *Operated*	790	12.6	130	3	4	10	15	23	33	74
1. SINGLE DX	1037	4.8	14	<1	1	4	6	9	11	18
2. MULTIPLE DX	3638	7.9	57	2	3	6	9	14	19	40
A. NOT OPERATED	3741	6.0	25	1	2	5	7	11	14	23
B. OPERATED	934	12.0	118	2	3	9	14	22	31	72
TOTAL 0-19 YRS	131	4.3	11	<1	1	4	5	8	12	17
20-34	626	5.4	31	1	2	4	7	10	13	26
35-49	1020	6.0	27	1	2	5	8	11	15	26
50-64	1249	6.8	30	2	2	5	8	12	17	28
65+	1649	9.1	81	2	3	7	10	17	23	51
GRAND TOTAL	**4675**	**7.2**	**49**	**1**	**2**	**5**	**9**	**13**	**18**	**35**

193: Nongastric peptic ulcer with hemorrhage or perforation
(for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.9	10	1	1	4	6	10	12	12
20-34	172	4.8	7	2	2	4	6	8	9	15
35-49	224	4.8	6	2	2	4	6	8	9	13
50-64	291	5.1	7	2	2	5	6	9	11	13
65+	247	6.4	24	3	3	6	7	9	12	31
B. *Operated*										
0-19 YRS	9	8.2	16	2	3	8	10	14	16	16
20-34	58	9.7	49	5	5	8	10	16	18	51
35-49	98	9.4	20	4	5	9	11	15	18	27
50-64	120	9.9	25	4	5	9	12	15	19	29
65+	88	11.7	71	5	5	10	13	19	27	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.8	68	1	2	4	5	9	22	42
20-34	161	5.2	12	2	2	5	7	9	10	18
35-49	346	6.2	15	2	3	5	8	10	12	23
50-64	807	6.6	15	3	3	6	8	11	13	21
65+	1726	9.3	49	3	4	8	11	16	22	44
B. *Operated*										
0-19 YRS	6	6.8	22	2	2	6	10	14	14	14
20-34	67	11.5	62	4	5	9	14	20	23	51
35-49	168	12.2	83	3	4	10	15	21	25	57
50-64	341	15.0	166	4	5	12	16	28	44	72
65+	870	17.4	199	5	6	13	21	36	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	5.3	11	2	2	5	7	9	10	15
B. *Operated*	373	10.1	38	4	5	9	12	16	19	39
2. MULTIPLE DX										
A. *Not Operated*	3063	8.0	37	3	3	7	9	14	19	35
B. *Operated*	1452	15.9	175	4	5	12	19	31	47	98
1. SINGLE DX	1329	6.7	24	2	3	6	8	11	14	25
2. MULTIPLE DX	4515	10.6	95	3	4	8	13	20	28	65
A. NOT OPERATED	4019	7.4	32	2	3	6	9	13	17	33
B. OPERATED	1825	14.8	153	4	5	11	17	28	42	84
TOTAL 0-19 YRS	60	5.9	34	1	2	4	7	11	13	39
20-34	458	6.6	29	2	2	5	8	10	16	25
35-49	836	7.4	34	2	3	6	9	13	17	30
50-64	1559	8.4	60	2	3	7	10	15	20	45
65+	2931	11.5	108	3	4	9	14	22	32	82
GRAND TOTAL	**5844**	**9.7**	**81**	**3**	**3**	**7**	**11**	**18**	**25**	**58**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.3	12	1	1	4	4	10	13	13
35-49	14	5.8	23	<1	2	4	8	11	18	20
50-64	18	6.3	14	<1	1	6	10	12	13	13
65+	30	7.2	12	2	3	7	9	12	14	15
B. *Operated*										
0-19 YRS										
20-34	4	9.8	70	4	4	6	15	22	22	22
35-49	23	10.7	30	2	5	10	13	20	22	23
50-64	29	14.3	62	7	7	13	16	23	28	44
65+	27	13.0	84	2	4	11	17	23	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	11	7.5	15	3	3	7	10	14	15	15
35-49	31	8.4	35	3	3	6	12	16	22	27
50-64	62	7.2	10	3	4	7	9	12	13	14
65+	141	10.8	91	3	4	8	12	20	29	52
B. *Operated*										
0-19 YRS	2	19.5	181	10	10	19	29	29	29	29
20-34	9	12.2	38	3	4	13	19	61	99+	99+
35-49	43	19.3	241	6	7	15	25	45	61	99+
50-64	125	17.5	128	5	7	15	21	30	39	62
65+	257	20.3	205	5	6	17	26	41	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	6.3	15	1	2	6	9	12	13	19
B. *Operated*	83	12.7	61	3	5	11	15	22	25	43
2. MULTIPLE DX										
A. *Not Operated*	247	9.4	62	3	4	7	11	16	23	44
B. *Operated*	436	19.2	184	5	7	16	25	39	51	99+
1. SINGLE DX	154	9.7	49	2	3	8	13	20	22	42
2. MULTIPLE DX	683	15.7	162	4	5	12	20	33	45	75
A. NOT OPERATED	318	8.7	53	2	3	7	10	15	21	43
B. OPERATED	519	18.2	170	5	6	15	23	37	47	87
TOTAL 0-19 YRS	4	12.8	122	5	5	8	19	29	29	29
20-34	33	8.2	33	2	3	6	13	19	23	99+
35-49	111	12.8	140	3	3	9	15	26	39	89
50-64	234	13.5	102	3	4	11	17	27	32	55
65+	455	16.1	174	4	5	12	21	35	45	74
GRAND TOTAL	**837**	**14.6**	**147**	**3**	**4**	**11**	**19**	**30**	**42**	**71**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.6	3	1	1	2	3	5	6	8
20-34	620	3.0	4	<1	1	3	4	5	7	11
35-49	465	3.4	6	<1	1	3	4	5	7	13
50-64	317	3.5	5	<1	1	3	5	6	7	11
65+	184	4.3	14	<1	1	4	5	8	11	29
B. *Operated*										
0-19 YRS	9	4.1	4	1	1	5	5	7	7	7
20-34	38	4.7	9	<1	<1	5	7	9	10	11
35-49	53	4.8	16	<1	<1	4	7	10	13	19
50-64	62	4.8	13	<1	<1	4	8	9	11	14
65+	40	5.3	37	<1	<1	3	7	11	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	761	3.1	5	1	1	3	4	5	7	11
20-34	1274	4.4	17	1	1	4	5	8	10	16
35-49	1574	5.0	13	1	2	4	6	9	11	20
50-64	1833	5.8	18	1	2	5	7	10	13	21
65+	3124	7.6	45	2	3	6	9	14	18	37
B. *Operated*										
0-19 YRS	26	5.4	14	<1	2	4	8	12	13	14
20-34	190	7.0	34	2	2	6	8	12	18	28
35-49	283	8.7	43	1	2	7	12	17	22	30
50-64	521	9.0	48	1	2	8	12	16	22	36
65+	973	11.4	110	2	3	9	14	22	33	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2005	3.2	6	<1	1	3	4	6	7	12
B. *Operated*	202	4.9	17	<1	<1	4	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	8566	5.9	28	1	2	5	7	11	14	25
B. *Operated*	1993	9.9	78	2	3	8	12	19	26	60
1. SINGLE DX	2207	3.4	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	10559	6.6	40	1	2	5	8	13	17	32
A. NOT OPERATED	10571	5.4	25	1	2	4	7	10	13	24
B. OPERATED	2195	9.4	75	1	2	8	12	19	25	57
TOTAL 0-19 YRS	1215	3.0	5	1	1	2	4	5	7	10
20-34	2122	4.2	16	1	1	3	5	8	10	17
35-49	2375	5.1	17	1	2	4	6	10	13	22
50-64	2733	6.1	25	1	2	5	8	11	15	24
65+	4321	8.3	62	2	2	6	10	16	21	46
GRAND TOTAL	**12766**	**6.1**	**36**	**1**	**2**	**5**	**7**	**12**	**16**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	2	1	1	2	4	5	5	7
20-34	66	3.3	8	<1	<1	3	4	6	9	16
35-49	65	3.3	5	<1	1	3	4	6	8	10
50-64	46	4.0	15	<1	1	3	5	7	12	23
65+	36	5.8	26	<1	1	5	9	12	13	25
B. *Operated*										
0-19 YRS	27	5.3	16	2	3	4	5	8	12	23
20-34	5	8.6	39	2	2	7	11	19	19	19
35-49	13	9.4	37	1	3	9	11	18	24	25
50-64	18	13.5	166	2	5	9	18	24	44	58
65+	15	9.7	37	<1	1	9	13	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.8	22	1	1	3	6	9	14	27
20-34	172	5.2	56	1	1	4	7	9	11	17
35-49	207	5.2	29	1	1	4	6	10	13	31
50-64	283	5.8	24	1	2	5	7	11	15	32
65+	512	7.5	44	1	2	6	10	15	18	37
B. *Operated*										
0-19 YRS	17	7.4	56	1	2	4	9	18	26	30
20-34	35	12.1	116	1	3	9	15	34	45	99+
35-49	82	14.3	105	3	5	12	18	30	34	52
50-64	111	14.5	121	1	3	13	19	29	37	54
65+	244	17.0	156	3	5	14	23	33	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.6	11	<1	1	3	4	7	10	16
B. *Operated*	78	8.9	66	1	3	7	10	19	23	49
2. MULTIPLE DX										
A. *Not Operated*	1275	6.2	38	1	2	5	8	12	16	32
B. *Operated*	489	15.3	137	2	4	12	20	32	39	65
1. SINGLE DX	342	4.8	28	<1	1	3	6	10	13	24
2. MULTIPLE DX	1764	8.7	82	1	2	6	11	19	27	49
A. NOT OPERATED	1539	5.8	35	1	1	4	7	11	16	28
B. OPERATED	567	14.4	132	2	3	12	19	30	38	62
TOTAL 0-19 YRS	196	4.5	20	1	1	3	5	8	13	27
20-34	278	5.7	58	<1	1	4	7	11	16	46
35-49	367	7.1	58	1	1	5	8	15	22	40
50-64	458	8.0	68	1	2	5	10	18	24	43
65+	807	10.4	96	1	2	8	13	22	29	51
GRAND TOTAL	**2106**	**8.1**	**75**	**1**	**2**	**5**	**10**	**18**	**25**	**48**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	2	<1	1	2	3	4	5	8
20-34	38	2.3	2	<1	1	2	3	4	5	7
35-49	22	2.8	2	1	1	3	4	5	5	5
50-64	5	4.8	7	2	2	4	7	8	8	8
65+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
0-19 YRS	4056	3.8	2	2	2	4	4	5	6	9
20-34	2632	4.2	3	2	3	4	5	6	7	10
35-49	729	4.7	3	2	3	4	6	7	8	11
50-64	313	5.6	7	3	3	5	7	9	11	15
65+	97	6.9	13	3	4	6	8	11	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.6	9	1	1	2	3	5	6	22
20-34	31	3.1	6	1	1	2	4	7	8	11
35-49	14	5.0	8	1	1	6	7	8	9	9
50-64	14	7.2	16	1	2	7	10	13	14	14
65+	10	7.7	22	3	3	6	12	15	17	17
B. *Operated*										
0-19 YRS	713	5.6	17	2	3	4	6	9	13	20
20-34	605	6.0	14	3	3	5	7	10	12	21
35-49	306	7.6	33	3	3	6	9	13	16	38
50-64	191	9.1	80	3	3	7	11	15	23	47
65+	168	10.7	96	4	4	8	12	19	25	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.5	2	1	1	2	3	5	6	8
B. *Operated*	7827	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	126	3.9	13	1	1	3	6	8	12	18
B. *Operated*	1983	6.8	34	3	3	5	8	12	15	32
1. SINGLE DX	7962	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX	2109	6.6	33	2	3	5	8	11	15	30
A. NOT OPERATED	261	3.2	8	1	1	2	4	7	8	14
B. OPERATED	9810	4.6	10	2	3	4	5	7	9	15
TOTAL 0-19 YRS	4893	4.0	5	2	2	4	5	6	7	12
20-34	3306	4.5	5	2	3	4	5	7	8	12
35-49	1071	5.5	14	2	3	5	6	9	11	18
50-64	523	6.9	36	3	3	5	8	12	14	30
65+	276	9.2	66	3	4	7	10	16	22	43
GRAND TOTAL	10071	4.6	10	2	2	4	5	7	9	15

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	8.1	18	2	3	7	11	14	16	17
20-34	18	6.4	13	2	3	6	8	10	14	17
35-49	15	6.9	14	2	3	7	9	13	14	14
50-64	6	7.5	4	4	4	8	9	9	9	9
65+	3	7.7	2	6	6	8	9	9	9	9
B. *Operated*										
0-19 YRS	894	7.4	12	3	4	7	9	11	13	20
20-34	507	6.8	10	3	4	6	8	11	12	18
35-49	304	7.8	14	3	4	7	10	13	15	21
50-64	213	9.5	20	5	5	8	12	15	17	27
65+	103	10.4	24	5	6	10	12	14	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.6	10	5	7	12	14	15	15	15
20-34	7	6.7	18	2	2	7	11	12	12	12
35-49	9	10.6	10	4	6	11	13	14	14	14
50-64	16	8.3	13	1	4	8	10	14	14	14
65+	13	12.2	31	7	7	10	17	21	23	23
B. *Operated*										
0-19 YRS	442	10.1	29	4	5	9	12	18	21	28
20-34	308	10.3	47	4	5	9	12	16	20	44
35-49	263	11.9	42	5	6	10	14	20	25	36
50-64	386	12.9	41	6	7	12	15	21	27	38
65+	335	15.8	144	7	8	12	18	27	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	7.1	13	2	3	7	9	13	14	17
B. *Operated*	2021	7.7	14	3	4	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	55	10.0	19	3	4	9	12	15	18	23
B. *Operated*	1734	12.1	64	5	6	10	14	20	26	47
1. SINGLE DX	2077	7.7	[illegible]	3	4	7	9	12	14	21
2. MULTIPLE DX	1789	12.1	62	5	6	10	14	20	25	46
A. NOT OPERATED	111	8.6	18	3	3	8	11	14	16	22
B. OPERATED	3755	9.8	42	4	4	8	11	16	21	35
TOTAL 0-19 YRS	1360	8.4	19	3	4	8	10	13	17	25
20-34	840	8.1	27	3	4	7	9	13	16	25
35-49	591	9.6	30	4	4	8	12	16	20	30
50-64	621	11.6	36	5	6	10	14	19	24	36
65+	454	14.4	118	6	7	11	16	25	34	79
GRAND TOTAL	3866	9.7	41	3	4	8	11	16	21	35

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.2	1	1	1	2	3	4	5	5
20-34	36	2.5	2	<1	1	2	3	5	5	7
35-49	13	2.2	2	1	1	2	3	5	5	5
50-64	10	4.5	16	1	1	4	6	10	14	14
65+										
B. *Operated*										
0-19 YRS	142	4.1	3	2	2	4	5	6	7	10
20-34	141	4.3	2	2	3	4	5	6	7	8
35-49	36	5.9	14	3	3	5	7	10	15	19
50-64	15	6.4	29	1	1	6	7	9	20	24
65+	5	7.0	4	4	4	8	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	3	<1	1	2	4	5	6	8
20-34	22	2.8	3	<1	1	3	4	5	6	7
35-49	15	4.9	7	<1	2	4	6	9	10	10
50-64	7	6.7	31	2	2	4	10	16	17	17
65+	5	9.8	25	6	6	7	13	18	18	18
B. *Operated*										
0-19 YRS	103	5.1	13	2	3	4	5	7	11	24
20-34	97	6.3	13	3	3	6	8	10	12	22
35-49	38	7.0	20	3	3	6	8	11	17	24
50-64	30	8.6	26	4	4	7	10	16	22	24
65+	15	19.5	483	5	5	9	21	46	77	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.6	3	1	1	2	3	5	5	11
B. *Operated*	339	4.5	5	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	74	4.1	11	1	1	3	5	8	11	18
B. *Operated*	283	6.9	48	3	3	5	8	11	16	32
1. SINGLE DX	439	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	357	6.3	42	2	2	5	7	11	16	30
A. NOT OPERATED	174	3.2	7	1	1	2	4	6	8	16
B. OPERATED	622	5.6	26	2	3	4	6	9	11	24
TOTAL 0-19 YRS	311	4.1	7	1	2	4	5	6	8	14
20-34	296	4.6	7	1	2	4	6	7	9	14
35-49	102	5.7	15	1	2	5	7	10	12	22
50-64	62	7.2	27	1	2	6	9	14	19	24
65+	25	15.1	318	5	5	8	16	33	56	87
GRAND TOTAL	**796**	**5.1**	**23**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	1	<1	<1	1	2	3	5	6
20-34	17	1.8	1	<1	1	2	2	3	3	3
35-49	13	2.4	1	<1	1	2	3	4	4	4
50-64	16	1.9	1	<1	1	2	3	4	4	4
65+	17	2.6	4	<1	1	2	3	5	8	9
B. *Operated*										
0-19 YRS	3432	1.8	1	<1	<1	2	2	3	4	5
20-34	3249	3.0	3	1	1	3	4	4	5	7
35-49	2923	3.2	2	1	2	3	4	5	6	8
50-64	4238	3.5	2	1	2	3	4	5	6	8
65+	2927	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	1.4	5	<1	<1	1	1	2	3	7
20-34	44	1.7	2	<1	<1	1	2	3	4	9
35-49	49	1.7	2	<1	<1	1	2	3	6	6
50-64	108	3.2	17	<1	<1	2	4	6	10	24
65+	152	4.3	15	<1	1	3	6	10	12	17
B. *Operated*										
0-19 YRS	1851	2.0	3	<1	<1	2	2	3	5	9
20-34	1190	3.5	3	1	2	3	4	5	7	9
35-49	1794	4.0	5	1	2	4	5	6	8	12
50-64	4217	4.5	9	2	2	4	5	7	9	16
65+	5560	5.6	24	2	2	4	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*	16769	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	588	2.5	11	<1	<1	1	3	6	9	16
B. *Operated*	14612	4.5	15	1	2	4	5	8	10	19
1. SINGLE DX	16851	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	15200	4.4	15	1	1	4	5	8	10	19
A. NOT OPERATED	670	2.5	9	<1	<1	1	3	5	8	15
B. OPERATED	31381	3.7	9	1	1	3	4	6	8	14
TOTAL 0-19 YRS	5537	1.8	2	<1	<1	1	2	3	4	6
20-34	4500	3.1	3	1	1	3	4	5	5	8
35-49	4779	3.5	3	1	2	3	4	5	6	9
50-64	8579	4.0	6	1	2	4	5	6	8	13
65+	8656	5.0	18	2	2	4	6	8	11	21
GRAND TOTAL	**32051**	**3.7**	**9**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	1.9	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	291	2.1	2	<1	1	2	3	4	4	7
20-34	151	3.4	2	1	2	3	4	5	6	8
35-49	128	3.9	3	2	2	4	5	6	7	9
50-64	205	4.4	4	2	2	4	5	7	8	11
65+	293	5.6	12	2	3	5	7	8	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	4	<1	<1	2	3	4	7	8
20-34	8	4.5	9	1	1	4	6	9	10	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	2.1	4	1	1	1	2	6	7	7
65+	91	7.3	146	1	1	4	8	13	21	81
B. *Operated*										
0-19 YRS	193	2.5	4	<1	1	2	3	5	7	11
20-34	55	3.9	3	2	2	4	5	6	7	9
35-49	106	4.9	7	2	2	4	6	8	11	14
50-64	262	6.7	36	2	3	5	8	11	15	32
65+	956	10.2	95	3	4	7	12	19	30	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	1068	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	126	6.0	111	1	1	4	7	12	18	70
B. *Operated*	1572	8.1	73	1	2	6	9	16	22	52
1. SINGLE DX	1096	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	1698	7.9	76	1	2	6	9	15	21	55
A. NOT OPERATED	154	5.2	93	<1	1	3	6	10	16	60
B. OPERATED	2640	6.4	51	1	2	5	7	12	18	39
TOTAL 0-19 YRS	512	2.2	3	<1	1	2	3	4	5	9
20-34	219	3.5	3	1	2	3	4	6	7	9
35-49	237	4.3	5	2	2	4	5	7	8	12
50-64	479	5.6	23	2	2	5	7	9	12	24
65+	1347	8.9	84	2	3	6	10	17	24	70
GRAND TOTAL	**2794**	**6.3**	**53**	**1**	**1**	**4**	**7**	**12**	**17**	**39**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	417	2.0	3	<1	<1	2	2	3	4	6
20-34	171	3.0	2	1	1	3	4	5	6	7
35-49	251	3.1	2	1	1	3	4	5	6	8
50-64	203	3.5	3	1	2	3	4	5	6	9
65+	61	4.1	3	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.2		<1	<1	1	1	2	2	3
20-34	11	2.6	7	<1	<1	2	3	6	10	10
35-49	13	3.3	11	<1	<1	2	4	9	11	11
50-64	16	3.9	13	<1	<1	2	7	9	10	11
65+	14	6.4	99	<1	1	3	6	11	34	40
B. *Operated*										
0-19 YRS	83	2.9	17	<1	<1	2	3	5	6	28
20-34	84	4.2	5	1	2	4	5	8	9	12
35-49	200	4.3	6	1	2	4	6	7	9	13
50-64	240	5.2	15	2	2	4	6	9	14	21
65+	172	6.5	21	2	3	5	8	11	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	1	1	1	2	3	3	3	3
B. *Operated*	1103	2.8	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	85	3.0	23	<1	<1	1	3	7	9	30
B. *Operated*	779	4.9	14	1	2	4	6	9	11	21
1. SINGLE DX	1109	2.8	3	<1	1	2	3	5	5	8
2. MULTIPLE DX	864	4.7	16	1	1	4	6	9	11	21
A. NOT OPERATED	91	3.0	22	<1	<1	1	3	7	9	28
B. OPERATED	1882	3.7	9	<1	1	3	5	6	8	16
TOTAL 0-19 YRS	533	2.1	5	<1	<1	2	2	3	4	7
20-34	266	3.3	4	1	1	3	4	6	7	9
35-49	465	3.6	5	1	1	3	5	6	8	11
50-64	459	4.4	10	1	2	4	5	7	10	17
65+	250	5.9	22	2	2	5	7	10	14	31
GRAND TOTAL	**1973**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**6**	**9**	**16**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	9	3.6	6	1	1	3	4	8	9	9
50-64	8	4.1	15	<1	<1	3	5	11	13	13
65+	7	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	87	2.3	3	<1	<1	2	3	4	4	11
20-34	348	3.7	4	1	2	3	5	6	7	9
35-49	492	4.6	5	2	2	4	6	7	9	12
50-64	513	5.1	5	2	2	5	6	8	9	13
65+	362	5.8	8	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	18	2.8	5	<1	<1	2	4	6	8	9
35-49	37	3.2	12	<1	<1	2	4	8	10	16
50-64	54	4.2	19	<1	1	3	5	9	13	25
65+	82	6.3	35	1	1	4	8	14	17	31
B. *Operated*										
0-19 YRS	33	3.5	6	<1	1	3	5	6	8	13
20-34	202	5.9	18	2	2	5	7	10	14	24
35-49	489	6.4	20	2	3	5	8	11	13	23
50-64	857	7.8	42	3	3	6	9	13	17	34
65+	851	9.2	45	3	4	7	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	7	<1	<1	3	4	6	9	13
B. *Operated*	1802	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	196	4.7	25	<1	1	3	6	11	15	27
B. *Operated*	2432	7.8	38	3	3	6	9	14	18	32
1. SINGLE DX	1832	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX	2628	7.6	37	2	3	6	9	13	18	32
A. NOT OPERATED	226	4.5	22	<1	1	3	6	10	14	26
B. OPERATED	4234	6.5	27	2	2	5	8	11	15	26
TOTAL 0-19 YRS	127	2.6	4	<1	<1	2	3	5	6	12
20-34	572	4.5	10	1	2	4	6	7	9	18
35-49	1027	5.4	13	2	2	5	7	9	11	18
50-64	1432	6.7	30	2	3	5	8	11	14	28
65+	1302	8.0	36	2	3	7	10	14	19	32
GRAND TOTAL	**4460**	**6.4**	**26**	**2**	**2**	**5**	**8**	**11**	**14**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.4	5	<1	<1	3	6	7	7	7
35-49	76	3.9	6	<1	1	3	5	8	9	12
50-64	63	3.9	6	1	1	3	5	7	8	16
65+	49	4.0	5	1	1	4	5	7	8	10
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	8.0	19	<1	2	9	10	13	16	16
35-49	14	7.0	24	<1	<1	7	9	14	16	17
50-64	28	8.2	10	3	4	8	10	13	13	15
65+	20	8.7	11	2	3	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	8	<1	1	4	6	8	11	11
20-34	81	4.0	6	<1	1	4	6	7	9	13
35-49	300	4.8	8	1	2	4	6	9	10	14
50-64	642	5.0	12	1	2	4	6	8	11	19
65+	1229	6.7	29	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	6	18.2	309	1	2	13	22	48	51	51
20-34	49	9.1	49	2	3	8	10	15	17	48
35-49	102	8.8	34	2	4	8	10	14	19	34
50-64	210	9.9	41	2	3	9	12	17	22	31
65+	322	12.2	103	2	3	10	15	23	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	3.9	6	<1	1	3	5	7	8	12
B. *Operated*	75	8.0	14	<1	3	8	10	13	14	17
2. MULTIPLE DX										
A. *Not Operated*	2264	5.8	21	1	2	5	7	10	13	24
B. *Operated*	689	10.8	74	2	3	9	13	19	25	56
1. SINGLE DX	274	5.0	11	<1	1	4	7	10	12	16
2. MULTIPLE DX	2953	7.0	38	2	2	5	9	13	17	33
A. NOT OPERATED	2463	5.7	20	1	2	5	7	10	13	23
B. OPERATED	764	10.5	68	2	3	9	12	19	24	55
TOTAL 0-19 YRS	19	8.8	133	<1	1	5	10	20	38	51
20-34	153	5.9	26	<1	1	5	8	10	14	23
35-49	492	5.5	17	1	2	5	7	10	12	20
50-64	943	6.1	22	1	2	5	8	11	14	24
65+	1620	7.7	48	2	2	6	10	14	19	39
GRAND TOTAL	**3227**	**6.8**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	29	2.6	5	<1	1	2	3	5	6	12
20-34	60	3.0	2	1	1	3	4	5	5	6
35-49	92	3.3	3	1	2	3	4	5	7	9
50-64	101	4.3	6	1	2	4	5	7	9	14
65+	98	4.6	6	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	7	4.3	17	1	1	2	8	11	11	11
50-64	7	3.4	5	<1	<1	3	6	6	6	6
65+	14	7.6	27	2	3	6	8	15	19	20
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	34	4.3	10	1	2	3	6	7	12	16
35-49	64	4.3	12	1	2	4	5	6	9	25
50-64	96	5.9	26	2	3	5	7	9	12	33
65+	184	6.9	29	2	3	5	8	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	6	<1	<1	2	4	7	7	7
B. *Operated*	380	3.8	5	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	33	5.7	24	1	1	4	7	14	17	20
B. *Operated*	381	5.9	25	2	2	4	7	10	15	29
1. SINGLE DX	386	3.8	5	1	2	3	5	6	8	13
2. MULTIPLE DX	414	5.9	25	2	2	4	7	11	16	29
A. NOT OPERATED	39	5.3	22	<1	1	4	7	13	16	20
B. OPERATED	761	4.9	16	1	2	4	5	8	11	25
TOTAL 0-19 YRS	37	2.6	4	<1	<1	2	4	5	6	12
20-34	98	3.5	7	1	1	3	4	6	7	17
35-49	163	3.8	7	1	2	3	4	6	8	12
50-64	206	5.0	16	2	2	4	6	8	10	26
65+	296	6.2	22	2	3	5	7	11	16	28
GRAND TOTAL	**800**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	9	3.8	7	1	1	3	6	8	8	8
50-64	10	4.8	15	1	1	4	5	10	15	15
65+	19	3.5	5	<1	1	3	5	7	9	9
B. *Operated*										
0-19 YRS	34	2.4	2	<1	1	2	3	4	6	8
20-34	143	3.2	3	1	1	3	4	5	7	8
35-49	234	4.3	7	1	2	4	5	8	10	13
50-64	258	5.3	7	2	2	5	6	9	10	14
65+	294	7.6	28	2	3	7	9	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	2.7	2	1	1	3	4	5	5	5
35-49	21	3.3	5	1	1	3	5	7	7	7
50-64	47	5.9	15	1	2	5	8	10	13	22
65+	167	7.7	58	1	2	6	9	15	21	40
B. *Operated*										
0-19 YRS	17	6.6	39	1	1	5	8	19	22	22
20-34	84	6.5	41	1	2	5	8	11	20	33
35-49	263	7.6	31	2	3	6	10	15	19	27
50-64	507	9.3	59	3	3	7	11	17	22	44
65+	1118	12.7	115	3	4	10	15	24	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.6	8	<1	1	3	5	7	9	15
B. *Operated*	963	5.3	16	1	2	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	244	6.8	45	1	2	5	8	13	17	34
B. *Operated*	1989	10.8	91	3	3	8	13	20	28	60
1. SINGLE DX	1006	5.3	15	1	2	4	7	10	12	18
2. MULTIPLE DX	2233	10.4	87	2	3	8	13	20	27	60
A. NOT OPERATED	287	6.3	41	1	1	5	8	12	16	32
B. OPERATED	2952	9.1	73	2	3	7	11	17	24	45
TOTAL 0-19 YRS	55	3.6	17	<1	1	2	4	7	10	22
20-34	237	4.4	19	1	1	3	5	8	10	31
35-49	527	5.9	22	1	2	4	7	11	15	25
50-64	822	7.8	43	2	3	6	9	14	19	38
65+	1598	11.1	98	3	3	9	13	21	29	63
GRAND TOTAL	**3239**	**8.8**	**70**	**2**	**2**	**7**	**11**	**17**	**23**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.0	6	<1	1	2	4	6	7	12
20-34	227	4.5	8	1	2	4	6	9	10	13
35-49	329	4.9	10	1	2	4	6	9	11	17
50-64	355	5.0	9	1	2	4	7	9	10	15
65+	476	5.9	14	1	2	5	8	11	13	18
B. *Operated*										
0-19 YRS	107	6.9	36	2	3	6	8	13	15	34
20-34	126	9.4	22	4	5	9	11	15	21	26
35-49	146	9.9	28	5	5	9	11	15	22	34
50-64	169	11.3	27	6	6	10	13	17	22	32
65+	182	13.3	41	6	7	12	16	23	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.8	11	1	1	3	5	8	11	15
20-34	280	5.4	17	1	2	4	7	10	13	20
35-49	462	5.9	15	2	2	5	7	11	13	19
50-64	962	7.1	34	2	2	6	9	13	16	29
65+	2771	9.1	62	2	3	7	11	17	22	44
B. *Operated*										
0-19 YRS	121	9.6	71	2	3	8	10	15	25	49
20-34	205	13.3	70	5	6	11	16	23	30	48
35-49	356	15.5	124	6	7	12	19	30	39	58
50-64	658	17.3	138	6	8	14	21	32	41	74
65+	1686	19.7	189	7	8	16	24	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1505	5.0	11	1	2	4	7	9	11	17
B. *Operated*	730	10.6	35	4	5	9	13	17	23	31
2. MULTIPLE DX										
A. *Not Operated*	4581	8.0	49	2	2	6	10	15	19	37
B. *Operated*	3026	17.9	164	6	7	14	22	33	45	90
1. SINGLE DX	2235	6.8	26	1	2	6	9	13	16	26
2. MULTIPLE DX	7607	11.9	119	2	3	9	15	23	33	64
A. NOT OPERATED	6086	7.2	42	1	2	6	9	14	17	34
B. OPERATED	3756	16.4	148	5	6	13	20	30	41	83
TOTAL 0-19 YRS	452	5.9	39	1	1	5	8	11	15	34
20-34	838	7.7	41	2	2	6	10	15	19	34
35-49	1293	8.8	65	2	2	7	11	17	23	44
50-64	2144	10.2	86	2	3	8	13	20	27	47
65+	5115	12.4	126	2	3	10	16	24	33	71
GRAND TOTAL	**9842**	**10.8**	**102**	**2**	**3**	**8**	**13**	**21**	**29**	**58**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3972	2.7	3	1	1	2	3	5	6	8
20-34	1733	2.6	3	1	1	2	3	5	6	9
35-49	734	3.1	5	1	1	3	4	6	7	11
50-64	435	3.7	10	1	1	3	5	7	8	13
65+	389	4.0	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	83	6.7	128	1	2	4	7	9	11	78
20-34	134	5.9	26	1	2	5	7	9	14	28
35-49	69	5.4	16	1	1	5	7	9	11	24
50-64	44	5.8	12	<1	1	6	8	9	13	15
65+	32	5.6	16	1	1	6	8	10	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6233	3.6	7	1	2	3	4	6	7	14
20-34	2016	3.5	6	1	1	3	4	6	8	12
35-49	1396	4.4	11	1	2	4	5	8	10	17
50-64	1917	5.1	18	1	2	4	6	9	12	20
65+	4190	7.2	53	2	2	5	8	13	18	49
B. *Operated*										
0-19 YRS	100	7.3	85	2	3	5	8	12	36	99+
20-34	198	8.2	84	1	2	6	10	15	24	56
35-49	208	9.0	80	2	3	7	11	16	22	56
50-64	288	11.0	108	2	3	8	13	21	32	64
65+	615	13.7	143	2	4	10	17	29	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7263	2.8	4	1	1	2	4	5	6	10
B. *Operated*	362	5.9	45	1	1	5	7	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	15752	4.8	23	1	2	4	6	9	12	23
B. *Operated*	1409	11.2	120	2	3	8	13	24	33	70
1. SINGLE DX	7625	3.0	6	1	1	2	4	5	7	10
2. MULTIPLE DX	17161	5.3	34	1	2	4	6	10	14	32
A. NOT OPERATED	23015	4.2	18	1	1	3	5	8	10	20
B. OPERATED	1771	10.1	109	2	2	7	12	21	31	65
TOTAL 0-19 YRS	10388	3.3	8	1	1	3	4	6	7	12
20-34	4081	3.4	11	1	1	3	4	6	8	14
35-49	2407	4.4	17	1	1	3	5	8	11	20
50-64	2684	5.5	30	1	2	4	7	10	14	28
65+	5226	7.7	66	2	2	5	9	15	21	53
GRAND TOTAL	**24786**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	73	5.2	6	2	2	5	7	8	9	11
35-49	382	5.4	8	2	2	5	7	9	11	15
50-64	793	5.7	10	1	2	5	7	9	11	16
65+	899	5.4	15	1	1	5	7	10	12	17
B. *Operated*										
0-19 YRS	3	8.7	5	6	6	10	10	10	10	10
20-34	31	10.0	25	2	4	9	13	17	18	25
35-49	119	10.8	39	4	5	10	12	18	20	37
50-64	204	11.7	34	4	6	11	13	18	23	34
65+	200	13.2	76	2	5	12	15	22	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.7	18	2	2	4	8	13	15	15
20-34	64	5.9	13	1	2	5	8	12	13	16
35-49	446	6.4	14	2	3	6	8	11	13	19
50-64	1660	6.5	16	2	2	6	8	11	14	21
65+	5913	8.2	48	2	3	7	10	14	19	38
B. *Operated*										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	69	12.6	49	6	7	10	15	21	27	41
35-49	365	13.5	67	5	7	11	16	23	28	46
50-64	1036	15.0	89	4	6	13	18	26	33	50
65+	2402	17.1	162	4	6	14	21	32	43	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2147	5.5	12	1	2	5	7	9	11	17
B. *Operated*	557	11.9	50	3	5	11	14	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	8093	7.8	40	2	3	6	9	14	17	34
B. *Operated*	3876	16.1	133	4	6	13	20	30	39	75
1. SINGLE DX	2704	6.8	26	1	2	6	9	12	16	25
2. MULTIPLE DX	11969	10.5	86	2	3	8	13	20	27	53
A. NOT OPERATED	10240	7.3	35	2	2	6	9	13	16	31
B. OPERATED	4433	15.6	125	4	6	13	19	28	37	72
TOTAL 0-19 YRS	17	6.3	13	2	3	6	9	11	14	15
20-34	237	8.1	33	2	3	7	10	15	18	30
35-49	1312	8.5	40	2	3	7	11	15	20	31
50-64	3693	9.0	52	2	3	7	11	17	22	38
65+	9414	10.3	92	2	3	8	13	20	28	57
GRAND TOTAL	**14673**	**9.8**	**77**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	4	<1	1	2	3	6	7	8
20-34	44	3.4	6	<1	1	3	5	7	9	10
35-49	31	2.8	3	<1	1	2	4	6	6	7
50-64	18	3.8	6	<1	<1	3	5	7	9	10
65+	12	6.0	17	1	2	5	7	12	15	16
B. *Operated*										
0-19 YRS	151	3.1	6	<1	1	3	4	6	8	13
20-34	952	3.1	3	1	1	3	4	5	6	8
35-49	849	3.3	4	1	1	3	4	6	7	10
50-64	455	3.6	6	1	2	3	4	6	7	17
65+	172	4.5	26	1	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	10	<1	1	3	5	9	10	12
20-34	62	4.0	15	<1	<1	2	5	11	13	15
35-49	65	5.7	48	<1	1	3	7	11	16	44
50-64	66	4.6	13	1	1	4	6	9	11	21
65+	93	8.5	78	1	2	7	12	16	19	52
B. *Operated*										
0-19 YRS	74	4.7	18	1	1	3	5	11	15	21
20-34	783	4.3	14	1	2	4	5	7	10	15
35-49	1039	4.5	18	1	2	4	5	8	11	21
50-64	858	5.4	38	2	2	4	5	10	15	35
65+	556	7.4	78	2	2	5	8	15	24	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.4	7	<1	1	3	5	7	8	12
B. *Operated*	2579	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	312	5.8	43	<1	1	4	8	12	15	22
B. *Operated*	3310	5.2	33	1	2	4	5	9	14	30
1. SINGLE DX	2700	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX	3622	5.2	34	1	2	4	6	10	14	30
A. NOT OPERATED	433	5.2	34	<1	1	3	7	11	15	21
B. OPERATED	5889	4.4	22	1	2	3	5	7	11	24
TOTAL 0-19 YRS	267	3.6	10	<1	1	3	4	8	10	16
20-34	1841	3.7	8	1	1	3	4	6	8	14
35-49	1984	4.0	13	1	1	3	5	7	9	18
50-64	1397	4.8	27	1	2	4	5	8	12	29
65+	833	6.9	68	2	2	4	8	14	19	59
GRAND TOTAL	**6322**	**4.4**	**23**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	571	3.8	13	<1	1	3	5	8	10	18
20-34	784	5.4	17	1	1	4	7	10	13	20
35-49	500	5.1	20	<1	1	4	7	10	13	22
50-64	338	5.2	24	<1	1	4	7	11	13	24
65+	478	5.0	22	1	1	4	6	10	14	23
B. *Operated*										
0-19 YRS	209	7.6	55	<1	1	5	9	18	25	34
20-34	502	8.0	49	1	1	6	10	16	22	33
35-49	356	8.3	77	<1	1	6	11	17	24	48
50-64	339	7.3	55	<1	1	5	10	15	21	36
65+	369	7.7	42	<1	1	6	11	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	580	4.7	25	1	1	3	6	10	13	27
20-34	1104	6.2	29	1	2	5	8	12	16	27
35-49	1056	6.6	27	1	2	5	8	13	17	26
50-64	1417	6.8	41	1	2	5	8	13	17	33
65+	4080	8.0	65	2	2	6	10	16	21	51
B. *Operated*										
0-19 YRS	261	12.2	188	1	2	8	13	28	42	69
20-34	999	13.0	153	2	3	9	16	28	39	64
35-49	1008	12.5	142	2	3	9	16	25	35	68
50-64	1326	14.1	199	2	3	10	18	32	45	78
65+	2668	15.9	201	2	4	12	20	34	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2671	4.9	19	1	1	4	6	10	13	21
B. *Operated*	1775	7.8	55	<1	1	6	10	16	22	36
2. MULTIPLE DX										
A. *Not Operated*	8237	7.2	50	1	2	5	9	14	19	40
B. *Operated*	6262	14.4	185	2	3	10	18	31	44	82
1. SINGLE DX	4446	6.1	35	<1	1	4	8	12	16	30
2. MULTIPLE DX	14499	10.3	121	1	2	7	12	22	32	66
A. NOT OPERATED	10908	6.6	43	1	2	5	8	13	18	35
B. OPERATED	8037	12.9	164	1	2	9	16	28	40	76
TOTAL 0-19 YRS	1621	5.9	60	1	1	4	7	12	19	41
20-34	3389	8.3	76	1	2	6	10	17	25	46
35-49	2920	8.6	80	1	2	6	11	18	24	49
50-64	3420	9.5	115	1	2	6	11	20	30	63
65+	7595	10.6	125	2	2	7	13	23	33	73
GRAND TOTAL	**18945**	**9.3**	**104**	**1**	**2**	**6**	**11**	**20**	**29**	**60**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	6.7	23	2	2	5	9	10	16	25
35-49	59	7.9	43	2	3	7	9	15	16	43
50-64	56	8.0	65	2	2	6	10	13	20	45
65+	26	8.4	24	3	4	7	10	14	19	25
B. *Operated*										
0-19 YRS										
20-34	6	2.7	10	1	1	1	3	8	9	9
35-49	17	4.8	29	1	1	2	7	14	16	17
50-64	37	6.9	63	1	1	3	10	17	23	38
65+	7	4.4	14	1	1	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.1	49	4	4	7	16	21	22	22
20-34	370	8.5	47	3	4	6	8	16	20	41
35-49	910	9.6	51	3	4	7	12	18	24	38
50-64	911	11.7	86	3	4	9	15	23	29	53
65+	503	12.4	94	3	4	10	15	24	31	53
B. *Operated*										
0-19 YRS										
20-34	58	12.0	67	2	4	10	16	26	38	99+
35-49	229	14.9	139	2	3	13	21	28	35	67
50-64	334	14.3	164	2	2	11	18	30	43	72
65+	209	17.5	221	2	3	14	23	38	51	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	7.8	44	2	2	7	9	14	16	45
B. *Operated*	67	5.8	45	1	1	2	9	13	19	36
2. MULTIPLE DX										
A. *Not Operated*	2701	10.7	72	3	4	8	13	21	27	45
B. *Operated*	830	15.1	167	2	2	12	20	31	42	78
1. SINGLE DX	233	7.2	45	1	2	6	9	13	17	43
2. MULTIPLE DX	3531	11.7	98	3	4	8	15	24	31	54
A. NOT OPERATED	2867	10.5	71	3	4	8	13	21	27	45
B. OPERATED	897	14.4	164	2	2	11	19	30	41	77
TOTAL 0-19 YRS	8	9.1	50	2	3	6	13	21	22	22
20-34	458	8.8	50	3	4	6	10	17	26	44
35-49	1215	10.5	72	2	3	7	13	21	27	43
50-64	1338	12.0	107	2	3	9	15	25	32	56
65+	745	13.6	133	2	4	10	18	27	36	69
GRAND TOTAL	**3764**	**11.4**	**96**	**2**	**3**	**8**	**14**	**23**	**31**	**53**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	4	1	1	1	3	5	7	7
20-34	17	4.6	14	1	1	3	6	9	14	16
35-49	20	5.4	22	1	1	4	8	12	15	18
50-64	43	7.9	66	1	1	5	11	17	22	44
65+	37	7.5	61	1	1	6	10	18	23	36
B. *Operated*										
0-19 YRS	15	2.6	4	<1	1	2	3	5	7	8
20-34	105	3.0	14	1	1	2	2	8	10	21
35-49	108	2.5	7	<1	1	2	2	5	8	15
50-64	136	3.4	19	1	1	2	4	8	11	25
65+	70	5.1	65	1	1	2	4	14	19	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	25	<1	1	4	10	14	15	16
20-34	58	6.3	21	1	1	5	8	12	15	25
35-49	148	10.4	75	2	3	9	13	18	22	43
50-64	393	10.1	67	2	3	8	13	20	28	52
65+	543	13.3	130	2	4	10	17	26	36	63
B. *Operated*										
0-19 YRS	20	3.2	3	1	1	3	4	6	7	7
20-34	111	7.0	69	1	1	3	10	21	27	36
35-49	195	9.2	140	1	1	6	12	21	28	59
50-64	442	9.7	124	1	1	5	13	24	31	49
65+	443	14.5	230	1	2	11	19	31	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	6.4	48	1	1	4	9	15	19	38
B. *Operated*	434	3.3	22	1	1	2	3	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	1166	11.3	98	2	3	9	14	22	31	58
B. *Operated*	1211	11.0	166	1	1	7	15	27	36	70
1. SINGLE DX	563	4.0	30	1	1	2	4	10	14	26
2. MULTIPLE DX	2377	11.2	133	1	2	8	15	24	34	65
A. NOT OPERATED	1295	10.8	95	1	2	8	14	21	30	57
B. OPERATED	1645	9.0	140	1	1	4	12	23	31	64
TOTAL 0-19 YRS	71	3.8	13	1	1	2	5	9	14	16
20-34	291	5.3	39	1	1	2	7	12	20	31
35-49	471	7.9	93	1	1	5	10	17	24	44
50-64	1014	8.9	90	1	1	6	12	21	29	47
65+	1093	13.1	170	1	2	10	17	28	39	80
GRAND TOTAL	**2940**	**9.8**	**121**	**1**	**1**	**7**	**13**	**22**	**31**	**62**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.1	15	<1	2	4	6	10	14	18
20-34	140	5.6	16	1	2	5	7	10	13	19
35-49	52	5.4	10	2	2	5	7	10	11	17
50-64	40	6.2	25	2	2	6	8	9	11	32
65+	41	5.7	15	1	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	9	3.1	10	1	1	2	4	9	10	10
20-34	35	4.4	27	1	1	2	5	11	13	28
35-49	32	6.4	182	1	1	2	6	14	18	76
50-64	39	5.1	36	<1	1	2	7	15	17	28
65+	22	6.6	48	1	1	4	8	16	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.9	9	1	2	4	7	8	9	17
20-34	148	6.0	17	1	2	5	8	12	13	23
35-49	217	9.4	85	1	2	6	12	18	26	50
50-64	462	11.0	114	2	3	8	13	22	29	53
65+	572	11.2	89	3	4	8	14	22	32	45
B. *Operated*										
0-19 YRS	17	13.5	187	1	1	6	25	37	39	39
20-34	44	13.2	182	1	2	9	14	34	44	65
35-49	89	14.9	210	2	2	10	21	34	53	87
50-64	191	12.7	133	1	2	10	18	30	36	49
65+	240	18.3	274	2	2	13	26	44	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	5.6	16	1	2	5	7	10	12	19
B. *Operated*	137	5.3	68	1	1	2	7	13	17	35
2. MULTIPLE DX										
A. *Not Operated*	1448	10.1	89	2	3	7	12	20	27	50
B. *Operated*	581	15.4	213	2	2	11	22	36	48	79
1. SINGLE DX	440	5.5	32	1	1	4	7	11	14	28
2. MULTIPLE DX	2029	11.6	130	2	3	8	14	25	36	61
A. NOT OPERATED	1751	9.3	79	2	3	7	11	18	25	45
B. OPERATED	718	13.5	201	1	2	9	19	34	45	75
TOTAL 0-19 YRS	105	6.2	49	1	1	4	7	12	19	39
20-34	367	6.5	43	1	2	5	8	12	15	36
35-49	390	9.9	120	1	2	6	12	21	29	65
50-64	732	10.9	113	2	2	8	13	24	32	51
65+	875	12.7	148	2	3	9	16	28	40	67
GRAND TOTAL	**2469**	**10.5**	**118**	**2**	**2**	**7**	**13**	**23**	**33**	**57**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	3	1	1	2	4	6	6	7
20-34	291	3.0	4	1	1	3	4	6	8	11
35-49	299	3.2	7	1	1	3	4	6	7	14
50-64	312	3.7	7	1	1	3	5	6	8	11
65+	236	4.8	8	1	2	4	6	9	10	14
B. *Operated*										
0-19 YRS	200	6.4	6	3	4	6	7	9	11	16
20-34	2551	6.6	6	4	4	6	7	9	11	15
35-49	2486	6.9	6	4	5	6	8	10	11	15
50-64	2295	7.5	7	4	5	7	9	11	12	17
65+	1160	9.1	19	5	6	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	7	<1	1	3	5	7	9	11
20-34	299	3.7	9	1	1	3	5	6	8	14
35-49	405	4.3	10	1	1	3	6	8	11	16
50-64	897	5.3	20	1	2	4	6	10	12	20
65+	2014	7.8	42	2	3	6	10	14	18	35
B. *Operated*										
0-19 YRS	155	8.8	19	4	5	8	11	14	18	26
20-34	1953	8.3	18	4	5	7	10	13	16	27
35-49	2899	8.8	25	5	5	8	10	14	17	27
50-64	4597	10.0	29	5	5	9	12	16	20	31
65+	5789	13.9	84	6	7	11	17	24	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1179	3.6	7	1	1	3	5	7	8	12
B. *Operated*	8692	7.3	9	4	5	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3652	6.4	32	1	2	5	8	12	15	29
B. *Operated*	15393	11.0	53	5	5	9	13	19	24	42
1. SINGLE DX	9871	6.8	10	2	4	6	8	10	12	18
2. MULTIPLE DX	19045	10.1	52	3	4	8	12	18	23	40
A. NOT OPERATED	4831	5.7	28	1	2	5	7	11	14	26
B. OPERATED	24085	9.7	40	5	5	8	11	16	21	35
TOTAL 0-19 YRS	433	6.7	14	2	3	6	8	11	14	20
20-34	5094	6.9	13	2	4	6	8	11	13	20
35-49	6089	7.4	18	3	4	7	9	11	14	22
50-64	8101	8.6	25	3	4	7	10	14	17	27
65+	9199	11.8	73	3	5	10	14	21	27	50
GRAND TOTAL	**28916**	**9.0**	**40**	**3**	**4**	**7**	**11**	**15**	**20**	**34**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.8	5	<1	1	4	6	7	8	10
20-34	221	3.3	4	1	1	3	4	6	7	9
35-49	233	3.9	10	1	1	3	5	6	8	14
50-64	157	4.1	10	1	1	3	5	7	10	18
65+	125	5.6	20	1	2	5	7	10	12	24
B. *Operated*										
0-19 YRS	19	7.6	30	4	5	6	7	13	22	27
20-34	196	7.3	10	4	4	6	8	11	14	18
35-49	226	7.7	12	3	5	7	9	13	14	21
50-64	160	8.1	13	3	5	7	10	12	14	21
65+	117	10.1	19	4	6	9	12	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.6	12	1	2	3	6	10	12	15
20-34	212	4.4	9	1	1	4	6	8	9	16
35-49	263	5.1	13	1	2	4	7	9	12	15
50-64	380	6.1	17	1	2	5	8	11	14	18
65+	700	8.8	69	2	3	7	11	15	20	56
B. *Operated*										
0-19 YRS	21	9.4	14	5	5	9	11	16	16	16
20-34	227	9.0	23	4	5	8	11	16	19	23
35-49	378	9.7	29	4	5	8	12	16	21	32
50-64	480	11.6	55	5	6	10	14	19	24	37
65+	652	15.8	120	5	7	13	19	28	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	775	4.1	10	1	1	3	5	7	9	15
B. *Operated*	718	8.0	14	4	5	7	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	1578	6.9	41	1	2	6	9	13	15	28
B. *Operated*	1758	12.4	77	5	6	10	15	22	29	47
1. SINGLE DX	1493	6.0	16	1	2	5	8	11	13	20
2. MULTIPLE DX	3336	9.8	68	2	3	8	12	18	23	41
A. NOT OPERATED	2353	5.9	33	1	2	5	7	11	14	24
B. OPERATED	2476	11.1	62	4	5	9	13	19	25	40
TOTAL 0-19 YRS	102	5.8	18	1	2	5	7	10	15	22
20-34	856	6.0	17	1	2	5	8	11	14	21
35-49	1100	7.0	23	1	2	6	9	13	15	27
50-64	1177	8.3	39	2	2	7	11	15	18	31
65+	1594	11.5	96	2	3	9	14	22	29	60
GRAND TOTAL	**4829**	**8.6**	**55**	**2**	**2**	**7**	**11**	**16**	**21**	**36**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	16	3.3	6	<1	<1	2	4	8	8	8
35-49	20	4.8	9	1	1	4	7	9	10	11
50-64	27	4.1	5	1	1	4	6	7	8	9
65+	57	4.5	20	1	1	4	6	8	10	30
B. *Operated*										
0-19 YRS	9	8.4	29	4	4	6	13	17	18	18
20-34	92	8.1	22	1	3	8	10	12	16	27
35-49	107	8.3	21	1	2	8	11	14	17	23
50-64	121	9.1	41	1	2	8	12	16	20	35
65+	157	10.9	57	1	2	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	1	4	4	5	5	6	6	6
20-34	28	4.8	12	1	2	4	6	9	11	16
35-49	40	5.2	11	2	2	4	7	10	13	15
50-64	70	6.8	20	2	2	6	8	11	14	29
65+	245	8.8	78	2	2	7	11	17	21	55
B. *Operated*										
0-19 YRS	7	10.9	44	5	5	9	11	22	25	25
20-34	86	10.4	21	4	6	9	14	17	19	23
35-49	125	12.1	60	2	4	11	14	26	29	37
50-64	282	14.7	151	3	5	11	17	27	36	88
65+	847	16.6	131	3	6	14	21	28	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	4.3	13	1	1	4	6	8	9	17
B. *Operated*	486	9.3	39	1	2	8	12	17	20	31
2. MULTIPLE DX										
A. *Not Operated*	388	7.8	57	2	2	6	9	15	19	45
B. *Operated*	1347	15.3	125	3	5	13	19	27	34	70
1. SINGLE DX	609	8.3	38	1	2	7	11	16	19	30
2. MULTIPLE DX	1735	13.7	120	2	4	11	17	25	31	59
A. NOT OPERATED	511	6.9	49	1	2	5	8	13	17	35
B. OPERATED	1833	13.7	109	2	4	11	17	25	31	57
TOTAL 0-19 YRS	24	7.6	30	2	3	6	9	15	20	25
20-34	222	8.2	24	1	2	8	11	15	18	24
35-49	292	9.3	43	1	2	8	12	17	25	33
50-64	500	11.7	111	2	3	9	14	22	30	59
65+	1306	13.9	122	2	3	12	18	25	32	59
GRAND TOTAL	**2344**	**12.3**	**104**	**2**	**3**	**10**	**16**	**23**	**29**	**55**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	23	3.7	6	<1	1	3	5	7	9	11
35-49	21	4.3	7	1	1	4	6	9	10	10
50-64	33	6.0	14	2	2	5	9	11	12	13
65+	38	7.2	32	1	2	6	9	14	21	27
B. *Operated*										
0-19 YRS	3	8.0	28	2	2	10	11	12	12	12
20-34	14	5.5	24	<1	1	3	9	12	15	16
35-49	28	6.1	44	1	1	3	8	18	23	24
50-64	27	7.6	59	1	1	4	12	20	25	26
65+	32	7.5	109	<1	1	3	9	19	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.7	54	2	2	10	13	22	27	27
20-34	30	5.0	8	1	2	5	7	9	10	11
35-49	63	5.6	15	1	2	4	8	11	14	16
50-64	110	7.9	30	1	2	7	10	14	16	33
65+	340	10.3	99	2	3	8	12	19	26	74
B. *Operated*										
0-19 YRS	4	13.3	49	5	5	13	18	22	22	22
20-34	26	9.6	79	1	2	8	12	25	27	32
35-49	69	14.2	126	2	2	11	20	32	37	51
50-64	120	14.1	101	2	3	13	18	26	29	56
65+	355	17.0	148	3	5	14	23	32	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.6	19	1	1	5	8	11	13	24
B. *Operated*	104	6.9	63	<1	1	3	9	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	554	9.0	73	2	2	7	11	16	22	42
B. *Operated*	574	15.7	135	2	3	13	21	30	39	89
1. SINGLE DX	221	6.2	40	1	1	4	9	13	19	27
2. MULTIPLE DX	1128	12.4	116	2	3	10	16	25	33	67
A. NOT OPERATED	671	8.4	65	2	2	7	11	15	21	41
B. OPERATED	678	14.3	134	2	2	12	20	29	37	73
TOTAL 0-19 YRS	20	10.5	44	2	2	10	13	20	24	27
20-34	93	6.0	34	1	1	4	8	11	19	29
35-49	181	8.8	78	1	2	6	11	21	25	43
50-64	290	10.2	71	2	2	9	14	20	26	46
65+	765	13.1	132	2	3	10	17	27	35	92
GRAND TOTAL	**1349**	**11.4**	**108**	**2**	**2**	**9**	**15**	**24**	**30**	**61**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	5.6	10	2	2	5	7	10	12	15
20-34	443	5.8	13	2	2	5	7	10	12	19
35-49	447	6.4	20	2	3	5	8	11	15	21
50-64	233	6.3	20	1	2	5	8	11	13	18
65+	156	7.5	23	2	3	6	9	14	17	24
B. *Operated*										
0-19 YRS	4	10.3	47	2	2	10	15	18	18	18
20-34	32	11.4	131	1	2	8	13	23	37	55
35-49	70	9.9	105	<1	1	8	12	21	31	52
50-64	52	8.7	79	1	1	7	11	17	22	54
65+	30	12.7	298	1	2	7	16	29	41	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	5.8	19	1	2	4	8	12	14	24
20-34	823	7.6	33	2	3	6	9	14	17	31
35-49	1472	8.4	46	3	3	7	10	14	19	38
50-64	1048	8.1	47	2	3	6	10	15	19	35
65+	1171	9.8	58	3	4	8	12	18	24	48
B. *Operated*										
0-19 YRS	19	15.3	169	2	3	10	22	28	43	55
20-34	179	17.6	196	4	5	13	24	40	48	99+
35-49	377	18.9	207	4	6	15	24	38	52	95
50-64	379	19.6	308	3	5	14	25	48	62	99+
65+	449	19.4	235	3	5	16	24	37	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1337	6.3	18	2	2	5	8	11	14	21
B. *Operated*	188	10.3	131	1	2	8	12	21	31	55
2. MULTIPLE DX										
A. *Not Operated*	4584	8.5	47	2	3	7	10	15	20	38
B. *Operated*	1403	19.0	241	3	5	15	24	40	53	99+
1. SINGLE DX	1525	6.8	33	2	2	5	8	12	15	30
2. MULTIPLE DX	5987	11.0	112	3	3	8	13	22	31	63
A. NOT OPERATED	5921	8.0	41	2	3	6	10	14	18	34
B. OPERATED	1591	18.0	236	2	4	14	23	38	52	98
TOTAL 0-19 YRS	151	7.0	44	2	2	5	8	13	18	28
20-34	1477	8.3	61	2	3	6	10	16	23	44
35-49	2366	9.7	85	2	3	7	11	18	27	52
50-64	1712	10.4	126	2	3	7	12	21	31	65
65+	1806	12.0	121	3	4	9	15	24	33	70
GRAND TOTAL	**7512**	**10.1**	**99**	**2**	**3**	**7**	**12**	**20**	**29**	**56**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.9	3	1	1	2	4	5	6	10
20-34	99	3.2	6	<1	1	3	4	6	8	14
35-49	99	4.1	7	1	1	4	5	8	9	15
50-64	124	4.3	17	1	1	4	5	7	8	25
65+	249	5.4	24	1	1	5	7	10	11	23
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	9	4.6	7	2	2	4	6	9	10	10
35-49	11	5.8	11	1	1	7	9	10	10	10
50-64	17	5.4	10	1	1	5	8	9	10	10
65+	26	7.3	34	1	2	7	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.2	12	1	1	4	5	8	10	14
20-34	317	5.0	18	1	2	4	6	9	12	25
35-49	401	5.5	23	1	2	5	6	9	13	25
50-64	968	6.0	24	2	2	5	7	11	13	22
65+	3448	8.2	47	2	3	7	10	15	20	41
B. *Operated*										
0-19 YRS	16	7.1	50	2	3	5	8	11	26	32
20-34	47	8.3	39	2	3	7	10	16	24	31
35-49	93	10.7	86	3	4	7	12	22	33	48
50-64	276	10.5	98	2	3	8	12	20	28	56
65+	949	13.0	153	3	4	9	15	24	37	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	4.4	16	1	1	4	6	8	10	16
B. *Operated*	66	6.0	20	1	2	5	8	10	12	28
2. MULTIPLE DX										
A. *Not Operated*	5281	7.3	40	2	2	6	9	13	18	36
B. *Operated*	1381	12.1	134	3	4	9	14	23	35	71
1. SINGLE DX	703	4.5	16	1	1	4	6	8	10	17
2. MULTIPLE DX	6662	8.3	63	2	3	6	10	16	21	47
A. NOT OPERATED	5918	7.0	38	1	2	5	8	13	17	35
B. OPERATED	1447	11.8	131	2	3	9	14	22	34	70
TOTAL 0-19 YRS	232	4.0	13	1	1	3	5	7	9	16
20-34	472	4.9	19	1	1	4	6	10	13	24
35-49	604	6.1	34	1	2	5	7	10	16	34
50-64	1385	6.7	41	1	2	5	8	12	16	36
65+	4672	9.0	71	2	3	7	11	17	23	53
GRAND TOTAL	**7365**	**7.9**	**60**	**2**	**2**	**6**	**9**	**15**	**20**	**45**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	6	1	1	3	5	7	9	11
20-34	4	4.5	12	1	1	4	7	9	9	9
35-49	9	5.6	8	2	2	4	8	10	10	10
50-64	10	8.5	50	<1	<1	6	14	19	20	20
65+	7	7.4	7	5	5	7	9	12	12	12
B. *Operated*										
0-19 YRS	7	15.7	1168	<1	<1	1	7	76	93	93
20-34	8	7.8	72	<1	1	5	9	22	27	27
35-49	8	5.1	10	<1	1	6	9	64	99+	99+
50-64	9	6.3	54	1	1	3	8	19	20	20
65+	6	8.2	13	2	2	8	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	5.8	25	1	2	4	7	15	17	22
20-34	17	7.0	38	2	3	5	7	13	23	28
35-49	30	7.5	22	2	3	6	10	15	19	19
50-64	50	10.6	96	3	4	7	12	19	29	59
65+	101	13.7	177	3	4	10	15	28	36	77
B. *Operated*										
0-19 YRS	10	23.0	676	2	2	9	61	79	98	99+
20-34	28	10.9	102	2	2	8	14	21	31	49
35-49	33	13.6	133	2	3	10	18	29	39	53
50-64	56	16.7	264	4	5	12	20	34	61	99+
65+	65	25.0	466	4	8	17	35	64	80	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.0	15	1	1	4	7	10	12	19
B. *Operated*	38	8.4	232	<1	<1	5	9	19	63	99+
2. MULTIPLE DX										
A. *Not Operated*	276	9.8	104	2	3	7	12	19	28	58
B. *Operated*	192	18.4	329	2	4	13	21	51	65	99+
1. SINGLE DX	113	6.1	89	<1	1	4	7	11	18	96
2. MULTIPLE DX	468	13.4	214	2	3	9	16	28	51	93
A. NOT OPERATED	351	8.8	89	1	2	6	11	17	24	56
B. OPERATED	230	16.8	326	2	3	11	19	45	65	99+
TOTAL 0-19 YRS	140	6.9	136	1	1	4	7	14	20	94
20-34	57	8.8	74	1	2	6	11	19	28	48
35-49	80	9.6	76	2	3	7	11	19	31	85
50-64	125	12.9	175	2	3	9	17	24	38	95
65+	179	17.3	303	3	4	12	19	38	63	93
GRAND TOTAL	**581**	**11.9**	**198**	**1**	**2**	**8**	**15**	**24**	**44**	**94**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	7.6	58	2	2	5	10	15	18	46
20-34	14	5.3	11	2	2	5	8	10	12	12
35-49	5	5.2	5	2	2	5	6	8	8	8
50-64	9	7.3	38	1	1	5	10	18	20	20
65+	7	6.3	22	2	2	4	7	14	16	16
B. *Operated*										
0-19 YRS	40	4.3	18	2	2	3	4	9	16	19
20-34	40	3.9	9	2	2	3	4	7	12	14
35-49	25	3.0	4	1	2	2	3	5	8	9
50-64	26	5.8	34	1	2	3	8	17	19	21
65+	14	3.6	3	2	2	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	7.6	63	1	2	5	10	16	24	83
20-34	38	6.2	28	1	2	4	8	12	15	29
35-49	38	7.5	45	2	2	5	11	15	17	36
50-64	77	7.9	27	2	3	7	11	17	19	22
65+	117	13.3	141	2	4	11	16	26	34	67
B. *Operated*										
0-19 YRS	34	11.8	171	2	2	5	14	29	45	49
20-34	66	7.8	69	1	2	5	11	15	20	52
35-49	59	9.0	59	2	2	7	13	21	24	33
50-64	79	12.1	204	2	2	7	15	32	54	92
65+	95	15.3	175	2	2	11	22	35	51	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	7.1	46	2	2	5	8	14	17	44
B. *Operated*	145	4.2	15	2	2	3	4	8	14	19
2. MULTIPLE DX										
A. *Not Operated*	355	9.4	83	2	2	7	13	19	25	61
B. *Operated*	333	11.6	146	2	2	8	15	28	39	61
1. SINGLE DX	257	5.4	30	2	2	3	6	12	16	21
2. MULTIPLE DX	688	10.5	114	2	2	7	14	22	32	60
A. NOT OPERATED	467	8.8	75	2	2	6	12	17	22	53
B. OPERATED	478	9.3	118	2	2	5	12	22	32	58
TOTAL 0-19 YRS	236	7.6	73	2	2	5	9	16	25	50
20-34	158	6.2	41	2	2	4	8	13	15	30
35-49	127	7.2	47	2	2	5	9	17	21	34
50-64	191	9.3	107	2	2	6	12	19	26	68
65+	233	13.3	151	2	2	10	17	30	39	66
GRAND TOTAL	**945**	**9.1**	**97**	**2**	**2**	**6**	**12**	**20**	**28**	**57**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.9	12	3	3	5	7	10	12	17
20-34	7	4.1	7	1	1	3	6	8	8	8
35-49	3	5.0	7	3	3	4	7	8	8	8
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	7	3.6	6	1	1	3	5	8	8	8
20-34	4	4.5	11	2	2	4	7	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	21	1	3	4	5	12	13	26
20-34	15	5.3	5	1	1	5	7	7	9	9
35-49	9	6.2	9	2	2	6	9	10	10	10
50-64	10	11.9	182	2	2	8	9	36	44	44
65+	20	10.1	42	3	4	9	13	24	60	99+
B. *Operated*										
0-19 YRS	6	9.3	77	2	2	6	11	24	26	26
20-34	11	11.2	55	2	2	8	18	20	21	21
35-49	9	9.9	80	1	2	8	12	24	31	31
50-64	15	13.2	136	1	1	12	17	27	41	46
65+	19	20.8	263	1	3	17	28	48	55	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.6	10	2	3	5	7	9	11	17
B. *Operated*	14	4.2	10	1	2	3	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	89	7.3	44	2	3	5	9	13	26	78
B. *Operated*	60	14.4	160	1	2	11	19	30	43	56
1. SINGLE DX	54	5.2	10	1	2	4	7	9	11	17
2. MULTIPLE DX	149	10.2	102	1	2	7	13	24	31	57
A. NOT OPERATED	129	6.8	34	2	3	5	9	12	18	55
B. OPERATED	74	12.4	147	1	2	8	17	27	40	56
TOTAL 0-19 YRS	77	5.8	21	1	2	4	7	11	13	26
20-34	37	6.7	28	1	2	5	7	17	19	21
35-49	21	7.6	41	2	2	7	9	13	22	31
50-64	26	12.3	147	1	2	8	17	28	44	46
65+	42	14.8	168	2	3	11	20	38	54	99+
GRAND TOTAL	**203**	**8.9**	**82**	**1**	**2**	**6**	**10**	**19**	**28**	**54**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	39	<1	<1	1	1	2	13	31
20-34	12	1.3	1	<1	<1	1	1	3	3	3
35-49	12	3.1	12	<1	<1	2	3	9	12	12
50-64	22	2.4	2	1	1	2	2	4	6	7
65+	12	6.3	62	1	1	2	10	19	22	23
B. *Operated*										
0-19 YRS	6	5.5	13	2	2	4	7	11	12	12
20-34	29	4.6	17	1	1	3	7	10	14	17
35-49	21	5.6	35	1	1	3	6	15	20	24
50-64	53	6.0	56	1	2	4	7	12	17	46
65+	55	6.9	44	1	2	4	10	19	24	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.9	8	<1	<1	2	5	6	10	11
20-34	103	2.7	7	1	1	2	3	6	8	14
35-49	145	4.6	26	1	1	2	5	10	15	24
50-64	276	7.0	88	1	2	3	9	16	23	67
65+	380	12.1	152	2	3	9	14	28	36	83
B. *Operated*										
0-19 YRS	58	12.6	105	3	4	9	18	26	31	48
20-34	199	11.1	156	1	2	7	14	29	39	67
35-49	213	11.6	177	2	2	7	14	26	42	72
50-64	411	13.3	192	2	2	9	17	31	42	74
65+	565	16.2	235	2	3	12	22	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.9	24	<1	1	2	2	5	14	29
B. *Operated*	164	6.0	41	1	2	4	7	14	19	44
2. MULTIPLE DX										
A. *Not Operated*	928	8.2	106	1	1	5	10	18	28	67
B. *Operated*	1446	13.9	202	2	2	9	19	33	46	80
1. SINGLE DX	245	5.0	37	1	1	3	5	13	17	32
2. MULTIPLE DX	2374	11.6	172	1	2	7	15	28	41	78
A. NOT OPERATED	1009	7.7	102	1	1	4	10	18	27	64
B. OPERATED	1610	13.1	191	2	2	8	18	32	45	80
TOTAL 0-19 YRS	111	8.0	88	<1	1	5	10	22	27	46
20-34	343	7.7	111	1	1	4	9	19	31	64
35-49	391	8.4	120	1	2	4	10	18	28	57
50-64	762	10.2	151	1	2	6	13	25	37	72
65+	1012	14.1	198	2	2	10	19	33	47	99+
GRAND TOTAL	**2619**	**11.0**	**163**	**1**	**2**	**7**	**14**	**27**	**39**	**77**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	4	4.8	10	2	2	4	7	9	9	9
50-64	12	6.0	26	2	2	4	8	13	18	19
65+	13	11.4	226	1	2	7	15	28	52	57
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.3	13	2	2	4	8	10	10	10
50-64	7	7.4	94	<1	<1	4	9	25	28	28
65+	11	7.3	53	<1	1	5	10	18	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	14	<1	<1	5	7	10	11	11
20-34	19	9.6	98	1	2	7	12	20	33	43
35-49	35	8.9	49	1	3	6	11	22	23	25
50-64	123	10.2	55	1	3	9	14	19	24	35
65+	600	13.0	109	2	4	11	17	25	31	89
B. *Operated*										
0-19 YRS	7	15.1	89	4	4	14	21	29	31	31
20-34	33	16.2	150	2	4	15	22	44	90	99+
35-49	54	15.0	92	3	4	13	22	26	31	44
50-64	139	19.5	206	3	5	16	30	40	47	80
65+	342	23.3	324	4	7	18	30	50	65	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.2	102	1	1	4	8	17	20	57
B. *Operated*	23	6.7	54	<1	1	4	10	16	26	28
2. MULTIPLE DX										
A. *Not Operated*	786	12.2	99	2	3	10	16	23	30	73
B. *Operated*	575	21.1	269	4	6	16	28	45	57	98
1. SINGLE DX	58	7.0	81	1	1	4	9	16	23	55
2. MULTIPLE DX	1361	15.9	190	2	4	12	20	33	46	94
A. NOT OPERATED	821	12.0	100	2	3	10	16	23	30	71
B. OPERATED	598	20.5	268	3	5	16	28	44	56	97
TOTAL 0-19 YRS	19	8.1	67	<1	<1	6	12	20	27	31
20-34	56	12.9	139	1	2	11	20	29	55	99+
35-49	97	12.0	82	2	3	9	18	25	27	43
50-64	281	14.6	154	2	3	11	19	32	42	64
65+	966	16.5	211	3	4	13	20	35	50	95
GRAND TOTAL	**1419**	**15.6**	**189**	**2**	**4**	**12**	**20**	**32**	**45**	**93**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	4.4	5	1	2	4	5	7	8	11
20-34	399	4.4	4	2	2	4	6	7	8	11
35-49	78	4.8	5	2	2	4	6	7	8	14
50-64	65	5.6	9	2	2	5	7	9	11	19
65+	38	7.3	45	3	3	6	8	11	17	42
B. *Operated*										
0-19 YRS	13	3.9	2	2	2	4	5	6	6	6
20-34	21	6.5	13	2	3	6	8	12	14	15
35-49	8	4.5	14	<1	<1	4	7	10	11	11
50-64	5	3.2	3	1	1	3	5	5	5	5
65+	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	5.0	6	2	3	5	6	8	9	14
20-34	524	5.3	8	2	2	5	6	9	11	14
35-49	290	7.3	45	2	3	6	9	12	15	26
50-64	317	7.6	18	3	3	6	9	12	16	23
65+	607	9.8	63	3	4	8	12	16	22	41
B. *Operated*										
0-19 YRS	40	7.5	26	2	3	6	9	14	19	25
20-34	77	8.4	34	2	3	7	9	18	22	27
35-49	57	11.8	49	4	5	10	17	21	24	37
50-64	71	11.8	95	3	5	10	14	17	19	70
65+	155	17.8	258	5	6	12	19	41	62	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	4.7	7	2	2	4	6	7	8	12
B. *Operated*	48	5.8	34	1	2	5	6	11	13	39
2. MULTIPLE DX										
A. *Not Operated*	2011	7.3	35	2	3	6	9	13	16	29
B. *Operated*	400	13.0	149	3	4	9	15	24	34	74
1. SINGLE DX	828	4.7	9	2	2	4	6	8	9	13
2. MULTIPLE DX	2411	8.2	58	2	3	6	10	15	19	41
A. NOT OPERATED	2791	6.5	29	2	3	5	8	11	14	25
B. OPERATED	448	12.3	141	3	4	9	15	22	32	74
TOTAL 0-19 YRS	526	5.0	8	2	2	5	6	8	10	15
20-34	1021	5.2	10	2	2	5	6	8	11	17
35-49	433	7.4	42	2	3	6	9	13	17	25
50-64	458	7.9	32	2	3	7	10	14	17	24
65+	801	11.2	111	3	4	8	13	20	30	69
GRAND TOTAL	**3239**	**7.3**	**48**	**2**	**3**	**6**	**8**	**13**	**17**	**35**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	4.6	9	2	2	4	6	8	10	16
20-34	285	4.5	5	2	2	4	6	7	8	11
35-49	95	4.8	8	2	2	4	6	8	10	16
50-64	39	5.1	6	2	2	5	6	9	10	11
65+	33	6.7	13	2	3	6	8	11	14	18
B. *Operated*										
0-19 YRS	16	5.3	11	<1	<1	4	7	11	12	12
20-34	29	6.0	35	<1	1	4	7	15	18	26
35-49	14	6.5	38	<1	1	5	8	12	22	25
50-64	13	5.3	17	1	1	4	8	12	14	14
65+	10	10.4	29	2	3	11	13	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	5.2	10	2	2	4	6	9	11	18
20-34	409	5.5	9	2	2	5	7	9	11	15
35-49	181	6.5	11	2	3	6	8	11	12	16
50-64	238	7.7	25	2	3	7	10	13	16	36
65+	374	9.1	41	3	4	7	11	16	23	41
B. *Operated*										
0-19 YRS	39	7.8	29	1	2	7	10	16	19	22
20-34	108	10.1	90	2	2	8	12	19	23	53
35-49	73	10.3	52	2	3	9	15	19	27	32
50-64	131	13.1	105	2	3	10	17	26	34	52
65+	189	15.4	140	3	5	12	20	29	36	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	4.7	7	2	2	4	6	8	10	14
B. *Operated*	82	6.4	29	<1	1	5	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1409	6.9	23	2	3	6	8	12	15	29
B. *Operated*	540	12.6	107	2	3	10	17	25	31	57
1. SINGLE DX	735	4.9	10	2	2	4	6	8	11	17
2. MULTIPLE DX	1949	8.5	53	2	3	7	10	16	22	40
A. NOT OPERATED	2062	6.2	19	2	2	5	8	11	14	24
B. OPERATED	622	11.7	101	2	3	9	15	24	29	55
TOTAL 0-19 YRS	463	5.1	12	2	2	4	6	9	12	20
20-34	831	5.7	22	2	2	5	7	10	12	22
35-49	363	6.8	23	2	2	6	8	12	16	27
50-64	421	9.1	56	2	3	7	11	17	23	44
65+	606	11.0	79	3	4	8	13	22	28	55
GRAND TOTAL	**2684**	**7.5**	**43**	**2**	**2**	**6**	**9**	**14**	**20**	**35**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.7	2	<1	1	2	3	5	5	6
20-34	369	2.2	2	<1	1	2	3	4	5	6
35-49	501	2.4	4	<1	1	2	3	4	5	8
50-64	301	2.5	2	1	1	2	3	5	6	8
65+	133	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	17	8.2	24	2	2	8	11	15	17	18
20-34	149	8.0	24	2	3	7	10	14	17	25
35-49	277	7.3	20	1	2	7	10	12	15	23
50-64	230	8.0	25	2	2	8	10	13	16	20
65+	120	8.0	22	2	2	8	11	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.7	2	1	1	2	4	5	5	7
20-34	350	3.2	7	1	1	3	4	6	7	11
35-49	492	3.1	5	1	1	2	4	7	8	10
50-64	553	3.9	10	1	1	3	5	8	9	15
65+	414	5.8	35	1	2	4	7	12	16	32
B. *Operated*										
0-19 YRS	20	9.8	59	1	2	7	14	22	25	26
20-34	196	9.3	53	2	3	8	11	19	25	41
35-49	346	9.4	53	1	2	8	12	17	21	41
50-64	560	9.9	54	2	3	9	12	19	25	38
65+	494	12.5	101	2	3	10	16	23	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1348	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	793	7.7	23	2	2	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1860	4.0	15	1	1	3	5	8	10	19
B. *Operated*	1616	10.5	70	2	3	9	13	20	26	46
1. SINGLE DX	2141	4.4	17	1	1	3	6	10	12	18
2. MULTIPLE DX	3476	7.0	51	1	1	5	9	15	20	39
A. NOT OPERATED	3208	3.3	10	1	1	2	4	6	8	15
B. OPERATED	2409	9.6	56	2	2	8	12	18	23	42
TOTAL 0-19 YRS	132	4.5	21	1	1	3	5	10	15	24
20-34	1064	4.7	24	1	1	3	6	10	14	25
35-49	1616	5.0	26	1	1	3	7	10	14	25
50-64	1644	6.2	35	1	1	4	9	13	17	29
65+	1161	8.6	71	1	2	6	11	18	23	45
GRAND TOTAL	**5617**	**6.0**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**33**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.2	3	1	1	2	3	4	5	9
20-34	1193	2.1	2	<1	1	2	3	4	5	7
35-49	1557	2.2	2	1	1	2	3	4	5	8
50-64	917	2.3	3	1	1	2	3	4	6	8
65+	279	2.5	2	1	1	2	3	4	6	8
B. *Operated*										
0-19 YRS	46	5.0	7	2	2	4	7	8	10	14
20-34	563	5.5	11	2	2	5	7	10	12	16
35-49	879	5.5	12	1	2	5	7	10	12	16
50-64	629	5.9	15	2	2	5	8	11	14	18
65+	251	6.5	17	2	2	6	9	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.1	3	1	1	3	4	5	6	7
20-34	601	2.7	4	1	1	2	3	5	6	9
35-49	875	2.6	3	1	1	2	3	5	6	8
50-64	862	3.2	5	1	1	3	4	6	7	11
65+	463	3.9	15	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	28	6.9	9	3	3	7	9	12	13	13
20-34	371	7.6	23	2	2	7	10	14	17	23
35-49	635	7.2	22	2	2	6	10	14	17	21
50-64	840	8.3	31	2	3	7	11	15	19	28
65+	730	10.4	68	2	3	9	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4056	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2368	5.7	13	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2856	3.0	6	1	1	2	4	6	7	11
B. *Operated*	2604	8.5	40	2	3	7	11	16	20	29
1. SINGLE DX	6424	3.5	9	1	1	2	4	8	10	14
2. MULTIPLE DX	5460	5.7	29	1	1	4	7	12	16	27
A. NOT OPERATED	6912	2.6	4	1	1	2	3	5	6	9
B. OPERATED	4972	7.2	29	2	2	6	9	14	17	27
TOTAL 0-19 YRS	239	3.5	7	1	1	3	5	7	9	13
20-34	2728	3.7	11	1	1	3	5	8	10	16
35-49	3946	3.8	12	1	1	3	5	8	11	17
50-64	3248	4.8	19	1	1	3	6	10	13	20
65+	1723	6.8	46	1	2	5	9	15	19	31
GRAND TOTAL	**11884**	**4.5**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.0	29	<1	1	3	4	6	9	32
20-34	32	3.1	3	1	1	3	4	7	7	7
35-49	29	2.6	4	<1	1	2	3	5	7	10
50-64	41	3.8	8	1	1	3	5	8	10	13
65+	31	4.6	18	1	1	3	5	11	16	17
B. *Operated*										
0-19 YRS	270	6.7	19	<1	1	7	9	11	13	19
20-34	140	6.6	23	1	2	6	9	12	15	23
35-49	106	5.6	19	1	1	4	9	12	15	18
50-64	118	5.0	21	<1	1	3	7	11	15	22
65+	95	5.4	20	1	1	3	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.9	49	<1	1	3	6	9	11	48
20-34	98	4.8	19	1	1	4	6	8	16	24
35-49	133	5.1	19	1	1	4	7	10	14	23
50-64	147	6.2	37	1	1	4	8	12	18	34
65+	479	10.5	89	2	3	8	14	21	27	45
B. *Operated*										
0-19 YRS	284	8.7	50	<1	1	8	11	16	21	35
20-34	259	9.5	66	1	2	8	12	17	22	35
35-49	276	8.9	52	1	2	7	11	19	26	32
50-64	479	10.3	109	2	2	8	13	21	30	52
65+	705	11.8	117	2	2	9	16	26	34	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.6	13	1	1	3	4	7	9	17
B *Operated*	729	6.1	21	<1	1	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	928	8.0	67	1	2	6	10	17	23	42
B. *Operated*	2003	10.3	92	1	2	8	13	21	28	51
1. SINGLE DX	895	5.6	20	1	1	5	8	11	14	21
2. MULTIPLE DX	2931	9.6	85	1	2	7	12	20	27	47
A. NOT OPERATED	1094	7.3	61	1	1	5	9	16	22	37
B. OPERATED	2732	9.2	76	1	2	7	12	19	26	45
TOTAL 0-19 YRS	658	7.2	38	<1	1	7	9	13	17	29
20-34	529	7.5	47	<1	2	6	10	15	19	27
35-49	544	7.0	39	1	1	5	9	14	20	30
50-64	785	8.4	83	1	2	6	11	17	24	44
65+	1310	10.6	101	2	2	8	14	23	31	52
GRAND TOTAL	**3826**	**8.6**	**72**	**1**	**2**	**7**	**11**	**18**	**24**	**44**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	1	1	1	2	3	3	3	3
20-34	65	2.4	2	<1	1	2	3	4	5	9
35-49	83	2.2	3	<1	1	2	3	5	6	8
50-64	68	2.6	4	<1	1	2	3	4	6	13
65+	24	3.0	2	1	2	3	3	5	6	7
B. *Operated*										
0-19 YRS	8	4.0	9	1	1	3	6	8	9	9
20-34	32	5.3	20	1	1	4	7	12	15	20
35-49	55	5.3	15	1	2	4	7	10	14	19
50-64	72	4.9	14	1	1	3	8	10	13	14
65+	82	5.2	25	1	1	3	7	10	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	8	1	1	2	3	7	10	10
20-34	53	2.9	5	1	1	2	4	6	7	14
35-49	70	3.6	7	1	1	3	5	7	10	13
50-64	89	3.4	8	1	1	3	4	7	9	16
65+	55	4.8	20	1	2	3	6	11	17	19
B. *Operated*										
0-19 YRS	9	3.8	2	2	2	4	5	6	6	6
20-34	49	6.5	42	1	2	5	7	12	20	35
35-49	79	7.2	31	1	2	6	9	14	20	25
50-64	192	6.4	39	2	2	4	8	12	15	31
65+	433	8.8	44	2	2	7	12	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.5	3	1	1	2	3	4	6	9
B. *Operated*	249	5.1	18	1	1	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	276	3.6	10	1	1	3	4	7	10	18
B. *Operated*	762	7.8	42	2	2	6	10	16	20	30
1. SINGLE DX	500	3.8	12	1	1	3	4	8	10	19
2. MULTIPLE DX	1038	6.7	37	1	2	5	9	14	18	28
A. NOT OPERATED	527	3.1	7	1	1	2	3	6	8	15
B. OPERATED	1011	7.1	38	1	2	6	9	15	19	29
TOTAL 0-19 YRS	37	3.1	5	1	1	2	4	6	8	10
20-34	199	4.0	18	1	1	3	5	7	11	25
35-49	287	4.5	18	1	1	3	6	10	13	22
50-64	421	4.9	25	1	1	3	6	10	13	22
65+	594	7.7	41	2	2	6	10	16	21	29
GRAND TOTAL	**1538**	**5.7**	**31**	**1**	**1**	**4**	**8**	**13**	**17**	**26**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	4	1	1	3	4	6	7	12
20-34	57	2.8	2	1	1	3	4	4	5	8
35-49	29	2.7	2	1	1	2	4	5	5	5
50-64	23	3.9	10	<1	1	3	5	7	10	16
65+	28	5.3	19	2	2	4	6	11	16	20
B. *Operated*										
0-19 YRS	55	2.0	6	<1	<1	1	2	3	7	14
20-34	126	3.1	9	<1	<1	2	4	7	7	17
35-49	143	2.5	5	<1	<1	2	3	5	8	11
50-64	188	3.1	7	<1	1	2	4	6	8	14
65+	241	3.5	8	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.0	2	1	1	2	4	5	6	7
20-34	91	4.3	10	1	1	3	5	9	12	14
35-49	74	4.3	6	1	1	4	6	8	9	12
50-64	123	5.9	26	1	2	5	7	11	13	34
65+	448	8.8	42	3	3	7	11	17	21	40
B. *Operated*										
0-19 YRS	80	2.6	8	<1	<1	2	3	6	8	75
20-34	240	4.0	18	<1	<1	2	5	9	12	20
35-49	314	5.0	34	<1	1	3	6	10	15	36
50-64	567	5.0	34	1	1	3	6	11	15	24
65+	1323	7.3	69	1	2	5	9	15	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.4	7	1	1	3	4	6	7	16
B. *Operated*	753	3.0	7	<1	<1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	811	6.9	34	1	2	5	9	14	19	34
B. *Operated*	2524	6.0	52	1	1	4	8	13	18	35
1. SINGLE DX	934	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	3335	6.2	48	1	1	4	8	13	18	35
A. NOT OPERATED	992	6.3	31	1	2	5	8	13	17	31
B. OPERATED	3277	5.3	43	<1	1	3	7	12	16	31
TOTAL 0-19 YRS	254	2.7	6	<1	<1	2	3	5	7	14
20-34	514	3.7	13	<1	1	2	5	8	11	16
35-49	560	4.2	22	<1	1	3	5	9	11	23
50-64	901	4.7	27	1	1	3	5	10	14	24
65+	2040	7.2	58	1	2	5	9	15	20	40
GRAND TOTAL	**4269**	**5.6**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	10	3.4	4	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	388	1.6	4	<1	<1	<1	1	2	4	10
20-34	234	3.0	5	<1	<1	2	4	5	8	10
35-49	153	2.9	5	<1	<1	2	3	6	8	11
50-64	166	3.3	11	<1	1	2	4	6	8	16
65+	233	3.8	12	1	1	3	4	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	<1	<1	3	4	5	6	6
20-34	6	1.8	2	<1	<1	1	3	4	4	4
35-49	7	4.9	36	<1	<1	2	5	15	18	18
50-64	15	5.3	44	<1	1	4	6	8	23	28
65+	65	5.2	14	1	1	5	6	10	14	16
B. *Operated*										
0-19 YRS	279	1.9	6	<1	<1	1	2	3	6	15
20-34	271	3.7	14	<1	1	2	4	8	11	19
35-49	258	4.3	18	<1	1	3	5	10	13	21
50-64	452	4.6	21	1	1	3	6	10	14	23
65+	988	6.5	46	1	2	4	8	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.8	3	<1	1	2	3	5	6	8
B. *Operated*	1174	2.7	8	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	105	4.7	18	<1	<1	4	6	9	14	22
B. *Operated*	2248	4.9	31	<1	1	3	6	11	14	28
1. SINGLE DX	1197	2.7	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX	2353	4.9	31	<1	1	3	6	11	14	28
A. NOT OPERATED	128	4.4	16	<1	1	3	5	8	14	20
B. OPERATED	3422	4.2	24	<1	<1	3	5	9	12	24
TOTAL 0-19 YRS	681	1.7	5	<1	<1	1	2	3	4	12
20-34	515	3.3	10	<1	1	2	4	7	9	18
35-49	421	3.8	14	<1	<1	2	4	8	12	19
50-64	637	4.3	19	<1	1	3	5	8	13	24
65+	1296	5.9	39	1	2	4	7	12	16	34
GRAND TOTAL	**3550**	**4.2**	**24**	**<1**	**<1**	**3**	**5**	**9**	**12**	**24**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	438	3.3	5	1	1	3	4	6	7	11
20-34	201	3.4	4	1	1	3	4	6	7	10
35-49	98	3.3	4	1	1	3	4	6	7	10
50-64	128	3.8	5	1	1	3	5	7	9	12
65+	220	5.7	25	1	2	4	7	11	13	33
B. *Operated*										
0-19 YRS	239	2.3	5	<1	<1	1	3	5	7	11
20-34	270	2.7	6	<1	<1	2	3	6	8	12
35-49	292	2.7	6	<1	<1	2	3	6	8	12
50-64	287	3.1	11	<1	<1	2	4	6	8	16
65+	357	4.2	12	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	854	4.4	9	1	2	4	5	8	10	15
20-34	667	4.9	14	1	2	4	6	9	12	20
35-49	537	5.9	18	1	2	5	8	11	13	20
50-64	1089	7.2	35	2	2	6	9	13	17	27
65+	5165	10.3	88	2	3	8	12	19	26	83
B. *Operated*										
0-19 YRS	325	5.0	60	<1	<1	3	6	11	15	37
20-34	422	5.1	43	<1	1	3	7	11	14	42
35-49	521	5.9	44	<1	1	4	8	13	19	37
50-64	1055	7.3	90	1	1	4	9	16	23	64
65+	2958	10.9	141	2	2	8	14	23	34	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	3.9	9	1	1	3	5	7	9	14
B. *Operated*	1445	3.1	9	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	8312	8.6	68	2	2	7	11	16	22	54
B. *Operated*	5281	8.9	114	1	1	6	11	19	28	71
1. SINGLE DX	2530	3.4	9	<1	1	3	4	7	9	14
2. MULTIPLE DX	13593	8.7	86	1	2	6	11	17	24	64
A. NOT OPERATED	9397	8.1	64	2	2	6	10	15	20	50
B. OPERATED	6726	7.6	97	<1	1	5	10	17	25	63
TOTAL 0-19 YRS	1856	4.0	17	<1	1	3	5	8	10	18
20-34	1560	4.4	20	<1	1	3	5	9	12	21
35-49	1448	5.1	26	<1	1	4	7	11	14	26
50-64	2559	6.6	56	1	1	5	8	14	18	37
65+	8700	10.2	104	2	2	8	12	19	29	82
GRAND TOTAL	**16123**	**7.9**	**78**	**1**	**2**	**6**	**10**	**16**	**22**	**57**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	17	4.0	22	<1	1	3	4	7	16	21
65+	33	3.6	10	<1	1	2	4	8	10	15
B. *Operated*										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	7	4.6	24	<1	<1	2	7	13	14	14
35-49	86	3.6	8	<1	<1	2	6	7	9	12
50-64	1606	5.4	9	1	2	5	7	9	11	14
65+	2831	6.6	13	2	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	17	4.9	9	1	1	5	6	9	11	11
50-64	169	4.0	10	1	1	3	5	8	9	15
65+	537	6.5	66	1	1	5	8	13	19	55
B. *Operated*										
0-19 YRS	7	10.1	20	5	5	9	13	17	18	18
20-34	11	6.0	56	<1	<1	2	8	19	24	24
35-49	168	6.2	44	1	1	5	8	13	15	52
50-64	3659	7.5	27	2	2	6	9	13	16	25
65+	10863	9.6	55	2	4	8	11	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.8	14	<1	1	3	4	8	10	21
B. *Operated*	4534	6.1	12	1	2	6	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	727	5.9	52	1	1	4	7	12	15	38
B. *Operated*	14708	9.0	49	2	3	7	11	16	21	37
1. SINGLE DX	4587	6.1	12	1	2	6	7	10	12	17
2. MULTIPLE DX	15435	8.9	50	2	3	7	11	16	20	37
A. NOT OPERATED	780	5.8	50	1	1	4	7	12	15	36
B. OPERATED	19242	8.4	42	2	3	7	10	15	19	34
TOTAL 0-19 YRS	13	7.8	21	1	1	7	9	15	17	18
20-34	22	5.5	37	<1	<1	3	8	14	19	24
35-49	272	5.3	31	<1	1	4	7	11	13	39
50-64	5451	6.7	22	1	2	6	8	12	15	23
65+	14264	8.9	49	2	3	7	11	16	20	37
GRAND TOTAL	**20022**	**8.3**	**42**	**2**	**3**	**7**	**10**	**15**	**19**	**34**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	3	1	1	3	4	6	7	7
20-34	35	3.0	2	1	2	3	4	5	5	6
35-49	34	6.3	123	1	1	4	7	10	11	67
50-64	45	4.6	5	2	2	4	6	8	9	12
65+	26	4.2	5	1	2	4	5	7	9	9
B. *Operated*										
0-19 YRS	10	2.1	3	<1	<1	1	2	5	6	6
20-34	66	2.2	10	<1	<1	1	2	5	7	21
35-49	110	2.2	3	<1	<1	1	2	4	7	9
50-64	85	2.4	4	<1	<1	2	3	5	7	10
65+	54	4.1	41	1	1	3	4	6	9	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	59	4.1	6	1	2	3	5	8	10	11
35-49	82	4.8	15	1	2	4	6	7	9	26
50-64	172	5.1	8	1	2	5	6	8	10	15
65+	169	6.2	14	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	9	3.0	5	<1	<1	2	5	6	6	6
20-34	100	3.0	8	<1	<1	2	4	6	9	14
35-49	215	3.8	13	<1	1	2	5	8	10	17
50-64	300	4.9	17	1	1	4	7	9	13	20
65+	276	7.3	36	2	2	6	9	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.5	32	1	2	4	5	7	9	12
B. *Operated*	325	2.6	11	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	484	5.3	12	2	2	5	7	9	11	19
B. *Operated*	900	5.1	23	<1	1	4	7	11	14	24
1. SINGLE DX	474	3.2	19	<1	<1	2	4	6	8	11
2. MULTIPLE DX	1384	5.2	19	1	1	4	7	10	13	22
A. NOT OPERATED	633	5.1	16	1	2	4	6	8	11	18
B. OPERATED	1225	4.5	21	<1	1	3	6	9	13	23
TOTAL 0-19 YRS	30	3.0	5	<1	<1	2	4	6	7	10
20-34	260	3.0	7	<1	<1	2	4	6	8	13
35-49	441	3.8	21	<1	<1	3	5	7	9	17
50-64	602	4.6	12	1	1	4	6	9	11	17
65+	525	6.5	29	2	2	5	8	12	17	28
GRAND TOTAL	**1858**	**4.7**	**20**	**<1**	**1**	**3**	**6**	**9**	**12**	**21**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3	1	<1	<1	1	1	3	3	3
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49										
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	253	2.0	1	<1	<1	2	2	3	5	6
20-34	144	2.8	2	1	1	3	3	4	5	7
35-49	162	2.8	2	1	1	3	3	5	5	8
50-64	254	2.8	1	1	1	3	3	4	5	7
65+	144	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.2	1	<1	<1	1	1	2	3	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	14	3.9	13	<1	<1	3	5	11	11	11
65+	11	4.3	10	1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS	221	1.9	1	<1	<1	2	2	3	4	7
20-34	64	4.1	32	1	1	3	4	6	12	40
35-49	102	3.4	4	1	1	3	4	6	7	12
50-64	274	4.3	14	1	2	3	5	7	10	26
65+	257	4.6	13	1	2	4	5	8	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.4	4	<1	<1	1	3	6	7	8
B. *Operated*	957	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	51	2.6	8	<1	<1	1	3	7	9	11
B. *Operated*	918	3.7	12	<1	1	3	4	7	9	22
1. SINGLE DX	972	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	969	3.6	12	<1	1	3	4	7	9	22
A. NOT OPERATED	66	2.6	7	<1	<1	1	3	7	8	11
B. OPERATED	1875	3.2	7	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	504	1.9	1	<1	<1	2	2	3	4	6
20-34	214	3.1	11	1	1	3	4	4	6	13
35-49	265	3.0	3	1	1	3	4	5	6	9
50-64	545	3.6	8	1	2	3	4	5	7	14
65+	413	4.1	10	1	2	3	5	7	9	22
GRAND TOTAL	**1941**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	3.4	8	<1	1	3	4	7	9	14
20-34	193	4.6	6	1	2	4	6	8	9	12
35-49	93	5.0	9	1	2	5	6	8	10	18
50-64	91	5.6	6	2	2	6	7	9	10	12
65+	50	6.1	6	3	3	5	8	10	11	12
B. *Operated*										
0-19 YRS	46	2.6	2	1	1	2	3	4	6	8
20-34	49	5.1	21	<1	1	4	6	9	12	29
35-49	42	4.8	16	1	1	3	6	10	15	18
50-64	29	5.1	13	<1	1	4	7	11	12	12
65+	26	4.4	10	1	2	4	5	[illegible]	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	13	1	1	3	5	9	13	15
20-34	111	5.2	29	1	2	4	6	10	11	31
35-49	98	5.9	9	1	3	5	7	10	13	15
50-64	148	6.4	10	2	3	6	8	11	12	17
65+	188	7.3	12	3	4	7	9	12	14	18
B. *Operated*										
0-19 YRS	20	4.0	8	1	1	3	6	8	10	11
20-34	43	5.4	20	1	2	4	6	13	17	18
35-49	48	8.3	60	2	2	6	10	18	28	33
50-64	82	8.2	76	2	2	6	11	17	20	54
65+	135	9.6	76	2	2	8	13	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	4.7	8	1	2	4	6	8	10	12
B. *Operated*	192	4.3	14	1	1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	577	6.2	15	2	2	6	8	11	13	17
B. *Operated*	328	8.2	65	2	2	6	11	17	21	32
1. SINGLE DX	739	4.6	9	1	1	4	6	8	10	15
2. MULTIPLE DX	905	6.9	34	2	2	6	9	13	17	26
A. NOT OPERATED	1124	5.5	12	1	2	5	7	10	11	16
B. OPERATED	520	6.8	49	1	2	4	9	15	19	29
TOTAL 0-19 YRS	218	3.4	8	1	1	3	4	8	9	14
20-34	396	4.9	16	1	2	4	6	8	11	18
35-49	281	5.8	20	1	2	5	7	10	14	27
50-64	350	6.5	26	2	2	6	8	11	14	20
65+	399	7.7	35	2	3	6	10	14	17	25
GRAND TOTAL	**1644**	**5.9**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	745	1.4		<1	<1	1	2	2	2	4
20-34	149	1.8	1	<1	<1	2	2	2	3	4
35-49	96	1.8	1	<1	<1	2	2	2	3	7
50-64	68	1.9	1	<1	1	2	2	3	3	4
65+	35	1.9		<1	1	2	2	2	4	4
B. *Operated*										
0-19 YRS	276	1.3	1	<1	<1	1	2	2	2	4
20-34	81	1.5		<1	<1	1	2	2	3	3
35-49	52	1.7	1	<1	<1	2	2	2	3	5
50-64	61	1.8	1	<1	<1	2	2	3	4	6
65+	30	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	1.3		<1	<1	1	1	2	3	4
20-34	59	2.4	4	<1	<1	2	2	5	7	11
35-49	73	2.4	4	<1	1	2	3	4	7	11
50-64	98	2.7	4	1	1	2	3	4	7	13
65+	83	2.7	5	1	1	2	3	5	8	13
B. *Operated*										
0-19 YRS	95	1.8	4	<1	<1	1	2	3	4	13
20-34	64	2.2	2	<1	<1	2	2	4	5	9
35-49	100	2.0	2	<1	1	2	2	3	4	8
50-64	136	3.0	38	<1	1	2	3	4	6	23
65+	156	5.2	82	<1	1	2	5	11	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1093	1.5	1	<1	<1	1	2	2	2	4
B. *Operated*	500	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	482	2.1	3	<1	<1	2	2	3	5	11
B. *Operated*	551	3.1	35	<1	<1	2	3	5	9	24
1. SINGLE DX	1593	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	1033	2.7	21	<1	<1	2	2	4	8	16
A. NOT OPERATED	1575	1.7	1	<1	<1	1	2	2	3	8
B. OPERATED	1051	2.4	20	<1	<1	2	2	3	6	16
TOTAL 0-19 YRS	1285	1.4	1	<1	<1	1	2	2	2	4
20-34	353	1.9	2	<1	<1	2	2	3	4	9
35-49	321	2.0	2	<1	<1	2	2	3	4	9
50-64	363	2.5	16	<1	1	2	2	4	5	13
65+	304	3.8	45	<1	1	2	3	8	11	29
GRAND TOTAL	**2626**	**2.0**	**9**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.7	132	<1	<1	1	3	5	10	81
20-34	64	2.4	2	<1	<1	2	3	5	5	6
35-49	40	2.4	3	<1	<1	2	4	5	5	7
50-64	15	1.7	1	<1	<1	2	2	3	4	4
65+	10	1.8	1	1	1	2	2	3	4	4
B. *Operated*										
0-19 YRS	601	2.0	2	<1	1	2	2	3	4	7
20-34	406	2.4	2	<1	1	2	3	4	5	9
35-49	259	2.7	4	<1	1	2	3	5	6	15
50-64	248	3.3	4	1	1	3	4	6	6	11
65+	100	3.7	6	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.5	25	<1	<1	2	4	8	13	31
20-34	40	3.8	19	<1	1	2	5	8	11	25
35-49	60	3.6	8	<1	1	2	5	9	10	13
50-64	55	3.6	6	<1	1	2	5	8	9	9
65+	65	6.8	43	<1	1	6	9	13	16	37
B. *Operated*										
0-19 YRS	226	2.5	4	1	1	2	3	5	5	12
20-34	258	3.7	15	1	1	3	4	8	10	18
35-49	281	4.9	31	1	1	3	6	9	12	34
50-64	467	5.4	49	1	2	4	6	9	12	36
65+	305	7.2	105	1	2	4	7	14	19	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	2.8	46	<1	<1	2	3	5	5	10
B. *Operated*	1614	2.5	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	268	4.4	23	<1	1	2	6	9	12	27
B. *Operated*	1537	4.9	47	1	1	3	6	9	12	37
1. SINGLE DX	1809	2.5	8	<1	1	2	3	4	6	10
2. MULTIPLE DX	1805	4.9	43	1	1	3	6	9	12	34
A. NOT OPERATED	463	3.7	33	<1	1	2	4	8	10	24
B. OPERATED	3151	3.7	26	1	1	2	4	7	9	21
TOTAL 0-19 YRS	941	2.3	13	<1	1	2	3	4	5	10
20-34	768	2.9	8	<1	1	2	3	5	7	15
35-49	640	3.7	17	<1	1	3	4	7	10	21
50-64	785	4.5	32	1	1	3	5	8	10	24
65+	480	6.3	76	1	2	4	7	12	17	49
GRAND TOTAL	**3614**	**3.7**	**27**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	1.3	1	<1	<1	1	1	3	3	3
50-64	7	1.4		<1	<1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	81	1.9	1	<1	<1	2	2	3	4	4
20-34	643	1.9	1	<1	<1	2	2	3	4	6
35-49	1605	2.0	1	<1	<1	2	2	3	3	6
50-64	889	2.1	1	<1	<1	2	2	3	4	6
65+	330	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.2	6	1	1	3	5	7	7	7
35-49	15	1.9	4	<1	<1	1	2	6	7	7
50-64	8	2.4	6	<1	<1	1	3	7	8	8
65+	12	3.4	14	<1	<1	2	5	10	12	12
B. *Operated*										
0-19 YRS	23	2.4	1	<1	1	2	3	4	5	5
20-34	328	2.6	3	<1	<1	2	3	4	6	9
35-49	873	2.6	4	<1	1	2	3	5	6	9
50-64	793	3.0	5	1	1	2	3	5	7	13
65+	536	3.4	9	1	2	2	4	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	3548	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	40	2.6	8	<1	<1	1	3	7	8	12
B. *Operated*	2553	2.9	5	<1	1	2	3	5	7	12
1. SINGLE DX	3566	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2593	2.9	5	<1	1	2	3	5	7	12
A. NOT OPERATED	58	2.3	6	<1	<1	1	2	6	8	12
B. OPERATED	6101	2.4	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	104	2.0	1	<1	<1	2	2	4	4	5
20-34	978	2.2	2	<1	<1	2	3	4	5	8
35-49	2501	2.2	2	<1	<1	2	2	3	4	8
50-64	1697	2.5	3	<1	1	2	3	4	6	10
65+	879	3.0	6	1	1	2	3	5	7	13
GRAND TOTAL	**6159**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.7	6	1	1	3	5	8	9	9
20-34	45	3.4	3	1	1	3	5	6	6	9
35-49	24	3.8	6	<1	1	3	5	8	8	9
50-64	9	4.4	9	1	1	5	6	9	10	10
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	343	2.8	2	<1	1	3	4	4	5	7
20-34	701	2.8	2	<1	1	3	3	4	5	8
35-49	455	2.8	3	<1	1	2	3	5	6	9
50-64	286	2.7	3	<1	1	2	3	5	5	9
65+	122	2.3	3	<1	<1	2	3	4	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	12	<1	<1	1	6	8	11	12
20-34	50	3.6	9	<1	<1	3	5	7	9	14
35-49	43	3.1	7	<1	<1	1	5	8	8	11
50-64	50	4.2	20	<1	<1	2	5	10	13	20
65+	37	4.3	16	<1	1	4	6	9	10	21
B. *Operated*										
0-19 YRS	85	2.8	2	<1	1	3	4	4	5	6
20-34	353	3.3	8	<1	1	3	4	5	7	16
35-49	404	3.7	9	1	1	3	4	7	9	15
50-64	323	3.8	8	1	2	3	4	7	9	17
65+	225	4.7	34	1	2	3	5	9	13	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.6	5	1	1	3	5	7	8	10
B. *Operated*	1907	2.7	2	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	199	3.8	13	<1	<1	3	5	9	10	19
B. *Operated*	1390	3.7	12	1	1	3	4	6	9	18
1. SINGLE DX	2010	2.8	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1589	3.7	12	1	1	3	4	7	10	18
A. NOT OPERATED	302	3.7	10	<1	<1	3	5	8	10	16
B. OPERATED	3297	3.2	7	1	1	3	4	5	7	13
TOTAL 0-19 YRS	469	2.9	2	<1	1	3	4	5	6	8
20-34	1149	3.0	4	<1	1	3	4	5	6	10
35-49	926	3.2	6	<1	1	3	4	6	8	12
50-64	668	3.4	7	1	1	3	4	6	8	16
65+	387	3.9	23	<1	1	2	4	8	10	31
GRAND TOTAL	**3599**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	2.5	3	1	1	2	3	4	5	7
20-34	744	2.3	2	1	1	2	3	4	5	7
35-49	148	2.6	3	1	1	2	3	5	6	8
50-64	11	2.5	2	1	1	2	3	5	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	393	4.0	5	1	1	4	6	7	8	11
20-34	1297	4.1	7	1	1	4	6	7	8	13
35-49	362	4.8	7	<1	1	5	6	8	8	13
50-64	74	6.1	9	1	1	7	8	9	9	17
65+	26	8.2	17	2	4	8	9	14	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	3.0	5	1	1	2	4	5	7	11
20-34	477	3.0	5	1	1	2	4	6	7	10
35-49	144	3.3	5	<1	1	3	4	7	8	11
50-64	14	4.7	10	<1	1	4	7	8	11	12
65+	10	4.5	10	1	1	4	4	10	12	12
B. *Operated*										
0-19 YRS	379	4.8	7	1	1	5	6	8	9	13
20-34	2500	5.1	8	1	2	5	7	8	10	15
35-49	1241	6.5	15	1	2	6	8	10	13	21
50-64	227	7.1	18	2	2	7	8	11	13	21
65+	124	9.7	30	5	6	8	11	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1339	2.4	2	1	1	2	3	4	5	7
B. *Operated*	2152	4.3	7	1	1	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	861	3.1	5	1	1	2	4	6	7	11
B. *Operated*	4471	5.7	12	1	2	6	7	9	11	18
1. SINGLE DX	3491	3.6	6	1	1	3	5	7	8	11
2. MULTIPLE DX	5332	5.3	12	1	1	5	7	9	11	17
A. NOT OPERATED	2200	2.7	4	1	1	2	3	5	6	9
B. OPERATED	6623	5.3	11	1	1	5	7	8	10	17
TOTAL 0-19 YRS	1422	3.6	6	1	1	3	5	7	8	11
20-34	5018	4.2	8	1	1	4	6	7	9	13
35-49	1895	5.7	14	1	1	6	7	9	11	19
50-64	326	6.6	16	1	2	7	8	10	12	18
65+	162	9.0	28	3	4	8	10	15	19	34
GRAND TOTAL	**8823**	**4.6**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	672	4.4	6	1	2	4	5	7	9	12
20-34	1834	4.6	7	2	2	4	6	7	9	14
35-49	278	5.2	8	1	2	5	7	9	11	14
50-64	10	6.8	22	1	1	5	12	13	14	14
65+	5	5.8	47	2	2	3	7	18	18	18
B. *Operated*										
0-19 YRS	149	4.8	10	1	1	4	6	9	11	15
20-34	920	3.7	8	<1	<1	3	6	7	8	13
35-49	278	4.6	13	<1	<1	4	7	9	12	16
50-64	31	5.9	30	<1	<1	3	8	15	18	20
65+	8	7.3	68	<1	<1	4	11	21	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	5.1	9	2	2	4	7	8	11	16
20-34	1155	5.0	8	2	2	4	6	9	11	14
35-49	289	6.4	16	2	2	6	8	12	14	21
50-64	33	7.0	8	4	4	7	9	12	13	99+
65+	16	10.9	36	2	4	10	15	21	22	22
B. *Operated*										
0-19 YRS	253	6.1	16	1	2	6	8	11	14	22
20-34	2703	5.0	13	<1	1	5	7	9	11	18
35-49	1109	7.1	37	<1	1	6	9	13	16	31
50-64	108	9.4	59	1	2	8	11	18	25	43
65+	65	14.6	119	4	5	12	20	25	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2799	4.6	7	2	2	4	6	8	9	14
B. *Operated*	1386	4.1	10	<1	<1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1884	5.4	10	2	2	5	7	9	11	17
B. *Operated*	4238	5.8	24	<1	1	5	7	10	14	25
1. SINGLE DX	4185	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	6122	5.7	20	<1	1	5	7	10	13	22
A. NOT OPERATED	4683	4.9	8	2	2	4	6	8	10	15
B. OPERATED	5624	5.4	21	<1	1	5	7	10	13	23
TOTAL 0-19 YRS	1465	4.9	9	1	2	4	6	8	10	15
20-34	6612	4.7	10	<1	1	4	6	8	10	16
35-49	1954	6.4	27	1	1	6	8	12	15	26
50-64	182	8.2	44	1	2	7	10	16	21	44
65+	94	12.9	103	2	3	10	18	24	29	58
GRAND TOTAL	**10307**	**5.2**	**16**	**1**	**1**	**5**	**7**	**9**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	4	1	1	4	5	6	7	7
20-34	41	3.0	5	<1	1	2	4	6	7	9
35-49	13	2.5	4	<1	1	2	3	5	7	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	47	2.4	3	<1	<1	2	4	6	6	7
20-34	814	3.3	6	<1	<1	2	5	7	7	9
35-49	437	4.8	7	<1	1	5	7	8	8	11
50-64	29	5.7	7	1	1	7	7	8	9	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.6	16	<1	1	4	5	11	14	14
20-34	61	3.2	7	<1	<1	2	4	7	9	14
35-49	38	3.4	8	<1	<1	2	5	8	9	13
50-64	3	3.7	1	3	3	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	50	3.1	5	1	1	2	5	7	8	9
20-34	2328	4.8	9	<1	1	5	6	8	9	14
35-49	2699	6.4	10	1	2	6	8	9	11	16
50-64	277	7.1	11	2	5	7	8	9	11	21
65+	32	10.2	40	6	6	8	11	16	26	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.1	4	1	1	2	4	6	7	9
B. *Operated*	1327	3.8	7	<1	<1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	110	3.4	8	<1	<1	3	5	7	9	14
B. *Operated*	5386	5.7	11	<1	1	6	7	8	10	15
1. SINGLE DX	1395	3.7	7	<1	<1	3	6	7	8	10
2. MULTIPLE DX	5496	5.7	11	<1	1	6	7	8	10	15
A. NOT OPERATED	178	3.2	7	<1	1	2	5	7	8	14
B. OPERATED	6713	5.3	11	<1	1	6	7	8	10	15
TOTAL 0-19 YRS	116	3.0	5	<1	1	2	4	6	7	11
20-34	3244	4.4	9	<1	<1	5	6	8	8	12
35-49	3187	6.1	10	1	2	6	7	9	10	16
50-64	311	6.9	10	1	4	7	8	9	11	20
65+	33	10.0	40	4	6	8	11	16	26	33
GRAND TOTAL	**6891**	**5.3**	**11**	**<1**	**1**	**6**	**7**	**8**	**9**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	82	1.9	2	<1	<1	2	2	3	5	8
35-49	97	2.0	2	<1	<1	2	2	3	5	8
50-64	32	1.9	2	<1	<1	2	2	2	6	7
65+	12	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	9	4.6	8	1	1	4	7	8	9	9
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	2	4	5	5
20-34	271	2.7	6	<1	<1	2	4	6	7	10
35-49	462	3.3	12	<1	<1	2	5	7	9	18
50-64	196	2.8	7	<1	1	2	3	7	8	15
65+	62	4.5	22	1	2	2	6	9	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	227	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	16	4.6	9	1	1	4	7	9	10	11
B. *Operated*	1001	3.1	10	<1	<1	2	4	7	8	15
1. SINGLE DX	229	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1017	3.1	10	<1	<1	2	4	7	8	15
A. NOT OPERATED	18	4.2	9	1	1	3	7	8	10	11
B. OPERATED	1228	2.9	9	<1	<1	2	3	7	8	14
TOTAL 0-19 YRS	17	1.8	1	<1	<1	2	2	3	4	5
20-34	363	2.6	5	<1	<1	2	3	6	7	9
35-49	563	3.1	10	<1	<1	2	4	7	8	14
50-64	229	2.8	7	<1	1	2	2	7	8	14
65+	74	4.1	19	1	2	2	5	9	11	25
GRAND TOTAL	**1246**	**2.9**	**9**	**<1**	**<1**	**2**	**3**	**7**	**8**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.8	3	1	1	3	4	5	6	8
20-34	103	3.6	6	<1	1	3	5	7	8	12
35-49	28	4.1	6	1	2	4	5	8	10	10
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	3	7.3	5	6	6	6	9	10	10	10
B. *Operated*										
0-19 YRS	99	1.9	1	<1	1	2	3	3	4	5
20-34	718	2.0	2	<1	<1	2	2	3	4	7
35-49	330	2.0	2	<1	<1	2	2	3	5	8
50-64	96	2.1	2	<1	1	2	2	4	5	8
65+	22	2.8	5	<1	1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.0	13	1	1	3	4	6	9	24
20-34	113	4.4	10	1	1	4	6	8	9	17
35-49	50	5.7	34	1	2	5	7	10	11	40
50-64	23	6.1	15	1	2	5	8	10	13	18
65+	37	6.9	12	2	2	7	9	12	14	15
B. *Operated*										
0-19 YRS	38	3.1	5	1	1	2	5	6	8	10
20-34	286	3.2	12	<1	<1	2	4	7	8	14
35-49	243	3.3	25	<1	<1	2	4	7	10	22
50-64	110	4.1	59	<1	1	2	3	8	11	49
65+	78	6.8	64	1	1	4	9	16	21	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.5	5	1	1	3	4	7	8	10
B. *Operated*	1265	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	276	5.0	16	1	2	4	6	9	11	22
B. *Operated*	755	3.7	29	<1	<1	2	4	8	10	33
1. SINGLE DX	1456	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1031	4.1	26	<1	1	2	5	8	11	25
A. NOT OPERATED	467	4.4	12	1	1	4	6	8	10	15
B. OPERATED	2020	2.7	13	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	243	2.8	5	<1	1	2	4	5	6	10
20-34	1220	2.6	6	<1	1	2	3	5	7	11
35-49	651	2.9	14	<1	<1	2	3	6	8	14
50-64	233	3.5	32	<1	1	2	3	7	10	35
65+	140	6.2	42	1	1	4	9	12	16	51
GRAND TOTAL	**2487**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	5	3.6	10	1	1	3	5	9	9	9
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	166	5.4	4	2	3	5	6	8	9	11
35-49	395	6.1	5	3	4	6	7	9	10	12
50-64	718	7.0	6	4	4	7	8	10	11	16
65+	692	7.2	6	4	5	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.4	1	<1	<1	1	2	3	3	3
35-49	33	2.3	6	<1	<1	1	2	6	7	12
50-64	36	2.6	6	<1	1	1	4	6	8	11
65+	96	5.1	36	<1	<1	3	7	14	16	33
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	639	5.7	7	<1	1	6	7	8	10	13
35-49	1947	7.1	8	3	4	7	8	10	13	17
50-64	2046	7.7	10	4	5	7	9	11	13	19
65+	2186	8.4	20	4	5	7	10	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	5	<1	<1	2	3	6	9	9
B. *Operated*	1974	6.8	6	3	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	173	3.9	24	<1	<1	2	5	9	14	27
B. *Operated*	6819	7.6	13	4	5	7	9	11	13	20
1. SINGLE DX	1985	6.7	6	3	4	7	8	10	11	15
2. MULTIPLE DX	6992	7.5	13	3	4	7	9	11	13	20
A. NOT OPERATED	184	3.8	23	<1	<1	2	5	9	14	26
B. OPERATED	8793	7.4	11	4	4	7	8	11	13	19
TOTAL 0-19 YRS	4	8.0	22	2	2	8	11	13	13	13
20-34	813	5.6	7	<1	2	6	7	8	10	13
35-49	2378	6.9	8	2	4	7	8	10	12	17
50-64	2803	7.4	9	4	5	7	8	11	13	18
65+	2979	8.1	18	4	5	7	9	12	14	23
GRAND TOTAL	**8977**	**7.3**	**12**	**3**	**4**	**7**	**8**	**11**	**13**	**19**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.2	3	<1	<1	1	3	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	94	1.7	1	<1	<1	1	2	3	5	6
35-49	165	1.4	1	<1	<1	1	2	2	2	5
50-64	20	2.0	1	<1	<1	2	2	4	5	5
65+										
2. MULTIPLE DX										
A. *Not Operatad*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	98	2.2	3	<1	<1	2	2	5	6	8
35-49	256	2.8	11	<1	<1	2	3	6	8	16
50-64	23	3.0	10	<1	1	2	2	9	11	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	3	<1	<1	1	3	5	5	5
B. *Operated*	282	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	12	1.8	1	1	1	2	2	3	3	3
B. *Operated*	381	2.6	9	<1	<1	2	3	6	7	13
1. SINGLE DX	287	1.6	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX	393	2.6	9	<1	<1	2	3	6	7	13
A. NOT OPERATED	17	1.9	1	<1	<1	1	3	3	4	5
B. OPERATED	663	2.2	6	<1	<1	1	2	5	6	11
TOTAL 0-19 YRS	8	2.0	3	<1	<1	1	2	5	6	6
20-34	203	2.0	2	<1	<1	1	2	4	5	7
35-49	426	2.2	7	<1	<1	1	2	5	7	12
50-64	43	2.5	6	<1	1	2	2	5	9	12
65+										
GRAND TOTAL	**680**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**5**	**6**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.2	5	<1	<1	1	3	4	5	14
20-34	198	1.6	1	<1	<1	1	2	3	3	6
35-49	75	1.7	2	<1	<1	1	2	3	3	10
50-64	9	1.1		<1	<1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS	146	1.6	1	<1	<1	1	2	3	4	5
20-34	2108	1.6	1	<1	<1	1	2	2	4	7
35-49	3222	1.6	2	<1	<1	1	2	2	4	7
50-64	420	1.5	1	<1	<1	1	2	2	2	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.8	4	1	1	2	4	5	7	9
20-34	203	2.5	5	<1	1	2	3	5	7	11
35-49	153	2.3	3	<1	<1	2	3	5	6	10
50-64	20	2.9	6	<1	<1	2	4	6	8	10
65+										
B. *Operated*										
0-19 YRS	110	2.5	4	<1	<1	2	3	5	6	11
20-34	2385	2.6	6	<1	<1	2	3	6	7	10
35-49	4814	3.0	8	<1	<1	2	5	7	8	12
50-64	643	2.7	7	<1	<1	2	3	7	8	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	5896	1.6	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	455	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	7952	2.9	7	<1	<1	2	4	7	8	11
1. SINGLE DX	6256	1.6	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	8407	2.8	7	<1	<1	2	4	7	8	11
A. NOT OPERATED	815	2.2	3	<1	<1	2	3	4	5	9
B. OPERATED	13848	2.3	5	<1	<1	2	2	6	7	10
TOTAL 0-19 YRS	413	2.2	3	<1	<1	2	3	4	5	9
20-34	4894	2.1	4	<1	<1	1	2	5	6	9
35-49	8264	2.4	6	<1	<1	2	2	6	7	10
50-64	1092	2.3	5	<1	<1	2	2	6	7	11
65+										
GRAND TOTAL	**14663**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.0	1	1	1	2	3	4	4	4
65+	6	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	3.0	9	<1	<1	2	4	8	8	8
35-49	330	1.5	1	<1	<1	1	2	2	2	6
50-64	1240	1.5		<1	<1	1	2	2	2	3
65+	313	1.9	1	<1	1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	14	2.2	3	<1	<1	2	3	5	6	7
50-64	53	3.3	14	<1	<1	2	4	8	12	20
65+	61	6.3	40	<1	1	4	8	15	20	92
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	310	2.1	3	<1	<1	2	2	4	6	9
50-64	1474	2.4	6	<1	<1	2	2	5	8	13
65+	728	3.5	27	1	1	2	3	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	1888	1.6	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	129	4.7	27	<1	1	3	6	12	16	48
B. *Operated*	2514	2.7	12	<1	<1	2	2	6	8	15
1. SINGLE DX	1905	1.6	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	2643	2.8	13	<1	<1	2	2	6	8	16
A. NOT OPERATED	146	4.3	25	<1	1	2	6	11	15	37
B. OPERATED	4402	2.2	8	<1	<1	2	2	3	7	11
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.3	7	<1	<1	2	5	8	8	8
35-49	656	1.8	2	<1	<1	1	2	2	5	8
50-64	2774	2.0	4	<1	<1	2	2	3	6	10
65+	1108	3.2	22	1	1	2	3	7	9	19
GRAND TOTAL	**4548**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.3	4	<1	<1	1	3	5	6	10
20-34	94	2.8	5	<1	1	2	3	5	7	13
35-49	35	2.7	3	1	1	2	4	5	6	9
50-64	8	3.6	4	1	1	3	5	6	7	7
65+	10	7.4	90	1	1	4	6	24	31	31
B. *Operated*										
0-19 YRS	99	2.5	5	<1	<1	2	4	5	6	12
20-34	1165	2.4	4	<1	<1	2	3	5	6	9
35-49	1001	2.5	5	<1	<1	2	2	6	7	12
50-64	569	2.4	5	<1	<1	2	2	6	8	11
65+	174	3.0	11	<1	1	2	3	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.1	4	1	1	2	4	7	7	8
20-34	78	2.2	5	<1	<1	1	3	4	6	14
35-49	72	3.0	8	<1	<1	2	4	6	9	17
50-64	35	5.9	135	<1	1	4	5	10	17	69
65+	76	8.0	66	1	2	6	9	17	23	48
B. *Operated*										
0-19 YRS	117	3.6	8	<1	<1	3	5	7	9	15
20-34	1474	3.2	8	<1	<1	2	5	7	8	13
35-49	2774	3.7	11	<1	<1	2	6	8	9	16
50-64	1667	3.8	19	<1	<1	2	6	8	10	20
65+	801	6.0	61	1	1	3	7	14	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.0	10	<1	1	2	4	5	7	16
B. *Operated*	3008	2.5	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	296	4.4	42	<1	1	3	5	9	13	29
B. *Operated*	6833	3.9	19	<1	<1	2	6	8	10	20
1. SINGLE DX	3196	2.5	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX	7129	3.9	20	<1	<1	2	6	8	10	20
A. NOT OPERATED	484	3.9	30	<1	1	2	4	7	11	27
B. OPERATED	9841	3.4	15	<1	<1	2	5	7	9	18
TOTAL 0-19 YRS	292	3.0	6	<1	<1	2	4	6	7	12
20-34	2811	2.8	6	<1	<1	2	4	6	7	11
35-49	3882	3.4	10	<1	<1	2	5	7	8	15
50-64	2279	3.5	18	<1	<1	2	5	8	9	18
65+	1061	5.7	55	1	1	3	7	13	19	38
GRAND TOTAL	**10325**	**3.5**	**16**	**<1**	**<1**	**2**	**5**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	1.9	1	<1	1	2	2	3	4	6
20-34	255	2.1	3	<1	<1	2	2	4	5	10
35-49	56	2.6	5	<1	1	2	3	5	9	12
50-64	6	3.3	7	<1	<1	2	5	8	8	8
65+	3	6.7	65	2	2	2	13	16	16	16
B. *Operated*										
0-19 YRS	94	2.1	2	<1	<1	2	3	4	5	7
20-34	1001	2.4	4	<1	<1	2	3	6	7	9
35-49	429	4.8	12	<1	1	5	7	9	10	13
50-64	204	7.0	8	2	3	7	9	10	12	15
65+	72	9.2	16	4	5	9	11	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	2.0	1	<1	1	2	3	4	4	6
20-34	218	2.2	4	<1	<1	1	3	5	7	11
35-49	82	2.9	16	<1	<1	2	3	6	8	26
50-64	26	4.1	16	<1	<1	2	7	11	28	99+
65+	20	5.5	25	<1	<1	3	9	14	17	17
B. *Operated*										
0-19 YRS	69	2.8	6	<1	<1	2	3	5	8	13
20-34	1789	3.6	8	<1	<1	2	6	7	8	12
35-49	893	5.3	13	<1	1	6	7	9	10	16
50-64	328	8.2	16	2	4	8	10	12	14	21
65+	214	9.6	41	2	4	8	11	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*	1800	3.8	10	<1	<1	2	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	461	2.5	8	<1	<1	2	3	5	8	15
B. *Operated*	3293	4.9	16	<1	1	5	7	9	11	18
1. SINGLE DX	2315	3.4	9	<1	<1	2	5	8	9	13
2. MULTIPLE DX	3754	4.6	15	<1	1	4	7	9	11	17
A. NOT OPERATED	976	2.3	5	<1	<1	2	3	4	6	12
B. OPERATED	5093	4.5	14	<1	<1	4	7	9	10	16
TOTAL 0-19 YRS	473	2.1	2	<1	<1	2	3	4	5	8
20-34	3263	3.0	6	<1	<1	2	5	6	7	10
35-49	1460	4.9	13	<1	1	5	7	9	10	14
50-64	564	7.5	14	1	2	7	9	12	13	20
65+	309	9.2	35	2	3	8	11	16	20	35
GRAND TOTAL	**6069**	**4.2**	**13**	**<1**	**<1**	**3**	**6**	**8**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	4	4	4
20-34	33	2.0	1	<1	<1	2	3	4	5	5
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	91	4.8	4	1	2	5	6	6	7	13
20-34	1594	5.1	2	3	3	5	6	7	8	9
35-49	225	5.4	4	3	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	16	2.3	3	<1	1	2	3	5	6	7
35-49	7	3.0	7	<1	<1	2	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	97	5.5	3	3	4	5	6	8	8	11
20-34	1401	5.5	4	3	4	5	6	8	8	12
35-49	281	5.8	3	3	4	6	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	1910	5.2	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	2.5	4	<1	1	2	3	5	7	8
B. *Operated*	1779	5.6	4	3	4	5	6	8	8	12
1. SINGLE DX	1954	5.1	3	2	3	5	6	7	8	9
2. MULTIPLE DX	1804	5.5	4	3	4	5	6	8	8	12
A. NOT OPERATED	69	2.2	2	<1	<1	2	3	5	5	8
B. OPERATED	3689	5.3	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	197	5.0	4	2	3	5	6	7	8	11
20-34	3044	5.3	3	3	3	5	6	7	8	11
35-49	517	5.6	4	3	3	5	7	8	8	11
50-64										
65+										
GRAND TOTAL	**3758**	**5.3**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.3		<1	<1	1	2	2	2	4
20-34	88	1.4	1	<1	1	1	2	2	3	5
35-49	19	1.7	4	<1	<1	1	2	2	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3177	1.3	1	<1	<1	<1	1	2	2	4
20-34	9192	1.1		<1	<1	<1	1	2	2	3
35-49	1105	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	1.1		<1	<1	<1	<1	1	2	3
20-34	165	1.2	1	<1	<1	<1	1	2	2	5
35-49	34	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	866	1.2	1	<1	<1	<1	<1	2	3	6
20-34	3069	1.5	2	<1	<1	<1	1	3	4	8
35-49	723	1.8	2	<1	<1	1	2	3	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	1.4	1	<1	1	1	2	2	2	5
B. *Operated*	13474	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	260	1.2	1	<1	<1	<1	1	2	2	4
B. *Operated*	4658	1.5	2	<1	<1	<1	1	3	4	8
1. SINGLE DX	13631	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	4918	1.5	2	<1	<1	<1	1	3	4	8
A. NOT OPERATED	417	1.3	1	<1	<1	1	1	2	2	5
B. OPERATED	18132	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	4154	1.3	1	<1	<1	<1	1	2	2	4
20-34	12514	1.2	1	<1	<1	<1	1	2	2	5
35-49	1881	1.4	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**18549**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	5.0	21	1	1	4	8	11	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	5.2	16	1	1	6	7	11	11	11
1. SINGLE DX	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX	5	5.2	16	1	1	6	7	11	11	11
A. NOT OPERATED										
B. OPERATED	7	4.0	15	<1	<1	2	6	10	11	11
TOTAL 0-19 YRS										
20-34	5	4.2	19	1	1	2	7	11	11	11
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64										
65+										
GRAND TOTAL	**7**	**4.0**	**15**	**<1**	**<1**	**2**	**6**	**10**	**11**	**11**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	1.5	1	<1	<1	1	2	3	4	6
20-34	630	1.5	1	<1	<1	1	2	2	3	5
35-49	98	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1466	1.4	1	<1	<1	1	2	2	3	5
20-34	10221	1.3	1	<1	<1	1	1	2	2	4
35-49	1811	1.3	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	3	<1	<1	1	2	4	5	8
20-34	139	2.6	5	<1	1	2	3	5	7	13
35-49	24	3.0	6	<1	1	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	161	1.9	3	<1	1	1	2	3	5	10
20-34	1469	2.1	4	<1	1	1	2	4	6	11
35-49	429	2.0	4	<1	<1	1	2	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	13498	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	190	2.5	5	<1	1	2	3	5	7	11
B. *Operated*	2059	2.1	4	<1	<1	1	2	4	6	11
1. SINGLE DX	14389	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2249	2.1	4	<1	1	1	2	4	6	11
A. NOT OPERATED	1081	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	15557	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1817	1.5	1	<1	<1	1	2	2	3	6
20-34	12459	1.4	1	<1	<1	1	1	2	3	6
35-49	2362	1.4	1	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**16638**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.1	4	1	1	3	4	5	7	11
20-34	262	2.4	4	<1	1	2	3	5	6	11
35-49	27	2.1	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	162	2.0	3	<1	<1	1	2	4	6	10
20-34	1791	1.4	1	<1	<1	1	2	2	3	6
35-49	286	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	5	1	1	3	6	6	7	9
20-34	87	3.9	11	1	1	3	5	8	12	15
35-49	14	3.6	12	<1	<1	2	7	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	46	3.2	7	<1	1	2	4	7	8	14
20-34	420	2.7	13	<1	<1	2	3	6	7	15
35-49	110	2.3	5	<1	<1	2	2	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	2239	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	123	3.7	10	1	1	3	5	8	11	14
B. *Operated*	576	2.6	11	<1	<1	2	3	6	7	13
1. SINGLE DX	2602	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	699	2.8	11	<1	1	2	3	6	8	14
A. NOT OPERATED	486	2.8	6	<1	1	2	4	6	7	12
B. OPERATED	2815	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	304	2.5	4	<1	<1	2	3	5	7	11
20-34	2560	1.8	4	<1	<1	1	2	3	5	9
35-49	437	1.8	2	<1	<1	1	2	3	5	9
50-64										
65+										
GRAND TOTAL	**3301**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.8	1	<1	<1	2	2	3	4	5
20-34	1053	2.1	2	<1	1	2	3	4	5	7
35-49	116	2.3	3	<1	1	2	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	21	2.7	4	<1	<1	2	3	6	8	8
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.5	4	1	1	2	3	6	7	8
20-34	244	3.0	19	<1	1	2	3	5	7	14
35-49	29	2.4	2	<1	1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	15	2.9	9	1	1	2	3	7	11	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	2.0	2	<1	1	2	3	4	4	7
B. *Operated*	27	2.8	8	<1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	306	2.9	15	<1	1	2	3	5	7	12
B. *Operated*	20	3.0	7	1	1	2	4	6	9	12
1. SINGLE DX	1341	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	326	2.9	15	1	1	2	3	5	7	12
A. NOT OPERATED	1620	2.2	5	<1	1	2	3	4	5	8
B. OPERATED	47	2.9	7	<1	1	2	3	7	9	13
TOTAL 0-19 YRS	184	2.0	2	<1	1	2	2	4	4	8
20-34	1333	2.2	5	<1	1	2	3	4	5	9
35-49	150	2.3	3	<1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**1667**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	40	2.0	2	<1	1	2	2	4	5	6
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	2.8	4	1	1	2	3	5	8	9
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.9	1	<1	<1	2	2	4	5	6
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	20	2.6	4	1	1	2	3	5	7	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	55	1.9	1	<1	<1	2	2	4	5	6
2. MULTIPLE DX	21	2.7	4	1	1	2	3	5	7	9
A. NOT OPERATED	73	2.1	2	<1	1	2	2	4	5	8
B. OPERATED	3	2.7	4	1	1	2	4	5	5	5
TOTAL 0-19 YRS	10	1.7	1	<1	<1	1	2	3	3	3
20-34	59	2.3	3	<1	1	2	3	5	5	9
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	**76**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.3	7	<1	1	3	4	6	9	15
20-34	1051	3.2	5	1	1	3	4	6	7	11
35-49	103	3.7	6	1	1	3	5	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.8	20	<1	<1	3	5	6	8	28
20-34	135	3.6	6	1	1	3	4	6	9	13
35-49	9	4.1	5	2	2	3	5	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	7	1	1	3	5	6	9	15
20-34	289	3.5	5	<1	1	3	5	7	9	10
35-49	51	5.0	13	1	1	4	7	10	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.5	7	<1	<1	<1	4	7	8	8
20-34	92	3.4	10	<1	<1	2	5	8	11	15
35-49	17	3.5	13	<1	<1	2	4	11	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	3.3	5	1	1	3	4	6	7	11
B. *Operated*	183	3.7	9	<1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	387	3.7	7	1	1	3	5	7	9	14
B. *Operated*	121	3.4	10	<1	<1	2	5	8	11	15
1. SINGLE DX	1536	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	508	3.7	8	<1	<1	3	5	7	9	14
A. NOT OPERATED	1740	3.4	6	1	1	3	4	6	8	12
B. OPERATED	304	3.5	9	<1	<1	3	5	7	9	14
TOTAL 0-19 YRS	297	3.4	9	<1	1	3	4	6	8	16
20-34	1567	3.3	5	1	1	3	4	6	8	12
35-49	180	4.1	9	1	1	3	5	8	10	14
50-64										
65+										
GRAND TOTAL	**2044**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	3.1	6	1	1	3	4	5	7	11
20-34	1660	4.1	9	1	2	3	5	7	9	16
35-49	76	4.0	6	1	2	4	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.3	10	<1	<1	2	5	8	8	8
20-34	7	3.0	2	2	2	2	4	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.2	6	1	1	2	4	6	8	14
20-34	566	4.4	16	1	2	3	5	9	11	23
35-49	32	5.1	6	2	3	4	7	8	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	24	5.0	23	1	2	4	6	10	14	24
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1991	3.9	9	1	2	3	5	7	8	16
B. *Operated*	11	3.1	5	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	702	4.3	14	1	2	3	5	8	11	18
B. *Operated*	28	4.6	21	1	2	3	6	9	12	24
1. SINGLE DX	2002	3.9	9	1	2	3	5	7	8	16
2. MULTIPLE DX	730	4.3	15	1	2	3	5	8	11	20
A. NOT OPERATED	2693	4.0	10	1	2	3	5	7	9	17
B. OPERATED	39	4.2	16	1	2	3	5	8	10	24
TOTAL 0-19 YRS	365	3.1	6	1	1	3	4	5	8	14
20-34	2257	4.2	11	1	2	3	5	7	10	18
35-49	110	4.3	6	1	2	4	6	8	9	13
50-64										
65+										
GRAND TOTAL	**2732**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1090	1.1		<1	<1	<1	1	1	2	3
20-34	4380	1.1		<1	<1	<1	1	1	2	3
35-49	291	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	124	1.2	1	<1	<1	<1	1	1	2	7
20-34	595	1.1		<1	<1	<1	1	1	1	3
35-49	52	1.1		<1	<1	1	1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	1.5	2	<1	<1	1	1	3	4	9
20-34	377	1.6	2	<1	<1	1	2	3	5	7
35-49	43	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.0	5	<1	<1	1	2	4	7	11
20-34	85	1.7	4	<1	<1	1	1	3	4	13
35-49	9	1.3	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5761	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	771	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	508	1.6	2	<1	<1	1	1	3	5	7
B. *Operated*	116	1.7	4	<1	<1	1	1	3	4	12
1. SINGLE DX	6532	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	624	1.6	2	<1	<1	1	1	3	4	8
A. NOT OPERATED	6269	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	887	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1324	1.1		<1	<1	<1	1	1	2	4
20-34	5437	1.1	1	<1	<1	<1	1	1	2	4
35-49	395	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**7156**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	7	<1	<1	2	4	7	7	12
20-34	434	3.5	21	1	1	2	4	6	9	24
35-49	54	4.5	41	1	1	3	5	7	10	45
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	40	3.4	10	<1	1	2	4	8	12	13
35-49	4	5.0	19	1	1	4	8	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	8	<1	<1	2	4	8	10	10
20-34	90	4.2	11	1	1	3	6	8	11	18
35-49	18	8.3	101	<1	1	4	10	22	34	40
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	6.4	54	1	1	4	8	17	26	26
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	3.5	22	1	1	2	4	6	9	24
B. *Operated*	44	3.5	11	<1	1	2	4	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	119	4.7	26	<1	1	3	6	10	12	30
B. *Operated*	11	6.0	50	1	1	4	7	16	25	26
1. SINGLE DX	562	3.5	21	1	1	2	4	7	10	24
2. MULTIPLE DX	130	4.8	28	1	1	3	6	10	12	29
A. NOT OPERATED	637	3.8	23	1	1	3	4	7	10	25
B. OPERATED	55	4.0	19	1	1	3	5	9	12	25
TOTAL 0-19 YRS	41	3.1	7	<1	<1	2	4	7	9	12
20-34	574	3.6	19	1	1	2	4	7	10	23
35-49	77	5.4	54	1	1	3	6	10	16	44
50-64										
65+										
GRAND TOTAL	**692**	**3.8**	**23**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.0	3	<1	<1	1	3	4	5	9
20-34	547	2.2	4	<1	<1	2	3	4	5	9
35-49	53	2.4	4	<1	<1	1	3	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	3	3
20-34	66	2.3	5	<1	<1	2	2	5	8	13
35-49	5	2.8	2	<1	<1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.1	2	<1	<1	2	3	4	5	8
20-34	162	2.8	7	<1	<1	2	3	5	7	14
35-49	17	3.5	20	<1	1	2	4	8	15	19
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	26	4.3	38	<1	<1	3	4	8	14	32
35-49	5	4.0	38	<1	<1	1	5	15	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	2.2	4	<1	<1	2	3	4	6	9
B. *Operated*	83	2.2	4	<1	<1	1	2	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	218	2.7	7	<1	<1	2	3	5	7	15
B. *Operated*	34	4.2	34	<1	<1	3	4	8	14	32
1. SINGLE DX	783	2.2	4	<1	<1	1	3	4	6	9
2. MULTIPLE DX	252	2.9	11	<1	<1	2	3	6	8	18
A. NOT OPERATED	918	2.3	5	<1	<1	2	3	5	6	12
B. OPERATED	117	2.8	14	<1	<1	2	3	5	8	21
TOTAL 0-19 YRS	154	2.0	3	<1	<1	1	3	4	5	8
20-34	801	2.4	6	<1	<1	2	3	5	6	13
35-49	80	2.7	9	<1	<1	2	3	6	8	18
50-64										
65+										
GRAND TOTAL	**1035**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	3.2	3	<1	1	3	4	6	6	8
20-34	550	3.2	4	<1	1	3	4	6	7	10
35-49	26	3.4	3	<1	1	3	5	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	71	1.4	2	<1	<1	<1	1	2	5	8
20-34	139	1.9	4	<1	<1	<1	2	5	6	10
35-49	3	4.3	12	<1	<1	4	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	4.0	8	<1	1	4	5	7	8	15
20-34	502	3.6	6	<1	1	3	5	7	8	12
35-49	40	3.9	5	<1	1	4	5	6	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.2	17	<1	<1	1	4	8	13	19
20-34	86	2.9	8	<1	<1	2	4	7	9	13
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	3.2	4	<1	1	3	4	6	7	9
B. *Operated*	213	1.8	3	<1	<1	<1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	742	3.7	7	<1	1	3	5	7	8	13
B. *Operated*	129	3.0	10	<1	<1	1	4	7	9	17
1. SINGLE DX	1043	2.9	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	871	3.6	7	<1	<1	3	5	7	8	13
A. NOT OPERATED	1572	3.5	5	<1	1	3	4	6	7	11
B. OPERATED	342	2.2	6	<1	<1	1	2	5	7	14
TOTAL 0-19 YRS	564	3.2	6	<1	<1	3	4	6	7	11
20-34	1277	3.2	5	<1	<1	3	4	6	7	12
35-49	73	3.6	5	<1	1	3	5	6	7	12
50-64										
65+										
GRAND TOTAL	**1914**	**3.2**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**12**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.9	7	<1	<1	2	3	6	8	13
20-34	756	4.0	14	1	1	3	5	8	11	19
35-49	112	4.3	10	1	1	4	5	9	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.7	6	<1	<1	4	4	7	9	9
20-34	58	4.1	17	<1	<1	2	5	10	12	21
35-49	13	5.5	20	<1	<1	6	7	12	16	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.2	8	<1	1	2	4	6	10	14
20-34	1454	3.8	15	1	1	3	5	7	10	18
35-49	168	4.5	14	1	1	4	5	9	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.7	4	<1	<1	2	4	6	7	9
20-34	241	4.0	13	<1	<1	3	6	9	10	15
35-49	21	4.8	8	<1	1	5	6	9	10	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	986	3.9	13	1	1	3	5	7	10	18
B. *Operated*	80	4.3	16	<1	<1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1878	3.8	14	1	1	3	5	7	10	17
B. *Operated*	306	3.9	11	<1	<1	3	6	8	10	14
1. SINGLE DX	1066	3.9	13	1	1	3	5	8	11	19
2. MULTIPLE DX	2184	3.8	14	<1	1	3	5	7	10	17
A. NOT OPERATED	2864	3.8	14	1	1	3	5	7	10	18
B. OPERATED	386	3.9	12	<1	<1	3	6	9	11	16
TOTAL 0-19 YRS	427	3.1	8	<1	1	2	4	6	8	13
20-34	2509	3.9	14	<1	1	3	5	8	10	19
35-49	314	4.5	12	1	1	4	6	9	12	17
50-64										
65+										
GRAND TOTAL	**3250**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	649	2.1	4	<1	<1	1	3	5	6	10
20-34	2639	2.6	20	<1	<1	1	3	5	8	17
35-49	180	2.8	9	<1	<1	2	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	158	2.6	12	<1	<1	1	3	5	9	15
20-34	1225	2.6	5	<1	<1	2	3	5	6	11
35-49	146	2.4	5	<1	<1	2	3	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	2.9	11	<1	<1	2	3	6	9	22
20-34	1337	3.4	21	<1	<1	2	4	7	11	21
35-49	114	3.9	27	<1	<1	2	5	7	12	33
50-64										
65+										
B. *Operated*										
0-19 YRS	87	3.0	13	<1	<1	1	4	7	9	20
20-34	879	3.1	20	<1	<1	1	3	7	10	25
35-49	444	1.6	9	<1	<1	<1	<1	2	4	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3468	2.5	17	<1	<1	1	3	5	7	15
B. *Operated*	1529	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1676	3.4	20	<1	<1	2	4	7	10	22
B. *Operated*	1410	2.6	17	<1	<1	<1	3	5	8	20
1. SINGLE DX	4997	2.5	13	<1	<1	1	3	5	7	14
2. MULTIPLE DX	3086	3.0	18	<1	<1	1	3	6	9	22
A. NOT OPERATED	5144	2.8	18	<1	<1	2	3	6	8	17
B. OPERATED	2939	2.6	11	<1	<1	1	3	5	7	16
TOTAL 0-19 YRS	1119	2.4	7	<1	<1	1	3	5	6	13
20-34	6080	2.9	17	<1	<1	2	3	6	8	18
35-49	884	2.2	11	<1	<1	<1	2	5	7	14
50-64										
65+										
GRAND TOTAL	**8083**	**2.7**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.2	1	2	2	3	4	4	5	6
20-34	674	3.2	2	2	2	3	3	4	5	11
35-49	56	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.4	11	2	2	3	5	7	9	21
20-34	300	4.4	11	2	2	3	5	7	8	18
35-49	36	5.3	36	1	2	3	6	7	18	33
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.4	3	2	2	3	4	5	7	11
20-34	632	3.6	7	2	2	3	4	5	6	15
35-49	75	3.7	1	2	3	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	107	4.7	10	2	2	4	6	7	8	21
20-34	1250	5.9	38	2	3	4	6	9	15	31
35-49	227	6.4	35	2	3	5	7	12	16	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	834	3.2	2	2	2	3	3	4	5	9
B. *Operated*	384	4.5	13	2	2	3	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*	795	3.6	6	2	2	3	4	5	6	14
B. *Operated*	1584	5.9	36	2	3	4	6	9	15	31
1. SINGLE DX	1218	3.6	6	2	2	3	4	5	6	14
2. MULTIPLE DX	2379	5.1	27	2	2	4	5	8	12	28
A. NOT OPERATED	1629	3.4	4	2	2	3	4	4	5	11
B. OPERATED	1968	5.6	32	2	3	4	6	9	14	30
TOTAL 0-19 YRS	347	3.9	6	2	2	3	4	6	7	16
20-34	2856	4.6	21	2	2	3	5	7	10	23
35-49	394	5.3	26	2	3	4	6	8	13	26
50-64										
65+										
GRAND TOTAL	**3597**	**4.6**	**20**	**2**	**2**	**3**	**5**	**7**	**10**	**23**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5735	3.0	1	2	2	3	3	4	4	5
20-34	39867	2.9	1	2	2	3	3	4	4	5
35-49	2757	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	893	2.9		2	2	3	3	4	4	5
20-34	7879	3.0	2	2	2	3	3	4	4	5
35-49	578	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	3.0	1	2	2	3	3	4	5	6
20-34	973	3.1	1	2	2	3	4	4	5	7
35-49	67	3.2	2	2	2	3	4	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	71	3.2	1	2	2	3	3	4	5	6
20-34	3750	3.6	1	2	3	3	4	5	5	6
35-49	573	3.7	2	2	3	4	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48359	2.9	1	2	2	3	3	4	4	5
B. *Operated*	9350	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1214	3.1	1	2	2	3	4	4	5	7
B. *Operated*	4394	3.6	1	2	3	3	4	5	5	6
1. SINGLE DX	57709	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX	5608	3.5	1	2	2	3	4	5	5	6
A. NOT OPERATED	49573	2.9	1	2	2	3	3	4	4	5
B. OPERATED	13744	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	6873	3.0	1	2	2	3	3	4	4	5
20-34	52469	3.0	1	2	2	3	3	4	4	5
35-49	3975	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
GRAND TOTAL	**63317**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	10	1	1	3	6	8	8	8
20-34	32	3.6	2	2	2	3	4	4	5	11
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	9	5.3	3	3	3	5	6	8	8	8
20-34	163	7.2	47	3	4	6	7	8	15	48
35-49	29	8.6	52	3	4	6	7	20	24	33
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	21	3.5	2	2	2	3	4	5	6	8
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	15	9.0	67	1	2	6	12	19	29	33
20-34	358	9.5	113	3	3	6	8	20	34	64
35-49	90	9.2	110	3	4	6	8	17	34	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.8	5	2	2	3	4	5	10	13
B. *Operated*	201	7.3	45	3	4	6	7	9	18	45
2. MULTIPLE DX										
A. *Not Operated*	26	3.5	2	2	2	3	4	5	6	8
B. *Operated*	463	9.4	110	3	3	6	8	19	34	64
1. SINGLE DX	239	6.8	41	3	3	6	7	8	17	43
2. MULTIPLE DX	489	9.1	106	3	3	6	8	18	33	62
A. NOT OPERATED	64	3.7	4	2	2	3	4	5	8	13
B. OPERATED	664	8.8	92	3	4	6	8	17	29	58
TOTAL 0-19 YRS	30	6.8	39	1	2	5	7	13	19	33
20-34	574	8.3	87	3	3	6	7	14	28	58
35-49	124	8.9	93	3	3	6	8	17	27	52
50-64										
65+										
GRAND TOTAL	**728**	**8.3**	**86**	**3**	**3**	**6**	**7**	**15**	**28**	**57**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	2	1	1	3	4	5	5	5
20-34	189	2.9	2	1	1	3	3	4	6	8
35-49	7	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.1	3	1	2	4	5	7	7	8
20-34	190	4.7	3	2	2	5	6	7	7	9
35-49	14	5.6	16	3	3	5	6	8	16	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	2	1	1	3	3	5	6	6
20-34	169	3.4	14	1	1	3	4	5	6	20
35-49	16	3.3	3	1	2	3	4	5	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	75	4.6	4	1	2	5	6	7	8	10
20-34	585	5.4	21	2	3	5	6	7	9	24
35-49	79	5.5	10	2	2	5	6	8	9	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	2.9	2	1	1	3	3	4	5	8
B. *Operated*	242	4.6	4	2	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	203	3.3	12	1	1	3	4	5	6	17
B. *Operated*	739	5.4	18	2	2	5	6	7	9	21
1. SINGLE DX	468	3.8	4	1	1	3	5	6	7	8
2. MULTIPLE DX	942	4.9	18	2	2	4	6	7	9	21
A. NOT OPERATED	429	3.1	7	1	1	3	3	5	6	11
B. OPERATED	981	5.2	15	2	2	5	6	7	8	19
TOTAL 0-19 YRS	161	3.9	4	1	1	4	5	7	7	10
20-34	1133	4.6	15	1	2	4	6	7	8	18
35-49	116	5.1	10	2	2	5	6	8	9	21
50-64										
65+										
GRAND TOTAL	**1410**	**4.5**	**13**	**1**	**2**	**4**	**6**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	37	2.8	1	1	1	3	3	4	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.8	1	1	2	3	3	4	5	6
20-34	386	2.9	1	1	2	3	3	4	4	7
35-49	34	3.0	1	2	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	6	2.7	1	<1	<1	3	3	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.3	1	2	2	3	4	5	6	6
20-34	220	3.2	2	1	2	3	4	4	6	9
35-49	27	3.6	5	2	2	3	4	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.9	1	1	2	3	3	4	4	5
B. *Operated*	464	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	9	2.9	1	<1	1	3	4	5	5	5
B. *Operated*	273	3.3	2	1	2	3	4	5	6	9
1. SINGLE DX	506	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	282	3.3	2	1	2	3	4	5	6	9
A. NOT OPERATED	51	2.9	1	1	1	3	3	4	4	5
B. OPERATED	737	3.0	2	1	2	3	3	4	5	8
TOTAL 0-19 YRS	77	3.0	1	2	2	3	3	5	5	6
20-34	649	3.0	1	1	2	3	3	4	4	8
35-49	62	3.3	3	2	2	3	3	5	5	13
50-64										
65+										
GRAND TOTAL	**788**	**3.0**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	1	2	2	3	3	4	4	5
20-34	172	3.1	1	1	2	3	4	4	5	5
35-49	9	3.7		3	3	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.9	1	1	2	3	3	4	4	4
20-34	78	3.4	2	1	2	3	4	5	6	8
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.7	2	1	2	4	5	5	6	7
20-34	104	3.3	1	2	2	3	4	4	5	6
35-49	9	3.8	6	2	2	3	4	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.7	2	2	3	3	4	5	7	8
20-34	134	3.9	5	1	2	4	4	5	6	17
35-49	13	3.8	1	3	3	4	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	3.1	1	1	2	3	4	4	5	5
B. *Operated*	92	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	129	3.4	1	2	2	3	4	5	5	8
B. *Operated*	166	3.9	4	2	3	4	4	5	6	16
1. SINGLE DX	305	3.2	1	1	2	3	4	4	5	7
2. MULTIPLE DX	295	3.7	3	2	2	3	4	5	6	10
A. NOT OPERATED	342	3.2	1	2	2	3	4	4	5	6
B. OPERATED	258	3.7	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	77	3.3	1	2	2	3	4	5	5	8
20-34	488	3.4	2	1	2	3	4	5	5	8
35-49	35	3.7	2	2	3	3	4	4	6	10
50-64										
65+										
GRAND TOTAL	**600**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	1	2	2	3	4	4	4	4
20-34	125	3.7	2	2	3	3	4	5	6	10
35-49	10	4.4	4	3	3	4	4	7	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.2	2	3	3	4	5	6	6	6
20-34	78	4.7	4	2	3	5	6	7	8	13
35-49	12	4.7	2	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	3	3	3	3	5	7	7	7
20-34	93	3.8	4	1	2	4	4	5	6	14
35-49	12	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	43	7.0	20	2	3	6	8	11	17	24
20-34	590	5.9	25	3	3	5	7	8	10	26
35-49	61	5.4	5	3	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.7	2	2	3	3	4	5	5	10
B. *Operated*	96	4.7	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	110	3.8	3	1	2	4	4	5	6	13
B. *Operated*	694	5.9	23	3	3	5	7	8	10	23
1. SINGLE DX	242	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX	804	5.6	21	3	3	5	6	8	10	21
A. NOT OPERATED	256	3.7	2	2	3	3	4	5	6	10
B. OPERATED	790	5.8	21	3	3	5	6	8	10	21
TOTAL 0-19 YRS	65	5.9	16	2	3	5	7	10	13	23
20-34	886	5.3	18	3	3	5	6	7	9	17
35-49	95	5.0	4	3	3	4	6	7	9	13
50-64										
65+										
GRAND TOTAL	**1046**	**5.3**	**17**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	1	2	2	3	3	4	5	5
20-34	122	2.9	1	1	1	3	3	4	5	7
35-49	11	2.8	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	156	5.0	2	3	3	5	6	6	7	10
20-34	1407	5.0	2	3	3	5	6	7	7	8
35-49	110	5.0	2	2	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	1	2	2	4	4	5	5	5
20-34	67	3.0	2	<1	1	3	4	5	5	7
35-49	7	2.4	1	<1	<1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	161	5.7	7	2	3	5	7	8	10	15
20-34	1817	5.4	5	3	3	5	6	7	8	12
35-49	222	5.8	5	3	3	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.9	1	1	2	3	3	4	5	7
B. *Operated*	1673	5.0	2	3	3	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	85	3.1	2	<1	1	3	4	5	5	7
B. *Operated*	2200	5.5	5	3	3	5	6	7	8	13
1. SINGLE DX	1819	4.8	2	2	3	5	6	7	7	8
2. MULTIPLE DX	2285	5.4	5	3	3	5	6	7	8	12
A. NOT OPERATED	231	2.9	1	1	1	3	3	4	5	7
B. OPERATED	3873	5.3	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	341	5.2	5	2	3	5	6	7	9	11
20-34	3413	5.1	4	2	3	5	6	7	8	11
35-49	350	5.4	4	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**4104**	**5.2**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	1	1	2	3	3	4	4	4
20-34	292	2.9	1	2	2	3	3	4	4	5
35-49	27	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	92	4.4	2	3	3	4	5	6	7	10
20-34	731	4.5	2	2	3	4	6	6	7	9
35-49	55	5.0	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	1	2	2	3	4	5	6	7
20-34	186	3.0	2	1	2	3	3	4	5	7
35-49	20	3.6	3	1	2	4	4	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	254	5.1	5	3	3	5	6	7	9	12
20-34	2353	5.0	7	3	3	5	6	7	8	11
35-49	285	5.7	7	3	3	5	6	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	2.9	1	2	2	3	3	4	4	5
B. *Operated*	878	4.5	3	2	3	4	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	223	3.1	2	1	2	3	4	4	5	8
B. *Operated*	2892	5.1	7	3	3	5	6	7	8	12
1. SINGLE DX	1230	4.1	3	2	2	4	5	6	7	8
2. MULTIPLE DX	3115	5.0	6	2	3	5	6	7	8	11
A. NOT OPERATED	575	3.0	1	1	2	3	3	4	4	6
B. OPERATED	3770	5.0	6	3	3	5	6	7	8	11
TOTAL 0-19 YRS	396	4.7	4	2	3	4	6	7	8	11
20-34	3562	4.6	6	2	3	4	6	7	7	10
35-49	387	5.3	6	2	3	5	6	7	9	15
50-64										
65+										
GRAND TOTAL	**4345**	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	1	1	4	7	9	9	9
20-34	26	3.5	2	2	2	3	4	6	7	7
35-49	4	3.8	4	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	302	5.8	2	4	4	6	7	8	8	10
20-34	2166	5.6	1	4	4	6	6	7	7	9
35-49	129	5.8	2	4	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	4.1	1	2	3	4	5	6	6	7
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	669	6.4	6	4	4	6	7	9	11	15
20-34	4698	5.9	3	4	4	6	7	8	8	12
35-49	399	6.4	5	4	5	6	7	8	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.7	3	1	2	3	4	7	7	9
B. *Operated*	2597	5.6	1	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	25	4.1	1	2	3	4	5	6	6	7
B. *Operated*	5766	6.0	3	4	4	6	7	8	9	13
1. SINGLE DX	2632	5.6	2	4	4	6	6	7	8	9
2. MULTIPLE DX	5791	6.0	3	4	4	6	7	8	9	13
A. NOT OPERATED	60	3.9	2	2	2	4	4	6	7	9
B. OPERATED	8363	5.9	3	4	4	6	6	7	8	12
TOTAL 0-19 YRS	976	6.2	5	4	4	6	7	8	10	14
20-34	6912	5.8	2	4	4	6	6	7	8	11
35-49	535	6.2	4	4	5	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**8423**	**5.9**	**3**	**4**	**4**	**6**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.0	1	1	2	3	4	4	5	5
20-34	655	3.2	1	2	2	3	4	4	5	6
35-49	39	3.1	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	141	4.3	2	2	3	4	5	6	7	8
20-34	1304	4.5	2	2	3	4	6	6	7	8
35-49	97	4.3	3	2	3	4	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.4	1	2	2	3	4	4	6	8
20-34	514	3.3	1	2	2	3	4	4	5	7
35-49	32	3.2	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	293	4.5	4	2	3	4	6	7	8	13
20-34	2596	4.5	4	2	3	4	6	7	7	10
35-49	240	4.9	4	2	3	5	6	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	3.1	1	2	2	3	4	4	5	6
B. *Operated*	1542	4.4	2	2	3	4	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	632	3.3	1	2	2	3	4	4	5	7
B. *Operated*	3129	4.5	4	2	3	4	6	7	7	10
1. SINGLE DX	2351	4.0	2	2	2	4	5	6	7	8
2. MULTIPLE DX	3761	4.3	4	2	3	4	5	7	7	10
A. NOT OPERATED	1441	3.2	1	2	2	3	4	4	5	7
B. OPERATED	4671	4.5	3	2	3	4	6	7	7	10
TOTAL 0-19 YRS	635	4.0	3	2	2	4	5	6	7	9
20-34	5069	4.2	3	2	2	4	5	6	7	9
35-49	408	4.5	3	2	3	4	6	7	7	8
50-64										
65+										
GRAND TOTAL	**6112**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	1	1	1	3	3	4	4	4
20-34	116	3.2	1	2	2	3	4	4	4	6
35-49	24	3.0	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.7	3	2	2	5	6	6	8	9
20-34	432	4.8	3	2	3	5	6	7	8	8
35-49	45	5.1	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	10	<1	<1	3	4	9	11	11
20-34	81	3.3	2	1	2	3	4	5	6	7
35-49	15	3.6	3	1	2	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	66	5.0	4	2	3	5	6	7	8	10
20-34	887	5.6	19	3	3	5	6	8	9	18
35-49	111	5.5	8	2	3	6	7	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.1	1	2	2	3	4	4	4	6
B. *Operated*	506	4.9	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	104	3.4	2	1	2	3	4	5	6	10
B. *Operated*	1064	5.6	17	2	3	5	7	8	9	19
1. SINGLE DX	664	4.4	3	2	3	4	6	7	7	8
2. MULTIPLE DX	1168	5.4	16	2	3	5	6	8	9	16
A. NOT OPERATED	262	3.2	1	1	2	3	4	4	5	8
B. OPERATED	1570	5.3	13	2	3	5	6	7	8	13
TOTAL 0-19 YRS	121	4.5	4	2	2	4	6	7	8	10
20-34	1516	5.1	13	2	3	5	6	7	8	13
35-49	195	5.0	6	2	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**1832**	**5.0**	**12**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	112	3.2	2	1	2	3	4	5	6	8
35-49	13	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	259	5.6	1	4	4	6	6	7	8	8
20-34	6598	5.8	2	4	4	6	6	7	8	8
35-49	564	6.1	7	4	5	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	64	3.6	2	2	2	3	4	5	6	9
35-49	7	3.6	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	165	5.7	4	3	4	6	6	7	8	16
20-34	7144	5.9	3	4	4	6	7	8	8	11
35-49	1122	6.4	4	4	5	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.2	2	1	2	3	4	5	6	8
B. *Operated*	7421	5.8	2	4	4	6	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	76	3.5	2	2	2	3	4	5	6	8
B. *Operated*	8431	6.0	3	4	4	6	7	8	8	12
1. SINGLE DX	7550	5.7	2	4	4	6	6	7	8	8
2. MULTIPLE DX	8507	6.0	3	4	4	6	7	8	8	12
A. NOT OPERATED	205	3.3	2	1	2	3	4	5	6	8
B. OPERATED	15852	5.9	3	4	4	6	7	7	8	10
TOTAL 0-19 YRS	433	5.6	2	4	4	6	6	7	8	10
20-34	13918	5.8	3	4	4	6	7	7	8	10
35-49	1706	6.3	5	4	5	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	**16057**	**5.9**	**3**	**4**	**4**	**6**	**7**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	3.4	1	2	3	3	4	4	5	7
20-34	1547	3.3	1	2	2	3	4	4	5	6
35-49	116	3.3	1	2	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	123	3.8	3	2	2	3	4	7	8	9
20-34	969	3.7	2	2	2	3	4	6	7	8
35-49	74	4.0	3	2	3	3	5	7	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	8	2	2	3	4	6	8	19
20-34	1001	3.7	5	2	2	3	4	5	6	11
35-49	98	4.0	4	2	2	4	4	6	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	367	5.1	8	2	3	4	6	8	10	17
20-34	3392	4.8	9	2	3	4	6	7	8	15
35-49	420	5.3	12	2	3	5	6	8	10	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1888	3.3	1	2	2	3	4	4	5	6
B. *Operated*	1166	3.7	2	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1249	3.7	5	2	2	3	4	5	6	12
B. *Operated*	4179	4.9	9	2	3	4	6	7	8	16
1. SINGLE DX	3054	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	5428	4.6	9	2	3	4	6	7	8	15
A. NOT OPERATED	3137	3.5	3	2	2	3	4	5	6	9
B. OPERATED	5345	4.6	8	2	3	4	6	7	8	14
TOTAL 0-19 YRS	865	4.3	6	2	3	4	5	7	9	16
20-34	6909	4.1	6	2	2	4	5	6	7	11
35-49	708	4.6	9	2	2	4	6	7	9	15
50-64										
65+										
GRAND TOTAL	**8482**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	2.9	1	2	2	3	3	4	4	5
20-34	3791	2.9	1	2	2	3	3	4	4	5
35-49	268	3.1	1	2	2	3	4	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	178	3.1	1	2	2	3	3	4	5	6
20-34	1756	3.1	1	2	2	3	3	4	5	6
35-49	124	3.4	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	3.1	1	2	2	3	3	4	4	6
20-34	961	3.0	1	2	2	3	3	4	4	6
35-49	86	3.1	2	1	2	3	3	4	5	12
50-64										
65+										
B. *Operated*										
0-19 YRS	182	3.4	2	2	2	3	4	5	6	9
20-34	2099	3.5	2	2	2	3	4	5	6	8
35-49	210	4.0	4	2	2	4	5	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4482	2.9	1	2	2	3	3	4	4	5
B. *Operated*	2058	3.1	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1178	3.1	1	2	2	3	3	4	4	6
B. *Operated*	2491	3.5	2	2	2	3	4	5	6	8
1. SINGLE DX	6540	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3669	3.4	2	2	2	3	4	5	6	8
A. NOT OPERATED	5660	2.9	1	2	2	3	3	4	4	5
B. OPERATED	4549	3.3	1	2	2	3	4	5	5	7
TOTAL 0-19 YRS	914	3.1	1	2	2	3	3	4	4	6
20-34	8607	3.1	1	2	2	3	3	4	5	6
35-49	688	3.4	2	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**10209**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.6	1	1	2	3	3	3	4	4
20-34	509	2.7	1	1	2	3	3	4	4	5
35-49	53	2.7	1	<1	1	3	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	831	2.9	1	2	2	3	3	4	4	5
20-34	8009	2.8	1	1	2	3	3	4	4	5
35-49	769	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.2	2	2	2	3	3	5	7	8
20-34	155	3.0	1	1	2	3	3	4	4	9
35-49	18	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	332	3.1	1	2	2	3	3	4	5	7
20-34	4331	3.2	2	2	2	3	4	4	5	7
35-49	556	3.4	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	2.7	1	1	2	3	3	4	4	5
B. *Operated*	9609	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	196	3.0	1	1	2	3	3	4	5	9
B. *Operated*	5219	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	10245	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	5415	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	832	2.8	1	1	2	3	3	4	4	7
B. OPERATED	14828	2.9	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1260	2.9	1	2	2	3	3	4	4	6
20-34	13004	2.9	1	1	2	3	3	4	4	6
35-49	1396	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**15660**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	1	1	2	3	3	4	4	4
20-34	268	2.7	2	1	1	3	3	4	4	7
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	608	3.1	1	2	2	3	4	4	4	5
20-34	3382	3.1	1	2	2	3	3	4	4	5
35-49	143	3.1	1	2	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	2	1	1	3	4	5	6	6
20-34	65	3.7	9	1	2	3	4	7	8	21
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	328	3.4	2	2	2	3	4	5	5	9
20-34	2273	3.4	1	2	2	3	4	5	5	8
35-49	135	3.6	3	2	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	2.7	2	1	1	3	3	4	4	6
B. *Operated*	4133	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	81	3.7	8	1	2	3	4	6	8	19
B. *Operated*	2736	3.4	1	2	2	3	4	5	5	8
1. SINGLE DX	4455	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2817	3.4	2	2	2	3	4	5	5	8
A. NOT OPERATED	403	2.9	3	1	2	3	3	4	5	8
B. OPERATED	6869	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	998	3.2	1	2	2	3	4	4	5	6
20-34	5988	3.2	1	2	2	3	4	4	5	7
35-49	286	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**7272**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7		2	2	3	3	3	4	4
20-34	223	2.8	2	1	2	3	3	4	5	8
35-49	11	2.8	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	197	2.9	1	2	2	3	3	4	4	5
20-34	1108	2.9	1	2	2	3	3	4	4	6
35-49	52	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	1	2	2	3	3	4	6	6
20-34	79	3.2	3	1	2	3	4	5	7	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	153	3.2	2	2	2	3	3	4	5	11
20-34	996	3.3	2	2	2	3	4	5	5	9
35-49	66	3.6	3	1	2	3	4	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	2	1	2	3	3	4	4	8
B. *Operated*	1357	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	94	3.2	2	2	2	3	4	5	6	9
B. *Operated*	1215	3.3	2	2	2	3	4	4	5	9
1. SINGLE DX	1623	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1309	3.3	2	2	2	3	4	5	5	9
A. NOT OPERATED	360	2.9	2	1	2	3	3	4	5	8
B. OPERATED	2572	3.1	1	2	2	3	4	4	5	8
TOTAL 0-19 YRS	396	3.0	1	2	2	3	3	4	4	9
20-34	2406	3.1	2	2	2	3	3	4	5	8
35-49	130	3.3	2	2	2	3	4	4	5	11
50-64										
65+										
GRAND TOTAL	**2932**	**3.1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	847	3.4	4	1	2	3	4	5	6	10
20-34	4832	3.1	2	1	2	3	4	4	5	8
35-49	428	3.3	4	1	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1132	3.9	6	2	2	3	4	6	8	14
20-34	8010	3.7	3	2	2	3	4	6	7	9
35-49	654	4.0	3	2	2	3	5	6	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	3.3	4	1	2	3	4	5	6	11
20-34	3128	3.3	4	1	2	3	4	5	6	12
35-49	302	3.7	24	1	2	3	4	5	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1896	4.6	9	2	2	4	6	8	10	17
20-34	13831	4.7	10	2	2	4	6	7	9	17
35-49	1620	5.3	15	2	3	5	6	8	11	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6107	3.2	2	1	2	3	4	4	5	8
B. *Operated*	9796	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	3971	3.3	5	1	2	3	4	5	6	12
B. *Operated*	17347	4.7	11	2	2	4	6	7	9	17
1. SINGLE DX	15903	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	21318	4.5	10	2	2	4	5	7	9	17
A. NOT OPERATED	10078	3.2	4	1	2	3	4	4	5	9
B. OPERATED	27143	4.4	8	2	2	4	5	7	8	15
TOTAL 0-19 YRS	4416	4.0	7	2	2	3	5	7	8	14
20-34	29801	4.0	7	2	2	3	5	6	8	14
35-49	3004	4.6	12	2	2	4	5	7	9	17
50-64										
65+										
GRAND TOTAL	**37221**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**8**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.7	4	1	2	3	5	6	8	8
20-34	115	3.7	2	2	2	3	4	6	6	9
35-49	11	4.1	5	1	1	4	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	5.8	24	1	1	5	7	13	17	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	6	1	1	5	6	8	8	8
20-34	65	4.7	7	2	2	4	5	9	10	13
35-49	5	4.6	3	2	2	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	10.3	44	6	6	7	15	18	18	18
20-34	20	6.9	41	<1	<1	5	9	17	22	25
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.7	3	2	2	3	5	6	7	8
B. *Operated*	13	5.1	20	1	1	4	7	11	16	17
2. MULTIPLE DX										
A. *Not Operated*	79	4.6	6	2	2	4	5	8	10	13
B. *Operated*	25	7.1	39	<1	1	6	9	18	20	25
1. SINGLE DX	164	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX	104	5.2	15	1	2	4	6	9	12	22
A. NOT OPERATED	230	4.0	4	2	2	4	5	7	8	12
B. OPERATED	38	6.4	33	<1	1	5	7	17	19	25
TOTAL 0-19 YRS	39	4.3	9	1	2	4	6	7	8	18
20-34	210	4.4	9	2	2	4	5	7	9	18
35-49	19	4.3	4	1	2	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	**268**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	1	1	1	2	3	4	4
20-34	58	1.8	1	<1	<1	1	2	4	4	6
35-49	6	2.2	2	<1	<1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.7	1	<1	<1	1	2	3	4	4
20-34	278	1.5	1	<1	<1	1	2	3	4	6
35-49	16	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	40	2.3	3	<1	1	2	3	5	6	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.0	9	1	1	2	3	8	11	11
20-34	148	2.3	3	<1	1	2	3	4	5	7
35-49	11	2.6	3	<1	<1	2	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	1.8	1	<1	1	1	2	4	4	6
B. *Operated*	317	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	46	2.2	2	<1	1	2	3	5	5	7
B. *Operated*	171	2.4	4	<1	1	2	3	4	5	10
1. SINGLE DX	392	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	217	2.4	3	<1	1	2	3	5	5	9
A. NOT OPERATED	121	2.0	2	<1	1	1	2	4	5	6
B. OPERATED	488	1.9	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	50	1.9	3	<1	1	1	2	4	4	11
20-34	524	1.9	2	<1	<1	1	2	4	4	6
35-49	35	2.2	2	<1	<1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**609**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**7**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.7	5	1	1	3	5	7	9	9
20-34	90	4.7	16	1	1	3	6	12	13	17
35-49	13	5.8	17	1	2	5	10	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.4	24	1	2	3	3	3	4	32
20-34	190	3.4	10	<1	1	3	3	6	9	19
35-49	16	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	66	1	1	2	16	17	17	17
20-34	60	4.1	10	<1	1	3	5	9	12	14
35-49	10	7.7	83	1	1	4	8	24	28	28
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.4	11	2	2	3	4	9	13	15
20-34	111	4.7	26	1	1	3	5	10	16	28
35-49	13	8.6	126	1	2	4	9	26	38	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	4.7	14	1	1	3	6	12	13	16
B. *Operated*	243	3.4	11	1	1	3	3	5	9	19
2. MULTIPLE DX										
A. *Not Operated*	75	4.8	24	1	1	3	5	12	15	26
B. *Operated*	142	5.0	34	1	1	3	5	11	16	36
1. SINGLE DX	367	3.8	13	1	1	3	4	8	12	19
2. MULTIPLE DX	217	4.9	30	1	1	3	5	11	16	31
A. NOT OPERATED	199	4.7	18	1	1	3	6	12	13	20
B. OPERATED	385	4.0	20	1	1	3	4	8	11	23
TOTAL 0-19 YRS	81	4.0	19	1	2	3	4	6	13	27
20-34	451	4.1	15	1	1	3	4	9	12	19
35-49	52	5.8	55	1	1	3	5	12	22	41
50-64										
65+										
GRAND TOTAL	**584**	**4.2**	**19**	**1**	**1**	**3**	**4**	**9**	**12**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	764	4.1	5	2	2	4	5	7	8	12
20-34	726	4.4	6	1	2	4	6	8	9	12
35-49	567	5.2	10	2	2	4	7	9	11	17
50-64	416	6.1	19	2	2	5	7	11	13	23
65+	406	7.5	33	2	3	6	9	13	17	35
B. *Operated*										
0-19 YRS	297	4.7	13	1	1	4	6	8	12	19
20-34	428	5.4	21	1	1	4	7	11	13	25
35-49	265	6.1	26	1	2	5	8	12	15	27
50-64	147	6.5	38	1	2	5	9	13	15	24
65+	116	8.4	72	1	2	6	10	17	26	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	646	4.9	11	2	2	4	6	9	11	17
20-34	914	5.9	18	2	2	5	7	11	14	23
35-49	1113	7.2	29	2	3	6	9	13	17	28
50-64	1874	8.4	37	3	3	7	10	15	19	33
65+	3339	10.9	79	3	4	9	13	20	27	66
B. *Operated*										
0-19 YRS	253	6.4	32	1	2	5	7	11	18	28
20-34	584	9.1	68	2	3	6	11	19	25	50
35-49	638	11.9	131	2	3	9	14	28	36	67
50-64	855	14.4	165	3	4	11	18	30	42	82
65+	1295	18.0	244	4	5	14	23	41	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2879	5.2	14	2	2	4	6	9	11	18
B. *Operated*	1253	5.8	28	1	1	4	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	7886	8.7	54	2	3	7	11	16	21	41
B. *Operated*	3625	13.8	177	2	3	10	17	30	43	93
1. SINGLE DX	4132	5.4	18	1	2	4	7	10	12	21
2. MULTIPLE DX	11511	10.3	98	2	3	8	12	20	29	66
A. NOT OPERATED	10765	7.8	46	2	3	6	9	14	19	36
B. OPERATED	4878	11.7	151	2	2	8	15	26	38	81
TOTAL 0-19 YRS	1960	4.8	12	1	2	4	6	8	11	19
20-34	2652	6.1	29	1	2	5	7	12	15	28
35-49	2583	7.8	56	2	2	6	9	15	21	42
50-64	3292	9.6	77	2	3	7	11	18	25	51
65+	5156	12.4	128	3	4	9	15	24	35	86
GRAND TOTAL	**15643**	**9.0**	**82**	**2**	**3**	**7**	**11**	**18**	**25**	**56**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	307	4.3	9	2	2	4	5	7	9	16
20-34	140	4.1	7	1	2	3	5	8	9	15
35-49	76	4.3	6	2	2	3	5	7	9	15
50-64	48	5.2	7	2	3	5	6	9	11	14
65+	41	5.8	24	1	2	4	6	12	15	26
B. *Operated*										
0-19 YRS	204	3.2	6	<1	<1	2	5	7	8	10
20-34	151	4.1	13	<1	1	3	5	9	10	19
35-49	116	3.7	11	<1	<1	3	5	7	9	18
50-64	71	5.6	45	<1	<1	4	6	12	16	37
65+	48	5.9	43	<1	1	3	7	13	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	4.7	9	1	2	4	6	8	9	19
20-34	151	5.8	25	1	2	4	7	10	15	29
35-49	153	6.3	23	2	2	5	8	11	14	37
50-64	210	8.2	49	2	3	7	9	14	19	31
65+	332	9.2	45	3	3	8	11	16	21	50
B. *Operated*										
0-19 YRS	124	6.4	43	1	1	5	8	14	16	32
20-34	166	8.9	107	1	2	5	11	21	29	42
35-49	157	9.0	65	1	2	6	12	20	27	37
50-64	238	12.4	163	2	2	8	16	27	37	70
65+	275	12.7	125	2	3	10	15	24	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	4.4	9	2	2	4	5	7	10	16
B. *Operated*	590	4.0	17	<1	<1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1179	6.9	33	2	2	6	8	13	17	31
B. *Operated*	960	10.6	116	1	2	7	14	22	32	56
1. SINGLE DX	1202	4.2	13	<1	1	3	5	8	10	18
2. MULTIPLE DX	2139	8.6	74	2	2	6	10	17	25	49
A. NOT OPERATED	1791	6.1	26	2	2	5	7	11	15	28
B. OPERATED	1550	8.1	89	<1	1	5	10	18	26	49
TOTAL 0-19 YRS	968	4.5	13	1	1	4	6	8	10	19
20-34	608	5.9	44	1	1	4	7	11	18	31
35-49	502	6.2	36	<1	1	5	7	13	18	34
50-64	567	9.4	100	2	2	6	11	19	29	53
65+	696	10.2	80	2	3	8	13	19	26	55
GRAND TOTAL	**3341**	**7.0**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	15	<1	<1	2	2	8	14	14
20-34	20	3.4	6	<1	<1	3	4	7	9	11
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1103	3.4	10	1	1	3	4	5	6	10
20-34	1970	3.4	3	1	2	3	4	5	6	9
35-49	250	3.3	3	1	1	3	4	5	6	9
50-64	43	3.7	4	2	2	3	4	7	9	9
65+	11	3.2	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	4	<1	<1	1	3	5	6	6
20-34	19	3.2	11	<1	<1	1	4	9	11	12
35-49	2	6.0	50	<1	<1	5	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	7.5	41	3	3	7	12	12	12	12
B. *Operated*										
0-19 YRS	123	4.1	15	1	2	3	4	6	9	27
20-34	293	4.4	12	1	2	4	5	7	9	15
35-49	106	4.4	23	1	1	3	5	7	10	30
50-64	42	7.2	37	1	2	5	10	15	21	30
65+	27	6.8	35	2	3	5	8	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	8	<1	1	2	3	7	10	14
B. *Operated*	3377	3.4	5	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.6	14	<1	<1	1	5	10	12	12
B. *Operated*	591	4.7	18	1	2	4	5	8	11	24
1. SINGLE DX	3410	3.4	5	1	2	3	4	5	6	9
2. MULTIPLE DX	622	4.6	18	1	2	4	5	8	11	24
A. NOT OPERATED	64	3.4	11	<1	<1	2	4	9	11	14
B. OPERATED	3968	3.6	7	1	2	3	4	6	7	11
TOTAL 0-19 YRS	1243	3.4	10	1	1	3	4	6	7	10
20-34	2302	3.5	4	1	2	3	4	6	7	11
35-49	361	3.6	9	1	1	3	4	6	7	12
50-64	86	5.5	23	2	2	4	7	11	15	27
65+	40	5.8	27	1	2	4	6	12	18	26
GRAND TOTAL	**4032**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	2	<1	<1	1	1	4	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	167	1.5	1	<1	<1	1	2	2	3	6
20-34	293	1.5	1	<1	<1	1	2	2	4	7
35-49	241	1.5	3	<1	<1	<1	2	2	3	5
50-64	233	1.4	1	<1	<1	<1	2	2	3	4
65+	114	1.9	4	<1	<1	1	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	5	3.6	3	<1	<1	4	5	5	5	5
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	6	1.8	2	<1	<1	1	3	4	4	4
65+	4	5.3	12	2	2	4	7	10	10	10
B. *Operated*										
0-19 YRS	22	2.3	4	<1	1	2	2	5	7	8
20-34	70	1.9	2	<1	<1	1	2	3	5	9
35-49	100	2.5	4	<1	<1	2	3	5	6	11
50-64	113	2.8	7	<1	<1	2	3	5	9	14
65+	85	4.5	34	<1	<1	3	4	11	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*	1048	1.5	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	24	2.8	5	<1	<1	2	4	5	7	10
B. *Operated*	390	2.9	12	<1	<1	2	3	6	9	20
1. SINGLE DX	1061	1.5	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX	414	2.9	12	<1	<1	2	3	5	9	19
A. NOT OPERATED	37	2.4	4	<1	<1	1	3	5	5	10
B. OPERATED	1438	1.9	5	<1	<1	1	2	3	5	12
TOTAL 0-19 YRS	201	1.6	1	<1	<1	1	2	2	4	7
20-34	370	1.6	1	<1	<1	1	2	3	4	7
35-49	346	1.8	3	<1	<1	1	2	3	5	9
50-64	353	1.8	3	<1	<1	1	2	3	5	10
65+	205	3.1	18	<1	<1	2	3	7	11	26
GRAND TOTAL	**1475**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	3.7	9	1	1	3	4	6	10	16
20-34	157	5.6	31	1	1	4	7	13	19	25
35-49	124	5.4	29	1	1	3	7	12	19	25
50-64	140	7.0	50	1	1	4	9	18	22	33
65+	118	8.9	84	1	2	6	11	20	29	74
B. *Operated*										
0-19 YRS	507	2.6	22	<1	<1	2	2	4	7	16
20-34	757	3.5	27	<1	<1	2	3	8	11	27
35-49	562	4.2	46	<1	<1	2	4	9	14	36
50-64	459	4.2	42	<1	<1	2	4	10	15	34
65+	351	7.0	124	<1	<1	2	9	17	35	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	5.3	48	1	1	4	6	10	16	38
20-34	303	7.8	65	1	1	5	10	17	25	37
35-49	415	9.5	85	1	2	7	13	22	27	48
50-64	672	10.5	91	2	3	7	14	24	28	46
65+	1704	13.7	168	3	4	10	17	29	43	99+
B. *Operated*										
0-19 YRS	388	7.1	136	<1	1	3	7	18	33	69
20-34	687	9.9	222	<1	1	4	11	29	46	91
35-49	757	11.8	262	1	1	5	15	34	57	99+
50-64	1071	13.9	304	1	1	7	20	40	64	99+
65+	1941	19.9	350	2	3	15	28	52	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	5.5	35	1	1	4	6	12	18	30
B. *Operated*	2636	4.0	47	<1	<1	2	4	9	15	37
2. MULTIPLE DX										
A. *Not Operated*	3497	11.1	129	1	2	8	14	24	33	74
B. *Operated*	4844	14.9	311	1	2	9	21	42	65	99+
1. SINGLE DX	3528	4.4	44	<1	<1	2	4	10	16	36
2. MULTIPLE DX	8341	13.3	238	1	2	8	18	34	52	99+
A. NOT OPERATED	4389	10.0	115	1	2	7	13	22	30	71
B. OPERATED	7480	11.1	245	<1	1	4	15	32	52	99+
TOTAL 0-19 YRS	1651	4.5	55	<1	<1	2	4	9	15	40
20-34	1904	6.7	112	<1	<1	3	7	17	27	62
35-49	1858	8.6	152	<1	1	4	10	22	34	81
50-64	2342	10.6	190	1	1	5	13	27	41	94
65+	4114	15.9	266	1	2	11	21	40	63	99+
GRAND TOTAL	**11869**	**10.7**	**197**	**<1**	**1**	**5**	**14**	**28**	**43**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.3	20	1	1	5	10	11	14	19
20-34	57	7.0	34	1	2	6	8	14	23	28
35-49	39	9.0	211	1	2	6	10	12	23	92
50-64	19	6.6	24	1	2	5	8	15	19	19
65+	10	14.0	133	1	2	11	19	31	40	40
B. *Operated*										
0-19 YRS	13	5.9	46	2	2	2	7	16	22	24
20-34	27	6.9	34	2	2	4	9	16	20	21
35-49	27	6.3	43	1	2	4	9	14	17	31
50-64	13	8.2	52	1	2	6	11	15	26	29
65+	11	9.5	40	2	3	8	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	11.1	183	2	2	8	12	22	35	74
20-34	138	8.5	47	1	2	7	11	17	21	33
35-49	153	10.6	67	2	3	8	14	22	28	40
50-64	169	9.9	58	2	3	8	13	19	23	34
65+	156	12.1	92	3	4	10	15	26	33	66
B. *Operated*										
0-19 YRS	17	10.4	69	1	2	9	14	25	28	29
20-34	80	14.1	152	2	3	11	19	30	37	59
35-49	87	15.6	201	2	4	12	21	35	42	98
50-64	96	18.0	244	2	4	14	22	40	47	83
65+	86	17.9	157	3	4	15	23	37	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	7.9	85	1	2	6	9	15	22	41
B. *Operated*	91	7.1	41	2	2	4	11	15	20	30
2. MULTIPLE DX										
A. *Not Operated*	652	10.4	74	2	3	8	13	20	28	43
B. *Operated*	366	16.2	188	2	4	13	21	34	44	72
1. SINGLE DX	239	7.6	68	1	2	5	10	15	21	32
2. MULTIPLE DX	1018	12.5	123	2	3	9	16	26	35	56
A. NOT OPERATED	800	9.9	77	2	3	7	12	20	26	42
B. OPERATED	457	14.4	172	2	3	11	19	32	42	64
TOTAL 0-19 YRS	89	9.0	102	2	2	6	11	19	26	60
20-34	302	9.6	79	2	2	7	12	21	27	50
35-49	306	11.5	128	2	3	8	15	24	32	70
50-64	297	12.2	132	2	3	9	16	26	34	56
65+	263	13.9	120	3	4	11	18	29	38	62
GRAND TOTAL	**1257**	**11.5**	**116**	**2**	**3**	**8**	**15**	**24**	**32**	**54**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	6.5	37	1	1	5	8	15	21	81
20-34	36	5.1	7	2	2	5	7	9	10	11
35-49	49	6.6	14	2	3	5	8	12	14	19
50-64	83	6.9	20	2	3	6	8	12	17	24
65+	88	7.9	31	2	3	6	10	16	18	27
B. *Operated*										
0-19 YRS	25	7.9	78	<1	1	4	11	22	26	37
20-34	42	6.4	30	1	2	4	8	14	17	26
35-49	105	7.8	45	2	2	5	11	17	20	35
50-64	241	8.0	44	2	2	6	11	16	19	33
65+	168	11.5	84	2	3	10	15	20	26	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	8.3	76	1	2	5	9	20	26	44
20-34	48	6.3	19	1	2	5	8	11	14	25
35-49	90	7.0	41	1	2	5	8	14	21	36
50-64	295	9.0	63	2	3	7	11	19	25	58
65+	599	11.3	93	3	4	9	14	21	30	69
B. *Operated*										
0-19 YRS	15	14.9	120	3	5	13	22	30	37	40
20-34	54	9.7	241	2	2	5	10	16	23	97
35-49	139	8.9	76	2	2	6	11	20	28	42
50-64	394	10.9	96	2	3	9	15	21	26	40
65+	441	15.5	193	2	3	13	19	35	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	6.8	25	2	2	5	8	14	18	26
B. *Operated*	581	8.9	59	2	2	6	13	18	22	39
2. MULTIPLE DX										
A. *Not Operated*	1099	9.9	79	2	3	8	12	20	26	57
B. *Operated*	1043	12.6	148	2	3	10	16	27	36	85
1. SINGLE DX	915	8.1	48	2	2	6	11	16	20	37
2. MULTIPLE DX	2142	11.2	114	2	3	8	14	22	31	73
A. NOT OPERATED	1433	9.2	68	2	3	7	12	18	24	51
B. OPERATED	1624	11.3	120	2	2	9	15	22	31	64
TOTAL 0-19 YRS	185	8.0	67	1	2	5	10	21	25	43
20-34	180	7.1	87	1	2	5	8	13	16	54
35-49	383	7.9	52	2	2	6	10	17	21	39
50-64	1013	9.4	70	2	3	7	12	19	24	42
65+	1296	12.5	127	2	3	10	16	25	38	87
GRAND TOTAL	**3057**	**10.3**	**96**	**2**	**3**	**8**	**13**	**20**	**28**	**62**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	4.8	10	1	1	5	7	9	9	9
35-49	14	4.8	12	2	2	3	5	10	13	14
50-64	38	4.3	12	1	1	3	6	9	12	15
65+	117	6.3	40	1	2	4	8	13	16	35
B. *Operated*										
0-19 YRS	17	3.2	6	1	2	2	4	7	9	10
20-34	157	4.1	16	<1	1	3	5	9	12	19
35-49	362	5.2	23	1	1	3	7	12	15	22
50-64	1105	9.4	41	1	2	9	13	17	20	29
65+	1346	13.5	50	2	4	13	17	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	3.0	8	<1	<1	2	4	7	10	10
35-49	51	7.2	31	<1	1	6	11	14	19	26
50-64	247	6.3	37	1	1	4	8	13	17	26
65+	1198	9.8	107	1	2	7	12	20	27	90
B. *Operated*										
0-19 YRS	24	6.8	138	<1	1	3	6	17	29	57
20-34	139	6.0	50	<1	1	3	7	14	21	37
35-49	369	7.2	59	1	1	4	9	17	22	39
50-64	1551	11.4	85	2	2	11	16	21	27	47
65+	3436	17.0	114	3	7	15	20	28	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	5.7	31	1	1	4	7	11	15	25
B *Operated*	2987	10.4	52	1	2	11	15	19	22	31
2. MULTIPLE DX										
A. *Not Operated*	1508	9.1	94	1	2	7	11	19	25	85
B. *Operated*	5519	14.5	113	2	3	13	18	25	33	59
1. SINGLE DX	3165	10.2	52	1	2	10	15	19	22	31
2. MULTIPLE DX	7027	13.3	113	2	2	12	17	24	32	60
A. NOT OPERATED	1686	8.7	88	1	2	6	11	18	24	75
B. OPERATED	8506	13.0	95	2	2	12	17	23	29	51
TOTAL 0-19 YRS	42	5.4	83	<1	1	2	5	12	17	57
20-34	316	4.9	31	<1	1	3	6	11	15	26
35-49	796	6.3	41	1	1	4	8	14	18	29
50-64	2941	10.1	66	1	2	9	14	19	23	39
65+	6097	14.6	106	2	3	14	18	25	32	62
GRAND TOTAL	**10192**	**12.3**	**96**	**2**	**2**	**11**	**16**	**23**	**29**	**53**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	7.7	37	1	2	5	12	16	20	24
20-34	68	7.1	38	2	3	5	8	13	22	35
35-49	36	8.2	57	1	2	6	11	21	27	29
50-64	52	8.1	54	1	2	5	9	20	22	33
65+	44	8.2	132	1	2	5	9	14	26	64
B. *Operated*										
0-19 YRS	64	10.5	71	1	2	8	15	23	26	35
20-34	133	5.4	21	1	2	4	7	10	15	24
35-49	135	4.7	16	1	1	4	6	10	13	20
50-64	142	6.1	30	1	1	4	9	14	18	24
65+	78	12.5	104	2	2	12	16	23	28	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	9.3	69	1	2	7	13	21	25	42
20-34	102	8.6	66	2	2	6	10	16	28	43
35-49	103	7.7	31	2	3	7	10	13	17	34
50-64	151	8.2	44	2	2	7	10	16	21	31
65+	362	11.0	118	2	3	8	13	26	33	64
B. *Operated*										
0-19 YRS	72	15.0	95	3	4	13	21	28	35	40
20-34	109	9.6	136	1	2	5	10	22	36	61
35-49	160	11.0	164	1	2	7	14	25	31	66
50-64	220	12.2	139	2	2	8	17	29	38	56
65+	288	20.4	254	3	4	16	27	47	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	7.8	56	1	2	5	9	16	22	35
B. *Operated*	552	7.0	47	1	2	4	9	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	804	9.6	83	2	2	7	12	21	29	48
B. *Operated*	849	14.7	197	2	2	10	21	33	47	76
1. SINGLE DX	841	7.3	50	1	2	5	9	16	22	31
2. MULTIPLE DX	1653	12.2	148	2	2	8	16	28	41	64
A. NOT OPERATED	1093	9.1	76	2	2	6	11	19	27	47
B. OPERATED	1401	11.6	151	1	2	7	16	27	39	63
TOTAL 0-19 YRS	311	10.4	73	1	2	8	15	22	28	39
20-34	412	7.6	68	1	2	5	9	15	24	46
35-49	434	8.0	83	1	2	5	9	18	25	51
50-64	565	9.2	85	1	2	6	12	21	29	46
65+	772	14.5	189	2	3	10	20	33	47	83
GRAND TOTAL	**2494**	**10.5**	**120**	**2**	**2**	**7**	**14**	**24**	**32**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	3	1	1	2	4	4	6	7
20-34	18	3.8	13	<1	1	3	5	10	12	13
35-49	5	3.2	19	<1	<1	1	4	11	11	11
50-64	7	3.1	4	1	1	3	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	738	2.5	3	<1	1	2	3	5	6	9
20-34	1433	2.7	3	<1	1	2	3	5	6	9
35-49	756	2.7	5	<1	1	2	3	5	6	11
50-64	353	2.6	3	<1	1	2	3	5	6	8
65+	78	3.0	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	4	<1	<1	1	2	5	8	9
20-34	47	2.2	5	<1	<1	1	2	6	7	11
35-49	34	1.7	1	<1	<1	1	2	3	5	6
50-64	30	3.2	18	<1	<1	2	3	10	14	18
65+	13	9.8	141	1	1	6	14	23	41	45
B. *Operated*										
0-19 YRS	451	2.8	3	<1	1	2	3	5	7	9
20-34	1236	3.0	6	<1	1	2	4	6	7	11
35-49	876	3.1	9	<1	1	2	3	6	8	15
50-64	817	3.4	12	1	1	2	4	6	9	18
65+	303	4.2	17	1	1	3	5	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.2	8	<1	1	2	4	7	10	13
B. *Operated*	3358	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	152	2.9	22	<1	<1	1	3	6	11	18
B. *Operated*	3683	3.2	9	<1	1	2	4	6	8	16
1. SINGLE DX	3405	2.7	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	3835	3.2	9	<1	1	2	4	6	8	16
A. NOT OPERATED	199	3.0	19	<1	<1	1	3	7	10	18
B. OPERATED	7041	2.9	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	1233	2.6	3	<1	1	2	3	5	6	9
20-34	2734	2.8	4	<1	1	2	3	5	7	10
35-49	1671	2.9	7	<1	1	2	3	5	7	13
50-64	1207	3.2	10	<1	1	2	4	6	7	17
65+	395	4.1	20	1	1	3	4	8	13	24
GRAND TOTAL	**7240**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.6	12	<1	1	3	5	7	9	15
20-34	56	3.7	17	<1	1	3	4	7	8	29
35-49	40	4.9	16	<1	1	4	6	10	13	19
50-64	34	3.6	5	1	1	3	5	8	8	9
65+	45	6.8	43	2	2	6	7	15	19	38
B. *Operated*										
0-19 YRS	835	3.3	4	1	1	3	4	5	6	10
20-34	1333	3.4	4	1	1	3	4	6	7	9
35-49	430	3.5	7	1	1	3	4	7	9	14
50-64	171	3.8	12	1	1	3	4	8	9	17
65+	59	6.3	40	1	2	4	8	17	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.2	20	<1	<1	3	5	9	13	54
20-34	101	5.1	30	<1	1	3	7	11	15	31
35-49	77	4.1	11	<1	<1	3	5	9	12	76
50-64	104	6.4	41	<1	1	4	8	15	19	33
65+	323	10.0	121	2	2	7	12	20	29	59
B. *Operated*										
0-19 YRS	506	5.7	64	1	1	3	5	12	21	43
20-34	671	4.1	14	1	1	3	5	8	10	20
35-49	366	4.7	23	1	1	3	5	9	15	29
50-64	292	5.9	47	1	1	3	7	13	21	35
65+	225	13.3	237	1	2	8	18	34	48	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	4.3	18	1	1	3	5	8	11	24
B. *Operated*	2828	3.5	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	725	7.2	75	<1	1	5	9	15	22	46
B. *Operated*	2060	5.8	64	1	1	3	6	12	21	45
1. SINGLE DX	3141	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX	2785	6.2	67	1	1	4	7	13	21	44
A. NOT OPERATED	1038	6.3	60	1	1	4	8	13	19	40
B. OPERATED	4888	4.5	32	1	1	3	5	8	12	28
TOTAL 0-19 YRS	1599	4.1	26	1	1	3	5	7	10	25
20-34	2161	3.7	9	1	1	3	4	6	8	16
35-49	913	4.1	14	<1	1	3	5	8	11	21
50-64	601	5.3	35	1	1	3	6	11	17	30
65+	652	10.6	153	1	2	7	13	24	35	75
GRAND TOTAL	**5926**	**4.8**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	16.0	169	3	3	16	26	29	29	29
20-34	8	8.3	58	3	3	5	11	21	25	25
35-49	6	8.3	73	2	2	5	9	23	25	25
50-64	11	11.5	253	3	3	7	8	33	56	58
65+	14	10.8	46	3	4	9	15	18	26	28
B. *Operated*										
0-19 YRS										
20-34	3	17.0	273	6	6	9	29	36	36	36
35-49	3	10.7	22	7	7	9	14	16	16	16
50-64	3	16.0	399	3	3	6	31	39	39	39
65+	8	13.3	67	2	3	13	17	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.8	13	2	2	3	7	11	13	13
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	42	10.5	108	3	3	7	14	25	28	58
B. *Operated*	17	13.9	121	2	4	9	17	34	38	39
1. SINGLE DX	10	4.5	13	2	2	3	7	10	13	13
2. MULTIPLE DX	59	11.5	112	3	3	8	15	27	33	56
A. NOT OPERATED	51	9.5	95	2	3	7	12	20	28	58
B. OPERATED	18	13.3	122	2	2	9	16	34	38	39
TOTAL 0-19 YRS	6	9.3	121	2	2	3	16	28	29	29
20-34	14	9.2	95	2	3	5	9	26	34	36
35-49	11	7.9	50	2	2	7	9	20	25	25
50-64	15	12.1	243	3	3	7	8	39	53	58
65+	23	11.7	50	3	4	11	16	21	28	28
GRAND TOTAL	**69**	**10.5**	**103**	**2**	**3**	**7**	**14**	**25**	**29**	**54**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	26	5.8	21	1	1	5	8	14	15	17
35-49	89	5.7	13	1	2	5	8	11	13	16
50-64	106	[illegible]	15	1	2	4	8	11	13	18
65+	120	.6	49	1	2	6	9	16	19	37
B. *Operated*										
0-19 YRS	4	2.3	[illegible]	2	2	2	3	3	3	3
20-34	36	6.4	43	1	2	5	8	10	21	35
35-49	161	6.1	24	1	2	5	8	11	14	26
50-64	235	6.0	31	1	2	4	8	12	18	27
65+	91	7.4	54	1	2	5	10	15	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	44	6.9	17	2	3	6	9	13	15	19
35-49	225	7.1	19	1	2	6	9	13	16	21
50-64	553	7.7	26	2	3	7	10	14	18	25
65+	1446	9.9	78	2	3	8	12	18	25	58
B. *Operated*										
0-19 YRS	3	7.7	66	2	2	4	14	17	17	17
20-34	49	7.8	41	1	2	6	11	17	23	26
35-49	186	8.7	60	1	2	7	12	17	23	46
50-64	468	9.3	63	2	2	8	12	19	26	37
65+	546	14.7	168	2	3	11	20	32	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	6.3	27	1	2	5	8	12	15	22
B. *Operated*	527	6.2	34	1	2	5	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	2270	9.0	60	2	3	7	11	17	21	45
B. *Operated*	1252	11.5	116	2	2	9	15	25	33	61
1. SINGLE DX	870	6.3	31	1	2	5	8	12	17	27
2. MULTIPLE DX	3522	9.9	81	2	3	8	12	19	26	53
A. NOT OPERATED	2613	8.7	56	2	3	7	11	16	21	43
B. OPERATED	1779	10.0	97	2	2	7	13	22	29	56
TOTAL 0-19 YRS	11	3.8	20	1	1	2	4	9	16	17
20-34	155	6.9	31	1	2	6	9	13	18	26
35-49	661	7.1	32	1	2	6	9	13	17	25
50-64	1362	7.8	41	2	2	6	10	16	20	31
65+	2203	10.9	103	2	3	8	14	22	30	68
GRAND TOTAL	**4392**	**9.2**	**73**	**2**	**2**	**7**	**11**	**18**	**25**	**47**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	8.3	30	1	2	9	10	15	18	28
20-34	875	7.4	22	1	2	7	10	13	16	23
35-49	1212	8.0	26	1	2	7	10	14	16	25
50-64	721	8.3	26	2	2	7	11	15	17	25
65+	189	8.3	22	1	3	8	11	15	17	22
B. *Operated*										
0-19 YRS	128	7.6	29	1	1	7	9	17	19	23
20-34	2759	6.9	33	1	2	6	9	13	18	28
35-49	3585	7.5	39	1	2	6	10	15	19	30
50-64	1538	7.7	40	1	2	7	10	15	20	32
65+	316	9.5	60	1	2	8	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.5	15	3	4	9	10	13	16	18
20-34	446	8.0	41	1	2	6	10	16	20	29
35-49	985	9.0	38	1	2	8	12	17	21	31
50-64	1062	9.9	44	2	3	9	12	17	21	32
65+	1003	11.2	63	3	4	10	14	20	26	44
B. *Operated*										
0-19 YRS	32	8.3	36	2	2	7	12	17	18	24
20-34	825	9.5	64	1	2	8	12	19	25	38
35-49	1691	10.3	67	2	2	8	13	20	26	41
50-64	1531	11.4	88	2	3	9	15	22	28	47
65+	783	14.5	124	2	4	12	19	27	36	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3035	7.9	25	1	2	7	10	14	17	24
B. *Operated*	8326	7.4	38	1	2	6	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	3515	9.8	48	2	3	8	13	18	22	35
B. *Operated*	4862	11.2	85	2	3	9	14	22	28	47
1. SINGLE DX	11361	7.5	35	1	2	6	10	14	18	28
2. MULTIPLE DX	8377	10.6	70	2	3	9	13	20	26	42
A. NOT OPERATED	6550	8.9	38	2	2	8	12	16	20	30
B. OPERATED	13188	8.8	59	1	2	7	11	18	23	37
TOTAL 0-19 YRS	217	7.9	29	1	2	7	10	17	19	24
20-34	4905	7.5	38	1	2	6	10	14	19	30
35-49	7473	8.4	44	1	2	7	11	16	21	33
50-64	4852	9.4	56	2	2	8	12	18	23	37
65+	2291	11.8	85	2	3	10	15	22	28	55
GRAND TOTAL	**19738**	**8.8**	**52**	**1**	**2**	**7**	**11**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	9	4	4	4	7	10	10	10
20-34	131	7.1	19	2	2	6	10	13	14	22
35-49	225	7.2	22	1	2	7	10	14	16	22
50-64	117	7.3	20	1	2	7	10	13	17	20
65+	35	8.8	38	2	3	8	10	15	25	29
B. *Operated*										
0-19 YRS	6	11.0	81	2	2	10	15	25	26	26
20-34	261	7.0	36	1	1	5	9	15	18	28
35-49	593	6.7	25	1	2	6	9	13	16	24
50-64	260	7.1	38	1	2	6	9	14	18	26
65+	22	8.4	56	1	2	7	10	21	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	92	6.7	18	1	1	7	9	11	16	20
35-49	243	7.8	46	1	1	6	11	15	18	26
50-64	262	7.7	27	1	2	7	10	14	18	24
65+	279	9.9	63	2	3	8	12	17	24	37
B. *Operated*										
0-19 YRS	2	16.0	392	2	2	16	30	30	30	30
20-34	133	8.7	58	2	2	7	11	18	22	37
35-49	441	9.0	49	2	3	7	11	18	24	35
50-64	315	10.4	76	2	2	8	13	20	27	48
65+	89	13.6	118	2	4	11	17	31	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	7.3	22	1	2	7	10	13	17	22
B. *Operated*	1142	6.9	31	1	2	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	877	8.3	44	1	2	7	11	15	19	32
B. *Operated*	980	9.9	67	2	2	8	12	20	26	41
1. SINGLE DX	1654	7.0	28	1	2	6	9	13	17	26
2. MULTIPLE DX	1857	9.1	57	2	2	7	11	17	23	38
A. NOT OPERATED	1389	7.9	36	1	2	7	10	15	18	30
B. OPERATED	2122	8.3	50	1	2	7	10	16	22	35
TOTAL 0-19 YRS	13	9.4	87	2	2	4	13	27	29	30
20-34	617	7.4	35	1	2	6	10	15	19	27
35-49	1502	7.6	36	1	2	6	10	14	19	28
50-64	954	8.4	47	1	2	7	11	16	21	34
65+	425	10.5	74	2	3	8	13	19	29	46
GRAND TOTAL	**3511**	**8.1**	**45**	**1**	**2**	**7**	**10**	**15**	**21**	**34**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	26	2	2	5	12	14	14	14
20-34	62	6.6	17	1	2	6	9	13	15	20
35-49	65	7.9	20	3	3	7	10	13	15	27
50-64	24	7.3	23	1	2	7	11	14	16	16
65+	18	6.2	29	1	1	5	9	12	19	23
B. *Operated*										
0-19 YRS										
20-34	59	4.9	12	1	2	3	8	10	12	15
35-49	57	3.9	12	1	2	3	4	8	12	19
50-64	22	6.7	44	1	1	4	10	16	21	25
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	90	4	4	8	14	28	28	28
20-34	69	8.0	16	2	4	7	9	12	16	23
35-49	105	7.9	15	3	3	7	10	13	14	22
50-64	86	8.6	27	2	3	8	11	15	17	28
65+	50	9.6	74	2	2	8	11	19	27	50
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	53	8.9	39	2	2	8	12	18	19	29
35-49	68	9.6	92	2	2	7	13	21	27	53
50-64	30	9.5	78	1	2	7	11	21	30	39
65+	15	11.2	46	3	3	9	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.1	21	2	2	6	10	13	16	22
B. *Operated*	139	4.9	22	1	2	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	315	8.4	29	2	3	8	10	14	17	28
B. *Operated*	167	9.4	68	2	2	8	13	19	24	38
1. SINGLE DX	313	6.2	22	1	2	5	8	12	15	24
2. MULTIPLE DX	482	8.8	43	2	2	8	11	16	21	33
A. NOT OPERATED	489	8.0	26	2	3	7	10	14	16	28
B. OPERATED	306	7.4	52	1	2	5	10	17	21	34
TOTAL 0-19 YRS	11	8.6	55	2	2	8	10	20	27	28
20-34	243	7.1	22	2	2	7	9	13	17	23
35-49	295	7.5	37	2	2	7	10	13	17	32
50-64	162	8.3	38	1	2	7	11	15	19	30
65+	84	9.4	64	2	2	8	12	21	24	43
GRAND TOTAL	**795**	**7.7**	**36**	**2**	**2**	**7**	**10**	**15**	**19**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	8	<1	2	5	6	8	12	13
20-34	100	7.2	21	2	2	7	9	13	14	26
35-49	156	6.7	15	1	2	7	8	11	13	21
50-64	112	7.3	20	1	2	7	9	13	16	22
65+	54	10.2	63	1	3	9	12	18	25	46
B. *Operated*										
0-19 YRS	5	2.4	1	1	1	2	3	4	4	4
20-34	77	4.3	17	1	1	3	5	12	13	17
35-49	71	4.2	15	1	1	3	5	10	14	17
50-64	44	4.5	30	1	1	3	5	10	21	25
65+	7	5.1	34	1	1	2	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.9	25	2	3	8	9	12	20	23
20-34	140	7.8	16	2	3	7	9	14	16	21
35-49	185	8.8	29	2	3	8	11	15	17	28
50-64	226	9.4	40	2	4	8	11	17	21	37
65+	363	10.1	44	3	4	9	13	18	21	28
B. *Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	41	7.8	45	1	1	6	10	18	23	28
35-49	69	7.3	55	1	1	5	11	16	23	39
50-64	53	9.8	59	1	2	9	16	20	24	31
65+	42	15.0	196	2	3	12	20	26	33	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	7.4	24	1	2	7	9	13	15	26
B. *Operated*	204	4.3	19	1	1	3	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	929	9.3	36	3	4	8	11	17	20	29
B. *Operated*	208	9.5	89	1	1	7	13	21	25	38
1. SINGLE DX	638	6.4	25	1	2	5	9	12	14	24
2. MULTIPLE DX	1137	9.3	46	2	3	8	12	17	21	31
A. NOT OPERATED	1363	8.7	33	2	3	8	11	15	19	28
B. OPERATED	412	6.9	61	1	1	4	10	16	21	31
TOTAL 0-19 YRS	35	5.9	18	1	2	5	8	10	13	23
20-34	358	6.9	23	1	2	6	9	13	16	23
35-49	481	7.2	28	1	2	7	9	14	16	26
50-64	435	8.4	38	1	2	7	11	16	20	31
65+	466	10.4	62	3	4	9	13	19	23	35
GRAND TOTAL	**1775**	**8.3**	**40**	**1**	**2**	**7**	**11**	**16**	**19**	**30**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	4.5	26	1	1	3	6	8	10	30
20-34	753	6.3	21	1	1	5	9	12	14	21
35-49	1102	7.2	28	1	2	6	10	14	17	27
50-64	606	6.9	23	1	2	6	9	13	15	22
65+	246	7.9	37	1	1	6	11	15	18	29
B. *Operated*										
0-19 YRS	38	3.8	10	1	1	3	5	7	11	16
20-34	674	4.6	22	1	1	3	6	11	15	22
35-49	904	5.1	30	1	1	3	7	11	16	26
50-64	590	6.0	30	1	1	4	9	14	16	26
65+	232	7.9	46	1	1	7	11	16	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	6.4	32	1	2	4	8	11	17	32
20-34	805	6.9	26	1	2	6	9	13	16	24
35-49	1356	8.2	39	1	2	7	11	16	20	31
50-64	1370	8.4	38	2	2	7	11	16	19	31
65+	1529	9.8	58	2	3	8	13	19	23	36
B. *Operated*										
0-19 YRS	31	7.7	44	3	3	5	9	18	24	29
20-34	436	7.1	59	1	1	5	9	16	21	35
35-49	865	8.5	88	1	2	6	11	18	25	51
50-64	1027	10.0	76	2	2	8	13	20	26	46
65+	950	14.3	152	2	3	11	18	28	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2813	6.8	26	1	1	6	9	13	16	24
B. *Operated*	2438	5.4	30	1	1	3	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	5145	8.5	43	1	2	7	11	16	20	32
B. *Operated*	3309	10.4	105	1	2	8	14	22	30	58
1. SINGLE DX	5251	6.2	28	1	1	5	9	13	16	25
2. MULTIPLE DX	8454	9.3	68	1	2	7	12	18	24	42
A. NOT OPERATED	7958	7.9	38	1	2	7	10	15	19	30
B. OPERATED	5747	8.3	79	1	2	6	11	18	24	45
TOTAL 0-19 YRS	260	5.4	29	1	1	4	6	10	15	31
20-34	2668	6.2	30	1	1	5	8	13	16	25
35-49	4227	7.3	46	1	2	6	10	15	19	31
50-64	3593	8.2	47	1	2	7	11	16	20	35
65+	2957	10.9	91	2	2	9	14	22	28	51
GRAND TOTAL	**13705**	**8.1**	**55**	**1**	**2**	**6**	**11**	**16**	**21**	**36**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	3.9	9	1	1	3	5	7	9	14
20-34	109	4.3	8	1	2	4	5	7	8	16
35-49	93	4.5	7	1	2	4	6	8	9	15
50-64	79	4.6	12	1	2	3	6	9	10	17
65+	56	5.7	28	1	1	4	7	11	15	29
B. *Operated*										
0-19 YRS	262	2.4	4	<1	<1	2	3	4	6	10
20-34	668	2.6	4	<1	<1	2	3	4	6	12
35-49	982	2.8	4	<1	<1	2	3	5	6	11
50-64	830	2.8	6	<1	<1	2	3	5	7	13
65+	254	3.2	12	<1	<1	2	4	6	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.3	13	1	1	4	5	9	11	20
20-34	98	4.5	10	<1	1	4	6	8	10	18
35-49	147	5.4	17	1	1	4	7	10	14	22
50-64	239	5.7	18	1	2	5	7	11	15	21
65+	315	8.2	52	2	2	6	11	15	20	50
B. *Operated*										
0-19 YRS	106	3.4	7	<1	1	3	4	6	9	14
20-34	358	3.6	18	<1	1	2	4	7	9	24
35-49	572	3.9	22	<1	1	3	4	7	10	16
50-64	737	4.5	23	1	1	3	5	9	12	25
65+	413	6.6	80	1	1	4	7	13	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	4.4	11	1	1	4	6	8	10	17
B. *Operated*	2996	2.7	5	<1	<1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	891	6.2	31	1	2	5	8	12	16	26
B. *Operated*	2186	4.5	33	<1	1	3	5	9	12	30
1. SINGLE DX	3487	3.0	6	<1	<1	2	4	5	7	14
2. MULTIPLE DX	3077	5.0	33	1	1	3	6	10	14	29
A. NOT OPERATED	1382	5.6	25	1	2	4	7	11	14	25
B. OPERATED	5182	3.5	18	<1	1	2	4	6	9	19
TOTAL 0-19 YRS	614	3.3	8	<1	1	2	4	6	9	14
20-34	1233	3.2	9	<1	1	2	4	6	8	14
35-49	1794	3.4	12	<1	1	3	4	6	9	15
50-64	1885	3.9	15	<1	1	3	5	8	10	21
65+	1038	6.2	55	<1	1	4	8	13	17	44
GRAND TOTAL	6564	3.9	20	<1	1	3	4	8	11	21

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	6	4.3	34	<1	<1	2	4	15	16	16
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	6.6	42	2	2	4	8	18	18	18
B. *Operated*										
0-19 YRS	280	3.1	2	1	1	3	4	5	6	8
20-34	651	3.2	2	1	1	3	4	5	6	8
35-49	644	3.3	4	1	1	3	4	6	6	9
50-64	779	3.5	14	1	1	3	4	6	7	9
65+	376	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	5	<1	<1	1	1	6	7	7
20-34	28	1.3	1	<1	<1	1	1	2	3	5
35-49	48	1.3		<1	<1	1	1	2	3	4
50-64	49	2.0	4	<1	<1	1	2	5	7	11
65+	27	2.8	6	<1	<1	2	4	7	8	9
B. *Operated*										
0-19 YRS	292	3.6	3	1	2	3	4	6	7	9
20-34	912	3.8	16	1	2	3	4	6	7	14
35-49	1221	3.7	5	1	2	3	5	6	7	9
50-64	1958	4.2	8	1	2	4	5	6	8	12
65+	1323	4.7	12	1	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.1	26	<1	<1	2	4	14	17	18
B. *Operated*	2730	3.3	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	163	1.8	3	<1	<1	1	2	4	6	9
B. *Operated*	5706	4.1	10	1	2	4	5	6	8	13
1. SINGLE DX	2747	3.3	6	1	1	3	4	5	6	9
2. MULTIPLE DX	5869	4.0	9	1	2	4	5	6	8	13
A. NOT OPERATED	180	2.0	5	<1	<1	1	2	4	6	14
B. OPERATED	8436	3.9	9	1	2	3	5	6	7	12
TOTAL 0-19 YRS	585	[illegible]	3	1	1	3	4	5	6	9
20-34	1593	[illegible]	10	1	1	3	4	5	6	10
35-49	1919	3.5	5	1	1	3	4	6	7	9
50-64	2788	4.0	10	1	2	4	5	6	7	11
65+	1731	4.4	11	1	2	4	5	7	9	15
GRAND TOTAL	8616	3.8	9	1	2	3	5	6	7	12

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	6	3.5	12	1	1	2	4	9	10	10
65+	5	4.2	3	2	2	5	5	6	6	6
B. *Operated*										
0-19 YRS	395	1.6	1	<1	<1	1	2	3	3	4
20-34	736	1.8	2	<1	<1	2	2	3	3	5
35-49	531	1.9	2	<1	<1	2	2	3	4	8
50-64	287	2.1	2	<1	<1	2	3	4	5	10
65+	108	2.3	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	12	<1	<1	1	1	3	12	14
20-34	15	2.2	5	<1	<1	<1	2	7	7	7
35-49	15	2.3	3	<1	<1	2	3	5	6	6
50-64	16	7.1	56	1	1	4	11	15	25	29
65+	26	5.7	22	<1	1	5	8	9	16	22
B. *Operated*										
0-19 YRS	44	1.9	2	<1	<1	2	2	3	5	6
20-34	133	2.4	4	<1	<1	2	3	4	7	11
35-49	185	2.7	6	<1	<1	2	3	5	7	12
50-64	187	3.2	7	<1	1	3	4	6	9	15
65+	118	4.4	41	<1	1	3	5	8	10	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	5	<1	<1	2	4	5	7	10
B. *Operated*	2057	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	86	4.2	24	<1	<1	2	6	9	14	26
B. *Operated*	667	3.0	12	<1	<1	2	3	6	8	14
1. SINGLE DX	2081	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	753	3.2	14	<1	<1	2	4	6	8	15
A. NOT OPERATED	110	3.8	20	<1	<1	2	5	9	13	25
B. OPERATED	2724	2.2	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	454	1.7	1	<1	<1	1	2	3	3	5
20-34	892	1.9	3	<1	<1	2	2	3	4	8
35-49	735	2.1	3	<1	<1	2	2	4	5	9
50-64	496	2.7	7	<1	<1	2	3	5	7	14
65+	257	3.6	24	<1	<1	2	4	7	9	16
GRAND TOTAL	**2834**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	15.6	102	2	4	14	23	29	30	42
20-34	38	12.4	105	1	2	8	18	31	35	36
35-49	29	16.2	171	1	2	10	22	39	43	45
50-64	36	14.0	191	<1	2	9	18	34	47	56
65+	34	12.6	77	2	3	10	17	23	33	38
B. *Operated*										
0-19 YRS	66	18.9	214	2	3	16	28	38	44	67
20-34	73	14.2	167	1	2	11	21	33	41	61
35-49	71	13.2	138	1	2	11	20	29	38	52
50-64	84	13.8	134	1	2	11	18	31	35	53
65+	59	12.6	129	3	3	10	15	25	40	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	20.4	112	4	7	21	29	34	38	47
20-34	58	14.2	125	2	2	10	23	31	37	44
35-49	69	16.2	192	3	4	11	21	39	44	64
50-64	150	17.4	178	3	4	13	24	38	43	62
65+	211	19.6	271	3	4	15	28	43	61	94
B. *Operated*										
0-19 YRS	90	20.9	195	2	4	19	28	46	49	56
20-34	169	23.0	326	2	4	17	36	48	57	78
35-49	182	24.3	270	4	7	22	35	50	60	99+
50-64	358	23.5	301	4	6	19	32	49	70	99+
65+	538	25.9	380	4	7	21	36	57	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	14.4	123	2	3	10	21	30	38	47
B. *Operated*	353	14.5	159	2	2	11	21	33	41	64
2. MULTIPLE DX										
A. *Not Operated*	542	18.1	206	3	4	14	25	39	45	69
B. *Operated*	1337	24.3	326	4	6	20	34	52	68	99+
1. SINGLE DX	561	14.4	145	2	3	11	21	31	38	56
2. MULTIPLE DX	1879	22.5	299	3	5	18	31	48	62	99+
A. NOT OPERATED	750	17.0	186	2	4	14	24	36	43	68
B. OPERATED	1690	22.3	307	3	5	18	31	48	63	99+
TOTAL 0-19 YRS	281	19.0	163	2	4	17	27	35	44	56
20-34	338	18.4	252	2	3	13	27	42	49	75
35-49	351	19.8	241	2	4	15	29	43	54	79
50-64	628	20.2	258	3	5	16	29	42	55	85
65+	842	22.8	342	3	5	17	31	52	70	99+
GRAND TOTAL	**2440**	**20.7**	**275**	**3**	**4**	**16**	**29**	**44**	**57**	**97**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	6.0	67	<1	1	4	7	12	23	81
20-34	76	4.0	11	1	1	3	5	9	11	17
35-49	129	3.7	9	1	1	3	4	7	9	19
50-64	116	5.4	26	1	2	4	6	10	14	28
65+	183	8.5	56	2	2	8	11	15	19	27
B. *Operated*										
0-19 YRS	792	4.7	16	1	1	4	6	10	11	22
20-34	640	4.3	13	1	1	3	5	8	11	21
35-49	387	5.0	28	1	1	3	6	10	14	29
50-64	244	6.4	36	1	1	4	9	14	17	29
65+	177	11.4	80	2	2	10	16	21	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	8.7	181	<1	1	4	10	36	84	99+
20-34	172	4.2	21	<1	1	3	5	8	11	31
35-49	321	4.9	22	1	1	4	6	10	13	28
50-64	661	8.0	74	2	2	5	9	15	21	46
65+	2741	12.1	110	3	3	9	15	23	31	65
B. *Operated*										
0-19 YRS	334	6.1	55	1	1	4	6	12	21	39
20-34	510	7.1	94	1	1	4	7	17	26	45
35-49	422	8.7	130	1	2	5	11	18	28	67
50-64	596	12.7	153	2	2	10	16	26	36	75
65+	1044	19.4	245	3	4	16	25	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	5.9	40	1	1	4	8	12	17	28
B. *Operated*	2240	5.4	28	1	1	4	6	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	3978	10.4	101	2	2	8	13	21	29	64
B. *Operated*	2906	12.8	190	2	2	8	17	30	42	93
1. SINGLE DX	2843	5.5	30	1	1	4	7	11	15	26
2. MULTIPLE DX	6884	11.4	140	2	2	8	15	25	35	81
A. NOT OPERATED	4581	9.8	96	2	2	7	12	20	28	59
B. OPERATED	5146	9.5	133	1	2	5	12	23	33	71
TOTAL 0-19 YRS	1308	5.4	41	1	1	4	6	11	16	40
20-34	1398	5.3	45	1	1	3	6	10	16	35
35-49	1259	6.1	62	1	1	4	7	12	18	42
50-64	1617	9.3	101	2	2	6	12	20	27	57
65+	4145	13.7	151	3	3	10	17	28	39	93
GRAND TOTAL	**9727**	**9.7**	**115**	**1**	**2**	**6**	**12**	**21**	**30**	**67**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	3	<1	<1	2	4	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	25.5	265	14	14	25	37	37	37	37
65+										
B. *Operated*										
0-19 YRS	157	4.2	29	1	2	3	5	7	10	16
20-34	108	3.3	8	<1	1	2	4	6	8	16
35-49	77	3.7	12	<1	1	2	4	8	12	18
50-64	53	3.7	14	<1	1	2	4	9	11	18
65+	13	4.6	12	1	1	4	6	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.9	85	<1	<1	2	5	24	68	99+
20-34	3	4.0	19	1	1	2	7	9	9	9
35-49	7	1.7	1	1	1	1	3	3	3	3
50-64	16	15.4	281	1	1	8	29	30	52	61
65+	22	19.5	324	2	4	13	21	48	59	69
B. *Operated*										
0-19 YRS	301	6.2	42	1	2	5	7	11	19	51
20-34	176	5.2	73	<1	1	3	5	9	14	42
35-49	110	4.4	12	1	1	3	6	10	12	16
50-64	124	6.5	37	1	2	5	8	12	17	38
65+	73	11.1	258	2	2	6	12	23	36	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.2	120	<1	<1	1	5	23	36	37
B. *Operated*	408	3.8	18	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	68	11.7	239	1	1	5	15	37	52	94
B. *Operated*	784	6.2	66	1	2	4	7	12	18	46
1. SINGLE DX	419	3.9	20	<1	1	3	4	7	10	18
2. MULTIPLE DX	852	6.7	82	1	1	4	7	13	20	64
A. NOT OPERATED	79	10.9	224	<1	1	4	14	34	49	91
B. OPERATED	1192	5.4	51	1	1	4	6	10	16	37
TOTAL 0-19 YRS	484	5.5	40	1	1	4	6	10	18	55
20-34	289	4.5	48	<1	1	3	5	8	11	24
35-49	195	4.0	12	1	1	3	5	9	12	17
50-64	195	6.7	62	1	1	4	8	14	21	40
65+	108	12.0	257	1	2	7	13	27	47	83
GRAND TOTAL	**1271**	**5.8**	**63**	**1**	**1**	**4**	**6**	**11**	**17**	**48**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	3.8	5	<1	1	3	6	7	8	9
35-49	21	7.1	13	2	3	6	9	11	14	17
50-64	22	5.1	7	2	2	4	6	9	11	12
65+	12	4.8	23	1	1	3	5	11	18	19
B. *Operated*										
0-19 YRS										
20-34	19	4.2	11	1	2	3	5	9	11	13
35-49	28	5.1	23	1	1	3	6	10	18	21
50-64	8	2.6	3	1	1	2	4	5	6	6
65+	3	4.3	5	3	3	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	6.5	3	4	4	7	8	9	9	9
35-49	35	6.5	16	2	3	5	9	12	14	20
50-64	46	8.0	29	2	3	7	9	13	19	29
65+	64	9.8	77	3	3	8	11	19	28	51
B. *Operated*										
0-19 YRS										
20-34	9	4.6	6	2	2	4	6	8	9	9
35-49	16	9.9	178	2	2	6	9	19	45	56
50-64	19	8.6	47	2	2	7	11	15	25	31
65+	21	14.0	92	2	3	11	20	28	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.3	12	1	2	5	7	9	11	18
B. *Operated*	58	4.4	16	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	162	8.2	44	2	3	7	10	15	20	34
B. *Operated*	65	10.1	94	2	2	7	12	24	29	53
1. SINGLE DX	133	4.9	14	1	2	4	6	9	12	19
2. MULTIPLE DX	227	8.7	59	2	3	7	10	18	25	39
A. NOT OPERATED	237	7.3	36	2	2	6	9	12	18	31
B. OPERATED	123	7.4	65	1	2	4	9	18	25	39
TOTAL 0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	62	4.7	7	1	2	4	7	9	9	13
35-49	100	6.8	44	2	2	5	9	12	18	38
50-64	95	7.0	28	1	2	6	9	12	17	30
65+	100	9.9	78	2	3	7	12	20	28	44
GRAND TOTAL	**360**	**7.3**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	2.2	25	1	1	1	2	5	7	9
20-34	206	5.0	8	1	1	5	7	8	10	12
35-49	200	4.3	7	1	1	3	7	8	9	12
50-64	125	4.8	33	1	1	3	5	8	13	36
65+	90	6.2	31	1	1	5	7	12	16	34
B. *Operated*										
0-19 YRS	497	5.2	23	<1	1	3	9	11	14	22
20-34	579	3.8	26	<1	1	2	4	8	12	26
35-49	423	4.1	18	<1	1	3	5	9	13	20
50-64	496	2.9	7	<1	1	2	3	5	8	15
65+	279	2.9	6	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	4.6	81	<1	1	2	5	9	14	84
20-34	308	5.4	22	1	1	4	7	10	12	27
35-49	387	5.4	24	1	1	4	7	11	15	25
50-64	461	5.7	19	1	2	5	7	11	14	25
65+	670	8.2	61	2	2	6	10	16	20	47
B. *Operated*										
0-19 YRS	559	6.4	58	1	1	3	8	15	21	38
20-34	796	5.3	48	1	1	3	5	12	20	37
35-49	605	5.0	38	1	1	3	5	11	15	32
50-64	605	6.2	73	1	2	3	7	13	21	50
65+	542	9.0	125	1	2	4	11	21	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	4.2	20	1	1	3	6	8	10	16
B. *Operated*	2274	3.8	18	<1	1	2	4	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	2004	6.3	42	1	1	5	8	13	17	32
B. *Operated*	3107	6.2	68	1	1	3	7	14	22	42
1. SINGLE DX	3124	3.9	19	<1	1	2	5	9	11	19
2. MULTIPLE DX	5111	6.3	58	1	1	4	7	14	19	39
A. NOT OPERATED	2854	5.7	36	1	1	4	7	11	15	31
B. OPERATED	5381	5.2	48	1	1	3	6	12	17	36
TOTAL 0-19 YRS	1463	5.1	46	<1	1	3	7	12	16	29
20-34	1889	4.8	33	1	1	3	6	10	15	30
35-49	1615	4.8	26	1	1	3	6	10	14	28
50-64	1687	5.0	38	1	1	3	6	10	14	29
65+	1581	7.4	76	1	2	5	9	16	22	44
GRAND TOTAL	**8235**	**5.4**	**44**	**1**	**1**	**3**	**6**	**12**	**16**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.3	4	1	1	3	5	6	6	6
35-49	5	4.2	3	3	3	4	5	7	7	7
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	14	1	1	4	6	10	10	10
20-34	51	5.2	5	2	2	5	7	8	9	10
35-49	34	4.8	5	1	2	5	7	8	8	9
50-64	19	5.6	6	2	2	5	7	9	11	11
65+	14	4.7	15	2	2	4	6	8	15	17
B. *Operated*										
0-19 YRS										
20-34	8	5.6	19	1	1	4	10	11	11	11
35-49	5	7.2	5	5	5	7	8	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	5.0	32	<1	<1	4	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.9	4	1	1	4	5	7	7	7
B. *Operated*	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	123	5.1	6	1	2	5	7	8	9	13
B. *Operated*	16	5.9	14	<1	1	6	9	11	11	11
1. SINGLE DX	16	3.7	4	<1	1	4	5	7	7	7
2. MULTIPLE DX	139	5.2	7	1	2	5	7	9	10	12
A. NOT OPERATED	136	4.9	6	1	2	5	7	8	9	12
B. OPERATED	19	5.4	13	<1	<1	5	9	11	11	11
TOTAL 0-19 YRS	6	4.0	11	1	1	3	5	9	10	10
20-34	66	5.0	7	1	1	5	6	9	10	11
35-49	46	5.0	5	2	2	5	7	8	8	11
50-64	20	5.5	6	2	2	5	7	9	10	11
65+	17	4.9	15	1	2	4	6	9	14	17
GRAND TOTAL	**155**	**5.0**	**7**	**1**	**2**	**5**	**7**	**8**	**10**	**11**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.5	15	<1	<1	1	2	5	6	26
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	64	7.1	26	1	2	6	10	13	19	23
20-34	5	3.8	10	1	1	3	6	8	8	8
35-49	6	6.7	79	1	1	2	11	22	23	23
50-64	6	9.7	48	2	2	8	14	20	21	21
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	8.1	234	<1	1	3	8	25	78	99+
20-34	8	4.1	16	1	1	3	5	11	13	13
35-49	14	11.1	137	2	2	6	13	33	37	38
50-64	1	12.0		12	12	12	12	12	12	12
65+	13	13.2	319	1	1	7	16	38	60	65
B. *Operated*										
0-19 YRS	136	12.3	160	2	2	9	16	28	38	83
20-34	22	13.0	367	2	3	7	14	23	57	93
35-49	7	16.3	108	6	7	15	30	80	99+	99+
50-64	9	18.8	324	3	5	15	25	81	99+	99+
65+	9	7.9	28	1	2	6	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.5	15	<1	<1	1	2	5	6	25
B. *Operated*	83	7.1	30	1	2	6	10	14	20	24
2. MULTIPLE DX										
A. *Not Operated*	226	8.5	225	<1	1	4	9	25	64	99+
B. *Operated*	183	12.7	184	2	2	9	16	29	40	99+
1. SINGLE DX	169	4.8	27	<1	<1	3	6	12	15	24
2. MULTIPLE DX	409	10.3	210	1	1	5	13	28	51	99+
A. NOT OPERATED	312	6.8	174	<1	<1	3	6	18	40	99+
B. OPERATED	266	10.9	142	2	2	8	14	23	33	98
TOTAL 0-19 YRS	473	8.2	156	<1	1	4	10	20	35	99+
20-34	37	9.2	240	1	1	6	10	15	28	93
35-49	27	11.4	120	1	2	8	19	33	44	99+
50-64	17	14.4	201	2	3	12	21	52	85	99+
65+	24	10.9	183	1	1	7	13	21	41	65
GRAND TOTAL	**578**	**8.7**	**163**	**<1**	**1**	**4**	**11**	**21**	**36**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.2		<1	<1	<1	1	2	3	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	423	2.1	3	<1	<1	2	2	3	4	8
20-34	116	2.7	5	<1	1	2	3	4	6	13
35-49	66	2.6	8	<1	1	2	3	4	6	20
50-64	57	2.6	2	<1	1	2	3	4	5	11
65+	47	2.3	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	4	<1	<1	1	1	2	3	14
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	143	2.8	9	1	1	2	3	5	8	18
20-34	36	3.5	8	1	1	2	4	7	8	15
35-49	32	2.9	4	<1	1	2	3	6	8	10
50-64	43	2.7	6	1	2	2	3	4	6	16
65+	77	3.6	29	2	2	2	3	6	7	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	1.2		<1	<1	<1	1	2	3	5
B. *Operated*	709	2.3	4	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	67	1.7	4	<1	<1	1	2	3	5	14
B. *Operated*	331	3.1	12	1	1	2	3	6	8	19
1. SINGLE DX	830	2.1	3	<1	<1	2	2	4	4	10
2. MULTIPLE DX	398	2.9	11	<1	1	2	3	5	8	17
A. NOT OPERATED	188	1.4	2	<1	<1	<1	1	2	3	7
B. OPERATED	1040	2.5	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	743	2.0	4	<1	<1	2	2	3	5	10
20-34	156	2.8	5	<1	1	2	3	5	7	15
35-49	99	2.7	7	<1	1	2	3	5	6	17
50-64	104	2.7	4	1	1	2	3	4	6	13
65+	126	3.1	18	1	2	2	3	5	6	28
GRAND TOTAL	**1228**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.2	13	<1	<1	2	4	6	9	21
20-34	14	3.1	7	<1	<1	2	3	8	10	10
35-49	12	3.8	5	1	1	4	5	7	8	8
50-64	12	2.8	1	2	2	3	4	4	5	5
65+	2	10.0	98	3	3	10	17	17	17	17
B. *Operated*										
0-19 YRS	583	5.6	29	1	1	4	8	11	15	26
20-34	102	4.9	18	1	2	2	8	11	14	19
35-49	69	6.0	30	2	2	3	9	13	15	30
50-64	39	7.0	92	2	2	3	8	13	27	53
65+	18	7.7	41	1	2	6	12	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	5.6	65	1	1	3	6	11	19	41
20-34	38	6.6	26	1	1	5	10	12	19	21
35-49	34	5.0	16	1	1	4	8	10	14	17
50-64	44	7.8	51	1	2	5	11	15	21	34
65+	107	9.4	89	2	3	7	11	18	27	55
B. *Operated*										
0-19 YRS	985	7.2	87	1	1	4	9	15	21	66
20-34	190	7.0	67	1	2	4	10	15	20	29
35-49	90	10.6	148	1	2	6	13	25	41	87
50-64	119	8.9	70	2	2	7	12	19	27	41
65+	93	12.0	97	2	2	10	18	27	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.4	11	<1	<1	2	4	6	8	19
B. *Operated*	811	5.7	31	1	1	3	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	439	6.8	65	1	1	4	8	14	20	38
B. *Operated*	1477	7.8	89	1	1	5	10	18	25	63
1. SINGLE DX	899	5.5	30	1	1	3	8	11	15	26
2. MULTIPLE DX	1916	7.6	84	1	1	5	10	17	25	53
A. NOT OPERATED	527	6.2	57	1	1	4	7	13	19	36
B. OPERATED	2288	7.1	70	1	1	4	10	15	21	46
TOTAL 0-19 YRS	1832	6.4	65	1	1	3	9	13	19	47
20-34	344	6.2	47	1	2	4	9	13	18	26
35-49	205	7.7	84	1	2	4	10	18	25	59
50-64	214	8.0	68	2	2	4	11	17	26	41
65+	220	10.4	90	2	2	7	14	21	31	52
GRAND TOTAL	**2815**	**6.9**	**67**	**1**	**1**	**4**	**9**	**15**	**21**	**45**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	10	<1	<1	2	5	9	9	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	367	4.2	4	2	2	4	6	7	7	9
20-34	14	3.4	5	1	1	3	4	6	9	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	1.2		<1	<1	1	1	2	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	291	4.6	8	2	2	4	5	7	9	19
20-34	22	3.2	3	<1	1	3	4	5	6	8
35-49	7	2.4	2	1	1	2	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	10	<1	<1	2	5	9	9	9
B. *Operated*	384	4.2	4	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	54	1.2		<1	<1	1	1	2	3	3
B. *Operated*	321	4.5	8	1	2	4	5	7	9	16
1. SINGLE DX	390	4.2	4	1	2	4	5	7	8	9
2. MULTIPLE DX	375	4.0	8	<1	1	4	5	7	8	14
A. NOT OPERATED	60	1.4	2	<1	<1	1	1	2	3	9
B. OPERATED	705	4.3	6	1	2	4	5	7	8	11
TOTAL 0-19 YRS	718	4.2	6	1	1	4	5	7	8	11
20-34	36	3.3	4	1	1	3	4	5	7	10
35-49	9	3.0	3	1	1	3	4	5	6	6
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
GRAND TOTAL	**765**	**4.1**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	6	<1	1	3	4	7	9	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	456	4.0	3	2	2	4	5	6	7	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	6	1	1	3	6	7	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	110	7.0	35	3	3	5	8	12	17	38
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.3	6	<1	1	3	4	7	9	11
B. *Operated*	456	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	16	4.0	6	1	1	3	6	7	8	9
B. *Operated*	110	7.0	35	3	3	5	8	12	17	38
1. SINGLE DX	481	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	126	6.6	33	2	3	5	7	12	15	36
A. NOT OPERATED	41	3.6	6	1	1	3	5	7	9	11
B. OPERATED	566	4.6	10	2	2	4	5	7	9	16
TOTAL 0-19 YRS	607	4.5	10	2	2	4	5	7	9	15
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**607**	**4.5**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.0	3	<1	<1	1	2	4	6	9
20-34	6	5.7	59	1	1	3	5	19	21	21
35-49	3	12.7	254	2	2	5	24	31	31	31
50-64	8	4.5	10	<1	<1	4	7	9	9	9
65+	11	5.9	17	2	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	276	4.4	18	<1	<1	3	6	10	13	19
20-34	32	3.3	7	1	1	2	4	8	10	11
35-49	23	5.2	15	<1	1	4	8	11	13	13
50-64	7	6.9	33	1	1	6	8	16	18	18
65+	9	3.0	14	1	1	2	2	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.5	71	<1	1	3	7	16	21	41
20-34	8	7.9	53	2	2	6	10	20	24	24
35-49	14	8.8	26	2	3	7	14	16	17	18
50-64	16	5.8	11	1	1	6	8	10	11	12
65+	60	7.4	26	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	282	9.0	178	1	1	5	10	17	31	91
20-34	63	6.0	46	1	1	4	8	14	17	40
35-49	37	7.9	50	1	1	7	10	17	24	33
50-64	42	8.9	40	2	2	8	11	20	24	26
65+	74	11.6	85	1	2	10	15	25	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.0	14	<1	<1	2	3	6	9	23
B. *Operated*	347	4.4	17	<1	<1	3	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	190	7.0	48	1	1	5	8	15	20	40
B. *Operated*	498	8.9	128	1	2	6	11	18	26	55
1. SINGLE DX	473	4.0	17	<1	<1	2	5	9	12	19
2. MULTIPLE DX	688	8.4	106	1	1	6	10	17	25	46
A. NOT OPERATED	316	5.4	38	<1	<1	3	7	12	17	34
B. OPERATED	845	7.1	87	<1	1	4	9	15	22	42
TOTAL 0-19 YRS	748	6.1	89	<1	<1	3	7	13	18	44
20-34	109	5.3	36	1	1	3	7	12	16	32
35-49	77	7.4	42	1	1	6	9	15	21	32
50-64	73	7.6	32	1	2	7	9	15	22	26
65+	154	9.1	59	1	2	7	12	20	25	37
GRAND TOTAL	**1161**	**6.6**	**74**	**<1**	**1**	**4**	**8**	**14**	**20**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	687	2.2	1	<1	<1	2	3	4	4	6
20-34	53	2.8	2	<1	1	3	3	4	4	7
35-49	19	2.6	2	1	1	2	3	4	6	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	1.2		<1	<1	1	1	2	2	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	654	2.2	2	<1	<1	2	3	4	4	7
20-34	53	3.6	6	1	2	3	4	7	8	13
35-49	22	3.3	3	1	2	3	4	5	7	8
50-64	8	4.4	7	1	1	4	6	8	9	9
65+	1	6.0		6	6	53	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.3		<1	<1	1	2	2	2	2
B. *Operated*	764	2.2	1	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	65	1.2		<1	<1	1	1	2	2	4
B. *Operated*	738	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	772	2.2	1	<1	<1	2	3	4	4	7
2. MULTIPLE DX	803	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	73	1.2		<1	<1	1	1	2	2	4
B. OPERATED	1502	2.3	2	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	1410	2.2	2	<1	<1	2	3	4	4	7
20-34	110	3.1	4	1	1	3	4	5	7	12
35-49	41	3.0	3	1	2	3	4	5	7	8
50-64	11	3.7	6	1	1	3	6	7	9	9
65+	3	3.7	4	2	2	4	53	99+	99+	99+
GRAND TOTAL	**1575**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	9	<1	<1	2	4	7	8	14
20-34	16	3.3	5	<1	1	2	5	6	7	8
35-49	4	3.5	6	1	1	3	5	6	6	6
50-64	5	3.8	7	1	1	4	5	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	631	5.6	24	<1	<1	4	9	12	13	22
20-34	191	4.0	13	<1	<1	3	5	7	10	18
35-49	48	3.9	10	<1	<1	3	6	9	9	14
50-64	25	5.2	22	1	1	3	6	13	16	17
65+	15	5.3	14	1	1	5	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.9	12	<1	<1	1	3	7	14	15
20-34	43	4.5	17	1	1	4	5	7	8	28
35-49	39	5.0	11	1	2	4	7	9	11	16
50-64	29	7.3	33	2	2	6	9	18	21	21
65+	25	7.1	15	2	3	6	10	13	15	17
B. *Operated*										
0-19 YRS	379	7.6	44	<1	1	6	11	16	21	33
20-34	214	5.5	22	<1	<1	5	7	12	13	25
35-49	117	6.5	24	1	2	6	8	14	16	24
50-64	90	8.9	69	2	2	7	11	17	25	46
65+	60	10.7	138	1	2	7	12	24	27	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.2	7	<1	<1	2	4	7	8	14
B. *Operated*	910	5.2	21	<1	<1	4	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	205	4.8	19	<1	<1	3	7	10	14	21
B. *Operated*	860	7.3	47	<1	1	6	10	15	20	34
1. SINGLE DX	967	5.1	21	<1	<1	4	8	11	13	21
2. MULTIPLE DX	1065	6.8	43	<1	1	5	9	14	19	31
A. NOT OPERATED	262	4.4	17	<1	<1	3	6	9	14	21
B. OPERATED	1770	6.2	35	<1	1	5	9	13	16	29
TOTAL 0-19 YRS	1110	6.1	32	<1	<1	4	9	13	16	27
20-34	464	4.7	18	<1	<1	4	6	9	12	25
35-49	208	5.5	19	<1	1	5	7	11	15	18
50-64	149	7.8	54	1	2	6	10	16	21	35
65+	101	9.0	92	1	2	7	10	18	25	60
GRAND TOTAL	**2032**	**6.0**	**33**	**<1**	**1**	**4**	**8**	**12**	**16**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	335	4.0	5	1	2	4	5	6	8	11
20-34	26	4.7	5	1	2	4	6	8	9	11
35-49	13	3.7	4	1	2	3	4	7	9	9
50-64	6	3.8	4	2	2	3	5	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.2		<1	<1	1	1	2	4	99+
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	186	5.2	28	2	2	4	6	8	11	23
20-34	50	6.0	23	2	2	4	7	11	13	27
35-49	29	4.5	7	2	3	4	5	7	11	14
50-64	36	4.6	4	1	2	5	5	7	8	10
65+	13	4.9	4	3	3	5	6	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	380	4.1	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	35	1.3	1	<1	<1	1	1	3	4	99+
B. *Operated*	314	5.2	21	2	2	4	6	8	11	24
1. SINGLE DX	384	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	349	4.8	21	1	1	4	6	8	11	27
A. NOT OPERATED	39	1.3	1	<1	<1	1	1	3	4	99+
B. OPERATED	694	4.5	13	1	2	4	5	7	9	14
TOTAL 0-19 YRS	559	4.2	13	1	1	4	5	7	9	13
20-34	77	5.5	17	2	2	4	7	9	12	26
35-49	42	4.2	6	2	2	4	5	7	10	14
50-64	42	4.5	4	1	2	5	5	7	8	10
65+	13	4.9	4	3	3	5	6	8	10	10
GRAND TOTAL	**733**	**4.4**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	3.8	74	<1	<1	1	4	9	16	99+
20-34	31	4.1	14	<1	1	3	5	9	13	16
35-49	25	6.8	23	1	2	6	9	13	18	21
50-64	10	6.0	13	2	2	6	7	11	14	14
65+	8	6.6	22	<1	1	6	9	14	15	15
B. *Operated*										
0-19 YRS	1265	4.2	14	<1	1	3	5	8	11	21
20-34	409	3.5	13	<1	<1	2	4	8	11	17
35-49	214	3.7	14	<1	1	3	4	8	12	18
50-64	110	5.3	20	1	1	4	7	11	12	24
65+	38	5.4	37	1	2	3	5	13	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	6.3	170	<1	<1	2	5	13	30	93
20-34	44	6.0	37	<1	1	4	7	14	20	26
35-49	37	7.2	34	<1	1	6	10	16	18	24
50-64	53	7.9	52	2	2	6	10	15	37	99+
65+	79	10.2	39	2	4	9	12	19	23	32
B. *Operated*										
0-19 YRS	657	6.7	73	1	1	4	8	13	21	45
20-34	301	5.7	61	1	1	3	6	13	19	42
35-49	207	6.0	48	<1	1	3	8	13	22	35
50-64	163	7.5	61	1	2	4	10	16	23	31
65+	112	12.4	126	2	3	9	17	25	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	4.3	59	<1	<1	2	5	10	15	99+
B. *Operated*	2036	4.1	15	<1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	461	7.2	112	<1	<1	4	9	16	25	92
B. *Operated*	1440	6.9	72	1	1	4	8	15	23	41
1. SINGLE DX	2297	4.1	20	<1	1	3	5	8	11	23
2. MULTIPLE DX	1901	7.0	82	<1	1	4	8	16	24	54
A. NOT OPERATED	722	6.1	95	<1	<1	3	7	14	23	99+
B. OPERATED	3476	5.2	41	<1	1	3	6	11	16	33
TOTAL 0-19 YRS	2357	5.1	53	<1	1	3	6	10	15	42
20-34	785	4.5	34	<1	1	3	5	10	14	28
35-49	483	5.1	32	<1	1	3	7	11	17	29
50-64	336	6.8	46	1	2	5	9	14	21	41
65+	237	10.3	85	2	2	8	14	22	26	40
GRAND TOTAL	**4198**	**5.4**	**50**	**<1**	**1**	**3**	**7**	**12**	**17**	**37**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1494	4.2	22	1	1	3	4	9	14	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	40	4.7	27	<1	<1	3	5	12	18	23
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1228	10.5	140	1	2	6	14	27	36	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	117	21.3	621	2	2	11	34	77	99	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1494	4.2	22	1	1	3	4	9	14	22
B. *Operated*	40	4.7	27	<1	<1	3	5	12	18	23
2. MULTIPLE DX										
A. *Not Operated*	1228	10.5	140	1	2	6	14	27	36	59
B. *Operated*	117	21.3	621	2	2	11	34	77	99	99+
1. SINGLE DX	1534	4.2	22	1	1	3	4	9	14	22
2. MULTIPLE DX	1345	11.5	191	1	2	6	14	29	42	84
A. NOT OPERATED	2722	7.0	85	1	1	4	8	18	26	50
B. OPERATED	157	17.1	521	<1	2	8	21	65	92	99+
TOTAL 0-19 YRS	2879	7.6	114	1	1	4	8	18	29	61
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2879**	**7.6**	**114**	**1**	**1**	**4**	**8**	**18**	**29**	**61**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1560	2.8	5	1	1	2	3	5	6	11
20-34	562	3.3	9	1	1	3	4	7	8	17
35-49	282	3.5	9	1	1	3	4	7	8	14
50-64	187	3.9	9	1	1	3	5	8	10	15
65+	144	4.8	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	11	4.9	26	1	1	3	8	13	17	17
20-34	8	7.1	55	2	2	4	8	20	24	24
35-49	11	4.8	10	2	2	4	6	10	12	12
50-64	7	4.4	4	<1	1	4	6	7	7	7
65+	3	5.0	7	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1939	3.3	10	1	1	3	4	6	8	14
20-34	704	4.6	17	1	1	4	6	8	12	22
35-49	744	5.7	48	1	1	4	7	11	13	32
50-64	852	6.7	41	1	2	5	8	13	18	40
65+	1512	8.5	73	2	2	6	10	17	24	55
B. *Operated*										
0-19 YRS	34	9.3	157	2	2	5	10	18	26	71
20-34	43	7.4	101	1	2	4	8	13	26	60
35-49	68	13.6	247	2	2	9	13	33	45	83
50-64	82	11.7	158	2	2	8	14	25	36	73
65+	121	14.4	168	3	4	10	18	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2735	3.2	7	1	1	2	4	6	8	14
B. *Operated*	40	5.3	21	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	5751	5.6	41	1	1	4	7	11	15	36
B. *Operated*	348	12.3	176	2	3	8	15	27	39	74
1. SINGLE DX	2775	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX	6099	6.0	51	1	1	4	7	12	17	40
A. NOT OPERATED	8486	4.8	32	1	1	3	6	9	13	29
B. OPERATED	388	11.5	164	2	2	7	14	26	35	73
TOTAL 0-19 YRS	3544	3.1	10	1	1	2	4	6	7	14
20-34	1317	4.1	17	1	1	3	5	8	10	22
35-49	1105	5.6	55	1	1	4	6	10	14	37
50-64	1128	6.5	47	1	2	5	8	13	19	40
65+	1780	8.6	78	2	2	6	10	17	25	57
GRAND TOTAL	**8874**	**5.1**	**39**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	2.9	3	1	1	3	4	5	6	11
20-34	73	4.7	14	1	1	4	6	11	14	18
35-49	47	5.1	11	1	1	4	7	10	12	14
50-64	52	5.4	18	2	2	4	7	11	13	22
65+	60	5.1	21	1	2	4	6	9	12	27
B. *Operated*										
0-19 YRS	10	5.0	13	<1	<1	4	8	10	11	11
20-34	10	8.9	21	3	4	8	11	16	18	18
35-49	7	8.7	44	3	3	7	9	20	23	23
50-64	7	15.7	52	6	7	13	22	26	26	26
65+	7	10.4	14	5	6	9	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	549	3.5	7	1	1	3	4	6	7	13
20-34	197	5.0	11	1	2	4	6	9	11	19
35-49	158	5.9	12	2	2	5	8	10	13	16
50-64	346	6.6	26	2	2	5	8	12	16	26
65+	867	8.0	46	2	3	6	10	15	20	36
B. *Operated*										
0-19 YRS	19	6.6	37	2	2	4	7	18	22	23
20-34	45	11.6	69	2	3	10	15	25	29	34
35-49	52	14.4	157	4	4	11	18	29	31	82
50-64	81	13.5	87	4	5	11	18	24	31	49
65+	119	15.0	166	4	5	10	18	34	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	646	3.7	9	1	1	3	4	7	9	15
B. *Operated*	41	9.3	36	2	3	8	13	17	24	26
2. MULTIPLE DX										
A. *Not Operated*	2117	6.2	30	1	2	5	7	12	16	28
B. *Operated*	316	13.5	126	3	4	10	17	26	35	55
1. SINGLE DX	687	4.0	12	1	1	3	5	8	11	18
2. MULTIPLE DX	2433	7.1	49	2	2	5	9	14	20	36
A. NOT OPERATED	2763	5.6	26	1	2	4	7	11	14	27
B. OPERATED	357	13.0	117	3	4	10	16	25	34	53
TOTAL 0-19 YRS	992	3.3	6	1	1	3	4	5	7	13
20-34	325	5.9	25	1	2	4	7	11	16	29
35-49	264	7.5	53	2	2	6	9	15	20	31
50-64	486	7.8	44	2	2	6	9	16	21	36
65+	1053	8.6	63	2	3	6	10	17	23	50
GRAND TOTAL	**3120**	**6.4**	**42**	**1**	**2**	**4**	**8**	**13**	**18**	**34**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.7	4	<1	1	2	3	5	7	10
20-34	194	3.0	6	1	1	2	4	5	7	14
35-49	110	3.4	4	1	1	3	4	6	8	10
50-64	41	2.9	3	1	1	3	4	5	7	8
65+	21	3.9	9	1	1	3	5	9	10	11
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	28	2.7	2	1	2	2	3	5	5	7
35-49	18	3.7	6	1	2	3	5	8	10	10
50-64	10	2.6	4	<1	<1	2	4	6	7	7
65+	7	3.4	5	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	5	1	1	2	4	6	8	10
20-34	221	4.2	9	1	1	3	5	8	9	16
35-49	203	4.6	15	1	1	4	6	8	10	20
50-64	180	4.4	10	1	1	4	5	8	11	16
65+	188	5.2	18	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	5	3.8	9	1	1	2	6	8	8	8
20-34	25	5.4	18	1	1	5	8	11	14	16
35-49	40	5.0	13	1	1	4	7	10	12	16
50-64	31	8.3	40	2	3	6	10	20	23	23
65+	36	8.4	50	1	2	5	12	21	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	3.1	5	1	1	3	4	6	8	11
B. *Operated*	67	3.0	3	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	905	4.4	12	1	1	3	5	8	10	17
B. *Operated*	137	6.7	32	1	2	5	9	15	21	24
1. SINGLE DX	540	3.1	5	1	1	3	4	6	8	10
2. MULTIPLE DX	1042	4.7	15	1	1	4	6	9	12	22
A. NOT OPERATED	1378	3.9	10	1	1	3	5	8	9	16
B. OPERATED	204	5.5	25	1	2	4	7	12	17	23
TOTAL 0-19 YRS	229	2.9	5	<1	1	2	3	6	8	10
20-34	468	3.7	8	1	1	3	5	7	9	16
35-49	371	4.2	12	1	1	3	5	8	9	16
50-64	262	4.5	15	1	1	4	5	9	12	23
65+	252	5.5	23	1	2	4	7	11	15	24
GRAND TOTAL	**1582**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	3	<1	<1	2	3	5	7	8
20-34	42	2.8	3	<1	1	2	4	6	6	7
35-49	65	3.2	3	1	1	3	4	6	6	10
50-64	102	3.6	7	<1	1	3	5	7	8	14
65+	100	3.6	8	1	1	3	5	6	7	16
B. *Operated*										
0-19 YRS	37	1.9	3	<1	<1	<1	2	5	5	7
20-34	44	3.6	3	1	2	3	4	5	6	9
35-49	67	4.9	7	2	2	4	7	9	11	13
50-64	104	4.7	6	1	2	5	6	7	9	13
65+	75	4.6	7	1	1	4	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	2	1	1	3	4	4	5	5
20-34	29	4.0	7	1	1	3	5	8	9	11
35-49	68	4.4	8	1	2	4	6	8	9	16
50-64	183	4.3	8	1	1	4	6	8	10	16
65+	473	4.8	14	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	21	3.1	4	<1	1	3	5	5	7	9
20-34	41	6.1	9	2	3	6	7	10	13	15
35-49	68	5.8	9	2	2	5	8	10	11	14
50-64	190	6.4	26	2	2	5	7	10	14	35
65+	346	7.8	96	1	2	5	9	13	18	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.4	6	<1	1	3	4	6	7	10
B. *Operated*	327	4.3	6	<1	1	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	777	4.6	12	1	1	4	6	8	11	16
B. *Operated*	666	6.9	60	2	2	5	8	11	15	40
1. SINGLE DX	659	3.8	6	<1	1	3	5	7	8	12
2. MULTIPLE DX	1443	5.7	35	1	2	5	7	10	12	29
A. NOT OPERATED	1109	4.2	10	1	1	4	5	8	10	15
B. OPERATED	993	6.0	44	1	2	5	7	10	13	34
TOTAL 0-19 YRS	105	2.5	3	<1	<1	2	4	5	5	8
20-34	156	4.1	7	1	1	4	5	7	9	14
35-49	268	4.6	8	1	2	4	6	9	10	14
50-64	579	4.9	14	1	2	4	6	8	11	16
65+	994	5.7	44	1	2	4	7	10	13	31
GRAND TOTAL	**2102**	**5.1**	**27**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.4	6	<1	1	2	6	7	8	8
20-34	25	3.5	4	1	2	3	4	6	7	8
35-49	13	3.8	13	1	1	2	5	8	13	14
50-64	15	3.7	4	1	2	3	5	7	8	8
65+	9	3.3	4	1	1	3	4	7	7	7
B. Operated										
0-19 YRS	166	2.2	4	<1	<1	2	2	4	6	12
20-34	220	2.2	3	<1	<1	2	3	4	5	9
35-49	143	2.4	5	<1	<1	2	3	4	7	14
50-64	91	3.0	5	<1	<1	2	4	5	7	12
65+	40	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.1	11	<1	1	4	5	11	11	12
20-34	57	4.8	13	1	1	4	6	10	13	16
35-49	41	3.6	5	<1	1	3	5	6	9	11
50-64	84	5.5	24	1	1	4	7	12	16	24
65+	187	8.3	97	1	2	5	10	17	23	58
B. Operated										
0-19 YRS	50	3.9	20	1	1	2	4	9	14	21
20-34	117	6.2	30	1	1	4	9	13	17	24
35-49	87	6.6	84	<1	1	3	8	13	32	49
50-64	89	6.6	69	1	1	4	8	16	28	79
65+	115	11.6	194	1	2	7	17	33	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.5	6	1	1	3	5	7	8	11
B. Operated	660	2.4	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	412	6.3	56	1	1	4	7	13	18	38
B. Operated	458	7.4	94	1	1	4	9	19	32	88
1. SINGLE DX	756	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	870	6.9	76	1	1	4	9	16	23	56
A. NOT OPERATED	508	5.8	47	1	1	4	7	12	16	32
B. OPERATED	1118	4.4	47	<1	<1	2	4	10	17	40
TOTAL 0-19 YRS	293	2.9	9	<1	<1	2	3	6	9	15
20-34	419	3.7	15	<1	<1	2	4	9	13	19
35-49	284	3.9	33	<1	<1	2	4	9	12	33
50-64	279	4.9	33	<1	1	3	5	10	16	40
65+	351	8.6	123	1	1	5	10	21	32	91
GRAND TOTAL	**1626**	**4.9**	**47**	**<1**	**1**	**3**	**5**	**11**	**17**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	9.0	72	3	3	9	15	15	15	15
65+	7	10.9	66	2	3	9	11	25	28	28
B. Operated										
0-19 YRS	12	4.6	20	<1	<1	2	7	11	14	15
20-34	15	5.1	25	<1	<1	3	6	12	17	18
35-49	9	11.8	79	2	3	10	17	26	30	30
50-64	16	15.6	160	1	2	12	21	37	45	47
65+	59	15.0	119	3	4	13	20	28	39	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	3	8.3	86	2	2	4	15	19	19	19
35-49	6	8.7	59	<1	<1	8	9	22	23	23
50-64	36	12.2	129	1	3	8	13	27	40	54
65+	123	12.6	165	2	3	10	16	24	44	99+
B. Operated										
0-19 YRS	10	6.0	60	2	2	3	7	17	27	27
20-34	25	14.4	362	2	2	9	12	67	79	99+
35-49	58	21.8	385	1	2	15	38	56	63	97
50-64	287	23.8	361	3	5	19	33	54	71	99+
65+	952	23.6	317	5	7	19	31	55	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	9.7	58	2	2	8	11	21	28	28
B. Operated	111	12.4	115	<1	2	10	16	26	36	50
2. MULTIPLE DX										
A. Not Operated	170	12.2	150	2	3	9	15	24	42	97
B. Operated	1332	23.3	331	4	6	19	31	55	76	99+
1. SINGLE DX	121	12.2	110	1	2	9	15	26	35	49
2. MULTIPLE DX	1502	22.0	323	3	5	17	30	53	73	99+
A. NOT OPERATED	180	12.1	145	2	3	9	14	24	40	96
B. OPERATED	1443	22.4	323	3	5	18	30	53	74	99+
TOTAL 0-19 YRS	24	5.2	34	<1	<1	3	7	10	19	27
20-34	43	10.7	239	1	2	6	12	25	71	99+
35-49	74	19.3	338	1	2	12	30	51	60	92
50-64	341	22.1	340	3	5	16	30	51	68	99+
65+	1141	21.9	303	4	6	18	29	53	75	99+
GRAND TOTAL	**1623**	**21.3**	**314**	**3**	**5**	**17**	**29**	**52**	**71**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.4	3	<1	1	2	3	4	5	9
20-34	494	2.6	2	1	1	2	3	5	6	8
35-49	1633	3.0	4	1	1	3	4	5	6	10
50-64	1277	3.2	3	1	1	3	4	6	7	9
65+	401	3.3	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	28	2.1	1	1	1	2	2	3	4	5
35-49	237	2.5	4	1	1	2	2	5	7	10
50-64	284	2.4	3	1	1	2	2	4	6	12
65+	66	2.5	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	4	<1	1	2	3	5	6	12
20-34	651	3.1	4	1	1	3	4	6	7	9
35-49	2876	3.8	7	1	1	3	5	7	8	13
50-64	4034	4.0	8	1	2	3	5	7	9	14
65+	2882	4.7	12	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	4	5.3	52	1	1	2	9	16	16	16
20-34	68	4.3	10	1	1	3	6	9	11	14
35-49	422	4.3	17	1	2	2	6	9	11	23
50-64	629	4.3	17	1	2	2	6	9	11	17
65+	310	6.7	41	2	2	4	9	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3849	3.0	4	1	1	3	4	5	7	9
B. *Operated*	619	2.5	3	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	10505	4.1	9	1	1	3	5	7	9	15
B. *Operated*	1433	4.8	23	1	2	3	6	10	13	26
1. SINGLE DX	4468	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX	11938	4.2	11	1	2	3	5	8	10	16
A. NOT OPERATED	14354	3.8	8	1	1	3	5	7	9	14
B. OPERATED	2052	4.1	18	1	2	2	5	9	12	21
TOTAL 0-19 YRS	114	2.6	5	<1	1	2	3	5	5	13
20-34	1241	2.9	4	1	1	2	4	5	7	10
35-49	5168	3.5	7	1	1	3	4	6	8	13
50-64	6224	3.8	8	1	2	3	5	7	9	14
65+	3659	4.6	15	1	2	4	6	9	11	20
GRAND TOTAL	**16406**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	3.1	13	1	1	2	3	6	9	22
20-34	20	2.4	1	1	1	2	3	4	4	5
35-49	23	3.1	7	<1	1	2	4	7	9	10
50-64	44	3.2	15	<1	1	2	3	5	9	23
65+	37	4.7	15	<1	1	3	6	11	12	18
B. *Operated*										
0-19 YRS	17	2.7	4	<1	1	2	4	6	7	7
20-34	25	3.1	11	<1	<1	2	4	8	10	15
35-49	62	2.7	3	<1	1	2	4	6	7	9
50-64	88	2.8	5	<1	<1	2	4	6	7	11
65+	70	2.5	5	<1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	4.2	19	1	1	3	5	9	12	20
20-34	92	4.6	18	1	1	3	6	10	15	20
35-49	127	4.5	15	1	1	4	6	10	11	21
50-64	364	6.2	24	1	1	5	9	12	15	24
65+	763	7.9	53	1	2	6	10	15	21	41
B. *Operated*										
0-19 YRS	23	7.5	80	<1	1	5	8	17	30	40
20-34	34	6.1	33	1	1	3	11	14	15	24
35-49	78	5.1	29	<1	1	4	7	10	15	31
50-64	236	6.3	35	1	2	4	8	12	18	32
65+	324	8.3	82	1	2	6	11	17	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	3.2	13	1	1	2	3	7	10	22
B. *Operated*	262	2.7	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1718	6.3	37	1	1	5	8	13	17	29
B. *Operated*	695	7.1	59	1	1	5	9	15	22	40
1. SINGLE DX	809	3.0	10	<1	1	2	3	6	8	17
2. MULTIPLE DX	2413	6.5	43	1	1	5	8	13	18	33
A. NOT OPERATED	2265	5.5	33	1	1	4	7	12	16	27
B. OPERATED	957	5.9	48	1	1	4	7	13	18	35
TOTAL 0-19 YRS	835	3.7	18	1	1	2	4	7	11	22
20-34	171	4.4	19	1	1	3	5	11	15	20
35-49	290	4.2	16	<1	1	3	6	9	11	21
50-64	732	5.6	26	1	1	4	8	11	15	24
65+	1194	7.6	59	1	2	6	10	15	21	43
GRAND TOTAL	**3222**	**5.7**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.4	3	1	1	2	3	4	5	10
20-34	449	2.2	3	1	1	2	3	4	5	7
35-49	539	2.0	2	<1	1	2	3	4	4	7
50-64	345	2.2	2	1	1	2	3	4	5	7
65+	127	2.6	3	<1	1	2	3	5	7	8
B. *Operated*										
0-19 YRS	66	2.9	23	<1	<1	1	3	6	10	30
20-34	69	3.9	6	<1	1	4	5	7	9	10
35-49	69	4.0	5	1	1	4	5	7	9	11
50-64	53	4.1	9	<1	1	3	5	8	11	15
65+	54	5.4	15	1	2	5	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.4	15	1	1	3	4	6	8	26
20-34	237	3.2	7	1	1	2	4	6	9	12
35-49	354	3.2	6	1	1	3	4	6	8	13
50-64	363	4.1	18	1	1	3	5	8	10	18
65+	595	6.0	55	1	1	4	7	12	15	42
B. *Operated*										
0-19 YRS	53	6.0	52	<1	<1	3	8	17	25	29
20-34	91	6.9	40	1	2	5	8	13	23	32
35-49	113	6.8	41	1	1	6	9	13	16	35
50-64	190	7.6	36	1	2	6	10	15	20	33
65+	396	10.4	78	2	3	8	13	22	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1539	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	311	4.0	12	<1	<1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1606	4.4	29	1	1	3	5	8	12	29
B. *Operated*	843	8.6	60	1	2	7	11	18	26	58
1. SINGLE DX	1850	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2449	5.9	44	1	1	4	7	12	17	40
A. NOT OPERATED	3145	3.3	17	1	1	2	4	6	9	18
B. OPERATED	1154	7.4	52	1	1	6	9	15	22	50
TOTAL 0-19 YRS	255	3.5	23	<1	<1	2	4	7	11	28
20-34	846	3.1	10	1	1	2	4	6	8	15
35-49	1075	3.0	10	<1	1	2	4	6	8	15
50-64	951	4.1	19	1	1	3	5	8	12	20
65+	1172	7.1	62	1	1	5	9	14	22	57
GRAND TOTAL	**4299**	**4.4**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1702	2.2	2	1	1	2	3	4	5	8
20-34	1595	2.7	4	<1	1	2	3	5	6	9
35-49	801	3.3	6	<1	1	3	4	6	8	12
50-64	450	3.2	6	<1	1	3	4	6	7	10
65+	308	3.9	10	<1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	140	3.9	4	1	2	4	5	6	8	12
20-34	198	3.9	7	<1	1	3	5	8	9	13
35-49	80	4.4	14	1	1	3	6	10	12	19
50-64	41	4.6	9	1	1	4	6	9	10	14
65+	20	6.6	31	1	2	4	9	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	852	2.8	5	1	1	2	3	5	7	11
20-34	1070	3.2	6	<1	1	3	4	7	8	12
35-49	814	4.5	12	1	1	4	6	9	11	16
50-64	1018	4.9	13	1	1	4	6	9	11	18
65+	1547	6.0	32	1	2	5	7	11	15	33
B. *Operated*										
0-19 YRS	95	4.3	10	1	2	4	5	8	10	19
20-34	255	5.2	20	1	1	4	7	10	14	20
35-49	163	7.4	59	1	2	6	10	13	16	27
50-64	140	9.0	95	1	2	7	11	16	23	55
65+	220	9.5	57	2	3	8	12	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4856	2.7	5	<1	1	2	3	5	7	10
B. *Operated*	479	4.1	9	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	5301	4.5	17	1	1	3	6	8	11	19
B. *Operated*	873	7.2	51	1	2	5	9	14	18	41
1. SINGLE DX	5335	2.9	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	6174	4.9	23	1	1	4	6	9	12	22
A. NOT OPERATED	10157	3.6	12	1	1	3	5	7	9	16
B. OPERATED	1352	6.1	39	1	1	4	8	12	16	29
TOTAL 0-19 YRS	2789	2.5	4	1	1	2	3	5	6	10
20-34	3118	3.2	7	<1	1	2	4	6	8	13
35-49	1858	4.2	15	1	1	3	5	8	11	17
50-64	1649	4.8	20	1	1	4	6	9	12	20
65+	2095	6.0	34	1	2	5	7	12	15	34
GRAND TOTAL	**11509**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	2.5	3	1	1	2	3	5	7	9
20-34	66	3.2	9	<1	1	2	4	6	11	15
35-49	60	2.8	11	<1	1	2	3	5	9	19
50-64	50	4.3	45	<1	<1	2	5	8	14	42
65+	62	3.6	9	<1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	10	2.2	3	<1	<1	2	3	5	6	6
20-34	19	4.2	12	<1	<1	3	6	9	12	13
35-49	26	5.1	39	<1	<1	2	6	15	21	24
50-64	33	3.0	8	<1	<1	2	4	6	11	12
65+	17	4.8	30	1	1	2	5	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	3.3	14	1	1	2	4	6	9	21
20-34	200	3.7	29	<1	1	2	4	8	11	42
35-49	189	4.7	29	1	1	3	6	9	15	23
50-64	323	6.1	32	1	1	4	8	13	17	28
65+	767	7.3	67	1	2	5	9	14	18	40
B. *Operated*										
0-19 YRS	38	5.4	23	<1	<1	4	8	13	14	22
20-34	59	6.0	32	1	1	5	7	14	16	30
35-49	55	11.1	148	1	1	7	16	29	32	67
50-64	121	8.1	54	1	1	5	11	18	24	31
65+	240	11.7	152	2	2	9	15	24	36	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.1	12	<1	1	2	4	6	8	16
B. *Operated*	105	3.9	20	<1	<1	2	5	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	1787	5.7	46	1	1	4	7	12	16	32
B. *Operated*	513	9.7	110	1	1	7	13	22	28	68
1. SINGLE DX	499	3.2	14	<1	1	2	4	7	10	19
2. MULTIPLE DX	2300	6.6	63	1	1	4	8	14	20	40
A. NOT OPERATED	2181	5.2	41	1	1	3	7	11	15	28
B. OPERATED	618	8.7	99	1	1	6	12	19	27	56
TOTAL 0-19 YRS	512	3.2	12	1	1	2	4	6	9	20
20-34	344	4.0	25	<1	1	3	5	9	13	33
35-49	330	5.4	53	1	1	3	7	12	20	33
50-64	527	6.2	38	1	1	4	8	14	19	28
65+	1086	8.0	87	1	2	6	10	16	22	57
GRAND TOTAL	**2799**	**6.0**	**56**	**1**	**1**	**4**	**8**	**13**	**18**	**37**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	819	3.8	17	<1	1	3	5	7	10	20
20-34	325	2.9	7	1	1	2	4	5	6	12
35-49	367	3.2	9	1	1	3	4	6	7	13
50-64	507	3.1	5	1	1	3	4	6	7	11
65+	612	4.3	18	1	1	3	6	8	10	17
B. *Operated*										
0-19 YRS	73	2.3	5	<1	<1	2	3	4	5	14
20-34	117	2.3	3	<1	<1	2	3	4	6	9
35-49	122	2.5	7	<1	<1	2	3	4	6	16
50-64	136	2.9	16	<1	1	2	3	6	8	29
65+	77	3.5	14	<1	1	2	4	7	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1058	5.6	61	1	1	4	7	10	16	36
20-34	700	4.8	32	1	1	3	6	9	13	30
35-49	1018	4.8	21	1	1	3	6	9	13	23
50-64	2712	6.0	37	1	2	4	7	12	16	31
65+	7221	7.7	58	2	2	6	9	15	20	44
B. *Operated*										
0-19 YRS	76	9.6	179	1	1	4	12	25	55	99+
20-34	141	5.4	51	<1	1	3	6	11	16	40
35-49	189	7.7	166	1	1	4	9	15	37	99+
50-64	489	9.6	141	1	1	6	12	24	40	99+
65+	1005	13.6	191	2	2	9	18	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2630	3.6	13	1	1	3	4	7	9	16
B. *Operated*	525	2.7	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	12709	6.7	51	1	2	5	8	13	18	38
B. *Operated*	1900	11.2	172	1	2	7	14	28	43	99+
1. SINGLE DX	3155	3.4	12	<1	1	3	4	7	9	16
2. MULTIPLE DX	14609	7.3	69	1	2	5	9	15	21	51
A. NOT OPERATED	15339	6.2	45	1	1	4	7	12	17	35
B. OPERATED	2425	9.4	149	1	1	5	12	24	37	99+
TOTAL 0-19 YRS	2026	4.9	47	1	1	3	6	10	14	36
20-34	1283	4.1	26	1	1	3	5	8	11	30
35-49	1696	4.6	35	1	1	3	5	9	13	31
50-64	3844	5.9	48	1	1	4	7	12	17	41
65+	8915	8.1	75	1	2	6	10	16	23	53
GRAND TOTAL	**17764**	**6.6**	**61**	**1**	**1**	**4**	**8**	**14**	**19**	**45**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	297	2.2	4	1	1	2	3	4	5	12
20-34	14	2.4	2	1	1	2	3	4	6	6
35-49	13	2.8	4	<1	<1	2	4	6	7	7
50-64	6	7.5	20	<1	<1	7	12	13	13	13
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	55	6.6	36	2	2	5	8	11	21	31
20-34	28	11.5	124	4	5	8	12	20	32	60
35-49	6	7.8	19	2	2	7	13	13	13	13
50-64	5	8.8	42	3	3	6	14	18	18	18
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	4.0	15	1	1	3	5	8	13	17
20-34	50	7.1	52	1	1	4	11	17	19	38
35-49	31	9.6	279	1	1	5	11	16	20	95
50-64	24	7.1	35	1	2	5	8	17	21	22
65+	34	12.8	137	1	2	7	23	30	40	99+
B. *Operated*										
0-19 YRS	85	10.7	116	1	1	8	15	28	39	99+
20-34	77	16.9	414	2	2	10	18	50	88	99+
35-49	34	15.1	213	1	2	12	18	36	53	61
50-64	23	17.5	254	1	3	12	27	50	70	99+
65+	17	25.2	453	2	3	26	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	2.3	5	1	1	2	3	5	6	12
B. *Operated*	95	8.2	64	2	2	6	10	16	23	47
2. MULTIPLE DX										
A. *Not Operated*	371	5.9	61	1	1	4	7	14	20	39
B. *Operated*	236	15.1	276	1	2	10	19	46	73	99+
1. SINGLE DX	426	3.6	24	1	1	2	4	8	12	25
2. MULTIPLE DX	607	9.5	164	1	1	5	12	23	41	99+
A. NOT OPERATED	702	4.2	38	1	1	2	5	9	15	29
B. OPERATED	331	13.1	224	2	2	8	16	37	57	99+
TOTAL 0-19 YRS	669	4.2	32	1	1	2	5	9	15	32
20-34	169	11.9	248	1	2	7	13	26	52	98
35-49	84	10.7	206	1	1	6	13	21	36	83
50-64	58	11.4	142	1	2	7	15	28	46	96
65+	53	16.7	261	2	2	12	28	59	99+	99+
GRAND TOTAL	**1033**	**7.1**	**115**	**1**	**1**	**3**	**8**	**17**	**28**	**93**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.6	4	1	1	2	3	5	7	11
20-34	50	4.6	16	<1	1	3	6	11	12	17
35-49	33	3.5	5	1	1	3	5	6	8	9
50-64	17	4.1	7	<1	1	3	6	8	9	9
65+	7	4.4	9	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	19	6.3	31	1	1	6	9	11	19	25
20-34	20	6.2	30	<1	1	4	9	14	18	20
35-49	4	10.8	20	7	7	9	14	17	17	17
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	5.2	40	1	1	3	6	11	17	38
20-34	122	7.0	50	1	2	5	9	14	18	40
35-49	65	7.8	54	1	1	6	10	14	19	41
50-64	49	11.6	79	2	2	10	14	24	29	42
65+	62	13.0	106	2	3	9	17	29	39	93
B. *Operated*										
0-19 YRS	77	13.8	282	1	1	9	17	36	44	98
20-34	117	14.2	234	2	2	10	20	46	93	99+
35-49	36	15.0	210	2	2	12	27	59	99+	99+
50-64	25	13.9	374	1	1	9	19	83	99+	99+
65+	30	25.1	576	1	3	17	50	76	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.2	7	1	1	2	4	7	9	12
B. *Operated*	47	6.6	28	1	1	6	9	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	470	7.7	64	1	1	5	10	16	25	42
B. *Operated*	285	15.3	299	1	2	10	21	49	93	99+
1. SINGLE DX	313	3.7	12	1	1	3	5	8	11	17
2. MULTIPLE DX	755	10.6	166	1	1	7	14	27	45	99+
A. NOT OPERATED	736	6.1	48	1	1	4	8	14	18	41
B. OPERATED	332	14.1	270	1	2	9	18	45	89	99+
TOTAL 0-19 YRS	427	5.8	85	1	1	3	6	13	20	45
20-34	309	9.3	128	1	1	6	11	22	45	99+
35-49	138	8.8	98	1	1	6	11	23	37	99+
50-64	93	10.7	152	1	2	8	14	27	41	99+
65+	101	15.8	275	2	3	10	19	47	68	99+
GRAND TOTAL	**1068**	**8.6**	**131**	**1**	**1**	**5**	**10**	**20**	**36**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.6	1	<1	<1	1	2	3	4	4
20-34	49	2.1	3	<1	<1	2	3	4	5	9
35-49	17	2.2	2	<1	<1	2	3	4	5	6
50-64	7	3.4	2	2	2	3	5	6	6	6
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	848	2.0	3	<1	<1	1	2	4	5	10
20-34	1041	2.6	4	<1	<1	2	3	5	7	10
35-49	219	3.1	7	<1	1	2	4	6	8	15
50-64	75	3.2	7	1	1	2	4	6	8	14
65+	25	3.0	5	<1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	2.8	30	<1	<1	2	3	4	6	34
20-34	181	2.7	4	<1	<1	2	4	6	7	9
35-49	97	4.1	18	<1	1	3	5	8	12	23
50-64	63	4.1	13	1	1	3	6	8	10	22
65+	123	7.5	67	1	2	4	9	14	25	43
B. *Operated*										
0-19 YRS	634	4.0	26	1	1	3	5	8	11	26
20-34	1028	4.9	28	1	1	3	6	10	12	25
35-49	387	6.6	77	1	1	4	8	14	20	59
50-64	161	6.6	81	1	2	4	7	12	18	57
65+	196	8.7	70	1	2	6	11	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	2208	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	562	4.1	29	<1	1	3	5	8	12	35
B. *Operated*	2406	5.4	44	1	1	3	6	11	16	34
1. SINGLE DX	2319	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	2968	5.1	41	1	1	3	6	10	14	35
A. NOT OPERATED	673	3.8	25	<1	1	2	4	8	11	26
B. OPERATED	4614	4.0	27	<1	1	3	4	8	11	24
TOTAL 0-19 YRS	1615	2.9	15	<1	<1	2	3	5	8	17
20-34	2299	3.6	16	<1	1	3	4	7	10	20
35-49	720	5.1	49	1	1	3	6	11	16	31
50-64	306	5.2	49	1	1	3	6	10	13	46
65+	347	7.8	65	1	2	5	10	17	24	42
GRAND TOTAL	**5287**	**4.0**	**27**	**<1**	**1**	**3**	**4**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	4.7	17	1	1	4	6	8	11	21
20-34	320	6.4	49	1	1	5	8	11	15	41
35-49	175	6.6	32	1	2	5	8	12	18	30
50-64	179	7.6	33	1	2	7	10	14	17	30
65+	296	8.9	67	2	2	7	11	17	20	49
B. *Operated*										
0-19 YRS	23	10.7	37	3	4	10	12	20	23	26
20-34	49	11.9	58	2	3	11	15	23	27	34
35-49	20	10.1	32	1	3	10	14	19	19	20
50-64	15	12.6	59	3	4	12	17	22	29	31
65+	8	13.1	40	3	4	13	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	6.3	37	1	1	5	8	12	18	50
20-34	345	7.4	52	1	2	6	10	13	18	43
35-49	220	8.4	43	2	3	7	11	16	19	40
50-64	451	10.0	65	2	3	8	12	18	23	53
65+	2204	13.4	115	3	4	11	16	25	35	79
B. *Operated*										
0-19 YRS	58	17.2	318	3	3	11	20	47	57	86
20-34	154	13.6	140	2	4	10	19	29	35	87
35-49	76	17.5	196	3	4	15	22	35	44	72
50-64	73	17.2	193	3	5	14	21	33	49	99+
65+	256	24.1	353	6	8	17	33	50	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1172	6.9	45	1	2	5	8	13	17	35
B. *Operated*	115	11.5	48	2	4	10	14	21	25	32
2. MULTIPLE DX										
A. *Not Operated*	3376	11.7	100	2	3	9	14	22	31	62
B. *Operated*	617	19.2	276	3	5	15	24	41	57	99+
1. SINGLE DX	1287	7.3	47	1	2	6	9	14	19	34
2. MULTIPLE DX	3993	12.8	134	2	3	10	16	25	36	80
A. NOT OPERATED	4548	10.5	90	2	3	8	13	20	28	55
B. OPERATED	732	18.0	248	3	5	14	22	38	53	97
TOTAL 0-19 YRS	439	7.2	81	1	1	5	8	15	21	54
20-34	868	8.4	74	1	2	6	10	17	24	47
35-49	491	9.2	75	2	2	7	11	19	26	42
50-64	718	10.2	76	2	3	8	12	19	24	54
65+	2764	13.9	144	3	4	11	17	27	38	84
GRAND TOTAL	**5280**	**11.5**	**118**	**2**	**3**	**9**	**14**	**23**	**33**	**70**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	15	7.5	16	1	3	7	10	13	15	15
35-49	7	5.0	19	1	1	4	6	12	14	14
50-64	2	12.5	13	10	10	12	15	15	15	15
65+	6	10.0	19	2	3	12	13	13	13	13
B. *Operated*										
0-19 YRS	3	10.0	19	5	5	12	13	13	13	13
20-34	9	23.3	308	6	8	18	29	53	60	60
35-49	6	18.0	71	8	8	17	26	29	29	29
50-64	1	34.0		34	34	34	34	34	34	34
65+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	277	2	3	7	31	85	99+	99+
20-34	12	8.9	80	3	3	6	9	18	33	36
35-49	8	12.4	157	<1	<1	5	26	28	29	29
50-64	9	8.9	45	1	2	9	11	19	24	24
65+	36	16.1	181	4	5	12	20	43	57	99+
B. *Operated*										
0-19 YRS	11	37.2	250	11	22	40	56	99+	99+	99+
20-34	37	33.8	401	6	10	34	61	99+	99+	99+
35-49	16	25.2	385	5	8	22	52	99+	99+	99+
50-64	10	29.3	274	7	13	26	46	78	98	99+
65+	17	34.6	621	3	4	38	55	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.1	21	1	2	6	12	13	15	15
B. *Operated*	20	20.7	189	5	7	16	27	38	51	60
2. MULTIPLE DX										
A. *Not Operated*	72	13.3	155	2	3	9	17	36	50	99+
B. *Operated*	91	32.4	405	5	8	33	57	99+	99+	99+
1. SINGLE DX	54	12.1	124	1	2	10	14	26	33	59
2. MULTIPLE DX	163	23.9	383	3	4	23	45	87	99+	99+
A. NOT OPERATED	106	11.3	120	1	2	8	14	27	44	99+
B. OPERATED	111	30.2	384	5	8	31	54	99+	99+	99+
TOTAL 0-19 YRS	25	21.6	387	2	2	19	51	87	99+	99+
20-34	73	23.0	393	3	4	19	43	75	99+	99+
35-49	37	17.4	266	1	2	14	29	65	99+	99+
50-64	22	19.6	244	2	5	18	27	53	77	99+
65+	60	21.0	360	3	5	14	31	57	95	99+
GRAND TOTAL	**217**	**21.0**	**344**	**2**	**4**	**15**	**36**	**63**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.3	2	<1	<1	2	3	4	5	7
20-34	81	2.8	3	1	1	2	4	5	6	10
35-49	108	3.2	5	1	1	3	4	6	7	13
50-64	95	3.8	9	1	1	3	5	7	10	16
65+	109	4.4	11	1	1	3	7	9	11	16
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	8	4.5	10	1	1	3	7	9	10	10
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	3	11.0	49	4	4	11	16	18	18	18
65+	3	10.0	43	3	3	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	10	1	1	3	5	8	11	16
20-34	278	4.1	9	1	1	3	5	8	10	14
35-49	371	4.8	12	1	2	4	6	9	11	19
50-64	580	6.2	28	1	2	5	8	11	15	25
65+	1314	9.7	84	2	3	7	12	18	26	67
B. *Operated*										
0-19 YRS	33	8.4	90	2	2	5	10	16	24	52
20-34	122	9.0	78	1	2	7	11	20	25	49
35-49	98	11.8	137	2	3	9	13	21	30	73
50-64	131	13.8	150	3	4	10	17	29	40	62
65+	210	16.9	187	3	4	14	22	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	3.5	7	1	1	3	4	7	8	14
B. *Operated*	19	6.8	25	1	2	6	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	2630	7.4	56	1	2	5	9	15	20	46
B. *Operated*	594	13.3	152	2	3	10	17	28	40	74
1. SINGLE DX	440	3.7	8	1	1	3	5	7	10	16
2. MULTIPLE DX	3224	8.5	79	1	2	6	10	17	24	53
A. NOT OPERATED	3051	6.9	51	1	2	5	9	14	18	43
B. OPERATED	613	13.1	150	2	3	10	17	28	39	71
TOTAL 0-19 YRS	151	4.7	30	1	1	3	5	10	13	25
20-34	489	5.1	30	1	1	4	6	10	15	26
35-49	579	5.7	40	1	2	4	7	11	15	27
50-64	809	7.1	55	1	2	5	9	14	18	43
65+	1636	10.2	100	2	2	7	13	21	30	68
GRAND TOTAL	**3664**	**7.9**	**73**	**1**	**2**	**5**	**10**	**16**	**22**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	6.1	33	2	2	4	7	12	18	33
20-34	68	8.8	66	2	2	6	10	17	22	49
35-49	51	10.2	148	1	1	6	11	19	43	66
50-64	87	11.2	53	3	3	10	14	20	24	40
65+	305	12.6	89	3	4	11	15	22	30	55
B. *Operated*										
0-19 YRS	6	19.0	180	9	9	13	28	41	42	42
20-34	13	30.0	420	3	10	29	42	57	72	76
35-49	4	19.3	76	7	7	22	25	26	26	26
50-64	2	38.0	578	21	21	38	55	55	55	55
65+	6	21.8	101	10	10	23	30	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	9.1	57	2	3	7	11	17	21	44
20-34	142	11.6	91	3	4	8	14	23	33	47
35-49	93	14.7	130	5	5	12	18	28	35	93
50-64	222	13.3	97	3	4	11	17	26	33	58
65+	1530	17.8	175	4	6	15	23	33	46	99+
B. *Operated*										
0-19 YRS	72	21.1	358	3	5	14	31	49	67	97
20-34	150	24.1	428	4	6	17	33	55	76	95
35-49	46	28.2	384	7	9	22	39	60	79	99+
50-64	77	27.4	333	6	8	21	39	56	66	95
65+	208	28.8	353	6	10	26	42	62	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	10.8	83	2	3	9	14	20	26	51
B. *Operated*	31	25.4	277	7	9	21	34	49	55	76
2. MULTIPLE DX										
A. *Not Operated*	2105	16.3	159	4	5	13	21	31	43	93
B. *Operated*	553	26.3	379	5	7	21	38	57	77	99+
1. SINGLE DX	630	11.5	102	2	3	9	14	22	30	54
2. MULTIPLE DX	2658	18.4	221	4	5	14	23	39	54	99+
A. NOT OPERATED	2704	15.1	148	3	4	12	19	29	40	84
B. OPERATED	584	26.2	373	5	7	21	38	57	76	99+
TOTAL 0-19 YRS	284	11.4	163	2	3	7	13	23	41	79
20-34	373	16.7	281	2	4	11	21	42	53	83
35-49	194	16.8	236	3	5	12	20	38	57	93
50-64	388	15.8	172	3	4	12	19	33	48	71
65+	2049	18.2	196	4	6	15	23	36	50	99+
GRAND TOTAL	**3288**	**17.1**	**206**	**3**	**5**	**13**	**22**	**36**	**50**	**94**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.0	19	<1	1	1	3	6	10	27
20-34	25	2.9	6	<1	<1	2	4	7	8	9
35-49	26	3.3	35	<1	1	2	3	4	13	31
50-64	54	3.9	21	<1	1	2	4	8	14	26
65+	154	5.2	42	1	1	3	6	10	17	31
B. *Operated*										
0-19 YRS	857	4.0	24	1	1	2	4	9	16	24
20-34	117	4.1	10	1	1	3	5	8	10	18
35-49	108	4.4	13	1	2	3	5	9	11	20
50-64	198	4.8	16	1	1	4	6	9	11	24
65+	264	6.8	34	1	2	5	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.2	30	<1	1	2	5	8	18	29
20-34	39	6.2	55	<1	<1	3	8	12	22	39
35-49	38	9.1	118	1	2	5	11	17	35	53
50-64	128	7.1	43	1	1	5	9	17	22	29
65+	813	11.6	149	2	2	8	15	28	39	99+
B. *Operated*										
0-19 YRS	247	7.3	59	1	1	5	10	18	23	46
20-34	171	10.0	129	1	2	7	11	23	36	57
35-49	109	8.9	80	1	2	6	11	20	29	45
50-64	271	10.0	147	1	2	6	11	21	34	66
65+	787	14.5	206	2	3	10	19	33	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	4.0	29	<1	1	2	4	8	12	30
B. *Operated*	1544	4.6	24	1	1	3	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	1100	10.2	129	1	2	6	13	25	35	99+
B. *Operated*	1585	11.7	164	1	2	7	15	27	39	77
1. SINGLE DX	1945	4.5	25	1	1	3	5	10	15	26
2. MULTIPLE DX	2685	11.1	150	1	2	7	14	26	38	90
A. NOT OPERATED	1501	8.6	110	1	1	5	11	21	31	92
B. OPERATED	3129	8.2	107	1	1	5	10	20	28	59
TOTAL 0-19 YRS	1328	4.5	32	1	1	2	5	11	18	27
20-34	352	7.1	80	1	1	4	8	15	24	48
35-49	281	6.7	60	1	1	4	8	14	22	44
50-64	651	7.4	82	1	1	5	8	16	23	48
65+	2018	11.6	157	1	2	7	15	28	39	98
GRAND TOTAL	**4630**	**8.3**	**108**	**1**	**1**	**5**	**10**	**20**	**29**	**64**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	1.8	2	<1	<1	1	2	4	5	6
20-34	24	3.0	4	<1	1	2	4	7	7	7
35-49	27	2.3	3	<1	<1	2	3	5	6	9
50-64	25	2.7	6	<1	1	2	3	5	8	12
65+	24	2.2	2	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	1602	1.9	3	<1	1	1	2	4	5	8
20-34	458	3.6	13	1	1	3	4	6	9	19
35-49	383	2.9	5	1	1	2	4	5	7	11
50-64	606	3.0	5	1	1	2	4	6	7	13
65+	505	3.4	11	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.5	13	1	1	2	3	4	5	26
20-34	71	3.4	17	1	1	2	4	7	8	28
35-49	32	3.6	6	1	1	3	4	7	9	10
50-64	47	7.5	60	1	1	6	10	15	22	44
65+	194	10.9	147	1	2	7	14	25	40	99+
B. *Operated*										
0-19 YRS	369	4.5	39	1	1	2	5	10	17	28
20-34	394	6.8	55	1	2	5	8	14	20	35
35-49	254	6.4	83	1	1	4	7	11	19	51
50-64	445	6.7	69	1	1	4	7	14	21	49
65+	883	8.7	110	1	2	5	10	21	27	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	3554	2.6	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	397	7.4	97	1	1	4	9	19	26	97
B. *Operated*	2345	7.1	81	1	1	4	8	16	23	51
1. SINGLE DX	3736	2.6	6	1	1	2	3	5	7	13
2. MULTIPLE DX	2742	7.1	83	1	1	4	8	17	23	54
A. NOT OPERATED	579	5.8	73	1	1	3	7	14	22	72
B. OPERATED	5899	4.4	41	1	1	3	5	9	14	34
TOTAL 0-19 YRS	2106	2.4	10	<1	1	1	3	4	6	17
20-34	947	4.9	33	1	1	3	6	9	15	33
35-49	696	4.2	36	1	1	3	5	7	10	25
50-64	1123	4.7	36	1	1	3	5	10	14	31
65+	1606	7.2	90	1	1	4	8	17	24	62
GRAND TOTAL	**6478**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**15**	**35**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	4	<1	<1	2	4	4	8	9
20-34	26	2.7	3	<1	1	2	4	5	6	6
35-49	19	2.7	3	<1	1	2	3	6	7	7
50-64	10	3.4	12	1	1	3	3	8	13	13
65+	10	3.3	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	464	2.0	2	<1	1	2	2	3	5	8
20-34	603	2.2	3	<1	<1	2	3	4	5	8
35-49	262	2.3	3	<1	<1	2	3	4	5	10
50-64	139	2.5	4	<1	1	2	3	5	6	11
65+	68	2.5	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.4	41	<1	1	2	4	9	20	33
20-34	60	3.9	9	<1	1	3	5	9	10	14
35-49	27	4.7	15	1	1	4	5	12	14	15
50-64	28	4.6	9	1	1	4	7	9	10	11
65+	73	7.5	40	1	2	6	11	14	19	35
B. *Operated*										
0-19 YRS	214	3.3	19	1	1	2	4	6	9	23
20-34	349	3.9	22	1	1	3	4	8	11	28
35-49	199	4.2	57	1	1	2	4	7	10	51
50-64	150	3.8	20	1	1	3	4	8	11	28
65+	123	6.5	60	1	1	4	8	16	27	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.9	4	<1	1	2	4	5	7	11
B. *Operated*	1536	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	230	5.3	28	1	1	4	7	12	14	28
B. *Operated*	1035	4.1	33	1	1	2	4	8	13	33
1. SINGLE DX	1627	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1265	4.3	32	1	1	3	5	9	13	33
A. NOT OPERATED	321	4.6	22	1	1	3	6	10	13	23
B. OPERATED	2571	3.0	16	<1	1	2	3	5	8	21
TOTAL 0-19 YRS	746	2.5	10	<1	1	2	3	4	6	16
20-34	1038	2.9	10	<1	1	2	3	5	8	17
35-49	507	3.2	26	<1	1	2	3	5	8	16
50-64	327	3.3	12	1	1	2	4	7	10	17
65+	274	5.7	42	1	1	3	7	13	19	46
GRAND TOTAL	**2892**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	15.5	360	1	1	6	21	44	54	88
20-34	7	3.6	4	<1	<1	4	5	6	6	6
35-49	9	8.9	182	1	1	3	8	30	44	44
50-64	30	15.2	236	2	3	10	19	30	43	78
65+	139	10.1	134	1	1	7	12	20	31	62
B. *Operated*										
0-19 YRS	84	12.5	152	3	4	8	14	23	31	78
20-34	47	12.8	67	4	5	11	16	24	30	43
35-49	87	11.7	90	4	6	10	14	18	22	63
50-64	448	13.3	54	5	6	12	16	20	26	45
65+	2088	18.7	118	8	9	16	22	31	39	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	15.1	232	2	2	7	26	43	46	47
20-34	13	17.6	627	1	1	6	21	54	77	83
35-49	20	6.9	27	1	1	6	9	15	17	18
50-64	71	15.5	233	1	3	11	21	34	44	78
65+	699	17.0	282	2	3	12	21	40	56	98
B. *Operated*										
0-19 YRS	77	18.7	148	5	7	15	25	33	37	70
20-34	122	20.9	297	5	7	15	28	51	86	99+
35-49	172	19.6	189	5	7	16	24	40	47	98
50-64	919	20.0	183	7	9	16	23	36	51	84
65+	9889	24.2	242	9	11	20	30	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	11.6	195	1	1	7	14	25	43	78
B. *Operated*	2754	17.3	113	6	8	15	20	29	37	73
2. MULTIPLE DX										
A. *Not Operated*	830	16.6	277	2	3	12	21	40	54	97
B. *Operated*	11179	23.7	238	8	10	19	30	48	68	99+
1. SINGLE DX	2985	16.9	122	5	7	15	20	29	38	73
2. MULTIPLE DX	12009	23.2	244	7	10	19	29	48	67	99+
A. NOT OPERATED	1061	15.5	263	1	2	10	19	38	52	93
B. OPERATED	13933	22.4	220	8	10	18	28	45	63	99+
TOTAL 0-19 YRS	234	15.4	205	2	3	11	21	32	43	78
20-34	189	18.0	267	3	5	13	26	46	70	99+
35-49	288	16.0	167	4	5	13	19	32	45	89
50-64	1468	17.7	156	6	7	14	20	31	45	72
65+	12815	22.7	230	8	10	19	28	46	65	99+
GRAND TOTAL	**14994**	**21.9**	**226**	**7**	**9**	**18**	**27**	**44**	**62**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	21.5	263	2	2	21	28	40	56	78
20-34	30	22.5	453	1	2	11	39	58	63	65
35-49	14	28.9	691	2	2	36	55	72	93	99+
50-64	21	20.6	334	2	3	13	32	51	56	56
65+	40	17.9	433	2	3	9	21	53	83	99+
B. *Operated*										
0-19 YRS	365	16.3	218	1	2	12	24	40	45	54
20-34	115	14.3	125	2	3	12	17	32	38	75
35-49	33	17.6	273	2	3	13	21	40	54	72
50-64	41	17.7	184	3	4	14	21	37	51	60
65+	120	22.9	215	6	9	19	27	47	59	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	25.4	421	1	2	22	37	57	67	98
20-34	29	23.2	598	2	2	10	40	63	77	79
35-49	21	28.0	893	2	2	28	50	99	99+	99+
50-64	49	19.2	325	1	2	15	29	47	64	99+
65+	239	22.8	489	2	4	14	37	63	95	99+
B. *Operated*										
0-19 YRS	410	23.9	282	3	5	20	33	49	59	84
20-34	344	25.3	375	4	6	20	33	58	72	99+
35-49	118	25.8	427	3	4	20	40	74	99+	99+
50-64	149	24.7	367	2	5	20	34	60	95	99+
65+	618	28.5	396	7	9	23	39	70	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	21.4	308	2	2	20	29	46	58	89
B. *Operated*	674	17.3	209	2	2	14	24	40	47	70
2. MULTIPLE DX										
A. *Not Operated*	535	23.6	471	2	3	18	37	58	82	99+
B. *Operated*	1639	26.1	366	4	7	21	36	60	79	99+
1. SINGLE DX	1106	18.9	252	2	2	15	26	41	52	77
2. MULTIPLE DX	2174	25.5	392	3	5	20	37	60	80	99+
A. NOT OPERATED	967	22.7	399	2	3	19	33	55	71	99+
B. OPERATED	2313	23.6	336	2	5	19	33	54	71	99+
TOTAL 0-19 YRS	1299	21.4	292	1	2	19	30	45	56	83
20-34	518	22.6	355	3	4	17	29	55	68	99+
35-49	186	24.9	475	2	3	18	42	72	99	99+
50-64	260	22.2	333	2	3	18	30	54	66	99+
65+	1017	26.1	407	4	6	20	37	64	87	99+
GRAND TOTAL	**3280**	**23.3**	**355**	**2**	**4**	**19**	**33**	**54**	**71**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	2.9	34	1	1	2	3	5	6	14
20-34	117	3.8	9	<1	1	3	5	8	10	16
35-49	83	4.1	13	1	1	3	6	10	12	16
50-64	95	6.5	40	1	1	4	8	14	20	30
65+	93	8.0	31	1	2	7	10	16	20	27
B. *Operated*										
0-19 YRS	839	4.2	14	1	1	3	5	8	11	18
20-34	563	6.3	25	1	2	5	8	12	16	25
35-49	353	6.4	32	1	2	5	8	13	19	28
50-64	270	8.6	40	2	2	7	11	17	21	33
65+	190	11.8	103	2	3	9	15	23	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	6.9	149	1	1	3	6	11	27	69
20-34	99	5.8	69	1	1	3	6	14	21	48
35-49	83	7.9	66	1	1	5	10	16	25	42
50-64	144	11.0	148	2	3	8	13	20	35	72
65+	320	15.1	191	3	4	11	20	37	51	99+
B. *Operated*										
0-19 YRS	428	10.3	158	1	2	6	12	20	36	64
20-34	469	13.6	204	2	3	9	17	32	49	80
35-49	319	14.3	225	2	3	10	17	30	51	99+
50-64	363	16.2	242	3	4	12	20	38	64	99+
65+	413	21.4	338	3	5	17	30	53	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	4.4	31	1	1	3	5	9	13	24
B. *Operated*	2215	6.2	35	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	761	11.1	161	1	2	7	13	28	42	89
B. *Operated*	1992	15.1	246	2	3	10	19	37	53	99+
1. SINGLE DX	2904	5.8	35	1	1	4	7	12	16	29
2. MULTIPLE DX	2753	14.0	226	2	2	9	18	34	50	99+
A. NOT OPERATED	1450	7.9	110	1	1	4	9	18	30	66
B. OPERATED	4207	10.4	155	1	2	6	13	23	37	85
TOTAL 0-19 YRS	1683	5.7	72	1	1	3	6	11	17	50
20-34	1248	8.7	109	1	2	5	10	19	29	59
35-49	838	9.3	123	1	2	6	11	21	29	83
50-64	872	11.9	156	2	3	8	14	25	38	92
65+	1016	16.4	241	2	4	12	21	40	57	99+
GRAND TOTAL	**5657**	**9.8**	**145**	**1**	**2**	**6**	**12**	**22**	**34**	**81**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.4	3	<1	1	2	3	4	6	7
20-34	133	3.0	6	<1	1	2	4	6	8	12
35-49	111	3.8	10	<1	1	3	5	9	10	14
50-64	102	4.4	9	1	1	4	6	8	11	15
65+	140	5.7	30	1	1	4	7	13	15	27
B. *Operated*										
0-19 YRS	825	3.7	10	1	1	3	5	7	8	13
20-34	1117	4.7	11	1	2	4	6	8	11	17
35-49	906	5.3	12	1	2	4	7	10	12	18
50-64	876	6.2	15	2	2	5	8	11	13	21
65+	531	8.5	35	2	3	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.6	9	<1	1	2	5	8	10	12
20-34	159	5.0	22	1	1	4	6	9	14	21
35-49	113	6.4	47	1	1	4	8	13	19	37
50-64	164	7.3	55	1	2	5	9	15	21	42
65+	441	10.6	121	2	2	8	13	23	34	82
B. *Operated*										
0-19 YRS	391	6.9	59	1	2	4	8	13	24	43
20-34	837	7.6	68	2	2	5	9	14	22	51
35-49	617	8.2	56	2	2	6	10	17	23	42
50-64	822	9.6	74	2	3	7	11	19	24	48
65+	962	13.3	153	3	4	10	16	28	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	3.8	13	<1	1	3	5	8	10	17
B. *Operated*	4255	5.4	17	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	961	8.0	81	1	2	5	10	17	24	52
B. *Operated*	3629	9.6	94	2	3	7	11	20	28	60
1. SINGLE DX	4885	5.2	17	1	1	4	6	10	13	20
2. MULTIPLE DX	4590	9.3	92	2	2	6	11	19	28	60
A. NOT OPERATED	1591	6.4	58	1	1	4	8	13	19	41
B. OPERATED	7884	7.3	57	1	2	5	9	14	20	43
TOTAL 0-19 YRS	1444	4.4	25	1	1	3	5	8	11	28
20-34	2246	5.7	35	1	2	4	7	10	14	34
35-49	1747	6.3	32	1	2	5	8	12	16	33
50-64	1964	7.6	46	2	2	6	9	14	19	37
65+	2074	11.0	113	2	3	8	13	22	31	89
GRAND TOTAL	**9475**	**7.2**	**57**	**1**	**2**	**5**	**9**	**14**	**20**	**42**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.8	1	1	1	2	2	3	3	4
20-34	22	2.0	1	<1	<1	2	3	3	4	4
35-49	13	1.8	1	<1	<1	1	3	3	3	3
50-64	5	3.0	12	1	1	2	4	9	9	9
65+	14	5.0	19	1	1	4	6	8	16	18
B. Operated										
0-19 YRS	28	2.6	3	1	1	2	3	4	5	9
20-34	27	3.4	14	1	1	3	4	5	8	21
35-49	8	3.9	2	2	2	4	5	6	6	6
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	3.3	9	1	1	2	4	8	9	15
20-34	118	4.2	17	1	1	3	5	10	13	21
35-49	54	4.8	18	1	2	4	5	9	12	25
50-64	79	6.2	33	1	2	4	8	13	18	32
65+	167	11.6	139	2	3	8	15	24	31	96
B. Operated										
0-19 YRS	40	6.9	69	1	1	4	8	16	25	41
20-34	74	5.4	24	1	1	4	7	12	14	27
35-49	22	9.2	111	1	1	5	11	23	36	43
50-64	22	10.7	202	2	3	5	13	22	40	67
65+	30	12.5	149	1	2	9	17	31	36	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.4	6	<1	1	2	3	4	6	15
B. Operated	69	3.1	7	1	1	3	4	5	6	19
2. MULTIPLE DX										
A. Not Operated	514	6.8	70	1	1	4	9	15	22	50
B. Operated	188	7.9	90	1	1	5	9	19	28	48
1. SINGLE DX	154	2.8	6	<1	1	2	3	5	6	18
2. MULTIPLE DX	702	7.1	75	1	1	4	9	16	23	47
A. NOT OPERATED	599	6.2	63	1	1	4	8	14	21	39
B. OPERATED	257	6.6	72	1	1	4	7	14	22	43
TOTAL 0-19 YRS	195	3.7	22	1	1	2	4	8	12	26
20-34	241	4.3	18	1	1	3	5	10	13	21
35-49	97	5.3	40	1	1	4	5	11	18	38
50-64	109	6.9	68	1	2	4	8	15	20	48
65+	214	11.2	134	1	2	8	14	25	32	88
GRAND TOTAL	**856**	**6.3**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**41**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.3	1	1	1	2	3	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	6	12.2	77	6	6	9	13	27	29	29
20-34	3	8.7	17	4	4	10	11	12	12	12
35-49	4	6.5	19	3	3	6	10	12	12	12
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	12.3	962	1	1	2	3	97	99+	99+
20-34	8	13.6	129	2	3	9	21	32	32	32
35-49	3	8.3	12	5	5	8	11	12	12	12
50-64	2	16.5	265	5	5	16	28	28	28	28
65+	6	23.8	779	1	1	11	47	67	69	69
B. Operated										
0-19 YRS	10	14.6	158	2	3	15	33	99+	99+	99+
20-34	13	24.4	690	6	8	12	60	99+	99+	99+
35-49	7	21.7	277	2	3	21	38	43	43	43
50-64	6	43.5	782	14	14	40	59	86	89	89
65+	6	27.3	109	18	18	24	35	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.6	2	1	1	2	4	5	6	6
B. Operated	14	9.9	44	3	3	9	12	15	26	29
2. MULTIPLE DX										
A. Not Operated	28	15.0	499	1	1	6	20	60	95	99+
B. Operated	42	24.8	465	3	5	19	43	90	99+	99+
1. SINGLE DX	31	5.9	34	1	1	4	8	12	13	29
2. MULTIPLE DX	70	20.9	495	1	2	14	35	89	99+	99+
A. NOT OPERATED	45	10.3	344	1	1	4	9	32	74	99+
B. OPERATED	56	21.0	399	3	4	14	35	78	99+	99+
TOTAL 0-19 YRS	38	9.5	286	1	1	4	13	65	99+	99+
20-34	26	17.5	428	2	3	11	31	83	99+	99+
35-49	16	13.4	175	2	3	8	17	41	43	43
50-64	9	34.1	721	5	8	28	49	77	89	89
65+	12	25.6	407	1	3	19	39	54	67	69
GRAND TOTAL	**101**	**16.3**	**400**	**1**	**2**	**10**	**25**	**58**	**96**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	12	1.8	2	<1	<1	1	2	4	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	3.0	12	<1	<1	1	4	9	9	9
B. *Operated*										
0-19 YRS	95	2.7	2	<1	1	3	3	4	5	7
20-34	305	2.8	2	<1	1	3	4	5	6	8
35-49	97	2.5	3	<1	1	2	3	5	5	9
50-64	44	2.6	4	<1	1	2	4	6	7	10
65+	53	2.3	5	<1	<1	1	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	33	2.2	4	<1	1	2	2	4	7	11
35-49	10	4.4	10	1	1	3	8	9	9	9
50-64	10	4.1	7	1	1	3	6	8	8	8
65+	32	8.8	163	1	1	5	10	17	26	70
B. *Operated*										
0-19 YRS	19	3.3	4	<1	<1	3	4	6	8	8
20-34	67	3.3	6	<1	1	3	4	6	7	13
35-49	42	4.3	33	<1	1	3	5	7	8	38
50-64	43	5.3	30	1	1	3	7	12	16	30
65+	107	6.2	41	1	1	4	9	17	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	4	<1	<1	1	3	5	7	9
B. *Operated*	594	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	88	5.1	70	1	1	3	6	11	14	54
B. *Operated*	278	4.9	28	1	1	3	6	10	16	27
1. SINGLE DX	617	2.6	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	366	4.9	38	1	1	3	6	10	15	27
A. NOT OPERATED	111	4.5	57	<1	1	2	5	9	13	44
B. OPERATED	872	3.4	12	<1	1	3	4	6	8	20
TOTAL 0-19 YRS	121	2.8	2	<1	1	3	3	5	6	7
20-34	417	2.8	3	<1	1	3	4	5	6	9
35-49	150	3.1	12	<1	1	3	4	6	7	9
50-64	98	3.9	17	1	1	3	5	8	11	24
65+	197	5.5	54	<1	1	3	6	13	20	27
GRAND TOTAL	**983**	**3.5**	**17**	**<1**	**1**	**3**	**4**	**6**	**9**	**22**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	<1	1	2	3	5	7	8
20-34	19	3.2	9	<1	1	2	4	9	11	11
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	682	2.6	4	<1	1	2	3	5	6	9
20-34	1456	2.6	3	<1	1	2	3	5	6	8
35-49	777	2.6	3	<1	1	2	3	5	6	9
50-64	412	2.8	5	<1	1	2	3	5	6	11
65+	72	3.3	8	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	117	<1	<1	1	2	16	69	99+
20-34	41	2.2	17	<1	<1	1	2	4	7	26
35-49	31	1.6	2	<1	<1	1	1	3	6	7
50-64	22	2.6	8	<1	<1	1	3	7	10	12
65+	22	8.4	36	1	1	7	15	17	18	19
B. *Operated*										
0-19 YRS	421	3.0	7	1	1	2	4	6	7	14
20-34	1001	3.0	8	<1	1	2	4	6	8	14
35-49	684	3.1	8	<1	1	2	4	6	8	15
50-64	628	3.3	9	1	1	2	4	6	9	16
65+	217	4.8	32	1	1	3	5	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.8	5	<1	1	2	4	6	8	11
B. *Operated*	3399	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	138	3.4	35	<1	<1	1	3	9	15	57
B. *Operated*	2951	3.2	10	<1	1	2	4	6	8	16
1. SINGLE DX	3446	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	3089	3.2	11	<1	1	2	4	6	9	17
A. NOT OPERATED	185	3.3	28	<1	<1	1	3	8	13	43
B. OPERATED	6350	2.9	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	1140	2.8	7	<1	1	2	3	5	6	12
20-34	2517	2.7	5	<1	1	2	3	5	6	11
35-49	1500	2.8	5	<1	1	2	3	5	7	12
50-64	1065	3.1	7	1	1	2	3	6	8	15
65+	313	4.7	28	1	1	3	5	11	15	23
GRAND TOTAL	**6535**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	8	1	1	2	5	7	11	12
20-34	74	5.3	10	1	2	5	6	11	12	13
35-49	49	6.2	8	1	3	5	8	10	11	13
50-64	17	4.6	8	1	1	5	7	9	9	9
65+	17	6.1	34	<1	1	5	9	12	19	23
B. *Operated*										
0-19 YRS	180	3.3	18	<1	1	2	3	7	11	26
20-34	209	4.3	27	<1	1	2	4	10	17	28
35-49	110	4.0	12	<1	1	3	5	8	12	18
50-64	65	4.5	40	1	1	2	4	9	20	36
65+	34	6.8	49	<1	1	4	9	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.7	15	<1	1	4	6	8	15	18
20-34	287	7.4	35	3	3	6	9	11	15	30
35-49	249	8.5	42	3	4	7	10	14	17	25
50-64	126	7.5	18	2	3	7	9	12	15	24
65+	72	9.8	48	3	4	8	12	17	24	41
B. *Operated*										
0-19 YRS	112	8.7	64	1	2	6	12	21	24	38
20-34	184	8.5	103	1	1	5	11	19	27	53
35-49	101	8.6	139	1	1	4	10	22	33	92
50-64	94	13.1	339	1	2	6	12	41	54	89
65+	102	13.5	263	1	2	7	21	40	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	5.2	12	1	1	5	7	10	12	13
B. *Operated*	598	4.1	25	<1	1	2	4	9	15	27
2. MULTIPLE DX										
A. *Not Operated*	788	7.8	35	2	3	7	9	13	17	27
B. *Operated*	593	10.1	171	1	1	6	12	24	38	92
1. SINGLE DX	787	4.4	22	1	1	3	5	9	12	25
2. MULTIPLE DX	1381	8.8	95	1	2	6	10	17	25	71
A. NOT OPERATED	977	7.3	32	1	3	6	9	12	16	26
B. OPERATED	1191	7.1	106	1	1	4	8	17	27	72
TOTAL 0-19 YRS	378	5.1	36	1	1	3	6	12	17	31
20-34	754	6.6	49	1	1	5	8	12	18	34
35-49	509	7.3	55	1	2	6	9	13	18	36
50-64	302	8.4	132	1	2	6	9	15	24	71
65+	225	10.7	151	1	2	7	13	26	40	99+
GRAND TOTAL	**2168**	**7.2**	**73**	**1**	**1**	**5**	**9**	**14**	**21**	**47**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	3	<1	<1	2	2	5	6	8
20-34	31	3.1	6	<1	1	2	4	6	8	13
35-49	31	2.6	3	1	1	2	3	5	6	9
50-64	24	3.5	9	<1	1	3	5	7	9	13
65+	24	4.6	17	1	1	3	6	9	14	19
B. *Operated*										
0-19 YRS	297	3.1	4	<1	1	3	4	5	6	10
20-34	429	3.6	5	<1	1	3	5	7	8	11
35-49	114	3.8	9	<1	1	3	5	7	10	17
50-64	51	4.3	5	1	1	4	6	7	8	9
65+	19	6.2	38	1	2	4	7	12	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	4	1	1	3	4	6	6	7
20-34	41	3.3	9	1	1	2	4	7	10	15
35-49	26	5.4	10	1	2	5	7	11	11	12
50-64	54	5.8	14	1	2	5	8	11	13	17
65+	98	8.9	46	2	3	8	11	17	21	39
B. *Operated*										
0-19 YRS	284	4.4	7	1	1	4	6	7	8	14
20-34	495	4.5	10	1	1	4	6	8	10	16
35-49	177	5.1	29	1	1	4	6	8	12	30
50-64	74	8.0	76	1	1	6	9	18	28	45
65+	45	9.5	38	3	4	8	13	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.1	8	<1	1	2	4	7	8	14
B. *Operated*	910	3.5	6	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	247	6.3	29	1	1	5	8	12	16	25
B. *Operated*	1075	5.0	19	1	1	4	6	9	11	22
1. SINGLE DX	1048	3.5	6	<1	1	3	5	6	8	13
2. MULTIPLE DX	1322	5.3	22	1	1	4	6	9	13	23
A. NOT OPERATED	385	5.2	24	1	1	4	7	11	14	22
B. OPERATED	1985	4.3	14	1	1	4	6	8	9	19
TOTAL 0-19 YRS	637	3.6	5	<1	1	3	5	6	8	12
20-34	996	4.0	8	1	1	3	5	7	9	14
35-49	348	4.5	19	1	1	4	6	8	11	21
50-64	203	5.9	36	1	1	4	7	10	13	36
65+	186	8.2	41	2	2	7	10	18	20	32
GRAND TOTAL	**2370**	**4.5**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**20**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.5	8	1	1	4	6	9	10	13
20-34	588	5.9	13	1	2	5	8	10	13	18
35-49	606	6.5	13	2	3	6	9	12	14	18
50-64	268	6.8	17	2	3	6	8	12	14	23
65+	77	5.9	15	1	2	6	7	10	13	21
B. *Operated*										
0-19 YRS	4	6.8	20	2	2	7	10	11	11	11
20-34	101	6.1	35	1	1	4	9	14	18	29
35-49	77	6.2	27	1	2	3	10	15	16	22
50-64	21	7.2	35	1	2	6	11	15	19	23
65+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	5.3	11	1	1	5	7	10	11	15
20-34	730	7.1	22	2	3	6	9	12	16	24
35-49	885	7.7	23	2	3	7	10	13	15	28
50-64	738	7.6	25	2	3	7	9	13	17	25
65+	631	9.2	54	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	95	9.4	59	2	2	8	12	18	26	40
35-49	128	8.8	46	2	2	7	12	19	22	30
50-64	68	10.3	76	2	2	8	14	20	24	45
65+	33	12.6	61	3	5	10	16	21	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1620	6.2	14	2	2	5	8	11	13	18
B. *Operated*	205	6.3	31	1	2	4	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	3054	7.8	30	2	3	7	10	14	17	29
B. *Operated*	327	9.6	58	2	2	8	13	19	23	38
1. SINGLE DX	1825	6.2	16	1	2	5	8	11	14	19
2. MULTIPLE DX	3381	7.9	33	2	3	7	10	14	18	29
A. NOT OPERATED	4674	7.2	25	2	3	6	9	13	16	24
B. OPERATED	532	8.4	50	1	2	6	12	18	22	35
TOTAL 0-19 YRS	158	4.9	10	1	1	4	7	10	11	14
20-34	1514	6.7	22	2	2	6	9	12	16	24
35-49	1696	7.3	22	2	2	6	9	13	15	23
50-64	1095	7.5	27	2	3	6	10	13	17	25
65+	743	9.0	52	2	3	7	11	17	22	38
GRAND TOTAL	**5206**	**7.3**	**28**	**2**	**2**	**6**	**9**	**13**	**17**	**26**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	3.2	7	<1	1	2	4	7	8	14
20-34	443	4.9	15	1	1	4	7	10	13	18
35-49	356	6.0	20	1	2	5	8	11	12	19
50-64	131	6.2	17	1	1	5	9	12	13	18
65+	44	4.1	8	1	1	4	6	8	10	11
B. *Operated*										
0-19 YRS	5	6.6	20	2	2	8	10	12	12	12
20-34	109	4.0	14	1	1	2	4	9	14	17
35-49	65	4.4	26	1	1	2	4	12	15	28
50-64	15	8.0	65	<1	1	4	12	22	23	23
65+	4	5.3	35	1	1	3	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	5.1	11	1	1	5	7	9	10	16
20-34	1490	6.6	13	2	3	6	8	11	13	20
35-49	1226	6.9	16	2	3	7	8	11	15	20
50-64	666	7.1	15	2	3	7	9	12	15	20
65+	412	7.6	39	2	2	7	9	14	18	37
B. *Operated*										
0-19 YRS	8	6.3	25	<1	1	6	8	14	17	17
20-34	115	7.2	31	1	2	6	10	14	18	24
35-49	99	6.7	27	1	1	5	10	15	17	23
50-64	50	8.5	45	2	2	7	12	19	22	29
65+	36	15.2	191	3	5	12	20	33	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1140	5.1	16	1	1	4	7	10	12	18
B. *Operated*	198	4.5	23	1	1	2	5	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	4066	6.8	17	2	2	6	8	11	14	21
B. *Operated*	308	8.2	57	1	2	7	11	17	21	34
1. SINGLE DX	1338	5.0	17	1	1	4	7	11	13	19
2. MULTIPLE DX	4374	6.9	20	2	2	6	8	12	15	22
A. NOT OPERATED	5206	6.4	17	1	2	6	8	11	14	20
B. OPERATED	506	6.7	47	1	2	4	9	15	20	29
TOTAL 0-19 YRS	451	4.4	11	1	1	4	6	8	10	15
20-34	2157	6.1	15	1	2	6	8	11	14	21
35-49	1746	6.6	18	2	2	6	8	11	15	20
50-64	862	7.0	18	2	2	7	9	12	15	22
65+	496	7.9	52	1	2	7	10	15	20	62
GRAND TOTAL	**5712**	**6.4**	**20**	**1**	**2**	**6**	**8**	**12**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	5	<1	1	2	3	6	8	11
20-34	69	2.4	3	<1	<1	2	3	5	5	10
35-49	62	3.0	4	1	1	3	4	5	7	12
50-64	32	3.3	6	1	1	3	5	7	9	10
65+	35	5.9	28	1	2	5	6	10	16	29
B. *Operated*										
0-19 YRS	111	2.7	9	1	1	2	3	5	5	17
20-34	463	2.8	2	1	1	3	4	5	6	8
35-49	400	3.3	4	1	1	3	4	6	7	9
50-64	312	4.1	6	1	2	4	5	7	9	14
65+	113	5.1	11	2	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.1	15	<1	1	2	3	6	8	24
20-34	106	3.6	8	<1	1	3	5	7	10	14
35-49	86	4.2	13	1	1	3	5	8	11	21
50-64	132	5.0	17	1	1	4	6	10	13	21
65+	260	8.0	47	2	2	6	11	16	20	49
B. *Operated*										
0-19 YRS	58	3.2	6	<1	1	3	4	6	8	15
20-34	113	3.9	24	1	1	3	4	6	10	31
35-49	138	4.2	8	1	2	4	5	7	10	16
50-64	254	5.4	19	2	2	4	6	10	12	24
65+	178	7.8	54	2	3	6	9	13	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.2	9	1	1	2	4	6	8	15
B. *Operated*	1399	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	650	5.7	31	1	1	4	7	12	16	32
B. *Operated*	741	5.4	27	1	2	4	6	10	17	32
1. SINGLE DX	1661	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1391	5.5	29	1	1	4	7	11	15	32
A. NOT OPERATED	912	5.0	26	1	1	3	6	11	15	24
B. OPERATED	2140	4.1	14	1	1	3	5	7	9	18
TOTAL 0-19 YRS	299	2.9	9	1	1	2	3	5	7	18
20-34	751	3.1	7	<1	1	3	4	5	7	11
35-49	686	3.6	6	1	1	3	4	6	8	13
50-64	730	4.7	13	1	2	4	5	8	11	20
65+	586	7.3	43	2	2	6	9	14	18	45
GRAND TOTAL	**3052**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

364: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2163	1.5	1	<1	1	1	2	2	3	6
20-34	746	2.1	3	<1	1	2	3	4	5	8
35-49	196	2.4	4	<1	1	2	3	5	7	9
50-64	98	2.5	9	1	1	2	3	5	7	18
65+	61	3.8	12	1	1	2	5	8	10	17
B. *Operated*										
0-19 YRS	13	1.2		1	1	1	2	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	46.0	3528	4	4	46	88	88	88	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2607	2.2	4	1	1	2	3	4	6	10
20-34	2222	3.4	10	1	1	2	4	7	9	15
35-49	1049	4.7	23	1	1	3	6	9	13	25
50-64	732	4.7	22	1	1	3	6	9	13	21
65+	930	7.3	70	1	1	5	9	15	22	60
B. *Operated*										
0-19 YRS	708	3.5	33	1	1	2	4	7	9	28
20-34	878	4.3	43	<1	1	2	5	9	13	39
35-49	334	4.6	30	1	1	3	6	10	14	28
50-64	255	6.1	52	1	1	4	7	14	21	37
65+	339	10.0	185	1	1	6	11	24	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3264	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	20	6.0	374	1	1	1	2	5	47	88
2. MULTIPLE DX										
A. *Not Operated*	7540	3.8	21	1	1	2	5	8	11	22
B. *Operated*	2514	5.1	63	1	1	3	5	11	17	45
1. SINGLE DX	3284	1.8	5	<1	1	1	2	3	4	8
2. MULTIPLE DX	10054	4.1	32	1	1	2	5	8	13	27
A. NOT OPERATED	10804	3.2	16	1	1	2	4	7	10	19
B. OPERATED	2534	5.1	65	1	1	3	5	11	17	45
TOTAL 0-19 YRS	5491	2.1	7	1	1	1	2	4	5	11
20-34	3850	3.3	16	1	1	2	4	7	9	18
35-49	1580	4.4	23	1	1	3	6	9	12	25
50-64	1085	4.8	28	1	1	3	6	10	14	28
65+	1332	7.9	103	1	1	5	9	17	25	63
GRAND TOTAL	**13338**	**3.5**	**26**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	778	1.7	3	<1	1	1	2	3	4	9
20-34	188	3.3	22	<1	<1	2	3	6	11	23
35-49	80	2.5	6	<1	<1	2	3	5	7	14
50-64	23	5.4	38	<1	1	3	6	17	19	21
65+	39	7.8	134	<1	<1	5	8	17	23	68
B. *Operated*										
0-19 YRS	26	14.1	406	1	5	8	12	38	57	99
20-34	29	9.5	46	2	2	8	11	18	28	30
35-49	19	9.6	45	2	3	10	12	15	24	31
50-64	19	11.5	96	3	5	8	13	25	36	42
65+	36	14.5	81	5	7	11	20	32	39	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	777	3.0	25	1	1	2	3	5	9	28
20-34	494	5.9	71	<1	1	3	7	13	20	49
35-49	243	6.1	86	1	1	3	6	13	23	78
50-64	182	6.9	80	1	1	4	9	16	22	41
65+	451	10.4	152	1	1	6	13	24	39	99
B. *Operated*										
0-19 YRS	192	14.3	422	<1	1	6	20	63	99	99+
20-34	254	18.0	474	1	1	9	30	71	99+	99+
35-49	105	18.2	418	1	2	12	31	67	99+	99+
50-64	111	18.4	371	1	2	14	30	75	99+	99+
65+	298	21.9	379	2	2	16	35	60	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	2.3	13	<1	1	1	2	4	7	17
B. *Operated*	129	12.1	136	2	4	9	13	28	36	99
2. MULTIPLE DX										
A. *Not Operated*	2147	5.9	81	1	1	3	7	14	23	57
B. *Operated*	960	18.6	421	1	1	12	30	65	98	99+
1. SINGLE DX	1237	3.4	35	<1	1	1	3	8	12	29
2. MULTIPLE DX	3107	9.8	220	1	1	4	12	30	54	99+
A. NOT OPERATED	3255	4.7	61	<1	1	2	5	11	18	48
B. OPERATED	1089	17.8	392	1	1	11	27	62	88	99+
TOTAL 0-19 YRS	1773	3.8	79	<1	1	1	3	7	15	69
20-34	965	8.7	199	<1	1	3	9	26	48	99+
35-49	447	8.5	179	1	1	4	10	25	51	99+
50-64	335	10.9	202	1	1	6	15	30	63	99+
65+	824	14.6	260	1	2	10	19	40	62	99+
GRAND TOTAL	**4344**	**8.0**	**176**	**1**	**1**	**3**	**9**	**23**	**42**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.2	5	<1	1	3	4	7	8	9
20-34	39	3.0	3	<1	<1	3	4	6	6	8
35-49	14	2.4	6	<1	1	1	3	5	9	10
50-64	11	3.9	10	1	1	3	5	9	10	10
65+	6	5.3	6	1	1	6	7	8	8	8
B. *Operated*										
0-19 YRS	35	5.7	6	2	3	5	7	9	11	11
20-34	84	6.0	13	2	3	5	7	10	11	22
35-49	19	6.4	8	1	3	6	8	11	12	12
50-64	14	7.6	31	3	3	6	11	14	21	23
65+	5	5.2	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.2	8	1	2	3	5	8	9	15
20-34	110	4.5	15	1	1	4	6	8	11	23
35-49	65	5.0	9	1	2	4	6	8	11	14
50-64	80	6.5	42	1	2	5	7	13	17	39
65+	90	9.0	60	2	2	7	12	18	22	43
B. *Operated*										
0-19 YRS	70	9.9	51	3	4	8	11	18	25	40
20-34	273	10.4	88	2	3	8	11	20	31	48
35-49	123	12.0	166	3	4	9	14	22	29	83
50-64	93	12.9	128	4	5	9	16	25	34	64
65+	106	19.4	273	4	5	14	26	47	56	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.2	5	<1	1	3	4	7	8	10
B. *Operated*	157	6.1	12	2	3	5	7	11	11	22
2. MULTIPLE DX										
A. *Not Operated*	403	5.9	31	1	2	4	7	12	16	28
B. *Operated*	665	12.4	143	3	4	9	14	26	38	65
1. SINGLE DX	249	5.0	11	1	1	4	7	9	11	13
2. MULTIPLE DX	1068	10.0	111	2	2	7	11	21	29	58
A. NOT OPERATED	495	5.4	28	1	1	4	7	11	14	27
B. OPERATED	822	11.2	124	3	4	8	12	23	33	63
TOTAL 0-19 YRS	185	6.5	31	1	2	5	8	12	16	30
20-34	506	7.8	62	1	2	6	9	15	24	44
35-49	221	8.9	109	1	2	7	10	16	23	65
50-64	198	9.4	90	2	2	6	11	20	27	54
65+	207	14.1	195	2	3	9	18	32	48	72
GRAND TOTAL	**1317**	**9.0**	**96**	**1**	**2**	**6**	**10**	**18**	**27**	**54**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	3.8	12	1	1	3	5	8	10	18
20-34	133	3.4	7	1	1	3	4	7	9	13
35-49	37	3.6	5	1	1	3	5	7	9	10
50-64	24	3.9	5	1	1	4	5	7	8	8
65+	15	2.7	3	1	1	2	4	5	7	7
B. *Operated*										
0-19 YRS	91	7.5	24	2	3	7	9	12	14	32
20-34	118	7.6	33	2	4	7	8	11	14	33
35-49	33	6.9	10	2	3	7	8	10	13	16
50-64	14	7.9	23	1	2	7	14	14	15	15
65+	4	8.5	1	7	7	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	4.1	11	1	1	3	5	8	10	16
20-34	275	4.3	15	1	1	3	5	9	11	22
35-49	119	4.8	23	1	1	3	6	10	13	27
50-64	76	4.7	7	1	2	4	7	8	10	14
65+	90	7.3	36	1	2	6	10	17	20	28
B. *Operated*										
0-19 YRS	265	13.1	144	3	5	9	14	28	38	64
20-34	532	14.0	168	4	5	10	16	29	40	84
35-49	212	14.9	176	4	6	10	18	34	46	81
50-64	107	16.4	204	4	6	11	20	39	51	85
65+	83	17.4	176	4	5	13	25	42	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	3.7	10	1	1	3	5	7	10	14
B. *Operated*	260	7.5	26	2	4	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	871	4.6	17	1	1	3	6	9	12	21
B. *Operated*	1199	14.4	169	4	5	10	16	32	43	88
1. SINGLE DX	753	5.0	19	1	1	4	7	9	12	18
2. MULTIPLE DX	2070	10.3	128	1	2	7	12	22	34	67
A. NOT OPERATED	1364	4.3	14	1	1	3	6	9	11	20
B. OPERATED	1459	13.2	150	4	5	9	15	28	40	81
TOTAL 0-19 YRS	951	6.8	66	1	1	5	8	13	19	42
20-34	1058	9.4	115	1	2	7	10	20	29	61
35-49	401	10.2	126	1	2	7	11	21	35	61
50-64	221	10.5	137	2	2	7	11	25	38	74
65+	192	11.3	122	1	2	8	16	26	38	99+
GRAND TOTAL	**2823**	**8.9**	**104**	**1**	**2**	**6**	**10**	**19**	**29**	**60**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	4	<1	<1	2	4	6	7	7
20-34	6	2.5	4	<1	<1	2	4	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	147	2.5	4	<1	1	2	4	5	6	12
20-34	92	2.8	4	1	1	2	4	5	7	9
35-49	33	3.1	7	<1	1	2	4	7	8	12
50-64	16	3.9	24	1	1	2	4	7	17	21
65+	15	2.9	6	1	1	2	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	4	<1	1	3	4	6	7	9
20-34	19	2.3	2	<1	1	2	3	4	6	7
35-49	13	3.7	7	1	1	3	5	7	9	9
50-64	6	5.3	21	1	1	4	10	12	12	12
65+	3	4.0	13	<1	<1	3	7	8	8	8
B. *Operated*										
0-19 YRS	155	3.6	9	1	1	3	5	7	10	15
20-34	159	3.8	10	1	1	3	5	8	10	16
35-49	62	4.1	12	<1	1	3	6	8	11	18
50-64	48	4.0	13	1	1	3	6	9	11	18
65+	59	6.6	83	1	1	4	7	14	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.6	4	<1	<1	2	4	6	6	7
B. *Operated*	303	2.7	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	75	3.2	6	<1	1	2	4	7	9	11
B. *Operated*	483	4.1	20	1	1	3	5	8	11	19
1. SINGLE DX	329	2.7	5	<1	1	2	4	6	7	12
2. MULTIPLE DX	558	4.0	18	1	1	3	5	8	11	19
A. NOT OPERATED	101	3.0	5	<1	1	2	4	6	8	11
B. OPERATED	786	3.6	15	1	1	3	5	7	10	18
TOTAL 0-19 YRS	351	3.0	7	<1	1	2	4	6	7	12
20-34	276	3.3	8	1	1	3	4	7	9	15
35-49	109	3.7	10	1	1	3	5	8	9	16
50-64	73	4.1	15	1	1	2	5	10	12	20
65+	78	5.7	66	1	1	3	6	11	21	51
GRAND TOTAL	**887**	**3.5**	**14**	**1**	**1**	**2**	**5**	**7**	**9**	**18**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.3	3	<1	1	2	3	4	5	11
20-34	58	2.2	2	<1	1	2	3	5	5	7
35-49	23	2.3	3	<1	<1	2	3	4	6	7
50-64	17	2.9	18	<1	<1	2	3	4	14	19
65+	7	2.3	7	1	1	1	2	7	8	8
B. *Operated*										
0-19 YRS	264	1.9	2	<1	<1	1	2	4	5	8
20-34	151	2.4	4	<1	<1	2	3	4	6	11
35-49	53	3.2	14	<1	1	2	4	6	10	22
50-64	27	2.5	3	<1	1	2	3	5	6	8
65+	22	3.3	7	1	1	2	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.5	42	1	1	2	4	5	8	40
20-34	204	3.3	9	<1	1	2	4	7	10	14
35-49	90	4.0	15	<1	1	3	5	10	13	20
50-64	55	4.6	27	1	1	3	6	9	13	31
65+	174	8.0	89	1	2	5	10	16	21	37
B. *Operated*										
0-19 YRS	517	3.1	28	<1	1	2	3	6	8	17
20-34	622	4.1	31	<1	1	3	5	8	11	33
35-49	276	4.4	28	<1	1	3	5	10	15	26
50-64	178	5.7	77	1	1	3	6	10	18	41
65+	341	7.7	100	1	1	5	9	18	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.3	4	<1	<1	2	3	4	6	11
B. *Operated*	517	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	694	4.7	43	1	1	3	6	10	14	30
B. *Operated*	1934	4.6	49	1	1	3	5	10	16	45
1. SINGLE DX	702	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2628	4.7	47	1	1	3	5	10	15	39
A. NOT OPERATED	879	4.2	36	<1	1	2	5	9	13	27
B. OPERATED	2451	4.1	40	<1	1	2	5	8	13	38
TOTAL 0-19 YRS	1032	2.8	22	<1	1	2	3	5	7	15
20-34	1035	3.6	21	<1	1	2	4	7	11	22
35-49	442	4.1	22	<1	1	2	5	10	13	22
50-64	277	5.0	57	1	1	3	6	9	16	40
65+	544	7.5	93	1	1	5	9	17	25	95
GRAND TOTAL	**3330**	**4.2**	**39**	**<1**	**1**	**2**	**5**	**9**	**13**	**34**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.2	2	<1	1	2	3	3	5	9
20-34	248	2.3	3	1	1	2	3	4	5	9
35-49	67	2.5	3	<1	<1	2	3	4	6	9
50-64	20	1.9	2	1	1	1	2	4	5	6
65+	5	1.8		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	169	2.7	8	<1	1	2	3	5	9	15
20-34	187	3.7	7	<1	1	3	5	7	8	14
35-49	60	3.4	6	<1	1	3	4	8	8	10
50-64	18	4.2	59	<1	1	1	3	9	24	33
65+	6	4.2	11	1	1	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.8	4	<1	<1	2	3	5	7	10
20-34	146	3.7	13	<1	1	3	5	7	8	22
35-49	67	3.0	4	1	1	2	4	6	7	10
50-64	27	6.3	71	1	1	4	8	10	18	45
65+	20	8.0	70	1	1	6	11	26	65	99+
B. *Operated*										
0-19 YRS	132	5.1	26	1	1	4	7	10	12	28
20-34	323	7.3	51	1	1	6	9	13	24	47
35-49	109	10.6	124	2	2	7	11	23	39	55
50-64	42	11.0	149	1	2	8	14	18	27	73
65+	20	8.2	48	1	1	6	13	17	22	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	440	3.3	10	<1	1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	326	3.8	19	1	1	3	5	7	10	29
B. *Operated*	626	7.7	68	1	1	6	10	15	23	49
1. SINGLE DX	893	2.8	6	<1	1	2	3	6	8	11
2. MULTIPLE DX	952	6.4	55	1	1	4	8	13	19	45
A. NOT OPERATED	779	2.9	10	<1	1	2	3	6	8	14
B. OPERATED	1066	5.9	49	1	1	4	7	12	17	40
TOTAL 0-19 YRS	480	3.3	12	<1	1	2	4	7	10	15
20-34	904	4.6	27	1	1	3	6	9	13	32
35-49	303	5.7	61	1	1	3	7	11	18	46
50-64	107	7.0	97	1	1	4	9	16	18	57
65+	51	7.0	51	1	1	5	10	17	25	99
GRAND TOTAL	**1845**	**4.6**	**34**	**1**	**1**	**3**	**6**	**10**	**13**	**37**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.9	3	<1	1	3	4	5	6	11
20-34	223	3.3	5	<1	1	3	4	6	7	12
35-49	51	3.2	3	<1	1	3	4	6	7	8
50-64	32	2.8	3	1	1	2	4	5	6	7
65+	19	5.2	9	1	2	5	7	9	12	13
B. *Operated*										
0-19 YRS	731	2.2	4	<1	<1	2	3	4	6	10
20-34	1147	2.4	5	<1	<1	2	3	5	6	12
35-49	527	2.4	5	<1	1	2	3	5	6	12
50-64	266	2.4	6	<1	<1	2	3	5	7	15
65+	101	2.6	5	<1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.6	8	<1	<1	3	5	7	9	16
20-34	200	4.3	20	<1	1	3	5	8	12	25
35-49	92	5.2	33	<1	<1	3	6	12	23	70
50-64	61	6.0	62	1	1	4	7	11	14	48
65+	55	7.6	99	1	2	6	8	13	22	66
B. *Operated*										
0-19 YRS	615	3.0	17	1	1	2	3	6	8	21
20-34	992	3.8	30	1	1	2	4	8	11	25
35-49	450	4.0	28	1	1	2	4	8	12	32
50-64	285	3.8	23	1	1	2	4	8	11	28
65+	165	5.8	45	1	1	3	7	15	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	3.2	4	<1	1	3	4	6	7	11
B. *Operated*	2772	2.4	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	523	4.8	34	<1	1	3	6	9	13	33
B. *Operated*	2507	3.8	27	1	1	2	4	8	12	26
1. SINGLE DX	3260	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	3030	4.0	28	1	1	2	4	8	12	29
A. NOT OPERATED	1011	4.0	20	<1	1	3	5	8	10	24
B. OPERATED	5279	3.0	16	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	1624	2.7	10	<1	1	2	3	5	7	16
20-34	2562	3.2	16	<1	1	2	4	6	9	18
35-49	1120	3.3	17	<1	1	2	4	7	10	25
50-64	644	3.4	20	<1	1	2	4	7	9	21
65+	340	5.1	42	1	1	3	6	11	17	31
GRAND TOTAL	**6290**	**3.2**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.4	5	1	1	3	5	7	9	11
20-34	146	3.3	6	1	1	3	4	7	8	13
35-49	43	3.1	3	1	1	3	4	6	7	9
50-64	16	4.2	7	2	2	3	6	7	10	11
65+	15	5.5	9	1	2	5	8	9	11	12
B. *Operated*										
0-19 YRS	512	4.0	21	<1	1	3	5	8	13	23
20-34	367	4.2	28	1	1	3	5	9	13	29
35-49	130	3.8	12	<1	1	3	5	8	11	18
50-64	63	4.7	26	<1	1	3	6	12	19	22
65+	48	8.7	91	1	1	5	11	22	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	5.4	23	1	1	4	7	10	18	23
20-34	98	4.3	10	<1	1	3	6	10	10	13
35-49	55	5.5	25	1	2	4	6	9	20	23
50-64	47	8.2	85	1	2	5	9	18	25	54
65+	54	8.4	30	1	1	7	12	16	19	22
B. *Operated*										
0-19 YRS	232	6.4	61	1	1	4	8	13	20	51
20-34	311	8.5	128	1	2	5	9	17	29	67
35-49	122	7.1	69	1	1	4	9	14	23	44
50-64	98	13.2	220	1	2	8	17	35	54	89
65+	109	13.8	191	1	2	9	22	34	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	3.4	6	1	1	3	4	7	9	12
B. *Operated*	1120	4.3	26	<1	1	3	5	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	333	6.0	31	1	1	4	7	12	18	24
B. *Operated*	872	9.0	127	1	1	5	10	21	31	65
1. SINGLE DX	1493	4.1	21	<1	1	3	5	8	12	24
2. MULTIPLE DX	1205	8.1	102	1	1	5	9	18	27	56
A. NOT OPERATED	706	4.6	19	1	1	3	6	9	13	22
B. OPERATED	1992	6.3	76	1	1	4	7	14	22	49
TOTAL 0-19 YRS	976	4.6	29	1	1	3	5	10	14	26
20-34	922	5.5	61	1	1	3	6	11	16	44
35-49	350	5.1	35	1	1	3	6	10	14	35
50-64	224	9.1	136	1	1	5	11	21	34	70
65+	226	10.9	127	1	1	7	14	26	36	57
GRAND TOTAL	**2698**	**5.9**	**61**	**1**	**1**	**3**	**7**	**13**	**19**	**46**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	12	3.6	12	<1	<1	2	6	9	11	11
20-34	21	4.0	21	1	1	2	6	10	16	18
35-49	14	4.3	13	<1	1	3	7	10	10	10
50-64	8	2.6	6	<1	<1	2	3	7	8	8
65+	4	6.8	50	2	2	4	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.1	49	1	1	4	8	17	23	23
20-34	7	7.0	98	<1	<1	2	9	25	28	28
35-49	4	8.5	63	<1	<1	7	14	19	19	19
50-64	4	2.3	1	1	1	2	3	3	3	3
65+	4	8.5	27	2	2	9	12	14	14	14
B. *Operated*										
0-19 YRS	46	9.4	138	1	1	5	13	25	33	51
20-34	113	12.3	270	1	1	6	15	34	58	99+
35-49	41	6.0	41	<1	1	4	8	15	17	34
50-64	17	21.9	548	1	2	10	43	61	66	68
65+	20	17.9	303	1	2	13	21	40	59	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		1	1	1	2	2	2	2
B. *Operated*	59	4.0	16	<1	1	2	6	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	28	6.5	50	<1	1	3	9	17	23	28
B. *Operated*	237	11.8	240	1	1	6	15	33	53	93
1. SINGLE DX	66	3.7	15	<1	1	2	6	9	12	18
2. MULTIPLE DX	265	11.3	223	1	1	6	14	29	51	90
A. NOT OPERATED	35	5.5	44	<1	1	2	8	14	22	28
B. OPERATED	296	10.3	205	1	1	5	11	26	49	87
TOTAL 0-19 YRS	70	7.6	104	1	1	4	9	22	26	51
20-34	143	10.7	231	1	1	6	12	32	56	99+
35-49	60	5.7	35	<1	1	3	8	14	17	32
50-64	29	13.9	409	1	1	4	14	53	62	68
65+	29	14.5	241	2	2	11	17	32	44	76
GRAND TOTAL	**331**	**9.8**	**190**	**1**	**1**	**5**	**11**	**24**	**42**	**83**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	6.8	8	3	3	7	9	10	10	10
65+	3	16.7	341	6	6	6	30	38	38	38
B. *Operated*										
0-19 YRS	48	3.1	7	<1	1	2	4	7	9	13
20-34	109	3.4	18	<1	1	3	3	5	8	31
35-49	45	3.5	17	<1	1	2	3	10	11	24
50-64	22	2.7	2	<1	1	3	3	4	5	6
65+	7	4.4	10	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	11	3	3	4	32	99+	99+	99+
20-34	20	7.0	142	<1	1	3	7	12	35	55
35-49	16	5.6	19	1	1	5	7	9	16	19
50-64	13	7.8	53	1	2	7	9	15	26	29
65+	16	7.8	76	1	1	5	8	13	30	38
B. *Operated*										
0-19 YRS	39	4.4	36	1	1	3	4	11	26	99+
20-34	99	4.5	46	1	1	3	4	8	16	42
35-49	54	4.9	30	1	1	3	4	14	16	29
50-64	41	7.5	69	<1	1	4	10	17	27	37
65+	29	13.4	182	2	2	9	16	32	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.9	75	1	1	3	6	9	28	38
B *Operated*	231	3.3	13	<1	1	2	4	6	9	25
2. MULTIPLE DX										
A. *Not Operated*	69	6.9	72	1	1	5	8	13	29	91
B. *Operated*	262	6.0	66	1	1	3	6	16	28	45
1. SINGLE DX	248	3.5	18	<1	1	2	4	6	10	31
2. MULTIPLE DX	331	6.2	67	1	1	3	7	15	28	56
A. NOT OPERATED	86	6.7	71	1	1	4	8	12	30	83
B. OPERATED	493	4.8	43	1	1	3	4	10	17	36
TOTAL 0-19 YRS	95	3.7	19	1	1	3	4	8	14	99+
20-34	233	4.1	40	1	1	3	4	8	10	39
35-49	116	4.4	23	1	1	3	4	11	16	26
50-64	80	6.2	48	1	1	4	7	15	22	35
65+	55	10.8	143	1	2	6	13	29	37	59
GRAND TOTAL	**579**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**17**	**38**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	3.9	3	1	2	4	5	6	7	10
20-34	68	3.7	4	1	1	4	5	6	7	11
35-49	23	3.7	3	1	2	4	5	6	7	9
50-64	6	2.7	2	1	1	3	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	8	7.1	45	<1	1	5	10	19	21	21
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.9	7	1	1	3	5	7	8	14
20-34	85	3.7	7	<1	1	3	5	6	8	16
35-49	37	4.0	10	<1	1	3	6	8	9	15
50-64	12	6.3	44	<1	1	4	8	16	23	24
65+	26	8.4	106	1	1	5	11	21	31	48
B. *Operated*										
0-19 YRS	17	4.8	4	1	2	5	6	7	8	9
20-34	17	4.9	20	1	1	4	6	9	16	20
35-49	10	4.9	15	<1	<1	3	10	11	11	11
50-64	8	4.6	4	2	2	4	6	7	7	7
65+	15	11.2	317	2	2	7	8	26	60	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	3.8	3	1	1	4	5	6	7	10
B. *Operated*	16	5.9	28	<1	1	5	7	13	19	21
2. MULTIPLE DX										
A. *Not Operated*	277	4.4	20	1	1	4	5	8	11	23
B. *Operated*	67	6.3	83	1	2	5	7	10	12	64
1. SINGLE DX	338	3.9	5	1	1	4	5	6	7	11
2. MULTIPLE DX	344	4.8	32	1	1	4	6	8	11	26
A. NOT OPERATED	599	4.1	11	1	1	4	5	7	8	16
B. OPERATED	83	6.2	72	1	2	5	7	10	15	57
TOTAL 0-19 YRS	365	4.1	6	1	1	4	5	6	8	13
20-34	174	3.8	7	1	1	3	5	6	8	16
35-49	72	4.2	9	1	1	3	6	9	10	14
50-64	28	4.8	22	1	1	4	6	8	14	24
65+	43	9.1	173	1	1	5	8	23	34	72
GRAND TOTAL	**682**	**4.4**	**19**	**1**	**1**	**4**	**5**	**7**	**9**	**21**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	576	1.9	2	<1	1	1	2	3	5	8
20-34	412	2.5	13	<1	1	2	3	5	6	12
35-49	189	2.9	7	1	1	2	4	6	8	14
50-64	118	3.3	6	1	1	2	4	7	9	13
65+	173	5.3	47	1	1	4	7	11	12	29
B. *Operated*										
0-19 YRS	80	2.9	7	<1	<1	2	4	6	8	16
20-34	95	3.2	9	<1	<1	2	4	6	10	14
35-49	50	4.2	19	<1	<1	3	5	10	14	22
50-64	30	3.4	6	<1	1	3	5	7	8	11
65+	22	6.0	14	1	2	6	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	914	2.5	5	<1	1	2	3	5	7	11
20-34	905	3.3	9	<1	1	2	4	7	9	14
35-49	568	4.6	21	1	1	3	6	9	13	24
50-64	545	5.5	21	1	1	4	7	11	15	26
65+	1905	9.2	104	1	2	6	11	19	29	80
B. *Operated*										
0-19 YRS	125	4.4	50	1	1	3	5	9	11	40
20-34	169	5.7	81	1	1	3	6	12	20	48
35-49	85	6.0	28	1	1	4	8	12	16	25
50-64	120	10.7	170	1	2	6	13	24	38	65
65+	246	12.8	149	2	3	9	17	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	2.7	13	<1	1	2	3	5	8	14
B. *Operated*	277	3.5	11	<1	<1	2	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*	4837	5.9	56	1	1	4	7	12	18	47
B. *Operated*	745	8.7	118	1	1	5	11	21	30	79
1. SINGLE DX	1745	2.9	12	<1	1	2	3	6	8	14
2. MULTIPLE DX	5582	6.2	65	1	1	4	8	13	20	52
A. NOT OPERATED	6305	5.1	48	1	1	3	6	11	16	38
B. OPERATED	1022	7.3	94	1	1	4	9	17	26	66
TOTAL 0-19 YRS	1695	2.5	8	<1	1	2	3	5	7	11
20-34	1581	3.4	18	<1	1	2	4	7	9	19
35-49	892	4.4	19	1	1	3	6	9	13	23
50-64	813	5.9	45	1	1	4	7	12	16	35
65+	2346	9.2	106	1	2	6	11	20	29	83
GRAND TOTAL	**7327**	**5.4**	**55**	**1**	**1**	**3**	**7**	**12**	**17**	**45**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	9	1	1	2	3	5	8	19
20-34	36	2.6	7	1	1	2	3	5	7	15
35-49	17	3.1	6	1	1	2	5	6	9	10
50-64	13	3.3	5	<1	1	3	4	7	8	8
65+										
B. *Operated*										
0-19 YRS	23	4.1	30	<1	1	2	5	9	17	26
20-34	51	5.5	65	1	1	3	5	15	21	46
35-49	21	6.5	59	1	1	5	8	16	26	31
50-64	21	4.2	19	<1	1	3	6	9	14	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.5	25	<1	1	3	5	11	18	19
20-34	51	3.8	12	1	1	3	4	9	10	20
35-49	25	3.4	8	1	1	2	4	7	10	11
50-64	8	5.8	27	1	1	4	9	14	15	15
65+	9	9.4	18	4	4	9	13	16	16	16
B. *Operated*										
0-19 YRS	46	8.1	99	1	1	4	10	20	32	46
20-34	91	9.7	165	1	1	4	13	25	33	66
35-49	33	9.2	116	1	1	5	10	26	39	44
50-64	38	14.1	144	2	2	11	21	30	32	52
65+	11	10.2	51	1	2	9	15	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.8	7	1	1	2	3	5	8	16
B. *Operated*	116	5.2	48	1	1	3	5	12	21	36
2. MULTIPLE DX										
A. *Not Operated*	115	4.4	17	1	1	3	6	10	14	19
B. *Operated*	219	10.1	136	1	1	5	14	26	33	54
1. SINGLE DX	229	4.0	29	1	1	2	4	8	13	27
2. MULTIPLE DX	334	8.1	102	1	1	4	10	20	28	50
A. NOT OPERATED	228	3.6	13	1	1	2	4	8	10	19
B. OPERATED	335	8.4	111	1	1	4	11	21	29	50
TOTAL 0-19 YRS	138	5.0	50	1	1	3	5	12	19	44
20-34	229	6.3	91	1	1	3	6	16	25	52
35-49	96	6.0	61	1	1	4	7	12	25	43
50-64	80	8.9	100	1	1	5	13	24	29	47
65+	20	9.9	35	2	3	9	14	17	21	25
GRAND TOTAL	**563**	**6.4**	**77**	**1**	**1**	**3**	**7**	**16**	**25**	**46**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34										
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
20-34	4	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	3.3	10	<1	<1	2	5	8	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.1		<1	<1	1	1	2	2	2
B. *Operated*	16	2.1	5	<1	<1	1	2	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	7	3.3	10	<1	<1	2	5	8	9	9
1. SINGLE DX	28	1.7	3	<1	<1	1	1	4	5	9
2. MULTIPLE DX	10	2.8	7	<1	<1	2	3	7	9	9
A. NOT OPERATED	15	1.2		<1	<1	1	1	2	3	3
B. OPERATED	23	2.5	6	<1	<1	1	3	7	9	9
TOTAL 0-19 YRS	18	1.6	1	<1	<1	1	2	3	4	5
20-34	12	2.3	7	<1	<1	1	2	7	9	9
35-49	6	1.0		<1	<1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**38**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**5**	**8**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	1.4	1	<1	<1	1	1	2	3	5
20-34	122	1.6	2	<1	<1	1	2	3	4	7
35-49	120	1.3		<1	<1	1	1	2	3	3
50-64	129	1.5	2	<1	<1	1	1	2	3	8
65+	111	1.6	1	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	120	1.9	3	<1	<1	1	2	4	6	12
20-34	21	3.2	11	<1	1	2	4	9	11	12
35-49	23	1.5	2	<1	<1	1	1	3	5	8
50-64	27	2.2	6	<1	<1	1	2	5	8	11
65+	24	2.1	3	<1	<1	2	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	2.5	4	<1	1	2	3	4	6	12
20-34	70	3.3	21	1	1	2	3	8	12	26
35-49	66	2.3	4	<1	1	2	3	5	7	10
50-64	112	3.6	27	<1	1	2	4	8	10	30
65+	259	4.1	30	1	1	2	4	9	14	51
B. *Operated*										
0-19 YRS	51	3.6	12	<1	<1	2	5	9	11	14
20-34	36	8.8	170	<1	1	4	10	23	35	65
35-49	40	10.8	277	1	2	5	12	22	49	86
50-64	75	5.0	24	<1	1	3	6	11	15	23
65+	146	6.9	70	1	1	4	9	15	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	1.4	1	<1	<1	1	2	2	3	6
B. *Operated*	215	2.1	4	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	631	3.4	21	1	1	2	4	7	11	27
B. *Operated*	348	6.6	89	1	1	4	8	15	22	58
1. SINGLE DX	1228	1.5	2	<1	<1	1	2	2	4	8
2. MULTIPLE DX	979	4.5	48	1	1	2	5	10	16	39
A. NOT OPERATED	1644	2.2	10	<1	<1	1	2	4	6	16
B. OPERATED	563	4.9	61	<1	1	2	6	11	18	39
TOTAL 0-19 YRS	826	1.8	3	<1	<1	1	2	3	5	10
20-34	249	3.3	37	<1	<1	1	3	7	12	32
35-49	249	3.1	56	<1	<1	1	2	5	9	40
50-64	343	3.0	17	<1	<1	1	3	7	10	23
65+	540	4.2	37	1	1	2	5	10	15	40
GRAND TOTAL	**2207**	**2.9**	**24**	**<1**	**<1**	**1**	**3**	**6**	**10**	**24**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.8	25	<1	1	5	8	14	17	18
20-34	17	4.2	11	<1	<1	4	6	10	11	11
35-49	11	5.8	25	1	1	5	11	13	14	14
50-64	2	7.0	72	1	1	7	13	13	13	13
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	51	9.4	70	2	2	6	13	22	27	36
20-34	46	10.5	111	2	2	7	14	21	31	53
35-49	33	9.1	113	1	2	6	9	25	31	51
50-64	16	13.8	297	2	2	8	11	44	55	60
65+	10	17.6	453	1	1	12	25	51	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	6.8	25	1	1	6	10	13	14	27
20-34	46	8.6	76	1	1	6	13	19	22	48
35-49	25	7.7	49	1	2	6	8	16	21	35
50-64	20	10.1	54	1	2	8	16	20	24	27
65+	28	12.6	78	2	2	11	18	23	32	36
B. *Operated*										
0-19 YRS	137	18.8	278	3	4	14	27	43	55	94
20-34	156	20.1	379	2	2	13	30	54	75	99+
35-49	118	20.6	393	1	2	15	30	54	66	99+
50-64	107	21.3	292	4	5	16	35	51	81	99+
65+	70	34.0	580	6	10	30	51	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	5.6	23	<1	1	4	8	13	15	18
B. *Operated*	156	10.6	138	2	2	7	13	25	35	60
2. MULTIPLE DX										
A. *Not Operated*	182	8.6	55	1	2	7	11	18	22	36
B. *Operated*	588	21.8	385	2	4	16	32	55	82	99+
1. SINGLE DX	216	9.2	111	1	2	6	11	20	30	55
2. MULTIPLE DX	770	18.7	338	2	2	13	28	48	68	99+
A. NOT OPERATED	242	7.9	49	1	1	6	11	16	21	35
B. OPERATED	744	19.4	354	2	3	13	30	50	69	99+
TOTAL 0-19 YRS	280	13.1	190	1	2	9	16	32	42	78
20-34	265	15.4	288	2	2	10	21	43	60	99+
35-49	187	16.0	312	1	2	9	22	46	56	97
50-64	145	18.8	273	2	3	13	30	48	69	99+
65+	109	26.8	523	2	4	21	40	77	99+	99+
GRAND TOTAL	**986**	**16.6**	**303**	**1**	**2**	**11**	**23**	**46**	**61**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	4.7	18	1	1	3	6	10	13	19
20-34	120	3.5	12	1	1	2	5	7	10	18
35-49	60	5.4	21	1	1	3	8	13	14	19
50-64	29	6.3	70	1	1	2	9	18	26	36
65+	8	9.9	64	2	2	8	14	23	24	24
B. *Operated*										
0-19 YRS	64	10.4	167	1	2	7	13	21	26	85
20-34	44	6.0	27	<1	1	5	8	15	16	23
35-49	23	8.5	46	1	2	7	10	18	22	29
50-64	14	10.3	55	1	1	11	15	20	23	24
65+	9	10.8	46	1	2	11	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	577	5.8	26	1	1	4	8	13	16	22
20-34	328	4.7	27	1	1	3	6	10	14	30
35-49	181	5.9	29	1	1	4	8	12	17	29
50-64	114	7.7	64	1	1	5	10	16	23	40
65+	133	12.5	152	1	3	9	16	27	36	66
B. *Operated*										
0-19 YRS	176	10.0	77	1	2	7	13	21	29	40
20-34	141	11.1	115	1	2	8	14	27	36	47
35-49	73	12.1	145	1	2	8	16	24	30	65
50-64	69	13.9	142	1	2	10	17	34	42	92
65+	62	23.4	343	5	8	19	28	64	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	4.7	22	1	1	3	6	10	14	23
B. *Operated*	154	8.9	94	1	1	7	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	1333	6.4	47	1	1	4	8	14	18	34
B. *Operated*	521	12.7	153	1	2	9	17	28	39	74
1. SINGLE DX	643	5.7	42	1	1	4	8	13	17	25
2. MULTIPLE DX	1854	8.1	85	1	1	5	10	18	26	47
A. NOT OPERATED	1822	5.9	41	1	1	4	8	13	17	32
B. OPERATED	675	11.8	142	1	2	8	16	25	37	71
TOTAL 0-19 YRS	1089	6.5	44	1	1	5	9	14	18	33
20-34	633	6.0	51	1	1	3	8	14	21	37
35-49	337	7.3	60	1	1	5	9	16	21	32
50-64	226	9.6	96	1	1	7	14	22	33	51
65+	212	15.5	224	2	3	11	20	35	50	90
GRAND TOTAL	**2497**	**7.5**	**75**	**1**	**1**	**5**	**9**	**17**	**23**	**43**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	7	1	1	2	3	5	9	12
20-34	39	3.6	7	<1	1	3	5	7	10	11
35-49	18	3.4	8	1	1	3	4	7	10	12
50-64	11	8.1	38	<1	1	7	10	18	23	23
65+	5	8.4	58	<1	<1	8	15	18	18	18
B. *Operated*										
0-19 YRS	66	2.1	1	<1	1	2	3	4	4	6
20-34	146	2.3	4	<1	1	2	2	4	5	13
35-49	63	2.1	2	<1	<1	2	3	3	4	9
50-64	25	2.3	1	<1	1	2	3	4	5	6
65+	7	6.4	51	<1	<1	2	11	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.1	85	1	1	3	7	13	21	54
20-34	40	6.9	109	1	1	4	9	12	14	66
35-49	33	5.4	19	1	1	4	8	11	15	18
50-64	21	8.5	87	2	2	6	8	16	30	45
65+	63	11.4	165	2	2	8	14	26	33	99
B. *Operated*										
0-19 YRS	88	4.5	122	<1	1	2	3	5	13	70
20-34	179	3.8	43	1	1	2	3	6	12	36
35-49	96	5.5	126	1	1	2	4	11	23	70
50-64	48	7.7	175	1	1	3	7	23	37	63
65+	29	16.3	473	1	1	11	16	60	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.2	16	<1	1	3	6	9	12	21
B. *Operated*	307	2.3	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	196	8.1	109	1	1	5	9	16	26	79
B. *Operated*	440	5.6	127	1	1	2	4	12	24	77
1. SINGLE DX	399	2.7	7	<1	1	2	3	5	8	14
2. MULTIPLE DX	636	6.3	123	1	1	3	6	13	25	77
A. NOT OPERATED	288	6.8	82	1	1	4	8	14	22	61
B. OPERATED	747	4.2	79	<1	1	2	3	7	13	56
TOTAL 0-19 YRS	212	3.9	69	<1	1	2	3	6	9	48
20-34	404	3.5	33	<1	1	2	3	7	11	23
35-49	210	4.3	64	<1	1	2	4	9	12	44
50-64	105	6.6	106	1	1	3	7	14	27	59
65+	104	12.3	241	1	1	8	15	28	51	99+
GRAND TOTAL	**1035**	**5.0**	**81**	**<1**	**1**	**2**	**4**	**10**	**16**	**57**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	2.3	4	<1	1	2	3	4	6	9
20-34	188	3.0	6	<1	1	2	4	7	8	10
35-49	91	3.2	5	1	1	2	4	7	9	10
50-64	37	4.3	11	1	1	3	5	10	12	13
65+	22	4.6	10	1	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	60	3.4	12	<1	1	2	4	7	11	18
20-34	70	5.7	120	<1	<1	3	6	13	16	74
35-49	34	4.6	20	1	1	3	6	11	16	19
50-64	17	5.4	34	<1	1	3	9	13	18	21
65+	11	10.8	368	<1	<1	4	9	36	64	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	3.4	22	1	1	2	4	6	9	21
20-34	276	4.2	20	<1	1	3	5	8	12	27
35-49	185	5.1	18	1	1	4	7	10	13	21
50-64	152	6.9	36	1	2	5	9	13	17	28
65+	307	8.1	54	1	2	6	11	17	24	51
B. *Operated*										
0-19 YRS	57	6.6	62	1	1	5	9	14	21	96
20-34	139	11.4	166	1	1	7	15	30	43	99+
35-49	76	10.5	192	1	2	5	14	27	36	75
50-64	64	10.5	126	1	1	8	15	22	31	62
65+	87	16.9	407	2	2	10	19	45	69	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	2.9	6	<1	1	2	4	6	8	12
B. *Operated*	192	5.0	76	<1	1	3	5	11	16	48
2. MULTIPLE DX										
A. *Not Operated*	1142	5.6	34	1	1	4	7	12	16	30
B. *Operated*	423	11.6	208	1	2	7	15	28	43	91
1. SINGLE DX	770	3.4	24	<1	1	2	4	7	9	18
2. MULTIPLE DX	1565	7.2	88	1	1	4	9	16	24	64
A. NOT OPERATED	1720	4.7	26	1	1	3	6	10	14	27
B. OPERATED	615	9.6	176	1	1	5	11	22	37	86
TOTAL 0-19 YRS	579	3.3	19	<1	1	2	4	7	9	19
20-34	673	5.5	66	<1	1	3	6	11	20	45
35-49	386	5.7	55	1	1	4	7	11	17	35
50-64	270	7.3	57	1	1	5	10	15	21	34
65+	427	9.8	144	1	2	6	11	20	29	86
GRAND TOTAL	**2335**	**6.0**	**70**	**1**	**1**	**3**	**7**	**13**	**19**	**47**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1507	1.9	2	<1	1	1	2	4	5	8
20-34	704	2.1	3	<1	<1	1	3	4	5	9
35-49	214	2.1	3	<1	<1	1	2	4	6	9
50-64	85	2.8	8	<1	1	2	3	6	9	15
65+	42	3.5	5	<1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	2.6	2	<1	<1	2	3	5	5	5
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1847	3.9	38	<1	1	2	4	8	13	37
20-34	2651	4.4	44	<1	1	2	4	10	16	35
35-49	1406	5.6	64	1	1	3	6	13	20	41
50-64	768	6.4	52	1	1	4	8	15	21	34
65+	1148	8.7	85	1	2	6	10	18	25	48
B. *Operated*										
0-19 YRS	17	8.5	92	1	2	5	10	20	33	40
20-34	67	8.9	102	<1	1	6	10	17	30	50
35-49	54	15.3	275	1	2	9	24	33	66	99
50-64	57	13.9	222	2	2	9	19	36	52	99
65+	110	19.4	326	3	5	13	27	49	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2552	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	13	3.1	6	<1	1	2	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*	7820	5.3	56	1	1	3	6	12	19	39
B. *Operated*	305	14.7	250	1	2	9	19	40	57	99+
1. SINGLE DX	2565	2.0	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	8125	5.7	66	1	1	3	6	13	20	44
A. NOT OPERATED	10372	4.5	45	<1	1	2	5	10	16	35
B. OPERATED	318	14.2	246	1	2	9	19	39	53	99+
TOTAL 0-19 YRS	3376	3.0	24	<1	1	2	3	6	9	29
20-34	3424	4.0	38	<1	1	2	4	8	14	33
35-49	1679	5.5	67	<1	1	3	6	13	21	43
50-64	910	6.6	63	1	1	4	8	16	22	43
65+	1301	9.5	112	1	2	7	11	20	29	69
GRAND TOTAL	**10690**	**4.8**	**53**	**<1**	**1**	**2**	**5**	**11**	**18**	**39**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	717	2.5	6	<1	1	1	3	6	7	12
20-34	225	1.5	1	<1	<1	1	2	3	3	5
35-49	149	1.6	2	<1	<1	1	2	3	3	5
50-64	67	1.9	3	<1	1	1	2	4	5	10
65+	38	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	4.1	37	<1	1	2	5	8	13	34
20-34	327	4.0	58	<1	1	2	4	8	14	39
35-49	221	4.7	58	1	1	2	5	9	17	51
50-64	173	4.3	57	1	1	2	4	9	13	37
65+	174	5.9	67	1	1	3	7	14	24	56
B. *Operated*										
0-19 YRS	6	15.8	291	2	2	8	31	42	43	43
20-34	19	6.8	63	1	1	4	8	14	26	35
35-49	18	14.0	214	1	2	9	31	73	99+	99+
50-64	17	13.7	172	2	2	11	20	38	44	46
65+	14	32.6	1081	4	5	18	59	94	96	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1196	2.1	4	<1	<1	1	2	5	6	11
B. *Operated*	7	4.1	11	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1274	4.4	53	<1	1	2	5	9	15	39
B. *Operated*	74	15.8	393	1	2	8	22	46	87	99+
1. SINGLE DX	1203	2.1	4	<1	<1	1	2	5	6	11
2. MULTIPLE DX	1348	5.1	78	1	1	2	5	11	18	52
A. NOT OPERATED	2470	3.3	31	<1	1	2	3	7	10	32
B. OPERATED	81	14.8	370	1	2	7	19	45	78	99+
TOTAL 0-19 YRS	1105	3.1	19	<1	1	2	4	6	8	24
20-34	573	3.1	37	<1	<1	1	3	5	10	31
35-49	388	3.9	50	<1	1	2	4	8	16	57
50-64	258	4.3	57	1	1	2	4	9	14	41
65+	227	6.8	161	1	1	3	7	16	27	94
GRAND TOTAL	**2551**	**3.7**	**46**	**<1**	**1**	**2**	**4**	**7**	**12**	**39**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	3.0	21	<1	1	2	3	5	8	20
20-34	174	2.3	14	<1	1	1	3	4	5	15
35-49	127	2.2	4	<1	1	1	3	4	6	11
50-64	105	2.5	5	<1	1	2	3	5	6	12
65+	83	3.1	5	1	1	2	5	6	8	10
B. *Operated*										
0-19 YRS	4	7.0	18	2	2	7	10	11	11	11
20-34	6	9.2	27	5	5	7	11	18	19	19
35-49	5	12.2	113	3	3	9	17	30	30	30
50-64	2	9.0	8	7	7	9	11	11	11	11
65+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	453	4.5	19	1	1	3	6	10	13	24
20-34	303	3.5	18	<1	1	2	4	6	11	27
35-49	301	3.8	12	1	1	3	5	7	10	17
50-64	466	5.5	50	1	1	4	6	11	15	32
65+	1221	8.3	85	1	2	6	10	16	25	66
B. *Operated*										
0-19 YRS	19	13.5	277	1	1	8	15	45	52	58
20-34	29	21.0	510	1	1	13	41	67	75	99+
35-49	30	16.2	300	1	4	10	20	68	97	99+
50-64	53	17.0	283	1	2	11	31	51	90	99+
65+	135	19.1	291	3	5	15	26	53	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	895	2.7	14	<1	1	2	3	5	7	16
B. *Operated*	19	9.3	42	2	3	7	11	17	25	30
2. MULTIPLE DX										
A. *Not Operated*	2744	6.2	57	1	1	4	7	13	17	41
B. *Operated*	266	18.2	312	1	3	13	26	56	76	99+
1. SINGLE DX	914	2.8	15	<1	1	2	3	5	8	18
2. MULTIPLE DX	3010	7.2	91	1	1	4	8	15	25	73
A. NOT OPERATED	3639	5.3	48	1	1	3	6	11	16	36
B. OPERATED	285	17.6	299	1	3	12	24	51	75	99+
TOTAL 0-19 YRS	882	4.0	28	1	1	2	4	9	12	25
20-34	512	4.1	61	<1	1	2	4	7	13	50
35-49	463	4.3	40	1	1	3	5	9	13	44
50-64	626	6.0	74	1	1	4	6	12	20	54
65+	1441	9.0	112	1	2	6	11	19	31	83
GRAND TOTAL	**3924**	**6.2**	**77**	**1**	**1**	**4**	**7**	**13**	**21**	**62**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	14	<1	1	2	4	9	13	16
20-34	58	3.6	29	<1	<1	2	4	8	9	29
35-49	37	4.2	27	<1	1	2	5	10	11	30
50-64	28	6.4	23	<1	1	5	10	13	14	17
65+	90	6.1	45	1	1	4	8	15	20	36
B. *Operated*										
0-19 YRS	216	4.8	22	<1	1	3	6	9	13	26
20-34	414	4.1	41	<1	<1	2	4	9	13	36
35-49	307	4.8	31	<1	1	3	6	12	16	30
50-64	451	7.4	89	1	1	4	10	17	23	52
65+	833	7.6	63	1	2	4	10	18	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.6	34	1	1	4	8	11	17	34
20-34	134	6.1	38	1	1	4	7	13	19	32
35-49	124	6.5	38	1	1	5	9	14	19	30
50-64	213	8.0	66	1	1	6	10	19	22	46
65+	533	9.1	108	1	2	6	12	19	30	51
B. *Operated*										
0-19 YRS	562	8.3	95	1	2	5	10	18	27	51
20-34	662	7.8	91	<1	1	4	10	21	28	53
35-49	951	8.7	129	1	1	4	11	22	33	57
50-64	1918	10.6	140	1	2	7	14	25	37	72
65+	3419	12.4	185	2	2	8	16	29	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	4.8	33	<1	1	3	6	11	16	29
B. *Operated*	2221	6.2	58	<1	1	3	8	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	1087	8.0	79	1	1	5	10	17	24	44
B. *Operated*	7512	10.8	154	1	2	6	14	26	38	74
1. SINGLE DX	2474	6.1	56	<1	1	3	8	15	20	35
2. MULTIPLE DX	8599	10.4	146	1	2	6	13	25	36	71
A. NOT OPERATED	1340	7.4	72	1	1	5	9	16	22	43
B. OPERATED	9733	9.7	136	1	1	5	13	23	33	68
TOTAL 0-19 YRS	901	7.0	71	1	1	4	8	15	23	42
20-34	1268	6.2	69	<1	1	3	7	16	24	45
35-49	1419	7.5	100	1	1	4	9	17	27	53
50-64	2610	9.8	126	1	2	6	13	23	33	66
65+	4875	11.1	157	1	2	7	15	26	37	79
GRAND TOTAL	**11073**	**9.4**	**129**	**1**	**1**	**5**	**12**	**22**	**33**	**65**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	1.6	1	<1	1	1	2	3	4	7
20-34	167	2.4	2	<1	1	2	3	5	5	7
35-49	109	2.7	4	<1	1	2	4	5	7	10
50-64	130	3.4	5	1	1	3	5	6	7	11
65+	158	3.8	4	1	1	4	5	6	7	11
B. *Operated*										
0-19 YRS	151	1.8	2	<1	<1	2	2	3	4	7
20-34	194	2.9	10	<1	1	2	3	6	8	16
35-49	74	3.0	5	1	1	2	4	7	9	11
50-64	66	3.3	5	<1	1	3	5	6	8	10
65+	59	5.9	21	1	1	5	7	11	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.6	5	1	1	2	3	5	9	10
20-34	76	3.4	6	1	1	3	4	7	9	11
35-49	85	4.0	10	1	1	3	5	9	10	15
50-64	170	4.6	12	1	1	4	6	8	11	19
65+	347	5.6	45	1	2	4	6	10	13	32
B. *Operated*										
0-19 YRS	26	3.5	17	1	1	2	4	9	15	17
20-34	82	4.8	17	1	1	3	7	13	14	15
35-49	55	4.7	28	1	1	3	6	9	14	32
50-64	99	7.0	44	1	1	5	10	14	21	34
65+	200	8.7	99	1	2	6	11	16	24	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	2.7	4	1	1	2	4	5	6	9
B. *Operated*	544	3.0	9	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	736	4.7	27	1	1	4	6	9	12	23
B. *Operated*	462	6.9	63	1	1	5	9	14	18	36
1. SINGLE DX	1309	2.8	6	<1	1	2	4	6	7	11
2. MULTIPLE DX	1198	5.6	42	1	1	4	7	12	15	30
A. NOT OPERATED	1501	3.7	16	1	1	3	5	7	9	18
B. OPERATED	1006	4.8	37	1	1	3	6	11	14	29
TOTAL 0-19 YRS	436	1.9	3	<1	1	1	2	4	5	9
20-34	519	3.1	9	1	1	2	4	6	9	14
35-49	323	3.5	10	1	1	3	4	7	9	15
50-64	465	4.6	18	1	1	3	5	9	12	22
65+	764	6.1	52	1	2	4	7	12	16	34
GRAND TOTAL	**2507**	**4.1**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	5.4	12	1	1	5	8	10	11	18
20-34	125	5.6	10	2	3	5	6	10	14	15
35-49	131	6.7	30	2	2	5	8	12	16	29
50-64	88	6.4	22	2	2	5	8	11	20	24
65+	70	8.9	68	2	3	7	11	15	20	57
B. *Operated*										
0-19 YRS	62	7.4	27	2	3	6	9	14	17	28
20-34	122	8.3	61	2	2	6	11	18	23	37
35-49	90	8.4	118	2	2	6	8	15	23	70
50-64	72	7.7	57	2	3	5	9	15	21	47
65+	88	11.4	99	1	2	9	14	24	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.8	17	1	2	5	7	11	16	20
20-34	125	6.5	20	2	3	5	8	11	13	26
35-49	174	8.1	41	2	3	6	10	17	22	33
50-64	236	10.3	89	2	3	8	11	21	30	52
65+	285	11.3	103	3	3	9	14	21	31	57
B. *Operated*										
0-19 YRS	80	13.1	162	2	4	9	15	24	41	70
20-34	151	12.7	175	1	3	9	15	31	50	99+
35-49	148	14.0	153	2	3	10	19	30	39	63
50-64	268	17.3	228	3	4	12	23	42	53	95
65+	308	18.1	202	3	5	15	24	37	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	6.4	27	2	2	5	8	12	15	23
B. *Operated*	434	8.7	76	2	2	6	10	17	24	48
2. MULTIPLE DX										
A. *Not Operated*	893	9.3	72	2	3	7	11	19	25	47
B. *Operated*	955	16.0	198	2	4	11	21	37	50	92
1. SINGLE DX	936	7.5	51	2	2	6	9	14	20	36
2. MULTIPLE DX	1848	12.8	148	2	3	9	16	28	40	69
A. NOT OPERATED	1395	8.3	58	2	3	6	10	16	21	42
B. OPERATED	1389	13.7	171	2	3	9	17	31	44	79
TOTAL 0-19 YRS	303	7.9	65	1	2	6	9	15	20	49
20-34	523	8.5	80	2	2	6	10	17	27	58
35-49	543	9.4	89	2	3	7	11	19	27	54
50-64	664	12.3	151	2	3	8	15	28	42	65
65+	751	13.9	152	3	4	10	18	29	40	66
GRAND TOTAL	**2784**	**11.0**	**122**	**2**	**3**	**7**	**13**	**24**	**34**	**62**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.5	12	1	1	2	5	8	10	17
20-34	99	4.4	31	<1	1	2	6	10	11	34
35-49	101	5.3	72	<1	1	3	6	12	18	50
50-64	59	6.0	57	1	1	4	6	12	18	48
65+	64	6.3	32	1	1	5	8	13	17	31
B. *Operated*										
0-19 YRS	56	4.6	40	<1	1	2	5	12	20	32
20-34	125	5.0	24	<1	1	4	6	10	13	25
35-49	101	6.0	59	<1	1	4	8	12	14	48
50-64	131	5.8	39	<1	1	4	8	12	17	38
65+	136	6.2	72	1	1	3	7	13	23	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.1	56	<1	1	2	4	11	16	82
20-34	152	4.3	24	1	1	3	5	10	12	19
35-49	177	5.4	30	1	1	4	7	11	14	34
50-64	269	7.6	55	1	1	5	11	17	21	51
65+	395	8.6	80	1	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	96	9.8	116	1	1	6	13	24	33	52
20-34	209	7.7	70	1	1	5	10	15	26	42
35-49	273	11.1	140	1	1	7	15	27	36	71
50-64	465	13.3	195	2	2	9	18	32	44	71
65+	747	13.6	215	1	2	9	18	34	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.1	45	1	1	3	6	11	15	31
B. *Operated*	549	5.6	47	<1	1	3	7	12	17	36
2. MULTIPLE DX										
A. *Not Operated*	1096	6.8	59	1	1	5	9	15	20	40
B. *Operated*	1790	12.2	180	1	2	8	16	29	44	76
1. SINGLE DX	917	5.4	46	1	1	3	7	11	16	34
2. MULTIPLE DX	2886	10.2	141	1	1	6	13	24	37	69
A. NOT OPERATED	1464	6.4	56	1	1	4	8	14	19	39
B. OPERATED	2339	10.7	157	1	1	6	14	26	40	70
TOTAL 0-19 YRS	300	5.9	72	1	1	2	7	15	23	51
20-34	585	5.7	44	1	1	4	7	12	17	34
35-49	652	7.9	94	1	1	5	10	18	27	58
50-64	924	10.1	134	1	2	6	13	23	38	65
65+	1342	11.0	161	1	1	7	14	25	40	76
GRAND TOTAL	**3803**	**9.0**	**122**	**1**	**1**	**5**	**11**	**21**	**31**	**62**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	4	<1	1	2	3	5	6	9
20-34	18	4.0	15	<1	<1	3	5	11	13	14
35-49	6	7.7	114	1	1	4	7	27	29	29
50-64	5	3.4	4	1	1	4	5	6	6	6
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49										
50-64	2	19.5	685	<1	<1	19	38	38	38	38
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	5	1	1	3	4	6	7	10
20-34	20	5.2	13	1	2	4	7	11	12	13
35-49	28	8.4	46	1	2	6	12	18	22	29
50-64	43	5.8	19	1	1	5	7	13	15	18
65+	64	5.3	45	1	1	3	6	12	15	41
B. *Operated*										
0-19 YRS	3	4.7	10	<1	<1	6	7	7	7	7
20-34	10	7.1	28	2	2	7	8	15	19	19
35-49	10	13.8	186	1	2	9	19	34	46	46
50-64	8	7.0	10	3	3	7	10	10	10	10
65+	9	20.7	434	6	6	13	21	55	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.7	19	<1	1	2	4	7	11	28
B. *Operated*	4	12.0	305	<1	<1	4	22	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	192	5.4	30	1	1	4	7	12	15	28
B. *Operated*	40	11.6	174	1	2	7	13	21	37	73
1. SINGLE DX	60	4.3	38	<1	1	3	5	8	13	37
2. MULTIPLE DX	232	6.5	60	1	1	4	8	13	19	44
A. NOT OPERATED	248	5.0	28	1	1	3	6	12	14	29
B. OPERATED	44	11.7	179	1	2	7	13	24	40	73
TOTAL 0-19 YRS	64	3.0	5	1	1	2	4	6	7	10
20-34	50	5.1	17	1	1	3	7	12	13	19
35-49	44	9.5	86	1	1	6	13	21	29	46
50-64	58	6.2	34	1	1	5	8	13	16	36
65+	76	7.0	110	1	1	4	8	14	24	65
GRAND TOTAL	**292**	**6.0**	**56**	**1**	**1**	**4**	**7**	**13**	**18**	**41**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.7	1	<1	<1	<1	2	3	5	5
20-34	3719	1.8	1	<1	<1	1	2	3	4	5
35-49	1808	1.8	1	<1	<1	2	2	3	4	5
50-64	16	1.6	1	<1	<1	1	2	3	4	5
65+	7	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	94	1.4	2	<1	<1	1	1	2	3	11
35-49	45	1.2	1	<1	<1	1	1	2	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.9	11	<1	<1	2	3	8	12	12
20-34	2492	2.1	2	<1	<1	2	3	4	5	7
35-49	1632	2.2	2	<1	<1	2	3	4	5	7
50-64	6	2.2	4	<1	<1	1	2	6	6	6
65+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		1	1	1	2	2	2	2
B. *Operated*	5564	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	140	1.3	2	<1	<1	1	1	2	3	8
B. *Operated*	4142	2.2	2	<1	<1	2	3	4	5	7
1. SINGLE DX	5568	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	4282	2.1	2	<1	<1	2	3	4	5	7
A. NOT OPERATED	144	1.3	2	<1	<1	1	1	2	3	7
B. OPERATED	9706	2.0	2	<1	<1	2	2	4	4	6
TOTAL 0-19 YRS	25	2.2	5	<1	<1	2	2	3	7	12
20-34	6308	1.9	2	<1	<1	2	2	4	4	6
35-49	3486	2.0	2	<1	<1	2	3	4	4	7
50-64	22	1.8	2	<1	<1	1	2	4	5	6
65+	9	2.4	2	<1	<1	2	3	5	6	6
GRAND TOTAL	**9850**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	17.5	221	7	7	17	28	28	23	28
1750-2499	703	3.3	2	2	2	3	4	5	6	8
2500+	60947	3.1	2	2	2	3	3	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	25	4.0	4	2	2	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	30	62.5	576	10	15	69	80	92	99	99+
1000-1499	148	41.5	230	20	23	41	52	60	70	75
1500-1749	197	25.4	92	13	15	24	30	37	45	56
1750-2499	2920	7.7	47	2	3	5	10	16	21	33
2500+	37642	4.0	5	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	31	71.6	683	24	43	92	99+	99+	99+	99+
1000-1499	64	56.8	321	32	35	58	73	95	99+	99+
1500-1749	41	37.5	137	21	25	35	46	55	64	99+
1750-2499	166	20.2	228	5	6	17	25	37	51	94
2500+	587	7.8	67	2	3	6	9	14	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61652	3.1	2	2	2	3	3	5	6	7
B. *Operated*	25	4.0	4	2	2	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	40937	4.5	20	2	2	3	5	7	8	23
B. *Operated*	889	17.3	433	2	3	9	23	59	87	99+
1. SINGLE DX	61677	3.1	2	2	2	3	3	5	6	7
2. MULTIPLE DX	41826	4.8	32	2	2	3	5	7	10	31
A. NOT OPERATED	102589	3.7	9	2	2	3	4	6	6	13
B. OPERATED	914	16.9	426	2	3	8	23	58	86	99+
TOTAL 1-999 G	61	67.2	641	12	27	82	99+	99+	99+	99+
1000-1499	212	46.1	306	21	25	45	58	73	87	99+
1500-1749	240	27.4	121	13	15	26	32	43	50	71
1750-2499	3789	7.4	57	2	2	5	9	16	21	37
2500+	99201	3.5	4	2	2	3	4	5	6	9
GRAND TOTAL	**103503**	**3.8**	**15**	**2**	**2**	**3**	**4**	**6**	**7**	**16**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	114	4.7	3	2	3	5	6	7	7	10
2500+	606	4.5	2	2	3	4	6	7	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	40.3	1221	9	9	70	78	99+	99+	99+
1000-1499	34	41.8	345	15	23	39	54	66	75	95
1500-1749	44	29.9	196	12	15	26	36	54	61	67
1750-2499	546	9.5	42	3	4	7	13	18	23	32
2500+	481	5.6	11	3	3	5	6	8	9	16
B. *Operated*										
1-999 G	4	70.0	267	54	55	93	99+	99+	99+	99+
1000-1499	23	62.7	347	33	43	68	79	90	96	99+
1500-1749	6	40.8	251	26	26	36	48	67	69	69
1750-2499	22	22.4	106	6	9	22	26	37	43	48
2500+	9	6.9	7	3	4	7	9	56	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	720	4.5	2	2	3	4	6	7	7	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1109	9.7	105	3	3	6	11	20	30	59
B. *Operated*	64	39.4	700	6	7	39	69	92	99+	99+
1. SINGLE DX	721	4.5	2	2	3	4	6	7	7	9
2. MULTIPLE DX	1173	11.3	182	3	3	6	12	25	44	85
A. NOT OPERATED	1829	7.7	71	3	3	5	7	15	23	52
B. OPERATED	65	38.8	707	5	6	39	69	92	99+	99+
TOTAL 1-999 G	8	55.1	890	9	11	82	99+	99+	99+	99+
1000-1499	57	50.2	447	22	25	48	68	81	93	99+
1500-1749	50	31.2	211	13	15	27	39	54	61	69
1750-2499	682	9.1	46	3	3	6	12	18	23	33
2500+	1097	5.0	7	3	3	5	6	7	8	13
GRAND TOTAL	**1894**	**8.7**	**125**	**3**	**3**	**5**	**7**	**18**	**30**	**74**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	7	4.4	18	2	2	3	3	12	14	14
2500+	163	2.5	2	1	1	2	3	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	38.5	207	18	18	42	48	51	51	51
1500-1749	3	27.0	64	19	19	27	33	35	35	35
1750-2499	30	9.7	77	2	2	6	15	18	19	43
2500+	65	3.5	4	1	1	3	4	6	7	11
B. *Operated*										
1-999 G	1	58.0		58	58	79	99+	99+	99+	99+
1000-1499										
1500-1749										
1750-2499	2	36.0	1800	6	6	36	66	66	66	66
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.6	3	1	1	2	3	4	4	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	102	7.4	93	1	2	4	7	18	30	48
B. *Operated*	3	43.3	1061	6	6	62	83	99+	99+	99+
1. SINGLE DX	170	2.6	3	1	1	2	3	4	4	12
2. MULTIPLE DX	105	8.4	147	1	2	4	7	19	43	81
A. NOT OPERATED	272	4.4	42	1	1	3	4	7	18	42
B. OPERATED	3	43.3	1061	6	6	62	83	99+	99+	99+
TOTAL 1-999 G	1	58.0		58	58	79	99+	99+	99+	99+
1000-1499	4	38.5	207	18	18	42	48	51	51	51
1500-1749	3	27.0	64	19	19	27	33	35	35	35
1750-2499	39	10.1	150	2	2	5	14	18	32	66
2500+	228	2.8	3	1	1	3	3	4	5	9
GRAND TOTAL	**275**	**4.8**	**66**	**1**	**1**	**3**	**4**	**8**	**18**	**56**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	2	4	4	4
20-34	8	3.9	15	<1	<1	2	7	10	11	11
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	2.0		2	2	2	2	2	2	2
65+	6	6.5	39	1	1	5	11	15	16	16
B. *Operated*										
0-19 YRS	639	2.5	2	<1	1	2	3	4	5	10
20-34	897	2.5	3	<1	<1	2	3	4	5	9
35-49	434	2.7	4	<1	1	2	3	4	5	12
50-64	334	2.7	5	<1	<1	2	3	4	5	11
65+	229	3.8	11	<1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	12	<1	<1	1	2	4	8	18
20-34	7	2.1	5	<1	<1	1	2	6	7	7
35-49	11	1.4		<1	<1	1	2	3	3	3
50-64	7	2.4	7	<1	<1	1	3	7	8	8
65+	13	4.7	25	<1	1	2	7	14	16	16
B. *Operated*										
0-19 YRS	341	3.2	6	<1	1	3	4	5	7	11
20-34	264	3.9	16	1	1	3	4	7	10	23
35-49	173	4.1	26	1	1	3	4	6	11	25
50-64	221	4.4	27	1	2	3	5	7	10	32
65+	233	6.9	44	1	2	5	9	16	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	13	<1	<1	2	3	9	11	16
B. *Operated*	2533	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	63	2.6	12	<1	<1	1	2	7	10	18
B. *Operated*	1232	4.4	23	1	1	3	5	8	12	26
1. SINGLE DX	2566	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX	1295	4.3	23	1	1	3	5	8	12	26
A. NOT OPERATED	96	2.8	12	<1	<1	1	3	7	11	17
B. OPERATED	3765	3.2	11	<1	1	2	4	6	8	17
TOTAL 0-19 YRS	1017	2.7	4	<1	1	2	3	5	6	11
20-34	1176	2.8	6	<1	1	2	3	5	7	12
35-49	620	3.0	10	<1	1	2	4	5	7	15
50-64	567	3.3	14	<1	1	3	4	5	7	25
65+	481	5.3	30	1	1	3	6	12	16	29
GRAND TOTAL	**3861**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	1.2		<1	<1	<1	1	2	3	3
20-34	7	3.0	1	1	1	3	4	4	4	4
35-49	38	1.7	1	<1	<1	1	2	3	4	5
50-64	20	2.5	7	1	1	2	3	7	9	10
65+	102	1.9	6	1	1	1	2	3	5	16
B. *Operated*										
0-19 YRS										
20-34	12	3.5	14	1	1	2	3	8	14	15
35-49	13	7.7	75	1	2	5	10	16	31	34
50-64	8	15.1	481	4	4	8	10	52	69	69
65+	13	15.8	425	3	4	11	17	35	72	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	211	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	46	10.2	239	1	2	5	11	20	41	81
1. SINGLE DX	22	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	257	3.3	56	<1	<1	1	3	6	11	33
A. NOT OPERATED	230	1.8	4	<1	<1	1	2	3	4	10
B. OPERATED	49	9.8	227	1	2	5	11	18	36	81
TOTAL 0-19 YRS	47	1.3		<1	<1	<1	1	2	3	4
20-34	20	3.4	9	1	1	3	4	5	10	15
35-49	55	3.2	24	<1	<1	2	3	7	11	33
50-64	32	5.5	144	1	1	2	6	9	12	69
65+	125	3.3	65	1	1	1	2	5	12	38
GRAND TOTAL	**279**	**3.2**	**52**	**<1**	**<1**	**1**	**3**	**5**	**11**	**31**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	840	2.5	8	<1	<1	1	3	5	7	15
20-34	854	2.6	22	<1	<1	2	3	5	6	22
35-49	424	2.3	7	<1	<1	1	2	5	6	17
50-64	511	2.2	14	<1	<1	1	2	4	6	20
65+	457	3.1	34	<1	<1	1	2	6	12	34
B. *Operated*										
0-19 YRS	321	3.0	12	<1	<1	2	3	8	10	17
20-34	798	3.3	13	<1	<1	2	4	7	10	16
35-49	559	3.5	9	<1	<1	2	5	8	10	14
50-64	443	4.3	18	<1	<1	2	7	10	12	17
65+	386	5.4	45	<1	1	2	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1720	3.4	46	<1	<1	2	3	6	10	42
20-34	1744	4.1	61	<1	<1	2	4	6	12	45
35-49	2913	3.7	37	<1	1	2	4	6	11	34
50-64	8213	3.7	30	1	1	2	4	6	10	31
65+	7912	5.1	67	1	1	2	5	10	19	47
B. *Operated*										
0-19 YRS	481	3.6	30	<1	<1	2	4	9	12	25
20-34	1103	4.3	44	<1	<1	2	5	9	12	41
35-49	1575	4.6	38	<1	<1	2	6	10	13	31
50-64	2500	5.6	57	1	1	3	8	13	18	42
65+	3260	6.4	77	1	1	3	9	15	21	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3086	2.6	17	<1	<1	1	3	5	7	22
B. *Operated*	2507	3.8	18	<1	<1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	22502	4.2	48	<1	1	2	4	7	14	39
B. *Operated*	8919	5.5	59	<1	1	3	7	12	17	43
1. SINGLE DX	5593	3.1	18	<1	<1	2	3	7	10	20
2. MULTIPLE DX	31421	4.6	51	<1	1	2	5	9	15	40
A. NOT OPERATED	25588	4.0	44	<1	1	2	4	7	12	38
B. OPERATED	11426	5.1	51	<1	<1	2	7	12	16	38
TOTAL 0-19 YRS	3362	3.2	31	<1	<1	2	3	6	10	27
20-34	4499	3.7	41	<1	<1	2	4	7	11	36
35-49	5471	3.8	33	<1	<1	2	4	8	11	30
50-64	11667	4.1	35	<1	1	2	5	8	13	34
65+	12015	5.4	68	1	1	2	6	12	19	48
GRAND TOTAL	**37014**	**4.3**	**47**	**<1**	**1**	**2**	**5**	**9**	**14**	**38**

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number Title

73 Diabetes mellitus, uncontrolled
72 Diabetic acidosis
73 Diabetic cataract
72 Diabetic coma
73 Diabetic gangrene
73 Diabetic nephropathy
73 Diabetic neuropathy
73 Diabetic retinopathy
73 Diabetic ulcer
397 Dialysis, peritoneal
397 Dialysis, renal
204 Diaphragmatic hernia
208 Diarrhea, except infectious and functional
211 Diarrhea, functional
1 Diarrhea, infectious
6 Diphtheria
Disease
  199 Appendix, except acute appendicitis
  151 Arteriosclerotic cardiovascular
  168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  13 Arthropod-borne
  79 Autoimmune
  6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  218 Biliary ducts
  234 Bladder, except calculus and cystitis
  313 Bone, except osteomyelitis and osteoarthritis
  242 Breast, except fibrocystic
  241 Breast, fibrocystic
  221 Celiac
  Central nervous system
    7 Enteroviral
    113 Inflammatory, except enteroviral
    117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  Cerebrovascular – *see Cerebrovascular accident*
  136 Chronic rheumatic heart
  296 Connective tissue, diffuse
  143 Coronary artery
  211 Crohn's
  75 Cushing's
  187 Dental
  209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

LENGTH OF STAY

BY OPERATION

UNITED STATES

Northeastern REGION



1984

Length of Stay by Operation, Northeastern Region, 1984

A Companion Volume To
Length of Stay
by Diagnosis,
Northeastern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

332 Hospitals, Northeastern Region, January-December 1984, by Operation

---

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94756	3.1	14	<1	<1	2	4	6	8	17
20-34	209648	3.4	9	<1	1	3	4	6	7	14
35-49	84501	4.3	19	<1	1	3	6	9	11	21
50-64	68864	5.2	27	1	1	3	7	11	14	25
65+	65955	6.3	48	1	2	4	8	14	19	34
2. MULTIPLE DX										
0-19 YRS	68429	5.4	68	<1	1	3	6	11	18	50
20-34	165231	5.5	43	1	1	4	6	10	15	36
35-49	132489	7.2	63	1	1	5	8	14	21	44
50-64	192990	9.4	95	1	2	7	12	19	27	57
65+	369637	12.5	152	2	2	9	16	27	38	86
TOT. SINGLE DX	523724	4.1	20	<1	1	3	5	8	11	22
" MULTIPLE DX	928776	9.3	110	1	2	6	11	20	29	65
TOTAL 0-19 YRS	163185	4.0	38	<1	<1	2	4	8	12	33
20-34	374879	4.3	25	<1	1	3	5	8	11	26
35-49	216990	6.0	47	<1	1	4	7	12	17	36
50-64	261854	8.3	81	1	2	6	10	17	24	50
65+	435592	11.5	141	2	2	8	15	25	36	80
GRAND TOTAL	**1452500**	**7.4**	**84**	**1**	**1**	**4**	**9**	**16**	**24**	**53**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	8.9	43	1	2	8	11	15	21	38
20-34	101	13.2	73	4	5	11	16	24	28	48
35-49	123	13.0	51	5	7	11	16	23	28	59
50-64	146	15.9	144	3	5	13	19	31	42	58
65+	143	18.3	207	5	7	15	22	35	54	91
2. MULTIPLE DX										
0-19 YRS	190	16.2	246	1	2	11	22	37	52	75
20-34	154	25.5	337	7	10	22	34	64	94	99+
35-49	212	23.8	318	7	9	17	32	56	80	99+
50-64	410	24.6	320	7	9	18	32	58	71	99+
65+	520	28.2	403	7	9	23	39	70	93	99+
TOT. SINGLE DX	604	14.4	122	3	5	12	17	27	37	65
" MULTIPLE DX	1486	24.8	354	5	8	19	34	60	81	99+
TOTAL 0-19 YRS	281	13.9	192	1	2	10	17	31	43	65
20-34	255	20.7	268	5	7	16	28	49	74	99+
35-49	335	19.8	247	6	8	15	27	45	65	99+
50-64	556	22.3	289	5	7	17	28	52	66	99+
65+	663	26.1	377	6	8	21	35	64	89	99+
GRAND TOTAL	**2090**	**21.8**	**309**	**4**	**7**	**16**	**29**	**52**	**72**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	10.2	82	2	4	8	11	22	31	47
20-34	46	15.1	199	3	5	10	16	30	52	66
35-49	29	12.2	50	3	4	10	18	23	24	26
50-64	61	16.7	156	4	5	13	21	30	37	66
65+	48	14.3	43	6	7	13	17	21	27	40
2. MULTIPLE DX										
0-19 YRS	76	19.2	285	4	6	13	29	49	94	99+
20-34	77	25.9	419	4	7	23	47	93	99+	99+
35-49	68	22.7	273	8	9	20	33	88	99+	99+
50-64	125	28.5	407	7	10	23	42	70	99+	99+
65+	181	29.9	412	8	11	25	42	66	85	99+
TOT. SINGLE DX	239	13.8	116	3	5	11	17	26	34	66
" MULTIPLE DX	527	26.5	388	6	8	21	39	70	99+	99+
TOTAL 0-19 YRS	131	15.4	219	3	4	10	21	40	65	99+
20-34	123	21.9	362	3	6	16	38	64	99+	99+
35-49	97	19.6	229	5	7	16	26	44	99+	99+
50-64	186	24.7	355	5	7	19	35	65	78	99+
65+	229	26.6	375	7	10	20	35	60	81	99+
GRAND TOTAL	**766**	**22.6**	**337**	**5**	**6**	**17**	**32**	**59**	**85**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	5.6	9	2	2	5	7	9	10	18
20-34	44	8.1	77	2	3	6	10	12	17	60
35-49	14	7.3	12	2	3	7	10	13	13	13
50-64	12	6.8	20	2	3	5	8	14	17	18
65+										
2. MULTIPLE DX										
0-19 YRS	84	9.8	114	2	4	7	10	21	31	99+
20-34	85	12.7	221	2	3	9	14	45	91	99+
35-49	46	11.6	132	2	3	7	15	26	38	57
50-64	21	16.7	196	4	5	13	21	51	74	99+
65+	16	21.7	550	3	4	12	27	60	79	87
TOT. SINGLE DX	178	6.4	28	2	3	5	8	11	13	22
" MULTIPLE DX	252	12.5	194	2	3	8	15	28	57	99+
TOTAL 0-19 YRS	192	7.5	60	2	3	6	8	13	21	95
20-34	129	11.1	176	2	3	8	12	23	59	99+
35-49	60	10.6	107	2	3	7	13	21	33	56
50-64	33	13.1	153	4	4	9	18	30	55	99+
65+	16	21.7	550	3	4	12	27	60	79	87
GRAND TOTAL	**430**	**10.0**	**134**	**2**	**3**	**7**	**11**	**20**	**39**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	8.4	15	3	4	8	10	13	16	20
20-34	13	10.6	18	5	5	11	12	15	21	22
35-49	11	13.1	217	6	6	9	11	31	55	57
50-64	18	11.7	16	6	7	11	13	19	20	20
65+	27	17.9	259	6	7	15	23	26	38	90
2. MULTIPLE DX										
0-19 YRS	87	14.7	227	3	4	10	20	59	99+	99+
20-34	29	17.2	168	6	7	13	20	33	44	66
35-49	22	22.4	397	5	8	14	27	49	75	77
50-64	43	27.3	364	8	10	19	40	64	73	99+
65+	140	28.2	344	7	10	24	43	67	97	99+
TOT. SINGLE DX	110	12.0	106	4	5	10	13	21	24	70
" MULTIPLE DX	321	23.0	336	4	7	17	36	64	78	99+
TOTAL 0-19 YRS	128	12.6	168	3	4	9	15	42	94	99+
20-34	42	15.1	130	5	7	12	18	28	38	66
35-49	33	19.3	348	6	6	13	23	43	71	77
50-64	61	22.7	312	7	9	17	27	55	69	97
65+	167	26.5	343	7	8	22	38	65	87	99+
GRAND TOTAL	**431**	**20.2**	**300**	**4**	**6**	**14**	**27**	**54**	**75**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	6.7	31	2	2	5	8	14	19	29
20-34	44	10.4	60	1	2	9	13	24	27	29
35-49	11	9.1	32	2	4	7	14	18	18	18
50-64	11	11.9	59	4	5	7	20	23	25	25
65+	10	8.4	11	2	4	9	11	48	96	99+
2. MULTIPLE DX										
0-19 YRS	302	11.3	208	2	2	6	14	27	38	88
20-34	68	18.1	312	2	3	11	29	54	86	99+
35-49	48	18.0	296	2	3	14	27	58	98	99+
50-64	51	22.6	298	4	7	21	31	61	76	99+
65+	78	27.8	501	4	5	25	39	70	86	99+
TOT. SINGLE DX	187	8.1	41	2	2	6	10	18	25	30
" MULTIPLE DX	547	16.1	314	2	3	9	24	42	67	99+
TOTAL 0-19 YRS	413	10.0	165	2	2	5	11	24	34	80
20-34	112	15.1	227	2	3	10	22	38	60	99+
35-49	59	16.4	258	2	3	12	23	48	85	99+
50-64	62	20.7	272	4	7	19	28	51	73	99+
65+	88	25.6	483	4	5	21	36	70	87	99+
GRAND TOTAL	734	14.1	257	2	2	8	20	36	54	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.5	22	5	5	8	13	17	19	19
20-34	135	10.0	45	4	4	8	13	21	24	33
35-49	246	10.0	48	4	5	8	12	17	20	29
50-64	247	10.2	38	4	5	8	12	17	21	35
65+	126	12.2	48	6	6	10	14	23	27	42
2. MULTIPLE DX										
0-19 YRS	21	15.2	103	5	6	12	22	32	37	40
20-34	84	13.8	146	5	5	11	17	39	53	99+
35-49	283	13.8	106	4	6	11	16	28	35	71
50-64	508	14.6	108	5	6	11	17	29	40	83
65+	566	18.8	188	6	8	15	24	36	49	99
TOT. SINGLE DX	764	10.4	45	4	5	9	12	18	24	35
" MULTIPLE DX	1462	16.1	146	5	6	12	20	33	43	99+
TOTAL 0-19 YRS	31	13.4	83	5	5	9	18	27	34	40
20-34	219	11.4	87	4	4	9	14	22	34	99+
35-49	529	12.0	83	4	5	9	14	22	31	59
50-64	755	13.2	90	5	6	10	16	25	34	59
65+	692	17.6	169	6	7	13	23	34	43	94
GRAND TOTAL	2226	14.1	118	5	6	11	17	27	36	79

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	9.8	48	1	2	9	13	19	23	37
20-34	118	8.3	62	2	2	5	10	17	23	42
35-49	124	7.0	36	2	2	5	9	15	19	29
50-64	68	8.5	62	2	2	5	11	21	27	33
65+	37	10.0	64	1	2	7	15	24	27	32
2. MULTIPLE DX										
0-19 YRS	87	15.4	174	4	5	12	18	31	55	90
20-34	101	15.1	229	2	2	12	18	33	62	99+
35-49	125	16.0	195	2	3	12	21	36	53	76
50-64	133	18.0	244	2	4	14	23	45	65	99+
65+	194	22.3	281	5	6	16	32	46	58	87
TOT. SINGLE DX	397	8.3	53	2	2	6	11	18	23	34
" MULTIPLE DX	640	18.1	242	2	4	13	24	41	58	99+
TOTAL 0-19 YRS	137	13.3	135	2	4	10	17	24	35	76
20-34	219	11.4	150	2	2	8	14	25	34	84
35-49	249	11.5	136	2	2	8	14	27	40	59
50-64	201	14.8	203	2	2	11	20	36	55	99+
65+	231	20.3	267	3	5	15	29	42	56	84
GRAND TOTAL	1037	14.3	192	2	3	10	18	33	46	88

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.0	5	<1	<1	3	4	6	9	10
20-34	131	2.6	3	<1	<1	2	3	4	5	10
35-49	194	3.3	10	<1	1	2	4	6	10	16
50-64	194	3.3	45	<1	1	2	3	5	7	16
65+	79	4.0	20	<1	1	3	4	8	13	26
2. MULTIPLE DX										
0-19 YRS	34	5.0	34	1	1	3	4	18	19	24
20-34	94	6.9	105	1	1	3	5	16	25	59
35-49	102	6.9	81	1	2	3	8	14	22	55
50-64	172	6.5	77	1	1	3	6	18	24	60
65+	118	9.1	159	1	2	5	10	21	30	83
TOT. SINGLE DX	629	3.2	21	<1	1	2	3	5	9	16
" MULTIPLE DX	520	7.1	100	1	1	3	8	18	25	58
TOTAL 0-19 YRS	65	4.1	21	<1	1	3	4	9	18	23
20-34	225	4.4	50	<1	1	2	4	8	15	44
35-49	296	4.5	38	<1	1	3	4	10	14	31
50-64	366	4.8	63	<1	1	3	4	10	18	48
65+	197	7.1	110	1	1	3	7	17	25	65
GRAND TOTAL	1149	5.0	60	<1	1	3	5	11	18	40

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	2.2	1	<1	1	2	3	4	5	7
20-34	729	2.0	2	<1	<1	2	2	3	4	7
35-49	1025	2.1	2	<1	<1	2	2	3	4	8
50-64	1052	2.2	2	<1	<1	2	3	4	5	8
65+	562	2.2	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	170	2.8	8	<1	1	2	3	5	7	24
20-34	478	3.2	15	<1	1	2	3	5	8	20
35-49	671	3.5	21	<1	1	2	3	7	10	24
50-64	892	3.6	18	1	1	2	3	7	11	27
65+	805	4.3	40	1	1	2	4	9	14	30
TOT. SINGLE DX	3504	2.1	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	3016	3.6	24	1	1	2	3	7	11	26
TOTAL 0-19 YRS	306	2.5	6	<1	1	2	3	4	6	16
20-34	1207	2.5	8	<1	<1	2	3	4	5	12
35-49	1696	2.6	10	<1	<1	2	3	4	7	14
50-64	1944	2.9	10	<1	<1	2	3	5	8	17
65+	1367	3.4	26	<1	1	2	3	5	10	25
GRAND TOTAL	**6520**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	15	6.0	6	3	3	6	7	9	11	12
35-49	17	7.4	14	1	4	7	11	12	14	15
50-64	23	5.9	15	<1	1	6	9	11	13	14
65+	22	10.7	53	4	5	9	12	19	27	36
2. MULTIPLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	25	12.1	372	2	2	7	10	16	55	97
35-49	29	9.9	50	2	3	8	14	18	24	34
50-64	94	17.9	264	4	5	13	22	47	66	90
65+	259	18.8	213	5	7	15	22	34	46	89
TOT. SINGLE DX	79	7.6	27	1	3	6	9	12	16	32
" MULTIPLE DX	409	17.5	228	4	5	14	21	33	48	91
TOTAL 0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	40	9.8	241	2	3	6	9	14	28	97
35-49	46	9.0	38	2	4	7	12	15	20	34
50-64	117	15.6	238	2	4	11	20	33	58	84
65+	281	18.2	205	5	6	14	21	33	43	88
GRAND TOTAL	**488**	**15.9**	**209**	**3**	**4**	**12**	**20**	**32**	**44**	**87**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	22	3.1	19	<1	<1	1	3	7	13	21
35-49	18	8.7	69	2	2	5	12	21	29	33
50-64	34	4.4	38	<1	<1	2	5	13	20	27
65+	18	3.8	14	<1	1	2	4	11	13	13
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	32	6.9	55	1	2	4	9	12	17	41
35-49	30	11.0	316	1	1	6	12	21	29	97
50-64	45	6.7	27	1	2	5	8	15	19	22
65+	81	11.4	133	2	2	8	16	31	40	85
TOT. SINGLE DX	95	4.8	37	<1	<1	2	5	13	20	30
" MULTIPLE DX	190	9.4	126	1	2	6	12	21	32	79
TOTAL 0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	54	5.4	44	<1	<1	3	8	12	16	40
35-49	48	10.1	222	1	2	5	12	22	29	97
50-64	79	5.7	33	<1	<1	4	7	14	20	26
65+	99	10.0	120	1	2	7	13	27	35	76
GRAND TOTAL	**285**	**7.9**	**101**	**<1**	**1**	**4**	**10**	**19**	**27**	**51**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	4.3	5	2	3	4	5	6	8	18
20-34	455	4.0	2	2	3	4	5	6	7	9
35-49	615	4.2	3	2	3	4	5	6	7	12
50-64	446	4.4	3	2	3	4	5	6	7	13
65+	184	4.9	4	2	3	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	28	6.3	27	3	3	5	6	10	20	27
20-34	211	5.2	11	3	3	4	5	8	10	22
35-49	341	5.8	18	2	3	5	6	9	14	25
50-64	439	6.2	26	3	3	5	6	11	14	26
65+	373	9.8	120	3	3	6	11	23	29	70
TOT. SINGLE DX	1760	4.3	4	2	3	4	5	6	7	12
" MULTIPLE DX	1392	6.9	51	3	3	5	7	12	20	40
TOTAL 0-19 YRS	88	4.9	13	2	3	4	5	8	9	24
20-34	666	4.4	6	2	3	4	5	6	8	15
35-49	956	4.8	10	2	3	4	5	7	9	21
50-64	885	5.3	16	3	3	4	5	8	11	20
65+	557	8.2	88	3	3	5	8	17	26	48
GRAND TOTAL	**3152**	**5.4**	**26**	**2**	**3**	**4**	**5**	**8**	**12**	**27**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	2.6	2	<1	1	2	3	4	5	9
20-34	109	3.4	2	1	2	3	4	6	7	9
35-49	79	3.5	2	1	1	4	5	6	7	8
50-64	61	4.5	7	1	2	4	5	7	9	17
65+	51	6.7	85	2	2	4	7	12	21	63
2. MULTIPLE DX										
0-19 YRS	31	5.8	50	1	1	3	6	19	24	26
20-34	67	7.9	50	2	2	5	10	15	25	37
35-49	102	6.8	71	2	2	5	7	12	19	50
50-64	197	8.3	59	2	3	6	10	16	23	56
65+	173	14.4	226	3	4	8	19	33	47	93
TOT. SINGLE DX	496	3.6	13	1	1	3	4	6	7	18
" MULTIPLE DX	570	9.7	120	2	3	6	11	22	27	71
TOTAL 0-19 YRS	227	3.0	10	1	1	2	3	4	7	22
20-34	176	5.1	26	1	2	4	5	10	15	26
35-49	181	5.4	44	1	2	4	6	9	13	22
50-64	258	7.4	50	2	3	5	9	14	22	49
65+	224	12.6	204	2	3	7	17	27	44	85
GRAND TOTAL	**1066**	**6.8**	**80**	**1**	**2**	**4**	**7**	**15**	**22**	**52**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.3	4	1	4	6	8	9	9	9
20-34	28	9.7	79	4	5	8	10	14	18	53
35-49	30	10.8	34	3	4	10	15	19	21	25
50-64	23	10.4	33	5	6	9	11	16	26	29
65+	13	14.6	115	2	3	11	22	30	38	40
2. MULTIPLE DX										
0-19 YRS	13	17.2	451	3	5	10	16	40	76	84
20-34	40	11.7	69	6	6	10	13	15	17	60
35-49	50	16.6	240	6	7	12	20	34	39	98
50-64	88	14.6	158	4	6	10	18	26	34	70
65+	66	21.2	399	5	6	16	25	47	70	96
TOT. SINGLE DX	106	10.4	55	3	5	9	11	18	25	46
" MULTIPLE DX	257	16.4	244	5	6	11	18	30	49	94
TOTAL 0-19 YRS	25	12.0	259	2	5	8	10	22	43	84
20-34	68	10.9	74	5	6	9	12	14	16	59
35-49	80	14.4	170	4	6	11	16	26	37	83
50-64	111	13.7	135	4	6	10	14	25	33	68
65+	79	20.1	357	4	6	15	25	36	67	96
GRAND TOTAL	**363**	**14.6**	**196**	**4**	**6**	**10**	**16**	**27**	**38**	**83**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	1.2		<1	<1	1	1	2	2	3
20-34	49	1.6	1	<1	<1	1	2	3	5	6
35-49	63	1.8	9	<1	<1	1	2	2	3	22
50-64	75	1.6		<1	<1	2	2	3	3	4
65+	108	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	26	2.0	6	<1	<1	1	2	3	6	14
20-34	17	2.7	12	<1	<1	2	2	5	12	16
35-49	68	3.0	13	<1	<1	2	3	7	12	19
50-64	109	3.9	22	<1	<1	2	3	10	15	25
65+	209	6.9	98	<1	1	3	9	19	27	97
TOT. SINGLE DX	501	1.5	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	429	5.0	60	<1	<1	2	6	13	20	37
TOTAL 0-19 YRS	232	1.3	1	<1	<1	1	1	2	2	4
20-34	66	1.9	4	<1	<1	1	2	3	5	14
35-49	131	2.4	12	<1	<1	1	2	4	7	21
50-64	184	3.0	15	<1	<1	2	3	6	10	21
65+	317	5.1	71	<1	<1	2	5	14	22	59
GRAND TOTAL	930	3.1	32	<1	<1	2	2	7	13	29

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	1.8	1	<1	<1	2	2	3	4	7
20-34	77	2.0	1	<1	<1	2	2	3	5	6
35-49	186	1.8	1	<1	<1	2	2	3	3	7
50-64	259	1.7		<1	<1	2	2	3	3	5
65+	331	1.8		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	237	2.7	6	<1	1	2	3	6	8	16
20-34	336	3.9	37	<1	1	2	4	7	11	29
35-49	321	2.9	9	<1	1	2	3	5	7	20
50-64	520	3.1	19	1	1	2	3	5	8	27
65+	661	4.8	64	1	1	2	4	11	21	99
TOT. SINGLE DX	1042	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	2075	3.7	34	<1	1	2	4	7	12	40
TOTAL 0-19 YRS	426	2.3	4	<1	<1	2	2	4	7	11
20-34	413	3.5	31	<1	1	2	4	6	9	24
35-49	507	2.5	7	<1	1	2	3	4	6	15
50-64	779	2.7	14	<1	1	2	3	4	6	16
65+	992	3.8	45	<1	1	2	3	7	16	54
GRAND TOTAL	3117	3.1	24	<1	1	2	3	5	8	29

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	1.8	1	<1	<1	1	2	4	5	6
20-34	20	2.0	1	1	1	2	3	3	4	5
35-49	33	2.0		1	1	2	2	3	3	3
50-64	24	2.3		1	1	2	3	3	4	5
65+	73	2.6	5	1	1	2	3	3	3	17
2. MULTIPLE DX										
0-19 YRS	25	2.9	3	1	1	2	3	6	7	9
20-34	18	2.4	2	1	1	2	3	4	6	7
35-49	19	3.2	2	1	2	3	4	5	7	9
50-64	41	3.7	71	1	1	2	3	4	5	56
65+	127	3.2	5	1	2	2	3	6	7	15
TOT. SINGLE DX	184	2.2	3	<1	1	2	3	3	4	9
" MULTIPLE DX	230	3.2	17	1	1	2	3	5	7	15
TOTAL 0-19 YRS	59	2.3	3	<1	<1	2	3	4	6	9
20-34	38	2.2	2	1	1	2	3	4	5	7
35-49	52	2.5	2	1	1	2	3	4	4	9
50-64	65	3.2	45	1	1	2	3	4	5	48
65+	200	2.9	6	1	1	2	3	5	7	15
GRAND TOTAL	414	2.8	11	1	1	2	3	4	6	13

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.3		<1	<1	1	2	2	2	2
20-34	8	1.5		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	<1	1	2	2	2
50-64	8	1.6		<1	<1	1	2	3	3	3
65+	12	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	2.2		<1	1	2	3	4	4	4
20-34	10	7.7	219	<1	<1	2	6	29	49	49
35-49	5	9.6	289	<1	<1	2	12	40	40	40
50-64	10	4.0	11	<1	<1	3	5	9	11	11
65+	18	2.2	3	<1	1	2	2	3	7	9
TOT. SINGLE DX	44	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	54	4.2	69	<1	<1	2	3	8	11	49
TOTAL 0-19 YRS	23	1.7	1	<1	<1	2	2	3	4	4
20-34	18	4.9	126	<1	<1	2	2	9	33	49
35-49	9	5.9	164	<1	<1	2	2	25	40	40
50-64	18	2.9	8	<1	<1	2	4	7	10	11
65+	30	1.9	2	<1	<1	2	2	3	3	9
GRAND TOTAL	98	3.0	40	<1	<1	2	2	4	9	45

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.5	4	2	2	4	6	7	7	7
20-34	25	3.3	4	1	1	3	4	7	8	8
35-49	17	3.5	4	1	1	3	4	7	8	8
50-64	37	3.4	4	1	1	3	4	7	8	8
65+	103	3.2	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	5	7.4	88	2	2	4	10	24	24	24
20-34	13	3.2	7	1	1	2	4	8	10	10
35-49	17	3.5	7	1	1	2	5	8	9	9
50-64	44	4.2	13	1	2	3	5	7	11	22
65+	242	4.4	15	1	2	3	5	8	10	23
TOT. SINGLE DX	186	3.3	4	1	1	3	4	6	7	8
" MULTIPLE DX	321	4.3	16	1	1	3	5	8	10	23
TOTAL 0-19 YRS	9	6.1	48	2	2	4	6	17	24	24
20-34	38	3.3	5	1	1	3	4	7	8	10
35-49	34	3.5	6	1	1	3	5	8	8	9
50-64	81	3.9	9	1	1	3	4	7	8	19
65+	345	4.0	13	1	2	3	5	7	9	19
GRAND TOTAL	507	4.0	12	1	1	3	5	7	9	20

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.1	5	<1	1	2	5	6	7	12
20-34	58	2.1	1	<1	<1	2	3	4	5	7
35-49	74	1.8	1	<1	<1	2	2	3	4	8
50-64	59	1.9	1	<1	<1	2	2	3	4	9
65+	68	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	43	4.3	8	1	1	4	6	7	11	14
20-34	37	3.8	7	1	1	3	5	8	12	99+
35-49	31	3.5	10	<1	<1	2	5	8	10	14
50-64	33	2.4	3	<1	1	2	3	5	6	9
65+	105	4.6	50	<1	1	2	4	11	16	44
TOT. SINGLE DX	316	2.2	2	<1	<1	2	2	4	6	8
" MULTIPLE DX	249	4.0	26	<1	1	2	5	8	13	39
TOTAL 0-19 YRS	100	3.6	7	<1	1	3	5	6	7	13
20-34	95	2.8	4	<1	1	2	4	5	7	61
35-49	105	2.3	5	<1	<1	2	2	5	7	12
50-64	92	2.1	2	<1	<1	2	2	4	5	9
65+	173	3.6	33	<1	1	2	3	8	13	36
GRAND TOTAL	565	3.0	14	<1	<1	2	3	6	8	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.7	32	<1	<1	2	3	4	19	24
20-34	17	3.0	7	1	1	2	4	6	10	12
35-49	42	3.3	10	<1	1	3	3	5	8	21
50-64	105	2.6	2	<1	1	2	3	4	5	10
65+	239	2.7	3	<1	1	2	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	12	2.7	3	<1	1	2	3	5	8	8
20-34	14	3.7	9	1	1	3	5	8	11	12
35-49	31	4.9	23	1	1	3	6	13	23	99+
50-64	129	4.9	64	1	1	3	4	7	17	45
65+	318	3.9	20	1	1	3	4	7	11	23
TOT. SINGLE DX	418	2.8	5	<1	1	2	3	4	6	12
" MULTIPLE DX	504	4.2	31	1	1	3	4	7	12	41
TOTAL 0-19 YRS	27	3.2	19	<1	<1	2	3	4	10	24
20-34	31	3.3	8	1	1	2	4	7	12	12
35-49	73	3.9	16	1	1	3	4	7	16	82
50-64	234	3.9	38	1	1	2	4	6	8	43
65+	557	3.4	13	1	1	2	4	5	9	19
GRAND TOTAL	922	3.5	20	1	1	2	4	6	9	25

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.8	30	<1	1	2	5	14	18	21
20-34	30	3.1	4	<1	<1	3	5	6	7	7
35-49	25	2.7	6	<1	<1	2	3	8	9	11
50-64	48	2.3	3	<1	1	2	2	5	6	10
65+	114	2.9	10	<1	1	2	3	5	7	21
2. MULTIPLE DX										
0-19 YRS	28	5.0	16	2	2	4	6	9	15	19
20-34	27	4.2	13	<1	1	3	5	9	13	15
35-49	19	5.5	57	<1	1	3	6	13	25	33
50-64	71	4.5	29	1	1	3	5	10	19	29
65+	256	4.9	33	1	1	3	5	11	16	38
TOT. SINGLE DX	237	2.9	10	<1	1	2	3	5	8	20
" MULTIPLE DX	401	4.8	31	1	1	3	5	10	16	34
TOTAL 0-19 YRS	48	4.9	22	1	1	4	6	12	16	21
20-34	57	3.6	9	<1	1	3	5	7	9	15
35-49	44	3.9	30	<1	1	2	3	8	12	33
50-64	119	3.6	20	<1	1	2	3	7	11	28
65+	370	4.3	27	1	1	2	4	9	15	35
GRAND TOTAL	638	4.1	24	1	1	2	4	9	13	29

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.2	2	<1	1	2	3	4	6	8
20-34	13	2.2		<1	1	2	3	3	3	3
35-49	165	2.3		1	2	2	3	3	4	5
50-64	1397	2.2		1	1	2	2	3	3	4
65+	6085	2.3	1	1	2	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	11	2.6	2	<1	<1	3	4	5	6	6
20-34	15	5.7	65	2	2	3	5	9	28	34
35-49	154	3.1	11	1	2	2	3	5	9	22
50-64	1608	2.8	13	1	2	2	3	4	5	14
65+	8982	3.1	17	2	2	2	3	4	7	19
TOT. SINGLE DX	7681	2.3	1	1	2	2	2	3	3	5
" MULTIPLE DX	10770	3.0	17	2	2	2	3	4	7	18
TOTAL 0-19 YRS	32	2.4	3	<1	1	2	3	4	6	8
20-34	28	4.1	37	1	2	3	3	6	11	34
35-49	319	2.7	6	1	2	2	3	4	5	16
50-64	3005	2.5	8	1	2	2	3	3	4	10
65+	15067	2.8	11	1	2	2	3	4	5	15
GRAND TOTAL	18451	2.7	10	1	2	2	3	4	5	14

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.4	14	<1	<1	2	2	3	4	27
20-34	30	1.9		<1	<1	2	2	3	3	4
35-49	282	1.9		<1	1	2	2	3	3	5
50-64	1548	2.0	1	<1	1	2	2	3	3	4
65+	6210	2.0		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	38	2.7	3	1	1	2	3	5	7	8
20-34	28	3.2	9	1	2	2	3	6	10	16
35-49	182	2.5	11	1	1	2	2	3	5	25
50-64	1513	2.6	11	1	1	2	2	3	5	16
65+	8341	2.7	14	1	1	2	3	4	5	19
TOT. SINGLE DX	8142	2.0	1	<1	1	2	2	3	3	5
" MULTIPLE DX	10102	2.7	14	1	1	2	2	4	5	18
TOTAL 0-19 YRS	110	2.5	10	<1	1	2	3	4	5	18
20-34	58	2.5	5	<1	1	2	2	4	6	15
35-49	464	2.1	5	<1	1	2	2	3	3	6
50-64	3061	2.3	7	1	1	2	2	3	4	11
65+	14551	2.4	9	1	1	2	2	3	4	12
GRAND TOTAL	18244	2.4	8	1	1	2	2	3	4	12

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.0		<1	<1	2	2	3	3	3
20-34	9	1.9		<1	<1	2	2	3	3	3
35-49	32	1.9		<1	1	2	2	3	4	4
50-64	224	2.0		<1	1	2	2	3	3	5
65+	951	2.1		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	24	2.1	4	1	1	2	2	3	7	11
50-64	196	2.9	50	1	1	2	2	4	5	25
65+	1185	2.7	17	1	1	2	3	3	5	15
TOT. SINGLE DX	1221	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	1410	2.7	22	1	1	2	2	4	5	16
TOTAL 0-19 YRS	8	1.9		<1	<1	2	2	3	3	3
20-34	11	1.9	1	<1	<1	2	2	3	3	3
35-49	56	2.0	2	1	1	2	2	3	4	11
50-64	420	2.4	24	1	1	2	2	3	4	8
65+	2136	2.4	10	1	1	2	2	3	4	11
GRAND TOTAL	2631	2.4	12	1	1	2	2	3	4	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	4.5	7	1	2	4	5	8	11	13
20-34	116	4.2	9	1	2	4	5	6	8	18
35-49	155	4.3	7	2	2	4	5	8	11	14
50-64	429	4.0	5	1	2	4	5	7	8	10
65+	363	4.5	4	2	2	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	31	4.6	4	2	2	4	5	7	9	11
20-34	75	5.1	10	2	2	4	6	8	14	18
35-49	93	5.8	31	2	2	4	7	11	15	35
50-64	472	4.9	10	2	2	4	6	8	10	19
65+	548	5.4	11	2	2	5	6	9	11	16
TOT. SINGLE DX	1110	4.2	6	1	2	4	5	7	8	13
" MULTIPLE DX	1219	5.2	13	2	2	4	6	9	11	18
TOTAL 0-19 YRS	78	4.5	6	2	2	4	5	8	10	13
20-34	191	4.5	10	2	2	4	5	7	10	18
35-49	248	4.9	17	2	2	4	6	9	12	19
50-64	901	4.5	8	1	2	4	5	7	9	15
65+	911	5.0	9	2	2	4	6	8	10	16
GRAND TOTAL	2329	4.7	10	2	2	4	6	8	10	16

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.5	1	1	1	2	3	4	5	5
20-34	24	4.2	9	1	1	3	6	8	12	13
35-49	14	3.0	2	2	2	2	4	5	7	7
50-64	75	3.7	8	<1	<1	3	5	9	10	11
65+	127	3.3	11	<1	1	2	4	7	8	23
2. MULTIPLE DX										
0-19 YRS	15	4.8	8	1	1	4	7	9	10	10
20-34	47	6.2	64	2	2	4	6	10	19	50
35-49	53	6.9	118	2	2	4	6	11	22	75
50-64	159	5.0	23	2	2	3	6	9	14	30
65+	393	4.6	58	2	2	3	4	8	11	43
TOT. SINGLE DX	253	3.5	9	<1	1	2	4	7	10	13
" MULTIPLE DX	667	5.0	54	2	2	3	5	9	12	40
TOTAL 0-19 YRS	28	3.8	6	1	1	3	5	8	9	10
20-34	71	5.5	47	2	2	4	6	10	14	46
35-49	67	6.1	96	2	2	4	6	10	15	68
50-64	234	4.6	19	1	2	3	6	9	11	27
65+	520	4.3	47	1	2	3	4	7	10	39
GRAND TOTAL	**920**	**4.6**	**42**	**1**	**2**	**3**	**5**	**8**	**11**	**30**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1231	1.4		<1	<1	1	2	2	2	2
20-34	200	1.8		<1	<1	2	2	2	3	3
35-49	91	1.8		<1	1	2	2	2	3	4
50-64	34	1.6		<1	1	2	2	2	2	2
65+	27	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	330	1.4		<1	<1	1	2	2	2	3
20-34	74	1.9		<1	1	2	2	2	3	7
35-49	47	2.0		<1	1	2	2	3	3	4
50-64	33	2.2	5	1	1	2	2	3	3	15
65+	36	3.2	33	1	1	2	3	5	26	99+
TOT. SINGLE DX	1583	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	520	1.7	3	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	1561	1.4		<1	<1	1	2	2	2	3
20-34	274	1.8		<1	1	2	2	2	3	4
35-49	138	1.9		<1	1	2	2	2	3	4
50-64	67	1.9	3	<1	1	2	2	2	3	13
65+	63	2.7	20	1	1	2	3	3	7	91
GRAND TOTAL	**2103**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	2.6	5	<1	<1	2	4	6	7	7
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	3	4.7	14	2	2	3	7	9	9	9
TOT. SINGLE DX	2	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	19	3.5	6	<1	1	2	5	7	8	9
TOTAL 0-19 YRS	8	2.4	5	<1	<1	2	3	6	7	7
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	3	4.7	14	2	2	3	7	9	9	9
GRAND TOTAL	**21**	**3.3**	**6**	**<1**	**1**	**2**	**5**	**7**	**8**	**9**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	3.0	5	<1	1	2	4	6	9	12
20-34	60	2.6	5	<1	1	2	3	5	6	14
35-49	42	3.7	16	<1	1	2	4	8	13	20
50-64	46	3.7	14	1	1	2	4	6	13	21
65+	58	3.4	12	1	1	2	3	8	11	21
2. MULTIPLE DX										
0-19 YRS	61	4.4	16	<1	1	3	5	10	12	22
20-34	77	6.1	149	1	2	3	6	9	13	85
35-49	62	5.1	16	1	2	4	7	10	15	19
50-64	70	7.5	161	1	2	3	7	11	35	77
65+	193	6.7	82	1	2	4	8	14	21	74
TOT. SINGLE DX	288	3.2	10	1	1	2	4	6	10	19
" MULTIPLE DX	463	6.2	88	1	2	3	7	12	18	59
TOTAL 0-19 YRS	143	3.6	11	<1	1	2	4	8	11	16
20-34	137	4.6	89	1	1	3	5	8	10	55
35-49	104	4.5	17	1	1	3	6	10	14	19
50-64	116	6.0	106	1	2	3	6	10	19	66
65+	251	5.9	68	1	2	3	7	13	19	59
GRAND TOTAL	**751**	**5.1**	**60**	**1**	**1**	**3**	**6**	**10**	**14**	**48**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.0	1	<1	<1	2	2	4	4	7
20-34	108	1.9	1	<1	<1	2	2	3	4	9
35-49	97	2.6	17	<1	<1	2	2	4	6	27
50-64	82	2.7	11	<1	<1	2	2	5	7	21
65+	91	3.3	18	<1	<1	2	3	8	9	27
2. MULTIPLE DX										
0-19 YRS	167	2.8	5	1	1	2	3	5	7	17
20-34	121	5.1	48	<1	1	3	6	11	13	41
35-49	83	4.0	13	<1	<1	3	5	10	12	15
50-64	106	6.7	61	1	1	4	8	16	27	39
65+	182	10.5	203	<1	1	5	13	28	41	99
TOT. SINGLE DX	696	2.3	7	<1	<1	2	2	4	6	14
" MULTIPLE DX	659	6.1	87	<1	1	3	7	14	24	63
TOTAL 0-19 YRS	485	2.2	3	<1	<1	2	3	4	6	8
20-34	229	3.6	29	<1	<1	2	4	8	11	27
35-49	180	3.3	16	<1	<1	2	4	7	12	18
50-64	188	4.9	44	<1	1	2	5	12	19	35
65+	273	8.1	153	<1	1	3	10	20	33	91
GRAND TOTAL	**1355**	**4.2**	**50**	**<1**	**<1**	**2**	**4**	**9**	**15**	**37**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.1		1	1	2	3	3	3	3
20-34	158	2.7	1	1	2	3	3	4	4	5
35-49	232	2.4		1	2	2	3	3	4	6
50-64	219	2.5		1	1	2	3	4	4	6
65+	77	2.4		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	36	2.5	2	1	1	2	3	3	7	9
20-34	57	2.7	3	1	2	2	3	4	5	13
35-49	71	2.6	1	1	2	2	3	4	4	7
50-64	104	2.7	1	1	2	3	3	4	5	8
65+	49	3.1	1	2	2	3	4	5	5	99+
TOT. SINGLE DX	713	2.5	1	1	1	2	3	3	4	6
" MULTIPLE DX	317	2.7	2	1	2	3	3	4	5	9
TOTAL 0-19 YRS	63	2.3	2	1	1	2	3	3	4	9
20-34	215	2.7	2	1	2	3	3	4	4	7
35-49	303	2.5	1	1	2	2	3	3	4	6
50-64	323	2.6	1	1	1	2	3	4	4	7
65+	126	2.7	1	1	2	3	3	4	5	28
GRAND TOTAL	**1030**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	2.0	1	<1	1	2	2	3	3	5
20-34	197	2.0		1	1	2	2	3	4	5
35-49	189	2.1	1	1	1	2	2	3	3	7
50-64	165	2.2		1	1	2	3	3	3	4
65+	68	2.1		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	274	2.0	1	1	1	2	2	3	3	7
20-34	175	2.4	3	1	1	2	3	3	4	10
35-49	169	2.4	4	1	1	2	3	3	4	7
50-64	207	2.6	3	1	1	2	3	4	4	12
65+	90	3.1	7	1	2	3	3	5	7	18
TOT. SINGLE DX	922	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	915	2.4	3	1	1	2	3	3	4	8
TOTAL 0-19 YRS	577	2.0	1	1	1	2	2	3	3	6
20-34	372	2.2	2	1	1	2	3	3	4	6
35-49	358	2.3	3	1	1	2	3	3	4	7
50-64	372	2.4	2	1	1	2	3	3	4	6
65+	158	2.7	5	1	1	2	3	4	5	9
GRAND TOTAL	**1837**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3119	1.0		<1	<1	<1	<1	1	1	2
20-34	87	1.4		<1	<1	1	2	2	3	5
35-49	67	1.7	2	<1	<1	1	2	3	5	9
50-64	86	1.5	1	<1	<1	1	2	2	3	7
65+	47	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	2134	1.5	8	<1	<1	1	1	2	3	10
20-34	81	4.2	129	<1	<1	2	2	6	19	74
35-49	67	3.4	29	<1	1	2	3	10	13	33
50-64	79	4.3	32	<1	1	2	3	13	15	29
65+	68	6.9	88	<1	1	2	9	21	24	49
TOT. SINGLE DX	3406	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	2429	1.9	17	<1	<1	1	1	2	5	20
TOTAL 0-19 YRS	5253	1.2	4	<1	<1	<1	1	1	2	6
20-34	168	2.8	64	<1	<1	1	2	3	6	37
35-49	134	2.6	17	<1	<1	1	2	6	10	19
50-64	165	2.9	18	<1	<1	2	2	6	12	21
65+	115	4.6	59	<1	<1	2	3	14	22	37
GRAND TOTAL	**5835**	**1.4**	**7**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	2.5	1	1	1	2	3	4	5	8
20-34	98	2.8	1	1	1	3	3	4	6	8
35-49	62	3.1	4	1	1	3	4	5	6	14
50-64	77	2.8	2	1	1	3	3	4	5	9
65+	31	3.1	2	1	1	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	222	3.6	10	1	1	3	3	7	10	20
20-34	155	3.4	13	1	1	3	3	6	8	17
35-49	141	3.6	15	1	1	3	3	5	9	28
50-64	190	4.2	44	1	2	3	4	5	10	43
65+	120	5.0	30	1	2	3	5	10	22	99+
TOT. SINGLE DX	389	2.8	2	1	1	3	3	4	5	9
" MULTIPLE DX	828	3.9	23	1	2	3	4	7	10	33
TOTAL 0-19 YRS	343	3.2	8	1	1	3	3	5	8	14
20-34	253	3.2	9	1	1	3	3	5	7	11
35-49	203	3.4	12	1	1	3	3	5	7	22
50-64	267	3.8	32	1	1	3	3	5	7	39
65+	151	4.6	25	1	2	3	5	9	17	98
GRAND TOTAL	**1217**	**3.6**	**16**	**1**	**1**	**3**	**3**	**5**	**9**	**26**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	1.7	4	<1	<1	<1	2	3	3	9
20-34	82	2.8	4	1	1	2	3	5	7	12
35-49	74	3.4	8	1	1	3	4	6	10	16
50-64	75	2.9	3	1	1	3	3	4	5	12
65+	38	2.7	4	1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	152	2.1	2	<1	<1	2	2	3	4	10
20-34	89	3.3	8	1	2	2	3	6	9	68
35-49	77	3.7	20	1	1	2	3	7	14	28
50-64	87	3.6	6	1	1	3	4	6	10	13
65+	62	4.2	26	1	2	3	3	10	14	29
TOT. SINGLE DX	434	2.5	5	<1	<1	2	3	4	6	13
" MULTIPLE DX	467	3.1	11	<1	1	2	3	5	10	19
TOTAL 0-19 YRS	317	1.9	4	<1	<1	1	2	3	4	10
20-34	171	3.1	6	1	1	2	3	5	8	18
35-49	151	3.6	15	1	1	3	3	6	11	19
50-64	162	3.2	5	1	1	3	3	5	9	13
65+	100	3.6	18	1	1	2	3	6	11	27
GRAND TOTAL	**901**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**5**	**8**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	2.3		1	1	2	3	4	4	5
20-34	794	2.3	1	1	1	2	3	4	4	6
35-49	329	2.2		1	1	2	3	3	4	4
50-64	137	2.4		1	1	2	3	4	4	5
65+	21	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	658	2.4	1	1	1	2	3	3	4	5
20-34	1545	2.4	1	1	1	2	3	4	4	5
35-49	770	2.6	2	1	1	2	3	4	4	7
50-64	426	2.8	3	1	1	3	3	4	5	11
65+	132	3.3	6	1	2	3	4	5	10	14
TOT. SINGLE DX	1674	2.3	1	1	1	2	3	4	4	5
" MULTIPLE DX	3531	2.5	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	1051	2.3	1	1	1	2	3	3	4	5
20-34	2339	2.4	1	1	1	2	3	4	4	5
35-49	1099	2.5	2	1	1	2	3	4	4	6
50-64	563	2.7	3	1	1	3	3	4	5	10
65+	153	3.3	5	1	2	3	3	5	9	14
GRAND TOTAL	**5205**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	674	2.3	1	1	1	2	3	4	4	7
20-34	1276	2.1	1	1	1	2	3	3	4	5
35-49	520	2.1		1	1	2	3	3	4	5
50-64	223	2.1		1	1	2	3	3	4	5
65+	50	2.2	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	1005	2.4	2	1	1	2	3	4	5	7
20-34	2060	2.5	6	1	1	2	3	4	4	8
35-49	1052	2.4	2	1	1	2	3	4	4	8
50-64	580	2.7	4	1	1	2	3	4	5	14
65+	218	5.1	50	1	1	3	5	12	22	68
TOT. SINGLE DX	2743	2.2	1	1	1	2	3	3	4	6
" MULTIPLE DX	4915	2.6	7	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1679	2.3	2	1	1	2	3	4	5	7
20-34	3336	2.3	5	1	1	2	3	3	4	7
35-49	1572	2.3	2	1	1	2	3	4	4	7
50-64	803	2.5	4	1	1	2	3	4	5	11
65+	268	4.6	42	1	1	2	4	11	17	52
GRAND TOTAL	**7658**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	1.9	2	<1	<1	1	2	3	5	8
20-34	114	1.8		<1	<1	2	2	3	3	5
35-49	118	1.9	2	<1	<1	2	2	4	4	8
50-64	177	2.2	7	<1	<1	2	2	4	5	11
65+	192	2.6	6	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	132	3.0	10	<1	1	2	3	5	6	20
20-34	231	2.7	6	<1	<1	2	3	5	6	14
35-49	288	2.8	8	<1	1	2	3	4	5	16
50-64	419	3.3	23	<1	1	2	3	5	8	21
65+	465	6.2	88	1	1	3	7	13	21	76
TOT. SINGLE DX	672	2.2	5	<1	<1	2	2	4	5	9
" MULTIPLE DX	1535	4.0	39	<1	1	2	4	7	12	33
TOTAL 0-19 YRS	203	2.6	8	<1	<1	2	3	5	6	18
20-34	345	2.4	5	<1	<1	2	3	4	5	10
35-49	406	2.5	7	<1	<1	2	3	4	5	13
50-64	596	3.0	19	<1	1	2	3	5	7	20
65+	657	5.1	67	1	1	3	5	11	16	61
GRAND TOTAL	**2207**	**3.4**	**29**	**<1**	**1**	**2**	**3**	**6**	**10**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	622	1.6	1	<1	<1	1	2	3	4	5
20-34	489	1.9	1	<1	<1	1	2	4	4	6
35-49	138	3.2	6	<1	<1	2	4	7	7	11
50-64	131	4.2	5	1	1	4	5	7	8	13
65+	88	4.3	7	1	1	4	6	7	8	15
2. MULTIPLE DX										
0-19 YRS	335	3.0	9	<1	1	2	3	6	8	15
20-34	407	3.7	10	1	1	3	4	7	9	16
35-49	244	5.1	39	1	1	4	6	10	12	46
50-64	284	5.8	25	1	2	5	7	9	12	25
65+	488	7.4	54	1	2	5	9	14	19	38
TOT. SINGLE DX	1468	2.2	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	1758	5.1	32	1	1	4	6	10	13	30
TOTAL 0-19 YRS	957	2.1	4	<1	<1	1	2	4	5	10
20-34	896	2.7	6	<1	<1	2	3	5	7	12
35-49	382	4.4	28	<1	1	3	5	8	11	21
50-64	415	5.3	20	1	2	5	6	9	11	18
65+	576	6.9	49	1	2	5	8	13	18	36
GRAND TOTAL	**3226**	**3.8**	**21**	**<1**	**<1**	**2**	**5**	**8**	**11**	**22**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.0	7	1	1	2	3	6	9	14
20-34	132	2.7	5	1	1	2	3	4	5	15
35-49	121	2.9	2	1	1	3	4	5	6	9
50-64	91	3.0	2	1	2	3	3	5	5	10
65+	52	3.3	5	1	1	3	3	5	10	13
2. MULTIPLE DX										
0-19 YRS	48	5.5	160	1	1	3	4	7	20	80
20-34	156	3.7	18	1	1	3	4	6	11	22
35-49	165	3.9	17	1	1	3	4	6	9	30
50-64	181	5.0	41	1	1	3	5	11	17	36
65+	112	5.9	56	1	2	3	6	13	20	39
TOT. SINGLE DX	426	2.9	4	1	1	3	3	5	6	13
" MULTIPLE DX	662	4.6	42	1	1	3	4	9	15	36
TOTAL 0-19 YRS	78	4.6	103	1	1	2	3	7	12	70
20-34	288	3.2	13	1	1	2	3	5	9	21
35-49	286	3.5	12	1	1	3	4	5	8	14
50-64	272	4.3	29	1	1	3	4	8	15	34
65+	164	5.1	42	1	2	3	5	11	16	25
GRAND TOTAL	**1088**	**3.9**	**28**	**1**	**1**	**3**	**4**	**7**	**11**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.5	8	<1	1	2	5	8	11	12
20-34	93	3.5	8	<1	<1	3	4	7	9	17
35-49	95	4.0	49	<1	1	2	4	7	10	45
50-64	76	3.3	6	1	1	3	4	6	9	13
65+	36	4.0	11	<1	1	3	5	8	9	18
2. MULTIPLE DX										
0-19 YRS	78	4.6	38	<1	1	3	5	11	17	82
20-34	151	4.4	39	1	1	3	4	8	14	39
35-49	172	4.8	30	1	1	3	5	10	17	28
50-64	188	5.6	40	1	2	3	7	11	16	32
65+	150	7.3	70	1	2	4	8	18	25	46
TOT. SINGLE DX	348	3.6	19	<1	1	3	4	7	10	18
" MULTIPLE DX	739	5.4	45	1	1	3	6	12	18	36
TOTAL 0-19 YRS	126	4.2	27	<1	1	3	5	10	12	53
20-34	244	4.1	28	<1	1	3	4	7	12	35
35-49	267	4.5	37	1	1	3	5	10	14	28
50-64	264	4.9	32	1	1	3	6	10	14	29
65+	186	6.7	61	1	1	4	8	17	22	42
GRAND TOTAL	**1087**	**4.8**	**37**	**1**	**1**	**3**	**5**	**10**	**16**	**34**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1808	1.4		<1	<1	1	2	2	2	3
20-34	1504	1.5		<1	<1	1	2	2	2	3
35-49	298	1.7		<1	<1	2	2	2	3	6
50-64	188	1.9	1	<1	<1	2	2	3	4	7
65+	152	2.1	5	<1	1	2	2	3	3	7
2. MULTIPLE DX										
0-19 YRS	1012	2.1	16	<1	<1	2	2	3	4	17
20-34	1211	3.2	33	<1	1	2	2	4	10	38
35-49	690	4.0	53	<1	1	2	3	7	15	48
50-64	794	4.3	44	1	1	2	3	11	19	47
65+	927	7.6	166	1	1	3	8	22	44	99+
TOT. SINGLE DX	3950	1.5	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	4634	4.1	65	<1	1	2	3	8	18	61
TOTAL 0-19 YRS	2820	1.7	6	<1	<1	1	2	2	2	7
20-34	2715	2.2	16	<1	<1	2	2	2	4	26
35-49	988	3.3	38	<1	1	2	2	5	11	40
50-64	982	3.8	37	1	1	2	3	8	16	39
65+	1079	6.9	147	1	1	2	7	20	38	99+
GRAND TOTAL	**8584**	**2.9**	**37**	**<1**	**<1**	**2**	**2**	**4**	**10**	**40**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	1.2		<1	<1	1	1	2	2	5
20-34	16	1.5		<1	<1	1	2	2	4	4
35-49	11	1.8		<1	<1	2	2	3	3	3
50-64	5	4.2		3	3	4	5	5	5	5
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	225	1.6	6	<1	<1	1	2	2	3	12
20-34	92	3.5	94	<1	1	2	2	3	9	66
35-49	12	5.6	98	1	1	2	3	20	33	35
50-64	5	4.8	20	<1	<1	3	9	11	11	11
65+	9	11.4	337	<1	1	4	11	44	55	55
TOT. SINGLE DX	174	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	343	2.6	44	<1	<1	1	2	2	5	35
TOTAL 0-19 YRS	363	1.5	4	<1	<1	1	1	2	2	8
20-34	108	3.2	81	<1	<1	2	2	3	5	59
35-49	23	3.8	53	<1	1	2	2	5	21	35
50-64	10	4.5	9	<1	<1	4	5	9	11	11
65+	13	8.4	248	<1	1	2	4	33	51	55
GRAND TOTAL	**517**	**2.2**	**30**	**<1**	**<1**	**1**	**2**	**2**	**4**	**27**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	1.9	1	<1	<1	1	2	4	5	6
20-34	92	2.4	4	<1	<1	2	3	5	8	10
35-49	155	1.9	1	<1	<1	1	2	3	4	8
50-64	115	2.3	4	<1	<1	2	3	4	5	13
65+	35	2.6	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	137	3.6	127	<1	<1	2	2	4	9	99
20-34	130	3.4	31	1	1	2	3	4	10	34
35-49	97	3.0	10	<1	1	2	3	5	8	19
50-64	140	5.1	72	1	1	3	4	10	16	49
65+	108	5.9	83	1	1	3	6	15	20	53
TOT. SINGLE DX	448	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	612	4.2	69	<1	1	2	3	7	14	48
TOTAL 0-19 YRS	188	3.1	94	<1	<1	2	2	4	7	95
20-34	222	3.0	20	<1	<1	2	3	5	8	26
35-49	252	2.3	5	<1	<1	2	2	4	6	15
50-64	255	3.8	44	<1	<1	2	3	6	12	39
65+	143	5.1	65	1	1	2	5	11	19	43
GRAND TOTAL	**1060**	**3.3**	**42**	**<1**	**<1**	**2**	**3**	**5**	**9**	**33**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	3.1	8	<1	<1	2	4	6	7	17
20-34	241	3.6	14	1	1	3	4	5	6	27
35-49	288	3.4	3	1	1	3	4	5	6	9
50-64	316	3.6	3	1	2	3	4	6	7	9
65+	223	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	32	4.8	26	1	1	3	5	11	14	26
20-34	88	4.3	13	1	1	3	5	8	11	23
35-49	159	4.8	30	1	2	3	5	9	12	27
50-64	269	5.2	21	2	2	4	6	9	13	27
65+	359	7.1	56	2	2	5	8	13	19	44
TOT. SINGLE DX	1155	3.6	6	1	1	3	4	6	7	12
" MULTIPLE DX	907	5.8	37	2	2	4	6	11	15	37
TOTAL 0-19 YRS	119	3.6	13	<1	<1	3	4	6	10	20
20-34	329	3.8	14	1	1	3	4	6	8	26
35-49	447	3.9	13	1	2	3	4	6	8	15
50-64	585	4.4	12	1	2	4	5	7	9	20
65+	582	5.9	39	2	2	4	6	11	15	40
GRAND TOTAL	**2062**	**4.6**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	199	3.5	2	1	1	4	4	6	6	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	4.8	3	2	2	5	6	7	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	175	4.7	6	2	2	4	5	7	9	14
20-34	8	4.0	1	2	2	4	5	5	5	5
35-49	8	8.1	178	1	1	3	8	32	40	40
50-64	7	8.3	118	2	2	3	11	28	31	31
65+	2	7.5	5	6	6	7	9	9	9	9
TOT. SINGLE DX	209	3.6	3	1	1	4	5	6	7	9
" MULTIPLE DX	200	4.9	17	2	2	4	5	8	10	26
TOTAL 0-19 YRS	374	4.1	5	1	2	4	5	6	8	11
20-34	9	4.2	2	2	2	5	5	6	6	6
35-49	14	6.7	100	1	1	4	6	15	34	40
50-64	9	7.4	93	2	2	3	9	24	31	31
65+	3	6.7	4	5	5	6	8	9	9	9
GRAND TOTAL	**409**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	437	3.1	4	<1	<1	2	5	7	7	8
20-34	132	3.2	15	<1	<1	2	3	7	8	26
35-49	114	3.7	23	<1	<1	2	4	9	14	26
50-64	221	4.6	36	<1	1	2	5	10	15	33
65+	203	4.7	52	<1	1	2	5	9	14	34
2. MULTIPLE DX										
0-19 YRS	364	4.2	37	1	1	3	4	7	10	33
20-34	299	5.1	49	1	1	3	6	11	14	52
35-49	218	6.9	66	<1	1	4	8	19	23	34
50-64	379	8.8	128	1	1	4	11	23	31	72
65+	579	10.3	190	1	2	5	12	24	38	75
TOT. SINGLE DX	1107	3.7	24	<1	<1	2	5	7	10	24
" MULTIPLE DX	1839	7.5	116	1	1	4	9	18	27	60
TOTAL 0-19 YRS	801	3.6	20	<1	1	2	5	7	8	20
20-34	431	4.5	40	<1	1	3	5	9	12	45
35-49	332	5.8	54	<1	1	3	6	16	22	30
50-64	600	7.2	99	1	1	3	9	18	27	57
65+	782	8.8	160	1	1	4	10	20	33	63
GRAND TOTAL	**2946**	**6.1**	**84**	**<1**	**1**	**3**	**7**	**14**	**22**	**51**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4535	1.6		1	1	2	2	2	3	4
20-34	2673	1.8		1	1	2	2	3	3	4
35-49	238	1.9		1	1	2	2	3	3	5
50-64	36	2.3	1	1	1	2	3	4	4	5
65+	18	2.4	7	1	1	2	2	3	9	13
2. MULTIPLE DX										
0-19 YRS	850	2.0	1	1	1	2	2	3	4	9
20-34	401	2.5	3	1	1	2	3	4	5	11
35-49	55	3.2	8	1	1	2	3	5	10	18
50-64	24	5.3	95	1	1	2	4	14	27	47
65+	12	4.4	12	1	1	3	7	10	11	11
TOT. SINGLE DX	7500	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	1342	2.2	5	1	1	2	2	3	5	11
TOTAL 0-19 YRS	5385	1.7	1	1	1	2	2	2	3	4
20-34	3074	1.9	1	1	1	2	2	3	3	5
35-49	293	2.2	2	1	1	2	2	3	4	10
50-64	60	3.5	40	1	1	2	3	5	9	44
65+	30	3.2	10	1	1	2	3	9	11	13
GRAND TOTAL	8842	1.8	1	1	1	2	2	3	3	5

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6284	1.4	1	<1	1	1	2	2	2	3
20-34	190	1.7		1	1	2	2	2	3	3
35-49	7	1.7		1	1	2	2	2	2	2
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	4265	1.6	1	<1	1	1	2	2	3	5
20-34	71	2.7	12	1	1	2	3	4	5	25
35-49	3	4.3	17	1	1	3	7	9	9	9
50-64	2	1.0		1	1	1	1	1	1	1
65+	6	1.8	1	1	1	2	3	3	3	3
TOT. SINGLE DX	6490	1.4	1	<1	1	1	2	2	2	3
" MULTIPLE DX	4347	1.6	2	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	10549	1.5	1	<1	1	1	2	2	2	4
20-34	261	2.0	4	1	1	2	2	3	3	6
35-49	10	2.5	6	1	1	2	2	6	9	9
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	12	1.5	1	1	1	1	2	3	3	3
GRAND TOTAL	10837	1.5	1	<1	1	1	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	549	1.3		<1	<1	1	2	2	2	2
20-34	8	1.5		<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1456	1.4	2	<1	<1	1	2	2	2	3
20-34	12	2.5	9	<1	<1	2	2	5	11	12
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	558	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	1472	1.4	2	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	2005	1.4	2	<1	<1	1	2	2	2	3
20-34	20	2.1	6	<1	<1	2	2	2	7	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	2030	1.4	2	<1	<1	1	2	2	2	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	431	2.4	2	<1	1	2	3	4	5	8
20-34	256	2.9	3	1	1	2	4	5	6	10
35-49	98	3.3	11	<1	1	2	3	5	10	22
50-64	102	3.5	20	1	1	2	3	6	9	29
65+	86	4.8	38	<1	1	2	6	12	15	37
2. MULTIPLE DX										
0-19 YRS	136	4.5	62	1	1	3	4	8	11	50
20-34	62	4.3	31	1	1	3	5	7	8	39
35-49	73	6.0	65	<1	1	3	6	16	26	41
50-64	155	7.9	91	1	1	4	11	19	29	69
65+	219	10.5	199	1	2	5	13	23	34	84
TOT. SINGLE DX	973	2.9	9	<1	1	2	3	5	7	15
" MULTIPLE DX	645	7.5	119	1	1	4	9	17	27	61
TOTAL 0-19 YRS	567	2.9	18	<1	1	2	3	5	6	14
20-34	318	3.2	10	1	1	3	4	6	6	14
35-49	171	4.4	36	<1	1	2	4	10	17	33
50-64	257	6.2	68	1	1	3	7	15	23	42
65+	305	8.9	160	1	2	4	11	21	31	70
GRAND TOTAL	1618	4.8	58	1	1	2	5	10	16	42

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	1.6	2	<1	<1	1	2	3	5	9
20-34	21	2.0	1	<1	<1	2	2	4	5	6
35-49	27	2.6	1	<1	1	2	3	4	5	7
50-64	51	3.9	8	<1	1	3	5	7	9	17
65+	30	3.0	2	<1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	72	3.4	7	1	1	3	4	5	6	19
20-34	24	5.1	12	1	1	5	6	11	13	14
35-49	48	6.3	75	<1	1	4	6	13	16	56
50-64	91	5.6	35	1	1	4	6	11	15	37
65+	234	6.1	54	1	2	4	7	13	17	86
TOT. SINGLE DX	200	2.6	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	469	5.6	44	1	1	4	6	11	15	46
TOTAL 0-19 YRS	143	2.5	5	<1	<1	2	3	5	6	12
20-34	45	3.6	10	<1	1	2	5	7	11	14
35-49	75	5.0	52	<1	1	3	6	9	14	48
50-64	142	5.0	27	1	1	4	6	10	14	26
65+	264	5.8	50	1	1	4	7	12	16	78
GRAND TOTAL	**669**	**4.7**	**34**	**<1**	**1**	**3**	**5**	**10**	**14**	**30**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.0	2	<1	<1	2	2	2	4	11
20-34	240	1.6	1	<1	<1	2	2	2	2	4
35-49	433	1.7	1	<1	<1	2	2	2	2	5
50-64	661	2.0	3	<1	<1	2	2	2	3	13
65+	378	2.4	22	<1	1	2	2	3	4	12
2. MULTIPLE DX										
0-19 YRS	48	3.0	6	<1	1	2	3	7	8	14
20-34	74	2.9	17	<1	<1	2	2	4	13	24
35-49	208	3.4	34	<1	1	2	2	7	13	22
50-64	549	4.5	79	1	1	2	3	10	16	54
65+	523	5.1	85	1	1	2	3	12	24	72
TOT. SINGLE DX	1850	1.9	7	<1	<1	2	2	2	3	10
" MULTIPLE DX	1402	4.4	70	1	1	2	3	10	18	55
TOTAL 0-19 YRS	186	2.3	4	<1	1	2	2	3	6	13
20-34	314	1.9	6	<1	<1	2	2	2	3	16
35-49	641	2.2	13	<1	<1	2	2	3	4	19
50-64	1210	3.1	40	<1	1	2	2	4	11	34
65+	901	4.0	61	1	1	2	2	8	16	55
GRAND TOTAL	**3252**	**3.0**	**35**	**<1**	**1**	**2**	**2**	**4**	**10**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0		1	1	2	3	3	3	3
20-34	9	2.7	3	<1	<1	2	3	6	6	6
35-49	16	4.3	31	1	1	2	5	12	18	21
50-64	29	10.0	151	1	1	3	14	28	35	51
65+	31	10.7	86	1	2	11	17	21	25	40
2. MULTIPLE DX										
0-19 YRS	13	7.7	121	1	1	3	8	20	38	42
20-34	5	15.2	460	2	2	9	21	53	53	53
35-49	21	9.0	99	<1	<1	3	13	27	29	31
50-64	65	15.6	157	1	2	14	20	29	38	63
65+	70	15.1	245	2	3	11	19	40	58	99+
TOT. SINGLE DX	89	8.1	94	1	1	2	13	21	25	47
" MULTIPLE DX	174	14.0	194	1	2	11	19	31	49	97
TOTAL 0-19 YRS	17	6.4	97	1	1	2	7	13	32	42
20-34	14	7.1	182	<1	<1	2	6	14	44	53
35-49	37	6.9	74	<1	1	2	9	22	27	31
50-64	94	13.9	161	1	2	12	19	29	35	61
65+	101	13.7	199	2	2	11	18	33	53	99+
GRAND TOTAL	**263**	**12.0**	**168**	**1**	**1**	**9**	**17**	**29**	**40**	**85**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	11.5	13	9	9	11	14	14	14	14
50-64	45	17.5	49	10	12	16	21	30	35	99+
65+	27	18.4	83	10	11	16	21	30	35	54
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	22	25.9	215	4	9	21	34	50	51	53
50-64	109	24.0	173	11	12	20	30	46	57	99+
65+	122	26.3	287	12	13	22	34	61	99	99+
TOT. SINGLE DX	74	17.7	61	9	11	15	21	31	33	88
" MULTIPLE DX	253	25.3	231	11	13	21	33	49	71	99+
TOTAL 0-19 YRS										
20-34										
35-49	24	24.7	214	5	9	20	33	50	51	53
50-64	154	22.1	146	11	12	18	28	40	53	99+
65+	149	24.9	259	11	12	21	32	47	96	99+
GRAND TOTAL	**327**	**23.6**	**203**	**11**	**12**	**19**	**30**	**45**	**67**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	14.0	111	4	4	13	22	25	25	25
50-64	1	49.0		49	49	49	49	49	49	49
65+	4	8.8	29	2	2	9	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	3	41.0	292	25	25	49	79	99+	99+	99+
20-34	5	44.8	1302	6	6	61	87	99	99+	99+
35-49	9	25.7	264	4	6	26	36	49	52	52
50-64	41	30.7	567	7	8	31	77	99+	99+	99+
65+	73	37.3	561	6	11	38	67	99+	99+	99+
TOT. SINGLE DX	10	15.6	207	2	3	11	25	37	49	49
” MULTIPLE DX	131	34.8	566	7	8	36	68	99+	99+	99+
TOTAL 0-19 YRS	4	37.3	251	25	25	39	69	99+	99+	99+
20-34	6	38.0	1320	4	4	59	81	97	99+	99+
35-49	12	22.8	240	4	4	25	30	46	51	52
50-64	42	31.1	562	7	8	32	76	99+	99+	99+
65+	77	35.9	574	4	10	36	65	99+	99+	99+
GRAND TOTAL	**141**	**33.5**	**563**	**5**	**8**	**34**	**67**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	5.4	16	<1	1	5	8	11	11	18
20-34	15	4.6	14	1	1	4	7	12	13	13
35-49	23	8.3	174	1	1	5	9	19	36	63
50-64	25	11.0	324	1	1	5	9	55	75	99+
65+	31	7.8	168	<1	<1	2	9	22	46	54
2. MULTIPLE DX										
0-19 YRS	86	16.9	497	1	2	10	20	64	95	99+
20-34	68	27.3	570	3	5	22	52	81	99+	99+
35-49	81	27.8	656	1	2	25	54	99+	99+	99+
50-64	216	33.8	711	2	3	35	66	99+	99+	99+
65+	368	37.6	685	3	5	45	76	99+	99+	99+
TOT. SINGLE DX	127	7.5	143	1	1	4	8	15	45	76
” MULTIPLE DX	819	32.6	699	2	3	35	66	99+	99+	99+
TOTAL 0-19 YRS	119	13.7	389	1	2	7	16	43	84	99+
20-34	83	23.2	546	2	3	13	41	78	99+	99+
35-49	104	23.5	613	1	2	17	44	94	99+	99+
50-64	241	31.5	719	2	2	32	61	99+	99+	99+
65+	399	35.3	709	2	3	42	73	99+	99+	99+
GRAND TOTAL	**946**	**29.3**	**698**	**2**	**2**	**28**	**61**	**99+**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.4	8	<1	1	2	4	9	10	10
20-34	125	5.6	50	1	1	3	7	12	15	39
35-49	193	6.7	113	<1	1	3	8	14	22	63
50-64	391	6.5	41	1	1	4	9	15	18	32
65+	445	7.1	60	1	1	4	10	16	20	38
2. MULTIPLE DX										
0-19 YRS	29	9.8	85	2	2	5	15	27	31	99+
20-34	294	15.9	208	2	2	12	22	36	50	78
35-49	658	14.2	178	2	2	11	19	31	41	78
50-64	1760	12.3	122	2	2	10	16	25	34	56
65+	3282	14.4	162	2	3	11	18	30	41	72
TOT. SINGLE DX	1171	6.6	61	1	1	4	9	15	20	38
” MULTIPLE DX	6023	13.8	156	2	2	11	18	29	40	71
TOTAL 0-19 YRS	46	7.4	66	1	1	3	10	24	30	99+
20-34	419	12.9	183	1	2	8	18	31	44	67
35-49	851	12.5	173	1	2	8	17	27	38	76
50-64	2151	11.3	112	1	2	9	15	24	31	54
65+	3727	13.6	156	2	2	10	18	29	39	70
GRAND TOTAL	**7194**	**12.7**	**147**	**1**	**2**	**10**	**17**	**27**	**37**	**67**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	24.0	800	4	4	24	44	44	44	44
20-34	3	17.3	134	4	4	23	24	25	25	25
35-49										
50-64	4	10.5	115	1	1	8	18	25	25	25
65+	2	31.0	512	15	15	31	47	47	47	47
TOT. SINGLE DX	1	15.0		15	15	15	15	15	15	15
” MULTIPLE DX	11	18.5	256	1	3	15	25	45	47	47
TOTAL 0-19 YRS	2	24.0	800	4	4	24	44	44	44	44
20-34	3	17.3	134	4	4	23	24	25	25	25
35-49										
50-64	4	10.5	115	1	1	8	18	25	25	25
65+	3	25.7	341	15	15	15	39	47	47	47
GRAND TOTAL	**12**	**18.3**	**234**	**1**	**3**	**15**	**25**	**45**	**47**	**47**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	18.3	371	4	5	11	18	48	65	71
20-34	67	11.6	150	2	4	8	13	25	27	81
35-49	99	[illegible]	39	2	3	9	13	20	23	30
50-64	216	[illegible]	52	2	3	9	13	19	24	41
65+	186	[illegible]	109	1	2	10	15	21	27	60
2. MULTIPLE DX										
0-19 YRS	51	15.5	224	5	6	10	16	38	55	64
20-34	153	15.4	139	4	6	11	22	32	37	58
35-49	239	17.7	208	4	6	13	23	34	41	92
50-64	777	15.6	131	2	4	12	20	31	38	58
65+	1254	17.1	195	2	4	14	22	34	46	77
TOT. SINGLE DX	583	11.0	89	2	2	9	14	20	26	46
" MULTIPLE DX	2474	16.5	174	2	4	13	22	33	42	72
TOTAL 0-19 YRS	66	16.2	254	5	5	10	17	47	56	70
20-34	220	14.3	145	3	5	10	18	29	36	62
35-49	338	15.5	171	3	5	11	19	31	37	74
50-64	993	14.5	119	2	4	11	18	30	37	55
65+	1440	16.3	188	2	3	13	21	32	45	76
GRAND TOTAL	**3057**	**15.5**	**162**	**2**	**4**	**12**	**20**	**31**	**40**	**67**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	11.5	33	7	7	9	15	20	20	20
20-34	7	14.0	92	7	7	8	18	30	33	33
35-49	26	13.4	52	7	7	11	16	23	31	37
50-64	121	14.3	43	8	8	12	17	23	26	42
65+	103	14.5	40	8	8	12	18	23	29	34
2. MULTIPLE DX										
0-19 YRS	5	23.4	164	9	9	22	32	42	42	42
20-34	22	19.7	173	6	7	15	26	36	47	61
35-49	98	18.2	144	7	8	15	24	33	37	73
50-64	475	17.9	89	8	9	16	21	30	37	56
65+	542	20.8	159	8	9	18	26	36	49	87
TOT. SINGLE DX	261	14.2	44	8	8	12	17	23	28	37
" MULTIPLE DX	1142	19.4	131	8	9	16	24	34	45	71
TOTAL 0-19 YRS	9	18.1	134	7	8	15	24	37	42	42
20-34	29	18.3	156	6	7	14	22	35	39	61
35-49	124	17.2	128	7	8	14	21	32	36	65
50-64	596	17.2	82	8	9	15	21	28	36	55
65+	645	19.8	145	8	9	17	24	35	47	86
GRAND TOTAL	**1403**	**18.4**	**119**	**8**	**9**	**15**	**23**	**32**	**40**	**68**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	4.1	99	<1	1	2	4	8	11	57
20-34	97	5.8	52	1	1	3	8	14	18	40
35-49	154	6.1	60	<1	<1	3	7	16	22	45
50-64	276	5.8	33	<1	1	3	10	13	17	26
65+	283	6.7	48	1	1	4	9	14	19	37
2. MULTIPLE DX										
0-19 YRS	108	11.4	276	1	1	6	12	29	46	84
20-34	220	12.7	181	1	2	9	17	29	49	97
35-49	410	11.8	172	1	2	8	16	28	39	99+
50-64	1273	12.1	141	1	2	9	16	26	37	78
65+	2206	15.6	202	2	3	12	20	32	43	84
TOT. SINGLE DX	928	5.9	53	<1	1	3	8	13	18	36
" MULTIPLE DX	4217	13.9	185	2	2	10	18	30	42	85
TOTAL 0-19 YRS	226	7.6	196	1	1	2	8	17	34	84
20-34	317	10.6	152	1	1	7	14	25	38	73
35-49	564	10.2	148	1	1	6	14	25	36	93
50-64	1549	11.0	128	1	2	8	15	25	33	70
65+	2489	14.6	193	2	2	11	19	31	42	83
GRAND TOTAL	**5145**	**12.5**	**171**	**1**	**2**	**9**	**17**	**28**	**39**	**83**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.7	9	2	3	5	7	11	13	13
20-34	53	6.0	14	2	2	5	7	11	16	18
35-49	21	8.7	58	2	2	6	11	22	28	28
50-64	15	8.5	55	1	2	6	10	17	26	29
65+	5	6.0	21	1	1	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	14	9.1	66	3	3	6	9	20	29	32
20-34	56	13.1	228	3	4	8	13	29	47	79
35-49	35	13.7	81	3	4	12	19	28	29	39
50-64	54	18.8	245	2	3	15	26	38	45	75
65+	81	14.7	148	2	3	12	20	33	40	51
TOT. SINGLE DX	112	6.8	28	2	2	5	8	13	17	29
" MULTIPLE DX	240	14.8	179	2	3	10	19	32	43	67
TOTAL 0-19 YRS	32	7.2	36	3	3	5	7	14	19	32
20-34	109	9.7	136	2	3	6	10	17	29	72
35-49	56	11.8	78	2	3	9	18	27	28	38
50-64	69	16.6	221	2	2	12	22	36	44	73
65+	86	14.2	145	2	2	11	20	32	39	51
GRAND TOTAL	**352**	**12.3**	**144**	**2**	**3**	**8**	**17**	**28**	**37**	**65**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	5.6	10	2	2	5	7	10	12	16
20-34	570	6.0	25	2	3	5	7	10	13	20
35-49	209	7.0	22	2	3	6	8	13	16	26
50-64	94	9.5	43	3	3	8	13	18	23	36
65+	81	10.0	49	2	3	8	12	17	23	40
2. MULTIPLE DX										
0-19 YRS	173	14.3	287	3	4	9	15	37	63	99
20-34	478	11.6	135	3	4	8	12	25	35	68
35-49	382	12.7	132	3	4	9	16	29	39	93
50-64	734	14.1	140	3	4	10	18	29	39	88
65+	1089	17.3	189	4	5	13	22	34	48	83
TOT. SINGLE DX	1097	6.7	28	2	3	5	8	12	15	26
" MULTIPLE DX	2856	14.7	171	3	4	11	18	31	43	84
TOTAL 0-19 YRS	316	10.4	180	2	3	6	11	19	39	95
20-34	1048	8.6	84	2	3	6	9	15	25	51
35-49	591	10.7	101	3	3	8	13	22	34	77
50-64	828	13.6	132	3	4	10	17	28	38	84
65+	1170	16.8	183	4	5	13	21	33	46	82
GRAND TOTAL	3953	12.5	144	3	3	9	15	26	37	79

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	171	5.9	8	2	3	6	7	7	9	20
20-34	139	6.3	32	<1	1	5	9	13	18	29
35-49	130	6.2	33	<1	1	4	9	14	16	27
50-64	155	7.0	44	<1	1	5	10	18	20	26
65+	126	8.3	79	1	1	6	11	17	25	46
2. MULTIPLE DX										
0-19 YRS	69	8.9	55	1	4	7	9	18	22	48
20-34	184	12.9	114	2	3	9	19	27	36	50
35-49	269	12.9	130	2	2	10	16	26	34	62
50-64	595	14.1	168	2	2	10	19	28	40	74
65+	1037	16.7	191	2	3	13	21	35	48	71
TOT. SINGLE DX	721	6.7	38	<1	1	5	8	13	18	28
" MULTIPLE DX	2154	14.9	170	2	3	11	19	31	42	70
TOTAL 0-19 YRS	240	6.8	24	2	3	7	7	9	15	24
20-34	323	10.1	90	1	2	7	13	23	29	43
35-49	399	10.7	108	1	2	8	14	24	29	57
50-64	750	12.7	151	1	2	9	17	26	37	65
65+	1163	15.7	186	2	3	12	20	33	44	70
GRAND TOTAL	2875	12.9	149	1	2	9	17	27	37	62

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	10.3	35	5	6	9	11	18	21	32
20-34	27	11.5	27	7	8	10	12	17	26	29
35-49	49	13.5	38	8	8	11	15	23	25	40
50-64	88	14.8	27	9	10	14	17	21	25	35
65+	49	14.6	10	11	11	14	16	19	21	23
2. MULTIPLE DX										
0-19 YRS	309	13.0	121	6	7	10	14	21	43	99+
20-34	100	14.7	72	7	8	12	16	26	38	74
35-49	178	18.8	133	8	9	15	24	32	41	64
50-64	507	20.5	133	10	11	17	24	34	43	77
65+	543	23.5	190	10	11	20	28	43	56	95
TOT. SINGLE DX	390	12.4	34	6	7	11	15	19	24	33
" MULTIPLE DX	1637	19.5	161	8	9	16	24	35	48	91
TOTAL 0-19 YRS	486	12.0	91	6	6	9	13	19	28	96
20-34	127	14.0	65	7	8	11	15	26	32	60
35-49	227	17.6	117	8	9	14	21	30	38	58
50-64	595	19.6	122	9	10	17	23	33	40	71
65+	592	22.7	181	10	11	19	27	42	55	91
GRAND TOTAL	2027	18.1	145	7	8	15	22	33	44	84

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	10.7	11	7	7	10	13	16	16	16
35-49	115	11.9	18	8	8	11	13	16	20	31
50-64	359	12.8	19	8	9	12	14	18	21	33
65+	176	14.2	24	8	9	13	16	23	25	28
2. MULTIPLE DX										
0-19 YRS	2	15.5	13	13	13	15	18	18	18	18
20-34	25	14.3	63	8	8	11	15	28	34	39
35-49	650	13.2	42	8	8	11	15	20	25	42
50-64	2758	15.3	70	8	9	13	17	24	32	52
65+	1795	19.2	125	9	10	16	23	33	43	70
TOT. SINGLE DX	657	13.0	21	8	9	12	15	18	23	31
" MULTIPLE DX	5230	16.4	90	8	9	13	19	28	36	60
TOTAL 0-19 YRS	3	13.3	20	9	9	13	17	18	18	18
20-34	31	13.6	55	8	8	11	14	24	32	39
35-49	765	13.0	39	8	8	11	14	19	25	38
50-64	3117	15.0	65	8	9	12	17	24	31	51
65+	1971	18.7	118	9	10	15	22	32	42	69
GRAND TOTAL	5887	16.0	84	8	9	13	18	26	34	58

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	1.9	1	<1	1	2	2	2	4	8
20-34	140	3.1	11	1	1	2	2	6	9	23
35-49	998	3.0	8	1	2	2	2	6	10	16
50-64	2039	2.9	8	1	2	2	2	5	10	15
65+	754	3.1	13	1	2	2	2	5	10	19
2. MULTIPLE DX										
0-19 YRS	703	2.8	31	1	1	2	2	4	8	29
20-34	348	4.6	40	1	2	2	5	12	15	25
35-49	2976	4.6	24	1	2	2	6	11	15	24
50-64	7576	4.9	32	1	2	2	6	12	16	26
65+	4145	7.0	61	1	2	3	10	17	22	37
TOT. SINGLE DX	4239	2.9	9	1	1	2	2	5	9	16
" MULTIPLE DX	15748	5.3	40	1	2	2	7	13	18	29
TOTAL 0-19 YRS	1011	2.6	22	1	1	2	2	3	6	18
20-34	488	4.2	33	1	2	2	4	11	14	24
35-49	3974	4.2	21	1	2	2	4	10	14	22
50-64	9615	4.5	28	1	2	2	5	11	15	25
65+	4899	6.4	56	1	2	2	9	16	21	34
GRAND TOTAL	19987	4.8	34	1	2	2	5	12	16	27

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.4	6	1	1	4	6	8	9	9
20-34	14	4.3	18	1	1	3	4	11	16	17
35-49	35	5.1	12	1	2	4	7	9	13	18
50-64	184	7.0	23	1	2	5	10	15	17	21
65+	739	6.0	25	2	2	5	7	11	15	26
2. MULTIPLE DX										
0-19 YRS	29	6.7	29	2	2	5	7	15	21	23
20-34	40	9.8	82	2	3	6	13	21	30	44
35-49	186	13.0	103	2	3	12	16	22	27	63
50-64	1161	12.4	83	3	4	11	16	23	29	49
65+	6724	13.2	114	3	4	11	17	26	33	68
TOT. SINGLE DX	984	6.1	24	1	2	5	8	12	16	25
" MULTIPLE DX	8140	13.0	110	3	4	11	17	25	32	65
TOTAL 0-19 YRS	41	6.0	24	1	2	5	6	12	18	23
20-34	54	8.4	71	2	2	5	11	18	28	44
35-49	221	11.7	97	2	3	11	15	21	24	52
50-64	1345	11.7	79	2	3	10	15	22	28	43
65+	7463	12.5	110	2	3	10	16	25	32	66
GRAND TOTAL	9124	12.3	105	2	3	10	16	24	31	64

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.9	12	1	2	7	9	11	12	14
20-34	25	6.1	18	1	1	6	8	11	14	19
35-49	105	5.7	19	1	2	4	8	13	14	20
50-64	167	5.5	24	2	2	4	7	12	16	28
65+	43	7.1	43	2	2	4	10	16	22	29
2. MULTIPLE DX										
0-19 YRS	33	12.4	128	1	2	9	15	29	42	46
20-34	69	14.7	117	3	4	13	19	31	39	52
35-49	364	9.5	94	2	3	7	12	20	26	56
50-64	821	10.1	96	2	3	7	12	20	28	54
65+	410	13.1	151	3	3	9	16	29	41	71
TOT. SINGLE DX	361	5.9	24	2	2	4	8	12	16	26
" MULTIPLE DX	1697	10.9	113	3	3	8	13	23	32	55
TOTAL 0-19 YRS	54	10.2	89	1	2	8	11	19	36	46
20-34	94	12.4	105	2	2	10	16	25	34	49
35-49	469	8.7	80	2	3	6	11	18	23	54
50-64	988	9.3	87	2	3	6	11	19	26	46
65+	453	12.5	144	3	3	9	16	28	39	60
GRAND TOTAL	2058	10.0	101	2	3	7	12	21	29	54

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	3.3	11	<1	<1	2	4	7	9	19
20-34	104	3.9	33	<1	<1	2	4	9	10	39
35-49	130	3.9	26	<1	<1	2	5	9	13	26
50-64	162	3.6	17	<1	<1	2	4	10	12	20
65+	160	6.3	71	1	1	3	8	16	21	38
2. MULTIPLE DX										
0-19 YRS	282	6.3	50	1	1	4	7	14	22	34
20-34	190	10.6	110	1	2	8	14	25	34	57
35-49	341	8.9	84	1	1	7	12	18	27	51
50-64	995	11.4	126	1	2	8	15	24	33	60
65+	2555	14.7	186	2	3	11	19	31	43	86
TOT. SINGLE DX	749	4.2	32	<1	<1	2	5	10	15	27
" MULTIPLE DX	4363	12.8	159	1	2	9	16	28	37	78
TOTAL 0-19 YRS	475	5.1	37	<1	1	3	6	11	17	32
20-34	294	8.2	93	1	1	5	10	19	32	52
35-49	471	7.5	73	1	1	5	10	17	25	48
50-64	1157	10.3	118	1	1	7	14	22	31	57
65+	2715	14.2	183	2	2	11	18	31	42	84
GRAND TOTAL	5112	11.5	150	1	2	8	15	26	35	74

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.0	2	<1	1	3	4	5	6	6
20-34	636	3.7	4	1	2	3	5	6	7	12
35-49	958	4.0	5	2	2	4	5	6	8	12
50-64	703	4.6	12	2	2	4	5	7	9	18
65+	171	5.4	13	2	3	4	6	10	14	22
2. MULTIPLE DX										
0-19 YRS	5	3.0	2	<1	<1	4	4	4	4	4
20-34	197	4.5	12	1	2	4	5	7	9	23
35-49	390	6.1	43	2	2	4	6	11	16	33
50-64	512	6.8	40	2	3	5	8	14	19	40
65+	318	10.8	149	2	3	6	13	24	35	63
TOT. SINGLE DX	2492	4.2	8	2	2	4	5	6	8	15
" MULTIPLE DX	1422	7.2	66	2	2	5	8	15	21	43
TOTAL 0-19 YRS	29	3.0	2	<1	1	3	4	5	5	6
20-34	833	3.9	6	1	2	3	5	6	7	15
35-49	1348	4.6	17	2	2	4	5	7	10	22
50-64	1215	5.5	26	2	2	4	6	10	15	27
65+	489	8.9	109	2	3	5	10	19	28	58
GRAND TOTAL	**3914**	**5.3**	**31**	**2**	**2**	**4**	**6**	**9**	**14**	**28**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.3	27	2	2	9	12	13	18	28
20-34	36	8.4	73	<1	1	6	11	19	26	41
35-49	109	9.9	48	2	3	9	11	15	24	42
50-64	347	10.4	32	3	5	10	12	17	20	31
65+	308	12.5	54	4	6	11	15	20	25	41
2. MULTIPLE DX										
0-19 YRS	72	14.7	183	4	5	10	18	30	50	97
20-34	149	14.5	213	2	3	10	19	31	56	80
35-49	445	15.6	155	3	5	12	19	31	44	85
50-64	1942	17.0	183	5	7	13	19	34	49	94
65+	3181	20.5	218	7	8	16	26	42	56	99+
TOT. SINGLE DX	826	11.0	46	2	4	10	13	18	23	34
" MULTIPLE DX	5789	18.7	205	5	7	14	23	39	53	99+
TOTAL 0-19 YRS	98	13.2	147	3	5	10	16	22	42	93
20-34	185	13.3	192	1	2	9	17	29	46	75
35-49	554	14.5	140	3	4	11	17	28	42	69
50-64	2289	16.0	166	4	6	12	18	31	46	88
65+	3489	19.8	209	6	8	15	25	40	54	99+
GRAND TOTAL	**6615**	**17.8**	**192**	**5**	**7**	**14**	**21**	**36**	**50**	**97**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
0-19 YRS										
20-34	1	58.0		58	58	58	58	58	58	58
35-49	4	16.5	29	11	11	15	20	24	24	24
50-64	3	26.3	706	10	10	12	46	57	57	57
65+	9	14.9	100	5	6	12	20	31	37	37
TOT. SINGLE DX	3	17.3	352	6	6	7	31	39	39	39
" MULTIPLE DX	17	19.8	260	6	8	12	23	53	58	58
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	58.0		58	58	58	58	58	58	58
35-49	4	16.5	30	11	11	15	20	24	24	24
50-64	4	21.3	574	6	6	11	34	57	57	57
65+	10	17.3	147	5	6	12	23	38	39	39
GRAND TOTAL	**20**	**19.5**	**256**	**5**	**6**	**12**	**23**	**48**	**57**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	4.3	7	1	1	4	5	7	11	12
35-49	19	6.4	91	<1	1	3	7	10	29	44
50-64	17	8.9	83	1	1	5	11	27	30	30
65+	28	8.2	106	1	1	5	9	18	26	53
2. MULTIPLE DX										
0-19 YRS	30	6.3	31	1	1	5	7	14	19	26
20-34	356	7.1	51	1	2	5	9	14	21	44
35-49	490	7.8	54	1	2	5	10	16	21	42
50-64	938	8.7	79	2	2	6	11	18	24	45
65+	1081	10.5	99	2	3	7	13	22	31	55
TOT. SINGLE DX	80	7.1	78		1	4	8	14	26	50
" MULTIPLE DX	2895	9.0	81	2	2	6	11	19	25	49
TOTAL 0-19 YRS	31	6.2	30	1	1	5	7	14	19	26
20-34	371	7.0	50	1	2	5	9	14	21	43
35-49	509	7.7	56	1	2	5	10	16	21	43
50-64	955	8.7	80	1	2	6	11	18	24	45
65+	1109	10.5	100	2	3	7	13	22	31	55
GRAND TOTAL	**2975**	**9.0**	**81**	**2**	**2**	**6**	**11**	**19**	**25**	**49**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	7.0	28	1	2	6	9	12	15	27
20-34	206	6.1	44	1	1	4	9	14	18	34
35-49	238	8.0	73	1	1	6	10	18	24	35
50-64	712	8.1	42	1	2	7	10	15	20	34
65+	910	9.3	49	2	3	8	12	17	21	34
2. MULTIPLE DX										
0-19 YRS	831	16.7	374	1	3	9	22	48	77	99+
20-34	696	11.2	186	1	1	7	14	28	44	98
35-49	1094	12.0	161	1	2	8	16	28	40	71
50-64	4168	13.1	147	2	3	10	16	27	38	85
65+	7505	15.7	185	3	4	12	20	33	47	99+
TOT. SINGLE DX	2278	8.3	48	1	2	7	11	16	20	34
" MULTIPLE DX	14294	14.5	186	2	3	11	18	31	45	95
TOTAL 0-19 YRS	1043	14.7	320	1	2	8	18	39	69	99+
20-34	902	10.1	158	1	1	6	13	26	36	90
35-49	1332	11.3	148	1	2	8	15	26	35	68
50-64	4880	12.4	135	2	3	9	15	25	35	79
65+	8415	15.0	175	3	4	11	19	31	44	95
GRAND TOTAL	16572	13.7	172	2	3	10	17	29	42	92

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	2.9	8	<1	<1	2	3	6	9	15
20-34	514	3.9	28	<1	<1	2	4	9	13	27
35-49	331	4.3	28	<1	<1	2	5	10	15	23
50-64	326	5.1	27	<1	<1	3	7	11	16	27
65+	255	5.9	36	<1	1	3	8	13	16	31
2. MULTIPLE DX										
0-19 YRS	162	4.6	17	<1	1	3	6	10	13	19
20-34	372	10.0	145	1	1	6	13	22	31	56
35-49	453	9.6	141	1	1	6	12	22	31	56
50-64	851	10.3	109	1	2	8	13	25	32	59
65+	1136	12.5	145	2	2	9	16	26	36	61
TOT. SINGLE DX	1811	4.3	26	<1	<1	2	5	10	14	25
" MULTIPLE DX	2974	10.7	131	1	2	7	14	24	33	57
TOTAL 0-19 YRS	547	3.4	12	<1	<1	2	4	8	11	17
20-34	886	6.5	86	<1	1	3	8	16	22	51
35-49	784	7.4	101	<1	1	4	9	17	24	50
50-64	1177	8.9	92	1	2	6	11	20	29	51
65+	1391	11.3	132	1	2	8	15	24	33	57
GRAND TOTAL	4785	8.3	101	<1	1	5	11	19	27	51

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.3	8	1	1	3	6	9	10	10
20-34	33	5.4	13	1	2	4	8	8	11	19
35-49	37	5.8	26	<1	<1	4	8	13	19	22
50-64	62	7.4	66	2	3	6	8	13	18	55
65+	45	9.6	62	1	2	8	13	20	24	42
2. MULTIPLE DX										
0-19 YRS	14	7.0	33	1	2	6	8	11	22	25
20-34	63	8.8	22	3	4	8	10	16	18	25
35-49	78	10.2	98	2	3	7	11	23	32	54
50-64	233	12.4	136	3	4	8	15	24	34	70
65+	269	13.5	141	3	4	9	17	28	32	67
TOT. SINGLE DX	195	7.0	46	1	2	5	8	14	19	36
" MULTIPLE DX	657	12.1	123	3	4	8	14	24	31	66
TOTAL 0-19 YRS	32	5.5	20	1	1	5	7	9	10	25
20-34	96	7.6	21	2	3	7	9	13	17	24
35-49	115	8.8	80	<1	2	6	10	20	27	50
50-64	295	11.3	126	3	3	8	13	23	31	66
65+	314	12.9	132	3	4	9	16	26	32	66
GRAND TOTAL	852	10.9	110	2	3	8	13	23	30	63

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0	8	3	3	5	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	3	24.3	496	10	10	13	41	50	50	50
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	7.8	10	5	5	8	10	11	11	11
65+	2	6.0	32	2	2	6	10	10	10	10
TOT. SINGLE DX	6	5.0	5	3	3	5	7	7	7	7
" MULTIPLE DX	10	11.9	193	2	2	10	11	31	50	50
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	17.4	338	7	7	10	22	50	50	50
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	6.8	10	3	3	6	10	11	11	11
65+	2	6.0	32	2	2	6	10	10	10	10
GRAND TOTAL	16	9.3	129	2	3	7	10	13	39	50

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	41.0	988	7	7	47	63	69	69	69
20-34	4	30.3	47	25	25	28	35	40	40	40
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	62.3	1285	21	21	81	84	85	85	85
20-34	1	70.0		70	70	70	70	70	70	70
35-49	1	46.0		46	46	46	46	46	46	46
50-64										
65+	1	71.0		71	71	71	71	71	71	71
TOT. SINGLE DX	7	34.9	386	7	11	30	45	65	69	69
" MULTIPLE DX	6	62.3	594	21	23	70	81	85	85	85
TOTAL 0-19 YRS	6	51.7	1046	7	8	58	81	85	85	85
20-34	5	38.2	351	25	25	30	47	70	70	70
35-49	1	46.0		46	46	46	46	46	46	46
50-64										
65+	1	71.0		71	71	71	71	71	71	71
GRAND TOTAL	13	47.5	644	9	18	46	70	82	84	85

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	6.6	47	1	1	6	8	11	19	36
20-34	261	8.7	62	2	3	7	9	14	21	39
35-49	163	9.3	80	2	3	6	10	22	29	41
50-64	213	9.8	93	2	3	7	11	21	26	60
65+	302	10.5	94	2	3	8	12	22	30	48
2. MULTIPLE DX										
0-19 YRS	410	11.0	136	<1	1	7	14	25	32	59
20-34	712	13.7	142	3	5	9	16	28	41	62
35-49	805	14.0	142	3	4	10	17	29	40	64
50-64	1734	14.5	166	3	4	11	18	30	40	76
65+	5289	16.1	177	3	5	12	20	32	45	86
TOT. SINGLE DX	1242	8.9	76	1	2	7	10	18	25	44
" MULTIPLE DX	8950	15.2	169	3	4	11	19	31	43	80
TOTAL 0-19 YRS	713	9.1	103	<1	1	6	10	21	29	55
20-34	973	12.3	125	3	4	8	14	26	38	58
35-49	968	13.2	135	3	4	9	16	28	38	61
50-64	1947	14.0	161	2	4	10	17	29	39	70
65+	5591	15.8	175	3	5	12	20	32	44	85
GRAND TOTAL	10192	14.4	162	3	4	11	18	30	41	76

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	10.1	217	1	2	5	11	27	34	88
20-34	41	12.5	161	1	2	6	22	28	42	49
35-49	41	7.9	97	<1	1	3	13	21	38	99+
50-64	50	11.7	232	1	1	5	14	36	49	66
65+	32	12.7	381	1	2	6	11	31	67	88
2. MULTIPLE DX										
0-19 YRS	149	21.0	429	1	3	13	34	63	73	99+
20-34	208	16.3	255	2	2	10	22	40	53	93
35-49	313	14.9	251	2	2	9	20	38	53	99+
50-64	537	15.6	216	2	2	10	22	38	47	71
65+	640	19.1	294	2	3	14	26	44	57	99
TOT. SINGLE DX	226	10.9	211	1	1	5	14	27	45	89
" MULTIPLE DX	1847	17.2	274	2	3	12	24	42	57	99+
TOTAL 0-19 YRS	211	17.8	390	1	2	10	27	55	71	99+
20-34	249	15.7	241	2	2	10	22	39	49	88
35-49	354	14.1	238	2	2	9	19	38	51	99+
50-64	587	15.3	219	2	2	10	22	38	48	71
65+	672	18.8	300	2	3	14	25	43	57	98
GRAND TOTAL	2073	16.5	271	2	2	11	23	41	55	99

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	2.9	9	1	1	2	3	7	9	17
20-34	67	3.9	16	<1	<1	2	5	10	14	86
35-49	100	5.1	59	<1	<1	2	6	12	20	43
50-64	213	5.8	68	<1	1	3	7	13	22	47
65+	247	5.7	47	<1	<1	3	7	13	18	33
2. MULTIPLE DX										
0-19 YRS	119	6.0	40	1	1	3	8	15	20	28
20-34	176	8.1	82	1	1	5	10	17	26	42
35-49	406	10.1	126	1	2	7	12	21	31	56
50-64	1084	10.0	117	1	2	7	13	23	33	60
65+	2211	11.5	149	1	2	8	15	25	38	79
TOT. SINGLE DX	715	5.2	49	<1	<1	2	6	12	18	38
" MULTIPLE DX	3996	10.7	134	1	2	7	14	23	35	70
TOTAL 0-19 YRS	207	4.7	29	1	1	2	6	12	16	27
20-34	243	7.0	68	<1	1	4	9	15	24	44
35-49	506	9.1	117	1	1	6	11	20	28	56
50-64	1297	9.3	112	1	1	6	12	21	31	59
65+	2458	11.0	142	1	2	7	14	24	37	76
GRAND TOTAL	4711	9.8	125	1	1	6	13	22	33	66

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	468	4.1	3	2	2	4	5	6	7	10
20-34	4	9.5	11	7	7	9	12	14	14	14
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	2	21.5	113	14	14	21	29	29	29	29
65+	2	16.5	313	4	4	16	29	29	29	29
2. MULTIPLE DX										
0-19 YRS	117	6.6	21	3	3	5	8	12	16	55
20-34	7	21.3	411	7	7	17	22	57	65	65
35-49	5	16.6	99	7	7	13	22	33	33	33
50-64	20	21.2	114	9	10	19	26	39	44	46
65+	45	27.6	559	6	8	17	37	81	85	99+
TOT. SINGLE DX	478	4.3	7	2	2	4	5	6	8	14
" MULTIPLE DX	194	13.8	251	3	3	8	16	33	51	98
TOTAL 0-19 YRS	585	4.6	8	2	2	4	5	7	9	17
20-34	11	17.0	285	7	7	10	19	40	63	65
35-49	7	14.9	82	6	6	13	17	30	33	33
50-64	22	21.2	108	9	10	19	29	37	44	46
65+	47	27.2	547	5	8	17	35	80	84	99+
GRAND TOTAL	672	7.0	96	2	3	4	6	13	23	76

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.4	83	2	2	8	21	23	23	23
20-34	3	18.7	281	8	8	10	31	38	38	38
35-49	5	11.2	153	1	1	7	19	31	31	31
50-64	16	15.2	115	4	5	11	21	30	38	41
65+	40	14.0	202	2	3	9	17	44	82	99+
2. MULTIPLE DX										
0-19 YRS	49	18.2	249	3	4	15	27	74	99+	99+
20-34	32	25.0	531	3	5	19	37	72	81	99+
35-49	44	19.7	360	2	4	15	25	65	80	99+
50-64	153	24.0	340	5	7	19	36	67	99+	99+
65+	955	25.9	461	4	6	21	42	85	99+	99+
TOT. SINGLE DX	71	14.0	164	2	3	10	18	39	48	99+
" MULTIPLE DX	1233	25.1	438	4	6	20	40	79	99+	99+
TOTAL 0-19 YRS	56	17.4	232	3	4	15	26	66	99+	99+
20-34	35	24.4	505	4	5	18	37	69	81	99+
35-49	49	18.8	342	2	3	15	25	64	75	99+
50-64	169	23.2	325	5	7	19	34	65	99+	99+
65+	995	25.5	456	4	6	20	41	84	99+	99+
GRAND TOTAL	1304	24.5	430	4	5	19	39	77	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.0	22	1	1	4	10	12	16	18
20-34	73	4.6	11	<1	<1	4	7	8	10	19
35-49	147	5.3	46	<1	<1	4	7	10	11	41
50-64	211	5.2	15	<1	<1	5	8	10	11	19
65+	223	6.4	36	<1	<1	5	9	14	17	26
2. MULTIPLE DX										
0-19 YRS	45	6.6	30	1	2	5	8	12	20	29
20-34	270	7.7	34	2	2	6	10	14	19	34
35-49	584	8.5	63	1	2	7	10	15	22	48
50-64	1395	9.3	54	2	3	8	12	18	24	40
65+	3829	12.3	109	2	4	9	15	24	34	61
TOT. SINGLE DX	671	5.6	29	<1	<1	5	8	11	14	22
" MULTIPLE DX	6123	11.0	92	2	3	8	13	22	29	54
TOTAL 0-19 YRS	62	6.4	28	1	2	5	8	12	19	28
20-34	343	7.0	31	<1	2	6	9	13	16	31
35-49	731	7.9	61	<1	1	6	9	13	20	46
50-64	1606	8.8	52	<1	2	7	11	17	23	38
65+	4052	12.0	108	2	3	9	15	24	33	59
GRAND TOTAL	6794	10.5	88	1	3	8	13	21	28	53

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.8	13	7	7	8	12	15	15	15
20-34	30	12.9	23	7	7	11	16	20	22	25
35-49	77	12.5	29	7	7	11	14	19	24	33
50-64	114	13.0	35	7	8	12	15	21	23	36
65+	102	18.7	72	9	9	17	23	30	34	47
2. MULTIPLE DX										
0-19 YRS	3	10.0	37	3	3	13	14	14	14	14
20-34	59	17.5	129	7	8	14	23	35	55	99+
35-49	214	17.0	107	8	9	14	19	31	39	58
50-64	443	19.9	164	9	10	16	22	36	45	76
65+	910	24.5	218	10	11	21	30	47	62	99+
TOT. SINGLE DX	327	14.6	52	7	8	12	18	23	30	42
" MULTIPLE DX	1629	22.0	195	9	10	18	27	40	54	99
TOTAL 0-19 YRS	7	9.9	19	3	4	9	14	15	15	15
20-34	89	15.9	98	7	8	13	20	32	48	99+
35-49	291	15.8	91	7	8	13	18	28	33	56
50-64	557	18.5	146	8	9	15	21	33	43	75
65+	1012	23.9	207	10	11	20	29	44	59	99+
GRAND TOTAL	1956	20.8	178	8	9	17	25	38	51	96

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	18.7	37	12	12	20	23	24	24	24
50-64	15	23.7	223	12	14	19	27	37	62	71
65+	17	18.8	49	10	10	18	24	29	31	32
2. MULTIPLE DX										
0-19 YRS										
20-34	4	19.5	147	7	7	17	27	36	36	36
35-49	18	24.2	294	7	8	22	30	64	86	99+
50-64	101	29.6	326	12	14	24	38	58	68	84
65+	175	27.5	218	12	13	24	35	48	70	99+
TOT. SINGLE DX	35	20.9	123	10	11	18	24	32	36	71
" MULTIPLE DX	298	27.9	259	11	13	24	35	52	69	99+
TOTAL 0-19 YRS										
20-34	4	19.5	147	7	7	17	27	36	36	36
35-49	21	23.4	258	8	9	21	29	62	81	99+
50-64	116	28.8	315	12	14	23	36	56	68	83
65+	192	26.8	209	11	13	23	33	46	69	99+
GRAND TOTAL	333	27.2	249	11	13	23	33	51	69	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	20	13.6	142	5	6	9	13	31	44	53
35-49	32	10.9	20	7	7	9	12	18	21	25
50-64	26	15.8	143	7	7	12	17	29	47	58
65+	12	11.3	11	7	8	10	13	17	17	17
2. MULTIPLE DX										
0-19 YRS	2	9.0	2	8	8	10	77	99+	99+	99+
20-34	22	11.4	24	6	7	10	14	18	23	26
35-49	59	13.0	38	8	8	11	15	21	26	38
50-64	93	17.1	105	8	8	14	20	30	41	57
65+	105	22.2	205	9	10	18	26	46	58	86
TOT. SINGLE DX	91	13.0	83	7	7	10	14	20	29	56
" MULTIPLE DX	281	17.6	137	8	8	14	21	32	45	74
TOTAL 0-19 YRS	3	11.3	17	8	8	13	58	99+	99+	99+
20-34	42	12.4	80	6	7	9	14	22	30	53
35-49	91	12.2	33	7	8	10	13	20	24	35
50-64	119	16.8	113	7	8	13	19	29	42	60
65+	117	21.1	196	8	9	17	25	43	57	83
GRAND TOTAL	372	16.5	127	7	8	13	19	30	43	71

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	7.8	28	2	3	7	9	12	19	30
20-34	184	7.4	5	5	5	7	8	10	11	14
35-49	188	8.3	11	5	5	8	9	12	14	20
50-64	99	10.1	23	5	6	9	12	15	20	31
65+	89	13.3	57	7	7	11	15	20	29	46
2. MULTIPLE DX										
0-19 YRS	110	18.3	186	3	6	14	28	46	56	99+
20-34	303	10.2	79	5	5	8	10	15	24	66
35-49	501	11.2	96	5	5	8	11	18	29	61
50-64	414	16.2	182	6	7	11	19	31	48	77
65+	806	21.9	221	8	9	17	28	42	58	99
TOT. SINGLE DX	614	9.0	23	5	5	8	10	14	17	31
" MULTIPLE DX	2134	16.4	186	5	6	12	20	35	48	87
TOTAL 0-19 YRS	164	14.8	159	3	4	10	20	34	52	99+
20-34	487	9.1	53	5	5	8	9	13	19	50
35-49	689	10.4	74	5	5	8	10	16	24	57
50-64	513	15.0	157	6	6	11	17	30	44	71
65+	895	21.1	212	7	8	16	26	40	56	97
GRAND TOTAL	2748	14.8	159	5	6	10	17	31	43	77

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	5.9	67	<1	1	4	7	9	13	27
20-34	353	5.9	19	<1	1	5	8	11	14	21
35-49	367	5.0	22	<1	<1	4	7	12	14	21
50-64	632	3.9	18	<1	<1	2	5	10	12	19
65+	769	4.0	21	<1	<1	2	5	10	12	22
2. MULTIPLE DX										
0-19 YRS	163	8.7	107	1	2	6	10	14	22	56
20-34	646	9.0	82	1	2	7	11	18	26	53
35-49	885	9.2	78	1	1	7	12	19	26	48
50-64	2264	8.3	67	1	1	6	11	17	23	43
65+	5657	11.0	120	1	2	8	14	22	31	66
TOT. SINGLE DX	2285	4.6	24	<1	<1	3	7	10	13	22
" MULTIPLE DX	9615	10.0	103	1	2	8	13	20	29	57
TOTAL 0-19 YRS	327	7.3	89	1	1	5	8	13	16	54
20-34	999	7.9	62	1	2	6	10	15	22	43
35-49	1252	8.0	66	<1	1	6	10	16	22	43
50-64	2896	7.4	60	<1	1	5	10	16	21	40
65+	6426	10.2	114	1	2	8	13	21	30	62
GRAND TOTAL	**11900**	**9.0**	**92**	**1**	**1**	**7**	**12**	**19**	**26**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	9.9	19	6	6	8	11	17	21	23
20-34	32	10.7	18	6	7	9	13	18	19	21
35-49	28	16.8	111	5	8	14	23	31	35	48
50-64	43	12.5	58	6	7	10	15	19	24	51
65+	52	13.0	35	6	7	12	16	18	25	38
2. MULTIPLE DX										
0-19 YRS	59	16.8	308	5	6	10	16	48	64	99
20-34	128	17.2	159	7	8	12	21	37	47	76
35-49	177	18.5	179	7	8	14	22	35	50	91
50-64	318	21.3	226	7	9	16	27	43	61	99+
65+	731	23.4	264	8	10	18	29	49	68	99+
TOT. SINGLE DX	173	12.7	52	6	7	10	15	20	28	46
" MULTIPLE DX	1413	21.5	242	8	9	17	27	45	61	99+
TOTAL 0-19 YRS	77	15.2	248	5	6	9	14	33	60	98
20-34	160	15.9	138	7	8	11	18	30	43	69
35-49	205	18.2	170	7	8	14	22	34	48	85
50-64	361	20.3	214	7	8	15	25	41	60	99+
65+	783	22.7	256	8	9	18	28	47	65	99+
GRAND TOTAL	**1586**	**20.5**	**229**	**7**	**8**	**16**	**25**	**43**	**59**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	13.9	69	6	6	12	15	26	33	42
20-34	108	13.8	52	7	8	11	15	25	28	42
35-49	176	12.2	53	7	8	10	13	17	21	53
50-64	506	12.5	29	7	8	11	13	19	23	34
65+	715	14.4	53	8	9	12	16	22	29	46
2. MULTIPLE DX										
0-19 YRS	83	19.5	288	6	7	13	25	44	64	98
20-34	271	18.1	168	7	8	13	21	37	46	86
35-49	674	16.0	92	8	8	13	19	27	33	51
50-64	2415	17.3	114	8	9	14	20	29	38	69
65+	6462	20.9	168	9	10	17	25	37	50	97
TOT. SINGLE DX	1538	13.5	46	7	8	12	15	21	26	42
" MULTIPLE DX	9905	19.6	155	9	10	16	23	35	46	87
TOTAL 0-19 YRS	116	17.9	231	6	7	12	22	41	55	96
20-34	379	16.9	139	7	8	13	20	31	44	78
35-49	850	15.2	87	8	8	12	18	25	32	51
50-64	2921	16.5	103	8	9	13	19	27	35	64
65+	7177	20.3	161	9	10	17	24	36	49	95
GRAND TOTAL	**11443**	**18.8**	**145**	**8**	**9**	**15**	**22**	**33**	**44**	**83**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.4	39	5	5	13	14	22	24	24
20-34	4	14.8	70	6	6	13	20	26	26	26
35-49	12	8.1	4	5	5	8	9	11	12	12
50-64	27	10.8	25	4	5	11	13	17	22	23
65+	32	13.4	71	2	5	11	16	26	29	39
2. MULTIPLE DX										
0-19 YRS	14	12.3	38	6	7	11	14	17	28	31
20-34	32	18.3	277	5	7	13	20	30	58	89
35-49	56	17.6	144	7	8	14	19	34	44	62
50-64	124	19.7	181	8	9	15	24	39	49	85
65+	312	23.2	250	8	10	19	30	53	75	99+
TOT. SINGLE DX	82	11.7	45	4	5	10	14	22	26	36
" MULTIPLE DX	538	21.2	225	8	9	17	26	44	60	99+
TOTAL 0-19 YRS	21	12.3	37	5	6	12	14	19	27	31
20-34	36	17.9	253	5	7	13	20	26	53	89
35-49	68	15.9	132	6	7	12	18	31	43	61
50-64	151	18.1	165	6	8	14	21	35	47	80
65+	344	22.3	242	8	9	18	29	48	70	99+
GRAND TOTAL	**620**	**20.0**	**212**	**7**	**8**	**15**	**25**	**39**	**59**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	6.7	14	2	3	6	8	12	14	20
20-34	92	9.0	14	5	5	8	10	13	17	23
35-49	113	9.0	16	4	5	8	10	13	17	25
50-64	163	9.9	19	4	6	9	11	14	17	29
65+	218	10.3	23	4	6	10	12	16	18	27
2. MULTIPLE DX										
0-19 YRS	123	10.9	127	3	4	8	11	17	30	71
20-34	198	12.9	77	5	6	10	14	23	31	49
35-49	291	13.6	101	6	7	11	15	25	34	80
50-64	655	14.3	104	5	7	11	16	26	37	69
65+	1231	15.9	130	6	7	12	19	29	41	71
TOT. SINGLE DX	682	9.3	20	3	5	9	11	14	17	25
" MULTIPLE DX	2498	14.7	118	5	7	11	17	27	37	70
TOTAL 0-19 YRS	219	9.1	82	2	3	7	10	14	20	52
20-34	290	11.7	60	5	6	10	13	21	25	42
35-49	404	12.3	82	5	6	10	13	22	31	62
50-64	818	13.4	91	5	6	11	15	24	32	59
65+	1449	15.0	118	5	7	12	17	27	39	68
GRAND TOTAL	**3180**	**13.5**	**102**	**5**	**6**	**11**	**15**	**24**	**33**	**64**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	17.3	50	9	9	16	25	26	26	26
20-34	9	9.1	26	1	1	12	12	14	14	14
35-49	17	15.2	202	3	5	11	16	25	51	65
50-64	29	16.9	116	8	8	13	20	30	35	58
65+	49	17.8	72	8	10	16	21	28	33	51
2. MULTIPLE DX										
0-19 YRS	39	18.9	221	5	7	13	23	39	54	70
20-34	40	23.8	530	8	8	16	28	92	99+	99+
35-49	68	21.4	282	7	9	15	26	38	75	98
50-64	325	23.5	234	9	10	19	30	46	58	96
65+	785	26.0	262	9	11	22	34	55	76	99+
TOT. SINGLE DX	110	16.4	101	6	8	14	20	27	33	61
" MULTIPLE DX	1257	24.8	266	8	10	20	32	52	72	99+
TOTAL 0-19 YRS	45	18.7	198	6	8	13	23	37	47	70
20-34	49	21.1	469	6	8	14	24	86	99+	99+
35-49	85	20.2	271	6	8	14	25	38	67	96
50-64	354	22.9	227	8	10	18	29	44	57	95
65+	834	25.5	255	9	11	21	33	54	74	99+
GRAND TOTAL	**1367**	**24.1**	**257**	**8**	**10**	**20**	**31**	**51**	**71**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5439	4.4	5	2	2	4	5	7	9	12
20-34	3455	4.5	4	2	3	4	5	7	8	12
35-49	1095	5.5	7	3	3	5	7	9	11	15
50-64	541	6.9	14	3	3	6	8	12	14	22
65+	203	8.5	21	4	4	8	11	13	15	24
2. MULTIPLE DX										
0-19 YRS	1445	6.8	23	3	3	5	8	13	16	25
20-34	1197	7.1	32	3	3	6	8	12	15	27
35-49	629	9.1	38	3	4	8	11	16	21	34
50-64	577	10.9	51	4	4	10	13	19	24	37
65+	510	13.9	121	5	6	11	16	25	34	75
TOT. SINGLE DX	10733	4.8	7	2	3	4	6	8	10	14
" MULTIPLE DX	4358	8.6	49	3	3	7	10	15	20	36
TOTAL 0-19 YRS	6884	4.9	10	2	3	4	6	8	11	17
20-34	4652	5.2	13	2	3	4	6	8	10	18
35-49	1724	6.8	22	3	3	6	8	12	15	25
50-64	1118	9.0	37	3	4	7	11	15	19	31
65+	713	12.3	99	4	5	10	14	22	29	67
GRAND TOTAL	**15091**	**5.9**	**22**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.5	8	2	2	4	5	7	9	20
20-34	32	4.5	2	3	3	4	6	7	8	9
35-49	14	5.6	2	3	4	5	7	8	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	10.0	50	3	3	9	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	25	5.4	19	2	3	4	6	8	13	25
20-34	23	6.8	17	3	3	5	9	12	18	19
35-49	9	8.0	34	3	4	6	8	17	23	23
50-64	11	12.2	44	4	4	11	19	21	22	22
65+	12	23.1	587	7	7	13	38	90	98	99+
TOT. SINGLE DX	107	4.9	8	2	3	4	5	7	9	20
" MULTIPLE DX	80	9.7	138	3	3	7	10	21	29	96
TOTAL 0-19 YRS	81	4.8	12	2	3	4	5	7	9	24
20-34	55	5.5	10	3	3	4	7	9	11	19
35-49	23	6.6	16	3	4	6	7	9	14	23
50-64	12	11.6	45	4	4	10	18	21	22	22
65+	16	19.8	475	4	6	13	25	80	95	99+
GRAND TOTAL	**187**	**6.9**	**69**	**3**	**3**	**5**	**7**	**12**	**20**	**74**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.6	26	5	6	11	14	21	22	22
20-34	22	9.3	15	4	5	9	11	13	17	22
35-49	8	14.9	23	7	8	15	17	21	23	23
50-64	10	12.5	15	8	8	12	14	18	21	21
65+	7	8.6	20	2	2	9	11	14	15	15
2. MULTIPLE DX										
0-19 YRS	9	12.4	24	6	6	13	15	20	20	20
20-34	14	12.2	14	7	8	12	15	17	19	20
35-49	7	15.1	20	11	11	14	15	23	25	25
50-64	19	17.6	83	6	7	17	22	31	35	37
65+	11	15.9	59	6	8	15	19	27	33	34
TOT. SINGLE DX	61	11.0	23	4	6	10	14	17	21	23
" MULTIPLE DX	60	15.0	49	6	7	14	18	24	31	37
TOTAL 0-19 YRS	23	12.0	24	5	6	12	14	20	21	22
20-34	36	10.4	17	5	6	9	13	15	19	22
35-49	15	15.0	21	8	10	14	17	23	24	25
50-64	29	15.8	65	7	7	14	20	29	32	37
65+	18	13.1	55	3	5	12	16	22	30	34
GRAND TOTAL	**121**	**13.0**	**39**	**5**	**6**	**12**	**15**	**21**	**24**	**35**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	3.4	8	<1	<1	3	4	7	10	15
20-34	134	4.1	30	<1	1	3	5	8	10	21
35-49	78	3.8	10	<1	1	3	4	8	10	17
50-64	183	5.0	54	<1	1	3	5	12	16	40
65+	311	5.5	47	<1	1	3	6	12	19	28
2. MULTIPLE DX										
0-19 YRS	65	6.2	71	1	2	4	6	14	16	57
20-34	137	7.9	96	1	1	5	10	16	23	51
35-49	183	7.4	45	1	2	6	10	16	17	30
50-64	416	7.4	51	1	2	5	9	17	23	32
65+	1199	10.5	113	2	2	8	14	22	32	68
TOT. SINGLE DX	793	4.8	39	<1	1	3	5	10	14	29
" MULTIPLE DX	2000	9.3	94	1	2	6	12	20	27	56
TOTAL 0-19 YRS	152	4.6	37	<1	1	3	5	10	14	18
20-34	271	6.0	67	1	1	4	7	12	16	44
35-49	261	6.3	37	1	1	5	8	13	16	27
50-64	599	6.6	53	1	1	4	8	15	21	34
65+	1510	9.5	104	1	2	6	13	21	29	60
GRAND TOTAL	**2793**	**8.0**	**83**	**1**	**1**	**5**	**10**	**18**	**25**	**53**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.7	8	1	1	3	4	6	10	16
20-34	184	3.1	6	1	1	3	4	5	7	14
35-49	120	3.2	3	1	1	3	4	6	7	10
50-64	73	3.7	7	1	1	3	5	6	8	16
65+	28	5.6	25	2	2	4	7	9	13	27
2. MULTIPLE DX										
0-19 YRS	22	4.5	10	<1	1	4	6	9	12	13
20-34	124	5.2	17	1	2	4	6	11	14	22
35-49	126	6.4	81	1	1	4	7	11	18	54
50-64	108	8.9	110	2	2	5	10	21	29	59
65+	97	11.2	138	2	2	7	13	25	41	56
TOT. SINGLE DX	449	3.4	8	1	1	3	4	6	8	16
" MULTIPLE DX	477	7.5	85	1	2	5	8	16	24	53
TOTAL 0-19 YRS	66	3.9	9	1	1	3	4	8	11	16
20-34	308	4.0	12	1	1	3	5	7	10	19
35-49	246	4.8	46	1	1	3	5	9	11	33
50-64	181	6.8	75	1	2	4	7	16	22	49
65+	125	9.9	118	2	2	6	12	24	30	55
GRAND TOTAL	**926**	**5.5**	**51**	**1**	**1**	**3**	**6**	**11**	**17**	**42**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	12.6	57	2	6	11	13	25	31	33
20-34	13	17.8	176	6	7	12	26	35	50	53
35-49	41	13.3	36	7	8	12	16	19	21	41
50-64	159	14.3	27	9	9	13	17	22	25	32
65+	220	16.6	93	8	9	15	19	26	33	65
2. MULTIPLE DX										
0-19 YRS	20	14.9	89	5	7	12	20	37	66	99+
20-34	35	20.5	180	8	9	16	26	36	54	65
35-49	130	17.4	89	8	9	15	20	29	36	55
50-64	614	19.2	116	10	11	16	22	32	39	81
65+	1357	22.6	168	10	11	19	27	40	51	99+
TOT. SINGLE DX	451	15.4	68	8	9	14	18	24	28	53
" MULTIPLE DX	2156	21.2	152	9	11	18	25	37	47	92
TOTAL 0-19 YRS	38	13.8	73	5	7	11	16	31	38	99+
20-34	48	19.8	177	8	8	15	26	35	53	65
35-49	171	16.4	80	8	9	14	19	27	34	54
50-64	773	18.2	102	9	10	16	21	30	37	73
65+	1577	21.7	163	9	11	18	26	38	49	93
GRAND TOTAL	**2607**	**20.2**	**142**	**9**	**10**	**17**	**24**	**35**	**44**	**87**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	3.9	11	<1	<1	3	5	8	10	17
20-34	465	5.0	17	<1	1	4	6	9	12	16
35-49	563	4.7	17	<1	<1	4	6	9	12	22
50-64	603	4.6	23	<1	<1	4	6	9	11	18
65+	642	5.8	34	<1	<1	5	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	249	6.8	55	1	1	5	8	14	20	33
20-34	1168	6.7	37	2	2	5	8	12	16	32
35-49	1933	7.7	44	2	2	6	9	14	19	36
50-64	3257	8.2	54	1	2	6	10	15	20	38
65+	7200	10.8	93	2	3	8	13	20	29	61
TOT. SINGLE DX	2424	5.0	23	<1	<1	4	7	10	12	21
" MULTIPLE DX	13807	9.3	75	2	3	7	11	18	25	49
TOTAL 0-19 YRS	400	5.7	41	<1	1	4	7	11	17	32
20-34	1633	6.2	33	1	2	5	8	11	15	29
35-49	2496	7.0	40	1	2	5	9	13	17	34
50-64	3860	7.6	52	1	2	6	9	14	19	36
65+	7842	10.4	91	2	3	8	13	20	28	59
GRAND TOTAL	**16231**	**8.7**	**70**	**1**	**2**	**7**	**11**	**17**	**23**	**45**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.6	3	<1	<1	2	4	4	5	10
20-34	312	3.2	1	1	2	3	4	5	6	8
35-49	334	3.2	3	1	2	3	4	5	6	10
50-64	176	3.6	4	1	2	3	4	6	6	12
65+	61	3.8	4	1	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	20	4.9	29	<1	1	3	5	13	18	22
20-34	257	4.4	12	1	2	4	5	7	11	21
35-49	347	3.9	6	1	2	4	4	6	8	16
50-64	285	4.5	15	2	2	4	5	7	10	26
65+	170	5.6	28	2	2	4	6	11	14	27
TOT. SINGLE DX	930	3.3	3	1	2	3	4	5	6	10
" MULTIPLE DX	1079	4.4	15	1	2	4	5	7	11	21
TOTAL 0-19 YRS	67	3.3	12	<1	<1	2	4	5	10	21
20-34	569	3.7	7	1	2	3	4	6	7	15
35-49	681	3.6	5	1	2	3	4	5	7	13
50-64	461	4.2	11	2	2	4	4	6	9	20
65+	231	5.1	23	2	2	4	6	9	12	27
GRAND TOTAL	**2009**	**3.9**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.7	4	1	1	2	4	4	6	12
20-34	334	2.8	5	1	1	2	3	4	5	8
35-49	166	3.0	3	<1	1	3	4	5	6	7
50-64	97	3.3	4	1	1	3	4	5	7	13
65+	38	4.9	29	1	2	3	4	9	16	31
2. MULTIPLE DX										
0-19 YRS	20	9.1	346	1	2	4	5	17	55	85
20-34	279	3.9	20	1	1	3	4	6	8	13
35-49	325	3.9	5	1	2	3	5	6	9	12
50-64	283	4.6	14	2	2	4	5	7	11	22
65+	241	7.1	64	2	2	5	8	13	19	58
TOT. SINGLE DX	673	3.0	6	1	1	3	4	5	6	13
" MULTIPLE DX	1148	4.8	31	1	2	4	5	8	12	26
TOTAL 0-19 YRS	58	4.9	127	1	1	3	4	6	10	80
20-34	613	3.3	12	1	1	3	4	5	6	12
35-49	491	3.6	5	1	1	3	4	6	7	12
50-64	380	4.2	12	1	2	3	5	7	10	20
65+	279	6.8	60	2	2	4	8	13	19	54
GRAND TOTAL	**1821**	**4.2**	**23**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.8	2	1	1	4	5	6	6	6
20-34	293	4.1	3	2	2	4	5	6	7	11
35-49	449	4.3	3	2	2	4	5	6	8	10
50-64	305	4.1	3	1	2	4	5	6	7	9
65+	93	4.6	5	2	3	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	37	3.5	2	1	1	4	4	5	6	8
20-34	1246	4.3	4	2	2	4	5	7	8	12
35-49	1930	4.8	9	2	2	4	6	8	10	17
50-64	1649	5.3	16	2	2	4	6	9	11	20
65+	1004	7.2	45	2	2	5	8	14	19	38
TOT. SINGLE DX	1159	4.2	3	2	2	4	5	6	8	10
" MULTIPLE DX	5866	5.2	18	2	2	4	6	9	12	22
TOTAL 0-19 YRS	56	3.6	2	1	1	4	5	5	6	8
20-34	1539	4.2	5	2	2	4	5	7	8	12
35-49	2379	4.7	8	2	2	4	5	7	9	16
50-64	1954	5.1	15	2	2	4	6	8	11	18
65+	1097	7.0	43	2	2	5	8	14	18	37
GRAND TOTAL	**7025**	**5.1**	**15**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	3.6	7	1	1	3	4	7	9	14
20-34	349	3.1	3	1	1	3	4	5	7	12
35-49	288	3.5	6	1	1	3	4	6	8	14
50-64	160	3.8	8	1	1	3	5	6	8	18
65+	86	4.8	11	1	2	4	5	10	12	16
2. MULTIPLE DX										
0-19 YRS	50	7.5	72	2	2	4	10	14	21	48
20-34	234	5.1	30	1	2	4	6	9	13	21
35-49	294	5.2	19	1	2	4	7	10	13	22
50-64	291	7.1	73	1	2	4	8	14	22	50
65+	285	9.6	118	2	3	6	12	19	28	66
TOT. SINGLE DX	962	3.5	6	1	1	3	4	6	8	14
" MULTIPLE DX	1154	6.9	65	1	2	4	8	14	18	44
TOTAL 0-19 YRS	129	5.1	36	1	1	3	5	10	14	39
20-34	583	3.9	15	1	1	3	5	7	9	16
35-49	582	4.4	14	1	1	3	5	8	11	20
50-64	451	5.9	53	1	2	4	6	12	17	48
65+	371	8.5	98	2	2	5	10	17	25	49
GRAND TOTAL	**2116**	**5.4**	**41**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	11.0	56	1	2	9	17	21	22	22
35-49	4	6.0	4	4	4	5	7	9	9	9
50-64	6	10.7	94	1	1	8	15	27	28	28
65+	5	13.2	140	1	1	15	21	29	29	29
2. MULTIPLE DX										
0-19 YRS	3	26.0	259	8	8	31	37	39	39	39
20-34	9	24.1	372	8	8	19	33	56	65	65
35-49	19	19.4	175	3	6	16	30	41	46	46
50-64	41	19.1	174	2	2	18	26	37	45	54
65+	39	20.6	252	2	7	16	28	43	54	74
TOT. SINGLE DX	23	10.3	66	1	1	8	15	23	28	29
" MULTIPLE DX	111	20.3	214	2	5	16	28	42	47	69
TOTAL 0-19 YRS	5	19.0	223	7	7	10	33	39	39	39
20-34	15	18.9	277	2	7	11	23	43	59	65
35-49	23	17.1	171	3	5	15	20	38	45	46
50-64	47	18.0	170	2	2	16	26	36	44	54
65+	44	19.8	242	2	3	15	27	42	52	74
GRAND TOTAL	**134**	**18.6**	**202**	**2**	**4**	**16**	**26**	**39**	**46**	**66**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.7	13	1	1	2	5	8	12	16
20-34	200	3.7	17	1	1	2	5	9	12	19
35-49	209	3.4	39	<1	1	2	3	7	12	22
50-64	248	3.9	25	<1	1	2	4	11	15	23
65+	131	6.1	59	1	1	2	8	17	24	33
2. MULTIPLE DX										
0-19 YRS	80	14.5	275	1	2	8	22	32	40	87
20-34	345	10.6	145	1	1	7	14	25	37	79
35-49	589	11.7	152	1	2	8	15	27	34	69
50-64	1137	11.1	118	1	2	8	15	25	33	51
65+	1286	14.9	186	1	2	12	19	31	41	82
TOT. SINGLE DX	826	4.1	32	<1	1	2	4	10	15	25
" MULTIPLE DX	3437	12.7	159	1	2	10	17	28	36	74
TOTAL 0-19 YRS	118	11.1	216	1	1	6	14	28	36	82
20-34	545	8.1	109	1	1	4	11	20	27	67
35-49	798	9.5	136	1	1	5	13	24	32	66
50-64	1385	9.8	110	1	1	7	14	23	31	48
65+	1417	14.1	181	1	2	11	19	30	39	79
GRAND TOTAL	**4263**	**11.0**	**146**	**1**	**1**	**8**	**15**	**25**	**34**	**68**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	6.6	7	4	4	6	7	9	13	17
20-34	2801	6.7	7	4	4	6	8	10	11	16
35-49	2749	7.0	6	4	5	6	8	10	11	16
50-64	2494	7.7	8	5	5	7	9	11	13	18
65+	1331	9.5	20	5	6	8	11	15	18	27
2. MULTIPLE DX										
0-19 YRS	186	9.7	31	4	5	8	11	16	20	35
20-34	2292	8.7	22	4	5	7	10	14	17	29
35-49	3430	9.3	34	5	5	8	11	15	19	33
50-64	5334	10.8	44	5	6	9	13	18	23	36
65+	7106	15.2	108	6	7	12	18	26	35	69
TOT. SINGLE DX	9600	7.4	10	4	5	7	8	11	13	19
" MULTIPLE DX	18348	11.9	72	5	6	9	14	21	27	51
TOTAL 0-19 YRS	411	8.0	20	4	5	7	9	13	16	26
20-34	5093	7.6	15	4	5	7	9	12	14	22
35-49	6179	8.3	23	4	5	7	9	13	16	28
50-64	7828	9.8	35	5	5	8	11	16	20	33
65+	8437	14.3	99	6	6	12	17	25	32	65
GRAND TOTAL	**27948**	**10.4**	**55**	**5**	**5**	**8**	**12**	**18**	**23**	**42**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	14.8	10	10	10	15	18	18	18	18
20-34	32	8.1	65	<1	1	6	10	16	28	38
35-49	56	10.0	55	2	2	9	13	21	23	37
50-64	80	12.5	103	1	2	10	17	25	33	49
65+	138	14.4	145	1	2	11	19	33	40	55
2. MULTIPLE DX										
0-19 YRS	10	22.8	286	5	6	21	22	51	61	61
20-34	44	14.4	113	2	4	10	20	32	40	42
35-49	103	16.7	131	3	5	14	21	34	37	57
50-64	329	18.4	147	4	6	16	24	34	48	62
65+	1034	20.4	185	3	6	18	27	38	50	83
TOT. SINGLE DX	312	12.5	111	1	2	10	17	26	35	51
" MULTIPLE DX	1520	19.6	174	3	6	17	25	37	49	80
TOTAL 0-19 YRS	16	19.8	191	6	7	17	22	40	55	61
20-34	76	11.7	102	1	1	9	15	25	36	42
35-49	159	14.3	114	2	3	11	19	29	36	51
50-64	409	17.2	144	3	4	15	22	32	46	60
65+	1172	19.7	185	3	5	17	26	38	50	82
GRAND TOTAL	**1832**	**18.4**	**171**	**2**	**4**	**16**	**24**	**36**	**46**	**73**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.8	67	1	1	3	5	19	27	27
20-34	80	5.6	34	1	1	4	8	12	18	30
35-49	136	6.0	60	<1	<1	3	9	12	17	51
50-64	141	6.5	51	<1	1	3	9	15	20	32
65+	132	8.8	151	1	1	4	10	24	33	62
2. MULTIPLE DX										
0-19 YRS	24	19.9	401	1	2	17	27	42	65	87
20-34	171	14.9	189	2	3	10	20	38	46	96
35-49	357	15.8	195	1	2	12	22	36	48	99
50-64	552	15.6	192	2	3	12	22	32	49	75
65+	920	16.1	191	2	3	12	22	34	46	81
TOT. SINGLE DX	498	6.8	79	<1	1	3	9	16	25	44
" MULTIPLE DX	2024	15.8	194	2	3	12	22	34	47	87
TOTAL 0-19 YRS	33	16.1	346	1	2	11	25	35	53	87
20-34	251	11.9	159	1	2	8	15	31	41	85
35-49	493	13.1	177	1	1	9	17	31	44	85
50-64	693	13.7	177	1	2	10	19	30	45	65
65+	1052	15.2	192	2	2	12	21	33	44	81
GRAND TOTAL	**2522**	**14.1**	**184**	**1**	**2**	**10**	**19**	**32**	**44**	**78**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	3.9	14	<1	<1	3	5	8	9	15
20-34	455	5.5	41	<1	1	4	7	10	14	23
35-49	436	4.9	21	<1	<1	4	7	10	13	21
50-64	604	4.5	20	<1	<1	3	6	9	12	21
65+	783	5.2	34	<1	<1	4	7	11	14	32
2. MULTIPLE DX										
0-19 YRS	211	6.6	44	1	2	5	8	12	20	48
20-34	799	7.0	45	1	2	5	9	13	19	36
35-49	1145	7.9	59	1	2	6	9	15	21	47
50-64	2544	8.3	66	1	2	6	10	16	22	43
65+	7845	10.1	90	2	2	8	12	20	28	64
TOT. SINGLE DX	2463	4.9	29	<1	<1	4	7	10	13	23
" MULTIPLE DX	12544	9.3	80	1	2	7	11	18	25	55
TOTAL 0-19 YRS	396	5.3	32	<1	1	4	7	10	14	37
20-34	1254	6.4	45	1	2	5	8	12	16	35
35-49	1581	7.1	51	<1	1	5	9	14	19	36
50-64	3148	7.5	60	<1	1	6	9	15	20	41
65+	8628	9.7	88	1	2	7	12	19	27	60
GRAND TOTAL	**15007**	**8.6**	**75**	**1**	**2**	**6**	**11**	**17**	**23**	**51**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2760	1.9	1	<1	<1	2	2	3	4	5
20-34	3228	3.0	2	1	1	3	4	4	5	7
35-49	2760	3.2	1	1	2	3	4	5	5	8
50-64	3979	3.5	2	1	2	3	4	5	6	9
65+	2954	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	1351	2.4	14	<1	<1	2	2	4	5	11
20-34	1146	3.6	4	1	2	3	4	5	7	11
35-49	1688	4.1	8	1	2	4	5	6	8	15
50-64	3981	4.6	13	2	2	4	5	7	10	18
65+	6069	6.6	44	2	3	5	7	12	18	39
TOT. SINGLE DX	15681	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	14235	5.1	27	1	2	4	6	9	13	27
TOTAL 0-19 YRS	4111	2.0	6	<1	<1	2	2	3	4	8
20-34	4374	3.1	3	1	2	3	4	5	5	8
35-49	4448	3.5	5	1	2	3	4	5	6	11
50-64	7960	4.0	8	2	2	4	5	6	8	15
65+	9023	5.8	33	2	2	4	6	10	15	34
GRAND TOTAL	**29916**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	963	1.5	1	<1	<1	1	2	2	3	5
20-34	178	3.6	2	2	2	4	4	5	6	8
35-49	292	4.0	2	2	2	4	5	6	7	9
50-64	465	4.2	2	2	3	4	5	6	7	9
65+	253	4.7	4	2	3	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	744	3.0	84	<1	<1	1	2	3	7	81
20-34	106	4.0	7	1	2	4	4	6	7	17
35-49	232	4.5	4	2	2	4	5	7	8	12
50-64	518	5.1	9	2	3	5	6	8	10	17
65+	608	7.0	40	3	3	5	8	11	17	38
TOT. SINGLE DX	2151	3.0	4	<1	<1	3	4	5	6	9
" MULTIPLE DX	2208	4.8	45	<1	<1	4	6	8	11	40
TOTAL 0-19 YRS	1707	2.2	38	<1	<1	1	2	3	4	34
20-34	284	3.7	4	1	2	4	4	5	6	10
35-49	524	4.2	4	2	2	4	5	6	8	11
50-64	983	4.7	6	2	3	4	5	7	9	15
65+	861	6.3	31	2	3	5	7	10	14	31
GRAND TOTAL	**4359**	**3.9**	**26**	**<1**	**<1**	**3**	**5**	**7**	**9**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.5	4	<1	1	2	3	5	5	12
20-34	68	3.2	2	1	1	3	4	5	5	8
35-49	128	3.4	2	1	1	3	4	6	6	9
50-64	174	4.5	8	2	2	4	5	7	8	13
65+	222	5.7	12	2	3	5	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	6	6.7	55	<1	<1	5	7	20	21	21
20-34	38	3.8	3	1	2	3	4	7	7	8
35-49	79	4.2	5	1	2	4	5	8	10	12
50-64	155	6.2	25	2	3	5	7	11	16	30
65+	532	9.8	78	2	3	7	12	18	26	43
TOT. SINGLE DX	622	4.5	9	1	2	4	5	7	9	16
" MULTIPLE DX	810	8.3	62	2	3	6	10	16	22	38
TOTAL 0-19 YRS	36	3.2	14	<1	<1	2	4	6	10	21
20-34	106	3.4	3	1	1	3	4	5	7	8
35-49	207	3.7	4	1	2	3	4	6	8	11
50-64	329	5.3	17	2	2	4	6	9	11	28
65+	754	8.6	63	2	3	6	10	16	22	38
GRAND TOTAL	**1432**	**6.6**	**43**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	442	2.0	3	<1	<1	2	2	3	4	5
20-34	236	2.9	1	1	1	3	4	5	5	7
35-49	357	3.2	2	1	1	3	4	5	6	10
50-64	270	3.7	3	1	2	3	5	6	7	10
65+	133	5.5	31	2	2	4	7	9	10	28
2. MULTIPLE DX										
0-19 YRS	100	3.2	17	<1	<1	2	4	6	7	26
20-34	113	4.2	5	1	2	4	5	7	8	11
35-49	303	5.0	14	1	2	4	6	8	11	20
50-64	425	6.4	24	2	2	5	8	13	17	27
65+	404	9.7	102	2	3	7	11	17	28	71
TOT. SINGLE DX	1438	3.1	6	<1	1	3	4	5	6	10
" MULTIPLE DX	1345	6.7	48	1	2	5	8	13	17	42
TOTAL 0-19 YRS	542	2.2	6	<1	<1	2	3	3	5	9
20-34	349	3.3	3	1	1	3	4	5	7	9
35-49	660	4.0	9	1	2	3	5	7	8	16
50-64	695	5.3	18	1	2	4	6	10	14	25
65+	537	8.7	88	2	3	6	10	16	23	69
GRAND TOTAL	**2783**	**4.8**	**30**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	2.4	2	<1	<1	2	3	4	5	10
20-34	409	3.7	3	1	1	3	5	6	7	9
35-49	557	4.7	5	2	2	4	6	8	9	12
50-64	613	5.2	5	2	3	5	6	8	10	13
65+	431	6.1	8	2	3	6	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	38	4.4	27	<1	<1	3	4	8	18	27
20-34	239	6.0	19	2	2	5	7	10	15	25
35-49	615	7.0	25	2	3	6	8	12	16	27
50-64	1089	8.5	50	3	4	7	10	15	20	40
65+	1264	10.9	95	3	4	8	13	20	26	76
TOT. SINGLE DX	2110	4.8	7	1	2	4	6	8	10	13
" MULTIPLE DX	3245	8.9	64	3	3	7	10	16	22	45
TOTAL 0-19 YRS	138	3.0	10	<1	<1	2	3	5	7	23
20-34	648	4.5	11	1	2	4	6	7	9	18
35-49	1172	5.9	17	2	2	5	7	10	13	21
50-64	1702	7.3	37	2	3	6	8	12	16	32
65+	1695	9.7	78	3	4	8	11	18	24	57
GRAND TOTAL	**5355**	**7.3**	**45**	**2**	**3**	**6**	**9**	**13**	**18**	**35**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	18	7.6	17	2	2	7	9	15	16	16
35-49	26	7.2	15	2	2	7	10	12	15	17
50-64	29	7.7	9	3	4	7	10	12	13	15
65+	36	11.6	40	3	5	10	14	21	23	34
2. MULTIPLE DX										
0-19 YRS	10	12.2	77	3	4	11	13	27	31	31
20-34	35	11.5	84	4	6	9	11	21	33	48
35-49	53	11.5	54	4	5	10	15	20	27	98
50-64	112	12.0	37	6	7	10	15	21	25	61
65+	184	16.6	119	7	8	13	19	32	43	99+
TOT. SINGLE DX	111	8.7	26	2	3	8	11	15	17	27
" MULTIPLE DX	394	14.0	88	5	7	11	17	25	35	99+
TOTAL 0-19 YRS	12	10.7	77	2	3	9	12	26	30	31
20-34	53	10.2	64	2	4	8	11	16	30	48
35-49	79	10.1	45	2	4	9	13	19	22	84
50-64	141	11.1	35	4	6	9	13	20	23	43
65+	220	15.8	110	6	8	13	19	28	41	99+
GRAND TOTAL	**505**	**12.9**	**79**	**4**	**6**	**10**	**16**	**23**	**33**	**86**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	4.0	13	<1	<1	3	5	8	11	19
20-34	261	4.5	12	<1	1	4	6	8	11	21
35-49	194	5.7	32	<1	1	4	7	13	17	24
50-64	206	7.0	36	1	1	5	9	13	19	28
65+	162	8.7	49	1	2	7	12	17	20	33
2. MULTIPLE DX										
0-19 YRS	137	8.0	59	1	2	6	10	17	24	59
20-34	321	9.8	125	1	2	6	11	23	34	67
35-49	572	11.6	132	1	2	8	14	25	32	66
50-64	1094	12.8	131	2	3	9	17	27	38	65
65+	1673	15.4	176	2	4	12	20	30	42	82
TOT. SINGLE DX	1001	5.8	30	<1	1	4	8	12	17	25
" MULTIPLE DX	3797	13.4	153	2	3	10	18	28	38	75
TOTAL 0-19 YRS	315	5.7	37	<1	1	4	7	12	17	32
20-34	582	7.4	82	1	1	5	8	16	27	52
35-49	766	10.1	114	1	2	7	13	22	29	56
50-64	1300	11.9	121	2	2	9	15	24	36	63
65+	1835	14.8	169	2	3	11	19	29	40	80
GRAND TOTAL	**4798**	**11.8**	**137**	**1**	**2**	**8**	**15**	**26**	**35**	**70**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	5.8	13	1	2	5	8	11	14	18
20-34	236	5.8	11	1	2	5	7	10	13	19
35-49	103	7.7	28	1	3	7	10	14	17	32
50-64	56	11.1	88	3	4	8	13	18	33	54
65+	67	13.0	35	4	6	12	18	21	23	26
2. MULTIPLE DX										
0-19 YRS	147	10.1	100	3	3	8	11	16	35	62
20-34	374	9.9	96	2	3	7	11	19	32	53
35-49	244	14.5	234	3	5	9	16	34	51	79
50-64	339	17.3	181	5	6	13	21	34	49	79
65+	503	21.1	230	7	8	17	26	43	57	99+
TOT. SINGLE DX	579	7.5	32	1	2	6	9	15	18	26
" MULTIPLE DX	1607	15.7	198	3	5	11	19	34	48	84
TOTAL 0-19 YRS	264	8.2	66	2	3	6	9	15	18	47
20-34	610	8.3	68	2	2	6	9	16	24	48
35-49	347	12.5	183	2	4	8	13	26	41	79
50-64	395	16.4	173	5	5	12	20	33	48	76
65+	570	20.2	215	7	8	16	25	39	54	99+
GRAND TOTAL	**2186**	**13.5**	**167**	**2**	**4**	**9**	**17**	**29**	**41**	**77**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	306	2.7	4	<1	1	2	3	6	7	10
20-34	1636	2.1	3	<1	<1	2	2	4	6	9
35-49	366	2.3	4	<1	<1	2	2	4	7	12
50-64	44	2.4	3	<1	<1	2	3	5	6	9
65+	16	2.6	3	<1	1	2	3	4	7	9
2. MULTIPLE DX										
0-19 YRS	255	3.6	8	<1	1	2	5	8	9	14
20-34	1943	2.5	7	<1	<1	2	2	5	7	13
35-49	520	2.8	12	<1	<1	2	2	5	9	19
50-64	64	4.8	27	<1	1	2	6	11	14	30
65+	65	13.0	139	1	2	10	21	25	31	65
TOT. SINGLE DX	2368	2.2	3	<1	<1	2	2	5	6	9
" MULTIPLE DX	2847	2.9	15	<1	<1	2	3	6	9	19
TOTAL 0-19 YRS	561	3.1	6	<1	1	2	4	7	8	12
20-34	3579	2.3	6	<1	<1	2	2	5	7	11
35-49	886	2.6	9	<1	<1	2	2	5	8	16
50-64	108	3.8	19	<1	<1	2	4	10	12	23
65+	81	10.9	130	1	2	7	17	24	31	59
GRAND TOTAL	**5215**	**2.6**	**10**	**<1**	**<1**	**2**	**3**	**5**	**8**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	7.5	49	1	2	6	8	12	18	47
20-34	291	6.2	20	<1	1	6	8	11	15	25
35-49	200	8.0	26	<1	2	8	10	13	15	31
50-64	165	9.1	21	2	3	9	11	15	17	23
65+	166	11.8	41	4	5	11	14	19	26	33
2. MULTIPLE DX										
0-19 YRS	132	11.0	231	1	2	7	11	22	38	94
20-34	835	7.2	57	1	1	6	8	13	19	39
35-49	654	11.5	116	1	2	8	14	23	32	63
50-64	674	15.4	131	3	5	12	20	29	38	65
65+	1087	19.6	194	6	8	16	24	38	54	99+
TOT. SINGLE DX	895	8.3	32	1	2	7	11	15	18	28
" MULTIPLE DX	3382	13.8	158	2	3	10	18	28	39	78
TOTAL 0-19 YRS	205	9.8	169	1	2	7	10	16	25	89
20-34	1126	6.9	48	<1	1	6	8	13	17	36
35-49	854	10.7	98	1	2	8	13	21	28	61
50-64	839	14.2	116	3	4	11	18	27	35	61
65+	1253	18.6	181	5	7	15	23	35	51	97
GRAND TOTAL	**4277**	**12.6**	**137**	**1**	**2**	**9**	**16**	**26**	**35**	**68**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	8.7	12	3	3	9	11	13	14	15
20-34	26	8.8	9	6	6	8	10	13	15	20
35-49	53	10.9	27	6	7	9	11	17	21	35
50-64	95	11.2	16	7	7	10	12	16	18	25
65+	116	13.1	25	8	8	12	15	19	23	32
2. MULTIPLE DX										
0-19 YRS	74	11.3	78	4	5	9	13	20	34	47
20-34	89	13.8	185	6	7	10	13	22	35	91
35-49	134	14.8	77	6	8	12	18	24	40	46
50-64	403	15.7	91	7	8	13	18	26	38	54
65+	623	18.6	128	8	9	16	22	33	47	99+
TOT. SINGLE DX	306	11.5	23	6	7	10	13	17	21	26
" MULTIPLE DX	1323	16.6	118	7	8	14	20	30	40	80
TOTAL 0-19 YRS	90	10.9	67	4	5	9	12	18	24	46
20-34	115	12.6	150	6	6	9	13	21	29	88
35-49	187	13.7	66	6	7	11	16	22	33	45
50-64	498	14.8	81	7	8	12	17	25	34	50
65+	739	17.8	117	8	9	15	21	31	42	99+
GRAND TOTAL	**1629**	**15.7**	**104**	**7**	**8**	**13**	**18**	**27**	**38**	**72**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	7.2	26	2	2	7	11	13	16	19
20-34	225	8.2	27	2	2	8	11	14	17	26
35-49	243	8.0	24	2	2	8	10	13	16	26
50-64	218	8.6	27	2	2	8	11	15	17	21
65+	134	8.4	34	2	2	8	10	13	19	36
2. MULTIPLE DX										
0-19 YRS	199	12.9	99	2	3	10	18	26	31	58
20-34	349	11.6	82	2	3	10	15	23	27	42
35-49	376	13.0	105	2	3	10	16	23	34	50
50-64	613	14.4	143	2	3	11	17	28	38	66
65+	721	16.3	175	2	4	13	21	33	46	85
TOT. SINGLE DX	978	8.1	28	2	2	8	10	14	16	26
" MULTIPLE DX	2258	14.2	137	2	3	11	18	28	38	70
TOTAL 0-19 YRS	357	10.4	75	2	2	8	13	21	27	48
20-34	574	10.3	64	2	2	9	13	19	25	40
35-49	619	11.0	80	2	2	9	14	20	28	46
50-64	831	12.9	120	2	3	10	15	24	33	64
65+	855	15.1	162	2	3	12	19	31	42	80
GRAND TOTAL	**3236**	**12.4**	**112**	**2**	**3**	**10**	**15**	**24**	**33**	**63**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.7	6	2	3	7	8	10	11	11
20-34	146	7.7	11	2	3	7	10	12	13	19
35-49	199	9.0	14	3	5	9	11	13	15	19
50-64	174	8.7	13	2	4	9	11	13	15	17
65+	70	9.7	22	3	4	9	11	16	20	25
2. MULTIPLE DX										
0-19 YRS	13	8.0	16	<1	2	8	10	13	15	15
20-34	129	11.8	92	4	5	10	14	19	21	95
35-49	190	10.8	36	3	4	10	13	17	21	37
50-64	323	11.9	64	3	5	10	15	19	24	40
65+	325	14.6	95	3	5	13	18	27	32	75
TOT. SINGLE DX	603	8.6	15	3	4	8	11	13	15	20
" MULTIPLE DX	980	12.5	75	3	5	11	15	21	27	49
TOTAL 0-19 YRS	27	7.3	11	2	3	8	9	12	13	15
20-34	275	9.6	54	3	4	8	12	15	19	43
35-49	389	9.9	27	3	4	9	12	15	18	34
50-64	497	10.8	49	3	4	10	13	17	20	36
65+	395	13.7	86	3	5	12	17	25	30	64
GRAND TOTAL	**1583**	**11.0**	**55**	**3**	**4**	**10**	**13**	**18**	**23**	**41**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	7.9	6	5	5	7	9	10	12	19
20-34	18	11.6	28	3	8	10	13	20	24	25
35-49	11	12.4	18	3	7	13	15	17	19	19
50-64	6	9.8	19	2	3	11	13	14	14	14
65+	11	16.2	107	2	2	18	23	28	35	36
2. MULTIPLE DX										
0-19 YRS	146	11.9	77	6	6	9	14	21	25	44
20-34	41	15.5	180	5	7	11	17	26	41	81
35-49	36	17.9	74	8	9	16	21	29	35	48
50-64	62	18.6	222	4	7	13	24	35	48	82
65+	105	21.2	158	8	10	18	26	33	52	88
TOT. SINGLE DX	202	9.0	19	5	5	8	10	14	19	24
" MULTIPLE DX	390	16.4	146	6	7	13	21	29	38	80
TOTAL 0-19 YRS	302	9.8	45	5	6	8	10	16	21	38
20-34	59	14.3	136	5	7	11	16	24	33	78
35-49	47	16.6	66	8	9	15	19	26	31	48
50-64	68	17.8	210	4	7	13	21	35	41	81
65+	116	20.7	155	6	9	18	26	33	48	85
GRAND TOTAL	**592**	**13.9**	**115**	**5**	**6**	**10**	**17**	**26**	**33**	**68**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	5.1	16	<1	<1	3	8	11	14	16
20-34	292	4.7	11	1	2	4	6	8	10	16
35-49	418	4.5	7	1	2	4	6	8	10	14
50-64	288	4.7	9	1	2	4	6	8	11	15
65+	114	5.5	18	2	2	4	7	11	13	24
2. MULTIPLE DX										
0-19 YRS	58	10.1	62	1	2	9	13	18	20	51
20-34	168	6.7	39	2	2	5	8	12	14	43
35-49	301	6.8	29	2	2	5	9	13	18	32
50-64	373	7.4	44	2	2	6	9	14	19	38
65+	323	9.9	78	2	2	7	13	20	27	47
TOT. SINGLE DX	1167	4.7	11	1	2	4	6	9	11	16
" MULTIPLE DX	1223	7.9	52	2	2	6	10	15	21	39
TOTAL 0-19 YRS	113	7.6	46	<1	<1	7	10	15	18	35
20-34	460	5.4	22	1	2	4	7	10	12	21
35-49	719	5.5	18	1	2	4	7	10	13	24
50-64	661	6.2	31	2	2	5	8	12	15	28
65+	437	8.8	67	2	2	6	11	18	26	41
GRAND TOTAL	**2390**	**6.4**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	409	1.9	3	<1	<1	1	2	4	6	10
20-34	668	3.4	9	<1	<1	2	5	7	10	15
35-49	857	3.3	8	<1	<1	2	5	7	9	14
50-64	979	3.4	12	<1	<1	2	4	7	10	17
65+	942	4.2	17	<1	1	3	6	9	11	23
2. MULTIPLE DX										
0-19 YRS	454	3.2	13	<1	<1	2	4	7	10	20
20-34	1085	6.1	42	<1	1	4	8	12	17	34
35-49	1670	6.4	55	<1	1	4	8	13	19	38
50-64	3451	6.8	77	1	1	4	8	15	22	46
65+	7528	10.4	150	1	2	7	13	24	35	92
TOT. SINGLE DX	3855	3.4	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	14188	8.5	114	1	1	5	11	19	28	71
TOTAL 0-19 YRS	863	2.6	9	<1	<1	1	3	6	8	17
20-34	1753	5.1	32	<1	1	3	7	11	15	30
35-49	2527	5.4	42	<1	1	3	7	11	16	32
50-64	4430	6.0	65	<1	1	3	7	14	19	42
65+	8470	9.7	140	1	1	6	12	23	33	86
GRAND TOTAL	**18043**	**7.4**	**96**	**<1**	**1**	**4**	**9**	**17**	**25**	**62**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.4	14	2	2	2	6	11	12	12
20-34	45	2.5	3	<1	1	2	3	5	6	9
35-49	200	3.1	5	<1	1	2	4	6	8	12
50-64	846	3.8	10	1	1	3	5	7	9	16
65+	1598	4.3	9	1	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	15	10.3	172	1	1	6	12	34	44	47
20-34	91	5.2	58	<1	1	3	7	10	13	49
35-49	287	5.1	33	<1	1	3	6	11	15	29
50-64	1626	5.4	44	1	1	3	6	11	16	33
65+	5130	7.8	80	2	2	5	9	17	24	50
TOT. SINGLE DX	2697	4.0	10	1	1	3	5	7	9	16
" MULTIPLE DX	7149	7.1	72	1	2	4	8	15	21	47
TOTAL 0-19 YRS	23	8.2	122	1	2	4	9	17	39	47
20-34	136	4.3	42	<1	1	3	5	9	11	30
35-49	487	4.3	23	<1	1	3	5	9	13	25
50-64	2472	4.9	33	1	1	3	6	10	14	27
65+	6728	7.0	66	1	2	5	8	14	21	45
GRAND TOTAL	**9846**	**6.3**	**57**	**1**	**2**	**4**	**7**	**13**	**19**	**41**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	6.5	47	1	1	4	8	13	23	35
20-34	71	5.9	61	<1	1	4	7	10	15	52
35-49	135	5.9	31	<1	1	4	8	13	16	31
50-64	217	6.2	32	1	1	4	9	14	17	27
65+	334	7.2	51	1	2	5	9	16	21	34
2. MULTIPLE DX										
0-19 YRS	182	11.6	188	2	2	7	14	28	43	96
20-34	150	11.2	155	1	2	7	15	26	35	84
35-49	239	11.0	135	2	2	8	14	23	30	76
50-64	669	10.8	121	1	2	8	14	23	31	59
65+	1813	13.7	165	2	2	10	18	30	44	99+
TOT. SINGLE DX	821	6.6	44	1	1	4	9	14	19	32
" MULTIPLE DX	3053	12.6	156	2	2	9	17	27	40	88
TOTAL 0-19 YRS	246	10.3	156	1	2	6	12	26	40	89
20-34	221	9.5	131	1	2	6	11	23	30	70
35-49	374	9.2	104	1	2	6	12	19	26	58
50-64	886	9.7	104	1	2	7	13	20	28	49
65+	2147	12.6	153	2	2	9	17	28	41	94
GRAND TOTAL	**3874**	**11.3**	**138**	**1**	**2**	**8**	**15**	**25**	**35**	**74**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	1.3	3	<1	<1	<1	1	2	2	9
20-34	12	1.8	2	<1	<1	1	2	4	6	6
35-49	9	3.7	13	<1	<1	2	4	10	11	11
50-64	12	2.3	5	<1	<1	1	2	7	7	7
65+	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	82	1.8	2	<1	<1	1	2	4	5	7
20-34	15	3.3	11	1	1	2	4	7	12	14
35-49	20	2.2	3	<1	<1	2	2	4	7	9
50-64	32	4.1	25	1	1	2	4	10	13	26
65+	28	7.2	36	1	2	6	10	15	21	24
TOT. SINGLE DX	221	1.5	4	<1	<1	<1	1	2	3	11
" MULTIPLE DX	177	3.2	16	<1	<1	2	3	7	12	23
TOTAL 0-19 YRS	264	1.5	3	<1	<1	<1	1	2	3	7
20-34	27	2.7	7	<1	1	2	3	6	8	14
35-49	29	2.7	7	<1	<1	2	2	7	9	11
50-64	44	3.6	20	<1	1	2	4	8	12	26
65+	34	6.4	33	1	1	4	9	14	20	24
GRAND TOTAL	**398**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**5**	**8**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	426	6.1	22	<1	1	5	9	12	13	19
20-34	164	3.2	9	<1	<1	2	4	8	10	15
35-49	106	4.0	8	<1	1	3	5	8	9	15
50-64	83	4.4	11	<1	1	3	6	10	12	15
65+	81	4.4	16	1	1	3	5	9	11	25
2. MULTIPLE DX										
0-19 YRS	199	7.0	39	<1	1	6	10	14	17	29
20-34	105	6.0	69	<1	1	3	7	13	23	44
35-49	93	6.8	32	1	1	6	9	14	18	28
50-64	143	5.2	26	1	1	3	6	12	17	26
65+	270	8.3	82	1	2	5	10	17	30	48
TOT. SINGLE DX	860	5.0	18	<1	1	3	8	11	12	17
" MULTIPLE DX	810	7.0	56	1	1	4	9	14	20	39
TOTAL 0-19 YRS	625	6.4	28	<1	1	5	9	12	14	24
20-34	269	4.3	35	<1	<1	2	4	10	13	36
35-49	199	5.3	22	<1	1	4	8	11	14	22
50-64	226	4.9	21	1	1	3	6	11	14	22
65+	351	7.4	70	1	2	4	8	16	26	43
GRAND TOTAL	**1670**	**5.9**	**37**	**<1**	**1**	**4**	**8**	**12**	**16**	**32**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	1.5	1	<1	<1	1	1	2	4	7
20-34	92	2.9	6	<1	<1	2	4	5	8	16
35-49	74	3.1	8	<1	<1	2	3	7	9	14
50-64	78	3.7	18	<1	1	2	4	7	11	27
65+	111	3.1	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	190	2.1	7	<1	<1	1	2	4	8	15
20-34	270	4.5	31	<1	<1	2	6	10	13	29
35-49	282	5.8	58	<1	1	3	8	12	18	45
50-64	450	6.2	64	1	1	3	8	14	20	40
65+	1213	9.9	101	1	2	7	13	23	30	81
TOT. SINGLE DX	458	2.8	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	2405	7.5	81	<1	1	4	10	17	25	53
TOTAL 0-19 YRS	293	1.9	5	<1	<1	1	2	3	7	12
20-34	362	4.1	25	<1	1	2	5	9	13	21
35-49	356	5.3	50	<1	1	3	7	11	15	39
50-64	528	5.8	59	1	1	3	7	13	17	39
65+	1324	9.4	97	1	2	6	12	22	29	75
GRAND TOTAL	**2863**	**6.8**	**72**	**<1**	**1**	**4**	**9**	**16**	**23**	**48**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	1.9	3	<1	<1	1	2	4	6	10
20-34	124	3.3	7	<1	<1	3	4	6	9	15
35-49	83	3.4	8	<1	1	2	4	7	10	14
50-64	103	3.7	10	<1	1	3	5	7	9	17
65+	127	4.0	10	1	1	3	5	7	11	19
2. MULTIPLE DX										
0-19 YRS	78	3.1	14	<1	<1	2	3	8	11	21
20-34	115	3.7	12	<1	1	2	5	8	12	17
35-49	119	5.6	29	<1	1	4	8	12	19	24
50-64	199	5.8	31	1	1	4	7	11	14	33
65+	497	8.6	83	2	2	5	10	19	29	57
TOT. SINGLE DX	530	3.3	9	<1	<1	3	4	7	9	15
" MULTIPLE DX	1008	6.7	58	1	1	4	8	14	21	45
TOTAL 0-19 YRS	171	2.5	9	<1	<1	1	2	6	9	15
20-34	239	3.5	10	<1	<1	2	4	7	11	16
35-49	202	4.7	22	<1	1	3	6	10	15	23
50-64	302	5.1	25	1	1	4	6	10	13	25
65+	624	7.6	72	2	2	5	9	18	24	54
GRAND TOTAL	**1538**	**5.5**	**43**	**<1**	**1**	**4**	**7**	**12**	**17**	**40**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	29	6.4	3	3	4	6	8	9	10	10
35-49	150	7.7	4	4	5	7	9	11	12	13
50-64	149	7.8	5	5	6	7	9	11	12	16
65+	60	9.6	11	6	6	9	11	13	16	23
2. MULTIPLE DX										
0-19 YRS										
20-34	56	7.6	13	4	5	7	8	11	13	25
35-49	249	8.4	15	5	5	8	9	12	14	19
50-64	289	9.5	25	5	6	9	10	14	16	24
65+	181	10.9	50	5	6	9	12	16	21	48
TOT. SINGLE DX	390	7.9	7	5	5	8	9	11	12	16
" MULTIPLE DX	775	9.3	28	5	6	8	10	14	17	28
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	85	7.2	10	3	5	7	8	10	11	23
35-49	399	8.1	12	5	5	8	9	11	13	18
50-64	438	8.9	19	5	6	8	10	13	15	23
65+	241	10.5	41	5	6	9	12	15	20	40
GRAND TOTAL	**1165**	**8.9**	**22**	**5**	**5**	**8**	**10**	**13**	**15**	**24**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	6.6	5	3	4	6	8	10	11	11
35-49	35	5.4	2	3	3	6	7	7	8	9
50-64	29	6.8	3	4	4	7	8	9	9	10
65+	18	8.5	10	5	5	8	9	12	16	18
2. MULTIPLE DX										
0-19 YRS	5	7.4	38	1	1	8	11	16	16	16
20-34	17	6.8	4	4	5	7	8	9	11	12
35-49	52	7.9	15	4	5	7	8	11	15	29
50-64	70	7.9	15	4	5	7	9	11	12	25
65+	75	9.5	30	4	5	8	11	16	22	83
TOT. SINGLE DX	100	6.6	6	3	4	6	8	9	10	15
" MULTIPLE DX	219	8.4	20	4	5	8	10	12	17	31
TOTAL 0-19 YRS	6	7.0	31	1	1	6	10	15	16	16
20-34	34	6.7	4	3	5	6	8	9	11	12
35-49	87	6.9	12	3	4	6	8	10	11	24
50-64	99	7.6	12	4	5	7	9	10	12	25
65+	93	9.3	26	4	5	8	11	15	21	71
GRAND TOTAL	**319**	**7.8**	**16**	**4**	**4**	**7**	**9**	**12**	**15**	**29**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0		<1	<1	2	3	3	3	3
20-34	22	5.0	9	1	2	5	7	8	11	14
35-49	31	6.3	12	2	2	6	9	11	12	15
50-64	33	6.2	32	1	1	5	8	11	22	25
65+	15	6.0	16	1	2	5	9	10	14	16
2. MULTIPLE DX										
0-19 YRS	8	11.5	327	<1	<1	3	15	44	52	52
20-34	32	6.7	24	1	2	6	8	14	18	23
35-49	39	9.1	46	1	2	7	12	19	24	30
50-64	75	10.5	141	1	2	7	13	21	30	69
65+	105	11.7	145	1	2	8	16	26	31	65
TOT. SINGLE DX	105	5.8	19	1	2	5	8	10	13	24
" MULTIPLE DX	259	10.3	121	1	2	7	13	21	29	63
TOTAL 0-19 YRS	12	8.3	230	<1	<1	2	5	32	49	52
20-34	54	6.0	19	1	2	5	8	11	15	23
35-49	70	7.9	33	2	2	6	10	15	19	29
50-64	108	9.2	112	1	2	6	11	20	25	63
65+	120	11.0	133	1	2	8	15	23	30	65
GRAND TOTAL	**364**	**9.0**	**95**	**1**	**2**	**6**	**11**	**19**	**26**	**55**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	13.3	186	4	4	7	23	29	29	29
20-34	9	6.8	18	2	2	6	8	13	16	16
35-49	6	6.8	14	1	1	8	10	10	10	10
50-64	8	8.9	23	1	3	8	11	16	17	17
65+	9	10.4	68	2	2	8	16	24	26	26
2. MULTIPLE DX										
0-19 YRS	4	12.5	27	7	7	12	16	19	19	19
20-34	12	12.0	233	2	2	10	13	28	54	58
35-49	18	14.2	63	1	4	12	20	27	28	28
50-64	26	17.8	205	2	4	17	25	30	43	68
65+	52	13.1	74	1	4	11	17	24	30	44
TOT. SINGLE DX	35	8.8	42	1	2	8	10	17	25	29
" MULTIPLE DX	112	14.2	118	2	3	11	19	27	30	62
TOTAL 0-19 YRS	7	12.9	76	4	5	10	18	27	29	29
20-34	21	9.8	143	2	2	8	11	16	35	58
35-49	24	12.3	60	1	2	11	16	26	28	28
50-64	34	15.7	175	1	4	12	24	28	36	68
65+	61	12.7	74	1	3	11	17	24	29	43
GRAND TOTAL	**147**	**12.9**	**105**	**2**	**2**	**10**	**18**	**26**	**29**	**58**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.3	1	6	6	7	8	9	9	9
20-34	4	7.5	23	3	3	6	11	14	14	14
35-49	44	5.6	7	2	2	5	7	9	12	13
50-64	1258	6.2	7	4	4	6	7	9	10	14
65+	2720	6.9	10	4	4	6	8	10	12	18
2. MULTIPLE DX										
0-19 YRS	8	17.8	297	7	7	12	18	47	59	59
20-34	3	3.3	4	1	1	4	52	99+	99+	99+
35-49	97	8.3	42	3	4	7	10	13	16	43
50-64	3226	8.8	44	4	4	7	10	15	20	35
65+	12560	11.6	102	4	5	8	13	22	31	64
TOT. SINGLE DX	4030	6.7	10	4	4	6	7	10	12	17
" MULTIPLE DX	15894	11.0	92	4	5	8	12	20	29	59
TOTAL 0-19 YRS	12	14.3	216	6	6	9	16	30	55	59
20-34	7	5.7	18	1	2	5	11	74	99+	99+
35-49	141	7.4	33	2	3	6	9	12	14	32
50-64	4484	8.1	36	4	4	6	9	13	17	32
65+	15280	10.8	89	4	5	8	12	20	28	59
GRAND TOTAL	**19924**	**10.1**	**78**	**4**	**5**	**7**	**11**	**18**	**26**	**55**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	6	6.5	18	1	1	7	10	11	11	11
50-64	135	11.4	13	7	8	11	13	16	20	24
65+	301	12.0	22	7	8	11	14	18	21	30
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	9	19.2	159	11	11	14	20	40	51	51
50-64	404	13.7	47	7	8	12	16	21	25	39
65+	1404	15.6	71	8	9	13	18	25	31	47
TOT. SINGLE DX	443	11.7	20	7	8	11	14	17	21	28
" MULTIPLE DX	1819	15.2	68	8	8	13	18	24	31	46
TOTAL 0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	15	14.1	139	1	2	12	17	24	44	51
50-64	539	13.1	40	7	8	12	15	20	24	38
65+	1705	15.0	65	8	8	13	17	24	31	45
GRAND TOTAL	2262	14.5	60	8	8	12	17	23	29	44

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	3.9	6	1	1	4	6	7	8	8
35-49	42	2.7	3	1	1	2	3	6	7	8
50-64	346	2.3	5	<1	1	2	3	4	5	11
65+	497	3.1	16	1	1	2	3	5	8	17
2. MULTIPLE DX										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	9	2.9	7	<1	<1	2	3	7	10	10
35-49	65	4.2	11	1	1	3	5	10	13	14
50-64	540	5.0	30	1	1	3	6	12	16	27
65+	1337	7.6	84	1	2	4	10	18	25	51
TOT. SINGLE DX	893	2.8	12	<1	1	2	3	5	7	14
" MULTIPLE DX	1955	6.7	68	1	1	4	9	15	22	47
TOTAL 0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	17	3.4	7	<1	1	2	5	8	9	10
35-49	107	3.6	9	1	1	2	5	7	11	14
50-64	886	4.0	22	<1	1	2	4	10	14	24
65+	1834	6.4	70	1	1	3	8	15	21	48
GRAND TOTAL	2848	5.5	54	1	1	3	6	13	19	41

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	2.4	3	<1	<1	2	3	4	5	13
20-34	106	2.9	4	<1	1	2	3	5	6	12
35-49	79	3.3	9	<1	1	3	4	6	9	17
50-64	78	3.2	5	1	1	3	3	5	9	13
65+	38	3.8	7	1	2	3	4	5	9	17
2. MULTIPLE DX										
0-19 YRS	47	2.7	5	<1	1	2	3	6	8	13
20-34	65	5.6	47	1	1	3	6	13	18	41
35-49	76	5.9	25	1	2	5	8	12	16	27
50-64	116	8.3	231	1	2	4	6	12	37	89
65+	128	7.7	60	1	2	5	10	16	21	99+
TOT. SINGLE DX	415	3.0	6	<1	1	2	3	5	7	15
" MULTIPLE DX	432	6.7	95	1	1	4	7	14	18	76
TOTAL 0-19 YRS	161	2.5	4	<1	<1	2	3	4	6	13
20-34	171	3.9	22	1	1	3	4	7	11	25
35-49	155	4.6	19	<1	1	3	6	10	15	17
50-64	194	6.2	146	1	2	3	5	10	14	82
65+	166	6.8	51	1	2	5	8	15	18	93
GRAND TOTAL	847	4.9	55	1	1	3	5	10	14	44

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	2.7	4	1	1	2	3	5	6	10
20-34	216	4.2	11	1	2	3	5	7	10	21
35-49	106	3.5	3	1	2	3	5	6	7	8
50-64	68	4.8	22	1	1	4	6	10	14	26
65+	183	4.1	9	1	2	3	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	137	3.0	11	<1	1	2	3	5	6	17
20-34	117	6.9	69	1	2	4	7	17	24	44
35-49	93	7.7	110	2	2	4	9	17	20	68
50-64	206	9.0	102	2	2	5	11	19	27	60
65+	950	10.6	126	2	2	7	14	23	32	68
TOT. SINGLE DX	732	3.8	10	1	1	3	4	7	9	17
" MULTIPLE DX	1503	9.2	113	1	2	5	12	20	30	62
TOTAL 0-19 YRS	296	2.8	8	<1	1	2	3	5	6	14
20-34	333	5.1	33	1	2	4	5	9	15	36
35-49	199	5.5	57	1	2	4	6	10	17	47
50-64	274	7.9	85	1	2	5	10	17	22	58
65+	1133	9.6	114	2	2	6	13	21	30	64
GRAND TOTAL	2235	7.4	85	1	2	4	9	17	24	53

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	2.1	1	<1	<1	2	3	4	4	6
20-34	121	2.4	1	1	1	2	3	4	5	7
35-49	18	2.7	2	<1	1	3	4	5	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	646	2.3	2	<1	<1	2	3	4	5	8
20-34	46	3.0	5	1	1	3	3	5	6	15
35-49	11	4.1	3	1	2	4	5	7	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
TOT. SINGLE DX	1019	2.2	2	<1	<1	2	3	4	4	7
" MULTIPLE DX	707	2.3	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	1522	2.2	2	<1	<1	2	3	4	4	7
20-34	167	2.6	3	1	1	2	3	4	5	7
35-49	29	3.2	3	1	1	3	4	6	6	8
50-64	3	1.7		1	1	2	2	2	2	2
65+	5	2.8	2	<1	<1	3	4	5	5	5
GRAND TOTAL	1726	2.2	2	<1	<1	2	3	4	5	7

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	2.0	1	1	1	2	2	3	4	7
20-34	155	2.2	7	<1	<1	2	2	3	5	7
35-49	60	2.4	3	<1	<1	2	3	4	6	10
50-64	11	2.4	2	1	1	2	3	4	6	6
65+	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	75	3.4	11	1	1	2	4	6	11	18
20-34	67	3.2	8	<1	1	2	4	6	7	19
35-49	31	4.1	23	1	1	3	4	9	9	27
50-64	24	5.8	43	1	1	3	5	20	22	25
65+	10	14.6	153	1	2	10	26	33	35	35
TOT. SINGLE DX	422	2.2	4	<1	1	2	3	3	5	8
" MULTIPLE DX	207	4.3	28	1	1	2	4	8	17	29
TOTAL 0-19 YRS	266	2.4	5	1	1	2	3	4	5	14
20-34	222	2.5	8	<1	<1	2	3	4	6	15
35-49	91	3.0	11	<1	1	2	3	5	9	20
50-64	35	4.7	33	1	1	3	5	9	21	25
65+	15	10.3	139	1	1	4	17	31	34	35
GRAND TOTAL	629	2.8	13	<1	1	2	3	5	7	22

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	135	1.0		<1	<1	<1	<1	1	1	2
35-49	115	1.1		<1	<1	<1	<1	1	2	3
50-64	11	3.1	13	<1	<1	<1	4	10	12	12
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS										
20-34	26	2.3	9	<1	<1	1	2	6	9	15
35-49	38	2.1	2	<1	<1	2	2	4	7	8
50-64	6	7.0	32	2	2	6	10	15	16	16
65+	5	5.6	36	<1	<1	4	8	16	16	16
TOT. SINGLE DX	264	1.2	1	<1	<1	<1	<1	1	2	6
" MULTIPLE DX	75	2.8	11	<1	<1	2	3	7	10	16
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	161	1.2	2	<1	<1	<1	<1	1	2	7
35-49	153	1.3	1	<1	<1	<1	1	2	3	8
50-64	17	4.5	22	<1	<1	2	8	12	15	16
65+	7	5.0	27	<1	<1	4	6	14	16	16
GRAND TOTAL	339	1.5	4	<1	<1	<1	1	2	4	12

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	490	2.0	1	<1	1	2	2	3	4	6
20-34	748	2.2	1	<1	1	2	3	3	4	5
35-49	545	2.3	1	1	1	2	3	4	4	6
50-64	339	2.8	1	1	1	3	4	4	5	7
65+	165	3.0	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
0-19 YRS	283	2.1	1	<1	<1	2	3	3	4	7
20-34	450	2.5	2	1	1	2	3	4	5	9
35-49	293	3.3	16	1	1	3	3	6	7	21
50-64	394	4.1	13	1	2	3	5	7	10	24
65+	274	5.7	61	2	2	4	5	9	21	51
TOT. SINGLE DX	2287	2.4	2	<1	1	2	3	4	4	6
" MULTIPLE DX	1694	3.5	18	1	1	3	4	6	8	25
TOTAL 0-19 YRS	773	2.0	1	<1	<1	2	2	3	4	6
20-34	1198	2.4	2	<1	1	2	3	4	4	7
35-49	838	2.7	7	1	1	2	3	4	5	10
50-64	733	3.5	8	1	1	3	4	6	7	14
65+	439	4.7	41	1	2	3	5	7	11	41
GRAND TOTAL	3981	2.8	9	<1	1	2	3	4	6	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	1.5	3	<1	<1	1	2	2	2	10
20-34	84	1.5		<1	<1	1	2	2	3	3
35-49	63	1.6		<1	<1	2	2	2	3	5
50-64	69	1.8		<1	<1	2	2	2	3	6
65+	31	2.2	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	76	3.2	17	<1	<1	2	3	11	14	19
20-34	49	2.8	9	<1	1	2	2	8	10	15
35-49	95	3.0	14	<1	1	2	2	7	11	23
50-64	134	3.3	44	<1	1	2	2	6	9	30
65+	178	5.7	93	1	1	2	6	12	22	55
TOT. SINGLE DX	1732	1.7	4	<1	<1	1	2	2	3	12
" MULTIPLE DX	1135	4.6	61	<1	1	2	4	10	16	40
TOTAL 0-19 YRS	1329	2.5	21	<1	<1	1	2	4	11	27
20-34	375	2.2	14	<1	<1	2	2	3	4	13
35-49	370	2.6	11	<1	<1	2	2	4	9	19
50-64	416	2.8	19	<1	1	2	3	5	8	15
65+	377	5.2	88	1	1	2	4	10	19	56
GRAND TOTAL	**2867**	**2.9**	**28**	**<1**	**<1**	**2**	**2**	**5**	**10**	**27**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.7	8	<1	<1	1	3	7	10	14
20-34	102	2.6	12	<1	<1	2	3	5	6	23
35-49	76	4.7	16	1	1	4	6	11	13	20
50-64	141	4.3	5	2	2	4	5	7	8	15
65+	68	5.3	15	2	2	4	6	9	12	25
2. MULTIPLE DX										
0-19 YRS	67	3.9	23	<1	<1	2	5	10	13	25
20-34	95	6.2	51	<1	1	4	8	13	18	41
35-49	156	6.7	58	1	2	5	7	11	15	46
50-64	338	5.7	13	2	2	5	7	10	12	22
65+	206	7.5	90	2	2	5	8	15	24	58
TOT. SINGLE DX	480	3.8	12	<1	<1	3	5	7	10	18
" MULTIPLE DX	862	6.2	46	1	2	5	7	11	16	41
TOTAL 0-19 YRS	160	3.2	15	<1	<1	2	3	9	11	18
20-34	197	4.3	34	<1	<1	2	5	9	15	29
35-49	232	6.1	45	1	2	4	7	11	15	43
50-64	479	5.3	11	2	2	5	7	9	12	19
65+	274	7.0	73	2	2	5	7	13	21	51
GRAND TOTAL	**1342**	**5.4**	**35**	**<1**	**1**	**4**	**6**	**10**	**14**	**30**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	5.4	3	3	4	5	6	7	9	11
20-34	946	5.4	3	3	3	5	6	7	8	12
35-49	147	5.6	5	2	3	6	7	8	9	14
50-64	20	6.6	4	1	3	7	8	9	10	11
65+	16	8.6	22	1	2	9	12	13	17	19
2. MULTIPLE DX										
0-19 YRS	257	6.1	7	3	4	6	7	8	11	15
20-34	1883	5.9	7	2	4	6	7	8	10	17
35-49	435	6.8	15	2	4	6	7	10	15	19
50-64	71	13.0	110	2	3	10	15	26	29	57
65+	99	15.4	95	5	7	12	19	29	32	52
TOT. SINGLE DX	1365	5.5	4	2	3	5	6	7	9	12
" MULTIPLE DX	2745	6.6	19	2	4	6	7	9	13	27
TOTAL 0-19 YRS	493	5.7	6	3	4	5	7	8	10	13
20-34	2829	5.7	6	2	4	6	7	8	9	15
35-49	582	6.5	14	2	3	6	7	9	14	19
50-64	91	11.6	94	2	3	8	15	23	28	55
65+	115	14.4	90	4	6	12	19	28	31	51
GRAND TOTAL	**4110**	**6.2**	**14**	**2**	**4**	**6**	**7**	**9**	**11**	**22**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.8	4	3	4	6	6	8	9	16
20-34	490	5.7	4	3	4	6	6	7	9	13
35-49	286	6.2	5	4	4	6	7	8	10	15
50-64	52	6.7	9	4	4	6	7	10	14	19
65+	28	8.5	17	4	5	7	10	14	16	24
2. MULTIPLE DX										
0-19 YRS	135	6.0	5	3	4	5	7	9	10	16
20-34	1304	6.4	6	4	4	6	7	9	11	17
35-49	870	7.3	32	4	5	6	8	10	13	28
50-64	121	11.3	72	5	6	8	14	21	27	75
65+	159	15.0	101	5	6	13	18	28	37	51
TOT. SINGLE DX	942	6.0	6	3	4	6	7	8	10	15
" MULTIPLE DX	2589	7.4	29	4	4	6	8	11	15	29
TOTAL 0-19 YRS	221	5.9	5	3	4	6	7	8	10	16
20-34	1794	6.2	6	3	4	6	7	9	11	16
35-49	1156	7.1	26	4	4	6	7	10	13	26
50-64	173	9.9	58	4	5	7	11	20	25	60
65+	187	14.0	94	5	6	11	17	27	34	49
GRAND TOTAL	**3531**	**7.1**	**23**	**4**	**4**	**6**	**7**	**10**	**14**	**27**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0		4	4	5	6	6	6	6
20-34	35	5.8	3	3	4	6	6	7	8	14
35-49	74	6.3	4	3	4	6	7	9	10	13
50-64	56	8.3	15	5	5	7	9	14	17	21
65+	34	9.2	20	5	6	8	10	17	21	24
2. MULTIPLE DX										
0-19 YRS	5	9.6	47	5	5	6	13	21	21	21
20-34	144	6.6	8	3	4	6	7	9	11	21
35-49	415	8.2	25	5	5	7	9	12	17	28
50-64	226	11.1	78	5	6	8	12	20	26	46
65+	202	15.4	83	6	7	13	19	31	37	99+
TOT. SINGLE DX	203	7.2	12	4	4	6	8	10	14	21
" MULTIPLE DX	992	10.1	56	5	5	8	11	18	25	43
TOTAL 0-19 YRS	9	7.6	30	4	4	5	7	17	21	21
20-34	179	6.4	8	3	4	6	7	8	11	19
35-49	489	7.9	23	4	5	7	8	12	16	25
50-64	282	10.6	67	5	6	8	11	19	24	42
65+	236	14.5	79	6	6	12	18	28	35	99+
GRAND TOTAL	**1195**	**9.6**	**50**	**4**	**5**	**7**	**10**	**18**	**23**	**39**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.6	4	<1	<1	2	3	5	6	13
20-34	239	3.1	5	<1	<1	2	5	7	7	9
35-49	47	2.9	8	<1	<1	2	4	6	7	15
50-64	3	4.7	16	1	1	4	8	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	67	4.2	7	<1	1	4	6	7	9	13
20-34	733	4.1	7	<1	1	4	6	7	8	11
35-49	208	4.9	14	<1	<1	5	7	9	14	17
50-64	22	8.1	68	<1	1	4	10	23	26	28
65+	10	17.3	157	5	6	14	19	37	48	48
TOT. SINGLE DX	346	3.0	5	<1	<1	2	5	6	7	10
" MULTIPLE DX	1040	4.5	13	<1	1	4	6	8	9	17
TOTAL 0-19 YRS	123	3.5	6	<1	1	3	5	7	8	13
20-34	972	3.8	7	<1	<1	4	6	7	8	10
35-49	255	4.5	14	<1	<1	4	6	9	13	16
50-64	25	7.7	62	<1	1	4	10	22	26	28
65+	11	15.8	166	1	3	12	19	35	47	48
GRAND TOTAL	**1386**	**4.1**	**12**	**<1**	**<1**	**4**	**6**	**7**	**9**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.6	2	<1	<1	<1	1	4	5	5
20-34	1747	1.4		<1	<1	1	2	2	2	4
35-49	840	1.4		<1	<1	1	2	2	2	4
50-64	5	1.6		<1	<1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	1578	1.6	1	<1	<1	1	2	3	4	7
35-49	996	1.6	1	<1	<1	1	2	3	4	5
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
TOT. SINGLE DX	2600	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	2581	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	13	1.5	1	<1	<1	<1	1	3	5	5
20-34	3325	1.5	1	<1	<1	1	2	2	3	5
35-49	1836	1.5	1	<1	<1	1	2	2	3	5
50-64	7	1.6		<1	<1	2	2	2	2	2
65+										
GRAND TOTAL	**5181**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.1	1	<1	<1	2	3	4	4	4
20-34	1824	2.3	1	<1	<1	2	3	4	5	6
35-49	839	2.4	1	<1	<1	2	3	4	4	7
50-64	6	2.3	2	1	1	2	3	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	21	4.2	10	1	2	3	4	8	13	14
20-34	4088	3.6	2	1	2	3	4	5	6	8
35-49	1369	3.5	4	1	1	3	4	5	6	9
50-64	5	6.6	32	1	1	6	9	16	16	16
65+										
TOT. SINGLE DX	2677	2.3	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	5483	3.5	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	29	3.6	8	<1	1	3	4	6	12	14
20-34	5912	3.2	3	1	1	3	4	5	5	7
35-49	2208	3.0	4	<1	1	3	4	5	6	8
50-64	11	4.3	19	1	1	3	6	10	16	16
65+										
GRAND TOTAL	8160	3.1	3	<1	1	3	4	5	6	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	4.9	4	2	3	5	6	6	8	15
20-34	1764	5.0	2	2	3	5	6	7	7	9
35-49	305	5.0	3	1	2	5	6	7	8	10
50-64	3	6.7	9	4	4	6	9	10	10	10
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	123	5.5	3	3	4	5	6	8	9	12
20-34	2020	5.3	7	2	2	5	6	7	8	12
35-49	451	5.5	7	1	2	5	7	8	9	16
50-64	2	27.5	5	26	26	27	29	29	29	29
65+	7	18.6	157	2	3	18	31	35	35	35
TOT. SINGLE DX	2168	5.0	3	2	3	5	6	7	8	9
" MULTIPLE DX	2603	5.4	9	2	2	5	6	8	8	14
TOTAL 0-19 YRS	217	5.2	4	2	3	5	6	7	8	14
20-34	3784	5.1	5	2	3	5	6	7	8	11
35-49	756	5.3	6	1	2	5	6	7	8	14
50-64	5	15.0	136	4	4	10	27	29	29	29
65+	9	15.9	146	2	4	12	24	35	35	35
GRAND TOTAL	4771	5.2	6	2	3	5	6	7	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.2	4	<1	<1	2	2	4	7	9
20-34	678	2.0	1	<1	1	2	2	3	4	5
35-49	334	2.2	2	<1	1	2	3	3	4	6
50-64	83	2.2		<1	1	2	3	3	4	5
65+	32	2.4	1	<1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	10	3.2	17	<1	<1	2	3	9	15	15
20-34	461	2.5	22	<1	1	2	3	4	5	9
35-49	296	2.2	3	<1	1	2	3	3	4	9
50-64	124	2.4	3	<1	1	2	3	3	6	12
65+	61	6.7	185	1	2	2	5	13	32	88
TOT. SINGLE DX	1143	2.1	2	<1	1	2	3	3	4	5
" MULTIPLE DX	952	2.7	25	<1	1	2	3	4	5	14
TOTAL 0-19 YRS	26	2.6	9	<1	<1	2	2	4	10	15
20-34	1139	2.2	10	<1	1	2	3	3	4	7
35-49	630	2.2	3	<1	1	2	3	3	4	8
50-64	207	2.3	3	<1	1	2	3	3	4	11
65+	93	5.2	126	1	2	2	4	8	14	71
GRAND TOTAL	2095	2.4	13	<1	1	2	3	3	4	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.7		<1	<1	1	2	3	4	4
20-34	401	1.6		<1	<1	1	2	2	3	5
35-49	651	1.7	1	<1	<1	2	2	2	3	7
50-64	382	1.9	2	<1	<1	2	2	2	4	10
65+	146	3.2	8	<1	1	2	3	7	10	14
2. MULTIPLE DX										
0-19 YRS	35	1.9	1	<1	<1	2	2	3	5	8
20-34	665	2.2	7	<1	<1	2	2	4	6	9
35-49	1682	2.1	4	<1	<1	2	2	3	5	11
50-64	914	2.8	14	<1	1	2	2	5	8	20
65+	511	5.6	62	1	2	3	6	12	17	45
TOT. SINGLE DX	1604	1.9	2	<1	<1	2	2	3	4	9
" MULTIPLE DX	3807	2.7	16	<1	<1	2	2	5	8	20
TOTAL 0-19 YRS	59	1.8	1	<1	<1	2	2	3	4	8
20-34	1066	2.0	5	<1	<1	2	2	3	5	8
35-49	2333	2.0	3	<1	<1	2	2	3	4	10
50-64	1296	2.5	11	<1	<1	2	2	4	8	17
65+	657	5.1	52	1	1	2	6	11	16	44
GRAND TOTAL	5411	2.5	12	<1	<1	2	2	4	7	17

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	4.5	30	1	2	3	5	8	10	33
20-34	702	2.8	3	1	1	3	3	4	5	7
35-49	80	2.8	2	1	1	3	4	5	6	9
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	12	4.0	2	2	2	4	5	6	7	7
20-34	219	4.2	34	1	1	3	4	7	10	29
35-49	38	3.5	10	1	1	3	4	6	9	19
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	816	2.8	4	1	1	3	3	4	6	8
" MULTIPLE DX	270	4.1	30	1	1	3	4	7	9	28
TOTAL 0-19 YRS	45	4.4	23	1	2	3	5	7	9	33
20-34	921	3.1	11	1	1	3	3	5	6	16
35-49	118	3.0	5	1	1	3	4	5	6	14
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
GRAND TOTAL	1086	3.1	11	1	1	3	3	5	6	16

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.9	2	<1	1	4	5	6	7	7
20-34	283	4.9	6	<1	1	6	7	8	8	10
35-49	184	4.6	6	<1	1	5	7	8	8	10
50-64	45	2.6	7	<1	1	2	3	5	6	17
65+	17	2.9	8	1	1	2	3	7	11	12
2. MULTIPLE DX										
0-19 YRS	14	3.4	6	<1	1	3	5	7	9	9
20-34	501	6.0	31	<1	1	6	7	8	11	19
35-49	396	5.3	14	<1	1	6	7	8	10	21
50-64	147	3.6	14	<1	1	2	4	8	12	18
65+	88	8.5	166	1	2	3	11	20	27	90
TOT. SINGLE DX	543	4.5	7	<1	1	5	6	8	8	10
" MULTIPLE DX	1146	5.6	34	<1	1	5	7	9	13	25
TOTAL 0-19 YRS	28	3.6	4	<1	1	4	5	7	7	9
20-34	784	5.6	22	<1	1	6	7	8	9	16
35-49	580	5.0	12	<1	1	6	7	8	9	17
50-64	192	3.4	13	<1	1	2	4	7	12	18
65+	105	7.6	144	1	1	3	8	19	25	86
GRAND TOTAL	1689	5.2	26	<1	1	5	7	8	10	21

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	3	6	6	7	9	10	10	10
20-34	562	6.5	2	4	5	6	7	8	9	11
35-49	1817	7.0	3	5	5	7	8	9	10	14
50-64	630	7.7	7	5	6	7	8	10	11	17
65+	233	9.0	16	6	6	8	9	13	17	27
2. MULTIPLE DX										
0-19 YRS	23	8.5	11	5	5	8	10	12	15	20
20-34	2689	7.2	7	5	5	7	8	10	12	18
35-49	11496	7.6	10	5	5	7	8	10	12	21
50-64	3556	8.7	25	5	6	7	9	12	16	28
65+	1577	12.1	66	6	7	9	14	21	27	50
TOT. SINGLE DX	3246	7.2	5	5	5	7	8	9	10	16
" MULTIPLE DX	19341	8.1	19	5	6	7	8	11	15	26
TOTAL 0-19 YRS	27	8.4	10	5	5	8	10	12	13	20
20-34	3251	7.1	7	5	5	7	8	9	11	17
35-49	13313	7.5	9	5	5	7	8	10	12	20
50-64	4186	8.5	23	5	6	7	9	12	15	27
65+	1810	11.7	61	6	6	9	13	20	26	47
GRAND TOTAL	22587	8.0	17	5	5	7	8	11	14	25

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	239	5.5	3	4	4	5	6	7	9	11
35-49	378	6.0	3	4	4	6	7	8	10	12
50-64	322	7.3	4	4	5	7	8	10	11	15
65+	288	7.7	5	5	5	7	9	10	12	16
2. MULTIPLE DX										
0-19 YRS										
20-34	754	6.0	5	4	4	6	7	8	10	14
35-49	2044	6.7	5	4	4	6	7	9	11	17
50-64	1105	7.9	8	5	5	7	9	11	13	18
65+	1151	8.8	23	5	6	8	10	12	16	29
TOT. SINGLE DX	1228	6.6	5	4	4	6	8	9	11	15
" MULTIPLE DX	5054	7.3	11	4	5	7	8	10	13	19
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	993	5.9	5	4	4	6	7	8	9	14
35-49	2422	6.6	5	4	4	6	7	9	11	16
50-64	1427	7.7	8	5	5	7	9	11	13	18
65+	1439	8.6	20	5	6	8	9	12	15	27
GRAND TOTAL	6282	7.2	10	4	5	7	8	10	12	18

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	8.3	5	6	6	8	10	12	12	12
35-49	17	11.2	13	6	8	11	13	14	19	22
50-64	12	11.3	17	7	8	9	14	18	19	19
65+	6	11.7	18	6	6	12	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	21	15.2	62	6	7	14	20	26	30	34
35-49	40	14.3	72	6	7	12	18	23	34	45
50-64	33	17.4	81	8	9	15	20	29	41	44
65+	29	22.6	445	8	9	17	25	30	91	98
TOT. SINGLE DX	41	10.9	14	6	7	10	13	17	19	22
" MULTIPLE DX	125	17.3	166	7	8	15	20	27	37	93
TOTAL 0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	27	13.7	58	6	7	11	18	26	28	34
35-49	57	13.4	57	6	7	11	15	21	26	45
50-64	45	15.8	71	7	8	14	19	24	37	44
65+	35	20.7	387	7	8	17	23	28	76	98
GRAND TOTAL	**166**	**15.7**	**136**	**6**	**8**	**13**	**18**	**26**	**32**	**84**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	1.1		<1	<1	<1	<1	1	2	3
20-34	1844	1.1		<1	<1	<1	<1	1	1	3
35-49	251	1.1		<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	30	2.2	6	<1	<1	1	2	5	10	11
20-34	302	2.5	8	<1	<1	2	2	6	7	17
35-49	127	1.9	2	<1	<1	1	2	3	5	10
50-64										
65+										
TOT. SINGLE DX	2524	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	459	2.3	7	<1	<1	1	2	5	7	13
TOTAL 0-19 YRS	459	1.2	1	<1	<1	<1	<1	1	2	4
20-34	2146	1.3	2	<1	<1	<1	<1	2	2	7
35-49	378	1.3	1	<1	<1	<1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**2983**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**7**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1620	1.6	1	<1	<1	1	2	3	4	6
20-34	13632	1.4		<1	<1	1	2	2	3	5
35-49	6113	1.4		<1	<1	1	2	2	3	5
50-64	1976	1.6	1	<1	<1	1	2	2	2	5
65+	479	2.5	9	<1	1	2	2	4	7	13
2. MULTIPLE DX										
0-19 YRS	470	2.5	4	<1	1	2	3	5	7	13
20-34	6375	2.2	5	<1	<1	2	2	4	6	11
35-49	7799	2.1	8	<1	<1	2	2	3	6	14
50-64	3386	2.5	14	<1	<1	2	2	4	8	18
65+	1427	4.8	56	1	1	2	5	11	17	41
TOT. SINGLE DX	23820	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	19457	2.4	12	<1	<1	2	2	4	7	17
TOTAL 0-19 YRS	2090	1.8	2	<1	<1	1	2	3	4	8
20-34	20007	1.7	2	<1	<1	1	2	3	4	8
35-49	13912	1.8	5	<1	<1	1	2	3	4	10
50-64	5362	2.2	10	<1	<1	2	2	3	6	15
65+	1906	4.2	45	1	1	2	4	9	14	35
GRAND TOTAL	**43277**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1721	1.0		<1	<1	<1	<1	1	1	2
20-34	6124	1.0		<1	<1	<1	<1	1	1	2
35-49	754	1.1		<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	795	1.5	23	<1	<1	<1	<1	<1	2	8
20-34	2679	1.4	3	<1	<1	<1	<1	2	3	7
35-49	542	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
TOT. SINGLE DX	8599	1.0		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	4016	1.5	7	<1	<1	<1	1	2	3	8
TOTAL 0-19 YRS	2516	1.2	8	<1	<1	<1	<1	1	1	4
20-34	8803	1.2	1	<1	<1	<1	<1	1	2	4
35-49	1296	1.3	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**12615**	**1.2**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**4**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	332	1.3		<1	<1	1	1	2	3	4
20-34	2223	1.2		<1	<1	1	1	2	2	4
35-49	405	1.3	1	<1	<1	1	1	2	2	4
50-64	3	1.7		1	1	2	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	41	2.6	4	<1	<1	2	3	6	7	11
20-34	376	2.2	5	<1	<1	1	2	5	7	12
35-49	113	2.0	2	<1	<1	1	2	4	6	8
50-64	7	14.7	430	<1	<1	2	31	48	50	50
65+	8	20.6	1062	3	3	8	21	78	98	98
TOT. SINGLE DX	2965	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	545	2.6	30	<1	<1	1	2	5	7	18
TOTAL 0-19 YRS	373	1.5	1	<1	<1	1	2	2	3	6
20-34	2599	1.4	1	<1	<1	1	1	2	3	7
35-49	518	1.4	2	<1	<1	1	1	2	3	7
50-64	10	10.8	326	<1	<1	2	8	44	50	50
65+	10	17.0	885	2	2	5	10	64	98	98
GRAND TOTAL	3510	1.5	5	<1	<1	1	1	2	3	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	3.4	4	<1	<1	3	5	6	7	7
35-49	12	4.5	7	<1	1	5	7	8	8	8
50-64	4	6.8	2	6	6	6	8	9	9	9
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	61	5.2	10	<1	1	5	6	8	9	19
35-49	17	4.6	6	<1	1	5	6	8	9	9
50-64	13	9.6	22	4	6	9	10	19	20	20
65+	21	10.1	33	3	5	7	14	19	22	24
TOT. SINGLE DX	35	4.5	6	<1	<1	5	6	7	9	10
" MULTIPLE DX	113	6.5	20	1	2	6	8	11	18	22
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	77	4.8	10	<1	1	5	6	8	8	19
35-49	29	4.6	6	<1	1	5	7	8	8	9
50-64	17	8.9	19	5	6	8	9	17	20	20
65+	23	9.9	31	3	5	7	13	18	22	24
GRAND TOTAL	148	6.0	18	<1	1	6	7	10	17	21

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.6	3	<1	1	2	4	6	6	6
20-34	177	3.0	4	<1	<1	2	5	6	7	9
35-49	74	2.9	5	<1	<1	2	4	7	8	12
50-64	32	3.6	10	<1	<1	3	4	5	11	17
65+	17	3.6	1	1	2	4	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	18	4.2	21	<1	<1	3	5	10	16	19
20-34	266	3.9	8	<1	<1	3	6	7	8	14
35-49	108	4.5	28	<1	1	3	6	8	10	31
50-64	82	3.9	4	1	2	4	4	6	8	13
65+	56	5.1	12	2	3	4	5	10	11	21
TOT. SINGLE DX	333	3.0	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	530	4.1	13	<1	1	3	5	7	10	16
TOTAL 0-19 YRS	51	3.2	10	<1	<1	2	4	6	6	19
20-34	443	3.5	7	<1	<1	3	5	7	7	14
35-49	182	3.8	20	<1	<1	3	5	7	9	15
50-64	114	3.8	6	<1	1	3	4	6	8	15
65+	73	4.7	10	2	2	4	5	10	10	20
GRAND TOTAL	863	3.7	10	<1	<1	3	5	7	8	14

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	48	5.1	7	<1	1	5	7	8	9	14
35-49	164	5.8	5	3	3	5	7	9	10	13
50-64	356	6.7	6	4	4	6	8	10	11	17
65+	296	7.0	6	4	4	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS										
20-34	127	6.4	5	3	3	6	8	10	11	13
35-49	501	7.4	8	4	4	7	8	11	13	18
50-64	755	7.4	8	4	5	7	8	11	12	19
65+	675	8.7	31	5	5	7	9	13	16	32
TOT. SINGLE DX	864	6.5	7	3	4	6	8	10	11	16
" MULTIPLE DX	2058	7.8	16	4	5	7	9	11	14	21
TOTAL 0-19 YRS										
20-34	175	6.0	6	2	3	6	7	9	11	13
35-49	665	7.0	8	3	4	7	8	10	13	17
50-64	1111	7.2	8	4	4	7	8	10	12	18
65+	971	8.2	25	4	5	7	9	12	15	25
GRAND TOTAL	2922	7.4	14	4	4	7	8	11	13	19

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.7	9	<1	<1	1	3	8	9	14
20-34	122	3.6	7	<1	1	3	5	7	8	13
35-49	43	3.5	7	1	1	3	4	7	10	13
50-64	31	4.9	16	1	1	4	7	10	15	16
65+	21	5.0	8	<1	1	5	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	28	7.3	69	1	1	4	11	16	22	38
20-34	75	4.2	13	1	1	3	6	8	11	21
35-49	56	6.5	27	1	2	5	8	15	18	26
50-64	54	9.5	65	2	2	7	11	19	32	97
65+	72	9.9	105	2	3	7	11	17	33	94
TOT. SINGLE DX	260	3.7	9	<1	1	3	5	8	9	15
" MULTIPLE DX	285	7.4	59	1	1	6	9	16	21	63
TOTAL 0-19 YRS	71	4.5	37	<1	<1	2	6	12	15	34
20-34	197	3.8	10	<1	1	3	5	8	9	17
35-49	99	5.2	21	1	1	3	7	10	16	24
50-64	85	7.8	52	1	2	6	10	18	25	79
65+	93	8.8	87	1	2	7	10	16	26	89
GRAND TOTAL	545	5.6	39	1	1	4	7	11	16	38

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.1	14	<1	<1	2	3	7	12	20
20-34	328	2.8	6	<1	<1	2	3	6	8	12
35-49	120	3.7	42	<1	<1	2	3	8	12	35
50-64	72	4.2	12	<1	1	3	5	9	12	18
65+	103	5.1	15	1	2	4	7	8	13	23
2. MULTIPLE DX										
0-19 YRS	88	3.9	14	<1	1	2	5	9	11	18
20-34	279	4.5	21	<1	1	3	5	10	13	26
35-49	176	6.5	56	<1	1	4	8	15	21	40
50-64	199	5.8	28	<1	1	5	7	11	17	29
65+	353	8.7	85	2	2	6	10	17	32	99+
TOT. SINGLE DX	730	3.5	16	<1	<1	2	4	7	10	19
" MULTIPLE DX	1095	6.4	52	<1	1	4	8	14	20	43
TOTAL 0-19 YRS	195	3.5	15	<1	<1	2	4	9	12	18
20-34	607	3.6	14	<1	<1	2	4	7	11	21
35-49	296	5.4	53	<1	1	2	7	13	17	39
50-64	271	5.4	25	<1	1	4	7	10	15	24
65+	456	7.9	72	2	2	6	9	15	27	97
GRAND TOTAL	1825	5.2	39	<1	1	3	7	11	15	38

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.0	1	<1	<1	2	2	3	5	7
20-34	897	1.9	1	<1	<1	2	2	3	4	5
35-49	399	1.9	1	<1	<1	2	2	3	4	7
50-64	153	2.0	1	<1	<1	2	2	3	4	7
65+	53	4.0	36	<1	1	2	3	6	14	32
2. MULTIPLE DX										
0-19 YRS	70	3.8	31	1	1	3	4	6	7	40
20-34	266	3.2	9	<1	1	2	4	6	8	14
35-49	207	3.7	49	<1	1	2	4	7	12	56
50-64	155	5.6	82	1	1	2	4	14	22	40
65+	196	7.8	86	1	2	4	9	19	29	81
TOT. SINGLE DX	1687	2.0	3	<1	<1	2	2	3	4	7
" MULTIPLE DX	894	4.8	53	<1	1	3	5	10	17	46
TOTAL 0-19 YRS	255	2.5	11	<1	1	2	3	4	6	11
20-34	1163	2.2	4	<1	<1	2	3	4	5	10
35-49	606	2.5	19	<1	<1	2	3	4	6	14
50-64	308	3.8	45	<1	1	2	3	7	14	38
65+	249	7.0	78	1	2	3	8	17	25	60
GRAND TOTAL	2581	3.0	22	<1	<1	2	3	5	9	24

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	<1	<1	3	3	3	3	3
20-34	5	6.6	29	<1	<1	7	9	15	15	15
35-49	17	6.8	29	<1	<1	6	11	16	16	16
50-64	10	10.1	70	3	3	6	20	23	25	25
65+	26	14.0	149	2	2	10	19	26	41	53
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	7.8	85	1	1	3	12	24	26	26
35-49	20	9.3	84	1	2	6	9	25	31	34
50-64	29	15.3	202	2	3	11	20	34	56	57
65+	68	16.9	136	3	5	14	23	33	39	57
TOT. SINGLE DX	62	10.1	96	<1	2	7	15	24	26	51
" MULTIPLE DX	126	14.6	148	2	3	10	21	29	39	58
TOTAL 0-19 YRS	5	2.4	1	<1	<1	3	3	3	3	3
20-34	13	7.3	60	<1	1	4	9	20	25	26
35-49	37	8.2	59	<1	1	6	10	17	27	34
50-64	39	14.0	171	2	3	9	20	25	49	57
65+	94	16.1	140	2	4	14	23	30	39	57
GRAND TOTAL	188	13.1	135	1	2	9	20	26	38	57

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.3	10	<1	<1	1	2	4	12	15
20-34	43	2.7	2	<1	<1	2	3	5	6	7
35-49	7	2.7	4	<1	<1	1	5	5	5	5
50-64	8	2.1	1	<1	<1	2	3	4	4	4
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	20	2.9	4	<1	1	2	4	6	7	8
20-34	32	3.3	6	<1	1	3	4	6	8	13
35-49	16	6.3	18	2	3	5	7	12	17	19
50-64	7	4.6	22	2	2	3	5	13	15	15
65+	12	4.6	20	<1	1	3	5	10	17	18
TOT. SINGLE DX	102	2.5	6	<1	<1	2	3	5	6	14
" MULTIPLE DX	87	4.0	12	1	1	3	5	7	12	19
TOTAL 0-19 YRS	62	2.5	8	<1	1	1	3	5	9	15
20-34	75	2.9	4	<1	<1	3	4	6	7	12
35-49	23	5.2	17	<1	1	5	6	10	14	19
50-64	15	3.3	12	<1	1	2	3	5	12	15
65+	14	4.4	17	<1	2	3	4	8	16	18
GRAND TOTAL	189	3.2	9	<1	1	2	4	6	8	17

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	7.0	72	<1	<1	6	13	13	13	13
20-34	10	4.0	5	1	1	4	5	7	8	8
35-49	4	9.5	159	1	1	4	17	28	28	28
50-64	9	8.9	73	<1	<1	10	13	22	26	26
65+	9	3.0	4	1	1	3	4	6	7	7
TOT. SINGLE DX	21	1.8	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	34	5.9	44	<1	1	3	7	13	24	28
TOTAL 0-19 YRS	7	3.0	20	<1	<1	1	3	11	13	13
20-34	18	2.8	5	<1	<1	2	5	6	8	8
35-49	9	5.3	76	<1	<1	2	4	20	28	28
50-64	10	8.2	70	<1	<1	6	13	20	26	26
65+	11	3.1	4	1	1	3	5	6	7	7
GRAND TOTAL	55	4.3	32	<1	<1	2	5	11	15	28

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	648	3.2	1	2	2	3	4	4	5	8
20-34	4952	3.2		2	2	3	4	4	4	6
35-49	351	3.3	2	2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	677	3.5	2	2	2	3	4	5	5	10
20-34	4968	3.7	2	2	3	3	4	5	6	9
35-49	448	3.9	7	2	3	4	4	5	7	11
50-64										
65+										
TOT. SINGLE DX	5951	3.2	1	2	2	3	4	4	4	6
" MULTIPLE DX	6093	3.7	3	2	3	3	4	5	6	9
TOTAL 0-19 YRS	1325	3.4	2	2	2	3	4	4	5	9
20-34	9920	3.5	2	2	3	3	4	4	5	7
35-49	799	3.7	5	2	3	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	12044	3.5	2	2	2	3	4	4	5	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.7		1	1	3	3	3	4	5
20-34	240	3.0		1	2	3	3	4	4	6
35-49	25	2.7		1	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	2.7	2	1	1	3	3	4	5	8
20-34	421	3.4	5	1	2	3	4	5	6	14
35-49	67	3.7	4	1	1	3	4	6	7	14
50-64										
65+										
TOT. SINGLE DX	290	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	525	3.4	5	1	1	3	4	5	6	14
TOTAL 0-19 YRS	62	2.7	2	1	1	3	3	4	5	8
20-34	661	3.2	4	1	2	3	4	5	6	11
35-49	92	3.4	4	1	1	3	4	5	7	13
50-64										
65+										
GRAND TOTAL	815	3.2	4	1	2	3	4	5	6	11

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	3.3	6	2	2	3	4	4	4	6
20-34	1158	3.2		2	2	3	4	4	5	6
35-49	96	3.2		2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	232	3.5	1	2	2	3	4	5	6	8
20-34	1813	3.7	3	2	2	3	4	5	6	10
35-49	147	3.8	1	3	3	4	4	5	5	8
50-64										
65+										
TOT. SINGLE DX	1414	3.2	2	2	2	3	4	4	5	6
" MULTIPLE DX	2192	3.7	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	392	3.4	4	2	2	3	4	4	5	7
20-34	2971	3.5	2	2	2	3	4	5	5	8
35-49	243	3.6	1	2	3	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	3606	3.5	2	2	2	3	4	5	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7745	3.0	1	2	2	3	3	4	4	5
20-34	55421	3.0	1	2	2	3	3	4	4	5
35-49	3922	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1827	3.3	2	1	2	3	4	5	6	9
20-34	14491	3.4	3	1	2	3	4	5	6	10
35-49	1430	3.6	4	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	67088	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	17748	3.4	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	9572	3.1	2	2	2	3	3	4	5	7
20-34	69912	3.1	2	2	2	3	3	4	4	6
35-49	5352	3.2	2	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	84836	3.1	2	2	2	3	3	4	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1059	5.8	3	4	4	6	6	8	8	12
20-34	12650	5.8	2	4	4	6	6	7	8	9
35-49	1063	6.2	6	4	5	6	7	8	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2116	6.5	7	4	4	6	7	9	11	19
20-34	23201	6.3	10	4	4	6	7	8	9	17
35-49	3114	6.8	12	4	5	6	7	8	11	21
50-64										
65+										
TOT. SINGLE DX	14772	5.8	3	4	4	6	6	7	8	10
" MULTIPLE DX	28431	6.4	10	4	4	6	7	8	10	18
TOTAL 0-19 YRS	3175	6.3	6	4	4	6	7	8	10	17
20-34	35851	6.1	7	4	4	6	7	8	9	15
35-49	4177	6.6	11	4	5	6	7	8	10	20
50-64										
65+										
GRAND TOTAL	43203	6.2	8	4	4	6	7	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	5.6	1	3	4	6	7	7	8	8
20-34	254	5.6	2	4	4	5	7	7	8	11
35-49	20	6.9	9	4	5	6	7	9	14	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	57	7.8	48	4	4	6	8	11	16	52
20-34	582	6.9	19	4	4	6	7	9	12	31
35-49	94	7.8	26	4	5	6	8	13	16	35
50-64										
65+										
TOT. SINGLE DX	298	5.7	3	4	4	5	7	7	8	12
" MULTIPLE DX	733	7.1	23	4	4	6	7	10	14	32
TOTAL 0-19 YRS	81	7.2	36	4	4	6	7	9	12	44
20-34	836	6.5	14	4	4	6	7	8	11	24
35-49	114	7.6	23	4	5	6	8	12	16	32
50-64										
65+										
GRAND TOTAL	1031	6.7	17	4	4	6	7	9	12	26

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.8	1	4	4	5	5	7	7	7
20-34	56	5.0	2	3	3	5	6	7	7	8
35-49	8	7.6	33	4	4	5	8	18	21	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	90	5.2	4	2	3	5	6	8	9	15
35-49	12	6.2	2	4	4	6	8	8	8	8
50-64										
65+										
TOT. SINGLE DX	70	5.3	6	3	3	5	6	7	8	19
" MULTIPLE DX	105	5.4	4	3	3	5	6	8	9	14
TOTAL 0-19 YRS	9	5.1	2	4	4	5	6	7	7	7
20-34	146	5.1	4	3	3	5	6	7	8	13
35-49	20	6.8	14	4	4	6	8	9	15	21
50-64										
65+										
GRAND TOTAL	**175**	**5.3**	**5**	**3**	**3**	**5**	**6**	**8**	**8**	**15**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	991	1.7		1	1	2	2	2	3	4
20-34	1351	1.7		1	1	2	2	3	3	5
35-49	117	1.9		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	51	2.8	4	1	1	2	3	5	8	11
20-34	135	3.3	9	1	1	2	4	6	10	16
35-49	24	2.7	4	<1	1	2	3	5	8	10
50-64										
65+										
TOT. SINGLE DX	2459	1.7	1	1	1	2	2	3	3	5
" MULTIPLE DX	210	3.1	8	1	1	2	3	6	9	15
TOTAL 0-19 YRS	1042	1.8	1	1	1	2	2	2	3	5
20-34	1486	1.9	2	1	1	2	2	3	3	7
35-49	141	2.0	1	1	1	2	2	3	4	7
50-64										
65+										
GRAND TOTAL	**2669**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	4.5	15	<1	<1	4	5	10	14	15
20-34	108	3.7	9	<1	<1	2	5	8	9	14
35-49	32	2.3	12	<1	<1	<1	<1	7	9	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	9.5	45	<1	1	9	11	19	23	25
20-34	397	2.2	14	<1	<1	<1	<1	5	9	21
35-49	588	1.1	1	<1	<1	<1	<1	<1	<1	7
50-64										
65+										
TOT. SINGLE DX	161	3.5	11	<1	<1	2	5	8	10	15
" MULTIPLE DX	1000	1.7	8	<1	<1	<1	<1	2	6	15
TOTAL 0-19 YRS	36	6.6	33	<1	<1	5	9	15	19	25
20-34	505	2.5	14	<1	<1	<1	2	6	9	16
35-49	620	1.2	2	<1	<1	<1	<1	<1	<1	8
50-64										
65+										
GRAND TOTAL	**1161**	**1.9**	**9**	**<1**	**<1**	**<1**	**<1**	**4**	**7**	**15**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1004	2.5	2	<1	<1	3	3	4	5	8
20-34	6508	2.8	2	<1	<1	3	3	4	4	7
35-49	468	2.8	2	<1	1	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	440	3.0	5	<1	<1	3	4	5	6	15
20-34	3004	3.3	7	<1	1	3	4	5	6	12
35-49	305	3.6	7	1	1	3	4	6	8	16
50-64										
65+										
TOT. SINGLE DX	7980	2.7	3	<1	<1	3	3	4	4	7
" MULTIPLE DX	3749	3.3	8	<1	1	3	4	5	6	13
TOTAL 0-19 YRS	1444	2.7	4	<1	<1	3	3	4	5	9
20-34	9512	2.9	5	<1	<1	3	3	4	5	9
35-49	773	3.1	4	<1	1	3	4	4	6	13
50-64										
65+										
GRAND TOTAL	**11729**	**2.9**	**4**	**<1**	**<1**	**3**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1486	2.9		2	2	3	3	4	4	5
20-34	11424	2.9		1	2	3	3	4	4	5
35-49	902	2.9		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1129	3.2	1	2	2	3	4	4	5	9
20-34	9587	3.3	3	2	2	3	4	4	5	8
35-49	962	3.5	3	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	13812	2.9	1	2	2	3	3	4	4	5
" MULTIPLE DX	11678	3.3	3	2	2	3	4	4	5	8
TOTAL 0-19 YRS	2615	3.1	1	2	2	3	3	4	5	7
20-34	21011	3.1	2	2	2	3	3	4	5	7
35-49	1864	3.2	3	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	25490	3.1	2	2	2	3	3	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.0	8	<1	<1	2	3	6	10	13
20-34	35	3.2	8	<1	1	2	4	6	10	15
35-49	30	2.8	3	1	1	2	3	5	7	10
50-64	26	5.8	59	<1	1	3	6	14	21	38
65+	30	5.1	16	1	1	3	7	12	14	15
2. MULTIPLE DX										
0-19 YRS	43	3.9	3	2	2	4	4	5	7	11
20-34	46	3.8	3	1	2	4	5	6	8	9
35-49	42	6.1	51	1	2	4	5	16	24	34
50-64	55	10.3	165	1	1	6	14	22	35	61
65+	63	12.5	161	1	2	7	19	26	40	55
TOT. SINGLE DX	141	4.0	19	<1	1	2	4	9	13	19
" MULTIPLE DX	249	7.8	99	1	2	4	8	20	26	56
TOTAL 0-19 YRS	63	3.6	5	1	1	4	4	5	8	13
20-34	81	3.5	5	<1	1	3	4	6	8	14
35-49	72	4.7	34	1	1	3	5	9	21	32
50-64	81	8.9	134	1	1	4	11	22	35	60
65+	93	10.1	126	1	2	5	15	25	36	54
GRAND TOTAL	390	6.4	74	1	1	4	6	16	24	47

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	4.4	10	2	3	4	5	7	9	13
20-34	398	3.5	2	1	2	3	4	5	6	10
35-49	180	3.3	6	1	2	3	4	5	6	12
50-64	73	2.6		1	2	3	3	4	5	5
65+	14	5.0	15	2	2	3	6	10	15	16
2. MULTIPLE DX										
0-19 YRS	250	5.4	29	2	3	4	5	9	13	37
20-34	377	4.3	6	2	3	4	5	6	7	14
35-49	141	4.1	7	1	2	3	5	7	10	15
50-64	92	5.4	55	1	2	3	5	12	18	45
65+	31	5.1	31	2	2	3	5	16	26	99+
TOT. SINGLE DX	892	3.6	6	2	2	3	4	6	7	11
" MULTIPLE DX	891	4.7	19	2	2	4	5	7	11	29
TOTAL 0-19 YRS	477	4.9	20	2	3	4	5	8	11	32
20-34	775	3.9	5	2	2	3	4	6	7	11
35-49	321	3.6	7	1	2	3	4	6	8	15
50-64	165	4.2	33	1	2	3	4	6	12	39
65+	45	5.1	26	2	2	3	5	15	20	99+
GRAND TOTAL	1783	4.2	13	2	2	3	5	6	8	18

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	3.0	6	1	1	2	3	5	6	17
20-34	249	3.1	3	1	1	3	4	6	7	10
35-49	45	3.6	6	1	1	3	4	7	9	14
50-64	7	4.3	13	1	1	3	6	10	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	191	5.3	46	1	1	3	6	10	17	35
20-34	277	5.5	23	1	2	4	6	11	13	29
35-49	82	6.0	23	2	2	4	8	14	17	76
50-64	27	7.3	106	1	2	3	6	21	32	47
65+	37	8.2	42	2	3	5	9	22	22	22
TOT. SINGLE DX	447	3.1	5	1	1	3	4	5	8	11
" MULTIPLE DX	614	5.7	36	1	2	4	7	12	17	31
TOTAL 0-19 YRS	337	4.3	31	1	1	3	5	8	11	26
20-34	526	4.3	15	1	2	3	5	9	11	19
35-49	127	5.2	19	1	2	4	7	12	15	43
50-64	34	6.6	87	1	1	3	6	14	28	47
65+	37	8.2	42	2	3	5	9	22	22	22
GRAND TOTAL	1061	4.6	24	1	1	3	5	9	13	27

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.4	6	1	1	3	4	6	9	13
20-34	318	3.5	6	1	1	3	4	7	9	13
35-49	98	3.9	9	1	1	3	5	7	10	19
50-64	35	4.0	9	1	2	3	5	8	12	14
65+	11	3.5	4	<1	1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	166	7.1	62	1	2	5	8	15	19	46
20-34	436	6.9	45	1	2	5	9	13	20	32
35-49	169	8.5	78	2	2	6	11	17	23	57
50-64	75	9.8	191	2	2	6	10	32	59	99+
65+	64	12.3	82	2	3	10	17	24	32	43
TOT. SINGLE DX	564	3.6	7	1	1	3	4	7	9	14
" MULTIPLE DX	910	7.9	71	2	2	6	9	16	22	56
TOTAL 0-19 YRS	268	5.7	44	1	1	4	7	11	16	41
20-34	754	5.5	32	1	1	4	7	11	15	24
35-49	267	6.8	58	1	2	4	8	14	20	52
50-64	110	8.0	140	2	2	5	8	14	41	99+
65+	75	11.1	80	2	2	9	15	24	31	41
GRAND TOTAL	1474	6.2	51	1	2	4	7	12	18	43

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.6	7	1	1	3	5	8	9	10
20-34	23	4.2	12	<1	1	3	6	9	12	15
35-49	27	3.7	10	<1	1	3	5	7	9	17
50-64	23	2.5	3	1	1	2	3	3	6	10
65+	14	2.7		2	2	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	25	5.7	14	2	2	5	7	10	15	16
20-34	20	9.3	193	<1	1	4	8	22	44	62
35-49	19	5.6	33	1	1	3	7	17	20	20
50-64	27	8.5	209	1	2	3	5	27	48	60
65+	28	12.1	206	2	2	7	15	25	42	69
TOT. SINGLE DX	107	3.4	8	<1	1	2	4	7	9	16
" MULTIPLE DX	119	8.4	139	1	2	4	9	20	27	64
TOTAL 0-19 YRS	45	4.8	12	1	1	4	6	10	11	16
20-34	43	6.6	101	<1	1	4	7	13	21	62
35-49	46	4.5	21	<1	1	3	5	10	17	20
50-64	50	5.7	121	1	2	2	3	9	28	60
65+	42	9.0	156	2	2	4	12	22	31	69
GRAND TOTAL	226	6.0	83	1	1	3	6	13	20	60

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	5.6	25	1	2	4	6	11	15	27
20-34	258	4.2	16	1	1	3	5	8	10	21
35-49	235	4.7	18	1	1	3	6	9	11	26
50-64	252	6.1	23	2	2	5	8	10	13	22
65+	90	7.9	78	2	2	5	8	15	24	50
2. MULTIPLE DX										
0-19 YRS	299	8.4	82	2	3	5	8	18	29	57
20-34	298	7.6	118	1	1	4	8	18	31	63
35-49	263	6.8	85	1	2	3	6	15	29	50
50-64	407	7.9	71	2	2	6	9	14	23	43
65+	225	13.4	183	2	3	9	17	29	47	99+
TOT. SINGLE DX	1219	5.4	27	1	2	4	6	10	14	28
" MULTIPLE DX	1492	8.6	107	1	2	5	9	19	31	58
TOTAL 0-19 YRS	683	6.8	52	1	2	5	7	14	22	40
20-34	556	6.1	74	1	1	3	6	13	21	46
35-49	498	5.8	55	1	2	3	6	11	19	44
50-64	659	7.2	54	2	2	6	8	12	18	39
65+	315	11.9	159	2	2	8	15	26	45	96
GRAND TOTAL	2711	7.2	73	1	2	5	8	14	23	48

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	3.2	2	1	2	3	4	5	6	8
20-34	490	3.4	2	1	2	3	4	5	6	8
35-49	437	3.5	4	1	1	3	4	6	6	9
50-64	526	3.7	3	1	2	3	4	6	7	9
65+	226	3.5	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	289	3.6	3	1	2	3	4	6	7	9
20-34	750	4.0	19	1	2	3	5	6	7	15
35-49	994	3.8	4	1	2	3	5	6	7	10
50-64	1598	4.3	10	2	2	4	5	7	8	14
65+	1062	5.0	22	1	2	4	6	8	11	22
TOT. SINGLE DX	1911	3.5	3	1	2	3	4	6	7	9
" MULTIPLE DX	4693	4.3	13	1	2	4	5	7	8	16
TOTAL 0-19 YRS	521	3.5	3	1	2	3	4	6	7	8
20-34	1240	3.8	13	1	2	3	4	6	7	12
35-49	1431	3.7	5	1	2	3	5	6	7	9
50-64	2124	4.2	9	1	2	4	5	6	8	13
65+	1288	4.8	20	1	2	4	6	8	10	21
GRAND TOTAL	6604	4.1	10	1	2	4	5	6	8	14

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1053	3.7	18	1	1	3	4	6	8	24
20-34	1150	3.8	19	<1	1	3	4	6	10	26
35-49	935	4.1	20	<1	1	3	4	7	11	27
50-64	665	4.8	40	1	1	3	5	8	13	39
65+	311	6.5	52	1	2	4	8	14	23	40
2. MULTIPLE DX										
0-19 YRS	526	7.4	118	1	1	4	7	17	28	60
20-34	986	8.1	160	1	1	4	7	22	39	77
35-49	933	8.2	139	1	1	4	8	21	35	70
50-64	1217	10.4	188	1	2	5	12	28	41	78
65+	1232	16.5	301	2	3	11	22	42	62	99+
TOT. SINGLE DX	4114	4.2	26	1	1	3	4	7	12	30
" MULTIPLE DX	4894	10.7	206	1	2	5	13	29	44	88
TOTAL 0-19 YRS	1579	4.9	55	1	1	3	5	9	16	42
20-34	2136	5.8	89	1	1	3	5	11	24	58
35-49	1868	6.1	84	1	1	3	6	13	23	51
50-64	1882	8.4	143	1	2	4	8	21	34	70
65+	1543	14.5	267	2	2	9	20	38	57	99+
GRAND TOTAL	**9008**	**7.8**	**135**	**1**	**1**	**4**	**7**	**20**	**32**	**71**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	6.8	55	2	2	5	7	11	18	44
20-34	228	4.7	19	1	1	4	6	9	11	25
35-49	114	6.3	99	1	2	4	6	11	17	65
50-64	102	9.1	100	2	3	6	10	15	27	59
65+	178	16.0	222	2	4	12	19	29	41	95
2. MULTIPLE DX										
0-19 YRS	234	10.1	153	2	2	6	11	24	39	96
20-34	179	11.6	209	1	2	6	14	29	47	86
35-49	101	10.9	125	1	2	6	14	28	37	81
50-64	163	14.7	184	2	3	11	18	36	46	96
65+	557	23.3	344	4	7	18	30	49	71	96
TOT. SINGLE DX	995	8.1	101	1	2	5	9	16	25	64
" MULTIPLE DX	1234	16.9	284	2	3	12	22	39	56	96
TOTAL 0-19 YRS	607	8.0	96	2	2	5	8	17	28	55
20-34	407	7.7	114	1	1	4	8	16	28	64
35-49	215	8.5	116	1	2	5	9	19	31	72
50-64	265	12.5	159	2	3	9	14	29	44	73
65+	735	21.5	325	4	6	16	28	46	70	96
GRAND TOTAL	**2229**	**13.0**	**222**	**2**	**2**	**8**	**16**	**31**	**45**	**88**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	719	3.0	16	<1	1	2	3	5	7	26
20-34	1036	2.8	13	<1	1	2	3	5	6	13
35-49	496	3.0	7	<1	1	2	3	5	7	16
50-64	440	3.3	12	<1	1	2	4	5	9	20
65+	327	5.7	57	1	1	3	7	14	18	49
2. MULTIPLE DX										
0-19 YRS	419	4.5	53	<1	1	3	4	7	10	48
20-34	396	6.9	123	1	1	3	6	17	32	59
35-49	271	6.3	76	1	1	3	6	14	24	52
50-64	366	7.5	122	1	2	4	7	18	28	56
65+	564	13.6	223	2	2	8	17	34	54	99+
TOT. SINGLE DX	3018	3.3	19	<1	1	2	3	5	8	21
" MULTIPLE DX	2016	8.3	142	1	2	4	8	21	36	68
TOTAL 0-19 YRS	1138	3.6	31	<1	1	2	4	5	8	38
20-34	1432	3.9	47	<1	1	2	4	6	10	45
35-49	767	4.1	34	<1	1	3	4	7	12	38
50-64	806	5.2	67	<1	1	3	5	10	18	46
65+	891	10.7	177	1	2	6	14	26	44	99
GRAND TOTAL	**5034**	**5.3**	**74**	**<1**	**1**	**3**	**5**	**11**	**19**	**54**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	18.7	241	4	5	14	24	41	50	79
20-34	22	13.5	49	6	8	12	15	29	58	99+
35-49	11	20.1	371	6	7	15	19	51	70	72
50-64	55	11.4	60	5	5	10	13	16	27	47
65+	142	17.9	134	8	9	15	20	33	53	99+
2. MULTIPLE DX										
0-19 YRS	71	28.0	307	6	9	25	41	47	61	85
20-34	54	25.2	347	6	7	20	31	64	75	99
35-49	21	20.7	272	7	7	17	25	50	59	62
50-64	96	21.2	352	6	7	15	27	57	92	99+
65+	685	22.8	241	8	10	18	30	50	73	99+
TOT. SINGLE DX	314	16.7	158	5	6	14	20	33	48	99+
" MULTIPLE DX	927	23.1	266	7	9	18	30	50	72	99+
TOTAL 0-19 YRS	155	22.9	291	5	6	19	31	46	51	85
20-34	76	21.8	287	6	7	17	27	53	74	99+
35-49	32	20.5	296	6	7	16	24	49	61	72
50-64	151	17.7	267	5	6	12	19	39	61	99+
65+	827	21.9	226	8	9	17	28	48	71	99+
GRAND TOTAL	**1241**	**21.5**	**246**	**6**	**8**	**17**	**27**	**48**	**68**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	11.2	63	2	4	10	14	21	28	43
20-34	107	14.9	95	5	6	13	18	28	33	62
35-49	94	12.8	68	4	6	11	15	22	29	47
50-64	294	14.2	62	6	7	13	17	21	30	47
65+	1245	18.8	112	8	9	16	23	31	39	73
2. MULTIPLE DX										
0-19 YRS	198	20.3	193	6	8	17	25	38	55	77
20-34	307	23.9	314	7	8	18	29	53	72	99+
35-49	220	22.4	249	6	8	17	28	47	63	99+
50-64	723	20.8	191	7	9	17	24	40	51	75
65+	6112	25.2	264	9	11	21	32	54	75	99+
TOT. SINGLE DX	1871	17.0	104	6	8	15	20	29	37	66
" MULTIPLE DX	7560	24.5	260	8	10	20	31	51	72	99+
TOTAL 0-19 YRS	329	16.7	161	4	5	13	21	32	44	75
20-34	414	21.6	273	6	7	17	27	48	68	99+
35-49	314	19.5	215	6	7	16	23	41	52	99+
50-64	1017	18.9	163	7	8	15	22	34	46	68
65+	7357	24.1	245	9	10	20	30	50	71	99+
GRAND TOTAL	**9431**	**23.0**	**238**	**8**	**10**	**19**	**29**	**47**	**68**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	13.7	201	1	1	9	21	34	43	56
20-34	17	15.9	221	1	2	10	24	43	47	47
35-49	10	11.6	257	2	2	5	11	37	55	55
50-64	19	15.8	169	4	7	12	18	31	49	60
65+	42	18.1	238	2	3	13	24	40	49	69
2. MULTIPLE DX										
0-19 YRS	132	20.5	236	2	3	18	29	44	51	72
20-34	53	25.9	429	3	4	22	40	57	74	99
35-49	20	26.7	407	6	9	18	40	58	70	74
50-64	51	21.7	352	1	2	16	33	54	59	99+
65+	172	22.0	313	3	6	18	32	61	94	99+
TOT. SINGLE DX	310	14.5	207	1	2	9	21	35	46	60
" MULTIPLE DX	428	22.2	313	2	4	18	33	52	68	99+
TOTAL 0-19 YRS	354	16.2	225	1	2	11	25	40	47	61
20-34	70	23.5	393	2	3	18	36	56	59	97
35-49	30	21.6	399	3	4	13	33	52	67	74
50-64	70	20.1	307	2	3	14	32	51	59	95
65+	214	21.2	300	3	5	17	31	56	81	99+
GRAND TOTAL	**738**	**19.0**	**283**	**1**	**2**	**14**	**28**	**46**	**58**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	4.4	52	1	1	2	4	11	18	26
20-34	248	4.0	25	<1	1	2	4	9	12	24
35-49	200	3.6	13	<1	1	2	4	8	10	21
50-64	219	3.7	13	1	1	3	4	7	9	20
65+	169	4.3	21	1	1	3	5	10	13	24
2. MULTIPLE DX										
0-19 YRS	119	9.0	106	1	1	5	12	23	34	67
20-34	146	10.5	139	1	2	7	13	24	34	57
35-49	104	9.3	126	1	2	6	10	20	44	79
50-64	177	9.9	123	1	2	6	13	22	30	60
65+	226	11.1	146	1	2	6	16	31	44	99+
TOT. SINGLE DX	1098	4.0	27	1	1	2	4	8	13	24
" MULTIPLE DX	772	10.1	131	1	2	6	13	25	39	78
TOTAL 0-19 YRS	381	5.9	73	1	1	3	6	16	22	47
20-34	394	6.4	78	1	1	3	7	16	23	48
35-49	304	5.6	59	1	1	3	6	12	19	49
50-64	396	6.5	72	1	1	3	7	16	22	42
65+	395	8.2	104	1	1	4	10	23	35	99+
GRAND TOTAL	**1870**	**6.5**	**79**	**1**	**1**	**3**	**7**	**16**	**24**	**52**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1372	3.7	7	1	1	3	5	7	9	13
20-34	1688	4.5	12	1	1	4	6	9	11	18
35-49	1120	5.3	16	1	2	4	7	10	12	20
50-64	1019	6.3	16	2	2	5	8	11	14	21
65+	610	8.6	38	2	3	7	11	16	21	30
2. MULTIPLE DX										
0-19 YRS	645	8.5	113	1	2	5	10	18	31	63
20-34	1231	9.2	101	2	2	6	10	20	31	59
35-49	803	9.4	104	2	2	6	11	20	30	71
50-64	1056	11.3	138	2	3	8	14	24	35	73
65+	1262	15.4	204	3	4	11	19	34	52	99+
TOT. SINGLE DX	5809	5.2	18	1	2	4	6	10	13	21
" MULTIPLE DX	4997	11.2	144	2	3	7	14	24	37	78
TOTAL 0-19 YRS	2017	5.2	47	1	1	3	6	10	15	47
20-34	2919	6.5	55	1	2	4	7	13	19	44
35-49	1923	7.0	58	1	2	5	8	13	20	48
50-64	2075	8.9	85	2	3	6	10	18	24	57
65+	1872	13.2	161	3	4	9	16	28	40	87
GRAND TOTAL	**10806**	**8.0**	**85**	**1**	**2**	**5**	**9**	**17**	**24**	**57**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2856	2.5	8	<1	1	[illegible]	3	5	7	17
20-34	795	4.0	16	1	1	3	5	8	11	20
35-49	604	3.8	12	1	1	3	5	8	11	19
50-64	682	4.3	19	1	1	3	5	9	13	22
65+	658	5.5	55	1	1	3	6	12	17	34
2. MULTIPLE DX										
0-19 YRS	823	6.1	78	1	1	3	6	14	22	52
20-34	689	8.5	132	1	1	5	9	18	32	68
35-49	512	9.3	168	1	1	5	10	20	30	78
50-64	706	9.1	128	1	1	5	11	21	33	79
65+	1575	12.5	212	1	2	8	16	30	50	99+
TOT. SINGLE DX	5595	3.4	18	1	1	2	4	7	11	22
" MULTIPLE DX	4305	9.7	161	1	1	5	11	23	37	85
TOTAL 0-19 YRS	3679	3.3	27	1	1	2	3	7	11	25
20-34	1484	6.1	75	1	1	4	7	12	19	53
35-49	1116	6.4	92	1	1	4	7	13	20	57
50-64	1388	6.8	81	1	1	4	8	15	23	55
65+	2233	10.5	176	1	1	6	13	25	42	98
GRAND TOTAL	9900	6.2	90	1	1	3	7	14	22	59

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	4.4	37	<1	<1	2	4	13	17	29
20-34	203	2.9	15	<1	<1	1	3	7	10	21
35-49	101	2.3	3	<1	<1	2	3	4	5	9
50-64	91	3.6	48	<1	1	2	4	6	11	46
65+	130	5.7	41	1	1	3	7	13	22	31
2. MULTIPLE DX										
0-19 YRS	109	8.8	87	1	1	5	11	21	32	41
20-34	160	7.5	80	1	1	4	9	19	26	38
35-49	80	6.7	87	1	1	4	7	17	22	55
50-64	115	8.9	125	1	1	5	10	21	31	59
65+	276	11.6	161	1	1	7	17	28	39	73
TOT. SINGLE DX	738	3.8	30	<1	1	2	4	9	15	27
" MULTIPLE DX	740	9.4	123	1	1	5	12	22	33	59
TOTAL 0-19 YRS	322	5.9	59	<1	1	2	7	16	22	36
20-34	363	4.9	49	<1	1	2	6	13	19	37
35-49	181	4.2	45	<1	1	2	4	9	16	32
50-64	206	6.5	98	1	1	3	7	16	23	54
65+	406	9.7	131	1	1	5	13	25	32	69
GRAND TOTAL	1478	6.6	84	<1	1	3	8	18	24	44

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	3.6	12	1	1	3	4	7	8	23
20-34	195	3.5	13	1	1	3	4	6	7	18
35-49	73	3.8	6	1	1	3	5	6	9	15
50-64	47	4.9	18	1	1	3	6	9	16	21
65+	27	8.7	64	2	2	5	10	19	31	34
2. MULTIPLE DX										
0-19 YRS	50	9.4	182	2	2	5	8	16	28	76
20-34	82	8.8	121	1	2	5	9	22	28	65
35-49	47	6.6	161	1	1	4	6	10	19	85
50-64	47	14.3	274	2	2	7	16	41	51	71
65+	70	15.2	230	1	3	11	19	48	57	99+
TOT. SINGLE DX	469	4.0	17	1	1	3	5	7	9	22
" MULTIPLE DX	296	10.9	196	1	2	6	12	28	48	83
TOTAL 0-19 YRS	177	5.2	67	1	1	3	5	8	16	53
20-34	277	5.1	51	1	1	3	5	8	17	31
35-49	120	4.9	68	1	1	4	5	8	11	47
50-64	94	9.6	167	1	2	5	9	22	41	66
65+	97	13.4	192	2	3	9	17	38	56	99+
GRAND TOTAL	765	6.7	98	1	1	4	6	15	23	62

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	579	3.5	13	1	1	3	4	6	10	21
20-34	533	2.9	5	1	1	2	3	5	6	13
35-49	287	3.3	7	1	1	2	4	6	9	14
50-64	136	6.2	124	<1	1	3	6	13	19	68
65+	80	9.2	103	1	2	4	12	22	28	50
2. MULTIPLE DX										
0-19 YRS	358	6.0	84	1	1	3	5	15	26	49
20-34	411	4.8	44	1	1	3	5	9	15	37
35-49	292	6.8	87	1	2	3	7	16	27	44
50-64	240	10.5	162	1	2	5	13	28	38	62
65+	289	19.2	365	2	3	14	27	51	71	99+
TOT. SINGLE DX	1615	3.8	26	1	1	3	4	7	10	23
" MULTIPLE DX	1590	8.9	164	1	2	4	10	24	35	76
TOTAL 0-19 YRS	937	4.5	42	1	1	3	4	9	16	36
20-34	944	3.8	23	1	1	3	4	6	9	25
35-49	579	5.1	51	1	1	3	5	10	17	36
50-64	376	8.9	153	1	2	4	10	22	33	64
65+	369	17.0	326	2	2	11	23	45	64	99+
GRAND TOTAL	3205	6.3	101	1	1	3	6	15	26	59

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	9.6	28	4	4	8	12	19	21	26
20-34	1864	8.5	32	3	4	7	10	15	20	29
35-49	2602	9.0	37	3	4	7	10	16	21	32
50-64	1126	9.6	36	3	4	8	11	18	21	32
65+	245	12.1	62	4	6	10	14	23	26	40
2. MULTIPLE DX										
0-19 YRS	25	14.0	151	2	5	10	16	22	50	53
20-34	617	11.3	65	4	5	9	14	21	26	39
35-49	1415	11.9	85	4	5	9	14	23	29	49
50-64	1336	13.2	96	5	5	10	16	25	33	68
65+	711	17.9	168	6	7	14	22	33	43	90
TOT. SINGLE DX	5931	9.1	37	3	4	8	11	16	21	31
" MULTIPLE DX	4104	13.3	106	4	5	10	16	25	33	61
TOTAL 0-19 YRS	119	10.5	57	3	4	8	13	19	22	50
20-34	2481	9.2	42	3	4	8	11	17	22	34
35-49	4017	10.1	56	3	4	8	12	18	24	39
50-64	2462	11.6	72	4	5	9	14	21	27	51
65+	956	16.4	148	5	6	13	21	31	40	83
GRAND TOTAL	10035	10.8	69	3	4	8	13	20	26	44

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	603	2.5	2	<1	1	2	3	4	5	8
20-34	1563	2.5	2	<1	1	2	3	4	5	8
35-49	951	2.6	3	<1	1	2	3	5	6	9
50-64	589	2.8	2	<1	1	2	3	5	6	10
65+	112	3.7	24	1	1	2	4	7	9	32
2. MULTIPLE DX										
0-19 YRS	434	2.6	3	<1	1	2	3	5	6	9
20-34	1283	2.7	6	<1	1	2	3	5	6	10
35-49	1017	3.1	12	<1	1	2	3	6	8	17
50-64	1169	3.2	10	1	1	2	4	6	8	16
65+	463	4.1	24	1	1	3	4	9	13	26
TOT. SINGLE DX	3818	2.6	3	<1	1	2	3	5	6	9
" MULTIPLE DX	4366	3.1	11	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	1037	2.5	3	<1	1	2	3	5	6	8
20-34	2846	2.6	4	<1	1	2	3	5	6	9
35-49	1968	2.9	8	<1	1	2	3	5	7	14
50-64	1758	3.1	8	1	1	2	3	6	7	14
65+	575	4.0	25	1	1	2	4	8	12	26
GRAND TOTAL	8184	2.9	7	<1	1	2	3	5	7	12

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	980	2.2	4	<1	<1	2	2	4	5	13
20-34	1584	2.3	5	<1	<1	2	3	4	5	11
35-49	912	2.6	4	<1	<1	2	3	4	6	11
50-64	556	3.0	9	<1	1	2	3	5	8	16
65+	199	4.1	18	1	1	3	4	9	12	22
2. MULTIPLE DX										
0-19 YRS	525	3.0	15	<1	1	2	3	5	8	22
20-34	1099	3.1	15	<1	1	2	3	6	8	19
35-49	798	4.1	46	<1	1	2	4	7	11	44
50-64	783	5.5	70	1	1	3	5	12	19	51
65+	444	9.6	191	1	2	4	9	27	41	75
TOT. SINGLE DX	4231	2.5	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	3649	4.6	60	<1	1	2	4	9	16	47
TOTAL 0-19 YRS	1505	2.5	9	<1	<1	2	3	4	6	18
20-34	2683	2.6	10	<1	1	2	3	4	7	15
35-49	1710	3.3	25	<1	1	2	3	5	8	28
50-64	1339	4.5	46	1	1	2	4	9	15	41
65+	643	7.9	144	1	1	3	8	20	33	64
GRAND TOTAL	7880	3.5	32	<1	1	2	3	6	10	30

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	10.9	19	5	7	10	12	17	21	25
20-34	142	11.7	56	6	7	10	13	17	25	53
35-49	120	11.2	30	4	5	10	14	18	22	30
50-64	40	11.1	30	6	6	10	12	19	21	34
65+	2	25.0	128	17	17	25	33	33	33	33
2. MULTIPLE DX										
0-19 YRS	199	14.8	106	6	7	12	16	26	37	68
20-34	178	17.0	183	5	6	12	20	35	54	99+
35-49	137	15.3	108	5	7	12	19	33	40	99+
50-64	107	19.2	304	6	7	13	22	36	63	99
65+	58	30.0	526	8	9	25	40	78	89	99+
TOT. SINGLE DX	515	11.2	34	5	6	10	13	18	22	33
" MULTIPLE DX	679	17.5	210	6	7	12	21	36	52	99+
TOTAL 0-19 YRS	410	12.8	66	6	7	10	14	22	27	53
20-34	320	14.6	134	5	6	11	16	29	42	92
35-49	257	13.4	76	5	6	11	16	24	34	69
50-64	147	17.0	242	6	6	12	19	33	59	98
65+	60	29.9	512	8	9	25	39	78	89	99+
GRAND TOTAL	1194	14.8	144	5	7	11	16	27	39	90

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	4.2	13	1	1	4	5	7	9	23
20-34	210	4.2	10	1	1	3	6	8	9	17
35-49	191	4.5	13	1	1	4	6	9	11	21
50-64	198	4.4	28	<1	1	3	5	8	11	21
65+	110	4.0	14	<1	1	3	5	8	11	22
2. MULTIPLE DX										
0-19 YRS	120	6.9	67	2	2	5	8	12	15	59
20-34	200	6.3	75	2	2	4	7	11	16	39
35-49	210	5.9	53	1	2	4	6	10	17	51
50-64	284	5.5	24	1	2	4	7	11	14	31
65+	195	7.7	59	2	2	5	9	17	22	39
TOT. SINGLE DX	809	4.3	16	1	1	3	5	8	10	19
" MULTIPLE DX	1009	6.3	53	2	2	4	7	12	18	43
TOTAL 0-19 YRS	220	5.7	45	1	2	4	6	9	13	40
20-34	410	5.2	43	1	2	4	6	9	12	29
35-49	401	5.2	35	1	2	4	6	9	13	31
50-64	482	5.0	26	1	2	4	6	9	13	24
65+	305	6.4	46	1	2	4	7	14	20	34
GRAND TOTAL	1818	5.4	38	1	2	4	6	10	15	33

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	15.0	39	10	10	13	20	22	22	22
20-34	32	11.8	19	7	7	11	14	17	20	27
35-49	100	13.9	74	7	8	12	16	20	23	58
50-64	486	14.0	22	8	9	13	16	20	23	30
65+	825	15.9	54	9	10	15	18	24	28	46
2. MULTIPLE DX										
0-19 YRS	5	18.6	91	11	11	17	22	35	35	35
20-34	62	17.6	115	9	10	14	21	28	36	68
35-49	144	16.1	89	8	9	14	19	26	39	79
50-64	857	17.7	104	9	10	15	20	28	37	69
65+	2467	20.8	165	10	11	17	24	37	50	91
TOT. SINGLE DX	1446	15.0	46	8	9	14	17	22	25	38
" MULTIPLE DX	3535	19.8	149	9	10	16	23	34	46	82
TOTAL 0-19 YRS	8	17.3	67	10	10	15	20	31	35	35
20-34	94	15.6	90	8	8	13	18	26	30	62
35-49	244	15.2	84	8	8	13	17	24	30	78
50-64	1343	16.3	78	8	9	14	18	24	31	57
65+	3292	19.5	142	9	10	16	22	33	45	83
GRAND TOTAL	4981	18.4	124	9	10	16	21	30	41	77

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.3	81	3	4	7	14	23	32	34
20-34	10	10.1	12	6	6	9	12	16	17	17
35-49	27	12.1	20	6	7	11	15	17	22	26
50-64	121	14.1	28	7	9	13	16	20	23	33
65+	665	18.6	100	9	10	16	21	30	39	67
2. MULTIPLE DX										
0-19 YRS	16	15.8	234	5	5	11	19	26	55	67
20-34	24	16.8	82	7	8	14	24	37	54	99+
35-49	41	20.0	205	8	10	15	21	38	59	71
50-64	316	21.4	203	9	10	17	25	43	64	99+
65+	3114	24.3	231	9	11	20	30	50	67	99+
TOT. SINGLE DX	837	17.5	91	8	9	15	20	28	37	64
" MULTIPLE DX	3511	23.9	229	9	11	20	30	49	66	99+
TOTAL 0-19 YRS	30	13.7	163	4	4	9	19	25	34	67
20-34	34	14.9	71	6	8	12	19	29	38	99+
35-49	68	16.9	146	7	9	14	18	27	43	70
50-64	437	19.4	166	8	10	16	22	37	53	99+
65+	3779	23.3	213	9	11	19	29	46	63	99+
GRAND TOTAL	4348	22.7	209	9	10	18	28	45	62	99+

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	446	4.4	4	1	2	4	5	7	8	11
20-34	544	4.9	9	1	2	5	6	8	9	18
35-49	173	6.2	32	1	2	5	8	13	19	29
50-64	327	12.7	47	2	4	12	16	20	24	34
65+	602	15.3	40	7	9	15	18	22	25	34
2. MULTIPLE DX										
0-19 YRS	319	5.5	12	2	2	5	6	8	12	21
20-34	594	6.1	19	2	2	5	7	10	13	22
35-49	256	7.6	47	1	2	6	8	16	23	40
50-64	552	14.3	78	2	4	13	18	24	30	51
65+	1650	19.0	104	9	10	17	22	31	39	83
TOT. SINGLE DX	2092	9.1	48	1	2	7	13	18	21	31
" MULTIPLE DX	3371	13.8	106	2	4	13	18	25	33	62
TOTAL 0-19 YRS	765	4.9	8	1	2	5	6	8	9	17
20-34	1138	5.5	15	1	2	5	7	9	11	20
35-49	429	7.0	42	1	2	5	8	15	20	33
50-64	879	13.7	68	2	4	13	17	23	27	43
65+	2252	18.0	90	8	10	16	20	28	36	67
GRAND TOTAL	5463	12.0	89	2	3	10	16	23	28	50

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	3.2	4	1	1	3	4	5	6	9
20-34	1106	3.3	2	1	1	3	4	5	6	8
35-49	501	3.5	5	1	1	3	4	6	7	15
50-64	451	4.1	24	1	1	3	5	7	8	14
65+	170	5.6	21	2	2	4	7	11	16	24
2. MULTIPLE DX										
0-19 YRS	142	4.0	7	1	2	3	5	7	8	30
20-34	417	4.0	12	1	2	3	5	6	10	20
35-49	355	4.4	15	2	2	4	5	7	9	22
50-64	499	5.1	22	1	2	4	5	9	12	28
65+	412	7.9	82	2	2	5	9	15	23	67
TOT. SINGLE DX	2708	3.6	9	1	1	3	4	6	7	13
" MULTIPLE DX	1825	5.2	33	1	2	4	5	10	14	33
TOTAL 0-19 YRS	622	3.4	5	1	1	3	4	5	7	10
20-34	1523	3.5	6	1	1	3	4	5	6	12
35-49	856	3.8	10	1	2	3	4	6	8	18
50-64	950	4.6	24	1	2	4	5	8	10	21
65+	582	7.3	66	2	2	5	9	14	21	48
GRAND TOTAL	**4533**	**4.3**	**19**	**1**	**2**	**3**	**5**	**7**	**10**	**22**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	270	3.5	17	<1	<1	2	4	8	11	23
20-34	260	3.2	8	<1	<1	2	4	8	9	14
35-49	265	2.9	10	<1	<1	2	3	6	8	17
50-64	307	2.4	7	<1	<1	2	2	4	7	16
65+	110	3.5	25	<1	<1	2	3	6	15	30
2. MULTIPLE DX										
0-19 YRS	290	7.1	66	1	2	4	7	17	26	44
20-34	203	8.0	116	1	1	4	9	21	31	72
35-49	209	6.8	88	<1	1	3	7	17	28	59
50-64	243	7.4	115	1	1	3	8	18	27	61
65+	202	12.8	234	1	1	8	16	35	52	88
TOT. SINGLE DX	1212	3.0	12	<1	<1	2	3	6	9	18
" MULTIPLE DX	1147	8.3	124	1	1	4	9	21	32	63
TOTAL 0-19 YRS	560	5.4	46	<1	1	3	6	11	20	35
20-34	463	5.3	61	<1	1	3	6	12	18	44
35-49	474	4.6	49	<1	<1	2	5	10	17	38
50-64	550	4.6	61	<1	<1	2	4	10	18	42
65+	312	9.5	180	<1	1	4	11	28	43	77
GRAND TOTAL	**2359**	**5.6**	**73**	**<1**	**1**	**3**	**6**	**13**	**22**	**49**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	529	1.9	2	<1	<1	2	2	3	4	10
20-34	857	1.9	4	<1	<1	2	2	3	4	10
35-49	663	2.2	4	<1	<1	2	2	4	6	13
50-64	439	2.4	4	<1	<1	2	3	5	6	11
65+	197	3.5	13	<1	<1	2	4	8	11	19
2. MULTIPLE DX										
0-19 YRS	92	4.5	62	<1	1	2	4	9	16	49
20-34	214	5.3	73	<1	<1	2	5	12	21	40
35-49	311	4.8	35	<1	<1	3	6	11	18	41
50-64	388	7.9	108	<1	1	4	10	19	28	50
65+	350	11.1	144	1	2	7	15	26	39	53
TOT. SINGLE DX	2685	2.2	5	<1	<1	2	2	4	5	12
" MULTIPLE DX	1355	7.4	98	<1	1	3	9	19	27	52
TOTAL 0-19 YRS	621	2.3	13	<1	<1	2	2	4	5	14
20-34	1071	2.6	20	<1	<1	2	2	4	7	24
35-49	974	3.0	16	<1	<1	2	3	6	10	22
50-64	827	5.0	61	<1	<1	2	5	12	19	43
65+	547	8.4	110	<1	1	4	11	21	29	52
GRAND TOTAL	**4040**	**3.9**	**42**	**<1**	**<1**	**2**	**3**	**9**	**15**	**35**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	1.6	1	<1	<1	1	2	2	3	6
20-34	58	2.3	7	<1	<1	2	3	4	5	20
35-49	106	2.1	3	<1	<1	2	3	3	4	12
50-64	304	2.2	4	<1	1	2	2	3	4	9
65+	209	2.2	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	22	3.6	10	1	1	3	4	7	11	16
20-34	42	4.8	59	1	2	3	4	8	13	50
35-49	69	3.7	51	<1	1	2	3	5	8	50
50-64	178	3.4	30	<1	1	2	3	5	10	53
65+	202	3.9	32	1	1	2	3	7	15	35
TOT. SINGLE DX	706	2.2	4	<1	1	2	2	3	4	8
" MULTIPLE DX	513	3.8	35	1	1	2	3	6	12	44
TOTAL 0-19 YRS	51	2.5	6	<1	<1	2	3	5	7	16
20-34	100	3.4	30	<1	<1	2	3	5	9	35
35-49	175	2.8	23	<1	<1	2	3	4	6	20
50-64	482	2.6	15	<1	1	2	3	4	5	21
65+	411	3.1	17	1	1	2	3	4	8	21
GRAND TOTAL	**1219**	**2.8**	**18**	**<1**	**1**	**2**	**3**	**4**	**7**	**21**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.0	2	<1	1	2	2	3	4	7
20-34	532	2.2	7	<1	<1	2	3	4	5	9
35-49	228	2.2	3	<1	<1	2	2	3	5	11
50-64	142	2.3	4	<1	1	2	2	3	6	16
65+	39	2.2	2	<1	<1	2	3	3	5	10
2. MULTIPLE DX										
0-19 YRS	299	2.6	5	1	1	2	3	5	6	14
20-34	487	2.9	10	1	1	2	3	5	8	12
35-49	230	3.0	15	<1	1	2	3	5	9	30
50-64	142	3.4	19	<1	1	2	4	6	7	26
65+	64	4.4	36	1	1	3	4	9	18	35
TOT. SINGLE DX	1259	2.2	5	<1	1	2	2	3	5	9
" MULTIPLE DX	1222	3.0	13	1	1	2	3	5	8	20
TOTAL 0-19 YRS	617	2.3	4	<1	1	2	3	4	5	11
20-34	1019	2.5	9	<1	1	2	3	4	6	11
35-49	458	2.6	9	<1	1	2	3	4	6	20
50-64	284	2.8	12	<1	1	2	3	5	6	17
65+	103	3.6	25	<1	1	2	3	7	11	30
GRAND TOTAL	2481	2.6	9	<1	1	2	3	4	6	14

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	3.2	16	<1	1	2	3	5	9	26
20-34	389	2.9	4	<1	1	2	4	5	6	12
35-49	359	3.1	4	<1	1	3	4	6	7	10
50-64	326	3.8	11	1	1	3	5	6	7	13
65+	148	4.2	12	1	1	3	5	9	10	32
2. MULTIPLE DX										
0-19 YRS	141	4.3	70	1	1	3	4	7	13	29
20-34	256	5.0	52	1	1	3	5	9	20	48
35-49	272	5.7	39	1	2	4	6	13	22	32
50-64	370	5.8	50	1	2	4	6	11	16	40
65+	234	10.3	204	2	2	5	11	31	47	99+
TOT. SINGLE DX	1414	3.3	9	<1	1	3	4	6	8	13
" MULTIPLE DX	1273	6.3	83	1	1	4	6	13	23	57
TOTAL 0-19 YRS	333	3.6	40	<1	1	2	4	6	10	24
20-34	645	3.7	25	<1	1	3	4	6	9	29
35-49	631	4.2	21	1	1	3	5	7	12	29
50-64	696	4.9	34	1	1	4	5	8	12	33
65+	382	7.9	139	1	2	4	8	17	40	99+
GRAND TOTAL	2687	4.7	46	1	1	3	5	8	13	42

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	3.7	7	1	1	3	4	6	7	12
20-34	417	3.7	9	1	1	3	4	7	9	14
35-49	262	3.7	7	1	1	3	4	6	8	18
50-64	143	4.0	8	1	2	3	5	8	10	17
65+	67	7.0	102	2	2	5	7	12	14	72
2. MULTIPLE DX										
0-19 YRS	423	6.1	77	1	2	4	6	11	19	42
20-34	204	7.1	83	1	1	4	7	17	28	49
35-49	114	8.5	230	1	2	4	6	13	36	82
50-64	139	8.7	97	2	2	5	9	21	33	64
65+	113	14.1	325	2	3	7	15	41	77	99+
TOT. SINGLE DX	1270	3.9	14	1	1	3	5	7	9	17
" MULTIPLE DX	993	7.8	133	1	2	4	8	18	29	79
TOTAL 0-19 YRS	804	5.0	46	1	2	3	5	8	13	30
20-34	621	4.8	36	1	1	3	5	8	11	32
35-49	376	5.2	80	1	1	3	5	8	12	68
50-64	282	6.3	57	1	2	4	7	11	21	51
65+	180	11.4	253	2	3	6	12	31	55	99+
GRAND TOTAL	2263	5.6	70	1	2	4	6	10	17	51

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.2	2	1	1	2	3	4	5	9
20-34	116	2.4	6	<1	1	2	3	5	7	17
35-49	86	2.1	3	<1	<1	1	2	4	5	12
50-64	58	2.8	10	<1	1	2	3	6	8	21
65+	32	2.6	3	<1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	40	5.2	90	1	1	3	5	9	19	58
20-34	93	9.5	240	1	1	4	9	30	49	89
35-49	84	7.3	139	1	1	3	6	20	24	68
50-64	102	7.4	133	<1	1	3	8	18	28	62
65+	99	12.7	250	1	2	6	18	32	47	95
TOT. SINGLE DX	342	2.4	6	<1	1	2	3	5	6	12
" MULTIPLE DX	418	8.9	186	1	1	4	9	23	37	77
TOTAL 0-19 YRS	90	3.5	43	1	1	2	3	6	9	42
20-34	209	5.6	123	1	1	2	4	12	29	74
35-49	170	4.7	77	<1	1	2	4	11	20	56
50-64	160	5.7	93	<1	1	2	5	14	21	47
65+	131	10.2	208	1	1	5	13	30	34	92
GRAND TOTAL	760	6.0	115	1	1	2	5	15	25	72

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.7	53	<1	1	2	10	20	21	21
20-34	7	4.4	9	1	1	4	7	9	9	9
35-49	7	4.6	7	1	1	5	6	8	9	9
50-64	6	5.0	29	1	1	3	9	13	14	14
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	6	13.3	284	<1	<1	7	20	42	44	44
20-34	10	14.0	186	2	2	8	26	35	41	41
35-49	9	21.0	428	1	1	21	44	75	99+	99+
50-64	9	22.7	667	1	1	19	32	66	74	74
65+	12	25.1	524	2	5	18	31	64	78	80
TOT. SINGLE DX	34	5.2	25	1	1	3	7	11	18	21
" MULTIPLE DX	46	19.9	414	1	1	14	33	54	75	99+
TOTAL 0-19 YRS	17	9.1	133	<1	<1	2	14	21	36	44
20-34	17	10.1	132	1	1	5	12	29	37	41
35-49	16	13.8	302	1	1	5	36	49	82	99+
50-64	15	15.6	472	1	1	5	20	55	69	74
65+	15	20.7	496	1	2	15	23	57	74	80
GRAND TOTAL	80	13.6	300	1	1	6	19	42	56	94

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.7	5	<1	1	2	3	5	8	11
20-34	25	4.6	12	1	1	4	6	12	32	99+
35-49	29	6.9	54	<1	1	4	8	20	21	30
50-64	34	9.0	50	2	2	7	11	18	25	34
65+	62	9.6	74	2	2	7	12	21	29	40
2. MULTIPLE DX										
0-19 YRS	20	7.7	49	1	1	5	11	20	23	24
20-34	56	14.6	188	1	2	9	21	38	41	62
35-49	168	20.4	289	2	3	15	27	46	53	80
50-64	537	22.4	284	4	6	17	30	48	58	86
65+	981	22.8	334	3	5	18	31	53	72	99+
TOT. SINGLE DX	173	7.4	54	1	1	5	9	17	26	40
" MULTIPLE DX	1762	22.0	311	3	5	17	30	49	63	99+
TOTAL 0-19 YRS	43	5.0	32	1	1	3	6	14	19	24
20-34	81	11.5	155	1	1	7	17	35	41	88
35-49	197	18.4	277	2	2	14	24	43	51	78
50-64	571	21.6	280	3	6	16	30	46	57	85
65+	1043	22.0	329	3	5	18	30	51	70	99+
GRAND TOTAL	1935	20.7	306	2	4	16	29	47	61	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	5	12.4	47	5	5	13	16	23	23	23
35-49	8	24.8	204	8	9	23	33	47	50	50
50-64	4	40.0	263	18	18	43	51	56	56	56
65+	17	22.8	276	9	12	17	23	52	62	67
2. MULTIPLE DX										
0-19 YRS	5	18.0	308	3	3	10	32	44	44	44
20-34	28	32.1	531	6	9	26	51	83	99+	99+
35-49	83	33.4	359	11	13	29	44	73	94	99+
50-64	318	32.4	425	10	11	28	48	78	99+	99+
65+	919	33.3	446	9	11	29	50	86	99+	99+
TOT. SINGLE DX	36	22.8	261	6	8	17	25	50	55	67
" MULTIPLE DX	1353	33.0	437	9	11	29	49	82	99+	99+
TOTAL 0-19 YRS	7	14.7	237	3	3	7	23	41	44	44
20-34	33	29.1	505	5	8	23	48	70	99	99+
35-49	91	32.6	349	10	12	28	43	67	93	99+
50-64	322	32.5	423	10	12	28	48	77	99+	99+
65+	936	33.1	445	9	11	29	50	85	99+	99+
GRAND TOTAL	1389	32.7	435	9	11	28	49	82	99+	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.3	22	6	6	13	14	15	15	15
20-34	2	32.5	1201	8	8	32	57	57	57	57
35-49	3	8.0	7	5	5	9	10	10	10	10
50-64	11	24.5	170	7	8	24	33	42	50	51
65+	18	18.3	160	4	6	14	27	39	42	43
2. MULTIPLE DX										
0-19 YRS	7	26.3	396	4	5	23	31	59	66	66
20-34	12	21.4	151	4	9	20	27	38	48	50
35-49	35	26.4	363	7	8	21	36	59	86	99+
50-64	161	31.4	344	10	12	30	46	76	99+	99+
65+	1027	26.4	399	7	8	20	40	74	99+	99+
TOT. SINGLE DX	37	19.5	192	5	6	15	28	40	48	57
" MULTIPLE DX	1242	27.0	391	7	9	21	41	73	99+	99+
TOTAL 0-19 YRS	10	21.8	322	4	5	18	27	49	66	66
20-34	14	23.0	237	4	7	20	28	51	56	57
35-49	38	24.9	360	7	7	18	34	54	83	99+
50-64	172	31.0	335	9	12	30	45	75	99+	99+
65+	1045	26.3	397	7	8	20	40	73	99+	99+
GRAND TOTAL	1279	26.8	387	7	9	21	41	72	99+	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.8	34	6	6	12	17	20	20	20
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	9.4	77	4	4	6	11	25	25	25
50-64	4	24.3	93	15	15	24	32	34	34	34
65+	9	16.4	23	8	9	18	19	23	23	23
2. MULTIPLE DX										
0-19 YRS	5	18.4	172	3	3	16	27	38	38	38
20-34	8	37.4	653	8	15	35	92	99+	99+	99+
35-49	65	28.6	329	6	7	31	42	58	84	99+
50-64	190	34.5	467	8	11	30	47	70	82	99+
65+	333	32.1	439	8	10	28	46	67	88	99+
TOT. SINGLE DX	23	15.0	72	3	5	15	20	26	32	34
" MULTIPLE DX	601	32.4	439	8	10	29	46	70	88	99+
TOTAL 0-19 YRS	9	15.9	108	3	4	14	21	32	38	38
20-34	9	33.4	711	2	6	34	82	99+	99+	99+
35-49	70	27.3	335	5	7	28	41	54	81	99+
50-64	194	34.2	461	8	11	30	47	70	82	99+
65+	342	31.7	434	8	10	27	45	66	88	99+
GRAND TOTAL	624	31.8	436	7	10	28	45	69	87	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.3	29	1	1	2	2	7	18	22
20-34	28	4.4	19	<1	<1	3	6	8	13	22
35-49	21	4.8	17	1	1	4	6	8	14	20
50-64	5	5.2	6	3	3	4	8	8	8	8
65+	5	4.0	18	<1	<1	1	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	5.9	5	3	3	5	7	9	10	10
20-34	13	6.9	31	1	1	6	11	15	17	17
35-49	9	7.1	19	1	2	8	11	13	13	13
50-64	12	5.2	5	2	2	5	7	8	9	9
65+	4	7.8	105	1	1	3	13	23	23	23
TOT. SINGLE DX	74	4.3	19	<1	1	3	6	8	12	22
" MULTIPLE DX	46	6.4	22	1	1	5	9	13	15	23
TOTAL 0-19 YRS	23	4.2	22	1	1	2	5	8	14	22
20-34	41	5.2	24	<1	1	3	7	12	15	22
35-49	30	5.5	18	1	1	4	8	11	13	20
50-64	17	5.2	5	2	2	5	7	8	9	9
65+	9	5.7	52	<1	<1	3	8	18	23	23
GRAND TOTAL	120	5.1	21	1	1	4	7	10	14	22

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.5	11	<1	<1	2	2	4	12	14
20-34	38	5.6	51	<1	1	3	6	12	25	33
35-49	30	2.6	5	<1	<1	2	3	6	7	12
50-64	27	6.4	62	1	1	4	8	14	19	40
65+	17	12.2	107	1	2	9	20	28	33	35
2. MULTIPLE DX										
0-19 YRS	15	2.4	2	<1	1	2	3	3	6	7
20-34	22	5.3	21	<1	1	4	8	12	15	19
35-49	41	15.2	325	1	2	8	20	40	56	83
50-64	73	19.5	302	2	3	15	29	43	54	99
65+	128	15.0	171	2	3	10	20	42	47	99+
TOT. SINGLE DX	126	5.6	54	<1	1	3	7	13	25	36
" MULTIPLE DX	279	14.8	227	2	2	9	20	40	49	99+
TOTAL 0-19 YRS	29	2.4	6	<1	<1	2	3	3	7	14
20-34	60	5.5	40	<1	1	3	6	12	21	32
35-49	71	9.9	228	<1	1	3	12	27	44	78
50-64	100	16.0	271	1	2	11	23	41	49	98
65+	145	14.7	164	2	3	10	20	39	47	99+
GRAND TOTAL	405	11.9	191	1	1	7	16	32	44	97

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	4	9.0	100	4	4	4	14	24	24	24
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	8.5	25	5	5	12	78	99+	99+	99+
65+	9	11.1	54	2	3	9	14	23	24	24
TOT. SINGLE DX	7	7.6	60	3	3	4	9	21	24	24
" MULTIPLE DX	12	10.0	48	2	3	9	15	39	89	99+
TOTAL 0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	5.7	21	3	3	3	9	11	11	11
50-64	6	8.8	65	4	4	5	21	85	99+	99+
65+	9	11.1	55	2	3	9	14	23	24	24
GRAND TOTAL	19	9.1	51	2	3	7	12	24	62	99+

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	1.8		<1	<1	2	2	3	3	6
20-34	1459	1.9	1	<1	<1	2	2	3	3	6
35-49	2536	2.1	2	<1	<1	2	2	3	4	8
50-64	1606	2.5	3	<1	1	2	3	4	6	11
65+	852	3.0	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
0-19 YRS	78	3.4	38	<1	<1	2	3	4	12	41
20-34	640	2.9	12	<1	<1	2	3	5	7	18
35-49	1559	3.2	14	<1	1	2	3	6	9	17
50-64	1657	4.6	35	1	1	3	5	10	15	35
65+	1761	7.3	88	1	2	4	9	17	25	50
TOT. SINGLE DX	6825	2.2	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	5695	4.8	47	<1	1	3	5	11	17	39
TOTAL 0-19 YRS	450	2.1	8	<1	<1	2	2	3	4	8
20-34	2099	2.2	5	<1	<1	2	2	3	4	11
35-49	4095	2.5	7	<1	<1	2	3	4	6	13
50-64	3263	3.5	21	<1	1	2	3	7	11	24
65+	2613	5.9	66	1	1	3	6	13	20	44
GRAND TOTAL	12520	3.4	24	<1	1	2	3	6	11	26

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.6	1	<1	1	2	3	4	5	6
20-34	59	3.1	3	1	1	3	4	6	7	8
35-49	58	4.8	9	2	2	4	7	9	10	15
50-64	50	4.5	7	1	2	4	6	8	10	13
65+	131	5.6	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	26	6.2	57	1	2	4	7	12	19	40
35-49	70	5.8	12	2	3	5	7	9	13	22
50-64	143	11.4	201	2	3	7	12	27	34	83
65+	379	11.9	118	3	4	8	14	26	36	77
TOT. SINGLE DX	339	4.5	8	1	2	4	6	8	9	13
" MULTIPLE DX	621	10.8	127	2	3	7	12	23	34	74
TOTAL 0-19 YRS	44	2.6	2	<1	1	2	3	5	5	6
20-34	85	4.0	21	1	1	3	5	7	8	31
35-49	128	5.4	11	2	2	5	7	9	11	18
50-64	193	9.6	160	2	2	6	10	17	31	77
65+	510	10.3	98	2	3	7	11	22	34	64
GRAND TOTAL	960	8.6	94	2	2	6	9	16	28	59

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	8	2	2	7	7	7	7	7
20-34	66	6.8	6	3	4	7	8	10	12	15
35-49	467	6.9	7	4	4	7	8	10	11	16
50-64	862	7.5	9	4	5	7	9	11	12	18
65+	806	7.8	8	4	5	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	6	8.3	14	4	4	7	12	14	14	14
20-34	100	7.8	10	4	4	7	9	11	13	22
35-49	676	8.2	19	4	5	8	9	12	15	22
50-64	1611	8.8	27	4	5	8	10	14	17	30
65+	2358	10.1	43	5	5	9	11	16	22	38
TOT. SINGLE DX	2204	7.4	9	4	5	7	9	11	12	17
" MULTIPLE DX	4751	9.4	35	4	5	8	10	15	19	35
TOTAL 0-19 YRS	9	7.3	14	2	3	7	9	13	14	14
20-34	166	7.4	9	4	4	7	9	11	12	19
35-49	1143	7.7	15	4	5	7	9	11	13	21
50-64	2473	8.3	22	4	5	7	9	12	15	27
65+	3164	9.5	36	5	5	8	11	15	19	35
GRAND TOTAL	6955	8.7	27	4	5	8	10	13	16	30

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	2.9	1	1	1	3	4	4	5	8
20-34	711	2.7	2	<1	1	3	3	4	5	9
35-49	429	3.0	3	<1	1	3	4	5	7	9
50-64	204	3.2	2	1	1	3	4	5	6	9
65+	50	3.5	7	1	1	3	4	8	11	12
2. MULTIPLE DX										
0-19 YRS	95	3.2	4	1	1	3	4	5	6	14
20-34	413	3.2	8	<1	1	3	4	5	7	17
35-49	718	3.7	8	1	1	3	4	7	9	13
50-64	450	4.2	13	1	2	3	5	7	10	17
65+	126	6.4	60	1	2	4	7	12	19	49
TOT. SINGLE DX	1685	2.9	3	<1	1	3	4	5	6	9
" MULTIPLE DX	1802	3.9	14	1	1	3	4	7	9	19
TOTAL 0-19 YRS	386	3.0	3	1	1	3	4	4	5	9
20-34	1124	2.9	5	<1	1	3	4	5	6	10
35-49	1147	3.4	7	1	1	3	4	6	8	12
50-64	654	3.9	10	1	2	3	4	7	9	16
65+	176	5.6	47	1	2	3	6	11	16	45
GRAND TOTAL	3487	3.4	9	1	1	3	4	6	8	14

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1065	3.4	9	1	1	3	4	5	6	9
20-34	1930	3.4	2	1	2	3	4	5	6	9
35-49	250	3.3	2	1	1	3	4	5	6	9
50-64	44	3.5	3	1	2	3	4	6	8	9
65+	12	2.8	2	<1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	130	4.8	55	1	2	3	5	7	10	43
20-34	303	4.9	25	1	2	4	5	9	11	32
35-49	113	5.3	53	1	1	4	5	9	15	48
50-64	45	7.1	36	2	3	5	9	14	21	30
65+	30	10.2	256	2	3	5	10	22	26	88
TOT. SINGLE DX	3301	3.4	5	1	2	3	4	5	6	9
" MULTIPLE DX	621	5.4	50	1	2	4	5	9	13	40
TOTAL 0-19 YRS	1195	3.5	15	1	1	3	4	6	7	11
20-34	2233	3.6	6	1	2	3	4	6	7	11
35-49	363	3.9	19	1	1	3	4	6	8	21
50-64	89	5.3	23	1	2	4	6	11	14	27
65+	42	8.1	193	1	2	4	7	17	25	88
GRAND TOTAL	3922	3.7	13	1	2	3	4	6	7	13

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1017	2.1	5	<1	<1	1	2	4	6	13
20-34	1201	2.4	8	<1	<1	2	3	4	6	12
35-49	1220	2.2	5	<1	<1	2	2	4	6	13
50-64	1049	2.5	9	<1	<1	2	3	4	7	17
65+	717	3.3	18	<1	<1	2	3	7	12	20
2. MULTIPLE DX										
0-19 YRS	391	5.6	97	<1	<1	2	5	11	24	54
20-34	716	6.7	92	<1	<1	3	8	16	26	50
35-49	950	7.4	116	<1	<1	4	9	18	27	59
50-64	1468	8.6	109	<1	1	5	11	21	31	53
65+	2136	12.1	189	1	2	8	15	29	45	99+
TOT. SINGLE DX	5204	2.4	9	<1	<1	2	3	5	7	15
" MULTIPLE DX	5661	9.3	143	<1	1	5	12	23	35	76
TOTAL 0-19 YRS	1408	3.1	33	<1	<1	2	3	6	9	34
20-34	1917	4.0	44	<1	<1	2	4	9	14	33
35-49	2170	4.5	61	<1	<1	2	4	10	17	42
50-64	2517	6.1	77	<1	<1	3	7	16	23	48
65+	2853	9.9	161	<1	1	6	13	24	38	99+
GRAND TOTAL	10865	6.0	91	<1	<1	2	7	15	24	57

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1394	3.9	28	<1	<1	2	5	8	11	25
20-34	1541	4.5	27	<1	1	3	6	10	13	26
35-49	882	5.1	37	<1	1	3	6	10	14	29
50-64	676	5.6	37	<1	1	4	7	12	16	29
65+	606	7.7	98	<1	1	4	9	18	28	53
2. MULTIPLE DX										
0-19 YRS	2187	5.8	73	1	1	3	6	13	20	48
20-34	3282	7.3	117	1	1	4	8	16	27	67
35-49	2133	10.3	156	1	1	6	13	26	37	81
50-64	2756	13.3	209	1	2	9	17	32	47	92
65+	5045	17.0	292	2	3	12	23	46	72	99+
TOT. SINGLE DX	5099	4.9	40	<1	1	3	6	10	15	32
" MULTIPLE DX	15403	11.8	210	1	1	7	15	30	48	99+
TOTAL 0-19 YRS	3581	5.1	57	<1	1	3	6	11	16	41
20-34	4323	6.4	90	<1	1	4	7	14	22	56
35-49	3015	8.8	127	1	1	5	10	21	31	70
50-64	3432	11.8	185	1	2	7	15	28	42	83
65+	5651	16.0	280	2	2	11	21	44	67	99+
GRAND TOTAL	20502	10.1	176	1	1	5	12	26	41	99

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	7.1	98	<1	1	4	9	17	23	38
20-34	197	8.0	74	<1	1	5	10	22	27	45
35-49	132	8.4	87	<1	1	5	11	22	31	39
50-64	118	10.2	128	<1	1	7	14	24	35	52
65+	120	17.0	218	2	3	13	24	35	55	81
2. MULTIPLE DX										
0-19 YRS	203	13.6	135	2	2	11	19	32	44	99+
20-34	270	16.7	233	2	2	13	23	37	52	84
35-49	242	17.8	241	2	3	14	24	39	55	99+
50-64	412	19.4	284	3	4	15	27	48	70	99+
65+	824	25.6	317	4	7	22	35	53	75	99+
TOT. SINGLE DX	728	9.7	125	<1	1	6	13	24	32	58
" MULTIPLE DX	1951	20.8	289	2	4	17	29	47	65	99+
TOTAL 0-19 YRS	364	10.7	129	1	1	7	15	26	36	87
20-34	467	13.0	185	1	1	8	19	32	43	79
35-49	374	14.5	207	1	2	10	21	32	46	89
50-64	530	17.3	264	1	3	13	24	42	60	99+
65+	944	24.5	313	3	6	21	34	52	72	99+
GRAND TOTAL	2679	17.8	269	1	2	14	25	42	56	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.0	11	<1	<1	2	3	6	11	19
20-34	108	3.8	30	<1	1	2	4	8	13	33
35-49	63	4.3	24	<1	1	2	5	10	13	29
50-64	37	4.3	74	<1	<1	2	3	8	17	51
65+	16	9.1	105	<1	1	5	13	23	33	37
2. MULTIPLE DX										
0-19 YRS	53	7.7	115	1	1	3	8	22	30	52
20-34	108	10.8	267	1	2	4	11	25	47	86
35-49	70	13.2	307	1	1	7	16	51	60	99+
50-64	107	19.0	523	1	1	10	31	70	80	99+
65+	112	27.8	736	2	3	20	53	92	99+	99+
TOT. SINGLE DX	313	4.0	34	<1	1	2	4	8	13	33
" MULTIPLE DX	450	17.0	481	1	1	8	25	60	89	99+
TOTAL 0-19 YRS	142	4.8	55	<1	1	2	4	11	21	43
20-34	216	7.3	161	1	1	3	6	19	27	77
35-49	133	9.0	193	<1	1	4	11	24	52	99+
50-64	144	15.2	449	<1	1	5	23	51	78	99+
65+	128	25.4	695	1	2	16	43	91	99+	99+
GRAND TOTAL	763	11.7	339	1	1	4	13	42	72	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	320	2.2	3	<1	<1	2	2	4	6	11
20-34	282	2.1	2	<1	<1	2	3	4	6	9
35-49	253	2.7	4	<1	1	2	4	5	7	11
50-64	230	2.5	4	<1	1	2	3	5	6	10
65+	74	3.1	12	<1	1	2	3	6	9	22
2. MULTIPLE DX										
0-19 YRS	246	3.8	22	<1	1	2	4	8	13	25
20-34	302	4.0	18	<1	1	3	5	8	11	21
35-49	303	5.0	45	1	1	3	6	10	13	38
50-64	433	7.8	117	1	1	4	9	19	26	67
65+	661	16.3	274	2	3	12	22	49	95	99+
TOT. SINGLE DX	1159	2.4	4	<1	<1	2	3	5	6	11
" MULTIPLE DX	1945	9.2	161	1	1	5	11	24	42	99+
TOTAL 0-19 YRS	566	2.9	12	<1	<1	2	3	6	9	20
20-34	584	3.1	12	<1	<1	2	4	6	9	18
35-49	556	4.0	28	<1	1	3	5	8	11	31
50-64	663	6.0	84	1	1	3	6	13	21	61
65+	735	15.0	264	1	2	11	20	44	85	99+
GRAND TOTAL	3104	6.6	113	<1	1	3	7	17	31	99+

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.1	3	<1	1	2	2	4	7	9
20-34	14	2.2	1	1	1	2	3	4	4	4
35-49	11	6.7	22	2	2	6	10	14	16	16
50-64	6	4.2	11	1	1	3	6	10	10	10
65+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	3.4	9	1	1	3	4	7	11	14
20-34	11	9.2	87	3	3	5	9	27	30	30
35-49	17	6.7	39	1	2	4	8	16	22	25
50-64	22	7.9	53	2	2	5	9	22	26	27
65+	46	16.3	366	1	2	11	20	41	76	81
TOT. SINGLE DX	58	3.3	10	1	1	2	4	8	11	16
" MULTIPLE DX	116	10.4	194	1	2	5	12	24	29	80
TOTAL 0-19 YRS	43	2.7	7	1	1	2	3	6	8	14
20-34	25	5.3	50	1	1	3	4	10	26	30
35-49	28	6.7	32	2	2	5	9	15	18	25
50-64	28	7.1	46	2	2	5	9	18	25	27
65+	50	15.2	351	1	2	10	18	34	75	81
GRAND TOTAL	**174**	**8.0**	**144**	**1**	**1**	**4**	**9**	**20**	**25**	**78**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	3.3	12	1	1	2	4	7	9	16
20-34	2189	4.1	21	1	1	2	4	10	13	22
35-49	2713	4.3	21	1	1	2	5	10	14	22
50-64	1464	4.4	22	1	1	3	5	11	14	25
65+	355	4.6	33	1	1	3	5	10	16	31
2. MULTIPLE DX										
0-19 YRS	141	5.3	68	1	2	3	5	11	17	34
20-34	1111	6.6	60	1	1	4	9	14	20	35
35-49	1916	6.5	48	1	1	4	9	15	20	34
50-64	1911	8.1	80	1	2	5	11	18	24	50
65+	1265	10.8	110	1	2	7	15	25	33	52
TOT. SINGLE DX	6871	4.2	22	1	1	2	5	10	14	23
" MULTIPLE DX	6344	7.8	76	1	2	5	10	18	24	45
TOTAL 0-19 YRS	291	4.3	40	1	1	2	5	9	12	27
20-34	3300	4.9	36	1	1	3	6	12	15	28
35-49	4629	5.2	34	1	1	3	7	12	16	28
50-64	3375	6.5	59	1	1	3	8	15	21	39
65+	1620	9.5	100	1	2	6	13	22	31	49
GRAND TOTAL	**13215**	**6.0**	**51**	**1**	**1**	**3**	**8**	**14**	**19**	**35**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	4.1	17	1	1	2	4	10	13	21
20-34	177	4.8	25	1	2	3	6	11	15	27
35-49	226	5.0	22	1	2	3	6	10	15	25
50-64	395	4.8	23	1	2	3	6	11	16	24
65+	319	4.9	36	1	2	3	6	10	13	34
2. MULTIPLE DX										
0-19 YRS	74	7.8	68	1	2	5	9	23	27	37
20-34	152	8.4	84	2	2	5	10	20	27	57
35-49	407	8.4	107	2	2	5	10	18	25	58
50-64	1424	8.2	76	2	2	6	10	17	23	46
65+	2193	9.8	114	2	2	7	12	20	29	65
TOT. SINGLE DX	1186	4.8	27	1	2	3	6	10	15	27
" MULTIPLE DX	4250	9.0	100	2	2	6	11	18	27	58
TOTAL 0-19 YRS	143	6.0	47	1	2	3	7	15	23	32
20-34	329	6.5	56	1	2	4	8	15	22	43
35-49	633	7.2	80	2	2	4	8	15	21	47
50-64	1819	7.5	67	2	2	5	9	16	21	43
65+	2512	9.2	107	2	2	6	11	19	28	61
GRAND TOTAL	**5436**	**8.1**	**87**	**2**	**2**	**5**	**10**	**17**	**24**	**55**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.0		2	2	2	2	2	2	2
35-49	18	3.1	4	<1	1	2	5	7	8	8
50-64	18	5.3	27	2	2	2	10	15	16	16
65+	9	4.1	9	2	2	2	6	9	10	10
2. MULTIPLE DX										
0-19 YRS										
20-34	5	13.0	185	4	4	5	20	36	36	36
35-49	75	5.0	27	2	2	2	7	11	16	26
50-64	243	5.5	33	2	2	2	7	14	17	25
65+	121	6.6	41	2	2	3	10	15	21	55
TOT. SINGLE DX	50	3.9	14	1	2	2	5	10	14	16
" MULTIPLE DX	444	5.8	36	2	2	2	8	14	18	33
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	8.1	126	2	2	4	8	28	36	36
35-49	93	4.6	23	1	2	2	6	11	14	25
50-64	261	5.4	33	2	2	2	7	14	17	24
65+	130	6.4	39	2	2	3	10	15	21	50
GRAND TOTAL	**494**	**5.6**	**34**	**2**	**2**	**2**	**7**	**14**	**18**	**31**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	4.8	23	1	1	2	7	11	14	23
20-34	454	5.2	26	1	1	3	7	11	15	23
35-49	567	5.7	22	1	1	4	9	12	15	20
50-64	831	5.1	24	1	1	3	7	12	15	21
65+	715	5.1	26	1	1	2	7	12	15	22
2. MULTIPLE DX										
0-19 YRS	95	7.3	55	1	2	5	10	15	21	41
20-34	635	8.2	59	1	2	6	11	17	21	32
35-49	1231	8.6	61	1	2	7	12	17	23	40
50-64	3169	8.7	66	1	2	7	12	17	22	42
65+	5666	10.5	101	2	2	8	14	21	29	63
TOT. SINGLE DX	2682	5.2	25	1	1	3	8	12	15	21
" MULTIPLE DX	10796	9.6	84	2	2	8	13	19	26	53
TOTAL 0-19 YRS	210	5.9	39	1	1	4	8	13	15	35
20-34	1089	6.9	48	1	1	5	10	15	19	31
35-49	1798	7.7	51	1	2	6	11	16	20	35
50-64	4000	8.0	60	1	2	6	11	16	21	39
65+	6381	9.8	96	2	2	8	13	20	28	58
GRAND TOTAL	13478	8.7	76	1	2	7	12	18	24	48

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7279	3.8	17	1	1	3	5	7	9	19
20-34	11521	4.4	22	1	1	3	5	8	11	23
35-49	7795	5.2	25	1	1	4	7	10	14	24
50-64	6281	6.2	32	1	2	5	8	12	15	28
65+	5300	7.9	57	2	2	6	10	15	21	40
2. MULTIPLE DX										
0-19 YRS	8874	5.8	58	1	1	4	6	11	17	46
20-34	14977	6.5	47	1	2	5	8	13	18	37
35-49	18341	7.7	50	2	2	6	9	15	20	37
50-64	34580	9.1	65	2	3	7	11	17	23	45
65+	82050	11.8	113	3	4	9	14	23	32	73
TOT. SINGLE DX	38176	5.2	30	1	1	4	6	10	14	26
" MULTIPLE DX	158822	9.9	91	2	3	7	12	19	27	59
TOTAL 0-19 YRS	16153	4.9	41	1	1	3	6	9	14	36
20-34	26498	5.6	38	1	1	4	7	11	15	32
35-49	26136	6.9	44	1	2	5	9	14	18	34
50-64	40861	8.7	61	2	2	7	11	16	22	43
65+	87350	11.6	111	3	4	9	14	22	32	72
GRAND TOTAL	196998	9.0	83	1	2	7	11	18	25	54

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3339	5.4	60	1	1	3	5	11	21	41
20-34	1979	6.8	41	1	2	5	8	13	17	36
35-49	1918	7.5	42	1	2	6	9	13	17	35
50-64	1435	7.2	35	1	2	6	9	14	17	30
65+	1340	9.1	77	2	2	7	11	17	23	56
2. MULTIPLE DX										
0-19 YRS	3540	7.4	108	1	2	4	7	16	28	65
20-34	3354	7.9	66	1	2	6	9	15	21	46
35-49	3734	8.5	59	2	3	7	10	16	21	43
50-64	5798	9.4	69	2	3	7	11	18	25	48
65+	13418	12.7	135	3	4	10	15	25	37	94
TOT. SINGLE DX	10011	6.8	54	1	2	5	8	14	19	40
" MULTIPLE DX	29844	10.4	107	2	3	7	12	21	30	70
TOTAL 0-19 YRS	6879	6.4	86	1	1	4	6	14	24	52
20-34	5333	7.5	57	1	2	6	9	14	19	42
35-49	5652	8.2	54	2	2	7	10	15	20	42
50-64	7233	9.0	64	2	3	7	11	17	23	45
65+	14758	12.4	131	3	4	9	15	24	36	90
GRAND TOTAL	39855	9.5	96	2	2	7	11	19	27	61

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3969	3.8	23	1	1	3	4	6	8	23
20-34	3073	4.2	38	<1	<1	3	5	8	13	32
35-49	2287	5.4	29	1	1	4	7	11	15	28
50-64	2231	6.5	39	1	2	5	8	12	15	32
65+	2124	7.3	46	1	2	6	9	14	19	32
2. MULTIPLE DX										
0-19 YRS	6164	5.8	69	1	1	4	6	11	18	56
20-34	4712	6.9	79	1	1	4	7	15	23	51
35-49	6352	7.1	50	1	2	5	9	14	20	37
50-64	15365	8.2	49	2	2	6	10	15	20	36
65+	36814	10.5	88	2	3	8	13	20	27	59
TOT. SINGLE DX	13684	5.1	36	<1	1	3	6	11	14	29
" MULTIPLE DX	69407	9.0	77	2	2	7	11	18	24	52
TOTAL 0-19 YRS	10133	5.0	53	1	1	3	5	9	14	48
20-34	7785	5.8	65	<1	1	3	6	12	20	45
35-49	8639	6.6	45	1	2	5	8	14	19	35
50-64	17596	8.0	49	2	2	6	10	15	20	36
65+	38938	10.3	86	2	3	8	13	20	27	58
GRAND TOTAL	83091	8.4	72	1	2	6	11	17	23	49

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number **Title**

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions – *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number **Title**

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number — **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 619 Hemorrhoids
- Hernia – *see also Herniorrhaphy*
  - 764 Manual
- 601 Intestinal torsion
- 601 Intussusception, intestine
- 745 Mammoplasty
- 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number **Title**

- Removal (continued)
    - 524 Iris
    - 527 Lens
  - Prosthesis
    - 745 Breast
    - 716 Joint
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula — *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

R3850-7.77-

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS

UNITED STATES



Southern REGION



1984

Length of Stay by Diagnosis, Southern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 5
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 17
    Summary of All Patients. 18
    Summary of All Patients Except Newborn 19
    Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
chronic nonsuppurative destructive 571.6
nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

with
calculus, stones in
bile duct (common) (hepatic) 574.4
gallbladder 574.1
choledocholithiasis 574.4
cholelithiasis 574.1
acute 575.0
with
calculus, stones in
bile duct (common) (hepatic) 574.3
gallbladder 574.0
choledocholithiasis 574.3
cholelithiasis 574.0
emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
gangrenous *(see also* Cholecystitis, acute) 575.0
paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
suppurative *(see also* cholecystitis, acute) 575.0
typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

with cholecystitis (chronic) 574.4
acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

with cholecystitis (chronic) 574.1
acute 574.0
Cholemia *(see also* Jaundice) 782.4
familial 277.4
Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
antimonial 985.4
carrier (suspected) of V02.0
classical 001.0
contact V01.0
due to
Vibrio
cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
El Tor 001.1
El Tor 001.1
exposure to V01.0
vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
attic (primary) 385.31
diffuse 385.35
external ear (canal) 380.21
marginal (middle ear) 385.32
with involvement of mastoid cavity 385.33
secondary (with middle ear involvement) 385.33
mastoid cavity 385.30
middle ear 385.30
secondary 385.32
with involvement of mastoid cavity 385.33
postmastoidectomy cavity (recurrent) 383.32
primary 385.31
recurrent, postmastoidectomy cavity 383.32
secondary (middle ear) 385.32
with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

402 Hospitals, Southern Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195539	3.1	9	1	1	3	4	5	6	13
20-34	105660	3.6	17	1	1	3	4	6	9	22
35-49	46125	4.8	28	1	1	3	6	10	13	28
50-64	33819	5.4	30	1	1	4	7	11	14	28
65+	29956	5.9	31	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	71358	3.1	11	<1	1	2	3	6	8	16
20-34	119212	3.6	9	1	1	3	4	6	8	14
35-49	61982	4.6	16	1	1	3	6	9	12	19
50-64	50164	5.2	21	1	1	4	7	11	14	22
65+	46151	5.7	30	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148917	4.5	33	1	1	3	5	7	11	31
20-34	91911	5.0	35	1	1	3	6	9	14	32
35-49	101716	5.8	33	1	2	4	7	11	15	30
50-64	156927	6.4	33	1	2	5	8	12	16	29
65+	319548	7.5	40	2	2	6	9	14	19	33
B. *Operated*										
0-19 YRS	58203	5.8	84	1	1	3	6	12	21	59
20-34	136503	5.3	32	1	2	4	6	9	13	30
35-49	102846	6.9	45	1	2	6	8	13	17	36
50-64	114605	8.5	71	2	2	6	11	17	23	45
65+	169959	10.4	91	2	2	8	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411099	3.8	18	1	1	3	4	7	10	22
B. *Operated*	348867	4.2	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	819019	6.3	37	1	2	5	8	12	16	31
B. *Operated*	582116	7.8	68	1	2	5	9	16	22	45
1. SINGLE DX	759966	4.0	17	1	1	3	5	8	11	20
2. MULTIPLE DX	1401135	6.9	51	1	2	5	8	14	19	37
A. NOT OPERATED	1230118	5.4	32	1	2	4	6	11	15	29
B. OPERATED	930983	6.4	52	1	1	4	8	13	19	37
TOTAL 0-19 YRS	474017	3.9	27	1	1	3	4	6	10	28
20-34	453286	4.4	24	1	1	3	5	8	11	26
35-49	312669	5.8	33	1	2	4	7	11	15	30
50-64	355515	6.8	45	1	2	5	8	13	18	34
65+	565614	8.2	57	2	2	6	10	16	21	39
GRAND TOTAL	**2161101**	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79923	3.4	19	1	1	2	4	6	8	22
20-34	105660	3.6	17	1	1	3	4	6	9	22
35-49	46125	4.8	28	1	1	3	6	10	13	28
50-64	33819	5.4	30	1	1	4	7	11	14	28
65+	29956	5.9	31	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	71292	3.1	11	<1	1	2	3	6	8	16
20-34	119212	3.6	9	1	1	3	4	6	8	14
35-49	61982	4.6	16	1	1	3	6	9	12	19
50-64	50164	5.2	21	1	1	4	7	11	14	22
65+	46151	5.7	30	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94046	4.5	40	1	1	3	5	8	12	37
20-34	91911	5.0	35	1	1	3	6	9	14	32
35-49	101716	5.8	33	1	2	4	7	11	15	30
50-64	156927	6.4	33	1	2	5	8	12	16	29
65+	319548	7.5	40	2	2	6	9	14	19	33
B. *Operated*										
0-19 YRS	55893	5.2	60	1	1	3	6	11	18	45
20-34	136503	5.3	32	1	2	4	6	9	13	30
35-49	102846	6.9	45	1	2	6	8	13	17	36
50-64	114605	8.5	71	2	2	6	11	17	23	45
65+	169959	10.4	91	2	2	8	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295483	4.2	23	1	1	3	5	8	11	25
B. *Operated*	348801	4.2	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	764148	6.4	38	1	2	5	8	12	17	32
B. *Operated*	579806	7.7	66	1	2	5	9	16	22	43
1. SINGLE DX	644284	4.2	19	1	1	3	5	8	11	22
2. MULTIPLE DX	1343954	7.0	51	1	2	5	8	14	19	37
A. NOT OPERATED	1059631	5.8	35	1	2	4	7	11	15	30
B. OPERATED	928607	6.4	50	1	1	4	8	13	18	37
TOTAL 0-19 YRS	301154	4.0	32	1	1	3	4	7	11	30
20-34	453286	4.4	24	1	1	3	5	8	11	26
35-49	312669	5.8	33	1	2	4	7	11	15	30
50-64	355515	6.8	45	1	2	5	8	13	18	34
65+	565614	8.2	57	2	2	6	10	16	21	39
GRAND TOTAL	**1988238**	**6.1**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2097	3.0	4	1	1	3	4	5	6	10
20-34	853	2.8	3	1	1	2	4	5	6	9
35-49	365	3.3	5	1	1	3	4	6	7	11
50-64	198	3.6	5	1	1	3	5	6	8	11
65+	170	4.0	7	1	2	3	5	7	10	14
B. *Operated*										
0-19 YRS	36	4.6	8	1	2	4	6	7	12	14
20-34	41	5.0	8	2	3	4	6	8	12	15
35-49	22	5.3	8	2	2	4	8	10	11	12
50-64	9	5.7	4	3	3	5	7	9	9	9
65+	6	7.7	7	4	4	8	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3684	3.5	5	1	2	3	4	6	7	12
20-34	1277	3.2	4	1	1	3	4	6	7	10
35-49	774	4.3	11	1	2	3	5	8	9	17
50-64	730	4.6	8	2	2	4	6	8	10	16
65+	1308	5.6	23	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	89	8.6	89	2	2	5	9	22	29	49
20-34	84	6.9	17	2	3	6	8	13	16	20
35-49	77	8.0	51	2	3	6	9	15	22	43
50-64	82	9.0	45	2	3	7	11	18	21	38
65+	105	12.3	81	3	4	10	16	23	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3683	3.1	4	1	1	3	4	5	7	10
B. *Operated*	114	5.2	8	2	3	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	7773	4.0	10	1	2	3	5	7	9	15
B. *Operated*	437	9.1	62	2	3	7	11	19	23	41
1. SINGLE DX	3797	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX	8210	4.3	14	1	2	3	5	8	10	19
A. NOT OPERATED	11456	3.7	8	1	1	3	4	7	8	14
B. OPERATED	551	8.3	53	2	3	6	10	17	22	36
TOTAL 0-19 YRS	5906	3.4	6	1	1	3	4	6	7	12
20-34	2255	3.2	5	1	1	3	4	6	7	12
35-49	1238	4.2	13	1	1	3	5	8	10	19
50-64	1019	4.7	12	1	2	4	6	8	11	18
65+	1589	5.9	28	2	2	5	7	11	14	26
GRAND TOTAL	**12007**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.0	29	1	2	3	8	12	19	24
20-34	41	7.8	18	1	3	7	11	13	15	21
35-49	44	7.9	29	2	2	7	11	14	18	26
50-64	27	8.6	72	1	1	6	11	23	30	33
65+	22	12.4	58	3	4	11	16	22	27	33
B. *Operated*										
0-19 YRS	4	4.8	19	1	1	3	7	11	11	11
20-34	15	8.2	67	1	2	6	8	24	28	30
35-49	25	8.5	13	3	4	8	9	15	16	17
50-64	30	10.8	113	2	2	7	12	25	41	44
65+	23	12.3	77	3	4	10	15	27	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.5	89	3	3	5	9	25	31	31
20-34	57	11.2	99	3	4	8	13	21	25	62
35-49	87	13.1	87	3	4	11	17	25	33	49
50-64	91	10.2	57	2	3	9	12	16	22	48
65+	161	13.5	110	2	4	11	17	24	35	57
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	27	12.4	72	3	4	11	16	22	28	41
35-49	63	18.7	244	4	5	13	23	39	53	81
50-64	100	16.4	205	4	5	12	20	32	50	76
65+	154	18.2	246	3	4	14	22	39	53	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	8.4	40	1	2	7	11	16	21	33
B. *Operated*	97	9.9	69	2	3	8	12	18	30	43
2. MULTIPLE DX										
A. *Not Operated*	404	12.2	92	3	4	10	15	21	32	55
B. *Operated*	345	17.3	221	4	5	12	21	36	51	73
1. SINGLE DX	252	9.0	52	1	2	7	11	17	24	37
2. MULTIPLE DX	749	14.6	158	3	4	11	17	29	40	67
A. NOT OPERATED	559	11.2	81	2	3	9	14	20	27	52
B. OPERATED	442	15.7	196	3	4	11	18	34	44	72
TOTAL 0-19 YRS	34	6.6	41	1	2	4	8	12	22	31
20-34	140	10.1	69	2	3	8	12	20	24	43
35-49	219	13.2	128	3	4	10	16	26	37	56
50-64	248	12.6	134	2	3	10	15	24	34	67
65+	360	15.3	168	3	4	12	18	32	42	67
GRAND TOTAL	**1001**	**13.2**	**137**	**2**	**3**	**10**	**16**	**26**	**37**	**63**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	26.0	417	3	3	33	40	42	42	42
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	6.7	29	2	2	5	7	16	17	17
50-64										
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	5	3.4	5	2	2	2	5	7	7	7
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	5	7.2	31	2	2	7	11	15	15	15
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	18.0	420	3	3	7	31	51	51	51
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	6	25.7	1207	5	5	14	17	88	96	96
50-64	20	7.8	33	1	1	7	11	17	18	19
65+	26	13.0	88	4	5	11	16	26	38	42
B. *Operated*										
0-19 YRS	8	22.6	621	1	3	13	27	64	80	80
20-34	10	11.9	61	2	3	11	16	23	29	29
35-49	12	15.5	90	1	2	16	20	30	32	32
50-64	11	20.1	337	3	3	14	36	73	96	99+
65+	36	20.9	147	7	8	17	27	38	47	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.3	170	2	2	6	13	36	41	42
B. *Operated*	15	6.9	21	2	2	7	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	59	12.6	213	1	3	8	15	23	40	92
B. *Operated*	77	19.0	201	3	5	15	27	37	55	94
1. SINGLE DX	27	8.9	88	2	2	7	10	17	34	42
2. MULTIPLE DX	136	16.2	215	2	3	13	19	35	47	97
A. NOT OPERATED	71	12.4	203	1	3	8	15	26	42	87
B. OPERATED	92	17.0	191	2	3	14	24	35	48	91
TOTAL 0-19 YRS	21	17.4	415	1	2	8	27	46	64	80
20-34	15	10.0	54	1	2	10	13	18	26	29
35-49	26	15.4	333	2	3	13	17	28	45	96
50-64	36	11.4	152	1	2	8	15	34	53	99+
65+	65	17.2	133	5	7	14	23	35	41	57
GRAND TOTAL	**163**	**15.0**	**201**	**2**	**3**	**12**	**18**	**33**	**42**	**94**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.7	2	1	1	2	3	4	5	6
20-34	95	2.9	1	1	2	3	3	4	5	7
35-49	30	3.9	2	1	2	4	4	6	7	8
50-64	14	3.9	3	<1	2	4	6	6	6	6
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	13	1.7	1	1	1	2	2	3	3	3
20-34	5	3.8	14	1	1	3	5	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	3.0	5	1	1	3	4	5	6	9
20-34	173	3.6	3	2	2	3	4	5	7	11
35-49	80	4.1	5	2	2	3	5	7	8	13
50-64	49	4.1	2	2	2	4	5	6	7	8
65+	41	5.4	15	2	2	4	7	10	14	20
B. *Operated*										
0-19 YRS	21	2.8	3	1	1	2	3	5	6	8
20-34	5	3.6	4	1	1	3	5	6	6	6
35-49	4	4.5	4	2	2	4	6	7	7	7
50-64	5	7.6	20	4	4	7	10	15	15	15
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	2.9	2	1	1	3	4	5	5	7
B. *Operated*	18	2.3	5	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*	831	3.4	5	1	2	3	4	5	7	11
B. *Operated*	36	3.8	7	1	2	3	5	7	8	15
1. SINGLE DX	370	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	867	3.4	5	1	2	3	4	6	7	11
A. NOT OPERATED	1183	3.2	4	1	1	3	4	5	6	10
B. OPERATED	54	3.3	7	1	1	2	4	7	8	15
TOTAL 0-19 YRS	731	2.9	4	1	1	3	4	5	5	8
20-34	278	3.3	3	1	2	3	4	5	6	10
35-49	114	4.0	4	2	2	4	5	7	7	12
50-64	68	4.3	4	2	2	4	5	6	8	14
65+	46	5.2	14	2	2	4	7	9	13	20
GRAND TOTAL	**1237**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	386	4.8	10	1	2	4	6	10	11	14
20-34	30	5.3	23	1	2	4	6	9	11	27
35-49	17	6.1	7	2	3	6	7	9	12	13
50-64	22	6.6	17	1	2	6	9	11	14	19
65+	67	8.0	41	3	3	7	10	13	15	44
B. *Operated*										
0-19 YRS	13	10.3	99	2	3	7	12	22	37	40
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	8	16.8	183	7	7	10	25	39	39	39
65+	2	24.5	85	18	18	24	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	652	6.1	20	2	2	5	8	11	14	23
20-34	180	9.9	60	2	3	8	12	18	24	43
35-49	209	9.4	40	3	3	8	12	15	23	32
50-64	518	10.4	38	4	5	9	12	17	22	36
65+	2759	11.2	53	4	5	10	13	19	25	41
B. *Operated*										
0-19 YRS	63	13.7	145	3	4	10	17	28	38	58
20-34	71	18.5	227	6	7	14	22	34	52	83
35-49	64	19.1	274	4	6	14	23	43	57	99
50-64	173	17.4	158	5	7	14	21	34	59	99+
65+	612	19.0	171	6	8	15	24	35	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	5.3	16	1	2	4	7	11	12	16
B. *Operated*	24	13.7	131	3	4	10	15	38	39	40
2. MULTIPLE DX										
A. *Not Operated*	4318	10.2	49	3	4	9	12	18	23	38
B. *Operated*	983	18.3	179	5	7	14	23	35	49	93
1. SINGLE DX	546	5.7	23	1	2	5	7	11	12	27
2. MULTIPLE DX	5301	11.7	83	3	4	10	14	22	29	53
A. NOT OPERATED	4840	9.7	48	2	3	8	12	17	22	37
B. OPERATED	1007	18.2	178	5	7	14	23	35	48	92
TOTAL 0-19 YRS	1114	6.1	28	2	2	5	8	11	14	29
20-34	282	11.5	115	2	3	9	14	22	32	53
35-49	290	11.4	106	3	4	9	13	22	30	64
50-64	721	12.0	78	4	5	10	14	22	29	61
65+	3440	12.5	83	4	5	10	15	23	30	50
GRAND TOTAL	**5847**	**11.1**	**81**	**3**	**4**	**9**	**13**	**21**	**28**	**50**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	7.1	23	1	2	6	10	13	15	23
20-34	46	5.3	10	1	2	4	7	11	12	12
35-49	28	5.4	10	2	2	4	8	11	11	13
50-64	31	5.5	7	3	3	5	7	9	10	13
65+	16	5.9	13	2	3	5	7	12	15	16
B. *Operated*										
0-19 YRS	14	8.3	18	1	2	9	11	13	14	15
20-34	10	8.6	15	2	3	9	11	13	14	14
35-49	5	10.8	55	2	2	9	15	22	22	22
50-64	11	12.0	87	1	1	10	20	26	28	28
65+	3	13.0	84	3	3	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	7.1	28	2	2	6	10	13	15	24
20-34	82	6.3	24	2	3	5	7	12	19	23
35-49	95	6.6	17	2	3	5	9	13	15	20
50-64	126	8.3	42	3	3	7	9	17	20	35
65+	324	9.9	75	3	4	8	12	17	24	41
B. *Operated*										
0-19 YRS	31	13.3	66	4	5	11	18	29	29	99+
20-34	23	16.3	147	2	5	13	25	33	42	48
35-49	30	12.7	122	2	3	10	16	24	29	57
50-64	45	15.9	221	3	3	9	20	35	48	68
65+	103	15.7	175	2	3	12	22	33	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	6.5	19	2	2	6	9	12	14	23
B. *Operated*	43	9.9	42	1	2	10	13	21	23	28
2. MULTIPLE DX										
A. *Not Operated*	863	8.2	48	2	3	7	10	15	20	34
B. *Operated*	232	15.1	159	3	4	11	21	31	44	74
1. SINGLE DX	381	6.9	22	2	2	6	10	12	15	23
2. MULTIPLE DX	1095	9.7	79	2	3	7	12	20	27	52
A. NOT OPERATED	1201	7.7	40	2	3	6	10	14	18	30
B. OPERATED	275	14.3	144	2	3	11	20	29	43	69
TOTAL 0-19 YRS	498	7.5	30	2	2	6	11	14	18	29
20-34	161	7.6	49	2	3	5	9	14	23	38
35-49	158	7.7	42	2	3	6	10	15	20	29
50-64	213	9.7	87	3	3	7	10	20	28	50
65+	446	11.1	103	3	4	8	14	21	30	55
GRAND TOTAL	**1476**	**8.9**	**66**	**2**	**3**	**7**	**11**	**17**	**24**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	733	3.6	5	1	2	3	4	6	7	12
20-34	334	3.8	7	1	2	3	5	6	8	11
35-49	73	4.2	7	1	2	4	5	8	9	14
50-64	13	5.1	6	2	2	5	6	9	11	11
65+	7	9.3	60	2	2	7	11	22	25	25
B. *Operated*										
0-19 YRS	11	5.3	6	3	3	4	7	9	10	10
20-34	5	8.0	9	6	6	7	9	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	365	4.6	12	1	2	4	5	8	12	19
20-34	157	4.5	6	2	2	4	6	8	9	14
35-49	60	5.3	7	2	3	4	7	9	10	12
50-64	29	7.3	29	3	3	5	9	13	24	24
65+	25	10.8	43	3	4	9	14	23	24	26
B. *Operated*										
0-19 YRS	17	9.8	114	2	2	6	12	21	37	45
20-34	7	10.9	154	2	3	5	11	33	38	38
35-49										
50-64	4	11.3	46	5	5	10	16	20	20	20
65+	2	13.5	113	6	6	13	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	3.8	6	1	2	3	5	6	8	12
B. *Operated*	18	5.7	9	2	3	5	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	636	5.0	14	2	2	4	6	9	12	23
B. *Operated*	30	10.5	104	2	2	6	13	21	38	45
1. SINGLE DX	1178	3.8	6	1	2	3	5	6	8	13
2. MULTIPLE DX	666	5.2	19	2	2	4	6	10	13	23
A. NOT OPERATED	1796	4.2	9	1	2	3	5	7	9	16
B. OPERATED	48	8.7	73	2	2	6	10	19	24	45
TOTAL 0-19 YRS	1126	4.0	9	1	2	3	5	7	9	15
20-34	503	4.2	9	1	2	3	5	7	9	13
35-49	134	4.7	7	1	2	4	6	8	10	13
50-64	47	6.9	26	2	3	5	8	13	21	24
65+	34	10.6	46	3	4	9	14	23	25	26
GRAND TOTAL	**1844**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	3.3	4	1	1	3	4	6	7	11
20-34	91	5.4	15	2	2	5	7	9	11	26
35-49	47	4.8	8	1	2	4	6	7	11	15
50-64	87	6.8	66	2	2	6	7	11	14	55
65+	134	5.8	12	1	3	5	7	11	12	18
B. *Operated*										
0-19 YRS	8	8.4	83	2	2	5	9	24	30	30
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	7	6.4	20	2	2	4	10	13	13	13
50-64	9	4.6	15	2	2	3	5	11	14	14
65+	4	6.0	30	2	2	4	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	666	4.1	12	1	2	3	5	7	9	19
20-34	117	5.2	11	2	2	5	6	8	10	19
35-49	93	5.9	11	1	2	6	7	10	11	19
50-64	241	6.7	25	2	2	5	8	12	16	32
65+	823	7.8	28	2	3	7	9	14	17	26
B. *Operated*										
0-19 YRS	11	13.5	274	1	2	6	30	66	95	99+
20-34	10	13.2	94	4	4	10	16	28	37	37
35-49	12	8.2	22	4	4	6	11	16	17	17
50-64	19	8.7	34	3	4	7	11	16	22	26
65+	74	12.2	71	2	4	10	16	22	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	4.7	18	1	2	4	6	8	11	18
B. *Operated*	32	6.0	32	2	2	4	8	13	14	30
2. MULTIPLE DX										
A. *Not Operated*	1940	6.1	23	2	2	5	8	11	15	25
B. *Operated*	126	11.5	80	2	4	9	15	23	30	63
1. SINGLE DX	686	4.7	18	1	2	4	6	9	11	18
2. MULTIPLE DX	2066	6.5	28	2	2	5	8	12	16	30
A. NOT OPERATED	2594	5.8	22	1	2	5	7	10	14	24
B. OPERATED	158	10.4	75	2	3	8	14	22	29	51
TOTAL 0-19 YRS	980	4.0	14	1	2	3	5	7	9	21
20-34	222	5.6	19	2	2	5	7	9	11	28
35-49	159	5.8	12	1	2	5	7	10	13	18
50-64	356	6.7	35	2	2	6	8	12	16	32
65+	1035	7.8	31	2	3	7	9	14	18	29
GRAND TOTAL	**2752**	**6.0**	**26**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	5.2	10	2	2	5	7	9	10	19
20-34	349	6.3	15	2	2	5	8	12	14	19
35-49	84	6.5	13	3	3	6	8	12	14	19
50-64	37	8.7	31	3	3	7	12	15	21	25
65+	26	8.7	53	2	2	7	11	15	21	39
B. *Operated*										
0-19 YRS	4	13.5	114	4	4	11	22	27	27	27
20-34	18	4.9	19	1	1	3	7	10	15	18
35-49	6	3.8	17	1	1	2	4	11	12	12
50-64	9	5.9	21	<1	1	4	10	13	13	13
65+	6	3.3	5	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	5.9	28	2	2	4	7	10	14	31
20-34	229	6.2	13	2	2	5	8	11	14	19
35-49	105	7.8	43	2	3	6	10	14	17	39
50-64	86	7.6	25	2	2	6	10	16	18	22
65+	86	9.5	31	3	4	9	12	15	20	31
B. *Operated*										
0-19 YRS	5	15.6	306	2	2	6	27	44	44	44
20-34	27	7.3	27	2	2	6	9	10	19	27
35-49	17	8.8	22	2	2	8	12	16	17	17
50-64	29	7.7	25	2	3	6	10	16	18	21
65+	33	11.5	24	3	5	11	14	19	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	6.4	17	2	3	5	8	11	15	21
B. *Operated*	43	5.5	30	1	1	4	7	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	570	7.2	26	2	3	6	9	13	17	28
B. *Operated*	111	9.3	39	2	3	8	12	17	21	34
1. SINGLE DX	653	6.3	18	2	2	5	8	11	15	21
2. MULTIPLE DX	681	7.5	29	2	3	6	9	14	18	28
A. NOT OPERATED	1180	6.8	22	2	3	6	8	12	15	24
B. OPERATED	154	8.2	39	1	2	7	11	17	20	27
TOTAL 0-19 YRS	187	5.9	28	2	2	5	7	10	13	31
20-34	623	6.3	15	2	2	5	8	11	14	19
35-49	212	7.3	29	2	3	6	9	13	16	32
50-64	161	7.8	26	2	2	6	10	15	18	23
65+	151	9.5	34	2	3	9	12	16	20	35
GRAND TOTAL	**1334**	**6.9**	**24**	**2**	**2**	**6**	**9**	**13**	**16**	**25**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.7	5	1	2	3	5	6	8	12
20-34	129	4.4	5	2	2	4	5	8	10	12
35-49	16	5.6	11	2	2	5	8	11	11	11
50-64	3	5.7	20	1	1	6	9	10	10	10
65+	2	9.0	8	7	7	9	11	11	11	11
B. *Operated*										
0-19 YRS	6	4.8	4	2	2	5	7	7	7	7
20-34	3	6.7	4	5	5	6	8	9	9	9
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	558	4.1	5	1	2	4	5	7	8	12
20-34	155	4.5	6	1	2	4	6	8	9	12
35-49	47	4.3	11	1	1	4	7	9	11	12
50-64	17	5.1	22	1	1	3	8	12	14	15
65+	9	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	18	6.4	17	1	2	5	7	14	15	16
20-34	5	11.2	73	5	5	5	20	22	22	22
35-49	5	7.4	20	3	3	5	11	14	14	14
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	4.0	5	1	2	3	5	7	9	12
B. *Operated*	11	5.5	4	2	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	786	4.2	6	1	2	4	5	7	9	12
B. *Operated*	30	8.1	39	2	3	5	10	17	22	27
1. SINGLE DX	550	4.0	5	1	2	3	5	7	9	12
2. MULTIPLE DX	816	4.3	8	1	2	4	5	8	9	14
A. NOT OPERATED	1325	4.1	6	1	2	4	5	7	9	12
B. OPERATED	41	7.4	30	2	3	5	8	15	20	27
TOTAL 0-19 YRS	971	4.0	5	1	2	3	5	7	8	12
20-34	292	4.6	8	1	2	4	6	8	10	16
35-49	69	4.9	12	1	1	4	7	10	11	14
50-64	22	6.1	41	1	1	4	10	13	20	27
65+	12	2.8	11	<1	<1	1	4	8	11	11
GRAND TOTAL	**1366**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	6	1.8	1	<1	<1	2	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	127	1.9	1	<1	<1	2	2	3	4	5
20-34	335	2.2	2	<1	<1	2	3	4	5	7
35-49	107	2.3	2	<1	<1	2	3	4	5	8
50-64	30	2.4	2	<1	<1	2	3	4	5	6
65+	12	3.7	10	1	1	2	4	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	7	1	1	2	4	8	8	8
20-34	7	2.4	3	<1	<1	2	3	5	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	45	2.6	3	<1	1	2	3	5	6	8
20-34	145	2.9	5	<1	<1	2	4	6	8	11
35-49	68	3.1	4	1	1	3	4	5	8	9
50-64	33	3.6	9	<1	<1	3	4	6	8	18
65+	18	5.2	23	1	2	3	5	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5		<1	<1	1	2	3	3	3
B. *Operated*	611	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	2.8	4	<1	<1	2	4	6	7	8
B. *Operated*	309	3.1	6	<1	1	2	4	6	8	14
1. SINGLE DX	622	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	325	3.1	6	<1	1	2	4	6	8	14
A. NOT OPERATED	27	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	920	2.5	4	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	182	2.1	2	<1	<1	2	3	4	5	7
20-34	493	2.4	3	<1	<1	2	3	4	6	9
35-49	177	2.6	3	<1	1	2	3	5	5	9
50-64	63	3.0	6	<1	<1	3	4	5	6	17
65+	32	4.5	16	1	2	3	5	12	15	17
GRAND TOTAL	**947**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1444	2.7	2	1	1	3	3	5	5	7
20-34	377	3.3	4	1	1	3	4	6	7	11
35-49	167	3.8	11	1	1	3	5	6	8	14
50-64	97	4.2	5	1	2	4	5	7	9	12
65+	68	4.4	7	2	2	4	5	7	8	16
B. *Operated*										
0-19 YRS	45	3.5	15	<1	1	2	4	7	8	25
20-34	21	4.7	13	1	1	4	6	9	12	15
35-49	6	3.5	14	1	1	2	3	10	11	11
50-64	4	11.0	117	2	2	8	19	25	25	25
65+	2	14.0	242	3	3	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1910	3.1	4	1	1	3	4	5	6	11
20-34	855	3.7	8	1	1	3	5	6	8	15
35-49	519	4.1	9	1	1	3	5	7	9	15
50-64	474	4.4	10	1	2	4	5	8	11	19
65+	733	5.6	18	2	2	5	7	10	14	21
B. *Operated*										
0-19 YRS	52	6.5	48	1	1	4	7	15	17	36
20-34	61	8.2	60	1	2	7	9	17	25	38
35-49	30	9.6	114	2	2	7	12	19	26	57
50-64	37	8.9	61	2	2	7	10	21	29	32
65+	56	10.9	119	2	3	8	13	20	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2153	3.0	4	1	1	3	4	5	6	10
B. *Operated*	78	4.5	25	1	1	3	5	9	15	25
2. MULTIPLE DX										
A. *Not Operated*	4491	3.9	9	1	1	3	5	7	9	16
B. *Operated*	236	8.7	79	2	2	6	10	18	26	55
1. SINGLE DX	2231	3.1	5	1	1	3	4	5	6	11
2. MULTIPLE DX	4727	4.1	14	1	1	3	5	7	10	19
A. NOT OPERATED	6644	3.6	8	1	1	3	4	6	8	15
B. OPERATED	314	7.7	69	1	2	5	9	16	25	44
TOTAL 0-19 YRS	3451	3.0	4	1	1	3	4	5	6	10
20-34	1314	3.8	10	1	1	3	5	7	9	17
35-49	722	4.3	15	1	1	3	5	8	10	17
50-64	612	4.7	14	1	2	4	5	8	11	22
65+	859	5.9	26	2	2	5	7	11	15	25
GRAND TOTAL	**6958**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.9	4	1	2	4	5	7	8	9
20-34	60	4.2	7	1	2	3	5	8	10	14
35-49	44	4.0	3	2	2	4	5	6	7	11
50-64	22	6.2	11	2	3	5	9	11	13	15
65+	9	4.4	5	1	1	5	6	8	8	8
B. *Operated*										
0-19 YRS	5	5.0	15	1	1	4	8	10	10	10
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.5	6	2	2	4	6	8	9	13
20-34	37	4.6	6	1	2	4	6	9	10	10
35-49	26	5.6	7	2	2	5	7	9	11	13
50-64	29	6.2	11	2	2	5	8	11	12	16
65+	18	9.6	48	3	3	7	11	22	27	28
B. *Operated*										
0-19 YRS	6	17.7	910	3	3	5	10	72	79	79
20-34	2	11.0	2	10	10	11	12	12	12	12
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	6	20.3	575	3	3	10	24	63	67	67
65+	3	14.0	43	8	8	13	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	4.2	5	1	2	4	5	7	9	12
B. *Operated*	9	6.3	13	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	161	5.6	14	2	2	5	7	10	12	24
B. *Operated*	19	16.2	437	3	3	10	13	50	74	79
1. SINGLE DX	291	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	180	6.7	67	2	2	5	8	11	13	55
A. NOT OPERATED	443	4.7	9	2	2	4	6	8	10	15
B. OPERATED	28	13.0	317	2	3	8	12	23	68	79
TOTAL 0-19 YRS	209	4.5	32	1	2	4	6	7	9	11
20-34	100	4.5	7	1	2	4	5	9	10	13
35-49	73	4.7	6	2	2	4	6	8	11	13
50-64	57	7.7	80	2	3	5	9	12	16	64
65+	32	8.5	39	2	3	7	10	17	25	28
GRAND TOTAL	**471**	**5.2**	**31**	**2**	**2**	**4**	**6**	**9**	**11**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.9	8	2	2	4	6	9	11	14
20-34	135	4.5	6	1	2	4	5	7	9	16
35-49	19	3.8	4	1	1	3	5	6	8	10
50-64	3	6.7	21	4	4	4	10	12	12	12
65+	9	7.4	47	1	1	5	11	18	22	22
B. *Operated*										
0-19 YRS	15	3.1	6	<1	<1	2	5	8	8	8
20-34	47	2.5	11	<1	<1	2	3	4	7	23
35-49	17	3.6	22	<1	<1	2	4	8	16	20
50-64	6	2.7	3	1	1	2	3	6	6	6
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.7	26	2	2	4	6	9	16	33
20-34	120	5.3	9	2	2	4	7	9	11	16
35-49	25	6.8	33	2	3	5	8	13	19	29
50-64	18	5.4	17	1	1	4	7	13	13	13
65+	32	7.5	20	1	2	7	11	13	15	19
B. *Operated*										
0-19 YRS	15	7.3	20	3	3	5	8	11	18	21
20-34	41	5.0	20	<1	1	4	7	11	15	21
35-49	12	4.6	18	<1	<1	3	8	12	13	13
50-64	16	7.3	34	2	2	5	10	13	21	24
65+	14	7.1	33	2	3	5	9	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	4.7	9	1	2	4	6	8	11	16
B. *Operated*	87	2.8	12	<1	<1	2	3	6	8	22
2. MULTIPLE DX										
A. *Not Operated*	275	5.8	18	2	2	5	7	10	13	19
B. *Operated*	98	6.0	24	<1	1	5	8	12	16	23
1. SINGLE DX	330	4.2	10	1	1	4	5	8	10	17
2. MULTIPLE DX	373	5.8	20	1	2	5	8	11	14	22
A. NOT OPERATED	518	5.3	14	2	2	4	6	10	12	18
B. OPERATED	185	4.5	21	<1	<1	3	6	10	13	23
TOTAL 0-19 YRS	187	5.3	17	2	2	4	7	9	11	20
20-34	343	4.6	10	1	1	4	6	8	10	16
35-49	73	4.9	22	<1	1	4	6	10	13	27
50-64	43	5.8	23	1	1	4	8	13	13	24
65+	57	7.2	26	1	2	6	10	14	18	22
GRAND TOTAL	**703**	**5.1**	**16**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.2	5	1	1	4	6	7	8	9
20-34	10	7.0	50	2	2	4	9	18	25	25
35-49	8	7.6	57	2	2	5	13	20	20	20
50-64	8	5.4	17	1	1	4	7	12	14	14
65+	6	5.8	9	3	3	5	9	10	10	10
B. *Operated*										
0-19 YRS	6	10.8	301	1	1	4	7	42	46	46
20-34	8	14.1	211	<1	1	8	22	37	44	44
35-49	19	9.9	76	1	2	7	17	23	27	29
50-64	19	6.7	23	<1	1	6	8	14	17	18
65+	10	5.4	51	<1	<1	1	8	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.5	11	1	1	4	6	9	13	16
20-34	27	6.3	17	2	2	6	8	9	17	19
35-49	45	8.2	67	2	2	6	10	19	38	99+
50-64	54	9.0	44	2	3	7	11	18	21	37
65+	125	10.1	82	3	3	8	12	19	25	60
B. *Operated*										
0-19 YRS	13	26.1	511	3	4	13	46	60	62	63
20-34	28	16.3	173	1	2	15	22	38	44	46
35-49	44	13.9	253	2	3	9	14	31	53	79
50-64	68	18.0	315	2	3	10	23	51	64	94
65+	79	14.8	144	2	3	11	20	29	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.5	22	1	2	4	6	10	17	25
B. *Operated*	62	8.9	93	<1	1	6	10	22	26	46
2. MULTIPLE DX										
A. *Not Operated*	306	8.3	59	2	2	6	10	17	21	48
B. *Operated*	232	16.4	242	2	3	11	21	42	58	82
1. SINGLE DX	119	7.3	61	<1	1	5	8	19	22	45
2. MULTIPLE DX	538	11.8	153	2	2	8	14	27	42	69
A. NOT OPERATED	363	7.8	54	2	2	6	9	15	20	41
B. OPERATED	294	14.8	219	1	2	10	19	37	49	75
TOTAL 0-19 YRS	99	7.6	140	1	1	4	7	13	45	61
20-34	73	11.1	121	2	2	7	15	26	39	46
35-49	116	10.6	143	2	2	7	13	24	36	86
50-64	149	12.6	187	2	3	8	16	28	49	71
65+	220	11.5	107	2	3	9	14	24	29	64
GRAND TOTAL	**657**	**11.0**	**140**	**1**	**2**	**7**	**14**	**24**	**38**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	36	1	1	2	3	6	20	25
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	5	4.0	3	3	3	3	5	7	7	7
20-34	4	6.3	16	3	3	5	9	12	12	12
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.7	26	1	1	3	5	11	18	22
20-34	7	3.9	1	2	2	4	5	5	5	5
35-49	13	5.5	24	2	2	4	5	10	19	21
50-64	6	6.0	6	2	2	7	7	9	9	9
65+	10	10.1	62	4	4	7	15	23	28	28
B. *Operated*										
0-19 YRS	6	4.3	5	2	2	4	5	8	8	8
20-34	11	5.0	8	2	2	6	7	8	9	9
35-49	4	9.0	57	3	3	6	13	20	20	20
50-64	3	7.3	9	4	4	8	9	10	10	10
65+	5	12.0	95	3	3	9	19	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.3	29	1	1	3	5	8	17	25
B. *Operated*	12	5.0	8	2	2	4	6	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	59	5.8	29	1	2	4	7	13	20	27
B. *Operated*	29	6.9	32	2	2	6	8	14	20	27
1. SINGLE DX	31	4.6	21	1	1	3	5	8	12	25
2. MULTIPLE DX	88	6.2	30	2	2	5	7	14	20	28
A. NOT OPERATED	78	5.4	29	1	1	4	6	10	20	27
B. OPERATED	41	6.3	25	2	2	5	8	11	18	27
TOTAL 0-19 YRS	49	4.3	23	1	1	3	5	8	16	25
20-34	24	4.8	7	2	2	5	6	8	10	12
35-49	20	6.1	27	2	2	5	6	14	20	21
50-64	10	6.5	6	2	3	7	8	9	10	10
65+	16	10.6	64	3	4	7	15	26	28	28
GRAND TOTAL	**119**	**5.7**	**28**	**1**	**2**	**4**	**7**	**10**	**19**	**27**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	7	1	1	3	7	7	8	8
20-34	45	4.7	8	2	2	4	6	10	11	12
35-49	17	4.6	7	1	2	4	6	8	10	11
50-64	9	5.2	15	3	3	4	5	12	15	15
65+	7	5.6	3	4	4	5	6	8	9	9
B. *Operated*										
0-19 YRS	17	5.7	32	1	1	4	7	10	20	25
20-34	137	4.5	19	1	1	3	6	9	13	24
35-49	77	4.6	14	1	2	3	6	10	13	17
50-64	20	6.2	16	1	1	6	8	12	14	15
65+	4	5.3	4	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.0	10	1	1	3	5	7	12	16
20-34	93	6.2	21	1	2	5	8	12	15	26
35-49	74	6.9	26	1	2	6	8	15	18	23
50-64	66	7.2	19	2	2	7	9	13	15	24
65+	40	8.7	54	2	2	7	9	21	23	34
B. *Operated*										
0-19 YRS	17	8.9	68	2	2	8	10	17	30	36
20-34	159	8.1	44	2	2	6	12	18	21	34
35-49	109	8.3	75	2	2	6	10	17	21	52
50-64	54	10.1	106	2	2	7	12	23	28	63
65+	30	13.9	133	2	3	10	18	35	41	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.7	8	1	2	4	6	8	11	14
B. *Operated*	255	4.8	18	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	318	6.6	26	1	2	5	8	13	17	25
B. *Operated*	369	9.0	72	2	2	7	11	19	24	43
1. SINGLE DX	346	4.7	15	1	2	4	6	9	12	18
2. MULTIPLE DX	687	7.8	52	2	2	6	10	16	21	36
A. NOT OPERATED	409	6.1	22	1	2	5	8	12	16	25
B. OPERATED	624	7.2	54	1	2	5	9	15	20	37
TOTAL 0-19 YRS	92	5.2	27	1	1	4	7	10	12	31
20-34	434	6.2	30	1	2	5	8	14	17	26
35-49	277	6.7	43	1	2	5	8	13	18	31
50-64	149	8.0	52	2	2	6	10	15	19	30
65+	81	10.2	84	2	3	8	12	21	33	44
GRAND TOTAL	**1033**	**6.8**	**42**	**1**	**2**	**5**	**8**	**14**	**18**	**33**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	4	3.8	10	1	1	3	6	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	5	6.0	10	2	2	6	8	10	10	10
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	5	6.4	77	1	1	3	8	22	22	22
50-64	4	10.8	41	6	6	8	15	20	20	20
65+	3	8.3	34	4	4	6	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	6.2	34	1	1	4	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	8	5.8	11	2	2	5	9	10	10	10
B. *Operated*	16	7.6	38	1	2	5	9	19	21	22
1. SINGLE DX	6	6.2	34	1	1	4	8	16	17	17
2. MULTIPLE DX	24	7.0	29	1	2	5	9	15	21	22
A. NOT OPERATED	8	5.8	11	2	2	5	9	10	10	10
B. OPERATED	22	7.2	36	1	2	5	8	18	21	22
TOTAL 0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	4	7.5	40	4	4	5	11	17	17	17
35-49	10	5.7	42	1	1	3	8	16	22	22
50-64	5	9.6	37	5	5	7	12	20	20	20
65+	8	6.9	17	2	3	6	9	13	15	15
GRAND TOTAL	**30**	**6.8**	**29**	**1**	**2**	**5**	**8**	**16**	**20**	**22**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	1	1	3	4	6	6	6
20-34										
35-49	11	5.3	38	1	1	2	7	15	20	21
50-64	30	5.4	19	1	2	4	7	13	14	19
65+	18	6.3	28	<1	1	4	8	15	18	19
B. *Operated*										
0-19 YRS	7	9.4	75	1	1	7	15	23	25	25
20-34	21	3.8	8	1	1	3	5	8	10	11
35-49	64	4.6	15	1	1	3	6	10	12	18
50-64	200	5.6	39	1	1	3	7	12	16	30
65+	216	4.9	25	<1	1	3	6	11	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	16	1	1	3	8	11	11	11
20-34	7	7.0	46	1	1	7	8	18	21	21
35-49	34	7.9	35	2	2	7	10	15	17	32
50-64	100	8.1	47	2	2	6	11	16	18	76
65+	118	8.6	99	2	2	6	9	16	25	64
B. *Operated*										
0-19 YRS	7	8.3	51	1	2	5	15	19	19	19
20-34	11	5.3	18	1	1	4	8	12	12	12
35-49	117	12.3	166	1	2	8	15	28	48	74
50-64	354	11.4	127	2	2	8	15	28	34	56
65+	488	10.9	161	1	2	7	14	24	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.4	23	1	1	4	7	13	17	21
B. *Operated*	508	5.1	30	1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	266	8.2	67	2	2	6	10	16	21	62
B. *Operated*	977	11.2	147	1	2	7	15	25	36	63
1. SINGLE DX	573	5.2	29	1	1	3	6	11	16	25
2. MULTIPLE DX	1243	10.5	132	1	2	7	14	24	33	63
A. NOT OPERATED	331	7.6	60	1	2	6	9	15	19	55
B. OPERATED	1485	9.1	115	1	2	5	11	21	30	56
TOTAL 0-19 YRS	27	6.4	41	1	1	4	8	18	20	25
20-34	39	4.8	18	1	1	3	7	10	12	21
35-49	226	9.1	109	1	1	6	11	20	33	54
50-64	684	8.9	92	1	2	6	11	19	30	51
65+	840	8.9	121	1	2	5	11	21	27	63
GRAND TOTAL	**1816**	**8.8**	**105**	**1**	**2**	**5**	**11**	**20**	**28**	**55**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.8	7	2	2	6	7	9	9	9
50-64	17	5.4	19	1	1	5	6	12	16	18
65+	16	4.9	31	1	1	3	6	9	19	24
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	10.3	61	<1	2	9	16	22	24	25
50-64	47	10.4	89	1	2	7	14	22	24	53
65+	37	7.9	32	2	3	5	13	18	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	9.6	135	2	2	5	11	30	37	37
50-64	55	8.4	86	1	3	6	10	15	19	63
65+	115	8.8	61	2	3	6	11	19	24	42
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	13.5	5	12	12	13	15	15	15	15
35-49	30	19.0	315	3	4	15	25	38	43	92
50-64	203	16.0	216	2	3	12	19	36	51	87
65+	214	14.5	150	2	3	11	19	32	41	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.2	21	1	1	4	6	9	16	24
B. *Operated*	99	9.4	63	2	2	7	13	21	23	40
2. MULTIPLE DX										
A. *Not Operated*	179	8.7	71	2	3	6	10	18	24	47
B. *Operated*	450	15.5	190	2	3	12	19	34	45	71
1. SINGLE DX	137	8.3	55	1	2	5	12	19	22	30
2. MULTIPLE DX	629	13.6	165	2	3	10	18	29	39	70
A. NOT OPERATED	217	8.1	64	2	2	5	9	17	23	42
B. OPERATED	549	14.4	172	2	3	11	18	32	41	70
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	4	8.8	34	2	2	9	13	15	15	15
35-49	57	14.4	220	2	3	10	19	33	38	89
50-64	322	13.3	177	2	3	10	17	27	40	74
65+	382	11.8	117	2	3	8	16	25	34	52
GRAND TOTAL	**766**	**12.6**	**150**	**2**	**3**	**9**	**17**	**27**	**37**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.3	56	2	2	2	12	15	15	15
35-49	1	12.0		12	12	12	12	12	12	12
50-64	15	4.9	26	1	1	3	6	13	17	19
65+	14	4.0	6	1	2	3	5	8	9	9
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	13.0	72	7	7	13	19	19	19	19
35-49	13	10.9	29	2	4	11	14	31	85	99+
50-64	47	11.2	29	2	4	11	14	17	23	27
65+	51	12.2	42	3	4	12	15	22	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	5	3	3	5	7	8	8	8
20-34	8	5.3	7	3	3	4	7	9	10	10
35-49	23	6.4	39	1	2	4	7	15	23	26
50-64	52	8.2	48	1	2	6	10	20	24	29
65+	162	8.8	84	2	2	6	11	19	24	57
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	12	19.2	113	5	8	16	29	34	37	37
35-49	43	14.3	75	4	5	13	18	30	34	36
50-64	208	16.9	119	3	6	15	22	29	40	61
65+	490	16.8	124	4	6	15	22	29	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	19	1	2	3	6	12	15	19
B. *Operated*	114	11.6	34	2	4	12	14	20	24	54
2. MULTIPLE DX										
A. *Not Operated*	249	8.3	69	1	2	6	10	18	23	43
B. *Operated*	754	16.7	119	4	6	15	21	29	36	62
1. SINGLE DX	147	10.1	39	2	2	10	14	19	23	30
2. MULTIPLE DX	1003	14.6	120	3	4	12	19	28	34	59
A. NOT OPERATED	282	7.9	64	1	2	5	9	17	23	39
B. OPERATED	868	16.0	111	4	5	14	21	28	35	62
TOTAL 0-19 YRS	6	5.7	4	3	3	5	8	8	8	8
20-34	25	12.7	106	2	3	10	19	32	34	37
35-49	80	11.5	67	2	3	10	15	23	32	80
50-64	322	14.1	105	2	3	12	19	27	31	56
65+	717	14.4	120	3	4	12	19	27	33	60
GRAND TOTAL	**1150**	**14.0**	**112**	**2**	**3**	**12**	**19**	**26**	**33**	**59**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	9.6	21	5	5	9	12	17	17	17
50-64	2	32.0	882	11	11	32	53	53	53	53
65+	7	14.7	30	10	10	13	18	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	5.1	8	2	2	5	6	10	11	11
65+	6	11.0	152	1	1	5	20	31	32	32
B. *Operated*										
0-19 YRS										
20-34	2	13.5	25	10	10	13	17	17	17	17
35-49	12	14.0	18	9	9	14	17	20	20	20
50-64	31	15.6	100	5	5	12	19	27	32	52
65+	51	17.1	90	6	8	16	22	31	38	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	14	15.4	144	5	7	11	17	27	47	53
2. MULTIPLE DX										
A. *Not Operated*	14	7.6	72	1	2	5	7	21	30	32
B. *Operated*	96	16.1	83	5	7	15	20	26	34	81
1. SINGLE DX	15	14.8	138	5	7	10	17	24	46	53
2. MULTIPLE DX	110	15.1	89	3	5	13	19	25	34	75
A. NOT OPERATED	15	7.6	67	1	2	5	7	20	29	32
B. OPERATED	110	16.0	89	5	7	15	19	25	34	75
TOTAL 0-19 YRS										
20-34	2	13.5	25	10	10	13	17	17	17	17
35-49	17	12.7	22	6	7	10	16	20	20	20
50-64	42	14.2	131	3	4	11	19	27	40	53
65+	64	16.3	90	4	6	16	21	30	35	94
GRAND TOTAL	**125**	**15.0**	**94**	**4**	**5**	**13**	**19**	**25**	**34**	**69**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	5	4.4	18	1	1	2	8	10	10	10
50-64	18	4.8	18	1	1	3	7	11	14	16
65+	40	6.2	87	1	2	4	6	10	28	47
B. *Operated*										
0-19 YRS										
20-34	5	13.0	7	10	10	13	15	16	16	16
35-49	67	10.9	15	4	8	10	13	17	19	22
50-64	214	11.2	22	3	7	11	13	16	19	29
65+	333	11.8	35	2	5	11	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	15	7.9	90	1	1	6	9	16	33	39
35-49	43	6.3	74	1	1	3	7	13	16	54
50-64	128	7.4	42	2	2	5	10	14	21	35
65+	433	8.5	69	2	2	6	10	17	26	38
B. *Operated*										
0-19 YRS	8	14.6	17	9	9	14	17	21	22	22
20-34	27	12.1	22	6	7	12	13	17	36	99+
35-49	200	13.5	65	4	7	12	16	22	24	58
50-64	911	15.0	83	6	8	13	17	24	31	59
65+	2485	16.6	92	6	8	14	20	27	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.7	60	1	1	3	7	10	16	46
B. *Operated*	619	11.5	28	2	6	11	14	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	621	8.1	64	2	2	6	10	16	24	38
B. *Operated*	3631	16.0	89	6	8	14	19	26	32	55
1. SINGLE DX	684	10.9	34	2	3	10	13	17	20	33
2. MULTIPLE DX	4252	14.8	93	3	5	13	18	25	32	54
A. NOT OPERATED	686	7.8	64	1	2	5	10	16	23	40
B. OPERATED	4250	15.3	82	5	8	13	18	25	31	53
TOTAL 0-19 YRS	10	12.6	32	4	4	13	17	20	22	22
20-34	49	10.7	44	2	2	11	13	16	29	99+
35-49	315	11.8	61	2	3	11	15	19	23	55
50-64	1271	13.4	75	3	5	12	16	22	28	54
65+	3291	14.9	93	3	5	13	18	26	32	50
GRAND TOTAL	**4936**	**14.3**	**86**	**3**	**5**	**12**	**17**	**24**	**31**	**52**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.8	1	1	1	3	4	4	4	4
50-64	14	6.9	28	1	2	4	11	16	16	16
65+	22	4.2	12	1	2	3	5	9	14	15
B. *Operated*										
0-19 YRS										
20-34	7	10.0	17	4	5	9	12	16	17	17
35-49	57	11.0	28	3	4	11	13	18	20	29
50-64	190	11.8	35	2	3	12	15	19	22	27
65+	268	11.0	50	2	3	10	15	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	8.8	48	4	4	6	13	19	19	19
35-49	30	7.7	42	2	2	6	11	13	17	35
50-64	108	7.8	53	1	2	5	9	18	21	37
65+	242	7.4	50	2	3	6	9	14	17	38
B. *Operated*										
0-19 YRS										
20-34	18	17.0	115	1	3	14	24	32	37	40
35-49	102	14.2	56	3	5	13	18	24	28	38
50-64	444	14.6	92	3	5	12	19	25	32	51
65+	1121	16.8	109	3	6	15	21	30	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.8	17	1	2	4	5	13	15	16
B. *Operated*	522	11.3	42	2	3	11	15	19	22	29
2. MULTIPLE DX										
A. *Not Operated*	384	7.5	50	2	2	6	9	15	20	37
B. *Operated*	1685	16.1	102	3	6	14	20	28	35	57
1. SINGLE DX	565	10.8	43	2	3	11	15	18	21	28
2. MULTIPLE DX	2069	14.5	103	2	4	13	19	26	34	53
A. NOT OPERATED	427	7.3	48	2	2	5	9	15	19	36
B. OPERATED	2207	14.9	92	3	5	13	19	26	33	53
TOTAL 0-19 YRS										
20-34	30	13.8	94	2	3	12	19	29	33	40
35-49	195	11.9	52	2	3	11	16	20	26	34
50-64	756	12.8	77	2	3	12	16	22	27	47
65+	1653	14.3	104	2	3	13	18	26	34	53
GRAND TOTAL	**2634**	**13.7**	**93**	**2**	**3**	**12**	**18**	**25**	**31**	**50**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	7	<1	1	2	2	5	7	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	10	5.0	4	2	2	5	6	7	8	8
65+	24	3.9	11	<1	<1	3	5	9	12	13
B. *Operated*										
0-19 YRS	16	9.9	73	1	2	9	12	17	30	36
20-34	5	8.4	20	1	1	9	11	13	13	13
35-49	9	6.2	16	1	1	6	9	12	13	13
50-64	30	10.4	39	2	2	10	14	18	19	30
65+	60	11.7	45	2	4	11	15	20	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	6	1	1	3	4	7	10	11
20-34	5	5.6	23	2	2	4	7	14	14	14
35-49	16	6.3	51	1	1	4	6	15	25	29
50-64	55	9.4	60	1	3	8	12	17	22	45
65+	128	8.6	45	2	2	7	11	17	21	35
B. *Operated*										
0-19 YRS	17	15.1	86	4	6	12	19	32	36	36
20-34	14	15.8	71	8	8	14	16	28	37	39
35-49	54	15.6	76	3	6	14	20	30	34	37
50-64	143	16.7	200	4	6	13	20	28	46	81
65+	311	16.4	133	4	6	14	20	30	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.5	8	<1	1	2	5	7	9	14
B. *Operated*	120	10.6	45	1	2	10	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	227	8.1	47	1	2	6	11	16	21	35
B. *Operated*	539	16.4	141	4	6	14	20	29	37	68
1. SINGLE DX	183	8.2	44	1	1	7	12	16	19	33
2. MULTIPLE DX	766	13.9	128	2	3	11	17	27	35	65
A. NOT OPERATED	290	7.1	42	1	2	5	9	15	20	34
B. OPERATED	659	15.3	129	3	5	13	19	28	36	68
TOTAL 0-19 YRS	81	7.0	59	1	1	3	10	16	21	36
20-34	25	11.8	68	2	3	10	15	20	30	39
35-49	82	12.3	83	2	3	10	16	26	30	37
50-64	238	13.8	153	2	4	11	17	25	33	69
65+	523	13.4	111	2	3	11	17	25	34	51
GRAND TOTAL	**949**	**12.8**	**117**	**2**	**2**	**11**	**16**	**25**	**33**	**57**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.8	20	2	2	5	9	11	11	11
50-64	23	5.3	71	1	1	3	4	13	27	39
65+	20	5.4	8	1	2	5	7	9	10	11
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	6	14.0	20	7	7	14	18	19	19	19
50-64	25	12.4	73	1	2	10	16	28	29	30
65+	52	15.6	83	3	6	15	19	26	34	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	7.0	52	1	1	5	12	15	15	15
35-49	24	6.9	75	1	1	4	9	13	23	42
50-64	149	8.0	40	2	3	6	10	16	21	29
65+	264	8.8	53	2	3	7	12	17	21	36
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	18.8	177	11	11	12	24	42	42	42
35-49	47	17.3	152	3	6	18	21	26	33	79
50-64	252	17.3	135	5	6	15	21	32	39	64
65+	504	17.8	136	4	7	15	23	31	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.3	38	1	1	4	6	10	12	39
B. *Operated*	84	14.6	76	2	5	14	18	25	30	47
2. MULTIPLE DX										
A. *Not Operated*	441	8.4	50	2	2	6	11	17	21	37
B. *Operated*	809	17.6	136	4	6	15	22	31	39	68
1. SINGLE DX	132	11.2	82	1	2	9	16	22	29	41
2. MULTIPLE DX	1250	14.4	125	3	4	12	19	27	34	58
A. NOT OPERATED	489	8.1	50	2	2	6	10	17	21	38
B. OPERATED	893	17.3	131	4	6	15	22	30	38	67
TOTAL 0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	10	13.6	138	1	1	12	18	30	42	42
35-49	81	13.4	136	1	2	11	19	24	28	68
50-64	449	13.3	118	2	3	11	17	27	34	57
65+	840	14.6	123	3	4	12	19	28	34	57
GRAND TOTAL	**1382**	**14.1**	**122**	**2**	**3**	**12**	**19**	**27**	**33**	**57**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	40	3.1	5	1	1	2	4	6	8	10
50-64	147	4.7	24	<1	1	3	6	11	17	27
65+	128	6.1	27	<1	1	5	8	13	15	27
B. *Operated*										
0-19 YRS	3	13.3	17	10	10	12	16	18	18	18
20-34	7	11.1	30	7	7	9	12	21	23	23
35-49	100	8.6	33	1	2	8	12	16	19	27
50-64	446	9.2	41	2	2	8	12	17	21	29
65+	468	8.9	47	1	2	8	12	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	24	8	8	9	15	17	17	17
20-34	7	4.4	8	1	1	3	7	8	8	8
35-49	242	7.0	43	1	2	5	9	15	19	34
50-64	1225	8.0	61	1	2	6	10	17	23	41
65+	1645	8.3	51	1	2	6	11	17	21	36
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	11.8	36	3	5	11	16	21	22	23
35-49	393	12.0	100	2	4	10	14	22	29	58
50-64	2185	12.1	79	2	3	10	16	23	28	48
65+	2995	12.1	87	2	3	10	15	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	5.0	24	<1	1	3	7	11	15	26
B. *Operated*	1024	9.0	43	2	2	8	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	3122	8.1	54	1	2	6	10	17	22	38
B. *Operated*	5598	12.1	84	2	3	10	16	23	29	49
1. SINGLE DX	1339	8.1	41	1	2	7	11	17	20	31
2. MULTIPLE DX	8720	10.7	77	2	3	9	14	21	27	45
A. NOT OPERATED	3437	7.8	52	1	2	6	10	16	21	37
B. OPERATED	6622	11.6	79	2	3	10	15	22	28	47
TOTAL 0-19 YRS	7	11.6	19	7	7	10	16	18	18	18
20-34	38	10.3	37	2	3	9	14	20	22	23
35-49	775	9.6	75	1	2	8	12	18	24	39
50-64	4003	10.2	71	2	2	8	14	20	26	42
65+	5236	10.5	74	2	3	9	14	21	26	44
GRAND TOTAL	**10059**	**10.3**	**73**	**2**	**2**	**8**	**14**	**20**	**26**	**43**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	19.0	200	9	9	19	29	29	29	29
35-49	8	2.6	7	1	1	2	3	7	9	9
50-64	19	4.7	76	<1	1	2	4	13	28	37
65+	10	4.2	13	1	1	3	5	10	13	13
B. *Operated*										
0-19 YRS	8	6.9	23	1	1	7	10	13	14	14
20-34	7	9.4	17	4	5	8	13	16	16	16
35-49	42	5.0	30	<1	<1	2	6	13	16	26
50-64	190	5.4	29	<1	1	2	9	14	17	20
65+	171	5.6	41	1	1	2	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	11	6.2	11	2	2	5	8	11	13	13
35-49	19	10.6	127	1	2	7	13	30	40	42
50-64	64	6.2	19	1	1	5	8	14	15	19
65+	64	6.7	36	1	1	4	10	15	22	23
B. *Operated*										
0-19 YRS	7	9.9	36	3	3	8	13	20	21	21
20-34	9	14.9	231	2	4	9	16	40	53	53
35-49	61	14.2	184	2	2	11	19	29	39	69
50-64	268	12.6	142	1	2	10	18	26	31	55
65+	301	10.6	93	1	2	8	16	24	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.7	54	1	1	2	4	10	22	37
B. *Operated*	418	5.6	34	<1	1	2	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	161	6.8	39	1	1	5	9	14	18	36
B. *Operated*	646	11.8	124	1	2	9	17	24	32	53
1. SINGLE DX	460	5.5	36	<1	1	2	9	14	17	29
2. MULTIPLE DX	807	10.8	111	1	2	8	15	23	30	49
A. NOT OPERATED	203	6.4	42	1	1	4	8	14	18	37
B. OPERATED	1064	9.3	98	1	1	7	14	21	27	45
TOTAL 0-19 YRS	21	6.5	29	1	1	5	10	14	17	21
20-34	29	10.6	100	2	3	8	11	19	30	53
35-49	130	10.0	133	1	1	6	14	24	33	59
50-64	541	9.0	97	1	1	6	13	20	27	46
65+	546	8.5	74	1	1	5	13	20	24	42
GRAND TOTAL	**1267**	**8.9**	**90**	**1**	**1**	**5**	**13**	**20**	**26**	**44**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	3.5	7	1	1	3	4	6	8	18
20-34	16	2.6	1	<1	1	2	3	4	5	5
35-49	4	6.0	2	4	4	6	7	7	7	7
50-64	10	3.8	4	<1	<1	4	5	6	6	6
65+	8	5.1	17	1	1	4	6	12	14	14
B. *Operated*										
0-19 YRS	86	7.3	32	1	2	5	11	14	17	30
20-34	64	7.9	21	1	2	7	11	14	17	18
35-49	52	8.1	43	2	2	7	11	15	19	40
50-64	64	7.3	40	1	2	6	10	14	19	35
65+	71	7.0	35	1	2	5	10	17	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	4.2	24	1	2	3	5	7	10	22
20-34	50	4.2	9	1	2	3	5	8	10	17
35-49	17	4.7	17	1	1	3	5	13	14	14
50-64	32	6.3	35	1	1	4	8	16	20	22
65+	58	9.1	113	2	2	5	9	25	31	56
B. *Operated*										
0-19 YRS	49	13.6	151	2	2	10	21	29	46	47
20-34	39	12.6	245	1	2	10	14	18	34	97
35-49	31	17.2	330	3	4	14	22	33	41	98
50-64	82	15.9	150	3	4	13	20	30	39	67
65+	147	13.5	136	2	3	11	17	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.6	7	1	1	3	4	6	7	16
B. *Operated*	337	7.5	34	1	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	393	5.1	38	1	2	3	5	9	15	34
B. *Operated*	348	14.3	170	2	3	11	18	29	37	70
1. SINGLE DX	466	6.4	29	1	2	5	9	13	17	24
2. MULTIPLE DX	741	9.4	121	1	2	5	12	22	30	51
A. NOT OPERATED	522	4.7	31	1	1	3	5	8	13	31
B. OPERATED	685	11.0	115	2	2	8	14	22	30	48
TOTAL 0-19 YRS	462	5.6	44	1	2	4	6	12	18	39
20-34	169	7.4	78	1	2	5	10	14	17	36
35-49	104	10.2	143	2	2	7	13	20	30	67
50-64	188	10.7	106	1	2	7	15	23	30	47
65+	284	10.8	111	2	2	7	14	26	33	54
GRAND TOTAL	**1207**	**8.3**	**88**	**1**	**2**	**5**	**10**	**18**	**26**	**44**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	5	4.0	21	1	1	2	5	12	12	12
50-64	5	9.2	178	2	2	4	11	33	33	33
65+	5	6.6	22	1	1	5	11	12	12	12
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	63	4.0	5	1	1	4	6	7	8	10
35-49	120	4.2	7	1	2	3	6	8	9	13
50-64	121	5.0	14	<1	1	4	8	10	12	17
65+	99	5.7	28	<1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	3.2	3	2	2	2	4	6	7	7
35-49	19	7.3	27	1	2	6	11	16	17	17
50-64	25	7.0	106	1	1	5	7	11	22	54
65+	29	6.2	14	2	2	5	9	12	14	15
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	24	6.8	29	1	2	5	10	15	18	19
35-49	69	6.1	22	1	2	4	8	13	17	22
50-64	97	6.6	25	2	2	5	8	13	18	25
65+	144	8.6	64	2	2	6	11	17	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	6.6	61	1	1	4	10	12	26	33
B. *Operated*	405	4.8	14	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	83	6.4	44	1	2	5	8	12	15	42
B. *Operated*	336	7.4	42	2	2	5	10	15	19	31
1. SINGLE DX	422	4.9	16	1	1	4	7	9	11	21
2. MULTIPLE DX	419	7.2	43	2	2	5	9	14	18	32
A. NOT OPERATED	100	6.5	46	1	2	4	9	12	15	43
B. OPERATED	741	6.0	28	1	2	4	8	11	16	27
TOTAL 0-19 YRS	5	7.8	22	2	2	9	11	13	13	13
20-34	98	4.7	12	1	1	4	6	9	11	19
35-49	213	5.1	15	1	2	4	7	10	13	18
50-64	248	5.9	31	1	2	4	8	11	14	27
65+	277	7.3	47	1	2	5	9	14	21	36
GRAND TOTAL	**841**	**6.0**	**31**	**1**	**2**	**4**	**8**	**12**	**16**	**27**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49										
50-64										
65+	7	3.3	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	9	2.6	2	<1	<1	2	3	5	5	5
20-34	23	2.5	3	<1	1	2	3	5	6	8
35-49	80	2.4	4	<1	<1	2	3	4	6	12
50-64	204	2.8	8	<1	<1	2	3	5	7	13
65+	405	3.0	13	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	7.3	14	2	2	8	10	11	11	11
35-49										
50-64	12	6.4	56	1	1	3	10	18	23	24
65+	33	7.0	59	1	2	5	8	12	21	42
B. *Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	11	5.5	34	1	1	3	6	13	21	22
35-49	79	3.6	9	<1	1	2	5	8	9	15
50-64	262	4.0	19	1	1	2	4	9	14	22
65+	770	5.2	44	1	1	3	6	11	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	3	1	1	3	5	6	6	6
B. *Operated*	721	2.9	10	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	50	6.8	52	1	1	5	8	14	22	42
B. *Operated*	1125	4.8	36	1	1	3	5	10	14	31
1. SINGLE DX	730	2.9	10	<1	<1	2	3	5	8	14
2. MULTIPLE DX	1175	4.9	36	1	1	3	6	10	15	32
A. NOT OPERATED	59	6.3	46	1	1	4	8	12	19	40
B. OPERATED	1846	4.0	27	<1	1	2	4	8	12	28
TOTAL 0-19 YRS	13	2.9	4	<1	1	2	3	6	8	8
20-34	40	3.8	15	<1	1	3	5	8	10	22
35-49	159	3.0	7	<1	<1	2	3	7	8	13
50-64	478	3.5	16	<1	1	2	4	7	12	22
65+	1215	4.5	35	<1	1	3	5	9	13	34
GRAND TOTAL	**1905**	**4.1**	**27**	**<1**	**1**	**2**	**4**	**9**	**12**	**28**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.7	4	1	1	2	4	6	6	6
35-49	17	2.7	3	1	1	2	3	5	6	7
50-64	21	4.5	21	1	1	3	5	8	15	22
65+	23	6.9	76	1	2	4	9	13	25	43
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	106	5.9	10	1	2	6	8	10	13	14
35-49	672	5.9	8	1	2	6	7	9	11	15
50-64	909	6.3	8	2	3	6	8	9	11	15
65+	994	6.8	12	2	3	7	9	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	30	6.1	38	1	1	4	8	12	25	26
35-49	140	6.7	55	1	1	4	9	17	21	35
50-64	262	7.6	52	1	2	5	10	16	23	34
65+	254	9.4	81	1	2	7	12	19	28	47
B. *Operated*										
0-19 YRS	4	6.3	13	3	3	5	9	11	11	11
20-34	104	8.1	26	3	3	7	10	13	16	33
35-49	691	7.5	18	2	3	7	9	12	15	22
50-64	1397	8.5	35	3	4	7	10	14	18	35
65+	2096	9.2	36	3	4	8	11	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.7	35	1	1	3	5	9	12	39
B. *Operated*	2683	6.4	10	2	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	689	8.0	64	1	1	5	10	18	24	41
B. *Operated*	4292	8.7	33	3	4	8	10	14	18	33
1. SINGLE DX	2751	6.3	10	2	2	6	8	10	12	16
2. MULTIPLE DX	4981	8.6	37	2	3	7	10	14	19	34
A. NOT OPERATED	757	7.7	62	1	1	5	10	17	23	42
B. OPERATED	6975	7.8	25	2	3	7	9	12	15	28
TOTAL 0-19 YRS	9	6.4	27	2	2	5	8	15	18	18
20-34	247	6.8	22	1	2	6	9	12	13	26
35-49	1520	6.7	18	1	2	6	8	11	13	21
50-64	2589	7.6	28	2	3	7	9	12	16	30
65+	3367	8.5	34	2	3	8	10	14	18	32
GRAND TOTAL	**7732**	**7.8**	**29**	**2**	**3**	**7**	**9**	**13**	**16**	**30**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	3.2	3	1	1	3	4	4	7	9
35-49	71	3.5	8	1	1	3	4	4	5	19
50-64	80	3.5	6	1	2	3	4	4	6	17
65+	65	4.1	12	2	2	3	4	5	7	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	116	5.6	13	1	2	5	8	11	13	14
35-49	135	5.9	29	1	2	4	8	11	15	25
50-64	81	5.2	38	1	2	3	5	9	12	42
65+	58	3.8	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	7.4	60	1	2	5	9	15	28	34
35-49	85	6.0	60	1	1	4	7	11	13	46
50-64	115	6.1	34	1	2	4	8	13	18	33
65+	123	5.9	36	1	2	4	6	13	15	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	105	7.7	31	1	2	6	10	16	17	27
35-49	217	10.3	92	2	3	8	11	20	35	49
50-64	158	9.6	152	1	2	6	10	19	30	75
65+	198	9.8	119	2	2	7	11	21	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.6	8	1	2	3	4	5	7	20
B. *Operated*	391	5.3	23	1	2	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	345	6.1	43	1	1	4	7	12	16	38
B. *Operated*	679	9.6	105	2	2	7	11	18	29	51
1. SINGLE DX	624	4.7	18	1	2	3	5	9	12	20
2. MULTIPLE DX	1024	8.4	87	1	2	6	10	16	24	49
A. NOT OPERATED	578	5.1	30	1	2	4	5	10	14	35
B. OPERATED	1070	8.0	79	1	2	6	9	15	22	49
TOTAL 0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	260	6.4	25	1	2	5	9	13	15	24
35-49	508	7.5	65	1	2	5	9	14	21	47
50-64	434	6.7	78	1	2	4	8	12	20	48
65+	444	7.1	72	2	2	4	8	14	22	49
GRAND TOTAL	**1648**	**7.0**	**64**	**1**	**2**	**4**	**8**	**14**	**20**	**46**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	43	3.4	2	1	1	3	4	5	7	8
65+	70	3.3	4	2	2	3	4	4	5	15
B. *Operated*										
0-19 YRS										
20-34	8	4.3	6	1	1	4	6	7	7	7
35-49	34	5.7	5	1	2	6	7	8	9	10
50-64	203	5.8	11	1	1	6	8	10	11	15
65+	198	6.0	17	1	2	6	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	6	6.2	28	4	4	4	4	16	17	17
35-49	7	2.9	3	1	1	3	4	6	6	6
50-64	45	4.6	11	1	1	3	6	10	11	16
65+	127	6.8	75	1	1	4	7	13	21	48
B. *Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	13	11.7	196	4	4	5	9	40	45	46
35-49	103	6.9	13	2	2	6	8	11	13	21
50-64	498	8.6	41	2	2	8	10	14	18	35
65+	688	9.5	59	2	3	8	12	17	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.4	3	1	2	3	4	4	5	11
B. *Operated*	443	5.9	13	1	1	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	187	6.1	55	1	1	4	7	12	17	41
B. *Operated*	1304	9.0	50	2	2	8	11	15	20	40
1. SINGLE DX	558	5.3	12	1	2	5	7	10	11	17
2. MULTIPLE DX	1491	8.6	52	2	2	7	10	15	20	40
A. NOT OPERATED	302	5.1	37	1	2	3	5	10	14	35
B. OPERATED	1747	8.2	43	1	2	7	10	14	18	36
TOTAL 0-19 YRS	4	8.0	6	5	5	8	10	10	10	10
20-34	28	8.1	106	2	2	5	7	16	40	46
35-49	145	6.4	11	2	2	6	8	10	12	18
50-64	789	7.4	32	1	2	7	9	13	16	30
65+	1083	8.2	53	1	2	7	10	15	19	40
GRAND TOTAL	**2049**	**7.7**	**43**	**1**	**2**	**7**	**9**	**14**	**18**	**36**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	1	1	2	2	4	5	5
20-34	6	2.5	4	<1	<1	2	3	6	6	6
35-49	26	2.8	19	<1	1	1	2	5	10	23
50-64	62	2.0	[illegible]	<1	<1	2	2	4	5	7
65+	52	3.6	[illegible]	1	1	2	4	6	15	22
B. *Operated*										
0-19 YRS	9	7.0	13	4	4	6	7	13	16	16
20-34	20	6.3	7	2	3	6	8	9	11	12
35-49	32	9.2	29	2	4	8	11	18	19	24
50-64	61	9.2	26	2	5	8	11	15	21	28
65+	40	8.8	10	4	6	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	76	2	2	3	8	22	22	22
20-34	14	3.4	4	1	1	3	5	6	7	8
35-49	60	5.0	26	1	1	3	7	11	15	25
50-64	157	4.1	31	1	1	2	5	8	13	35
65+	195	6.5	52	1	2	4	8	16	23	35
B. *Operated*										
0-19 YRS	11	11.0	15	5	6	10	13	16	19	19
20-34	42	8.8	17	3	4	8	12	14	17	19
35-49	141	10.1	43	4	5	8	11	16	23	38
50-64	310	12.7	66	5	6	10	15	22	28	46
65+	364	15.6	94	6	8	13	19	26	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	2.7	11	<1	<1	2	2	5	7	22
B. *Operated*	162	8.6	20	3	4	8	10	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	431	5.3	40	1	1	3	7	12	18	33
B. *Operated*	868	13.3	76	5	6	11	16	23	29	48
1. SINGLE DX	316	5.7	24	<1	1	5	8	12	16	23
2. MULTIPLE DX	1299	10.7	78	1	2	9	14	21	27	43
A. NOT OPERATED	585	4.6	34	1	1	2	5	10	16	29
B. OPERATED	1030	12.6	70	4	6	10	15	22	28	44
TOTAL 0-19 YRS	33	7.1	29	1	2	6	9	14	19	22
20-34	82	6.8	16	1	2	6	9	12	14	19
35-49	259	8.1	42	1	1	7	10	15	21	35
50-64	590	8.9	65	1	1	7	12	17	24	41
65+	651	11.5	92	2	2	10	16	22	29	46
GRAND TOTAL	**1615**	**9.7**	**71**	**1**	**2**	**8**	**13**	**20**	**26**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	11	2.5	3	<1	<1	1	4	5	5	5
65+	7	4.7	21	2	2	3	4	13	15	15
B. *Operated*										
0-19 YRS										
20-34	7	6.1	37	2	2	3	7	17	19	19
35-49	8	3.3	2	1	1	3	4	5	6	6
50-64	26	7.7	34	2	2	5	10	18	18	19
65+	47	7.2	39	1	2	5	9	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	6.8	32	3	3	5	10	15	15	15
50-64	14	6.1	49	<1	1	3	10	18	22	23
65+	33	8.5	87	2	3	5	8	21	32	39
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	3	16.3	214	3	3	14	27	32	32	32
35-49	30	13.9	313	1	2	9	15	26	41	95
50-64	44	13.1	241	2	2	9	15	30	38	92
65+	124	13.1	155	3	3	10	17	26	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.3	10	<1	<1	3	4	5	10	15
B. *Operated*	88	6.9	35	2	2	5	9	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	57	7.1	67	1	1	4	7	19	28	39
B. *Operated*	203	13.2	193	2	3	9	16	27	33	93
1. SINGLE DX	108	6.3	32	1	2	4	8	16	18	27
2. MULTIPLE DX	260	11.9	172	2	2	8	15	25	32	89
A. NOT OPERATED	77	6.1	55	<1	1	3	6	17	22	37
B. OPERATED	291	11.3	154	2	2	8	15	23	31	78
TOTAL 0-19 YRS	6	5.2	33	1	1	3	6	15	16	16
20-34	13	7.7	81	<1	1	3	9	22	30	32
35-49	43	11.0	240	1	2	6	14	20	35	95
50-64	95	9.4	141	1	1	5	12	18	29	70
65+	211	10.8	121	2	2	7	14	24	30	54
GRAND TOTAL	**368**	**10.2**	**137**	**1**	**2**	**7**	**14**	**21**	**30**	**57**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	21	4.4	11	1	1	4	6	9	11	13
65+	72	6.2	34	1	2	5	7	11	17	32
B. *Operated*										
0-19 YRS	6	6.5	16	2	2	6	10	11	11	11
20-34										
35-49	11	7.3	50	1	1	4	14	18	19	19
50-64	374	6.2	19	1	2	5	8	12	15	21
65+	1120	6.0	15	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	15.6	214	4	4	12	23	40	40	40
50-64	135	6.9	60	1	2	5	9	13	19	78
65+	747	7.9	50	2	2	6	10	15	22	41
B. *Operated*										
0-19 YRS	7	8.9	30	2	3	6	13	17	18	18
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	18	8.1	29	2	3	7	11	14	20	24
50-64	626	8.3	34	2	3	7	11	16	20	31
65+	3506	8.5	39	2	3	7	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.6	29	1	1	4	7	10	14	32
B. *Operated*	1511	6.0	16	2	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	893	7.8	52	1	2	6	10	15	21	41
B. *Operated*	4160	8.5	38	2	3	7	10	16	20	31
1. SINGLE DX	1607	6.0	17	1	2	5	8	11	13	21
2. MULTIPLE DX	5053	8.3	41	2	3	7	10	15	20	32
A. NOT OPERATED	989	7.6	50	1	2	6	9	14	21	41
B. OPERATED	5671	7.8	33	2	2	6	10	15	18	30
TOTAL 0-19 YRS	20	6.1	22	1	1	5	9	12	16	18
20-34	4	5.5	9	2	2	6	8	8	8	8
35-49	35	8.7	64	1	2	5	12	18	23	40
50-64	1156	7.4	33	2	2	6	9	15	18	28
65+	5445	7.9	36	2	2	6	10	14	19	30
GRAND TOTAL	**6660**	**7.8**	**36**	**2**	**2**	**6**	**10**	**15**	**19**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	3	1	1	3	4	5	5	5
20-34	7	3.7	3	1	1	4	5	6	6	6
35-49	5	5.0	14	2	2	5	7	11	11	11
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	14	4.2	10	<1	1	3	5	10	11	11
20-34	105	4.6	11	2	2	3	5	8	11	17
35-49	45	3.5	4	1	1	3	5	6	8	9
50-64	22	4.7	10	1	2	4	6	8	11	16
65+	12	5.9	7	1	2	6	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	29	6.7	17	1	2	6	8	14	16	16
35-49	16	4.6	2	3	3	4	5	7	8	8
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	4	20.8	614	3	3	11	36	57	57	57
B. *Operated*										
0-19 YRS	8	10.0	49	3	3	9	12	21	25	25
20-34	44	7.3	18	1	3	6	10	14	16	18
35-49	27	6.5	17	2	2	6	9	11	14	20
50-64	21	10.0	73	1	2	8	15	22	28	35
65+	32	9.6	135	2	2	5	10	20	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.7	5	1	1	4	5	6	8	11
B. *Operated*	198	4.4	9	1	2	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	54	6.9	62	1	3	5	7	14	16	55
B. *Operated*	132	8.3	57	2	2	6	10	16	21	46
1. SINGLE DX	220	4.3	9	1	2	3	5	8	10	16
2. MULTIPLE DX	186	7.9	58	2	3	6	9	15	19	50
A. NOT OPERATED	76	6.0	47	1	2	5	6	11	15	46
B. OPERATED	330	6.0	32	2	2	4	8	11	16	27
TOTAL 0-19 YRS	34	5.2	23	1	1	4	5	11	13	25
20-34	185	5.5	15	2	2	5	7	11	14	17
35-49	93	4.6	9	1	2	4	6	9	10	17
50-64	45	7.2	45	1	2	5	8	16	21	35
65+	49	9.5	141	2	2	6	9	18	44	57
GRAND TOTAL	**406**	**6.0**	**35**	**1**	**2**	**5**	**7**	**11**	**16**	**29**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	6.3	85	1	1	2	11	20	20	20
50-64	4	2.8	6	1	1	2	4	6	6	6
65+	20	4.9	35	1	1	3	6	8	18	28
B. *Operated*										
0-19 YRS	4	6.5	60	2	2	3	11	18	18	18
20-34	12	3.6	3	2	2	3	4	7	8	8
35-49	82	4.1	16	1	1	3	5	7	14	22
50-64	449	4.3	13	1	1	3	5	9	13	17
65+	950	4.6	17	1	2	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	9.0	17	3	3	10	11	12	12	12
50-64	35	7.0	102	1	1	4	8	12	20	58
65+	157	6.9	61	1	2	5	9	13	19	39
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	6	4.8	57	<1	<1	1	4	18	20	20
35-49	62	6.7	39	1	2	5	10	14	23	91
50-64	544	7.7	58	1	2	5	10	17	22	39
65+	1953	7.7	57	2	2	5	9	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.8	35	1	1	3	6	8	21	28
B. *Operated*	1497	4.5	15	1	2	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	197	6.9	67	1	2	5	9	13	19	49
B. *Operated*	2569	7.7	57	2	2	5	9	16	22	39
1. SINGLE DX	1525	4.5	16	1	1	3	5	9	13	21
2. MULTIPLE DX	2766	7.6	58	2	2	5	9	16	22	39
A. NOT OPERATED	225	6.6	63	1	2	4	8	12	19	44
B. OPERATED	4066	6.5	44	1	2	4	8	14	19	35
TOTAL 0-19 YRS	9	4.9	29	1	1	2	6	14	18	18
20-34	18	4.0	19	<1	<1	3	4	7	15	20
35-49	152	5.3	29	1	1	3	7	12	16	35
50-64	1032	6.2	42	1	2	4	7	14	18	31
65+	3080	6.7	47	1	2	5	8	14	19	36
GRAND TOTAL	**4291**	**6.5**	**45**	**1**	**2**	**4**	**8**	**14**	**19**	**35**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	6	2	3	5	7	9	10	10
20-34										
35-49	3	2.3		2	2	2	3	3	3	3
50-64	13	4.1	13	1	1	3	5	11	12	12
65+	13	3.6	6	<1	1	3	6	7	9	9
B. *Operated*										
0-19 YRS	32	9.3	12	2	7	9	11	13	15	21
20-34	4	9.8	1	9	9	10	10	11	11	11
35-49	41	8.9	13	2	4	9	11	14	15	16
50-64	101	10.3	21	2	5	10	12	17	19	23
65+	113	11.1	31	3	4	10	15	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	5.4	20	1	2	4	7	12	15	23
20-34	5	9.0	23	3	3	9	13	15	15	15
35-49	18	12.1	193	2	3	7	14	39	48	48
50-64	84	7.2	38	1	2	5	9	15	20	32
65+	144	7.8	47	1	2	5	10	17	21	31
B. *Operated*										
0-19 YRS	34	10.3	24	3	5	10	11	16	21	25
20-34	5	8.4	33	3	3	8	11	18	18	18
35-49	66	12.8	81	4	4	10	16	24	35	48
50-64	261	12.6	70	4	5	11	15	21	27	56
65+	432	13.7	66	3	5	13	17	23	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.2	8	1	1	3	6	9	10	12
B. *Operated*	291	10.3	23	2	4	9	12	16	19	24
2. MULTIPLE DX										
A. *Not Operated*	300	7.5	50	1	2	5	9	16	21	41
B. *Operated*	798	13.1	67	3	5	11	16	22	27	45
1. SINGLE DX	332	9.5	25	2	3	9	12	16	19	23
2. MULTIPLE DX	1098	11.6	68	2	3	10	15	21	26	45
A. NOT OPERATED	341	7.1	46	1	2	5	9	15	20	38
B. OPERATED	1089	12.3	57	3	5	11	15	21	25	40
TOTAL 0-19 YRS	127	7.7	22	2	2	8	10	13	16	23
20-34	14	9.0	18	3	3	9	11	15	17	18
35-49	128	11.2	76	3	4	9	13	20	26	48
50-64	459	10.8	57	2	3	9	13	19	23	41
65+	702	11.9	62	2	3	11	16	21	25	39
GRAND TOTAL	**1430**	**11.1**	**59**	**2**	**3**	**10**	**14**	**20**	**24**	**40**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	1	1	2	3	4
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	10	2.3	2	<1	<1	2	4	5	5	5
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64	10	3.2	2	2	2	3	4	5	5	5
65+	10	4.0	40	1	1	2	3	13	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.0	494	1	1	3	13	53	62	62
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	8.3	46	3	3	6	13	16	16	16
B. *Operated*										
0-19 YRS	15	5.7	35	1	1	3	9	17	18	18
20-34										
35-49	3	6.7	6	4	4	7	8	9	9	9
50-64	5	8.6	33	3	3	6	13	17	17	17
65+	19	5.0	6	2	2	5	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	37	3.1	12	<1	1	2	4	5	5	22
2. MULTIPLE DX										
A. *Not Operated*	12	10.6	289	1	1	5	12	30	57	62
B. *Operated*	42	5.8	19	1	1	5	8	12	17	18
1. SINGLE DX	56	2.6	9	<1	<1	2	3	4	5	21
2. MULTIPLE DX	54	6.9	79	1	1	5	8	15	17	60
A. NOT OPERATED	31	5.0	127	<1	<1	1	3	11	16	62
B. OPERATED	79	4.5	17	1	1	3	5	9	15	21
TOTAL 0-19 YRS	48	4.6	90	<1	<1	1	4	11	17	62
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	7	4.4	7	2	2	3	6	9	9	9
50-64	17	5.1	16	2	2	4	5	11	15	17
65+	34	4.8	19	1	2	3	6	9	15	22
GRAND TOTAL	**110**	**4.7**	**47**	**<1**	**1**	**3**	**5**	**9**	**16**	**38**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.3	41	1	1	3	6	14	15	40
20-34	7	5.3	17	2	2	5	6	12	14	14
35-49	26	5.9	40	1	2	4	6	10	20	32
50-64	46	7.8	119	<1	1	4	9	19	35	51
65+	31	12.8	233	1	2	8	14	29	45	76
B. *Operated*										
0-19 YRS	68	9.6	40	2	2	9	12	17	21	33
20-34	33	13.9	83	4	6	12	16	27	37	44
35-49	37	12.6	51	5	5	11	16	20	29	36
50-64	65	14.5	62	3	5	14	18	25	28	37
65+	44	15.9	129	3	5	14	18	26	39	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	6.9	73	1	1	4	9	14	18	50
20-34	[illegible]	8.5	90	<1	1	5	12	21	24	46
35-49	58	6.3	42	1	1	5	7	11	21	36
50-64	97	9.9	106	1	2	6	12	23	29	60
65+	144	11.1	119	2	3	8	12	22	35	67
B. *Operated*										
0-19 YRS	101	19.3	311	3	5	14	22	47	67	95
20-34	36	14.2	72	4	6	13	19	27	38	99+
35-49	58	13.7	110	3	3	11	16	25	37	57
50-64	99	18.9	243	4	6	14	21	40	58	77
65+	103	21.0	295	4	6	16	24	45	70	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	7.5	103	1	1	4	9	14	26	50
B *Operated*	247	13.1	73	2	4	12	16	24	28	44
2. MULTIPLE DX										
A. *Not Operated*	394	9.2	98	1	2	7	11	19	30	58
B. *Operated*	397	18.3	243	3	5	14	22	39	60	88
1. SINGLE DX	413	10.8	92	1	2	9	14	21	27	48
2. MULTIPLE DX	791	13.8	191	2	2	10	18	29	46	78
A. NOT OPERATED	560	8.7	100	1	2	6	11	18	30	55
B. OPERATED	644	16.3	184	3	5	13	19	32	47	78
TOTAL 0-19 YRS	287	11.6	176	1	2	8	15	23	41	77
20-34	109	11.8	85	1	2	10	16	24	33	68
35-49	179	9.9	77	2	2	8	13	20	28	43
50-64	307	13.5	160	1	2	11	17	27	36	66
65+	322	15.1	204	2	3	11	18	33	51	81
GRAND TOTAL	**1204**	**12.8**	**159**	**2**	**2**	**9**	**16**	**26**	**38**	**73**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	6	2	2	2	5	7	7	7
20-34										
35-49										
50-64										
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	7	7.3	13	2	3	8	10	12	13	13
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	3	11.3	22	6	6	13	14	15	15	15
50-64	2	16.5	61	11	11	16	22	22	22	22
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	44	1	1	3	10	17	17	17
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	6	8.2	15	3	3	8	10	14	14	14
65+	7	7.3	26	1	1	7	9	15	17	17
B. *Operated*										
0-19 YRS	13	15.4	88	5	5	12	23	30	32	32
20-34	3	20.0	133	7	7	24	28	29	29	29
35-49	8	18.3	151	3	4	16	27	36	37	37
50-64	1	10.0		10	10	10	10	10	10	10
65+	15	16.6	112	2	3	13	21	35	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	8	1	1	2	7	7	7	7
B. *Operated*	16	8.8	30	1	2	9	12	15	20	22
2. MULTIPLE DX										
A. *Not Operated*	20	7.2	24	1	1	7	10	15	17	17
B. *Operated*	40	16.6	104	3	5	13	23	33	36	37
1. SINGLE DX	22	7.4	29	1	1	7	11	14	18	22
2. MULTIPLE DX	60	13.5	97	2	3	11	19	30	35	37
A. NOT OPERATED	26	6.3	22	1	1	6	9	14	17	17
B. OPERATED	56	14.4	95	2	3	12	20	30	35	37
TOTAL 0-19 YRS	29	10.2	72	2	2	8	13	25	29	32
20-34	5	14.4	138	1	1	11	25	29	29	29
35-49	13	14.8	117	2	3	13	19	35	37	37
50-64	9	10.2	30	3	4	10	12	19	22	22
65+	26	12.3	98	1	2	10	17	29	35	37
GRAND TOTAL	**82**	**11.8**	**85**	**1**	**2**	**10**	**15**	**28**	**33**	**37**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	1	1	2	4	7	8	9
20-34	14	2.6	3	1	1	2	4	5	6	7
35-49	7	2.4	1	2	2	2	3	4	4	4
50-64	4	2.3		2	2	2	3	3	3	3
65+	5	4.2	8	2	2	4	5	9	9	9
B. *Operated*										
0-19 YRS	26	13.8	374	2	2	6	12	49	65	74
20-34	47	5.2	16	2	2	4	6	9	12	22
35-49	55	4.5	4	2	2	4	5	7	9	10
50-64	40	4.7	4	2	3	4	5	8	9	11
65+	20	6.2	11	3	4	5	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.2	45	1	1	3	5	12	17	35
20-34	10	3.6	5	1	1	3	4	7	8	8
35-49	18	5.4	96	1	1	3	4	7	30	44
50-64	22	7.3	72	<1	1	4	10	20	29	31
65+	25	7.1	32	2	2	6	8	12	22	27
B. *Operated*										
0-19 YRS	34	11.8	217	2	3	8	11	20	48	74
20-34	48	5.6	16	2	2	5	7	8	10	25
35-49	78	5.5	10	2	2	5	6	10	12	17
50-64	71	8.7	125	3	3	5	8	17	27	62
65+	66	12.8	150	3	4	9	17	24	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.9	4	1	1	2	4	6	7	9
B. *Operated*	188	6.2	67	2	3	4	6	10	12	59
2. MULTIPLE DX										
A. *Not Operated*	108	6.0	52	1	1	4	6	12	21	39
B. *Operated*	297	8.6	101	2	3	5	9	17	25	59
1. SINGLE DX	239	5.5	55	1	2	4	5	9	11	53
2. MULTIPLE DX	405	7.9	89	2	2	5	8	16	24	51
A. NOT OPERATED	159	5.0	38	1	1	3	5	10	17	35
B. OPERATED	485	7.7	89	2	3	5	8	14	21	59
TOTAL 0-19 YRS	114	8.7	178	1	1	5	9	16	41	74
20-34	119	4.9	14	1	2	4	6	8	9	23
35-49	158	5.0	17	2	2	4	6	9	11	17
50-64	137	7.1	81	2	2	5	7	12	24	54
65+	116	10.1	104	2	3	7	12	20	27	59
GRAND TOTAL	**644**	**7.0**	**78**	**1**	**2**	**4**	**7**	**12**	**20**	**52**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.4	1	1	1	2	3	4	5	5
20-34	12	4.6	16	1	1	3	7	11	12	12
35-49	41	7.7	178	1	1	4	6	15	30	80
50-64	105	5.3	29	<1	1	4	7	12	15	29
65+	123	7.1	36	1	2	5	10	16	20	28
B. *Operated*										
0-19 YRS	20	5.7	15	1	1	5	7	12	14	14
20-34	28	5.8	11	1	2	5	8	10	13	15
35-49	61	7.0	45	1	2	5	9	12	16	42
50-64	157	7.1	33	<1	1	6	10	15	18	26
65+	188	7.7	59	1	2	5	10	16	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.3	17	<1	1	3	5	9	11	26
20-34	103	6.3	47	1	2	5	8	11	14	44
35-49	605	7.7	70	1	1	5	9	17	25	39
50-64	1628	7.9	56	1	2	6	10	17	22	36
65+	2905	8.7	61	1	2	7	11	18	23	37
B. *Operated*										
0-19 YRS	44	12.0	182	1	2	9	14	20	37	80
20-34	155	8.9	59	1	3	7	10	17	25	41
35-49	664	11.0	100	2	2	8	14	22	30	58
50-64	1812	12.1	117	2	3	9	16	24	34	58
65+	2908	12.0	101	2	3	9	16	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	6.0	49	1	1	4	7	13	18	31
B. *Operated*	454	7.2	44	1	1	5	9	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	5308	8.2	60	1	2	6	10	17	23	37
B. *Operated*	5583	11.8	106	2	3	9	15	24	31	55
1. SINGLE DX	771	6.7	46	1	1	5	9	14	18	34
2. MULTIPLE DX	10891	10.1	87	2	2	8	13	21	27	48
A. NOT OPERATED	5625	8.1	60	1	2	6	10	17	22	37
B. OPERATED	6037	11.5	103	2	3	9	15	23	30	52
TOTAL 0-19 YRS	167	6.1	69	1	1	4	7	14	18	41
20-34	298	7.6	50	1	2	6	9	14	20	40
35-49	1371	9.3	89	1	2	6	12	20	27	48
50-64	3702	9.9	89	1	2	7	13	21	27	49
65+	6124	10.2	82	2	2	8	13	21	27	46
GRAND TOTAL	**11662**	**9.9**	**85**	**1**	**2**	**7**	**13**	**20**	**27**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	2	<1	1	2	3	4	5	6
20-34	9	3.0	8	<1	<1	1	5	7	9	9
35-49	14	3.4	30	1	1	1	2	10	19	21
50-64	16	4.0	12	1	1	3	7	9	10	10
65+	6	4.8	6	2	2	4	6	9	9	9
B. *Operated*										
0-19 YRS	76	6.7	17	1	2	6	9	13	15	18
20-34	114	6.8	35	1	1	5	9	14	17	30
35-49	48	7.2	31	1	2	6	10	16	17	26
50-64	21	8.8	71	2	2	7	9	22	29	36
65+	13	5.9	13	1	2	6	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.1	119	1	1	2	4	23	36	41
20-34	47	4.1	19	<1	1	3	5	8	13	23
35-49	19	7.3	47	1	1	5	8	19	23	24
50-64	23	10.2	166	1	2	6	11	29	41	55
65+	28	6.9	45	1	1	5	8	13	25	30
B. *Operated*										
0-19 YRS	16	8.8	59	<1	1	8	11	18	27	31
20-34	72	10.0	47	2	2	8	15	20	22	29
35-49	30	10.5	120	2	2	7	16	20	24	57
50-64	39	8.4	33	1	2	8	12	16	21	22
65+	44	11.9	129	3	3	7	14	28	44	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.1	11	1	1	2	4	9	9	19
B. *Operated*	272	7.0	31	1	2	6	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	135	6.4	69	1	1	4	7	15	25	43
B. *Operated*	201	10.1	74	2	2	8	14	20	25	46
1. SINGLE DX	342	6.2	29	1	1	5	9	13	16	29
2. MULTIPLE DX	336	8.6	75	1	1	6	11	19	25	45
A. NOT OPERATED	205	5.3	51	1	1	3	6	11	21	37
B. OPERATED	473	8.3	52	1	2	7	11	17	21	36
TOTAL 0-19 YRS	135	6.0	36	1	1	4	8	12	17	32
20-34	242	7.1	39	1	1	6	9	16	20	30
35-49	111	7.6	61	1	1	5	10	17	21	38
50-64	99	8.2	70	1	1	6	10	18	23	46
65+	91	9.0	85	2	2	6	11	18	30	46
GRAND TOTAL	**678**	**7.4**	**53**	**1**	**1**	**5**	**9**	**16**	**21**	**36**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	4.6	24	<1	1	3	6	10	13	27
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	6	4.2	16	1	1	2	7	11	11	11
65+	16	5.1	32	1	1	3	7	15	18	19
B. *Operated*										
0-19 YRS	107	7.0	56	1	1	5	9	13	19	44
20-34	7	15.0	228	<1	<1	8	30	36	36	36
35-49	5	5.2	30	2	2	3	6	15	15	15
50-64	14	7.2	80	2	2	3	7	25	29	30
65+	25	5.8	17	1	2	4	7	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	5.4	33	1	1	4	7	11	15	22
20-34	18	11.4	141	<1	1	7	14	34	35	35
35-49	11	10.8	77	1	2	8	17	25	26	26
50-64	68	5.9	40	1	1	4	6	12	18	40
65+	165	7.3	55	1	2	5	9	14	22	41
B. *Operated*										
0-19 YRS	121	14.7	221	1	2	10	17	37	49	83
20-34	23	26.7	379	3	5	25	37	60	62	65
35-49	13	14.0	170	2	3	6	21	36	42	43
50-64	59	12.1	157	1	1	8	16	31	35	60
65+	137	11.1	107	2	3	8	14	24	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	4.6	24	<1	1	3	6	10	14	26
B. *Operated*	158	7.1	59	1	2	5	9	14	25	42
2. MULTIPLE DX										
A. *Not Operated*	524	6.4	47	1	1	4	8	13	19	35
B. *Operated*	353	13.6	186	2	2	9	17	34	45	65
1. SINGLE DX	365	5.7	41	1	1	4	7	12	18	34
2. MULTIPLE DX	877	9.3	116	1	2	6	11	22	34	58
A. NOT OPERATED	731	5.9	41	1	1	4	7	12	18	33
B. OPERATED	511	11.6	156	1	2	8	14	30	42	61
TOTAL 0-19 YRS	673	7.1	81	1	1	4	8	15	23	50
20-34	48	19.2	311	1	2	13	33	43	60	65
35-49	31	10.8	110	2	2	6	17	25	34	43
50-64	147	8.4	98	1	1	5	10	21	30	47
65+	343	8.6	76	1	2	6	11	17	25	46
GRAND TOTAL	**1242**	**8.2**	**96**	**1**	**1**	**5**	**9**	**18**	**30**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	13	1	1	5	5	8	13	19
20-34	5	11.2	175	2	2	8	16	34	34	34
35-49	27	8.6	104	<1	1	4	9	26	33	39
50-64	24	4.9	16	<1	1	4	8	11	13	14
65+	32	3.5	13	<1	<1	2	4	9	12	15
B. *Operated*										
0-19 YRS	33	13.5	219	<1	2	8	20	34	49	57
20-34	13	14.9	215	1	2	6	31	35	36	36
35-49	27	16.9	252	2	3	11	26	35	48	69
50-64	19	8.4	118	1	1	3	11	28	34	38
65+	27	12.1	281	2	2	5	11	42	57	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	5.4	62	1	1	4	5	9	16	29
20-34	37	6.4	48	<1	1	6	8	12	21	36
35-49	43	5.8	25	<1	1	4	9	13	16	18
50-64	78	6.9	39	1	1	5	9	14	19	33
65+	239	7.0	51	1	1	5	10	15	20	36
B. *Operated*										
0-19 YRS	52	16.3	286	2	2	9	25	44	54	66
20-34	77	24.4	285	2	2	25	35	44	57	64
35-49	64	21.6	433	2	2	11	32	55	68	77
50-64	92	24.3	323	2	3	19	37	50	60	89
65+	204	16.7	259	2	3	9	25	44	54	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	5.4	35	<1	1	4	6	10	17	34
B. *Operated*	119	13.3	224	1	2	6	20	35	45	65
2. MULTIPLE DX										
A. *Not Operated*	542	6.4	50	1	1	4	8	13	18	35
B. *Operated*	489	19.9	311	2	3	13	33	46	58	76
1. SINGLE DX	286	8.7	128	1	1	5	9	24	34	57
2. MULTIPLE DX	1031	12.8	219	1	2	7	16	35	46	68
A. NOT OPERATED	709	6.2	47	1	1	4	8	13	18	34
B. OPERATED	608	18.6	300	2	2	11	31	44	56	74
TOTAL 0-19 YRS	309	8.0	123	1	1	4	7	19	30	58
20-34	132	17.9	269	1	2	11	32	40	47	62
35-49	161	14.4	282	1	1	8	20	37	53	74
50-64	213	14.3	241	1	1	8	19	39	49	68
65+	502	11.0	169	1	2	6	13	31	43	64
GRAND TOTAL	**1317**	**11.9**	**202**	**1**	**1**	**6**	**14**	**34**	**43**	**66**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.5	13	1	1	2	4	6	10	23
20-34	13	2.7	5	1	1	2	4	7	7	7
35-49	69	3.6	17	1	1	2	4	7	11	25
50-64	85	5.0	21	1	1	4	6	10	14	24
65+	84	5.6	40	1	1	3	6	15	17	33
B. *Operated*										
0-19 YRS	37	7.4	54	1	2	6	10	13	25	35
20-34	43	6.4	34	1	2	5	7	11	16	36
35-49	91	6.4	29	1	2	5	9	14	18	26
50-64	198	7.8	54	1	2	5	11	16	25	36
65+	232	7.2	65	1	2	5	9	15	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	4.2	18	1	1	3	4	9	14	23
20-34	29	5.8	25	1	1	6	7	11	18	22
35-49	117	4.9	14	1	1	4	7	10	13	18
50-64	322	7.0	60	1	1	5	9	15	20	39
65+	642	8.2	64	1	1	6	10	18	24	37
B. *Operated*										
0-19 YRS	46	14.1	177	1	2	9	22	31	35	67
20-34	38	13.1	187	1	2	10	16	25	36	77
35-49	124	12.4	144	2	3	9	15	25	40	58
50-64	399	12.5	125	2	3	9	17	28	34	67
65+	842	12.5	92	2	3	10	17	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.5	24	1	1	3	5	10	15	25
B. *Operated*	601	7.2	53	1	2	5	9	15	20	37
2. MULTIPLE DX										
A. *Not Operated*	1211	7.2	55	1	1	5	9	16	21	34
B. *Operated*	1449	12.6	110	2	3	10	16	26	33	54
1. SINGLE DX	901	6.3	45	1	1	4	8	14	18	35
2. MULTIPLE DX	2660	10.1	92	1	2	7	13	22	29	48
A. NOT OPERATED	1511	6.6	50	1	1	4	8	15	20	32
B. OPERATED	2050	11.0	99	2	2	8	14	24	31	49
TOTAL 0-19 YRS	233	6.5	69	1	1	3	8	14	26	37
20-34	123	7.9	88	1	1	6	10	16	23	51
35-49	401	7.3	70	1	1	5	9	15	20	46
50-64	1004	9.2	89	1	2	6	12	21	28	47
65+	1800	10.0	82	1	2	7	13	21	28	44
GRAND TOTAL	**3561**	**9.2**	**83**	**1**	**2**	**6**	**12**	**20**	**28**	**45**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	34	2.8	2	<1	1	2	3	5	5	8
20-34	99	3.1	2	1	1	3	4	5	5	8
35-49	123	3.0	2	1	2	3	4	5	5	6
50-64	138	3.5	6	1	2	3	4	5	6	13
65+	114	3.3	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	11	4.2	11	<1	<1	3	6	10	11	11
20-34	20	2.6	2	1	1	2	4	4	5	5
35-49	45	3.6	6	1	2	3	4	8	9	13
50-64	69	3.9	4	2	2	4	5	7	8	10
65+	130	4.7	15	1	2	4	5	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	508	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5	3.8	18	1	1	2	6	11	11	11
B. *Operated*	275	4.2	10	1	2	3	5	8	9	18
1. SINGLE DX	511	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX	280	4.2	10	1	2	3	5	8	9	18
A. NOT OPERATED	8	2.9	12	<1	<1	2	3	9	11	11
B. OPERATED	783	3.5	6	1	2	3	4	5	7	12
TOTAL 0-19 YRS	47	3.1	5	<1	1	2	4	5	8	11
20-34	120	3.0	2	1	1	3	4	5	5	7
35-49	170	3.1	3	1	2	3	4	5	5	10
50-64	209	3.6	6	1	2	3	4	6	7	11
65+	245	4.1	10	1	2	3	5	7	9	19
GRAND TOTAL	**791**	**3.5**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	2	<1	<1	2	4	5	6	6
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	21	2.1	2	<1	1	2	3	4	5	5
50-64	35	2.1	2	1	1	2	2	3	5	6
65+	32	1.8	1	1	1	1	2	3	4	7
B. *Operated*										
0-19 YRS	63	3.3	14	<1	1	2	3	8	13	17
20-34	60	4.7	20	<1	1	2	7	12	13	20
35-49	127	3.8	14	<1	1	2	5	10	12	16
50-64	283	3.4	11	<1	1	2	4	9	10	14
65+	315	3.5	10	1	1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	18	1	1	3	5	11	16	16
20-34	16	4.1	13	1	1	3	4	8	14	16
35-49	43	3.5	6	1	1	3	5	7	8	13
50-64	102	3.5	6	1	1	3	4	6	8	14
65+	191	4.1	13	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	43	5.1	23	1	1	4	6	10	14	25
20-34	68	6.9	26	1	2	6	9	13	19	23
35-49	203	5.4	26	1	1	4	8	11	13	28
50-64	705	5.2	29	1	1	3	7	11	15	26
65+	1352	5.9	37	1	1	4	8	13	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.1	2	1	1	2	2	4	5	7
B. *Operated*	848	3.6	12	1	1	2	4	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	362	3.9	10	1	1	3	5	8	10	16
B. *Operated*	2371	5.7	33	1	1	4	8	12	16	28
1. SINGLE DX	953	3.4	11	1	1	2	4	9	11	15
2. MULTIPLE DX	2733	5.4	30	1	1	4	7	12	15	27
A. NOT OPERATED	467	3.5	9	1	1	3	4	7	9	16
B. OPERATED	3219	5.1	28	1	1	3	7	11	15	25
TOTAL 0-19 YRS	126	4.0	17	<1	1	2	5	8	13	21
20-34	151	5.5	23	1	1	4	8	12	15	21
35-49	394	4.5	19	1	1	3	6	10	12	21
50-64	1125	4.5	22	1	1	3	6	10	13	24
65+	1890	5.3	30	1	1	3	7	12	16	27
GRAND TOTAL	**3686**	**4.9**	**26**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.7	1	1	1	2	2	2	3	4
20-34										
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	146	2.1	3	1	1	2	2	3	5	11
20-34	40	2.7	6	<1	1	2	3	7	8	12
35-49	48	2.5	7	<1	<1	2	2	4	9	15
50-64	54	4.6	26	1	1	2	7	10	14	29
65+	38	5.7	26	<1	1	4	9	13	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	2	1	1	2	3	4	5	5
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.0	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	50	3.3	15	1	1	2	3	6	12	25
20-34	10	3.2	10	<1	<1	2	4	8	11	11
35-49	42	5.6	37	1	1	3	7	12	15	34
50-64	68	6.7	43	<1	1	4	9	16	19	34
65+	59	5.8	37	1	1	3	7	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.8	1	1	1	2	2	3	5	5
B. *Operated*	326	3.1	12	<1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	18	2.4	4	1	1	2	3	5	7	8
B. *Operated*	229	5.4	34	1	1	3	7	12	18	27
1. SINGLE DX	361	3.0	11	<1	1	2	3	7	10	16
2. MULTIPLE DX	247	5.1	32	1	1	3	7	12	18	25
A. NOT OPERATED	53	2.0	2	1	1	2	2	4	5	8
B. OPERATED	555	4.0	22	1	1	2	4	10	13	23
TOTAL 0-19 YRS	235	2.3	5	1	1	2	2	4	5	12
20-34	52	2.8	7	<1	1	2	3	7	9	12
35-49	94	3.9	22	<1	1	2	4	9	12	27
50-64	124	5.8	36	1	1	3	8	13	17	32
65+	103	5.6	31	1	1	3	7	16	19	23
GRAND TOTAL	**608**	**3.8**	**21**	**1**	**1**	**2**	**4**	**9**	**13**	**22**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	6	4.2	8	1	1	3	7	8	8	8
50-64	6	2.8	1	2	2	3	3	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	469	2.7	4	<1	1	2	3	5	7	11
20-34	411	2.8	5	<1	1	2	3	5	7	13
35-49	533	2.8	5	<1	<1	2	3	5	7	12
50-64	463	2.8	9	<1	1	2	3	5	6	12
65+	220	3.2	11	<1	1	2	4	6	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	26	1	1	2	8	13	16	16
20-34	7	4.1	4	<1	<1	5	5	7	7	7
35-49	12	3.1	6	<1	<1	2	4	7	9	9
50-64	21	4.2	9	1	1	4	6	8	10	12
65+	24	6.3	68	1	1	3	7	11	24	41
B. *Operated*										
0-19 YRS	98	4.3	13	1	1	3	5	9	12	18
20-34	163	3.9	9	1	1	3	5	8	10	16
35-49	318	3.8	15	1	1	3	5	7	9	19
50-64	396	4.5	33	1	2	3	5	9	12	28
65+	291	4.9	16	1	2	3	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	3	1	1	2	3	5	7	8
B. *Operated*	2096	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	76	4.8	30	1	1	3	6	9	12	35
B. *Operated*	1266	4.3	20	1	1	3	5	8	11	19
1. SINGLE DX	2122	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	1342	4.3	21	1	1	3	5	8	11	19
A. NOT OPERATED	102	4.3	24	1	1	3	5	8	11	28
B. OPERATED	3362	3.4	12	<1	1	2	4	6	9	16
TOTAL 0-19 YRS	586	3.0	6	<1	1	2	4	6	8	14
20-34	585	3.1	6	<1	1	2	4	6	8	14
35-49	869	3.1	9	<1	1	2	4	6	8	15
50-64	886	3.6	20	1	1	3	4	6	10	20
65+	538	4.2	17	1	1	3	5	9	11	19
GRAND TOTAL	**3464**	**3.4**	**12**	**<1**	**1**	**2**	**4**	**6**	**9**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	9	<1	1	2	4	8	10	11
20-34	7	1.9	1	1	1	1	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	7	2.1	3	1	1	2	2	5	6	6
65+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
0-19 YRS	550	2.5	7	<1	<1	2	3	5	7	18
20-34	138	2.8	5	<1	<1	2	3	5	8	11
35-49	100	2.8	6	<1	<1	2	3	6	9	12
50-64	105	2.6	3	<1	<1	2	3	5	6	9
65+	65	3.7	19	<1	1	2	4	9	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	38	<1	<1	5	6	12	21	28
20-34	5	2.8	1	1	1	3	3	4	4	4
35-49	8	4.9	13	1	1	4	7	10	11	11
50-64	7	5.6	11	3	3	4	7	11	12	12
65+	26	4.7	29	1	1	4	5	10	14	27
B. *Operated*										
0-19 YRS	110	4.7	30	<1	<1	2	5	11	18	26
20-34	93	4.0	18	<1	1	2	5	9	14	23
35-49	101	3.8	18	<1	<1	2	5	9	12	60
50-64	119	5.8	80	<1	1	3	7	11	16	63
65+	106	6.0	36	1	1	4	8	14	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.5	5	<1	<1	2	3	5	8	11
B. *Operated*	958	2.7	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	66	4.9	25	1	1	4	5	10	12	28
B. *Operated*	529	4.9	39	<1	1	3	6	11	16	29
1. SINGLE DX	991	2.7	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX	595	4.9	37	<1	1	3	6	11	16	29
A. NOT OPERATED	99	4.1	20	<1	1	3	5	9	11	28
B. OPERATED	1487	3.5	19	<1	<1	2	4	8	11	23
TOTAL 0-19 YRS	695	3.0	12	<1	<1	2	3	6	9	20
20-34	243	3.2	10	<1	<1	2	4	6	9	17
35-49	210	3.4	12	<1	<1	2	4	8	10	23
50-64	238	4.2	44	<1	<1	2	5	8	11	33
65+	200	5.0	30	<1	1	3	6	12	16	26
GRAND TOTAL	**1586**	**3.5**	**20**	**<1**	**<1**	**2**	**4**	**8**	**11**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	170	1.8	1	<1	<1	2	2	3	3	6
20-34	316	1.7	1	<1	<1	2	2	2	3	5
35-49	267	2.1	15	<1	<1	2	2	3	4	6
50-64	145	2.1	1	1	1	2	2	3	3	8
65+	93	2.3	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	30	2.2	2	<1	1	2	2	4	4	7
20-34	119	2.1	2	<1	1	2	2	3	5	10
35-49	218	3.0	5	<1	1	2	3	5	8	14
50-64	153	3.3	12	1	2	2	3	7	8	18
65+	129	2.8	2	1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		<1	<1	1	2	2	2	2
B. *Operated*	991	2.0	5	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	11	1.8		<1	<1	2	2	3	3	3
B. *Operated*	649	2.8	6	1	1	2	3	5	7	12
1. SINGLE DX	998	2.0	5	<1	<1	2	2	3	3	7
2. MULTIPLE DX	660	2.8	6	1	1	2	3	5	7	12
A. NOT OPERATED	18	1.7		<1	<1	2	2	2	3	3
B. OPERATED	1640	2.3	5	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	203	1.9	1	<1	<1	2	2	3	3	6
20-34	437	1.8	1	<1	<1	2	2	3	3	6
35-49	490	2.5	11	<1	<1	2	3	4	5	12
50-64	303	2.7	7	1	1	2	3	4	7	12
65+	225	2.6	2	1	1	2	3	5	6	8
GRAND TOTAL	**1658**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	20	3.0	5	1	1	2	4	6	7	8
35-49	18	2.3	3	<1	<1	2	3	3	6	8
50-64	4	1.5		1	1	1	2	2	2	2
65+	6	7.7	134	1	1	3	6	28	31	31
B. *Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	429	5.8	5	2	3	6	7	8	9	12
35-49	1055	6.0	3	2	4	6	7	8	9	11
50-64	120	5.9	6	1	2	6	7	8	10	12
65+	16	5.1	6	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	67	3.2	6	<1	1	2	5	5	8	15
35-49	151	3.4	6	<1	1	3	5	7	8	10
50-64	18	4.6	25	<1	<1	3	5	12	17	20
65+	25	6.4	51	1	2	5	7	9	20	38
B. *Operated*										
0-19 YRS	13	6.8	10	<1	2	7	9	11	12	12
20-34	1680	6.3	6	2	4	6	7	9	10	15
35-49	7024	6.7	6	4	5	6	8	9	10	15
50-64	1163	7.2	11	2	5	7	8	10	12	21
65+	177	9.1	26	3	5	8	10	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.2	20	<1	1	2	3	6	8	31
B. *Operated*	1623	5.9	4	2	4	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	262	3.7	12	<1	1	3	5	7	9	16
B. *Operated*	10057	6.7	7	3	5	6	8	9	11	16
1. SINGLE DX	1672	5.8	5	1	3	6	7	8	9	11
2. MULTIPLE DX	10319	6.7	7	2	4	6	8	9	11	16
A. NOT OPERATED	311	3.6	13	<1	1	3	5	7	8	18
B. OPERATED	11680	6.6	7	3	5	6	7	9	10	16
TOTAL 0-19 YRS	18	5.8	11	<1	<1	6	8	10	11	12
20-34	2196	6.1	6	2	3	6	7	9	10	15
35-49	8248	6.5	6	3	5	6	7	9	10	15
50-64	1305	7.0	11	2	4	7	8	10	12	20
65+	224	8.4	31	2	3	7	10	14	17	34
GRAND TOTAL	**11991**	**6.5**	**7**	**2**	**4**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	4.0	5	<1	<1	5	6	7	7	7
35-49	16	4.0	4	<1	1	4	6	7	7	7
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	4	4.8	10	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	32	5.1	8	1	2	5	6	9	11	12
35-49	64	5.9	6	2	2	6	7	8	10	13
50-64	19	4.8	14	<1	<1	5	7	9	12	14
65+	15	6.1	18	<1	2	6	9	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	46	3.8	5	<1	1	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	130	5.5	9	1	2	6	7	9	11	14
1. SINGLE DX	46	3.8	5	<1	1	4	6	7	7	8
2. MULTIPLE DX	132	5.5	9	1	2	6	7	9	11	14
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	176	5.1	8	1	1	5	7	8	10	14
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	53	4.7	7	<1	1	5	6	8	10	12
35-49	82	5.5	6	2	2	6	7	8	9	13
50-64	23	4.3	12	<1	1	3	7	9	11	14
65+	19	5.8	16	1	2	6	8	12	14	14
GRAND TOTAL	**178**	**5.1**	**8**	**1**	**1**	**5**	**7**	**8**	**10**	**14**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	97	5.2	2	3	3	5	6	7	8	8
20-34	317	5.3	2	3	4	5	6	7	8	10
35-49	93	6.2	2	4	5	6	7	8	9	11
50-64	77	7.1	4	4	5	7	8	10	11	14
65+	28	7.8	9	5	5	7	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	14.0	63	8	8	11	20	23	23	23
B. *Operated*										
0-19 YRS	41	5.6	3	3	4	6	6	8	9	9
20-34	385	6.1	4	4	4	6	7	8	10	13
35-49	346	7.2	6	5	5	7	8	10	11	18
50-64	220	8.7	46	5	5	7	9	12	15	36
65+	174	10.8	38	5	6	9	12	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	1	1	1	2	2	4	4	4
B. *Operated*	612	5.7	3	3	4	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	6.0	40	1	1	4	7	16	22	23
B. *Operated*	1166	7.6	20	4	5	7	8	11	14	23
1. SINGLE DX	618	5.7	3	3	4	5	7	8	9	12
2. MULTIPLE DX	1177	7.6	20	4	5	7	8	11	14	23
A. NOT OPERATED	17	4.6	29	1	1	3	4	10	19	23
B. OPERATED	1778	7.0	15	4	4	6	8	10	12	20
TOTAL 0-19 YRS	139	5.3	2	3	3	5	6	7	8	9
20-34	707	5.7	3	3	4	5	6	8	9	12
35-49	443	6.9	6	5	5	6	8	10	11	17
50-64	301	8.2	36	4	5	7	9	11	14	27
65+	205	10.4	35	5	6	9	12	17	21	35
GRAND TOTAL	**1795**	**6.9**	**15**	**4**	**4**	**6**	**8**	**10**	**12**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	10	3.4	6	<1	<1	3	5	7	9	9
35-49	8	2.4	6	<1	<1	1	3	6	8	8
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	8	3.5	5	<1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34	15	3.7	4	<1	1	4	6	6	6	6
35-49	9	5.6	5	2	2	6	7	8	8	8
50-64	17	5.8	11	<1	1	6	8	10	11	11
65+	9	5.2	5	1	2	6	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	34	2.8	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*	54	4.9	7	1	1	5	6	8	10	11
1. SINGLE DX	35	2.8	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX	56	4.9	7	1	1	5	6	8	10	11
A. NOT OPERATED	3	4.7	4	3	3	4	6	7	7	7
B. OPERATED	88	4.1	7	<1	<1	3	6	8	9	11
TOTAL 0-19 YRS	7	2.9	3	<1	<1	2	5	5	5	5
20-34	25	3.6	5	<1	<1	4	5	6	7	9
35-49	18	4.0	7	<1	<1	3	6	8	8	8
50-64	23	4.7	11	<1	<1	3	8	10	11	11
65+	18	4.6	6	<1	1	5	6	8	9	9
GRAND TOTAL	**91**	**4.1**	**7**	**<1**	**<1**	**3**	**6**	**8**	**9**	**11**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	13	2.4	2	<1	1	2	3	4	5	5
35-49	12	2.0		1	1	2	2	3	3	3
50-64	13	2.5	1	1	1	2	3	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	4	6.3	43	2	2	3	10	16	16	16
35-49	9	4.9	25	1	1	4	5	13	17	17
50-64	5	3.4	5	2	2	2	5	7	7	7
65+	10	4.6	11	1	1	4	5	9	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	43	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	32	4.5	16	1	1	4	5	9	16	17
1. SINGLE DX	45	2.2	1	<1	1	2	3	3	4	5
2. MULTIPLE DX	32	4.5	16	1	1	4	5	9	16	17
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	75	3.2	8	1	1	2	4	5	7	17
TOTAL 0-19 YRS	6	2.5	2	<1	<1	3	3	4	4	4
20-34	17	3.3	12	<1	1	3	3	5	12	16
35-49	22	3.1	12	1	1	2	4	6	11	17
50-64	19	2.6	2	<1	1	2	3	4	6	7
65+	13	4.0	10	1	1	3	5	7	12	13
GRAND TOTAL	**77**	**3.1**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**17**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	10	5.8	17	2	2	4	8	12	14	14
50-64	21	3.7	10	1	1	2	7	9	9	10
65+	23	4.2	29	<1	1	2	4	9	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	3	5.7	22	2	2	4	9	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	5.0	21	1	1	4	8	10	10	10
35-49	18	6.3	46	<1	<1	3	9	13	22	28
50-64	25	7.7	42	1	2	6	11	17	20	28
65+	58	6.7	45	1	1	4	8	13	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	59	4.2	18	<1	1	2	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	20	1	1	3	7	11	11	11
B. *Operated*	106	6.7	42	1	1	4	9	14	20	30
1. SINGLE DX	60	4.1	18	<1	1	2	6	9	11	25
2. MULTIPLE DX	110	6.6	42	1	1	4	9	14	19	30
A. NOT OPERATED	5	4.0	17	1	1	2	6	11	11	11
B. OPERATED	165	5.8	35	1	1	4	8	12	17	28
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	8	3.1	9	<1	<1	2	4	8	10	10
35-49	29	6.0	34	<1	1	3	8	13	15	28
50-64	46	5.9	31	1	1	4	8	13	17	28
65+	84	6.0	40	1	1	4	7	12	21	31
GRAND TOTAL	**170**	**5.7**	**34**	**1**	**1**	**4**	**8**	**12**	**17**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.6	1	<1	<1	1	2	2	3	5
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.5	50	<1	<1	2	9	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	1.9	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	8	4.1	24	<1	<1	3	4	12	16	16
1. SINGLE DX	33	1.9	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX	11	3.8	18	<1	1	3	4	9	15	16
A. NOT OPERATED	3	3.0	1	2	2	3	4	4	4	4
B. OPERATED	41	2.4	8	<1	<1	2	2	4	8	16
TOTAL 0-19 YRS	33	2.2	7	<1	<1	2	2	3	5	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	2.0		2	2	2	2	2	2	2
65+	6	2.2	1	1	1	2	3	4	4	4
GRAND TOTAL	**44**	**2.4**	**7**	**<1**	**<1**	**2**	**2**	**4**	**7**	**16**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	14	3.8	33	<1	1	2	3	9	20	23
65+	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	15	8.8	16	<1	2	10	12	13	14	14
20-34	19	8.8	20	2	2	9	11	12	17	21
35-49	45	13.0	39	3	7	12	16	21	27	30
50-64	68	12.1	41	3	4	12	15	21	22	35
65+	26	12.1	59	6	6	10	13	20	30	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	11.3	116	3	3	7	18	27	27	27
35-49	9	6.2	24	1	1	5	9	14	16	16
50-64	23	6.3	36	1	2	4	8	15	19	27
65+	52	6.9	20	2	2	6	9	14	17	19
B. *Operated*										
0-19 YRS	16	12.4	94	3	4	9	15	24	35	40
20-34	16	16.5	268	3	6	11	15	33	59	70
35-49	46	12.8	59	2	4	11	16	24	29	99+
50-64	80	16.9	183	4	6	14	21	32	40	99
65+	105	19.2	146	5	7	17	23	35	50	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.4	18	<1	1	2	4	7	9	23
B. *Operated*	173	11.7	40	2	5	11	14	20	22	35
2. MULTIPLE DX										
A. *Not Operated*	89	6.8	28	2	2	5	9	15	17	27
B. *Operated*	263	16.8	150	4	6	14	21	32	43	94
1. SINGLE DX	201	10.5	45	1	2	10	14	20	22	34
2. MULTIPLE DX	352	14.3	138	2	3	11	18	28	36	70
A. NOT OPERATED	117	6.0	28	1	1	4	7	14	17	27
B. OPERATED	436	14.8	112	3	5	12	18	27	35	60
TOTAL 0-19 YRS	34	10.1	56	2	3	9	12	17	24	40
20-34	41	11.7	136	2	3	10	11	23	31	70
35-49	104	11.9	51	2	3	11	16	21	26	69
50-64	185	12.8	119	2	2	11	16	23	32	84
65+	189	14.3	128	2	3	12	18	29	36	55
GRAND TOTAL	**553**	**12.9**	**107**	**2**	**3**	**11**	**16**	**24**	**32**	**58**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	22	3.6	8	1	2	3	4	5	9	15
20-34	184	3.4	1	2	2	3	4	5	6	7
35-49	217	3.5	1	2	2	3	4	5	5	7
50-64	155	3.7	2	2	2	4	4	5	5	11
65+	65	4.2	2	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	67	3.9	2	2	2	4	5	6	7	9
35-49	119	4.5	14	2	3	4	4	6	9	22
50-64	124	5.1	6	2	3	4	6	8	10	15
65+	87	6.0	24	2	3	4	7	9	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3		3	3	3	4	4	4	4
B. *Operated*	643	3.6	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	7	4.0	5	2	2	3	4	8	9	9
B. *Operated*	399	4.9	12	2	3	4	5	8	10	18
1. SINGLE DX	646	3.6	2	2	2	3	4	5	5	8
2. MULTIPLE DX	406	4.9	12	2	3	4	5	8	9	18
A. NOT OPERATED	10	3.8	4	2	2	3	4	7	9	9
B. OPERATED	1042	4.1	6	2	2	4	4	6	7	12
TOTAL 0-19 YRS	24	3.6	7	1	2	3	4	5	8	15
20-34	253	3.5	2	2	2	3	4	5	6	8
35-49	338	3.8	6	2	2	4	4	5	6	10
50-64	282	4.3	4	2	2	4	5	7	9	12
65+	155	5.2	15	2	3	4	6	8	10	27
GRAND TOTAL	**1052**	**4.1**	**6**	**2**	**2**	**4**	**4**	**6**	**7**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	5	4.4	10	1	1	4	7	9	9	9
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	4	11.3	16	8	8	11	14	16	16	16
20-34	29	8.9	9	4	5	8	11	13	15	15
35-49	29	8.8	21	3	4	8	10	16	21	21
50-64	34	8.0	12	3	4	8	11	13	14	14
65+	19	5.1	4	2	3	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	19	5.5	48	1	1	3	5	16	23	28
35-49	13	7.6	158	2	2	4	6	16	43	49
50-64	14	3.9	5	1	2	3	5	7	9	9
65+	7	5.4	5	3	3	7	7	8	8	8
B. *Operated*										
0-19 YRS	9	10.8	41	2	3	10	14	20	24	24
20-34	30	10.2	98	2	3	7	13	16	19	57
35-49	47	10.0	138	3	3	8	11	14	23	75
50-64	91	9.5	65	3	4	7	11	19	27	47
65+	86	13.4	170	3	4	10	17	26	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.9	5	1	1	3	5	7	8	9
B. *Operated*	115	8.1	14	3	4	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	58	5.3	52	1	2	3	5	8	16	47
B. *Operated*	263	11.0	116	3	4	8	13	21	29	82
1. SINGLE DX	135	7.4	15	2	3	7	10	12	14	21
2. MULTIPLE DX	321	10.0	109	2	3	7	12	19	28	77
A. NOT OPERATED	78	4.9	40	1	2	3	5	8	12	43
B. OPERATED	378	10.1	87	3	4	8	12	17	24	73
TOTAL 0-19 YRS	20	8.2	35	1	2	8	12	15	20	24
20-34	85	8.1	53	1	2	7	11	15	16	47
35-49	93	9.0	98	2	3	7	10	14	20	64
50-64	144	8.5	48	2	3	7	10	14	23	39
65+	114	11.3	141	3	3	8	14	22	40	99+
GRAND TOTAL	**456**	**9.2**	**83**	**2**	**3**	**7**	**11**	**16**	**23**	**66**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.6	2	<1	1	2	4	5	5	5
20-34	599	3.7	4	1	1	3	5	7	7	9
35-49	214	4.9	6	1	1	5	6	8	9	12
50-64	51	4.6	9	1	1	4	7	8	10	14
65+	30	5.1	12	1	2	4	7	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.1	5	<1	<1	1	2	6	8	8
35-49	6	2.8	8	<1	<1	1	6	7	7	7
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	3	7.3	32	<1	<1	9	11	12	12	12
B. *Operated*										
0-19 YRS	4	6.0	18	3	3	5	9	12	12	12
20-34	545	5.1	8	1	2	5	6	8	9	11
35-49	316	6.2	10	2	3	6	7	9	10	16
50-64	110	6.9	16	2	2	6	8	11	15	23
65+	77	7.0	17	2	2	7	8	12	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*	907	4.0	6	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	23	2.8	10	<1	<1	1	4	8	10	12
B. *Operated*	1052	5.8	10	1	2	6	7	9	10	16
1. SINGLE DX	911	4.0	6	1	1	4	6	7	8	10
2. MULTIPLE DX	1075	5.7	11	1	2	6	7	9	10	16
A. NOT OPERATED	27	2.9	9	<1	<1	1	4	8	9	12
B. OPERATED	1959	5.0	9	1	2	5	6	8	9	15
TOTAL 0-19 YRS	17	3.4	7	<1	1	3	4	6	10	12
20-34	1158	4.3	7	1	1	5	6	7	8	11
35-49	536	5.6	9	1	2	6	7	8	10	15
50-64	165	6.0	15	1	2	6	8	10	14	21
65+	110	6.5	17	2	2	6	8	11	15	22
GRAND TOTAL	**1986**	**4.9**	**9**	**1**	**2**	**5**	**6**	**8**	**9**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	4.7	24	1	1	3	6	13	15	15
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	21	4.3	7	1	2	3	5	9	10	10
35-49	53	4.9	14	1	1	4	7	9	14	16
50-64	85	6.0	78	1	2	4	8	11	14	57
65+	107	4.7	17	1	1	3	6	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	11	4.5	18	<1	1	3	5	12	14	14
65+	25	7.0	55	1	1	4	8	15	23	34
B. *Operated*										
0-19 YRS										
20-34	31	6.4	38	1	2	4	7	15	19	28
35-49	68	5.3	14	1	2	5	6	11	13	17
50-64	154	7.1	30	1	2	6	10	12	16	25
65+	297	8.1	59	1	2	5	10	16	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.6	17	<1	<1	2	3	10	15	15
B. *Operated*	266	5.1	35	1	2	3	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	42	5.9	39	<1	1	4	6	14	17	34
B. *Operated*	550	7.4	45	1	2	5	10	15	20	32
1. SINGLE DX	277	5.1	34	1	1	3	7	10	13	16
2. MULTIPLE DX	592	7.3	44	1	2	5	10	15	20	33
A. NOT OPERATED	53	5.4	35	<1	1	3	6	14	15	34
B. OPERATED	816	6.6	43	1	2	5	9	13	17	31
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	55	5.4	25	1	1	4	6	11	17	28
35-49	125	5.1	13	1	2	4	6	10	13	17
50-64	257	6.6	46	1	2	5	9	12	15	25
65+	431	7.1	50	1	2	5	9	15	23	35
GRAND TOTAL	**869**	**6.6**	**42**	**1**	**2**	**4**	**9**	**13**	**17**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	29	<1	1	2	3	6	7	35
20-34	35	2.7	4	<1	1	2	4	6	6	7
35-49	42	3.6	10	<1	1	3	4	7	8	20
50-64	52	2.8	7	<1	<1	2	3	6	9	14
65+	67	3.5	13	<1	1	3	5	7	8	23
B. *Operated*										
0-19 YRS	120	4.6	16	<1	1	3	6	11	13	17
20-34	165	4.5	13	1	2	4	5	9	12	18
35-49	152	3.7	7	1	1	3	5	7	10	12
50-64	212	5.6	25	1	1	4	8	11	14	23
65+	200	5.1	19	1	1	3	7	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.4	7	<1	1	3	4	7	9	13
20-34	40	8.1	179	1	2	4	6	19	34	75
35-49	81	3.9	8	<1	1	3	5	8	10	14
50-64	163	5.1	21	1	1	4	6	9	14	25
65+	335	6.5	36	1	2	5	8	13	16	31
B. *Operated*										
0-19 YRS	83	9.4	58	1	2	7	14	20	27	79
20-34	123	8.0	104	1	2	6	8	14	24	59
35-49	186	7.2	37	1	2	6	9	14	17	31
50-64	329	8.1	69	1	2	6	10	16	23	45
65+	586	9.6	93	2	2	7	13	19	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	3.2	13	<1	1	2	4	6	7	21
B. *Operated*	849	4.8	17	1	1	3	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	686	5.6	36	1	1	4	7	11	15	30
B. *Operated*	1307	8.7	78	1	2	6	11	17	24	51
1. SINGLE DX	1085	4.4	16	1	1	3	6	10	12	20
2. MULTIPLE DX	1993	7.7	66	1	2	5	9	15	21	44
A. NOT OPERATED	922	5.0	31	1	1	4	6	10	14	29
B. OPERATED	2156	7.2	58	1	2	5	9	15	20	39
TOTAL 0-19 YRS	310	5.4	33	1	1	3	7	13	18	31
20-34	363	5.9	65	1	1	4	6	11	15	48
35-49	461	5.1	22	1	1	4	7	10	14	20
50-64	756	6.4	45	1	1	4	8	13	17	37
65+	1188	7.6	64	1	2	5	10	15	21	40
GRAND TOTAL	**3078**	**6.5**	**51**	**1**	**1**	**4**	**8**	**14**	**18**	**37**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.1	1	1	1	2	3	3	3	3
35-49	14	2.9	4	<1	1	2	3	6	7	7
50-64	11	4.1	10	1	1	4	5	9	12	12
65+	5	4.4	1	3	3	5	5	5	5	5
B. *Operated*										
0-19 YRS	27	2.9	1	1	2	3	3	4	4	4
20-34	167	3.6	2	2	2	3	4	5	5	9
35-49	264	3.9	2	2	3	4	4	5	6	10
50-64	234	4.2	3	2	3	4	5	6	7	13
65+	91	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	20	4.6	14	1	1	4	5	11	14	14
35-49	31	4.7	8	1	2	4	6	9	11	13
50-64	43	3.7	5	<1	1	4	5	6	8	11
65+	51	4.6	5	2	2	4	5	8	9	11
B. *Operated*										
0-19 YRS	9	3.7	2	2	2	4	4	6	7	7
20-34	68	4.5	4	3	3	4	5	7	8	13
35-49	152	4.6	6	2	3	4	5	7	8	14
50-64	193	5.2	12	2	3	4	5	8	11	18
65+	172	6.6	29	3	3	5	8	12	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.1	5	1	1	3	4	6	7	12
B. *Operated*	783	3.9	2	2	3	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	148	4.3	7	1	1	4	5	8	10	14
B. *Operated*	594	5.3	15	2	3	4	6	8	12	17
1. SINGLE DX	826	3.9	2	2	2	4	4	5	6	10
2. MULTIPLE DX	742	5.1	13	2	3	4	6	8	12	17
A. NOT OPERATED	191	4.1	7	1	1	4	5	7	9	13
B. OPERATED	1377	4.5	8	2	3	4	5	7	8	15
TOTAL 0-19 YRS	41	3.1	1	1	2	3	4	4	5	7
20-34	266	3.8	3	2	2	4	4	5	7	13
35-49	461	4.2	4	2	2	4	5	6	7	13
50-64	481	4.5	7	2	3	4	5	7	8	15
65+	319	5.5	18	2	3	5	6	9	12	17
GRAND TOTAL	**1568**	**4.5**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	6	1	2	3	5	8	10	12
20-34	97	4.3	9	1	2	4	5	8	9	16
35-49	72	4.4	7	1	2	4	6	8	10	14
50-64	79	3.5	3	1	1	3	4	6	7	9
65+	30	6.7	20	2	2	6	8	12	15	23
B. *Operated*										
0-19 YRS	42	5.3	17	2	3	4	5	8	13	25
20-34	171	4.6	4	2	3	4	5	7	8	12
35-49	161	4.2	3	2	2	4	5	7	8	10
50-64	97	4.2	6	2	2	4	5	7	8	15
65+	37	4.6	8	1	2	4	6	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	53	1	1	3	5	9	25	34
20-34	171	5.1	17	1	2	4	6	8	11	23
35-49	225	5.3	13	2	2	5	7	9	11	18
50-64	256	6.8	51	2	3	5	8	12	15	34
65+	359	8.2	33	2	3	7	11	15	18	31
B. *Operated*										
0-19 YRS	14	5.1	11	2	3	4	6	9	13	14
20-34	92	6.1	24	2	3	4	7	11	18	28
35-49	113	7.0	51	2	3	5	7	13	19	69
50-64	120	7.2	25	3	3	5	9	13	19	26
65+	82	8.3	49	2	3	6	10	17	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	4.2	8	1	2	4	5	8	9	14
B. *Operated*	508	4.5	5	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1051	6.6	33	2	2	5	8	12	16	29
B. *Operated*	421	7.0	36	2	3	5	8	13	19	39
1. SINGLE DX	829	4.4	6	2	2	4	5	7	9	14
2. MULTIPLE DX	1472	6.8	34	2	2	5	8	12	17	33
A. NOT OPERATED	1372	6.1	28	2	2	5	7	11	15	24
B. OPERATED	929	5.6	21	2	3	4	6	10	14	26
TOTAL 0-19 YRS	139	4.8	24	1	2	4	5	9	11	33
20-34	531	5.0	13	2	2	4	6	8	10	20
35-49	571	5.2	18	2	2	4	6	9	11	20
50-64	552	6.0	33	2	2	5	7	10	14	24
65+	508	7.9	34	2	3	6	10	15	18	31
GRAND TOTAL	**2301**	**5.9**	**25**	**2**	**2**	**5**	**7**	**10**	**15**	**25**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	6.1	37	2	2	5	7	10	11	27
20-34	107	5.4	8	2	3	5	7	8	9	16
35-49	121	4.9	4	2	2	5	6	8	8	11
50-64	160	5.8	13	2	3	5	7	10	11	21
65+	83	6.1	14	2	2	6	8	10	12	22
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	7.7		7	7	8	8	8	8	8
35-49	3	11.0	81	2	2	11	18	20	20	20
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.9	38	1	1	4	7	9	11	82
20-34	265	5.5	17	2	2	5	7	10	13	20
35-49	522	5.8	10	2	3	5	7	10	12	17
50-64	931	6.3	15	2	3	5	8	11	14	19
65+	815	7.1	25	2	3	6	9	11	15	25
B. *Operated*										
0-19 YRS	6	9.0	89	4	4	6	7	26	28	28
20-34	20	8.6	34	3	3	7	10	14	22	29
35-49	52	9.3	44	2	3	8	13	17	24	32
50-64	105	8.6	37	2	3	8	11	15	19	36
65+	105	11.7	88	3	4	9	15	22	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	5.7	20	2	3	5	7	9	11	21
B. *Operated*	10	6.9	32	1	1	7	8	15	20	20
2. MULTIPLE DX										
A. *Not Operated*	2790	6.2	20	2	2	5	8	11	13	20
B. *Operated*	288	9.9	59	3	3	8	12	19	24	45
1. SINGLE DX	747	5.8	20	2	2	5	7	9	11	21
2. MULTIPLE DX	3078	6.6	24	2	2	6	8	11	15	24
A. NOT OPERATED	3527	6.1	20	2	2	5	8	10	13	20
B. OPERATED	298	9.8	58	2	3	8	12	19	24	44
TOTAL 0-19 YRS	531	5.6	38	1	1	5	7	9	11	38
20-34	395	5.7	15	2	2	5	7	10	13	21
35-49	698	5.9	13	2	3	5	7	10	13	21
50-64	1197	6.4	17	2	3	5	8	11	14	20
65+	1004	7.5	32	2	3	6	9	12	16	30
GRAND TOTAL	**3825**	**6.4**	**24**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	4.3	18	1	1	4	5	8	9	15
20-34	354	4.2	5	2	2	4	5	8	8	11
35-49	162	5.0	7	2	2	4	6	9	10	13
50-64	105	5.7	9	2	3	5	7	9	12	15
65+	62	6.3	16	1	3	5	8	11	15	20
B. *Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.0	6	4	4	7	9	10	10	10
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	4.7	13	1	2	4	6	8	11	23
20-34	669	5.3	16	1	2	4	7	10	12	17
35-49	557	6.8	16	2	3	6	9	12	15	20
50-64	539	8.2	29	2	3	7	10	14	18	30
65+	695	9.3	50	2	3	8	11	17	21	38
B. *Operated*										
0-19 YRS	30	7.1	23	3	3	6	9	13	26	99+
20-34	60	14.4	224	3	4	10	17	30	39	83
35-49	65	14.8	191	4	6	11	18	31	63	95
50-64	65	18.8	219	6	7	13	22	38	52	72
65+	67	18.0	213	5	6	12	22	39	53	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1309	4.6	12	1	2	4	6	8	9	15
B. *Operated*	11	7.9	16	4	4	7	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	3021	6.9	29	2	2	6	9	13	16	28
B. *Operated*	287	15.6	201	4	5	11	19	34	52	80
1. SINGLE DX	1320	4.6	13	1	2	4	6	8	9	15
2. MULTIPLE DX	3308	7.6	50	2	2	6	9	14	19	40
A. NOT OPERATED	4330	6.2	25	2	2	5	8	11	15	25
B. OPERATED	298	15.3	196	4	5	11	18	34	50	79
TOTAL 0-19 YRS	1221	4.6	16	1	2	4	6	8	10	19
20-34	1084	5.4	29	2	2	4	7	9	12	24
35-49	788	7.1	34	2	2	6	9	13	15	30
50-64	710	8.8	54	2	3	7	11	15	21	40
65+	825	9.8	67	3	3	8	11	18	24	53
GRAND TOTAL	**4628**	**6.8**	**41**	**2**	**2**	**5**	**8**	**12**	**16**	**35**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	5.4	9	2	2	5	7	9	11	16
20-34	294	4.7	7	2	2	4	6	8	9	14
35-49	434	5.3	7	2	2	5	7	8	10	15
50-64	555	6.0	11	2	3	5	7	10	12	19
65+	452	5.9	9	2	3	5	7	9	11	14
B. *Operated*										
0-19 YRS	4	7.0	21	2	2	6	10	13	13	13
20-34	9	4.3	3	2	2	4	6	7	7	7
35-49	20	8.0	70	1	2	6	10	15	28	38
50-64	60	5.2	43	1	2	3	5	9	20	37
65+	65	5.0	36	1	1	3	6	11	16	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	5.0	12	1	2	4	6	9	11	18
20-34	832	5.9	26	2	2	5	7	10	13	20
35-49	1894	6.2	16	2	3	5	8	10	13	23
50-64	3701	6.9	19	2	3	6	8	11	14	23
65+	4906	7.4	23	3	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	18	10.6	77	2	2	7	19	24	28	30
20-34	182	11.4	165	2	3	8	12	21	29	84
35-49	492	11.6	105	2	3	8	14	25	32	56
50-64	1083	13.6	133	2	3	10	17	29	38	62
65+	1410	15.0	172	3	4	11	18	31	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2005	5.6	9	2	3	5	7	9	11	16
B. *Operated*	158	5.5	41	1	2	3	7	11	17	38
2. MULTIPLE DX										
A. *Not Operated*	11578	6.9	21	2	3	6	8	12	15	24
B. *Operated*	3185	13.7	149	2	3	10	17	29	39	66
1. SINGLE DX	2163	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX	14763	8.4	57	2	3	7	10	15	21	42
A. NOT OPERATED	13583	6.7	20	2	3	6	8	11	14	23
B. OPERATED	3343	13.4	147	2	3	10	17	28	38	65
TOTAL 0-19 YRS	537	5.4	13	1	2	5	7	10	12	21
20-34	1317	6.4	45	2	2	5	7	11	14	30
35-49	2840	7.0	35	2	3	6	8	12	16	35
50-64	5399	8.1	49	2	3	6	9	15	21	40
65+	6833	8.9	63	3	3	7	10	16	22	43
GRAND TOTAL	**16926**	**8.0**	**52**	**2**	**3**	**6**	**9**	**14**	**20**	**40**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	10	4.0	5	1	1	4	5	7	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	22	3.5	2	1	1	3	5	5	6	7
20-34	99	3.5	4	<1	1	4	5	6	7	8
35-49	8	4.9	4	<1	1	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	4	1	1	2	4	6	7	7
20-34	20	4.2	7	<1	1	4	6	7	9	11
35-49	10	4.7	18	2	2	3	5	11	16	16
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	19	4.3	11	<1	1	4	5	10	13	13
20-34	210	4.8	6	1	2	5	6	8	8	12
35-49	37	7.1	22	<1	2	6	8	12	15	27
50-64	2	6.0		6	6	6	6	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.1	4	1	1	2	4	5	7	9
B. *Operated*	129	3.6	3	<1	1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	41	4.1	9	1	1	3	6	7	9	16
B. *Operated*	268	5.1	9	1	2	5	6	8	10	13
1. SINGLE DX	148	3.5	4	<1	1	4	5	6	7	8
2. MULTIPLE DX	309	5.0	9	1	2	5	6	8	10	14
A. NOT OPERATED	60	3.8	7	1	1	3	5	7	8	15
B. OPERATED	397	4.6	8	1	1	5	6	7	8	13
TOTAL 0-19 YRS	56	3.5	6	1	1	3	5	5	7	13
20-34	339	4.3	5	1	1	5	6	7	8	11
35-49	56	6.3	20	<1	2	6	8	11	15	26
50-64	5	4.6	4	2	2	6	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**457**	**4.5**	**8**	**1**	**1**	**4**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	2.9	11	1	1	2	3	6	8	21
20-34	100	3.5	4	1	1	3	4	7	8	10
35-49	98	3.9	9	1	1	3	5	7	9	18
50-64	77	4.8	18	1	1	4	5	9	15	23
65+	91	4.3	12	1	1	3	5	9	10	21
B. *Operated*										
0-19 YRS	24	4.0	7	<1	1	3	5	9	9	9
20-34	12	6.8	19	2	3	6	9	13	16	17
35-49	21	5.8	14	2	2	5	7	10	14	17
50-64	28	7.0	20	2	3	5	10	13	15	20
65+	14	6.8	40	3	3	4	5	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	3.8	15	1	1	3	4	8	13	22
20-34	312	4.5	17	1	1	4	6	9	11	17
35-49	467	4.8	17	1	2	4	6	9	11	24
50-64	713	5.7	20	1	2	4	7	11	15	25
65+	1721	6.4	31	1	2	5	8	12	15	29
B. *Operated*										
0-19 YRS	38	10.4	121	1	1	6	14	30	36	99+
20-34	44	8.6	54	2	3	6	10	20	24	37
35-49	80	9.6	110	2	3	7	11	21	50	99+
50-64	126	10.6	93	2	3	7	13	22	30	45
65+	183	12.7	121	3	4	9	17	25	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	3.7	11	1	1	3	4	7	9	21
B. *Operated*	99	6.0	19	2	2	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	3522	5.6	25	1	2	4	7	11	14	24
B. *Operated*	471	11.0	106	2	3	8	14	24	31	67
1. SINGLE DX	667	4.0	13	1	1	3	5	8	10	21
2. MULTIPLE DX	3993	6.3	37	1	2	5	8	12	17	32
A. NOT OPERATED	4090	5.4	23	1	1	4	7	11	14	24
B. OPERATED	570	10.2	95	2	3	7	12	22	29	61
TOTAL 0-19 YRS	573	3.9	23	1	1	2	4	8	13	29
20-34	468	4.8	19	1	1	4	6	9	12	23
35-49	666	5.2	30	1	2	4	6	10	13	30
50-64	944	6.3	32	1	2	5	8	12	17	31
65+	2009	6.8	42	1	2	5	8	13	18	32
GRAND TOTAL	**4660**	**5.9**	**35**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.1	17	1	1	5	10	12	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	6.0	1	5	5	6	7	7	7	7
65+	9	7.7	34	2	2	4	12	17	17	17
B. *Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	17.3	233	4	4	14	29	34	34	34
50-64										
65+	2	7.5	41	3	3	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	10.0	57	2	3	7	14	21	25	31
20-34	19	11.8	98	2	2	8	17	29	32	34
35-49	35	9.6	72	3	3	7	13	20	28	43
50-64	83	10.8	88	3	4	8	12	21	31	49
65+	441	10.3	83	3	3	8	13	19	28	47
B. *Operated*										
0-19 YRS	17	13.3	125	4	4	8	19	26	40	47
20-34	11	12.2	97	2	3	10	16	26	36	37
35-49	21	15.4	62	3	4	16	22	25	28	30
50-64	35	13.8	115	2	3	11	23	30	35	35
65+	112	15.2	130	3	5	12	19	31	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.3	20	1	1	5	9	12	17	17
B. *Operated*	9	10.8	105	1	2	10	14	27	34	34
2. MULTIPLE DX										
A. *Not Operated*	622	10.4	81	3	3	8	13	20	28	47
B. *Operated*	196	14.7	116	3	4	12	19	29	36	54
1. SINGLE DX	37	7.4	42	1	1	5	10	16	17	34
2. MULTIPLE DX	818	11.4	93	3	3	8	14	23	31	48
A. NOT OPERATED	650	10.2	79	3	3	8	13	19	28	46
B. OPERATED	205	14.5	116	3	4	12	19	29	36	53
TOTAL 0-19 YRS	77	10.1	67	2	3	8	14	21	26	43
20-34	33	11.1	93	2	2	8	16	28	33	37
35-49	60	11.9	81	3	3	9	16	24	30	42
50-64	121	11.5	95	3	4	8	14	27	35	48
65+	564	11.2	95	3	3	8	14	22	31	54
GRAND TOTAL	**855**	**11.2**	**91**	**3**	**3**	**8**	**14**	**23**	**31**	**48**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	9.2	26	2	3	9	13	15	19	26
20-34	29	10.1	24	2	3	10	13	16	19	21
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	16.5	205	2	3	15	19	25	48	71
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	10.7	44	2	3	10	14	19	21	34
20-34	75	12.6	79	3	5	11	14	22	35	48
35-49	3	11.0	12	9	9	9	14	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	55	16.1	266	2	5	13	17	27	53	90
20-34	21	14.0	50	2	5	12	20	24	25	26
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	9.3	26	2	3	10	13	15	19	26
B. *Operated*	24	15.1	193	2	3	13	18	23	42	71
2. MULTIPLE DX										
A. *Not Operated*	383	11.1	51	2	3	10	14	19	22	37
B. *Operated*	76	15.5	206	2	5	12	18	26	41	87
1. SINGLE DX	223	10.0	46	2	3	10	13	17	20	28
2. MULTIPLE DX	459	11.8	79	2	3	11	14	20	25	47
A. NOT OPERATED	582	10.5	43	2	3	10	14	17	21	35
B. OPERATED	100	15.4	201	2	3	12	18	26	38	82
TOTAL 0-19 YRS	551	11.0	71	2	3	10	14	19	22	45
20-34	127	12.1	62	2	4	11	14	22	26	44
35-49	4	9.0	24	3	3	9	12	15	15	15
50-64										
65+										
GRAND TOTAL	**682**	**11.2**	**69**	**2**	**3**	**10**	**14**	**19**	**23**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	4	1	2	3	5	7	8	9
20-34	8	2.5	4	1	1	2	3	6	7	7
35-49	4	17.5	842	2	2	3	32	61	61	61
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	7.8	2	4	5	8	9	9	10	10
20-34	164	7.5	4	4	5	8	9	10	11	13
35-49	127	7.4	4	4	5	7	8	10	10	13
50-64	17	9.3	6	5	6	9	11	13	14	15
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	7	1	1	3	4	8	10	10
20-34	40	4.2	9	<1	1	3	5	9	11	12
35-49	51	4.8	46	1	1	4	5	8	11	49
50-64	42	5.9	24	1	2	4	7	13	19	23
65+	13	4.2	26	1	1	2	5	9	18	20
B. *Operated*										
0-19 YRS	11	6.3	7	3	3	6	8	10	12	12
20-34	222	9.1	67	5	5	8	9	12	22	67
35-49	310	9.3	52	5	5	8	10	13	17	43
50-64	85	9.7	32	4	6	8	10	15	21	35
65+	4	8.8	2	7	7	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	104	1	1	3	5	7	9	61
B. *Operated*	321	7.6	4	4	5	8	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	165	4.8	26	1	1	4	5	9	12	23
B. *Operated*	632	9.2	53	5	5	8	9	13	19	44
1. SINGLE DX	354	7.4	14	3	4	7	8	10	11	14
2. MULTIPLE DX	797	8.3	51	2	3	7	9	12	17	43
A. NOT OPERATED	198	4.8	38	1	1	3	5	8	12	36
B. OPERATED	953	8.7	37	5	5	8	9	12	15	34
TOTAL 0-19 YRS	60	5.0	8	1	2	4	7	9	10	12
20-34	434	7.9	39	3	4	7	9	11	12	36
35-49	492	8.4	46	3	4	7	9	12	15	43
50-64	146	8.5	29	3	3	8	10	14	20	34
65+	19	5.3	21	1	1	4	7	10	15	20
GRAND TOTAL	**1151**	**8.0**	**40**	**2**	**4**	**7**	**9**	**11**	**15**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	3.0	4	<1	1	3	4	6	7	10
20-34	37	3.8	6	1	1	3	5	7	8	12
35-49	24	3.8	5	1	2	3	4	7	10	11
50-64	22	3.8	7	<1	1	3	5	8	10	12
65+	14	4.3	8	1	1	4	6	9	9	9
B. *Operated*										
0-19 YRS	44	5.3	27	1	2	4	6	12	17	26
20-34	47	3.4	7	<1	1	2	5	8	8	9
35-49	54	3.3	8	<1	<1	2	4	8	10	11
50-64	38	3.5	8	<1	1	3	4	7	10	13
65+	15	4.9	7	2	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	5.7	31	1	1	4	7	13	17	34
20-34	115	5.5	23	1	1	4	7	13	16	26
35-49	164	6.3	41	1	2	4	8	12	14	30
50-64	221	6.9	31	1	2	5	9	13	17	29
65+	302	8.0	44	2	2	6	10	16	21	29
B. *Operated*										
0-19 YRS	76	15.6	463	1	2	7	21	75	80	99+
20-34	114	9.8	101	2	2	7	10	18	36	53
35-49	142	8.6	74	1	2	7	9	17	23	57
50-64	116	10.3	145	2	2	7	11	23	33	67
65+	140	11.2	75	2	3	9	15	22	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.4	5	<1	1	3	4	7	8	11
B. *Operated*	198	3.9	12	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	988	6.7	37	1	2	5	9	14	18	30
B. *Operated*	588	10.7	147	2	2	7	12	23	34	78
1. SINGLE DX	400	3.7	9	<1	1	3	5	7	9	13
2. MULTIPLE DX	1576	8.2	81	1	2	6	10	17	24	57
A. NOT OPERATED	1190	6.2	33	1	2	4	8	13	17	29
B. OPERATED	786	9.0	122	1	2	6	10	19	29	76
TOTAL 0-19 YRS	411	6.8	122	1	1	4	7	14	28	87
20-34	313	6.5	53	1	1	5	8	12	16	45
35-49	384	6.6	50	1	1	5	8	12	18	33
50-64	397	7.4	65	1	2	5	9	14	22	38
65+	471	8.7	54	2	2	7	11	17	22	36
GRAND TOTAL	**1976**	**7.3**	**70**	**1**	**2**	**5**	**9**	**15**	**22**	**50**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	4.5	11	1	2	4	4	8	13	15
35-49	31	3.9	5	1	1	3	6	7	7	8
50-64	35	4.7	11	2	2	4	5	10	16	99+
65+	42	4.8	11	2	2	4	5	10	11	16
B. *Operated*										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	3.8	3	2	2	4	5	6	6	6
50-64	8	4.4	14	1	1	3	6	10	12	12
65+	7	4.7	18	2	2	4	5	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.8	34	2	2	5	9	16	21	22
35-49	95	4.6	5	2	2	4	6	8	8	12
50-64	171	5.3	13	1	2	4	7	9	11	23
65+	379	6.4	22	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS										
20-34										
35-49	20	7.2	48	<1	1	6	10	15	22	29
50-64	30	7.8	36	3	3	7	9	16	20	29
65+	54	11.3	140	2	3	7	14	27	40	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.5	9	1	2	4	5	9	11	40
B. *Operated*	22	4.4	11	1	2	4	6	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	658	5.9	18	2	2	5	7	10	14	22
B. *Operated*	104	9.5	94	2	2	7	11	21	29	54
1. SINGLE DX	144	4.5	9	1	2	4	5	9	11	22
2. MULTIPLE DX	762	6.4	30	2	2	5	8	11	15	29
A. NOT OPERATED	780	5.7	17	2	2	5	7	10	13	22
B. OPERATED	126	8.6	83	2	2	6	10	18	29	53
TOTAL 0-19 YRS										
20-34	29	5.6	21	2	2	4	6	13	16	22
35-49	151	4.8	11	1	2	4	6	8	9	16
50-64	244	5.5	16	2	2	4	7	10	13	26
65+	482	6.8	37	2	2	5	8	12	16	35
GRAND TOTAL	**906**	**6.1**	**27**	**2**	**2**	**5**	**7**	**11**	**15**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	2.9	4	1	1	2	3	4	6	13
20-34	52	2.7	1	1	1	3	3	4	5	5
35-49	40	3.4	4	1	1	3	4	6	7	11
50-64	64	5.6	133	1	1	4	6	8	11	83
65+	138	5.4	24	1	2	4	6	9	11	31
B. *Operated*										
0-19 YRS	4	8.8	122	1	1	4	15	25	25	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.8	9	2	2	4	7	9	9	9
50-64	4	12.5	30	7	7	11	16	20	20	20
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1515	3.4	8	1	1	3	4	6	8	17
20-34	808	3.6	8	1	1	3	4	7	8	15
35-49	954	5.0	19	1	2	4	6	9	12	22
50-64	1766	6.0	23	2	2	5	7	11	15	25
65+	8066	7.6	42	2	3	6	9	14	18	35
B. *Operated*										
0-19 YRS	43	11.2	93	2	2	7	18	29	32	99+
20-34	42	9.1	88	1	2	7	11	19	24	54
35-49	77	8.6	89	1	2	7	10	14	31	55
50-64	159	12.9	166	2	3	9	16	24	45	72
65+	572	14.4	140	3	4	11	18	29	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	4.1	30	1	1	3	5	7	9	20
B. *Operated*	15	7.8	48	1	2	6	10	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	13109	6.5	34	2	2	5	8	12	16	31
B. *Operated*	893	13.2	139	2	3	10	17	27	42	98
1. SINGLE DX	459	4.2	31	1	1	3	5	7	10	25
2. MULTIPLE DX	14002	6.9	44	2	2	5	8	13	18	36
A. NOT OPERATED	13553	6.4	34	2	2	5	8	12	16	31
B. OPERATED	908	13.2	138	2	3	10	17	27	42	97
TOTAL 0-19 YRS	1712	3.6	12	1	1	3	4	6	8	21
20-34	903	3.8	12	1	1	3	4	7	9	18
35-49	1075	5.2	25	1	2	4	6	9	13	24
50-64	1993	6.5	42	2	2	5	8	13	17	32
65+	8778	8.0	51	2	3	6	10	15	20	41
GRAND TOTAL	**14461**	**6.8**	**44**	**2**	**2**	**5**	**8**	**13**	**18**	**36**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.0	5	1	1	3	4	5	7	13
20-34	27	3.3	5	1	1	3	4	6	7	12
35-49	42	3.5	3	1	2	3	4	6	7	8
50-64	35	4.3	6	1	1	4	6	8	9	10
65+	83	4.1	8	1	1	4	5	7	11	14
B. *Operated*										
0-19 YRS	5	4.4	2	3	3	4	6	6	6	6
20-34	7	6.7	39	2	2	5	7	18	20	20
35-49	15	5.7	7	<1	2	6	8	9	9	9
50-64	12	5.1	6	1	2	5	7	8	8	8
65+	11	5.7	10	2	2	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	5	1	1	3	5	7	8	9
20-34	107	3.9	4	1	2	3	5	7	8	9
35-49	200	4.7	13	1	2	4	6	8	10	22
50-64	297	5.6	30	1	2	5	7	10	12	16
65+	1356	5.8	17	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	17	6.2	15	2	3	4	8	12	14	15
20-34	32	6.1	21	1	2	5	7	10	13	26
35-49	88	7.8	44	2	3	7	9	15	16	42
50-64	138	7.5	25	3	3	6	9	13	15	29
65+	466	8.5	36	3	3	7	10	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.7	6	1	1	3	5	7	8	13
B. *Operated*	50	5.6	11	2	2	5	8	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	2054	5.4	17	1	2	5	7	10	12	20
B. *Operated*	741	8.1	34	2	3	7	10	14	17	29
1. SINGLE DX	277	4.1	7	1	1	3	5	8	9	13
2. MULTIPLE DX	2795	6.1	23	2	2	5	8	11	14	24
A. NOT OPERATED	2281	5.3	17	1	2	4	7	9	12	19
B. OPERATED	791	7.9	33	2	3	7	10	14	17	28
TOTAL 0-19 YRS	156	3.8	6	1	1	3	5	8	8	13
20-34	173	4.3	9	1	2	4	6	7	9	18
35-49	345	5.4	21	1	2	4	7	9	12	21
50-64	482	6.0	27	2	2	5	7	11	13	25
65+	1916	6.4	23	2	2	5	8	12	15	25
GRAND TOTAL	**3072**	**6.0**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	578	4.0	6	1	1	3	5	7	9	13
20-34	565	5.0	11	1	2	4	6	9	10	16
35-49	126	4.9	7	2	2	5	6	8	9	15
50-64	12	3.3	2	1	1	3	4	5	6	6
65+	4	8.5	42	3	3	7	13	17	17	17
B. *Operated*										
0-19 YRS	4	10.0	21	5	5	9	13	16	16	16
20-34	7	7.9	24	2	2	7	12	15	15	15
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	734	5.1	21	1	1	4	6	10	12	24
20-34	796	6.3	18	2	2	5	8	11	13	20
35-49	231	6.3	14	2	3	5	8	11	14	19
50-64	50	6.3	22	1	2	5	9	13	16	21
65+	14	5.9	11	1	3	5	8	9	13	14
B. *Operated*										
0-19 YRS	34	9.2	115	1	2	6	10	31	35	44
20-34	57	14.2	138	3	3	11	20	30	38	63
35-49	19	14.8	85	2	3	15	22	26	32	35
50-64	3	9.3	20	5	5	9	13	14	14	14
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1285	4.5	9	1	2	4	6	8	10	14
B. *Operated*	14	8.0	20	2	2	8	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1825	5.8	19	1	2	5	7	11	13	21
B. *Operated*	114	12.6	122	2	3	9	17	29	35	52
1. SINGLE DX	1299	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX	1939	6.2	28	1	2	5	8	12	15	29
A. NOT OPERATED	3110	5.3	15	1	2	4	7	10	12	19
B. OPERATED	128	12.1	113	2	3	9	16	27	34	49
TOTAL 0-19 YRS	1350	4.7	18	1	1	4	6	9	11	22
20-34	1425	6.1	23	2	2	5	8	11	13	24
35-49	378	6.3	20	2	2	5	8	11	15	24
50-64	66	5.8	20	1	2	5	8	13	16	21
65+	19	6.4	16	2	3	5	8	12	16	17
GRAND TOTAL	**3238**	**5.5**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.6	8	<1	<1	2	3	6	8	11
20-34	38	3.5	7	<1	1	2	5	7	9	11
35-49	40	4.7	20	<1	1	3	7	9	11	25
50-64	59	3.9	8	1	1	3	5	8	9	14
65+	253	3.0	7	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	39	5.3	30	1	1	5	6	8	12	35
20-34	18	7.1	32	2	2	5	8	19	19	19
35-49	19	5.6	17	1	2	5	8	12	15	16
50-64	30	7.0	41	2	2	6	9	11	16	36
65+	62	6.4	17	1	2	5	9	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	3.4	11	<1	1	2	4	8	10	16
20-34	152	4.8	25	1	1	3	6	9	15	30
35-49	292	5.0	26	1	1	4	7	10	12	25
50-64	655	5.1	26	1	1	4	7	10	14	22
65+	2493	5.2	25	1	1	4	7	10	13	24
B. *Operated*										
0-19 YRS	67	9.7	118	1	2	7	13	22	57	99+
20-34	73	8.2	86	1	2	6	9	15	26	56
35-49	116	8.9	92	1	2	6	9	15	30	51
50-64	243	8.6	60	2	3	7	10	16	22	44
65+	790	9.1	42	2	3	7	12	18	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	3.1	8	<1	1	2	4	7	8	14
B. *Operated*	168	6.2	26	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	3853	5.0	24	1	1	4	7	10	13	24
B. *Operated*	1289	8.9	56	2	3	7	11	17	23	42
1. SINGLE DX	783	3.8	14	1	1	3	5	8	10	19
2. MULTIPLE DX	5142	6.0	35	1	1	4	8	12	16	30
A. NOT OPERATED	4468	4.8	23	1	1	3	6	10	13	23
B. OPERATED	1457	8.6	53	2	3	7	10	17	22	40
TOTAL 0-19 YRS	592	3.9	27	<1	1	2	5	9	13	26
20-34	281	5.7	41	1	1	4	7	11	16	31
35-49	467	6.0	44	1	1	4	7	11	15	38
50-64	987	5.9	36	1	1	4	7	12	16	34
65+	3598	5.9	30	1	1	4	8	12	16	27
GRAND TOTAL	**5925**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.5	28	1	2	3	7	11	13	27
20-34	17	2.8	3	1	1	3	4	4	6	7
35-49	7	3.6	1	2	2	3	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	4	19.3	137	4	4	20	27	32	32	32
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	4.8	28	1	1	3	6	10	12	30
20-34	28	5.3	7	2	2	5	7	9	11	11
35-49	11	5.0	7	1	1	5	7	8	8	8
50-64	10	6.5	16	2	2	5	10	13	15	15
65+	3	5.7	30	2	2	3	10	12	12	12
B. *Operated*										
0-19 YRS	10	19.4	512	3	3	10	23	59	67	67
20-34	7	10.0	41	2	2	10	16	17	17	17
35-49	2	20.0	72	14	14	20	26	26	26	26
50-64	4	17.8	251	5	5	13	29	40	40	40
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.5	17	1	1	3	5	10	12	26
B. *Operated*	6	16.5	140	1	1	19	23	31	32	32
2. MULTIPLE DX										
A. *Not Operated*	137	5.1	21	1	1	4	6	10	11	28
B. *Operated*	23	16.3	277	2	3	14	18	42	57	67
1. SINGLE DX	66	5.5	39	1	1	3	6	12	21	31
2. MULTIPLE DX	160	6.7	72	1	1	4	7	14	20	51
A. NOT OPERATED	197	4.9	20	1	1	4	6	10	11	28
B. OPERATED	29	16.3	242	2	3	16	21	37	53	67
TOTAL 0-19 YRS	132	6.5	83	1	1	4	6	14	23	55
20-34	52	5.1	15	1	2	4	7	10	15	17
35-49	21	6.7	41	1	2	5	8	17	23	26
50-64	15	9.3	93	2	3	5	10	18	34	40
65+	6	4.3	16	1	1	3	5	11	12	12
GRAND TOTAL	**226**	**6.3**	**62**	**1**	**1**	**4**	**7**	**13**	**21**	**43**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	3.2	5	1	1	3	4	6	7	11
20-34	41	3.9	10	<1	1	3	5	7	11	16
35-49	25	5.4	13	1	2	5	7	11	13	16
50-64	38	3.5	9	1	1	2	5	9	10	12
65+	35	3.1	5	1	1	3	4	7	8	10
B. *Operated*										
0-19 YRS	94	4.6	10	1	1	4	7	9	11	15
20-34	41	6.5	13	2	3	6	8	13	14	14
35-49	31	6.9	25	2	3	6	7	13	17	27
50-64	26	6.7	25	2	3	5	8	14	20	21
65+	40	7.7	24	1	2	7	10	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.7	21	1	1	4	6	9	11	21
20-34	119	5.4	31	1	2	4	7	10	12	38
35-49	141	5.5	14	1	2	5	7	10	13	21
50-64	353	6.0	26	1	1	5	8	12	15	21
65+	703	6.7	41	1	1	5	9	13	18	30
B. *Operated*										
0-19 YRS	89	9.2	133	2	2	6	10	19	29	70
20-34	79	9.8	90	2	3	7	12	21	30	52
35-49	110	10.9	101	2	3	8	14	22	29	61
50-64	179	10.7	76	2	3	9	13	21	27	47
65+	358	10.5	59	2	3	9	13	20	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	3.5	7	1	1	3	5	7	9	15
B. *Operated*	232	6.0	18	1	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1623	6.0	31	1	1	5	8	11	15	27
B. *Operated*	815	10.4	80	2	3	8	13	21	28	49
1. SINGLE DX	550	4.6	13	1	1	4	6	9	12	17
2. MULTIPLE DX	2438	7.4	52	1	2	5	9	15	20	37
A. NOT OPERATED	1941	5.6	28	1	1	4	7	11	14	25
B. OPERATED	1047	9.4	69	2	3	7	12	19	24	46
TOTAL 0-19 YRS	669	4.9	33	1	1	4	6	9	12	28
20-34	280	6.6	46	1	2	5	8	13	16	42
35-49	307	7.6	52	2	2	6	9	14	21	33
50-64	596	7.3	45	1	2	5	9	14	19	32
65+	1136	7.8	49	1	2	6	10	16	20	35
GRAND TOTAL	**2988**	**6.9**	**46**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	2.0	1	1	1	2	2	3	4	6
20-34	107	2.2	1	1	1	2	3	4	4	6
35-49	28	2.6	1	1	1	3	3	4	4	6
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	334	3.5	2	2	2	3	4	5	6	8
20-34	128	4.1	4	2	2	4	5	6	7	14
35-49	19	5.8	38	2	2	4	6	9	21	30
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	10.0	98	3	3	10	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	2.4	2	1	1	2	3	4	5	7
20-34	64	2.7	4	1	1	2	3	5	7	10
35-49	19	3.2	6	1	1	2	4	7	9	10
50-64	8	4.5	12	2	2	3	4	10	13	13
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	139	4.6	18	2	2	4	5	7	9	24
20-34	76	4.7	8	2	3	4	6	7	8	20
35-49	12	6.8	16	3	3	6	9	12	16	17
50-64	4	9.5	7	7	7	9	11	13	13	13
65+	4	8.8	12	5	5	8	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	2.1	1	1	1	2	3	3	4	6
B. *Operated*	484	3.8	4	2	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	356	2.5	3	1	1	2	3	4	6	10
B. *Operated*	235	4.9	15	2	2	4	6	8	10	21
1. SINGLE DX	1042	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	591	3.5	9	1	1	3	4	6	8	14
A. NOT OPERATED	914	2.2	2	1	1	2	3	4	5	7
B. OPERATED	719	4.2	8	2	2	4	5	6	8	15
TOTAL 0-19 YRS	1153	2.8	4	1	1	2	4	5	6	8
20-34	375	3.5	5	1	1	3	4	6	7	12
35-49	78	4.2	16	1	2	3	5	8	10	26
50-64	17	5.3	14	1	2	4	7	12	13	13
65+	10	7.2	23	2	2	6	10	15	17	17
GRAND TOTAL	**1633**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	4.0	5	1	2	4	5	7	8	10
20-34	15	3.7	1	2	2	4	4	5	6	6
35-49	7	4.7	4	3	3	4	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	103	3.1	5	1	1	2	4	7	8	11
20-34	62	3.0	4	<1	1	2	3	6	8	10
35-49	23	2.8	5	<1	1	2	3	6	9	10
50-64	11	3.2	5	1	1	2	4	7	9	9
65+	11	3.1	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.9	4	1	1	4	5	7	7	10
20-34	21	4.7	5	1	2	5	5	8	10	11
35-49	12	5.1	13	1	2	4	7	11	13	13
50-64	7	4.7	4	3	3	4	6	8	8	8
65+	8	5.0	10	2	2	4	6	10	12	12
B. *Operated*										
0-19 YRS	52	3.9	18	1	1	3	5	7	9	29
20-34	35	4.7	8	<1	1	5	7	8	11	12
35-49	24	4.9	11	1	2	4	7	9	11	15
50-64	25	5.2	18	1	2	4	6	9	17	18
65+	20	5.1	29	2	2	3	5	12	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	4.0	4	1	2	4	5	7	8	10
B. *Operated*	210	3.0	5	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	159	4.2	5	1	2	4	5	7	8	12
B. *Operated*	156	4.6	16	1	1	3	6	9	11	23
1. SINGLE DX	357	3.4	5	1	1	3	4	7	8	10
2. MULTIPLE DX	315	4.4	10	1	1	4	6	8	10	17
A. NOT OPERATED	306	4.1	5	1	2	4	5	7	8	11
B. OPERATED	366	3.7	10	1	1	3	5	8	9	17
TOTAL 0-19 YRS	389	3.7	7	1	1	3	5	7	8	10
20-34	133	3.8	6	1	1	3	5	7	8	12
35-49	66	4.2	9	1	1	3	6	8	10	15
50-64	44	4.5	13	1	2	4	5	8	12	18
65+	40	4.4	17	2	2	3	5	9	13	23
GRAND TOTAL	**672**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	50	1	1	4	9	19	20	20
20-34	25	6.7	64	1	1	5	8	12	21	41
35-49	11	6.7	26	2	2	5	8	16	18	18
50-64	20	11.4	138	1	3	9	14	19	38	56
65+	43	9.3	62	1	2	7	13	21	25	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.9	276	1	2	6	15	60	89	99+
20-34	46	8.2	48	1	2	6	12	19	23	29
35-49	27	12.1	218	1	1	7	15	26	36	75
50-64	79	11.8	129	2	2	8	15	34	46	99+
65+	371	9.5	68	2	3	7	12	18	23	39
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34										
35-49	6	20.5	417	3	3	16	20	56	60	60
50-64	13	16.8	210	4	5	9	31	39	43	44
65+	24	11.8	63	3	4	10	15	21	30	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	8.6	73	1	2	6	12	18	23	48
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	539	9.9	89	2	2	7	13	20	28	69
B. *Operated*	44	14.6	152	3	4	10	18	36	40	60
1. SINGLE DX	107	8.6	72	1	2	6	12	18	22	47
2. MULTIPLE DX	583	10.2	95	2	2	7	13	20	29	66
A. NOT OPERATED	644	9.7	86	2	2	7	12	20	27	56
B. OPERATED	46	14.2	149	3	4	10	18	35	39	60
TOTAL 0-19 YRS	23	10.2	207	1	2	5	15	27	78	99+
20-34	71	7.6	53	1	1	5	10	17	22	38
35-49	44	11.9	204	1	2	7	15	21	38	75
50-64	113	12.2	140	2	2	8	15	34	44	99+
65+	439	9.6	67	2	3	7	12	19	24	38
GRAND TOTAL	**690**	**10.0**	**92**	**2**	**2**	**7**	**13**	**20**	**29**	**58**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.7	104	<1	<1	1	2	5	9	65
20-34	77	3.9	14	1	1	3	5	8	9	22
35-49	45	6.8	92	1	1	3	9	13	18	60
50-64	71	8.9	162	1	1	5	11	20	25	82
65+	379	9.1	74	1	2	7	11	18	27	46
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	5.3	5	2	2	6	7	7	7	7
65+	12	6.2	39	2	2	4	7	16	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	5.7	85	<1	1	3	6	14	22	47
20-34	214	7.0	59	1	1	5	8	17	22	33
35-49	146	7.8	52	2	2	5	11	16	21	35
50-64	336	11.3	152	2	3	7	14	25	33	70
65+	2746	10.2	94	2	3	7	13	21	29	56
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	15	9.1	79	1	1	6	17	24	25	25
35-49	16	13.8	319	<1	1	8	14	34	61	72
50-64	45	15.6	263	2	3	11	17	33	59	77
65+	227	16.3	179	3	4	13	21	34	45	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	7.6	86	1	1	5	10	16	24	47
B. *Operated*	21	5.8	26	2	2	4	7	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	3564	9.9	97	2	2	7	12	20	29	57
B. *Operated*	306	15.6	194	2	3	12	20	33	45	74
1. SINGLE DX	680	7.5	84	1	1	5	9	16	23	47
2. MULTIPLE DX	3870	10.3	107	2	2	7	13	21	31	59
A. NOT OPERATED	4223	9.5	96	1	2	7	12	20	28	56
B. OPERATED	327	15.0	189	2	3	11	19	32	45	73
TOTAL 0-19 YRS	214	4.8	91	<1	1	2	4	9	17	62
20-34	308	6.3	50	1	1	4	8	15	21	30
35-49	208	8.1	82	1	2	5	11	16	22	56
50-64	456	11.3	165	1	2	7	14	25	34	70
65+	3364	10.5	100	2	3	7	13	21	30	56
GRAND TOTAL	**4550**	**9.9**	**105**	**1**	**2**	**7**	**12**	**21**	**30**	**58**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	7	11.9	73	1	1	14	20	22	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	22	13.1	171	1	2	9	17	32	44	56
65+	231	10.2	89	2	3	8	12	19	28	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	53.0		53	53	53	53	53	53	53
65+	23	15.2	116	3	4	14	18	28	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	11.9	73	1	1	14	20	22	22	22
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	254	10.4	96	2	3	8	13	20	30	56
B. *Operated*	24	16.8	171	4	4	14	21	32	51	53
1. SINGLE DX	9	10.1	67	1	2	6	17	22	22	22
2. MULTIPLE DX	278	11.0	105	2	3	8	14	21	31	55
A. NOT OPERATED	261	10.5	95	2	3	8	13	20	30	55
B. OPERATED	26	15.8	169	3	4	13	18	30	51	53
TOTAL 0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	23	14.9	232	1	2	9	18	39	54	56
65+	263	10.6	92	2	3	8	13	20	29	49
GRAND TOTAL	**287**	**11.0**	**104**	**2**	**3**	**8**	**14**	**21**	**30**	**55**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	69	<1	<1	2	7	20	20	20
20-34	75	3.1	5	1	1	3	4	6	7	12
35-49	106	3.7	10	<1	1	3	5	7	9	20
50-64	66	5.1	15	<1	2	4	7	9	14	19
65+	29	6.0	34	2	3	4	6	14	20	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.0	143	1	1	4	8	22	41	44
20-34	349	5.8	33	1	2	4	7	10	15	33
35-49	755	5.8	27	1	2	4	7	12	15	25
50-64	582	7.2	53	1	2	5	8	14	21	37
65+	291	9.5	84	2	3	7	11	18	26	49
B. *Operated*										
0-19 YRS										
20-34	5	6.6	42	2	2	5	8	18	18	18
35-49	32	10.1	85	2	2	7	12	22	25	47
50-64	33	16.2	215	2	3	13	18	44	50	56
65+	23	16.9	143	5	6	16	20	29	44	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.2	14	<1	1	3	5	7	11	20
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1989	6.8	46	1	2	5	8	13	19	35
B. *Operated*	93	13.7	152	2	3	10	17	28	45	57
1. SINGLE DX	282	4.2	14	<1	1	3	5	7	11	20
2. MULTIPLE DX	2082	7.1	53	1	2	5	8	14	20	41
A. NOT OPERATED	2270	6.4	43	1	2	5	8	13	18	34
B. OPERATED	94	13.7	150	2	3	10	17	27	45	57
TOTAL 0-19 YRS	17	7.2	117	<1	1	4	7	19	36	44
20-34	429	5.3	29	1	1	4	6	10	14	32
35-49	894	5.7	28	1	2	4	7	11	15	25
50-64	681	7.5	61	1	2	5	9	15	22	45
65+	343	9.7	88	2	3	7	11	19	26	49
GRAND TOTAL	**2364**	**6.7**	**49**	**1**	**2**	**5**	**8**	**13**	**19**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	8.1	372	1	1	3	5	14	50	92
20-34	42	5.0	27	<1	1	3	7	12	15	27
35-49	18	6.9	145	<1	1	3	6	13	37	53
50-64	15	6.7	33	1	2	6	7	12	21	24
65+	19	5.7	20	1	1	4	8	13	16	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	10.0		10	10	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.6	169	1	1	4	9	17	27	69
20-34	130	7.1	62	1	2	5	9	14	22	44
35-49	56	6.5	25	1	2	5	8	14	16	25
50-64	86	8.7	85	1	2	6	9	18	28	51
65+	192	7.4	33	2	3	6	9	16	20	27
B. *Operated*										
0-19 YRS										
20-34	4	9.5	124	2	2	5	16	26	26	26
35-49										
50-64	6	6.2	18	2	2	5	7	13	14	14
65+	9	14.6	50	8	8	12	17	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	6.2	108	1	1	4	6	12	17	66
B. *Operated*	2	6.5	25	3	3	10	77	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	493	7.5	56	1	2	6	9	15	21	42
B. *Operated*	19	10.8	62	2	3	9	14	24	28	30
1. SINGLE DX	118	6.2	106	1	1	4	7	13	20	94
2. MULTIPLE DX	512	7.7	57	1	2	6	9	15	22	42
A. NOT OPERATED	609	7.3	66	1	2	5	8	15	21	43
B. OPERATED	21	10.4	59	2	3	9	14	27	58	99+
TOTAL 0-19 YRS	51	8.4	251	1	1	3	8	17	25	92
20-34	176	6.7	55	1	1	4	8	14	22	43
35-49	74	6.6	52	1	1	5	8	14	16	46
50-64	108	8.2	74	1	2	6	9	17	25	48
65+	221	7.6	34	2	3	6	10	16	21	32
GRAND TOTAL	**630**	**7.4**	**66**	**1**	**2**	**5**	**9**	**15**	**22**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	10.5	76	1	2	9	17	21	24	37
20-34	819	10.0	90	1	2	7	14	21	28	45
35-49	511	11.1	107	1	2	8	15	23	31	47
50-64	191	14.3	138	1	2	13	20	28	37	49
65+	46	13.0	95	1	2	12	17	28	33	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	23.3	457	1	3	16	45	85	99+	99+
20-34	309	12.3	143	1	2	9	17	28	37	93
35-49	248	12.3	84	2	3	11	16	24	30	59
50-64	163	14.8	87	3	4	13	20	29	34	44
65+	94	16.9	231	2	3	11	25	35	46	71
B. *Operated*										
0-19 YRS										
20-34	12	18.5	262	1	4	12	28	46	51	52
35-49	10	29.7	666	8	9	27	32	66	98	98
50-64	10	20.2	240	3	6	16	27	44	58	58
65+	7	22.3	76	9	11	23	24	35	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1619	10.9	102	1	2	8	15	23	30	47
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	847	13.7	142	2	3	11	18	29	37	88
B. *Operated*	39	22.5	322	4	7	18	29	41	55	98
1. SINGLE DX	1619	10.9	102	1	2	8	15	23	30	47
2. MULTIPLE DX	886	14.1	153	2	3	11	19	29	38	89
A. NOT OPERATED	2466	11.9	118	1	2	9	16	25	33	59
B. OPERATED	39	22.5	322	4	7	18	29	41	55	98
TOTAL 0-19 YRS	85	15.5	259	1	2	12	21	49	65	99+
20-34	1140	10.7	108	1	2	8	15	23	30	56
35-49	769	11.7	110	1	2	9	16	24	31	47
50-64	364	14.7	118	2	2	13	20	29	36	48
65+	147	15.9	185	2	3	12	24	33	39	65
GRAND TOTAL	**2505**	**12.1**	**123**	**1**	**2**	**9**	**16**	**25**	**33**	**59**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	17.6	262	5	5	11	22	46	60	62
20-34	91	9.6	86	2	2	7	12	19	26	54
35-49	24	10.4	70	2	3	7	16	24	26	30
50-64	14	8.5	48	3	4	6	8	20	26	28
65+	5	18.2	144	9	9	12	25	38	38	38
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	22.9	422	4	7	21	56	99+	99+	99+
20-34	39	13.6	129	2	3	12	16	23	36	62
35-49	13	14.4	235	2	4	9	14	34	55	60
50-64	5	11.2	50	4	4	8	17	21	21	21
65+	5	8.8	59	4	4	5	12	22	22	22
B. *Operated*										
0-19 YRS										
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	11.3	120	2	3	7	14	24	32	62
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	76	14.9	198	2	4	12	20	44	69	99+
B. *Operated*	3	15.0	73	6	6	16	21	23	23	23
1. SINGLE DX	163	11.3	120	2	3	7	14	24	31	62
2. MULTIPLE DX	79	14.9	192	2	4	12	20	41	67	99+
A. NOT OPERATED	238	12.4	147	2	3	8	16	25	45	99+
B. OPERATED	4	14.5	50	6	6	14	19	23	23	23
TOTAL 0-19 YRS	42	19.4	312	4	5	14	26	62	99+	99+
20-34	133	10.8	100	2	2	8	14	21	27	62
35-49	38	12.1	127	2	3	7	19	24	29	60
50-64	19	9.2	47	3	4	7	10	20	25	28
65+	10	13.5	115	4	4	10	21	30	38	38
GRAND TOTAL	**242**	**12.5**	**146**	**2**	**3**	**9**	**16**	**25**	**44**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	16.5	272	2	2	13	23	41	84	99+
20-34	1349	12.3	164	1	2	9	16	26	36	67
35-49	801	11.7	103	1	2	9	16	24	31	48
50-64	380	13.6	112	2	3	11	18	27	33	53
65+	83	14.8	146	1	2	13	21	33	38	58
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	31.3	329	18	18	24	45	52	52	52
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	23.2	535	1	3	18	37	76	96	99+
20-34	712	14.5	197	2	2	10	19	31	45	80
35-49	651	14.5	171	2	3	11	19	29	37	69
50-64	505	14.4	134	2	3	11	19	28	39	55
65+	228	14.6	155	2	4	11	19	31	36	70
B. *Operated*										
0-19 YRS	2	26.5	313	14	14	26	39	39	39	39
20-34	31	28.9	465	2	4	30	39	68	88	99+
35-49	33	18.5	83	5	9	16	25	31	42	99+
50-64	24	25.0	381	3	5	20	34	45	67	89
65+	16	28.8	277	9	12	28	35	53	65	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2745	12.6	145	1	2	9	17	26	35	65
B. *Operated*	3	31.3	329	18	18	24	45	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	2177	14.8	185	2	3	11	20	31	42	76
B. *Operated*	106	24.7	304	4	7	21	34	45	71	99+
1. SINGLE DX	2748	12.6	145	1	2	9	17	27	35	65
2. MULTIPLE DX	2283	15.3	195	2	3	11	20	32	44	81
A. NOT OPERATED	4922	13.6	164	1	2	10	18	28	38	71
B. OPERATED	109	24.9	303	4	7	21	35	48	70	99+
TOTAL 0-19 YRS	215	19.1	379	2	2	14	29	55	89	99+
20-34	2092	13.3	184	1	2	9	17	28	40	77
35-49	1485	13.1	135	1	2	10	18	27	34	64
50-64	912	14.4	135	2	3	11	19	28	37	56
65+	327	15.3	167	2	3	12	21	32	39	70
GRAND TOTAL	**5031**	**13.8**	**170**	**1**	**2**	**10**	**18**	**29**	**39**	**72**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.5	132	<1	1	4	10	19	38	50
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	25.5	649	2	2	14	57	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	14.0	32	10	10	14	18	18	18	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.5	132	<1	1	4	10	19	38	50
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	25.5	649	2	2	14	57	99+	99+	99+
B. *Operated*	2	14.0	32	10	10	14	18	18	18	18
1. SINGLE DX	20	8.5	132	<1	1	4	10	19	38	50
2. MULTIPLE DX	33	24.8	617	2	3	14	53	99+	99+	99+
A. NOT OPERATED	51	18.8	510	1	2	11	49	99	99+	99+
B. OPERATED	2	14.0	32	10	10	14	18	18	18	18
TOTAL 0-19 YRS	53	18.6	492	1	2	11	49	98	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**53**	**18.6**	**492**	**1**	**2**	**11**	**49**	**98**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	22.4	452	1	3	16	34	58	88	99+
20-34	886	12.8	146	1	2	9	17	28	36	61
35-49	940	13.4	138	2	3	11	17	28	35	66
50-64	686	16.3	152	3	4	14	22	32	40	62
65+	449	18.7	167	3	5	16	26	34	43	68
B. *Operated*										
0-19 YRS										
20-34	2	13.5	13	11	11	13	16	16	16	16
35-49	7	22.3	427	3	4	14	29	57	64	64
50-64	2	28.0	392	14	14	28	42	42	42	42
65+	2	47.0	1568	19	19	47	75	75	75	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	22.9	579	2	3	14	40	81	98	99+
20-34	1206	14.4	191	2	2	10	20	32	43	71
35-49	1420	14.6	164	2	3	11	20	30	39	69
50-64	1255	15.7	149	3	4	12	21	32	40	57
65+	1269	17.5	205	3	4	13	24	37	46	69
B. *Operated*										
0-19 YRS	8	34.0	379	4	7	50	99+	99+	99+	99+
20-34	78	29.6	509	4	6	24	40	68	85	98
35-49	109	26.4	308	5	8	22	36	52	72	86
50-64	80	24.3	239	6	8	21	31	50	60	91
65+	115	26.4	292	5	8	26	35	56	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3116	15.1	170	2	3	12	21	31	40	71
B. *Operated*	13	25.6	486	4	8	16	34	66	73	75
2. MULTIPLE DX										
A. *Not Operated*	5403	15.9	199	2	3	12	22	34	45	82
B. *Operated*	390	26.8	331	5	8	24	37	57	73	99+
1. SINGLE DX	3129	15.1	172	2	3	12	21	31	40	71
2. MULTIPLE DX	5793	16.6	215	2	3	12	23	36	47	86
A. NOT OPERATED	8519	15.6	189	2	3	12	21	33	43	76
B. OPERATED	403	26.7	335	5	8	24	37	58	73	99+
TOTAL 0-19 YRS	416	22.9	528	2	3	16	40	74	99+	99+
20-34	2172	14.3	193	1	2	10	19	31	41	72
35-49	2476	14.7	168	2	3	11	20	31	40	72
50-64	2023	16.3	156	3	4	13	22	33	41	63
65+	1835	18.4	207	3	4	14	25	37	47	70
GRAND TOTAL	**8922**	**16.1**	**201**	**2**	**3**	**12**	**22**	**34**	**45**	**80**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	17.1	192	3	4	13	21	40	45	65
20-34	589	13.3	143	1	2	11	17	26	34	68
35-49	612	13.1	114	1	2	11	18	26	32	52
50-64	391	14.2	140	1	3	11	19	28	36	62
65+	163	17.1	128	3	6	15	22	30	39	56
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	6	20.2	127	7	7	18	29	35	36	36
50-64	1	62.0		62	62	62	62	62	62	62
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	20.1	320	2	4	16	25	39	61	89
20-34	467	14.6	195	2	2	11	19	32	46	81
35-49	570	13.2	142	<1	2	10	18	28	36	66
50-64	496	15.4	136	3	4	13	21	30	36	64
65+	349	19.0	185	3	5	16	25	37	51	67
B. *Operated*										
0-19 YRS	6	50.2	551	23	23	51	62	84	86	86
20-34	25	21.2	210	6	11	16	24	37	53	74
35-49	27	25.5	327	4	7	20	34	59	84	99+
50-64	52	27.0	359	8	9	23	37	62	93	99+
65+	29	24.8	173	7	10	25	35	45	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1834	13.9	135	2	3	11	18	28	35	61
B. *Operated*	9	24.0	285	7	9	17	31	52	62	62
2. MULTIPLE DX										
A. *Not Operated*	1979	15.4	174	2	3	12	21	31	42	70
B. *Operated*	139	26.2	316	7	9	22	36	59	77	99+
1. SINGLE DX	1843	14.0	136	2	3	11	18	28	35	62
2. MULTIPLE DX	2118	16.2	190	2	3	13	21	33	45	78
A. NOT OPERATED	3813	14.7	156	2	3	12	20	29	39	67
B. OPERATED	148	26.1	313	7	9	22	35	59	74	99+
TOTAL 0-19 YRS	182	19.7	301	3	4	15	25	43	58	85
20-34	1082	14.1	168	2	2	11	18	28	42	73
35-49	1215	13.4	135	1	2	11	18	28	35	64
50-64	940	15.6	160	2	4	12	21	30	39	69
65+	542	18.7	169	3	6	16	25	37	47	67
GRAND TOTAL	**3961**	**15.1**	**166**	**2**	**3**	**12**	**20**	**30**	**42**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	13.5	269	1	1	8	15	35	55	76
20-34	319	7.8	62	<1	1	6	11	17	22	36
35-49	205	9.3	83	1	2	7	12	19	25	48
50-64	173	10.4	95	1	2	8	14	21	29	48
65+	151	10.3	102	1	2	8	14	23	27	48
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	3	5.7	9	3	3	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	12.2	168	1	1	8	18	33	42	80
20-34	307	10.6	128	1	2	7	14	25	34	52
35-49	254	11.1	116	1	2	8	14	25	32	54
50-64	383	12.2	126	2	2	9	16	29	36	56
65+	926	10.5	103	2	3	7	13	22	31	54
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	13	14.0	334	4	4	7	13	34	65	72
35-49	14	22.4	243	3	3	21	29	44	55	58
50-64	30	18.3	211	4	6	14	24	32	54	68
65+	61	17.2	268	3	5	12	18	39	58	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	9.6	104	1	1	7	13	21	29	56
B. *Operated*	8	5.1	7	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1969	11.0	117	1	2	7	14	25	34	56
B. *Operated*	121	17.4	254	3	4	13	21	35	57	75
1. SINGLE DX	960	9.6	103	1	1	7	12	20	29	56
2. MULTIPLE DX	2090	11.4	127	2	2	8	14	26	35	57
A. NOT OPERATED	2921	10.6	113	1	2	7	14	23	33	56
B. OPERATED	129	16.6	247	3	4	12	20	34	57	75
TOTAL 0-19 YRS	207	12.7	216	1	1	8	16	34	49	76
20-34	639	9.3	101	1	1	6	12	21	31	48
35-49	474	10.6	109	1	2	7	14	24	30	55
50-64	589	11.9	123	1	2	9	16	27	35	56
65+	1141	10.8	114	2	3	7	14	23	32	57
GRAND TOTAL	**3050**	**10.8**	**120**	**1**	**2**	**7**	**14**	**24**	**33**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.3	17	<1	1	2	4	7	8	26
20-34	229	5.5	58	1	1	3	6	13	20	46
35-49	199	5.0	24	1	1	3	6	11	16	25
50-64	103	6.3	35	1	2	4	8	16	19	29
65+	62	6.3	70	1	2	4	7	12	16	55
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	4.3	1	3	3	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	51	1	1	3	5	14	23	35
20-34	455	6.8	62	1	1	4	7	15	25	40
35-49	542	7.1	77	1	1	4	8	16	23	44
50-64	474	6.7	47	1	2	4	8	15	21	39
65+	404	6.1	56	1	2	4	7	12	15	34
B. *Operated*										
0-19 YRS										
20-34	28	11.1	151	1	2	7	14	31	41	51
35-49	22	8.5	39	1	2	6	13	17	22	23
50-64	28	10.8	58	2	3	10	14	18	28	35
65+	16	7.8	26	3	3	6	10	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	5.3	42	1	1	3	6	12	18	30
B. *Operated*	6	3.7	3	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1978	6.6	61	1	2	4	8	14	21	40
B. *Operated*	94	9.8	75	2	2	7	13	21	33	78
1. SINGLE DX	657	5.3	42	1	1	3	6	12	17	30
2. MULTIPLE DX	2072	6.8	62	1	2	4	8	15	22	40
A. NOT OPERATED	2629	6.3	57	1	1	4	7	14	21	37
B. OPERATED	100	9.5	73	1	2	7	13	20	30	75
TOTAL 0-19 YRS	161	4.6	39	1	1	3	4	10	21	38
20-34	714	6.5	65	1	1	4	7	15	24	42
35-49	764	6.6	63	1	1	4	7	15	22	40
50-64	608	6.8	46	1	2	4	8	15	20	35
65+	482	6.2	57	1	2	4	7	12	15	35
GRAND TOTAL	**2729**	**6.4**	**57**	**1**	**1**	**4**	**7**	**14**	**21**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	15.9	269	1	2	10	23	42	62	99+
20-34	708	8.9	78	1	2	6	11	21	27	41
35-49	630	9.7	98	1	2	7	12	21	28	52
50-64	328	9.9	97	<1	1	7	13	21	28	60
65+	136	12.1	109	2	3	8	17	25	35	50
B. *Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	3	14.0	27	8	8	17	17	17	17	17
50-64	4	17.0	122	8	8	13	24	33	33	33
65+	2	12.0	2	11	11	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	18.3	383	2	2	12	25	53	85	99+
20-34	996	10.6	117	1	2	7	14	24	30	50
35-49	1086	10.6	96	2	3	7	14	24	30	49
50-64	769	9.9	74	2	3	7	12	22	28	39
65+	707	10.3	78	2	3	8	13	22	28	44
B. *Operated*										
0-19 YRS	10	20.1	252	3	6	23	45	99+	99+	99+
20-34	68	19.7	346	3	4	14	26	47	71	97
35-49	92	19.1	221	4	5	15	25	37	55	70
50-64	69	18.5	276	4	6	14	21	38	55	84
65+	49	15.4	213	4	5	11	15	31	43	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1961	10.1	109	1	2	7	13	23	31	58
B *Operated*	11	13.3	62	2	5	12	16	24	32	33
2. MULTIPLE DX										
A. *Not Operated*	3792	10.9	115	2	2	7	14	24	31	57
B. *Operated*	288	18.5	262	3	5	14	24	41	60	94
1. SINGLE DX	1972	10.1	108	1	2	7	13	23	31	58
2. MULTIPLE DX	4080	11.4	129	2	3	8	14	26	33	67
A. NOT OPERATED	5753	10.6	113	1	2	7	14	24	31	58
B. OPERATED	299	18.3	255	3	5	14	23	40	57	92
TOTAL 0-19 YRS	403	17.4	335	1	2	11	25	49	76	99+
20-34	1774	10.2	114	1	2	7	13	24	30	52
35-49	1811	10.7	107	2	2	7	14	24	30	52
50-64	1170	10.4	96	2	3	8	13	22	29	54
65+	894	10.9	91	2	3	8	14	23	30	48
GRAND TOTAL	**6052**	**11.0**	**123**	**2**	**2**	**7**	**14**	**25**	**33**	**64**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.3	158	1	1	4	9	23	32	87
20-34	349	8.3	113	1	1	4	11	19	27	60
35-49	166	7.9	92	1	1	4	10	20	29	50
50-64	67	6.1	69	<1	1	4	7	15	25	49
65+	33	7.5	41	1	1	6	11	15	21	28
B. *Operated*										
0-19 YRS										
20-34	3	7.3	37	2	2	6	12	14	14	14
35-49	18	3.9	4	1	2	4	5	7	8	8
50-64	24	3.8	3	1	1	4	5	6	7	8
65+	7	4.7	6	2	2	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	15.0	390	1	1	6	22	52	70	99+
20-34	591	9.2	133	1	1	5	11	22	32	67
35-49	425	9.9	139	1	2	6	13	21	31	69
50-64	255	9.3	91	1	2	6	13	23	30	50
65+	225	8.3	80	1	2	5	11	17	24	45
B. *Operated*										
0-19 YRS	8	23.8	1247	<1	1	8	34	86	98	98
20-34	36	12.1	140	1	2	8	14	32	39	47
35-49	34	8.9	48	1	2	7	12	17	25	31
50-64	50	7.9	61	2	2	5	11	16	20	48
65+	28	12.1	244	2	3	8	13	25	33	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	8.0	112	1	1	4	10	19	28	57
B. *Operated*	52	4.2	5	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1730	10.1	160	1	1	5	12	25	36	77
B. *Operated*	156	10.6	173	1	2	7	13	21	32	82
1. SINGLE DX	842	7.7	106	1	1	4	9	19	28	57
2. MULTIPLE DX	1886	10.1	161	1	2	6	12	25	36	79
A. NOT OPERATED	2520	9.4	145	1	1	5	11	23	33	72
B. OPERATED	208	9.0	139	1	2	5	10	17	28	69
TOTAL 0-19 YRS	417	12.4	319	1	1	5	15	41	63	99+
20-34	979	8.9	126	1	1	5	11	21	31	61
35-49	643	9.2	119	1	1	5	12	21	30	60
50-64	396	8.3	80	1	2	5	10	21	27	49
65+	293	8.5	90	1	2	6	11	17	26	46
GRAND TOTAL	**2728**	**9.4**	**145**	**1**	**1**	**5**	**11**	**23**	**32**	**72**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	10.3	185	<1	<1	2	17	32	39	42
20-34	507	13.0	171	1	1	6	27	30	42	42
35-49	685	10.4	128	1	2	5	16	28	32	42
50-64	420	8.4	91	1	2	4	9	28	29	36
65+	97	10.1	131	1	1	5	14	28	38	42
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	17.0	200	7	7	17	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	19.6	262	1	1	18	32	42	46	51
20-34	1244	14.9	170	1	2	9	28	34	41	42
35-49	1931	11.3	118	1	2	6	19	28	31	42
50-64	1603	10.8	108	2	2	6	14	28	30	41
65+	768	11.3	102	2	2	7	16	28	30	42
B. *Operated*										
0-19 YRS	2	25.0	288	13	13	25	37	37	37	37
20-34	47	18.8	147	2	3	19	28	33	35	51
35-49	95	14.7	131	2	3	12	20	28	29	63
50-64	93	15.2	164	2	3	11	23	32	40	59
65+	42	18.5	110	4	6	18	28	36	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1758	10.6	136	1	1	5	17	29	35	42
B. *Operated*	2	17.0	200	7	7	17	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	5693	12.1	132	1	2	7	21	29	35	42
B. *Operated*	279	16.2	144	2	3	13	25	31	37	59
1. SINGLE DX	1760	10.6	136	1	1	5	17	29	35	42
2. MULTIPLE DX	5972	12.3	133	1	2	7	21	29	35	42
A. NOT OPERATED	7451	11.8	133	1	2	6	20	29	35	42
B. OPERATED	281	16.2	143	2	3	13	25	31	37	59
TOTAL 0-19 YRS	198	17.3	257	<1	1	12	30	42	44	51
20-34	1798	14.4	171	1	1	8	28	33	41	42
35-49	2713	11.2	122	1	2	6	18	28	31	42
50-64	2116	10.5	109	1	2	6	14	28	30	42
65+	907	11.5	108	2	2	7	17	28	32	42
GRAND TOTAL	**7732**	**12.0**	**134**	**1**	**2**	**6**	**21**	**29**	**35**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	10.0	348	1	1	4	5	41	56	56
20-34	95	10.6	103	1	2	7	12	28	31	45
35-49	21	11.6	177	1	2	6	12	42	42	42
50-64	6	24.8	272	4	4	27	42	42	42	42
65+										
B. *Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	18.5	421	4	4	18	33	33	33	33
20-34	187	13.9	141	2	3	10	19	31	39	45
35-49	63	12.9	86	3	4	10	17	28	34	42
50-64	21	14.2	118	2	5	9	16	33	41	42
65+	5	8.6	20	5	5	6	13	14	14	14
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	17.1	74	7	9	14	20	28	36	43
35-49	7	24.3	362	8	9	14	36	56	60	60
50-64										
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	11.4	141	1	2	7	12	29	42	49
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	278	13.7	125	2	3	10	18	30	39	42
B. *Operated*	30	18.0	147	6	7	14	21	35	43	60
1. SINGLE DX	131	11.4	140	1	2	7	12	29	42	49
2. MULTIPLE DX	308	14.1	128	2	3	11	18	30	40	45
A. NOT OPERATED	408	12.9	131	2	3	9	17	30	41	44
B. OPERATED	31	17.9	142	6	7	14	21	34	43	60
TOTAL 0-19 YRS	11	11.0	302	1	2	4	6	42	55	56
20-34	304	13.1	127	2	3	9	18	29	39	45
35-49	91	13.5	133	3	3	10	17	31	42	53
50-64	27	16.6	163	2	5	11	24	41	42	42
65+	6	8.3	17	5	5	6	13	14	14	14
GRAND TOTAL	**439**	**13.3**	**133**	**2**	**3**	**9**	**18**	**30**	**41**	**47**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	21.2	244	2	3	16	36	42	45	56
20-34	98	15.4	178	1	2	9	27	33	42	48
35-49	29	14.4	237	1	1	6	27	41	42	42
50-64	13	11.5	84	<1	2	12	15	23	33	35
65+	5	13.0	80	2	2	15	19	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	27.9	329	2	4	30	42	48	49	88
20-34	213	18.0	167	2	3	15	28	36	42	45
35-49	80	17.1	173	3	3	12	28	42	42	50
50-64	36	16.5	188	<1	3	11	25	41	43	44
65+	32	17.8	186	5	6	12	22	42	42	54
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	8	25.9	169	9	10	24	36	44	44	44
35-49	6	15.8	65	8	8	14	19	29	30	30
50-64	3	29.0	507	3	3	42	42	42	42	42
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	15.7	191	1	2	10	27	38	42	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	411	18.9	201	2	4	14	29	42	42	51
B. *Operated*	19	23.5	176	5	8	20	35	43	44	44
1. SINGLE DX	171	15.7	191	1	2	10	27	38	42	49
2. MULTIPLE DX	430	19.1	200	2	4	15	29	42	42	51
A. NOT OPERATED	582	18.0	200	2	3	14	28	42	42	50
B. OPERATED	19	23.5	176	5	8	20	35	43	44	44
TOTAL 0-19 YRS	77	25.7	304	2	4	28	40	45	49	79
20-34	319	17.4	173	1	3	14	28	36	42	47
35-49	115	16.4	183	2	3	11	27	42	42	49
50-64	52	16.0	184	<1	3	12	23	41	42	44
65+	38	17.3	168	3	5	13	22	41	42	54
GRAND TOTAL	**601**	**18.1**	**200**	**2**	**3**	**14**	**29**	**42**	**42**	**50**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	31	4.7	4	2	2	4	6	7	8	11
20-34	53	5.1	7	3	3	4	6	8	10	16
35-49	71	4.6	5	2	2	4	6	7	9	13
50-64	197	4.2	4	2	2	4	5	7	8	10
65+	242	4.0	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	3	5.0	3	4	4	4	6	7	7	7
50-64	7	3.6	6	1	1	2	6	7	7	7
65+	6	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	39	4.5	5	1	2	4	6	8	9	11
20-34	78	5.1	7	2	3	5	6	8	10	16
35-49	114	5.0	6	2	3	5	6	8	10	14
50-64	281	5.2	12	2	2	4	6	9	11	20
65+	411	5.1	6	2	3	5	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	<1	<1	<1	2	3	3	3
B. *Operated*	594	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	22	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*	923	5.1	8	2	3	4	6	8	10	14
1. SINGLE DX	601	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX	945	5.0	8	2	3	4	6	8	10	14
A. NOT OPERATED	29	2.4	3	<1	<1	2	3	6	7	7
B. OPERATED	1517	4.8	7	2	2	4	6	8	9	14
TOTAL 0-19 YRS	74	4.4	5	1	2	4	6	7	8	11
20-34	135	5.0	7	2	3	4	6	8	10	16
35-49	189	4.8	5	2	2	4	6	8	9	13
50-64	488	4.7	9	2	2	4	6	8	9	14
65+	660	4.7	6	2	2	4	6	8	9	13
GRAND TOTAL	**1546**	**4.7**	**7**	**2**	**2**	**4**	**6**	**8**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	10	2.1	5	<1	<1	1	2	5	8	8
65+	18	2.2	11	<1	1	1	2	4	11	15
B. *Operated*										
0-19 YRS	8	3.4	7	<1	<1	2	5	7	8	8
20-34	13	3.0	3	1	1	2	3	6	8	8
35-49	18	2.7	6	1	1	2	3	7	9	10
50-64	84	2.8	4	1	1	2	4	5	7	11
65+	133	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	12.5	221	2	2	12	23	23	23	23
50-64	7	4.6	27	1	1	3	4	14	16	16
65+	29	3.9	26	1	1	2	4	7	12	28
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	12	3.1	3	1	1	2	4	5	6	6
35-49	11	3.5	3	1	1	3	5	6	6	6
50-64	65	4.5	34	1	1	2	6	8	13	35
65+	205	4.3	20	1	2	3	5	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.9	6	<1	1	1	2	3	5	15
B. *Operated*	256	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	41	4.3	32	1	1	2	4	9	19	28
B. *Operated*	296	4.3	21	1	1	3	5	8	12	24
1. SINGLE DX	300	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	337	4.3	22	1	1	3	5	8	12	25
A. NOT OPERATED	85	3.0	20	<1	1	2	3	6	12	26
B. OPERATED	552	3.5	14	1	1	2	4	7	10	17
TOTAL 0-19 YRS	21	2.0	4	<1	<1	1	2	5	7	8
20-34	26	3.0	3	1	2	2	4	5	6	8
35-49	39	3.2	15	1	1	2	3	6	9	23
50-64	166	3.5	17	1	1	2	4	7	10	24
65+	385	3.5	14	1	1	2	4	7	10	18
GRAND TOTAL	**637**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**10**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	3.5	8	1	1	2	6	8	8	8
65+	13	2.5	1	1	1	3	3	4	5	5
B. *Operated*										
0-19 YRS	12	2.5	3	<1	1	2	3	4	7	7
20-34	13	4.1	8	2	2	3	4	7	12	13
35-49	22	3.1	2	1	1	3	4	5	6	8
50-64	24	3.8	13	1	1	2	4	9	12	17
65+	82	2.6	4	1	1	2	3	4	4	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	5	7.2	19	2	2	8	10	13	13	13
35-49	7	3.0	2	1	1	3	4	5	5	5
50-64	15	3.8	6	1	2	3	5	8	9	10
65+	25	4.3	36	1	1	3	5	7	14	31
B. *Operated*										
0-19 YRS	11	3.5	17	1	1	2	4	9	15	15
20-34	15	5.1	21	1	2	4	5	13	17	18
35-49	24	3.7	3	1	2	3	5	6	7	8
50-64	70	4.5	15	<1	1	3	6	9	11	21
65+	129	4.3	24	1	1	3	5	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.1	5	1	1	3	3	7	8	9
B. *Operated*	153	3.0	6	1	1	2	3	4	7	17
2. MULTIPLE DX										
A. *Not Operated*	55	4.1	21	1	1	3	5	8	10	30
B. *Operated*	249	4.3	19	1	1	3	5	8	11	25
1. SINGLE DX	175	3.0	6	1	1	3	3	4	8	16
2. MULTIPLE DX	304	4.3	19	1	1	3	5	8	11	26
A. NOT OPERATED	77	3.8	16	1	1	3	4	8	9	26
B. OPERATED	402	3.8	14	1	1	3	4	7	10	21
TOTAL 0-19 YRS	27	2.7	8	<1	1	2	3	5	8	15
20-34	34	5.0	15	2	2	4	5	13	13	18
35-49	54	3.4	3	1	2	3	4	6	8	9
50-64	115	4.2	13	1	1	3	6	8	11	19
65+	249	3.7	18	1	1	3	4	6	9	27
GRAND TOTAL	**479**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	29	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	330	1.9		<1	1	2	2	3	3	4
50-64	1998	1.9	1	1	1	2	2	3	3	4
65+	8906	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	41	3.0	14	<1	<1	2	3	7	13	17
65+	250	2.1	5	<1	<1	1	2	4	5	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	200	2.4	2	1	1	2	2	4	5	9
50-64	1727	2.3	2	1	1	2	2	3	4	7
65+	8732	2.4	3	1	2	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	11234	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	294	2.2	6	<1	<1	1	2	4	5	15
B. *Operated*	10659	2.4	3	1	2	2	2	3	4	9
1. SINGLE DX	11269	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	10953	2.4	3	1	2	2	2	3	4	9
A. NOT OPERATED	329	2.2	6	<1	<1	1	2	4	5	15
B. OPERATED	21893	2.2	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	533	2.1	1	1	1	2	2	3	4	7
50-64	3772	2.1	1	1	1	2	2	3	3	6
65+	17917	2.2	2	1	1	2	2	3	4	7
GRAND TOTAL	**22222**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	53	2.1	2	1	1	2	2	3	4	11
20-34	19	2.5	2	1	1	2	3	5	7	7
35-49	39	2.3	1	1	1	2	2	4	4	6
50-64	65	1.9		<1	1	2	2	3	3	4
65+	123	1.8	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	49	2.5	2	1	1	2	3	4	5	8
20-34	25	2.7	1	1	2	2	3	4	5	6
35-49	36	3.0	2	1	2	2	4	5	7	7
50-64	77	2.4	2	1	1	2	2	4	5	9
65+	130	2.3	2	1	1	2	2	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8		<1	<1	2	2	2	2	2
B. *Operated*	299	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	11	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	317	2.4	2	1	1	2	3	4	5	8
1. SINGLE DX	304	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	328	2.4	2	1	1	2	3	4	5	8
A. NOT OPERATED	16	1.9	1	<1	<1	2	2	4	4	4
B. OPERATED	616	2.2	2	1	1	2	2	4	5	7
TOTAL 0-19 YRS	109	2.3	2	1	1	2	3	4	4	9
20-34	45	2.6	2	1	1	2	3	4	6	7
35-49	76	2.6	2	1	2	2	3	4	6	7
50-64	145	2.2	1	1	1	2	2	3	4	8
65+	257	2.0	2	<1	1	2	2	3	4	7
GRAND TOTAL	**632**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**4**	**7**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	1	<1	<1	2	2	4	4	4
20-34	6	3.0	1	2	2	3	4	4	4	4
35-49	10	4.0	5	1	1	3	6	7	8	8
50-64	9	3.4	3	2	2	3	4	6	7	7
65+	6	3.3	3	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	1223	1.4		<1	<1	1	2	2	2	2
20-34	126	1.9		1	1	2	2	2	3	5
35-49	65	1.9		<1	1	2	2	2	3	3
50-64	40	2.4	3	1	1	2	2	4	6	10
65+	18	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.4	1	<1	<1	1	1	3	4	7
20-34	14	3.0	5	<1	<1	2	3	7	7	7
35-49	15	4.4	6	1	2	4	6	8	9	10
50-64	19	4.0	6	1	2	3	6	8	10	10
65+	40	5.4	15	2	3	4	6	11	14	18
B. *Operated*										
0-19 YRS	362	1.6	1	<1	<1	2	2	2	3	5
20-34	65	2.0	1	1	1	2	2	3	4	8
35-49	37	2.3	1	1	1	2	3	4	4	6
50-64	50	4.0	56	1	1	2	4	7	8	54
65+	46	3.6	7	1	1	2	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.0	3	<1	1	3	4	6	7	8
B. *Operated*	1472	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	140	3.4	9	<1	<1	3	4	7	10	16
B. *Operated*	560	2.1	7	<1	<1	2	2	3	5	9
1. SINGLE DX	1517	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	700	2.3	7	<1	<1	2	2	4	7	10
A. NOT OPERATED	185	3.3	8	<1	<1	3	4	7	9	15
B. OPERATED	2032	1.7	2	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	1651	1.4		<1	<1	1	2	2	2	3
20-34	211	2.0	1	1	1	2	2	3	4	7
35-49	127	2.5	2	1	1	2	3	4	6	9
50-64	118	3.4	26	1	1	2	3	6	8	24
65+	110	4.0	10	1	2	3	5	8	10	17
GRAND TOTAL	**2217**	**1.8**	**3**	**<1**	**<1**	**2**	**2**	**2**	**4**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	1.7	3	<1	<1	<1	1	4	5	10
20-34	33	3.8	5	1	1	3	5	7	9	10
35-49	24	5.2	57	<1	<1	3	7	9	20	38
50-64	16	5.8	29	1	1	4	8	14	19	21
65+	30	4.6	19	<1	1	3	6	10	14	20
B. *Operated*										
0-19 YRS	221	1.7	1	<1	<1	1	2	3	4	5
20-34	123	2.3	2	<1	<1	2	3	4	5	9
35-49	196	1.8	1	<1	<1	2	2	3	4	6
50-64	209	2.2	5	<1	<1	2	2	3	4	10
65+	414	2.2	3	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.4	6	<1	1	3	4	6	8	14
20-34	25	5.3	20	<1	1	4	7	12	15	18
35-49	35	4.9	22	<1	<1	3	6	11	14	22
50-64	48	4.4	13	<1	1	3	6	8	10	19
65+	98	5.5	20	<1	1	5	7	11	14	24
B. *Operated*										
0-19 YRS	90	3.4	78	<1	<1	2	3	5	6	56
20-34	85	4.0	21	1	1	2	4	10	13	27
35-49	139	2.7	4	<1	1	2	3	5	7	12
50-64	269	3.4	21	1	1	2	4	5	9	31
65+	660	3.2	9	1	1	2	4	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.4	10	<1	<1	1	3	5	8	15
B. *Operated*	1163	2.1	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	354	4.4	14	<1	1	3	6	9	12	19
B. *Operated*	1243	3.3	17	1	1	2	4	5	9	20
1. SINGLE DX	1566	2.2	5	<1	<1	2	2	4	5	10
2. MULTIPLE DX	1597	3.5	17	<1	1	2	4	6	10	19
A. NOT OPERATED	757	3.3	13	<1	<1	2	4	7	10	18
B. OPERATED	2406	2.7	11	<1	<1	2	3	4	6	15
TOTAL 0-19 YRS	759	2.2	12	<1	<1	1	2	4	6	11
20-34	266	3.3	11	<1	1	2	4	6	9	16
35-49	394	2.6	9	<1	<1	2	3	5	7	14
50-64	542	3.1	15	<1	1	2	3	5	8	21
65+	1202	3.1	9	<1	1	2	3	5	8	18
GRAND TOTAL	**3163**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	3.7	5	1	1	3	4	6	8	11
20-34	54	3.4	4	1	1	3	4	6	7	11
35-49	39	3.6	8	<1	1	3	5	7	9	15
50-64	41	3.2	4	1	1	3	4	6	7	10
65+	34	2.9	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	65	3.1	8	<1	<1	2	4	6	8	17
20-34	44	3.2	5	2	2	3	3	5	7	13
35-49	60	2.7	4	1	1	2	3	5	7	12
50-64	189	2.5	4	1	1	2	2	4	7	13
65+	463	2.2	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	4.2	6	1	2	4	5	8	9	12
20-34	79	4.0	7	1	1	3	6	8	9	12
35-49	61	5.1	11	1	2	4	6	10	13	15
50-64	101	4.5	11	1	1	3	6	8	11	18
65+	156	4.7	11	1	1	4	6	10	11	19
B. *Operated*										
0-19 YRS	97	5.6	34	1	2	4	7	12	14	33
20-34	80	4.6	17	<1	2	3	5	8	12	25
35-49	102	4.1	9	1	2	3	6	7	10	16
50-64	287	4.3	15	1	2	3	5	8	12	22
65+	776	3.8	16	1	2	2	4	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	3.5	5	1	1	3	4	6	8	11
B. *Operated*	821	2.4	4	<1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	702	4.4	8	1	1	4	5	8	11	14
B. *Operated*	1342	4.1	17	1	2	3	5	8	11	20
1. SINGLE DX	1273	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX	2044	4.2	14	1	2	3	5	8	11	18
A. NOT OPERATED	1154	4.1	7	1	1	3	5	8	10	14
B. OPERATED	2163	3.4	13	1	1	2	4	7	10	17
TOTAL 0-19 YRS	751	4.1	10	1	1	3	5	8	10	14
20-34	257	3.9	9	1	1	3	5	7	9	15
35-49	262	3.9	9	1	1	3	5	8	10	15
50-64	618	3.7	11	1	1	2	4	8	10	17
65+	1429	3.3	12	1	1	2	4	7	10	17
GRAND TOTAL	**3317**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	1	1	1	2	2	4	5	5
20-34	22	3.0	4	<1	1	2	4	7	8	8
35-49	12	3.3	1	2	2	4	4	5	5	5
50-64	17	2.8	2	<1	1	2	4	5	6	6
65+	10	4.2	13	2	2	3	4	9	14	14
B. *Operated*										
0-19 YRS	12	1.8		<1	1	2	2	2	2	2
20-34	19	2.5	8	1	1	2	2	5	9	13
35-49	20	2.9	25	<1	<1	2	2	3	14	24
50-64	13	3.3	7	1	2	3	3	5	11	12
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	5	1	1	2	4	7	8	8
20-34	28	3.4	5	1	1	3	4	7	8	10
35-49	30	4.0	7	1	1	4	5	8	10	11
50-64	55	3.7	4	1	2	3	5	6	7	12
65+	56	4.9	11	1	1	4	7	9	10	19
B. *Operated*										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	28	3.1	4	1	2	3	3	4	8	11
35-49	23	3.5	3	1	2	3	4	6	7	8
50-64	43	3.5	3	2	2	3	4	7	7	8
65+	50	4.9	16	2	2	3	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.0	4	1	1	2	4	5	7	13
B. *Operated*	71	2.6	10	1	1	2	3	3	5	22
2. MULTIPLE DX										
A. *Not Operated*	198	3.9	7	1	1	3	5	8	9	13
B. *Operated*	153	3.8	8	1	2	3	4	7	9	14
1. SINGLE DX	144	2.8	7	1	1	2	3	4	6	15
2. MULTIPLE DX	351	3.9	7	1	1	3	5	7	9	13
A. NOT OPERATED	271	3.7	7	1	1	3	5	7	8	13
B. OPERATED	224	3.4	9	1	1	2	4	7	9	16
TOTAL 0-19 YRS	62	2.4	3	<1	1	2	2	5	7	8
20-34	97	3.0	5	1	1	2	4	6	8	12
35-49	85	3.5	9	1	1	3	4	5	8	19
50-64	128	3.4	4	1	2	3	4	6	7	12
65+	123	4.7	13	1	2	3	7	9	12	20
GRAND TOTAL	**495**	**3.5**	**8**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	555	2.8	3	1	1	2	3	5	6	10
20-34	10	4.4	10	1	1	3	6	9	12	12
35-49	10	3.9	9	1	1	3	6	8	9	9
50-64	4	8.3	22	4	4	7	11	15	15	15
65+	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
0-19 YRS	2209	1.2	1	<1	<1	<1	1	2	2	4
20-34	114	1.8	1	<1	1	2	2	3	3	6
35-49	121	2.2	6	1	1	2	2	3	4	14
50-64	84	1.9	1	1	1	2	2	3	3	5
65+	43	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2135	3.1	4	1	1	3	4	5	7	10
20-34	81	3.9	6	1	1	3	5	7	8	14
35-49	54	4.6	12	1	2	4	6	9	13	15
50-64	60	4.7	11	1	2	4	6	9	11	18
65+	38	5.8	12	1	2	5	7	12	13	14
B. *Operated*										
0-19 YRS	2076	1.8	3	<1	<1	2	2	3	4	8
20-34	226	2.5	3	1	1	2	3	4	5	11
35-49	193	2.3	2	1	1	2	3	3	5	9
50-64	188	3.2	49	1	1	2	3	5	7	18
65+	91	3.9	76	1	1	2	3	6	8	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	2.9	4	1	1	3	3	5	6	11
B. *Operated*	2571	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	2368	3.3	4	1	1	3	4	6	7	12
B. *Operated*	2774	2.1	8	<1	<1	2	2	3	4	9
1. SINGLE DX	3153	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	5142	2.6	7	<1	1	2	3	5	6	11
A. NOT OPERATED	2950	3.2	4	1	1	3	4	5	7	11
B. OPERATED	5345	1.7	5	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	6975	2.1	3	<1	<1	2	3	4	5	9
20-34	431	2.6	4	1	1	2	3	5	7	11
35-49	378	2.7	6	1	1	2	3	5	7	13
50-64	336	3.2	31	1	1	2	3	5	8	16
65+	175	3.9	44	1	1	2	4	7	10	25
GRAND TOTAL	**8295**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.2	3	1	1	3	4	5	7	10
20-34	39	4.3	10	1	2	4	6	7	12	16
35-49	26	4.5	5	2	2	4	6	7	9	11
50-64	25	4.4	5	1	2	5	6	7	8	10
65+	6	3.3	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	173	1.8	3	<1	<1	1	2	4	5	7
20-34	48	3.9	28	1	1	2	5	8	11	35
35-49	28	2.2	1	1	1	2	3	4	4	5
50-64	37	2.9	11	1	1	2	3	5	5	21
65+	16	3.6	12	1	1	2	4	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	227	4.1	10	1	2	3	5	8	10	14
20-34	72	4.5	7	1	2	4	6	7	9	15
35-49	62	4.6	7	1	2	4	6	8	11	14
50-64	64	6.6	16	2	3	6	8	11	13	25
65+	63	7.2	22	2	3	6	9	12	16	28
B. *Operated*										
0-19 YRS	304	2.8	15	<1	1	2	3	5	10	19
20-34	97	3.1	7	1	1	2	3	6	8	17
35-49	89	4.5	64	<1	1	3	4	8	14	51
50-64	83	4.2	13	1	1	3	6	9	12	18
65+	72	8.8	137	1	2	4	10	23	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	3.8	5	1	2	3	5	7	8	12
B. *Operated*	302	2.4	9	<1	<1	1	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	488	5.0	13	1	2	4	6	9	11	19
B. *Operated*	645	3.9	37	<1	1	2	4	8	13	33
1. SINGLE DX	477	2.9	8	<1	<1	2	4	6	7	13
2. MULTIPLE DX	1133	4.4	27	1	1	3	5	8	12	27
A. NOT OPERATED	663	4.7	11	1	2	4	6	8	11	16
B. OPERATED	947	3.4	29	<1	<1	2	3	7	11	28
TOTAL 0-19 YRS	783	3.0	10	<1	<1	2	4	6	8	14
20-34	256	3.8	12	1	1	3	5	7	9	16
35-49	205	4.2	31	1	1	3	5	7	10	22
50-64	209	4.7	14	1	2	4	6	9	12	19
65+	157	7.4	75	1	2	5	8	15	23	47
GRAND TOTAL	**1610**	**4.0**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	3	<1	1	3	4	5	6	7
20-34	105	3.4	5	1	1	3	4	5	8	13
35-49	188	3.0	4	1	1	3	4	5	7	10
50-64	263	2.9	3	1	1	2	4	5	6	10
65+	247	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	4	4	4
20-34	31	3.5	5	1	1	3	4	7	8	10
35-49	44	3.4	5	1	2	3	4	6	8	14
50-64	47	3.9	5	1	2	3	5	7	8	10
65+	20	3.9	6	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.2	3	1	1	3	4	5	6	8
20-34	170	3.8	10	1	1	3	4	6	8	14
35-49	350	3.9	6	1	1	3	5	7	9	13
50-64	804	4.2	8	1	2	3	5	8	10	14
65+	1454	4.5	9	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	5	4.2	7	2	2	3	6	8	8	8
20-34	23	4.6	15	1	2	3	6	12	13	15
35-49	42	5.2	13	1	2	4	7	12	12	14
50-64	65	5.4	13	2	2	5	7	10	11	19
65+	117	6.9	22	2	3	6	9	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	3.2	4	1	1	3	4	5	7	10
B. *Operated*	150	3.6	5	1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	2814	4.3	9	1	2	4	5	8	10	15
B. *Operated*	252	6.0	18	2	2	5	8	11	13	25
1. SINGLE DX	975	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	3066	4.4	10	1	2	4	6	8	10	15
A. NOT OPERATED	3639	4.0	8	1	2	3	5	7	9	14
B. OPERATED	402	5.1	15	1	2	4	7	10	12	21
TOTAL 0-19 YRS	71	3.1	3	1	1	3	4	5	6	8
20-34	329	3.7	8	1	1	3	4	7	8	14
35-49	624	3.7	6	1	1	3	5	7	9	13
50-64	1179	4.0	7	1	1	3	5	7	9	14
65+	1838	4.5	10	2	2	4	6	8	10	16
GRAND TOTAL	**4041**	**4.1**	**8**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	11	2.5		1	1	3	3	3	3	3
20-34	101	2.2	1	1	1	2	3	3	4	4
35-49	188	2.3	1	1	1	2	3	3	4	5
50-64	121	2.4	1	1	2	2	3	3	4	5
65+	59	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	10	2.3		2	2	2	3	3	3	3
20-34	48	2.5	1	1	1	2	3	4	5	6
35-49	57	2.4	1	1	1	2	3	3	4	6
50-64	74	2.5	2	1	2	2	3	3	4	10
65+	29	2.4	1	1	1	2	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	480	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	7	2.6	9	<1	<1	1	3	8	9	9
B. *Operated*	218	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	481	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	225	2.5	1	1	1	2	3	4	4	7
A. NOT OPERATED	8	2.6	8	<1	<1	1	3	7	9	9
B. OPERATED	698	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	21	2.4		1	2	2	3	3	3	3
20-34	150	2.3	1	1	1	2	3	3	4	5
35-49	248	2.3	1	1	1	2	3	3	4	5
50-64	198	2.4	1	1	2	2	3	3	4	7
65+	89	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**706**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	7	<1	<1	1	2	2	9	11
20-34	22	3.4	5	<1	1	3	5	6	8	9
35-49	32	3.3	4	1	1	3	4	6	7	10
50-64	23	4.0	7	1	1	4	5	6	9	14
65+	8	3.6	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	609	1.8	1	<1	<1	2	2	3	3	4
20-34	325	2.1	1	1	1	2	2	3	4	7
35-49	279	2.1	1	1	1	2	2	3	3	6
50-64	205	2.2	2	1	1	2	3	3	4	7
65+	90	2.3	3	1	1	2	3	3	4	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.2	16	<1	<1	2	4	6	9	22
20-34	19	2.8	7	<1	<1	2	4	5	9	12
35-49	47	3.2	5	1	1	3	4	6	7	11
50-64	58	3.9	7	1	1	3	5	8	9	10
65+	72	5.0	18	1	2	5	6	8	11	29
B. *Operated*										
0-19 YRS	555	1.9	1	<1	1	2	2	3	3	6
20-34	292	2.3	4	1	1	2	3	3	4	13
35-49	313	2.3	2	1	1	2	3	3	4	8
50-64	262	2.7	4	1	1	2	3	4	6	12
65+	157	3.0	4	1	1	2	3	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.3	6	<1	1	3	5	6	7	12
B. *Operated*	1508	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	226	3.9	12	1	1	3	5	8	9	14
B. *Operated*	1579	2.3	3	1	1	2	3	3	4	9
1. SINGLE DX	1608	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	1805	2.5	4	1	1	2	3	4	6	11
A. NOT OPERATED	326	3.7	10	<1	1	3	5	7	9	12
B. OPERATED	3087	2.2	2	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1209	1.9	1	<1	1	2	2	3	3	6
20-34	658	2.3	3	1	1	2	2	3	4	11
35-49	671	2.3	2	1	1	2	3	3	5	8
50-64	548	2.7	4	1	1	2	3	5	6	12
65+	327	3.3	8	1	1	3	4	6	8	12
GRAND TOTAL	**3413**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	8.0	42	1	2	6	11	17	22	28
20-34	9	5.6	11	1	1	5	9	10	10	10
35-49	58	5.0	7	1	2	5	6	9	11	14
50-64	260	6.0	19	1	2	5	8	11	16	20
65+	951	6.2	24	2	2	5	8	11	14	28
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	8	8.6	42	1	1	7	13	18	20	20
65+	22	9.9	68	1	2	8	12	20	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	5.7	25	1	2	4	8	11	17	25
20-34	133	6.6	33	1	2	5	8	13	17	35
35-49	800	6.5	23	2	2	5	8	11	14	24
50-64	4897	7.4	28	2	3	6	9	13	17	28
65+	22691	8.1	36	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	34	9.1	82	2	2	7	10	23	40	99+
20-34	48	7.0	42	1	1	6	9	14	19	33
35-49	139	9.2	67	1	2	6	12	20	26	42
50-64	557	11.8	84	2	3	9	16	23	32	44
65+	1899	14.4	116	4	5	11	18	28	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1300	6.1	22	2	2	5	7	11	14	26
B. *Operated*	34	8.9	57	1	2	7	12	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	28713	7.9	35	2	3	6	10	14	18	31
B. *Operated*	2677	13.4	108	3	4	11	17	27	33	52
1. SINGLE DX	1334	6.2	23	2	2	5	8	11	14	27
2. MULTIPLE DX	31390	8.4	43	2	3	7	10	15	20	35
A. NOT OPERATED	30013	7.8	34	2	3	6	10	14	18	30
B. OPERATED	2711	13.4	108	2	4	11	17	27	33	52
TOTAL 0-19 YRS	248	6.4	35	1	2	4	8	13	20	31
20-34	191	6.7	34	1	2	5	8	13	17	34
35-49	1000	6.8	29	2	2	5	8	12	16	27
50-64	5722	7.7	35	2	3	6	9	14	19	31
65+	25563	8.5	45	2	3	7	10	16	21	36
GRAND TOTAL	32724	8.3	43	2	3	7	10	15	20	35

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.5	21	1	1	3	5	9	13	25
20-34	166	3.6	6	1	1	3	4	6	8	12
35-49	201	4.2	11	1	2	3	5	7	10	19
50-64	140	4.2	8	1	2	4	5	8	9	16
65+	83	5.4	20	1	2	4	7	10	12	28
B. *Operated*										
0-19 YRS	77	3.9	14	1	1	2	7	9	12	14
20-34	62	5.4	16	1	1	4	9	11	13	15
35-49	133	4.4	15	1	2	2	5	11	13	17
50-64	183	4.4	16	1	2	2	6	12	13	17
65+	73	6.5	38	2	2	3	12	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.0	20	1	1	4	6	9	17	40
20-34	447	5.1	25	1	2	4	6	9	13	26
35-49	834	5.7	22	2	2	4	7	10	14	25
50-64	1408	7.1	33	2	2	6	9	14	17	28
65+	2226	7.9	40	2	3	6	10	14	19	32
B. *Operated*										
0-19 YRS	81	7.7	49	1	1	5	11	18	22	29
20-34	151	9.3	135	2	2	6	12	18	31	99
35-49	413	7.3	52	2	2	5	10	18	21	47
50-64	896	8.8	78	2	2	6	12	18	26	48
65+	857	11.4	111	2	2	9	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	4.2	11	1	1	3	5	8	10	17
B. *Operated*	528	4.7	19	1	2	2	7	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	5049	7.0	34	2	2	5	9	13	17	30
B. *Operated*	2398	9.5	90	2	2	7	13	20	27	52
1. SINGLE DX	1187	4.5	15	1	1	3	5	10	13	17
2. MULTIPLE DX	7447	7.8	54	2	2	6	10	16	21	38
A. NOT OPERATED	5708	6.7	32	2	2	5	8	13	17	29
B. OPERATED	2926	8.6	81	2	2	6	12	18	24	48
TOTAL 0-19 YRS	361	5.3	27	1	1	3	7	11	17	28
20-34	826	5.6	44	1	2	4	7	11	14	39
35-49	1581	5.8	29	2	2	4	7	11	16	27
50-64	2627	7.3	48	2	2	5	9	15	19	34
65+	3239	8.7	61	2	2	7	11	17	22	40
GRAND TOTAL	8634	7.3	50	2	2	5	9	15	20	35

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.3		2	2	2	3	3	3	3
65+	22	4.1	7	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	4.0	10	1	1	4	5	9	9	9
50-64	10	3.5	6	2	2	3	3	8	9	9
65+	3	7.3	102	1	1	2	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	50	5.5	22	2	2	4	6	11	12	30
50-64	284	5.8	17	2	2	4	7	10	13	21
65+	792	7.0	29	2	3	5	8	13	18	26
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	41	5.5	23	2	2	4	8	12	13	25
50-64	124	7.0	50	2	2	5	10	15	19	67
65+	175	8.8	59	2	2	7	11	18	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.8	6	1	1	3	6	8	8	9
B. *Operated*	18	4.3	20	1	1	3	4	9	15	19
2. MULTIPLE DX										
A. *Not Operated*	1127	6.6	26	2	2	5	8	13	16	25
B. *Operated*	341	7.8	52	2	2	6	10	16	20	48
1. SINGLE DX	45	4.0	11	1	1	3	5	8	9	19
2. MULTIPLE DX	1468	6.9	32	2	2	5	9	13	18	30
A. NOT OPERATED	1154	6.5	26	2	2	5	8	13	16	25
B. OPERATED	359	7.6	51	2	2	6	10	16	20	47
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	97	5.4	21	2	2	4	7	11	13	28
50-64	422	6.1	27	2	2	4	8	11	15	26
65+	992	7.2	35	2	2	6	9	14	19	31
GRAND TOTAL	**1513**	**6.8**	**32**	**2**	**2**	**5**	**9**	**13**	**18**	**30**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	7	3.6	30	<1	<1	2	2	13	16	16
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64	9	12.7	102	1	1	12	18	28	30	30
65+	8	13.0	83	1	2	11	22	25	25	25
B. *Operated*										
0-19 YRS	2	18.5	313	6	6	18	31	31	31	31
20-34	21	14.8	127	2	2	15	21	30	40	42
35-49	40	16.8	157	2	5	13	20	34	44	59
50-64	28	23.1	257	6	9	21	26	50	66	66
65+	10	16.0	95	2	5	16	20	30	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	21	3	3	8	10	16	17	17
20-34	7	8.4	44	<1	<1	8	15	16	16	16
35-49	9	16.8	238	<1	<1	17	26	39	45	45
50-64	17	7.8	51	1	1	7	11	16	24	28
65+	40	14.9	162	2	3	11	23	34	43	45
B. *Operated*										
0-19 YRS	2	18.0	72	12	12	18	24	24	24	24
20-34	24	26.4	375	3	8	21	32	62	65	69
35-49	55	23.7	273	5	8	20	29	40	60	91
50-64	79	24.7	185	6	9	22	31	42	49	95
65+	55	29.9	255	9	10	28	38	58	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	9.0	80	<1	<1	5	16	24	26	30
B. *Operated*	101	18.1	179	2	5	16	22	37	45	66
2. MULTIPLE DX										
A. *Not Operated*	80	12.5	132	1	1	8	17	30	38	45
B. *Operated*	215	25.9	248	6	9	22	33	48	62	87
1. SINGLE DX	131	16.0	170	1	2	14	21	30	42	66
2. MULTIPLE DX	295	22.2	252	2	4	20	30	44	59	80
A. NOT OPERATED	110	11.5	120	1	1	8	16	28	32	45
B. OPERATED	316	23.4	238	4	8	20	30	44	60	78
TOTAL 0-19 YRS	12	12.2	72	3	4	9	16	26	30	31
20-34	59	17.4	269	1	2	15	22	38	62	68
35-49	109	19.6	237	2	3	17	26	37	48	81
50-64	133	21.4	210	2	5	20	28	39	49	87
65+	113	22.2	250	2	4	19	32	44	57	64
GRAND TOTAL	**426**	**20.3**	**234**	**2**	**4**	**18**	**27**	**40**	**51**	**71**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	14.4	55	6	6	15	19	25	25	25
B. *Operated*										
0-19 YRS										
20-34	3	26.3	161	19	19	19	36	41	41	41
35-49	9	44.2	364	18	20	51	60	68	70	70
50-64	9	30.3	326	2	6	30	43	53	59	59
65+	8	45.0	795	16	17	39	67	87	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	16.3	155	3	4	15	23	36	39	39
B. *Operated*	29	38.3	467	11	17	36	51	68	85	88
1. SINGLE DX										
2. MULTIPLE DX	36	34.0	478	4	9	28	47	64	80	88
A. NOT OPERATED	7	16.3	155	3	4	15	23	36	39	39
B. OPERATED	29	38.3	467	11	17	36	51	68	85	88
TOTAL 0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	3	26.3	161	19	19	19	36	41	41	41
35-49	9	44.2	364	18	20	51	60	68	70	70
50-64	10	27.6	364	2	2	26	43	52	59	59
65+	13	33.2	722	6	8	25	45	86	88	88
GRAND TOTAL	**36**	**34.0**	**478**	**4**	**9**	**28**	**47**	**64**	**80**	**88**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	9.7	61	<1	<1	10	16	19	19	19
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.0	8	<1	<1	1	6	6	6	6
50-64	16	7.1	52	1	2	6	8	10	25	32
65+	47	8.1	46	1	2	6	11	15	18	40
B. *Operated*										
0-19 YRS	16	8.1	48	3	3	6	10	17	25	29
20-34	14	7.6	18	1	2	9	10	12	16	17
35-49	18	9.1	22	3	4	8	12	16	17	18
50-64	33	12.1	79	4	5	11	15	21	37	41
65+	44	10.7	80	2	4	8	12	19	27	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	8.3	33	2	3	8	10	15	22	26
20-34	10	13.0	218	1	1	6	28	36	41	41
35-49	48	11.5	218	1	1	7	12	24	44	73
50-64	112	11.1	125	1	2	8	14	20	29	61
65+	383	13.2	96	3	4	11	16	27	36	50
B. *Operated*										
0-19 YRS	28	13.7	72	3	3	12	18	24	33	34
20-34	22	16.1	223	4	5	12	23	71	99+	99+
35-49	40	16.6	189	5	6	12	20	41	58	99+
50-64	84	20.1	265	3	5	16	27	47	68	99+
65+	221	19.2	237	5	6	15	25	38	57	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	7.6	46	<1	1	6	10	15	19	38
B. *Operated*	125	10.2	61	2	3	8	12	17	24	44
2. MULTIPLE DX										
A. *Not Operated*	571	12.5	112	2	3	10	16	26	36	51
B. *Operated*	395	18.6	227	4	6	15	24	39	62	99+
1. SINGLE DX	200	9.2	57	1	2	7	12	17	21	41
2. MULTIPLE DX	966	15.0	168	2	4	12	19	32	41	83
A. NOT OPERATED	646	11.9	107	1	3	9	15	24	34	50
B. OPERATED	520	16.6	200	3	5	12	21	36	50	99+
TOTAL 0-19 YRS	68	10.6	60	2	3	9	15	21	26	34
20-34	47	12.6	165	2	2	9	16	37	70	99+
35-49	111	12.6	176	1	3	9	15	25	42	83
50-64	245	14.0	181	2	3	10	17	30	44	83
65+	695	14.6	148	3	4	11	18	31	39	73
GRAND TOTAL	**1166**	**14.0**	**154**	**2**	**3**	**11**	**17**	**30**	**40**	**80**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	23.5	5	22	22	23	25	25	25	25
35-49	16	22.8	514	3	4	12	32	64	67	69
50-64	40	19.9	274	3	5	14	26	38	57	79
65+	170	18.5	187	5	6	14	26	34	45	83
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	46.0		46	46	46	46	46	46	46
35-49	10	23.2	711	7	9	14	17	64	97	97
50-64	16	34.6	586	6	9	26	49	92	99	99+
65+	53	21.4	245	8	9	16	27	43	67	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	228	19.1	222	4	5	14	26	35	53	80
B. *Operated*	81	24.4	385	7	9	18	31	52	85	99+
1. SINGLE DX										
2. MULTIPLE DX	309	20.5	269	5	6	15	27	41	62	99
A. NOT OPERATED	228	19.1	222	4	5	14	26	35	53	80
B. OPERATED	81	24.4	385	7	9	18	31	52	85	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	31.0	171	22	22	25	41	46	46	46
35-49	26	22.9	565	4	6	13	31	64	75	97
50-64	56	24.1	400	4	6	20	29	50	77	99+
65+	223	19.2	201	5	7	15	26	35	52	89
GRAND TOTAL	**309**	**20.5**	**269**	**5**	**6**	**15**	**27**	**41**	**62**	**99**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	6.0		6	6	6	6	6	6	6
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	36	5.4	70	1	1	3	5	11	19	48
65+	35	4.3	13	1	2	3	6	8	11	19
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	9.6	29	5	5	6	15	16	16	16
35-49	42	5.6	17	1	1	5	7	10	12	23
50-64	362	6.0	11	2	2	5	7	10	12	19
65+	624	6.2	16	2	2	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	11.0	69	4	4	8	16	23	23	23
35-49	14	4.9	8	1	2	5	7	8	10	10
50-64	104	4.2	7	1	2	4	6	8	10	13
65+	393	6.3	35	2	2	5	7	12	15	25
B. *Operated*										
0-19 YRS	4	5.5	6	3	3	5	7	9	9	9
20-34	8	9.9	62	3	3	8	11	23	28	28
35-49	108	7.9	31	2	2	7	10	13	21	29
50-64	1197	8.0	41	2	3	6	10	14	18	29
65+	2581	8.4	40	2	3	7	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	5.0	39	1	1	3	6	10	14	41
B. *Operated*	1034	6.1	14	2	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	515	5.9	30	1	2	4	7	11	14	24
B. *Operated*	3898	8.2	40	2	3	7	10	15	19	32
1. SINGLE DX	1111	6.0	16	2	2	5	7	10	13	22
2. MULTIPLE DX	4413	8.0	40	2	2	6	10	15	18	31
A. NOT OPERATED	592	5.7	31	1	2	4	7	11	14	24
B. OPERATED	4932	7.8	36	2	3	6	10	14	18	30
TOTAL 0-19 YRS	6	6.7	9	3	3	6	9	11	11	11
20-34	20	9.5	42	3	4	7	11	19	25	28
35-49	166	7.0	27	1	2	6	9	12	19	24
50-64	1699	7.2	35	2	2	6	9	13	16	27
65+	3633	7.7	36	2	2	6	9	14	18	31
GRAND TOTAL	**5524**	**7.6**	**36**	**2**	**2**	**6**	**9**	**14**	**18**	**29**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	11	16.1	108	4	5	15	26	31	34	34
65+	28	13.4	132	4	4	8	15	34	37	41
B. *Operated*										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	4	14.0	185	3	3	10	24	32	32	32
50-64	52	13.3	157	3	4	9	18	31	36	72
65+	130	12.7	107	2	3	10	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	40	14.2	121	4	5	9	20	34	36	41
B. *Operated*	187	13.0	122	2	4	10	17	27	34	63
1. SINGLE DX										
2. MULTIPLE DX	227	13.2	122	2	4	10	17	29	34	58
A. NOT OPERATED	40	14.2	121	4	5	9	20	34	36	41
B. OPERATED	187	13.0	122	2	4	10	17	27	34	63
TOTAL 0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49	5	14.6	140	3	3	17	21	32	32	32
50-64	63	13.8	148	3	4	9	18	31	35	69
65+	158	12.8	111	2	4	10	16	26	34	54
GRAND TOTAL	**227**	**13.2**	**122**	**2**	**4**	**10**	**17**	**29**	**34**	**58**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	8	3	3	6	8	10	10	10
20-34	6	7.0	8	3	3	7	9	11	11	11
35-49	29	6.3	22	1	2	5	8	11	13	25
50-64	81	6.0	19	2	2	5	7	10	13	27
65+	281	9.7	75	2	3	8	12	17	26	48
B. *Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	12	7.7	55	1	2	4	11	19	25	26
35-49	10	5.5	5	2	3	6	6	8	10	10
50-64	23	8.7	25	2	3	8	12	16	18	19
65+	43	7.7	54	2	2	6	10	12	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.8	101	2	3	6	8	19	37	40
20-34	18	6.4	21	2	2	4	8	15	16	16
35-49	139	8.1	34	2	3	7	10	15	23	39
50-64	722	10.0	61	3	3	8	12	18	25	46
65+	3482	10.7	66	3	4	9	13	20	26	42
B. *Operated*										
0-19 YRS	4	12.0	29	7	7	11	16	18	18	18
20-34	9	7.8	33	3	3	5	10	17	19	19
35-49	68	12.7	151	2	4	8	17	27	38	96
50-64	226	11.6	121	2	3	9	13	23	32	62
65+	583	15.0	183	3	4	11	18	31	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	8.6	61	2	3	7	10	16	22	45
B. *Operated*	90	7.7	40	2	2	6	10	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	4373	10.4	65	3	4	8	13	20	26	42
B. *Operated*	890	13.9	165	3	4	10	17	28	39	73
1. SINGLE DX	491	8.5	57	2	3	6	10	15	21	44
2. MULTIPLE DX	5263	11.0	83	3	4	9	13	21	28	50
A. NOT OPERATED	4774	10.3	65	3	3	8	13	19	25	43
B. OPERATED	980	13.3	157	3	4	9	16	27	38	72
TOTAL 0-19 YRS	22	8.7	62	3	4	7	9	16	27	40
20-34	45	7.1	29	2	3	5	9	15	17	26
35-49	246	9.0	69	2	3	7	11	20	26	79
50-64	1052	10.0	72	2	3	8	12	18	25	49
65+	4389	11.2	85	3	4	9	14	21	28	49
GRAND TOTAL	**5754**	**10.8**	**81**	**3**	**3**	**8**	**13**	**21**	**27**	**49**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	31	3	3	7	12	14	14	14
20-34	2	36.0	1250	11	11	36	61	61	61	61
35-49	44	15.5	189	3	5	11	16	39	48	68
50-64	265	13.7	145	4	5	10	15	28	37	79
65+	1478	13.8	108	4	5	11	17	26	33	59
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	9	20.4	448	9	9	15	18	53	76	76
35-49	25	15.2	186	4	4	9	20	37	46	54
50-64	71	15.9	255	4	4	10	16	40	61	95
65+	230	19.6	238	5	6	16	26	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1792	13.8	116	4	5	11	17	26	34	64
B. *Operated*	337	18.5	243	4	5	13	25	38	55	99+
1. SINGLE DX										
2. MULTIPLE DX	2129	14.6	139	4	5	11	18	28	38	75
A. NOT OPERATED	1792	13.8	116	4	5	11	17	26	34	64
B. OPERATED	337	18.5	243	4	5	13	25	38	55	99+
TOTAL 0-19 YRS	5	7.6	18	3	3	7	10	14	14	14
20-34	11	23.3	523	9	9	15	19	67	75	76
35-49	69	15.3	185	4	4	10	18	38	48	65
50-64	336	14.2	168	4	5	10	15	31	41	80
65+	1708	14.6	129	4	5	11	18	28	36	73
GRAND TOTAL	**2129**	**14.6**	**139**	**4**	**5**	**11**	**18**	**28**	**38**	**75**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	3.0	4	<1	<1	3	4	5	7	9
35-49	68	3.4	4	1	1	3	4	6	8	10
50-64	245	3.5	6	1	1	3	4	6	8	11
65+	691	3.8	7	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	5.9	53	1	1	4	6	18	23	23
35-49	34	4.0	7	2	2	3	4	6	11	14
50-64	126	4.0	6	2	2	3	5	8	10	11
65+	147	4.9	12	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	13	<1	1	3	6	9	13	14
20-34	37	3.9	18	<1	1	3	4	7	12	24
35-49	271	4.6	13	1	2	4	6	8	10	18
50-64	1442	4.8	10	1	2	4	6	8	11	16
65+	7001	5.5	15	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.9	5	2	2	4	6	8	9	9
35-49	116	5.7	18	2	2	5	7	10	14	22
50-64	599	6.7	26	2	2	5	8	13	16	26
65+	1396	7.5	39	2	2	6	10	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	3.7	6	1	1	3	5	7	8	13
B. *Operated*	316	4.5	10	2	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	8764	5.3	14	2	2	4	7	9	12	19
B. *Operated*	2121	7.2	34	2	2	6	9	14	17	28
1. SINGLE DX	1340	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	10885	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	9788	5.2	14	2	2	4	6	9	12	19
B. OPERATED	2437	6.8	32	2	2	5	9	13	17	28
TOTAL 0-19 YRS	15	4.3	12	<1	1	3	6	7	12	14
20-34	74	4.0	16	<1	1	3	4	7	9	24
35-49	489	4.6	13	1	2	4	6	8	11	17
50-64	2412	5.1	14	1	2	4	6	9	12	20
65+	9235	5.6	19	2	2	5	7	10	13	22
GRAND TOTAL	**12225**	**5.5**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	12.7	280	3	3	3	25	32	32	32
20-34	8	3.8	10	1	1	3	4	9	11	11
35-49	28	8.5	86	<1	2	6	9	17	26	48
50-64	174	7.9	83	1	2	6	9	15	27	45
65+	646	9.6	74	2	3	7	11	19	26	50
B. *Operated*										
0-19 YRS	4	9.3	56	1	1	9	15	17	17	17
20-34	3	7.3	14	3	3	9	10	10	10	10
35-49	12	10.2	75	2	2	8	15	24	27	28
50-64	28	8.9	33	2	3	7	13	17	20	21
65+	43	9.7	109	2	2	7	10	22	32	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.9	25	2	3	8	13	17	18	18
20-34	23	5.5	15	<1	1	5	8	12	13	14
35-49	153	8.7	73	2	3	7	9	14	22	56
50-64	1043	9.9	108	2	3	7	11	19	26	64
65+	5677	11.1	86	3	4	9	14	21	28	51
B. *Operated*										
0-19 YRS	4	15.8	237	3	3	11	25	38	38	38
20-34	16	10.3	59	2	3	8	15	17	27	31
35-49	49	9.9	49	2	3	9	13	21	27	99+
50-64	274	12.0	156	3	3	9	14	22	35	90
65+	691	16.5	226	3	4	11	21	35	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	9.2	77	2	3	7	11	18	26	48
B. *Operated*	90	9.4	73	2	2	7	12	20	23	48
2. MULTIPLE DX										
A. *Not Operated*	6918	10.9	89	3	3	8	13	21	27	53
B. *Operated*	1034	14.9	201	3	4	10	18	32	45	88
1. SINGLE DX	949	9.2	76	2	2	7	11	18	26	48
2. MULTIPLE DX	7952	11.4	105	3	3	9	14	22	30	58
A. NOT OPERATED	7777	10.7	88	2	3	8	13	20	27	52
B. OPERATED	1124	14.4	193	3	4	10	17	31	44	86
TOTAL 0-19 YRS	33	10.1	67	1	2	9	13	17	30	38
20-34	50	6.9	33	1	1	5	9	14	17	31
35-49	242	9.0	69	2	3	7	11	17	24	56
50-64	1519	10.0	113	2	3	7	11	19	27	64
65+	7057	11.5	102	3	4	9	14	22	30	56
GRAND TOTAL	**8901**	**11.1**	**103**	**2**	**3**	**8**	**13**	**22**	**29**	**56**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	37	1	3	7	9	18	23	23
20-34	6	20.5	785	3	3	10	15	71	77	77
35-49	67	9.1	45	3	3	7	12	20	23	89
50-64	420	11.8	108	3	3	9	14	22	32	57
65+	2093	13.4	107	3	4	11	17	26	33	59
B. *Operated*										
0-19 YRS	3	23.0	1143	2	2	5	48	62	62	62
20-34	4	18.0	205	7	7	13	26	39	39	39
35-49	22	15.0	124	4	6	14	23	56	99+	99+
50-64	73	14.2	216	4	4	9	19	32	57	99+
65+	208	18.4	181	5	6	15	25	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2597	13.0	108	3	4	10	16	25	32	58
B. *Operated*	310	17.2	193	4	5	13	23	38	56	99+
1. SINGLE DX										
2. MULTIPLE DX	2907	13.5	118	3	4	10	17	27	35	66
A. NOT OPERATED	2597	13.0	108	3	4	10	16	25	32	58
B. OPERATED	310	17.2	193	4	5	13	23	38	56	99+
TOTAL 0-19 YRS	14	11.5	243	1	2	7	9	27	54	62
20-34	10	19.5	506	3	5	12	15	58	77	77
35-49	89	10.5	70	3	3	8	15	23	36	99+
50-64	493	12.2	124	3	4	9	15	25	33	63
65+	2301	13.8	116	3	4	11	17	27	35	64
GRAND TOTAL	**2907**	**13.5**	**118**	**3**	**4**	**10**	**17**	**27**	**35**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	1	2	2	3	4	5	5	5
20-34	19	3.8	4	<1	1	3	6	7	8	8
35-49	64	3.7	7	1	1	3	4	7	9	16
50-64	87	3.7	3	1	2	3	5	7	7	9
65+	170	4.9	14	2	2	4	6	10	12	19
B. *Operated*										
0-19 YRS	5	4.6	34	2	2	2	6	15	15	15
20-34	11	10.0	42	1	2	12	15	18	20	20
35-49	31	10.0	50	2	2	9	14	23	25	99+
50-64	52	7.5	45	2	2	5	11	14	23	31
65+	62	4.7	15	1	2	3	6	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	26	1	2	5	6	10	18	24
20-34	58	5.1	22	1	2	4	6	9	14	30
35-49	262	5.3	17	1	2	4	7	9	12	16
50-64	633	6.3	35	2	2	5	7	11	16	37
65+	2445	7.6	53	2	2	6	9	14	19	41
B. *Operated*										
0-19 YRS	11	14.2	179	2	2	6	25	33	41	42
20-34	25	11.0	119	2	2	5	14	25	36	47
35-49	75	11.0	149	2	2	7	13	24	35	69
50-64	226	10.2	119	2	2	7	13	23	33	71
65+	464	9.0	71	2	2	7	11	18	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.3	10	1	2	3	5	8	10	16
B. *Operated*	161	7.0	37	2	2	4	11	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	3417	7.1	47	2	2	5	8	13	18	38
B. *Operated*	801	9.7	95	2	2	7	12	21	29	53
1. SINGLE DX	508	5.2	20	1	2	4	6	11	15	24
2. MULTIPLE DX	4218	7.6	57	2	2	6	9	14	21	42
A. NOT OPERATED	3764	6.9	44	2	2	5	8	13	17	37
B. OPERATED	962	9.2	86	2	2	7	11	19	27	52
TOTAL 0-19 YRS	42	7.4	76	2	2	4	6	22	27	42
20-34	113	6.6	49	1	2	4	8	15	20	38
35-49	432	6.4	47	1	2	5	8	12	17	40
50-64	998	7.0	55	2	2	5	8	13	20	41
65+	3141	7.6	53	2	2	6	9	14	20	41
GRAND TOTAL	**4726**	**7.3**	**53**	**2**	**2**	**5**	**9**	**14**	**20**	**41**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	10	3.4	5	1	1	2	5	7	7	7
65+	26	3.8	17	1	1	3	4	6	11	22
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	1	18.0		18	18	18	18	18	18	18
35-49	16	5.7	22	1	2	4	8	14	15	15
50-64	69	7.1	41	1	2	5	10	14	19	34
65+	99	6.4	46	1	1	4	9	12	16	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	20	4.9	23	<1	1	4	5	12	17	20
50-64	79	6.1	21	1	1	5	8	14	15	19
65+	388	7.4	34	2	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	6	3.7	3	1	1	4	5	6	6	6
20-34	22	6.3	53	1	2	4	7	13	22	34
35-49	117	9.3	54	2	2	8	13	16	27	32
50-64	609	10.7	90	2	2	9	13	22	28	55
65+	1378	14.0	133	2	3	11	18	29	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.9	13	1	1	3	5	7	8	22
B. *Operated*	187	6.6	42	1	2	4	9	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	491	7.0	32	2	2	5	9	14	17	31
B. *Operated*	2132	12.6	119	2	2	10	16	26	34	59
1. SINGLE DX	226	6.2	38	1	2	4	9	12	17	34
2. MULTIPLE DX	2623	11.6	107	2	2	9	15	24	32	54
A. NOT OPERATED	530	6.8	31	1	2	5	8	13	16	31
B. OPERATED	2319	12.2	115	2	2	10	15	25	33	57
TOTAL 0-19 YRS	11	4.1	8	<1	1	4	5	8	11	11
20-34	25	6.4	54	1	2	3	7	14	22	34
35-49	155	8.3	49	2	2	7	11	16	25	32
50-64	767	9.8	81	2	2	8	13	20	27	49
65+	1891	12.1	117	2	2	9	16	25	34	56
GRAND TOTAL	**2849**	**11.2**	**104**	**2**	**2**	**9**	**14**	**23**	**31**	**53**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	5.8	30	1	1	4	10	13	13	13
65+	32	5.2	25	<1	1	4	6	12	16	23
B. *Operated*										
0-19 YRS										
20-34	2	5.0	32	<1	<1	4	9	9	9	9
35-49	9	8.8	108	1	1	4	12	25	34	34
50-64	73	10.4	19	2	6	10	12	17	18	24
65+	143	10.3	29	2	2	11	13	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	8	3.6	9	<1	<1	3	6	8	9	9
50-64	42	3.8	8	1	1	3	5	8	9	11
65+	284	6.1	37	1	2	4	7	11	17	33
B. *Operated*										
0-19 YRS	6	11.2	24	4	4	11	16	17	17	17
20-34	6	15.8	96	3	3	15	27	27	27	27
35-49	23	13.1	292	2	2	9	17	33	89	99+
50-64	360	13.3	99	2	3	11	15	23	33	74
65+	1068	15.1	105	3	6	13	18	27	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.1	25	<1	1	4	7	13	15	23
B. *Operated*	227	10.2	28	2	2	10	13	17	19	27
2. MULTIPLE DX										
A. *Not Operated*	336	5.8	33	1	1	4	7	11	16	30
B. *Operated*	1463	14.6	106	3	5	12	17	26	33	66
1. SINGLE DX	264	9.5	31	1	2	10	12	17	18	27
2. MULTIPLE DX	1799	13.0	105	2	3	11	16	24	31	61
A. NOT OPERATED	373	5.7	32	1	1	4	7	11	16	29
B. OPERATED	1690	14.0	98	2	4	12	17	24	32	63
TOTAL 0-19 YRS	6	11.2	24	4	4	11	16	17	17	17
20-34	11	10.5	90	<1	<1	8	15	27	27	27
35-49	40	10.3	203	<1	1	7	12	26	56	99+
50-64	479	11.9	86	2	3	10	14	20	27	60
65+	1527	12.8	97	2	3	11	16	23	30	54
GRAND TOTAL	**2063**	**12.5**	**97**	**2**	**2**	**11**	**15**	**23**	**30**	**58**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	3	6.7	52	2	2	3	12	15	15	15
B. *Operated*										
0-19 YRS	8	4.5	12	2	2	3	7	10	10	10
20-34	6	3.2	7	1	1	2	6	7	7	7
35-49	16	8.4	27	2	3	8	10	15	21	23
50-64	39	6.9	18	1	2	7	10	12	15	17
65+	33	8.1	58	2	2	7	9	14	17	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	8	3.8	10	1	1	2	6	9	9	9
65+	26	6.4	23	1	1	6	9	11	16	22
B. *Operated*										
0-19 YRS	7	9.1	59	2	2	5	15	20	21	21
20-34	14	12.2	198	2	3	8	13	20	50	59
35-49	36	9.7	155	1	2	6	14	22	55	99+
50-64	95	12.4	113	2	2	9	16	26	36	53
65+	196	13.7	104	2	4	11	18	26	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	29	<1	<1	2	3	14	15	15
B. *Operated*	102	7.1	32	1	2	6	9	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	35	5.7	21	1	1	5	9	11	13	22
B. *Operated*	348	12.8	115	2	3	10	16	25	35	59
1. SINGLE DX	108	6.9	32	1	2	6	9	13	16	32
2. MULTIPLE DX	383	12.2	110	2	2	9	16	24	31	58
A. NOT OPERATED	41	5.5	21	<1	1	5	8	11	14	22
B. OPERATED	450	11.5	102	2	2	9	15	22	30	57
TOTAL 0-19 YRS	16	6.6	35	2	2	4	10	15	19	21
20-34	20	9.5	156	1	1	7	11	15	37	59
35-49	52	9.3	115	2	2	7	11	21	48	99
50-64	145	10.2	89	1	2	8	13	20	28	45
65+	258	12.2	96	2	3	10	16	23	29	49
GRAND TOTAL	**491**	**11.0**	**98**	**2**	**2**	**9**	**15**	**22**	**29**	**55**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	12.8	27	8	8	12	17	19	19	19
35-49	12	5.7	15	1	1	5	9	11	12	12
50-64	25	4.4	10	<1	1	3	7	10	10	11
65+	29	6.0	13	1	2	6	8	11	13	15
B. *Operated*										
0-19 YRS	5	7.0	38	1	1	4	13	15	15	15
20-34	14	7.5	48	<1	1	6	10	18	24	26
35-49	95	6.7	18	1	2	6	10	13	15	16
50-64	225	7.8	27	2	2	8	10	14	17	27
65+	201	8.5	55	1	2	7	11	15	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	7.4	23	1	1	8	11	14	15	15
35-49	35	6.7	10	2	2	7	9	11	13	15
50-64	88	5.8	29	1	1	4	8	11	15	30
65+	201	7.6	31	1	2	6	10	15	19	27
B. *Operated*										
0-19 YRS	7	5.0	5	2	2	5	7	8	8	8
20-34	37	9.5	84	1	2	8	12	17	25	52
35-49	238	10.1	66	2	3	9	12	17	23	44
50-64	1031	10.6	74	2	2	9	13	18	24	52
65+	1894	12.4	97	2	3	10	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.8	16	1	1	5	8	11	13	18
B. *Operated*	540	7.9	37	1	2	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	334	7.0	28	1	2	6	9	14	17	27
B. *Operated*	3207	11.6	88	2	3	10	14	21	28	52
1. SINGLE DX	610	7.6	35	1	2	7	10	14	17	26
2. MULTIPLE DX	3541	11.2	84	2	2	9	14	20	27	50
A. NOT OPERATED	404	6.8	26	1	2	6	9	13	15	27
B. OPERATED	3747	11.0	82	2	2	9	14	20	26	50
TOTAL 0-19 YRS	13	6.2	18	1	2	5	9	13	15	15
20-34	64	9.0	64	1	2	8	11	17	22	48
35-49	380	8.8	50	2	2	8	11	15	20	39
50-64	1369	9.7	65	2	2	9	12	17	22	47
65+	2325	11.6	90	2	2	10	14	22	28	49
GRAND TOTAL	**4151**	**10.6**	**78**	**2**	**2**	**9**	**13**	**19**	**26**	**48**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	5.5	12	1	2	5	7	11	12	18
20-34	16	3.6	3	1	2	3	5	6	7	7
35-49	33	4.7	34	1	1	3	4	8	19	30
50-64	45	3.7	6	<1	1	3	5	7	8	9
65+	52	4.4	13	1	1	3	5	9	12	19
B. *Operated*										
0-19 YRS	22	7.8	69	1	2	7	9	14	29	39
20-34	42	6.6	55	1	2	4	7	14	24	37
35-49	80	6.5	32	2	2	5	8	12	16	33
50-64	200	6.0	31	1	2	4	9	12	16	30
65+	219	6.6	32	1	1	5	9	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	5.4	17	1	1	4	7	12	15	18
20-34	49	4.9	8	2	2	4	7	8	9	15
35-49	109	6.1	28	2	2	4	7	11	21	24
50-64	247	5.8	25	1	2	5	7	13	15	28
65+	621	6.4	26	1	2	5	8	13	17	24
B. *Operated*										
0-19 YRS	37	6.8	63	2	2	3	7	17	25	38
20-34	44	11.6	107	2	2	9	16	24	32	50
35-49	216	8.2	104	2	2	5	10	18	24	56
50-64	730	10.6	115	2	2	8	13	22	33	62
65+	1298	11.9	114	2	2	9	15	24	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	4.7	14	1	2	4	6	9	11	19
B. *Operated*	563	6.4	35	1	2	4	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	1088	6.1	25	1	2	5	8	12	16	24
B. *Operated*	2325	11.1	114	2	2	8	14	23	31	61
1. SINGLE DX	809	5.9	29	1	2	4	8	12	16	27
2. MULTIPLE DX	3413	9.5	91	2	2	7	12	20	27	49
A. NOT OPERATED	1334	5.8	23	1	2	4	7	11	15	24
B. OPERATED	2888	10.1	102	2	2	8	13	22	29	50
TOTAL 0-19 YRS	221	5.9	28	1	2	4	8	11	15	31
20-34	151	7.2	58	1	2	5	8	16	23	39
35-49	438	7.1	68	2	2	4	9	16	21	38
50-64	1222	8.6	85	1	2	6	11	17	25	49
65+	2190	9.6	86	2	2	7	12	20	27	48
GRAND TOTAL	**4222**	**8.8**	**81**	**2**	**2**	**6**	**11**	**19**	**25**	**45**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	5.8	10	2	2	6	8	10	12	13
20-34	320	6.4	11	2	3	6	8	11	12	15
35-49	428	7.3	18	2	3	6	9	12	14	20
50-64	446	7.8	17	2	3	7	10	13	15	22
65+	383	7.2	10	3	4	7	9	11	14	17
B. Operated										
0-19 YRS	13	7.5	14	1	3	8	10	13	14	14
20-34	118	7.1	13	2	2	7	9	12	13	17
35-49	139	6.6	20	1	2	6	9	12	14	22
50-64	127	7.6	21	2	2	7	11	14	14	22
65+	123	7.9	19	2	2	8	11	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	7.3	19	2	3	6	10	13	16	18
20-34	283	7.9	20	2	3	7	10	13	16	24
35-49	645	8.3	20	3	4	8	10	14	17	23
50-64	1235	8.5	20	3	4	8	10	14	16	24
65+	2037	9.0	27	3	4	8	11	15	18	29
B. Operated										
0-19 YRS	7	6.7	22	2	2	5	11	13	13	13
20-34	127	8.6	34	2	2	8	12	15	18	28
35-49	283	8.6	40	2	3	8	11	15	19	31
50-64	387	9.7	43	3	3	8	12	17	21	30
65+	677	10.7	43	3	4	9	13	19	23	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1617	7.2	15	2	3	7	9	12	14	18
B. Operated	520	7.3	18	2	2	7	10	13	14	20
2. MULTIPLE DX										
A. Not Operated	4233	8.7	24	3	4	8	10	14	17	26
B. Operated	1481	9.8	42	2	3	9	12	17	22	31
1. SINGLE DX	2137	7.2	16	2	3	7	9	12	14	19
2. MULTIPLE DX	5714	9.0	29	3	4	8	11	15	18	28
A. NOT OPERATED	5850	8.3	22	3	4	8	10	14	16	25
B. OPERATED	2001	9.2	37	2	3	8	12	16	20	29
TOTAL 0-19 YRS	93	6.6	15	2	2	6	9	12	13	17
20-34	848	7.3	18	2	3	7	9	12	14	20
35-49	1495	7.9	24	2	3	7	10	14	16	25
50-64	2195	8.5	24	3	3	8	11	14	17	25
65+	3220	9.1	29	3	4	8	11	15	19	29
GRAND TOTAL	**7851**	**8.5**	**26**	**3**	**3**	**8**	**10**	**14**	**17**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	9	6.0	16	1	2	5	10	12	12	12
35-49	19	6.2	28	1	1	5	8	12	18	23
50-64	25	8.6	58	1	2	6	12	19	23	34
65+	46	9.0	51	2	3	8	10	16	23	40
B. Operated										
0-19 YRS	24	3.3	2	1	2	3	4	5	6	7
20-34	293	3.7	4	2	2	3	4	5	7	13
35-49	522	4.3	9	2	2	4	5	6	8	16
50-64	404	5.2	27	2	2	4	6	8	12	27
65+	154	8.8	60	2	3	6	11	20	25	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	21	9.2	56	1	2	7	13	19	25	31
35-49	64	9.1	65	1	2	8	11	17	21	51
50-64	135	9.3	64	2	3	7	12	16	21	47
65+	488	10.4	65	3	4	8	13	20	25	45
B. Operated										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	91	7.2	58	1	2	4	7	18	24	37
35-49	277	6.5	39	1	2	4	7	14	19	29
50-64	347	8.5	52	2	3	6	11	19	24	40
65+	467	14.6	167	3	3	11	19	31	40	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	8.1	46	1	2	7	10	15	21	37
B. Operated	1397	4.9	21	2	2	4	5	8	12	25
2. MULTIPLE DX										
A. Not Operated	711	10.0	65	2	3	8	12	19	24	46
B. Operated	1185	10.3	107	2	3	6	14	23	31	50
1. SINGLE DX	1496	5.1	23	2	2	4	5	9	13	27
2. MULTIPLE DX	1896	10.2	91	2	3	7	13	21	28	49
A. NOT OPERATED	810	9.8	63	2	3	8	12	19	23	43
B. OPERATED	2582	7.4	68	2	2	4	8	17	23	43
TOTAL 0-19 YRS	30	3.4	3	1	1	3	4	5	7	10
20-34	414	4.8	21	1	2	4	5	7	13	31
35-49	882	5.3	25	2	2	4	6	10	14	27
50-64	911	7.2	46	2	2	5	8	15	21	35
65+	1155	11.8	111	3	3	9	15	24	32	53
GRAND TOTAL	**3392**	**8.0**	**68**	**2**	**2**	**5**	**10**	**17**	**23**	**43**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	1	1	1	2	3	3	4	4
20-34	80	2.5	1	1	1	2	3	4	5	7
35-49	95	2.6	3	1	1	2	3	5	5	9
50-64	80	3.1	4	1	1	3	4	5	8	10
65+	45	2.9	4	<1	<1	2	4	6	7	10
B. *Operated*										
0-19 YRS	15	2.9	3	1	1	2	4	5	6	7
20-34	425	4.2	3	1	2	4	5	6	7	9
35-49	490	4.5	4	2	2	4	5	7	8	10
50-64	274	4.9	4	2	3	4	6	8	9	11
65+	94	5.1	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	2	1	1	3	3	4	6	6
20-34	129	2.7	2	1	1	2	4	5	5	7
35-49	253	3.2	5	1	1	3	4	6	7	11
50-64	307	3.5	5	1	1	3	4	6	8	11
65+	351	4.1	8	1	2	3	5	8	10	14
B. *Operated*										
0-19 YRS	44	4.3	3	2	2	4	5	6	7	10
20-34	1468	4.8	4	2	3	5	6	7	8	12
35-49	2581	5.1	6	2	3	5	6	8	9	14
50-64	1841	5.6	8	2	3	5	6	9	11	16
65+	971	6.2	14	3	3	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	2.7	3	1	1	2	3	5	6	9
B. *Operated*	1298	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1053	3.5	6	1	1	3	4	6	8	12
B. *Operated*	6905	5.3	7	2	3	5	6	8	10	15
1. SINGLE DX	1615	4.1	4	1	2	4	5	7	8	10
2. MULTIPLE DX	7958	5.1	8	2	2	5	6	8	10	15
A. NOT OPERATED	1370	3.4	5	1	1	3	4	6	8	12
B. OPERATED	8203	5.2	7	2	3	5	6	8	10	14
TOTAL 0-19 YRS	89	3.4	3	1	1	3	5	6	7	9
20-34	2102	4.5	4	1	2	4	5	7	8	11
35-49	3419	4.8	6	2	2	4	6	8	9	13
50-64	2502	5.2	8	2	2	5	6	8	10	15
65+	1461	5.6	12	2	2	5	7	10	12	17
GRAND TOTAL	**9573**	**4.9**	**7**	**2**	**2**	**4**	**6**	**8**	**10**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	14	1	1	2	5	8	14	15
20-34	118	6.6	25	1	2	6	9	12	13	30
35-49	119	6.9	19	1	2	7	9	13	14	22
50-64	139	6.8	23	1	2	6	9	12	15	25
65+	177	7.4	19	1	2	7	10	13	15	20
B. *Operated*										
0-19 YRS	111	2.2	2	1	1	2	2	3	5	9
20-34	264	3.7	13	<1	1	2	5	9	11	17
35-49	129	6.0	47	<1	1	3	8	12	16	40
50-64	112	5.8	18	1	2	5	9	11	13	20
65+	115	7.9	30	1	2	8	10	13	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.5	22	1	1	3	6	9	12	29
20-34	209	5.5	15	1	1	5	8	11	12	17
35-49	410	6.8	34	1	2	5	9	13	17	24
50-64	831	6.8	22	2	2	6	9	12	16	23
65+	1949	6.9	26	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	77	7.9	117	1	1	3	10	18	30	53
20-34	308	5.2	33	1	1	3	7	12	14	34
35-49	300	8.3	64	1	2	6	10	17	24	45
50-64	451	10.6	78	2	2	9	14	20	28	47
65+	807	11.3	94	2	3	9	14	21	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	6.8	22	1	2	6	9	12	14	24
B. *Operated*	731	4.8	24	<1	1	3	7	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	3478	6.7	25	2	2	6	9	12	15	25
B. *Operated*	1943	9.6	82	1	2	8	12	19	25	48
1. SINGLE DX	1318	5.7	24	1	1	4	8	11	13	24
2. MULTIPLE DX	5421	7.8	47	1	2	6	10	15	19	37
A. NOT OPERATED	4065	6.7	25	1	2	6	9	12	15	25
B. OPERATED	2674	8.3	70	1	1	6	11	17	22	46
TOTAL 0-19 YRS	301	4.5	43	1	1	2	4	10	15	40
20-34	899	5.0	23	<1	1	3	7	11	13	21
35-49	958	7.2	44	1	2	6	9	14	18	38
50-64	1533	7.8	41	2	2	7	10	15	19	33
65+	3048	8.2	47	2	2	7	10	15	20	38
GRAND TOTAL	**6739**	**7.4**	**43**	**1**	**2**	**6**	**10**	**14**	**19**	**34**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1978	2.7	7	1	1	2	3	5	5	8
20-34	434	3.1	2	1	2	3	4	5	6	8
35-49	200	3.4	3	1	1	3	4	6	7	9
50-64	85	4.0	6	1	2	3	5	7	9	12
65+	75	4.7	10	1	2	4	6	8	9	21
B. *Operated*										
0-19 YRS	454	1.9	1	<1	1	2	2	2	3	8
20-34	174	2.3	3	1	1	2	2	4	7	10
35-49	42	3.1	6	1	1	2	4	6	10	10
50-64	17	2.1	1	<1	1	2	3	3	4	4
65+	10	3.0	9	1	1	2	3	7	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4273	3.3	5	1	1	3	4	5	7	10
20-34	1147	3.6	4	1	2	3	4	6	7	12
35-49	719	4.3	7	2	2	4	5	7	9	13
50-64	705	5.4	11	2	2	5	7	10	11	17
65+	911	6.6	28	2	2	5	8	11	15	26
B. *Operated*										
0-19 YRS	565	2.8	11	1	1	2	3	5	8	15
20-34	188	4.4	17	1	1	3	5	9	12	24
35-49	107	5.8	31	1	1	4	7	12	16	29
50-64	110	6.9	72	1	1	5	9	13	16	58
65+	109	9.5	82	2	3	8	10	16	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2772	2.9	6	1	1	3	4	5	6	8
B. *Operated*	697	2.1	2	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	7755	4.0	9	1	2	3	5	7	9	15
B. *Operated*	1079	4.5	32	1	1	2	5	10	13	27
1. SINGLE DX	3469	2.7	5	1	1	2	3	5	6	9
2. MULTIPLE DX	8834	4.1	12	1	1	3	5	7	10	16
A. NOT OPERATED	10527	3.7	9	1	1	3	4	7	8	14
B. OPERATED	1776	3.5	22	1	1	2	4	8	11	22
TOTAL 0-19 YRS	7270	3.0	6	1	1	3	4	5	6	10
20-34	1943	3.5	5	1	1	3	4	6	7	12
35-49	1068	4.2	9	1	2	4	5	7	9	16
50-64	917	5.4	18	1	2	4	7	10	12	19
65+	1105	6.7	33	2	2	5	8	12	15	27
GRAND TOTAL	**12303**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2396	3.4	3	1	2	3	4	6	7	9
20-34	299	3.7	3	2	2	3	4	6	7	10
35-49	295	4.3	6	2	2	4	5	7	8	14
50-64	318	5.0	8	2	2	4	6	8	10	13
65+	318	5.2	9	2	2	4	7	9	10	16
B. *Operated*										
0-19 YRS	6	2.8	3	1	1	2	3	6	6	6
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	11	5.2	9	2	2	4	7	10	11	11
50-64	6	5.7	12	2	2	6	8	10	10	10
65+	6	6.0	18	1	1	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3143	4.0	6	1	2	3	5	7	8	13
20-34	823	4.5	8	2	2	4	5	8	9	16
35-49	1444	5.5	14	2	3	5	7	9	11	17
50-64	3196	6.5	19	2	3	5	8	11	14	22
65+	6229	7.0	20	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	47	10.3	168	2	2	7	10	20	33	79
20-34	44	6.6	19	1	3	6	8	12	17	21
35-49	141	8.0	45	2	3	6	9	16	24	49
50-64	273	9.4	53	2	3	7	12	17	24	39
65+	461	11.2	73	3	4	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3626	3.8	5	1	2	3	5	6	8	11
B. *Operated*	32	4.7	10	1	1	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	14835	6.0	17	2	2	5	7	11	13	21
B. *Operated*	966	9.9	67	2	3	8	12	20	26	43
1. SINGLE DX	3658	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	15801	6.2	21	2	2	5	8	11	14	24
A. NOT OPERATED	18461	5.6	15	2	2	5	7	10	13	20
B. OPERATED	998	9.8	66	2	3	8	12	19	25	43
TOTAL 0-19 YRS	5592	3.8	7	1	2	3	5	6	8	12
20-34	1169	4.4	8	2	2	4	5	7	9	16
35-49	1891	5.5	15	2	2	5	7	9	12	22
50-64	3793	6.6	22	2	3	5	8	12	15	24
65+	7014	7.2	24	2	3	6	9	13	16	26
GRAND TOTAL	**19459**	**5.8**	**19**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	264	1.9	1	1	1	2	2	3	3	4
20-34	655	2.0	1	1	1	2	3	3	4	4
35-49	367	2.1	1	1	1	2	3	3	4	6
50-64	183	2.1	1	1	1	2	3	3	4	6
65+	44	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	17	1.6	1	<1	<1	1	2	3	4	4
35-49	11	1.3		<1	<1	1	1	2	3	3
50-64	18	2.6	6	<1	<1	1	4	6	8	9
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	609	2.0	1	<1	1	2	3	3	4	5
20-34	1838	2.2	1	1	1	2	3	3	4	6
35-49	1319	2.4	2	1	1	2	3	4	5	7
50-64	677	2.5	2	1	1	2	3	4	5	9
65+	176	2.6	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	1513	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	57	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	4619	2.3	2	1	1	2	3	4	4	7
1. SINGLE DX	1515	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX	4676	2.3	2	1	1	2	3	4	4	7
A. NOT OPERATED	59	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	6132	2.2	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	881	2.0	1	1	1	2	2	3	4	5
20-34	2510	2.1	1	1	1	2	3	3	4	6
35-49	1697	2.3	2	1	1	2	3	4	4	7
50-64	880	2.4	2	1	1	2	3	4	5	9
65+	223	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**6191**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	27	2.1	1	<1	1	2	3	3	4	4
20-34	27	2.1	1	<1	<1	2	3	4	4	4
35-49	35	2.3	2	<1	1	2	3	3	4	9
50-64	62	2.4	2	1	1	2	3	4	5	8
65+	26	2.3	1	<1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	62	2.8	3	1	1	2	3	5	7	9
20-34	101	2.2	1	<1	1	2	3	4	5	6
35-49	136	2.8	2	1	1	2	3	5	6	8
50-64	148	3.0	3	1	1	3	4	5	6	10
65+	99	3.1	3	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	177	2.3	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	11	2.2	3	<1	<1	2	3	5	6	6
B. *Operated*	546	2.8	3	1	1	2	3	5	6	8
1. SINGLE DX	179	2.3	1	<1	1	2	3	3	4	7
2. MULTIPLE DX	557	2.8	3	1	1	2	3	5	6	8
A. NOT OPERATED	13	2.0	2	<1	<1	1	2	4	6	6
B. OPERATED	723	2.6	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	93	2.5	3	1	1	2	3	4	6	9
20-34	130	2.2	1	<1	1	2	3	4	5	6
35-49	174	2.6	2	1	1	2	3	4	6	8
50-64	211	2.8	3	1	1	2	3	5	5	9
65+	128	2.9	2	1	1	3	4	4	5	8
GRAND TOTAL	**736**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**6**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	2	<1	<1	1	2	4	5	6
20-34	20	2.5	2	<1	<1	2	3	4	5	6
35-49	8	2.3	1	1	1	2	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9658	1.8	2	<1	1	2	2	2	3	4
20-34	2622	1.9	1	1	1	2	2	3	3	5
35-49	331	2.1	1	1	1	2	2	3	4	6
50-64	69	2.3	1	1	1	2	3	4	4	6
65+	24	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	1.7	2	<1	<1	1	2	4	4	7
20-34	31	2.1	2	<1	<1	1	3	5	5	6
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	7113	1.7	1	<1	1	2	2	2	3	4
20-34	698	2.3	2	1	1	2	3	3	4	7
35-49	167	2.7	5	1	1	2	3	4	6	11
50-64	34	3.2	6	1	1	2	4	7	9	12
65+	17	2.5	4	1	1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	12704	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	242	1.7	2	<1	<1	1	2	4	5	7
B. *Operated*	8029	1.8	1	<1	1	2	2	2	3	5
1. SINGLE DX	12790	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX	8271	1.8	1	<1	1	2	2	3	3	5
A. NOT OPERATED	328	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	20733	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	17034	1.8	1	<1	1	2	2	2	3	4
20-34	3371	2.0	1	1	1	2	2	3	4	5
35-49	511	2.3	2	1	1	2	3	3	4	8
50-64	103	2.6	3	1	1	2	3	4	6	10
65+	42	2.1	2	1	1	2	2	4	6	7
GRAND TOTAL	**21061**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.7	3	<1	1	2	3	5	6	9
20-34	308	3.1	2	1	2	3	4	5	6	9
35-49	145	3.1	4	1	1	3	4	6	7	11
50-64	60	3.5	6	1	1	3	4	7	8	14
65+	37	3.2	6	<1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	553	2.8	14	<1	1	2	3	4	7	16
20-34	741	2.4	3	1	1	2	3	4	5	8
35-49	664	2.4	2	<1	1	2	3	4	5	9
50-64	575	2.4	3	<1	1	2	3	4	5	10
65+	255	2.4	4	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	3.8	6	1	1	3	5	7	8	12
20-34	385	3.9	5	1	2	3	5	7	8	12
35-49	323	4.3	7	1	2	4	5	7	9	14
50-64	271	5.3	15	1	2	4	7	9	14	20
65+	232	4.8	12	1	2	4	6	9	11	14
B. *Operated*										
0-19 YRS	621	3.4	13	<1	1	2	4	7	10	21
20-34	894	3.0	7	1	1	2	3	5	7	13
35-49	891	3.4	10	1	1	3	4	6	9	15
50-64	822	3.8	12	1	1	3	4	8	11	19
65+	514	4.6	46	1	1	3	5	8	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	3.0	3	1	1	3	4	5	6	10
B. *Operated*	2788	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1745	4.3	8	1	2	4	5	7	10	15
B. *Operated*	3742	3.6	15	1	1	3	4	7	10	19
1. SINGLE DX	3757	2.6	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	5487	3.8	13	1	1	3	4	7	10	18
A. NOT OPERATED	2714	3.8	7	1	1	3	5	7	8	14
B. OPERATED	6530	3.1	11	1	1	2	3	5	8	17
TOTAL 0-19 YRS	2127	3.2	9	1	1	2	4	6	8	15
20-34	2328	3.0	5	1	1	3	4	5	7	11
35-49	2023	3.2	7	1	1	3	4	6	8	13
50-64	1728	3.5	10	1	1	2	4	7	10	18
65+	1038	4.1	28	1	1	3	4	8	12	23
GRAND TOTAL	**9244**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5709	3.8	5	1	2	3	5	6	8	11
20-34	1136	4.6	6	2	2	4	6	8	9	12
35-49	944	5.2	8	2	3	4	6	8	10	15
50-64	986	6.0	13	2	3	5	7	10	12	17
65+	1471	6.9	16	3	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	42	5.9	17	1	2	5	8	11	14	19
20-34	42	8.1	35	2	2	7	10	18	20	24
35-49	56	9.8	51	2	3	8	12	18	26	37
50-64	107	8.4	25	1	2	8	11	15	20	22
65+	98	9.4	35	2	3	9	12	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7890	4.6	10	2	2	4	5	8	10	15
20-34	1663	5.9	14	2	3	5	7	10	12	20
35-49	2203	6.7	18	2	3	6	8	12	14	20
50-64	4936	7.7	26	3	3	7	9	13	16	25
65+	16296	9.3	38	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	231	10.6	72	2	3	8	14	23	30	45
20-34	168	12.8	91	3	4	10	16	26	33	46
35-49	351	13.6	131	4	5	10	16	24	37	65
50-64	802	13.8	133	3	5	11	17	25	33	71
65+	1865	15.7	117	5	6	13	19	29	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10246	4.7	9	2	2	4	6	8	10	15
B. *Operated*	345	8.6	33	2	2	8	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	32988	7.6	31	2	3	6	9	14	17	28
B. *Operated*	3417	14.5	120	4	5	12	18	27	35	62
1. SINGLE DX	10591	4.8	10	2	2	4	6	8	10	16
2. MULTIPLE DX	36405	8.3	43	2	3	7	10	15	20	34
A. NOT OPERATED	43234	6.9	27	2	3	6	9	13	16	26
B. OPERATED	3762	14.0	115	3	5	11	17	26	35	62
TOTAL 0-19 YRS	13872	4.4	10	2	2	4	5	7	10	15
20-34	3009	5.8	19	2	2	5	7	10	13	24
35-49	3554	7.0	32	2	3	6	8	12	16	28
50-64	6831	8.2	41	3	3	7	10	14	18	33
65+	19730	9.8	48	3	4	8	12	17	22	37
GRAND TOTAL	**46996**	**7.5**	**38**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.0	2	1	2	3	4	5	6	8
20-34	325	3.5	3	1	2	3	4	6	7	9
35-49	193	4.2	7	2	2	4	5	7	8	12
50-64	163	4.5	8	2	2	4	5	8	10	16
65+	158	5.2	9	2	2	5	7	9	10	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	8.5	23	2	2	9	12	13	13	13
65+	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	3.3	4	1	2	3	4	6	7	10
20-34	683	3.8	5	1	2	3	4	6	8	11
35-49	492	4.8	8	2	2	4	6	8	10	14
50-64	683	5.3	9	2	2	5	7	9	11	16
65+	1412	6.6	17	2	3	6	8	11	14	22
B. *Operated*										
0-19 YRS	8	10.1	75	1	2	8	12	24	29	29
20-34	17	6.9	27	3	3	4	8	15	18	20
35-49	19	8.8	38	2	3	6	12	18	22	25
50-64	33	9.0	28	4	5	7	12	16	20	27
65+	58	11.8	64	5	5	10	12	21	31	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1086	3.9	6	1	2	3	5	7	8	12
B. *Operated*	6	9.2	17	2	3	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	3871	5.1	12	2	2	4	6	9	11	18
B. *Operated*	135	10.0	49	3	4	8	12	17	26	40
1. SINGLE DX	1092	3.9	6	1	2	3	5	7	9	13
2. MULTIPLE DX	4006	5.3	14	2	2	4	6	10	12	20
A. NOT OPERATED	4957	4.9	11	2	2	4	6	9	11	17
B. OPERATED	141	10.0	48	3	4	8	12	17	26	40
TOTAL 0-19 YRS	856	3.3	4	1	2	3	4	6	7	11
20-34	1025	3.7	5	1	2	3	4	6	8	11
35-49	704	4.7	9	2	2	4	6	8	10	15
50-64	883	5.3	11	2	2	5	7	9	12	17
65+	1630	6.6	19	2	3	6	8	12	14	24
GRAND TOTAL	**5098**	**5.0**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	3.2	3	1	1	3	4	5	6	9
20-34	132	3.9	4	2	2	3	5	7	8	10
35-49	157	4.4	6	2	2	4	5	8	9	12
50-64	292	5.5	8	2	3	5	7	9	11	16
65+	281	5.8	11	2	2	5	7	10	13	16
B. *Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	3	4	4	4
20-34	22	4.6	29	1	1	3	5	9	16	26
35-49	26	4.2	13	1	1	3	5	9	12	17
50-64	44	3.3	11	<1	1	2	4	6	9	20
65+	28	4.9	11	1	1	4	7	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	915	4.0	9	1	2	3	5	7	9	14
20-34	330	4.6	9	1	2	4	5	8	10	15
35-49	603	5.6	13	2	2	5	7	10	12	19
50-64	1471	6.6	27	2	3	5	8	11	15	28
65+	2550	7.4	28	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	25	7.6	94	2	2	4	8	12	27	50
20-34	47	5.7	15	2	2	4	8	12	14	16
35-49	133	8.2	65	1	2	6	10	16	28	38
50-64	261	7.8	75	2	2	6	9	14	21	47
65+	330	8.7	72	2	2	7	11	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1475	4.3	7	1	2	4	5	8	9	14
B. *Operated*	130	3.9	14	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	5869	6.3	24	2	2	5	8	11	14	26
B. *Operated*	796	8.1	69	2	2	6	10	15	22	46
1. SINGLE DX	1605	4.3	8	1	2	4	5	8	9	14
2. MULTIPLE DX	6665	6.6	29	2	2	5	8	12	15	28
A. NOT OPERATED	7344	5.9	21	2	2	5	7	11	14	24
B. OPERATED	926	7.5	64	1	2	5	9	15	20	45
TOTAL 0-19 YRS	1563	3.7	8	1	2	3	5	6	8	13
20-34	531	4.5	9	1	2	4	5	8	10	15
35-49	919	5.7	20	2	2	4	7	10	13	24
50-64	2068	6.5	30	2	2	5	8	11	15	29
65+	3189	7.4	31	2	3	6	9	13	17	29
GRAND TOTAL	**8270**	**6.1**	**26**	**2**	**2**	**5**	**8**	**11**	**14**	**26**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	16	4.4	3	1	2	4	6	7	8	8
50-64	72	5.2	12	2	2	4	7	9	12	18
65+	80	6.5	65	2	2	5	7	10	15	56
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	10.0		10	10	10	10	10	10	10
35-49	8	8.4	16	3	4	8	10	15	16	16
50-64	7	5.3	10	1	1	6	8	9	9	9
65+	3	4.3	6	2	2	4	6	7	7	.
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.0	7	1	1	4	6	8	8	8
35-49	76	6.8	21	2	2	5	9	13	16	23
50-64	468	7.4	25	2	3	6	9	13	17	30
65+	881	7.7	31	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	13	10.3	24	2	4	9	14	17	18	18
35-49	26	13.7	97	3	4	12	20	24	34	44
50-64	47	12.5	160	2	3	9	16	30	48	99+
65+	98	13.7	130	3	4	10	17	28	43	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	5.7	36	2	2	4	7	9	14	24
B. *Operated*	21	6.9	13	1	2	7	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	1432	7.6	28	2	3	6	9	14	18	29
B. *Operated*	186	13.2	124	3	4	10	17	26	40	64
1. SINGLE DX	191	5.9	34	2	2	5	7	10	14	23
2. MULTIPLE DX	1618	8.2	43	2	3	7	10	15	21	38
A. NOT OPERATED	1602	7.4	29	2	3	6	9	14	17	29
B. OPERATED	207	12.5	117	2	3	9	16	24	36	62
TOTAL 0-19 YRS	4	8.0	47	3	3	5	12	18	18	18
20-34	23	8.0	25	1	2	8	11	16	17	18
35-49	126	8.0	43	2	3	6	10	16	21	34
50-64	594	7.5	36	2	3	6	9	14	18	35
65+	1062	8.2	46	2	3	6	10	15	20	39
GRAND TOTAL	**1809**	**8.0**	**42**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5655	3.1	3	1	1	3	4	5	6	9
20-34	1175	3.6	3	1	2	3	4	6	7	9
35-49	1019	4.3	6	1	2	4	5	7	9	13
50-64	993	5.0	10	2	2	4	6	8	10	17
65+	697	5.3	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	27	3.4	4	1	1	3	4	6	8	9
20-34	12	4.7	7	<1	1	4	6	8	11	11
35-49	16	5.6	25	<1	2	4	6	16	18	18
50-64	19	5.6	16	1	2	5	7	12	15	15
65+	15	8.1	13	1	3	9	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4116	3.7	5	1	2	3	5	6	7	12
20-34	1314	4.5	7	2	2	4	6	8	9	14
35-49	1871	5.4	14	2	2	5	7	9	12	19
50-64	3154	6.3	19	2	3	5	8	11	13	21
65+	3889	7.0	22	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	82	9.7	164	2	3	6	9	19	29	82
20-34	46	7.5	21	2	3	6	10	13	18	21
35-49	122	9.3	49	3	3	7	12	19	24	59
50-64	191	12.2	109	3	4	9	15	22	28	65
65+	182	11.8	77	3	4	10	14	20	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9539	3.6	5	1	2	3	4	6	8	11
B. *Operated*	89	5.2	14	1	2	4	7	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	14344	5.5	16	2	2	5	7	10	12	20
B. *Operated*	623	10.8	90	3	4	8	13	20	26	57
1. SINGLE DX	9628	3.7	5	1	2	3	4	6	8	12
2. MULTIPLE DX	14967	5.7	20	2	2	5	7	10	13	22
A. NOT OPERATED	23883	4.8	12	1	2	4	6	9	11	18
B. OPERATED	712	10.1	84	2	3	8	12	19	24	56
TOTAL 0-19 YRS	9880	3.4	6	1	2	3	4	6	7	11
20-34	2547	4.1	6	1	2	4	5	7	9	12
35-49	3028	5.2	14	2	2	4	7	9	12	19
50-64	4357	6.3	23	2	2	5	8	11	14	23
65+	4783	7.0	23	2	3	6	8	12	15	25
GRAND TOTAL	**24595**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.3	9	1	1	4	7	9	10	10
20-34	16	4.3	4	<1	2	5	6	7	7	7
35-49	99	5.3	20	1	2	4	6	10	15	25
50-64	616	6.2	21	2	2	5	8	11	14	21
65+	712	6.3	24	2	3	5	8	11	13	21
B. *Operated*										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	9	7.6	69	<1	<1	5	10	22	26	26
35-49	12	7.6	17	2	3	7	11	13	14	14
50-64	31	5.4	20	1	2	4	6	10	13	24
65+	27	6.4	19	1	2	5	9	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	8.4	22	2	3	8	11	14	17	23
20-34	84	6.6	25	2	2	5	9	13	16	25
35-49	520	6.1	23	2	2	5	7	11	14	22
50-64	3292	7.5	37	2	3	6	9	13	18	29
65+	6180	7.8	34	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	29	10.4	41	2	2	10	14	22	24	99+
20-34	17	7.4	24	2	2	6	11	14	17	18
35-49	87	9.3	130	2	2	7	10	19	23	72
50-64	404	10.1	81	2	3	8	12	19	26	54
65+	645	11.9	95	3	4	9	15	22	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1460	6.1	22	2	2	5	8	11	14	21
B. *Operated*	82	6.2	24	1	2	5	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	10196	7.6	35	2	3	6	9	14	18	30
B. *Operated*	1182	11.0	91	2	3	8	14	21	27	60
1. SINGLE DX	1542	6.1	22	2	2	5	8	11	14	21
2. MULTIPLE DX	11378	8.0	42	2	3	6	10	14	19	33
A. NOT OPERATED	11656	7.4	33	2	3	6	9	13	18	29
B. OPERATED	1264	10.7	88	2	3	8	13	20	27	55
TOTAL 0-19 YRS	169	8.3	26	2	2	8	11	15	19	27
20-34	126	6.5	25	1	2	5	8	14	16	25
35-49	718	6.4	36	2	2	5	7	11	15	27
50-64	4343	7.5	40	2	3	6	9	14	18	33
65+	7564	8.0	40	2	3	6	10	15	19	33
GRAND TOTAL	**12920**	**7.7**	**40**	**2**	**3**	**6**	**9**	**14**	**19**	**32**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	6	1	1	3	4	6	11	12
20-34	125	3.3	6	1	1	2	4	6	8	12
35-49	35	3.6	5	1	1	3	4	7	8	10
50-64	11	4.0	3	1	2	4	6	7	7	7
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	99	5.7	8	2	3	5	7	10	11	15
20-34	476	5.9	11	3	3	5	7	10	12	19
35-49	170	5.7	13	2	2	5	7	10	12	21
50-64	55	7.7	35	3	3	5	10	14	20	33
65+	38	7.8	32	3	3	5	10	14	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	25	1	1	3	5	11	17	22
20-34	50	5.4	18	1	1	5	7	12	14	19
35-49	24	5.2	16	2	2	4	7	9	14	20
50-64	45	7.3	31	2	3	6	8	13	21	28
65+	83	8.1	27	2	3	7	11	15	21	24
B. *Operated*										
0-19 YRS	36	10.9	72	4	4	8	13	22	31	40
20-34	148	9.2	34	3	4	8	11	17	20	28
35-49	126	10.0	61	3	4	8	12	19	26	40
50-64	210	11.4	76	3	3	9	15	23	30	41
65+	280	12.5	102	3	4	10	16	25	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	3.4	6	1	1	3	4	6	8	12
B. *Operated*	838	6.0	14	2	3	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	222	6.8	26	1	2	6	8	13	18	24
B. *Operated*	800	11.1	76	3	4	8	14	22	30	44
1. SINGLE DX	1063	5.5	13	2	2	5	7	10	12	20
2. MULTIPLE DX	1022	10.2	69	2	3	8	13	20	27	42
A. NOT OPERATED	447	5.1	18	1	1	4	6	10	13	22
B. OPERATED	1638	8.5	51	3	3	6	10	17	22	39
TOTAL 0-19 YRS	206	6.0	26	1	2	5	7	11	14	30
20-34	799	6.0	18	2	2	5	7	11	15	22
35-49	355	7.0	35	2	2	5	9	13	19	35
50-64	321	9.9	65	2	3	7	12	21	27	38
65+	404	11.1	84	3	3	8	14	22	31	48
GRAND TOTAL	**2085**	**7.8**	**46**	**2**	**2**	**6**	**9**	**16**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	609	2.9	5	1	1	2	4	5	6	12
20-34	196	3.6	11	1	1	3	4	7	9	20
35-49	189	4.0	7	1	1	3	5	8	9	13
50-64	195	4.7	14	1	2	4	6	9	11	23
65+	280	5.6	15	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	97	4.0	20	<1	1	2	5	10	15	21
20-34	103	5.6	42	1	1	4	7	11	16	36
35-49	124	6.9	40	1	1	5	9	15	20	32
50-64	190	6.3	32	1	1	4	9	14	18	28
65+	187	7.0	47	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	979	4.3	17	1	1	3	5	8	11	25
20-34	453	5.0	19	1	1	4	6	10	12	22
35-49	770	5.8	23	1	2	4	7	11	14	27
50-64	1947	6.7	30	2	2	5	8	13	16	27
65+	5074	8.2	44	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	245	10.0	174	1	1	5	13	24	35	70
20-34	233	9.5	78	1	2	7	12	21	28	50
35-49	469	9.4	72	1	2	7	12	19	26	40
50-64	986	11.0	110	2	2	8	14	23	31	55
65+	1597	12.7	128	2	3	9	17	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1469	3.9	10	1	1	3	5	7	11	16
B. *Operated*	701	6.2	38	1	1	4	8	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	9223	7.1	37	2	2	6	9	13	18	29
B. *Operated*	3530	11.4	117	2	2	9	15	24	32	56
1. SINGLE DX	2170	4.6	20	1	1	3	6	10	13	23
2. MULTIPLE DX	12753	8.3	63	2	2	6	10	16	22	41
A. NOT OPERATED	10692	6.7	34	1	2	5	8	13	17	28
B. OPERATED	4231	10.5	107	1	2	8	14	22	30	54
TOTAL 0-19 YRS	1930	4.6	38	1	1	3	5	9	14	31
20-34	985	5.8	38	1	1	4	7	12	17	32
35-49	1552	6.7	41	1	2	5	9	14	19	32
50-64	3318	7.9	57	2	2	6	10	15	21	39
65+	7138	9.1	66	2	3	7	11	18	23	42
GRAND TOTAL	**14923**	**7.8**	**58**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	3	1	1	3	4	5	6	8
20-34	30	3.8	8	1	1	3	5	7	9	15
35-49	18	5.2	24	<1	1	3	4	14	16	17
50-64	15	2.5	1	<1	1	3	3	4	4	4
65+	6	8.2	85	1	1	3	19	21	21	21
B. *Operated*										
0-19 YRS	1082	2.1	2	<1	<1	2	3	4	4	7
20-34	1016	2.9	3	1	1	3	4	5	5	9
35-49	552	3.0	3	1	1	3	4	5	5	10
50-64	275	2.8	1	1	2	3	3	4	5	6
65+	108	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.0	5	<1	<1	2	4	6	7	11
20-34	88	3.9	11	1	1	3	5	7	11	17
35-49	71	4.2	23	<1	1	2	6	9	11	30
50-64	63	4.3	14	1	1	3	6	9	11	21
65+	49	5.6	26	1	1	4	6	13	19	25
B. *Operated*										
0-19 YRS	1098	2.4	3	<1	<1	2	3	4	5	8
20-34	893	3.2	7	1	1	3	4	5	7	13
35-49	644	3.3	8	1	2	3	4	5	7	12
50-64	629	3.6	19	1	2	3	4	7	8	21
65+	478	3.5	9	1	2	3	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.8	14	1	1	3	4	6	14	20
B. *Operated*	3033	2.6	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	397	3.9	14	<1	1	3	5	8	11	20
B. *Operated*	3742	3.1	9	1	1	2	4	5	7	13
1. SINGLE DX	3136	2.7	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	4139	3.2	9	<1	1	2	4	5	7	15
A. NOT OPERATED	500	3.9	14	<1	1	3	5	8	11	20
B. OPERATED	6775	2.9	6	<1	1	2	4	5	6	11
TOTAL 0-19 YRS	2340	2.3	3	<1	<1	2	3	4	5	8
20-34	2027	3.1	5	1	1	3	4	5	6	12
35-49	1285	3.2	7	1	2	3	4	5	7	13
50-64	982	3.4	14	1	2	3	4	6	8	17
65+	641	3.6	10	1	2	3	4	6	9	19
GRAND TOTAL	**7275**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.1	3	1	1	3	4	5	7	10
20-34	31	3.7	4	1	1	3	4	7	8	8
35-49	22	4.0	7	1	2	3	5	6	9	14
50-64	17	4.6	13	1	2	4	5	9	14	16
65+	24	5.5	13	1	2	5	7	11	13	15
B. *Operated*										
0-19 YRS	137	3.1	3	<1	1	3	4	5	7	9
20-34	128	3.3	6	<1	1	3	4	5	8	13
35-49	129	2.8	2	1	1	3	3	5	7	8
50-64	111	3.0	4	<1	1	3	4	5	6	12
65+	98	2.8	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.8	4	1	2	3	5	6	8	11
20-34	51	4.9	11	2	2	4	6	8	14	17
35-49	50	5.3	15	1	1	5	7	10	12	19
50-64	68	5.9	16	1	2	5	8	12	15	18
65+	143	6.7	22	2	2	6	8	12	17	23
B. *Operated*										
0-19 YRS	89	3.6	7	1	1	3	4	6	9	15
20-34	100	4.1	19	1	1	3	4	8	12	25
35-49	134	4.4	20	1	2	3	5	9	13	24
50-64	159	4.3	13	1	2	3	5	8	11	22
65+	224	5.5	67	1	2	3	6	10	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.8	7	1	1	3	5	7	9	15
B. *Operated*	603	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	483	5.2	14	1	2	4	6	10	13	19
B. *Operated*	706	4.6	32	1	2	3	5	9	12	24
1. SINGLE DX	775	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1189	4.8	25	1	2	4	6	9	12	22
A. NOT OPERATED	655	4.8	12	1	2	4	6	9	12	18
B. OPERATED	1309	3.9	19	1	1	3	4	7	10	18
TOTAL 0-19 YRS	475	3.4	4	1	1	3	4	6	7	11
20-34	310	3.9	11	1	1	3	4	7	9	16
35-49	335	3.9	12	1	1	3	4	7	11	17
50-64	355	4.2	11	1	2	3	5	8	11	18
65+	489	5.3	40	1	2	4	7	10	14	25
GRAND TOTAL	**1964**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	368	3.1	6	1	1	2	4	6	9	13
20-34	209	3.0	4	1	1	2	4	5	7	12
35-49	332	3.1	4	1	1	3	4	5	7	11
50-64	221	3.4	4	1	1	3	4	6	7	10
65+	172	3.8	9	1	1	3	4	7	9	14
B. *Operated*										
0-19 YRS	179	6.1	49	<1	<1	4	9	13	17	30
20-34	98	4.8	14	<1	1	4	6	9	12	20
35-49	128	5.1	16	<1	1	4	7	10	13	20
50-64	113	5.0	26	1	1	4	7	11	12	63
65+	127	5.1	27	1	1	4	7	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	476	4.3	11	1	1	3	6	8	10	19
20-34	655	3.9	6	1	2	3	5	7	9	13
35-49	1338	4.1	7	1	2	4	5	7	9	14
50-64	1598	4.5	10	1	2	4	5	8	10	16
65+	1936	5.2	13	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	305	12.6	204	1	2	8	16	29	48	75
20-34	288	6.6	39	2	2	5	8	11	16	25
35-49	581	6.2	23	1	2	5	8	11	16	23
50-64	933	6.7	38	1	2	5	8	13	17	32
65+	1337	7.9	61	1	2	6	10	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	3.2	5	1	1	3	4	6	8	12
B. *Operated*	645	5.3	29	<1	1	4	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	6003	4.5	10	1	2	4	6	8	10	16
B. *Operated*	3444	7.6	62	1	2	6	9	15	20	42
1. SINGLE DX	1947	3.9	14	1	1	3	5	8	10	18
2. MULTIPLE DX	9447	5.7	31	1	2	4	7	10	14	29
A. NOT OPERATED	7305	4.3	10	1	2	4	5	8	10	16
B. OPERATED	4089	7.2	57	1	2	5	9	14	20	41
TOTAL 0-19 YRS	1328	6.1	72	1	1	3	7	12	19	53
20-34	1250	4.4	16	1	2	3	5	8	11	19
35-49	2379	4.5	12	1	2	4	6	8	10	18
50-64	2865	5.1	21	1	2	4	6	10	12	24
65+	3572	6.1	33	1	2	5	7	11	16	29
GRAND TOTAL	**11394**	**5.4**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	5	1	1	3	5	7	8	9
20-34	89	4.0	6	1	2	3	5	8	9	11
35-49	172	4.0	5	1	2	4	5	7	8	11
50-64	98	3.9	5	1	2	3	5	7	9	11
65+	78	4.5	6	1	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	11	4.0	2	2	2	4	5	6	6	6
20-34	40	7.1	29	2	3	6	8	15	20	25
35-49	93	6.8	22	1	2	6	8	12	16	26
50-64	93	6.9	27	1	2	5	9	14	17	26
65+	56	5.3	11	1	1	5	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	4	1	2	4	5	7	8	9
20-34	186	5.0	10	2	2	4	6	9	11	16
35-49	370	5.2	13	2	2	4	6	8	12	21
50-64	491	5.6	12	2	2	5	7	10	13	17
65+	765	6.1	15	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	8	8.0	23	2	3	6	12	15	15	15
20-34	94	7.2	36	2	2	5	10	12	18	36
35-49	311	7.6	52	2	2	6	10	14	17	31
50-64	457	7.7	30	2	3	7	9	13	17	34
65+	686	8.1	34	2	3	7	10	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	4.1	5	1	2	4	5	7	9	11
B. *Operated*	293	6.5	22	1	2	5	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	1838	5.6	13	2	2	5	7	10	13	19
B. *Operated*	1556	7.8	37	2	3	6	10	14	18	33
1. SINGLE DX	752	5.0	13	1	2	4	6	9	11	19
2. MULTIPLE DX	3394	6.6	25	2	2	5	8	12	15	26
A. NOT OPERATED	2297	5.3	12	2	2	4	7	9	12	18
B. OPERATED	1849	7.6	34	2	3	6	9	14	18	30
TOTAL 0-19 YRS	67	4.2	8	1	2	4	5	7	10	15
20-34	409	5.5	18	2	2	4	7	10	13	19
35-49	946	5.9	27	2	2	5	7	11	14	26
50-64	1139	6.4	21	2	2	5	8	12	14	25
65+	1585	6.8	24	2	3	6	8	12	16	26
GRAND TOTAL	**4146**	**6.3**	**23**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	2	2	2	3	4	5	6	6
20-34	48	4.1	3	2	2	4	5	7	7	10
35-49	81	4.6	6	2	2	4	6	8	9	13
50-64	90	5.0	9	2	2	4	6	8	10	18
65+	104	5.3	18	2	3	4	6	8	10	26
B. *Operated*										
0-19 YRS	5	6.2	13	2	2	7	9	10	10	10
20-34	21	7.3	8	3	4	7	9	11	12	13
35-49	61	7.2	14	2	3	7	10	11	15	18
50-64	92	7.1	20	2	3	6	9	12	17	23
65+	74	8.4	23	2	3	8	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	24	2	2	5	6	12	19	22
20-34	70	4.2	5	1	2	4	6	8	8	9
35-49	168	5.7	33	2	2	5	6	9	10	29
50-64	337	5.9	11	2	3	5	7	10	13	18
65+	839	7.5	31	3	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	6	10.3	23	5	5	10	14	17	17	17
20-34	39	7.5	55	2	2	6	10	12	13	47
35-49	141	10.2	58	3	3	8	12	19	28	36
50-64	382	10.0	65	3	3	8	13	18	23	41
65+	877	10.8	71	3	4	8	13	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	4.8	10	2	2	4	6	8	9	13
B. *Operated*	253	7.5	19	2	3	7	10	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	1432	6.7	26	2	3	6	8	11	15	24
B. *Operated*	1445	10.4	68	3	4	8	13	19	26	43
1. SINGLE DX	585	6.0	15	2	2	5	8	10	12	19
2. MULTIPLE DX	2877	8.6	50	3	3	7	10	16	21	40
A. NOT OPERATED	1764	6.4	23	2	3	5	7	11	14	23
B. OPERATED	1698	10.0	62	3	3	8	12	18	25	41
TOTAL 0-19 YRS	38	6.0	21	2	2	5	7	13	16	22
20-34	178	5.2	18	2	2	4	7	9	11	14
35-49	451	7.1	38	2	3	5	8	12	16	33
50-64	901	7.7	39	2	3	6	9	14	18	31
65+	1894	8.9	52	3	3	7	11	17	22	40
GRAND TOTAL	**3462**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.2	4	1	1	3	4	5	7	10
20-34	620	3.3	4	1	1	3	4	6	7	9
35-49	655	3.7	4	1	2	3	5	6	8	11
50-64	364	3.9	5	1	2	3	5	7	8	12
65+	170	4.1	5	2	2	4	5	7	9	11
B. *Operated*										
0-19 YRS	9	6.3	13	<1	1	7	9	11	11	11
20-34	70	7.4	8	3	4	7	8	10	11	19
35-49	115	8.9	24	3	3	8	10	15	19	26
50-64	58	7.3	15	2	3	7	9	11	13	23
65+	25	8.0	34	<1	<1	7		17	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.1	6	1	2	3	5	8	9	12
20-34	767	4.2	6	1	2	4	5	7	9	13
35-49	1240	4.5	8	1	2	4	6	8	10	15
50-64	1292	4.9	10	2	2	4	6	8	10	15
65+	1462	5.7	17	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	14	6.4	21	1	1	6	9	13	16	17
20-34	137	8.6	61	2	3	7	10	16	19	51
35-49	295	8.4	34	2	3	7	10	16	20	31
50-64	336	9.2	89	2	3	7	11	16	22	48
65+	274	9.6	48	3	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1955	3.6	4	1	2	3	4	6	7	11
B. *Operated*	277	8.0	19	2	3	8	10	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	4891	4.9	11	2	2	4	6	9	11	16
B. *Operated*	1056	9.0	59	2	3	7	11	16	21	36
1. SINGLE DX	2232	4.2	8	1	2	3	5	8	9	14
2. MULTIPLE DX	5947	5.6	22	2	2	4	7	10	13	22
A. NOT OPERATED	6846	4.5	9	1	2	4	6	8	10	15
B. OPERATED	1333	8.8	51	2	3	7	11	16	20	32
TOTAL 0-19 YRS	299	3.8	6	1	1	3	5	7	9	13
20-34	1594	4.4	12	1	2	3	5	8	10	17
35-49	2305	5.0	14	1	2	4	6	9	12	20
50-64	2050	5.5	25	2	2	4	7	10	13	22
65+	1931	6.2	22	2	2	5	8	11	14	25
GRAND TOTAL	**8179**	**5.2**	**19**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	4	2	2	4	6	7	7	10
20-34	226	3.9	4	1	2	4	5	6	7	10
35-49	270	4.4	5	2	2	4	5	7	8	11
50-64	268	4.8	5	2	2	4	6	8	9	12
65+	207	5.5	9	2	3	5	7	9	10	15
B. *Operated*										
0-19 YRS	11	6.9	24	2	2	6	9	14	18	18
20-34	98	7.8	10	4	5	7	9	12	13	22
35-49	114	8.4	12	4	5	8	10	14	15	18
50-64	99	8.8	16	4	5	8	11	15	17	21
65+	59	10.3	40	3	4	9	14	17	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	4	2	2	4	5	8	9	10
20-34	207	4.8	8	1	2	4	6	8	10	16
35-49	452	5.1	6	2	2	5	6	8	10	14
50-64	671	5.7	12	2	3	5	7	10	12	17
65+	1380	7.2	22	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	83	9.6	24	4	5	8	11	17	21	25
35-49	145	11.1	101	3	4	9	13	17	26	63
50-64	312	11.4	74	4	4	9	14	21	28	58
65+	622	13.6	114	4	5	11	16	25	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1007	4.6	6	2	2	4	6	8	9	12
B. *Operated*	381	8.6	18	4	5	8	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	2748	6.2	16	2	3	5	7	11	14	21
B. *Operated*	1165	12.4	97	4	5	10	15	22	29	61
1. SINGLE DX	1388	5.7	12	2	2	5	7	10	12	18
2. MULTIPLE DX	3913	8.1	48	2	3	6	10	15	20	37
A. NOT OPERATED	3755	5.8	14	2	3	5	7	10	13	20
B. OPERATED	1546	11.5	80	4	5	9	13	20	27	50
TOTAL 0-19 YRS	88	4.8	7	2	2	4	6	8	10	16
20-34	614	5.6	13	2	2	5	7	10	12	20
35-49	981	6.2	26	2	2	5	7	11	13	22
50-64	1350	7.1	32	2	3	6	9	12	16	30
65+	2268	8.9	55	3	3	7	10	16	21	38
GRAND TOTAL	**5301**	**7.5**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	6	5.5	13	1	1	5	8	11	11	11
35-49	12	4.4	3	1	2	4	5	6	8	8
50-64	13	5.1	7	1	2	4	7	9	10	10
65+	16	7.0	15	3	4	6	7	11	17	19
B. *Operated*										
0-19 YRS	2	26.0	18	23	23	26	29	29	29	29
20-34	15	8.2	23	2	3	7	9	14	20	22
35-49	38	11.3	26	4	7	10	14	18	21	27
50-64	34	10.7	20	4	6	10	14	17	20	21
65+	26	12.0	23	5	6	11	15	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	6.3	16	1	1	5	9	12	14	15
35-49	49	7.8	27	3	3	6	10	15	17	30
50-64	69	7.0	15	3	3	6	8	13	14	21
65+	141	8.5	24	3	3	8	10	14	20	26
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	30	17.8	200	3	5	11	22	45	47	54
35-49	74	13.0	79	4	6	11	15	21	31	53
50-64	107	16.4	168	5	6	13	19	30	36	76
65+	210	16.3	100	5	7	14	20	31	38	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.5	9	1	2	5	6	9	11	19
B. *Operated*	115	11.1	28	4	6	10	14	18	22	28
2. MULTIPLE DX										
A. *Not Operated*	276	7.8	22	3	3	7	10	14	18	25
B. *Operated*	423	15.8	121	5	6	13	19	30	38	56
1. SINGLE DX	165	9.4	29	3	4	8	12	17	21	26
2. MULTIPLE DX	699	12.7	97	3	4	10	15	25	32	49
A. NOT OPERATED	326	7.5	21	2	3	7	9	13	17	24
B. OPERATED	538	14.8	105	5	6	12	18	28	36	54
TOTAL 0-19 YRS	8	11.1	93	2	3	7	17	27	29	29
20-34	67	11.8	128	1	3	8	13	26	45	53
35-49	173	10.6	54	3	4	9	13	18	22	45
50-64	223	11.9	108	3	4	9	14	21	30	60
65+	393	12.8	79	3	4	10	16	25	31	43
GRAND TOTAL	**864**	**12.1**	**86**	**3**	**4**	**10**	**15**	**22**	**30**	**47**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	2.5	2	1	1	2	3	4	5	8
20-34	1070	3.0	4	1	1	3	4	5	6	9
35-49	817	3.3	4	1	1	3	4	6	7	11
50-64	458	3.5	5	1	1	3	4	6	8	12
65+	253	3.6	6	1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	31	5.4	188	<1	1	3	4	5	6	79
20-34	75	5.2	14	<1	2	4	6	11	14	16
35-49	96	5.8	24	1	2	5	7	10	13	29
50-64	66	5.4	20	<1	1	4	7	11	14	24
65+	31	5.1	13	<1	2	4	7	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1084	3.0	5	1	1	3	4	5	6	11
20-34	2171	3.7	7	1	2	3	5	6	8	12
35-49	2822	4.2	8	1	2	4	5	7	9	14
50-64	2589	4.7	9	2	2	4	6	8	10	16
65+	3107	5.4	17	2	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	77	4.4	10	1	1	3	6	8	12	16
20-34	393	6.2	28	2	2	5	8	11	15	27
35-49	584	7.4	44	2	2	6	9	14	17	30
50-64	689	7.4	42	2	3	6	9	14	17	37
65+	834	8.0	36	2	3	6	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3122	3.1	4	1	1	3	4	5	7	10
B. *Operated*	299	5.5	36	<1	1	4	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	11773	4.5	11	1	2	4	5	8	10	15
B. *Operated*	2577	7.3	38	2	2	6	9	14	17	31
1. SINGLE DX	3421	3.3	7	1	1	3	4	6	7	12
2. MULTIPLE DX	14350	5.0	17	1	2	4	6	9	12	20
A. NOT OPERATED	14895	4.2	9	1	2	3	5	7	9	15
B. OPERATED	2876	7.1	38	2	2	6	9	14	17	30
TOTAL 0-19 YRS	1716	3.0	8	1	1	2	3	5	6	11
20-34	3709	3.8	9	1	1	3	5	7	9	14
35-49	4319	4.5	14	1	2	4	5	8	10	18
50-64	3802	5.1	16	1	2	4	6	9	12	20
65+	4225	5.8	21	2	2	5	7	10	14	23
GRAND TOTAL	**17771**	**4.7**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.9	4	1	1	2	4	5	7	10
20-34	281	3.2	3	1	1	3	4	6	7	10
35-49	217	3.3	4	1	1	3	4	6	7	10
50-64	93	3.4	4	<1	1	3	4	6	7	11
65+	54	4.1	8	1	2	3	5	7	8	16
B. *Operated*										
0-19 YRS	107	3.7	3	2	2	3	4	6	7	9
20-34	25	7.3	100	1	2	5	8	12	22	53
35-49	20	10.7	33	2	3	10	15	19	20	21
50-64	18	13.8	117	3	5	10	15	29	40	46
65+	24	14.2	110	3	4	12	18	23	38	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	3.4	7	1	1	3	4	5	7	14
20-34	522	4.2	26	1	2	3	5	7	10	21
35-49	590	4.5	7	2	2	4	6	8	10	14
50-64	545	4.9	12	1	2	4	6	8	11	17
65+	590	5.8	19	1	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	42	5.3	17	2	2	4	7	9	10	25
20-34	97	10.6	86	2	3	8	13	25	33	43
35-49	162	10.4	60	2	3	8	14	21	24	42
50-64	213	12.3	112	2	3	10	15	24	30	76
65+	263	15.0	134	3	4	12	20	30	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	3.3	4	1	1	3	4	6	7	10
B. *Operated*	194	7.1	59	2	2	4	8	15	19	49
2. MULTIPLE DX										
A. *Not Operated*	2478	4.7	15	1	2	4	6	8	11	19
B. *Operated*	777	12.2	106	2	3	10	16	25	32	59
1. SINGLE DX	1006	4.0	17	1	1	3	4	7	10	19
2. MULTIPLE DX	3255	6.5	47	1	2	4	8	13	19	35
A. NOT OPERATED	3290	4.4	13	1	2	3	5	8	10	18
B. OPERATED	971	11.2	101	2	3	9	15	23	30	53
TOTAL 0-19 YRS	547	3.4	6	1	1	3	4	6	7	12
20-34	925	4.7	32	1	2	3	5	8	12	32
35-49	989	5.3	22	1	2	4	6	10	14	23
50-64	869	6.7	49	2	2	5	8	14	19	32
65+	931	8.5	72	2	2	6	10	18	25	43
GRAND TOTAL	**4261**	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	6
20-34	33	2.4	3	<1	1	2	3	4	6	8
35-49	7	4.0	3	2	2	4	6	6	6	6
50-64	4	3.8	14	1	1	3	6	9	9	9
65+	3	7.3	37	2	2	6	12	14	14	14
B. *Operated*										
0-19 YRS	3643	3.2	2	2	2	3	4	5	6	8
20-34	2366	3.5	2	2	2	3	4	5	6	8
35-49	823	4.0	4	2	2	4	5	6	7	11
50-64	282	4.6	5	2	2	4	6	7	9	13
65+	82	5.8	10	2	3	5	6	10	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	3	<1	1	2	3	5	7	7
20-34	6	2.8	9	1	1	2	2	8	9	9
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	10	5.9	10	1	2	5	8	10	11	11
B. *Operated*										
0-19 YRS	532	4.7	12	2	2	4	5	8	11	17
20-34	455	4.8	7	2	3	4	6	8	10	15
35-49	217	5.7	14	2	3	5	6	10	14	21
50-64	159	6.5	13	2	3	6	8	11	14	19
65+	131	7.9	14	3	4	7	10	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.7	4	<1	1	2	3	5	6	12
B. *Operated*	7196	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	35	3.5	8	1	1	2	5	8	10	11
B. *Operated*	1494	5.4	12	2	2	4	6	10	12	19
1. SINGLE DX	7279	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1529	5.3	12	2	2	4	6	10	11	19
A. NOT OPERATED	118	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	8690	3.8	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4224	3.4	3	2	2	3	4	5	6	10
20-34	2860	3.7	3	2	2	3	4	6	7	10
35-49	1050	4.3	6	2	2	4	5	7	8	16
50-64	448	5.3	9	2	3	5	6	10	11	16
65+	226	7.1	13	3	3	6	9	11	15	19
GRAND TOTAL	**8808**	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.4	12	<1	2	6	8	11	13	14
20-34	8	3.8	7	1	1	3	6	7	8	8
35-49	8	5.4	6	1	2	6	7	8	8	8
50-64	7	9.0	37	4	4	7	10	20	22	22
65+	3	6.0	3	4	4	7	7	7	7	7
B. *Operated*										
0-19 YRS	815	6.9	12	3	3	6	8	11	13	18
20-34	349	7.1	24	3	3	6	8	12	14	20
35-49	237	7.2	11	3	4	7	9	11	13	21
50-64	167	8.0	10	4	4	8	10	12	14	17
65+	103	8.9	18	4	5	8	10	12	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	15	1	1	7	9	11	12	12
20-34	4	9.3	66	2	2	7	15	20	20	20
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	7.6	11	4	4	7	9	13	13	13
65+	12	8.6	39	<1	1	8	15	17	18	18
B. *Operated*										
0-19 YRS	399	9.8	34	4	5	8	11	18	21	31
20-34	249	9.5	31	4	5	8	12	15	18	25
35-49	211	10.7	33	4	5	9	13	18	22	33
50-64	283	12.7	75	5	6	11	14	21	27	60
65+	303	14.3	103	6	7	12	16	23	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	6.1	15	1	1	6	7	10	12	22
B. *Operated*	1671	7.2	15	3	3	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	29	7.9	28	1	1	7	11	16	18	20
B. *Operated*	1445	11.4	59	5	5	10	13	19	24	47
1. SINGLE DX	1712	7.2	15	3	3	7	9	11	13	20
2. MULTIPLE DX	1474	11.3	59	4	5	9	13	19	24	46
A. NOT OPERATED	70	6.9	21	1	1	6	8	13	16	22
B. OPERATED	3116	9.2	40	3	4	8	11	15	19	32
TOTAL 0-19 YRS	1236	7.8	21	3	3	7	9	13	16	25
20-34	610	8.1	28	3	4	7	10	13	17	22
35-49	457	8.8	25	3	4	8	10	14	18	30
50-64	462	10.9	55	4	5	9	12	17	22	50
65+	421	12.7	86	5	6	10	14	21	27	52
GRAND TOTAL	**3186**	**9.1**	**39**	**3**	**4**	**8**	**11**	**15**	**19**	**32**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	1	1	1	2	2	4	5	7
20-34	37	2.0	1	1	1	2	3	3	4	4
35-49	15	1.9	1	<1	1	2	2	4	4	4
50-64	9	3.4	4	2	2	2	5	7	7	7
65+	5	3.2	5	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	354	3.7	3	2	2	3	4	6	7	10
20-34	253	4.1	4	2	2	4	5	7	8	12
35-49	59	4.8	6	2	2	4	7	9	10	11
50-64	23	5.0	7	2	2	5	6	8	11	13
65+	7	5.3	7	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	1	1	1	2	3	4	4	5
20-34	30	2.9	3	1	1	2	4	6	7	7
35-49	5	3.4	1	2	2	3	4	5	5	5
50-64	9	4.7	9	2	2	4	6	9	11	11
65+	11	6.6	34	1	2	6	8	15	21	22
B. *Operated*										
0-19 YRS	198	4.6	7	2	2	4	6	7	9	13
20-34	165	5.4	7	2	3	5	6	9	10	18
35-49	58	6.7	15	3	3	5	9	11	14	23
50-64	32	7.4	11	2	3	7	9	12	12	18
65+	17	9.1	17	3	3	8	11	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.1	2	1	1	2	2	4	5	7
B. *Operated*	696	4.0	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	89	3.2	8	1	1	3	4	6	7	18
B. *Operated*	470	5.5	10	2	3	5	7	9	11	18
1. SINGLE DX	825	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	559	5.1	10	2	2	4	6	9	11	18
A. NOT OPERATED	218	2.6	5	1	1	2	3	5	6	10
B. OPERATED	1166	4.6	7	2	2	4	5	8	9	14
TOTAL 0-19 YRS	649	3.7	4	1	2	3	5	6	7	11
20-34	485	4.3	6	2	2	4	5	7	9	13
35-49	137	5.2	11	1	2	4	7	9	11	18
50-64	73	5.8	11	2	2	6	7	10	12	17
65+	40	7.0	22	1	2	6	9	13	16	22
GRAND TOTAL	**1384**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.4	2	<1	<1	1	1	2	3	9
20-34	21	2.4	2	<1	<1	3	3	5	5	6
35-49	12	2.5	4	<1	<1	2	3	6	6	6
50-64	17	2.5	2	<1	<1	2	4	4	5	6
65+	13	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	2927	1.8	1	<1	<1	2	2	3	4	5
20-34	2517	3.1	2	1	2	3	4	5	5	7
35-49	2603	3.4	2	1	2	3	4	5	6	8
50-64	3232	3.7	3	2	2	3	4	5	6	8
65+	2325	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	1.6	11	<1	<1	1	1	3	4	12
20-34	29	2.1	2	<1	<1	1	3	4	5	6
35-49	34	2.9	4	<1	<1	2	4	6	8	9
50-64	60	2.4	3	<1	<1	2	3	4	6	9
65+	107	4.0	20	<1	<1	3	5	8	11	25
B. *Operated*										
0-19 YRS	1695	2.1	3	<1	<1	2	2	3	4	7
20-34	890	3.8	4	1	2	3	5	6	7	11
35-49	1326	4.2	5	2	2	4	5	6	8	14
50-64	2575	4.6	7	2	2	4	5	7	9	15
65+	3454	5.3	10	2	3	5	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.0	2	<1	<1	1	3	4	5	8
B. *Operated*	13604	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	363	2.6	12	<1	<1	1	3	5	7	14
B. *Operated*	9940	4.3	8	1	2	4	5	7	9	15
1. SINGLE DX	13706	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX	10303	4.2	9	1	2	4	5	7	9	15
A. NOT OPERATED	465	2.5	10	<1	<1	1	3	5	6	13
B. OPERATED	23544	3.6	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	4794	1.9	2	<1	<1	2	2	3	4	6
20-34	3457	3.3	2	1	2	3	4	5	6	8
35-49	3975	3.6	3	1	2	3	4	6	7	10
50-64	5884	4.1	5	2	2	4	5	6	8	12
65+	5899	4.8	8	2	2	4	6	8	10	15
GRAND TOTAL	**24009**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
B. Operated										
0-19 YRS	229	2.3	2	1	1	2	3	4	5	7
20-34	99	3.6	4	1	2	3	4	5	8	12
35-49	67	4.0	5	2	2	4	5	6	9	12
50-64	139	4.5	5	2	2	4	6	7	8	14
65+	192	4.9	8	2	2	4	6	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.6		<1	<1	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	3.3	6	2	2	2	5	7	7	7
65+	34	6.4	33	1	1	4	10	14	17	25
B. Operated										
0-19 YRS	176	3.1	8	1	1	2	3	6	8	13
20-34	54	4.4	5	2	2	4	5	7	9	13
35-49	58	5.9	17	1	2	5	7	11	15	19
50-64	144	6.4	19	2	3	5	8	12	15	20
65+	510	8.2	37	3	3	7	10	15	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.5	1	<1	<1	1	2	3	3	4
B. Operated	726	3.7	6	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	49	5.1	27	1	1	3	6	13	15	25
B. Operated	942	6.6	29	1	2	5	8	12	17	28
1. SINGLE DX	750	3.6	6	1	1	3	5	6	8	11
2. MULTIPLE DX	991	6.5	29	1	2	5	8	12	16	28
A. NOT OPERATED	73	3.9	21	<1	1	2	4	11	14	23
B. OPERATED	1668	5.3	21	1	2	4	7	10	14	23
TOTAL 0-19 YRS	421	2.6	5	1	1	2	3	4	6	11
20-34	157	3.8	4	1	2	3	4	6	9	12
35-49	131	4.7	11	1	2	4	6	10	11	16
50-64	291	5.4	13	2	2	4	6	9	12	19
65+	741	7.2	31	2	3	6	9	13	17	31
GRAND TOTAL	**1741**	**5.3**	**21**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. Operated										
0-19 YRS	701	2.0	1	<1	<1	2	2	3	3	5
20-34	169	3.0	3	1	1	3	4	5	6	8
35-49	192	3.1	2	1	1	3	4	5	5	8
50-64	134	3.5	3	1	2	3	4	6	7	9
65+	58	4.3	6	1	2	4	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	1.4	1	<1	<1	1	1	3	3	5
20-34	7	1.9	1	1	1	2	3	3	3	3
35-49	9	3.1	3	<1	<1	4	4	5	6	6
50-64	11	3.5	4	<1	<1	4	5	6	7	7
65+	9	3.7	10	1	1	3	4	9	11	11
B. Operated										
0-19 YRS	169	2.9	6	<1	1	2	3	5	8	18
20-34	108	3.9	3	2	[illegible]	4	5	6	7	10
35-49	147	4.6	11	1	[illegible]	4	6	8	10	21
50-64	173	4.8	7	2	[illegible]	4	6	8	9	14
65+	114	7.2	32	2	3	6	8	12	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	<1	<1	1	2	3	3	3
B. Operated	1254	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	67	2.3	4	<1	<1	1	3	5	5	10
B. Operated	711	4.5	13	1	2	4	6	8	10	19
1. SINGLE DX	1262	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	778	4.3	13	1	1	4	5	8	10	18
A. NOT OPERATED	75	2.3	3	<1	<1	1	3	5	5	10
B. OPERATED	1965	3.3	7	1	1	2	4	6	8	13
TOTAL 0-19 YRS	906	2.1	2	<1	<1	2	2	3	4	9
20-34	285	3.3	3	1	1	3	4	6	7	10
35-49	348	3.7	6	1	2	3	4	6	8	13
50-64	320	4.2	6	1	2	4	5	7	9	13
65+	181	6.1	25	1	2	5	7	10	14	29
GRAND TOTAL	**2040**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.0	7	<1	<1	2	4	7	8	8
35-49	8	2.1	1	1	1	2	3	3	3	3
50-64	8	2.5	5	1	1	2	3	6	7	7
65+	9	4.1	11	1	1	4	5	9	11	11
B. *Operated*										
0-19 YRS	97	2.2	2	1	1	2	3	4	5	8
20-34	236	4.0	4	1	2	4	5	6	7	11
35-49	471	4.8	6	2	2	4	6	8	9	12
50-64	495	5.3	7	2	3	5	7	8	10	14
65+	346	5.9	7	2	3	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	38	2.9	4	<1	<1	2	3	6	7	9
50-64	42	3.7	7	<1	<1	3	5	6	7	16
65+	68	4.6	16	1	2	4	6	8	10	26
B. *Operated*										
0-19 YRS	27	4.4	28	1	1	3	4	8	19	25
20-34	188	5.5	34	2	2	5	6	8	10	23
35-49	465	6.8	20	2	3	6	8	11	13	24
50-64	714	7.3	18	3	3	6	9	12	16	25
65+	713	7.9	20	3	3	7	10	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.0	6	1	1	2	4	7	8	11
B. *Operated*	1645	4.9	7	2	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	156	3.8	11	<1	1	3	5	7	9	16
B. *Operated*	2107	7.2	21	2	3	6	9	12	15	25
1. SINGLE DX	1677	4.9	7	1	2	4	6	8	10	13
2. MULTIPLE DX	2263	7.0	21	2	3	6	9	12	15	25
A. NOT OPERATED	188	3.6	10	<1	1	3	5	7	8	16
B. OPERATED	3752	6.2	16	2	3	5	8	10	13	21
TOTAL 0-19 YRS	125	2.7	8	1	1	2	3	4	7	20
20-34	438	4.6	18	1	2	4	5	7	8	17
35-49	982	5.6	14	2	2	5	7	10	12	20
50-64	1259	6.4	14	2	3	6	8	11	13	21
65+	1136	7.1	17	2	3	6	9	11	14	24
GRAND TOTAL	**3940**	**6.1**	**16**	**2**	**2**	**5**	**8**	**10**	**12**	**21**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	41	2.9	2	1	1	3	4	5	6	6
35-49	173	3.2	3	1	1	3	4	5	6	9
50-64	158	3.5	4	1	2	3	4	6	7	8
65+	109	3.5	5	1	2	3	4	6	6	14
B. *Operated*										
0-19 YRS	8	5.0	6	<1	1	5	7	8	8	8
20-34	14	4.6	6	1	2	5	6	7	9	9
35-49	23	7.2	30	<1	1	6	10	12	20	25
50-64	43	7.7	13	2	3	8	9	12	16	17
65+	22	7.2	17	1	2	7	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	8	1	2	3	5	6	11	14
20-34	283	3.8	5	1	2	3	5	7	9	12
35-49	926	4.0	6	1	2	3	5	7	8	13
50-64	1421	4.2	6	2	2	4	5	7	9	14
65+	1742	4.8	10	2	2	4	6	8	10	18
B. *Operated*										
0-19 YRS	13	8.5	35	1	3	6	11	18	20	20
20-34	131	6.9	18	1	2	7	9	11	15	22
35-49	357	7.6	29	2	2	7	9	13	16	32
50-64	433	8.0	23	2	3	7	10	14	17	25
65+	376	8.8	41	2	3	8	12	17	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	3.3	3	1	1	3	4	6	6	9
B. *Operated*	110	6.9	17	1	2	7	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	4391	4.4	8	2	2	4	5	8	9	15
B. *Operated*	1310	8.0	29	2	3	7	10	14	18	27
1. SINGLE DX	595	4.0	8	1	2	3	5	7	9	15
2. MULTIPLE DX	5701	5.2	15	2	2	4	6	10	12	20
A. NOT OPERATED	4876	4.3	7	2	2	4	5	7	9	15
B. OPERATED	1420	7.9	29	2	2	7	10	14	18	27
TOTAL 0-19 YRS	44	5.4	19	1	2	5	6	9	17	20
20-34	469	4.6	11	1	2	4	6	9	10	16
35-49	1479	4.8	14	1	2	4	6	9	11	20
50-64	2055	5.0	12	2	2	4	6	9	12	18
65+	2249	5.4	17	2	2	4	6	10	13	21
GRAND TOTAL	**6296**	**5.1**	**14**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	20	3.8	59	<1	1	2	3	4	20	36
20-34	42	3.5	2	1	2	3	4	6	6	6
35-49	80	3.8	4	1	2	3	5	6	8	13
50-64	62	4.3	4	1	2	4	5	8	8	11
65+	60	4.2	6	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	6.7	12	3	3	7	9	10	10	10
35-49	10	4.4	6	2	2	3	6	8	10	10
50-64	12	4.6	5	<1	1	5	6	7	8	8
65+	25	5.2	10	1	2	5	7	10	12	14
B. *Operated*										
0-19 YRS	6	2.0		2	2	2	2	2	2	2
20-34	30	5.4	20	2	2	4	5	10	17	23
35-49	48	5.9	35	2	2	4	7	9	15	39
50-64	72	7.0	13	3	3	6	9	12	14	18
65+	106	6.1	9	3	3	5	8	10	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	2	<1	<1	3	4	5	5	5
B. *Operated*	264	3.9	8	1	1	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	52	4.9	8	1	2	4	6	9	10	14
B. *Operated*	262	6.1	17	2	3	5	7	11	13	22
1. SINGLE DX	272	3.9	8	1	1	4	5	6	8	13
2. MULTIPLE DX	314	5.9	15	2	3	5	7	10	13	21
A. NOT OPERATED	60	4.6	8	1	1	4	6	8	10	14
B. OPERATED	526	5.0	14	1	2	4	6	9	11	19
TOTAL 0-19 YRS	28	3.2	42	1	1	2	2	4	8	36
20-34	78	4.3	10	2	2	4	5	6	9	21
35-49	141	4.5	16	2	2	4	5	7	10	23
50-64	147	5.6	11	1	2	5	7	10	12	16
65+	192	5.4	9	2	3	5	7	9	11	15
GRAND TOTAL	**586**	**5.0**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5		3	3	3	4	4	4	4
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	7	4.3	6	2	2	3	5	8	9	9
65+	17	3.7	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	65	2.6	5	1	1	2	3	4	7	14
20-34	93	3.8	9	1	2	3	4	8	11	15
35-49	168	4.4	7	1	2	4	5	8	10	13
50-64	173	5.6	12	2	2	5	7	10	13	18
65+	175	7.3	16	2	3	7	9	13	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	1.5		1	1	1	2	2	2	2
35-49	11	4.5	16	1	1	3	4	11	15	15
50-64	39	4.5	10	1	1	4	6	10	12	12
65+	112	5.7	15	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	19	9.1	210	2	2	4	7	22	48	63
20-34	50	5.7	13	2	2	5	7	12	13	16
35-49	173	7.1	16	2	3	7	9	12	14	18
50-64	320	8.7	41	3	3	7	11	16	20	34
65+	665	10.5	61	3	4	9	13	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.7	4	1	1	3	5	7	7	9
B. *Operated*	674	5.2	13	1	2	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	168	5.2	14	1	2	4	7	10	12	17
B. *Operated*	1227	9.4	52	3	3	7	12	17	22	35
1. SINGLE DX	709	5.1	12	1	2	4	7	9	12	17
2. MULTIPLE DX	1395	8.8	49	2	3	7	11	16	21	35
A. NOT OPERATED	203	4.9	13	1	2	4	6	9	12	17
B. OPERATED	1901	7.9	42	2	2	6	10	15	19	34
TOTAL 0-19 YRS	87	4.0	55	1	1	2	3	7	11	51
20-34	151	4.4	11	1	2	3	5	9	13	16
35-49	358	5.7	13	2	2	5	8	10	13	16
50-64	539	7.3	31	2	3	6	9	14	18	32
65+	969	9.3	51	2	3	7	12	17	22	35
GRAND TOTAL	**2104**	**7.6**	**40**	**2**	**2**	**6**	**10**	**14**	**19**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.9	6	1	1	2	3	5	8	12
20-34	186	4.2	7	1	2	4	5	7	9	13
35-49	306	4.4	8	1	2	4	5	8	11	13
50-64	351	4.9	9	1	2	4	6	9	10	14
65+	454	5.0	11	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	136	6.6	16	2	3	6	8	11	14	26
20-34	128	9.6	22	5	5	8	11	15	20	27
35-49	198	10.5	32	4	5	9	13	16	20	36
50-64	208	11.0	45	5	6	10	13	17	22	53
65+	200	11.9	38	5	6	10	14	21	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.3	5	1	1	3	4	6	8	12
20-34	219	5.4	29	1	2	4	7	9	11	30
35-49	465	5.7	15	1	2	5	7	11	14	20
50-64	869	6.3	25	2	2	5	8	11	14	30
65+	2373	7.2	35	2	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	167	9.9	35	4	5	9	12	17	22	34
20-34	216	11.7	57	4	6	10	13	20	26	44
35-49	409	14.5	124	5	6	11	16	29	38	73
50-64	681	15.7	106	6	7	13	19	28	37	51
65+	1496	16.6	118	6	7	14	20	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1448	4.5	9	1	2	4	6	8	11	14
B. *Operated*	870	10.2	35	4	5	9	12	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	4042	6.7	30	2	2	5	8	12	16	28
B. *Operated*	2969	15.4	110	5	7	12	19	28	37	63
1. SINGLE DX	2318	6.7	27	1	2	5	9	13	16	27
2. MULTIPLE DX	7011	10.4	83	2	3	8	13	20	27	48
A. NOT OPERATED	5490	6.1	26	1	2	5	8	11	14	25
B. OPERATED	3839	14.2	98	5	6	11	17	26	34	61
TOTAL 0-19 YRS	570	5.9	25	1	1	5	8	11	15	25
20-34	749	7.6	40	2	2	6	10	14	18	32
35-49	1378	8.7	66	2	2	7	11	16	22	45
50-64	2109	9.6	71	2	3	7	12	18	26	41
65+	4523	10.3	81	2	3	8	13	21	27	48
GRAND TOTAL	**9329**	**9.4**	**71**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3836	2.7	3	1	1	2	3	4	5	8
20-34	1939	2.6	3	1	1	2	3	4	5	8
35-49	975	3.1	6	1	1	3	4	5	7	10
50-64	627	3.3	5	1	1	3	4	6	7	12
65+	520	3.5	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	115	3.7	7	1	1	3	4	7	7	16
20-34	114	4.4	7	1	2	4	6	7	9	15
35-49	78	5.7	11	2	2	5	7	9	13	16
50-64	49	8.2	88	1	2	7	9	12	37	46
65+	22	6.3	20	1	2	5	8	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7526	3.3	5	1	1	3	4	6	7	12
20-34	3042	3.3	6	1	1	3	4	6	7	11
35-49	2236	4.3	10	1	2	3	5	8	10	16
50-64	2514	4.6	9	1	2	4	6	8	10	16
65+	4647	5.5	21	2	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	165	9.2	174	2	2	5	9	16	39	77
20-34	221	6.1	16	2	2	5	8	11	14	22
35-49	300	7.4	31	2	3	6	9	13	17	29
50-64	317	8.7	64	2	3	7	10	16	23	46
65+	505	11.2	100	3	4	9	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7897	2.8	4	1	1	2	3	5	6	10
B. *Operated*	378	5.1	21	1	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	19965	4.1	11	1	2	3	5	7	9	16
B. *Operated*	1508	9.0	78	2	3	7	10	17	23	46
1. SINGLE DX	8275	2.9	5	1	1	2	4	5	6	10
2. MULTIPLE DX	21473	4.4	17	1	2	3	5	8	10	20
A. NOT OPERATED	27862	3.7	9	1	1	3	4	7	9	15
B. OPERATED	1886	8.2	69	2	3	6	9	15	22	44
TOTAL 0-19 YRS	11642	3.2	7	1	1	3	4	5	7	12
20-34	5316	3.2	6	1	1	3	4	6	7	11
35-49	3589	4.2	12	1	2	3	5	8	10	17
50-64	3507	4.8	16	1	2	4	6	8	11	20
65+	5694	5.9	29	2	2	4	7	11	14	26
GRAND TOTAL	**29748**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	51	3.9	4	1	2	4	5	6	8	10
35-49	378	4.9	7	2	2	4	6	8	10	15
50-64	737	4.5	8	1	2	4	6	8	9	13
65+	806	4.6	8	1	2	4	6	8	10	14
B. Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	37	8.1	9	3	4	8	10	12	14	15
35-49	96	9.6	15	4	5	9	11	15	17	24
50-64	160	10.1	21	3	4	10	13	16	17	24
65+	110	10.5	40	3	4	10	13	17	20	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	49	4.5	9	2	2	3	6	9	11	14
35-49	513	5.1	9	2	2	4	7	9	11	15
50-64	1837	5.1	11	1	2	4	6	9	11	17
65+	5035	5.9	19	2	2	5	7	10	13	22
B. Operated										
0-19 YRS	2	12.0		12	12	12	12	12	12	12
20-34	39	9.1	25	3	4	8	11	16	23	99+
35-49	266	11.8	54	3	5	10	14	20	24	41
50-64	814	12.2	76	3	4	10	15	22	29	47
65+	1545	13.2	91	3	4	11	17	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1974	4.6	7	1	2	4	6	8	10	14
B. Operated	405	9.9	24	3	4	9	12	15	17	25
2. MULTIPLE DX										
A. Not Operated	7438	5.7	16	2	2	5	7	10	12	21
B. Operated	2666	12.7	82	3	4	11	16	23	30	49
1. SINGLE DX	2379	5.5	14	1	2	5	7	10	13	17
2. MULTIPLE DX	10104	7.5	43	2	2	6	9	15	19	33
A. NOT OPERATED	9412	5.4	14	2	2	5	7	9	12	19
B. OPERATED	3071	12.3	75	3	4	11	15	22	29	47
TOTAL 0-19 YRS	10	5.5	17	1	1	5	8	12	12	12
20-34	176	6.1	16	2	2	5	8	11	14	25
35-49	1253	6.8	26	2	2	5	9	12	16	25
50-64	3548	6.9	35	2	2	5	9	13	17	30
65+	7496	7.4	42	2	2	6	9	14	19	32
GRAND TOTAL	**12483**	**7.1**	**38**	**2**	**2**	**5**	**9**	**14**	**18**	**31**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.3	4	1	1	2	2	5	8	9
20-34	45	2.5	2	<1	1	2	3	4	5	6
35-49	42	3.2	5	<1	1	3	4	5	8	12
50-64	25	3.5	4	<1	1	3	4	7	8	9
65+	11	3.6	5	1	1	3	6	7	8	8
B. Operated										
0-19 YRS	159	2.6	2	1	1	2	3	4	5	8
20-34	953	3.1	3	1	1	3	4	5	6	9
35-49	910	3.3	6	1	1	3	4	5	7	10
50-64	401	3.5	5	1	1	3	4	6	7	12
65+	144	3.7	5	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	3.4	8	1	1	3	5	7	10	12
20-34	61	2.9	4	1	1	2	4	6	7	11
35-49	91	3.6	6	1	1	3	5	7	8	13
50-64	83	5.6	22	1	2	4	7	11	14	26
65+	77	7.5	78	1	2	5	9	13	30	49
B. Operated										
0-19 YRS	96	4.1	9	1	1	3	5	8	10	17
20-34	782	4.0	8	1	2	4	5	6	9	15
35-49	1157	4.5	13	2	2	4	5	7	9	18
50-64	820	5.2	22	2	2	4	6	9	13	22
65+	456	6.1	22	2	2	5	7	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.9	4	<1	1	2	4	5	7	9
B. Operated	2567	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	346	4.8	28	1	1	3	6	10	12	31
B. Operated	3311	4.8	15	2	2	4	5	8	11	20
1. SINGLE DX	2720	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	3657	4.8	17	1	2	4	6	8	11	21
A. NOT OPERATED	499	4.2	22	1	1	3	5	8	11	27
B. OPERATED	5878	4.1	11	1	2	3	5	7	9	17
TOTAL 0-19 YRS	319	3.1	6	1	1	3	4	6	8	11
20-34	1841	3.5	5	1	1	3	4	6	7	11
35-49	2200	4.0	10	1	2	3	5	7	8	15
50-64	1329	4.7	17	1	2	4	5	8	11	21
65+	688	5.7	26	2	2	4	7	10	15	28
GRAND TOTAL	**6377**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	698	3.0	6	1	1	2	4	5	7	14
20-34	1030	4.1	9	1	1	3	5	7	10	16
35-49	819	4.1	11	1	1	3	5	7	9	17
50-64	507	4.1	9	1	1	3	5	8	10	17
65+	419	4.2	10	1	1	3	6	8	10	16
B. *Operated*										
0-19 YRS	268	5.4	38	1	1	4	6	11	15	30
20-34	471	6.3	28	1	2	5	8	12	16	27
35-49	393	7.2	46	1	2	5	9	15	20	32
50-64	283	7.0	38	1	2	6	9	14	20	32
65+	238	7.2	36	1	2	6	9	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	809	4.0	18	1	1	3	5	7	10	19
20-34	1670	4.5	12	1	2	4	6	8	10	19
35-49	2103	4.9	13	1	2	4	6	9	11	20
50-64	2125	5.1	17	1	2	4	6	9	12	21
65+	4007	5.7	21	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	360	9.1	109	1	2	6	11	21	29	67
20-34	1103	8.7	82	2	2	6	10	17	24	50
35-49	1308	9.4	73	2	3	7	11	19	25	45
50-64	1405	10.3	85	2	3	7	13	22	29	47
65+	2010	12.2	134	2	3	9	15	25	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3473	3.9	9	1	1	3	5	7	9	16
B. *Operated*	1653	6.6	37	1	2	5	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	10714	5.1	17	1	2	4	6	9	12	22
B. *Operated*	6186	10.4	101	2	3	7	13	21	29	52
1. SINGLE DX	5126	4.8	20	1	1	3	6	9	12	23
2. MULTIPLE DX	16900	7.0	55	1	2	5	8	14	20	39
A. NOT OPERATED	14187	4.8	16	1	2	4	6	9	12	21
B. OPERATED	7839	9.6	90	2	2	7	12	20	27	50
TOTAL 0-19 YRS	2135	4.7	36	1	1	3	5	9	14	30
20-34	4274	5.7	35	1	2	4	7	11	15	29
35-49	4623	6.2	37	1	2	4	7	12	17	31
50-64	4320	6.8	46	1	2	5	8	14	20	37
65+	6674	7.6	64	1	2	5	9	15	22	44
GRAND TOTAL	**22026**	**6.5**	**47**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	10.0	91	1	2	6	14	28	28	28
35-49	38	6.4	33	1	2	4	8	12	20	29
50-64	39	6.5	25	2	3	5	9	13	14	27
65+	5	12.8	45	3	3	15	17	21	21	21
B. *Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	11	6.1	31	1	1	5	8	14	19	20
50-64	23	4.8	15	1	1	3	7	11	13	13
65+	5	7.8	52	1	1	5	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	125	10.0	70	2	2	7	13	26	28	34
35-49	397	10.7	105	2	3	7	13	22	30	49
50-64	518	9.8	62	2	3	8	12	19	24	40
65+	262	9.6	44	2	3	8	12	17	24	33
B. *Operated*										
0-19 YRS										
20-34	24	10.8	145	2	3	7	12	27	36	57
35-49	137	10.3	64	1	2	8	15	21	27	34
50-64	182	11.8	86	2	3	10	15	23	29	46
65+	94	12.3	78	3	3	10	17	28	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	7.6	46	2	2	5	10	15	27	29
B. *Operated*	42	5.3	23	1	1	3	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	1302	10.1	72	2	3	8	12	20	28	41
B. *Operated*	437	11.4	80	2	3	9	16	23	29	42
1. SINGLE DX	149	6.9	41	1	2	4	10	14	24	28
2. MULTIPLE DX	1739	10.4	75	2	3	8	13	21	28	41
A. NOT OPERATED	1409	9.9	71	2	3	7	12	20	28	40
B. OPERATED	479	10.9	78	1	2	8	15	22	28	40
TOTAL 0-19 YRS										
20-34	177	10.0	82	2	2	6	13	27	28	35
35-49	583	10.3	90	2	3	7	13	22	28	45
50-64	762	10.0	67	2	3	8	12	19	25	41
65+	366	10.3	54	2	3	8	14	20	27	34
GRAND TOTAL	**1888**	**10.1**	**73**	**2**	**3**	**8**	**13**	**21**	**28**	**41**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	3	<1	<1	3	4	6	6	6
20-34	15	5.9	15	<1	1	6	8	12	13	13
35-49	30	5.7	30	<1	2	4	6	12	18	27
50-64	32	6.2	19	1	2	5	8	12	13	22
65+	19	7.9	38	2	3	6	9	17	24	27
B. *Operated*										
0-19 YRS	32	2.5	7	<1	1	2	2	5	9	14
20-34	69	2.5	5	1	1	2	3	5	6	14
35-49	69	2.8	7	1	1	2	3	7	9	12
50-64	63	4.0	24	1	1	2	5	9	13	25
65+	49	5.4	28	1	1	3	7	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.7	13	1	2	5	9	11	13	14
20-34	36	5.9	26	1	2	4	7	10	19	25
35-49	151	7.1	27	1	2	6	9	14	16	26
50-64	279	8.1	37	2	2	7	10	17	20	28
65+	366	9.7	60	3	4	8	11	18	24	46
B. *Operated*										
0-19 YRS	26	8.8	115	1	2	4	11	20	29	51
20-34	71	6.3	58	2	2	4	7	13	26	37
35-49	143	7.8	79	1	2	5	11	15	20	62
50-64	302	7.9	69	1	2	6	10	17	23	50
65+	277	11.2	107	2	2	8	15	23	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	6.0	24	1	2	5	7	12	15	27
B. *Operated*	282	3.4	15	1	1	2	4	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	854	8.5	46	2	3	7	10	16	21	39
B. *Operated*	819	8.9	87	1	2	6	11	19	26	51
1. SINGLE DX	386	4.1	19	1	1	2	5	9	12	24
2. MULTIPLE DX	1673	8.7	66	2	2	7	11	18	24	45
A. NOT OPERATED	958	8.2	44	2	3	7	10	16	21	36
B. OPERATED	1101	7.5	74	1	1	4	10	17	24	48
TOTAL 0-19 YRS	88	5.2	46	1	1	3	6	12	16	41
20-34	191	4.8	32	1	1	3	5	10	14	29
35-49	393	6.5	46	1	1	5	8	13	17	33
50-64	676	7.6	51	1	2	6	10	17	21	36
65+	711	10.0	77	2	2	8	12	19	26	47
GRAND TOTAL	**2059**	**7.8**	**60**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.1	7	1	1	4	5	6	11	13
20-34	169	5.3	12	2	2	4	7	10	13	17
35-49	72	5.4	14	1	2	4	7	11	14	18
50-64	58	6.9	22	2	2	6	8	12	17	24
65+	39	5.9	16	1	1	5	8	10	12	23
B. *Operated*										
0-19 YRS	26	9.9	123	1	1	5	17	22	33	47
20-34	23	5.4	40	<1	1	2	6	14	19	27
35-49	30	5.1	36	1	1	4	6	8	10	34
50-64	34	6.2	38	1	1	4	8	15	17	26
65+	18	8.3	52	<1	1	7	11	19	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.8	8	1	1	3	4	8	10	15
20-34	165	6.6	29	2	2	5	7	13	18	25
35-49	241	8.4	62	2	3	6	9	18	27	42
50-64	426	8.4	53	2	3	6	10	17	23	37
65+	480	8.8	49	2	3	7	11	16	21	35
B. *Operated*										
0-19 YRS	32	11.1	137	1	1	7	17	28	32	50
20-34	54	8.8	65	1	2	6	14	18	24	42
35-49	100	8.1	64	1	2	6	10	16	25	45
50-64	161	11.7	115	2	2	9	15	27	35	49
65+	145	12.3	102	2	2	9	17	25	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	5.5	14	1	2	5	7	11	13	21
B. *Operated*	131	6.9	58	1	1	4	8	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	1387	8.1	49	2	2	6	10	15	22	36
B. *Operated*	492	10.8	99	1	2	8	14	24	31	47
1. SINGLE DX	527	5.8	25	1	2	5	7	12	15	26
2. MULTIPLE DX	1879	8.8	64	2	2	6	11	18	25	43
A. NOT OPERATED	1783	7.5	43	2	2	6	9	14	20	33
B. OPERATED	623	10.0	93	1	2	7	13	23	29	47
TOTAL 0-19 YRS	191	6.0	53	1	1	4	6	14	21	41
20-34	411	6.3	28	2	2	5	7	13	16	26
35-49	443	7.6	54	2	2	5	9	14	24	38
50-64	679	8.9	67	2	2	7	11	18	26	43
65+	682	9.4	61	2	3	7	12	19	24	45
GRAND TOTAL	**2406**	**8.1**	**57**	**2**	**2**	**6**	**10**	**17**	**24**	**42**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.5	2	<1	1	2	3	4	5	8
20-34	313	2.7	2	1	1	2	3	5	6	9
35-49	286	2.9	4	1	1	2	4	5	7	9
50-64	291	3.2	4	1	1	3	4	6	7	11
65+	261	4.4	7	2	2	4	6	8	9	14
B. Operated										
0-19 YRS	261	5.8	4	4	4	5	7	8	10	13
20-34	2868	6.1	5	3	4	6	7	9	10	13
35-49	2576	6.4	5	4	4	6	7	9	11	14
50-64	2132	7.0	7	4	4	6	8	10	12	16
65+	1116	8.3	11	4	5	8	10	12	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.3	6	<1	1	3	5	6	7	13
20-34	341	3.5	5	1	1	3	4	6	8	12
35-49	475	3.8	7	1	1	3	5	7	9	14
50-64	809	4.6	13	1	2	4	6	9	11	19
65+	2052	5.8	17	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	191	8.5	24	3	4	7	10	14	15	31
20-34	2153	7.5	11	4	4	7	9	11	13	20
35-49	2799	8.1	20	4	5	7	9	12	15	22
50-64	3785	9.2	23	4	5	8	11	15	17	28
65+	5048	11.7	43	5	6	10	14	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1190	3.2	5	1	1	3	4	6	8	11
B. Operated	8953	6.7	7	4	4	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	3722	5.0	15	1	2	4	6	9	12	19
B. Operated	13976	9.6	30	4	5	8	11	16	19	31
1. SINGLE DX	10143	6.3	8	2	3	6	7	9	11	15
2. MULTIPLE DX	17698	8.6	31	2	4	8	11	15	18	29
A. NOT OPERATED	4912	4.6	13	1	2	4	6	9	11	18
B. OPERATED	22929	8.5	23	4	5	7	10	14	17	27
TOTAL 0-19 YRS	536	6.3	15	2	3	6	7	10	13	20
20-34	5675	6.3	9	2	3	6	7	10	11	17
35-49	6136	6.8	14	2	3	6	8	11	13	18
50-64	7017	7.8	20	2	4	7	9	13	15	23
65+	8477	9.6	38	3	4	8	12	16	20	33
GRAND TOTAL	**27841**	**7.8**	**24**	**2**	**3**	**7**	**9**	**13**	**16**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	3	1	1	3	3	6	7	7
20-34	202	3.2	4	1	1	3	4	6	7	9
35-49	157	3.5	4	1	1	3	4	6	8	10
50-64	126	3.7	6	1	1	3	5	6	8	13
65+	128	4.9	8	2	2	4	6	9	10	14
B. Operated										
0-19 YRS	16	7.7	16	3	4	6	9	14	17	18
20-34	310	6.7	8	4	4	6	8	10	12	16
35-49	367	7.0	8	4	4	6	8	10	12	18
50-64	199	7.9	11	4	4	7	10	12	15	18
65+	102	9.9	18	5	6	9	11	14	19	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.8	3	1	2	3	5	6	7	8
20-34	224	4.2	9	1	1	4	5	8	10	16
35-49	258	4.7	9	2	2	4	6	8	11	17
50-64	362	5.0	10	2	2	4	6	9	11	15
65+	712	6.8	24	2	2	6	8	12	15	25
B. Operated										
0-19 YRS	26	7.2	39	2	2	6	7	15	21	30
20-34	402	7.8	19	3	4	7	9	13	14	20
35-49	574	9.0	36	4	5	8	10	14	17	29
50-64	564	10.5	56	4	5	9	12	17	20	46
65+	621	12.8	59	5	6	11	15	22	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	632	3.7	6	1	1	3	5	7	8	12
B. Operated	994	7.4	10	4	4	7	9	11	13	19
2. MULTIPLE DX										
A. Not Operated	1581	5.6	17	2	2	5	7	10	12	20
B. Operated	2187	10.2	48	4	5	9	12	17	22	39
1. SINGLE DX	1626	6.0	12	2	2	5	8	10	12	18
2. MULTIPLE DX	3768	8.3	40	2	3	7	10	15	18	32
A. NOT OPERATED	2213	5.1	14	1	2	4	6	9	12	18
B. OPERATED	3181	9.3	38	4	5	8	11	15	19	33
TOTAL 0-19 YRS	86	5.3	20	1	2	4	6	10	14	26
20-34	1138	6.0	14	1	2	5	8	10	13	17
35-49	1356	7.0	24	2	3	6	9	12	14	22
50-64	1251	7.8	37	2	3	7	10	14	17	28
65+	1563	9.2	46	2	3	8	11	16	22	37
GRAND TOTAL	**5394**	**7.6**	**33**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34	16	3.7	4	1	1	3	5	7	8	8
35-49	21	3.0	3	1	1	3	4	5	7	8
50-64	23	4.2	4	1	2	4	5	7	8	10
65+	19	6.1	11	2	2	6	9	11	11	11
B. *Operated*										
0-19 YRS	18	7.2	8	2	4	7	9	10	12	13
20-34	112	7.6	12	4	5	7	9	11	13	21
35-49	89	7.8	12	3	4	7	10	12	13	20
50-64	89	8.3	14	3	3	8	11	14	15	17
65+	119	10.2	37	2	3	10	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	20	4.0	9	1	1	3	5	8	11	13
35-49	23	4.3	7	2	2	3	5	8	10	13
50-64	47	4.7	5	2	2	4	7	8	8	10
65+	147	6.6	17	1	2	6	9	12	16	20
B. *Operated*										
0-19 YRS	19	10.3	27	3	5	10	13	16	21	24
20-34	121	9.4	15	4	5	9	12	15	17	23
35-49	113	11.4	73	5	5	10	13	19	25	53
50-64	200	12.2	50	4	6	11	14	20	27	35
65+	633	14.3	66	4	7	13	17	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.1	7	1	1	4	5	8	10	11
B. *Operated*	427	8.5	20	2	4	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	239	5.8	14	1	2	5	7	11	13	18
B. *Operated*	1086	13.0	60	5	6	12	16	21	26	43
1. SINGLE DX	511	7.8	21	2	3	7	10	13	15	24
2. MULTIPLE DX	1325	11.7	60	2	4	10	15	20	25	40
A. NOT OPERATED	323	5.3	13	1	2	4	7	10	12	18
B. OPERATED	1513	11.7	53	3	5	10	14	20	24	38
TOTAL 0-19 YRS	44	7.8	22	1	1	7	10	13	16	24
20-34	269	7.9	16	2	4	7	10	13	15	21
35-49	246	8.7	47	2	3	7	11	14	19	33
50-64	359	9.7	41	2	3	8	12	17	21	34
65+	918	12.4	63	2	4	11	16	21	26	43
GRAND TOTAL	**1836**	**10.6**	**52**	**2**	**3**	**9**	**13**	**18**	**23**	**35**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.9	17	1	3	7	10	14	16	16
20-34	22	4.3	11	1	1	4	5	7	11	16
35-49	19	6.9	30	2	2	5	9	11	19	26
50-64	31	3.8	5	1	1	3	5	7	9	10
65+	46	5.3	9	2	2	5	7	10	11	14
B. *Operated*										
0-19 YRS	6	8.2	47	1	1	6	15	18	18	18
20-34	18	10.4	110	2	2	7	13	28	37	39
35-49	21	8.8	50	1	2	8	11	17	26	30
50-64	25	9.6	37	1	2	9	14	19	19	20
65+	18	9.3	31	2	3	10	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	34	1	2	7	13	17	18	18
20-34	34	6.7	49	1	1	5	8	14	26	30
35-49	58	7.3	37	2	3	6	8	12	16	42
50-64	87	7.1	18	2	2	6	9	13	15	21
65+	296	7.4	23	2	3	6	9	13	17	22
B. *Operated*										
0-19 YRS	15	15.5	201	1	2	12	18	44	47	48
20-34	39	8.4	36	2	2	8	12	15	16	34
35-49	87	12.8	97	3	3	11	16	25	30	56
50-64	133	13.6	107	2	3	11	18	25	36	71
65+	279	14.9	107	3	5	12	19	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.2	13	1	2	4	7	10	11	18
B. *Operated*	88	9.4	52	2	2	8	13	19	21	37
2. MULTIPLE DX										
A. *Not Operated*	487	7.3	26	2	3	6	9	13	17	26
B. *Operated*	553	13.8	105	2	4	11	18	25	34	61
1. SINGLE DX	217	6.9	33	1	2	5	10	14	18	31
2. MULTIPLE DX	1040	10.8	78	2	3	9	14	21	28	45
A. NOT OPERATED	616	6.9	24	2	2	6	9	12	16	24
B. OPERATED	641	13.2	100	2	3	11	17	24	33	57
TOTAL 0-19 YRS	44	10.7	96	1	2	7	15	18	31	48
20-34	113	7.4	49	1	2	5	10	15	20	36
35-49	185	10.0	72	2	3	8	12	20	27	43
50-64	276	10.1	74	2	2	9	13	20	25	53
65+	639	10.6	73	2	3	8	14	20	26	43
GRAND TOTAL	**1257**	**10.1**	**73**	**2**	**3**	**8**	**13**	**20**	**26**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	5.6	15	1	2	5	7	10	13	20
20-34	421	5.1	10	2	2	5	6	8	10	18
35-49	455	5.7	17	2	2	5	7	10	14	22
50-64	298	5.6	12	2	2	5	7	9	11	20
65+	175	5.5	10	2	2	5	7	10	12	16
B. Operated										
0-19 YRS	7	8.7	30	1	2	7	13	17	17	17
20-34	48	10.8	41	4	4	10	13	18	26	32
35-49	57	9.5	77	1	1	7	13	19	29	42
50-64	53	11.8	85	1	2	11	15	21	35	43
65+	34	8.1	59	1	2	6	10	13	17	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	6.1	16	2	2	5	8	12	14	19
20-34	941	6.2	19	2	2	5	8	11	13	21
35-49	1392	7.0	29	2	3	6	9	12	17	29
50-64	1123	6.8	22	2	3	6	8	12	15	25
65+	1294	7.9	30	2	3	7	10	14	18	30
B. Operated										
0-19 YRS	32	20.1	380	3	6	11	29	50	66	81
20-34	158	14.6	153	3	4	11	19	32	41	71
35-49	382	16.1	156	3	5	12	22	35	44	91
50-64	318	14.3	168	2	4	11	18	30	42	87
65+	380	17.8	259	3	5	13	20	38	55	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1413	5.5	13	2	2	5	7	9	12	20
B. Operated	199	10.2	66	1	2	9	13	18	27	43
2. MULTIPLE DX										
A. Not Operated	4821	7.0	26	2	3	6	9	12	16	27
B. Operated	1270	16.1	197	3	4	12	20	34	47	86
1. SINGLE DX	1612	6.0	22	2	2	5	7	11	14	24
2. MULTIPLE DX	6091	8.9	75	2	3	6	10	17	23	49
A. NOT OPERATED	6234	6.7	23	2	3	6	8	12	15	24
B. OPERATED	1469	15.3	183	2	4	11	19	33	44	85
TOTAL 0-19 YRS	174	8.6	112	2	2	6	9	15	28	64
20-34	1568	6.9	38	2	2	5	8	12	17	34
35-49	2286	8.3	61	2	3	6	10	17	23	45
50-64	1792	8.1	57	2	3	6	9	15	21	41
65+	1883	9.7	92	2	3	7	11	17	24	56
GRAND TOTAL	**7703**	**8.3**	**65**	**2**	**3**	**6**	**10**	**16**	**22**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	2.8	2	1	1	3	4	5	6	8
20-34	119	3.0	4	1	1	3	4	6	6	10
35-49	147	3.5	5	1	1	3	5	6	7	13
50-64	140	3.8	5	1	1	3	5	7	8	11
65+	228	5.0	7	2	2	5	7	9	10	13
B. Operated										
0-19 YRS	7	7.0	28	1	1	7	9	15	17	17
20-34	6	6.8	12	2	2	7	10	11	11	11
35-49	15	4.1	9	1	1	3	6	8	10	11
50-64	22	11.0	101	3	3	8	16	19	33	48
65+	37	9.3	40	2	3	7	12	17	25	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	3.6	10	1	1	3	4	7	8	19
20-34	496	4.1	11	1	1	3	5	7	9	15
35-49	673	5.0	11	1	2	4	6	9	11	18
50-64	1287	5.6	16	2	2	5	7	10	13	19
65+	3960	6.7	24	2	3	6	8	12	16	25
B. Operated										
0-19 YRS	31	6.8	30	1	2	5	10	15	20	21
20-34	89	8.3	113	2	2	6	9	15	19	71
35-49	193	8.5	55	2	3	6	10	16	20	40
50-64	392	9.0	48	2	3	7	11	18	23	37
65+	1059	10.6	83	3	4	8	13	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	730	3.9	6	1	1	3	5	7	9	12
B. Operated	87	8.5	51	2	2	7	11	17	23	40
2. MULTIPLE DX										
A. Not Operated	6602	6.0	21	2	2	5	7	11	14	23
B. Operated	1764	9.8	73	2	3	7	12	19	25	43
1. SINGLE DX	817	4.4	13	1	1	3	6	8	10	17
2. MULTIPLE DX	8366	6.8	34	2	2	5	8	13	17	29
A. NOT OPERATED	7332	5.8	20	2	2	5	7	10	13	23
B. OPERATED	1851	9.8	72	2	3	7	12	19	25	43
TOTAL 0-19 YRS	320	3.7	11	1	1	3	4	7	10	19
20-34	710	4.5	25	1	1	3	5	8	11	19
35-49	1028	5.4	21	1	2	4	7	10	13	23
50-64	1841	6.2	26	2	2	5	7	12	16	24
65+	5284	7.5	38	2	3	6	9	14	18	31
GRAND TOTAL	**9183**	**6.6**	**33**	**2**	**2**	**5**	**8**	**12**	**17**	**28**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.0	14	1	2	3	5	7	9	26
20-34	6	4.8	17	2	2	3	5	12	13	13
35-49	6	3.5	4	2	2	3	4	7	7	7
50-64	3	8.0	9	5	5	8	10	11	11	11
65+	4	7.3	42	1	1	6	12	16	16	16
B. *Operated*										
0-19 YRS	9	10.1	331	1	1	1	11	42	55	55
20-34	4	8.5	22	4	4	7	11	15	15	15
35-49	6	6.8	17	3	3	5	11	13	13	13
50-64	5	7.2	33	<1	<1	6	11	16	16	16
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.0	57	1	1	4	7	12	22	78
20-34	22	7.8	89	1	1	5	9	16	32	43
35-49	46	6.0	9	2	3	6	8	11	11	13
50-64	53	7.8	25	2	3	7	10	15	18	24
65+	75	8.4	38	2	3	7	9	16	21	34
B. *Operated*										
0-19 YRS	18	11.2	98	2	2	8	22	67	99+	99+
20-34	14	8.4	41	3	4	6	9	21	23	23
35-49	32	11.8	52	3	4	9	16	22	26	29
50-64	38	12.4	89	1	3	11	18	27	37	99+
65+	43	14.0	127	3	4	11	18	27	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.4	15	1	2	3	5	8	11	24
B. *Operated*	27	7.9	117	1	1	5	9	16	27	55
2. MULTIPLE DX										
A. *Not Operated*	288	7.1	41	1	2	5	9	14	21	42
B. *Operated*	145	12.2	89	3	3	9	18	26	31	99+
1. SINGLE DX	98	5.3	45	1	1	4	6	11	15	41
2. MULTIPLE DX	433	8.8	63	2	2	7	11	21	26	60
A. NOT OPERATED	359	6.6	37	1	2	5	8	13	18	40
B. OPERATED	172	11.5	95	2	3	8	16	26	31	99+
TOTAL 0-19 YRS	171	6.2	65	1	1	4	7	17	27	99+
20-34	46	7.7	58	2	2	5	9	15	23	43
35-49	90	8.0	33	2	3	7	10	16	21	28
50-64	99	9.6	54	2	3	7	12	20	25	71
65+	125	10.2	75	2	3	8	12	21	26	49
GRAND TOTAL	**531**	**8.2**	**61**	**1**	**2**	**6**	**10**	**18**	**25**	**54**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	4.1	9	1	1	3	5	8	9	17
20-34	14	4.0	4	1	2	4	5	8	8	8
35-49	12	3.2	2	1	1	3	4	5	5	5
50-64	7	3.7	1	2	2	4	5	5	5	5
65+	8	12.3	49	1	2	13	15	22	25	25
B. *Operated*										
0-19 YRS	76	3.0	4	1	2	2	3	7	8	11
20-34	40	3.1	3	1	2	3	4	6	7	7
35-49	18	3.8	5	1	2	3	6	7	8	8
50-64	17	4.7	14	2	2	3	6	10	14	16
65+	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	5.0	23	1	1	4	6	11	15	27
20-34	43	5.3	11	2	2	5	6	9	13	16
35-49	44	6.4	24	2	2	5	9	13	16	24
50-64	72	6.5	21	1	2	6	8	12	15	23
65+	118	8.9	32	3	3	7	11	16	22	28
B. *Operated*										
0-19 YRS	62	12.4	254	2	2	5	16	33	40	82
20-34	56	6.6	18	2	2	6	10	14	14	17
35-49	61	6.9	36	2	2	5	9	17	20	29
50-64	66	8.4	69	2	2	7	10	13	23	49
65+	89	11.7	94	2	3	9	16	22	36	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	4.4	12	1	1	3	5	8	11	18
B. *Operated*	154	3.4	6	1	2	2	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	449	6.4	26	1	2	5	8	13	16	26
B. *Operated*	334	9.4	100	2	2	6	11	20	30	48
1. SINGLE DX	347	3.9	10	1	2	3	5	8	9	16
2. MULTIPLE DX	783	7.7	60	1	2	5	10	16	21	39
A. NOT OPERATED	642	5.8	23	1	2	4	7	12	15	25
B. OPERATED	488	7.5	78	2	2	5	9	16	24	44
TOTAL 0-19 YRS	462	5.4	54	1	1	3	6	10	16	36
20-34	153	5.1	13	2	2	4	6	11	14	16
35-49	135	6.0	26	2	2	4	7	13	18	25
50-64	162	7.0	40	2	2	5	9	12	18	36
65+	218	10.1	60	2	3	8	13	20	26	42
GRAND TOTAL	**1130**	**6.6**	**47**	**1**	**2**	**4**	**8**	**14**	**18**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.2	6	1	2	4	6	7	8	15
20-34	7	4.3	10	<1	<1	3	6	9	10	10
35-49	3	4.3		4	4	4	5	5	5	5
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	7.0	13	4	4	6	10	11	11	11
B. *Operated*										
0-19 YRS	5	4.6	13	2	2	3	6	11	11	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	4.5	11	2	2	4	7	9	9	9
50-64	3	8.3	104	1	1	4	16	20	20	20
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.6	12	1	2	5	8	10	13	15
20-34	11	5.1	11	1	1	5	7	10	11	11
35-49	11	7.7	35	2	2	7	9	15	23	24
50-64	8	6.0	8	3	3	5	8	10	11	11
65+	36	9.1	33	3	4	7	11	17	21	30
B. *Operated*										
0-19 YRS	10	8.1	41	2	2	5	16	17	18	18
20-34	14	9.0	26	2	3	8	11	18	18	18
35-49	7	9.1	38	3	3	7	14	18	19	19
50-64	10	11.2	77	3	3	9	13	25	31	31
65+	17	14.6	87	3	7	11	20	27	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.4	6	1	2	4	6	7	8	15
B. *Operated*	15	5.2	25	1	2	3	6	11	18	20
2. MULTIPLE DX										
A. *Not Operated*	116	6.9	22	2	2	6	9	12	16	26
B. *Operated*	58	10.9	60	2	3	9	16	20	26	37
1. SINGLE DX	89	4.5	9	1	2	4	6	7	10	18
2. MULTIPLE DX	174	8.2	38	2	2	7	10	17	20	31
A. NOT OPERATED	190	5.9	18	2	2	5	7	11	14	23
B. OPERATED	73	9.7	57	2	2	8	13	19	24	36
TOTAL 0-19 YRS	124	5.1	12	1	2	4	7	9	13	17
20-34	33	6.6	20	1	2	6	10	12	17	18
35-49	25	7.2	29	2	2	6	9	16	20	24
50-64	23	8.4	51	2	3	6	12	20	24	31
65+	58	10.4	54	2	3	8	12	21	26	37
GRAND TOTAL	**263**	**7.0**	**31**	**2**	**2**	**5**	**9**	**14**	**18**	**30**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.0	19	<1	<1	4	8	13	14	14
20-34	3	6.3	1	5	5	7	7	7	7	7
35-49	5	2.8	6	<1	<1	2	3	7	7	7
50-64	9	4.0	3	2	2	4	6	6	6	6
65+	12	5.8	17	<1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS	33	11.9	150	1	2	8	14	28	44	52
20-34	27	6.3	28	<1	1	4	11	15	16	18
35-49	26	8.0	49	<1	1	5	15	21	22	22
50-64	36	5.4	15	<1	1	4	8	11	12	16
65+	27	6.5	35	1	2	4	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.4	92	<1	1	2	4	9	14	52
20-34	48	4.0	11	1	2	3	4	8	10	20
35-49	86	4.9	20	1	1	4	6	10	15	24
50-64	145	6.7	27	2	2	5	9	14	17	23
65+	407	9.1	47	2	3	7	11	18	23	35
B. *Operated*										
0-19 YRS	113	16.1	253	2	2	10	23	39	48	76
20-34	210	12.9	201	2	2	8	18	29	45	96
35-49	315	12.5	185	2	2	8	17	31	47	99+
50-64	385	10.9	135	1	2	7	14	25	37	57
65+	397	12.4	149	2	3	9	16	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.8	13	<1	1	4	6	11	13	14
B. *Operated*	149	7.7	61	<1	1	5	11	16	22	46
2. MULTIPLE DX										
A. *Not Operated*	799	7.2	49	1	2	5	9	15	20	32
B. *Operated*	1420	12.4	171	2	2	8	16	28	39	74
1. SINGLE DX	193	7.0	51	<1	1	4	9	15	21	39
2. MULTIPLE DX	2219	10.5	133	1	2	7	13	23	33	66
A. NOT OPERATED	843	7.1	47	1	2	5	9	15	19	32
B. OPERATED	1569	11.9	162	2	2	8	16	27	39	72
TOTAL 0-19 YRS	274	10.2	190	1	1	5	13	25	40	66
20-34	288	10.7	164	2	2	6	14	26	35	88
35-49	432	10.6	152	2	2	6	14	26	39	82
50-64	575	9.4	103	2	2	6	11	20	30	50
65+	843	10.5	98	2	3	8	13	21	28	54
GRAND TOTAL	**2412**	**10.2**	**127**	**1**	**2**	**7**	**13**	**23**	**32**	**65**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.5	143	1	1	3	7	28	36	36
20-34	5	4.8	17	1	1	3	8	11	11	11
35-49	6	4.7	17	1	1	3	7	11	12	12
50-64	7	6.6	44	1	1	5	8	18	20	20
65+	14	6.8	28	1	1	6	10	14	18	19
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	4	26.8	1080	9	9	11	44	76	76	76
50-64	10	10.3	74	3	3	6	19	24	28	28
65+	11	7.0	68	1	1	5	9	18	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.3	39	1	1	8	14	17	19	19
20-34	32	6.0	17	1	2	5	8	12	14	18
35-49	54	8.6	50	2	3	7	11	14	24	40
50-64	154	9.0	55	1	2	7	11	19	27	41
65+	785	10.7	71	3	4	8	13	20	25	46
B. *Operated*										
0-19 YRS	14	16.6	204	2	2	14	17	35	53	58
20-34	37	15.4	384	2	3	10	17	26	65	98
35-49	53	13.1	180	2	2	10	16	28	47	58
50-64	115	15.9	191	2	3	12	21	32	48	65
65+	287	15.8	110	3	5	14	21	29	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.3	47	1	1	4	9	12	19	36
B. *Operated*	29	10.9	208	2	2	6	10	24	32	76
2. MULTIPLE DX										
A. *Not Operated*	1038	10.2	67	2	3	8	13	19	25	43
B. *Operated*	506	15.5	157	3	3	13	20	30	41	68
1. SINGLE DX	69	8.3	118	1	1	5	10	19	28	68
2. MULTIPLE DX	1544	11.9	103	2	3	9	15	23	31	58
A. NOT OPERATED	1078	10.0	66	2	3	8	13	19	25	43
B. OPERATED	535	15.3	161	2	3	12	19	30	40	69
TOTAL 0-19 YRS	37	11.3	132	1	1	9	15	21	35	58
20-34	76	10.5	216	1	2	7	11	18	25	94
35-49	117	11.0	147	2	2	7	12	22	37	64
50-64	286	11.8	121	1	3	9	14	27	32	62
65+	1097	12.0	86	3	4	9	15	23	30	51
GRAND TOTAL	**1613**	**11.8**	**104**	**2**	**3**	**9**	**15**	**23**	**31**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	3.8	2	2	2	4	4	6	7	9
20-34	480	3.9	4	2	2	4	5	6	7	9
35-49	166	4.2	4	2	2	4	5	7	8	11
50-64	83	4.7	3	2	3	4	6	7	8	9
65+	74	5.6	5	3	3	5	7	9	10	11
B. *Operated*										
0-19 YRS	18	4.4	3	1	2	4	6	6	7	8
20-34	18	5.4	6	3	3	5	7	10	11	11
35-49	13	5.5	10	2	2	5	7	10	12	12
50-64	8	6.4	12	3	3	5	7	12	14	14
65+	4	9.8	5	8	8	9	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	468	4.3	4	2	2	4	5	7	8	11
20-34	831	4.4	4	2	2	4	5	7	8	11
35-49	404	5.5	7	2	3	5	7	9	11	14
50-64	490	6.3	14	2	3	6	8	10	13	24
65+	1301	7.5	24	3	3	7	9	12	15	29
B. *Operated*										
0-19 YRS	49	6.5	21	3	3	5	7	12	19	23
20-34	100	8.0	24	3	3	7	10	14	18	26
35-49	81	8.3	19	3	4	7	10	15	17	22
50-64	110	10.5	35	4	5	9	13	19	22	34
65+	209	12.1	47	4	5	11	16	21	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	4.1	4	2	2	4	5	6	7	11
B. *Operated*	61	5.5	8	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3494	5.9	15	2	3	5	7	10	12	20
B. *Operated*	549	10.0	38	3	4	8	12	18	22	30
1. SINGLE DX	1169	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX	4043	6.5	20	2	3	5	8	11	14	24
A. NOT OPERATED	4602	5.5	13	2	2	5	7	9	11	18
B. OPERATED	610	9.5	36	3	4	8	12	17	22	30
TOTAL 0-19 YRS	840	4.2	5	2	2	4	5	6	8	12
20-34	1429	4.5	6	2	2	4	5	7	9	14
35-49	664	5.5	9	2	3	5	7	9	11	15
50-64	691	6.7	19	2	3	6	8	11	15	25
65+	1588	8.0	28	3	4	7	10	14	17	30
GRAND TOTAL	**5212**	**6.0**	**17**	**2**	**3**	**5**	**7**	**10**	**13**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	3.7	3	1	2	3	5	6	7	10
20-34	470	3.9	3	1	2	4	5	6	7	10
35-49	136	4.2	5	1	2	4	5	7	8	13
50-64	85	4.8	5	2	2	4	6	7	9	13
65+	64	5.3	7	2	3	5	6	9	11	14
B. *Operated*										
0-19 YRS	28	4.4	10	1	1	4	6	7	12	14
20-34	38	5.3	8	1	2	5	7	9	10	15
35-49	25	7.7	43	2	2	6	11	13	21	32
50-64	24	7.0	17	3	3	6	9	11	17	21
65+	21	8.6	23	2	2	10	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	392	4.4	6	2	2	4	5	7	8	13
20-34	653	4.5	5	2	2	4	5	7	9	12
35-49	358	5.6	12	2	3	5	7	9	11	21
50-64	356	6.6	16	3	3	6	8	12	14	20
65+	727	7.6	26	3	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	94	6.9	36	2	2	6	8	12	18	32
20-34	166	8.0	41	2	3	6	10	14	23	46
35-49	123	9.1	33	2	3	8	11	17	20	28
50-64	141	10.5	60	3	4	8	12	21	25	38
65+	224	13.0	95	3	4	10	17	27	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	4.1	4	2	2	4	5	6	8	12
B. *Operated*	136	6.4	21	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2486	5.8	16	2	3	5	7	10	13	22
B. *Operated*	748	10.0	64	2	3	8	12	20	27	38
1. SINGLE DX	1225	4.3	6	2	2	4	5	7	9	14
2. MULTIPLE DX	3234	6.8	30	2	3	5	8	12	17	30
A. NOT OPERATED	3575	5.3	13	2	2	4	6	9	11	19
B. OPERATED	884	9.5	59	2	3	7	11	19	25	38
TOTAL 0-19 YRS	848	4.4	9	2	2	4	5	7	9	15
20-34	1327	4.8	11	2	2	4	6	8	10	17
35-49	642	6.0	18	2	2	5	7	11	15	22
50-64	606	7.3	28	2	3	6	9	13	17	27
65+	1036	8.6	45	3	3	7	10	16	22	36
GRAND TOTAL	**4459**	**6.1**	**25**	**2**	**2**	**5**	**7**	**11**	**15**	**27**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.3	3	1	1	2	3	4	4	13
20-34	451	2.1	4	<1	1	2	3	4	5	8
35-49	514	2.1	2	<1	1	2	3	4	5	8
50-64	284	2.4	2	1	1	2	3	4	5	8
65+	95	2.9	9	1	1	2	3	5	7	19
B. *Operated*										
0-19 YRS	26	5.2	7	1	1	5	7	9	10	11
20-34	279	6.1	10	2	2	6	8	10	12	14
35-49	400	6.3	14	2	2	6	8	11	13	20
50-64	357	6.6	13	2	2	6	8	11	13	18
65+	137	7.1	16	2	2	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	3	1	1	3	4	5	6	7
20-34	319	2.8	4	1	1	2	4	5	7	10
35-49	459	3.0	5	1	1	2	4	5	7	12
50-64	413	3.4	8	1	1	3	4	6	8	14
65+	353	4.3	11	1	1	3	5	8	11	16
B. *Operated*										
0-19 YRS	43	9.5	61	1	2	6	13	23	25	32
20-34	271	7.9	41	2	3	7	9	12	17	30
35-49	406	8.1	37	2	2	7	10	14	18	28
50-64	440	8.7	31	2	2	8	11	15	18	30
65+	460	10.3	72	2	3	9	13	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1414	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	1199	6.4	13	2	2	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1583	3.3	7	1	1	3	4	6	8	13
B. *Operated*	1620	8.9	47	2	2	8	11	16	21	33
1. SINGLE DX	2613	4.1	12	1	1	3	6	9	11	15
2. MULTIPLE DX	3203	6.1	35	1	1	4	8	12	16	29
A. NOT OPERATED	2997	2.8	6	1	1	2	3	5	7	12
B. OPERATED	2819	7.8	34	2	2	7	10	14	17	29
TOTAL 0-19 YRS	178	4.6	26	1	1	3	6	10	15	26
20-34	1320	4.3	18	1	1	3	6	9	11	20
35-49	1779	4.6	19	1	1	3	6	10	12	20
50-64	1494	5.5	21	1	1	4	8	11	14	23
65+	1045	7.2	47	1	2	6	9	14	18	35
GRAND TOTAL	**5816**	**5.2**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	287	1.9	1	1	1	2	2	3	4	4
20-34	2072	1.9	1	<1	1	2	2	3	4	6
35-49	2521	1.9	1	<1	1	2	2	3	4	6
50-64	1348	2.0	2	<1	1	2	3	4	5	7
65+	370	2.5	2	1	1	2	3	4	5	9
B. Operated										
0-19 YRS	170	4.4	8	2	2	4	6	8	10	14
20-34	1391	4.5	7	1	2	4	6	8	10	14
35-49	1872	4.8	9	1	2	4	6	9	10	15
50-64	1222	5.3	12	2	2	5	7	10	11	16
65+	395	5.6	12	2	2	5	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	2.4	4	1	1	2	3	5	5	13
20-34	701	2.3	2	1	1	2	3	4	5	7
35-49	1041	2.4	3	1	1	2	3	4	6	8
50-64	888	2.8	4	1	1	2	3	5	6	10
65+	558	3.4	8	1	1	3	4	6	8	15
B. Operated										
0-19 YRS	62	6.0	12	2	2	5	8	11	12	17
20-34	583	5.9	19	2	2	5	8	10	13	21
35-49	952	6.0	17	2	2	5	8	11	13	20
50-64	1086	7.0	25	2	2	6	9	13	16	23
65+	870	8.8	38	2	3	7	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6598	1.9	2	<1	1	2	2	3	4	6
B. Operated	5050	4.9	10	2	2	4	6	9	11	15
2. MULTIPLE DX										
A. Not Operated	3276	2.7	4	1	1	2	3	5	6	9
B. Operated	3553	7.0	26	2	2	6	9	13	16	24
1. SINGLE DX	11648	3.2	7	1	1	2	4	7	9	13
2. MULTIPLE DX	6829	4.9	20	1	1	3	6	10	13	21
A. NOT OPERATED	9874	2.2	2	1	1	2	3	4	5	8
B. OPERATED	8603	5.7	18	2	2	5	7	11	13	20
TOTAL 0-19 YRS	607	3.1	6	1	1	2	4	6	9	13
20-34	4747	3.2	8	1	1	2	4	7	8	13
35-49	6386	3.4	9	1	1	2	4	7	9	14
50-64	4544	4.2	15	1	1	3	6	9	11	17
65+	2193	5.8	27	1	1	4	8	12	15	24
GRAND TOTAL	**18477**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	3.6	18	<1	1	3	4	7	14	22
20-34	39	2.0	3	1	1	2	2	3	5	10
35-49	35	3.3	15	1	1	2	4	5	7	24
50-64	31	3.4	6	1	1	2	5	7	7	10
65+	20	3.7	4	1	1	3	5	6	7	8
B. Operated										
0-19 YRS	320	6.0	13	<1	1	6	8	10	11	17
20-34	141	6.3	17	1	2	6	8	11	15	18
35-49	149	5.9	15	1	1	5	8	11	12	17
50-64	117	5.7	27	1	1	4	8	12	16	29
65+	83	6.0	41	1	1	4	8	15	18	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	4.0	14	1	1	3	5	8	14	19
20-34	92	3.5	5	1	1	3	5	6	7	12
35-49	89	4.9	13	1	1	4	7	10	13	15
50-64	140	5.3	16	1	2	4	7	9	13	20
65+	322	7.5	40	2	2	6	9	15	19	34
B. Operated										
0-19 YRS	479	6.9	26	1	1	7	9	13	15	26
20-34	287	7.5	25	1	2	7	10	14	16	25
35-49	306	7.9	34	2	2	7	9	15	17	32
50-64	426	8.7	57	1	2	7	11	17	22	36
65+	552	10.0	64	2	2	8	13	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	3.1	10	1	1	2	4	6	7	21
B Operated	810	6.0	19	1	1	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	756	5.8	27	1	2	4	7	11	15	26
B. Operated	2050	8.3	45	1	2	7	11	16	21	34
1. SINGLE DX	973	5.5	18	1	1	5	8	10	12	20
2. MULTIPLE DX	2806	7.7	41	1	2	6	10	15	19	33
A. NOT OPERATED	919	5.3	25	1	1	4	7	11	15	25
B. OPERATED	2860	7.7	39	1	2	7	10	15	19	32
TOTAL 0-19 YRS	950	6.1	21	1	1	6	8	11	14	23
20-34	559	6.2	22	1	1	5	8	12	15	24
35-49	579	6.6	27	1	2	5	9	12	16	26
50-64	714	7.3	45	1	2	5	9	15	19	31
65+	977	8.7	55	2	2	7	11	18	23	37
GRAND TOTAL	**3779**	**7.1**	**36**	**1**	**2**	**6**	**9**	**14**	**18**	**29**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	4	1	1	2	3	5	7	8
20-34	88	2.3	3	1	1	2	3	4	6	9
35-49	108	2.0	1	1	1	2	3	4	4	6
50-64	62	1.7	1	<1	1	1	2	3	4	5
65+	19	2.4	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	9	5.2	17	1	1	4	7	12	13	13
20-34	35	5.4	14	1	1	5	7	11	13	16
35-49	55	4.3	9	1	1	3	6	8	11	15
50-64	48	4.6	15	1	1	3	6	11	13	19
65+	60	4.1	9	1	1	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	37	2.8	3	<1	1	2	3	6	7	8
35-49	64	2.6	3	1	1	2	3	5	6	9
50-64	53	3.3	5	1	1	3	4	6	9	10
65+	38	3.6	6	1	2	3	4	6	10	11
B. *Operated*										
0-19 YRS	13	6.4	30	1	1	4	10	15	16	16
20-34	63	6.3	22	2	2	5	8	11	16	24
35-49	59	6.3	29	2	2	5	8	11	15	31
50-64	109	5.8	17	1	2	5	7	11	15	20
65+	262	7.1	33	2	2	6	9	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.1	2	1	1	2	3	4	5	7
B. *Operated*	207	4.5	12	1	1	3	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	194	3.0	4	1	1	2	4	6	7	11
B. *Operated*	506	6.6	27	2	2	5	8	13	16	25
1. SINGLE DX	500	3.1	7	1	1	2	4	7	8	14
2. MULTIPLE DX	700	5.6	24	1	2	4	8	11	15	23
A. NOT OPERATED	487	2.5	3	1	1	2	3	5	6	10
B. OPERATED	713	6.0	24	1	2	5	8	12	15	23
TOTAL 0-19 YRS	40	4.3	17	1	1	3	5	11	14	16
20-34	223	4.0	13	1	1	3	6	8	11	20
35-49	286	3.5	12	1	1	2	4	8	9	15
50-64	272	4.2	13	1	1	3	5	9	12	18
65+	379	6.0	27	1	2	5	8	12	16	24
GRAND TOTAL	**1200**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**13**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.5	3	1	1	2	3	4	5	10
20-34	74	2.9	3	1	1	2	4	5	6	7
35-49	42	2.9	2	1	1	3	4	5	6	8
50-64	25	3.6	4	1	2	3	4	6	7	11
65+	28	3.6	4	1	1	4	5	7	7	8
B. *Operated*										
0-19 YRS	79	2.0	1	<1	1	2	2	3	5	7
20-34	168	2.8	3	<1	1	2	3	5	6	9
35-49	147	2.7	4	1	1	2	3	5	6	10
50-64	158	3.1	7	1	1	2	3	6	8	15
65+	180	3.0	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.8	3	1	1	2	3	4	6	10
20-34	128	4.1	16	1	1	3	5	7	9	18
35-49	112	4.4	7	1	2	4	6	8	10	13
50-64	132	5.0	11	1	2	4	6	10	12	18
65+	423	6.4	14	2	3	6	8	11	14	19
B. *Operated*										
0-19 YRS	158	2.4	3	<1	1	2	3	5	6	8
20-34	323	3.8	10	1	1	3	5	7	10	15
35-49	405	4.3	13	1	1	3	5	9	11	17
50-64	464	4.7	15	1	2	3	6	9	13	20
65+	874	5.8	31	1	2	4	7	11	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	2.9	3	1	1	2	4	5	6	9
B. *Operated*	732	2.8	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	882	5.2	13	1	2	4	7	10	12	18
B. *Operated*	2224	4.8	20	1	1	3	6	10	12	21
1. SINGLE DX	971	2.8	4	1	1	2	3	5	6	11
2. MULTIPLE DX	3106	4.9	18	1	2	4	6	10	12	20
A. NOT OPERATED	1121	4.8	12	1	2	4	6	9	11	18
B. OPERATED	2956	4.3	17	1	1	3	5	9	11	19
TOTAL 0-19 YRS	394	2.4	3	<1	1	2	3	4	6	8
20-34	693	3.5	9	1	1	3	4	6	9	13
35-49	706	3.9	10	1	1	3	5	8	10	15
50-64	779	4.4	13	1	1	3	5	9	12	18
65+	1505	5.6	24	1	2	4	7	11	13	24
GRAND TOTAL	**4077**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	6	3.2	3	<1	<1	3	4	6	6	6
65+	8	3.6	16	1	1	2	4	11	13	13
B. *Operated*										
0-19 YRS	482	1.6	2	<1	<1	1	2	2	3	8
20-34	198	2.7	5	<1	1	2	3	5	6	12
35-49	137	3.1	8	<1	1	2	4	6	9	16
50-64	133	2.7	3	<1	1	2	4	5	6	8
65+	165	3.5	6	<1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	3	<1	<1	1	2	4	6	8
20-34	5	4.4	16	<1	<1	3	8	10	10	10
35-49	14	3.4	8	1	1	3	4	8	10	11
50-64	20	3.9	6	<1	<1	4	5	7	9	10
65+	41	4.0	11	1	1	3	4	10	12	15
B. *Operated*										
0-19 YRS	440	2.0	3	<1	1	2	2	3	5	10
20-34	370	3.4	7	1	1	2	4	7	8	15
35-49	335	3.8	14	<1	1	3	5	7	9	21
50-64	454	4.4	15	1	1	3	5	8	11	20
65+	766	5.4	21	1	2	4	7	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.6	7	<1	<1	2	3	5	8	13
B. *Operated*	1115	2.4	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	101	3.4	9	<1	1	3	4	8	10	13
B. *Operated*	2365	4.0	15	1	1	3	5	8	11	18
1. SINGLE DX	1139	2.4	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2466	4.0	15	1	1	3	5	8	11	18
A. NOT OPERATED	125	3.3	9	<1	1	2	4	7	10	13
B. OPERATED	3480	3.5	12	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	949	1.8	2	<1	<1	1	2	3	4	9
20-34	574	3.1	6	<1	1	2	4	6	8	14
35-49	489	3.6	12	<1	1	3	4	7	9	18
50-64	613	4.0	12	<1	1	3	5	8	10	18
65+	980	5.0	19	1	2	4	6	10	12	22
GRAND TOTAL	**3605**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.1	5	1	1	3	4	5	6	9
20-34	362	3.1	3	1	1	3	4	5	7	9
35-49	194	3.4	3	1	1	3	4	6	7	9
50-64	149	3.8	4	1	1	4	5	6	7	10
65+	306	4.5	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	484	2.4	4	<1	<1	2	3	5	6	9
20-34	310	3.0	8	<1	1	2	4	5	8	14
35-49	362	3.3	15	<1	1	2	4	6	8	14
50-64	339	3.2	8	<1	1	2	4	6	8	15
65+	373	3.8	7	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1482	3.9	6	1	2	3	5	7	9	13
20-34	1210	4.3	12	1	2	4	5	7	10	15
35-49	895	5.2	13	2	2	4	7	10	11	18
50-64	1533	6.0	18	2	2	5	7	10	13	22
65+	6822	7.5	29	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	737	3.8	16	<1	1	2	5	8	12	18
20-34	733	4.9	26	1	1	3	6	10	13	26
35-49	848	5.3	27	1	1	4	7	11	13	29
50-64	1233	5.9	29	1	2	4	8	12	15	23
65+	3030	8.1	55	2	2	6	10	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1634	3.4	5	1	1	3	4	6	7	10
B. *Operated*	1868	3.1	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	11942	6.4	24	2	2	5	8	12	15	25
B. *Operated*	6581	6.5	41	1	1	5	8	13	17	33
1. SINGLE DX	3502	3.3	7	1	1	3	4	6	8	12
2. MULTIPLE DX	18523	6.4	30	1	2	5	8	12	16	28
A. NOT OPERATED	13576	6.0	22	1	2	5	8	11	14	24
B. OPERATED	8449	5.7	36	1	1	4	7	12	16	30
TOTAL 0-19 YRS	3326	3.5	8	1	1	3	4	7	8	13
20-34	2615	4.1	15	1	1	3	5	8	10	18
35-49	2299	4.8	18	1	1	4	6	9	11	22
50-64	3254	5.6	21	1	2	4	7	10	14	22
65+	10531	7.5	36	2	2	6	9	14	18	32
GRAND TOTAL	**22025**	**5.9**	**28**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	4	4.5	6	2	2	4	6	7	7	7
50-64	13	3.5	3	<1	1	3	5	6	7	7
65+	26	4.3	33	<1	1	2	4	10	19	26
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	4	3.0	2	<1	<1	3	4	4	4	4
35-49	111	3.5	5	1	1	3	5	7	8	10
50-64	1421	4.9	6	1	2	5	6	7	9	12
65+	2438	5.6	10	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	14	1	1	2	6	9	9	9
35-49	12	3.4	3	<1	1	3	4	6	6	6
50-64	113	3.8	7	1	1	3	4	7	9	14
65+	427	5.1	24	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	7	6.7	9	2	3	6	9	11	11	11
20-34	18	4.7	7	1	2	4	5	9	10	11
35-49	187	5.0	10	1	1	5	6	8	11	16
50-64	2794	6.1	11	2	3	5	7	10	12	19
65+	7960	7.5	24	2	4	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	20	<1	1	3	5	7	11	26
B. *Operated*	3976	5.3	9	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	556	4.8	20	1	1	4	6	9	12	19
B. *Operated*	10966	7.1	21	2	3	6	8	12	15	24
1. SINGLE DX	4022	5.3	9	1	2	5	6	8	10	14
2. MULTIPLE DX	11522	7.0	21	2	3	6	8	12	15	24
A. NOT OPERATED	602	4.7	20	1	1	3	6	9	12	19
B. OPERATED	14942	6.6	19	2	3	6	8	11	14	23
TOTAL 0-19 YRS	9	6.8	6	2	3	7	8	10	11	11
20-34	29	4.1	7	1	1	3	5	9	9	11
35-49	314	4.4	8	1	1	4	6	8	9	15
50-64	4341	5.6	10	2	2	5	7	9	11	17
65+	10851	7.0	22	2	3	6	8	12	15	24
GRAND TOTAL	**15544**	**6.5**	**19**	**2**	**3**	**6**	**8**	**11**	**14**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	1	2	2	3	3	4	5	5
20-34	84	3.3	4	1	1	3	4	5	6	12
35-49	81	3.8	7	1	2	3	4	6	8	18
50-64	88	4.0	3	1	2	4	5	7	7	9
65+	21	3.8	4	1	2	3	6	7	7	8
B. *Operated*										
0-19 YRS	11	2.3	3	<1	<1	2	3	5	6	6
20-34	81	2.7	4	<1	<1	2	3	5	7	10
35-49	110	2.6	4	<1	<1	2	4	5	6	10
50-64	72	2.9	5	1	1	2	3	5	7	13
65+	50	3.4	5	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	5	1	1	3	5	8	9	9
20-34	137	4.1	6	1	2	4	5	7	9	12
35-49	180	4.6	7	2	2	4	6	8	10	15
50-64	289	4.7	6	2	2	4	6	8	9	13
65+	238	5.2	11	2	2	5	7	8	10	19
B. *Operated*										
0-19 YRS	21	2.9	5	1	1	2	4	5	8	11
20-34	142	3.5	7	1	1	3	4	7	9	12
35-49	234	3.8	7	1	1	3	5	8	9	11
50-64	319	5.0	16	1	2	4	7	10	12	22
65+	264	6.8	40	1	2	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.7	5	1	2	3	5	6	7	11
B. *Operated*	324	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	861	4.7	8	2	2	4	6	8	10	13
B. *Operated*	980	4.9	20	1	1	4	6	10	12	22
1. SINGLE DX	612	3.2	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1841	4.8	14	1	2	4	6	9	11	19
A. NOT OPERATED	1149	4.5	7	1	2	4	5	8	9	13
B. OPERATED	1304	4.4	17	1	1	3	6	9	11	19
TOTAL 0-19 YRS	63	3.0	4	1	1	3	4	5	7	11
20-34	444	3.5	6	1	1	3	4	6	8	11
35-49	605	3.8	7	1	1	3	5	7	9	11
50-64	768	4.6	10	1	2	4	6	8	10	17
65+	573	5.7	25	1	2	5	7	10	13	28
GRAND TOTAL	**2453**	**4.4**	**12**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	4.0	8	<1	<1	5	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	303	1.7	1	<1	<1	2	2	3	3	5
20-34	89	2.5	2	1	1	2	3	4	5	7
35-49	99	2.6	2	1	1	2	3	4	5	9
50-64	163	3.0	2	1	1	3	4	5	6	8
65+	133	3.1	4	1	1	3	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	3	<1	1	1	2	3	7	8
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	10	4.3	5	<1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	225	2.4	21	<1	1	2	2	3	4	19
20-34	47	3.4	10	1	1	3	4	5	8	22
35-49	94	3.2	2	1	1	3	4	5	5	6
50-64	165	4.1	8	1	2	4	5	7	9	12
65+	194	4.4	10	2	2	4	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.5	5	<1	<1	1	5	6	7	7
B. *Operated*	787	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	33	2.8	5	<1	1	2	4	6	8	8
B. *Operated*	725	3.5	13	1	1	3	4	6	8	13
1. SINGLE DX	801	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	758	3.5	12	1	1	3	4	6	8	13
A. NOT OPERATED	47	2.7	5	<1	<1	2	4	6	7	8
B. OPERATED	1512	2.9	7	<1	1	2	4	5	6	10
TOTAL 0-19 YRS	550	2.0	9	<1	<1	2	2	3	4	7
20-34	141	2.8	5	1	1	3	3	5	6	9
35-49	199	3.0	2	1	1	3	4	5	6	8
50-64	331	3.5	6	1	2	3	4	6	7	10
65+	338	3.9	8	1	2	3	5	7	9	14
GRAND TOTAL	**1559**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**5**	**6**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.9	7	1	1	3	5	8	10	12
20-34	203	4.0	5	1	2	4	5	7	8	12
35-49	123	4.6	5	1	2	4	6	8	9	11
50-64	69	5.2	3	2	3	5	6	7	8	9
65+	52	5.9	15	2	3	6	7	8	10	26
B. *Operated*										
0-19 YRS	38	2.9	4	1	1	2	4	6	8	9
20-34	83	3.5	6	1	1	3	5	6	8	14
35-49	60	3.9	7	1	1	3	5	7	9	12
50-64	50	4.4	9	1	2	4	6	8	9	15
65+	31	3.8	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	5	1	1	3	5	7	9	10
20-34	84	4.4	7	1	2	4	5	7	9	17
35-49	87	4.9	9	1	2	4	6	9	11	14
50-64	125	5.5	5	2	3	5	7	8	10	12
65+	170	6.0	10	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	33	3.7	7	1	1	3	4	8	9	14
20-34	59	5.4	33	2	2	4	6	9	11	39
35-49	85	5.1	9	1	2	4	7	9	11	13
50-64	102	6.4	18	1	2	6	8	12	14	21
65+	116	7.9	41	2	3	5	11	17	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	4.5	6	1	2	4	6	7	9	12
B. *Operated*	262	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	499	5.3	8	2	2	5	7	9	11	15
B. *Operated*	395	6.2	26	1	2	5	8	12	16	22
1. SINGLE DX	806	4.2	7	1	2	4	6	7	9	13
2. MULTIPLE DX	894	5.7	16	2	2	5	7	10	13	21
A. NOT OPERATED	1043	4.9	7	1	2	4	6	8	10	14
B. OPERATED	657	5.2	20	1	2	4	6	10	13	21
TOTAL 0-19 YRS	201	3.7	6	1	1	3	5	7	9	12
20-34	429	4.2	10	1	2	4	5	7	8	15
35-49	355	4.7	7	1	2	4	6	8	10	13
50-64	346	5.5	9	2	2	5	7	9	11	18
65+	369	6.4	22	2	3	5	7	12	16	22
GRAND TOTAL	**1700**	**5.0**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	1.5		<1	<1	1	2	2	2	4
20-34	87	1.9		<1	1	2	2	3	3	4
35-49	31	1.9	1	1	1	2	2	3	3	3
50-64	24	1.9	1	<1	1	2	2	3	4	5
65+	10	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	540	1.4		<1	<1	1	2	2	2	3
20-34	147	1.9	1	<1	1	2	2	3	3	5
35-49	80	1.8	1	<1	<1	2	2	3	3	4
50-64	38	2.0	1	<1	1	2	2	3	3	7
65+	27	2.5	3	1	1	2	2	3	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	1.6	1	<1	<1	1	2	2	3	7
20-34	48	2.3	2	<1	<1	2	2	4	4	8
35-49	46	2.2	1	<1	1	2	3	4	4	7
50-64	21	2.3	4	<1	1	2	3	4	7	10
65+	29	4.6	80	<1	<1	2	4	7	9	50
B. *Operated*										
0-19 YRS	223	1.7	1	<1	<1	1	2	3	4	6
20-34	113	2.2	2	<1	1	2	2	4	5	8
35-49	132	2.3	2	<1	1	2	3	4	5	8
50-64	77	2.6	4	1	1	2	3	5	8	9
65+	123	3.3	7	1	1	2	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	1.6		<1	<1	2	2	2	3	4
B. *Operated*	832	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	240	2.3	12	<1	<1	2	2	4	5	9
B. *Operated*	668	2.3	3	<1	1	2	2	4	6	9
1. SINGLE DX	1279	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	908	2.3	5	<1	<1	2	2	4	5	9
A. NOT OPERATED	687	1.8	4	<1	<1	2	2	3	3	7
B. OPERATED	1500	1.9	2	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	1154	1.5	1	<1	<1	1	2	2	3	5
20-34	395	2.0	1	<1	1	2	2	3	4	6
35-49	289	2.1	1	<1	1	2	2	4	4	7
50-64	160	2.3	3	1	1	2	2	3	6	9
65+	189	3.3	17	1	1	2	3	7	8	14
GRAND TOTAL	**2187**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	1.6	1	<1	<1	1	2	3	3	6
20-34	49	2.2	2	1	1	2	3	4	5	7
35-49	44	1.9	1	<1	<1	2	2	3	4	4
50-64	29	2.7	4	<1	1	2	3	5	8	9
65+	16	2.9	6	<1	1	2	3	4	9	11
B. *Operated*										
0-19 YRS	572	1.9	2	<1	1	2	2	3	4	7
20-34	367	2.4	4	1	1	2	3	4	5	11
35-49	290	3.0	6	<1	1	2	3	6	7	12
50-64	332	3.7	8	1	1	3	5	6	7	11
65+	149	3.9	9	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.3	2	<1	<1	2	3	4	5	6
20-34	55	3.1	10	<1	1	2	3	6	8	21
35-49	60	2.8	3	1	1	2	4	5	6	10
50-64	73	4.1	10	1	1	3	6	9	10	16
65+	67	5.1	13	1	1	5	7	10	12	15
B. *Operated*										
0-19 YRS	232	2.8	15	<1	1	2	3	5	7	17
20-34	279	3.3	9	<1	1	2	4	6	9	14
35-49	296	4.3	17	1	1	3	5	8	12	24
50-64	496	4.6	10	2	2	4	5	8	10	17
65+	297	5.5	41	1	2	4	6	10	14	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.1	2	<1	<1	2	3	4	4	8
B. *Operated*	1710	2.7	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	315	3.5	9	<1	1	2	5	7	10	15
B. *Operated*	1600	4.2	18	1	1	3	5	8	10	22
1. SINGLE DX	1911	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	1915	4.1	17	1	1	3	5	8	10	21
A. NOT OPERATED	516	3.0	7	<1	1	2	4	6	8	14
B. OPERATED	3310	3.4	12	1	1	3	4	6	9	17
TOTAL 0-19 YRS	927	2.1	5	<1	1	2	2	4	5	9
20-34	750	2.8	6	1	1	2	3	5	7	12
35-49	690	3.5	11	1	1	2	4	6	9	18
50-64	930	4.1	9	1	2	4	5	7	9	15
65+	529	4.9	28	1	2	4	6	9	12	26
GRAND TOTAL	**3826**	**3.4**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	10	2.2	2	<1	<1	2	2	5	5	5
35-49	13	1.2		<1	<1	1	1	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	86	1.6		<1	<1	2	2	2	3	4
20-34	631	2.1	2	<1	<1	2	2	3	5	7
35-49	1786	2.2	2	<1	<1	2	2	4	5	7
50-64	932	2.3	1	<1	1	2	3	4	5	7
65+	396	2.2	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	5	5	5
20-34	17	2.8	4	<1	<1	2	4	7	7	7
35-49	39	3.0	6	<1	1	2	4	5	6	15
50-64	28	3.5	8	1	1	3	4	6	12	13
65+	16	2.9	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	18	2.2	1	1	1	2	2	4	4	4
20-34	349	3.3	10	<1	1	2	4	6	8	21
35-49	1129	3.2	5	1	1	2	4	6	7	11
50-64	802	3.1	6	1	1	2	4	6	7	12
65+	503	3.3	6	1	2	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	3831	2.2	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	104	3.1	6	1	1	2	4	6	7	14
B. *Operated*	2801	3.2	6	1	1	2	4	6	7	12
1. SINGLE DX	3861	2.2	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX	2905	3.2	6	1	1	2	4	6	7	12
A. NOT OPERATED	134	2.9	5	<1	1	2	4	5	6	13
B. OPERATED	6632	2.6	4	<1	1	2	3	5	6	9
TOTAL 0-19 YRS	112	1.8	1	<1	<1	2	2	3	4	5
20-34	1007	2.6	5	<1	<1	2	3	5	6	9
35-49	2967	2.6	3	<1	1	2	3	5	6	9
50-64	1764	2.7	4	1	1	2	3	5	6	10
65+	916	2.8	4	1	1	2	3	5	6	10
GRAND TOTAL	**6766**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.8	5	<1	1	3	5	6	7	12
20-34	34	3.2	3	1	1	3	4	5	7	8
35-49	21	3.5	7	1	1	3	4	8	9	10
50-64	13	2.6	3	<1	<1	2	3	6	6	6
65+	9	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-19 YRS	358	2.6	2	1	1	2	3	4	5	7
20-34	548	2.9	2	<1	1	3	4	5	6	7
35-49	402	2.8	2	1	1	2	4	5	5	7
50-64	270	2.6	2	<1	1	2	3	5	5	7
65+	163	2.6	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.3	6	1	2	5	6	8	8	8
20-34	34	3.2	3	<1	1	3	5	6	6	8
35-49	57	3.8	10	<1	1	3	5	8	9	18
50-64	43	3.9	9	<1	1	3	6	8	9	12
65+	47	4.3	11	1	1	3	6	9	10	17
B. *Operated*										
0-19 YRS	92	3.2	4	1	1	3	4	5	7	12
20-34	321	3.5	9	1	1	3	4	6	7	13
35-49	494	3.7	5	1	1	3	5	6	9	12
50-64	371	4.1	10	1	2	3	5	7	9	19
65+	262	3.9	12	1	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.2	4	<1	1	3	4	6	7	11
B. *Operated*	1741	2.7	2	<1	1	2	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	197	3.9	9	<1	1	3	6	8	9	15
B. *Operated*	1540	3.8	8	1	1	3	5	6	9	15
1. SINGLE DX	1847	2.8	2	<1	1	2	4	5	5	7
2. MULTIPLE DX	1737	3.8	8	1	1	3	5	7	9	15
A. NOT OPERATED	303	3.7	7	<1	1	3	5	7	9	12
B. OPERATED	3281	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	495	2.8	3	1	1	3	4	5	6	8
20-34	937	3.1	5	1	1	3	4	5	6	10
35-49	974	3.3	5	1	1	3	4	6	7	10
50-64	697	3.5	7	1	1	3	4	6	8	14
65+	481	3.5	9	1	1	3	4	6	8	16
GRAND TOTAL	**3584**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	2.4	5	<1	1	2	3	4	5	8
20-34	557	2.2	2	1	1	2	3	4	5	7
35-49	146	2.5	2	1	1	2	3	4	5	8
50-64	7	2.6	2	1	1	3	4	4	4	4
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	371	3.9	4	1	2	4	5	6	8	9
20-34	1110	4.5	5	1	1	5	6	7	9	11
35-49	345	5.6	5	2	3	5	7	8	10	12
50-64	52	7.1	7	4	5	7	8	11	13	15
65+	14	7.4	2	5	5	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	2.8	3	1	1	2	4	5	6	9
20-34	442	3.0	4	1	1	2	4	6	7	10
35-49	149	3.4	4	1	1	3	4	6	7	10
50-64	22	4.2	3	2	2	4	5	6	7	9
65+	8	4.8	5	1	1	6	6	7	7	7
B. *Operated*										
0-19 YRS	352	4.8	7	1	2	5	6	8	9	14
20-34	2522	5.6	8	1	2	5	7	9	10	16
35-49	1366	6.8	11	3	4	6	8	10	12	18
50-64	139	7.4	7	4	5	7	8	11	12	17
65+	102	10.4	56	5	5	8	12	15	20	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	998	2.3	3	1	1	2	3	4	5	7
B. *Operated*	1892	4.7	5	1	2	5	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	839	3.1	4	1	1	3	4	5	7	10
B. *Operated*	4481	6.1	11	2	3	6	7	9	11	18
1. SINGLE DX	2890	3.9	6	1	1	4	5	7	8	11
2. MULTIPLE DX	5320	5.6	11	1	2	5	7	9	11	17
A. NOT OPERATED	1837	2.7	3	1	1	2	3	5	6	9
B. OPERATED	6373	5.7	10	1	2	5	7	9	11	16
TOTAL 0-19 YRS	1226	3.6	6	1	1	3	5	6	8	10
20-34	4631	4.7	8	1	1	5	6	8	9	13
35-49	2006	6.0	11	2	2	6	7	9	11	17
50-64	220	6.9	8	2	4	7	8	10	12	16
65+	127	9.5	49	4	5	8	11	14	18	41
GRAND TOTAL	**8210**	**5.0**	**10**	**1**	**2**	**5**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	849	4.0	4	2	2	4	5	7	8	11
20-34	2061	4.1	3	2	2	4	5	7	7	10
35-49	238	4.7	6	1	2	4	6	8	9	13
50-64	21	4.6	5	1	1	5	6	8	8	9
65+	10	5.0	12	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	150	4.8	7	1	2	5	6	8	10	16
20-34	885	4.9	8	1	1	5	6	8	10	13
35-49	264	5.8	9	1	2	6	7	9	12	14
50-64	38	6.4	15	2	2	6	7	14	15	17
65+	9	9.0	43	3	4	7	10	20	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	4.6	6	2	2	4	6	8	10	13
20-34	1695	4.7	6	2	2	4	6	8	9	12
35-49	361	5.5	9	2	2	5	7	9	11	17
50-64	52	5.9	17	2	2	5	7	12	14	23
65+	29	10.8	156	2	4	8	11	19	29	69
B. *Operated*										
0-19 YRS	345	6.4	14	2	3	6	8	11	13	21
20-34	3393	5.9	11	1	2	6	7	9	12	18
35-49	1339	7.3	15	2	4	7	8	12	14	21
50-64	159	7.9	24	3	4	7	9	13	17	23
65+	51	9.8	36	2	3	8	12	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3179	4.1	4	2	2	4	5	7	8	10
B. *Operated*	1346	5.1	9	1	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	2682	4.9	8	2	2	4	6	8	9	14
B. *Operated*	5287	6.4	14	2	2	6	8	10	13	20
1. SINGLE DX	4525	4.4	5	1	2	4	6	7	9	12
2. MULTIPLE DX	7969	5.9	12	2	2	5	7	9	12	18
A. NOT OPERATED	5861	4.5	6	2	2	4	5	7	9	12
B. OPERATED	6633	6.1	13	1	2	6	7	10	12	19
TOTAL 0-19 YRS	1889	4.7	8	2	2	4	6	8	10	14
20-34	8034	5.1	8	1	2	5	6	8	10	15
35-49	2202	6.6	14	2	3	6	8	11	13	19
50-64	270	7.1	21	2	3	6	8	13	15	22
65+	99	9.5	70	2	3	8	10	19	24	48
GRAND TOTAL	**12494**	**5.3**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	48	3.0	4	<1	1	2	4	6	7	10
35-49	8	2.8	2	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	36	2.8	4	<1	1	2	4	6	6	10
20-34	815	4.6	5	1	1	5	6	7	8	10
35-49	500	5.5	4	1	2	6	7	7	8	11
50-64	20	7.2	14	<1	2	7	8	13	15	16
65+	5	5.0	10	2	2	5	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	2	1	1	3	4	5	6	6
20-34	84	3.4	5	1	1	3	4	6	8	11
35-49	26	3.8	8	<1	1	4	5	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	79	4.4	6	1	1	5	6	8	9	11
20-34	3427	5.6	6	1	2	6	7	8	9	13
35-49	3463	6.5	6	4	5	6	7	9	10	15
50-64	305	7.3	6	5	5	7	8	10	11	15
65+	40	8.8	23	2	3	8	10	17	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.9	3	<1	1	2	4	5	6	10
B. *Operated*	1376	5.0	5	1	1	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	120	3.5	6	1	1	3	4	6	8	12
B. *Operated*	7314	6.1	6	2	3	6	7	8	10	14
1. SINGLE DX	1438	4.9	5	1	1	5	6	7	8	11
2. MULTIPLE DX	7434	6.1	6	2	3	6	7	8	10	14
A. NOT OPERATED	182	3.3	5	1	1	3	4	6	8	12
B. OPERATED	8690	5.9	6	1	2	6	7	8	10	14
TOTAL 0-19 YRS	130	3.8	6	1	1	3	5	7	8	10
20-34	4374	5.4	6	1	2	6	7	8	9	12
35-49	3997	6.4	6	2	4	6	7	9	10	14
50-64	326	7.3	7	4	5	7	8	10	12	16
65+	45	8.4	23	2	3	8	10	17	18	22
GRAND TOTAL	8872	5.9	6	1	2	6	7	8	9	14

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	2.5	3	1	1	2	4	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	90	3.1	6	<1	1	2	4	6	8	12
35-49	34	3.1	5	<1	1	2	4	7	8	9
50-64	17	1.9		<1	<1	2	2	3	3	3
65+	7	3.4	10	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	9	2	2	5	7	9	10	10
20-34	13	3.2	2	<1	1	3	4	5	5	5
35-49	7	2.9	4	<1	<1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	3.8	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	20	3.1	3	1	2	3	3	5	7	8
20-34	495	4.6	7	1	2	5	6	8	9	13
35-49	363	5.4	9	1	2	6	7	9	10	14
50-64	125	5.3	12	1	2	5	7	9	12	17
65+	56	4.6	18	1	2	3	6	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	3	1	1	3	4	5	6	6
B. *Operated*	151	2.9	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	32	3.7	4	<1	1	3	5	6	7	10
B. *Operated*	1059	4.9	9	1	2	5	7	8	10	14
1. SINGLE DX	161	3.0	5	<1	1	2	4	6	8	11
2. MULTIPLE DX	1091	4.9	9	1	2	5	7	8	10	14
A. NOT OPERATED	42	3.5	4	<1	1	3	5	6	7	10
B. OPERATED	1210	4.7	9	1	1	5	6	8	10	14
TOTAL 0-19 YRS	32	3.5	4	1	2	3	4	7	8	10
20-34	604	4.3	7	1	1	4	6	7	9	12
35-49	406	5.2	9	1	1	5	7	8	10	14
50-64	143	4.9	12	1	1	5	7	9	11	17
65+	67	4.4	16	1	1	3	6	10	12	21
GRAND TOTAL	1252	4.6	9	1	1	5	6	8	10	14

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.9	4	<1	1	2	3	5	6	12
20-34	112	3.3	3	1	1	3	4	6	7	10
35-49	27	3.9	5	1	2	3	5	7	8	10
50-64	6	4.0	5	<1	<1	4	6	7	7	7
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	55	2.0	2	<1	<1	2	3	3	5	7
20-34	383	2.2	3	<1	<1	2	3	4	5	8
35-49	230	2.4	2	<1	1	2	3	4	6	8
50-64	69	2.1	1	<1	<1	2	3	3	4	7
65+	19	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.9	3	1	2	4	5	6	7	8
20-34	229	4.4	5	1	2	4	5	7	9	12
35-49	61	4.5	7	1	1	4	6	7	10	14
50-64	22	6.1	16	2	3	5	7	13	15	16
65+	36	6.8	22	2	2	6	8	13	18	22
B. *Operated*										
0-19 YRS	44	4.9	17	1	2	4	6	11	14	19
20-34	331	4.1	9	1	1	3	6	7	9	16
35-49	206	4.6	37	1	1	3	6	8	10	13
50-64	78	4.4	13	1	2	3	5	8	11	18
65+	68	5.7	20	1	2	4	8	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	756	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	410	4.7	8	1	2	4	6	8	9	15
B. *Operated*	727	4.5	19	1	1	3	6	8	11	18
1. SINGLE DX	945	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1137	4.5	15	1	1	4	6	8	10	17
A. NOT OPERATED	599	4.2	7	1	2	4	5	7	9	14
B. OPERATED	1483	3.3	12	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	202	3.4	7	<1	1	3	4	6	8	15
20-34	1055	3.4	6	<1	1	3	5	6	8	12
35-49	524	3.6	18	<1	1	3	5	7	8	12
50-64	175	3.7	10	<1	1	3	4	7	11	17
65+	126	5.5	19	1	2	4	7	12	15	21
GRAND TOTAL	**2082**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.2	10	<1	<1	3	7	8	8	8
35-49	6	4.5	10	1	1	4	7	9	9	9
50-64	7	3.6	6	1	1	5	6	6	6	6
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	6	6.2	6	3	3	6	8	10	10	10
20-34	386	5.7	4	3	4	6	7	8	9	13
35-49	616	6.2	6	3	4	6	7	9	10	13
50-64	689	6.8	6	4	4	6	8	10	11	14
65+	540	7.2	8	4	5	7	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	2.1	2	<1	<1	1	3	5	5	5
35-49	48	3.2	8	<1	1	2	4	7	9	12
50-64	45	4.2	9	<1	<1	3	7	9	9	10
65+	87	3.5	5	1	1	3	5	7	7	10
B. *Operated*										
0-19 YRS	15	5.5	6	1	2	6	8	8	9	9
20-34	1735	6.2	4	4	4	6	7	9	10	13
35-49	2828	6.9	6	4	5	7	8	10	11	15
50-64	2001	7.6	8	4	5	7	9	11	12	18
65+	1874	8.3	12	4	5	8	9	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.7	7	<1	1	4	6	7	8	9
B. *Operated*	2237	6.5	6	3	4	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	200	3.5	6	<1	1	3	5	7	9	11
B. *Operated*	8453	7.2	8	4	5	7	8	10	12	17
1. SINGLE DX	2260	6.5	6	3	4	6	8	9	11	14
2. MULTIPLE DX	8653	7.1	8	4	4	7	8	10	12	17
A. NOT OPERATED	223	3.5	6	<1	1	3	5	7	8	11
B. OPERATED	10690	7.1	8	4	4	7	8	10	12	17
TOTAL 0-19 YRS	21	5.7	6	1	2	6	8	9	9	10
20-34	2146	6.1	4	3	4	6	7	8	10	13
35-49	3498	6.7	[illegible]	4	4	6	8	9	11	15
50-64	2742	7.3	8	4	5	7	8	10	12	17
65+	2506	7.9	12	4	5	7	9	11	13	21
GRAND TOTAL	**10913**	**7.0**	**8**	**4**	**4**	**7**	**8**	**10**	**12**	**16**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.0	1	<1	<1	2	2	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.4	3	1	1	2	3	5	7	7
20-34	59	2.0	3	<1	<1	1	2	5	6	8
35-49	68	2.4	5	<1	<1	1	3	6	7	12
50-64	10	1.6		<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0		3	3	3	3	3	3	3
20-34	12	2.8	3	<1	<1	3	4	5	5	5
35-49	7	2.7	2	1	1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	11	3.4	3	1	1	4	5	6	6	6
20-34	162	4.0	8	1	1	3	6	8	9	15
35-49	199	4.2	8	1	1	4	6	8	9	11
50-64	26	4.8	13	<1	1	5	7	9	12	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	147	2.2	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	24	2.8	2	<1	1	3	3	5	5	5
B. *Operated*	398	4.1	8	1	1	4	6	8	9	12
1. SINGLE DX	155	2.2	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX	422	4.1	8	1	1	3	6	8	9	12
A. NOT OPERATED	32	2.6	2	<1	1	3	3	5	5	5
B. OPERATED	545	3.6	8	<1	1	2	6	7	9	12
TOTAL 0-19 YRS	26	2.9	3	1	1	3	4	6	6	7
20-34	239	3.4	7	<1	1	2	5	7	8	12
35-49	275	3.7	7	<1	1	2	6	8	9	11
50-64	37	3.9	11	<1	<1	2	6	9	11	13
65+										
GRAND TOTAL	**577**	**3.6**	**7**	**<1**	**1**	**2**	**6**	**7**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.8	1	<1	<1	2	2	3	3	4
20-34	154	2.0	1	<1	1	2	3	3	5	6
35-49	55	1.9	2	<1	1	2	2	4	5	6
50-64	5	2.6		2	2	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	184	1.8	1	<1	<1	2	2	3	3	5
20-34	1784	2.2	3	<1	<1	2	2	5	6	8
35-49	1617	2.3	5	<1	<1	2	2	5	7	9
50-64	181	1.9	3	<1	<1	1	2	3	6	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	2.4	2	1	1	2	3	4	6	8
20-34	281	2.7	3	<1	1	2	4	5	6	9
35-49	186	2.7	4	<1	<1	2	3	6	7	9
50-64	23	2.4	1	<1	1	3	3	3	4	5
65+										
B. *Operated*										
0-19 YRS	225	2.6	4	<1	1	2	3	5	6	10
20-34	3823	4.5	7	1	1	5	6	7	8	12
35-49	5229	4.9	8	1	1	5	7	8	9	13
50-64	449	4.5	10	1	1	4	7	8	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	2.0	1	<1	1	2	3	3	4	6
B. *Operated*	3766	2.2	4	<1	<1	2	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	598	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	9726	4.6	8	1	1	5	6	8	9	12
1. SINGLE DX	4048	2.2	4	<1	<1	2	2	5	6	8
2. MULTIPLE DX	10324	4.5	8	1	1	5	6	8	9	12
A. NOT OPERATED	880	2.4	3	<1	1	2	3	5	6	8
B. OPERATED	13492	4.0	8	<1	1	3	6	7	8	12
TOTAL 0-19 YRS	585	2.2	3	<1	1	2	3	4	5	8
20-34	6042	3.7	7	<1	1	3	6	7	8	11
35-49	7087	4.2	9	<1	1	4	6	7	9	12
50-64	658	3.7	9	<1	1	2	6	8	9	14
65+										
GRAND TOTAL	**14372**	**3.9**	**8**	**<1**	**1**	**3**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	3.4	8	1	1	2	6	8	9	9
50-64	9	2.1	1	<1	<1	2	2	4	5	5
65+	7	2.9	3	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	184	1.8	2	<1	<1	1	2	3	6	6
50-64	634	1.8	1	<1	<1	2	2	2	4	7
65+	261	2.1	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	32	3.4	5	<1	1	3	4	6	7	12
50-64	50	3.4	20	1	1	2	4	5	9	32
65+	58	4.1	7	<1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	20	4.5	8	1	1	4	6	8	10	11
35-49	251	3.7	8	<1	1	2	6	8	9	13
50-64	1150	3.4	8	<1	1	2	5	8	9	12
65+	638	3.9	16	1	1	2	5	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	4	<1	1	2	4	6	7	9
B. *Operated*	1084	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	141	3.7	11	<1	1	3	5	7	9	14
B. *Operated*	2061	3.6	11	1	1	2	5	8	9	15
1. SINGLE DX	1110	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	2202	3.6	11	1	1	2	5	8	9	15
A. NOT OPERATED	167	3.5	10	<1	1	3	5	7	9	12
B. OPERATED	3145	3.0	8	<1	1	2	3	7	8	13
TOTAL 0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	25	4.3	7	1	2	4	6	8	9	11
35-49	477	2.9	6	<1	<1	2	4	6	8	12
50-64	1843	2.8	7	<1	<1	2	3	7	8	12
65+	964	3.4	12	1	1	2	4	7	9	16
GRAND TOTAL	**3312**	**3.0**	**8**	**<1**	**1**	**2**	**3**	**7**	**8**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.3	2	<1	<1	2	3	5	5	6
20-34	98	2.0	2	<1	<1	2	3	3	5	7
35-49	29	3.2	4	<1	1	3	4	6	7	7
50-64	7	2.9	2	1	1	3	3	5	6	6
65+	11	4.6	17	<1	<1	4	6	12	12	12
B. *Operated*										
0-19 YRS	140	2.8	6	<1	<1	2	3	6	8	14
20-34	1431	3.1	4	<1	1	2	5	6	7	9
35-49	779	3.3	7	<1	<1	2	5	7	8	11
50-64	368	3.2	6	<1	1	2	5	7	8	11
65+	144	3.2	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.2	18	1	1	2	3	6	6	30
20-34	132	3.2	17	<1	<1	2	3	6	9	26
35-49	70	3.7	11	<1	1	3	5	8	9	19
50-64	46	3.2	5	1	1	3	4	6	8	11
65+	70	4.7	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	124	4.2	10	<1	1	3	5	8	11	16
20-34	2002	4.7	10	1	1	5	6	8	9	14
35-49	2086	5.5	11	1	2	6	7	8	10	17
50-64	1128	5.7	23	1	1	6	7	9	12	21
65+	637	6.6	37	1	2	5	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.4	3	<1	<1	2	3	5	6	10
B. *Operated*	2862	3.1	5	<1	1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	368	3.5	13	<1	1	2	4	7	9	21
B. *Operated*	5977	5.4	16	1	1	5	7	9	11	19
1. SINGLE DX	3049	3.1	5	<1	1	2	5	6	7	10
2. MULTIPLE DX	6345	5.2	16	1	1	5	7	9	11	19
A. NOT OPERATED	555	3.2	10	<1	1	2	4	6	9	16
B. OPERATED	8839	4.6	14	1	1	4	6	8	10	17
TOTAL 0-19 YRS	356	3.3	9	<1	1	2	4	6	9	15
20-34	3663	3.9	9	<1	1	3	6	7	8	12
35-49	2964	4.8	10	1	1	5	7	8	9	14
50-64	1549	5.0	20	1	1	5	7	9	11	19
65+	862	5.9	31	1	2	4	8	13	16	27
GRAND TOTAL	**9394**	**4.6**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.0	2	<1	1	2	2	4	5	9
20-34	242	2.5	4	<1	1	2	3	5	6	11
35-49	42	2.6	4	<1	<1	2	3	5	7	10
50-64	6	1.8	1	<1	<1	2	2	3	3	3
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	99	3.1	7	1	1	2	4	6	8	17
20-34	910	3.4	5	<1	<1	2	5	6	8	10
35-49	527	6.0	7	1	2	6	8	9	10	13
50-64	308	7.3	9	3	4	7	9	10	12	20
65+	136	7.7	7	4	5	8	9	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	2	1	1	2	3	4	5	7
20-34	416	2.8	4	1	1	2	4	5	7	9
35-49	123	3.0	5	<1	1	2	4	6	7	11
50-64	25	4.2	8	1	1	4	5	8	10	14
65+	40	4.1	5	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	138	3.2	5	<1	1	3	5	6	8	10
20-34	3109	5.0	8	1	1	5	6	8	9	14
35-49	1891	6.4	7	2	3	6	8	9	11	15
50-64	587	7.9	20	3	5	8	9	11	13	18
65+	339	8.6	14	3	5	8	10	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	1980	5.0	10	<1	1	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	734	2.9	4	1	1	2	4	5	7	9
B. *Operated*	6064	5.9	10	1	2	6	7	9	11	16
1. SINGLE DX	2448	4.5	10	<1	1	4	7	8	9	13
2. MULTIPLE DX	6798	5.6	11	1	1	6	7	9	11	16
A. NOT OPERATED	1202	2.7	4	<1	1	2	3	5	7	9
B. OPERATED	8044	5.7	10	1	1	6	7	9	11	16
TOTAL 0-19 YRS	543	2.6	4	<1	1	2	3	5	6	10
20-34	4677	4.4	8	<1	1	5	6	7	8	12
35-49	2583	6.1	8	1	2	6	7	9	10	15
50-64	926	7.6	17	2	4	7	9	11	12	18
65+	517	8.0	13	2	4	8	9	13	15	21
GRAND TOTAL	**9246**	**5.3**	**11**	**1**	**1**	**5**	**7**	**9**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	34	2.3	3	<1	1	2	3	5	7	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	93	4.6	3	2	3	4	5	6	8	10
20-34	1280	4.7	3	3	3	5	5	6	7	9
35-49	105	4.8	3	3	3	5	5	6	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	19	3.1	4	<1	<1	2	4	6	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	84	5.0	2	3	4	5	5	6	7	12
20-34	1315	5.2	3	3	3	5	6	7	8	12
35-49	206	5.4	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.3	3	<1	1	2	3	5	6	8
B. *Operated*	1478	4.7	3	3	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	4	<1	<1	2	4	6	7	8
B. *Operated*	1605	5.2	3	3	3	5	6	7	8	12
1. SINGLE DX	1519	4.6	3	2	3	4	5	6	7	9
2. MULTIPLE DX	1626	5.2	3	3	3	5	6	7	8	12
A. NOT OPERATED	62	2.6	4	<1	<1	2	4	5	7	8
B. OPERATED	3083	4.9	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	184	4.7	3	2	3	5	5	6	8	11
20-34	2648	4.9	3	3	3	5	6	7	8	11
35-49	313	5.2	3	3	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**3145**	**4.9**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	<1	1	2	2	3	5	6
20-34	23	2.0	1	1	1	2	2	3	4	6
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	309	1.8	1	<1	1	2	2	3	3	5
20-34	550	1.7	1	<1	<1	1	2	3	4	6
35-49	56	1.4	1	<1	<1	<1	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	26	3.0	7	<1	1	2	3	7	9	12
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	134	2.3	2	<1	<1	2	3	4	6	9
20-34	547	2.5	5	<1	<1	2	3	5	6	13
35-49	139	2.7	4	<1	<1	2	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.9	1	1	1	2	2	3	4	6
B. *Operated*	915	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	36	2.8	5	1	1	2	3	5	8	12
B. *Operated*	820	2.5	4	<1	<1	2	3	5	6	10
1. SINGLE DX	961	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	856	2.5	5	<1	<1	2	3	5	6	10
A. NOT OPERATED	82	2.3	3	1	1	2	2	4	6	11
B. OPERATED	1735	2.1	3	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	470	1.9	1	<1	1	2	2	3	4	6
20-34	1146	2.1	3	<1	<1	2	2	4	6	9
35-49	201	2.3	3	<1	<1	2	3	5	6	8
50-64										
65+										
GRAND TOTAL	**1817**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
1. SINGLE DX	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	4	2.0	1	1	1	2	3	3	3	3
TOTAL 0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.6	1	<1	<1	1	2	3	3	5
20-34	641	1.7	1	<1	<1	1	2	3	4	5
35-49	52	1.8	1	1	1	1	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1324	1.5	1	<1	<1	1	2	2	3	5
20-34	6342	1.5	2	<1	<1	1	2	2	3	5
35-49	789	1.4	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.2	2	<1	<1	2	3	5	5	6
20-34	156	2.6	4	1	1	2	3	5	6	11
35-49	20	2.4	2	<1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	222	2.2	2	<1	1	2	3	4	5	8
20-34	1225	2.3	4	<1	1	2	3	5	6	9
35-49	241	2.5	6	<1	1	2	3	5	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	8455	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	225	2.5	3	1	1	2	3	5	6	10
B. *Operated*	1688	2.3	4	<1	1	2	3	5	6	10
1. SINGLE DX	9367	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1913	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	1137	1.8	2	<1	1	1	2	3	4	6
B. OPERATED	10143	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	1814	1.6	1	<1	<1	1	2	3	3	5
20-34	8364	1.6	3	<1	<1	1	2	3	4	7
35-49	1102	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**11280**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.7	3	<1	1	2	3	5	7	7
20-34	173	2.3	3	<1	1	2	3	4	6	10
35-49	20	2.9	4	1	1	2	3	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	164	2.1	3	<1	<1	2	2	4	5	11
20-34	1272	1.7	1	<1	<1	1	2	3	4	6
35-49	154	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7	5	1	1	2	4	6	7	8
20-34	55	3.2	8	1	1	2	4	5	10	15
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	57	3.0	6	1	1	2	4	5	8	13
20-34	315	3.0	10	<1	1	2	3	6	9	17
35-49	56	3.1	9	<1	1	2	4	6	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	1590	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	75	3.1	7	1	1	2	4	5	9	14
B. *Operated*	428	3.0	9	<1	1	2	4	6	9	13
1. SINGLE DX	1836	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	503	3.0	9	<1	1	2	4	6	9	14
A. NOT OPERATED	321	2.6	4	<1	1	2	3	5	7	10
B. OPERATED	2018	2.0	3	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	290	2.4	4	<1	1	2	3	5	6	11
20-34	1815	2.0	4	<1	<1	1	2	4	5	10
35-49	234	2.0	4	<1	<1	1	2	4	5	12
50-64										
65+										
GRAND TOTAL	**2339**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	2.0	1	<1	<1	2	2	4	5	6
20-34	886	2.3	2	1	1	2	3	4	5	8
35-49	64	2.1	1	<1	1	2	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	24	1.9	1	1	1	2	2	3	4	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	5	1	1	3	4	5	5	16
20-34	259	3.0	5	1	1	2	4	6	7	14
35-49	22	2.3	5	1	1	2	3	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	3.7	8	1	1	3	5	8	10	12
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	28	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	325	3.0	5	1	1	2	4	5	6	14
B. *Operated*	25	3.3	7	1	1	2	4	6	10	12
1. SINGLE DX	1160	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	350	3.0	5	1	1	2	4	6	7	14
A. NOT OPERATED	1457	2.4	3	<1	1	2	3	4	5	8
B. OPERATED	53	2.6	4	1	1	2	3	5	6	12
TOTAL 0-19 YRS	230	2.2	2	<1	1	2	3	4	5	6
20-34	1189	2.5	3	1	1	2	3	4	5	10
35-49	91	2.1	2	1	1	2	3	4	4	9
50-64										
65+										
GRAND TOTAL	**1510**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	1	<1	<1	2	3	3	4	4
20-34	53	2.5	4	<1	1	2	3	4	8	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	20	2.9	3	<1	1	3	4	6	7	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	16.5	5	15	15	16	18	18	18	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.4	3	<1	1	2	3	4	7	10
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	29	2.7	3	1	1	2	3	4	7	8
B. *Operated*	2	16.5	5	15	15	16	18	18	18	18
1. SINGLE DX	70	2.3	3	<1	1	2	3	4	7	10
2. MULTIPLE DX	31	3.6	14	1	1	2	4	7	15	18
A. NOT OPERATED	97	2.5	3	<1	1	2	3	4	7	9
B. OPERATED	4	9.0	77	1	1	8	16	18	18	18
TOTAL 0-19 YRS	22	2.1	1	<1	1	2	3	4	4	4
20-34	77	2.9	9	<1	1	2	3	6	8	17
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**101**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**4**	**8**	**16**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	3.2	3	1	1	3	4	6	7	10
20-34	1154	3.3	5	1	1	3	4	6	7	13
35-49	102	3.3	5	1	1	3	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.0	8	1	2	3	5	8	10	14
20-34	60	3.7	6	1	2	3	5	7	10	12
35-49	6	3.3	2	2	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.4	5	1	1	3	4	6	8	13
20-34	316	4.1	10	1	2	3	5	7	10	17
35-49	55	4.3	11	1	2	3	5	7	8	21
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.9	21	<1	<1	4	6	12	15	15
20-34	52	4.7	14	<1	1	3	6	10	14	15
35-49	7	5.6	3	3	3	5	6	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	3.3	5	1	1	3	4	6	7	12
B. *Operated*	90	3.8	6	1	2	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	435	4.0	10	1	2	3	5	7	9	17
B. *Operated*	69	4.8	14	<1	1	4	6	10	14	15
1. SINGLE DX	1615	3.3	5	1	1	3	4	6	7	13
2. MULTIPLE DX	504	4.1	10	1	1	3	5	8	10	16
A. NOT OPERATED	1960	3.4	6	1	1	3	4	6	8	14
B. OPERATED	159	4.2	10	1	1	3	5	9	11	15
TOTAL 0-19 YRS	367	3.3	5	1	1	3	4	6	8	11
20-34	1582	3.5	6	1	1	3	4	6	8	15
35-49	170	3.7	7	1	2	3	5	7	8	14
50-64										
65+										
GRAND TOTAL	**2119**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	3.4	5	1	2	3	4	6	7	12
20-34	1615	3.7	5	1	2	3	4	6	8	12
35-49	40	3.9	5	1	2	3	5	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	5	13.8	262	1	1	3	31	32	32	32
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.5	4	1	2	3	4	6	8	9
20-34	658	4.0	7	1	2	3	5	7	9	15
35-49	25	4.8	7	1	2	4	7	8	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.9	16	2	2	3	6	12	14	14
20-34	27	7.4	26	2	3	7	8	12	22	23
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1972	3.6	5	1	2	3	4	6	8	12
B. *Operated*	8	9.3	189	1	1	2	17	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	816	3.9	7	1	2	3	5	7	9	14
B. *Operated*	36	6.9	24	2	2	6	8	12	20	23
1. SINGLE DX	1980	3.6	6	1	2	3	4	6	8	13
2. MULTIPLE DX	852	4.0	8	1	2	3	5	7	9	15
A. NOT OPERATED	2788	3.7	5	1	2	3	4	6	8	13
B. OPERATED	44	7.3	51	1	2	5	8	15	25	32
TOTAL 0-19 YRS	460	3.4	4	1	2	3	4	6	8	11
20-34	2305	3.8	7	1	2	3	5	6	8	14
35-49	67	4.3	6	1	2	4	5	8	9	12
50-64										
65+										
GRAND TOTAL	**2832**	**3.8**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	792	1.2	1	<1	<1	1	1	2	2	5
20-34	2671	1.2	1	<1	<1	1	1	2	3	5
35-49	152	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	65	1.3	1	<1	<1	<1	1	2	3	9
20-34	210	1.2		<1	<1	1	1	2	3	4
35-49	7	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	1.7	1	<1	<1	1	2	4	4	6
20-34	387	1.7	2	<1	<1	1	2	3	4	9
35-49	23	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.5	1	<1	<1	1	2	3	3	3
20-34	41	1.9	4	<1	<1	1	2	4	5	12
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3615	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	282	1.2	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	529	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	58	1.8	3	<1	<1	1	2	3	4	11
1. SINGLE DX	3897	1.2	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	587	1.7	2	<1	<1	1	2	3	4	8
A. NOT OPERATED	4144	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	340	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	990	1.3	1	<1	<1	1	1	2	3	6
20-34	3309	1.3	1	<1	<1	1	1	2	3	5
35-49	185	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**4484**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	5	<1	<1	1	3	5	6	13
20-34	301	3.4	10	<1	1	3	4	6	9	18
35-49	33	2.6	3	<1	1	2	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	29	2.3	2	<1	1	2	3	4	5	7
35-49	6	3.2	3	<1	<1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	26	<1	<1	3	4	9	17	21
20-34	73	5.1	29	1	1	3	6	11	17	27
35-49	15	6.9	178	<1	1	2	6	10	43	54
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	3.8	13	1	1	2	4	10	13	13
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.2	9	<1	1	2	4	6	8	18
B. *Operated*	38	2.4	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	104	5.2	49	1	1	3	6	11	19	40
B. *Operated*	12	4.0	11	1	1	3	5	9	12	13
1. SINGLE DX	414	3.1	8	<1	1	2	4	6	7	18
2. MULTIPLE DX	116	5.1	45	1	1	3	5	11	17	37
A. NOT OPERATED	480	3.6	18	<1	1	3	4	6	10	22
B. OPERATED	50	2.8	4	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	61	2.9	11	<1	<1	2	4	6	8	20
20-34	413	[illegible]	13	<1	1	3	4	6	11	22
35-49	56	3.9	51	<1	1	2	4	6	8	51
50-64										
65+										
GRAND TOTAL	**530**	**3.5**	**17**	**<1**	**1**	**2**	**4**	**6**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	1.9	1	<1	1	2	2	3	5	6
20-34	439	2.2	2	<1	1	2	3	4	5	8
35-49	20	2.2	3	<1	<1	2	2	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34	22	2.3	2	<1	1	2	3	4	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	2	<1	1	2	3	4	5	7
20-34	153	2.6	4	<1	1	2	3	5	6	11
35-49	9	3.4	5	1	1	2	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	19	3.5	15	<1	1	2	4	7	13	18
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	31	2.0	2	<1	1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	198	2.6	3	<1	1	2	3	5	6	10
B. *Operated*	25	3.4	12	<1	1	2	4	6	10	18
1. SINGLE DX	589	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	223	2.7	4	<1	1	2	3	5	6	11
A. NOT OPERATED	756	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	56	2.6	7	<1	1	2	3	5	6	17
TOTAL 0-19 YRS	145	2.0	2	<1	1	2	2	4	5	6
20-34	633	2.3	3	<1	1	2	3	4	5	9
35-49	34	2.6	3	<1	1	2	4	5	7	8
50-64										
65+										

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	3.2	3	<1	1	3	4	6	6	8
20-34	586	3.0	3	1	1	3	4	5	6	8
35-49	15	3.1	2	<1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.5	6	<1	<1	1	4	7	8	8
20-34	26	3.4	8	<1	<1	2	5	8	9	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	3.8	4	1	2	3	5	6	7	12
20-34	746	3.6	5	1	1	3	5	6	7	12
35-49	19	3.7	3	1	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	28	4.3	14	1	1	3	6	11	12	14
20-34	53	4.2	9	<1	1	4	6	8	11	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	872	3.1	3	<1	1	3	4	5	6	8
B. *Operated*	37	3.1	7	<1	<1	2	4	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	1156	3.7	4	1	1	3	5	6	7	12
B. *Operated*	82	4.2	10	<1	1	3	6	9	11	14
1. SINGLE DX	909	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	1238	3.7	5	1	1	3	5	6	8	12
A. NOT OPERATED	2028	3.4	4	1	1	3	4	6	7	10
B. OPERATED	119	3.9	9	<1	<1	3	6	9	11	13
TOTAL 0-19 YRS	701	3.6	4	1	1	3	4	6	7	12
20-34	1411	3.4	4	1	1	3	4	6	7	11
35-49	35	3.4	2	1	2	3	4	5	6	7
50-64										
65+										

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.3	11	1	1	3	3	6	8	23
20-34	482	3.8	10	1	1	3	5	7	9	15
35-49	61	4.9	10	1	2	4	6	10	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	24	3.9	7	<1	1	3	5	9	9	9
35-49	2	12.5	85	6	6	12	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.2	8	1	1	3	4	6	7	10
20-34	1252	4.0	13	1	1	3	5	8	10	16
35-49	129	4.4	7	1	2	3	6	8	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.0	10	<1	<1	3	6	9	10	11
20-34	100	5.0	30	1	1	4	6	10	13	32
35-49	11	4.1	9	<1	1	3	7	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	3.9	10	1	1	3	5	7	10	16
B. *Operated*	29	4.5	14	1	1	3	5	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	1625	3.9	12	1	1	3	5	8	10	15
B. *Operated*	133	4.8	25	<1	1	3	6	9	11	29
1. SINGLE DX	646	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	1758	4.0	13	1	1	3	5	8	10	16
A. NOT OPERATED	2242	3.9	11	1	1	3	5	7	10	15
B. OPERATED	162	4.7	23	<1	1	3	6	9	11	28
TOTAL 0-19 YRS	343	3.3	9	1	1	3	4	7	8	11
20-34	1858	4.0	13	1	1	3	5	8	10	17
35-49	203	4.6	9	1	2	4	6	9	10	15
50-64										
65+										
GRAND TOTAL	**2404**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	728	2.5	8	<1	<1	2	3	4	6	17
20-34	2572	2.6	8	<1	<1	2	3	5	7	15
35-49	124	2.7	5	<1	<1	2	3	5	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	136	2.5	4	<1	<1	2	3	5	7	10
20-34	926	2.8	7	<1	<1	2	3	5	6	14
35-49	71	3.1	5	<1	<1	3	4	6	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	3.4	14	<1	<1	2	4	6	8	26
20-34	1350	3.4	17	<1	<1	2	4	6	9	24
35-49	96	4.1	20	<1	1	3	5	8	13	26
50-64										
65+										
B. *Operated*										
0-19 YRS	75	3.6	23	<1	1	2	4	6	10	32
20-34	408	3.7	25	<1	<1	3	4	7	9	25
35-49	32	3.3	7	<1	1	2	4	8	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3424	2.6	8	<1	<1	2	3	5	7	15
B. *Operated*	1133	2.8	6	<1	<1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	1807	3.4	17	<1	<1	2	4	6	9	25
B. *Operated*	515	3.7	24	<1	<1	3	4	7	9	25
1. SINGLE DX	4557	2.6	8	<1	<1	2	3	5	7	15
2. MULTIPLE DX	2322	3.5	19	<1	<1	2	4	7	9	25
A. NOT OPERATED	5231	2.9	11	<1	<1	2	3	5	7	20
B. OPERATED	1648	3.0	12	<1	<1	2	4	6	7	15
TOTAL 0-19 YRS	1300	2.8	10	<1	<1	2	3	5	7	20
20-34	5256	2.9	12	<1	<1	2	3	5	7	18
35-49	323	3.2	10	<1	1	2	4	7	9	16
50-64										
65+										
GRAND TOTAL	**6879**	**2.9**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.7	1	1	2	3	3	4	4	6
20-34	358	2.6	1	1	2	2	3	4	4	6
35-49	24	2.7	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.3	2	2	2	3	4	5	7	7
20-34	221	4.3	23	2	2	4	5	6	7	16
35-49	17	5.1	4	2	2	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.8	2	1	2	3	3	4	4	10
20-34	495	3.1	7	1	2	3	3	4	6	11
35-49	36	3.4	2	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	176	5.7	66	2	2	3	5	9	18	45
20-34	1155	4.9	25	2	2	4	5	7	11	27
35-49	148	4.6	5	2	2	4	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	2.6	1	1	2	2	3	4	4	6
B. *Operated*	285	4.2	18	2	2	4	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	666	3.1	6	1	2	3	3	4	6	10
B. *Operated*	1479	4.9	28	2	2	4	5	7	11	33
1. SINGLE DX	770	3.2	8	1	2	3	4	5	6	8
2. MULTIPLE DX	2145	4.4	22	2	2	3	5	7	9	24
A. NOT OPERATED	1151	2.9	4	1	2	3	3	4	5	8
B. OPERATED	1764	4.8	27	2	2	4	5	7	10	29
TOTAL 0-19 YRS	461	3.9	28	2	2	3	4	6	8	33
20-34	2229	4.1	18	2	2	3	5	6	8	20
35-49	225	4.2	5	2	2	4	5	7	7	13
50-64										
65+										
GRAND TOTAL	**2915**	**4.1**	**18**	**2**	**2**	**3**	**4**	**6**	**8**	**20**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7524	2.4	1	1	1	2	3	3	4	5
20-34	31177	2.5	1	1	1	2	3	4	4	5
35-49	1473	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1005	2.6	1	1	2	3	3	4	4	5
20-34	4886	2.6	1	1	2	3	3	4	4	5
35-49	270	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	2.8	1	1	2	3	3	4	5	6
20-34	1292	2.9	2	1	2	3	3	4	5	8
35-49	98	2.9	2	1	2	3	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	209	2.9	1	2	2	3	3	4	4	5
20-34	6797	3.1	1	2	2	3	4	4	5	6
35-49	715	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40174	2.5	1	1	1	2	3	4	4	5
B. *Operated*	6161	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1739	2.9	2	1	2	3	3	4	5	8
B. *Operated*	7721	3.1	1	2	2	3	4	4	5	6
1. SINGLE DX	46335	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	9460	3.1	1	2	2	3	4	4	5	6
A. NOT OPERATED	41913	2.5	1	1	1	2	3	4	4	5
B. OPERATED	13882	2.9	1	1	2	3	3	4	5	6
TOTAL 0-19 YRS	9087	2.5	1	1	1	2	3	3	4	5
20-34	44152	2.6	1	1	2	3	3	4	4	5
35-49	2556	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**55795**	**2.6**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	1	1	1	2	2	3	3	3
20-34	20	2.4	1	<1	<1	2	3	4	5	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.5	15	3	3	5	5	8	16	19
20-34	135	6.1	42	3	3	5	6	8	10	44
35-49	11	5.1	4	1	2	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	8	1	1	3	6	8	8	8
20-34	29	4.3	42	1	1	3	3	7	12	36
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	31	4.9	3	2	3	5	6	7	8	9
20-34	320	9.5	150	3	3	5	8	19	40	68
35-49	54	8.0	62	4	4	6	7	16	20	51
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.2	1	<1	1	2	3	3	4	6
B. *Operated*	161	6.0	37	3	3	5	6	8	10	43
2. MULTIPLE DX										
A. *Not Operated*	37	4.2	34	1	1	3	4	8	10	36
B. *Operated*	405	8.9	128	3	3	5	7	17	33	66
1. SINGLE DX	193	5.4	33	2	2	4	6	7	9	41
2. MULTIPLE DX	442	8.5	122	2	3	5	7	16	31	65
A. NOT OPERATED	69	3.2	19	1	1	2	3	5	8	31
B. OPERATED	566	8.1	104	3	3	5	7	15	30	62
TOTAL 0-19 YRS	62	4.5	7	1	2	4	6	7	8	18
20-34	504	8.0	113	2	3	5	7	14	31	63
35-49	69	7.2	51	2	3	5	6	15	17	48
50-64										
65+										
GRAND TOTAL	**635**	**7.6**	**97**	**2**	**3**	**5**	**7**	**12**	**29**	**61**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	1	<1	1	2	3	3	4	4
20-34	149	2.6	2	1	1	2	3	4	5	7
35-49	9	3.3	4	1	1	3	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	25	5.2	12	1	2	5	6	8	11	18
20-34	167	4.2	4	1	2	4	5	6	7	9
35-49	10	4.9	2	3	3	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.1	1	1	1	2	3	3	4	7
20-34	111	2.8	10	1	1	2	3	5	6	17
35-49	10	2.9	4	1	1	3	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	84	5.3	32	2	2	4	6	7	9	40
20-34	444	4.8	14	2	2	4	5	7	9	18
35-49	58	5.1	12	2	3	5	6	8	11	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	2.5	2	1	1	2	3	4	5	7
B. *Operated*	202	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	150	2.7	8	1	1	2	3	4	6	8
B. *Operated*	586	4.9	16	2	2	4	5	7	9	20
1. SINGLE DX	393	3.5	4	1	1	3	4	6	7	9
2. MULTIPLE DX	736	4.5	15	1	2	4	5	7	8	19
A. NOT OPERATED	341	2.6	4	1	1	2	3	4	5	8
B. OPERATED	788	4.8	13	2	2	4	5	7	8	18
TOTAL 0-19 YRS	171	4.1	20	1	1	3	5	7	8	24
20-34	871	4.1	10	1	2	4	5	6	8	14
35-49	87	4.7	9	2	2	4	6	7	8	20
50-64										
65+										
GRAND TOTAL	**1129**	**4.1**	**11**	**1**	**2**	**4**	**5**	**6**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	34	2	2	3	8	14	14	14
20-34	27	2.7	1	1	2	3	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.5	1	1	1	2	3	4	4	5
20-34	292	2.6	1	1	1	3	3	4	5	7
35-49	14	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	11	3.0	2	2	2	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.8	3	1	1	3	3	5	7	8
20-34	200	3.3	6	1	2	3	4	5	6	14
35-49	21	3.4	2	1	1	3	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.1	5	1	2	3	3	4	4	14
B. *Operated*	358	2.6	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.8	1	1	2	3	3	4	5	6
B. *Operated*	252	3.3	5	1	2	3	4	5	6	13
1. SINGLE DX	391	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX	269	3.2	5	1	2	3	4	5	6	13
A. NOT OPERATED	50	3.0	3	1	2	3	3	4	4	14
B. OPERATED	610	2.9	3	1	1	3	3	4	5	8
TOTAL 0-19 YRS	92	2.7	3	1	1	2	3	4	5	11
20-34	530	2.9	3	1	1	3	3	4	5	9
35-49	38	3.1	2	1	1	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**660**	**2.9**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7		2	2	3	3	4	4	4
20-34	116	2.6	1	1	2	3	3	4	4	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.8	1	2	2	3	3	4	5	5
20-34	69	2.7	1	1	1	3	3	4	4	5
35-49	3	6.0	4	4	4	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	1	2	2	3	4	4	6	7
20-34	52	2.9	1	1	2	3	3	4	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.4	1	2	2	3	4	5	5	5
20-34	103	3.4	2	2	2	3	4	5	6	10
35-49	9	4.9	27	1	1	4	5	13	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.6	1	1	2	3	3	4	4	5
B. *Operated*	88	2.9	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	68	3.0	1	1	2	3	3	4	6	7
B. *Operated*	131	3.5	4	2	2	3	4	5	5	13
1. SINGLE DX	232	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	199	3.3	3	1	2	3	4	5	6	10
A. NOT OPERATED	212	2.8	1	1	2	3	3	4	4	6
B. OPERATED	219	3.2	3	1	2	3	4	5	5	9
TOTAL 0-19 YRS	78	3.0	1	2	2	3	3	4	5	7
20-34	340	2.9	1	1	2	3	3	4	5	6
35-49	13	5.1	19	1	1	4	5	10	16	18
50-64										
65+										
GRAND TOTAL	**431**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	1	2	2	3	3	4	5	5
20-34	78	3.5	11	1	2	3	4	4	7	24
35-49	8	3.1	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.4	3	1	1	3	5	6	6	6
20-34	54	4.4	3	2	2	4	6	7	7	10
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	4	1	1	2	4	6	7	7
20-34	71	4.6	19	2	2	3	5	8	11	27
35-49	5	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	6.3	43	2	2	4	6	11	20	34
20-34	533	5.9	39	2	3	5	6	8	14	34
35-49	48	6.1	72	2	2	5	6	7	13	58
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.5	9	1	2	3	4	4	6	21
B. *Operated*	65	4.2	3	2	2	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	84	4.3	17	1	2	3	5	7	10	27
B. *Operated*	628	6.0	42	2	2	5	6	9	14	34
1. SINGLE DX	163	3.8	7	1	2	3	4	6	7	12
2. MULTIPLE DX	712	5.8	39	2	2	5	6	9	13	34
A. NOT OPERATED	182	3.9	13	1	2	3	4	6	9	27
B. OPERATED	693	5.8	38	2	2	5	6	8	13	34
TOTAL 0-19 YRS	76	5.1	29	2	2	4	5	9	12	34
20-34	736	5.4	32	2	2	4	6	8	12	32
35-49	63	5.4	56	2	2	4	5	7	10	54
50-64										
65+										
GRAND TOTAL	**875**	**5.4**	**34**	**2**	**2**	**4**	**6**	**8**	**12**	**33**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.0	1	1	1	2	2	3	3	4
20-34	136	2.6	1	1	1	2	3	4	5	6
35-49	9	3.0	1	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	253	4.5	2	2	3	4	5	6	7	10
20-34	1408	4.4	2	2	3	4	5	6	6	7
35-49	84	4.3	2	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	4	5	5
20-34	46	3.1	5	1	1	3	3	5	7	13
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	254	4.9	4	2	3	5	6	7	9	12
20-34	1650	5.1	6	3	3	5	6	7	8	13
35-49	166	5.0	4	2	3	5	6	7	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.5	1	1	1	2	3	4	5	6
B. *Operated*	1745	4.4	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	58	2.9	4	1	1	2	3	5	7	13
B. *Operated*	2070	5.1	5	2	3	5	6	7	8	13
1. SINGLE DX	1917	4.3	2	2	2	4	5	6	6	8
2. MULTIPLE DX	2128	5.0	5	2	3	5	6	7	8	13
A. NOT OPERATED	230	2.6	2	1	1	2	3	4	5	7
B. OPERATED	3815	4.8	4	2	3	5	5	6	7	11
TOTAL 0-19 YRS	542	4.5	3	2	2	4	5	6	8	10
20-34	3240	4.7	4	2	3	5	5	6	7	11
35-49	263	4.7	3	2	3	5	5	6	7	13
50-64										
65+										
GRAND TOTAL	**4045**	**4.7**	**4**	**2**	**3**	**5**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	1	1	2	2	3	4	4	4
20-34	259	2.7	1	1	2	3	3	4	4	6
35-49	16	2.4	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	164	3.6	2	2	2	3	4	6	7	8
20-34	820	3.7	2	2	2	4	5	5	6	8
35-49	45	4.4	2	2	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	1	<1	<1	2	3	4	4	6
20-34	121	3.0	2	1	2	3	3	4	5	9
35-49	10	2.8	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	402	3.9	3	2	2	4	5	6	7	9
20-34	2346	4.4	3	2	2	4	5	6	7	11
35-49	203	4.9	5	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	2.6	1	1	2	3	3	4	4	6
B. *Operated*	1029	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	160	2.9	2	1	1	3	3	4	5	8
B. *Operated*	2951	4.3	3	2	2	4	5	6	7	11
1. SINGLE DX	1352	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3111	4.3	3	2	2	4	5	6	7	11
A. NOT OPERATED	483	2.7	1	1	2	3	3	4	4	6
B. OPERATED	3980	4.2	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	643	3.7	3	2	2	3	5	6	6	9
20-34	3546	4.0	3	2	2	4	5	6	7	9
35-49	274	4.6	4	2	2	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**4463**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	2	3	3	3
20-34	30	3.2	1	2	2	3	4	5	5	5
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	574	4.9	2	3	4	5	5	6	7	10
20-34	2405	4.8	1	3	4	5	5	6	7	8
35-49	88	5.4	3	4	4	5	6	7	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	8	1	1	5	6	8	9	9
20-34	21	3.5	4	1	1	3	5	6	7	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1020	5.5	4	4	4	5	6	8	9	13
20-34	4305	5.3	4	3	4	5	6	7	8	11
35-49	272	5.7	9	3	4	5	6	7	9	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.1	1	2	2	3	4	5	5	5
B. *Operated*	3067	4.9	1	3	4	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	33	3.7	5	1	1	3	5	7	8	9
B. *Operated*	5597	5.3	4	3	4	5	6	7	8	11
1. SINGLE DX	3106	4.8	1	3	4	5	5	6	7	9
2. MULTIPLE DX	5630	5.3	4	3	4	5	6	7	8	11
A. NOT OPERATED	72	3.4	3	1	2	3	4	6	7	9
B. OPERATED	8664	5.2	3	3	4	5	6	7	8	11
TOTAL 0-19 YRS	1610	5.3	3	3	4	5	6	7	8	12
20-34	6761	5.1	3	3	4	5	6	7	7	10
35-49	365	5.6	8	3	4	5	6	7	8	18
50-64										
65+										
GRAND TOTAL	**8736**	**5.1**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.9	1	2	2	3	3	4	5	5
20-34	327	2.9	1	2	2	3	3	4	4	6
35-49	15	2.5	1	1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	143	4.1	3	2	2	4	5	6	7	9
20-34	696	3.9	2	2	2	4	5	6	6	7
35-49	33	4.4	3	2	2	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.7	2	1	2	2	3	4	5	8
20-34	191	3.0	1	1	2	3	3	4	5	7
35-49	16	2.7	2	<1	1	3	3	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	427	4.1	4	1	2	4	5	6	8	10
20-34	1971	4.4	4	2	2	4	5	6	7	11
35-49	174	5.1	6	2	3	5	6	7	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	2.9	1	2	2	3	3	4	4	6
B. *Operated*	872	3.9	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	258	2.9	2	1	2	3	3	4	5	7
B. *Operated*	2572	4.4	4	2	2	4	5	6	8	11
1. SINGLE DX	1298	3.6	2	2	2	3	5	5	6	7
2. MULTIPLE DX	2830	4.3	4	2	2	4	5	6	7	11
A. NOT OPERATED	684	2.9	1	1	2	3	3	4	5	7
B. OPERATED	3444	4.3	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	705	3.9	4	1	2	4	5	6	7	10
20-34	3185	4.1	3	2	2	4	5	6	7	9
35-49	238	4.7	5	1	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**4128**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6		2	2	3	3	3	3	3
20-34	94	3.4	38	1	2	3	3	4	4	37
35-49	12	2.8	2	<1	<1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.3	3	2	2	4	5	6	6	9
20-34	345	4.2	3	2	2	4	5	6	7	8
35-49	20	8.7	318	2	3	4	6	9	47	84
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	1	1	1	3	3	4	4	4
20-34	66	2.8	1	1	1	3	3	4	5	7
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	116	5.1	7	2	2	5	6	7	8	17
20-34	930	5.2	17	2	3	5	6	7	8	12
35-49	112	5.1	3	2	3	5	6	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.3	32	1	2	3	3	4	4	26
B. *Operated*	414	4.5	18	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	80	2.7	1	1	1	3	3	4	4	7
B. *Operated*	1158	5.2	14	2	3	5	6	7	8	13
1. SINGLE DX	528	4.2	21	2	2	4	5	6	7	9
2. MULTIPLE DX	1238	5.0	14	2	3	5	6	7	8	12
A. NOT OPERATED	194	3.0	19	1	2	3	3	4	4	7
B. OPERATED	1572	5.0	15	2	3	5	6	7	8	12
TOTAL 0-19 YRS	183	4.6	6	2	2	4	6	7	8	15
20-34	1435	4.7	15	2	2	4	6	7	8	12
35-49	148	5.3	46	2	2	5	6	7	9	12
50-64										
65+										
GRAND TOTAL	**1766**	**4.8**	**16**	**2**	**2**	**4**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	2	2	2	3	4	5	6	6
20-34	72	2.9	2	1	2	3	3	5	6	7
35-49	5	2.8	2	<1	<1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	367	4.9	1	3	4	5	6	6	7	8
20-34	4657	5.0	1	3	4	5	6	6	7	8
35-49	260	5.4	2	3	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	44	3.7	4	1	2	3	5	6	7	13
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	295	5.1	3	3	4	5	6	7	8	11
20-34	6351	5.3	3	3	4	5	6	7	8	11
35-49	572	5.8	11	4	4	5	6	7	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.9	2	1	2	3	3	5	6	7
B. *Operated*	5284	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	51	3.5	5	1	1	3	5	6	6	13
B. *Operated*	7218	5.3	3	3	4	5	6	7	8	11
1. SINGLE DX	5372	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX	7269	5.3	3	3	4	5	6	7	8	11
A. NOT OPERATED	139	3.1	3	1	1	3	4	5	6	8
B. OPERATED	12502	5.2	3	3	4	5	6	7	7	10
TOTAL 0-19 YRS	676	4.9	2	3	4	5	6	6	7	10
20-34	11124	5.2	2	3	4	5	6	7	7	10
35-49	841	5.6	8	3	4	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**12641**	**5.2**	**3**	**3**	**4**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.8	1	1	2	3	3	4	5	7
20-34	828	3.2	6	1	2	3	4	4	5	8
35-49	32	3.7	4	2	2	3	4	6	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	102	3.1	2	2	2	3	3	5	6	8
20-34	583	3.3	2	1	2	3	4	5	6	8
35-49	26	3.7	2	2	2	3	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	3.2	3	1	2	3	4	5	6	10
20-34	555	3.4	3	1	2	3	4	5	7	11
35-49	30	4.3	13	1	1	3	6	8	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	398	4.4	22	2	2	3	5	7	8	19
20-34	2236	4.3	9	2	2	4	5	6	8	13
35-49	219	4.9	26	2	2	4	5	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	3.1	6	1	2	3	4	4	5	8
B. *Operated*	711	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	725	3.4	4	1	2	3	4	5	7	11
B. *Operated*	2853	4.4	12	2	2	4	5	7	8	13
1. SINGLE DX	1736	3.2	4	2	2	3	4	5	6	8
2. MULTIPLE DX	3578	4.2	10	2	2	4	5	6	8	13
A. NOT OPERATED	1750	3.3	5	1	2	3	4	5	6	9
B. OPERATED	3564	4.1	10	2	2	4	5	6	8	13
TOTAL 0-19 YRS	805	3.7	12	2	2	3	4	6	7	13
20-34	4202	3.8	7	2	2	3	5	6	7	12
35-49	307	4.6	21	2	2	4	5	7	9	17
50-64										
65+										
GRAND TOTAL	**5314**	**3.8**	**9**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	2.5	1	1	2	2	3	3	4	5
20-34	1850	2.6	1	1	2	3	3	4	4	6
35-49	111	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	190	2.7	1	1	2	3	3	4	5	7
20-34	1066	2.8	1	1	2	3	3	4	5	6
35-49	44	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	2.7	1	1	2	3	3	4	4	7
20-34	478	2.6	1	1	2	3	3	4	4	5
35-49	35	2.7	1	<1	1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	245	3.4	17	1	2	3	3	5	6	9
20-34	1865	3.1	2	1	2	3	4	5	6	8
35-49	154	3.4	2	1	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2273	2.6	1	1	2	3	3	4	4	5
B. *Operated*	1300	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	621	2.6	1	1	2	3	3	4	4	6
B. *Operated*	2264	3.2	4	1	2	3	4	5	6	8
1. SINGLE DX	3573	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	2885	3.1	3	1	2	3	4	5	5	8
A. NOT OPERATED	2894	2.6	1	1	2	3	3	4	4	5
B. OPERATED	3564	3.0	3	1	2	3	3	5	5	8
TOTAL 0-19 YRS	855	2.8	6	1	2	3	3	4	5	7
20-34	5259	2.8	2	1	2	3	3	4	5	7
35-49	344	3.0	1	1	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**6458**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.3	1	1	1	2	3	3	4	4
20-34	583	2.4	1	1	1	2	3	3	4	4
35-49	25	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	971	2.4	1	1	1	2	3	3	4	4
20-34	4546	2.4	1	1	1	2	3	3	4	5
35-49	361	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.6	1	1	2	3	3	4	4	6
20-34	198	2.8	2	1	2	3	3	4	5	9
35-49	12	3.1	4	1	1	3	3	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	435	2.8	1	1	2	3	3	4	5	8
20-34	2955	2.9	5	1	2	3	3	4	5	7
35-49	292	3.1	2	1	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	750	2.4	1	1	1	2	3	3	4	4
B. *Operated*	5878	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	263	2.8	2	1	2	3	3	4	5	8
B. *Operated*	3682	2.9	4	1	2	3	3	4	5	7
1. SINGLE DX	6628	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	3945	2.9	4	1	2	3	3	4	5	7
A. NOT OPERATED	1013	2.5	1	1	1	2	3	3	4	6
B. OPERATED	9560	2.6	2	1	1	3	3	4	4	6
TOTAL 0-19 YRS	1601	2.5	1	1	2	2	3	4	4	5
20-34	8282	2.6	2	1	1	3	3	4	4	6
35-49	690	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**10573**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.7	1	1	2	2	3	4	5	7
20-34	235	2.6	1	1	1	3	3	4	4	5
35-49	7	2.6		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1123	2.6	1	1	2	3	3	4	4	5
20-34	3438	2.9	1	2	2	3	3	4	4	6
35-49	110	3.0	1	1	2	3	3	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	1	2	2	3	4	4	4	8
20-34	78	2.8	1	2	2	3	3	4	5	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	590	3.2	7	2	2	3	4	4	6	10
20-34	2284	3.1	4	2	2	3	4	4	5	8
35-49	102	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	2.6	1	1	2	3	3	4	4	5
B. *Operated*	4671	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	117	2.9	1	2	2	3	3	4	4	6
B. *Operated*	2976	3.2	4	2	2	3	4	4	5	8
1. SINGLE DX	5005	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	3093	3.2	4	2	2	3	4	4	5	8
A. NOT OPERATED	451	2.7	1	1	2	3	3	4	4	5
B. OPERATED	7647	3.0	2	2	2	3	3	4	5	6
TOTAL 0-19 YRS	1841	2.8	3	2	2	3	3	4	4	7
20-34	6035	3.0	2	2	2	3	3	4	5	6
35-49	222	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**8098**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.4	1	1	1	2	3	3	4	6
20-34	190	2.5	1	1	1	2	3	3	4	7
35-49	8	3.0	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	379	2.6	1	1	2	3	3	4	4	5
20-34	1283	2.7	1	1	2	3	3	4	4	6
35-49	54	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7		1	2	3	3	3	4	4
20-34	72	2.6	1	1	1	3	3	4	4	6
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	222	3.1	3	2	2	3	3	5	6	11
20-34	1080	3.2	3	2	2	3	4	4	5	8
35-49	52	3.7	3	2	2	3	4	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.5	1	1	1	2	3	3	4	6
B. *Operated*	1716	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	102	2.7	1	1	1	3	3	4	4	5
B. *Operated*	1354	3.2	3	2	2	3	4	5	5	9
1. SINGLE DX	1981	2.6	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1456	3.1	3	2	2	3	4	4	5	9
A. NOT OPERATED	367	2.5	1	1	1	2	3	3	4	6
B. OPERATED	3070	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	695	2.7	1	1	2	3	3	4	4	7
20-34	2625	2.9	2	1	2	3	3	4	5	7
35-49	117	3.3	2	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**3437**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1199	2.8	3	1	1	3	3	4	5	9
20-34	4185	2.8	3	1	1	3	3	4	5	8
35-49	208	2.8	3	1	1	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3166	3.1	2	1	2	3	3	5	6	9
20-34	14069	3.2	3	2	2	3	4	5	6	8
35-49	693	3.5	5	1	2	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	787	3.2	8	1	1	3	4	5	7	12
20-34	2524	3.1	5	1	1	3	3	5	6	12
35-49	161	3.6	9	1	1	3	4	6	8	22
50-64										
65+										
B. *Operated*										
0-19 YRS	3313	4.2	11	1	2	3	5	7	9	16
20-34	16527	4.3	11	2	2	4	5	7	8	17
35-49	1494	4.8	16	2	2	4	5	7	10	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5592	2.8	3	1	1	3	3	4	5	8
B. *Operated*	17928	3.2	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3472	3.1	6	1	1	3	4	5	7	12
B. *Operated*	21334	4.3	12	2	2	4	5	7	9	17
1. SINGLE DX	23520	3.1	3	1	2	3	4	5	5	8
2. MULTIPLE DX	24806	4.1	11	2	2	3	5	7	8	16
A. NOT OPERATED	9064	2.9	4	1	1	3	3	4	6	10
B. OPERATED	39262	3.8	8	2	2	3	4	6	7	14
TOTAL 0-19 YRS	8465	3.5	7	1	2	3	4	6	7	12
20-34	37305	3.6	7	1	2	3	4	6	7	13
35-49	2556	4.2	12	2	2	3	5	7	8	18
50-64										
65+										
GRAND TOTAL	**48326**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.1	2	1	2	3	3	5	6	7
20-34	131	3.7	4	2	2	3	4	6	7	11
35-49	4	4.8	18	2	2	3	7	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	14	4.4	10	1	2	4	5	8	12	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.1	6	1	2	3	5	8	10	10
20-34	63	4.3	5	2	2	4	5	6	9	13
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8	3	1	1	2	4	5	5	5
20-34	21	8.5	209	1	2	5	7	14	39	69
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.6	4	1	2	3	4	6	7	11
B. *Operated*	16	4.2	9	1	2	4	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	80	4.3	5	2	2	4	5	6	10	13
B. *Operated*	27	7.2	167	1	2	4	6	14	23	69
1. SINGLE DX	189	3.6	4	1	2	3	4	6	7	12
2. MULTIPLE DX	107	5.0	47	2	2	4	5	8	12	38
A. NOT OPERATED	253	3.8	4	2	2	3	4	6	8	12
B. OPERATED	43	6.1	109	1	2	4	6	12	14	69
TOTAL 0-19 YRS	59	3.3	3	1	2	3	4	6	7	10
20-34	229	4.3	24	2	2	4	5	6	9	14
35-49	8	4.6	13	2	2	3	7	11	11	11
50-64										
65+										
GRAND TOTAL	**296**	**4.1**	**20**	**2**	**2**	**3**	**5**	**6**	**9**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8		<1	1	2	2	3	3	3
20-34	47	1.8	1	<1	<1	2	2	3	3	8
35-49	4	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.7	1	<1	1	1	2	3	4	4
20-34	169	1.8	3	<1	<1	1	2	3	4	7
35-49	8	2.3	3	<1	<1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	40	2.3	1	<1	1	2	3	4	4	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	8	<1	1	2	3	6	9	15
20-34	84	2.8	7	1	1	2	3	6	8	14
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	1.8	1	<1	<1	2	2	3	3	7
B. *Operated*	206	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	49	2.2	1	<1	1	2	3	4	4	7
B. *Operated*	116	2.8	7	1	1	2	3	6	7	15
1. SINGLE DX	272	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	165	2.6	5	1	1	2	3	5	7	14
A. NOT OPERATED	115	2.0	1	<1	1	2	2	3	4	7
B. OPERATED	322	2.2	4	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	77	2.1	3	<1	1	2	2	3	4	13
20-34	340	2.1	4	<1	1	2	2	4	6	9
35-49	20	2.3	1	<1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**437**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	7	1	2	3	5	8	10	11
20-34	71	4.2	9	1	1	3	5	8	10	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	28	4.7	17	1	1	3	6	10	13	17
20-34	91	3.8	15	<1	1	2	4	10	13	19
35-49	8	3.0	4	1	1	2	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	4	1	2	3	4	7	8	8
20-34	57	5.2	28	<1	1	4	6	12	18	27
35-49	8	5.5	11	2	2	4	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	25	3.1	6	1	1	2	3	5	9	11
20-34	90	5.3	29	1	1	3	6	12	16	30
35-49	10	6.8	23	2	2	5	12	14	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.2	9	1	2	3	5	8	10	15
B. *Operated*	127	4.0	14	1	1	3	4	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	79	4.9	22	<1	1	4	6	11	15	26
B. *Operated*	125	5.0	25	1	1	3	6	12	15	25
1. SINGLE DX	213	4.1	12	1	1	3	5	9	12	16
2. MULTIPLE DX	204	5.0	24	1	1	3	6	11	15	24
A. NOT OPERATED	165	4.5	15	1	1	3	5	9	12	20
B. OPERATED	252	4.5	20	1	1	3	5	10	14	21
TOTAL 0-19 YRS	82	3.8	10	1	1	3	4	9	11	16
20-34	309	4.6	20	1	1	3	5	10	14	21
35-49	26	5.2	15	1	2	4	7	12	13	15
50-64										
65+										
GRAND TOTAL	**417**	**4.5**	**18**	**1**	**1**	**3**	**5**	**10**	**14**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	4.0	5	2	2	3	5	7	8	11
20-34	548	3.9	4	1	2	3	5	6	8	11
35-49	343	4.8	10	2	2	4	6	9	10	19
50-64	295	5.5	16	2	2	5	7	10	13	24
65+	249	5.9	13	2	3	5	7	11	14	18
B. *Operated*										
0-19 YRS	349	4.6	17	1	1	4	6	8	11	21
20-34	335	5.0	17	1	2	4	6	9	12	22
35-49	202	5.9	18	2	2	5	7	11	14	21
50-64	135	6.3	26	1	2	5	8	11	15	32
65+	82	7.5	42	2	2	6	9	13	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	804	4.5	10	2	2	4	5	8	10	17
20-34	776	5.3	13	2	2	4	6	9	12	18
35-49	936	6.1	18	2	3	5	7	11	14	22
50-64	1199	7.1	23	2	3	6	8	12	16	27
65+	2224	7.7	27	3	3	7	9	13	16	28
B. *Operated*										
0-19 YRS	342	6.6	30	2	2	5	8	14	19	29
20-34	445	8.0	56	2	2	6	9	15	21	43
35-49	512	10.0	107	2	3	7	12	20	27	58
50-64	623	11.1	94	2	3	8	14	21	29	50
65+	791	12.2	97	3	4	9	15	24	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2103	4.5	9	2	2	4	5	8	10	16
B. *Operated*	1103	5.4	21	1	2	4	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	5939	6.6	22	2	3	5	8	12	15	24
B. *Operated*	2713	10.2	87	2	3	7	13	20	27	46
1. SINGLE DX	3206	4.8	13	1	2	4	6	9	11	20
2. MULTIPLE DX	8652	7.7	45	2	3	6	9	14	19	35
A. NOT OPERATED	8042	6.0	19	2	2	5	7	11	14	23
B. OPERATED	3816	8.8	72	2	2	6	11	18	24	42
TOTAL 0-19 YRS	2163	4.7	13	1	2	4	6	8	10	21
20-34	2104	5.4	23	2	2	4	6	10	13	27
35-49	1993	6.9	43	2	2	5	8	13	17	32
50-64	2252	8.0	46	2	3	6	9	15	20	35
65+	3346	8.6	47	3	3	7	10	15	21	36
GRAND TOTAL	**11858**	**6.9**	**38**	**2**	**2**	**5**	**8**	**13**	**18**	**32**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.8	5	1	2	3	5	7	8	12
20-34	105	4.2	7	2	2	4	5	7	10	54
35-49	62	5.0	10	1	2	4	7	10	12	14
50-64	45	5.4	12	2	2	5	7	9	10	22
65+	20	7.5	20	3	3	6	9	13	17	21
B. *Operated*										
0-19 YRS	180	3.7	10	<1	1	3	4	8	11	16
20-34	109	4.5	14	<1	1	4	6	8	9	20
35-49	79	5.1	18	1	1	5	6	11	15	21
50-64	61	5.5	27	1	2	4	6	13	19	23
65+	41	5.9	33	1	2	3	7	12	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	4.4	7	2	2	4	5	7	9	15
20-34	155	5.2	15	2	2	4	6	9	11	27
35-49	150	6.4	18	2	2	5	8	12	15	19
50-64	230	7.0	29	2	3	6	8	12	15	43
65+	345	7.9	23	3	3	7	10	14	17	22
B. *Operated*										
0-19 YRS	146	5.1	27	1	1	4	6	9	12	23
20-34	157	5.5	19	1	2	5	7	10	11	27
35-49	138	7.6	59	1	2	6	9	13	22	47
50-64	208	9.5	59	2	2	8	12	19	22	37
65+	226	11.2	120	2	3	8	13	21	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.4	8	1	2	4	5	8	10	16
B. *Operated*	470	4.5	17	<1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1164	6.3	20	2	2	5	8	11	15	22
B. *Operated*	875	8.2	68	1	2	6	10	16	22	48
1. SINGLE DX	899	4.5	13	1	1	4	6	8	11	21
2. MULTIPLE DX	2039	7.1	42	2	2	5	9	13	17	40
A. NOT OPERATED	1593	5.8	18	2	2	5	7	11	14	21
B. OPERATED	1345	6.9	53	1	2	5	8	14	19	44
TOTAL 0-19 YRS	807	4.2	11	1	1	4	5	8	9	16
20-34	526	4.9	15	1	2	4	6	9	11	28
35-49	429	6.3	31	1	2	5	7	12	15	28
50-64	544	7.6	41	2	2	6	10	15	20	34
65+	632	8.9	61	2	3	7	11	15	21	49
GRAND TOTAL	**2938**	**6.3**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	2	1	1	4	5	5	5	5
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	685	3.2	3	1	1	3	4	5	6	9
20-34	1054	3.2	3	1	1	3	4	5	6	9
35-49	169	3.4	3	1	2	3	4	5	6	10
50-64	29	3.9	4	2	2	3	5	6	7	13
65+	11	3.6	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	11	3.2	6	1	1	3	4	7	9	9
35-49	4	5.8	3	4	4	5	7	8	8	8
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	80	4.2	7	1	2	3	5	7	10	16
20-34	187	4.0	6	1	2	4	5	7	9	14
35-49	80	4.3	5	1	2	4	5	8	9	12
50-64	22	6.8	128	1	2	4	6	10	30	56
65+	12	7.7	17	3	3	7	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*	1948	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	22	4.0	5	1	1	4	5	7	8	9
B. *Operated*	381	4.4	14	1	2	4	5	8	10	14
1. SINGLE DX	1962	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	403	4.4	13	1	2	4	5	8	10	14
A. NOT OPERATED	36	3.6	4	<1	1	3	5	7	8	9
B. OPERATED	2329	3.4	5	1	2	3	4	5	7	11
TOTAL 0-19 YRS	774	3.3	4	1	2	3	4	5	7	10
20-34	1258	3.3	3	1	1	3	4	5	6	10
35-49	255	3.7	4	1	2	3	4	6	8	11
50-64	54	5.1	55	2	2	3	5	7	11	54
65+	24	5.8	13	2	2	5	8	11	14	14
GRAND TOTAL	**2365**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	133	1.4	1	<1	<1	1	2	2	2	5
20-34	131	2.0	2	<1	<1	2	2	3	4	8
35-49	115	1.8	1	<1	<1	1	2	3	4	6
50-64	59	1.9	1	<1	<1	2	2	3	4	6
65+	38	2.6	7	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	1	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	4	5.0	11	1	1	5	7	9	9	9
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	33	2.4	2	<1	1	2	3	5	5	7
20-34	59	3.7	19	<1	1	2	4	8	11	28
35-49	60	3.5	5	<1	1	3	4	6	7	12
50-64	71	3.6	7	<1	1	3	5	7	10	13
65+	62	4.6	20	<1	1	3	6	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	5	1	1	2	2	6	7	7
B. *Operated*	476	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	14	3.6	9	<1	<1	3	6	9	9	9
B. *Operated*	285	3.7	12	<1	1	3	4	7	10	19
1. SINGLE DX	483	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	299	3.7	11	<1	1	3	4	7	10	18
A. NOT OPERATED	21	3.1	8	<1	<1	2	4	8	9	9
B. OPERATED	761	2.5	6	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	171	1.6	1	<1	<1	1	2	3	4	5
20-34	195	2.5	8	<1	<1	2	3	4	7	14
35-49	180	2.4	3	<1	<1	2	3	4	6	10
50-64	134	2.9	5	<1	<1	2	3	6	8	12
65+	102	3.8	16	<1	<1	3	5	8	11	23
GRAND TOTAL	**782**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	3.3	5	1	1	3	4	6	8	12
20-34	187	4.6	19	1	1	3	5	9	15	19
35-49	169	5.2	24	1	1	4	6	11	17	26
50-64	135	6.8	40	1	1	5	8	16	22	31
65+	108	7.0	37	1	2	5	9	15	19	32
B. *Operated*										
0-19 YRS	558	3.2	18	<1	<1	2	3	7	11	20
20-34	513	4.7	51	<1	1	2	5	10	14	39
35-49	421	4.7	54	<1	1	3	5	10	15	56
50-64	396	3.8	29	<1	1	2	4	9	15	28
65+	291	6.5	77	<1	1	3	7	17	22	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	460	4.8	21	1	1	3	6	10	13	25
20-34	340	5.9	33	1	1	4	7	13	16	28
35-49	432	6.8	32	1	2	5	9	13	18	27
50-64	604	8.0	57	2	3	6	9	16	21	51
65+	1634	10.5	76	2	3	8	13	20	28	46
B. *Operated*										
0-19 YRS	414	7.5	143	<1	1	3	8	16	32	62
20-34	618	10.9	189	1	2	5	13	28	44	74
35-49	773	8.7	118	1	1	5	10	23	35	61
50-64	902	10.3	170	1	2	5	13	25	39	70
65+	1598	15.1	245	2	2	11	19	35	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	4.8	22	1	1	3	6	10	14	25
B. *Operated*	2179	4.4	43	<1	1	2	4	10	15	39
2. MULTIPLE DX										
A. *Not Operated*	3470	8.4	60	2	2	6	11	17	23	41
B. *Operated*	4305	11.6	196	1	2	7	14	29	42	81
1. SINGLE DX	3121	4.5	37	<1	1	3	5	10	15	34
2. MULTIPLE DX	7775	10.2	138	1	2	6	12	23	34	68
A. NOT OPERATED	4412	7.7	54	1	2	5	10	16	21	38
B. OPERATED	6484	9.2	157	1	1	4	11	23	36	72
TOTAL 0-19 YRS	1775	4.6	48	<1	1	3	5	9	13	40
20-34	1658	7.2	103	1	1	4	8	17	26	60
35-49	1795	7.0	76	1	1	4	8	16	24	48
50-64	2037	8.1	106	1	1	5	9	19	28	56
65+	3631	12.1	157	2	2	8	15	26	37	74
GRAND TOTAL	**10896**	**8.6**	**116**	**1**	**1**	**5**	**10**	**20**	**30**	**61**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.4	24	1	1	4	7	13	16	22
20-34	55	5.3	14	2	2	4	6	10	15	16
35-49	48	6.2	41	2	2	5	7	10	11	45
50-64	36	7.2	27	2	2	6	10	13	20	24
65+	14	9.1	33	3	3	7	11	18	20	20
B. *Operated*										
0-19 YRS	27	4.7	13	1	2	3	7	11	12	14
20-34	23	6.6	22	1	2	5	11	13	15	16
35-49	19	6.1	15	2	2	5	8	13	14	14
50-64	18	8.4	20	2	3	8	11	14	17	19
65+	8	12.4	268	2	3	7	11	40	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	7.5	51	1	2	5	9	16	23	38
20-34	152	6.8	27	2	2	5	8	13	17	25
35-49	177	7.9	54	2	3	6	9	15	20	48
50-64	187	8.0	44	2	3	7	10	15	21	52
65+	170	9.7	34	3	4	8	12	19	22	26
B. *Operated*										
0-19 YRS	34	14.2	189	2	2	9	19	35	57	99+
20-34	88	12.3	162	2	3	9	15	29	53	99+
35-49	81	12.1	131	2	3	9	15	24	40	93
50-64	110	10.6	59	2	3	9	14	22	25	40
65+	106	12.0	77	2	4	10	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	27	1	2	5	7	12	16	23
B. *Operated*	95	6.8	40	2	2	5	9	12	15	37
2. MULTIPLE DX										
A. *Not Operated*	768	8.1	42	2	3	7	10	16	21	32
B. *Operated*	419	11.9	109	2	3	9	15	23	33	85
1. SINGLE DX	295	6.3	31	2	2	5	8	12	16	23
2. MULTIPLE DX	1187	9.4	69	2	3	7	12	19	25	53
A. NOT OPERATED	968	7.7	40	2	2	6	9	15	20	30
B. OPERATED	514	10.9	100	2	2	9	14	22	30	78
TOTAL 0-19 YRS	190	7.8	73	1	2	5	10	18	23	57
20-34	318	8.0	69	2	2	6	10	16	25	61
35-49	325	8.6	73	2	3	6	10	15	23	51
50-64	351	8.8	47	2	3	7	11	17	22	40
65+	298	10.5	56	3	4	9	13	20	24	46
GRAND TOTAL	**1482**	**8.8**	**63**	**2**	**2**	**7**	**11**	**18**	**23**	**50**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.8	7	1	2	4	6	9	10	12
20-34	58	5.4	13	1	2	4	7	11	14	15
35-49	120	5.4	9	2	3	5	7	9	11	18
50-64	145	6.5	18	2	3	6	7	12	17	22
65+	127	6.7	15	2	3	6	8	10	13	20
B. *Operated*										
0-19 YRS	16	7.2	31	1	2	5	9	17	20	21
20-34	41	5.5	17	1	1	5	8	11	13	18
35-49	126	7.5	39	2	2	5	11	14	17	36
50-64	234	9.5	47	2	3	8	14	17	20	32
65+	153	9.9	60	2	2	8	15	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	7.2	45	1	2	5	9	15	24	32
20-34	73	6.2	22	2	2	4	8	13	15	23
35-49	195	6.7	24	2	3	5	8	11	14	22
50-64	529	7.5	32	3	3	6	9	13	16	26
65+	726	8.1	30	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	25	12.4	189	2	3	7	16	29	38	64
20-34	49	9.2	79	2	2	5	12	20	27	46
35-49	165	9.4	73	2	3	8	13	17	22	45
50-64	383	10.1	114	2	2	7	13	21	29	58
65+	428	12.0	78	3	3	11	15	21	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.9	13	2	2	5	7	10	12	20
B. *Operated*	570	8.8	48	2	2	7	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	1597	7.6	30	2	3	6	9	13	17	28
B. *Operated*	1050	10.8	94	2	3	8	14	20	29	50
1. SINGLE DX	1109	7.4	33	2	2	6	10	15	18	28
2. MULTIPLE DX	2647	8.9	58	2	3	7	11	17	21	40
A. NOT OPERATED	2136	7.2	27	2	3	6	9	13	16	27
B. OPERATED	1620	10.1	78	2	3	8	14	19	25	45
TOTAL 0-19 YRS	204	6.8	50	1	2	5	8	12	21	31
20-34	221	6.5	33	1	2	5	8	13	18	29
35-49	606	7.3	39	2	3	5	9	14	17	30
50-64	1291	8.5	59	2	3	6	11	16	20	40
65+	1434	9.3	50	2	3	8	12	17	21	35
GRAND TOTAL	**3756**	**8.4**	**51**	**2**	**3**	**6**	**11**	**16**	**20**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	4.1	8	<1	<1	4	6	8	8	8
35-49	24	4.8	6	2	2	4	6	8	10	11
50-64	70	4.5	8	1	2	4	5	8	10	14
65+	111	5.1	18	1	1	4	7	9	12	23
B. *Operated*										
0-19 YRS	12	3.6	5	1	1	3	6	7	8	8
20-34	123	4.0	14	1	1	3	4	9	13	18
35-49	334	5.2	21	1	1	3	8	12	15	19
50-64	961	8.8	34	2	2	9	13	17	18	26
65+	1505	12.5	36	2	4	13	16	19	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	15	1	1	7	9	12	12	12
20-34	17	4.2	21	<1	<1	3	5	10	16	19
35-49	121	5.2	16	1	2	4	6	10	12	25
50-64	404	5.8	17	2	2	5	7	11	14	22
65+	1306	6.7	21	2	2	6	8	12	15	23
B. *Operated*										
0-19 YRS	13	6.4	32	1	1	4	9	15	19	20
20-34	115	5.0	24	1	1	4	5	12	15	25
35-49	279	6.1	29	1	2	4	8	14	17	24
50-64	1138	10.1	63	2	2	9	15	18	22	38
65+	2762	14.4	64	3	5	14	17	23	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.8	13	1	1	4	6	8	11	20
B. *Operated*	2935	10.1	41	2	2	10	15	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	1854	6.4	20	2	2	5	8	12	15	23
B. *Operated*	4307	12.5	68	2	3	12	16	21	26	39
1. SINGLE DX	3150	9.7	40	1	2	10	14	17	20	28
2. MULTIPLE DX	6161	10.6	62	2	2	10	15	19	24	36
A. NOT OPERATED	2069	6.2	19	2	2	5	8	12	15	22
B. OPERATED	7242	11.5	58	2	2	11	16	20	23	36
TOTAL 0-19 YRS	33	5.2	19	1	1	3	8	10	14	20
20-34	263	4.4	19	1	1	3	5	10	15	20
35-49	758	5.5	23	1	1	4	7	12	15	23
50-64	2573	8.8	46	2	2	8	13	17	20	31
65+	5684	12.0	56	2	3	12	16	20	24	36
GRAND TOTAL	**9311**	**10.3**	**55**	**2**	**2**	**10**	**15**	**19**	**22**	**33**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	6.9	24	1	2	5	10	14	16	22
20-34	70	5.2	13	1	2	4	6	10	12	17
35-49	64	5.7	11	2	2	5	8	9	13	16
50-64	50	6.3	34	1	2	5	8	11	13	36
65+	49	5.1	12	2	2	4	6	10	12	99+
B. *Operated*										
0-19 YRS	125	11.1	42	2	3	11	14	22	23	28
20-34	159	5.1	22	1	1	3	7	11	13	25
35-49	163	5.2	26	1	1	4	6	11	14	26
50-64	151	7.1	32	2	2	5	11	16	17	26
65+	101	11.2	55	2	3	11	15	19	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	8.5	44	2	2	7	11	19	22	31
20-34	110	5.0	8	2	2	4	7	8	9	16
35-49	141	6.0	29	2	2	5	7	10	13	32
50-64	208	6.9	25	1	2	6	9	14	16	25
65+	416	7.4	32	2	3	6	9	13	20	30
B. *Operated*										
0-19 YRS	118	13.8	76	3	4	12	20	27	31	99+
20-34	145	9.1	105	1	2	6	11	19	30	47
35-49	194	9.0	86	2	2	6	12	18	27	69
50-64	232	10.7	95	2	2	8	15	24	29	38
65+	243	14.6	148	2	3	12	18	27	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	6.0	20	1	2	5	8	12	15	22
B. *Operated*	699	7.5	40	1	2	5	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	996	7.0	30	2	2	6	8	13	18	30
B. *Operated*	932	11.5	111	2	2	9	16	24	31	58
1. SINGLE DX	1053	7.0	34	1	2	5	10	15	18	26
2. MULTIPLE DX	1928	9.2	74	2	2	7	11	19	26	45
A. NOT OPERATED	1350	6.7	27	2	2	5	8	13	17	29
B. OPERATED	1631	9.8	85	2	2	7	14	21	27	45
TOTAL 0-19 YRS	485	10.1	53	2	2	8	14	22	24	38
20-34	484	6.3	46	1	2	4	7	12	16	37
35-49	562	6.8	48	1	2	5	8	14	19	35
50-64	641	8.3	56	2	2	6	11	17	23	35
65+	809	9.9	80	2	3	7	13	20	27	48
GRAND TOTAL	**2981**	**8.4**	**61**	**2**	**2**	**6**	**11**	**17**	**23**	**39**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	2	<1	<1	1	3	4	6	6
20-34	15	2.6	4	<1	<1	2	4	5	7	8
35-49	9	2.6	2	1	1	2	4	4	4	4
50-64	5	2.8	7	<1	<1	1	5	7	7	7
65+	6	3.0	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	365	2.4	2	<1	1	2	3	4	5	8
20-34	862	2.6	3	<1	<1	2	3	5	6	9
35-49	519	2.7	4	<1	1	2	3	5	6	10
50-64	285	2.9	5	<1	1	2	3	5	8	12
65+	91	3.1	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	9	<1	<1	2	3	8	10	10
20-34	26	2.6	5	<1	<1	2	3	6	8	10
35-49	25	3.6	9	<1	<1	2	5	8	10	12
50-64	22	3.5	8	<1	<1	2	5	8	9	10
65+	12	3.5	7	1	1	3	5	7	10	10
B. *Operated*										
0-19 YRS	327	2.7	3	<1	1	2	4	5	6	8
20-34	1001	3.2	13	<1	1	2	4	6	7	16
35-49	752	3.0	10	<1	1	2	3	5	8	14
50-64	614	3.4	14	1	1	2	4	6	8	17
65+	317	3.7	7	1	2	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.5	3	<1	<1	2	4	5	6	8
B. *Operated*	2122	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	94	3.2	7	<1	<1	2	4	8	10	11
B. *Operated*	3011	3.2	11	<1	1	2	4	6	8	15
1. SINGLE DX	2168	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3105	3.2	11	<1	1	2	4	6	8	15
A. NOT OPERATED	140	3.0	6	<1	<1	2	4	7	8	11
B. OPERATED	5133	3.0	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	712	2.5	3	<1	1	2	3	5	6	8
20-34	1904	2.9	8	<1	1	2	3	5	7	12
35-49	1305	2.9	8	<1	1	2	3	5	7	12
50-64	926	3.3	11	1	1	2	4	6	8	16
65+	426	3.6	7	1	1	3	4	6	9	15
GRAND TOTAL	**5273**	**3.0**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.5	7	1	1	3	4	7	9	13
20-34	68	3.8	7	1	1	3	5	7	10	14
35-49	81	4.9	18	<1	1	4	7	9	12	25
50-64	54	4.9	11	1	1	4	6	9	12	16
65+	49	5.3	22	1	1	4	7	12	14	25
B. *Operated*										
0-19 YRS	626	3.0	4	1	1	3	4	5	6	11
20-34	974	3.3	4	1	1	3	4	5	7	12
35-49	378	3.8	9	1	1	3	5	6	9	15
50-64	176	4.4	16	1	1	3	5	9	12	21
65+	70	6.3	30	1	2	4	8	16	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.9	23	1	1	3	6	11	14	20
20-34	142	4.5	14	1	1	4	5	9	12	19
35-49	177	5.0	20	1	1	4	6	10	12	21
50-64	199	5.8	29	1	2	5	7	11	14	25
65+	359	7.2	44	2	2	5	9	14	20	32
B. *Operated*										
0-19 YRS	453	4.3	19	1	1	3	5	8	11	18
20-34	589	4.0	9	1	1	3	5	7	9	18
35-49	397	5.1	34	1	1	4	5	9	16	32
50-64	276	5.9	31	1	2	4	7	14	18	28
65+	240	10.5	120	2	2	8	13	20	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	4.3	12	1	1	3	6	9	11	16
B. *Operated*	2224	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	1033	5.9	31	1	2	4	7	11	16	28
B. *Operated*	1955	5.4	37	1	2	4	6	11	16	30
1. SINGLE DX	2593	3.6	8	1	1	3	4	6	9	15
2. MULTIPLE DX	2988	5.5	35	1	2	4	6	11	16	29
A. NOT OPERATED	1402	5.5	26	1	1	4	7	11	14	25
B. OPERATED	4179	4.4	22	1	1	3	5	8	12	23
TOTAL 0-19 YRS	1352	3.7	12	1	1	3	4	7	10	17
20-34	1773	3.6	7	1	1	3	4	6	8	15
35-49	1033	4.6	22	1	1	3	5	9	11	28
50-64	705	5.5	25	1	2	4	7	12	15	26
65+	718	8.1	69	2	2	5	10	17	22	43
GRAND TOTAL	**5581**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	4.3	2	3	3	4	6	6	6	6
35-49	12	5.4	12	<1	1	4	8	10	11	11
50-64	3	4.0		4	4	4	4	4	4	4
65+	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.3	4	3	3	5	7	8	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	9	4.2	3	1	2	4	5	6	7	7
35-49	15	6.7	15	3	4	5	9	11	16	18
50-64	13	8.4	20	3	3	9	11	15	15	15
65+	20	7.8	12	3	4	7	9	14	14	15
B. *Operated*										
0-19 YRS										
20-34	6	13.7	176	4	4	7	20	36	38	38
35-49	6	14.8	25	7	7	15	20	20	20	20
50-64	9	29.1	612	6	8	16	44	69	82	82
65+	3	18.0	52	12	12	16	23	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.8	7	1	2	4	6	9	10	11
B. *Operated*	8	5.4	6	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	59	7.0	14	3	3	6	9	13	15	18
B. *Operated*	24	20.3	311	5	6	15	23	43	59	82
1. SINGLE DX	33	4.9	6	2	2	4	7	9	9	11
2. MULTIPLE DX	83	10.8	134	3	4	7	13	20	32	71
A. NOT OPERATED	84	6.3	13	2	3	5	8	11	14	17
B. OPERATED	32	16.6	275	3	4	12	20	39	48	82
TOTAL 0-19 YRS	5	5.2	6	3	3	4	7	9	9	9
20-34	22	6.7	63	2	2	5	6	12	27	38
35-49	37	7.5	24	2	3	5	9	15	19	20
50-64	26	15.0	317	3	3	10	15	41	56	82
65+	26	8.6	27	2	4	7	12	15	18	26
GRAND TOTAL	**116**	**9.2**	**105**	**2**	**3**	**6**	**11**	**16**	**24**	**60**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	32	4.5	15	1	1	3	5	9	10	20
35-49	126	5.0	18	1	2	4	6	9	11	26
50-64	184	5.1	11	1	2	4	7	10	12	15
65+	177	6.0	14	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	50	6.5	51	1	2	4	9	14	16	43
35-49	358	6.0	18	2	2	5	8	11	14	19
50-64	419	6.9	22	2	2	6	9	12	15	23
65+	160	8.5	41	1	2	7	11	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.3	52	2	2	4	12	19	20	20
20-34	63	6.2	16	2	2	5	8	12	16	18
35-49	380	5.3	13	1	2	4	7	10	12	18
50-64	880	6.0	16	2	2	5	8	11	14	19
65+	1673	6.6	18	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	4	6.8	12	3	3	6	9	11	11	11
20-34	97	7.6	30	2	3	6	9	14	17	32
35-49	435	7.2	29	2	2	6	9	13	17	22
50-64	736	8.9	57	2	2	7	11	16	20	42
65+	650	10.5	74	2	3	8	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	5.3	14	1	2	4	7	10	12	19
B. *Operated*	989	6.8	26	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	3003	6.2	17	2	2	5	8	11	14	21
B. *Operated*	1922	9.0	56	2	2	7	11	17	21	40
1. SINGLE DX	1513	6.3	22	1	2	5	8	12	15	24
2. MULTIPLE DX	4925	7.3	34	2	2	6	9	14	17	30
A. NOT OPERATED	3527	6.1	16	2	2	5	8	11	14	21
B. OPERATED	2911	8.2	47	2	2	7	10	16	19	35
TOTAL 0-19 YRS	18	5.7	26	1	1	4	7	14	18	20
20-34	242	6.6	29	2	2	5	9	13	16	25
35-49	1299	6.1	21	2	2	5	8	11	14	21
50-64	2219	7.0	32	2	2	6	9	13	16	27
65+	2660	7.6	36	2	3	6	9	14	18	31
GRAND TOTAL	**6438**	**7.1**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.3	23	1	1	6	9	12	16	22
20-34	921	6.0	15	1	2	5	8	11	13	19
35-49	1285	6.1	15	1	2	5	8	11	13	19
50-64	709	6.7	16	1	2	6	9	12	14	18
65+	200	6.8	26	1	2	6	9	12	14	22
B. *Operated*										
0-19 YRS	126	5.6	16	1	2	5	7	12	16	17
20-34	3354	7.1	23	2	2	6	9	13	16	25
35-49	5155	7.4	22	2	2	7	10	13	16	23
50-64	2239	8.0	26	2	2	7	10	15	18	25
65+	399	8.9	38	2	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.0	24	<1	<1	5	7	13	17	18
20-34	396	6.4	17	1	2	5	8	12	15	20
35-49	914	7.1	19	2	3	6	9	13	15	21
50-64	1077	7.4	21	2	3	6	9	13	15	24
65+	959	7.9	29	2	3	7	10	14	16	25
B. *Operated*										
0-19 YRS	28	7.4	46	1	2	6	11	14	19	34
20-34	973	8.8	37	2	3	8	11	16	20	32
35-49	2127	9.5	40	2	3	9	12	17	21	30
50-64	1618	10.3	47	2	3	9	13	18	23	34
65+	871	12.2	55	3	4	11	16	22	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3155	6.3	16	1	2	6	8	11	13	19
B. *Operated*	11273	7.5	24	2	2	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	3360	7.3	22	2	3	6	9	13	15	23
B. *Operated*	5617	10.0	45	2	3	9	13	18	22	32
1. SINGLE DX	14428	7.2	22	2	2	6	9	13	16	23
2. MULTIPLE DX	8977	9.0	38	2	3	8	12	16	20	30
A. NOT OPERATED	6515	6.8	19	2	2	6	9	12	15	21
B. OPERATED	16890	8.3	32	2	2	7	11	15	19	28
TOTAL 0-19 YRS	208	6.0	22	1	2	5	8	13	16	20
20-34	5644	7.2	25	2	2	6	9	13	16	25
35-49	9481	7.7	26	2	2	7	10	14	17	24
50-64	5643	8.4	31	2	3	7	11	15	18	28
65+	2429	9.5	44	2	3	8	12	18	22	33
GRAND TOTAL	**23405**	**7.9**	**29**	**2**	**2**	**7**	**10**	**15**	**18**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	5	1	1	3	5	7	7	7
20-34	118	5.5	13	1	2	5	7	9	11	21
35-49	286	6.0	13	1	2	6	8	11	12	18
50-64	185	6.0	14	1	2	6	8	11	13	17
65+	49	5.4	7	1	2	5	7	8	9	11
B. *Operated*										
0-19 YRS	18	4.6	5	1	1	5	7	7	8	8
20-34	376	6.6	19	1	2	6	9	12	15	21
35-49	1039	6.9	17	2	2	6	9	12	15	18
50-64	483	7.6	19	2	2	7	10	13	15	22
65+	59	8.7	53	2	3	7	10	14	18	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	157	3	3	11	24	29	29	29
20-34	80	7.0	31	1	2	6	9	15	17	30
35-49	305	5.8	13	2	2	5	7	10	13	20
50-64	407	6.7	17	2	3	6	8	11	13	23
65+	323	6.8	20	2	2	6	8	11	16	22
B. *Operated*										
0-19 YRS	4	8.5	27	5	5	7	12	16	16	16
20-34	128	8.3	45	2	2	7	10	15	25	33
35-49	553	8.0	26	2	3	7	10	15	17	24
50-64	485	8.9	36	2	3	8	11	16	20	30
65+	141	10.0	52	2	3	9	12	19	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	5.8	13	1	2	5	8	11	12	18
B. *Operated*	1975	7.0	19	2	2	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	1119	6.5	19	2	2	6	8	11	14	23
B. *Operated*	1311	8.6	34	2	3	7	11	16	19	29
1. SINGLE DX	2629	6.7	18	2	2	6	9	12	15	19
2. MULTIPLE DX	2430	7.6	28	2	3	6	10	14	17	27
A. NOT OPERATED	1773	6.3	17	2	2	6	8	11	13	22
B. OPERATED	3286	7.6	26	2	2	7	10	14	17	25
TOTAL 0-19 YRS	42	5.4	27	1	1	4	7	8	17	29
20-34	702	6.8	25	1	2	6	9	12	16	27
35-49	2183	6.9	19	2	2	6	9	13	15	21
50-64	1560	7.6	24	2	3	7	10	14	16	24
65+	572	7.7	32	2	3	7	9	14	17	29
GRAND TOTAL	**5059**	**7.2**	**23**	**2**	**2**	**6**	**9**	**13**	**16**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	72	1	1	2	15	20	20	20
20-34	58	5.4	15	1	2	4	7	10	14	19
35-49	89	5.1	14	1	1	4	7	9	12	20
50-64	46	5.9	12	2	3	5	8	11	13	17
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	8.0	67	1	1	6	14	17	17	17
20-34	97	6.4	30	1	2	4	10	15	18	24
35-49	98	6.0	24	2	2	4	8	12	16	24
50-64	21	5.7	13	1	2	4	9	10	12	12
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	10.9	18	4	5	13	14	15	15	15
20-34	56	6.8	11	3	3	7	8	11	13	18
35-49	108	6.6	18	2	3	5	8	12	15	23
50-64	72	6.7	14	2	3	6	9	12	14	18
65+	47	7.7	13	3	3	7	11	13	13	18
B. *Operated*										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	76	7.0	19	2	2	7	9	13	17	21
35-49	80	9.0	47	2	3	8	11	16	21	40
50-64	43	8.8	79	2	3	5	10	19	29	43
65+	11	10.6	28	2	3	11	15	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.5	15	1	2	5	7	10	13	19
B. *Operated*	221	6.2	25	1	2	4	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	291	7.0	15	2	3	6	9	12	14	19
B. *Operated*	214	8.3	43	2	2	7	10	16	19	40
1. SINGLE DX	421	5.8	21	1	2	4	8	12	15	21
2. MULTIPLE DX	505	7.5	27	2	3	7	10	14	16	25
A. NOT OPERATED	491	6.4	16	2	2	5	8	12	14	19
B. OPERATED	435	7.2	35	2	2	5	10	14	18	27
TOTAL 0-19 YRS	20	8.5	35	1	1	7	14	16	18	20
20-34	287	6.4	21	2	2	5	9	13	16	20
35-49	375	6.6	26	2	2	5	9	12	16	24
50-64	182	6.9	30	2	3	5	9	12	16	34
65+	62	8.1	16	2	3	8	11	13	15	19
GRAND TOTAL	**926**	**6.8**	**25**	**2**	**2**	**5**	**9**	**13**	**16**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	72	5.3	8	1	1	5	7	9	11	13
35-49	98	5.9	16	1	2	5	8	10	14	22
50-64	49	6.9	15	2	2	6	9	12	13	18
65+	33	6.1	14	2	3	5	7	13	14	14
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	47	5.3	21	1	1	4	7	12	16	22
35-49	64	5.8	19	1	1	4	9	12	15	18
50-64	33	6.1	31	1	2	4	9	13	20	22
65+	5	6.0	11	3	3	4	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	20	2	2	4	8	12	12	12
20-34	71	5.7	17	1	2	5	7	10	13	22
35-49	145	6.8	14	2	3	6	8	13	15	19
50-64	173	7.3	16	3	3	6	9	12	16	22
65+	231	8.4	32	2	3	7	11	15	17	36
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	43	6.4	36	1	2	4	7	14	20	28
35-49	72	9.4	32	2	3	9	13	18	20	24
50-64	67	9.2	32	3	3	9	11	16	18	34
65+	53	10.5	49	3	3	8	15	20	24	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	5.9	13	1	2	5	8	11	13	18
B. Operated	152	5.7	21	1	1	4	8	12	15	22
2. MULTIPLE DX										
A. Not Operated	624	7.4	22	2	3	6	9	13	16	23
B. Operated	237	9.0	38	2	3	7	12	17	20	29
1. SINGLE DX	407	5.8	16	1	2	5	8	11	13	20
2. MULTIPLE DX	861	7.8	27	2	3	7	10	15	17	25
A. NOT OPERATED	879	7.0	20	2	3	6	9	13	15	22
B. OPERATED	389	7.7	34	1	2	6	11	16	19	26
TOTAL 0-19 YRS	12	4.1	9	2	2	3	5	8	11	12
20-34	233	5.6	19	1	1	5	7	11	14	23
35-49	379	6.9	20	2	2	6	9	14	16	21
50-64	322	7.5	21	2	3	7	10	13	16	22
65+	322	8.4	34	2	3	7	11	15	18	34
GRAND TOTAL	**1268**	**7.2**	**24**	**2**	**2**	**6**	**9**	**14**	**16**	**24**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	3.1	5	<1	1	2	4	6	9	11
20-34	1108	5.2	15	1	1	4	7	10	12	21
35-49	1498	5.7	20	1	2	5	7	10	13	23
50-64	693	5.8	17	1	2	5	8	11	13	22
65+	251	5.6	18	1	2	4	7	10	14	24
B. Operated										
0-19 YRS	65	4.1	13	1	1	3	5	9	13	17
20-34	934	4.7	13	1	2	3	6	10	11	17
35-49	1317	5.5	19	1	2	4	8	11	14	21
50-64	725	6.4	23	2	2	5	9	13	16	22
65+	260	7.6	30	2	2	7	11	15	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	4.6	16	1	1	3	6	9	12	22
20-34	1066	5.8	20	1	2	5	8	11	14	19
35-49	1810	6.5	24	1	2	5	8	12	15	23
50-64	1502	6.4	20	2	2	5	8	11	14	20
65+	1485	6.9	21	2	2	6	9	12	15	24
B. Operated										
0-19 YRS	57	7.9	168	1	1	3	8	13	37	71
20-34	874	6.6	39	2	2	5	8	13	17	31
35-49	1508	7.2	33	2	2	6	9	14	18	26
50-64	1127	8.9	47	2	2	7	11	17	21	33
65+	830	11.9	89	2	3	10	15	21	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3667	5.5	17	1	2	5	7	10	13	22
B. Operated	3301	5.6	20	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. Not Operated	5993	6.4	22	2	2	5	8	12	15	22
B. Operated	4396	8.4	53	2	2	7	11	17	21	35
1. SINGLE DX	6968	5.6	18	1	2	4	7	11	13	21
2. MULTIPLE DX	10389	7.2	36	2	2	6	9	14	18	29
A. NOT OPERATED	9660	6.1	20	1	2	5	8	11	14	22
B. OPERATED	7697	7.2	41	2	2	5	10	14	18	29
TOTAL 0-19 YRS	369	4.5	38	1	1	3	5	9	12	24
20-34	3982	5.6	21	1	2	4	7	11	14	22
35-49	6133	6.3	25	1	2	5	8	12	15	23
50-64	4047	7.0	29	2	2	6	9	13	17	26
65+	2826	8.3	47	2	2	7	11	16	20	31
GRAND TOTAL	**17357**	**6.6**	**30**	**1**	**2**	**5**	**9**	**13**	**16**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	7	1	1	3	4	7	10	12
20-34	86	3.7	5	1	1	3	4	7	8	12
35-49	123	4.9	12	2	2	4	6	10	13	17
50-64	97	4.8	10	1	2	4	6	9	11	15
65+	57	4.8	13	1	2	4	6	8	14	18
B. *Operated*										
0-19 YRS	198	2.7	5	<1	<1	2	3	5	8	11
20-34	516	2.8	6	<1	<1	2	3	5	7	14
35-49	925	2.8	4	<1	1	2	3	5	6	11
50-64	750	3.1	6	<1	1	2	4	5	8	12
65+	207	3.3	6	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.2	11	1	1	3	5	8	12	16
20-34	100	4.8	13	1	2	4	6	9	11	20
35-49	200	5.4	16	1	2	4	7	10	12	17
50-64	282	5.9	17	1	2	5	8	10	13	22
65+	328	6.0	16	2	2	5	7	10	14	21
B. *Operated*										
0-19 YRS	79	3.5	7	1	1	3	4	7	10	14
20-34	312	3.5	7	1	1	3	4	6	9	13
35-49	599	4.4	16	1	1	3	5	9	12	19
50-64	655	4.1	10	1	2	3	5	8	11	17
65+	331	5.2	22	1	2	4	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	4.3	9	1	2	3	5	8	11	16
B. *Operated*	2596	2.9	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	990	5.6	16	1	2	5	7	10	13	21
B. *Operated*	1976	4.2	14	1	2	3	5	8	11	18
1. SINGLE DX	3101	3.2	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	2966	4.7	15	1	2	4	6	9	11	20
A. NOT OPERATED	1495	5.1	14	1	2	4	7	10	12	19
B. OPERATED	4572	3.5	9	<1	1	3	4	6	9	16
TOTAL 0-19 YRS	499	3.3	7	1	1	2	4	7	9	14
20-34	1014	3.3	7	<1	1	3	4	6	8	14
35-49	1847	3.8	11	<1	1	3	4	7	10	16
50-64	1784	4.0	11	<1	1	3	5	8	10	17
65+	923	5.0	17	1	2	4	6	9	13	23
GRAND TOTAL	**6067**	**3.9**	**11**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	3.8	11	1	1	4	5	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.0	21	2	2	5	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	124	3.3	2	1	2	3	4	5	6	9
20-34	265	3.3	6	1	1	3	4	6	6	8
35-49	346	3.4	3	1	1	3	4	6	6	8
50-64	407	3.6	4	1	1	3	5	6	7	9
65+	211	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	6	2.7	8	<1	<1	1	4	8	8	8
50-64	17	2.4	4	<1	<1	1	3	6	7	8
65+	22	3.1	8	<1	<1	2	4	8	9	10
B. *Operated*										
0-19 YRS	120	3.5	2	1	2	3	4	5	6	8
20-34	365	3.6	5	1	2	3	4	6	7	11
35-49	590	3.8	3	1	2	4	5	6	7	10
50-64	1035	4.2	5	2	2	4	5	6	8	11
65+	850	4.6	7	2	2	4	5	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	12	1	1	2	5	10	11	11
B. *Operated*	1353	3.4	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	49	2.7	6	<1	<1	1	4	7	8	10
B. *Operated*	2960	4.1	5	2	2	4	5	7	8	13
1. SINGLE DX	1364	3.4	4	1	1	3	4	6	7	9
2. MULTIPLE DX	3009	4.1	5	1	2	4	5	7	8	12
A. NOT OPERATED	60	2.9	7	<1	<1	1	4	7	9	11
B. OPERATED	4313	3.9	5	1	2	4	5	6	7	11
TOTAL 0-19 YRS	248	3.4	2	1	2	3	4	5	6	9
20-34	637	3.5	5	1	1	3	4	6	6	10
35-49	943	3.7	3	1	2	3	5	6	7	9
50-64	1462	4.0	5	1	2	4	5	6	8	11
65+	1083	4.4	7	1	2	4	5	7	9	15
GRAND TOTAL	**4373**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**8**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8		<1	<1	2	2	3	3	3
20-34	6	2.0	2	<1	<1	1	3	4	4	4
35-49	7	1.7	1	<1	<1	1	3	3	3	3
50-64	6	2.2	4	<1	<1	1	2	6	6	6
65+	5	2.6	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	313	1.6	1	<1	<1	1	2	2	3	4
20-34	569	1.8	1	<1	<1	2	2	3	3	6
35-49	367	2.0	1	<1	<1	2	2	3	4	5
50-64	246	2.4	3	<1	<1	2	3	4	5	9
65+	98	2.8	6	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3	1	<1	<1	1	1	3	4	4
20-34	12	2.3	3	<1	<1	2	3	4	7	7
35-49	8	4.3	48	<1	<1	1	4	16	21	21
50-64	10	2.6	6	<1	<1	2	3	6	9	9
65+	15	4.7	16	<1	1	4	5	12	14	15
B. *Operated*										
0-19 YRS	40	1.9	1	<1	<1	2	2	3	4	5
20-34	143	3.0	5	<1	1	2	4	5	7	13
35-49	174	3.0	4	<1	1	3	4	5	6	10
50-64	164	3.4	6	1	2	3	4	6	7	13
65+	103	4.3	11	<1	1	3	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.0	1	<1	<1	2	2	3	5	6
B. *Operated*	1593	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	55	3.1	14	<1	<1	2	3	7	11	21
B. *Operated*	624	3.2	6	<1	1	3	4	6	8	13
1. SINGLE DX	1627	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	679	3.2	7	<1	1	3	4	6	8	14
A. NOT OPERATED	89	2.7	9	<1	<1	2	3	5	7	19
B. OPERATED	2217	2.3	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	373	1.6	1	<1	<1	2	2	2	3	5
20-34	730	2.0	2	<1	<1	2	2	3	4	8
35-49	556	2.3	3	<1	<1	2	3	4	5	7
50-64	426	2.8	4	<1	1	2	3	5	6	11
65+	221	3.6	10	<1	1	3	4	8	10	16
GRAND TOTAL	**2306**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	12.0	66	2	3	10	15	23	28	40
20-34	24	7.6	39	1	1	7	10	17	22	23
35-49	19	10.3	59	2	3	7	16	21	26	30
50-64	29	10.3	87	2	2	6	13	27	30	31
65+	27	10.3	79	2	3	7	13	22	25	42
B. *Operated*										
0-19 YRS	96	13.1	83	2	2	11	18	24	30	45
20-34	68	11.5	115	2	2	7	17	25	36	47
35-49	73	10.2	55	2	3	8	13	16	30	36
50-64	59	10.8	131	2	2	7	12	28	41	52
65+	62	12.9	78	2	4	10	19	27	32	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	14.6	88	4	4	13	21	29	31	40
20-34	47	16.1	148	2	2	13	23	35	40	42
35-49	71	10.8	88	3	3	9	12	18	28	50
50-64	91	13.8	125	3	4	11	18	26	42	55
65+	143	13.5	110	3	4	10	18	27	35	45
B. *Operated*										
0-19 YRS	128	19.5	222	3	4	17	25	40	47	69
20-34	149	17.4	202	3	4	13	23	39	45	62
35-49	200	16.9	183	3	4	13	23	37	43	68
50-64	266	17.2	167	3	4	13	24	35	45	59
65+	316	18.5	210	4	5	15	23	37	50	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	10.8	67	1	3	9	14	22	28	40
B. *Operated*	358	11.8	91	2	2	9	16	26	32	47
2. MULTIPLE DX										
A. *Not Operated*	419	13.6	111	3	4	11	18	28	38	48
B. *Operated*	1059	17.8	195	3	4	14	23	37	47	69
1. SINGLE DX	549	11.4	83	2	2	9	15	23	30	44
2. MULTIPLE DX	1478	16.6	175	3	4	13	22	35	44	64
A. NOT OPERATED	610	12.7	99	2	3	10	16	27	32	44
B. OPERATED	1417	16.3	175	2	4	13	22	35	44	65
TOTAL 0-19 YRS	383	15.2	135	2	4	13	21	29	38	59
20-34	288	15.0	168	2	3	11	21	35	42	59
35-49	363	14.0	142	2	4	11	16	32	40	62
50-64	445	15.2	155	2	3	11	22	32	42	56
65+	548	16.1	170	3	4	13	21	33	43	74
GRAND TOTAL	**2027**	**15.2**	**155**	**2**	**4**	**11**	**21**	**32**	**42**	**61**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	4.5	16	1	1	3	6	10	14	16
20-34	102	3.2	9	1	1	3	4	6	7	18
35-49	147	4.0	10	1	1	3	5	7	11	13
50-64	108	4.3	10	1	2	3	5	8	12	15
65+	217	7.2	19	2	2	6	10	12	15	22
B. *Operated*										
0-19 YRS	769	4.8	21	1	1	4	6	9	13	24
20-34	625	4.3	10	1	2	3	5	8	10	16
35-49	400	5.7	26	1	2	4	7	11	14	28
50-64	307	6.9	26	2	2	5	10	14	17	26
65+	228	8.9	35	1	2	8	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	6.5	81	1	1	4	7	15	23	48
20-34	190	4.3	24	1	1	3	5	7	11	19
35-49	456	4.7	17	1	2	4	6	9	12	18
50-64	715	6.1	26	2	2	5	8	11	15	28
65+	2670	8.7	38	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	330	6.0	47	1	1	4	7	12	20	34
20-34	432	7.0	64	1	2	4	8	14	22	43
35-49	431	8.1	66	2	2	6	10	16	22	47
50-64	626	11.0	95	2	3	9	14	21	26	57
65+	991	14.9	120	3	4	13	19	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	5.0	16	1	1	4	7	10	13	20
B. *Operated*	2329	5.5	23	1	2	4	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	4152	7.6	37	2	2	6	10	15	19	30
B. *Operated*	2810	10.7	101	2	2	8	14	22	29	51
1. SINGLE DX	3046	5.4	21	1	1	4	7	11	14	22
2. MULTIPLE DX	6962	8.8	65	2	2	7	11	18	23	41
A. NOT OPERATED	4869	7.2	34	2	2	6	9	14	18	29
B. OPERATED	5139	8.3	72	1	2	6	11	18	24	43
TOTAL 0-19 YRS	1363	5.2	32	1	1	4	6	10	15	30
20-34	1349	5.1	31	1	1	4	6	9	13	28
35-49	1434	5.9	36	1	2	4	7	11	15	32
50-64	1756	7.9	55	2	2	5	10	15	22	38
65+	4106	10.1	63	2	3	8	13	19	24	41
GRAND TOTAL	**10008**	**7.8**	**54**	**1**	**2**	**6**	**10**	**16**	**21**	**37**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	10	<1	<1	1	2	8	10	10
20-34										
35-49	3	8.7	82	2	2	5	15	19	19	19
50-64	3	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	188	4.1	29	1	1	3	5	6	8	17
20-34	93	3.8	13	1	1	3	4	7	10	23
35-49	56	3.4	5	1	1	3	4	6	8	13
50-64	49	4.8	17	<1	1	3	6	12	15	16
65+	11	7.2	32	2	2	5	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.2	48	1	1	4	8	17	19	27
20-34	10	2.0	2	1	1	1	3	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	7	6.4	54	1	1	3	8	19	22	22
65+	23	14.6	129	1	3	12	20	30	40	43
B. *Operated*										
0-19 YRS	344	5.1	40	1	2	4	6	8	9	22
20-34	121	4.7	17	1	1	3	6	9	13	21
35-49	96	4.4	11	2	2	3	5	9	10	18
50-64	115	7.0	53	1	2	5	8	13	16	46
65+	83	8.5	33	2	3	7	13	17	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.4	26	<1	1	1	2	11	17	19
B. *Operated*	397	4.1	21	1	1	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	70	8.3	86	1	1	4	14	21	27	42
B. *Operated*	759	5.6	35	1	2	4	7	10	14	23
1. SINGLE DX	411	4.1	21	1	1	3	5	7	10	19
2. MULTIPLE DX	829	5.8	40	1	2	4	7	11	16	27
A. NOT OPERATED	84	7.5	79	1	1	4	10	19	26	42
B. OPERATED	1156	5.1	31	1	2	4	6	9	13	22
TOTAL 0-19 YRS	568	4.8	36	1	1	4	5	8	10	21
20-34	224	4.2	15	1	1	3	5	8	11	22
35-49	157	4.1	10	1	2	3	5	8	10	19
50-64	174	6.2	43	1	1	4	8	12	16	35
65+	117	9.6	57	2	3	8	14	18	23	40
GRAND TOTAL	**1240**	**5.3**	**34**	**1**	**1**	**4**	**6**	**10**	**15**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	4.4	15	1	1	3	6	9	14	16
35-49	41	4.4	10	1	1	3	6	9	11	13
50-64	25	4.9	5	1	2	5	7	7	8	10
65+	15	4.6	3	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	3.1	4	1	1	3	4	7	7	7
35-49	24	5.8	18	1	2	5	7	12	16	17
50-64	15	5.0	9	2	2	5	6	10	11	11
65+	6	7.8	29	2	2	6	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	25	5.0	16	1	1	4	6	12	13	15
35-49	56	5.7	9	1	3	5	8	10	11	13
50-64	97	6.5	45	2	2	5	7	11	15	44
65+	98	6.5	14	2	2	6	8	10	15	20
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	7.4	17	1	2	7	11	13	15	15
35-49	25	11.6	121	2	2	8	16	21	34	52
50-64	23	8.9	57	1	2	8	11	19	27	32
65+	22	9.2	32	1	2	9	12	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.6	8	1	1	4	6	8	10	14
B. *Operated*	55	5.3	15	1	2	4	7	11	15	17
2. MULTIPLE DX										
A. *Not Operated*	279	6.2	24	2	2	5	8	10	14	21
B. *Operated*	84	9.4	64	1	2	8	12	18	22	45
1. SINGLE DX	155	4.8	11	1	2	4	6	8	12	16
2. MULTIPLE DX	363	7.0	35	2	2	6	9	13	16	28
A. NOT OPERATED	379	5.8	20	1	2	5	7	10	13	18
B. OPERATED	139	7.8	48	1	2	6	11	16	20	34
TOTAL 0-19 YRS	7	3.4	3	<1	1	3	5	6	6	6
20-34	64	5.0	15	1	1	4	7	12	14	16
35-49	146	6.4	35	1	2	5	8	12	16	29
50-64	160	6.5	38	2	2	5	8	11	14	31
65+	141	6.8	17	2	2	6	8	13	15	21
GRAND TOTAL	**518**	**6.3**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	3.1	10	<1	1	2	4	6	9	16
20-34	300	3.9	8	1	1	3	5	8	10	13
35-49	338	4.4	11	1	1	4	6	9	11	16
50-64	198	4.1	9	1	1	3	5	7	10	16
65+	91	5.1	15	1	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	604	6.0	23	1	1	4	9	12	15	20
20-34	554	3.9	15	<1	1	3	4	9	12	21
35-49	489	3.9	12	1	1	3	5	8	11	17
50-64	450	3.7	9	1	1	3	4	8	11	16
65+	239	3.4	9	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	4.0	15	<1	1	3	5	8	11	22
20-34	498	4.4	11	1	1	4	6	9	11	16
35-49	781	5.2	17	1	2	4	7	10	13	23
50-64	755	5.3	16	1	2	4	7	10	13	21
65+	727	6.2	26	2	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	657	6.8	99	1	2	3	8	15	19	66
20-34	810	4.8	44	1	1	3	5	10	15	29
35-49	722	5.3	39	1	2	3	6	10	15	30
50-64	674	6.0	44	1	2	4	7	12	17	39
65+	505	8.1	85	1	2	5	10	16	22	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	4.1	10	1	1	3	5	8	10	16
B. *Operated*	2336	4.3	16	1	1	3	5	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2993	5.2	18	1	2	4	7	10	13	22
B. *Operated*	3368	6.0	61	1	2	4	7	13	18	43
1. SINGLE DX	3440	4.3	14	1	1	3	5	9	12	18
2. MULTIPLE DX	6361	5.7	41	1	2	4	7	11	15	30
A. NOT OPERATED	4097	4.9	16	1	1	4	6	9	12	20
B. OPERATED	5704	5.4	43	1	1	3	7	11	15	30
TOTAL 0-19 YRS	1670	5.7	52	1	1	3	8	12	16	34
20-34	2162	4.4	24	1	1	3	5	9	12	22
35-49	2330	4.8	22	1	1	3	6	10	13	22
50-64	2077	5.1	24	1	2	4	6	10	13	22
65+	1562	6.3	44	1	2	5	8	12	16	32
GRAND TOTAL	**9801**	**5.2**	**32**	**1**	**1**	**3**	**6**	**11**	**14**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	4.0	6	2	2	3	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	16	7.4	38	2	2	6	8	18	22	24
35-49	18	4.1	7	1	2	3	5	9	10	10
50-64	12	5.2	12	2	2	4	7	11	13	13
65+	14	4.7	7	<1	1	5	7	9	9	9
B. *Operated*										
0-19 YRS										
20-34	10	5.0	12	1	1	4	8	10	11	11
35-49	7	7.1	10	3	3	6	10	11	11	11
50-64	3	10.7	30	5	5	11	15	16	16	16
65+	2	11.0	2	10	10	11	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	2	1	2	4	5	5	5	5
B. *Operated*	5	4.0	6	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	62	5.4	17	1	2	4	7	10	13	23
B. *Operated*	22	7.0	17	1	2	6	11	12	14	16
1. SINGLE DX	14	3.8	3	1	2	4	5	6	7	7
2. MULTIPLE DX	84	5.8	17	1	2	5	8	11	13	22
A. NOT OPERATED	71	5.2	15	1	2	4	7	9	13	23
B. OPERATED	27	6.4	16	2	2	6	10	11	13	16
TOTAL 0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	30	6.2	26	2	2	5	8	12	18	24
35-49	33	4.7	8	2	2	4	6	10	11	11
50-64	15	6.3	19	2	2	5	9	13	15	16
65+	17	5.5	10	<1	1	5	8	10	11	12
GRAND TOTAL	**98**	**5.5**	**15**	**1**	**2**	**4**	**7**	**11**	**13**	**21**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	12	<1	1	2	3	8	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	4.5	20	1	1	3	6	12	13	13
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	183	6.7	22	2	2	6	8	11	15	29
20-34	11	8.5	12	2	3	9	11	12	13	13
35-49	12	11.0	39	1	4	11	13	19	25	26
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	4.5	23	1	1	3	5	9	14	28
20-34	6	2.5	5	1	1	2	2	7	7	7
35-49	9	8.3	53	1	2	5	12	20	24	24
50-64	11	3.5	1	1	2	3	5	5	5	5
65+	8	8.3	44	1	2	7	9	19	23	23
B. *Operated*										
0-19 YRS	315	10.5	130	2	2	7	12	25	40	67
20-34	21	15.0	323	2	3	9	14	36	66	74
35-49	10	11.0	92	1	1	7	21	23	23	23
50-64	7	14.0	132	3	4	14	28	80	99+	99+
65+	5	16.2	47	7	7	16	20	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	12	<1	1	2	5	9	13	13
B. *Operated*	208	7.0	23	2	2	6	9	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	206	4.7	24	1	1	3	5	10	15	27
B. *Operated*	358	10.9	139	2	2	7	13	25	41	74
1. SINGLE DX	260	6.3	23	1	2	6	8	12	14	26
2. MULTIPLE DX	564	8.7	106	1	2	5	10	22	32	63
A. NOT OPERATED	258	4.5	22	1	1	3	5	10	14	24
B. OPERATED	566	9.5	100	2	2	7	10	22	32	63
TOTAL 0-19 YRS	713	7.7	77	1	2	5	9	16	25	50
20-34	39	11.0	197	1	2	8	13	16	41	74
35-49	37	9.3	55	1	1	7	13	22	24	26
50-64	20	7.6	67	2	3	5	10	27	64	99+
65+	15	10.3	57	1	2	8	15	23	25	26
GRAND TOTAL	**824**	**7.9**	**81**	**1**	**2**	**5**	**9**	**17**	**25**	**54**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	1.4	1	<1	<1	1	1	2	3	4
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	523	2.1	2	<1	<1	2	2	3	5	8
20-34	75	2.3	3	<1	1	2	3	5	6	8
35-49	58	2.5	2	<1	1	2	3	4	6	7
50-64	55	2.3	1	1	1	2	2	3	5	8
65+	49	2.2	2	<1	1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.3	6	<1	<1	1	2	5	8	13
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	220	3.1	23	<1	1	2	3	6	7	22
20-34	34	2.7	2	1	1	3	3	4	6	6
35-49	29	3.1	3	<1	1	3	4	6	7	7
50-64	51	2.6	4	1	1	2	3	5	8	9
65+	62	3.4	21	1	2	2	3	5	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.4	1	<1	<1	1	2	2	4	5
B. *Operated*	760	2.2	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	58	2.3	5	<1	<1	1	2	5	7	13
B. *Operated*	396	3.1	17	1	1	2	3	5	7	22
1. SINGLE DX	828	2.1	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX	454	3.0	15	<1	1	2	3	5	7	22
A. NOT OPERATED	126	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	1156	2.5	7	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	857	2.3	8	<1	<1	2	2	4	5	12
20-34	116	2.4	2	<1	1	2	3	5	6	8
35-49	88	2.8	2	<1	1	2	3	5	6	7
50-64	108	2.4	3	1	1	2	2	4	6	9
65+	113	2.8	12	1	1	2	3	4	6	23
GRAND TOTAL	**1282**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.5	9	<1	1	2	3	5	6	20
20-34	14	3.0	5	1	1	3	3	7	8	8
35-49	6	2.3	5	<1	<1	1	4	6	6	6
50-64	4	5.0	17	1	1	5	8	9	9	9
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	851	4.8	18	1	1	2	8	10	12	18
20-34	55	4.0	13	1	1	2	6	9	10	20
35-49	30	7.6	49	2	2	6	9	18	22	30
50-64	24	4.1	9	1	1	3	6	8	11	12
65+	10	7.5	32	1	1	9	11	51	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	3.7	16	<1	1	2	4	8	10	21
20-34	40	4.6	7	1	2	4	6	8	10	13
35-49	28	4.9	6	2	2	4	7	9	10	12
50-64	23	4.8	5	2	2	4	6	9	10	10
65+	57	4.6	9	1	2	4	6	9	11	14
B. *Operated*										
0-19 YRS	1631	7.3	81	1	1	4	10	16	24	50
20-34	93	6.9	30	2	2	6	10	13	16	28
35-49	73	6.8	31	2	2	6	9	12	15	33
50-64	59	7.6	41	1	2	6	10	18	22	25
65+	48	9.3	54	1	2	8	13	20	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.7	8	<1	1	2	3	5	8	17
B. *Operated*	970	4.8	19	1	1	3	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	470	4.0	13	<1	1	3	5	8	10	18
B. *Operated*	1904	7.3	74	1	1	5	10	16	23	47
1. SINGLE DX	1053	4.7	18	1	1	2	7	10	12	20
2. MULTIPLE DX	2374	6.7	64	1	1	4	9	15	21	44
A. NOT OPERATED	553	3.8	13	<1	1	3	5	8	10	18
B. OPERATED	2874	6.5	57	1	1	4	9	14	19	39
TOTAL 0-19 YRS	2860	6.1	55	1	1	3	8	13	18	39
20-34	202	5.4	21	1	1	3	8	11	14	19
35-49	137	6.4	30	1	2	5	9	12	16	31
50-64	110	6.2	28	1	2	4	8	13	19	25
65+	118	6.7	34	1	2	5	10	15	20	52
GRAND TOTAL	**3427**	**6.1**	**51**	**1**	**1**	**3**	**8**	**13**	**18**	**37**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	556	3.5	2	2	2	3	4	5	6	8
20-34	12	3.1	1	2	2	3	4	4	4	4
35-49	4	3.5		3	3	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.9	7	<1	<1	1	2	3	4	17
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	365	4.3	25	2	2	4	5	6	8	16
20-34	16	3.1	3	1	1	3	4	6	6	6
35-49	3	11.0	148	3	3	5	20	25	25	25
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.6	2	<1	<1	1	2	4	6	6
B. *Operated*	574	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	42	1.8	7	<1	<1	1	2	3	4	17
B. *Operated*	386	4.3	25	2	2	4	5	6	8	22
1. SINGLE DX	585	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	428	4.1	24	1	1	3	5	6	8	19
A. NOT OPERATED	53	1.8	6	<1	<1	1	2	3	4	17
B. OPERATED	960	3.8	11	2	2	3	4	6	7	9
TOTAL 0-19 YRS	973	3.7	11	1	2	3	4	6	7	9
20-34	28	3.1	2	1	2	3	4	5	6	6
35-49	7	6.7	66	3	3	4	5	21	25	25
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	3.7	9	1	1	3	6	7	7	7
GRAND TOTAL	**1013**	**3.7**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	550	3.3	2	2	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	3	<1	1	2	3	5	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	120	4.4	6	2	2	4	5	7	9	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	550	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	13	2.5	3	<1	1	2	3	5	6	6
B. *Operated*	120	4.4	6	2	2	4	5	7	9	14
1. SINGLE DX	567	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX	133	4.2	6	2	2	4	5	7	8	13
A. NOT OPERATED	30	2.3	2	<1	<1	2	3	5	5	6
B. OPERATED	670	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	700	3.4	3	2	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**700**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.0	14	<1	<1	2	3	7	11	21
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	3.4	3	1	1	4	5	5	5	5
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	421	5.9	39	<1	1	4	8	12	18	30
20-34	41	4.4	16	<1	1	3	5	9	11	23
35-49	25	4.8	33	<1	1	2	6	8	18	27
50-64	11	7.2	25	1	1	7	12	14	15	15
65+	8	6.3	13	2	2	6	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.7	27	1	1	3	5	10	15	29
20-34	16	3.6	8	<1	<1	3	4	6	11	13
35-49	8	5.0	20	<1	1	4	6	13	15	15
50-64	26	4.1	10	1	1	3	6	9	11	12
65+	44	5.1	9	2	2	4	7	9	12	14
B. *Operated*										
0-19 YRS	421	10.2	118	1	2	7	13	25	33	70
20-34	62	7.5	42	1	1	6	10	15	18	36
35-49	53	6.6	39	1	1	5	9	15	18	33
50-64	51	8.6	65	2	2	7	10	16	21	51
65+	64	10.6	70	1	2	9	14	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.0	13	<1	<1	2	3	7	10	19
B. *Operated*	506	5.7	36	<1	1	4	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	245	4.6	21	1	1	3	6	10	13	28
B. *Operated*	651	9.6	97	1	2	7	12	22	30	56
1. SINGLE DX	631	5.2	32	<1	1	3	7	12	15	28
2. MULTIPLE DX	896	8.2	81	1	1	5	11	18	27	51
A. NOT OPERATED	370	4.1	19	<1	1	3	5	9	12	26
B. OPERATED	1157	7.9	74	1	1	5	10	17	25	51
TOTAL 0-19 YRS	1105	7.1	71	<1	1	4	9	16	25	49
20-34	120	6.0	31	<1	1	4	8	13	16	27
35-49	91	5.8	34	1	1	3	8	15	17	31
50-64	93	6.8	46	1	2	5	9	14	16	41
65+	118	8.1	50	1	2	6	11	16	20	36
GRAND TOTAL	**1527**	**7.0**	**63**	**1**	**1**	**4**	**9**	**15**	**23**	**46**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	630	2.0	1	<1	<1	2	2	3	4	5
20-34	43	2.6	1	1	1	2	3	4	5	6
35-49	11	2.6	2	1	1	2	3	4	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.4	1	<1	<1	1	1	3	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	603	2.3	2	<1	1	2	3	4	5	8
20-34	43	3.3	4	<1	1	3	4	6	7	8
35-49	22	3.5	8	1	1	3	5	7	10	13
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	7	3.1	8	<1	<1	2	4	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	686	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	35	1.5	1	<1	<1	1	1	3	4	5
B. *Operated*	679	2.5	3	<1	1	2	3	4	5	8
1. SINGLE DX	693	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	714	2.4	3	<1	1	2	3	4	5	8
A. NOT OPERATED	42	1.4	1	<1	<1	1	1	3	4	5
B. OPERATED	1365	2.2	2	<1	1	2	3	4	5	7
TOTAL 0-19 YRS	1273	2.1	2	<1	1	2	3	3	4	7
20-34	87	2.9	3	1	1	3	3	5	6	8
35-49	33	3.2	6	1	1	3	4	6	8	13
50-64	7	3.0	2	1	1	3	4	5	5	5
65+	7	3.1	8	<1	<1	2	4	8	9	9
GRAND TOTAL	**1407**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.0	4	<1	<1	1	2	4	7	9
20-34	10	3.3	4	1	1	3	5	6	6	6
35-49	3	4.3		4	4	4	5	5	5	5
50-64	4	8.3	46	2	2	7	13	17	17	17
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. Operated										
0-19 YRS	904	5.0	15	1	1	4	7	10	13	17
20-34	110	3.6	9	<1	<1	3	5	8	9	15
35-49	46	5.3	11	1	2	5	7	10	12	14
50-64	18	4.9	13	<1	1	4	7	11	12	13
65+	16	5.1	24	1	1	3	6	14	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.6	41	<1	<1	2	3	8	11	41
20-34	19	4.0	17	<1	1	3	5	7	14	19
35-49	36	5.3	12	1	2	4	8	11	12	12
50-64	21	7.7	80	2	2	4	7	19	33	37
65+	30	6.2	25	1	2	4	8	13	17	23
B. Operated										
0-19 YRS	633	6.9	39	1	1	5	9	14	17	32
20-34	190	5.4	10	1	2	5	7	10	11	15
35-49	114	6.8	35	1	2	5	8	12	16	36
50-64	49	7.7	27	1	2	7	10	15	18	25
65+	56	7.3	31	2	2	6	9	14	21	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.9	8	<1	<1	2	4	6	9	17
B. Operated	1094	4.8	14	<1	1	4	7	10	13	17
2. MULTIPLE DX										
A. Not Operated	190	4.8	36	<1	1	3	6	10	12	34
B. Operated	1042	6.7	33	1	1	5	9	14	17	29
1. SINGLE DX	1148	4.8	14	<1	1	4	7	10	13	17
2. MULTIPLE DX	1232	6.4	34	1	1	5	8	13	16	30
A. NOT OPERATED	244	4.4	31	<1	<1	3	5	9	12	30
B. OPERATED	2136	5.7	24	1	1	5	8	12	14	25
TOTAL 0-19 YRS	1655	5.6	26	1	1	4	8	12	14	25
20-34	329	4.7	10	<1	1	4	6	9	11	15
35-49	199	6.1	26	1	2	5	8	12	13	28
50-64	92	7.2	37	1	2	6	9	14	18	34
65+	105	6.5	28	1	2	5	8	14	19	24
GRAND TOTAL	**2380**	**5.6**	**25**	**1**	**1**	**4**	**8**	**12**	**14**	**25**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	1.2	1	<1	<1	<1	1	2	3	5
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	359	4.0	7	1	2	3	5	7	8	12
20-34	20	4.7	12	2	2	4	5	7	13	18
35-49	7	2.6	1	2	2	2	3	5	5	5
50-64	6	4.0	2	<1	<1	4	5	5	5	5
65+	6	4.5	4	2	2	4	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	1.4	1	<1	<1	1	1	2	4	7
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	248	5.1	58	1	2	4	6	9	11	22
20-34	41	3.6	2	1	2	4	4	5	6	7
35-49	27	4.6	7	2	2	4	5	10	11	11
50-64	39	5.5	10	2	2	5	7	10	11	17
65+	19	5.6	27	2	2	4	7	9	18	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.2	1	<1	<1	<1	1	2	3	5
B. Operated	398	4.0	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	38	1.4	1	<1	<1	1	1	2	4	7
B. Operated	374	5.0	41	1	2	4	6	8	11	20
1. SINGLE DX	431	3.8	7	<1	1	3	5	6	8	12
2. MULTIPLE DX	412	4.6	39	1	1	4	5	8	10	19
A. NOT OPERATED	71	1.3	1	<1	<1	<1	1	2	3	7
B. OPERATED	772	4.5	24	1	2	4	5	8	9	17
TOTAL 0-19 YRS	678	4.1	26	<1	1	3	5	7	9	15
20-34	61	3.9	5	1	2	4	5	6	7	17
35-49	34	4.1	7	2	2	3	5	8	11	11
50-64	45	5.3	9	1	2	5	6	10	10	17
65+	25	5.4	22	2	2	4	6	9	13	25
GRAND TOTAL	**843**	**4.2**	**23**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.2	3	<1	<1	2	3	4	6	9
20-34	35	4.9	27	<1	1	3	5	10	15	28
35-49	43	5.5	24	1	1	4	8	11	16	22
50-64	15	4.9	7	1	2	5	7	8	10	10
65+	11	4.1	7	2	2	3	6	8	10	10
B. *Operated*										
0-19 YRS	1424	4.5	21	1	1	3	6	8	11	22
20-34	320	4.3	25	<1	<1	3	5	10	11	21
35-49	178	4.5	18	<1	1	3	6	11	14	18
50-64	75	5.3	24	1	1	4	7	12	16	22
65+	29	6.0	29	1	1	3	8	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	424	4.5	41	<1	1	3	5	10	15	26
20-34	65	7.0	43	1	2	5	8	11	20	38
35-49	54	5.5	11	2	2	4	7	10	12	18
50-64	73	6.5	80	2	2	5	8	10	13	63
65+	61	8.0	49	1	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	894	7.2	90	1	2	4	8	15	27	58
20-34	167	6.1	38	1	1	4	8	13	17	29
35-49	198	7.5	33	1	2	7	10	15	18	28
50-64	158	7.7	42	2	2	6	10	15	21	31
65+	80	10.1	63	1	2	8	14	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.1	10	<1	<1	2	4	7	9	16
B. *Operated*	2026	4.5	22	<1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	677	5.4	45	1	1	4	7	11	15	30
B. *Operated*	1497	7.3	70	1	2	5	9	15	23	46
1. SINGLE DX	2353	4.3	21	<1	1	3	6	9	11	22
2. MULTIPLE DX	2174	6.7	63	1	1	4	8	14	20	40
A. NOT OPERATED	1004	4.7	35	<1	1	3	6	10	13	26
B. OPERATED	3523	5.7	44	1	1	4	7	12	17	33
TOTAL 0-19 YRS	2965	5.1	46	1	1	3	6	10	16	36
20-34	587	5.1	32	<1	<1	3	7	10	15	28
35-49	473	6.0	26	1	1	4	8	12	16	24
50-64	321	6.8	45	1	2	5	8	14	17	28
65+	181	8.4	52	1	2	7	11	18	22	38
GRAND TOTAL	**4527**	**5.5**	**42**	**1**	**1**	**3**	**7**	**11**	**16**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1303	4.4	33	1	1	3	4	10	15	27
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.7	30	<1	<1	3	6	10	16	28
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1266	11.0	184	1	2	6	13	28	41	70
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	186	22.6	559	1	2	17	41	74	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	4.4	33	1	1	3	4	10	15	27
B. *Operated*	48	4.7	30	<1	<1	3	6	10	16	28
2. MULTIPLE DX										
A. *Not Operated*	1266	11.0	184	1	2	6	13	28	41	70
B. *Operated*	186	22.6	559	1	2	17	41	74	99+	99+
1. SINGLE DX	1351	4.4	33	1	1	3	4	10	15	27
2. MULTIPLE DX	1452	12.5	247	1	2	6	16	34	53	95
A. NOT OPERATED	2569	7.6	119	1	1	3	8	20	29	59
B. OPERATED	234	18.9	502	<1	1	10	29	70	96	99+
TOTAL 0-19 YRS	2803	8.6	160	1	1	4	9	22	36	75
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2803**	**8.6**	**160**	**1**	**1**	**4**	**9**	**22**	**36**	**75**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1802	2.6	5	1	1	2	3	4	6	10
20-34	582	3.0	7	1	1	2	3	5	7	11
35-49	313	3.4	7	1	1	3	4	6	8	15
50-64	188	3.8	34	1	1	3	4	6	8	14
65+	196	4.0	11	1	1	3	5	7	9	20
B. *Operated*										
0-19 YRS	19	3.5	6	1	2	3	4	8	9	10
20-34	16	4.6	7	1	2	4	6	9	10	10
35-49	10	5.8	7	3	3	5	9	10	10	10
50-64	9	4.0	4	2	2	4	5	7	8	8
65+	1	2.0		2	2	51	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2565	3.1	11	1	1	2	4	5	8	14
20-34	872	4.4	20	1	1	3	5	9	11	23
35-49	923	4.7	29	1	1	4	6	8	11	23
50-64	1002	5.5	24	1	2	4	7	10	15	28
65+	1520	6.2	29	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	86	9.2	110	2	2	5	12	23	27	57
20-34	59	8.6	166	1	2	6	9	11	24	90
35-49	77	8.8	83	1	2	6	11	19	26	54
50-64	88	11.0	133	2	3	7	15	21	32	69
65+	140	11.7	81	3	4	9	15	24	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3081	2.9	8	1	1	2	3	5	7	13
B. *Operated*	55	4.3	7	2	2	3	6	9	10	95
2. MULTIPLE DX										
A. *Not Operated*	6882	4.5	22	1	1	3	5	9	12	22
B. *Operated*	450	10.2	109	2	3	7	12	22	29	61
1. SINGLE DX	3136	2.9	8	1	1	2	4	5	7	13
2. MULTIPLE DX	7332	4.9	29	1	1	3	6	10	13	27
A. NOT OPERATED	9963	4.0	18	1	1	3	5	8	11	20
B. OPERATED	505	9.5	101	2	2	6	12	21	28	62
TOTAL 0-19 YRS	4472	3.0	11	1	1	2	3	5	7	15
20-34	1529	4.0	22	1	1	3	5	8	10	22
35-49	1323	4.6	28	1	1	3	5	8	12	25
50-64	1287	5.6	35	1	2	4	6	11	16	31
65+	1857	6.4	33	1	2	5	8	12	16	30
GRAND TOTAL	**10468**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	2.7	2	1	1	2	3	5	6	8
20-34	116	3.8	7	1	2	3	4	7	10	14
35-49	77	4.4	5	1	2	4	5	8	9	11
50-64	77	4.7	6	2	2	4	6	9	10	12
65+	77	5.3	7	2	2	5	6	9	11	14
B. *Operated*										
0-19 YRS	14	6.7	11	3	4	6	8	12	13	14
20-34	13	8.8	27	3	5	7	11	16	21	22
35-49	8	8.5	12	5	5	8	11	14	14	14
50-64	10	10.0	21	3	3	10	13	16	18	18
65+	3	17.0	252	5	5	11	29	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1258	3.2	5	1	1	3	4	5	7	12
20-34	357	4.4	10	1	2	4	6	8	10	18
35-49	319	5.5	15	2	2	5	7	9	12	23
50-64	484	6.1	15	2	3	5	8	11	13	19
65+	1073	6.8	28	2	3	6	8	12	15	28
B. *Operated*										
0-19 YRS	55	8.4	60	2	3	6	11	15	22	42
20-34	58	9.1	40	2	2	8	13	18	21	28
35-49	58	10.0	55	2	3	7	13	23	26	30
50-64	108	11.5	118	2	3	9	14	21	28	64
65+	164	12.2	63	4	4	11	15	21	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	3.3	5	1	1	3	4	6	8	11
B. *Operated*	48	8.9	32	3	4	7	11	14	18	35
2. MULTIPLE DX										
A. *Not Operated*	3491	5.0	17	1	2	4	6	9	12	20
B. *Operated*	443	10.9	74	3	3	9	14	20	27	50
1. SINGLE DX	1054	3.6	7	1	1	3	4	7	9	14
2. MULTIPLE DX	3934	5.7	27	1	2	4	7	11	14	28
A. NOT OPERATED	4497	4.7	15	1	2	4	6	9	11	19
B. OPERATED	491	10.7	70	3	3	9	13	20	27	47
TOTAL 0-19 YRS	1986	3.2	7	1	1	3	4	5	7	13
20-34	544	4.9	15	1	2	4	6	9	13	22
35-49	462	5.9	21	2	2	5	7	10	14	27
50-64	679	6.8	35	2	2	5	8	12	16	27
65+	1317	7.4	35	2	3	6	9	13	17	31
GRAND TOTAL	**4988**	**5.3**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	2.4	3	1	1	2	3	4	5	10
20-34	568	3.3	6	1	1	3	4	6	7	13
35-49	413	3.8	8	1	1	3	5	7	9	15
50-64	159	3.7	8	1	1	3	5	7	9	17
65+	45	3.3	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	40	4.1	7	2	2	3	5	7	8	15
35-49	53	4.0	10	1	1	3	5	8	11	17
50-64	20	4.3	9	1	1	3	5	9	11	12
65+	5	4.2	10	1	1	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	3.1	5	1	1	3	4	6	7	14
20-34	957	4.4	14	1	2	3	5	8	10	19
35-49	864	4.6	11	1	2	4	6	8	10	17
50-64	554	4.7	9	2	2	4	6	8	10	17
65+	419	4.8	10	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	19	8.3	91	2	2	4	10	24	31	36
20-34	96	6.6	37	2	2	5	7	11	21	31
35-49	112	7.5	36	2	2	6	9	14	18	35
50-64	82	6.7	26	2	3	5	8	12	18	28
65+	72	7.5	64	2	3	6	9	12	20	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1453	3.3	7	1	1	3	4	6	8	14
B. *Operated*	124	4.0	8	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3135	4.4	11	1	2	4	5	8	10	17
B. *Operated*	381	7.1	42	2	2	5	8	13	19	32
1. SINGLE DX	1577	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	3516	4.7	15	1	2	4	6	9	11	19
A. NOT OPERATED	4588	4.1	10	1	1	3	5	8	10	16
B. OPERATED	505	6.4	36	2	2	5	8	11	18	30
TOTAL 0-19 YRS	634	3.0	7	1	1	2	3	5	7	14
20-34	1661	4.1	13	1	1	3	5	7	10	18
35-49	1442	4.6	13	1	2	4	6	8	11	17
50-64	815	4.7	11	1	2	4	6	8	11	18
65+	541	5.1	18	1	2	4	6	9	12	20
GRAND TOTAL	**5093**	**4.3**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	<1	3	4	5	5	5
20-34	42	2.7	3	1	1	2	4	5	6	8
35-49	84	3.3	4	1	1	3	5	6	7	9
50-64	111	3.2	4	1	1	3	4	6	7	11
65+	122	3.1	3	<1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	35	2.5	6	<1	<1	1	3	6	8	11
20-34	39	4.1	6	1	1	3	5	7	10	11
35-49	57	3.8	4	1	1	3	5	7	8	10
50-64	90	4.8	10	1	2	4	6	7	9	21
65+	67	4.9	8	1	2	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.3	3	<1	1	2	3	4	6	7
20-34	41	3.5	3	1	1	3	5	6	7	9
35-49	101	4.1	13	1	1	3	5	7	9	22
50-64	260	4.0	6	1	1	4	5	7	9	14
65+	418	4.1	12	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	22	3.3	9	<1	1	2	4	7	11	12
20-34	22	5.1	13	1	1	5	6	10	14	14
35-49	68	5.7	10	2	2	5	7	11	13	16
50-64	119	5.9	11	2	2	5	7	10	13	18
65+	179	6.8	50	1	2	5	8	14	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	3.1	3	1	1	3	4	5	6	8
B. *Operated*	288	4.3	8	1	1	4	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	866	4.0	9	1	1	3	5	7	9	15
B. *Operated*	410	6.1	29	1	2	5	7	11	14	27
1. SINGLE DX	671	3.6	6	1	1	3	5	6	8	11
2. MULTIPLE DX	1276	4.6	17	1	1	4	6	9	11	20
A. NOT OPERATED	1249	3.7	8	1	1	3	5	7	8	14
B. OPERATED	698	5.3	21	1	2	4	6	9	13	22
TOTAL 0-19 YRS	127	2.6	4	<1	<1	2	4	5	6	11
20-34	144	3.7	6	1	1	3	5	6	8	14
35-49	310	4.2	9	1	1	4	5	7	9	16
50-64	580	4.3	8	1	1	4	5	7	9	15
65+	786	4.7	20	1	1	4	5	9	11	22
GRAND TOTAL	**1947**	**4.3**	**13**	**1**	**1**	**4**	**5**	**8**	**10**	**17**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	5	1	1	2	4	6	8	12
20-34	30	2.4	2	<1	1	2	3	5	5	5
35-49	31	3.2	3	1	1	3	4	5	6	7
50-64	25	3.1	6	<1	1	2	3	6	9	11
65+	23	3.7	11	<1	1	2	5	9	12	14
B. *Operated*										
0-19 YRS	176	2.0	2	<1	<1	2	2	4	6	8
20-34	138	2.5	4	<1	<1	2	3	4	7	10
35-49	109	2.4	4	<1	<1	2	3	4	5	11
50-64	72	2.8	6	<1	1	2	3	5	7	15
65+	31	4.3	23	1	1	3	5	9	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.1	39	1	1	2	4	7	17	38
20-34	110	3.7	12	1	1	3	4	7	9	21
35-49	139	4.4	17	1	1	3	5	8	11	23
50-64	185	5.6	27	1	2	4	7	11	12	31
65+	358	7.7	47	2	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	63	3.4	5	1	1	3	5	6	8	12
20-34	100	4.5	15	1	2	3	5	10	12	21
35-49	102	6.6	46	1	2	4	8	15	23	32
50-64	106	8.1	92	1	2	5	9	18	27	52
65+	173	9.8	87	2	2	8	12	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	3.1	5	1	1	2	4	6	7	12
B. *Operated*	526	2.5	5	<1	<1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	884	5.9	35	1	2	4	7	13	16	31
B. *Operated*	544	7.1	63	1	2	4	9	16	23	38
1. SINGLE DX	681	2.6	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	1428	6.4	46	1	2	4	8	14	19	34
A. NOT OPERATED	1039	5.5	32	1	1	4	7	12	15	30
B. OPERATED	1070	4.8	40	<1	1	3	5	11	16	33
TOTAL 0-19 YRS	377	2.9	13	<1	1	2	3	5	7	18
20-34	378	3.4	9	<1	1	2	4	7	9	18
35-49	381	4.3	22	1	1	3	5	8	13	30
50-64	388	5.6	43	1	1	4	6	12	17	35
65+	585	8.0	59	2	2	6	11	16	21	37
GRAND TOTAL	**2109**	**5.1**	**36**	**1**	**1**	**3**	**6**	**12**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	9	3.7	8	1	1	3	5	8	9	9
65+	13	7.9	21	2	3	8	9	16	18	18
B. *Operated*										
0-19 YRS	19	6.3	36	1	1	4	8	16	20	24
20-34	22	5.5	39	1	1	3	6	15	20	26
35-49	23	6.9	48	<1	1	4	10	16	25	26
50-64	48	9.3	65	1	2	8	12	19	23	43
65+	126	11.8	78	3	4	9	14	25	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	8.8	41	4	4	7	10	20	20	20
35-49	12	8.4	32	2	3	7	10	19	20	20
50-64	47	11.6	173	2	3	8	12	27	42	75
65+	222	9.2	62	2	3	8	11	16	21	63
B. *Operated*										
0-19 YRS	24	8.1	90	<1	<1	4	11	21	30	41
20-34	53	13.7	125	2	3	12	21	30	37	40
35-49	123	16.8	210	2	3	12	23	40	48	63
50-64	348	18.3	188	3	6	15	22	35	49	68
65+	1287	16.7	151	4	6	14	21	33	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.2	22	1	1	5	9	14	17	18
B. *Operated*	238	9.8	70	1	2	8	12	22	26	43
2. MULTIPLE DX										
A. *Not Operated*	288	9.5	78	2	3	7	11	17	21	68
B. *Operated*	1835	16.8	162	3	5	14	21	33	43	75
1. SINGLE DX	266	9.4	66	1	2	8	12	20	26	42
2. MULTIPLE DX	2123	15.8	157	3	5	13	20	32	42	75
A. NOT OPERATED	316	9.2	74	2	2	7	11	17	21	63
B. OPERATED	2073	16.0	156	3	4	13	20	32	42	68
TOTAL 0-19 YRS	46	7.3	64	<1	1	4	10	17	24	41
20-34	83	10.8	107	1	2	6	16	27	33	40
35-49	160	14.6	186	2	2	10	19	34	45	62
50-64	452	16.4	183	2	4	13	21	32	45	68
65+	1648	15.2	140	3	5	12	19	30	41	76
GRAND TOTAL	**2389**	**15.1**	**150**	**2**	**4**	**12**	**19**	**30**	**41**	**68**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.6	3	1	1	2	3	5	7	7
20-34	652	2.8	3	1	1	2	3	5	6	9
35-49	1661	2.9	4	1	1	2	4	5	6	10
50-64	1129	3.2	4	1	1	3	4	6	7	10
65+	462	3.3	5	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	65	3.2	6	2	2	2	3	7	8	14
35-49	473	2.8	3	1	2	2	3	5	7	9
50-64	429	2.9	4	1	2	2	3	5	7	10
65+	84	3.1	5	1	2	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.9	3	1	1	3	4	5	6	8
20-34	1283	3.3	4	1	1	3	4	6	7	10
35-49	4656	3.7	6	1	1	3	5	7	8	13
50-64	5679	4.0	7	1	2	3	5	7	9	13
65+	4541	4.6	12	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	14	4.6	41	<1	1	3	5	8	22	26
20-34	175	5.2	23	1	2	4	7	12	14	25
35-49	1137	4.3	12	2	2	3	5	9	11	16
50-64	1569	4.5	15	2	2	3	6	9	11	20
65+	650	5.8	25	2	2	4	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3988	3.0	4	1	1	3	4	5	7	10
B. *Operated*	1053	2.9	4	1	2	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	16294	4.0	8	1	2	3	5	7	9	14
B. *Operated*	3545	4.7	16	2	2	3	6	9	12	20
1. SINGLE DX	5041	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX	19839	4.1	10	1	2	3	5	8	9	15
A. NOT OPERATED	20282	3.8	7	1	1	3	5	7	8	13
B. OPERATED	4598	4.3	14	2	2	3	5	9	11	19
TOTAL 0-19 YRS	235	2.9	5	1	1	2	4	5	6	8
20-34	2175	3.3	6	1	1	3	4	6	8	13
35-49	7927	3.6	7	1	1	3	4	7	8	13
50-64	8806	4.0	8	1	2	3	5	7	9	14
65+	5737	4.6	13	1	2	4	6	8	10	17
GRAND TOTAL	**24880**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	3.0	8	1	1	2	4	6	7	12
20-34	37	2.7	4	<1	1	2	4	6	7	10
35-49	53	2.3	2	<1	<1	2	3	4	4	8
50-64	63	3.0	6	<1	1	3	4	5	7	14
65+	69	4.4	11	<1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	37	2.8	6	1	1	2	3	7	8	11
20-34	31	4.0	7	1	2	3	5	8	10	12
35-49	73	3.0	6	<1	1	2	4	5	7	14
50-64	95	3.7	9	1	1	3	5	8	10	14
65+	81	4.3	23	<1	1	3	5	8	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	4.2	16	1	1	3	5	8	11	21
20-34	175	3.3	4	1	1	3	4	6	7	10
35-49	279	4.5	11	1	1	4	6	9	11	17
50-64	680	5.8	28	1	2	5	7	11	14	26
65+	1332	6.6	35	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	88	6.2	35	1	2	4	9	13	19	30
20-34	66	5.8	30	1	1	4	7	12	17	27
35-49	172	4.5	10	1	1	4	6	8	11	14
50-64	396	6.3	54	1	2	4	8	13	17	32
65+	488	7.8	73	1	2	6	9	15	19	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	754	3.0	8	1	1	2	4	6	8	12
B. *Operated*	317	3.6	12	1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	3158	5.5	27	1	1	4	7	11	14	26
B. *Operated*	1210	6.6	54	1	2	5	8	13	17	33
1. SINGLE DX	1071	3.2	9	1	1	2	4	7	8	14
2. MULTIPLE DX	4368	5.8	35	1	2	4	7	11	15	28
A. NOT OPERATED	3912	5.0	24	1	1	4	6	10	13	24
B. OPERATED	1527	6.0	47	1	1	4	7	12	16	30
TOTAL 0-19 YRS	1349	3.8	14	1	1	3	5	7	10	19
20-34	309	3.8	11	1	1	3	5	7	10	18
35-49	577	4.1	10	1	1	3	5	8	10	16
50-64	1234	5.6	35	1	1	4	7	11	15	28
65+	1970	6.7	44	1	2	5	8	13	16	31
GRAND TOTAL	**5439**	**5.3**	**31**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	1.9	2	<1	1	2	2	3	5	7
20-34	251	2.1	2	<1	1	2	3	4	5	7
35-49	281	1.9	2	<1	1	2	2	3	4	7
50-64	137	2.1	2	1	1	2	3	4	5	7
65+	62	3.0	6	1	1	3	4	4	5	17
B. *Operated*										
0-19 YRS	102	1.6	1	<1	1	1	2	3	3	6
20-34	58	3.6	5	<1	1	3	5	7	8	10
35-49	55	4.0	9	1	1	3	5	8	9	17
50-64	46	4.9	11	1	1	4	7	10	11	12
65+	72	4.5	8	1	1	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.6	4	1	1	2	3	5	7	10
20-34	251	2.7	4	1	1	2	3	5	7	12
35-49	314	3.1	7	1	1	2	4	6	8	15
50-64	335	3.7	12	1	1	3	5	7	8	15
65+	672	6.0	37	1	2	4	7	11	15	34
B. *Operated*										
0-19 YRS	173	3.0	12	<1	1	2	3	7	8	22
20-34	112	5.2	13	2	2	5	7	9	11	19
35-49	158	6.0	18	1	2	5	8	12	13	23
50-64	241	7.0	25	2	2	6	9	13	17	25
65+	653	8.2	35	2	3	7	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	333	3.4	7	<1	1	2	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1674	4.3	21	1	1	3	5	8	11	22
B. *Operated*	1337	6.8	29	1	2	6	9	13	17	25
1. SINGLE DX	1145	2.5	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	3011	5.4	26	1	1	4	7	11	14	25
A. NOT OPERATED	2486	3.6	16	1	1	3	4	7	9	18
B. OPERATED	1670	6.1	27	1	1	5	8	12	15	24
TOTAL 0-19 YRS	458	2.4	6	<1	1	2	3	5	7	13
20-34	672	3.0	6	<1	1	2	4	6	8	12
35-49	808	3.3	9	1	1	2	4	7	9	16
50-64	759	4.5	17	1	1	3	6	9	12	21
65+	1459	6.8	35	1	2	5	8	13	17	32
GRAND TOTAL	4156	4.6	22	1	1	3	6	10	13	23

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1862	2.3	2	1	1	2	3	4	5	8
20-34	1786	2.8	3	1	1	2	4	5	6	9
35-49	1057	3.2	4	1	1	3	4	6	7	10
50-64	587	3.5	5	1	1	3	4	6	8	10
65+	371	3.8	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	213	3.5	4	1	2	3	4	6	8	9
20-34	345	4.0	9	1	1	3	5	7	9	16
35-49	168	4.7	17	1	1	4	6	9	11	28
50-64	94	5.4	17	1	2	4	7	10	13	21
65+	37	6.2	28	1	2	5	8	14	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1566	2.7	4	1	1	2	3	5	6	10
20-34	2434	3.4	6	1	1	3	4	6	8	13
35-49	2055	4.1	7	1	2	3	5	8	10	13
50-64	1924	4.5	9	1	2	4	6	8	10	15
65+	2545	5.1	15	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	204	4.9	27	1	2	4	6	9	10	20
20-34	662	5.3	13	1	2	5	7	9	13	18
35-49	497	7.0	26	1	2	6	9	13	17	29
50-64	417	7.6	45	2	3	6	9	14	18	26
65+	386	8.2	36	2	2	7	10	17	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5663	2.9	4	1	1	2	4	5	7	9
B. *Operated*	857	4.3	11	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	10524	4.1	9	1	1	3	5	7	9	15
B. *Operated*	2166	6.6	29	1	2	5	8	12	16	26
1. SINGLE DX	6520	3.0	5	1	1	2	4	6	7	11
2. MULTIPLE DX	12690	4.5	14	1	1	4	6	8	11	18
A. NOT OPERATED	16187	3.6	8	1	1	3	5	7	8	14
B. OPERATED	3023	6.0	25	1	2	5	8	11	15	23
TOTAL 0-19 YRS	3845	2.7	5	1	1	2	3	5	6	9
20-34	5227	3.5	7	1	1	3	4	6	8	14
35-49	3777	4.3	11	1	1	3	5	8	10	16
50-64	3022	4.8	15	1	2	4	6	9	11	18
65+	3339	5.3	17	1	2	4	7	10	13	21
GRAND TOTAL	19210	4.0	11	1	1	3	5	8	10	16

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	2.8	4	1	1	2	4	5	6	11
20-34	124	3.0	5	<1	1	3	4	5	7	12
35-49	91	2.7	4	1	1	2	4	6	6	10
50-64	77	4.1	13	1	1	3	5	9	11	21
65+	98	3.8	8	1	1	3	5	6	8	18
B. *Operated*										
0-19 YRS	36	3.3	7	1	1	3	4	6	8	14
20-34	39	3.9	9	<1	1	3	5	8	10	14
35-49	41	5.7	30	<1	1	5	7	12	15	30
50-64	34	4.6	15	<1	1	3	6	11	14	14
65+	25	4.2	17	<1	<1	3	6	7	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	676	3.2	8	1	1	2	4	6	8	17
20-34	482	3.7	23	1	1	3	4	6	8	13
35-49	504	4.9	19	1	1	4	6	10	14	21
50-64	785	5.4	17	1	2	4	7	10	13	21
65+	1437	5.9	21	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	84	7.5	49	1	1	6	10	15	18	40
20-34	133	5.6	12	1	2	5	7	10	12	16
35-49	157	6.8	23	1	2	6	9	14	16	22
50-64	217	8.2	53	1	2	6	11	19	24	32
65+	325	9.3	72	2	2	7	11	20	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	3.2	6	1	1	3	4	6	8	12
B. *Operated*	175	4.4	16	<1	1	3	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	3884	4.9	19	1	1	4	6	10	13	20
B. *Operated*	916	7.9	50	1	2	6	10	16	22	34
1. SINGLE DX	756	3.5	9	1	1	3	4	7	9	15
2. MULTIPLE DX	4800	5.5	26	1	1	4	7	11	15	25
A. NOT OPERATED	4465	4.7	18	1	1	4	6	9	12	20
B. OPERATED	1091	7.4	46	1	2	6	9	16	20	32
TOTAL 0-19 YRS	987	3.5	12	1	1	3	4	7	9	18
20-34	778	3.9	18	1	1	3	5	7	9	15
35-49	793	5.0	20	1	1	4	6	10	14	21
50-64	1113	5.9	25	1	2	4	8	12	16	27
65+	1885	6.3	31	1	2	5	8	13	17	28
GRAND TOTAL	5556	5.2	24	1	1	4	6	10	14	24

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1248	3.3	10	1	1	2	4	6	8	17
20-34	651	3.0	6	<1	1	2	4	5	7	13
35-49	673	3.2	8	1	1	3	4	6	7	15
50-64	745	3.7	11	1	1	3	4	7	9	18
65+	779	4.5	17	1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	139	3.8	52	<1	1	2	4	8	12	76
20-34	153	3.2	6	1	1	2	4	7	8	13
35-49	186	3.8	22	1	1	2	4	8	10	32
50-64	182	3.5	16	<1	1	2	4	6	9	18
65+	136	4.1	16	1	2	3	5	9	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2036	4.5	26	1	1	3	5	9	13	25
20-34	1561	3.9	15	1	1	3	5	7	9	18
35-49	2283	4.4	13	1	1	4	5	8	10	19
50-64	4546	5.9	27	1	2	5	7	11	15	26
65+	10360	6.5	30	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	245	8.4	129	1	1	4	10	23	31	83
20-34	303	5.5	32	1	2	4	7	11	13	39
35-49	455	5.8	30	1	2	4	8	11	16	29
50-64	843	9.5	117	2	2	6	11	20	29	65
65+	1429	10.7	128	2	2	7	13	21	31	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4096	3.5	11	1	1	3	4	7	9	17
B. *Operated*	796	3.7	22	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	20786	5.8	27	1	2	4	7	11	15	26
B. *Operated*	3275	9.0	106	1	2	6	11	19	27	62
1. SINGLE DX	4892	3.5	13	1	1	3	4	7	9	18
2. MULTIPLE DX	24061	6.2	39	1	2	4	7	12	17	31
A. NOT OPERATED	24882	5.4	25	1	2	4	7	10	14	25
B. OPERATED	4071	8.0	94	1	2	5	9	17	25	58
TOTAL 0-19 YRS	3668	4.3	30	1	1	3	5	8	12	29
20-34	2668	3.8	15	1	1	3	5	7	9	18
35-49	3597	4.3	15	1	1	3	5	8	11	20
50-64	6316	6.0	39	1	2	4	7	12	16	31
65+	12704	6.8	42	2	2	5	8	13	18	32
GRAND TOTAL	28953	5.8	35	1	2	4	7	11	16	30

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	2.0	3	<1	1	1	2	4	6	9
20-34	40	3.6	6	1	1	3	5	7	8	9
35-49	11	5.4	42	<1	<1	2	10	15	21	21
50-64	10	7.0	60	2	2	3	8	20	25	25
65+	4	2.5	6	<1	<1	1	4	6	6	6
B. *Operated*										
0-19 YRS	69	5.1	9	2	2	5	6	8	10	16
20-34	24	6.3	49	<1	1	5	7	14	23	32
35-49	10	9.4	30	3	3	9	11	18	21	21
50-64	3	5.7	30	2	2	3	10	12	12	12
65+	2	19.0	2	18	18	19	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.5	15	1	1	2	4	7	12	20
20-34	68	5.9	36	1	1	4	8	15	19	88
35-49	32	7.4	61	<1	1	5	9	18	27	35
50-64	35	6.1	29	1	1	4	8	14	20	22
65+	14	5.4	44	1	1	3	6	13	23	26
B. *Operated*										
0-19 YRS	95	12.4	290	1	2	7	14	43	64	99+
20-34	82	14.8	279	1	1	9	17	39	70	92
35-49	36	13.8	196	1	4	10	15	23	48	70
50-64	26	12.9	299	1	2	8	22	69	99+	99+
65+	23	22.4	372	3	7	15	31	41	64	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	2.4	7	1	1	2	3	5	7	12
B. *Operated*	108	6.0	24	1	2	5	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	352	4.7	27	1	1	3	6	10	17	28
B. *Operated*	262	14.3	285	1	2	8	17	39	69	99+
1. SINGLE DX	487	3.2	13	1	1	2	4	7	9	20
2. MULTIPLE DX	614	8.8	159	1	1	5	10	21	38	98
A. NOT OPERATED	731	3.5	18	1	1	2	4	8	11	23
B. OPERATED	370	11.9	222	1	2	7	14	31	50	99+
TOTAL 0-19 YRS	681	4.2	58	1	1	2	5	8	14	52
20-34	214	8.9	146	1	1	5	10	19	38	84
35-49	89	9.9	118	1	1	8	12	20	28	62
50-64	74	8.6	134	1	2	5	9	23	34	99+
65+	43	14.9	286	<1	1	9	21	33	43	89
GRAND TOTAL	**1101**	**6.3**	**102**	**1**	**1**	**3**	**7**	**14**	**23**	**74**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.4	4	<1	1	2	3	5	8	9
20-34	36	5.1	19	1	1	4	6	11	11	23
35-49	11	3.4	4	1	1	3	5	6	7	7
50-64	5	7.4	2	5	5	8	8	9	9	9
65+	8	7.6	43	<1	1	6	13	17	18	18
B. *Operated*										
0-19 YRS	20	4.1	9	1	1	3	5	9	11	11
20-34	19	12.3	307	1	2	5	11	41	59	64
35-49	7	5.4	7	2	2	6	8	9	9	9
50-64	4	11.8	84	3	3	10	18	24	24	24
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	5.3	39	1	1	3	6	13	16	31
20-34	114	7.2	115	1	1	4	7	16	28	59
35-49	44	6.4	34	1	1	5	9	12	17	31
50-64	24	8.0	40	2	3	5	12	18	22	22
65+	42	9.1	51	1	2	7	12	22	24	25
B. *Operated*										
0-19 YRS	69	13.2	257	1	2	7	18	32	51	75
20-34	82	17.5	377	1	2	11	23	51	71	96
35-49	36	10.2	107	1	2	7	13	20	31	56
50-64	17	22.8	691	2	3	10	26	76	81	82
65+	17	10.9	79	2	2	8	20	27	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.2	10	<1	1	2	4	8	10	16
B. *Operated*	51	7.9	135	1	1	5	8	17	24	64
2. MULTIPLE DX										
A. *Not Operated*	366	6.6	65	1	1	4	8	15	22	39
B. *Operated*	221	14.9	304	1	2	8	20	38	63	91
1. SINGLE DX	262	4.1	37	1	1	2	5	8	11	24
2. MULTIPLE DX	587	9.7	171	1	1	5	11	23	35	79
A. NOT OPERATED	577	5.4	47	1	1	3	7	11	18	31
B. OPERATED	272	13.6	280	1	2	7	18	34	58	87
TOTAL 0-19 YRS	382	5.5	77	1	1	3	6	12	21	50
20-34	251	10.7	225	1	2	5	11	28	47	85
35-49	98	7.4	61	1	1	6	9	14	20	46
50-64	50	13.3	299	2	3	8	14	25	63	82
65+	68	9.3	56	1	2	7	15	23	25	86
GRAND TOTAL	**849**	**8.0**	**136**	**1**	**1**	**4**	**9**	**20**	**28**	**72**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.6	1	<1	<1	1	2	3	4	5
20-34	58	2.2	3	<1	<1	1	3	5	6	8
35-49	15	2.3	7	1	1	1	2	7	9	10
50-64	8	2.8	3	1	1	2	4	5	6	6
65+	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	567	2.1	3	<1	<1	2	3	4	5	9
20-34	755	2.7	4	<1	1	2	3	5	6	10
35-49	243	3.1	7	<1	1	2	4	6	8	13
50-64	69	3.0	4	<1	1	2	4	5	6	10
65+	36	3.3	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.9	1	<1	1	2	2	3	5	6
20-34	130	2.5	4	<1	<1	2	3	5	6	10
35-49	80	4.0	35	<1	1	3	5	7	10	40
50-64	62	4.8	24	1	1	3	6	10	14	26
65+	92	5.8	27	1	2	5	7	10	12	32
B. *Operated*										
0-19 YRS	617	3.6	11	1	1	2	4	7	10	17
20-34	1088	4.5	23	1	1	3	5	8	12	28
35-49	397	5.5	40	1	2	4	7	10	14	37
50-64	178	6.8	62	1	2	4	7	14	21	39
65+	154	8.5	126	1	2	4	11	17	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.0	3	<1	<1	1	2	5	6	9
B. *Operated*	1670	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	446	3.7	18	<1	1	2	4	7	9	19
B. *Operated*	2434	4.8	34	1	1	3	6	9	14	34
1. SINGLE DX	1790	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2880	4.7	32	1	1	3	5	9	13	31
A. NOT OPERATED	566	3.3	16	<1	1	2	4	7	9	18
B. OPERATED	4104	3.9	23	<1	1	3	4	8	11	26
TOTAL 0-19 YRS	1300	2.8	7	<1	1	2	3	5	8	12
20-34	2031	3.6	15	1	1	3	4	7	9	20
35-49	735	4.5	29	1	1	3	5	9	11	34
50-64	317	5.5	43	1	1	4	6	11	15	37
65+	287	6.8	80	1	2	4	8	15	19	43
GRAND TOTAL	**4670**	**3.8**	**22**	**<1**	**1**	**3**	**4**	**8**	**10**	**25**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.2	11	<1	1	3	6	8	11	18
20-34	396	5.3	28	1	1	4	6	10	13	22
35-49	219	5.4	12	1	2	5	7	10	12	16
50-64	203	6.2	13	1	2	6	8	11	12	16
65+	350	7.9	25	2	3	7	10	14	17	23
B. *Operated*										
0-19 YRS	23	11.2	59	1	3	10	15	25	27	28
20-34	65	10.4	58	3	4	8	12	20	25	47
35-49	30	14.1	348	2	2	7	15	30	44	97
50-64	12	8.2	17	2	3	8	10	15	16	16
65+	17	11.9	30	6	6	11	15	18	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	5.5	31	1	1	4	6	11	14	37
20-34	408	6.3	32	1	2	5	8	12	15	31
35-49	319	7.2	38	2	2	6	9	13	16	37
50-64	509	8.3	33	2	3	7	11	15	19	29
65+	2026	9.7	38	3	4	8	12	17	21	32
B. *Operated*										
0-19 YRS	71	14.3	233	2	3	8	18	35	43	76
20-34	170	14.6	236	2	3	9	18	33	48	88
35-49	90	12.8	115	2	3	10	16	31	42	99+
50-64	77	13.2	102	3	3	11	18	29	39	86
65+	201	17.6	222	5	6	14	21	30	39	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1344	6.0	22	1	2	5	8	11	14	21
B. *Operated*	147	11.3	111	2	4	8	14	21	28	51
2. MULTIPLE DX										
A. *Not Operated*	3426	8.6	38	2	3	7	11	16	20	32
B. *Operated*	609	15.1	199	3	4	11	19	31	43	90
1. SINGLE DX	1491	6.5	33	1	2	5	8	12	15	27
2. MULTIPLE DX	4035	9.6	68	2	3	8	12	18	24	43
A. NOT OPERATED	4770	7.9	35	2	2	7	10	15	18	30
B. OPERATED	756	14.4	184	2	4	10	18	29	40	89
TOTAL 0-19 YRS	434	6.7	71	[illegible]	1	4	8	14	21	43
20-34	1039	7.5	76	1	2	5	9	14	21	51
35-49	658	7.7	60	1	2	6	9	14	21	44
50-64	801	8.3	38	2	3	7	10	15	19	32
65+	2594	10.1	55	3	4	8	12	18	22	35
GRAND TOTAL	**5526**	**8.8**	**60**	**2**	**2**	**7**	**11**	**16**	**22**	**39**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.2	61	1	1	5	10	22	23	23
20-34	10	7.0	98	<1	<1	2	9	24	31	31
35-49	5	4.0	32	1	1	2	5	14	14	14
50-64	6	6.7	45	2	2	4	6	19	20	20
65+	5	10.6	273	1	1	3	14	40	40	40
B. *Operated*										
0-19 YRS	8	12.5	86	1	2	10	18	27	30	30
20-34	19	29.3	420	3	6	23	39	64	70	74
35-49	10	23.2	352	4	5	24	39	77	98	99+
50-64	2	38.0	2048	6	6	38	70	70	70	70
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.3	324	1	1	4	17	44	47	47
20-34	9	8.1	41	2	3	5	12	19	20	20
35-49	5	17.6	296	1	1	17	30	42	42	42
50-64	6	9.8	88	3	3	7	11	26	28	28
65+	25	8.6	26	2	3	7	12	16	17	20
B. *Operated*										
0-19 YRS	25	27.0	247	9	12	23	37	61	79	99+
20-34	51	31.9	500	5	9	29	58	97	99+	99+
35-49	27	31.1	484	7	9	24	46	71	86	99+
50-64	9	17.9	163	<1	<1	19	23	36	43	43
65+	11	30.7	685	1	5	29	36	69	94	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.3	88	1	1	4	8	21	30	40
B. *Operated*	41	24.0	395	3	5	19	36	63	72	99+
2. MULTIPLE DX										
A. *Not Operated*	51	10.0	92	1	2	7	14	20	28	47
B. *Operated*	123	29.6	438	4	9	24	45	78	99+	99+
1. SINGLE DX	73	16.7	327	1	1	9	24	41	65	94
2. MULTIPLE DX	174	23.8	416	2	4	20	35	68	90	99+
A. NOT OPERATED	83	8.9	91	1	1	5	12	20	29	45
B. OPERATED	164	28.2	430	4	7	23	41	73	99	99+
TOTAL 0-19 YRS	45	20.0	257	1	2	19	27	43	65	99+
20-34	89	26.2	480	1	2	22	42	78	99+	99+
35-49	47	25.1	447	1	2	22	40	68	86	99+
50-64	23	14.6	260	1	2	7	21	31	52	70
65+	43	14.5	297	1	3	9	16	35	44	96
GRAND TOTAL	**247**	**21.7**	**399**	**1**	**2**	**18**	**33**	**63**	**79**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.1	3	<1	1	2	2	4	6	8
20-34	52	2.5	2	1	1	2	3	4	6	7
35-49	71	3.8	5	1	1	4	5	7	8	11
50-64	82	3.8	5	1	2	3	5	6	7	14
65+	99	4.8	8	1	1	4	7	9	10	12
B. *Operated*										
0-19 YRS										
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	4	9.5	12	6	6	9	12	14	14	14
50-64	1	18.0		18	18	18	18	18	18	18
65+	2	42.0	2178	9	9	42	75	75	75	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.2	35	1	1	3	4	7	10	38
20-34	263	3.9	8	1	1	3	5	8	9	14
35-49	359	4.9	14	1	1	4	6	9	12	19
50-64	483	5.6	20	1	2	5	7	11	13	22
65+	1156	7.4	34	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	30	8.6	75	1	2	5	11	22	30	36
20-34	105	9.2	55	2	3	7	13	20	24	35
35-49	121	8.8	47	2	2	7	11	17	24	60
50-64	114	11.7	110	2	3	8	15	27	34	77
65+	149	14.3	143	3	4	11	17	32	38	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.8	6	1	1	3	5	7	8	11
B. *Operated*	11	13.8	439	1	1	8	13	41	72	75
2. MULTIPLE DX										
A. *Not Operated*	2338	6.1	27	1	2	5	8	12	15	26
B. *Operated*	519	11.1	96	2	3	8	14	25	33	49
1. SINGLE DX	337	4.1	22	1	1	3	5	8	9	14
2. MULTIPLE DX	2857	7.0	43	1	2	5	9	14	19	36
A. NOT OPERATED	2664	5.9	25	1	2	5	7	11	14	25
B. OPERATED	530	11.1	103	2	3	8	14	25	33	53
TOTAL 0-19 YRS	129	4.8	43	1	1	3	5	9	13	37
20-34	424	5.1	25	1	1	3	6	10	14	26
35-49	555	5.6	23	1	1	5	7	11	15	24
50-64	680	6.5	40	1	2	5	8	13	17	35
65+	1406	8.0	52	2	2	6	9	15	20	38
GRAND TOTAL	**3194**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.4	11	1	1	3	5	9	13	15
20-34	91	7.5	56	2	2	6	9	14	21	46
35-49	41	7.6	37	1	2	6	9	15	19	32
50-64	54	8.7	41	2	3	7	10	19	23	29
65+	256	9.1	31	2	3	8	12	17	20	26
B. *Operated*										
0-19 YRS	10	14.8	334	1	1	7	13	48	49	49
20-34	8	18.6	288	2	2	16	22	46	56	56
35-49	3	32.3	401	17	17	25	47	55	55	55
50-64	2	15.0	98	8	8	15	22	22	22	22
65+	4	16.0	17	12	12	16	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	6.3	19	1	2	5	8	13	15	22
20-34	180	10.3	82	1	2	8	12	21	32	45
35-49	125	12.6	145	3	4	9	15	25	38	65
50-64	144	12.5	106	3	4	10	15	25	30	54
65+	1147	11.9	62	3	4	10	15	21	26	42
B. *Operated*										
0-19 YRS	57	21.2	326	2	3	16	30	51	60	69
20-34	117	28.1	386	4	6	23	44	56	61	91
35-49	70	27.0	315	5	8	21	41	50	71	96
50-64	59	30.8	548	5	8	25	49	71	85	99
65+	155	24.5	334	7	8	18	31	52	61	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	7.9	36	2	2	6	10	15	20	29
B. *Operated*	27	18.1	259	1	2	13	22	49	55	56
2. MULTIPLE DX										
A. *Not Operated*	1711	11.4	73	3	4	10	14	21	27	45
B. *Operated*	458	26.2	375	4	7	20	39	54	64	90
1. SINGLE DX	558	8.4	51	2	2	7	11	17	21	43
2. MULTIPLE DX	2169	14.6	173	3	4	11	17	30	45	70
A. NOT OPERATED	2242	10.6	67	2	3	9	13	20	25	43
B. OPERATED	485	25.8	372	4	7	20	38	54	64	90
TOTAL 0-19 YRS	271	9.1	133	1	2	5	10	20	36	60
20-34	396	15.1	243	2	3	9	18	42	50	64
35-49	239	16.2	234	3	4	11	21	41	50	75
50-64	259	15.9	259	3	3	11	19	36	51	87
65+	1562	12.7	100	3	4	10	15	22	30	54
GRAND TOTAL	2727	13.3	154	2	3	10	16	27	41	64

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.6	15	<1	1	1	2	6	11	22
20-34	43	2.2	5	<1	<1	1	3	4	5	14
35-49	25	3.6	5	<1	1	4	5	6	8	10
50-64	54	3.3	8	1	1	3	5	6	8	18
65+	171	4.2	14	1	1	3	5	8	12	20
B. *Operated*										
0-19 YRS	1034	3.3	15	1	1	2	3	7	12	19
20-34	119	4.1	25	1	1	3	5	7	9	31
35-49	95	4.3	13	1	1	3	5	8	9	22
50-64	124	5.6	48	1	1	4	7	11	15	44
65+	189	5.9	38	1	1	4	7	11	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	13	1	1	3	5	9	11	18
20-34	48	5.4	27	1	1	4	6	12	17	26
35-49	34	5.1	28	1	1	4	6	8	14	30
50-64	137	6.0	37	1	2	4	7	12	19	31
65+	620	7.0	31	2	2	5	8	14	18	28
B. *Operated*										
0-19 YRS	222	5.9	43	1	1	4	7	14	20	33
20-34	170	8.6	79	1	2	5	10	20	31	37
35-49	102	8.0	74	1	2	5	9	20	30	40
50-64	183	10.0	109	2	3	6	11	22	31	71
65+	478	10.5	87	2	2	8	13	20	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.3	13	<1	1	2	4	7	10	18
B. *Operated*	1561	3.9	22	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	904	6.5	31	1	2	5	8	13	17	29
B. *Operated*	1155	9.0	82	1	2	6	11	19	28	46
1. SINGLE DX	2017	3.8	20	1	1	2	4	8	12	21
2. MULTIPLE DX	2059	7.9	61	1	2	5	10	16	23	41
A. NOT OPERATED	1360	5.4	27	1	1	4	7	11	15	27
B. OPERATED	2716	6.1	54	1	1	4	7	14	20	37
TOTAL 0-19 YRS	1484	3.7	20	1	1	2	4	8	13	22
20-34	380	6.1	53	1	1	4	7	13	21	35
35-49	256	5.8	42	1	1	4	6	11	20	34
50-64	498	7.1	68	1	1	5	8	15	22	47
65+	1458	7.7	53	1	2	6	9	15	20	38
GRAND TOTAL	4076	5.9	45	1	1	4	7	13	19	34

349: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.3	1	<1	1	1	1	2	3	5
20-34	44	2.0	1	<1	<1	2	3	4	4	5
35-49	20	2.3	4	<1	<1	1	3	5	6	8
50-64	28	2.1	3	<1	1	2	2	5	5	7
65+	25	4.0	29	<1	1	2	3	11	17	24
B. *Operated*										
0-19 YRS	1567	1.8	2	<1	1	1	2	3	4	7
20-34	521	3.1	7	1	1	3	4	5	7	13
35-49	344	2.9	7	1	1	2	4	5	7	10
50-64	433	2.7	4	1	1	2	3	5	6	10
65+	403	3.1	7	1	1	2	4	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.7	9	1	1	2	3	5	10	18
20-34	64	3.8	36	<1	<1	3	4	6	9	42
35-49	49	3.6	14	1	1	2	4	6	10	21
50-64	52	4.3	10	1	1	3	6	9	10	17
65+	140	5.4	18	1	2	5	7	10	14	22
B. *Operated*										
0-19 YRS	323	3.6	17	1	1	2	4	7	10	24
20-34	414	6.7	69	1	2	4	7	13	18	38
35-49	249	6.6	91	1	1	4	7	11	20	61
50-64	318	5.6	58	1	1	4	6	10	15	47
65+	562	6.0	29	1	2	4	8	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.1	6	<1	<1	1	2	4	5	13
B. *Operated*	3268	2.4	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	352	4.3	19	1	1	3	6	9	11	21
B. *Operated*	1866	5.8	50	1	1	4	7	11	16	31
1. SINGLE DX	3461	2.4	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	2218	5.5	45	1	1	4	6	11	16	31
A. NOT OPERATED	545	3.5	15	<1	1	2	4	7	10	21
B. OPERATED	5134	3.6	24	1	1	2	4	7	10	22
TOTAL 0-19 YRS	2013	2.1	5	<1	1	1	2	4	5	11
20-34	1043	4.5	36	1	1	3	5	9	13	31
35-49	662	4.3	42	1	1	3	5	8	11	28
50-64	831	3.9	27	1	1	3	4	7	10	21
65+	1130	4.9	21	1	1	3	6	10	14	23
GRAND TOTAL	**5679**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	1	3	4	4	4
20-34	24	2.3	2	1	1	2	3	4	5	6
35-49	18	2.4	4	1	1	1	3	6	7	7
50-64	9	2.0	1	<1	<1	2	3	4	4	4
65+	4	3.3	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	348	1.8	2	<1	<1	1	2	3	4	8
20-34	475	2.1	2	<1	1	2	3	4	5	8
35-49	202	2.2	3	<1	<1	2	3	4	5	7
50-64	116	2.2	2	<1	1	2	3	4	5	7
65+	56	2.1	3	1	1	1	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	3	1	1	2	3	4	6	8
20-34	51	2.7	8	<1	1	2	4	4	8	18
35-49	23	2.6	2	<1	1	2	4	5	6	6
50-64	20	5.6	13	<1	1	5	7	12	13	13
65+	54	6.4	66	1	2	5	7	11	14	55
B. *Operated*										
0-19 YRS	158	3.4	17	1	1	2	4	7	12	20
20-34	293	3.6	9	1	1	3	4	7	10	15
35-49	180	3.5	11	1	1	3	4	7	9	19
50-64	113	4.1	14	1	1	3	4	9	14	19
65+	91	4.5	17	1	1	4	6	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.3	2	1	1	2	3	4	6	7
B. *Operated*	1197	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	169	4.2	28	1	1	3	5	8	11	24
B. *Operated*	835	3.7	13	1	1	3	4	8	10	19
1. SINGLE DX	1268	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1004	3.8	15	1	1	3	5	8	11	19
A. NOT OPERATED	240	3.6	21	1	1	2	4	7	10	19
B. OPERATED	2032	2.7	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	543	2.3	7	<1	<1	2	2	4	6	14
20-34	843	2.7	5	<1	1	2	3	5	7	12
35-49	423	2.8	7	<1	1	2	3	5	7	15
50-64	258	3.3	9	1	1	2	4	6	10	16
65+	205	4.3	28	1	1	3	5	9	11	25
GRAND TOTAL	**2272**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	14.5	150	<1	1	13	28	29	35	37
20-34	7	3.6	6	1	1	2	6	7	7	7
35-49	8	14.8	1031	2	2	3	30	98	99+	99+
50-64	31	10.5	87	1	2	9	13	18	28	49
65+	130	8.3	43	1	2	6	12	16	23	29
B. *Operated*										
0-19 YRS	82	10.0	82	3	3	6	12	22	32	38
20-34	63	11.4	132	3	4	8	12	28	37	65
35-49	105	10.4	44	5	5	8	11	17	22	40
50-64	480	10.9	19	5	6	10	14	16	19	24
65+	2242	13.5	30	7	8	13	16	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.0	127	<1	1	10	18	31	37	38
20-34	17	16.5	293	3	4	8	21	47	51	52
35-49	19	10.0	48	1	2	8	13	22	24	25
50-64	56	13.1	172	1	3	9	15	31	46	66
65+	551	11.7	96	1	3	10	15	23	31	59
B. *Operated*										
0-19 YRS	74	13.3	122	3	4	12	16	23	30	69
20-34	122	17.2	238	4	5	12	20	31	54	86
35-49	163	14.7	105	5	6	12	17	28	38	63
50-64	686	15.3	89	6	8	13	18	25	33	58
65+	7645	16.6	76	8	9	15	19	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	9.5	101	1	2	7	13	22	28	71
B. *Operated*	2972	12.9	34	5	7	12	15	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	666	11.9	107	1	3	9	15	24	36	58
B. *Operated*	8690	16.4	81	7	9	14	19	26	33	56
1. SINGLE DX	3173	12.6	38	5	6	12	15	19	23	36
2. MULTIPLE DX	9356	16.1	84	6	8	14	19	26	33	57
A. NOT OPERATED	867	11.3	106	1	2	9	14	24	31	58
B. OPERATED	11662	15.5	71	7	8	14	18	24	30	51
TOTAL 0-19 YRS	204	12.0	111	2	3	8	16	28	34	41
20-34	209	14.9	211	3	4	10	17	31	46	74
35-49	295	12.9	105	4	5	10	15	23	33	80
50-64	1253	13.4	70	5	6	12	16	22	28	49
65+	10568	15.6	70	7	8	14	18	24	30	51
GRAND TOTAL	12529	15.2	75	6	7	14	18	24	30	51

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	15.7	152	1	1	16	23	33	39	48
20-34	26	15.7	255	<1	1	6	31	42	43	46
35-49	15	17.2	625	<1	1	7	30	88	98	99+
50-64	14	12.7	231	1	3	7	9	35	50	54
65+	54	14.3	331	1	1	7	21	40	49	91
B. *Operated*										
0-19 YRS	421	11.9	121	1	2	8	19	29	33	43
20-34	135	12.3	107	2	3	10	14	20	37	54
35-49	58	10.7	47	2	2	10	15	21	24	30
50-64	56	12.9	125	2	3	11	16	33	45	96
65+	116	16.3	109	6	7	14	19	28	36	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	16.1	175	1	2	15	23	33	40	54
20-34	36	30.6	647	3	4	27	52	66	83	90
35-49	30	23.7	416	3	3	19	33	51	68	78
50-64	29	24.2	555	3	4	11	41	54	64	93
65+	225	18.6	341	3	3	12	24	51	63	89
B. *Operated*										
0-19 YRS	393	19.4	251	3	4	15	25	43	52	92
20-34	341	19.5	257	2	5	14	26	45	57	99+
35-49	130	24.1	351	3	4	19	34	52	66	88
50-64	139	24.5	381	3	6	18	32	55	67	95
65+	482	20.5	208	7	9	16	24	41	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	15.5	193	1	1	13	24	34	42	53
B. *Operated*	786	12.6	114	1	2	10	17	27	34	50
2. MULTIPLE DX										
A. *Not Operated*	490	19.3	335	2	3	13	27	48	60	88
B. *Operated*	1485	20.7	262	3	6	16	27	45	59	99+
1. SINGLE DX	1260	13.7	145	1	2	11	20	31	37	53
2. MULTIPLE DX	1975	20.3	280	3	4	15	27	46	60	94
A. NOT OPERATED	964	17.4	269	1	2	13	25	40	52	80
B. OPERATED	2271	17.9	225	2	4	14	23	39	51	87
TOTAL 0-19 YRS	1349	15.6	182	1	2	13	23	33	42	62
20-34	538	18.2	264	2	4	13	24	44	54	91
35-49	233	20.3	329	2	3	14	30	45	66	93
50-64	238	21.1	357	2	4	14	29	50	63	95
65+	877	19.1	239	3	5	15	23	40	56	92
GRAND TOTAL	3235	17.7	238	2	3	14	24	39	51	86

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	2.3	4	1	1	2	3	4	5	10
20-34	131	3.3	6	1	1	3	4	6	7	12
35-49	102	4.9	2[illegible]	1	1	3	6	10	14	26
50-64	80	5.4	[illegible]	1	2	5	7	10	13	18
65+	103	6.9	[illegible]	2	2	6	9	13	17	24
B. *Operated*										
0-19 YRS	610	4.0	15	1	1	3	5	8	10	21
20-34	464	5.8	28	1	2	4	7	11	14	26
35-49	301	6.5	24	2	2	5	8	12	15	27
50-64	201	7.6	36	2	2	6	10	14	17	33
65+	125	9.6	78	2	3	7	11	18	23	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.9	14	1	1	3	5	8	11	22
20-34	99	5.6	40	<1	1	4	6	11	15	41
35-49	61	7.1	51	2	2	5	9	12	22	40
50-64	119	8.9	74	1	2	7	11	18	21	50
65+	223	9.3	72	2	3	7	11	18	23	38
B. *Operated*										
0-19 YRS	331	9.0	103	1	2	6	11	19	30	53
20-34	435	11.5	143	2	3	8	13	23	38	67
35-49	296	11.1	99	3	3	9	13	22	34	62
50-64	259	12.8	137	2	3	9	15	27	35	75
65+	275	13.3	118	2	4	11	16	26	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	4.0	14	1	1	3	5	8	12	19
B. *Operated*	1701	5.8	30	1	1	4	7	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	580	7.6	61	1	2	5	9	15	20	41
B. *Operated*	1596	11.4	123	2	3	8	13	24	34	63
1. SINGLE DX	2371	5.3	26	1	1	4	7	10	14	25
2. MULTIPLE DX	2176	10.4	109	2	2	8	12	21	31	59
A. NOT OPERATED	1250	5.7	39	1	1	4	7	12	16	31
B. OPERATED	3297	8.5	83	1	2	6	10	17	25	51
TOTAL 0-19 YRS	1273	5.0	42	1	1	3	5	10	13	37
20-34	1129	7.7	80	1	2	5	9	15	22	51
35-49	760	8.1	61	2	2	6	10	15	23	48
50-64	659	9.6	87	2	3	7	12	19	28	47
65+	726	10.5	89	2	3	8	13	20	27	53
GRAND TOTAL	**4547**	**7.7**	**72**	**1**	**2**	**5**	**9**	**15**	**23**	**46**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.3	5	<1	1	2	3	4	5	13
20-34	153	2.9	4	<1	1	3	4	5	6	8
35-49	89	3.6	5	<1	1	3	5	7	8	10
50-64	114	3.7	6	1	1	3	5	7	9	13
65+	117	4.9	26	1	2	3	6	10	12	26
B. *Operated*										
0-19 YRS	690	3.3	7	1	1	3	4	6	8	12
20-34	1092	4.3	8	1	2	4	5	7	9	14
35-49	777	4.9	11	2	2	4	6	8	11	17
50-64	740	5.4	11	1	2	5	7	9	12	18
65+	387	6.7	17	2	3	6	8	12	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.1	46	1	1	3	4	6	11	46
20-34	140	3.7	14	1	1	3	5	7	8	17
35-49	104	4.1	11	<1	1	3	6	8	11	16
50-64	175	5.4	15	1	2	4	7	10	14	20
65+	342	6.9	34	1	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	400	6.3	46	1	2	4	7	13	18	35
20-34	787	6.7	51	2	2	5	8	12	17	43
35-49	571	7.7	67	2	2	6	9	14	18	50
50-64	597	8.1	52	2	3	6	9	15	19	40
65+	650	9.3	40	3	4	8	11	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	3.5	10	<1	1	3	4	7	9	14
B. *Operated*	3686	4.7	11	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	833	5.5	27	1	1	4	7	11	15	27
B. *Operated*	3005	7.7	52	2	2	6	9	14	19	41
1. SINGLE DX	4268	4.6	11	1	1	4	6	8	10	16
2. MULTIPLE DX	3838	7.2	48	1	2	5	9	14	18	38
A. NOT OPERATED	1415	4.6	21	1	1	3	6	9	12	22
B. OPERATED	6691	6.1	32	1	2	5	7	11	15	30
TOTAL 0-19 YRS	1271	4.2	23	1	1	3	5	8	11	27
20-34	2172	5.1	25	1	2	4	6	9	12	27
35-49	1541	5.8	34	1	2	4	7	10	14	32
50-64	1626	6.3	28	2	2	5	8	11	15	29
65+	1496	7.7	34	2	3	6	10	14	18	32
GRAND TOTAL	**8106**	**5.8**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	3	<1	<1	1	3	4	6	9
20-34	37	2.4	5	<1	<1	2	3	5	6	12
35-49	12	2.8	3	1	1	3	4	5	6	6
50-64	8	3.3	4	1	1	3	5	6	6	6
65+	10	2.1	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	40	2.4	1	1	1	2	3	4	5	6
20-34	41	2.8	1	1	1	3	3	4	5	6
35-49	14	3.5	3	1	2	3	5	6	7	8
50-64	10	3.8	2	2	2	4	5	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	2.6	5	<1	1	2	3	5	7	12
20-34	169	3.3	6	1	1	3	4	6	8	13
35-49	74	3.9	14	1	1	3	5	7	8	24
50-64	57	5.6	25	1	1	3	9	13	16	22
65+	153	7.6	38	1	2	6	10	14	19	33
B. *Operated*										
0-19 YRS	43	4.4	18	1	1	3	5	10	14	21
20-34	62	6.6	76	1	1	4	7	13	22	53
35-49	26	5.8	8	1	2	6	8	10	10	11
50-64	20	7.3	28	2	2	5	11	16	18	18
65+	21	10.9	93	2	3	8	15	22	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.4	4	<1	1	2	3	5	6	11
B. *Operated*	107	2.8	2	1	1	3	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	542	4.7	22	1	1	3	6	10	13	23
B. *Operated*	172	6.5	50	1	1	4	8	14	18	40
1. SINGLE DX	202	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	714	5.1	29	1	1	3	6	11	14	28
A. NOT OPERATED	637	4.4	20	1	1	3	5	9	13	22
B. OPERATED	279	5.1	35	1	1	3	6	11	15	32
TOTAL 0-19 YRS	200	2.9	7	<1	1	2	3	6	8	14
20-34	309	3.8	21	1	1	3	4	7	10	22
35-49	126	4.2	11	1	1	3	6	8	9	17
50-64	95	5.6	23	1	2	4	7	13	17	22
65+	186	7.6	45	1	2	6	10	15	20	37
GRAND TOTAL	**916**	**4.6**	**24**	**1**	**1**	**3**	**6**	**10**	**13**	**26**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	1	1	2	2	3	3	3
20-34										
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64										
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.0	512	1	1	4	10	37	76	82
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	5.0	9	2	2	4	7	9	9	9
65+	8	12.9	64	3	4	12	14	25	30	30
B. *Operated*										
0-19 YRS	5	17.2	159	6	6	12	29	34	34	34
20-34	17	23.8	612	3	6	20	31	99	99+	99+
35-49	11	28.5	827	5	6	15	43	76	93	95
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	11.0		11	11	55	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.0	23	1	1	2	4	14	15	15
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	29	9.6	236	1	1	5	12	17	33	82
B. *Operated*	35	23.9	568	5	6	18	33	96	99+	99+
1. SINGLE DX	15	3.9	20	1	1	2	4	14	15	15
2. MULTIPLE DX	64	17.4	463	2	2	12	23	70	97	99+
A. NOT OPERATED	42	7.9	175	1	1	3	9	15	23	82
B. OPERATED	37	22.7	559	3	5	16	31	96	99+	99+
TOTAL 0-19 YRS	29	8.8	261	1	1	3	7	23	36	82
20-34	21	19.7	564	1	2	13	25	98	99+	99+
35-49	14	23.9	722	3	5	14	29	66	89	95
50-64	5	8.2	58	2	2	5	12	21	21	21
65+	10	12.9	51	3	5	13	15	58	96	99+
GRAND TOTAL	**79**	**14.8**	**406**	**1**	**2**	**8**	**19**	**52**	**96**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	2	3	4	4	4
20-34	11	1.3		<1	<1	1	2	2	2	2
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	9	3.0	4	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	103	2.8	2	<1	1	3	3	4	5	9
20-34	350	2.8	2	1	1	3	4	4	5	7
35-49	121	2.8	3	1	1	3	3	4	5	11
50-64	39	2.4	2	<1	1	2	3	4	5	6
65+	51	2.6	7	1	1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	<1	<1	3	3	5	5	5
20-34	23	3.3	8	<1	<1	3	4	8	10	10
35-49	18	3.4	5	1	1	3	5	7	8	8
50-64	12	4.3	15	1	1	3	7	11	11	11
65+	29	6.7	90	1	1	3	8	13	35	41
B. *Operated*										
0-19 YRS	20	3.4	5	1	1	3	4	5	8	11
20-34	75	4.2	7	1	1	4	6	8	9	15
35-49	47	4.3	15	1	1	3	5	9	13	20
50-64	51	3.8	17	1	1	3	4	7	10	27
65+	79	5.7	41	1	1	3	7	14	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	664	2.7	3	1	1	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	89	4.5	36	<1	1	3	5	10	11	39
B. *Operated*	272	4.5	21	1	1	3	6	9	13	26
1. SINGLE DX	698	2.7	3	1	1	3	3	4	5	9
2. MULTIPLE DX	361	4.5	24	1	1	3	5	10	12	28
A. NOT OPERATED	123	3.8	28	<1	<1	2	4	8	11	37
B. OPERATED	936	3.3	8	1	1	3	4	6	7	16
TOTAL 0-19 YRS	136	2.8	3	<1	1	3	3	5	6	11
20-34	459	3.0	4	1	1	3	4	5	6	10
35-49	190	3.2	6	1	1	3	4	5	7	14
50-64	106	3.2	11	1	1	2	4	7	10	18
65+	168	4.8	39	1	1	2	6	11	16	36
GRAND TOTAL	**1059**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	1	1	1	2	2	4	4	4
20-34	19	2.8	4	<1	1	2	4	5	7	9
35-49	8	1.6	1	<1	<1	1	2	3	4	4
50-64	4	4.3	14	1	1	4	7	8	8	8
65+	3	4.0	12	2	2	2	7	8	8	8
B. *Operated*										
0-19 YRS	529	2.5	2	1	1	2	3	4	5	7
20-34	1215	2.6	3	<1	1	2	3	4	6	9
35-49	717	2.5	2	<1	1	2	3	4	5	8
50-64	338	2.7	4	1	1	2	3	5	6	9
65+	104	3.0	3	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	10	<1	<1	2	5	9	10	10
20-34	24	3.0	7	1	1	2	4	7	8	9
35-49	22	3.3	5	1	1	3	5	7	7	8
50-64	20	4.4	11	<1	<1	4	6	9	11	12
65+	19	4.1	5	<1	1	4	5	8	9	9
B. *Operated*										
0-19 YRS	383	3.1	6	1	1	2	4	6	7	12
20-34	946	3.1	8	<1	1	2	4	6	7	14
35-49	608	3.2	10	<1	1	2	4	6	7	16
50-64	597	3.4	8	1	1	2	4	6	9	16
65+	315	4.3	16	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.5	4	<1	1	2	3	5	8	9
B. *Operated*	2903	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	97	3.6	7	1	1	3	5	8	9	11
B. *Operated*	2849	3.3	9	1	1	2	4	6	8	16
1. SINGLE DX	2955	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2946	3.3	9	1	1	2	4	6	8	16
A. NOT OPERATED	149	3.2	6	1	1	2	5	7	8	10
B. OPERATED	5752	2.9	6	1	1	2	4	5	7	12
TOTAL 0-19 YRS	942	2.7	4	1	1	2	3	5	6	10
20-34	2204	2.8	5	<1	1	2	3	5	7	11
35-49	1355	2.8	6	<1	1	2	4	5	6	12
50-64	959	3.2	7	1	1	2	4	6	8	15
65+	441	4.0	13	1	1	3	5	7	10	16
GRAND TOTAL	**5901**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.5	27	<1	1	2	3	6	19	24
20-34	24	3.6	7	<1	1	3	5	8	9	9
35-49	30	4.0	15	<1	1	3	5	9	10	18
50-64	16	7.6	79	1	1	4	9	26	29	29
65+	6	6.7	167	<1	<1	1	2	30	33	33
B. *Operated*										
0-19 YRS	154	3.1	14	1	1	2	3	7	12	20
20-34	195	3.8	18	<1	1	3	4	8	11	24
35-49	89	4.2	17	<1	1	3	5	9	16	19
50-64	40	3.6	13	1	1	3	4	7	11	20
65+	39	5.6	62	<1	1	3	7	13	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.7	78	<1	<1	2	8	14	23	43
20-34	37	6.2	38	1	1	5	7	12	22	30
35-49	39	5.4	26	1	1	4	7	9	17	26
50-64	37	7.6	117	1	2	4	8	15	18	66
65+	42	6.5	41	1	2	5	7	13	24	28
B. *Operated*										
0-19 YRS	113	8.4	127	1	1	5	10	18	32	62
20-34	208	7.7	77	1	1	5	10	16	27	76
35-49	94	9.5	183	1	1	5	10	21	33	76
50-64	105	11.1	224	1	1	6	12	27	44	73
65+	108	8.2	85	1	1	5	11	19	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.5	35	<1	1	3	5	9	18	31
B. *Operated*	517	3.8	20	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	182	6.3	57	1	1	4	7	12	20	39
B. *Operated*	628	8.8	128	1	1	5	11	19	33	73
1. SINGLE DX	621	3.9	22	<1	1	2	4	8	13	24
2. MULTIPLE DX	810	8.2	113	1	1	5	9	18	29	66
A. NOT OPERATED	286	5.7	50	1	1	4	6	10	19	32
B. OPERATED	1145	6.5	85	1	1	3	7	15	23	60
TOTAL 0-19 YRS	322	5.2	66	1	1	2	6	12	19	45
20-34	464	5.8	49	1	1	3	7	13	18	47
35-49	252	6.3	85	1	1	4	7	13	20	62
50-64	198	8.7	157	1	1	4	10	19	30	66
65+	195	7.3	73	1	1	4	9	18	28	42
GRAND TOTAL	**1431**	**6.3**	**78**	**1**	**1**	**3**	**7**	**14**	**22**	**55**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	1	<1	<1	1	2	3	4	4
20-34	48	2.7	4	<1	<1	2	3	4	7	11
35-49	24	3.3	5	<1	<1	3	4	6	9	10
50-64	21	3.0	3	<1	1	3	4	5	6	7
65+	15	3.3	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	328	3.0	3	1	1	3	4	5	6	8
20-34	398	3.1	4	1	1	3	4	6	7	10
35-49	139	3.2	4	<1	1	3	4	6	7	9
50-64	33	4.0	4	1	2	4	5	7	7	9
65+	15	4.8	17	1	2	4	5	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	3	1	1	3	4	5	7	8
20-34	47	3.7	17	<1	1	2	4	7	8	27
35-49	36	5.0	15	1	1	3	8	11	12	13
50-64	38	4.9	15	1	2	4	6	10	14	17
65+	101	7.2	41	2	3	5	10	16	18	36
B. *Operated*										
0-19 YRS	273	3.8	9	1	1	3	5	6	7	19
20-34	477	4.0	7	1	1	4	5	7	8	13
35-49	161	4.6	14	1	1	4	6	9	13	18
50-64	73	6.5	28	1	2	6	8	12	15	29
65+	39	5.9	15	1	1	5	9	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	913	3.2	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	245	5.5	27	1	1	4	7	12	16	27
B. *Operated*	1023	4.3	11	1	1	4	6	7	10	18
1. SINGLE DX	1048	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1268	4.5	14	1	1	4	6	8	11	20
A. NOT OPERATED	380	4.5	21	1	1	3	5	10	13	20
B. OPERATED	1936	3.7	8	1	1	3	5	7	8	15
TOTAL 0-19 YRS	651	3.3	6	1	1	3	4	6	7	11
20-34	970	3.6	6	1	1	3	5	6	7	12
35-49	360	4.0	10	1	1	3	5	8	10	16
50-64	165	5.2	18	1	2	4	6	10	13	26
65+	170	6.4	31	1	2	4	8	14	17	26
GRAND TOTAL	**2316**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	5.0	10	1	2	4	7	9	12	15
20-34	1024	5.5	11	1	2	5	7	10	11	16
35-49	1079	6.1	14	2	3	5	8	11	13	20
50-64	422	6.4	16	2	3	6	8	11	13	20
65+	90	6.3	13	3	3	5	8	11	15	20
B. *Operated*										
0-19 YRS	9	4.1	2	2	2	4	5	6	6	6
20-34	203	5.5	17	1	2	4	7	11	13	19
35-49	215	6.9	23	2	2	6	9	14	17	21
50-64	47	6.7	13	2	3	7	9	12	13	15
65+	3	9.3	12	6	6	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	5.1	11	1	2	4	7	10	11	17
20-34	764	5.9	16	2	2	5	7	11	13	21
35-49	1213	6.5	14	2	3	6	8	11	14	19
50-64	935	6.7	16	2	3	6	8	11	14	20
65+	717	6.9	18	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	10	5.3	10	1	1	5	9	10	10	10
20-34	170	8.1	21	2	2	8	11	14	16	21
35-49	213	9.5	39	2	3	9	12	17	20	33
50-64	107	10.1	53	3	4	9	13	17	21	41
65+	51	10.9	48	3	5	9	14	20	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2707	5.9	13	2	2	5	7	10	12	19
B. *Operated*	477	6.2	19	2	2	5	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	3722	6.5	16	2	3	6	8	11	14	20
B. *Operated*	551	9.2	37	2	3	8	12	16	19	32
1. SINGLE DX	3184	5.9	14	2	2	5	8	11	13	19
2. MULTIPLE DX	4273	6.8	19	2	3	6	9	12	15	22
A. NOT OPERATED	6429	6.2	15	2	2	5	8	11	13	20
B. OPERATED	1028	7.8	31	2	2	7	11	15	18	25
TOTAL 0-19 YRS	204	5.0	10	1	2	4	7	9	11	15
20-34	2161	5.8	15	1	2	5	8	11	13	19
35-49	2720	6.6	17	2	3	6	8	12	15	21
50-64	1511	6.8	19	2	3	6	9	12	14	22
65+	861	7.1	20	2	3	6	9	12	16	23
GRAND TOTAL	**7457**	**6.4**	**17**	**2**	**2**	**5**	**8**	**11**	**14**	**21**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.8	5	<1	1	2	4	5	8	12
20-34	967	5.1	12	1	2	4	7	9	12	18
35-49	824	5.6	12	1	2	5	7	10	12	17
50-64	336	5.5	14	1	2	5	7	9	12	16
65+	75	4.9	9	1	1	4	7	8	11	13
B. *Operated*										
0-19 YRS	15	5.1	20	1	2	3	8	11	15	16
20-34	277	5.2	16	2	2	4	7	10	13	21
35-49	214	5.7	17	2	2	4	8	12	14	19
50-64	36	5.3	15	2	2	4	8	11	14	15
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.1	15	1	1	3	5	8	11	21
20-34	1249	5.3	14	1	2	4	7	10	12	18
35-49	1335	6.4	17	2	2	5	8	11	14	21
50-64	866	6.2	17	2	2	5	8	11	14	21
65+	627	6.1	15	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	19	5.5	22	1	2	4	8	11	16	20
20-34	246	8.0	44	2	2	7	10	15	18	31
35-49	312	8.1	33	2	2	7	11	15	19	29
50-64	115	7.9	23	2	3	7	11	14	17	24
65+	38	10.4	59	2	2	9	13	22	26	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2382	5.1	12	1	1	4	7	9	11	17
B. *Operated*	544	5.4	17	2	2	4	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	4325	5.9	16	1	2	5	8	11	13	20
B. *Operated*	730	8.1	37	2	2	7	11	15	18	30
1. SINGLE DX	2926	5.2	13	1	2	4	7	10	12	18
2. MULTIPLE DX	5055	6.2	20	1	2	5	8	11	14	22
A. NOT OPERATED	6707	5.6	15	1	2	5	7	10	13	19
B. OPERATED	1274	6.9	30	2	2	5	9	13	16	26
TOTAL 0-19 YRS	462	3.7	12	1	1	3	5	8	10	19
20-34	2739	5.5	17	1	2	4	7	10	13	19
35-49	2685	6.3	18	2	2	5	8	11	14	22
50-64	1353	6.2	17	2	2	5	8	11	14	20
65+	742	6.2	17	1	2	5	8	11	13	22
GRAND TOTAL	**7981**	**5.8**	**17**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.3	7	1	1	2	4	7	10	12
20-34	97	3.1	6	1	1	2	4	6	10	12
35-49	73	3.4	4	1	1	3	4	6	7	10
50-64	46	4.1	10	1	1	3	5	10	11	13
65+	25	4.2	10	1	2	3	5	7	12	15
B. *Operated*										
0-19 YRS	125	2.5	2	1	1	2	3	4	5	6
20-34	330	2.8	2	1	1	3	3	5	5	8
35-49	280	3.3	3	1	2	3	4	5	6	10
50-64	317	4.0	6	2	2	4	5	6	8	11
65+	115	4.6	5	2	3	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	7	<1	<1	2	4	6	8	14
20-34	138	3.6	7	<1	1	3	5	8	9	12
35-49	141	4.8	15	1	1	4	6	9	11	26
50-64	142	4.8	10	1	1	4	6	9	10	17
65+	212	6.3	23	1	2	5	8	11	14	27
B. *Operated*										
0-19 YRS	52	2.9	3	1	1	3	4	4	6	10
20-34	111	3.5	4	1	2	3	4	6	7	12
35-49	142	4.7	10	1	2	4	6	9	11	16
50-64	226	5.2	10	2	2	4	7	9	11	17
65+	170	6.2	21	2	2	5	7	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	3.4	7	1	1	3	4	7	10	13
B. *Operated*	1167	3.4	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	684	4.9	15	1	1	4	6	9	11	20
B. *Operated*	701	4.9	12	1	2	4	6	9	12	17
1. SINGLE DX	1459	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1385	4.9	14	1	2	4	6	9	12	19
A. NOT OPERATED	976	4.5	13	1	1	4	6	9	11	18
B. OPERATED	1868	4.0	8	1	2	3	5	7	9	14
TOTAL 0-19 YRS	279	2.8	4	1	1	2	3	5	6	10
20-34	676	3.1	4	1	1	3	4	5	7	11
35-49	636	3.9	8	1	1	3	5	7	9	14
50-64	731	4.5	8	1	2	4	5	8	9	16
65+	522	5.8	18	2	2	5	7	11	13	21
GRAND TOTAL	**2844**	**4.1**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1510	1.4	1	<1	1	1	1	2	3	5
20-34	429	1.8	2	<1	1	1	2	3	4	7
35-49	120	2.2	2	<1	1	2	3	4	5	8
50-64	56	2.1	2	<1	1	2	3	4	4	7
65+	53	2.2	3	1	1	2	3	4	5	11
B. *Operated*										
0-19 YRS	9	2.1	11	1	1	1	1	7	11	11
20-34	6	3.7	18	1	1	2	4	11	12	12
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1614	2.0	4	<1	1	1	2	3	5	9
20-34	1242	2.7	7	<1	1	2	3	5	7	12
35-49	534	3.5	12	1	1	2	4	7	10	16
50-64	391	3.6	11	1	1	3	5	8	10	16
65+	507	4.7	21	1	1	3	6	10	13	24
B. *Operated*										
0-19 YRS	308	3.3	20	<1	1	2	3	6	12	25
20-34	368	3.7	31	<1	1	2	4	8	12	32
35-49	155	4.9	45	1	1	3	6	11	15	41
50-64	112	6.6	149	1	1	3	6	11	21	79
65+	145	6.2	62	1	1	4	8	12	17	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2168	1.5	1	<1	1	1	2	3	3	7
B. *Operated*	19	3.1	12	1	1	1	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	4288	2.8	9	1	1	2	3	6	8	15
B. *Operated*	1088	4.4	47	<1	1	2	5	9	13	40
1. SINGLE DX	2187	1.6	1	<1	1	1	2	3	3	7
2. MULTIPLE DX	5376	3.2	17	1	1	2	4	6	9	19
A. NOT OPERATED	6456	2.4	7	<1	1	2	3	5	7	13
B. OPERATED	1107	4.4	47	<1	1	2	5	9	13	40
TOTAL 0-19 YRS	3441	1.8	4	<1	1	1	2	3	4	10
20-34	2045	2.7	10	<1	1	2	3	5	7	14
35-49	811	3.6	17	1	1	2	4	8	10	21
50-64	561	4.1	39	1	1	3	5	8	10	29
65+	705	4.8	29	1	1	3	6	10	13	26
GRAND TOTAL	**7563**	**2.7**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	630	1.8	4	<1	1	1	2	3	5	11
20-34	221	3.1	23	<1	1	2	3	6	10	28
35-49	76	2.6	9	<1	1	2	3	5	8	17
50-64	26	4.0	54	<1	1	2	4	7	16	38
65+	32	6.0	249	<1	1	2	4	7	27	88
B. *Operated*										
0-19 YRS	53	10.4	135	1	2	6	12	27	33	55
20-34	30	12.9	292	1	1	8	13	28	47	87
35-49	13	9.2	28	<1	2	9	12	17	18	18
50-64	20	10.3	68	2	3	7	13	20	29	37
65+	37	12.4	60	4	5	11	16	20	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	935	3.2	38	<1	1	2	3	6	10	35
20-34	610	4.3	41	<1	1	2	5	10	15	34
35-49	237	4.2	23	1	1	3	5	9	13	25
50-64	203	6.1	71	1	1	3	7	13	21	41
65+	376	7.0	48	1	1	5	9	15	20	37
B. *Operated*										
0-19 YRS	222	11.5	189	1	1	8	18	35	52	99+
20-34	261	16.7	477	1	1	8	26	69	97	99+
35-49	115	17.8	387	1	2	12	31	66	99+	99+
50-64	108	14.2	320	1	1	8	16	47	83	99+
65+	215	16.8	185	2	3	13	25	35	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	2.3	18	<1	1	1	2	4	7	18
B. *Operated*	153	11.2	128	2	2	8	14	21	33	55
2. MULTIPLE DX										
A. *Not Operated*	2361	4.5	43	1	1	2	5	10	16	35
B. *Operated*	921	15.3	314	1	1	10	23	46	82	99+
1. SINGLE DX	1138	3.5	42	<1	1	1	3	8	14	32
2. MULTIPLE DX	3282	7.5	143	1	1	3	8	21	34	99+
A. NOT OPERATED	3346	3.8	37	<1	1	2	4	8	13	32
B. OPERATED	1074	14.7	289	1	1	9	21	42	74	99+
TOTAL 0-19 YRS	1840	3.9	57	<1	1	1	3	9	18	48
20-34	1122	7.2	175	<1	1	3	7	19	35	99+
35-49	441	7.6	152	1	1	3	8	22	36	99+
50-64	357	8.6	159	1	1	4	9	22	39	99
65+	660	10.4	123	1	1	7	14	26	34	55
GRAND TOTAL	**4420**	**6.5**	**120**	**1**	**1**	**2**	**7**	**17**	**30**	**86**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	3	1	1	2	4	5	6	9
20-34	43	4.0	8	<1	1	3	6	8	9	14
35-49	29	3.3	9	1	1	2	3	7	9	16
50-64	15	3.1	5	1	1	3	4	8	8	8
65+	7	3.3	6	<1	<1	3	4	7	8	8
B. *Operated*										
0-19 YRS	43	5.1	8	2	2	4	6	10	10	15
20-34	104	5.1	7	2	3	5	6	9	10	14
35-49	26	5.5	8	2	3	5	7	10	11	13
50-64	22	9.0	120	2	3	6	9	13	31	56
65+	7	7.9	29	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.7	6	1	1	3	5	7	9	12
20-34	128	4.1	8	1	2	3	5	8	10	15
35-49	72	4.8	19	1	1	4	5	9	11	26
50-64	75	6.5	26	1	2	6	8	12	15	28
65+	103	8.4	26	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	92	9.5	70	2	3	7	11	19	22	51
20-34	289	9.2	71	2	3	7	11	16	28	49
35-49	146	9.3	64	3	3	7	11	19	25	43
50-64	119	12.1	95	3	4	10	15	22	31	53
65+	127	13.5	153	3	4	10	16	24	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.3	6	1	1	3	4	7	8	14
B. *Operated*	202	5.7	21	2	3	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	455	5.5	20	1	2	4	7	11	14	26
B. *Operated*	773	10.4	89	3	3	8	12	20	28	54
1. SINGLE DX	337	4.7	17	1	2	4	6	9	10	15
2. MULTIPLE DX	1228	8.6	69	2	2	6	10	17	23	47
A. NOT OPERATED	590	5.0	18	1	1	4	7	10	13	23
B. OPERATED	975	9.4	78	2	3	7	11	18	26	51
TOTAL 0-19 YRS	253	5.9	37	1	1	4	7	11	16	29
20-34	564	6.9	46	2	2	5	8	13	17	39
35-49	273	7.1	46	1	2	5	8	13	21	38
50-64	231	9.4	78	1	2	7	11	18	27	48
65+	244	10.9	99	3	3	8	13	19	27	57
GRAND TOTAL	**1565**	**7.8**	**60**	**1**	**2**	**6**	**9**	**15**	**21**	**45**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.3	9	<1	1	2	4	7	8	18
20-34	91	3.1	7	1	1	2	4	6	10	15
35-49	26	3.5	6	1	1	3	4	6	10	11
50-64	10	3.2	7	1	1	2	4	7	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	98	6.0	8	1	2	6	7	10	11	17
20-34	133	7.0	12	3	4	7	8	10	12	22
35-49	59	7.7	20	3	3	7	9	14	17	23
50-64	17	6.4	11	1	2	6	8	12	13	13
65+	5	7.8	38	3	3	4	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.5	8	1	1	3	4	7	9	14
20-34	212	4.0	15	1	1	3	5	8	10	20
35-49	94	4.0	8	1	1	3	5	9	9	14
50-64	56	4.2	8	1	1	3	6	9	10	12
65+	80	5.3	27	1	2	4	6	11	15	30
B. *Operated*										
0-19 YRS	257	11.8	151	3	4	8	13	21	30	77
20-34	554	12.3	144	3	5	9	13	26	39	88
35-49	219	14.9	168	5	6	10	18	31	46	99+
50-64	107	16.1	190	2	5	12	21	33	46	91
65+	86	15.7	172	3	4	12	19	39	51	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	3.3	8	1	1	2	4	7	9	15
B. *Operated*	312	6.8	13	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	630	4.0	13	1	1	3	5	8	10	15
B. *Operated*	1223	13.2	157	3	5	9	15	27	42	84
1. SINGLE DX	607	5.1	14	1	1	5	7	9	11	18
2. MULTIPLE DX	1853	10.1	127	1	2	7	11	21	32	77
A. NOT OPERATED	925	3.8	11	1	1	3	5	8	10	15
B. OPERATED	1535	11.9	135	3	4	8	13	24	37	82
TOTAL 0-19 YRS	710	6.8	75	1	1	5	8	13	19	49
20-34	990	8.9	101	1	2	7	10	17	28	62
35-49	398	10.5	123	1	2	8	12	22	32	78
50-64	190	11.0	143	1	2	8	14	25	37	79
65+	172	10.6	126	2	2	7	15	23	40	64
GRAND TOTAL	**2460**	**8.9**	**104**	**1**	**2**	**6**	**10**	**18**	**27**	**65**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	<1	<1	1	3	4	5	5
20-34	12	2.5	2	1	1	2	4	5	5	5
35-49	6	3.5	5	1	1	3	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	185	2.8	4	<1	1	2	4	6	7	10
20-34	113	3.1	6	1	1	2	4	5	9	14
35-49	46	2.9	3	1	1	3	4	6	6	7
50-64	32	2.9	4	1	1	2	4	6	7	7
65+	18	2.2	2	<1	1	2	3	3	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.8	2	1	1	3	4	5	5	5
20-34	20	3.1	7	<1	<1	2	4	6	9	12
35-49	7	3.4	4	1	1	4	5	6	6	6
50-64	5	4.2	8	1	1	5	6	8	8	8
65+	5	4.2	12	1	1	4	6	10	10	10
B. *Operated*										
0-19 YRS	173	3.6	7	1	1	3	5	6	9	13
20-34	201	4.7	17	1	1	3	6	9	14	21
35-49	101	4.9	15	1	1	4	6	10	12	20
50-64	53	4.8	12	1	1	4	6	10	11	15
65+	50	5.1	15	1	1	4	7	11	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.4	3	<1	1	2	3	5	6	6
B. *Operated*	394	2.9	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	64	3.2	5	1	1	3	4	5	7	12
B. *Operated*	578	4.4	13	1	1	4	6	9	12	19
1. SINGLE DX	430	2.8	4	1	1	2	4	6	7	10
2. MULTIPLE DX	642	4.3	13	1	1	3	5	9	11	19
A. NOT OPERATED	100	2.9	4	<1	1	3	4	5	6	11
B. OPERATED	972	3.8	10	1	1	3	5	7	10	17
TOTAL 0-19 YRS	401	3.1	5	<1	1	2	4	6	7	11
20-34	346	4.0	13	1	1	3	5	8	10	19
35-49	160	4.2	12	1	1	3	5	8	11	19
50-64	91	4.0	9	1	1	3	5	9	11	15
65+	74	4.3	13	1	1	3	5	10	13	16
GRAND TOTAL	**1072**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.7	1	<1	1	1	2	3	4	6
20-34	79	2.1	1	<1	<1	2	3	4	5	6
35-49	27	2.7	3	<1	1	2	4	6	7	7
50-64	9	2.0	3	<1	<1	1	3	5	5	5
65+	16	2.9	7	1	1	1	5	6	9	10
B. *Operated*										
0-19 YRS	278	1.8	3	<1	1	1	2	3	5	10
20-34	182	2.5	14	<1	1	2	3	5	6	13
35-49	46	2.8	7	<1	<1	2	3	6	8	14
50-64	28	2.6	8	<1	<1	2	3	6	9	13
65+	12	1.9	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	2.6	5	<1	1	2	3	5	7	12
20-34	291	2.7	9	<1	1	2	3	5	8	15
35-49	149	2.7	3	<1	1	2	4	5	7	9
50-64	109	3.9	18	<1	1	2	4	9	12	24
65+	180	4.7	29	1	1	3	6	9	15	25
B. *Operated*										
0-19 YRS	545	3.1	23	1	1	2	3	6	8	24
20-34	676	3.8	30	1	1	2	4	7	10	29
35-49	294	4.7	48	1	1	3	5	9	14	32
50-64	188	5.7	52	1	1	4	7	12	17	43
65+	253	5.2	50	1	1	3	6	10	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	546	2.2	7	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	935	3.2	13	<1	1	2	4	6	9	17
B. *Operated*	1956	4.1	36	1	1	2	5	8	12	29
1. SINGLE DX	765	2.2	6	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2891	3.8	29	1	1	2	4	7	11	27
A. NOT OPERATED	1154	3.0	11	<1	1	2	4	6	8	16
B. OPERATED	2502	3.7	30	<1	1	2	4	7	10	27
TOTAL 0-19 YRS	1117	2.6	13	<1	1	2	3	5	7	16
20-34	1228	3.3	21	<1	1	2	4	6	9	25
35-49	516	3.8	30	<1	1	2	4	7	10	24
50-64	334	4.7	37	<1	1	3	6	10	15	28
65+	461	4.8	39	1	1	3	6	9	14	29
GRAND TOTAL	**3656**	**3.5**	**24**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.8	1	<1	1	2	2	3	3	6
20-34	222	2.0	2	<1	1	2	2	4	5	8
35-49	80	1.8	2	<1	1	1	2	3	4	7
50-64	22	2.1	2	<1	<1	2	3	4	5	6
65+	6	2.2	4	<1	<1	1	3	6	6	6
B. *Operated*										
0-19 YRS	149	2.7	7	<1	1	2	3	6	9	14
20-34	243	3.6	7	<1	1	3	5	7	8	13
35-49	82	3.5	8	<1	1	3	6	7	9	12
50-64	25	3.1	8	<1	1	2	4	6	10	13
65+	8	3.6	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.9	10	<1	1	2	4	6	8	16
20-34	204	3.1	17	<1	1	2	3	6	8	22
35-49	92	3.9	14	<1	1	3	5	9	10	20
50-64	29	3.8	7	<1	1	3	6	7	9	11
65+	19	6.9	24	1	2	6	10	14	17	18
B. *Operated*										
0-19 YRS	154	6.6	83	1	1	4	7	12	15	50
20-34	430	8.2	99	1	2	6	9	15	25	59
35-49	154	7.6	66	1	1	5	9	18	24	40
50-64	75	7.7	39	1	2	6	9	16	17	35
65+	39	7.8	48	1	2	6	11	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	507	3.3	7	<1	1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	414	3.5	15	<1	1	2	4	7	10	19
B. *Operated*	852	7.8	82	1	1	6	9	15	23	44
1. SINGLE DX	950	2.6	5	<1	1	2	3	6	7	11
2. MULTIPLE DX	1266	6.4	65	1	1	4	8	12	18	40
A. NOT OPERATED	857	2.7	9	<1	1	2	3	6	8	12
B. OPERATED	1359	6.1	59	1	1	4	7	12	17	39
TOTAL 0-19 YRS	486	3.8	34	<1	1	2	4	7	11	32
20-34	1099	5.0	51	<1	1	3	6	10	14	36
35-49	408	4.8	35	1	1	3	6	10	16	30
50-64	151	5.4	28	<1	1	4	7	12	16	23
65+	72	6.7	36	1	1	5	9	14	18	34
GRAND TOTAL	**2216**	**4.8**	**42**	**<1**	**1**	**3**	**6**	**10**	**14**	**34**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.6	3	<1	1	2	3	5	6	9
20-34	159	2.5	3	<1	<1	2	3	5	6	8
35-49	63	2.9	3	<1	<1	3	4	5	6	7
50-64	30	2.6	1	1	1	2	3	5	5	5
65+	12	3.3	5	<1	<1	3	4	7	9	9
B. *Operated*										
0-19 YRS	604	2.2	5	<1	1	2	2	4	6	12
20-34	973	2.5	8	<1	1	2	3	5	6	12
35-49	402	2.5	7	<1	1	2	3	5	7	15
50-64	200	2.6	10	<1	1	2	3	5	6	18
65+	64	2.5	4	<1	1	2	3	5	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.9	3	1	1	2	4	5	7	9
20-34	184	3.2	10	<1	1	2	4	6	7	13
35-49	91	3.6	6	<1	1	3	5	6	8	13
50-64	34	4.6	9	1	2	4	6	7	13	14
65+	46	5.8	18	2	2	4	8	11	16	19
B. *Operated*										
0-19 YRS	500	3.1	12	1	1	2	3	6	9	18
20-34	930	3.7	19	1	1	2	4	7	10	27
35-49	420	3.8	20	1	1	3	4	8	11	23
50-64	264	4.3	40	1	1	3	5	8	13	23
65+	151	4.4	16	1	1	3	5	10	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.6	3	<1	<1	2	3	5	6	8
B. *Operated*	2243	2.4	7	<1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	447	3.6	9	1	1	3	5	7	9	14
B. *Operated*	2265	3.7	20	1	1	2	4	8	11	22
1. SINGLE DX	2592	2.4	6	<1	1	2	3	5	6	13
2. MULTIPLE DX	2712	3.7	18	1	1	2	4	7	10	21
A. NOT OPERATED	796	3.2	7	<1	1	3	4	6	7	13
B. OPERATED	4508	3.1	14	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	1281	2.6	8	<1	1	2	3	5	7	15
20-34	2246	3.0	13	<1	1	2	4	6	8	18
35-49	976	3.2	12	<1	1	2	4	6	9	19
50-64	528	3.6	25	1	1	2	4	7	10	22
65+	273	4.1	14	1	1	3	5	9	13	17
GRAND TOTAL	**5304**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.7	9	<1	1	2	3	6	7	17
20-34	188	2.8	4	<1	1	2	4	6	6	10
35-49	67	3.0	6	<1	1	2	4	6	10	12
50-64	19	3.8	24	1	1	2	4	8	16	22
65+	24	6.8	31	1	2	5	9	15	19	23
B. *Operated*										
0-19 YRS	484	3.9	18	1	1	3	4	9	12	19
20-34	417	4.1	20	1	1	3	5	8	11	22
35-49	175	4.0	10	1	1	3	5	8	10	16
50-64	84	5.0	26	1	1	3	7	11	16	26
65+	56	5.5	25	1	1	4	7	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	4.3	20	1	1	3	5	8	11	28
20-34	117	3.9	8	1	1	3	5	7	9	14
35-49	88	5.0	12	1	1	4	7	9	12	17
50-64	68	5.1	14	1	2	4	6	10	13	19
65+	65	6.6	21	2	2	6	8	12	14	26
B. *Operated*										
0-19 YRS	259	6.7	76	1	1	4	8	15	28	50
20-34	341	8.5	122	1	1	5	10	21	31	77
35-49	166	9.0	113	1	2	5	10	23	35	51
50-64	132	9.0	91	2	2	6	11	20	31	48
65+	128	10.9	115	2	3	8	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.1	9	<1	1	2	4	6	8	17
B. *Operated*	1216	4.1	18	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	433	4.8	15	1	1	4	6	9	12	17
B. *Operated*	1026	8.5	105	1	1	5	10	20	30	51
1. SINGLE DX	1671	3.8	16	1	1	3	5	8	11	21
2. MULTIPLE DX	1459	7.4	81	1	1	5	8	16	25	48
A. NOT OPERATED	888	3.9	13	1	1	3	5	8	10	17
B. OPERATED	2242	6.1	63	1	1	4	7	14	20	44
TOTAL 0-19 YRS	995	4.5	34	1	1	3	5	9	14	31
20-34	1063	5.3	53	1	1	3	6	10	18	43
35-49	496	5.7	50	1	1	4	7	12	16	43
50-64	303	6.7	55	1	1	4	8	15	20	44
65+	273	8.4	72	1	2	6	10	17	24	49
GRAND TOTAL	**3130**	**5.5**	**50**	**1**	**1**	**3**	**6**	**12**	**17**	**42**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	6	1.8	1	1	1	2	3	3	3	3
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	8	3.1	6	1	1	2	5	7	7	7
20-34	24	5.8	29	1	1	4	7	17	17	18
35-49	9	2.8	2	1	1	3	4	5	5	5
50-64	3	13.7	154	6	6	7	23	28	28	28
65+	5	6.2	48	<1	<1	2	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	8	1	1	2	5	8	9	9
20-34	13	4.8	34	<1	<1	3	4	12	21	23
35-49	5	5.6	10	3	3	4	9	9	9	9
50-64	10	3.8	7	2	2	3	4	8	11	11
65+	10	5.2	15	1	1	4	5	12	14	14
B. *Operated*										
0-19 YRS	32	7.9	111	1	1	5	9	18	32	52
20-34	126	8.6	161	1	1	5	9	17	30	98
35-49	58	8.6	70	1	1	7	11	23	29	37
50-64	19	11.7	162	1	2	6	21	40	73	99+
65+	12	12.8	266	2	3	8	11	33	58	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	3	5	6
B. *Operated*	49	5.3	32	1	1	3	6	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	51	4.4	15	1	1	4	4	9	11	23
B. *Operated*	247	8.9	138	1	1	6	10	20	33	97
1. SINGLE DX	65	4.5	26	<1	1	3	5	11	17	26
2. MULTIPLE DX	298	8.2	119	1	1	5	9	18	29	83
A. NOT OPERATED	67	3.9	13	1	1	3	4	9	10	21
B. OPERATED	296	8.3	122	1	1	5	9	18	29	84
TOTAL 0-19 YRS	58	5.7	69	1	1	3	7	11	18	51
20-34	169	7.6	129	1	1	4	8	17	27	92
35-49	75	7.5	60	1	1	5	9	19	28	36
50-64	34	8.9	118	1	2	4	12	28	43	99+
65+	27	8.7	139	<1	1	5	11	16	27	62
GRAND TOTAL	**363**	**7.5**	**105**	**1**	**1**	**4**	**9**	**17**	**28**	**69**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	24	<1	<1	3	5	7	17	21
20-34	20	5.2	17	<1	<1	4	7	11	14	16
35-49	14	2.9	2	<1	1	3	4	4	5	5
50-64	5	4.2	16	1	1	3	6	11	11	11
65+	7	6.1	17	1	1	5	10	12	12	12
B. *Operated*										
0-19 YRS	135	3.6	13	1	1	2	4	8	11	17
20-34	186	3.9	15	1	2	3	5	8	9	20
35-49	93	3.3	6	1	1	3	4	7	8	12
50-64	70	4.5	14	1	1	3	5	10	10	19
65+	26	8.0	58	1	2	5	12	16	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.4	49	1	1	3	6	21	32	99+
20-34	51	11.1	287	1	1	5	11	32	51	88
35-49	30	4.7	10	1	2	4	6	9	11	13
50-64	32	8.1	40	2	2	7	10	16	25	27
65+	35	13.3	313	1	2	6	15	23	60	85
B. *Operated*										
0-19 YRS	59	5.1	68	1	1	3	5	9	15	55
20-34	131	7.0	120	1	2	4	6	14	33	70
35-49	105	5.6	43	1	1	3	6	11	17	38
50-64	84	9.0	93	1	2	6	12	20	28	52
65+	52	13.1	148	2	3	9	21	25	30	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.5	15	<1	1	4	5	11	12	20
B *Operated*	510	4.0	15	1	1	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	176	9.0	169	1	1	5	10	20	34	87
B. *Operated*	431	7.5	97	1	2	4	8	17	27	58
1. SINGLE DX	572	4.1	15	1	1	3	5	8	11	21
2. MULTIPLE DX	607	7.9	118	1	2	4	9	18	28	68
A. NOT OPERATED	238	7.8	133	1	1	5	8	16	27	85
B. OPERATED	941	5.6	56	1	2	3	6	12	17	37
TOTAL 0-19 YRS	238	4.3	32	1	1	3	5	8	12	32
20-34	388	6.0	91	1	1	3	6	10	16	54
35-49	242	4.4	23	1	1	3	5	9	12	29
50-64	191	7.1	57	1	2	5	8	14	25	36
65+	120	11.6	172	2	2	7	15	24	30	77
GRAND TOTAL	**1179**	**6.1**	**72**	**1**	**1**	**3**	**6**	**12**	**20**	**47**

375: Contusion of eye and adnaxa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	4.1	4	1	2	4	5	6	7	10
20-34	53	3.9	5	1	2	3	5	6	9	12
35-49	23	3.6	2	1	2	4	5	5	6	6
50-64	5	3.8	4	1	1	4	5	6	6	6
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	11	5.1	9	2	2	4	7	10	10	10
20-34	4	4.5	10	1	1	4	7	8	8	8
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	3.6	4	1	1	3	5	6	8	9
20-34	70	3.3	7	<1	1	3	5	6	7	16
35-49	35	4.1	6	1	1	4	6	7	9	11
50-64	18	4.6	9	1	2	3	6	10	11	11
65+	27	7.4	120	1	2	4	8	12	35	53
B. *Operated*										
0-19 YRS	26	5.9	7	2	2	6	8	10	10	11
20-34	25	4.4	19	<1	1	3	6	12	14	18
35-49	18	4.1	10	1	1	3	6	9	11	12
50-64	7	5.6	12	3	3	4	9	11	11	11
65+	7	4.1	6	1	1	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	4.0	4	1	1	4	5	6	7	10
B. Operated	18	4.6	8	1	2	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	286	4.0	17	1	1	3	5	7	9	16
B. Operated	83	4.9	11	1	1	4	7	10	11	16
1. SINGLE DX	307	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX	369	4.2	16	1	1	3	5	8	10	17
A. NOT OPERATED	575	4.0	11	1	1	4	5	6	8	12
B. OPERATED	101	4.8	11	1	1	4	6	10	11	15
TOTAL 0-19 YRS	378	4.0	5	1	1	4	5	7	8	10
20-34	152	3.7	8	1	1	3	5	7	9	18
35-49	78	3.9	6	1	1	4	5	6	9	12
50-64	30	4.7	9	1	2	4	6	10	11	11
65+	38	6.3	89	1	1	4	7	11	24	53
GRAND TOTAL	**676**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	1.8	2	<1	1	1	2	3	4	8
20-34	518	2.6	4	<1	1	2	3	5	7	10
35-49	272	3.1	9	1	1	2	4	6	8	13
50-64	143	3.2	5	1	1	2	4	7	7	10
65+	160	3.8	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	116	2.3	4	<1	1	2	3	5	7	11
20-34	100	3.4	15	<1	<1	2	4	7	9	25
35-49	39	4.9	18	<1	1	3	6	11	14	19
50-64	38	5.0	14	1	1	4	7	10	14	15
65+	20	7.1	14	2	3	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1035	2.3	4	<1	1	2	3	4	6	10
20-34	1368	2.9	6	<1	1	2	4	6	8	13
35-49	844	3.9	12	1	1	3	5	8	10	18
50-64	773	4.7	13	1	1	4	6	9	11	18
65+	1702	6.0	26	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	164	4.0	18	1	1	2	5	8	13	21
20-34	204	4.7	19	<1	1	3	7	10	14	21
35-49	111	4.8	11	1	1	4	7	10	10	16
50-64	136	8.3	60	1	2	6	10	17	27	37
65+	203	8.8	50	1	2	8	11	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1636	2.6	5	<1	1	2	3	5	7	10
B. Operated	313	3.6	13	<1	1	2	4	8	10	17
2. MULTIPLE DX										
A. Not Operated	5722	4.1	16	1	1	3	5	8	11	19
B. Operated	818	6.2	36	1	1	4	8	13	17	31
1. SINGLE DX	1949	2.7	7	<1	1	2	3	6	8	12
2. MULTIPLE DX	6540	4.4	19	1	1	3	6	9	12	21
A. NOT OPERATED	7358	3.8	14	1	1	3	5	8	10	18
B. OPERATED	1131	5.5	31	1	1	4	7	12	16	30
TOTAL 0-19 YRS	1858	2.3	5	<1	1	2	3	4	6	12
20-34	2190	3.0	8	<1	1	2	4	6	8	14
35-49	1266	3.8	12	1	1	3	5	8	10	17
50-64	1090	5.0	20	1	1	4	6	10	13	23
65+	2085	6.1	28	1	2	5	8	12	15	28
GRAND TOTAL	**8489**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	1	1	1	2	2	3	4	4
20-34	42	3.0	4	<1	1	2	4	6	7	7
35-49	13	3.5	6	<1	1	3	4	7	9	9
50-64	6	3.5	18	1	1	2	3	11	12	12
65+										
B. *Operated*										
0-19 YRS	27	2.7	8	<1	1	2	3	6	10	14
20-34	54	4.7	41	1	1	3	5	11	19	38
35-49	30	5.4	24	1	2	4	8	10	17	23
50-64	13	6.5	93	1	1	3	8	15	33	37
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	12	1	1	3	5	9	12	13
20-34	44	3.7	9	1	1	3	5	7	10	14
35-49	17	3.6	5	1	1	3	5	7	8	8
50-64	6	4.3	1	3	3	4	5	6	6	6
65+	7	6.0	20	2	2	6	10	13	13	13
B. *Operated*										
0-19 YRS	36	7.3	49	1	1	5	9	17	19	31
20-34	112	6.3	34	1	1	4	8	15	19	55
35-49	70	7.8	167	1	1	4	9	18	22	86
50-64	34	12.5	347	1	1	4	15	34	55	86
65+	8	8.8	38	1	2	8	12	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.8	4	1	1	2	4	6	7	11
B. *Operated*	126	4.6	35	1	1	3	5	10	15	37
2. MULTIPLE DX										
A. *Not Operated*	90	4.0	9	1	1	3	5	8	11	14
B. *Operated*	260	7.7	115	1	1	4	9	18	22	83
1. SINGLE DX	212	3.9	23	1	1	2	4	8	11	28
2. MULTIPLE DX	350	6.8	90	1	1	4	8	16	20	60
A. NOT OPERATED	176	3.4	7	1	1	3	4	7	8	13
B. OPERATED	386	6.7	91	1	1	3	8	17	22	52
TOTAL 0-19 YRS	104	4.3	26	1	1	2	5	10	17	25
20-34	252	5.0	28	1	1	3	6	12	17	29
35-49	130	6.3	99	1	1	4	7	15	20	48
50-64	59	9.4	232	1	1	4	10	28	37	84
65+	17	6.8	29	<1	1	6	11	13	18	20
GRAND TOTAL	**562**	**5.7**	**67**	**1**	**1**	**3**	**7**	**13**	**19**	**37**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	3	3	3
B. *Operated*	17	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	7	3.0	3	1	1	3	4	6	6	6
B. *Operated*	10	2.3	2	1	1	2	4	5	5	5
1. SINGLE DX	28	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX	17	2.6	3	1	1	2	4	5	6	6
A. NOT OPERATED	18	2.0	2	<1	1	1	3	4	5	6
B. OPERATED	27	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	30	1.4	1	<1	<1	1	1	2	4	4
20-34	7	2.0	2	1	1	2	2	4	5	5
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**45**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	1.3	1	<1	<1	1	1	2	3	4
20-34	95	1.7	2	<1	<1	1	2	3	6	8
35-49	73	1.5	2	<1	<1	1	2	2	4	10
50-64	71	1.7	2	<1	<1	1	2	3	5	10
65+	60	2.1	4	<1	1	1	2	5	7	10
B. *Operated*										
0-19 YRS	176	2.1	3	<1	<1	1	2	4	6	9
20-34	18	1.7	1	<1	<1	1	2	3	4	5
35-49	20	3.8	9	<1	1	3	6	9	10	10
50-64	18	2.8	7	1	1	2	3	7	9	10
65+	21	2.3	17	<1	1	1	2	3	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.3	7	<1	1	2	3	4	6	12
20-34	62	3.4	13	<1	1	3	4	6	9	23
35-49	72	4.1	20	1	1	2	5	9	14	24
50-64	106	3.6	13	<1	1	2	4	9	12	16
65+	242	4.2	18	1	1	3	5	9	12	24
B. *Operated*										
0-19 YRS	74	4.8	31	<1	1	3	6	9	15	34
20-34	35	4.3	16	<1	1	3	6	12	12	15
35-49	44	6.6	60	<1	1	4	8	21	28	32
50-64	73	5.7	45	1	1	3	8	12	21	34
65+	137	5.7	32	1	1	4	8	15	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	1.5	1	<1	<1	1	1	2	3	8
B. *Operated*	253	2.2	5	<1	1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	608	3.6	15	1	1	2	4	8	11	23
B. *Operated*	363	5.5	36	1	1	3	7	12	19	30
1. SINGLE DX	1064	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	971	4.3	24	1	1	3	5	10	14	27
A. NOT OPERATED	1419	2.4	8	<1	<1	1	2	5	8	14
B. OPERATED	616	4.2	26	<1	1	2	5	10	14	28
TOTAL 0-19 YRS	888	1.9	5	<1	<1	1	2	4	5	11
20-34	210	2.7	9	<1	<1	2	3	6	8	15
35-49	209	3.7	24	<1	1	2	4	8	11	28
50-64	268	3.6	21	<1	1	2	4	9	11	28
65+	460	4.3	22	1	1	3	5	10	13	23
GRAND TOTAL	**2035**	**2.9**	**14**	**<1**	**1**	**1**	**3**	**7**	**10**	**21**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	7.1	44	1	1	5	10	17	18	36
20-34	30	6.3	29	1	1	5	9	12	13	27
35-49	19	9.9	159	<1	1	8	11	20	41	56
50-64	11	6.3	14	<1	1	5	9	12	13	13
65+	6	18.5	236	8	8	13	18	46	49	49
B. *Operated*										
0-19 YRS	120	11.3	116	1	2	8	16	23	36	52
20-34	66	7.8	38	1	2	6	11	19	21	26
35-49	48	9.6	130	1	2	5	12	21	32	53
50-64	26	11.2	153	1	2	6	16	36	41	42
65+	18	15.6	179	1	2	13	23	38	45	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	7.4	45	1	1	5	10	15	22	33
20-34	51	7.4	41	1	2	4	11	17	20	27
35-49	49	10.0	99	1	2	7	14	21	28	59
50-64	31	13.5	114	3	4	9	15	31	40	43
65+	47	15.5	179	2	3	10	20	38	44	49
B. *Operated*										
0-19 YRS	114	18.6	229	2	4	14	26	43	59	99+
20-34	125	18.8	375	2	2	12	25	47	62	99
35-49	87	18.6	213	1	3	15	27	41	45	66
50-64	87	22.5	390	3	5	16	35	56	77	99+
65+	126	24.5	362	4	6	21	34	59	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	7.8	69	1	1	5	11	15	18	51
B. *Operated*	278	10.4	109	1	2	7	14	23	33	51
2. MULTIPLE DX										
A. *Not Operated*	239	10.3	99	1	2	7	14	21	33	47
B. *Operated*	539	20.7	322	2	4	16	29	48	64	99+
1. SINGLE DX	401	9.6	98	1	2	6	13	21	29	51
2. MULTIPLE DX	778	17.5	276	2	3	12	25	41	57	99+
A. NOT OPERATED	362	9.4	90	1	2	6	13	20	31	49
B. OPERATED	817	17.2	273	2	2	12	24	41	56	99+
TOTAL 0-19 YRS	352	12.3	150	1	2	8	17	29	38	63
20-34	272	12.6	225	1	2	8	15	30	43	93
35-49	203	13.6	178	1	2	10	18	30	42	60
50-64	155	17.7	299	2	3	12	27	45	57	99+
65+	197	21.4	312	3	4	17	30	47	73	99+
GRAND TOTAL	**1179**	**14.8**	**229**	**1**	**2**	**10**	**20**	**36**	**50**	**98**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	297	4.8	21	1	1	3	7	10	14	25
20-34	190	4.0	15	1	1	3	5	9	13	19
35-49	89	4.5	14	1	1	3	6	9	12	17
50-64	30	5.8	38	1	1	3	7	16	17	25
65+	20	7.9	49	1	2	5	11	16	24	31
B. *Operated*										
0-19 YRS	72	11.9	142	2	3	8	16	24	32	70
20-34	50	10.2	94	2	2	8	11	24	31	43
35-49	24	11.5	109	1	1	9	16	25	35	43
50-64	13	10.8	165	1	1	5	15	30	42	45
65+	10	10.4	84	2	2	9	13	24	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	5.8	31	1	1	4	8	12	16	23
20-34	422	5.7	26	1	1	4	8	12	17	24
35-49	247	6.8	44	1	1	5	9	16	20	38
50-64	134	7.9	57	1	1	5	12	17	23	35
65+	159	10.5	108	2	3	7	12	22	33	74
B. *Operated*										
0-19 YRS	147	14.8	238	2	3	8	22	35	45	78
20-34	128	13.4	206	1	1	9	18	27	37	80
35-49	69	15.0	160	2	2	12	20	40	54	99+
50-64	65	18.2	223	3	4	13	26	41	52	67
65+	55	19.0	249	4	4	16	25	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.7	20	1	1	3	6	10	14	24
B. *Operated*	169	11.2	119	1	2	8	15	25	32	45
2. MULTIPLE DX										
A. *Not Operated*	1536	6.6	44	1	1	5	8	14	18	33
B. *Operated*	464	15.4	219	2	3	11	21	37	52	99+
1. SINGLE DX	795	6.1	48	1	1	4	8	14	19	33
2. MULTIPLE DX	2000	8.6	98	1	1	6	11	19	28	55
A. NOT OPERATED	2162	6.0	38	1	1	4	8	13	17	30
B. OPERATED	633	14.3	196	1	2	10	20	33	45	90
TOTAL 0-19 YRS	1090	7.2	75	1	1	5	8	15	22	42
20-34	790	6.8	67	1	1	4	9	16	20	39
35-49	429	7.9	71	1	1	5	10	18	24	52
50-64	242	10.5	126	1	1	7	15	24	34	52
65+	244	12.2	146	2	3	9	15	31	45	99+
GRAND TOTAL	**2795**	**7.9**	**85**	**1**	**1**	**5**	**10**	**17**	**24**	**52**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.5	8	<1	<1	1	3	6	8	15
20-34	37	3.4	4	<1	1	3	4	6	7	10
35-49	24	4.3	17	1	1	2	6	10	15	15
50-64	11	5.2	17	<1	<1	3	9	11	12	12
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	57	2.5	4	1	1	2	3	5	7	10
20-34	88	3.6	38	1	1	2	3	7	10	41
35-49	42	3.0	8	1	1	2	4	6	9	15
50-64	22	4.0	15	<1	1	3	5	9	13	17
65+	6	6.3	95	1	1	2	5	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.8	37	1	1	3	5	8	17	32
20-34	53	4.9	17	1	1	3	7	11	16	97
35-49	34	7.1	38	1	1	5	8	16	24	26
50-64	24	9.1	367	1	2	5	7	9	40	98
65+	49	8.6	79	1	2	6	10	18	32	45
B. *Operated*										
0-19 YRS	71	4.8	106	1	1	2	4	10	20	68
20-34	148	8.0	177	1	1	3	7	21	32	72
35-49	67	6.1	86	1	1	3	7	13	23	93
50-64	33	13.1	406	1	2	4	13	37	55	95
65+	28	12.0	137	2	2	6	18	31	35	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.5	11	<1	1	2	4	8	11	15
B. *Operated*	215	3.3	22	1	1	2	3	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	190	6.8	85	1	1	4	8	14	20	76
B. *Operated*	347	7.8	168	1	1	3	7	20	34	77
1. SINGLE DX	325	3.4	18	1	1	2	4	7	10	18
2. MULTIPLE DX	537	7.4	139	1	1	4	8	17	30	77
A. NOT OPERATED	300	5.6	60	1	1	4	7	12	16	39
B. OPERATED	562	6.1	117	1	1	3	5	14	26	65
TOTAL 0-19 YRS	195	3.7	48	1	1	2	4	7	11	30
20-34	326	5.8	98	1	1	3	5	11	21	67
35-49	167	5.3	49	1	1	3	6	10	17	59
50-64	90	8.9	261	1	1	4	8	16	37	97
65+	84	9.6	99	1	2	6	12	26	33	45
GRAND TOTAL	**862**	**5.9**	**97**	**1**	**1**	**3**	**6**	**12**	**21**	**63**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	2.0	3	<1	1	2	2	4	5	8
20-34	268	2.6	5	<1	1	2	3	5	6	13
35-49	111	3.7	10	1	1	3	5	7	9	19
50-64	45	4.7	14	1	1	4	6	11	13	17
65+	52	3.6	8	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	88	4.7	37	1	1	3	5	10	16	36
20-34	124	4.0	26	1	1	2	5	9	11	27
35-49	35	4.7	19	1	1	3	7	12	13	18
50-64	36	6.8	168	1	1	3	7	14	21	77
65+	11	13.9	457	1	1	3	20	44	71	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.2	30	1	1	2	4	6	8	18
20-34	430	3.5	10	1	1	2	5	7	9	15
35-49	253	4.4	15	1	1	3	5	9	11	22
50-64	193	4.9	15	1	1	4	7	10	12	19
65+	355	6.9	24	2	2	5	9	14	17	25
B. *Operated*										
0-19 YRS	118	7.7	76	1	1	5	11	17	33	61
20-34	189	8.4	120	1	1	5	10	17	31	77
35-49	103	6.9	43	1	1	5	10	15	22	31
50-64	80	10.9	129	1	1	7	14	26	42	47
65+	73	12.4	161	2	2	9	16	25	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	754	2.7	6	1	1	2	3	5	7	13
B. *Operated*	294	5.0	64	1	1	3	5	10	15	43
2. MULTIPLE DX										
A. *Not Operated*	1530	4.5	20	1	1	3	6	10	13	21
B. *Operated*	563	8.8	106	1	1	6	11	20	31	59
1. SINGLE DX	1048	3.4	23	1	1	2	4	6	10	20
2. MULTIPLE DX	2093	5.7	47	1	1	4	7	12	17	37
A. NOT OPERATED	2284	3.9	16	1	1	3	5	8	11	18
B. OPERATED	857	7.5	95	1	1	4	10	17	26	48
TOTAL 0-19 YRS	783	3.6	31	1	1	2	4	7	12	34
20-34	1011	4.2	35	1	1	3	5	9	12	32
35-49	502	4.8	21	1	1	3	6	10	13	24
50-64	354	6.4	61	1	1	4	8	13	17	43
65+	491	7.5	57	1	2	5	10	16	20	35
GRAND TOTAL	**3141**	**4.9**	**40**	**1**	**1**	**3**	**6**	**11**	**15**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1453	1.7	2	<1	1	1	2	3	4	8
20-34	686	2.0	2	<1	<1	2	2	4	5	7
35-49	289	2.3	3	<1	1	2	3	4	5	9
50-64	124	3.0	7	<1	1	2	4	6	9	14
65+	84	4.3	24	1	1	3	5	8	12	30
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	4.0	20	1	1	2	3	12	13	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	11.0	93	4	4	7	18	22	22	22
65+	2	11.0	200	1	1	11	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1368	3.3	30	<1	1	2	[illegible]	6	9	27
20-34	2026	3.6	21	<1	1	2	[illegible]	7	11	25
35-49	1158	4.1	23	1	1	3	[illegible]	9	12	28
50-64	706	5.5	35	1	1	4	[illegible]	11	15	30
65+	1172	6.5	29	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	15	13.2	260	1	2	5	20	27	53	62
20-34	39	9.9	96	1	1	7	13	27	33	38
35-49	41	10.3	143	1	1	6	11	27	38	50
50-64	42	13.8	137	2	3	11	19	31	46	99+
65+	78	12.4	70	2	4	11	15	23	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2636	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	15	6.1	48	1	1	3	7	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	6430	4.4	28	1	1	3	5	9	13	28
B. *Operated*	215	11.9	114	1	2	9	16	27	35	57
1. SINGLE DX	2651	2.0	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	6645	4.6	33	1	1	3	5	10	14	30
A. NOT OPERATED	9066	3.7	22	<1	1	2	4	8	11	24
B. OPERATED	230	11.5	112	1	2	9	15	26	35	56
TOTAL 0-19 YRS	2838	2.5	18	<1	1	2	3	4	7	19
20-34	2757	3.3	19	<1	1	2	4	6	10	23
35-49	1490	3.9	24	<1	1	2	4	8	12	28
50-64	875	5.6	40	1	1	4	7	12	17	36
65+	1336	6.7	34	1	2	5	8	13	17	31
GRAND TOTAL	**9296**	**3.9**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**27**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	907	1.8	3	<1	1	1	2	3	5	9
20-34	380	1.8	2	<1	1	1	2	3	4	7
35-49	241	1.8	2	1	1	1	2	3	4	7
50-64	131	1.8	1	1	1	1	2	3	4	7
65+	52	1.9	2	1	1	1	2	3	6	8
B. *Operated*										
0-19 YRS	22	3.9	8	1	1	3	6	8	10	11
20-34	20	6.1	15	1	2	5	10	12	12	12
35-49	11	4.1	18	1	1	4	4	10	15	16
50-64	7	4.0	9	1	1	3	6	9	9	9
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	423	2.5	8	1	1	2	3	5	6	13
20-34	329	3.1	12	<1	1	2	3	6	8	17
35-49	255	3.4	16	<1	1	2	4	6	11	21
50-64	202	4.0	31	1	1	2	4	7	12	39
65+	175	4.3	16	1	1	3	5	10	14	18
B. *Operated*										
0-19 YRS	22	12.1	178	1	1	7	16	35	42	49
20-34	28	11.4	190	1	1	8	14	45	57	99+
35-49	22	15.0	603	1	1	6	17	39	84	99
50-64	14	15.2	466	1	2	8	15	35	75	86
65+	21	9.1	64	1	2	7	14	16	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1711	1.8	3	<1	1	1	2	3	4	7
B. *Operated*	62	4.6	12	1	1	4	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	1384	3.2	15	1	1	2	4	6	10	19
B. *Operated*	107	12.3	277	1	1	7	14	30	54	99+
1. SINGLE DX	1773	1.9	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	1491	3.9	39	1	1	2	4	8	13	33
A. NOT OPERATED	3095	2.4	9	<1	1	2	3	5	6	15
B. OPERATED	169	9.5	193	1	1	6	11	18	35	96
TOTAL 0-19 YRS	1374	2.2	9	<1	1	1	2	4	6	12
20-34	757	2.8	17	<1	1	2	3	6	8	17
35-49	529	3.2	39	1	1	2	3	6	9	24
50-64	354	3.6	42	1	1	2	4	7	10	38
65+	250	4.2	20	1	1	3	5	10	14	18
GRAND TOTAL	**3264**	**2.8**	**21**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	1.9	2	1	1	1	2	3	4	6
20-34	244	2.0	3	1	1	1	3	4	5	8
35-49	186	2.4	4	1	1	2	3	5	6	11
50-64	146	2.7	5	1	1	2	3	5	8	12
65+	101	3.9	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	6	4.3	8	1	1	4	7	8	8	8
20-34	7	4.7	19	<1	<1	5	7	12	13	13
35-49	9	15.9	209	3	3	6	30	36	36	36
50-64	7	3.6	9	1	1	2	6	8	8	8
65+	5	9.8	74	1	1	9	13	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.6	18	1	1	2	4	7	10	22
20-34	388	3.5	18	1	1	2	4	6	9	27
35-49	402	3.9	15	1	1	3	5	8	11	20
50-64	618	4.9	20	1	1	4	6	10	13	21
65+	1310	6.3	37	1	2	5	8	12	15	32
B. *Operated*										
0-19 YRS	27	13.9	202	1	2	11	19	43	60	99+
20-34	27	6.3	38	1	1	4	9	16	19	22
35-49	43	8.3	100	1	2	5	11	19	43	99+
50-64	87	14.3	181	2	2	10	21	36	45	58
65+	146	12.2	108	2	2	9	16	25	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	2.3	4	1	1	2	3	5	6	11
B. *Operated*	34	8.1	92	1	1	5	8	24	34	36
2. MULTIPLE DX										
A. *Not Operated*	3094	5.0	27	1	1	4	6	10	14	26
B. *Operated*	330	11.9	132	1	2	9	16	27	41	69
1. SINGLE DX	1028	2.5	8	1	1	2	3	5	7	13
2. MULTIPLE DX	3424	5.7	41	1	1	4	7	11	16	38
A. NOT OPERATED	4088	4.4	23	1	1	3	5	9	12	23
B. OPERATED	364	11.6	130	1	2	8	15	27	39	63
TOTAL 0-19 YRS	726	3.2	22	1	1	2	3	6	10	28
20-34	666	3.1	14	1	1	2	4	6	8	22
35-49	640	3.9	24	1	1	3	4	7	11	30
50-64	858	5.4	43	1	1	3	6	11	16	39
65+	1562	6.7	45	1	2	5	8	13	18	37
GRAND TOTAL	**4452**	**5.0**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.1	5	<1	1	2	4	7	8	11
20-34	36	4.5	28	<1	<1	3	5	10	18	23
35-49	45	4.8	10	1	1	4	7	9	11	13
50-64	32	6.7	63	1	2	4	6	16	21	41
65+	74	6.4	60	<1	1	3	8	14	19	43
B. *Operated*										
0-19 YRS	548	4.8	21	1	2	3	5	9	13	28
20-34	352	4.4	23	<1	1	3	5	10	13	25
35-49	401	5.9	49	1	1	3	7	15	18	30
50-64	442	7.4	51	1	2	5	11	16	20	31
65+	758	8.2	57	1	2	5	12	17	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	5.7	39	1	1	4	6	14	18	38
20-34	98	5.4	17	1	1	4	8	11	15	19
35-49	121	5.5	14	1	1	5	8	11	12	18
50-64	184	6.6	41	1	2	4	8	14	20	33
65+	416	7.3	48	1	2	6	9	15	20	38
B. *Operated*										
0-19 YRS	675	9.5	98	2	2	6	12	22	31	48
20-34	564	7.3	67	1	1	4	9	16	23	46
35-49	891	8.1	69	1	2	5	11	18	24	43
50-64	1444	9.9	107	1	2	7	13	21	31	55
65+	2329	10.9	117	2	2	8	15	23	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	4.8	31	<1	1	3	6	10	14	34
B. *Operated*	2501	6.4	44	1	1	4	8	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	972	6.5	38	1	1	5	8	14	18	32
B. *Operated*	5903	9.7	102	1	2	7	13	21	29	51
1. SINGLE DX	2788	6.2	43	1	1	4	8	15	18	30
2. MULTIPLE DX	6875	9.3	94	1	2	6	12	20	28	50
A. NOT OPERATED	1259	6.1	37	1	1	4	8	13	18	33
B. OPERATED	8404	8.7	87	1	2	5	12	19	26	47
TOTAL 0-19 YRS	1476	6.9	63	1	2	4	8	16	24	39
20-34	1050	6.1	48	1	1	4	8	14	19	37
35-49	1458	7.1	58	1	1	5	9	16	21	37
50-64	2102	9.0	91	1	2	6	12	19	28	52
65+	3577	9.8	98	1	2	7	14	21	28	48
GRAND TOTAL	**9663**	**8.4**	**81**	**1**	**2**	**5**	**11**	**18**	**25**	**46**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	1.6	1	<1	<1	1	2	3	3	5
20-34	247	2.2	2	1	1	2	3	4	5	8
35-49	136	3.0	5	1	1	2	3	6	7	14
50-64	104	3.3	4	1	1	3	4	6	7	10
65+	170	4.0	9	1	2	3	5	6	7	14
B. *Operated*										
0-19 YRS	151	1.9	5	<1	1	1	2	3	5	14
20-34	234	2.4	4	<1	1	2	3	5	7	11
35-49	104	3.0	5	1	1	2	4	6	8	11
50-64	59	4.6	12	1	1	4	6	10	13	15
65+	50	4.6	11	1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	10	1	1	2	3	6	7	20
20-34	72	3.2	7	1	1	2	4	7	9	12
35-49	66	3.7	7	1	1	3	4	9	10	12
50-64	128	4.8	14	1	1	4	6	9	12	41
65+	269	4.5	11	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	28	3.8	10	<1	1	3	5	8	10	14
20-34	116	5.1	61	1	1	3	6	10	14	43
35-49	76	6.2	28	1	1	5	9	14	16	24
50-64	78	8.2	107	1	2	5	11	14	17	61
65+	162	6.4	33	1	2	5	7	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	598	2.8	7	1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	579	4.2	11	1	1	3	5	8	10	19
B. *Operated*	460	6.2	51	1	1	4	7	13	16	34
1. SINGLE DX	1425	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1039	5.1	30	1	1	4	6	10	14	25
A. NOT OPERATED	1406	3.3	8	1	1	3	4	6	8	14
B. OPERATED	1058	4.3	29	1	1	3	5	9	13	23
TOTAL 0-19 YRS	393	2.0	5	<1	<1	1	2	4	5	12
20-34	669	2.9	14	1	1	2	3	6	8	14
35-49	382	3.8	11	1	1	3	5	8	11	16
50-64	369	5.0	33	1	1	4	6	10	13	43
65+	651	4.9	17	1	2	4	6	9	12	23
GRAND TOTAL	**2464**	**3.7**	**17**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.1	5	1	1	4	6	7	8	11
20-34	105	5.1	12	1	2	4	6	9	11	21
35-49	104	6.0	38	2	2	5	7	9	12	38
50-64	76	7.3	21	2	3	6	10	14	17	21
65+	59	7.5	12	3	4	7	9	13	15	92
B. *Operated*										
0-19 YRS	71	7.5	51	1	2	5	11	14	21	38
20-34	106	7.6	41	2	3	6	9	17	23	33
35-49	102	7.4	71	1	2	5	9	14	19	52
50-64	82	8.8	77	1	2	5	11	21	29	42
65+	44	13.4	167	2	3	9	16	27	43	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.7	19	2	2	4	8	11	13	25
20-34	121	6.0	17	1	2	5	8	10	13	23
35-49	154	7.3	28	2	3	6	9	12	17	29
50-64	210	9.1	71	2	3	7	10	15	24	50
65+	258	9.3	60	3	4	7	11	16	20	52
B. *Operated*										
0-19 YRS	60	14.1	208	2	3	10	17	27	40	86
20-34	135	13.5	144	3	4	9	16	32	40	55
35-49	161	12.1	95	2	3	8	17	29	35	45
50-64	229	14.4	212	2	4	10	17	29	45	99
65+	270	15.5	150	3	4	12	21	31	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	6.0	21	2	2	5	7	11	14	21
B. *Operated*	40[illegible]	8.4	74	1	2	6	10	16	25	43
2. MULTIPLE DX										
A. *Not Operated*	800	8.1	49	2	3	7	10	15	19	40
B. *Operated*	855	14.2	160	2	4	10	18	30	38	76
1. SINGLE DX	808	7.2	49	2	2	5	8	14	19	40
2. MULTIPLE DX	1655	11.2	116	2	3	8	13	24	32	63
A. NOT OPERATED	1203	7.4	41	2	2	6	9	13	17	33
B. OPERATED	1260	12.3	140	2	3	9	15	27	35	68
TOTAL 0-19 YRS	247	7.9	84	1	2	5	9	15	24	46
20-34	467	8.3	70	2	2	6	9	17	26	46
35-49	521	8.5	65	2	2	6	10	17	25	42
50-64	597	10.9	127	2	3	8	13	21	30	75
65+	631	12.1	112	3	4	9	14	25	32	61
GRAND TOTAL	2463	9.9	97	2	3	7	12	20	29	55

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.7	5	<1	1	2	4	6	7	9
20-34	109	4.2	13	1	1	3	6	10	12	15
35-49	93	4.2	9	1	1	4	5	8	10	14
50-64	64	5.4	14	1	1	4	8	11	12	16
65+	68	5.9	32	1	1	5	8	13	15	34
B. *Operated*										
0-19 YRS	77	4.4	21	1	1	3	5	10	11	27
20-34	128	4.7	17	1	1	3	6	10	11	22
35-49	132	6.0	32	<1	1	4	8	13	18	31
50-64	134	6.9	45	1	2	5	8	14	23	34
65+	125	6.8	68	1	1	4	8	13	21	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.7	12	1	1	3	5	7	9	18
20-34	136	4.3	32	1	1	3	4	9	13	35
35-49	178	5.7	31	1	1	4	8	11	18	25
50-64	236	6.6	44	1	1	5	9	13	16	31
65+	295	8.2	68	1	2	6	10	16	22	37
B. *Operated*										
0-19 YRS	85	7.1	80	1	1	4	7	21	26	84
20-34	181	8.7	129	1	1	5	11	20	31	82
35-49	305	10.0	114	1	1	8	12	21	28	68
50-64	415	10.7	138	1	2	8	13	21	35	61
65+	542	11.1	118	1	2	9	15	25	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.6	15	1	1	3	6	10	12	16
B. *Operated*	596	5.9	38	1	1	4	7	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	933	6.3	47	1	1	4	8	13	18	33
B. *Operated*	1528	10.3	123	1	2	7	13	23	33	63
1. SINGLE DX	974	5.4	30	1	1	4	7	11	14	30
2. MULTIPLE DX	2461	8.8	98	1	1	6	11	19	28	54
A. NOT OPERATED	1311	5.8	38	1	1	4	8	12	16	27
B. OPERATED	2124	9.0	103	1	1	6	11	20	30	54
TOTAL 0-19 YRS	294	4.7	35	1	1	3	6	9	18	33
20-34	554	5.8	60	1	1	3	7	12	18	40
35-49	708	7.4	69	1	1	5	9	17	22	39
50-64	849	8.5	92	1	2	6	10	16	26	54
65+	1030	9.4	95	1	2	7	12	21	30	52
GRAND TOTAL	3435	7.8	81	1	1	5	10	17	24	48

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	8	1	1	2	3	5	6	17
20-34	16	2.7	5	<1	<1	2	3	7	8	8
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	3	6.3	8	3	3	8	8	8	8	8
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	43.0		43	43	43	43	43	43	43
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.2	3	1	1	3	4	6	7	7
20-34	24	5.7	19	1	1	4	7	14	14	15
35-49	21	4.3	9	1	2	4	5	8	11	14
50-64	30	7.9	38	1	2	6	11	16	22	26
65+	60	5.9	31	1	1	3	10	16	18	20
B. *Operated*										
0-19 YRS	2	23.5	221	13	13	23	34	34	34	34
20-34	6	2.8	3	<1	<1	2	3	6	6	6
35-49	5	4.2	11	1	1	5	6	9	9	9
50-64	13	11.3	160	2	3	7	12	26	45	50
65+	8	13.4	178	2	3	10	15	36	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	6	1	1	2	3	5	8	16
B. *Operated*	2	25.0	648	7	7	25	43	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	171	5.4	24	1	1	4	7	12	17	22
B. *Operated*	34	10.0	134	1	2	6	12	21	42	50
1. SINGLE DX	66	3.5	31	1	1	2	3	7	8	39
2. MULTIPLE DX	205	6.2	44	1	1	4	8	13	18	38
A. NOT OPERATED	235	4.7	20	1	1	3	6	11	15	20
B. OPERATED	36	10.8	157	1	2	6	13	33	44	50
TOTAL 0-19 YRS	74	3.5	19	1	1	2	4	6	7	30
20-34	46	4.3	14	<1	1	3	5	10	14	15
35-49	33	5.1	54	1	1	4	5	9	13	43
50-64	46	8.7	70	1	2	7	12	18	23	50
65+	72	6.6	50	1	1	4	10	16	19	39
GRAND TOTAL	271	5.5	42	1	1	3	7	12	17	41

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.4	1	<1	<1	1	2	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.3	2	<1	<1	2	3	4	6	7
20-34	2394	1.7	1	<1	<1	1	2	3	4	5
35-49	832	1.5	2	<1	<1	1	2	3	3	4
50-64	8	1.4	1	<1	<1	1	2	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	43	2.7	104	<1	<1	1	1	2	3	68
35-49	10	1.1		<1	<1	1	1	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	17	3.1	3	<1	1	3	4	6	6	6
20-34	1574	2.1	2	<1	<1	2	3	4	5	7
35-49	699	2.0	2	<1	<1	2	2	4	5	6
50-64	12	2.1	1	<1	<1	2	3	4	4	4
65+	2	2.0	2	<1	<1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.4		<1	<1	1	2	3	3	3
B. *Operated*	3253	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	57	2.4	79	<1	<1	1	1	2	3	63
B. *Operated*	2304	2.1	2	<1	<1	2	3	4	5	7
1. SINGLE DX	3263	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	2361	2.1	4	<1	<1	2	2	4	5	7
A. NOT OPERATED	67	2.2	67	<1	<1	1	1	2	3	57
B. OPERATED	5557	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	37	2.6	3	<1	<1	2	4	5	6	7
20-34	4019	1.8	3	<1	<1	1	2	3	4	6
35-49	1543	1.7	2	<1	<1	1	2	3	4	6
50-64	22	1.9	1	<1	<1	2	3	3	4	4
65+	3	1.7	1	<1	<1	<1	2	3	3	3
GRAND TOTAL	5624	1.8	2	<1	<1	1	2	3	4	6

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	9.0		9	9	9	9	9	9	9
1000-1499	5	36.8	226	18	18	39	50	52	52	52
1500-1749	7	18.3	46	8	8	22	23	23	23	23
1750-2499	2402	3.2	4	1	2	3	4	5	6	12
2500+	111651	2.9	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	4	38.3	293	15	15	41	49	56	56	56
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	6	13.0	35	1	2	15	16	16	16	16
2500+	52	7.7	104	1	2	4	10	14	35	49
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	33	55.5	380	21	40	58	73	98	99+	99+
1000-1499	222	36.4	226	13	19	35	45	57	65	81
1500-1749	368	21.7	65	10	12	21	27	33	36	43
1750-2499	5212	6.8	36	2	2	5	8	14	18	28
2500+	47393	3.8	4	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	91	73.5	405	41	56	89	99+	99+	99+	99+
1000-1499	225	46.5	359	14	26	47	64	94	99+	99+
1500-1749	155	33.7	202	17	20	31	40	56	65	81
1750-2499	462	17.5	185	2	5	15	22	34	46	80
2500+	1164	8.2	65	2	2	6	10	15	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114066	2.9	2	1	2	3	3	5	5	7
B. *Operated*	63	10.3	160	1	2	5	13	23	44	55
2. MULTIPLE DX										
A. *Not Operated*	53228	4.3	18	2	2	3	5	6	9	22
B. *Operated*	2097	19.1	438	2	3	10	28	61	87	99+
1. SINGLE DX	114129	2.9	2	1	2	3	3	5	5	7
2. MULTIPLE DX	55325	4.9	42	2	2	4	5	7	11	39
A. NOT OPERATED	167294	3.3	7	1	2	3	4	5	6	12
B. OPERATED	2160	18.8	432	2	3	10	28	60	86	99+
TOTAL 1-999 G	125	68.2	483	27	44	83	99+	99+	99+	99+
1000-1499	456	41.4	316	13	20	41	54	73	98	99+
1500-1749	531	25.2	134	10	13	23	30	38	46	68
1750-2499	8082	6.3	45	2	2	4	7	14	18	32
2500+	160260	3.2	3	1	2	3	4	5	6	9
GRAND TOTAL	**169454**	**3.5**	**16**	**1**	**2**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	40.5	61	35	35	40	46	46	46	46
1500-1749	5	19.4	18	14	14	21	22	24	24	24
1750-2499	294	5.1	11	2	2	5	6	8	12	21
2500+	891	4.3	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749										
1750-2499	1	19.0		19	19	19	19	19	19	19
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	61.6	923	15	15	67	80	97	97	97
1000-1499	43	35.3	196	20	22	32	44	57	70	99+
1500-1749	82	22.0	60	13	14	20	26	31	37	51
1750-2499	745	8.9	64	2	3	6	12	17	22	38
2500+	579	5.4	17	2	3	5	6	7	9	26
B. *Operated*										
1-999 G	15	64.1	704	15	42	90	99+	99+	99+	99+
1000-1499	46	48.9	450	19	23	51	80	99+	99+	99+
1500-1749	35	25.3	61	11	13	26	29	32	38	46
1750-2499	78	19.9	250	2	7	17	24	29	37	94
2500+	22	10.0	106	4	5	8	11	24	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1192	4.6	8	2	2	4	5	7	8	17
B. *Operated*	2	32.5	365	19	19	32	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	1454	9.2	96	3	3	6	10	20	27	55
B. *Operated*	196	30.0	539	5	8	25	50	97	99+	99+
1. SINGLE DX	1194	4.7	10	2	2	4	5	7	8	18
2. MULTIPLE DX	1650	11.7	193	3	3	6	15	28	43	99+
A. NOT OPERATED	2646	7.1	62	2	3	5	7	15	22	42
B. OPERATED	198	30.0	536	5	8	25	49	97	99+	99+
TOTAL 1-999 G	20	63.5	714	15	29	83	99+	99+	99+	99+
1000-1499	92	42.3	360	19	22	40	59	94	99+	99+
1500-1749	122	22.8	61	13	14	22	27	31	37	49
1750-2499	1118	8.7	75	2	3	6	11	18	23	37
2500+	1492	4.8	11	2	3	4	5	7	8	14
GRAND TOTAL	**2844**	**8.7**	**128**	**2**	**3**	**5**	**8**	**20**	**30**	**88**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	22	2.7	1	1	1	3	3	4	5	6
2500+	336	2.3	1	1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	42.0		42	42	42	42	42	42	42
1500-1749	8	24.0	111	10	10	29	30	36	38	38
1750-2499	49	8.7	60	2	2	6	12	18	21	37
2500+	131	4.5	25	1	1	3	5	9	11	30
B. *Operated*										
1-999 G	1	86.0		86	86	99+	99+	99+	99+	99+
1000-1499	3	66.0	553	39	39	77	81	82	82	82
1500-1749	2	30.0	8	28	28	30	32	32	32	32
1750-2499	6	11.3	29	3	3	12	14	18	19	19
2500+	5	4.4	22	1	1	2	7	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	2.3	1	1	1	2	3	3	4	7
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	189	6.6	61	1	2	4	8	15	28	39
B. *Operated*	17	25.5	838	1	2	14	67	94	99+	99+
1. SINGLE DX	359	2.3	1	1	1	2	3	3	4	7
2. MULTIPLE DX	206	8.2	148	1	2	4	9	19	34	92
A. NOT OPERATED	547	3.8	26	1	1	2	3	7	11	31
B. OPERATED	18	24.3	817	1	2	13	58	93	99+	99+
TOTAL 1-999 G	1	86.0		86	86	99+	99+	99+	99+	99+
1000-1499	4	60.0	513	39	39	59	79	82	82	82
1500-1749	10	25.2	94	10	10	29	31	35	38	38
1750-2499	77	7.2	49	1	2	4	11	17	19	36
2500+	473	2.9	9	1	1	2	3	5	7	12
GRAND TOTAL	**565**	**4.4**	**63**	**1**	**1**	**2**	**4**	**9**	**14**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	6	<1	<1	2	3	7	9	9
20-34	10	1.3		<1	<1	1	1	2	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	1.8	1	<1	<1	2	2	3	3	3
65+	5	3.4	9	<1	<1	2	6	8	8	8
B. *Operated*										
0-19 YRS	447	2.1	1	<1	<1	2	3	3	4	5
20-34	483	2.4	2	<1	<1	2	3	4	5	8
35-49	286	2.5	5	<1	<1	2	3	4	5	13
50-64	197	2.9	4	<1	1	2	3	5	7	11
65+	115	4.0	21	<1	<1	3	4	8	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	1	1	1	4	5
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	7	1.6		<1	<1	2	2	2	2	2
50-64	5	2.2	2	1	1	2	3	4	4	4
65+	5	19.4	1077	1	1	2	31	77	77	77
B. *Operated*										
0-19 YRS	116	3.0	6	<1	1	2	4	6	7	15
20-34	153	3.9	19	<1	1	3	4	6	11	19
35-49	89	5.0	31	1	1	4	6	10	13	35
50-64	82	5.1	63	1	2	3	5	7	15	50
65+	114	7.3	77	1	1	4	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.2	4	<1	<1	1	2	6	8	9
B. *Operated*	1528	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	38	3.8	155	<1	<1	1	2	4	12	77
B. *Operated*	554	4.8	39	<1	1	3	5	9	15	41
1. SINGLE DX	1567	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	592	4.7	46	<1	1	3	5	9	15	42
A. NOT OPERATED	77	3.0	78	<1	<1	1	2	5	8	60
B. OPERATED	2082	3.1	14	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	597	2.2	3	<1	<1	2	3	4	5	9
20-34	651	2.7	6	<1	1	2	3	4	6	12
35-49	383	3.1	12	<1	1	2	4	5	7	17
50-64	289	3.5	22	<1	1	2	4	6	7	21
65+	239	5.9	71	<1	1	3	7	13	19	43
GRAND TOTAL	**2159**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49										
50-64	3	4.3	24	1	1	2	8	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.5	2	1	1	1	1	4	5	7
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	24	2.2	2	1	1	2	2	4	5	7
50-64	60	1.6	1	1	1	2	2	2	3	5
65+	63	1.3	1	1	1	1	1	2	2	9
B. *Operated*										
0-19 YRS	6	4.7	9	2	2	4	5	10	10	10
20-34	12	4.8	21	1	1	3	5	12	16	17
35-49	38	3.8	14	<1	<1	2	4	9	12	17
50-64	32	4.1	16	<1	1	3	5	10	14	16
65+	17	3.4	8	1	1	2	4	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	13	<1	<1	1	2	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	183	1.6	1	1	1	1	2	2	4	7
B. *Operated*	105	4.0	14	<1	1	3	5	9	13	17
1. SINGLE DX	6	2.8	13	<1	<1	1	2	9	10	10
2. MULTIPLE DX	288	2.4	7	1	1	1	2	5	8	15
A. NOT OPERATED	189	1.6	2	1	1	1	2	2	4	9
B. OPERATED	105	4.0	14	<1	1	3	5	9	13	17
TOTAL 0-19 YRS	40	2.0	4	1	1	1	2	5	6	10
20-34	16	4.1	17	1	1	3	5	10	15	17
35-49	62	3.2	10	<1	1	2	4	8	9	17
50-64	95	2.5	8	1	1	2	2	5	9	15
65+	81	1.7	3	1	1	1	1	3	5	11
GRAND TOTAL	**294**	**2.5**	**7**	**1**	**1**	**1**	**2**	**5**	**9**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	820	2.3	7	<1	<1	1	3	4	6	15
20-34	1157	2.7	22	<1	<1	1	2	5	10	24
35-49	459	3.2	25	<1	<1	2	3	5	11	24
50-64	529	3.2	26	<1	1	2	3	6	13	29
65+	327	4.2	42	<1	1	2	4	9	18	32
B. *Operated*										
0-19 YRS	419	3.2	10	<1	1	2	4	8	9	14
20-34	967	3.5	8	<1	1	3	5	8	9	13
35-49	581	4.0	16	<1	1	2	5	9	11	17
50-64	372	4.5	17	<1	1	3	7	10	12	20
65+	246	5.0	22	<1	1	3	8	12	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1646	3.9	28	<1	1	3	4	7	11	28
20-34	1515	4.0	46	<1	1	2	4	7	11	38
35-49	2604	3.3	23	1	1	2	4	6	8	28
50-64	5899	3.4	23	1	1	2	4	6	9	27
65+	6079	4.5	47	1	1	2	4	8	16	39
B. *Operated*										
0-19 YRS	509	5.8	75	1	1	3	7	11	17	66
20-34	1074	4.4	35	<1	1	3	5	9	12	49
35-49	1179	5.6	56	1	1	3	7	11	16	35
50-64	1533	5.3	38	1	1	3	7	11	15	33
65+	1717	6.5	64	1	1	4	9	14	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3292	2.9	22	<1	<1	1	3	5	10	24
B. *Operated*	2585	3.9	13	<1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	17743	3.8	34	1	1	2	4	7	11	32
B. *Operated*	6012	5.6	52	1	1	3	7	12	16	41
1. SINGLE DX	5877	3.3	18	<1	<1	2	4	8	11	24
2. MULTIPLE DX	23755	4.3	39	1	1	2	5	8	14	34
A. NOT OPERATED	21035	3.7	32	1	1	2	4	6	11	31
B. OPERATED	8597	5.1	41	1	1	3	6	11	14	34
TOTAL 0-19 YRS	3394	3.7	29	<1	1	2	4	8	11	27
20-34	4713	3.7	30	<1	<1	2	4	7	11	29
35-49	4823	3.9	31	1	1	2	4	8	12	28
50-64	8333	3.8	26	1	1	2	4	7	11	28
65+	8369	4.9	50	1	1	3	5	10	17	40
GRAND TOTAL	**29632**	**4.1**	**35**	**1**	**1**	**2**	**4**	**8**	**13**	**32**

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1. 8-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

LENGTH OF STAY BY OPERATION



UNITED STATES



Southern REGION



1984

Length of Stay by Operation, Southern Region, 1984

A Companion Volume To
Length of Stay
by Diagnosis,
Southern Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97195	3.1	12	<1	1	2	3	6	8	17
20-34	175627	3.4	9	1	1	3	4	6	8	14
35-49	78578	4.6	17	1	1	3	6	9	12	20
50-64	61673	5.2	22	1	1	4	7	11	14	22
65+	56137	5.8	30	1	2	4	8	13	16	26
2. MULTIPLE DX										
0-19 YRS	84562	5.5	70	1	1	3	6	11	18	52
20-34	172202	5.3	32	1	2	4	6	9	13	30
35-49	143199	6.6	41	1	2	5	8	12	17	34
50-64	178406	7.9	57	2	2	6	10	15	21	40
65+	303943	9.4	72	2	2	7	12	18	25	44
TOT. SINGLE DX	469210	4.1	16	1	1	3	5	8	11	19
" MULTIPLE DX	882312	7.5	59	1	2	5	9	15	21	41
TOTAL 0-19 YRS	181757	4.2	41	1	1	3	4	8	12	35
20-34	347829	4.3	21	1	1	3	5	8	10	23
35-49	221777	5.9	33	1	2	5	7	11	15	29
50-64	240079	7.2	50	1	2	5	9	14	19	36
65+	360080	8.8	67	2	2	7	11	18	23	42
GRAND TOTAL	**1351522**	**6.3**	**46**	**1**	**2**	**4**	**8**	**13**	**18**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	8.7	47	1	2	8	11	17	22	35
20-34	82	13.8	162	3	5	10	15	30	38	76
35-49	104	11.5	40	3	5	10	14	18	22	34
50-64	141	14.5	61	6	7	13	18	23	25	40
65+	115	13.5	92	5	5	11	16	23	30	57
2. MULTIPLE DX										
0-19 YRS	244	17.2	273	2	3	12	23	41	60	99+
20-34	117	20.5	259	4	6	16	27	45	55	88
35-49	178	17.5	166	6	8	14	22	35	58	99+
50-64	303	19.8	224	6	7	15	24	39	58	99+
65+	481	21.1	200	7	8	18	26	38	54	83
TOT. SINGLE DX	578	12.3	79	2	4	10	15	22	28	50
" MULTIPLE DX	1323	19.5	222	5	7	15	24	39	57	99+
TOTAL 0-19 YRS	380	14.2	209	2	2	10	19	31	46	95
20-34	199	17.7	229	3	5	12	24	38	51	85
35-49	282	15.3	128	5	6	13	18	30	43	99+
50-64	444	18.1	179	6	7	14	22	35	49	98
65+	596	19.6	188	6	7	16	25	36	52	77
GRAND TOTAL	**1901**	**17.3**	**190**	**4**	**6**	**14**	**22**	**34**	**49**	**86**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	7.1	15	3	4	6	9	12	14	24
20-34	35	11.8	51	2	4	10	14	23	25	34
35-49	34	12.5	49	2	3	11	15	24	28	29
50-64	41	14.0	83	5	6	11	15	28	38	41
65+	38	14.0	124	2	3	11	17	25	42	53
2. MULTIPLE DX										
0-19 YRS	103	15.0	162	3	5	11	21	32	47	99+
20-34	52	22.2	394	5	7	16	32	76	99+	99+
35-49	56	20.2	294	6	8	15	23	42	69	99+
50-64	84	22.0	257	7	8	17	30	46	78	99+
65+	127	20.7	204	5	7	17	27	38	58	99+
TOT. SINGLE DX	260	10.5	60	3	4	9	13	20	25	41
" MULTIPLE DX	422	19.7	245	5	6	15	26	40	73	99+
TOTAL 0-19 YRS	215	10.9	101	3	4	7	13	24	32	85
20-34	87	18.0	281	4	6	13	22	52	85	99+
35-49	90	17.3	215	3	7	13	21	34	47	99
50-64	125	19.4	214	6	8	15	25	39	62	99+
65+	165	19.2	194	4	7	15	25	38	53	96
GRAND TOTAL	**682**	**16.2**	**194**	**4**	**5**	**12**	**21**	**35**	**52**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	5.8	11	2	3	5	7	9	11	17
20-34	41	7.3	107	2	2	5	7	10	23	64
35-49	15	8.3	27	2	3	6	11	15	19	21
50-64	9	7.9	67	2	2	4	8	22	28	28
65+	3	11.0	7	8	8	12	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	119	10.1	112	3	3	7	10	21	32	59
20-34	74	13.9	268	3	3	8	14	39	59	72
35-49	40	15.6	238	3	4	10	17	40	52	72
50-64	24	12.0	105	3	4	8	17	25	33	48
65+	11	16.8	585	6	6	8	13	46	85	89
TOT. SINGLE DX	268	6.3	29	2	3	5	7	10	13	31
" MULTIPLE DX	268	12.4	195	3	3	8	13	26	46	71
TOTAL 0-19 YRS	319	7.4	53	2	3	6	8	11	19	43
20-34	115	11.6	220	2	3	7	11	29	50	71
35-49	55	13.6	190	3	3	9	15	29	47	71
50-64	33	10.8	96	2	3	7	14	25	28	48
65+	14	15.6	458	6	6	10	13	24	75	89
GRAND TOTAL	**536**	**9.4**	**121**	**2**	**3**	**6**	**9**	**17**	**29**	**69**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	6.3	18	3	3	6	8	10	14	27
20-34	13	9.5	37	3	4	8	10	22	22	22
35-49	14	8.2	16	3	5	7	9	14	18	19
50-64	14	12.1	124	3	3	11	12	22	41	47
65+	21	14.8	90	5	6	12	16	30	35	39
2. MULTIPLE DX										
0-19 YRS	257	13.9	228	3	4	9	16	32	63	99+
20-34	30	13.4	165	4	6	11	17	25	72	99+
35-49	20	16.2	120	3	5	12	23	32	40	42
50-64	33	18.7	221	5	6	14	29	45	94	99+
65+	98	24.2	237	8	9	21	30	39	63	79
TOT. SINGLE DX	277	7.5	36	3	3	6	9	13	18	34
" MULTIPLE DX	438	16.6	238	3	4	11	22	37	64	99+
TOTAL 0-19 YRS	472	10.4	147	3	3	7	11	23	35	99
20-34	43	12.2	128	4	5	9	15	23	40	99+
35-49	34	12.9	92	3	5	9	19	25	36	42
50-64	47	16.7	198	4	5	12	20	43	76	99+
65+	119	22.6	224	7	9	20	29	38	55	77
GRAND TOTAL	**715**	**13.1**	**179**	**3**	**3**	**8**	**16**	**30**	**41**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	5.4	17	2	2	4	7	10	13	26
20-34	32	9.3	109	1	2	7	10	22	35	50
35-49	24	13.3	292	2	2	8	15	27	50	83
50-64	11	10.8	103	1	3	8	13	29	33	33
65+	17	8.5	36	2	3	8	9	14	23	28
2. MULTIPLE DX										
0-19 YRS	504	12.2	202	2	3	7	14	27	39	84
20-34	69	26.6	610	2	4	18	39	77	89	99+
35-49	39	16.0	122	4	5	13	21	42	99+	99+
50-64	50	22.0	306	3	6	17	34	59	73	99+
65+	62	20.1	228	3	5	17	27	42	57	97
TOT. SINGLE DX	465	6.3	44	2	2	4	7	12	16	33
" MULTIPLE DX	724	15.1	269	2	3	9	20	37	54	99+
TOTAL 0-19 YRS	885	9.3	134	2	2	5	10	21	30	61
20-34	101	21.1	514	2	2	11	34	64	82	99+
35-49	63	15.0	185	2	3	12	19	41	86	99+
50-64	61	20.0	287	2	5	14	32	52	71	99+
65+	79	17.6	209	3	4	13	24	38	51	92
GRAND TOTAL	**1189**	**11.7**	**199**	**2**	**3**	**7**	**13**	**29**	**41**	**90**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	8.3	25	3	4	6	10	13	18	29
20-34	194	9.3	33	3	4	8	11	15	18	37
35-49	435	9.0	27	4	5	8	11	14	18	26
50-64	385	9.7	32	4	5	9	11	16	20	26
65+	174	10.5	27	4	5	9	13	16	21	28
2. MULTIPLE DX										
0-19 YRS	57	15.3	185	5	6	10	19	27	45	73
20-34	171	13.0	104	4	5	10	15	21	33	58
35-49	448	12.6	90	4	5	10	15	22	31	53
50-64	593	13.4	94	5	6	10	16	24	32	49
65+	563	16.0	119	6	8	13	19	27	38	78
TOT. SINGLE DX	1223	9.5	30	4	5	8	11	15	19	27
" MULTIPLE DX	1832	14.0	107	5	6	11	17	24	34	59
TOTAL 0-19 YRS	92	12.6	136	4	5	8	13	25	36	68
20-34	365	11.0	70	4	5	9	13	18	24	47
35-49	883	10.9	63	4	5	9	13	19	23	46
50-64	978	12.0	73	4	5	10	14	21	27	47
65+	737	14.7	104	6	7	12	17	25	34	60
GRAND TOTAL	**3055**	**12.2**	**81**	**4**	**5**	**10**	**14**	**21**	**28**	**49**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	8.7	36	2	3	7	11	15	19	35
20-34	127	6.5	30	1	2	4	9	14	18	26
35-49	142	7.9	60	1	2	6	11	16	23	65
50-64	85	7.2	31	2	2	5	10	15	17	27
65+	38	8.8	61	2	2	7	11	18	22	43
2. MULTIPLE DX										
0-19 YRS	116	14.2	131	4	6	11	17	32	48	99+
20-34	110	13.2	212	2	3	9	15	24	48	79
35-49	134	12.1	121	2	3	9	15	27	37	69
50-64	142	13.0	84	3	4	11	18	27	32	59
65+	117	17.1	151	3	5	13	21	39	48	67
TOT. SINGLE DX	464	7.6	44	2	2	6	10	15	18	36
" MULTIPLE DX	619	13.8	139	3	4	11	17	29	43	78
TOTAL 0-19 YRS	188	12.1	102	3	4	9	15	22	38	88
20-34	237	9.6	126	2	2	6	12	19	26	61
35-49	276	9.9	94	2	2	8	12	20	32	63
50-64	227	10.8	72	2	2	9	15	21	29	47
65+	155	15.1	141	2	3	12	20	36	46	52
GRAND TOTAL	**1083**	**11.2**	**107**	**2**	**2**	**9**	**14**	**22**	**33**	**61**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.3	7	<1	1	2	4	8	9	14
20-34	131	2.6	5	<1	<1	2	3	5	7	12
35-49	223	2.8	4	<1	1	2	3	5	8	12
50-64	251	3.0	5	<1	1	2	4	5	7	12
65+	103	3.1	5	<1	1	3	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	24	5.2	16	1	2	4	7	12	14	14
20-34	99	4.6	39	1	1	3	4	9	13	38
35-49	146	4.5	27	1	2	3	4	9	13	31
50-64	200	5.3	59	1	2	3	5	10	20	59
65+	149	6.2	52	2	2	3	7	14	17	46
TOT. SINGLE DX	750	2.9	6	<1	1	2	3	5	8	13
" MULTIPLE DX	618	5.2	46	1	2	3	5	11	16	44
TOTAL 0-19 YRS	66	4.0	12	<1	1	3	5	10	12	14
20-34	230	3.5	21	<1	1	2	3	7	9	34
35-49	369	3.5	14	<1	1	2	4	6	10	18
50-64	451	4.0	31	<1	1	3	4	7	11	35
65+	252	4.9	35	1	2	3	5	12	16	36
GRAND TOTAL	**1368**	**4.0**	**25**	**<1**	**1**	**3**	**4**	**8**	**11**	**25**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.7	7	<1	1	2	3	5	6	19
20-34	610	2.3	2	<1	<1	2	3	4	5	9
35-49	906	2.5	3	<1	<1	2	3	4	6	11
50-64	774	2.5	3	<1	<1	2	3	4	6	11
65+	407	2.4	5	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	120	2.6	4	<1	1	2	3	5	7	11
20-34	364	3.2	9	1	1	2	4	6	8	18
35-49	528	3.9	23	1	1	3	4	7	11	27
50-64	630	4.2	19	<1	1	3	5	9	11	21
65+	511	4.3	23	1	1	3	5	9	13	25
TOT. SINGLE DX	2806	2.4	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	2153	3.9	19	1	1	3	4	8	11	22
TOTAL 0-19 YRS	229	2.6	6	<1	1	2	3	5	7	14
20-34	974	2.6	5	<1	1	2	3	5	6	13
35-49	1434	3.0	12	<1	1	2	3	5	8	17
50-64	1404	3.2	12	<1	1	2	3	6	9	15
65+	918	3.5	16	<1	1	2	3	7	11	22
GRAND TOTAL	**4959**	**3.1**	**11**	**<1**	**1**	**2**	**3**	**6**	**9**	**16**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	29	7.6	22	2	3	7	11	13	16	23
35-49	28	6.7	43	2	2	5	8	14	19	33
50-64	16	6.4	13	1	3	5	9	12	14	15
65+	12	8.8	12	4	5	8	12	14	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34	23	9.2	47	2	4	6	11	21	24	24
35-49	42	8.7	33	2	3	8	11	17	20	25
50-64	52	11.5	50	3	4	10	15	20	25	39
65+	109	13.3	73	4	6	12	16	22	27	55
TOT. SINGLE DX	87	7.2	26	2	2	6	9	13	15	29
" MULTIPLE DX	226	11.6	61	3	4	10	15	20	24	43
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	52	8.3	33	2	3	6	11	18	23	24
35-49	70	7.9	38	2	2	6	10	16	20	31
50-64	68	10.3	46	3	4	9	14	18	23	37
65+	121	12.8	69	4	6	11	15	21	26	54
GRAND TOTAL	**313**	**10.4**	**55**	**2**	**3**	**8**	**14**	**19**	**23**	**39**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.3	10	1	1	6	8	9	9	9
20-34	29	5.1	14	<1	1	4	6	12	13	15
35-49	28	5.8	13	1	1	6	8	10	12	17
50-64	24	3.5	7	<1	<1	3	4	6	11	12
65+	10	6.1	51	1	1	3	7	17	25	25
2. MULTIPLE DX										
0-19 YRS	3	15.3	534	1	1	3	32	42	42	42
20-34	20	6.1	33	1	1	3	11	14	18	21
35-49	36	6.7	32	<1	<1	5	9	12	16	30
50-64	45	10.6	108	2	2	8	13	23	28	59
65+	41	9.8	57	2	3	8	14	20	24	34
TOT. SINGLE DX	97	5.0	16	<1	1	4	7	11	12	21
" MULTIPLE DX	145	8.9	73	1	2	6	11	19	24	43
TOTAL 0-19 YRS	9	8.7	165	1	1	5	8	29	42	42
20-34	49	5.5	22	1	1	4	6	13	14	21
35-49	64	6.3	24	<1	1	6	9	11	14	28
50-64	69	8.2	84	<1	1	5	11	20	23	53
65+	51	9.1	57	1	2	6	13	20	25	34
GRAND TOTAL	**242**	**7.3**	**54**	**1**	**1**	**5**	**9**	**16**	**22**	**35**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	4.1	10	2	2	4	4	5	8	22
20-34	559	3.9	2	2	2	4	4	6	7	10
35-49	682	3.9	2	2	2	4	4	5	7	10
50-64	508	4.1	3	2	3	4	5	6	7	11
65+	204	4.5	3	2	3	4	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	34	4.7	10	2	2	4	5	7	13	18
20-34	251	4.9	9	2	3	4	5	7	9	18
35-49	424	4.9	11	2	3	4	5	8	10	19
50-64	451	5.8	20	3	3	5	6	10	13	27
65+	339	7.6	60	3	3	5	9	14	18	36
TOT. SINGLE DX	2048	4.0	3	2	2	4	5	6	7	10
" MULTIPLE DX	1499	5.8	26	2	3	4	6	10	13	26
TOTAL 0-19 YRS	129	4.3	10	2	2	4	4	6	8	20
20-34	810	4.2	5	2	2	4	5	6	7	13
35-49	1106	4.3	6	2	3	4	5	6	8	14
50-64	959	4.9	12	2	3	4	5	8	10	17
65+	543	6.4	41	3	3	5	7	12	15	27
GRAND TOTAL	**3547**	**4.8**	**13**	**2**	**3**	**4**	**5**	**7**	**10**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	2.0	1	1	1	2	2	3	4	7
20-34	103	3.5	22	1	1	3	3	5	8	28
35-49	68	3.2	3	1	1	3	4	6	7	8
50-64	65	4.4	8	1	1	4	5	10	11	12
65+	51	4.8	16	1	1	4	5	8	14	22
2. MULTIPLE DX										
0-19 YRS	36	3.9	8	1	1	3	5	9	10	13
20-34	53	6.6	26	2	2	5	8	15	16	27
35-49	88	7.0	28	2	3	6	8	11	17	30
50-64	171	8.0	59	2	3	5	9	15	22	49
65+	175	10.5	69	3	4	8	14	22	27	46
TOT. SINGLE DX	482	3.1	10	1	1	2	4	6	7	12
" MULTIPLE DX	523	8.3	54	2	3	6	10	17	23	34
TOTAL 0-19 YRS	231	2.3	3	1	1	2	3	4	5	9
20-34	156	4.5	26	1	2	3	5	9	14	26
35-49	156	5.4	21	1	2	4	7	10	12	30
50-64	236	7.0	48	2	2	5	8	13	19	36
65+	226	9.3	63	2	3	7	12	21	25	39
GRAND TOTAL	**1005**	**5.8**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**30**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	11.5	188	2	3	8	12	22	46	63
20-34	38	9.8	11	6	6	9	11	15	16	21
35-49	30	10.3	18	5	6	9	12	17	21	21
50-64	29	9.3	8	4	5	9	11	13	14	14
65+	5	7.8	2	6	6	8	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	18	13.7	115	5	6	9	15	30	40	46
20-34	47	10.3	26	5	5	9	13	18	23	25
35-49	43	14.8	177	5	6	11	15	26	45	75
50-64	59	16.7	167	4	6	13	21	32	48	64
65+	70	17.7	264	2	4	13	21	42	72	99+
TOT. SINGLE DX	121	10.0	39	4	5	9	11	15	17	37
" MULTIPLE DX	237	15.2	171	4	6	11	18	27	46	85
TOTAL 0-19 YRS	37	12.6	150	3	5	8	14	26	41	63
20-34	85	10.1	20	5	6	9	12	15	20	24
35-49	73	13.0	116	5	6	10	13	21	40	68
50-64	88	14.3	127	4	6	10	16	27	38	62
65+	75	17.1	253	2	4	13	20	38	70	99+
GRAND TOTAL	**358**	**13.4**	**132**	**4**	**6**	**10**	**15**	**23**	**38**	**75**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.3		<1	<1	1	1	2	2	5
20-34	18	2.1	1	<1	<1	2	3	4	5	5
35-49	33	1.8		<1	<1	2	2	3	4	4
50-64	61	2.0	1	<1	<1	2	2	4	4	5
65+	75	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	18	1.4	1	<1	<1	1	2	2	4	5
20-34	12	9.2	246	<1	<1	4	8	28	53	57
35-49	40	4.5	44	<1	1	3	5	8	9	43
50-64	75	4.4	12	1	1	3	6	10	12	16
65+	154	3.8	10	1	1	2	5	8	10	13
TOT. SINGLE DX	321	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	299	4.1	25	<1	1	2	6	9	11	17
TOTAL 0-19 YRS	152	1.3	1	<1	<1	1	1	2	2	5
20-34	30	4.9	106	<1	<1	2	4	8	16	57
35-49	73	3.3	26	<1	<1	2	4	6	8	35
50-64	136	3.4	9	<1	1	2	4	7	11	14
65+	229	3.2	8	<1	1	2	4	8	9	13
GRAND TOTAL	620	2.9	14	<1	<1	2	3	6	9	13

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	257	1.8	1	<1	1	2	2	3	3	7
20-34	59	1.9		<1	<1	2	2	3	3	4
35-49	120	1.6		<1	<1	1	2	3	4	4
50-64	141	1.8	2	<1	<1	2	2	3	3	6
65+	203	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	210	3.2	37	1	1	2	3	5	7	60
20-34	196	3.5	16	<1	1	2	4	7	12	21
35-49	169	3.1	6	<1	1	2	4	7	8	12
50-64	220	3.6	21	<1	1	2	4	6	11	26
65+	403	4.0	25	1	1	2	4	8	13	31
TOT. SINGLE DX	780	1.8	2	<1	<1	2	2	3	3	5
" MULTIPLE DX	1198	3.6	23	<1	1	2	4	7	11	26
TOTAL 0-19 YRS	467	2.4	18	<1	1	2	2	4	5	14
20-34	255	3.1	14	<1	1	2	3	6	10	19
35-49	289	2.5	5	<1	<1	2	3	5	7	11
50-64	361	2.9	15	<1	1	2	3	5	9	20
65+	606	3.3	19	<1	1	2	3	7	11	25
GRAND TOTAL	1978	2.9	15	<1	<1	2	3	5	8	20

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.0		1	1	2	2	3	4	5
20-34	39	2.1	1	1	1	2	2	3	5	6
35-49	42	1.9		1	1	2	2	3	4	5
50-64	48	2.2		1	1	2	3	3	4	5
65+	66	2.1		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	15	3.1	17	1	1	2	3	4	14	18
20-34	25	2.6	4	1	1	2	2	6	7	10
35-49	28	3.1	4	1	1	3	4	5	7	11
50-64	48	2.8	3	1	1	2	3	5	6	12
65+	112	3.5	28	1	2	2	3	5	9	35
TOT. SINGLE DX	242	2.1	1	1	1	2	2	3	4	5
" MULTIPLE DX	228	3.2	17	1	1	2	3	5	9	20
TOTAL 0-19 YRS	62	2.2	5	1	1	2	2	3	4	16
20-34	64	2.3	2	1	1	2	2	4	6	9
35-49	70	2.4	2	1	1	2	3	4	5	10
50-64	96	2.5	2	1	1	2	3	4	5	9
65+	178	3.0	19	1	1	2	3	4	6	22
GRAND TOTAL	470	2.6	9	1	1	2	3	4	5	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.8	2	<1	<1	1	2	4	5	6
20-34	6	3.3	11	1	1	2	6	9	9	9
35-49	11	1.9	3	<1	<1	1	2	4	7	7
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	9	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9	5.2	19	<1	<1	5	6	12	15	15
20-34	8	2.1	2	1	1	2	3	5	5	5
35-49	9	4.0	15	<1	<1	2	5	11	12	12
50-64	12	4.1	7	<1	1	4	6	8	9	9
65+	18	3.9	10	<1	1	3	4	9	11	12
TOT. SINGLE DX	56	2.1	3	<1	<1	1	2	4	6	9
" MULTIPLE DX	56	3.9	11	<1	1	2	5	9	11	15
TOTAL 0-19 YRS	34	2.7	8	<1	<1	1	4	6	8	15
20-34	14	2.6	6	1	1	2	4	6	8	9
35-49	20	2.9	9	<1	<1	2	3	8	10	12
50-64	17	3.8	6	<1	1	3	5	8	9	9
65+	27	3.2	8	<1	<1	2	4	8	10	12
GRAND TOTAL	112	3.0	8	<1	<1	2	4	7	9	13

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.9	22	1	2	4	5	11	18	21
20-34	31	3.7	2	1	2	3	5	6	7	9
35-49	15	3.4	1	1	2	3	4	5	6	6
50-64	25	4.5	28	1	2	3	4	7	13	29
65+	107	3.1	9	1	1	3	4	4	5	20
2. MULTIPLE DX										
0-19 YRS	27	5.3	7	3	3	5	6	9	11	15
20-34	20	5.4	18	2	3	4	5	9	16	22
35-49	20	3.5	8	1	1	3	4	6	10	14
50-64	49	5.5	39	2	2	4	5	12	21	34
65+	232	3.9	10	1	1	3	4	6	8	19
TOT. SINGLE DX	196	3.6	12	1	1	3	4	5	7	25
" MULTIPLE DX	348	4.3	15	1	2	4	5	7	10	21
TOTAL 0-19 YRS	45	5.2	13	2	2	4	5	9	13	21
20-34	51	4.4	9	2	2	4	5	7	9	22
35-49	35	3.4	5	1	1	3	4	5	7	14
50-64	74	5.2	35	1	2	4	5	9	21	33
65+	339	3.6	10	1	1	3	4	5	7	19
GRAND TOTAL	**544**	**4.0**	**14**	**1**	**2**	**3**	**4**	**6**	**9**	**21**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	3.0	4	<1	<1	2	4	6	7	10
20-34	82	2.4	2	<1	1	2	3	5	5	9
35-49	55	1.9	1	<1	1	2	2	2	3	7
50-64	39	3.0	6	<1	1	2	3	6	9	14
65+	38	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	67	3.8	6	1	1	3	5	7	7	16
20-34	66	5.1	15	1	2	4	6	9	14	20
35-49	47	4.4	20	1	1	3	5	8	13	27
50-64	38	4.1	11	1	1	3	5	8	11	16
65+	76	4.3	26	<1	1	2	5	14	16	23
TOT. SINGLE DX	301	2.5	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	294	4.4	16	1	1	3	5	9	14	20
TOTAL 0-19 YRS	154	3.4	6	<1	1	3	5	7	7	11
20-34	148	3.6	10	1	1	3	5	8	9	17
35-49	102	3.0	11	1	1	2	3	6	8	21
50-64	77	3.6	9	<1	1	2	4	7	10	15
65+	114	3.5	19	<1	1	2	3	10	15	21
GRAND TOTAL	**595**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	2.3	1	<1	1	2	3	4	5	7
20-34	24	3.5	6	1	2	3	4	6	9	13
35-49	35	3.3	4	1	1	3	4	6	8	10
50-64	80	3.0	5	1	1	2	4	6	9	11
65+	167	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	48	3.9	29	1	1	2	4	7	15	33
20-34	27	4.6	13	1	2	4	6	8	14	18
35-49	28	3.4	2	1	2	3	5	6	6	7
50-64	102	5.0	18	1	2	3	7	11	13	22
65+	226	4.3	28	1	2	3	4	8	12	32
TOT. SINGLE DX	361	2.7	3	1	1	2	3	4	6	11
" MULTIPLE DX	431	4.4	24	1	1	3	5	9	12	25
TOTAL 0-19 YRS	103	3.0	15	1	1	2	3	5	7	25
20-34	51	4.1	11	1	2	3	5	7	13	18
35-49	63	3.3	4	1	1	3	4	6	7	10
50-64	182	4.2	14	1	1	3	5	9	11	20
65+	393	3.5	18	1	1	2	4	6	10	22
GRAND TOTAL	**792**	**3.6**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.7	5	1	1	3	5	7	8	10
20-34	25	3.2	3	1	1	3	5	6	7	8
35-49	24	3.8	18	1	1	3	5	6	12	22
50-64	41	3.0	9	1	1	2	4	6	8	17
65+	84	2.4	5	<1	1	2	3	4	5	15
2. MULTIPLE DX										
0-19 YRS	37	3.9	7	<1	1	3	6	7	10	11
20-34	43	4.2	8	1	1	3	6	8	11	13
35-49	23	4.5	16	<1	1	3	6	10	14	17
50-64	47	3.4	7	1	1	2	5	7	9	12
65+	158	5.3	28	1	1	3	7	11	14	22
TOT. SINGLE DX	215	3.0	8	1	1	2	4	6	8	17
" MULTIPLE DX	308	4.6	19	1	1	3	6	10	12	20
TOTAL 0-19 YRS	78	3.8	6	1	1	3	6	7	8	11
20-34	68	3.9	7	1	1	3	6	7	9	13
35-49	47	4.1	17	1	1	3	5	8	14	22
50-64	88	3.2	8	1	1	2	4	6	9	15
65+	242	4.3	22	1	1	3	5	10	12	20
GRAND TOTAL	**523**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.3	3	<1	1	2	2	3	6	11
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	95	2.0		1	1	2	2	3	3	4
50-64	549	2.1		1	1	2	2	3	3	5
65+	2219	2.2	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	20	3.5	6	<1	1	3	4	7	10	10
20-34	9	3.6	9	1	1	3	4	9	11	11
35-49	65	3.9	21	2	2	2	4	7	9	32
50-64	469	2.8	11	1	2	2	3	4	6	12
65+	2194	2.7	4	1	2	2	3	4	5	12
TOT. SINGLE DX	2905	2.1	1	<1	1	2	2	3	3	5
" MULTIPLE DX	2757	2.7	7	1	2	2	3	4	6	12
TOTAL 0-19 YRS	56	2.7	5	<1	1	2	3	5	9	11
20-34	15	3.2	6	1	1	3	4	5	9	11
35-49	160	2.8	10	1	2	2	3	4	7	12
50-64	1018	2.4	6	1	1	2	3	3	4	9
65+	4413	2.4	3	1	2	2	2	3	4	9
GRAND TOTAL	5662	2.4	4	1	1	2	3	3	4	10

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.0		1	1	2	2	3	4	5
20-34	24	2.3	2	<1	1	2	3	4	6	7
35-49	281	1.9		<1	1	2	2	3	3	5
50-64	1530	1.9		1	1	2	2	2	3	4
65+	6736	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	87	4.4	63	1	1	2	4	8	13	53
20-34	26	3.2	4	1	2	3	3	6	9	10
35-49	190	2.5	6	1	1	2	2	4	5	11
50-64	1370	2.3	1	1	1	2	2	3	4	8
65+	6599	2.5	6	1	2	2	2	3	5	12
TOT. SINGLE DX	8643	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	8272	2.5	6	1	2	2	2	3	5	11
TOTAL 0-19 YRS	159	3.3	37	1	1	2	3	5	8	24
20-34	50	2.8	4	1	1	2	3	5	7	10
35-49	471	2.2	3	1	1	2	2	3	4	7
50-64	2900	2.1	1	1	1	2	2	3	3	6
65+	13335	2.2	4	1	1	2	2	3	4	9
GRAND TOTAL	16915	2.2	3	1	1	2	2	3	4	8

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.6	6	1	1	2	3	7	7	7
20-34	8	2.1		2	2	2	2	3	3	3
35-49	37	1.9		1	1	2	2	3	3	4
50-64	174	2.0	1	1	1	2	2	2	3	8
65+	535	1.9		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	5	2.6	2	1	1	2	3	5	[illegible]	5
20-34	5	3.0	1	2	2	3	4	5	5	5
35-49	32	2.2	1	<1	1	2	2	3	5	6
50-64	178	2.5	4	1	1	2	2	3	5	15
65+	758	2.2	1	1	1	2	2	3	3	9
TOT. SINGLE DX	759	1.9	1	1	1	2	2	2	3	4
" MULTIPLE DX	978	2.3	2	1	1	2	2	3	4	10
TOTAL 0-19 YRS	10	2.6	4	1	1	2	3	6	7	7
20-34	13	2.5	1	2	2	2	3	4	5	5
35-49	69	2.0	1	1	1	2	2	3	4	6
50-64	352	2.2	3	1	1	2	2	3	4	11
65+	1293	2.1	1	1	1	2	2	3	3	8
GRAND TOTAL	1737	2.1	2	1	1	2	2	3	3	8

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.6	4	1	2	4	6	7	8	11
20-34	57	4.9	6	2	3	4	6	8	10	16
35-49	75	4.4	5	1	2	4	6	7	9	12
50-64	202	4.2	4	2	2	4	5	7	8	11
65+	233	4.0	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	39	5.5	5	2	3	5	7	9	10	11
20-34	98	5.4	12	2	2	5	7	9	10	21
35-49	123	5.3	6	2	3	5	6	8	11	13
50-64	317	5.2	11	2	2	4	6	9	11	16
65+	403	5.1	6	2	3	4	6	8	9	14
TOT. SINGLE DX	601	4.2	5	1	2	4	5	7	8	12
" MULTIPLE DX	980	5.2	8	2	3	5	6	8	10	15
TOTAL 0-19 YRS	73	5.1	5	2	3	5	6	8	10	11
20-34	155	5.2	11	2	2	5	7	8	10	19
35-49	198	5.0	6	2	2	5	6	8	10	13
50-64	519	4.8	9	2	2	4	6	8	10	14
65+	636	4.7	6	2	2	4	6	8	9	13
GRAND TOTAL	1581	4.8	7	2	2	4	6	8	9	14

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.4	5	1	1	3	4	7	9	10
20-34	18	3.8	5	1	2	3	4	7	9	10
35-49	13	3.3	2	1	1	3	5	5	6	6
50-64	33	3.9	7	1	2	3	5	7	9	13
65+	76	3.2	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	33	3.8	12	1	1	3	4	6	9	21
20-34	55	5.2	11	2	2	4	7	10	11	19
35-49	64	4.6	10	1	2	4	6	8	11	88
50-64	110	4.5	15	1	2	3	5	9	11	24
65+	267	4.5	16	1	2	3	5	9	11	28
TOT. SINGLE DX	158	3.5	5	1	1	3	4	6	8	10
" MULTIPLE DX	529	4.5	15	1	2	3	5	8	11	27
TOTAL 0-19 YRS	51	3.7	10	1	1	3	4	6	9	21
20-34	73	4.8	11	2	2	4	6	10	11	18
35-49	77	4.4	10	1	2	4	5	7	9	78
50-64	143	4.4	14	1	2	3	5	8	10	22
65+	343	4.2	14	1	2	3	5	8	10	27
GRAND TOTAL	**687**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**24**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1230	1.4		<1	<1	1	2	2	2	2
20-34	114	1.8		1	1	2	2	2	2	4
35-49	63	1.9		<1	1	2	2	3	3	3
50-64	34	2.1	2	1	1	2	2	3	4	10
65+	17	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	386	1.7	1	<1	<1	2	2	2	3	4
20-34	63	2.0		1	1	2	2	3	3	6
35-49	33	2.1		1	1	2	2	3	3	6
50-64	40	2.4	1	1	1	2	2	4	5	6
65+	28	2.2		1	1	2	2	3	5	5
TOT. SINGLE DX	1458	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	550	1.8	1	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	1616	1.5	1	<1	<1	1	2	2	2	3
20-34	177	1.9		1	1	2	2	2	3	4
35-49	96	2.0		1	1	2	2	3	3	5
50-64	74	2.3	2	1	1	2	2	4	5	9
65+	45	2.1	1	1	1	2	2	3	4	5
GRAND TOTAL	**2008**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	6	2.2	1	<1	<1	2	3	4	4	4
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	1.5	1	1	1	1	2	2	2	2
TOT. SINGLE DX	9	1.8	1	<1	<1	2	2	3	4	4
" MULTIPLE DX	11	2.8	8	<1	<1	2	3	7	11	11
TOTAL 0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	10	2.1	1	<1	<1	2	3	4	4	4
35-49										
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	4	1.5		<1	<1	1	2	2	2	2
GRAND TOTAL	**20**	**2.4**	**5**	**<1**	**<1**	**2**	**2**	**4**	**8**	**11**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	2.7	3	<1	1	2	3	5	7	10
20-34	79	4.2	21	1	1	3	4	9	13	29
35-49	43	3.7	7	1	1	3	4	8	11	12
50-64	51	3.1	4	<1	1	2	4	6	7	11
65+	68	2.8	7	1	1	2	3	4	6	20
2. MULTIPLE DX										
0-19 YRS	88	6.0	78	1	2	3	7	12	14	56
20-34	105	5.3	30	1	1	3	5	15	19	25
35-49	76	5.0	16	2	2	4	6	10	14	21
50-64	78	5.3	30	1	2	3	5	12	17	28
65+	181	5.2	29	1	2	3	6	11	13	31
TOT. SINGLE DX	366	3.2	9	1	1	2	4	6	9	13
" MULTIPLE DX	528	5.3	36	1	2	3	6	12	15	29
TOTAL 0-19 YRS	213	4.1	37	<1	1	2	5	8	11	15
20-34	184	4.8	27	1	1	3	5	10	16	27
35-49	119	4.5	14	1	2	3	5	10	12	20
50-64	129	4.4	21	1	1	3	4	11	13	24
65+	249	4.6	25	1	1	3	5	9	13	30
GRAND TOTAL	**894**	**4.5**	**26**	**1**	**1**	**3**	**5**	**10**	**13**	**24**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	275	2.0	2	<1	<1	2	2	4	5	8
20-34	66	2.8	9	<1	<1	2	3	6	10	18
35-49	50	2.1	3	<1	<1	2	2	3	6	12
50-64	54	2.6	9	<1	<1	2	3	5	6	21
65+	89	2.6	2	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	204	3.8	30	<1	1	2	4	7	11	42
20-34	101	3.9	16	1	1	3	4	8	13	22
35-49	54	3.2	6	<1	1	3	4	6	8	14
50-64	104	4.7	16	<1	1	4	5	11	13	19
65+	187	6.3	48	1	2	4	7	13	19	43
TOT. SINGLE DX	534	2.3	4	<1	<1	2	2	4	6	11
" MULTIPLE DX	650	4.6	30	1	1	3	5	9	14	34
TOTAL 0-19 YRS	479	2.8	15	<1	<1	2	3	5	7	27
20-34	167	3.4	14	<1	1	2	4	8	11	18
35-49	104	2.7	5	<1	<1	2	3	6	7	13
50-64	158	4.0	15	<1	<1	3	5	9	13	21
65+	276	5.1	37	<1	1	3	6	10	14	35
GRAND TOTAL	**1184**	**3.6**	**20**	**<1**	**1**	**2**	**4**	**7**	**11**	**23**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.5		1	2	2	3	3	4	6
20-34	120	2.2	1	<1	1	2	3	3	4	6
35-49	206	2.2		1	1	2	3	3	4	6
50-64	139	2.3		1	1	2	3	3	4	5
65+	64	2.4		1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	25	2.1		<1	1	2	3	3	3	3
20-34	69	2.4	1	1	1	2	3	4	4	6
35-49	95	2.4	1	1	1	2	3	3	4	8
50-64	109	2.5	2	1	1	2	3	4	5	10
65+	42	2.6	1	1	1	2	3	4	6	7
TOT. SINGLE DX	557	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	340	2.4	1	1	1	2	3	3	4	8
TOTAL 0-19 YRS	53	2.3	1	1	1	2	3	3	3	6
20-34	189	2.3	1	1	1	2	3	3	4	6
35-49	301	2.3	1	1	1	2	3	3	4	6
50-64	248	2.4	1	1	1	2	3	3	4	8
65+	106	2.5	1	1	1	2	3	4	4	7
GRAND TOTAL	**897**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	517	1.7		<1	1	2	2	2	3	3
20-34	256	2.0		1	1	2	2	3	3	4
35-49	225	2.0		1	1	2	2	3	3	4
50-64	168	2.0		1	1	2	2	3	4	5
65+	67	2.0		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	450	1.9	1	<1	1	2	2	3	3	7
20-34	253	2.0		1	1	2	2	3	3	4
35-49	254	2.2	1	1	1	2	3	3	4	9
50-64	220	2.7	39	1	1	2	3	3	4	9
65+	88	2.4	1	1	1	2	3	3	4	8
TOT. SINGLE DX	1233	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1265	2.2	8	1	1	2	2	3	4	7
TOTAL 0-19 YRS	967	1.8	1	<1	1	2	2	3	3	4
20-34	509	2.0	1	1	1	2	2	3	3	4
35-49	479	2.1	1	1	1	2	2	3	3	8
50-64	388	2.4	23	1	1	2	2	3	4	7
65+	155	2.2	1	1	1	2	3	3	4	7
GRAND TOTAL	**2498**	**2.0**	**4**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2071	1.1		<1	<1	<1	1	1	2	4
20-34	52	1.9	1	<1	<1	2	2	3	4	6
35-49	48	1.6		<1	1	1	2	3	3	5
50-64	29	1.6	1	<1	<1	1	2	3	3	6
65+	17	1.5	1	<1	<1	1	2	2	5	6
2. MULTIPLE DX										
0-19 YRS	1801	2.1	5	<1	<1	2	2	4	6	11
20-34	77	2.9	5	<1	1	2	3	6	8	14
35-49	66	4.4	78	<1	1	2	4	8	15	60
50-64	62	3.9	18	1	1	2	4	10	15	20
65+	50	5.9	37	1	1	2	9	14	17	29
TOT. SINGLE DX	2217	1.2	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	2056	2.4	9	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	3872	1.6	3	<1	<1	1	2	2	4	9
20-34	129	2.5	4	<1	1	2	3	5	6	12
35-49	114	3.2	47	<1	1	2	3	5	11	38
50-64	91	3.1	14	1	1	2	3	8	12	19
65+	67	4.8	32	<1	1	2	7	13	15	27
GRAND TOTAL	**4273**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	2.4	2	1	1	2	3	4	4	8
20-34	118	2.3	2	1	1	2	2	4	5	8
35-49	108	2.6	6	1	1	2	3	4	5	16
50-64	75	2.5	1	1	1	2	3	4	5	6
65+	39	3.2	5	1	2	3	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	333	2.8	14	1	1	2	3	4	5	18
20-34	221	3.0	7	1	1	2	3	5	9	16
35-49	184	2.9	9	1	1	2	3	4	6	17
50-64	180	3.6	13	1	2	3	4	7	9	20
65+	119	5.1	58	1	2	3	4	11	16	46
TOT. SINGLE DX	537	2.5	3	1	1	2	3	4	5	8
" MULTIPLE DX	1037	3.3	17	1	1	2	3	5	8	19
TOTAL 0-19 YRS	530	2.7	10	1	1	2	3	4	5	13
20-34	339	2.7	6	1	1	2	3	4	7	14
35-49	292	2.8	8	1	1	2	3	4	5	16
50-64	255	3.3	10	1	2	3	3	6	8	17
65+	158	4.6	46	1	2	3	4	8	14	44
GRAND TOTAL	**1574**	**3.0**	**13**	**1**	**1**	**2**	**3**	**4**	**7**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	1.8	3	<1	<1	1	2	3	4	13
20-34	69	2.6	1	1	1	2	3	4	6	7
35-49	83	2.6	2	1	1	2	3	4	6	9
50-64	59	2.8	3	<1	1	2	3	5	6	12
65+	31	2.8	2	1	1	2	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	145	2.3	4	<1	1	2	2	4	6	14
20-34	78	2.9	5	1	1	2	3	5	10	12
35-49	82	3.4	9	1	1	2	4	7	9	19
50-64	65	4.3	26	1	2	3	4	9	11	32
65+	58	4.0	16	1	1	3	4	8	12	22
TOT. SINGLE DX	362	2.4	3	<1	1	2	3	4	6	9
" MULTIPLE DX	428	3.2	11	1	1	2	3	6	9	21
TOTAL 0-19 YRS	265	2.1	4	<1	<1	2	2	3	5	14
20-34	147	2.8	4	1	1	2	3	4	7	12
35-49	165	3.0	6	1	1	2	3	6	7	13
50-64	124	3.6	16	1	1	3	4	7	10	27
65+	89	3.6	12	1	1	2	4	7	8	22
GRAND TOTAL	**790**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	2.1		1	1	2	3	3	4	5
20-34	163	2.0		1	1	2	3	3	3	5
35-49	118	2.2	1	1	1	2	3	3	4	6
50-64	43	2.5	1	1	1	2	3	4	5	6
65+	11	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	232	2.6	24	<1	1	2	3	4	5	6
20-34	680	2.4	1	1	1	2	3	4	5	7
35-49	478	2.4	1	1	1	2	3	4	5	7
50-64	243	2.8	4	1	1	2	3	4	6	13
65+	63	3.3	13	1	1	3	3	6	7	26
TOT. SINGLE DX	403	2.1	1	1	1	2	3	3	4	6
" MULTIPLE DX	1696	2.5	6	1	1	2	3	4	5	8
TOTAL 0-19 YRS	300	2.5	19	<1	1	2	3	4	4	6
20-34	843	2.3	2	1	1	2	3	4	5	6
35-49	596	2.4	2	1	1	2	3	4	5	7
50-64	286	2.8	4	1	1	2	3	4	6	13
65+	74	3.2	12	1	1	3	3	5	7	24
GRAND TOTAL	**2099**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	422	2.1	1	<1	1	2	3	3	4	5
20-34	796	2.1		<1	1	2	3	3	4	5
35-49	435	2.2	1	<1	1	2	3	3	4	7
50-64	221	2.3	2	1	1	2	3	4	4	9
65+	70	2.6	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	783	2.4	4	1	1	2	3	4	4	9
20-34	1864	2.3	3	1	1	2	3	4	4	7
35-49	1300	2.6	3	1	1	2	3	4	5	11
50-64	658	2.9	7	1	1	2	3	5	7	16
65+	220	3.5	11	1	1	3	4	7	10	21
TOT. SINGLE DX	1944	2.1	1	<1	1	2	3	3	4	6
" MULTIPLE DX	4825	2.5	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1205	2.3	3	1	1	2	3	4	4	7
20-34	2660	2.2	3	1	1	2	3	3	4	7
35-49	1735	2.5	3	1	1	2	3	4	5	10
50-64	879	2.8	6	1	1	2	3	4	6	13
65+	290	3.3	10	1	1	2	4	6	10	18
GRAND TOTAL	**6769**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.3	2	<1	<1	2	2	3	7	9
20-34	84	2.2	3	<1	<1	2	3	4	5	12
35-49	80	2.0	1	<1	<1	2	3	3	4	9
50-64	130	2.4	3	<1	1	2	3	4	5	11
65+	134	2.5	5	<1	<1	2	3	4	4	15
2. MULTIPLE DX										
0-19 YRS	114	2.8	7	<1	<1	2	3	5	7	15
20-34	214	2.5	5	<1	1	2	3	4	6	16
35-49	230	3.2	7	1	1	2	4	6	9	15
50-64	265	3.3	8	1	1	3	4	6	9	18
65+	343	5.0	32	1	1	3	6	10	15	29
TOT. SINGLE DX	518	2.3	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	1166	3.6	15	1	1	2	4	7	10	18
TOTAL 0-19 YRS	204	2.6	5	<1	<1	2	3	5	7	13
20-34	298	2.4	5	<1	1	2	3	4	6	15
35-49	310	2.9	6	<1	1	2	3	6	8	14
50-64	395	3.0	7	<1	1	2	3	5	8	15
65+	477	4.3	26	<1	1	3	5	9	13	24
GRAND TOTAL	**1684**	**3.2**	**12**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	1.7	2	<1	<1	1	2	3	4	10
20-34	294	2.1	2	<1	<1	2	2	4	6	10
35-49	114	2.8	3	<1	<1	2	3	5	7	9
50-64	106	4.0	4	<1	1	4	5	7	8	10
65+	68	5.0	10	1	2	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	240	2.9	17	<1	1	2	3	5	8	12
20-34	340	3.3	18	1	1	2	4	6	8	22
35-49	153	5.3	53	1	1	4	6	9	12	39
50-64	161	5.7	15	1	2	5	7	10	13	18
65+	235	6.3	34	1	2	4	8	14	17	29
TOT. SINGLE DX	945	2.5	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	1129	4.5	28	1	1	3	5	9	12	26
TOTAL 0-19 YRS	603	2.2	9	<1	<1	1	2	4	5	11
20-34	634	2.8	12	<1	1	2	3	5	7	13
35-49	267	4.2	34	<1	1	3	5	8	10	36
50-64	267	5.0	12	1	2	4	6	9	11	16
65+	303	6.0	29	1	2	4	7	13	16	26
GRAND TOTAL	**2074**	**3.5**	**18**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	2.4	2	1	1	2	3	4	5	8
20-34	158	2.6	4	1	1	2	3	4	5	7
35-49	179	2.9	6	1	1	3	3	5	5	10
50-64	148	3.2	5	1	1	3	4	5	7	13
65+	63	2.8	1	1	2	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	68	3.5	8	<1	1	3	4	7	10	16
20-34	218	3.9	13	1	1	3	4	7	12	21
35-49	294	4.0	24	1	1	3	4	7	11	20
50-64	244	4.3	13	1	2	3	5	9	12	19
65+	166	4.7	17	1	2	3	6	9	13	23
TOT. SINGLE DX	593	2.8	5	1	1	2	3	5	5	10
" MULTIPLE DX	990	4.2	17	1	2	3	4	8	12	22
TOTAL 0-19 YRS	113	3.1	6	<1	1	2	3	5	8	15
20-34	376	3.4	10	1	1	3	4	5	9	20
35-49	473	3.6	18	1	1	3	4	6	9	17
50-64	392	3.9	11	1	2	3	4	7	10	18
65+	229	4.2	13	1	2	3	5	8	10	22
GRAND TOTAL	**1583**	**3.7**	**13**	**1**	**1**	**3**	**4**	**6**	**10**	**20**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.5	5	<1	<1	2	3	5	8	12
20-34	130	3.5	10	1	1	3	4	7	9	18
35-49	123	3.0	3	1	1	2	4	6	7	9
50-64	98	3.1	5	1	1	2	3	6	8	14
65+	54	4.1	24	1	1	3	5	8	10	34
2. MULTIPLE DX										
0-19 YRS	159	5.0	22	1	1	3	7	10	14	27
20-34	231	4.2	21	1	1	3	5	8	12	27
35-49	236	4.7	38	1	1	3	5	9	12	32
50-64	230	5.3	27	1	1	4	6	11	15	27
65+	172	6.9	47	1	2	5	8	15	19	37
TOT. SINGLE DX	498	3.2	9	1	1	2	4	7	8	14
" MULTIPLE DX	1028	5.1	32	1	1	3	6	11	15	27
TOTAL 0-19 YRS	252	4.1	18	<1	1	3	5	9	11	27
20-34	361	4.0	17	1	1	3	5	8	12	26
35-49	359	4.1	27	1	1	3	4	8	11	17
50-64	328	4.6	22	1	1	3	5	10	13	26
65+	226	6.2	43	1	2	4	8	13	18	36
GRAND TOTAL	**1526**	**4.5**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	499	1.6		<1	<1	2	2	2	2	4
20-34	347	1.7		<1	1	2	2	2	3	4
35-49	121	2.1	1	1	1	2	2	3	4	8
50-64	58	2.6	5	1	1	2	3	4	6	15
65+	41	2.7	4	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	416	2.7	29	<1	<1	2	2	4	7	52
20-34	564	4.9	76	1	1	2	4	10	17	46
35-49	424	4.5	27	1	2	2	5	10	14	28
50-64	446	5.3	65	1	2	3	5	11	16	44
65+	471	6.0	66	2	2	3	6	13	20	43
TOT. SINGLE DX	1066	1.8	1	<1	1	2	2	2	3	7
" MULTIPLE DX	2321	4.7	56	1	1	2	4	10	16	41
TOTAL 0-19 YRS	915	2.1	14	<1	<1	2	2	3	4	13
20-34	911	3.7	50	<1	1	2	3	7	12	35
35-49	545	4.0	22	1	1	2	3	9	13	26
50-64	504	5.0	59	1	2	2	5	11	15	43
65+	512	5.7	63	1	2	3	6	12	19	42
GRAND TOTAL	**3387**	**3.8**	**41**	**1**	**1**	**2**	**3**	**8**	**12**	**31**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	1.2		<1	<1	1	1	2	2	3
20-34	23	2.5	3	<1	<1	2	4	5	6	8
35-49	9	3.3	20	<1	<1	2	3	11	15	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	329	1.4	1	<1	<1	1	2	2	3	8
20-34	37	3.0	8	<1	<1	2	3	8	10	12
35-49	16	4.4	29	<1	<1	3	5	9	19	23
50-64	6	3.3	6	1	1	3	4	8	8	8
65+	4	4.5	25	1	1	2	7	12	12	12
TOT. SINGLE DX	268	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	392	1.8	4	<1	<1	1	2	3	5	12
TOTAL 0-19 YRS	561	1.3	1	<1	<1	1	1	2	2	6
20-34	60	2.8	6	<1	<1	2	4	7	9	12
35-49	25	4.0	25	<1	<1	2	4	9	17	23
50-64	8	3.3	5	1	1	3	4	7	8	8
65+	6	3.7	17	1	1	2	3	11	12	12
GRAND TOTAL	**660**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	71	2.6	6	1	1	2	3	5	6	17
20-34	68	2.5	3	1	1	2	2	4	7	11
35-49	148	2.6	1	1	1	2	3	4	4	6
50-64	124	2.9	2	1	2	3	3	4	6	9
65+	38	3.6	11	1	1	3	4	5	10	21
2. MULTIPLE DX										
0-19 YRS	104	2.3	1	<1	1	2	3	4	5	49
20-34	78	4.2	18	1	2	3	4	9	14	24
35-49	121	3.2	4	2	2	3	4	5	7	13
50-64	147	4.3	58	2	2	3	4	7	9	19
65+	126	5.2	46	1	2	3	5	9	16	42
TOT. SINGLE DX	449	2.7	4	1	1	2	3	4	5	12
" MULTIPLE DX	576	3.9	29	1	2	3	4	6	9	26
TOTAL 0-19 YRS	175	2.4	4	<1	1	2	3	4	5	17
20-34	146	3.4	12	1	1	2	3	7	10	18
35-49	269	2.9	3	1	2	2	3	4	5	10
50-64	271	3.6	33	1	2	3	4	6	7	16
65+	164	4.9	39	1	2	3	5	8	15	38
GRAND TOTAL	**1025**	**3.4**	**18**	**1**	**1**	**2**	**4**	**5**	**8**	**18**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	98	2.8	1	1	1	3	4	4	5	9
20-34	205	3.1	2	1	2	3	4	5	5	8
35-49	250	3.1	5	1	2	3	4	5	6	8
50-64	250	3.7	5	2	2	3	4	6	7	14
65+	206	3.5	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	44	3.3	6	1	1	2	4	7	10	11
20-34	87	3.8	18	1	1	3	4	7	9	28
35-49	135	4.4	10	2	2	3	5	9	11	16
50-64	199	5.0	13	2	2	4	6	9	12	17
65+	333	6.2	61	2	2	4	6	11	15	45
TOT. SINGLE DX	1009	3.3	4	1	2	3	4	5	6	10
" MULTIPLE DX	798	5.2	34	2	2	4	6	9	13	29
TOTAL 0-19 YRS	142	2.9	3	1	1	3	4	5	6	11
20-34	292	3.3	7	1	1	3	4	5	7	12
35-49	385	3.6	7	1	2	3	4	6	8	14
50-64	449	4.3	10	2	2	3	5	8	10	16
65+	539	5.2	41	2	2	4	5	9	12	31
GRAND TOTAL	**1807**	**4.1**	**18**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	358	3.8	2	1	2	4	5	6	7	8
20-34	11	3.0	1	1	1	3	4	4	4	4
35-49	13	3.2	3	1	1	3	4	6	8	8
50-64	8	2.6	1	1	1	3	3	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	255	4.3	10	2	2	4	5	6	8	16
20-34	22	3.9	7	1	1	3	5	6	9	14
35-49	17	5.0	29	2	2	4	5	8	19	25
50-64	18	4.1	3	1	2	4	5	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	392	3.7	2	1	2	4	5	6	7	8
" MULTIPLE DX	313	4.3	11	2	2	4	5	7	8	19
TOTAL 0-19 YRS	613	4.0	6	2	2	4	5	6	7	9
20-34	33	3.6	5	1	2	3	4	5	6	14
35-49	30	4.2	19	1	2	3	4	7	8	25
50-64	26	3.7	3	1	2	3	5	7	7	7
65+	3	4.3	2	3	3	4	5	6	6	6
GRAND TOTAL	**705**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	443	2.8	5	<1	1	2	4	5	6	8
20-34	138	4.0	16	<1	1	3	5	8	11	20
35-49	105	3.1	5	<1	1	2	4	6	9	12
50-64	200	3.6	12	<1	1	2	4	7	11	17
65+	215	3.6	11	<1	1	2	4	7	11	18
2. MULTIPLE DX										
0-19 YRS	364	3.9	24	1	1	3	5	8	10	20
20-34	212	4.1	17	1	1	3	5	8	11	23
35-49	227	7.2	106	1	1	4	8	14	25	52
50-64	378	7.1	78	1	2	4	8	15	26	56
65+	547	7.6	87	1	2	5	9	17	24	50
TOT. SINGLE DX	1101	3.3	10	<1	1	2	4	6	8	16
" MULTIPLE DX	1728	6.3	69	1	1	4	7	13	20	45
TOTAL 0-19 YRS	807	3.3	15	<1	1	2	4	6	8	15
20-34	350	4.0	17	<1	1	3	5	8	11	21
35-49	332	5.9	78	1	1	3	7	11	20	45
50-64	578	5.9	58	1	1	3	7	13	18	36
65+	762	6.5	69	1	1	4	8	14	21	49
GRAND TOTAL	**2829**	**5.1**	**48**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3429	1.8		1	1	2	2	2	3	4
20-34	2502	1.9		1	1	2	2	3	3	5
35-49	331	2.1	1	1	1	2	2	3	4	6
50-64	70	2.6	2	1	1	2	3	5	5	10
65+	19	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	1080	2.0	2	1	1	2	2	3	4	7
20-34	695	2.4	2	1	1	2	3	4	5	9
35-49	172	3.2	10	1	1	2	3	6	8	20
50-64	41	4.5	34	1	1	3	4	8	12	37
65+	21	5.4	22	1	1	3	10	12	14	16
TOT. SINGLE DX	6351	1.9	1	1	1	2	2	3	3	5
" MULTIPLE DX	2009	2.3	4	1	1	2	2	4	5	10
TOTAL 0-19 YRS	4509	1.8	1	1	1	2	2	3	3	5
20-34	3197	2.0	1	1	1	2	2	3	4	6
35-49	503	2.5	4	1	1	2	3	4	6	11
50-64	111	3.3	15	1	1	2	4	6	7	22
65+	40	3.9	15	1	1	2	4	11	12	16
GRAND TOTAL	**8360**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6603	1.8	2	<1	1	2	2	2	3	4
20-34	340	2.1	1	1	1	2	2	3	4	6
35-49	38	2.6	3	<1	1	2	3	5	6	10
50-64	6	2.2		2	2	2	2	3	3	3
65+	7	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	5748	1.9	1	1	1	2	2	2	3	6
20-34	142	2.6	3	1	1	2	3	4	6	11
35-49	23	3.6	3	1	2	3	4	6	8	9
50-64	4	3.8	6	1	1	3	5	7	7	7
65+	6	5.0	23	1	1	4	6	13	14	14
TOT. SINGLE DX	6994	1.8	2	1	1	2	2	2	3	4
" MULTIPLE DX	5923	1.9	2	1	1	2	2	2	3	6
TOTAL 0-19 YRS	12351	1.8	2	1	1	2	2	2	3	5
20-34	482	2.2	3	1	1	2	3	3	4	9
35-49	61	3.0	4	1	1	2	4	5	7	10
50-64	10	2.8	3	1	1	2	3	5	7	7
65+	13	3.1	13	<1	<1	2	3	8	13	14
GRAND TOTAL	**12917**	**1.8**	**2**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	1.3		<1	<1	1	2	2	2	4
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	1293	1.5	5	<1	<1	1	2	2	2	8
20-34	3	4.7	40	1	1	1	9	12	12	12
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	295	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	1300	1.5	6	<1	<1	1	2	2	2	8
TOTAL 0-19 YRS	1582	1.5	5	<1	<1	1	2	2	2	7
20-34	7	2.7	17	<1	<1	1	2	10	12	12
35-49	3	3.0	3	<1	<1	4	4	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1595**	**1.5**	**5**	**<1**	**<1**	**1**	**2**	**2**	**2**	**7**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	353	2.1	2	<1	1	2	2	4	5	7
20-34	263	2.5	2	1	1	2	3	4	5	8
35-49	104	2.6	4	1	1	2	3	5	6	12
50-64	69	3.8	11	<1	1	2	5	9	10	19
65+	60	3.3	4	<1	1	3	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	140	3.5	12	1	1	3	4	7	10	17
20-34	124	3.2	4	1	1	3	4	6	7	11
35-49	100	5.3	32	1	2	4	6	11	14	33
50-64	135	8.0	92	1	2	4	10	19	24	50
65+	129	8.7	137	1	2	4	10	19	36	66
TOT. SINGLE DX	849	2.5	4	<1	1	2	3	5	6	10
" MULTIPLE DX	628	5.8	62	1	1	3	6	12	18	45
TOTAL 0-19 YRS	493	2.5	6	<1	1	2	3	4	6	12
20-34	387	2.7	3	1	1	2	3	5	6	10
35-49	204	3.9	20	1	1	3	5	8	12	17
50-64	204	6.6	69	1	1	3	8	17	21	46
65+	189	7.0	101	1	2	4	8	14	22	62
GRAND TOTAL	**1477**	**3.9**	**31**	**1**	**1**	**2**	**4**	**8**	**11**	**29**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.8	1	<1	<1	1	2	4	5	5
20-34	21	2.3	1	<1	1	2	3	4	5	5
35-49	30	3.0	4	<1	1	3	4	6	8	9
50-64	30	4.0	25	1	1	3	5	7	10	28
65+	32	3.7	5	<1	1	3	5	7	9	9
2. MULTIPLE DX										
0-19 YRS	78	3.8	40	1	1	3	4	6	7	44
20-34	14	4.8	10	2	2	4	5	9	13	14
35-49	33	4.5	13	1	2	3	5	8	15	17
50-64	66	5.3	45	1	1	4	5	9	12	47
65+	122	5.5	49	1	1	4	6	9	12	52
TOT. SINGLE DX	153	2.9	8	<1	1	2	4	6	7	10
" MULTIPLE DX	313	4.9	41	1	1	3	5	8	11	51
TOTAL 0-19 YRS	118	3.1	28	<1	1	2	3	5	6	25
20-34	35	3.3	6	1	1	3	4	5	8	14
35-49	63	3.7	10	<1	1	3	5	7	9	17
50-64	96	4.9	39	1	1	4	5	8	12	41
65+	154	5.1	41	1	1	4	6	9	11	50
GRAND TOTAL	466	4.2	31	1	1	3	5	7	9	28

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	1.9	3	<1	1	2	2	2	3	14
20-34	121	1.6		<1	<1	1	2	2	3	4
35-49	250	1.7		<1	<1	2	2	2	3	5
50-64	402	2.0	1	<1	<1	2	2	3	4	9
65+	220	2.0	2	<1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	64	3.5	16	1	1	2	3	8	13	20
20-34	72	2.7	14	1	1	2	3	4	6	27
35-49	163	4.2	69	<1	1	2	4	9	14	32
50-64	363	3.4	20	1	1	2	3	7	11	26
65+	326	4.2	29	1	1	2	4	9	14	29
TOT. SINGLE DX	1113	1.9	2	<1	<1	2	2	2	3	8
" MULTIPLE DX	988	3.7	31	1	1	2	3	8	12	27
TOTAL 0-19 YRS	184	2.5	8	1	1	2	2	4	8	16
20-34	193	2.0	6	<1	<1	2	2	3	4	10
35-49	413	2.7	29	<1	1	2	2	4	8	20
50-64	765	2.7	11	<1	1	2	2	4	8	20
65+	546	3.3	20	1	1	2	3	7	11	25
GRAND TOTAL	2101	2.8	16	<1	1	2	2	5	8	20

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.8	11	1	1	2	2	3	12	16
20-34	9	6.3	35	<1	1	2	13	15	15	15
35-49	14	6.7	36	<1	1	4	10	17	17	17
50-64	31	7.8	41	1	2	8	10	13	19	33
65+	27	7.6	33	1	1	9	13	16	17	18
2. MULTIPLE DX										
0-19 YRS	28	8.3	207	1	1	2	7	21	43	66
20-34	6	3.2	3	1	1	3	4	6	6	6
35-49	13	11.0	96	1	2	7	15	28	30	31
50-64	50	10.7	81	1	2	8	16	24	27	38
65+	55	12.1	141	2	2	9	16	22	40	58
TOT. SINGLE DX	98	6.6	35	1	1	4	11	15	17	26
" MULTIPLE DX	152	10.5	126	1	2	6	15	23	32	59
TOTAL 0-19 YRS	45	6.2	139	1	1	2	3	19	26	66
20-34	15	5.1	24	<1	1	3	6	14	15	15
35-49	27	8.8	67	1	1	7	13	21	28	31
50-64	81	9.6	67	1	2	8	13	23	25	36
65+	82	10.6	109	1	2	9	15	19	32	55
GRAND TOTAL	250	9.0	93	1	2	6	13	19	27	48

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	10	11.8	48	2	2	11	14	22	26	26
50-64	29	13.0	15	7	8	12	15	19	19	21
65+	21	16.2	61	8	10	14	16	26	37	42
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	18	25.2	288	9	13	19	26	55	65	71
50-64	106	19.5	147	9	11	17	22	30	38	82
65+	93	20.3	180	9	10	16	24	31	43	87
TOT. SINGLE DX	60	13.9	39	6	8	14	15	20	24	41
" MULTIPLE DX	217	20.3	173	9	10	17	23	32	44	82
TOTAL 0-19 YRS										
20-34										
35-49	28	20.4	240	3	7	18	22	45	57	71
50-64	135	18.1	126	9	10	15	20	27	36	78
65+	114	19.5	160	9	10	16	23	31	41	83
GRAND TOTAL	277	18.9	151	8	10	16	21	29	40	76

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+	9	11.7	77	1	1	11	20	24	25	25
2. MULTIPLE DX										
0-19 YRS	15	32.9	581	8	10	27	56	98	99+	99+
20-34	16	39.4	696	5	8	42	73	96	99+	99+
35-49	13	24.5	417	4	4	22	32	51	73	78
50-64	48	26.2	373	7	7	21	43	56	72	99+
65+	71	31.5	524	4	7	28	43	74	92	99+
TOT. SINGLE DX	14	9.9	77	1	1	6	19	23	24	25
" MULTIPLE DX	163	30.3	498	5	7	26	47	74	94	99+
TOTAL 0-19 YRS	17	30.4	573	4	8	26	53	96	99+	99+
20-34	17	37.3	731	3	5	39	70	95	99+	99+
35-49	15	21.7	412	3	4	13	30	44	69	78
50-64	48	26.2	374	7	7	21	43	56	72	99+
65+	80	29.3	513	3	5	25	40	73	86	99+
GRAND TOTAL	**177**	**28.7**	**495**	**4**	**6**	**24**	**44**	**73**	**92**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	6.4	113	1	2	2	5	25	47	99+
20-34	19	2.1	1	<1	<1	2	2	4	5	5
35-49	14	4.7	9	<1	1	4	6	10	10	10
50-64	31	5.3	45	1	1	2	5	16	25	26
65+	26	4.9	24	1	2	3	5	15	16	19
2. MULTIPLE DX										
0-19 YRS	106	18.9	449	1	2	14	38	98	99+	99+
20-34	57	25.4	705	2	3	14	45	95	99+	99+
35-49	70	23.1	417	2	4	17	37	58	70	96
50-64	190	20.6	498	1	2	11	35	65	82	99+
65+	252	25.7	593	1	2	18	44	67	93	99+
TOT. SINGLE DX	126	5.0	51	1	1	2	5	13	20	65
" MULTIPLE DX	675	22.9	540	2	2	15	41	70	97	99+
TOTAL 0-19 YRS	142	15.8	393	1	2	9	27	85	99+	99+
20-34	76	19.6	631	1	1	9	35	84	99+	99+
35-49	84	20.0	396	2	2	10	29	54	67	93
50-64	221	18.4	463	1	2	9	30	62	78	99+
65+	278	23.8	577	1	2	15	42	64	87	99+
GRAND TOTAL	**801**	**20.1**	**505**	**1**	**2**	**11**	**35**	**65**	**94**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.5	13	<1	1	3	6	11	12	14
20-34	102	4.3	10	1	1	3	6	8	11	16
35-49	158	6.4	35	1	2	4	8	14	17	29
50-64	321	5.7	23	1	1	4	8	11	15	21
65+	331	6.1	27	1	2	4	8	13	17	25
2. MULTIPLE DX										
0-19 YRS	29	8.8	86	2	2	7	11	18	21	49
20-34	205	9.1	69	2	2	6	12	20	24	41
35-49	535	9.5	74	2	2	7	12	19	25	54
50-64	1701	9.9	76	2	2	8	12	20	27	48
65+	2786	10.7	72	2	3	9	14	20	27	44
TOT. SINGLE DX	940	5.8	25	1	2	4	8	12	16	25
" MULTIPLE DX	5256	10.2	74	2	3	8	13	20	26	45
TOTAL 0-19 YRS	57	6.7	54	1	1	4	9	12	18	47
20-34	307	7.5	55	1	2	5	9	17	22	40
35-49	693	8.8	67	1	2	7	11	17	24	48
50-64	2022	9.2	71	2	2	7	11	18	25	44
65+	3117	10.2	69	2	3	8	13	20	26	43
GRAND TOTAL	**6196**	**9.5**	**69**	**2**	**2**	**8**	**12**	**19**	**25**	**44**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	4	27.3	1715	1	1	9	50	89	89	89
20-34										
35-49										
50-64	3	10.0	39	3	3	12	14	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	8	18.3	840	1	2	9	14	67	89	89
TOTAL 0-19 YRS	4	27.3	1715	1	1	9	50	89	89	89
20-34										
35-49										
50-64	4	8.0	42	2	2	7	13	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**9**	**16.4**	**764**	**1**	**1**	**7**	**13**	**59**	**89**	**89**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	9.0	21	4	4	8	11	14	20	23
20-34	75	8.7	34	1	2	7	12	17	22	25
35-49	101	8.7	32	1	2	8	11	16	22	27
50-64	203	9.1	38	1	2	8	12	17	19	34
65+	188	8.5	32	1	2	8	13	17	19	22
2. MULTIPLE DX										
0-19 YRS	51	15.6	144	5	5	11	21	31	42	59
20-34	133	11.7	47	2	5	10	16	21	26	32
35-49	274	12.7	121	2	4	10	15	24	31	66
50-64	812	13.4	102	2	4	11	17	24	31	61
65+	1120	13.5	118	2	3	11	17	26	33	58
TOT. SINGLE DX	584	8.8	34	1	2	8	12	17	19	24
" MULTIPLE DX	2390	13.3	110	2	4	11	17	25	32	59
TOTAL 0-19 YRS	68	14.0	121	4	5	10	19	29	34	57
20-34	208	10.6	44	2	3	9	14	20	24	30
35-49	375	11.6	100	2	3	9	14	22	29	63
50-64	1015	12.5	93	2	3	10	16	23	30	59
65+	1308	12.8	109	2	3	11	16	24	31	55
GRAND TOTAL	**2974**	**12.4**	**98**	**2**	**3**	**10**	**16**	**23**	**30**	**56**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	10.8	22	5	6	10	14	18	18	18
20-34	6	9.5	32	1	2	9	13	17	18	18
35-49	42	11.1	11	6	7	11	13	16	17	19
50-64	96	12.6	26	7	8	11	15	19	22	33
65+	91	14.5	46	8	8	13	16	23	30	41
2. MULTIPLE DX										
0-19 YRS	17	15.5	62	8	8	13	21	25	32	36
20-34	19	13.9	65	6	7	12	15	25	34	39
35-49	105	18.5	168	8	8	14	22	31	38	85
50-64	427	16.3	71	8	9	14	19	25	31	53
65+	431	17.6	76	8	9	15	21	29	34	49
TOT. SINGLE DX	243	12.9	33	7	8	12	15	19	23	37
" MULTIPLE DX	999	17.0	84	8	9	15	21	28	33	52
TOTAL 0-19 YRS	25	14.0	53	6	7	12	18	24	28	36
20-34	25	12.9	60	5	7	12	15	20	31	39
35-49	147	16.4	135	7	8	13	18	28	36	85
50-64	523	15.6	65	8	8	14	19	24	30	51
65+	522	17.0	73	8	9	14	21	28	34	48
GRAND TOTAL	**1242**	**16.2**	**77**	**8**	**8**	**14**	**19**	**26**	**32**	**50**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	3.3	18	<1	1	2	3	7	10	26
20-34	144	5.3	30	1	1	3	7	10	13	27
35-49	185	4.7	18	1	1	3	7	10	15	19
50-64	318	5.8	32	1	1	4	8	14	17	24
65+	265	6.9	40	1	2	5	9	14	18	36
2. MULTIPLE DX										
0-19 YRS	338	8.8	102	1	2	6	11	19	26	99
20-34	278	9.9	98	1	2	7	13	21	27	55
35-49	659	9.1	78	2	2	7	12	19	23	48
50-64	1515	9.7	77	2	2	8	12	19	25	47
65+	2217	11.5	106	2	3	9	15	22	31	57
TOT. SINGLE DX	1177	5.2	30	1	1	3	7	12	16	27
" MULTIPLE DX	5007	10.4	94	2	2	8	13	20	28	52
TOTAL 0-19 YRS	603	6.4	73	1	1	3	8	14	21	50
20-34	422	8.3	80	1	2	6	11	17	25	49
35-49	844	8.1	68	1	2	6	10	17	21	43
50-64	1833	9.0	72	1	2	7	12	18	24	41
65+	2482	11.0	102	2	3	8	14	21	29	55
GRAND TOTAL	**6184**	**9.4**	**86**	**1**	**2**	**7**	**12**	**19**	**26**	**49**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.1	15	2	2	7	9	11	16	18
20-34	62	5.5	7	2	3	5	7	9	11	14
35-49	24	7.1	26	2	3	6	8	15	21	22
50-64	14	10.3	155	2	3	5	9	34	41	43
65+	10	6.9	33	2	2	5	6	17	21	21
2. MULTIPLE DX										
0-19 YRS	25	13.9	222	2	3	8	16	38	46	64
20-34	43	10.2	102	2	3	7	11	27	35	45
35-49	30	9.1	59	2	3	6	11	28	31	99+
50-64	65	11.3	70	3	3	9	16	20	28	47
65+	78	13.0	119	3	4	10	15	27	34	55
TOT. SINGLE DX	127	6.6	31	2	3	5	8	11	17	35
" MULTIPLE DX	241	11.6	107	2	3	9	15	27	33	57
TOTAL 0-19 YRS	42	11.1	147	2	3	7	11	23	39	64
20-34	105	7.4	51	2	3	6	8	12	21	41
35-49	54	8.2	45	2	3	6	9	20	28	96
50-64	79	11.2	84	3	3	8	15	21	30	48
65+	88	12.3	113	2	4	10	14	26	33	55
GRAND TOTAL	**368**	**9.9**	**86**	**2**	**3**	**7**	**12**	**20**	**31**	**52**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	5.6	11	2	2	5	7	10	11	21
20-34	487	5.4	10	2	3	5	6	8	10	15
35-49	194	5.9	16	2	2	5	7	10	14	20
50-64	95	9.5	91	3	3	7	11	18	25	59
65+	84	9.8	98	2	3	8	12	17	18	64
2. MULTIPLE DX										
0-19 YRS	257	13.1	174	2	4	9	16	29	48	99+
20-34	508	10.0	107	3	3	7	11	19	29	67
35-49	393	10.2	61	3	3	8	13	21	26	45
50-64	659	12.9	117	3	4	10	16	25	35	56
65+	873	13.7	101	3	5	11	17	25	33	51
TOT. SINGLE DX	997	6.3	29	2	3	5	7	11	14	25
" MULTIPLE DX	2690	12.2	110	3	4	9	15	24	33	60
TOTAL 0-19 YRS	394	10.5	131	2	3	7	13	24	33	99+
20-34	995	7.7	65	2	3	6	8	14	19	52
35-49	587	8.7	51	2	3	6	11	17	23	37
50-64	754	12.4	115	3	4	9	15	24	34	56
65+	957	13.3	103	3	4	11	17	25	33	51
GRAND TOTAL	3687	10.6	95	3	3	8	13	22	29	54

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	6.0	8	2	2	6	7	9	11	17
20-34	95	6.4	27	1	1	5	9	13	16	28
35-49	83	5.7	30	<1	1	4	8	14	17	26
50-64	110	8.1	61	1	2	6	10	18	20	40
65+	87	8.8	50	1	2	6	13	19	20	34
2. MULTIPLE DX										
0-19 YRS	86	10.2	57	2	3	8	12	20	29	38
20-34	131	10.7	80	2	2	8	12	25	31	46
35-49	212	10.6	82	2	2	8	14	22	32	42
50-64	437	12.2	98	2	3	10	16	24	31	52
65+	654	11.9	92	2	3	9	16	23	29	45
TOT. SINGLE DX	637	6.8	30	1	2	6	8	14	17	27
" MULTIPLE DX	1520	11.6	90	2	3	9	16	23	30	45
TOTAL 0-19 YRS	348	7.0	23	2	2	6	8	11	15	29
20-34	226	8.9	62	1	2	7	11	18	27	40
35-49	295	9.2	72	1	2	7	13	19	27	40
50-64	547	11.4	94	2	2	9	16	23	29	51
65+	741	11.5	88	2	3	9	16	22	29	43
GRAND TOTAL	2157	10.2	77	2	2	8	13	21	27	42

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	9.2	16	5	5	8	10	14	16	26
20-34	23	10.2	13	6	7	10	10	16	19	20
35-49	47	11.7	15	7	8	11	14	18	20	22
50-64	58	11.6	18	7	7	11	13	17	20	30
65+	27	15.8	41	9	10	14	17	22	30	39
2. MULTIPLE DX										
0-19 YRS	489	13.6	92	5	6	11	16	25	33	76
20-34	72	18.8	285	7	8	12	21	45	72	96
35-49	126	15.9	95	7	8	14	20	25	35	99+
50-64	313	17.4	130	8	9	14	19	28	37	72
65+	327	19.7	147	8	10	16	24	34	45	69
TOT. SINGLE DX	376	10.4	22	5	6	9	12	16	20	29
" MULTIPLE DX	1327	16.5	131	6	8	13	20	29	41	80
TOTAL 0-19 YRS	710	12.2	73	5	6	10	14	21	29	60
20-34	95	16.8	232	6	8	11	18	44	51	91
35-49	173	14.7	77	7	8	12	18	23	29	94
50-64	371	16.5	117	8	9	13	18	26	34	66
65+	354	19.4	140	8	10	16	23	33	45	69
GRAND TOTAL	1703	15.2	113	6	7	12	18	26	36	70

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	11.2	3	9	9	11	12	14	14	14
35-49	102	11.4	13	7	8	11	13	17	18	25
50-64	252	11.8	18	8	8	11	13	16	19	34
65+	97	13.0	21	7	8	12	16	19	24	27
2. MULTIPLE DX										
0-19 YRS	3	11.7	4	10	10	11	13	14	14	14
20-34	17	12.3	24	6	7	11	17	20	21	22
35-49	852	12.1	41	7	8	10	13	17	22	38
50-64	2872	13.2	41	8	8	11	15	20	25	37
65+	1950	15.7	74	8	9	13	18	24	31	49
TOT. SINGLE DX	457	12.0	18	8	8	11	13	17	19	30
" MULTIPLE DX	5694	13.9	54	8	8	12	16	21	27	43
TOTAL 0-19 YRS	4	11.0	5	9	9	10	12	14	14	14
20-34	22	12.0	19	6	7	11	14	19	21	22
35-49	954	12.1	38	7	8	10	13	17	22	37
50-64	3124	13.0	40	8	8	11	14	20	25	36
65+	2047	15.6	72	8	9	13	18	24	31	48
GRAND TOTAL	6151	13.7	52	8	8	12	15	21	26	42

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	530	1.9	5	1	1	2	2	2	4	13
20-34	203	3.4	8	1	2	2	3	8	10	14
35-49	1194	3.2	7	1	2	2	3	7	9	13
50-64	1751	3.3	8	1	2	2	3	7	10	14
65+	490	3.8	13	1	2	2	5	8	12	20
2. MULTIPLE DX										
0-19 YRS	1086	2.9	25	1	1	2	2	5	7	22
20-34	446	5.4	35	2	2	3	7	12	14	29
35-49	3953	4.7	19	2	2	3	6	10	12	21
50-64	8493	5.0	22	2	2	3	7	11	14	22
65+	4546	6.1	34	2	2	4	8	13	17	29
TOT. SINGLE DX	4168	3.2	8	1	1	2	3	7	9	14
" MULTIPLE DX	18524	5.1	26	2	2	3	7	11	14	24
TOTAL 0-19 YRS	1616	2.6	19	1	1	2	2	4	6	19
20-34	649	4.8	28	1	2	3	6	10	13	26
35-49	5147	4.3	17	2	2	2	5	9	12	20
50-64	10244	4.7	20	2	2	3	6	10	13	21
65+	5036	5.9	33	2	2	4	8	13	17	28
GRAND TOTAL	**22692**	**4.7**	**23**	**1**	**2**	**3**	**6**	**10**	**13**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	5.9	11	2	2	5	7	11	13	14
20-34	11	6.3	9	1	3	6	9	10	11	11
35-49	25	5.0	12	1	2	3	7	9	13	15
50-64	121	6.2	18	2	2	5	8	13	16	21
65+	450	5.3	15	1	2	4	6	11	13	20
2. MULTIPLE DX										
0-19 YRS	30	6.8	12	2	3	6	9	12	13	17
20-34	37	8.4	43	1	2	6	11	16	25	28
35-49	156	9.8	49	2	3	9	13	16	21	42
50-64	837	10.5	62	3	3	9	13	19	23	36
65+	4539	10.5	61	3	3	9	13	19	25	41
TOT. SINGLE DX	624	5.5	16	2	2	4	7	11	14	20
" MULTIPLE DX	5599	10.4	61	3	3	9	13	19	25	41
TOTAL 0-19 YRS	47	6.5	12	2	3	6	8	11	13	17
20-34	48	7.9	36	1	2	6	10	14	23	28
35-49	181	9.1	47	2	3	8	12	16	19	40
50-64	958	9.9	59	2	3	8	13	18	23	35
65+	4989	10.0	59	2	3	8	13	19	24	40
GRAND TOTAL	**6223**	**9.9**	**58**	**2**	**3**	**8**	**13**	**18**	**24**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	6.2	8	2	2	7	9	9	10	11
20-34	25	6.4	12	1	1	7	9	10	11	11
35-49	71	5.1	13	2	2	4	7	11	13	16
50-64	131	4.8	15	2	2	3	6	10	12	19
65+	36	4.9	14	2	2	3	7	10	14	15
2. MULTIPLE DX										
0-19 YRS	69	10.3	74	1	3	8	12	20	23	54
20-34	67	10.9	77	2	3	8	14	26	32	37
35-49	391	8.1	41	2	3	6	10	15	20	36
50-64	767	8.0	39	3	3	6	10	15	20	35
65+	383	9.6	49	3	3	8	13	18	23	35
TOT. SINGLE DX	291	5.2	14	2	2	4	7	10	12	16
" MULTIPLE DX	1677	8.6	46	3	3	7	11	17	21	36
TOTAL 0-19 YRS	97	9.1	58	1	2	8	10	16	22	46
20-34	92	9.7	64	1	3	8	11	18	30	37
35-49	462	7.6	38	2	3	6	10	14	19	34
50-64	898	7.5	37	2	3	6	10	15	19	33
65+	419	9.2	48	2	3	7	12	18	23	34
GRAND TOTAL	**1968**	**8.1**	**43**	**2**	**3**	**6**	**10**	**16**	**20**	**34**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	378	2.8	12	1	1	2	2	5	9	19
20-34	99	4.2	44	<1	1	2	5	9	12	43
35-49	121	3.0	14	<1	1	2	3	7	9	19
50-64	207	4.0	24	<1	1	2	4	11	15	22
65+	169	4.4	18	1	1	2	6	11	14	21
2. MULTIPLE DX										
0-19 YRS	405	6.8	71	1	1	4	9	15	22	58
20-34	198	8.8	99	1	2	6	11	18	28	73
35-49	423	9.1	73	1	2	7	13	19	25	40
50-64	956	8.9	73	1	2	7	12	18	24	44
65+	2184	11.6	93	2	3	9	15	23	29	50
TOT. SINGLE DX	974	3.5	20	<1	1	2	3	8	12	21
" MULTIPLE DX	4166	10.1	87	1	2	8	14	21	27	48
TOTAL 0-19 YRS	783	4.9	47	1	1	2	5	12	16	33
20-34	297	7.3	85	1	1	5	9	15	22	61
35-49	544	7.7	67	1	1	5	11	17	24	37
50-64	1163	8.1	68	1	1	5	11	17	23	38
65+	2353	11.1	91	2	2	9	15	22	28	50
GRAND TOTAL	**5140**	**8.9**	**81**	**1**	**1**	**6**	**12**	**19**	**26**	**45**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	25	3.4	2	1	1	3	4	5	7	8
20-34	297	3.7	3	2	2	3	4	5	7	9
35-49	509	3.9	3	2	2	4	5	6	7	10
50-64	377	4.5	9	2	2	4	5	7	9	20
65+	105	6.1	33	2	3	5	6	12	13	36
2. MULTIPLE DX										
0-19 YRS	4	8.3	98	2	2	4	14	23	23	23
20-34	83	5.7	18	2	3	4	7	10	16	26
35-49	240	5.7	25	2	2	4	6	11	17	26
50-64	260	6.2	19	2	2	5	7	12	14	25
65+	184	8.1	60	2	3	6	11	16	20	28
TOT. SINGLE DX	1313	4.2	8	2	2	4	5	6	8	14
" MULTIPLE DX	771	6.5	32	2	2	5	7	13	17	26
TOTAL 0-19 YRS	29	4.1	16	1	1	3	4	6	9	23
20-34	380	4.1	7	2	2	4	5	6	8	17
35-49	749	4.5	11	2	2	4	5	7	10	18
50-64	637	5.2	14	2	2	4	6	9	12	23
65+	289	7.4	52	2	3	5	9	14	18	28
GRAND TOTAL	**2084**	**5.0**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	28	6.7	10	2	3	7	9	11	12	14
20-34	21	7.4	69	<1	1	4	8	17	27	37
35-49	83	8.1	13	3	4	8	11	13	15	17
50-64	249	10.2	36	3	5	9	12	17	21	28
65+	221	10.5	34	4	5	9	12	17	23	33
2. MULTIPLE DX										
0-19 YRS	135	12.3	149	3	4	10	15	21	30	80
20-34	162	11.4	109	2	2	9	15	23	34	73
35-49	435	11.4	82	2	3	9	13	21	28	56
50-64	1525	13.5	106	3	5	11	15	23	32	64
65+	2259	15.7	119	5	7	13	18	28	39	62
TOT. SINGLE DX	602	9.8	34	3	4	9	11	16	21	31
" MULTIPLE DX	4516	14.3	114	4	5	11	17	26	35	63
TOTAL 0-19 YRS	163	11.4	130	3	4	9	14	19	28	78
20-34	183	10.9	106	2	2	8	14	22	34	68
35-49	518	10.9	73	2	4	9	13	20	26	52
50-64	1774	13.0	98	3	5	11	15	22	30	61
65+	2480	15.3	114	5	6	12	18	28	37	60
GRAND TOTAL	**5118**	**13.8**	**107**	**4**	**5**	**11**	**16**	**25**	**34**	**61**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	21.5	13	19	19	21	24	24	24	24
2. MULTIPLE DX										
0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34										
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	26.5	1	26	26	26	27	27	27	27
65+	2	10.0	2	9	9	10	11	11	11	11
TOT. SINGLE DX	3	16.3	86	6	6	19	23	24	24	24
" MULTIPLE DX	7	19.1	69	9	9	24	26	27	27	27
TOTAL 0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34										
35-49	2	16.0	200	6	6	16	26	26	26	26
50-64	2	26.5	1	26	26	26	27	27	27	27
65+	4	15.8	49	9	9	15	21	24	24	24
GRAND TOTAL	**10**	**18.3**	**67**	**6**	**7**	**21**	**26**	**27**	**27**	**27**

580: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	5	3.6	10	1	1	2	5	9	9	9
20-34	7	3.9	14	1	1	2	4	10	12	12
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	10	4.7	11	1	1	4	6	10	11	11
65+	11	3.7	2	1	1	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	56	4.7	16	1	1	3	6	9	14	21
20-34	278	6.1	53	1	1	4	7	11	16	29
35-49	496	5.6	29	1	1	4	7	11	15	27
50-64	786	6.7	43	1	2	5	8	14	19	35
65+	756	7.0	50	1	2	5	8	15	19	32
TOT. SINGLE DX	37	3.9	8	1	1	4	5	8	11	12
" MULTIPLE DX	2372	6.5	44	1	2	5	8	13	18	32
TOTAL 0-19 YRS	61	4.6	16	1	1	3	6	9	14	20
20-34	285	6.0	52	1	1	4	7	11	16	29
35-49	500	5.6	29	1	1	4	7	11	15	27
50-64	796	6.6	43	1	2	5	8	13	19	35
65+	767	7.0	49	1	2	5	8	14	19	32
GRAND TOTAL	**2409**	**6.4**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	8.0	53	1	2	6	9	13	19	46
20-34	193	5.9	39	1	1	4	8	16	19	25
35-49	268	7.9	61	1	2	5	10	16	23	47
50-64	706	7.5	32	2	3	6	9	14	17	28
65+	910	7.7	23	2	3	6	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	2102	19.3	393	2	4	12	27	55	79	99+
20-34	574	10.1	140	1	2	6	12	24	36	67
35-49	1000	10.2	118	1	2	7	13	24	31	61
50-64	3473	11.1	95	2	3	9	13	22	30	53
65+	6075	12.3	98	3	4	10	15	23	31	53
TOT. SINGLE DX	2386	7.6	36	1	2	6	10	14	18	30
" MULTIPLE DX	13224	12.8	156	2	3	9	15	27	39	83
TOTAL 0-19 YRS	2411	17.8	364	2	3	11	24	50	74	99+
20-34	767	9.1	119	1	1	5	11	20	32	62
35-49	1268	9.7	107	1	2	7	12	22	29	58
50-64	4179	10.5	87	2	3	8	13	20	28	51
65+	6985	11.7	91	3	4	9	14	22	29	52
GRAND TOTAL	**15610**	**12.0**	**141**	**2**	**3**	**9**	**14**	**25**	**36**	**77**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.3	6	1	1	2	3	8	9	9
20-34	36	4.7	12	<1	1	3	8	9	12	15
35-49	31	5.2	7	2	2	4	7	10	10	10
50-64	61	7.8	25	2	3	7	9	15	19	27
65+	67	7.3	23	2	2	6	8	15	16	29
2. MULTIPLE DX										
0-19 YRS	14	6.7	21	1	1	6	10	13	15	16
20-34	43	7.0	20	2	3	6	9	11	16	26
35-49	62	9.9	70	2	2	8	12	17	23	48
50-64	178	11.0	99	3	4	8	12	21	31	50
65+	297	11.2	106	3	4	8	13	21	30	55
TOT. SINGLE DX	210	6.4	21	2	2	6	8	11	16	25
" MULTIPLE DX	594	10.6	93	3	4	8	12	20	27	50
TOTAL 0-19 YRS	29	4.9	16	1	1	3	8	11	13	16
20-34	79	5.9	18	1	2	5	8	10	14	23
35-49	93	8.4	54	2	2	7	10	14	18	47
50-64	239	10.2	82	3	4	8	11	20	27	49
65+	364	10.4	93	3	4	8	12	20	26	54
GRAND TOTAL	**804**	**9.5**	**78**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	447	3.2	10	<1	1	2	4	7	9	17
20-34	316	3.8	19	<1	1	2	4	8	11	24
35-49	241	3.7	11	<1	1	3	5	8	10	17
50-64	227	5.0	23	<1	1	3	7	11	15	22
65+	234	5.7	24	1	2	4	7	11	16	23
2. MULTIPLE DX										
0-19 YRS	195	4.8	18	1	1	4	6	9	13	23
20-34	290	7.2	32	1	2	6	10	15	18	28
35-49	380	7.9	66	2	2	6	10	15	21	38
50-64	605	8.1	56	1	2	6	10	17	23	36
65+	875	9.5	73	2	2	8	12	19	25	41
TOT. SINGLE DX	1465	4.1	18	<1	1	3	5	9	12	20
" MULTIPLE DX	2345	8.2	60	1	2	6	10	17	23	38
TOTAL 0-19 YRS	642	3.7	14	<1	1	2	5	7	11	18
20-34	606	5.4	29	<1	1	3	7	12	15	27
35-49	621	6.3	49	1	1	4	8	13	17	35
50-64	832	7.2	49	1	2	5	9	16	21	31
65+	1109	8.7	66	2	2	7	11	18	24	39
GRAND TOTAL	**3810**	**6.6**	**48**	**1**	**1**	**4**	**9**	**14**	**19**	**33**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	10.3	16	6	6	10	13	15	15	15
35-49	3	24.0	421	3	3	25	39	44	44	44
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	9	14.0	175	2	2	11	17	36	44	44
" MULTIPLE DX	4	7.8	52	2	2	6	13	17	17	17
TOTAL 0-19 YRS										
20-34	5	11.6	21	6	6	12	15	17	17	17
35-49	4	18.5	402	2	2	14	34	44	44	44
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	10.5	1	10	10	10	11	11	11	11
GRAND TOTAL	**13**	**12.1**	**139**	**2**	**2**	**10**	**15**	**29**	**41**	**44**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	32.0	1150	3	3	25	59	74	74	74
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	39.3	404	4	9	43	52	63	72	74
20-34	3	50.7	262	32	32	59	60	61	61	61
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX	4	32.0	1150	3	3	25	59	74	74	74
" MULTIPLE DX	16	40.0	393	5	11	43	56	61	70	74
TOTAL 0-19 YRS	16	37.5	537	3	4	43	52	72	74	74
20-34	3	50.7	262	32	32	59	60	61	61	61
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**20**	**38.4**	**503**	**3**	**5**	**43**	**56**	**67**	**74**	**74**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	329	6.0	31	1	1	5	7	11	13	34
20-34	188	6.9	28	2	2	6	8	13	19	29
35-49	161	8.2	63	2	2	6	10	16	24	35
50-64	193	7.4	48	1	2	5	9	14	25	35
65+	259	7.8	69	1	2	5	9	15	22	51
2. MULTIPLE DX										
0-19 YRS	452	9.8	109	2	2	7	11	21	33	55
20-34	535	11.4	108	2	3	8	13	24	34	53
35-49	654	10.9	120	3	3	8	12	21	31	74
50-64	1351	11.1	101	2	3	8	13	22	31	61
65+	3515	10.9	72	3	3	9	14	21	28	46
TOT. SINGLE DX	1130	7.1	47	1	2	5	9	13	19	35
" MULTIPLE DX	6507	10.9	89	2	3	8	13	21	30	52
TOTAL 0-19 YRS	781	8.2	80	1	2	6	9	15	25	50
20-34	723	10.2	91	2	2	7	12	21	32	51
35-49	815	10.4	110	2	3	7	12	21	29	71
50-64	1544	10.6	96	2	3	8	13	21	30	59
65+	3774	10.7	73	2	3	8	13	21	27	46
GRAND TOTAL	**7637**	**10.3**	**85**	**2**	**3**	**8**	**12**	**21**	**28**	**50**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	12.1	155	1	2	8	17	27	40	58
20-34	39	11.4	101	1	2	8	15	29	34	37
35-49	51	11.6	134	1	2	7	17	32	38	44
50-64	51	7.5	73	1	1	4	9	19	29	39
65+	29	11.1	193	2	2	6	12	35	63	99+
2. MULTIPLE DX										
0-19 YRS	234	19.1	324	2	3	14	29	50	70	99+
20-34	193	14.5	231	2	2	10	18	32	46	89
35-49	324	12.1	138	2	2	8	17	29	37	56
50-64	527	13.2	160	2	2	9	17	31	39	65
65+	718	16.2	186	2	4	13	22	34	43	75
TOT. SINGLE DX	275	10.9	134	1	2	7	15	29	37	58
" MULTIPLE DX	1996	14.9	197	2	2	11	20	34	44	78
TOTAL 0-19 YRS	339	16.9	282	1	2	12	24	45	58	99+
20-34	232	14.0	210	2	2	10	17	32	42	85
35-49	375	12.0	138	2	2	8	17	29	37	55
50-64	578	12.7	156	2	2	8	17	31	39	64
65+	747	16.0	188	2	3	12	22	34	43	78
GRAND TOTAL	**2271**	**14.4**	**191**	**2**	**2**	**10**	**20**	**33**	**43**	**75**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	3.8	31	<1	<1	2	4	9	12	34
20-34	65	4.9	13	1	1	4	6	12	13	16
35-49	103	4.9	21	<1	1	3	7	10	14	23
50-64	140	4.7	18	1	1	3	7	11	13	33
65+	135	5.3	20	1	1	4	7	11	14	22
2. MULTIPLE DX										
0-19 YRS	164	7.8	97	<1	1	4	10	18	29	53
20-34	234	7.0	37	1	2	5	9	15	20	29
35-49	513	7.3	50	1	2	5	9	15	21	38
50-64	960	8.5	97	1	2	6	10	17	26	61
65+	1646	9.0	77	2	2	7	11	19	25	46
TOT. SINGLE DX	547	4.8	21	<1	1	3	6	10	14	25
" MULTIPLE DX	3517	8.4	78	1	2	6	10	18	24	49
TOTAL 0-19 YRS	268	6.2	75	<1	1	3	8	16	23	49
20-34	299	6.5	33	1	2	5	8	14	18	28
35-49	616	6.9	46	1	2	5	8	15	20	37
50-64	1100	8.0	89	1	2	5	10	16	24	60
65+	1781	8.7	74	1	2	6	11	18	24	46
GRAND TOTAL	**4064**	**7.9**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**45**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	643	3.3	1	2	2	3	4	5	6	8
20-34	5	16.8	418	5	5	9	22	53	53	53
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	11.0	31	6	6	10	15	18	18	18
65+	5	10.0	56	3	3	8	16	21	21	21
2. MULTIPLE DX										
0-19 YRS	148	5.0	10	2	2	4	6	8	10	20
20-34	5	9.8	102	3	3	4	15	27	27	27
35-49	12	14.4	54	7	8	12	21	46	90	99+
50-64	14	13.1	85	4	6	10	16	21	37	41
65+	40	16.7	47	7	9	17	21	25	28	37
TOT. SINGLE DX	659	3.5	7	2	2	3	4	5	6	12
" MULTIPLE DX	219	8.3	50	2	3	5	10	19	23	38
TOTAL 0-19 YRS	791	3.6	4	2	2	3	4	6	7	11
20-34	10	13.3	245	3	3	7	12	40	53	53
35-49	14	12.7	65	2	4	11	20	32	83	99+
50-64	18	12.6	72	4	6	10	16	19	32	41
65+	45	16.0	52	4	8	16	21	25	28	37
GRAND TOTAL	**878**	**4.7**	**22**	**2**	**2**	**3**	**5**	**8**	**15**	**25**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	25.3	584	3	4	15	39	65	73	73
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	13	12.6	89	4	4	11	17	24	35	38
65+	26	15.1	247	3	3	9	19	32	46	75
2. MULTIPLE DX										
0-19 YRS	102	23.1	428	5	6	17	31	56	81	99+
20-34	25	25.8	504	4	5	23	49	95	99+	99+
35-49	40	17.8	347	4	5	14	30	99	99+	99+
50-64	137	18.0	230	3	4	13	25	42	53	81
65+	534	20.0	265	4	5	16	27	44	57	97
TOT. SINGLE DX	48	16.0	260	3	3	10	19	36	50	75
" MULTIPLE DX	838	20.1	292	4	5	15	28	46	61	99+
TOTAL 0-19 YRS	110	23.3	435	4	6	17	32	57	80	99+
20-34	25	25.8	505	4	5	23	49	95	99+	99+
35-49	41	17.6	341	4	5	14	29	99	99+	99+
50-64	150	17.5	219	3	4	12	23	40	51	78
65+	560	19.8	265	3	5	16	26	43	57	97
GRAND TOTAL	**886**	**19.9**	**291**	**3**	**5**	**15**	**27**	**46**	**61**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.5	22	<1	1	4	5	6	15	23
20-34	103	5.1	14	1	2	4	6	9	13	22
35-49	157	5.0	12	<1	1	4	7	10	12	20
50-64	167	5.4	12	1	2	4	7	9	13	19
65+	158	5.8	21	1	2	5	8	11	13	43
2. MULTIPLE DX										
0-19 YRS	46	6.7	89	1	1	5	7	11	16	64
20-34	379	6.5	37	2	2	5	8	11	16	33
35-49	829	6.7	25	2	2	5	8	12	16	29
50-64	1444	7.8	45	2	3	6	9	14	20	37
65+	2906	8.9	50	2	3	7	11	16	21	36
TOT. SINGLE DX	604	5.3	16	1	2	4	7	10	13	21
" MULTIPLE DX	5604	8.1	46	2	3	7	10	15	20	35
TOTAL 0-19 YRS	65	6.0	70	1	1	4	6	9	17	58
20-34	482	6.2	33	2	2	5	7	11	15	31
35-49	986	6.5	24	2	2	5	8	12	16	29
50-64	1611	7.6	43	2	3	6	9	14	19	35
65+	3064	8.8	49	2	3	7	11	16	21	37
GRAND TOTAL	**6208**	**7.9**	**43**	**2**	**3**	**6**	**9**	**15**	**19**	**34**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.5	46	2	2	7	13	18	18	18
20-34	45	9.6	18	6	6	9	11	14	19	25
35-49	114	10.9	18	6	7	9	13	16	19	26
50-64	93	11.5	24	6	7	10	14	18	23	28
65+	66	13.4	18	8	9	13	16	21	22	24
2. MULTIPLE DX										
0-19 YRS	5	19.2	99	10	10	17	26	34	34	34
20-34	73	16.7	153	6	7	13	18	39	47	62
35-49	196	15.9	151	7	8	12	18	24	33	79
50-64	348	15.8	68	8	9	14	18	24	32	55
65+	524	19.8	129	8	10	17	24	35	42	63
TOT. SINGLE DX	322	11.4	21	6	7	10	14	18	21	26
" MULTIPLE DX	1146	17.7	119	8	9	15	20	30	40	64
TOTAL 0-19 YRS	9	14.4	99	2	4	11	19	30	34	34
20-34	118	14.0	114	6	6	11	16	21	46	57
35-49	310	14.1	108	7	8	11	16	22	27	76
50-64	441	14.9	62	7	8	13	18	23	29	53
65+	590	19.1	121	8	9	16	23	33	40	63
GRAND TOTAL	1468	16.3	105	7	8	14	19	27	36	60

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	13.0	72	7	7	13	19	19	19	19
35-49	5	15.0	28	9	9	14	18	23	23	23
50-64	19	16.6	74	8	10	14	17	26	37	46
65+	16	18.0	27	11	13	17	21	25	28	29
2. MULTIPLE DX										
0-19 YRS										
20-34	2	20.0	72	14	14	20	26	26	26	26
35-49	17	23.2	221	11	12	18	24	53	59	60
50-64	70	21.1	174	9	11	17	24	36	42	89
65+	72	22.1	160	10	12	19	25	36	44	87
TOT. SINGLE DX	43	16.8	48	8	10	15	20	24	28	46
" MULTIPLE DX	161	21.7	170	10	12	18	24	36	44	92
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	4	16.5	64	7	7	16	22	26	26	26
35-49	22	21.4	187	10	11	16	22	42	58	60
50-64	89	20.1	156	9	11	17	23	33	42	81
65+	88	21.4	138	10	12	19	24	32	41	80
GRAND TOTAL	204	20.7	148	9	11	17	24	33	43	77

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.0	4	8	8	9	11	13	13	13
20-34	55	8.6	14	5	6	8	10	12	19	23
35-49	75	10.1	15	6	7	9	11	14	18	28
50-64	53	10.7	16	5	6	10	13	17	19	22
65+	27	12.4	45	6	7	10	15	18	22	41
2. MULTIPLE DX										
0-19 YRS	4	28.3	297	6	6	29	39	48	48	48
20-34	59	12.2	57	5	6	10	13	22	28	47
35-49	147	12.4	51	6	6	11	15	20	29	56
50-64	164	15.2	108	6	7	13	17	26	31	59
65+	166	17.9	93	8	9	16	22	31	34	78
TOT. SINGLE DX	214	10.2	20	5	6	9	11	15	19	26
" MULTIPLE DX	540	15.0	90	6	7	12	18	27	32	56
TOTAL 0-19 YRS	8	19.1	225	6	7	11	29	43	48	48
20-34	114	10.5	40	5	6	9	11	18	23	37
35-49	222	11.6	41	6	7	10	13	18	26	43
50-64	217	14.1	90	6	7	12	16	25	29	50
65+	193	17.1	90	8	9	15	20	30	34	67
GRAND TOTAL	754	13.7	75	6	7	11	16	24	30	48

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	9.1	56	2	2	7	11	16	22	46
20-34	273	7.7	8	5	5	7	9	10	13	20
35-49	259	8.4	13	5	5	8	9	11	16	25
50-64	129	10.7	61	5	6	9	11	18	23	50
65+	68	11.6	41	6	7	9	14	19	28	36
2. MULTIPLE DX										
0-19 YRS	265	19.5	322	5	6	13	24	48	68	98
20-34	412	9.8	61	5	5	8	10	16	23	51
35-49	682	10.7	58	5	6	8	11	18	25	43
50-64	478	13.8	118	6	7	10	15	24	33	66
65+	606	16.9	120	7	8	14	20	30	38	67
TOT. SINGLE DX	835	8.9	28	4	5	8	10	13	18	29
" MULTIPLE DX	2443	13.6	126	5	6	10	16	26	35	70
TOTAL 0-19 YRS	371	16.5	268	2	5	11	20	39	63	92
20-34	685	9.0	41	5	5	8	9	13	18	37
35-49	941	10.1	47	5	6	8	10	17	23	37
50-64	607	13.2	108	6	6	10	15	23	32	61
65+	674	16.4	115	7	7	14	19	29	37	65
GRAND TOTAL	3278	12.4	105	5	6	9	14	23	31	65

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	4.3	18	1	1	3	5	8	13	23
20-34	251	4.7	13	1	1	4	6	9	10	18
35-49	267	4.8	13	1	1	4	7	10	12	18
50-64	402	4.1	12	1	1	3	6	9	10	16
65+	358	4.1	18	1	1	2	5	9	12	17
2. MULTIPLE DX										
0-19 YRS	294	6.5	48	1	1	5	8	11	19	41
20-34	676	6.8	38	2	2	5	8	13	16	31
35-49	1009	6.6	29	1	2	5	8	12	17	30
50-64	1973	6.9	38	1	2	5	9	13	17	32
65+	3622	7.7	48	1	2	6	10	15	20	35
TOT. SINGLE DX	1464	4.4	15	1	1	3	6	9	11	18
" MULTIPLE DX	7574	7.2	43	1	2	6	9	14	19	33
TOTAL 0-19 YRS	480	5.6	38	1	1	4	7	11	15	32
20-34	927	6.2	33	1	2	5	8	11	14	29
35-49	1276	6.2	27	1	2	5	8	12	16	29
50-64	2375	6.4	35	1	2	5	8	12	16	30
65+	3980	7.4	47	1	2	6	9	15	19	35
GRAND TOTAL	**9038**	**6.8**	**39**	**1**	**2**	**5**	**9**	**13**	**18**	**32**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.6	32	5	5	7	12	20	23	25
20-34	35	11.3	31	6	7	9	12	23	24	28
35-49	44	13.8	72	6	7	11	15	26	34	42
50-64	35	13.7	53	6	7	11	17	20	28	43
65+	55	14.2	74	6	7	12	16	26	35	44
2. MULTIPLE DX										
0-19 YRS	65	17.1	273	6	7	10	27	84	99+	99+
20-34	125	15.1	166	6	7	11	17	26	45	79
35-49	169	17.1	136	7	8	13	20	34	46	93
50-64	276	19.0	174	7	8	15	24	36	46	77
65+	552	20.3	185	8	9	16	24	38	51	85
TOT. SINGLE DX	200	12.8	58	5	6	10	15	23	29	43
" MULTIPLE DX	1187	18.8	181	7	8	15	23	38	51	99+
TOTAL 0-19 YRS	96	14.7	206	5	6	9	21	59	99+	99+
20-34	160	14.3	139	6	7	11	16	23	38	73
35-49	213	16.5	125	7	8	13	19	33	44	80
50-64	311	18.4	163	7	8	15	22	33	45	77
65+	607	19.7	178	8	9	15	24	38	49	83
GRAND TOTAL	**1387**	**18.0**	**168**	**7**	**8**	**14**	**21**	**36**	**48**	**99**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	10.0	20	5	6	9	11	16	19	26
20-34	85	11.0	22	6	6	10	13	16	21	29
35-49	182	11.1	15	7	7	10	12	16	18	25
50-64	399	11.7	14	7	8	11	14	16	19	23
65+	470	12.6	25	8	8	11	14	18	22	30
2. MULTIPLE DX										
0-19 YRS	87	20.4	389	6	7	13	22	50	78	96
20-34	193	16.2	185	7	8	12	18	30	43	99+
35-49	544	15.3	86	7	8	13	18	25	33	57
50-64	1556	15.5	72	8	9	13	18	25	33	53
65+	3812	17.7	100	8	9	15	20	29	36	63
TOT. SINGLE DX	1177	11.9	20	7	8	11	14	17	20	26
" MULTIPLE DX	6192	16.9	100	8	9	14	20	28	36	64
TOTAL 0-19 YRS	128	17.1	294	5	7	11	17	34	67	91
20-34	278	14.6	141	7	7	11	16	24	38	97
35-49	726	14.2	72	7	8	12	16	23	29	55
50-64	1955	14.7	63	8	8	12	17	24	31	51
65+	4282	17.1	95	8	9	14	20	28	35	60
GRAND TOTAL	**7369**	**16.1**	**91**	**8**	**9**	**13**	**18**	**26**	**34**	**60**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	8.2	28	1	2	8	11	17	17	17
20-34	11	14.1	69	6	7	11	18	27	33	34
35-49	14	8.6	13	3	5	8	10	14	16	16
50-64	16	12.3	38	4	5	11	14	22	26	28
65+	21	14.0	99	6	6	11	17	23	37	51
2. MULTIPLE DX										
0-19 YRS	15	16.8	230	1	3	12	28	50	85	99+
20-34	29	14.0	105	2	3	12	18	34	41	99+
35-49	55	17.1	176	6	7	12	18	39	43	71
50-64	104	16.5	98	7	9	14	20	26	40	56
65+	264	19.6	136	7	9	16	24	34	42	65
TOT. SINGLE DX	75	11.7	57	3	5	10	14	20	24	47
" MULTIPLE DX	467	18.2	135	6	8	15	23	33	42	68
TOTAL 0-19 YRS	28	12.8	151	1	2	9	17	41	52	99+
20-34	40	14.0	93	3	5	12	18	32	39	99+
35-49	69	15.4	155	5	6	11	16	32	42	67
50-64	120	16.0	92	7	8	13	19	25	38	55
65+	285	19.2	135	7	9	16	24	33	42	65
GRAND TOTAL	**542**	**17.3**	**129**	**6**	**7**	**14**	**21**	**32**	**41**	**65**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	6.7	11	3	3	6	8	10	12	24
20-34	121	8.6	6	4	6	8	10	12	13	15
35-49	102	9.1	22	3	5	8	11	14	17	31
50-64	124	9.4	18	4	5	9	11	13	16	28
65+	125	10.4	25	4	5	9	12	15	18	30
2. MULTIPLE DX										
0-19 YRS	240	12.5	139	4	5	9	14	28	44	99+
20-34	240	12.1	104	5	6	9	13	21	33	78
35-49	263	12.8	61	6	6	11	14	22	28	44
50-64	358	14.1	120	5	7	11	15	25	35	68
65+	694	14.9	111	5	7	12	17	27	37	57
TOT. SINGLE DX	626	8.7	18	3	4	8	10	13	15	26
" MULTIPLE DX	1795	13.7	110	5	6	11	15	25	35	71
TOTAL 0-19 YRS	394	10.3	97	3	4	8	11	20	31	99+
20-34	361	10.9	75	5	6	9	11	16	23	68
35-49	365	11.8	53	5	6	10	13	20	26	43
50-64	482	12.9	99	5	6	10	14	21	28	60
65+	819	14.2	101	5	6	11	16	25	33	54
GRAND TOTAL	2421	12.4	91	4	5	10	14	22	30	59

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	12.0	127	4	5	8	14	22	33	60
20-34	13	11.5	74	2	2	9	13	27	30	31
35-49	12	14.3	40	4	7	14	17	23	27	28
50-64	16	11.9	42	4	5	10	16	21	26	28
65+	29	13.2	31	4	7	12	19	21	22	23
2. MULTIPLE DX										
0-19 YRS	37	25.6	502	5	6	18	33	55	78	98
20-34	43	21.0	372	6	8	13	26	49	82	99+
35-49	67	17.2	155	6	8	13	21	35	44	97
50-64	207	18.2	152	6	8	15	22	33	46	74
65+	403	21.2	195	8	9	18	25	38	53	99
TOT. SINGLE DX	96	12.6	65	4	5	11	16	21	26	47
" MULTIPLE DX	757	20.2	207	7	8	16	24	38	53	98
TOTAL 0-19 YRS	63	20.0	389	4	5	13	24	51	63	96
20-34	56	18.8	317	4	6	12	24	44	76	99
35-49	79	16.7	138	6	8	13	20	32	43	94
50-64	223	17.8	147	6	8	15	22	32	46	73
65+	432	20.7	188	8	9	18	24	36	53	98
GRAND TOTAL	853	19.4	197	6	8	16	23	35	52	97

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5272	3.8	5	2	2	3	4	6	8	12
20-34	3256	3.9	5	2	2	3	4	6	8	13
35-49	1166	4.6	6	2	2	4	6	8	9	14
50-64	470	5.7	8	2	3	5	7	10	11	16
65+	193	7.4	17	3	4	6	9	11	16	22
2. MULTIPLE DX										
0-19 YRS	1374	6.1	22	2	2	5	7	11	15	25
20-34	1143	6.0	18	2	3	5	7	10	13	20
35-49	544	7.7	25	3	3	6	9	14	18	27
50-64	472	9.7	49	3	4	8	12	16	21	45
65+	434	11.4	54	4	5	10	13	19	23	40
TOT. SINGLE DX	10357	4.1	6	2	2	3	5	7	9	13
" MULTIPLE DX	3967	7.3	32	2	3	6	9	13	17	27
TOTAL 0-19 YRS	6646	4.3	10	2	2	3	5	8	10	17
20-34	4399	4.5	10	2	2	4	5	7	10	15
35-49	1710	5.6	15	2	2	4	7	10	12	21
50-64	942	7.7	33	2	3	6	10	13	17	28
65+	627	10.2	46	3	4	9	12	18	21	37
GRAND TOTAL	14324	5.0	15	2	2	4	6	9	12	20

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	4.2	10	2	2	3	5	7	8	23
20-34	41	4.6	3	1	2	5	6	7	8	8
35-49	14	6.4	17	2	2	6	8	11	16	18
50-64	6	8.0	7	4	4	8	10	11	11	11
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	38	6.1	15	2	3	5	8	12	14	19
20-34	40	5.0	2	3	3	5	6	7	8	9
35-49	18	9.3	19	5	5	7	13	15	18	20
50-64	7	10.3	86	5	5	7	9	27	31	31
65+	4	8.5	9	5	5	9	11	11	11	11
TOT. SINGLE DX	123	4.8	10	2	2	4	6	8	10	20
" MULTIPLE DX	107	6.6	18	3	3	5	8	12	14	25
TOTAL 0-19 YRS	99	4.9	13	2	2	4	5	9	12	22
20-34	81	4.8	3	2	3	5	6	7	8	9
35-49	32	8.1	20	2	3	7	10	14	18	20
50-64	13	9.2	48	4	5	7	10	15	28	31
65+	5	8.8	7	5	5	10	11	11	11	11
GRAND TOTAL	230	5.6	14	2	2	5	7	10	13	21

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	9.0	25	2	3	8	12	16	19	21
20-34	16	5.8	3	3	3	6	7	8	9	9
35-49	6	8.2	10	5	5	7	9	13	14	14
50-64	4	6.8	11	3	3	6	9	11	11	11
65+	3	11.7	54	6	6	9	17	20	20	20
2. MULTIPLE DX										
0-19 YRS	12	12.3	18	5	6	12	15	18	19	19
20-34	4	10.3	14	5	5	11	13	13	13	13
35-49	10	13.0	104	2	2	12	18	27	36	36
50-64	7	13.4	10	10	10	12	16	18	18	18
65+	13	20.2	347	4	5	12	27	51	65	68
TOT. SINGLE DX	50	7.9	18	3	3	7	9	14	18	21
" MULTIPLE DX	46	14.7	133	4	5	12	16	26	38	68
TOTAL 0-19 YRS	33	10.2	25	3	4	10	14	18	19	21
20-34	20	6.7	9	3	3	6	8	11	13	13
35-49	16	11.2	72	2	3	8	15	19	31	36
50-64	11	11.0	21	3	5	11	14	17	18	18
65+	16	18.6	297	4	5	12	23	45	62	68
GRAND TOTAL	96	11.1	84	3	4	9	13	18	25	58

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.2	11	<1	1	2	4	6	10	18
20-34	95	3.5	8	<1	1	3	4	6	7	20
35-49	101	4.2	18	<1	1	3	5	8	10	28
50-64	93	4.3	15	1	2	3	5	9	12	22
65+	207	4.8	26	1	2	3	6	9	12	27
2. MULTIPLE DX										
0-19 YRS	92	8.0	173	1	1	4	7	16	36	69
20-34	112	5.1	19	1	2	4	6	10	16	24
35-49	213	5.9	20	1	2	5	7	11	15	25
50-64	359	7.0	38	2	2	5	8	13	20	32
65+	766	8.7	73	2	2	6	10	17	23	48
TOT. SINGLE DX	619	4.1	18	1	1	3	5	8	11	24
" MULTIPLE DX	1542	7.6	62	2	2	5	9	15	21	44
TOTAL 0-19 YRS	215	5.3	86	<1	1	3	5	10	15	62
20-34	207	4.4	15	<1	1	3	5	8	12	21
35-49	314	5.4	20	1	2	4	7	10	14	25
50-64	452	6.4	35	2	2	5	8	12	19	32
65+	973	7.9	66	2	2	6	10	15	21	46
GRAND TOTAL	2161	6.6	52	1	2	5	8	13	19	36

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.3	1	1	1	2	3	4	4	9
20-34	298	3.1	3	1	1	3	4	5	7	11
35-49	243	3.3	8	1	1	3	4	5	7	15
50-64	88	3.5	5	1	1	3	4	6	7	14
65+	35	5.8	35	1	2	4	6	9	22	29
2. MULTIPLE DX										
0-19 YRS	31	4.7	12	1	1	4	6	9	11	18
20-34	157	4.2	19	1	1	3	5	8	10	16
35-49	203	6.1	59	1	2	4	7	11	18	40
50-64	161	6.7	47	1	2	4	7	16	21	36
65+	101	8.7	50	2	3	6	11	16	25	36
TOT. SINGLE DX	717	3.3	7	1	1	3	4	5	7	13
" MULTIPLE DX	653	6.1	45	1	2	4	7	12	18	36
TOTAL 0-19 YRS	84	3.2	7	1	1	2	4	6	8	16
20-34	455	3.5	9	1	1	3	4	6	8	14
35-49	446	4.6	34	1	1	3	5	8	12	30
50-64	249	5.6	35	1	1	4	6	12	17	36
65+	136	8.0	48	2	2	6	10	15	25	31
GRAND TOTAL	1370	4.6	27	1	1	3	5	9	13	28

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	10.2	25	2	4	10	12	14	20	30
20-34	20	12.7	58	3	5	11	15	22	29	36
35-49	40	13.0	22	6	8	12	16	18	21	30
50-64	105	13.7	20	8	9	13	16	20	22	26
65+	102	13.6	25	6	7	13	17	19	22	30
2. MULTIPLE DX										
0-19 YRS	45	11.8	36	4	6	11	14	21	23	34
20-34	27	17.2	89	5	6	15	26	30	32	39
35-49	73	16.8	86	4	8	15	20	29	34	55
50-64	250	17.4	85	8	9	15	20	30	35	50
65+	588	19.9	144	9	10	17	23	33	41	80
TOT. SINGLE DX	305	13.1	26	6	8	12	16	19	22	30
" MULTIPLE DX	983	18.6	122	8	9	16	22	30	36	67
TOTAL 0-19 YRS	83	11.1	32	3	5	10	13	16	23	33
20-34	47	15.3	80	4	6	12	20	30	31	39
35-49	113	15.5	67	5	8	14	19	26	32	49
50-64	355	16.3	69	8	9	14	19	26	33	50
65+	690	19.0	132	8	10	16	22	31	38	73
GRAND TOTAL	1288	17.3	105	7	9	15	20	28	35	65

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	3.6	22	<1	1	3	4	7	9	14
20-34	960	4.6	13	1	2	4	6	8	11	17
35-49	960	4.8	18	1	2	4	6	8	11	18
50-64	778	5.0	23	1	1	4	6	9	11	26
65+	570	5.2	16	1	1	4	7	10	12	21
2. MULTIPLE DX										
0-19 YRS	623	5.3	24	1	2	4	6	10	14	31
20-34	2873	5.6	24	1	2	4	7	10	13	23
35-49	4518	6.2	29	2	2	5	8	11	15	28
50-64	5611	6.9	35	2	2	5	8	13	16	29
65+	8401	8.3	51	2	3	7	10	15	20	38
TOT. SINGLE DX	3640	4.7	19	1	1	4	6	8	11	19
" MULTIPLE DX	22026	7.1	40	2	2	6	8	13	17	32
TOTAL 0-19 YRS	995	4.7	25	1	1	4	6	9	12	29
20-34	3833	5.4	22	1	2	4	7	10	13	22
35-49	5478	6.0	28	2	2	5	7	11	14	26
50-64	6389	6.7	34	2	2	5	8	12	16	29
65+	8971	8.1	50	2	3	6	10	15	20	37
GRAND TOTAL	**25666**	**6.8**	**37**	**2**	**2**	**5**	**8**	**12**	**17**	**31**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.6	2	<1	1	2	3	5	6	7
20-34	264	3.1	2	1	1	3	4	5	6	9
35-49	287	3.2	5	1	1	3	4	5	6	7
50-64	134	3.3	3	1	2	3	4	5	7	10
65+	53	3.5	4	<1	1	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	15	3.5	6	1	2	3	5	6	10	11
20-34	223	4.1	8	1	2	4	5	6	9	17
35-49	331	4.4	9	2	2	4	5	7	9	15
50-64	260	4.7	7	2	2	4	6	8	9	18
65+	135	5.7	69	2	2	5	6	9	12	28
TOT. SINGLE DX	779	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	964	4.6	18	2	2	4	5	7	9	16
TOTAL 0-19 YRS	56	2.9	3	<1	1	2	4	5	6	11
20-34	487	3.6	6	1	1	3	4	6	8	15
35-49	618	3.8	8	1	2	3	4	6	7	14
50-64	394	4.2	7	2	2	4	5	7	8	16
65+	188	5.1	52	1	2	4	6	8	11	16
GRAND TOTAL	**1743**	**4.0**	**12**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.4	1	<1	<1	2	3	4	4	5
20-34	265	2.9	1	<1	1	3	4	5	5	7
35-49	210	3.2	2	<1	1	3	4	5	6	8
50-64	80	3.6	3	1	2	3	5	6	6	12
65+	42	4.0	10	1	2	3	4	6	9	21
2. MULTIPLE DX										
0-19 YRS	37	3.2	2	1	2	3	4	5	6	8
20-34	305	4.0	4	1	2	4	5	6	8	13
35-49	421	4.4	11	2	2	4	5	6	8	18
50-64	299	4.8	9	1	2	4	5	7	12	17
65+	201	5.8	18	2	2	5	7	11	14	24
TOT. SINGLE DX	638	3.1	3	<1	1	3	4	5	6	9
" MULTIPLE DX	1263	4.6	11	2	2	4	5	7	10	18
TOTAL 0-19 YRS	78	2.8	2	<1	1	3	4	4	5	8
20-34	570	3.5	4	1	1	3	4	5	7	11
35-49	631	4.0	9	1	2	4	5	6	7	14
50-64	379	4.5	9	1	2	4	5	7	10	16
65+	243	5.5	18	2	2	4	7	10	13	23
GRAND TOTAL	**1901**	**4.1**	**9**	**1**	**2**	**4**	**5**	**6**	**8**	**15**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.0	2	1	1	3	4	5	6	7
20-34	395	4.3	2	2	2	4	5	6	7	9
35-49	467	4.5	3	2	3	4	5	7	8	10
50-64	260	4.9	4	3	3	4	6	8	9	11
65+	91	5.1	5	2	3	5	7	8	9	13
2. MULTIPLE DX										
0-19 YRS	43	4.3	3	1	2	4	5	6	7	10
20-34	1486	4.9	5	2	3	5	6	7	9	14
35-49	2570	5.3	10	2	3	5	6	8	9	15
50-64	1859	5.7	10	3	3	5	7	9	11	16
65+	1006	6.5	17	3	3	5	8	11	13	23
TOT. SINGLE DX	1228	4.6	4	2	2	4	5	7	8	11
" MULTIPLE DX	6964	5.5	11	2	3	5	6	8	10	16
TOTAL 0-19 YRS	58	4.0	3	1	2	4	5	6	7	10
20-34	1881	4.8	5	2	3	4	6	7	8	12
35-49	3037	5.1	9	2	3	5	6	8	9	14
50-64	2119	5.6	9	3	3	5	6	9	11	16
65+	1097	6.4	17	3	3	5	7	10	13	21
GRAND TOTAL	**8192**	**5.3**	**10**	**2**	**3**	**5**	**6**	**8**	**10**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	3.0	4	<1	1	3	4	6	7	10
20-34	227	3.0	3	1	1	3	4	5	6	9
35-49	228	3.2	3	1	1	3	4	5	7	10
50-64	111	3.8	8	1	1	3	5	6	8	17
65+	75	3.8	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	84	5.6	15	2	2	5	7	10	15	20
20-34	173	4.2	5	1	2	4	5	7	9	11
35-49	258	4.4	10	1	2	4	5	8	11	19
50-64	205	6.2	43	2	2	4	7	12	16	37
65+	204	8.0	82	2	3	5	9	16	22	56
TOT. SINGLE DX	746	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	924	5.7	35	1	2	4	6	10	15	26
TOTAL 0-19 YRS	189	4.2	11	1	1	3	5	8	10	17
20-34	400	3.5	5	1	1	3	5	6	8	11
35-49	486	3.8	8	1	1	3	5	7	9	17
50-64	316	5.4	32	1	2	4	6	9	14	28
65+	279	6.9	65	2	2	5	7	14	19	49
GRAND TOTAL	**1670**	**4.6**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	15.3	69	6	6	18	21	22	22	22
20-34	8	13.8	49	6	6	13	17	25	27	27
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	4	11.0	126	1	1	8	19	26	26	26
65+	3	7.0	25	2	2	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	12	13.8	71	4	5	15	21	46	90	99+
20-34	19	20.4	144	4	7	18	27	46	74	99+
35-49	12	10.7	75	2	2	9	17	22	30	31
50-64	12	10.3	77	2	2	9	12	24	32	33
65+	23	16.3	151	3	3	16	20	35	46	47
TOT. SINGLE DX	21	11.2	60	2	3	9	16	24	26	27
" MULTIPLE DX	78	15.1	124	2	3	14	21	33	46	99+
TOTAL 0-19 YRS	15	14.1	67	4	5	15	21	31	80	99+
20-34	27	18.4	123	5	6	16	23	41	54	99+
35-49	15	9.5	66	2	2	7	15	18	28	31
50-64	16	10.5	82	1	2	9	13	25	31	33
65+	26	15.2	145	2	3	14	19	32	45	47
GRAND TOTAL	**99**	**14.3**	**112**	**2**	**3**	**13**	**20**	**32**	**44**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.4	29	1	1	3	8	14	17	23
20-34	158	3.4	9	1	1	2	5	7	9	15
35-49	148	4.3	26	1	1	2	6	10	12	34
50-64	160	4.9	25	1	1	3	6	12	15	24
65+	123	6.4	35	1	1	5	9	14	18	29
2. MULTIPLE DX										
0-19 YRS	177	11.4	174	1	1	6	16	30	42	74
20-34	305	9.3	123	1	2	6	11	21	29	70
35-49	486	9.1	89	1	2	7	12	19	24	55
50-64	839	8.9	64	1	2	7	12	18	24	43
65+	948	11.1	71	2	2	9	14	21	26	45
TOT. SINGLE DX	688	4.8	25	1	1	2	6	11	15	24
" MULTIPLE DX	2755	9.9	86	1	2	8	13	20	27	50
TOTAL 0-19 YRS	276	9.3	130	1	1	5	11	25	34	60
20-34	463	7.3	92	1	1	4	9	16	26	62
35-49	634	7.9	79	1	1	5	10	17	23	45
50-64	999	8.3	61	1	2	6	11	17	23	41
65+	1071	10.5	69	1	2	9	14	20	26	44
GRAND TOTAL	**3443**	**8.9**	**78**	**1**	**2**	**7**	**12**	**19**	**25**	**47**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	294	6.1	4	4	4	6	7	9	10	14
20-34	3249	6.2	5	3	4	6	7	9	10	14
35-49	2994	6.6	5	4	4	6	8	9	11	14
50-64	2370	7.2	8	4	4	7	8	11	12	17
65+	1266	8.6	14	5	5	8	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	241	8.6	23	3	4	7	10	14	15	29
20-34	2698	7.8	14	4	4	7	9	12	15	22
35-49	3520	8.7	28	4	5	7	10	14	17	31
50-64	4590	9.9	36	5	5	8	12	16	20	35
65+	6147	12.6	55	5	6	11	15	21	26	43
TOT. SINGLE DX	10173	6.8	8	4	4	6	8	10	12	17
" MULTIPLE DX	17196	10.3	42	4	5	9	12	17	21	36
TOTAL 0-19 YRS	535	7.2	15	4	4	6	8	12	14	22
20-34	5947	6.9	10	4	4	6	8	10	13	18
35-49	6514	7.7	19	4	4	7	9	12	15	23
50-64	6960	9.0	29	4	5	8	10	14	17	29
65+	7413	11.9	50	5	6	10	14	20	25	40
GRAND TOTAL	**27369**	**9.0**	**32**	**4**	**5**	**8**	**10**	**15**	**18**	**31**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	11.5	51	2	3	10	18	21	22	22
20-34	46	8.0	49	2	2	7	10	15	20	39
35-49	47	7.6	40	1	1	6	10	16	21	30
50-64	57	10.7	37	2	3	9	13	19	20	33
65+	84	11.3	47	2	2	11	16	21	26	30
2. MULTIPLE DX										
0-19 YRS	27	16.8	146	2	4	13	24	34	45	48
20-34	55	9.7	42	2	3	8	13	16	24	34
35-49	132	14.6	141	3	3	12	19	28	36	62
50-64	232	15.6	113	3	6	13	19	29	34	64
65+	668	17.0	107	4	7	15	21	30	37	60
TOT. SINGLE DX	252	9.9	46	1	2	9	13	18	23	30
" MULTIPLE DX	1114	16.1	113	3	5	14	20	29	35	60
TOTAL 0-19 YRS	45	14.7	113	2	3	12	18	28	37	48
20-34	101	9.0	46	2	2	8	12	16	23	36
35-49	179	12.8	124	2	3	10	17	25	33	56
50-64	289	14.7	102	2	5	12	18	27	33	62
65+	752	16.4	104	3	6	14	20	29	35	57
GRAND TOTAL	1366	14.9	106	2	4	13	19	28	34	57

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.9	31	1	1	8	12	16	17	17
20-34	76	6.9	39	1	2	5	9	14	19	34
35-49	104	6.5	44	1	1	4	8	14	19	39
50-64	95	9.1	83	1	2	6	13	18	24	48
65+	86	9.0	67	1	2	7	12	19	23	45
2. MULTIPLE DX										
0-19 YRS	22	20.6	425	4	6	12	26	51	73	81
20-34	181	10.1	124	1	2	7	11	22	36	55
35-49	329	11.9	118	2	3	9	16	25	34	69
50-64	386	12.8	196	2	2	9	16	27	37	86
65+	570	12.7	179	2	2	9	15	25	41	78
TOT. SINGLE DX	373	7.9	59	1	2	5	10	17	20	41
" MULTIPLE DX	1488	12.3	168	2	2	9	15	26	37	76
TOTAL 0-19 YRS	34	16.1	319	1	2	10	16	40	63	81
20-34	257	9.2	101	1	2	6	11	19	31	52
35-49	433	10.6	106	2	2	8	13	23	32	65
50-64	481	12.1	176	2	2	8	15	25	36	82
65+	656	12.2	166	2	2	9	15	24	36	70
GRAND TOTAL	1861	11.4	150	2	2	8	14	24	35	70

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	3.6	9	1	1	3	4	7	9	17
20-34	837	4.1	8	1	2	3	5	7	10	14
35-49	816	4.4	11	1	1	3	5	8	11	17
50-64	849	4.5	20	1	1	3	6	8	11	18
65+	712	4.5	13	1	1	4	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	400	4.8	32	1	1	3	5	9	12	28
20-34	1649	5.1	19	1	2	4	6	9	12	24
35-49	2740	5.6	22	2	2	4	7	10	13	25
50-64	4510	6.0	29	2	2	5	7	11	15	27
65+	8657	7.2	37	2	2	6	9	13	17	32
TOT. SINGLE DX	3552	4.3	13	1	1	3	5	8	10	17
" MULTIPLE DX	17956	6.4	32	2	2	5	8	12	16	29
TOTAL 0-19 YRS	738	4.2	23	1	1	3	5	8	11	23
20-34	2486	4.8	16	1	2	4	6	9	11	22
35-49	3556	5.3	20	1	2	4	7	10	13	24
50-64	5359	5.8	28	1	2	4	7	10	14	26
65+	9369	7.0	36	2	2	6	9	13	17	31
GRAND TOTAL	21508	6.0	30	1	2	5	7	11	15	28

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2212	1.9	1	<1	<1	2	2	3	4	5
20-34	2411	3.1	1	1	2	3	4	5	5	7
35-49	2320	3.3	2	1	2	3	4	5	6	8
50-64	2924	3.6	3	1	2	3	4	5	6	8
65+	2221	4.0	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1261	2.6	16	<1	<1	2	3	4	6	14
20-34	843	3.8	7	1	2	3	5	6	7	13
35-49	1205	4.4	9	2	2	4	5	7	10	18
50-64	2349	4.7	10	2	2	4	5	8	9	16
65+	3492	5.8	17	2	3	5	7	10	13	22
TOT. SINGLE DX	12088	3.2	3	1	1	3	4	5	6	8
" MULTIPLE DX	9150	4.7	15	1	2	4	6	8	10	18
TOTAL 0-19 YRS	3473	2.1	7	<1	<1	2	2	3	4	8
20-34	3254	3.3	3	1	2	3	4	5	6	9
35-49	3525	3.7	5	1	2	3	4	6	7	12
50-64	5273	4.1	7	2	2	4	5	6	8	13
65+	5713	5.1	13	2	2	4	6	8	11	19
GRAND TOTAL	21238	3.9	9	1	2	3	5	6	8	15

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	962	1.5		<1	<1	1	2	2	3	4
20-34	207	3.7	1	2	2	4	5	5	6	8
35-49	348	4.1	2	2	2	4	5	6	7	9
50-64	442	4.3	2	2	3	4	5	6	7	9
65+	291	4.7	3	2	3	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	702	3.4	92	<1	<1	2	2	4	8	96
20-34	103	4.3	5	2	2	4	5	7	9	13
35-49	217	4.7	4	2	3	4	5	7	8	13
50-64	421	5.6	28	2	3	5	6	9	11	23
65+	540	6.5	16	3	3	5	8	11	14	24
TOT. SINGLE DX	2250	3.1	4	<1	1	3	4	6	6	8
" MULTIPLE DX	1983	4.9	46	1	1	4	6	9	12	36
TOTAL 0-19 YRS	1664	2.3	40	<1	<1	1	2	3	4	38
20-34	310	3.9	3	2	2	4	5	6	7	11
35-49	565	4.3	3	2	2	4	5	6	7	10
50-64	863	5.0	16	2	3	4	5	7	9	20
65+	831	5.8	13	2	3	5	7	9	12	22
GRAND TOTAL	4233	3.9	24	<1	1	3	5	7	9	20

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.2	1	1	1	2	3	4	5	5
20-34	46	3.6	3	1	2	3	4	6	6	12
35-49	101	3.5	2	1	2	3	4	5	7	10
50-64	85	4.3	5	1	2	4	5	7	9	14
65+	114	5.0	7	1	2	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	33	4.0	6	2	2	4	5	6	7	16
35-49	49	4.2	2	2	2	4	5	6	7	8
50-64	76	6.2	14	2	3	5	8	13	15	19
65+	265	8.2	33	3	3	6	10	15	19	34
TOT. SINGLE DX	363	4.1	5	1	2	4	5	7	8	13
" MULTIPLE DX	426	7.0	27	2	3	5	9	13	17	29
TOTAL 0-19 YRS	20	2.3	1	1	1	2	3	4	5	5
20-34	79	3.8	5	1	2	3	5	6	6	15
35-49	150	3.7	3	2	2	3	4	6	7	9
50-64	161	5.2	11	2	2	4	6	10	13	16
65+	379	7.3	28	2	3	6	9	13	17	31
GRAND TOTAL	789	5.7	19	2	2	4	7	11	14	22

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	743	2.0	1	<1	<1	2	2	3	3	5
20-34	213	3.0	2	1	1	3	4	5	6	10
35-49	257	3.2	2	1	2	3	4	5	6	8
50-64	186	3.6	3	1	2	3	5	6	7	10
65+	87	5.0	7	1	2	5	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	193	4.0	57	1	1	2	4	6	12	66
20-34	135	4.1	4	2	2	4	5	7	8	11
35-49	211	5.4	23	2	2	4	6	9	12	28
50-64	274	5.6	16	2	2	5	7	10	13	22
65+	280	8.0	34	2	3	6	10	15	21	30
TOT. SINGLE DX	1486	2.7	3	<1	1	2	3	5	6	9
" MULTIPLE DX	1093	5.7	30	1	2	4	7	11	14	29
TOTAL 0-19 YRS	936	2.4	13	<1	1	2	2	3	4	12
20-34	348	3.4	4	1	2	3	4	6	7	10
35-49	468	4.2	13	1	2	3	5	7	9	20
50-64	460	4.8	12	2	2	4	6	9	12	19
65+	367	7.3	30	2	3	6	9	13	18	29
GRAND TOTAL	2579	4.0	17	1	1	3	5	8	10	21

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	2.3	2	1	1	2	3	4	5	8
20-34	267	3.8	3	1	2	4	5	6	7	10
35-49	541	4.9	6	2	2	4	6	8	10	13
50-64	572	5.4	7	2	2	5	7	9	10	14
65+	408	6.2	8	2	3	6	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	38	4.7	21	1	1	3	6	8	14	25
20-34	210	5.9	37	2	2	5	6	9	13	26
35-49	561	7.2	26	2	3	6	9	12	14	29
50-64	876	7.6	19	3	3	7	9	13	16	24
65+	973	8.6	26	3	4	8	10	14	17	28
TOT. SINGLE DX	1892	5.0	7	2	2	5	6	8	10	14
" MULTIPLE DX	2658	7.7	26	3	3	7	9	13	16	27
TOTAL 0-19 YRS	142	2.9	8	1	1	2	3	5	7	19
20-34	477	4.7	20	1	2	4	5	7	9	21
35-49	1102	6.1	18	2	3	5	8	10	12	22
50-64	1448	6.8	16	2	3	6	8	11	14	21
65+	1381	7.9	22	3	3	7	10	13	16	25
GRAND TOTAL	4550	6.6	20	2	3	6	8	11	14	23

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.1	10	<1	1	3	6	9	11	15
20-34	24	6.4	10	3	4	6	7	9	15	16
35-49	18	6.8	7	2	3	7	9	10	11	11
50-64	44	8.2	14	3	4	8	10	13	16	20
65+	28	8.7	28	3	3	8	10	15	21	26
2. MULTIPLE DX										
0-19 YRS	35	14.3	327	1	2	8	20	43	78	99+
20-34	67	9.1	26	4	5	8	11	14	20	34
35-49	128	9.8	27	5	6	8	11	16	20	32
50-64	161	11.0	36	5	6	9	13	18	22	39
65+	155	15.6	113	6	8	12	19	25	35	69
TOT. SINGLE DX	151	6.8	17	2	2	6	9	12	15	21
" MULTIPLE DX	546	12.0	79	5	6	9	14	21	26	59
TOTAL 0-19 YRS	72	9.0	188	1	1	5	11	25	42	97
20-34	91	8.4	23	3	4	7	10	13	16	31
35-49	146	9.4	26	4	5	8	10	16	19	30
50-64	205	10.4	33	4	5	9	12	18	21	33
65+	183	14.6	106	5	6	12	18	23	30	68
GRAND TOTAL	**697**	**10.9**	**71**	**2**	**4**	**9**	**13**	**19**	**23**	**48**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	3.3	5	<1	1	2	4	7	9	12
20-34	241	4.2	10	1	1	3	5	8	10	13
35-49	179	5.1	19	1	1	4	7	10	13	24
50-64	177	6.4	23	1	2	6	8	13	16	23
65+	116	7.2	43	1	2	5	9	14	22	32
2. MULTIPLE DX										
0-19 YRS	184	7.7	79	1	2	5	9	15	24	46
20-34	357	8.5	69	2	2	6	10	17	26	49
35-49	536	9.3	64	1	2	7	11	19	27	40
50-64	885	11.0	90	2	3	8	14	22	28	52
65+	1097	12.0	89	2	3	10	16	24	30	47
TOT. SINGLE DX	910	5.0	20	1	1	4	7	10	13	24
" MULTIPLE DX	3059	10.6	84	2	2	8	14	21	28	48
TOTAL 0-19 YRS	381	5.4	46	<1	1	3	7	11	14	38
20-34	598	6.8	50	1	2	5	8	13	20	33
35-49	715	8.3	57	1	2	6	10	17	24	37
50-64	1062	10.2	82	2	2	8	13	20	27	50
65+	1213	11.5	87	2	3	9	15	23	30	46
GRAND TOTAL	**3969**	**9.3**	**75**	**1**	**2**	**7**	**12**	**19**	**26**	**43**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	6.9	44	2	3	5	8	13	16	33
20-34	416	6.0	12	2	3	5	7	10	12	20
35-49	178	8.1	27	2	3	7	10	15	19	28
50-64	143	9.2	30	3	4	8	11	16	20	33
65+	98	12.2	57	4	6	11	15	20	27	76
2. MULTIPLE DX										
0-19 YRS	281	8.9	64	3	3	6	10	17	26	51
20-34	756	8.5	69	2	3	6	9	15	23	44
35-49	493	11.4	96	3	4	8	14	22	31	58
50-64	487	16.0	152	5	6	12	19	29	42	69
65+	585	17.1	115	6	7	15	21	31	38	62
TOT. SINGLE DX	1035	7.6	32	2	3	6	9	13	17	30
" MULTIPLE DX	2602	12.4	113	3	4	9	15	24	34	59
TOTAL 0-19 YRS	481	8.1	57	2	3	6	9	16	21	50
20-34	1172	7.6	51	2	3	6	8	13	18	39
35-49	671	10.6	80	3	4	8	12	20	26	53
50-64	630	14.5	133	4	6	11	17	26	35	64
65+	683	16.4	110	5	7	14	20	30	38	62
GRAND TOTAL	**3637**	**11.0**	**95**	**3**	**4**	**8**	**13**	**22**	**29**	**56**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	327	3.0	4	1	1	2	4	6	7	10
20-34	1227	2.7	4	<1	<1	2	4	5	7	9
35-49	211	2.4	5	<1	<1	2	3	5	6	11
50-64	42	3.0	6	<1	1	2	3	6	7	16
65+	18	2.9	5	1	1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	317	4.1	9	1	1	3	6	8	10	13
20-34	1882	3.4	9	<1	1	2	4	7	9	15
35-49	395	3.7	15	<1	1	2	5	8	11	21
50-64	66	5.5	34	1	2	4	6	11	16	33
65+	50	7.9	42	1	2	5	12	15	16	37
TOT. SINGLE DX	1825	2.7	4	<1	<1	2	3	5	7	10
" MULTIPLE DX	2710	3.7	12	<1	1	2	5	8	10	16
TOTAL 0-19 YRS	644	3.5	7	1	1	3	5	7	9	12
20-34	3109	3.1	8	<1	1	2	4	6	8	13
35-49	606	3.3	13	<1	<1	2	4	7	9	21
50-64	108	4.5	25	<1	1	3	5	10	13	29
65+	68	6.6	37	1	2	4	11	14	15	34
GRAND TOTAL	**4535**	**3.3**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	107	6.3	19	1	2	6	8	11	13	26
20-34	330	6.0	16	1	2	5	7	11	15	22
35-49	276	8.7	41	2	3	7	11	15	18	37
50-64	212	9.1	24	3	4	8	11	15	18	31
65+	168	11.0	27	4	5	10	13	18	22	27
2. MULTIPLE DX										
0-19 YRS	203	10.7	87	2	4	8	12	22	32	63
20-34	1116	6.9	41	1	2	6	8	12	16	37
35-49	780	9.8	74	2	3	8	12	18	23	48
50-64	732	13.9	114	3	5	11	17	27	37	56
65+	899	15.8	107	5	7	13	20	28	39	59
TOT. SINGLE DX	1093	8.1	30	2	2	7	10	14	17	30
" MULTIPLE DX	3730	11.2	94	2	3	9	14	23	30	55
TOTAL 0-19 YRS	310	9.2	68	2	2	7	10	18	29	49
20-34	1446	6.7	36	1	2	6	8	12	16	33
35-49	1056	9.5	66	2	3	8	11	17	22	44
50-64	944	12.8	98	3	5	10	15	25	34	53
65+	1067	15.1	98	5	6	12	19	27	36	57
GRAND TOTAL	4823	10.5	81	2	3	8	13	21	28	50

631: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	62	8.3	16	4	4	8	10	12	14	28
20-34	56	8.4	5	5	6	8	9	11	11	18
35-49	67	9.1	5	6	7	9	10	12	14	16
50-64	105	10.7	12	6	7	10	12	16	18	21
65+	97	12.1	25	6	8	11	15	19	21	32
2. MULTIPLE DX										
0-19 YRS	128	10.6	39	4	5	9	12	19	25	33
20-34	112	10.4	38	5	6	9	12	16	25	65
35-49	149	13.8	102	6	7	11	15	22	34	72
50-64	337	13.2	45	7	7	11	15	22	26	37
65+	509	15.9	75	7	8	14	19	27	33	50
TOT. SINGLE DX	389	10.1	16	5	6	9	11	15	18	25
" MULTIPLE DX	1235	13.8	67	6	7	12	16	24	29	49
TOTAL 0-19 YRS	190	9.8	33	4	5	8	11	17	24	31
20-34	170	9.8	28	5	6	8	11	14	19	43
35-49	216	12.3	77	6	7	10	14	20	28	66
50-64	442	12.6	39	6	7	11	15	21	25	35
65+	606	15.3	69	7	8	13	18	26	31	47
GRAND TOTAL	1624	12.9	58	6	7	11	15	22	28	43

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	279	6.0	33	2	2	5	8	11	14	30
20-34	343	6.8	16	2	2	7	8	11	14	19
35-49	398	7.5	29	2	3	7	9	12	15	26
50-64	347	7.0	15	2	3	7	9	12	14	20
65+	133	8.1	20	2	3	8	10	13	17	25
2. MULTIPLE DX										
0-19 YRS	293	13.0	144	2	2	9	18	30	36	50
20-34	460	12.1	132	2	3	9	14	24	31	66
35-49	520	12.4	122	2	3	9	15	24	35	78
50-64	540	11.2	78	2	3	9	14	21	26	44
65+	560	12.2	86	2	3	10	15	23	31	44
TOT. SINGLE DX	1500	7.0	24	2	2	6	9	12	14	24
" MULTIPLE DX	2373	12.1	109	2	3	9	15	24	32	61
TOTAL 0-19 YRS	572	9.6	103	2	2	6	11	24	32	46
20-34	803	9.8	90	2	2	8	11	18	26	55
35-49	918	10.2	88	2	3	8	11	20	26	68
50-64	887	9.6	58	2	3	8	12	17	23	40
65+	693	11.4	77	2	3	9	14	22	29	43
GRAND TOTAL	3873	10.1	82	2	3	8	12	20	27	49

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.8	13	3	3	6	9	12	13	17
20-34	247	7.0	8	3	3	7	9	11	12	14
35-49	429	7.4	12	3	3	7	9	11	13	16
50-64	354	7.7	11	3	4	7	10	12	13	18
65+	121	8.6	12	4	5	8	10	14	16	42
2. MULTIPLE DX										
0-19 YRS	23	8.8	20	1	3	9	12	15	17	18
20-34	176	8.5	18	2	4	8	10	14	17	23
35-49	301	8.8	23	3	4	8	11	14	17	25
50-64	410	10.0	28	3	4	9	13	17	20	26
65+	416	12.0	49	3	5	10	15	21	25	38
TOT. SINGLE DX	1180	7.5	12	3	4	7	9	12	13	18
" MULTIPLE DX	1326	10.1	34	3	4	9	13	17	21	32
TOTAL 0-19 YRS	52	7.7	17	1	3	7	10	13	17	18
20-34	423	7.6	13	3	3	7	9	12	14	20
35-49	730	8.0	18	3	4	7	10	13	15	24
50-64	764	8.9	22	3	4	8	11	15	18	24
65+	537	11.2	43	4	5	10	14	20	23	38
GRAND TOTAL	2506	8.9	25	3	4	8	11	15	18	27

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	7.7	6	5	5	7	8	10	12	18
20-34	12	7.2	10	1	2	8	9	10	12	12
35-49	22	11.1	24	4	5	10	15	19	21	22
50-64	7	12.7	43	6	6	11	14	24	26	26
65+	8	16.4	87	8	8	14	20	32	36	36
2. MULTIPLE DX										
0-19 YRS	238	10.3	37	4	6	8	12	18	22	39
20-34	42	14.7	88	7	8	11	16	28	35	50
35-49	31	12.4	39	3	6	10	18	23	24	24
50-64	36	16.6	118	3	4	14	21	35	38	49
65+	65	21.9	189	6	9	16	31	41	46	72
TOT. SINGLE DX	194	8.6	17	5	5	8	9	13	16	25
" MULTIPLE DX	412	13.3	91	5	6	10	16	25	34	47
TOTAL 0-19 YRS	383	9.3	27	5	5	8	10	14	19	31
20-34	54	13.0	81	4	6	10	14	27	32	50
35-49	53	11.9	33	4	6	10	16	20	23	24
50-64	43	16.0	107	3	6	13	20	33	37	49
65+	73	21.3	180	6	9	16	30	40	46	70
GRAND TOTAL	606	11.8	72	5	6	9	13	22	30	46

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	4.3	9	1	2	3	5	9	11	15
20-34	838	3.9	5	1	2	3	5	7	8	13
35-49	1032	3.9	5	1	2	3	5	7	8	12
50-64	617	4.1	7	1	2	3	5	7	9	15
65+	220	4.7	15	2	2	4	6	8	9	17
2. MULTIPLE DX										
0-19 YRS	64	8.3	33	2	3	6	12	16	21	24
20-34	344	5.3	28	2	2	4	6	9	11	23
35-49	503	5.1	15	2	2	4	6	9	11	17
50-64	556	6.1	19	2	2	5	7	11	15	23
65+	457	8.2	37	2	3	6	10	16	19	32
TOT. SINGLE DX	2828	4.0	7	1	2	3	5	7	9	13
" MULTIPLE DX	1924	6.3	26	2	2	5	8	11	16	24
TOTAL 0-19 YRS	185	5.7	21	1	2	4	8	13	15	23
20-34	1182	4.3	13	1	2	3	5	7	9	16
35-49	1535	4.3	9	1	2	4	5	7	9	14
50-64	1173	5.1	14	2	2	4	6	9	11	20
65+	677	7.0	33	2	2	5	9	14	18	28
GRAND TOTAL	4752	4.9	16	2	2	4	6	9	12	20

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	741	2.1	3	<1	<1	1	2	4	6	10
20-34	862	3.6	7	<1	1	3	4	7	9	14
35-49	994	3.6	8	1	1	3	5	7	9	13
50-64	933	3.8	12	<1	1	3	5	8	10	16
65+	744	3.9	12	1	1	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	1017	3.3	19	<1	1	2	4	7	10	17
20-34	1531	5.4	35	1	1	4	7	10	14	28
35-49	2061	6.0	34	1	1	4	8	12	16	31
50-64	3013	6.3	41	1	1	5	8	13	17	34
65+	5450	7.8	54	1	2	6	10	16	21	37
TOT. SINGLE DX	4274	3.4	9	<1	1	2	4	7	9	15
" MULTIPLE DX	13072	6.6	45	1	1	5	8	13	18	35
TOTAL 0-19 YRS	1758	2.8	13	<1	<1	2	3	6	8	16
20-34	2393	4.7	26	1	1	3	6	9	12	23
35-49	3055	5.2	27	1	1	4	7	10	13	27
50-64	3946	5.8	36	1	1	4	7	12	15	31
65+	6194	7.4	51	1	2	5	10	15	20	36
GRAND TOTAL	17346	5.8	38	1	1	4	7	12	16	31

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.7	4	<1	<1	2	3	6	8	9
20-34	74	3.2	10	1	1	2	4	6	7	23
35-49	169	3.0	3	1	1	2	4	6	6	9
50-64	523	3.4	5	1	1	3	4	6	8	12
65+	1058	3.7	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	44	4.7	20	<1	1	3	6	12	14	17
20-34	160	4.5	25	<1	1	3	5	9	13	39
35-49	302	4.6	15	1	1	3	6	10	11	23
50-64	805	5.4	27	1	2	4	6	10	14	25
65+	2623	6.2	32	2	2	5	8	12	16	28
TOT. SINGLE DX	1843	3.5	6	1	1	3	4	6	8	12
" MULTIPLE DX	3934	5.8	30	1	2	4	7	11	15	27
TOTAL 0-19 YRS	63	4.1	16	<1	1	2	5	11	13	17
20-34	234	4.1	21	<1	1	3	5	8	11	31
35-49	471	4.1	12	1	1	3	5	8	10	19
50-64	1328	4.6	20	1	2	3	5	9	12	21
65+	3681	5.5	26	1	2	4	7	10	14	26
GRAND TOTAL	5777	5.1	23	1	2	4	6	10	13	24

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	5.4	17	1	1	4	7	10	16	18
20-34	92	4.8	9	1	1	4	7	9	9	16
35-49	129	5.3	16	1	2	5	7	10	12	25
50-64	186	6.0	23	1	1	4	10	13	15	19
65+	250	6.5	30	1	2	5	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	160	9.1	77	1	2	7	11	16	26	51
20-34	194	10.1	198	1	2	6	11	20	32	86
35-49	234	8.6	98	1	2	6	9	19	27	83
50-64	461	9.0	86	2	2	6	12	18	24	46
65+	1236	10.1	84	2	2	8	13	21	28	49
TOT. SINGLE DX	728	5.8	22	1	1	4	8	13	15	22
" MULTIPLE DX	2285	9.6	96	2	2	7	12	20	28	57
TOTAL 0-19 YRS	231	7.9	62	1	2	6	10	15	18	47
20-34	286	8.4	144	1	2	5	9	15	24	75
35-49	363	7.4	71	1	2	5	9	14	24	60
50-64	647	8.1	70	1	2	6	11	16	22	43
65+	1486	9.5	77	2	2	7	13	20	26	46
GRAND TOTAL	3013	8.7	81	1	2	6	11	17	25	49

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	1.2		<1	<1	1	1	2	2	3
20-34	20	2.8	5	<1	<1	2	4	5	8	11
35-49	12	2.8	4	<1	<1	2	4	6	8	8
50-64	11	2.0	2	<1	<1	2	2	4	6	6
65+	14	3.3	5	<1	<1	3	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	114	2.2	3	<1	1	2	3	5	6	9
20-34	28	3.9	27	<1	<1	2	5	8	10	28
35-49	25	3.4	7	<1	1	2	5	8	9	11
50-64	26	3.8	12	<1	<1	2	5	7	13	15
65+	36	6.2	19	1	2	5	8	13	15	17
TOT. SINGLE DX	187	1.7	2	<1	<1	1	2	3	5	9
" MULTIPLE DX	229	3.4	12	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	244	1.7	2	<1	<1	1	2	3	4	8
20-34	48	3.4	18	<1	<1	2	4	7	9	28
35-49	37	3.2	7	<1	<1	2	5	7	9	11
50-64	37	3.3	10	<1	<1	2	4	7	11	15
65+	50	5.4	17	<1	1	4	7	12	15	17
GRAND TOTAL	416	2.6	8	<1	<1	2	3	6	8	15

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	704	5.2	15	1	1	4	7	10	13	17
20-34	123	3.9	10	<1	1	3	5	8	10	17
35-49	80	4.7	7	1	2	4	6	8	10	13
50-64	77	3.9	7	1	1	3	5	8	10	11
65+	85	4.5	12	1	1	4	6	9	11	19
2. MULTIPLE DX										
0-19 YRS	398	7.0	23	1	2	7	10	14	15	19
20-34	83	4.7	16	1	1	3	6	11	14	19
35-49	107	6.1	48	1	2	5	7	10	13	44
50-64	150	5.4	24	1	1	4	7	10	15	25
65+	209	6.3	26	2	2	5	8	12	17	27
TOT. SINGLE DX	[illegible]	4.8	13	1	1	4	7	9	12	17
" MULTIPLE DX	[illegible]	6.3	27	1	2	5	8	13	15	25
TOTAL 0-19 YRS	1102	5.8	19	1	1	5	8	12	14	18
20-34	206	4.2	13	1	1	3	5	9	12	18
35-49	187	5.5	31	1	2	5	7	10	11	33
50-64	227	4.9	19	1	1	4	6	9	12	23
65+	294	5.7	23	1	2	4	7	11	15	24
GRAND TOTAL	2016	5.5	20	1	1	4	8	12	14	20

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	1.9	2	<1	<1	1	2	3	4	9
20-34	107	2.6	3	<1	1	2	3	5	6	9
35-49	90	2.8	4	<1	<1	2	3	6	7	12
50-64	78	3.0	7	<1	1	2	4	6	7	17
65+	72	3.4	8	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	387	2.4	25	<1	1	1	2	4	6	13
20-34	386	4.8	19	<1	1	4	6	10	13	23
35-49	439	5.5	31	1	1	4	7	10	14	25
50-64	554	6.2	46	1	1	4	8	12	18	33
65+	1182	8.1	54	2	2	6	10	16	22	39
TOT. SINGLE DX	499	2.6	5	<1	1	2	3	5	6	12
" MULTIPLE DX	2948	6.2	45	1	1	4	8	13	17	32
TOTAL 0-19 YRS	539	2.3	19	<1	1	1	2	4	6	12
20-34	493	4.3	16	<1	1	3	6	9	12	23
35-49	529	5.0	28	<1	1	3	7	10	13	24
50-64	632	5.8	43	1	1	4	7	11	17	31
65+	1254	7.8	53	1	2	6	10	15	22	38
GRAND TOTAL	**3447**	**5.7**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	2.0	3	<1	<1	1	2	4	6	10
20-34	135	3.1	4	1	1	2	4	6	8	11
35-49	102	3.6	6	1	1	3	5	8	9	11
50-64	88	3.9	7	1	1	3	5	8	10	13
65+	87	4.1	6	1	2	3	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	121	2.4	2	<1	1	2	3	5	7	8
20-34	189	3.5	8	1	1	2	4	7	9	14
35-49	197	4.6	23	1	1	3	5	8	13	28
50-64	244	5.7	36	1	2	4	7	10	17	36
65+	460	7.0	45	2	2	5	8	14	21	36
TOT. SINGLE DX	566	3.2	6	<1	1	2	4	7	8	12
" MULTIPLE DX	1211	5.4	32	1	2	4	6	11	16	31
TOTAL 0-19 YRS	275	2.2	3	<1	<1	2	2	4	6	9
20-34	324	3.3	7	1	1	2	4	7	9	13
35-49	299	4.3	18	1	1	3	5	8	11	25
50-64	332	5.2	29	1	2	4	6	10	13	29
65+	547	6.6	40	2	2	5	8	12	20	33
GRAND TOTAL	**1777**	**4.7**	**25**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	46	6.7	4	2	4	7	8	9	10	12
35-49	239	7.4	3	5	5	7	8	10	11	13
50-64	185	7.9	7	5	5	8	9	10	11	21
65+	91	8.7	6	6	6	8	9	13	13	19
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	80	8.4	11	5	5	8	9	14	16	20
35-49	329	8.3	10	5	5	8	9	12	14	22
50-64	362	9.2	29	5	6	8	10	13	16	23
65+	220	10.0	18	5	6	9	12	16	20	23
TOT. SINGLE DX	562	7.7	6	5	5	8	9	10	12	18
" MULTIPLE DX	992	9.0	20	5	6	8	10	13	16	23
TOTAL 0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	126	7.8	10	4	5	7	9	12	14	19
35-49	568	7.9	8	5	5	7	9	11	12	17
50-64	547	8.8	22	5	6	8	10	12	15	22
65+	311	9.6	16	5	6	8	11	15	19	23
GRAND TOTAL	**1554**	**8.6**	**15**	**5**	**5**	**8**	**9**	**12**	**15**	**22**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	23	6.1	2	4	4	6	8	8	9	10
35-49	90	6.4	3	4	4	6	8	9	9	14
50-64	80	7.3	7	4	4	7	9	11	12	17
65+	53	7.1	5	4	4	7	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	4	9.3	5	6	6	10	11	11	11	11
20-34	21	6.6	8	3	4	6	7	11	14	15
35-49	129	8.0	10	4	4	8	9	13	15	17
50-64	141	8.3	17	4	5	7	9	12	15	26
65+	126	8.5	10	4	5	8	10	13	14	21
TOT. SINGLE DX	246	6.8	5	4	4	7	8	9	11	13
" MULTIPLE DX	421	8.2	13	4	5	8	10	13	15	21
TOTAL 0-19 YRS	4	9.3	6	6	6	10	11	11	11	11
20-34	44	6.4	5	4	4	6	7	8	11	15
35-49	219	7.3	8	4	4	7	8	11	14	16
50-64	221	7.9	14	4	4	7	9	11	13	23
65+	179	8.1	9	4	5	8	10	12	13	19
GRAND TOTAL	**667**	**7.7**	**11**	**4**	**4**	**7**	**9**	**11**	**13**	**19**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.0	8	1	1	6	7	9	10	10
20-34	26	4.2	7	1	1	4	6	8	9	11
35-49	38	5.3	18	<1	1	4	8	10	14	22
50-64	29	5.3	11	2	2	4	7	11	13	14
65+	6	3.5	11	<1	<1	3	3	9	10	10
2. MULTIPLE DX										
0-19 YRS	16	3.6	12	<1	1	2	4	10	12	13
20-34	39	6.2	17	1	2	6	8	11	12	23
35-49	45	5.8	22	1	2	4	7	14	17	20
50-64	63	8.0	54	2	2	6	10	17	20	39
65+	83	8.7	63	1	2	6	10	17	19	48
TOT. SINGLE DX	110	4.9	13	1	1	4	7	9	11	17
" MULTIPLE DX	246	7.3	45	1	2	5	9	14	19	36
TOTAL 0-19 YRS	27	4.1	11	<1	1	3	6	9	11	13
20-34	65	5.4	14	1	2	5	8	10	11	21
35-49	83	5.6	21	1	2	4	7	12	16	21
50-64	92	7.2	42	2	2	5	9	14	19	38
65+	89	8.3	62	1	2	6	10	16	19	47
GRAND TOTAL	356	6.5	36	1	2	5	8	13	18	35

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	6.9	42	2	2	6	8	11	24	28
35-49	18	5.7	10	1	2	5	8	10	11	12
50-64	11	6.5	24	2	3	4	7	16	17	17
65+	8	7.8	51	3	3	5	9	20	24	24
2. MULTIPLE DX										
0-19 YRS	5	7.4	31	1	1	7	12	14	14	14
20-34	17	5.7	7	1	2	6	7	9	11	12
35-49	17	8.8	10	4	4	9	11	13	14	15
50-64	22	11.1	109	1	1	10	14	18	33	51
65+	45	12.5	110	3	3	10	17	28	32	51
TOT. SINGLE DX	53	6.5	27	2	2	5	8	11	17	28
" MULTIPLE DX	106	10.3	78	2	3	8	13	20	29	51
TOTAL 0-19 YRS	6	6.8	27	1	1	5	12	14	14	14
20-34	32	6.3	23	2	2	6	7	10	12	28
35-49	35	7.2	13	2	2	8	9	12	13	15
50-64	33	9.6	85	1	2	8	13	16	20	51
65+	53	11.8	103	3	3	9	15	28	32	50
GRAND TOTAL	159	9.0	64	2	2	7	12	17	26	49

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7	5	3	3	7	7	7	7	7
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	57	5.4	6	2	3	5	6	9	10	17
50-64	1186	5.6	4	3	4	5	6	8	9	13
65+	2522	6.2	9	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	10	9.0	56	2	3	6	9	22	27	27
20-34	17	9.1	57	3	4	5	10	23	27	29
35-49	137	6.7	13	3	3	6	8	11	15	18
50-64	2742	7.1	19	3	4	6	8	12	15	24
65+	10119	8.8	37	4	4	7	10	15	19	33
TOT. SINGLE DX	3771	6.0	8	3	4	5	7	9	10	15
" MULTIPLE DX	13025	8.4	34	4	4	7	10	14	18	32
TOTAL 0-19 YRS	13	8.2	45	2	3	6	8	19	25	27
20-34	20	8.4	52	2	3	5	10	20	26	29
35-49	194	6.3	12	3	3	6	7	10	14	17
50-64	3928	6.6	15	3	4	6	7	10	13	21
65+	12641	8.2	33	4	4	7	9	14	18	31
GRAND TOTAL	16796	7.8	29	4	4	6	9	13	17	30

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	13.3	80	3	3	18	19	19	19	19
50-64	111	10.6	18	5	6	10	13	17	20	22
65+	175	11.1	24	6	7	10	13	17	21	29
2. MULTIPLE DX										
0-19 YRS	6	10.0	29	4	4	9	14	18	18	18
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	7	10.9	56	1	2	9	15	23	24	24
50-64	221	11.1	29	5	5	10	14	18	22	26
65+	748	12.1	39	5	6	11	14	19	23	37
TOT. SINGLE DX	290	10.9	23	5	7	10	13	17	21	25
" MULTIPLE DX	985	11.9	37	5	6	11	14	19	22	35
TOTAL 0-19 YRS	6	10.0	29	4	4	9	14	18	18	18
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	10	11.6	57	1	2	10	18	21	24	24
50-64	332	10.9	26	5	5	10	14	18	21	25
65+	923	11.9	37	5	7	11	14	19	22	36
GRAND TOTAL	1275	11.6	34	5	6	10	14	18	22	32

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	8	2.8	1	1	1	3	4	5	5	5
35-49	57	1.8		<1	1	2	2	3	3	5
50-64	347	2.5	2	1	1	2	3	4	6	11
65+	559	2.8	6	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	6	5.3	41	1	1	3	6	17	18	18
20-34	4	8.5	76	2	2	5	14	21	21	21
35-49	72	4.5	17	1	1	3	6	9	10	26
50-64	445	4.2	11	1	2	3	5	9	11	17
65+	1122	5.6	26	1	2	4	8	12	16	26
TOT. SINGLE DX	974	2.6	5	1	1	2	3	4	6	12
" MULTIPLE DX	1649	5.2	23	1	2	3	7	11	15	24
TOTAL 0-19 YRS	9	5.0	32	1	1	2	7	15	18	18
20-34	12	4.7	30	1	1	3	4	12	20	21
35-49	129	3.3	12	1	1	2	4	7	9	16
50-64	792	3.4	8	1	1	2	4	7	9	16
65+	1681	4.7	22	1	1	3	6	10	14	24
GRAND TOTAL	2623	4.2	18	1	1	3	5	9	12	21

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.2	2	<1	1	2	3	4	5	9
20-34	89	2.8	6	<1	1	2	3	6	7	14
35-49	62	3.6	15	<1	1	3	4	7	10	26
50-64	58	3.5	5	1	2	3	4	5	9	12
65+	40	3.4	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	64	3.1	10	<1	1	2	3	5	8	18
20-34	59	5.0	24	1	1	3	6	9	15	28
35-49	60	4.2	5	2	2	3	5	7	9	11
50-64	77	7.0	63	1	2	5	9	12	16	53
65+	96	7.5	42	2	2	6	10	18	21	73
TOT. SINGLE DX	379	2.9	7	<1	1	2	3	5	7	13
" MULTIPLE DX	356	5.6	35	1	2	4	7	11	17	33
TOTAL 0-19 YRS	194	2.5	5	<1	1	2	3	5	6	15
20-34	148	3.7	14	1	1	2	5	7	10	23
35-49	122	3.9	11	1	2	3	4	7	9	17
50-64	135	5.5	41	1	2	4	6	11	14	37
65+	136	6.3	35	2	2	4	8	14	19	49
GRAND TOTAL	735	4.2	22	1	1	3	5	9	12	25

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	2.2	1	<1	1	2	3	4	5	6
20-34	174	3.7	7	1	2	3	4	6	8	18
35-49	83	3.3	3	1	2	3	4	5	7	11
50-64	63	4.1	7	1	2	3	5	8	10	14
65+	170	3.9	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	153	2.8	6	1	1	2	3	5	7	13
20-34	109	4.3	11	1	2	3	5	8	11	20
35-49	94	5.1	14	2	2	4	7	9	12	21
50-64	149	7.6	80	2	2	5	10	15	20	39
65+	671	7.6	49	2	2	5	10	16	21	42
TOT. SINGLE DX	649	3.4	6	1	1	3	4	6	8	14
" MULTIPLE DX	1176	6.5	44	1	2	4	8	14	19	38
TOTAL 0-19 YRS	312	2.5	4	<1	1	2	3	4	5	11
20-34	283	3.9	9	1	2	3	5	7	9	18
35-49	177	4.3	10	1	2	3	5	8	9	18
50-64	212	6.6	61	2	2	4	8	12	18	36
65+	841	6.9	43	2	2	5	9	14	20	40
GRAND TOTAL	1825	5.4	33	1	2	3	6	11	16	31

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	772	1.9		<1	<1	2	2	3	4	5
20-34	87	2.2	1	1	1	2	3	4	5	6
35-49	9	2.0		<1	<1	2	2	3	4	4
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	554	2.4	3	<1	1	2	3	4	5	9
20-34	31	2.9	3	1	1	2	3	6	8	8
35-49	6	4.3	19	1	1	3	4	12	13	13
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	8.3	104	<1	<1	4	16	20	20	20
TOT. SINGLE DX	870	1.9	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	595	2.5	4	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	1326	2.1	2	<1	1	2	2	3	4	7
20-34	118	2.4	2	1	1	2	3	4	5	8
35-49	15	2.9	9	<1	1	2	3	4	11	13
50-64	3	4.3		4	4	4	5	5	5	5
65+	3	8.3	104	<1	<1	4	16	20	20	20
GRAND TOTAL	**1465**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	1.9	1	<1	1	2	2	3	4	5
20-34	97	2.2	1	1	1	2	3	3	5	7
35-49	45	2.5	2	1	1	2	3	5	6	8
50-64	13	3.0		2	2	3	4	4	4	4
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	65	2.8	10	<1	1	2	3	5	8	20
20-34	52	2.9	5	1	1	2	3	5	7	16
35-49	31	3.2	10	1	1	2	4	4	11	17
50-64	24	5.0	24	1	2	3	5	15	17	18
65+	12	5.0	4	3	3	4	6	9	10	10
TOT. SINGLE DX	323	2.1	2	<1	1	2	2	4	5	7
" MULTIPLE DX	184	3.3	11	1	1	2	4	6	10	18
TOTAL 0-19 YRS	230	2.1	4	<1	1	2	2	4	5	13
20-34	149	2.4	3	1	1	2	3	4	5	8
35-49	76	2.8	6	1	1	2	3	4	6	15
50-64	37	4.3	17	2	2	3	4	10	16	18
65+	15	4.9	6	2	3	4	6	9	10	10
GRAND TOTAL	**507**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	88	1.2		<1	<1	<1	1	2	2	3
35-49	68	1.3		<1	<1	<1	1	2	3	6
50-64	8	5.6	19	1	1	5	8	12	14	14
65+	3	6.3	16	2	2	7	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	34	3.9	13	<1	<1	2	5	10	12	16
35-49	36	4.1	34	<1	<1	2	5	9	11	34
50-64	14	4.4	7	<1	<1	4	7	8	9	9
65+	2	10.0	8	8	8	10	12	12	12	12
TOT. SINGLE DX	167	1.5	3	<1	<1	<1	1	2	4	10
" MULTIPLE DX	88	4.2	21	<1	<1	3	6	9	11	27
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	122	1.9	5	<1	<1	<1	2	3	8	13
35-49	104	2.3	14	<1	<1	1	2	5	7	22
50-64	22	4.9	11	<1	1	4	7	9	11	14
65+	5	7.8	14	2	2	8	10	12	12	12
GRAND TOTAL	**255**	**2.5**	**11**	**<1**	**<1**	**1**	**2**	**7**	**9**	**14**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	1.8	1	<1	<1	2	2	3	3	6
20-34	387	2.1	1	<1	1	2	3	3	4	6
35-49	342	2.3	1	<1	1	2	3	4	4	8
50-64	259	2.8	2	1	1	3	4	4	6	8
65+	146	2.9	3	1	1	3	3	4	5	14
2. MULTIPLE DX										
0-19 YRS	242	2.4	19	<1	1	2	2	3	4	13
20-34	261	2.7	7	<1	1	2	3	4	6	12
35-49	226	3.1	4	1	1	3	4	5	7	13
50-64	292	4.3	11	1	2	3	5	8	10	22
65+	230	4.4	11	1	2	3	5	8	10	21
TOT. SINGLE DX	1557	2.3	2	<1	1	2	3	4	4	7
" MULTIPLE DX	1251	3.4	12	1	1	3	4	6	8	16
TOTAL 0-19 YRS	665	2.0	8	<1	<1	2	2	3	4	7
20-34	648	2.4	4	<1	1	2	3	4	5	8
35-49	568	2.6	3	<1	1	2	3	4	6	10
50-64	551	3.6	8	1	2	3	4	6	8	14
65+	376	3.8	9	1	2	3	4	6	10	18
GRAND TOTAL	**2808**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	595	1.5	1	<1	<1	1	2	2	3	4
20-34	202	1.9	1	<1	1	2	2	3	3	5
35-49	122	1.8		<1	<1	2	2	3	3	5
50-64	57	1.8		<1	1	2	2	3	3	3
65+	41	2.7	5	1	1	2	3	5	8	13
2. MULTIPLE DX										
0-19 YRS	280	2.5	13	<1	<1	2	2	4	7	24
20-34	182	2.7	8	<1	1	2	3	5	7	12
35-49	229	3.2	14	<1	1	2	4	7	8	14
50-64	151	3.9	20	1	1	2	5	7	11	30
65+	174	4.5	35	1	1	2	5	9	14	40
TOT. SINGLE DX	1500	1.6	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	1329	3.3	18	<1	1	2	3	7	9	22
TOTAL 0-19 YRS	1262	1.7	4	<1	<1	1	2	2	3	9
20-34	554	2.3	4	<1	1	2	2	4	5	10
35-49	467	2.7	10	<1	1	2	3	5	7	15
50-64	278	3.2	13	1	1	2	3	6	9	22
65+	268	4.3	34	1	1	2	5	9	12	42
GRAND TOTAL	**2829**	**2.4**	**10**	**<1**	**<1**	**2**	**2**	**4**	**7**	**15**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	94	3.1	6	<1	<1	2	4	7	8	13
20-34	69	3.1	4	<1	1	3	4	6	7	11
35-49	105	4.1	5	1	1	4	6	7	8	10
50-64	238	4.3	8	1	2	4	5	7	8	13
65+	107	4.6	4	2	2	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	74	4.2	10	<1	1	3	6	9	10	13
20-34	102	6.4	34	1	1	5	8	13	21	28
35-49	161	6.2	44	2	2	5	7	10	12	26
50-64	367	5.3	17	2	3	4	6	8	10	23
65+	224	5.9	23	2	3	5	7	10	16	24
TOT. SINGLE DX	613	4.0	7	1	1	4	5	7	8	11
" MULTIPLE DX	928	5.6	25	1	2	4	7	10	12	26
TOTAL 0-19 YRS	168	3.6	8	<1	<1	3	5	8	9	13
20-34	171	5.1	25	1	1	3	6	10	15	28
35-49	266	5.4	30	1	2	5	6	9	11	24
50-64	605	4.9	14	2	2	4	6	8	9	19
65+	331	5.5	18	2	2	4	6	9	12	22
GRAND TOTAL	**1541**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**22**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	220	4.9	2	2	3	5	6	7	8	10
20-34	626	5.1	3	2	3	5	6	7	8	11
35-49	82	5.8	5	2	3	6	7	8	10	15
50-64	17	8.0	13	4	4	7	10	12	16	18
65+	9	8.9	14	5	5	7	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	209	5.5	8	2	3	5	6	9	11	15
20-34	1191	5.7	6	2	3	5	6	8	10	16
35-49	239	7.0	18	1	3	6	9	12	13	27
50-64	48	8.3	18	1	3	8	10	15	18	20
65+	55	14.3	80	5	5	12	18	25	35	42
TOT. SINGLE DX	954	5.2	4	2	3	5	6	7	9	12
" MULTIPLE DX	1742	6.2	14	2	3	5	7	10	12	22
TOTAL 0-19 YRS	429	5.2	6	2	3	5	6	8	9	13
20-34	1817	5.5	6	2	3	5	6	8	9	14
35-49	321	6.7	16	2	3	6	8	11	13	21
50-64	65	8.2	17	2	4	8	10	14	18	20
65+	64	13.5	74	5	5	11	16	25	33	42
GRAND TOTAL	**2696**	**5.8**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	5.7	4	3	4	5	7	8	8	16
20-34	731	5.6	3	3	4	5	6	8	9	11
35-49	260	5.9	2	4	4	6	7	8	9	11
50-64	32	6.5	6	3	4	6	8	10	12	13
65+	14	7.3	10	3	4	7	8	10	15	17
2. MULTIPLE DX										
0-19 YRS	154	6.8	9	4	4	6	8	10	12	20
20-34	1806	6.2	6	4	4	6	7	9	10	17
35-49	872	7.0	11	4	4	6	8	10	12	20
50-64	121	11.3	109	5	5	8	12	19	29	64
65+	118	13.9	84	5	6	11	17	26	31	48
TOT. SINGLE DX	1139	5.7	3	3	4	5	6	8	9	12
" MULTIPLE DX	3071	7.0	18	4	4	6	7	10	13	24
TOTAL 0-19 YRS	256	6.4	8	3	4	6	7	9	11	16
20-34	2537	6.0	5	4	4	6	7	8	10	15
35-49	1132	6.8	10	4	4	6	8	10	12	19
50-64	153	10.3	92	4	5	8	11	16	24	56
65+	132	13.2	81	5	6	10	16	26	29	47
GRAND TOTAL	**4210**	**6.6**	**14**	**4**	**4**	**6**	**7**	**9**	**12**	**21**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0		3	3	4	29	99+	99+	99+
20-34	120	6.1	3	4	4	6	7	8	10	12
35-49	188	6.3	3	4	5	6	7	9	10	13
50-64	86	7.8	12	5	5	7	9	12	14	24
65+	27	8.7	12	5	5	8	10	14	17	19
2. MULTIPLE DX										
0-19 YRS	8	11.4	246	4	4	6	8	38	50	50
20-34	514	6.9	8	4	5	6	8	10	12	19
35-49	956	7.2	8	4	5	7	8	10	13	18
50-64	288	9.4	29	5	5	8	10	15	18	31
65+	181	12.7	82	6	7	10	15	21	28	56
TOT. SINGLE DX	425	6.7	6	4	5	6	7	10	11	16
" MULTIPLE DX	1947	8.0	22	4	5	7	9	12	16	25
TOTAL 0-19 YRS	12	8.9	170	3	3	5	8	60	92	99+
20-34	634	6.8	7	4	4	6	8	10	12	18
35-49	1144	7.0	8	4	5	6	8	10	12	18
50-64	374	9.0	26	5	5	8	10	14	18	29
65+	208	12.2	75	6	6	9	14	21	27	51
GRAND TOTAL	**2372**	**7.7**	**20**	**4**	**5**	**7**	**8**	**12**	**15**	**24**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.6	3	1	1	4	5	6	6	10
20-34	161	3.2	4	<1	1	3	5	6	7	10
35-49	28	3.5	6	<1	<1	3	6	7	8	10
50-64	6	4.2	3	1	1	4	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	64	4.8	6	1	2	5	7	8	9	12
20-34	504	4.3	6	1	1	4	6	7	8	12
35-49	112	5.1	12	1	1	5	7	10	12	17
50-64	10	6.8	10	2	2	7	8	11	12	12
65+	6	8.8	14	4	4	8	12	14	14	14
TOT. SINGLE DX	246	3.4	5	<1	1	3	5	6	7	10
" MULTIPLE DX	696	4.5	8	1	1	5	6	8	9	14
TOTAL 0-19 YRS	115	4.3	6	1	2	4	6	8	8	12
20-34	665	4.0	6	1	1	4	6	7	8	11
35-49	140	4.8	11	<1	1	4	6	9	11	16
50-64	16	5.8	10	1	2	6	7	11	12	12
65+	6	8.8	15	4	4	8	12	14	14	14
GRAND TOTAL	**942**	**4.2**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.0	3	<1	<1	1	2	5	7	7
20-34	1348	1.4		<1	<1	1	2	2	2	4
35-49	454	1.4	2	<1	<1	1	1	2	2	5
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	11	1.8		<1	<1	2	3	3	3	3
20-34	1150	1.9	3	<1	<1	1	2	3	4	7
35-49	520	2.1	14	<1	<1	1	2	3	5	16
50-64	6	2.2		<1	<1	2	3	3	3	3
65+										
TOT. SINGLE DX	1817	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	1687	2.0	7	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	21	1.9	2	<1	<1	2	2	3	5	7
20-34	2498	1.6	2	<1	<1	1	2	3	3	6
35-49	974	1.8	9	<1	<1	1	2	2	4	10
50-64	11	1.6	1	<1	<1	1	2	3	3	3
65+										
GRAND TOTAL	**3504**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**3**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.9		1	2	3	3	4	4	5
20-34	1580	2.4	1	<1	1	2	3	4	4	6
35-49	424	2.2	2	<1	<1	2	3	4	4	6
50-64	3	5.0	7	2	2	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	71	3.6	11	2	2	3	4	5	5	25
20-34	2559	3.1	3	1	2	3	4	5	6	9
35-49	564	3.0	2	1	1	3	4	5	6	9
50-64	4	3.8	4	2	2	4	5	6	6	6
65+										
TOT. SINGLE DX	2037	2.4	2	<1	1	2	3	4	5	6
" MULTIPLE DX	3198	3.1	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	101	3.4	9	2	2	3	4	5	5	21
20-34	4139	2.8	3	1	1	3	3	5	5	8
35-49	988	2.7	3	<1	1	2	3	5	5	9
50-64	7	4.3	5	2	2	5	6	7	7	7
65+										
GRAND TOTAL	5235	2.8	3	1	1	3	3	5	5	8

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.6	3	2	3	4	5	7	9	10
20-34	1266	4.6	2	2	3	5	5	6	7	9
35-49	156	4.6	3	<1	2	5	5	6	7	9
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	99	4.9	5	2	3	5	5	7	9	15
20-34	1606	5.0	3	2	3	5	6	7	8	12
35-49	247	5.5	25	2	3	5	6	8	9	15
50-64	9	8.6	20	<1	2	8	10	15	18	18
65+	2	22.0	162	13	13	22	31	31	31	31
TOT. SINGLE DX	1514	4.6	3	2	3	5	5	6	7	9
" MULTIPLE DX	1963	5.1	7	2	3	5	6	7	8	12
TOTAL 0-19 YRS	190	4.8	4	2	3	5	5	7	9	12
20-34	2872	4.8	3	2	3	5	6	7	7	11
35-49	403	5.1	17	1	3	5	6	7	8	14
50-64	10	8.1	20	<1	2	8	10	14	18	18
65+	2	22.0	162	13	13	22	31	31	31	31
GRAND TOTAL	3477	4.9	5	2	3	5	6	7	8	11

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.0		1	1	2	3	3	3	3
20-34	697	2.1	1	<1	1	2	3	3	4	6
35-49	205	2.4	3	<1	1	2	3	4	6	11
50-64	70	2.4	2	1	1	2	3	4	6	8
65+	37	2.2	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	27	2.7	3	<1	1	2	3	5	7	9
20-34	448	2.7	15	<1	1	2	3	5	6	9
35-49	189	2.6	3	<1	1	2	3	5	6	9
50-64	89	3.4	7	1	1	3	4	6	10	15
65+	69	4.8	19	1	2	3	5	13	16	18
TOT. SINGLE DX	1042	2.2	2	<1	1	2	3	3	4	7
" MULTIPLE DX	822	2.9	12	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	60	2.3	2	<1	1	2	3	3	5	9
20-34	1145	2.3	7	<1	1	2	3	4	5	7
35-49	394	2.5	3	<1	1	2	3	5	6	10
50-64	159	2.9	5	1	1	2	3	5	7	14
65+	106	3.9	15	1	1	3	4	10	14	17
GRAND TOTAL	1864	2.5	6	<1	1	2	3	4	6	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.1	2	<1	<1	1	3	4	6	6
20-34	244	1.9	2	<1	<1	2	2	3	3	12
35-49	142	2.2	4	<1	<1	2	2	4	5	16
50-64	91	2.5	3	<1	1	2	3	5	7	11
65+	60	3.7	7	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	17	2.8	4	<1	<1	2	4	6	8	8
20-34	285	2.8	7	<1	1	2	3	5	8	14
35-49	299	3.5	22	<1	<1	2	4	8	10	20
50-64	254	4.7	42	<1	1	2	5	10	14	26
65+	295	6.1	28	2	2	5	8	12	15	23
TOT. SINGLE DX	550	2.3	4	<1	<1	2	2	4	6	12
" MULTIPLE DX	1150	4.2	26	<1	1	2	5	9	12	22
TOTAL 0-19 YRS	30	2.5	4	<1	<1	2	3	5	7	8
20-34	529	2.4	5	<1	<1	2	3	4	6	12
35-49	441	3.1	17	<1	<1	2	3	6	9	18
50-64	345	4.1	33	<1	1	2	4	9	11	25
65+	355	5.7	25	1	2	4	8	11	14	20
GRAND TOTAL	1700	3.6	20	<1	1	2	4	8	10	18

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.4	3	1	1	3	4	6	8	8
20-34	560	2.9	3	1	1	3	3	5	6	11
35-49	52	3.2	3	1	1	3	4	5	8	9
50-64										
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	8	3.9	11	2	2	3	4	10	12	12
20-34	156	4.6	25	1	2	3	5	8	11	34
35-49	16	3.1	4	2	2	2	3	7	8	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	646	2.9	3	1	1	3	3	5	6	10
" MULTIPLE DX	182	4.5	23	1	2	3	5	8	10	32
TOTAL 0-19 YRS	40	3.5	5	1	2	3	4	6	8	12
20-34	716	3.3	9	1	1	3	4	5	7	14
35-49	68	3.2	3	1	1	3	4	5	8	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	5.0	3	3	3	6	6	6	6	6
GRAND TOTAL	828	3.3	8	1	1	3	4	5	7	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.8	4	<1	1	4	5	6	6	6
20-34	226	5.1	5	<1	1	5	6	8	8	10
35-49	67	4.5	5	1	1	5	6	7	8	10
50-64	18	3.1	5	<1	1	2	4	8	8	8
65+	15	3.1	5	<1	1	2	4	6	9	10
2. MULTIPLE DX										
0-19 YRS	17	4.0	4	1	2	4	6	7	7	7
20-34	417	5.5	11	1	1	6	7	8	10	19
35-49	199	6.2	44	1	2	5	7	10	15	37
50-64	73	7.0	95	1	1	4	7	19	28	92
65+	75	7.3	45	2	2	5	9	17	20	37
TOT. SINGLE DX	334	4.8	6	<1	1	5	6	8	8	10
" MULTIPLE DX	781	6.0	31	1	2	5	7	10	15	31
TOTAL 0-19 YRS	25	3.9	4	1	2	4	6	6	7	7
20-34	643	5.4	9	1	1	5	7	8	10	18
35-49	266	5.8	35	1	1	5	7	9	13	29
50-64	91	6.2	80	1	1	3	7	17	27	86
65+	90	6.6	41	2	2	4	9	16	19	34
GRAND TOTAL	1115	5.6	24	1	1	5	7	9	12	28

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.8	8	3	4	6	7	10	14	15
20-34	1208	6.4	3	5	5	6	7	8	9	13
35-49	1777	6.6	3	5	5	6	7	8	10	13
50-64	450	7.4	5	5	5	7	8	10	12	16
65+	211	8.1	8	5	6	7	9	11	13	22
2. MULTIPLE DX										
0-19 YRS	80	8.2	16	4	5	7	10	13	16	26
20-34	8260	6.8	6	5	5	6	7	9	11	16
35-49	14634	7.1	5	5	5	7	8	9	11	17
50-64	3200	8.2	15	5	5	7	9	12	14	24
65+	1341	10.7	38	6	6	9	12	17	21	37
TOT. SINGLE DX	3658	6.7	4	5	5	6	7	9	10	14
" MULTIPLE DX	27515	7.3	9	5	5	7	8	10	12	19
TOTAL 0-19 YRS	92	8.0	16	4	5	7	9	13	15	25
20-34	9468	6.8	6	5	5	6	7	9	11	16
35-49	16411	7.0	6	5	5	7	8	9	11	16
50-64	3650	8.1	14	5	5	7	9	11	14	23
65+	1552	10.3	35	5	6	9	12	16	20	35
GRAND TOTAL	31173	7.2	9	5	5	7	8	10	12	19

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	857	5.3	1	4	4	5	6	7	7	9
35-49	692	5.7	3	4	4	5	6	7	8	12
50-64	239	7.0	4	4	5	7	8	10	11	14
65+	221	7.9	11	5	5	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	14	6.4	2	4	4	6	8	8	9	9
20-34	3407	5.8	3	4	4	5	6	8	9	12
35-49	4792	6.2	4	4	4	6	7	8	10	14
50-64	1201	[illegible]	6	4	5	7	8	10	11	16
65+	951	[illegible]	11	5	6	8	9	11	15	22
TOT. SINGLE DX	2013	5.9	4	4	4	5	7	8	9	13
" MULTIPLE DX	10365	6.4	6	4	4	6	7	9	10	15
TOTAL 0-19 YRS	18	6.3	2	4	4	6	8	8	9	9
20-34	4264	5.7	3	4	4	5	6	7	9	11
35-49	5484	6.1	5	4	4	6	7	8	9	13
50-64	1440	7.3	6	4	5	7	8	10	11	15
65+	1172	8.4	11	5	6	8	9	11	14	22
GRAND TOTAL	12378	6.3	6	4	4	6	7	9	10	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	9.9	9	5	6	10	13	13	14	19
35-49	23	11.4	15	7	8	10	13	18	20	21
50-64	2	24.5	41	20	20	24	29	29	29	29
65+	8	12.6	28	7	7	11	15	21	23	23
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	38	10.7	17	5	6	9	14	16	17	23
35-49	84	12.1	63	6	7	10	14	19	35	43
50-64	29	18.7	393	6	7	12	19	32	77	94
65+	26	19.5	143	10	10	17	20	27	49	67
TOT. SINGLE DX	71	11.1	19	6	7	10	13	17	20	28
" MULTIPLE DX	178	13.9	128	6	7	11	16	22	34	73
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	76	10.3	14	5	6	9	13	15	16	22
35-49	107	12.0	53	6	7	10	14	18	30	42
50-64	31	19.1	370	6	7	13	21	32	74	94
65+	34	17.9	123	9	9	15	20	24	41	67
GRAND TOTAL	**249**	**13.1**	**99**	**6**	**7**	**10**	**15**	**20**	**29**	**67**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	1.5		<1	<1	1	2	2	3	5
20-34	197	1.5	1	<1	<1	1	1	3	4	6
35-49	17	1.8	2	<1	<1	<1	2	5	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	3.9	9	1	1	3	5	6	8	17
20-34	184	3.1	12	<1	1	2	4	6	9	14
35-49	50	2.5	3	<1	<1	2	3	5	8	9
50-64										
65+										
TOT. SINGLE DX	256	1.5	1	<1	<1	1	2	2	4	6
" MULTIPLE DX	261	3.1	10	<1	1	2	4	6	8	15
TOTAL 0-19 YRS	69	2.5	5	<1	<1	2	3	5	6	15
20-34	381	2.2	7	<1	<1	1	2	4	6	11
35-49	67	2.3	4	<1	<1	2	3	5	7	9
50-64										
65+										
GRAND TOTAL	**517**	**2.3**	**6**	**<1**	**<1**	**1**	**3**	**5**	**6**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1603	1.7	1	<1	<1	1	2	3	4	6
20-34	9154	1.6	2	<1	<1	1	2	3	4	6
35-49	2764	1.6	1	<1	<1	1	2	2	3	6
50-64	1038	1.7	1	<1	<1	2	2	2	3	7
65+	392	2.3	6	<1	1	2	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	680	2.7	4	<1	1	2	3	5	7	10
20-34	5241	2.8	7	<1	1	2	3	6	7	12
35-49	3710	2.7	8	<1	<1	2	3	5	8	14
50-64	1805	3.1	16	<1	1	2	3	6	9	18
65+	1067	4.2	26	1	1	2	5	9	14	24
TOT. SINGLE DX	14951	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	12503	2.9	11	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	2283	2.0	2	<1	1	2	2	4	5	8
20-34	14395	2.1	4	<1	<1	1	2	4	5	9
35-49	6474	2.2	6	<1	<1	2	2	4	6	11
50-64	2843	2.6	11	<1	<1	2	2	5	8	15
65+	1459	3.7	22	1	1	2	4	8	12	21
GRAND TOTAL	**27454**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6	2	<1	<1	1	2	3	5	9
20-34	211	1.4	1	<1	<1	<1	1	2	3	6
35-49	37	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	47	3.7	33	<1	<1	2	4	10	22	99+
20-34	278	3.5	40	<1	<1	1	3	7	12	32
35-49	63	2.1	3	<1	<1	1	3	4	5	11
50-64										
65+										
TOT. SINGLE DX	288	1.4	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	388	3.3	34	<1	<1	1	3	7	12	32
TOTAL 0-19 YRS	87	2.8	20	<1	<1	1	2	6	12	74
20-34	489	2.6	25	<1	<1	1	2	5	7	29
35-49	100	1.8	2	<1	<1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	**676**	**2.5**	**21**	**<1**	**<1**	**1**	**2**	**5**	**7**	**29**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	1.4		<1	<1	1	2	2	3	4
20-34	1197	1.4		<1	<1	1	2	2	3	5
35-49	174	1.4		<1	<1	1	1	2	3	5
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	51	3.2	12	1	1	3	4	6	7	25
20-34	240	2.4	4	<1	1	2	3	5	7	9
35-49	50	2.3	3	<1	<1	2	3	5	7	9
50-64	4	5.5	35	1	1	3	9	14	14	14
65+	6	12.5	146	2	2	9	18	31	33	33
TOT. SINGLE DX	1605	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	351	2.7	9	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	281	1.7	3	<1	<1	1	2	3	4	7
20-34	1437	1.6	2	<1	<1	1	2	3	4	8
35-49	224	1.6	2	<1	<1	1	2	3	4	8
50-64	7	4.3	21	1	1	2	5	12	14	14
65+	7	10.9	140	1	1	4	17	30	33	33
GRAND TOTAL	1956	1.6	3	<1	<1	1	2	3	4	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	29	4.2	3	1	2	4	5	6	8	9
35-49	6	4.7	8	<1	<1	6	7	7	7	7
50-64	3	7.3	1	6	6	8	8	8	8	8
65+	3	9.0	1	8	8	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	13	5.7	2	4	4	5	7	8	8	8
20-34	162	5.0	4	2	2	5	6	7	8	12
35-49	8	4.6	2	2	2	5	6	6	6	6
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	7	8.3	12	2	3	9	11	12	12	12
TOT. SINGLE DX	44	4.8	5	1	2	5	6	8	9	10
" MULTIPLE DX	192	5.2	5	2	3	5	6	7	9	12
TOTAL 0-19 YRS	16	5.4	3	3	3	5	7	8	8	8
20-34	191	4.9	4	2	2	5	6	7	8	12
35-49	14	4.6	5	<1	1	5	6	7	7	7
50-64	5	7.0	1	6	6	7	8	8	8	8
65+	10	8.5	9	2	4	9	11	12	12	12
GRAND TOTAL	236	5.1	5	2	2	5	6	8	9	12

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.8	1	<1	1	2	4	5	6	6
20-34	85	2.9	4	<1	<1	2	5	6	7	9
35-49	25	3.7	6	<1	1	4	6	7	8	10
50-64	11	3.2	8	<1	<1	3	4	7	11	11
65+	7	4.1		4	4	4	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	4.3	3	2	2	4	6	7	7	7
20-34	180	3.8	8	<1	1	3	6	7	10	12
35-49	56	4.9	26	<1	1	3	6	9	19	24
50-64	21	3.8	4	1	1	4	5	6	8	9
65+	36	4.8	12	2	2	4	5	8	10	21
TOT. SINGLE DX	144	3.1	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	305	4.1	11	1	1	3	6	7	10	21
TOTAL 0-19 YRS	28	3.4	3	1	2	3	5	6	7	7
20-34	265	3.5	7	<1	1	3	5	7	8	11
35-49	81	4.5	20	<1	1	4	6	8	14	23
50-64	32	3.6	5	1	1	3	5	6	9	11
65+	43	4.7	10	2	3	4	5	7	10	21
GRAND TOTAL	449	3.8	9	<1	1	3	5	7	9	17

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	20	1	1	5	9	10	10	10
20-34	60	5.4	7	1	2	5	7	8	11	13
35-49	260	6.0	4	3	4	6	7	9	10	13
50-64	393	6.6	6	4	4	6	8	10	11	15
65+	221	6.6	4	4	4	6	8	9	11	15
2. MULTIPLE DX										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	190	6.6	14	3	3	6	8	10	11	17
35-49	519	7.2	15	4	4	7	8	11	12	19
50-64	741	7.5	9	4	5	7	9	11	13	19
65+	626	8.0	12	4	5	7	9	12	14	23
TOT. SINGLE DX	937	6.4	6	3	4	6	8	9	11	14
" MULTIPLE DX	2078	7.5	12	4	4	7	9	11	13	20
TOTAL 0-19 YRS	5	5.4	11	1	1	5	8	10	10	10
20-34	250	6.3	13	2	3	6	8	10	11	15
35-49	779	6.8	12	3	4	6	8	10	12	16
50-64	1134	7.2	8	4	4	7	8	11	12	18
65+	847	7.7	11	4	5	7	9	11	13	21
GRAND TOTAL	3015	7.2	11	4	4	7	8	11	12	18

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.0	8	<1	1	2	4	6	7	18
20-34	124	3.6	6	1	1	3	5	6	7	13
35-49	71	3.9	6	1	1	4	5	7	8	12
50-64	28	4.6	8	1	1	4	7	9	9	10
65+	14	5.3	5	1	2	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	42	4.0	10	<1	1	3	5	9	11	16
20-34	96	4.3	8	1	1	4	5	9	11	14
35-49	68	6.4	27	1	1	5	8	14	16	26
50-64	53	8.0	43	2	2	7	9	12	17	45
65+	55	9.0	61	2	2	8	11	13	19	55
TOT. SINGLE DX	285	3.7	7	1	1	3	5	7	8	11
" MULTIPLE DX	314	6.1	31	1	2	5	8	11	14	24
TOTAL 0-19 YRS	90	3.5	10	1	1	2	4	7	10	17
20-34	220	3.9	8	1	1	3	5	7	9	13
35-49	139	5.1	18	1	1	4	6	10	13	23
50-64	81	6.8	34	1	2	7	9	11	13	39
65+	69	8.3	52	2	2	7	10	12	16	50
GRAND TOTAL	599	5.0	21	1	1	4	7	10	12	22

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.4	4	<1	<1	2	3	5	7	12
20-34	240	3.6	8	<1	<1	3	5	8	10	13
35-49	104	3.8	8	<1	1	3	6	8	9	14
50-64	64	4.0	7	<1	1	3	5	8	8	16
65+	78	4.9	9	1	2	4	7	9	10	17
2. MULTIPLE DX										
0-19 YRS	80	3.7	8	1	1	3	5	8	11	74
20-34	303	4.7	17	<1	1	3	6	10	13	20
35-49	158	5.3	18	1	1	4	7	11	16	20
50-64	161	7.8	46	1	2	6	9	14	20	42
65+	242	8.0	37	2	3	6	9	16	22	31
TOT. SINGLE DX	562	3.7	8	<1	1	3	5	8	9	13
" MULTIPLE DX	944	6.1	29	1	1	5	8	12	17	29
TOTAL 0-19 YRS	156	3.1	7	<1	1	2	4	6	10	16
20-34	543	4.2	13	<1	1	3	6	9	11	19
35-49	262	4.7	15	<1	1	4	7	9	13	17
50-64	225	6.7	38	1	2	6	8	11	18	37
65+	320	7.2	33	2	2	6	9	13	19	30
GRAND TOTAL	1506	5.2	23	<1	1	4	7	10	13	24

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	2.1	3	<1	<1	2	3	3	5	10
20-34	471	2.1	1	<1	<1	2	3	4	5	8
35-49	269	2.2	2	<1	<1	2	3	4	5	7
50-64	107	2.5	2	<1	1	2	3	4	6	8
65+	58	3.5	15	<1	1	2	4	6	10	26
2. MULTIPLE DX										
0-19 YRS	72	4.0	9	1	1	3	5	8	11	15
20-34	215	3.7	49	<1	1	2	4	6	9	20
35-49	165	4.9	37	1	1	3	5	9	14	30
50-64	143	5.3	22	1	1	3	7	11	15	25
65+	157	6.7	37	1	2	5	9	14	18	35
TOT. SINGLE DX	1041	2.2	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	752	4.9	37	1	1	3	6	10	14	28
TOTAL 0-19 YRS	208	2.8	6	<1	<1	2	3	6	8	13
20-34	686	2.6	17	<1	<1	2	3	5	6	11
35-49	434	3.2	17	<1	1	2	4	5	8	21
50-64	250	4.1	16	<1	1	3	5	8	11	23
65+	215	5.9	34	1	2	4	8	13	17	32
GRAND TOTAL	1793	3.4	19	<1	1	2	4	6	9	20

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	4.1	6	1	1	3	5	8	9	9
35-49	20	6.5	96	1	2	4	6	12	30	46
50-64	23	8.1	34	1	2	6	12	18	19	19
65+	26	7.2	31	2	3	5	9	15	18	27
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	17	6.5	24	1	2	5	9	14	17	19
35-49	23	11.5	356	1	2	8	13	15	44	95
50-64	31	14.8	283	2	3	10	16	30	36	92
65+	68	14.8	235	3	4	11	18	30	48	90
TOT. SINGLE DX	93	6.4	41	1	2	4	8	15	18	38
" MULTIPLE DX	141	13.1	242	2	2	9	15	27	35	95
TOTAL 0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	39	5.2	16	1	2	4	8	10	13	19
35-49	43	9.2	237	1	2	5	10	15	27	95
50-64	54	12.0	186	2	2	9	16	20	31	90
65+	94	12.7	190	3	3	9	15	26	34	80
GRAND TOTAL	234	10.4	172	2	2	7	13	19	30	92

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.4		<1	<1	1	2	3	3	4
20-34	41	3.5	6	1	1	3	4	7	8	13
35-49	15	3.7	4	1	1	3	5	7	8	9
50-64	11	3.9	6	2	2	3	4	8	11	11
65+	5	3.2		2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	5.7	93	1	1	3	5	12	32	40
20-34	39	4.4	10	<1	1	4	5	9	13	14
35-49	18	5.2	11	<1	1	5	5	12	12	12
50-64	8	4.6	9	1	1	4	6	10	11	11
65+	5	14.8	209	4	4	9	22	39	39	39
TOT. SINGLE DX	109	2.8	5	<1	1	2	4	5	8	12
" MULTIPLE DX	86	5.4	40	1	1	4	5	12	13	40
TOTAL 0-19 YRS	53	2.7	31	<1	<1	1	2	4	7	39
20-34	80	3.9	8	1	1	3	5	8	10	14
35-49	33	4.5	9	<1	1	4	5	9	12	12
50-64	19	4.2	8	1	2	3	5	9	11	11
65+	10	9.0	131	2	2	4	9	28	39	39
GRAND TOTAL	195	4.0	22	<1	1	3	5	8	12	29

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.9	1	<1	<1	2	2	4	4	4
20-34	9	3.3	3	1	1	4	5	6	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	4.4	19	1	1	3	4	12	14	14
20-34	21	3.9	11	<1	<1	2	6	8	11	14
35-49	5	12.0	83	<1	<1	15	17	24	24	24
50-64	2	7.0	72	<1	<1	6	13	13	13	13
65+	8	6.9	17	<1	1	6	10	12	13	13
TOT. SINGLE DX	24	2.5	3	<1	1	2	4	5	6	6
" MULTIPLE DX	46	5.5	27	<1	<1	4	7	14	15	24
TOTAL 0-19 YRS	17	3.4	13	<1	<1	2	3	10	13	14
20-34	30	3.7	9	<1	1	3	5	7	8	14
35-49	8	8.0	78	<1	<1	3	15	21	24	24
50-64	5	4.8	25	<1	<1	2	8	13	13	13
65+	10	5.9	17	<1	1	5	10	12	13	13
GRAND TOTAL	70	4.5	21	<1	<1	3	6	12	14	22

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2589	2.8	1	1	2	3	3	4	4	6
20-34	11042	3.0	1	2	2	3	3	4	5	6
35-49	466	3.2	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1499	3.3	6	2	2	3	4	5	6	11
20-34	7951	3.4	4	2	2	3	4	5	6	9
35-49	591	3.7	4	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	14097	2.9	1	2	2	3	3	4	5	6
" MULTIPLE DX	10041	3.4	5	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4088	3.0	3	1	2	3	3	4	5	8
20-34	18993	3.2	2	2	2	3	4	4	5	7
35-49	1057	3.5	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	24138	3.1	3	2	2	3	4	4	5	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	1	1	1	2	3	4	5	6
20-34	190	2.6	1	1	1	3	3	4	4	6
35-49	22	2.9		2	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	68	2.7	1	1	1	2	3	5	6	7
20-34	314	3.5	13	1	1	3	4	5	7	19
35-49	37	3.4	5	1	2	3	4	6	9	12
50-64										
65+										
TOT. SINGLE DX	235	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	419	3.4	11	1	1	3	4	5	7	15
TOTAL 0-19 YRS	91	2.6	2	1	1	2	3	5	6	7
20-34	504	3.2	9	1	1	3	4	5	6	14
35-49	59	3.2	4	1	2	3	4	5	8	12
50-64										
65+										
GRAND TOTAL	654	3.1	8	1	1	3	3	5	6	14

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	2.8		2	2	3	3	4	4	6
20-34	2019	2.9	1	1	2	3	3	4	4	6
35-49	111	3.0	1	2	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	528	3.2	5	1	2	3	4	5	6	12
20-34	2469	3.4	3	2	2	3	4	5	6	11
35-49	197	3.4	5	2	2	3	4	4	6	8
50-64										
65+										
TOT. SINGLE DX	2507	2.9	1	2	2	3	3	4	4	6
" MULTIPLE DX	3194	3.4	4	2	2	3	4	5	6	11
TOTAL 0-19 YRS	905	3.0	4	1	2	3	3	4	5	10
20-34	4488	3.2	3	2	2	3	4	4	5	8
35-49	308	3.2	4	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	5701	3.1	3	2	2	3	4	4	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11463	2.5	1	1	1	2	3	4	4	5
20-34	48012	2.6	1	1	2	3	3	4	4	6
35-49	2327	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3490	3.1	7	1	2	3	3	5	6	11
20-34	20292	3.2	4	1	2	3	4	5	5	10
35-49	1747	3.5	7	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	61802	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	25529	3.2	5	1	2	3	4	5	6	10
TOTAL 0-19 YRS	14953	2.7	3	1	1	2	3	4	4	7
20-34	68304	2.8	2	1	2	3	3	4	5	7
35-49	4074	3.0	4	1	2	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	87331	2.8	2	1	2	3	3	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1540	5.0	2	3	4	5	6	7	7	10
20-34	10320	5.0	2	3	4	5	6	6	7	9
35-49	554	5.6	15	3	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3026	5.9	9	4	4	5	6	8	10	17
20-34	20612	5.7	10	4	4	5	6	7	9	17
35-49	1962	6.1	13	4	4	5	6	8	10	22
50-64										
65+										
TOT. SINGLE DX	12414	5.1	3	3	4	5	6	6	7	9
" MULTIPLE DX	25600	5.8	11	4	4	5	6	8	9	17
TOTAL 0-19 YRS	4566	5.6	7	3	4	5	6	8	9	15
20-34	30932	5.5	8	3	4	5	6	7	8	15
35-49	2516	6.0	14	4	4	5	6	8	9	20
50-64										
65+										
GRAND TOTAL	38014	5.5	8	3	4	5	6	7	8	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	4.8	1	3	3	5	5	6	7	8
20-34	761	4.9	1	3	3	5	5	6	7	9
35-49	30	4.9	1	4	4	5	6	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	222	5.7	5	3	4	5	6	9	10	14
20-34	1154	5.8	15	3	4	5	6	8	10	20
35-49	114	6.5	35	3	4	5	6	10	12	37
50-64										
65+										
TOT. SINGLE DX	993	4.9	2	3	3	5	5	6	7	9
" MULTIPLE DX	1490	5.8	15	3	4	5	6	8	10	19
TOTAL 0-19 YRS	424	5.3	4	3	4	5	6	7	9	13
20-34	1915	5.4	10	3	4	5	6	7	9	17
35-49	144	6.2	28	3	4	5	6	8	11	28
50-64										
65+										
GRAND TOTAL	2483	5.4	10	3	4	5	6	7	9	16

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	1	2	2	3	4	5	5	5
20-34	54	4.3	1	2	3	4	5	6	6	7
35-49	4	5.5	1	5	5	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	5.0	2	4	4	5	6	7	7	7
20-34	67	5.4	6	3	3	5	6	8	10	18
35-49	10	5.3	5	1	2	5	6	8	10	10
50-64										
65+										
TOT. SINGLE DX	62	4.3	2	2	3	4	5	6	7	7
" MULTIPLE DX	81	5.4	6	3	3	5	6	8	10	17
TOTAL 0-19 YRS	8	4.3	2	2	2	4	5	6	7	7
20-34	121	4.9	4	3	3	5	5	7	8	13
35-49	14	5.4	4	2	3	5	6	8	9	10
50-64										
65+										
GRAND TOTAL	143	4.9	4	2	3	5	5	7	8	12

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	1.8		1	1	2	2	2	3	4
20-34	220	1.8	1	1	1	2	2	3	3	5
35-49	17	1.9		<1	1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	73	2.3	1	1	1	2	3	3	4	8
20-34	113	2.8	8	1	1	2	3	4	5	21
35-49	18	2.8	3	1	1	2	4	6	7	7
50-64										
65+										
TOT. SINGLE DX	451	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	204	2.6	6	1	1	2	3	4	5	18
TOTAL 0-19 YRS	287	1.9	1	1	1	2	2	3	3	6
20-34	333	2.2	4	1	1	2	2	3	4	13
35-49	35	2.4	2	1	1	2	3	5	6	7
50-64										
65+										
GRAND TOTAL	655	2.1	3	1	1	2	2	3	4	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.6	7	<1	1	3	4	8	10	12
20-34	96	4.1	21	<1	1	3	5	9	10	27
35-49	9	6.4	36	<1	<1	6	8	17	19	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	4.1	9	<1	1	3	6	9	9	11
20-34	131	6.0	45	1	1	4	8	12	16	43
35-49	12	7.3	41	1	2	6	8	15	24	26
50-64										
65+										
TOT. SINGLE DX	139	4.2	19	<1	1	3	5	9	11	21
" MULTIPLE DX	172	5.8	39	1	1	4	7	11	15	41
TOTAL 0-19 YRS	63	3.8	8	<1	1	3	5	9	10	12
20-34	227	5.2	36	<1	1	4	6	11	14	40
35-49	21	7.0	38	<1	1	6	8	15	22	26
50-64										
65+										
GRAND TOTAL	311	5.1	31	<1	1	4	6	10	13	37

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	2.3	1	<1	<1	2	3	3	4	7
20-34	1931	2.3	1	<1	1	2	3	3	4	6
35-49	97	2.4	1	<1	<1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	158	3.2	27	<1	1	2	3	5	6	15
20-34	859	3.0	9	<1	1	3	3	5	6	15
35-49	54	3.2	4	1	1	3	3	6	8	11
50-64										
65+										
TOT. SINGLE DX	2463	2.3	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1071	3.0	12	<1	1	3	3	5	6	15
TOTAL 0-19 YRS	593	2.5	9	<1	<1	2	3	4	5	9
20-34	2790	2.5	4	<1	1	2	3	4	5	7
35-49	151	2.7	3	<1	1	2	3	4	5	11
50-64										
65+										
GRAND TOTAL	3534	2.5	5	<1	1	2	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1379	2.5		1	2	2	3	3	4	5
20-34	5213	2.6		1	1	2	3	4	4	5
35-49	323	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1070	3.1	7	1	2	3	3	4	5	10
20-34	4969	3.0	6	1	2	3	3	4	5	8
35-49	351	3.2	2	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	6915	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	6390	3.0	7	1	2	3	3	4	5	9
TOTAL 0-19 YRS	2449	2.8	4	1	2	3	3	4	4	8
20-34	10182	2.8	4	1	2	3	3	4	5	7
35-49	674	2.9	2	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**13305**	**2.8**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.4	4	1	1	3	4	7	9	99+
20-34	38	4.1	10	1	1	3	5	8	11	17
35-49	34	3.8	7	2	2	3	5	8	10	11
50-64	25	8.6	112	2	2	7	9	12	33	53
65+	17	5.6	27	<1	1	3	8	15	17	17
2. MULTIPLE DX										
0-19 YRS	26	3.5	14	<1	1	2	3	8	13	18
20-34	43	5.9	65	2	2	3	5	12	31	37
35-49	59	5.7	60	1	2	3	7	14	22	95
50-64	87	7.7	93	1	2	4	9	20	30	49
65+	68	7.9	74	2	2	4	9	19	33	40
TOT. SINGLE DX	156	4.7	29	1	2	3	6	10	12	51
" MULTIPLE DX	283	6.7	72	1	2	3	7	17	28	49
TOTAL 0-19 YRS	68	3.4	8	<1	1	2	4	8	10	84
20-34	81	5.0	40	1	2	3	5	8	15	36
35-49	93	5.0	42	1	2	3	6	11	17	78
50-64	112	7.9	97	2	2	4	9	19	30	52
65+	85	7.4	66	1	2	4	9	17	28	39
GRAND TOTAL	**439**	**6.0**	**57**	**1**	**2**	**3**	**7**	**12**	**21**	**51**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	3.8	1	2	3	4	4	5	6	9
20-34	590	3.6	1	2	2	3	4	5	6	9
35-49	265	3.6	2	2	2	3	4	5	6	8
50-64	95	3.5	2	2	2	3	4	5	6	9
65+	23	3.7	6	1	2	3	4	5	9	14
2. MULTIPLE DX										
0-19 YRS	332	4.0	2	2	3	4	5	6	7	9
20-34	376	4.2	6	2	3	4	5	6	7	11
35-49	182	4.4	12	2	2	4	5	7	9	17
50-64	88	4.4	14	2	2	4	5	7	9	25
65+	36	8.8	63	2	3	5	14	20	22	38
TOT. SINGLE DX	1251	3.7	2	2	2	3	4	5	6	9
" MULTIPLE DX	1014	4.4	9	2	2	4	5	6	8	17
TOTAL 0-19 YRS	610	3.9	2	2	3	4	4	5	7	9
20-34	966	3.9	4	2	2	4	4	5	6	9
35-49	447	3.9	7	2	2	3	4	6	7	15
50-64	183	3.9	8	2	2	3	5	6	7	17
65+	59	6.8	47	2	2	4	9	16	21	37
GRAND TOTAL	**2265**	**4.0**	**6**	**2**	**2**	**4**	**4**	**6**	**7**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.6	2	1	1	2	3	4	7	10
20-34	154	2.9	3	1	1	3	3	5	6	9
35-49	42	2.5	1	<1	1	2	3	4	5	8
50-64	14	3.6	7	1	1	3	4	8	10	10
65+	9	3.8	3	2	2	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	176	4.5	24	1	1	3	5	8	11	25
20-34	234	5.2	35	1	1	3	6	10	19	33
35-49	95	5.3	13	1	2	4	7	9	12	20
50-64	29	9.2	269	1	1	4	6	30	42	79
65+	25	9.1	64	2	2	8	11	20	26	34
TOT. SINGLE DX	305	2.8	3	1	1	2	3	5	6	9
" MULTIPLE DX	559	5.4	43	1	1	4	6	10	16	34
TOTAL 0-19 YRS	262	3.8	18	1	1	3	4	7	10	20
20-34	388	4.3	24	1	1	3	5	8	12	25
35-49	137	4.4	11	1	1	3	6	9	10	18
50-64	43	7.4	189	1	1	3	6	14	37	79
65+	34	7.7	54	2	2	5	9	19	23	34
GRAND TOTAL	**864**	**4.5**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.2	8	1	1	2	4	5	7	18
20-34	311	3.3	5	1	1	3	4	6	8	12
35-49	125	3.6	10	1	1	3	4	7	9	20
50-64	29	3.3	4	1	1	3	4	5	8	11
65+	14	3.2	1	1	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	210	5.7	35	1	2	4	7	10	12	35
20-34	513	6.5	64	1	2	4	7	13	18	46
35-49	206	6.7	65	2	2	5	8	13	17	64
50-64	100	8.9	112	1	2	6	10	18	36	58
65+	63	11.0	132	2	2	5	16	28	38	50
TOT. SINGLE DX	586	3.4	7	1	1	3	4	6	8	13
" MULTIPLE DX	1092	6.9	69	1	2	4	8	13	20	49
TOTAL 0-19 YRS	317	4.8	28	1	1	3	6	9	11	28
20-34	824	5.3	44	1	2	4	6	10	15	36
35-49	331	5.6	47	1	2	4	7	11	15	39
50-64	129	7.7	94	1	2	4	9	15	26	53
65+	77	9.6	117	2	2	5	12	25	35	49
GRAND TOTAL	**1678**	**5.7**	**50**	**1**	**2**	**4**	**6**	**11**	**16**	**42**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.6	5	2	2	3	4	7	9	11
20-34	21	5.1	16	1	2	3	8	12	14	14
35-49	34	4.0	6	<1	1	3	5	8	10	11
50-64	22	3.6	2	2	2	3	4	6	7	9
65+	16	3.5	5	2	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	33	3.5	3	2	2	3	4	5	8	10
20-34	29	6.9	200	<1	1	4	6	10	16	79
35-49	27	5.9	31	2	2	4	6	13	20	26
50-64	29	5.1	34	2	2	3	6	9	11	33
65+	28	6.8	67	2	2	4	8	12	18	44
TOT. SINGLE DX	124	4.0	7	1	2	3	5	8	10	14
" MULTIPLE DX	146	5.5	66	1	2	3	6	10	13	45
TOTAL 0-19 YRS	64	3.6	4	2	2	3	4	6	8	11
20-34	50	6.1	122	1	1	3	7	10	14	79
35-49	61	4.8	18	1	2	4	6	10	12	25
50-64	51	4.5	21	2	2	3	5	8	9	33
65+	44	5.6	47	2	2	3	6	11	14	44
GRAND TOTAL	**270**	**4.8**	**39**	**2**	**2**	**3**	**5**	**9**	**11**	**32**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	357	5.8	33	1	2	4	7	12	16	24
20-34	196	4.9	22	1	1	3	6	10	15	22
35-49	154	4.7	9	1	2	4	6	9	11	15
50-64	163	6.4	27	2	2	5	8	11	15	28
65+	51	8.8	50	3	3	7	11	16	27	99
2. MULTIPLE DX										
0-19 YRS	415	8.1	91	2	2	5	8	16	24	52
20-34	191	7.8	86	1	2	5	9	16	32	49
35-49	182	7.0	46	2	2	5	8	14	23	33
50-64	243	8.4	70	2	2	6	10	16	25	51
65+	150	10.1	76	2	3	8	11	20	27	42
TOT. SINGLE DX	921	5.7	28	1	2	4	7	11	15	25
" MULTIPLE DX	1181	8.2	78	2	2	5	9	17	25	49
TOTAL 0-19 YRS	772	7.0	66	1	2	5	8	14	20	45
20-34	387	6.3	56	1	1	4	7	12	20	41
35-49	336	5.9	31	1	2	4	7	11	15	31
50-64	406	7.6	54	2	2	6	9	15	22	48
65+	201	9.8	70	2	3	7	11	19	27	53
GRAND TOTAL	**2102**	**7.1**	**57**	**1**	**2**	**5**	**8**	**14**	**20**	**43**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	3.4	2	2	2	3	4	5	6	8
20-34	210	3.4	6	1	1	3	4	5	6	8
35-49	293	3.5	2	1	2	3	4	6	6	8
50-64	312	4.0	3	1	2	4	5	6	7	9
65+	131	4.0	4	1	2	4	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	126	3.6	2	1	2	3	4	5	6	9
20-34	332	3.7	3	1	2	3	5	6	7	10
35-49	522	4.2	12	1	2	4	5	6	8	14
50-64	903	4.2	4	2	2	4	5	7	8	11
65+	648	5.0	9	2	2	4	6	8	11	18
TOT. SINGLE DX	1057	3.6	4	1	2	3	5	6	7	9
" MULTIPLE DX	2531	4.3	8	2	2	4	5	7	8	15
TOTAL 0-19 YRS	237	3.5	2	1	2	3	4	5	6	9
20-34	542	3.6	5	1	2	3	4	6	6	9
35-49	815	4.0	9	1	2	4	5	6	7	11
50-64	1215	4.2	5	2	2	4	5	7	8	11
65+	779	4.8	9	2	2	4	6	8	10	18
GRAND TOTAL	**3588**	**4.1**	**7**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	881	3.8	13	1	1	3	4	7	11	20
20-34	1003	4.0	16	1	1	3	4	8	10	18
35-49	824	4.2	16	1	1	3	5	9	12	20
50-64	612	4.6	26	1	2	3	5	8	12	28
65+	346	5.6	32	1	1	4	6	12	17	32
2. MULTIPLE DX										
0-19 YRS	473	8.5	140	1	2	4	9	23	37	59
20-34	853	7.8	124	1	2	4	8	19	33	83
35-49	960	6.9	77	1	2	4	8	15	22	50
50-64	1036	8.0	109	1	2	4	9	18	29	61
65+	889	11.1	132	2	2	8	14	24	35	62
TOT. SINGLE DX	3666	4.2	19	1	1	3	5	8	12	23
" MULTIPLE DX	4211	8.4	115	1	2	4	10	20	31	62
TOTAL 0-19 YRS	1354	5.4	63	1	1	3	5	11	19	44
20-34	1856	5.7	70	1	1	3	6	11	19	53
35-49	1784	5.7	51	1	2	3	6	12	17	40
50-64	1648	6.8	81	1	2	4	7	15	23	50
65+	1235	9.5	111	1	2	6	12	21	30	54
GRAND TOTAL	**7877**	**6.5**	**75**	**1**	**2**	**4**	**7**	**14**	**22**	**49**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	6.7	59	1	2	4	7	13	25	40
20-34	249	5.2	27	1	2	4	6	9	12	34
35-49	119	5.9	15	1	2	5	8	12	13	19
50-64	123	8.3	54	2	2	7	10	15	21	48
65+	158	11.3	31	3	4	10	15	18	21	25
2. MULTIPLE DX										
0-19 YRS	242	10.3	198	2	2	5	10	23	43	71
20-34	195	10.5	141	2	2	6	13	25	41	68
35-49	123	13.5	203	2	2	8	17	34	45	67
50-64	164	12.9	152	3	4	9	16	25	35	74
65+	420	15.9	128	4	6	13	18	29	40	61
TOT. SINGLE DX	1022	7.2	45	1	2	5	9	15	19	37
" MULTIPLE DX	1144	13.1	162	2	3	9	16	27	41	69
TOTAL 0-19 YRS	615	8.1	117	1	2	4	8	19	30	60
20-34	444	7.5	84	1	2	5	8	15	25	52
35-49	242	9.8	125	2	2	6	11	20	34	61
50-64	287	10.9	115	2	3	8	13	22	30	60
65+	578	14.6	107	4	5	13	17	24	36	55
GRAND TOTAL	**2166**	**10.3**	**116**	**2**	**2**	**7**	**13**	**21**	**32**	**58**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	575	2.6	9	<1	<1	2	3	4	5	18
20-34	621	2.8	8	<1	1	2	3	5	7	13
35-49	389	3.1	9	<1	1	2	4	6	7	20
50-64	276	3.7	24	<1	1	2	4	7	10	21
65+	243	5.5	33	<1	1	3	7	13	17	29
2. MULTIPLE DX										
0-19 YRS	339	5.9	95	<1	1	3	5	14	22	65
20-34	299	5.7	42	1	1	4	6	13	19	36
35-49	204	7.3	79	1	2	4	8	15	29	46
50-64	228	8.1	115	1	2	4	9	19	33	65
65+	389	10.7	104	2	2	8	15	23	28	47
TOT. SINGLE DX	2104	3.2	14	<1	1	2	3	6	9	22
" MULTIPLE DX	1459	7.7	92	1	2	4	9	18	26	50
TOTAL 0-19 YRS	914	3.8	44	<1	1	2	3	6	13	34
20-34	920	3.7	21	<1	1	2	4	7	11	26
35-49	593	4.6	37	<1	1	3	5	9	15	34
50-64	504	5.7	70	1	1	3	6	11	19	53
65+	632	8.7	84	1	2	5	12	20	26	43
GRAND TOTAL	**3563**	**5.1**	**51**	**<1**	**1**	**3**	**5**	**11**	**18**	**38**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	16.4	151	3	4	13	26	34	38	51
20-34	35	13.3	126	4	4	10	15	28	41	55
35-49	22	10.2	20	4	5	10	13	16	18	21
50-64	56	9.9	15	5	5	9	12	16	17	20
65+	160	13.0	28	4	6	13	16	19	21	28
2. MULTIPLE DX										
0-19 YRS	75	20.6	282	5	6	16	24	37	59	85
20-34	67	17.9	173	5	7	14	20	37	48	59
35-49	39	24.0	345	5	9	20	29	64	73	99+
50-64	70	17.3	142	7	8	13	21	31	42	64
65+	470	17.1	106	7	8	15	19	28	37	59
TOT. SINGLE DX	351	13.1	67	4	5	12	16	22	30	42
" MULTIPLE DX	721	17.9	149	6	8	15	20	33	45	71
TOTAL 0-19 YRS	153	18.5	218	3	5	15	25	35	44	81
20-34	102	16.3	161	4	5	12	20	36	47	58
35-49	61	19.0	270	4	6	14	21	48	68	97
50-64	126	14.0	99	5	6	11	16	24	33	62
65+	630	16.1	90	6	8	14	18	25	33	57
GRAND TOTAL	**1072**	**16.4**	**127**	**5**	**7**	**14**	**19**	**28**	**37**	**66**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	8.6	47	3	3	7	11	15	21	42
20-34	123	10.7	52	3	5	9	13	18	22	41
35-49	118	11.9	56	5	6	9	14	22	29	39
50-64	291	11.0	20	5	6	10	14	17	19	27
65+	1197	13.7	33	7	8	13	16	20	24	36
2. MULTIPLE DX										
0-19 YRS	186	16.9	206	4	6	13	21	31	50	91
20-34	259	18.4	183	6	7	14	23	40	51	97
35-49	184	17.2	155	6	7	13	20	35	45	74
50-64	545	17.6	154	7	8	14	21	32	44	92
65+	4494	17.0	84	8	9	15	19	28	35	57
TOT. SINGLE DX	1864	12.6	38	5	6	12	15	19	23	36
" MULTIPLE DX	5668	17.1	102	7	9	15	20	29	37	64
TOTAL 0-19 YRS	321	13.4	156	3	4	10	16	25	33	76
20-34	382	15.9	154	5	6	12	19	35	45	76
35-49	302	15.1	123	5	6	11	18	31	40	64
50-64	836	15.3	118	6	7	13	17	26	36	77
65+	5691	16.3	75	8	9	14	19	26	33	54
GRAND TOTAL	**7532**	**16.0**	**90**	**6**	**8**	**14**	**18**	**26**	**34**	**59**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	8.8	90	1	1	4	12	25	30	35
20-34	16	20.1	296	4	4	11	35	45	53	56
35-49	7	9.4	48	3	3	5	14	20	21	21
50-64	12	12.6	269	1	1	5	21	41	44	44
65+	44	14.2	157	4	5	11	16	27	34	78
2. MULTIPLE DX										
0-19 YRS	119	11.8	89	2	2	9	18	25	28	44
20-34	52	20.8	336	4	5	17	26	45	80	99+
35-49	30	23.5	321	4	5	18	35	50	65	69
50-64	29	19.1	314	2	3	12	22	50	60	63
65+	120	18.0	244	3	5	13	22	40	60	86
TOT. SINGLE DX	327	10.3	121	1	1	6	14	28	32	47
" MULTIPLE DX	350	16.9	230	2	4	13	22	39	52	82
TOTAL 0-19 YRS	367	9.8	92	1	1	6	16	25	29	40
20-34	68	20.6	323	4	5	16	30	45	73	97
35-49	37	20.9	298	3	4	14	30	41	63	69
50-64	41	17.2	303	1	2	9	22	46	54	63
65+	164	16.9	223	3	5	13	19	39	54	81
GRAND TOTAL	**677**	**13.7**	**188**	**1**	**2**	**9**	**18**	**31**	**41**	**72**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	4.3	25	1	1	2	4	12	17	23
20-34	231	3.3	10	<1	1	2	4	6	8	22
35-49	143	3.7	13	1	1	3	5	7	8	20
50-64	162	4.3	18	<1	1	3	5	9	12	22
65+	111	4.5	37	1	1	3	5	9	13	35
2. MULTIPLE DX										
0-19 YRS	111	9.5	136	1	1	5	12	23	36	56
20-34	119	7.7	72	1	2	5	9	16	24	51
35-49	86	7.8	67	1	2	5	10	19	28	80
50-64	116	8.2	111	1	2	4	9	21	35	80
65+	168	9.2	110	1	2	6	11	19	29	67
TOT. SINGLE DX	984	4.0	21	1	1	2	5	8	13	22
" MULTIPLE DX	600	8.6	102	1	2	5	10	20	29	61
TOTAL 0-19 YRS	448	5.6	58	1	1	3	6	14	20	42
20-34	350	4.8	36	1	1	3	5	10	14	27
35-49	229	5.2	38	1	1	4	6	10	18	44
50-64	278	5.9	61	1	1	3	6	12	20	47
65+	279	7.4	87	1	1	5	9	14	21	60
GRAND TOTAL	**1584**	**5.7**	**56**	**1**	**1**	**3**	**6**	**13**	**19**	**43**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1365	3.2	6	1	1	3	4	6	7	12
20-34	1722	4.1	10	1	1	3	5	7	9	15
35-49	1059	4.9	18	1	2	4	6	9	11	24
50-64	877	5.4	14	1	2	5	7	9	12	17
65+	533	6.9	30	2	2	6	8	13	15	26
2. MULTIPLE DX										
0-19 YRS	583	6.6	61	1	2	4	7	13	19	47
20-34	1258	8.0	95	1	2	5	9	16	26	57
35-49	834	8.4	87	1	2	6	10	17	25	54
50-64	832	9.2	75	2	3	7	11	18	27	50
65+	943	11.2	94	3	4	8	14	21	28	52
TOT. SINGLE DX	5556	4.5	15	1	1	4	6	8	11	18
" MULTIPLE DX	4450	8.8	88	2	2	6	10	17	26	52
TOTAL 0-19 YRS	1948	4.2	25	1	1	3	5	8	11	24
20-34	2980	5.8	50	1	2	4	6	10	15	40
35-49	1893	6.4	51	1	2	5	7	12	18	40
50-64	1709	7.3	48	2	2	5	9	14	18	39
65+	1476	9.6	75	2	3	7	12	18	24	46
GRAND TOTAL	**10006**	**6.4**	**52**	**1**	**2**	**4**	**7**	**13**	**17**	**40**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2454	2.1	5	<1	1	1	2	4	6	12
20-34	594	3.4	14	1	1	2	4	6	9	18
35-49	397	3.7	16	1	1	3	5	7	9	21
50-64	444	3.7	19	1	1	2	4	7	11	20
65+	444	4.2	26	1	1	3	5	9	11	29
2. MULTIPLE DX										
0-19 YRS	636	4.9	41	1	1	3	6	11	17	31
20-34	497	6.9	86	1	1	4	8	13	19	60
35-49	332	7.9	135	1	1	4	8	15	24	64
50-64	424	8.2	106	1	2	5	9	17	27	57
65+	872	7.7	56	1	2	6	10	15	21	43
TOT. SINGLE DX	4333	2.8	12	<1	1	2	3	6	8	16
" MULTIPLE DX	2761	7.0	77	1	1	4	8	14	21	49
TOTAL 0-19 YRS	3090	2.7	14	<1	1	2	3	5	8	19
20-34	1091	5.0	50	1	1	3	6	10	13	41
35-49	729	5.6	75	1	1	3	6	11	15	52
50-64	868	5.9	67	1	1	3	6	12	18	44
65+	1316	6.5	49	1	1	5	8	13	18	37
GRAND TOTAL	**7094**	**4.4**	**42**	**1**	**1**	**2**	**5**	**10**	**14**	**32**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	4.5	45	<1	1	2	4	15	20	25
20-34	161	2.4	7	<1	1	1	2	5	8	16
35-49	91	2.5	5	<1	<1	2	3	5	7	14
50-64	73	3.3	15	<1	1	2	4	7	9	21
65+	152	5.6	40	1	1	3	8	13	19	27
2. MULTIPLE DX										
0-19 YRS	82	7.7	115	<1	1	4	9	22	28	60
20-34	132	8.1	119	1	1	4	9	20	40	67
35-49	76	6.7	100	1	1	4	7	13	25	59
50-64	107	6.6	93	1	1	4	9	13	17	60
65+	239	8.1	101	1	1	5	10	17	28	42
TOT. SINGLE DX	695	3.9	29	<1	1	2	4	10	15	23
" MULTIPLE DX	636	7.6	105	1	1	4	9	17	27	60
TOTAL 0-19 YRS	300	5.4	66	<1	1	2	5	16	22	33
20-34	293	5.0	66	<1	1	2	5	13	19	56
35-49	167	4.4	52	<1	1	2	5	8	13	47
50-64	180	5.3	64	1	1	3	6	12	17	39
65+	391	7.2	79	1	1	4	9	16	23	40
GRAND TOTAL	**1331**	**5.7**	**69**	**1**	**1**	**3**	**7**	**14**	**20**	**42**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	4.0	10	1	1	3	5	7	10	18
20-34	207	3.5	10	1	1	3	4	5	6	23
35-49	87	3.5	5	1	1	3	4	6	8	13
50-64	48	5.1	10	2	2	4	6	9	10	18
65+	34	11.9	122	1	2	9	16	25	30	54
2. MULTIPLE DX										
0-19 YRS	60	6.6	71	1	2	4	7	12	20	53
20-34	73	8.0	73	1	2	5	9	17	28	43
35-49	51	6.8	36	1	2	5	7	15	19	29
50-64	46	7.6	57	2	2	6	10	13	19	47
65+	55	11.6	38	3	4	10	16	22	23	24
TOT. SINGLE DX	495	4.4	21	1	1	3	5	7	12	25
" MULTIPLE DX	285	8.1	60	1	2	6	10	17	23	43
TOTAL 0-19 YRS	179	4.9	32	1	1	4	5	9	12	32
20-34	280	4.7	31	1	2	3	5	8	13	32
35-49	138	4.7	19	1	1	4	5	10	14	25
50-64	94	6.3	35	2	2	5	8	12	14	37
65+	89	11.7	70	2	3	10	16	23	24	45
GRAND TOTAL	**780**	**5.7**	**39**	**1**	**2**	**4**	**6**	**12**	**18**	**31**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	509	4.8	29	1	1	3	5	11	15	29
20-34	451	3.2	9	<1	1	2	4	6	8	15
35-49	283	3.7	16	1	1	2	4	6	11	26
50-64	164	5.0	33	1	1	3	5	11	14	35
65+	94	9.6	112	2	2	7	13	18	23	64
2. MULTIPLE DX										
0-19 YRS	364	7.1	80	1	1	4	8	18	25	42
20-34	439	5.6	59	1	1	3	5	13	19	45
35-49	289	6.4	68	1	2	3	7	14	22	40
50-64	233	10.7	130	2	2	6	15	29	35	56
65+	278	16.5	258	2	3	12	22	37	50	85
TOT. SINGLE DX	1501	4.4	29	1	1	3	5	10	14	27
" MULTIPLE DX	1603	8.7	126	1	2	4	10	22	31	60
TOTAL 0-19 YRS	873	5.8	52	1	1	3	6	14	21	40
20-34	890	4.4	36	1	1	3	5	9	14	31
35-49	572	5.1	45	1	1	3	5	11	17	31
50-64	397	8.4	99	1	2	4	10	23	31	54
65+	372	14.8	230	2	3	10	18	35	49	75
GRAND TOTAL	**3104**	**6.6**	**84**	**1**	**1**	**3**	**7**	**16**	**25**	**49**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	6.8	21	2	3	6	8	13	16	26
20-34	2561	8.0	22	3	3	7	10	14	17	26
35-49	4402	8.3	19	3	4	7	10	14	17	23
50-64	1956	9.1	22	3	4	8	11	15	18	25
65+	340	11.0	36	4	4	10	14	19	24	31
2. MULTIPLE DX										
0-19 YRS	26	11.1	77	2	3	9	13	21	35	37
20-34	756	10.5	49	3	4	9	12	18	23	39
35-49	1849	10.6	37	4	5	9	13	18	21	32
50-64	1570	11.5	45	4	5	10	14	19	24	36
65+	827	14.0	55	5	7	12	17	24	28	39
TOT. SINGLE DX	9351	8.5	22	3	4	8	10	14	17	25
" MULTIPLE DX	5028	11.4	46	4	5	10	14	19	24	35
TOTAL 0-19 YRS	118	7.7	36	2	3	6	10	14	17	35
20-34	3317	8.6	30	3	3	7	10	15	18	28
35-49	6251	8.9	26	3	4	8	11	15	18	26
50-64	3526	10.2	34	4	4	9	12	17	21	31
65+	1167	13.2	52	4	6	12	16	23	26	37
GRAND TOTAL	**14379**	**9.5**	**32**	**3**	**4**	**8**	**12**	**16**	**20**	**30**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	2.3	1	1	1	2	3	4	5	7
20-34	1101	2.5	2	<1	1	2	3	4	5	8
35-49	777	2.6	3	<1	1	2	3	4	6	11
50-64	440	2.8	5	1	1	2	3	5	7	15
65+	159	3.1	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	355	2.8	4	<1	1	2	4	5	6	11
20-34	1040	2.9	8	<1	1	2	4	5	7	13
35-49	820	3.0	7	<1	1	2	4	5	7	15
50-64	943	3.5	11	1	1	3	4	6	9	17
65+	591	4.1	22	1	2	3	4	8	10	16
TOT. SINGLE DX	2862	2.6	3	<1	1	2	3	4	6	10
" MULTIPLE DX	3749	3.2	11	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	740	2.6	3	1	1	2	3	5	6	8
20-34	2141	2.7	6	<1	1	2	3	5	6	11
35-49	1597	2.8	6	<1	1	2	3	5	6	14
50-64	1383	3.3	10	1	1	2	4	6	8	16
65+	750	3.8	19	1	1	3	4	7	10	16
GRAND TOTAL	**6611**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	794	2.5	8	<1	1	2	2	4	6	18
20-34	1270	2.4	4	<1	1	2	3	4	5	11
35-49	780	2.8	7	1	1	2	3	5	6	11
50-64	509	3.4	16	1	1	2	4	6	8	20
65+	194	4.0	19	1	1	3	4	7	11	22
2. MULTIPLE DX										
0-19 YRS	495	3.3	19	<1	1	2	3	5	10	24
20-34	1080	3.4	20	1	1	2	3	6	8	27
35-49	773	3.8	15	1	1	2	4	7	12	21
50-64	667	5.2	55	1	1	3	5	11	17	41
65+	400	7.1	66	1	2	4	8	16	25	39
TOT. SINGLE DX	3547	2.7	9	<1	1	2	3	5	6	16
" MULTIPLE DX	3415	4.2	33	1	1	2	4	8	14	31
TOTAL 0-19 YRS	1289	2.8	13	<1	1	2	3	4	7	22
20-34	2350	2.8	12	<1	1	2	3	5	7	17
35-49	1553	3.3	12	1	1	2	4	6	3	18
50-64	1176	4.4	39	1	1	3	4	8	14	35
65+	594	6.1	53	1	2	3	7	14	21	39
GRAND TOTAL	**6962**	**3.5**	**21**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	313	10.0	14	6	7	9	11	15	16	25
20-34	208	11.3	64	4	6	9	12	19	23	51
35-49	259	9.3	49	3	5	8	11	15	17	30
50-64	124	9.3	18	4	5	8	11	16	17	24
65+	20	10.1	16	4	5	10	14	16	17	17
2. MULTIPLE DX										
0-19 YRS	251	16.4	190	6	7	12	17	34	55	99+
20-34	181	17.1	208	6	7	12	21	37	57	99+
35-49	278	13.7	116	5	6	10	15	24	37	63
50-64	208	14.4	154	5	6	11	16	25	38	79
65+	81	19.0	261	6	7	14	21	36	76	99+
TOT. SINGLE DX	924	10.0	36	4	5	9	11	16	18	30
" MULTIPLE DX	999	15.6	173	5	7	11	17	30	48	98
TOTAL 0-19 YRS	564	12.9	102	6	7	10	14	21	33	87
20-34	389	14.0	140	5	6	10	16	26	40	95
35-49	537	11.6	89	4	5	9	13	19	27	56
50-64	332	12.5	109	4	5	10	14	21	26	68
65+	101	17.2	225	6	7	14	19	34	68	99+
GRAND TOTAL	**1923**	**12.9**	**115**	**5**	**6**	**10**	**14**	**22**	**33**	**78**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	4.4	8	1	2	4	5	9	11	14
20-34	176	4.5	8	1	1	4	6	8	10	16
35-49	155	4.3	8	1	1	4	6	8	10	13
50-64	168	4.3	13	1	1	3	5	8	12	19
65+	82	4.5	32	<1	1	3	5	8	14	37
2. MULTIPLE DX										
0-19 YRS	144	5.8	17	2	2	5	7	9	11	26
20-34	151	6.9	73	1	2	5	8	11	16	51
35-49	166	6.9	47	2	2	5	8	12	17	44
50-64	191	6.0	29	1	2	5	7	12	16	28
65+	154	6.9	47	1	2	5	8	14	23	35
TOT. SINGLE DX	680	4.4	12	1	1	4	5	8	11	17
" MULTIPLE DX	806	6.5	43	2	2	5	8	12	16	38
TOTAL 0-19 YRS	243	5.2	14	2	2	4	6	9	11	17
20-34	327	5.6	40	1	2	4	7	10	12	46
35-49	321	5.6	30	1	2	4	7	10	13	31
50-64	359	5.2	22	1	2	4	6	11	14	26
65+	236	6.1	43	1	2	4	7	13	21	36
GRAND TOTAL	**1486**	**5.5**	**30**	**1**	**2**	**4**	**7**	**10**	**13**	**30**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	20	8	8	11	15	18	18	18
20-34	58	11.7	16	7	8	11	14	17	19	25
35-49	153	11.6	22	6	7	11	14	17	19	31
50-64	450	12.7	23	7	8	12	15	18	22	29
65+	889	13.9	25	8	9	13	16	19	22	33
2. MULTIPLE DX										
0-19 YRS	5	27.0	494	9	9	22	38	64	64	64
20-34	56	13.8	37	7	8	12	18	23	31	95
35-49	175	14.2	54	7	8	12	16	23	30	44
50-64	633	15.6	71	8	9	14	17	23	30	54
65+	1943	16.6	70	9	10	15	19	25	31	55
TOT. SINGLE DX	1554	13.2	25	7	8	13	16	18	22	31
" MULTIPLE DX	2812	16.2	70	8	9	14	18	25	31	54
TOTAL 0-19 YRS	9	20.3	318	8	8	13	24	50	64	64
20-34	114	12.7	27	7	8	11	15	20	24	57
35-49	328	13.0	42	7	8	12	15	19	26	40
50-64	1083	14.4	53	8	8	13	16	21	26	47
65+	2832	15.8	58	8	9	14	17	23	29	49
GRAND TOTAL	**4366**	**15.2**	**56**	**8**	**9**	**14**	**17**	**22**	**28**	**48**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.8	9	2	2	7	9	11	11	11
20-34	14	10.8	18	4	6	10	13	17	19	19
35-49	47	10.2	13	5	6	10	12	15	16	22
50-64	134	12.3	20	7	8	11	15	18	21	26
65+	790	14.0	26	7	8	14	16	19	23	34
2. MULTIPLE DX										
0-19 YRS	9	8.3	25	2	2	9	13	15	15	15
20-34	22	13.5	55	4	6	13	17	22	29	34
35-49	45	14.0	58	6	7	12	17	25	29	40
50-64	246	15.9	71	6	8	14	19	25	31	47
65+	2686	17.2	88	8	9	15	20	27	34	57
TOT. SINGLE DX	991	13.5	26	7	8	13	16	19	22	31
" MULTIPLE DX	3008	17.0	86	8	9	15	19	27	34	57
TOTAL 0-19 YRS	15	7.7	19	2	2	7	11	15	15	15
20-34	36	12.5	42	4	6	11	16	20	24	34
35-49	92	12.0	39	5	7	10	14	21	25	36
50-64	380	14.6	57	7	8	13	17	24	28	42
65+	3476	16.5	76	8	9	15	19	25	32	52
GRAND TOTAL	**3999**	**16.1**	**74**	**7**	**9**	**15**	**18**	**25**	**31**	**51**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	357	3.8	3	1	2	4	5	6	7	10
20-34	495	4.2	6	1	2	4	5	7	9	13
35-49	245	5.7	28	1	1	4	7	12	17	24
50-64	447	11.7	36	2	3	12	15	19	22	27
65+	798	14.3	31	7	8	14	17	20	24	33
2. MULTIPLE DX										
0-19 YRS	310	5.0	14	2	2	4	6	8	11	21
20-34	637	5.0	15	1	2	4	6	8	12	20
35-49	330	6.5	59	1	2	4	8	14	17	45
50-64	565	13.1	85	2	3	12	17	23	30	45
65+	1556	16.3	63	7	9	15	19	24	30	48
TOT. SINGLE DX	2342	9.2	43	1	2	8	14	18	20	28
" MULTIPLE DX	3398	11.7	78	2	2	11	16	21	26	44
TOTAL 0-19 YRS	667	4.4	9	1	2	4	5	7	8	18
20-34	1132	4.7	12	1	2	4	6	8	10	18
35-49	575	6.2	46	1	1	4	7	13	17	33
50-64	1012	12.5	64	2	3	12	16	21	25	40
65+	2354	15.6	53	7	9	15	18	23	28	45
GRAND TOTAL	**5740**	**10.6**	**65**	**2**	**2**	**10**	**15**	**20**	**24**	**38**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	421	3.2	2	1	2	3	4	5	6	9
20-34	814	3.1	2	1	2	3	4	5	6	9
35-49	381	3.9	10	1	2	3	4	6	9	17
50-64	327	4.6	14	1	2	4	5	8	12	21
65+	148	4.9	14	2	2	4	6	9	10	18
2. MULTIPLE DX										
0-19 YRS	146	4.4	29	1	2	3	4	7	10	32
20-34	303	4.3	26	1	2	4	5	7	9	15
35-49	280	5.6	36	2	2	4	6	11	15	30
50-64	419	5.5	30	2	2	4	6	10	13	28
65+	320	7.4	48	2	3	5	9	15	19	28
TOT. SINGLE DX	2092	3.6	7	1	2	3	4	6	8	15
" MULTIPLE DX	1468	5.6	36	2	2	4	6	10	15	28
TOTAL 0-19 YRS	568	3.5	10	1	2	3	4	5	6	18
20-34	1117	3.5	9	1	2	3	4	5	7	11
35-49	661	4.6	22	1	2	3	5	8	12	24
50-64	746	5.1	23	2	2	4	6	10	13	24
65+	468	6.6	39	2	2	5	8	13	18	26
GRAND TOTAL	**3560**	**4.4**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	4.2	24	<1	1	2	5	10	15	26
20-34	242	3.2	11	<1	<1	2	4	7	9	20
35-49	261	3.2	11	<1	<1	2	4	6	10	15
50-64	200	2.7	6	<1	<1	2	3	5	8	14
65+	65	3.3	18	<1	<1	2	3	6	12	26
2. MULTIPLE DX										
0-19 YRS	334	6.1	54	1	2	4	7	12	18	36
20-34	206	7.8	99	1	2	5	9	15	22	49
35-49	214	6.9	90	1	1	4	8	13	21	47
50-64	197	6.5	86	1	1	4	7	14	19	60
65+	142	10.3	141	2	2	6	12	21	35	63
TOT. SINGLE DX	1071	3.4	15	<1	<1	2	4	7	11	21
" MULTIPLE DX	1093	7.2	88	1	2	4	8	15	21	51
TOTAL 0-19 YRS	637	5.2	41	<1	1	3	6	11	16	31
20-34	448	5.3	57	<1	<1	3	6	11	16	40
35-49	475	4.9	50	<1	1	3	5	10	14	36
50-64	397	4.5	50	<1	<1	2	5	10	15	34
65+	207	8.1	113	<1	1	5	10	17	26	62
GRAND TOTAL	**2164**	**5.3**	**56**	**<1**	**1**	**3**	**6**	**11**	**17**	**38**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	2.1	3	<1	<1	2	2	3	5	12
20-34	653	2.1	2	<1	<1	2	2	3	5	10
35-49	473	2.4	6	<1	<1	2	3	4	6	11
50-64	344	2.9	5	<1	1	2	3	5	8	13
65+	174	4.2	24	<1	<1	2	4	10	13	24
2. MULTIPLE DX										
0-19 YRS	132	4.1	20	1	1	2	5	9	15	24
20-34	219	4.3	24	1	1	3	5	9	12	30
35-49	285	5.1	45	1	1	3	6	10	15	28
50-64	364	7.4	93	1	2	4	9	16	23	46
65+	342	7.6	59	1	2	5	9	17	22	33
TOT. SINGLE DX	2101	2.5	6	<1	<1	2	3	4	6	12
" MULTIPLE DX	1342	6.1	58	1	1	4	7	13	19	37
TOTAL 0-19 YRS	589	2.6	8	<1	<1	2	3	5	7	17
20-34	872	2.6	9	<1	<1	2	3	5	7	14
35-49	758	3.5	23	<1	<1	2	4	7	10	24
50-64	708	5.2	56	<1	1	3	5	11	16	40
65+	516	6.4	50	<1	1	4	9	14	21	30
GRAND TOTAL	**3443**	**3.9**	**30**	**<1**	**<1**	**2**	**4**	**9**	**12**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.3	2	<1	<1	2	3	5	6	7
20-34	27	2.6	2	<1	<1	2	3	5	6	7
35-49	71	2.3	2	<1	<1	2	3	4	5	8
50-64	184	2.3	1	1	1	2	3	4	4	7
65+	134	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	21	4.2	42	1	1	2	3	9	22	29
20-34	36	3.2	19	<1	1	2	3	5	8	27
35-49	48	3.5	17	1	1	2	4	7	8	29
50-64	134	3.1	8	1	1	2	3	6	9	17
65+	121	3.5	7	1	1	3	4	7	9	16
TOT. SINGLE DX	437	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	360	3.4	12	1	1	2	3	6	9	20
TOTAL 0-19 YRS	42	3.2	23	<1	1	2	3	5	11	29
20-34	63	2.9	12	<1	<1	2	3	5	7	25
35-49	119	2.8	9	<1	<1	2	3	5	7	16
50-64	318	2.6	4	1	1	2	3	4	6	13
65+	255	2.8	4	1	1	2	3	5	6	12
GRAND TOTAL	**797**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	2.1	4	<1	1	2	2	3	4	10
20-34	394	2.3	3	<1	1	2	3	4	5	9
35-49	165	2.0	1	<1	1	2	2	3	4	7
50-64	107	2.7	10	<1	1	2	3	5	5	19
65+	34	2.6	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	209	2.3	2	1	1	2	3	4	5	8
20-34	346	2.9	6	1	1	2	3	5	8	15
35-49	169	3.4	14	1	1	2	4	6	10	23
50-64	99	4.4	28	1	1	3	5	9	12	32
65+	49	3.8	10	1	1	3	4	10	11	12
TOT. SINGLE DX	989	2.2	4	<1	1	2	3	4	5	9
" MULTIPLE DX	872	3.1	10	1	1	2	3	5	9	17
TOTAL 0-19 YRS	498	2.2	3	<1	1	2	2	4	5	8
20-34	740	2.6	5	<1	1	2	3	4	6	14
35-49	334	2.7	9	1	1	2	3	4	7	18
50-64	206	3.5	20	<1	1	2	4	5	9	30
65+	83	3.3	8	1	1	2	4	9	11	13
GRAND TOTAL	1861	2.6	7	<1	1	2	3	4	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	2.3	2	1	1	2	3	4	5	7
20-34	338	3.0	5	<1	1	3	4	5	7	12
35-49	310	3.2	3	1	1	3	4	5	7	9
50-64	352	3.8	6	1	2	3	5	6	8	15
65+	138	4.0	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	98	4.7	74	1	1	3	4	8	14	88
20-34	237	4.8	20	1	1	3	6	10	15	22
35-49	234	5.6	35	1	2	4	6	10	16	40
50-64	291	5.1	27	1	2	4	6	9	12	19
65+	222	6.3	47	1	2	5	8	12	14	30
TOT. SINGLE DX	1330	3.3	5	1	1	3	4	5	7	11
" MULTIPLE DX	1082	5.3	36	1	1	4	6	10	14	26
TOTAL 0-19 YRS	290	3.1	28	1	1	2	3	5	7	32
20-34	575	3.7	12	1	1	3	4	7	10	21
35-49	544	4.2	18	1	1	3	5	7	10	21
50-64	643	4.4	17	1	2	4	5	8	10	17
65+	360	5.4	33	1	2	4	6	10	13	24
GRAND TOTAL	2412	4.2	20	1	1	3	5	8	10	20

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	462	3.4	4	1	1	3	4	6	7	11
20-34	247	3.6	14	1	1	3	4	6	9	19
35-49	218	3.6	12	1	1	3	4	6	8	62
50-64	123	4.0	7	2	2	3	4	7	9	17
65+	44	4.9	12	1	2	4	6	9	13	17
2. MULTIPLE DX										
0-19 YRS	594	4.5	55	1	2	3	5	7	9	45
20-34	153	6.9	94	1	2	4	6	16	26	46
35-49	111	6.4	46	1	1	4	7	14	22	37
50-64	85	6.8	41	1	2	4	9	15	21	31
65+	91	10.2	196	2	2	7	11	17	43	95
TOT. SINGLE DX	1094	3.6	9	1	1	3	4	6	8	17
" MULTIPLE DX	1034	5.8	74	1	2	4	6	11	16	47
TOTAL 0-19 YRS	1056	4.0	33	1	2	3	4	6	8	18
20-34	400	4.9	47	1	1	3	5	9	16	41
35-49	329	4.5	26	1	1	3	5	8	13	42
50-64	208	5.1	23	2	2	4	5	11	15	28
65+	135	8.5	142	2	2	5	9	16	24	90
GRAND TOTAL	2128	4.7	42	1	2	3	5	8	12	37

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.5	5	1	1	2	2	6	7	14
20-34	130	2.2	3	<1	1	2	3	4	5	11
35-49	75	3.8	31	<1	1	2	3	8	16	32
50-64	59	2.9	5	<1	1	2	4	6	9	11
65+	27	3.1	4	<1	1	3	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	51	3.8	9	1	1	3	5	9	11	13
20-34	103	4.6	40	<1	1	3	4	9	16	36
35-49	63	6.0	71	1	1	3	6	14	26	41
50-64	74	7.3	153	<1	1	3	6	19	24	77
65+	75	8.9	193	1	1	4	10	20	44	96
TOT. SINGLE DX	357	2.8	10	<1	1	2	3	5	8	17
" MULTIPLE DX	366	6.2	98	1	1	3	6	13	22	67
TOTAL 0-19 YRS	117	3.1	8	1	1	2	4	7	9	14
20-34	233	3.2	21	<1	1	2	3	5	10	32
35-49	138	4.8	50	<1	1	2	4	12	18	39
50-64	133	5.3	92	<1	1	2	5	11	21	56
65+	102	7.4	150	1	1	4	8	16	33	91
GRAND TOTAL	723	4.5	57	<1	1	2	4	9	16	39

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	10	5.1	19	<1	<1	4	8	12	14	14
35-49	8	4.5	23	1	1	3	4	13	16	16
50-64	6	4.7	32	<1	<1	2	5	15	16	16
65+	3	11.0	52	5	5	9	16	19	19	19
2. MULTIPLE DX										
0-19 YRS	5	17.2	144	6	6	19	24	35	35	35
20-34	7	10.9	149	1	2	7	25	81	99+	99+
35-49	10	7.5	16	1	2	7	10	13	15	15
50-64	12	17.3	91	1	4	19	24	30	32	32
65+	24	16.6	309	3	4	9	17	42	52	72
TOT. SINGLE DX	29	5.7	28	<1	1	4	8	15	16	19
" MULTIPLE DX	58	14.5	186	2	4	10	20	38	43	97
TOTAL 0-19 YRS	7	14.9	121	4	4	14	20	32	35	35
20-34	17	7.5	75	<1	1	5	10	30	75	99+
35-49	18	6.2	21	1	1	5	9	14	16	16
50-64	18	13.1	106	<1	1	12	20	28	31	32
65+	27	16.0	281	3	4	9	18	42	48	72
GRAND TOTAL	**87**	**11.6**	**150**	**1**	**2**	**8**	**15**	**31**	**41**	**89**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.6	23	1	1	4	8	14	17	18
20-34	27	4.9	33	1	2	3	5	12	21	26
35-49	28	5.8	43	1	1	4	7	11	15	35
50-64	32	8.9	92	1	2	6	10	17	37	43
65+	61	7.7	60	1	1	5	10	19	24	36
2. MULTIPLE DX										
0-19 YRS	32	6.7	77	1	1	3	6	20	32	34
20-34	69	13.5	204	2	3	9	18	28	44	69
35-49	180	13.8	151	2	3	10	16	32	41	60
50-64	397	16.1	172	3	4	12	21	33	46	74
65+	640	14.4	137	3	4	11	18	29	37	59
TOT. SINGLE DX	184	6.8	53	1	1	4	9	14	23	37
" MULTIPLE DX	1318	14.6	154	2	3	11	19	30	40	65
TOTAL 0-19 YRS	68	6.1	49	1	1	4	8	16	19	34
20-34	96	11.1	171	2	2	6	15	24	40	68
35-49	208	12.7	144	2	2	9	15	28	39	57
50-64	429	15.6	170	3	3	12	20	32	45	72
65+	701	13.8	134	2	3	11	18	28	36	58
GRAND TOTAL	**1502**	**13.6**	**148**	**2**	**3**	**10**	**18**	**29**	**38**	**63**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	24.0	306	9	9	19	35	49	49	49
20-34	6	17.0	111	6	6	16	26	30	30	30
35-49	12	16.3	265	1	4	12	18	35	60	64
50-64	22	14.3	61	6	7	11	18	26	31	35
65+	44	18.7	195	6	7	13	26	33	47	75
2. MULTIPLE DX										
0-19 YRS	6	8.2	57	3	3	6	19	85	99+	99+
20-34	25	22.3	196	5	7	20	33	40	48	62
35-49	95	19.9	176	6	7	16	26	40	46	63
50-64	332	21.2	171	7	8	18	28	41	49	86
65+	941	20.8	215	7	8	16	26	39	50	89
TOT. SINGLE DX	88	17.4	167	6	7	13	23	31	46	71
" MULTIPLE DX	1399	20.8	202	7	8	17	26	40	49	87
TOTAL 0-19 YRS	10	14.5	201	3	3	9	23	69	97	99+
20-34	31	21.3	180	5	6	20	29	39	43	62
35-49	107	19.5	185	6	7	15	25	40	47	65
50-64	354	20.7	167	7	8	17	27	39	47	84
65+	985	20.7	215	7	8	16	26	39	50	88
GRAND TOTAL	**1487**	**20.6**	**200**	**7**	**8**	**16**	**26**	**39**	**49**	**86**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.6	19	4	4	10	12	13	13	13
20-34	7	13.1	26	7	7	13	17	20	21	21
35-49	4	18.5	241	5	5	15	31	38	38	38
50-64	18	11.3	32	4	5	10	14	21	22	22
65+	70	12.4	48	5	6	10	15	21	25	39
2. MULTIPLE DX										
0-19 YRS	9	20.4	181	4	5	18	33	39	41	41
20-34	15	22.3	370	5	11	19	22	42	73	84
35-49	37	18.6	104	7	9	16	24	30	42	52
50-64	199	21.3	255	6	7	17	27	41	57	93
65+	1284	18.3	175	6	7	14	23	36	47	97
TOT. SINGLE DX	104	12.3	50	5	6	10	15	21	24	38
" MULTIPLE DX	1544	18.7	187	6	7	15	24	37	47	93
TOTAL 0-19 YRS	14	16.2	152	4	4	12	21	37	40	41
20-34	22	19.4	274	5	8	15	21	32	59	84
35-49	41	18.6	112	6	8	16	24	33	41	52
50-64	217	20.5	245	6	7	17	26	40	54	91
65+	1354	18.0	171	6	7	14	23	35	46	93
GRAND TOTAL	**1648**	**18.3**	**181**	**5**	**7**	**14**	**23**	**36**	**46**	**93**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.0	30	2	2	5	6	16	18	18
20-34	7	15.1	140	2	3	14	17	35	39	39
35-49	5	10.6	112	2	2	7	14	29	29	29
50-64	7	14.4	67	4	5	12	21	26	27	27
65+	13	9.5	62	2	3	6	12	22	27	28
2. MULTIPLE DX										
0-19 YRS	10	9.6	87	<1	2	5	13	26	30	30
20-34	12	25.8	520	8	9	20	28	58	85	90
35-49	39	20.9	315	3	4	16	27	58	69	99+
50-64	110	22.8	208	6	8	19	31	42	53	63
65+	153	24.8	322	5	7	21	34	49	53	98
TOT. SINGLE DX	39	10.9	80	2	2	7	16	25	29	39
" MULTIPLE DX	324	23.2	287	5	7	19	31	48	55	94
TOTAL 0-19 YRS	17	8.1	64	1	2	5	8	21	27	30
20-34	19	21.9	393	4	7	18	23	43	70	90
35-49	44	19.8	300	3	4	16	27	54	69	99+
50-64	117	22.3	204	6	8	18	31	42	52	63
65+	166	23.6	319	5	6	20	32	49	53	97
GRAND TOTAL	**363**	**21.9**	**279**	**4**	**6**	**18**	**30**	**46**	**53**	**93**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.6	15	1	1	3	7	9	14	16
20-34	21	5.3	8	1	1	6	7	9	10	11
35-49	11	3.5	4	1	1	3	6	6	6	6
50-64	4	5.3	4	3	3	5	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	7.4	23	1	1	6	11	14	17	17
20-34	17	12.1	136	2	3	8	13	36	39	39
35-49	7	11.0	203	2	2	5	18	36	39	39
50-64	2	12.0	32	8	8	12	16	16	16	16
65+	6	4.7	12	1	1	4	5	10	11	11
TOT. SINGLE DX	55	4.6	10	1	1	4	7	8	10	16
" MULTIPLE DX	42	9.7	98	1	2	6	11	24	38	39
TOTAL 0-19 YRS	28	5.6	20	1	1	5	8	12	16	17
20-34	38	8.3	76	1	2	7	8	13	34	39
35-49	18	6.4	89	1	1	3	6	17	32	39
50-64	6	7.5	21	3	3	6	8	15	16	16
65+	7	4.3	11	1	1	4	5	10	11	11
GRAND TOTAL	**97**	**6.8**	**54**	**1**	**1**	**5**	**8**	**13**	**20**	**39**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.0	2	<1	1	1	2	4	5	6
20-34	46	2.3	1	<1	1	2	3	4	5	7
35-49	31	2.7	2	<1	1	2	4	5	6	7
50-64	35	7.0	63	1	1	4	9	15	24	39
65+	35	9.5	100	2	3	5	11	23	33	48
2. MULTIPLE DX										
0-19 YRS	11	6.0	85	1	1	3	6	18	32	33
20-34	25	5.1	25	<1	<1	3	6	13	15	22
35-49	43	10.6	122	1	1	8	15	30	36	45
50-64	73	13.1	251	2	2	7	16	33	58	70
65+	136	14.0	155	3	4	10	18	27	32	87
TOT. SINGLE DX	167	4.8	44	1	1	3	5	11	15	38
" MULTIPLE DX	288	12.2	167	1	2	9	16	28	36	69
TOTAL 0-19 YRS	31	3.4	34	1	1	2	3	6	8	33
20-34	71	3.3	12	<1	<1	2	4	6	12	20
35-49	74	7.3	87	1	1	3	9	18	31	44
50-64	108	11.1	198	1	2	6	13	27	40	68
65+	171	13.1	147	3	3	9	17	26	32	79
GRAND TOTAL	**455**	**9.5**	**134**	**1**	**1**	**5**	**12**	**23**	**31**	**60**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	3	10.3	208	2	2	2	21	27	27	27
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	4	2.3	1	1	1	2	3	3	3	3
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS										
20-34	6	5.0	6	2	2	4	7	9	9	9
35-49	5	18.0	267	2	2	14	31	41	41	41
50-64	7	14.7	114	2	2	11	24	28	29	29
65+	12	11.3	75	<1	1	10	19	24	25	25
TOT. SINGLE DX	16	5.3	45	1	1	3	4	14	23	27
" MULTIPLE DX	30	11.9	109	2	2	9	23	26	29	41
TOTAL 0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	9	6.8	63	2	2	4	7	20	27	27
35-49	10	10.4	184	1	1	4	14	34	41	41
50-64	11	10.2	108	1	1	3	20	26	29	29
65+	14	10.6	68	<1	2	10	16	23	25	25
GRAND TOTAL	**46**	**9.6**	**95**	**1**	**2**	**5**	**14**	**25**	**28**	**41**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	1.7		<1	<1	2	2	3	3	4
20-34	1135	1.9	1	<1	<1	2	2	3	4	7
35-49	2292	2.2	3	<1	<1	2	2	3	4	8
50-64	1438	2.5	3	<1	1	2	3	4	6	9
65+	846	2.7	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	71	2.9	9	1	1	2	3	4	7	21
20-34	550	3.2	14	<1	1	2	3	6	10	26
35-49	1613	3.5	11	1	1	2	4	7	10	18
50-64	1410	4.3	23	1	2	3	5	9	13	26
65+	1348	5.6	36	1	2	3	7	13	17	33
TOT. SINGLE DX	6028	2.3	3	<1	<1	2	2	3	5	9
" MULTIPLE DX	4992	4.3	23	1	1	3	5	9	13	24
TOTAL 0-19 YRS	388	1.9	2	<1	<1	2	2	3	4	7
20-34	1685	2.4	6	<1	<1	2	2	4	6	12
35-49	3905	2.7	7	<1	1	2	3	5	7	13
50-64	2848	3.4	14	1	1	2	3	7	10	20
65+	2194	4.5	26	1	1	3	5	10	14	26
GRAND TOTAL	**11020**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	2.6	1	1	1	2	3	4	5	7
20-34	44	2.5	2	<1	1	2	3	5	6	7
35-49	67	4.6	8	1	2	4	6	8	10	17
50-64	54	5.0	10	2	2	4	7	8	10	20
65+	90	6.2	15	1	2	6	8	10	12	23
2. MULTIPLE DX										
0-19 YRS	17	2.5	1	1	1	2	3	4	4	4
20-34	27	4.9	32	<1	2	3	5	8	22	26
35-49	75	5.2	5	2	3	5	6	9	9	14
50-64	139	7.9	57	2	2	6	9	16	19	50
65+	321	8.3	35	2	3	7	10	15	21	32
TOT. SINGLE DX	310	4.5	11	1	1	4	6	9	10	16
" MULTIPLE DX	579	7.5	38	2	2	6	9	14	18	33
TOTAL 0-19 YRS	72	2.6	2	1	1	2	3	4	4	7
20-34	71	3.4	15	<1	1	2	4	6	7	25
35-49	142	4.9	7	2	2	4	6	9	10	15
50-64	193	7.1	46	2	2	5	8	13	18	43
65+	411	7.8	32	2	3	7	9	14	17	31
GRAND TOTAL	**889**	**6.4**	**30**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	67	7.2	7	4	4	7	9	12	13	14
35-49	493	6.5	5	3	4	6	8	9	11	14
50-64	705	6.8	5	4	4	6	8	10	11	14
65+	723	7.5	9	4	4	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	77	7.3	10	3	3	7	9	12	13	17
35-49	531	7.8	12	4	4	7	9	12	14	19
50-64	1082	8.4	17	4	5	7	9	13	16	26
65+	1508	9.4	25	4	5	8	11	15	18	25
TOT. SINGLE DX	1991	7.0	7	4	4	7	8	10	12	15
" MULTIPLE DX	3201	8.8	21	4	5	8	10	14	17	25
TOTAL 0-19 YRS	6	5.3	12	2	2	5	7	11	11	11
20-34	144	7.3	9	3	4	7	9	12	13	17
35-49	1024	7.2	10	3	4	7	9	11	12	17
50-64	1787	7.7	14	4	5	7	9	11	14	23
65+	2231	8.8	21	4	5	8	10	14	17	24
GRAND TOTAL	**5192**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**15**	**23**

Appendix

ICD-9-CM Codes for Selected Operation Groups

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	2.8	2	1	1	3	3	4	5	8
20-34	576	3.1	3	<1	<1	3	4	5	6	8
35-49	581	3.3	3	1	1	3	4	6	7	9
50-64	234	3.5	4	1	1	3	4	6	7	10
65+	58	3.6	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	80	3.4	4	1	1	3	4	6	8	12
20-34	418	4.0	13	1	1	3	5	6	9	21
35-49	798	4.4	9	1	2	4	5	7	9	15
50-64	444	4.6	15	1	2	4	5	7	10	20
65+	114	4.5	12	1	2	4	5	8	11	21
TOT. SINGLE DX	1727	3.2	3	<1	1	3	4	5	6	9
" MULTIPLE DX	1854	4.3	12	1	2	4	5	7	9	18
TOTAL 0-19 YRS	358	2.9	3	1	1	3	4	5	6	9
20-34	994	3.5	8	<1	1	3	4	6	7	14
35-49	1379	3.9	7	1	1	4	5	7	8	13
50-64	678	4.2	12	1	2	4	5	7	8	18
65+	172	4.2	10	1	2	3	5	7	11	17
GRAND TOTAL	**3581**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	654	3.2	3	1	1	3	4	5	6	10
20-34	1009	3.2	2	1	1	3	4	5	6	9
35-49	163	3.4	2	1	2	3	4	5	7	10
50-64	29	4.7	27	2	2	3	5	6	14	30
65+	11	3.6	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	71	4.3	7	1	2	4	5	8	10	16
20-34	187	4.3	11	1	2	4	5	8	10	15
35-49	80	4.5	8	1	2	4	5	8	10	18
50-64	25	6.7	114	1	2	4	6	12	23	56
65+	16	6.4	9	1	3	6	9	10	11	11
TOT. SINGLE DX	1866	3.2	4	1	1	3	4	5	6	10
" MULTIPLE DX	379	4.6	17	1	2	4	5	8	11	16
TOTAL 0-19 YRS	725	3.3	4	1	1	3	4	5	7	10
20-34	1196	3.4	4	1	1	3	4	5	7	11
35-49	243	3.7	5	1	2	3	4	6	8	11
50-64	54	5.6	68	2	2	4	5	9	13	55
65+	27	5.3	8	2	2	5	8	10	10	11
GRAND TOTAL	**2245**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	890	2.4	5	<1	<1	2	2	5	7	12
20-34	782	3.0	11	<1	<1	2	3	5	8	17
35-49	703	3.1	14	<1	<1	2	3	6	9	19
50-64	603	3.2	12	<1	<1	2	4	6	9	19
65+	433	3.8	19	<1	<1	2	4	8	11	23
2. MULTIPLE DX										
0-19 YRS	435	6.0	87	1	1	3	6	12	24	58
20-34	724	6.8	77	1	1	4	8	15	23	44
35-49	1101	6.5	49	1	2	4	8	14	19	38
50-64	1463	6.8	51	1	2	5	8	14	18	37
65+	2071	8.9	84	2	2	6	11	18	25	50
TOT. SINGLE DX	3411	3.0	12	<1	<1	2	3	6	9	18
" MULTIPLE DX	5794	7.5	70	1	2	5	9	16	22	45
TOTAL 0-19 YRS	1325	3.6	36	<1	<1	2	3	7	11	32
20-34	1506	4.8	47	<1	1	3	5	10	16	36
35-49	1804	5.2	39	<1	1	3	6	11	16	33
50-64	2066	5.8	43	<1	1	4	7	12	17	35
65+	2504	8.1	77	1	2	6	10	17	23	48
GRAND TOTAL	**9205**	**5.8**	**53**	**<1**	**1**	**3**	**7**	**12**	**18**	**39**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1346	4.3	31	<1	1	2	5	9	14	29
20-34	1487	4.5	31	1	1	3	5	9	12	26
35-49	840	5.2	29	1	1	4	6	11	14	31
50-64	615	6.1	53	1	1	4	7	14	18	37
65+	491	6.9	54	1	1	4	9	15	22	38
2. MULTIPLE DX										
0-19 YRS	2008	6.1	73	1	1	3	7	14	23	51
20-34	2941	7.1	98	1	1	4	8	16	27	58
35-49	2062	8.9	116	1	1	5	10	21	29	65
50-64	2233	11.2	156	1	2	7	14	24	36	66
65+	3698	13.2	168	2	3	9	16	29	40	81
TOT. SINGLE DX	4779	5.0	37	1	1	3	6	11	15	31
" MULTIPLE DX	12942	9.7	135	1	1	6	12	22	33	67
TOTAL 0-19 YRS	3354	5.4	58	1	1	3	6	12	20	41
20-34	4428	6.2	77	1	1	4	7	13	21	49
35-49	2902	7.8	94	1	1	5	9	17	26	54
50-64	2848	10.1	139	1	2	6	12	22	33	64
65+	4189	12.4	159	2	2	9	15	27	38	78
GRAND TOTAL	**17721**	**8.4**	**113**	**1**	**1**	**5**	**10**	**20**	**29**	**60**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	274	8.5	81	1	1	6	11	19	27	46
20-34	220	5.9	30	1	1	4	9	12	16	25
35-49	138	8.4	83	1	2	6	10	18	23	54
50-64	116	8.6	86	1	1	6	11	20	31	42
65+	124	11.7	101	1	2	9	17	23	31	50
2. MULTIPLE DX										
0-19 YRS	225	15.7	230	2	2	10	23	41	47	74
20-34	245	14.3	201	1	3	10	20	34	41	99+
35-49	235	15.8	177	2	3	13	21	36	44	61
50-64	327	16.3	192	2	3	12	22	36	49	99+
65+	627	18.1	200	3	4	14	24	40	51	84
TOT. SINGLE DX	872	8.3	75	1	1	6	11	19	25	42
" MULTIPLE DX	1659	16.6	201	2	3	13	23	37	47	94
TOTAL 0-19 YRS	499	11.7	161	1	2	8	15	27	41	64
20-34	465	10.4	138	1	1	7	13	24	35	87
35-49	373	13.1	156	1	2	9	17	28	41	61
50-64	443	14.3	176	1	2	11	21	34	43	99+
65+	751	17.1	190	2	4	14	23	37	47	79
GRAND TOTAL	**2531**	**13.7**	**173**	**1**	**2**	**10**	**19**	**32**	**43**	**73**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.2	22	<1	1	2	3	5	8	29
20-34	85	4.4	67	<1	1	2	4	8	17	50
35-49	50	7.0	158	<1	<1	2	6	19	33	65
50-64	22	5.8	57	<1	<1	3	8	13	25	33
65+	18	11.9	96	1	2	9	18	21	34	42
2. MULTIPLE DX										
0-19 YRS	49	6.8	103	1	1	3	8	14	23	57
20-34	107	13.1	286	<1	1	6	19	33	49	83
35-49	73	13.1	296	<1	1	8	16	39	59	99
50-64	61	19.0	347	<1	2	11	32	47	57	70
65+	87	17.2	257	1	3	12	27	43	55	90
TOT. SINGLE DX	236	5.4	80	<1	1	2	5	11	23	53
" MULTIPLE DX	377	14.2	278	<1	1	8	19	39	55	86
TOTAL 0-19 YRS	110	4.8	61	<1	1	2	4	11	18	47
20-34	192	9.2	207	<1	1	3	10	26	37	73
35-49	123	10.6	248	<1	1	4	12	28	54	96
50-64	83	15.5	303	<1	1	8	26	43	51	69
65+	105	16.3	233	1	2	12	22	41	54	85
GRAND TOTAL	**613**	**10.8**	**220**	**<1**	**1**	**4**	**13**	**32**	**46**	**71**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	2.4	5	<1	<1	2	2	4	7	13
20-34	184	2.8	9	<1	<1	2	3	6	7	11
35-49	205	2.9	7	<1	1	2	4	5	8	11
50-64	241	2.6	6	1	1	2	3	5	6	11
65+	87	3.8	70	<1	1	2	3	6	8	55
2. MULTIPLE DX										
0-19 YRS	273	3.9	28	1	1	2	4	7	12	38
20-34	255	5.2	54	1	1	4	6	9	12	53
35-49	386	4.8	29	1	1	3	5	9	13	35
50-64	371	4.9	29	1	1	3	6	10	15	27
65+	394	9.3	97	1	2	7	11	18	29	57
TOT. SINGLE DX	1149	2.7	12	<1	1	2	3	5	7	12
" MULTIPLE DX	1679	5.8	53	1	1	4	7	12	18	42
TOTAL 0-19 YRS	705	3.0	15	<1	1	2	3	5	8	30
20-34	439	4.2	37	<1	1	3	5	8	10	43
35-49	591	4.2	23	1	1	3	5	8	11	29
50-64	612	4.0	21	1	1	3	5	8	12	22
65+	481	8.3	97	1	1	5	10	17	24	57
GRAND TOTAL	**2828**	**4.6**	**38**	**<1**	**1**	**3**	**5**	**9**	**14**	**35**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.7	5	<1	1	2	3	6	8	10
20-34	17	4.9	19	2	2	3	5	11	15	17
35-49	10	5.0	15	1	1	3	8	11	12	12
50-64	13	5.8	19	1	2	4	8	14	14	14
65+	18	5.0	13	1	2	4	5	12	14	14
2. MULTIPLE DX										
0-19 YRS	26	5.4	24	1	1	4	8	14	17	19
20-34	19	5.1	12	2	2	4	7	10	13	15
35-49	22	5.0	15	1	2	4	5	11	15	17
50-64	31	10.1	65	2	3	8	14	21	23	39
65+	93	8.8	38	3	3	7	12	17	24	70
TOT. SINGLE DX	79	4.5	14	1	1	3	5	11	14	16
" MULTIPLE DX	191	7.7	39	2	2	6	11	15	21	36
TOTAL 0-19 YRS	47	4.2	17	1	1	3	5	10	14	19
20-34	36	5.0	15	2	2	3	7	11	14	17
35-49	32	5.0	15	1	2	3	6	11	13	17
50-64	44	8.8	55	2	2	6	13	17	22	39
65+	111	8.2	36	2	3	6	11	15	23	58
GRAND TOTAL	**270**	**6.8**	**34**	**1**	**2**	**5**	**10**	**14**	**19**	**32**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	3.1	7	1	1	2	3	6	9	17
20-34	2591	4.5	16	1	1	3	6	10	12	19
35-49	3500	4.7	16	1	2	3	6	10	13	19
50-64	1630	4.9	20	1	2	3	6	10	13	21
65+	380	4.8	18	1	2	3	6	11	14	22
2. MULTIPLE DX										
0-19 YRS	261	5.0	31	1	2	3	6	10	16	31
20-34	1716	6.0	25	2	2	4	8	12	16	26
35-49	2902	6.3	31	2	2	4	8	12	16	28
50-64	2135	6.5	30	2	2	5	9	13	17	26
65+	1235	8.4	50	2	2	6	11	18	22	35
TOT. SINGLE DX	8382	4.6	17	1	2	3	6	10	13	19
" MULTIPLE DX	8249	6.6	34	2	2	5	9	14	17	28
TOTAL 0-19 YRS	542	4.1	20	1	2	2	4	8	11	26
20-34	4307	5.1	20	1	2	3	7	11	14	22
35-49	6402	5.4	24	1	2	4	7	11	14	23
50-64	3765	5.8	27	1	2	4	8	12	15	25
65+	1615	7.5	45	1	2	5	10	16	21	33
GRAND TOTAL	**16631**	**5.6**	**26**	**1**	**2**	**4**	**7**	**12**	**15**	**25**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.9	11	1	2	3	4	8	11	18
20-34	192	4.0	9	1	1	3	5	8	10	16
35-49	241	4.4	15	1	2	3	6	9	11	20
50-64	423	4.3	15	2	2	3	5	9	11	23
65+	420	4.1	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	69	6.5	37	2	2	4	9	15	19	26
20-34	228	7.1	50	2	2	5	9	15	23	34
35-49	535	7.2	65	2	2	4	8	15	24	45
50-64	1616	6.4	32	2	2	5	8	12	17	30
65+	2894	7.0	40	2	2	5	9	13	17	31
TOT. SINGLE DX	1337	4.2	13	1	2	3	5	8	11	18
" MULTIPLE DX	5342	6.8	41	2	2	5	8	13	18	33
TOTAL 0-19 YRS	130	5.3	27	1	2	3	7	12	17	26
20-34	420	5.7	34	1	2	4	7	11	16	31
35-49	776	6.3	52	2	2	4	8	12	19	37
50-64	2039	5.9	30	2	2	4	7	12	15	29
65+	3314	6.7	38	2	2	5	8	13	17	30
GRAND TOTAL	**6679**	**6.3**	**36**	**2**	**2**	**5**	**8**	**12**	**17**	**31**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	4.5	22	2	2	3	4	13	14	14
35-49	52	3.4	7	1	2	2	4	7	10	11
50-64	66	4.1	12	1	2	2	6	10	11	16
65+	21	4.6	10	2	2	3	6	10	11	12
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.1	18	1	2	6	8	11	16	19
35-49	199	4.3	10	2	2	3	6	9	11	15
50-64	377	4.9	15	2	2	3	7	9	12	18
65+	198	5.8	21	2	2	4	8	12	15	18
TOT. SINGLE DX	145	4.0	10	1	2	2	5	9	11	14
" MULTIPLE DX	798	5.0	16	2	2	3	7	10	13	18
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	29	5.8	19	2	2	6	7	12	14	19
35-49	251	4.2	10	2	2	3	6	9	11	15
50-64	443	4.8	15	2	2	3	7	9	12	17
65+	219	5.7	21	2	2	4	8	12	14	18
GRAND TOTAL	**943**	**4.9**	**15**	**2**	**2**	**3**	**7**	**10**	**12**	**17**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	4.4	13	1	1	3	5	9	13	17
20-34	453	5.0	16	1	1	4	7	10	12	17
35-49	498	4.7	15	1	1	3	7	9	12	19
50-64	561	4.8	15	1	2	3	7	10	13	18
65+	582	5.1	17	1	2	3	8	11	13	20
2. MULTIPLE DX										
0-19 YRS	109	6.5	58	1	2	4	9	12	18	49
20-34	537	6.8	56	1	2	5	9	13	18	35
35-49	1099	6.4	29	1	2	5	9	13	15	25
50-64	2213	6.9	42	2	2	5	9	13	17	30
65+	3643	7.8	43	2	2	6	10	15	20	34
TOT. SINGLE DX	2203	4.9	16	1	1	3	7	10	13	18
" MULTIPLE DX	7601	7.2	43	2	2	6	10	14	19	32
TOTAL 0-19 YRS	218	5.5	37	1	1	4	7	11	14	39
20-34	990	6.0	39	1	1	4	8	12	15	27
35-49	1597	5.9	26	1	2	4	8	12	14	24
50-64	2774	6.5	38	1	2	5	9	13	16	29
65+	4225	7.4	41	2	2	6	10	15	19	32
GRAND TOTAL	**9804**	**6.7**	**38**	**1**	**2**	**5**	**9**	**13**	**17**	**30**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8864	3.5	18	1	1	3	4	6	8	20
20-34	12524	4.1	20	1	1	3	5	8	10	23
35-49	9702	4.5	19	1	1	3	5	9	11	22
50-64	6976	5.1	23	1	1	4	6	10	13	24
65+	5754	6.1	28	1	2	5	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	12540	5.0	47	1	1	3	5	9	14	41
20-34	18799	5.2	30	1	2	4	6	9	13	30
35-49	23634	5.9	28	1	2	4	7	11	14	28
50-64	35307	6.7	31	2	2	5	8	13	16	29
65+	72483	8.1	43	2	3	6	10	15	20	35
TOT. SINGLE DX	43820	4.5	22	1	1	3	5	9	12	23
" MULTIPLE DX	162763	6.9	39	2	2	5	8	13	18	32
TOTAL 0-19 YRS	21404	4.4	36	1	1	3	5	8	11	33
20-34	31323	4.8	27	1	1	3	6	9	12	28
35-49	33336	5.4	26	1	2	4	7	10	14	27
50-64	42283	6.5	31	2	2	5	8	12	16	29
65+	78237	7.9	43	2	3	6	10	15	20	34
GRAND TOTAL	**206583**	**6.4**	**37**	**1**	**2**	**5**	**8**	**12**	**17**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2499	5.6	49	1	1	3	5	13	22	37
20-34	1866	6.4	39	1	2	5	8	12	17	32
35-49	1988	6.8	40	1	2	5	8	13	17	32
50-64	1521	6.9	34	1	2	5	9	13	17	30
65+	1170	7.4	42	2	2	6	9	13	18	34
2. MULTIPLE DX										
0-19 YRS	3309	6.4	73	1	2	4	6	13	23	51
20-34	2637	8.4	101	1	2	5	9	17	27	53
35-49	3517	8.3	73	2	2	6	9	15	23	49
50-64	6096	8.2	54	2	3	6	10	15	20	39
65+	12929	9.5	59	2	3	7	11	17	24	42
TOT. SINGLE DX	9044	6.5	42	1	2	5	8	13	18	34
" MULTIPLE DX	28488	8.6	67	2	3	6	10	16	23	45
TOTAL 0-19 YRS	5808	6.1	63	1	1	4	6	13	22	43
20-34	4503	7.6	77	1	2	5	9	15	23	49
35-49	5505	7.8	63	2	2	6	9	14	21	43
50-64	7617	7.9	51	2	3	6	10	14	20	36
65+	14099	9.3	59	2	3	7	11	17	23	42
GRAND TOTAL	**37532**	**8.1**	**62**	**2**	**2**	**6**	**10**	**15**	**22**	**42**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4998	3.7	17	1	1	3	4	6	8	20
20-34	2831	4.3	27	1	1	3	5	8	11	27
35-49	2328	4.7	22	1	1	4	6	9	12	23
50-64	2267	5.5	26	1	2	4	7	10	13	24
65+	2251	6.1	26	1	2	5	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	9209	5.5	62	1	2	4	6	9	15	47
20-34	5337	5.5	44	1	2	4	6	10	15	37
35-49	8032	5.9	32	1	2	4	7	11	15	28
50-64	15632	6.9	34	2	2	5	9	13	17	30
65+	35836	8.2	46	2	3	6	10	15	20	36
TOT. SINGLE DX	14675	4.6	24	1	1	3	5	9	12	24
" MULTIPLE DX	74046	7.1	45	2	2	5	9	14	18	35
TOTAL 0-19 YRS	14207	4.9	48	1	1	3	5	8	12	40
20-34	8168	5.1	39	1	1	4	6	9	14	35
35-49	10360	5.7	31	1	2	4	7	11	14	27
50-64	17899	6.7	33	2	2	5	8	13	16	29
65+	38087	8.1	45	2	3	6	10	15	20	36
GRAND TOTAL	**88721**	**6.7**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX

LENGTH OF STAY BY DIAGNOSIS



UNITED STATES

WESTERN REGION

1984



Length of Stay by Diagnosis, Western Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii

Discussion of the Data 1

  Source of the Data. 1

  Data Quality. 2

  Coverage 3

  Organization of Length of Stay Tables. 5

    Definition of Multiple Diagnosis Patients 5

    Definition of Operated Patients 5

  Explanation of Statistics. 6

  Defining the Extended Stay Case 7

Length of Stay Tables 17

  Summary of All Patients. 18

  Summary of All Patients Except Newborn 19

  Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



~ Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	**U.S. Total[2]** (2)	**Number in Books** (3)	**Percent in Books** (4)	**U.S. Total[2]** (5)	**Number in Books** (6)	**Percent in Books** (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168603	2.3	8	<1	1	2	3	4	5	10
20-34	94655	2.7	13	<1	1	2	3	4	7	19
35-49	28104	3.9	22	<1	1	2	4	8	11	25
50-64	19000	4.2	22	1	1	3	5	9	12	24
65+	17807	4.5	22	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	55643	2.4	7	<1	<1	2	3	5	6	12
20-34	121719	2.7	6	<1	1	2	3	5	6	11
35-49	53155	3.4	10	<1	1	2	5	7	9	15
50-64	42868	3.9	15	<1	1	3	5	8	11	17
65+	39615	4.4	19	<1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138624	4.0	40	1	1	3	4	6	10	39
20-34	75488	5.0	47	1	1	3	5	11	19	33
35-49	64035	5.5	43	1	1	3	6	11	19	32
50-64	99454	5.7	36	1	1	4	7	11	16	30
65+	229101	6.5	37	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	49650	5.2	78	<1	1	2	5	11	20	56
20-34	143285	4.4	27	1	1	3	5	7	11	27
35-49	91061	5.8	43	1	1	4	7	11	16	36
50-64	106170	7.2	65	1	1	5	9	15	21	44
65+	168574	8.9	82	1	2	7	11	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328169	2.8	12	<1	1	2	3	5	7	17
B. *Operated*	313000	3.2	10	<1	<1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	606752	5.5	40	1	1	4	7	11	16	32
B. *Operated*	558740	6.6	61	1	1	4	8	14	20	42
1. SINGLE DX	641169	3.0	11	<1	1	2	3	6	8	16
2. MULTIPLE DX	1165492	6.0	51	1	1	4	7	13	18	37
A. NOT OPERATED	934921	4.6	32	1	1	3	5	9	14	29
B. OPERATED	871740	5.4	46	<1	1	3	6	11	16	35
TOTAL 0-19 YRS	412520	3.2	28	<1	1	2	3	5	8	28
20-34	435147	3.6	22	<1	1	2	4	6	10	26
35-49	236405	5.0	34	1	1	3	6	10	14	30
50-64	267492	5.9	45	1	1	4	7	12	17	34
65+	455097	7.2	54	1	2	5	9	15	20	38
GRAND TOTAL	**1806661**	**4.9**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

342 Hospitals, Western Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48515	2.9	22	<1	1	2	3	5	7	23
20-34	94655	2.7	13	<1	1	2	3	4	7	19
35-49	28104	3.9	22	<1	1	2	4	8	11	25
50-64	19000	4.2	22	1	1	3	5	9	12	24
65+	17807	4.5	22	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	55614	2.4	7	<1	<1	2	3	5	6	12
20-34	121719	2.7	6	<1	1	2	3	5	6	11
35-49	53155	3.4	10	<1	1	2	5	7	9	15
50-64	42868	3.9	15	<1	1	3	5	8	11	17
65+	39615	4.4	19	<1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60542	4.8	73	1	1	3	4	9	16	53
20-34	75488	5.0	47	1	1	3	5	11	19	33
35-49	64085	5.5	43	1	1	3	6	11	19	32
50-64	99454	5.7	36	1	1	4	7	11	16	30
65+	229101	6.5	37	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	45975	4.3	47	<1	1	2	5	9	14	38
20-34	143285	4.4	27	1	1	3	5	7	11	27
35-49	91061	5.8	43	1	1	4	7	11	16	36
50-64	106170	7.2	65	1	1	5	9	15	21	44
65+	168574	8.9	82	1	2	7	11	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208081	3.2	18	<1	1	2	3	6	9	22
B. *Operated*	312971	3.2	10	<1	<1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	528670	5.8	44	1	1	4	7	12	17	34
B. *Operated*	555065	6.5	59	1	1	4	8	14	20	41
1. SINGLE DX	521052	3.2	13	<1	1	2	4	6	9	17
2. MULTIPLE DX	1083735	6.2	52	1	1	4	7	13	18	38
A. NOT OPERATED	736751	5.1	38	1	1	3	6	10	15	31
B. OPERATED	868036	5.3	44	<1	1	3	6	11	16	34
TOTAL 0-19 YRS	210646	3.6	39	<1	1	2	4	7	11	37
20-34	435147	3.6	22	<1	1	2	4	6	10	26
35-49	236405	5.0	34	1	1	3	6	10	14	30
50-64	267492	5.9	45	1	1	4	7	12	17	34
65+	455097	7.2	54	1	2	5	9	15	20	38
GRAND TOTAL	**1604787**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	920	2.5	7	1	1	2	3	4	6	10
20-34	556	2.5	3	<1	1	2	3	4	5	9
35-49	238	2.7	3	1	1	2	4	5	6	8
50-64	149	2.8	4	1	1	2	3	5	7	10
65+	107	3.0	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	26	4.5	30	1	1	3	4	7	18	27
20-34	52	5.0	13	2	2	4	6	10	13	18
35-49	19	3.8	3	<1	1	4	5	7	7	7
50-64	10	3.9	7	1	1	3	6	8	9	9
65+	8	5.4	17	1	2	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1943	3.0	5	1	1	2	4	5	7	12
20-34	879	2.9	5	1	1	2	4	5	7	11
35-49	521	3.5	10	1	1	3	4	7	9	15
50-64	545	3.7	12	1	1	3	4	6	8	15
65+	1096	4.5	12	1	2	4	5	8	10	22
B. *Operated*										
0-19 YRS	51	8.7	199	1	2	4	8	16	36	79
20-34	82	6.4	87	1	2	4	7	10	19	62
35-49	55	7.1	48	2	2	5	8	20	24	31
50-64	71	8.8	88	2	2	6	10	16	29	58
65+	107	10.6	115	2	3	7	12	21	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1970	2.6	5	1	1	2	3	5	6	10
B. *Operated*	115	4.6	15	1	2	4	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	4984	3.4	8	1	1	3	4	6	8	14
B. *Operated*	366	8.5	106	2	2	6	9	18	25	64
1. SINGLE DX	2085	2.7	6	1	1	2	3	5	6	10
2. MULTIPLE DX	5350	3.8	17	1	1	3	4	7	9	21
A. NOT OPERATED	6954	3.2	8	1	1	2	4	6	7	13
B. OPERATED	481	7.6	87	1	2	5	8	15	23	60
TOTAL 0-19 YRS	2940	2.9	10	1	1	2	3	5	6	12
20-34	1569	3.0	10	1	1	2	4	5	7	13
35-49	833	3.5	11	1	1	3	4	6	8	18
50-64	775	4.0	19	1	1	3	5	7	9	25
65+	1318	4.8	23	1	2	4	6	9	12	24
GRAND TOTAL	**7435**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	43	<1	1	5	8	17	22	23
20-34	18	8.9	54	1	2	7	11	22	27	28
35-49	11	6.5	18	<1	1	7	9	13	14	14
50-64	10	8.9	59	2	2	6	11	22	26	26
65+	10	8.3	31	<1	<1	9	14	15	15	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	7	5.7	12	1	1	6	7	11	12	12
50-64	9	9.1	88	1	1	6	12	25	29	29
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.1	40	1	2	9	15	18	18	18
20-34	26	12.0	242	3	4	7	13	17	42	82
35-49	24	10.4	72	2	2	8	14	20	31	36
50-64	35	10.9	59	3	4	8	14	22	27	37
65+	56	13.2	131	2	3	10	17	26	33	62
B. *Operated*										
0-19 YRS	3	17.0	259	4	4	12	29	35	35	35
20-34	10	10.3	44	3	3	9	14	21	22	22
35-49	21	11.9	155	3	3	8	14	26	46	53
50-64	23	12.2	124	4	6	9	12	19	42	54
65+	55	17.4	344	5	6	10	16	38	56	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.9	41	<1	1	7	11	15	24	28
B. *Operated*	22	6.9	43	1	1	6	7	14	24	29
2. MULTIPLE DX										
A. *Not Operated*	148	11.8	118	2	3	9	14	25	30	63
B. *Operated*	112	14.7	236	3	5	10	14	35	43	90
1. SINGLE DX	82	7.6	41	1	1	6	10	15	24	29
2. MULTIPLE DX	260	13.0	170	3	4	9	14	27	37	80
A. NOT OPERATED	208	10.7	99	2	2	8	14	23	28	51
B. OPERATED	134	13.4	212	3	3	9	14	31	42	88
TOTAL 0-19 YRS	22	8.7	70	<1	1	6	12	19	28	35
20-34	57	10.4	135	3	4	7	12	19	27	78
35-49	63	9.7	86	1	2	7	12	17	31	51
50-64	77	10.8	80	2	3	8	13	22	29	49
65+	123	14.5	223	2	3	10	16	30	42	89
GRAND TOTAL	**342**	**11.7**	**144**	**2**	**3**	**9**	**14**	**25**	**35**	**65**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*										
0-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
20-34	3	1.3		1	1	1	2	2	2	2
35-49	6	6.7	47	<1	<1	4	14	16	16	16
50-64	6	6.7	20	1	1	5	11	13	13	13
65+	4	5.5	20	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	9.8	14	7	7	9	12	15	15	15
35-49	6	8.5	23	3	3	7	12	16	16	16
50-64	3	25.0	412	3	3	29	39	43	43	43
65+	8	13.1	87	3	3	12	19	28	30	30
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	7	11.6	122	3	4	8	25	80	99+	99+
35-49	14	11.9	104	1	1	9	23	28	82	99+
50-64	14	18.8	431	1	2	10	29	38	70	79
65+	18	24.9	257	6	6	22	39	44	51	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	13	1	1	3	9	9	9	9
B. *Operated*	25	4.8	22	<1	1	3	7	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	22	12.6	106	3	3	9	16	29	35	43
B. *Operated*	56	17.3	263	1	2	11	28	43	70	99+
1. SINGLE DX	31	4.7	20	<1	1	3	7	12	14	16
2. MULTIPLE DX	78	15.9	221	1	2	11	26	40	50	99+
A. NOT OPERATED	28	10.8	97	2	2	8	14	27	31	43
B. OPERATED	81	13.4	221	1	1	7	23	39	48	99+
TOTAL 0-19 YRS	11	2.7	4	<1	<1	2	4	6	7	7
20-34	15	8.4	75	1	1	7	12	33	80	99+
35-49	27	9.6	73	1	1	7	16	24	35	99+
50-64	24	16.1	324	1	2	10	28	34	54	79
65+	32	18.3	229	1	3	12	28	41	44	56
GRAND TOTAL	**109**	**12.7**	**189**	**1**	**1**	**7**	**18**	**35**	**44**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.2	2	1	1	2	3	5	5	6
20-34	48	2.6	1	1	1	2	3	4	4	7
35-49	11	2.3	1	1	1	2	3	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	18	1.1		<1	<1	1	1	1	2	2
20-34	9	1.3	1	1	1	1	2	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	2.5	2	1	1	2	3	5	6	7
20-34	106	2.7	2	1	1	3	3	4	6	8
35-49	37	3.3	2	1	2	3	4	5	6	7
50-64	27	3.8	5	1	2	3	5	7	9	9
65+	16	3.9	3	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	16	1.9	3	<1	1	1	2	4	6	7
20-34	9	3.2	4	1	1	3	5	6	6	6
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64										
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.4	1	1	1	2	3	4	5	6
B. *Operated*	28	1.2		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	424	2.8	2	1	1	2	3	5	6	8
B. *Operated*	28	3.0	8	<1	1	2	4	7	9	13
1. SINGLE DX	167	2.2	1	1	1	2	3	4	5	6
2. MULTIPLE DX	452	2.8	3	1	1	2	3	5	6	8
A. NOT OPERATED	563	2.7	2	1	1	2	3	5	6	7
B. OPERATED	56	2.1	5	<1	1	1	2	5	7	13
TOTAL 0-19 YRS	347	2.3	2	1	1	2	3	4	6	7
20-34	172	2.7	2	1	1	2	3	4	5	7
35-49	51	3.2	3	1	2	3	4	5	7	9
50-64	30	3.6	4	2	2	3	4	7	9	9
65+	19	4.3	7	2	2	3	5	7	10	13
GRAND TOTAL	**619**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.6	10	1	1	4	6	10	11	13
20-34	16	3.8	7	1	1	3	5	7	10	11
35-49	9	7.8	26	1	2	7	11	15	17	17
50-64	9	4.6	9	1	1	4	7	9	9	9
65+	30	5.5	9	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	6.8	20	3	3	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	446	5.8	26	1	2	4	7	11	14	25
20-34	154	7.2	29	2	2	6	9	15	18	27
35-49	189	9.1	73	3	3	7	11	16	20	39
50-64	454	8.9	29	3	3	7	11	15	19	29
65+	2019	10.1	50	3	4	8	12	17	22	39
B. *Operated*										
0-19 YRS	53	14.8	314	2	3	9	17	33	71	99+
20-34	65	17.1	269	2	3	11	21	37	47	80
35-49	84	16.8	216	3	5	13	20	33	53	76
50-64	189	17.1	200	4	5	12	22	36	52	99+
65+	542	19.1	208	5	7	15	23	38	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.7	10	1	1	4	6	10	11	14
B. *Operated*	4	6.8	20	3	3	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	3262	9.1	46	2	3	8	11	16	20	37
B. *Operated*	933	18.1	218	4	5	14	22	37	52	90
1. SINGLE DX	309	4.7	10	1	1	4	6	10	11	14
2. MULTIPLE DX	4195	11.1	98	2	3	8	13	21	29	56
A. NOT OPERATED	3567	8.7	45	2	3	7	11	16	20	36
B. OPERATED	937	18.0	218	4	5	14	22	37	52	90
TOTAL 0-19 YRS	740	6.0	47	1	2	4	7	11	14	36
20-34	235	9.7	115	1	2	6	11	20	30	63
35-49	282	11.3	126	3	3	8	14	21	30	68
50-64	652	11.2	92	3	4	8	14	21	29	54
65+	2595	11.9	96	3	4	9	14	22	30	57
GRAND TOTAL	**4504**	**10.7**	**95**	**2**	**3**	**8**	**13**	**20**	**28**	**55**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.2	23	1	2	4	9	12	15	21
20-34	41	4.3	11	1	2	3	5	8	12	18
35-49	27	4.3	8	1	2	3	6	10	11	11
50-64	11	6.9	61	1	2	4	9	20	26	27
65+	8	4.4	6	2	2	4	5	9	10	10
B. *Operated*										
0-19 YRS	10	4.4	20	<1	<1	2	9	11	12	12
20-34	6	10.2	29	3	3	10	12	18	19	19
35-49	8	12.0	69	2	3	12	18	24	25	25
50-64	5	13.2	89	5	5	12	17	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	7.2	25	2	2	6	10	14	17	25
20-34	94	6.6	35	2	2	5	8	13	19	31
35-49	49	7.4	46	2	2	5	8	17	26	28
50-64	75	6.7	20	2	3	6	9	13	15	23
65+	166	8.1	31	3	3	6	10	17	20	28
B. *Operated*										
0-19 YRS	32	14.6	280	1	1	10	17	39	53	74
20-34	32	11.3	65	1	2	11	16	23	33	99+
35-49	29	13.6	138	1	1	11	22	31	38	42
50-64	32	16.9	181	3	5	12	17	38	48	53
65+	50	18.4	265	3	4	14	25	44	59	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	5.6	21	1	2	4	8	11	14	21
B. *Operated*	29	9.2	55	1	1	8	12	20	25	29
2. MULTIPLE DX										
A. *Not Operated*	532	7.3	30	2	3	6	10	15	18	28
B. *Operated*	175	15.3	197	1	3	11	20	35	50	71
1. SINGLE DX	246	6.0	26	1	2	4	9	12	15	27
2. MULTIPLE DX	707	9.3	83	2	3	7	11	20	26	53
A. NOT OPERATED	749	6.8	28	2	2	5	9	14	17	28
B. OPERATED	204	14.5	181	1	2	11	20	33	47	68
TOTAL 0-19 YRS	320	7.5	55	1	2	6	10	14	18	39
20-34	173	7.1	40	1	2	5	10	15	20	33
35-49	113	8.6	73	1	2	5	11	22	26	39
50-64	123	9.7	86	2	3	7	12	17	31	50
65+	224	10.3	101	3	3	7	12	22	28	60
GRAND TOTAL	**953**	**8.5**	**70**	**2**	**2**	**6**	**11**	**18**	**24**	**49**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	470	3.2	5	1	1	3	4	5	7	12
20-34	360	3.2	4	1	1	3	4	6	7	10
35-49	73	4.4	11	1	2	3	5	8	11	17
50-64	13	5.3	13	1	2	4	8	11	13	13
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.1	1	2	2	3	3	5	5	5
20-34	5	2.6	3	1	1	2	4	5	5	5
35-49	2	11.0	18	8	8	11	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	3.7	7	1	2	3	4	6	8	14
20-34	208	3.7	7	1	1	3	5	7	8	11
35-49	57	4.8	8	2	2	4	6	9	10	16
50-64	32	8.2	272	1	2	4	8	13	17	96
65+	30	9.6	55	1	2	7	14	22	25	26
B. *Operated*										
0-19 YRS	11	17.5	757	2	3	10	17	53	94	98
20-34	12	8.8	30	2	2	8	12	18	18	18
35-49	3	16.3	166	2	2	20	25	27	27	27
50-64	4	6.5	10	2	2	7	8	9	9	9
65+	4	18.8	38	10	10	21	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	3.3	5	1	1	3	4	6	7	13
B. *Operated*	14	4.1	11	1	1	3	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	552	4.4	27	1	2	3	5	8	11	22
B. *Operated*	34	13.2	277	2	2	9	18	23	26	98
1. SINGLE DX	932	3.3	5	1	1	3	4	6	7	13
2. MULTIPLE DX	586	4.9	45	1	2	3	5	9	12	24
A. NOT OPERATED	1470	3.7	14	1	1	3	4	7	9	17
B. OPERATED	48	10.5	215	2	2	7	12	22	24	98
TOTAL 0-19 YRS	713	3.5	19	1	1	3	4	6	7	17
20-34	585	3.5	6	1	1	3	4	6	8	12
35-49	135	4.9	15	1	2	4	6	9	13	21
50-64	49	7.3	181	1	2	4	8	11	14	96
65+	36	10.2	60	1	2	8	16	23	24	26
GRAND TOTAL	**1518**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.4	7	1	1	3	4	6	8	16
20-34	56	4.4	8	1	1	4	6	9	11	12
35-49	29	5.0	7	2	2	5	6	9	11	11
50-64	35	4.1	4	1	2	3	5	7	8	10
65+	60	5.3	21	2	2	4	7	10	12	30
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	14	2.5	4	<1	<1	1	4	6	7	7
35-49	4	2.0	2	<1	<1	1	3	4	[illegible]	4
50-64	5	4.4	9	1	1	4	6	9	[illegible]	9
65+	7	2.9	5	<1	<1	2	5	6	[illegible]	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	3.9	9	1	1	3	5	7	11	16
20-34	129	5.4	51	1	2	4	7	8	11	30
35-49	83	6.7	13	2	3	6	8	10	13	22
50-64	180	6.8	26	2	3	6	8	11	13	32
65+	628	7.3	34	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	17	6.5	19	1	2	6	10	16	67	99+
20-34	19	10.4	40	4	5	9	14	17	25	30
35-49	15	11.3	107	1	2	9	16	28	35	37
50-64	25	9.5	69	1	2	7	11	25	28	31
65+	82	11.4	96	2	3	8	16	26	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.3	11	1	2	3	5	8	10	15
B. *Operated*	32	2.8	5	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1343	6.2	29	1	2	5	8	11	14	24
B. *Operated*	158	10.4	79	2	2	7	14	24	30	48
1. SINGLE DX	312	4.1	10	1	1	3	5	8	10	14
2. MULTIPLE DX	1501	6.6	36	1	2	5	8	12	16	31
A. NOT OPERATED	1623	5.8	26	1	2	5	7	11	13	23
B. OPERATED	190	9.2	74	1	1	6	13	20	29	47
TOTAL 0-19 YRS	442	3.9	9	1	1	3	5	7	11	17
20-34	218	5.4	39	1	2	4	7	10	12	22
35-49	131	6.7	25	2	2	6	8	11	15	30
50-64	245	6.6	29	2	2	5	8	11	15	31
65+	777	7.5	41	2	3	6	9	14	18	36
GRAND TOTAL	**1813**	**6.2**	**32**	**1**	**2**	**5**	**8**	**11**	**15**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.9	5	1	1	4	5	6	8	11
20-34	186	4.2	7	1	2	3	6	8	10	13
35-49	59	5.6	10	1	2	5	8	9	11	17
50-64	24	4.7	7	1	2	4	6	7	10	14
65+	10	3.6	5	<1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	14	3.1	10	1	1	1	5	8	10	10
35-49	8	3.4	9	<1	<1	2	6	8	8	8
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	3	9.7	25	5	5	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.0	4	1	2	4	6	7	8	9
20-34	239	4.8	11	1	2	4	6	9	11	15
35-49	83	5.7	13	2	2	5	8	11	13	18
50-64	64	6.3	19	2	2	5	10	12	15	19
65+	70	8.4	57	2	2	6	10	20	25	39
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	7.2	18	2	2	6	11	13	14	14
35-49	16	8.8	198	1	1	5	9	15	46	59
50-64	16	7.9	93	<1	1	3	10	26	27	28
65+	12	7.8	47	1	1	7	11	19	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	4.4	7	1	2	4	6	8	10	13
B. *Operated*	32	3.5	13	<1	1	1	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	515	5.5	20	1	2	4	7	11	13	23
B. *Operated*	64	7.8	83	1	1	6	10	16	25	55
1. SINGLE DX	388	4.3	8	1	1	4	6	8	10	14
2. MULTIPLE DX	579	5.8	27	1	2	4	7	11	14	27
A. NOT OPERATED	871	5.1	15	1	2	4	6	10	12	19
B. OPERATED	96	6.4	64	1	1	4	8	14	21	45
TOTAL 0-19 YRS	139	3.9	5	1	1	4	5	7	8	10
20-34	458	4.6	10	1	2	4	6	9	11	14
35-49	166	5.9	30	1	2	5	8	10	12	18
50-64	109	6.0	28	1	1	4	8	12	16	27
65+	95	7.8	51	1	2	5	10	17	23	36
GRAND TOTAL	**967**	**5.2**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**23**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.0	3	1	1	2	4	5	6	9
20-34	49	3.6	4	1	2	3	4	6	8	11
35-49	14	3.8	5	1	1	4	5	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	11.5	5	10	10	11	13	13	13	13
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	3.3	4	1	1	3	4	6	7	10
20-34	88	3.9	4	1	2	3	5	7	8	10
35-49	11	5.1	11	3	3	4	6	10	14	14
50-64	5	4.8	7	2	2	4	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	10	4.9	10	2	2	3	7	10	10	10
20-34	8	7.1	10	3	3	7	9	12	13	13
35-49	3	16.0	337	3	3	8	30	37	37	37
50-64	3	10.0	31	4	4	11	14	15	15	15
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.2	3	1	1	3	4	5	7	10
B. *Operated*	5	5.6	31	<1	<1	3	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	411	3.5	4	1	2	3	4	6	7	11
B. *Operated*	24	7.7	52	2	3	6	9	13	22	37
1. SINGLE DX	198	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	435	3.7	8	1	2	3	4	7	8	13
A. NOT OPERATED	604	3.4	4	1	1	3	4	6	7	11
B. OPERATED	29	7.3	48	1	2	6	10	13	16	37
TOTAL 0-19 YRS	446	3.2	4	1	1	3	4	6	7	10
20-34	147	4.1	6	1	2	3	5	8	9	13
35-49	28	5.6	45	1	1	4	6	8	16	37
50-64	10	6.0	19	1	1	5	8	13	15	15
65+	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**633**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	44	1.4	1	<1	<1	1	1	2	3	5
20-34	192	1.4	1	<1	<1	1	2	2	4	5
35-49	56	1.5	1	<1	<1	1	2	2	3	6
50-64	16	2.0	4	<1	<1	1	2	4	7	9
65+	5	2.0	5	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	6	<1	<1	1	4	6	6	6
20-34	6	2.0	2	<1	<1	1	2	5	5	5
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	19	2.1	4	<1	<1	1	2	5	7	8
20-34	62	2.4	4	<1	<1	1	3	6	6	11
35-49	32	2.2	3	<1	<1	2	3	4	5	9
50-64	7	3.6	22	1	1	2	3	12	14	14
65+	6	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	313	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	13	2.6	9	<1	<1	1	3	7	10	11
B. *Operated*	126	2.4	5	<1	<1	2	3	5	6	12
1. SINGLE DX	318	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX	139	2.4	5	<1	<1	1	3	5	6	12
A. NOT OPERATED	18	2.3	7	<1	<1	1	2	6	9	11
B. OPERATED	439	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	68	1.6	2	<1	<1	1	2	3	5	8
20-34	261	1.7	2	<1	<1	1	2	3	4	6
35-49	92	1.7	2	<1	<1	1	2	3	4	8
50-64	25	2.8	12	<1	<1	1	3	9	12	14
65+	11	2.0	2	<1	<1	1	3	4	6	6
GRAND TOTAL	**457**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	730	2.6	3	1	1	2	3	4	5	9
20-34	211	2.8	4	1	1	2	4	5	7	11
35-49	76	2.9	3	1	1	3	4	5	7	8
50-64	44	3.5	8	1	1	3	5	6	7	17
65+	29	3.9	4	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	20	2.7	3	<1	<1	2	4	5	6	8
20-34	15	5.0	14	1	1	4	8	10	13	14
35-49	10	5.3	13	<1	1	4	9	11	12	12
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1005	2.9	8	1	1	2	3	5	6	12
20-34	531	3.3	9	1	1	2	4	6	8	13
35-49	300	3.8	13	1	1	3	5	8	9	13
50-64	313	4.3	12	1	2	3	5	9	12	20
65+	518	4.6	17	1	2	4	5	8	11	23
B. *Operated*										
0-19 YRS	48	5.4	61	1	1	3	6	10	14	51
20-34	55	7.3	93	1	1	4	9	13	27	59
35-49	37	8.1	140	1	1	4	8	17	35	61
50-64	31	9.5	127	2	3	6	9	25	41	46
65+	43	10.0	86	2	2	6	12	25	31	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1090	2.7	3	1	1	2	3	5	6	9
B. *Operated*	51	4.0	9	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2667	3.6	11	1	1	3	4	6	9	16
B. *Operated*	214	7.9	98	1	1	5	9	16	30	54
1. SINGLE DX	1141	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2881	3.9	19	1	1	3	4	7	10	23
A. NOT OPERATED	3757	3.3	9	1	1	3	4	6	8	15
B. OPERATED	265	7.1	84	1	1	4	8	14	25	50
TOTAL 0-19 YRS	1803	2.8	7	1	1	2	3	5	6	11
20-34	812	3.4	14	1	1	2	4	6	9	16
35-49	423	4.1	24	1	1	3	5	8	10	18
50-64	392	4.6	23	1	2	3	5	9	13	31
65+	592	5.0	23	1	2	4	6	9	13	28
GRAND TOTAL	**4022**	**3.6**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.3	5	1	2	3	4	7	8	9
20-34	14	4.4	3	1	2	4	6	7	7	7
35-49	6	2.8	1	1	1	3	4	4	4	4
50-64	6	4.3	9	2	2	3	5	9	10	10
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	4	1	1	3	5	7	7	7
20-34	13	4.2	6	2	2	3	5	8	10	10
35-49	7	5.9	19	2	2	4	8	13	14	14
50-64	8	6.1	22	2	2	4	10	13	13	13
65+	12	6.6	44	1	2	4	8	14	24	26
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	11.0	67	2	2	11	14	24	26	26
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	4	6.0	6	4	4	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	4	1	2	3	5	7	8	10
B. *Operated*	3	5.0	13	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	48	5.2	20	2	2	4	7	10	13	26
B. *Operated*	13	8.2	47	2	2	7	11	17	24	26
1. SINGLE DX	47	3.8	4	1	2	3	5	7	8	10
2. MULTIPLE DX	61	5.9	26	2	2	4	8	12	14	26
A. NOT OPERATED	92	4.5	13	1	2	3	6	8	10	21
B. OPERATED	16	7.6	41	1	2	6	10	15	23	26
TOTAL 0-19 YRS	24	3.3	4	1	2	3	4	7	8	9
20-34	36	5.8	22	2	2	4	7	11	14	26
35-49	15	4.1	12	1	1	3	4	8	13	14
50-64	14	5.4	16	2	2	4	8	13	13	13
65+	19	5.9	30	1	2	4	8	9	18	26
GRAND TOTAL	**108**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.9	3	2	2	4	5	6	7	10
20-34	84	3.8	3	2	2	3	5	6	7	10
35-49	13	4.7	16	1	1	3	5	10	15	16
50-64	4	8.5	9	5	5	9	11	11	11	11
65+	3	7.3	30	1	1	10	11	11	11	11
B. *Operated*										
0-19 YRS	8	3.4	2	<1	1	3	4	5	6	6
20-34	32	3.8	13	<1	<1	2	5	9	12	15
35-49	17	2.8	6	<1	<1	2	4	7	8	9
50-64										
65+	4	3.3	7	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.6	52	1	2	4	5	10	14	49
20-34	131	4.3	6	2	2	4	5	7	10	15
35-49	28	6.1	14	1	2	6	8	11	14	15
50-64	10	8.3	15	3	3	9	11	12	13	13
65+	12	5.8	23	1	1	4	9	13	16	16
B. *Operated*										
0-19 YRS	9	6.3	15	2	2	5	8	13	15	15
20-34	33	5.4	15	<1	<1	5	7	11	11	17
35-49	20	5.0	30	<1	<1	3	5	13	20	22
50-64	6	16.7	249	3	3	9	29	42	43	43
65+	10	15.3	88	3	5	13	22	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.1	5	2	2	4	5	7	9	11
B. *Operated*	61	3.4	9	<1	<1	3	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	228	5.0	18	1	2	4	6	10	12	16
B. *Operated*	78	7.5	60	<1	1	5	9	16	26	40
1. SINGLE DX	218	3.9	6	1	1	3	5	7	9	13
2. MULTIPLE DX	306	5.7	30	1	2	4	7	11	14	30
A. NOT OPERATED	385	4.7	13	1	2	4	5	8	11	16
B. OPERATED	139	5.7	41	<1	<1	4	7	12	18	32
TOTAL 0-19 YRS	117	4.7	24	1	2	4	5	7	10	28
20-34	280	4.2	7	1	2	4	5	7	10	15
35-49	78	4.9	18	<1	1	4	7	10	15	21
50-64	20	10.9	89	3	3	9	11	21	36	43
65+	29	8.9	64	1	1	7	12	20	30	31
GRAND TOTAL	**524**	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**12**	**24**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.2	311	<1	<1	2	6	28	58	61
20-34	14	5.5	24	<1	1	4	7	12	17	19
35-49	7	7.4	58	2	2	6	8	21	24	24
50-64	6	3.3	8	<1	<1	2	3	8	9	9
65+	8	4.3	7	<1	<1	4	5	8	9	9
B. *Operated*										
0-19 YRS	10	11.6	193	<1	<1	4	29	33	36	36
20-34	14	10.9	66	1	3	9	17	24	28	29
35-49	21	6.0	12	<1	1	6	8	11	12	13
50-64	17	6.9	27	<1	1	6	9	15	18	19
65+	15	6.1	15	<1	1	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	39	<1	<1	<1	3	7	10	41
20-34	37	6.2	18	1	2	5	8	12	14	20
35-49	26	7.0	41	1	2	6	9	11	19	33
50-64	32	12.5	322	2	3	7	13	20	57	91
65+	96	8.8	58	3	3	6	10	16	23	46
B. *Operated*										
0-19 YRS	7	29.4	548	3	5	22	43	67	72	72
20-34	38	12.9	219	1	2	9	16	28	47	75
35-49	36	14.3	367	1	2	8	14	34	53	98
50-64	57	12.6	145	2	3	9	17	35	41	96
65+	56	14.0	162	2	3	10	18	38	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	5.9	89	<1	<1	4	6	10	20	61
B. *Operated*	77	7.8	51	<1	1	6	9	17	27	34
2. MULTIPLE DX										
A. *Not Operated*	274	7.0	84	<1	<1	5	9	13	21	51
B. *Operated*	194	14.0	223	2	2	9	17	35	49	99
1. SINGLE DX	123	7.1	65	<1	1	5	8	14	23	43
2. MULTIPLE DX	468	9.9	153	<1	<1	6	11	22	36	74
A. NOT OPERATED	320	6.9	84	<1	<1	5	8	13	20	55
B. OPERATED	271	12.3	182	1	2	8	15	32	42	93
TOTAL 0-19 YRS	111	6.1	147	<1	<1	1	5	16	30	65
20-34	103	9.2	108	1	2	6	11	17	25	63
35-49	90	9.7	177	1	2	7	9	19	33	81
50-64	112	11.2	175	1	2	8	13	27	39	94
65+	175	10.0	93	2	3	7	12	22	34	53
GRAND TOTAL	**591**	**9.3**	**136**	**<1**	**<1**	**6**	**11**	**21**	**34**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	9	<1	<1	2	4	8	8	8
20-34	7	3.9	8	<1	<1	3	6	8	8	8
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	104	2	2	3	13	23	23	23
20-34	11	5.5	24	<1	<1	6	7	12	17	18
35-49	7	9.1	54	2	2	7	16	20	20	20
50-64	8	5.8	27	2	2	4	6	14	18	18
65+	5	6.6	2	5	5	6	7	9	9	9
B. *Operated*										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	10	6.0	33	1	2	4	7	15	21	21
35-49	8	6.6	14	1	1	8	9	10	11	11
50-64	2	15.0	162	6	6	15	24	24	24	24
65+	2	7.5	13	5	5	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.5	17	<1	<1	3	7	8	14	16
B. *Operated*	8	5.3	5	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	35	6.7	34	1	2	5	7	18	20	23
B. *Operated*	25	6.8	31	1	2	5	9	11	22	24
1. SINGLE DX	23	4.7	13	<1	1	4	7	8	11	16
2. MULTIPLE DX	60	6.8	32	1	2	5	8	18	20	24
A. NOT OPERATED	50	6.0	29	<1	1	5	7	17	19	23
B. OPERATED	33	6.5	25	1	2	5	9	10	19	24
TOTAL 0-19 YRS	15	4.7	30	<1	1	3	5	8	19	23
20-34	30	5.4	21	<1	1	4	7	9	18	21
35-49	20	7.2	26	1	2	7	9	15	19	20
50-64	10	7.6	54	2	2	5	6	21	24	24
65+	8	8.0	14	5	5	7	9	14	16	16
GRAND TOTAL	**83**	**6.2**	**27**	**1**	**1**	**5**	**8**	**12**	**19**	**24**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	13	1	1	3	6	10	12	12
20-34	10	3.9	23	<1	<1	2	3	11	17	17
35-49	8	4.0	5	<1	1	3	6	7	7	7
50-64	5	4.6	19	1	1	3	8	11	11	11
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	2.3	4	1	1	2	3	6	6	6
20-34	28	3.0	7	<1	<1	2	4	8	9	9
35-49	36	2.7	5	1	1	2	4	6	8	10
50-64	12	4.6	13	<1	1	4	5	10	13	14
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	8	<1	1	3	5	9	10	11
20-34	36	6.3	23	1	2	5	8	11	16	25
35-49	37	6.8	33	1	2	5	8	14	20	28
50-64	31	5.8	15	1	2	4	8	12	13	15
65+	35	7.7	65	1	1	6	9	15	24	43
B. *Operated*										
0-19 YRS	5	7.6	46	1	1	8	11	18	18	18
20-34	79	11.5	104	1	2	8	16	25	35	86
35-49	91	12.0	87	1	2	10	17	27	32	34
50-64	47	11.0	113	1	1	8	15	26	33	50
65+	21	14.2	64	4	7	12	17	24	34	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.1	13	<1	1	3	5	8	12	17
B. *Operated*	85	3.0	7	<1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	165	6.2	31	1	2	5	8	12	15	28
B. *Operated*	243	11.8	95	1	2	9	17	26	32	50
1. SINGLE DX	118	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX	408	9.5	76	1	2	7	13	23	28	44
A. NOT OPERATED	198	5.9	29	1	1	4	7	11	15	28
B. OPERATED	328	9.5	86	1	1	7	14	24	30	46
TOTAL 0-19 YRS	45	4.1	13	1	1	3	6	9	11	18
20-34	153	8.2	75	<1	1	6	11	20	25	54
35-49	172	8.6	69	1	1	6	12	23	28	33
50-64	95	8.2	71	1	1	5	11	17	26	43
65+	61	9.5	72	1	2	8	11	18	29	42
GRAND TOTAL	**526**	**8.1**	**68**	**1**	**1**	**6**	**11**	**18**	**26**	**38**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	24.5	841	4	4	24	45	45	45	45
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	7	6.0	18	2	2	5	8	13	14	14
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	3	8.3	70	3	3	4	14	18	18	18
50-64	4	9.0	46	4	4	6	13	19	19	19
65+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	12	8.7	146	1	2	4	9	23	42	45
B. *Operated*	14	6.0	30	2	2	4	6	18	19	19
1. SINGLE DX	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX	26	7.2	82	1	2	4	7	18	24	45
A. NOT OPERATED	12	8.7	146	1	2	4	9	23	42	45
B. OPERATED	16	6.1	30	1	2	4	7	17	19	19
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	4	3.8	3	2	2	3	5	6	6	6
35-49	6	14.3	260	3	3	8	18	42	45	45
50-64	6	7.8	39	1	1	6	10	18	19	19
65+	9	5.2	16	2	2	3	7	12	14	14
GRAND TOTAL	**28**	**7.2**	**78**	**1**	**2**	**4**	**8**	**17**	**22**	**45**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	3.4	14	1	1	2	4	9	14	14
50-64	22	3.7	10	1	1	3	4	6	10	16
65+	11	3.7	5	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	5	2.6	2	<1	<1	2	3	5	5	5
20-34	25	2.8	5	<1	1	2	3	6	7	11
35-49	61	3.4	12	<1	1	2	4	8	9	19
50-64	181	4.4	29	<1	1	2	5	10	16	29
65+	166	3.5	7	<1	1	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	11	7.3	186	<1	<1	3	5	23	46	48
35-49	22	5.5	17	<1	1	4	7	12	13	15
50-64	73	6.2	46	1	2	5	7	10	18	43
65+	99	6.7	33	1	2	5	8	13	18	30
B. *Operated*										
0-19 YRS	6	8.2	102	1	1	5	8	26	28	28
20-34	21	8.0	52	<1	1	5	9	22	23	23
35-49	61	5.8	40	1	1	3	9	14	17	31
50-64	297	10.2	116	1	1	7	14	24	31	55
65+	448	9.0	99	1	1	6	12	21	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.6	9	1	1	3	5	6	9	16
B. *Operated*	438	3.8	17	<1	1	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	207	6.4	43	1	1	5	7	12	16	38
B. *Operated*	833	9.2	100	1	1	6	12	21	28	60
1. SINGLE DX	482	3.8	16	<1	1	3	4	8	11	23
2. MULTIPLE DX	1040	8.6	90	1	1	6	11	20	27	54
A. NOT OPERATED	251	5.9	38	1	1	4	7	12	15	30
B. OPERATED	1271	7.3	78	1	1	4	9	17	24	46
TOTAL 0-19 YRS	13	4.9	53	<1	1	2	5	12	25	28
20-34	57	5.6	60	<1	1	3	6	13	22	46
35-49	155	4.6	25	1	1	3	6	12	15	22
50-64	573	7.6	83	1	1	4	10	18	27	47
65+	724	7.4	73	1	1	5	9	16	23	51
GRAND TOTAL	**1522**	**7.1**	**72**	**1**	**1**	**4**	**9**	**16**	**23**	**43**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	13	3.8	2	1	2	4	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64	17	8.4	91	<1	1	6	11	18	32	39
65+	27	6.0	41	1	1	3	10	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	10.0	76	4	4	6	16	20	20	20
50-64	39	5.5	15	<1	1	5	8	10	11	19
65+	77	6.3	27	1	2	5	8	12	19	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	16.7	154	9	9	10	26	31	31	31
35-49	8	9.5	30	1	2	10	12	17	19	19
50-64	103	12.2	93	2	2	10	16	25	34	46
65+	192	15.7	257	2	3	11	19	35	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.6	2	1	2	4	4	5	6	6
B. *Operated*	47	6.8	57	1	1	4	11	14	20	39
2. MULTIPLE DX										
A. *Not Operated*	119	6.1	24	1	2	5	8	11	18	24
B. *Operated*	307	14.3	197	2	3	11	18	31	41	76
1. SINGLE DX	65	5.9	44	1	1	4	7	13	17	37
2. MULTIPLE DX	426	12.0	162	2	2	8	15	24	36	70
A. NOT OPERATED	137	5.8	22	1	2	4	7	10	17	22
B. OPERATED	354	13.3	185	1	2	10	17	28	40	71
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	16.7	154	9	9	10	26	31	31	31
35-49	16	8.0	34	1	1	7	11	18	20	20
50-64	162	10.0	81	1	2	8	14	21	29	41
65+	309	12.0	193	1	2	8	14	25	40	76
GRAND TOTAL	**491**	**11.2**	**151**	**1**	**2**	**8**	**14**	**24**	**34**	**67**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	65	1	1	1	12	15	15	15
35-49										
50-64	6	6.0	26	2	2	5	5	15	16	16
65+	7	9.9	145	4	4	6	7	31	37	37
B. *Operated*										
0-19 YRS										
20-34	3	14.7	9	12	12	14	17	18	18	18
35-49	6	12.3	31	8	8	11	13	22	23	23
50-64	33	11.0	115	1	2	9	12	15	44	50
65+	40	10.2	32	2	3	10	14	18	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.0	38	1	1	3	9	14	14	14
35-49	17	7.9	74	1	1	3	10	24	27	28
50-64	45	5.3	22	1	1	4	6	10	15	26
65+	159	6.3	49	1	1	5	7	12	17	34
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	10.6	14	6	6	9	14	16	16	16
35-49	57	15.1	85	5	7	13	20	25	36	50
50-64	219	14.9	107	4	6	12	18	26	35	54
65+	535	15.3	125	3	5	13	18	27	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.6	79	1	1	5	7	16	31	37
B. *Operated*	82	10.9	64	2	2	9	14	18	21	50
2. MULTIPLE DX										
A. *Not Operated*	226	6.1	45	1	1	5	7	13	17	30
B. *Operated*	821	15.1	116	4	6	13	18	26	36	60
1. SINGLE DX	98	10.3	67	1	2	9	13	18	22	50
2. MULTIPLE DX	1047	13.2	114	2	3	11	16	24	32	58
A. NOT OPERATED	242	6.2	47	1	1	5	7	13	17	35
B. OPERATED	903	14.7	112	3	5	12	18	26	36	59
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	19	9.3	33	1	1	9	14	16	17	18
35-49	80	13.4	86	2	3	11	18	24	32	47
50-64	303	12.9	106	2	3	11	16	24	29	51
65+	741	13.0	117	2	3	11	16	24	34	61
GRAND TOTAL	**1145**	**12.9**	**111**	**2**	**3**	**11**	**16**	**24**	**32**	**55**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	12.5	23	8	8	12	16	18	18	18
65+	5	9.4	16	4	4	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	11.0	220	2	2	5	8	40	47	48
65+	11	5.3	15	2	2	4	8	11	14	14
B. *Operated*										
0-19 YRS										
20-34	6	9.8	26	6	6	8	9	19	20	20
35-49	10	14.7	126	7	7	9	15	34	42	42
50-64	39	16.6	144	6	7	12	20	34	47	55
65+	61	18.5	233	7	8	13	21	35	55	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	9	10.8	19	4	5	10	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	23	8.3	125	2	2	5	8	18	40	48
B. *Operated*	116	17.1	185	6	7	12	20	34	50	74
1. SINGLE DX	10	10.1	22	4	4	9	14	16	18	18
2. MULTIPLE DX	139	15.7	185	3	5	11	19	33	45	69
A. NOT OPERATED	24	8.1	121	2	2	5	8	16	40	48
B. OPERATED	125	16.7	175	6	7	12	19	31	45	72
TOTAL 0-19 YRS										
20-34	6	9.8	26	6	6	8	9	19	20	20
35-49	10	14.7	126	7	7	9	15	34	42	42
50-64	55	15.1	154	2	5	11	18	36	46	55
65+	78	15.9	211	3	4	12	19	31	46	83
GRAND TOTAL	**149**	**15.3**	**176**	**3**	**4**	**11**	**18**	**31**	**42**	**66**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.8	7	<1	<1	5	6	7	7	7
65+	19	3.2	5	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	8.7	12	3	4	9	11	13	13	13
35-49	44	9.0	14	3	5	9	10	15	17	18
50-64	160	9.1	11	2	6	9	11	13	15	21
65+	289	9.7	14	5	7	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	26	5.9	16	1	2	5	7	11	13	17
50-64	99	7.5	51	1	2	5	9	16	21	38
65+	343	6.8	30	1	2	5	9	14	17	28
B. *Operated*										
0-19 YRS	6	7.5	17	2	2	9	10	12	12	12
20-34	27	10.3	34	2	4	9	13	19	23	24
35-49	146	12.2	45	5	7	11	14	20	22	41
50-64	804	11.9	41	5	7	10	14	20	24	36
65+	2656	13.9	67	6	7	12	16	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.2	6	<1	<1	2	5	7	8	8
B. *Operated*	501	9.4	13	4	6	9	11	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	470	6.9	34	1	2	5	9	14	18	31
B. *Operated*	3639	13.4	61	6	7	11	16	22	28	45
1. SINGLE DX	526	9.1	15	2	5	9	11	13	16	22
2. MULTIPLE DX	4109	12.6	62	3	6	11	15	21	28	43
A. NOT OPERATED	495	6.7	33	1	2	5	8	14	18	30
B. OPERATED	4140	12.9	57	6	7	11	15	21	27	42
TOTAL 0-19 YRS	7	7.6	14	2	2	8	10	12	12	12
20-34	36	9.7	29	2	3	9	12	18	22	24
35-49	217	10.8	40	2	5	9	13	18	21	40
50-64	1068	11.0	40	3	5	9	13	18	23	36
65+	3307	12.8	[illegible]	3	6	11	15	22	28	45
GRAND TOTAL	**4635**	**12.2**	**58**	**3**	**5**	**10**	**15**	**21**	**26**	**41**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.0	8	<1	<1	2	5	7	7	7
50-64	7	4.7	14	<1	<1	4	7	10	11	11
65+	9	4.0	7	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	1	8.0		8	8	8	8	8	8	8
35-49	37	8.3	28	1	1	8	12	15	18	22
50-64	125	9.3	17	2	3	10	12	14	15	22
65+	195	9.0	32	2	3	9	12	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	15	6.1	19	<1	1	5	10	13	13	13
50-64	55	7.1	44	1	1	5	11	16	20	32
65+	169	7.5	81	1	2	5	9	15	22	80
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	16	12.2	41	5	6	11	14	22	28	30
35-49	115	11.8	52	3	5	11	14	18	24	48
50-64	455	13.0	71	3	7	11	15	22	27	41
65+	1160	12.9	66	3	4	11	15	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.1	9	<1	<1	3	6	8	10	11
B. *Operated*	360	9.1	26	2	3	9	12	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	241	7.3	68	1	2	5	9	15	21	42
B. *Operated*	1747	12.9	66	3	5	11	15	21	28	43
1. SINGLE DX	380	8.8	26	1	2	9	12	14	17	23
2. MULTIPLE DX	1988	12.2	70	2	3	11	15	21	27	43
A. NOT OPERATED	261	7.1	64	1	1	5	9	15	20	38
B. OPERATED	2107	12.2	61	3	4	11	15	20	26	42
TOTAL 0-19 YRS	3	9.3	25	4	4	10	13	14	14	14
20-34	19	11.5	37	5	6	10	12	20	27	30
35-49	171	10.3	48	1	3	10	13	17	20	42
50-64	642	11.7	62	2	3	11	14	20	24	38
65+	1533	11.8	67	2	3	11	15	20	27	42
GRAND TOTAL	**2368**	**11.7**	**64**	**2**	**3**	**11**	**14**	**20**	**25**	**42**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	4.0	2	2	2	4	5	5	5	5
50-64	6	4.3	5	2	2	4	5	8	8	8
65+	6	4.8	9	2	2	4	8	9	9	9
B. *Operated*										
0-19 YRS	5	7.8	12	4	4	7	10	13	13	13
20-34	3	5.3	26	<1	<1	4	9	11	11	11
35-49	13	7.9	96	<1	<1	2	10	27	29	30
50-64	30	7.0	43	<1	<1	5	10	16	19	26
65+	47	8.2	39	1	1	8	12	18	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	16	1	1	4	6	10	14	15
20-34	3	6.3	14	2	2	8	9	9	9	9
35-49	25	7.2	39	1	2	6	8	16	19	29
50-64	60	6.0	32	<1	1	5	8	14	16	32
65+	119	7.7	44	1	2	6	10	16	22	34
B. *Operated*										
0-19 YRS	14	13.9	478	1	2	8	11	26	74	88
20-34	16	10.5	53	1	2	10	14	23	25	25
35-49	56	13.9	89	2	4	11	22	26	30	43
50-64	153	13.5	115	2	3	11	18	24	36	48
65+	338	15.1	173	3	4	12	18	30	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.1	5	1	2	4	5	8	9	9
B. *Operated*	98	7.7	45	<1	1	7	11	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	220	7.0	39	1	1	5	9	15	18	33
B. *Operated*	577	14.4	153	2	3	11	18	28	36	74
1. SINGLE DX	119	7.1	39	<1	1	6	9	16	19	27
2. MULTIPLE DX	797	12.4	132	1	2	9	15	24	33	71
A. NOT OPERATED	241	6.7	36	1	2	5	8	14	17	33
B. OPERATED	675	13.4	143	1	2	11	17	26	35	73
TOTAL 0-19 YRS	35	8.7	210	1	1	6	9	15	18	88
20-34	24	8.6	47	1	1	8	13	17	24	25
35-49	98	11.0	84	1	2	8	16	25	29	39
50-64	249	10.7	96	1	1	8	15	22	30	42
65+	510	12.6	141	2	3	10	15	26	34	72
GRAND TOTAL	**916**	**11.7**	**124**	**1**	**2**	**9**	**15**	**23**	**31**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	11	6.0	17	<1	1	6	9	11	13	13
65+	16	4.3	17	<1	1	3	5	10	15	17
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	5	8.0	24	1	1	10	11	13	13	13
50-64	30	10.3	73	1	1	9	13	23	27	36
65+	33	11.0	103	1	2	9	14	21	33	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	20	4.5	14	<1	1	3	6	11	12	13
50-64	123	7.3	51	1	2	5	9	17	19	39
65+	241	7.1	41	1	2	5	9	14	18	35
B. *Operated*										
0-19 YRS	3	11.7	41	7	7	9	16	19	19	19
20-34	7	10.4	28	1	2	12	14	16	16	16
35-49	55	15.7	120	1	5	12	23	31	37	46
50-64	264	15.3	148	2	3	13	19	30	37	64
65+	587	15.6	100	3	5	13	20	28	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.0	16	<1	1	4	7	10	13	17
B. *Operated*	69	10.5	81	1	1	9	13	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	388	7.0	42	1	2	5	9	14	18	36
B. *Operated*	916	15.5	115	2	5	13	20	29	36	57
1. SINGLE DX	97	8.9	68	1	1	8	12	19	24	42
2. MULTIPLE DX	1304	13.0	108	2	3	11	17	26	33	52
A. NOT OPERATED	416	6.9	41	1	2	5	9	14	18	35
B. OPERATED	985	15.1	114	2	4	13	19	28	35	56
TOTAL 0-19 YRS	6	10.2	20	7	7	9	10	18	19	19
20-34	9	8.9	31	1	2	10	13	16	16	16
35-49	81	12.3	110	1	2	10	16	28	35	45
50-64	428	12.4	125	1	2	10	16	26	35	60
65+	877	12.9	98	2	3	11	18	25	32	48
GRAND TOTAL	**1401**	**12.7**	**106**	**2**	**2**	**10**	**17**	**25**	**33**	**50**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	11	3.3	28	<1	<1	1	3	10	18	19
50-64	51	3.8	10	1	1	2	6	8	10	14
65+	63	4.0	13	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	8.5	19	3	3	8	13	14	14	14
35-49	68	5.7	15	1	1	5	8	11	13	16
50-64	263	6.6	22	1	1	6	9	12	14	21
65+	290	6.0	26	<1	1	5	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	145	5.9	35	1	1	4	7	13	17	29
50-64	836	6.8	40	1	1	5	9	15	19	30
65+	1264	7.1	43	1	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	3	7.7	44	2	2	6	13	15	15	15
20-34	20	11.3	63	2	3	10	15	21	27	33
35-49	278	10.2	103	1	2	8	12	21	27	61
50-64	1632	9.8	77	1	2	8	12	19	25	49
65+	2393	10.5	70	1	2	9	14	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	3.9	12	1	1	3	5	8	10	19
B. *Operated*	628	6.3	23	1	1	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	2248	6.9	41	1	2	5	9	14	19	33
B. *Operated*	4326	10.2	75	1	2	8	13	20	25	45
1. SINGLE DX	755	5.9	22	1	1	5	9	11	14	20
2. MULTIPLE DX	6574	9.1	66	1	2	7	12	18	23	40
A. NOT OPERATED	2375	6.7	40	1	1	5	8	14	19	32
B. OPERATED	4954	9.7	70	1	2	8	12	19	25	42
TOTAL 0-19 YRS	5	7.6	23	2	2	6	10	15	15	15
20-34	30	9.9	49	3	3	9	12	20	22	33
35-49	502	8.2	75	1	1	6	10	17	22	46
50-64	2782	8.5	62	1	2	7	11	17	22	41
65+	4010	9.0	61	1	2	7	12	18	23	37
GRAND TOTAL	**7329**	**8.8**	**62**	**1**	**2**	**7**	**11**	**18**	**23**	**38**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	4.0	22	<1	<1	2	7	11	11	11
50-64	11	2.5	4	<1	<1	1	5	6	6	6
65+	5	3.0	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	6	3.5	7	<1	<1	3	6	7	7	7
35-49	27	5.8	24	<1	<1	4	10	14	15	15
50-64	121	5.7	70	<1	<1	2	10	13	18	51
65+	107	4.5	27	<1	<1	2	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	15	1	1	4	8	9	9	9
20-34	14	3.6	4	<1	1	3	5	7	8	8
35-49	13	4.0	7	1	1	4	6	8	9	9
50-64	43	4.7	22	<1	1	4	6	10	13	26
65+	60	5.6	19	1	1	5	8	11	14	23
B. *Operated*										
0-19 YRS	8	6.0	9	3	3	5	7	11	12	12
20-34	16	7.7	39	1	1	6	10	19	21	22
35-49	52	11.1	94	1	2	8	14	22	29	48
50-64	197	11.6	134	1	1	10	15	23	33	77
65+	276	11.2	183	1	1	8	15	25	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.2	12	<1	<1	2	4	7	12	15
B. *Operated*	265	5.1	46	<1	<1	2	8	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	134	4.9	17	1	1	4	7	10	13	24
B. *Operated*	549	11.2	150	1	1	9	15	23	37	72
1. SINGLE DX	289	5.0	43	<1	<1	2	8	13	15	27
2. MULTIPLE DX	683	10.0	130	1	1	7	13	22	32	65
A. NOT OPERATED	158	4.7	17	<1	1	4	6	10	12	23
B. OPERATED	814	9.2	124	<1	1	6	13	20	29	59
TOTAL 0-19 YRS	19	4.4	10	1	1	4	6	9	11	12
20-34	37	5.7	25	<1	1	4	7	12	18	22
35-49	96	8.3	68	<1	1	7	11	17	24	45
50-64	372	8.6	107	<1	1	6	12	19	27	59
65+	448	8.8	131	<1	1	5	12	20	27	59
GRAND TOTAL	**972**	**8.5**	**109**	**<1**	**1**	**5**	**11**	**19**	**26**	**58**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	2	<1	<1	2	3	4	5	5
20-34	7	3.1	7	1	1	3	3	8	9	9
35-49	4	4.8	8	3	3	4	6	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	4	4.8	39	1	1	2	8	14	14	14
B. *Operated*										
0-19 YRS	54	5.4	18	<1	1	4	9	12	14	17
20-34	64	5.3	17	1	1	4	7	10	13	21
35-49	32	5.5	25	1	1	4	7	12	16	24
50-64	54	4.4	11	<1	1	4	7	8	11	14
65+	54	5.9	25	<1	1	5	8	14	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.4	30	1	2	4	6	11	21	25
20-34	20	4.0	11	1	1	3	5	6	11	16
35-49	6	10.0	60	1	1	8	17	21	21	21
50-64	15	9.3	169	1	1	3	13	19	43	51
65+	31	6.3	17	1	2	5	9	13	13	16
B. *Operated*										
0-19 YRS	41	8.8	50	1	2	7	10	18	23	37
20-34	28	11.6	146	1	2	6	17	32	36	44
35-49	36	8.6	53	1	2	6	10	20	26	30
50-64	65	11.1	128	2	2	8	12	25	36	61
65+	131	11.3	159	1	2	7	15	27	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.2	9	<1	1	2	3	8	9	14
B. *Operated*	258	5.3	18	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	104	6.2	45	1	1	4	7	13	18	37
B. *Operated*	301	10.6	124	1	2	7	12	25	34	49
1. SINGLE DX	288	5.1	18	1	1	4	7	11	14	20
2. MULTIPLE DX	405	9.5	107	1	2	6	11	21	30	49
A. NOT OPERATED	134	5.6	39	1	1	4	6	13	17	29
B. OPERATED	559	8.1	82	1	1	6	10	17	26	44
TOTAL 0-19 YRS	141	6.1	32	1	1	5	8	12	17	26
20-34	119	6.4	53	1	1	4	8	12	24	38
35-49	78	7.2	41	1	1	5	8	17	23	29
50-64	135	8.2	93	1	1	5	10	17	26	53
65+	220	9.1	110	1	1	6	11	18	29	49
GRAND TOTAL	**693**	**7.6**	**75**	**1**	**1**	**5**	**9**	**16**	**24**	**44**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.0	7	<1	<1	2	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	66	3.0	5	<1	<1	2	5	6	7	9
35-49	90	3.5	8	<1	1	2	5	7	10	12
50-64	103	3.4	7	<1	1	3	4	8	9	12
65+	69	4.0	11	<1	1	3	5	9	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.9	4	<1	<1	2	4	6	6	6
35-49	19	4.9	12	1	1	5	7	9	12	13
50-64	12	4.3	9	1	1	4	7	9	9	9
65+	22	4.0	7	1	1	3	5	8	9	10
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	35	6.0	32	<1	<1	5	8	12	14	29
35-49	60	4.8	17	1	1	3	7	10	12	22
50-64	85	5.4	17	<1	1	5	7	11	14	20
65+	132	6.7	66	1	2	4	8	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	6	<1	<1	2	3	7	7	7
B. *Operated*	329	3.5	8	<1	<1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	62	4.2	8	1	1	3	6	8	9	13
B. *Operated*	314	5.9	40	1	1	4	8	12	14	25
1. SINGLE DX	334	3.5	8	<1	<1	3	5	7	9	14
2. MULTIPLE DX	376	5.6	35	1	1	4	7	11	14	23
A. NOT OPERATED	67	4.0	8	1	1	3	6	8	9	13
B. OPERATED	643	4.7	25	<1	1	3	6	10	12	23
TOTAL 0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	110	3.9	15	<1	<1	3	5	8	11	20
35-49	170	4.1	12	<1	1	3	5	9	11	14
50-64	204	4.3	12	<1	1	3	6	9	11	19
65+	223	5.6	45	1	1	4	7	11	14	25
GRAND TOTAL	**710**	**4.6**	**23**	**<1**	**1**	**3**	**6**	**10**	**12**	**22**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	<1	1	4	6	6
20-34	32	2.1	9	<1	<1	1	2	4	5	17
35-49	78	1.6	1	<1	<1	1	2	3	4	7
50-64	151	1.7	4	<1	<1	1	2	3	4	10
65+	249	2.2	5	<1	<1	1	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	6.4	27	1	1	5	9	14	17	17
65+	26	5.8	45	<1	<1	4	8	12	22	31
B. *Operated*										
0-19 YRS	5	6.8	59	1	1	5	9	20	20	20
20-34	12	2.2	5	<1	<1	1	2	6	7	7
35-49	44	4.9	38	<1	<1	2	7	10	16	34
50-64	139	3.9	36	<1	<1	2	4	8	12	33
65+	406	3.7	19	<1	1	2	4	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	520	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	38	5.8	38	<1	1	4	8	12	19	31
B. *Operated*	606	3.8	24	<1	<1	2	4	8	12	29
1. SINGLE DX	522	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	644	3.9	25	<1	1	2	4	8	13	30
A. NOT OPERATED	40	5.6	37	<1	1	4	7	12	18	31
B. OPERATED	1126	3.0	16	<1	<1	2	3	6	9	20
TOTAL 0-19 YRS	15	3.3	25	<1	<1	1	4	6	17	20
20-34	45	2.1	7	<1	<1	1	2	4	6	17
35-49	123	2.8	17	<1	<1	1	2	7	9	24
50-64	300	2.9	21	<1	<1	1	3	6	9	24
65+	683	3.2	16	<1	<1	2	3	7	10	21
GRAND TOTAL	**1166**	**3.1**	**17**	**<1**	**<1**	**2**	**3**	**7**	**10**	**20**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	11	3.9	33	1	1	2	3	11	20	21
50-64	11	2.9	6	<1	<1	2	4	6	9	9
65+	12	3.2	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	93	3.6	4	<1	1	3	5	6	7	11
35-49	620	4.1	5	<1	1	4	5	7	8	12
50-64	951	4.3	5	<1	1	4	6	7	8	11
65+	873	4.6	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	3.1	5	<1	<1	2	4	6	8	9
35-49	73	7.1	87	1	1	4	8	14	24	54
50-64	162	6.4	39	1	1	4	8	14	19	34
65+	175	6.5	63	1	1	5	7	13	19	52
B. *Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	151	5.2	19	1	1	4	6	9	12	24
35-49	838	5.6	31	1	2	5	6	8	11	31
50-64	1478	5.7	15	2	2	5	7	9	12	22
65+	2161	6.4	22	2	3	6	8	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.3	13	1	1	2	4	6	8	21
B. *Operated*	2539	4.3	5	<1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	425	6.4	56	1	1	4	8	13	19	44
B. *Operated*	4633	6.0	22	2	2	5	7	10	13	24
1. SINGLE DX	2575	4.3	5	<1	1	4	6	7	8	11
2. MULTIPLE DX	5058	6.0	24	1	2	5	7	10	13	25
A. NOT OPERATED	461	6.2	54	1	1	4	7	13	19	42
B. OPERATED	7172	5.4	16	1	2	5	6	9	11	21
TOTAL 0-19 YRS	7	3.3	1	2	2	3	4	5	5	5
20-34	261	4.5	13	1	1	4	5	8	10	21
35-49	1542	5.0	24	1	2	4	6	8	10	23
50-64	2602	5.2	14	1	2	5	6	9	11	20
65+	3221	5.9	20	1	2	5	7	10	12	23
GRAND TOTAL	**7633**	**5.4**	**19**	**1**	**2**	**5**	**7**	**9**	**11**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49	16	3.5	5	1	2	3	4	4	9	11
50-64	25	2.9	2	1	2	3	3	4	6	8
65+	19	3.3	1	<1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	57	3.9	10	<1	1	3	5	9	10	14
35-49	79	4.6	15	1	1	3	8	11	13	14
50-64	37	4.3	12	<1	1	3	7	8	12	16
65+	37	3.1	5	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.9	10	1	2	4	6	10	12	13
35-49	39	6.4	124	1	1	3	6	11	17	70
50-64	51	4.9	67	1	1	3	5	6	13	58
65+	43	4.4	7	1	2	4	5	8	11	13
B. *Operated*										
0-19 YRS										
20-34	74	6.4	19	<1	1	5	9	11	14	21
35-49	108	9.2	140	1	2	6	10	13	28	68
50-64	100	8.1	62	1	2	6	10	16	27	41
65+	98	8.0	103	1	1	6	9	15	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.2	2	1	2	3	4	5	5	10
B. *Operated*	210	4.1	11	<1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	152	5.1	57	1	1	4	5	9	13	58
B. *Operated*	380	8.1	87	1	2	6	9	13	22	54
1. SINGLE DX	277	3.9	9	<1	1	3	5	9	11	14
2. MULTIPLE DX	532	7.2	80	1	2	5	8	13	18	56
A. NOT OPERATED	219	4.5	41	1	1	3	5	8	11	30
B. OPERATED	590	6.6	64	1	1	5	8	12	16	45
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	155	5.2	15	<1	1	4	7	10	12	21
35-49	242	6.9	92	1	1	4	9	12	15	59
50-64	213	6.1	51	1	1	4	7	12	17	40
65+	197	5.8	59	1	1	4	7	11	15	45
GRAND TOTAL	**809**	**6.1**	**58**	**1**	**1**	**4**	**7**	**12**	**14**	**44**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	19	3.1	3	1	1	3	4	5	7	8
65+	21	3.3	2	1	2	3	4	5	6	7
B. *Operated*										
0-19 YRS										
20-34	6	5.2	1	4	4	5	6	6	6	6
35-49	37	5.4	5	<1	1	5	7	8	8	10
50-64	171	5.3	6	<1	1	5	7	8	10	11
65+	209	5.3	8	<1	1	6	7	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.0	4	2	2	4	6	6	6	6
50-64	27	4.7	22	<1	<1	3	6	11	16	20
65+	75	4.9	20	1	1	3	5	13	17	20
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	13	7.5	9	4	5	7	9	12	14	14
35-49	118	6.3	19	1	2	6	7	9	14	27
50-64	496	7.1	33	2	4	6	8	10	13	27
65+	764	7.2	26	1	2	7	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.2	2	1	2	3	4	5	6	8
B. *Operated*	423	5.3	7	<1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	108	4.8	20	<1	1	3	6	11	16	20
B. *Operated*	1392	7.1	28	1	2	6	8	11	14	25
1. SINGLE DX	466	5.1	7	<1	1	5	7	8	9	12
2. MULTIPLE DX	1500	6.9	27	1	2	6	8	11	14	24
A. NOT OPERATED	151	4.3	15	1	1	3	5	8	15	20
B. OPERATED	1815	6.7	23	1	2	6	8	10	13	23
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	21	6.3	9	2	3	6	7	11	12	14
35-49	162	6.0	15	1	2	6	7	9	11	23
50-64	713	6.4	26	1	3	6	7	10	12	23
65+	1069	6.6	22	1	2	6	8	11	14	22
GRAND TOTAL	**1966**	**6.5**	**23**	**1**	**2**	**6**	**8**	**10**	**13**	**23**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.2		1	1	1	1	2	2	2
35-49	11	1.7	1	1	1	1	2	3	4	4
50-64	23	2.0	3	<1	1	2	2	4	7	8
65+	15	2.0	1	1	1	2	2	3	5	5
B. *Operated*										
0-19 YRS	7	5.1	7	1	1	5	7	9	9	9
20-34	26	5.5	4	2	3	5	7	8	9	9
35-49	32	6.2	6	1	4	6	7	10	11	11
50-64	46	6.2	15	<1	1	6	8	11	14	17
65+	24	7.5	28	1	2	7	10	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	7.0	76	1	2	5	6	18	31	34
35-49	40	3.1	9	1	1	2	4	7	9	16
50-64	124	3.9	20	1	1	2	5	7	14	22
65+	151	5.4	35	1	1	3	7	14	18	29
B. *Operated*										
0-19 YRS	7	6.3	3	4	4	6	7	9	9	9
20-34	66	8.1	26	3	4	7	9	16	17	27
35-49	143	9.7	56	4	5	8	11	16	20	50
50-64	330	11.0	80	3	5	9	13	19	25	51
65+	350	13.6	98	5	6	11	16	24	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.9	2	1	1	2	2	3	5	8
B. *Operated*	135	6.2	12	1	2	6	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	328	4.6	28	1	1	3	5	11	16	30
B. *Operated*	896	11.6	82	4	5	9	14	20	27	52
1. SINGLE DX	190	5.0	13	1	1	5	7	9	11	18
2. MULTIPLE DX	1224	9.7	77	1	2	8	12	19	25	47
A. NOT OPERATED	383	4.2	26	1	1	2	5	10	15	27
B. OPERATED	1031	10.9	76	3	4	8	13	19	26	51
TOTAL 0-19 YRS	14	5.7	5	1	3	6	7	9	9	9
20-34	111	7.0	27	1	2	6	8	14	16	30
35-49	226	7.7	46	1	1	6	9	14	17	38
50-64	523	8.5	68	1	1	7	10	17	21	40
65+	540	10.7	90	1	2	9	14	21	28	51
GRAND TOTAL	**1414**	**9.1**	**71**	**1**	**2**	**7**	**11**	**18**	**24**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	6.2	22	<1	<1	5	10	12	12	12
50-64	11	4.4	6	<1	<1	5	7	8	8	8
65+	21	7.0	183	<1	1	3	7	11	38	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	11	5.6	25	<1	1	2	10	13	15	15
65+	16	7.0	81	1	2	4	6	15	31	38
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	2	19.0	18	16	16	19	22	22	22	22
35-49	9	13.1	189	3	3	8	14	35	48	48
50-64	31	8.9	33	3	3	7	11	14	22	30
65+	87	10.8	140	2	3	8	14	19	26	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	1	1	1	2	3	4	4	4
B. *Operated*	39	6.3	102	<1	<1	4	7	10	14	64
2. MULTIPLE DX										
A. *Not Operated*	31	6.1	50	1	1	4	6	13	15	38
B. *Operated*	131	10.6	115	2	3	8	13	19	25	58
1. SINGLE DX	48	5.5	85	<1	1	3	7	10	12	64
2. MULTIPLE DX	162	9.7	105	2	3	7	12	18	24	51
A. NOT OPERATED	40	5.3	41	1	1	3	6	11	15	38
B. OPERATED	170	9.6	114	1	2	7	12	18	24	61
TOTAL 0-19 YRS	4	7.5	4	5	5	7	9	10	10	10
20-34	8	7.8	56	2	2	4	12	20	22	22
35-49	17	9.2	120	<1	1	6	12	15	37	48
50-64	54	7.2	29	<1	2	7	10	13	15	30
65+	127	9.5	139	1	2	6	11	18	26	70
GRAND TOTAL	**210**	**8.8**	**103**	**1**	**2**	**6**	**10**	**17**	**22**	**56**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	9.2	35	3	3	9	14	17	17	17
65+	10	5.1	12	1	1	5	7	10	11	11
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	16	7.5	32	1	2	6	11	15	19	20
50-64	285	5.0	16	<1	1	4	7	10	14	19
65+	716	4.7	11	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	7	2.7	6	1	1	2	3	7	8	8
50-64	69	6.4	31	1	1	5	9	12	14	32
65+	507	6.2	25	1	2	5	8	12	18	23
B. *Operated*										
0-19 YRS	5	3.8	5	1	1	4	5	7	7	7
20-34	3	11.3	136	1	1	9	20	24	24	24
35-49	23	7.7	17	1	2	7	10	13	15	18
50-64	640	6.8	44	1	2	5	8	13	16	40
65+	3377	6.7	35	1	2	5	8	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.4	20	1	1	5	9	13	16	17
B. *Operated*	1018	4.9	12	<1	1	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	584	6.1	26	1	2	5	8	12	17	24
B. *Operated*	4048	6.7	36	1	2	5	8	13	16	30
1. SINGLE DX	1034	4.9	13	<1	1	4	6	9	12	17
2. MULTIPLE DX	4632	6.6	35	1	2	5	8	13	17	29
A. NOT OPERATED	600	6.2	26	1	1	5	8	12	17	24
B. OPERATED	5066	6.4	32	1	2	5	8	12	15	28
TOTAL 0-19 YRS	6	3.5	4	1	1	3	4	7	7	7
20-34	4	11.8	92	1	1	11	18	24	24	24
35-49	47	6.9	23	1	1	6	9	14	16	20
50-64	999	6.3	36	1	1	5	8	12	15	34
65+	4610	6.3	30	1	2	5	8	12	16	27
GRAND TOTAL	**5666**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.8	2	<1	<1	2	4	5	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	2.9	7	1	1	2	3	7	9	10
20-34	103	2.5	5	1	1	2	3	4	7	12
35-49	52	2.9	9	<1	1	2	3	6	8	20
50-64	22	2.1	2	<1	1	2	3	4	5	6
65+	13	4.1	6	1	2	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	31	4.6	10	1	1	5	6	8	9	16
35-49	17	3.9	1	2	3	4	5	5	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.7	32	2	2	5	11	13	13	13
B. *Operated*										
0-19 YRS	9	3.2	7	1	1	2	5	7	7	7
20-34	68	7.0	40	1	1	6	9	14	21	32
35-49	27	5.8	50	<1	1	3	7	12	25	31
50-64	19	6.8	83	<1	1	4	6	22	31	35
65+	26	4.2	8	1	1	4	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.6	2	<1	1	2	4	5	5	5
B. *Operated*	206	2.7	6	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	58	4.4	7	1	1	4	5	7	9	16
B. *Operated*	149	6.0	40	1	1	4	8	12	21	34
1. SINGLE DX	221	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	207	5.6	32	1	1	4	7	11	15	32
A. NOT OPERATED	73	4.1	7	1	1	4	5	6	8	15
B. OPERATED	355	4.1	23	1	1	2	5	8	12	26
TOTAL 0-19 YRS	31	3.2	6	1	1	3	4	7	7	10
20-34	212	4.3	20	1	1	3	5	9	12	25
35-49	100	3.9	20	<1	1	3	4	7	10	27
50-64	43	4.3	42	<1	1	2	5	6	19	35
65+	42	4.4	8	1	1	4	6	8	10	13
GRAND TOTAL	**428**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	21	2.3	3	<1	<1	2	4	5	5	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.0	62	<1	<1	2	9	19	23	23
35-49	80	3.4	10	1	1	2	4	8	12	14
50-64	376	3.2	10	1	1	2	4	6	10	17
65+	752	3.1	10	<1	1	2	4	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34										
35-49	10	6.7	50	<1	<1	4	12	18	20	20
50-64	41	5.7	37	1	1	3	8	13	17	31
65+	150	5.9	35	1	1	4	7	12	17	27
B. *Operated*										
0-19 YRS	6	6.8	24	2	2	6	9	14	15	15
20-34	14	4.1	14	1	1	3	4	11	13	13
35-49	72	5.2	95	<1	1	2	5	12	16	65
50-64	536	5.9	56	1	1	3	7	13	19	37
65+	2167	6.1	46	1	2	4	7	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.2	2	<1	1	2	3	4	5	6
B. *Operated*	1217	3.2	10	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	203	5.9	36	1	1	4	8	12	18	29
B. *Operated*	2795	6.1	49	1	1	4	7	13	18	36
1. SINGLE DX	1244	3.1	10	<1	1	2	4	6	9	15
2. MULTIPLE DX	2998	6.0	48	1	1	4	7	13	18	35
A. NOT OPERATED	230	5.5	33	1	1	4	7	12	17	28
B. OPERATED	4012	5.2	39	1	1	3	6	11	16	32
TOTAL 0-19 YRS	9	7.6	30	1	1	8	11	16	16	16
20-34	22	4.8	30	<1	1	3	7	12	17	23
35-49	163	4.3	51	<1	1	2	5	11	14	20
50-64	958	4.8	38	1	1	3	5	11	16	31
65+	3090	5.4	38	1	1	4	6	11	16	33
GRAND TOTAL	**4242**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**31**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	12	8.0	10	2	5	8	9	11	15	16
20-34	6	5.2	16	<1	<1	5	8	11	11	11
35-49	30	7.2	6	2	4	7	9	10	11	12
50-64	66	7.1	10	1	3	7	9	12	13	15
65+	63	6.4	12	1	1	7	9	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	31	<1	2	5	7	16	21	21
20-34	4	5.5	9	2	2	6	8	8	8	8
35-49	10	6.7	33	2	2	5	10	16	17	17
50-64	49	7.1	38	<1	1	5	11	16	23	24
65+	92	7.2	34	1	1	6	9	15	21	26
B. *Operated*										
0-19 YRS	20	9.0	10	5	6	9	10	14	16	17
20-34	11	14.9	225	1	2	10	21	39	50	51
35-49	66	9.6	35	1	1	9	13	19	20	28
50-64	243	11.1	62	3	5	9	13	20	25	34
65+	440	12.6	99	2	3	10	15	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.5	5	<1	<1	2	3	5	8	10
B. *Operated*	177	6.8	11	1	2	7	9	11	12	15
2. MULTIPLE DX										
A. *Not Operated*	165	7.1	34	1	1	5	9	15	21	24
B. *Operated*	780	11.8	83	2	3	10	14	22	29	52
1. SINGLE DX	193	6.5	12	1	1	7	9	10	12	15
2. MULTIPLE DX	945	11.0	77	1	2	9	13	21	27	44
A. NOT OPERATED	181	6.7	33	1	1	5	9	15	20	24
B. OPERATED	957	10.9	73	2	3	9	13	20	27	44
TOTAL 0-19 YRS	47	7.5	18	<1	1	8	9	13	16	21
20-34	21	10.3	142	<1	1	8	10	27	40	51
35-49	109	8.5	28	1	2	8	11	15	19	25
50-64	361	9.8	53	2	3	8	12	18	23	32
65+	600	11.0	86	1	2	9	13	22	29	52
GRAND TOTAL	**1138**	**10.2**	**69**	**1**	**2**	**9**	**12**	**20**	**25**	**42**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	<1	1	2	2	2
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.0	1	<1	<1	2	3	4	4	4
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	6	2.3	1	1	1	3	3	3	3	3
50-64	8	3.5	4	<1	1	3	5	6	6	6
65+	14	2.9	2	1	2	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	13	3.0	3	1	1	3	4	6	7	7
65+	24	3.3	10	1	1	2	3	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.9	5	<1	<1	<1	2	5	8	8
B. *Operated*	44	2.6	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	10	<1	<1	<1	3	8	8	8
B. *Operated*	46	3.0	6	<1	1	2	3	5	10	12
1. SINGLE DX	54	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	51	3.0	6	<1	<1	2	3	6	10	12
A. NOT OPERATED	15	2.1	6	<1	<1	<1	2	8	8	8
B. OPERATED	90	2.8	4	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	30	1.7	1	<1	<1	<1	2	3	4	4
20-34	5	2.2	3	1	1	1	4	4	4	4
35-49	9	2.8	5	1	1	3	3	6	8	8
50-64	21	3.2	3	<1	1	3	5	6	7	7
65+	40	3.3	7	1	1	2	4	7	10	12
GRAND TOTAL	**105**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	9	<1	<1	2	3	7	11	11
20-34	7	4.1	20	1	1	2	4	12	14	14
35-49	14	4.4	19	<1	1	3	5	8	16	18
50-64	23	6.0	22	<1	1	4	9	15	16	17
65+	19	8.4	135	1	2	3	10	22	39	49
B. *Operated*										
0-19 YRS	38	8.5	19	1	2	8	11	13	17	22
20-34	55	7.8	23	2	3	7	9	12	17	29
35-49	61	8.5	25	1	3	8	11	14	18	26
50-64	64	10.4	45	3	4	9	13	21	23	33
65+	59	12.4	121	2	4	10	15	23	27	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	34	1	1	3	5	11	14	35
20-34	37	5.7	28	1	2	4	8	11	14	30
35-49	67	6.6	36	1	1	5	8	13	19	32
50-64	118	9.6	121	2	2	6	11	19	31	61
65+	110	8.3	48	2	2	6	10	16	20	38
B. *Operated*										
0-19 YRS	69	14.5	170	2	2	12	20	29	34	67
20-34	69	10.8	70	2	3	9	13	22	35	88
35-49	85	13.4	207	3	4	10	14	24	52	81
50-64	139	14.9	182	3	4	11	17	29	45	68
65+	132	18.0	175	4	7	14	22	33	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.7	50	<1	1	3	7	14	17	44
B. *Operated*	277	9.6	51	2	3	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	381	7.7	67	1	2	5	9	15	22	42
B. *Operated*	494	14.8	171	3	4	11	18	29	42	70
1. SINGLE DX	350	8.8	53	1	2	8	11	16	22	34
2. MULTIPLE DX	875	11.7	139	2	2	9	14	24	34	65
A. NOT OPERATED	454	7.3	65	1	1	5	9	15	21	44
B. OPERATED	771	13.0	134	2	4	10	16	24	34	65
TOTAL 0-19 YRS	166	9.4	105	1	1	6	12	21	29	61
20-34	168	8.4	48	2	2	7	11	18	22	41
35-49	227	9.5	105	1	2	7	11	18	24	55
50-64	344	11.6	132	2	3	9	14	22	33	65
65+	320	13.1	137	2	3	10	16	26	36	67
GRAND TOTAL	**1225**	**10.9**	**116**	**1**	**2**	**8**	**13**	**22**	**30**	**63**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	8.0	72	2	2	8	14	14	14	14
B. *Operated*										
0-19 YRS	5	8.4	53	1	1	7	12	20	20	20
20-34	5	10.2	85	1	1	7	19	21	21	21
35-49	9	6.3	34	1	1	5	9	16	19	19
50-64	3	17.7	322	4	4	11	31	38	38	38
65+	4	10.3	122	1	1	9	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.8	306	1	1	6	15	44	52	52
20-34										
35-49	3	16.7	280	7	7	7	29	36	36	36
50-64	7	6.9	27	<1	1	5	12	14	14	14
65+	7	3.9	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	10	16.7	340	2	3	7	32	47	55	55
20-34	8	16.4	157	1	3	12	25	36	39	39
35-49	7	9.4	36	1	1	10	15	17	17	17
50-64	15	17.4	233	2	3	14	21	35	56	63
65+	12	22.3	158	5	6	23	31	38	45	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	18	1	1	2	4	11	14	14
B. *Operated*	26	9.4	86	1	1	7	16	21	26	38
2. MULTIPLE DX										
A. *Not Operated*	26	9.2	148	1	2	5	7	30	39	52
B. *Operated*	52	17.2	199	2	3	12	24	36	45	63
1. SINGLE DX	34	8.1	74	1	1	4	11	20	23	38
2. MULTIPLE DX	78	14.5	194	1	2	9	22	35	43	61
A. NOT OPERATED	34	8.0	121	1	1	4	7	16	35	52
B. OPERATED	78	14.6	173	1	2	10	21	34	39	61
TOTAL 0-19 YRS	28	11.9	238	1	1	6	10	37	52	55
20-34	14	13.1	130	1	1	9	21	29	37	39
35-49	19	9.1	72	1	1	7	11	18	28	36
50-64	26	14.1	189	2	3	11	17	34	43	63
65+	25	14.1	161	1	2	9	23	33	37	46
GRAND TOTAL	**112**	**12.6**	**165**	**1**	**1**	**8**	**18**	**32**	**39**	**58**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	9	1.6		1	1	2	2	2	2	2
65+	7	3.6	12	1	1	2	4	10	11	11
B. *Operated*										
0-19 YRS	13	4.8	16	2	2	4	5	13	15	15
20-34	93	3.1	3	1	1	3	4	5	7	10
35-49	74	2.9	2	1	1	3	4	5	5	7
50-64	37	3.6	2	2	2	3	4	5	6	8
65+	27	4.6	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.3	186	1	1	3	6	29	45	48
20-34	22	3.6	11	<1	1	3	4	6	11	16
35-49	21	2.9	14	<1	1	2	3	5	12	18
50-64	22	4.9	28	1	1	3	6	12	20	20
65+	41	5.4	23	1	1	3	7	12	18	19
B. *Operated*										
0-19 YRS	28	7.3	26	1	2	6	10	15	17	20
20-34	100	4.3	5	1	2	4	5	7	8	11
35-49	110	5.0	17	2	2	4	6	8	12	25
50-64	109	6.2	39	2	2	4	6	12	18	41
65+	111	7.5	83	2	3	5	7	15	23	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.4	4	1	1	2	3	4	7	11
B. *Operated*	244	3.4	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	118	4.8	37	1	1	3	6	11	18	30
B. *Operated*	458	5.9	37	2	2	4	6	11	16	30
1. SINGLE DX	278	3.3	4	1	1	3	4	6	7	12
2. MULTIPLE DX	576	5.7	37	1	2	4	6	11	17	30
A. NOT OPERATED	152	4.3	31	1	1	3	4	9	17	21
B. OPERATED	702	5.0	27	1	2	4	5	8	13	24
TOTAL 0-19 YRS	57	6.6	56	1	1	4	8	15	19	46
20-34	221	3.7	5	1	1	3	5	6	8	11
35-49	213	4.0	12	1	1	3	5	7	9	20
50-64	177	5.3	30	2	2	4	5	10	16	35
65+	186	6.5	57	2	2	4	7	13	18	50
GRAND TOTAL	**854**	**4.9**	**28**	**1**	**2**	**4**	**5**	**8**	**13**	**24**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	5	<1	<1	1	3	6	7	7
20-34	8	2.1	1	<1	<1	2	3	4	4	4
35-49	10	3.0	4	1	1	3	4	6	7	7
50-64	35	5.3	25	1	1	4	7	8	15	27
65+	50	6.1	40	1	1	4	9	14	20	30
B. *Operated*										
0-19 YRS	12	5.8	48	<1	1	4	7	14	24	26
20-34	13	5.5	21	<1	1	5	7	11	16	17
35-49	49	4.2	11	1	1	3	7	9	10	13
50-64	104	4.3	23	<1	1	2	6	11	14	22
65+	85	4.8	18	<1	<1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.2	35	<1	1	2	5	9	12	38
20-34	164	5.5	34	1	1	4	6	13	17	28
35-49	568	6.6	45	1	1	5	8	14	19	30
50-64	1621	7.2	60	1	2	5	9	16	21	41
65+	2897	7.7	48	1	2	6	10	15	21	35
B. *Operated*										
0-19 YRS	75	8.8	43	1	2	7	12	20	22	29
20-34	249	7.3	49	1	1	6	9	14	18	31
35-49	778	8.7	66	1	1	6	11	19	25	43
50-64	2036	10.0	90	1	2	8	13	22	28	50
65+	2989	10.4	102	1	2	8	13	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	5.1	28	1	1	4	6	10	14	29
B. *Operated*	263	4.6	20	<1	1	3	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	5317	7.3	51	1	2	5	9	15	21	36
B. *Operated*	6127	9.9	91	1	2	8	13	21	28	50
1. SINGLE DX	373	4.7	22	<1	1	3	6	10	14	26
2. MULTIPLE DX	11444	8.7	74	1	2	6	11	18	25	44
A. NOT OPERATED	5427	7.3	51	1	2	5	9	15	21	36
B. OPERATED	6390	9.7	89	1	2	7	12	21	28	49
TOTAL 0-19 YRS	161	6.4	43	<1	1	4	8	16	21	30
20-34	434	6.5	43	1	1	5	8	13	17	28
35-49	1405	7.6	57	1	1	6	10	16	23	38
50-64	3796	8.6	77	1	1	6	11	19	26	45
65+	6021	9.0	76	1	2	7	11	19	25	45
GRAND TOTAL	**11817**	**8.6**	**73**	**1**	**2**	**6**	**11**	**18**	**25**	**44**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	32	1	1	3	8	13	13	13
20-34	8	1.5		1	1	1	2	2	2	2
35-49	5	3.2	5	<1	<1	3	5	6	6	6
50-64	5	1.6	2	1	1	1	2	4	4	4
65+	5	4.2	14	1	1	4	6	10	10	10
B. *Operated*										
0-19 YRS	55	4.8	32	<1	1	5	7	8	8	38
20-34	109	4.8	11	<1	1	4	7	9	11	14
35-49	40	4.7	11	<1	<1	5	7	9	11	13
50-64	14	4.2	11	1	1	3	6	10	11	11
65+	17	5.5	16	1	1	5	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	16	<1	<1	1	2	10	11	11
20-34	38	4.1	13	<1	1	4	5	7	8	22
35-49	18	7.7	226	1	1	4	7	9	44	67
50-64	25	5.4	20	1	1	4	7	11	16	19
65+	25	8.4	43	1	2	8	12	18	22	25
B. *Operated*										
0-19 YRS	24	6.2	12	2	2	6	8	9	12	17
20-34	80	6.6	20	1	2	6	8	12	16	22
35-49	47	7.0	43	1	1	6	8	17	24	30
50-64	45	9.4	53	2	2	7	14	23	24	29
65+	36	17.9	307	1	2	14	25	37	55	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	9	<1	1	1	4	6	10	13
B. *Operated*	235	4.8	16	<1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	112	5.9	57	1	1	4	7	12	18	41
B. *Operated*	232	8.9	89	1	2	7	10	20	25	42
1. SINGLE DX	262	4.6	16	<1	1	4	7	9	11	16
2. MULTIPLE DX	344	7.9	81	1	1	6	9	17	24	39
A. NOT OPERATED	139	5.3	49	1	1	4	6	11	16	30
B. OPERATED	467	6.9	57	1	1	5	8	14	20	37
TOTAL 0-19 YRS	89	5.1	25	<1	1	5	7	9	11	30
20-34	235	5.2	15	1	1	5	7	10	12	19
35-49	110	6.1	60	<1	1	5	7	10	17	45
50-64	89	7.0	40	1	1	5	10	15	23	27
65+	83	11.7	179	1	1	8	15	26	36	76
GRAND TOTAL	**606**	**6.5**	**55**	**1**	**1**	**5**	**8**	**13**	**19**	**36**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.2	8	1	1	4	6	8	10	12
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	7	1.7	1	<1	<1	1	3	3	3	3
50-64	8	5.9	34	<1	<1	4	9	15	17	17
65+	10	8.5	55	1	1	6	16	19	20	20
B. *Operated*										
0-19 YRS	55	5.6	32	<1	<1	5	7	11	20	26
20-34	9	20.3	706	1	1	5	30	62	82	82
35-49	8	10.0	106	<1	<1	8	12	27	33	33
50-64	4	14.5	286	<1	<1	10	28	36	36	36
65+	7	4.7	23	1	1	3	5	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	5.4	31	<1	1	4	7	10	11	35
20-34	11	6.4	46	<1	1	5	7	15	24	25
35-49	18	9.1	86	1	1	6	10	23	32	37
50-64	56	5.0	22	1	1	4	6	12	16	22
65+	129	6.0	43	1	1	4	8	13	18	32
B. *Operated*										
0-19 YRS	83	12.6	161	2	3	8	16	27	40	66
20-34	14	16.9	254	1	1	10	27	41	53	56
35-49	16	20.3	391	2	3	19	36	69	92	99+
50-64	54	18.8	312	2	3	12	29	43	50	86
65+	78	12.0	143	1	2	9	13	27	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.5	18	<1	1	3	6	10	14	20
B. *Operated*	83	8.0	135	<1	<1	5	9	22	31	67
2. MULTIPLE DX										
A. *Not Operated*	332	5.8	38	1	1	4	7	11	17	34
B. *Operated*	245	14.5	215	2	3	9	18	38	46	76
1. SINGLE DX	164	6.3	80	<1	1	4	7	14	22	36
2. MULTIPLE DX	577	9.5	131	1	1	6	11	23	36	60
A. NOT OPERATED	413	5.5	34	1	1	4	7	11	17	33
B. OPERATED	328	12.9	202	1	1	8	16	34	44	77
TOTAL 0-19 YRS	309	7.2	73	<1	1	5	8	16	23	46
20-34	37	13.3	306	<1	1	7	22	32	50	82
35-49	49	11.8	211	1	1	7	17	36	40	99+
50-64	122	11.5	202	1	1	6	15	37	42	62
65+	224	8.2	85	1	1	5	10	18	29	48
GRAND TOTAL	**741**	**8.8**	**122**	**1**	**1**	**5**	**10**	**20**	**34**	**56**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	7	<1	<1	3	6	8	8	8
20-34	10	4.3	31	<1	<1	2	4	14	17	17
35-49	17	6.2	50	<1	1	4	8	18	23	25
50-64	23	3.1	7	<1	<1	2	4	6	9	11
65+	20	5.0	50	<1	1	3	4	12	24	30
B. *Operated*										
0-19 YRS	16	12.8	178	<1	1	8	12	34	44	48
20-34	13	13.1	274	<1	1	6	24	35	53	57
35-49	20	10.1	180	<1	1	4	11	33	42	48
50-64	24	9.2	147	1	2	4	8	29	41	42
65+	17	8.6	39	3	4	7	10	15	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	14	<1	<1	5	7	11	11	14
20-34	35	9.5	108	1	1	6	16	24	27	45
35-49	38	6.0	71	<1	1	3	6	14	29	38
50-64	97	6.3	76	1	1	3	7	18	26	47
65+	253	5.5	47	1	1	3	7	12	19	42
B. *Operated*										
0-19 YRS	36	19.4	255	4	5	13	32	45	89	99+
20-34	53	26.1	442	2	3	25	33	54	74	90
35-49	67	24.8	318	3	4	24	35	56	61	99+
50-64	113	22.0	381	2	3	15	33	47	60	83
65+	232	20.3	340	2	3	13	31	50	58	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.4	27	<1	<1	3	5	9	17	28
B. *Operated*	90	10.5	153	1	1	6	11	30	41	53
2. MULTIPLE DX										
A. *Not Operated*	452	6.0	58	1	1	3	7	14	22	45
B. *Operated*	501	21.9	353	2	3	16	32	51	60	96
1. SINGLE DX	179	7.4	100	<1	1	4	8	21	30	48
2. MULTIPLE DX	953	14.3	276	1	1	7	23	40	52	78
A. NOT OPERATED	541	5.7	54	<1	1	3	7	13	21	42
B. OPERATED	591	20.1	339	2	3	13	32	48	58	92
TOTAL 0-19 YRS	100	11.2	170	<1	1	7	12	35	45	99+
20-34	111	17.4	349	1	1	9	28	43	56	83
35-49	142	15.5	278	1	1	7	27	44	55	99+
50-64	257	13.2	272	1	1	5	20	39	47	74
65+	522	12.2	230	1	1	6	14	33	48	72
GRAND TOTAL	**1132**	**13.3**	**254**	**1**	**1**	**6**	**20**	**37**	**50**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	4	4	4	4
20-34	24	2.5	5	<1	1	1	4	7	7	8
35-49	44	3.1	16	<1	<1	2	3	5	11	22
50-64	49	4.3	33	<1	<1	3	4	11	15	34
65+	59	4.7	16	1	1	3	7	11	13	15
B. *Operated*										
0-19 YRS	25	6.0	49	<1	1	4	8	11	18	35
20-34	37	5.8	39	<1	<1	3	8	16	22	24
35-49	84	4.5	26	<1	<1	3	5	12	15	25
50-64	134	4.4	16	<1	<1	3	6	10	11	20
65+	192	4.8	19	<1	1	3	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	13	<1	1	4	6	10	13	14
20-34	52	8.8	124	1	1	5	10	22	40	47
35-49	120	5.3	39	<1	1	4	6	10	21	37
50-64	290	7.1	63	1	1	5	8	16	22	39
65+	636	7.8	58	1	1	6	10	17	23	39
B. *Operated*										
0-19 YRS	18	11.8	125	1	2	8	19	24	36	44
20-34	66	11.3	63	1	2	10	16	22	26	36
35-49	128	11.1	128	1	2	8	14	23	33	56
50-64	337	11.6	152	1	2	8	14	25	37	69
65+	745	11.3	109	1	2	9	14	23	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.8	19	<1	1	2	5	9	12	20
B. *Operated*	472	4.8	23	<1	<1	3	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1121	7.3	60	1	1	5	9	16	22	40
B. *Operated*	1294	11.4	119	1	2	8	14	24	33	62
1. SINGLE DX	658	4.5	22	<1	<1	3	6	10	14	23
2. MULTIPLE DX	2415	9.5	96	1	2	7	12	21	28	52
A. NOT OPERATED	1307	6.8	55	1	1	5	8	15	21	39
B. OPERATED	1766	9.6	102	1	1	7	12	21	28	54
TOTAL 0-19 YRS	76	6.6	58	<1	1	4	8	14	22	42
20-34	179	8.3	76	1	1	5	11	20	25	45
35-49	376	6.8	73	<1	1	4	8	16	23	37
50-64	810	8.3	99	1	1	5	10	19	26	55
65+	1632	8.9	80	1	1	7	11	19	26	48
GRAND TOTAL	**3073**	**8.4**	**84**	**1**	**1**	**6**	**11**	**19**	**25**	**49**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	33	2.5	5	<1	<1	2	3	5	9	11
20-34	97	2.3	1	1	1	2	3	4	4	6
35-49	140	2.3	2	1	1	2	3	4	5	6
50-64	150	2.4	2	<1	1	2	3	4	5	7
65+	105	2.6	2	<1	1	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	32	3.3	4	<1	1	3	4	6	6	11
35-49	50	2.7	2	<1	1	3	3	5	6	6
50-64	86	2.8	3	1	1	2	3	4	5	11
65+	109	3.6	11	1	1	3	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	525	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*	282	3.2	6	1	1	3	4	5	6	11
1. SINGLE DX	529	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	284	3.2	6	1	1	3	4	5	6	11
A. NOT OPERATED	6	3.3	7	<1	<1	3	4	8	8	8
B. OPERATED	807	2.7	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	38	2.6	5	<1	<1	2	3	6	8	11
20-34	132	2.6	2	1	1	2	3	4	5	9
35-49	191	2.4	2	1	1	2	3	4	5	6
50-64	237	2.5	3	<1	1	2	3	4	5	10
65+	215	3.1	7	1	1	3	4	5	7	11
GRAND TOTAL	**813**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	4	4	4	4
20-34	24	2.5	5	<1	1	1	4	7	7	8
35-49	44	3.1	16	<1	<1	2	3	5	11	22
50-64	49	4.3	33	<1	<1	3	4	11	15	34
65+	59	4.7	16	1	1	3	7	11	13	15
B. *Operated*										
0-19 YRS	25	6.0	49	<1	1	4	8	11	18	35
20-34	37	5.8	39	<1	<1	3	8	16	22	24
35-49	84	4.5	26	<1	<1	3	5	12	15	25
50-64	134	4.4	16	<1	<1	3	6	10	11	20
65+	192	4.8	19	<1	1	3	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	13	<1	1	4	6	10	13	14
20-34	52	8.8	124	1	1	5	10	22	40	47
35-49	120	5.3	39	<1	1	4	6	10	21	37
50-64	290	7.1	63	1	1	5	8	16	22	39
65+	636	7.8	58	1	1	6	10	17	23	39
B. *Operated*										
0-19 YRS	18	11.8	125	1	2	8	19	24	36	44
20-34	66	11.3	63	1	2	10	16	22	26	36
35-49	128	11.1	128	1	2	8	14	23	33	56
50-64	337	11.6	152	1	2	8	14	25	37	69
65+	745	11.3	109	1	2	9	14	23	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.8	19	<1	1	2	5	9	12	20
B. *Operated*	472	4.8	23	<1	<1	3	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1121	7.3	60	1	1	5	9	16	22	40
B. *Operated*	1294	11.4	119	1	2	8	14	24	33	62
1. SINGLE DX	658	4.5	22	<1	<1	3	6	10	14	23
2. MULTIPLE DX	2415	9.5	96	1	2	7	12	21	28	52
A. NOT OPERATED	1307	6.8	55	1	1	5	8	15	21	39
B. OPERATED	1766	9.6	102	1	1	7	12	21	28	54
TOTAL 0-19 YRS	76	6.6	58	<1	1	4	8	14	22	42
20-34	179	8.3	76	1	1	5	11	20	25	45
35-49	376	6.8	73	<1	1	4	8	16	23	37
50-64	810	8.3	99	1	1	5	10	19	26	55
65+	1632	8.9	80	1	1	7	11	19	26	48
GRAND TOTAL	**3073**	**8.4**	**84**	**1**	**1**	**6**	**11**	**19**	**25**	**49**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	33	2.5	5	<1	<1	2	3	5	9	11
20-34	97	2.3	1	1	1	2	3	4	4	6
35-49	140	2.3	2	1	1	2	3	4	5	6
50-64	150	2.4	2	<1	1	2	3	4	5	7
65+	105	2.6	2	<1	1	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	32	3.3	4	<1	1	3	4	6	6	11
35-49	50	2.7	2	<1	1	3	3	5	6	6
50-64	86	2.8	3	1	1	2	3	4	5	11
65+	109	3.6	11	1	1	3	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	525	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*	282	3.2	6	1	1	3	4	5	6	11
1. SINGLE DX	529	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	284	3.2	6	1	1	3	4	5	6	11
A. NOT OPERATED	6	3.3	7	<1	<1	3	4	8	8	8
B. OPERATED	807	2.7	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	38	2.6	5	<1	<1	2	3	6	8	11
20-34	132	2.6	2	1	1	2	3	4	5	9
35-49	191	2.4	2	1	1	2	3	4	5	6
50-64	237	2.5	3	<1	1	2	3	4	5	10
65+	215	3.1	7	1	1	3	4	5	7	11
GRAND TOTAL	**813**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	8	1.4	1	<1	<1	1	2	3	3	3
65+	13	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	19	5.6	20	<1	1	5	9	12	14	16
20-34	27	6.8	19	1	1	7	9	12	15	18
35-49	65	3.4	10	<1	<1	2	6	9	10	12
50-64	133	3.7	11	<1	<1	2	6	8	10	13
65+	159	3.5	15	<1	<1	2	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	5	2.8	2	2	2	2	3	5	5	5
35-49	6	5.0	18	1	1	4	6	12	13	13
50-64	20	3.7	9	<1	<1	3	5	8	10	11
65+	79	3.8	16	<1	1	2	4	7	15	20
B. *Operated*										
0-19 YRS	23	10.5	141	<1	1	7	14	25	35	52
20-34	47	8.1	34	1	2	8	10	13	18	37
35-49	104	6.3	27	<1	<1	6	9	11	15	28
50-64	297	5.6	31	<1	1	4	8	12	14	21
65+	663	6.6	47	<1	1	5	9	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	403	3.9	14	<1	<1	2	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	113	3.7	14	<1	1	3	5	7	13	20
B. *Operated*	1134	6.5	42	<1	1	5	9	13	17	39
1. SINGLE DX	430	3.7	13	<1	<1	2	6	9	11	15
2. MULTIPLE DX	1247	6.2	40	<1	1	5	9	13	16	38
A. NOT OPERATED	140	3.3	12	<1	<1	2	4	6	11	19
B. OPERATED	1537	5.8	36	<1	<1	4	8	12	15	33
TOTAL 0-19 YRS	47	7.6	85	<1	1	5	10	18	25	52
20-34	81	7.2	28	1	1	7	9	12	16	31
35-49	177	5.2	22	<1	<1	4	8	10	13	25
50-64	458	4.9	24	<1	<1	3	8	10	12	17
65+	914	5.8	40	<1	1	3	8	13	16	38
GRAND TOTAL	**1677**	**5.6**	**35**	**<1**	**<1**	**4**	**8**	**12**	**15**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	81	1.3	2	<1	<1	1	1	2	3	9
20-34	34	2.0	4	<1	<1	1	2	5	7	8
35-49	40	3.3	11	<1	<1	2	5	9	11	13
50-64	52	3.9	10	<1	<1	2	6	8	9	14
65+	35	2.9	8	<1	<1	2	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	<1	<1	<1	6	8	8	8
20-34										
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	5	3.2	5	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	22	2.7	5	1	1	2	4	6	8	9
20-34	18	4.5	21	<1	1	3	6	9	15	19
35-49	24	5.0	8	<1	1	6	7	8	9	9
50-64	52	4.7	17	<1	1	3	7	12	14	97
65+	73	6.5	23	1	1	6	9	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	242	2.5	7	<1	<1	1	3	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	13	2.8	5	<1	<1	2	4	6	8	8
B. *Operated*	189	5.1	18	1	1	4	8	11	15	19
1. SINGLE DX	259	2.4	7	<1	<1	1	2	7	8	12
2. MULTIPLE DX	202	5.0	18	<1	1	4	7	11	14	19
A. NOT OPERATED	30	2.0	3	<1	<1	1	2	4	6	8
B. OPERATED	431	3.7	14	<1	<1	2	6	9	11	17
TOTAL 0-19 YRS	116	1.6	3	<1	<1	1	1	4	5	10
20-34	54	2.8	11	<1	<1	1	4	7	8	19
35-49	68	3.8	10	<1	<1	2	6	8	10	13
50-64	108	4.2	13	<1	<1	3	7	10	13	50
65+	115	5.1	20	<1	1	3	8	12	15	18
GRAND TOTAL	**461**	**3.6**	**13**	**<1**	**<1**	**2**	**6**	**8**	**11**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	408	1.9	2	<1	<1	1	2	4	5	7
20-34	356	1.9	2	<1	<1	1	2	4	5	8
35-49	394	2.2	5	<1	<1	1	2	5	6	11
50-64	330	2.0	3	<1	<1	1	2	4	6	9
65+	151	2.1	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	3.8	4	1	1	4	5	6	6	6
35-49	6	4.2	16	<1	<1	3	6	10	11	11
50-64	4	5.5	27	1	1	5	10	10	10	10
65+	10	4.0	5	<1	1	3	4	8	8	8
B. *Operated*										
0-19 YRS	79	3.2	7	<1	1	2	4	7	9	13
20-34	140	3.1	8	<1	<1	2	3	7	9	13
35-49	190	3.3	13	<1	<1	2	4	7	10	22
50-64	238	3.3	14	<1	1	2	4	7	11	20
65+	193	4.0	30	<1	1	2	4	9	11	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	1639	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	26	4.2	10	<1	1	4	6	10	10	11
B. *Operated*	840	3.4	16	<1	1	2	4	7	10	20
1. SINGLE DX	1646	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	866	3.4	16	<1	1	2	4	8	10	20
A. NOT OPERATED	33	3.6	9	<1	<1	3	5	9	10	11
B. OPERATED	2479	2.5	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	490	2.1	3	<1	<1	1	3	4	6	10
20-34	501	2.3	4	<1	<1	2	3	5	7	10
35-49	592	2.6	8	<1	<1	2	3	5	7	17
50-64	573	2.6	8	<1	<1	2	3	5	8	17
65+	356	3.2	19	<1	<1	2	3	6	9	13
GRAND TOTAL	**2512**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.8	1	<1	<1	1	2	4	4	4
20-34										
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	367	1.9	4	<1	<1	1	2	4	5	11
20-34	126	2.0	3	<1	<1	1	2	5	7	9
35-49	111	2.6	6	<1	<1	1	3	6	8	12
50-64	68	2.4	3	<1	<1	2	3	4	7	9
65+	40	2.3	8	<1	<1	1	3	4	6	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	12	<1	<1	2	5	9	12	12
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	7	2.6	4	<1	<1	1	4	6	6	6
65+	12	4.1	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	102	3.5	26	<1	<1	2	4	8	9	31
20-34	54	2.9	8	<1	<1	1	4	7	9	15
35-49	67	4.0	16	<1	<1	3	6	9	11	21
50-64	66	3.5	14	<1	<1	2	4	9	12	20
65+	72	6.4	53	<1	1	3	9	17	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	712	2.1	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	36	3.4	8	<1	<1	3	4	7	9	12
B. *Operated*	361	4.1	26	<1	<1	2	5	9	14	28
1. SINGLE DX	729	2.1	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX	397	4.0	24	<1	<1	2	5	9	13	26
A. NOT OPERATED	53	2.8	6	<1	<1	2	4	7	9	12
B. OPERATED	1073	2.8	12	<1	<1	1	3	6	9	18
TOTAL 0-19 YRS	495	2.3	9	<1	<1	1	2	5	7	12
20-34	183	2.3	5	<1	<1	1	3	5	7	10
35-49	183	3.1	10	<1	<1	2	4	7	9	15
50-64	141	2.9	8	<1	<1	2	4	6	9	13
65+	124	4.9	38	<1	<1	3	5	14	19	30
GRAND TOTAL	**1126**	**2.8**	**12**	**<1**	**<1**	**1**	**3**	**7**	**9**	**17**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.3		<1	<1	1	1	2	3	4
20-34	111	1.2		<1	<1	<1	1	2	2	3
35-49	107	1.4	1	<1	<1	1	2	2	3	7
50-64	56	1.3		<1	<1	1	2	2	3	3
65+	25	1.7	2	<1	<1	1	2	3	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	1.6	1	1	1	1	2	3	4	4
20-34	52	2.1	15	<1	<1	1	2	3	7	27
35-49	111	1.9	3	<1	<1	1	2	3	5	10
50-64	93	1.8	2	<1	<1	1	2	3	5	7
65+	74	2.2	2	<1	<1	2	2	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	350	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	339	1.9	4	<1	<1	1	2	3	5	9
1. SINGLE DX	350	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	341	1.9	4	<1	<1	1	2	3	5	9
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	689	1.6	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	60	1.3		<1	<1	1	1	2	3	4
20-34	163	1.5	5	<1	<1	<1	1	2	3	10
35-49	218	1.7	2	<1	<1	1	2	3	4	9
50-64	150	1.6	1	<1	<1	1	2	3	3	7
65+	100	2.1	2	<1	<1	2	2	4	5	8
GRAND TOTAL	**691**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	5	2	2	5	6	8	8	8
35-49	8	3.3	4	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	233	4.6	3	<1	2	5	6	6	7	8
35-49	762	4.8	3	<1	3	5	6	7	7	9
50-64	117	4.7	4	<1	1	5	6	7	7	9
65+	13	3.2	5	<1	<1	2	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	2.6	5	<1	<1	2	3	5	8	11
35-49	74	1.9	2	<1	<1	1	2	5	6	6
50-64	11	1.9	4	<1	<1	1	2	5	8	8
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	3	6.7	1	6	6	6	8	8	8	8
20-34	1004	5.1	4	1	3	5	6	7	8	11
35-49	6109	5.5	6	2	4	5	6	7	8	12
50-64	1224	5.6	5	2	4	6	6	7	9	13
65+	149	7.3	31	2	4	6	8	10	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.9	5	1	1	4	6	7	8	8
B. *Operated*	1125	4.7	3	<1	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	110	2.1	3	<1	<1	1	2	5	6	9
B. *Operated*	8489	5.5	6	2	4	5	6	7	8	12
1. SINGLE DX	1138	4.7	3	<1	2	5	6	7	7	9
2. MULTIPLE DX	8599	5.4	6	2	3	5	6	7	8	12
A. NOT OPERATED	123	2.3	4	<1	<1	1	3	5	6	9
B. OPERATED	9614	5.4	6	2	3	5	6	7	8	12
TOTAL 0-19 YRS	4	5.3	9	1	1	6	7	8	8	8
20-34	1264	4.9	4	1	3	5	6	7	8	10
35-49	6953	5.4	6	2	3	5	6	7	8	12
50-64	1352	5.5	5	1	3	6	6	7	8	12
65+	164	7.0	30	1	2	6	8	10	13	35
GRAND TOTAL	**9737**	**5.4**	**6**	**1**	**3**	**5**	**6**	**7**	**8**	**12**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	8	3.4	3	<1	<1	3	5	6	6	6
50-64	3	2.3	5	<1	<1	1	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	26	4.4	4	<1	1	5	6	7	7	7
35-49	69	5.3	5	2	2	5	6	8	9	12
50-64	29	5.2	5	<1	1	5	6	8	9	9
65+	9	5.0	16	<1	<1	5	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	16	2.7	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	133	5.1	5	<1	2	5	6	8	9	11
1. SINGLE DX	17	2.6	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX	133	5.1	5	<1	2	5	6	8	9	11
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	149	4.8	6	<1	1	5	6	8	9	11
TOTAL 0-19 YRS										
20-34	31	4.0	5	<1	<1	5	6	7	7	7
35-49	78	5.0	5	1	2	5	6	8	9	12
50-64	32	4.9	5	<1	<1	5	6	8	9	9
65+	9	5.0	16	<1	<1	5	9	10	11	11
GRAND TOTAL	**150**	**4.8**	**6**	**<1**	**1**	**5**	**6**	**8**	**9**	**11**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	4.2	2	2	3	4	5	6	6	8
20-34	310	4.3	2	3	3	4	5	6	6	8
35-49	101	4.7	2	2	3	5	5	6	7	8
50-64	58	5.9	7	4	4	5	7	9	11	18
65+	35	6.5	2	5	5	6	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	69	4.6	2	3	3	5	5	6	7	8
20-34	440	4.7	2	3	3	5	5	6	7	9
35-49	356	5.5	3	3	4	5	6	8	9	13
50-64	223	6.9	29	4	4	6	7	9	12	25
65+	192	8.6	33	5	5	7	9	13	17	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	585	4.6	3	3	3	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	6	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1280	5.9	14	3	4	5	6	8	10	19
1. SINGLE DX	588	4.6	3	3	3	5	5	6	7	10
2. MULTIPLE DX	1286	5.9	14	3	4	5	6	8	10	19
A. NOT OPERATED	9	2.2	1	<1	<1	2	3	4	4	4
B. OPERATED	1865	5.5	10	3	3	5	6	8	9	16
TOTAL 0-19 YRS	153	4.4	2	2	3	4	5	6	7	8
20-34	753	4.5	2	3	3	4	5	6	7	8
35-49	459	5.3	3	3	4	5	6	7	8	12
50-64	282	6.7	25	4	4	6	7	9	12	24
65+	227	8.2	29	5	5	7	8	13	15	36
GRAND TOTAL	**1874**	**5.5**	**10**	**3**	**3**	**5**	**6**	**8**	**9**	**16**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	14	3.6	4	<1	<1	3	5	7	7	7
35-49	13	2.2	2	<1	<1	2	3	4	5	5
50-64	6	3.7	9	<1	<1	3	6	8	8	8
65+	4	2.8	8	<1	<1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	4.7	10	<1	1	4	6	10	11	11
35-49	17	4.9	6	<1	<1	5	7	8	8	8
50-64	11	5.1	3	3	3	5	6	8	9	9
65+	10	5.0	18	1	1	4	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	40	3.0	4	<1	<1	2	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	45	4.9	8	<1	1	5	6	9	11	11
1. SINGLE DX	42	3.1	4	<1	<1	3	5	6	7	8
2. MULTIPLE DX	45	4.9	8	<1	1	5	6	9	11	11
A. NOT OPERATED	2	4.0	2	3	3	4	5	5	5	5
B. OPERATED	85	4.0	7	<1	<1	4	6	7	9	11
TOTAL 0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	22	4.0	6	<1	<1	4	5	7	9	11
35-49	31	3.7	6	<1	<1	4	6	7	8	8
50-64	17	4.6	5	<1	<1	5	6	8	9	9
65+	14	4.4	16	<1	1	2	7	11	11	11
GRAND TOTAL	**87**	**4.0**	**7**	**<1**	**<1**	**4**	**6**	**7**	**9**	**11**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	1.8	2	<1	<1	1	2	3	6	7
35-49	7	1.9	1	<1	<1	2	3	3	3	3
50-64	6	1.5	1	1	1	1	2	3	3	3
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	6	2.2	4	1	1	2	2	6	6	6
50-64	7	1.7	1	1	1	2	2	3	3	3
65+	13	4.3	7	<1	1	5	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	34	2.8	5	<1	1	2	5	6	7	9
1. SINGLE DX	33	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	34	2.8	5	<1	1	2	5	6	7	9
A. NOT OPERATED										
B. OPERATED	67	2.3	4	<1	<1	2	3	5	7	9
TOTAL 0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	20	1.9	2	<1	<1	1	2	3	5	7
35-49	13	2.0	2	<1	<1	2	2	4	6	6
50-64	13	1.6	1	1	1	1	2	3	3	3
65+	17	3.6	7	<1	1	2	6	7	8	9
GRAND TOTAL	**67**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	4	5.8	14	2	2	5	8	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	9	7.9	30	2	2	7	8	16	21	21
20-34	31	7.5	20	1	1	8	10	13	14	19
35-49	95	7.7	16	1	2	8	10	12	15	21
50-64	90	7.8	30	1	1	7	10	16	20	23
65+	42	9.9	57	1	2	8	13	17	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	34	1	1	1	3	14	17	17
35-49	4	4.3	34	1	1	2	7	13	13	13
50-64	18	3.6	10	1	1	3	4	7	11	14
65+	69	6.1	36	1	2	4	7	12	20	33
B. *Operated*										
0-19 YRS	14	9.2	50	2	2	6	15	20	22	23
20-34	47	11.3	43	2	5	10	13	16	26	38
35-49	95	12.6	130	2	3	10	14	24	36	66
50-64	178	12.3	83	2	3	10	14	24	33	89
65+	163	16.6	137	2	5	14	21	32	44	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	9	<1	<1	3	5	8	11	11
B. *Operated*	267	8.0	28	1	2	8	10	14	19	23
2. MULTIPLE DX										
A. *Not Operated*	98	5.4	31	1	1	3	6	12	17	30
B. *Operated*	497	13.6	109	2	3	11	16	27	37	56
1. SINGLE DX	277	7.9	28	1	2	8	10	14	18	23
2. MULTIPLE DX	595	12.2	105	1	2	10	15	25	34	53
A. NOT OPERATED	108	5.3	29	1	1	3	6	11	16	29
B. OPERATED	764	11.6	88	1	2	9	14	22	30	52
TOTAL 0-19 YRS	24	8.4	42	1	2	7	10	20	22	23
20-34	85	9.3	39	1	1	9	11	16	20	35
35-49	198	9.9	77	1	2	8	11	17	24	48
50-64	287	10.3	69	1	2	9	13	20	28	57
65+	278	12.8	119	2	2	10	17	27	36	52
GRAND TOTAL	872	10.8	85	1	2	9	13	21	29	50

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.5	1	<1	<1	3	3	4	5	5
20-34	179	2.7	1	1	1	3	3	4	5	6
35-49	226	2.7	1	1	1	3	3	4	4	5
50-64	111	2.8	2	1	1	3	3	4	5	7
65+	42	3.2	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	3.7	1	3	3	3	4	6	6	6
20-34	92	3.0	1	1	2	3	4	4	5	7
35-49	116	3.4	3	1	2	3	4	5	5	11
50-64	116	3.4	6	1	2	3	4	5	7	16
65+	77	4.0	4	2	2	4	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	576	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	408	3.4	4	1	2	3	4	5	6	11
1. SINGLE DX	576	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX	411	3.4	4	1	2	3	4	5	6	11
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	984	3.0	2	1	1	3	4	4	5	9
TOTAL 0-19 YRS	25	2.8	2	<1	<1	3	3	4	5	6
20-34	271	2.8	1	1	1	3	3	4	5	6
35-49	344	2.9	2	1	2	3	4	4	5	7
50-64	227	3.1	4	1	1	3	4	4	6	11
65+	120	3.7	3	2	2	3	4	6	7	11
GRAND TOTAL	987	3.0	2	1	1	3	4	4	5	9

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.3	20	2	2	4	7	13	14	14
20-34	37	6.7	7	3	3	6	8	10	11	13
35-49	43	5.6	11	1	2	5	8	10	13	99+
50-64	51	5.4	6	2	3	5	7	9	10	13
65+	25	5.6	10	1	2	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.8	8	1	1	4	6	7	7	7
35-49	4	5.8	24	3	3	4	8	13	13	13
50-64	8	4.9	29	<1	<1	3	6	14	17	17
65+	9	7.8	23	<1	1	7	12	14	14	14
B. *Operated*										
0-19 YRS	5	19.8	511	4	4	15	27	59	59	59
20-34	37	9.5	126	2	2	6	11	17	19	69
35-49	71	8.1	80	2	3	6	9	15	17	60
50-64	100	7.2	56	2	3	5	8	13	18	74
65+	105	8.1	56	2	3	6	9	20	23	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	163	5.7	9	2	2	5	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	26	5.8	22	<1	1	4	8	14	15	17
B. *Operated*	318	8.2	76	2	3	6	9	16	22	68
1. SINGLE DX	166	5.7	9	2	2	5	8	10	11	16
2. MULTIPLE DX	344	8.0	73	2	3	6	9	16	21	68
A. NOT OPERATED	29	5.3	22	<1	1	4	7	13	14	17
B. OPERATED	481	7.3	55	2	3	6	9	14	18	65
TOTAL 0-19 YRS	13	10.5	239	1	2	5	14	25	53	59
20-34	80	7.7	64	1	2	6	9	13	17	54
35-49	119	7.1	53	2	2	6	9	12	17	78
50-64	159	6.5	39	2	3	5	8	11	16	49
65+	139	7.6	46	2	3	6	9	15	22	54
GRAND TOTAL	**510**	**7.2**	**53**	**2**	**2**	**5**	**8**	**14**	**17**	**62**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	335	3.1	4	<1	1	3	5	5	6	8
35-49	131	3.6	4	1	1	4	5	6	6	10
50-64	30	4.2	5	<1	1	5	6	7	7	7
65+	10	3.9	7	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	360	3.9	5	<1	1	4	5	6	7	9
35-49	316	4.7	5	1	1	5	6	7	8	11
50-64	65	5.3	8	1	1	6	6	8	10	15
65+	63	5.1	14	1	1	5	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	512	3.2	4	<1	1	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	8	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	810	4.4	6	1	1	5	6	7	8	12
1. SINGLE DX	514	3.3	4	<1	1	3	5	6	6	8
2. MULTIPLE DX	818	4.4	6	1	1	5	6	7	8	12
A. NOT OPERATED	10	2.4	1	<1	<1	2	3	4	4	4
B. OPERATED	1322	3.9	6	<1	1	4	5	7	8	10
TOTAL 0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	699	3.5	5	<1	1	4	5	6	7	9
35-49	448	4.3	5	1	1	5	6	7	8	10
50-64	99	4.9	7	1	1	5	6	7	9	14
65+	74	4.9	13	1	1	5	7	8	10	19
GRAND TOTAL	**1332**	**3.9**	**6**	**<1**	**1**	**4**	**5**	**7**	**8**	**10**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	16	2.9	4	<1	<1	2	4	5	6	7
35-49	56	3.3	7	<1	<1	2	4	7	8	12
50-64	80	3.7	11	<1	1	3	5	7	11	16
65+	100	3.1	8	<1	<1	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	8.4	82	1	1	5	15	22	22	22
65+	8	3.0	7	<1	<1	2	3	7	9	9
B. *Operated*										
0-19 YRS										
20-34	16	6.9	114	1	1	5	6	7	34	46
35-49	65	4.3	5	1	2	4	5	8	9	10
50-64	144	5.6	25	1	1	5	7	11	14	30
65+	269	6.7	37	1	1	4	10	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*	255	3.3	8	<1	<1	2	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	14	5.0	36	<1	1	3	5	14	20	22
B. *Operated*	494	6.1	32	1	1	4	8	13	17	28
1. SINGLE DX	260	3.3	8	<1	<1	2	4	7	8	16
2. MULTIPLE DX	508	6.1	32	1	1	4	8	13	17	28
A. NOT OPERATED	19	4.3	28	<1	<1	2	4	11	18	22
B. OPERATED	749	5.2	26	<1	1	4	7	11	16	27
TOTAL 0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	32	4.9	61	<1	<1	4	6	7	7	46
35-49	122	3.9	6	<1	1	4	5	7	9	11
50-64	232	5.0	22	<1	1	4	6	10	14	24
65+	379	5.7	31	1	1	4	7	14	17	27
GRAND TOTAL	**768**	**5.1**	**26**	**<1**	**1**	**4**	**7**	**11**	**16**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	9	<1	<1	2	3	9	11	11
20-34	21	2.1	3	<1	<1	1	3	4	6	7
35-49	17	2.1	1	1	1	2	3	4	5	5
50-64	29	2.7	5	<1	1	2	4	5	7	11
65+	16	4.0	26	1	1	2	4	10	17	20
B. *Operated*										
0-19 YRS	96	4.7	29	<1	1	3	6	11	17	28
20-34	125	3.3	8	<1	1	2	4	7	9	13
35-49	121	3.1	7	<1	1	2	4	7	8	11
50-64	174	3.3	11	<1	<1	2	5	8	10	17
65+	180	3.5	9	<1	1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	22	1	1	2	5	11	17	18
20-34	32	3.1	15	<1	1	2	4	6	7	22
35-49	30	3.8	11	1	1	3	6	8	9	16
50-64	110	4.6	20	<1	1	3	6	11	14	22
65+	270	4.9	23	1	1	3	7	11	14	23
B. *Operated*										
0-19 YRS	70	6.9	66	1	1	5	8	15	18	51
20-34	139	5.9	53	1	1	4	7	10	20	64
35-49	160	6.9	114	<1	1	5	8	12	16	58
50-64	285	7.2	98	1	1	5	9	14	19	59
65+	541	7.4	61	1	1	5	9	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.8	8	<1	1	2	3	5	9	16
B. *Operated*	696	3.5	12	<1	1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	476	4.6	21	1	1	3	6	11	14	23
B. *Operated*	1195	7.1	76	1	1	5	8	14	20	54
1. SINGLE DX	793	3.4	11	<1	1	2	4	8	10	17
2. MULTIPLE DX	1671	6.4	62	1	1	4	8	13	18	49
A. NOT OPERATED	573	4.3	20	1	1	3	5	10	13	23
B. OPERATED	1891	5.8	55	1	1	4	7	12	17	44
TOTAL 0-19 YRS	214	5.2	40	<1	1	3	6	12	17	28
20-34	317	4.4	30	1	1	3	5	8	11	33
35-49	328	5.0	62	<1	1	3	6	10	12	50
50-64	598	5.4	57	<1	1	3	7	11	15	51
65+	1007	6.0	43	1	1	4	8	13	18	34
GRAND TOTAL	**2464**	**5.4**	**47**	**1**	**1**	**3**	**7**	**11**	**16**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	132	2.7	1	1	1	3	3	4	4	5
35-49	192	2.9	2	1	1	3	3	4	5	7
50-64	159	3.0	2	1	2	3	4	4	5	10
65+	47	3.6	3	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	<1	<1	2	2	3	3	3
35-49	8	3.9	10	1	1	3	5	9	10	10
50-64	10	3.2	16	1	1	2	4	9	14	14
65+	8	5.1	10	1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	56	2.8	1	1	1	3	4	4	4	6
35-49	107	3.5	3	1	2	3	4	6	6	9
50-64	143	4.0	7	2	2	3	4	6	8	17
65+	107	5.5	20	2	3	4	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	2	1	1	2	3	4	5	5
B. *Operated*	540	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	31	3.7	11	1	1	2	5	9	10	14
B. *Operated*	416	4.1	9	1	2	3	5	6	9	18
1. SINGLE DX	548	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX	447	4.0	9	1	2	3	5	6	9	17
A. NOT OPERATED	39	3.4	9	1	1	2	5	8	10	14
B. OPERATED	956	3.4	5	1	2	3	4	5	6	13
TOTAL 0-19 YRS	13	1.8	2	<1	<1	1	2	4	5	5
20-34	195	2.7	1	1	1	3	3	4	4	5
35-49	310	3.1	2	1	1	3	4	5	6	9
50-64	313	3.5	5	1	2	3	4	5	7	14
65+	164	4.9	15	2	2	4	5	9	12	20
GRAND TOTAL	**995**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	1	1	3	5	6	6	6
20-34	32	3.0	3	1	1	3	4	5	6	9
35-49	21	3.7	3	1	1	4	5	6	7	8
50-64	14	3.9	5	1	2	3	6	7	8	8
65+	11	4.9	10	2	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	21	3.7	4	1	1	3	4	6	8	9
20-34	125	3.4	4	2	2	3	4	5	6	13
35-49	111	3.1	2	1	2	3	4	5	5	8
50-64	80	3.2	1	1	2	3	4	4	5	7
65+	31	3.1	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	1	<1	1	2	3	4	4	4
20-34	69	4.5	11	1	1	4	6	8	11	17
35-49	73	4.4	7	1	2	4	5	8	10	13
50-64	108	5.1	9	2	2	4	7	10	11	14
65+	197	7.7	29	2	3	6	10	16	19	25
B. *Operated*										
0-19 YRS	10	5.3	12	1	2	4	8	11	12	12
20-34	61	4.1	3	1	2	4	6	7	7	9
35-49	74	5.2	23	2	2	4	5	8	14	29
50-64	95	5.2	14	2	2	4	7	10	12	21
65+	84	9.2	90	2	3	5	11	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.6	5	1	1	3	5	7	8	10
B. *Operated*	368	3.3	2	1	2	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	459	5.9	20	1	2	5	8	12	15	24
B. *Operated*	324	6.0	37	2	2	4	6	12	18	30
1. SINGLE DX	452	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	783	6.0	27	2	2	4	7	12	16	25
A. NOT OPERATED	543	5.6	18	1	2	4	7	11	14	21
B. OPERATED	692	4.6	20	1	2	4	5	7	11	25
TOTAL 0-19 YRS	49	3.7	5	1	1	3	4	7	9	12
20-34	287	3.8	6	1	2	3	4	6	7	13
35-49	279	4.0	10	1	2	4	4	7	9	18
50-64	297	4.6	9	1	2	4	5	9	11	15
65+	323	7.6	44	2	2	5	9	16	20	30
GRAND TOTAL	**1235**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	4.3	4	1	2	4	5	7	8	12
20-34	52	3.6	3	1	2	4	5	6	7	7
35-49	29	4.0	5	1	2	4	5	7	8	10
50-64	33	3.5	3	1	1	3	5	6	7	8
65+	20	5.2	7	1	2	4	7	9	10	12
B. *Operated*										
0-19 YRS	5	4.8	5	2	2	6	6	7	7	7
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	6	5.2	3	3	3	5	6	8	8	8
65+	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.2	8	1	1	4	5	8	10	14
20-34	79	3.9	7	1	1	3	5	7	9	13
35-49	152	4.5	9	1	2	4	5	8	9	18
50-64	228	5.2	11	2	2	5	6	9	11	21
65+	269	6.4	35	2	2	5	7	11	16	37
B. *Operated*										
0-19 YRS										
20-34	13	6.0	12	2	3	5	7	12	14	14
35-49	16	8.3	68	2	2	6	8	18	30	35
50-64	31	12.0	226	2	2	7	10	40	47	63
65+	31	7.4	14	2	3	7	8	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	4.1	4	1	2	4	5	7	8	12
B. *Operated*	20	4.8	3	2	2	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	825	5.2	18	1	2	4	6	9	11	22
B. *Operated*	91	8.9	98	2	2	7	9	15	34	56
1. SINGLE DX	288	4.2	4	1	2	4	5	7	8	11
2. MULTIPLE DX	916	5.6	28	1	2	5	7	9	13	31
A. NOT OPERATED	1093	4.9	15	1	2	4	6	8	11	21
B. OPERATED	111	8.2	84	2	2	6	8	14	21	53
TOTAL 0-19 YRS	236	4.3	6	1	2	4	6	7	9	12
20-34	147	4.0	6	1	1	4	5	7	8	14
35-49	199	4.8	14	1	2	4	6	8	10	21
50-64	298	5.7	36	1	2	5	6	9	12	41
65+	324	6.4	31	2	2	5	8	11	15	34
GRAND TOTAL	**1204**	**5.2**	**22**	**1**	**2**	**4**	**6**	**9**	**11**	**23**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	3.2	4	1	1	3	4	6	7	10
20-34	351	3.0	3	1	1	3	4	5	6	10
35-49	118	3.6	5	1	1	3	4	6	8	12
50-64	58	3.6	8	1	1	3	4	6	7	19
65+	54	4.8	8	2	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	3.2	1	2	2	3	4	4	4	4
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	3.6	6	1	1	3	5	7	8	11
20-34	802	4.0	7	1	1	3	5	7	9	15
35-49	431	5.0	11	1	2	4	6	9	11	17
50-64	452	6.0	17	2	2	5	8	11	14	21
65+	576	8.5	64	2	3	7	10	15	20	48
B. *Operated*										
0-19 YRS	21	10.8	216	1	2	7	9	30	53	57
20-34	80	9.5	140	2	2	6	10	19	26	73
35-49	76	12.2	161	2	3	7	16	28	42	92
50-64	75	15.0	153	3	4	11	18	37	48	90
65+	82	16.3	160	4	5	13	19	36	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	3.3	4	1	1	3	4	6	7	11
B. *Operated*	12	3.6	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2915	5.3	24	1	2	4	6	10	13	22
B. *Operated*	334	13.1	163	2	3	9	16	30	44	84
1. SINGLE DX	1114	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	3249	6.1	43	1	2	4	7	11	16	40
A. NOT OPERATED	4017	4.7	19	1	1	4	6	9	11	20
B. OPERATED	346	12.8	160	2	3	9	15	29	44	82
TOTAL 0-19 YRS	1198	3.6	9	1	1	3	5	7	8	11
20-34	1239	4.1	17	1	1	3	5	7	9	19
35-49	627	5.6	34	1	2	4	7	10	15	35
50-64	586	6.9	44	2	2	5	8	13	19	42
65+	713	9.1	78	2	3	7	11	17	22	57
GRAND TOTAL	**4363**	**5.4**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**33**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	4.1	5	1	2	4	5	7	8	12
20-34	144	3.6	8	1	2	3	4	5	6	15
35-49	162	4.0	8	1	2	4	5	7	8	16
50-64	182	4.2	6	1	2	4	5	7	8	14
65+	191	4.6	6	2	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	19	5.6	51	1	1	3	5	16	23	28
35-49	25	3.6	11	1	1	2	4	10	11	14
50-64	34	3.5	9	<1	1	2	5	7	11	14
65+	39	3.4	15	1	1	2	4	6	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	3.8	8	1	1	3	5	7	8	15
20-34	632	5.1	30	1	1	4	6	10	13	24
35-49	901	5.6	27	1	2	5	7	10	12	26
50-64	1685	5.7	18	2	2	5	7	10	13	24
65+	2742	6.3	23	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	8	6.8	32	2	2	5	8	16	19	19
20-34	266	9.3	99	1	2	6	12	21	30	53
35-49	450	11.2	149	2	2	7	14	24	39	94
50-64	901	12.2	160	1	2	8	15	28	39	62
65+	1144	13.9	163	2	3	10	17	29	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	867	4.1	7	1	2	4	5	7	8	14
B. *Operated*	121	3.8	18	1	1	2	4	7	13	24
2. MULTIPLE DX										
A. *Not Operated*	6196	5.8	23	2	2	5	7	10	14	24
B. *Operated*	2769	12.4	155	2	2	9	16	27	40	64
1. SINGLE DX	988	4.1	8	1	2	3	5	7	8	15
2. MULTIPLE DX	8965	7.9	73	2	2	5	9	16	23	48
A. NOT OPERATED	7063	5.6	21	2	2	5	7	10	13	24
B. OPERATED	2890	12.1	152	1	2	8	15	27	39	63
TOTAL 0-19 YRS	436	4.0	7	1	1	3	5	7	8	14
20-34	1061	6.0	49	1	2	4	7	12	17	36
35-49	1538	7.1	68	1	2	5	8	14	21	46
50-64	2802	7.7	73	2	2	5	8	15	23	50
65+	4116	8.3	73	2	2	6	9	16	24	47
GRAND TOTAL	**9953**	**7.5**	**68**	**2**	**2**	**5**	**8**	**15**	**22**	**46**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	6	2.7		2	2	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.6	3	<1	<1	2	4	5	5	5
20-34	53	4.0	3	<1	1	4	5	6	7	7
35-49	9	3.4	4	<1	<1	4	5	6	6	6
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.6	5	<1	<1	2	3	7	8	8
35-49										
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	20	4.6	8	<1	1	4	6	7	10	14
20-34	176	4.3	4	1	1	4	6	6	8	9
35-49	42	4.9	2	3	3	5	6	7	8	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.4	30	2	2	3	3	13	19	19
B. *Operated*	77	3.6	3	<1	<1	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.7	5	<1	<1	2	3	7	7	8
B. *Operated*	241	4.5	4	1	2	4	6	6	8	10
1. SINGLE DX	86	3.7	6	<1	1	4	5	6	6	15
2. MULTIPLE DX	261	4.3	4	<1	1	4	6	6	8	10
A. NOT OPERATED	29	3.2	13	<1	<1	2	3	7	9	19
B. OPERATED	318	4.3	4	<1	1	4	5	6	7	10
TOTAL 0-19 YRS	36	4.1	13	<1	<1	4	5	6	12	19
20-34	252	4.1	4	<1	1	4	5	6	7	9
35-49	52	4.6	3	1	3	5	6	6	8	10
50-64	4	3.3	5	1	1	3	5	6	6	6
65+	3	3.0	7	1	1	2	5	6	6	6
GRAND TOTAL	**347**	**4.2**	**5**	**<1**	**1**	**4**	**5**	**6**	**7**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.9	23	<1	<1	1	3	6	8	31
20-34	59	2.4	2	<1	<1	2	3	5	6	7
35-49	42	2.7	2	<1	1	3	4	4	6	6
50-64	34	3.2	8	1	1	3	4	6	8	15
65+	41	3.3	8	<1	1	3	4	6	8	17
B. *Operated*										
0-19 YRS	9	4.6	14	<1	<1	4	7	11	11	11
20-34	14	4.3	5	2	2	4	5	8	9	9
35-49	15	3.6	2	2	2	4	4	5	6	7
50-64	17	4.5	9	<1	1	4	6	9	11	12
65+	11	5.0	16	1	1	4	6	10	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	3.2	22	<1	<1	1	3	8	12	24
20-34	195	3.6	23	<1	1	3	4	7	10	23
35-49	210	3.6	12	1	1	3	4	7	9	20
50-64	379	4.8	21	1	1	3	6	9	13	25
65+	972	5.3	24	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	24	4.7	16	<1	1	4	6	10	13	16
20-34	53	8.7	57	1	2	8	10	14	27	40
35-49	63	5.9	14	1	2	5	8	10	15	17
50-64	115	6.8	26	2	2	5	9	14	16	26
65+	155	10.0	69	2	2	8	14	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.9	9	<1	<1	2	3	5	7	16
B. *Operated*	66	4.3	8	1	2	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1922	4.7	22	1	1	3	6	9	12	23
B. *Operated*	410	8.0	47	1	2	6	10	16	19	35
1. SINGLE DX	296	3.2	9	<1	1	3	4	6	8	16
2. MULTIPLE DX	2332	5.3	28	1	1	4	7	11	15	26
A. NOT OPERATED	2152	4.5	21	1	1	3	6	9	12	23
B. OPERATED	476	7.5	43	1	2	6	10	15	18	34
TOTAL 0-19 YRS	253	3.3	21	<1	<1	2	4	8	12	25
20-34	321	4.3	28	<1	1	3	5	9	13	29
35-49	330	3.9	11	1	1	3	5	8	10	17
50-64	545	5.1	21	1	1	4	7	10	14	24
65+	1179	5.9	32	1	1	4	7	11	15	26
GRAND TOTAL	**2628**	**5.0**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	22.0	433	9	9	11	37	46	46	46
B. *Operated*										
0-19 YRS										
20-34	3	6.7	4	5	5	6	8	9	9	9
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	8.0	52	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	15.4	313	1	2	8	23	47	58	61
20-34	26	7.3	68	1	1	4	9	17	23	40
35-49	28	12.5	202	3	3	8	14	30	39	71
50-64	67	7.5	32	2	3	6	10	14	17	31
65+	304	8.2	39	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	9	29.2	859	5	6	14	52	77	83	83
20-34	24	9.1	36	4	4	6	12	18	23	24
35-49	64	7.9	55	4	4	5	7	16	23	44
50-64	34	11.7	62	3	4	10	15	23	28	37
65+	86	11.4	80	3	3	10	14	19	22	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.5	167	<1	1	3	9	25	44	46
B. *Operated*	11	5.8	16	2	2	5	6	12	16	16
2. MULTIPLE DX										
A. *Not Operated*	465	8.9	77	2	3	7	10	16	25	50
B. *Operated*	217	10.9	110	3	4	7	13	20	25	70
1. SINGLE DX	22	7.1	89	1	1	5	8	12	28	46
2. MULTIPLE DX	682	9.5	88	2	3	7	11	18	25	55
A. NOT OPERATED	476	8.9	79	2	3	7	10	16	26	50
B. OPERATED	228	10.6	106	3	4	7	13	20	24	70
TOTAL 0-19 YRS	52	17.1	413	1	2	8	23	52	61	83
20-34	54	8.0	50	1	2	6	9	17	22	39
35-49	96	9.1	99	3	4	6	9	20	31	59
50-64	106	8.6	45	2	3	7	11	15	24	34
65+	396	9.0	52	2	3	7	11	16	21	39
GRAND TOTAL	**704**	**9.5**	**88**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	8.7	19	<1	2	9	12	14	17	19
20-34	23	9.7	14	2	5	9	13	14	15	16
35-49	2	15.5	145	7	7	15	24	24	24	24
50-64										
65+										
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	9.6	37	1	2	10	14	17	21	27
20-34	150	11.8	25	5	6	11	14	18	22	27
35-49	25	14.3	22	7	10	14	17	21	22	23
50-64										
65+										
B. *Operated*										
0-19 YRS	30	11.1	45	1	2	11	16	19	22	29
20-34	14	13.9	83	3	6	10	19	27	34	36
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	9.1	20	1	2	9	12	14	17	22
B. *Operated*	3	11.0	300	1	1	1	24	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	354	10.9	33	2	3	11	14	18	21	27
B. *Operated*	46	12.1	58	1	3	10	17	22	27	36
1. SINGLE DX	91	9.2	26	1	2	9	12	14	17	28
2. MULTIPLE DX	400	11.0	36	2	3	11	14	19	22	28
A. NOT OPERATED	442	10.5	31	2	3	10	14	17	21	26
B. OPERATED	49	12.0	67	1	2	10	17	22	29	36
TOTAL 0-19 YRS	273	9.6	36	1	2	9	13	17	20	29
20-34	187	11.7	28	5	6	11	14	19	22	31
35-49	31	13.5	38	1	4	14	17	22	23	24
50-64										
65+										
GRAND TOTAL	**491**	**10.7**	**34**	**1**	**3**	**10**	**14**	**18**	**21**	**29**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	10	1	1	3	5	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	7	4.6	5	2	2	4	5	8	9	9
20-34	84	5.6	3	3	4	5	7	8	9	10
35-49	97	5.5	3	3	4	5	7	8	8	10
50-64	16	6.3	5	3	3	6	8	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	16	2	2	4	6	12	14	14
20-34	11	9.5	184	<1	1	4	11	35	39	39
35-49	15	4.0	10	<1	<1	4	6	9	10	10
50-64	16	6.1	58	<1	1	4	7	16	26	30
65+	7	5.4	24	2	2	4	6	14	16	16
B. *Operated*										
0-19 YRS	8	6.4	1	5	5	6	7	8	8	8
20-34	169	7.7	15	4	5	7	8	11	13	24
35-49	326	8.1	42	4	5	7	8	11	14	27
50-64	87	9.7	82	4	4	8	10	13	21	61
65+	8	8.0	15	3	4	7	9	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	7	1	1	3	4	8	9	9
B. *Operated*	204	5.6	3	3	4	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	58	5.9	58	<1	<1	4	6	14	25	39
B. *Operated*	598	8.2	40	4	5	7	9	11	15	34
1. SINGLE DX	213	5.5	4	3	3	5	7	8	9	10
2. MULTIPLE DX	656	8.0	42	3	4	7	9	11	16	35
A. NOT OPERATED	67	5.6	52	<1	1	3	6	12	19	38
B. OPERATED	802	7.6	32	4	4	7	8	10	13	26
TOTAL 0-19 YRS	29	5.0	8	2	2	5	7	9	10	14
20-34	265	7.1	19	3	4	7	8	10	13	32
35-49	440	7.4	34	3	4	7	8	10	12	23
50-64	120	8.7	70	2	3	7	9	12	19	58
65+	15	6.8	20	2	2	6	9	16	16	16
GRAND TOTAL	**869**	**7.4**	**34**	**3**	**4**	**7**	**8**	**10**	**13**	**32**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.3	7	<1	<1	2	3	4	5	18
20-34	94	1.6	3	<1	<1	<1	1	3	4	10
35-49	54	3.3	28	<1	<1	<1	2	12	19	21
50-64	62	1.7	6	<1	<1	<1	1	3	6	16
65+	24	3.0	5	<1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	24	2.7	2	<1	1	2	4	5	6	6
20-34	53	2.2	3	<1	<1	1	3	5	7	7
35-49	58	2.2	4	<1	<1	1	3	4	6	11
50-64	31	2.1	2	<1	<1	1	3	5	5	6
65+	18	4.9	19	<1	1	3	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.2	25	<1	1	3	5	8	11	32
20-34	117	5.2	68	<1	<1	2	6	12	19	47
35-49	161	4.6	27	<1	<1	3	7	12	14	25
50-64	196	4.3	16	<1	<1	3	6	9	12	19
65+	267	7.0	33	1	2	5	9	13	16	31
B. *Operated*										
0-19 YRS	38	7.3	58	1	1	4	10	17	20	37
20-34	87	8.6	100	1	1	5	11	22	30	49
35-49	110	10.3	198	1	1	6	11	22	26	80
50-64	120	9.6	102	1	1	6	13	20	29	51
65+	106	8.6	47	1	2	7	12	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	2.2	9	<1	<1	<1	2	4	7	19
B. *Operated*	184	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	878	5.3	33	<1	<1	4	7	12	15	30
B. *Operated*	461	9.2	108	1	1	6	12	20	27	53
1. SINGLE DX	490	2.3	8	<1	<1	1	3	5	7	18
2. MULTIPLE DX	1339	6.6	62	<1	1	4	8	14	20	37
A. NOT OPERATED	1184	4.5	28	<1	<1	3	6	11	14	27
B. OPERATED	645	7.3	88	<1	1	4	9	18	23	50
TOTAL 0-19 YRS	271	4.0	25	<1	<1	2	5	8	13	31
20-34	351	4.6	55	<1	<1	2	5	11	19	38
35-49	383	5.7	82	<1	<1	3	7	14	20	46
50-64	409	5.3	47	<1	<1	3	6	13	17	41
65+	415	7.1	36	1	2	5	10	14	19	30
GRAND TOTAL	**1829**	**5.5**	**51**	**<1**	**<1**	**3**	**7**	**13**	**18**	**35**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.5	1	1	1	2	3	4	4	4
35-49	15	3.7	8	1	1	2	5	9	10	10
50-64	14	3.6	15	1	1	2	4	7	14	16
65+	18	3.7	7	<1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	6	4.7	28	<1	<1	3	5	14	15	15
65+	9	3.3	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.6	7	1	1	3	5	8	9	9
35-49	22	4.5	8	1	2	4	5	8	10	13
50-64	62	4.1	4	1	2	4	5	7	8	11
65+	208	5.3	19	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	8	4.1	6	<1	<1	4	6	7	7	7
50-64	19	5.2	11	1	1	4	8	10	11	12
65+	36	6.5	47	1	1	5	9	13	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.5	9	1	1	3	4	8	9	16
B. *Operated*	20	4.1	10	<1	1	4	5	7	11	15
2. MULTIPLE DX										
A. *Not Operated*	302	4.9	15	1	2	4	6	9	12	19
B. *Operated*	64	5.8	31	1	1	4	7	11	14	35
1. SINGLE DX	73	3.7	9	1	1	3	4	8	9	16
2. MULTIPLE DX	366	5.1	18	1	2	4	6	10	12	20
A. NOT OPERATED	355	4.7	14	1	2	4	6	9	11	19
B. OPERATED	84	5.4	26	1	1	4	7	10	14	31
TOTAL 0-19 YRS										
20-34	18	3.5	5	1	1	3	5	7	8	9
35-49	49	4.2	7	1	1	4	5	7	9	13
50-64	101	4.3	8	1	1	4	5	8	10	15
65+	271	5.3	22	1	2	4	6	10	14	21
GRAND TOTAL	**439**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	3	<1	1	2	3	5	6	9
20-34	28	2.4	2	<1	1	2	3	4	5	8
35-49	18	2.6	5	<1	1	2	3	5	8	10
50-64	28	2.4	2	<1	<1	2	3	4	5	7
65+	80	4.3	6	1	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1370	3.0	7	1	1	2	4	5	7	13
20-34	579	3.1	8	1	1	2	4	6	7	15
35-49	585	3.8	13	1	1	3	4	7	9	19
50-64	1203	4.7	18	1	1	4	6	9	12	19
65+	5692	5.9	26	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	37	8.5	77	1	2	5	12	17	25	45
20-34	53	5.5	26	1	1	4	8	14	18	21
35-49	67	6.7	104	1	1	4	7	14	19	69
50-64	133	10.1	125	1	2	7	12	22	30	61
65+	423	11.9	118	2	3	9	15	23	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.0	5	<1	1	2	4	6	8	11
B. *Operated*	8	4.0	7	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	9429	5.0	22	1	1	4	6	10	13	23
B. *Operated*	713	10.4	113	1	2	7	13	21	29	62
1. SINGLE DX	225	3.1	5	<1	1	2	4	6	8	10
2. MULTIPLE DX	10142	5.4	30	1	1	4	7	10	14	26
A. NOT OPERATED	9646	5.0	21	1	1	4	6	9	13	22
B. OPERATED	721	10.4	112	1	2	7	13	21	28	61
TOTAL 0-19 YRS	1471	3.1	9	1	1	2	4	5	7	15
20-34	662	3.2	10	1	1	2	4	6	8	16
35-49	671	4.0	23	1	1	3	5	7	10	21
50-64	1366	5.2	31	1	1	4	6	10	13	26
65+	6197	6.3	34	2	2	5	8	12	16	29
GRAND TOTAL	**10367**	**5.3**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**26**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6	1	1	1	1	2	4	4	4
20-34	9	2.7	7	<1	<1	1	3	7	9	9
35-49	31	2.3	3	1	1	2	3	5	6	7
50-64	14	3.0	6	<1	<1	3	4	7	9	9
65+	44	2.9	7	<1	<1	2	4	6	8	14
B. *Operated*										
0-19 YRS	3	8.0	49	1	1	8	13	15	15	15
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	8	5.5	17	2	2	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.3	3	1	1	3	4	7	7	7
20-34	58	4.0	42	<1	1	2	4	7	8	42
35-49	115	3.7	13	1	1	3	5	7	8	20
50-64	170	4.2	19	1	1	3	5	8	11	27
65+	757	4.8	19	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	7	4.4	4	2	2	4	6	7	7	7
20-34	22	4.5	16	1	1	3	5	11	14	16
35-49	47	5.2	11	2	2	5	6	10	11	18
50-64	59	5.9	14	2	2	5	7	11	13	20
65+	242	8.3	56	2	3	6	9	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	2.5	5	<1	<1	2	4	5	7	11
B. *Operated*	25	4.2	14	1	1	3	5	9	14	15
2. MULTIPLE DX										
A. *Not Operated*	1146	4.5	19	1	1	3	6	8	11	21
B. *Operated*	377	7.2	42	2	2	6	9	13	17	41
1. SINGLE DX	140	2.9	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	1523	5.2	26	1	1	4	6	10	13	27
A. NOT OPERATED	1261	4.3	18	1	1	3	6	8	11	19
B. OPERATED	402	7.1	41	2	2	6	8	13	17	41
TOTAL 0-19 YRS	73	3.2	6	1	1	3	4	7	7	13
20-34	94	3.9	30	<1	1	2	4	7	10	36
35-49	198	3.8	11	1	1	3	5	7	9	16
50-64	247	4.6	17	1	1	3	6	9	12	21
65+	1051	5.5	29	1	1	4	7	10	14	27
GRAND TOTAL	**1663**	**5.0**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**27**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.9	6	1	1	3	5	7	9	12
20-34	109	4.3	8	1	1	4	6	8	9	14
35-49	20	5.3	6	1	2	5	7	9	9	10
50-64	5	3.2	8	1	1	3	4	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.3	42	1	2	5	7	12	17	39
20-34	205	6.3	22	1	2	5	8	12	14	21
35-49	68	5.8	23	1	2	5	7	11	15	28
50-64	23	7.8	14	3	4	7	9	13	15	18
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	5	10.6	26	3	3	10	14	17	17	17
20-34	23	13.1	207	1	2	9	17	28	49	64
35-49	14	9.7	37	4	6	8	10	15	26	29
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	4.2	7	1	1	4	6	8	9	13
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	419	6.3	28	1	2	5	8	12	15	29
B. *Operated*	43	11.6	125	2	3	9	13	20	33	64
1. SINGLE DX	223	4.2	7	1	1	4	6	8	9	13
2. MULTIPLE DX	462	6.8	39	1	2	5	8	13	17	34
A. NOT OPERATED	640	5.6	22	1	2	5	7	10	13	21
B. OPERATED	45	11.3	122	2	3	9	13	19	32	64
TOTAL 0-19 YRS	213	5.5	29	1	2	4	7	10	14	31
20-34	339	6.1	34	1	2	5	8	11	15	27
35-49	102	6.3	23	1	2	5	8	10	14	29
50-64	29	7.0	15	1	3	7	8	13	14	18
65+	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**685**	**6.0**	**30**	**1**	**2**	**5**	**7**	**11**	**14**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.3	7	<1	<1	1	3	5	7	16
20-34	28	2.1	2	<1	<1	2	3	4	5	7
35-49	18	2.1	3	<1	<1	1	2	4	7	8
50-64	66	2.4	8	<1	<1	1	2	7	8	16
65+	172	1.7	3	<1	<1	1	2	3	6	9
B. *Operated*										
0-19 YRS	26	6.5	83	<1	1	5	6	8	26	47
20-34	13	4.7	5	1	2	5	6	7	9	9
35-49	11	4.8	16	<1	1	3	6	10	15	15
50-64	14	5.0	10	<1	1	4	7	9	12	13
65+	25	4.5	30	1	1	3	5	7	13	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	2.7	8	<1	<1	1	3	6	8	15
20-34	117	2.9	7	<1	1	2	4	6	8	12
35-49	202	3.6	17	<1	<1	2	5	8	11	23
50-64	438	3.8	17	<1	1	2	5	9	13	20
65+	1508	4.0	17	1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	72	8.8	125	1	1	5	10	26	36	89
20-34	56	5.6	24	1	1	4	8	13	15	23
35-49	60	8.8	158	1	1	5	9	21	34	72
50-64	151	7.0	47	1	1	5	8	15	20	36
65+	491	8.6	77	1	2	7	11	17	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	2.1	5	<1	<1	1	2	4	7	10
B. *Operated*	89	5.2	36	1	1	4	6	8	13	40
2. MULTIPLE DX										
A. *Not Operated*	2493	3.8	16	<1	1	2	5	8	12	20
B. *Operated*	830	8.2	79	1	2	6	10	17	25	49
1. SINGLE DX	490	2.6	12	<1	<1	1	3	6	7	16
2. MULTIPLE DX	3323	4.9	35	<1	1	3	6	11	15	29
A. NOT OPERATED	2894	3.5	15	<1	1	2	4	8	11	20
B. OPERATED	919	7.9	75	1	2	5	9	17	24	48
TOTAL 0-19 YRS	443	3.8	36	<1	<1	2	4	8	15	37
20-34	214	3.6	12	<1	1	2	5	8	10	17
35-49	231	4.6	49	<1	1	3	6	9	13	35
50-64	669	4.4	25	<1	1	3	6	10	14	24
65+	2196	4.9	34	1	1	3	6	11	14	28
GRAND TOTAL	**3813**	**4.6**	**33**	**<1**	**1**	**3**	**6**	**10**	**14**	**28**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	1	<1	<1	3	4	4	4	4
20-34	11	3.5	3	<1	1	4	5	6	7	7
35-49	4	3.8	5	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.3	19	1	1	3	8	11	15	17
20-34	27	4.6	20	1	1	4	6	9	13	23
35-49	11	3.6	9	1	1	3	4	8	12	12
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	12.3	16	8	8	13	15	16	16	16
B. *Operated*										
0-19 YRS	4	14.0	153	2	2	11	22	31	31	31
20-34	4	17.0	390	4	4	9	29	46	46	46
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.3	3	<1	1	3	4	5	6	7
B. *Operated*	4	5.8	9	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	62	4.9	19	1	1	3	7	11	14	22
B. *Operated*	9	14.3	218	2	3	9	18	40	46	46
1. SINGLE DX	27	3.7	4	<1	1	4	5	7	8	9
2. MULTIPLE DX	71	6.1	52	1	1	4	8	13	17	43
A. NOT OPERATED	85	4.5	15	1	1	3	5	9	12	21
B. OPERATED	13	11.7	165	2	2	7	13	34	44	46
TOTAL 0-19 YRS	31	5.9	38	1	1	3	8	12	17	31
20-34	45	5.5	53	1	1	4	5	9	15	46
35-49	16	3.8	7	1	1	3	5	6	10	12
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	12.3	16	8	8	13	15	16	16	16
GRAND TOTAL	**98**	**5.4**	**40**	**1**	**1**	**4**	**6**	**11**	**15**	**39**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.6	3	1	1	2	3	5	6	8
20-34	18	3.6	7	<1	1	3	5	6	10	12
35-49	9	3.0	3	1	1	3	4	5	5	5
50-64	23	5.5	81	1	1	2	6	10	23	44
65+	34	3.7	11	<1	1	3	6	8	9	17
B. *Operated*										
0-19 YRS	73	4.7	18	1	1	4	6	8	10	26
20-34	47	5.1	9	1	2	5	7	8	9	18
35-49	33	5.2	7	1	2	5	6	9	11	12
50-64	33	7.6	58	<1	1	7	8	15	24	40
65+	25	5.5	23	<1	<1	4	7	11	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	3.6	8	1	1	3	5	7	9	16
20-34	101	4.6	10	<1	1	4	6	8	10	18
35-49	145	5.1	16	1	1	4	6	10	12	22
50-64	281	5.1	20	1	1	4	7	9	12	21
65+	598	5.8	32	1	1	4	8	12	16	29
B. *Operated*										
0-19 YRS	87	7.4	79	1	2	5	8	14	22	54
20-34	97	7.1	37	2	2	5	8	13	18	39
35-49	105	8.9	69	2	2	7	11	15	29	43
50-64	159	9.7	70	2	3	7	12	19	29	47
65+	327	10.6	134	1	2	7	12	21	31	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.2	14	1	1	2	4	6	8	14
B. *Operated*	211	5.4	21	1	1	5	7	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	1309	5.2	23	1	1	4	7	10	14	26
B. *Operated*	775	9.4	95	1	2	7	11	18	29	55
1. SINGLE DX	413	4.3	19	1	1	3	6	8	10	22
2. MULTIPLE DX	2084	6.7	54	1	1	5	8	13	19	41
A. NOT OPERATED	1511	4.9	22	1	1	4	6	10	13	26
B. OPERATED	986	8.5	82	1	2	6	10	17	26	52
TOTAL 0-19 YRS	462	4.2	24	1	1	3	5	7	10	26
20-34	263	5.5	21	1	1	5	7	9	13	21
35-49	292	6.4	37	1	2	5	8	11	15	36
50-64	496	6.8	45	1	1	5	8	14	19	42
65+	984	7.3	70	1	1	5	9	15	21	51
GRAND TOTAL	**2497**	**6.3**	**49**	**1**	**1**	**5**	**8**	**12**	**18**	**40**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	1.5	1	<1	1	1	2	2	3	4
20-34	84	1.7	1	<1	1	1	2	3	4	6
35-49	12	2.6	6	<1	<1	2	3	6	9	9
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	297	3.0	1	1	2	3	4	4	5	6
20-34	114	3.2	1	2	2	3	4	4	6	7
35-49	15	3.5	1	2	2	3	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	4.3	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	2.1	2	1	1	2	3	4	5	7
20-34	44	2.1	2	1	1	2	3	4	5	7
35-49	5	2.2		2	2	2	3	3	3	3
50-64	6	3.2	10	1	1	2	4	8	9	9
65+	5	3.8	3	3	3	3	4	7	7	7
B. *Operated*										
0-19 YRS	160	3.6	4	2	2	3	4	6	7	14
20-34	98	4.2	4	2	2	4	5	7	9	12
35-49	11	4.2	1	2	2	4	5	6	6	6
50-64	5	7.0	11	3	3	7	8	12	12	12
65+	4	10.3	36	6	6	8	14	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	430	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	203	2.2	2	1	1	2	3	4	5	7
B. *Operated*	278	4.0	5	2	2	3	5	6	7	14
1. SINGLE DX	791	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	481	3.2	5	1	1	3	4	6	7	12
A. NOT OPERATED	564	1.8	1	1	1	1	2	3	4	7
B. OPERATED	708	3.4	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	862	2.5	2	1	1	2	3	4	5	7
20-34	340	3.0	3	1	1	3	4	5	6	10
35-49	43	3.3	3	1	1	3	4	5	6	9
50-64	14	4.2	12	<1	1	3	7	9	11	12
65+	13	5.8	21	2	2	4	7	11	17	19
GRAND TOTAL	**1272**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.9	4	1	2	3	5	7	8	9
20-34	7	2.7	1	2	2	2	4	4	4	4
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.5	7	<1	<1	1	3	6	9	13
20-34	25	2.1	2	<1	<1	2	3	5	5	5
35-49	19	1.5	1	<1	<1	1	1	3	5	6
50-64	12	2.3	4	<1	<1	2	3	6	7	7
65+	11	2.2	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	5	1	2	4	5	8	9	10
20-34	13	2.7	2	1	1	2	4	5	5	5
35-49	6	4.0	7	2	2	3	5	9	9	9
50-64	5	5.0	7	1	1	5	6	8	8	8
65+	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-19 YRS	32	4.9	10	<1	1	5	7	8	9	15
20-34	19	4.7	10	1	1	4	7	9	11	13
35-49	16	3.2	4	<1	<1	3	4	6	7	8
50-64	10	2.9	5	<1	<1	2	3	7	8	8
65+	13	4.3	34	<1	<1	2	5	11	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.9	4	1	2	3	5	7	8	9
B. *Operated*	120	2.2	4	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	87	4.0	5	1	2	4	5	8	9	10
B. *Operated*	90	4.3	12	<1	<1	4	6	8	9	19
1. SINGLE DX	203	2.9	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	177	4.1	8	<1	1	4	5	8	9	14
A. NOT OPERATED	170	3.9	5	1	2	3	5	7	8	9
B. OPERATED	210	3.1	9	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	218	3.8	6	<1	1	3	5	7	9	11
20-34	64	3.1	6	<1	1	2	4	5	8	12
35-49	44	2.6	5	<1	<1	2	4	6	8	9
50-64	27	3.0	5	<1	<1	2	5	7	8	8
65+	27	3.7	19	<1	<1	2	5	8	11	22
GRAND TOTAL	**380**	**3.5**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	338	<1	<1	2	14	43	43	43
20-34	24	9.7	58	1	1	7	16	19	23	31
35-49	10	9.0	45	3	3	8	10	19	26	26
50-64	10	3.6	8	1	1	3	4	8	10	10
65+	21	6.5	41	<1	<1	3	14	16	18	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.3	39	<1	1	3	11	17	18	19
20-34	102	10.2	113	1	2	6	13	24	33	56
35-49	53	7.6	55	1	1	6	11	20	26	27
50-64	93	8.9	150	1	1	5	10	21	26	75
65+	261	7.6	61	1	2	5	9	16	22	42
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	8.5	61	3	3	14	78	99+	99+	99+
35-49	6	14.7	174	2	2	12	23	34	35	35
50-64	12	8.4	56	2	2	6	10	20	27	28
65+	17	13.7	214	2	3	10	15	20	51	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.8	63	1	1	5	11	18	19	41
B. *Operated*	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	524	8.3	86	1	2	5	10	18	25	43
B. *Operated*	38	11.7	142	2	2	9	15	26	53	99+
1. SINGLE DX	72	8.0	62	1	1	5	12	18	19	40
2. MULTIPLE DX	562	8.5	90	1	2	6	11	19	26	54
A. NOT OPERATED	594	8.2	83	1	1	5	11	18	25	43
B. OPERATED	40	11.8	135	2	3	10	15	25	49	99+
TOTAL 0-19 YRS	21	7.2	98	<1	<1	3	10	18	30	43
20-34	128	10.1	101	1	2	6	14	24	33	66
35-49	69	8.4	64	1	1	6	11	23	26	33
50-64	115	8.4	129	1	1	5	10	20	26	63
65+	301	7.9	69	1	2	5	10	16	21	42
GRAND TOTAL	**634**	**8.5**	**87**	**1**	**2**	**5**	**11**	**19**	**26**	**46**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.1	30	<1	1	1	1	2	4	38
20-34	75	3.0	13	<1	<1	2	4	6	9	22
35-49	25	7.2	107	1	2	3	7	21	34	45
50-64	24	5.5	18	1	1	4	9	11	14	15
65+	212	7.7	78	1	2	6	9	15	19	75
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	2.5	2	<1	<1	2	3	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	14.0	288	2	2	14	26	26	26	26
65+	9	4.5	9	1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.7	141	1	1	1	3	8	24	68
20-34	180	7.5	85	1	1	4	9	20	28	43
35-49	110	9.8	223	1	1	4	9	24	54	71
50-64	189	8.5	94	1	2	5	11	17	22	55
65+	1701	8.6	8[illegible]	2	2	6	10	18	25	64
B. *Operated*										
0-19 YRS	9	10.4	224	2	2	5	10	34	49	49
20-34	19	16.1	542	<1	1	4	24	59	71	74
35-49	11	18.9	570	2	3	8	23	61	77	78
50-64	20	12.2	125	1	2	9	20	35	67	99+
65+	142	13.7	185	2	3	10	17	29	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	5.4	59	1	1	3	7	13	16	40
B. *Operated*	19	4.6	33	<1	1	3	6	8	18	26
2. MULTIPLE DX										
A. *Not Operated*	2307	8.4	99	1	2	5	10	18	26	62
B. *Operated*	201	13.9	231	1	2	9	17	37	49	94
1. SINGLE DX	464	5.3	58	1	1	3	7	13	16	40
2. MULTIPLE DX	2508	8.8	112	1	2	6	10	19	28	69
A. NOT OPERATED	2752	7.9	94	1	1	5	9	17	25	60
B. OPERATED	220	13.1	221	1	2	8	16	31	48	92
TOTAL 0-19 YRS	247	3.7	96	1	1	1	2	5	13	49
20-34	280	6.8	104	<1	1	3	7	17	28	54
35-49	147	10.0	231	1	1	4	9	25	50	72
50-64	235	8.6	91	1	2	6	10	18	27	64
65+	2063	8.9	96	2	2	6	11	18	26	67
GRAND TOTAL	**2972**	**8.3**	**105**	**1**	**1**	**5**	**10**	**18**	**26**	**66**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+	10	5.8	14	1	1	5	9	11	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	20.5	61	15	15	20	26	26	26	26
50-64	8	10.6	53	3	4	9	13	23	26	26
65+	119	7.9	71	2	2	6	9	15	21	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	54.0		54	54	54	54	54	54	54
50-64	1	49.0		49	49	49	49	49	49	49
65+	10	13.7	475	3	3	6	11	44	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.6	20	1	2	6	9	14	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	129	8.2	72	2	2	6	10	16	23	37
B. *Operated*	12	20.0	607	3	4	7	31	60	73	75
1. SINGLE DX	11	6.6	20	1	2	6	9	14	15	15
2. MULTIPLE DX	141	9.2	124	2	3	6	10	17	24	75
A. NOT OPERATED	140	8.1	68	2	2	6	10	15	22	32
B. OPERATED	12	20.0	607	3	4	7	31	60	73	75
TOTAL 0-19 YRS										
20-34										
35-49	3	31.7	404	15	15	26	47	54	54	54
50-64	10	14.9	187	3	4	11	15	37	49	49
65+	139	8.1	96	2	2	6	9	15	21	76
GRAND TOTAL	**152**	**9.0**	**117**	**2**	**3**	**6**	**10**	**16**	**24**	**75**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	39	2.6	3	<1	<1	2	3	5	6	7
35-49	68	3.1	8	1	1	2	4	6	7	18
50-64	37	3.8	14	1	1	3	4	8	14	18
65+	10	4.5	8	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	48	<1	1	3	6	16	22	29
20-34	422	7.1	64	1	1	4	6	25	28	31
35-49	748	6.3	47	1	2	4	6	15	25	31
50-64	585	6.5	41	1	2	4	7	15	22	32
65+	301	8.5	60	1	2	6	12	20	22	37
B. *Operated*										
0-19 YRS	7	26.3	551	2	2	16	50	54	55	55
20-34	24	15.0	133	1	2	10	27	30	30	31
35-49	30	17.8	176	3	3	16	29	34	37	53
50-64	25	17.5	159	2	3	17	27	31	40	47
65+	23	16.6	50	5	8	17	21	26	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.2	8	<1	1	2	4	6	8	18
B. *Operated*	2	12.5	145	4	4	12	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	2078	6.9	51	1	2	5	7	19	25	31
B. *Operated*	109	17.4	158	2	3	17	26	31	38	54
1. SINGLE DX	161	3.3	10	<1	1	2	4	6	8	20
2. MULTIPLE DX	2187	7.4	62	1	2	5	7	21	27	34
A. NOT OPERATED	2237	6.6	49	1	2	4	7	17	25	31
B. OPERATED	111	17.3	157	2	3	17	26	31	38	54
TOTAL 0-19 YRS	34	9.3	210	<1	<1	3	11	31	51	55
20-34	485	7.2	67	1	1	4	6	25	28	31
35-49	847	6.5	54	1	2	4	6	17	26	31
50-64	648	6.8	49	1	2	4	7	17	23	33
65+	334	8.9	63	1	2	6	13	21	22	37
GRAND TOTAL	**2348**	**7.1**	**59**	**1**	**2**	**4**	**7**	**20**	**26**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.7	17	1	1	2	9	11	11	11
20-34	30	4.1	35	<1	<1	2	4	10	16	29
35-49	12	3.3	6	<1	<1	3	5	7	8	8
50-64	8	10.9	124	1	1	8	14	30	35	35
65+	9	5.4	22	2	2	4	6	13	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	25.0		25	25	25	25	25	25	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	12.9	305	1	2	6	12	45	57	95
20-34	338	6.9	45	1	2	5	7	14	25	31
35-49	130	6.0	32	1	2	5	6	10	17	33
50-64	102	7.8	56	1	2	5	10	17	28	34
65+	197	6.6	41	1	2	5	8	14	17	35
B. *Operated*										
0-19 YRS	11	37.3	667	4	6	36	61	70	75	76
20-34	15	18.1	190	3	3	13	31	34	37	38
35-49	4	18.5	286	4	4	17	33	36	36	36
50-64	8	14.5	76	5	6	12	19	29	31	31
65+	15	8.4	53	1	1	5	16	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	5.0	39	<1	1	3	5	12	17	34
B. *Operated*	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	833	7.3	66	1	2	5	7	15	27	44
B. *Operated*	53	18.8	327	2	3	12	30	39	62	76
1. SINGLE DX	69	5.3	44	<1	1	3	5	14	18	34
2. MULTIPLE DX	886	8.0	89	1	2	5	8	17	30	53
A. NOT OPERATED	901	7.1	65	1	2	5	7	15	27	44
B. OPERATED	54	18.9	321	2	3	13	30	39	62	76
TOTAL 0-19 YRS	86	15.1	392	1	2	6	20	53	66	91
20-34	383	7.1	55	1	2	5	7	16	29	34
35-49	146	6.1	40	1	2	5	6	11	20	34
50-64	119	8.6	65	1	2	6	11	19	30	36
65+	221	6.7	41	1	2	5	8	14	17	35
GRAND TOTAL	**955**	**7.8**	**86**	**1**	**2**	**5**	**8**	**17**	**30**	**52**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	12.8	125	1	2	10	17	31	37	54
20-34	919	10.2	90	1	2	7	14	21	27	53
35-49	489	9.9	75	1	2	7	14	20	24	45
50-64	138	11.9	122	2	3	9	15	22	30	48
65+	54	13.1	93	1	2	11	16	30	34	38
B. *Operated*										
0-19 YRS										
20-34	10	5.5	19	1	1	4	7	13	14	14
35-49	4	9.3	95	<1	<1	6	16	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	17.6	287	2	2	12	27	45	62	99
20-34	761	11.6	106	2	3	8	16	26	30	48
35-49	461	10.2	72	2	3	8	14	20	26	45
50-64	218	12.9	107	3	3	10	16	26	33	52
65+	84	14.3	105	3	4	13	20	24	28	60
B. *Operated*										
0-19 YRS	4	32.5	382	11	11	30	46	58	58	58
20-34	17	25.9	606	3	4	19	35	65	82	89
35-49	10	18.4	58	7	7	18	24	28	29	29
50-64	11	23.2	376	5	5	15	43	52	57	57
65+	5	21.2	78	10	10	22	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	10.5	90	1	2	8	14	21	28	52
B. *Operated*	14	6.6	38	<1	1	4	9	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	1577	11.7	104	2	3	9	15	25	30	53
B. *Operated*	47	23.7	351	4	5	20	31	48	60	89
1. SINGLE DX	1689	10.4	90	1	2	8	14	21	27	52
2. MULTIPLE DX	1624	12.1	115	2	3	9	16	26	32	57
A. NOT OPERATED	3252	11.1	97	1	2	8	15	23	30	52
B. OPERATED	61	19.8	330	2	3	15	28	47	57	87
TOTAL 0-19 YRS	132	15.3	208	2	2	11	20	36	52	77
20-34	1707	11.0	104	1	2	8	15	23	30	54
35-49	964	10.2	74	2	2	8	14	20	25	45
50-64	367	12.8	123	3	3	10	15	26	33	54
65+	143	14.1	101	2	4	12	20	27	33	48
GRAND TOTAL	**3313**	**11.2**	**103**	**1**	**2**	**8**	**15**	**23**	**30**	**54**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	11.2	93	2	2	10	14	18	29	49
20-34	60	8.0	32	1	2	7	11	16	20	25
35-49	18	5.7	19	<1	1	5	7	13	15	15
50-64	10	8.2	107	2	2	4	9	25	35	35
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	15.4	180	3	4	13	18	33	48	59
20-34	66	11.0	165	1	2	8	12	19	29	76
35-49	21	8.8	36	2	2	8	12	17	21	25
50-64	5	11.2	58	4	4	9	16	23	23	23
65+	4	5.8	8	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	2	17.5	1	17	17	17	18	18	18	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	8.4	50	1	2	7	12	16	20	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	118	11.3	138	2	3	8	14	21	29	70
B. *Operated*	2	17.5	1	17	17	17	18	18	18	18
1. SINGLE DX	113	8.4	50	1	2	7	12	16	20	40
2. MULTIPLE DX	120	11.4	136	2	3	8	15	21	28	70
A. NOT OPERATED	231	9.9	97	2	2	7	13	18	23	60
B. OPERATED	2	17.5	1	17	17	17	18	18	18	18
TOTAL 0-19 YRS	46	13.2	136	2	3	11	15	22	43	59
20-34	128	9.7	102	1	2	7	12	18	21	69
35-49	39	7.4	30	1	2	6	11	15	17	25
50-64	15	9.2	88	2	2	5	13	23	32	35
65+	5	7.0	14	3	3	7	10	12	12	12
GRAND TOTAL	**233**	**9.9**	**96**	**2**	**2**	**8**	**13**	**18**	**23**	**60**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	15.6	235	1	2	10	21	38	48	69
20-34	1093	11.3	98	1	2	8	16	24	29	44
35-49	497	10.2	75	1	2	8	14	21	27	45
50-64	221	12.8	124	2	3	10	16	26	33	60
65+	44	12.9	119	2	3	9	16	33	37	44
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	12.8	191	4	4	7	14	37	40	40
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	19.3	297	2	2	15	30	45	58	99+
20-34	1073	12.9	146	2	2	9	16	28	37	67
35-49	597	12.1	125	2	2	9	17	25	34	62
50-64	249	13.6	136	2	3	10	18	27	35	54
65+	101	13.7	145	2	4	11	17	27	32	71
B. *Operated*										
0-19 YRS	6	36.8	337	10	12	36	46	63	65	65
20-34	36	18.8	182	3	4	17	28	36	88	99+
35-49	16	15.9	127	3	4	11	21	34	40	42
50-64	14	21.0	267	3	4	15	34	59	90	99+
65+	9	27.4	523	6	7	16	46	60	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1991	11.5	106	1	2	8	16	24	31	50
B. *Operated*	10	10.9	121	3	3	7	13	27	40	40
2. MULTIPLE DX										
A. *Not Operated*	2169	13.2	152	2	3	10	17	29	39	68
B. *Operated*	81	20.9	251	3	5	16	32	46	70	99+
1. SINGLE DX	2001	11.5	106	1	2	8	15	24	31	49
2. MULTIPLE DX	2250	13.5	157	2	3	10	18	29	39	72
A. NOT OPERATED	4160	12.4	131	2	2	9	16	27	35	60
B. OPERATED	91	19.8	245	3	4	15	31	46	69	99+
TOTAL 0-19 YRS	292	17.9	277	2	2	13	26	44	55	92
20-34	2208	12.2	124	1	2	9	16	26	34	60
35-49	1112	11.3	103	2	2	9	15	23	30	55
50-64	485	13.4	135	2	3	10	17	28	35	58
65+	154	14.3	166	2	3	10	18	32	38	69
GRAND TOTAL	**4251**	**12.6**	**134**	**2**	**2**	**9**	**17**	**27**	**36**	**64**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	25.8	326	2	3	32	44	90	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	30.8	561	1	2	48	66	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	25.8	326	2	3	32	44	90	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	30.8	561	1	2	48	66	99+	99+	99+
B. *Operated*	1	52.0		52	52	52	52	52	52	52
1. SINGLE DX	15	25.8	326	2	3	32	44	90	99+	99+
2. MULTIPLE DX	13	32.5	549	1	2	48	64	99+	99+	99+
A. NOT OPERATED	27	28.0	420	2	3	35	51	99+	99+	99+
B. OPERATED	1	52.0		52	52	52	52	52	52	52
TOTAL 0-19 YRS	28	28.9	424	2	3	39	52	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**28**	**28.9**	**424**	**2**	**3**	**39**	**52**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	16.4	390	1	2	9	25	50	80	99+
20-34	657	10.9	142	1	2	7	15	25	33	71
35-49	549	10.0	97	1	1	7	14	22	29	48
50-64	371	12.5	108	1	3	9	16	26	32	48
65+	368	13.9	142	2	3	11	18	28	35	59
B. *Operated*										
0-19 YRS										
20-34	2	21.0	392	7	7	21	35	35	35	35
35-49	4	15.8	138	4	4	13	23	32	32	32
50-64	3	11.3	82	1	1	15	17	18	18	18
65+	8	21.0	210	3	4	18	29	43	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	450	24.0	501	2	3	18	42	78	99+	99+
20-34	1474	12.3	155	1	2	8	16	28	39	66
35-49	1328	12.6	143	2	2	9	16	28	37	69
50-64	967	14.8	172	2	3	11	20	33	42	69
65+	1234	17.0	207	3	4	13	22	34	46	81
B. *Operated*										
0-19 YRS	10	23.1	518	2	3	25	41	84	99	99+
20-34	60	24.1	495	1	2	18	33	68	76	99+
35-49	60	22.2	352	2	3	19	39	60	99+	99+
50-64	61	25.8	496	3	5	21	36	59	86	99+
65+	77	27.2	412	4	6	21	38	57	67	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2147	12.0	152	1	2	8	16	27	36	72
B. *Operated*	17	18.1	168	2	3	15	28	34	43	48
2. MULTIPLE DX										
A. *Not Operated*	5453	14.9	206	2	3	11	20	34	47	91
B. *Operated*	268	24.9	437	2	4	20	37	62	81	99+
1. SINGLE DX	2164	12.0	152	1	2	8	16	27	36	72
2. MULTIPLE DX	5721	15.3	221	2	3	11	21	36	49	98
A. NOT OPERATED	7600	14.0	192	1	2	10	19	32	44	88
B. OPERATED	285	24.5	423	2	4	19	36	60	78	99+
TOTAL 0-19 YRS	662	21.7	478	1	2	14	37	70	99+	99+
20-34	2193	12.2	165	1	2	8	16	28	39	70
35-49	1941	12.2	141	1	2	9	16	27	37	70
50-64	1402	14.7	175	2	3	11	20	32	42	75
65+	1687	16.8	208	2	4	13	22	34	47	79
GRAND TOTAL	**7885**	**14.4**	**204**	**1**	**2**	**10**	**19**	**33**	**46**	**89**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	18.6	359	2	3	14	23	39	54	99
20-34	811	11.5	91	2	2	9	15	24	30	43
35-49	608	10.9	93	1	2	8	14	23	28	53
50-64	298	11.3	80	1	2	9	15	22	27	49
65+	99	15.1	205	1	2	11	18	31	45	71
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	18.0		18	18	18	18	18	18	18
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	23.5	841	3	3	23	44	44	44	44
65+	1	37.0		37	37	37	37	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	22.9	521	1	2	14	32	66	83	99+
20-34	846	13.6	141	2	3	11	18	28	36	57
35-49	724	12.1	98	2	3	10	16	25	32	46
50-64	544	13.6	134	2	3	10	18	27	37	57
65+	392	16.0	124	3	5	13	22	30	35	54
B. *Operated*										
0-19 YRS	4	38.5	1286	11	11	27	64	89	89	89
20-34	26	19.5	359	2	4	12	25	49	86	99+
35-49	32	25.9	274	4	9	23	31	46	64	78
50-64	27	22.0	223	6	7	20	27	36	54	74
65+	28	27.3	463	6	7	20	32	64	71	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1915	11.8	113	1	2	9	15	24	31	54
B. *Operated*	7	15.1	340	1	1	3	32	43	44	44
2. MULTIPLE DX										
A. *Not Operated*	2633	14.0	149	2	3	11	18	29	38	64
B. *Operated*	117	24.4	358	5	7	20	31	49	72	97
1. SINGLE DX	1922	11.8	113	1	2	9	15	24	31	54
2. MULTIPLE DX	2750	14.4	162	2	3	11	19	29	39	68
A. NOT OPERATED	4548	13.1	135	2	3	10	17	27	35	61
B. OPERATED	124	23.8	359	3	6	20	31	48	69	96
TOTAL 0-19 YRS	231	21.3	466	2	3	14	28	58	75	99+
20-34	1684	12.7	122	2	3	10	17	27	33	53
35-49	1366	11.9	105	1	2	9	15	24	31	51
50-64	871	13.1	123	2	3	10	17	25	35	53
65+	520	16.5	164	3	4	13	22	31	39	66
GRAND TOTAL	**4672**	**13.3**	**144**	**2**	**3**	**10**	**17**	**28**	**36**	**64**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	7.5	53	<1	1	5	10	18	22	34
20-34	249	7.3	67	1	1	5	9	16	21	46
35-49	148	7.4	59	1	1	5	10	17	23	35
50-64	74	9.1	62	1	1	7	13	19	26	36
65+	87	8.1	68	1	1	6	10	18	22	46
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	22.0	722	3	3	22	41	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	13.5	182	1	2	9	19	35	50	75
20-34	399	9.2	85	1	1	7	12	20	26	45
35-49	225	8.8	109	1	2	6	11	18	25	56
50-64	231	9.0	81	1	2	7	11	19	28	45
65+	651	9.2	90	1	2	6	12	21	27	50
B. *Operated*										
0-19 YRS										
20-34	13	11.1	67	2	3	9	16	22	29	31
35-49	7	18.4	281	1	2	14	26	46	50	50
50-64	24	11.9	122	2	3	9	13	22	42	48
65+	60	15.2	177	2	3	10	20	37	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	620	7.7	63	1	1	5	10	17	22	36
B. *Operated*	8	8.1	179	<1	1	4	5	30	41	41
2. MULTIPLE DX										
A. *Not Operated*	1614	9.4	97	1	2	6	12	21	28	51
B. *Operated*	104	14.1	157	2	3	10	18	32	42	56
1. SINGLE DX	628	7.7	64	1	1	5	10	18	23	38
2. MULTIPLE DX	1718	9.7	102	1	2	7	12	21	29	51
A. NOT OPERATED	2234	8.9	88	1	1	6	12	20	27	50
B. OPERATED	112	13.7	159	2	3	9	18	33	42	55
TOTAL 0-19 YRS	172	11.2	142	1	1	7	16	27	41	57
20-34	664	8.5	79	1	1	6	11	18	24	45
35-49	381	8.4	94	1	1	6	10	18	26	48
50-64	329	9.2	80	1	2	7	12	19	28	45
65+	800	9.6	97	1	2	6	12	21	28	50
GRAND TOTAL	**2346**	**9.2**	**93**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	225	<1	<1	2	3	14	48	58
20-34	88	4.0	21	<1	1	2	4	11	15	22
35-49	72	4.5	27	1	1	3	6	10	12	31
50-64	44	4.4	26	<1	1	2	5	11	15	25
65+	22	3.5	9	1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	12.7	426	1	1	3	7	49	59	79
20-34	231	6.6	83	<1	1	3	8	17	30	51
35-49	283	6.1	69	<1	1	3	7	14	21	45
50-64	195	5.3	34	1	1	3	7	11	17	29
65+	208	5.0	39	1	1	3	5	11	17	38
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	4.6	20	<1	<1	4	7	12	12	12
35-49	10	5.0	33	1	1	3	6	14	20	20
50-64	8	7.0	52	3	3	4	8	19	24	24
65+	8	5.8	15	1	1	5	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.3	34	<1	1	2	5	10	15	26
B. *Operated*	9	5.7	56	<1	<1	2	6	19	23	23
2. MULTIPLE DX										
A. *Not Operated*	953	6.1	74	1	1	3	7	14	23	47
B. *Operated*	32	5.7	28	1	1	4	8	11	19	24
1. SINGLE DX	249	4.4	34	<1	1	2	5	10	15	25
2. MULTIPLE DX	985	6.0	72	1	1	3	7	14	22	46
A. NOT OPERATED	1193	5.7	66	1	1	3	6	13	21	45
B. OPERATED	41	5.7	33	<1	1	4	8	12	21	24
TOTAL 0-19 YRS	52	10.8	359	<1	1	3	7	46	58	79
20-34	328	5.8	66	<1	1	3	6	15	25	41
35-49	367	5.8	59	1	1	3	7	13	19	41
50-64	248	5.2	33	1	1	3	6	11	17	27
65+	239	4.9	37	1	1	3	5	11	17	34
GRAND TOTAL	**1234**	**5.7**	**65**	**1**	**1**	**3**	**6**	**13**	**21**	**44**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	15.7	296	1	2	8	23	45	59	99+
20-34	234	6.5	42	1	1	4	9	15	19	29
35-49	164	6.8	63	1	1	4	8	19	22	43
50-64	74	8.6	171	1	1	4	10	17	31	78
65+	40	7.7	48	<1	1	6	11	17	25	26
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	24.3	104	17	17	20	32	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	22.1	479	2	3	15	39	64	89	99+
20-34	663	8.8	107	1	1	5	11	21	28	55
35-49	514	8.5	80	1	1	5	11	20	28	45
50-64	315	9.3	84	1	2	6	13	20	27	46
65+	277	9.2	90	2	2	7	11	21	27	48
B. *Operated*										
0-19 YRS	5	40.6	469	3	3	49	54	56	56	56
20-34	23	13.6	198	1	1	13	20	22	40	67
35-49	20	21.2	247	3	6	16	29	46	54	57
50-64	22	13.2	166	2	2	10	16	31	45	54
65+	23	16.0	187	4	5	10	24	31	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	8.2	108	1	1	5	10	20	28	59
B. *Operated*	7	14.7	124	2	3	11	19	33	36	36
2. MULTIPLE DX										
A. *Not Operated*	2048	10.7	165	1	2	6	13	26	40	87
B. *Operated*	93	17.2	242	2	2	13	21	41	54	65
1. SINGLE DX	601	8.3	108	1	1	5	10	20	28	59
2. MULTIPLE DX	2141	11.0	170	1	2	7	13	27	41	84
A. NOT OPERATED	2642	10.1	153	1	1	6	12	25	38	81
B. OPERATED	100	17.0	233	2	2	12	21	40	53	64
TOTAL 0-19 YRS	366	20.9	448	2	3	13	35	56	86	99+
20-34	921	8.4	94	1	1	5	11	20	26	51
35-49	700	8.5	85	1	1	5	11	21	28	47
50-64	412	9.3	104	1	2	6	13	20	29	52
65+	343	9.6	96	1	2	7	12	21	29	51
GRAND TOTAL	**2742**	**10.4**	**158**	**1**	**1**	**6**	**13**	**26**	**39**	**79**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	7.9	196	<1	<1	3	7	27	53	88
20-34	208	5.6	72	<1	1	3	6	13	21	63
35-49	105	5.0	32	<1	<1	3	7	13	17	27
50-64	36	7.0	92	<1	1	3	8	17	23	52
65+	25	5.4	48	<1	1	4	5	10	23	32
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	56	7.5	8	2	3	9	9	9	9	16
35-49	29	6.3	12	1	2	9	9	9	10	11
50-64	26	4.3	11	1	1	3	9	9	10	11
65+	6	3.3	7	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	15.6	412	<1	1	7	22	53	69	99+
20-34	754	7.6	115	1	1	4	8	17	29	64
35-49	366	8.3	120	1	1	4	10	21	31	64
50-64	162	5.7	33	1	1	4	7	13	17	30
65+	139	7.4	54	1	2	5	9	18	23	34
B. *Operated*										
0-19 YRS	15	9.8	100	<1	<1	5	18	28	29	29
20-34	53	10.8	160	1	2	7	11	24	39	67
35-49	47	11.3	119	1	2	9	13	24	36	53
50-64	27	9.3	367	1	1	4	6	9	71	81
65+	16	6.3	17	1	2	5	10	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	6.0	88	<1	1	3	7	14	22	64
B. *Operated*	119	6.3	11	1	2	9	9	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	1625	8.6	147	1	1	4	9	21	34	71
B. *Operated*	158	10.1	161	1	1	7	10	22	32	69
1. SINGLE DX	583	6.1	72	<1	1	3	9	12	20	60
2. MULTIPLE DX	1783	8.7	148	1	1	4	10	21	34	71
A. NOT OPERATED	2089	8.0	135	<1	1	4	9	20	32	70
B. OPERATED	277	8.5	100	1	2	7	9	14	25	64
TOTAL 0-19 YRS	311	13.0	344	<1	1	5	18	43	64	99+
20-34	1071	7.4	104	1	1	4	9	16	25	64
35-49	547	7.8	100	<1	1	4	9	18	27	60
50-64	251	6.1	75	1	1	4	7	12	18	52
65+	186	6.9	49	1	1	4	8	16	23	34
GRAND TOTAL	**2366**	**8.0**	**131**	**1**	**1**	**4**	**9**	**19**	**31**	**69**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	13.8	401	<1	<1	2	36	46	58	99+
20-34	360	10.3	114	<1	1	4	21	28	30	35
35-49	419	10.5	110	1	1	4	21	28	30	31
50-64	216	8.1	84	1	1	4	9	24	29	31
65+	49	7.6	62	1	1	4	9	21	22	35
B. *Operated*										
0-19 YRS	5	36.6	401	1	1	45	46	49	49	49
20-34	25	18.1	129	1	1	21	26	31	34	36
35-49	23	18.3	96	3	4	21	24	29	33	38
50-64	10	22.7	74	6	11	21	31	34	35	35
65+	5	10.4	111	1	1	7	17	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	30.7	403	1	3	30	45	56	68	95
20-34	2366	16.0	133	1	2	20	27	30	31	40
35-49	2703	14.5	131	1	2	13	24	30	31	40
50-64	2000	13.4	123	1	2	8	23	29	31	40
65+	1193	12.2	90	2	2	8	21	24	28	35
B. *Operated*										
0-19 YRS	27	39.3	209	6	22	45	47	55	60	61
20-34	111	19.8	126	1	2	22	29	31	33	44
35-49	114	18.3	192	1	2	21	28	31	36	80
50-64	108	20.8	154	3	4	22	28	33	43	59
65+	66	17.6	115	1	3	20	23	29	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1094	10.0	118	<1	1	4	21	28	30	37
B. *Operated*	68	19.7	149	1	3	21	27	35	43	48
2. MULTIPLE DX										
A. *Not Operated*	8629	15.0	148	1	2	13	24	30	32	48
B. *Operated*	426	20.6	178	2	3	21	29	34	45	60
1. SINGLE DX	1162	10.5	125	1	1	4	21	28	30	40
2. MULTIPLE DX	9055	15.3	150	1	2	14	25	30	33	49
A. NOT OPERATED	9723	14.5	147	1	2	11	24	30	32	47
B. OPERATED	494	20.4	174	1	3	21	28	34	45	60
TOTAL 0-19 YRS	449	29.4	424	<1	1	30	45	55	65	95
20-34	2862	15.5	134	1	2	17	26	30	31	40
35-49	3259	14.2	132	1	2	11	24	30	31	40
50-64	2334	13.3	126	1	2	8	23	29	31	41
65+	1313	12.3	92	2	2	8	21	25	28	36
GRAND TOTAL	**10217**	**14.8**	**150**	**1**	**2**	**13**	**24**	**30**	**32**	**48**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	54	11.5	113	1	2	6	20	30	30	31
35-49	14	16.2	179	1	2	15	28	35	39	40
50-64	4	5.8	1	5	5	6	6	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.1	103	3	3	21	27	28	28	28
20-34	233	15.1	121	1	3	12	26	30	32	37
35-49	103	16.2	141	2	3	12	27	32	35	45
50-64	26	15.7	107	1	2	15	27	29	30	30
65+	24	14.1	85	3	4	12	22	28	31	32
B. *Operated*										
0-19 YRS										
20-34	6	17.2	51	8	9	16	20	28	29	29
35-49	3	14.0	364	2	2	4	28	36	36	36
50-64	2	18.5	113	11	11	18	26	26	26	26
65+	3	10.7	46	3	3	13	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	12.1	123	1	2	6	21	30	30	39
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	395	15.5	122	2	3	13	26	30	33	40
B. *Operated*	14	15.3	100	2	3	14	20	30	35	36
1. SINGLE DX	72	12.1	123	1	2	6	21	30	30	39
2. MULTIPLE DX	409	15.5	121	2	3	13	26	30	33	40
A. NOT OPERATED	467	15.0	124	2	2	11	26	30	32	40
B. OPERATED	14	15.3	100	2	3	14	20	30	35	36
TOTAL 0-19 YRS	9	19.1	103	3	3	21	27	28	28	28
20-34	293	14.5	119	1	2	11	25	30	32	36
35-49	120	16.1	147	2	3	12	27	33	36	44
50-64	32	14.6	102	2	3	12	25	29	30	30
65+	27	13.7	80	3	3	12	21	27	31	32
GRAND TOTAL	**481**	**15.0**	**123**	**2**	**2**	**12**	**26**	**30**	**32**	**40**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	24.7	625	1	2	20	44	70	94	99+
20-34	108	12.8	147	1	2	6	24	30	32	44
35-49	25	13.2	188	1	1	5	22	36	39	42
50-64	3	18.3	108	10	10	15	26	30	30	30
65+	3	12.3	89	5	5	9	19	23	23	23
B. *Operated*										
0-19 YRS										
20-34	3	15.0	148	1	1	21	22	23	23	23
35-49	1	27.0		27	27	27	27	27	27	27
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	32.3	392	3	6	30	46	60	72	99+
20-34	566	19.2	139	2	3	22	28	31	36	46
35-49	176	17.7	145	1	2	21	28	31	35	45
50-64	59	15.9	145	1	2	13	25	33	40	45
65+	30	19.1	80	3	4	21	27	29	30	32
B. *Operated*										
0-19 YRS	14	44.3	370	7	15	46	55	68	73	74
20-34	24	22.3	63	7	10	22	29	31	33	34
35-49	9	23.2	163	3	7	[illegible]	30	42	45	45
50-64	3	23.0	211	8	8	[illegible]	34	37	37	37
65+	2	17.0	338	4	4	[illegible]	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	15.0	248	1	2	7	28	36	44	93
B. *Operated*	5	15.4	135	1	1	21	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	1091	21.9	233	2	3	22	30	41	50	76
B. *Operated*	52	28.2	262	4	9	26	35	50	62	74
1. SINGLE DX	173	15.0	244	1	2	7	27	35	44	93
2. MULTIPLE DX	1143	22.2	236	2	3	22	30	42	51	75
A. NOT OPERATED	1259	21.0	241	2	3	21	30	40	50	78
B. OPERATED	57	27.1	261	4	6	25	32	48	60	74
TOTAL 0-19 YRS	303	32.1	423	3	5	30	46	62	73	99+
20-34	701	18.3	143	1	3	21	28	31	35	45
35-49	211	17.4	153	1	2	20	28	32	37	45
50-64	66	16.2	144	2	3	13	25	35	39	45
65+	35	18.4	87	3	4	21	27	29	30	32
GRAND TOTAL	**1316**	**21.2**	**243**	**2**	**3**	**21**	**30**	**41**	**50**	**77**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	1.4	8	<1	<1	1	1	1	2	8
20-34	64	2.0	11	<1	<1	1	2	3	7	22
35-49	30	1.6	1	<1	<1	1	2	3	4	4
50-64	18	2.1	2	<1	<1	1	3	4	5	6
65+	10	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	11.9	394	<1	<1	1	13	46	58	72
20-34	192	3.2	30	<1	<1	1	3	6	15	29
35-49	114	4.7	50	<1	<1	2	4	11	25	31
50-64	68	3.5	12	1	1	3	5	8	9	21
65+	43	4.2	33	<1	1	2	6	8	12	35
B. *Operated*										
0-19 YRS	5	10.6	461	<1	<1	<1	13	49	49	49
20-34	10	3.8	56	<1	<1	1	3	14	25	25
35-49	8	5.0	45	<1	<1	3	5	16	21	21
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	3	8.7	114	2	2	3	16	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	1.6	7	<1	<1	1	1	2	4	11
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	578	6.0	146	<1	<1	2	4	16	32	64
B. *Operated*	28	5.8	115	<1	<1	1	4	21	27	49
1. SINGLE DX	272	1.6	7	<1	<1	1	1	2	4	11
2. MULTIPLE DX	606	6.0	145	<1	<1	2	4	18	32	62
A. NOT OPERATED	848	4.6	106	<1	<1	1	3	8	28	57
B. OPERATED	30	5.5	108	<1	<1	1	3	21	25	49
TOTAL 0-19 YRS	314	6.9	238	<1	<1	1	1	28	48	70
20-34	268	2.9	27	<1	<1	1	2	5	10	28
35-49	152	4.1	41	<1	<1	2	4	9	22	30
50-64	88	3.2	10	<1	1	2	4	7	8	18
65+	56	3.9	32	<1	1	2	4	8	14	34
GRAND TOTAL	**878**	**4.7**	**106**	**<1**	**<1**	**1**	**3**	**8**	**27**	**57**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	18.3	536	<1	<1	5	36	48	59	93
20-34	65	9.0	119	<1	1	3	12	29	31	35
35-49	20	6.8	66	<1	<1	4	6	21	27	28
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	31.9	480	1	2	33	47	59	71	88
20-34	339	13.5	138	1	1	9	24	29	30	41
35-49	89	12.7	122	1	2	7	21	30	30	38
50-64	20	12.3	159	1	1	7	19	26	41	52
65+	26	8.7	83	1	1	5	14	21	31	31
B. *Operated*										
0-19 YRS	11	36.1	585	6	7	32	63	78	97	99+
20-34	9	21.4	169	5	5	27	29	36	41	41
35-49	2	21.5	145	13	13	21	30	30	30	30
50-64	2	14.0	128	6	6	14	22	22	22	22
65+	2	21.0	72	15	15	21	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	11.0	235	<1	1	3	14	34	37	70
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	726	19.6	334	1	1	17	30	45	56	80
B. *Operated*	26	27.0	368	5	6	27	33	64	74	99+
1. SINGLE DX	121	11.0	233	<1	1	3	14	34	37	70
2. MULTIPLE DX	752	19.8	336	1	1	17	30	45	57	82
A. NOT OPERATED	846	18.4	328	1	1	13	29	44	55	80
B. OPERATED	27	26.2	374	5	5	27	32	64	72	99+
TOTAL 0-19 YRS	295	30.6	506	1	1	32	46	60	71	96
20-34	413	12.9	139	1	1	7	24	29	31	41
35-49	111	11.8	117	1	1	6	21	30	30	36
50-64	25	11.7	137	1	2	7	18	23	35	52
65+	29	9.3	89	1	1	5	15	25	31	31
GRAND TOTAL	**873**	**18.6**	**331**	**1**	**1**	**13**	**29**	**44**	**56**	**81**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	7	<1	1	2	3	5	9	11
20-34	33	2.6	6	<1	1	2	3	5	9	11
35-49	20	2.4	1	1	1	2	3	4	4	5
50-64	16	4.5	15	<1	1	3	6	12	12	12
65+	8	2.3	3	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	3	5.0	16	1	1	5	8	9	9	9
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49										
50-64	4	6.3	9	2	2	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.3	36	<1	1	2	4	14	20	26
20-34	89	4.2	18	1	1	3	5	9	11	26
35-49	99	5.0	115	1	1	3	4	8	15	74
50-64	70	4.2	29	1	1	3	5	9	11	36
65+	87	3.5	6	1	1	3	5	6	8	14
B. *Operated*										
0-19 YRS	5	8.2	40	<1	<1	6	13	17	17	17
20-34	12	5.6	21	2	2	3	9	13	14	14
35-49	8	4.4	14	2	2	3	5	11	13	13
50-64	6	9.3	115	2	2	6	10	28	30	30
65+	10	8.9	53	2	2	6	15	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.9	7	1	1	2	3	5	11	12
B. *Operated*	11	4.5	9	<1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	384	4.3	44	1	1	3	5	8	12	27
B. *Operated*	41	7.0	42	2	2	5	10	15	21	30
1. SINGLE DX	103	3.1	7	<1	1	2	4	7	10	12
2. MULTIPLE DX	425	4.5	44	1	1	3	5	9	14	28
A. NOT OPERATED	476	4.0	37	1	1	3	4	8	11	25
B. OPERATED	52	6.5	36	1	2	4	9	14	17	30
TOTAL 0-19 YRS	62	4.3	29	<1	1	2	5	12	16	26
20-34	138	3.9	16	1	1	3	5	9	11	23
35-49	127	4.5	91	1	1	3	4	8	13	66
50-64	96	4.6	31	1	1	3	5	10	12	36
65+	105	3.9	13	1	1	3	5	7	11	20
GRAND TOTAL	**528**	**4.2**	**37**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	7.4	107	<1	1	4	9	16	28	45
20-34	409	4.0	25	<1	1	3	4	8	13	27
35-49	248	4.1	29	<1	1	3	5	8	13	24
50-64	86	4.8	34	1	1	3	6	10	14	36
65+	45	5.6	27	1	1	4	7	12	14	30
B. *Operated*										
0-19 YRS	4	23.8	436	1	1	23	40	48	48	48
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	568	14.7	314	1	1	6	21	46	52	76
20-34	1166	5.3	52	1	1	3	6	11	17	34
35-49	721	5.0	34	1	1	3	6	11	15	29
50-64	261	5.4	42	1	1	4	6	10	17	37
65+	190	6.1	30	1	2	4	8	13	18	33
B. *Operated*										
0-19 YRS	20	18.6	829	<1	1	5	16	70	89	98
20-34	67	7.8	161	1	1	4	8	16	24	81
35-49	21	8.8	70	1	1	8	12	16	27	38
50-64	9	8.2	43	1	1	4	14	17	18	18
65+	17	11.4	74	3	4	7	17	23	29	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	4.9	47	<1	1	3	6	10	16	39
B. *Operated*	11	10.7	240	1	1	4	11	39	47	48
2. MULTIPLE DX										
A. *Not Operated*	2906	7.1	110	1	1	4	7	16	30	56
B. *Operated*	134	10.0	235	1	1	5	11	19	37	89
1. SINGLE DX	1027	5.0	49	<1	1	3	6	10	16	40
2. MULTIPLE DX	3040	7.3	116	1	1	4	8	17	30	59
A. NOT OPERATED	3922	6.6	95	1	1	3	7	14	25	51
B. OPERATED	145	10.1	234	1	1	5	11	20	40	88
TOTAL 0-19 YRS	820	12.8	280	1	1	5	15	42	50	77
20-34	1644	5.1	50	<1	1	3	6	11	17	34
35-49	992	4.9	34	<1	1	3	6	11	15	29
50-64	357	5.3	40	1	1	4	6	10	16	37
65+	254	6.4	33	1	2	5	8	14	20	32
GRAND TOTAL	**4067**	**6.7**	**100**	**1**	**1**	**3**	**7**	**15**	**26**	**52**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	22.0	458	1	1	13	41	53	61	98
20-34	217	11.8	312	1	1	4	13	40	57	99+
35-49	112	7.0	76	1	1	4	8	15	23	45
50-64	48	8.5	190	1	1	3	9	18	41	68
65+	38	8.1	102	1	1	5	9	17	36	46
B. *Operated*										
0-19 YRS	6	13.0	93	<1	<1	13	21	25	26	26
20-34	3	1.0		1	1	1	1	1	1	1
35-49	4	11.5	338	1	1	3	21	39	39	39
50-64	5	10.2	198	2	2	4	15	35	35	35
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	897	26.7	517	1	2	24	45	62	85	99+
20-34	715	10.8	234	1	1	5	11	29	45	89
35-49	457	10.1	189	1	1	5	11	26	37	74
50-64	269	9.2	152	1	1	5	10	21	39	65
65+	313	7.2	44	1	2	5	9	14	21	33
B. *Operated*										
0-19 YRS	23	34.3	628	<1	1	34	54	65	73	87
20-34	32	13.8	198	<1	2	9	28	96	99+	99+
35-49	38	13.0	260	1	2	7	17	42	65	99+
50-64	21	17.0	416	3	3	11	15	46	73	80
65+	27	9.4	47	2	2	7	13	18	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	15.7	371	1	1	6	23	48	56	92
B. *Operated*	19	9.5	146	<1	1	4	14	31	37	39
2. MULTIPLE DX										
A. *Not Operated*	2651	15.5	356	1	2	7	22	46	61	99+
B. *Operated*	141	16.6	346	1	2	10	27	56	74	99+
1. SINGLE DX	818	15.5	366	1	1	6	23	47	56	91
2. MULTIPLE DX	2792	15.5	356	1	2	7	23	47	62	99+
A. NOT OPERATED	3450	15.5	360	1	2	7	23	47	60	99+
B. OPERATED	160	15.7	327	1	2	9	24	54	69	99+
TOTAL 0-19 YRS	1310	25.4	505	1	2	21	44	59	76	99+
20-34	967	11.1	250	1	1	5	13	33	50	99+
35-49	611	9.7	174	1	1	5	11	24	35	74
50-64	343	9.6	175	1	1	5	11	22	40	68
65+	379	7.4	50	1	2	5	9	15	23	34
GRAND TOTAL	**3610**	**15.5**	**358**	**1**	**2**	**7**	**23**	**47**	**60**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	3	4.0	7	1	1	5	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.4	232	<1	1	3	23	45	86	99+
20-34	19	5.7	28	1	1	4	6	10	18	25
35-49	6	16.5	115	1	2	18	26	28	28	28
50-64	6	9.2	66	1	1	8	17	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.7	15	1	1	6	10	12	12	12
B. *Operated*	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	46	9.0	111	1	1	5	12	27	40	99+
B. *Operated*	7	5.1	6	1	1	6	7	8	8	8
1. SINGLE DX	8	5.9	13	1	2	5	8	11	12	12
2. MULTIPLE DX	53	8.5	99	1	1	5	10	26	37	98
A. NOT OPERATED	52	8.7	100	1	1	5	11	26	37	98
B. OPERATED	9	4.8	5	1	2	4	7	8	8	8
TOTAL 0-19 YRS	20	8.9	169	<1	1	3	11	41	70	99+
20-34	24	5.5	23	1	1	5	6	9	14	25
35-49	8	14.0	103	1	2	12	23	27	28	28
50-64	7	9.0	55	1	1	8	16	19	19	19
65+	2	6.5	1	6	6	6	7	7	7	7
GRAND TOTAL	**61**	**8.1**	**88**	**1**	**1**	**5**	**10**	**25**	**33**	**93**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	10.1	18	2	4	10	12	15	16	26
20-34	45	5.5	16	1	1	5	9	11	13	15
35-49	22	4.7	14	<1	1	3	8	11	12	13
50-64	12	6.6	37	3	3	5	7	14	23	25
65+	8	6.9	17	<1	1	7	10	12	13	13
B. *Operated*										
0-19 YRS	30	8.6	19	1	1	10	11	13	16	16
20-34	24	5.3	20	1	1	3	7	13	14	14
35-49	22	5.3	57	<1	1	2	7	12	24	34
50-64	16	2.9	4	1	1	2	4	6	7	8
65+	5	11.8	113	2	2	11	19	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	11.1	23	2	6	11	13	15	17	27
20-34	57	7.8	39	1	2	6	11	17	19	28
35-49	58	10.2	82	1	2	8	13	20	27	49
50-64	64	11.1	87	2	3	9	14	22	26	56
65+	61	14.2	137	3	4	13	17	29	47	95
B. *Operated*										
0-19 YRS	85	17.0	197	4	7	12	18	33	47	80
20-34	47	14.3	179	1	1	11	21	38	44	58
35-49	79	15.3	271	1	2	10	21	33	49	82
50-64	66	17.0	226	1	1	13	26	38	48	95
65+	46	21.1	338	2	2	16	27	45	62	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	9.0	22	1	2	10	11	14	15	25
B. *Operated*	97	6.2	34	1	1	4	10	13	16	31
2. MULTIPLE DX										
A. *Not Operated*	620	11.0	49	2	3	11	14	17	22	43
B. *Operated*	323	16.8	240	1	2	12	22	38	46	85
1. SINGLE DX	465	8.4	26	1	2	10	11	14	15	26
2. MULTIPLE DX	943	13.0	122	1	3	11	15	24	33	62
A. NOT OPERATED	988	10.3	40	2	3	10	12	16	19	35
B. OPERATED	420	14.3	212	1	1	11	17	32	44	77
TOTAL 0-19 YRS	776	11.3	44	2	4	11	13	16	19	39
20-34	173	8.6	81	1	1	6	12	19	25	45
35-49	181	11.1	169	1	1	7	14	29	35	67
50-64	158	12.4	153	1	1	9	17	30	38	69
65+	120	16.2	220	2	3	13	19	36	51	89
GRAND TOTAL	**1408**	**11.5**	**95**	**1**	**2**	**10**	**14**	**19**	**29**	**58**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	3	9.0	97	1	1	6	16	20	20	20
50-64	25	6.2	16	2	3	5	7	12	16	19
65+	39	6.1	17	1	1	6	8	10	15	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	6	7.0	27	2	2	6	7	16	17	17
50-64	69	8.5	39	1	2	6	11	17	21	32
65+	570	7.9	41	2	3	6	10	15	18	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	14.0	291	1	1	10	15	43	54	54
65+	57	17.0	187	3	4	12	25	40	50	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.3	19	1	2	6	8	12	16	21
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	650	8.0	41	2	3	6	10	15	19	35
B. *Operated*	66	16.4	197	2	4	12	23	40	51	93
1. SINGLE DX	69	6.2	19	1	2	6	7	12	16	21
2. MULTIPLE DX	716	8.7	61	2	3	7	10	16	24	44
A. NOT OPERATED	718	7.8	39	2	2	6	10	15	19	35
B. OPERATED	67	16.2	197	1	3	11	23	40	51	92
TOTAL 0-19 YRS	4	7.3	11	4	4	7	10	11	11	11
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	11	6.5	41	1	1	6	7	18	20	20
50-64	102	8.3	54	2	2	6	11	15	20	43
65+	666	8.6	59	2	3	7	10	16	24	43
GRAND TOTAL	**785**	**8.5**	**58**	**2**	**3**	**6**	**10**	**16**	**23**	**43**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	24	2	2	3	9	11	11	11
20-34	83	6.1	39	<1	1	4	9	15	20	27
35-49	101	7.1	34	1	1	5	10	16	18	24
50-64	49	7.4	28	1	2	6	11	17	20	99+
65+	8	6.8	34	1	1	4	11	15	17	17
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.1	7	1	1	2	4	7	9	11
35-49	29	2.8	5	1	1	2	4	6	7	10
50-64	8	5.5	42	1	1	2	9	16	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	21	<1	<1	6	10	12	12	12
20-34	118	8.7	53	1	2	7	11	18	26	34
35-49	204	11.0	137	1	2	8	14	21	29	69
50-64	117	9.0	45	1	2	8	12	17	23	33
65+	34	8.0	27	1	3	7	12	15	17	23
B. *Operated*										
0-19 YRS	2	17.0	338	4	4	17	30	30	30	30
20-34	27	8.3	192	1	1	4	9	17	34	71
35-49	45	13.8	296	1	2	9	19	35	71	99+
50-64	38	10.4	50	1	3	10	14	17	20	39
65+	10	14.4	40	3	5	14	20	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	6.8	34	1	1	5	10	16	19	25
B. *Operated*	59	3.2	11	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	482	9.7	85	1	2	8	12	19	25	54
B. *Operated*	122	11.6	176	1	2	9	15	25	37	91
1. SINGLE DX	303	6.1	32	1	1	4	9	15	18	24
2. MULTIPLE DX	604	10.1	104	1	2	8	13	20	27	66
A. NOT OPERATED	726	8.7	70	1	1	7	12	17	23	39
B. OPERATED	181	8.9	137	1	1	5	11	20	29	83
TOTAL 0-19 YRS	15	6.9	58	<1	1	4	11	12	25	30
20-34	249	7.3	62	1	1	5	10	16	22	30
35-49	379	9.7	126	1	1	7	13	20	28	71
50-64	212	8.8	43	1	2	8	12	17	21	38
65+	52	9.1	37	1	2	8	13	17	22	23
GRAND TOTAL	**907**	**8.7**	**83**	**1**	**1**	**6**	**12**	**18**	**24**	**62**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	2.2	5	<1	1	2	3	4	5	10
20-34	247	2.0	2	<1	1	2	2	4	5	8
35-49	121	2.1	3	<1	1	2	2	4	4	10
50-64	65	2.9	3	1	1	3	4	5	7	9
65+	60	3.2	12	<1	1	2	3	6	8	20
B. *Operated*										
0-19 YRS	10	8.2	184	1	1	5	7	27	46	46
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	7	3.7	24	<1	<1	1	5	12	14	14
50-64	5	2.8		2	2	3	3	3	3	3
65+	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	3.3	24	1	1	2	3	6	10	23
20-34	526	3.7	18	1	1	2	4	7	12	20
35-49	421	3.9	16	1	1	3	4	8	10	23
50-64	486	4.9	41	1	1	3	6	9	14	29
65+	813	5.8	27	1	2	4	7	12	17	26
B. *Operated*										
0-19 YRS	30	9.0	155	<1	1	3	8	29	33	52
20-34	54	8.8	113	1	1	4	12	24	26	59
35-49	43	7.1	136	1	1	3	7	12	25	66
50-64	63	10.4	173	1	2	6	11	21	39	71
65+	84	11.5	134	2	2	9	15	31	39	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	2.3	4	<1	1	2	3	4	5	10
B. *Operated*	28	5.1	72	1	1	3	5	8	17	46
2. MULTIPLE DX										
A. *Not Operated*	2837	4.4	27	1	1	3	5	9	13	25
B. *Operated*	274	9.8	142	1	2	6	12	24	35	64
1. SINGLE DX	885	2.3	7	<1	1	2	3	4	6	11
2. MULTIPLE DX	3111	4.9	39	1	1	3	6	10	16	30
A. NOT OPERATED	3694	3.9	22	1	1	3	5	8	12	22
B. OPERATED	302	9.3	137	1	1	5	11	23	34	63
TOTAL 0-19 YRS	995	3.1	24	1	1	2	3	6	8	26
20-34	830	3.5	22	1	1	2	4	7	11	24
35-49	592	3.8	23	1	1	2	4	7	10	24
50-64	619	5.2	53	1	1	3	6	10	15	34
65+	960	6.1	39	1	1	4	7	13	18	35
GRAND TOTAL	**3996**	**4.3**	**33**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.1	16	<1	1	2	4	6	8	62
20-34	147	4.2	18	1	1	3	5	9	12	25
35-49	113	3.9	12	1	1	3	5	9	12	15
50-64	81	4.4	16	1	1	3	6	11	13	16
65+	144	5.4	17	1	1	4	7	12	13	21
B. *Operated*										
0-19 YRS	109	3.9	12	1	1	3	5	8	10	20
20-34	153	5.0	49	1	1	3	6	9	13	53
35-49	148	4.2	20	1	1	3	5	9	12	25
50-64	92	4.4	26	1	1	2	5	12	16	24
65+	115	5.7	31	1	1	4	8	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	6.9	130	<1	1	3	6	19	38	99+
20-34	307	6.6	83	1	1	3	7	15	27	51
35-49	358	7.6	122	1	1	4	8	17	28	68
50-64	485	8.7	95	1	2	5	11	19	29	53
65+	1729	10.0	99	2	2	7	13	23	33	54
B. *Operated*										
0-19 YRS	245	7.8	132	1	1	4	8	20	31	83
20-34	264	9.8	182	1	1	5	13	26	44	99+
35-49	312	9.9	165	1	1	6	13	21	33	75
50-64	372	10.8	143	1	2	7	13	26	41	76
65+	680	12.2	118	2	2	9	16	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	4.3	17	1	1	3	5	9	12	22
B. *Operated*	617	4.7	29	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3126	8.9	104	1	2	5	11	21	32	59
B. *Operated*	1873	10.6	143	1	2	7	14	25	36	78
1. SINGLE DX	1211	4.5	23	1	1	3	6	10	13	24
2. MULTIPLE DX	4999	9.6	119	1	2	6	12	23	33	68
A. NOT OPERATED	3720	8.2	93	1	1	5	10	19	29	56
B. OPERATED	2490	9.1	122	1	1	6	11	22	31	70
TOTAL 0-19 YRS	710	6.2	98	1	1	3	6	15	25	90
20-34	871	6.9	100	1	1	4	7	16	26	56
35-49	931	7.4	112	1	1	4	9	16	25	68
50-64	1030	8.7	104	1	1	5	11	19	31	58
65+	2668	10.1	100	1	2	7	13	23	32	56
GRAND TOTAL	**6210**	**8.6**	**104**	**1**	**1**	**5**	**10**	**21**	**30**	**60**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	1.6	1	<1	1	1	2	3	4	6
20-34	261	2.7	4	1	1	2	3	5	7	10
35-49	197	3.0	6	1	1	2	4	6	8	11
50-64	69	3.0	8	<1	1	2	3	6	8	18
65+	17	2.8	5	1	1	2	3	5	8	10
B. *Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	25	3.0	11	1	1	2	3	6	9	17
35-49	22	2.8	4	1	1	2	3	5	8	8
50-64	12	1.6		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.1	2	1	1	2	3	4	5	9
20-34	353	3.7	15	1	1	3	4	7	10	21
35-49	311	4.0	13	1	1	3	5	7	10	17
50-64	213	3.6	13	1	1	3	4	7	8	20
65+	83	3.7	8	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	8	8.3	315	1	1	2	4	38	52	52
20-34	30	6.1	36	1	1	4	7	12	22	27
35-49	37	5.2	30	2	2	3	6	11	16	30
50-64	41	4.4	9	1	2	4	5	8	9	17
65+	11	4.0	7	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	2.7	5	<1	1	2	3	5	7	11
B. *Operated*	66	2.6	6	1	1	2	3	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	1030	3.7	13	1	1	3	4	7	9	16
B. *Operated*	127	5.2	39	1	2	3	6	9	15	35
1. SINGLE DX	709	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1157	3.9	16	1	1	3	5	7	10	21
A. NOT OPERATED	1673	3.3	10	1	1	2	4	6	8	15
B. OPERATED	19[illegible]	4.3	29	1	1	3	5	7	12	29
TOTAL 0-19 YRS	184	2.1	15	<1	1	1	2	4	5	8
20-34	669	3.4	12	1	1	2	4	7	9	17
35-49	567	3.7	12	1	1	3	5	7	9	17
50-64	335	3.5	11	1	1	3	4	7	8	17
65+	111	3.6	7	1	1	3	5	7	9	14
GRAND TOTAL	**1866**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.3		<1	<1	1	1	2	3	3
20-34	396	1.4	1	<1	<1	1	2	2	3	4
35-49	513	1.4	1	<1	<1	1	2	2	3	6
50-64	505	1.5	1	<1	<1	1	2	2	3	5
65+	339	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	9	3.7	28	<1	<1	1	4	13	17	17
50-64	22	2.1	2	<1	<1	2	3	4	5	5
65+	20	3.4	10	1	1	3	4	6	11	15
B. *Operated*										
0-19 YRS	13	1.2		<1	<1	1	1	2	2	2
20-34	154	1.9	2	<1	<1	1	2	3	5	10
35-49	249	1.9	2	<1	<1	1	2	4	5	8
50-64	333	2.1	2	<1	<1	2	2	4	5	8
65+	398	2.6	15	<1	<1	2	3	4	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.1	5	<1	<1	2	5	6	8	8
B. *Operated*	1763	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	54	2.8	9	<1	<1	2	3	5	7	17
B. *Operated*	1147	2.2	7	<1	<1	2	2	4	6	9
1. SINGLE DX	1774	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1201	2.2	7	<1	<1	2	2	4	6	10
A. NOT OPERATED	65	2.9	8	<1	<1	2	4	5	7	17
B. OPERATED	2910	1.8	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	23	1.2		<1	<1	1	1	2	3	3
20-34	555	1.5	1	<1	<1	1	2	3	3	6
35-49	774	1.6	2	<1	<1	1	2	3	4	7
50-64	864	1.7	2	<1	<1	1	2	3	4	7
65+	759	2.2	9	<1	<1	2	2	3	5	11
GRAND TOTAL	**2975**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	6.0	76	<1	1	3	7	14	20	53
20-34	92	5.0	26	<1	1	3	6	12	15	26
35-49	119	4.5	18	<1	1	3	6	10	12	21
50-64	100	6.1	65	<1	1	3	6	15	24	75
65+	63	4.7	30	<1	1	3	6	9	18	28
B. *Operated*										
0-19 YRS	66	2.8	13	<1	1	2	3	5	9	21
20-34	510	3.1	9	<1	<1	2	4	6	8	14
35-49	642	2.6	5	<1	1	2	3	5	7	12
50-64	471	2.5	5	<1	<1	2	3	5	7	11
65+	215	2.6	6	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.2	186	1	1	3	7	21	38	70
20-34	138	7.0	105	<1	1	3	8	16	30	64
35-49	189	5.4	17	<1	1	4	7	11	14	20
50-64	302	8.0	166	1	1	4	7	15	33	78
65+	478	6.7	50	1	2	5	8	13	19	43
B. *Operated*										
0-19 YRS	68	4.9	73	<1	1	3	5	9	15	93
20-34	468	4.6	23	1	1	3	6	9	11	29
35-49	519	4.7	28	1	1	3	6	9	12	23
50-64	483	5.9	82	1	1	3	6	12	19	57
65+	406	7.3	113	1	1	4	8	17	25	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	5.2	40	<1	1	3	6	11	17	33
B. *Operated*	1904	2.7	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1143	6.9	87	1	1	4	8	13	21	60
B. *Operated*	1944	5.5	61	1	1	3	6	11	17	57
1. SINGLE DX	2329	3.2	14	<1	<1	2	4	6	9	20
2. MULTIPLE DX	3087	6.0	71	1	1	4	7	12	19	59
A. NOT OPERATED	1568	6.5	74	1	1	4	7	13	20	52
B. OPERATED	3848	4.1	36	<1	1	3	5	8	12	33
TOTAL 0-19 YRS	221	5.1	76	<1	1	2	5	10	19	64
20-34	1208	4.3	28	<1	1	3	5	8	12	30
35-49	1469	3.9	17	<1	1	3	5	8	11	20
50-64	1356	5.2	77	<1	1	3	5	10	16	54
65+	1162	6.0	66	1	1	4	7	13	19	51
GRAND TOTAL	**5416**	**4.8**	**48**	**<1**	**1**	**3**	**5**	**10**	**14**	**40**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	46	3.5	4	1	1	3	5	6	7	9
20-34	149	3.6	7	1	1	3	4	7	8	14
35-49	157	3.5	4	1	1	3	5	6	8	9
50-64	397	3.6	3	1	2	3	4	6	6	10
65+	339	3.5	3	1	2	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	6	2.0	1	1	1	2	2	4	4	4
50-64	11	2.7	4	<1	<1	2	4	6	6	6
65+	7	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	43	3.9	4	1	1	4	5	7	8	9
20-34	153	4.6	7	1	2	4	6	7	9	15
35-49	184	4.5	5	1	2	4	6	7	9	12
50-64	559	4.3	5	1	2	4	5	7	8	11
65+	846	4.6	13	2	2	4	6	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	<1	1	2	2	2
B. *Operated*	1088	3.6	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	30	2.1	2	<1	<1	1	3	4	6	6
B. *Operated*	1785	4.5	9	1	2	4	6	7	9	13
1. SINGLE DX	1092	3.6	4	1	2	3	4	6	7	9
2. MULTIPLE DX	1815	4.4	9	1	2	4	5	7	9	13
A. NOT OPERATED	34	2.0	2	<1	<1	1	2	4	5	6
B. OPERATED	2873	4.1	7	1	2	4	5	7	8	12
TOTAL 0-19 YRS	91	3.7	4	1	1	3	5	7	8	9
20-34	308	4.1	7	1	1	4	5	7	9	14
35-49	348	4.0	5	1	2	4	5	7	8	11
50-64	967	4.0	5	1	2	4	5	6	8	11
65+	1193	4.3	10	1	2	4	5	7	8	13
GRAND TOTAL	**2907**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	17	2.0	3	1	1	1	2	4	7	8
B. *Operated*										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34	14	1.6	1	1	1	2	2	3	4	4
35-49	33	2.5	3	1	1	2	3	5	6	9
50-64	61	2.0	2	<1	<1	1	2	4	5	6
65+	102	2.2	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	35	2.6	9	<1	1	2	2	6	8	16
B. *Operated*										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	12	2.0	1	1	1	2	3	4	4	4
35-49	16	2.0	2	<1	1	2	3	4	5	5
50-64	56	2.4	4	<1	1	2	3	4	5	14
65+	201	3.1	11	1	1	2	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.8	2	<1	1	1	2	2	6	8
B. *Operated*	214	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	46	2.5	7	<1	1	2	3	5	7	16
B. *Operated*	291	2.8	8	1	1	2	3	5	7	15
1. SINGLE DX	240	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	337	2.8	8	1	1	2	3	5	7	15
A. NOT OPERATED	72	2.3	6	1	1	2	2	5	7	14
B. OPERATED	505	2.6	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	11	2.0	2	<1	<1	1	3	4	5	5
20-34	27	1.8	1	1	1	2	2	3	4	4
35-49	55	2.3	3	1	1	2	3	5	5	9
50-64	129	2.1	3	<1	1	2	3	4	5	8
65+	355	2.7	8	1	1	2	3	5	7	14
GRAND TOTAL	**577**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	7	1.4	1	1	1	1	2	3	3	3
35-49	22	1.9	1	<1	1	2	2	3	5	6
50-64	34	2.3	3	<1	1	2	2	5	6	8
65+	74	2.1	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	8	3.3	2	1	1	3	4	5	6	6
65+	28	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	10	2.1	2	<1	<1	2	3	4	5	5
20-34	24	3.9	22	<1	<1	3	4	6	14	24
35-49	18	3.4	7	1	1	3	4	6	10	12
50-64	52	3.6	6	1	1	3	5	7	9	10
65+	140	2.7	4	1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.8	2	1	1	1	2	4	5	5
B. *Operated*	141	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	42	2.6	2	1	1	2	3	5	6	7
B. *Operated*	244	3.0	6	1	1	2	3	6	7	12
1. SINGLE DX	152	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX	286	3.0	6	1	1	2	3	6	7	12
A. NOT OPERATED	53	2.4	2	1	1	2	3	4	5	7
B. OPERATED	385	2.7	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	16	2.1	2	<1	1	2	3	5	5	5
20-34	34	3.3	17	<1	1	2	3	5	9	24
35-49	44	2.5	4	1	1	2	3	4	6	12
50-64	97	3.1	5	1	1	2	4	6	8	10
65+	247	2.4	4	1	1	2	3	4	6	11
GRAND TOTAL	**438**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	16	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	249	1.5		<1	<1	1	2	2	3	3
50-64	1529	1.6	1	<1	<1	1	2	2	3	4
65+	6943	1.6	1	<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.0		<1	<1	<1	1	1	1	1
50-64	30	1.4		<1	<1	1	2	2	2	4
65+	247	1.9	5	<1	<1	1	2	3	5	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	186	1.8	1	<1	<1	2	2	3	4	4
50-64	1465	1.9	2	<1	<1	2	2	3	4	7
65+	8992	2.0	3	<1	1	2	2	3	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	8721	1.6	1	<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	285	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	10643	1.9	3	<1	1	2	2	3	3	7
1. SINGLE DX	8742	1.6	1	<1	<1	2	2	2	3	3
2. MULTIPLE DX	10928	1.9	3	<1	1	2	2	3	3	7
A. NOT OPERATED	306	1.8	4	<1	<1	1	2	3	5	11
B. OPERATED	19364	1.8	2	<1	<1	2	2	2	3	5
TOTAL 0-19 YRS										
20-34										
35-49	445	1.6	1	<1	<1	1	2	2	3	4
50-64	3027	1.7	1	<1	<1	2	2	2	3	6
65+	16198	1.8	2	<1	<1	2	2	2	3	6
GRAND TOTAL	**19670**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.4	1	<1	<1	1	2	2	3	4
20-34	24	1.5		<1	<1	1	2	2	3	3
35-49	41	1.4		<1	<1	1	2	2	3	3
50-64	49	1.5		<1	<1	1	2	2	3	3
65+	83	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	2.1	6	<1	<1	2	2	3	5	13
20-34	41	2.9	25	<1	<1	2	3	4	6	33
35-49	64	2.0	2	<1	1	2	2	4	5	7
50-64	129	1.9	1	<1	1	2	2	3	3	5
65+	254	2.0	1	<1	1	2	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	226	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	514	2.0	3	<1	1	2	2	3	4	6
1. SINGLE DX	228	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX	519	2.0	3	<1	1	2	2	3	4	6
A. NOT OPERATED	7	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	740	1.9	2	<1	<1	2	2	3	3	5
TOTAL 0-19 YRS	56	1.8	3	<1	<1	1	2	3	3	12
20-34	65	2.4	16	<1	<1	2	2	3	5	29
35-49	108	1.8	1	<1	<1	2	2	3	4	7
50-64	180	1.8	1	<1	<1	2	2	3	3	5
65+	338	1.9	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**747**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**5**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34										
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	5	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	609	1.2		<1	<1	<1	1	2	2	2
20-34	95	1.5	2	<1	<1	1	2	2	2	9
35-49	74	1.4	1	<1	<1	1	2	2	2	5
50-64	35	1.3		<1	<1	1	2	2	3	3
65+	23	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	7	<1	<1	1	3	5	9	11
20-34	7	2.4	3	<1	<1	1	4	5	5	5
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	14	11.4	526	1	1	4	7	26	75	89
65+	30	4.4	9	1	1	4	6	9	11	13
B. *Operated*										
0-19 YRS	232	1.2	1	<1	<1	<1	1	2	2	3
20-34	50	1.5	1	<1	1	1	2	2	3	5
35-49	43	2.1	6	<1	<1	2	2	3	5	17
50-64	42	2.3	4	<1	<1	2	2	4	6	12
65+	49	3.2	28	1	1	2	2	5	10	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	2	1	1	2	3	4	5	5
B. *Operated*	836	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	74	4.8	111	<1	<1	2	5	8	12	72
B. *Operated*	416	1.7	5	<1	<1	1	2	2	3	11
1. SINGLE DX	850	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX	490	2.2	22	<1	<1	1	2	4	6	13
A. NOT OPERATED	88	4.4	94	<1	<1	2	5	8	11	62
B. OPERATED	1252	1.4	2	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	863	1.2		<1	<1	<1	1	2	2	3
20-34	152	1.6	2	<1	<1	1	2	2	3	5
35-49	125	1.6	3	<1	<1	1	2	2	3	9
50-64	93	3.3	88	<1	<1	2	2	6	7	59
65+	107	3.1	16	<1	1	2	3	7	9	23
GRAND TOTAL	**1340**	**1.6**	**9**	**<1**	**<1**	**1**	**2**	**2**	**3**	**9**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.8	2	<1	<1	<1	3	4	4	7
20-34	11	2.4	1	1	1	2	3	4	4	4
35-49	12	3.8	10	<1	<1	3	5	9	11	11
50-64	8	2.4	2	<1	<1	2	3	5	5	5
65+	19	2.8	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	81	1.9	4	<1	<1	1	2	4	6	12
20-34	156	1.9	1	<1	<1	1	3	4	4	7
35-49	205	1.7	1	<1	<1	1	2	3	4	5
50-64	196	1.7	1	<1	<1	1	2	3	4	7
65+	377	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	3	<1	<1	2	4	5	6	9
20-34	25	4.7	6	1	2	4	7	8	9	9
35-49	30	4.6	21	<1	<1	4	5	10	14	21
50-64	37	5.1	12	<1	1	4	7	9	13	16
65+	90	5.3	22	<1	1	4	7	10	11	29
B. *Operated*										
0-19 YRS	81	2.1	2	<1	<1	2	3	4	5	6
20-34	91	2.0	2	<1	<1	2	2	4	5	8
35-49	142	3.3	34	<1	<1	2	3	6	11	29
50-64	280	2.6	12	<1	<1	2	3	4	8	19
65+	795	2.6	5	<1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.2	3	<1	<1	1	3	4	6	8
B. *Operated*	1015	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	294	4.2	13	<1	<1	3	5	8	10	17
B. *Operated*	1389	2.6	9	<1	1	2	3	5	6	14
1. SINGLE DX	1173	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1683	2.9	10	<1	1	2	4	5	8	15
A. NOT OPERATED	452	3.5	11	<1	<1	3	4	7	9	14
B. OPERATED	2404	2.3	6	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	382	2.2	3	<1	<1	1	3	4	5	8
20-34	283	2.2	3	<1	<1	2	3	4	6	8
35-49	389	2.6	16	<1	<1	2	3	5	8	20
50-64	521	2.5	9	<1	<1	2	3	4	7	15
65+	1281	2.6	6	<1	<1	2	3	5	7	11
GRAND TOTAL	**2856**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	3.1	3	1	1	3	4	5	7	9
20-34	39	3.5	7	1	1	3	4	7	9	13
35-49	26	3.4	4	<1	1	3	5	6	7	9
50-64	27	3.4	8	1	1	3	4	6	10	14
65+	27	5.2	36	1	1	4	6	9	15	32
B. *Operated*										
0-19 YRS	59	2.1	4	<1	<1	1	2	5	6	10
20-34	128	1.5	1	<1	<1	<1	2	3	4	5
35-49	132	1.4	1	<1	<1	<1	1	2	3	8
50-64	165	1.9	2	<1	<1	1	2	3	5	8
65+	477	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	3.5	5	1	2	3	4	6	7	10
20-34	63	4.2	11	1	1	3	6	9	12	14
35-49	37	4.5	26	<1	1	3	5	8	14	29
50-64	74	3.8	6	1	1	3	5	7	9	11
65+	137	4.7	17	1	1	4	5	9	14	21
B. *Operated*										
0-19 YRS	83	4.6	18	<1	1	3	7	10	12	22
20-34	127	3.8	10	1	1	3	5	7	9	17
35-49	125	3.8	10	1	1	3	5	7	9	21
50-64	346	3.3	15	1	1	2	4	6	8	21
65+	876	3.0	9	<1	1	2	3	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.3	6	1	1	3	4	6	7	11
B. *Operated*	961	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	656	3.9	10	1	1	3	5	7	9	15
B. *Operated*	1557	3.3	11	<1	1	2	4	7	9	18
1. SINGLE DX	1355	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2213	3.5	11	1	1	2	4	7	9	17
A. NOT OPERATED	1050	3.7	8	1	1	3	4	7	9	15
B. OPERATED	2518	2.7	8	<1	<1	2	3	5	8	15
TOTAL 0-19 YRS	762	3.4	6	<1	1	3	4	6	8	11
20-34	357	3.0	8	<1	<1	2	4	6	9	15
35-49	320	2.9	9	<1	<1	2	4	6	8	16
50-64	612	3.0	11	<1	1	2	3	6	7	16
65+	1517	2.8	9	<1	1	2	3	5	8	15
GRAND TOTAL	**3568**	**3.0**	**8**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	57	1.2	2	<1	<1	<1	<1	1	1	10
35-49	30	1.4	2	<1	<1	<1	<1	2	4	9
50-64	23	1.8	1	<1	<1	2	2	4	5	5
65+	9	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	20	2.7	5	<1	<1	2	4	5	8	10
35-49	21	5.5	33	1	2	3	7	14	21	22
50-64	21	3.1	5	1	1	2	4	7	8	8
65+	42	4.9	42	1	1	3	4	10	19	32
B. *Operated*										
0-19 YRS	12	1.6		<1	<1	1	2	3	3	3
20-34	36	2.4	4	<1	<1	2	3	5	6	10
35-49	29	3.2	11	<1	<1	2	3	7	10	16
50-64	42	2.6	6	<1	<1	2	3	5	8	14
65+	39	3.2	8	1	1	2	4	6	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	127	1.4	2	<1	<1	<1	1	2	3	9
2. MULTIPLE DX										
A. *Not Operated*	112	4.0	25	1	1	3	4	8	11	31
B. *Operated*	158	2.7	7	<1	<1	2	3	5	8	14
1. SINGLE DX	148	1.4	2	<1	<1	<1	1	2	3	9
2. MULTIPLE DX	270	3.3	15	<1	<1	2	4	7	10	22
A. NOT OPERATED	133	3.7	22	1	1	2	4	7	10	30
B. OPERATED	285	2.1	5	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	32	1.6	1	<1	<1	1	2	3	3	5
20-34	119	1.8	3	<1	<1	<1	2	4	5	10
35-49	89	2.9	14	<1	<1	2	3	7	9	22
50-64	87	2.5	5	<1	<1	2	3	5	8	12
65+	91	3.8	24	1	1	2	4	7	11	31
GRAND TOTAL	**418**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.3	2	<1	1	2	3	4	5	8
20-34	9	3.1	5	1	1	2	5	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2671	1.1	4	<1	<1	<1	<1	1	1	2
20-34	220	1.6	1	<1	<1	1	2	2	3	7
35-49	227	1.6	4	<1	1	1	2	2	3	4
50-64	190	1.5		1	1	1	2	2	3	3
65+	98	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	888	2.6	4	<1	1	2	3	5	6	12
20-34	28	3.5	16	<1	<1	2	4	6	15	18
35-49	26	3.7	6	<1	<1	3	5	7	8	11
50-64	18	5.0	33	2	2	4	5	7	19	27
65+	30	5.1	13	<1	1	4	7	10	13	13
B. *Operated*										
0-19 YRS	1828	1.3	1	<1	<1	1	1	2	2	6
20-34	219	1.7	2	<1	1	1	2	3	3	8
35-49	215	1.9	3	1	1	1	2	3	4	10
50-64	250	2.1	5	<1	1	2	2	3	4	10
65+	120	2.1	3	<1	1	2	2	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	3406	1.2	3	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	990	2.8	5	<1	1	2	3	5	7	14
B. *Operated*	2632	1.5	2	<1	<1	1	2	2	3	8
1. SINGLE DX	3598	1.3	3	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	3622	1.9	3	<1	<1	1	2	3	4	9
A. NOT OPERATED	1182	2.7	5	<1	1	2	3	5	6	13
B. OPERATED	6038	1.3	3	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	5567	1.4	3	<1	<1	<1	1	2	3	7
20-34	476	1.8	2	<1	1	1	2	3	4	8
35-49	469	1.9	4	<1	1	1	2	3	4	8
50-64	459	2.0	4	1	1	2	2	3	4	9
65+	249	2.3	4	<1	1	2	2	4	7	11
GRAND TOTAL	**7220**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	5	1	1	3	3	7	8	11
20-34	21	2.7	2	1	1	3	3	4	6	7
35-49	12	3.2	1	1	2	3	4	5	5	5
50-64	9	4.7	5	2	2	4	6	8	8	8
65+	3	13.0	192	5	5	5	23	29	29	29
B. *Operated*										
0-19 YRS	166	1.5	4	<1	<1	<1	1	2	5	11
20-34	35	1.8	3	<1	<1	1	2	4	6	8
35-49	35	2.4	8	<1	1	2	2	5	7	17
50-64	22	1.9	4	<1	<1	1	2	4	7	9
65+	14	4.0	32	<1	1	2	3	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	4.3	43	1	1	3	5	7	10	32
20-34	42	3.9	10	1	2	3	4	7	8	20
35-49	34	6.1	41	1	2	4	7	13	16	35
50-64	33	6.5	21	2	3	5	9	11	14	25
65+	48	12.6	222	2	3	8	12	33	51	66
B. *Operated*										
0-19 YRS	204	3.0	19	<1	<1	1	3	7	11	22
20-34	69	3.0	13	1	1	2	3	8	12	17
35-49	51	4.3	56	1	1	2	4	7	15	46
50-64	72	3.4	15	1	1	2	4	10	13	82
65+	54	6.2	42	1	1	3	10	17	24	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.5	11	1	1	3	4	6	7	22
B. *Operated*	272	1.8	6	<1	<1	1	2	3	6	17
2. MULTIPLE DX										
A. *Not Operated*	282	6.1	74	1	1	4	7	11	17	55
B. *Operated*	450	3.6	25	<1	<1	2	4	10	14	29
1. SINGLE DX	361	2.3	8	<1	<1	1	2	5	7	17
2. MULTIPLE DX	732	4.6	45	<1	1	2	5	10	14	43
A. NOT OPERATED	371	5.5	60	1	1	3	6	10	14	49
B. OPERATED	722	2.9	19	<1	<1	1	3	7	12	25
TOTAL 0-19 YRS	539	2.9	20	<1	<1	1	3	7	10	17
20-34	167	2.9	9	1	1	2	3	6	8	17
35-49	132	4.2	36	1	1	2	4	8	15	37
50-64	136	4.0	16	1	1	2	5	10	12	35
65+	119	8.7	126	1	1	5	11	23	32	76
GRAND TOTAL	**1093**	**3.8**	**34**	**<1**	**<1**	**2**	**4**	**8**	**12**	**33**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	4	1	1	2	4	6	6	6
20-34	48	2.2	1	1	1	2	3	4	4	5
35-49	116	2.4	3	1	1	2	3	5	6	9
50-64	176	2.2	4	1	1	2	3	4	6	11
65+	196	2.6	3	1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	11	1.5		<1	<1	1	2	2	2	2
20-34	63	3.1	6	1	1	2	4	7	9	11
35-49	103	2.8	5	1	1	2	3	6	8	12
50-64	68	2.8	3	1	1	2	4	5	6	7
65+	47	3.5	7	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	7	1	1	3	4	8	10	10
20-34	79	3.4	8	1	1	2	4	7	10	15
35-49	173	2.8	4	1	1	2	3	5	7	10
50-64	435	3.4	11	1	1	3	4	6	8	18
65+	992	3.7	8	1	1	3	4	7	9	15
B. *Operated*										
0-19 YRS	9	1.7	1	<1	<1	2	2	3	3	3
20-34	30	4.4	13	1	1	2	9	10	11	11
35-49	51	5.5	21	1	1	4	8	11	14	24
50-64	93	4.5	17	1	1	3	6	9	10	24
65+	94	5.6	15	1	2	4	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	2.4	3	1	1	2	3	5	6	9
B. *Operated*	292	2.9	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1690	3.5	9	1	1	3	4	7	9	16
B. *Operated*	277	5.0	16	1	1	4	7	10	12	19
1. SINGLE DX	835	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	1967	3.7	10	1	1	3	4	7	9	17
A. NOT OPERATED	2233	3.2	7	1	1	3	4	6	8	15
B. OPERATED	569	3.9	12	1	1	3	5	9	10	17
TOTAL 0-19 YRS	38	2.3	3	<1	<1	2	2	4	6	10
20-34	220	3.2	7	1	1	2	4	7	10	12
35-49	443	3.0	7	1	1	2	4	6	8	13
50-64	772	3.2	10	1	1	2	4	6	8	18
65+	1329	3.7	8	1	1	3	4	7	9	15
GRAND TOTAL	**2802**	**3.4**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.6	1	1	1	1	2	3	4	5
20-34	165	1.5	1	1	1	1	2	2	3	6
35-49	267	1.3		1	1	1	2	2	3	3
50-64	231	1.3		1	1	1	2	2	3	4
65+	107	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	61	1.4		1	1	1	2	3	3	3
35-49	73	1.7	1	1	1	1	2	3	4	6
50-64	93	1.8	2	1	1	1	2	3	4	9
65+	54	1.7	1	<1	1	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	791	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	5	5.4	32	<1	<1	2	11	13	13	13
B. *Operated*	290	1.6	1	1	1	1	2	3	3	6
1. SINGLE DX	793	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	295	1.7	2	1	1	1	2	3	3	9
A. NOT OPERATED	7	4.1	26	<1	<1	1	8	12	13	13
B. OPERATED	1081	1.4	1	1	1	1	2	2	3	4
TOTAL 0-19 YRS	30	1.6	1	1	1	1	2	3	3	5
20-34	228	1.5	1	1	1	1	2	2	3	5
35-49	342	1.5	1	1	1	1	2	2	3	4
50-64	326	1.5	1	1	1	1	2	2	3	5
65+	162	1.5	1	1	1	1	2	2	3	4
GRAND TOTAL	**1088**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	2	<1	<1	<1	1	3	4	7
20-34	11	2.5	3	<1	<1	2	3	5	7	7
35-49	17	3.1	3	1	1	3	3	6	8	8
50-64	14	3.0	2	<1	1	3	4	5	6	6
65+	9	3.7	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	447	1.3		<1	<1	1	2	2	2	3
20-34	320	1.4	1	<1	<1	1	2	2	3	5
35-49	248	1.5	1	<1	1	1	2	2	3	5
50-64	175	1.5	1	<1	<1	1	2	2	3	6
65+	97	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.6	7	<1	<1	<1	4	6	8	11
20-34	23	3.7	13	<1	<1	3	5	10	12	12
35-49	28	4.4	41	<1	<1	3	4	6	17	34
50-64	25	3.4	9	<1	1	3	4	7	11	14
65+	39	4.0	7	<1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	430	1.4	1	<1	<1	1	2	2	3	6
20-34	299	1.8	6	<1	1	1	2	3	4	14
35-49	257	1.6	1	<1	1	1	2	3	3	7
50-64	238	1.9	6	1	1	1	2	3	3	13
65+	158	2.0	3	<1	1	2	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.6	3	<1	<1	2	3	5	7	8
B. *Operated*	1287	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	142	3.7	15	<1	<1	3	4	7	11	17
B. *Operated*	1382	1.7	3	<1	1	1	2	3	3	7
1. SINGLE DX	1364	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1524	1.9	5	<1	1	1	2	3	4	11
A. NOT OPERATED	219	3.3	11	<1	<1	3	4	7	9	14
B. OPERATED	2669	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	930	1.4	1	<1	<1	1	2	2	3	6
20-34	653	1.7	4	<1	1	1	2	3	4	10
35-49	550	1.7	3	<1	1	1	2	3	4	7
50-64	452	1.9	4	<1	1	1	2	3	4	10
65+	303	2.1	3	<1	1	2	2	4	6	10
GRAND TOTAL	**2888**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.7	22	2	2	4	7	11	16	22
20-34	7	5.6	6	2	2	5	8	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	3	5.0	16	1	1	5	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.4	24	2	2	4	9	13	18	18
20-34	14	4.7	7	1	2	4	5	9	11	11
35-49	10	6.8	22	1	1	6	9	14	15	15
50-64	17	5.3	17	1	1	5	7	10	15	17
65+	27	6.8	12	2	3	6	9	12	13	14
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	8	12.4	101	1	2	10	19	28	30	30
35-49	11	6.0	15	1	1	6	10	11	11	11
50-64	19	7.6	37	<1	1	6	12	16	18	20
65+	15	8.5	69	1	1	6	14	18	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.5	17	2	2	4	7	10	14	22
B. *Operated*	7	6.6	18	1	1	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	93	6.1	17	2	2	5	9	12	14	18
B. *Operated*	54	8.6	55	1	1	7	12	18	24	30
1. SINGLE DX	42	5.7	17	1	2	4	8	10	13	22
2. MULTIPLE DX	147	7.0	32	1	2	5	10	14	18	30
A. NOT OPERATED	128	6.0	17	2	2	5	8	12	14	19
B. OPERATED	61	8.3	51	1	1	8	11	17	23	30
TOTAL 0-19 YRS	52	6.4	28	2	2	4	9	14	18	24
20-34	31	6.9	40	1	2	5	9	13	23	30
35-49	23	6.7	17	1	2	6	10	12	14	15
50-64	40	6.3	27	1	1	5	10	14	16	20
65+	43	7.3	31	1	2	6	10	14	16	30
GRAND TOTAL	**189**	**6.7**	**29**	**1**	**2**	**5**	**9**	**13**	**17**	**28**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	5	2.2	1	<1	<1	2	3	3	3	3
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	5	4.0	7	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	12	6.1	17	<1	1	7	10	11	12	12
20-34	19	4.7	13	1	1	3	8	10	11	11
35-49	45	4.1	13	1	1	2	7	10	11	14
50-64	53	4.8	18	1	1	2	10	11	12	13
65+	25	4.8	35	1	1	2	5	13	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	10	<1	<1	2	7	8	8	8
20-34	26	6.1	111	<1	1	3	6	12	25	54
35-49	69	3.8	9	<1	1	3	5	7	10	17
50-64	148	4.6	12	1	1	4	6	10	11	18
65+	269	6.2	20	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	10	9.8	208	1	1	5	9	33	48	48
20-34	48	7.1	61	1	1	5	11	15	19	44
35-49	187	8.3	56	1	1	8	11	16	20	34
50-64	389	9.6	65	1	1	9	13	20	25	37
65+	471	11.0	96	1	2	10	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.7	3	<1	1	2	4	6	7	7
B. *Operated*	154	4.7	18	1	1	2	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	518	5.4	21	1	1	4	7	10	12	20
B. *Operated*	1105	9.9	79	1	1	9	13	21	26	44
1. SINGLE DX	177	4.4	17	1	1	2	7	11	12	16
2. MULTIPLE DX	1623	8.4	65	1	1	7	12	18	23	42
A. NOT OPERATED	541	5.3	21	1	1	4	7	10	12	20
B. OPERATED	1259	9.2	74	1	1	9	13	19	25	44
TOTAL 0-19 YRS	31	6.5	77	<1	1	2	9	11	18	48
20-34	100	6.0	62	1	1	3	9	12	16	49
35-49	306	6.5	43	1	1	4	10	14	18	28
50-64	593	7.9	53	1	1	7	11	16	22	31
65+	770	9.1	73	1	2	7	13	19	25	44
GRAND TOTAL	**1800**	**8.0**	**62**	**1**	**1**	**6**	**11**	**17**	**22**	**41**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	20	1	1	2	9	11	11	11
20-34	27	2.7	3	<1	1	2	4	5	6	7
35-49	94	2.7	3	<1	1	2	3	5	6	10
50-64	120	2.9	5	<1	1	2	3	5	6	15
65+	87	2.9	2	1	1	3	4	5	6	7
B. *Operated*										
0-19 YRS	9	2.0	1	<1	<1	2	2	3	4	4
20-34	18	2.2	1	1	1	2	3	4	5	5
35-49	21	1.6	1	<1	<1	1	2	3	3	4
50-64	23	2.9	4	1	1	2	4	6	8	8
65+	17	2.7	4	<1	<1	2	4	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.4	7	1	1	3	4	7	10	11
20-34	131	3.5	10	1	1	3	4	6	7	19
35-49	459	3.8	7	1	1	3	5	7	9	14
50-64	818	4.2	17	1	1	3	5	8	10	15
65+	1141	4.9	24	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	8	3.6	8	1	1	3	5	8	9	9
20-34	39	5.3	41	1	1	4	6	10	13	40
35-49	94	5.2	21	1	1	4	7	9	13	27
50-64	148	5.7	32	1	2	4	7	12	17	23
65+	171	7.2	31	1	2	6	10	14	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	2.9	4	1	1	2	3	5	6	11
B. *Operated*	88	2.3	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	2575	4.4	18	1	1	3	5	8	11	17
B. *Operated*	460	6.1	31	1	2	4	8	12	17	26
1. SINGLE DX	421	2.7	3	<1	1	2	3	5	6	10
2. MULTIPLE DX	3035	4.6	20	1	1	4	6	9	12	20
A. NOT OPERATED	2908	4.2	16	1	1	3	5	8	10	16
B. OPERATED	548	5.5	28	1	1	4	7	11	15	25
TOTAL 0-19 YRS	48	3.3	7	1	1	2	4	8	10	11
20-34	215	3.6	15	1	1	3	4	6	8	21
35-49	668	3.8	9	1	1	3	5	7	9	15
50-64	1109	4.2	18	1	1	3	5	8	11	17
65+	1416	5.0	24	1	2	4	6	9	13	24
GRAND TOTAL	**3456**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	3.7	2	1	2	4	5	6	6	6
50-64	29	3.4	5	2	2	3	4	6	7	12
65+	59	4.0	6	1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	3.6	5	2	2	2	6	6	6	6
50-64	5	2.8	12	1	1	1	4	9	9	9
65+	7	3.4	10	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	11	5.1	12	1	1	4	7	11	11	11
35-49	95	4.7	11	1	2	4	6	10	12	65
50-64	301	5.8	19	1	2	5	7	11	14	24
65+	1389	6.5	24	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS										
20-34	8	6.3	18	2	2	5	9	13	14	14
35-49	26	6.4	34	1	1	4	10	14	17	27
50-64	98	6.8	43	1	1	5	9	15	21	33
65+	195	10.1	112	1	2	8	13	20	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.8	5	1	1	3	5	7	8	11
B. *Operated*	17	3.3	8	1	1	2	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	1799	6.2	23	2	2	5	8	11	15	25
B. *Operated*	327	8.7	85	1	2	6	11	18	24	40
1. SINGLE DX	123	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2126	6.6	33	2	2	5	8	12	16	29
A. NOT OPERATED	1905	6.1	22	2	2	5	8	11	14	24
B. OPERATED	344	8.5	82	1	2	6	11	18	23	40
TOTAL 0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	19	5.6	14	1	2	5	7	11	13	14
35-49	144	4.9	15	1	2	4	6	10	12	31
50-64	433	5.8	24	1	2	5	7	11	15	26
65+	1650	6.8	35	2	2	5	8	13	16	29
GRAND TOTAL	**2249**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	6	3.2	9	<1	<1	2	3	8	9	9
35-49	6	2.3	6	1	1	1	3	7	7	7
50-64	11	2.8	2	1	1	3	4	5	5	5
65+	10	3.7	3	2	2	3	4	6	8	8
B. *Operated*										
0-19 YRS	4	6.8	21	2	2	6	10	12	12	12
20-34	18	4.2	20	<1	1	2	5	12	15	16
35-49	21	4.1	12	<1	<1	2	7	9	11	12
50-64	23	3.8	11	1	1	2	5	9	11	14
65+	16	4.4	15	<1	1	3	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	2	<1	<1	2	4	5	5	5
20-34	35	5.2	34	1	1	4	6	8	16	32
35-49	38	4.6	29	1	2	4	5	6	8	35
50-64	69	5.1	13	1	1	4	7	11	12	83
65+	179	7.2	37	2	2	5	9	15	18	31
B. *Operated*										
0-19 YRS	26	10.8	121	1	1	6	14	27	33	45
20-34	108	7.9	45	1	2	7	10	17	23	31
35-49	137	8.0	63	1	2	6	11	17	21	39
50-64	192	8.4	86	1	2	5	10	20	26	43
65+	189	10.9	124	2	2	8	14	24	31	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.2	5	1	1	3	4	7	8	9
B. *Operated*	82	4.2	14	<1	1	3	6	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	332	6.1	31	1	2	5	7	12	16	33
B. *Operated*	652	9.1	88	1	2	6	11	21	27	44
1. SINGLE DX	118	3.9	12	1	1	3	5	9	12	15
2. MULTIPLE DX	984	8.1	71	1	2	5	10	18	24	42
A. NOT OPERATED	368	5.8	29	1	2	4	7	11	16	33
B. OPERATED	734	8.5	82	1	2	6	11	19	26	43
TOTAL 0-19 YRS	44	7.9	87	1	1	4	12	20	28	45
20-34	167	6.7	41	1	1	5	8	15	22	31
35-49	202	6.8	53	1	1	4	9	15	19	35
50-64	295	7.0	63	1	1	5	9	16	23	43
65+	394	8.8	82	1	2	6	10	19	25	47
GRAND TOTAL	**1102**	**7.6**	**66**	**1**	**2**	**5**	**9**	**17**	**23**	**40**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	6	4	4	7	9	10	10	10
20-34	27	8.1	13	2	4	8	10	14	15	16
35-49	344	7.5	8	2	4	8	9	11	12	15
50-64	673	7.7	10	2	4	8	10	11	12	16
65+	595	7.8	9	2	4	8	9	11	12	17
B. *Operated*										
0-19 YRS										
20-34	11	8.3	12	2	3	8	11	13	14	14
35-49	111	6.6	14	1	2	7	9	12	12	17
50-64	171	8.1	20	1	2	8	11	13	16	22
65+	75	8.4	21	1	2	8	11	14	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.9	20	2	2	9	10	13	17	20
20-34	79	8.1	19	1	2	8	10	13	16	22
35-49	1089	8.1	14	2	3	8	10	12	14	21
50-64	3886	8.8	16	3	4	9	11	13	15	22
65+	7908	9.7	25	4	5	9	11	15	18	27
B. *Operated*										
0-19 YRS	6	7.7	28	1	1	6	14	14	14	14
20-34	64	8.5	26	1	2	8	12	16	18	19
35-49	806	8.7	35	1	2	8	11	15	19	30
50-64	2169	10.7	52	2	2	10	13	18	23	36
65+	2135	13.5	75	4	6	11	16	23	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1643	7.7	9	2	4	8	9	11	12	16
B. *Operated*	368	7.7	19	1	2	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	12982	9.3	21	3	5	9	11	14	17	26
B. *Operated*	5180	11.5	62	2	3	10	14	20	26	41
1. SINGLE DX	2011	7.7	11	2	3	8	10	11	13	17
2. MULTIPLE DX	18162	9.9	34	3	4	9	12	16	20	32
A. NOT OPERATED	14625	9.1	20	3	4	9	11	14	16	25
B. OPERATED	5548	11.3	60	2	3	10	14	20	25	40
TOTAL 0-19 YRS	30	7.7	18	2	2	7	10	14	14	20
20-34	181	8.3	20	1	2	8	11	14	17	19
35-49	2350	8.1	21	2	2	8	10	13	15	23
50-64	6899	9.3	28	2	4	9	11	14	18	29
65+	10713	10.4	36	4	5	9	12	16	21	33
GRAND TOTAL	**20173**	**9.7**	**32**	**2**	**4**	**9**	**12**	**15**	**19**	**31**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	2.4	2	<1	1	2	3	5	6	7
35-49	243	2.4	2	1	1	2	3	4	5	7
50-64	451	2.7	5	1	1	2	3	5	6	12
65+	403	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	79	2.4	5	1	1	2	2	5	7	13
50-64	160	2.6	7	<1	1	2	3	5	7	18
65+	80	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	7	1	1	3	4	6	10	12
20-34	56	3.0	3	1	1	2	4	5	7	8
35-49	917	3.1	6	1	1	3	4	6	7	11
50-64	3087	3.3	5	1	1	3	4	6	7	12
65+	5794	3.9	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	31	4.0	9	1	1	3	7	9	9	11
35-49	791	4.0	13	1	1	2	6	9	11	16
50-64	2539	4.5	23	1	1	2	7	10	13	20
65+	2156	5.6	34	1	1	3	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1118	2.6	3	1	1	2	3	5	6	8
B. *Operated*	325	2.5	5	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	9869	3.6	7	1	1	3	4	6	8	14
B. *Operated*	5521	4.9	26	1	1	3	7	11	14	21
1. SINGLE DX	1443	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	15390	4.1	14	1	1	3	5	8	11	18
A. NOT OPERATED	10987	3.5	7	1	1	3	4	6	8	13
B. OPERATED	5846	4.7	25	1	1	2	7	11	14	21
TOTAL 0-19 YRS	21	3.2	6	1	1	3	4	6	9	12
20-34	112	3.1	5	1	1	2	4	7	8	10
35-49	2030	3.3	8	1	1	2	4	7	9	14
50-64	6237	3.7	13	1	1	3	4	8	10	17
65+	8433	4.3	15	1	1	3	5	8	11	19
GRAND TOTAL	**16833**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.2	2	<1	<1	2	3	5	5	5
35-49	145	3.0	3	1	1	3	4	6	6	8
50-64	326	3.1	3	1	1	3	4	5	6	10
65+	367	3.3	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	43	3.7	8	1	1	3	5	7	9	13
50-64	110	3.7	9	1	1	3	6	8	9	15
65+	103	3.6	13	1	1	2	5	8	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.2	4	1	2	4	6	7	8	9
20-34	33	2.7	1	1	1	3	3	4	5	5
35-49	693	3.6	8	1	1	3	4	6	8	16
50-64	2597	3.9	8	1	2	3	5	7	8	14
65+	5702	4.5	8	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	21	4.5	8	1	1	4	5	9	10	11
35-49	590	6.1	33	1	1	5	9	12	14	22
50-64	2318	7.1	34	1	2	6	10	14	17	29
65+	2363	8.7	48	1	2	8	12	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	3.1	3	1	1	3	4	6	6	10
B. *Operated*	257	3.7	10	1	1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	9040	4.2	8	1	2	4	5	7	9	15
B. *Operated*	5295	7.7	41	1	2	7	11	15	19	30
1. SINGLE DX	1104	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	14335	5.5	23	1	2	4	7	11	14	23
A. NOT OPERATED	9887	4.1	8	1	2	3	5	7	9	14
B. OPERATED	5552	7.5	40	1	2	6	10	15	18	30
TOTAL 0-19 YRS	18	4.1	5	1	1	4	6	8	9	9
20-34	64	3.2	4	1	1	3	4	5	8	11
35-49	1471	4.5	19	1	1	3	6	9	12	18
50-64	5351	5.2	22	1	2	4	7	11	13	21
65+	8535	5.6	23	1	2	4	7	11	15	23
GRAND TOTAL	**15439**	**5.3**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.4	2	1	1	2	3	5	5	5
35-49	35	2.5	2	<1	<1	2	3	4	5	5
50-64	60	3.0	6	<1	1	3	3	5	7	14
65+	55	3.1	4	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	6	2.8	16	<1	<1	1	2	10	11	11
20-34	17	3.9	10	1	1	2	6	9	10	10
35-49	381	2.9	7	1	1	2	3	7	9	13
50-64	1099	3.0	9	1	1	2	3	8	10	14
65+	546	3.7	14	1	1	2	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	22	2.5	3	1	1	2	3	5	6	7
35-49	267	3.3	10	<1	1	2	4	6	8	14
50-64	930	3.8	13	1	1	3	5	7	9	17
65+	1839	4.9	18	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	11	4.6	17	<1	1	2	9	11	12	12
20-34	61	3.8	10	1	1	2	6	8	10	14
35-49	1644	4.7	20	1	1	2	7	10	13	20
50-64	5415	5.6	28	1	1	3	9	12	15	24
65+	4183	6.9	47	1	1	5	10	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.9	4	<1	1	2	3	5	7	12
B. *Operated*	2049	3.2	10	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	3062	4.4	16	1	1	3	5	8	11	21
B. *Operated*	11314	5.9	35	1	1	3	9	13	16	26
1. SINGLE DX	2204	3.2	10	1	1	2	3	8	10	14
2. MULTIPLE DX	14376	5.6	31	1	1	3	8	12	15	25
A. NOT OPERATED	3217	4.3	16	1	1	3	5	8	11	20
B. OPERATED	13363	5.5	32	1	1	3	9	12	15	25
TOTAL 0-19 YRS	21	4.4	14	<1	<1	2	8	10	11	12
20-34	105	3.5	8	1	1	2	5	8	9	13
35-49	2327	4.2	17	1	1	2	6	9	12	19
50-64	7504	5.0	25	1	1	3	8	11	14	22
65+	6623	6.1	38	1	1	4	9	13	17	28
GRAND TOTAL	**16580**	**5.3**	**29**	**1**	**1**	**3**	**8**	**12**	**15**	**24**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	49	7.7	7	3	5	8	10	11	11	14
35-49	69	7.0	5	4	4	7	8	10	11	13
50-64	78	8.0	8	3	5	8	10	11	13	15
65+	84	7.9	8	4	5	7	9	11	13	20
B. *Operated*										
0-19 YRS										
20-34	12	9.3	34	4	5	8	8	18	25	26
35-49	24	8.2	10	3	4	8	10	12	14	15
50-64	18	8.1	7	2	6	9	9	11	12	13
65+	15	7.2	12	2	2	8	10	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.6	7	5	5	10	11	11	11	11
20-34	118	8.6	18	3	4	8	10	14	17	23
35-49	218	8.8	11	3	5	9	11	13	14	18
50-64	432	9.2	13	4	5	9	11	13	16	22
65+	988	10.2	23	4	5	9	12	16	19	29
B. *Operated*										
0-19 YRS	6	10.7	11	7	7	11	13	15	15	15
20-34	44	10.5	38	4	6	9	11	16	24	34
35-49	87	13.0	72	5	7	11	14	22	35	46
50-64	184	12.5	74	5	7	10	14	22	27	53
65+	298	13.5	70	5	6	11	16	23	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	7.7	7	3	5	7	9	11	12	15
B. *Operated*	69	8.1	14	2	4	8	10	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	1763	9.7	19	4	5	9	11	15	17	25
B. *Operated*	619	12.9	69	5	7	11	15	22	30	49
1. SINGLE DX	351	7.8	9	3	5	8	9	11	13	15
2. MULTIPLE DX	2382	10.5	34	4	5	9	12	16	21	36
A. NOT OPERATED	2045	9.4	18	4	5	9	11	14	17	24
B. OPERATED	688	12.4	65	5	6	10	14	22	28	48
TOTAL 0-19 YRS	15	9.8	8	5	5	10	12	13	14	15
20-34	223	8.8	21	4	4	8	10	14	16	30
35-49	398	9.3	27	4	5	9	11	13	16	36
50-64	712	9.9	31	4	5	9	11	15	19	30
65+	1385	10.8	35	4	6	10	13	17	21	36
GRAND TOTAL	**2733**	**10.2**	**32**	**4**	**5**	**9**	**12**	**16**	**20**	**34**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	15.7	184	3	3	14	26	30	30	30
20-34	3	13.0	148	5	5	7	22	27	27	27
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	26.9	252	3	8	24	41	44	57	66
20-34	50	17.4	163	2	4	14	27	37	44	48
35-49	45	17.6	124	3	5	15	27	32	38	42
50-64	49	19.4	256	2	3	15	29	42	46	85
65+	104	24.4	148	6	7	25	33	42	46	49
B. *Operated*										
0-19 YRS	8	24.1	418	5	6	19	30	58	69	69
20-34	42	26.8	283	5	7	26	40	46	54	79
35-49	36	29.3	221	10	11	29	39	46	48	80
50-64	42	31.9	423	5	11	30	44	55	75	93
65+	53	34.4	344	10	13	32	44	58	66	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	12.4	77	3	4	10	15	28	30	30
B. *Operated*	5	2.4	7	<1	<1	1	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	266	21.2	183	3	5	18	31	42	44	51
B. *Operated*	181	30.6	330	6	10	28	42	52	63	89
1. SINGLE DX	16	9.3	76	<1	<1	7	12	26	29	30
2. MULTIPLE DX	447	25.0	263	4	6	24	34	45	51	80
A. NOT OPERATED	277	20.8	181	3	5	17	30	41	44	51
B. OPERATED	186	29.8	342	5	8	28	42	52	61	88
TOTAL 0-19 YRS	31	23.5	299	<1	2	22	31	43	65	69
20-34	95	21.4	236	3	4	16	31	44	47	69
35-49	85	22.0	202	3	6	21	32	39	44	69
50-64	93	24.8	365	2	4	18	36	49	57	90
65+	159	27.5	238	6	9	27	35	46	52	79
GRAND TOTAL	**463**	**24.4**	**264**	**3**	**6**	**22**	**34**	**44**	**51**	**80**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.4	4	1	1	2	3	6	7	7
20-34	20	1.7	3	<1	<1	1	2	2	6	9
35-49	34	1.4		<1	<1	1	2	2	3	3
50-64	62	1.7	2	<1	<1	1	2	3	3	10
65+	49	2.0	2	1	1	2	2	4	4	8
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	5	3.2	15	1	1	2	4	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	9	<1	1	2	2	5	9	15
20-34	49	2.9	11	<1	<1	2	3	5	10	18
35-49	123	2.3	3	<1	1	2	3	4	6	9
50-64	296	2.8	4	1	1	2	3	5	6	10
65+	645	3.9	11	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS										
20-34	6	4.7	7	2	2	4	6	9	9	9
35-49	10	3.8	14	1	1	2	5	10	13	13
50-64	26	5.5	24	1	1	4	8	13	16	17
65+	64	10.2	102	2	2	8	13	19	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	1.8	2	<1	1	1	2	3	4	9
B. *Operated*	7	3.0	11	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1137	3.4	8	1	1	3	4	7	8	15
B. *Operated*	106	8.1	75	1	2	5	10	16	20	53
1. SINGLE DX	194	1.8	2	<1	1	1	2	3	4	10
2. MULTIPLE DX	1243	3.8	16	1	1	3	5	7	10	18
A. NOT OPERATED	1324	3.1	8	1	1	2	4	6	8	14
B. OPERATED	113	7.8	72	1	1	5	10	16	20	53
TOTAL 0-19 YRS	46	2.5	6	1	1	2	2	6	7	15
20-34	76	2.7	9	<1	<1	2	3	5	9	17
35-49	167	2.2	3	<1	1	2	3	4	5	9
50-64	389	2.8	5	1	1	2	3	5	7	13
65+	759	4.3	21	1	1	3	5	8	12	21
GRAND TOTAL	**1437**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	51	1.3		<1	<1	1	1	2	2	3
35-49	135	1.6	2	<1	<1	1	2	3	4	9
50-64	279	1.8	1	<1	<1	1	2	3	4	6
65+	328	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	21	2.3	2	1	1	2	3	5	5	5
65+	12	3.7	10	<1	<1	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	4	<1	<1	2	3	5	7	10
20-34	121	2.2	3	<1	<1	2	3	4	5	9
35-49	303	2.7	6	<1	1	2	3	5	7	13
50-64	1373	3.2	7	<1	1	2	4	7	8	14
65+	4316	4.4	18	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	2.7	4	<1	<1	3	4	6	6	6
35-49	36	4.9	16	1	1	4	7	11	12	20
50-64	165	6.3	49	1	1	4	8	12	18	24
65+	443	8.1	52	2	2	6	10	15	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	41	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	6136	4.0	15	1	1	3	5	8	10	18
B. *Operated*	655	7.4	50	1	2	6	10	14	21	33
1. SINGLE DX	835	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	6791	4.3	19	1	1	3	5	9	11	21
A. NOT OPERATED	6930	3.7	14	1	1	3	5	7	10	17
B. OPERATED	696	7.1	48	1	2	5	9	14	20	33
TOTAL 0-19 YRS	29	2.1	4	<1	<1	2	2	4	5	10
20-34	181	1.9	2	<1	<1	1	2	4	5	7
35-49	479	2.6	6	<1	1	2	3	5	7	13
50-64	1838	3.3	11	<1	1	2	4	7	9	16
65+	5099	4.5	21	1	1	3	6	9	12	22
GRAND TOTAL	**7626**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.3	3	<1	<1	2	3	5	7	9
20-34	70	1.9	2	<1	<1	1	2	4	4	7
35-49	100	2.2	3	<1	1	2	2	4	5	10
50-64	179	2.6	3	1	1	2	3	5	7	10
65+	224	2.6	4	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	13	3.7	6	2	2	3	4	8	10	10
20-34	13	2.9	6	<1	<1	2	4	7	9	9
35-49	23	2.5	4	1	1	2	3	5	7	10
50-64	74	3.4	6	1	1	3	4	7	8	12
65+	222	3.8	5	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.0	8	1	1	2	4	6	8	17
20-34	236	3.0	9	<1	1	2	4	7	8	17
35-49	603	3.4	12	1	1	2	4	7	9	21
50-64	1555	3.9	12	1	1	3	5	7	10	17
65+	4840	4.9	19	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	44	8.2	96	1	1	5	10	19	25	54
20-34	56	10.3	225	1	2	6	10	21	65	98
35-49	157	6.2	61	1	1	4	8	13	17	46
50-64	693	6.8	54	1	2	5	8	14	20	36
65+	3047	7.3	46	2	2	6	9	14	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	345	3.6	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	7329	4.5	17	1	1	3	5	8	11	21
B. *Operated*	3997	7.2	51	2	2	5	9	14	19	39
1. SINGLE DX	967	2.8	4	1	1	2	4	6	7	10
2. MULTIPLE DX	11326	5.4	31	1	1	4	7	11	14	28
A. NOT OPERATED	7951	4.3	16	1	1	3	5	8	11	20
B. OPERATED	4342	6.9	49	1	2	5	8	13	18	39
TOTAL 0-19 YRS	201	4.0	31	<1	1	2	4	9	12	27
20-34	375	3.9	47	<1	1	2	4	7	12	41
35-49	883	3.7	21	1	1	2	4	7	11	23
50-64	2501	4.6	25	1	1	3	5	9	13	24
65+	8333	5.7	30	1	2	4	7	11	14	28
GRAND TOTAL	**12293**	**5.2**	**29**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	2.7	1	1	1	3	3	4	4	4
50-64	70	3.8	6	1	1	3	5	7	9	14
65+	465	4.4	8	1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	9	2.8	8	<1	<1	2	3	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.7	16	1	1	4	6	9	12	22
20-34	54	5.7	11	1	2	5	8	10	13	15
35-49	440	6.0	25	1	2	5	7	11	15	30
50-64	2886	6.2	28	2	2	5	8	11	15	26
65+	16634	6.7	26	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	24	9.4	84	1	2	7	12	31	51	99+
20-34	42	6.4	56	1	1	3	7	17	24	33
35-49	99	8.6	78	1	1	6	10	19	22	50
50-64	515	10.5	124	1	2	8	13	22	28	66
65+	1875	12.4	103	2	3	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	4.3	8	1	2	4	5	8	9	14
B. *Operated*	11	3.3	10	<1	<1	2	3	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	20138	6.6	26	2	2	5	8	12	16	26
B. *Operated*	2555	11.7	107	2	3	9	15	24	32	55
1. SINGLE DX	559	4.3	8	1	2	4	5	8	9	14
2. MULTIPLE DX	22693	7.2	38	2	2	6	9	14	18	32
A. NOT OPERATED	20686	6.6	26	2	2	5	8	12	15	25
B. OPERATED	2566	11.7	107	2	3	9	15	24	32	55
TOTAL 0-19 YRS	150	5.5	30	1	1	4	7	11	16	35
20-34	97	6.0	30	1	1	4	7	13	16	31
35-49	549	6.4	36	1	2	5	8	12	17	35
50-64	3473	6.8	44	2	2	5	8	13	17	32
65+	18983	7.2	36	2	2	6	9	14	18	31
GRAND TOTAL	**23252**	**7.1**	**37**	**2**	**2**	**6**	**9**	**13**	**18**	**32**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.2	5	<1	1	1	2	4	7	11
20-34	119	2.9	7	<1	1	2	3	5	8	15
35-49	164	2.8	3	1	1	2	3	5	6	9
50-64	126	2.8	4	1	1	2	3	5	6	10
65+	74	3.4	6	1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	39	2.3	3	<1	1	2	3	6	7	7
20-34	45	4.1	12	<1	1	2	6	9	11	15
35-49	99	3.1	10	1	1	2	3	8	9	16
50-64	155	3.8	14	1	1	2	6	9	11	17
65+	118	3.8	15	1	1	2	4	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.5	14	1	1	3	6	10	12	16
20-34	256	4.1	19	1	1	3	5	7	10	23
35-49	496	4.7	29	1	1	3	6	9	13	23
50-64	1044	5.3	19	1	2	4	7	10	13	24
65+	1836	6.6	29	2	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	73	5.7	79	<1	1	2	8	14	20	56
20-34	147	6.8	50	1	1	5	9	15	19	35
35-49	390	6.6	56	1	1	4	9	14	19	41
50-64	1044	7.2	54	1	1	5	10	15	21	34
65+	1371	9.5	92	1	1	8	13	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	2.9	5	1	1	2	4	5	7	12
B. *Operated*	456	3.5	13	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	3709	5.8	26	1	2	4	7	11	15	25
B. *Operated*	3025	8.1	73	1	1	6	11	18	24	40
1. SINGLE DX	963	3.2	9	1	1	2	4	7	9	15
2. MULTIPLE DX	6734	6.8	49	1	1	5	9	14	20	33
A. NOT OPERATED	4216	5.4	25	1	1	4	7	11	14	24
B. OPERATED	3481	7.5	68	1	1	5	11	16	23	38
TOTAL 0-19 YRS	213	4.2	35	<1	1	2	5	10	13	24
20-34	567	4.5	26	1	1	3	5	10	14	25
35-49	1149	4.9	35	1	1	3	6	10	14	26
50-64	2369	5.9	35	1	1	4	8	12	16	29
65+	3399	7.6	56	1	2	6	10	16	22	35
GRAND TOTAL	**7697**	**6.4**	**45**	**1**	**1**	**4**	**8**	**14**	**19**	**31**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	3.0	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	22	3.8	12	1	1	3	4	6	11	18
50-64	74	4.8	108	1	1	3	4	8	10	72
65+	267	6.1	44	1	2	4	7	12	15	38
B. *Operated*										
0-19 YRS										
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	28	5.2	32	1	1	3	7	13	17	26
50-64	81	5.3	19	1	1	4	8	11	13	19
65+	64	7.7	52	1	1	5	10	18	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	3	<1	<1	2	3	5	6	6
B. *Operated*	4	3.3	4	2	2	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	365	5.7	55	1	2	4	7	10	14	38
B. *Operated*	176	6.2	34	1	1	4	9	14	18	27
1. SINGLE DX	12	2.8	3	<1	1	2	3	6	6	6
2. MULTIPLE DX	541	5.9	48	1	1	4	7	12	16	34
A. NOT OPERATED	373	5.6	54	1	1	4	6	10	14	38
B. OPERATED	180	6.1	34	1	1	4	9	14	18	27
TOTAL 0-19 YRS										
20-34	5	3.8	17	1	1	2	5	11	11	11
35-49	51	4.5	23	1	1	3	5	9	16	26
50-64	159	5.0	60	1	1	3	6	10	12	20
65+	338	6.4	45	1	2	4	8	13	18	36
GRAND TOTAL	**553**	**5.8**	**47**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	20.5	1	20	20	20	21	21	21	21
65+	3	4.0	27	<1	<1	1	8	10	10	10
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	22	15.4	122	1	1	14	18	33	39	44
35-49	30	11.2	53	1	1	11	17	22	24	24
50-64	22	15.1	120	2	2	13	23	29	38	42
65+	8	27.8	583	7	9	21	27	68	85	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	12.0	166	1	1	6	23	30	30	30
35-49	5	4.2	14	1	1	2	7	10	10	10
50-64	19	9.4	75	<1	1	6	15	27	64	99+
65+	37	13.5	107	1	3	14	18	24	26	57
B. *Operated*										
0-19 YRS	3	10.3	30	5	5	10	14	16	16	16
20-34	27	20.9	342	3	4	15	24	41	74	78
35-49	55	19.3	194	5	7	17	25	68	99+	99+
50-64	87	26.0	268	8	10	22	31	46	60	88
65+	50	24.9	364	4	7	20	33	55	65	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.0	62	<1	<1	3	10	20	21	21
B. *Operated*	84	14.9	150	1	2	13	20	27	35	71
2. MULTIPLE DX										
A. *Not Operated*	67	11.5	98	1	1	10	17	25	29	92
B. *Operated*	222	23.3	284	5	8	20	30	53	71	99+
1. SINGLE DX	94	14.1	146	1	1	13	20	25	34	67
2. MULTIPLE DX	289	20.5	265	2	4	17	26	43	65	99+
A. NOT OPERATED	77	10.9	94	<1	1	9	17	24	28	88
B. OPERATED	306	21.0	260	3	6	17	26	43	65	99+
TOTAL 0-19 YRS	6	11.2	16	5	5	11	15	16	16	16
20-34	57	17.1	235	1	2	14	22	35	43	78
35-49	92	15.4	159	1	2	13	22	41	90	99+
50-64	130	21.7	251	2	3	19	28	42	56	93
65+	98	20.2	308	1	3	16	24	40	57	89
GRAND TOTAL	**383**	**18.9**	**243**	**2**	**3**	**16**	**24**	**40**	**57**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	35.0	994	8	8	25	47	89	89	89
B. *Operated*										
0-19 YRS										
20-34	2	25.0	18	22	22	25	28	28	28	28
35-49	7	42.3	1071	1	6	44	83	98	99+	99+
50-64	5	40.0	664	13	14	48	70	97	99+	99+
65+	7	43.7	219	24	25	50	59	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	29.0	794	5	6	23	31	78	89	89
B. *Operated*	21	40.6	549	9	18	44	67	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	28	37.7	610	5	11	33	63	97	99+	99+
A. NOT OPERATED	7	29.0	794	5	6	23	31	78	89	89
B. OPERATED	21	40.6	549	9	18	44	67	99+	99+	99+
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	25.0	18	22	22	25	28	28	28	28
35-49	7	42.3	1071	1	6	44	83	98	99+	99+
50-64	6	34.2	735	5	7	33	68	94	99+	99+
65+	12	40.1	501	10	18	35	58	91	98	99+
GRAND TOTAL	**28**	**37.7**	**610**	**5**	**11**	**33**	**63**	**97**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19
50-64	10	5.9	15	<1	1	5	10	11	12	12
65+	43	6.9	28	<1	1	5	11	15	17	21
B. *Operated*										
0-19 YRS	7	8.3	29	3	3	8	13	16	17	17
20-34	17	7.4	23	1	2	8	12	13	15	16
35-49	15	5.9	26	<1	2	4	7	13	17	19
50-64	27	9.4	93	2	3	7	9	15	32	50
65+	76	10.1	37	4	5	9	12	19	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	39	<1	<1	2	6	16	19	19
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	22	8.4	37	<1	1	6	15	17	18	19
50-64	93	12.2	200	2	2	9	14	24	36	82
65+	388	11.4	83	2	3	9	14	23	29	48
B. *Operated*										
0-19 YRS	13	12.3	196	2	2	6	17	26	48	53
20-34	29	10.9	85	2	2	8	15	22	36	36
35-49	37	15.2	202	2	5	10	21	41	62	99+
50-64	77	16.6	242	4	4	11	21	37	64	94
65+	281	18.7	210	5	6	15	24	41	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	6.8	26	<1	1	5	10	14	17	21
B. *Operated*	142	9.1	46	2	3	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	513	11.3	102	2	3	9	14	23	29	54
B. *Operated*	437	17.3	210	3	5	13	22	38	53	99+
1. SINGLE DX	200	8.4	41	1	2	7	11	16	20	30
2. MULTIPLE DX	950	14.1	160	2	3	10	18	28	42	77
A. NOT OPERATED	571	10.8	96	1	2	8	14	21	28	52
B. OPERATED	579	15.3	182	3	4	11	19	32	48	96
TOTAL 0-19 YRS	30	9.0	107	1	1	5	15	18	19	53
20-34	50	9.4	61	1	2	8	13	18	22	36
35-49	75	11.4	131	1	2	8	16	22	41	93
50-64	207	13.2	200	2	3	9	16	27	46	82
65+	788	13.6	136	2	4	10	17	28	39	69
GRAND TOTAL	**1150**	**13.1**	**144**	**2**	**3**	**10**	**17**	**27**	**39**	**72**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34										
35-49	9	11.2	56	<1	2	9	15	23	24	24
50-64	44	16.2	186	4	5	12	19	29	45	73
65+	154	16.6	185	3	5	13	20	38	49	63
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	8	26.5	233	7	9	23	37	49	53	53
35-49	16	30.1	841	3	5	16	63	83	94	99+
50-64	19	23.2	371	6	7	15	27	51	65	75
65+	73	28.8	397	7	9	22	39	62	78	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	209	16.2	179	3	5	12	20	37	48	67
B. *Operated*	117	27.9	432	6	8	21	40	62	82	99+
1. SINGLE DX										
2. MULTIPLE DX	326	20.4	300	4	6	14	26	49	62	89
A. NOT OPERATED	209	16.2	179	3	5	12	20	37	48	67
B. OPERATED	117	27.9	432	6	8	21	40	62	82	99+
TOTAL 0-19 YRS	3	13.7	72	5	5	14	20	22	22	22
20-34	8	26.5	233	7	9	23	37	49	53	53
35-49	25	23.3	630	2	4	13	28	81	86	99+
50-64	63	18.3	247	5	6	13	22	43	52	75
65+	227	20.5	284	3	6	15	27	48	62	89
GRAND TOTAL	**326**	**20.4**	**300**	**4**	**6**	**14**	**26**	**49**	**62**	**89**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	7	3.1	4	<1	<1	3	5	6	6	6
65+	22	3.3	9	1	1	3	4	6	10	14
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	5.5	28	1	1	4	9	13	13	13
35-49	44	4.6	34	<1	1	3	5	8	16	32
50-64	390	3.9	17	1	1	3	5	7	8	15
65+	894	3.8	12	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	4.3	7	<1	1	4	6	8	9	9
50-64	67	3.9	19	<1	<1	2	5	8	11	26
65+	271	5.1	23	1	1	4	6	10	13	27
B. *Operated*										
0-19 YRS	6	11.5	121	1	1	9	23	25	25	25
20-34	7	8.7	93	1	1	8	10	25	29	29
35-49	117	4.6	16	1	1	4	6	9	10	22
50-64	1346	5.6	32	1	2	4	6	10	14	29
65+	3732	6.0	27	1	2	5	7	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.3	6	<1	1	3	4	5	8	14
B. *Operated*	1333	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	350	4.8	22	1	1	4	6	9	13	27
B. *Operated*	5208	5.9	28	1	2	5	7	11	15	29
1. SINGLE DX	1367	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX	5558	5.8	28	1	2	5	7	11	15	29
A. NOT OPERATED	384	4.7	20	1	1	4	6	9	12	26
B. OPERATED	6541	5.5	26	1	1	4	7	10	14	26
TOTAL 0-19 YRS	7	10.0	116	<1	<1	4	21	25	25	25
20-34	12	7.3	61	1	1	5	9	18	27	29
35-49	177	4.6	19	1	1	4	6	9	10	30
50-64	1810	5.2	28	1	1	4	6	9	13	26
65+	4919	5.6	25	1	1	4	7	10	14	26
GRAND TOTAL	**6925**	**5.4**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	12.6	303	<1	<1	4	20	42	52	52
65+	27	8.8	104	2	2	6	9	33	50	99+
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	7.0	2	6	6	8	77	99+	99+	99+
35-49	11	7.4	30	1	1	5	12	15	18	18
50-64	81	10.2	136	1	2	7	11	18	34	67
65+	168	9.6	96	1	2	6	12	20	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	38	9.9	150	1	2	6	11	35	48	99+
B. *Operated*	263	9.7	104	1	2	7	12	19	31	65
1. SINGLE DX										
2. MULTIPLE DX	301	9.7	109	1	2	6	12	20	35	68
A. NOT OPERATED	38	9.9	150	1	2	6	11	35	48	99+
B. OPERATED	263	9.7	104	1	2	7	12	19	31	65
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	3	13.0	109	6	6	16	62	99+	99+	99+
35-49	12	6.8	31	<1	1	5	11	14	17	18
50-64	90	10.4	150	1	2	7	12	21	38	65
65+	195	9.5	96	2	2	6	12	20	32	57
GRAND TOTAL	**301**	**9.7**	**109**	**1**	**2**	**6**	**12**	**20**	**35**	**68**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	8.7	114	2	2	3	16	21	21	21
35-49	18	5.7	11	1	2	5	7	11	12	13
50-64	60	4.5	16	1	1	3	5	8	11	26
65+	201	6.4	25	2	2	5	8	11	15	27
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	4.0	9	1	1	3	6	9	10	10
35-49	16	5.1	12	<1	1	5	7	8	13	15
50-64	34	4.7	23	1	1	3	6	11	16	22
65+	43	6.7	23	2	2	6	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.3	20	<1	<1	4	9	12	12	12
20-34	26	7.7	30	1	2	7	10	17	19	21
35-49	91	8.3	82	2	2	6	10	16	27	54
50-64	587	9.2	89	2	2	7	11	18	27	54
65+	3090	9.3	71	2	3	7	11	17	24	47
B. *Operated*										
0-19 YRS	3	16.0	217	7	7	8	27	33	33	33
20-34	18	8.4	49	1	1	7	14	18	22	24
35-49	55	9.7	86	1	2	7	10	23	32	41
50-64	221	11.3	181	1	2	7	13	23	42	70
65+	558	13.2	167	2	3	9	17	31	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	5.9	24	2	2	5	8	11	14	27
B. *Operated*	102	5.6	21	1	1	5	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	3800	9.3	73	2	3	7	11	17	24	48
B. *Operated*	855	12.4	164	2	2	8	15	28	41	75
1. SINGLE DX	386	5.8	23	1	2	5	7	11	14	26
2. MULTIPLE DX	4655	9.8	91	2	3	7	12	19	28	54
A. NOT OPERATED	4084	9.0	71	2	3	7	11	17	24	47
B. OPERATED	957	11.7	153	1	2	8	14	26	40	74
TOTAL 0-19 YRS	12	7.9	77	<1	1	6	10	18	31	33
20-34	55	7.4	37	1	1	5	10	18	20	24
35-49	180	8.2	71	1	2	6	10	16	27	40
50-64	902	9.2	107	1	2	6	11	18	28	60
65+	3892	9.7	84	2	3	7	11	19	27	51
GRAND TOTAL	**5041**	**9.5**	**87**	**2**	**3**	**7**	**11**	**19**	**27**	**52**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.4	143	3	3	11	19	33	33	33
20-34	12	10.7	100	3	3	7	12	29	34	35
35-49	28	6.8	13	2	3	6	9	11	15	17
50-64	244	13.1	167	3	4	9	15	28	40	70
65+	1369	11.9	95	3	4	9	14	23	32	50
B. *Operated*										
0-19 YRS	3	5.7	9	3	3	5	8	9	9	9
20-34	7	25.7	427	6	6	26	34	59	65	65
35-49	22	16.7	305	2	3	8	18	41	54	70
50-64	79	19.5	413	3	4	13	24	70	84	99+
65+	208	18.3	311	3	5	12	23	46	65	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1658	12.0	105	3	4	9	14	24	33	54
B. *Operated*	319	18.5	335	3	4	12	23	49	70	99+
1. SINGLE DX										
2. MULTIPLE DX	1977	13.0	148	3	4	9	15	27	38	72
A. NOT OPERATED	1658	12.0	105	3	4	9	14	24	33	54
B. OPERATED	319	18.5	335	3	4	12	23	49	70	99+
TOTAL 0-19 YRS	8	10.5	100	3	3	7	13	28	33	33
20-34	19	16.2	259	3	3	9	26	36	52	65
35-49	50	11.2	162	2	3	7	10	25	40	70
50-64	323	14.6	234	3	4	10	17	34	52	89
65+	1577	12.7	128	3	4	9	15	26	36	64
GRAND TOTAL	**1977**	**13.0**	**148**	**3**	**4**	**9**	**15**	**27**	**38**	**72**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.2	11	1	1	2	3	10	11	11
35-49	59	2.4	5	1	1	2	3	5	5	15
50-64	166	2.4	2	1	1	2	3	4	5	8
65+	416	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0 19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	29	3.3	15	1	1	2	3	9	12	18
50-64	140	2.6	4	<1	1	2	3	5	7	9
65+	148	2.9	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	5	1	1	3	5	7	7	7
20-34	28	2.5	5	<1	1	2	3	5	7	11
35-49	120	3.3	5	1	1	3	4	6	8	14
50-64	829	3.6	12	1	1	3	4	6	8	16
65+	4252	4.1	10	1	2	3	5	8	10	16
B. *Operated*										
0-19 YRS	4	5.0	19	1	1	4	8	11	11	11
20-34	17	5.2	17	1	1	3	7	12	14	15
35-49	89	4.1	13	1	1	3	5	7	11	21
50-64	494	4.6	14	1	1	4	6	9	12	19
65+	1105	5.4	31	1	1	4	7	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	2.6	3	1	1	2	3	5	6	9
B. *Operated*	324	2.8	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	5245	4.0	10	1	1	3	5	7	9	16
B. *Operated*	1709	5.1	25	1	1	4	6	10	13	21
1. SINGLE DX	978	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	6954	4.3	14	1	1	3	5	8	10	18
A. NOT OPERATED	5899	3.9	9	1	1	3	5	7	9	15
B. OPERATED	2033	4.7	23	1	1	4	6	9	12	20
TOTAL 0-19 YRS	22	3.6	7	1	1	3	5	7	9	11
20-34	63	3.3	10	1	1	2	3	8	11	15
35-49	297	3.4	9	1	1	2	4	6	8	17
50-64	1629	3.7	12	1	1	3	4	7	9	17
65+	5921	4.2	13	1	1	3	5	8	10	18
GRAND TOTAL	**7932**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.0	11	2	3	6	9	12	12	12
35-49	21	5.7	25	1	2	4	6	11	17	23
50-64	87	5.7	23	1	1	4	7	12	14	27
65+	290	5.7	20	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS										
20-34	4	5.3	20	3	3	3	8	12	12	12
35-49	8	4.6	19	1	1	3	6	12	14	14
50-64	21	7.3	131	1	1	4	7	17	39	49
65+	35	10.1	267	1	2	5	10	23	39	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	7	2	2	3	6	9	9	9
20-34	21	5.4	17	1	2	5	7	10	15	19
35-49	91	6.3	48	1	2	4	7	13	20	41
50-64	604	8.2	92	1	2	6	9	15	23	56
65+	3759	8.7	56	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS										
20-34	8	7.0	56	2	2	4	7	20	25	25
35-49	38	7.6	43	1	1	6	10	15	20	34
50-64	189	9.4	98	1	2	7	11	20	27	47
65+	539	12.7	138	3	3	9	15	27	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	5.8	20	1	2	5	7	11	14	23
B. *Operated*	68	8.3	182	1	1	4	8	20	31	82
2. MULTIPLE DX										
A. *Not Operated*	4482	8.5	61	2	3	7	10	16	21	40
B. *Operated*	774	11.6	125	2	3	8	14	25	34	67
1. SINGLE DX	474	6.1	44	1	2	5	7	12	15	31
2. MULTIPLE DX	5256	9.0	71	2	3	7	11	17	23	43
A. NOT OPERATED	4888	8.3	58	2	2	6	10	16	21	39
B. OPERATED	842	11.3	130	2	3	8	13	25	34	67
TOTAL 0-19 YRS	7	4.6	7	2	2	3	6	9	9	9
20-34	41	6.0	22	2	2	5	7	11	15	25
35-49	158	6.4	42	1	2	5	8	14	19	33
50-64	901	8.2	88	1	2	6	9	16	23	53
65+	4623	9.0	67	2	3	7	11	17	23	42
GRAND TOTAL	**5730**	**8.7**	**70**	**2**	**2**	**7**	**10**	**17**	**23**	**43**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	3	10.3	17	7	7	9	13	15	15	15
35-49	33	9.1	61	2	2	7	11	26	36	99+
50-64	272	11.7	170	2	3	8	12	25	41	74
65+	1532	12.1	120	2	3	9	15	26	38	64
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	13.6	50	4	4	16	18	22	22	22
35-49	12	16.9	292	1	2	9	23	46	55	57
50-64	58	18.4	317	3	5	12	22	52	67	99
65+	220	20.4	327	3	5	14	28	49	63	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1842	12.0	126	2	3	9	14	26	38	68
B. *Operated*	296	19.7	318	3	4	14	27	49	62	99
1. SINGLE DX										
2. MULTIPLE DX	2138	13.1	159	2	3	9	16	30	42	82
A. NOT OPERATED	1842	12.0	126	2	3	9	14	26	38	68
B. OPERATED	296	19.7	318	3	4	14	27	49	62	99
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	8	12.4	37	4	5	12	16	20	22	22
35-49	45	11.2	130	2	2	7	12	27	44	99+
50-64	330	12.9	201	2	3	9	15	30	50	83
65+	1752	13.2	153	3	4	9	16	30	41	79
GRAND TOTAL	**2138**	**13.1**	**159**	**2**	**3**	**9**	**16**	**30**	**42**	**82**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	21	2.4	3	1	1	2	3	5	6	7
50-64	35	2.6	3	1	1	2	3	4	5	10
65+	79	3.1	5	1	1	3	4	5	7	13
B. *Operated*										
0-19 YRS										
20-34	8	4.9	29	<1	<1	3	6	14	17	17
35-49	16	7.3	41	<1	1	4	13	16	19	21
50-64	36	3.5	17	1	1	2	4	10	15	16
65+	63	2.7	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	13	1	1	3	6	9	12	13
20-34	43	5.0	38	<1	1	4	6	9	20	30
35-49	113	3.5	6	1	1	3	4	7	10	46
50-64	301	5.0	24	1	1	4	6	10	14	32
65+	1241	6.3	38	1	2	5	8	11	17	36
B. *Operated*										
0-19 YRS	3	9.3	41	2	2	12	13	14	14	14
20-34	27	7.4	33	1	1	5	11	17	17	18
35-49	57	10.7	168	1	2	7	13	18	45	66
50-64	148	10.0	168	1	1	5	11	23	42	63
65+	305	9.0	128	1	2	6	11	19	26	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.8	4	1	1	2	4	5	6	10
B. *Operated*	123	3.7	16	1	1	2	5	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	1712	5.8	34	1	2	4	7	11	15	35
B. *Operated*	540	9.4	138	1	1	6	11	19	29	65
1. SINGLE DX	267	3.2	10	1	1	2	4	7	10	16
2. MULTIPLE DX	2252	6.7	61	1	2	5	8	13	19	46
A. NOT OPERATED	1856	5.6	32	1	2	4	7	10	15	34
B. OPERATED	663	8.3	120	1	1	5	10	17	25	63
TOTAL 0-19 YRS	21	4.7	17	1	1	3	6	12	13	14
20-34	83	5.6	35	<1	1	4	7	15	17	29
35-49	207	5.6	63	1	1	3	6	13	16	60
50-64	520	6.2	69	1	1	4	7	13	19	55
65+	1688	6.5	54	1	2	5	8	13	18	38
GRAND TOTAL	**2519**	**6.3**	**57**	**1**	**1**	**4**	**7**	**13**	**18**	**42**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	4.3	8	<1	<1	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	22	3.8	9	1	1	3	6	9	10	10
50-64	114	3.9	14	1	1	2	6	10	11	17
65+	105	4.2	17	1	1	2	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	8	5.0	35	<1	<1	3	6	15	18	18
50-64	39	3.8	13	<1	1	3	4	9	12	17
65+	179	6.2	37	1	1	4	8	13	18	35
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	6.3	33	1	1	5	11	14	14	14
35-49	110	6.4	41	1	1	6	8	11	19	37
50-64	742	8.1	75	1	1	7	10	15	21	45
65+	1429	10.4	104	1	1	8	13	21	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	5	<1	<1	3	5	6	6	6
B. *Operated*	244	4.0	15	1	1	2	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	228	5.8	34	1	1	4	7	12	17	32
B. *Operated*	2289	9.4	93	1	1	8	12	19	26	50
1. SINGLE DX	251	4.0	15	1	1	2	6	9	12	16
2. MULTIPLE DX	2517	9.1	88	1	1	7	11	19	26	48
A. NOT OPERATED	235	5.8	33	1	1	4	7	12	17	32
B. OPERATED	2533	8.9	88	1	1	7	11	18	25	47
TOTAL 0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	10	7.1	29	1	1	8	11	14	14	14
35-49	141	5.9	36	1	1	4	8	11	16	32
50-64	897	7.4	67	1	1	6	10	14	20	44
65+	1716	9.6	95	1	1	7	12	19	27	49
GRAND TOTAL	**2768**	**8.7**	**84**	**1**	**1**	**7**	**11**	**18**	**24**	**46**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	2.8	3	1	1	2	4	5	6	6
65+	11	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	76	7.4	16	1	1	8	10	11	13	18
65+	143	8.2	21	1	1	9	11	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	30	3.0	8	<1	<1	2	3	8	11	11
65+	198	5.5	36	1	1	4	7	11	16	34
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	5	15.6	170	4	4	9	25	36	36	36
35-49	11	9.0	62	1	1	8	11	20	28	29
50-64	475	11.1	63	2	5	10	12	17	27	47
65+	1385	13.0	85	2	3	11	15	23	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.4	3	<1	1	2	3	5	6	6
B. *Operated*	221	7.9	19	1	1	8	11	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	231	5.2	33	1	1	3	6	11	15	33
B. *Operated*	1879	12.5	80	2	3	10	15	22	29	51
1. SINGLE DX	242	7.4	20	1	1	8	10	13	14	18
2. MULTIPLE DX	2110	11.7	80	1	2	10	14	21	29	50
A. NOT OPERATED	252	5.0	31	1	1	3	6	10	15	32
B. OPERATED	2100	12.0	76	1	2	10	14	21	28	50
TOTAL 0-19 YRS	5	2.4	7	1	1	1	3	7	7	7
20-34	5	15.6	170	4	4	9	25	36	36	36
35-49	16	8.1	51	1	1	7	10	15	25	29
50-64	589	10.1	58	1	2	9	12	16	22	44
65+	1737	11.7	81	1	2	10	14	21	28	50
GRAND TOTAL	2352	11.3	76	1	2	10	14	20	27	49

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	6	4.8	27	<1	<1	3	5	14	15	15
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	8	4.8	12	1	1	3	8	10	10	10
50-64	38	6.9	70	1	1	5	9	12	16	51
65+	37	5.2	13	1	1	5	8	11	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	12.2	472	1	1	3	16	51	51	51
65+	11	4.5	10	2	2	2	7	9	10	10
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	7.2	26	1	1	5	12	14	15	15
35-49	35	8.4	32	1	2	8	11	18	19	24
50-64	133	8.4	79	1	2	7	10	15	19	45
65+	241	10.6	127	1	2	8	13	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	96	5.6	36	1	1	4	8	11	13	36
2. MULTIPLE DX										
A. *Not Operated*	16	6.9	146	1	2	3	7	10	39	51
B. *Operated*	420	9.7	102	1	2	8	12	19	24	53
1. SINGLE DX	102	5.4	35	<1	1	4	8	10	12	34
2. MULTIPLE DX	436	9.6	104	1	2	8	11	19	24	53
A. NOT OPERATED	22	5.5	110	<1	1	2	4	9	26	51
B. OPERATED	516	8.9	92	1	1	7	11	18	23	52
TOTAL 0-19 YRS	7	5.6	26	<1	<1	3	9	14	15	15
20-34	18	4.9	21	<1	1	3	6	13	14	15
35-49	43	7.7	30	1	2	7	10	16	19	24
50-64	181	8.0	85	1	1	7	9	14	19	51
65+	289	9.7	112	1	2	7	11	21	28	53
GRAND TOTAL	538	8.8	93	1	1	7	10	18	23	51

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	5	3.8	13	1	1	2	7	9	9	9
50-64	10	4.3	10	1	1	3	6	9	11	11
65+	15	4.9	13	<1	1	4	9	10	10	10
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	18	6.2	32	1	1	4	10	16	17	17
35-49	90	4.3	14	1	1	2	7	10	12	16
50-64	247	4.6	18	1	1	3	7	10	11	15
65+	287	4.9	17	1	1	4	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.9	13	3	3	7	8	13	14	14
20-34	6	4.8	13	1	1	4	9	9	9	9
35-49	16	5.7	15	<1	<1	7	8	11	12	13
50-64	52	6.3	26	<1	<1	5	9	13	15	24
65+	157	6.4	21	<1	1	6	9	12	16	21
B. *Operated*										
0-19 YRS	10	5.6	54	<1	<1	4	5	16	26	26
20-34	46	10.5	129	1	2	7	13	17	31	70
35-49	255	9.1	68	1	2	8	11	17	23	46
50-64	1067	8.2	56	1	1	7	10	15	20	36
65+	2181	10.1	88	1	2	8	13	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.5	11	1	1	4	7	10	10	11
B. *Operated*	643	4.8	17	1	1	3	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	238	6.3	21	<1	1	6	9	12	15	21
B. *Operated*	3559	9.4	78	1	1	8	12	19	25	48
1. SINGLE DX	676	4.7	17	1	1	3	7	10	12	17
2. MULTIPLE DX	3797	9.3	75	1	1	8	11	18	24	47
A. NOT OPERATED	271	6.1	20	<1	1	5	9	12	15	21
B. OPERATED	4202	8.7	72	1	1	7	11	17	24	45
TOTAL 0-19 YRS	18	6.5	36	<1	1	5	7	14	21	26
20-34	73	8.8	95	1	1	6	12	17	18	62
35-49	366	7.7	56	1	1	7	10	15	20	44
50-64	1376	7.5	50	1	1	7	10	14	18	35
65+	2640	9.3	79	1	1	7	12	19	25	46
GRAND TOTAL	**4473**	**8.6**	**69**	**1**	**1**	**7**	**11**	**17**	**23**	**44**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	5	1	1	3	5	7	8	11
20-34	9	2.9	6	1	1	2	4	7	7	7
35-49	16	4.3	14	1	1	3	6	11	12	13
50-64	20	2.8	3	1	1	2	4	5	6	8
65+	18	3.3	9	<1	<1	2	5	7	10	12
B. *Operated*										
0-19 YRS	12	2.2	2	<1	<1	2	3	4	6	6
20-34	28	4.6	34	<1	1	2	6	13	15	26
35-49	62	2.4	4	1	1	2	3	5	7	11
50-64	174	2.9	9	<1	1	2	3	8	10	14
65+	160	3.3	10	<1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.9	17	1	2	4	6	9	14	21
20-34	27	4.1	15	1	1	3	4	10	12	18
35-49	57	4.8	14	1	1	4	7	12	13	14
50-64	126	4.4	14	1	1	3	6	9	11	20
65+	289	6.1	58	1	1	4	7	12	15	31
B. *Operated*										
0-19 YRS	26	8.0	63	1	1	5	12	16	21	38
20-34	61	7.0	67	1	1	5	8	13	28	42
35-49	145	7.1	48	1	1	5	10	17	22	38
50-64	547	6.9	76	1	1	4	9	14	20	44
65+	1011	8.3	85	1	1	6	11	17	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.5	7	1	1	3	5	7	8	12
B. *Operated*	436	3.1	10	<1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	542	5.4	38	1	1	4	7	11	14	25
B. *Operated*	1790	7.7	79	1	1	5	10	16	24	45
1. SINGLE DX	559	3.2	9	<1	1	2	4	8	10	14
2. MULTIPLE DX	2332	7.2	70	1	1	5	9	15	22	44
A. NOT OPERATED	665	5.0	33	1	1	4	6	10	13	24
B. OPERATED	2226	6.8	68	1	1	4	9	15	21	44
TOTAL 0-19 YRS	141	4.7	22	1	1	3	6	10	13	23
20-34	125	5.5	46	1	1	3	7	11	17	38
35-49	280	5.4	33	1	1	3	8	13	17	32
50-64	867	5.7	55	1	1	3	7	12	16	41
65+	1478	7.2	73	1	1	5	9	15	22	45
GRAND TOTAL	**2891**	**6.4**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.8	11	<1	1	4	7	9	11	11
20-34	134	6.3	9	2	3	6	8	10	11	14
35-49	201	6.2	10	2	3	6	8	10	11	17
50-64	214	6.3	10	2	3	6	8	10	12	17
65+	216	6.7	10	2	3	6	8	11	12	17
B. *Operated*										
0-19 YRS	14	7.2	12	1	2	7	9	11	13	14
20-34	95	5.5	16	1	1	5	8	11	12	19
35-49	108	6.5	13	1	2	7	9	11	13	17
50-64	139	7.2	24	1	2	7	9	11	13	21
65+	101	6.7	18	1	2	7	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.1	9	2	4	7	9	10	13	14
20-34	157	6.9	17	1	2	7	9	12	14	23
35-49	337	7.8	18	2	3	7	10	13	16	23
50-64	597	7.6	14	3	4	7	9	11	14	20
65+	1166	8.2	22	3	4	7	10	13	15	23
B. *Operated*										
0-19 YRS	14	10.8	110	4	4	8	9	22	40	45
20-34	133	7.6	22	2	2	7	10	12	13	49
35-49	218	8.7	36	2	3	8	11	16	22	30
50-64	421	9.3	52	2	3	8	11	16	21	40
65+	770	9.3	34	2	4	8	11	15	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	6.3	10	2	3	6	8	10	12	17
B. *Operated*	457	6.6	18	1	2	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2273	7.9	19	3	3	7	10	12	15	22
B. *Operated*	1556	9.1	39	2	3	8	11	15	19	38
1. SINGLE DX	1235	6.4	13	1	2	6	8	11	12	17
2. MULTIPLE DX	3829	8.4	27	2	3	8	10	13	16	28
A. NOT OPERATED	3051	7.5	17	2	3	7	9	12	14	22
B. OPERATED	2013	8.5	35	2	3	8	10	14	17	35
TOTAL 0-19 YRS	57	7.5	38	1	2	7	9	11	14	43
20-34	519	6.7	16	1	2	6	9	11	13	23
35-49	864	7.5	21	2	3	7	9	13	16	26
50-64	1371	7.9	27	2	3	7	10	12	15	27
65+	2253	8.3	25	3	3	8	10	13	16	26
GRAND TOTAL	**5064**	**7.9**	**24**	**2**	**3**	**7**	**10**	**13**	**15**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	4	6.0	13	3	3	5	8	11	11	11
50-64	12	7.9	42	<1	1	6	12	17	21	22
65+	15	7.2	18	1	2	7	9	15	16	16
B. *Operated*										
0-19 YRS	19	2.4	2	<1	<1	2	3	5	6	6
20-34	389	2.7	4	1	1	2	3	4	5	9
35-49	607	2.8	3	1	1	3	3	4	6	10
50-64	395	3.3	7	1	1	3	4	5	6	17
65+	134	5.1	36	1	2	4	5	7	15	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	6.2	160	<1	<1	2	4	23	42	42
35-49	38	5.4	24	<1	1	4	6	13	15	20
50-64	86	7.1	26	1	1	6	10	15	17	24
65+	260	8.2	33	2	3	7	10	15	20	29
B. *Operated*										
0-19 YRS	5	2.4	1	1	1	2	3	4	4	4
20-34	97	3.8	16	1	1	3	4	7	12	23
35-49	264	4.3	36	1	1	3	4	7	10	35
50-64	286	7.5	98	1	2	4	7	17	28	55
65+	307	10.6	100	2	2	6	16	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.8	25	1	1	6	9	15	16	22
B *Operated*	1544	3.1	8	1	1	3	4	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	395	7.6	34	1	2	6	10	15	18	29
B. *Operated*	959	7.2	80	1	2	4	8	19	25	47
1. SINGLE DX	1579	3.2	8	1	1	3	4	5	7	16
2. MULTIPLE DX	1354	7.3	67	1	2	4	9	17	23	42
A. NOT OPERATED	430	7.6	33	1	2	6	10	15	18	28
B. OPERATED	2503	4.7	39	1	1	3	4	9	16	33
TOTAL 0-19 YRS	26	2.7	5	<1	1	2	3	5	7	12
20-34	499	3.0	10	1	1	2	3	4	6	20
35-49	913	3.4	14	1	1	3	4	5	8	16
50-64	779	5.3	47	1	1	3	5	11	17	34
65+	716	8.6	66	2	2	6	10	20	25	41
GRAND TOTAL	**2933**	**5.1**	**40**	**1**	**1**	**3**	**5**	**11**	**17**	**32**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	2.1	3	<1	<1	1	3	5	6	7
35-49	21	2.2	3	<1	<1	2	2	4	7	8
50-64	14	2.1	1	<1	<1	2	3	3	5	5
65+	14	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	9	2.4	3	<1	<1	2	3	5	6	6
20-34	156	3.3	3	1	1	3	4	5	7	8
35-49	253	3.5	2	1	2	3	4	6	7	8
50-64	174	3.6	4	1	2	3	4	6	6	12
65+	55	3.4	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	40	2.5	5	<1	<1	2	3	5	7	11
35-49	64	3.5	10	<1	1	2	4	7	9	20
50-64	83	4.0	13	<1	<1	3	5	7	10	20
65+	155	3.7	11	<1	1	3	4	8	10	17
B. *Operated*										
0-19 YRS	19	3.9	4	<1	1	3	5	6	8	10
20-34	682	3.7	3	1	2	4	5	6	7	9
35-49	1378	3.9	5	2	2	4	5	6	7	11
50-64	1049	4.1	4	1	2	4	5	6	8	11
65+	590	5.0	11	2	2	4	6	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*	647	3.5	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	344	3.6	11	<1	1	3	5	7	9	17
B. *Operated*	3718	4.1	6	1	2	4	5	6	8	13
1. SINGLE DX	714	3.3	3	1	1	3	4	5	6	8
2. MULTIPLE DX	4062	4.1	6	1	2	4	5	7	8	14
A. NOT OPERATED	411	3.4	10	<1	<1	2	4	7	9	17
B. OPERATED	4365	4.0	5	1	2	4	5	6	8	12
TOTAL 0-19 YRS	31	3.2	4	<1	<1	3	5	6	6	10
20-34	895	3.6	3	1	1	3	4	6	7	9
35-49	1716	3.8	5	1	2	4	5	6	7	11
50-64	1320	4.0	5	1	2	4	5	6	8	12
65+	814	4.6	11	1	2	4	5	8	11	18
GRAND TOTAL	**4776**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	8	<1	1	2	5	8	9	9
20-34	65	5.6	12	1	1	6	7	10	12	18
35-49	68	5.6	9	1	2	6	8	9	10	13
50-64	81	6.3	14	<1	1	6	9	10	12	18
65+	104	5.4	9	1	1	5	8	9	10	12
B. *Operated*										
0-19 YRS	56	1.8	2	<1	<1	1	2	3	6	8
20-34	179	4.1	16	<1	<1	2	7	10	11	17
35-49	84	4.6	13	<1	<1	3	8	9	10	16
50-64	74	6.2	21	1	1	6	9	11	13	24
65+	74	6.0	14	1	1	6	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.9	9	1	1	3	6	8	11	13
20-34	170	5.8	25	1	1	5	8	12	13	28
35-49	272	5.5	16	1	1	5	8	11	13	17
50-64	607	6.0	25	1	1	5	8	11	14	21
65+	1606	5.9	20	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	56	3.9	14	1	1	2	6	10	12	16
20-34	263	5.4	26	<1	1	4	8	11	15	25
35-49	249	7.3	34	1	1	6	10	15	19	26
50-64	396	8.9	61	1	2	8	11	17	21	50
65+	741	9.5	57	2	2	8	12	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.6	11	1	1	6	8	10	11	15
B. *Operated*	467	4.5	16	<1	1	3	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2709	5.8	21	1	1	5	8	11	14	21
B. *Operated*	1705	8.2	51	1	1	7	11	16	21	35
1. SINGLE DX	804	5.0	14	<1	1	5	8	10	11	17
2. MULTIPLE DX	4414	6.7	34	1	1	6	9	13	17	28
A. NOT OPERATED	3046	5.8	20	1	1	5	8	11	14	20
B. OPERATED	2172	7.4	46	1	1	6	10	15	19	32
TOTAL 0-19 YRS	185	3.2	9	<1	1	2	4	7	10	15
20-34	677	5.2	22	<1	1	4	8	11	13	22
35-49	673	6.1	23	1	1	5	8	11	15	21
50-64	1158	7.0	38	1	2	6	9	13	17	28
65+	2525	6.9	33	1	2	6	9	13	17	28
GRAND TOTAL	**5218**	**6.5**	**31**	**1**	**1**	**5**	**9**	**12**	**16**	**27**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7,	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1360	2.0	2	<1	1	2	2	3	4	6
20-34	201	2.8	5	1	1	3	3	4	5	7
35-49	80	2.8	2	1	1	3	3	4	5	8
50-64	48	2.8	2	1	1	3	3	4	5	7
65+	33	3.8	6	1	2	3	5	6	8	14
B. *Operated*										
0-19 YRS	209	1.6	3	<1	<1	1	2	2	3	8
20-34	91	2.0	3	1	1	1	2	4	6	10
35-49	23	3.2	11	<1	1	2	4	9	12	12
50-64	16	2.6	3	<1	1	2	4	5	6	7
65+	5	4.8	20	1	1	3	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2177	2.7	5	1	1	2	3	5	6	11
20-34	564	3.0	3	1	1	3	4	5	6	10
35-49	319	3.3	3	1	1	3	4	6	7	9
50-64	306	4.6	18	1	2	4	5	8	10	16
65+	504	5.5	16	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	240	3.1	23	<1	1	2	3	7	12	21
20-34	135	3.5	10	1	1	2	5	7	10	17
35-49	79	5.3	28	1	1	4	7	12	14	29
50-64	57	7.4	98	1	1	4	9	16	20	63
65+	54	7.7	54	1	2	5	10	17	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1722	2.2	3	<1	1	2	3	4	5	7
B. *Operated*	344	1.9	4	<1	<1	1	2	3	6	12
2. MULTIPLE DX										
A. *Not Operated*	3870	3.3	8	1	1	3	4	6	8	14
B. *Operated*	565	4.4	34	1	1	2	5	11	14	28
1. SINGLE DX	2066	2.1	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	4435	3.4	11	1	1	3	4	6	9	16
A. NOT OPERATED	5592	3.0	6	1	1	2	4	5	7	12
B. OPERATED	909	3.5	24	<1	1	2	4	8	12	22
TOTAL 0-19 YRS	3986	2.4	5	<1	1	2	3	4	6	11
20-34	991	2.9	5	1	1	2	3	5	6	12
35-49	501	3.5	8	1	1	3	4	6	8	13
50-64	427	4.7	28	1	2	3	5	9	11	23
65+	596	5.6	19	1	2	4	7	11	14	25
GRAND TOTAL	6501	3.0	9	1	1	2	4	6	8	14

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1420	2.7	3	1	1	2	3	5	6	9
20-34	99	2.6	1	1	1	2	3	4	5	7
35-49	95	3.4	6	1	1	3	4	5	6	16
50-64	74	3.9	5	1	1	4	5	7	8	11
65+	130	4.4	5	2	2	4	5	7	8	14
B. *Operated*										
0-19 YRS	31	2.8	3	<1	<1	3	4	5	7	8
20-34	6	4.3	5	2	2	4	6	8	8	8
35-49	5	8.2	40	2	2	5	14	16	16	16
50-64	3	4.0	19	1	1	2	7	9	9	9
65+	9	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2173	3.4	5	1	1	3	4	6	8	12
20-34	375	4.0	8	1	2	3	5	7	9	15
35-49	530	4.5	9	1	2	4	6	8	10	13
50-64	1514	5.7	17	2	2	5	7	10	13	21
65+	4005	6.2	18	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	40	5.5	18	1	2	4	6	12	13	23
20-34	34	7.9	66	1	2	6	9	14	28	41
35-49	52	7.5	45	2	2	6	8	13	21	41
50-64	135	9.0	70	2	3	7	11	17	24	39
65+	306	10.5	74	2	3	8	13	23	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1818	2.9	3	1	1	3	4	5	6	9
B. *Operated*	54	3.6	9	<1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	8597	5.2	15	1	2	4	7	9	12	19
B. *Operated*	567	9.4	68	2	3	7	11	20	27	42
1. SINGLE DX	1872	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	9164	5.5	19	1	2	4	7	10	13	23
A. NOT OPERATED	10415	4.8	14	1	2	4	6	9	11	19
B. OPERATED	621	8.9	65	2	2	7	11	18	26	42
TOTAL 0-19 YRS	3664	3.2	5	1	1	3	4	6	7	12
20-34	514	4.0	12	1	2	3	5	7	9	16
35-49	682	4.6	12	1	2	4	6	8	10	18
50-64	1726	5.8	21	2	2	5	7	10	14	23
65+	4450	6.4	23	2	2	5	8	11	15	27
GRAND TOTAL	11036	5.0	17	1	2	4	6	9	12	21

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	237	1.3		<1	1	1	1	2	2	4
20-34	552	1.3		<1	<1	1	1	2	3	4
35-49	313	1.3		<1	1	1	1	2	3	4
50-64	157	1.4		<1	1	1	2	2	3	5
65+	35	1.4	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	14	1.1		<1	<1	1	1	1	2	2
35-49	14	1.1		<1	<1	1	1	1	2	2
50-64	8	1.4		<1	<1	1	2	2	2	2
65+	4	3.8	2	3	3	3	5	6	6	6
B. Operated										
0-19 YRS	588	1.5	1	<1	1	1	2	3	3	4
20-34	1646	1.5	1	<1	1	1	2	3	3	4
35-49	1159	1.6	1	<1	1	1	2	3	3	5
50-64	536	1.8	1	1	1	2	2	3	4	5
65+	205	2.1	2	<1	1	2	3	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		<1	<1	1	1	2	2	2
B. Operated	1294	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	50	1.3	1	<1	<1	1	1	2	3	6
B. Operated	4134	1.6	1	<1	1	1	2	3	3	5
1. SINGLE DX	1299	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX	4184	1.6	1	<1	1	1	2	3	3	5
A. NOT OPERATED	55	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	5428	1.5	1	<1	1	1	2	3	3	5
TOTAL 0-19 YRS	836	1.4	1	<1	1	1	2	2	3	4
20-34	2213	1.5	1	<1	1	1	2	3	3	4
35-49	1488	1.6	1	<1	1	1	2	3	3	5
50-64	702	1.7	1	<1	1	1	2	3	4	5
65+	244	2.0	2	<1	1	2	3	3	4	9
GRAND TOTAL	5483	1.5	1	<1	1	1	2	3	3	5

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	18	1.3		<1	<1	1	2	2	2	2
20-34	29	1.6	1	<1	<1	1	2	3	4	5
35-49	43	1.6	1	<1	<1	1	2	3	3	4
50-64	50	1.2		<1	<1	1	1	2	3	4
65+	19	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	43	1.5	1	<1	<1	1	2	3	3	5
20-34	132	1.8	1	<1	1	1	2	3	4	6
35-49	155	1.8	1	<1	1	1	2	3	4	7
50-64	177	1.8	2	<1	1	1	2	3	4	6
65+	88	2.1	1	<1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	159	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	8	2.9	2	<1	<1	3	4	5	5	5
B. Operated	595	1.8	1	<1	1	1	2	3	4	6
1. SINGLE DX	160	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	603	1.8	1	<1	1	1	2	3	4	6
A. NOT OPERATED	9	2.7	3	<1	<1	3	4	5	5	5
B. OPERATED	754	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	62	1.5	1	<1	<1	1	2	3	3	5
20-34	162	1.7	1	<1	1	1	2	3	4	6
35-49	202	1.7	1	<1	<1	1	2	3	4	6
50-64	228	1.7	1	<1	1	1	2	3	4	6
65+	109	2.0	1	<1	<1	2	2	3	4	6
GRAND TOTAL	763	1.7	1	<1	<1	1	2	3	4	6

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.4	1	<1	<1	1	2	3	3	4
20-34	7	2.4	1	1	1	3	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8279	1.2	1	<1	<1	1	1	2	2	3
20-34	2258	1.3		1	1	1	2	2	2	4
35-49	270	1.5	1	1	1	1	2	2	3	4
50-64	34	1.6	4	<1	<1	1	1	3	4	12
65+	19	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	1.4	1	<1	<1	<1	1	3	4	6
20-34	33	1.8	2	<1	<1	1	3	4	4	6
35-49	13	1.8	3	<1	<1	1	2	5	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5366	1.3	1	<1	<1	1	1	2	2	3
20-34	718	1.5	1	1	1	1	2	3	3	5
35-49	121	1.9	2	1	1	2	2	3	4	8
50-64	27	2.1	3	<1	1	1	2	5	6	6
65+	20	2.3	9	<1	<1	1	2	5	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	10860	1.3	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	155	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	6252	1.3	1	<1	<1	1	1	2	2	4
1. SINGLE DX	10894	1.3	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX	6407	1.3	1	<1	<1	1	1	2	2	4
A. NOT OPERATED	189	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	17112	1.3	1	<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	13779	1.2	1	<1	<1	1	1	2	2	3
20-34	3016	1.4	1	<1	1	1	2	2	3	4
35-49	405	1.6	1	1	1	1	2	3	3	6
50-64	62	1.8	3	<1	<1	1	2	4	6	11
65+	39	1.9	5	<1	1	1	2	3	5	14
GRAND TOTAL	**17301**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	2.4	2	<1	<1	2	3	4	5	8
20-34	189	2.6	2	1	1	2	3	4	5	8
35-49	75	2.5	2	<1	1	2	3	5	5	7
50-64	47	2.7	3	<1	<1	2	4	5	7	7
65+	24	2.1	1	<1	1	2	3	4	4	5
B. *Operated*										
0-19 YRS	370	2.0	10	<1	<1	1	2	3	4	11
20-34	591	1.9	3	<1	<1	1	2	3	4	7
35-49	447	1.8	2	<1	<1	1	2	3	4	6
50-64	377	1.7	2	<1	<1	1	2	3	4	7
65+	201	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	3.0	6	1	1	3	4	5	7	10
20-34	149	3.1	4	<1	1	3	4	5	6	10
35-49	105	3.9	10	<1	1	3	4	9	10	16
50-64	111	3.7	9	<1	1	3	5	7	10	15
65+	110	4.3	15	<1	1	3	6	9	11	21
B. *Operated*										
0-19 YRS	548	2.5	13	<1	<1	1	2	5	7	19
20-34	906	2.1	4	<1	1	2	2	4	6	10
35-49	827	2.2	12	<1	1	1	2	4	5	10
50-64	678	2.7	11	<1	1	2	3	6	9	19
65+	519	3.3	17	<1	1	2	3	7	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	2.5	2	<1	1	2	3	4	5	7
B. *Operated*	1986	1.8	4	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	735	3.5	8	<1	1	3	4	7	9	15
B. *Operated*	3478	2.5	11	<1	1	2	3	5	7	18
1. SINGLE DX	2547	2.0	3	<1	<1	1	2	4	4	8
2. MULTIPLE DX	4213	2.7	10	<1	1	2	3	5	7	17
A. NOT OPERATED	1296	3.0	6	<1	1	3	4	5	7	13
B. OPERATED	5464	2.3	8	<1	<1	1	2	4	6	15
TOTAL 0-19 YRS	1404	2.5	9	<1	<1	2	3	5	7	15
20-34	1835	2.2	3	<1	1	2	3	4	5	9
35-49	1454	2.2	9	<1	<1	2	3	4	5	10
50-64	1213	2.5	8	<1	<1	2	3	5	7	16
65+	854	3.0	14	<1	1	2	3	6	10	20
GRAND TOTAL	**6760**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

342 Hospitals, Western Region, January-December 1984

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3021	3.2	4	1	1	3	4	5	7	10
20-34	706	3.7	5	1	2	3	5	6	7	11
35-49	489	4.3	8	1	2	4	5	7	9	14
50-64	478	4.6	7	2	2	4	6	8	10	14
65+	849	5.6	9	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	44	3.7	11	1	1	3	5	7	10	17
20-34	26	5.9	19	2	2	4	7	12	17	18
35-49	26	6.0	25	1	2	5	7	15	18	21
50-64	30	7.9	31	2	2	7	11	15	21	25
65+	52	9.5	36	2	3	8	12	16	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5474	4.2	12	1	2	3	5	7	10	16
20-34	1244	5.2	16	2	2	4	6	9	12	22
35-49	1365	5.7	15	2	2	5	7	10	13	21
50-64	3196	6.8	24	2	3	6	8	12	15	24
65+	12991	8.1	32	3	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	225	10.6	145	2	2	7	13	21	26	79
20-34	143	11.7	120	2	3	10	14	23	31	99+
35-49	228	12.7	147	2	3	9	15	24	38	93
50-64	530	13.9	141	3	4	10	17	31	39	82
65+	1656	14.9	142	4	5	12	18	28	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5543	3.9	6	1	2	3	5	7	8	12
B. *Operated*	178	6.8	29	1	2	5	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	24270	6.7	27	2	2	5	8	12	16	26
B. *Operated*	2782	14.0	143	3	4	11	17	27	37	74
1. SINGLE DX	5721	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX	27052	7.5	44	2	2	6	9	14	19	34
A. NOT OPERATED	29813	6.2	25	2	2	5	8	12	15	24
B. OPERATED	2960	13.6	139	3	4	10	17	26	36	72
TOTAL 0-19 YRS	8764	4.0	14	1	2	3	5	7	10	16
20-34	2119	5.2	23	1	2	4	6	9	12	26
35-49	2108	6.1	33	2	2	5	7	11	15	28
50-64	4234	7.4	43	2	3	6	9	14	18	35
65+	15548	8.7	48	3	3	7	11	16	20	36
GRAND TOTAL	**32773**	**6.9**	**39**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	3	1	1	2	4	5	6	8
20-34	96	2.4	2	1	1	2	3	4	5	7
35-49	74	2.8	2	1	1	3	4	4	6	8
50-64	47	3.1	2	1	1	3	4	5	6	7
65+	57	3.5	7	1	2	3	4	7	9	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	2.8	4	1	1	2	3	5	7	11
20-34	279	2.8	3	1	1	2	3	4	6	8
35-49	179	3.6	5	1	1	3	4	7	8	11
50-64	277	4.0	6	1	2	3	5	7	9	13
65+	769	5.6	18	2	2	4	7	11	14	21
B. *Operated*										
0-19 YRS	9	7.4	66	<1	1	5	8	21	28	28
20-34	13	6.3	67	1	2	3	7	14	29	32
35-49	10	10.9	55	2	3	8	18	21	22	22
50-64	17	5.9	24	2	2	4	7	13	19	21
65+	37	13.2	129	4	4	11	15	24	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	2.8	3	1	1	2	3	5	6	9
B. *Operated*	5	3.2		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1783	4.3	12	1	1	3	5	8	11	17
B. *Operated*	86	9.9	91	2	2	7	13	21	28	54
1. SINGLE DX	398	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1869	4.5	17	1	1	3	5	9	12	21
A. NOT OPERATED	2176	4.0	11	1	1	3	5	8	10	16
B. OPERATED	91	9.5	89	2	2	6	12	21	28	53
TOTAL 0-19 YRS	408	2.9	5	1	1	2	4	5	7	11
20-34	389	2.8	5	1	1	2	3	4	6	9
35-49	263	3.6	8	1	1	3	4	7	8	18
50-64	343	4.0	6	1	2	3	5	7	9	14
65+	864	5.8	25	2	2	4	7	11	14	24
GRAND TOTAL	**2267**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.2	2	<1	1	2	3	4	5	7
20-34	28	3.6	10	1	1	3	4	6	10	17
35-49	54	4.5	16	1	1	4	5	8	12	25
50-64	102	4.8	10	1	2	4	6	8	9	20
65+	144	4.9	7	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	5	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	4	5.8	41	<1	<1	3	10	15	15	15
50-64	11	2.2	4	<1	<1	1	3	5	7	7
65+	10	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	2.9	4	1	1	2	3	5	7	10
20-34	128	3.6	10	1	1	3	4	6	9	17
35-49	189	5.0	19	1	2	4	6	10	11	26
50-64	697	6.2	28	2	2	5	7	11	14	28
65+	1674	6.6	24	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	18	4.3	21	1	1	2	5	8	15	20
20-34	11	3.7	6	<1	<1	3	6	7	8	8
35-49	31	7.2	135	<1	1	4	7	14	16	66
50-64	99	8.5	39	1	2	7	11	17	21	30
65+	186	10.0	97	1	2	7	14	22	28	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	3.8	8	1	1	3	5	7	8	15
B. *Operated*	35	2.3	7	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	2981	5.9	24	1	2	5	7	11	14	25
B. *Operated*	345	8.8	79	1	2	6	12	19	25	50
1. SINGLE DX	557	3.7	8	1	1	3	5	7	8	15
2. MULTIPLE DX	3326	6.2	30	1	2	5	8	12	16	28
A. NOT OPERATED	3503	5.6	22	1	2	4	7	10	14	24
B. OPERATED	380	8.2	76	<1	1	5	11	18	24	47
TOTAL 0-19 YRS	512	2.6	4	1	1	2	3	5	6	9
20-34	170	3.6	10	1	1	3	4	6	9	16
35-49	278	5.1	32	1	2	4	6	10	13	26
50-64	909	6.2	28	2	2	5	7	11	15	27
65+	2014	6.8	31	2	2	5	8	13	17	28
GRAND TOTAL	**3883**	**5.9**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	7	3.6	1	3	3	3	4	5	5	5
50-64	38	6.5	13	2	3	6	9	11	13	18
65+	75	6.3	22	1	2	5	7	12	17	25
B. *Operated*										
0-19 YRS										
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	29	6.3	24	1	2	5	8	12	14	24
50-64	324	7.1	31	2	3	6	9	13	19	31
65+	894	7.4	31	2	3	6	9	14	19	29
B. *Operated*										
0-19 YRS	5	5.8	12	1	1	5	8	10	10	10
20-34	10	10.3	32	5	5	9	12	19	23	23
35-49	17	11.9	63	3	4	11	15	22	30	34
50-64	42	12.5	126	1	2	9	18	23	36	56
65+	80	15.4	168	3	4	12	19	40	45	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	6.2	18	1	2	5	7	11	13	24
B. *Operated*	8	4.3	10	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1247	7.3	31	2	3	6	9	13	19	29
B. *Operated*	154	13.6	135	2	4	10	17	30	43	56
1. SINGLE DX	129	6.0	18	1	2	5	7	11	13	24
2. MULTIPLE DX	1401	8.0	46	2	3	6	10	15	21	37
A. NOT OPERATED	1368	7.2	30	2	3	6	9	13	19	28
B. OPERATED	162	13.1	132	2	3	10	17	28	42	55
TOTAL 0-19 YRS	6	5.0	13	<1	<1	5	8	10	10	10
20-34	13	9.2	30	3	5	7	11	17	22	23
35-49	54	7.6	41	2	3	5	11	15	22	34
50-64	406	7.6	41	2	3	6	9	15	21	33
65+	1051	7.9	46	2	3	6	9	15	20	37
GRAND TOTAL	**1530**	**7.8**	**44**	**2**	**3**	**6**	**9**	**15**	**21**	**37**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3847	2.5	2	1	1	2	3	4	5	7
20-34	997	3.1	3	1	1	3	4	5	6	9
35-49	860	3.5	5	1	1	3	5	6	7	10
50-64	879	4.0	5	1	2	4	5	7	8	12
65+	577	4.5	9	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	15	2.5	3	<1	<1	2	3	5	6	6
20-34	11	2.5	2	<1	<1	2	4	5	5	5
35-49	9	3.2	7	<1	<1	3	4	7	9	9
50-64	14	6.5	22	<1	2	6	8	13	17	18
65+	6	5.0	8	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3163	2.9	4	1	1	3	4	5	6	10
20-34	1181	4.0	7	1	2	3	5	7	9	13
35-49	1413	4.6	11	1	2	4	6	8	10	16
50-64	2388	5.4	17	2	2	4	6	10	12	21
65+	3205	6.0	17	2	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	39	3.9	6	<1	1	3	5	8	9	11
20-34	42	7.5	55	1	2	6	9	14	21	42
35-49	66	7.2	33	2	3	6	9	13	16	34
50-64	145	10.2	115	1	2	7	12	24	31	58
65+	190	9.7	54	2	3	8	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7160	3.0	4	1	1	3	4	5	7	10
B. *Operated*	55	3.9	11	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	11350	4.6	13	1	2	4	6	8	11	18
B. *Operated*	482	8.8	69	2	2	7	11	17	25	42
1. SINGLE DX	7215	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	11832	4.8	16	1	2	4	6	9	12	20
A. NOT OPERATED	18510	4.0	10	1	1	3	5	7	10	16
B. OPERATED	537	8.3	65	1	2	6	10	16	24	41
TOTAL 0-19 YRS	7064	2.7	3	1	1	2	3	4	5	8
20-34	2231	3.6	7	1	1	3	5	6	8	13
35-49	2348	4.2	10	1	2	4	5	8	9	15
50-64	3426	5.2	20	1	2	4	6	9	12	23
65+	3978	6.0	19	2	2	5	7	11	14	22
GRAND TOTAL	**19047**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	13	4.6	7	1	2	4	5	9	11	11
35-49	30	5.0	7	2	2	5	6	7	8	16
50-64	266	4.9	9	1	2	4	7	8	11	17
65+	433	5.1	19	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	6	10.3	26	3	3	10	13	17	18	18
50-64	16	3.3	7	<1	1	3	4	8	9	9
65+	17	5.1	7	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.5	37	1	1	4	6	11	20	28
20-34	35	5.7	22	1	1	4	7	12	17	21
35-49	232	6.4	36	1	2	5	8	12	17	34
50-64	2128	6.6	27	2	2	5	8	12	15	28
65+	5236	6.7	27	2	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	6	6.3	30	<1	<1	5	10	14	15	15
20-34	13	6.5	21	1	2	6	8	13	17	18
35-49	41	7.3	19	1	2	7	9	14	16	18
50-64	221	9.3	92	1	2	6	11	18	32	55
65+	496	11.3	118	2	3	8	14	22	31	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	748	5.0	15	1	2	4	6	9	11	17
B. *Operated*	44	4.8	14	<1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	7652	6.7	27	2	2	5	8	12	15	28
B. *Operated*	777	10.4	105	2	2	8	13	20	29	64
1. SINGLE DX	792	5.0	15	1	2	4	6	9	11	18
2. MULTIPLE DX	8429	7.0	36	2	2	6	8	13	17	32
A. NOT OPERATED	8400	6.5	27	2	2	5	8	12	15	27
B. OPERATED	821	10.1	101	1	2	7	13	20	27	63
TOTAL 0-19 YRS	35	5.0	28	1	1	4	6	10	14	28
20-34	64	5.5	18	1	1	4	7	11	14	21
35-49	309	6.5	31	1	2	5	8	12	17	30
50-64	2631	6.6	31	2	2	5	8	12	16	30
65+	6182	7.0	36	2	2	5	8	13	17	31
GRAND TOTAL	**9221**	**6.8**	**34**	**2**	**2**	**5**	**8**	**13**	**16**	**30**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.6	4	<1	1	2	4	5	7	9
20-34	75	2.9	6	<1	1	2	4	5	6	14
35-49	20	3.9	9	1	1	3	6	7	10	13
50-64	9	5.4	16	1	1	5	8	11	12	12
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	76	5.3	13	2	2	4	6	10	14	18
20-34	332	5.1	10	2	2	4	7	9	11	15
35-49	97	5.6	16	2	2	4	6	12	15	21
50-64	42	5.2	12	2	2	4	6	9	12	19
65+	21	6.6	58	1	2	3	8	12	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.4	4	1	1	4	5	6	6	6
20-34	39	3.3	6	1	1	3	4	6	9	12
35-49	13	3.3	3	1	1	3	5	6	6	6
50-64	22	4.8	27	<1	1	3	6	9	17	24
65+	56	6.5	30	1	2	5	8	13	16	31
B. *Operated*										
0-19 YRS	28	10.3	33	4	4	9	14	18	21	24
20-34	163	7.8	20	2	3	7	10	13	16	21
35-49	96	8.0	47	2	2	6	10	14	19	40
50-64	165	10.2	76	2	3	8	14	20	28	59
65+	249	10.2	84	3	3	7	12	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.2	7	1	1	2	4	6	8	13
B. *Operated*	568	5.3	13	2	2	4	7	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	139	4.8	20	1	1	4	6	10	13	25
B. *Operated*	701	9.3	61	2	3	7	12	18	23	44
1. SINGLE DX	697	4.9	13	1	2	4	6	9	12	17
2. MULTIPLE DX	840	8.6	57	2	2	6	11	16	22	43
A. NOT OPERATED	268	4.0	15	1	1	3	5	7	12	22
B. OPERATED	1269	7.5	44	2	2	6	9	15	19	36
TOTAL 0-19 YRS	135	5.8	21	1	2	4	7	13	16	21
20-34	609	5.4	15	1	2	4	7	10	13	19
35-49	226	6.3	30	2	2	5	8	13	17	28
50-64	238	8.6	63	1	2	6	11	17	24	49
65+	329	9.3	74	2	3	7	11	19	27	45
GRAND TOTAL	**1537**	**6.9**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.6	4	<1	1	2	3	5	6	13
20-34	95	2.3	2	<1	1	2	3	4	5	8
35-49	109	3.2	8	1	1	2	4	6	10	16
50-64	101	3.3	12	1	1	2	4	6	10	20
65+	117	4.0	15	<1	1	3	5	8	10	21
B. *Operated*										
0-19 YRS	44	3.5	28	<1	<1	1	4	8	11	32
20-34	52	4.8	14	<1	1	4	7	9	12	20
35-49	83	5.2	20	<1	1	4	7	13	15	21
50-64	143	4.9	28	<1	1	3	6	10	14	24
65+	116	5.3	29	<1	1	3	8	11	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	470	4.0	19	1	1	3	5	8	11	20
20-34	282	4.6	20	1	1	3	6	9	13	24
35-49	399	4.6	14	1	1	3	6	10	13	18
50-64	1001	5.6	28	1	1	4	7	11	14	24
65+	3210	7.4	43	2	2	6	9	14	18	35
B. *Operated*										
0-19 YRS	150	8.5	134	1	1	4	10	21	31	65
20-34	211	9.9	107	1	1	6	14	23	26	54
35-49	340	8.5	77	1	2	6	10	17	27	54
50-64	799	9.9	111	1	2	7	13	21	29	63
65+	1369	11.4	121	1	2	8	15	23	34	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	3.1	8	<1	1	2	4	6	8	16
B. *Operated*	438	4.9	25	<1	1	3	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	5362	6.4	36	1	2	5	8	13	17	32
B. *Operated*	2869	10.4	114	1	2	7	14	22	31	64
1. SINGLE DX	1031	3.8	16	<1	1	2	5	8	11	20
2. MULTIPLE DX	8231	7.8	67	1	2	5	10	16	22	45
A. NOT OPERATED	5955	6.1	35	1	1	4	8	12	16	30
B. OPERATED	3307	9.6	106	1	1	7	13	21	29	59
TOTAL 0-19 YRS	835	4.5	41	1	1	3	5	9	14	32
20-34	640	6.0	53	1	1	4	7	14	21	37
35-49	931	5.9	41	1	1	4	7	13	16	33
50-64	2044	7.1	65	1	1	5	9	15	21	46
65+	4812	8.4	68	1	2	6	10	17	23	45
GRAND TOTAL	**9262**	**7.4**	**63**	**1**	**1**	**5**	**9**	**15**	**21**	**42**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	3	<1	1	3	4	6	6	6
20-34	19	3.1	7	1	1	3	3	6	9	12
35-49	8	2.4	3	1	1	2	4	5	5	5
50-64	5	6.4	59	2	2	3	9	20	20	20
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	604	2.3	2	<1	<1	2	3	4	5	6
20-34	770	3.0	2	1	1	3	4	4	5	7
35-49	389	2.9	3	1	1	3	4	5	6	11
50-64	165	2.4	2	<1	1	2	3	4	5	7
65+	73	2.8	12	<1	1	2	3	5	5	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.6	4	<1	<1	2	4	5	5	11
20-34	66	3.3	10	<1	<1	3	4	7	10	18
35-49	31	4.0	29	1	1	3	4	8	10	30
50-64	41	3.4	7	<1	<1	3	4	7	10	12
65+	39	3.7	12	<1	<1	2	5	9	12	14
B. *Operated*										
0-19 YRS	606	2.8	4	<1	<1	3	4	5	5	9
20-34	758	3.4	7	1	1	3	4	5	6	12
35-49	400	3.4	12	1	1	3	4	5	7	17
50-64	365	3.7	21	1	1	2	4	7	11	23
65+	309	2.9	9	1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.2	10	1	1	3	4	6	6	20
B. *Operated*	2001	2.7	3	<1	<1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	247	3.3	11	<1	<1	2	4	7	10	14
B. *Operated*	2438	3.2	10	<1	1	3	4	5	7	18
1. SINGLE DX	2054	2.7	3	<1	1	3	3	4	5	7
2. MULTIPLE DX	2685	3.2	10	<1	1	3	4	5	7	18
A. NOT OPERATED	300	3.3	10	<1	<1	2	4	6	9	16
B. OPERATED	4439	3.0	7	<1	1	3	4	5	6	12
TOTAL 0-19 YRS	1297	2.6	3	<1	<1	2	3	4	5	8
20-34	1613	3.2	5	1	1	3	4	5	6	9
35-49	828	3.2	8	1	1	3	4	5	6	13
50-64	576	3.3	15	<1	1	2	3	6	9	22
65+	425	3.0	10	1	1	2	3	5	7	18
GRAND TOTAL	**4739**	**3.0**	**7**	**<1**	**1**	**3**	**4**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	5	1	2	3	5	8	9	10
20-34	18	3.5	3	<1	1	3	4	6	6	6
35-49	27	3.5	4	1	1	3	5	7	7	7
50-64	18	4.0	11	<1	1	3	4	10	12	12
65+	9	4.0	3	3	3	4	4	7	8	8
B. *Operated*										
0-19 YRS	107	2.3	3	<1	<1	2	3	5	6	8
20-34	111	2.7	6	<1	<1	2	3	6	8	13
35-49	100	2.6	5	<1	<1	2	4	6	7	11
50-64	98	2.4	4	<1	<1	2	3	4	6	11
65+	74	2.5	5	<1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.4	3	1	1	3	4	5	7	10
20-34	43	3.6	6	<1	1	3	5	8	9	9
35-49	33	3.7	9	1	1	3	4	7	9	16
50-64	64	6.5	33	1	2	5	8	13	15	33
65+	100	7.7	60	1	2	6	8	15	23	44
B. *Operated*										
0-19 YRS	100	2.9	7	<1	<1	2	3	5	7	15
20-34	106	3.5	18	1	1	2	4	7	8	29
35-49	120	3.0	7	1	1	2	3	6	8	14
50-64	155	3.5	8	1	1	3	4	7	9	15
65+	181	4.2	20	1	1	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.8	5	1	1	3	5	7	8	11
B. *Operated*	490	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	334	5.3	30	1	1	4	6	9	15	28
B. *Operated*	662	3.5	13	1	1	3	4	7	9	18
1. SINGLE DX	618	2.8	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX	996	4.1	19	1	1	3	5	8	11	24
A. NOT OPERATED	462	4.9	24	1	1	4	6	9	12	27
B. OPERATED	1152	3.1	9	<1	1	2	4	6	8	15
TOTAL 0-19 YRS	357	3.0	5	<1	<1	3	4	5	7	11
20-34	278	3.2	10	<1	1	2	4	6	8	14
35-49	280	3.0	6	<1	1	2	4	6	8	13
50-64	335	3.8	13	<1	1	3	5	8	11	15
65+	364	4.8	31	1	1	3	6	9	13	27
GRAND TOTAL	**1614**	**3.6**	**14**	**<1**	**1**	**3**	**4**	**7**	**9**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.2	2	<1	<1	2	3	4	4	10
20-34	73	2.4	5	<1	1	2	3	4	6	14
35-49	109	2.2	3	<1	<1	2	3	4	4	9
50-64	91	2.3	2	1	1	2	3	4	6	7
65+	79	2.5	3	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS	66	3.9	13	<1	<1	2	6	9	10	14
20-34	57	4.3	11	1	1	4	7	8	9	18
35-49	73	4.7	9	<1	1	5	7	9	10	13
50-64	69	4.7	8	1	1	5	7	8	9	12
65+	89	4.3	14	<1	1	3	6	9	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	3.3	8	1	1	2	4	7	9	14
20-34	290	3.3	8	1	1	2	4	6	8	16
35-49	483	3.1	5	1	1	3	4	6	7	12
50-64	783	3.8	10	1	1	3	5	7	10	15
65+	1146	4.3	10	1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	177	8.4	107	<1	1	6	10	16	27	59
20-34	171	6.2	30	<1	1	5	8	13	16	30
35-49	277	6.4	31	1	2	5	8	12	18	32
50-64	506	6.4	38	1	1	5	8	12	17	31
65+	959	7.8	71	1	2	6	9	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	354	4.4	11	<1	1	4	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	2945	3.8	9	1	1	3	5	7	10	15
B. *Operated*	2090	7.2	58	1	1	5	8	14	21	38
1. SINGLE DX	837	3.2	8	<1	1	2	4	7	8	12
2. MULTIPLE DX	5035	5.2	32	1	1	4	6	10	14	29
A. NOT OPERATED	3428	3.6	9	1	1	3	4	7	9	14
B. OPERATED	2444	6.8	52	1	1	5	8	13	19	38
TOTAL 0-19 YRS	617	4.6	42	<1	1	2	6	10	14	38
20-34	591	4.2	16	<1	1	3	5	8	11	21
35-49	942	4.1	15	1	1	3	5	8	10	21
50-64	1449	4.6	21	1	1	3	6	9	12	26
65+	2273	5.7	39	1	1	4	7	11	15	31
GRAND TOTAL	**5872**	**4.9**	**29**	**1**	**1**	**3**	**6**	**10**	**13**	**28**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	2	1	1	2	3	5	5	5
20-34	31	3.2	3	1	1	3	5	6	6	9
35-49	39	3.3	4	1	1	2	4	5	8	9
50-64	46	3.1	2	1	2	3	4	4	6	9
65+	26	2.8	3	<1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS										
20-34	20	5.8	15	<1	<1	5	8	11	13	15
35-49	49	5.9	16	<1	<1	6	8	10	13	18
50-64	38	5.9	27	<1	<1	5	8	10	17	26
65+	28	4.7	11	<1	<1	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.1	4	2	2	4	5	7	8	8
20-34	67	3.6	4	1	2	3	5	6	7	10
35-49	138	3.9	6	1	2	3	5	7	9	12
50-64	165	4.7	12	1	2	4	6	8	10	15
65+	337	5.4	14	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	8	5.0	10	<1	1	4	5	10	12	12
20-34	41	7.3	46	<1	1	5	9	14	22	35
35-49	118	7.2	32	<1	2	6	9	14	16	32
50-64	193	6.7	25	1	2	6	9	13	15	29
65+	328	7.9	55	2	3	6	9	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	3.1	3	1	1	3	4	5	6	9
B. *Operated*	135	5.6	18	<1	<1	5	8	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	717	4.8	11	1	2	4	6	9	10	18
B. *Operated*	688	7.4	42	1	2	6	9	14	18	36
1. SINGLE DX	284	4.3	11	<1	1	3	6	9	10	18
2. MULTIPLE DX	1405	6.1	28	1	2	5	8	11	15	28
A. NOT OPERATED	866	4.5	10	1	2	4	6	8	10	16
B. OPERATED	823	7.1	38	<1	2	6	9	13	17	34
TOTAL 0-19 YRS	25	4.0	6	1	2	4	5	6	9	12
20-34	159	4.8	19	1	1	4	6	9	11	23
35-49	344	5.3	19	1	2	4	7	10	13	19
50-64	442	5.5	19	1	2	4	7	10	13	25
65+	719	6.4	34	1	2	5	8	11	16	33
GRAND TOTAL	**1689**	**5.8**	**26**	**1**	**2**	**5**	**7**	**10**	**14**	**26**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	2	2	2	3	3	5	6	6
20-34	33	3.5	3	1	2	3	4	6	7	9
35-49	61	3.3	3	1	1	3	4	6	7	9
50-64	73	3.8	3	2	2	4	5	6	7	9
65+	102	4.2	5	1	2	4	5	7	8	12
B. *Operated*										
0-19 YRS	3	6.3		6	6	6	7	7	7	7
20-34	31	7.1	8	3	3	7	9	11	13	13
35-49	51	6.5	12	2	2	6	9	11	13	17
50-64	59	5.6	9	2	2	5	8	10	11	14
65+	76	7.5	31	2	3	6	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	5	<1	1	2	4	7	7	7
20-34	71	4.0	7	1	1	4	5	7	8	16
35-49	153	4.0	6	2	2	3	5	6	8	15
50-64	364	4.6	8	2	2	4	5	8	10	15
65+	934	6.0	16	2	3	5	7	11	13	20
B. *Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	44	6.2	18	1	2	5	9	11	15	21
35-49	122	8.9	101	2	3	6	10	15	23	74
50-64	375	9.4	75	2	3	7	12	19	23	70
65+	992	10.0	74	3	3	7	12	20	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.8	4	1	2	3	5	6	7	11
B. *Operated*	220	6.7	18	2	3	6	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	1535	5.3	13	2	2	4	6	9	12	18
B. *Operated*	1537	9.6	75	3	3	7	11	19	26	49
1. SINGLE DX	496	5.1	12	2	2	4	6	9	11	16
2. MULTIPLE DX	3072	7.5	49	2	3	5	9	14	20	37
A. NOT OPERATED	1811	5.1	12	2	2	4	6	9	11	18
B. OPERATED	1757	9.3	69	2	3	7	11	18	24	45
TOTAL 0-19 YRS	27	3.7	4	1	2	3	6	7	7	7
20-34	179	5.0	11	1	2	4	7	9	11	17
35-49	387	5.8	41	2	2	4	7	11	14	26
50-64	871	6.7	42	2	2	5	8	13	19	33
65+	2104	7.8	48	2	3	6	9	15	20	38
GRAND TOTAL	**3568**	**7.2**	**44**	**2**	**2**	**5**	**8**	**13**	**18**	**36**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	3	1	1	3	4	5	7	7
20-34	154	2.8	4	1	1	2	4	5	6	11
35-49	151	2.8	2	1	1	3	4	5	5	7
50-64	94	2.8	2	1	1	3	4	5	6	7
65+	71	3.5	5	<1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS										
20-34	35	7.1	9	3	4	6	8	9	13	19
35-49	62	7.6	12	3	4	7	9	11	14	19
50-64	32	7.2	10	<1	3	7	9	11	11	16
65+	11	5.5	13	<1	<1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	5	1	2	3	4	8	8	9
20-34	261	3.8	10	1	1	3	5	7	9	20
35-49	354	3.7	8	1	1	3	4	7	8	16
50-64	365	4.1	6	1	2	4	5	7	9	14
65+	618	4.8	20	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	7	9.1	41	3	3	7	15	18	18	18
20-34	55	6.4	16	1	2	6	8	12	16	18
35-49	129	8.4	37	2	3	8	10	14	17	32
50-64	148	8.4	63	1	2	7	11	15	21	54
65+	161	8.2	32	2	3	7	10	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	2.9	3	1	1	3	4	5	6	10
B. *Operated*	140	7.2	11	2	3	7	9	11	12	19
2. MULTIPLE DX										
A. *Not Operated*	1632	4.2	12	1	2	3	5	7	9	15
B. *Operated*	500	8.1	41	2	3	7	10	14	18	30
1. SINGLE DX	644	3.8	8	1	1	3	5	8	9	12
2. MULTIPLE DX	2132	5.2	22	1	2	4	6	10	13	21
A. NOT OPERATED	2136	3.9	11	1	1	3	5	7	9	14
B. OPERATED	640	7.9	34	2	3	7	10	14	17	29
TOTAL 0-19 YRS	75	3.7	10	1	1	3	4	8	9	17
20-34	505	4.0	10	1	1	3	5	8	9	18
35-49	696	4.8	17	1	1	4	6	9	12	19
50-64	639	5.1	23	1	1	4	6	9	12	26
65+	861	5.4	23	2	2	4	6	10	13	19
GRAND TOTAL	**2776**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	3	1	1	3	4	6	7	7
20-34	152	3.1	2	1	1	3	4	5	6	7
35-49	176	3.5	3	1	2	3	4	6	7	10
50-64	207	3.7	3	1	2	4	5	6	7	9
65+	149	4.0	3	2	2	4	5	6	7	10
B. *Operated*										
0-19 YRS	5	6.2	21	1	1	4	10	12	12	12
20-34	59	7.0	10	2	3	7	9	11	12	18
35-49	91	7.0	8	2	3	7	9	10	13	15
50-64	83	7.5	12	3	4	7	9	12	15	19
65+	62	9.4	53	3	4	8	11	14	17	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	3	1	2	3	4	6	7	9
20-34	209	3.4	3	1	2	3	4	6	6	9
35-49	371	4.1	9	1	2	4	5	7	8	13
50-64	516	4.7	8	2	2	4	6	8	10	16
65+	1201	5.8	17	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	8	6.5	8	2	2	[illegible]	9	10	10	10
20-34	68	8.1	29	2	3	8	10	15	16	31
35-49	169	9.8	66	2	3	8	11	18	24	48
50-64	326	10.9	81	3	4	9	13	20	26	45
65+	704	12.6	111	3	4	10	15	22	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	3.6	3	1	2	3	4	6	7	9
B. *Operated*	300	7.6	20	2	3	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	2329	5.0	13	2	2	4	6	9	11	19
B. *Operated*	1275	11.5	94	3	4	9	14	20	29	56
1. SINGLE DX	1000	4.8	11	1	2	4	6	9	10	16
2. MULTIPLE DX	3604	7.3	51	2	2	5	9	14	19	38
A. NOT OPERATED	3029	4.7	11	2	2	4	6	8	10	18
B. OPERATED	1575	10.8	82	3	4	8	13	19	26	51
TOTAL 0-19 YRS	61	4.0	6	1	2	3	5	8	9	12
20-34	488	4.4	11	1	2	4	5	8	10	16
35-49	807	5.5	25	2	2	4	7	10	13	25
50-64	1132	6.5	37	2	2	5	8	12	16	29
65+	2116	8.0	59	2	3	6	9	15	20	42
GRAND TOTAL	**4604**	**6.8**	**44**	**2**	**2**	**5**	**8**	**13**	**17**	**35**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	14	3.2	1	2	2	3	4	4	5	5
35-49	14	4.6	9	1	2	4	6	10	11	11
50-64	20	3.7	3	1	1	4	5	6	7	7
65+	14	4.6	6	1	1	4	6	8	10	10
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	9.7	51	1	1	9	12	21	22	22
35-49	17	9.8	9	6	7	9	11	12	16	18
50-64	34	11.0	54	3	5	10	13	18	22	42
65+	29	10.1	34	5	5	8	12	16	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	15	5.1	23	<1	1	3	7	9	17	20
35-49	33	5.5	31	2	2	4	6	12	14	30
50-64	38	4.7	12	1	2	4	5	8	11	20
65+	124	7.1	26	2	3	6	9	12	16	29
B. *Operated*										
0-19 YRS	2	21.5	613	4	4	21	39	39	39	39
20-34	21	14.6	378	4	4	8	13	27	60	94
35-49	43	13.5	91	3	5	10	16	26	30	50
50-64	118	16.2	199	5	5	11	19	33	44	77
65+	236	14.9	116	3	5	12	18	29	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.0	5	1	2	4	5	7	9	11
B. *Operated*	87	10.4	37	4	5	9	12	17	19	39
2. MULTIPLE DX										
A. *Not Operated*	211	6.3	25	2	2	5	8	12	15	28
B. *Operated*	420	15.1	150	4	5	11	18	29	39	76
1. SINGLE DX	152	7.6	33	2	2	6	10	14	17	34
2. MULTIPLE DX	631	12.2	125	2	3	9	15	25	33	70
A. NOT OPERATED	276	5.8	21	2	2	4	7	11	14	26
B. OPERATED	507	14.3	133	4	5	11	17	28	37	74
TOTAL 0-19 YRS	7	11.4	163	3	3	5	13	34	39	39
20-34	56	8.7	173	1	2	5	9	18	23	90
35-49	107	9.3	63	2	2	7	11	20	26	40
50-64	210	12.1	148	2	3	9	15	23	35	71
65+	403	11.8	92	3	3	9	14	23	31	62
GRAND TOTAL	**783**	**11.3**	**110**	**2**	**3**	**9**	**14**	**23**	**31**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	1.9	2	1	1	1	2	4	4	9
20-34	317	2.3	6	<1	1	2	3	4	5	9
35-49	212	2.4	2	<1	1	2	3	4	5	9
50-64	130	2.4	2	<1	1	2	3	4	5	8
65+	99	2.8	4	1	1	2	3	6	7	10
B. *Operated*										
0-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
20-34	39	3.6	6	<1	<1	3	5	8	8	9
35-49	37	4.1	8	<1	<1	3	6	8	10	12
50-64	47	3.7	9	<1	<1	3	6	9	10	12
65+	16	3.6	13	<1	<1	3	4	8	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	2.5	2	1	1	2	3	4	5	9
20-34	897	3.2	8	1	1	3	4	6	7	14
35-49	1010	3.6	7	1	1	3	5	7	8	14
50-64	1119	4.1	12	1	1	3	5	8	10	17
65+	1748	4.6	11	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	23	4.2	9	1	1	4	7	8	10	11
20-34	152	6.1	38	<1	1	5	7	14	17	37
35-49	216	6.1	35	<1	1	4	8	11	18	36
50-64	314	6.4	25	<1	2	5	8	13	17	25
65+	485	7.7	68	2	3	6	9	13	18	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	2.4	4	<1	1	2	3	4	5	9
B. *Operated*	144	3.7	8	<1	<1	3	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	5077	3.9	10	1	1	3	5	7	9	15
B. *Operated*	1190	6.8	46	1	2	5	8	13	17	33
1. SINGLE DX	1033	2.5	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	6267	4.5	18	1	1	3	5	8	11	20
A. NOT OPERATED	5966	3.7	9	1	1	3	5	7	9	15
B. OPERATED	1334	6.5	43	<1	2	5	8	12	17	31
TOTAL 0-19 YRS	462	2.4	3	1	1	2	3	4	5	10
20-34	1405	3.4	12	1	1	3	4	6	8	16
35-49	1475	3.8	11	1	1	3	5	7	9	17
50-64	1610	4.4	15	1	1	3	5	9	11	20
65+	2348	5.2	24	1	2	4	6	9	12	21
GRAND TOTAL	**7300**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.5	4	<1	1	2	3	5	9	9
20-34	57	2.7	4	<1	1	2	3	5	7	12
35-49	52	3.2	14	1	1	2	4	6	10	24
50-64	37	3.0	4	1	1	2	4	5	8	10
65+	36	2.4	2	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	39	3.3	3	1	1	3	4	5	7	9
20-34	14	6.2	30	2	3	5	7	10	21	24
35-49	20	8.3	29	1	2	7	11	17	19	20
50-64	17	7.0	14	1	2	8	9	11	14	15
65+	9	8.6	48	1	1	8	13	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	8.5	162	1	1	3	6	30	36	56
20-34	238	9.9	205	1	1	4	8	39	43	62
35-49	236	4.7	51	1	1	3	5	8	12	45
50-64	223	4.1	15	1	1	3	5	8	10	20
65+	414	5.0	15	1	2	4	6	10	13	22
B. *Operated*										
0-19 YRS	38	9.2	164	1	2	5	10	22	26	74
20-34	59	10.2	74	2	3	8	13	21	33	95
35-49	96	12.4	99	2	3	10	16	30	39	99+
50-64	130	14.3	177	2	3	10	18	28	39	71
65+	212	15.5	197	2	3	11	21	31	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	2.8	6	1	1	2	3	5	8	12
B. *Operated*	99	5.8	22	1	2	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	1230	6.1	77	1	1	4	6	11	24	49
B. *Operated*	535	13.6	162	2	3	10	18	29	41	76
1. SINGLE DX	326	3.7	13	1	1	3	4	8	10	20
2. MULTIPLE DX	1765	8.4	115	1	1	5	9	21	32	59
A. NOT OPERATED	1457	5.6	68	1	1	3	5	10	19	46
B. OPERATED	634	12.4	148	2	2	9	16	27	38	74
TOTAL 0-19 YRS	241	6.6	114	1	1	3	5	19	31	55
20-34	368	8.7	153	1	1	4	8	30	40	61
35-49	404	6.5	68	1	1	4	8	15	22	46
50-64	407	7.4	89	1	1	4	8	17	24	47
65+	671	8.3	97	1	2	5	10	19	26	57
GRAND TOTAL	**2091**	**7.6**	**102**	**1**	**1**	**4**	**8**	**18**	**29**	**56**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	1	<1	<1	2	3	4	4	5
20-34	19	2.0	1	<1	1	2	3	4	5	5
35-49	8	3.3	6	1	1	2	5	7	8	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3912	2.9	1	1	2	3	3	4	5	7
20-34	3149	3.1	2	2	2	3	4	4	5	7
35-49	991	3.4	2	2	2	3	4	5	6	8
50-64	334	3.9	3	2	2	4	5	6	7	10
65+	97	4.7	4	2	3	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	6	<1	<1	1	2	6	8	8
20-34	9	2.9	10	<1	<1	2	3	8	10	10
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	5	6.2	53	<1	<1	3	8	19	19	19
B. *Operated*										
0-19 YRS	676	3.8	4	2	2	3	4	6	8	11
20-34	757	4.1	6	2	2	4	5	7	8	14
35-49	332	4.7	7	2	2	4	6	8	9	15
50-64	202	5.5	12	2	3	4	6	9	12	20
65+	119	6.2	12	3	3	5	7	11	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	8483	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	28	3.1	15	<1	<1	2	3	7	11	19
B. *Operated*	2086	4.4	7	2	2	4	5	7	9	15
1. SINGLE DX	8533	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX	2114	4.3	7	2	2	4	5	7	9	15
A. NOT OPERATED	78	2.5	7	<1	1	2	3	5	7	16
B. OPERATED	10569	3.3	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4616	3.0	2	1	2	3	4	4	5	8
20-34	3934	3.3	3	2	2	3	4	5	6	9
35-49	1335	3.7	4	2	2	3	4	6	7	10
50-64	541	4.4	7	2	2	4	5	7	9	16
65+	221	5.5	10	2	3	5	7	9	11	18
GRAND TOTAL	**10647**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	5	3	3	6	9	9	9	9
20-34	8	7.0	14	2	2	8	10	11	11	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	8	4.0	5	1	1	4	5	7	8	8
65+	3	7.7	4	6	6	7	9	10	10	10
B. *Operated*										
0-19 YRS	845	6.1	12	2	3	6	7	9	11	14
20-34	557	5.9	8	2	3	6	7	10	11	14
35-49	290	5.9	6	3	3	5	7	9	11	14
50-64	234	6.9	8	3	4	7	8	10	12	17
65+	106	8.0	10	4	5	7	10	12	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	36	5	5	11	15	17	17	17
20-34	9	6.2	13	1	1	6	9	11	12	12
35-49	1	24.0		24	24	24	24	24	24	24
50-64	4	6.3	7	4	4	5	8	10	10	10
65+	8	9.3	34	<1	1	9	11	18	21	21
B. *Operated*										
0-19 YRS	626	8.6	29	3	4	7	10	14	18	29
20-34	386	8.1	20	3	4	7	10	13	16	25
35-49	334	9.3	45	4	5	8	11	14	17	39
50-64	314	9.8	50	4	5	8	11	16	19	34
65+	329	11.3	42	5	6	10	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.8	10	1	2	6	9	10	10	11
B. *Operated*	2032	6.2	10	3	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	25	8.5	32	1	2	7	10	17	22	24
B. *Operated*	1989	9.2	36	4	4	8	11	15	19	33
1. SINGLE DX	2058	6.2	10	3	3	6	8	10	11	15
2. MULTIPLE DX	2014	9.2	36	4	4	8	11	15	19	33
A. NOT OPERATED	51	7.1	22	1	2	6	10	11	17	24
B. OPERATED	4021	7.7	25	3	3	7	9	12	16	27
TOTAL 0-19 YRS	1480	7.1	21	3	3	6	8	11	14	24
20-34	960	6.8	14	3	3	6	8	11	13	21
35-49	626	7.7	30	3	4	7	9	12	15	29
50-64	560	8.4	34	3	4	7	10	13	17	29
65+	446	10.5	36	4	5	9	12	18	21	35
GRAND TOTAL	**4072**	**7.7**	**25**	**3**	**3**	**7**	**9**	**12**	**16**	**27**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.6	1	<1	1	1	2	3	4	5
20-34	33	1.9	1	<1	1	2	2	3	5	5
35-49	10	2.5	5	<1	<1	2	4	6	7	7
50-64	3	2.7	2	1	1	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	234	3.0	1	2	2	3	4	4	5	7
20-34	194	3.6	3	2	2	3	4	5	7	10
35-49	60	4.0	3	2	2	4	5	6	7	9
50-64	20	3.7	1	2	2	4	4	5	5	6
65+	10	5.7	8	2	2	5	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	28	<1	1	1	3	4	13	26
20-34	22	2.0	2	<1	1	2	2	3	5	7
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	6	3.7	4	2	2	3	5	7	7	7
65+	6	4.2	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	107	4.3	5	2	2	4	5	7	9	11
20-34	152	4.6	5	2	2	4	6	7	9	13
35-49	40	4.9	4	2	3	4	6	7	8	13
50-64	23	6.7	11	3	3	6	9	11	13	15
65+	23	6.4	15	2	3	6	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.9	2	<1	1	2	2	4	5	7
B. *Operated*	518	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	61	2.7	12	1	1	2	3	5	7	24
B. *Operated*	345	4.8	6	2	3	4	6	8	10	13
1. SINGLE DX	585	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	406	4.5	8	1	2	4	6	8	10	14
A. NOT OPERATED	128	2.3	7	<1	1	2	3	5	6	11
B. OPERATED	863	4.0	4	2	2	3	5	6	8	11
TOTAL 0-19 YRS	384	3.3	4	1	2	3	4	5	7	10
20-34	401	3.7	1	1	2	3	4	6	8	11
35-49	115	4.1	4	1	2	4	5	7	8	11
50-64	52	5.0	8	2	2	4	6	10	11	15
65+	39	5.9	12	1	2	5	7	10	12	19
GRAND TOTAL	**991**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	9	1.4	1	<1	<1	1	2	3	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	6	1.7	1	1	1	2	2	3	3	3
65+	11	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1570	1.3		<1	<1	1	1	2	3	4
20-34	2292	2.1	1	1	1	2	3	3	4	5
35-49	2132	2.2	1	1	1	2	3	4	4	5
50-64	2896	2.3	2	1	1	2	3	4	4	6
65+	2347	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	1.3	1	<1	<1	<1	1	2	3	6
20-34	17	2.5	6	<1	<1	1	3	7	8	9
35-49	21	1.9	4	<1	<1	1	2	4	7	9
50-64	47	2.1	3	<1	<1	1	2	4	6	10
65+	73	2.6	6	<1	<1	2	4	5	7	14
B. *Operated*										
0-19 YRS	974	1.4	1	<1	<1	1	2	2	3	5
20-34	741	2.4	2	1	1	2	3	4	5	7
35-49	1114	2.7	3	1	1	2	3	5	5	9
50-64	2388	2.9	3	1	1	3	4	5	6	10
65+	3645	3.6	7	1	1	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	11237	2.1	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	204	2.1	4	<1	<1	1	2	5	6	10
B. *Operated*	8862	3.0	5	<1	1	3	4	5	7	11
1. SINGLE DX	11275	2.1	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	9066	2.9	5	<1	1	3	4	5	7	11
A. NOT OPERATED	242	2.0	4	<1	<1	1	2	4	6	9
B. OPERATED	20099	2.5	3	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	2597	1.4	1	<1	<1	1	1	2	3	4
20-34	3059	2.1	1	1	1	2	3	4	4	6
35-49	3272	2.3	2	1	1	2	3	4	5	6
50-64	5337	2.6	2	1	1	2	3	4	5	8
65+	6076	3.2	5	1	1	3	4	5	7	12
GRAND TOTAL	**20341**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	8	2.4	5	<1	<1	1	3	6	7	7
B. *Operated*										
0-19 YRS	243	1.4	1	<1	<1	1	1	2	3	5
20-34	93	2.4	2	1	1	2	3	4	4	7
35-49	87	2.4	2	1	1	2	3	4	5	8
50-64	123	3.0	3	1	1	2	3	5	6	10
65+	163	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34										
35-49										
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	25	3.4	5	<1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	154	1.9	2	<1	<1	1	2	3	5	7
20-34	56	3.0	5	1	1	2	4	6	8	10
35-49	53	3.3	3	1	1	3	4	5	7	8
50-64	127	4.9	22	1	2	4	5	9	10	23
65+	535	6.0	22	2	2	5	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.8	3	<1	<1	1	1	5	6	7
B. *Operated*	709	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	34	3.0	5	<1	1	2	4	7	8	9
B. *Operated*	925	4.8	19	1	1	4	6	9	13	21
1. SINGLE DX	727	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	959	4.8	19	1	1	4	6	9	13	21
A. NOT OPERATED	52	2.6	4	<1	<1	2	4	6	7	9
B. OPERATED	1634	3.8	14	1	1	3	5	8	10	18
TOTAL 0-19 YRS	407	1.6	1	<1	<1	1	2	3	3	7
20-34	151	2.6	3	1	1	2	3	5	6	9
35-49	141	2.7	3	1	1	2	4	5	6	8
50-64	256	3.9	13	1	1	3	5	7	9	15
65+	731	5.3	19	1	2	4	7	10	13	22
GRAND TOTAL	**1686**	**3.7**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	177	1.1		<1	<1	<1	1	1	2	3
20-34	98	1.8	1	<1	<1	1	2	3	4	6
35-49	155	1.7	1	<1	1	1	2	3	4	6
50-64	122	2.0	1	<1	1	2	3	3	4	7
65+	48	2.4	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	17	<1	<1	<1	1	10	12	
20-34	1	1.0		1	1	1	1	1	1	
35-49	6	1.3		<1	<1	1	2	2	2	
50-64	6	1.7	1	<1	<1	1	3	3	3	3
65+	7	2.9	8	<1	<1	2	4	8	9	9
B. *Operated*										
0-19 YRS	40	1.6	2	<1	<1	1	2	4	5	5
20-34	57	2.9	3	1	1	3	4	5	7	8
35-49	138	2.8	3	1	1	2	4	5	6	8
50-64	160	3.3	9	1	1	3	4	6	8	19
65+	121	3.8	9	1	1	3	5	6	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	600	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	27	2.1	7	<1	<1	1	2	4	9	12
B. *Operated*	516	3.1	6	<1	1	3	4	5	7	14
1. SINGLE DX	604	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	543	3.0	6	<1	1	2	4	5	7	14
A. NOT OPERATED	31	2.0	6	<1	<1	1	2	4	9	12
B. OPERATED	1116	2.3	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	226	1.2	1	<1	<1	<1	1	2	2	5
20-34	157	2.2	2	<1	<1	2	3	4	5	8
35-49	300	2.2	2	<1	1	2	3	4	5	7
50-64	288	2.7	6	<1	1	2	3	5	7	13
65+	176	3.3	7	<1	1	2	4	6	9	15
GRAND TOTAL	**1147**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	5	2.0	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	60	1.7	2	<1	<1	1	2	3	4	10
20-34	195	2.5	3	<1	<1	2	4	4	5	9
35-49	385	3.2	3	1	1	3	4	5	7	10
50-64	403	3.7	5	1	1	3	5	7	8	11
65+	302	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	2.3	5	<1	<1	1	3	6	8	8
35-49	12	3.3	8	<1	<1	2	4	8	9	9
50-64	29	2.3	3	<1	<1	2	3	5	6	8
65+	50	3.4	5	<1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	31	3.1	5	<1	<1	3	4	7	7	9
20-34	158	4.1	7	1	2	3	5	7	9	14
35-49	429	4.6	7	1	2	4	6	8	9	12
50-64	670	5.6	24	1	2	5	7	9	12	18
65+	804	6.1	19	2	2	5	8	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	1	2	2	3	3	3
B. *Operated*	1345	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	103	2.9	5	<1	<1	2	4	6	8	10
B. *Operated*	2092	5.4	17	1	2	5	7	9	11	18
1. SINGLE DX	1361	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2195	5.3	17	1	2	5	7	9	11	18
A. NOT OPERATED	119	2.8	5	<1	<1	2	4	6	7	10
B. OPERATED	3437	4.6	13	1	1	4	6	8	10	16
TOTAL 0-19 YRS	93	2.2	4	<1	<1	1	3	4	7	10
20-34	366	3.2	5	<1	1	3	4	6	7	12
35-49	829	3.9	6	1	1	3	5	7	8	11
50-64	1107	4.8	17	1	2	4	6	8	10	17
65+	1161	5.4	16	1	2	5	7	9	11	19
GRAND TOTAL	**3556**	**4.6**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**16**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	12	1	1	1	4	9	9	9
35-49	23	2.4	2	<1	1	2	3	4	5	6
50-64	26	2.3	2	1	1	2	3	4	6	7
65+	32	2.8	3	<1	<1	2	4	5	7	8
B. *Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	7	5.6	14	1	1	4	9	10	10	10
35-49	9	4.8	10	1	1	6	7	9	10	10
50-64	27	6.6	6	1	3	7	8	10	11	12
65+	15	7.5	6	3	4	7	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	43	3.5	4	<1	1	3	5	6	7	9
35-49	145	3.3	4	1	1	3	4	6	7	10
50-64	262	3.2	5	1	1	3	4	6	7	12
65+	471	4.1	7	1	2	4	5	7	9	14
B. *Operated*										
0-19 YRS	7	8.6	13	5	5	7	11	14	15	15
20-34	56	6.4	9	3	4	6	7	9	11	20
35-49	157	7.4	23	2	3	7	8	11	15	28
50-64	262	7.8	24	2	3	7	9	13	17	28
65+	206	9.0	38	2	3	8	11	16	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	61	6.3	8	1	2	7	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	924	3.7	6	1	1	3	5	6	8	13
B. *Operated*	688	8.0	27	2	3	7	9	14	18	29
1. SINGLE DX	147	4.1	8	1	1	3	7	8	10	12
2. MULTIPLE DX	1612	5.5	20	1	2	4	7	10	13	22
A. NOT OPERATED	1010	3.6	6	1	1	3	4	6	8	12
B. OPERATED	749	7.8	26	2	3	7	9	13	17	29
TOTAL 0-19 YRS	13	5.8	18	<1	1	5	8	12	14	15
20-34	111	5.1	9	1	2	5	7	9	10	18
35-49	334	5.2	17	1	1	5	7	9	11	18
50-64	577	5.4	19	1	1	4	7	10	13	23
65+	724	5.5	21	1	2	4	7	11	14	22
GRAND TOTAL	**1759**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	11	2.1	2	<1	<1	1	3	4	5	5
20-34	61	2.3	2	1	1	2	3	4	5	6
35-49	62	2.5	3	1	1	2	3	5	6	9
50-64	75	2.6	2	1	1	2	3	5	6	7
65+	42	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	3.8	7	1	1	5	6	7	7	7
50-64	5	2.8	4	1	1	3	4	6	6	6
65+	8	3.0	3	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	19	2.4	2	1	1	2	3	4	6	6
35-49	49	4.6	36	1	1	3	5	8	10	43
50-64	50	3.9	5	1	1	4	5	7	8	9
65+	115	4.3	14	1	2	3	5	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	251	2.5	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	20	3.0	4	<1	1	2	5	6	7	7
B. *Operated*	236	4.1	16	1	1	3	5	8	10	16
1. SINGLE DX	256	2.5	2	1	1	2	3	5	5	7
2. MULTIPLE DX	256	4.0	15	1	1	3	5	8	9	14
A. NOT OPERATED	25	2.8	4	<1	<1	2	4	6	6	7
B. OPERATED	487	3.3	10	1	1	3	4	6	8	12
TOTAL 0-19 YRS	14	2.1	2	<1	<1	2	3	4	5	5
20-34	83	2.2	2	1	1	2	3	4	5	6
35-49	118	3.4	18	1	1	3	4	6	8	21
50-64	131	3.1	4	1	1	3	4	6	7	9
65+	166	3.9	11	1	1	3	4	7	10	14
GRAND TOTAL	**512**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	8	4.6	7	2	2	4	6	9	10	10
B. *Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
20-34	96	2.7	4	1	1	2	3	6	7	10
35-49	161	3.3	6	<1	1	3	4	7	8	12
50-64	158	3.7	6	1	1	3	5	7	9	12
65+	179	4.9	11	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7		2	2	3	3	3	3	3
35-49	8	3.0	6	<1	<1	2	4	7	8	8
50-64	23	2.6	12	<1	<1	2	3	4	9	18
65+	76	4.2	13	1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	14	4.5	15	<1	1	4	6	10	14	15
20-34	77	4.9	24	1	1	4	5	9	12	32
35-49	159	6.0	27	1	2	5	8	11	16	30
50-64	310	7.0	34	1	2	6	9	14	18	32
65+	651	9.0	64	2	3	7	11	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.9	6	<1	<1	2	4	6	8	10
B. *Operated*	625	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	110	3.7	13	1	1	3	5	8	10	20
B. *Operated*	1211	7.8	50	1	2	6	10	14	20	34
1. SINGLE DX	646	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1321	7.4	48	1	2	6	9	14	19	33
A. NOT OPERATED	131	3.6	12	<1	1	3	4	7	10	19
B. OPERATED	1836	6.4	39	1	1	5	8	13	16	30
TOTAL 0-19 YRS	45	2.4	7	<1	<1	1	3	5	7	15
20-34	182	3.6	13	1	1	3	4	7	9	17
35-49	332	4.6	18	1	1	3	6	9	11	25
50-64	494	5.7	27	1	1	4	7	11	15	29
65+	914	7.7	52	1	2	6	10	14	20	33
GRAND TOTAL	**1967**	**6.2**	**38**	**1**	**1**	**5**	**8**	**12**	**16**	**30**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.3	3	<1	1	2	3	4	6	9
20-34	199	3.1	4	1	1	3	4	5	6	11
35-49	284	3.3	5	1	1	3	4	6	8	10
50-64	373	3.5	5	1	1	3	4	6	7	12
65+	415	3.7	6	1	1	3	5	6	8	12
B. *Operated*										
0-19 YRS	149	5.6	8	2	3	5	7	9	11	14
20-34	142	7.7	13	3	4	7	9	12	15	22
35-49	179	7.6	10	3	4	7	9	12	14	19
50-64	165	9.5	30	4	5	8	10	14	18	36
65+	172	10.5	21	6	6	9	12	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.0	7	1	1	2	4	6	8	15
20-34	271	4.1	10	1	1	3	5	8	10	14
35-49	457	4.8	14	1	2	4	6	9	12	19
50-64	865	5.0	14	1	2	4	6	9	12	19
65+	2397	5.6	17	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	161	8.9	96	3	3	7	10	14	20	67
20-34	278	11.5	81	4	5	9	13	21	27	46
35-49	409	13.2	93	5	6	10	15	25	32	55
50-64	639	14.3	117	5	6	11	16	26	37	62
65+	1559	15.4	119	5	7	12	18	28	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1409	3.3	5	1	1	3	4	6	8	11
B. *Operated*	807	8.3	19	3	4	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	4102	5.2	16	1	2	4	6	10	13	21
B. *Operated*	3046	14.2	114	4	6	11	17	26	35	62
1. SINGLE DX	2216	5.1	16	1	1	4	7	10	12	20
2. MULTIPLE DX	7148	9.0	77	2	2	7	11	18	25	48
A. NOT OPERATED	5511	4.7	14	1	1	4	6	9	11	19
B. OPERATED	3853	12.9	100	4	5	10	15	23	32	58
TOTAL 0-19 YRS	560	5.2	39	1	1	4	7	10	13	23
20-34	890	6.8	44	1	2	5	9	13	17	35
35-49	1329	7.5	52	1	2	6	9	15	20	35
50-64	2042	8.0	66	1	2	6	10	16	22	47
65+	4543	9.0	74	2	2	6	11	18	24	45
GRAND TOTAL	**9364**	**8.1**	**66**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1545	2.1	2	1	1	2	3	4	4	7
20-34	956	2.0	2	<1	1	2	2	4	5	7
35-49	442	2.3	3	<1	1	2	3	4	5	8
50-64	295	2.4	3	1	1	2	3	4	5	9
65+	264	2.6	4	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS	65	3.1	6	1	1	3	4	5	6	16
20-34	84	4.1	7	1	2	3	5	7	10	15
35-49	46	3.9	7	<1	1	3	5	8	9	13
50-64	26	4.5	9	<1	1	4	6	10	10	11
65+	10	5.2	18	<1	<1	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3693	2.9	8	1	1	2	3	5	6	11
20-34	1587	2.7	7	1	1	2	3	5	6	11
35-49	1131	3.2	6	1	1	3	4	6	7	11
50-64	1353	3.7	8	1	1	3	4	7	9	15
65+	2960	4.6	17	1	2	4	5	8	11	21
B. *Operated*										
0-19 YRS	111	4.3	12	1	2	4	5	9	13	99+
20-34	155	5.7	33	1	2	4	7	11	14	20
35-49	145	7.6	78	1	2	5	9	13	21	66
50-64	176	8.3	83	1	2	5	10	17	22	50
65+	382	9.9	72	2	3	7	12	21	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3502	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	231	3.9	8	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	10724	3.4	11	1	1	3	4	6	8	16
B. *Operated*	969	8.0	66	2	2	5	10	16	23	54
1. SINGLE DX	3733	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	11693	3.8	17	1	1	3	4	7	10	20
A. NOT OPERATED	14226	3.1	9	1	1	2	4	6	7	14
B. OPERATED	1200	7.2	57	1	2	5	9	15	20	43
TOTAL 0-19 YRS	5414	2.7	6	1	1	2	3	4	6	10
20-34	2782	2.7	8	1	1	2	3	5	7	12
35-49	1764	3.4	13	1	1	3	4	6	8	15
50-64	1850	3.9	17	1	1	3	5	7	10	18
65+	3616	5.0	25	1	2	4	6	9	13	27
GRAND TOTAL	**15426**	**3.4**	**14**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	34	3.8	3	1	2	4	5	5	7	8
35-49	208	4.4	9	1	2	4	6	7	8	10
50-64	347	4.4	6	1	2	4	5	7	8	13
65+	373	4.1	7	1	1	3	6	7	9	14
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	33	6.0	5	1	3	6	7	8	9	12
35-49	90	8.7	14	3	4	8	10	13	16	22
50-64	134	9.1	16	3	5	9	11	14	17	21
65+	98	9.7	27	1	2	9	12	16	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	133	3	3	8	21	25	25	25
20-34	23	4.5	7	1	2	4	6	8	11	12
35-49	215	4.7	7	1	2	4	6	8	10	14
50-64	706	4.8	10	1	2	4	6	8	10	17
65+	2567	5.4	14	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	5	10.2	14	7	7	8	13	16	16	16
20-34	50	9.7	55	3	4	8	10	19	26	99+
35-49	254	10.6	36	3	6	9	12	17	23	35
50-64	585	11.6	74	4	5	10	13	19	25	56
65+	1142	13.3	90	3	5	11	16	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	4.2	7	1	2	4	5	7	8	13
B. *Operated*	356	8.9	18	2	4	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	3514	5.2	13	2	2	4	7	9	12	18
B. *Operated*	2036	12.4	79	3	5	10	15	22	28	49
1. SINGLE DX	1321	5.5	14	1	2	5	7	10	12	19
2. MULTIPLE DX	5550	7.9	49	2	2	6	10	15	20	36
A. NOT OPERATED	4479	5.0	12	1	2	4	6	9	11	17
B. OPERATED	2392	11.9	71	3	5	10	14	21	26	47
TOTAL 0-19 YRS	12	8.8	40	3	3	7	10	19	24	25
20-34	140	6.5	29	2	2	6	8	10	14	54
35-49	767	7.1	26	2	2	6	9	12	16	27
50-64	1772	7.3	41	2	2	6	9	13	17	29
65+	4180	7.5	48	2	2	6	10	14	20	35
GRAND TOTAL	**6871**	**7.4**	**43**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	13	3.4	4	<1	<1	4	5	6	7	7
35-49	16	2.4	4	<1	<1	2	3	6	7	7
50-64	17	2.2	2	<1	<1	2	3	4	5	6
65+	3	3.7	14	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	71	2.0	3	<1	<1	2	2	3	5	12
20-34	553	2.1	2	<1	1	2	3	4	5	7
35-49	659	2.3	3	<1	1	2	3	4	5	8
50-64	294	2.4	2	1	1	2	3	4	5	8
65+	112	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	9	1	1	3	8	9	9	9
20-34	29	4.6	15	<1	1	4	6	11	12	13
35-49	34	3.2	4	1	1	3	4	5	7	9
50-64	29	4.9	18	<1	<1	3	7	11	14	18
65+	30	4.9	22	<1	<1	4	6	10	16	22
B. *Operated*										
0-19 YRS	45	3.0	12	<1	<1	2	4	5	8	22
20-34	483	3.0	7	1	1	2	4	6	7	11
35-49	731	3.2	7	1	1	3	4	6	7	16
50-64	567	3.9	13	1	1	3	5	7	10	17
65+	360	5.5	56	1	1	4	5	11	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.6	4	<1	<1	2	4	5	7	8
B. *Operated*	1689	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	132	4.4	14	<1	1	3	5	9	12	19
B. *Operated*	2186	3.7	17	1	1	3	4	7	9	21
1. SINGLE DX	1741	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	2318	3.8	17	1	1	3	4	7	10	21
A. NOT OPERATED	184	3.9	12	<1	<1	3	5	8	11	17
B. OPERATED	3875	3.1	11	1	1	2	4	5	7	16
TOTAL 0-19 YRS	129	2.6	7	<1	<1	2	3	5	8	15
20-34	1078	2.6	5	1	1	2	3	5	6	11
35-49	1440	2.8	5	1	1	2	3	5	6	11
50-64	907	3.4	10	1	1	3	4	6	9	15
65+	505	4.8	43	1	1	3	5	9	14	32
GRAND TOTAL	**4059**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	2.7	36	<1	1	2	3	4	5	11
20-34	387	4.2	15	1	1	3	5	8	11	23
35-49	314	3.7	9	1	1	3	5	7	9	13
50-64	205	3.4	11	<1	1	3	4	6	8	18
65+	277	3.2	7	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	121	5.0	69	<1	<1	3	6	8	10	45
20-34	312	6.1	32	<1	1	5	8	12	15	30
35-49	261	6.2	31	<1	1	5	8	12	16	27
50-64	199	6.0	23	<1	1	5	8	11	15	26
65+	167	5.7	19	<1	1	4	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	3.7	11	1	1	3	5	8	10	16
20-34	742	4.7	20	1	1	4	6	8	12	26
35-49	817	4.8	17	1	1	4	6	9	12	21
50-64	912	5.2	21	1	1	4	7	10	13	22
65+	2413	5.2	23	1	1	4	6	10	14	24
B. *Operated*										
0-19 YRS	214	8.1	94	<1	1	6	10	17	24	45
20-34	743	9.3	101	1	2	7	10	18	31	57
35-49	831	9.7	101	1	2	7	11	20	30	54
50-64	981	10.6	109	2	2	8	13	22	30	58
65+	1746	12.2	132	2	3	9	15	25	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1401	3.5	15	<1	1	3	4	7	9	15
B. *Operated*	1060	5.9	32	<1	1	5	8	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	5162	5.0	21	1	1	4	6	10	13	22
B. *Operated*	4515	10.7	116	1	2	8	13	22	32	58
1. SINGLE DX	2461	4.6	24	<1	1	3	6	9	12	25
2. MULTIPLE DX	9677	7.7	73	1	2	5	9	16	23	48
A. NOT OPERATED	6563	4.7	20	1	1	3	6	9	12	22
B. OPERATED	5575	9.8	104	1	2	7	12	21	30	57
TOTAL 0-19 YRS	831	4.8	51	<1	1	3	5	9	14	33
20-34	2184	6.4	53	1	1	4	8	12	18	40
35-49	2223	6.6	55	1	1	4	8	13	19	40
50-64	2297	7.4	66	1	1	5	9	15	21	47
65+	4603	7.8	76	1	2	5	9	16	23	48
GRAND TOTAL	**12138**	**7.0**	**65**	**1**	**1**	**5**	**8**	**14**	**21**	**45**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	9.4	75	2	3	7	9	22	32	34
35-49	21	7.9	212	1	1	4	7	11	39	70
50-64	26	5.6	16	1	1	5	6	14	15	16
65+	7	4.6	11	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34	5	2.4	3	<1	<1	2	3	5	5	5
35-49	27	3.7	9	1	1	3	5	8	9	12
50-64	9	3.6	14	<1	<1	2	4	10	11	11
65+	10	3.1	8	<1	<1	2	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	100	6.4	34	1	1	5	8	14	18	31
35-49	385	7.7	45	2	2	6	10	15	19	39
50-64	536	9.1	63	2	3	7	11	18	23	49
65+	324	9.0	49	2	3	7	11	17	23	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	49	11.6	135	1	2	7	14	31	35	51
35-49	134	13.6	204	1	2	9	17	38	46	66
50-64	221	11.3	94	1	2	9	15	24	33	47
65+	113	12.2	117	1	2	9	17	27	33	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	6.9	87	1	2	5	7	13	16	64
B. *Operated*	51	3.4	9	<1	<1	2	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1346	8.5	53	2	2	7	11	17	22	40
B. *Operated*	518	12.1	132	1	2	9	16	26	37	56
1. SINGLE DX	118	5.4	56	<1	1	4	6	9	14	45
2. MULTIPLE DX	1864	9.5	78	2	2	7	12	19	25	48
A. NOT OPERATED	1413	8.4	55	2	2	7	10	17	22	40
B. OPERATED	569	11.3	127	1	1	8	15	25	35	55
TOTAL 0-19 YRS	3	13.0	301	2	2	4	26	33	33	33
20-34	166	8.0	71	1	1	5	9	18	29	38
35-49	567	8.9	94	1	2	6	11	18	25	53
50-64	792	9.5	72	2	3	7	12	20	25	47
65+	454	9.6	67	1	2	7	12	19	25	47
GRAND TOTAL	**1982**	**9.3**	**77**	**1**	**2**	**7**	**11**	**19**	**25**	**48**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	8	4.3	20	1	1	2	6	12	14	14
35-49	11	4.2	10	<1	<1	4	6	9	11	11
50-64	16	3.8	6	<1	1	3	5	6	10	11
65+	5	5.6	6	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	10	2.0	5	1	1	1	2	5	8	8
20-34	60	1.7	3	<1	<1	1	1	3	5	11
35-49	81	1.5	2	<1	<1	1	2	2	2	8
50-64	82	1.8	4	<1	<1	1	2	4	5	12
65+	44	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	5	2	2	3	6	8	8	8
20-34	45	6.2	49	1	1	5	8	10	13	46
35-49	87	6.0	24	1	1	5	7	13	14	28
50-64	167	6.6	19	2	2	6	9	12	15	23
65+	263	7.8	33	2	3	6	10	15	19	27
B. *Operated*										
0-19 YRS	12	12.3	413	1	1	3	16	38	67	72
20-34	78	4.4	32	<1	1	2	5	12	19	23
35-49	120	6.6	76	1	1	3	9	18	23	45
50-64	218	6.5	58	1	1	3	9	16	19	33
65+	228	8.4	66	1	1	6	11	18	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.2	10	<1	1	3	6	9	11	14
B. *Operated*	277	1.7	3	<1	<1	1	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*	571	7.0	29	1	2	5	9	13	17	27
B. *Operated*	656	7.0	68	1	1	4	10	17	21	41
1. SINGLE DX	320	2.1	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX	1227	7.0	50	1	1	5	9	15	20	32
A. NOT OPERATED	614	6.8	28	1	2	5	9	13	17	26
B. OPERATED	933	5.4	55	<1	1	2	7	14	19	37
TOTAL 0-19 YRS	34	6.4	162	1	1	2	7	14	22	72
20-34	191	3.9	29	<1	<1	2	5	9	14	23
35-49	299	4.9	43	1	1	2	6	12	18	35
50-64	483	5.6	37	1	1	4	8	13	17	25
65+	540	7.6	47	1	1	6	10	16	20	32
GRAND TOTAL	**1547**	**6.0**	**45**	**1**	**1**	**4**	**8**	**14**	**18**	**29**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	3	1	1	2	4	5	6	7
20-34	77	3.7	7	1	1	3	5	7	9	14
35-49	30	4.0	7	2	2	3	5	7	7	15
50-64	39	4.4	32	<1	1	3	5	8	17	30
65+	23	4.0	5	1	1	4	6	7	8	9
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	25	3.4	7	<1	1	2	6	7	8	9
35-49	26	4.1	17	1	1	2	6	9	14	16
50-64	21	4.0	27	<1	<1	2	6	9	16	23
65+	17	5.1	42	<1	<1	3	5	16	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	24	1	1	3	4	10	17	23
20-34	125	4.5	10	1	2	4	6	7	10	19
35-49	179	6.6	39	2	2	5	8	13	20	31
50-64	413	7.5	54	2	2	6	9	15	20	38
65+	475	8.1	51	2	3	7	10	14	20	35
B. *Operated*										
0-19 YRS	9	10.4	260	1	1	5	9	37	52	52
20-34	48	9.9	172	1	1	5	10	28	37	64
35-49	89	9.0	125	1	1	7	12	19	29	65
50-64	140	13.1	180	1	2	9	17	27	39	73
65+	180	13.6	177	1	2	10	17	32	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.8	11	1	1	3	5	7	8	19
B. *Operated*	92	4.0	20	<1	1	2	6	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	1230	7.2	46	2	2	5	9	14	19	35
B. *Operated*	466	12.1	171	1	1	8	15	29	37	68
1. SINGLE DX	293	3.9	14	1	1	3	5	7	9	22
2. MULTIPLE DX	1696	8.5	85	1	2	6	10	17	25	50
A. NOT OPERATED	1431	6.7	43	1	2	5	8	13	18	32
B. OPERATED	558	10.8	155	1	1	7	14	25	35	67
TOTAL 0-19 YRS	82	4.4	43	1	1	3	4	7	14	43
20-34	275	5.1	42	1	1	3	6	9	12	36
35-49	324	6.8	60	1	1	4	8	15	20	37
50-64	613	8.5	87	1	2	6	10	17	24	50
65+	695	9.3	89	1	2	7	11	18	28	51
GRAND TOTAL	**1989**	**7.8**	**78**	**1**	**2**	**5**	**9**	**16**	**23**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	3	<1	<1	1	3	5	6	6
20-34	182	2.4	8	<1	1	2	3	5	6	6
35-49	193	2.2	3	<1	<1	2	3	4	5	8
50-64	187	2.2	3	<1	1	2	3	4	6	8
65+	144	2.9	5	<1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	204	4.9	3	3	3	5	6	7	8	9
20-34	2247	5.1	3	3	3	5	6	7	8	10
35-49	1974	5.4	3	3	4	5	6	7	8	12
50-64	1682	5.7	4	3	4	5	7	8	9	12
65+	802	6.7	7	4	4	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	6	1	1	2	4	7	9	10
20-34	189	2.8	3	1	1	2	4	5	6	9
35-49	245	3.4	18	<1	1	2	4	6	7	23
50-64	420	3.7	9	1	1	3	5	7	9	14
65+	986	4.7	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	173	6.6	17	3	4	6	7	9	16	25
20-34	1927	6.3	11	3	4	6	7	9	11	18
35-49	2535	6.6	12	3	4	6	7	10	12	20
50-64	3524	7.5	20	4	4	7	9	11	14	22
65+	4313	9.8	34	5	5	8	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	6909	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1858	4.1	11	1	1	3	5	8	10	15
B. *Operated*	12472	7.9	24	4	4	7	9	13	16	27
1. SINGLE DX	7635	5.2	5	2	3	5	6	8	9	12
2. MULTIPLE DX	14330	7.4	24	2	4	6	9	12	15	26
A. NOT OPERATED	2584	3.6	10	1	1	3	5	7	9	14
B. OPERATED	19381	7.1	18	3	4	6	8	11	14	24
TOTAL 0-19 YRS	415	5.4	10	2	3	5	6	8	9	23
20-34	4545	5.4	8	2	3	5	6	8	9	14
35-49	4947	5.8	10	2	3	5	7	9	10	18
50-64	5813	6.6	16	2	3	6	8	10	12	19
65+	6245	8.4	31	2	4	7	10	14	18	30
GRAND TOTAL	21965	6.7	18	2	3	6	8	11	14	22

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	12	1	1	2	3	9	12	12
20-34	104	2.2	2	<1	1	2	3	4	5	8
35-49	101	2.5	4	<1	<1	2	3	5	7	10
50-64	82	3.0	3	1	1	3	4	5	6	8
65+	71	2.9	4	<1	1	2	4	6	6	11
B. *Operated*										
0-19 YRS	15	5.7	4	3	4	5	7	8	10	10
20-34	185	5.2	4	3	3	5	6	7	9	13
35-49	181	5.9	6	3	4	5	7	9	10	14
50-64	122	5.9	3	4	4	6	7	8	9	12
65+	57	7.2	7	4	4	7	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	7	<1	1	3	4	6	10	11
20-34	108	3.2	6	1	1	3	4	6	7	14
35-49	97	4.0	6	2	2	3	5	7	9	12
50-64	156	3.9	6	1	1	3	5	8	9	12
65+	335	5.3	17	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	25	6.6	22	2	3	5	7	13	18	21
20-34	286	6.6	15	3	4	6	7	10	13	20
35-49	370	7.3	20	4	4	6	8	12	14	29
50-64	358	8.6	45	4	4	7	10	13	17	32
65+	449	11.4	64	5	5	9	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.6	4	<1	1	2	4	5	6	9
B. *Operated*	560	5.8	5	3	4	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	710	4.5	12	1	1	4	6	8	10	15
B. *Operated*	1488	8.7	42	4	4	7	10	14	19	35
1. SINGLE DX	927	4.5	7	1	1	4	6	8	9	12
2. MULTIPLE DX	2198	7.3	36	2	2	6	9	13	17	30
A. NOT OPERATED	1077	3.8	10	1	1	3	5	8	9	14
B. OPERATED	2048	7.9	33	3	4	6	9	13	17	31
TOTAL 0-19 YRS	63	5.2	14	1	1	4	7	10	12	20
20-34	683	5.0	11	1	1	5	6	8	10	17
35-49	749	5.9	16	1	2	5	7	10	12	23
50-64	718	6.5	30	1	2	6	8	11	13	23
65+	912	8.2	49	2	2	7	10	15	20	37
GRAND TOTAL	3125	6.5	29	1	2	5	8	11	14	27

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	3.3	6	<1	<1	3	4	6	9	11
35-49	19	2.2	2	<1	1	2	3	4	5	6
50-64	20	3.5	11	1	1	2	5	7	11	14
65+	35	2.7	2	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	92	6.2	7	2	3	6	7	9	11	16
35-49	61	5.1	6	1	2	5	7	8	9	11
50-64	95	6.4	12	1	2	6	8	11	12	17
65+	119	6.9	19	1	1	7	10	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	5.0	146	<1	1	2	4	6	25	60
35-49	24	4.1	12	1	1	3	6	10	11	14
50-64	57	4.2	12	<1	1	3	6	9	10	17
65+	149	5.9	11	2	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	16	7.4	5	4	5	7	9	11	12	12
20-34	112	7.9	23	3	4	7	9	13	18	26
35-49	114	9.4	43	3	4	8	11	16	21	40
50-64	228	10.0	44	3	4	9	12	17	21	38
65+	657	11.6	51	3	4	10	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.9	5	<1	1	2	4	6	6	13
B. *Operated*	370	6.3	12	1	2	6	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	254	5.3	23	1	1	5	7	9	12	17
B. *Operated*	1127	10.6	47	3	4	9	13	18	24	38
1. SINGLE DX	463	5.6	13	1	1	5	8	10	12	16
2. MULTIPLE DX	1381	9.6	47	2	3	8	12	17	23	37
A. NOT OPERATED	347	4.6	20	1	1	4	6	9	11	15
B. OPERATED	1497	9.6	42	2	3	8	12	17	22	35
TOTAL 0-19 YRS	21	6.8	7	2	3	7	9	10	11	12
20-34	245	6.7	28	1	2	6	8	10	14	25
35-49	218	7.0	33	1	2	6	9	13	16	35
50-64	400	8.0	36	1	2	7	10	15	18	32
65+	960	9.8	46	2	3	9	12	17	23	35
GRAND TOTAL	**1844**	**8.6**	**41**	**1**	**2**	**7**	**11**	**16**	**21**	**33**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	17	2.8	4	1	1	2	4	6	6	6
35-49	18	2.8	3	<1	1	2	4	6	7	7
50-64	19	4.3	10	1	1	4	7	8	11	13
65+	20	3.8	8	<1	<1	3	5	7	9	11
B. *Operated*										
0-19 YRS	3	9.3	72	1	1	9	16	18	18	18
20-34	14	4.1	11	<1	<1	3	7	9	10	10
35-49	17	5.5	12	1	1	6	8	10	11	11
50-64	27	6.3	24	<1	1	7	10	13	15	16
65+	29	5.6	27	1	1	4	8	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	10.0	55	3	4	8	12	19	27	36
20-34	36	6.0	17	1	1	5	9	12	15	18
35-49	62	5.0	31	1	1	4	6	8	10	38
50-64	71	5.8	33	1	1	4	8	11	15	31
65+	186	6.3	17	2	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	26	18.1	370	3	4	13	17	54	71	75
20-34	53	9.7	78	1	2	7	12	20	30	43
35-49	78	8.9	49	1	1	8	12	19	23	32
50-64	124	10.9	67	1	2	9	15	20	28	43
65+	242	13.1	89	2	3	11	17	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.4	6	<1	1	3	5	7	8	12
B. *Operated*	90	5.7	22	<1	1	5	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	405	6.4	28	1	2	5	8	12	16	30
B. *Operated*	523	11.9	94	1	2	10	15	22	30	50
1. SINGLE DX	167	4.6	16	<1	1	3	7	10	11	18
2. MULTIPLE DX	928	9.5	73	1	2	7	12	19	25	43
A. NOT OPERATED	482	5.9	26	1	1	5	7	11	15	29
B. OPERATED	613	11.0	88	1	2	9	15	21	28	47
TOTAL 0-19 YRS	82	12.2	168	1	3	9	15	21	34	73
20-34	120	7.0	48	1	1	5	9	14	20	37
35-49	175	6.5	39	1	1	5	9	13	20	32
50-64	241	8.4	54	1	1	7	11	17	22	37
65+	477	9.6	67	2	2	8	12	20	25	43
GRAND TOTAL	**1095**	**8.7**	**67**	**1**	**2**	**7**	**11**	**18**	**23**	**41**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	8	1	1	3	5	7	8	18
20-34	280	4.2	9	1	1	4	5	8	10	14
35-49	343	4.4	7	1	2	4	6	8	9	13
50-64	193	4.7	8	1	2	4	6	9	10	15
65+	109	4.5	6	1	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	33	7.5	74	<1	1	6	9	12	19	49
35-49	52	7.7	33	1	2	7	10	13	21	27
50-64	43	9.5	106	1	1	8	12	17	26	61
65+	16	9.3	163	<1	<1	5	10	32	42	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.7	33	1	2	4	7	10	13	38
20-34	692	6.0	32	1	2	5	7	11	15	27
35-49	1162	6.0	21	1	2	5	7	11	14	24
50-64	810	6.5	24	2	2	5	8	11	16	25
65+	835	6.7	25	2	3	6	8	12	16	29
B. *Operated*										
0-19 YRS	18	11.8	128	1	2	8	13	30	39	43
20-34	176	14.1	228	2	3	10	15	29	53	82
35-49	262	14.9	195	3	4	11	19	35	47	99+
50-64	322	14.2	200	2	3	10	17	30	45	91
65+	334	16.7	262	2	4	11	20	40	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	990	4.4	8	1	2	4	6	8	10	14
B. *Operated*	147	8.3	77	1	1	7	10	16	24	49
2. MULTIPLE DX										
A. *Not Operated*	3564	6.3	25	2	2	5	8	11	15	26
B. *Operated*	1112	15.1	221	2	3	11	18	33	51	93
1. SINGLE DX	1137	4.9	18	1	2	4	6	9	11	21
2. MULTIPLE DX	4676	8.4	86	2	2	6	10	16	24	56
A. NOT OPERATED	4554	5.9	22	2	2	5	7	11	14	24
B. OPERATED	1259	14.3	209	2	3	10	17	32	48	90
TOTAL 0-19 YRS	151	5.7	38	1	1	4	7	11	13	41
20-34	1181	6.8	66	1	2	5	8	12	18	45
35-49	1819	7.0	55	1	2	5	8	13	19	43
50-64	1368	8.2	77	2	2	6	9	16	23	50
65+	1294	9.2	106	2	3	6	10	17	29	66
GRAND TOTAL	**5813**	**7.7**	**74**	**2**	**2**	**5**	**9**	**14**	**21**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	5	<1	1	2	3	5	6	13
20-34	78	2.4	2	1	1	2	3	4	5	8
35-49	99	2.7	3	<1	1	2	3	5	6	11
50-64	85	2.8	3	<1	1	2	4	5	6	9
65+	142	3.6	12	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	7	3.4	5	1	1	3	5	7	7	7
20-34	10	4.8	14	1	1	4	7	10	13	13
35-49	10	5.2	5	2	2	6	7	8	8	8
50-64	15	4.7	36	<1	1	3	5	15	20	22
65+	26	5.2	13	1	1	4	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	3.2	6	1	1	3	4	6	8	15
20-34	367	3.0	4	1	1	3	4	5	7	11
35-49	553	3.8	7	1	1	3	5	7	9	14
50-64	1077	4.7	15	1	2	4	6	8	11	23
65+	3345	5.6	19	2	2	4	7	10	14	23
B. *Operated*										
0-19 YRS	13	6.5	47	2	2	4	7	16	24	26
20-34	63	5.8	27	1	2	4	7	12	16	31
35-49	127	8.2	72	2	2	6	9	16	25	42
50-64	329	8.3	61	2	2	6	10	17	24	43
65+	900	9.1	72	2	3	7	11	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	2.9	6	1	1	2	4	6	7	13
B. *Operated*	68	4.9	16	1	1	4	7	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	5467	5.0	17	1	2	4	6	9	12	22
B. *Operated*	1432	8.7	68	2	3	6	10	17	24	46
1. SINGLE DX	534	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	6899	5.8	29	1	2	4	7	11	15	28
A. NOT OPERATED	5933	4.8	16	1	2	4	6	9	12	21
B. OPERATED	1500	8.5	66	2	2	6	10	17	23	45
TOTAL 0-19 YRS	207	3.2	9	1	1	2	4	6	8	15
20-34	518	3.3	8	1	1	3	4	6	7	16
35-49	789	4.4	20	1	1	3	5	8	12	21
50-64	1506	5.4	27	1	2	4	6	10	15	27
65+	4413	6.2	32	2	2	5	7	12	16	30
GRAND TOTAL	**7433**	**5.6**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	8	<1	1	2	3	5	10	12
20-34	5	3.0	3	1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	4	8.3	57	1	1	7	14	17	17	17
B. *Operated*										
0-19 YRS	4	9.5	112	1	1	6	16	25	25	25
20-34	4	3.3	4	1	1	3	5	6	6	6
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	7.0	3	5	5	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.0	20	1	1	2	4	9	11	28
20-34	13	6.8	21	2	2	6	10	14	16	16
35-49	25	6.9	23	1	1	5	12	13	14	18
50-64	31	6.5	46	2	2	4	6	13	27	31
65+	45	7.1	23	1	2	6	10	13	15	24
B. *Operated*										
0-19 YRS	12	12.8	328	1	1	6	17	36	61	65
20-34	17	7.6	26	2	3	6	9	17	19	20
35-49	11	11.1	62	4	5	8	13	22	31	32
50-64	25	13.2	152	3	4	8	15	32	40	57
65+	50	17.1	240	3	3	12	23	39	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.1	18	<1	1	3	5	12	13	17
B. *Operated*	15	6.1	32	1	1	5	7	8	21	25
2. MULTIPLE DX										
A. *Not Operated*	162	6.0	28	1	1	4	8	12	15	28
B. *Operated*	115	13.8	187	2	3	9	17	35	44	67
1. SINGLE DX	42	4.8	23	1	1	3	6	12	14	25
2. MULTIPLE DX	277	9.3	108	1	2	6	11	20	31	57
A. NOT OPERATED	189	5.7	27	1	1	4	8	12	14	28
B. OPERATED	130	13.0	175	2	3	8	16	32	40	66
TOTAL 0-19 YRS	79	5.3	76	1	1	2	6	12	22	54
20-34	39	6.3	21	1	2	5	8	13	17	20
35-49	40	7.9	35	1	2	6	12	13	17	32
50-64	59	9.4	99	2	2	6	10	21	32	55
65+	102	12.1	153	2	3	8	14	26	39	64
GRAND TOTAL	**319**	**8.7**	**99**	**1**	**2**	**6**	**11**	**18**	**28**	**57**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.8	27	<1	1	3	6	10	12	35
20-34	9	2.9	3	<1	<1	2	4	6	6	6
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	52	2.5	4	1	1	2	3	5	7	11
20-34	39	2.6	9	<1	1	2	2	5	8	18
35-49	35	2.1	3	<1	1	2	2	4	6	8
50-64	25	2.8	7	1	1	2	3	7	9	12
65+	14	2.4	6	<1	<1	2	3	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.7	14	1	2	4	5	10	12	20
20-34	26	3.8	11	1	1	3	4	6	11	17
35-49	22	5.9	34	1	2	4	6	15	20	24
50-64	45	6.3	28	1	2	5	7	13	15	32
65+	59	5.8	17	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	58	5.1	36	1	1	3	5	13	20	28
20-34	75	4.3	18	1	1	3	5	11	15	18
35-49	92	4.8	20	1	1	3	7	10	16	20
50-64	106	7.3	95	1	1	3	10	19	28	50
65+	93	10.2	156	1	2	7	12	22	33	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.5	22	<1	1	3	6	9	11	31
B. *Operated*	165	2.5	5	1	1	2	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	221	5.3	20	1	1	4	7	11	14	23
B. *Operated*	424	6.6	75	1	1	3	8	16	21	44
1. SINGLE DX	239	3.1	12	<1	1	2	4	7	9	15
2. MULTIPLE DX	645	6.1	56	1	1	4	8	14	19	36
A. NOT OPERATED	295	5.1	20	1	1	4	6	10	13	23
B. OPERATED	589	5.4	59	1	1	3	6	12	19	38
TOTAL 0-19 YRS	236	4.3	21	1	1	3	5	10	12	25
20-34	149	3.7	14	1	1	2	4	8	13	18
35-49	153	4.3	19	1	1	3	5	10	15	21
50-64	179	6.3	67	1	1	3	7	15	22	42
65+	167	8.0	100	1	1	5	10	16	23	46
GRAND TOTAL	**884**	**5.3**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**33**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.1	4	1	2	4	5	7	8	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	6.8	31	1	1	7	11	12	12	12
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	8.0	72	2	2	8	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.7	12	<1	1	3	7	9	12	14
20-34	9	4.3	7	<1	<1	4	6	8	9	9
35-49	5	3.8	5	2	2	3	5	7	7	7
50-64	6	5.3	16	2	2	4	6	12	13	13
65+	20	7.2	25	1	2	6	9	13	18	22
B. *Operated*										
0-19 YRS	9	6.4	28	2	2	5	9	15	16	16
20-34	11	3.2	10	1	1	2	5	8	10	10
35-49	10	15.9	491	2	2	10	13	50	76	76
50-64	10	8.8	27	2	2	8	12	16	18	18
65+	18	14.2	116	1	2	10	23	27	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.9	4	1	2	4	5	7	8	9
B. *Operated*	10	5.5	24	1	1	3	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	83	5.3	15	1	1	4	7	10	13	19
B. *Operated*	58	10.3	145	1	1	7	13	24	27	73
1. SINGLE DX	42	4.3	9	1	2	4	5	8	11	14
2. MULTIPLE DX	141	7.3	74	1	1	5	9	15	23	40
A. NOT OPERATED	115	4.9	12	1	2	4	7	9	12	17
B. OPERATED	68	9.6	129	1	1	7	12	23	26	69
TOTAL 0-19 YRS	81	4.6	11	1	1	4	6	9	12	15
20-34	25	4.1	12	<1	1	3	6	10	11,	12
35-49	19	10.2	286	2	2	5	10	20	53	76
50-64	19	7.3	26	2	2	6	11	15	17	18
65+	39	10.4	78	1	2	7	14	24	27	37
GRAND TOTAL	**183**	**6.6**	**60**	**1**	**1**	**4**	**8**	**13**	**22**	**34**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	4	2.8	4	<1	<1	2	4	5	5	5
35-49	5	3.0	4	<1	<1	4	4	5	5	5
50-64	3	3.7	9	1	1	3	6	7	7	7
65+	4	5.3	36	<1	<1	3	9	14	14	14
B. *Operated*										
0-19 YRS	8	7.6	44	<1	1	6	10	18	21	21
20-34	35	7.6	53	<1	1	4	11	20	22	25
35-49	46	4.5	26	<1	<1	3	4	11	18	19
50-64	48	4.1	27	1	1	3	4	9	16	29
65+	33	3.7	32	1	1	2	3	7	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	7.8	258	<1	1	3	6	18	30	87
20-34	39	4.0	19	<1	<1	2	5	12	15	17
35-49	37	4.9	31	<1	<1	2	6	15	19	21
50-64	65	5.8	27	1	1	4	7	13	15	26
65+	225	7.5	40	1	2	6	9	15	20	34
B. *Operated*										
0-19 YRS	95	13.3	184	1	2	8	19	28	43	67
20-34	281	11.1	110	1	1	9	15	22	32	50
35-49	330	10.3	119	1	1	7	14	23	34	58
50-64	431	9.0	74	1	2	6	12	20	27	42
65+	412	10.1	97	1	2	7	13	22	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.3	18	<1	<1	4	5	13	15	15
B. *Operated*	170	5.0	35	<1	1	3	5	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	398	6.7	53	1	1	5	8	14	19	32
B. *Operated*	1549	10.2	104	1	2	7	14	22	30	49
1. SINGLE DX	187	4.9	34	<1	1	3	5	14	19	28
2. MULTIPLE DX	1947	9.5	96	1	2	6	13	21	28	48
A. NOT OPERATED	415	6.6	52	1	1	5	8	14	19	32
B. OPERATED	1719	9.7	99	1	1	6	13	21	29	48
TOTAL 0-19 YRS	136	11.7	196	1	1	6	17	27	37	74
20-34	359	9.9	99	<1	1	7	14	21	27	48
35-49	418	9.1	105	1	1	5	12	21	27	52
50-64	547	8.2	67	1	1	5	11	18	24	40
65+	674	8.9	77	1	2	6	11	19	26	43
GRAND TOTAL	**2134**	**9.1**	**92**	**1**	**1**	**6**	**12**	**20**	**27**	**46**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	9	3.2	8	<1	<1	3	4	8	9	9
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	10	1.5	1	1	1	1	2	3	4	4
65+	3	8.3	72	2	2	5	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.5	20	3	3	6	11	12	17	18
20-34	23	6.5	34	1	2	5	8	14	19	26
35-49	36	5.7	17	1	1	5	9	12	14	18
50-64	88	7.9	24	2	3	7	11	15	17	27
65+	532	9.0	55	2	3	7	11	16	24	46
B. *Operated*										
0-19 YRS	12	16.1	130	1	4	14	22	35	36	36
20-34	55	11.8	85	2	3	9	15	22	32	50
35-49	63	11.2	95	2	3	9	14	19	26	62
50-64	124	13.4	187	2	3	9	17	28	45	62
65+	283	17.1	205	3	4	14	21	34	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.2	5	<1	<1	3	4	6	8	9
B. *Operated*	16	3.1	18	1	1	2	4	5	14	18
2. MULTIPLE DX										
A. *Not Operated*	694	8.6	48	2	3	7	11	16	22	43
B. *Operated*	537	15.0	179	2	3	12	18	30	40	72
1. SINGLE DX	31	3.2	11	<1	1	2	4	6	9	18
2. MULTIPLE DX	1231	11.4	115	2	3	8	14	22	32	64
A. NOT OPERATED	709	8.5	48	2	3	7	11	15	22	42
B. OPERATED	553	14.6	178	2	3	11	18	29	39	71
TOTAL 0-19 YRS	30	10.5	82	2	3	8	13	23	35	36
20-34	80	10.0	75	2	2	8	14	21	28	45
35-49	101	9.1	72	1	2	7	12	18	20	49
50-64	224	10.7	124	1	2	7	13	23	31	55
65+	827	11.7	121	2	3	9	14	23	33	72
GRAND TOTAL	**1262**	**11.2**	**114**	**2**	**3**	**8**	**14**	**22**	**31**	**63**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	3.3	3	1	1	3	4	6	6	9
20-34	310	3.4	2	1	2	3	4	5	6	7
35-49	84	3.8	3	1	2	3	5	6	7	10
50-64	40	3.7	3	1	2	3	4	6	7	10
65+	36	4.6	4	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	9	5.1	21	2	2	4	5	13	17	17
20-34	12	6.0	16	3	3	5	6	11	17	18
35-49	7	6.1	23	2	2	5	7	14	16	16
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	3.7	5	1	2	3	4	6	8	12
20-34	742	4.0	4	2	2	4	5	6	7	12
35-49	328	4.9	9	2	2	4	6	8	10	15
50-64	393	5.6	10	2	2	5	7	9	11	17
65+	679	6.5	17	2	3	5	8	12	15	23
B. *Operated*										
0-19 YRS	54	5.5	14	2	2	4	7	9	12	24
20-34	68	6.7	18	2	3	5	8	14	17	18
35-49	40	9.2	86	2	3	7	10	17	25	55
50-64	67	11.2	154	3	4	8	14	18	23	87
65+	137	10.7	42	3	5	9	13	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	3.5	3	1	2	3	4	6	6	9
B. *Operated*	31	5.7	16	2	3	5	6	11	17	18
2. MULTIPLE DX										
A. *Not Operated*	2501	5.0	11	2	2	4	6	9	11	17
B. *Operated*	366	9.1	63	2	3	7	12	17	21	33
1. SINGLE DX	655	3.6	4	1	2	3	4	6	7	9
2. MULTIPLE DX	2867	5.5	19	2	2	4	7	10	13	22
A. NOT OPERATED	3125	4.7	9	2	2	4	6	8	10	17
B. OPERATED	397	8.8	60	2	3	7	11	17	20	32
TOTAL 0-19 YRS	576	3.8	6	1	2	3	4	6	8	13
20-34	1132	4.0	5	1	2	4	5	6	8	14
35-49	459	5.1	16	2	2	4	6	8	11	20
50-64	502	6.2	33	2	2	5	7	11	14	24
65+	853	7.1	23	2	3	6	9	13	17	24
GRAND TOTAL	**3522**	**5.2**	**17**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.0	2	1	2	3	4	4	5	8
20-34	211	3.2	2	1	1	3	4	5	6	7
35-49	57	3.9	7	1	2	3	5	7	9	14
50-64	38	3.6	5	1	1	3	4	6	9	12
65+	19	3.9	3	1	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	19	3.2	3	<1	<1	3	4	6	7	7
20-34	21	5.4	11	2	2	4	7	10	12	15
35-49	11	6.1	18	1	1	5	8	12	15	15
50-64	10	5.5	10	<1	1	5	9	10	10	10
65+	5	3.4	11	<1	<1	1	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	3.5	3	1	2	3	4	6	7	10
20-34	500	4.6	20	2	2	4	5	8	9	16
35-49	220	4.8	10	2	2	4	6	9	11	16
50-64	210	6.0	15	2	3	5	7	11	14	21
65+	442	6.5	20	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	54	6.5	28	<1	1	5	9	13	17	26
20-34	85	7.9	26	2	3	7	11	14	18	24
35-49	62	11.0	86	2	3	8	14	26	32	41
50-64	86	14.1	202	3	4	9	17	29	40	82
65+	103	14.3	102	3	5	11	19	29	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.3	3	1	2	3	4	5	6	10
B. *Operated*	66	4.7	11	<1	1	4	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	1613	5.2	17	2	2	4	6	9	12	20
B. *Operated*	390	11.3	103	2	3	8	14	23	30	47
1. SINGLE DX	519	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	2003	6.4	39	2	2	5	7	12	17	31
A. NOT OPERATED	2066	4.8	14	2	2	4	6	8	11	19
B. OPERATED	456	10.3	95	1	2	8	13	22	29	47
TOTAL 0-19 YRS	442	3.7	7	1	1	3	4	6	8	14
20-34	817	4.6	18	1	2	4	5	8	11	18
35-49	350	5.8	29	2	2	4	7	11	15	30
50-64	344	7.7	74	2	2	5	8	15	21	45
65+	569	7.8	44	2	3	6	9	15	20	36
GRAND TOTAL	**2522**	**5.8**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	1	<1	<1	1	2	3	4	5
20-34	249	1.5	1	<1	<1	1	2	3	3	4
35-49	322	1.6	1	<1	<1	1	2	3	3	6
50-64	220	1.8	1	<1	1	1	2	3	4	7
65+	53	1.9	2	1	1	2	2	3	4	9
B. *Operated*										
0-19 YRS	20	5.2	28	1	1	4	6	11	17	23
20-34	145	4.9	8	1	2	5	7	8	10	14
35-49	214	5.4	10	1	2	5	7	9	11	18
50-64	162	5.3	12	1	1	5	7	10	12	16
65+	83	5.7	10	1	2	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	34	1	1	3	4	9	16	30
20-34	204	2.5	7	<1	1	2	3	5	6	12
35-49	227	2.3	3	<1	1	2	3	4	6	9
50-64	243	2.4	3	1	1	2	3	5	5	8
65+	204	3.1	8	1	1	2	4	6	8	17
B. *Operated*										
0-19 YRS	27	9.6	122	2	3	7	11	14	21	62
20-34	190	7.0	20	1	2	6	8	11	16	24
35-49	274	6.7	22	1	2	6	9	11	16	20
50-64	305	8.0	50	1	2	7	10	14	18	43
65+	292	8.3	30	2	2	7	10	16	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	624	5.3	11	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	908	2.6	7	1	1	2	3	5	7	14
B. *Operated*	1088	7.6	35	1	2	7	10	13	17	29
1. SINGLE DX	1492	3.2	8	<1	1	2	5	7	9	13
2. MULTIPLE DX	1996	5.3	28	1	1	4	7	11	14	24
A. NOT OPERATED	1776	2.1	4	<1	1	2	2	4	5	10
B. OPERATED	1712	6.8	27	1	2	6	9	12	16	25
TOTAL 0-19 YRS	101	5.3	56	1	1	3	7	11	14	46
20-34	788	3.7	13	<1	1	2	5	8	10	18
35-49	1037	3.9	14	<1	1	3	6	8	11	17
50-64	930	4.6	27	1	1	3	6	10	13	22
65+	632	5.8	25	1	1	4	8	12	16	24
GRAND TOTAL	**3488**	**4.4**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	1.7	1	<1	1	1	2	3	4	6
20-34	1008	1.6	2	<1	<1	1	2	3	4	5
35-49	1347	1.6	1	<1	1	1	2	3	3	5
50-64	795	1.7	1	<1	1	1	2	3	4	6
65+	235	1.9	1	1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	48	3.4	9	<1	1	2	5	7	10	12
20-34	602	3.9	7	1	1	3	5	7	9	14
35-49	773	4.1	9	1	1	3	6	8	10	13
50-64	567	4.6	9	1	1	4	6	8	11	13
65+	210	4.6	10	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.2	2	<1	1	2	3	5	5	7
20-34	426	2.0	2	<1	1	2	2	4	5	7
35-49	602	1.9	3	1	1	1	2	3	5	7
50-64	547	2.2	2	1	1	2	3	4	5	8
65+	390	2.7	5	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	30	5.3	16	1	1	4	7	10	11	19
20-34	335	5.6	12	1	2	5	8	10	12	17
35-49	498	5.5	14	1	1	5	8	10	12	17
50-64	559	6.5	24	1	2	6	8	12	15	24
65+	535	7.4	27	1	2	7	10	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3481	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	2200	4.2	9	1	1	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2008	2.2	3	1	1	2	3	4	5	8
B. *Operated*	1957	6.3	21	1	2	5	8	12	14	22
1. SINGLE DX	5681	2.6	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	3965	4.2	16	1	1	3	6	9	12	18
A. NOT OPERATED	5489	1.8	2	<1	1	1	2	3	4	7
B. OPERATED	4157	5.2	15	1	1	4	7	10	12	18
TOTAL 0-19 YRS	217	2.6	6	<1	1	2	3	6	8	12
20-34	2371	2.8	7	<1	1	2	4	6	8	12
35-49	3220	2.9	8	1	1	2	4	7	9	13
50-64	2468	3.6	12	1	1	2	5	8	10	15
65+	1370	4.7	19	1	1	3	6	10	13	19

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	4	1	1	2	4	6	7	7
20-34	14	2.9	7	1	1	2	3	7	9	10
35-49	20	1.7	1	1	1	1	2	3	4	5
50-64	10	1.6		<1	<1	1	2	3	3	3
65+	8	2.1	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	289	5.0	7	<1	1	5	7	8	10	12
20-34	96	5.6	12	<1	1	6	8	10	11	16
35-49	85	4.6	12	1	1	4	7	9	11	14
50-64	73	3.5	10	<1	<1	2	6	9	10	12
65+	60	3.5	11	<1	<1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	5	<1	1	3	4	6	7	10
20-34	70	2.6	4	1	1	2	3	6	8	10
35-49	63	3.4	8	<1	1	3	4	6	11	14
50-64	83	4.6	12	1	1	4	6	9	12	18
65+	209	5.8	23	1	2	5	7	11	14	27
B. *Operated*										
0-19 YRS	317	6.2	18	<1	1	6	8	12	14	21
20-34	241	7.1	35	1	2	6	8	12	16	29
35-49	237	7.3	36	1	2	6	9	13	20	31
50-64	354	7.4	48	1	1	6	10	14	19	44
65+	433	7.8	42	1	2	6	10	16	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.2	3	1	1	2	3	4	6	10
B. *Operated*	603	4.7	10	<1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	479	4.5	16	1	1	3	6	9	12	20
B. *Operated*	1582	7.2	37	1	2	6	9	14	18	32
1. SINGLE DX	666	4.5	10	<1	1	4	6	9	10	14
2. MULTIPLE DX	2061	6.6	33	1	1	5	8	13	17	31
A. NOT OPERATED	542	4.2	15	1	1	3	5	8	11	20
B. OPERATED	2185	6.5	30	1	1	6	8	12	16	29
TOTAL 0-19 YRS	671	5.4	13	<1	1	5	7	10	12	20
20-34	421	5.9	26	1	1	5	8	10	14	26
35-49	405	5.8	28	1	1	5	8	11	14	27
50-64	520	6.3	38	1	1	5	8	13	17	36
65+	710	6.8	35	1	1	5	9	14	19	29

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	49	1.4	1	<1	<1	1	2	2	3	7
35-49	56	1.4	1	<1	<1	1	2	2	3	6
50-64	25	1.6	1	<1	<1	1	2	4	4	5
65+	11	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	4	5.8	16	<1	<1	6	9	10	10	10
20-34	27	3.1	6	<1	1	2	5	7	8	10
35-49	19	3.6	10	1	1	2	5	7	11	14
50-64	36	3.0	6	<1	1	2	4	7	8	12
65+	36	3.0	7	1	1	2	4	5	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	42	2.7	3	1	1	2	4	4	5	10
35-49	43	2.6	7	<1	1	2	3	5	6	17
50-64	38	2.8	4	1	1	2	3	6	8	9
65+	31	2.9	1	1	2	3	3	4	5	6
B. *Operated*										
0-19 YRS	8	3.1	14	<1	<1	1	5	9	10	10
20-34	44	6.0	42	1	1	4	8	13	15	37
35-49	44	4.2	17	1	1	3	5	7	10	[illegible]
50-64	89	4.4	14	1	1	3	6	9	10	22
65+	208	5.2	14	1	1	4	7	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	122	3.2	7	<1	1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	158	2.7	4	1	1	2	3	5	6	10
B. *Operated*	393	5.0	18	1	1	4	6	10	13	20
1. SINGLE DX	269	2.3	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	551	4.3	15	1	1	[illegible]	6	9	11	19
A. NOT OPERATED	305	2.1	3	<1	1	2	3	4	5	8
B. OPERATED	515	4.5	16	1	1	3	6	9	12	19
TOTAL 0-19 YRS	22	3.2	9	<1	<1	2	4	9	10	10
20-34	162	3.3	16	<1	1	2	4	7	10	18
35-49	162	2.8	9	<1	1	2	3	6	7	17
50-64	188	3.4	10	<1	1	2	5	7	9	14
65+	286	4.5	13	1	1	3	6	9	12	17
GRAND TOTAL	820	3.6	12	<1	1	2	5	8	10	17

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	1	1	2	3	3	4	4
20-34	16	2.9	3	<1	<1	3	4	6	6	6
35-49	9	2.0	1	1	1	2	3	3	3	3
50-64	6	2.0	1	1	1	2	2	4	4	4
65+	9	3.6	6	1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	25	1.7	2	<1	<1	1	2	4	5	6
20-34	39	1.9	5	<1	<1	1	2	4	5	14
35-49	50	2.2	3	<1	<1	2	3	4	7	8
50-64	69	2.3	3	<1	<1	2	3	4	5	12
65+	90	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	2	1	1	3	3	5	5	9
20-34	70	4.0	32	<1	1	3	4	7	11	39
35-49	53	3.8	5	1	1	3	5	7	8	10
50-64	70	4.5	11	1	2	4	6	7	11	20
65+	281	5.4	16	1	2	4	6	11	14	19
B. *Operated*										
0-19 YRS	51	2.4	5	<1	<1	1	2	6	7	11
20-34	98	3.2	9	<1	1	2	5	7	9	15
35-49	104	3.7	15	<1	1	2	5	8	10	21
50-64	175	4.5	31	1	1	3	5	10	12	26
65+	471	5.5	47	1	1	4	7	11	16	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.6	2	1	1	2	3	4	6	9
B. *Operated*	273	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	513	4.7	16	1	2	4	6	9	12	19
B. *Operated*	899	4.7	35	1	1	3	6	10	13	28
1. SINGLE DX	326	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1412	4.7	28	1	1	3	6	10	13	26
A. NOT OPERATED	566	4.5	15	1	1	4	5	9	11	18
B. OPERATED	1172	4.1	28	<1	1	2	5	9	12	26
TOTAL 0-19 YRS	128	2.3	3	<1	<1	2	3	5	6	10
20-34	223	3.2	16	<1	<1	2	4	7	9	14
35-49	216	3.3	9	<1	1	2	4	7	8	17
50-64	320	4.0	21	<1	1	3	5	9	11	23
65+	851	5.1	33	1	1	4	6	10	14	28
GRAND TOTAL	1738	4.2	24	<1	1	3	5	9	12	23

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.4		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.4	1	<1	<1	<1	1	2	4	6
20-34	131	1.9	3	<1	<1	1	2	4	6	9
35-49	103	1.7	2	<1	<1	1	2	3	4	8
50-64	82	2.1	14	<1	<1	1	2	3	4	25
65+	95	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	3	8.7	74	<1	<1	7	15	18	18	18
65+	22	3.8	10	<1	1	3	5	8	11	14
B. *Operated*										
0-19 YRS	151	1.4	1	<1	<1	1	1	2	4	8
20-34	142	2.7	12	<1	<1	2	3	5	7	17
35-49	133	3.0	7	<1	1	2	4	6	9	12
50-64	192	3.1	6	<1	1	2	4	6	8	14
65+	472	4.3	12	1	1	3	5	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6		1	1	2	2	2	2	2
B. *Operated*	563	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.9	16	<1	<1	2	5	8	14	18
B. *Operated*	1090	3.3	10	<1	<1	2	4	7	9	15
1. SINGLE DX	570	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1121	3.3	10	<1	<1	2	4	7	9	16
A. NOT OPERATED	38	3.4	13	<1	<1	2	4	8	12	18
B. OPERATED	1653	2.8	8	<1	<1	2	3	6	8	14
TOTAL 0-19 YRS	307	1.4	1	<1	<1	1	1	2	4	7
20-34	278	2.3	7	<1	<1	1	2	5	6	12
35-49	240	2.4	5	<1	<1	2	3	5	7	10
50-64	277	2.9	10	<1	1	2	3	5	7	17
65+	589	3.9	11	1	1	3	5	8	10	16
GRAND TOTAL	**1691**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.5	2	1	1	2	3	5	5	7
20-34	95	2.2	1	<1	1	2	3	4	4	6
35-49	40	2.3	2	1	1	2	3	4	5	7
50-64	55	3.0	5	<1	1	3	4	6	8	11
65+	99	4.1	8	1	1	3	6	9	10	13
B. *Operated*										
0-19 YRS	123	2.0	4	<1	<1	1	2	4	7	9
20-34	117	2.4	4	<1	<1	2	3	5	6	11
35-49	86	2.2	5	<1	<1	1	2	4	5	14
50-64	183	2.4	4	<1	<1	2	3	4	6	12
65+	241	2.6	4	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	3.3	6	1	1	3	4	6	8	12
20-34	550	3.9	24	1	1	3	5	7	9	14
35-49	428	4.3	8	1	1	4	6	8	10	16
50-64	727	5.7	34	1	2	4	7	10	13	29
65+	3382	6.6	29	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	280	3.0	11	<1	<1	1	4	7	10	16
20-34	266	5.1	48	<1	1	3	6	11	15	34
35-49	350	4.9	48	<1	<1	3	6	11	15	26
50-64	676	5.8	63	<1	1	4	7	12	19	41
65+	2015	7.0	48	1	2	5	8	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.8	4	1	1	2	4	5	7	11
B. *Operated*	750	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	5660	5.7	27	1	2	4	7	11	14	24
B. *Operated*	3587	6.1	49	<1	1	4	7	13	18	35
1. SINGLE DX	1179	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX	9247	5.9	36	1	1	4	7	12	15	29
A. NOT OPERATED	6089	5.5	26	1	2	4	7	10	14	24
B. OPERATED	4337	5.5	44	<1	1	4	7	12	16	33
TOTAL 0-19 YRS	1116	3.0	7	<1	<1	2	4	6	8	13
20-34	1028	3.8	27	<1	1	3	5	7	10	20
35-49	904	4.3	24	<1	1	3	5	9	11	20
50-64	1641	5.3	43	1	1	4	6	10	14	35
65+	5737	6.5	35	1	2	5	8	12	16	30
GRAND TOTAL	**10426**	**5.5**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	2.0	3	<1	<1	1	3	5	5	5
65+	16	2.6	5	<1	<1	2	4	5	8	9
B. *Operated*										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	56	3.0	5	<1	<1	3	4	5	6	15
50-64	1093	3.8	4	<1	1	4	5	6	7	10
65+	1750	4.3	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	4	2.5	3	<1	<1	2	4	4	4	4
50-64	50	3.9	24	1	1	3	5	7	9	34
65+	284	3.7	28	<1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	12	5.9	14	2	3	5	7	12	15	15
20-34	15	3.8	5	1	1	4	5	9	73	99+
35-49	89	4.2	7	<1	1	4	5	8	10	14
50-64	2618	4.8	9	2	2	4	6	8	9	16
65+	8032	5.8	15	2	3	5	7	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	4	<1	<1	1	3	5	7	9
B. *Operated*	2904	4.1	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	339	3.7	27	<1	1	3	4	7	9	18
B. *Operated*	10766	5.6	14	2	3	5	6	9	12	19
1. SINGLE DX	2927	4.1	4	1	1	4	5	6	7	10
2. MULTIPLE DX	11105	5.5	14	2	3	5	6	9	12	19
A. NOT OPERATED	362	3.6	26	<1	1	3	4	7	9	16
B. OPERATED	13670	5.3	12	2	2	5	6	9	11	17
TOTAL 0-19 YRS	18	4.9	13	<1	1	4	7	10	13	15
20-34	16	3.6	5	1	1	3	5	9	68	99+
35-49	150	3.7	6	<1	<1	4	5	6	9	15
50-64	3766	4.5	8	1	2	4	5	7	9	13
65+	10082	5.5	14	2	2	5	6	9	11	19
GRAND TOTAL	**14032**	**5.2**	**12**	**1**	**2**	**5**	**6**	**9**	**11**	**17**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	23	3.0	2	1	1	3	4	5	6	6
35-49	31	3.3	3	2	2	3	4	7	7	7
50-64	31	3.2	5	1	1	3	4	6	8	10
65+	14	3.3	2	1	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	1.8	3	<1	<1	<1	2	4	6	6
35-49	14	1.6	1	<1	<1	1	2	3	4	4
50-64	17	2.9	8	<1	<1	2	4	6	10	12
65+	21	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	42	3.4	2	1	2	3	4	5	6	7
35-49	66	3.7	6	1	2	3	5	6	7	17
50-64	103	4.2	4	2	2	4	5	7	8	10
65+	146	4.9	9	2	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	22	5.4	64	<1	<1	2	6	16	27	32
35-49	42	3.5	5	<1	<1	3	4	6	9	11
50-64	90	4.6	31	<1	1	3	6	8	10	36
65+	166	5.4	19	1	1	4	7	11	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.2	3	1	1	3	4	6	7	9
B. *Operated*	63	2.2	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	361	4.3	7	1	2	4	5	7	9	14
B. *Operated*	323	4.9	23	<1	1	4	6	10	13	28
1. SINGLE DX	163	2.8	4	<1	<1	2	4	5	6	10
2. MULTIPLE DX	684	4.6	15	1	1	4	6	8	11	21
A. NOT OPERATED	461	4.1	6	1	2	4	5	7	8	14
B. OPERATED	386	4.4	21	<1	1	3	5	9	12	26
TOTAL 0-19 YRS	10	2.4	3	<1	<1	2	4	5	5	5
20-34	96	3.6	17	<1	<1	3	4	6	7	28
35-49	153	3.4	5	<1	1	3	4	6	7	11
50-64	241	4.2	15	1	1	3	5	7	9	18
65+	347	4.9	14	1	2	4	6	9	12	19
GRAND TOTAL	**847**	**4.2**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	166	1.3		<1	<1	1	1	2	3	4
20-34	71	1.7	1	<1	1	1	2	3	3	5
35-49	78	1.6	1	<1	<1	1	2	3	4	5
50-64	124	1.8	1	1	1	2	2	3	4	5
65+	97	1.9	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	4	3.3	7	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	133	1.4	1	<1	<1	1	2	2	2	5
20-34	45	2.5	4	1	1	2	3	4	6	12
35-49	59	2.1	2	<1	1	2	3	4	5	6
50-64	133	3.0	4	1	1	3	4	5	7	12
65+	152	2.9	4	1	1	2	3	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	536	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	17	1.6	2	<1	<1	1	2	3	6	7
B. *Operated*	522	2.4	3	<1	1	2	3	4	6	10
1. SINGLE DX	539	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	539	2.4	3	<1	<1	2	3	4	6	10
A. NOT OPERATED	20	1.5	2	<1	<1	1	1	3	5	7
B. OPERATED	1058	2.0	2	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	308	1.3	1	<1	<1	1	1	2	2	4
20-34	119	2.0	2	<1	1	2	2	3	4	11
35-49	138	1.8	1	<1	<1	1	2	3	4	5
50-64	259	2.4	3	1	1	2	3	4	5	9
65+	254	2.5	3	1	1	2	3	4	6	10
GRAND TOTAL	**1078**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	6	1	1	3	4	6	8	14
20-34	101	4.0	6	1	1	4	5	7	9	11
35-49	52	3.7	4	1	1	3	5	7	8	9
50-64	28	4.5	5	2	2	4	6	8	9	11
65+	16	4.4	2	1	3	4	6	6	7	7
B. *Operated*										
0-19 YRS	29	2.7	5	<1	<1	2	4	7	7	9
20-34	63	2.4	3	1	1	2	3	5	6	10
35-49	40	2.4	3	<1	1	2	3	5	6	8
50-64	24	2.4	3	<1	1	2	3	5	6	6
65+	20	3.0	3	<1	<1	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	4	1	1	3	4	5	7	9
20-34	63	4.5	7	1	2	4	5	8	10	14
35-49	57	4.7	7	2	2	4	6	8	9	16
50-64	75	5.5	13	2	3	5	7	9	10	21
65+	121	6.3	11	2	3	6	8	12	13	15
B. *Operated*										
0-19 YRS	18	3.8	8	<1	1	3	4	9	10	10
20-34	42	4.3	11	1	1	3	5	9	12	15
35-49	48	5.7	45	1	1	4	7	14	21	36
50-64	56	4.7	14	1	1	4	6	10	13	17
65+	82	6.0	33	1	1	4	8	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.9	5	1	1	4	5	7	8	11
B. *Operated*	176	2.5	3	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	341	5.3	10	2	2	5	7	9	12	16
B. *Operated*	246	5.2	26	1	1	4	7	11	14	28
1. SINGLE DX	410	3.3	5	1	1	3	4	6	8	10
2. MULTIPLE DX	587	5.3	17	1	2	4	7	10	12	21
A. NOT OPERATED	575	4.7	9	1	2	4	6	8	10	15
B. OPERATED	422	4.1	18	1	1	3	5	9	11	21
TOTAL 0-19 YRS	109	3.2	6	1	1	3	4	7	9	12
20-34	269	3.8	7	1	1	3	5	7	9	13
35-49	197	4.2	16	1	1	3	5	8	9	22
50-64	183	4.7	12	1	1	4	6	9	10	18
65+	239	5.8	18	1	2	5	7	11	13	22
GRAND TOTAL	**997**	**4.5**	**13**	**1**	**1**	**4**	**6**	**8**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	1.1		<1	<1	<1	1	2	2	3
20-34	18	1.2		<1	<1	1	1	2	2	2
35-49	23	1.1		<1	<1	1	1	2	2	2
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	4	1.3		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	194	1.1		<1	<1	<1	1	1	2	3
20-34	29	1.1		<1	<1	1	1	1	2	2
35-49	27	1.2		<1	<1	<1	1	2	2	3
50-64	19	1.2		<1	<1	<1	1	2	2	2
65+	16	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.2		<1	<1	1	1	2	2	3
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49	11	1.5	1	<1	<1	1	2	3	3	3
50-64	10	1.7	1	<1	<1	1	2	3	3	3
65+	15	4.0	15	<1	<1	2	6	11	13	14
B. *Operated*										
0-19 YRS	51	1.3	1	<1	<1	1	1	2	2	6
20-34	12	1.3	1	<1	<1	<1	1	2	4	4
35-49	27	1.8	3	<1	<1	1	2	4	6	8
50-64	44	2.1	3	<1	<1	1	3	4	5	11
65+	55	2.6	5	<1	1	2	3	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	285	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	63	2.0	5	<1	<1	1	2	4	6	14
B. *Operated*	189	1.9	3	<1	<1	1	2	4	5	11
1. SINGLE DX	446	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX	252	1.9	4	<1	<1	1	2	4	6	11
A. NOT OPERATED	224	1.4	2	<1	<1	<1	1	2	3	7
B. OPERATED	474	1.4	1	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	375	1.1		<1	<1	<1	1	2	2	3
20-34	66	1.1		<1	<1	1	1	2	2	4
35-49	88	1.4	1	<1	<1	1	1	2	3	7
50-64	79	1.7	2	<1	<1	1	2	3	4	9
65+	90	2.5	6	<1	<1	2	3	6	7	13
GRAND TOTAL	**698**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	2	<1	<1	1	3	4	5	6
20-34	21	2.0	3	1	1	1	2	4	6	9
35-49	13	1.8	1	<1	<1	1	2	4	4	4
50-64	8	1.6	1	<1	<1	1	2	3	3	3
65+	6	2.7	1	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	418	1.4	1	<1	<1	1	1	2	3	5
20-34	241	1.9	11	<1	<1	1	2	3	4	9
35-49	143	2.0	3	<1	<1	1	2	3	5	8
50-64	215	2.2	2	<1	1	2	3	4	5	7
65+	122	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.8	2	<1	<1	1	2	3	6	7
20-34	25	2.6	5	<1	<1	1	4	6	7	9
35-49	24	2.5	4	<1	1	2	3	4	7	9
50-64	29	3.0	15	<1	<1	2	4	5	8	21
65+	46	5.5	32	<1	1	4	6	14	19	25
B. *Operated*										
0-19 YRS	187	2.1	9	<1	<1	1	2	4	6	22
20-34	172	2.8	11	<1	1	2	4	5	7	21
35-49	217	3.4	11	<1	1	3	4	6	8	21
50-64	378	3.3	9	1	1	3	4	6	7	18
65+	330	4.3	41	1	1	3	4	7	11	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.0	2	<1	<1	1	2	4	4	8
B. *Operated*	1139	1.8	4	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	150	3.4	16	<1	<1	2	4	7	10	21
B. *Operated*	1284	3.4	18	<1	1	2	4	6	8	22
1. SINGLE DX	1211	1.8	4	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1434	3.4	18	<1	1	2	4	6	8	22
A. NOT OPERATED	222	2.9	12	<1	<1	2	3	6	9	20
B. OPERATED	2423	2.6	12	<1	1	2	3	5	6	18
TOTAL 0-19 YRS	655	1.6	3	<1	<1	1	2	3	4	7
20-34	459	2.3	10	<1	<1	1	2	4	6	14
35-49	397	2.8	8	<1	<1	2	3	5	7	19
50-64	630	2.9	7	1	1	2	3	5	6	17
65+	504	3.9	31	1	1	3	4	6	10	27
GRAND TOTAL	**2645**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**6**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	9	2.0	3	<1	<1	1	2	5	6	6
50-64	6	2.0	4	<1	<1	1	2	6	6	6
65+										
B. *Operated*										
0-19 YRS	26	1.3	1	<1	<1	1	1	2	3	4
20-34	266	1.9	3	<1	<1	1	2	4	5	7
35-49	758	1.7	2	<1	<1	1	2	4	5	6
50-64	493	1.6	1	<1	<1	1	2	3	4	6
65+	230	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	1.8	1	<1	<1	1	2	4	4	4
50-64	7	1.4	1	<1	<1	<1	2	3	3	3
65+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	184	2.6	4	<1	<1	2	4	5	6	8
35-49	568	2.7	4	<1	<1	2	4	5	7	10
50-64	459	2.5	4	<1	<1	2	3	5	6	10
65+	284	2.4	4	<1	<1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	1773	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	1502	2.6	4	<1	<1	2	4	5	6	10
1. SINGLE DX	1790	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1518	2.6	4	<1	<1	2	4	5	6	10
A. NOT OPERATED	33	1.8	2	<1	<1	1	2	4	6	6
B. OPERATED	3275	2.1	3	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	33	1.3		<1	<1	1	1	2	3	4
20-34	452	2.2	3	<1	<1	1	3	5	6	7
35-49	1341	2.2	3	<1	<1	1	3	5	6	8
50-64	965	2.0	3	<1	<1	1	2	4	5	8
65+	517	2.1	3	<1	<1	2	2	4	5	9
GRAND TOTAL	**3308**	**2.1**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	1	3	3	4	5	5	5	5
20-34	29	2.8	2	<1	1	3	4	5	5	6
35-49	13	3.6	7	1	1	3	4	6	10	11
50-64	7	2.1	3	<1	<1	1	3	5	5	5
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	195	2.3	2	<1	<1	2	3	4	5	6
20-34	450	2.3	2	<1	<1	2	3	4	5	6
35-49	293	2.3	2	<1	<1	2	3	4	5	8
50-64	230	2.4	2	<1	<1	2	3	4	5	7
65+	101	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	1	<1	1	2	3	4	4	4
20-34	37	3.6	7	<1	1	3	5	7	10	12
35-49	40	3.1	6	<1	<1	2	4	7	8	10
50-64	23	2.3	4	<1	<1	1	4	5	7	8
65+	17	3.3	11	<1	<1	1	5	8	11	12
B. *Operated*										
0-19 YRS	66	2.6	2	<1	1	2	3	4	5	6
20-34	253	3.2	6	<1	1	3	4	5	6	11
35-49	359	3.3	6	<1	1	3	4	6	8	12
50-64	300	3.2	4	<1	1	3	4	6	7	10
65+	205	3.3	6	<1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.9	3	<1	<1	3	4	5	5	11
B. *Operated*	1269	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	129	3.0	6	<1	<1	2	4	7	8	12
B. *Operated*	1183	3.2	5	<1	1	3	4	6	7	11
1. SINGLE DX	1326	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX	1312	3.2	5	<1	1	3	4	6	7	11
A. NOT OPERATED	186	3.0	5	<1	<1	3	4	6	8	11
B. OPERATED	2452	2.8	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	278	2.4	2	<1	<1	2	3	4	5	6
20-34	769	2.7	4	<1	<1	2	3	5	5	10
35-49	705	2.9	5	<1	<1	3	4	5	6	11
50-64	560	2.9	3	<1	<1	3	4	5	6	9
65+	326	2.9	5	<1	<1	2	4	5	7	11
GRAND TOTAL	**2638**	**2.8**	**4**	**<1**	**<1**	**2**	**4**	**5**	**6**	**10**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	1.7	2	<1	1	1	2	3	4	6
20-34	398	1.7	1	<1	1	1	2	3	4	7
35-49	81	1.9	1	1	1	1	2	4	4	6
50-64	4	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	301	3.2	3	1	1	3	4	5	6	8
20-34	1035	3.3	3	<1	1	3	4	5	6	9
35-49	237	4.2	4	<1	1	4	5	6	7	11
50-64	44	5.2	2	3	3	5	6	6	7	9
65+	13	6.2	1	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	2.0	2	<1	1	2	3	4	5	8
20-34	271	2.2	2	<1	1	2	3	4	5	7
35-49	54	2.6	3	<1	1	2	4	5	6	7
50-64	4	2.8		2	2	3	3	3	3	3
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	315	3.8	5	1	1	4	5	6	7	12
20-34	2098	4.3	5	1	1	4	5	7	8	10
35-49	965	5.3	6	2	3	5	6	8	9	14
50-64	136	5.8	6	3	4	5	6	8	10	17
65+	94	7.2	11	4	5	7	8	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	1630	3.5	4	<1	1	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	443	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	3608	4.6	6	1	2	5	6	7	8	13
1. SINGLE DX	2273	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	4051	4.4	6	1	1	4	6	7	8	12
A. NOT OPERATED	1086	1.9	2	<1	1	2	2	4	4	7
B. OPERATED	5238	4.3	5	1	1	4	5	7	8	11
TOTAL 0-19 YRS	887	3.0	4	1	1	3	4	5	6	9
20-34	3802	3.6	5	1	1	4	5	6	7	10
35-49	1337	4.8	6	1	2	5	6	7	9	13
50-64	188	5.5	5	2	3	5	6	8	9	15
65+	110	7.0	10	4	4	7	7	10	11	24

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	3.4	3	1	1	3	4	5	6	9
20-34	1166	3.6	4	1	1	3	4	6	7	10
35-49	140	4.3	4	2	2	4	5	7	8	11
50-64	11	3.5	2	2	2	4	5	5	5	5
65+	4	6.3	41	<1	<1	4	11	15	15	15
B. *Operated*										
0-19 YRS	134	4.4	7	<1	1	4	5	8	10	13
20-34	761	3.8	6	<1	<1	4	5	7	8	11
35-49	203	4.2	8	<1	1	4	5	7	9	13
50-64	22	5.4	7	1	2	5	6	8	11	13
65+	11	4.5	6	<1	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	3.9	4	1	2	4	5	6	7	12
20-34	954	4.0	5	1	2	4	5	7	8	11
35-49	181	4.8	5	1	2	4	6	8	9	13
50-64	12	6.7	7	1	3	7	9	10	10	10
65+	13	8.5	25	1	2	7	12	16	17	17
B. *Operated*										
0-19 YRS	285	5.4	18	1	1	5	7	10	11	18
20-34	3027	4.9	8	1	1	5	6	8	10	14
35-49	1088	5.6	9	1	3	5	6	9	11	17
50-64	99	9.4	118	3	4	7	9	18	26	73
65+	42	11.0	65	2	4	9	14	22	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1775	3.6	4	1	2	3	5	6	7	10
B. *Operated*	1131	4.0	6	<1	<1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1516	4.1	5	1	2	4	5	7	9	11
B. *Operated*	4541	5.3	13	1	2	5	6	8	11	17
1. SINGLE DX	2906	3.8	5	<1	1	3	5	6	8	11
2. MULTIPLE DX	6057	5.0	11	1	2	5	6	8	10	16
A. NOT OPERATED	3291	3.8	5	1	2	3	5	7	8	10
B. OPERATED	5672	5.0	12	<1	1	5	6	8	10	16
TOTAL 0-19 YRS	1229	4.1	8	1	2	4	5	7	9	12
20-34	5908	4.4	7	1	1	4	6	7	9	13
35-49	1612	5.2	8	1	2	5	6	8	11	15
50-64	144	8.1	87	2	3	6	8	13	20	60
65+	70	9.2	52	1	2	7	12	17	23	40

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	27	1.9	1	<1	<1	2	2	3	4	6
35-49	7	2.7	4	<1	<1	2	4	6	6	6
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	31	2.8	3	<1	<1	3	4	5	6	6
20-34	547	3.6	4	<1	<1	4	5	6	6	8
35-49	296	4.3	4	<1	<1	5	5	6	7	9
50-64	22	5.1	3	1	2	5	6	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	72	<1	<1	6	13	13	13	13
20-34	51	2.8	5	<1	<1	2	4	5	6	13
35-49	27	3.0	3	<1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	59	4.0	6	<1	<1	4	5	7	9	11
20-34	2789	4.7	5	1	1	5	6	7	8	10
35-49	3193	5.5	5	3	4	5	6	7	8	12
50-64	349	5.9	5	4	4	6	6	8	9	13
65+	56	7.1	13	5	5	6	7	9	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	3	<1	<1	2	3	5	6	9
B. *Operated*	897	3.9	4	<1	<1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	80	3.0	5	<1	<1	2	4	5	6	13
B. *Operated*	6446	5.2	5	1	3	5	6	7	8	11
1. SINGLE DX	933	3.8	4	<1	<1	4	5	6	7	8
2. MULTIPLE DX	6526	5.1	5	1	3	5	6	7	8	12
A. NOT OPERATED	116	2.8	5	<1	<1	2	4	5	6	13
B. OPERATED	7343	5.0	5	1	2	5	6	7	8	11
TOTAL 0-19 YRS	93	3.7	7	<1	<1	4	5	6	9	12
20-34	3414	4.5	5	<1	1	5	6	7	7	10
35-49	3523	5.3	5	2	3	5	6	7	8	12
50-64	371	5.9	5	4	4	6	6	8	9	13
65+	58	6.9	13	3	5	6	7	9	17	20
GRAND TOTAL	**7459**	**5.0**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	2.5	3	<1	<1	2	4	5	5	6
35-49	16	1.9	3	<1	<1	1	3	5	6	6
50-64	6	1.5		<1	<1	1	2	2	2	2
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.1	4	1	1	2	4	6	7	7
35-49	7	3.4	6	<1	<1	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	190	4.5	5	<1	1	5	6	7	8	10
35-49	204	4.5	7	<1	<1	5	6	7	8	13
50-64	39	3.5	7	<1	<1	2	6	7	8	9
65+	18	4.8	9	1	1	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	50	2.2	2	<1	<1	1	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	15	3.3	5	<1	1	2	5	7	7	7
B. *Operated*	455	4.4	6	<1	<1	5	6	7	8	11
1. SINGLE DX	51	2.2	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX	470	4.3	6	<1	<1	5	6	7	8	11
A. NOT OPERATED	16	3.2	4	<1	1	2	5	7	7	7
B. OPERATED	505	4.1	6	<1	<1	4	6	7	8	11
TOTAL 0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	222	4.2	5	<1	1	4	6	7	8	10
35-49	227	4.2	7	<1	<1	5	6	7	8	12
50-64	45	3.2	7	<1	<1	2	5	7	8	9
65+	21	4.4	8	1	1	5	6	9	10	10
GRAND TOTAL	**521**	**4.1**	**6**	**<1**	**<1**	**4**	**6**	**7**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.3	2	<1	1	2	3	4	5	5
20-34	63	2.8	2	1	1	3	4	5	5	6
35-49	20	4.4	14	<1	1	3	5	11	12	13
50-64	6	5.0	23	1	1	3	8	12	13	13
65+										
B. *Operated*										
0-19 YRS	33	1.8	2	<1	<1	1	2	4	6	6
20-34	163	1.7	2	<1	<1	1	2	4	5	6
35-49	81	1.4	1	<1	<1	1	1	2	3	5
50-64	31	1.7	1	<1	<1	1	2	3	4	6
65+	12	1.9	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.9	4	1	1	2	3	6	7	11
20-34	110	3.9	4	1	2	4	5	6	7	12
35-49	24	3.8	4	1	2	4	5	7	7	8
50-64	10	4.6	10	<1	1	4	6	9	12	12
65+	20	6.8	15	1	2	7	9	13	14	14
B. *Operated*										
0-19 YRS	26	3.1	9	<1	1	2	5	6	8	14
20-34	189	3.8	10	<1	1	3	5	7	7	11
35-49	110	4.0	8	<1	<1	4	6	7	8	14
50-64	33	4.8	86	<1	<1	2	5	9	10	54
65+	30	7.2	87	1	1	3	8	17	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.0	5	1	1	3	4	5	7	13
B. *Operated*	320	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	206	4.0	6	1	2	3	5	7	9	14
B. *Operated*	388	4.2	22	<1	1	3	6	7	9	27
1. SINGLE DX	442	2.0	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX	594	4.1	17	<1	1	3	5	7	9	16
A. NOT OPERATED	328	3.6	6	1	1	3	5	7	9	13
B. OPERATED	708	3.0	14	<1	<1	2	4	6	7	15
TOTAL 0-19 YRS	134	2.5	4	<1	1	2	3	5	6	11
20-34	525	3.1	6	<1	<1	3	4	6	7	9
35-49	235	3.1	7	<1	<1	2	5	7	8	13
50-64	80	3.6	40	<1	<1	2	4	8	10	42
65+	62	6.1	51	<1	1	4	8	14	17	39
GRAND TOTAL	**1036**	**3.2**	**12**	**<1**	**<1**	**2**	**4**	**6**	**8**	**14**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	215	4.7	3	2	3	5	6	7	7	9
35-49	361	4.8	3	2	3	5	6	7	8	11
50-64	511	5.3	3	3	3	5	6	7	8	11
65+	410	5.6	4	3	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.2	21	<1	<1	1	3	11	15	15
35-49	22	2.7	6	<1	<1	1	5	7	8	8
50-64	16	2.0	3	<1	1	1	3	4	5	6
65+	40	2.4	6	<1	1	2	3	5	8	13
B. *Operated*										
0-19 YRS	9	6.0	3	3	3	6	7	8	8	8
20-34	975	5.2	4	3	3	5	6	7	8	13
35-49	2230	5.7	3	3	4	5	7	8	9	11
50-64	1815	6.1	8	3	4	6	7	8	9	13
65+	1882	6.6	12	4	4	6	8	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	8	1	1	2	5	7	7	7
B. *Operated*	1499	5.2	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	88	2.4	7	<1	<1	1	3	6	8	14
B. *Operated*	6911	6.0	7	3	4	6	7	8	10	13
1. SINGLE DX	1503	5.2	3	2	3	5	6	7	8	11
2. MULTIPLE DX	6999	5.9	7	3	4	6	7	8	10	13
A. NOT OPERATED	92	2.5	7	<1	<1	1	3	6	8	14
B. OPERATED	8410	5.8	7	3	4	6	7	8	9	13
TOTAL 0-19 YRS	12	5.0	6	1	2	5	7	8	8	8
20-34	1200	5.1	4	2	3	5	6	7	8	12
35-49	2614	5.5	4	3	3	5	6	8	9	11
50-64	2342	5.9	7	3	4	6	7	8	9	12
65+	2334	6.4	11	3	4	6	7	9	10	15
GRAND TOTAL	**8502**	**5.8**	**7**	**3**	**4**	**6**	**7**	**8**	**9**	**13**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	32	1.8	3	<1	<1	<1	2	5	7	7
35-49	65	1.5	1	<1	<1	<1	1	4	5	5
50-64	10	1.3		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	80	3.0	5	<1	<1	2	5	6	7	9
35-49	110	3.6	6	<1	<1	4	5	7	8	10
50-64	11	2.9	5	<1	<1	2	5	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	113	1.6	2	<1	<1	<1	1	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	206	3.3	5	<1	<1	3	5	6	7	9
1. SINGLE DX	121	1.6	2	<1	<1	<1	1	3	5	7
2. MULTIPLE DX	222	3.2	5	<1	<1	3	5	6	7	9
A. NOT OPERATED	24	1.6	1	<1	<1	1	2	3	4	4
B. OPERATED	319	2.7	5	<1	<1	1	4	6	7	9
TOTAL 0-19 YRS	16	1.9	1	<1	1	2	2	3	4	5
20-34	123	2.6	4	<1	<1	1	4	6	7	8
35-49	182	2.8	5	<1	<1	1	5	6	7	9
50-64	22	2.1	3	<1	<1	1	2	6	6	6
65+										
GRAND TOTAL	**343**	**2.6**	**4**	**<1**	**<1**	**1**	**4**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.5	1	<1	<1	1	2	3	3	5
20-34	46	1.5	1	<1	<1	1	2	2	3	4
35-49	17	1.9	7	<1	<1	1	2	3	9	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	56	1.5	1	<1	<1	1	2	3	4	5
20-34	660	1.9	3	<1	<1	1	2	5	5	7
35-49	894	1.9	3	<1	<1	1	2	5	6	7
50-64	103	1.8	3	<1	<1	1	1	5	6	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	1.7	1	1	1	2	2	3	3	4
20-34	128	1.8	2	<1	<1	1	2	3	5	8
35-49	98	2.3	12	<1	<1	1	3	4	5	21
50-64	9	2.1	2	<1	<1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	70	2.3	3	<1	<1	2	3	5	5	9
20-34	1728	3.9	6	<1	<1	4	5	6	7	10
35-49	3274	4.3	6	<1	<1	5	6	7	8	11
50-64	316	4.2	8	<1	<1	5	6	7	8	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.6	2	<1	<1	1	2	3	3	9
B. *Operated*	1713	1.9	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	286	1.9	5	<1	<1	1	2	4	5	9
B. *Operated*	5388	4.1	6	<1	<1	4	6	7	8	11
1. SINGLE DX	1810	1.9	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX	5674	4.0	6	<1	<1	4	6	7	7	10
A. NOT OPERATED	383	1.8	4	<1	<1	1	2	3	4	9
B. OPERATED	7101	3.6	6	<1	<1	4	5	6	7	10
TOTAL 0-19 YRS	209	1.8	2	<1	<1	1	2	4	4	7
20-34	2562	3.3	6	<1	<1	3	5	6	7	9
35-49	4283	3.7	6	<1	<1	4	5	6	7	10
50-64	430	3.5	8	<1	<1	3	6	7	7	10
65+										
GRAND TOTAL	**7484**	**3.5**	**6**	**<1**	**<1**	**4**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	4	1.3		<1	<1	1	1	2	2	2
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	10	1.6	2	<1	<1	1	2	4	5	5
35-49	93	1.2		<1	<1	<1	1	1	2	5
50-64	357	1.2	1	<1	<1	<1	1	2	2	6
65+	129	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	21	3.4	11	<1	<1	2	4	8	11	14
50-64	16	2.0	1	<1	<1	2	3	3	5	5
65+	18	2.3	1	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	45	4.6	6	<1	1	5	6	7	7	13
35-49	182	3.5	6	<1	<1	3	5	6	7	9
50-64	572	2.9	14	<1	<1	1	4	6	7	13
65+	354	2.8	13	<1	<1	2	3	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	589	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	58	2.6	5	<1	<1	2	3	5	7	14
B. *Operated*	1155	3.0	12	<1	<1	2	5	6	7	13
1. SINGLE DX	599	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX	1213	3.0	12	<1	<1	2	5	6	7	13
A. NOT OPERATED	68	2.5	5	<1	<1	2	3	5	6	13
B. OPERATED	1744	2.4	9	<1	<1	1	3	6	7	11
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	58	3.9	6	<1	<1	4	6	6	7	13
35-49	299	2.7	5	<1	<1	1	4	6	7	9
50-64	949	2.2	9	<1	<1	1	2	6	7	9
65+	504	2.4	10	<1	<1	1	2	6	7	13
GRAND TOTAL	**1812**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**6**	**7**	**11**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	2	<1	<1	2	3	4	5	6
20-34	37	2.1	3	<1	<1	1	2	5	5	10
35-49	14	2.0	5	<1	<1	1	2	4	8	9
50-64	5	3.8	11	<1	<1	3	6	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	66	2.3	3	<1	<1	1	3	5	5	7
20-34	710	2.2	3	<1	<1	1	3	5	5	7
35-49	453	2.5	4	<1	<1	1	4	5	6	9
50-64	265	2.3	4	<1	<1	1	4	5	6	10
65+	84	3.4	11	<1	<1	2	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	56	2.8	10	<1	<1	2	3	7	10	15
35-49	41	2.9	6	<1	<1	2	4	6	8	10
50-64	19	2.8	9	<1	<1	2	3	7	10	12
65+	37	3.8	15	<1	<1	2	4	12	13	14
B. *Operated*										
0-19 YRS	94	3.7	7	<1	1	3	5	6	7	15
20-34	1225	3.9	6	<1	1	4	5	6	7	12
35-49	1603	4.3	8	<1	<1	5	6	7	8	13
50-64	867	4.7	18	<1	<1	5	6	8	9	18
65+	430	5.6	33	<1	1	5	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.1	4	<1	<1	1	3	5	6	10
B. *Operated*	1578	2.4	4	<1	<1	1	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	173	2.9	9	<1	<1	2	3	7	10	14
B. *Operated*	4219	4.4	12	<1	<1	4	6	7	9	16
1. SINGLE DX	1657	2.4	4	<1	<1	1	4	5	6	9
2. MULTIPLE DX	4392	4.3	12	<1	<1	4	6	7	9	16
A. NOT OPERATED	252	2.6	7	<1	<1	1	3	6	9	14
B. OPERATED	5797	3.8	11	<1	<1	4	5	7	8	14
TOTAL 0-19 YRS	202	2.8	5	<1	<1	2	4	5	6	8
20-34	2028	3.2	6	<1	<1	3	5	6	7	11
35-49	2111	3.9	7	<1	<1	4	5	7	8	12
50-64	1156	4.1	16	<1	<1	4	6	7	9	16
65+	552	5.1	29	<1	<1	4	7	11	14	24
GRAND TOTAL	**6049**	**3.8**	**11**	**<1**	**<1**	**4**	**5**	**7**	**8**	**14**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	1.9	2	<1	<1	1	2	4	4	7
20-34	159	1.9	2	<1	<1	1	2	3	4	10
35-49	39	1.9	3	<1	<1	1	2	4	7	8
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	83	2.0	2	<1	<1	1	3	4	5	7
20-34	632	2.6	5	<1	<1	1	4	6	6	9
35-49	423	4.5	5	<1	1	5	6	7	8	10
50-64	287	5.5	5	2	3	5	7	8	9	14
65+	125	6.2	4	3	4	6	8	9	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	1.8	1	<1	1	2	2	3	4	8
20-34	245	2.2	3	<1	<1	2	3	4	6	8
35-49	91	2.6	8	<1	<1	2	3	5	9	17
50-64	19	3.1	12	<1	<1	1	4	6	11	15
65+	19	2.7	5	<1	<1	2	4	6	8	9
B. *Operated*										
0-19 YRS	81	3.2	4	<1	<1	2	5	6	7	9
20-34	2283	4.2	4	<1	1	4	5	7	7	10
35-49	1766	5.3	7	1	3	5	6	8	9	12
50-64	624	6.3	9	3	3	6	7	9	11	17
65+	436	7.3	14	3	4	7	8	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	1.9	2	<1	<1	1	2	4	4	8
B. *Operated*	1550	3.9	7	<1	<1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	440	2.3	4	<1	<1	2	3	4	6	10
B. *Operated*	5190	5.1	7	1	1	5	6	8	9	14
1. SINGLE DX	1828	3.6	6	<1	<1	3	5	7	8	10
2. MULTIPLE DX	5630	4.9	8	1	1	5	6	8	9	13
A. NOT OPERATED	718	2.1	3	<1	<1	1	2	4	6	9
B. OPERATED	6740	4.8	7	<1	1	5	6	8	9	13
TOTAL 0-19 YRS	305	2.3	3	<1	<1	2	3	5	6	8
20-34	3319	3.6	5	<1	<1	4	5	6	7	9
35-49	2319	5.0	7	1	1	5	6	8	9	12
50-64	934	6.0	8	2	3	6	7	9	10	16
65+	581	6.9	12	3	4	6	8	10	12	20
GRAND TOTAL	**7458**	**4.5**	**8**	**<1**	**1**	**5**	**6**	**8**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	25	1.7	1	<1	<1	1	2	3	4	4
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	105	3.7	2	2	2	4	4	5	5	10
20-34	1651	3.8	2	2	3	4	4	5	6	8
35-49	197	4.0	2	2	3	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	10	2.3	5	<1	<1	1	3	6	8	8
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	94	4.1	2	2	3	4	5	6	6	9
20-34	1742	4.1	2	2	3	4	5	6	6	9
35-49	268	4.4	3	3	3	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	1953	3.8	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	15	1.9	4	<1	<1	1	2	4	7	8
B. *Operated*	2104	4.1	2	2	3	4	5	6	6	9
1. SINGLE DX	1983	3.8	2	2	2	4	4	5	6	8
2. MULTIPLE DX	2119	4.1	2	2	3	4	5	6	6	9
A. NOT OPERATED	45	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	4057	4.0	2	2	3	4	5	5	6	8
TOTAL 0-19 YRS	204	3.8	2	2	2	4	4	5	6	10
20-34	3428	3.9	2	2	3	4	5	5	6	8
35-49	470	4.2	3	2	3	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**4102**	**4.0**	**2**	**2**	**3**	**4**	**5**	**5**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	3	1	1	1	1	5	6	6
20-34	41	1.4	1	<1	<1	1	2	3	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	484	1.2		<1	<1	1	1	2	2	3
20-34	994	1.2		<1	<1	1	1	2	2	4
35-49	71	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	7	<1	<1	2	4	7	8	8
20-34	35	2.1	3	<1	<1	1	3	5	6	6
35-49	12	2.4	16	<1	<1	1	2	6	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	110	1.8	3	<1	<1	1	2	4	5	10
20-34	465	1.9	3	<1	<1	1	2	4	5	8
35-49	141	1.8	2	<1	<1	1	2	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.6	2	<1	<1	1	1	4	5	6
B. *Operated*	1549	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	55	2.3	6	<1	<1	1	2	5	6	15
B. *Operated*	716	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	1616	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	771	1.9	3	<1	<1	1	2	4	5	8
A. NOT OPERATED	122	1.9	4	<1	<1	1	2	4	6	10
B. OPERATED	2265	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	624	1.3	1	<1	<1	1	1	2	3	6
20-34	1535	1.4	1	<1	<1	1	1	2	4	6
35-49	228	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**2387**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**4**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	1.8	1	1	1	2	2	3	3	3
1. SINGLE DX	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX	5	1.8	1	1	1	2	2	3	3	3
A. NOT OPERATED										
B. OPERATED	7	2.3	2	1	1	2	3	5	5	5
TOTAL 0-19 YRS										
20-34	7	2.3	2	1	1	2	3	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	**7**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	1.2		<1	<1	1	1	2	2	4
20-34	440	1.3		<1	<1	1	1	2	3	4
35-49	45	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	634	1.2		<1	<1	1	1	2	2	3
20-34	4197	1.2	1	<1	<1	1	1	2	2	4
35-49	702	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
20-34	144	2.0	4	<1	<1	1	2	4	6	10
35-49	19	2.3	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.7	2	<1	<1	1	2	3	4	7
20-34	934	1.7	2	<1	<1	1	2	3	4	8
35-49	227	1.8	4	<1	<1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	586	1.3		<1	<1	1	1	2	3	4
B. *Operated*	5533	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	194	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	1313	1.7	3	<1	<1	1	2	3	5	8
1. SINGLE DX	6119	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1507	1.8	3	<1	<1	1	2	3	5	8
A. NOT OPERATED	780	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	6846	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	918	1.3	1	<1	<1	1	1	2	3	4
20-34	5715	1.3	1	<1	<1	1	1	2	3	5
35-49	993	1.3	1	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	7626	1.3	1	<1	<1	1	1	2	3	5

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	2	<1	<1	2	3	5	5	6
20-34	194	1.8	2	<1	<1	1	2	3	5	7
35-49	36	1.9	2	<1	<1	1	2	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	116	1.5	1	<1	<1	1	2	3	3	6
20-34	1002	1.2	1	<1	<1	1	1	2	2	4
35-49	176	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	16	<1	<1	2	3	5	13	17
20-34	102	2.5	5	<1	<1	2	4	5	7	11
35-49	17	2.2	5	<1	<1	1	2	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.1	4	<1	1	1	3	4	6	11
20-34	364	2.6	20	<1	<1	1	3	5	7	12
35-49	94	2.1	3	<1	<1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	1294	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	135	2.5	6	<1	<1	2	3	5	7	14
B. *Operated*	502	2.5	16	<1	<1	1	3	5	7	11
1. SINGLE DX	1575	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	637	2.5	14	<1	<1	1	3	5	7	11
A. NOT OPERATED	416	2.1	3	<1	<1	1	3	4	6	9
B. OPERATED	1796	1.6	5	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	227	1.9	3	<1	<1	1	2	4	5	9
20-34	1662	1.7	6	<1	<1	1	2	3	4	8
35-49	323	1.6	2	<1	<1	1	2	3	4	10
50-64										
65+										
GRAND TOTAL	2212	1.7	5	<1	<1	1	2	3	4	8

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.5	1	<1	<1	1	2	3	3	5
20-34	359	1.7	1	<1	<1	1	2	3	3	5
35-49	25	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.6		<1	<1	2	2	2	2	2
20-34	30	1.3		<1	<1	1	1	2	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	159	2.3	3	<1	<1	2	3	4	5	12
35-49	11	2.1	2	1	1	2	2	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	17	2.9	15	<1	<1	1	3	9	13	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	42	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	182	2.2	3	<1	<1	2	3	4	5	11
B. *Operated*	21	3.0	13	<1	<1	1	3	8	12	15
1. SINGLE DX	477	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	203	2.3	4	<1	<1	2	3	4	5	14
A. NOT OPERATED	617	1.8	2	<1	<1	1	2	3	4	6
B. OPERATED	63	1.9	5	<1	<1	1	2	3	5	14
TOTAL 0-19 YRS	75	1.5	1	<1	<1	1	2	2	3	5
20-34	565	1.8	2	<1	<1	1	2	3	4	8
35-49	40	1.8	2	<1	<1	1	2	4	5	6
50-64										
65+										
GRAND TOTAL	**680**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	1	1	1	2	4	4	4
20-34	37	1.7	1	<1	1	1	2	3	3	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	2.5	4	1	1	2	3	6	7	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	4.0	9	1	1	3	6	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	25	2.4	4	1	1	1	3	6	7	9
B. *Operated*	5	4.0	9	1	1	3	6	8	8	8
1. SINGLE DX	49	1.7	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	30	2.7	5	1	1	2	3	6	8	9
A. NOT OPERATED	69	2.0	2	1	1	1	2	4	6	8
B. OPERATED	10	2.6	6	<1	<1	2	3	7	8	8
TOTAL 0-19 YRS	9	1.4	1	<1	<1	1	2	3	4	4
20-34	69	2.1	3	1	1	2	3	4	6	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**79**	**2.1**	**3**	**<1**	**1**	**1**	**2**	**4**	**6**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	2.5	4	<1	1	2	3	4	5	12
20-34	675	2.5	4	<1	1	2	3	5	6	11
35-49	88	3.0	9	<1	<1	2	3	6	7	19
50-64										
65+										
B. Operated										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	4	4
20-34	88	2.9	6	<1	1	2	4	6	8	13
35-49	9	1.9	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.9	4	<1	<1	2	3	7	8	10
20-34	300	2.9	7	<1	1	2	3	6	8	15
35-49	37	3.5	14	<1	<1	2	4	7	11	20
50-64										
65+										
B. Operated										
0-19 YRS	19	3.1	4	<1	1	3	4	6	8	9
20-34	124	2.5	6	<1	<1	2	3	5	8	14
35-49	13	2.8	8	<1	<1	2	3	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	878	2.6	4	<1	1	2	3	5	6	11
B. Operated	109	2.7	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
A. Not Operated	394	3.0	7	<1	1	2	3	6	8	16
B. Operated	156	2.6	6	<1	<1	2	3	5	9	14
1. SINGLE DX	987	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	550	2.9	7	<1	<1	2	3	6	8	14
A. NOT OPERATED	1272	2.7	5	<1	1	2	3	5	7	12
B. OPERATED	265	2.6	6	<1	<1	2	3	5	8	13
TOTAL 0-19 YRS	203	2.6	4	<1	1	2	3	4	7	9
20-34	1187	2.7	5	<1	1	2	3	5	7	12
35-49	147	3.0	9	<1	<1	2	4	6	8	20
50-64										
65+										
GRAND TOTAL	**1537**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	217	2.7	4	1	1	2	3	5	6	12
20-34	1460	3.2	5	1	1	3	4	5	7	12
35-49	60	3.0	2	1	1	3	4	5	6	8
50-64										
65+										
B. Operated										
0-19 YRS	4	4.5	11	1	1	4	7	9	9	9
20-34	12	3.9	12	<1	1	3	5	10	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	2.8	5	1	1	2	3	5	5	15
20-34	557	3.3	6	1	1	3	4	6	8	12
35-49	33	3.3	3	1	2	3	4	6	6	9
50-64										
65+										
B. Operated										
0-19 YRS	8	3.0	3	1	1	3	4	6	7	7
20-34	27	6.9	49	1	2	4	8	15	23	33
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1737	3.2	5	1	1	3	4	5	7	11
B. Operated	17	4.1	10	<1	1	3	5	10	11	11
2. MULTIPLE DX										
A. Not Operated	681	3.3	6	1	1	3	4	6	8	12
B. Operated	37	6.0	40	1	1	3	7	13	19	33
1. SINGLE DX	1754	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	718	3.4	8	1	1	3	4	6	8	14
A. NOT OPERATED	2418	3.2	5	1	1	3	4	5	7	12
B. OPERATED	54	5.4	31	1	1	3	7	11	15	33
TOTAL 0-19 YRS	320	2.8	4	1	1	2	3	5	6	12
20-34	2056	3.3	6	1	1	3	4	6	7	12
35-49	96	3.2	3	1	1	3	4	6	6	9
50-64										
65+										
GRAND TOTAL	**2472**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	703	1.1		<1	<1	<1	1	1	2	3
20-34	3314	1.1		<1	<1	<1	1	1	2	4
35-49	219	1.3	3	<1	<1	<1	1	1	2	9
50-64										
65+										
B. *Operated*										
0-19 YRS	120	1.1		<1	<1	<1	1	1	2	4
20-34	434	1.1		<1	<1	<1	1	1	1	4
35-49	32	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	1.4	1	<1	<1	1	1	3	3	6
20-34	375	1.5	11	<1	<1	1	1	2	3	7
35-49	34	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	79	1.9	5	<1	<1	1	2	4	6	14
35-49	8	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4236	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	586	1.1		<1	<1	<1	1	1	1	4
2. MULTIPLE DX										
A. *Not Operated*	500	1.5	8	<1	<1	1	1	2	3	7
B. *Operated*	101	1.7	4	<1	<1	1	2	3	5	12
1. SINGLE DX	4822	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	601	1.5	8	<1	<1	1	1	2	3	7
A. NOT OPERATED	4736	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	687	1.2	1	<1	<1	<1	1	1	2	6
TOTAL 0-19 YRS	928	1.1		<1	<1	<1	1	1	2	4
20-34	4202	1.2	1	<1	<1	<1	1	1	2	4
35-49	293	1.2	2	<1	<1	<1	1	1	2	7
50-64										
65+										
GRAND TOTAL	**5423**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	1	1	2	2	3	4	4
20-34	333	2.6	8	<1	<1	2	3	4	6	17
35-49	37	2.3	3	<1	<1	2	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	37	2.2	2	<1	<1	2	3	4	5	8
35-49	6	1.7		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	27	<1	<1	1	3	9	18	20
20-34	131	4.1	25	<1	1	3	4	7	16	27
35-49	26	4.8	30	<1	1	3	6	13	16	25
50-64										
65+										
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	26	4.7	42	<1	1	3	4	7	20	32
35-49	4	8.5	126	1	1	4	15	25	25	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	2.5	7	<1	<1	2	3	4	6	15
B. *Operated*	45	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	170	4.2	26	<1	1	3	5	9	16	26
B. *Operated*	31	5.5	52	<1	1	3	6	16	25	32
1. SINGLE DX	431	2.5	7	<1	<1	2	3	4	6	13
2. MULTIPLE DX	201	4.4	30	<1	1	3	5	10	18	27
A. NOT OPERATED	556	3.0	14	<1	1	2	3	5	9	22
B. OPERATED	76	3.5	25	<1	<1	2	3	7	13	30
TOTAL 0-19 YRS	32	2.9	16	<1	<1	2	3	5	14	20
20-34	527	3.0	14	<1	<1	2	3	5	8	22
35-49	73	3.5	20	<1	1	2	4	7	13	25
50-64										
65+										
GRAND TOTAL	**632**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**5**	**9**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	1.5	1	<1	<1	1	2	3	4	5
20-34	377	1.7	4	<1	<1	1	2	3	4	13
35-49	40	2.7	9	<1	<1	1	3	7	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	55	1.8	3	<1	<1	1	2	3	5	11
35-49	6	1.2		1	1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	9	<1	<1	2	3	5	6	17
20-34	151	2.8	18	<1	<1	2	3	5	9	24
35-49	13	1.7	1	<1	<1	1	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	35	2.6	7	<1	<1	2	4	5	6	15
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	1.8	4	<1	<1	1	2	3	4	12
B. *Operated*	68	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	196	2.7	15	<1	<1	2	3	5	8	21
B. *Operated*	41	2.5	6	<1	<1	2	3	5	6	15
1. SINGLE DX	568	1.8	4	<1	<1	1	2	3	4	12
2. MULTIPLE DX	237	2.7	14	<1	<1	2	3	5	7	18
A. NOT OPERATED	696	2.0	7	<1	<1	1	2	4	5	14
B. OPERATED	109	2.0	4	<1	<1	1	2	4	5	13
TOTAL 0-19 YRS	126	1.8	3	<1	<1	1	2	3	4	9
20-34	618	2.1	7	<1	<1	1	2	4	5	14
35-49	61	2.3	6	<1	<1	1	3	4	8	13
50-64										
65+										
GRAND TOTAL	**805**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**4**	**5**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.6	3	<1	<1	2	4	5	5	7
20-34	375	2.6	3	<1	<1	2	3	5	6	8
35-49	13	2.4	3	<1	<1	2	3	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.1	5	<1	<1	1	2	6	7	7
20-34	21	2.7	4	<1	<1	2	4	5	6	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.1	3	<1	1	3	4	5	7	9
20-34	597	3.1	3	<1	1	3	4	5	6	9
35-49	26	3.2	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.1	5	<1	<1	3	6	6	7	7
20-34	64	3.0	6	<1	<1	2	4	6	8	12
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	2.6	3	<1	<1	2	3	5	6	7
B. *Operated*	29	2.6	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	894	3.1	3	<1	1	3	4	5	6	9
B. *Operated*	82	3.0	6	<1	<1	2	5	6	8	11
1. SINGLE DX	569	2.6	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	976	3.1	3	<1	1	3	4	5	6	10
A. NOT OPERATED	1434	2.9	3	<1	1	3	4	5	6	8
B. OPERATED	111	2.9	5	<1	<1	2	4	6	7	11
TOTAL 0-19 YRS	447	2.9	3	<1	<1	3	4	5	6	8
20-34	1057	2.9	3	<1	1	3	4	5	6	9
35-49	41	3.0	3	<1	<1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**1545**	**2.9**	**3**	**<1**	**<1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	17	<1	1	1	3	5	10	21
20-34	254	3.1	5	<1	1	3	4	6	7	13
35-49	33	4.6	8	1	1	4	6	9	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.0	4	<1	<1	2	4	6	6	6
20-34	21	2.7	4	<1	<1	2	4	6	7	7
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.1	16	<1	<1	2	4	6	9	24
20-34	913	3.1	10	<1	<1	2	4	6	8	17
35-49	125	3.6	12	<1	1	3	4	8	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.0	2	<1	<1	1	3	4	5	5
20-34	152	3.4	14	<1	<1	2	4	7	10	24
35-49	18	5.3	26	<1	<1	4	6	13	17	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.3	7	<1	1	3	4	7	8	13
B. *Operated*	29	2.6	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1173	3.2	11	<1	<1	2	4	7	8	17
B. *Operated*	192	3.4	14	<1	<1	2	4	7	10	23
1. SINGLE DX	340	3.2	7	<1	1	2	4	7	8	13
2. MULTIPLE DX	1365	3.2	11	<1	<1	2	4	7	9	18
A. NOT OPERATED	1484	3.2	10	<1	<1	2	4	7	8	17
B. OPERATED	221	3.3	13	<1	<1	2	4	6	10	23
TOTAL 0-19 YRS	186	3.0	14	<1	<1	2	4	5	7	22
20-34	1340	3.2	10	<1	<1	2	4	6	8	16
35-49	179	3.9	13	<1	1	3	5	9	11	18
50-64										
65+										
GRAND TOTAL	1705	3.2	10	<1	<1	2	4	7	9	17

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	761	1.6	2	<1	<1	1	2	3	4	7
20-34	3392	1.9	5	<1	<1	1	2	3	5	12
35-49	219	2.2	11	<1	<1	1	2	4	6	19
50-64										
65+										
B. *Operated*										
0-19 YRS	266	1.7	3	<1	<1	1	2	3	5	8
20-34	1566	1.8	4	<1	<1	1	2	3	5	10
35-49	137	1.8	3	<1	<1	1	2	3	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	2.4	8	<1	<1	2	3	4	7	18
20-34	1742	2.5	13	<1	<1	2	3	5	7	16
35-49	126	3.3	17	<1	<1	2	4	7	11	24
50-64										
65+										
B. *Operated*										
0-19 YRS	143	2.7	10	<1	<1	1	3	6	8	17
20-34	893	2.9	17	<1	<1	1	3	6	8	16
35-49	98	3.2	48	<1	<1	2	3	6	8	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4372	1.8	5	<1	<1	1	2	3	5	12
B. *Operated*	1969	1.8	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	2199	2.5	13	<1	<1	2	3	5	7	17
B. *Operated*	1134	2.9	19	<1	<1	1	3	6	8	16
1. SINGLE DX	6341	1.8	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX	3333	2.7	15	<1	<1	2	3	5	7	16
A. NOT OPERATED	6571	2.1	8	<1	<1	1	2	4	6	13
B. OPERATED	3103	2.2	9	<1	<1	1	2	5	6	14
TOTAL 0-19 YRS	1501	1.9	4	<1	<1	1	2	3	5	10
20-34	7593	2.1	8	<1	<1	1	2	4	6	13
35-49	580	2.5	17	<1	<1	1	3	5	7	16
50-64										
65+										
GRAND TOTAL	9674	2.1	8	<1	<1	1	2	4	6	13

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	62	2.1	1	1	1	2	3	3	4	4
20-34	391	2.1	2	1	1	2	3	3	3	5
35-49	33	2.2	1	1	1	2	3	3	3	4
50-64										
65+										
B. ***Operated***										
0-19 YRS	41	2.6	2	1	1	2	3	4	4	9
20-34	283	2.8	2	1	1	3	4	5	5	7
35-49	25	3.4	2	1	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	84	2.2	2	1	1	2	2	4	5	10
20-34	508	2.2	1	1	1	2	3	3	4	7
35-49	50	2.1	1	1	1	2	2	3	4	5
50-64										
65+										
B. ***Operated***										
0-19 YRS	142	3.6	31	1	1	3	4	5	6	29
20-34	1523	4.1	19	1	2	3	5	6	8	22
35-49	240	4.6	23	2	2	4	5	7	11	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	486	2.1	1	1	1	2	3	3	3	5
B. ***Operated***	349	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. ***Not Operated***	642	2.2	1	1	1	2	3	3	4	7
B. ***Operated***	1905	4.1	20	1	2	3	5	6	8	22
1. SINGLE DX	835	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX	2547	3.6	16	1	1	3	4	6	7	20
A. NOT OPERATED	1128	2.2	1	1	1	2	3	3	4	6
B. OPERATED	2254	3.9	18	1	2	3	4	6	7	21
TOTAL 0-19 YRS	329	2.8	15	1	1	2	3	4	5	12
20-34	2705	3.3	12	1	1	3	4	5	6	16
35-49	348	3.9	17	1	2	3	4	6	8	21
50-64										
65+										
GRAND TOTAL	**3382**	**3.3**	**13**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	5056	1.8	1	1	1	2	2	3	3	4
20-34	35508	1.8	1	1	1	2	2	3	3	4
35-49	2249	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
B. ***Operated***										
0-19 YRS	1370	1.9	1	1	1	2	2	3	3	4
20-34	10118	2.0	1	1	1	2	2	3	3	4
35-49	658	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	156	1.9	1	1	1	2	2	3	4	5
20-34	987	2.1	1	1	1	2	3	3	4	5
35-49	112	2.5	4	1	1	2	3	4	6	13
50-64										
65+										
B. ***Operated***										
0-19 YRS	112	2.3	1	1	1	2	3	4	5	5
20-34	3872	2.6	1	1	1	3	3	4	4	5
35-49	621	2.8	4	1	2	3	3	4	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	42813	1.8	1	1	1	2	2	3	3	4
B. ***Operated***	12146	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. ***Not Operated***	1255	2.1	1	1	1	2	3	3	4	6
B. ***Operated***	4605	2.6	1	1	1	3	3	4	4	5
1. SINGLE DX	54959	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5860	2.5	1	1	1	2	3	4	4	5
A. NOT OPERATED	44068	1.9	1	1	1	2	2	3	3	4
B. OPERATED	16751	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	6694	1.8	1	1	1	2	2	3	3	4
20-34	50485	1.9	1	1	1	2	2	3	3	4
35-49	3640	2.2	2	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**60819**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	23	2.0	1	<1	1	2	3	4	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.4	2	<1	1	3	5	5	6	6
20-34	131	6.8	98	3	3	4	5	10	21	64
35-49	21	4.6	10	2	3	4	5	6	12	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	21	5.1	132	<1	1	2	3	10	34	52
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	26	6.3	85	1	2	4	5	12	21	49
20-34	405	7.2	87	2	3	5	6	13	24	61
35-49	95	9.8	203	2	3	5	7	27	45	73
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	166	6.2	80	2	3	4	5	9	18	61
2. MULTIPLE DX										
A. *Not Operated*	31	4.4	90	1	1	2	3	5	19	52
B. *Operated*	526	7.7	109	2	3	5	6	13	27	63
1. SINGLE DX	192	5.6	71	1	2	4	5	6	17	59
2. MULTIPLE DX	557	7.5	108	2	3	5	6	13	27	62
A. NOT OPERATED	57	3.3	50	1	1	2	3	3	7	50
B. OPERATED	692	7.3	102	2	3	4	6	12	26	63
TOTAL 0-19 YRS	47	4.8	50	1	2	3	4	8	12	49
20-34	580	6.8	89	2	2	4	6	11	23	61
35-49	122	8.6	164	2	3	5	6	13	40	71
50-64										
65+										
GRAND TOTAL	**749**	**7.0**	**99**	**2**	**2**	**4**	**6**	**11**	**24**	**62**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.8	1	<1	1	1	2	3	4	4
20-34	176	2.2	4	<1	1	2	3	3	4	14
35-49	17	1.8	1	<1	1	2	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.4	1	1	1	4	4	4	5	6
20-34	178	3.1	3	1	1	3	4	5	6	8
35-49	18	3.1	3	<1	1	3	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	2	1	1	2	3	5	6	7
20-34	163	2.4	4	1	1	2	3	4	7	12
35-49	19	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	95	3.4	5	1	1	3	4	5	7	14
20-34	696	3.9	13	1	1	4	5	6	8	17
35-49	84	5.5	57	1	2	4	5	7	11	50
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.1	3	<1	1	2	3	3	4	10
B. *Operated*	224	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	218	2.4	4	1	1	2	3	4	6	12
B. *Operated*	875	4.0	16	1	1	4	5	6	8	19
1. SINGLE DX	444	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1093	3.7	14	1	1	3	4	6	8	16
A. NOT OPERATED	438	2.3	3	1	1	2	3	4	5	12
B. OPERATED	1099	3.9	14	1	1	3	4	6	7	16
TOTAL 0-19 YRS	186	3.0	4	1	1	3	4	5	5	12
20-34	1213	3.4	9	1	1	3	4	5	7	15
35-49	138	4.3	37	1	1	3	5	6	8	47
50-64										
65+										
GRAND TOTAL	**1537**	**3.4**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	1	1	2	2	3	3	3
20-34	52	1.8	1	<1	1	2	2	3	3	4
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	70	1.9	1	1	1	2	2	3	3	5
20-34	548	1.9	1	1	1	2	2	3	3	4
35-49	36	2.2	1	1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	2.1	1	<1	1	2	2	4	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.3	2	1	1	2	3	4	5	8
20-34	438	2.7	7	1	1	2	3	4	5	10
35-49	47	2.9	2	1	2	3	3	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	654	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	18	1.9	1	<1	1	2	2	4	5	5
B. *Operated*	526	2.7	6	1	1	2	3	4	5	9
1. SINGLE DX	718	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	544	2.6	6	1	1	2	3	4	5	9
A. NOT OPERATED	82	1.8	1	<1	1	2	2	3	3	5
B. OPERATED	1180	2.3	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	120	2.0	1	1	1	2	2	3	3	7
20-34	1053	2.2	4	1	1	2	3	3	4	7
35-49	89	2.6	1	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	1262	2.2	3	1	1	2	3	3	4	7

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1	1	<1	1	2	3	3	4	5
20-34	288	2.0	1	1	1	2	3	3	3	4
35-49	16	2.2		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.0	1	1	1	2	2	3	4	4
20-34	188	2.1	1	1	1	2	3	3	4	4
35-49	13	2.5	2	1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.3	1	1	1	2	3	3	4	4
20-34	208	2.3	1	1	1	2	3	4	4	6
35-49	16	2.5	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.4	1	1	1	2	3	4	4	5
20-34	282	2.6	3	1	1	2	3	4	4	9
35-49	24	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.0	1	1	1	2	3	3	3	4
B. *Operated*	226	2.1	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	261	2.3	1	1	1	2	3	4	4	6
B. *Operated*	356	2.6	3	1	1	2	3	4	4	8
1. SINGLE DX	577	2.1	1	1	1	2	3	3	4	4
2. MULTIPLE DX	617	2.5	2	1	1	2	3	4	4	7
A. NOT OPERATED	612	2.2	1	1	1	2	3	3	4	5
B. OPERATED	582	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	159	2.2	1	1	1	2	3	3	4	5
20-34	966	2.3	2	1	1	2	3	3	4	6
35-49	69	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	1194	2.3	1	1	1	2	3	3	4	5

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	3	3	3
20-34	89	2.5	1	1	1	3	3	4	4	6
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.7	1	1	1	3	3	4	4	4
20-34	80	3.5	2	2	2	3	4	5	6	7
35-49	6	3.2	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	25	<1	1	3	4	7	18	21
20-34	106	3.2	4	1	1	3	4	5	6	13
35-49	10	2.9	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.8	20	2	2	4	5	6	12	27
20-34	638	4.7	20	2	2	4	5	7	9	16
35-49	73	5.4	27	2	3	4	6	7	10	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	2.5	1	1	1	3	3	4	4	6
B. *Operated*	93	3.4	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	130	3.3	6	1	1	3	4	5	5	18
B. *Operated*	761	4.7	21	2	2	4	5	7	9	21
1. SINGLE DX	194	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	891	4.5	19	1	2	4	5	7	9	19
A. NOT OPERATED	231	2.9	4	1	1	3	3	5	5	12
B. OPERATED	854	4.6	19	2	2	4	5	7	9	17
TOTAL 0-19 YRS	79	4.2	18	1	1	3	4	6	10	26
20-34	913	4.2	15	1	2	4	5	6	7	15
35-49	93	4.9	23	2	2	4	5	7	9	33
50-64										
65+										
GRAND TOTAL	**1085**	**4.2**	**16**	**1**	**2**	**4**	**5**	**6**	**8**	**17**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6		<1	<1	2	2	2	2	2
20-34	128	1.9	1	<1	1	2	2	3	3	5
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	177	3.8	1	2	2	4	4	5	6	7
20-34	1573	3.8	1	2	3	4	5	5	5	6
35-49	103	3.9	1	2	2	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	59	2.3	3	<1	1	2	3	4	6	11
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	225	4.5	6	2	2	4	5	7	8	15
20-34	1978	4.2	3	2	2	4	5	6	7	11
35-49	222	4.3	2	2	3	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	1.8	1	<1	1	2	2	3	3	5
B. *Operated*	1853	3.8	1	2	2	4	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	72	2.1	3	<1	<1	2	2	4	5	10
B. *Operated*	2425	4.3	3	2	2	4	5	6	7	11
1. SINGLE DX	2007	3.7	2	1	2	4	4	5	5	6
2. MULTIPLE DX	2497	4.2	4	2	2	4	5	6	7	11
A. NOT OPERATED	226	1.9	1	<1	1	2	2	3	4	7
B. OPERATED	4278	4.1	3	2	2	4	5	5	6	9
TOTAL 0-19 YRS	430	4.0	4	1	2	4	5	6	7	10
20-34	3738	3.9	3	1	2	4	5	5	6	9
35-49	336	4.1	2	2	2	4	5	6	6	8
50-64										
65+										
GRAND TOTAL	**4504**	**4.0**	**3**	**1**	**2**	**4**	**5**	**5**	**6**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.9	1	1	1	2	2	3	3	4
20-34	600	1.9	1	1	1	2	2	3	3	4
35-49	53	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	128	2.8	2	1	1	3	4	5	5	6
20-34	1068	2.8	2	1	1	3	4	5	5	6
35-49	92	3.1	2	1	1	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	2	1	1	2	3	4	4	8
20-34	417	2.2	2	1	1	2	3	3	4	6
35-49	27	2.4	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	473	3.4	4	1	2	3	4	5	7	12
20-34	4058	3.4	3	1	2	3	4	5	6	8
35-49	409	3.9	3	2	2	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	711	1.9	1	1	1	2	2	3	3	4
B. *Operated*	1288	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	475	2.2	2	1	1	2	3	3	4	7
B. *Operated*	4940	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	1999	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	5415	3.4	3	1	2	3	4	5	6	9
A. NOT OPERATED	1186	2.0	1	1	1	2	3	3	4	5
B. OPERATED	6228	3.4	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	690	3.1	4	1	1	3	4	5	6	11
20-34	6143	3.1	3	1	1	3	4	5	6	8
35-49	581	3.6	3	1	2	3	5	6	6	8
50-64										
65+										
GRAND TOTAL	**7414**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	25	2.2	1	<1	1	2	3	4	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	242	4.1	1	3	3	4	5	5	6	7
20-34	1493	4.2	1	3	3	4	5	5	6	7
35-49	76	4.4	1	3	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	20	3.5	14	<1	1	3	4	5	12	19
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	758	4.6	3	3	3	4	5	6	8	11
20-34	4960	4.5	2	3	3	4	5	6	6	9
35-49	403	4.8	3	3	3	5	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.2	1	<1	1	2	3	4	5	5
B. *Operated*	1811	4.2	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	25	3.5	12	1	2	3	4	5	9	19
B. *Operated*	6121	4.5	2	3	3	4	5	6	7	10
1. SINGLE DX	1842	4.2	1	3	3	4	5	5	6	7
2. MULTIPLE DX	6146	4.5	2	3	3	4	5	6	7	10
A. NOT OPERATED	56	2.8	6	<1	1	2	3	4	5	18
B. OPERATED	7932	4.4	2	3	3	4	5	6	6	9
TOTAL 0-19 YRS	1007	4.5	3	3	3	4	5	6	7	11
20-34	6498	4.4	2	3	3	4	5	6	6	9
35-49	483	4.7	3	3	3	5	5	6	7	11
50-64										
65+										
GRAND TOTAL	**7988**	**4.4**	**2**	**3**	**3**	**4**	**5**	**6**	**6**	**9**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.1	1	1	1	2	3	3	4	4
20-34	781	2.1	1	1	1	2	3	3	4	5
35-49	60	2.2	1	<1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	185	2.7	2	1	1	2	4	5	5	6
20-34	1343	3.0	2	1	1	3	4	5	5	7
35-49	95	3.3	2	1	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.3	1	1	1	2	3	3	4	8
20-34	558	2.3	1	1	1	2	3	3	4	5
35-49	41	2.4	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	527	3.3	4	1	1	3	4	5	6	9
20-34	3780	3.4	3	1	2	3	4	5	6	8
35-49	351	3.6	3	1	2	4	5	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	2.1	1	1	1	2	3	3	4	4
B. *Operated*	1623	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	672	2.3	1	1	1	2	3	3	4	5
B. *Operated*	4658	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	2576	2.7	2	1	1	2	3	5	5	6
2. MULTIPLE DX	5330	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1625	2.2	1	1	1	2	3	3	4	5
B. OPERATED	6281	3.3	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	897	2.9	3	1	1	3	4	5	6	8
20-34	6462	3.0	2	1	1	3	4	5	6	7
35-49	547	3.3	3	1	1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**7906**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**6**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	96	1.9	1	1	1	2	2	3	3	6
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.3	2	1	1	3	4	5	6	7
20-34	321	3.3	2	1	2	3	4	5	5	6
35-49	27	3.4	2	1	1	3	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	64	3.8	70	1	1	2	3	5	6	60
35-49	7	2.9	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	85	4.5	10	1	2	4	5	7	11	19
20-34	891	4.3	12	1	2	4	5	6	7	14
35-49	130	4.7	22	2	2	4	5	6	8	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.0	1	1	1	2	2	3	4	5
B. *Operated*	376	3.3	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	74	3.7	61	1	1	2	3	5	6	55
B. *Operated*	1106	4.4	13	1	2	4	5	6	7	15
1. SINGLE DX	487	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1180	4.3	16	1	2	4	5	6	7	15
A. NOT OPERATED	185	2.6	25	1	1	2	3	4	5	12
B. OPERATED	1482	4.1	10	1	2	4	5	6	7	14
TOTAL 0-19 YRS	122	4.0	8	1	1	4	5	6	9	16
20-34	1372	3.9	12	1	2	4	5	6	6	13
35-49	173	4.3	18	1	2	4	5	6	7	23
50-64										
65+										
GRAND TOTAL	**1667**	**3.9**	**12**	**1**	**2**	**4**	**5**	**6**	**7**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5		1	1	1	2	3	3	3
20-34	201	2.0	1	1	1	2	3	3	4	5
35-49	18	2.0	1	<1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	237	3.9	1	2	3	4	5	5	6	6
20-34	5716	4.1	1	2	3	4	5	5	6	7
35-49	414	4.4	1	3	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	117	2.7	14	1	1	2	3	4	5	18
35-49	11	2.0	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	186	4.1	3	2	3	4	5	5	6	11
20-34	7740	4.3	2	2	3	4	5	6	6	8
35-49	1035	4.6	2	3	3	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	1.9	1	1	1	2	2	3	4	5
B. *Operated*	[illegible]7	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	131	2.6	12	1	1	2	3	4	4	13
B. *Operated*	8961	4.3	2	2	3	4	5	6	6	9
1. SINGLE DX	6597	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	9092	4.3	2	2	3	4	5	6	6	9
A. NOT OPERATED	361	2.2	5	1	1	2	3	3	4	5
B. OPERATED	15328	4.2	2	2	3	4	5	6	6	8
TOTAL 0-19 YRS	437	3.9	2	2	3	4	5	5	6	7
20-34	13774	4.2	2	2	3	4	5	6	6	8
35-49	1478	4.5	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**15689**	**4.2**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.3	4	1	1	2	3	3	4	11
20-34	895	2.1	1	1	1	2	3	3	4	5
35-49	55	2.2	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	99	2.5	1	1	1	2	3	4	5	6
20-34	859	2.4	3	1	1	2	3	4	4	6
35-49	69	3.0	14	1	1	2	3	4	4	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.4	1	1	1	2	3	4	4	7
20-34	716	2.6	3	1	1	2	3	4	5	9
35-49	68	2.5	2	1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	346	3.6	16	1	1	3	4	5	7	17
20-34	3146	3.4	7	1	1	3	4	5	7	13
35-49	338	3.6	4	1	2	3	4	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	2.2	1	1	1	2	3	3	4	5
B. *Operated*	1027	2.5	4	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	878	2.6	2	1	1	2	3	4	5	9
B. *Operated*	3830	3.5	7	1	1	3	4	5	7	13
1. SINGLE DX	2102	2.3	3	1	1	2	3	3	4	6
2. MULTIPLE DX	4708	3.3	7	1	1	3	4	5	6	12
A. NOT OPERATED	1953	2.3	2	1	1	2	3	4	4	7
B. OPERATED	4857	3.3	7	1	1	3	4	5	6	12
TOTAL 0-19 YRS	664	3.0	10	1	1	2	3	5	6	12
20-34	5616	3.0	5	1	1	3	4	5	6	10
35-49	530	3.2	5	1	1	3	4	5	7	9
50-64										
65+										
GRAND TOTAL	**6810**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	597	1.8	1	1	1	2	2	3	3	4
20-34	5013	1.9	3	1	1	2	2	3	3	4
35-49	310	2.0	1	1	1	2	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	314	1.9	1	1	1	2	2	3	3	4
20-34	2740	2.1	1	1	1	2	3	3	3	4
35-49	176	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	1.8	1	1	1	2	2	3	3	4
20-34	1252	2.0	1	1	1	2	3	3	3	4
35-49	116	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	389	2.2	1	1	1	2	3	4	4	5
20-34	3821	2.5	2	1	1	2	3	4	4	6
35-49	418	2.9	3	1	1	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5920	1.9	3	1	1	2	2	3	3	4
B. *Operated*	3230	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1520	2.0	1	1	1	2	3	3	3	4
B. *Operated*	4628	2.5	2	1	1	2	3	4	5	6
1. SINGLE DX	9150	2.0	2	1	1	2	2	3	3	4
2. MULTIPLE DX	6148	2.4	1	1	1	2	3	4	4	6
A. NOT OPERATED	7440	1.9	2	1	1	2	2	3	3	4
B. OPERATED	7858	2.3	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1452	1.9	1	1	1	2	2	3	3	4
20-34	12826	2.1	2	1	1	2	3	3	4	5
35-49	1020	2.4	2	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**15298**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	1.6		<1	1	2	2	2	3	4
20-34	942	1.8	1	<1	1	2	2	3	3	4
35-49	76	1.7	1	<1	<1	2	2	3	3	3
50-54										
65+										
B. *Operated*										
0-19 YRS	986	1.8	1	1	1	2	2	3	3	4
20-34	9491	1.8	1	<1	1	2	2	3	3	4
35-49	787	2.0	1	1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.2	2	1	1	2	3	3	5	7
20-34	317	1.9	1	<1	1	2	2	3	3	5
35-49	35	2.3	2	<1	1	2	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	552	2.0	1	1	1	2	2	3	4	5
20-34	5961	2.1	3	1	1	2	3	3	4	5
35-49	750	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1153	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	11264	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	388	2.0	1	<1	1	2	2	3	4	6
B. *Operated*	7263	2.1	2	1	1	2	3	3	4	5
1. SINGLE DX	12417	1.8	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	7651	2.1	2	1	1	2	3	3	4	5
A. NOT OPERATED	1541	1.8	1	<1	1	2	2	3	3	4
B. OPERATED	18527	2.0	2	1	1	2	2	3	3	5
TOTAL 0-19 YRS	1709	1.9	1	1	1	2	2	3	3	5
20-34	16711	1.9	2	1	1	2	2	3	3	4
35-49	1648	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**20068**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

35: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.1	2	1	1	2	3	3	4	9
20-34	281	2.1	1	1	1	2	3	3	3	4
35-49	11	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	772	2.0	1	1	1	2	2	3	3	4
20-34	3625	2.1	1	1	1	2	3	3	3	4
35-49	158	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1		<1	1	2	3	3	3	3
20-34	109	2.2	1	1	1	2	3	3	4	4
35-49	7	2.1		<1	<1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	648	2.4	2	1	1	2	3	3	4	7
20-34	3088	2.4	1	1	1	2	3	4	4	6
35-49	163	2.7	2	1	1	2	3	4	5	9
50-64										
65+										
UBTOTALS:										
SINGLE DX										
A. *Not Operated*	355	2.1	1	1	1	2	3	3	3	4
B. *Operated*	4555	2.1	1	1	1	2	3	3	3	4
MULTIPLE DX										
A. *Not Operated*	136	2.2	1	1	1	2	3	3	4	4
B. *Operated*	3899	2.4	2	1	1	2	3	4	4	6
SINGLE DX	4910	2.1	1	1	1	2	3	3	3	4
MULTIPLE DX	4035	2.4	2	1	1	2	3	4	4	6
NOT OPERATED	491	2.1	1	1	1	2	3	3	3	4
OPERATED	8454	2.2	1	1	1	2	3	3	4	5
OTAL 0-19 YRS	1503	2.2	2	1	1	2	3	3	4	6
20-34	7103	2.2	1	1	1	2	3	3	4	5
35-49	339	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
RAND TOTAL	**8945**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	1.8	1	<1	1	2	2	3	3	4
20-34	275	2.0	2	<1	1	2	3	3	3	5
35-49	13	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	265	1.9	1	1	1	2	2	3	3	4
20-34	1412	2.0	1	1	1	2	2	3	3	4
35-49	65	2.1	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	1	1	1	2	3	3	3	4
20-34	119	2.2	1	1	1	2	3	4	5	7
35-49	8	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	244	2.0	1	1	1	2	2	3	4	5
20-34	1606	2.3	1	1	1	2	3	3	4	6
35-49	99	2.9	4	<1	1	2	3	5	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.0	2	<1	1	2	2	3	3	4
B. *Operated*	1742	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	155	2.1	1	1	1	2	3	3	4	6
B. *Operated*	1949	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	2093	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2104	2.2	1	1	1	2	3	3	4	6
A. NOT OPERATED	506	2.0	2	<1	1	2	2	3	4	6
B. OPERATED	3691	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	600	1.9	1	1	1	2	2	3	3	4
20-34	3412	2.1	1	1	1	2	3	3	4	5
35-49	185	2.5	3	1	1	2	3	4	5	12
50-64										
65+										
GRAND TOTAL	**4197**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	955	1.9	1	1	1	2	2	3	3	5
20-34	5972	2.0	1	1	1	2	2	3	4	5
35-49	467	2.1	1	1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1588	2.3	2	1	1	2	3	4	4	7
20-34	10085	2.5	2	1	1	2	3	4	5	6
35-49	665	2.8	3	1	1	2	3	5	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	673	2.3	2	1	1	2	3	4	5	7
20-34	3893	2.3	2	1	1	2	3	4	5	8
35-49	328	2.4	6	1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2780	3.2	6	1	1	3	4	5	7	13
20-34	19200	3.3	7	1	1	3	4	5	7	13
35-49	2122	3.9	9	1	2	3	5	6	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7394	2.0	1	1	1	2	2	3	4	5
B. *Operated*	12338	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	4894	2.3	2	1	1	2	3	4	5	7
B. *Operated*	24102	3.4	7	1	1	3	4	5	7	13
1. SINGLE DX	19732	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX	28996	3.2	7	1	1	3	4	5	6	12
A. NOT OPERATED	12288	2.1	2	1	1	2	3	3	4	6
B. OPERATED	36440	3.1	6	1	1	3	4	5	6	11
TOTAL 0-19 YRS	5996	2.7	4	1	1	2	3	5	6	9
20-34	39150	2.8	5	1	1	2	3	5	6	10
35-49	3582	3.3	7	1	1	3	4	6	7	13
50-64										
65+										
GRAND TOTAL	**48728**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	1	2	2	3	4	5	6	7
20-34	172	3.3	2	1	2	3	4	5	6	9
35-49	11	4.9	5	2	2	5	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	16	4.7	9	<1	<1	4	6	8	11	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.8	5	2	2	4	4	5	11	12
20-34	103	4.4	14	2	2	4	5	7	9	23
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3	2	1	1	4	4	5	5	5
20-34	35	6.3	24	1	2	5	9	10	19	23
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.4	2	2	2	3	4	5	6	9
B. *Operated*	18	5.3	12	<1	<1	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	12	2	2	4	5	7	9	16
B. *Operated*	43	6.0	21	1	2	5	8	10	15	23
1. SINGLE DX	244	3.5	3	1	2	3	4	5	7	10
2. MULTIPLE DX	183	4.6	14	2	2	4	5	8	10	23
A. NOT OPERATED	366	3.7	6	2	2	3	4	6	7	12
B. OPERATED	61	5.8	18	1	1	5	8	10	13	23
TOTAL 0-19 YRS	80	3.5	3	2	2	3	4	5	6	12
20-34	326	4.0	9	1	2	3	5	7	9	16
35-49	21	5.0	7	2	2	5	6	9	11	12
50-64										
65+										
GRAND TOTAL	**427**	**4.0**	**8**	**2**	**2**	**3**	**4**	**7**	**9**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	51	1.2		<1	<1	1	1	2	2	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.2		<1	<1	1	1	2	2	3
20-34	192	1.3		<1	<1	1	1	2	2	4
35-49	8	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	2	3	3	3
20-34	58	1.8	1	<1	1	2	2	3	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	4	4
20-34	171	2.1	3	<1	1	2	3	4	5	10
35-49	15	3.0	7	<1	<1	2	4	6	10	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.2		<1	<1	1	1	2	2	5
B. *Operated*	220	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	66	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	199	2.2	3	<1	1	2	3	4	5	10
1. SINGLE DX	284	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX	265	2.1	3	<1	1	2	3	4	5	10
A. NOT OPERATED	130	1.5	1	<1	<1	1	2	3	3	5
B. OPERATED	419	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	49	1.5	1	<1	<1	1	2	3	3	4
20-34	472	1.7	2	<1	<1	1	2	3	4	7
35-49	28	2.1	5	<1	<1	1	2	5	6	11
50-64										
65+										
GRAND TOTAL	**549**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	4	1	1	2	5	6	6	6
20-34	94	3.5	8	<1	1	3	5	8	10	12
35-49	8	3.6	8	1	1	3	4	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.8	8	<1	1	2	3	7	10	11
20-34	161	2.8	9	<1	<1	2	3	6	8	17
35-49	22	1.8	2	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.4	22	<1	1	3	6	9	16	21
20-34	73	4.4	10	1	1	4	6	9	11	14
35-49	8	4.1	4	1	1	4	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.1	22	1	1	2	2	7	16	18
20-34	131	4.0	19	1	1	2	5	10	13	22
35-49	18	6.1	44	<1	<1	3	9	14	22	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.5	7	<1	1	3	5	7	10	12
B. *Operated*	200	2.7	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	100	4.4	12	1	1	4	6	9	11	17
B. *Operated*	161	4.2	22	<1	1	2	5	10	14	25
1. SINGLE DX	311	3.0	8	<1	<1	2	3	7	9	12
2. MULTIPLE DX	261	4.3	18	1	1	3	5	10	13	21
A. NOT OPERATED	211	3.9	10	<1	1	3	5	8	10	14
B. OPERATED	361	3.4	15	<1	<1	2	4	8	11	20
TOTAL 0-19 YRS	57	3.5	15	1	1	2	4	7	11	21
20-34	459	3.6	12	<1	1	2	5	8	10	17
35-49	56	3.8	19	<1	<1	2	4	9	12	25
50-64										
65+										
GRAND TOTAL	**572**	**3.6**	**13**	**<1**	**1**	**2**	**4**	**8**	**11**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	3.2	3	1	1	3	4	6	7	9
20-34	465	3.6	5	1	2	3	4	6	7	13
35-49	293	4.0	7	1	2	3	5	7	8	14
50-64	178	4.4	5	2	2	4	5	7	8	11
65+	168	4.7	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	184	3.9	9	<1	<1	3	6	8	10	13
20-34	210	4.4	11	1	1	3	6	8	11	18
35-49	150	5.6	31	1	1	4	7	11	16	27
50-64	100	5.8	20	<1	1	4	8	12	15	21
65+	59	6.3	40	1	2	5	8	11	15	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	599	3.8	6	2	2	3	4	6	9	14
20-34	767	4.7	12	1	2	4	6	8	11	16
35-49	768	5.6	14	2	2	5	7	10	13	21
50-64	967	6.4	21	2	3	5	8	11	14	25
65+	1689	7.1	24	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	234	6.0	53	1	1	5	7	11	16	40
20-34	468	7.8	70	2	2	6	9	15	22	42
35-49	437	8.9	67	2	2	6	11	18	26	42
50-64	541	11.3	129	2	3	8	14	23	33	63
65+	736	11.8	103	2	3	9	15	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1518	3.8	5	1	2	3	5	7	8	13
B. *Operated*	703	4.9	19	<1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	4790	5.9	19	2	2	5	7	11	14	23
B. *Operated*	2416	9.8	95	2	2	7	12	20	29	50
1. SINGLE DX	2221	4.1	10	1	1	3	5	7	10	16
2. MULTIPLE DX	7206	7.2	48	2	2	5	9	14	19	37
A. NOT OPERATED	6308	5.4	17	2	2	4	7	10	13	21
B. OPERATED	3119	8.7	82	1	2	6	10	18	25	46
TOTAL 0-19 YRS	1431	4.0	14	1	2	3	5	7	9	17
20-34	1910	5.1	27	1	2	4	6	9	13	26
35-49	1648	6.2	31	1	2	5	7	12	15	33
50-64	1786	7.7	58	2	2	6	9	14	19	41
65+	2652	8.3	50	2	3	6	10	16	21	39
GRAND TOTAL	**9427**	**6.5**	**41**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.1	3	1	1	3	4	5	6	9
20-34	77	3.3	2	1	2	3	4	6	6	8
35-49	46	3.9	7	1	2	3	6	7	9	13
50-64	27	3.8	5	1	2	3	5	7	9	10
65+	10	6.0	26	2	2	4	6	15	17	17
B. *Operated*										
0-19 YRS	93	2.7	4	<1	<1	2	3	5	7	9
20-34	90	3.9	11	<1	1	3	5	8	10	17
35-49	53	4.2	24	<1	<1	2	5	9	18	23
50-64	38	4.5	60	<1	<1	3	4	8	12	48
65+	20	3.6	21	<1	<1	2	4	7	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	3.9	7	1	1	3	5	7	9	14
20-34	148	4.0	6	1	2	3	5	7	9	13
35-49	112	5.3	27	2	2	4	7	9	10	32
50-64	151	6.3	15	2	2	5	8	11	14	20
65+	189	6.9	29	2	2	6	8	11	14	36
B. *Operated*										
0-19 YRS	122	4.4	10	<1	1	4	6	9	10	15
20-34	132	6.0	24	1	2	5	8	11	14	29
35-49	121	6.5	34	1	1	5	8	16	20	26
50-64	161	9.2	83	1	2	7	11	18	25	43
65+	141	10.9	129	1	2	7	13	22	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.5	5	1	1	3	5	6	7	13
B. *Operated*	294	3.6	18	<1	<1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	777	5.3	18	1	2	4	7	10	12	20
B. *Operated*	677	7.6	64	1	2	5	9	16	22	40
1. SINGLE DX	560	3.6	12	<1	1	3	4	6	8	18
2. MULTIPLE DX	1454	6.4	41	1	2	5	8	12	17	32
A. NOT OPERATED	1043	4.8	15	1	2	4	6	9	11	19
B. OPERATED	971	6.4	54	<1	1	4	8	14	20	39
TOTAL 0-19 YRS	498	3.6	7	1	1	3	5	7	9	13
20-34	447	4.4	12	1	1	4	5	9	10	18
35-49	332	5.4	27	1	1	4	7	10	16	25
50-64	377	7.2	52	1	2	5	9	14	19	37
65+	360	8.3	72	1	2	6	9	17	22	47
GRAND TOTAL	**2014**	**5.6**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	3.1	2	<1	1	3	4	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	315	2.1	2	<1	1	2	3	4	5	6
20-34	581	2.3	3	<1	1	2	3	4	5	9
35-49	91	2.5	5	<1	1	2	3	4	5	15
50-64	24	2.7	7	<1	1	2	3	6	9	13
65+	5	5.0	11	1	1	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	5	1.6	2	<1	<1	<1	2	4	4	4
35-49	3	4.7	30	1	1	2	9	11	11	11
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	37	2.2	1	1	1	2	3	4	4	4
20-34	104	3.1	7	1	1	2	4	5	9	13
35-49	31	2.9	3	1	1	3	3	5	6	9
50-64	19	4.0	5	<1	1	4	6	7	8	8
65+	10	6.0	86	1	1	3	5	19	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*	1016	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	14	3.6	12	<1	<1	2	6	9	11	11
B. *Operated*	201	3.1	9	1	1	3	4	5	8	13
1. SINGLE DX	1027	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	215	3.2	9	1	1	3	4	6	8	13
A. NOT OPERATED	25	3.2	7	<1	<1	2	4	7	9	11
B. OPERATED	1217	2.4	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	357	2.1	2	<1	1	2	3	4	5	6
20-34	698	2.5	3	<1	1	2	3	4	6	10
35-49	126	2.7	5	<1	1	2	3	5	6	13
50-64	45	3.4	7	<1	1	3	5	7	8	13
65+	16	5.9	55	1	1	4	7	9	25	32
GRAND TOTAL	**1242**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	61	1.2		<1	<1	<1	1	2	3	3
20-34	78	1.4	1	<1	<1	<1	1	2	4	7
35-49	59	1.2		<1	<1	<1	1	2	2	4
50-64	49	1.3	1	<1	<1	<1	1	2	3	5
65+	25	1.4	1	<1	<1	<1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	18	1.8	4	<1	<1	1	2	3	7	9
20-34	24	1.9	3	<1	<1	1	2	3	5	9
35-49	29	2.3	4	<1	<1	2	3	5	7	8
50-64	24	2.0	3	<1	<1	2	2	3	5	9
65+	21	3.2	12	<1	<1	2	4	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	272	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.8	4	<1	<1	2	4	6	8	8
B. *Operated*	116	2.3	5	<1	<1	1	2	5	8	11
1. SINGLE DX	274	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	128	2.3	5	<1	<1	1	3	5	8	11
A. NOT OPERATED	14	2.6	4	<1	<1	2	3	5	7	8
B. OPERATED	388	1.6	2	<1	<1	<1	2	3	4	9
TOTAL 0-19 YRS	80	1.4	1	<1	<1	<1	1	2	3	7
20-34	106	1.5	2	<1	<1	<1	1	3	4	8
35-49	89	1.6	2	<1	<1	<1	2	3	4	8
50-64	76	1.6	2	<1	<1	1	2	3	4	8
65+	51	2.3	7	<1	<1	1	3	5	10	12
GRAND TOTAL	**402**	**1.6**	**2**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**9**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.9	10	<1	1	2	3	5	7	17
20-34	98	3.4	12	1	1	2	4	6	9	22
35-49	59	3.1	4	<1	1	3	4	6	7	10
50-64	46	4.0	12	<1	1	3	4	8	11	17
65+	44	6.4	37	1	2	4	7	14	22	29
B. *Operated*										
0-19 YRS	227	2.2	9	<1	<1	1	2	4	6	17
20-34	300	3.0	20	<1	<1	1	3	6	9	26
35-49	265	3.0	19	<1	<1	2	3	6	10	25
50-64	231	2.9	15	<1	<1	1	3	8	11	21
65+	188	4.1	35	<1	<1	2	4	10	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.3	30	1	1	3	5	8	12	26
20-34	229	5.8	41	1	1	4	7	12	17	31
35-49	223	6.5	70	1	1	5	8	13	18	68
50-64	285	7.3	69	1	2	5	8	14	19	53
65+	917	9.2	74	2	2	7	11	18	24	52
B. *Operated*										
0-19 YRS	271	4.8	63	<1	<1	2	5	11	17	42
20-34	530	11.5	229	<1	1	5	14	34	46	71
35-49	570	11.8	251	<1	1	5	15	31	50	84
50-64	688	10.7	223	<1	1	5	13	26	47	80
65+	1305	14.8	230	1	2	10	20	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	3.6	14	1	1	3	4	7	10	23
B. *Operated*	1211	3.0	19	<1	<1	1	3	6	11	23
2. MULTIPLE DX										
A. *Not Operated*	1891	7.6	66	1	2	5	9	15	21	46
B. *Operated*	3364	12.1	226	<1	1	6	16	31	48	84
1. SINGLE DX	1593	3.1	18	<1	<1	2	3	7	10	23
2. MULTIPLE DX	5255	10.5	173	1	1	6	13	25	39	77
A. NOT OPERATED	2273	6.9	59	1	1	5	8	14	20	44
B. OPERATED	4575	9.7	187	<1	<1	4	12	26	40	78
TOTAL 0-19 YRS	870	3.7	33	<1	<1	2	4	7	13	27
20-34	1157	7.5	134	<1	<1	3	7	20	34	61
35-49	1117	8.2	162	<1	1	4	9	22	33	78
50-64	1250	8.2	151	<1	1	4	10	19	30	68
65+	2454	11.7	166	1	2	8	15	27	40	83
GRAND TOTAL	**6848**	**8.8**	**147**	**<1**	**1**	**4**	**10**	**22**	**33**	**69**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	7	1	1	3	4	5	10	12
20-34	32	4.2	6	1	1	4	6	8	10	10
35-49	25	5.1	15	1	2	4	6	8	14	19
50-64	21	5.2	10	2	2	4	7	10	12	13
65+	6	6.7	68	1	1	3	7	21	23	23
B. *Operated*										
0-19 YRS	11	2.3	1	1	1	2	3	4	4	4
20-34	24	3.3	10	<1	1	2	3	9	11	11
35-49	19	2.4	5	<1	<1	2	3	4	8	11
50-64	13	2.5	2	1	1	2	3	5	6	6
65+	6	3.7	12	1	1	2	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.0	21	1	1	5	8	13	15	23
20-34	128	5.5	34	1	1	3	7	11	18	31
35-49	173	5.9	33	<1	1	4	8	11	17	35
50-64	160	7.4	43	2	2	5	9	14	20	39
65+	137	8.0	37	2	2	7	10	16	22	29
B. *Operated*										
0-19 YRS	41	14.2	335	1	2	7	15	56	68	99+
20-34	72	13.3	232	1	2	9	18	27	46	80
35-49	76	12.5	185	1	1	8	15	28	39	70
50-64	80	11.0	126	2	2	7	15	25	34	61
65+	85	12.3	96	2	2	10	17	25	37	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.6	13	1	2	4	6	8	12	21
B. *Operated*	73	2.8	6	1	1	2	3	5	10	11
2. MULTIPLE DX										
A. *Not Operated*	663	6.6	36	1	2	5	8	13	18	31
B. *Operated*	354	12.5	176	1	2	8	16	27	41	77
1. SINGLE DX	173	3.9	11	1	1	3	5	8	11	18
2. MULTIPLE DX	1017	8.7	92	1	2	6	10	19	26	56
A. NOT OPERATED	763	6.4	33	1	2	5	8	13	18	29
B. OPERATED	427	10.8	160	1	1	7	14	25	38	75
TOTAL 0-19 YRS	133	7.9	132	1	1	5	8	15	29	79
20-34	256	7.3	98	1	1	4	8	18	24	57
35-49	293	7.3	79	1	1	5	8	16	24	46
50-64	274	8.1	67	2	2	5	10	18	21	45
65+	234	9.4	63	2	2	7	12	21	25	43
GRAND TOTAL	**1190**	**8.0**	**83**	**1**	**2**	**5**	**10**	**18**	**25**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.8	8	1	1	3	5	7	10	12
20-34	25	4.5	10	1	1	4	7	8	10	12
35-49	57	5.1	11	1	2	4	6	10	12	17
50-64	72	5.2	15	2	2	4	6	9	13	21
65+	62	5.8	17	2	2	4	7	12	16	19
B. *Operated*										
0-19 YRS	14	5.1	23	<1	1	3	10	13	14	14
20-34	60	5.3	33	<1	1	3	7	13	15	33
35-49	135	6.5	38	1	1	4	9	13	19	29
50-64	307	6.7	48	1	1	4	9	14	18	34
65+	172	7.3	25	1	2	7	11	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	7.1	43	1	2	5	9	17	22	33
20-34	47	5.6	17	1	2	4	8	11	15	17
35-49	130	5.7	33	1	2	4	7	11	12	37
50-64	249	6.3	26	1	2	5	8	11	15	31
65+	414	6.7	26	1	2	5	9	13	16	29
B. *Operated*										
0-19 YRS	19	6.0	30	<1	1	4	8	13	18	23
20-34	62	7.4	43	1	1	4	12	15	20	30
35-49	186	6.4	26	1	2	5	9	12	15	24
50-64	502	8.0	55	1	2	6	11	16	20	37
65+	509	9.7	62	2	3	8	13	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	5.0	13	1	2	4	6	10	12	18
B. *Operated*	688	6.6	39	1	1	5	10	13	17	32
2. MULTIPLE DX										
A. *Not Operated*	895	6.4	28	1	2	5	8	12	16	31
B. *Operated*	1278	8.4	54	1	2	6	11	17	20	37
1. SINGLE DX	952	6.2	32	1	1	4	9	13	16	28
2. MULTIPLE DX	2173	7.6	44	1	2	6	10	15	19	35
A. NOT OPERATED	1159	6.1	25	1	2	5	8	12	15	28
B. OPERATED	1966	7.8	49	1	2	6	11	16	19	35
TOTAL 0-19 YRS	136	5.6	28	1	1	4	7	12	16	25
20-34	194	5.9	30	1	1	4	8	13	15	28
35-49	508	6.1	29	1	2	5	8	12	15	29
50-64	1130	7.1	45	1	2	5	9	15	18	35
65+	1157	8.1	43	1	2	7	11	16	19	34
GRAND TOTAL	**3125**	**7.1**	**41**	**1**	**2**	**5**	**10**	**14**	**18**	**34**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	19	3.8	8	<1	<1	3	6	9	9	9
50-64	18	4.7	6	1	1	5	6	8	10	10
65+	54	4.5	17	<1	1	3	5	12	14	18
B. *Operated*										
0-19 YRS	14	3.9	19	<1	1	2	4	10	15	16
20-34	150	3.1	9	<1	<1	2	4	7	9	15
35-49	358	4.6	16	<1	1	3	7	10	13	17
50-64	1295	7.5	23	1	1	8	11	13	16	20
65+	1913	10.3	20	2	4	10	13	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	98	5	5	12	19	19	19	19
20-34	4	13.8	203	1	1	11	25	32	32	32
35-49	23	5.0	68	<1	<1	4	5	6	19	42
50-64	128	3.9	11	<1	<1	3	5	8	11	16
65+	678	5.5	25	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	26	6.2	26	1	1	4	10	13	16	20
20-34	165	4.2	18	<1	1	3	5	8	11	23
35-49	425	5.4	38	<1	1	4	7	12	15	33
50-64	1660	8.5	43	1	1	8	12	15	18	33
65+	4302	12.0	42	2	5	11	15	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.3	12	<1	1	3	6	9	12	17
B. *Operated*	3730	8.4	25	1	1	9	12	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	835	5.3	25	<1	1	4	7	11	15	24
B. *Operated*	6578	10.5	47	1	2	10	14	17	21	34
1. SINGLE DX	3824	8.3	25	1	1	9	12	15	16	21
2. MULTIPLE DX	7413	9.9	47	1	2	10	13	17	21	33
A. NOT OPERATED	929	5.2	24	<1	1	4	7	11	15	23
B. OPERATED	10308	9.7	40	1	2	10	13	16	19	29
TOTAL 0-19 YRS	43	5.7	27	<1	1	3	9	13	17	20
20-34	321	3.8	17	<1	1	2	5	8	11	21
35-49	825	5.0	29	<1	1	3	7	11	14	25
50-64	3101	7.9	34	1	1	8	11	15	17	25
65+	6947	10.8	38	2	3	10	14	17	20	31
GRAND TOTAL	**11237**	**9.4**	**40**	**1**	**2**	**9**	**13**	**16**	**19**	**29**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	7.0	22	2	2	6	9	13	16	23
20-34	58	4.7	11	1	1	4	7	8	11	18
35-49	32	5.4	32	1	1	3	6	14	17	27
50-64	19	3.7	19	1	1	3	4	6	14	21
65+	35	4.6	4	2	2	4	6	7	8	9
B. *Operated*										
0-19 YRS	68	7.9	39	1	2	6	11	16	20	30
20-34	172	3.9	17	<1	1	3	5	8	11	25
35-49	163	3.8	10	<1	1	3	5	8	11	15
50-64	171	5.2	27	1	1	3	7	10	14	22
65+	91	7.6	27	1	2	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	8.1	32	2	2	7	10	15	21	28
20-34	85	6.0	19	1	2	5	7	11	17	21
35-49	76	6.2	34	1	2	5	8	13	17	34
50-64	118	6.1	30	1	2	4	7	13	16	32
65+	228	8.2	70	2	2	6	10	16	24	43
B. *Operatud*										
0-19 YRS	110	12.1	65	1	3	10	16	22	29	65
20-34	252	6.8	51	1	2	4	8	14	19	36
35-49	237	6.6	45	1	2	4	8	14	20	37
50-64	276	9.4	111	1	1	6	13	21	28	64
65+	302	12.6	112	2	3	10	16	27	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	5.5	18	1	2	4	7	10	14	22
B. *Operated*	665	5.1	24	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	581	7.1	46	1	2	5	9	14	19	36
B. *Operated*	1177	9.4	87	1	2	7	13	21	28	49
1. SINGLE DX	881	5.2	23	1	1	4	7	11	14	22
2. MULTIPLE DX	1758	8.6	74	1	2	6	11	19	25	43
A. NOT OPERATED	797	6.7	39	1	2	5	8	14	18	34
B. OPERATED	1842	7.8	68	1	1	5	10	17	24	42
TOTAL 0-19 YRS	324	9.2	47	1	2	8	12	20	22	32
20-34	567	5.6	33	1	1	4	7	12	15	29
35-49	508	5.6	33	1	1	4	7	12	16	31
50-64	584	7.3	71	1	1	4	9	16	22	43
65+	656	9.9	86	2	2	7	12	20	30	52
GRAND TOTAL	**2639**	**7.5**	**60**	**1**	**2**	**5**	**10**	**16**	**22**	**40**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	14	1.9	2	<1	1	1	2	4	6	6
35-49	9	1.8	1	<1	<1	1	3	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	562	1.9	2	<1	<1	1	3	4	5	5
20-34	1600	2.1	2	<1	<1	1	3	4	5	8
35-49	815	2.0	2	<1	<1	1	2	4	5	8
50-64	409	1.9	3	<1	<1	1	2	4	5	9
65+	126	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34	22	1.6	3	<1	<1	1	1	3	6	8
35-49	14	1.7	2	<1	<1	1	2	4	5	5
50-64	12	3.4	11	<1	<1	2	[illegible]	9	9	9
65+	12	3.3	3	1	1	3	[illegible]	6	6	6
B. *Operated*										
0-19 YRS	461	2.3	2	<1	<1	2	3	4	5	7
20-34	1639	2.4	4	<1	<1	2	3	5	6	9
35-49	1092	2.4	5	<1	<1	2	3	5	6	9
50-64	967	2.4	5	<1	<1	2	3	5	6	15
65+	538	3.0	8	<1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	3512	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	68	2.2	4	<1	<1	1	2	5	8	9
B. *Operated*	4697	2.5	5	<1	<1	2	3	5	6	11
1. SINGLE DX	3541	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX	4765	2.5	5	<1	<1	2	3	5	6	11
A. NOT OPERATED	97	2.0	3	<1	<1	1	2	5	6	9
B. OPERATED	8209	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	1034	2.1	2	<1	<1	1	3	4	5	7
20-34	3275	2.3	3	<1	<1	2	3	5	5	8
35-49	1930	2.2	4	<1	<1	2	3	4	6	9
50-64	1390	2.3	5	<1	<1	2	3	4	6	12
65+	677	2.8	7	<1	1	2	3	5	7	16
GRAND TOTAL	**8306**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.7	4	<1	<1	2	4	6	7	9
20-34	52	3.9	14	<1	1	3	4	7	13	19
35-49	37	3.4	13	<1	<1	2	4	8	10	19
50-64	30	3.3	3	<1	<1	3	5	6	6	7
65+	39	4.2	19	1	1	3	5	9	16	20
B. *Operated*										
0-19 YRS	985	2.5	2	<1	1	2	3	4	5	7
20-34	1899	2.8	4	<1	1	2	3	5	6	9
35-49	643	2.6	3	<1	1	2	3	5	6	8
50-64	214	2.9	5	<1	1	2	4	6	8	12
65+	82	4.0	21	<1	<1	2	5	10	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.8	8	<1	<1	2	3	7	9	14
20-34	111	4.0	23	<1	<1	3	4	8	13	27
35-49	94	4.7	23	<1	1	3	5	11	15	26
50-64	126	5.7	43	<1	1	4	7	12	18	40
65+	357	6.8	53	1	2	5	8	14	19	30
B. *Operated*										
0-19 YRS	594	3.4	9	1	1	3	4	6	8	16
20-34	1073	3.3	9	<1	1	3	4	6	8	15
35-49	609	3.8	11	<1	1	3	5	7	10	18
50-64	368	4.9	32	1	1	3	5	11	16	33
65+	300	7.3	58	1	1	5	9	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	3.4	10	<1	1	3	4	6	9	19
B. *Operated*	3823	2.7	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	754	5.6	41	<1	1	4	7	13	17	29
B. *Operated*	2944	4.0	19	<1	1	3	5	8	11	22
1. SINGLE DX	4066	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3698	4.4	24	<1	1	3	5	9	13	23
A. NOT OPERATED	997	5.1	34	<1	1	3	6	11	15	27
B. OPERATED	6767	3.3	11	<1	1	3	4	6	8	17
TOTAL 0-19 YRS	1730	2.8	5	<1	1	2	4	5	6	10
20-34	3135	3.0	7	<1	1	2	4	5	7	13
35-49	1383	3.3	9	<1	1	3	4	6	8	17
50-64	738	4.4	26	<1	1	3	5	9	13	28
65+	778	6.6	51	1	1	5	8	14	19	30
GRAND TOTAL	**7764**	**3.5**	**14**	**<1**	**1**	**3**	**4**	**6**	**9**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.4	22	3	3	4	9	14	14	14
35-49	5	4.2	12	2	2	2	6	10	10	10
50-64	3	3.7	4	2	2	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	1	15.0		15	15	15	15	15	15	15
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	3.4	6	1	1	3	4	7	9	9
35-49	12	5.8	14	2	2	5	8	12	13	13
50-64	21	5.6	14	1	2	4	6	12	15	15
65+	15	5.9	9	1	3	5	9	10	10	10
B. *Operated*										
0-19 YRS										
20-34	7	6.4	6	3	3	6	9	9	9	9
35-49	7	14.0	190	4	4	8	23	37	39	39
50-64	10	12.4	142	3	3	7	15	33	38	38
65+	9	8.6	46	1	2	9	12	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.9	14	2	2	3	6	11	13	14
B. *Operated*	6	7.0	38	1	1	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	57	5.4	12	1	2	4	8	10	12	15
B. *Operated*	33	10.4	96	3	3	8	11	28	37	39
1. SINGLE DX	19	5.6	21	1	2	3	9	14	15	15
2. MULTIPLE DX	90	7.3	48	1	2	5	9	14	21	39
A. NOT OPERATED	70	5.3	12	1	2	4	8	10	13	15
B. OPERATED	39	9.9	88	1	2	8	12	25	34	39
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	21	5.0	11	1	2	4	8	9	11	14
35-49	27	7.4	69	2	2	5	9	13	30	39
50-64	35	7.6	58	1	3	5	8	15	25	38
65+	25	7.1	24	1	3	7	9	13	18	21
GRAND TOTAL	**109**	**7.0**	**43**	**1**	**2**	**5**	**9**	**14**	**17**	**38**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.5	7	1	1	4	7	8	9	9
35-49	46	5.1	29	<1	1	4	6	11	16	26
50-64	71	5.0	9	1	1	5	7	9	10	15
65+	83	5.0	9	1	2	4	7	9	11	12
B. *Operated*										
0-19 YRS	6	3.7	7	1	1	3	6	7	7	7
20-34	65	3.4	8	1	1	2	6	8	8	12
35-49	281	3.8	11	1	1	3	5	8	11	16
50-64	402	5.0	27	1	1	4	7	10	13	23
65+	175	5.6	24	1	1	4	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	187	3	3	5	8	35	38	38
20-34	26	5.6	8	1	2	5	8	9	10	10
35-49	113	5.0	14	1	1	4	7	9	12	20
50-64	298	6.0	18	1	2	5	8	11	13	24
65+	864	6.3	23	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	5	9.8	233	2	2	3	13	37	37	37
20-34	66	6.1	15	1	1	6	8	12	14	18
35-49	362	5.9	29	1	1	5	8	12	15	27
50-64	607	7.0	39	1	1	6	9	14	16	30
65+	673	9.7	88	1	1	8	12	20	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	5.0	13	1	1	4	7	9	11	19
B. *Operated*	929	4.6	21	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1307	6.1	22	1	2	5	8	11	15	23
B. *Operated*	1713	7.8	58	1	1	6	10	15	20	37
1. SINGLE DX	1148	4.7	19	1	1	3	7	10	12	19
2. MULTIPLE DX	3020	7.1	43	1	1	6	9	14	18	32
A. NOT OPERATED	1526	6.0	20	1	2	5	8	11	14	22
B. OPERATED	2642	6.7	47	1	1	5	9	14	18	33
TOTAL 0-19 YRS	18	7.5	123	1	1	4	6	28	38	38
20-34	175	4.9	12	1	1	4	7	9	11	15
35-49	802	5.0	21	1	1	4	7	11	13	21
50-64	1378	6.1	30	1	1	5	8	12	15	26
65+	1795	7.4	50	1	2	6	10	15	19	35
GRAND TOTAL	**4168**	**6.4**	**38**	**1**	**1**	**5**	**8**	**13**	**16**	**29**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	6.0	16	1	2	5	9	13	14	15
20-34	649	5.4	13	1	1	5	7	10	11	16
35-49	899	5.8	15	1	1	5	8	10	12	19
50-64	474	5.9	14	1	2	5	8	11	13	16
65+	178	5.9	14	<1	1	5	8	11	13	16
B. *Operated*										
0-19 YRS	149	4.6	16	1	1	4	6	10	13	19
20-34	3707	5.0	18	1	1	4	7	10	13	18
35-49	4861	5.3	18	1	1	5	8	10	13	19
50-64	2155	5.7	21	1	1	5	8	12	15	21
65+	528	6.5	29	1	1	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	58	1	1	4	8	17	27	28
20-34	386	6.0	21	<1	1	5	8	11	14	22
35-49	750	6.6	23	1	2	6	8	12	15	23
50-64	652	6.8	27	1	2	6	8	12	17	30
65+	711	7.2	23	2	2	6	9	12	16	25
B. *Operated*										
0-19 YRS	32	5.9	15	2	2	5	8	12	15	17
20-34	1304	7.4	36	1	1	6	9	15	19	29
35-49	2375	7.8	44	1	1	7	10	15	20	30
50-64	1808	8.4	45	1	1	7	11	17	21	32
65+	1090	10.3	64	1	2	9	14	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	5.7	14	1	1	5	8	10	12	17
B. *Operated*	11400	5.3	19	1	1	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	2510	6.7	24	1	2	6	8	12	16	25
B. *Operated*	6609	8.3	47	1	2	7	11	16	21	33
1. SINGLE DX	13629	5.4	18	1	1	5	7	11	13	19
2. MULTIPLE DX	9119	7.9	41	1	2	7	10	15	20	31
A. NOT OPERATED	4739	6.2	19	1	2	5	8	11	14	22
B. OPERATED	18009	6.4	31	1	1	5	9	13	16	26
TOTAL 0-19 YRS	221	5.1	18	1	1	4	6	10	14	20
20-34	6046	5.6	23	1	1	5	8	11	14	22
35-49	8885	6.1	26	1	1	5	8	12	15	24
50-64	5089	6.8	31	1	1	6	9	13	17	27
65+	2507	8.3	45	1	2	7	11	16	21	33
GRAND TOTAL	**22748**	**6.4**	**29**	**1**	**1**	**5**	**8**	**12**	**16**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	9	1	1	6	7	8	8	8
20-34	80	4.7	17	<1	1	4	6	9	13	22
35-49	130	5.1	9	<1	1	5	7	9	10	15
50-64	63	5.5	11	1	2	5	8	10	11	16
65+	20	5.4	12	1	2	4	7	10	12	14
B. *Operated*										
0-19 YRS	6	7.0	11	2	2	8	10	10	10	10
20-34	328	4.5	12	1	1	4	6	9	11	16
35-49	896	4.6	15	1	1	4	6	9	12	19
50-64	434	4.7	15	1	1	4	6	9	12	18
65+	61	5.2	19	1	1	4	8	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	49	4.9	9	1	1	4	7	9	11	12
35-49	142	5.3	13	1	1	5	8	9	13	15
50-64	135	5.2	11	1	2	5	7	10	11	14
65+	177	6.5	40	1	2	5	8	11	15	55
B. *Operated*										
0-19 YRS	5	3.4	15	1	1	1	5	10	10	10
20-34	161	5.9	42	1	1	5	7	12	15	24
35-49	551	6.1	32	1	1	5	8	12	16	30
50-64	465	6.9	55	1	1	5	9	13	17	44
65+	148	9.4	96	1	1	7	11	20	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	5.1	11	1	1	5	7	9	11	16
B. *Operated*	1725	4.6	14	1	1	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	507	5.7	22	1	2	5	8	10	12	21
B. *Operated*	1330	6.7	49	1	1	5	8	13	18	36
1. SINGLE DX	2022	4.7	14	1	1	4	6	9	12	17
2. MULTIPLE DX	1837	6.4	42	1	1	5	8	12	16	35
A. NOT OPERATED	804	5.4	18	1	1	5	7	10	12	18
B. OPERATED	3055	5.5	31	1	1	4	7	11	14	26
TOTAL 0-19 YRS	19	5.1	11	1	1	6	8	10	10	10
20-34	618	4.9	20	1	1	4	6	10	12	19
35-49	1719	5.2	20	1	1	4	7	10	13	23
50-64	1097	5.7	32	1	1	5	8	11	14	27
65+	406	7.3	58	1	1	5	9	14	20	45
GRAND TOTAL	**3859**	**5.5**	**28**	**1**	**1**	**5**	**7**	**10**	**14**	**25**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	66	5.5	10	1	2	5	7	9	11	17
35-49	79	5.7	10	1	2	5	7	9	11	18
50-64	25	6.0	13	1	2	5	8	10	14	16
65+	10	8.5	68	2	3	6	7	21	31	31
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	80	4.6	19	1	1	3	8	10	13	20
35-49	96	5.0	23	1	1	3	8	12	15	21
50-64	30	4.6	22	1	1	2	8	13	14	15
65+	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	35	2	2	7	12	16	16	16
20-34	71	7.8	44	2	3	5	9	17	19	40
35-49	108	6.6	21	2	2	6	8	13	19	20
50-64	76	6.5	19	1	2	5	9	12	14	22
65+	60	6.3	13	1	2	5	8	10	13	19
B. *Operated*										
0-19 YRS	2	14.0	162	5	5	14	23	23	23	23
20-34	71	8.0	68	1	1	7	10	14	17	50
35-49	103	7.4	30	1	1	7	10	13	16	29
50-64	38	7.6	25	1	1	8	11	14	16	22
65+	15	10.9	43	2	3	10	15	18	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	5.8	14	1	2	5	7	9	12	18
B. *Operated*	211	4.8	21	1	1	3	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	319	6.8	24	2	2	5	9	13	18	21
B. *Operated*	229	7.9	43	1	1	8	10	14	17	37
1. SINGLE DX	394	5.3	18	1	1	4	7	11	14	20
2. MULTIPLE DX	548	7.3	32	1	2	6	9	14	18	27
A. NOT OPERATED	502	6.5	21	2	2	5	8	11	16	20
B. OPERATED	440	6.4	35	1	1	5	9	13	16	27
TOTAL 0-19 YRS	11	7.5	46	1	2	5	10	19	23	23
20-34	288	6.4	37	1	1	5	8	12	16	34
35-49	386	6.2	22	1	1	5	8	12	15	20
50-64	169	6.3	21	1	1	5	9	13	14	21
65+	88	7.4	27	2	2	6	9	14	17	29
GRAND TOTAL	**942**	**6.4**	**27**	**1**	**1**	**5**	**9**	**12**	**16**	**22**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	52	4.5	8	<1	1	4	6	8	8	13
35-49	54	5.9	14	<1	1	6	8	9	11	21
50-64	41	6.0	25	<1	1	4	9	12	17	21
65+	39	4.0	6	<1	<1	4	6	7	7	10
B. *Operated*										
0-19 YRS										
20-34	60	4.3	19	1	1	2	7	11	14	17
35-49	79	3.6	15	1	1	2	4	9	12	18
50-64	30	3.2	9	1	1	2	4	8	11	12
65+	8	3.9	30	1	1	2	4	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	40	5.9	13	<1	1	5	8	11	13	15
35-49	76	6.7	27	2	3	5	8	15	18	26
50-64	96	6.1	15	1	2	5	8	10	13	23
65+	162	6.8	16	2	3	6	9	12	14	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	34	6.2	29	1	1	5	10	13	15	23
35-49	45	5.4	25	1	1	4	8	13	17	21
50-64	31	6.1	26	1	1	4	11	14	16	17
65+	33	9.0	84	1	1	6	14	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.1	13	<1	1	5	7	9	11	21
B. *Operated*	177	3.8	16	1	1	2	5	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	375	6.5	18	2	2	6	8	11	15	23
B. *Operated*	144	6.5	41	1	1	5	10	14	17	25
1. SINGLE DX	363	4.5	15	<1	1	3	7	9	12	19
2. MULTIPLE DX	519	6.5	24	1	2	5	9	13	16	23
A. NOT OPERATED	561	6.0	17	1	2	5	8	11	14	21
B. OPERATED	321	5.0	29	1	1	3	8	13	15	22
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	186	5.0	17	<1	1	4	8	11	13	16
35-49	254	5.3	21	1	1	4	7	11	16	22
50-64	198	5.7	19	1	1	5	8	12	13	21
65+	242	6.5	26	1	2	6	9	13	15	23
GRAND TOTAL	**882**	**5.7**	**21**	**1**	**1**	[illegible]	**8**	**11**	**14**	**21**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	8	<1	1	3	6	8	9	11
20-34	535	5.4	30	1	1	4	7	10	14	19
35-49	742	5.2	16	1	1	4	7	10	12	20
50-64	441	5.3	21	<1	1	4	7	10	13	27
65+	192	4.2	10	<1	<1	4	6	9	11	15
B. *Operated*										
0-19 YRS	36	2.1	3	1	1	1	2	4	6	9
20-34	772	3.3	12	1	1	2	4	8	11	16
35-49	1049	3.6	14	1	1	2	5	8	11	17
50-64	771	4.3	15	1	1	3	7	9	11	17
65+	444	6.1	23	1	1	6	9	12	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	5	<1	1	3	4	6	9	10
20-34	761	6.3	37	1	1	5	8	13	19	31
35-49	1172	6.8	32	1	2	5	9	15	19	26
50-64	1008	6.4	29	1	2	5	8	13	18	29
65+	1178	6.2	24	1	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	41	4.8	17	1	1	3	8	12	13	13
20-34	631	5.4	42	1	1	3	7	11	15	41
35-49	1101	6.0	33	1	1	4	8	12	16	27
50-64	1285	7.1	43	1	1	6	9	14	18	32
65+	1302	9.7	63	1	1	8	13	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1957	5.1	20	<1	1	4	7	10	12	19
B. *Operated*	3072	4.0	16	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	4179	6.4	30	1	2	5	8	12	18	27
B. *Operated*	4360	7.3	49	1	1	6	10	15	19	33
1. SINGLE DX	5029	4.5	18	1	1	3	6	10	12	19
2. MULTIPLE DX	8539	6.9	40	1	1	5	9	14	19	31
A. NOT OPERATED	6136	6.0	27	1	1	5	8	12	17	24
B. OPERATED	7432	6.0	38	1	1	4	8	13	16	29
TOTAL 0-19 YRS	184	3.5	9	1	1	2	5	8	10	13
20-34	2699	5.1	31	1	1	3	7	10	14	23
35-49	4064	5.5	26	1	1	4	7	11	16	24
50-64	3505	6.0	31	1	1	5	8	12	16	30
65+	3116	7.5	43	1	1	6	10	15	19	32
GRAND TOTAL	**13568**	**6.0**	**33**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.8	3	1	1	2	3	5	6	10
20-34	69	2.7	2	<1	1	3	3	5	5	7
35-49	62	3.5	5	<1	1	3	4	7	8	12
50-64	39	3.8	9	<1	1	3	5	8	11	14
65+	32	3.8	7	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	229	1.8	2	<1	<1	1	2	3	4	7
20-34	685	2.2	3	<1	<1	2	3	4	5	8
35-49	844	2.3	7	<1	<1	2	3	4	5	9
50-64	649	2.3	4	<1	<1	2	3	4	5	10
65+	197	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	10	<1	1	3	4	8	9	19
20-34	79	4.7	14	<1	1	4	6	9	13	19
35-49	127	4.5	13	1	1	3	6	9	11	17
50-64	147	4.6	16	1	1	4	6	9	9	20
65+	211	5.7	22	1	2	4	7	11	14	26
B. *Operated*										
0-19 YRS	98	2.6	8	<1	<1	2	3	6	9	15
20-34	479	2.9	6	<1	1	2	4	6	7	12
35-49	675	3.0	5	1	1	2	4	5	7	12
50-64	749	3.3	8	1	1	3	4	6	8	14
65+	366	5.1	31	1	1	3	6	10	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	3.2	5	1	1	3	4	6	7	12
B. *Operated*	2604	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	612	4.9	17	1	1	4	6	9	12	21
B. *Operated*	2367	3.4	11	<1	1	3	4	6	9	17
1. SINGLE DX	2901	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	2979	3.7	13	<1	1	3	4	7	10	18
A. NOT OPERATED	909	4.3	14	1	1	3	5	8	11	20
B. OPERATED	4971	2.8	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	470	2.3	4	<1	<1	2	3	4	6	11
20-34	1312	2.7	5	<1	<1	2	3	5	7	11
35-49	1708	2.8	7	<1	1	2	3	5	7	12
50-64	1584	3.0	8	<1	<1	2	4	6	8	13
65+	806	4.5	23	<1	1	3	5	9	13	23
GRAND TOTAL	**5880**	**3.0**	**9**	**<1**	**<1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	150	2.1	1	<1	1	2	3	4	4	5
20-34	359	2.3	2	<1	<1	2	3	4	5	6
35-49	408	2.6	2	<1	1	2	3	5	5	7
50-64	507	2.5	2	<1	1	2	3	4	5	7
65+	256	2.4	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	12	1.3	1	<1	<1	<1	1	2	4	4
50-64	18	1.1		<1	<1	1	1	2	2	2
65+	22	2.8	11	<1	<1	1	3	9	11	11
B. *Operated*										
0-19 YRS	190	2.6	2	1	1	2	3	5	5	6
20-34	567	2.7	3	1	1	2	3	4	5	7
35-49	863	2.9	3	1	1	3	4	5	6	9
50-64	1483	3.1	4	1	1	3	4	5	6	9
65+	1182	3.4	5	1	1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*	1680	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	60	1.8	5	<1	<1	1	1	3	7	11
B. *Operated*	4285	3.1	4	1	1	3	4	5	6	9
1. SINGLE DX	1688	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4345	3.0	4	1	1	3	4	5	6	9
A. NOT OPERATED	68	1.7	4	<1	<1	1	1	4	7	11
B. OPERATED	5965	2.9	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	345	2.4	2	<1	1	2	3	4	5	6
20-34	933	2.5	3	<1	1	2	3	4	5	7
35-49	1284	2.8	3	1	1	2	4	5	6	8
50-64	2010	3.0	3	1	1	3	4	5	6	8
65+	1461	3.2	4	1	1	3	4	5	7	10
GRAND TOTAL	**6033**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	2.0	3	1	1	1	2	5	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	170	1.2		<1	<1	<1	1	2	2	3
20-34	348	1.3		<1	<1	<1	1	2	3	5
35-49	218	1.5	1	<1	<1	<1	2	3	3	5
50-64	153	1.7	1	<1	<1	1	2	3	4	6
65+	67	1.9	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	8	2.4	3	1	1	2	4	5	5	5
65+	8	3.9	12	1	1	3	4	10	12	12
B. *Operated*										
0-19 YRS	24	1.8	1	<1	<1	1	2	3	4	4
20-34	85	1.6	1	<1	<1	1	2	4	4	6
35-49	93	2.5	3	<1	1	2	3	4	6	9
50-64	123	2.5	4	<1	<1	2	3	5	6	10
65+	92	3.4	7	<1	<1	3	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	956	1.4	1	<1	<1	<1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	30	2.4	5	<1	<1	2	3	5	5	12
B. *Operated*	417	2.5	4	<1	<1	2	3	5	6	10
1. SINGLE DX	971	1.4	1	<1	<1	<1	2	3	3	5
2. MULTIPLE DX	447	2.5	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	45	2.2	4	<1	<1	2	3	5	5	12
B. OPERATED	1373	1.7	2	<1	<1	1	2	3	5	7
TOTAL 0-19 YRS	198	1.2		<1	<1	<1	1	2	3	4
20-34	444	1.4	1	<1	<1	<1	1	2	3	5
35-49	317	1.8	2	<1	<1	1	2	3	4	7
50-64	291	2.1	3	<1	<1	1	3	4	5	8
65+	168	2.8	6	<1	<1	2	4	5	7	12
GRAND TOTAL	**1418**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	10.3	59	2	2	9	14	21	25	35
20-34	19	7.6	37	1	2	6	10	19	22	22
35-49	21	7.9	97	2	2	5	7	20	35	41
50-64	16	9.8	49	1	3	8	13	21	24	25
65+	9	11.3	164	5	5	7	10	31	45	45
B. *Operated*										
0-19 YRS	81	9.5	79	1	2	7	12	22	30	40
20-34	78	9.1	58	<1	1	7	13	19	22	38
35-49	40	9.4	110	1	1	5	12	24	34	44
50-64	59	10.8	104	1	2	8	16	22	37	45
65+	36	6.8	31	1	2	5	8	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	11.9	85	1	2	10	15	24	30	43
20-34	53	10.5	167	1	3	6	13	19	31	84
35-49	47	12.1	122	2	3	8	17	28	32	49
50-64	64	13.7	145	2	3	10	16	30	39	58
65+	110	13.8	215	2	3	10	16	25	42	86
B. *Operated*										
0-19 YRS	137	16.2	136	3	4	14	23	32	43	50
20-34	220	16.9	258	2	3	12	23	42	47	89
35-49	209	16.6	225	2	3	12	22	37	46	69
50-64	281	18.2	264	3	4	13	25	43	51	87
65+	333	18.5	256	3	4	13	25	43	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	9.6	66	2	2	7	12	21	25	41
B. *Operated*	294	9.3	77	1	1	7	12	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	364	12.6	151	2	3	9	15	26	37	59
B. *Operated*	1180	17.5	239	2	4	13	24	42	49	76
1. SINGLE DX	442	9.4	73	1	2	7	12	21	26	41
2. MULTIPLE DX	1544	16.4	223	2	3	12	22	38	47	75
A. NOT OPERATED	512	11.7	128	2	3	8	15	24	32	55
B. OPERATED	1474	15.9	217	2	3	11	22	38	46	72
TOTAL 0-19 YRS	391	12.6	103	1	2	10	17	26	33	46
20-34	370	13.9	204	1	2	9	17	34	43	81
35-49	317	14.4	195	2	2	10	21	34	45	66
50-64	420	16.2	224	2	3	11	21	38	47	81
65+	488	16.5	240	2	3	11	22	40	49	76
GRAND TOTAL	**1986**	**14.8**	**198**	**2**	**3**	**10**	**19**	**34**	**44**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.6	36	<1	<1	3	6	9	16	34
20-34	52	2.6	3	1	1	2	3	5	7	9
35-49	60	2.6	3	<1	1	2	3	5	5	11
50-64	58	3.4	7	1	1	3	4	6	10	14
65+	125	4.6	13	1	1	4	6	9	10	19
B. *Operated*										
0-19 YRS	652	3.2	12	<1	<1	2	4	6	9	15
20-34	824	3.1	7	<1	1	2	4	6	8	13
35-49	423	4.3	12	1	1	3	6	9	10	16
50-64	317	5.0	15	1	1	4	7	11	13	16
65+	168	6.9	24	1	1	6	11	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.3	23	<1	<1	3	5	9	11	31
20-34	110	3.7	14	<1	1	3	4	7	9	21
35-49	211	3.8	14	<1	1	3	5	8	10	22
50-64	495	5.6	25	1	1	4	7	11	15	27
65+	2529	7.7	37	2	3	6	10	14	17	29
B. *Operated*										
0-19 YRS	306	4.1	21	1	1	3	5	8	12	25
20-34	620	4.8	28	1	1	3	6	10	14	29
35-49	557	7.3	75	1	1	5	9	14	20	38
50-64	658	8.9	88	1	2	7	11	18	25	55
65+	1078	12.5	91	2	3	11	15	23	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.8	14	<1	1	3	5	7	9	16
B. *Operated*	2384	3.8	12	<1	1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	3408	7.0	34	1	2	6	9	13	17	28
B. *Operated*	3219	8.6	79	1	1	6	11	18	24	43
1. SINGLE DX	2736	3.8	12	<1	1	3	5	8	11	16
2. MULTIPLE DX	6627	7.8	57	1	2	6	10	15	21	37
A. NOT OPERATED	3760	6.7	33	1	2	5	9	13	16	28
B. OPERATED	5603	6.6	56	1	1	4	9	14	19	36
TOTAL 0-19 YRS	1078	3.6	17	<1	1	2	4	7	9	23
20-34	1606	3.8	16	<1	1	3	5	7	10	21
35-49	1251	5.4	43	1	1	4	7	11	15	29
50-64	1528	6.8	53	1	1	5	9	14	18	37
65+	3900	8.9	56	2	3	7	11	17	22	37
GRAND TOTAL	**9363**	**6.6**	**47**	**1**	**1**	**5**	**9**	**14**	**18**	**34**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	175	3.0	10	<1	<1	3	4	5	7	10
20-34	108	2.5	4	<1	<1	2	3	5	7	10
35-49	48	3.9	21	<1	<1	2	5	9	14	21
50-64	38	3.7	7	<1	<1	3	5	8	9	11
65+	24	5.9	30	1	2	4	7	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	2	<1	<1	1	2	4	5	5
20-34	9	3.2	5	<1	<1	3	4	7	8	8
35-49	8	3.6	25	<1	<1	1	5	12	14	14
50-64	16	10.6	69	<1	<1	10	14	22	29	31
65+	25	16.8	87	4	5	16	22	33	35	36
B. *Operated*										
0-19 YRS	338	4.0	24	1	1	3	5	6	8	34
20-34	198	4.5	33	<1	1	3	6	8	10	31
35-49	143	4.5	23	<1	1	3	5	9	13	31
50-64	157	5.1	18	1	2	4	6	10	14	26
65+	101	7.0	38	1	2	5	8	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	393	3.2	11	<1	<1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	68	9.8	89	<1	<1	8	15	23	31	36
B. *Operated*	937	4.7	27	1	1	4	5	8	12	29
1. SINGLE DX	398	3.2	11	<1	<1	2	4	6	9	18
2. MULTIPLE DX	1005	5.0	33	1	1	4	6	10	14	32
A. NOT OPERATED	73	9.2	87	<1	<1	5	14	23	31	36
B. OPERATED	1330	4.3	23	<1	1	3	5	8	11	27
TOTAL 0-19 YRS	526	3.7	19	<1	1	3	4	6	7	29
20-34	316	3.7	23	<1	<1	3	5	7	9	20
35-49	199	4.3	22	<1	<1	2	5	9	13	26
50-64	212	5.3	22	<1	1	4	7	11	15	26
65+	150	8.4	58	1	2	6	12	19	25	35
GRAND TOTAL	**1403**	**4.5**	**27**	**<1**	**1**	**3**	**5**	**9**	**13**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.7	5	1	1	3	5	7	8	8
35-49	17	4.4	8	1	1	4	6	8	9	10
50-64	11	5.7	13	1	2	6	8	11	13	13
65+	5	3.0	4	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	15	1.9	1	<1	1	2	2	4	4	4
35-49	16	4.6	16	1	1	3	6	11	14	15
50-64	13	5.5	34	<1	<1	2	11	14	16	16
65+	5	5.0	34	1	1	2	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.2	8	1	1	2	6	8	10	10
35-49	28	4.8	8	1	2	4	7	9	10	11
50-64	27	5.7	23	<1	1	5	8	11	14	22
65+	30	6.1	18	1	2	5	7	12	16	18
B. *Operated*										
0-19 YRS	3	10.3	234	1	1	2	21	28	28	28
20-34	7	9.0	48	1	1	11	14	18	19	19
35-49	15	4.1	20	<1	1	2	6	11	14	15
50-64	24	6.5	27	1	2	6	9	13	19	19
65+	19	7.6	30	1	1	6	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.5	8	1	1	4	6	8	9	13
B. *Operated*	49	4.1	19	1	1	2	5	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	99	5.3	15	1	1	5	7	10	12	20
B. *Operated*	68	6.7	35	1	1	5	11	15	19	26
1. SINGLE DX	89	4.2	14	1	1	3	6	10	13	16
2. MULTIPLE DX	167	5.9	24	1	1	5	8	12	16	22
A. NOT OPERATED	139	5.1	13	1	1	4	7	10	11	18
B. OPERATED	117	5.6	30	1	1	3	8	14	16	22
TOTAL 0-19 YRS	4	8.3	174	1	1	2	15	28	28	28
20-34	42	4.1	16	1	1	2	5	10	13	19
35-49	76	4.5	11	1	1	4	6	10	11	15
50-64	75	5.9	24	<1	1	5	9	12	15	21
65+	59	6.2	22	1	1	5	8	15	16	18
GRAND TOTAL	**256**	**5.3**	**21**	**1**	**1**	**4**	**7**	**11**	**15**	**19**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.4	4	<1	1	2	3	5	7	10
20-34	99	3.7	13	1	1	2	5	8	11	19
35-49	105	4.7	47	1	1	3	5	8	10	42
50-64	82	3.5	10	<1	1	2	5	8	10	16
65+	64	3.5	9	<1	1	3	4	6	10	18
B. *Operated*										
0-19 YRS	357	3.8	14	<1	<1	2	6	9	11	15
20-34	558	3.1	10	<1	<1	2	4	8	10	14
35-49	409	3.0	11	<1	<1	2	3	7	10	15
50-64	459	2.4	6	<1	<1	2	3	5	8	11
65+	308	2.3	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.0	9	<1	1	2	4	6	8	17
20-34	286	4.9	25	<1	1	3	6	11	14	26
35-49	358	5.2	41	1	1	3	6	11	19	31
50-64	380	5.3	37	1	1	4	7	11	15	32
65+	575	5.7	26	1	1	4	7	11	15	25
B. *Operated*										
0-19 YRS	475	3.9	25	<1	1	2	4	9	13	27
20-34	812	3.9	33	<1	1	2	4	9	13	27
35-49	659	4.9	32	1	1	3	6	11	16	30
50-64	718	5.0	35	1	1	3	6	11	16	32
65+	577	5.9	48	1	1	3	8	14	18	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.8	20	1	1	3	5	7	10	19
B. *Operated*	2091	2.9	9	<1	<1	2	3	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1666	5.3	31	1	1	4	7	11	15	28
B. *Operated*	3241	4.7	35	1	1	3	6	11	15	31
1. SINGLE DX	2488	3.1	11	<1	<1	2	4	7	10	14
2. MULTIPLE DX	4907	4.9	34	1	1	3	6	11	15	30
A. NOT OPERATED	2063	5.0	29	1	1	4	6	10	14	26
B. OPERATED	5332	4.0	26	<1	1	2	5	10	13	26
TOTAL 0-19 YRS	946	3.7	19	<1	<1	2	4	9	11	19
20-34	1755	3.8	24	<1	1	2	5	9	12	25
35-49	1531	4.4	30	<1	1	3	5	10	14	29
50-64	1639	4.3	28	<1	1	2	5	10	13	27
65+	1524	5.0	31	<1	1	3	6	11	14	29
GRAND TOTAL	**7395**	**4.3**	**27**	**<1**	**1**	**2**	**5**	**10**	**13**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	9	4.6	7	1	1	5	6	8	9	9
50-64	3	5.3	24	2	2	3	9	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	6.3	12	2	2	6	9	11	11	11
35-49	19	3.5	3	1	1	3	5	5	6	7
50-64	13	4.8	14	1	1	4	6	9	13	14
65+	8	4.6	6	3	3	3	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34	10	6.7	30	1	1	6	8	15	19	19
35-49	11	7.1	20	1	2	6	11	13	14	14
50-64	4	8.8	148	2	2	3	15	27	27	27
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	9	1	1	3	6	9	10	11
B. *Operated*	8	3.6	9	2	2	3	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	54	4.6	9	1	2	4	6	9	11	14
B. *Operated*	26	7.0	38	1	2	5	11	14	21	27
1. SINGLE DX	24	4.0	9	1	2	3	5	9	11	11
2. MULTIPLE DX	80	5.4	19	1	2	4	7	11	13	25
A. NOT OPERATED	70	4.5	9	1	1	4	6	9	11	13
B. OPERATED	34	6.2	33	1	2	3	8	13	18	27
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	28	5.8	18	2	2	4	8	11	13	19
35-49	44	4.5	10	1	2	4	6	9	12	14
50-64	20	5.7	37	1	1	4	7	12	20	27
65+	10	5.0	10	2	2	3	7	10	11	11
GRAND TOTAL	**104**	**5.1**	**17**	**1**	**2**	**4**	**7**	**11**	**12**	**23**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.0	1	1	1	2	3	4	4	4
20-34	5	1.8		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	51	4.7	8	1	2	4	6	8	8	17
20-34	17	5.8	14	1	2	5	9	12	12	12
35-49	8	5.6	20	1	1	4	10	12	12	12
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.3	25	1	1	2	4	10	16	27
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	9	2.6	3	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	86	8.7	94	1	1	5	11	23	31	48
20-34	20	10.4	62	2	3	8	13	23	27	30
35-49	16	12.2	235	1	1	8	14	27	52	63
50-64	12	12.2	293	1	1	6	14	35	58	62
65+	8	26.5	1131	4	5	11	40	85	94	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	1	1	1	2	3	4	4	4
B. *Operated*	81	5.1	11	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	77	3.9	21	1	1	2	4	9	15	25
B. *Operated*	142	10.6	186	1	1	6	13	24	34	66
1. SINGLE DX	99	4.5	10	1	1	4	6	8	11	15
2. MULTIPLE DX	219	8.3	138	1	1	4	9	20	28	63
A. NOT OPERATED	95	3.5	18	1	1	2	4	8	13	23
B. OPERATED	223	8.6	129	1	2	5	9	17	28	63
TOTAL 0-19 YRS	211	6.1	53	1	1	4	7	14	22	35
20-34	45	7.1	43	1	1	5	9	14	22	30
35-49	26	9.5	159	1	1	6	12	15	35	63
50-64	16	9.9	233	1	1	5	8	23	50	62
65+	20	12.8	554	1	1	5	9	40	79	94
GRAND TOTAL	**318**	**7.1**	**101**	**1**	**1**	**4**	**8**	**15**	**24**	**62**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	1.4	5	<1	<1	<1	1	1	2	16
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	344	1.6	1	<1	<1	1	2	3	4	7
20-34	93	1.9	2	<1	<1	1	2	3	4	9
35-49	62	1.6	1	<1	<1	1	2	3	4	4
50-64	52	1.8	1	<1	<1	2	2	3	3	6
65+	33	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.6	2	<1	<1	1	2	3	5	7
20-34	6	4.0	8	<1	<1	4	6	8	8	8
35-49										
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	164	2.2	9	<1	1	1	2	4	6	12
20-34	38	1.7	1	<1	<1	1	2	3	4	5
35-49	29	1.9	2	<1	<1	2	2	3	4	7
50-64	51	2.4	10	<1	<1	2	2	4	5	23
65+	44	2.0	2	<1	<1	2	2	3	3	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	1.5	5	<1	<1	<1	1	2	3	16
B. *Operated*	584	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	47	1.9	3	<1	<1	1	2	5	6	8
B. *Operated*	326	2.1	6	<1	<1	2	2	3	5	10
1. SINGLE DX	655	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	373	2.1	6	<1	<1	2	2	4	5	9
A. NOT OPERATED	118	1.6	4	<1	<1	<1	1	3	5	12
B. OPERATED	910	1.8	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	615	1.7	4	<1	<1	1	2	3	5	9
20-34	139	1.9	3	<1	<1	1	2	4	6	8
35-49	91	1.7	1	<1	<1	1	2	3	4	6
50-64	105	2.1	5	<1	<1	2	2	3	4	14
65+	78	1.8	1	<1	<1	2	2	3	3	8
GRAND TOTAL	**1028**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.0	2	<1	<1	2	2	4	5	6
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	4.0	18	<1	<1	3	7	7	7	7
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	651	3.8	9	<1	1	2	6	8	9	13
20-34	104	3.4	9	<1	1	2	5	8	9	12
35-49	44	5.0	16	<1	1	4	7	10	13	18
50-64	27	3.5	9	1	1	2	5	8	9	12
65+	9	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	3.8	37	<1	<1	2	4	8	12	22
20-34	31	4.2	20	<1	<1	2	6	10	13	21
35-49	18	4.4	12	1	1	4	6	8	12	15
50-64	21	7.1	52	1	2	5	9	16	24	31
65+	30	5.8	12	2	2	5	7	10	14	17
B. *Operated*										
0-19 YRS	1180	6.5	63	1	1	4	9	15	21	47
20-34	130	6.9	42	1	1	6	9	15	22	32
35-49	82	7.4	46	1	1	7	10	17	24	78
50-64	111	7.3	46	1	1	7	10	16	18	33
65+	68	7.6	47	1	1	6	11	16	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.0	2	<1	<1	2	2	4	6	7
B. *Operated*	835	3.8	10	<1	1	2	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	299	4.3	33	<1	1	3	6	9	13	22
B. *Operated*	1571	6.7	59	1	1	5	9	15	21	42
1. SINGLE DX	874	3.7	9	<1	1	2	6	8	9	13
2. MULTIPLE DX	1870	6.3	55	1	1	4	9	14	19	38
A. NOT OPERATED	338	4.1	30	<1	<1	2	5	8	13	21
B. OPERATED	2406	5.7	44	1	1	4	8	12	17	33
TOTAL 0-19 YRS	2060	5.3	45	<1	1	3	7	11	16	33
20-34	267	5.1	29	<1	1	3	7	10	15	26
35-49	146	6.3	34	1	1	5	9	12	18	37
50-64	161	6.6	42	1	1	4	10	15	18	30
65+	110	6.5	35	1	1	5	9	14	17	34
GRAND TOTAL	**2744**	**5.5**	**42**	**<1**	**1**	**3**	**8**	**11**	**17**	**32**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	387	3.2	2	1	1	3	4	5	6	7
20-34	9	2.6	2	<1	<1	3	4	4	4	4
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	26	<1	<1	1	2	7	14	25
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	351	3.5	4	1	2	3	5	6	7	10
20-34	13	2.8	2	1	1	3	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*	400	3.2	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	28	2.8	24	<1	<1	1	2	6	12	25
B. *Operated*	372	3.4	3	1	1	3	4	6	7	10
1. SINGLE DX	402	3.2	2	1	1	3	4	5	6	7
2. MULTIPLE DX	400	3.4	5	1	1	3	4	6	7	11
A. NOT OPERATED	30	2.8	22	<1	<1	1	2	6	11	25
B. OPERATED	772	3.3	3	1	1	3	4	6	6	8
TOTAL 0-19 YRS	766	3.3	4	1	1	3	4	6	6	9
20-34	24	2.7	2	<1	1	3	4	4	5	5
35-49	5	2.4	2	1	1	2	4	4	4	4
50-64	4	2.3	4	1	1	2	3	5	5	5
65+	3	3.0	4	<1	<1	3	4	5	5	5
GRAND TOTAL	802	3.3	4	1	1	3	4	6	6	9

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	1	1	2	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	337	3.1	3	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	127	4.0	6	2	2	4	5	7	8	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	1	1	2	2	3	3	3
B. *Operated*	337	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	1	1	1	2	3	4	4	4
B. *Operated*	127	4.0	6	2	2	4	5	7	8	14
1. SINGLE DX	346	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	139	3.9	5	1	2	3	4	6	8	14
A. NOT OPERATED	21	2.0	1	1	1	2	3	4	4	4
B. OPERATED	464	3.3	4	1	2	3	4	5	7	10
TOTAL 0-19 YRS	485	3.3	4	1	2	3	4	5	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	485	3.3	4	1	2	3	4	5	7	10

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.3	6	<1	<1	1	3	6	7	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	177	4.4	18	<1	<1	3	6	10	13	21
20-34	38	3.7	7	<1	<1	3	6	8	9	9
35-49	24	4.5	7	<1	1	5	6	8	9	9
50-64	14	5.0	12	<1	<1	5	8	11	11	11
65+	7	2.7	4	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.3	77	<1	<1	3	6	12	20	82
20-34	10	6.2	19	1	1	5	8	13	16	16
35-49	9	4.7	9	2	2	4	6	9	11	11
50-64	7	2.7	8	<1	<1	2	3	8	9	9
65+	10	6.2	34	<1	<1	5	6	15	21	21
B. *Operated*										
0-19 YRS	320	7.7	92	1	1	5	9	16	23	55
20-34	70	6.0	53	<1	<1	4	8	11	13	48
35-49	43	6.7	36	<1	1	6	9	13	16	34
50-64	49	8.0	26	1	1	8	10	14	17	25
65+	39	6.2	19	<1	<1	6	9	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	2.3	6	<1	<1	1	3	6	7	13
B. *Operated*	260	4.3	14	<1	<1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	137	5.3	61	<1	<1	3	6	12	18	69
B. *Operated*	521	7.3	71	<1	1	6	9	14	19	53
1. SINGLE DX	333	3.9	13	<1	<1	3	5	9	11	18
2. MULTIPLE DX	658	6.9	69	<1	1	5	8	13	19	53
A. NOT OPERATED	210	4.2	44	<1	<1	2	5	9	13	56
B. OPERATED	781	6.3	54	<1	1	5	8	12	17	45
TOTAL 0-19 YRS	664	5.9	65	<1	<1	4	7	13	19	53
20-34	119	5.3	36	<1	<1	4	7	10	12	36
35-49	79	5.6	24	<1	1	5	7	11	13	29
50-64	72	6.7	24	<1	1	7	9	12	17	24
65+	57	5.6	21	<1	<1	5	8	11	13	21
GRAND TOTAL	**991**	**5.9**	**53**	**<1**	**<1**	**4**	**8**	**12**	**17**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	535	1.4	1	<1	<1	1	2	2	3	5
20-34	45	1.8	1	<1	1	2	2	3	4	4
35-49	14	1.5	1	<1	<1	1	2	3	4	4
50-64	5	1.6		<1	<1	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	442	1.6	1	<1	<1	1	2	3	4	6
20-34	31	2.2	4	1	1	2	2	4	8	9
35-49	16	2.2	2	1	1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	600	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	20	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	489	1.6	1	<1	<1	1	2	3	4	6
1. SINGLE DX	603	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	509	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	23	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	1089	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	998	1.5	1	<1	<1	1	2	2	3	5
20-34	77	1.9	2	1	1	2	2	3	4	9
35-49	30	1.9	1	<1	1	1	2	4	5	5
50-64	6	1.5		<1	<1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**1112**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	2	2
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	462	3.2	8	<1	<1	2	5	7	9	12
20-34	129	3.0	5	<1	<1	3	4	6	7	12
35-49	25	4.0	7	<1	1	4	5	7	9	10
50-64	14	5.8	16	1	1	5	7	12	15	16
65+	7	5.0	9	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	4	<1	<1	1	3	4	5	12
20-34	12	3.6	14	<1	<1	2	4	10	13	13
35-49	16	4.9	6	1	2	6	7	8	8	8
50-64	9	3.8	11	<1	<1	2	5	9	11	11
65+	6	5.7	13	2	2	5	9	11	11	11
B. *Operated*										
0-19 YRS	417	5.1	30	<1	<1	3	7	11	13	27
20-34	180	4.7	13	<1	1	4	6	8	10	24
35-49	92	5.5	16	<1	1	5	7	9	12	23
50-64	54	9.0	120	<1	1	6	10	16	41	55
65+	44	8.0	36	1	2	7	10	15	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	637	3.3	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	80	3.4	9	<1	<1	2	5	8	10	13
B. *Operated*	787	5.5	32	<1	1	4	7	11	14	30
1. SINGLE DX	653	3.3	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX	867	5.3	30	<1	<1	4	7	10	13	29
A. NOT OPERATED	96	3.1	8	<1	<1	2	4	7	9	13
B. OPERATED	1424	4.5	22	<1	<1	3	6	9	11	24
TOTAL 0-19 YRS	926	4.0	19	<1	<1	3	5	8	11	20
20-34	324	4.0	11	<1	<1	4	5	7	9	15
35-49	135	5.1	13	<1	1	5	7	9	10	21
50-64	77	7.8	91	<1	1	5	9	14	28	52
65+	58	7.3	31	1	2	6	9	13	21	25
GRAND TOTAL	**1520**	**4.4**	**22**	**<1**	**<1**	**3**	**6**	**9**	**11**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	317	2.6	2	1	1	2	3	4	5	8
20-34	15	4.3	2	2	3	4	5	6	7	7
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	3	4.7	2	3	3	5	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.2		<1	<1	<1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	201	3.2	6	1	1	3	4	5	7	13
20-34	53	3.4	3	1	1	3	5	6	6	7
35-49	41	2.6	2	1	1	2	4	5	5	6
50-64	39	4.5	16	1	1	4	5	7	12	24
65+	19	3.3	2	1	2	3	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	340	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	13	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	353	3.3	6	1	1	3	4	5	6	12
1. SINGLE DX	345	2.7	3	1	1	3	3	5	6	7
2. MULTIPLE DX	366	3.3	6	1	1	3	4	5	6	12
A. NOT OPERATED	18	1.2		<1	<1	<1	1	2	2	2
B. OPERATED	693	3.1	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	534	2.8	4	1	1	3	4	5	6	9
20-34	69	3.5	3	1	1	3	5	6	6	7
35-49	46	2.7	2	1	1	3	4	5	5	6
50-64	42	4.5	15	1	2	4	5	7	11	24
65+	20	3.3	2	1	2	3	4	5	6	6
GRAND TOTAL	**711**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.3	10	<1	<1	1	2	5	8	18
20-34	14	3.6	8	<1	<1	3	5	8	10	10
35-49	16	3.8	9	<1	<1	3	6	8	9	10
50-64	9	3.3	9	1	1	2	6	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	1115	3.1	9	<1	<1	2	4	6	8	15
20-34	334	2.9	10	<1	<1	2	3	7	10	15
35-49	160	3.7	12	<1	<1	2	5	8	10	18
50-64	81	4.1	23	1	1	3	6	8	10	31
65+	26	4.8	14	1	1	4	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	3.5	21	<1	<1	2	4	9	12	25
20-34	28	4.4	14	<1	1	3	6	10	11	15
35-49	41	5.3	13	<1	1	5	8	10	11	16
50-64	23	6.1	12	1	2	6	9	11	12	12
65+	34	6.5	11	2	3	6	8	11	13	15
B. *Operated*										
0-19 YRS	552	5.2	56	1	1	3	6	10	16	50
20-34	224	6.4	59	<1	1	4	8	14	20	51
35-49	177	6.7	43	1	1	5	9	14	16	37
50-64	120	7.2	33	1	1	6	10	15	19	27
65+	73	9.7	76	1	1	8	15	24	33	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.7	10	<1	<1	1	3	7	9	14
B. *Operated*	1716	3.2	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	18	<1	<1	3	7	10	12	23
B. *Operated*	1146	6.2	55	1	1	4	8	13	19	43
1. SINGLE DX	1860	3.2	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX	1403	5.9	48	<1	1	4	8	12	17	36
A. NOT OPERATED	401	3.9	16	<1	<1	2	6	9	11	20
B. OPERATED	2862	4.4	30	<1	1	3	5	9	13	29
TOTAL 0-19 YRS	1902	3.7	24	<1	<1	2	4	7	10	24
20-34	600	4.3	31	<1	<1	2	5	10	13	27
35-49	394	5.2	28	<1	1	4	8	11	14	26
50-64	233	5.9	28	1	1	4	8	12	16	26
65+	134	7.9	51	1	1	6	9	17	24	44
GRAND TOTAL	**3263**	**4.3**	**28**	**<1**	**<1**	**3**	**5**	**9**	**12**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3311	2.3	4	1	1	2	3	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	58	2.4	5	<1	<1	2	3	5	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1567	6.3	87	1	1	3	6	15	25	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	132	15.9	376	1	2	9	22	51	82	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3311	2.3	4	1	1	2	3	3	4	11
B. *Operated*	58	2.4	5	<1	<1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*	1567	6.3	87	1	1	3	6	15	25	55
B. *Operated*	132	15.9	376	1	2	9	22	51	82	99+
1. SINGLE DX	3369	2.3	4	1	1	2	3	3	4	11
2. MULTIPLE DX	1699	7.1	116	1	1	3	7	18	29	66
A. NOT OPERATED	4878	3.6	34	1	1	2	3	6	11	31
B. OPERATED	190	11.8	301	<1	1	4	14	37	66	99+
TOTAL 0-19 YRS	5068	3.9	47	1	1	2	3	7	14	39
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**5068**	**3.9**	**47**	**1**	**1**	**2**	**3**	**7**	**14**	**39**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	784	2.0	3	<1	1	2	2	3	5	8
20-34	350	2.0	2	1	1	2	2	4	4	8
35-49	151	2.3	3	<1	1	2	3	5	5	8
50-64	117	2.5	4	<1	1	2	3	4	6	11
65+	83	2.7	3	<1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS	8	2.9	24	1	1	1	2	11	15	15
20-34	11	1.9	1	1	1	2	3	3	3	3
35-49	17	2.2	2	1	1	2	2	4	5	6
50-64	4	4.3	2	3	3	4	5	6	6	6
65+	15	2.9	3	<1	<1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1358	2.5	7	1	1	2	3	4	6	12
20-34	526	2.9	8	1	1	2	3	5	7	14
35-49	468	3.4	12	1	1	3	4	7	9	17
50-64	606	4.2	19	1	1	3	5	8	12	25
65+	1025	5.0	22	1	2	4	6	10	13	27
B. *Operated*										
0-19 YRS	37	5.1	48	1	1	3	4	15	23	33
20-34	36	7.0	260	1	1	3	6	10	22	97
35-49	51	7.4	71	1	2	4	10	18	22	48
50-64	68	6.9	39	2	3	5	8	18	27	99+
65+	96	9.4	67	1	2	7	12	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	2.1	3	<1	1	2	2	4	5	8
B. *Operated*	55	2.6	5	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	3983	3.6	15	1	1	2	4	7	10	20
B. *Operated*	288	7.6	84	1	2	5	9	18	24	77
1. SINGLE DX	1540	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	4271	3.8	20	1	1	3	4	8	11	23
A. NOT OPERATED	5468	3.2	12	1	1	2	4	6	9	17
B. OPERATED	343	6.8	74	1	1	4	8	16	23	50
TOTAL 0-19 YRS	2187	2.3	7	<1	1	2	3	4	5	12
20-34	923	2.7	16	1	1	2	3	5	7	14
35-49	687	3.5	15	1	1	2	4	7	9	21
50-64	795	4.2	19	1	1	3	5	8	12	28
65+	1219	5.2	26	1	1	4	6	10	14	31
GRAND TOTAL	**5811**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**21**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.7	3	1	1	2	3	5	5	8
20-34	53	3.2	4	1	1	3	4	6	9	10
35-49	39	2.9	3	1	1	3	3	6	7	7
50-64	43	3.8	5	2	2	3	4	7	9	12
65+	45	3.5	7	1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	8	5.0	39	1	1	3	5	16	20	20
20-34	3	8.7	4	7	7	8	10	11	11	11
35-49	6	11.2	121	3	3	7	14	30	32	32
50-64	6	9.3	20	4	4	8	13	16	16	16
65+	6	9.8	16	4	4	10	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	599	3.4	10	1	1	3	4	6	9	17
20-34	244	3.6	5	1	1	3	5	7	8	10
35-49	221	4.4	8	1	2	4	6	8	9	17
50-64	322	5.3	13	1	2	4	7	10	13	18
65+	697	6.1	23	2	2	5	7	11	14	27
B. *Operated*										
0-19 YRS	38	7.1	69	1	2	5	8	12	25	45
20-34	48	8.7	76	1	2	6	10	23	30	37
35-49	70	10.2	70	1	2	9	13	21	26	44
50-64	77	10.5	63	2	3	9	15	20	26	41
65+	117	13.2	130	3	4	9	15	29	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.0	4	1	1	3	4	5	7	10
B. *Operated*	29	8.6	43	2	2	8	11	16	21	32
2. MULTIPLE DX										
A. *Not Operated*	2083	4.7	15	1	2	4	6	9	12	20
B. *Operated*	350	10.7	92	2	2	8	13	23	29	47
1. SINGLE DX	468	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	2433	5.6	31	1	2	4	7	11	15	29
A. NOT OPERATED	2522	4.4	14	1	1	3	5	8	11	18
B. OPERATED	379	10.6	89	2	2	8	13	22	29	46
TOTAL 0-19 YRS	904	3.4	12	1	1	3	4	6	8	18
20-34	348	4.3	17	1	1	3	5	8	10	25
35-49	336	5.6	29	1	2	4	7	11	16	29
50-64	448	6.1	25	2	2	5	8	12	16	25
65+	865	7.0	43	2	2	5	8	13	17	34
GRAND TOTAL	**2901**	**5.2**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.0	2	<1	1	1	3	5	5	5
20-34	141	2.3	2	1	1	2	3	5	6	7
35-49	97	3.5	19	<1	1	2	4	6	11	26
50-64	51	2.5	6	1	1	2	3	5	8	14
65+	13	3.0	5	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	7	1.3		1	1	1	2	2	2	2
20-34	32	3.2	9	1	1	2	4	9	11	11
35-49	30	2.9	11	1	1	2	3	6	8	18
50-64	16	3.4	8	1	1	2	5	9	10	10
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.5	5	<1	1	2	3	5	7	12
20-34	312	3.5	11	1	1	3	4	7	9	19
35-49	261	4.3	31	1	1	3	5	8	12	36
50-64	198	3.4	7	1	1	3	4	7	8	14
65+	175	4.1	13	1	1	3	5	7	9	23
B. *Operated*										
0-19 YRS	7	4.0	12	1	1	3	7	9	9	9
20-34	40	3.4	9	<1	1	2	4	7	9	15
35-49	47	4.6	20	1	1	3	6	9	15	21
50-64	38	5.3	25	1	1	4	6	9	17	25
65+	34	7.6	52	1	2	6	9	18	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	2.6	8	<1	1	2	3	5	6	14
B. *Operated*	90	3.0	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1069	3.7	15	1	1	3	4	7	9	19
B. *Operated*	166	5.1	26	1	1	4	6	10	16	24
1. SINGLE DX	458	2.7	8	1	1	2	3	5	7	14
2. MULTIPLE DX	1235	3.8	17	1	1	3	5	7	10	20
A. NOT OPERATED	1437	3.4	13	1	1	2	4	7	9	19
B. OPERATED	256	4.3	21	1	1	3	6	9	13	21
TOTAL 0-19 YRS	203	2.3	4	<1	1	2	3	5	6	10
20-34	525	3.2	9	1	1	2	4	6	8	16
35-49	435	4.1	26	1	1	3	4	8	12	32
50-64	303	3.5	9	1	1	3	4	7	8	18
65+	227	4.5	20	1	1	3	5	9	11	28
GRAND TOTAL	**1693**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	5	5
20-34	24	3.3	4	<1	1	3	5	6	7	7
35-49	41	2.8	4	<1	<1	2	4	5	7	9
50-64	79	2.8	3	1	1	3	4	5	6	7
65+	74	2.5	3	<1	1	2	3	5	5	9
B. *Operated*										
0-19 YRS	31	1.9	3	<1	<1	1	3	5	6	6
20-34	33	3.6	4	<1	1	3	5	6	7	9
35-49	52	3.8	6	1	1	3	5	7	8	13
50-64	73	3.5	4	1	1	3	5	6	7	8
65+	89	3.9	4	1	1	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.8	1	1	1	2	2	3	4	5
20-34	42	3.7	9	<1	1	3	5	7	11	14
35-49	65	3.2	6	1	1	2	4	6	8	12
50-64	165	3.1	4	<1	1	3	4	6	7	9
65+	351	3.4	6	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	18	3.9	8	1	1	3	6	8	10	11
20-34	27	3.9	6	1	1	4	5	8	9	9
35-49	68	4.4	7	1	1	4	6	8	9	12
50-64	179	4.8	21	1	2	4	6	8	10	30
65+	303	5.0	19	1	2	4	6	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	278	3.5	5	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	656	3.2	6	1	1	3	4	6	8	13
B. *Operated*	595	4.8	17	1	1	4	6	8	11	20
1. SINGLE DX	507	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	1251	4.0	12	1	1	3	5	7	9	15
A. NOT OPERATED	885	3.1	5	<1	1	3	4	6	7	12
B. OPERATED	873	4.4	14	1	1	4	6	8	9	16
TOTAL 0-19 YRS	93	2.2	3	<1	<1	1	3	5	6	10
20-34	126	3.6	6	<1	1	3	5	6	9	13
35-49	226	3.6	6	1	1	3	5	7	8	12
50-64	496	3.7	11	1	1	3	5	6	8	12
65+	817	4.0	11	1	1	3	5	7	9	15
GRAND TOTAL	**1758**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.9	5	<1	<1	2	3	8	8	9
20-34	12	2.5	1	1	1	2	3	4	5	5
35-49	12	1.8	1	<1	<1	2	2	3	3	3
50-64	14	1.6	3	<1	<1	1	2	3	6	7
65+	15	2.3	8	<1	1	2	2	3	10	12
B. *Operated*										
0-19 YRS	98	1.5	2	<1	<1	1	2	2	4	8
20-34	97	1.8	2	<1	<1	1	2	3	5	9
35-49	80	1.9	4	<1	<1	1	2	4	5	13
50-64	51	1.7	3	<1	<1	1	2	3	3	12
65+	20	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	12	1	1	3	4	6	8	20
20-34	44	4.0	17	1	1	2	5	9	12	22
35-49	63	4.0	28	<1	1	2	4	10	12	29
50-64	101	4.3	18	1	1	3	5	11	15	19
65+	245	5.6	21	1	1	4	8	12	16	20
B. *Operated*										
0-19 YRS	27	3.5	29	<1	1	2	4	7	19	24
20-34	57	4.0	48	<1	<1	2	4	8	10	48
35-49	66	3.1	15	<1	<1	2	3	6	10	23
50-64	79	7.2	122	<1	1	3	8	17	39	51
65+	135	10.6	141	<1	1	6	16	24	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.3	4	<1	<1	2	3	3	7	11
B. *Operated*	346	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	489	4.8	21	1	1	3	6	11	15	21
B. *Operated*	364	6.9	100	<1	1	3	9	18	25	52
1. SINGLE DX	424	1.8	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX	853	5.7	55	<1	1	3	7	14	19	48
A. NOT OPERATED	567	4.5	19	1	1	3	6	10	14	20
B. OPERATED	710	4.4	59	<1	<1	2	4	11	18	49
TOTAL 0-19 YRS	186	2.4	9	<1	<1	1	3	5	7	19
20-34	210	2.9	19	<1	<1	2	3	5	9	20
35-49	221	2.9	14	<1	<1	2	3	6	10	25
50-64	245	4.5	51	<1	1	2	4	10	16	48
65+	415	6.9	66	<1	1	4	9	17	21	50
GRAND TOTAL	**1277**	**4.4**	**41**	**<1**	**<1**	**2**	**5**	**10**	**16**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	6.5	30	1	1	6	11	13	13	13
B. *Operated*										
0-19 YRS	10	2.6	4	<1	<1	2	3	5	7	7
20-34	12	5.3	17	<1	1	4	7	12	13	13
35-49	8	4.9	9	1	2	4	6	10	11	11
50-64	17	5.8	41	<1	1	3	9	12	21	26
65+	29	9.4	92	1	2	6	11	17	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	7	6.6	10	4	4	5	10	11	11	11
50-64	27	7.1	31	2	2	7	7	11	24	25
65+	90	8.5	113	1	1	6	11	16	21	67
B. *Operated*										
0-19 YRS	13	7.2	68	<1	<1	2	14	21	23	23
20-34	54	9.8	143	1	1	5	13	25	38	57
35-49	56	12.7	156	1	1	9	17	32	47	97
50-64	198	14.8	172	2	3	12	18	31	42	62
65+	618	15.4	165	3	5	12	20	31	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.0	17	1	2	7	10	12	13	13
B. *Operated*	76	6.6	53	<1	1	5	8	13	17	44
2. MULTIPLE DX										
A. *Not Operated*	126	8.1	88	1	2	6	10	15	22	46
B. *Operated*	939	14.7	165	2	3	11	19	30	43	82
1. SINGLE DX	84	6.6	49	<1	1	5	8	13	16	42
2. MULTIPLE DX	1065	13.9	161	1	3	11	17	29	42	82
A. NOT OPERATED	134	8.0	83	1	2	6	10	14	21	41
B. OPERATED	1015	14.1	161	1	3	11	18	29	43	81
TOTAL 0-19 YRS	23	5.2	44	<1	<1	2	6	17	21	23
20-34	69	8.8	118	1	1	5	10	23	32	55
35-49	73	11.1	129	1	2	8	14	25	37	91
50-64	243	13.3	156	1	2	10	17	30	37	59
65+	741	14.3	161	2	4	11	18	28	43	84
GRAND TOTAL	**1149**	**13.4**	**156**	**1**	**2**	**10**	**17**	**28**	**40**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	1	2	2	3	4	4
20-34	310	1.9	2	<1	1	2	2	3	4	7
35-49	1251	2.0	2	1	1	2	2	3	4	7
50-64	1049	2.2	2	1	1	2	3	4	5	7
65+	405	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	54	2.0	4	<1	1	1	2	4	7	9
35-49	298	2.0	2	<1	1	2	2	4	5	8
50-64	387	1.9	3	<1	1	2	2	3	5	9
65+	120	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.0	7	<1	1	2	3	6	9	14
20-34	609	2.3	3	<1	1	2	3	4	5	10
35-49	2867	2.5	3	1	1	2	3	4	5	8
50-64	4259	2.8	4	1	1	2	3	5	6	10
65+	3698	3.2	5	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	119	3.2	7	1	1	2	4	7	9	14
35-49	759	2.9	5	1	1	2	4	6	7	11
50-64	1321	3.0	7	1	1	2	4	6	8	13
65+	744	3.7	15	1	1	2	4	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3033	2.1	2	1	1	2	3	4	4	7
B. *Operated*	860	1.9	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	11476	2.8	4	1	1	2	3	5	6	10
B. *Operated*	2945	3.1	9	1	1	2	4	6	8	14
1. SINGLE DX	3893	2.0	2	1	1	2	2	4	4	7
2. MULTIPLE DX	14421	2.9	5	1	1	2	3	5	7	11
A. NOT OPERATED	14509	2.6	4	1	1	2	3	5	6	10
B. OPERATED	3805	2.9	8	1	1	2	3	6	8	13
TOTAL 0-19 YRS	64	2.6	5	<1	1	2	3	5	7	13
20-34	1092	2.3	3	<1	1	2	3	4	5	10
35-49	5175	2.4	3	1	1	2	3	4	5	9
50-64	7016	2.7	4	1	1	2	3	5	6	10
65+	4967	3.1	6	1	1	3	4	6	7	13
GRAND TOTAL	**18314**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	2.5	8	1	1	2	3	4	6	10
20-34	17	2.1	3	<1	<1	1	3	4	6	7
35-49	18	1.9	2	1	1	1	2	4	5	5
50-64	32	2.4	3	<1	1	2	3	5	7	7
65+	33	2.5	5	<1	<1	2	3	5	9	10
B. *Operated*										
0-19 YRS	21	2.1	3	<1	<1	1	3	5	6	6
20-34	19	2.2	2	<1	1	1	3	5	6	6
35-49	44	2.8	8	<1	<1	2	3	6	9	14
50-64	60	2.1	1	<1	1	2	3	4	4	6
65+	45	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	3.4	9	1	1	3	4	7	9	15
20-34	92	3.5	19	<1	1	2	4	6	9	27
35-49	159	3.2	8	1	1	2	4	6	9	14
50-64	376	4.7	20	1	1	3	6	9	12	21
65+	813	5.4	21	1	1	4	7	10	14	25
B. *Operated*										
0-19 YRS	38	4.2	17	1	1	2	6	10	12	19
20-34	29	3.5	8	<1	<1	2	5	8	9	13
35-49	81	4.7	85	1	1	3	5	8	11	62
50-64	199	4.6	20	1	1	3	6	10	14	23
65+	288	5.4	37	<1	1	3	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.4	6	<1	1	2	3	4	6	10
B. *Operated*	189	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1843	4.5	18	1	1	3	6	9	12	20
B. *Operated*	635	4.9	35	<1	1	3	6	10	14	28
1. SINGLE DX	540	2.3	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	2478	4.6	22	1	1	3	6	9	13	23
A. NOT OPERATED	2194	4.2	17	1	1	3	5	8	11	20
B. OPERATED	824	4.3	29	<1	1	3	5	9	12	25
TOTAL 0-19 YRS	713	3.1	9	1	1	2	4	6	9	15
20-34	157	3.2	13	<1	<1	2	4	6	8	18
35-49	302	3.5	29	<1	1	2	4	7	9	16
50-64	667	4.3	18	1	1	3	5	9	11	21
65+	1179	5.2	25	1	1	4	6	10	14	28
GRAND TOTAL	**3018**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	1	1	1	2	3	4	4
20-34	81	1.8	1	<1	<1	1	2	4	4	6
35-49	87	1.5	1	<1	<1	1	2	3	3	5
50-64	64	1.9	2	<1	<1	2	2	3	6	6
65+	37	1.7	2	<1	1	1	2	4	4	7
B. *Operated*										
0-19 YRS	26	2.0	4	<1	<1	<1	2	5	7	8
20-34	17	2.0	1	<1	<1	2	3	3	4	5
35-49	20	2.4	3	<1	<1	2	3	5	6	7
50-64	15	4.6	11	<1	<1	5	7	9	10	10
65+	18	4.3	7	1	1	4	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.1	10	<1	1	2	4	6	9	18
20-34	107	2.0	2	1	1	2	3	4	5	6
35-49	134	2.4	4	<1	1	2	3	5	6	9
50-64	165	3.4	13	1	1	2	4	7	9	23
65+	367	4.4	21	1	1	3	6	8	11	17
B. *Operated*										
0-19 YRS	50	2.4	10	<1	<1	1	2	5	11	16
20-34	43	4.4	15	<1	1	4	5	8	12	19
35-49	59	4.3	8	<1	1	4	6	8	10	13
50-64	107	5.6	18	1	2	4	7	12	15	21
65+	390	6.7	22	2	2	6	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	96	2.9	6	<1	<1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	814	3.5	14	1	1	2	4	7	9	16
B. *Operated*	649	5.8	20	1	1	5	7	11	14	21
1. SINGLE DX	378	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	1463	4.5	18	1	1	3	6	9	12	19
A. NOT OPERATED	1096	3.0	12	<1	1	2	4	6	8	15
B. OPERATED	745	5.4	19	<1	1	4	7	11	13	21
TOTAL 0-19 YRS	130	2.5	8	<1	<1	1	3	5	8	16
20-34	248	2.4	5	<1	1	2	3	4	6	10
35-49	300	2.5	5	<1	<1	2	3	5	7	11
50-64	351	3.9	14	1	1	3	5	8	12	19
65+	812	5.4	22	1	1	4	7	10	13	21
GRAND TOTAL	**1841**	**4.0**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	979	1.7	1	<1	<1	1	2	3	4	7
20-34	1236	2.1	3	<1	1	2	3	4	5	8
35-49	694	2.4	5	<1	1	2	3	4	6	8
50-64	364	2.4	3	<1	1	2	3	4	6	8
65+	238	2.6	13	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS	178	2.9	3	1	1	3	3	5	6	10
20-34	298	3.3	7	1	1	3	4	6	7	12
35-49	129	3.5	6	1	1	3	5	7	8	12
50-64	50	3.4	6	<1	<1	3	5	7	8	11
65+	24	3.8	17	<1	1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	849	2.2	5	<1	1	2	3	4	5	9
20-34	1606	2.9	7	<1	1	2	4	6	7	12
35-49	1105	3.4	7	1	1	3	4	6	8	13
50-64	1105	3.5	10	1	1	3	4	7	9	16
65+	1752	4.1	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	152	3.7	7	1	1	3	4	7	8	13
20-34	400	4.9	19	1	1	4	6	9	13	21
35-49	283	6.3	29	1	1	5	8	13	18	29
50-64	205	5.9	22	1	1	5	8	12	15	25
65+	245	8.0	51	2	2	6	11	16	20	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3511	2.1	3	<1	1	2	3	4	5	8
B. *Operated*	679	3.3	6	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	6417	3.3	9	1	1	3	4	6	8	14
B. *Operated*	1285	5.8	28	1	1	4	7	12	15	28
1. SINGLE DX	4190	2.3	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	7702	3.7	13	1	1	3	5	7	10	18
A. NOT OPERATED	9928	2.9	8	<1	1	2	4	6	7	13
B. OPERATED	1964	4.9	22	1	1	4	6	10	13	25
TOTAL 0-19 YRS	2158	2.1	4	<1	1	2	3	4	5	9
20-34	3540	2.9	8	<1	1	2	4	5	7	13
35-49	2211	3.5	10	1	1	3	4	7	9	17
50-64	1724	3.6	11	1	1	3	4	7	9	16
65+	2259	4.4	18	1	1	3	5	9	11	20
GRAND TOTAL	**11892**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.4	4	<1	1	2	3	4	6	12
20-34	46	2.6	3	<1	1	2	4	6	6	7
35-49	41	2.9	4	<1	<1	3	4	6	7	8
50-64	40	3.1	6	<1	1	2	4	6	7	13
65+	45	2.8	7	<1	<1	2	3	6	8	14
B. *Operated*										
0-19 YRS	13	3.5	7	<1	<1	3	6	7	8	8
20-34	32	2.8	7	<1	<1	2	4	6	8	13
35-49	20	4.1	8	<1	<1	4	6	8	9	10
50-64	17	2.5	8	<1	<1	1	3	7	10	11
65+	18	2.8	4	<1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	2.9	30	1	1	2	3	5	7	17
20-34	289	3.3	14	1	1	2	4	7	9	14
35-49	269	3.7	9	1	1	3	4	8	10	14
50-64	429	4.6	18	1	1	4	6	9	11	20
65+	936	5.2	24	1	2	4	6	10	13	23
B. *Operated*										
0-19 YRS	32	5.4	87	1	1	4	5	7	12	55
20-34	95	5.6	16	1	1	5	7	12	14	18
35-49	121	7.0	40	1	1	5	8	14	23	31
50-64	142	8.9	102	1	1	7	9	20	28	52
65+	231	9.1	87	2	2	7	11	18	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.7	5	<1	1	2	4	5	7	13
B. *Operated*	100	3.1	7	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2280	4.3	22	1	1	3	5	8	11	19
B. *Operated*	621	7.9	72	1	1	6	9	16	23	50
1. SINGLE DX	359	2.8	5	<1	1	2	4	6	7	13
2. MULTIPLE DX	2901	5.1	34	1	1	3	6	10	14	28
A. NOT OPERATED	2539	4.2	20	1	1	3	5	8	11	18
B. OPERATED	721	7.2	66	1	1	5	8	15	22	49
TOTAL 0-19 YRS	489	3.0	29	1	1	2	3	5	7	16
20-34	462	3.7	14	1	1	3	5	7	11	17
35-49	451	4.5	19	1	1	3	6	9	12	25
50-64	628	5.4	39	1	1	4	7	10	15	36
65+	1230	5.8	37	1	2	4	7	12	15	30
GRAND TOTAL	**3260**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**13**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	557	2.8	8	1	1	2	3	5	7	14
20-34	245	2.2	3	<1	<1	2	3	4	5	7
35-49	224	2.5	16	<1	1	2	3	4	5	28
50-64	329	2.2	3	<1	1	2	3	4	5	8
65+	452	3.2	30	1	1	2	3	5	9	20
B. *Operated*										
0-19 YRS	68	2.1	3	<1	<1	2	3	4	5	11
20-34	110	2.5	10	<1	<1	2	3	5	6	19
35-49	133	1.7	2	<1	<1	1	2	3	5	8
50-64	146	2.0	2	<1	<1	1	2	4	5	7
65+	85	2.3	5	<1	<1	2	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1080	4.4	29	1	1	3	5	9	13	27
20-34	826	3.4	23	1	1	2	4	6	9	22
35-49	1094	3.9	21	1	1	3	4	7	11	22
50-64	2748	4.5	23	1	1	3	6	9	13	24
65+	7880	5.4	29	1	1	4	7	11	14	26
B. *Operated*										
0-19 YRS	143	7.7	107	<1	1	3	10	20	26	56
20-34	223	4.7	58	1	1	3	5	8	14	44
35-49	281	4.9	37	1	1	3	6	11	17	33
50-64	622	7.2	109	1	1	3	8	18	25	76
65+	1179	9.8	146	1	2	6	11	21	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1807	2.7	13	<1	1	2	3	5	6	14
B. *Operated*	542	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	13628	4.9	27	1	1	3	6	10	13	25
B. *Operatad*	2448	8.0	117	1	1	4	9	18	28	67
1. SINGLE DX	2349	2.5	11	<1	1	2	3	5	6	13
2. MULTIPLE DX	16076	5.4	42	1	1	4	6	11	15	32
A. NOT OPERATED	15435	4.6	26	1	1	3	6	9	13	24
B. OPERATED	2990	6.9	102	<1	1	3	8	16	25	59
TOTAL 0-19 YRS	1848	4.1	30	<1	1	2	5	8	13	27
20-34	1404	3.3	24	<1	1	2	4	6	8	22
35-49	1732	3.7	23	1	1	2	4	7	11	27
50-64	3845	4.7	36	1	1	3	5	10	15	30
65+	9596	5.8	46	1	1	4	7	12	16	32
GRAND TOTAL	**18425**	**5.0**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	1.7	2	<1	1	1	2	3	4	7
20-34	20	2.3	2	<1	1	2	3	4	5	7
35-49	12	2.7	5	<1	<1	2	4	6	8	8
50-64	8	3.1	8	1	1	2	4	8	9	9
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	85	5.0	17	1	2	4	6	9	11	25
20-34	15	5.4	15	1	1	4	7	11	14	15
35-49	5	5.4	9	2	2	5	7	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	2.7	7	1	1	2	3	6	8	13
20-34	75	4.5	27	<1	1	3	5	10	17	28
35-49	30	4.3	10	1	1	3	6	10	11	12
50-64	29	7.1	113	1	1	4	7	13	27	56
65+	34	6.1	17	1	1	6	9	10	13	20
B. *Operated*										
0-19 YRS	111	10.4	150	1	1	6	13	21	36	60
20-34	111	11.9	195	1	2	8	16	34	76	99+
35-49	38	12.1	253	1	2	8	16	51	89	99+
50-64	19	17.5	264	1	2	15	29	35	51	62
65+	16	20.1	839	2	2	7	19	81	93	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	108	5.2	17	1	2	4	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	415	3.7	21	1	1	2	4	9	11	20
B. *Operated*	295	12.2	227	1	2	7	15	33	58	99+
1. SINGLE DX	418	2.7	8	1	1	2	3	6	8	14
2. MULTIPLE DX	710	7.2	123	1	1	4	8	18	30	97
A. NOT OPERATED	725	2.9	14	1	1	2	3	6	9	19
B. OPERATED	403	10.3	180	1	2	6	12	24	50	99+
TOTAL 0-19 YRS	712	3.8	37	1	1	2	4	8	12	33
20-34	221	8.1	123	1	1	4	10	20	37	99+
35-49	85	7.6	133	1	1	4	9	17	50	99+
50-64	57	9.9	173	1	1	4	10	29	36	62
65+	53	10.7	296	1	2	6	9	19	33	96
GRAND TOTAL	**1128**	**5.6**	**85**	**1**	**1**	**3**	**6**	**12**	**20**	**74**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	1.9	3	1	1	1	2	4	5	10
20-34	64	3.3	11	<1	1	2	3	8	12	15
35-49	16	2.8	4	1	1	2	3	4	8	10
50-64	9	3.1	7	<1	<1	3	4	7	9	9
65+	6	8.5	60	<1	<1	8	13	19	20	20
B. *Operated*										
0-19 YRS	24	4.5	14	1	2	3	5	9	15	17
20-34	12	3.0	5	1	1	2	4	7	8	8
35-49	6	4.7	9	<1	<1	5	7	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.8	78	1	1	2	4	9	15	54
20-34	155	5.0	22	1	1	4	6	12	14	21
35-49	63	5.0	18	1	1	4	6	12	15	20
50-64	37	8.8	134	1	2	5	11	19	36	58
65+	67	7.5	54	1	1	6	10	15	20	41
B. *Operated*										
0-19 YRS	101	11.0	195	1	2	6	13	38	47	84
20-34	130	12.8	240	1	1	6	17	36	61	99+
35-49	33	12.7	125	2	2	11	19	26	52	99+
50-64	30	10.6	77	1	2	9	15	23	30	37
65+	24	12.7	178	1	1	9	14	31	45	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.4	7	1	1	2	3	5	8	14
B. *Operated*	44	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	560	5.5	58	1	1	3	6	12	16	43
B. *Operated*	318	12.0	193	1	2	7	15	32	51	99+
1. SINGLE DX	342	2.6	7	1	1	2	3	6	9	14
2. MULTIPLE DX	878	7.8	116	1	1	4	9	19	31	64
A. NOT OPERATED	858	4.4	42	1	1	2	5	10	14	32
B. OPERATED	362	11.0	177	1	2	6	14	28	47	99+
TOTAL 0-19 YRS	566	4.9	79	1	1	2	5	10	17	57
20-34	361	7.4	114	1	1	4	8	18	28	85
35-49	118	6.8	59	1	1	4	8	16	21	70
50-64	77	8.8	99	1	1	6	11	20	29	54
65+	98	8.8	87	1	1	6	12	20	29	48
GRAND TOTAL	**1220**	**6.4**	**91**	**1**	**1**	**3**	**7**	**15**	**22**	**60**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.3		<1	<1	1	1	3	3	3
20-34	26	1.5	1	<1	<1	1	2	3	4	4
35-49	11	3.1	17	<1	<1	2	3	8	14	15
50-64	4	2.5	1	1	1	3	3	3	3	3
65+	5	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	504	1.6	1	<1	<1	1	2	3	3	7
20-34	663	1.9	2	<1	1	1	2	4	5	8
35-49	201	2.1	3	<1	1	2	3	4	5	9
50-64	64	2.1	3	<1	<1	2	3	4	6	8
65+	21	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.9	3	<1	<1	1	2	4	7	8
20-34	135	2.4	4	<1	<1	1	3	5	6	10
35-49	41	2.2	5	<1	<1	1	2	5	7	11
50-64	41	3.0	9	<1	1	2	4	5	6	19
65+	73	4.6	22	1	1	3	6	10	17	22
B. *Operated*										
0-19 YRS	587	3.3	18	<1	1	2	4	7	9	23
20-34	1024	3.9	27	1	1	2	5	8	10	25
35-49	379	4.8	42	1	1	3	6	10	14	30
50-64	170	6.4	132	1	1	3	6	13	20	74
65+	130	5.8	60	1	1	4	8	11	16	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.8	3	<1	<1	1	2	3	4	13
B. *Operated*	1453	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	355	2.8	9	<1	<1	2	3	6	8	18
B. *Operated*	2290	4.2	37	1	1	3	5	8	12	31
1. SINGLE DX	1521	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2645	4.0	34	1	1	2	4	8	12	27
A. NOT OPERATED	423	2.6	8	<1	<1	2	3	5	7	18
B. OPERATED	3743	3.3	25	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1178	2.5	10	<1	<1	1	3	5	7	16
20-34	1848	3.0	17	<1	1	2	3	6	8	17
35-49	632	3.7	28	<1	1	2	4	8	11	26
50-64	279	4.9	86	<1	1	2	4	10	17	59
65+	229	5.0	42	1	1	3	6	11	15	47
GRAND TOTAL	**4166**	**3.2**	**23**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.3	10	1	1	2	4	7	9	18
20-34	298	4.1	14	1	1	3	5	7	9	17
35-49	173	4.7	13	1	1	4	6	8	12	19
50-64	144	5.1	11	1	2	4	7	10	12	15
65+	206	6.0	13	2	2	5	8	12	13	18
B. *Operated*										
0-19 YRS	33	7.3	19	1	3	6	10	12	15	21
20-34	64	9.3	46	1	2	8	12	17	21	39
35-49	26	6.7	30	1	2	5	8	15	20	23
50-64	13	10.2	77	<1	2	8	12	27	29	29
65+	13	12.7	75	3	5	9	16	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	4.0	9	1	1	3	5	8	10	13
20-34	487	4.6	11	1	1	4	6	9	12	17
35-49	245	5.4	18	1	1	5	7	10	12	21
50-64	389	7.0	38	1	2	6	9	13	16	26
65+	1821	7.8	33	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	66	10.0	90	1	2	7	13	17	24	56
20-34	267	10.6	83	2	2	8	15	21	26	56
35-49	131	11.3	132	1	2	8	13	25	37	75
50-64	100	12.1	127	2	3	8	14	24	38	58
65+	220	14.1	130	3	4	11	17	26	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	4.6	13	1	1	4	6	9	12	17
B. *Operated*	149	8.8	44	1	2	7	11	17	23	31
2. MULTIPLE DX										
A. *Not Operated*	3121	6.8	29	1	2	6	9	13	16	24
B. *Operated*	784	11.8	112	2	3	9	15	24	32	59
1. SINGLE DX	1101	5.2	19	1	1	4	6	10	13	22
2. MULTIPLE DX	3905	7.8	50	1	2	6	10	15	19	37
A. NOT OPERATED	4073	6.3	26	1	2	5	8	12	15	23
B. OPERATED	933	11.3	103	2	3	8	15	23	30	58
TOTAL 0-19 YRS	409	5.0	28	1	1	4	6	10	15	22
20-34	1116	6.2	39	1	1	4	8	13	18	31
35-49	575	6.6	49	1	1	5	8	13	19	43
50-64	646	7.4	51	1	2	6	9	14	18	39
65+	2260	8.3	45	2	3	7	10	15	18	32
GRAND TOTAL	**5006**	**7.2**	**44**	**1**	**2**	**6**	**9**	**14**	**18**	**33**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	6.5	11	2	3	6	9	11	12	12
35-49	3	2.7		2	2	3	3	3	3	3
50-64	2	4.0		4	4	4	4	4	4	4
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	6	12.2	97	4	4	9	15	28	30	30
20-34	15	13.9	55	3	4	14	20	23	24	25
35-49	6	13.3	37	4	5	13	18	21	21	21
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	8	1	1	4	6	8	8	8
20-34	9	10.8	205	2	2	7	10	33	48	48
35-49	13	9.5	131	2	3	7	9	22	41	45
50-64	9	3.6	6	<1	<1	4	5	7	7	7
65+	32	11.8	125	1	3	9	14	24	29	57
B. *Operated*										
0-19 YRS	33	26.3	272	6	9	24	34	48	62	74
20-34	76	26.2	413	6	7	22	38	67	87	99+
35-49	37	30.8	603	7	8	24	56	85	99+	99+
50-64	14	28.1	561	3	5	20	39	69	71	71
65+	12	33.2	580	8	11	20	46	68	86	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.1	8	2	2	4	6	10	11	12
B. *Operated*	28	13.0	58	3	4	13	19	23	25	30
2. MULTIPLE DX										
A. *Not Operated*	67	9.7	118	1	2	6	11	22	31	55
B. *Operated*	172	27.8	445	6	8	22	41	70	86	99+
1. SINGLE DX	45	10.0	53	2	3	7	15	21	23	30
2. MULTIPLE DX	239	22.7	419	3	4	16	31	62	75	99+
A. NOT OPERATED	84	8.7	98	1	2	6	10	19	28	54
B. OPERATED	200	25.8	417	5	7	20	37	67	80	99+
TOTAL 0-19 YRS	45	21.5	277	3	4	16	30	44	52	74
20-34	108	21.7	363	3	5	16	28	58	72	99+
35-49	59	22.9	515	3	3	15	38	74	94	99+
50-64	26	16.8	451	1	1	6	21	58	69	71
65+	46	17.0	324	2	3	10	20	44	57	89
GRAND TOTAL	**284**	**20.7**	**382**	**3**	**3**	**14**	**28**	**57**	**72**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	1	<1	<1	1	2	4	4	4
20-34	64	2.0	1	<1	1	2	3	4	4	5
35-49	61	2.3	4	<1	<1	2	3	4	6	12
50-64	48	2.6	3	1	1	2	3	5	7	8
65+	49	4.1	9	1	1	4	5	7	8	19
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	5	2.8	3	1	1	3	4	5	5	5
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.5	5	1	1	2	3	6	7	11
20-34	261	3.1	7	1	1	2	4	6	9	13
35-49	358	3.9	7	1	1	3	5	8	9	11
50-64	434	4.9	16	1	1	4	6	10	13	19
65+	929	5.9	24	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	35	8.3	172	1	2	4	11	17	22	77
20-34	131	6.2	34	1	2	5	8	11	17	31
35-49	105	7.2	41	1	2	5	9	14	22	34
50-64	100	11.5	219	2	2	7	12	25	33	87
65+	143	13.4	122	2	3	10	17	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	15	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2040	4.9	18	1	1	4	6	10	12	19
B. *Operated*	514	9.6	113	1	2	6	11	19	28	61
1. SINGLE DX	255	2.6	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	2554	5.8	41	1	1	4	7	11	15	30
A. NOT OPERATED	2280	4.6	17	1	1	4	6	9	12	19
B. OPERATED	529	9.4	112	1	2	6	11	19	28	60
TOTAL 0-19 YRS	112	4.2	63	1	1	2	4	9	13	43
20-34	460	3.8	16	1	1	3	5	8	10	21
35-49	529	4.4	16	1	1	3	6	9	11	22
50-64	586	5.8	56	1	1	4	7	11	15	33
65+	1122	6.8	42	1	2	5	8	13	17	32
GRAND TOTAL	**2809**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.3	12	1	2	3	5	8	11	21
20-34	80	5.5	41	1	1	4	6	9	17	40
35-49	35	8.0	69	1	3	5	9	17	20	46
50-64	52	7.0	20	2	3	6	9	14	18	20
65+	164	7.5	26	2	2	7	10	13	16	26
B. *Operated*										
0-19 YRS	12	9.3	143	1	2	6	9	22	43	46
20-34	16	12.5	93	1	2	9	19	27	30	31
35-49	8	15.1	439	4	4	7	14	51	66	66
50-64	6	30.5	472	4	5	28	41	63	66	66
65+	3	20.3	292	9	9	12	33	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	6.5	32	1	2	5	8	13	17	32
20-34	192	8.6	47	2	3	7	11	16	20	39
35-49	107	8.6	41	2	3	7	11	16	21	36
50-64	157	10.0	85	2	3	8	12	18	23	50
65+	1191	9.6	39	3	4	8	12	17	22	33
B. *Operated*										
0-19 YRS	49	15.5	300	1	2	9	19	42	51	84
20-34	130	19.3	322	2	4	12	28	46	55	85
35-49	66	19.3	264	3	4	14	29	47	53	95
50-64	67	22.0	292	4	6	16	30	50	57	72
65+	144	19.3	213	5	6	14	28	43	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	6.6	31	1	2	5	8	12	17	26
B. *Operated*	45	15.0	250	2	3	8	19	40	51	66
2. MULTIPLE DX										
A. *Not Operated*	1757	9.2	44	2	3	8	12	17	21	38
B. *Operated*	456	19.3	273	3	4	13	27	45	53	83
1. SINGLE DX	430	7.5	60	1	2	5	9	14	21	46
2. MULTIPLE DX	2213	11.3	107	2	3	8	13	22	33	57
A. NOT OPERATED	2142	8.8	43	2	3	7	11	16	21	37
B. OPERATED	501	18.9	271	3	4	13	27	44	53	79
TOTAL 0-19 YRS	225	8.1	107	1	2	5	9	16	27	53
20-34	418	11.5	162	2	2	7	14	27	41	60
35-49	216	12.0	150	3	3	8	14	27	45	67
50-64	282	12.7	165	2	3	8	15	27	45	65
65+	1502	10.3	63	3	3	8	12	19	25	45
GRAND TOTAL	**2643**	**10.7**	**102**	**2**	**3**	**8**	**12**	**20**	**31**	**55**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.1	24	<1	1	1	2	10	16	24
20-34	40	2.7	10	<1	<1	2	3	5	6	20
35-49	12	4.4	28	1	1	3	5	11	19	20
50-64	36	2.2	2	1	1	2	3	4	5	7
65+	129	3.8	13	1	1	3	5	7	10	22
B. *Operated*										
0-19 YRS	1017	2.6	10	1	1	2	3	5	10	16
20-34	133	3.1	6	1	1	3	4	5	8	13
35-49	95	3.2	7	1	1	3	4	6	7	14
50-64	109	3.7	8	1	1	3	4	7	9	16
65+	158	5.1	19	1	2	4	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	11	<1	<1	2	3	7	11	16
20-34	46	3.2	9	<1	1	2	4	6	7	19
35-49	33	4.4	18	1	1	3	6	8	13	22
50-64	78	5.5	26	1	1	4	8	12	14	28
65+	612	6.1	32	1	2	5	7	11	15	30
B. *Operated*										
0-19 YRS	264	5.8	50	1	1	3	6	16	21	31
20-34	166	7.1	77	1	1	4	8	15	24	51
35-49	121	6.8	57	1	1	5	8	14	21	41
50-64	168	6.9	62	1	1	5	8	14	21	43
65+	480	8.4	62	2	2	7	10	16	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.3	15	1	1	2	4	7	11	21
B. *Operated*	1512	3.0	11	1	1	2	3	6	10	16
2. MULTIPLE DX										
A. *Not Operated*	807	5.7	29	1	1	4	7	11	14	29
B. *Operated*	1199	7.3	62	1	1	5	9	16	21	42
1. SINGLE DX	1814	3.1	12	1	1	2	4	6	10	17
2. MULTIPLE DX	2006	6.6	49	1	1	5	8	13	19	36
A. NOT OPERATED	1109	5.0	26	1	1	4	6	11	13	27
B. OPERATED	2711	4.9	38	1	1	3	6	11	16	30
TOTAL 0-19 YRS	1404	3.2	20	1	1	2	3	7	13	21
20-34	385	4.8	41	1	1	3	5	10	15	34
35-49	261	5.1	35	1	1	4	6	11	15	33
50-64	391	5.3	37	1	1	4	6	11	15	30
65+	1379	6.6	41	1	2	5	8	12	17	34
GRAND TOTAL	**3820**	**4.9**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.3	1	<1	<1	1	1	2	3	5
20-34	17	1.9	2	<1	<1	2	2	3	6	7
35-49	9	1.4		<1	<1	1	2	2	2	2
50-64	12	1.8	1	<1	<1	1	3	3	4	4
65+	21	2.0	2	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	1569	1.5	1	<1	<1	1	2	3	4	6
20-34	587	2.3	3	<1	1	2	3	4	5	9
35-49	401	2.4	3	<1	1	2	3	4	5	9
50-64	380	2.2	3	<1	1	2	3	4	5	10
65+	383	2.6	8	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.1	2	<1	1	1	3	4	6	6
20-34	42	2.4	5	<1	1	2	3	5	6	13
35-49	25	2.8	4	1	1	2	4	5	8	9
50-64	39	3.1	6	<1	1	3	4	7	9	9
65+	139	5.9	23	1	1	5	8	11	17	22
B. *Operated*										
0-19 YRS	365	2.8	8	1	1	2	3	6	8	18
20-34	431	4.9	25	1	1	3	6	10	15	29
35-49	276	5.2	36	1	1	3	6	11	14	28
50-64	296	4.4	21	1	1	3	5	9	13	23
65+	631	5.0	26	1	1	3	6	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	3320	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	290	4.2	16	1	1	3	5	9	11	19
B. *Operated*	1999	4.5	24	1	1	3	5	9	13	25
1. SINGLE DX	3414	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	2289	4.5	23	1	1	3	5	9	13	25
A. NOT OPERATED	384	3.5	13	<1	1	2	4	8	10	18
B. OPERATED	5319	2.9	12	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	2014	1.8	3	<1	<1	1	2	3	5	8
20-34	1077	3.4	14	1	1	2	4	7	9	20
35-49	711	3.5	18	1	1	2	4	7	10	18
50-64	727	3.1	11	1	1	2	4	6	9	16
65+	1174	4.3	21	1	1	3	5	9	13	23
GRAND TOTAL	**5703**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	1	<1	<1	2	3	4	4	4
20-34	23	1.7	1	<1	<1	2	2	3	4	5
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	4	5.5	38	1	1	4	10	14	14	14
65+	10	2.4	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	406	1.4	1	<1	<1	1	2	2	3	6
20-34	657	1.6	1	<1	<1	1	2	3	3	6
35-49	252	1.6	2	<1	<1	1	2	3	4	8
50-64	103	1.9	3	<1	<1	1	2	3	5	11
65+	41	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	4	4	5
20-34	38	2.2	4	<1	<1	2	2	5	7	8
35-49	19	3.1	6	<1	1	2	4	8	9	9
50-64	14	2.3	2	<1	<1	2	3	5	5	5
65+	34	5.8	30	<1	1	4	9	12	24	99+
B. *Operated*										
0-19 YRS	196	3.0	13	<1	1	2	3	6	8	21
20-34	434	2.8	13	<1	1	2	3	5	8	22
35-49	225	2.8	11	<1	<1	2	3	6	9	17
50-64	132	3.2	13	1	1	2	4	7	9	25
65+	84	3.3	12	<1	1	2	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.1	4	<1	<1	2	2	4	5	14
B. *Operated*	1459	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	126	3.3	13	<1	<1	2	4	8	10	43
B. *Operated*	1071	2.9	12	<1	1	2	3	6	8	22
1. SINGLE DX	1515	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1197	3.0	12	<1	1	2	3	6	8	22
A. NOT OPERATED	182	2.9	10	<1	<1	2	4	6	10	24
B. OPERATED	2530	2.1	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	635	1.9	5	<1	<1	1	2	4	5	10
20-34	1152	2.1	6	<1	<1	1	2	4	5	9
35-49	503	2.2	7	<1	<1	1	2	4	7	12
50-64	253	2.7	9	<1	<1	2	3	5	8	14
65+	169	3.4	14	<1	1	2	4	8	11	25
GRAND TOTAL	**2712**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	15.6	288	2	2	13	20	30	43	87
20-34	12	4.3	28	<1	<1	3	5	10	19	20
35-49	5	6.6	47	<1	<1	3	10	18	18	18
50-64	27	5.7	22	1	1	4	8	12	14	20
65+	112	6.6	45	1	1	5	8	13	16	42
B. *Operated*										
0-19 YRS	73	9.4	76	1	2	6	12	22	26	46
20-34	60	7.3	22	2	2	7	8	13	18	24
35-49	90	7.9	45	3	4	7	8	13	17	45
50-64	342	9.0	17	4	5	8	11	15	16	25
65+	1618	10.9	20	5	6	10	13	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	13.0	139	<1	<1	9	25	30	31	32
20-34	12	3.3	4	<1	1	3	5	6	7	7
35-49	21	14.1	293	2	3	7	12	40	55	67
50-64	64	8.6	41	2	3	7	11	15	21	39
65+	528	10.3	88	1	2	8	13	20	28	52
B. *Operated*										
0-19 YRS	88	14.3	125	3	5	10	18	32	35	51
20-34	140	14.2	125	4	5	11	17	26	40	58
35-49	159	12.4	120	4	5	9	13	23	36	60
50-64	706	13.0	67	5	6	11	15	21	28	47
65+	7795	14.0	65	6	7	12	16	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	7.6	86	1	1	5	9	16	21	45
B. *Operated*	2183	10.3	23	4	5	10	13	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	645	10.2	91	1	2	8	13	21	30	52
B. *Operated*	8888	13.9	67	6	7	12	16	22	28	52
1. SINGLE DX	2366	10.1	29	3	5	9	13	16	18	26
2. MULTIPLE DX	9533	13.6	70	5	7	12	16	22	28	52
A. NOT OPERATED	828	9.6	91	1	2	7	12	19	28	50
B. OPERATED	11071	13.2	61	6	7	12	15	21	26	49
TOTAL 0-19 YRS	208	12.6	134	1	2	9	17	29	34	51
20-34	224	11.2	101	2	3	8	13	23	30	48
35-49	275	11.0	111	3	4	8	11	19	33	60
50-64	1139	11.4	54	4	5	10	14	19	25	42
65+	10053	13.2	61	5	7	12	15	21	26	49
GRAND TOTAL	**11899**	**12.9**	**64**	**5**	**6**	**11**	**15**	**21**	**26**	**49**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	15.6	105	1	2	16	22	28	34	45
20-34	12	16.8	324	1	1	6	31	44	49	50
35-49	6	9.7	70	1	1	8	14	23	24	24
50-64	8	14.5	731	<1	1	7	28	92	99+	99+
65+	40	14.4	229	1	2	9	18	41	48	63
B. *Operated*										
0-19 YRS	405	10.0	103	1	1	6	16	24	29	47
20-34	113	10.8	129	1	2	7	11	23	37	56
35-49	44	12.9	166	1	1	9	18	29	47	55
50-64	29	11.6	61	3	5	10	13	19	33	37
65+	79	11.5	36	4	6	10	13	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	16.0	119	2	2	16	23	32	38	43
20-34	30	26.8	534	2	3	17	49	55	58	88
35-49	25	21.7	525	3	3	11	32	56	69	85
50-64	41	16.6	311	1	2	8	21	46	57	67
65+	203	14.6	181	3	3	10	19	34	44	57
B. *Operated*										
0-19 YRS	423	16.7	165	2	4	14	22	32	43	67
20-34	364	15.8	200	1	4	12	18	31	45	78
35-49	112	16.9	235	1	2	14	21	37	65	99+
50-64	119	20.1	291	5	7	14	26	47	76	99+
65+	457	19.3	225	5	7	15	23	39	55	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	15.4	134	1	2	15	22	30	36	52
B. *Operated*	670	10.6	102	1	1	8	14	23	29	50
2. MULTIPLE DX										
A. *Not Operated*	445	16.5	223	2	3	12	23	38	48	64
B. *Operated*	1475	17.6	210	3	5	14	22	36	50	85
1. SINGLE DX	1062	12.4	119	1	1	10	18	26	33	50
2. MULTIPLE DX	1920	17.3	213	2	4	13	22	37	49	83
A. NOT OPERATED	837	16.0	181	1	2	14	22	34	44	60
B. OPERATED	2145	15.4	186	1	3	12	20	32	45	77
TOTAL 0-19 YRS	1300	14.3	133	1	2	12	21	28	36	53
20-34	519	15.4	217	1	3	11	18	33	49	76
35-49	187	16.4	257	1	2	12	21	38	55	94
50-64	197	17.9	283	3	5	12	22	45	65	99+
65+	779	17.0	202	3	5	13	21	36	48	78
GRAND TOTAL	**2982**	**15.6**	**185**	**1**	**3**	**12**	**21**	**33**	**45**	**75**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	1.7	1	<1	1	1	2	3	5	6
20-34	93	2.5	3	<1	1	2	3	5	6	8
35-49	78	3.0	6	<1	1	2	4	7	8	11
50-64	54	4.6	25	1	1	3	5	7	12	33
65+	79	5.3	13	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	655	3.1	7	1	1	2	4	6	8	13
20-34	643	4.6	16	1	1	4	6	9	11	16
35-49	354	5.0	14	1	2	4	6	9	12	20
50-64	207	5.4	13	1	2	5	7	11	13	16
65+	94	7.2	20	2	2	7	9	12	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.2	15	1	1	2	4	7	9	24
20-34	94	4.1	15	<1	1	3	5	8	12	20
35-49	59	3.6	11	1	1	3	5	7	8	22
50-64	107	6.2	25	1	2	5	7	14	18	24
65+	257	6.7	34	1	2	5	8	11	16	40
B. *Operated*										
0-19 YRS	305	6.8	64	1	2	5	8	14	20	47
20-34	595	9.1	102	2	2	6	11	18	26	59
35-49	372	9.4	81	2	3	6	11	20	27	50
50-64	280	11.1	110	2	3	8	13	21	29	73
65+	251	12.2	108	3	4	9	15	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	3.0	9	1	1	2	4	6	8	14
B. *Operated*	1953	4.4	13	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	585	5.5	27	1	1	4	7	11	14	24
B. *Operated*	1803	9.5	96	2	2	7	12	19	27	53
1. SINGLE DX	2430	4.1	13	1	1	3	5	8	11	16
2. MULTIPLE DX	2388	8.5	82	1	2	6	10	17	24	49
A. NOT OPERATED	1062	4.4	20	1	1	3	6	9	12	21
B. OPERATED	3756	6.9	59	1	1	5	8	14	19	43
TOTAL 0-19 YRS	1201	3.9	24	1	1	2	4	8	11	24
20-34	1425	6.3	56	1	1	4	7	13	17	42
35-49	863	6.6	48	1	2	5	8	13	20	34
50-64	648	7.9	65	1	2	6	10	15	21	43
65+	681	8.6	64	2	2	7	10	16	21	43
GRAND TOTAL	**4818**	**6.3**	**52**	**1**	**1**	**4**	**8**	**13**	**18**	**38**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.7	2	<1	<1	1	2	3	4	7
20-34	121	2.7	5	<1	1	2	4	6	7	13
35-49	88	3.1	9	<1	1	2	4	5	10	16
50-64	59	2.7	5	<1	<1	2	3	7	8	9
65+	59	3.5	5	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	829	2.6	4	1	1	2	3	5	6	9
20-34	1372	3.4	5	1	1	3	4	6	7	11
35-49	978	3.6	5	1	1	3	5	6	7	11
50-64	776	4.2	7	1	2	4	5	7	8	13
65+	387	5.1	9	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.7	4	1	1	2	3	5	7	9
20-34	128	4.0	21	<1	1	3	5	8	10	29
35-49	94	4.1	16	<1	1	3	6	7	11	24
50-64	135	4.6	11	1	1	4	6	10	12	16
65+	305	6.1	25	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	456	4.5	30	1	1	3	5	8	13	33
20-34	1046	5.4	38	1	2	4	6	10	14	31
35-49	706	5.5	27	1	2	4	6	10	14	26
50-64	653	6.5	41	2	2	5	7	11	16	43
65+	776	8.3	57	2	3	6	10	14	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	2.7	6	<1	1	2	3	6	8	13
B. *Operated*	4342	3.6	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	711	5.0	20	1	1	4	6	10	12	20
B. *Operated*	3637	6.1	41	1	2	4	7	11	16	35
1. SINGLE DX	4737	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4348	5.9	38	1	2	4	7	11	15	33
A. NOT OPERATED	1106	4.2	16	1	1	3	5	9	11	19
B. OPERATED	7979	4.7	23	1	1	4	6	9	11	23
TOTAL 0-19 YRS	1402	3.2	13	1	1	2	4	6	8	21
20-34	2667	4.1	20	1	1	3	5	7	10	21
35-49	1866	4.3	15	1	1	3	5	8	10	20
50-64	1623	5.1	22	1	2	4	6	9	11	22
65+	1527	6.9	38	2	2	5	8	12	16	27
GRAND TOTAL	**9085**	**4.7**	**23**	**1**	**1**	**4**	**6**	**9**	**11**	**23**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		1	1	1	1	2	3	3
20-34	13	1.9		<1	<1	2	2	3	3	3
35-49	7	2.0	3	1	1	1	2	5	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	9	2.4	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	4	5	8
20-34	42	2.2	1	<1	1	2	3	4	4	5
35-49	14	2.7	2	1	1	3	4	4	6	6
50-64	8	2.3	4	1	1	2	3	6	7	7
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	3	<1	1	2	3	4	6	8
20-34	134	2.8	6	<1	1	2	4	6	7	13
35-49	77	3.5	6	<1	1	3	5	7	8	13
50-64	78	4.7	17	<1	1	3	6	10	14	21
65+	117	6.0	22	1	2	5	7	11	15	24
B. *Operated*										
0-19 YRS	38	4.2	14	1	1	3	5	8	13	18
20-34	75	3.6	10	1	1	3	4	8	11	15
35-49	35	3.8	9	1	1	3	5	9	11	14
50-64	20	5.6	28	1	1	3	9	13	17	20
65+	21	6.8	24	1	2	7	9	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.9	1	<1	1	2	3	3	4	6
B. *Operated*	98	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	470	3.9	13	<1	1	3	5	8	11	17
B. *Operated*	189	4.3	15	1	1	3	6	10	13	18
1. SINGLE DX	140	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	659	4.1	14	1	1	3	5	8	12	17
A. NOT OPERATED	512	3.8	13	<1	1	3	5	8	10	17
B. OPERATED	287	3.6	11	1	1	2	4	8	11	17
TOTAL 0-19 YRS	145	2.6	6	<1	1	2	3	5	7	14
20-34	264	2.9	6	<1	1	2	3	6	8	13
35-49	133	3.4	7	1	1	3	4	7	8	14
50-64	109	4.6	18	1	1	3	6	11	14	21
65+	148	5.9	22	1	2	5	8	11	15	19
GRAND TOTAL	**799**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+	2	13.0	128	5	5	13	21	21	21	21
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	3.3		3	3	3	4	4	4	4
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.9	25	<1	<1	2	4	13	16	16
20-34	5	5.0	17	1	1	5	8	10	10	10
35-49	4	4.3	21	1	1	2	7	11	11	11
50-64	8	8.3	68	2	2	5	11	22	26	26
65+	3	6.3		6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	8	20.0	696	3	3	12	21	66	82	82
20-34	20	15.7	123	<1	1	16	26	35	66	99+
35-49	9	21.4	202	4	5	21	27	43	50	50
50-64	4	12.0	107	2	2	10	19	26	26	26
65+	8	14.5	196	1	1	11	25	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.3	36	1	1	2	4	13	21	21
B. *Operated*	11	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	32	5.4	32	1	1	3	7	13	16	26
B. *Operated*	49	17.0	228	1	2	14	26	35	50	99+
1. SINGLE DX	21	3.1	18	1	1	2	3	5	12	21
2. MULTIPLE DX	81	12.4	181	1	1	9	17	30	37	94
A. NOT OPERATED	42	5.2	32	1	1	3	6	13	18	26
B. OPERATED	60	14.2	219	1	1	12	22	34	44	98
TOTAL 0-19 YRS	31	7.4	230	1	1	2	5	15	27	82
20-34	28	12.5	116	1	1	12	20	31	42	99+
35-49	18	12.1	192	1	1	5	21	31	43	50
50-64	12	9.5	76	2	2	6	13	26	26	26
65+	13	12.4	137	1	2	7	17	35	36	36
GRAND TOTAL	**102**	**10.5**	**161**	**1**	**1**	**5**	**15**	**27**	**35**	**90**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	3.9	63	<1	<1	1	2	16	25	25
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64										
65+	6	5.5	31	<1	<1	4	6	15	16	16
B. *Operated*										
0-19 YRS	88	1.9	1	<1	1	2	3	3	4	5
20-34	436	2.2	1	1	1	2	3	4	4	5
35-49	131	2.0	1	<1	1	2	3	3	4	5
50-64	41	2.7	9	<1	1	2	3	5	6	19
65+	42	1.7	2	1	1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	27	5.1	128	<1	<1	2	3	7	22	60
35-49	10	1.7		1	1	2	2	3	3	3
50-64	10	4.1	6	1	1	4	7	8	8	8
65+	20	5.7	30	2	2	4	6	11	20	25
B. *Operated*										
0-19 YRS	21	2.3	1	1	1	2	3	4	4	5
20-34	119	2.8	5	1	1	2	3	5	7	12
35-49	67	3.4	8	1	1	3	4	7	8	16
50-64	42	3.9	16	<1	1	2	5	11	13	17
65+	79	4.3	27	<1	1	3	5	9	14	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	37	<1	<1	1	3	11	20	25
B. *Operated*	738	2.1	2	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	70	4.6	59	1	1	3	4	8	15	53
B. *Operated*	328	3.4	12	1	1	2	4	7	9	19
1. SINGLE DX	758	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX	398	3.6	21	1	1	3	4	7	10	26
A. NOT OPERATED	90	4.4	54	<1	1	2	4	8	15	46
B. OPERATED	1066	2.5	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	113	2.0	1	<1	1	2	3	3	4	5
20-34	591	2.5	9	1	1	2	3	4	5	10
35-49	212	2.4	4	1	1	2	3	4	5	10
50-64	93	3.4	12	<1	1	2	4	8	12	18
65+	147	3.8	22	1	1	2	5	8	14	36
GRAND TOTAL	**1156**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	16	2.9	35	<1	<1	1	2	3	18	25
35-49	5	1.8	3	<1	<1	1	2	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	487	1.9	3	<1	<1	1	2	3	4	7
20-34	1172	1.9	3	<1	<1	1	2	4	5	7
35-49	632	1.9	3	<1	<1	1	2	4	5	7
50-64	314	1.8	1	<1	<1	1	2	3	4	6
65+	86	3.0	45	<1	<1	2	3	5	5	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.5	3	<1	<1	1	1	2	6	7
20-34	21	1.7	2	<1	<1	1	2	4	5	6
35-49	7	1.7	4	<1	<1	1	1	5	6	6
50-64	5	1.4	1	<1	<1	<1	1	3	3	3
65+	15	4.9	24	<1	<1	3	6	15	16	16
B. *Operated*										
0-19 YRS	414	2.4	3	<1	<1	2	3	5	6	9
20-34	1153	2.5	11	<1	<1	2	3	5	6	12
35-49	694	2.3	5	<1	<1	1	3	5	6	11
50-64	553	2.2	4	<1	<1	1	3	4	6	10
65+	297	2.9	9	<1	<1	2	3	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.3	20	<1	<1	1	2	3	6	25
B. *Operated*	2691	1.9	4	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	62	2.4	9	<1	<1	1	2	6	8	16
B. *Operated*	3111	2.4	7	<1	<1	2	3	5	6	11
1. SINGLE DX	2720	1.9	4	<1	<1	1	2	4	5	7
2. MULTIPLE DX	3173	2.4	7	<1	<1	2	3	5	6	11
A. NOT OPERATED	91	2.4	12	<1	<1	1	2	5	7	21
B. OPERATED	5802	2.2	6	<1	<1	1	3	4	5	10
TOTAL 0-19 YRS	919	2.1	3	<1	<1	1	3	4	5	8
20-34	2362	2.2	7	<1	<1	1	3	4	5	9
35-49	1338	2.1	4	<1	<1	1	3	4	5	9
50-64	874	2.0	3	<1	<1	1	2	4	5	9
65+	400	3.0	17	<1	<1	2	3	6	9	18
GRAND TOTAL	**5893**	**2.2**	**6**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	17	<1	<1	1	4	9	15	15
20-34	29	5.5	27	1	1	3	9	14	15	20
35-49	18	5.3	25	<1	1	3	6	15	15	15
50-64	10	5.2	34	<1	<1	3	8	14	20	20
65+	7	3.1	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	175	2.4	12	<1	<1	1	3	5	8	11
20-34	238	3.0	11	<1	<1	2	3	7	10	17
35-49	116	3.3	12	<1	1	2	4	7	11	18
50-64	63	3.0	17	<1	1	2	3	7	13	21
65+	29	2.9	8	<1	<1	1	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	28	<1	1	3	4	11	14	27
20-34	48	5.3	38	<1	1	4	6	12	19	33
35-49	32	6.3	106	1	1	4	7	11	17	58
50-64	25	6.4	24	1	1	5	9	15	16	18
65+	43	6.2	49	1	1	4	7	10	18	41
B. *Operated*										
0-19 YRS	127	6.2	105	<1	1	3	7	13	19	64
20-34	206	5.7	45	1	1	4	7	12	16	35
35-49	143	6.7	73	1	1	4	8	17	22	47
50-64	109	6.7	45	1	1	4	10	17	23	28
65+	96	8.4	83	1	1	5	12	22	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.7	23	<1	1	3	6	14	15	20
B. *Operated*	621	2.9	12	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	175	5.7	49	1	1	4	7	12	17	39
B. *Operated*	681	6.6	68	1	1	4	8	15	21	42
1. SINGLE DX	710	3.1	14	<1	1	2	3	7	11	18
2. MULTIPLE DX	856	6.4	64	1	1	4	8	15	21	41
A. NOT OPERATED	264	5.4	40	<1	1	4	7	12	15	32
B. OPERATED	1302	4.8	45	<1	1	2	5	11	17	32
TOTAL 0-19 YRS	354	4.0	50	<1	1	2	4	9	13	39
20-34	521	4.4	30	<1	1	3	5	10	14	27
35-49	309	5.3	53	1	1	3	6	13	18	42
50-64	207	5.4	36	<1	1	3	7	15	19	27
65+	175	6.8	63	1	1	4	8	17	24	41
GRAND TOTAL	**1566**	**4.9**	**44**	**<1**	**1**	**3**	**6**	**11**	**17**	**32**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.6	1	<1	<1	1	2	3	4	4
20-34	27	1.6	2	<1	<1	1	2	3	4	7
35-49	16	2.6	3	<1	<1	2	3	6	7	7
50-64	14	2.3	3	<1	1	2	3	5	7	7
65+	10	5.6	12	2	2	6	9	10	11	11
B. *Operated*										
0-19 YRS	377	2.6	3	<1	<1	2	4	5	6	7
20-34	734	2.9	3	<1	<1	3	4	5	6	7
35-49	218	3.0	3	<1	1	3	4	6	6	8
50-64	42	3.5	4	<1	1	4	5	6	7	7
65+	22	4.7	8	1	1	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	4	<1	<1	1	2	4	7	8
20-34	39	3.3	8	<1	<1	2	4	7	9	14
35-49	22	3.5	6	<1	1	3	5	7	9	10
50-64	34	3.4	10	1	1	3	4	6	11	16
65+	94	5.6	79	1	2	4	7	9	12	55
B. *Operated*										
0-19 YRS	458	3.4	5	<1	1	3	4	6	7	10
20-34	1075	3.8	5	1	1	4	5	6	7	11
35-49	441	4.0	8	1	1	4	5	7	8	15
50-64	99	4.8	9	1	1	4	7	9	11	14
65+	45	7.2	26	1	2	6	8	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.4	5	<1	<1	2	3	6	7	10
B. *Operated*	1393	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	204	4.3	42	<1	1	3	5	8	10	17
B. *Operated*	2118	3.9	7	1	1	4	5	6	8	14
1. SINGLE DX	1475	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	2322	3.9	10	1	1	4	5	7	8	14
A. NOT OPERATED	286	3.8	32	<1	1	2	5	7	9	15
B. OPERATED	3511	3.5	5	<1	1	3	5	6	7	12
TOTAL 0-19 YRS	865	3.0	4	<1	<1	3	4	5	6	9
20-34	1875	3.4	4	<1	1	3	4	6	7	10
35-49	697	3.7	6	<1	1	3	5	6	7	13
50-64	189	4.1	8	1	1	4	5	8	10	14
65+	171	5.9	52	1	2	5	7	10	13	25
GRAND TOTAL	**3797**	**3.5**	**7**	**<1**	**1**	**3**	**5**	**6**	**7**	**12**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.0	5	<1	1	3	4	6	6	11
20-34	445	4.3	7	1	1	4	6	8	9	13
35-49	422	5.2	8	1	2	5	7	9	11	13
50-64	179	4.9	7	2	2	5	6	9	10	14
65+	69	4.8	6	2	2	4	6	8	8	14
B. *Operated*										
0-19 YRS	3	5.7	17	1	1	7	8	9	9	9
20-34	93	4.4	17	1	1	2	8	11	13	16
35-49	71	5.2	33	1	1	3	7	13	17	29
50-64	17	3.0	10	1	1	2	3	9	10	11
65+	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	5	<1	1	3	4	6	7	9
20-34	451	5.3	12	1	2	5	7	10	12	18
35-49	541	5.7	15	2	2	5	7	10	12	18
50-64	398	5.6	13	1	2	5	7	9	11	18
65+	539	6.0	20	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	6	12.2	81	1	1	15	20	21	21	21
20-34	79	7.3	35	1	1	6	9	15	18	32
35-49	85	8.9	52	1	1	7	13	17	23	33
50-64	51	8.2	47	1	2	7	10	17	20	40
65+	34	8.8	35	2	3	8	13	14	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1164	4.7	7	1	2	4	6	8	10	14
B. *Operated*	186	4.7	23	1	1	2	7	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	1973	5.6	15	1	2	5	7	10	12	19
B. *Operated*	255	8.3	44	1	1	7	11	16	21	33
1. SINGLE DX	1350	4.7	9	1	1	4	6	8	10	15
2. MULTIPLE DX	2228	5.9	19	1	2	5	8	11	14	22
A. NOT OPERATED	3137	5.3	13	1	2	5	7	9	11	18
B. OPERATED	441	6.8	38	1	1	5	10	15	18	30
TOTAL 0-19 YRS	102	3.6	13	<1	1	3	4	7	10	20
20-34	1068	5.0	12	1	1	4	7	9	11	16
35-49	1119	5.7	17	1	2	5	7	10	13	19
50-64	645	5.6	15	1	2	5	7	10	12	20
65+	644	6.0	20	2	2	5	7	11	14	25
GRAND TOTAL	**3578**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.6	6	<1	1	2	3	6	7	13
20-34	419	4.2	10	1	1	3	5	8	10	15
35-49	373	4.7	9	1	1	4	6	8	10	15
50-64	136	4.8	8	1	1	4	6	9	10	14
65+	48	4.6	23	1	2	3	5	8	12	29
B. *Operated*										
0-19 YRS	6	6.5	31	1	1	6	8	15	16	16
20-34	126	2.7	5	1	1	2	4	6	8	10
35-49	106	4.0	15	1	1	2	6	10	12	17
50-64	29	3.0	7	1	1	2	4	7	9	9
65+	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.1	12	<1	1	2	4	7	9	19
20-34	704	4.4	11	1	1	4	6	8	11	17
35-49	692	5.4	15	1	2	5	7	10	12	19
50-64	442	5.3	12	1	2	5	7	10	11	15
65+	513	5.3	14	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	20	3.6	11	<1	1	2	5	7	11	15
20-34	175	5.3	25	1	1	3	8	12	16	22
35-49	151	5.6	31	1	1	4	8	13	19	21
50-64	61	4.9	18	1	1	3	7	11	15	18
65+	34	8.6	45	2	2	7	12	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1052	4.3	10	1	1	4	6	8	10	15
B. *Operated*	270	3.4	10	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	2460	5.0	13	1	1	4	7	9	12	17
B. *Operated*	441	5.5	28	1	1	4	8	13	16	21
1. SINGLE DX	1322	4.1	10	1	1	3	6	8	10	15
2. MULTIPLE DX	2901	5.1	15	1	1	4	7	10	12	20
A. NOT OPERATED	3512	4.8	12	1	1	4	6	9	11	16
B. OPERATED	711	4.7	22	1	1	3	6	11	15	21
TOTAL 0-19 YRS	211	3.0	10	<1	1	2	4	7	9	17
20-34	1424	4.3	12	1	1	3	6	9	11	17
35-49	1322	5.1	15	1	1	4	7	10	12	20
50-64	668	5.1	12	1	1	4	7	10	11	16
65+	598	5.4	17	1	2	4	7	10	13	22
GRAND TOTAL	**4223**	**4.8**	**14**	**1**	**1**	**4**	**6**	**9**	**12**	**18**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	6	<1	<1	2	3	4	6	13
20-34	56	2.4	5	1	1	2	3	4	7	13
35-49	42	3.3	7	<1	1	2	5	7	9	10
50-64	21	2.9	4	<1	<1	2	4	6	6	7
65+	28	3.6	8	<1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	138	1.7	1	<1	<1	1	2	3	4	5
20-34	532	2.1	2	<1	<1	2	3	4	4	6
35-49	482	2.5	2	<1	1	2	3	4	5	8
50-64	459	3.1	2	1	1	3	4	5	6	8
65+	193	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	5	<1	<1	2	2	4	9	10
20-34	95	3.1	10	<1	1	2	3	6	9	18
35-49	69	3.6	21	1	1	2	4	7	13	27
50-64	80	3.6	9	<1	1	3	4	8	11	15
65+	199	5.4	22	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	74	2.3	2	<1	1	2	3	4	4	8
20-34	178	2.7	6	<1	1	2	4	5	7	11
35-49	199	3.1	5	1	1	3	4	5	7	13
50-64	357	4.0	6	1	2	3	5	7	8	14
65+	228	5.0	11	2	2	4	6	8	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	2.8	6	<1	1	2	4	6	7	13
B. *Operated*	1804	2.6	3	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	471	4.2	17	1	1	3	5	9	12	21
B. *Operated*	1036	3.7	7	1	1	3	5	6	8	14
1. SINGLE DX	1979	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	1507	3.9	10	1	1	3	5	7	10	16
A. NOT OPERATED	646	3.8	15	1	1	3	4	8	12	21
B. OPERATED	2840	3.0	5	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	268	2.0	2	<1	<1	2	3	4	4	9
20-34	861	2.4	4	<1	1	2	3	4	5	9
35-49	792	2.8	5	<1	1	2	4	5	6	12
50-64	917	3.5	4	1	1	3	4	6	7	12
65+	648	4.7	13	1	2	4	6	8	12	18
GRAND TOTAL	**3486**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1217	1.2		<1	1	1	1	2	2	3
20-34	301	1.5	1	<1	1	1	2	3	3	5
35-49	98	1.9	2	<1	1	1	2	3	4	10
50-64	44	2.2	3	<1	1	2	3	4	6	8
65+	41	2.0	4	<1	<1	1	2	4	7	9
B. *Operated*										
0-19 YRS	9	2.3	11	1	1	1	2	7	11	11
20-34	6	3.7	10	<1	<1	2	6	9	9	9
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1446	1.7	3	<1	1	1	2	3	4	9
20-34	1197	2.2	4	<1	1	2	3	4	6	10
35-49	469	2.6	5	1	1	2	3	5	7	12
50-64	294	3.1	9	1	1	2	4	7	9	13
65+	424	3.8	19	1	1	3	5	7	12	21
B. *Operated*										
0-19 YRS	353	2.8	19	<1	1	1	3	6	8	22
20-34	473	3.7	34	<1	1	2	4	7	11	37
35-49	181	4.1	24	1	1	3	5	8	13	28
50-64	110	4.2	23	1	1	3	5	10	18	99+
65+	133	5.3	22	1	1	4	8	13	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1701	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	20	2.5	8	<1	1	1	3	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	3830	2.3	6	<1	1	1	3	5	7	12
B. *Operated*	1250	3.7	27	<1	1	2	4	8	12	29
1. SINGLE DX	1721	1.3	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	5080	2.6	12	<1	1	2	3	5	8	16
A. NOT OPERATED	5531	2.0	5	<1	1	1	2	4	6	11
B. OPERATED	1270	3.7	26	<1	1	2	4	8	12	29
TOTAL 0-19 YRS	3025	1.6	4	<1	1	1	2	3	4	9
20-34	1977	2.4	11	<1	1	2	3	5	7	14
35-49	751	2.9	10	1	1	2	3	6	8	14
50-64	450	3.3	12	1	1	2	4	7	10	26
65+	598	4.0	19	1	1	3	5	9	13	20
GRAND TOTAL	**6801**	**2.3**	**9**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	453	1.5	3	<1	1	1	1	2	4	9
20-34	12[illegible]	2.4	7	<1	<1	1	3	5	9	13
35-49	[illegible]	1.8	2	<1	<1	1	2	4	5	7
50-64	[illegible]	2.2	2	<1	<1	2	3	5	5	6
65+	19	3.4	8	1	1	3	5	6	9	12
B. *Operated*										
0-19 YRS	36	6.6	21	1	2	5	8	13	14	22
20-34	33	9.6	163	1	2	7	12	18	20	74
35-49	22	9.6	48	2	4	7	12	21	26	30
50-64	21	9.8	285	1	2	7	8	13	45	82
65+	41	8.0	14	2	4	8	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	643	2.5	15	<1	1	1	2	5	8	17
20-34	447	3.9	31	<1	<1	2	4	10	14	29
35-49	191	4.6	48	<1	1	2	5	11	19	38
50-64	143	5.0	50	1	1	3	6	11	16	37
65+	308	6.5	61	1	1	4	8	13	21	51
B. *Operated*										
0-19 YRS	219	13.3	310	1	1	6	19	43	62	99+
20-34	311	14.6	366	1	1	7	23	58	93	99+
35-49	102	15.7	378	1	1	9	25	58	89	99+
50-64	87	15.0	231	1	2	11	19	33	45	95
65+	228	16.0	240	1	3	12	20	32	54	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	1.8	4	<1	1	1	2	3	5	10
B. *Operated*	153	8.5	89	1	2	7	10	14	19	73
2. MULTIPLE DX										
A. *Not Operated*	1732	4.0	36	<1	1	2	5	9	14	30
B. *Operated*	947	14.8	311	1	1	9	21	44	68	99+
1. SINGLE DX	804	3.0	27	<1	1	1	3	7	11	19
2. MULTIPLE DX	2679	7.8	160	<1	1	3	9	22	37	99+
A. NOT OPERATED	2383	3.4	28	<1	1	2	4	8	12	25
B. OPERATED	1100	13.9	285	1	1	8	19	39	65	99+
TOTAL 0-19 YRS	1351	4.0	76	<1	1	1	3	9	18	59
20-34	914	7.5	173	<1	1	3	8	22	43	99+
35-49	351	7.8	166	<1	1	3	8	23	40	99+
50-64	271	8.4	145	1	1	4	10	19	32	81
65+	596	10.1	146	1	1	7	12	23	31	62
GRAND TOTAL	**3483**	**6.7**	**133**	**<1**	**1**	**2**	**7**	**17**	**31**	**92**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.3	4	<1	1	2	3	4	7	9
20-34	31	2.2	2	<1	1	2	3	4	5	7
35-49	16	1.8	1	<1	<1	1	2	4	4	4
50-64	12	2.7	6	1	1	2	3	7	9	9
65+	5	3.6	5	2	2	2	5	7	7	7
B. *Operated*										
0-19 YRS	27	4.7	19	1	2	3	6	8	13	23
20-34	94	4.3	10	1	2	4	5	6	10	21
35-49	25	4.8	9	1	2	4	8	9	10	11
50-64	10	3.8	2	2	2	4	5	6	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.4	6	1	1	3	4	8	9	11
20-34	141	3.3	6	1	1	3	4	6	7	14
35-49	79	4.2	14	1	1	3	6	7	9	24
50-64	68	5.0	10	1	2	4	7	10	12	15
65+	110	6.2	17	2	2	5	8	12	16	19
B. *Operated*										
0-19 YRS	110	8.5	109	2	2	6	9	15	17	70
20-34	329	7.6	69	2	2	6	9	13	22	46
35-49	177	7.9	52	2	3	7	9	12	17	42
50-64	108	9.7	116	2	3	7	11	18	25	67
65+	121	12.3	128	4	4	9	14	23	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	157	4.4	11	1	2	4	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	466	4.4	12	1	1	4	6	8	11	17
B. *Operated*	845	8.7	87	2	3	6	10	16	24	52
1. SINGLE DX	241	3.7	9	1	1	3	4	7	9	15
2. MULTIPLE DX	1311	7.2	65	1	2	5	8	13	18	44
A. NOT OPERATED	550	4.1	11	1	1	3	5	8	10	16
B. OPERATED	1002	8.1	78	2	2	6	9	15	22	49
TOTAL 0-19 YRS	225	5.9	64	1	1	4	7	11	15	44
20-34	595	5.8	46	1	1	4	7	10	15	39
35-49	297	6.3	39	1	2	5	8	11	14	36
50-64	198	7.3	74	1	2	5	8	13	18	56
65+	237	9.3	83	2	3	7	11	17	23	45
GRAND TOTAL	**1552**	**6.6**	**58**	**1**	**2**	**5**	**8**	**12**	**17**	**41**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.7	5	1	1	2	3	6	8	11
20-34	86	2.9	5	1	1	2	5	6	8	10
35-49	21	3.8	9	1	1	2	6	8	10	12
50-64	13	1.9	2	1	1	2	2	4	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	113	5.2	4	2	3	5	6	8	8	12
20-34	113	5.4	5	2	3	5	7	8	9	12
35-49	37	5.4	8	1	2	6	7	8	10	13
50-64	12	7.2	15	1	3	6	9	12	15	16
65+	8	7.1	4	1	5	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	3.4	11	1	1	2	4	8	9	18
20-34	221	3.5	21	1	1	2	4	6	9	18
35-49	83	4.0	13	1	1	3	5	8	11	20
50-64	54	4.9	21	1	1	4	6	10	13	27
65+	66	5.7	17	1	1	5	7	10	13	21
B. *Operated*										
0-19 YRS	342	9.4	67	2	4	7	10	18	26	46
20-34	657	11.0	119	3	4	8	12	22	35	70
35-49	237	11.8	114	3	4	9	14	23	34	79
50-64	110	14.5	231	4	5	10	15	35	59	99+
65+	87	15.3	204	3	4	10	19	33	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	2.8	5	1	1	2	4	6	8	11
B. *Operated*	283	5.5	5	2	3	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	657	3.9	16	1	1	3	5	8	10	19
B. *Operated*	1433	11.3	122	3	4	8	12	23	34	71
1. SINGLE DX	568	4.1	7	1	1	4	6	8	8	12
2. MULTIPLE DX	2090	9.0	100	1	2	6	10	18	28	65
A. NOT OPERATED	942	3.5	13	1	1	2	5	8	9	18
B. OPERATED	1716	10.3	107	3	4	7	11	20	31	69
TOTAL 0-19 YRS	850	5.9	40	1	1	5	7	11	17	34
20-34	1077	8.3	90	1	1	6	9	16	25	59
35-49	378	9.0	88	1	2	7	10	18	27	66
50-64	189	10.4	165	1	1	7	12	21	42	99
65+	164	10.8	139	1	2	8	12	21	34	72
GRAND TOTAL	**2658**	**7.9**	**84**	**1**	**1**	**6**	**9**	**15**	**24**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	2	<1	1	2	3	4	5	5
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	154	2.2	2	<1	1	2	3	4	5	7
20-34	104	2.3	2	<1	1	2	3	4	5	6
35-49	40	2.3	3	<1	1	2	3	4	5	8
50-64	16	2.4	3	<1	<1	2	3	6	6	6
65+	13	2.4	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	3	<1	<1	2	2	4	6	7
20-34	11	4.0	13	<1	<1	3	6	10	11	11
35-49	5	5.0	11	1	1	4	7	10	10	10
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	192	3.4	8	1	1	3	5	7	9	12
20-34	194	3.4	9	1	1	3	5	6	8	12
35-49	82	2.9	4	1	1	3	4	5	6	12
50-64	40	4.4	32	1	1	3	5	6	11	36
65+	55	4.8	26	1	1	3	7	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.1	6	<1	1	3	4	5	7	12
B. *Operated*	327	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	36	3.1	7	<1	<1	2	4	7	10	11
B. *Operated*	563	3.6	11	1	1	3	4	7	9	16
1. SINGLE DX	351	2.3	2	<1	1	2	3	5	5	7
2. MULTIPLE DX	599	3.5	11	1	1	3	4	7	9	15
A. NOT OPERATED	60	3.1	7	<1	1	2	4	6	10	12
B. OPERATED	890	3.1	8	1	1	2	4	6	8	13
TOTAL 0-19 YRS	372	2.8	5	<1	1	2	4	6	7	10
20-34	315	3.1	7	1	1	2	4	5	7	11
35-49	129	2.8	4	1	1	2	4	5	6	11
50-64	61	3.7	22	<1	1	3	4	6	8	33
65+	73	4.4	22	1	1	3	6	9	14	26
GRAND TOTAL	**950**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	2	<1	<1	1	2	3	4	8
20-34	30	2.0	2	<1	<1	1	2	5	5	6
35-49	11	1.5	1	<1	<1	1	2	3	3	3
50-64	7	1.1		<1	<1	1	1	2	2	2
65+	5	2.4	7	1	1	1	3	7	7	7
B. *Operated*										
0-19 YRS	236	1.7	3	<1	<1	1	2	4	5	8
20-34	102	2.7	12	<1	1	2	3	5	8	22
35-49	50	1.9	4	<1	<1	1	2	4	5	13
50-64	15	2.2	2	<1	<1	2	3	4	5	6
65+	18	1.7	1	<1	1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	2.4	4	<1	1	2	3	5	7	11
20-34	170	2.5	11	<1	<1	2	3	5	6	14
35-49	92	2.3	6	<1	<1	2	3	4	6	15
50-64	61	2.8	6	<1	1	2	3	5	8	12
65+	103	3.8	9	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	489	2.5	12	<1	1	1	3	5	7	21
20-34	592	3.0	14	<1	1	2	4	6	9	19
35-49	234	3.5	23	<1	1	2	4	7	11	21
50-64	144	3.7	29	1	1	2	4	7	9	32
65+	225	4.6	38	1	1	3	6	9	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	421	2.0	5	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	546	2.7	8	<1	1	2	3	6	8	13
B. *Operated*	1684	3.2	19	<1	1	2	4	7	9	22
1. SINGLE DX	513	2.0	4	<1	<1	1	2	4	5	11
2. MULTIPLE DX	2230	3.1	17	<1	1	2	3	6	9	20
A. NOT OPERATED	638	2.6	7	<1	1	2	3	5	7	13
B. OPERATED	2105	3.0	17	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	884	2.3	8	<1	1	1	2	4	6	16
20-34	894	2.9	13	<1	1	2	3	6	8	19
35-49	387	2.9	16	<1	1	2	3	6	9	19
50-64	227	3.3	21	<1	1	2	4	6	9	19
65+	351	4.2	28	1	1	3	5	8	11	22
GRAND TOTAL	**2743**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.8	12	<1	<1	1	2	2	3	25
20-34	137	1.4	1	<1	<1	1	2	2	4	4
35-49	34	1.6	1	<1	<1	1	2	3	4	6
50-64	8	1.9	2	<1	<1	1	2	4	5	5
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	92	1.9	2	<1	1	1	3	4	4	7
20-34	151	2.5	3	<1	<1	2	3	5	6	7
35-49	44	2.3	4	<1	<1	1	3	5	6	9
50-64	7	2.4	4	1	1	2	4	6	6	6
65+	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	1.8	1	<1	1	1	2	4	4	4
20-34	117	2.4	15	<1	1	1	2	4	6	20
35-49	36	3.2	21	1	1	2	4	6	7	28
50-64	13	2.9	5	<1	1	2	4	5	8	9
65+	19	6.7	99	1	1	5	8	10	30	46
B. *Operated*										
0-19 YRS	120	5.0	63	<1	1	3	6	10	14	48
20-34	282	5.5	34	<1	1	4	7	11	16	29
35-49	90	6.4	66	1	1	5	7	11	15	51
50-64	35	7.2	55	1	1	4	11	20	24	27
65+	29	7.2	149	<1	1	4	7	13	22	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	1.6	4	<1	<1	1	2	3	4	5
B. *Operated*	298	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	233	2.8	20	<1	1	2	3	5	7	30
B. *Operated*	556	5.8	53	<1	1	4	7	12	17	42
1. SINGLE DX	551	2.0	3	<1	<1	1	2	4	5	7
2. MULTIPLE DX	789	4.9	45	<1	1	3	6	10	13	40
A. NOT OPERATED	486	2.1	12	<1	<1	1	2	4	5	10
B. OPERATED	854	4.5	38	<1	1	3	5	9	12	30
TOTAL 0-19 YRS	330	3.0	28	<1	1	2	3	6	9	31
20-34	687	3.5	21	<1	1	2	4	7	10	24
35-49	204	4.2	38	<1	1	2	5	8	11	35
50-64	63	5.1	37	<1	1	2	6	13	21	27
65+	56	6.3	112	<1	1	3	7	12	18	65
GRAND TOTAL	**1340**	**3.7**	**30**	**<1**	**1**	**2**	**4**	**8**	**11**	**28**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.4	2	<1	1	2	3	5	6	7
20-34	122	2.8	3	<1	1	2	4	5	7	9
35-49	54	3.3	4	<1	1	3	4	6	7	9
50-64	14	2.7	2	<1	1	3	4	5	5	5
65+	13	2.7	3	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	549	1.9	5	<1	<1	1	2	4	6	11
20-34	978	2.1	5	<1	<1	1	2	4	6	11
35-49	418	2.2	6	<1	<1	1	2	5	7	14
50-64	187	2.1	4	<1	<1	1	2	4	6	10
65+	77	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.3	14	<1	<1	2	4	5	10	23
20-34	174	3.5	16	<1	1	2	4	6	9	22
35-49	73	2.8	4	1	1	2	4	5	6	10
50-64	36	3.7	8	<1	1	3	5	7	10	14
65+	41	5.6	40	<1	1	4	7	10	17	37
B. *Operated*										
0-19 YRS	484	2.9	33	<1	1	2	3	6	8	26
20-34	1094	3.1	16	<1	1	2	4	7	9	19
35-49	393	3.4	24	<1	1	2	3	7	11	31
50-64	218	4.0	46	1	1	2	4	9	12	23
65+	147	4.3	28	<1	1	2	5	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	3	<1	1	2	4	5	6	9
B. *Operated*	2209	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	395	3.6	16	<1	1	3	4	7	9	22
B. *Operated*	2336	3.3	25	<1	1	2	4	7	10	23
1. SINGLE DX	2475	2.2	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2731	3.3	23	<1	1	2	4	7	10	23
A. NOT OPERATED	661	3.3	11	<1	1	2	4	6	8	20
B. OPERATED	4545	2.7	16	<1	<1	1	3	6	8	18
TOTAL 0-19 YRS	1167	2.4	17	<1	<1	1	2	5	7	15
20-34	2368	2.7	11	<1	<1	2	3	6	8	16
35-49	938	2.8	14	<1	<1	2	3	6	8	20
50-64	455	3.1	25	<1	1	2	3	7	10	22
65+	278	3.8	23	<1	1	2	4	8	12	28
GRAND TOTAL	**5206**	**2.8**	**15**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.1	2	<1	1	2	3	4	7	8
20-34	94	2.6	4	<1	<1	2	3	5	7	11
35-49	32	3.9	59	<1	<1	2	4	5	6	45
50-64	14	4.4	49	<1	<1	2	4	16	23	25
65+	8	3.3	3	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	367	2.9	7	<1	<1	2	4	6	8	11
20-34	373	3.6	19	1	1	2	4	7	11	28
35-49	115	3.0	8	1	1	2	4	6	10	15
50-64	56	2.9	4	<1	<1	2	4	6	8	9
65+	34	4.5	10	<1	1	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.7	7	<1	1	3	5	8	9	11
20-34	82	4.8	35	<1	1	3	5	10	14	37
35-49	34	6.5	128	<1	1	4	6	10	13	68
50-64	33	5.7	16	<1	2	4	8	11	12	19
65+	37	5.0	8	2	2	5	6	8	14	99+
B. *Operated*										
0-19 YRS	218	5.9	97	1	1	3	6	11	21	57
20-34	302	6.6	77	1	1	4	8	13	20	50
35-49	128	7.7	95	1	1	4	9	18	32	45
50-64	64	6.0	32	1	1	4	8	15	19	23
65+	90	10.4	80	1	2	8	14	25	29	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	2.8	15	<1	1	2	3	5	7	19
B. *Operated*	945	3.3	12	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	237	5.0	36	1	1	3	6	9	12	47
B. *Operated*	802	7.0	83	1	1	4	8	15	25	51
1. SINGLE DX	1158	3.2	13	<1	1	2	4	6	9	16
2. MULTIPLE DX	1039	6.5	73	1	1	4	7	14	21	50
A. NOT OPERATED	450	3.9	27	<1	1	3	5	8	11	25
B. OPERATED	1747	5.0	48	<1	1	3	5	11	15	38
TOTAL 0-19 YRS	701	3.9	36	<1	1	2	4	7	10	31
20-34	851	4.7	42	<1	1	3	5	9	14	38
35-49	309	5.4	67	1	1	3	5	12	17	43
50-64	16	4.8	23	<1	1	3	6	11	15	23
65+	165	7.7	55	1	2	5	10	19	26	89
GRAND TOTAL	**2197**	**4.8**	**44**	**<1**	**1**	**3**	**5**	**10**	**14**	**38**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	4.8	11	1	1	5	7	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	4	1	1	4	5	6	6	6
20-34	21	5.6	29	<1	<1	5	7	12	18	23
35-49	6	3.8	11	<1	<1	2	8	8	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	6	3.2	7	1	1	2	4	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	37	1	1	9	12	13	13	13
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	48	5.8	29	1	1	4	8	12	17	25
20-34	127	7.8	126	1	1	4	9	18	43	82
35-49	49	9.3	103	1	1	5	13	27	32	41
50-64	17	9.2	95	1	1	4	12	27	30	32
65+	13	8.8	102	1	1	4	12	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	9	<1	<1	3	7	8	8	8
B. *Operated*	39	4.7	19	<1	1	4	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	14	1	1	3	7	9	12	13
B. *Operated*	254	7.8	100	1	1	4	9	18	30	51
1. SINGLE DX	46	4.6	18	<1	1	4	6	9	12	23
2. MULTIPLE DX	269	7.6	96	1	1	4	9	18	29	50
A. NOT OPERATED	22	4.1	12	<1	1	3	7	9	11	13
B. OPERATED	293	7.4	90	1	1	4	9	18	29	48
TOTAL 0-19 YRS	60	5.3	25	1	1	4	7	11	16	25
20-34	158	7.2	107	1	1	4	8	17	27	75
35-49	57	8.5	93	<1	1	5	11	24	32	41
50-64	22	8.3	81	1	1	4	12	26	29	32
65+	18	7.6	78	1	1	4	10	25	29	29
GRAND TOTAL	**315**	**7.2**	**85**	**1**	**1**	**4**	**8**	**17**	**28**	**47**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	18	1	1	2	6	10	10	10
20-34	14	3.5	14	<1	1	2	4	8	13	15
35-49	5	6.0	19	2	2	4	10	12	12	12
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	76	2.7	5	<1	<1	2	4	5	6	13
20-34	167	2.3	4	<1	<1	2	3	4	7	10
35-49	82	2.9	13	<1	<1	2	3	6	9	23
50-64	24	3.1	7	<1	<1	3	4	6	10	10
65+	13	3.9	13	<1	<1	3	5	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.4	124	<1	<1	3	6	13	37	45
20-34	31	8.1	128	<1	1	4	8	28	31	47
35-49	40	7.6	57	1	2	5	10	15	24	37
50-64	25	9.2	101	<1	1	6	10	27	31	39
65+	37	8.5	29	2	2	7	11	17	20	22
B. *Operated*										
0-19 YRS	72	3.3	18	1	1	2	4	6	10	28
20-34	188	5.2	47	<1	1	3	5	11	19	52
35-49	108	5.9	54	1	1	3	7	14	20	44
50-64	62	5.9	47	1	1	3	6	14	16	36
65+	59	8.4	62	<1	1	6	12	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.9	15	1	1	2	4	11	12	15
B *Operated*	362	2.6	7	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	148	8.1	77	1	1	5	10	18	28	45
B. *Operated*	489	5.5	47	<1	1	3	6	13	19	38
1. SINGLE DX	391	2.7	8	<1	<1	2	3	6	9	14
2. MULTIPLE DX	637	6.1	55	1	1	4	7	14	21	39
A. NOT OPERATED	177	7.4	69	1	1	5	9	17	27	43
B. OPERATED	851	4.3	32	<1	1	2	5	10	15	32
TOTAL 0-19 YRS	167	3.3	22	<1	1	2	4	6	9	29
20-34	400	4.1	37	<1	1	2	4	9	15	34
35-49	235	5.1	42	<1	1	3	6	12	16	38
50-64	116	5.9	52	<1	1	3	6	14	22	37
65+	110	7.9	46	1	1	6	11	17	21	31
GRAND TOTAL	**1028**	**4.8**	**40**	**<1**	**1**	**3**	**5**	**11**	**17**	**36**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	4.1	5	1	1	4	5	7	8	11
20-34	64	3.7	6	1	1	3	5	6	8	15
35-49	22	3.9	4	1	1	4	5	6	7	8
50-64	6	3.0	3	1	1	3	5	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	7.3	28	1	1	8	12	13	13	13
20-34	4	7.3	47	1	1	6	13	15	15	15
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.8	7	1	1	4	5	6	10	14
20-34	77	2.9	5	<1	1	2	4	5	7	13
35-49	28	3.3	3	<1	1	3	5	6	6	7
50-64	21	3.9	8	1	1	3	4	7	11	14
65+	22	4.2	6	1	1	4	6	7	9	11
B. *Operated*										
0-19 YRS	20	5.3	13	1	2	4	7	11	12	13
20-34	26	3.5	9	<1	1	2	6	6	11	11
35-49	11	3.8	11	<1	<1	2	6	9	11	11
50-64	4	2.5	4	1	1	2	4	5	5	5
65+	10	4.7	17	1	1	3	5	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.9	5	1	1	4	5	6	8	11
B. *Operated*	16	5.6	24	1	1	4	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	242	3.5	6	1	1	3	5	6	7	14
B. *Operated*	71	4.2	11	<1	1	3	6	10	11	14
1. SINGLE DX	260	4.0	6	1	1	4	5	7	9	13
2. MULTIPLE DX	313	3.7	7	1	1	3	5	6	10	14
A. NOT OPERATED	486	3.7	6	1	1	3	5	6	8	13
B. OPERATED	87	4.4	14	1	1	3	6	11	12	15
TOTAL 0-19 YRS	269	4.2	7	1	1	4	5	7	10	13
20-34	171	3.4	7	1	1	3	5	6	8	15
35-49	64	3.6	4	<1	1	3	5	6	7	11
50-64	33	3.5	7	1	1	3	4	6	8	14
65+	36	4.1	9	1	1	3	5	8	11	14
GRAND TOTAL	**573**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	1.5	1	<1	<1	1	2	3	4	6
20-34	316	2.0	2	<1	1	1	2	4	5	8
35-49	159	2.2	3	<1	1	2	2	5	6	9
50-64	81	2.5	4	<1	1	2	3	5	6	11
65+	101	3.1	8	1	1	2	4	7	10	13
B. *Operated*										
0-19 YRS	78	1.9	5	<1	<1	1	2	3	5	15
20-34	71	2.7	6	<1	<1	2	3	6	8	13
35-49	28	2.3	2	<1	<1	2	3	4	5	7
50-64	20	2.6	2	<1	1	2	3	4	5	6
65+	21	4.0	4	<1	1	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	652	1.7	1	<1	1	1	2	3	4	7
20-34	880	2.4	5	<1	<1	2	3	5	6	10
35-49	458	2.7	4	1	1	2	3	6	7	9
50-64	404	3.8	14	1	1	3	5	9	10	19
65+	1288	5.0	18	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	109	3.3	18	1	1	2	3	6	8	26
20-34	166	3.3	16	<1	1	2	4	7	12	22
35-49	95	5.3	25	<1	1	4	7	12	16	23
50-64	80	5.8	27	1	1	4	7	12	14	31
65+	142	7.8	87	1	2	5	9	16	23	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	2.0	3	<1	1	1	2	4	6	9
B. *Operated*	218	2.5	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3682	3.4	12	<1	1	2	4	7	10	17
B. *Operated*	592	5.0	39	1	1	3	6	11	16	25
1. SINGLE DX	1194	2.1	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	4274	3.6	16	<1	1	2	4	8	11	19
A. NOT OPERATED	4658	3.1	10	<1	1	2	4	7	9	15
B. OPERATED	810	4.4	31	<1	1	3	5	10	14	24
TOTAL 0-19 YRS	1158	1.8	3	<1	<1	1	2	3	4	8
20-34	1433	2.4	6	<1	1	2	3	5	6	12
35-49	740	2.9	7	<1	1	2	4	6	8	13
50-64	585	3.8	15	1	1	3	5	9	11	20
65+	1552	5.1	24	1	1	4	7	10	13	23
GRAND TOTAL	**5468**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.5	1	<1	1	1	2	3	4	4
20-34	39	1.8	2	<1	<1	1	2	3	5	7
35-49	15	2.7	3	<1	1	2	4	5	6	7
50-64	6	9.0	194	1	1	3	8	34	37	37
65+	3	3.7	9	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	23	5.4	96	1	1	2	4	14	28	46
20-34	50	3.3	9	<1	1	2	4	7	9	16
35-49	22	3.4	23	<1	<1	1	3	9	17	19
50-64	11	3.3	13	<1	1	2	3	8	13	14
65+	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	4	1	1	3	4	6	7	8
20-34	56	3.9	12	1	1	3	5	8	11	17
35-49	11	4.2	7	1	1	4	6	8	9	9
50-64	5	2.2	3	1	1	2	3	5	5	5
65+	6	4.2	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	57	6.3	50	<1	1	4	8	15	25	33
20-34	103	5.4	30	1	1	4	7	13	17	27
35-49	59	4.6	18	<1	1	3	6	11	14	21
50-64	25	4.7	41	1	1	3	4	10	18	32
65+	12	10.3	199	1	1	6	12	30	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.5	18	<1	1	2	3	4	7	29
B. *Operated*	110	3.7	30	<1	1	2	4	8	14	30
2. MULTIPLE DX										
A. *Not Operated*	98	3.7	9	1	1	3	5	7	9	16
B. *Operated*	256	5.6	41	1	1	3	7	13	18	32
1. SINGLE DX	189	3.2	25	<1	1	2	3	7	9	30
2. MULTIPLE DX	354	5.1	33	1	1	3	6	11	16	31
A. NOT OPERATED	177	3.2	13	1	1	2	4	6	8	16
B. OPERATED	366	5.0	38	<1	1	3	6	11	16	32
TOTAL 0-19 YRS	116	4.9	47	1	1	3	5	11	18	37
20-34	248	4.1	19	1	1	2	5	9	14	20
35-49	107	4.1	16	<1	<1	3	5	8	13	20
50-64	47	4.6	49	1	1	3	4	10	17	37
65+	25	6.9	105	1	1	4	7	14	29	50
GRAND TOTAL	**543**	**4.4**	**31**	**<1**	**1**	**3**	**5**	**9**	**15**	**31**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.3	1	<1	<1	<1	1	3	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	9	1	1	3	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.2		<1	<1	1	1	2	2	2
B. *Operated*	15	1.4	1	<1	<1	1	1	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	7	3.3	5	1	1	3	4	7	8	8
1. SINGLE DX	25	1.3	1	<1	<1	1	1	2	4	4
2. MULTIPLE DX	14	2.5	3	<1	1	2	3	4	7	8
A. NOT OPERATED	17	1.4		<1	<1	1	2	2	3	3
B. OPERATED	22	2.0	3	<1	<1	1	3	4	6	8
TOTAL 0-19 YRS	20	1.3	1	<1	<1	<1	1	2	3	4
20-34	12	2.5	4	<1	<1	2	3	5	8	8
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
GRAND TOTAL	**39**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	459	1.2		<1	<1	1	1	1	2	4
20-34	93	1.4	2	<1	<1	1	1	2	4	9
35-49	66	1.1		<1	<1	1	1	2	2	2
50-64	64	1.2	1	<1	<1	1	1	2	3	5
65+	58	1.5	4	<1	<1	1	1	2	3	14
B. *Operated*										
0-19 YRS	208	1.4	1	<1	<1	1	1	2	3	9
20-34	21	3.3	9	<1	<1	2	5	8	9	11
35-49	18	2.1	3	<1	1	1	2	5	7	7
50-64	6	2.8	6	<1	<1	2	4	7	7	7
65+	14	2.3	5	1	1	1	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	1.8	3	<1	<1	1	2	4	5	10
20-34	37	1.9	2	<1	<1	1	3	4	5	6
35-49	49	2.2	4	<1	<1	1	3	5	7	11
50-64	81	3.2	39	<1	1	1	3	6	9	42
65+	182	3.2	10	1	1	2	4	7	10	15
B. *Operated*										
0-19 YRS	64	2.7	7	<1	1	2	3	7	10	12
20-34	29	4.3	17	<1	<1	2	6	11	12	16
35-49	40	7.8	210	1	1	4	8	11	35	79
50-64	46	8.2	214	<1	1	3	10	15	28	94
65+	123	6.8	154	1	1	3	7	13	22	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	740	1.2	1	<1	<1	1	1	2	2	5
B. *Operated*	267	1.7	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	497	2.6	12	<1	1	1	3	5	8	14
B. *Operated*	302	6.1	129	<1	1	3	7	12	17	79
1. SINGLE DX	1007	1.3	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	799	3.9	59	<1	1	2	4	9	12	32
A. NOT OPERATED	1237	1.8	6	<1	<1	1	2	3	5	11
B. OPERATED	569	4.0	74	<1	1	1	4	9	12	51
TOTAL 0-19 YRS	879	1.5	2	<1	<1	1	1	2	3	9
20-34	180	2.2	6	<1	<1	1	2	5	8	12
35-49	173	3.1	56	<1	<1	1	2	7	10	46
50-64	197	3.7	72	<1	1	1	3	9	12	42
65+	377	4.1	60	1	1	2	4	9	13	33
GRAND TOTAL	**1806**	**2.5**	**28**	**<1**	**<1**	**1**	**2**	**5**	**8**	**17**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	16	1	1	2	8	10	11	11
20-34	11	6.5	49	1	1	4	12	18	20	20
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	5	7.6	47	1	1	7	10	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	54	5.7	39	1	1	4	8	10	14	41
20-34	67	6.2	56	<1	1	4	7	11	19	47
35-49	19	4.7	31	<1	<1	3	6	11	18	24
50-64	16	8.9	51	2	3	7	12	21	25	26
65+	10	4.7	6	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.5	87	<1	1	4	10	19	26	50
20-34	43	5.7	23	1	1	3	10	13	15	16
35-49	19	5.6	25	1	2	5	7	12	18	21
50-64	13	8.5	63	1	1	7	14	21	24	25
65+	19	10.7	35	4	4	10	12	17	24	29
B. *Operated*										
0-19 YRS	134	11.3	120	<1	1	8	15	26	38	50
20-34	164	15.6	215	1	2	12	21	41	48	99
35-49	88	21.6	346	2	5	17	31	50	73	99+
50-64	60	18.7	259	3	4	14	27	38	49	75
65+	74	26.6	514	5	6	18	37	56	79	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.3	29	1	1	4	7	15	19	20
B. *Operated*	166	6.0	44	1	1	4	8	12	17	39
2. MULTIPLE DX										
A. *Not Operated*	151	7.3	54	1	1	5	11	15	21	32
B. *Operated*	520	17.4	284	1	2	12	23	42	52	94
1. SINGLE DX	199	5.9	42	1	1	4	8	12	18	34
2. MULTIPLE DX	671	15.1	250	1	2	10	20	38	49	92
A. NOT OPERATED	184	6.9	50	1	1	4	10	15	20	31
B. OPERATED	686	14.7	250	1	2	9	19	37	49	91
TOTAL 0-19 YRS	256	9.0	97	1	1	6	12	22	30	49
20-34	285	11.5	164	1	1	8	15	28	44	83
35-49	131	16.1	303	1	2	10	23	43	64	99+
50-64	94	15.0	206	1	2	11	20	35	44	72
65+	104	21.4	441	3	4	13	29	49	71	94
GRAND TOTAL	**870**	**13.0**	**217**	**1**	**1**	**8**	**16**	**33**	**47**	**84**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.7	13	1	1	2	5	7	11	18
20-34	96	3.4	16	<1	1	2	4	10	11	21
35-49	40	3.7	24	1	1	2	3	10	14	24
50-64	20	4.8	41	<1	1	2	5	17	20	21
65+	6	8.0	23	<1	<1	9	12	13	13	13
B. *Operated*										
0-19 YRS	36	5.6	28	<1	<1	4	8	16	18	18
20-34	34	7.3	63	<1	1	5	9	19	24	37
35-49	20	6.4	33	1	1	3	9	17	18	18
50-64	12	3.4	6	<1	1	3	5	8	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	385	4.1	18	1	1	3	5	10	12	20
20-34	250	4.4	22	1	1	3	6	10	14	21
35-49	121	5.8	34	1	1	4	9	13	17	27
50-64	75	5.7	29	1	1	4	8	15	18	22
65+	70	8.6	178	1	2	5	8	16	23	89
B. *Operated*										
0-19 YRS	121	9.2	139	<1	1	6	11	19	29	67
20-34	85	9.2	73	1	1	7	13	19	21	48
35-49	60	15.8	209	2	3	12	22	32	44	82
50-64	46	12.7	142	1	2	9	17	27	42	50
65+	37	13.9	137	1	2	12	16	28	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.8	18	1	1	2	4	10	12	21
B. *Operated*	102	6.0	39	<1	1	4	8	16	18	31
2. MULTIPLE DX										
A. *Not Operated*	901	4.9	36	1	1	3	6	11	15	23
B. *Operated*	349	11.3	141	1	1	8	15	25	33	64
1. SINGLE DX	378	4.4	24	1	1	2	6	11	16	23
2. MULTIPLE DX	1250	6.7	73	1	1	4	8	15	21	44
A. NOT OPERATED	1177	4.6	32	1	1	3	6	11	15	23
B. OPERATED	451	10.1	122	1	1	7	14	22	29	56
TOTAL 0-19 YRS	656	5.0	43	1	1	3	6	11	15	32
20-34	465	5.3	37	1	1	3	7	12	18	28
35-49	241	8.0	96	1	1	4	11	19	25	45
50-64	153	7.5	74	1	1	4	10	19	24	43
65+	113	10.3	161	1	2	7	13	21	28	77
GRAND TOTAL	**1628**	**6.2**	**63**	**1**	**1**	**4**	**8**	**14**	**19**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.0	94	<1	<1	2	5	11	29	43
20-34	39	3.7	8	<1	<1	3	5	8	10	11
35-49	14	1.9	2	<1	1	1	3	4	4	4
50-64	12	4.3	11	1	1	3	5	10	12	12
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	53	1.6	1	<1	<1	1	2	3	4	7
20-34	102	2.4	9	<1	<1	1	2	4	9	16
35-49	45	2.7	11	<1	<1	2	3	7	10	15
50-64	27	2.1	5	<1	<1	2	2	3	5	13
65+	7	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	10	<1	<1	2	3	7	10	14
20-34	55	4.4	37	<1	<1	2	5	10	16	35
35-49	38	4.5	23	<1	1	3	5	11	15	22
50-64	27	4.8	42	<1	<1	2	5	11	17	32
65+	33	8.3	63	1	2	6	10	18	28	36
B. *Operated*										
0-19 YRS	98	3.3	40	<1	<1	1	2	7	12	38
20-34	190	3.2	17	<1	1	2	3	7	10	19
35-49	73	6.2	177	<1	1	2	6	11	18	86
50-64	49	10.5	418	<1	<1	3	10	36	67	85
65+	27	14.3	386	1	1	4	17	52	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.7	26	<1	1	2	4	7	11	32
B. *Operated*	234	2.2	7	<1	<1	1	2	4	8	15
2. MULTIPLE DX										
A. *Not Operated*	176	5.0	38	<1	1	3	6	12	17	35
B. *Operated*	437	5.2	126	<1	1	2	4	10	18	61
1. SINGLE DX	320	2.6	12	<1	<1	2	3	5	9	15
2. MULTIPLE DX	613	5.2	100	<1	1	2	5	10	18	60
A. NOT OPERATED	262	4.6	34	<1	1	3	5	10	14	35
B. OPERATED	671	4.2	86	<1	<1	2	3	8	13	58
TOTAL 0-19 YRS	193	3.0	32	<1	<1	1	2	5	10	38
20-34	386	3.2	17	<1	<1	2	3	7	11	19
35-49	170	4.5	86	<1	1	2	4	10	15	46
50-64	115	6.5	200	<1	<1	2	5	10	31	83
65+	69	9.8	195	1	1	4	10	31	46	60
GRAND TOTAL	**933**	**4.3**	**72**	**<1**	**<1**	**2**	**4**	**9**	**14**	**46**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.7	1	<1	1	1	2	3	4	7
20-34	175	2.3	6	<1	1	2	3	4	6	17
35-49	62	2.2	3	<1	1	2	3	4	7	7
50-64	27	3.0	10	<1	1	2	3	8	10	13
65+	31	3.3	4	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	41	2.0	3	<1	<1	1	3	4	5	9
20-34	104	3.8	14	<1	1	2	4	8	12	18
35-49	24	5.1	31	1	1	4	6	9	16	28
50-64	12	4.1	11	<1	1	3	6	8	12	13
65+	10	6.9	21	1	1	6	11	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	2.6	10	<1	1	2	3	5	7	17
20-34	286	2.8	7	<1	1	2	3	6	7	16
35-49	151	3.4	11	1	1	2	5	7	8	10
50-64	106	3.9	7	1	1	3	5	7	9	13
65+	219	5.9	28	1	1	5	7	12	16	28
B. *Operated*										
0-19 YRS	83	5.5	62	1	1	3	6	11	17	50
20-34	178	7.4	88	1	1	5	9	17	22	33
35-49	90	7.7	81	1	1	4	9	19	24	48
50-64	64	10.4	244	1	1	5	10	24	45	80
65+	68	11.3	141	2	2	7	16	22	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	2.2	4	<1	1	2	3	4	6	12
B. *Operated*	191	3.8	15	<1	1	2	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	943	3.7	15	1	1	3	5	7	10	18
B. *Operated*	483	8.1	113	1	1	5	10	18	25	59
1. SINGLE DX	631	2.7	8	<1	1	2	3	6	8	15
2. MULTIPLE DX	1426	5.2	52	1	1	3	6	11	17	33
A. NOT OPERATED	1383	3.2	12	<1	1	2	4	7	9	18
B. OPERATED	674	6.9	89	1	1	4	8	16	21	52
TOTAL 0-19 YRS	450	2.8	18	<1	1	2	3	5	8	19
20-34	743	3.9	31	<1	1	2	4	8	13	25
35-49	327	4.5	34	1	1	3	5	9	15	29
50-64	209	5.8	89	1	1	4	6	10	14	65
65+	328	6.8	54	1	1	5	8	15	18	35
GRAND TOTAL	**2057**	**4.4**	**40**	**<1**	**1**	**2**	**5**	**9**	**14**	**31**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1149	1.3	1	<1	<1	1	1	2	3	4
20-34	458	1.6	1	<1	<1	1	2	3	4	6
35-49	206	1.7	2	<1	<1	1	2	3	4	9
50-64	57	1.8	2	<1	<1	1	2	3	4	7
65+	58	2.6	4	<1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	6	4.2	13	1	1	4	7	9	9	9
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1507	2.7	23	<1	1	1	3	4	7	25
20-34	2535	2.9	19	<1	<1	2	3	6	9	24
35-49	1417	3.2	19	<1	1	2	3	7	10	23
50-64	700	4.4	25	1	1	3	5	9	13	29
65+	1158	5.0	16	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	36	7.6	141	1	1	4	9	26	51	99+
20-34	100	8.8	248	1	1	4	8	19	25	90
35-49	69	9.0	85	1	2	5	13	21	26	41
50-64	52	10.1	84	1	2	7	13	22	33	41
65+	89	10.1	66	2	3	8	14	19	29	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1928	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*	17	3.8	11	<1	1	2	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	7317	3.4	21	<1	1	2	4	7	11	24
B. *Operated*	346	9.2	132	1	1	6	12	21	29	82
1. SINGLE DX	1945	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	7663	3.7	27	<1	1	2	4	8	12	27
A. NOT OPERATED	9245	3.0	17	<1	1	2	3	6	9	22
B. OPERATED	363	9.0	128	1	1	5	11	20	28	81
TOTAL 0-19 YRS	2697	2.2	16	<1	<1	1	2	4	5	20
20-34	3099	2.9	25	<1	<1	2	3	6	9	24
35-49	1695	3.3	22	<1	1	2	3	7	11	24
50-64	811	4.5	30	1	1	3	5	10	15	30
65+	1306	5.2	21	1	1	4	6	11	14	25
GRAND TOTAL	**9608**	**3.2**	**23**	**<1**	**1**	**2**	**3**	**7**	**10**	**24**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	1.3	1	<1	<1	1	1	2	3	4
20-34	257	1.6	1	<1	1	1	2	3	4	6
35-49	135	1.6	1	<1	1	1	2	3	4	6
50-64	63	1.5	1	<1	1	1	2	3	4	4
65+	31	2.1	9	<1	1	1	1	7	12	12
B. *Operated*										
0-19 YRS	7	3.4	6	1	1	3	5	7	8	8
20-34	10	3.4	4	1	1	3	4	6	8	8
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	2.1	19	<1	1	1	2	3	5	11
20-34	325	2.8	15	<1	1	2	3	6	9	25
35-49	202	2.5	8	<1	1	2	3	5	7	16
50-64	138	3.0	11	<1	1	2	4	6	9	21
65+	156	4.2	49	1	1	2	4	9	15	18
B. *Operated*										
0-19 YRS	18	6.2	34	1	1	4	8	12	19	24
20-34	21	8.1	244	<1	1	3	7	16	47	72
35-49	20	5.9	22	<1	1	4	8	13	16	17
50-64	17	14.8	537	1	2	7	17	40	77	94
65+	11	10.5	122	2	3	8	10	26	41	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	946	1.5	1	<1	1	1	2	3	4	6
B. *Operated*	21	4.9	46	1	1	3	5	8	19	33
2. MULTIPLE DX										
A. *Not Operated*	1084	2.8	19	<1	1	2	3	6	8	17
B. *Operated*	87	8.8	193	1	1	4	9	17	28	86
1. SINGLE DX	967	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1171	3.2	35	<1	1	2	3	6	10	25
A. NOT OPERATED	2030	2.2	11	<1	1	1	2	4	6	15
B. OPERATED	108	8.0	166	1	1	4	8	16	27	81
TOTAL 0-19 YRS	748	1.7	8	<1	<1	1	2	3	4	8
20-34	613	2.5	18	<1	1	1	3	5	7	19
35-49	359	2.4	7	<1	1	1	3	4	7	16
50-64	219	3.5	58	1	1	2	3	6	10	31
65+	199	4.4	53	1	1	2	4	10	15	38
GRAND TOTAL	**2138**	**2.5**	**21**	**<1**	**1**	**1**	**2**	**5**	**7**	**17**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	1.5	3	<1	<1	1	2	2	3	6
20-34	134	1.6	1	<1	<1	1	2	3	3	6
35-49	102	1.8	1	<1	1	1	2	4	5	6
50-64	86	1.9	3	<1	<1	1	2	3	5	10
65+	56	2.1	3	1	1	2	3	3	5	11
B. *Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	13	8.2	146	1	1	2	10	29	38	40
35-49	7	2.7	7	1	1	2	4	7	8	8
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	2.5	9	1	1	2	3	5	6	16
20-34	309	3.0	11	<1	1	2	3	6	9	19
35-49	277	3.4	17	1	1	2	4	8	11	22
50-64	394	3.8	15	1	1	3	5	8	10	18
65+	879	4.4	13	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	24	8.4	174	<1	1	5	8	54	99+	99+
20-34	29	14.2	425	1	1	9	19	47	97	99+
35-49	29	7.2	52	1	1	6	10	22	29	99+
50-64	67	11.2	196	1	1	5	14	31	41	69
65+	102	11.6	224	1	2	7	13	28	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	29	5.5	72	1	1	2	6	12	27	40
2. MULTIPLE DX										
A. *Not Operated*	2169	3.7	13	1	1	3	5	8	11	18
B. *Operated*	251	11.0	215	1	1	6	13	29	54	99+
1. SINGLE DX	622	1.9	6	<1	1	1	2	3	4	10
2. MULTIPLE DX	2420	4.5	39	1	1	3	5	9	14	33
A. NOT OPERATED	2762	3.3	12	1	1	2	4	7	10	17
B. OPERATED	280	10.4	203	1	1	6	13	29	50	99+
TOTAL 0-19 YRS	552	2.4	16	<1	1	1	2	4	6	25
20-34	485	3.4	44	<1	1	2	3	7	13	34
35-49	415	3.3	17	<1	1	2	4	8	11	25
50-64	550	4.4	41	1	1	3	5	9	14	36
65+	1040	5.0	38	1	1	3	6	10	13	28
GRAND TOTAL	**3042**	**3.9**	**33**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.1	2	<1	<1	2	3	4	5	6
20-34	46	3.8	21	<1	<1	2	4	9	16	19
35-49	37	3.6	7	<1	1	3	5	8	10	11
50-64	37	5.1	26	<1	1	3	6	12	15	25
65+	59	4.3	14	<1	1	3	6	10	13	15
B. *Operated*										
0-19 YRS	214	3.4	11	<1	<1	2	4	8	10	15
20-34	423	3.7	22	<1	<1	2	4	8	12	23
35-49	378	4.5	21	<1	<1	3	6	11	13	20
50-64	525	5.8	36	<1	1	4	9	12	16	31
65+	881	5.6	33	1	1	3	8	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.3	19	1	1	3	6	9	13	24
20-34	139	5.2	40	<1	1	3	6	12	16	35
35-49	147	4.7	16	1	1	3	7	11	12	17
50-64	248	5.9	31	<1	1	5	7	11	16	31
65+	460	6.2	35	1	1	4	8	14	19	30
B. *Operated*										
0-19 YRS	622	6.9	76	<1	1	4	8	15	24	56
20-34	969	6.5	71	1	1	4	8	14	18	43
35-49	1274	7.2	90	1	1	4	9	15	21	50
50-64	2241	8.3	92	1	1	5	11	19	27	49
65+	3761	9.1	108	1	1	6	12	20	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.8	15	<1	1	2	5	9	12	18
B. *Operated*	2421	4.9	29	<1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	1123	5.6	31	1	1	4	7	12	16	29
B. *Operated*	8867	8.2	96	1	1	5	10	18	26	53
1. SINGLE DX	2638	4.9	28	<1	1	3	7	11	14	24
2. MULTIPLE DX	9990	7.9	89	1	1	5	10	17	25	51
A. NOT OPERATED	1340	5.3	29	1	1	4	7	12	15	27
B. OPERATED	11288	7.5	83	1	1	4	10	17	24	49
TOTAL 0-19 YRS	1003	5.7	55	<1	1	3	7	12	18	48
20-34	1577	5.6	55	<1	1	3	7	12	17	35
35-49	1836	6.3	70	1	1	4	8	13	18	42
50-64	3051	7.6	78	1	1	5	10	17	24	46
65+	5161	8.2	90	1	1	5	11	18	26	52
GRAND TOTAL	**12628**	**7.3**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**47**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	1.5	2	<1	<1	1	1	3	4	9
20-34	156	2.1	3	<1	1	2	3	4	5	10
35-49	88	2.3	3	1	1	2	3	4	6	9
50-64	109	2.7	4	1	1	2	4	5	6	49
65+	133	2.8	3	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	149	1.6	2	<1	<1	1	2	3	5	6
20-34	198	2.1	6	<1	1	1	3	4	5	12
35-49	115	2.4	3	<1	1	2	3	5	6	9
50-64	67	3.0	7	<1	1	2	4	6	9	15
65+	70	3.7	10	<1	1	3	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.0	3	<1	1	1	2	4	6	10
20-34	98	3.1	5	1	1	3	4	6	7	13
35-49	95	3.4	6	1	1	3	5	6	8	12
50-64	151	3.3	8	1	1	3	4	6	7	19
65+	312	3.8	9	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	37	2.6	9	<1	<1	2	3	5	10	15
20-34	127	4.1	18	1	1	3	5	8	12	23
35-49	102	5.8	51	1	1	3	7	12	17	43
50-64	129	5.1	24	1	1	4	7	12	15	23
65+	235	6.3	59	1	1	4	8	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	599	2.3	5	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	697	3.4	8	1	1	3	4	7	8	14
B. *Operated*	630	5.3	40	1	1	3	6	12	15	29
1. SINGLE DX	1178	2.3	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	1327	4.3	24	1	1	3	5	9	13	24
A. NOT OPERATED	1276	2.9	6	1	1	2	4	6	7	13
B. OPERATED	1229	3.9	26	<1	1	2	4	8	13	25
TOTAL 0-19 YRS	320	1.7	3	<1	<1	1	2	3	5	10
20-34	579	2.7	8	<1	1	2	3	5	7	14
35-49	400	3.5	18	1	1	2	4	7	10	19
50-64	456	3.6	12	1	1	3	4	7	11	19
65+	750	4.4	25	1	1	3	5	9	13	25
GRAND TOTAL	**2505**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	4.0	6	1	2	3	5	8	9	12
20-34	126	4.7	11	1	2	4	6	8	10	19
35-49	103	5.1	9	2	2	4	6	8	11	17
50-64	63	5.9	14	1	2	5	8	12	13	16
65+	51	5.8	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	53	5.8	15	<1	1	5	8	10	14	19
20-34	114	6.0	19	1	1	5	8	12	17	19
35-49	98	6.4	19	1	2	6	9	13	15	20
50-64	64	7.8	83	1	1	5	9	17	25	48
65+	53	7.7	53	1	1	6	10	18	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.7	11	1	2	4	6	9	10	20
20-34	184	5.3	13	2	2	4	7	10	14	17
35-49	204	6.6	29	2	2	5	8	13	18	29
50-64	225	8.0	41	2	3	7	10	15	18	43
65+	366	8.1	41	2	3	6	10	15	18	33
B. *Operated*										
0-19 YRS	90	9.9	87	1	2	8	13	19	22	56
20-34	244	11.5	115	2	3	9	15	26	32	70
35-49	243	11.3	117	2	3	8	14	24	34	70
50-64	318	13.7	146	2	3	10	18	30	41	72
65+	376	14.3	131	2	3	12	18	29	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.0	11	1	2	4	6	9	12	17
B. *Operated*	382	6.6	34	1	1	5	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	1059	7.1	33	2	2	5	9	14	17	31
B. *Operated*	1271	12.8	128	2	3	10	16	27	37	68
1. SINGLE DX	786	5.8	23	1	2	4	7	11	14	23
2. MULTIPLE DX	2330	10.2	93	2	2	7	13	21	30	59
A. NOT OPERATED	1463	6.5	28	2	2	5	8	13	15	28
B. OPERATED	1653	11.3	113	1	2	8	15	24	33	63
TOTAL 0-19 YRS	284	6.4	41	1	2	5	8	13	17	27
20-34	668	7.6	60	1	2	5	9	16	21	50
35-49	648	8.1	64	2	2	6	9	16	21	41
50-64	670	10.5	102	2	2	7	13	22	32	61
65+	846	10.7	91	2	3	8	14	22	29	52
GRAND TOTAL	**3116**	**9.1**	**79**	**2**	**2**	**6**	**11**	**19**	**27**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	3	<1	1	2	3	5	6	7
20-34	94	3.3	8	1	1	2	5	8	9	11
35-49	98	4.6	15	1	1	3	7	10	13	17
50-64	86	4.0	12	<1	1	3	6	8	11	17
65+	65	3.9	8	1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	44	3.4	13	<1	<1	2	4	7	11	18
20-34	136	4.7	78	<1	<1	2	5	10	13	38
35-49	151	4.7	26	<1	1	3	5	10	15	25
50-64	117	5.2	35	<1	1	3	7	11	18	29
65+	126	4.3	30	<1	<1	2	5	9	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	2.2	4	<1	1	1	3	5	7	10
20-34	281	3.5	11	1	1	2	4	8	11	17
35-49	280	4.4	21	1	1	3	6	9	14	28
50-64	354	5.5	29	1	1	4	7	11	16	27
65+	529	6.0	46	1	1	4	8	11	16	38
B. *Operated*										
0-19 YRS	146	6.5	119	<1	1	3	8	14	27	95
20-34	334	7.2	83	1	1	5	9	15	22	51
35-49	425	8.6	77	1	1	7	10	18	27	50
50-64	596	9.0	90	1	1	6	11	21	29	47
65+	887	8.8	85	1	1	6	12	19	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.8	10	1	1	3	5	8	10	14
B. *Operated*	574	4.6	40	<1	<1	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	1571	4.8	29	1	1	3	6	10	14	30
B. *Operated*	2388	8.5	87	1	1	6	11	19	27	49
1. SINGLE DX	964	4.3	28	<1	1	3	5	9	12	23
2. MULTIPLE DX	3959	7.0	67	1	1	5	9	15	23	43
A. NOT OPERATED	1961	4.6	26	1	1	3	6	10	13	25
B. OPERATED	2962	7.7	80	1	1	5	10	17	25	46
TOTAL 0-19 YRS	364	4.1	55	<1	1	2	4	9	13	39
20-34	845	5.1	53	1	1	3	6	11	15	35
35-49	954	6.4	50	1	1	4	8	14	19	40
50-64	1153	7.2	63	1	1	5	9	16	23	42
65+	1607	7.3	67	1	1	5	9	16	23	40
GRAND TOTAL	**4923**	**6.5**	**61**	**1**	**1**	**4**	**8**	**14**	**21**	**39**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	1	1	2	2	3	3	3
20-34	8	1.9	1	1	1	2	3	3	3	3
35-49	7	2.0	2	1	1	1	3	4	4	4
50-64	9	4.6	14	1	1	5	5	10	13	13
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	5.0	9	1	1	4	8	8	8	8
35-49	3	7.0	39	2	2	5	12	14	14	14
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	6	<1	1	3	4	7	9	12
20-34	25	3.5	7	<1	1	3	4	7	9	13
35-49	21	4.6	17	1	1	3	8	11	13	14
50-64	32	3.6	6	1	1	3	4	8	9	10
65+	62	4.5	27	1	1	3	6	9	14	30
B. *Operated*										
0-19 YRS	3	11.0	169	3	3	4	20	26	26	26
20-34	10	11.8	214	1	1	6	12	36	49	49
35-49	8	10.8	359	1	1	3	9	43	57	57
50-64	11	5.6	46	<1	<1	2	7	18	21	21
65+	14	10.1	79	1	1	8	12	22	31	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.5	5	1	1	2	3	5	6	13
B. *Operated*	14	4.8	14	<1	1	4	8	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	165	4.1	15	1	1	3	5	9	11	18
B. *Operated*	46	9.6	145	1	1	5	12	23	37	57
1. SINGLE DX	52	3.1	8	1	1	2	4	7	9	14
2. MULTIPLE DX	211	5.3	48	1	1	3	6	11	16	40
A. NOT OPERATED	203	3.8	14	1	1	3	5	8	11	17
B. OPERATED	60	8.5	117	1	1	4	10	21	30	56
TOTAL 0-19 YRS	43	3.4	17	<1	1	2	4	5	9	26
20-34	48	5.1	58	1	1	3	5	10	14	49
35-49	39	5.6	86	1	1	3	7	11	14	57
50-64	55	4.3	15	1	1	3	5	9	12	21
65+	78	5.5	40	1	1	3	7	12	18	33
GRAND TOTAL	**263**	**4.8**	**41**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.1		<1	<1	<1	<1	2	2	2
20-34	1715	1.2		<1	<1	<1	1	2	2	4
35-49	905	1.2		<1	<1	<1	1	2	2	3
50-64	4	1.0		1	1	1	1	1	1	1
65+	3	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	1.3	1	<1	<1	<1	1	2	4	4
35-49	7	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.0	3	<1	<1	3	4	5	5	5
20-34	745	1.6	2	<1	<1	1	2	3	4	6
35-49	449	1.6	2	<1	<1	1	2	3	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	2635	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	31	1.2	1	<1	<1	<1	1	2	4	4
B. *Operated*	1207	1.6	2	<1	<1	1	2	3	4	6
1. SINGLE DX	2642	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	1238	1.6	2	<1	<1	1	2	3	4	6
A. NOT OPERATED	38	1.2		<1	<1	<1	1	1	3	4
B. OPERATED	3842	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	20	2.3	3	<1	<1	1	4	5	5	5
20-34	2487	1.3	1	<1	<1	1	1	2	3	5
35-49	1365	1.3	1	<1	<1	1	1	2	3	4
50-64	5	1.0		1	1	1	1	1	1	1
65+	3	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**3880**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	8.0		8	8	8	8	8	8	8
1000-1499	1	30.0		30	30	30	30	30	30	30
1500-1749	3	11.3	10	9	9	10	14	15	15	15
1750-2499	1600	2.2	2	1	1	2	3	4	4	6
2500+	117000	2.1	1	1	1	2	3	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	19.5	61	14	14	19	25	25	25	25
2500+	26	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	14	73.6	339	37	60	76	90	98	99+	99+
1000-1499	160	37.2	287	12	17	35	49	62	68	99
1500-1749	252	23.7	138	9	11	22	29	37	44	64
1750-2499	4989	6.0	34	1	2	4	7	14	18	28
2500+	70462	3.0	3	1	1	3	4	5	6	9
B. *Operated*										
1-999 G	60	71.4	358	53	59	93	99+	99+	99+	99+
1000-1499	276	50.3	323	25	30	50	65	90	99+	99+
1500-1749	188	32.5	214	13	18	30	39	55	75	99+
1750-2499	748	15.3	143	2	4	13	20	28	36	76
2500+	2048	6.9	60	1	2	5	8	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118605	2.1	1	1	1	2	3	4	4	5
B. *Operated*	28	3.8	24	1	1	2	4	7	15	25
2. MULTIPLE DX										
A. *Not Operated*	75877	3.3	12	1	1	3	4	5	7	16
B. *Operated*	3320	15.0	333	1	2	8	20	47	71	99+
1. SINGLE DX	118633	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX	79197	3.8	31	1	1	3	4	6	8	30
A. NOT OPERATED	194482	2.6	6	1	1	2	3	4	5	10
B. OPERATED	3348	14.9	332	1	2	8	20	47	71	99+
TOTAL 1-999 G	75	71.0	400	39	59	88	99+	99+	99+	99+
1000-1499	437	45.5	349	17	24	45	61	79	99	99+
1500-1749	443	27.3	190	10	12	25	34	46	55	99+
1750-2499	7339	6.1	50	1	1	4	7	15	20	32
2500+	189536	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**197830**	**2.8**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	14.5	5	13	13	14	16	16	16	16
1500-1749	2	10.5	13	8	8	10	13	13	13	13
1750-2499	187	4.0	4	2	2	4	5	6	8	13
2500+	980	3.3	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	56.5	1513	29	29	84	96	99+	99+	99+
1000-1499	38	39.6	229	15	22	40	49	59	66	75
1500-1749	69	22.8	73	9	13	23	29	34	36	50
1750-2499	930	7.6	28	2	3	6	10	15	18	27
2500+	940	4.5	6	2	2	4	5	7	8	14
B. *Operated*										
1-999 G	8	69.4	290	47	55	99+	99+	99+	99+	99+
1000-1499	53	48.1	327	22	26	48	62	76	85	99+
1500-1749	50	33.5	147	15	18	32	39	47	53	75
1750-2499	170	17.5	127	3	5	15	24	33	38	50
2500+	36	9.3	90	2	2	7	10	17	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	3.5	3	1	2	3	4	5	6	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1979	7.3	58	2	2	5	8	15	21	44
B. *Operated*	317	25.5	370	4	6	22	38	59	78	99+
1. SINGLE DX	1172	3.5	3	1	2	3	4	5	6	10
2. MULTIPLE DX	2296	9.8	141	2	3	5	11	24	36	71
A. NOT OPERATED	3150	5.9	41	2	2	4	6	12	17	35
B. OPERATED	318	25.5	370	4	5	22	38	59	78	99+
TOTAL 1-999 G	10	66.8	423	36	48	96	99+	99+	99+	99+
1000-1499	93	43.9	313	16	23	44	56	68	78	99
1500-1749	121	27.0	134	10	13	26	34	41	48	64
1750-2499	1287	8.4	52	2	3	6	11	17	23	35
2500+	1957	4.0	6	1	2	4	5	6	7	13
GRAND TOTAL	**3468**	**7.7**	**103**	**2**	**2**	**4**	**7**	**17**	**29**	**61**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	**Title**
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	9	1.8	2	1	1	1	2	4	5	5
2500+	303	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	3	54.3	1436	30	30	35	82	98	98	98
1500-1749	3	28.3	20	24	24	28	32	33	33	33
1750-2499	48	5.7	25	1	1	4	8	12	16	22
2500+	172	2.6	4	1	1	2	3	5	7	10
B. *Operated*										
1-999 G	1	65.0		65	65	65	65	65	65	65
1000-1499	2	64.5	1741	35	35	64	94	94	94	94
1500-1749	3	20.7	17	16	16	22	23	24	24	24
1750-2499	12	16.0	271	1	4	8	23	41	56	59
2500+	20	6.5	34	1	1	5	9	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	1.8	1	<1	<1	1	2	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	226	4.3	65	1	1	2	4	8	13	33
B. *Operated*	38	15.2	388	1	1	7	21	34	63	94
1. SINGLE DX	312	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	264	5.9	125	1	1	2	5	12	23	64
A. NOT OPERATED	538	2.8	29	<1	<1	2	3	5	7	24
B. OPERATED	38	15.2	388	1	1	7	21	34	63	94
TOTAL 1-999 G	1	65.0		65	65	65	65	65	65	65
1000-1499	5	58.4	1184	30	30	35	95	98	98	98
1500-1749	6	24.5	33	16	17	24	28	32	33	33
1750-2499	69	7.0	81	1	1	4	8	15	22	54
2500+	495	2.2	4	<1	<1	2	3	4	6	11
GRAND TOTAL	**576**	**3.6**	**62**	**<1**	**1**	**2**	**3**	**6**	**11**	**34**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	2	<1	<1	1	3	4	4	4
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	547	1.6	1	<1	<1	1	2	3	4	6
20-34	906	1.8	2	<1	<1	1	2	3	4	6
35-49	412	1.8	2	<1	<1	1	2	3	5	8
50-64	289	1.9	2	<1	<1	1	2	4	5	7
65+	157	2.5	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	2	<1	<1	1	1	4	5	5
20-34	9	1.3	1	<1	<1	<1	1	3	3	3
35-49	5	1.4	1	<1	<1	<1	1	3	3	3
50-64	8	2.3	6	1	1	2	2	6	8	8
65+	6	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	185	2.4	10	<1	<1	2	2	4	7	15
20-34	259	3.1	19	<1	<1	2	3	6	9	24
35-49	149	3.3	15	<1	<1	2	4	6	10	23
50-64	122	2.9	6	<1	<1	2	4	6	8	12
65+	130	4.2	19	<1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	2311	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	35	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	845	3.1	15	<1	<1	2	3	6	9	17
1. SINGLE DX	2336	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	880	3.1	14	<1	<1	2	3	6	9	17
A. NOT OPERATED	60	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	3156	2.2	6	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	746	1.8	4	<1	<1	1	2	3	4	8
20-34	1182	2.0	6	<1	<1	1	2	4	5	9
35-49	571	2.2	6	<1	<1	1	3	4	6	11
50-64	421	2.2	3	<1	<1	2	3	4	6	10
65+	296	3.3	12	<1	<1	2	4	7	10	17
GRAND TOTAL	**3216**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	4	5.0	12	2	2	5	8	8	8	8
50-64	4	3.5	25	<1	<1	1	6	11	11	11
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	5	4.0	12	2	2	3	5	10	10	10
20-34	16	4.4	14	<1	<1	3	8	10	11	11
35-49	18	2.8	14	<1	<1	2	3	4	12	17
50-64	36	4.8	83	<1	<1	1	5	7	24	49
65+	24	3.9	27	<1	<1	1	6	8	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	14	3.2	11	<1	<1	1	4	9	10	11
B. *Operated*	99	4.1	42	<1	<1	2	4	10	14	38
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	113	4.0	38	<1	<1	2	4	10	11	35
A. NOT OPERATED	14	3.2	11	<1	<1	1	4	9	10	11
B. OPERATED	100	4.1	41	<1	<1	2	4	10	14	38
TOTAL 0-19 YRS	9	3.0	8	<1	<1	2	3	7	10	10
20-34	18	4.2	13	<1	<1	3	6	10	11	11
35-49	22	3.2	14	<1	<1	2	4	8	12	17
50-64	40	4.7	77	<1	<1	1	5	9	22	49
65+	25	3.8	26	<1	<1	1	6	8	13	24
GRAND TOTAL	**114**	**4.0**	**38**	**<1**	**<1**	**2**	**4**	**10**	**11**	**35**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	556	2.0	14	<1	<1	1	2	4	5	16
20-34	1023	2.4	22	<1	<1	1	2	3	5	36
35-49	385	2.1	17	<1	<1	1	2	3	5	15
50-64	372	2.1	10	<1	1	1	2	4	5	15
65+	298	2.4	11	<1	<1	1	2	4	7	22
B. *Operated*										
0-19 YRS	331	2.6	7	<1	<1	1	3	7	9	12
20-34	841	2.9	7	<1	<1	2	4	7	8	11
35-49	612	3.2	10	<1	<1	2	4	8	9	13
50-64	383	3.6	10	<1	<1	2	5	9	10	12
65+	246	3.9	12	<1	<1	2	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1801	3.8	82	<1	1	2	4	5	10	72
20-34	1815	4.6	80	<1	1	2	4	7	21	53
35-49	2413	4.1	54	1	1	2	4	7	17	41
50-64	5378	3.6	34	1	1	2	4	6	11	32
65+	5950	5.8	95	1	1	2	5	15	26	55
B. *Operated*										
0-19 YRS	595	5.1	83	<1	<1	2	6	10	19	84
20-34	1127	4.6	58	<1	<1	3	5	9	15	59
35-49	1341	5.1	48	1	1	3	6	10	14	38
50-64	1746	5.6	54	1	1	4	7	11	16	39
65+	1720	7.2	78	1	1	5	9	15	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2634	2.2	16	<1	<1	1	2	4	5	22
B. *Operated*	2413	3.2	9	<1	<1	2	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	17357	4.6	68	1	1	2	4	9	20	48
B. *Operated*	6529	5.7	63	<1	1	3	7	12	18	48
1. SINGLE DX	5047	2.7	13	<1	<1	1	3	6	8	15
2. MULTIPLE DX	23886	4.9	67	1	1	2	5	10	19	48
A. NOT OPERATED	19991	4.3	62	<1	1	2	4	8	17	45
B. OPERATED	8942	5.0	50	<1	1	3	6	10	15	40
TOTAL 0-19 YRS	3283	3.6	64	<1	<1	2	3	6	10	61
20-34	4806	3.9	51	<1	<1	2	4	7	11	42
35-49	4751	4.1	44	<1	1	2	4	8	13	38
50-64	7879	4.0	37	1	1	2	5	8	12	32
65+	8214	6.0	87	1	1	3	6	14	25	51
GRAND TOTAL	**28933**	**4.5**	**58**	**<1**	**1**	**2**	**5**	**9**	**16**	**44**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number — Title

161 CVA, without paralysis
162 CVA, with paralysis
128 Cyclitis
311 Cyst, Baker's
188 Cyst, mouth
243 Cyst, ovarian
293 Cyst, pilonidal
121 Cyst, retinal
294 Cyst, sebaceous
311 Cyst, synovial
241 Cystic breast
218 Cystic duct remnant
77 Cystic fibrosis
232 Cystitis
266 Cystitis of pregnancy
248 Cystocele

134 Deafness
295 Decubitus
112 Deficiency, mental
76 Deficiency, nutritional
Deformity, congenital – *see Anomaly, congenital*
316 Deformity, musculoskeletal, acquired
128 Degeneration, globe of eye
81 Dehydration
340 Delirium, except acute and subacute
89 Delirium, acute or subacute
270 Delivery, NOS
Delivery complicated by:
  278 Abnormality, bony pelvis
  272 Abruptio placentae
  287 Acute toxemia
  276 Breech presentation
  278 Cephalopelvic disproportion
  281 Cesarean section, previous
  287 Complication NOS
  278 Disproportion, cephalopelvic
  278 Disproportion, fetopelvic
  287 Eclampsia
  278 Fetopelvic disproportion
  287 Hypertensive disorder
  279 Inertia, uterine
  277 Malpresentation, except breech
  275 Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.10-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

LENGTH OF STAY BY OPERATION

UNITED STATES WESTERN REGION

1984



Length of Stay by Operation, Western Region, 1984

A Companion Volume To Length of Stay by Diagnosis, Western Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15

- Summary of All Patients. 16
- Operation Groups 501-764. 17

Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (6[illegible]

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

342 Hospitals, Western Region, January-December 1984, by Operation

---

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72650	2.4	8	<1	<1	2	3	4	6	13
20-34	180505	2.6	6	<1	1	2	3	5	6	11
35-49	64615	3.4	10	<1	1	2	4	7	9	15
50-64	49864	4.0	15	<1	1	3	5	8	11	18
65+	46009	4.4	19	<1	1	3	6	10	13	19
2. MULTIPLE DX										
0-19 YRS	70104	5.1	70	<1	1	3	5	10	18	53
20-34	173732	4.4	28	1	1	3	5	8	11	28
35-49	116607	5.8	42	1	1	4	7	11	16	34
50-64	150251	6.9	57	1	1	5	9	14	19	40
65+	278020	8.2	67	1	2	6	10	17	22	43
TOT. SINGLE DX	413643	3.0	10	<1	1	2	4	6	8	15
" MULTIPLE DX	788714	6.5	55	1	1	4	8	13	19	40
TOTAL 0-19 YRS	142754	3.7	40	<1	<1	2	4	7	11	36
20-34	354237	3.4	18	<1	1	2	4	6	8	20
35-49	181222	4.9	32	<1	1	4	6	9	13	29
50-64	200115	6.2	48	1	1	4	8	13	17	36
65+	324029	7.7	62	1	2	6	10	16	21	41
GRAND TOTAL	**1202357**	**5.3**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	7.8	38	1	1	7	10	17	22	27
20-34	107	7.7	25	1	2	7	9	13	16	29
35-49	126	9.4	29	3	5	8	11	17	22	28
50-64	131	10.9	83	3	4	9	13	21	24	46
65+	160	10.9	68	4	5	9	13	19	24	44
2. MULTIPLE DX										
0-19 YRS	148	16.4	269	1	2	12	21	45	64	99+
20-34	196	17.2	249	3	4	13	23	57	99+	99+
35-49	208	17.6	284	4	6	12	22	46	82	99+
50-64	398	17.0	222	4	6	12	20	36	53	87
65+	605	19.9	236	5	7	15	25	40	53	86
TOT. SINGLE DX	615	9.6	53	2	3	8	11	18	23	33
" MULTIPLE DX	1555	18.2	245	4	5	13	23	41	59	99+
TOTAL 0-19 YRS	239	13.1	198	1	2	9	17	29	53	99+
20-34	303	13.9	191	2	3	10	17	34	64	99+
35-49	334	14.5	203	4	5	11	17	30	58	99+
50-64	529	15.5	194	4	5	11	18	32	46	83
65+	765	18.0	214	4	6	14	22	36	50	80
GRAND TOTAL	2170	15.7	206	3	5	11	19	33	53	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	5.6	7	3	3	5	7	9	12	14
20-34	40	9.6	47	2	3	8	13	19	20	36
35-49	33	9.3	47	4	4	7	11	18	25	34
50-64	38	9.7	76	2	3	7	12	21	23	50
65+	39	10.4	33	4	5	9	12	18	24	28
2. MULTIPLE DX										
0-19 YRS	86	15.5	225	3	4	9	22	43	46	66
20-34	120	16.0	218	3	4	13	22	47	99+	99+
35-49	81	19.4	296	4	6	15	27	48	80	99+
50-64	122	16.7	174	5	6	13	19	29	39	75
65+	192	20.0	262	6	7	15	24	46	54	92
TOT. SINGLE DX	248	8.1	38	3	3	6	10	15	20	34
" MULTIPLE DX	601	17.8	237	4	5	13	23	43	58	99+
TOTAL 0-19 YRS	184	10.2	134	3	3	6	10	25	42	55
20-34	160	14.4	183	3	4	11	19	36	76	99+
35-49	114	16.5	244	4	4	11	21	44	61	99+
50-64	160	15.0	159	3	5	12	18	28	36	68
65+	231	18.4	236	5	6	14	22	42	53	90
GRAND TOTAL	849	15.0	198	3	4	10	19	34	49	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	4.3	4	2	2	4	5	6	9	14
20-34	47	4.5	6	1	2	4	5	8	11	12
35-49	18	4.0	4	1	1	4	5	7	9	10
50-64	15	4.3	2	2	2	4	5	7	8	8
65+	3	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	123	7.7	89	2	3	5	8	14	20	62
20-34	98	8.0	64	2	3	5	9	19	29	73
35-49	45	13.1	207	2	3	9	16	25	46	75
50-64	35	8.4	47	2	3	6	13	22	76	99+
65+	19	6.3	7	3	3	6	8	10	12	12
TOT. SINGLE DX	286	4.3	5	1	2	4	5	7	9	13
" MULTIPLE DX	320	8.5	91	2	3	5	10	19	26	87
TOTAL 0-19 YRS	326	5.6	39	2	2	4	6	10	14	24
20-34	145	6.9	48	2	2	4	8	13	23	46
35-49	63	10.5	166	2	2	5	12	22	37	72
50-64	50	7.2	37	2	3	5	8	18	32	99+
65+	22	6.2	6	3	3	6	8	10	11	12
GRAND TOTAL	606	6.6	55	2	2	4	7	13	20	54

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	4.7	7	1	2	4	6	8	8	17
20-34	20	7.9	32	3	3	7	9	12	21	29
35-49	11	9.4	15	6	6	8	11	15	20	20
50-64	13	7.6	23	2	3	7	9	16	18	19
65+	55	8.9	31	3	4	7	11	15	22	28
2. MULTIPLE DX										
0-19 YRS	121	17.0	435	2	3	8	22	54	76	99+
20-34	42	15.5	249	3	4	11	20	38	66	99+
35-49	28	14.1	176	3	3	11	18	55	99+	99+
50-64	65	15.6	134	4	5	12	18	34	43	54
65+	182	18.4	218	5	6	14	25	34	50	98
TOT. SINGLE DX	150	7.3	25	2	3	6	8	13	18	28
" MULTIPLE DX	438	17.0	266	3	4	12	23	38	56	99+
TOTAL 0-19 YRS	172	13.3	340	2	3	6	12	42	66	98
20-34	62	13.0	191	3	4	9	15	29	45	98
35-49	39	12.8	134	3	4	[illegible]	17	38	76	99+
50-64	78	14.3	124	3	5	11	17	31	39	53
65+	237	16.2	191	4	5	12	22	32	46	95
GRAND TOTAL	588	14.6	222	3	3	9	18	33	53	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.0	9	1	1	3	5	8	11	16
20-34	29	6.7	36	2	2	5	8	14	24	25
35-49	22	6.0	32	1	1	5	7	12	21	25
50-64	14	7.1	71	2	2	4	8	12	30	35
65+	6	5.8	8	2	2	5	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	351	9.4	155	1	2	5	10	23	36	98
20-34	127	15.8	314	2	3	9	21	41	72	99+
35-49	84	12.8	288	1	2	7	13	38	60	97
50-64	72	18.6	351	3	4	10	26	46	59	88
65+	93	17.6	278	2	3	12	21	46	55	70
TOT. SINGLE DX	197	4.9	21	1	1	4	5	10	13	25
" MULTIPLE DX	727	12.9	246	2	2	7	15	34	52	98
TOTAL 0-19 YRS	477	8.0	123	1	2	4	8	17	29	87
20-34	156	14.1	274	2	3	8	18	36	63	99+
35-49	106	11.4	242	1	2	7	11	26	51	95
50-64	86	16.7	322	2	3	9	22	43	58	84
65+	99	16.9	270	2	3	11	21	45	53	69
GRAND TOTAL	**924**	**11.2**	**209**	**1**	**2**	**6**	**13**	**29**	**48**	**94**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	12.6	100	4	5	9	15	29	36	39
20-34	201	7.5	19	3	4	7	9	12	15	22
35-49	379	7.7	16	3	4	7	9	13	15	21
50-64	411	8.5	23	3	4	8	10	14	17	27
65+	290	9.6	15	4	5	9	11	14	17	23
2. MULTIPLE DX										
0-19 YRS	26	21.9	386	3	5	15	29	51	67	77
20-34	221	12.4	107	4	5	9	14	22	33	69
35-49	483	11.7	117	4	4	9	13	22	31	87
50-64	821	11.6	78	4	5	9	13	20	28	59
65+	1031	14.1	117	5	6	11	16	24	34	67
TOT. SINGLE DX	1297	8.4	21	3	4	8	10	14	16	24
" MULTIPLE DX	2582	12.8	109	4	5	10	15	23	31	66
TOTAL 0-19 YRS	42	18.4	293	4	5	12	26	41	57	77
20-34	422	10.1	71	3	4	8	12	19	23	53
35-49	862	9.9	77	3	4	8	11	17	24	47
50-64	1232	10.5	63	4	5	9	12	18	24	49
65+	1321	13.1	99	5	6	10	15	23	30	61
GRAND TOTAL	**3879**	**11.3**	**84**	**4**	**5**	**9**	**13**	**20**	**27**	**53**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	6.9	23	1	1	6	10	14	17	20
20-34	136	4.8	16	1	1	3	6	11	14	19
35-49	163	4.8	16	<1	1	4	6	10	12	21
50-64	76	5.6	25	<1	1	4	7	12	15	26
65+	34	6.9	34	<1	<1	6	11	16	18	19
2. MULTIPLE DX										
0-19 YRS	93	14.3	206	1	3	9	20	35	44	89
20-34	171	11.6	161	1	2	8	14	25	39	96
35-49	215	10.4	112	2	2	7	14	20	27	64
50-64	165	13.1	175	2	3	9	15	27	41	64
65+	157	13.8	175	1	2	10	18	32	39	59
TOT. SINGLE DX	446	5.3	20	1	1	4	7	11	14	21
" MULTIPLE DX	801	12.3	161	1	2	9	15	26	38	75
TOTAL 0-19 YRS	130	12.2	165	1	2	9	16	27	39	80
20-34	307	8.6	109	1	1	5	11	19	28	78
35-49	378	8.0	79	1	1	5	10	17	22	51
50-64	241	10.7	140	1	2	7	13	23	31	63
65+	191	12.6	157	1	1	9	17	28	37	56
GRAND TOTAL	**1247**	**9.8**	**122**	**1**	**2**	**6**	**13**	**21**	**30**	**64**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.0		<1	<1	2	3	3	4	4
20-34	158	2.8	6	<1	<1	2	3	7	9	11
35-49	226	3.1	9	<1	<1	2	4	8	10	12
50-64	223	2.8	8	<1	<1	2	3	7	8	16
65+	97	2.7	7	<1	1	2	3	7	8	15
2. MULTIPLE DX										
0-19 YRS	27	4.7	33	<1	<1	3	5	16	18	21
20-34	147	4.5	23	<1	<1	3	6	10	12	28
35-49	169	6.3	35	<1	1	5	9	12	16	24
50-64	252	6.4	34	1	1	5	9	13	18	31
65+	176	7.1	54	1	1	5	9	14	22	42
TOT. SINGLE DX	725	2.9	8	<1	<1	2	3	7	9	12
" MULTIPLE DX	771	6.1	38	1	1	4	9	13	18	29
TOTAL 0-19 YRS	48	3.5	21	<1	<1	2	3	7	17	21
20-34	305	3.6	16	<1	<1	2	4	9	11	20
35-49	395	4.5	23	<1	<1	2	7	10	12	20
50-64	475	4.7	26	<1	<1	3	7	10	14	25
65+	273	5.6	42	1	1	3	8	12	19	35
GRAND TOTAL	**1496**	**4.5**	**26**	**<1**	**<1**	**2**	**7**	**10**	**14**	**25**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	1.7	2	<1	<1	1	2	3	4	11
20-34	696	1.7	2	<1	<1	1	2	3	4	8
35-49	796	1.7	2	<1	<1	1	2	3	4	8
50-64	718	1.7	1	<1	<1	1	2	3	4	7
65+	435	1.8	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	169	2.7	42	<1	<1	1	2	5	6	26
20-34	503	2.8	25	<1	<1	2	3	5	7	15
35-49	486	2.8	13	<1	1	2	3	5	8	14
50-64	572	2.8	8	<1	<1	2	3	6	8	14
65+	580	3.6	30	<1	1	2	3	7	11	28
TOT. SINGLE DX	2740	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	2310	3.0	21	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	264	2.3	29	<1	<1	1	2	4	5	15
20-34	1199	2.2	12	<1	<1	1	2	4	6	11
35-49	1282	2.1	7	<1	<1	1	2	4	5	12
50-64	1290	2.2	5	<1	<1	2	2	4	6	12
65+	1015	2.8	19	<1	<1	2	3	5	8	23
GRAND TOTAL	**5050**	**2.3**	**11**	**<1**	**<1**	**2**	**2**	**4**	**6**	**14**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	1	3	3	4	5	6	6	6
20-34	34	4.7	12	<1	1	4	5	7	11	20
35-49	22	3.4	4	<1	1	3	5	6	7	8
50-64	14	5.4	9	2	3	4	9	10	11	11
65+	5	5.8	5	3	3	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	3	8.7	82	2	2	5	15	19	19	19
20-34	42	6.3	20	<1	1	5	7	12	16	24
35-49	40	7.1	22	1	3	6	8	13	19	22
50-64	36	8.7	86	2	3	6	8	17	28	52
65+	85	11.3	46	3	4	10	13	22	25	32
TOT. SINGLE DX	79	4.5	9	<1	1	4	6	8	10	17
" MULTIPLE DX	206	9.0	47	2	3	7	11	19	22	32
TOTAL 0-19 YRS	7	6.1	34	2	2	4	6	16	19	19
20-34	76	5.6	18	<1	1	5	6	11	14	23
35-49	62	5.8	19	1	1	5	7	10	17	22
50-64	50	7.8	67	2	3	6	8	12	21	52
65+	90	11.0	46	3	4	10	13	22	25	32
GRAND TOTAL	**285**	**7.7**	**41**	**1**	**2**	**6**	**9**	**15**	**21**	**31**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.3	104	3	3	6	18	22	22	22
20-34	26	2.0	4	<1	<1	<1	2	4	6	11
35-49	27	3.0	9	<1	<1	1	5	8	9	13
50-64	27	3.2	9	<1	<1	2	4	8	11	11
65+	9	3.4	12	<1	<1	1	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	5	6.2	20	2	2	4	10	12	12	12
20-34	36	9.6	77	1	2	7	12	21	33	37
35-49	49	9.1	46	<1	2	8	15	20	21	25
50-64	49	10.4	167	1	2	8	12	16	27	77
65+	63	8.9	134	1	1	7	11	18	21	75
TOT. SINGLE DX	92	3.1	12	<1	<1	1	4	8	11	18
" MULTIPLE DX	202	9.4	107	1	2	7	12	18	22	66
TOTAL 0-19 YRS	8	7.8	46	2	2	5	11	19	22	22
20-34	62	6.4	61	<1	<1	4	8	13	25	37
35-49	76	6.9	41	<1	<1	4	10	17	21	24
50-64	76	7.9	122	<1	<1	5	10	15	16	72
65+	72	8.2	123	<1	1	6	10	16	20	72
GRAND TOTAL	**294**	**7.4**	**86**	**<1**	**<1**	**4**	**10**	**15**	**21**	**52**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	2	1	1	3	4	5	5	9
20-34	518	2.9	2	1	1	3	4	4	5	8
35-49	583	2.9	1	1	1	3	3	4	5	6
50-64	371	3.1	1	1	1	3	4	4	5	8
65+	137	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	29	4.8	8	2	3	4	6	9	12	13
20-34	295	3.9	21	1	2	3	4	6	7	11
35-49	384	4.0	8	2	2	3	4	6	8	14
50-64	413	4.3	11	2	2	3	5	7	10	20
65+	312	5.3	21	2	2	4	5	9	13	31
TOT. SINGLE DX	1666	3.0	2	1	1	3	4	4	5	7
" MULTIPLE DX	1433	4.3	15	2	2	4	5	7	10	20
TOTAL 0-19 YRS	86	3.5	5	1	1	3	4	6	8	13
20-34	813	3.3	9	1	2	3	4	5	6	9
35-49	967	3.3	4	1	2	3	4	5	6	10
50-64	784	3.7	7	1	2	3	4	5	7	14
65+	449	4.7	16	2	2	4	5	7	11	30
GRAND TOTAL	3099	3.6	8	1	2	3	4	5	7	13

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	1.5		<1	<1	1	2	3	3	4
20-34	93	2.2	1	1	1	2	3	4	4	5
35-49	79	2.5	1	1	1	2	3	4	5	7
50-64	66	3.3	3	1	1	3	4	5	6	12
65+	26	4.2	7	1	2	4	5	6	8	16
2. MULTIPLE DX										
0-19 YRS	38	2.9	10	<1	1	2	4	6	10	17
20-34	71	5.1	28	1	2	3	6	11	14	34
35-49	117	5.6	35	2	2	4	6	9	13	36
50-64	169	5.8	29	2	2	4	7	11	16	24
65+	163	6.8	41	2	3	5	7	13	17	39
TOT. SINGLE DX	406	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	558	5.8	34	1	2	4	7	11	15	37
TOTAL 0-19 YRS	180	1.8	3	<1	<1	1	2	3	4	10
20-34	164	3.5	15	1	1	3	4	6	10	19
35-49	196	4.4	24	1	1	3	5	8	11	24
50-64	235	5.1	23	1	2	4	6	10	13	22
65+	189	6.4	38	2	2	5	7	12	16	39
GRAND TOTAL	964	4.3	23	1	1	3	5	8	12	24

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	7.8	14	3	4	6	11	14	15	15
20-34	48	6.8	5	3	4	7	8	10	11	13
35-49	37	7.5	14	3	4	7	9	11	15	23
50-64	34	7.5	7	4	5	7	9	11	13	14
65+	14	7.4	6	4	5	7	8	10	13	14
2. MULTIPLE DX										
0-19 YRS	11	12.7	247	4	4	8	11	33	57	59
20-34	49	10.2	32	5	5	8	12	18	23	29
35-49	75	10.6	60	4	5	9	11	17	26	51
50-64	66	11.3	83	5	6	8	13	18	31	51
65+	71	12.7	102	2	5	10	14	23	32	92
TOT. SINGLE DX	147	7.3	9	3	4	7	9	11	13	16
" MULTIPLE DX	272	11.3	79	5	5	9	13	20	29	59
TOTAL 0-19 YRS	25	10.0	117	4	4	7	11	15	27	59
20-34	97	8.5	22	4	5	7	10	15	18	28
35-49	112	9.6	47	4	5	8	11	16	22	41
50-64	100	10.0	61	4	5	8	11	15	19	50
65+	85	11.8	90	3	5	9	14	22	31	87
GRAND TOTAL	419	9.9	58	4	5	8	11	16	22	53

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	1.0		<1	<1	<1	1	1	1	2
20-34	16	1.5	2	<1	<1	<1	1	2	6	7
35-49	23	1.2		<1	<1	<1	1	2	3	3
50-64	32	1.5		<1	<1	1	2	3	3	5
65+	50	1.9	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	18	1.9	3	<1	<1	1	2	5	7	8
20-34	6	5.0	78	1	1	2	2	21	23	23
35-49	15	2.3	4	<1	<1	1	3	5	7	8
50-64	37	3.6	53	<1	<1	2	3	5	14	43
65+	84	3.8	83	<1	<1	2	3	8	9	58
TOT. SINGLE DX	196	1.4	1	<1	<1	<1	1	2	3	7
" MULTIPLE DX	160	3.5	59	<1	<1	2	3	8	9	41
TOTAL 0-19 YRS	93	1.2	1	<1	<1	<1	1	1	2	7
20-34	22	2.5	23	<1	<1	1	2	4	13	23
35-49	38	1.6	2	<1	<1	1	2	3	5	8
50-64	69	2.6	30	<1	<1	1	2	4	5	38
65+	134	3.1	54	<1	<1	2	3	7	8	22
GRAND TOTAL	**356**	**2.3**	**28**	**<1**	**<1**	**1**	**2**	**4**	**8**	**18**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	1.4		<1	<1	1	2	2	2	5
20-34	48	2.0	4	<1	<1	1	2	4	4	15
35-49	55	1.2		<1	<1	<1	1	2	2	3
50-64	95	1.3		<1	<1	1	1	2	3	6
65+	148	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	164	2.7	22	<1	1	1	3	5	7	31
20-34	221	2.7	10	<1	<1	2	3	5	7	21
35-49	147	2.5	8	<1	<1	2	3	5	7	12
50-64	176	2.3	13	<1	<1	1	2	4	6	22
65+	307	3.9	70	<1	<1	2	3	8	13	36
TOT. SINGLE DX	475	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1015	3.0	31	<1	<1	2	3	6	9	23
TOTAL 0-19 YRS	293	2.1	13	<1	<1	1	2	4	5	22
20-34	269	2.6	9	<1	<1	2	3	5	7	19
35-49	202	2.1	7	<1	<1	1	2	4	6	10
50-64	271	2.0	9	<1	<1	1	2	3	5	12
65+	455	3.1	49	<1	<1	1	2	6	10	21
GRAND TOTAL	**1490**	**2.5**	**22**	**<1**	**<1**	**1**	**2**	**4**	**7**	**18**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	1.2		<1	<1	1	1	2	2	2
20-34	26	1.5		1	1	1	2	2	3	5
35-49	26	1.9	1	<1	1	2	2	3	4	8
50-64	29	1.8		<1	<1	1	2	3	3	4
65+	66	1.6		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	24	1.8	1	<1	1	1	2	4	4	5
20-34	27	2.1	4	<1	<1	1	2	5	7	11
35-49	22	1.9	2	<1	1	1	2	4	6	8
50-64	35	1.7		1	1	2	2	3	3	4
65+	120	2.3	4	1	1	2	2	4	6	12
TOT. SINGLE DX	182	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	228	2.1	3	<1	1	2	2	3	5	11
TOTAL 0-19 YRS	59	1.5	1	<1	<1	1	2	2	3	5
20-34	53	1.8	3	<1	1	1	2	3	5	11
35-49	48	1.9	2	<1	1	2	2	3	4	8
50-64	64	1.7	1	<1	<1	2	2	3	3	4
65+	186	2.1	3	<1	1	2	2	3	4	11
GRAND TOTAL	**410**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.9	16	<1	<1	<1	2	10	13	13
20-34	6	4.2	41	<1	<1	1	4	16	17	17
35-49	5	1.8	1	<1	<1	1	2	4	4	4
50-64	10	1.9	4	<1	<1	1	2	5	8	8
65+	6	2.7	10	1	1	2	2	8	9	9
2. MULTIPLE DX										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	11	2.3	2	<1	<1	2	4	5	5	5
35-49	8	4.8	12	<1	<1	4	8	10	10	10
50-64	14	4.1	22	<1	1	2	4	13	15	15
65+	27	5.1	36	<1	1	3	7	14	20	25
TOT. SINGLE DX	37	2.6	13	<1	<1	1	2	8	12	17
" MULTIPLE DX	65	4.1	23	<1	1	2	5	10	14	24
TOTAL 0-19 YRS	15	2.4	11	<1	<1	1	2	7	11	13
20-34	17	2.9	15	<1	<1	1	4	5	13	17
35-49	13	3.6	10	<1	<1	3	5	9	10	10
50-64	24	3.2	16	<1	<1	2	3	9	14	15
65+	33	4.7	32	<1	1	2	6	12	18	25
GRAND TOTAL	**102**	**3.6**	**20**	**<1**	**<1**	**2**	**4**	**9**	**14**	**22**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.2	5	1	1	3	3	6	9	11
20-34	104	2.1	1	1	1	2	3	4	4	7
35-49	99	2.2	1	1	1	2	3	4	4	8
50-64	56	2.4	1	1	1	2	3	4	5	5
65+	161	2.3	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	28	2.6	1	1	1	2	4	5	5	5
20-34	44	3.0	8	<1	1	2	3	6	8	18
35-49	72	4.3	22	1	1	3	4	10	13	26
50-64	109	3.0	6	1	1	3	4	5	6	15
65+	513	2.8	2	1	1	3	4	5	5	8
TOT. SINGLE DX	443	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	766	3.0	5	1	1	3	4	5	6	13
TOTAL 0-19 YRS	51	2.9	4	1	1	3	4	5	6	11
20-34	148	2.4	4	1	1	2	3	4	5	9
35-49	171	3.1	12	1	1	2	3	5	9	21
50-64	165	2.8	5	1	1	3	4	5	5	8
65+	674	2.7	2	1	1	2	4	5	5	8
GRAND TOTAL	1209	2.7	4	1	1	2	3	5	5	10

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.0	1	<1	<1	1	3	4	5	6
20-34	186	1.3		<1	<1	<1	<1	2	3	5
35-49	145	1.2		<1	<1	<1	<1	2	2	4
50-64	49	1.5	1	<1	<1	<1	1	3	3	6
65+	47	1.4		<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	68	3.6	5	1	1	3	5	7	8	10
20-34	65	3.4	5	<1	<1	3	5	7	8	11
35-49	47	2.8	5	<1	<1	2	4	5	8	12
50-64	41	2.7	10	<1	<1	2	3	5	6	21
65+	67	3.3	9	<1	1	2	4	7	8	18
TOT. SINGLE DX	509	1.4	1	<1	<1	<1	1	3	4	6
" MULTIPLE DX	288	3.2	7	<1	<1	3	4	7	8	14
TOTAL 0-19 YRS	150	2.8	4	<1	<1	2	4	5	7	9
20-34	251	1.8	3	<1	<1	<1	2	4	5	9
35-49	192	1.6	2	<1	<1	<1	1	3	4	9
50-64	90	2.0	6	<1	<1	1	2	4	5	15
65+	114	2.5	7	<1	<1	2	3	5	7	16
GRAND TOTAL	797	2.1	4	<1	<1	1	3	4	6	10

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	4	5
20-34	26	1.6		<1	1	1	2	3	3	4
35-49	51	2.1	2	1	1	2	2	4	5	9
50-64	75	2.1	2	<1	1	2	2	5	6	8
65+	137	2.2	2	<1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	36	1.7	1	<1	1	1	2	3	5	5
20-34	26	3.4	19	<1	<1	3	3	6	10	24
35-49	29	3.0	4	1	1	3	4	5	8	10
50-64	87	2.9	5	<1	1	3	3	6	7	13
65+	251	3.0	9	1	1	2	3	6	8	16
TOT. SINGLE DX	329	2.0	2	<1	1	2	2	4	5	8
" MULTIPLE DX	429	2.9	8	1	1	2	3	5	7	16
TOTAL 0-19 YRS	76	1.6	1	<1	<1	1	2	3	4	5
20-34	52	2.5	11	<1	1	2	3	4	6	24
35-49	80	2.4	3	1	1	2	3	5	6	10
50-64	162	2.5	4	<1	1	2	3	5	6	10
65+	388	2.7	7	1	1	2	3	5	7	15
GRAND TOTAL	758	2.5	6	<1	1	2	3	5	6	14

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.7	13	<1	<1	2	4	10	12	13
20-34	37	2.8	3	<1	1	3	4	4	5	11
35-49	25	1.9	1	<1	1	2	2	4	4	4
50-64	34	2.0	2	<1	<1	1	3	5	5	5
65+	75	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	46	3.8	15	<1	1	2	5	10	12	20
20-34	48	3.7	9	<1	1	3	4	6	11	15
35-49	25	3.2	45	<1	<1	1	3	4	14	35
50-64	53	3.4	12	<1	1	2	4	7	12	16
65+	182	3.7	17	<1	1	2	4	8	12	22
TOT. SINGLE DX	195	2.4	4	<1	<1	2	3	4	5	12
" MULTIPLE DX	354	3.6	17	<1	1	2	4	8	12	21
TOTAL 0-19 YRS	70	3.8	15	<1	<1	2	5	10	12	19
20-34	85	3.3	7	<1	1	3	4	5	11	14
35-49	50	2.6	23	<1	1	1	3	4	4	35
50-64	87	2.8	9	<1	<1	2	3	6	8	16
65+	257	3.2	14	<1	1	2	4	7	10	21
GRAND TOTAL	549	3.2	13	<1	1	2	4	6	10	19

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	11	2.2	2	<1	<1	2	2	4	7	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	51	1.5		<1	<1	1	2	2	3	4
50-64	371	1.8		<1	<1	2	2	3	3	4
65+	1661	1.8		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	11	3.8	15	<1	<1	2	4	11	13	13
20-34	12	2.8	3	<1	<1	2	4	6	6	6
35-49	59	2.5	6	<1	1	2	3	4	4	19
50-64	359	2.3	6	<1	1	2	2	3	4	12
65+	1977	2.2	3	<1	1	2	2	3	4	10
TOT. SINGLE DX	2096	1.8	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	2418	2.2	4	<1	1	2	2	3	4	10
TOTAL 0-19 YRS	22	3.0	10	<1	<1	2	3	8	11	13
20-34	14	2.7	3	<1	<1	2	3	6	6	6
35-49	110	2.1	4	<1	<1	2	2	4	4	11
50-64	730	2.1	4	<1	1	2	2	3	4	8
65+	3638	2.0	2	<1	1	2	2	3	3	7
GRAND TOTAL	4514	2.0	3	<1	1	2	2	3	4	7

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	46	1.5		<1	<1	1	2	2	3	6
20-34	31	1.6		<1	<1	1	2	3	3	3
35-49	257	1.5		<1	<1	1	2	2	3	3
50-64	1234	1.5		<1	<1	1	2	2	2	3
65+	5314	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	41	3.7	91	<1	<1	2	2	4	9	62
20-34	50	3.1	24	<1	<1	2	3	5	9	33
35-49	220	1.8	1	<1	<1	2	2	3	4	6
50-64	1310	1.9	2	<1	<1	2	2	3	4	9
65+	7361	2.0	4	<1	1	2	2	3	3	9
TOT. SINGLE DX	6882	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	8982	2.0	5	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	87	2.5	44	<1	<1	1	2	3	5	44
20-34	81	2.6	16	<1	<1	2	2	4	7	27
35-49	477	1.6	1	<1	<1	1	2	2	3	5
50-64	2544	1.7	2	<1	<1	2	2	2	3	7
65+	12675	1.8	3	<1	<1	2	2	2	3	7
GRAND TOTAL	15864	1.8	3	<1	<1	2	2	2	3	7

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.7		1	1	2	2	2	2	2
35-49	29	1.2		<1	<1	1	1	2	2	2
50-64	122	1.5		<1	<1	1	2	2	3	4
65+	483	1.6		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	10	1.8	2	1	1	1	2	4	6	6
35-49	19	2.0		<1	1	2	2	3	4	4
50-64	120	1.9	2	<1	<1	2	2	3	3	9
65+	534	1.9	4	<1	<1	2	2	3	3	8
TOT. SINGLE DX	641	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	688	1.9	4	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	16	1.8	2	1	1	2	2	2	5	6
35-49	48	1.5	1	<1	<1	1	2	2	3	4
50-64	242	1.7	1	<1	<1	2	2	2	3	5
65+	1017	1.7	3	<1	<1	2	2	2	3	5
GRAND TOTAL	1329	1.7	2	<1	<1	2	2	2	3	5

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	49	3.6	3	1	1	3	5	6	7	9
20-34	151	3.6	6	1	1	3	4	7	8	14
35-49	163	3.6	4	1	1	3	5	6	8	9
50-64	393	3.6	3	1	2	3	5	6	7	10
65+	337	3.6	2	1	2	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	43	4.2	9	1	2	4	5	8	12	99+
20-34	179	4.9	7	1	2	4	6	8	10	14
35-49	225	4.7	5	2	2	4	6	7	9	12
50-64	590	4.4	7	1	2	4	5	7	8	12
65+	897	4.5	6	2	2	4	6	7	9	14
TOT. SINGLE DX	1093	3.6	4	1	2	3	4	6	7	9
" MULTIPLE DX	1934	4.5	7	1	2	4	6	7	9	13
TOTAL 0-19 YRS	92	3.9	6	1	1	3	5	7	8	65
20-34	330	4.3	7	1	2	4	6	7	9	14
35-49	388	4.2	5	1	2	4	6	7	8	11
50-64	983	4.1	6	1	2	4	5	7	8	11
65+	1234	4.3	6	1	2	4	5	7	8	13
GRAND TOTAL	3027	4.2	6	1	2	4	5	7	8	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.8	2	<1	<1	3	4	5	6	6
20-34	20	3.3	3	<1	1	3	4	6	6	7
35-49	17	2.5	3	1	1	2	3	4	7	9
50-64	48	3.1	2	1	2	3	4	5	6	8
65+	74	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	54	5.8	157	<1	1	3	7	9	10	91
20-34	121	3.8	10	1	2	3	4	6	8	17
35-49	107	4.3	24	1	1	3	5	8	11	30
50-64	233	3.7	12	1	1	3	5	7	10	16
65+	381	3.5	7	1	1	3	4	7	9	16
TOT. SINGLE DX	179	2.8	3	1	1	2	4	5	6	9
" MULTIPLE DX	896	3.8	20	1	1	3	4	7	9	16
TOTAL 0-19 YRS	74	4.9	117	<1	1	3	5	8	9	74
20-34	141	3.7	9	1	1	3	4	6	8	13
35-49	124	4.0	22	1	1	3	4	8	10	26
50-64	281	3.6	11	1	1	3	4	7	9	15
65+	455	3.3	7	1	1	2	4	7	9	15
GRAND TOTAL	1075	3.6	18	1	1	3	4	7	9	15

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	613	1.2		<1	<1	<1	1	2	2	2
20-34	94	1.5	1	<1	<1	1	2	2	2	9
35-49	71	1.4		<1	<1	1	2	2	2	6
50-64	32	1.3		<1	<1	1	2	2	2	2
65+	20	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	241	1.2		<1	<1	<1	1	2	2	3
20-34	49	1.3		<1	1	1	2	2	2	99+
35-49	42	1.8	1	<1	<1	2	2	3	4	6
50-64	44	1.9	2	<1	1	2	2	3	4	11
65+	41	2.1	2	<1	1	2	2	3	4	11
TOT. SINGLE DX	830	1.3		<1	<1	1	1	2	2	3
" MULTIPLE DX	417	1.4	1	<1	<1	1	2	2	2	7
TOTAL 0-19 YRS	854	1.2		<1	<1	<1	1	2	2	2
20-34	143	1.4	1	<1	<1	1	2	2	2	18
35-49	113	1.5	1	<1	<1	1	2	2	3	6
50-64	76	1.6	2	<1	<1	1	2	2	3	9
65+	61	1.9	2	<1	<1	2	2	2	3	10
GRAND TOTAL	1247	1.3	1	<1	<1	1	2	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
TOT. SINGLE DX	9	3.0	24	<1	<1	1	2	11	16	16
" MULTIPLE DX	6	1.5	1	1	1	1	2	3	3	3
TOTAL 0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	6.7	66	1	1	3	13	16	16	16
65+										
GRAND TOTAL	15	2.4	15	<1	<1	1	2	3	13	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	3.4	5	<1	<1	2	6	6	8	62
20-34	48	2.4	3	1	1	2	3	4	5	11
35-49	48	2.6	3	<1	<1	2	3	5	6	9
50-64	31	2.9	3	1	1	2	4	6	6	8
65+	59	2.3	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	90	4.7	17	<1	1	3	6	11	13	22
20-34	103	3.5	9	1	1	3	4	6	8	18
35-49	60	4.3	30	1	1	3	5	7	9	38
50-64	91	4.4	37	1	1	3	5	8	12	40
65+	196	5.0	58	1	1	3	5	11	14	38
TOT. SINGLE DX	277	2.8	4	<1	1	2	4	6	6	9
" MULTIPLE DX	540	4.5	36	1	1	3	5	9	13	30
TOTAL 0-19 YRS	181	4.0	12	<1	<1	3	6	7	11	23
20-34	151	3.2	8	1	1	2	4	6	7	15
35-49	108	3.6	19	1	1	3	4	7	9	27
50-64	122	4.0	29	1	1	3	4	7	10	30
65+	255	4.4	47	1	1	2	5	9	13	36
GRAND TOTAL	817	3.9	25	1	1	3	5	7	11	24

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	1.8	2	<1	<1	1	2	4	6	8
20-34	69	2.7	14	<1	<1	2	3	5	8	24
35-49	52	1.5	1	<1	<1	1	2	2	3	7
50-64	40	1.6	2	<1	<1	1	2	3	4	9
65+	45	2.0	8	<1	<1	1	2	3	9	17
2. MULTIPLE DX										
0-19 YRS	231	3.1	28	<1	1	2	3	5	7	18
20-34	104	3.8	27	<1	<1	2	5	8	13	30
35-49	56	5.3	58	<1	<1	2	5	18	28	29
50-64	47	6.0	129	1	1	2	6	11	31	68
65+	99	6.7	72	1	1	4	7	17	23	46
TOT. SINGLE DX	395	1.9	5	<1	<1	1	2	4	6	10
" MULTIPLE DX	537	4.4	50	<1	1	2	4	8	16	34
TOTAL 0-19 YRS	420	2.5	17	<1	<1	2	3	5	7	14
20-34	173	3.4	23	<1	<1	2	3	7	11	25
35-49	108	3.5	34	<1	<1	1	3	7	19	29
50-64	87	4.0	75	<1	<1	1	4	8	11	55
65+	144	5.2	57	<1	<1	2	6	13	20	35
GRAND TOTAL	**932**	**3.3**	**32**	**<1**	**<1**	**2**	**3**	**7**	**10**	**29**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.5		<1	<1	1	2	2	3	5
20-34	196	1.5		1	1	1	2	2	3	5
35-49	297	1.4		1	1	1	2	2	3	4
50-64	250	1.4		1	1	1	2	2	3	4
65+	120	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	36	1.3		<1	<1	1	2	2	3	3
20-34	93	1.4		<1	1	1	2	2	3	3
35-49	102	1.9	6	1	1	1	2	3	4	16
50-64	125	1.9	6	1	1	1	2	3	4	15
65+	73	1.7		<1	1	2	2	3	3	4
TOT. SINGLE DX	900	1.4	1	1	1	1	2	2	3	4
" MULTIPLE DX	429	1.7	4	<1	1	1	2	3	3	6
TOTAL 0-19 YRS	73	1.4	1	<1	<1	1	2	2	3	5
20-34	289	1.4	1	1	1	1	2	2	3	4
35-49	399	1.5	2	1	1	1	2	2	3	4
50-64	375	1.6	3	1	1	1	2	2	3	6
65+	193	1.4		1	1	1	2	2	3	4
GRAND TOTAL	**1329**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	387	1.3		<1	<1	1	2	2	2	3
20-34	296	1.4		<1	<1	1	2	2	2	3
35-49	273	1.4		<1	1	1	2	2	2	3
50-64	202	1.4		<1	1	1	2	2	2	3
65+	110	1.4		<1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	440	1.5	1	<1	<1	1	2	2	3	7
20-34	269	1.8	33	<1	1	1	2	2	3	4
35-49	217	1.5		<1	1	1	2	2	3	4
50-64	242	1.7		<1	1	1	2	3	3	4
65+	127	1.8		<1	1	2	2	3	3	4
TOT. SINGLE DX	1268	1.4		<1	1	1	2	2	2	3
" MULTIPLE DX	1295	1.6	8	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	827	1.4	1	<1	<1	1	2	2	2	4
20-34	565	1.6	16	<1	1	1	2	2	3	4
35-49	490	1.4		<1	1	1	2	2	3	4
50-64	444	1.6	1	<1	1	1	2	2	3	4
65+	237	1.6	1	<1	1	1	2	3	3	4
GRAND TOTAL	**2563**	**1.5**	**4**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2558	1.1	3	<1	<1	<1	<1	<1	1	2
20-34	44	1.5	2	<1	<1	1	1	2	5	8
35-49	23	1.6	1	<1	<1	1	2	3	5	7
50-64	19	1.7	1	<1	<1	1	2	3	5	6
65+	9	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1582	1.6	6	<1	<1	1	1	2	4	12
20-34	50	2.8	23	<1	<1	1	2	5	12	31
35-49	45	4.5	124	<1	1	2	3	8	11	75
50-64	42	4.2	32	<1	<1	2	4	11	18	27
65+	30	3.3	14	<1	<1	1	6	7	13	17
TOT. SINGLE DX	2653	1.1	4	<1	<1	<1	<1	<1	1	2
" MULTIPLE DX	1749	1.8	11	<1	<1	1	1	3	5	13
TOTAL 0-19 YRS	4140	1.3	5	<1	<1	<1	1	1	2	8
20-34	94	2.2	14	<1	<1	1	2	3	8	24
35-49	68	3.5	84	<1	<1	2	3	7	9	64
50-64	61	3.4	24	<1	<1	1	3	8	13	27
65+	39	2.8	12	<1	<1	1	3	6	10	17
GRAND TOTAL	**4402**	**1.4**	**7**	**<1**	**<1**	**<1**	**1**	**1**	**3**	**9**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	1.5	1	<1	1	1	2	2	3	10
20-34	110	1.7	1	<1	1	1	2	3	4	7
35-49	80	1.8	3	1	1	1	2	3	3	14
50-64	73	1.6		<1	1	1	2	3	3	4
65+	33	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	205	2.5	11	1	1	2	2	5	8	22
20-34	186	2.6	19	1	1	2	2	4	7	29
35-49	169	2.2	5	1	1	2	3	4	5	14
50-64	175	2.3	6	1	1	2	3	3	5	13
65+	105	3.1	9	1	1	2	4	7	11	16
TOT. SINGLE DX	412	1.7	2	<1	1	1	2	3	3	9
" MULTIPLE DX	840	2.5	11	1	1	2	3	4	7	18
TOTAL 0-19 YRS	321	2.2	8	1	1	1	2	4	7	17
20-34	296	2.3	13	1	1	1	2	3	6	20
35-49	249	2.1	5	1	1	2	2	3	4	15
50-64	248	2.1	5	1	1	2	2	3	4	12
65+	138	2.9	8	1	1	2	3	6	10	15
GRAND TOTAL	**1252**	**2.2**	**8**	**1**	**1**	**2**	**2**	**4**	**6**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	1.5		<1	<1	1	2	2	2	4
20-34	156	1.9	1	<1	1	1	2	3	5	7
35-49	201	2.1	5	1	1	2	2	4	4	21
50-64	130	1.9	1	1	1	2	2	3	4	5
65+	73	2.1	3	1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	151	2.3	15	<1	<1	1	2	4	9	20
20-34	97	2.5	7	<1	1	1	2	7	9	13
35-49	96	2.3	6	1	1	2	2	4	7	15
50-64	125	2.4	11	1	1	2	2	4	6	17
65+	66	5.0	107	1	1	2	4	8	16	69
TOT. SINGLE DX	764	1.9	2	<1	1	2	2	3	4	7
" MULTIPLE DX	535	2.7	23	<1	<1	2	2	5	9	21
TOTAL 0-19 YRS	355	1.8	7	<1	<1	1	2	2	4	12
20-34	253	2.1	4	<1	1	1	2	4	6	10
35-49	297	2.2	6	1	1	2	2	4	5	17
50-64	255	2.1	6	1	1	2	2	3	4	11
65+	139	3.5	54	1	1	2	3	7	9	41
GRAND TOTAL	**1299**	**2.2**	**11**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.3		1	1	1	1	3	4	92
20-34	134	1.3		<1	1	1	1	2	3	4
35-49	83	1.5		<1	1	1	2	3	3	6
50-64	45	1.3		<1	<1	1	1	2	2	3
65+	8	2.1	5	1	1	1	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	188	1.5		1	1	1	2	2	3	4
20-34	554	1.7	1	1	1	1	2	3	4	6
35-49	389	1.8	8	1	1	1	2	3	3	5
50-64	201	2.1	6	1	1	2	2	4	5	8
65+	68	2.0	2	<1	<1	2	3	3	4	10
TOT. SINGLE DX	327	1.4	1	<1	1	1	1	3	3	6
" MULTIPLE DX	1400	1.8	4	1	1	1	2	3	4	7
TOTAL 0-19 YRS	245	1.4	1	1	1	1	2	2	3	5
20-34	688	1.6	1	<1	1	1	2	3	3	5
35-49	472	1.7	8	1	1	1	2	3	3	5
50-64	246	2.0	6	<1	1	1	2	3	4	8
65+	76	2.0	3	<1	<1	1	3	4	6	9
GRAND TOTAL	1727	1.7	4	<1	1	1	2	3	3	6

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	324	1.4	1	<1	<1	1	2	2	3	4
20-34	647	1.3		<1	<1	1	1	2	3	4
35-49	347	1.4		<1	1	1	2	2	3	4
50-64	171	1.5		<1	1	1	2	3	3	5
65+	49	1.9	4	<1	<1	1	2	3	4	15
2. MULTIPLE DX										
0-19 YRS	732	1.6	1	<1	1	1	2	3	3	6
20-34	1645	1.6	2	<1	1	1	2	3	4	5
35-49	1118	1.8	2	<1	1	1	2	3	4	7
50-64	514	2.0	4	1	1	2	2	3	4	10
65+	251	2.7	5	1	1	2	3	5	7	13
TOT. SINGLE DX	1538	1.4	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	4260	1.8	3	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	1056	1.5	1	<1	1	1	2	3	3	5
20-34	2292	1.6	2	<1	1	1	2	3	3	5
35-49	1465	1.7	2	<1	1	1	2	3	4	7
50-64	685	1.9	4	<1	1	1	2	3	4	10
65+	300	2.6	6	<1	1	2	3	5	7	13
GRAND TOTAL	5798	1.7	2	<1	1	1	2	3	4	7

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	1.5		<1	<1	1	2	2	3	6
20-34	71	1.6	1	<1	<1	1	2	3	4	6
35-49	76	1.5		<1	<1	1	2	3	3	6
50-64	104	1.6	1	<1	<1	1	2	3	5	7
65+	82	1.4		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	145	1.6	1	<1	<1	1	2	3	4	6
20-34	289	1.8	2	<1	1	1	2	3	4	6
35-49	304	1.8	1	<1	1	1	2	3	4	7
50-64	252	2.4	14	<1	1	2	2	4	7	17
65+	219	3.9	46	<1	1	2	4	8	13	35
TOT. SINGLE DX	388	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1209	2.3	13	<1	1	1	2	4	6	16
TOTAL 0-19 YRS	200	1.6	1	<1	<1	1	2	3	3	6
20-34	360	1.8	2	<1	<1	1	2	3	4	6
35-49	380	1.8	2	<1	<1	1	2	3	4	7
50-64	356	2.2	11	<1	1	1	2	4	6	15
65+	301	3.2	35	<1	<1	2	3	6	9	33
GRAND TOTAL	1597	2.1	10	<1	<1	1	2	4	5	13

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	1.3	1	<1	<1	1	1	2	2	6
20-34	229	1.7	2	<1	<1	1	2	4	5	7
35-49	106	2.8	5	<1	1	2	3	6	7	13
50-64	84	3.1	4	<1	1	3	5	6	7	8
65+	84	3.8	4	1	1	4	5	7	7	9
2. MULTIPLE DX										
0-19 YRS	220	2.3	8	<1	<1	1	2	5	7	18
20-34	302	2.7	10	<1	1	2	3	6	9	17
35-49	185	3.4	15	1	1	2	4	8	10	20
50-64	237	4.3	17	1	1	4	5	7	10	16
65+	338	5.4	44	1	1	4	6	10	13	30
TOT. SINGLE DX	783	2.1	3	<1	<1	1	2	5	6	8
" MULTIPLE DX	1282	3.7	22	1	1	2	5	7	10	20
TOTAL 0-19 YRS	500	1.7	4	<1	<1	1	1	3	5	11
20-34	531	2.3	7	<1	<1	1	2	5	7	13
35-49	291	3.2	12	<1	1	2	4	7	9	17
50-64	321	4.0	14	1	1	3	5	7	9	14
65+	422	5.1	37	1	1	4	6	8	11	26
GRAND TOTAL	2065	3.1	16	<1	<1	2	4	7	9	16

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.7		1	1	1	2	3	4	4
20-34	150	1.7	1	<1	1	1	2	3	4	7
35-49	146	1.9	2	<1	1	1	2	3	4	12
50-64	90	1.9	1	<1	1	2	2	3	4	5
65+	51	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	48	2.3	4	<1	1	2	2	5	8	11
20-34	231	2.6	11	1	1	2	3	4	7	18
35-49	231	2.6	15	1	1	2	3	5	7	16
50-64	194	3.1	15	1	1	2	3	6	12	16
65+	139	3.5	10	1	1	3	4	7	10	18
TOT. SINGLE DX	467	1.8	2	<1	1	1	2	3	4	7
" MULTIPLE DX	843	2.8	13	1	1	2	3	5	9	16
TOTAL 0-19 YRS	78	2.0	3	1	1	1	2	4	6	10
20-34	381	2.2	8	1	1	2	2	4	6	15
35-49	377	2.4	11	1	1	2	3	4	5	13
50-64	284	2.7	11	1	1	2	3	5	9	15
65+	190	3.1	8	1	1	2	4	5	9	16
GRAND TOTAL	**1310**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**7**	**14**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.1	7	<1	<1	1	2	4	7	17
20-34	99	2.1	3	<1	<1	1	2	5	6	9
35-49	97	2.4	3	<1	<1	2	3	4	7	10
50-64	87	2.9	7	<1	<1	2	4	6	8	15
65+	33	2.7	5	<1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	135	3.9	42	<1	<1	2	4	9	12	39
20-34	261	3.3	16	1	1	2	4	7	9	23
35-49	216	3.3	26	<1	1	2	3	6	10	25
50-64	250	4.0	29	1	1	2	4	9	15	33
65+	181	5.0	56	1	1	3	6	11	17	60
TOT. SINGLE DX	370	2.4	5	<1	<1	1	3	5	8	12
" MULTIPLE DX	1043	3.8	32	<1	1	2	4	8	13	33
TOTAL 0-19 YRS	189	3.4	33	<1	<1	1	3	7	12	35
20-34	360	3.0	13	<1	1	2	4	6	8	19
35-49	313	3.0	20	<1	1	2	3	6	8	25
50-64	337	3.7	24	<1	1	2	4	8	14	32
65+	214	4.6	49	1	1	3	5	10	16	50
GRAND TOTAL	**1413**	**3.5**	**25**	**<1**	**1**	**2**	**4**	**7**	**11**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	1.4		<1	<1	1	2	2	2	4
20-34	60	1.7	2	<1	<1	1	2	3	5	9
35-49	47	2.0	5	<1	<1	1	2	3	5	14
50-64	28	1.6		<1	<1	2	2	2	3	4
65+	25	2.1	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	142	3.0	31	<1	<1	2	3	5	11	57
20-34	173	5.9	128	<1	1	2	4	13	24	69
35-49	122	4.9	84	<1	1	2	4	10	19	57
50-64	174	4.1	53	<1	1	2	4	10	17	64
65+	245	4.9	81	1	1	2	4	11	17	63
TOT. SINGLE DX	262	1.7	2	<1	<1	1	2	2	4	9
" MULTIPLE DX	856	4.6	78	<1	1	2	4	10	18	67
TOTAL 0-19 YRS	244	2.3	19	<1	<1	1	2	4	5	30
20-34	233	4.8	99	<1	<1	2	4	9	20	67
35-49	169	4.1	64	<1	<1	2	3	9	15	45
50-64	202	3.8	47	<1	1	2	3	8	16	53
65+	270	4.6	75	1	1	2	3	11	16	62
GRAND TOTAL	**1118**	**3.9**	**62**	**<1**	**<1**	**2**	**3**	**8**	**15**	**55**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	1.1		<1	<1	<1	1	1	2	3
20-34	9	1.4	1	<1	<1	1	1	3	4	4
35-49	8	1.4		<1	<1	1	2	2	2	2
50-64	3	3.7	14	<1	<1	2	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	93	1.6	4	<1	<1	1	2	2	4	15
20-34	29	3.2	35	<1	<1	1	2	7	16	30
35-49	10	3.0	8	<1	<1	2	4	7	10	10
50-64	10	2.8	6	1	1	2	3	7	9	9
65+	3	8.3	41	1	1	11	12	13	13	13
TOT. SINGLE DX	132	1.2	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	145	2.2	13	<1	<1	1	2	4	9	21
TOTAL 0-19 YRS	204	1.3	2	<1	<1	<1	1	2	2	5
20-34	38	2.8	27	<1	<1	1	2	4	13	30
35-49	18	2.3	5	<1	<1	1	2	5	8	10
50-64	13	3.0	7	<1	1	2	3	8	9	9
65+	4	6.8	38	1	1	6	12	13	13	13
GRAND TOTAL	**277**	**1.7**	**7**	**<1**	**<1**	**1**	**1**	**2**	**4**	**14**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	1.8	2	<1	<1	<1	2	4	5	9
20-34	23	2.1	2	<1	1	2	3	4	6	8
35-49	55	2.2	1	<1	1	2	3	4	4	5
50-64	51	2.4	1	<1	1	2	3	4	4	5
65+	22	2.9	2	<1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	75	2.0	1	<1	<1	1	2	4	5	6
20-34	56	2.6	5	<1	1	2	3	5	9	12
35-49	60	2.5	9	<1	1	2	3	4	6	21
50-64	99	3.1	9	1	1	2	3	5	8	19
65+	71	3.6	14	1	1	2	4	6	14	22
TOT. SINGLE DX	205	2.2	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	361	2.8	9	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	129	1.9	2	<1	<1	1	2	4	5	7
20-34	79	2.5	5	<1	1	2	3	5	8	11
35-49	115	2.4	5	<1	1	2	3	4	5	13
50-64	150	2.8	7	1	1	2	3	4	6	15
65+	93	3.4	12	1	1	2	4	6	11	20
GRAND TOTAL	**566**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	2.2	3	<1	<1	2	3	4	6	10
20-34	179	2.3	2	1	1	2	3	4	4	7
35-49	254	2.3	1	1	1	2	3	4	5	6
50-64	260	2.5	2	1	1	2	3	4	5	7
65+	189	2.7	1	1	1	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	42	3.1	11	<1	<1	2	4	6	10	18
20-34	111	2.8	4	1	1	2	4	6	6	10
35-49	146	3.3	11	1	1	3	4	6	8	26
50-64	228	3.4	8	1	1	3	4	6	7	15
65+	305	4.4	22	1	2	3	5	8	11	22
TOT. SINGLE DX	974	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	832	3.7	14	1	1	3	4	6	9	18
TOTAL 0-19 YRS	134	2.5	6	<1	<1	2	3	5	7	14
20-34	290	2.5	3	1	1	2	3	5	6	8
35-49	400	2.7	6	1	1	2	3	5	6	9
50-64	488	2.9	5	1	1	2	3	5	7	12
65+	494	3.8	15	1	1	3	4	6	9	19
GRAND TOTAL	**1806**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	2.9	2	1	1	3	4	5	5	7
20-34	13	3.2	2	1	1	3	4	5	6	6
35-49	8	3.6	18	<1	<1	2	3	11	14	14
50-64	13	2.1	1	1	1	2	2	3	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	262	3.5	2	1	2	3	4	6	6	10
20-34	11	2.1	2	<1	<1	1	3	4	5	5
35-49	18	2.6	2	<1	1	2	3	5	6	7
50-64	27	2.7	2	1	1	2	3	4	5	8
65+	9	4.1	5	1	1	4	6	7	7	7
TOT. SINGLE DX	275	2.9	3	1	1	3	4	5	5	8
" MULTIPLE DX	327	3.3	3	1	1	3	4	6	6	9
TOTAL 0-19 YRS	503	3.2	3	1	1	3	4	5	6	8
20-34	24	2.7	2	<1	1	2	4	5	5	6
35-49	26	2.9	7	<1	<1	2	3	5	8	14
50-64	40	2.5	2	1	1	2	3	4	5	8
65+	9	4.1	5	1	1	4	6	7	7	7
GRAND TOTAL	**602**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	358	2.7	4	<1	<1	2	3	6	7	9
20-34	98	3.0	6	<1	<1	2	4	7	8	12
35-49	103	3.1	10	<1	<1	2	4	8	9	16
50-64	162	3.0	9	<1	<1	2	4	7	10	16
65+	161	2.8	6	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	313	3.6	33	1	1	2	4	6	8	36
20-34	196	4.9	28	<1	1	3	6	12	18	26
35-49	153	4.2	29	<1	1	2	5	11	13	34
50-64	287	7.0	71	<1	1	4	9	17	25	37
65+	409	6.4	60	1	1	4	8	14	19	40
TOT. SINGLE DX	882	2.9	6	<1	<1	2	4	6	8	12
" MULTIPLE DX	1358	5.4	50	1	1	3	6	12	19	35
TOTAL 0-19 YRS	671	3.1	18	<1	<1	2	4	6	7	14
20-34	294	4.3	22	<1	<1	3	5	9	14	25
35-49	256	3.8	22	<1	<1	2	4	9	12	22
50-64	449	5.6	53	<1	1	3	7	14	20	35
65+	570	5.4	48	<1	1	3	7	12	18	30
GRAND TOTAL	**2240**	**4.4**	**35**	**<1**	**1**	**3**	**5**	**9**	**14**	**29**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3483	1.2		<1	1	1	1	2	2	3
20-34	2234	1.4		1	1	1	2	2	3	4
35-49	266	1.5		1	1	1	2	3	3	4
50-64	34	2.1	7	<1	1	1	2	4	10	12
65+	16	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	1113	1.4		<1	1	1	2	2	3	6
20-34	711	1.6		1	1	1	2	3	3	5
35-49	142	2.3	9	1	1	2	2	4	5	18
50-64	35	4.2	20	1	1	3	6	8	15	21
65+	15	4.5	33	1	1	2	4	15	17	18
TOT. SINGLE DX	6033	1.3	1	<1	1	1	1	2	2	4
" MULTIPLE DX	2016	1.6	2	1	1	1	2	3	3	7
TOTAL 0-19 YRS	4596	1.3		<1	1	1	1	2	2	4
20-34	2945	1.4	1	1	1	1	2	2	3	4
35-49	408	1.8	4	1	1	1	2	3	4	8
50-64	69	3.1	15	1	1	1	3	8	12	20
65+	31	3.2	18	1	1	2	3	9	15	18
GRAND TOTAL	8049	1.4	1	<1	1	1	2	2	3	4

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4927	1.2		<1	<1	1	1	2	2	2
20-34	148	1.4		<1	1	1	2	2	2	3
35-49	12	1.5		1	1	1	2	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	7	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4136	1.3		<1	<1	1	1	2	2	3
20-34	95	1.5		1	1	1	2	3	3	3
35-49	5	1.8		1	1	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	5	1.4		<1	<1	1	2	2	2	2
TOT. SINGLE DX	5096	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	4243	1.3		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	9063	1.2		<1	<1	1	1	2	2	3
20-34	243	1.4		<1	1	1	2	2	3	3
35-49	17	1.6		1	1	2	2	2	3	3
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	12	1.4		<1	<1	1	2	3	3	3
GRAND TOTAL	9339	1.2		<1	<1	1	1	2	2	3

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	1.0		<1	<1	<1	1	1	1	2
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49										
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	602	1.1		<1	<1	1	1	1	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	210	1.0		<1	<1	<1	1	1	1	2
" MULTIPLE DX	611	1.1		<1	<1	1	1	1	2	2
TOTAL 0-19 YRS	805	1.1		<1	<1	<1	1	1	2	2
20-34	9	1.2		<1	<1	1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	821	1.1		<1	<1	<1	1	1	2	2

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	326	2.0	13	<1	<1	1	2	3	4	10
20-34	220	2.2	5	<1	1	2	3	4	5	11
35-49	104	2.2	2	<1	<1	2	3	4	6	9
50-64	92	2.5	10	<1	<1	2	3	4	7	21
65+	57	2.6	6	<1	1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	138	3.0	19	1	1	2	3	5	6	30
20-34	121	3.6	30	1	1	2	4	6	9	29
35-49	93	5.0	74	1	1	2	4	9	17	48
50-64	128	6.6	84	1	1	3	9	14	25	52
65+	155	6.9	78	<1	1	3	10	17	25	65
TOT. SINGLE DX	799	2.2	9	<1	<1	1	2	4	5	10
" MULTIPLE DX	635	5.1	60	1	1	2	5	12	17	49
TOTAL 0-19 YRS	464	2.3	15	<1	<1	1	2	4	5	10
20-34	341	2.7	15	<1	1	2	3	5	6	15
35-49	197	3.5	39	<1	1	2	3	6	9	45
50-64	220	4.9	58	<1	1	2	4	12	15	51
65+	212	5.7	63	<1	1	2	8	15	20	50
GRAND TOTAL	1434	3.5	34	<1	1	2	3	7	12	32

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.6	1	<1	<1	<1	1	4	5	6
20-34	18	2.9	3	1	1	2	3	6	7	7
35-49	18	2.4	2	<1	<1	2	4	5	5	5
50-64	24	3.1	6	<1	1	2	4	6	8	11
65+	34	2.9	4	<1	<1	2	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	81	3.2	13	<1	1	2	4	6	7	24
20-34	20	3.1	7	<1	1	2	4	6	9	12
35-49	26	5.2	32	1	1	4	5	10	20	27
50-64	56	4.2	17	1	1	4	5	7	9	26
65+	135	5.4	86	1	1	3	6	11	14	44
TOT. SINGLE DX	122	2.6	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	318	4.5	47	1	1	3	5	9	12	28
TOTAL 0-19 YRS	109	2.8	11	<1	<1	2	3	5	7	19
20-34	38	3.0	5	1	1	2	4	6	7	12
35-49	44	4.0	22	<1	1	3	5	6	12	27
50-64	80	3.9	14	1	1	3	5	7	9	24
65+	169	4.9	71	1	1	3	5	10	13	32
GRAND TOTAL	**440**	**3.9**	**36**	**<1**	**1**	**3**	**5**	**7**	**11**	**27**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	1.2		<1	<1	1	1	1	2	6
20-34	82	1.3		<1	<1	1	1	2	2	7
35-49	132	1.3		<1	<1	1	1	2	2	3
50-64	250	1.5	2	<1	<1	1	2	2	3	9
65+	158	1.4	1	<1	<1	1	2	2	2	9
2. MULTIPLE DX										
0-19 YRS	58	3.1	57	<1	<1	1	2	5	15	96
20-34	35	1.7	2	<1	<1	1	2	3	6	7
35-49	106	2.2	9	<1	<1	1	2	4	5	22
50-64	246	2.8	13	<1	<1	1	2	7	12	24
65+	304	4.0	69	<1	1	2	3	8	18	59
TOT. SINGLE DX	724	1.4	2	<1	<1	1	1	2	2	8
" MULTIPLE DX	749	3.2	39	<1	<1	2	2	6	12	56
TOTAL 0-19 YRS	160	1.9	22	<1	<1	1	1	3	4	52
20-34	117	1.4	1	<1	<1	1	1	2	3	7
35-49	238	1.7	5	<1	<1	1	2	2	4	10
50-64	496	2.1	8	<1	<1	1	2	4	8	19
65+	462	3.1	48	<1	<1	1	2	5	11	53
GRAND TOTAL	**1473**	**2.3**	**21**	**<1**	**<1**	**1**	**2**	**3**	**7**	**24**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	8	5.9	11	<1	1	7	8	10	11	11
50-64	19	6.8	33	<1	<1	7	11	14	19	21
65+	13	4.8	28	<1	<1	1	9	13	15	16
2. MULTIPLE DX										
0-19 YRS	27	2.8	10	<1	<1	1	4	6	10	15
20-34	16	4.3	13	1	1	2	8	10	11	12
35-49	8	9.1	97	1	1	6	13	25	30	30
50-64	32	10.3	80	1	1	10	16	24	36	99+
65+	45	11.9	359	<1	1	6	13	27	50	98
TOT. SINGLE DX	53	4.8	25	<1	<1	2	8	11	15	21
" MULTIPLE DX	128	8.4	167	1	1	4	11	19	33	98
TOTAL 0-19 YRS	37	2.4	8	<1	<1	1	2	6	8	15
20-34	19	3.8	13	1	1	2	7	9	11	12
35-49	16	7.5	53	<1	1	7	10	14	25	30
50-64	51	9.0	65	1	1	9	13	20	32	99
65+	58	10.3	292	<1	1	4	11	23	38	96
GRAND TOTAL	**181**	**7.4**	**128**	**<1**	**1**	**3**	**10**	**16**	**25**	**91**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	7	12.4	6	9	9	13	15	15	15	15
50-64	23	16.4	114	9	10	12	17	29	40	59
65+	17	12.7	15	9	9	13	14	19	21	22
2. MULTIPLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	13	19.2	118	8	9	17	23	33	45	48
50-64	87	18.5	156	8	9	15	22	30	43	94
65+	92	23.0	288	9	10	16	25	45	62	89
TOT. SINGLE DX	50	13.8	68	7	9	12	15	20	29	59
" MULTIPLE DX	193	20.7	220	9	10	16	23	39	57	89
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	7.3	20	3	3	7	11	12	12	12
35-49	20	16.9	88	8	9	14	18	29	39	48
50-64	110	18.1	148	8	10	14	20	30	41	91
65+	109	21.4	260	9	9	16	23	41	57	87
GRAND TOTAL	**243**	**19.3**	**196**	**8**	**9**	**15**	**22**	**33**	**51**	**85**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	4	7.5	33	1	1	7	11	15	15	15
2. MULTIPLE DX										
0-19 YRS	12	24.9	396	3	4	20	47	64	93	99+
20-34	11	26.2	772	1	1	19	60	85	98	99+
35-49	7	22.4	938	2	3	9	64	95	99+	99+
50-64	36	20.9	329	2	5	14	30	52	66	99+
65+	46	22.7	338	3	4	18	38	58	99+	99+
TOT. SINGLE DX	13	5.5	22	1	1	5	7	15	15	15
" MULTIPLE DX	112	22.7	403	2	3	18	41	64	99+	99+
TOTAL 0-19 YRS	15	21.4	371	2	3	16	45	55	86	99+
20-34	11	26.2	772	1	1	19	60	85	98	99+
35-49	9	18.2	775	1	1	6	47	91	99+	99+
50-64	40	19.1	324	1	3	14	26	51	63	99+
65+	50	21.5	330	3	4	17	34	57	98	99+
GRAND TOTAL	**125**	**20.9**	**391**	**1**	**3**	**15**	**36**	**59**	**98**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.0	77	<1	<1	3	6	8	13	53
20-34	13	2.4	3	<1	<1	2	4	5	6	6
35-49	17	3.6	21	<1	<1	1	4	12	14	15
50-64	21	2.2	3	<1	<1	1	2	6	7	7
65+	20	3.4	21	<1	<1	1	4	8	14	20
2. MULTIPLE DX										
0-19 YRS	125	15.1	328	<1	1	9	19	46	69	99+
20-34	79	17.6	544	1	2	7	26	76	99+	99+
35-49	61	23.7	649	1	2	14	35	82	96	99+
50-64	178	23.1	501	1	2	16	38	59	82	99+
65+	208	27.3	561	1	2	26	48	76	99+	99+
TOT. SINGLE DX	107	3.6	35	<1	<1	2	5	7	11	34
" MULTIPLE DX	651	22.3	525	1	2	15	37	71	92	99+
TOTAL 0-19 YRS	161	12.9	290	<1	<1	6	15	34	63	97
20-34	92	15.4	495	<1	1	6	21	71	97	99+
35-49	78	19.3	580	<1	1	11	30	72	93	99+
50-64	199	20.9	490	1	1	13	33	59	79	99+
65+	228	25.2	560	1	1	22	41	75	99+	99+
GRAND TOTAL	**758**	**19.7**	**498**	**<1**	**1**	**11**	**33**	**68**	**84**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.5		<1	<1	1	2	3	3	3
20-34	32	5.1	21	<1	<1	3	8	11	16	18
35-49	63	3.9	20	<1	<1	2	5	8	13	24
50-64	144	4.0	24	<1	<1	2	5	10	14	25
65+	195	3.9	18	<1	<1	2	5	10	14	19
2. MULTIPLE DX										
0-19 YRS	16	6.1	58	<1	1	3	6	20	26	28
20-34	143	10.3	72	1	2	8	14	22	28	48
35-49	324	9.9	78	1	2	7	13	21	28	44
50-64	919	8.9	85	1	1	7	11	18	24	49
65+	1911	9.8	76	1	2	8	13	20	25	48
TOT. SINGLE DX	445	4.0	21	<1	<1	2	5	10	14	22
" MULTIPLE DX	3313	9.5	79	1	2	7	13	20	26	47
TOTAL 0-19 YRS	27	4.2	40	<1	<1	2	4	7	23	28
20-34	175	9.4	67	1	1	7	12	21	27	44
35-49	387	8.9	74	1	1	6	12	20	25	41
50-64	1063	8.2	80	1	1	6	11	17	24	47
65+	2106	9.2	74	1	1	7	12	19	25	47
GRAND TOTAL	**3758**	**8.9**	**75**	**1**	**1**	**7**	**12**	**19**	**25**	**46**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4	5.5	25	1	1	4	9	12	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	11.3	110	1	1	11	19	22	22	22
65+	5	8.8	35	2	2	10	12	17	17	17
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	14	8.8	42	1	1	9	12	17	21	22
TOTAL 0-19 YRS	4	5.5	26	1	1	4	9	12	12	12
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	11.3	110	1	1	11	19	22	22	22
65+	6	7.7	36	2	2	7	11	16	17	17
GRAND TOTAL	**16**	**7.9**	**42**	**1**	**1**	**7**	**12**	**17**	**20**	**22**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.1	9	1	1	6	8	10	10	10
20-34	38	7.4	18	3	4	7	8	14	17	23
35-49	69	6.5	14	1	2	6	8	11	13	21
50-64	162	6.8	15	<1	1	7	8	11	14	20
65+	147	6.0	17	1	1	6	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	48	9.0	45	2	3	7	11	22	29	99+
20-34	128	11.1	89	4	5	9	13	19	25	56
35-49	237	10.2	103	1	3	7	11	20	30	71
50-64	691	10.7	83	2	3	8	13	21	27	49
65+	1015	11.3	100	1	2	9	14	21	29	57
TOT. SINGLE DX	432	6.5	16	1	1	6	8	11	14	20
" MULTIPLE DX	2119	10.9	94	1	3	9	13	21	28	55
TOTAL 0-19 YRS	64	8.3	38	1	2	7	10	15	25	90
20-34	166	10.3	75	4	4	8	12	18	23	46
35-49	306	9.4	86	1	3	7	11	18	26	64
50-64	853	10.0	73	1	2	8	12	19	25	49
65+	1162	10.6	93	1	2	9	13	20	27	56
GRAND TOTAL	**2551**	**10.2**	**83**	**1**	**2**	**8**	**12**	**20**	**26**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	20.5	481	5	5	20	36	36	36	36
20-34	9	9.6	6	6	6	9	11	14	14	14
35-49	29	9.1	9	5	5	9	11	14	15	16
50-64	86	9.2	7	5	6	9	11	13	15	16
65+	63	9.9	8	6	7	9	11	14	15	20
2. MULTIPLE DX										
0-19 YRS	11	10.4	21	5	6	9	14	17	19	19
20-34	23	15.0	332	5	6	10	14	22	48	96
35-49	105	12.6	101	5	6	9	14	23	35	81
50-64	434	13.3	88	6	7	10	15	23	31	63
65+	486	14.3	63	7	8	12	16	24	30	50
TOT. SINGLE DX	189	9.6	12	5	6	9	11	14	15	19
" MULTIPLE DX	1059	13.7	83	6	7	11	16	23	31	64
TOTAL 0-19 YRS	13	11.9	73	5	5	9	15	22	33	36
20-34	32	13.4	244	6	6	10	13	18	22	96
35-49	134	11.8	84	5	6	9	13	22	29	71
50-64	520	12.6	77	6	7	10	14	21	29	60
65+	549	13.8	59	7	8	12	16	23	29	49
GRAND TOTAL	**1248**	**13.1**	**74**	**6**	**7**	**11**	**15**	**22**	**29**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	1.7	4	<1	<1	1	2	3	5	13
20-34	22	4.8	25	<1	<1	3	7	12	16	20
35-49	47	4.2	18	<1	<1	2	5	12	15	16
50-64	71	4.0	13	<1	1	2	6	9	12	16
65+	93	5.1	36	<1	<1	2	8	13	17	30
2. MULTIPLE DX										
0-19 YRS	186	8.0	157	<1	1	4	9	19	31	82
20-34	139	10.3	78	1	2	7	14	21	30	38
35-49	254	9.2	67	1	2	7	12	20	27	41
50-64	644	9.9	107	1	2	7	12	21	29	58
65+	1189	11.6	108	1	2	9	15	23	30	56
TOT. SINGLE DX	401	3.4	18	<1	<1	2	4	9	13	20
" MULTIPLE DX	2412	10.6	107	1	2	8	14	22	29	56
TOTAL 0-19 YRS	354	5.0	95	<1	<1	2	5	12	21	68
20-34	161	9.5	75	1	1	7	13	20	29	38
35-49	301	8.4	63	1	1	6	11	18	26	40
50-64	715	9.3	102	1	2	7	12	20	28	57
65+	1282	11.2	106	1	2	9	15	23	30	55
GRAND TOTAL	**2813**	**9.5**	**101**	**1**	**1**	**7**	**13**	**21**	**28**	**55**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.6	8	1	1	3	4	8	11	11
20-34	37	4.6	19	1	2	4	5	7	13	26
35-49	13	4.8	11	1	2	5	6	9	13	14
50-64	8	8.0	171	1	1	4	6	30	40	40
65+	7	6.6	45	1	1	2	11	17	18	18
2. MULTIPLE DX										
0-19 YRS	27	8.4	40	2	3	8	11	19	22	23
20-34	31	7.3	19	2	2	6	9	12	16	22
35-49	45	6.6	18	1	2	6	9	13	14	20
50-64	67	13.2	101	2	3	11	20	28	30	45
65+	68	11.7	121	2	3	10	16	25	27	96
TOT. SINGLE DX	75	5.0	34	1	1	4	5	11	14	36
" MULTIPLE DX	238	10.2	80	2	2	8	14	22	27	50
TOTAL 0-19 YRS	37	7.1	36	1	2	4	9	17	21	23
20-34	68	5.8	21	1	2	4	7	11	14	25
35-49	58	6.2	17	1	2	5	8	13	14	20
50-64	75	12.6	109	1	2	9	19	28	31	44
65+	75	11.2	116	1	2	9	16	23	27	95
GRAND TOTAL	**313**	**9.0**	**74**	**1**	**2**	**6**	**12**	**20**	**26**	**42**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	4.8	16	1	2	4	6	7	11	26
20-34	357	4.6	9	1	2	4	6	8	9	15
35-49	117	5.3	24	1	2	4	6	10	14	28
50-64	74	6.1	17	2	2	5	8	13	14	20
65+	60	7.3	59	1	2	4	9	15	27	38
2. MULTIPLE DX										
0-19 YRS	223	11.3	148	2	3	8	13	24	38	77
20-34	424	7.9	57	2	3	6	9	15	19	48
35-49	391	9.0	68	2	3	7	11	19	25	46
50-64	634	10.1	84	2	3	8	12	19	27	48
65+	936	11.3	99	3	4	8	14	23	29	60
TOT. SINGLE DX	693	5.1	18	1	2	4	6	9	13	23
" MULTIPLE DX	2608	10.1	90	2	3	7	12	20	27	56
TOTAL 0-19 YRS	308	9.5	121	2	2	6	11	19	28	73
20-34	781	6.4	37	2	2	5	7	12	15	33
35-49	508	8.2	61	2	2	6	10	17	23	41
50-64	708	9.7	79	2	3	7	12	19	25	46
65+	996	11.0	98	3	3	8	14	22	29	60
GRAND TOTAL	3301	9.1	79	2	3	6	11	18	25	50

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	5.1	8	1	1	5	6	8	10	17
20-34	90	5.1	12	<1	1	5	8	10	11	13
35-49	75	4.3	11	<1	1	3	6	9	11	14
50-64	80	4.3	12	1	1	3	6	9	11	17
65+	69	4.3	14	1	1	3	5	10	11	22
2. MULTIPLE DX										
0-19 YRS	69	11.5	271	2	2	6	11	27	39	90
20-34	157	10.3	96	1	2	7	14	21	29	47
35-49	195	9.4	90	1	2	7	12	19	31	58
50-64	417	9.1	93	1	2	7	12	19	26	71
65+	633	10.6	79	1	2	8	15	22	27	42
TOT. SINGLE DX	410	4.7	12	1	1	4	6	9	11	14
" MULTIPLE DX	1471	10.0	96	1	2	7	13	21	29	53
TOTAL 0-19 YRS	165	7.8	127	1	2	5	7	12	22	79
20-34	247	8.4	72	1	1	6	11	16	23	45
35-49	270	8.0	74	1	1	6	10	15	27	52
50-64	497	8.4	83	1	1	6	11	17	23	65
65+	702	10.0	77	1	2	8	14	22	27	41
GRAND TOTAL	1881	8.9	82	1	1	6	11	19	26	48

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	7.4	6	4	5	7	8	10	12	16
20-34	36	7.5	7	2	3	8	9	11	11	15
35-49	36	9.1	13	3	6	8	10	15	16	20
50-64	51	9.8	8	7	7	10	11	13	16	22
65+	33	11.2	12	6	7	10	13	16	17	22
2. MULTIPLE DX										
0-19 YRS	380	12.1	100	5	6	9	14	22	30	86
20-34	129	14.3	129	6	6	10	15	27	37	63
35-49	248	13.6	107	6	7	11	14	22	30	68
50-64	631	14.2	66	7	8	12	16	23	28	48
65+	759	16.9	108	8	9	14	19	29	39	72
TOT. SINGLE DX	318	8.4	10	4	5	8	10	12	15	20
" MULTIPLE DX	2147	14.7	99	6	7	12	17	25	34	63
TOTAL 0-19 YRS	542	10.7	77	4	5	8	11	19	27	69
20-34	165	12.8	110	5	6	9	14	25	35	59
35-49	284	13.0	98	6	7	10	14	21	29	66
50-64	682	13.9	63	7	8	12	16	23	28	47
65+	792	16.7	106	8	9	14	19	28	38	70
GRAND TOTAL	2465	13.9	92	6	7	11	16	24	31	61

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	8.3	3	6	6	8	9	10	10	10
35-49	63	8.3	6	5	6	8	9	13	14	15
50-64	203	9.0	10	5	6	8	10	14	15	22
65+	143	9.5	10	6	6	9	10	14	16	21
2. MULTIPLE DX										
0-19 YRS	3	9.7	4	8	8	9	11	12	12	12
20-34	22	9.7	8	6	7	9	11	14	15	17
35-49	913	10.3	24	6	7	9	11	15	18	27
50-64	3764	11.5	33	7	7	10	13	17	22	34
65+	3267	13.6	54	7	8	12	15	21	27	46
TOT. SINGLE DX	413	9.1	10	5	6	8	10	13	15	21
" MULTIPLE DX	7969	12.2	43	7	7	10	14	19	24	39
TOTAL 0-19 YRS	3	9.7	4	8	8	9	11	12	12	12
20-34	26	9.5	7	6	6	9	11	13	15	17
35-49	976	10.2	23	6	6	9	11	15	18	26
50-64	3967	11.3	32	6	7	10	13	17	22	34
65+	3410	13.4	54	7	8	11	15	21	27	45
GRAND TOTAL	8382	12.0	41	7	7	10	14	19	24	38

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	1.3		<1	<1	1	2	2	2	3
20-34	139	2.6	6	<1	1	2	2	6	9	12
35-49	801	2.4	4	1	1	2	2	5	8	12
50-64	1649	2.3	5	<1	1	2	2	4	8	12
65+	749	2.2	4	1	1	2	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	693	2.7	34	<1	1	2	2	4	9	33
20-34	368	3.9	26	1	1	2	4	9	13	34
35-49	3280	3.5	13	1	1	2	4	8	11	17
50-64	9171	3.8	17	1	1	2	5	9	12	20
65+	7109	4.7	29	1	1	2	6	11	14	25
TOT. SINGLE DX	3682	2.2	5	<1	1	2	2	4	7	12
" MULTIPLE DX	20621	4.0	22	1	1	2	5	9	12	22
TOTAL 0-19 YRS	1037	2.3	24	<1	<1	1	2	3	6	24
20-34	507	3.6	21	1	1	2	4	9	12	19
35-49	4081	3.3	12	1	1	2	4	8	10	16
50-64	10820	3.5	16	1	1	2	4	8	11	19
65+	7858	4.4	28	1	1	2	6	10	14	25
GRAND TOTAL	**24303**	**3.7**	**20**	**1**	**1**	**2**	**4**	**9**	**12**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.2	3	2	2	3	4	5	7	10
20-34	17	2.4	2	<1	<1	2	3	5	6	6
35-49	23	3.7	9	<1	1	3	5	8	11	12
50-64	96	3.9	10	1	1	3	5	8	11	17
65+	496	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	52	6.0	29	1	1	4	7	13	20	25
20-34	55	8.5	98	1	2	6	10	19	28	54
35-49	134	7.7	60	1	2	5	10	16	22	43
50-64	877	8.0	46	1	2	6	11	16	21	30
65+	4748	8.0	48	1	2	6	10	16	21	35
TOT. SINGLE DX	652	3.3	6	1	1	3	4	6	8	12
" MULTIPLE DX	5866	7.9	49	1	2	6	10	16	21	35
TOTAL 0-19 YRS	72	5.2	24	1	1	4	6	11	15	24
20-34	72	7.0	82	1	1	4	9	13	21	52
35-49	157	7.1	55	1	2	5	9	14	19	43
50-64	973	7.6	45	1	2	6	10	16	21	29
65+	5244	7.5	46	1	2	5	10	15	20	34
GRAND TOTAL	**6518**	**7.5**	**47**	**1**	**2**	**5**	**10**	**15**	**20**	**34**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.2	8	1	2	5	7	9	11	11
20-34	11	5.3	3	1	2	6	6	7	7	7
35-49	116	3.7	6	1	2	3	4	7	9	13
50-64	229	3.6	6	1	2	3	4	7	9	13
65+	95	3.7	7	1	1	3	4	8	10	12
2. MULTIPLE DX										
0-19 YRS	42	12.0	269	1	1	7	12	26	51	88
20-34	100	7.8	66	1	2	5	8	15	22	47
35-49	682	5.3	28	2	2	3	6	11	14	23
50-64	1659	5.6	28	2	2	4	7	11	14	27
65+	1068	7.1	52	2	2	5	9	14	19	39
TOT. SINGLE DX	471	3.8	7	1	2	3	4	7	9	12
" MULTIPLE DX	3551	6.1	41	2	2	4	8	12	16	32
TOTAL 0-19 YRS	62	9.8	194	1	2	7	10	18	35	84
20-34	111	7.5	61	1	2	6	8	15	18	47
35-49	798	5.0	25	1	2	3	6	10	14	22
50-64	1888	5.4	26	2	2	3	7	11	14	26
65+	1163	6.8	50	2	2	4	9	13	18	39
GRAND TOTAL	**4022**	**5.9**	**37**	**2**	**2**	**4**	**7**	**12**	**15**	**30**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	2.0	3	<1	<1	1	2	4	5	12
20-34	81	2.8	6	<1	<1	2	3	6	10	11
35-49	78	3.1	15	<1	<1	1	4	7	13	19
50-64	109	2.4	10	<1	<1	1	2	6	10	18
65+	98	2.9	11	<1	<1	1	3	6	11	18
2. MULTIPLE DX										
0-19 YRS	371	5.2	46	<1	1	3	6	12	16	37
20-34	197	8.3	70	<1	1	6	10	17	23	46
35-49	325	7.8	66	1	1	6	10	18	23	46
50-64	800	8.3	67	1	1	6	11	18	23	41
65+	2070	9.5	64	1	2	8	12	19	24	41
TOT. SINGLE DX	534	2.5	9	<1	<1	1	3	5	9	17
" MULTIPLE DX	3763	8.6	65	1	2	7	11	18	23	42
TOTAL 0-19 YRS	539	4.2	35	<1	<1	2	5	10	14	30
20-34	278	6.7	58	<1	1	5	8	15	19	44
35-49	403	6.9	60	<1	1	5	9	16	21	39
50-64	909	7.6	64	1	1	5	10	17	22	40
65+	2168	9.2	64	1	2	7	12	18	23	41
GRAND TOTAL	**4297**	**7.8**	**62**	**1**	**1**	**6**	**10**	**17**	**22**	**40**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.3	2	<1	<1	2	3	4	5	6
20-34	390	2.6	2	1	1	2	3	4	5	7
35-49	600	2.7	2	1	1	3	3	4	5	8
50-64	384	3.1	4	1	1	3	4	5	6	12
65+	117	3.6	7	1	1	3	4	5	7	15
2. MULTIPLE DX										
0-19 YRS	5	2.8	1	1	1	3	4	4	4	4
20-34	97	3.2	8	1	1	3	4	5	7	18
35-49	243	3.6	10	1	1	3	4	6	8	14
50-64	263	5.0	33	1	2	3	5	9	12	35
65+	180	5.7	28	1	2	4	6	11	16	26
TOT. SINGLE DX	1511	2.8	3	1	1	3	4	5	5	8
" MULTIPLE DX	788	4.5	23	1	1	3	5	8	11	28
TOTAL 0-19 YRS	25	2.4	2	<1	<1	2	3	4	5	6
20-34	487	2.7	4	1	1	2	3	4	5	8
35-49	843	3.0	5	1	1	3	4	5	6	10
50-64	647	3.9	17	1	1	3	4	6	9	21
65+	297	4.8	21	1	2	4	5	8	14	26
GRAND TOTAL	**2299**	**3.4**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**17**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.5	4	1	2	6	7	8	9	9
20-34	16	3.8	12	<1	1	3	5	7	13	15
35-49	74	4.8	9	<1	1	4	7	9	10	13
50-64	206	7.0	22	1	2	7	9	11	13	18
65+	221	7.9	23	2	3	7	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	98	12.3	156	3	4	9	13	21	47	68
20-34	182	10.7	112	1	2	8	13	20	32	56
35-49	452	10.1	117	1	2	8	11	18	27	59
50-64	1585	11.5	97	3	4	9	13	20	29	54
65+	2457	13.9	128	4	5	11	16	26	35	65
TOT. SINGLE DX	533	6.9	21	1	2	7	9	12	14	20
" MULTIPLE DX	4774	12.6	119	3	4	10	15	23	33	62
TOTAL 0-19 YRS	114	11.3	141	2	4	8	11	19	42	67
20-34	198	10.2	107	1	2	8	13	19	30	56
35-49	526	9.4	105	1	2	7	10	16	25	57
50-64	1791	11.0	91	3	4	9	12	19	28	52
65+	2678	13.4	122	4	5	10	16	25	35	64
GRAND TOTAL	**5307**	**12.1**	**112**	**3**	**4**	**9**	**14**	**22**	**31**	**60**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	4	11.8	27	4	4	14	15	15	15	15
TOT. SINGLE DX										
" MULTIPLE DX	9	13.3	22	4	6	13	16	19	20	20
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	4	11.8	28	4	4	14	15	15	15	15
GRAND TOTAL	**9**	**13.3**	**22**	**4**	**6**	**13**	**16**	**19**	**20**	**20**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	5	3.2	12	<1	<1	1	5	9	9	9
35-49	6	4.5	8	1	1	4	7	9	9	9
50-64	4	2.8	1	1	1	3	4	4	4	4
65+	4	7.8	57	2	2	6	13	18	18	18
2. MULTIPLE DX										
0-19 YRS	55	5.2	30	1	1	3	5	12	17	29
20-34	431	4.8	20	1	1	3	6	10	15	22
35-49	481	5.2	21	1	1	4	7	11	15	22
50-64	922	5.8	32	1	1	4	7	11	15	31
65+	1000	7.2	71	1	2	5	8	14	20	48
TOT. SINGLE DX	21	4.7	18	<1	1	3	7	9	13	18
" MULTIPLE DX	2889	6.0	43	1	1	4	7	12	17	34
TOTAL 0-19 YRS	57	5.2	29	1	1	3	6	12	17	29
20-34	436	4.8	20	1	1	3	6	10	15	21
35-49	487	5.2	21	1	1	4	7	11	14	22
50-64	926	5.8	32	1	1	4	7	11	15	31
65+	1004	7.2	72	1	2	5	8	14	20	48
GRAND TOTAL	**2910**	**6.0**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	5.2	18	1	1	5	6	9	11	25
20-34	189	5.2	43	<1	1	3	6	13	15	39
35-49	212	5.0	25	1	1	3	6	11	16	25
50-64	595	5.5	29	1	1	4	7	10	12	29
65+	933	5.8	20	1	2	5	7	11	13	18
2. MULTIPLE DX										
0-19 YRS	2952	15.3	295	1	2	9	20	44	65	99+
20-34	774	8.1	108	1	1	5	10	18	29	71
35-49	1095	8.5	94	1	1	6	11	19	26	64
50-64	3961	8.8	86	1	2	6	10	17	27	53
65+	7945	9.7	76	2	3	7	12	19	26	49
TOT. SINGLE DX	2180	5.5	25	1	1	4	7	10	13	24
" MULTIPLE DX	16727	10.3	126	1	2	7	12	22	33	73
TOTAL 0-19 YRS	3203	14.5	281	1	2	8	19	42	63	99+
20-34	963	7.6	97	1	1	4	9	17	25	57
35-49	1307	7.9	85	1	1	5	10	18	24	55
50-64	4556	8.4	81	1	2	6	10	16	25	51
65+	8878	9.3	72	2	3	7	12	18	25	46
GRAND TOTAL	**18907**	**9.8**	**116**	**1**	**2**	**7**	**12**	**21**	**31**	**68**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	2.2	4	<1	<1	1	2	5	7	11
20-34	219	2.7	8	<1	<1	1	3	7	10	13
35-49	201	2.6	7	<1	<1	1	3	6	9	13
50-64	204	3.0	7	<1	<1	2	4	7	8	13
65+	178	3.8	10	<1	<1	3	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	130	4.3	16	<1	1	4	6	9	10	22
20-34	213	6.5	58	<1	1	4	8	14	21	38
35-49	282	6.3	59	<1	1	3	7	16	23	39
50-64	473	6.0	45	<1	1	4	7	13	18	31
65+	704	7.9	74	1	1	5	10	16	23	42
TOT. SINGLE DX	1040	2.8	8	<1	<1	2	3	7	9	13
" MULTIPLE DX	1802	6.7	60	<1	1	4	8	15	21	39
TOTAL 0-19 YRS	368	3.0	10	<1	<1	2	4	7	9	13
20-34	432	4.6	37	<1	<1	2	6	10	15	35
35-49	483	4.7	41	<1	<1	2	6	11	18	29
50-64	677	5.1	36	<1	1	3	6	11	15	28
65+	882	7.0	64	<1	1	5	9	15	22	40
GRAND TOTAL	**2842**	**5.3**	**44**	**<1**	**<1**	**3**	**7**	**12**	**17**	**32**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.3	8	<1	1	4	6	8	10	10
20-34	20	3.7	5	<1	<1	3	5	7	8	10
35-49	44	4.0	10	<1	1	3	6	8	12	15
50-64	65	4.6	14	1	1	4	6	8	10	23
65+	71	4.9	7	1	1	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	19	6.4	26	<1	1	6	8	12	18	23
20-34	70	7.3	26	1	3	6	8	12	14	30
35-49	91	5.6	20	2	2	4	8	10	13	27
50-64	208	7.4	40	1	2	6	9	15	24	34
65+	287	8.9	70	2	3	6	10	19	24	59
TOT. SINGLE DX	213	4.5	10	1	1	4	6	8	10	16
" MULTIPLE DX	675	7.8	50	2	2	6	9	14	22	36
TOTAL 0-19 YRS	32	5.6	20	<1	1	5	7	10	12	23
20-34	90	6.5	24	1	2	6	8	11	14	28
35-49	135	5.1	18	1	1	4	7	10	13	23
50-64	273	6.7	36	1	2	5	8	14	21	33
65+	358	8.1	61	2	3	6	9	16	22	52
GRAND TOTAL	**888**	**7.0**	**42**	**1**	**2**	**5**	**8**	**13**	**21**	**34**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	30.0		30	30	30	30	30	30	30
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	7.0	18	3	3	6	10	13	13	13
TOT. SINGLE DX	2	6.5	5	5	5	6	8	8	8	8
" MULTIPLE DX	9	12.2	114	2	2	9	17	30	30	30
TOTAL 0-19 YRS	2	30.0		30	30	30	30	30	30	30
20-34	3	8.3	9	5	5	9	10	11	11	11
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	7.0	19	3	3	6	10	13	13	13
GRAND TOTAL	**11**	**11.2**	**97**	**2**	**3**	**8**	**12**	**30**	**30**	**30**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	39.3	1509	6	6	30	69	82	82	82
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	43.5	312	13	18	44	56	66	67	67
20-34	3	34.3	32	28	28	36	38	39	39	39
35-49										
50-64										
65+										
TOT. SINGLE DX	4	30.8	1301	5	5	18	56	82	82	82
" MULTIPLE DX	11	41.0	244	14	22	39	48	65	67	67
TOTAL 0-19 YRS	9	39.2	438	5	8	44	53	66	67	67
20-34	6	36.8	624	6	8	33	39	78	82	82
35-49										
50-64										
65+										
GRAND TOTAL	15	38.3	475	5	6	37	48	67	78	82

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	5.2	16	1	1	5	6	8	10	27
20-34	165	6.0	29	1	2	5	7	9	11	29
35-49	119	6.1	23	1	2	5	7	11	13	28
50-64	103	6.7	41	1	2	5	8	14	22	34
65+	126	5.8	20	1	2	5	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	447	9.4	121	1	2	6	10	21	32	68
20-34	557	9.8	93	2	3	7	11	19	28	60
35-49	474	11.1	114	2	3	8	12	26	35	58
50-64	939	10.7	105	2	3	8	13	22	33	57
65+	2458	10.8	101	2	3	8	13	21	30	55
TOT. SINGLE DX	740	5.8	25	1	2	5	7	10	13	28
" MULTIPLE DX	4875	10.5	104	2	3	8	12	22	31	57
TOTAL 0-19 YRS	674	8.0	90	1	2	5	8	17	26	48
20-34	722	8.9	81	2	3	6	10	17	24	58
35-49	593	10.1	101	2	2	7	11	23	33	56
50-64	1042	10.3	100	2	3	7	12	22	31	54
65+	2584	10.5	98	2	3	8	13	21	29	54
GRAND TOTAL	5615	9.9	96	2	2	7	12	20	29	55

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	7.4	101	<1	1	4	7	21	34	47
20-34	41	7.2	77	<1	1	4	8	25	27	32
35-49	48	7.1	91	1	1	3	8	18	30	48
50-64	41	4.9	52	<1	<1	3	6	10	17	42
65+	25	6.3	58	<1	1	3	6	18	26	29
2. MULTIPLE DX										
0-19 YRS	279	12.2	212	1	2	7	16	33	46	99+
20-34	292	11.4	124	1	2	8	14	26	36	52
35-49	427	12.2	187	1	2	7	15	31	44	70
50-64	742	11.6	165	1	2	7	15	27	35	82
65+	910	14.3	180	1	3	10	19	32	44	68
TOT. SINGLE DX	210	6.7	79	<1	1	3	7	19	29	44
" MULTIPLE DX	2650	12.6	176	1	2	8	16	29	42	78
TOTAL 0-19 YRS	334	11.4	197	1	2	7	14	32	44	99+
20-34	333	10.9	120	1	2	7	14	26	33	52
35-49	475	11.7	180	1	1	7	15	30	43	69
50-64	783	11.2	162	1	1	7	15	27	35	81
65+	935	14.1	179	1	2	10	19	31	44	68
GRAND TOTAL	2860	12.2	171	1	2	8	16	29	40	74

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.4	7	<1	<1	1	2	6	8	15
20-34	39	3.9	14	1	1	2	6	10	12	14
35-49	60	3.9	17	<1	1	2	5	8	13	22
50-64	70	4.8	29	<1	1	3	7	10	12	34
65+	111	4.5	17	1	1	3	6	10	13	20
2. MULTIPLE DX										
0-19 YRS	142	6.8	191	<1	1	2	7	14	29	95
20-34	175	7.1	62	1	2	5	8	14	26	50
35-49	289	7.9	74	1	1	5	10	17	22	51
50-64	631	7.8	63	1	1	6	10	17	24	37
65+	1329	9.0	81	1	2	6	11	19	24	45
TOT. SINGLE DX	342	4.0	18	<1	1	2	6	9	12	17
" MULTIPLE DX	2566	8.3	81	1	1	6	10	18	24	46
TOTAL 0-19 YRS	204	5.5	139	<1	<1	2	5	12	18	94
20-34	214	6.5	55	1	1	4	8	13	23	48
35-49	349	7.2	67	1	1	5	9	17	21	45
50-64	701	7.5	60	1	1	5	9	16	23	37
65+	1440	8.6	78	1	2	6	11	18	24	45
GRAND TOTAL	2908	7.8	76	1	1	5	10	17	23	45

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	368	3.1	2	1	2	3	4	5	6	9
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	153	5.3	61	2	2	4	5	7	10	58
20-34	11	13.5	175	4	4	7	17	31	48	50
35-49	9	16.4	91	4	4	18	22	29	32	32
50-64	18	21.8	381	6	7	15	28	48	71	82
65+	32	15.6	77	7	8	12	19	26	35	46
TOT. SINGLE DX	373	3.1	3	1	2	3	4	5	6	12
" MULTIPLE DX	223	9.0	125	2	2	5	10	21	29	62
TOTAL 0-19 YRS	521	3.8	21	1	2	3	4	6	7	18
20-34	14	11.4	152	2	4	6	16	21	44	50
35-49	9	16.4	91	4	4	18	22	29	32	32
50-64	19	21.3	366	6	7	12	27	46	69	82
65+	33	15.5	75	7	8	13	19	26	35	46
GRAND TOTAL	596	5.3	57	1	2	3	5	10	18	42

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.9	6	1	1	3	6	8	8	8
20-34	1	54.0		54	54	54	54	54	54	54
35-49	5	6.0	30	1	1	4	9	15	15	15
50-64	8	11.5	247	2	2	5	13	39	48	48
65+	7	8.3	88	1	1	6	10	24	28	28
2. MULTIPLE DX										
0-19 YRS	60	17.7	304	2	3	12	31	63	99+	99+
20-34	25	18.0	321	3	4	12	37	93	99+	99+
35-49	45	20.4	396	1	3	14	29	65	97	99+
50-64	104	19.4	321	4	5	15	24	59	90	99+
65+	444	19.5	259	3	5	15	26	41	53	84
TOT. SINGLE DX	28	9.3	175	1	1	5	8	25	49	54
" MULTIPLE DX	678	19.4	283	3	4	14	27	46	69	99+
TOTAL 0-19 YRS	67	16.3	291	1	2	11	29	57	98	99+
20-34	26	19.4	358	4	5	12	39	91	99+	99+
35-49	50	18.9	377	1	2	13	27	54	94	99+
50-64	112	18.8	318	3	4	14	24	53	88	99+
65+	451	19.4	258	3	5	14	26	41	53	84
GRAND TOTAL	706	19.0	282	2	4	14	26	46	66	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	9.1	47	<1	<1	9	14	19	20	20
20-34	45	4.8	9	1	1	4	6	9	11	14
35-49	81	4.1	5	1	2	4	6	7	9	11
50-64	91	4.9	23	1	2	4	6	8	12	30
65+	105	5.2	12	1	2	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	22	4.5	21	<1	1	4	4	7	14	24
20-34	178	7.3	86	1	2	4	8	15	22	60
35-49	348	6.4	28	1	2	5	8	13	16	27
50-64	799	7.1	51	2	2	5	8	13	18	39
65+	2258	8.6	59	2	3	7	10	16	22	41
TOT. SINGLE DX	329	4.9	14	1	2	4	6	9	12	19
" MULTIPLE DX	3605	7.9	57	2	3	6	9	15	21	40
TOTAL 0-19 YRS	29	5.6	31	<1	1	4	6	13	20	24
20-34	223	6.8	72	1	2	4	7	13	19	60
35-49	429	5.9	25	1	2	4	7	11	15	23
50-64	890	6.9	49	2	2	5	8	12	17	39
65+	2363	8.4	58	2	3	6	10	16	21	41
GRAND TOTAL	3934	7.7	54	2	2	6	9	14	20	39

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	30	8.0	11	2	4	8	9	12	15	18
35-49	71	9.2	10	5	6	9	11	13	18	19
50-64	75	10.0	14	6	6	9	11	14	16	25
65+	56	12.0	51	6	7	10	14	16	19	55
2. MULTIPLE DX										
0-19 YRS	6	10.3	25	4	4	10	13	17	18	18
20-34	66	14.5	221	6	6	10	15	22	38	92
35-49	186	13.4	76	6	7	11	15	22	28	52
50-64	367	15.4	126	7	7	12	17	26	36	75
65+	593	17.3	137	7	8	14	20	30	43	73
TOT. SINGLE DX	234	9.9	23	5	6	9	11	14	18	24
" MULTIPLE DX	1218	16.0	131	7	8	13	18	27	39	73
TOTAL 0-19 YRS	8	8.9	25	4	4	7	12	16	18	18
20-34	96	12.5	164	4	6	9	14	18	24	89
35-49	257	12.3	61	6	7	10	14	19	24	51
50-64	442	14.5	111	6	7	12	16	25	33	73
65+	649	16.9	132	7	8	14	19	29	42	72
GRAND TOTAL	**1452**	**15.0**	**118**	**7**	**7**	**12**	**17**	**25**	**35**	**71**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	15.0	18	12	12	15	18	18	18	18
35-49	2	17.5	61	12	12	17	23	23	23	23
50-64	6	25.3	358	10	10	16	49	50	50	50
65+	5	14.2	31	10	10	13	16	24	24	24
2. MULTIPLE DX										
0-19 YRS										
20-34	2	23.0	392	9	9	23	37	37	37	37
35-49	17	15.9	65	8	8	14	18	30	36	38
50-64	74	18.9	142	9	10	15	22	30	46	72
65+	90	20.8	190	10	11	16	24	35	46	84
TOT. SINGLE DX	15	19.2	171	10	10	13	22	49	50	50
" MULTIPLE DX	183	19.6	161	9	10	15	22	34	45	79
TOTAL 0-19 YRS										
20-34	4	19.0	158	9	9	15	27	37	37	37
35-49	19	16.1	62	8	8	14	19	28	35	38
50-64	80	19.4	157	9	10	15	22	36	49	71
65+	95	20.4	184	10	11	16	24	34	45	84
GRAND TOTAL	**198**	**19.6**	**160**	**9**	**10**	**15**	**22**	**34**	**46**	**79**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	44	8.3	11	5	6	8	9	11	15	22
35-49	65	8.4	9	5	5	8	9	13	15	18
50-64	36	8.6	10	5	6	8	9	13	17	18
65+	13	10.2	19	5	6	10	12	16	21	22
2. MULTIPLE DX										
0-19 YRS	3	13.7	96	8	8	8	21	25	25	25
20-34	42	9.2	11	4	5	9	11	13	17	19
35-49	96	11.6	78	6	6	9	13	17	26	57
50-64	151	14.5	94	6	7	11	16	26	35	54
65+	198	15.8	95	7	7	12	19	30	36	55
TOT. SINGLE DX	159	8.6	11	5	6	8	9	13	16	21
" MULTIPLE DX	490	14.0	89	6	7	11	16	26	34	55
TOTAL 0-19 YRS	4	13.3	65	8	8	10	18	25	25	25
20-34	86	8.7	12	5	6	8	10	13	16	21
35-49	161	10.3	52	5	6	8	11	15	19	55
50-64	187	13.3	83	6	6	10	16	22	32	53
65+	211	15.5	93	7	7	12	19	29	36	54
GRAND TOTAL	**649**	**12.7**	**75**	**6**	**6**	**10**	**14**	**22**	**30**	**52**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	6.3	11	2	2	6	9	10	13	14
20-34	170	6.1	4	3	4	6	7	9	10	11
35-49	199	6.6	7	3	4	6	8	10	11	18
50-64	113	7.7	10	4	5	7	9	11	16	20
65+	70	10.2	36	2	5	8	12	16	17	36
2. MULTIPLE DX										
0-19 YRS	159	13.9	177	4	5	10	15	26	43	92
20-34	348	8.7	49	4	5	7	9	13	18	36
35-49	686	9.2	60	4	5	7	9	15	23	49
50-64	528	13.1	134	5	6	9	14	25	33	67
65+	706	16.5	141	6	7	13	19	32	40	65
TOT. SINGLE DX	595	7.1	12	3	4	7	8	11	13	19
" MULTIPLE DX	2427	12.4	116	5	5	9	14	24	34	64
TOTAL- 0-19 YRS	202	12.3	152	3	4	9	13	23	40	82
20-34	518	7.9	36	4	4	7	8	11	16	35
35-49	885	8.6	50	4	5	7	9	13	20	39
50-64	641	12.1	116	5	5	9	13	22	30	65
65+	776	15.9	135	6	7	12	18	31	39	63
GRAND TOTAL	**3022**	**11.4**	**100**	**4**	**5**	**8**	**12**	**21**	**31**	**58**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	5.2	21	1	1	4	6	9	16	23
20-34	125	5.3	15	1	2	4	6	10	12	22
35-49	126	4.6	21	<1	1	3	6	9	12	25
50-64	170	3.9	10	<1	<1	3	6	9	10	15
65+	170	3.6	11	<1	<1	2	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	128	7.5	87	1	1	5	8	16	27	77
20-34	349	7.0	37	1	2	5	8	13	21	38
35-49	448	6.6	45	1	2	5	8	12	16	32
50-64	826	7.0	53	1	2	5	9	14	18	38
65+	2300	7.9	50	1	2	6	10	16	21	36
TOT. SINGLE DX	651	4.3	15	<1	<1	3	6	9	11	22
" MULTIPLE DX	4051	7.5	51	1	2	6	9	15	20	36
TOTAL 0-19 YRS	188	6.7	67	1	1	4	8	14	23	61
20-34	474	6.5	32	1	2	5	8	12	18	36
35-49	574	6.1	41	1	1	5	8	12	16	30
50-64	996	6.5	47	1	1	5	8	12	17	36
65+	2470	7.6	49	1	1	6	10	15	20	35
GRAND TOTAL	4702	7.1	47	1	1	5	9	14	19	35

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	9.4	38	2	3	9	11	13	23	31
20-34	25	7.6	8	3	5	7	9	11	14	15
35-49	30	8.0	6	5	6	7	9	12	13	15
50-64	30	11.6	35	6	6	10	16	20	25	27
65+	40	11.6	32	5	6	10	15	19	24	28
2. MULTIPLE DX										
0-19 YRS	80	16.4	351	5	5	10	19	65	96	99+
20-34	132	12.1	69	5	6	9	14	24	31	63
35-49	169	14.4	116	5	7	10	17	26	37	63
50-64	258	18.0	197	7	7	13	22	43	56	99+
65+	576	17.9	160	7	8	14	21	35	47	83
TOT. SINGLE DX	144	9.9	27	5	5	8	11	17	20	28
" MULTIPLE DX	1215	16.7	168	6	7	12	20	35	49	99+
TOTAL 0-19 YRS	99	15.1	298	4	5	10	16	43	89	99+
20-34	157	11.4	62	4	5	9	13	22	29	54
35-49	199	13.4	105	5	6	10	15	25	32	61
50-64	288	17.3	184	6	7	12	21	40	54	99+
65+	616	17.5	154	7	8	13	21	34	45	83
GRAND TOTAL	1359	16.0	157	6	7	12	19	32	46	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	10.6	211	4	4	7	10	13	30	83
20-34	88	10.0	41	5	5	8	10	14	27	35
35-49	168	9.7	13	5	6	9	11	14	16	26
50-64	340	9.5	8	6	7	9	11	13	15	21
65+	421	10.1	12	6	7	9	11	14	17	22
2. MULTIPLE DX										
0-19 YRS	86	19.7	499	5	6	10	19	66	81	99+
20-34	235	13.4	103	6	6	10	15	24	36	58
35-49	578	12.6	76	6	7	10	14	21	29	51
50-64	1572	12.7	64	6	7	10	14	20	26	52
65+	3945	14.9	83	7	8	12	17	25	32	56
TOT. SINGLE DX	1047	9.9	19	6	6	9	11	14	17	26
" MULTIPLE DX	6416	14.1	86	7	7	11	16	23	32	57
TOTAL 0-19 YRS	116	17.3	438	4	5	9	16	57	78	99+
20-34	323	12.5	89	5	6	9	13	24	33	57
35-49	746	12.0	64	6	7	10	13	19	26	44
50-64	1912	12.1	56	6	7	10	13	19	25	45
65+	4366	14.4	79	7	8	12	16	24	32	55
GRAND TOTAL	7463	13.5	79	7	7	11	15	22	30	56

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.8	6	2	3	5	8	9	10	10
20-34	3	12.3	102	6	6	7	20	24	24	24
35-49	10	9.5	24	4	5	7	15	17	18	18
50-64	13	7.0	2	4	5	7	8	9	10	10
65+	20	9.1	6	5	5	9	11	12	14	15
2. MULTIPLE DX										
0-19 YRS	23	11.5	62	4	5	9	14	26	29	34
20-34	33	12.4	73	5	5	10	13	23	32	46
35-49	43	12.8	78	5	6	11	15	20	44	99+
50-64	91	15.3	106	5	6	13	19	28	43	79
65+	190	16.4	134	7	8	13	19	33	39	76
TOT. SINGLE DX	57	8.2	14	4	5	8	10	13	16	24
" MULTIPLE DX	380	15.1	114	6	7	12	18	29	39	77
TOTAL 0-19 YRS	34	9.7	51	3	4	8	11	19	26	34
20-34	36	12.4	73	5	5	10	13	24	31	46
35-49	53	12.2	70	5	6	10	15	20	36	98
50-64	104	14.2	100	5	6	11	18	27	41	73
65+	210	15.7	127	6	7	12	18	32	37	72
GRAND TOTAL	437	14.2	106	5	6	11	17	27	37	66

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	5.6	8	2	3	5	7	9	11	15
20-34	104	6.7	8	2	4	7	8	10	10	18
35-49	109	7.5	8	2	4	8	9	11	12	17
50-64	95	7.8	11	3	4	7	10	12	13	20
65+	96	8.2	11	3	4	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	215	9.9	100	3	4	7	10	19	29	64
20-34	248	10.0	65	4	5	8	10	16	30	42
35-49	289	11.6	72	4	5	9	13	23	32	59
50-64	464	12.8	113	4	5	10	14	23	35	73
65+	823	12.5	63	5	6	10	15	21	28	46
TOT. SINGLE DX	522	7.1	11	2	3	7	9	11	12	18
" MULTIPLE DX	2039	11.9	81	4	5	9	13	21	30	55
TOTAL 0-19 YRS	333	8.4	72	2	3	6	9	13	22	61
20-34	352	9.0	51	4	4	7	10	13	22	42
35-49	398	10.5	58	4	5	9	12	18	29	53
50-64	559	11.9	100	4	5	9	13	22	30	69
65+	919	12.0	60	4	6	10	14	20	28	44
GRAND TOTAL	2561	10.9	70	3	4	9	12	19	27	52

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.1	29	4	4	8	12	18	21	21
20-34	6	8.5	5	7	7	8	8	13	13	13
35-49	8	7.0	8	3	3	7	9	11	11	11
50-64	10	10.2	27	1	3	9	16	17	17	17
65+	16	11.0	26	6	6	9	15	19	20	20
2. MULTIPLE DX										
0-19 YRS	33	16.9	224	3	5	12	21	52	61	99+
20-34	32	17.4	167	4	6	12	26	44	51	99+
35-49	69	15.8	89	6	7	14	20	28	37	92
50-64	152	18.4	256	5	7	14	21	45	53	98
65+	404	19.6	184	7	8	16	24	36	46	84
TOT. SINGLE DX	49	9.5	22	4	5	8	12	17	19	21
" MULTIPLE DX	690	18.7	192	6	7	15	23	36	50	96
TOTAL 0-19 YRS	42	15.2	191	3	5	11	19	42	59	99+
20-34	38	16.0	152	4	6	11	24	38	51	99+
35-49	77	14.9	88	5	6	13	19	27	36	89
50-64	162	17.9	246	5	6	13	20	41	53	96
65+	420	19.3	181	6	8	15	23	36	45	84
GRAND TOTAL	739	18.1	186	5	7	14	22	36	48	93

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5420	3.4	4	2	2	3	4	6	7	10
20-34	4207	3.5	3	2	2	3	4	5	7	10
35-49	1417	3.9	3	2	2	3	5	7	8	11
50-64	588	5.1	7	2	3	4	6	8	10	14
65+	216	6.3	9	3	3	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	1712	5.5	18	2	2	4	7	10	13	22
20-34	1564	5.2	14	2	2	4	6	9	12	18
35-49	760	6.7	30	2	3	5	8	12	14	30
50-64	526	7.7	25	3	3	7	9	13	17	29
65+	463	9.3	30	3	4	8	11	16	19	32
TOT. SINGLE DX	11848	3.6	4	2	2	3	4	6	8	11
" MULTIPLE DX	5025	6.2	22	2	2	5	8	11	14	24
TOTAL 0-19 YRS	7132	3.9	8	2	2	3	4	7	9	14
20-34	5771	3.9	7	2	2	3	4	7	8	13
35-49	2177	4.9	15	2	2	4	6	8	11	17
50-64	1114	6.3	18	2	3	5	8	11	14	23
65+	679	8.4	26	3	4	7	10	14	18	27
GRAND TOTAL	16873	4.4	11	2	2	3	5	8	10	17

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	3.2	1	2	2	3	4	5	5	6
20-34	41	3.8	1	2	2	4	4	6	7	7
35-49	10	5.3	3	3	3	5	6	8	8	8
50-64	6	5.3	10	1	1	5	7	10	10	10
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	25	4.6	8	1	2	4	6	8	12	14
20-34	32	4.1	5	2	2	4	5	7	10	12
35-49	10	5.0	5	2	2	5	6	8	10	10
50-64	6	23.7	1108	6	6	10	18	84	91	91
65+	5	13.0	23	8	8	12	18	18	18	18
TOT. SINGLE DX	113	3.7	3	2	2	4	4	6	7	9
" MULTIPLE DX	78	6.5	108	2	2	4	6	11	16	71
TOTAL 0-19 YRS	80	3.7	4	2	2	3	4	6	7	13
20-34	73	3.9	3	2	2	4	5	6	7	12
35-49	20	5.2	4	2	3	5	6	8	9	10
50-64	12	14.5	600	1	2	7	11	40	84	91
65+	6	11.8	27	6	6	10	18	18	18	18
GRAND TOTAL	191	4.9	47	2	2	4	5	7	10	18

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.4	4	2	2	4	6	8	9	9
20-34	16	7.6	9	3	3	7	9	13	14	14
35-49	5	7.8	5	5	5	8	9	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	9.0	3	7	7	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	12	10.8	28	4	5	9	14	18	22	23
20-34	14	8.5	26	1	4	7	11	13	21	23
35-49	7	12.7	43	9	9	10	13	24	27	27
50-64	6	11.2	13	7	7	11	13	17	17	17
65+	10	13.1	21	7	7	11	16	20	21	21
TOT. SINGLE DX	36	6.6	10	2	3	6	9	11	12	14
" MULTIPLE DX	49	10.9	28	5	5	10	13	18	23	27
TOTAL 0-19 YRS	23	7.7	27	2	3	6	10	15	18	23
20-34	30	8.0	17	3	4	7	10	12	14	23
35-49	12	10.7	32	5	6	9	11	18	26	27
50-64	7	9.9	23	2	3	9	13	16	17	17
65+	13	12.2	20	7	7	11	16	19	21	21
GRAND TOTAL	85	9.1	25	3	3	9	11	16	19	26

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.3	3	<1	<1	2	3	5	7	9
20-34	48	2.3	3	<1	<1	2	3	5	6	9
35-49	40	2.7	4	1	1	2	4	6	7	9
50-64	74	2.8	6	<1	<1	2	4	6	8	14
65+	138	3.3	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	41	5.5	33	<1	<1	3	8	16	19	22
20-34	64	4.6	24	<1	1	3	5	9	10	29
35-49	105	6.8	48	1	1	5	8	16	24	32
50-64	194	5.9	57	1	1	4	7	12	18	36
65+	538	7.3	52	1	2	5	9	15	20	39
TOT. SINGLE DX	352	2.9	5	<1	1	2	4	6	7	9
" MULTIPLE DX	942	6.7	51	1	1	4	8	15	19	34
TOTAL 0-19 YRS	93	3.7	19	<1	<1	2	4	9	15	21
20-34	112	3.6	17	<1	<1	2	4	8	9	27
35-49	145	5.7	40	1	1	4	7	11	19	31
50-64	268	5.0	45	1	1	3	6	9	15	30
65+	676	6.5	45	1	2	4	8	14	18	36
GRAND TOTAL	1294	5.6	41	1	1	4	7	12	17	31

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.4	6	<1	1	2	3	4	8	13
20-34	162	2.4	2	1	1	2	3	5	6	8
35-49	150	2.4	2	1	1	2	3	5	6	8
50-64	57	2.9	4	1	1	3	4	4	6	14
65+	24	3.8	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	22	3.5	17	<1	<1	2	4	9	14	19
20-34	111	3.1	5	1	1	2	4	6	9	11
35-49	131	4.0	14	1	1	3	5	8	13	21
50-64	119	6.0	60	1	1	3	7	13	20	47
65+	97	8.1	54	1	2	6	10	17	26	34
TOT. SINGLE DX	423	2.5	4	1	1	2	3	5	6	10
" MULTIPLE DX	480	5.1	35	1	1	3	6	11	16	30
TOTAL 0-19 YRS	52	2.9	11	<1	1	2	3	6	10	19
20-34	273	2.7	4	1	1	2	3	5	7	10
35-49	281	3.1	9	1	1	2	4	6	8	17
50-64	176	5.0	45	1	1	3	5	12	15	38
65+	121	7.2	49	1	2	5	9	16	25	33
GRAND TOTAL	903	3.9	22	1	1	3	4	8	12	25

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	10.2	7	8	8	9	11	15	17	17
20-34	10	10.8	24	6	6	9	14	18	22	22
35-49	30	9.9	19	2	6	9	12	16	18	22
50-64	98	10.9	14	6	7	11	12	15	16	26
65+	116	12.1	28	6	8	11	13	17	21	36
2. MULTIPLE DX										
0-19 YRS	35	12.0	46	7	7	10	14	20	25	40
20-34	33	15.5	149	7	8	10	15	31	45	60
35-49	110	14.1	86	7	8	11	15	24	35	54
50-64	320	14.0	51	7	8	12	16	22	28	40
65+	762	15.1	66	7	8	13	17	25	32	48
TOT. SINGLE DX	267	11.3	22	6	7	11	13	16	19	26
" MULTIPLE DX	1260	14.7	66	7	8	12	16	24	31	47
TOTAL 0-19 YRS	48	11.5	36	7	7	10	12	17	22	40
20-34	43	14.4	123	6	8	10	15	26	43	60
35-49	140	13.2	75	6	7	11	14	22	32	53
50-64	418	13.3	45	7	8	12	15	21	27	39
65+	878	14.7	62	7	8	12	16	24	31	46
GRAND TOTAL	1527	14.1	60	7	8	12	16	23	29	46

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.9	4	<1	<1	2	4	6	7	11
20-34	386	3.7	8	<1	1	3	5	7	8	14
35-49	429	3.6	5	<1	1	3	4	6	8	12
50-64	396	3.9	6	<1	1	4	5	7	9	13
65+	295	4.2	16	<1	<1	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	216	5.0	58	1	1	4	6	9	11	35
20-34	1397	5.2	28	1	1	4	6	10	14	25
35-49	1937	5.5	23	1	2	4	7	10	14	24
50-64	2813	6.1	27	1	2	5	7	11	15	29
65+	5295	7.5	46	2	2	6	9	14	19	36
TOT. SINGLE DX	1612	3.8	9	<1	1	3	5	7	9	13
" MULTIPLE DX	11658	6.5	37	1	2	5	8	12	17	32
TOTAL 0-19 YRS	322	4.3	42	<1	1	3	5	7	10	30
20-34	1783	4.9	25	1	1	4	6	9	13	24
35-49	2366	5.1	21	1	2	4	6	10	13	23
50-64	3209	5.8	25	1	2	4	7	11	14	28
65+	5590	7.3	45	2	2	6	9	14	18	36
GRAND TOTAL	**13270**	**6.2**	**34**	**1**	**2**	**5**	**7**	**12**	**16**	**30**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.7	1	<1	<1	<1	2	3	4	7
20-34	203	2.0	1	<1	1	2	3	3	4	5
35-49	278	2.2	1	<1	1	2	3	4	4	7
50-64	141	2.3	1	1	1	2	3	4	5	6
65+	59	2.2	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	11	2.1	4	<1	<1	1	2	5	8	8
20-34	170	3.0	4	1	1	3	4	5	7	11
35-49	287	3.1	5	1	1	3	4	5	6	15
50-64	219	3.5	7	1	1	3	4	6	8	13
65+	118	4.1	21	1	1	3	5	6	10	31
TOT. SINGLE DX	705	2.1	1	<1	1	2	3	4	4	6
" MULTIPLE DX	805	3.3	8	1	1	3	4	6	7	15
TOTAL 0-19 YRS	35	1.8	3	<1	<1	<1	2	3	6	8
20-34	373	2.5	3	1	1	2	3	4	5	10
35-49	565	2.6	4	<1	1	2	3	5	6	10
50-64	360	3.0	5	1	1	3	4	5	6	11
65+	177	3.4	16	1	1	3	4	6	7	26
GRAND TOTAL	**1510**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	1.7		<1	<1	1	2	3	4	4
20-34	166	1.8	1	<1	<1	1	2	3	4	6
35-49	93	2.0	1	<1	1	2	3	3	4	6
50-64	44	2.1	1	<1	1	2	3	3	4	5
65+	31	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	11	2.3	2	<1	<1	2	4	4	4	4
20-34	135	3.0	6	<1	1	2	4	5	6	17
35-49	218	3.2	4	1	1	3	4	5	6	13
50-64	144	3.5	7	1	1	3	4	6	8	16
65+	109	5.6	77	1	1	4	6	10	16	50
TOT. SINGLE DX	352	1.9	1	<1	<1	2	2	4	4	6
" MULTIPLE DX	617	3.6	19	1	1	3	4	6	8	19
TOTAL 0-19 YRS	29	1.9	1	<1	<1	1	3	4	4	4
20-34	301	2.3	4	<1	<1	2	3	4	5	10
35-49	311	2.8	4	1	1	2	4	5	6	11
50-64	188	3.2	6	1	1	3	4	6	7	14
65+	140	4.9	63	1	1	3	5	8	12	32
GRAND TOTAL	**969**	**3.0**	**13**	**<1**	**1**	**2**	**4**	**5**	**7**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.8	3	<1	<1	2	4	6	6	6
20-34	151	3.4	2	1	1	3	4	6	7	8
35-49	242	3.5	2	1	2	3	4	6	7	8
50-64	172	3.7	3	1	2	3	4	6	6	12
65+	52	3.5	2	1	1	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	20	4.4	6	<1	1	4	5	8	10	11
20-34	675	3.9	6	1	2	4	5	6	7	12
35-49	1370	4.0	6	2	2	4	5	6	7	13
50-64	1039	4.2	6	1	2	4	5	7	8	14
65+	577	4.8	9	2	2	4	6	8	11	17
TOT. SINGLE DX	623	3.5	3	1	2	3	4	6	7	8
" MULTIPLE DX	3681	4.2	7	1	2	4	5	7	8	14
TOTAL 0-19 YRS	26	4.0	6	<1	1	4	5	6	10	11
20-34	826	3.8	6	1	2	4	5	6	7	11
35-49	1612	3.9	6	2	2	4	5	6	7	12
50-64	1211	4.1	6	1	2	4	5	6	8	13
65+	629	4.7	9	2	2	4	6	8	10	17
GRAND TOTAL	**4304**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.4	2	<1	<1	2	3	4	7	7
20-34	173	2.4	2	1	1	2	3	5	6	9
35-49	163	3.0	18	<1	1	2	4	5	7	14
50-64	79	3.6	27	1	1	2	4	6	8	34
65+	43	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	58	3.8	8	<1	1	3	5	7	10	17
20-34	165	4.3	62	1	1	3	4	8	9	32
35-49	181	3.9	30	1	1	3	4	7	8	38
50-64	170	4.4	16	1	1	3	5	8	11	17
65+	212	6.1	43	1	2	4	7	11	16	30
TOT. SINGLE DX	497	2.8	12	<1	1	2	3	5	7	11
" MULTIPLE DX	786	4.7	37	1	1	3	5	9	12	30
TOTAL 0-19 YRS	97	3.2	7	<1	1	3	4	7	7	14
20-34	338	3.3	33	1	1	2	3	6	8	27
35-49	344	3.5	25	1	1	2	4	6	8	33
50-64	249	4.1	20	1	1	3	5	7	10	32
65+	255	5.6	38	1	1	4	7	11	14	30
GRAND TOTAL	1283	4.0	28	1	1	3	5	7	10	28

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.2	32	2	2	4	8	16	16	16
20-34	8	6.9	13	1	2	7	9	12	13	13
35-49	5	6.8	18	3	3	6	9	14	14	14
50-64	6	9.5	17	5	5	8	11	16	17	17
65+	5	11.4	85	1	1	14	18	23	23	23
2. MULTIPLE DX										
0-19 YRS	6	8.8	47	2	2	7	9	21	22	22
20-34	28	11.8	155	1	4	8	13	20	39	64
35-49	22	16.3	161	5	5	10	24	37	44	46
50-64	39	13.8	93	1	3	11	19	28	32	41
65+	59	19.1	193	4	6	15	25	37	50	67
TOT. SINGLE DX	29	8.1	30	1	2	7	11	16	17	23
" MULTIPLE DX	154	15.6	158	2	5	11	21	32	42	64
TOTAL 0-19 YRS	11	7.6	39	2	2	6	9	18	22	22
20-34	36	10.7	127	1	4	8	12	19	31	64
35-49	27	14.6	147	4	5	10	21	34	43	46
50-64	45	13.2	85	2	4	10	17	27	31	41
65+	64	18.5	188	3	5	15	24	35	50	66
GRAND TOTAL	183	14.4	145	2	4	10	20	31	40	61

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	3.4	11	1	1	2	5	9	12	13
20-34	141	3.1	21	<1	1	1	3	7	10	20
35-49	158	2.5	8	<1	1	1	2	8	9	14
50-64	154	2.1	5	<1	<1	1	2	6	7	9
65+	95	4.2	32	<1	1	2	4	11	17	29
2. MULTIPLE DX										
0-19 YRS	106	11.2	214	1	1	7	12	25	38	80
20-34	288	8.7	104	1	1	6	10	22	29	53
35-49	431	6.8	68	1	1	4	9	15	23	41
50-64	689	7.9	64	1	1	6	11	18	23	38
65+	854	9.4	82	1	1	7	12	20	26	47
TOT. SINGLE DX	585	2.9	15	<1	1	1	3	7	10	18
" MULTIPLE DX	2368	8.5	85	1	1	6	11	19	25	48
TOTAL 0-19 YRS	143	9.1	173	1	1	6	10	21	31	75
20-34	429	6.9	84	1	1	4	8	16	24	48
35-49	589	5.6	56	1	1	2	8	13	19	40
50-64	843	6.8	59	1	1	4	9	17	21	37
65+	949	8.9	80	1	1	7	11	19	25	47
GRAND TOTAL	2953	7.4	76	1	1	5	10	17	24	46

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	5.0	2	3	3	5	6	7	8	9
20-34	2496	5.2	2	3	3	5	6	7	8	11
35-49	2175	5.4	3	3	4	5	6	8	9	12
50-64	1859	5.8	3	3	4	5	7	8	9	13
65+	900	6.9	7	4	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	214	7.2	27	3	4	6	8	11	19	27
20-34	2330	6.5	14	3	4	6	7	10	12	20
35-49	3045	7.1	19	4	4	6	8	11	14	26
50-64	4113	8.0	31	4	4	7	9	12	16	29
65+	5249	10.6	44	5	5	9	12	18	23	39
TOT. SINGLE DX	7653	5.6	4	3	4	5	6	8	9	12
" MULTIPLE DX	14951	8.5	34	4	4	7	10	14	18	33
TOTAL 0-19 YRS	437	6.1	16	3	3	5	7	8	11	25
20-34	4826	5.8	9	3	4	5	7	8	10	16
35-49	5220	6.4	14	3	4	6	7	9	12	22
50-64	5972	7.4	24	4	4	6	8	11	14	24
65+	6149	10.1	41	5	5	8	12	17	22	37
GRAND TOTAL	22604	7.5	26	3	4	6	8	12	16	28

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	12.4	45	2	3	11	18	21	23	23
20-34	33	6.1	20	1	2	5	8	10	15	23
35-49	45	5.3	20	<1	1	4	7	11	13	22
50-64	52	6.8	20	1	1	7	10	13	15	16
65+	84	7.3	29	1	1	7	11	14	17	25
2. MULTIPLE DX										
0-19 YRS	36	24.2	515	3	6	16	28	58	73	95
20-34	96	10.1	61	1	2	8	13	22	27	34
35-49	111	11.8	66	1	3	10	15	23	27	39
50-64	283	14.4	151	2	3	11	17	27	38	69
65+	760	14.5	87	3	5	13	18	26	32	48
TOT. SINGLE DX	224	6.8	26	1	1	6	10	14	16	23
" MULTIPLE DX	1286	14.2	114	2	4	12	18	26	33	57
TOTAL 0-19 YRS	46	21.6	434	2	5	16	22	57	71	95
20-34	129	9.1	54	1	2	8	11	20	24	33
35-49	156	9.9	62	1	1	9	13	20	26	36
50-64	335	13.2	139	2	2	10	16	24	36	65
65+	844	13.8	87	2	4	12	17	25	31	48
GRAND TOTAL	1510	13.1	108	2	3	11	16	24	31	55

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	22	2	2	3	8	12	12	12
20-34	56	4.8	15	<1	1	4	8	10	11	19
35-49	84	5.2	25	<1	<1	3	8	11	14	26
50-64	85	6.7	47	<1	1	4	9	16	21	34
65+	68	6.0	88	<1	<1	2	8	14	24	48
2. MULTIPLE DX										
0-19 YRS	25	11.9	112	1	1	8	20	26	32	43
20-34	152	11.9	180	1	1	8	14	28	42	68
35-49	234	12.1	178	1	1	8	15	31	43	97
50-64	375	11.9	139	1	2	8	15	29	37	59
65+	563	12.6	194	1	2	8	16	29	41	77
TOT. SINGLE DX	297	5.7	44	<1	1	3	8	12	17	36
" MULTIPLE DX	1349	12.2	173	1	2	8	15	29	40	76
TOTAL 0-19 YRS	29	10.9	105	1	1	8	16	26	29	43
20-34	208	10.0	145	1	1	6	11	21	33	65
35-49	318	10.3	147	1	1	7	13	27	38	82
50-64	460	10.9	127	1	1	8	14	26	35	58
65+	631	11.8	187	1	2	8	15	28	39	77
GRAND TOTAL	1646	11.0	156	1	1	7	14	27	37	72

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.0	6	<1	<1	2	4	5	7	16
20-34	260	4.4	16	<1	1	4	5	8	10	23
35-49	230	3.6	9	<1	<1	3	5	7	9	15
50-64	245	3.7	12	<1	<1	3	5	7	9	17
65+	298	4.0	15	<1	<1	3	5	9	13	20
2. MULTIPLE DX										
0-19 YRS	113	5.0	24	<1	1	3	6	11	16	25
20-34	553	5.9	33	1	2	4	7	10	17	28
35-49	743	5.7	25	1	2	4	7	11	15	27
50-64	1285	6.1	38	1	2	4	7	12	16	33
65+	3587	7.1	43	1	2	5	9	13	18	34
TOT. SINGLE DX	1117	3.9	13	<1	<1	3	5	8	10	19
" MULTIPLE DX	6281	6.6	39	1	2	5	8	13	17	32
TOTAL 0-19 YRS	197	4.1	18	<1	1	3	5	8	14	22
20-34	813	5.4	28	1	2	4	6	10	15	28
35-49	973	5.2	22	1	1	4	6	10	14	26
50-64	1530	5.8	35	1	1	4	7	11	16	32
65+	3885	6.9	42	1	2	5	8	13	18	34
GRAND TOTAL	7398	6.2	36	1	2	5	7	12	17	31

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1452	1.4		<1	<1	1	2	2	3	4
20-34	2178	2.0	1	1	1	2	3	3	4	5
35-49	1934	2.1	1	1	1	2	3	4	4	5
50-64	2579	2.3	1	1	1	2	3	4	4	6
65+	2232	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	821	1.8	14	<1	<1	1	2	3	4	10
20-34	726	2.5	3	1	1	2	3	4	6	9
35-49	983	2.7	3	1	1	2	3	5	5	10
50-64	2082	3.0	5	1	1	3	4	5	6	11
65+	3645	3.9	11	1	1	3	5	7	10	17
TOT. SINGLE DX	10375	2.1	2	<1	1	2	3	4	4	6
" MULTIPLE DX	8257	3.2	9	1	1	3	4	6	8	14
TOTAL 0-19 YRS	2273	1.5	6	<1	<1	1	2	2	3	6
20-34	2904	2.1	2	1	1	2	3	4	4	7
35-49	2917	2.3	2	1	1	2	3	4	5	7
50-64	4661	2.6	3	1	1	2	3	4	5	9
65+	5877	3.4	8	1	1	3	4	6	8	15
GRAND TOTAL	18632	2.6	5	<1	1	2	3	4	6	10

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	1.2		<1	<1	<1	1	2	3	5
20-34	216	2.4	1	1	1	2	3	4	5	5
35-49	290	2.5	1	1	1	2	3	4	4	5
50-64	432	2.8	1	1	1	3	4	4	5	6
65+	283	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	350	3.2	103	<1	<1	1	2	3	10	99
20-34	95	2.6	1	1	1	2	4	4	5	6
35-49	195	3.3	6	1	1	3	4	5	7	15
50-64	442	3.5	4	1	1	3	4	6	7	12
65+	584	4.6	22	1	2	4	5	8	10	19
TOT. SINGLE DX	1594	2.3	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	1666	3.7	32	<1	1	3	4	6	8	28
TOTAL 0-19 YRS	723	2.2	51	<1	<1	1	1	2	3	69
20-34	311	2.5	1	1	1	2	3	4	5	5
35-49	485	2.8	3	1	1	3	4	4	5	10
50-64	874	3.1	3	1	1	3	4	5	6	10
65+	867	4.0	16	1	1	3	5	7	8	16
GRAND TOTAL	3260	3.0	18	<1	<1	2	4	5	6	14

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.9	1	<1	<1	1	3	4	4	4
20-34	69	2.2	1	1	1	2	3	4	5	7
35-49	78	2.3	1	1	1	2	3	4	5	6
50-64	103	2.6	2	1	1	2	3	5	6	7
65+	106	3.7	7	1	1	3	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	20	2.5	2	1	1	2	3	4	6	7
35-49	51	3.2	3	1	1	3	4	6	7	10
50-64	80	4.4	12	1	1	3	5	9	13	17
65+	264	6.0	32	1	2	4	7	12	17	30
TOT. SINGLE DX	367	2.8	4	1	1	2	3	5	6	9
" MULTIPLE DX	416	5.2	25	1	1	4	6	10	14	30
TOTAL 0-19 YRS	12	1.8	1	<1	<1	1	3	4	4	4
20-34	89	2.3	2	1	1	2	3	4	5	7
35-49	129	2.7	3	1	1	3	3	5	5	8
50-64	183	3.4	7	1	1	3	4	6	8	16
65+	370	5.3	26	1	1	4	6	10	14	30
GRAND TOTAL	783	4.0	16	1	1	3	5	8	11	21

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	1.2		<1	<1	<1	1	2	2	3
20-34	128	1.9	1	<1	<1	1	2	3	4	6
35-49	220	2.0	1	<1	1	2	2	4	4	8
50-64	161	2.1	1	<1	1	2	3	4	5	6
65+	87	3.2	7	<1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	53	4.2	53	<1	<1	1	4	9	24	36
20-34	77	3.0	3	1	1	3	4	5	7	8
35-49	181	3.1	4	1	1	3	4	6	7	10
50-64	253	4.0	14	1	1	3	5	7	12	21
65+	210	5.5	32	1	1	4	6	12	19	28
TOT. SINGLE DX	787	1.9	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	774	4.1	19	1	1	3	5	7	11	25
TOTAL 0-19 YRS	244	1.8	13	<1	<1	1	1	2	4	26
20-34	205	2.3	2	<1	1	2	3	4	5	7
35-49	401	2.5	3	<1	1	2	3	5	6	9
50-64	414	3.3	10	1	1	2	4	6	8	20
65+	297	4.8	26	1	1	3	6	9	15	25
GRAND TOTAL	1561	3.0	12	<1	<1	2	3	6	8	20

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	1.6	2	<1	<1	1	2	3	4	9
20-34	242	2.5	3	<1	1	2	3	5	6	9
35-49	451	3.3	3	1	1	3	4	6	7	10
50-64	472	3.8	4	1	1	3	5	7	8	11
65+	361	4.3	5	1	2	4	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	38	3.2	4	<1	<1	3	4	7	7	9
20-34	192	4.3	9	2	2	3	5	7	10	16
35-49	499	4.9	11	1	2	4	6	8	10	19
50-64	809	6.0	29	1	2	5	7	10	14	28
65+	1072	6.8	30	2	3	6	8	11	15	28
TOT. SINGLE DX	1598	3.5	5	1	1	3	5	6	8	11
" MULTIPLE DX	2610	5.9	25	2	2	5	7	10	13	24
TOTAL 0-19 YRS	110	2.2	3	<1	<1	1	3	5	7	9
20-34	434	3.3	7	<1	1	3	4	6	8	14
35-49	950	4.1	8	1	1	3	5	7	9	16
50-64	1281	5.2	22	1	2	4	6	8	11	21
65+	1433	6.2	25	2	2	5	8	10	13	23
GRAND TOTAL	4208	5.0	19	1	1	4	6	9	11	20

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.4	6	1	1	5	6	7	9	9
20-34	13	6.1	7	3	3	5	8	10	11	11
35-49	15	5.5	5	1	2	6	7	7	9	10
50-64	29	5.3	9	1	1	5	8	10	10	11
65+	21	7.3	11	2	4	7	10	12	14	14
2. MULTIPLE DX										
0-19 YRS	22	12.3	103	3	4	8	17	24	35	46
20-34	39	7.5	14	3	4	7	9	12	16	20
35-49	91	8.5	59	4	4	7	9	11	17	53
50-64	153	9.2	26	5	5	8	10	14	20	31
65+	166	12.7	95	4	5	10	14	22	27	70
TOT. SINGLE DX	89	5.8	9	1	2	6	7	10	11	14
" MULTIPLE DX	471	10.3	63	4	5	8	11	18	23	42
TOTAL 0-19 YRS	33	9.6	84	1	2	6	12	22	26	46
20-34	52	7.1	13	3	4	6	9	11	13	20
35-49	106	8.0	53	3	4	7	8	11	14	50
50-64	182	8.6	26	3	4	8	10	13	18	30
65+	187	12.1	89	4	5	10	14	22	25	62
GRAND TOTAL	560	9.6	57	3	4	8	11	16	22	39

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	3.4	11	<1	<1	2	5	7	9	17
20-34	171	3.6	12	<1	1	2	5	7	10	21
35-49	151	4.3	38	<1	1	3	5	8	10	16
50-64	121	5.1	19	<1	1	4	7	9	15	21
65+	88	5.9	27	<1	1	4	8	13	15	27
2. MULTIPLE DX										
0-19 YRS	145	6.5	41	<1	1	5	9	14	20	30
20-34	335	6.3	45	1	1	5	8	12	16	34
35-49	504	9.1	73	1	2	7	11	19	26	47
50-64	871	9.6	74	1	2	8	12	19	25	47
65+	1100	10.8	89	1	2	8	14	22	29	50
TOT. SINGLE DX	645	4.3	22	<1	1	3	6	9	12	22
" MULTIPLE DX	2955	9.4	77	1	2	7	12	19	26	46
TOTAL 0-19 YRS	259	5.1	30	<1	<1	3	7	11	15	29
20-34	506	5.4	36	<1	1	4	6	10	14	32
35-49	655	8.0	69	1	1	6	10	16	25	43
50-64	992	9.1	70	1	2	7	11	18	23	44
65+	1188	10.4	86	1	2	8	13	21	28	49
GRAND TOTAL	3600	8.5	71	1	1	6	11	18	24	45

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	4.4	7	2	2	4	6	8	10	14
20-34	366	4.7	8	1	2	4	6	8	10	18
35-49	142	5.9	18	1	2	5	8	9	12	27
50-64	82	7.3	18	1	3	6	9	12	15	25
65+	57	9.2	31	2	4	8	11	15	19	33
2. MULTIPLE DX										
0-19 YRS	255	8.6	116	2	3	6	9	15	25	74
20-34	792	7.6	72	2	3	5	8	13	21	58
35-49	397	10.3	85	3	4	8	12	19	28	56
50-64	439	13.4	152	4	5	9	16	26	35	77
65+	637	15.9	150	5	6	12	20	30	41	71
TOT. SINGLE DX	799	5.4	14	1	2	5	7	10	12	20
" MULTIPLE DX	2520	11.2	123	3	3	8	13	23	31	67
TOTAL 0-19 YRS	407	7.1	80	2	2	5	7	12	18	52
20-34	1158	6.7	54	2	3	5	7	12	17	36
35-49	539	9.2	71	2	3	7	10	17	24	51
50-64	521	12.4	137	4	4	9	14	23	32	73
65+	694	15.3	144	5	6	11	19	29	39	70
GRAND TOTAL	3319	9.8	103	2	3	7	11	20	27	61

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	2.2	2	<1	<1	1	3	4	5	9
20-34	1128	1.9	2	<1	<1	1	2	4	5	8
35-49	183	1.7	2	<1	<1	1	2	4	5	8
50-64	25	1.8	2	<1	<1	1	2	4	6	8
65+	13	2.5	8	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-19 YRS	287	3.2	7	<1	1	2	4	7	8	13
20-34	1576	2.6	6	<1	<1	1	3	6	8	13
35-49	283	2.6	6	<1	<1	1	3	6	9	13
50-64	52	6.2	66	<1	1	3	9	18	19	44
65+	44	7.7	110	1	1	3	10	19	30	53
TOT. SINGLE DX	1601	1.9	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	2242	2.9	11	<1	<1	2	4	6	9	15
TOTAL 0-19 YRS	539	2.7	6	<1	<1	2	4	6	7	12
20-34	2704	2.3	5	<1	<1	1	3	5	7	12
35-49	466	2.3	5	<1	<1	1	3	5	7	11
50-64	77	4.8	50	<1	<1	2	5	13	18	40
65+	57	6.5	92	<1	1	2	7	15	28	52
GRAND TOTAL	3843	2.5	8	<1	<1	1	3	5	7	13

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	5.7	8	1	2	5	7	10	12	14
20-34	309	5.1	12	<1	1	4	7	9	12	18
35-49	227	6.4	12	1	2	6	8	11	13	18
50-64	157	8.5	34	3	4	7	10	13	17	36
65+	140	8.9	19	3	4	8	11	14	17	24
2. MULTIPLE DX										
0-19 YRS	205	9.7	127	1	2	7	12	19	28	61
20-34	1044	6.0	35	1	1	5	7	10	14	35
35-49	616	9.3	83	1	2	7	11	18	28	49
50-64	609	12.3	97	3	4	9	15	23	29	53
65+	963	15.0	127	5	6	12	17	27	35	72
TOT. SINGLE DX	931	6.6	19	1	2	6	9	12	14	21
" MULTIPLE DX	3437	10.4	99	1	3	8	13	21	29	53
TOTAL 0-19 YRS	303	8.4	93	1	2	6	10	15	24	52
20-34	1353	5.8	31	1	1	5	7	10	14	33
35-49	843	8.5	66	1	2	6	10	16	23	44
50-64	766	11.5	86	3	4	9	13	22	28	51
65+	1103	14.2	118	4	6	11	16	25	34	69
GRAND TOTAL	**4368**	**9.6**	**84**	**1**	**2**	**7**	**12**	**19**	**26**	**48**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.0	11	2	3	7	8	12	14	16
20-34	40	7.3	5	5	5	7	8	10	11	18
35-49	44	7.4	4	5	5	7	8	10	12	15
50-64	67	8.3	7	5	6	8	9	12	14	16
65+	41	8.1	4	5	5	8	9	11	13	14
2. MULTIPLE DX										
0-19 YRS	96	8.7	28	3	4	7	10	17	19	27
20-34	125	11.5	130	5	5	8	11	20	31	72
35-49	165	10.8	58	5	6	8	12	20	28	58
50-64	312	11.8	53	5	6	9	13	20	27	39
65+	418	14.0	85	6	7	11	17	26	31	56
TOT. SINGLE DX	215	7.7	6	5	5	7	9	11	13	16
" MULTIPLE DX	1116	12.2	75	5	6	9	14	22	28	54
TOTAL 0-19 YRS	119	8.4	25	3	3	7	10	16	18	26
20-34	165	10.4	103	5	5	7	11	18	24	69
35-49	209	10.1	49	5	5	8	11	17	23	50
50-64	379	11.2	47	5	6	9	13	19	25	39
65+	459	13.5	81	6	7	10	16	25	30	55
GRAND TOTAL	**1331**	**11.5**	**67**	**5**	**6**	**9**	**13**	**20**	**27**	**46**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	4.0	13	1	1	3	5	8	11	21
20-34	239	5.5	19	1	2	5	7	10	15	23
35-49	275	5.4	13	1	1	5	8	9	11	19
50-64	201	5.3	13	1	1	5	7	10	12	17
65+	116	5.4	15	1	1	5	8	9	10	20
2. MULTIPLE DX										
0-19 YRS	292	9.6	94	1	2	7	13	21	28	47
20-34	540	10.0	77	1	2	8	13	21	26	44
35-49	567	9.9	82	1	2	8	12	21	26	47
50-64	602	9.5	77	1	2	7	12	20	25	45
65+	582	10.4	86	1	2	8	13	21	27	46
TOT. SINGLE DX	992	5.2	16	1	1	5	7	9	11	20
" MULTIPLE DX	2583	9.9	83	1	2	8	13	21	26	46
TOTAL 0-19 YRS	453	7.6	73	1	1	5	10	19	23	45
20-34	779	8.6	64	1	2	7	11	18	23	38
35-49	842	8.4	64	1	2	7	10	18	23	41
50-64	803	8.5	65	1	2	7	11	17	23	44
65+	698	9.6	78	1	2	8	12	20	26	43
GRAND TOTAL	**3575**	**8.6**	**68**	**1**	**2**	**7**	**11**	**19**	**23**	**42**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	14	<1	1	4	7	12	12	12
20-34	179	5.6	7	1	2	5	7	9	11	14
35-49	212	6.2	9	2	2	6	8	10	13	14
50-64	180	6.5	8	2	3	6	8	10	12	16
65+	62	7.4	13	<1	2	7	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	23	5.5	14	1	1	5	8	11	12	14
20-34	167	7.2	15	1	2	7	10	13	15	18
35-49	213	7.6	18	1	3	7	9	12	15	23
50-64	298	9.0	38	2	3	8	11	15	18	32
65+	324	10.3	59	2	3	9	13	19	24	37
TOT. SINGLE DX	647	6.2	10	1	2	6	8	10	12	15
" MULTIPLE DX	1025	8.8	38	[illegible]	3	8	11	15	19	30
TOTAL 0-19 YRS	37	5.2	14	1	1	4	7	11	12	14
20-34	346	6.4	12	1	2	6	8	11	13	17
35-49	425	6.9	14	1	2	6	9	11	13	21
50-64	478	8.0	29	2	3	7	10	13	16	27
65+	386	9.9	53	2	2	8	12	18	23	35
GRAND TOTAL	**1672**	**7.8**	**29**	**2**	**2**	**7**	**10**	**13**	**17**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	5.7	4	3	3	5	7	8	10	12
20-34	24	7.6	10	2	4	8	9	11	14	15
35-49	7	6.7	20	2	2	6	9	14	15	15
50-64	6	8.3	7	6	6	7	10	13	13	13
65+	3	10.7	30	5	5	11	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	216	8.1	16	3	4	7	10	13	15	23
20-34	50	9.9	39	3	4	8	12	16	27	35
35-49	33	14.5	232	6	7	10	14	26	50	78
50-64	55	14.0	103	3	5	11	17	28	34	59
65+	84	14.4	125	4	6	12	17	25	31	72
TOT. SINGLE DX	235	6.0	6	3	3	6	7	9	11	15
" MULTIPLE DX	438	10.8	75	3	4	9	12	18	27	47
TOTAL 0-19 YRS	411	7.0	12	3	4	6	8	11	13	19
20-34	74	9.2	31	3	4	8	10	15	18	34
35-49	40	13.2	203	2	5	9	13	19	49	78
50-64	61	13.5	97	4	5	10	16	27	32	57
65+	87	14.3	122	5	6	12	17	24	31	70
GRAND TOTAL	**673**	**9.1**	**56**	**3**	**4**	**7**	**10**	**15**	**20**	**39**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.2	5	<1	<1	3	5	6	8	9
20-34	334	3.3	5	1	1	3	5	6	8	10
35-49	436	3.1	4	1	1	3	4	6	7	10
50-64	301	3.7	7	1	1	3	5	7	10	13
65+	117	3.4	5	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	47	7.3	27	1	2	6	10	14	20	22
20-34	190	5.0	20	1	1	4	6	9	10	27
35-49	278	4.5	17	1	1	3	6	9	11	23
50-64	313	5.1	16	1	2	4	7	9	12	21
65+	309	6.4	36	1	2	5	8	12	16	35
TOT. SINGLE DX	1224	3.3	5	1	1	3	4	6	8	11
" MULTIPLE DX	1137	5.4	24	1	1	4	7	10	12	27
TOTAL 0-19 YRS	83	5.5	22	<1	1	4	7	11	16	22
20-34	524	3.9	11	1	1	3	5	8	9	13
35-49	714	3.6	10	1	1	3	5	7	9	13
50-64	614	4.4	13	1	1	3	6	9	11	17
65+	426	5.6	29	1	1	4	7	11	14	31
GRAND TOTAL	**2361**	**4.3**	**15**	**1**	**1**	**3**	**6**	**8**	**10**	**19**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	2.0	5	<1	<1	1	2	4	7	15
20-34	224	2.6	4	<1	<1	2	3	6	7	10
35-49	255	3.2	7	<1	<1	2	4	7	8	12
50-64	281	2.8	6	<1	<1	2	4	6	7	14
65+	271	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	351	3.4	55	<1	<1	1	3	6	9	49
20-34	467	5.1	38	<1	1	3	6	11	15	34
35-49	550	5.9	67	<1	1	4	7	12	20	55
50-64	882	6.4	77	<1	1	4	8	13	19	57
65+	2000	7.7	65	1	1	6	10	16	22	44
TOT. SINGLE DX	1218	2.7	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	4250	6.5	66	<1	1	4	8	14	20	45
TOTAL 0-19 YRS	538	2.9	39	<1	<1	1	3	6	8	25
20-34	691	4.3	29	<1	<1	3	5	9	13	32
35-49	805	5.1	50	<1	<1	3	6	10	14	37
50-64	1163	5.5	63	<1	<1	3	7	12	17	39
65+	2271	7.1	61	1	1	5	9	15	21	42
GRAND TOTAL	**5468**	**5.7**	**55**	**<1**	**<1**	**3**	**7**	**12**	**17**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	6	<1	<1	2	5	7	8	8
20-34	23	2.3	20	<1	<1	1	2	3	10	23
35-49	95	2.3	1	<1	1	2	3	4	5	6
50-64	474	2.4	3	<1	1	2	3	4	5	8
65+	871	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	12	3.3	6	1	1	3	5	6	9	9
20-34	80	3.4	14	<1	<1	2	4	7	10	23
35-49	188	3.5	16	<1	1	2	4	7	9	21
50-64	714	3.7	14	1	1	3	4	7	10	21
65+	2793	4.9	25	1	1	4	6	9	13	28
TOT. SINGLE DX	1472	2.5	4	<1	1	2	3	5	6	9
" MULTIPLE DX	3787	4.6	23	1	1	3	5	9	13	26
TOTAL 0-19 YRS	21	3.1	6	<1	<1	2	5	6	8	9
20-34	103	3.2	16	<1	<1	2	3	7	10	25
35-49	283	3.1	12	<1	1	2	4	6	8	14
50-64	1188	3.2	10	<1	1	2	4	6	8	18
65+	3664	4.3	21	1	1	3	5	8	11	26
GRAND TOTAL	**5259**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.2	9	<1	1	3	6	9	11	12
20-34	61	4.0	9	<1	1	3	5	8	10	15
35-49	99	4.7	11	<1	1	4	7	9	12	14
50-64	135	5.0	17	<1	1	3	7	11	14	18
65+	193	4.9	23	<1	1	3	6	10	12	30
2. MULTIPLE DX										
0-19 YRS	156	6.3	45	1	1	4	7	14	20	56
20-34	155	8.1	96	1	1	5	10	16	23	43
35-49	232	7.6	77	1	2	6	10	14	17	71
50-64	466	8.2	81	1	2	6	10	17	23	46
65+	1178	8.8	88	1	2	6	11	18	24	56
TOT. SINGLE DX	532	4.7	17	<1	1	3	7	10	12	17
" MULTIPLE DX	2187	8.3	84	1	2	6	11	17	23	54
TOTAL 0-19 YRS	200	5.8	38	1	1	4	7	12	19	43
20-34	216	7.0	75	1	1	4	9	15	19	42
35-49	331	6.7	60	1	1	5	9	13	16	41
50-64	601	7.5	69	1	1	5	10	16	21	42
65+	1371	8.3	81	1	1	6	11	17	23	54
GRAND TOTAL	**2719**	**7.6**	**73**	**1**	**1**	**5**	**10**	**16**	**21**	**46**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	1.1		<1	<1	<1	1	2	2	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	5	2.2	2	<1	<1	1	4	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	5	2.6	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	33	1.4		<1	<1	1	1	3	4	4
20-34	6	2.2	1	<1	<1	2	3	4	4	4
35-49	8	2.8	4	<1	<1	2	4	6	7	7
50-64	7	3.3	7	1	1	3	4	8	9	9
65+	9	3.4	2	2	2	3	5	5	5	5
TOT. SINGLE DX	66	1.3	1	<1	<1	<1	1	2	3	6
" MULTIPLE DX	63	2.1	3	<1	<1	1	3	4	5	9
TOTAL 0-19 YRS	83	1.2		<1	<1	<1	1	2	3	4
20-34	9	1.8	1	<1	<1	1	2	4	4	4
35-49	13	2.5	4	<1	<1	2	4	5	7	7
50-64	10	2.7	6	<1	<1	2	3	6	9	9
65+	14	3.1	3	<1	1	3	5	5	6	6
GRAND TOTAL	**129**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	310	3.4	8	<1	<1	2	5	7	8	13
20-34	92	2.8	6	<1	<1	2	4	6	9	12
35-49	48	3.3	7	<1	<1	3	5	6	10	12
50-64	62	3.1	21	<1	<1	2	3	5	7	32
65+	53	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	195	4.3	16	<1	<1	3	6	10	12	21
20-34	54	4.6	29	<1	<1	3	5	12	14	32
35-49	83	4.0	13	<1	1	3	5	8	12	20
50-64	77	4.0	11	<1	1	3	5	8	11	19
65+	178	5.7	32	<1	1	4	8	11	20	27
TOT. SINGLE DX	565	3.2	9	<1	<1	2	5	7	8	13
" MULTIPLE DX	587	4.7	22	<1	<1	3	6	10	14	25
TOTAL 0-19 YRS	505	3.8	12	<1	<1	2	5	8	11	15
20-34	146	3.5	16	<1	<1	2	5	7	11	20
35-49	131	3.8	12	<1	<1	3	5	8	11	19
50-64	139	3.6	16	<1	<1	3	4	7	9	22
65+	231	5.0	27	<1	1	3	6	10	17	26
GRAND TOTAL	**1152**	**3.9**	**16**	**<1**	**<1**	**3**	**5**	**8**	**11**	**21**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.3	1	<1	<1	<1	1	2	3	8
20-34	45	2.0	6	<1	<1	1	2	4	6	15
35-49	43	2.0	3	<1	<1	1	2	5	8	8
50-64	37	1.8	1	<1	<1	1	2	4	5	6
65+	23	2.1	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	121	1.8	6	<1	<1	<1	1	3	6	15
20-34	86	4.2	11	<1	1	3	6	9	11	16
35-49	91	4.4	15	<1	1	3	6	10	12	18
50-64	121	5.9	82	1	1	3	7	12	16	55
65+	451	7.8	55	1	2	6	10	16	23	37
TOT. SINGLE DX	207	1.8	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	870	6.0	48	<1	<1	4	8	14	18	35
TOTAL 0-19 YRS	180	1.6	5	<1	<1	<1	1	3	5	10
20-34	131	3.4	11	<1	<1	2	5	8	10	15
35-49	134	3.6	13	<1	<1	2	4	9	11	17
50-64	158	4.9	66	<1	<1	2	6	10	15	49
65+	474	7.5	54	1	1	5	10	16	22	37
GRAND TOTAL	1077	5.2	42	<1	<1	3	7	12	16	33

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.5	1	<1	<1	1	2	3	4	7
20-34	78	2.1	5	<1	1	1	2	5	7	14
35-49	65	2.4	5	<1	1	1	3	6	7	11
50-64	44	2.2	4	1	1	2	3	4	6	13
65+	70	2.7	5	<1	1	2	3	5	6	14
2. MULTIPLE DX										
0-19 YRS	82	2.8	93	<1	<1	1	2	3	5	63
20-34	100	3.1	11	<1	1	2	3	7	10	18
35-49	98	3.6	9	1	1	2	4	9	10	14
50-64	151	4.3	15	1	1	3	5	9	13	22
65+	345	5.2	28	1	1	3	6	10	17	26
TOT. SINGLE DX	314	2.2	5	<1	1	1	2	5	6	12
" MULTIPLE DX	776	4.3	29	1	1	3	5	9	13	24
TOTAL 0-19 YRS	139	2.2	56	<1	<1	1	2	3	4	19
20-34	178	2.7	9	<1	1	2	3	6	9	15
35-49	163	3.1	8	1	1	2	4	7	10	13
50-64	195	3.8	14	1	1	3	5	8	12	20
65+	415	4.8	26	1	1	3	5	9	15	25
GRAND TOTAL	1090	3.7	23	<1	1	2	4	8	11	22

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	43	4.8	2	1	2	5	6	7	7	8
35-49	160	5.6	2	3	3	5	7	8	9	10
50-64	164	5.9	3	3	4	6	7	8	9	10
65+	70	6.3	3	4	4	6	7	9	9	12
2. MULTIPLE DX										
0-19 YRS	6	4.7	6	3	3	3	8	8	8	8
20-34	74	5.6	3	3	4	5	6	7	9	13
35-49	353	6.4	14	4	4	6	7	9	10	16
50-64	390	6.8	7	4	4	6	8	10	11	16
65+	279	7.9	18	4	4	7	9	11	17	22
TOT. SINGLE DX	439	5.7	3	3	4	6	7	8	9	10
" MULTIPLE DX	1102	6.9	13	4	4	6	8	10	11	19
TOTAL 0-19 YRS	8	4.9	7	3	3	3	8	8	8	8
20-34	117	5.3	3	2	3	5	6	7	8	12
35-49	513	6.2	11	3	4	6	7	8	10	13
50-64	554	6.5	7	3	4	6	7	9	11	15
65+	349	7.5	16	4	4	7	9	11	15	20
GRAND TOTAL	1541	6.5	10	3	4	6	7	9	11	18

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	2	2	2	5	5	5	5	5
20-34	16	5.6	5	3	3	5	6	7	11	13
35-49	84	5.1	4	3	3	5	6	8	8	15
50-64	112	5.4	6	3	3	5	6	8	10	51
65+	58	5.8	4	3	4	6	7	8	9	15
2. MULTIPLE DX										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	40	5.7	7	2	3	5	7	9	10	17
35-49	148	5.7	5	3	3	5	7	9	10	12
50-64	253	5.9	8	3	3	5	7	8	10	18
65+	202	6.9	11	3	4	6	8	10	14	21
TOT. SINGLE DX	274	5.4	6	3	3	5	6	8	9	16
" MULTIPLE DX	647	6.2	9	3	3	6	7	9	11	18
TOTAL 0-19 YRS	8	5.1	3	2	3	5	6	7	8	8
20-34	56	5.7	7	3	3	5	7	8	11	17
35-49	232	5.5	6	3	3	5	6	8	10	13
50-64	365	5.8	8	3	3	5	7	8	10	21
65+	260	6.7	10	3	4	6	8	9	12	18
GRAND TOTAL	921	5.9	8	3	3	5	7	9	10	18

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.8	3	<1	<1	2	4	6	6	6
20-34	12	4.4	6	1	1	5	6	8	9	9
35-49	21	3.4	7	<1	1	3	5	7	9	11
50-64	15	3.6	5	1	1	3	6	7	8	8
65+	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	5.0	31	1	1	3	5	16	18	18
20-34	22	5.8	32	2	2	4	6	16	20	24
35-49	23	5.7	31	<1	1	5	7	9	17	28
50-64	52	5.3	22	<1	1	4	8	11	13	25
65+	53	7.9	41	1	2	6	12	15	18	35
TOT. SINGLE DX	58	3.6	6	1	1	3	5	7	8	11
" MULTIPLE DX	162	6.2	33	1	1	4	8	14	17	28
TOTAL 0-19 YRS	17	4.4	23	<1	1	2	5	13	17	18
20-34	34	5.3	23	1	2	4	6	10	17	24
35-49	44	4.6	21	<1	1	4	6	8	11	28
50-64	67	4.9	19	1	1	4	7	11	12	23
65+	58	7.4	40	1	2	5	11	15	18	34
GRAND TOTAL	220	5.5	27	1	1	4	7	12	15	26

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	7	4.3	4	1	1	4	6	7	7	7
35-49	13	4.4	4	<1	1	5	6	7	8	8
50-64	4	5.8	8	2	2	6	8	9	9	9
65+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	8	8.4	44	3	3	6	9	20	24	24
20-34	21	8.6	23	1	2	8	11	16	17	17
35-49	20	6.7	17	2	3	6	8	9	16	22
50-64	31	10.8	133	1	2	9	13	15	33	63
65+	49	11.3	120	2	2	8	13	26	38	52
TOT. SINGLE DX	29	4.4	5	1	1	5	6	8	8	9
" MULTIPLE DX	129	9.9	88	2	2	7	12	19	27	54
TOTAL 0-19 YRS	10	7.6	40	1	2	6	8	17	24	24
20-34	28	7.5	22	1	2	7	10	15	17	17
35-49	33	5.8	14	1	2	6	7	8	10	22
50-64	35	10.2	122	1	2	8	12	15	29	63
65+	52	10.9	117	2	2	7	13	26	37	52
GRAND TOTAL	158	8.9	77	1	2	7	10	17	25	51

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	1	12.0		12	12	12	12	12	12	12
35-49	36	4.2	4	2	2	4	5	6	7	15
50-64	937	4.2	2	2	2	4	5	6	6	8
65+	1818	4.6	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	16	5.8	6	3	3	5	7	10	11	11
20-34	18	9.7	79	2	3	6	15	30	69	99+
35-49	98	5.3	15	2	2	5	6	8	11	28
50-64	2753	5.2	15	2	3	4	6	7	10	20
65+	10330	6.5	26	3	3	5	7	11	15	28
TOT. SINGLE DX	2795	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	13215	6.2	25	3	3	5	7	10	14	27
TOTAL 0-19 YRS	19	5.5	7	2	3	4	7	10	11	11
20-34	19	9.8	76	2	3	6	14	29	66	99+
35-49	134	5.0	13	2	2	4	5	7	10	26
50-64	3690	4.9	12	2	3	4	5	7	9	18
65+	12148	6.2	24	3	3	5	7	10	14	26
GRAND TOTAL	16010	5.9	21	2	3	5	6	9	13	25

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	8	10.6	26	4	5	9	14	18	20	20
50-64	110	8.6	12	4	5	8	10	13	16	22
65+	168	8.9	10	5	5	8	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	11.0	14	8	8	9	13	17	18	18
50-64	261	10.2	32	5	6	9	12	15	20	36
65+	845	11.0	34	6	6	10	12	17	22	31
TOT. SINGLE DX	290	8.8	12	4	5	8	10	13	15	20
" MULTIPLE DX	1115	10.8	34	5	6	9	12	16	21	32
TOTAL 0-19 YRS	3	6.3	56	2	2	2	12	15	15	15
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	15	10.8	19	4	6	9	14	18	19	20
50-64	371	9.8	27	5	6	9	11	15	18	27
65+	1013	10.7	31	5	6	9	12	16	19	31
GRAND TOTAL	**1405**	**10.4**	**30**	**5**	**6**	**9**	**12**	**16**	**19**	**30**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.0	48	<1	<1	1	10	13	13	13
35-49	33	1.5		<1	<1	1	2	2	3	4
50-64	255	1.5		<1	<1	1	2	2	3	5
65+	333	1.9	1	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	4	3.3	15	<1	<1	1	5	9	9	9
35-49	26	3.8	17	<1	<1	2	5	10	13	19
50-64	297	3.9	63	<1	<1	2	3	7	11	55
65+	823	4.4	34	<1	1	2	5	10	15	27
TOT. SINGLE DX	625	1.7	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	1152	4.2	41	<1	1	2	4	9	13	31
TOTAL 0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	7	4.0	24	<1	<1	1	7	12	13	13
35-49	59	2.5	9	<1	<1	2	2	5	9	18
50-64	552	2.8	36	<1	<1	2	2	4	7	42
65+	1156	3.7	26	<1	<1	2	4	8	12	25
GRAND TOTAL	**1777**	**3.3**	**29**	**<1**	**<1**	**2**	**3**	**7**	**11**	**26**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	1.7	2	<1	<1	1	2	3	6	9
20-34	50	2.1	1	<1	1	2	3	4	5	7
35-49	34	2.1	2	<1	<1	1	3	4	6	6
50-64	55	1.9	1	<1	1	2	2	3	4	9
65+	49	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	55	3.5	30	<1	<1	2	3	7	18	29
20-34	34	3.8	5	1	1	3	5	7	10	11
35-49	55	6.0	31	1	1	4	8	15	21	22
50-64	48	6.1	52	1	1	3	6	16	26	31
65+	91	6.7	86	1	1	4	7	15	22	54
TOT. SINGLE DX	264	2.0	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	283	5.5	51	<1	1	3	6	13	21	31
TOTAL 0-19 YRS	131	2.4	15	<1	<1	1	2	5	7	25
20-34	84	2.8	4	1	1	2	4	5	7	11
35-49	89	4.5	24	<1	1	3	6	9	16	22
50-64	103	3.9	30	<1	1	2	4	9	15	30
65+	140	5.2	62	1	1	3	5	12	19	36
GRAND TOTAL	**547**	**3.8**	**30**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	1.7	1	<1	1	1	2	3	4	5
20-34	193	2.4	14	1	1	2	2	4	5	12
35-49	82	2.4	5	1	1	2	3	4	5	16
50-64	63	2.1	2	1	1	2	3	4	5	8
65+	108	2.5	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	139	2.1	2	<1	<1	2	2	4	6	9
20-34	111	4.1	25	1	1	2	5	9	12	29
35-49	80	4.3	30	1	1	3	5	9	13	32
50-64	152	5.2	74	1	1	3	6	11	14	38
65+	593	5.1	31	1	1	3	6	11	15	29
TOT. SINGLE DX	583	2.2	7	1	1	2	3	4	5	10
" MULTIPLE DX	1075	4.6	34	1	1	3	5	10	14	28
TOTAL 0-19 YRS	276	1.9	2	<1	<1	1	2	3	4	8
20-34	304	3.0	19	1	1	2	3	5	9	23
35-49	162	3.3	19	1	1	2	4	6	10	24
50-64	215	4.3	55	1	1	2	5	9	12	27
65+	701	4.7	28	1	1	3	6	11	14	28
GRAND TOTAL	**1658**	**3.7**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**27**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	670	1.4		<1	<1	1	2	2	3	5
20-34	88	1.6	1	<1	1	1	2	3	3	6
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	440	1.8	10	<1	<1	1	2	3	4	7
20-34	23	1.5		<1	1	1	2	3	4	4
35-49	12	2.6	2	<1	<1	2	4	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	74.0		74	74	74	74	74	74	74
TOT. SINGLE DX	772	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	478	2.0	21	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	1110	1.6	5	<1	<1	1	2	2	3	6
20-34	111	1.5	1	<1	1	1	2	3	3	6
35-49	18	2.2	2	<1	<1	2	3	5	5	5
50-64	9	2.4	3	<1	<1	2	3	5	6	6
65+	2	39.5	2381	5	5	39	74	74	74	74
GRAND TOTAL	1250	1.6	8	<1	<1	1	2	3	3	6

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	1.3		<1	<1	1	1	2	2	4
20-34	78	1.9	2	<1	<1	1	2	4	5	9
35-49	27	1.6		<1	<1	1	2	3	3	3
50-64	10	1.6		<1	<1	1	2	3	3	3
65+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	50	1.9	3	<1	<1	2	2	3	3	12
20-34	40	2.8	12	<1	<1	2	3	5	7	22
35-49	14	3.1	15	<1	<1	2	4	6	14	16
50-64	11	4.8	26	1	1	3	5	14	17	17
65+	19	4.6	13	1	1	4	6	11	13	13
TOT. SINGLE DX	246	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	134	2.9	11	<1	1	2	3	5	11	18
TOTAL 0-19 YRS	177	1.4	1	<1	<1	1	2	2	3	6
20-34	118	2.2	6	<1	<1	2	2	4	6	13
35-49	41	2.1	6	<1	<1	1	2	4	5	16
50-64	21	3.3	16	<1	1	2	3	8	14	17
65+	23	4.3	11	1	2	3	5	10	13	13
GRAND TOTAL	380	2.0	5	<1	<1	1	2	4	5	13

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	34	1.1		<1	<1	<1	<1	1	2	2
35-49	23	1.3		<1	<1	<1	2	2	2	2
50-64	4	2.0	2	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	13	2.6	24	<1	<1	1	2	6	17	19
35-49	16	1.6	2	<1	<1	<1	1	3	6	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	63	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	33	2.2	11	<1	<1	1	2	5	7	19
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	47	1.5	7	<1	<1	<1	1	2	2	19
35-49	39	1.4	1	<1	<1	<1	2	2	3	7
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	96	1.6	4	<1	<1	<1	1	2	4	13

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	1.3		<1	<1	1	1	2	3	3
20-34	283	1.7	2	<1	<1	1	2	3	3	10
35-49	256	1.6		<1	<1	1	2	3	3	6
50-64	196	1.8	1	1	1	2	2	3	4	6
65+	108	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	160	1.8	17	<1	<1	1	2	3	3	4
20-34	184	2.4	12	<1	1	2	3	4	5	24
35-49	172	2.3	11	<1	1	1	3	4	6	16
50-64	206	3.0	6	1	1	2	3	5	7	16
65+	172	3.1	4	1	1	3	4	6	8	10
TOT. SINGLE DX	1085	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	894	2.5	10	<1	1	2	3	4	6	16
TOTAL 0-19 YRS	402	1.5	7	<1	<1	1	2	2	3	4
20-34	467	2.0	6	<1	<1	1	2	3	4	14
35-49	428	1.9	5	<1	<1	1	2	3	4	9
50-64	402	2.4	4	1	1	2	3	4	5	14
65+	280	2.6	3	1	1	2	3	5	6	10
GRAND TOTAL	1979	2.0	6	<1	<1	1	2	3	4	10

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	1.1		<1	<1	<1	1	1	2	2
20-34	32	1.2		<1	<1	1	1	2	2	4
35-49	35	1.3		<1	<1	<1	1	2	2	3
50-64	23	1.3		<1	<1	<1	1	2	3	3
65+	18	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	71	3.1	43	<1	<1	1	2	7	19	36
20-34	20	1.7	3	<1	<1	1	1	3	6	9
35-49	38	1.9	4	<1	<1	1	2	4	7	10
50-64	61	3.6	31	<1	<1	2	4	8	13	34
65+	80	3.5	15	<1	<1	2	4	10	13	76
TOT. SINGLE DX	485	1.2		<1	<1	<1	1	2	2	3
" MULTIPLE DX	369	2.9	20	<1	<1	1	2	7	11	30
TOTAL 0-19 YRS	407	1.5	9	<1	<1	<1	1	2	2	18
20-34	86	1.3	1	<1	<1	1	1	2	3	7
35-49	117	1.6	2	<1	<1	1	2	3	4	9
50-64	110	2.7	19	<1	<1	1	2	5	8	27
65+	134	3.1	13	<1	<1	2	3	7	12	34
GRAND TOTAL	**854**	**1.9**	**10**	**<1**	**<1**	**1**	**2**	**3**	**6**	**18**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	1.9	3	<1	<1	1	2	4	7	8
20-34	42	2.1	2	<1	<1	2	2	5	5	6
35-49	39	2.3	1	<1	<1	2	3	4	5	6
50-64	130	3.1	4	1	1	3	4	5	6	12
65+	94	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	62	4.2	47	<1	<1	2	4	6	16	40
20-34	60	4.4	20	<1	1	3	5	9	15	22
35-49	146	4.7	39	1	2	3	5	7	12	29
50-64	352	3.6	14	1	1	3	4	6	8	17
65+	298	3.7	7	1	1	3	4	6	9	16
TOT. SINGLE DX	356	2.6	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	918	3.9	19	1	1	3	4	6	9	20
TOTAL 0-19 YRS	113	3.2	29	<1	<1	2	3	5	8	37
20-34	102	3.4	14	<1	<1	2	4	6	11	21
35-49	185	4.1	32	1	1	3	4	7	11	25
50-64	482	3.5	12	1	1	3	4	6	8	15
65+	392	3.5	7	1	1	3	4	6	8	15
GRAND TOTAL	**1274**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	3.9	1	2	2	4	5	6	6	8
20-34	643	4.0	1	2	2	4	5	6	6	8
35-49	82	4.4	2	1	2	4	5	6	7	10
50-64	19	6.4	2	4	4	6	7	8	10	11
65+	6	5.2	7	1	1	6	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	220	4.7	6	2	3	4	5	7	9	14
20-34	1351	4.5	4	2	3	4	5	6	7	11
35-49	254	5.0	5	2	3	5	6	8	9	16
50-64	46	8.6	30	3	4	7	10	15	20	32
65+	62	13.0	150	4	5	9	13	27	42	67
TOT. SINGLE DX	927	4.1	2	2	2	4	5	6	6	8
" MULTIPLE DX	1933	4.9	12	2	3	4	5	7	9	18
TOTAL 0-19 YRS	397	4.4	5	2	3	4	5	6	8	13
20-34	1994	4.3	4	2	3	4	5	6	7	10
35-49	336	4.8	5	2	3	5	6	7	9	13
50-64	65	7.9	23	3	4	7	9	13	17	30
65+	68	12.3	143	3	5	9	12	26	38	66
GRAND TOTAL	**2860**	**4.7**	**9**	**2**	**3**	**4**	**5**	**7**	**8**	**14**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	4.7	2	2	3	4	5	7	8	11
20-34	587	4.5	2	3	3	4	5	6	7	10
35-49	208	4.6	2	2	3	4	5	7	7	9
50-64	34	5.9	6	4	4	5	6	8	9	18
65+	12	6.3	2	4	4	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	129	5.3	12	3	3	5	6	8	9	17
20-34	1518	5.0	4	3	3	5	6	7	8	13
35-49	673	5.5	6	3	3	5	6	8	10	16
50-64	90	9.2	78	4	5	7	9	15	27	57
65+	115	11.1	94	5	5	7	13	20	27	59
TOT. SINGLE DX	952	4.6	3	3	3	4	5	6	7	10
" MULTIPLE DX	2525	5.6	14	3	3	5	6	8	10	19
TOTAL 0-19 YRS	240	5.0	8	3	3	5	6	7	8	11
20-34	2105	4.9	4	3	3	5	5	7	8	12
35-49	881	5.3	6	3	3	5	6	8	9	15
50-64	124	8.3	61	4	5	6	8	14	18	45
65+	127	10.6	88	5	5	7	12	18	26	57
GRAND TOTAL	3477	5.3	11	3	3	5	6	7	9	16

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	5	1	1	5	6	6	6	6
20-34	66	4.9	2	3	3	5	6	7	8	10
35-49	111	5.2	2	3	3	5	6	7	9	10
50-64	53	6.3	6	4	4	6	7	10	11	16
65+	30	6.9	10	3	4	6	7	10	12	20
2. MULTIPLE DX										
0-19 YRS	6	4.8	2	3	3	5	6	7	7	7
20-34	398	5.5	5	3	4	5	6	8	9	15
35-49	725	5.8	8	3	4	5	6	8	11	17
50-64	262	7.8	22	3	4	6	9	14	19	27
65+	196	10.8	55	5	5	8	12	19	24	40
TOT. SINGLE DX	264	5.5	5	3	3	5	6	8	9	13
" MULTIPLE DX	1587	6.7	19	3	4	6	7	11	14	25
TOTAL 0-19 YRS	10	4.6	3	1	2	5	6	7	7	7
20-34	464	5.5	5	3	4	5	6	8	9	14
35-49	836	5.7	8	3	4	5	6	8	10	16
50-64	315	7.5	20	3	4	6	9	13	17	26
65+	226	10.3	52	5	5	8	12	18	23	39
GRAND TOTAL	1851	6.5	17	3	4	5	7	10	14	24

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.8	2	<1	1	3	4	5	5	9
20-34	190	2.6	2	<1	<1	2	4	5	6	8
35-49	35	2.1	1	<1	<1	1	4	4	4	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	59	4.6	8	1	1	4	6	9	11	13
20-34	566	3.8	4	1	1	4	5	6	7	11
35-49	114	3.4	4	<1	1	3	5	6	6	11
50-64	5	5.0	10	1	1	5	7	9	9	9
65+	3	6.0	9	3	3	6	8	9	9	9
TOT. SINGLE DX	278	2.6	3	<1	<1	2	4	5	5	8
" MULTIPLE DX	747	3.8	5	1	1	4	5	6	8	11
TOTAL 0-19 YRS	109	3.8	6	1	1	3	5	8	9	12
20-34	756	3.5	4	<1	1	4	5	6	7	11
35-49	149	3.1	4	<1	<1	3	5	6	6	11
50-64	6	5.0	8	1	1	5	7	9	9	9
65+	5	5.6	5	3	3	5	7	9	9	9
GRAND TOTAL	1025	3.5	5	<1	1	3	5	6	7	11

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	870	1.1		<1	<1	<1	1	1	1	3
35-49	521	1.1		<1	<1	<1	1	1	1	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	412	1.8	23	<1	<1	1	2	3	4	6
35-49	259	1.4	2	<1	<1	<1	1	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1394	1.1		<1	<1	<1	1	1	1	2
" MULTIPLE DX	676	1.6	15	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	1282	1.3	8	<1	<1	<1	1	2	2	5
35-49	780	1.2	1	<1	<1	<1	1	1	2	4
50-64	2	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	2070	1.2	5	<1	<1	<1	1	2	2	5

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0	2	<1	<1	1	3	4	4	4
20-34	971	1.6	1	<1	<1	1	2	3	4	6
35-49	410	1.6	1	<1	<1	1	2	3	4	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	16	2.8	2	1	1	3	4	5	6	6
20-34	2064	2.7	2	1	1	3	3	4	5	8
35-49	554	2.6	2	<1	1	2	3	4	5	8
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
TOT. SINGLE DX	1390	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2636	2.7	3	1	1	3	3	4	5	8
TOTAL 0-19 YRS	23	2.6	2	<1	<1	2	4	5	5	6
20-34	3035	2.4	2	<1	<1	2	3	4	5	7
35-49	964	2.2	2	<1	<1	2	3	4	5	7
50-64	4	4.8	7	1	1	5	6	7	7	7
65+										
GRAND TOTAL	4026	2.3	2	<1	<1	2	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.6	1	2	2	4	4	5	5	7
20-34	1615	3.8	1	2	2	4	4	5	6	7
35-49	227	3.8	1	2	2	4	5	5	6	8
50-64										
65+	4	4.5	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	112	4.4	3	2	3	4	5	6	7	11
20-34	2140	4.1	2	2	3	4	5	6	6	9
35-49	381	4.3	3	1	2	4	5	6	7	10
50-64	2	7.0	2	6	6	7	8	8	8	8
65+										
TOT. SINGLE DX	1940	3.8	2	2	2	4	4	5	6	7
" MULTIPLE DX	2635	4.1	3	2	3	4	5	6	6	10
TOTAL 0-19 YRS	206	4.0	2	2	3	4	5	6	6	11
20-34	3755	4.0	2	2	2	4	5	5	6	8
35-49	608	4.1	3	1	2	4	5	6	6	10
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	4	4.5	2	3	3	4	5	6	6	6
GRAND TOTAL	4575	4.0	2	2	2	4	5	5	6	9

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	362	1.3		<1	<1	1	1	2	3	5
35-49	183	1.3		<1	<1	1	1	2	3	5
50-64	63	1.3		<1	<1	1	2	2	2	3
65+	19	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	247	1.5	1	<1	<1	1	1	2	4	7
35-49	170	2.1	12	<1	<1	1	2	3	5	22
50-64	63	2.0	3	<1	<1	1	2	5	7	10
65+	46	2.9	6	<1	1	2	3	8	10	10
TOT. SINGLE DX	638	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	537	1.8	6	<1	<1	1	2	3	6	10
TOTAL 0-19 YRS	22	1.3		<1	<1	1	2	2	2	2
20-34	609	1.4	1	<1	<1	1	1	2	3	6
35-49	353	1.7	6	<1	<1	1	2	2	4	9
50-64	126	1.7	2	<1	<1	1	2	2	5	10
65+	65	2.4	5	<1	1	2	2	6	9	10
GRAND TOTAL	1175	1.5	3	<1	<1	1	2	2	4	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	71	1.5	1	<1	<1	1	2	2	3	7
35-49	49	1.8	4	<1	<1	1	2	3	5	13
50-64	28	2.9	8	<1	<1	1	4	8	9	13
65+	28	3.6	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	7	1.6		<1	<1	1	2	3	3	3
20-34	98	2.9	16	<1	<1	1	3	6	9	26
35-49	106	3.1	18	<1	<1	2	3	7	9	25
50-64	91	4.6	39	<1	1	2	6	11	15	37
65+	138	5.7	29	<1	1	5	7	10	14	26
TOT. SINGLE DX	179	2.2	5	<1	<1	1	2	5	7	12
" MULTIPLE DX	440	4.2	27	<1	<1	2	6	9	13	26
TOTAL 0-19 YRS	10	2.3	6	<1	<1	1	2	6	9	9
20-34	169	2.3	10	<1	<1	1	2	5	6	23
35-49	155	2.7	14	<1	<1	1	2	6	9	18
50-64	119	4.2	33	<1	<1	2	6	10	13	28
65+	166	5.4	26	<1	1	4	7	10	13	23
GRAND TOTAL	619	3.6	21	<1	<1	2	5	8	11	22

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.3	1	1	1	2	3	5	5	5
20-34	464	1.8	1	<1	1	1	2	3	4	8
35-49	60	1.6		<1	1	1	2	3	3	4
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	4.2	8	2	2	3	4	9	10	10
20-34	161	3.3	43	1	1	2	4	6	8	74
35-49	27	4.5	95	<1	1	2	2	6	28	48
50-64										
65+										
TOT. SINGLE DX	546	1.8	2	<1	1	1	2	3	4	7
" MULTIPLE DX	194	3.5	50	1	1	2	3	6	9	67
TOTAL 0-19 YRS	24	2.8	4	1	1	2	3	5	7	10
20-34	625	2.2	13	<1	1	2	2	4	5	10
35-49	87	2.5	31	<1	1	2	2	3	4	39
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	740	2.2	15	<1	1	2	2	4	5	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.0	4	<1	<1	3	4	6	6	6
20-34	175	4.2	3	<1	1	5	5	6	7	9
35-49	44	3.9	2	<1	1	4	5	6	6	7
50-64	10	2.2	3	<1	<1	2	2	5	7	7
65+	7	2.9	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	10	3.7	4	<1	<1	4	5	6	7	7
20-34	366	4.4	6	<1	1	4	5	6	8	12
35-49	175	4.4	7	<1	1	4	6	7	8	12
50-64	30	3.7	21	<1	<1	2	4	12	15	18
65+	33	5.1	27	<1	1	3	8	11	17	24
TOT. SINGLE DX	242	4.0	4	<1	1	4	5	6	7	8
" MULTIPLE DX	614	4.4	9	<1	1	4	5	7	9	17
TOTAL 0-19 YRS	16	3.4	4	<1	<1	4	5	6	7	7
20-34	541	4.3	6	<1	1	4	5	6	8	11
35-49	219	4.3	7	<1	1	4	5	6	7	11
50-64	40	3.4	17	<1	<1	2	3	11	13	18
65+	40	4.7	24	<1	1	2	7	10	15	24
GRAND TOTAL	856	4.3	7	<1	1	4	5	7	8	12

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	3	3	3	5	6	8	8	8
20-34	593	5.3	2	3	4	5	6	7	8	11
35-49	1080	5.4	2	4	4	5	6	7	8	10
50-64	375	5.9	3	4	4	6	7	7	9	12
65+	212	6.4	4	4	5	6	7	8	10	15
2. MULTIPLE DX										
0-19 YRS	54	6.4	17	4	4	6	7	8	11	32
20-34	5337	5.7	4	4	4	5	6	7	9	13
35-49	11853	5.9	4	4	4	6	6	8	9	13
50-64	3137	6.5	11	4	4	6	7	9	10	19
65+	1363	8.3	29	5	5	7	9	12	16	32
TOT. SINGLE DX	2266	5.5	3	4	4	5	6	7	8	11
" MULTIPLE DX	21744	6.1	8	4	4	6	7	8	10	16
TOTAL 0-19 YRS	60	6.3	16	3	4	6	7	8	11	31
20-34	5930	5.7	4	4	4	5	6	7	9	13
35-49	12933	5.8	5	4	4	6	6	8	9	13
50-64	3512	6.4	10	4	4	6	7	9	10	19
65+	1575	8.1	26	5	5	7	9	12	16	31
GRAND TOTAL	24010	6.0	7	4	4	6	7	8	9	15

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	518	4.5	1	3	3	4	5	6	7	8
35-49	537	4.5	1	3	3	4	5	6	7	8
50-64	192	5.7	3	3	4	5	7	8	9	12
65+	153	6.0	2	4	4	6	7	8	9	10
2. MULTIPLE DX										
0-19 YRS	12	4.9	3	2	3	5	6	7	8	8
20-34	2373	4.8	2	3	3	5	5	6	7	10
35-49	4622	5.0	3	3	3	5	6	7	8	10
50-64	1181	5.8	3	3	4	6	7	8	9	11
65+	893	6.8	12	4	4	6	8	9	11	16
TOT. SINGLE DX	1401	4.9	2	3	3	5	6	7	7	10
" MULTIPLE DX	9081	5.2	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	13	4.8	3	2	3	5	6	7	8	8
20-34	2891	4.7	2	3	3	5	5	6	7	9
35-49	5159	5.0	3	3	3	5	6	7	8	10
50-64	1373	5.8	3	3	4	6	7	8	9	11
65+	1046	6.7	11	4	4	6	7	9	10	16
GRAND TOTAL	10482	5.2	4	3	3	5	6	7	8	11

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.9	8	5	5	9	11	13	14	14
35-49	19	9.6	5	6	7	9	11	13	14	14
50-64	2	13.0	18	10	10	13	16	16	16	16
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	24	10.6	27	4	6	9	12	19	22	26
35-49	34	15.8	257	5	7	11	13	31	54	82
50-64	28	15.9	108	6	6	11	20	34	38	43
65+	32	15.8	47	8	9	15	19	24	28	37
TOT. SINGLE DX	32	9.7	7	6	7	9	11	14	14	16
" MULTIPLE DX	118	14.8	120	6	7	11	17	27	36	64
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	33	10.2	22	5	6	9	12	15	21	26
35-49	53	13.6	174	6	7	10	13	20	45	81
50-64	30	15.7	102	6	7	11	18	33	37	43
65+	33	15.6	46	8	9	15	19	24	28	37
GRAND TOTAL	150	13.7	100	6	7	11	15	24	30	55

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	1.6	2	<1	<1	1	1	3	4	9
20-34	257	1.2		<1	<1	1	1	2	2	5
35-49	30	1.5	3	<1	<1	1	1	2	3	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	41	2.0	2	<1	<1	1	2	5	6	7
20-34	213	2.2	8	<1	<1	1	2	5	7	13
35-49	62	2.5	15	<1	<1	1	3	5	8	25
50-64										
65+										
TOT. SINGLE DX	335	1.3	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	316	2.3	9	<1	<1	1	2	5	7	16
TOTAL 0-19 YRS	89	1.8	2	<1	<1	1	2	4	6	8
20-34	470	1.7	4	<1	<1	1	1	3	5	9
35-49	92	2.2	11	<1	<1	1	2	4	7	22
50-64										
65+										
GRAND TOTAL	651	1.8	5	<1	<1	1	2	4	5	10

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	775	1.3		<1	<1	1	1	2	3	4
20-34	5259	1.3		<1	<1	1	1	2	2	5
35-49	1768	1.2		<1	<1	1	1	2	2	5
50-64	616	1.2		<1	<1	<1	1	2	2	4
65+	218	1.5	2	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
0-19 YRS	345	2.1	4	<1	<1	1	2	4	5	9
20-34	2772	2.2	7	<1	<1	1	2	4	6	12
35-49	2148	1.9	7	<1	<1	1	2	3	5	12
50-64	954	2.1	9	<1	<1	1	2	4	7	16
65+	653	3.0	20	<1	<1	2	2	7	11	21
TOT. SINGLE DX	8636	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	6872	2.1	9	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	1120	1.5	2	<1	<1	1	2	3	4	6
20-34	8031	1.6	3	<1	<1	1	1	3	4	8
35-49	3916	1.5	5	<1	<1	1	1	2	4	9
50-64	1570	1.7	6	<1	<1	1	1	2	5	13
65+	871	2.6	17	<1	<1	1	2	6	9	17
GRAND TOTAL	15508	1.6	5	<1	<1	1	1	3	4	9

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	1.1		<1	<1	1	1	1	1	2
20-34	564	1.1		<1	<1	1	1	1	2	4
35-49	82	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	2.8	6	<1	1	2	4	5	7	14
20-34	230	3.4	54	<1	<1	1	3	6	10	47
35-49	71	2.4	14	<1	<1	1	2	5	6	23
50-64										
65+										
TOT. SINGLE DX	839	1.1		<1	<1	1	1	1	2	4
" MULTIPLE DX	338	3.1	41	<1	<1	1	3	6	9	29
TOTAL 0-19 YRS	230	1.3	1	<1	<1	1	1	2	3	7
20-34	794	1.8	17	<1	<1	1	1	2	4	15
35-49	153	1.7	7	<1	<1	1	1	2	5	22
50-64										
65+										
GRAND TOTAL	1177	1.7	13	<1	<1	1	1	2	4	13

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	1.2		<1	<1	1	1	2	3	4
20-34	1096	1.1		<1	<1	1	1	2	2	4
35-49	178	1.2		<1	<1	1	1	2	2	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	47	2.1	2	<1	<1	1	3	4	5	9
20-34	282	1.9	3	<1	<1	1	2	4	5	10
35-49	71	2.3	5	<1	<1	1	3	5	7	12
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	6	6.5	32	<1	<1	6	7	16	17	17
TOT. SINGLE DX	1448	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	407	2.0	4	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	219	1.4	1	<1	<1	1	1	3	4	5
20-34	1378	1.3	1	<1	<1	1	1	2	3	5
35-49	249	1.5	2	<1	<1	1	1	3	4	9
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	7	5.9	30	<1	<1	5	7	15	17	17
GRAND TOTAL	1855	1.4	1	<1	<1	1	1	2	3	6

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	4.3	4	<1	1	5	5	7	8	8
35-49	4	5.8	34	<1	<1	4	10	13	13	13
50-64	3	6.3	1	5	5	7	7	7	7	7
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	6	5.0	4	4	4	4	5	9	9	9
20-34	130	4.6	4	2	3	5	5	6	7	12
35-49	16	3.9	3	<1	1	4	5	7	7	7
50-64	3	4.3	1	3	3	5	5	5	5	5
65+	9	8.6	3	6	6	8	9	11	12	12
TOT. SINGLE DX	27	5.0	10	<1	<1	5	7	8	13	13
" MULTIPLE DX	164	4.8	5	2	3	5	6	7	9	12
TOTAL 0-19 YRS	6	5.0	4	4	4	4	5	9	9	9
20-34	149	4.6	4	1	3	5	5	6	8	10
35-49	20	4.3	9	<1	<1	4	6	8	10	13
50-64	6	5.3	2	3	3	5	7	7	7	7
65+	10	9.0	5	6	6	9	10	12	13	13
GRAND TOTAL	191	4.8	5	1	2	5	6	7	9	13

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	1.5	3	<1	1	1	1	3	5	13
20-34	186	1.8	1	<1	<1	1	2	4	5	6
35-49	35	2.1	1	<1	<1	1	3	4	5	6
50-64	16	3.4	2	1	2	3	4	5	7	8
65+	12	3.7	3	2	2	3	5	6	8	8
2. MULTIPLE DX										
0-19 YRS	23	2.8	2	<1	1	2	4	5	6	6
20-34	215	3.3	4	<1	1	3	5	6	7	9
35-49	67	3.4	6	<1	<1	3	4	7	9	12
50-64	21	4.7	12	2	2	4	5	6	12	19
65+	31	5.9	106	1	2	4	4	8	18	59
TOT. SINGLE DX	324	1.9	3	<1	<1	1	3	4	5	7
" MULTIPLE DX	357	3.6	14	<1	1	3	5	6	7	13
TOTAL 0-19 YRS	98	1.8	4	<1	1	1	2	4	5	11
20-34	401	2.6	4	<1	<1	2	4	5	6	8
35-49	102	3.0	5	<1	<1	2	4	6	8	11
50-64	37	4.1	8	2	2	4	4	6	7	19
65+	43	5.3	78	1	2	4	4	7	13	59
GRAND TOTAL	681	2.8	9	<1	<1	2	4	5	6	11

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	38	3.2	2	1	1	3	4	5	7	8
35-49	160	4.2	3	1	2	4	6	7	8	9
50-64	276	4.9	2	2	3	5	6	7	8	11
65+	183	5.3	4	3	3	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS										
20-34	78	5.1	6	2	2	5	6	8	10	14
35-49	380	5.7	7	2	3	5	7	9	10	13
50-64	616	5.9	15	3	3	5	7	8	9	15
65+	628	6.3	13	3	4	6	7	9	10	14
TOT. SINGLE DX	659	4.7	4	2	3	5	6	7	8	10
" MULTIPLE DX	1702	5.9	13	3	3	6	7	9	10	14
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	116	4.5	6	1	2	4	5	8	9	13
35-49	540	5.3	6	2	3	5	6	8	9	12
50-64	892	5.6	12	3	3	5	6	8	9	13
65+	811	6.0	11	3	4	6	7	9	10	14
GRAND TOTAL	2361	5.6	10	2	3	5	7	8	9	13

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.0	11	<1	<1	1	3	8	12	12
20-34	118	2.7	3	<1	<1	2	4	5	6	8
35-49	56	3.3	5	<1	1	3	5	6	9	10
50-64	23	4.8	8	<1	1	5	7	9	10	11
65+	18	6.7	26	1	1	6	9	11	19	23
2. MULTIPLE DX										
0-19 YRS	35	5.1	25	<1	1	3	8	11	15	21
20-34	70	3.5	8	1	1	3	5	6	7	17
35-49	51	4.0	12	1	1	3	5	7	10	22
50-64	69	8.4	83	1	2	6	9	14	23	57
65+	86	8.3	58	2	3	6	9	15	24	43
TOT. SINGLE DX	240	3.3	8	<1	<1	3	5	7	9	12
" MULTIPLE DX	311	6.2	46	1	1	5	7	11	17	40
TOTAL 0-19 YRS	60	4.2	20	<1	<1	2	6	11	13	20
20-34	188	3.0	5	<1	1	2	4	6	6	12
35-49	107	3.6	9	<1	1	3	5	7	9	15
50-64	92	7.5	67	1	2	6	8	12	18	53
65+	104	8.0	53	1	3	6	9	13	23	42
GRAND TOTAL	551	4.9	31	<1	1	4	6	9	12	33

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.5	6	<1	<1	1	3	6	9	12
20-34	203	2.8	8	<1	<1	2	4	6	8	12
35-49	81	2.9	8	<1	<1	2	4	6	10	14
50-64	55	3.3	4	<1	<1	3	5	6	7	9
65+	63	3.9	4	<1	1	4	6	7	7	8
2. MULTIPLE DX										
0-19 YRS	93	4.5	62	<1	1	2	5	8	12	54
20-34	289	4.2	14	<1	1	3	5	8	10	22
35-49	113	5.7	29	<1	1	5	7	13	15	30
50-64	140	6.4	42	1	1	5	7	12	19	47
65+	218	7.3	60	2	2	5	8	14	22	42
TOT. SINGLE DX	471	3.0	7	<1	<1	2	4	6	8	12
" MULTIPLE DX	853	5.6	39	<1	1	4	7	11	15	36
TOTAL 0-19 YRS	162	3.7	39	<1	<1	2	4	7	11	41
20-34	492	3.7	12	<1	<1	3	5	7	10	20
35-49	194	4.6	23	<1	<1	3	6	11	14	24
50-64	195	5.5	34	<1	1	4	7	10	16	41
65+	281	6.6	50	1	2	5	7	12	19	39
GRAND TOTAL	1324	4.7	29	<1	<1	3	6	9	13	31

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.6	1	<1	<1	1	2	3	4	6
20-34	204	1.6	1	<1	<1	1	2	3	4	6
35-49	114	1.5	1	<1	<1	1	2	2	4	7
50-64	49	1.6		<1	<1	1	2	3	4	5
65+	25	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	31	2.7	4	<1	<1	2	4	6	7	7
20-34	118	2.8	17	<1	<1	2	3	5	7	19
35-49	80	3.5	16	<1	<1	2	4	8	10	24
50-64	63	5.3	58	<1	1	3	6	11	15	50
65+	62	5.7	50	1	1	3	7	13	17	38
TOT. SINGLE DX	451	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	354	3.9	30	<1	<1	2	5	7	11	37
TOTAL 0-19 YRS	90	2.0	2	<1	<1	1	2	4	6	7
20-34	322	2.0	7	<1	<1	1	2	4	5	7
35-49	194	2.3	9	<1	<1	1	2	5	7	17
50-64	112	3.7	36	<1	<1	2	4	7	13	36
65+	87	4.6	39	1	1	3	5	10	16	38
GRAND TOTAL	805	2.6	15	<1	<1	1	3	5	7	17

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	5.3	13	<1	1	4	8	11	12	12
50-64	12	3.3	5	<1	1	3	4	7	8	8
65+	21	6.9	182	<1	1	3	5	11	38	64
2. MULTIPLE DX										
0-19 YRS										
20-34	7	7.7	75	1	1	2	15	21	22	22
35-49	10	6.6	21	1	1	6	8	14	16	16
50-64	9	9.1	44	2	2	9	13	19	22	22
65+	43	10.3	73	2	3	9	15	19	21	51
TOT. SINGLE DX	46	5.4	88	<1	1	3	5	10	13	64
" MULTIPLE DX	69	9.4	62	1	2	7	14	19	22	46
TOTAL 0-19 YRS										
20-34	8	6.9	70	1	1	2	13	20	22	22
35-49	22	5.9	17	<1	1	5	8	12	14	16
50-64	21	5.8	29	1	1	3	8	14	18	22
65+	64	9.2	110	1	2	6	12	18	21	62
GRAND TOTAL	115	7.8	76	1	1	5	11	16	20	56

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.6	1	<1	<1	1	2	4	4	5
20-34	41	2.1	1	<1	<1	2	3	3	4	6
35-49	10	2.3	1	<1	<1	2	3	4	4	4
50-64	7	1.9	1	<1	<1	2	2	4	4	4
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	18	1.3		<1	<1	1	1	3	3	3
20-34	40	3.8	49	1	1	2	4	6	7	46
35-49	15	3.5	21	<1	2	2	3	4	16	20
50-64	12	2.6	9	<1	<1	1	3	7	10	11
65+	7	3.0	1	1	1	3	4	4	4	4
TOT. SINGLE DX	88	2.0	1	<1	<1	2	2	4	4	6
″ MULTIPLE DX	92	3.0	27	<1	1	2	3	5	7	35
TOTAL 0-19 YRS	46	1.5	1	<1	<1	1	2	3	4	5
20-34	81	2.9	26	<1	1	2	3	5	6	34
35-49	25	3.0	13	<1	1	2	3	4	8	20
50-64	19	2.3	6	<1	<1	1	2	5	9	11
65+	9	3.1	2	1	1	3	4	5	5	5
GRAND TOTAL	180	2.5	15	<1	1	2	3	4	5	17

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	8	3.5	27	<1	<1	1	3	13	16	16
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	10	17.1	839	2	2	7	13	59	98	98
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+	5	9.4	145	1	1	4	15	30	30	30
TOT. SINGLE DX	15	2.3	15	<1	<1	1	1	5	13	16
″ MULTIPLE DX	23	10.3	416	<1	<1	5	9	23	54	98
TOTAL 0-19 YRS	11	1.1		<1	<1	<1	1	2	2	2
20-34	18	11.1	504	<1	1	5	10	19	67	98
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	9.4	145	1	1	4	15	30	30	30
GRAND TOTAL	38	7.1	268	<1	<1	2	6	15	26	98

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	2.1	1	1	1	2	3	3	3	4
20-34	5761	2.3	1	1	1	2	3	3	4	5
35-49	319	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1002	2.5	1	1	1	2	3	4	4	6
20-34	7031	2.7	2	1	1	3	3	4	4	7
35-49	589	3.0	5	1	2	3	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	6997	2.3	1	1	1	2	3	3	4	5
″ MULTIPLE DX	8622	2.7	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	1919	2.3	2	1	1	2	3	3	4	6
20-34	12792	2.5	2	1	1	2	3	4	4	6
35-49	908	2.8	4	1	1	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	15619	2.5	2	1	1	2	3	4	4	6

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	1.6		1	1	1	2	3	3	3
20-34	128	2.0		1	1	2	3	3	3	5
35-49	6	1.8		<1	<1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	33	1.8		1	1	2	2	3	4	4
20-34	285	2.3	2	1	1	2	3	4	4	9
35-49	28	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
TOT. SINGLE DX	143	2.0	1	1	1	2	2	3	3	5
″ MULTIPLE DX	346	2.3	2	1	1	2	3	4	4	8
TOTAL 0-19 YRS	42	1.8	1	1	1	2	2	3	4	4
20-34	413	2.2	2	1	1	2	3	4	4	7
35-49	34	2.4	1	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	489	2.2	2	1	1	2	3	4	4	6

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.0		1	1	2	2	3	3	4
20-34	1918	2.2		1	1	2	3	3	4	5
35-49	137	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	495	2.5	2	1	1	2	3	4	4	7
20-34	3611	2.7	2	1	1	2	3	4	5	7
35-49	346	2.9	2	1	2	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	2291	2.2	1	1	1	2	3	3	4	5
" MULTIPLE DX	4452	2.7	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	731	2.4	2	1	1	2	3	3	4	6
20-34	5529	2.5	2	1	1	2	3	4	4	6
35-49	483	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	6743	2.5	2	1	1	2	3	4	4	6

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9289	1.9		1	1	2	2	3	3	4
20-34	65378	1.9	1	1	1	2	2	3	3	4
35-49	4235	2.1	1	1	1	2	3	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3078	2.3	1	1	1	2	3	4	4	7
20-34	24643	2.4	3	1	1	2	3	4	4	7
35-49	2572	2.8	5	1	1	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	78902	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	30293	2.4	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	12367	2.0	1	1	1	2	2	3	3	5
20-34	90021	2.1	2	1	1	2	3	3	4	5
35-49	6807	2.3	3	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	109195	2.1	2	1	1	2	3	3	4	5

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	936	4.1	1	3	3	4	5	5	6	7
20-34	10456	4.2	2	3	3	4	5	5	6	7
35-49	769	4.5	2	3	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2446	5.0	9	3	3	4	5	7	9	15
20-34	25097	4.8	6	3	3	4	5	6	7	13
35-49	3068	5.2	12	3	3	5	6	7	8	18
50-64										
65+										
TOT. SINGLE DX	12161	4.2	2	3	3	4	5	5	6	7
" MULTIPLE DX	30611	4.8	7	3	3	4	5	6	7	14
TOTAL 0-19 YRS	3382	4.7	7	3	3	4	5	6	8	14
20-34	35553	4.6	5	3	3	4	5	6	7	12
35-49	3837	5.1	11	3	3	5	5	6	8	16
50-64										
65+										
GRAND TOTAL	42772	4.6	6	3	3	4	5	6	7	12

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	4.6	2	3	3	4	5	6	7	12
20-34	422	4.3	7	3	3	4	5	6	6	8
35-49	34	4.6	1	3	3	5	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	97	4.6	2	3	3	4	5	6	7	11
20-34	816	5.2	8	3	3	5	5	7	9	21
35-49	121	5.2	3	3	3	5	6	8	9	11
50-64										
65+										
TOT. SINGLE DX	498	4.3	7	3	3	4	5	6	6	8
" MULTIPLE DX	1034	5.1	7	3	3	5	5	7	9	19
TOTAL 0-19 YRS	139	4.6	3	3	3	4	5	6	7	11
20-34	1238	4.9	8	3	3	4	5	7	8	19
35-49	155	5.1	3	3	3	5	6	7	9	11
50-64										
65+										
GRAND TOTAL	1532	4.9	7	3	3	4	5	7	8	17

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.1		2	2	3	4	4	4	4
20-34	90	3.5	2	2	2	3	4	5	5	11
35-49	4	3.5		3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	10	3.7	1	2	2	4	4	5	6	6
20-34	105	4.3	3	2	3	4	5	6	7	14
35-49	7	6.3	18	3	3	4	9	13	14	14
50-64										
65+										
TOT. SINGLE DX	101	3.4	2	2	2	3	4	5	5	10
" MULTIPLE DX	122	4.4	4	2	3	4	5	6	7	15
TOTAL 0-19 YRS	17	3.5	1	2	2	3	4	4	5	6
20-34	195	3.9	3	2	2	4	4	6	6	13
35-49	11	5.3	13	3	3	4	6	12	14	14
50-64										
65+										
GRAND TOTAL	223	4.0	4	2	2	4	4	6	7	14

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.3		<1	<1	1	1	2	2	3
20-34	166	1.2		<1	<1	1	1	2	2	4
35-49	15	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	35	1.2		<1	<1	1	1	1	3	4
20-34	73	1.9	4	<1	<1	1	2	3	8	12
35-49	14	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
TOT. SINGLE DX	315	1.3		<1	<1	1	1	2	2	3
" MULTIPLE DX	122	1.6	3	<1	<1	1	2	3	4	11
TOTAL 0-19 YRS	169	1.2		<1	<1	1	1	2	2	3
20-34	239	1.5	2	<1	<1	1	1	2	3	10
35-49	29	1.3		<1	1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	437	1.4	1	<1	<1	1	1	2	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.0	7	<1	1	2	4	6	8	16
20-34	268	2.9	7	<1	<1	2	4	6	7	11
35-49	18	2.6	12	<1	<1	1	3	7	12	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	43	4.2	21	1	1	3	5	10	15	24
20-34	285	5.1	45	<1	1	3	6	12	16	32
35-49	28	4.9	20	1	1	4	6	9	19	19
50-64										
65+										
TOT. SINGLE DX	342	2.9	8	<1	<1	2	4	6	7	12
" MULTIPLE DX	356	5.0	41	1	1	3	6	11	16	31
TOTAL 0-19 YRS	99	3.5	13	1	1	2	4	7	11	20
20-34	553	4.0	28	<1	1	3	5	8	13	27
35-49	46	4.0	18	<1	1	3	5	8	16	19
50-64										
65+										
GRAND TOTAL	698	4.0	26	<1	1	3	4	8	13	25

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	660	1.5		<1	<1	1	2	3	3	4
20-34	4372	1.8		<1	<1	2	2	3	3	5
35-49	336	2.0		<1	<1	2	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	318	2.2	1	<1	<1	2	3	3	4	7
20-34	2210	2.3	3	<1	1	2	3	4	4	7
35-49	225	2.4	1	<1	1	2	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	5368	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	2753	2.3	3	<1	1	2	3	4	4	7
TOTAL 0-19 YRS	978	1.7	1	<1	<1	1	2	3	3	5
20-34	6582	2.0	2	<1	<1	2	2	3	4	6
35-49	561	2.2	1	<1	<1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	8121	2.0	2	<1	<1	2	2	3	4	6

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1496	1.9		1	1	2	2	3	3	4
20-34	11256	1.9		1	1	2	2	3	3	4
35-49	811	2.0		1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1674	2.2	2	1	1	2	3	3	4	7
20-34	12123	2.2	2	1	1	2	3	3	4	6
35-49	1185	2.4	5	1	1	2	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	13563	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	14982	2.2	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	3170	2.1	2	1	1	2	2	3	4	6
20-34	23379	2.0	2	1	1	2	2	3	4	5
35-49	1996	2.2	3	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	28545	2.1	2	1	1	2	3	3	4	5

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.5	2	<1	1	2	4	5	6	6
20-34	22	3.0	4	<1	<1	3	4	5	8	10
35-49	26	3.6	3	1	2	3	5	7	7	7
50-64	26	4.0	11	<1	1	3	7	10	11	12
65+	15	5.9	53	<1	1	4	8	9	25	30
2. MULTIPLE DX										
0-19 YRS	18	3.5	2	<1	1	4	4	5	7	8
20-34	32	3.2	1	1	1	3	4	5	6	6
35-49	34	6.6	94	1	1	4	6	12	29	50
50-64	47	9.5	129	1	2	5	13	21	41	44
65+	47	7.9	92	2	2	6	10	13	20	63
TOT. SINGLE DX	112	3.7	13	<1	1	3	5	7	9	19
" MULTIPLE DX	178	6.8	82	1	2	4	7	14	21	48
TOTAL 0-19 YRS	41	3.0	3	<1	1	3	4	5	6	8
20-34	54	3.1	3	<1	1	3	4	5	6	10
35-49	60	5.3	57	1	1	3	6	9	15	48
50-64	73	7.6	94	1	1	4	9	16	38	44
65+	62	7.4	82	1	2	5	9	13	20	59
GRAND TOTAL	290	5.6	57	1	1	3	6	11	16	43

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	334	3.0	1	1	2	3	4	4	5	6
20-34	705	3.1	1	1	2	3	4	4	5	7
35-49	279	3.2	2	1	2	3	4	5	6	7
50-64	56	2.6	2	1	1	2	4	4	6	6
65+	23	3.0	3	<1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	338	3.7	5	2	2	3	4	5	6	9
20-34	571	3.7	4	1	2	3	4	5	6	10
35-49	244	3.8	4	2	2	3	4	5	7	16
50-64	109	4.8	36	1	1	4	4	7	19	34
65+	37	3.6	4	1	2	3	5	7	10	99+
TOT. SINGLE DX	1397	3.1	2	1	2	3	4	4	5	7
" MULTIPLE DX	1299	3.8	8	1	2	3	4	5	6	17
TOTAL 0-19 YRS	672	3.4	3	1	2	3	4	5	5	8
20-34	1276	3.3	3	1	2	3	4	5	5	7
35-49	523	3.5	3	1	2	3	4	5	6	12
50-64	165	4.1	26	1	1	3	4	6	9	23
65+	60	3.4	4	1	1	3	4	6	8	90
GRAND TOTAL	2696	3.4	5	1	2	3	4	5	6	10

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	1.9	1	<1	1	2	2	3	4	7
20-34	146	2.2	3	1	1	2	3	4	5	11
35-49	42	2.1	1	1	1	2	3	4	4	5
50-64	10	1.6	1	1	1	1	2	3	4	4
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	157	4.3	77	1	1	3	4	7	9	45
20-34	225	3.7	13	1	1	3	5	7	9	23
35-49	40	5.9	82	1	1	4	7	9	14	58
50-64	18	4.6	14	1	1	3	6	11	13	14
65+	14	5.9	53	1	2	3	5	17	25	27
TOT. SINGLE DX	300	2.1	2	1	1	2	3	4	4	8
" MULTIPLE DX	454	4.2	43	1	1	3	5	8	10	31
TOTAL 0-19 YRS	256	3.4	50	1	1	2	3	6	7	30
20-34	371	3.1	10	1	1	2	4	6	8	18
35-49	82	3.9	44	1	1	3	4	7	9	45
50-64	28	3.5	12	1	1	2	4	9	11	14
65+	17	5.3	46	1	1	2	5	15	23	27
GRAND TOTAL	754	3.3	28	1	1	2	4	6	8	23

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	2.2	2	1	1	2	3	4	5	9
20-34	282	2.3	2	<1	1	2	3	4	6	10
35-49	102	2.4	2	<1	1	2	3	4	7	8
50-64	35	2.8	3	<1	<1	2	4	5	7	8
65+	14	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	224	5.0	45	1	1	3	5	10	15	34
20-34	503	5.1	41	1	1	3	6	10	14	39
35-49	201	6.6	104	1	1	4	7	13	20	62
50-64	89	9.3	216	1	2	4	11	19	33	81
65+	57	8.0	113	1	2	5	10	14	16	70
TOT. SINGLE DX	560	2.3	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1074	5.9	74	1	1	3	6	12	17	46
TOTAL 0-19 YRS	351	4.0	31	1	1	3	4	7	12	24
20-34	785	4.1	30	1	1	3	5	8	12	35
35-49	303	5.2	74	1	1	3	5	10	14	41
50-64	124	7.5	165	<1	1	3	7	17	23	79
65+	71	7.0	95	1	2	4	9	13	16	65
GRAND TOTAL	1634	4.7	52	1	1	3	5	9	13	40

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.7	7	<1	<1	2	3	5	7	14
20-34	22	3.0	4	<1	1	2	4	6	7	8
35-49	24	3.2	3	1	1	3	4	6	7	8
50-64	29	2.2	1	1	1	2	3	4	5	5
65+	6	2.5	1	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	23	4.9	34	1	1	3	4	12	21	24
20-34	43	5.8	81	1	1	4	7	9	15	59
35-49	27	6.6	85	1	1	3	6	19	25	44
50-64	35	3.9	12	1	1	3	4	9	11	16
65+	30	6.8	37	<1	<1	5	10	12	21	27
TOT. SINGLE DX	106	2.7	4	<1	1	2	3	5	6	11
" MULTIPLE DX	158	5.6	51	1	1	3	7	11	18	43
TOTAL 0-19 YRS	48	3.8	21	<1	1	3	4	8	15	24
20-34	65	4.8	57	1	1	3	6	8	12	53
35-49	51	5.0	49	1	1	3	5	8	20	44
50-64	64	3.2	8	1	1	2	3	7	9	15
65+	36	6.1	34	<1	<1	4	9	12	19	27
GRAND TOTAL	264	4.4	34	1	1	3	5	9	13	27

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	3.7	20	<1	1	3	4	7	8	31
20-34	236	3.7	18	<1	1	2	4	7	10	24
35-49	178	4.5	13	1	1	4	6	8	10	21
50-64	213	4.9	14	1	1	4	6	8	11	23
65+	72	6.5	31	1	2	5	8	13	18	32
2. MULTIPLE DX										
0-19 YRS	352	5.6	34	1	2	4	6	10	18	31
20-34	269	6.0	48	1	1	4	7	11	18	43
35-49	234	6.5	63	1	1	4	7	13	19	43
50-64	333	7.0	76	1	2	4	7	14	20	51
65+	226	7.9	67	1	2	6	9	17	23	42
TOT. SINGLE DX	988	4.3	19	1	1	3	5	8	10	23
" MULTIPLE DX	1414	6.5	57	1	1	4	7	13	19	43
TOTAL 0-19 YRS	641	4.8	29	1	1	3	5	8	14	31
20-34	505	4.9	36	<1	1	3	6	10	14	37
35-49	412	5.6	43	1	1	4	6	10	15	34
50-64	546	6.2	53	1	1	4	7	11	17	44
65+	298	7.6	59	1	2	5	9	16	22	40
GRAND TOTAL	2402	5.6	43	1	1	4	6	10	16	38

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	124	2.2	1	<1	1	2	3	4	4	6
20-34	287	2.4	1	<1	1	2	3	4	5	6
35-49	317	2.8	2	1	1	2	4	5	5	7
50-64	361	2.7	1	1	1	2	4	5	5	7
65+	142	2.7	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	188	2.8	2	1	1	3	4	5	5	7
20-34	499	2.7	2	1	1	2	3	5	5	9
35-49	778	3.0	4	1	1	3	4	5	7	10
50-64	1225	3.2	4	1	1	3	4	5	6	10
65+	915	3.5	10	1	1	3	4	6	7	10
TOT. SINGLE DX	1231	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	3605	3.2	6	1	1	3	4	5	6	10
TOTAL 0-19 YRS	312	2.6	2	1	1	2	3	4	5	6
20-34	786	2.6	2	1	1	2	3	4	5	7
35-49	1095	2.9	4	1	1	3	4	5	6	9
50-64	1586	3.1	4	1	1	3	4	5	6	9
65+	1057	3.4	10	1	1	3	4	5	7	10
GRAND TOTAL	4836	3.0	5	1	1	3	4	5	6	9

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1011	2.6	7	<1	1	2	3	5	7	15
20-34	1348	2.9	8	<1	<1	2	3	6	8	14
35-49	907	2.9	7	<1	<1	2	4	5	7	14
50-64	587	3.2	13	<1	1	2	4	6	8	19
65+	277	3.5	10	<1	1	3	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	574	6.4	83	1	1	3	7	18	28	53
20-34	1320	6.3	105	<1	1	3	6	15	27	59
35-49	1186	5.6	75	<1	1	3	5	11	23	48
50-64	1157	6.7	95	1	1	3	7	15	27	53
65+	1004	10.1	135	1	2	6	13	24	33	64
TOT. SINGLE DX	4130	2.9	9	<1	1	2	4	6	8	15
" MULTIPLE DX	5241	7.0	102	1	1	3	7	17	27	55
TOTAL 0-19 YRS	1585	4.0	38	<1	1	2	4	8	15	35
20-34	2668	4.6	59	<1	1	2	5	9	15	44
35-49	2093	4.4	48	<1	1	3	4	8	14	41
50-64	1744	5.5	71	<1	1	3	5	12	19	45
65+	1281	8.6	116	1	1	5	10	22	31	53
GRAND TOTAL	**9371**	**5.2**	**65**	**<1**	**1**	**3**	**5**	**11**	**19**	**45**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	5.0	35	1	1	3	5	10	18	31
20-34	305	3.6	18	1	1	3	4	6	8	15
35-49	141	4.6	21	1	1	3	6	9	12	27
50-64	125	6.1	42	1	1	5	8	10	13	36
65+	118	8.5	23	2	4	8	11	15	17	26
2. MULTIPLE DX										
0-19 YRS	278	7.9	118	1	1	4	7	21	31	54
20-34	285	7.6	103	1	1	4	9	16	27	51
35-49	176	9.0	139	1	1	5	10	21	31	69
50-64	198	11.2	164	2	2	7	14	22	31	78
65+	525	12.5	82	3	5	10	15	22	28	47
TOT. SINGLE DX	1065	5.1	30	1	1	4	6	10	14	28
" MULTIPLE DX	1462	10.1	115	1	2	7	12	21	29	52
TOTAL 0-19 YRS	654	6.2	73	1	1	4	6	14	25	44
20-34	590	5.5	63	1	1	3	6	10	16	45
35-49	317	7.1	91	1	1	4	8	14	24	40
50-64	323	9.2	123	1	2	6	11	17	26	72
65+	643	11.8	74	3	4	10	14	21	25	45
GRAND TOTAL	**2527**	**8.0**	**86**	**1**	**1**	**5**	**10**	**17**	**24**	**46**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	1.7	2	<1	<1	1	2	3	4	7
20-34	1086	2.1	8	<1	<1	1	2	4	5	9
35-49	499	2.2	5	<1	<1	1	3	4	6	12
50-64	373	2.4	6	<1	<1	2	3	5	7	15
65+	250	3.3	15	<1	<1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	283	4.1	49	<1	<1	2	3	8	18	40
20-34	472	4.5	50	<1	1	3	5	10	14	44
35-49	290	5.3	64	<1	1	3	6	10	19	45
50-64	300	5.9	71	<1	1	3	6	12	24	49
65+	446	7.8	80	1	1	4	10	18	25	42
TOT. SINGLE DX	2825	2.2	7	<1	<1	1	2	4	6	13
" MULTIPLE DX	1791	5.6	65	<1	1	3	6	12	21	44
TOTAL 0-19 YRS	900	2.5	18	<1	<1	1	2	4	7	23
20-34	1558	2.8	22	<1	<1	2	3	5	8	24
35-49	789	3.3	29	<1	<1	2	3	7	10	25
50-64	673	3.9	38	<1	<1	2	4	7	13	38
65+	696	6.2	62	<1	1	3	7	15	22	38
GRAND TOTAL	**4616**	**3.5**	**32**	**<1**	**<1**	**2**	**3**	**7**	**12**	**32**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	14.0	146	2	3	10	21	26	32	65
20-34	40	10.8	123	2	3	7	11	21	44	50
35-49	28	9.4	100	3	3	6	11	17	23	55
50-64	50	9.1	41	4	4	7	11	16	21	37
65+	125	10.1	17	4	6	10	13	15	18	25
2. MULTIPLE DX										
0-19 YRS	93	17.1	116	6	7	13	22	34	40	52
20-34	82	13.5	138	5	6	10	16	21	26	76
35-49	31	12.1	45	4	4	10	16	22	25	30
50-64	90	13.4	75	5	5	12	15	22	38	43
65+	574	14.2	80	5	7	12	16	23	31	55
TOT. SINGLE DX	321	10.9	75	3	4	9	13	19	26	51
" MULTIPLE DX	870	14.3	89	5	7	12	16	24	34	54
TOTAL 0-19 YRS	171	15.7	132	3	4	12	21	31	37	54
20-34	122	12.6	134	4	5	9	13	21	31	76
35-49	59	10.8	72	3	4	8	14	19	25	53
50-64	140	11.9	67	4	5	10	14	21	35	42
65+	699	13.5	72	5	7	11	15	22	29	54
GRAND TOTAL	**1191**	**13.4**	**87**	**4**	**5**	**11**	**16**	**23**	**32**	**54**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	7.1	23	2	2	6	9	12	14	26
20-34	111	9.2	60	3	4	7	10	18	23	43
35-49	87	10.3	72	4	5	8	11	18	25	54
50-64	208	9.2	22	4	5	8	11	15	17	27
65+	927	11.0	22	5	6	10	13	16	19	25
2. MULTIPLE DX										
0-19 YRS	197	13.4	112	3	5	10	17	24	39	60
20-34	315	14.5	120	5	6	12	17	26	37	89
35-49	203	14.6	176	4	6	10	17	29	45	91
50-64	527	14.3	115	5	6	11	17	27	36	85
65+	4490	14.5	80	6	7	12	16	23	31	62
TOT. SINGLE DX	1451	10.2	29	4	5	9	13	16	19	27
" MULTIPLE DX	5732	14.4	90	6	7	12	17	24	32	64
TOTAL 0-19 YRS	315	11.0	88	2	3	9	13	21	27	57
20-34	426	13.1	110	4	5	10	16	24	33	71
35-49	290	13.3	149	4	5	9	15	26	37	81
50-64	735	12.9	95	5	6	10	15	24	32	70
65+	5417	13.9	72	6	7	12	16	22	29	57
GRAND TOTAL	**7183**	**13.6**	**81**	**5**	**6**	**12**	**16**	**22**	**29**	**50**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	8.8	99	1	1	4	15	22	29	41
20-34	19	10.8	161	1	2	6	12	32	41	48
35-49	7	9.0	283	1	1	3	5	39	47	47
50-64	14	6.5	30	1	1	5	10	14	19	21
65+	24	7.9	61	<1	1	7	10	15	25	36
2. MULTIPLE DX										
0-19 YRS	117	15.7	144	1	2	13	23	35	36	48
20-34	34	17.2	209	2	4	12	28	38	47	59
35-49	14	11.7	111	1	1	10	19	41	85	99+
50-64	33	18.6	239	3	5	13	24	47	53	56
65+	99	17.3	282	2	3	12	19	41	52	87
TOT. SINGLE DX	294	8.8	100	1	1	4	13	22	31	46
" MULTIPLE DX	297	16.5	207	2	3	13	22	36	46	72
TOTAL 0-19 YRS	347	11.1	125	1	1	6	19	28	35	46
20-34	53	14.9	198	2	3	9	20	34	47	59
35-49	21	10.8	159	1	1	7	15	43	68	99+
50-64	47	15.0	206	1	3	10	20	42	51	56
65+	123	15.5	253	1	2	11	18	36	47	83
GRAND TOTAL	**591**	**12.7**	**168**	**1**	**1**	**8**	**19**	**31**	**39**	**58**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	3.3	24	<1	1	2	3	7	15	21
20-34	262	2.8	6	<1	<1	2	4	6	8	15
35-49	155	2.8	6	<1	1	2	3	6	9	13
50-64	142	2.9	12	1	1	2	3	6	9	16
65+	118	3.6	19	<1	1	3	4	7	11	27
2. MULTIPLE DX										
0-19 YRS	100	7.2	64	1	1	4	10	17	21	41
20-34	129	7.3	76	1	1	5	8	16	26	52
35-49	109	5.7	54	<1	1	3	7	13	20	43
50-64	112	6.3	58	1	1	4	8	14	18	47
65+	148	7.9	115	1	1	5	10	15	38	99+
TOT. SINGLE DX	1000	3.0	15	<1	1	2	3	6	10	18
" MULTIPLE DX	598	7.0	77	1	1	4	9	15	22	60
TOTAL 0-19 YRS	423	4.2	37	<1	1	2	4	12	16	23
20-34	391	4.3	34	<1	1	3	5	9	13	29
35-49	264	4.0	28	<1	1	2	4	9	13	29
50-64	254	4.4	36	1	1	2	5	9	14	34
65+	266	6.0	77	1	1	3	7	13	18	95
GRAND TOTAL	**1598**	**4.5**	**42**	**<1**	**1**	**2**	**5**	**10**	**15**	**38**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1807	2.5	3	<1	1	2	3	5	6	9
20-34	2486	3.1	6	<1	1	3	4	6	7	13
35-49	1484	3.6	9	1	1	3	5	7	8	13
50-64	1020	4.1	7	1	1	4	5	7	9	14
65+	546	5.2	13	1	2	4	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	791	5.0	39	1	1	3	5	11	17	32
20-34	1853	6.0	66	1	1	4	7	12	17	47
35-49	1156	6.2	44	1	2	4	7	12	18	31
50-64	1000	7.5	65	1	2	5	8	14	21	44
65+	1232	8.8	69	2	3	7	10	16	22	45
TOT. SINGLE DX	7343	3.3	7	1	1	3	4	6	8	13
" MULTIPLE DX	6032	6.7	61	1	1	4	8	13	19	44
TOTAL 0-19 YRS	2598	3.2	16	1	1	2	4	6	8	20
20-34	4339	4.4	34	1	1	3	5	8	12	29
35-49	2640	4.7	27	1	1	3	6	9	12	26
50-64	2020	5.8	39	1	2	4	6	11	15	35
65+	1778	7.7	55	1	2	6	9	14	19	42
GRAND TOTAL	**13375**	**4.9**	**34**	**1**	**1**	**3**	**6**	**9**	**13**	**30**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2257	1.8	4	<1	<1	1	2	3	5	12
20-34	609	2.8	5	<1	1	2	4	6	7	12
35-49	349	2.7	5	<1	1	2	4	5	7	11
50-64	343	3.1	14	<1	1	2	4	6	8	19
65+	328	3.0	7	<1	1	2	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	614	3.9	36	1	1	2	4	8	13	31
20-34	512	6.2	64	1	1	4	7	13	20	45
35-49	303	7.3	90	1	1	4	8	14	25	51
50-64	367	7.0	79	1	1	5	8	14	20	48
65+	761	6.6	73	1	1	4	8	13	19	53
TOT. SINGLE DX	3886	2.2	6	<1	1	1	3	5	7	12
" MULTIPLE DX	2557	6.0	67	1	1	3	7	12	19	48
TOTAL 0-19 YRS	2871	2.2	12	<1	1	1	2	4	7	17
20-34	1121	4.3	35	<1	1	3	5	9	13	30
35-49	652	4.8	50	1	1	3	5	11	14	47
50-64	710	5.1	52	1	1	3	6	11	15	42
65+	1089	5.5	56	1	1	3	7	11	16	45
GRAND TOTAL	**6443**	**3.7**	**34**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	2.8	20	<1	<1	1	2	8	9	24
20-34	149	2.4	10	<1	<1	1	2	5	6	18
35-49	83	1.8	1	<1	<1	1	2	4	5	7
50-64	85	3.1	14	<1	<1	2	3	6	11	20
65+	173	3.9	33	1	1	2	5	8	13	36
2. MULTIPLE DX										
0-19 YRS	94	6.9	84	<1	1	3	8	18	30	44
20-34	157	5.7	46	1	1	4	7	12	19	38
35-49	93	7.2	160	<1	1	3	6	18	24	76
50-64	108	6.5	49	1	1	3	9	17	22	31
65+	287	7.3	77	1	1	4	9	19	24	58
TOT. SINGLE DX	680	2.9	19	<1	<1	1	3	6	10	20
" MULTIPLE DX	739	6.8	78	1	1	4	8	18	24	46
TOTAL 0-19 YRS	284	4.2	45	<1	<1	1	4	10	16	33
20-34	306	4.1	32	<1	1	2	5	9	14	32
35-49	176	4.7	93	<1	<1	2	4	9	19	57
50-64	193	5.0	37	<1	1	2	5	13	20	28
65+	460	6.1	64	1	1	3	7	16	21	48
GRAND TOTAL	**1419**	**4.9**	**54**	**<1**	**1**	**2**	**6**	**12**	**19**	**37**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	2.5	4	1	1	2	3	4	5	13
20-34	280	2.3	2	<1	1	2	3	4	6	9
35-49	100	2.6	2	1	1	2	3	5	6	9
50-64	54	3.5	14	1	1	3	4	6	11	24
65+	24	7.2	54	1	1	5	9	18	23	33
2. MULTIPLE DX										
0-19 YRS	64	6.6	78	1	1	4	6	17	23	54
20-34	121	4.3	27	1	1	3	5	8	12	25
35-49	81	4.4	28	1	1	3	5	8	14	34
50-64	52	5.3	34	1	1	4	6	10	14	38
65+	69	11.1	117	2	2	10	14	21	28	68
TOT. SINGLE DX	599	2.7	7	1	1	2	3	5	7	14
" MULTIPLE DX	387	6.1	59	1	1	4	7	14	19	39
TOTAL 0-19 YRS	205	3.8	31	1	1	2	4	6	13	26
20-34	401	2.9	11	<1	1	2	3	6	8	13
35-49	181	3.4	15	1	1	3	4	6	8	19
50-64	106	4.4	25	1	1	3	5	9	12	31
65+	93	10.1	103	1	2	8	14	20	27	58
GRAND TOTAL	**986**	**4.0**	**30**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	621	2.6	8	<1	<1	2	3	5	8	16
20-34	635	2.7	9	<1	<1	2	3	5	7	19
35-49	296	2.6	10	<1	<1	2	3	5	6	16
50-64	167	3.9	28	<1	1	2	4	8	11	23
65+	76	6.5	66	1	1	4	7	14	23	44
2. MULTIPLE DX										
0-19 YRS	485	4.8	37	<1	1	3	5	13	20	33
20-34	701	4.1	37	<1	1	2	4	8	13	30
35-49	432	5.0	54	<1	1	3	5	11	16	42
50-64	332	9.1	137	1	1	4	12	24	37	55
65+	367	14.4	208	1	2	10	19	36	46	67
TOT. SINGLE DX	1795	2.9	14	<1	<1	2	3	5	8	19
" MULTIPLE DX	2317	6.8	95	<1	1	3	7	18	26	54
TOTAL 0-19 YRS	1106	3.6	23	<1	1	2	4	8	13	26
20-34	1336	3.4	25	<1	1	2	4	6	11	25
35-49	728	4.0	38	<1	1	2	4	8	14	34
50-64	499	7.4	107	<1	1	3	8	20	31	52
65+	443	13.0	192	1	2	8	18	34	45	65
GRAND TOTAL	**4112**	**5.1**	**63**	**<1**	**1**	**2**	**5**	**12**	**20**	**45**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.8	13	2	2	5	7	11	13	19
20-34	2383	6.3	14	2	3	5	8	11	14	19
35-49	3424	6.6	15	2	3	6	8	11	14	21
50-64	1564	7.3	19	2	3	6	9	13	15	23
65+	406	8.6	27	3	4	8	10	15	18	27
2. MULTIPLE DX										
0-19 YRS	41	9.7	192	2	3	7	9	16	24	89
20-34	919	8.9	42	3	4	7	10	16	20	32
35-49	1896	9.0	40	3	4	7	11	16	20	29
50-64	1609	10.2	52	3	4	8	12	18	24	38
65+	1011	12.7	87	4	5	10	15	22	28	54
TOT. SINGLE DX	7871	6.7	17	2	3	6	8	12	15	22
" MULTIPLE DX	5476	10.0	56	3	4	8	12	18	23	40
TOTAL 0-19 YRS	135	7.0	70	2	2	5	8	12	16	41
20-34	3302	7.0	23	2	3	6	8	13	16	25
35-49	5320	7.5	25	2	3	6	9	13	16	25
50-64	3173	8.8	38	3	4	7	10	15	20	34
65+	1417	11.5	74	4	5	9	14	20	26	48
GRAND TOTAL	13347	8.1	35	2	3	7	10	14	18	29

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	436	1.6		<1	<1	1	2	3	4	5
20-34	1393	1.8	1	<1	<1	1	2	4	5	7
35-49	873	1.7	1	<1	<1	1	2	3	4	6
50-64	555	1.8	1	<1	<1	1	2	3	4	7
65+	179	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	447	2.3	2	<1	<1	2	3	4	5	8
20-34	1590	2.3	4	<1	<1	2	3	5	5	9
35-49	1127	2.2	4	<1	<1	1	3	4	6	11
50-64	1263	2.4	5	<1	<1	2	3	5	6	11
65+	803	2.9	8	<1	1	2	3	6	8	16
TOT. SINGLE DX	3436	1.8	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	5230	2.4	5	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	883	1.9	2	<1	<1	1	2	4	5	7
20-34	2983	2.0	3	<1	<1	1	3	4	5	8
35-49	2000	2.0	4	<1	<1	1	2	4	5	9
50-64	1818	2.2	4	<1	<1	2	3	4	5	10
65+	982	2.8	7	<1	1	2	3	5	7	15
GRAND TOTAL	8666	2.1	4	<1	<1	1	3	4	5	9

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	706	1.6	3	<1	<1	1	2	3	4	8
20-34	1429	1.8	3	<1	<1	1	2	3	5	8
35-49	762	2.0	8	<1	<1	1	2	3	5	12
50-64	463	2.3	7	<1	<1	2	2	4	6	13
65+	180	2.4	7	<1	<1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	441	2.6	18	<1	<1	1	2	4	8	22
20-34	1149	2.8	15	<1	<1	2	3	5	8	23
35-49	819	3.0	19	<1	<1	2	3	6	10	24
50-64	696	4.2	63	<1	1	2	4	7	16	40
65+	484	6.5	94	<1	1	3	7	16	25	49
TOT. SINGLE DX	3540	1.9	5	<1	<1	1	2	3	5	9
" MULTIPLE DX	3589	3.6	39	<1	<1	2	3	7	12	32
TOTAL 0-19 YRS	1147	2.0	9	<1	<1	1	2	3	5	15
20-34	2578	2.2	9	<1	<1	1	2	4	6	15
35-49	1581	2.6	14	<1	<1	2	3	4	7	20
50-64	1159	3.4	42	<1	<1	2	3	6	10	33
65+	664	5.4	74	<1	1	2	5	12	22	45
GRAND TOTAL	7129	2.7	23	<1	<1	1	3	5	8	25

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	9.0	14	4	5	8	10	13	16	24
20-34	235	8.9	17	4	5	8	10	13	16	24
35-49	317	8.1	16	3	4	7	10	13	15	25
50-64	152	8.1	24	4	4	7	9	12	15	29
65+	28	7.8	12	4	4	7	10	13	15	15
2. MULTIPLE DX										
0-19 YRS	168	13.0	84	4	6	10	15	24	33	49
20-34	353	12.9	135	4	5	9	14	24	34	71
35-49	466	10.9	78	4	5	8	12	20	28	67
50-64	313	11.8	103	4	4	9	14	23	33	85
65+	129	15.5	142	5	6	12	18	30	45	61
TOT. SINGLE DX	894	8.4	18	4	4	8	10	13	15	25
" MULTIPLE DX	1429	12.2	106	4	5	9	13	23	33	67
TOTAL 0-19 YRS	330	11.0	54	4	5	9	12	19	25	46
20-34	588	11.3	92	4	5	9	12	19	27	63
35-49	783	9.7	56	4	4	8	11	16	24	48
50-64	465	10.6	81	4	4	8	12	20	27	53
65+	157	14.2	128	4	5	11	15	26	38	59
GRAND TOTAL	2323	10.8	76	4	5	8	12	19	26	53

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	3.2	3	1	1	3	4	6	7	9
20-34	234	3.2	5	<1	1	3	4	6	7	11
35-49	220	3.6	5	1	1	3	5	6	8	13
50-64	239	3.4	6	<1	1	3	4	6	8	13
65+	126	3.1	5	<1	<1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	116	4.4	20	1	1	4	5	7	10	63
20-34	239	4.6	18	1	1	4	6	8	11	21
35-49	251	5.0	21	1	2	4	6	9	12	21
50-64	303	4.8	17	1	1	4	6	9	13	23
65+	241	5.6	36	1	1	4	6	10	15	37
TOT. SINGLE DX	911	3.3	6	<1	1	3	4	6	8	12
" MULTIPLE DX	1150	4.9	23	1	1	4	6	9	12	25
TOTAL 0-19 YRS	208	3.9	13	1	1	4	5	6	8	28
20-34	473	3.9	12	<1	1	3	5	7	9	18
35-49	471	4.3	14	1	1	4	5	8	10	15
50-64	542	4.2	13	1	1	3	5	8	10	19
65+	367	4.7	27	<1	1	3	6	9	12	34
GRAND TOTAL	**2061**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.5	7	10	10	12	14	16	16	16
20-34	47	9.9	12	4	7	9	12	14	15	22
35-49	125	10.2	11	6	6	10	12	15	17	20
50-64	595	10.5	13	6	7	10	12	15	17	23
65+	1096	11.2	14	7	7	11	13	15	18	25
2. MULTIPLE DX										
0-19 YRS	13	15.8	169	5	7	13	20	29	50	55
20-34	95	11.4	35	7	7	9	13	18	23	39
35-49	257	12.0	40	6	7	10	14	18	24	44
50-64	909	12.7	51	7	8	11	14	19	24	45
65+	3029	14.0	58	7	8	12	16	21	27	48
TOT. SINGLE DX	1867	10.9	14	6	7	10	13	15	17	24
" MULTIPLE DX	4303	13.6	56	7	8	12	15	21	27	46
TOTAL 0-19 YRS	17	15.0	130	6	7	13	17	22	44	55
20-34	142	10.9	28	6	7	9	13	17	19	33
35-49	382	11.4	32	6	7	10	13	17	21	36
50-64	1504	11.9	38	6	7	11	13	17	21	40
65+	4125	13.3	48	7	8	12	15	20	25	43
GRAND TOTAL	**6170**	**12.8**	**45**	**7**	**8**	**11**	**15**	**19**	**24**	**42**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	7.1	14	2	2	8	11	12	12	12
20-34	9	6.8	4	3	4	6	8	9	10	10
35-49	27	8.9	14	4	4	9	11	15	17	18
50-64	128	10.7	12	6	7	10	13	16	16	20
65+	513	11.2	15	6	7	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	10	7.0	17	1	2	6	9	13	15	15
20-34	27	11.8	76	3	4	9	14	24	34	38
35-49	58	14.4	199	3	6	10	15	25	46	78
50-64	265	14.1	80	6	7	12	15	25	34	62
65+	2709	14.4	63	7	8	13	17	22	29	51
TOT. SINGLE DX	688	10.9	16	6	7	10	13	16	18	23
" MULTIPLE DX	3069	14.4	67	7	8	12	16	22	29	53
TOTAL 0-19 YRS	21	7.0	15	2	2	6	10	12	13	15
20-34	36	10.5	63	3	4	8	13	21	31	38
35-49	85	12.6	147	4	5	9	13	18	34	75
50-64	393	13.0	61	6	7	11	15	20	28	52
65+	3222	13.9	57	7	8	12	16	21	27	48
GRAND TOTAL	**3757**	**13.7**	**60**	**6**	**7**	**12**	**16**	**21**	**27**	**49**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	574	3.3	2	1	1	3	4	5	6	8
20-34	1146	3.7	4	1	1	4	4	6	7	12
35-49	412	5.0	20	1	1	4	6	10	13	25
50-64	493	9.7	24	2	4	9	12	15	18	27
65+	976	11.2	15	6	7	11	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	605	3.8	3	1	2	4	5	6	7	11
20-34	1452	4.2	7	1	2	4	5	7	8	14
35-49	679	5.2	19	1	1	4	6	10	13	19
50-64	800	10.9	51	2	3	10	14	18	22	34
65+	2285	13.1	38	6	8	12	15	19	23	39
TOT. SINGLE DX	3601	6.6	23	1	2	5	10	13	16	21
" MULTIPLE DX	5821	8.7	44	2	2	7	12	16	19	32
TOTAL 0-19 YRS	1179	3.6	3	1	1	3	4	6	6	11
20-34	2598	4.0	7	1	2	4	5	6	8	14
35-49	1091	5.1	20	1	1	4	6	10	13	23
50-64	1293	10.4	41	2	3	10	13	17	20	31
65+	3261	12.5	33	6	7	12	15	18	22	36
GRAND TOTAL	**9422**	**7.9**	**37**	**1**	**2**	**6**	**11**	**15**	**18**	**28**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	601	2.4	1	1	1	2	3	4	5	6
20-34	1623	2.6	1	1	1	2	3	4	5	7
35-49	693	2.7	2	<1	1	2	3	5	6	7
50-64	502	3.3	15	1	1	3	4	5	7	16
65+	231	4.3	23	1	1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	188	2.9	4	1	1	3	4	5	6	13
20-34	599	3.2	10	1	1	3	4	5	7	18
35-49	510	3.5	7	1	1	3	4	6	8	18
50-64	744	3.8	7	1	1	3	5	7	8	14
65+	548	5.3	31	1	2	4	6	10	13	27
TOT. SINGLE DX	3650	2.8	6	1	1	2	3	5	6	9
" MULTIPLE DX	2589	3.9	14	1	1	3	4	7	9	19
TOTAL 0-19 YRS	789	2.5	3	1	1	2	3	4	5	7
20-34	2222	2.8	4	1	1	2	3	5	6	8
35-49	1203	3.0	5	1	1	3	4	5	6	11
50-64	1246	3.6	11	1	1	3	4	6	8	15
65+	779	5.0	29	1	1	4	6	10	12	26
GRAND TOTAL	6239	3.2	9	1	1	3	4	5	7	13

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.3	4	<1	<1	1	3	5	7	10
20-34	265	2.7	6	<1	<1	2	3	5	7	12
35-49	225	2.7	8	<1	<1	2	3	6	8	17
50-64	188	2.4	14	<1	<1	1	3	5	7	20
65+	72	3.3	27	<1	<1	1	3	8	12	34
2. MULTIPLE DX										
0-19 YRS	250	4.7	47	<1	1	3	5	9	15	23
20-34	268	6.2	45	<1	1	4	8	13	17	39
35-49	228	6.6	83	1	1	4	7	13	24	45
50-64	197	6.6	77	<1	1	4	9	14	21	32
65+	186	10.3	111	<1	1	7	13	23	34	53
TOT. SINGLE DX	986	2.6	9	<1	<1	1	3	5	8	15
" MULTIPLE DX	1129	6.7	73	<1	1	4	8	14	21	42
TOTAL 0-19 YRS	486	3.5	28	<1	<1	2	4	7	10	20
20-34	533	4.5	29	<1	<1	3	6	10	14	34
35-49	453	4.7	50	<1	<1	2	5	10	15	39
50-64	385	4.6	51	<1	<1	2	5	10	14	27
65+	258	8.4	98	<1	<1	5	11	19	32	49
GRAND TOTAL	2115	4.8	48	<1	<1	3	5	11	16	37

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	277	1.5	2	<1	<1	1	1	3	4	10
20-34	478	1.6	1	<1	<1	1	2	3	4	8
35-49	322	1.8	3	<1	<1	1	2	3	5	11
50-64	249	2.0	2	<1	<1	1	2	4	5	8
65+	135	2.4	6	<1	<1	2	3	4	7	15
2. MULTIPLE DX										
0-19 YRS	79	5.1	60	<1	<1	2	6	11	19	44
20-34	167	4.6	38	<1	<1	2	5	12	21	29
35-49	189	4.7	35	<1	1	3	5	11	19	29
50-64	248	5.1	32	<1	<1	3	6	14	18	27
65+	249	7.5	61	<1	1	5	10	18	23	58
TOT. SINGLE DX	1461	1.8	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	932	5.6	46	<1	<1	3	7	14	21	30
TOTAL 0-19 YRS	356	2.3	18	<1	<1	1	2	4	9	24
20-34	645	2.4	13	<1	<1	1	2	4	8	21
35-49	511	2.9	17	<1	<1	1	3	6	10	22
50-64	497	3.5	20	<1	<1	2	4	8	14	25
65+	384	5.7	48	<1	<1	3	7	15	21	44
GRAND TOTAL	2393	3.2	23	<1	<1	1	3	7	13	26

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
20-34	37	2.2	3	<1	<1	1	3	5	5	8
35-49	67	1.4		<1	<1	1	2	2	3	4
50-64	213	1.7	4	<1	<1	1	2	2	3	7
65+	195	1.7	1	<1	<1	1	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	13	3.5	26	<1	<1	2	3	8	18	20
20-34	30	3.8	19	<1	<1	2	4	10	12	21
35-49	56	2.9	10	<1	1	2	3	6	10	18
50-64	140	2.3	6	<1	1	2	3	4	5	13
65+	141	2.3	5	1	1	2	3	4	5	13
TOT. SINGLE DX	521	1.7	3	<1	<1	1	2	3	3	7
" MULTIPLE DX	380	2.6	8	<1	1	2	3	4	6	19
TOTAL 0-19 YRS	22	2.7	16	<1	<1	1	3	4	11	20
20-34	67	2.9	11	<1	<1	2	4	6	9	19
35-49	123	2.1	5	<1	<1	1	2	3	5	14
50-64	353	2.0	6	<1	<1	2	2	3	4	10
65+	336	2.0	3	<1	<1	2	2	3	4	10
GRAND TOTAL	901	2.1	5	<1	<1	2	2	3	5	12

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	272	1.5	1	<1	<1	1	2	2	3	7
20-34	477	1.6	1	<1	<1	1	2	3	4	6
35-49	204	1.6	1	<1	<1	1	2	3	4	6
50-64	96	1.6		<1	<1	1	2	3	3	6
65+	40	2.0	2	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	223	1.9	2	<1	<1	1	2	3	5	10
20-34	515	2.1	4	<1	<1	1	2	4	5	13
35-49	210	2.3	6	<1	<1	2	2	4	6	14
50-64	130	2.9	24	<1	1	2	3	5	9	22
65+	66	2.6	5	<1	<1	2	3	6	7	12
TOT. SINGLE DX	1089	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	1144	2.2	7	<1	<1	2	2	4	5	12
TOTAL 0-19 YRS	495	1.7	2	<1	<1	1	2	3	4	9
20-34	992	1.9	3	<1	<1	1	2	4	4	9
35-49	414	1.9	4	<1	<1	1	2	3	5	9
50-64	226	2.3	15	<1	<1	1	2	4	6	13
65+	106	2.4	4	<1	<1	2	3	5	7	11
GRAND TOTAL	**2233**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.0	2	<1	<1	1	2	4	5	9
20-34	473	2.3	3	<1	1	2	3	4	5	9
35-49	438	2.9	10	<1	1	2	4	5	6	9
50-64	477	3.2	3	1	1	3	4	5	6	9
65+	234	3.9	5	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	106	3.7	46	1	1	2	4	6	8	47
20-34	327	4.0	50	1	1	2	4	7	9	41
35-49	293	3.9	17	1	1	3	4	8	10	26
50-64	447	4.7	52	1	1	3	5	7	10	29
65+	326	6.6	79	1	2	4	7	12	18	53
TOT. SINGLE DX	1771	2.9	6	<1	1	2	4	5	6	10
" MULTIPLE DX	1499	4.7	52	1	1	3	5	8	12	38
TOTAL 0-19 YRS	255	2.7	21	<1	1	2	3	5	6	18
20-34	800	3.0	23	<1	1	2	3	5	7	18
35-49	731	3.3	14	1	1	3	4	6	7	17
50-64	924	3.9	27	1	1	3	4	6	8	16
65+	560	5.4	50	1	2	4	6	9	13	40
GRAND TOTAL	**3270**	**3.7**	**27**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	2.4	1	<1	1	2	3	4	5	7
20-34	351	2.8	5	<1	1	2	3	5	6	10
35-49	254	2.6	4	1	1	2	3	4	6	9
50-64	137	2.7	3	<1	1	2	4	5	5	9
65+	44	4.0	9	<1	1	3	5	7	10	17
2. MULTIPLE DX										
0-19 YRS	405	3.2	11	<1	1	3	4	5	7	20
20-34	251	5.0	58	1	1	3	5	8	12	51
35-49	140	5.0	49	1	1	3	5	9	15	42
50-64	130	6.0	83	1	1	4	6	9	21	54
65+	97	9.7	179	1	2	5	9	25	44	87
TOT. SINGLE DX	1123	2.7	4	<1	1	2	3	5	6	9
" MULTIPLE DX	1023	4.9	56	1	1	3	5	8	14	48
TOTAL 0-19 YRS	742	2.8	7	<1	1	2	3	5	6	9
20-34	602	3.7	29	1	1	3	4	6	9	30
35-49	394	3.4	22	1	1	2	4	6	8	28
50-64	267	4.3	45	1	1	3	4	6	10	42
65+	141	7.9	134	1	1	4	8	18	33	75
GRAND TOTAL	**2146**	**3.7**	**30**	**1**	**1**	**3**	**4**	**6**	**8**	**32**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.0	3	<1	1	1	2	5	6	12
20-34	104	2.4	4	<1	<1	2	3	5	6	13
35-49	63	1.9	1	<1	<1	1	3	4	4	7
50-64	43	1.7	2	<1	<1	1	2	3	5	8
65+	24	1.9	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	39	3.1	10	<1	<1	2	4	7	11	15
20-34	127	4.1	39	<1	1	2	4	8	17	36
35-49	76	3.5	20	<1	<1	2	4	6	12	28
50-64	59	3.2	12	<1	<1	2	4	8	12	18
65+	54	5.4	54	1	1	2	5	16	23	38
TOT. SINGLE DX	291	2.1	3	<1	<1	1	3	4	6	10
" MULTIPLE DX	355	3.9	30	<1	1	2	4	8	15	30
TOTAL 0-19 YRS	96	2.5	7	<1	<1	1	3	5	8	14
20-34	231	3.3	24	<1	1	2	3	6	12	23
35-49	139	2.8	13	<1	<1	2	3	5	7	22
50-64	102	2.6	9	<1	<1	1	3	6	9	16
65+	78	4.3	41	<1	1	2	4	11	19	35
GRAND TOTAL	**646**	**3.1**	**19**	**<1**	**1**	**2**	**3**	**6**	**10**	**21**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	<1	<1	2	4	5	5	5
20-34	4	3.5	9	1	1	3	6	7	7	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	5	5.6	45	<1	<1	3	9	17	17	17
2. MULTIPLE DX										
0-19 YRS	5	12.2	317	3	3	5	15	44	44	44
20-34	14	4.3	9	1	1	5	7	10	77	99+
35-49	7	18.1	362	3	3	6	30	49	53	53
50-64	7	11.9	50	2	3	12	18	21	22	22
65+	16	15.9	379	2	3	8	18	34	65	79
TOT. SINGLE DX	18	3.7	15	<1	<1	2	5	7	13	17
" MULTIPLE DX	49	12.0	227	1	2	6	14	33	53	99+
TOTAL 0-19 YRS	9	7.9	186	<1	1	3	5	29	44	44
20-34	18	4.1	9	1	1	5	7	10	59	99+
35-49	10	13.5	297	2	2	5	22	43	53	53
50-64	9	9.9	54	1	1	8	15	21	22	22
65+	21	13.5	314	<1	1	6	15	33	54	79
GRAND TOTAL	67	9.7	183	1	1	5	11	29	45	96

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.4	4	<1	<1	2	3	4	9	9
20-34	15	4.9	53	<1	<1	3	6	8	24	30
35-49	18	6.6	66	<1	1	4	6	23	28	28
50-64	25	4.0	6	<1	1	4	5	8	9	9
65+	37	5.6	64	<1	<1	4	6	9	14	49
2. MULTIPLE DX										
0-19 YRS	15	6.3	39	1	1	4	9	16	21	23
20-34	61	9.1	110	<1	1	6	11	21	36	51
35-49	125	12.1	108	1	2	10	17	25	35	73
50-64	290	14.7	178	1	3	11	19	29	44	67
65+	451	12.7	127	2	3	10	17	27	38	66
TOT. SINGLE DX	123	4.6	39	<1	<1	3	5	8	12	35
" MULTIPLE DX	942	12.9	140	1	2	10	17	27	38	65
TOTAL 0-19 YRS	43	3.7	20	<1	<1	2	4	9	13	23
20-34	76	8.3	101	<1	1	5	10	20	32	49
35-49	143	11.4	106	1	2	9	16	25	33	67
50-64	315	13.8	174	1	2	10	18	27	43	65
65+	488	12.2	126	1	2	9	16	26	37	63
GRAND TOTAL	1065	11.9	136	1	2	9	16	25	36	63

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	8.2	12	5	5	6	12	12	12	12
35-49	5	8.4	7	5	5	9	10	12	12	12
50-64	3	9.0	31	3	3	10	13	14	14	14
65+	8	11.5	50	6	6	9	12	24	28	28
2. MULTIPLE DX										
0-19 YRS	4	25.3	213	16	16	19	33	47	47	47
20-34	33	21.4	326	4	5	14	28	54	59	72
35-49	75	21.0	302	4	6	16	29	44	65	99+
50-64	206	19.9	197	6	7	15	27	41	52	69
65+	551	19.9	211	6	7	16	25	41	52	82
TOT. SINGLE DX	21	9.6	27	4	5	9	12	14	20	28
" MULTIPLE DX	869	20.1	220	5	7	15	26	42	53	82
TOTAL 0-19 YRS	4	25.3	213	16	16	19	33	47	47	47
20-34	38	19.6	304	4	5	13	25	51	59	72
35-49	80	20.2	293	4	6	15	26	43	60	99
50-64	209	19.8	197	6	7	15	27	41	51	69
65+	559	19.8	210	6	7	15	25	41	52	82
GRAND TOTAL	890	19.9	218	5	7	15	26	42	52	82

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.4	3	5	5	7	9	9	9	9
20-34	4	10.0	28	4	4	9	13	17	17	17
35-49										
50-64	6	14.3	22	8	8	14	19	20	20	20
65+	16	7.3	23	4	4	6	7	8	20	25
2. MULTIPLE DX										
0-19 YRS	14	13.4	69	2	3	11	20	24	29	31
20-34	10	14.6	113	4	4	14	18	30	40	40
35-49	26	23.8	340	3	5	23	37	74	99+	99+
50-64	76	20.9	363	5	6	14	24	50	67	99+
65+	508	17.4	207	5	6	13	21	36	51	83
TOT. SINGLE DX	31	9.0	27	4	5	7	10	18	20	25
" MULTIPLE DX	634	17.9	229	4	6	13	22	40	55	99+
TOTAL 0-19 YRS	19	11.8	58	2	4	9	16	23	28	31
20-34	14	13.3	90	4	4	11	17	22	36	40
35-49	26	23.8	340	3	5	23	37	74	99+	99+
50-64	82	20.4	341	5	6	14	23	49	65	99
65+	524	17.1	205	5	6	12	21	36	49	82
GRAND TOTAL	665	17.5	224	4	6	13	22	38	54	99

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.0	4	2	2	3	6	7	7	7
20-34	7	8.3	16	5	5	7	9	15	17	17
35-49	4	8.3	23	<1	<1	10	11	11	11	11
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	9.7	116	<1	1	7	10	29	33	33
20-34	14	21.7	571	4	4	17	30	97	99	99+
35-49	40	20.2	235	3	5	15	28	45	53	60
50-64	63	17.6	99	5	8	15	24	30	34	54
65+	157	18.1	202	4	4	14	23	38	48	70
TOT. SINGLE DX	22	6.5	16	1	2	6	10	11	14	17
" MULTIPLE DX	281	18.3	200	4	5	15	24	34	50	71
TOTAL 0-19 YRS	13	7.1	69	<1	1	4	7	15	30	33
20-34	21	17.2	418	4	5	9	23	53	98	99+
35-49	44	19.1	227	2	5	13	25	39	53	60
50-64	66	17.0	102	3	7	15	21	30	33	53
65+	159	18.0	202	4	4	14	23	37	48	70
GRAND TOTAL	**303**	**17.4**	**196**	**3**	**4**	**14**	**23**	**34**	**48**	**71**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.4	9	<1	1	2	4	8	9	13
20-34	25	5.2	15	1	1	3	8	10	13	16
35-49	21	5.6	7	2	2	6	7	10	11	12
50-64	3	5.0	1	4	4	5	6	6	6	6
65+	3	7.0	76	<1	<1	3	13	17	17	17
2. MULTIPLE DX										
0-19 YRS	15	7.0	151	1	1	3	8	9	40	50
20-34	21	8.1	20	2	4	7	11	15	17	18
35-49	18	12.0	97	2	3	8	15	28	35	37
50-64	9	5.0	16	1	1	4	6	12	14	14
65+	3	3.3	1	2	2	4	4	4	4	4
TOT. SINGLE DX	84	4.7	13	1	1	3	7	9	12	17
" MULTIPLE DX	66	8.3	73	1	1	6	10	17	23	48
TOTAL 0-19 YRS	47	4.5	55	<1	1	2	6	9	10	50
20-34	46	6.5	19	1	1	6	9	13	16	18
35-49	39	8.6	58	2	2	6	11	18	27	37
50-64	12	5.0	12	1	2	4	6	10	13	14
65+	6	5.2	35	<1	<1	3	4	16	17	17
GRAND TOTAL	**150**	**6.3**	**42**	**1**	**1**	**5**	**8**	**13**	**17**	**37**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.5		<1	<1	1	2	2	3	4
20-34	45	4.2	183	<1	<1	1	3	5	9	92
35-49	32	3.5	23	<1	<1	2	3	7	17	23
50-64	19	6.2	100	1	1	3	4	18	33	42
65+	13	10.2	172	<1	<1	4	16	32	40	42
2. MULTIPLE DX										
0-19 YRS	16	2.9	5	<1	<1	2	4	7	8	9
20-34	45	8.8	208	<1	1	4	9	22	41	71
35-49	33	12.2	210	2	2	6	14	30	51	60
50-64	75	10.0	132	1	2	6	12	24	33	62
65+	104	10.9	81	2	3	8	15	23	31	70
TOT. SINGLE DX	128	4.5	105	<1	<1	2	3	8	21	53
" MULTIPLE DX	273	10.0	130	1	2	6	12	23	33	65
TOTAL 0-19 YRS	35	2.1	3	<1	<1	1	2	4	6	9
20-34	90	6.5	199	<1	<1	2	5	12	22	84
35-49	65	7.9	136	<1	1	3	8	23	30	59
50-64	94	9.2	127	1	1	5	11	23	34	61
65+	117	10.8	90	1	2	7	15	24	32	63
GRAND TOTAL	**401**	**8.2**	**128**	**<1**	**1**	**4**	**10**	**20**	**30**	**64**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	5.0	12	3	3	3	8	9	9	9
50-64	3	6.0	61	1	1	2	12	15	15	15
65+	4	7.0	24	3	3	5	10	14	14	14
2. MULTIPLE DX										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	6.2	45	1	1	3	7	18	21	21
65+	7	15.6	94	3	4	13	23	30	31	31
TOT. SINGLE DX	10	6.1	25	1	1	4	9	14	15	15
" MULTIPLE DX	21	10.8	163	1	1	4	15	27	40	52
TOTAL 0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	4	4.0	12	1	1	3	6	9	9	9
50-64	12	6.2	44	1	1	3	9	17	20	21
65+	11	12.5	82	3	3	12	16	27	31	31
GRAND TOTAL	**31**	**9.3**	**121**	**1**	**1**	**4**	**14**	**23**	**31**	**52**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	1.3		<1	<1	1	1	2	2	4
20-34	429	1.4		<1	<1	1	2	2	3	5
35-49	1005	1.5	1	<1	<1	1	2	2	3	6
50-64	807	1.6	1	<1	<1	1	2	3	4	7
65+	522	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	19	3.4	70	<1	<1	1	2	3	23	38
20-34	236	3.0	71	<1	<1	1	2	5	8	37
35-49	730	2.6	18	<1	<1	1	2	5	7	18
50-64	826	3.1	25	<1	<1	2	3	6	9	20
65+	880	4.1	21	<1	<1	2	5	9	14	24
TOT. SINGLE DX	2851	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2691	3.3	27	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	107	1.6	13	<1	<1	1	1	2	3	19
20-34	665	2.0	27	<1	<1	1	2	3	5	10
35-49	1735	2.0	9	<1	<1	1	2	3	5	12
50-64	1633	2.3	14	<1	<1	1	2	4	7	14
65+	1402	3.3	16	<1	<1	2	4	8	11	22
GRAND TOTAL	**5542**	**2.4**	**15**	**<1**	**<1**	**1**	**2**	**5**	**7**	**17**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.3		<1	<1	1	2	2	2	2
20-34	27	2.3	4	<1	<1	1	3	5	7	10
35-49	43	3.6	4	1	1	3	5	6	7	11
50-64	44	3.3	4	<1	1	3	5	6	8	9
65+	80	4.4	6	1	2	4	6	8	8	14
2. MULTIPLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	23	4.1	5	1	1	4	6	7	8	10
35-49	100	5.4	12	2	3	4	6	10	13	20
50-64	129	4.9	14	1	2	4	6	8	11	24
65+	234	6.4	23	2	2	5	8	12	16	23
TOT. SINGLE DX	·213	3.5	6	<1	1	3	5	7	8	11
" MULTIPLE DX	491	5.6	19	2	2	5	7	10	14	23
TOTAL 0-19 YRS	24	1.4		<1	<1	1	2	2	3	3
20-34	50	3.1	6	<1	<1	2	4	7	7	10
35-49	143	4.9	11	1	2	4	6	8	12	18
50-64	173	4.5	13	1	2	4	5	7	9	23
65+	314	5.9	20	2	2	5	7	10	15	23
GRAND TOTAL	**704**	**5.0**	**16**	**1**	**1**	**4**	**6**	**8**	**12**	**22**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	1	1	2	3	4	4	4
20-34	54	4.1	4	1	2	4	5	6	8	12
35-49	413	5.0	4	2	3	5	6	7	9	14
50-64	690	5.1	3	2	3	5	6	7	9	11
65+	594	5.4	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	109	5.1	4	2	3	5	6	8	9	13
35-49	628	5.4	7	2	3	5	6	8	10	13
50-64	1210	5.8	8	2	3	5	7	9	10	16
65+	1665	6.7	13	3	3	6	8	11	13	22
TOT. SINGLE DX	1755	5.1	4	2	3	5	6	8	9	12
" MULTIPLE DX	3615	6.1	11	3	3	5	7	9	12	19
TOTAL 0-19 YRS	7	2.7	1	1	1	3	4	4	4	4
20-34	163	4.8	5	2	2	4	6	8	9	13
35-49	1041	5.2	6	2	3	5	6	8	9	13
50-64	1900	5.5	7	2	3	5	7	8	10	15
65+	2259	6.3	12	3	3	6	7	10	12	20
GRAND TOTAL	**5370**	**5.8**	**9**	**3**	**3**	**5**	**7**	**9**	**11**	**16**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	2.5	1	<1	1	2	3	4	5	6
20-34	606	2.4	2	<1	<1	2	3	4	5	7
35-49	531	2.7	2	<1	<1	3	4	5	6	7
50-64	273	3.0	3	<1	1	3	4	5	6	8
65+	65	2.6	1	<1	<1	3	4	4	5	5
2. MULTIPLE DX										
0-19 YRS	72	2.9	2	1	1	3	4	5	6	7
20-34	433	3.2	3	<1	1	3	4	5	6	10
35-49	964	3.5	5	1	1	3	4	6	7	12
50-64	628	3.8	15	1	1	3	4	6	8	17
65+	186	3.7	5	1	1	3	4	6	8	13
TOT. SINGLE DX	1655	2.6	3	<1	<1	2	3	5	5	7
" MULTIPLE DX	2283	3.5	8	1	1	3	4	6	7	13
TOTAL 0-19 YRS	252	2.6	2	<1	1	2	3	4	5	7
20-34	1039	2.7	3	<1	<1	3	4	5	6	8
35-49	1495	3.2	5	<1	1	3	4	6	7	11
50-64	901	3.6	12	1	1	3	4	6	7	16
65+	251	3.4	5	1	1	3	4	5	7	11
GRAND TOTAL	3938	3.1	6	<1	1	3	4	5	6	11

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	2.1	1	<1	1	2	3	4	5	6
20-34	550	2.2	2	<1	1	2	3	4	5	7
35-49	83	2.6	5	<1	1	2	3	4	6	15
50-64	21	2.7	8	<1	<1	2	3	6	10	13
65+	6	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	39	2.6	3	1	1	2	3	4	7	8
20-34	101	3.1	5	1	1	3	4	5	8	13
35-49	32	4.1	40	1	1	3	4	7	9	37
50-64	22	4.0	4	<1	1	4	6	7	8	8
65+	12	9.3	184	1	1	4	6	37	40	40
TOT. SINGLE DX	959	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	206	3.6	22	1	1	3	4	6	8	36
TOTAL 0-19 YRS	338	2.1	2	<1	1	2	3	4	5	7
20-34	651	2.4	3	1	1	2	3	4	5	9
35-49	115	3.0	16	1	1	2	3	5	8	25
50-64	43	3.4	7	<1	1	3	5	7	8	13
65+	18	7.2	130	1	1	3	5	27	38	40
GRAND TOTAL	1165	2.5	6	<1	1	2	3	4	5	10

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	494	1.7	3	<1	<1	1	2	3	4	10
20-34	428	2.1	5	<1	<1	1	2	4	7	11
35-49	448	1.9	2	<1	<1	1	2	4	5	10
50-64	393	2.1	5	<1	<1	1	2	4	6	13
65+	240	2.3	5	<1	<1	1	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	329	5.2	104	<1	<1	2	4	11	21	62
20-34	424	7.3	119	<1	<1	3	8	21	29	52
35-49	486	7.2	110	<1	1	4	8	19	28	62
50-64	600	6.6	68	<1	1	4	8	16	25	45
65+	970	9.3	130	1	1	6	11	20	32	74
TOT. SINGLE DX	2003	2.0	4	<1	<1	1	2	4	6	11
" MULTIPLE DX	2809	7.6	111	<1	1	4	9	18	28	62
TOTAL 0-19 YRS	823	3.1	47	<1	<1	1	2	5	10	43
20-34	852	4.7	69	<1	<1	2	4	11	21	39
35-49	934	4.7	66	<1	<1	2	4	10	19	44
50-64	993	4.8	48	<1	<1	2	5	12	18	40
65+	1210	7.9	114	<1	1	4	10	18	27	64
GRAND TOTAL	4812	5.2	74	<1	<1	2	6	13	21	49

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	826	3.2	13	<1	<1	2	4	7	9	18
20-34	1070	3.8	18	<1	1	2	5	8	10	21
35-49	624	4.1	20	<1	1	3	5	9	13	24
50-64	443	4.4	29	<1	<1	3	5	10	14	29
65+	338	5.0	25	<1	1	3	6	11	15	23
2. MULTIPLE DX										
0-19 YRS	1801	5.2	78	<1	1	2	5	11	19	49
20-34	2973	6.4	85	<1	1	3	7	15	24	49
35-49	1846	8.5	123	1	1	5	10	20	30	61
50-64	1794	10.4	160	1	1	6	13	24	36	72
65+	3048	12.0	174	1	2	8	15	26	40	78
TOT. SINGLE DX	3301	3.9	20	<1	<1	2	5	8	12	23
" MULTIPLE DX	11462	8.7	132	1	1	5	10	21	31	65
TOTAL 0-19 YRS	2627	4.6	59	<1	1	2	5	9	15	43
20-34	4043	5.7	69	<1	1	3	6	12	20	46
35-49	2470	7.4	102	1	1	4	9	17	27	54
50-64	2237	9.2	140	1	1	5	11	21	33	66
65+	3386	11.3	164	1	2	7	14	25	38	73
GRAND TOTAL	14763	7.6	111	1	1	4	9	18	28	59

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	4.5	24	<1	1	2	6	9	12	20
20-34	209	5.6	43	<1	<1	4	7	13	16	39
35-49	113	4.2	17	<1	<1	3	5	9	13	20
50-64	77	6.4	59	<1	1	4	8	14	22	43
65+	86	8.5	84	<1	1	6	11	21	29	41
2. MULTIPLE DX										
0-19 YRS	203	9.2	118	1	1	6	12	21	32	55
20-34	310	12.4	167	1	1	9	17	26	41	60
35-49	199	14.2	180	1	2	9	20	34	44	92
50-64	244	14.7	177	1	2	11	21	32	43	68
65+	434	17.4	212	2	3	14	24	36	48	79
TOT. SINGLE DX	654	5.5	43	<1	<1	3	7	12	18	37
" MULTIPLE DX	1390	14.1	185	1	2	10	20	32	43	73
TOTAL 0-19 YRS	372	7.0	81	<1	1	4	9	16	24	53
20-34	519	9.7	128	<1	1	6	13	22	31	52
35-49	312	10.6	144	<1	1	6	15	26	36	77
50-64	321	12.7	161	1	1	9	19	30	39	60
65+	520	15.9	202	1	2	13	22	34	43	76
GRAND TOTAL	2044	11.4	156	1	1	7	16	27	38	65

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.7	13	<1	<1	1	2	6	9	21
20-34	109	4.2	44	<1	<1	2	4	8	13	40
35-49	51	4.7	52	<1	<1	2	4	13	17	44
50-64	38	5.4	72	<1	<1	2	6	16	19	45
65+	19	4.8	29	<1	<1	3	6	9	17	24
2. MULTIPLE DX										
0-19 YRS	59	7.7	144	<1	1	3	8	22	29	62
20-34	148	12.9	249	<1	1	5	18	37	52	76
35-49	96	15.5	258	1	2	9	24	40	54	63
50-64	100	14.4	412	<1	1	5	18	47	58	90
65+	127	16.1	290	1	2	9	21	42	56	81
TOT. SINGLE DX	284	4.1	42	<1	<1	2	4	9	16	41
" MULTIPLE DX	530	13.8	284	<1	1	7	19	39	54	77
TOTAL 0-19 YRS	126	5.0	81	<1	<1	2	5	10	22	57
20-34	257	9.2	181	<1	1	3	11	29	42	63
35-49	147	11.7	213	<1	1	5	16	32	45	61
50-64	138	11.9	334	<1	1	4	12	38	54	90
65+	146	14.6	270	1	1	8	20	39	54	77
GRAND TOTAL	814	10.5	221	<1	1	4	13	30	47	69

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.1	6	<1	<1	1	2	3	5	13
20-34	153	1.9	3	<1	<1	1	2	4	5	7
35-49	160	2.1	5	<1	<1	1	2	5	6	15
50-64	125	1.9	2	<1	<1	1	2	4	5	9
65+	68	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	171	4.5	83	<1	<1	2	5	9	12	50
20-34	193	4.8	53	<1	1	3	5	9	12	31
35-49	215	5.2	46	<1	1	3	6	10	16	37
50-64	229	4.0	48	<1	1	2	4	7	11	41
65+	177	6.9	72	1	1	4	8	17	25	46
TOT. SINGLE DX	691	2.0	5	<1	<1	1	2	4	5	11
" MULTIPLE DX	985	5.0	60	<1	1	3	5	10	16	40
TOTAL 0-19 YRS	356	3.3	45	<1	<1	2	3	7	9	26
20-34	346	3.5	33	<1	<1	2	4	6	9	27
35-49	375	3.9	31	<1	<1	2	5	8	12	32
50-64	354	3.3	33	<1	<1	2	4	6	9	25
65+	245	5.4	59	<1	1	3	6	12	23	39
GRAND TOTAL	1676	3.8	39	<1	<1	2	4	8	12	32

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.6		1	1	1	2	3	3	3
20-34	7	2.4	8	1	1	1	2	8	9	9
35-49	13	3.6	8	<1	1	2	5	8	10	10
50-64	14	5.6	60	1	1	3	4	21	25	26
65+	14	2.8	4	1	1	3	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	20	9.9	189	1	1	6	8	29	45	56
20-34	34	5.6	59	1	1	3	7	11	17	43
35-49	39	6.4	115	1	1	3	5	12	29	57
50-64	72	8.0	70	1	2	5	11	17	27	41
65+	79	9.6	110	1	2	5	12	19	32	58
TOT. SINGLE DX	56	3.5	20	1	1	2	4	7	10	26
" MULTIPLE DX	244	8.1	99	1	1	5	10	17	27	56
TOTAL 0-19 YRS	28	7.5	148	1	1	3	7	22	36	56
20-34	41	5.1	52	1	1	3	6	10	16	43
35-49	52	5.7	89	1	1	3	5	10	14	57
50-64	86	7.6	69	1	1	4	10	18	26	41
65+	93	8.5	100	1	1	5	11	17	26	56
GRAND TOTAL	**300**	**7.2**	**88**	**1**	**1**	**4**	**8**	**16**	**26**	**52**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	2.7	12	1	1	2	3	6	8	23
20-34	2715	2.7	11	1	1	1	3	6	9	14
35-49	3530	2.5	8	1	1	1	2	6	9	15
50-64	1924	2.4	7	1	1	1	2	5	8	14
65+	588	2.5	8	1	1	1	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	137	3.8	23	1	1	2	4	8	14	25
20-34	1523	4.2	29	1	1	2	5	9	12	25
35-49	2420	4.1	21	1	1	2	5	10	13	22
50-64	2198	4.5	30	1	1	2	6	11	15	27
65+	1517	5.6	40	1	1	3	8	13	18	33
TOT. SINGLE DX	8915	2.5	9	1	1	1	3	6	9	15
" MULTIPLE DX	7795	4.5	29	1	1	2	6	11	14	27
TOTAL 0-19 YRS	295	3.2	18	1	1	2	3	7	11	24
20-34	4238	3.2	19	1	1	2	4	8	10	17
35-49	5950	3.2	14	1	1	2	3	8	11	18
50-64	4122	3.5	21	1	1	2	4	9	12	21
65+	2105	4.8	34	1	1	2	6	12	16	29
GRAND TOTAL	**16710**	**3.5**	**20**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.5	7	1	1	2	2	5	10	14
20-34	182	2.6	9	1	1	2	3	4	8	21
35-49	249	2.8	9	1	1	2	3	6	8	15
50-64	475	2.4	12	<1	1	2	2	4	6	14
65+	642	2.5	16	1	1	2	2	5	7	16
2. MULTIPLE DX										
0-19 YRS	55	5.1	51	1	1	2	5	15	21	37
20-34	239	5.1	39	1	1	3	6	14	21	31
35-49	451	5.3	51	1	1	3	6	11	18	41
50-64	1462	5.0	38	1	1	3	6	11	15	28
65+	2905	5.4	44	1	1	3	7	11	15	36
TOT. SINGLE DX	1600	2.5	13	1	1	2	2	5	7	15
" MULTIPLE DX	5112	5.2	43	1	1	3	6	11	16	34
TOTAL 0-19 YRS	107	3.8	31	1	1	2	3	10	15	31
20-34	421	4.0	28	1	1	2	4	10	16	27
35-49	700	4.4	38	1	1	2	5	9	15	35
50-64	1937	4.4	33	1	1	2	5	9	14	27
65+	3547	4.8	41	1	1	3	6	10	14	33
GRAND TOTAL	**6712**	**4.6**	**37**	**1**	**1**	**2**	**6**	**10**	**14**	**30**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	9	3.0	5	1	1	2	3	7	9	9
35-49	90	2.5	7	1	1	2	2	5	8	15
50-64	118	2.6	4	1	1	2	3	6	8	10
65+	65	2.0	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	12	2.9	10	1	1	2	2	9	11	11
20-34	24	3.9	11	1	1	2	6	9	11	12
35-49	252	3.7	11	1	1	2	5	8	9	21
50-64	584	3.9	13	1	1	2	5	9	11	19
65+	493	4.6	23	<1	<1	3	6	11	13	24
TOT. SINGLE DX	285	2.5	5	1	1	2	2	5	7	13
" MULTIPLE DX	1365	4.1	17	<1	1	2	5	9	12	20
TOTAL 0-19 YRS	15	2.8	9	1	1	2	2	8	10	11
20-34	33	3.7	10	1	1	2	6	9	11	12
35-49	342	3.4	11	1	1	2	4	8	9	16
50-64	702	3.7	13	1	1	2	5	8	11	18
65+	558	4.3	22	<1	<1	2	6	11	12	22
GRAND TOTAL	**1650**	**3.8**	**15**	**<1**	**1**	**2**	**5**	**9**	**11**	**19**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.0	8	<1	<1	2	4	7	9	13
20-34	421	4.1	14	1	1	2	6	9	11	17
35-49	451	4.0	13	1	1	2	7	9	10	16
50-64	699	3.5	13	<1	1	2	5	9	10	14
65+	645	3.3	12	<1	1	2	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	189	4.6	34	1	1	2	6	10	15	33
20-34	636	6.1	57	1	1	4	8	12	15	31
35-49	1001	6.3	45	1	1	4	9	12	16	34
50-64	2299	5.7	30	1	1	4	8	12	16	25
65+	4036	6.3	36	1	1	5	9	13	17	29
TOT. SINGLE DX	2304	3.6	13	1	1	2	5	9	10	15
" MULTIPLE DX	8161	6.1	38	1	1	4	8	13	16	29
TOTAL 0-19 YRS	277	4.1	26	<1	1	2	5	9	12	26
20-34	1057	5.3	41	1	1	4	8	11	13	25
35-49	1452	5.6	36	1	1	4	8	11	14	30
50-64	2998	5.2	28	1	1	3	8	11	15	25
65+	4681	5.9	34	1	1	4	8	13	16	28
GRAND TOTAL	10465	5.5	33	1	1	4	8	12	15	27

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4250	2.9	12	1	1	2	3	5	8	18
20-34	7471	3.4	17	<1	1	2	4	7	9	19
35-49	5221	3.7	15	1	1	3	5	7	10	20
50-64	4046	4.0	16	1	1	3	5	8	11	21
65+	3443	4.6	18	1	1	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	7979	5.2	67	1	1	3	5	10	16	49
20-34	13276	5.0	42	1	1	3	6	10	15	35
35-49	14022	5.6	36	1	1	4	7	11	16	31
50-64	22991	6.4	41	1	2	5	8	12	17	33
65+	56318	7.3	42	2	2	6	9	14	19	35
TOT. SINGLE DX	24431	3.7	17	1	1	3	4	7	10	20
" MULTIPLE DX	114586	6.5	44	1	2	5	8	13	18	35
TOTAL 0-19 YRS	12229	4.4	49	1	1	3	4	8	13	42
20-34	20747	4.4	34	1	1	3	5	9	13	30
35-49	19243	5.1	32	1	1	4	6	10	14	30
50-64	27037	6.0	39	1	2	4	7	12	16	32
65+	59761	7.2	41	2	2	5	9	14	18	34
GRAND TOTAL	139017	6.0	40	1	1	4	7	12	16	33

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3408	4.1	28	1	1	3	4	7	16	28
20-34	1553	5.3	31	1	1	4	6	11	16	26
35-49	1538	5.5	20	1	1	4	7	11	14	24
50-64	1206	5.3	27	1	1	4	7	10	14	25
65+	1038	5.7	30	1	1	4	7	11	14	26
2. MULTIPLE DX										
0-19 YRS	5033	5.6	71	1	1	3	5	11	21	54
20-34	2591	7.8	89	1	2	5	9	18	26	53
35-49	3141	7.7	72	1	2	5	9	17	24	45
50-64	5697	7.3	58	1	2	5	9	14	21	43
65+	15024	8.1	58	2	2	6	10	15	22	42
TOT. SINGLE DX	8743	4.9	28	1	1	3	6	10	15	26
" MULTIPLE DX	31486	7.5	65	1	2	5	9	15	22	45
TOTAL 0-19 YRS	8441	5.0	55	1	1	3	5	10	18	44
20-34	4144	6.9	69	1	1	4	8	15	23	46
35-49	4679	6.9	56	1	2	5	8	14	21	38
50-64	6903	7.0	53	1	2	5	8	14	20	40
65+	16062	8.0	57	2	2	6	9	15	21	41
GRAND TOTAL	40229	6.9	58	1	2	5	8	14	21	42

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2843	2.7	18	<1	<1	2	3	5	6	15
20-34	2854	2.8	16	<1	<1	2	3	5	8	22
35-49	1763	3.5	12	<1	1	2	4	7	10	16
50-64	1801	4.1	15	1	1	3	5	8	11	18
65+	1798	4.4	15	1	1	3	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	7023	5.3	71	1	1	3	5	10	19	52
20-34	5583	5.0	48	<1	1	3	5	10	17	39
35-49	6710	5.3	44	1	1	3	6	11	15	35
50-64	13795	5.8	32	1	2	4	7	11	15	30
65+	33813	6.9	39	1	2	5	8	13	17	33
TOT. SINGLE DX	11059	3.4	16	<1	<1	2	4	7	9	18
" MULTIPLE DX	66924	6.2	43	1	2	4	8	12	17	35
TOTAL 0-19 YRS	9866	4.6	58	<1	1	3	4	8	15	48
20-34	8437	4.2	39	<1	<1	2	4	8	14	35
35-49	8473	4.9	38	1	1	3	6	10	14	32
50-64	15596	5.6	31	1	1	4	7	11	14	29
65+	35611	6.7	39	1	2	5	8	13	17	33
GRAND TOTAL	**77983**	**5.8**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number   Title

675 D and C (uterus), except for termination of pregnancy
674   Termination of pregnancy
519 Dacryocystorhinostomy
Debridement
748   Burn (skin)
705   Fracture, except of skull
503   Skull
748   Skin (infection) (wound)
Decompression
509   Carpal tunnel
502   Cranial
506   Laminectomy
506   Spinal
Delivery
690   Artificial rupture of membranes
688   Breech extraction
692   Cesarean section, except low cervical
691   Low cervical
689   Forceps, except low forceps
687   Low forceps
689   Internal and combined version
751 Dermabrasion
601 Derotation, intestine
580 Dialysis, except peritoneal
629   Peritoneal
Dilation
638   Bladder (neck)
635   Ureteral meatus
645   Ureterovesical orifice
641   Urethra, urethrovesical junction
675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
674   Termination of pregnancy
Dislocation-reduction, except temporomandibular
714   Closed
715   Open
702   Temporomandibular (joint)
Division
  Adhesions — *see Lysis, adhesions*
613   Anal sphincter
726   Fascia, exept of hand
728   Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number **Title**

- Incision (and drainage) (continued)
  - 626 Retroperitoneal abscess
  - 651 Scrotum
  - Sinus (nasal) – *see Sinusotomy*
  - 748 Skin, except pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
  - 506 Spinal meninges
  - 726 Tendon
  - 569 Thorax
  - 633 Ureter
  - 682 Vagina
  - 683 Vulva
- 690 Induction of labor (medical or surgical) for delivery
- Injection
  - 694 Intra-amniotic, for termination of pregnancy
  - 763 Therapeutic agent (drugs)
    - 745 Breast
    - 741 Bursa
    - 741 Joint
    - 741 Tendon
- 686 Insemination, artificial
- Insertion
  - 574 Cardiac pacemaker
  - 686 Intrauterine contraceptive device
  - 679 Laminaria, uterus
- 666 Insufflation, fallopian tubes
- 694 Intra-amniotic injection for termination of pregnancy
- 758 Intravenous pyelogram (IVP)
- 764 Intubation, nonoperative
- 764 Irrigation, nonoperative
- 758 IVP (intravenous pyelogram)

- Laceration repair (suture) – *see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 717 Excision of intervertebral disc
- 628 Laparoscopy, except for tubal ligation
  - 664 Tubal ligation
- 627 Laparotomy, exploratory
- 560 Laryngectomy, except partial
  - 559 Partial
- 576 Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1. 11-

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS

CANADA

1984



Length of Stay by Diagnosis, Canada, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals: Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds: Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	21	8.7	3,434	371	10.8
25-49	194	68	35.1	6,680	2,313	34.6
50-99	174	44	25.3	12,300	2,962	24.1
100-199	120	20	16.7	16,507	2,663	16.1
200-299	74	11	14.9	17,869	2,657	14.9
300-399	58	6	10.3	20,119	2,114	10.5
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	9	24.3	25,481	6,336	24.9
Total	919	181	19.7	111,371	20,383	18.3
Province or Territory						
Alberta	125	114	91.2	11,653	10,714	91.9
British Columbia	111	22	19.8	12,355	3,063	24.8
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	2	5.7	2,588	304	11.7
Nova Scotia	48	7	14.6	4,833	1,887	39.0
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	1	0.7	26,125	534	2.0
Saskatchewan	132	1	0.8	6,260	196	3.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	181	19.7	111,371	20,383	18.3

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in ***Length of Stay by Diagnosis, Canada, 1984*** or ***Length of Stay by Operation, Canada, 1984.***

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct day" on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

181 Hospitals, Canada, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71638	4.0	12	1	1	3	5	7	9	17
20-34	45773	4.3	30	<1	1	3	5	7	11	29
35-49	16050	5.7	47	1	1	4	7	12	17	36
50-64	13940	6.9	59	1	1	5	8	15	21	41
65+	17409	8.4	81	1	2	6	10	17	25	54
B. *Operated*										
0-19 YRS	26577	3.2	13	<1	1	2	4	6	8	17
20-34	54086	4.0	13	<1	1	3	5	7	9	17
35-49	22753	4.9	22	<1	1	4	7	10	13	23
50-64	17495	6.0	34	1	1	4	8	12	16	28
65+	15720	7.4	57	1	2	5	9	16	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72040	5.4	31	1	2	4	6	9	13	30
20-34	28474	6.3	77	1	1	4	7	13	21	52
35-49	20200	7.5	79	1	1	5	9	16	24	51
50-64	30805	8.8	89	1	2	6	11	18	26	54
65+	61779	11.4	140	2	3	8	14	24	37	94
B. *Operated*										
0-19 YRS	15331	6.0	84	1	1	3	6	13	21	60
20-34	52237	6.3	47	1	2	5	7	11	16	41
35-49	27743	7.9	68	1	2	6	9	15	22	49
50-64	29733	10.6	124	1	2	8	13	23	32	66
65+	37665	13.7	192	2	2	10	18	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164810	5.0	34	1	1	4	5	9	14	31
B. *Operated*	136631	4.6	24	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	213298	8.0	88	1	2	5	9	17	25	59
B. *Operated*	162709	9.0	111	1	2	6	10	20	30	68
1. SINGLE DX	301441	4.8	29	1	1	4	6	9	13	28
2. MULTIPLE DX	376007	8.4	98	1	2	5	10	18	27	63
A. NOT OPERATED	378108	6.7	66	1	1	4	7	14	21	48
B. OPERATED	299340	7.0	76	1	1	5	8	15	22	51
TOTAL 0-19 YRS	185586	4.6	26	1	1	4	5	8	11	27
20-34	180570	5.1	38	<1	1	4	6	9	13	34
35-49	86746	6.6	56	1	1	5	8	13	19	41
50-64	91973	8.6	88	1	2	6	11	18	25	53
65+	132573	11.2	142	2	2	8	14	25	36	88
GRAND TOTAL	**677448**	**6.8**	71	1	1	4	8	14	21	49

181 Hospitals, Canada, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44243	3.9	18	1	1	3	5	7	10	21
20-34	45773	4.3	30	<1	1	3	5	7	11	29
35-49	16050	5.7	47	1	1	4	7	12	17	36
50-64	13940	6.9	59	1	1	5	8	15	21	41
65+	17409	8.4	81	1	2	6	10	17	25	54
B. *Operated*										
0-19 YRS	26570	3.2	13	<1	1	2	4	6	8	17
20-34	54086	4.0	13	<1	1	3	5	7	9	17
35-49	22753	4.9	22	<1	1	4	7	10	13	23
50-64	17495	6.0	34	1	1	4	8	12	16	28
65+	15720	7.4	57	1	2	5	9	16	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34269	5.3	37	1	1	4	6	10	15	32
20-34	28474	6.3	77	1	1	4	7	13	21	52
35-49	20200	7.5	79	1	1	5	9	16	24	51
50-64	30805	8.8	89	1	2	6	11	18	26	54
65+	61779	11.4	140	2	3	8	14	24	37	94
B. *Operated*										
0-19 YRS	14836	5.5	59	1	1	3	6	11	18	43
20-34	52237	6.3	47	1	2	5	7	11	16	41
35-49	27743	7.9	68	1	2	6	9	15	22	49
50-64	29733	10.6	124	1	2	8	13	23	32	66
65+	37665	13.7	192	2	2	10	18	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137415	5.1	40	1	1	3	6	10	15	33
B. *Operated*	136624	4.6	24	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	175527	8.5	100	1	2	5	10	18	27	65
B. *Operated*	162214	9.0	109	1	2	6	10	20	29	66
1. SINGLE DX	274039	4.9	32	<1	1	3	6	10	14	29
2. MULTIPLE DX	337741	8.7	104	1	2	6	10	19	28	65
A. NOT OPERATED	312942	7.0	76	1	1	4	8	15	22	52
B. OPERATED	298838	7.0	75	1	1	4	8	15	22	50
TOTAL 0-19 YRS	119918	4.3	28	1	1	3	5	9	12	27
20-34	180570	5.1	38	<1	1	4	6	9	13	34
35-49	86746	6.6	56	1	1	5	8	13	19	41
50-64	91973	8.6	88	1	2	6	11	18	25	53
65+	132573	11.2	142	2	2	8	14	25	36	88
GRAND TOTAL	611780	7.0	75	1	1	4	8	15	22	51

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1507	3.7	8	1	1	3	5	7	9	17
20-34	386	3.5	8	1	1	3	4	7	9	13
35-49	140	3.8	12	1	1	3	4	7	12	17
50-64	119	4.4	15	1	1	3	6	8	12	22
65+	130	5.3	20	1	1	4	7	10	13	28
B. *Operated*										
0-19 YRS	12	4.9	8	2	2	4	6	9	11	11
20-34	31	6.1	13	1	2	6	9	11	12	15
35-49	6	6.3	5	4	4	6	8	10	10	10
50-64	6	10.2	21	5	5	9	15	16	16	16
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1120	5.4	19	1	2	4	7	10	13	23
20-34	230	3.7	9	1	1	3	5	7	9	17
35-49	117	5.8	68	1	1	4	6	11	14	41
50-64	163	6.6	44	1	2	5	8	12	17	43
65+	288	6.9	28	2	2	5	9	14	18	32
B. *Operated*										
0-19 YRS	14	16.6	662	2	3	5	17	72	79	81
20-34	23	6.7	14	2	3	6	9	12	14	16
35-49	10	9.1	25	3	3	8	13	16	17	17
50-64	20	15.3	424	2	3	9	16	33	66	93
65+	32	24.3	580	5	6	17	26	67	86	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2282	3.8	10	1	1	3	5	7	9	17
B. *Operated*	56	6.5	14	1	2	6	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	1918	5.5	25	1	2	4	7	11	14	24
B. *Operated*	99	15.7	407	2	3	9	17	35	71	94
1. SINGLE DX	2338	3.9	10	1	1	3	5	7	9	17
2. MULTIPLE DX	2017	6.0	48	1	2	4	7	11	16	30
A. NOT OPERATED	4200	4.6	17	1	1	4	6	9	12	21
B. OPERATED	155	12.4	284	2	3	7	12	21	49	93
TOTAL 0-19 YRS	2653	4.5	17	1	1	3	5	8	11	20
20-34	670	3.8	9	1	1	3	5	8	10	16
35-49	273	4.9	38	1	1	4	6	9	14	20
50-64	308	6.4	63	1	2	5	7	12	18	42
65+	451	7.7	86	1	2	5	9	16	20	65
GRAND TOTAL	**4355**	**4.9**	**29**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	21.9	463	3	3	16	37	55	67	67
20-34	16	23.3	435	4	6	17	34	79	96	99+
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	13.7	243	2	2	8	15	41	44	44
65+	8	12.9	88	1	3	16	25	71	99+	99+
B. *Operated*										
0-19 YRS	5	23.4	269	8	8	15	36	48	48	48
20-34	9	14.0	218	3	4	10	13	38	52	52
35-49	8	19.1	792	4	4	8	17	68	87	87
50-64	7	18.7	142	7	7	15	28	37	38	38
65+	7	18.1	128	2	4	15	26	33	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	28.9	736	8	8	21	32	75	93	93
20-34	17	25.9	355	3	6	24	36	66	87	99+
35-49	10	20.4	344	3	6	14	31	79	98	99+
50-64	15	27.9	853	2	4	19	34	87	91	93
65+	28	28.3	428	6	6	21	43	63	70	71
B. *Operated*										
0-19 YRS	2	37.0	162	28	28	37	46	46	46	46
20-34	8	27.3	213	10	14	28	56	99+	99+	99+
35-49	5	20.4	128	8	8	17	29	37	37	37
50-64	18	14.7	115	4	4	11	19	31	40	43
65+	11	23.8	255	4	7	21	33	50	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	19.0	337	2	4	15	29	51	94	99+
B. *Operated*	36	18.2	294	3	5	12	24	38	51	87
2. MULTIPLE DX										
A. *Not Operated*	80	26.8	499	4	6	21	37	66	89	99+
B. *Operated*	44	20.9	193	4	6	19	29	50	65	99+
1. SINGLE DX	76	18.6	313	3	4	14	27	42	79	99+
2. MULTIPLE DX	124	24.7	396	4	6	20	35	61	88	99+
A. NOT OPERATED	120	24.2	456	3	5	18	35	65	91	99+
B. OPERATED	80	19.7	237	4	5	15	28	47	54	99+
TOTAL 0-19 YRS	26	26.0	483	4	5	17	37	56	72	93
20-34	50	23.1	336	4	5	18	36	70	99+	99+
35-49	24	19.3	410	3	4	11	27	65	90	99+
50-64	46	19.5	393	3	4	13	23	42	64	93
65+	54	23.8	325	4	6	20	35	51	69	99
GRAND TOTAL	**200**	**22.4**	**372**	**4**	**5**	**17**	**32**	**57**	**87**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	5	8.2	68	1	1	5	12	22	22	22
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	14.0	193	2	2	10	18	38	38	38
65+										
B. *Operated*										
0-19 YRS	4	11.0	108	4	4	7	18	26	26	26
20-34	12	5.3	14	<1	<1	4	8	10	13	13
35-49	4	9.0	55	2	2	7	14	19	19	19
50-64	6	21.5	210	2	3	22	37	37	37	37
65+	4	13.0	71	3	3	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.0	5	3	3	6	7	8	8	8
35-49	4	9.3	41	<1	<1	10	14	16	16	16
50-64	4	9.0	26	4	4	8	12	16	16	16
65+	5	22.6	114	9	10	26	36	94	99+	99+
B. *Operated*										
0-19 YRS	4	24.8	1318	4	4	8	45	79	79	79
20-34	7	11.0	72	2	3	8	19	24	24	24
35-49	10	17.2	100	4	5	15	22	33	38	38
50-64	5	8.0	35	<1	<1	8	12	16	16	16
65+	9	26.7	613	2	2	34	42	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	10.4	102	1	1	9	11	25	36	38
B. *Operated*	30	10.8	103	<1	2	8	19	25	37	37
2. MULTIPLE DX										
A. *Not Operated*	18	11.7	92	<1	2	9	16	33	71	99+
B. *Operated*	35	17.9	354	2	2	12	26	42	77	99+
1. SINGLE DX	43	10.7	100	1	2	8	13	24	37	38
2. MULTIPLE DX	53	15.8	270	1	2	11	24	41	78	99+
A. NOT OPERATED	31	11.2	93	1	1	9	15	30	38	99+
B. OPERATED	65	14.7	247	1	2	9	21	37	48	97
TOTAL 0-19 YRS	11	14.2	512	1	1	5	11	47	76	79
20-34	28	7.4	38	<1	1	6	8	19	22	24
35-49	19	13.5	82	1	3	12	17	26	33	38
50-64	20	13.8	140	1	2	10	19	37	38	38
65+	18	22.5	358	2	3	23	38	87	99+	99+
GRAND TOTAL	**96**	**13.5**	**199**	**1**	**2**	**9**	**20**	**37**	**42**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.3	5	1	1	3	4	6	7	10
20-34	47	2.8	2	1	1	2	4	4	5	8
35-49	16	2.9	1	1	1	3	4	5	5	5
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	5	4.0	10	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	8	2.8	1	2	2	3	3	4	5	5
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	3.7	6	1	1	3	5	7	9	12
20-34	27	3.8	10	1	2	3	4	6	8	18
35-49	13	4.2	5	1	2	4	5	7	9	10
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	6	4.3	3	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	7	4.0	4	2	2	3	5	7	8	8
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.2	4	1	1	3	4	5	7	9
B. *Operated*	10	2.9	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	235	3.7	6	1	1	3	5	7	9	12
B. *Operated*	7	4.0	4	2	2	3	5	7	8	8
1. SINGLE DX	228	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	242	3.7	6	1	1	3	5	7	9	12
A. NOT OPERATED	453	3.5	5	1	1	3	4	6	8	11
B. OPERATED	17	3.4	3	2	2	3	4	5	7	8
TOTAL 0-19 YRS	347	3.5	5	1	1	3	4	6	8	11
20-34	76	3.2	5	1	1	3	4	5	6	15
35-49	29	3.4	3	1	1	3	4	5	6	10
50-64	7	4.3	1	3	3	4	5	6	6	6
65+	11	4.2	6	1	1	4	5	8	9	9
GRAND TOTAL	**470**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	4.3	7	1	2	3	6	8	10	10
20-34	10	6.5	10	3	3	6	9	11	12	12
35-49	4	3.3	7	<1	<1	3	5	6	6	6
50-64	7	7.3	17	2	2	7	11	12	12	12
65+	18	12.8	91	4	5	9	14	26	36	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	7.8	32	2	3	7	10	15	18	27
20-34	24	7.1	23	2	3	6	8	12	18	24
35-49	17	8.4	13	3	4	8	10	14	15	15
50-64	39	11.3	46	3	4	10	14	17	28	34
65+	160	14.4	115	4	5	12	17	26	38	62
B. *Operated*										
0-19 YRS	6	31.2	1081	11	11	12	51	86	90	90
20-34	4	35.0	827	13	13	25	53	77	77	77
35-49	7	14.7	10	10	11	17	39	99+	99+	99+
50-64	15	25.3	389	9	10	17	33	71	91	99+
65+	31	27.8	311	8	11	23	39	58	68	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.6	37	1	2	5	8	12	15	37
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	287	11.9	87	3	4	10	15	22	29	59
B. *Operated*	63	26.6	390	10	11	19	38	70	92	99+
1. SINGLE DX	83	6.8	40	1	2	5	8	13	18	37
2. MULTIPLE DX	350	14.6	172	3	4	11	17	29	48	99
A. NOT OPERATED	369	10.8	80	2	3	8	14	21	27	54
B. OPERATED	64	26.5	384	10	11	19	37	70	91	99+
TOTAL 0-19 YRS	96	7.7	115	2	2	5	9	13	16	72
20-34	38	9.9	160	3	3	6	9	19	27	77
35-49	28	9.3	24	1	3	9	14	18	99+	99+
50-64	61	14.3	164	3	5	12	15	30	48	96
65+	210	16.3	163	4	5	13	19	34	47	69
GRAND TOTAL	433	13.1	156	3	3	10	15	27	41	91

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	7.3	28	1	2	6	10	13	17	27
20-34	13	7.2	19	<1	2	5	12	13	14	14
35-49	14	8.1	27	2	3	7	12	13	20	22
50-64	20	6.3	17	3	3	5	6	13	16	17
65+	14	7.6	17	4	4	7	9	11	18	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	15.5	13	13	13	15	18	18	18	18
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	8.3	36	1	2	7	11	15	20	32
20-34	10	6.1	15	3	3	5	8	12	15	15
35-49	5	5.0	7	3	3	4	7	9	9	9
50-64	22	11.8	90	2	4	9	14	27	33	41
65+	16	13.4	184	2	4	7	18	37	46	49
B. *Operated*										
0-19 YRS	5	6.4	15	1	1	7	10	10	10	10
20-34	3	17.0	91	6	6	22	23	23	23	23
35-49	3	15.0	7	12	12	16	17	17	17	17
50-64	3	15.0	148	7	7	9	24	29	29	29
65+	4	22.0	109	13	13	19	28	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	7.2	25	2	2	6	10	12	17	26
B. *Operated*	4	9.8	49	3	3	9	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	113	9.3	68	2	3	7	11	18	28	44
B. *Operated*	18	14.5	85	2	5	12	20	27	34	37
1. SINGLE DX	179	7.3	25	2	2	6	10	13	17	26
2. MULTIPLE DX	131	10.1	73	2	3	7	12	21	28	43
A. NOT OPERATED	288	8.1	42	2	3	6	11	15	20	36
B. OPERATED	22	13.6	80	2	4	12	18	25	32	37
TOTAL 0-19 YRS	180	7.6	30	1	2	7	10	13	18	29
20-34	28	8.4	35	2	3	6	12	17	22	23
35-49	23	8.1	28	2	3	7	12	16	19	22
50-64	45	9.5	66	3	3	6	12	18	28	41
65+	34	12.0	122	4	4	7	16	27	38	49
GRAND TOTAL	310	8.5	47	2	3	7	11	16	22	37

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	4.2	6	1	2	3	5	8	10	13
20-34	91	4.2	7	1	2	3	6	8	9	15
35-49	17	4.9	10	1	2	4	6	11	11	11
50-64	4	9.0	47	4	4	6	13	19	19	19
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	6	1	1	4	5	7	9	13
20-34	30	5.7	12	1	2	5	7	10	15	15
35-49	6	4.8	8	2	2	4	5	10	10	10
50-64	3	14.3	236	4	4	7	26	32	32	32
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	4.3	8	1	2	3	6	8	10	15
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	76	5.1	18	1	2	4	6	10	12	28
B. *Operated*	3	8.0	61	3	3	4	14	17	17	17
1. SINGLE DX	208	4.3	8	1	2	3	6	8	10	15
2. MULTIPLE DX	79	5.3	20	1	2	4	6	10	14	28
A. NOT OPERATED	283	4.6	11	1	2	4	6	8	10	15
B. OPERATED	4	7.3	43	3	3	4	11	17	17	17
TOTAL 0-19 YRS	133	4.1	6	1	2	4	5	7	10	13
20-34	123	4.7	10	1	2	4	6	9	11	16
35-49	24	4.8	9	1	2	4	5	10	11	11
50-64	7	11.3	111	4	4	7	16	29	32	32
65+										
GRAND TOTAL	**287**	**4.6**	**11**	**1**	**2**	**4**	**6**	**9**	**11**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.6	7	1	1	3	4	7	9	15
20-34	36	5.2	9	2	2	5	6	11	12	13
35-49	16	5.3	8	1	2	5	7	9	11	12
50-64	25	4.6	9	1	3	4	5	8	10	16
65+	79	8.9	56	2	3	7	12	17	23	43
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	3	9.0	75	4	4	4	15	19	19	19
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	33.0	450	18	18	33	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.5	12	1	2	4	6	8	10	21
20-34	44	7.1	35	1	2	6	8	14	18	29
35-49	14	7.4	8	4	4	7	10	11	13	13
50-64	48	8.1	42	2	3	6	10	15	23	35
65+	164	12.7	139	3	3	10	16	26	44	99+
B. *Operated*										
0-19 YRS	7	17.1	760	1	1	5	17	66	78	78
20-34	6	19.7	266	2	2	19	31	41	42	42
35-49	6	12.3	273	3	3	4	14	42	45	45
50-64	3	20.3	542	4	4	10	38	47	47	47
65+	19	19.5	240	3	4	16	27	46	51	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	5.0	21	1	2	4	6	10	13	23
B. *Operated*	9	15.2	209	2	3	15	20	38	48	48
2. MULTIPLE DX										
A. *Not Operated*	508	7.8	70	1	2	5	9	16	25	59
B. *Operated*	41	18.1	324	2	3	11	27	46	51	78
1. SINGLE DX	392	5.2	27	1	2	4	6	11	15	26
2. MULTIPLE DX	549	8.6	96	1	2	5	10	19	28	71
A. NOT OPERATED	891	6.6	51	1	2	4	8	14	20	45
B. OPERATED	50	17.6	300	2	3	12	27	46	48	78
TOTAL 0-19 YRS	473	4.3	22	1	1	3	5	8	10	21
20-34	89	7.2	50	2	2	5	8	14	28	38
35-49	38	7.4	51	2	3	5	9	13	15	45
50-64	77	7.4	53	2	3	5	8	15	22	44
65+	264	12.2	132	2	3	9	16	26	43	95
GRAND TOTAL	**941**	**7.2**	**70**	**1**	**2**	**4**	**8**	**15**	**23**	**48**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	5.5	7	2	2	5	7	9	10	13
20-34	49	9.1	56	2	3	7	12	15	28	38
35-49	17	6.8	11	3	4	6	8	11	14	16
50-64	11	8.5	26	1	2	8	10	16	20	20
65+	4	8.0	18	4	4	7	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	5	6.2	11	2	2	6	9	10	10	10
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	12.5	315	1	3	8	12	28	61	72
20-34	23	9.0	67	2	3	6	10	18	32	34
35-49	15	8.5	24	2	4	8	11	15	18	19
50-64	7	9.6	40	4	4	7	12	20	22	22
65+	5	15.2	47	9	9	12	22	24	24	24
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	8.7	12	5	5	9	11	12	12	12
35-49	4	24.3	90	17	17	21	30	38	38	38
50-64	3	12.3	30	7	7	12	16	18	18	18
65+	8	24.6	747	2	4	16	28	71	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	7.5	31	2	3	6	9	13	15	36
B. *Operated*	9	7.7	12	2	3	8	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	65	10.2	108	2	3	7	12	21	29	66
B. *Operated*	19	19.1	365	3	5	15	22	35	65	88
1. SINGLE DX	128	7.5	30	2	3	6	9	13	15	36
2. MULTIPLE DX	84	12.2	176	3	4	8	14	24	32	83
A. NOT OPERATED	184	8.5	60	2	3	7	10	14	21	37
B. OPERATED	28	15.4	277	2	4	10	18	29	43	88
TOTAL 0-19 YRS	54	7.4	98	2	3	6	8	11	14	70
20-34	80	8.9	54	2	3	7	11	15	29	37
35-49	37	9.5	50	3	4	7	12	18	22	38
50-64	23	9.2	28	2	4	8	12	18	21	22
65+	18	17.6	371	3	4	11	21	29	65	88
GRAND TOTAL	**212**	**9.4**	**93**	**2**	**3**	**7**	**11**	**16**	**26**	**51**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	4.3	5	1	2	4	6	7	8	10
20-34	54	4.7	8	1	2	4	6	8	11	14
35-49	5	8.6	7	6	6	8	10	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.9	7	2	2	4	6	8	10	17
20-34	54	5.3	11	2	2	5	7	11	12	18
35-49	6	7.5	4	4	4	8	9	10	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	3	10.7	42	4	4	11	15	17	17	17
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	4.5	6	1	2	4	6	7	9	13
B. *Operated*	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	189	5.1	9	2	2	4	6	9	11	17
B. *Operated*	3	10.7	42	4	4	11	15	17	17	17
1. SINGLE DX	243	4.4	6	1	2	4	6	7	9	13
2. MULTIPLE DX	192	5.2	9	2	2	4	7	9	11	18
A. NOT OPERATED	428	4.7	7	2	2	4	6	8	10	14
B. OPERATED	7	6.6	31	1	1	4	10	16	17	17
TOTAL 0-19 YRS	314	4.6	7	2	2	4	6	7	9	16
20-34	108	5.0	10	1	2	4	6	10	11	16
35-49	11	8.0	5	4	5	8	9	11	13	13
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**435**	**4.8**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	81	<1	<1	1	10	19	19	19
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	13.0	50	8	8	13	18	18	18	18
B. *Operated*										
0-19 YRS	134	1.4	1	<1	<1	1	2	2	3	5
20-34	236	1.8	5	<1	<1	1	2	3	4	10
35-49	51	2.8	23	<1	<1	2	2	4	8	31
50-64	8	2.1	4	<1	<1	1	2	6	7	7
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	29	3.1	13	<1	<1	2	3	8	10	17
20-34	60	3.2	16	<1	<1	2	3	5	10	26
35-49	13	4.2	52	<1	1	2	3	8	24	28
50-64	5	7.2	124	1	1	3	10	27	27	27
65+	7	4.6	13	2	2	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.8	57	<1	<1	1	10	19	19	19
B. *Operated*	432	1.8	6	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	6	3.2	7	<[illegible]	<1	2	5	7	7	7
B. *Operated*	114	3.5	23	<1	<1	2	3	7	11	28
1. SINGLE DX	441	1.9	7	<1	<1	1	2	3	4	18
2. MULTIPLE DX	120	3.5	22	<1	<1	2	3	7	11	28
A. NOT OPERATED	15	4.7	37	<1	<1	1	6	18	19	19
B. OPERATED	546	2.2	10	<1	<1	1	2	3	5	18
TOTAL 0-19 YRS	169	1.8	5	<1	<1	1	2	3	5	16
20-34	300	2.1	7	<1	<1	1	2	3	5	12
35-49	64	3.0	28	<1	<1	2	3	4	11	31
50-64	15	3.7	45	<1	<1	1	3	7	22	27
65+	13	5.4	24	<1	1	3	8	12	17	18
GRAND TOTAL	**561**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**3**	**6**	**19**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	2.9	6	1	1	2	4	5	6	11
20-34	96	3.6	13	1	1	3	4	7	9	22
35-49	44	4.3	11	<1	1	3	6	10	11	14
50-64	22	3.5	7	1	1	3	4	7	10	12
65+	34	6.4	29	2	2	5	7	15	16	28
B. *Operated*										
0-19 YRS	16	2.4	12	<1	<1	1	2	4	12	15
20-34	4	5.3	11	2	2	5	8	9	9	9
35-49	3	11.0	21	7	7	10	14	16	16	16
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	3.2	4	1	1	3	4	6	7	11
20-34	104	4.5	13	1	1	3	6	10	12	17
35-49	49	6.0	60	1	2	4	7	11	14	52
50-64	47	5.3	11	1	2	5	7	10	12	17
65+	7[illegible]	7.3	42	1	2	5	9	16	19	38
B. *Operated*										
0-19 YRS	14	9.6	195	1	1	6	9	18	48	56
20-34	10	13.5	221	3	4	8	14	36	54	54
35-49	1	12.0		12	12	12	12	12	12	12
50-64	3	20.0	39	15	15	18	25	27	27	27
65+	4	22.0	105	9	9	22	28	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	3.4	10	1	1	3	4	6	9	16
B. *Operated*	27	4.3	20	<1	<1	2	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	544	4.5	19	1	1	3	5	9	12	20
B. *Operated*	32	13.4	179	1	2	9	16	29	52	56
1. SINGLE DX	528	3.5	11	1	1	3	4	7	9	16
2. MULTIPLE DX	576	4.9	32	1	1	3	6	10	13	26
A. NOT OPERATED	1045	4.0	15	1	1	3	5	8	10	18
B. OPERATED	59	9.2	126	<1	1	7	12	20	31	56
TOTAL 0-19 YRS	603	3.2	11	1	1	2	4	6	7	13
20-34	214	4.5	26	1	1	3	6	9	11	23
35-49	97	5.5	38	1	1	4	7	10	13	37
50-64	75	5.3	20	1	1	4	7	11	14	25
65+	115	7.5	47	2	2	5	9	16	22	37
GRAND TOTAL	**1104**	**4.2**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	3	1	1	3	5	6	6	6
20-34	18	4.1	5	2	2	4	5	8	8	8
35-49	9	3.1	2	1	1	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	5.7		5	5	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	5	8.0	11	5	5	8	10	13	13	13
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	2	11.0	32	7	7	11	15	15	15	15
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.7	4	1	2	3	5	6	8	8
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	14	6.9	18	2	3	5	9	13	15	15
B. *Operated*										
1. SINGLE DX	44	3.7	4	1	2	3	5	6	8	8
2. MULTIPLE DX	14	6.9	18	2	3	5	9	13	15	15
A. NOT OPERATED	56	4.5	9	1	2	4	6	8	12	15
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 0-19 YRS	14	3.4	3	1	1	3	5	6	6	6
20-34	24	5.0	8	2	2	4	7	8	10	13
35-49	12	3.8	10	1	1	3	4	8	12	13
50-64	3	8.0	43	2	2	7	13	15	15	15
65+	5	4.6	3	2	2	5	6	6	6	6
GRAND TOTAL	**58**	**4.5**	**9**	**1**	**2**	**4**	**6**	**8**	**11**	**15**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	5.4	9	2	2	5	6	9	12	16
20-34	75	6.7	23	3	3	5	7	14	16	29
35-49	8	7.9	13	<1	2	8	10	12	13	13
50-64	4	7.8	18	3	3	7	11	13	13	13
65+	3	8.3	121	<1	<1	3	16	21	21	21
B. *Operated*										
0-19 YRS	7	3.3	5	<1	<1	3	5	7	7	7
20-34	18	2.4	3	<1	<1	2	3	6	7	7
35-49	2	14.0	72	8	8	14	20	20	20	20
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.9	8	2	2	4	6	8	9	15
20-34	36	9.6	161	2	3	6	10	15	36	70
35-49	6	8.3	76	2	2	7	21	85	99+	99+
50-64	11	6.9	27	1	1	9	10	14	14	14
65+	10	11.1	74	1	1	11	16	23	28	28
B. *Operated*										
0-19 YRS	10	4.9	6	3	3	4	7	9	9	9
20-34	9	11.0	179	2	2	6	12	32	45	45
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	6.4	20	2	3	5	7	12	16	23
B. *Operated*	28	3.4	15	<1	<1	2	4	7	9	20
2. MULTIPLE DX										
A. *Not Operated*	93	7.8	83	1	2	5	10	15	26	87
B. *Operated*	21	7.7	83	2	3	5	9	12	27	45
1. SINGLE DX	159	5.9	20	<1	2	5	7	12	15	21
2. MULTIPLE DX	114	7.8	82	2	2	5	9	15	26	80
A. NOT OPERATED	224	7.0	46	2	2	5	8	14	17	48
B. OPERATED	49	5.3	48	<1	<1	3	6	10	13	45
TOTAL 0-19 YRS	88	5.0	8	1	2	4	6	8	10	16
20-34	138	7.2	70	1	2	5	7	14	17	48
35-49	18	8.6	36	1	2	8	11	23	66	99+
50-64	15	7.1	23	1	1	9	10	14	14	14
65+	14	9.9	76	<1	1	8	16	22	27	28
GRAND TOTAL	**273**	**6.7**	**47**	**1**	**2**	**5**	**8**	**13**	**16**	**44**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.8	9	1	1	4	6	9	11	15
20-34	7	5.4	12	1	2	5	7	11	12	12
35-49	5	3.2	3	2	2	3	4	6	6	6
50-64	4	5.3	28	1	1	3	8	13	13	13
65+	17	5.5	26	1	2	4	7	12	18	21
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	21.0	817	4	4	5	42	54	54	54
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	6.3	22	<1	<1	8	9	10	10	10
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.2	21	1	1	4	7	9	12	26
20-34	6	5.3	15	1	1	5	8	11	11	11
35-49	7	7.4	43	<1	1	5	9	19	21	21
50-64	14	7.6	43	1	2	6	9	14	24	27
65+	39	12.2	224	2	2	8	14	25	37	85
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	8.3	76	<1	<1	6	15	18	18	18
35-49	6	17.5	488	2	3	10	12	57	62	62
50-64	12	14.8	102	<1	1	13	20	27	37	39
65+	9	16.6	156	8	9	12	16	36	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.9	12	1	1	4	6	10	12	19
B. *Operated*	10	10.4	249	<1	1	5	10	33	54	54
2. MULTIPLE DX										
A. *Not Operated*	173	7.1	76	1	2	5	8	13	21	38
B. *Operated*	31	14.8	177	<1	2	11	17	29	48	62
1. SINGLE DX	98	5.5	37	1	1	4	6	10	13	38
2. MULTIPLE DX	204	8.3	98	1	2	6	10	16	25	55
A. NOT OPERATED	261	6.4	55	1	2	4	7	12	16	37
B. OPERATED	41	13.7	193	<1	2	11	15	29	51	62
TOTAL 0-19 YRS	165	5.0	16	1	1	4	6	9	12	17
20-34	19	8.3	140	<1	1	5	8	16	38	54
35-49	19	9.3	187	1	2	5	10	17	44	62
50-64	33	9.8	72	<1	1	8	12	21	26	39
65+	66	11.1	170	2	2	8	13	24	36	79
GRAND TOTAL	**302**	**7.4**	**80**	**1**	**2**	**5**	**9**	**14**	**21**	**51**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	1	1	3	4	5	6	6
20-34	6	6.3	9	3	3	6	8	11	11	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	27.0		27	27	27	27	27	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	1	1	1	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	3	9.7	20	5	5	10	13	14	14	14
20-34	2	18.5	1	18	18	18	19	19	19	19
35-49	2	14.5	61	9	9	14	20	20	20	20
50-64	2	8.0	50	3	3	8	13	13	13	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.9	7	1	1	3	5	8	10	11
B. *Operated*	9	6.3	63	1	1	4	6	19	27	27
2. MULTIPLE DX										
A. *Not Operated*	9	3.9	8	1	1	3	4	8	11	11
B. *Operated*	9	12.3	37	3	4	13	18	20	20	20
1. SINGLE DX	28	4.7	25	1	1	4	6	8	13	27
2. MULTIPLE DX	18	8.1	40	1	2	5	13	19	20	20
A. NOT OPERATED	28	3.9	7	1	1	3	4	8	11	11
B. OPERATED	18	9.3	57	1	2	6	14	20	24	27
TOTAL 0-19 YRS	22	4.2	9	1	1	4	5	7	12	14
20-34	12	7.3	34	2	2	5	9	18	19	19
35-49	6	6.5	52	1	1	3	9	19	20	20
50-64	4	11.8	124	3	3	8	20	27	27	27
65+	2	6.0	50	1	1	6	11	11	11	11
GRAND TOTAL	**46**	**6.0**	**33**	**1**	**1**	**4**	**7**	**14**	**19**	**27**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.8	16	1	1	3	5	12	15	16
20-34	20	6.7	19	2	2	6	9	11	16	20
35-49	8	8.1	48	1	2	5	12	19	22	22
50-64	5	6.2	15	1	1	6	10	10	10	10
65+	6	7.3	29	3	3	6	7	17	18	18
B. *Operated*										
0-19 YRS	3	9.3	104	2	2	5	17	21	21	21
20-34	51	7.3	31	2	2	5	9	16	17	28
35-49	23	6.6	33	1	2	6	7	15	22	23
50-64	11	8.5	22	2	2	9	13	14	15	15
65+	4	6.3	18	3	3	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	6.7	22	1	2	5	9	12	19	21
20-34	16	6.0	23	1	2	4	8	14	17	18
35-49	15	8.7	29	2	2	7	10	18	19	19
50-64	9	8.7	31	2	2	9	10	17	21	21
65+	8	11.6	94	3	3	8	17	28	31	31
B. *Operated*										
0-19 YRS										
20-34	19	13.6	184	2	3	11	15	19	45	66
35-49	17	11.5	64	2	3	10	19	23	24	25
50-64	12	13.3	189	3	4	7	14	40	45	46
65+	8	11.3	57	4	4	10	14	23	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.9	21	1	2	4	8	13	16	21
B. *Operated*	92	7.3	31	2	2	6	9	15	20	26
2. MULTIPLE DX										
A. *Not Operated*	91	7.5	31	2	2	6	9	17	20	27
B. *Operated*	56	12.6	125	3	4	10	15	23	34	65
1. SINGLE DX	168	6.7	27	1	2	5	9	14	17	23
2. MULTIPLE DX	147	9.4	72	2	3	7	12	19	23	47
A. NOT OPERATED	167	6.8	27	1	2	5	9	14	19	22
B. OPERATED	148	9.3	72	2	2	7	12	18	23	46
TOTAL 0-19 YRS	83	5.9	22	1	2	4	8	12	17	21
20-34	106	8.1	60	2	2	6	10	16	18	45
35-49	63	8.6	44	1	2	7	11	21	23	25
50-64	37	9.8	79	2	2	8	11	15	31	46
65+	26	9.7	56	3	3	7	13	20	28	31
GRAND TOTAL	**315**	**8.0**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**33**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	9.5	60	5	5	6	14	21	21	21
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	31.7	1227	5	5	16	58	87	90	90
65+	2	15.0	128	7	7	23	81	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	9.0	27	3	3	12	12	12	12	12
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	4	9.5	60	5	5	6	14	21	21	21
B. *Operated*	11	22.4	747	5	5	10	41	93	99	99+
1. SINGLE DX	5	7.2	23	2	2	7	12	12	12	12
2. MULTIPLE DX	15	18.9	581	5	5	8	23	87	97	99+
A. NOT OPERATED	7	9.3	39	3	3	7	12	19	21	21
B. OPERATED	13	19.6	668	3	4	8	24	91	98	99+
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	7	27.6	1140	3	3	8	49	84	90	90
65+	9	10.4	54	2	3	9	21	61	99+	99+
GRAND TOTAL	**20**	**16.0**	**460**	**3**	**4**	**8**	**21**	**71**	**94**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	21	12.2	120	1	2	8	17	33	34	36
65+	18	5.5	18	<1	1	5	6	10	15	19
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	10	8.5	98	1	2	5	10	23	35	35
35-49	17	8.0	39	2	3	6	9	19	23	25
50-64	44	9.0	92	2	2	5	12	23	27	49
65+	55	13.8	274	1	2	8	18	28	47	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	13.4	471	1	1	6	18	52	52	52
50-64	47	13.3	217	1	1	8	18	30	37	81
65+	42	14.0	166	2	3	10	17	33	47	53
B. *Operated*										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	12	12.3	155	1	2	8	18	30	43	45
35-49	32	18.1	232	1	2	16	31	44	55	99+
50-64	113	14.8	230	2	2	9	18	37	54	83
65+	94	16.3	281	2	2	10	25	44	58	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	8.8	82	<1	1	6	10	23	33	36
B. *Operated*	127	11.0	168	2	2	6	15	24	36	65
2. MULTIPLE DX										
A. *Not Operated*	96	13.4	198	1	2	8	18	32	46	68
B. *Operated*	252	15.7	246	2	2	10	23	43	55	99
1. SINGLE DX	168	10.4	147	1	2	6	13	24	33	56
2. MULTIPLE DX	348	15.1	233	2	2	9	20	38	52	86
A. NOT OPERATED	137	12.0	167	1	1	8	17	31	36	57
B. OPERATED	379	14.1	224	2	2	9	19	35	49	91
TOTAL 0-19 YRS	2	28.5	221	18	18	28	39	39	39	39
20-34	24	10.1	118	1	2	6	10	24	38	45
35-49	56	14.0	203	1	2	7	21	37	51	97
50-64	225	13.1	193	2	2	8	18	32	45	76
65+	209	14.2	240	2	2	9	19	35	49	89
GRAND TOTAL	**516**	**13.6**	**210**	**1**	**2**	**8**	**18**	**33**	**48**	**83**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	11.3	121	4	4	6	19	24	24	24
50-64	4	20.5	698	5	5	8	35	60	60	60
65+	16	9.8	82	2	2	6	11	22	33	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	26.0	800	6	6	26	46	46	46	46
50-64	8	13.5	145	2	2	11	20	32	36	36
65+	13	12.5	153	5	5	8	11	33	45	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.3	10	6	6	7	11	12	12	12
50-64	9	7.1	17	2	2	8	8	13	16	16
65+	33	13.2	221	2	2	8	14	29	41	78
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	15.0	95	7	7	12	22	28	28	28
50-64	27	28.0	273	8	8	25	38	49	64	72
65+	44	20.4	208	2	5	17	29	45	47	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	11.8	179	2	3	6	12	27	45	60
B. *Operated*	23	14.0	180	2	4	8	18	38	47	48
2. MULTIPLE DX										
A. *Not Operated*	45	11.6	171	2	2	8	13	23	34	78
B. *Operated*	75	22.9	237	3	7	19	30	46	50	71
1. SINGLE DX	46	12.9	177	2	4	8	15	35	46	60
2. MULTIPLE DX	120	18.7	241	2	4	15	27	41	48	74
A. NOT OPERATED	68	11.7	171	2	3	7	13	24	38	75
B. OPERATED	98	20.8	236	2	5	17	29	45	49	70
TOTAL 0-19 YRS										
20-34										
35-49	12	14.3	160	4	5	8	20	33	44	46
50-64	48	21.0	295	2	4	17	28	45	60	72
65+	106	15.6	200	2	4	11	19	34	46	72
GRAND TOTAL	**166**	**17.1**	**228**	**2**	**4**	**12**	**23**	**38**	**47**	**71**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	8	7.5	89	2	2	4	7	24	30	30
65+	23	4.7	22	<1	<1	3	6	13	15	19
B. *Operated*										
0-19 YRS										
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49	9	15.1	20	9	10	15	17	22	24	24
50-64	22	20.4	393	2	5	15	24	37	71	93
65+	41	18.0	90	6	9	16	21	33	38	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	10	5.7	20	1	1	6	11	48	96	99+
50-64	22	8.6	122	2	2	6	9	16	32	54
65+	96	9.4	81	1	2	7	12	18	22	57
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	24	21.8	234	5	7	18	26	50	56	64
50-64	86	21.0	115	8	10	19	26	38	39	59
65+	159	22.8	219	6	8	20	28	38	57	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	37	<1	<1	3	5	13	18	30
B. *Operated*	74	18.2	168	4	9	16	21	29	40	84
2. MULTIPLE DX										
A. *Not Operated*	131	8.9	82	1	2	7	11	17	22	66
B. *Operated*	270	22.1	186	6	8	19	27	38	52	78
1. SINGLE DX	107	14.2	163	1	2	13	19	24	34	72
2. MULTIPLE DX	401	17.8	190	2	4	15	24	34	46	77
A. NOT OPERATED	164	8.1	75	1	2	6	10	17	21	58
B. OPERATED	344	21.3	184	6	9	18	26	37	50	79
TOTAL 0-19 YRS										
20-34	6	9.3	21	3	3	9	14	14	14	14
35-49	45	16.0	182	2	2	14	22	34	55	99+
50-64	138	18.1	182	2	4	16	24	35	40	71
65+	319	16.8	191	2	3	14	23	33	42	76

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	12.5	1	12	12	12	13	13	13	13
65+	4	17.8	9	14	14	18	20	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.5		2	2	2	3	3	3	3
35-49										
50-64	5	4.8	7	1	1	5	5	8	8	8
65+	2	15.0	98	8	8	15	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34	3	24.0	433	11	11	13	39	48	48	48
35-49	2	41.5	1301	16	16	41	67	67	67	67
50-64	13	15.2	124	1	3	12	23	29	40	42
65+	8	23.5	259	9	10	16	34	49	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	16.0	13	12	12	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	15	4.9	27	1	2	3	6	8	19	22
B. *Operated*	26	20.8	273	3	7	15	25	48	53	67
1. SINGLE DX	6	16.0	13	12	12	15	19	21	21	21
2. MULTIPLE DX	41	15.0	240	1	2	11	17	44	49	67
A. NOT OPERATED	15	4.9	27	1	2	3	6	8	19	22
B. OPERATED	32	19.9	226	3	8	15	22	48	50	67
TOTAL 0-19 YRS										
20-34	11	8.4	188	2	2	3	9	27	46	48
35-49	2	41.5	1301	16	16	41	67	67	67	67
50-64	20	12.3	100	1	2	11	14	25	34	42
65+	14	20.6	162	8	9	17	21	48	50	50

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	7	5.1	14	1	1	5	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	6	10.8	34	3	4	10	11	20	21	21
35-49	20	14.4	32	5	8	14	17	24	25	26
50-64	63	14.6	29	8	9	14	18	23	24	26
65+	83	16.8	61	9	10	15	19	27	34	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0		2	2	2	2	2	2	2
35-49	7	8.0	18	4	4	8	10	15	16	16
50-64	39	13.1	250	2	2	9	14	26	55	74
65+	101	12.2	160	1	2	8	16	24	42	65
B. *Operated*										
0-19 YRS										
20-34	6	11.0	12	8	8	10	12	17	17	17
35-49	47	15.8	74	6	8	15	18	23	31	56
50-64	224	18.2	97	9	10	15	21	29	39	55
65+	569	21.5	190	9	11	18	26	39	53	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.2	12	<1	1	3	6	10	11	11
B. *Operated*	172	15.5	47	8	9	14	18	24	27	52
2. MULTIPLE DX										
A. *Not Operated*	150	12.1	175	2	2	8	15	24	41	71
B. *Operated*	846	20.3	161	9	10	17	24	35	48	89
1. SINGLE DX	186	14.7	53	3	8	14	18	24	26	51
2. MULTIPLE DX	996	19.0	172	5	8	16	23	35	47	86
A. NOT OPERATED	164	11.4	166	2	2	7	14	23	38	71
B. OPERATED	1018	19.5	145	9	10	16	23	34	46	88
TOTAL 0-19 YRS										
20-34	16	8.8	30	2	2	9	11	17	20	21
35-49	77	14.3	64	4	5	13	17	23	27	50
50-64	329	16.8	106	4	8	14	19	27	35	57
65+	760	19.6	182	5	8	16	23	36	48	97
GRAND TOTAL	**1182**	**18.3**	**155**	**4**	**8**	**15**	**22**	**33**	**45**	**83**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	11.5	153	1	1	7	15	33	37	37
65+	19	12.9	452	1	2	6	11	27	66	95
B. *Operated*										
0-19 YRS										
20-34	3	8.7	24	3	3	11	12	12	12	12
35-49	28	13.9	43	5	6	12	17	22	28	33
50-64	70	15.2	56	4	8	14	18	24	29	45
65+	91	15.5	126	2	3	14	19	32	40	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	12	6.7	44	2	2	4	8	17	24	25
50-64	56	9.0	108	1	2	6	11	17	31	61
65+	82	11.7	187	1	2	8	15	28	47	99+
B. *Operated*										
0-19 YRS										
20-34	4	16.0	27	11	11	16	20	21	21	21
35-49	37	17.2	177	2	3	13	23	34	36	69
50-64	198	19.7	133	7	10	17	24	33	44	74
65+	333	21.3	216	3	5	18	28	39	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	12.1	332	1	1	6	12	30	37	95
B. *Operated*	192	15.1	87	3	4	13	19	26	33	49
2. MULTIPLE DX										
A. *Not Operated*	151	10.2	147	1	2	6	13	24	36	99+
B. *Operated*	572	20.4	184	4	7	17	26	37	48	77
1. SINGLE DX	222	14.7	120	2	3	13	18	27	34	51
2. MULTIPLE DX	723	18.3	193	2	4	15	24	35	46	81
A. NOT OPERATED	181	10.5	176	1	2	6	13	25	36	99+
B. OPERATED	764	19.1	165	3	5	16	24	35	44	72
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	12.9	37	3	5	12	18	21	21	21
35-49	78	14.2	119	2	3	12	20	28	34	60
50-64	334	16.7	129	3	5	15	21	30	37	65
65+	525	18.5	218	2	4	16	25	37	48	96
GRAND TOTAL	**945**	**17.4**	**178**	**2**	**4**	**15**	**22**	**34**	**43**	**78**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	4.0	12	2	2	3	5	10	10	10
65+	12	9.1	34	1	2	8	16	35	88	99+
B. *Operated*										
0-19 YRS										
20-34	4	8.3	21	3	3	8	12	13	13	13
35-49	7	9.1	27	4	4	8	14	16	16	16
50-64	12	10.8	58	<1	2	9	18	21	23	23
65+	5	16.2	54	10	10	13	23	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.0	11	<1	1	3	5	7	12	15
20-34	3	11.0	100	<1	<1	11	18	21	21	21
35-49	7	16.9	235	2	2	9	32	35	36	36
50-64	27	7.5	38	1	1	7	10	18	20	22
65+	35	12.9	145	1	2	8	19	33	38	42
B. *Operated*										
0-19 YRS	6	17.5	522	<1	<1	8	21	58	62	62
20-34	3	19.3	66	10	10	23	24	25	25	25
35-49	11	22.3	309	2	6	18	30	50	63	64
50-64	36	24.2	328	4	6	22	34	39	58	94
65+	60	26.1	275	9	10	19	35	47	66	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.2	32	1	1	6	11	18	63	99+
B. *Operated*	28	11.0	47	2	3	10	16	21	23	26
2. MULTIPLE DX										
A. *Not Operated*	89	9.8	104	1	1	6	14	25	33	41
B. *Operated*	116	24.5	297	5	9	19	34	42	65	85
1. SINGLE DX	46	9.5	44	1	2	8	15	20	23	99+
2. MULTIPLE DX	205	18.1	265	1	2	14	25	39	46	73
A. NOT OPERATED	107	9.4	92	1	1	6	13	23	33	66
B. OPERATED	144	21.9	276	4	6	18	31	41	63	81
TOTAL 0-19 YRS	23	7.5	164	<1	1	4	6	16	35	62
20-34	10	12.4	68	<1	1	11	21	24	25	25
35-49	26	16.5	226	2	2	12	20	36	46	64
50-64	80	15.3	235	1	2	10	22	34	39	85
65+	112	19.7	245	2	3	16	27	40	52	87
GRAND TOTAL	**251**	**16.6**	**235**	**1**	**2**	**12**	**23**	**36**	**42**	**80**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	7.4	94	1	1	4	14	65	99+	99+
65+	10	12.9	168	2	2	8	18	33	43	43
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	11	19.3	78	9	10	18	27	33	35	35
65+	13	21.0	113	4	8	21	26	34	43	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	5.8	60	1	1	3	7	16	26	28
50-64	32	14.2	350	2	4	8	12	27	76	81
65+	54	11.5	243	1	1	7	13	27	41	92
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	15	29.0	608	5	9	21	42	70	83	87
50-64	84	23.5	185	3	8	21	33	45	52	86
65+	103	25.7	238	10	12	21	31	45	57	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	10.3	134	1	1	5	17	37	71	99+
B. *Operated*	25	19.6	100	4	9	19	25	31	37	45
2. MULTIPLE DX										
A. *Not Operated*	98	11.7	258	1	1	7	12	27	41	88
B. *Operated*	203	25.0	241	7	10	21	31	46	56	95
1. SINGLE DX	44	15.6	133	2	3	15	23	31	43	99+
2. MULTIPLE DX	301	20.7	285	2	3	18	27	43	55	93
A. NOT OPERATED	117	11.5	237	1	1	7	13	28	42	96
B. OPERATED	228	24.4	228	7	10	21	31	45	56	94
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	28	18.2	480	1	1	10	23	53	72	87
50-64	136	19.9	231	2	4	17	28	41	53	99+
65+	180	20.4	267	2	3	18	27	42	51	93
GRAND TOTAL	**345**	**20.0**	**268**	**2**	**3**	**17**	**27**	**42**	**53**	**94**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	24	7.8	88	1	1	4	9	24	30	33
50-64	96	7.6	82	1	2	4	11	17	23	50
65+	99	10.9	123	1	1	8	14	22	35	56
B. *Operated*										
0-19 YRS										
20-34	3	9.3		9	9	9	10	10	10	10
35-49	25	13.6	139	2	2	10	17	32	43	49
50-64	167	13.3	67	2	3	11	19	25	29	39
65+	170	15.0	194	2	3	11	19	29	37	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	2.2	11	1	1	1	1	7	12	12
35-49	59	6.8	43	2	2	3	10	17	22	26
50-64	326	9.9	128	1	2	6	14	22	32	70
65+	383	12.4	194	2	2	8	16	25	42	86
B. *Operated*										
0-19 YRS										
20-34	8	10.4	63	3	3	9	12	23	28	28
35-49	70	16.7	139	1	3	14	22	34	44	49
50-64	513	18.1	167	3	5	15	24	36	44	69
65+	555	20.1	199	3	6	17	25	37	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	9.1	102	1	2	6	12	20	30	54
B. *Operated*	365	14.0	131	2	3	11	19	27	33	68
2. MULTIPLE DX										
A. *Not Operated*	779	10.8	156	1	2	7	14	23	33	84
B. *Operated*	1146	18.9	181	3	5	16	24	36	44	72
1. SINGLE DX	585	12.2	125	2	2	10	16	26	32	59
2. MULTIPLE DX	1925	15.6	187	2	2	13	21	32	44	77
A. NOT OPERATED	999	10.4	144	1	2	7	14	22	33	75
B. OPERATED	1511	17.7	173	3	4	15	23	34	44	72
TOTAL 0-19 YRS										
20-34	23	6.2	41	1	1	4	10	12	18	28
35-49	178	11.8	119	1	2	9	17	27	35	48
50-64	1102	14.0	149	2	2	11	19	29	39	65
65+	1207	16.2	204	2	3	13	21	32	44	82
GRAND TOTAL	**2510**	**14.8**	**175**	**2**	**2**	**12**	**20**	**31**	**41**	**72**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	21.5	613	4	4	21	39	39	39	39
50-64	8	12.3	77	2	2	12	21	22	22	22
65+	7	8.7	78	2	2	5	14	23	25	25
B. *Operated*										
0-19 YRS										
20-34	4	12.5	171	2	2	9	22	30	30	30
35-49	10	8.3	101	1	1	3	10	26	31	31
50-64	50	7.3	62	2	2	4	9	20	24	36
65+	48	8.7	128	1	2	4	12	22	30	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.6	4	1	1	2	4	6	6	6
35-49	5	4.0	6	1	1	5	6	6	6	6
50-64	18	8.6	77	1	2	5	12	16	29	38
65+	23	12.5	288	1	2	7	18	47	80	99+
B. *Operated*										
0-19 YRS										
20-34	3	12.3	37	7	7	11	17	19	19	19
35-49	19	12.7	284	<1	<1	4	19	41	55	59
50-64	72	17.5	227	2	2	16	24	33	44	76
65+	71	16.5	241	2	2	14	24	38	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	11.3	116	2	2	6	21	24	33	39
B. *Operated*	112	8.2	96	1	2	4	11	22	29	45
2. MULTIPLE DX										
A. *Not Operated*	54	8.9	159	1	1	4	11	24	42	99
B. *Operated*	165	16.4	235	1	2	14	23	34	45	77
1. SINGLE DX	130	8.6	99	2	2	4	12	22	29	43
2. MULTIPLE DX	219	14.6	226	1	2	11	22	32	45	79
A. NOT OPERATED	72	9.5	148	1	2	5	13	24	39	94
B. OPERATED	277	13.1	195	1	2	8	20	29	38	69
TOTAL 0-19 YRS										
20-34	16	6.9	67	1	1	3	9	19	27	30
35-49	36	10.8	207	<1	1	4	11	31	47	59
50-64	148	12.7	166	2	2	8	19	27	36	65
65+	149	13.0	214	1	2	8	19	30	44	79
GRAND TOTAL	**349**	**12.4**	**187**	**1**	**2**	**7**	**19**	**29**	**39**	**72**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	2	1	1	3	4	4	4	4
20-34	11	3.8	7	2	2	3	5	8	11	11
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	5.1	18	2	2	5	6	12	14	14
65+	4	9.5	28	2	2	11	13	14	14	14
B. *Operated*										
0-19 YRS	11	15.1	244	2	3	11	17	35	57	59
20-34	13	9.6	60	1	2	8	13	24	24	24
35-49	22	13.4	181	1	2	8	18	32	44	53
50-64	22	16.4	303	1	2	11	19	46	61	66
65+	21	10.2	55	1	2	9	14	21	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.4	278	<1	1	2	4	38	51	58
20-34	21	4.0	32	<1	<1	2	4	9	19	25
35-49	6	16.3	469	1	1	8	21	54	58	58
50-64	26	10.6	324	2	3	4	9	24	52	87
65+	17	6.2	50	1	2	4	8	13	24	30
B. *Operated*										
0-19 YRS	9	10.2	59	1	2	7	18	21	22	22
20-34	17	15.1	118	2	3	12	24	29	37	41
35-49	13	26.2	683	3	4	13	39	76	78	78
50-64	30	18.7	300	2	3	14	26	44	62	69
65+	30	23.1	398	5	6	16	28	57	68	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.3	13	1	1	3	5	11	13	14
B. *Operated*	89	13.0	171	1	2	9	17	26	43	63
2. MULTIPLE DX										
A. *Not Operated*	88	8.3	203	1	1	3	7	24	40	76
B. *Operated*	99	19.6	336	2	4	14	27	43	65	79
1. SINGLE DX	123	10.6	142	1	2	7	13	24	33	61
2. MULTIPLE DX	187	14.3	304	1	2	7	20	39	58	79
A. NOT OPERATED	122	7.2	153	1	1	3	6	14	32	66
B. OPERATED	188	16.5	267	2	3	11	21	39	57	77
TOTAL 0-19 YRS	48	9.5	180	1	1	4	10	21	42	59
20-34	62	8.2	78	1	1	4	12	24	27	40
35-49	43	17.1	385	1	2	8	25	43	64	78
50-64	85	14.5	297	2	2	8	19	42	58	81
65+	72	14.6	245	2	2	10	18	31	52	77
GRAND TOTAL	**310**	**12.8**	**242**	**1**	**2**	**7**	**16**	**30**	**45**	**76**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	5.3	15	1	1	4	8	11	14	14
35-49	18	7.7	88	<1	1	4	9	18	31	39
50-64	22	7.0	30	<1	<1	6	11	15	18	19
65+	13	8.2	37	2	3	6	13	15	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	7.4	10	4	4	7	9	12	14	15
35-49	13	6.7	13	<1	2	7	9	12	14	14
50-64	10	6.7	27	1	1	7	9	14	18	18
65+	8	7.3	32	1	2	5	11	16	18	18
B. *Operated*										
0-19 YRS										
20-34	7	8.3	18	2	3	8	10	15	16	16
35-49	10	17.1	318	3	3	8	27	47	56	56
50-64	21	16.0	105	2	2	17	22	30	33	35
65+	20	17.8	322	2	3	12	22	45	61	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*	65	7.1	44	<1	1	5	10	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	47	7.0	17	1	2	7	9	12	15	18
B. *Operated*	58	15.9	205	2	3	11	21	35	48	66
1. SINGLE DX	68	7.1	42	<1	1	5	10	14	18	36
2. MULTIPLE DX	105	11.9	139	2	3	8	16	27	35	61
A. NOT OPERATED	50	7.0	16	1	2	7	9	12	15	18
B. OPERATED	123	11.2	138	1	2	7	15	27	36	59
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	34	6.9	14	2	2	6	9	12	15	16
35-49	43	9.4	126	1	2	5	10	20	38	56
50-64	53	10.5	77	<1	1	8	17	22	29	35
65+	42	12.6	191	2	3	8	14	29	44	67
GRAND TOTAL	**173**	**10.0**	**106**	**1**	**2**	**7**	**13**	**20**	**32**	**56**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	6.0	19	3	3	4	9	11	11	11
65+	7	5.0	12	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	22	3.9	14	1	1	3	4	11	14	14
50-64	30	3.9	11	1	2	3	5	7	8	18
65+	83	4.9	20	1	1	3	7	13	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	16	8.9	34	2	4	8	11	19	20	21
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	12	7.5	76	<1	1	5	8	22	29	30
50-64	50	5.3	38	<1	1	3	7	11	12	41
65+	176	8.8	124	1	2	4	10	20	38	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.3	12	1	1	4	8	10	11	11
B. *Operated*	140	4.5	17	1	1	3	6	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	20	8.0	33	1	2	7	10	18	20	21
B. *Operated*	241	7.9	104	1	1	4	9	17	31	51
1. SINGLE DX	150	4.6	16	1	1	3	6	11	14	18
2. MULTIPLE DX	261	7.9	99	1	1	4	9	17	30	51
A. NOT OPERATED	30	7.1	27	1	1	7	9	15	19	21
B. OPERATED	381	6.7	75	1	1	3	8	15	20	49
TOTAL 0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	7	3.4	9	<1	<1	2	5	8	9	9
35-49	35	5.1	37	1	1	3	6	14	18	30
50-64	85	4.9	27	<1	2	3	6	9	12	33
65+	282	7.5	88	1	1	4	9	17	24	50
GRAND TOTAL	**411**	**6.7**	**71**	**1**	**1**	**3**	**8**	**15**	**20**	**49**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	6.2	33	2	2	4	7	14	21	23
50-64	10	6.6	50	<1	<1	4	7	19	23	23
65+	7	9.1	49	2	2	5	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34	34	6.1	13	2	2	6	8	10	11	18
35-49	154	7.4	14	2	2	7	9	12	14	17
50-64	255	7.7	13	2	2	8	9	12	15	18
65+	220	8.6	22	2	2	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.9	26	1	2	5	10	15	17	18
35-49	65	8.7	41	2	2	7	13	18	20	29
50-64	100	10.2	104	1	1	8	14	22	29	80
65+	107	13.0	137	2	3	10	16	30	37	58
B. *Operated*										
0-19 YRS										
20-34	31	8.7	35	2	3	7	12	16	18	29
35-49	202	9.5	50	2	4	8	10	14	21	40
50-64	397	10.6	52	2	4	9	12	17	24	48
65+	498	11.8	85	3	4	10	13	20	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	7.0	41	<1	1	5	9	18	23	23
B. *Operated*	663	7.8	17	2	2	8	10	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	287	10.7	101	1	2	8	14	21	31	60
B. *Operated*	1128	10.9	67	3	4	9	12	18	25	49
1. SINGLE DX	693	7.8	18	2	2	8	10	13	16	22
2. MULTIPLE DX	1415	10.8	74	2	3	9	13	19	26	50
A. NOT OPERATED	317	10.4	96	1	2	8	14	21	30	60
B. OPERATED	1791	9.7	50	2	3	9	11	16	21	43
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	79	7.3	25	2	2	6	10	14	17	26
35-49	434	8.5	36	2	2	8	10	14	18	34
50-64	762	9.5	48	2	3	8	11	16	20	47
65+	832	11.1	77	2	4	9	13	20	26	50
GRAND TOTAL	**2108**	**9.8**	**57**	**2**	**3**	**8**	**12**	**17**	**22**	**45**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.3	4	1	1	3	4	6	8	8
35-49	18	4.2	14	1	1	3	4	9	14	16
50-64	7	4.7	22	1	1	3	5	13	15	15
65+	8	8.4	25	2	2	9	12	15	16	16
B. *Operated*										
0-19 YRS										
20-34	58	6.7	56	<1	1	5	8	15	18	39
35-49	61	6.9	72	1	1	4	9	14	21	47
50-64	28	8.0	94	1	2	5	9	16	31	47
65+	29	10.8	142	1	2	6	16	22	46	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	8.5	68	<1	<1	4	14	21	24	25
35-49	29	8.5	154	1	2	4	9	17	39	61
50-64	5	4.0	5	<1	<1	4	6	6	6	6
65+	34	9.3	154	<1	2	4	10	26	45	50
B. *Operated*										
0-19 YRS										
20-34	57	10.5	92	1	2	8	14	19	33	46
35-49	80	10.8	119	1	2	7	15	26	35	49
50-64	63	14.1	191	2	2	10	17	40	44	51
65+	51	17.8	300	2	3	11	29	43	48	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.9	17	1	1	3	6	11	15	16
B. *Operated*	176	7.6	82	1	1	5	9	17	23	48
2. MULTIPLE DX										
A. *Not Operated*	82	8.5	129	<1	1	4	9	19	37	57
B. *Operated*	251	13.0	174	2	2	8	17	35	44	51
1. SINGLE DX	219	7.1	70	1	1	4	9	16	20	47
2. MULTIPLE DX	333	11.9	166	1	2	7	15	32	42	52
A. NOT OPERATED	125	7.2	93	1	1	4	8	16	25	53
B. OPERATED	427	10.8	143	1	2	7	14	29	40	49
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	138	8.2	72	1	1	6	10	18	23	45
35-49	188	8.6	103	1	1	4	10	20	30	49
50-64	103	11.3	156	1	2	7	14	33	41	49
65+	122	13.2	217	2	2	7	17	36	47	62
GRAND TOTAL	**552**	**10.0**	**133**	**1**	**2**	**6**	**12**	**24**	**38**	**50**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	9	3.6	11	2	2	2	3	9	12	12
65+	7	5.1	13	2	2	3	7	11	12	12
B. *Operated*										
0-19 YRS										
20-34	3	8.3	9	5	5	9	10	11	11	11
35-49	24	6.7	23	1	2	6	11	14	15	16
50-64	72	5.9	21	<1	1	5	8	11	16	22
65+	77	7.8	76	1	1	7	9	14	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	15	9.5	92	<1	1	7	11	26	30	31
65+	21	17.6	418	2	3	10	29	67	86	99+
B. *Operated*										
0-19 YRS										
20-34	5	8.0	58	1	1	8	12	20	20	20
35-49	24	10.3	31	1	2	10	15	18	19	20
50-64	134	10.2	69	1	1	8	12	20	25	44
65+	166	12.4	104	2	3	10	16	25	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.9	10	1	2	3	4	10	12	12
B. *Operated*	176	6.9	46	1	1	6	9	14	17	39
2. MULTIPLE DX										
A. *Not Operated*	38	13.9	279	1	1	8	20	38	70	99+
B. *Operated*	329	11.3	85	1	2	9	15	22	27	48
1. SINGLE DX	195	6.6	43	1	1	5	8	14	16	38
2. MULTIPLE DX	367	11.6	105	1	2	9	15	23	30	69
A. NOT OPERATED	57	10.6	210	1	2	5	12	30	54	98
B. OPERATED	505	9.8	75	1	2	8	12	19	25	44
TOTAL 0-19 YRS										
20-34	8	8.1	36	1	1	8	10	17	20	20
35-49	53	8.2	30	1	2	7	12	16	18	20
50-64	230	8.6	57	1	1	7	11	17	23	33
65+	271	11.3	125	1	2	9	14	25	39	75
GRAND TOTAL	**562**	**9.8**	**89**	**1**	**2**	**8**	**12**	**20**	**27**	**61**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	6.0	19	2	2	6	8	13	13	13
50-64	18	5.2	38	<1	<1	2	8	16	20	21
65+	6	3.7	8	1	1	3	5	8	8	8
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	7	11.0	34	5	5	9	16	20	20	20
35-49	9	8.7	9	4	4	9	10	12	13	13
50-64	10	8.3	2	6	6	8	10	10	10	10
65+	5	10.0	9	7	7	9	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	4.7	16	2	2	3	7	10	13	14
35-49	22	4.7	22	<1	1	3	7	11	16	18
50-64	68	4.8	38	<1	1	3	5	11	17	34
65+	41	11.0	196	1	1	6	13	30	36	73
B. *Operated*										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	13	11.9	80	6	6	10	14	19	36	40
35-49	55	12.9	70	6	7	10	16	27	31	46
50-64	96	15.7	77	7	7	14	19	28	40	76
65+	76	18.9	164	6	7	15	24	37	42	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.0	27	<1	1	3	6	12	18	21
B. *Operated*	33	9.3	13	4	5	9	10	14	17	20
2. MULTIPLE DX										
A. *Not Operated*	144	6.5	85	<1	1	3	8	16	24	38
B. *Operated*	243	15.8	107	6	7	14	19	29	40	89
1. SINGLE DX	63	7.3	24	1	1	7	10	13	18	21
2. MULTIPLE DX	387	12.3	119	1	2	10	16	27	36	64
A. NOT OPERATED	174	6.3	75	<1	1	3	8	15	22	36
B. OPERATED	276	15.0	100	6	7	12	19	29	39	77
TOTAL 0-19 YRS	6	7.3	14	4	4	7	8	13	14	14
20-34	33	8.9	53	2	2	7	11	15	20	40
35-49	91	10.1	62	1	2	9	12	19	27	41
50-64	192	10.5	83	1	1	8	16	21	30	46
65+	128	15.3	180	1	2	11	22	34	40	91
GRAND TOTAL	**450**	**11.6**	**108**	**1**	**2**	**9**	**16**	**24**	**33**	**49**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+	9	16.8	171	2	2	12	23	37	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	4.5	2	3	3	4	5	6	6	6
65+	5	5.8	7	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	2	23.0	512	7	7	23	39	39	39	39
50-64	14	18.6	201	2	3	16	33	38	39	40
65+	27	18.6	258	3	3	12	26	44	54	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.9	2	1	1	2	4	5	5	5
B. *Operated*	16	10.7	144	<1	1	6	17	26	38	43
2. MULTIPLE DX										
A. *Not Operated*	11	4.8	4	3	3	4	6	8	9	9
B. *Operated*	45	18.3	230	3	3	12	27	39	48	61
1. SINGLE DX	23	8.3	112	<1	1	3	11	23	33	43
2. MULTIPLE DX	56	15.6	214	3	3	9	25	38	44	61
A. NOT OPERATED	18	4.1	4	1	2	4	5	7	9	9
B. OPERATED	61	16.3	216	2	2	11	25	38	44	60
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.8	7	2	2	4	6	9	9	9
35-49	6	8.8	223	1	1	2	7	36	39	39
50-64	22	13.2	179	1	2	6	25	37	38	40
65+	44	15.8	215	2	3	10	22	38	48	61
GRAND TOTAL	**79**	**13.5**	**194**	**2**	**2**	**7**	**21**	**37**	**42**	**59**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	9	14.8	98	3	4	13	20	30	34	34
65+	34	9.3	118	2	2	7	10	16	25	62
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	30.0		30	30	30	30	30	30	30
50-64	75	8.5	31	1	2	8	11	16	18	27
65+	320	8.9	40	2	2	8	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	56	10.4	134	1	2	7	15	19	33	68
65+	295	12.2	173	2	3	8	15	27	42	96
B. *Operated*										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	3	13.0	151	4	4	8	22	27	27	27
50-64	175	13.4	111	3	4	10	16	28	39	61
65+	878	13.5	118	3	4	10	17	26	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	10.3	115	2	2	7	12	23	28	62
B. *Operated*	396	8.8	39	2	2	8	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	351	11.9	167	2	2	8	15	25	41	93
B. *Operated*	1057	13.5	117	3	4	10	17	27	35	64
1. SINGLE DX	440	9.0	46	2	2	8	11	16	21	31
2. MULTIPLE DX	1408	13.1	130	2	3	10	16	27	37	69
A. NOT OPERATED	395	11.7	161	2	2	8	15	25	40	88
B. OPERATED	1453	12.2	100	2	3	10	15	24	31	57
TOTAL 0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	5	14.4	170	3	3	8	28	30	30	30
50-64	315	11.7	100	2	3	9	15	25	35	57
65+	1527	12.2	115	2	3	9	15	24	33	64
GRAND TOTAL	**1848**	**12.1**	**113**	**2**	**3**	**9**	**15**	**24**	**33**	**64**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.8	31	2	2	5	8	16	19	19
20-34	32	9.7	34	3	4	8	13	18	20	27
35-49	16	5.8	23	2	2	4	7	11	18	21
50-64	5	6.8	9	2	2	8	9	10	10	10
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	<1	<1	3	4	4	4	4
20-34	33	4.1	4	1	2	4	5	6	7	10
35-49	10	6.8	76	1	1	4	6	19	31	31
50-64	6	2.0	1	1	1	2	2	4	4	4
65+										
B. *Operated*										
0-19 YRS	2	11.5	113	4	4	11	19	19	19	19
20-34	25	18.0	259	3	5	15	20	42	63	63
35-49	7	18.0	276	3	3	13	27	45	49	49
50-64	6	8.3	22	3	3	8	10	15	16	16
65+	7	25.1	713	7	8	14	24	72	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.5	15	1	1	5	8	10	10	10
B. *Operated*	62	8.0	30	2	3	6	10	17	20	26
2. MULTIPLE DX										
A. *Not Operated*	54	4.3	17	1	1	4	5	6	8	30
B. *Operated*	47	17.6	290	3	4	13	21	39	63	84
1. SINGLE DX	66	7.9	30	2	2	6	10	17	19	26
2. MULTIPLE DX	101	10.4	187	1	2	5	12	23	36	73
A. NOT OPERATED	58	4.3	17	1	1	4	5	7	9	29
B. OPERATED	109	12.1	163	2	3	8	15	22	30	72
TOTAL 0-19 YRS	16	5.9	30	1	2	4	6	18	19	19
20-34	92	9.8	112	2	2	6	12	19	27	63
35-49	34	8.7	105	2	2	5	9	22	31	49
50-64	17	5.6	18	1	1	4	8	10	14	16
65+	8	23.1	644	7	8	14	23	66	84	84
GRAND TOTAL	**167**	**9.4**	**126**	**2**	**2**	**5**	**11**	**20**	**27**	**63**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	12	11.4	154	1	1	7	17	29	42	44
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.9	6	<1	1	4	5	8	9	9
35-49	48	5.8	33	2	2	4	7	11	16	32
50-64	162	5.0	28	1	2	3	5	9	14	33
65+	407	5.8	39	1	2	4	7	11	17	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.4	9	2	2	3	7	9	9	9
50-64	14	7.2	59	1	2	3	13	18	24	26
65+	55	10.6	191	1	2	7	13	22	30	71
B. *Operated*										
0-19 YRS										
20-34	4	9.3	73	4	4	5	14	22	22	22
35-49	22	7.9	54	2	3	5	8	16	26	33
50-64	212	7.9	77	2	2	5	8	19	27	45
65+	687	10.2	131	2	2	7	12	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	10.1	142	1	1	5	14	24	40	44
B. *Operated*	629	5.5	35	1	2	4	6	10	17	34
2. MULTIPLE DX										
A. *Not Operated*	74	9.6	156	1	2	5	13	21	28	71
B. *Operated*	925	9.6	118	2	2	6	11	22	32	63
1. SINGLE DX	643	5.6	38	1	2	4	6	10	17	34
2. MULTIPLE DX	999	9.6	120	2	2	6	11	22	32	64
A. NOT OPERATED	88	9.6	152	1	2	5	13	22	29	70
B. OPERATED	1554	8.0	88	2	2	5	9	18	27	48
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	5.3	26	<1	2	4	6	9	19	22
35-49	75	6.3	38	2	2	4	8	13	20	33
50-64	390	6.7	57	1	2	4	7	14	23	38
65+	1161	8.7	106	2	2	5	10	20	30	56
GRAND TOTAL	**1642**	**8.1**	**92**	**1**	**2**	**5**	**9**	**18**	**27**	**49**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	16.0	200	6	6	16	26	26	26	26
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	18.0		18	18	18	18	18	18	18
35-49	13	13.9	48	1	3	14	19	24	24	24
50-64	30	15.9	55	6	7	16	19	23	30	40
65+	34	14.5	78	2	4	13	17	26	35	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	8	11.3	113	<1	1	8	17	29	32	32
50-64	22	8.9	73	2	2	6	14	22	27	35
65+	50	9.9	128	1	1	6	12	24	43	49
B. *Operated*										
0-19 YRS	8	12.4	47	4	4	11	17	22	23	23
20-34	4	16.3	68	10	10	13	22	28	28	28
35-49	31	16.1	74	6	8	14	19	28	37	41
50-64	70	18.5	81	5	8	17	25	32	35	38
65+	106	20.7	186	1	3	18	28	37	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	16.0	200	6	6	16	26	26	26	26
B. *Operated*	79	14.9	63	3	5	14	19	24	30	40
2. MULTIPLE DX										
A. *Not Operated*	84	9.5	107	1	1	6	12	22	33	47
B. *Operated*	219	19.0	132	2	7	16	25	34	38	62
1. SINGLE DX	81	14.9	64	3	5	14	19	24	29	40
2. MULTIPLE DX	303	16.3	143	1	2	14	23	33	38	59
A. NOT OPERATED	86	9.6	107	1	1	6	13	22	33	47
B. OPERATED	298	17.9	117	2	6	16	23	33	38	59
TOTAL 0-19 YRS	11	10.0	51	1	3	9	14	22	23	23
20-34	7	12.7	80	<1	1	11	17	26	28	28
35-49	52	14.8	74	2	4	14	19	25	32	41
50-64	122	16.1	85	2	5	15	22	30	34	39
65+	192	16.8	172	1	2	13	24	34	41	62
GRAND TOTAL	**384**	**16.0**	**127**	**2**	**3**	**14**	**22**	**32**	**37**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	6.6	37	2	2	4	9	17	17	17
65+	7	18.4	474	2	2	7	40	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.0	10	<1	<1	5	7	8	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	6.7	10	3	3	8	9	9	9	9
65+	4	7.0	28	2	2	6	11	14	14	14
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	24.0		24	24	24	24	24	24	24
50-64	4	13.5	99	5	5	11	21	26	26	26
65+	9	13.4	142	3	4	9	20	32	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.5	11	1	1	6	8	8	8	8
B. *Operated*	16	11.8	236	2	2	7	10	46	50	50
2. MULTIPLE DX										
A. *Not Operated*	12	5.8	15	<1	<1	6	8	10	13	14
B. *Operated*	15	13.5	118	3	3	9	21	26	36	40
1. SINGLE DX	20	10.6	195	1	2	7	8	33	50	50
2. MULTIPLE DX	27	10.0	85	<1	2	7	13	23	28	40
A. NOT OPERATED	16	5.7	13	<1	<1	6	8	9	12	14
B. OPERATED	31	12.6	174	2	3	7	17	32	49	50
TOTAL 0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	7	5.4	8	<1	1	7	8	8	8	8
35-49	3	11.0	139	<1	<1	8	20	24	24	24
50-64	13	8.6	51	2	3	6	11	19	25	26
65+	21	13.6	221	2	3	8	15	44	50	50
GRAND TOTAL	**47**	**10.3**	**129**	**1**	**2**	**7**	**11**	**23**	**41**	**50**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.3	118	1	1	3	7	27	33	33
20-34	14	9.9	102	1	2	6	11	30	32	32
35-49	9	10.0	77	2	2	7	14	25	29	29
50-64	15	9.3	83	1	3	7	11	17	33	38
65+	12	15.2	365	2	3	8	16	45	65	68
B. *Operated*										
0-19 YRS	8	20.0	305	2	4	14	30	49	51	51
20-34	12	20.3	213	9	10	15	23	40	59	62
35-49	22	20.5	280	4	7	18	28	61	81	99+
50-64	21	19.9	314	2	5	15	19	46	64	74
65+	15	24.2	147	5	8	23	34	37	47	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.0	62	1	1	6	11	22	23	23
20-34	13	9.5	123	<1	1	6	11	19	39	44
35-49	9	12.8	151	1	1	8	28	68	99+	99+
50-64	18	11.4	110	1	2	10	22	70	99+	99+
65+	14	20.4	703	2	2	10	22	56	86	95
B. *Operated*										
0-19 YRS	15	24.9	140	5	14	23	29	39	50	54
20-34	13	21.2	229	1	3	16	32	45	49	50
35-49	21	28.0	329	8	8	20	44	55	57	59
50-64	26	29.4	344	9	9	23	42	60	66	72
65+	19	40.4	318	14	16	44	54	64	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	10.4	145	1	2	6	13	30	34	65
B. *Operated*	78	21.0	245	3	7	16	27	47	61	92
2. MULTIPLE DX										
A. *Not Operated*	65	12.6	243	1	1	8	16	43	95	99+
B. *Operated*	94	29.4	313	8	11	24	44	55	63	70
1. SINGLE DX	137	16.4	228	1	3	13	20	35	54	77
2. MULTIPLE DX	159	22.5	352	2	3	17	36	54	64	99+
A. NOT OPERATED	124	11.5	196	1	2	7	14	33	46	99+
B. OPERATED	172	25.6	299	6	8	20	36	54	62	74
TOTAL 0-19 YRS	43	16.0	199	1	1	14	23	37	46	54
20-34	52	15.0	186	1	2	11	18	33	44	62
35-49	61	20.4	283	2	5	16	30	55	63	99+
50-64	80	19.1	294	2	3	14	24	52	67	99+
65+	60	26.6	453	2	3	21	42	56	66	92
GRAND TOTAL	**296**	**19.7**	**303**	**2**	**3**	**15**	**28**	**51**	**60**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*										
0-19 YRS	3	15.3	4	13	13	16	17	17	17	17
20-34										
35-49	2	10.0	162	<1	<1	9	19	19	19	19
50-64	4	32.3	918	10	10	21	49	77	77	77
65+	2	15.0	128	7	7	15	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+	4	23.0	615	2	2	17	42	56	56	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	6	23.8	621	1	1	14	50	59	60	60
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.5	14	3	3	4	5	12	13	13
B. *Operated*	11	20.5	396	<1	4	17	21	45	74	77
2. MULTIPLE DX										
A. *Not Operated*	5	20.0	506	2	2	8	35	56	56	56
B. *Operated*	9	18.2	462	1	2	11	24	56	60	60
1. SINGLE DX	17	15.2	307	1	3	13	19	23	58	77
2. MULTIPLE DX	14	18.9	441	1	2	9	28	56	59	60
A. NOT OPERATED	11	12.1	267	2	2	5	12	39	55	56
B. OPERATED	20	19.5	404	<1	2	14	21	55	68	77
TOTAL 0-19 YRS	4	13.5	16	8	8	14	16	17	17	17
20-34										
35-49	4	7.5	63	<1	<1	5	12	19	19	19
50-64	14	20.6	579	1	3	11	22	62	74	77
65+	9	16.6	296	2	2	11	24	45	56	56
GRAND TOTAL	**31**	**16.8**	**358**	**1**	**2**	**11**	**20**	**52**	**60**	**77**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	9	4	4	7	10	11	11	11
20-34	15	6.6	11	<1	2	7	7	12	13	14
35-49	11	7.1	6	3	4	7	9	10	11	11
50-64	7	10.4	91	1	2	8	10	27	31	31
65+	9	5.8	12	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	31	6.0	12	3	3	5	7	12	13	17
35-49	22	6.0	6	3	3	5	7	9	11	14
50-64	18	6.9	38	3	4	5	6	11	23	30
65+	8	13.9	249	4	4	9	14	41	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	19	7.6	6	2	5	7	10	10	11	11
35-49	24	7.3	25	1	2	7	9	12	18	23
50-64	16	10.7	137	3	3	8	10	17	41	52
65+	23	11.9	153	1	2	8	12	39	42	43
B. *Operated*										
0-19 YRS	6	11.7	59	4	4	11	18	22	22	22
20-34	20	8.0	62	3	3	5	7	21	28	33
35-49	30	6.9	11	4	4	6	7	11	13	19
50-64	19	8.7	36	3	4	6	12	19	23	24
65+	20	15.4	455	1	3	7	15	46	75	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	7.2	21	2	2	7	9	11	12	31
B. *Operated*	82	6.9	41	3	3	5	7	12	15	44
2. MULTIPLE DX										
A. *Not Operated*	86	9.0	78	1	2	7	10	15	26	49
B. *Operated*	95	9.6	128	3	4	6	10	18	24	76
1. SINGLE DX	129	7.0	34	2	3	6	7	11	14	35
2. MULTIPLE DX	181	9.3	104	2	3	7	10	17	24	63
A. NOT OPERATED	133	8.4	58	1	2	7	10	12	20	45
B. OPERATED	177	8.3	89	3	4	6	8	15	22	63
TOTAL 0-19 YRS	18	7.6	32	1	2	6	10	17	20	22
20-34	85	6.9	22	2	3	6	7	12	15	30
35-49	87	6.8	13	3	3	7	8	11	13	22
50-64	60	8.9	68	3	4	7	9	16	27	50
65+	60	12.4	245	2	2	7	12	32	47	81
GRAND TOTAL	**310**	**8.4**	**76**	**2**	**3**	**7**	**9**	**14**	**22**	**51**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	9	5.7	43	<1	<1	3	9	16	21	21
50-64	29	9.6	157	1	1	4	12	26	41	54
65+	61	11.3	128	2	2	7	15	26	35	96
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	7.6	68	1	1	3	14	21	22	22
35-49	9	5.3	46	1	1	2	6	17	21	21
50-64	18	9.7	96	2	2	8	11	18	34	43
65+	43	10.6	116	1	2	6	16	25	31	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	52	8.1	69	1	2	5	10	16	30	39
35-49	168	9.6	101	1	2	7	13	22	29	93
50-64	429	11.0	110	2	3	8	15	24	33	67
65+	531	13.2	138	2	3	10	18	28	38	90
B. *Operated*										
0-19 YRS	5	14.0	152	2	2	11	20	34	34	34
20-34	74	13.8	202	2	3	9	17	31	39	74
35-49	186	13.5	166	2	3	10	17	27	40	83
50-64	469	14.9	142	2	3	12	20	30	43	62
65+	566	17.4	235	2	3	14	23	37	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	10.1	126	1	2	6	13	26	32	81
B. *Operated*	78	9.5	98	1	2	6	14	22	28	48
2. MULTIPLE DX										
A. *Not Operated*	1183	11.7	121	2	2	8	16	26	35	77
B. *Operated*	1300	15.7	191	2	3	12	21	33	45	89
1. SINGLE DX	182	9.9	113	1	2	6	14	24	29	62
2. MULTIPLE DX	2483	13.8	162	2	3	10	18	30	41	88
A. NOT OPERATED	1287	11.6	122	2	2	8	16	26	35	77
B. OPERATED	1378	15.4	188	2	3	11	20	33	45	88
TOTAL 0-19 YRS	11	9.5	93	1	1	7	14	23	33	34
20-34	136	11.2	148	1	2	7	12	28	35	70
35-49	372	11.4	135	1	2	8	15	24	38	83
50-64	945	12.9	130	2	3	9	17	28	39	62
65+	1201	15.0	188	2	3	11	20	32	45	99
GRAND TOTAL	**2665**	**13.5**	**159**	**2**	**3**	**10**	**18**	**29**	**40**	**87**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.4	112	1	1	2	6	24	34	34
20-34	41	2.9	9	1	1	2	3	6	10	15
35-49	19	2.4	1	1	2	2	2	4	6	6
50-64	7	6.3	32	1	1	3	11	14	15	15
65+	5	14.8	128	2	2	11	25	29	29	29
B. *Operated*										
0-19 YRS	18	11.4	103	1	1	10	15	29	35	37
20-34	47	10.2	71	1	2	8	13	24	28	34
35-49	14	10.6	66	1	2	9	16	25	27	27
50-64	13	14.2	206	<1	1	7	26	35	42	44
65+	4	16.0	223	5	5	10	25	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	66	1	1	2	6	17	26	28
20-34	22	8.8	159	<1	<1	4	11	23	42	53
35-49	5	9.0	34	3	3	10	14	15	15	15
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	9	9.3	32	4	4	6	15	18	18	18
B. *Operated*										
0-19 YRS	9	21.0	251	1	1	22	32	42	45	45
20-34	27	15.0	91	2	3	12	22	27	29	39
35-49	16	14.4	114	1	2	14	19	31	37	39
50-64	13	18.1	124	4	6	17	24	34	40	42
65+	13	23.1	197	7	9	18	27	48	53	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.2	34	1	1	2	4	10	15	32
B. *Operated*	96	11.3	98	1	2	8	15	27	32	41
2. MULTIPLE DX										
A. *Not Operated*	51	8.0	93	<1	1	4	11	17	28	53
B. *Operated*	78	17.4	140	2	3	16	22	32	41	52
1. SINGLE DX	177	8.0	81	1	1	5	11	23	29	38
2. MULTIPLE DX	129	13.7	142	1	2	11	20	31	39	53
A. NOT OPERATED	132	5.7	60	1	1	2	6	14	19	38
B. OPERATED	174	14.0	126	1	2	11	21	31	37	47
TOTAL 0-19 YRS	49	10.8	144	1	1	5	14	31	37	45
20-34	137	8.7	88	1	1	6	12	22	27	41
35-49	54	8.7	77	1	2	5	14	20	27	39
50-64	35	13.6	145	1	2	9	21	32	40	44
65+	31	16.8	161	4	5	14	23	34	47	54
GRAND TOTAL	**306**	**10.4**	**114**	**1**	**1**	**7**	**15**	**27**	**32**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	66	1	1	3	7	22	24	25
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	31	3.1	13	<1	<1	1	4	8	14	14
65+	9	8.6	142	1	1	4	10	27	39	39
B. *Operated*										
0-19 YRS	10	9.1	76	1	1	6	10	24	26	26
20-34	6	13.0	170	2	2	7	27	31	32	32
35-49	1	8.0		8	8	8	8	8	8	8
50-64	6	9.2	55	1	1	8	12	21	22	22
65+	9	10.9	14	6	6	11	14	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.9	43	1	1	3	6	16	22	26
20-34	6	10.2	77	3	3	6	19	23	23	23
35-49	1	8.0		8	8	8	8	8	8	8
50-64	35	4.9	19	1	1	4	7	12	14	16
65+	65	11.5	106	1	2	7	16	27	34	43
B. *Operated*										
0-19 YRS	15	26.5	790	3	5	19	28	91	92	93
20-34	6	27.2	203	14	14	24	39	47	48	48
35-49	1	21.0		21	21	21	21	21	21	21
50-64	20	20.3	255	4	5	12	29	50	51	52
65+	25	18.9	226	3	3	14	25	43	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.8	48	<1	<1	2	5	14	19	38
B. *Operated*	32	10.3	65	1	2	8	13	24	27	32
2. MULTIPLE DX										
A. *Not Operated*	142	8.4	75	1	1	5	11	20	27	40
B. *Operated*	67	21.8	350	3	5	16	29	47	53	93
1. SINGLE DX	87	6.8	61	<1	1	4	10	17	25	36
2. MULTIPLE DX	209	12.7	201	1	1	8	16	30	41	73
A. NOT OPERATED	197	7.4	70	1	1	4	9	18	26	40
B. OPERATED	99	18.1	285	2	3	12	25	40	51	92
TOTAL 0-19 YRS	73	10.7	261	1	1	5	15	25	28	93
20-34	20	15.3	191	2	2	11	25	35	43	48
35-49	3	12.3	56	8	8	8	18	21	21	21
50-64	92	7.9	113	<1	1	4	10	18	29	52
65+	108	12.9	137	2	2	9	16	32	40	50

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	4	<1	<1	1	2	5	8	8
20-34										
35-49	12	7.0	38	<1	1	4	10	16	20	21
50-64	15	9.0	56	1	3	7	12	22	26	28
65+	28	5.3	23	1	1	4	7	10	17	22
B. *Operated*										
0-19 YRS	5	13.6	314	1	1	2	28	40	40	40
20-34	6	16.8	693	2	2	7	12	64	70	70
35-49	15	13.3	231	<1	2	5	28	36	43	46
50-64	5	27.2	288	1	1	37	39	40	40	40
65+	12	13.3	80	4	5	12	18	27	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	98	<1	<1	2	5	22	30	30
20-34	5	6.6	26	2	2	6	9	15	15	15
35-49	17	7.0	24	2	2	7	9	15	17	18
50-64	18	13.9	341	<1	1	8	13	49	60	64
65+	36	10.1	102	1	2	8	14	19	25	55
B. *Operated*										
0-19 YRS	7	29.4	826	1	1	26	40	77	85	85
20-34	17	34.6	300	2	6	41	49	53	81	99+
35-49	19	23.7	126	6	7	28	32	36	38	40
50-64	35	35.5	488	6	11	30	48	68	75	96
65+	33	22.8	340	4	7	19	32	54	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.8	34	<1	1	4	8	14	21	27
B. *Operated*	43	15.4	258	1	2	8	25	39	42	70
2. MULTIPLE DX										
A. *Not Operated*	84	9.7	134	1	1	7	13	18	32	61
B. *Operated*	111	29.2	394	4	7	27	41	60	75	99+
1. SINGLE DX	110	9.6	142	1	1	5	12	26	37	56
2. MULTIPLE DX	195	20.8	375	1	2	14	31	52	62	98
A. NOT OPERATED	151	8.0	93	<1	1	5	9	17	22	55
B. OPERATED	154	25.4	392	2	4	22	37	53	69	99+
TOTAL 0-19 YRS	32	10.8	339	<1	<1	2	13	33	43	85
20-34	28	25.8	446	2	2	21	47	53	71	99+
35-49	63	13.5	153	2	2	8	24	32	36	45
50-64	73	24.2	475	1	2	18	36	60	67	91
65+	109	13.0	195	1	2	8	18	30	52	87

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	31	3.6	18	1	1	2	3	10	16	17
35-49	58	3.9	43	<1	1	2	3	8	13	44
50-64	131	4.2	35	1	1	2	4	9	12	42
65+	71	7.9	111	1	1	4	9	20	29	57
B. *Operated*										
0-19 YRS	6	9.8	55	4	4	8	10	23	24	24
20-34	9	5.7	20	<1	<1	6	8	12	14	14
35-49	44	14.1	75	3	5	13	19	27	33	36
50-64	69	12.9	117	2	3	10	17	24	35	54
65+	77	14.6	140	2	3	11	19	30	42	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.2	6	<1	<1	<1	1	6	8	11
20-34	20	5.7	19	1	1	5	9	12	14	15
35-49	36	7.0	45	1	1	4	9	19	21	25
50-64	139	7.2	85	1	1	4	8	18	22	43
65+	182	10.9	85	1	2	8	15	24	35	99+
B. *Operated*										
0-19 YRS	6	17.5	222	1	2	16	21	42	44	44
20-34	17	19.5	176	2	6	16	26	38	49	54
35-49	56	17.5	331	1	2	14	24	35	71	99+
50-64	105	18.2	241	3	4	15	25	34	47	99+
65+	188	20.7	252	3	6	16	25	45	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	5.0	55	1	1	2	5	12	18	44
B. *Operated*	205	13.4	113	2	3	11	18	27	34	52
2. MULTIPLE DX										
A. *Not Operated*	420	8.2	78	<1	1	5	11	20	27	56
B. *Operated*	372	19.4	256	2	4	16	25	40	55	99+
1. SINGLE DX	499	8.4	96	1	2	4	11	20	29	47
2. MULTIPLE DX	792	13.5	193	1	2	10	19	30	42	99
A. NOT OPERATED	714	6.9	71	<1	1	3	9	18	23	46
B. OPERATED	577	17.3	213	2	3	14	22	35	49	98
TOTAL 0-19 YRS	58	4.6	54	<1	<1	1	6	11	20	42
20-34	77	7.9	90	1	1	3	11	17	26	50
35-49	194	10.7	164	1	2	6	16	25	34	94
50-64	444	9.8	141	1	2	5	13	24	33	77
65+	518	14.6	181	1	2	11	19	32	46	87
GRAND TOTAL	**1291**	**11.5**	**161**	**1**	**2**	**8**	**16**	**27**	**37**	**83**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.1	2	<1	<1	1	3	5	5	5
20-34	48	3.5	2	1	2	3	4	5	7	8
35-49	49	5.0	6	2	3	4	6	9	10	13
50-64	38	3.9	3	<1	1	4	5	6	8	8
65+	24	4.5	5	<1	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	13	5.6	20	<1	2	4	5	13	17	18
35-49	20	7.0	24	2	2	5	10	14	17	19
50-64	27	4.8	5	2	2	5	6	8	8	9
65+	31	6.7	26	2	2	6	8	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	175	4.0	4	<1	1	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	94	6.0	18	2	2	5	7	12	16	21
1. SINGLE DX	175	4.0	4	<1	1	4	5	7	8	10
2. MULTIPLE DX	96	5.9	18	2	2	5	7	12	16	21
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	269	4.7	10	1	2	4	6	8	10	18
TOTAL 0-19 YRS	19	2.4	3	<1	<1	2	4	5	5	5
20-34	61	4.0	6	1	2	3	4	6	8	17
35-49	69	5.6	12	2	2	4	7	10	13	18
50-64	66	4.2	4	1	2	4	5	7	8	9
65+	56	5.7	18	2	2	5	7	9	16	22
GRAND TOTAL	**271**	**4.7**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	12	4.2	25	<1	<1	2	5	12	17	18
50-64	7	3.3	6	<1	<1	2	4	7	8	8
65+	13	4.1	11	1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	11	10.4	32	2	2	12	14	16	19	19
20-34	13	9.7	66	1	2	8	13	18	29	32
35-49	20	7.6	19	1	2	8	10	13	15	16
50-64	42	5.6	25	1	1	3	10	12	15	23
65+	61	7.4	42	<1	1	5	11	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	3	16.7	342	5	5	7	30	38	38	38
35-49	1	3.0		3	3	3	3	3	3	3
50-64	9	5.0	14	1	1	3	8	10	10	10
65+	27	6.2	17	1	2	6	8	12	14	18
B. *Operated*										
0-19 YRS	10	7.4	20	2	2	8	10	13	16	16
20-34	13	9.4	102	<1	2	7	11	19	36	40
35-49	22	11.2	130	<1	1	10	14	22	37	50
50-64	90	11.6	119	2	2	10	14	24	30	63
65+	152	11.4	66	1	2	10	16	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.8	13	<1	1	2	5	9	10	18
B. *Operated*	147	7.3	37	1	1	6	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	42	6.6	39	1	2	6	8	12	15	38
B. *Operated*	287	11.2	87	1	2	10	15	22	28	43
1. SINGLE DX	184	6.6	34	1	1	4	10	14	18	25
2. MULTIPLE DX	329	10.6	83	1	2	9	14	22	28	42
A. NOT OPERATED	79	5.3	29	1	1	3	7	10	13	32
B. OPERATED	434	9.9	73	1	2	8	14	20	25	40
TOTAL 0-19 YRS	24	8.4	27	2	2	9	13	14	17	19
20-34	33	9.4	95	1	1	7	12	18	37	40
35-49	55	8.2	70	1	1	7	11	16	19	49
50-64	148	9.1	90	1	2	7	11	19	25	45
65+	253	9.5	58	1	2	7	14	20	24	35
GRAND TOTAL	**513**	**9.2**	**69**	**1**	**2**	**7**	**13**	**19**	**24**	**39**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	20	2.4	3	<1	1	2	2	3	6	9
20-34	24	2.6	3	1	1	2	2	5	7	9
35-49	24	5.6	20	2	2	3	7	11	16	19
50-64	21	4.4	20	<1	1	2	5	13	15	16
65+	8	7.3	55	1	1	4	10	19	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	7.0	41	2	2	5	11	16	16	16
20-34	6	6.7	17	2	2	7	10	12	12	12
35-49	6	8.2	47	2	2	6	13	18	19	19
50-64	13	11.4	68	2	2	11	19	23	25	25
65+	15	9.0	72	1	2	7	15	18	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	97	4.1	17	1	2	2	4	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	44	9.1	56	2	2	7	14	19	23	30
1. SINGLE DX	99	4.1	17	1	2	2	5	10	14	21
2. MULTIPLE DX	45	9.0	55	2	2	7	14	19	23	30
A. NOT OPERATED	3	5.0	7	2	2	6	7	7	7	7
B. OPERATED	141	5.6	34	1	2	3	7	15	19	25
TOTAL 0-19 YRS	24	3.1	11	1	1	2	3	7	11	16
20-34	30	3.4	8	1	2	2	4	8	10	12
35-49	31	6.0	25	2	2	3	9	14	19	19
50-64	34	7.1	49	1	2	3	12	19	22	25
65+	25	8.2	59	1	2	6	11	18	25	30
GRAND TOTAL	**144**	**5.6**	**34**	**1**	**2**	**3**	**7**	**15**	**19**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	4	5.8	30	1	1	4	10	13	13	13
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	163	3.4	8	<1	1	3	4	6	8	16
20-34	168	3.4	12	<1	<1	3	4	7	8	24
35-49	157	3.1	7	<1	<1	2	4	7	8	15
50-64	138	3.0	7	<1	<1	2	4	5	8	15
65+	59	3.2	6	1	2	3	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.3	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	31	5.3	31	1	1	3	5	13	19	23
20-34	58	4.4	16	<1	1	3	5	9	12	25
35-49	66	5.9	68	<1	1	4	7	12	17	52
50-64	103	6.0	46	1	2	3	7	15	19	36
65+	57	6.2	34	1	2	4	8	12	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.8	11	1	1	3	5	8	12	13
B. *Operated*	685	3.2	8	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	13	2.3	5	<1	<1	1	3	6	8	8
B. *Operated*	315	5.7	41	1	1	4	7	12	17	30
1. SINGLE DX	699	3.2	8	<1	<1	2	4	6	8	15
2. MULTIPLE DX	328	5.5	40	1	1	4	7	12	17	29
A. NOT OPERATED	27	3.1	9	<1	1	2	4	7	9	13
B. OPERATED	1000	4.0	20	<1	1	3	4	8	11	24
TOTAL 0-19 YRS	200	3.7	12	<1	1	3	4	6	12	20
20-34	233	3.7	13	<1	<1	3	4	7	9	26
35-49	228	3.9	26	<1	<1	2	4	8	11	24
50-64	243	4.3	26	<1	1	3	4	9	14	28
65+	123	4.6	21	1	2	3	5	9	12	29
GRAND TOTAL	**1027**	**4.0**	**20**	**<1**	**1**	**3**	**4**	**8**	**11**	**24**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.3	26	1	1	4	10	15	16	16
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	117	2.8	9	<1	<1	2	3	6	8	15
20-34	51	3.4	12	<1	<1	2	4	7	8	23
35-49	38	3.3	16	<1	<1	2	3	7	11	22
50-64	30	3.8	13	<1	<1	3	5	8	10	17
65+	20	4.2	11	<1	1	3	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.0	69	<1	<1	2	7	18	27	29
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	6.0	13	3	3	5	9	10	10	10
65+	8	5.8	14	2	2	4	9	11	11	11
B. *Operated*										
0-19 YRS	31	3.8	11	<1	1	3	4	9	11	14
20-34	23	3.3	9	<1	<1	2	4	7	11	12
35-49	30	9.0	213	<1	1	5	8	23	27	77
50-64	30	8.2	115	<1	1	3	10	20	32	49
65+	31	9.3	126	1	1	3	11	35	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.5	20	<1	1	4	7	13	15	16
B. *Operated*	256	3.2	11	<1	<1	2	4	7	9	22
2. MULTIPLE DX										
A. *Not Operated*	28	5.5	34	<1	<1	4	7	11	15	29
B. *Operated*	145	6.9	103	<1	<1	3	8	17	31	78
1. SINGLE DX	273	3.4	12	<1	<1	2	4	7	9	21
2. MULTIPLE DX	173	6.6	92	<1	<1	3	8	15	29	70
A. NOT OPERATED	45	5.5	28	<1	1	4	7	11	15	29
B. OPERATED	401	4.5	47	<1	<1	2	5	9	15	36
TOTAL 0-19 YRS	171	3.5	15	<1	<1	2	4	8	10	24
20-34	81	3.4	10	<1	<1	2	4	7	8	20
35-49	70	5.8	106	<1	<1	2	6	12	22	67
50-64	64	5.9	64	<1	<1	3	7	16	20	47
65+	60	7.1	75	1	1	3	9	20	35	93
GRAND TOTAL	**446**	**4.6**	**45**	**<1**	**<1**	**2**	**5**	**10**	**15**	**36**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.8	1	<1	<1	2	2	3	3	4
20-34	82	1.9	1	<1	<1	2	2	3	4	6
35-49	67	1.9	1	<1	<1	2	2	3	3	5
50-64	21	1.8		<1	<1	2	2	2	3	3
65+	20	3.6	9	<1	<1	3	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	34	1.9	1	<1	<1	2	2	3	3	4
35-49	38	2.8	5	<1	1	2	3	4	7	13
50-64	23	2.6	2	<1	<1	2	3	5	7	7
65+	25	4.4	10	1	2	3	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	211	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	123	2.9	5	<1	<1	2	3	5	7	14
1. SINGLE DX	212	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	125	2.8	5	<1	<1	2	3	5	7	14
A. NOT OPERATED	3	1.3		<1	<1	<1	2	2	2	2
B. OPERATED	334	2.3	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	24	2.0	2	<1	<1	2	2	3	5	8
20-34	117	1.9	1	<1	<1	2	2	3	4	5
35-49	107	2.2	2	<1	<1	2	3	3	4	10
50-64	44	2.2	2	<1	<1	2	2	3	5	7
65+	45	4.0	9	1	1	3	4	8	10	16
GRAND TOTAL	**337**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	2.6	7	1	1	1	3	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	97	5.7	7	1	1	6	7	8	10	13
35-49	333	6.6	8	1	2	7	8	9	10	15
50-64	42	6.6	8	1	2	7	8	10	12	13
65+	5	7.2	18	<1	<1	7	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	2.8	5	1	1	2	4	6	8	8
35-49	23	3.6	9	<1	1	2	5	8	10	11
50-64	6	4.3	34	<1	<1	2	4	15	16	16
65+	6	3.8	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	3	11.0	63	5	5	8	17	20	20	20
20-34	223	6.9	12	2	3	7	8	9	11	22
35-49	1679	7.4	8	2	5	7	8	10	12	17
50-64	369	8.2	13	2	6	8	9	12	14	24
65+	52	10.1	31	6	7	9	11	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.3	10	1	1	2	6	8	8	8
B. *Operated*	477	6.4	8	1	2	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	46	3.5	10	<1	1	2	4	8	9	16
B. *Operated*	2326	7.5	10	2	5	7	8	10	12	19
1. SINGLE DX	485	6.4	8	1	2	7	8	9	10	14
2. MULTIPLE DX	2372	7.5	10	2	5	7	8	10	12	19
A. NOT OPERATED	54	3.5	10	<1	1	2	4	8	9	16
B. OPERATED	2803	7.4	10	2	5	7	8	10	12	18
TOTAL 0-19 YRS	3	11.0	63	5	5	8	17	20	20	20
20-34	332	6.4	11	1	2	7	7	9	11	16
35-49	2042	7.2	8	1	5	7	8	10	11	17
50-64	417	8.0	13	2	6	8	9	12	14	23
65+	63	9.3	31	2	5	8	11	13	17	38
GRAND TOTAL	**2857**	**7.3**	**10**	**1**	**4**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	6.3	11	3	3	6	9	10	10	10
35-49	13	7.4	5	2	4	7	9	10	11	11
50-64	4	5.0	13	2	2	5	8	9	9	9
65+	3	4.0	12	2	2	2	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	7.3	14	2	2	7	10	13	13	13
35-49	39	7.1	7	2	4	7	9	10	11	14
50-64	6	5.2	13	1	1	5	8	10	10	10
65+	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	6.4	9	2	2	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	57	6.9	8	1	2	7	8	10	12	14
1. SINGLE DX	24	6.4	9	2	2	7	8	10	11	11
2. MULTIPLE DX	57	6.9	8	1	2	7	8	10	12	14
A. NOT OPERATED										
B. OPERATED	81	6.7	8	2	2	7	8	10	11	14
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	7.0	12	2	3	7	9	12	13	13
35-49	52	7.2	6	2	4	7	9	10	11	14
50-64	10	5.1	12	1	1	5	8	9	10	10
65+	5	4.6	7	2	2	5	6	8	8	8
GRAND TOTAL	**81**	**6.7**	**8**	**2**	**2**	**7**	**8**	**10**	**11**	**14**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	30	6.0	5	3	4	5	7	9	10	13
20-34	112	6.3	4	4	4	6	7	8	9	15
35-49	49	6.8	4	4	4	7	8	9	10	13
50-64	16	7.8	2	5	7	8	8	10	11	12
65+	17	11.2	69	6	7	8	12	18	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	20	6.3	3	4	4	6	8	9	9	10
20-34	137	6.5	4	4	4	6	7	9	10	14
35-49	117	7.9	12	5	5	7	8	12	14	24
50-64	59	9.7	20	6	6	8	12	15	19	27
65+	36	12.4	28	7	7	10	16	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*	224	6.8	10	4	4	6	8	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	369	8.0	15	4	5	7	9	13	16	24
1. SINGLE DX	226	6.8	10	4	4	6	8	9	11	17
2. MULTIPLE DX	372	8.0	15	4	5	7	9	12	16	24
A. NOT OPERATED	5	2.0	2	<1	<1	2	3	4	4	4
B. OPERATED	593	7.6	14	4	5	7	8	12	15	23
TOTAL 0-19 YRS	52	6.0	4	3	4	6	7	9	10	13
20-34	251	6.4	4	4	4	6	7	8	10	14
35-49	166	7.6	10	4	5	7	8	12	13	20
50-64	75	9.3	17	6	6	8	11	15	17	26
65+	54	11.8	42	7	7	9	16	20	24	39
GRAND TOTAL	**598**	**7.5**	**14**	**4**	**5**	**7**	**8**	**12**	**15**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.2	7	<1	<1	2	5	7	7	7
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	7.0	12	3	3	7	9	12	12	12
35-49	7	8.1	15	<1	1	8	10	13	14	14
50-64	5	5.2	12	<1	<1	7	8	8	8	8
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	11	2.5	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	18	7.2	13	<1	1	8	9	12	13	14
1. SINGLE DX	12	2.4	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX	19	6.9	13	<1	1	8	9	12	13	14
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3
B. OPERATED	29	5.4	15	<1	<1	5	8	11	12	14
TOTAL 0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	6.3	12	3	3	6	8	12	12	12
35-49	13	5.8	17	<1	<1	7	8	11	13	14
50-64	8	3.8	11	<1	<1	2	7	8	8	8
65+	2	6.5	41	2	2	6	11	11	11	11
GRAND TOTAL	**31**	**5.2**	**14**	**<1**	**<1**	**5**	**8**	**10**	**12**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8		2	2	3	3	3	3	3
20-34	7	4.1	7	1	1	3	7	7	7	7
35-49	4	5.3	35	<1	<1	3	9	14	14	14
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	3	12.3	81	3	3	13	19	21	21	21
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	8	8.5	35	2	2	8	12	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	21	3.8	9	1	1	3	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	17	8.4	37	2	2	7	13	18	20	21
1. SINGLE DX	22	3.7	9	<1	1	3	3	7	10	14
2. MULTIPLE DX	17	8.4	37	2	2	7	13	18	20	21
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	38	5.8	26	1	2	3	7	14	17	21
TOTAL 0-19 YRS	9	2.8	1	1	1	3	3	4	4	4
20-34	10	6.6	39	1	1	5	7	17	21	21
35-49	6	7.5	34	<1	<1	7	13	14	14	14
50-64	3	2.7		2	2	3	3	3	3	3
65+	11	7.2	31	2	2	7	10	16	19	19
GRAND TOTAL	**39**	**5.7**	**26**	**1**	**2**	**3**	**7**	**14**	**17**	**21**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	5	7.4	71	2	2	4	11	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	10	7.8	62	1	1	4	13	20	26	26
65+	25	12.8	166	2	3	9	15	25	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	5.2	35	<1	1	3	6	14	21	22
2. MULTIPLE DX										
A. *Not Operated*	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*	40	11.4	130	2	3	8	14	25	26	64
1. SINGLE DX	12	5.2	35	<1	1	3	6	14	21	22
2. MULTIPLE DX	42	11.2	124	2	3	8	13	25	26	64
A. NOT OPERATED	2	8.5	5	7	7	8	10	10	10	10
B. OPERATED	52	9.9	114	2	2	6	13	24	26	63
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	4.0	10	<1	<1	3	6	9	9	9
35-49	4	6.0	29	3	3	4	9	14	14	14
50-64	12	7.5	54	1	2	4	11	18	25	26
65+	32	11.7	142	2	3	8	13	24	25	64
GRAND TOTAL	**54**	**9.9**	**110**	**2**	**2**	**6**	**13**	**24**	**26**	**62**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	5	1.6	1	<1	<1	<1	2	3	3	3
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	12	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	1.3		<1	<1	<1	2	2	2	2
1. SINGLE DX	14	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX	3	1.3		<1	<1	<1	2	2	2	2
A. NOT OPERATED	2	1.0		1	1	1	1	1	1	1
B. OPERATED	15	1.5		<1	<1	1	2	2	3	3
TOTAL 0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	7	1.6	1	<1	<1	<1	2	3	3	3
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**17**	**1.5**		**<1**	**<1**	**1**	**2**	**2**	**3**	**3**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	4	11.5	22	7	7	11	15	16	16	16
20-34	8	13.8	70	1	3	12	21	25	25	25
35-49	21	13.5	63	3	4	13	17	25	30	34
50-64	15	16.7	123	6	7	12	19	34	41	43
65+	9	16.4	125	2	4	14	22	34	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	4.0	9	1	1	4	6	7	7	7
65+	11	11.2	73	2	4	7	18	24	29	29
B. *Operated*										
0-19 YRS	4	15.5	420	3	3	6	27	46	46	46
20-34	12	19.9	131	7	9	16	22	38	47	49
35-49	14	12.1	36	2	3	12	14	20	22	22
50-64	34	19.8	140	6	9	16	25	45	50	99+
65+	22	24.5	317	5	8	23	34	63	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	9	1	1	3	6	9	10	10
B. *Operated*	57	14.7	84	3	5	13	19	28	34	43
2. MULTIPLE DX										
A. *Not Operated*	17	8.6	61	<1	1	6	11	20	26	29
B. *Operated*	86	19.6	186	4	6	15	24	44	52	99+
1. SINGLE DX	65	13.4	86	2	3	11	17	27	34	42
2. MULTIPLE DX	103	17.8	181	3	4	14	23	39	49	99+
A. NOT OPERATED	25	7.2	47	1	1	5	8	20	22	29
B. OPERATED	143	17.6	150	3	6	14	23	35	46	99+
TOTAL 0-19 YRS	10	11.5	169	3	3	7	15	31	46	46
20-34	23	15.6	121	1	2	14	22	27	39	49
35-49	37	12.5	52	2	3	12	17	22	26	34
50-64	54	17.4	142	3	5	14	23	39	46	98
65+	44	18.7	234	3	5	15	28	38	63	99+
GRAND TOTAL	**168**	**16.1**	**148**	**2**	**4**	**13**	**21**	**34**	**45**	**95**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.9	1	2	2	4	5	5	5	5
20-34	69	5.1	5	3	4	5	6	7	7	19
35-49	85	5.0	3	3	4	5	6	7	8	12
50-64	48	5.1	2	3	4	5	6	8	8	9
65+	19	5.6	4	2	4	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	17	4.2	1	3	3	4	5	6	7	7
35-49	37	5.5	4	4	4	5	6	7	9	13
50-64	47	7.2	28	3	4	6	7	14	23	25
65+	29	6.9	16	3	3	6	8	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	229	5.1	3	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	133	6.2	15	3	4	5	7	9	15	25
1. SINGLE DX	229	5.1	3	3	4	5	6	7	8	10
2. MULTIPLE DX	133	6.2	15	3	4	5	7	9	15	25
A. NOT OPERATED										
B. OPERATED	362	5.5	8	3	4	5	6	8	9	21
TOTAL 0-19 YRS	11	4.2	1	2	3	4	5	6	6	6
20-34	86	4.9	5	3	4	4	6	7	7	16
35-49	122	5.2	3	3	4	5	6	7	8	13
50-64	95	6.1	16	3	4	5	6	8	14	25
65+	48	6.4	11	3	3	6	7	9	12	21
GRAND TOTAL	**362**	**5.5**	**8**	**3**	**4**	**5**	**6**	**8**	**9**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	9.1	12	5	5	9	11	14	15	15
35-49	13	8.5	18	4	4	7	11	15	17	17
50-64	6	9.2	30	3	3	8	10	18	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	4.7	10	2	2	4	6	10	10	10
35-49	7	10.4	45	3	4	9	12	22	24	24
50-64	7	8.7	65	1	1	6	15	21	22	22
65+	5	4.6	9	1	1	5	6	9	9	9
B. *Operated*										
0-19 YRS	2	26.5	145	18	18	26	35	35	35	35
20-34	14	10.4	29	4	5	9	11	21	23	23
35-49	21	14.8	354	5	5	10	16	19	53	94
50-64	34	15.6	226	4	5	10	18	32	40	81
65+	15	20.2	272	5	6	15	25	52	59	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.5	17	3	3	8	11	11	11	11
B. *Operated*	28	8.8	17	4	4	8	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	29	7.1	34	1	2	5	9	16	22	24
B. *Operated*	86	15.6	233	5	5	10	18	31	43	89
1. SINGLE DX	32	8.6	17	3	4	8	11	15	17	19
2. MULTIPLE DX	115	13.5	196	3	4	9	16	25	35	86
A. NOT OPERATED	33	7.2	31	1	2	5	10	13	21	24
B. OPERATED	114	13.9	188	4	5	9	16	25	35	86
TOTAL 0-19 YRS	5	15.6	138	6	6	11	22	35	35	35
20-34	32	8.2	24	2	3	8	10	14	20	23
35-49	43	11.9	189	4	5	9	15	18	21	94
50-64	47	13.8	183	3	4	9	17	30	36	81
65+	20	16.3	250	2	4	10	23	39	56	61
GRAND TOTAL	**147**	**12.4**	**161**	**3**	**4**	**9**	**15**	**23**	**32**	**81**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	347	3.6	5	<1	1	3	5	7	8	9
35-49	118	4.7	8	1	2	4	7	8	9	13
50-64	32	4.6	7	<1	2	4	7	8	9	9
65+	7	4.6	8	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.7	17	<1	<1	1	2	10	12	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	10.5	181	1	1	10	20	20	20	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	256	5.2	9	<1	<1	6	7	9	10	13
35-49	152	6.6	21	2	2	7	8	10	12	23
50-64	43	7.8	31	1	2	7	10	15	18	27
65+	7	7.3	10	3	3	7	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	507	4.0	6	<1	1	3	6	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	10	4.1	43	<1	<1	1	2	16	20	20
B. *Operated*	459	5.9	16	<1	2	6	8	10	12	21
1. SINGLE DX	508	4.0	6	<1	1	3	6	8	8	10
2. MULTIPLE DX	469	5.9	16	<1	1	6	8	10	12	21
A. NOT OPERATED	11	3.9	39	<1	<1	1	2	15	20	20
B. OPERATED	966	4.9	12	<1	1	4	7	8	10	15
TOTAL 0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	610	4.3	8	<1	1	3	7	8	9	12
35-49	272	5.7	17	1	2	6	7	9	11	21
50-64	75	6.4	23	1	2	6	8	12	16	25
65+	16	6.5	23	1	2	6	9	12	18	20
GRAND TOTAL	**977**	**4.9**	**12**	**<1**	**1**	**4**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	3.0		3	3	3	3	3	3	3
65+	5	3.0	2	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	16	2.7	4	<1	<1	2	3	7	7	7
35-49	14	3.7	8	2	2	3	4	7	11	12
50-64	26	7.3	106	<1	1	4	9	13	25	53
65+	27	5.7	38	1	1	3	7	17	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	5	20.8	304	7	7	16	31	49	49	49
B. *Operated*										
0-19 YRS										
20-34	17	6.3	18	1	2	6	7	14	16	16
35-49	27	6.9	27	1	2	7	9	14	20	21
50-64	48	7.0	24	1	2	6	10	13	14	25
65+	64	9.5	82	2	2	6	13	22	38	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	3	2	2	3	4	6	7	7
B. *Operated*	86	5.2	48	<1	1	3	6	12	18	43
2. MULTIPLE DX										
A. *Not Operated*	6	19.0	263	7	7	13	25	47	49	49
B. *Operated*	156	7.9	49	1	2	6	10	17	22	41
1. SINGLE DX	94	5.0	45	<1	1	3	6	11	17	41
2. MULTIPLE DX	162	8.3	59	1	2	7	11	17	24	48
A. NOT OPERATED	14	10.1	166	2	2	6	10	27	44	49
B. OPERATED	242	6.9	50	1	2	5	9	15	20	42
TOTAL 0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	33	4.5	14	<1	<1	3	7	8	14	16
35-49	42	5.8	22	1	2	4	8	12	16	21
50-64	77	7.0	50	<1	2	5	10	13	17	45
65+	101	8.7	85	1	2	6	12	21	31	73
GRAND TOTAL	**256**	**7.1**	**56**	**1**	**2**	**5**	**9**	**16**	**21**	**48**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.0	15	2	3	6	10	12	14	14
20-34	12	3.8	6	1	1	3	6	7	7	7
35-49	8	7.8	45	<1	1	6	12	18	19	19
50-64	14	8.1	39	1	2	6	12	17	20	21
65+	27	7.9	127	<1	1	5	7	16	32	56
B. *Operated*										
0-19 YRS	21	6.5	50	<1	1	4	9	15	22	29
20-34	47	5.8	30	1	1	5	7	12	15	30
35-49	47	5.1	27	<1	1	3	6	10	16	28
50-64	51	7.3	34	1	2	5	11	17	19	22
65+	65	7.2	56	1	1	4	11	15	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	9.8	243	<1	1	4	6	34	52	55
20-34	16	5.2	20	<1	1	4	7	13	15	16
35-49	18	9.1	58	<1	1	8	11	17	27	33
50-64	24	8.6	53	1	2	6	13	22	25	27
65+	76	7.5	56	1	1	5	10	16	26	37
B. *Operated*										
0-19 YRS	16	21.9	359	1	3	20	29	66	89	99+
20-34	33	11.3	149	3	4	8	12	20	39	64
35-49	45	9.1	51	<1	2	7	13	21	24	33
50-64	81	10.8	78	1	2	9	16	23	30	83
65+	127	12.0	103	1	2	10	15	27	35	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.1	65	1	1	5	7	16	19	50
B. *Operated*	231	6.4	39	1	1	4	9	14	20	29
2. MULTIPLE DX										
A. *Not Operated*	146	7.8	66	1	1	5	10	16	26	40
B. *Operated*	302	11.7	112	1	2	9	15	25	33	66
1. SINGLE DX	301	6.6	45	1	1	4	8	15	20	29
2. MULTIPLE DX	448	10.4	100	1	2	8	14	24	30	59
A. NOT OPERATED	216	7.6	65	1	1	5	9	16	25	44
B. OPERATED	533	9.4	87	1	1	7	13	21	28	50
TOTAL 0-19 YRS	58	11.5	204	1	1	6	15	29	57	97
20-34	108	7.2	69	1	1	5	8	14	20	51
35-49	118	7.4	45	<1	1	6	10	16	22	33
50-64	170	9.2	60	1	2	7	13	21	24	45
65+	295	9.4	87	1	1	7	13	21	28	46
GRAND TOTAL	**749**	**8.9**	**81**	**1**	**1**	**6**	**12**	**20**	**27**	**48**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	3	6.7	44	1	1	5	12	14	14	14
B. *Operated*										
0-19 YRS	4	5.0	4	2	2	6	6	6	6	6
20-34	39	4.5	1	2	3	4	5	6	6	9
35-49	58	5.3	3	2	4	5	6	7	8	11
50-64	55	5.3	3	3	4	5	5	7	10	11
65+	22	8.2	26	3	4	6	8	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.4	3	1	1	4	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	9	8.8	13	3	4	8	11	14	14	14
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	8	4.9	1	3	3	5	6	6	6	6
35-49	32	5.4	5	3	3	5	6	8	8	14
50-64	40	7.2	39	3	4	6	7	9	17	40
65+	27	10.1	48	5	5	8	11	17	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.0	31	1	1	4	9	14	14	14
B. *Operated*	178	5.5	6	3	4	5	6	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	17	6.6	15	1	1	6	9	13	14	14
B. *Operated*	109	7.2	31	3	4	6	8	10	15	38
1. SINGLE DX	182	5.5	7	3	4	5	6	8	10	19
2. MULTIPLE DX	126	7.1	29	3	4	6	8	11	15	38
A. NOT OPERATED	21	6.5	17	1	1	6	9	13	14	14
B. OPERATED	287	6.1	16	3	4	5	7	9	11	24
TOTAL 0-19 YRS	7	5.9	4	2	3	6	7	9	9	9
20-34	48	4.5	2	2	3	5	5	6	6	9
35-49	96	5.2	4	2	3	5	6	7	8	13
50-64	96	6.1	19	3	4	5	6	9	10	33
65+	61	9.1	34	3	4	7	11	15	21	35
GRAND TOTAL	**308**	**6.2**	**16**	**3**	**4**	**5**	**7**	**9**	**13**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	6	2	2	4	7	8	9	9
20-34	28	5.3	10	2	2	5	7	11	12	14
35-49	21	6.6	17	1	2	7	8	12	16	16
50-64	22	6.0	10	1	2	7	8	9	12	14
65+	21	10.3	50	2	3	8	15	19	24	30
B. *Operated*										
0-19 YRS	15	5.7	5	2	4	5	7	8	11	12
20-34	37	5.2	4	3	3	5	6	7	8	13
35-49	30	4.8	2	3	4	4	6	7	7	9
50-64	28	5.3	7	3	3	5	6	8	10	16
65+	16	7.6	24	2	4	7	8	11	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	7.5	41	1	2	5	10	15	22	26
20-34	25	12.2	211	2	3	8	14	21	37	75
35-49	44	8.4	33	1	2	7	10	16	20	30
50-64	56	9.6	59	1	3	7	12	23	25	36
65+	119	13.9	183	2	4	11	16	26	40	79
B. *Operated*										
0-19 YRS	9	9.6	77	4	4	6	11	25	30	30
20-34	21	8.6	47	3	4	6	9	16	25	34
35-49	25	8.5	31	3	4	6	12	18	20	23
50-64	48	9.6	60	3	4	7	11	19	26	39
65+	22	19.1	389	5	6	11	23	53	71	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.7	22	1	2	6	8	13	17	24
B. *Operated*	126	5.5	7	3	3	5	6	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	261	11.5	129	2	3	9	14	21	30	74
B. *Operated*	125	10.9	122	3	4	7	13	23	31	70
1. SINGLE DX	228	6.0	14	2	3	5	7	10	14	20
2. MULTIPLE DX	386	11.3	127	2	3	8	14	21	30	73
A. NOT OPERATED	363	10.1	104	2	2	8	13	19	26	67
B. OPERATED	251	8.2	72	3	4	6	8	16	23	46
TOTAL 0-19 YRS	51	6.8	31	2	2	5	8	13	17	30
20-34	111	7.5	67	2	3	6	8	13	20	50
35-49	120	7.2	24	2	3	6	9	15	17	25
50-64	154	8.3	46	2	3	6	9	17	23	36
65+	178	13.5	184	2	4	9	16	24	40	78
GRAND TOTAL	**614**	**9.3**	**91**	**2**	**3**	**7**	**11**	**18**	**24**	**59**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	7.2	21	1	1	7	10	13	15	20
20-34	58	6.4	17	1	2	6	8	11	14	23
35-49	79	7.4	17	2	3	7	10	13	15	21
50-64	156	8.2	39	2	2	7	10	15	19	55
65+	201	10.2	62	2	3	8	14	21	25	39
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.3	14	2	2	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	7.1	27	1	2	6	10	15	17	25
20-34	67	8.6	52	2	3	6	10	18	23	42
35-49	133	8.3	53	2	3	7	9	16	22	46
50-64	308	9.2	55	2	3	7	12	18	24	40
65+	685	11.6	133	2	3	9	14	23	33	79
B. *Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	1	20.0		20	20	20	20	20	20	20
35-49	12	13.8	135	3	4	10	18	31	42	44
50-64	19	21.3	297	3	4	17	27	43	62	74
65+	28	19.6	273	7	8	16	21	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	8.4	41	2	2	7	11	16	20	31
B. *Operated*	7	4.9	8	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1247	10.3	98	2	3	8	13	21	27	58
B. *Operated*	62	18.7	242	3	6	16	24	38	80	99+
1. SINGLE DX	599	8.4	40	2	2	7	11	16	20	30
2. MULTIPLE DX	1309	10.7	108	2	3	8	13	22	28	66
A. NOT OPERATED	1839	9.7	81	2	3	7	12	18	24	55
B. OPERATED	69	17.3	236	3	4	14	21	36	73	99+
TOTAL 0-19 YRS	155	7.2	23	1	2	7	10	14	15	22
20-34	128	7.6	37	2	2	6	9	16	20	29
35-49	224	8.3	46	2	3	7	10	14	20	44
50-64	484	9.3	65	2	2	7	12	18	24	49
65+	917	11.5	123	2	3	8	14	23	31	84
GRAND TOTAL	**1908**	**10.0**	**88**	**2**	**3**	**8**	**12**	**19**	**25**	**57**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	6.5	28	1	1	5	8	12	15	31
20-34	75	4.4	9	1	1	4	6	9	10	15
35-49	35	6.1	14	1	1	6	9	12	13	14
50-64	15	11.8	94	1	1	9	16	20	35	40
65+	14	9.0	26	2	3	8	13	15	19	20
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	6.5	31	1	2	5	8	12	18	29
20-34	105	7.5	29	2	2	7	9	15	17	29
35-49	51	7.7	44	2	2	6	9	14	18	41
50-64	44	10.7	31	2	4	10	13	20	21	24
65+	89	13.6	67	5	6	12	17	25	26	47
B. *Operated*										
0-19 YRS	4	8.5	34	4	4	6	12	17	17	17
20-34	8	13.9	141	5	6	8	17	34	41	41
35-49	5	21.2	314	9	9	14	28	52	52	52
50-64	7	32.7	751	8	10	20	49	79	84	84
65+	10	29.3	467	5	7	31	44	87	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	6.3	27	1	1	5	8	12	15	28
B. *Operated*	3	10.0	19	7	7	8	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	387	9.0	48	2	2	7	12	18	22	32
B. *Operated*	34	22.7	413	5	6	17	31	57	82	99+
1. SINGLE DX	244	6.3	27	1	1	5	8	12	15	28
2. MULTIPLE DX	421	10.1	90	2	2	8	13	20	26	55
A. NOT OPERATED	628	8.0	42	1	2	6	10	16	21	31
B. OPERATED	37	21.7	392	5	6	16	31	55	82	99+
TOTAL 0-19 YRS	205	6.5	29	1	2	5	8	12	16	29
20-34	190	6.6	30	1	2	5	8	13	17	30
35-49	91	7.9	55	1	2	6	10	14	18	47
50-64	66	13.3	156	1	4	11	16	21	27	80
65+	113	14.4	117	4	5	12	18	26	33	86
GRAND TOTAL	**665**	**8.7**	**70**	**1**	**2**	**7**	**11**	**17**	**23**	**47**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	7.9	27	2	2	7	10	14	17	27
20-34	149	6.5	18	2	2	6	9	12	13	23
35-49	165	7.6	16	2	3	7	10	12	16	21
50-64	273	8.5	39	2	3	7	11	15	19	32
65+	358	9.1	39	2	3	8	12	16	21	41
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	7.4	17	1	1	7	10	12	12	12
35-49	9	6.1	18	2	3	4	8	13	16	16
50-64	16	8.5	87	1	2	4	12	17	31	37
65+	20	10.3	203	2	2	5	10	27	49	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	7.0	43	1	1	6	9	15	20	34
20-34	222	8.1	51	2	3	6	10	15	20	46
35-49	366	9.0	43	3	3	7	12	17	22	36
50-64	815	10.3	66	3	3	8	13	19	25	43
65+	1357	12.4	101	3	4	10	15	24	34	94
B. *Operated*										
0-19 YRS	10	15.3	87	3	4	15	21	28	30	30
20-34	45	14.2	164	2	3	11	16	23	51	59
35-49	88	20.0	328	3	4	13	28	59	76	99+
50-64	167	20.7	319	4	6	15	27	50	77	99+
65+	209	26.3	468	4	6	21	43	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1115	8.2	32	2	3	7	10	15	19	28
B. *Operated*	51	8.5	110	2	2	5	9	16	36	59
2. MULTIPLE DX										
A. *Not Operated*	2862	10.8	80	2	3	9	13	21	28	57
B. *Operated*	519	22.2	375	3	5	16	32	64	96	99+
1. SINGLE DX	1166	8.2	35	2	3	7	10	15	19	31
2. MULTIPLE DX	3381	12.6	142	3	3	9	15	26	39	99+
A. NOT OPERATED	3977	10.1	68	2	3	8	13	19	26	50
B. OPERATED	570	21.0	367	3	4	15	30	62	89	99+
TOTAL 0-19 YRS	283	7.8	37	1	2	7	10	15	20	29
20-34	421	8.2	56	2	2	6	10	15	20	48
35-49	628	10.2	91	3	3	8	12	19	26	76
50-64	1271	11.3	107	2	3	9	13	22	32	72
65+	1944	13.2	152	3	4	10	16	28	43	99+
GRAND TOTAL	**4547**	**11.5**	**118**	**2**	**3**	**9**	**14**	**23**	**35**	**94**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.9	4	2	2	5	7	7	7	7
20-34	35	4.5	6	<1	<1	5	6	7	8	10
35-49	5	5.0	1	4	4	5	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.1	7	1	1	4	5	8	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.3	6	<1	<1	2	5	7	7	7
20-34	53	6.1	13	<1	1	6	8	10	14	16
35-49	15	7.5	12	2	4	7	9	12	15	16
50-64	2	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.5	49	1	1	2	7	18	19	19
B. *Operated*	48	4.6	5	<1	1	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	9	3.9	6	1	1	4	5	8	9	9
B. *Operated*	77	6.2	13	<1	1	6	8	10	13	16
1. SINGLE DX	54	4.7	9	<1	1	5	6	7	8	19
2. MULTIPLE DX	86	5.9	13	<1	1	6	8	9	13	16
A. NOT OPERATED	15	4.5	22	1	1	3	5	9	16	19
B. OPERATED	125	5.6	10	<1	1	6	7	9	11	16
TOTAL 0-19 YRS	16	5.2	19	<1	<1	5	7	7	16	19
20-34	99	5.2	11	<1	<1	5	7	9	11	16
35-49	21	6.6	11	1	3	6	8	10	14	16
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**140**	**5.5**	**12**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.9	6	1	1	2	3	6	7	13
20-34	43	4.0	12	<1	1	3	5	8	11	17
35-49	20	5.4	62	<1	<1	4	5	9	23	37
50-64	22	5.1	20	1	1	4	8	9	14	21
65+	43	5.0	38	<1	<1	2	6	10	21	28
B. *Operated*										
0-19 YRS										
20-34	12	5.9	40	<1	<1	4	7	17	20	21
35-49	4	7.3	42	1	1	6	12	16	16	16
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	8.0	13	5	5	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	5.2	25	1	1	3	7	11	16	24
20-34	67	5.4	20	1	1	5	8	10	11	26
35-49	72	6.0	41	<1	1	4	8	12	17	39
50-64	92	6.9	51	1	1	5	8	14	20	40
65+	245	8.6	77	1	2	6	10	17	26	64
B. *Operated*										
0-19 YRS	6	6.3	18	2	2	6	7	13	14	14
20-34	10	19.1	103	2	5	20	27	31	33	33
35-49	19	13.3	87	4	5	12	17	25	35	41
50-64	20	13.4	82	2	4	12	20	32	65	99+
65+	11	19.6	109	8	9	19	32	54	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	4.2	23	<1	1	3	5	8	11	27
B. *Operated*	21	6.6	30	<1	<1	5	9	15	18	21
2. MULTIPLE DX										
A. *Not Operated*	539	7.2	56	1	1	5	9	15	20	36
B. *Operated*	66	14.6	95	2	5	13	22	32	37	99+
1. SINGLE DX	203	4.4	24	<1	1	3	5	9	13	27
2. MULTIPLE DX	605	8.0	66	1	1	6	10	17	26	45
A. NOT OPERATED	721	6.4	50	1	1	4	8	14	19	35
B. OPERATED	87	12.7	91	2	3	10	18	29	35	99+
TOTAL 0-19 YRS	123	4.2	18	1	1	3	5	10	13	21
20-34	132	6.0	39	<1	1	4	8	12	21	30
35-49	115	7.1	58	<1	1	5	9	16	21	42
50-64	136	7.5	55	1	1	6	9	18	23	54
65+	302	8.5	78	1	1	6	10	18	28	67

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.6	13	3	3	6	10	13	13	13
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+	8	7.6	21	2	3	6	11	15	15	15
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64	3	4.7	40	<1	<1	<1	9	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	27	2	2	5	8	16	18	18
20-34	4	4.5	8	1	1	4	6	8	8	8
35-49	5	8.8	49	4	4	6	11	21	21	21
50-64	18	18.4	194	4	5	16	28	37	49	56
65+	38	20.8	428	2	4	12	27	60	80	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	31.0	392	17	17	31	45	45	45	45
35-49	6	20.5	115	3	4	21	29	32	32	32
50-64	4	20.8	75	11	11	20	27	31	31	31
65+	8	25.6	427	5	8	23	41	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.9	16	2	3	6	11	14	15	15
B. *Operated*	6	3.7	17	<1	<1	2	3	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	73	17.0	305	2	4	10	21	42	61	99
B. *Operated*	21	22.7	239	4	5	21	31	53	84	99+
1. SINGLE DX	23	6.8	19	<1	1	6	10	13	14	15
2. MULTIPLE DX	94	18.3	293	3	4	14	25	45	63	99+
A. NOT OPERATED	90	15.3	262	2	4	9	19	38	57	98
B. OPERATED	27	18.5	252	<1	2	17	27	41	76	99+
TOTAL 0-19 YRS	17	6.7	18	2	3	5	9	13	16	18
20-34	9	10.3	192	1	1	5	10	34	45	45
35-49	12	15.0	104	3	4	14	23	30	32	32
50-64	25	17.2	173	<1	4	15	25	34	42	56
65+	54	19.6	386	2	5	13	25	61	88	99+

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	13.6	19	6	7	14	16	19	21	24
20-34	21	12.1	24	7	8	10	14	20	24	25
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	16.7	281	6	6	8	29	36	36	36
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	12.7	81	2	3	13	16	25	38	93
20-34	21	16.3	49	5	6	16	23	24	26	28
35-49	3	17.7	120	9	9	14	26	30	30	30
50-64										
65+										
B. *Operated*										
0-19 YRS	7	22.4	110	13	13	20	37	82	99+	99+
20-34	7	17.4	29	9	9	20	22	22	22	22
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	13.3	20	6	7	14	16	19	21	25
B. *Operated*	6	9.2	180	1	1	4	8	33	36	36
2. MULTIPLE DX										
A. *Not Operated*	86	13.7	76	3	3	14	17	24	31	79
B. *Operated*	14	19.9	71	9	11	20	22	39	85	99+
1. SINGLE DX	101	13.0	29	4	7	14	16	20	22	30
2. MULTIPLE DX	100	14.6	79	3	4	14	20	27	37	99+
A. NOT OPERATED	181	13.5	46	3	5	14	16	22	25	43
B. OPERATED	20	16.7	121	1	2	17	22	37	66	99+
TOTAL 0-19 YRS	143	13.6	54	3	4	14	16	22	30	99+
20-34	52	14.8	48	6	7	13	21	24	25	36
35-49	6	9.7	125	1	1	6	14	28	30	30
50-64										
65+										
GRAND TOTAL	**201**	**13.8**	**54**	**3**	**5**	**14**	**17**	**23**	**28**	**70**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.3	16	2	2	5	9	12	15	15
20-34	4	10.5	46	4	4	9	15	20	20	20
35-49	5	9.2	30	4	4	10	12	17	17	17
50-64										
65+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	97	8.0	5	6	6	8	9	11	11	17
35-49	75	8.3	5	6	7	8	9	11	14	16
50-64	4	6.8		6	6	7	7	7	7	7
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.7	57	1	2	5	11	14	27	31
20-34	19	7.3	37	1	2	4	11	17	21	22
35-49	27	9.9	114	<1	2	8	10	17	29	57
50-64	30	11.0	95	2	3	7	15	23	38	39
65+	35	13.8	102	3	5	11	18	34	40	99+
B. *Operated*										
0-19 YRS	5	7.8	3	7	7	7	8	11	11	11
20-34	98	10.6	43	6	7	9	12	15	20	46
35-49	103	10.5	40	6	7	9	11	16	22	70
50-64	25	15.4	188	5	6	10	17	45	49	52
65+	3	37.3	401	22	22	30	52	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.5	33	2	3	7	11	18	21	22
B. *Operated*	181	8.1	5	6	6	8	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	126	10.6	91	2	2	8	14	23	35	67
B. *Operated*	234	11.3	70	6	7	9	12	18	27	54
1. SINGLE DX	203	8.2	8	4	6	8	9	11	13	19
2. MULTIPLE DX	360	11.1	77	3	5	9	12	20	31	57
A. NOT OPERATED	148	10.3	83	2	2	8	13	22	34	57
B. OPERATED	415	9.9	44	6	7	8	10	14	19	49
TOTAL 0-19 YRS	36	7.2	29	2	2	6	9	11	15	31
20-34	218	9.2	27	4	6	8	10	13	18	31
35-49	210	9.6	37	5	6	8	10	14	18	50
50-64	59	12.6	132	2	3	8	15	26	42	52
65+	40	15.8	150	4	5	12	22	35	50	99+
GRAND TOTAL	**563**	**10.0**	**54**	**3**	**5**	**8**	**11**	**16**	**23**	**51**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.7	23	1	1	3	6	9	14	26
20-34	28	3.8	19	<1	<1	2	5	11	15	17
35-49	17	4.5	11	<1	<1	4	6	7	12	14
50-64	9	8.9	120	2	2	6	9	27	37	37
65+	6	6.0	6	3	3	7	8	8	8	8
B. *Operated*										
0-19 YRS	12	6.5	22	1	1	6	10	13	14	14
20-34	55	4.3	6	<1	<1	4	6	7	9	10
35-49	59	3.9	5	<1	2	3	6	7	7	10
50-64	31	7.6	38	1	2	6	11	16	21	26
65+	14	9.4	141	1	3	5	9	18	41	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	7.8	44	2	2	6	10	15	25	30
20-34	33	8.2	54	1	2	6	11	16	20	37
35-49	65	8.2	65	<1	<1	6	10	18	23	46
50-64	38	8.9	50	1	3	7	11	17	25	32
65+	69	12.3	204	2	3	8	16	23	54	98
B. *Operated*										
0-19 YRS	20	9.8	69	1	2	10	12	22	29	30
20-34	91	5.9	11	3	3	5	7	10	11	22
35-49	99	7.0	43	2	2	5	8	12	21	37
50-64	62	12.8	314	2	3	7	14	30	44	94
65+	32	17.9	169	2	4	17	25	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.8	27	<1	1	3	6	9	14	29
B. *Operated*	171	5.3	26	<1	1	4	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	257	9.3	97	1	2	7	12	19	26	61
B. *Operated*	304	9.2	118	2	3	6	10	18	30	72
1. SINGLE DX	297	5.1	26	<1	1	4	7	10	14	27
2. MULTIPLE DX	561	9.3	108	2	2	6	11	19	29	61
A. NOT OPERATED	383	7.8	78	<1	1	6	10	17	22	52
B. OPERATED	475	7.8	88	1	2	5	8	15	26	48
TOTAL 0-19 YRS	150	6.6	39	1	1	4	9	14	20	30
20-34	207	5.6	19	<1	1	5	7	10	14	23
35-49	240	6.4	40	<1	2	5	7	12	17	34
50-64	140	10.4	171	2	2	6	11	21	31	90
65+	121	13.2	185	2	3	9	17	27	50	99+
GRAND TOTAL	**858**	**7.8**	**83**	**1**	**2**	**5**	**9**	**16**	**24**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.0	7	1	1	3	5	8	9	9
35-49	17	4.9	13	1	2	4	7	10	12	13
50-64	27	5.4	28	1	1	4	7	9	14	28
65+	44	5.6	13	1	2	5	7	11	13	17
B. *Operated*										
0-19 YRS										
20-34	3	7.3	72	1	1	4	14	17	17	17
35-49										
50-64	4	7.5	38	2	2	6	12	15	15	15
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.0	18	1	1	6	7	11	11	11
35-49	10	4.5	10	1	1	4	5	9	12	12
50-64	42	7.8	26	2	3	7	11	15	19	23
65+	156	9.2	62	2	3	7	12	17	24	57
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	6.0	9	3	3	6	8	9	9	9
50-64	12	15.8	113	2	3	15	21	32	36	37
65+	20	18.7	161	3	4	16	29	44	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.3	16	1	2	4	7	10	12	23
B. *Operated*	9	6.3	37	1	1	3	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	214	8.6	53	2	3	7	11	17	22	53
B. *Operated*	35	16.6	139	3	3	15	25	36	46	99+
1. SINGLE DX	105	5.4	18	1	2	4	7	11	13	22
2. MULTIPLE DX	249	9.7	72	2	3	7	12	21	28	58
A. NOT OPERATED	310	7.6	44	2	2	6	10	15	19	39
B. OPERATED	44	14.5	135	2	3	14	22	31	43	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	4.9	19	1	1	4	7	11	15	17
35-49	30	4.9	11	1	2	4	7	10	12	13
50-64	85	8.1	48	2	2	6	11	18	22	35
65+	222	9.3	71	2	3	7	12	19	28	69
GRAND TOTAL	**354**	**8.4**	**60**	**2**	**2**	**6**	**11**	**17**	**24**	**50**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	1	1	2	4	5	6	6
20-34	6	2.8	3	1	1	3	4	5	5	5
35-49	8	4.5	28	1	1	3	5	13	17	17
50-64	14	5.3	33	1	1	4	6	9	21	24
65+	37	10.0	95	2	2	7	13	30	38	99+
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.2	11	1	1	3	5	8	9	20
20-34	32	5.9	46	1	1	4	7	12	27	29
35-49	52	6.8	33	2	2	5	9	14	18	28
50-64	94	6.7	32	1	1	5	8	14	18	30
65+	456	11.6	152	2	3	8	14	25	35	88
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	3.3	3	1	1	3	5	5	5	5
50-64	7	12.0	60	1	2	15	17	22	23	23
65+	34	24.6	471	1	4	16	35	59	72	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	6.9	64	1	1	4	8	18	30	84
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	686	9.7	118	2	2	7	12	20	30	74
B. *Operated*	51	18.7	395	1	2	13	24	46	59	89
1. SINGLE DX	77	6.9	64	1	1	4	8	18	30	83
2. MULTIPLE DX	737	10.4	142	2	2	7	12	22	33	80
A. NOT OPERATED	762	9.5	113	1	2	6	11	20	30	77
B. OPERATED	52	18.5	390	1	2	13	24	46	59	89
TOTAL 0-19 YRS	64	4.0	10	1	1	3	5	8	9	19
20-34	42	5.2	37	1	1	3	6	9	21	29
35-49	66	6.2	30	1	2	4	8	14	17	28
50-64	115	6.8	35	1	1	5	9	15	18	28
65+	527	12.3	178	2	3	8	14	28	42	91
GRAND TOTAL	**814**	**10.0**	**135**	**1**	**2**	**7**	**12**	**22**	**33**	**81**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	6.9	16	1	2	6	10	12	14	20
20-34	9	4.0	9	<1	<1	5	6	8	8	8
35-49	18	5.6	21	1	1	4	7	9	17	21
50-64	16	5.6	37	1	1	5	6	9	21	26
65+	66	8.7	103	1	2	6	10	17	32	61
B. *Operated*										
0-19 YRS										
20-34	3	5.7	6	3	3	6	7	8	8	8
35-49	2	5.0		5	5	5	5	5	5	5
50-64	5	14.2	41	8	8	12	20	22	22	22
65+	12	9.2	23	1	2	9	13	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	7.3	31	1	2	6	8	14	18	31
20-34	21	5.0	60	1	1	3	5	9	22	37
35-49	45	5.7	33	<1	1	4	7	13	17	30
50-64	80	8.0	41	1	1	6	11	17	19	33
65+	311	10.0	71	2	3	8	13	19	25	38
B. *Operated*										
0-19 YRS	3	9.7	46	2	2	12	14	15	15	15
20-34	19	9.1	19	3	3	10	13	14	15	16
35-49	30	10.1	27	4	4	10	14	17	20	22
50-64	37	12.5	38	2	5	11	16	21	23	28
65+	112	15.7	83	4	6	14	21	29	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	7.2	53	1	1	6	9	13	18	37
B. *Operated*	22	9.5	30	2	3	8	13	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	542	8.7	59	1	2	7	11	18	22	37
B. *Operated*	201	13.6	66	4	5	12	17	23	30	49
1. SINGLE DX	194	7.5	51	1	1	6	9	13	20	36
2. MULTIPLE DX	743	10.0	65	1	2	8	14	20	25	37
A. NOT OPERATED	714	8.4	58	1	2	7	11	17	21	37
B. OPERATED	223	13.2	64	3	4	12	17	22	29	48
TOTAL 0-19 YRS	151	7.2	25	1	2	6	9	14	16	25
20-34	52	6.4	36	<1	1	5	8	14	14	37
35-49	95	7.1	32	1	2	5	10	16	19	26
50-64	138	9.2	45	1	1	8	13	19	22	29
65+	501	11.1	83	2	3	9	14	21	29	45
GRAND TOTAL	**937**	**9.5**	**63**	**1**	**2**	**7**	**13**	**19**	**23**	**37**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	14	1	1	2	6	10	12	12
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.8	15	3	4	7	8	14	16	16
20-34	6	8.8	61	3	3	6	9	22	24	24
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.6	10	1	1	2	5	8	11	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	7.5	29	3	3	7	8	15	21	24
B. *Operated*	3	8.0	31	3	3	7	12	14	14	14
1. SINGLE DX	15	3.6	10	1	1	2	5	8	11	12
2. MULTIPLE DX	20	7.6	27	3	3	7	8	15	20	24
A. NOT OPERATED	32	5.7	23	1	1	4	7	10	16	24
B. OPERATED	3	8.0	31	3	3	7	12	14	14	14
TOTAL 0-19 YRS	19	6.0	20	1	1	6	8	13	15	16
20-34	9	7.0	46	2	2	4	8	18	24	24
35-49	6	4.2	5	1	1	4	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	**35**	**5.9**	**23**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.4	13	<1	<1	2	4	8	10	18
20-34	14	4.6	7	1	2	4	6	8	10	11
35-49	29	6.5	42	1	1	3	9	15	22	25
50-64	16	5.3	15	<1	1	4	8	10	13	15
65+	112	8.8	195	1	1	4	10	18	25	93
B. *Operated*										
0-19 YRS	9	8.7	47	1	2	7	10	20	25	25
20-34	5	14.8	481	4	4	6	18	54	54	54
35-49	8	6.0	12	1	2	5	9	11	11	11
50-64	7	10.7	77	4	4	7	13	26	29	29
65+	18	13.7	58	6	8	11	16	26	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.0	24	<1	<1	2	5	10	13	26
20-34	28	6.3	33	1	1	5	7	15	22	23
35-49	46	6.4	57	1	1	5	8	12	18	45
50-64	116	6.5	38	1	1	5	10	14	17	29
65+	487	10.0	123	1	1	7	13	21	34	68
B. *Operated*										
0-19 YRS	13	19.8	256	3	6	19	26	59	91	99+
20-34	9	8.3	4	6	6	8	9	11	12	12
35-49	20	12.3	45	4	5	11	14	18	27	35
50-64	49	22.0	479	5	6	15	22	54	82	95
65+	162	20.1	218	5	7	15	26	42	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	6.4	103	<1	1	3	8	15	19	43
B. *Operated*	47	11.1	93	3	4	9	12	24	30	54
2. MULTIPLE DX										
A. *Not Operated*	774	8.4	96	1	1	6	11	18	26	55
B. *Operated*	253	19.4	256	5	6	14	25	42	56	95
1. SINGLE DX	297	7.1	104	<1	1	4	9	16	21	49
2. MULTIPLE DX	1027	11.1	158	1	1	8	14	25	39	79
A. NOT OPERATED	1024	7.9	98	<1	1	5	10	17	25	53
B. OPERATED	300	18.1	240	4	6	13	23	40	53	92
TOTAL 0-19 YRS	198	5.0	51	<1	<1	2	7	12	21	51
20-34	56	7.0	61	1	1	6	8	12	20	52
35-49	103	7.5	52	1	1	5	11	14	21	40
50-64	188	10.6	196	1	1	7	12	21	36	86
65+	779	12.0	169	1	1	9	15	27	40	80
GRAND TOTAL	**1324**	**10.2**	**148**	**1**	**1**	**7**	**13**	**23**	**35**	**74**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.3	35	1	1	4	5	14	21	22
20-34	2	36.0	2048	4	4	36	68	68	68	68
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.1	46	2	2	6	8	18	24	24
20-34	3	9.0	7	7	7	8	11	12	12	12
35-49	3	7.7	30	4	4	5	12	14	14	14
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	16.5	113	9	9	16	24	24	24	24
B. *Operated*										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	2	23.5	61	18	18	23	29	29	29	29
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	10.0	333	1	2	4	6	31	61	68
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	9.7	60	2	2	7	12	24	26	27
B. *Operated*	5	26.2	388	9	9	18	36	59	59	59
1. SINGLE DX	13	10.0	333	1	2	4	6	31	61	68
2. MULTIPLE DX	23	13.3	165	2	3	8	17	27	39	59
A. NOT OPERATED	31	9.8	167	2	2	5	9	24	27	68
B. OPERATED	5	26.2	388	9	9	18	36	59	59	59
TOTAL 0-19 YRS	21	8.6	170	1	2	4	8	23	40	59
20-34	7	20.9	503	4	5	12	26	60	68	68
35-49	4	9.8	38	4	4	9	15	16	16	16
50-64	1	27.0		27	27	27	27	27	27	27
65+	3	14.0	75	9	9	9	20	24	24	24
GRAND TOTAL	**36**	**12.1**	**221**	**2**	**2**	**7**	**15**	**27**	**50**	**68**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	4.1	11	<1	1	3	5	8	10	17
20-34	21	5.5	15	1	1	4	7	11	15	15
35-49	11	4.2	9	1	1	3	6	9	10	10
50-64	20	4.6	7	<1	1	5	6	7	10	12
65+	25	4.8	13	1	2	3	7	11	12	15
B. *Operated*										
0-19 YRS	36	7.6	33	1	2	6	10	16	18	28
20-34	24	7.9	9	3	3	8	10	11	13	16
35-49	22	8.5	16	5	5	8	9	13	20	20
50-64	11	6.9	24	1	2	5	8	14	19	19
65+	18	12.7	70	4	5	9	18	25	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.9	20	1	2	4	8	11	15	23
20-34	31	6.2	62	<1	<1	4	7	11	19	43
35-49	36	6.0	24	1	1	4	8	15	16	19
50-64	53	10.8	212	2	3	7	11	25	29	96
65+	106	9.9	68	1	2	8	13	22	34	99+
B. *Operated*										
0-19 YRS	28	9.0	34	2	2	8	12	16	22	23
20-34	38	10.4	35	3	4	9	15	19	21	24
35-49	24	13.6	185	2	4	9	15	28	43	66
50-64	37	16.2	139	5	6	13	21	31	46	52
65+	62	17.3	200	3	5	14	23	38	45	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	4.4	11	<1	1	4	6	8	11	16
B. *Operated*	111	8.6	32	2	3	7	10	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	307	8.2	78	1	2	6	10	18	25	66
B. *Operated*	189	14.0	137	3	4	10	17	28	39	61
1. SINGLE DX	303	5.9	23	1	1	5	8	11	16	24
2. MULTIPLE DX	496	10.4	108	2	2	7	14	22	30	59
A. NOT OPERATED	499	6.7	55	1	2	5	8	14	20	40
B. OPERATED	300	12.0	104	2	4	9	15	23	31	51
TOTAL 0-19 YRS	260	5.7	22	1	1	4	7	12	16	23
20-34	114	7.8	36	1	2	7	10	15	19	31
35-49	93	8.3	71	1	2	7	9	16	20	52
50-64	121	11.1	154	2	3	7	13	24	30	65
65+	211	11.7	116	2	3	9	15	25	37	86
GRAND TOTAL	**799**	**8.7**	**80**	**1**	**2**	**6**	**11**	**19**	**25**	**48**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	1.9	1	1	1	2	2	3	4	5
20-34	43	1.7	1	1	1	1	2	3	4	6
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	110	4.3	3	2	2	4	5	6	7	11
20-34	30	4.3	4	2	3	4	5	6	9	12
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	2.3	2	1	1	2	3	4	6	8
20-34	8	1.6		1	1	2	2	2	2	2
35-49	4	2.5		2	2	2	3	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	47	5.0	6	3	3	4	6	7	9	17
20-34	17	6.9	26	3	4	6	7	11	20	25
35-49	5	6.6	4	4	4	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	1.9	1	1	1	2	2	3	4	5
B. *Operated*	141	4.3	4	2	3	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	116	2.3	2	1	1	2	3	4	5	8
B. *Operated*	70	5.7	11	3	3	5	7	8	9	23
1. SINGLE DX	533	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	186	3.6	8	1	1	3	5	7	8	15
A. NOT OPERATED	508	2.0	1	1	1	2	2	4	4	6
B. OPERATED	211	4.8	6	2	3	4	6	7	9	14
TOTAL 0-19 YRS	601	2.7	3	1	1	2	4	5	6	9
20-34	98	3.4	10	1	1	3	4	6	8	19
35-49	14	3.7	7	1	1	3	5	8	8	8
50-64	5	5.2	25	1	1	3	10	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	719	2.8	4	1	1	2	4	5	6	10

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.2	6	1	1	2	4	7	9	11
20-34	15	4.3	9	1	1	3	5	10	10	10
35-49	4	4.3	6	<1	<1	4	6	7	7	7
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	2	8.5	41	4	4	8	13	13	13	13
B. *Operated*										
0-19 YRS	25	5.0	22	<1	1	3	6	12	15	20
20-34	22	3.5	7	<1	1	3	4	8	9	11
35-49	4	4.0	22	<1	<1	2	7	11	11	11
50-64	3	6.3	24	3	3	4	10	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.5	20	1	2	4	7	10	16	22
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	5.7	17	<1	<1	7	8	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	7	9.1	42	4	4	7	10	20	23	23
20-34	7	4.0	8	1	1	2	7	8	8	8
35-49	10	11.1	81	1	1	9	16	25	29	29
50-64	4	11.8	114	<1	<1	10	19	26	26	26
65+	4	10.3	144	3	3	5	17	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.6	8	1	1	3	5	8	10	13
B. *Operated*	55	4.3	15	<1	1	3	5	11	12	20
2. MULTIPLE DX										
A. *Not Operated*	40	5.3	18	1	1	4	7	10	13	22
B. *Operated*	32	9.1	66	1	2	7	11	24	28	29
1. SINGLE DX	128	3.9	11	1	1	3	5	9	11	15
2. MULTIPLE DX	72	7.0	42	1	2	5	9	16	23	29
A. NOT OPERATED	113	4.2	12	1	1	3	5	9	10	18
B. OPERATED	87	6.1	39	<1	1	4	8	13	22	29
TOTAL 0-19 YRS	112	4.6	17	1	1	3	6	10	12	22
20-34	46	3.8	7	1	1	3	5	8	10	11
35-49	19	8.1	57	<1	1	7	11	20	26	29
50-64	13	7.2	47	<1	<1	6	10	16	24	26
65+	10	6.9	66	2	2	4	7	20	28	28
GRAND TOTAL	200	5.0	24	1	1	3	6	10	14	27

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	26	2	2	5	10	12	12	12
20-34	19	10.8	73	1	2	10	14	27	28	28
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	4	20.3	288	2	2	19	33	41	41	41
65+	11	6.3	39	1	1	4	13	43	92	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	1	16	16	16	17	17	17	17
20-34	6	18.2	355	1	1	13	32	46	48	48
35-49	3	7.7	20	3	3	8	11	12	12	12
50-64	14	10.6	69	1	3	8	18	23	25	26
65+	41	16.3	310	2	3	10	24	50	93	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	37.0	576	13	13	37	55	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	9.4	86	1	1	6	13	27	33	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	66	14.9	241	1	2	10	22	39	65	99+
B. *Operated*	4	28.5	673	3	3	25	49	61	61	61
1. SINGLE DX	41	9.4	86	1	1	6	13	27	33	99+
2. MULTIPLE DX	70	15.7	267	1	3	10	23	43	62	99+
A. NOT OPERATED	107	12.8	188	1	2	9	19	29	48	99+
B. OPERATED	4	28.5	673	3	3	25	49	61	61	61
TOTAL 0-19 YRS	5	10.4	44	2	2	12	16	17	17	17
20-34	25	12.6	139	1	1	10	15	28	36	48
35-49	7	4.9	16	1	1	4	7	11	12	12
50-64	19	12.3	119	1	2	10	20	26	34	41

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	16	<1	<1	2	6	10	12	12
20-34	21	11.0	145	1	1	6	16	32	37	42
35-49	16	17.1	313	2	2	9	29	44	58	63
50-64	22	15.4	323	2	3	7	22	28	51	85
65+	204	17.3	402	2	2	10	24	63	92	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	15.0	392	<1	<1	14	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	147	1	1	7	17	32	35	36
20-34	22	22.8	707	1	2	14	39	77	88	99+
35-49	21	18.8	451	2	3	9	28	44	71	88
50-64	56	19.1	295	3	4	13	27	51	65	98
65+	455	22.2	405	3	4	17	36	76	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	64.0		64	64	64	64	64	64	64
35-49	1	50.0		50	50	50	50	50	50	50
50-64	5	23.4	285	4	4	18	40	43	43	43
65+	31	37.2	529	8	9	47	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	16.2	363	1	2	9	22	53	80	99+
B. *Operated*	3	10.7	252	<1	<1	2	22	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	566	21.6	403	2	4	16	34	70	99+	99+
B. *Operated*	38	36.4	509	8	9	46	65	99+	99+	99+
1. SINGLE DX	275	16.2	361	1	2	9	22	53	79	99+
2. MULTIPLE DX	604	22.5	421	2	4	17	38	75	99+	99+
A. NOT OPERATED	838	19.8	396	2	3	14	31	65	99+	99+
B. OPERATED	41	34.5	529	4	8	43	64	99+	99+	99+
TOTAL 0-19 YRS	21	8.0	102	<1	1	3	11	24	33	36
20-34	44	18.1	498	1	1	6	30	64	77	99+
35-49	38	18.9	398	2	2	10	29	49	61	88
50-64	84	18.2	299	3	3	13	26	49	60	95

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	39.5	1625	11	11	39	68	68	68	68
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+	38	27.5	532	4	5	21	36	68	77	85
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	28.8	216	12	12	28	39	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	39.5	1625	11	11	39	68	68	68	68
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	39	27.2	521	4	5	21	36	67	77	85
B. *Operated*	4	28.8	216	12	12	28	39	47	47	47
1. SINGLE DX	2	39.5	1625	11	11	39	68	68	68	68
2. MULTIPLE DX	43	27.4	487	4	5	22	36	61	76	85
A. NOT OPERATED	41	27.8	543	4	5	21	36	70	77	85
B. OPERATED	4	28.8	216	12	12	28	39	47	47	47
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+	44	28.2	517	4	5	22	36	68	76	85
GRAND TOTAL	**45**	**27.9**	**508**	**4**	**5**	**22**	**36**	**68**	**76**	**85**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	60	<1	<1	5	13	16	16	16
20-34	50	3.5	9	1	1	3	4	6	9	17
35-49	68	4.7	29	1	1	3	5	11	15	28
50-64	58	5.3	36	1	1	4	6	10	14	39
65+	25	8.5	208	1	1	4	9	17	33	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.7	174	3	3	7	29	32	32	32
20-34	126	5.2	31	1	1	3	6	11	15	29
35-49	219	5.4	30	1	1	4	7	11	14	31
50-64	211	9.9	125	1	2	7	12	23	31	70
65+	98	12.1	186	1	2	8	15	28	35	79
B. *Operated*										
0-19 YRS										
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	8	24.5	303	9	9	17	35	53	58	58
50-64	13	36.9	317	14	17	40	47	83	96	99+
65+	13	29.2	401	7	9	23	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	5.1	49	1	1	3	5	11	15	35
B. *Operated*	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	660	7.9	92	1	1	5	9	18	26	58
B. *Operated*	36	29.9	354	8	9	29	46	77	99+	99+
1. SINGLE DX	205	5.1	49	1	1	3	5	11	15	34
2. MULTIPLE DX	696	9.0	129	1	1	5	10	23	32	72
A. NOT OPERATED	864	7.2	83	1	1	4	8	16	24	43
B. OPERATED	37	29.4	353	8	9	29	45	75	99+	99+
TOTAL 0-19 YRS	9	11.6	134	<1	1	6	19	31	32	32
20-34	178	4.8	25	1	1	3	5	10	14	27
35-49	296	5.8	46	1	1	3	7	12	16	36
50-64	282	10.2	152	1	2	6	12	24	40	79
65+	136	13.1	236	1	2	9	17	33	55	99+
GRAND TOTAL	**901**	**8.1**	**113**	**1**	**1**	**4**	**9**	**19**	**29**	**70**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	21.8	269	2	3	21	34	44	45	45
20-34	22	8.7	109	<1	1	5	13	33	61	99+
35-49	8	5.4	24	2	2	4	6	14	17	17
50-64	7	5.4	16	<1	1	4	9	12	12	12
65+	10	4.8	8	1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.7	94	1	2	9	22	27	28	28
20-34	62	11.9	253	1	2	7	13	23	55	83
35-49	21	10.4	91	2	2	8	13	18	33	45
50-64	27	14.7	163	2	3	12	19	39	45	47
65+	35	12.7	198	2	2	11	17	22	39	75
B. *Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49										
50-64	1	88.0		88	88	88	88	88	88	88
65+	5	36.4	565	5	5	36	54	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	8.5	103	1	1	5	10	27	39	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	157	12.4	189	1	2	8	15	24	44	75
B. *Operated*	7	44.1	752	5	9	39	63	84	88	88
1. SINGLE DX	53	8.5	103	1	1	5	10	27	39	98
2. MULTIPLE DX	164	13.8	250	2	2	9	16	26	48	84
A. NOT OPERATED	210	11.4	169	1	2	7	14	24	44	79
B. OPERATED	7	44.1	752	5	9	39	63	84	88	88
TOTAL 0-19 YRS	18	15.7	159	1	2	12	26	32	41	45
20-34	85	11.4	222	1	1	7	13	25	53	95
35-49	29	9.0	77	2	2	6	12	16	25	45
50-64	35	14.9	303	2	3	10	18	42	46	88
65+	50	13.5	254	1	2	7	17	30	50	75
GRAND TOTAL	**217**	**12.5**	**218**	**1**	**2**	**7**	**15**	**27**	**45**	**86**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	27.3	571	5	7	25	81	99+	99+	99+
20-34	189	20.4	381	1	3	15	28	51	70	99+
35-49	102	20.4	401	1	3	14	29	47	78	99+
50-64	37	25.7	353	4	6	22	42	65	91	99+
65+	18	20.2	203	1	3	15	27	40	50	56
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	25.0		25	25	25	25	25	25	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	40.4	1218	4	6	25	71	93	96	96
20-34	114	23.0	376	3	4	18	30	49	73	99
35-49	69	21.4	275	1	3	18	29	39	62	83
50-64	48	22.4	252	5	7	18	32	49	59	99+
65+	14	25.6	201	3	5	27	36	44	49	50
B. *Operated*										
0-19 YRS										
20-34	7	45.9	557	24	25	31	69	79	80	80
35-49	4	22.0	118	14	14	18	28	38	38	38
50-64	4	41.3	260	29	29	35	50	65	65	65
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	21.1	379	1	3	16	29	52	80	99+
B. *Operated*	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	252	23.1	340	2	4	18	31	48	64	98
B. *Operated*	15	38.3	427	15	17	31	51	74	78	80
1. SINGLE DX	355	21.1	378	1	3	16	29	52	80	99+
2. MULTIPLE DX	267	23.9	356	3	5	19	32	49	73	98
A. NOT OPERATED	606	21.9	363	2	4	17	30	50	73	99+
B. OPERATED	16	37.4	409	15	17	30	46	73	78	80
TOTAL 0-19 YRS	15	33.4	854	4	6	25	81	99	99+	99+
20-34	310	21.9	395	1	3	17	29	51	73	99+
35-49	175	20.9	343	1	3	16	29	46	65	99
50-64	90	24.6	300	5	6	21	36	57	72	99+
65+	32	22.6	203	2	4	19	32	42	49	56
GRAND TOTAL	**622**	**22.3**	**370**	**2**	**4**	**18**	**31**	**51**	**73**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	17	29.4	518	1	1	24	40	68	78	80
35-49	10	12.9	107	1	2	10	15	31	31	31
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	1	35.0		35	35	35	35	35	35	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	11	30.1	607	7	8	23	44	67	85	87
35-49	9	23.0	578	3	3	8	41	62	64	64
50-64										
65+	2	51.5	1405	25	25	51	78	78	78	78
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	23.6	385	1	2	18	35	45	72	80
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	29.4	613	3	5	23	44	67	81	87
B. *Operated*	2	16.5	85	10	10	16	23	23	23	23
1. SINGLE DX	31	23.6	385	1	2	18	35	45	72	80
2. MULTIPLE DX	25	28.4	578	3	5	23	43	64	80	87
A. NOT OPERATED	54	26.1	481	1	3	21	36	59	77	87
B. OPERATED	2	16.5	85	10	10	16	23	23	23	23
TOTAL 0-19 YRS	3	32.7	72	23	23	36	38	39	39	39
20-34	29	29.0	526	1	4	23	42	65	80	87
35-49	19	17.7	337	2	3	10	29	49	61	64
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	3	46.0	793	25	25	35	67	78	78	78
GRAND TOTAL	**56**	**25.7**	**468**	**2**	**3**	**21**	**36**	**57**	**76**	**87**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	25.5	354	2	4	25	42	60	86	99+
20-34	409	22.4	391	2	3	17	34	52	69	99+
35-49	242	17.7	206	1	2	15	26	40	51	99+
50-64	90	17.5	163	2	4	16	27	34	51	99+
65+	18	19.7	375	1	2	12	26	48	64	74
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	19.4	212	3	5	14	29	40	45	57
20-34	280	21.9	386	1	3	17	32	56	73	99+
35-49	140	17.6	213	1	3	14	26	39	50	67
50-64	87	29.1	582	3	4	23	41	83	98	99+
65+	36	20.5	334	3	4	16	32	48	77	99+
B. *Operated*										
0-19 YRS	2	37.0	18	34	34	37	40	40	40	40
20-34	11	45.8	642	14	20	62	96	99+	99+	99+
35-49	5	34.4	251	12	14	40	51	95	99+	99+
50-64	5	39.8	611	10	10	43	56	73	73	73
65+	3	46.7	1336	9	9	49	74	82	82	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	795	20.5	312	2	3	16	30	49	62	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	572	21.7	372	2	3	17	31	53	73	99+
B. *Operated*	26	41.9	526	10	12	49	76	99+	99+	99+
1. SINGLE DX	795	20.5	312	2	3	16	30	49	62	99+
2. MULTIPLE DX	598	22.6	394	2	4	18	33	57	78	99+
A. NOT OPERATED	1367	21.0	337	2	3	16	30	50	66	99+
B. OPERATED	26	41.9	526	10	12	49	76	99+	99+	99+
TOTAL 0-19 YRS	67	23.2	293	2	5	18	35	56	61	99+
20-34	700	22.5	400	2	3	17	34	55	74	99+
35-49	387	17.9	211	1	3	15	26	40	51	99+
50-64	182	23.6	411	2	4	20	33	58	91	99+
65+	57	21.6	406	2	4	15	31	49	79	99
GRAND TOTAL	**1393**	**21.4**	**348**	**2**	**3**	**17**	**31**	**52**	**70**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	15.7	82	4	4	15	18	30	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.7	193	6	7	16	28	43	45	45
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	15.7	82	4	4	15	18	30	31	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	19.7	193	6	7	16	28	43	45	45
B. *Operated*										
1. SINGLE DX	10	15.7	82	4	4	15	18	30	31	31
2. MULTIPLE DX	9	19.7	193	6	7	16	28	43	45	45
A. NOT OPERATED	19	17.6	131	4	5	16	23	36	42	45
B. OPERATED										
TOTAL 0-19 YRS	19	17.6	131	4	5	16	23	36	42	45
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**19**	**17.6**	**131**	**4**	**5**	**16**	**23**	**36**	**42**	**45**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	13.0	270	1	1	7	17	32	59	70
20-34	199	16.2	278	1	2	10	21	41	53	75
35-49	273	16.5	263	2	2	12	23	37	52	85
50-64	248	19.5	257	2	3	16	27	44	56	86
65+	171	21.3	248	4	5	18	28	44	62	99+
B. *Operated*										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	53.0		53	53	76	99+	99+	99+	99+
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	16.8	300	2	2	10	27	36	43	94
20-34	316	21.1	378	2	3	16	31	53	69	94
35-49	313	20.5	311	2	3	15	31	46	60	99+
50-64	350	23.7	350	3	5	20	32	52	67	99+
65+	316	24.7	294	5	7	22	34	53	72	99+
B. *Operated*										
0-19 YRS										
20-34	19	31.1	918	2	3	18	45	81	91	98
35-49	20	35.4	451	11	15	32	55	99	99+	99+
50-64	22	39.4	568	10	12	37	77	99+	99+	99+
65+	22	25.5	236	8	9	26	41	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	18.0	265	2	3	14	25	42	56	86
B. *Operated*	3	34.3	517	9	9	47	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1343	22.4	336	2	4	18	32	50	66	99+
B. *Operated*	83	32.8	540	5	9	29	49	99	99+	99+
1. SINGLE DX	929	18.1	267	2	3	14	25	42	56	88
2. MULTIPLE DX	1426	23.0	353	2	4	19	34	53	71	99+
A. NOT OPERATED	2269	20.6	312	2	3	16	29	46	62	99+
B. OPERATED	86	32.9	533	5	9	30	51	99+	99+	99+
TOTAL 0-19 YRS	83	15.2	287	1	2	9	22	35	45	86
20-34	535	19.7	368	1	2	14	28	50	64	91
35-49	607	19.2	305	2	3	14	28	43	59	99+
50-64	621	22.6	334	2	4	19	31	52	67	99+
65+	509	23.6	278	4	6	21	34	50	73	99+
GRAND TOTAL	**2355**	**21.0**	**325**	**2**	**3**	**17**	**30**	**48**	**65**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	21.6	343	3	5	15	30	40	63	85
20-34	253	20.3	234	2	4	18	27	43	56	75
35-49	247	16.0	191	1	2	13	22	32	46	77
50-64	155	19.1	262	2	3	16	24	40	50	90
65+	60	23.6	391	3	5	19	30	50	58	98
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	33.0		33	33	33	33	33	33	33
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	29.4	673	3	4	20	53	79	91	99+
20-34	197	27.0	410	3	5	23	38	61	77	99+
35-49	193	25.1	379	3	6	20	33	55	68	97
50-64	177	25.5	351	3	6	23	35	58	75	99+
65+	128	26.2	432	4	6	22	38	62	93	99+
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	11	38.5	531	7	12	37	63	81	97	99+
35-49	10	36.5	461	18	18	29	71	99+	99+	99+
50-64	18	34.3	408	11	15	31	43	79	96	99+
65+	11	51.4	444	16	22	49	71	78	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	18.9	245	2	3	16	25	40	53	90
B. *Operated*	2	24.0	162	15	15	24	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	721	26.1	399	3	6	22	36	60	77	99+
B. *Operated*	51	39.0	469	14	16	36	60	79	99+	99+
1. SINGLE DX	739	18.9	245	2	3	16	25	40	53	90
2. MULTIPLE DX	772	26.9	413	4	6	23	38	63	78	99+
A. NOT OPERATED	1458	22.5	334	2	4	18	30	51	66	99+
B. OPERATED	53	38.4	463	14	15	34	60	79	99+	99+
TOTAL 0-19 YRS	49	25.7	518	4	5	18	35	68	85	99+
20-34	461	23.6	331	3	4	19	32	55	66	99+
35-49	451	20.4	301	1	3	17	28	46	63	99+
50-64	351	23.1	328	2	4	20	31	49	69	99+
65+	199	26.8	453	4	6	22	38	60	82	99+
GRAND TOTAL	**1511**	**23.0**	**347**	**2**	**4**	**19**	**31**	**53**	**69**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	21.6	309	<1	1	18	34	47	53	62
20-34	126	13.9	204	1	1	10	19	31	46	72
35-49	90	15.0	157	1	2	13	22	31	37	64
50-64	59	16.1	218	1	2	11	26	34	39	75
65+	85	15.6	280	2	2	10	21	38	47	85
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	19.4	235	2	3	17	27	38	49	64
20-34	140	18.0	248	1	3	13	25	41	52	71
35-49	86	18.5	195	2	3	16	27	40	53	99+
50-64	99	16.6	236	1	2	13	25	35	49	90
65+	231	15.6	253	2	3	10	21	42	58	99+
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	3	35.3	1196	5	5	28	62	73	73	73
35-49	6	11.3	51	2	2	13	15	20	21	21
50-64	5	23.8	377	8	8	17	34	56	56	56
65+	22	33.3	771	3	3	27	62	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	15.4	219	1	2	11	22	35	45	73
B. *Operated*	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	578	16.9	239	2	3	12	25	41	53	99+
B. *Operated*	38	27.2	648	2	3	19	49	81	94	99+
1. SINGLE DX	387	15.3	219	1	2	11	21	35	45	73
2. MULTIPLE DX	616	17.6	270	2	3	13	25	44	57	99+
A. NOT OPERATED	962	16.3	232	1	2	12	23	37	50	90
B. OPERATED	41	25.6	634	2	3	16	44	79	93	99+
TOTAL 0-19 YRS	49	19.6	268	1	2	16	30	43	50	64
20-34	269	16.3	241	1	2	12	23	39	50	73
35-49	182	16.5	174	1	2	14	23	34	50	89
50-64	164	16.6	231	1	2	13	25	35	49	80
65+	339	16.7	309	2	3	10	23	45	65	99+
GRAND TOTAL	**1003**	**16.7**	**251**	**1**	**2**	**12**	**24**	**40**	**53**	**95**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated* .										
0-19 YRS	55	6.2	79	<1	1	2	6	24	31	32
20-34	199	4.7	23	<1	1	3	6	10	12	25
35-49	169	6.3	81	1	1	3	7	14	20	54
50-64	124	6.6	41	1	1	4	8	15	18	29
65+	117	7.7	87	1	1	5	9	16	23	52
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.9	78	1	1	3	8	21	32	35
20-34	313	7.5	93	1	1	4	8	17	26	53
35-49	334	7.9	110	1	1	5	9	19	25	68
50-64	296	8.9	138	1	2	5	10	20	28	67
65+	387	9.3	98	2	2	6	12	21	28	65
B. *Operated*										
0-19 YRS	3	13.0	127	6	6	7	21	26	26	26
20-34	20	10.5	114	2	3	7	18	33	63	99+
35-49	10	16.5	91	3	5	18	21	62	97	99+
50-64	15	13.6	117	1	1	13	20	31	35	37
65+	11	15.8	232	4	5	10	20	37	56	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	664	6.1	58	1	1	4	7	13	18	42
B. *Operated*	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1394	8.4	108	1	1	5	10	20	27	63
B. *Operated*	59	13.4	130	2	3	10	21	33	47	99+
1. SINGLE DX	666	6.1	57	1	1	4	7	13	18	42
2. MULTIPLE DX	1453	8.6	109	1	1	5	10	21	29	68
A. NOT OPERATED	2058	7.6	93	1	1	5	9	17	25	52
B. OPERATED	61	13.2	127	2	3	10	21	33	44	99+
TOTAL 0-19 YRS	122	6.7	79	1	1	3	7	24	31	35
20-34	533	6.6	70	1	1	4	8	14	23	42
35-49	514	7.5	102	1	1	4	8	18	24	68
50-64	435	8.4	111	1	1	5	10	19	25	49
65+	515	9.1	99	1	2	6	11	21	28	61
GRAND TOTAL	2119	7.8	94	1	1	5	9	18	26	55

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	9.9	116	1	1	5	15	26	32	49
20-34	288	9.0	71	1	2	7	12	18	27	47
35-49	245	9.8	83	2	2	7	13	21	26	53
50-64	157	12.0	119	2	3	8	16	27	33	51
65+	88	12.7	111	2	3	10	16	27	37	48
B. *Operated*										
0-19 YRS										
20-34	1	36.0		36	36	36	36	36	36	36
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+	3	36.7	101	26	26	38	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	13.3	139	2	2	9	19	34	37	92
20-34	446	14.0	224	1	2	9	18	34	43	79
35-49	397	12.5	151	1	3	8	16	29	41	62
50-64	272	14.3	160	2	3	11	18	31	44	52
65+	251	15.3	196	2	4	11	20	31	40	84
B. *Operated*										
0-19 YRS	3	46.0	1873	13	13	30	79	95	95	95
20-34	28	21.0	506	1	2	11	32	71	74	99+
35-49	23	21.9	222	5	7	18	26	41	52	69
50-64	17	25.5	655	4	6	19	30	77	86	86
65+	9	31.9	732	5	8	19	47	77	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	10.3	92	1	2	7	14	23	30	49
B. *Operated*	5	33.4	99	21	21	36	40	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	1431	13.8	183	2	2	9	18	32	42	67
B. *Operated*	80	24.4	519	3	5	18	31	70	84	98
1. SINGLE DX	830	10.4	95	1	2	7	14	23	31	49
2. MULTIPLE DX	1511	14.4	206	2	2	10	19	32	44	80
A. NOT OPERATED	2256	12.5	153	2	2	8	16	28	39	59
B. OPERATED	85	24.9	497	3	5	18	36	69	83	98
TOTAL 0-19 YRS	115	12.7	190	1	2	8	18	32	36	97
20-34	763	12.4	185	1	2	8	15	29	42	72
35-49	665	11.8	133	2	2	8	15	26	35	60
50-64	447	13.9	169	2	3	10	19	29	42	53
65+	351	15.3	198	2	4	11	20	32	44	83
GRAND TOTAL	2341	13.0	170	2	2	9	16	29	40	68

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	10.2	277	1	1	3	9	30	52	82
20-34	190	13.5	323	1	1	6	17	38	55	96
35-49	93	10.1	106	1	1	6	13	24	28	52
50-64	47	9.6	81	1	1	6	16	24	36	99+
65+	42	9.1	72	1	2	5	13	22	26	38
B. *Operated*										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	4	9.0	135	1	1	4	16	26	26	26
35-49	3	5.3	1	4	4	6	6	6	6	6
50-64	8	5.9	6	1	2	6	7	9	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	12.3	292	1	1	6	15	32	63	88
20-34	412	13.5	251	1	1	8	19	35	54	99+
35-49	216	16.0	264	1	2	11	23	41	51	99
50-64	129	14.2	230	1	2	9	21	32	55	96
65+	93	14.2	263	2	3	8	17	28	49	88
B. *Operated*										
0-19 YRS	3	18.7	250	5	5	15	31	36	36	36
20-34	21	25.6	385	2	4	23	41	55	90	99+
35-49	16	11.1	94	1	2	11	25	99+	99+	99+
50-64	16	14.9	482	3	4	8	25	97	99+	99+
65+	7	25.6	612	<1	2	17	36	67	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	11.3	226	1	1	6	14	28	44	87
B. *Operated*	19	6.6	30	1	1	6	7	11	19	26
2. MULTIPLE DX										
A. *Not Operated*	974	14.1	258	1	1	8	19	36	54	98
B. *Operated*	63	18.8	371	2	3	15	36	88	99+	99+
1. SINGLE DX	488	11.2	219	1	1	6	14	27	43	87
2. MULTIPLE DX	1037	14.4	266	1	1	9	20	37	56	99+
A. NOT OPERATED	1443	13.2	249	1	1	7	18	34	51	95
B. OPERATED	82	16.0	318	1	2	10	26	65	99+	99+
TOTAL 0-19 YRS	226	11.5	282	1	1	5	12	32	55	83
20-34	627	13.9	280	1	1	7	20	37	55	99+
35-49	328	14.0	216	1	2	9	20	36	49	99+
50-64	200	12.8	209	1	2	8	17	30	55	99+
65+	144	13.1	230	2	2	8	16	28	46	86
GRAND TOTAL	**1525**	**13.3**	**253**	**1**	**1**	**7**	**18**	**36**	**54**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	31	<1	<1	1	1	7	18	24
20-34	185	6.9	63	<1	1	4	8	25	25	30
35-49	311	6.3	45	1	1	4	6	14	25	27
50-64	205	6.2	41	1	2	4	7	14	21	28
65+	59	5.9	28	1	2	4	8	13	16	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	33	<1	<1	4	7	10	18	27
20-34	294	7.5	62	1	1	4	9	22	25	32
35-49	528	7.9	77	1	2	5	9	20	27	43
50-64	484	9.2	91	1	2	6	12	23	28	48
65+	229	12.5	178	2	3	8	16	29	49	99+
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	16.2	60	8	8	16	24	24	24	24
35-49	23	14.5	74	4	7	12	22	28	55	99+
50-64	25	17.7	141	1	3	16	26	35	39	46
65+	19	24.1	513	4	7	21	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	6.3	47	1	1	4	7	15	25	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1556	8.9	95	1	2	5	11	23	28	54
B. *Operated*	74	17.8	220	1	5	15	26	43	97	99+
1. SINGLE DX	778	6.3	47	1	1	4	7	15	25	29
2. MULTIPLE DX	1630	9.3	104	1	2	6	11	24	30	66
A. NOT OPERATED	2334	8.0	81	1	1	5	9	22	26	45
B. OPERATED	74	17.8	220	1	5	15	26	43	97	99+
TOTAL 0-19 YRS	41	4.2	32	<1	<1	1	5	10	16	27
20-34	484	7.4	63	1	1	4	8	24	25	32
35-49	862	7.5	67	1	1	5	8	20	25	42
50-64	714	8.7	83	1	2	5	11	22	26	45
65+	307	12.0	184	2	2	7	15	29	55	99+
GRAND TOTAL	**2408**	**8.3**	**88**	**1**	**1**	**5**	**10**	**23**	**27**	**51**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	11	14.7	186	4	5	9	16	37	50	51
35-49	7	10.3	129	1	1	6	14	29	33	33
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	2	18.5	181	9	9	18	28	28	28	28
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	11	1	1	3	5	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	11.0	129	1	2	8	13	27	37	51
B. *Operated*	2	18.5	181	9	9	18	28	28	28	28
1. SINGLE DX	7	3.7	11	1	1	3	5	9	10	10
2. MULTIPLE DX	27	11.6	130	1	2	8	14	28	36	51
A. NOT OPERATED	32	9.4	112	1	1	6	11	21	32	51
B. OPERATED	2	18.5	181	9	9	18	28	28	28	28
TOTAL 0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	16	12.9	165	1	2	9	15	28	44	51
35-49	10	8.0	100	1	1	4	12	24	33	33
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	3	6.7	17	2	2	8	9	10	10	10
GRAND TOTAL	**34**	**10.0**	**115**	**1**	**1**	**7**	**12**	**27**	**32**	**51**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	112	2	2	10	20	23	23	23
20-34	11	6.1	16	1	2	4	9	12	13	13
35-49	11	6.2	12	<1	2	4	10	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.5	15	2	3	5	7	50	96	99+
20-34	34	11.5	191	1	2	6	12	25	33	74
35-49	23	15.0	317	1	2	8	24	29	51	82
50-64	12	11.2	63	<1	1	9	18	23	24	24
65+	6	20.0	128	6	6	20	27	35	36	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	24.8	359	6	6	25	41	43	43	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.8	24	1	2	4	10	12	15	23
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	12.3	188	1	2	7	17	27	35	94
B. *Operated*	4	24.8	359	6	6	25	41	43	43	43
1. SINGLE DX	25	6.8	24	1	2	4	10	12	15	23
2. MULTIPLE DX	89	12.9	198	1	2	8	19	27	39	93
A. NOT OPERATED	110	11.1	155	1	2	7	14	26	34	89
B. OPERATED	4	24.8	359	6	6	25	41	43	43	43
TOTAL 0-19 YRS	13	6.9	38	2	2	5	10	31	85	99+
20-34	45	10.2	153	1	2	6	12	25	29	74
35-49	38	13.5	252	1	2	8	19	33	41	82
50-64	12	11.2	63	<1	1	9	18	23	24	24
65+	6	20.0	128	6	6	20	27	35	36	36
GRAND TOTAL	**114**	**11.5**	**166**	**1**	**2**	**7**	**15**	**27**	**36**	**88**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.3	1	<1	<1	1	1	2	3	7
20-34	33	1.2		<1	<1	1	1	2	3	3
35-49	23	1.8	1	<1	<1	1	3	3	4	4
50-64	17	2.2	5	<1	<1	1	3	5	8	9
65+	5	2.6	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.4	131	<1	<1	1	4	27	31	49
20-34	81	7.7	120	<1	<1	2	10	25	28	55
35-49	55	6.7	81	<1	<1	3	8	24	27	35
50-64	42	4.4	25	<1	<1	3	5	10	16	25
65+	23	5.9	44	1	1	3	8	15	23	24
B. *Operated*										
0-19 YRS										
20-34	3	5.3	26	1	1	4	9	11	11	11
35-49										
50-64										
65+	2	5.5	13	3	3	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	248	6.5	90	<1	<1	2	6	23	27	38
B. *Operated*	5	5.4	16	1	1	4	9	11	11	11
1. SINGLE DX	154	1.5	1	<1	<1	1	1	3	4	7
2. MULTIPLE DX	253	6.5	88	<1	<1	2	6	22	27	38
A. NOT OPERATED	402	4.6	62	<1	<1	1	4	14	24	33
B. OPERATED	5	5.4	16	1	1	4	9	11	11	11
TOTAL 0-19 YRS	123	3.2	56	<1	<1	1	1	4	23	41
20-34	117	5.8	92	<1	<1	1	5	20	27	43
35-49	78	5.2	62	<1	<1	2	4	19	26	33
50-64	59	3.8	20	<1	<1	2	5	8	15	24
65+	30	5.3	35	1	1	3	7	12	23	24
GRAND TOTAL	**407**	**4.6**	**61**	**<1**	**<1**	**1**	**4**	**14**	**24**	**33**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.6	12	<1	<1	1	2	7	12	13
20-34	8	5.6	117	<1	<1	1	4	24	32	32
35-49	9	4.2	24	1	1	3	4	12	17	17
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	26.5	1301	<1	<1	26	52	52	52	52
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.1	33	1	1	2	2	14	18	18
20-34	70	11.4	180	1	1	7	16	27	29	82
35-49	26	10.6	70	1	2	8	16	26	27	28
50-64	12	7.7	20	2	2	8	9	12	18	19
65+	15	9.0	39	2	3	6	11	20	21	21
B. *Operated*										
0-19 YRS										
20-34	2	38.0	32	34	34	38	42	42	42	42
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.2	105	<1	<1	2	3	13	29	52
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	133	10.1	120	1	1	7	14	21	28	50
B. *Operated*	4	23.8	282	9	9	22	38	42	42	42
1. SINGLE DX	35	5.1	102	<1	<1	2	3	13	28	52
2. MULTIPLE DX	137	10.5	128	1	1	7	15	25	29	49
A. NOT OPERATED	167	9.1	120	1	1	5	12	20	28	50
B. OPERATED	5	19.4	306	2	2	10	36	42	42	42
TOTAL 0-19 YRS	23	3.3	20	<1	1	1	2	11	15	18
20-34	80	11.5	189	<1	1	6	16	29	33	77
35-49	37	9.0	62	1	2	5	15	20	27	28
50-64	14	7.1	19	2	2	7	9	10	17	19
65+	18	10.6	145	1	2	6	12	21	40	52
GRAND TOTAL	**172**	**9.4**	**126**	**1**	**1**	**5**	**13**	**21**	**29**	**50**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.8	16	1	1	3	7	11	13	15
20-34	31	4.7	10	1	1	5	7	9	10	14
35-49	19	4.3	8	<1	1	4	6	8	10	11
50-64	12	4.1	4	<1	1	5	5	6	7	7
65+	15	5.9	29	1	1	3	9	16	17	18
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49										
50-64	3	6.3	22	<1	<1	8	9	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	7.5	92	1	1	4	8	20	22	48
20-34	44	7.1	84	<1	1	4	8	15	35	37
35-49	45	6.4	36	1	2	5	8	11	17	35
50-64	43	5.4	34	1	1	4	7	10	16	34
65+	53	6.8	30	1	2	6	8	15	20	26
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	10	16.2	171	1	1	13	24	36	37	37
35-49	4	8.5	16	5	5	7	11	14	14	14
50-64	8	5.6	16	1	1	5	9	11	12	12
65+	4	11.5	47	3	3	12	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.8	13	1	1	4	6	10	12	17
B. *Operated*	8	4.4	11	<1	<1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	216	6.6	51	1	1	4	8	14	21	36
B. *Operated*	27	11.1	91	1	2	9	15	24	35	37
1. SINGLE DX	109	4.7	12	1	1	4	6	10	11	17
2. MULTIPLE DX	243	7.1	57	1	1	5	8	16	23	37
A. NOT OPERATED	317	6.0	40	1	1	4	7	12	18	35
B. OPERATED	35	9.6	80	1	1	7	13	23	32	37
TOTAL 0-19 YRS	57	6.3	59	1	1	4	8	14	21	46
20-34	89	7.1	74	<1	1	4	8	15	35	37
35-49	68	6.0	28	1	2	5	8	11	15	32
50-64	66	5.2	25	<1	1	4	7	10	13	31
65+	72	6.9	31	1	2	6	9	16	18	25
GRAND TOTAL	**352**	**6.4**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	13.3	192	1	1	9	23	39	88	99+
20-34	138	6.8	39	<1	1	5	9	15	21	26
35-49	89	6.9	49	1	1	4	9	18	23	30
50-64	48	6.3	45	1	1	4	9	13	18	36
65+	23	10.9	285	1	1	5	11	30	60	66
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	19.3	484	1	2	13	33	92	99+	99+
20-34	269	9.7	121	1	1	6	13	23	30	67
35-49	190	10.5	114	1	2	7	13	26	36	49
50-64	67	10.9	105	2	2	7	15	24	33	46
65+	62	15.0	161	1	3	11	23	38	43	48
B. *Operated*										
0-19 YRS	3	36.3	1265	11	11	21	63	77	77	77
20-34	12	24.2	625	2	5	18	27	55	91	97
35-49	6	10.7	97	1	1	9	12	27	29	29
50-64	6	9.2	14	4	4	9	13	13	13	13
65+	3	21.7	72	12	12	25	27	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	8.5	99	1	1	5	11	23	32	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	719	12.2	199	1	2	8	16	32	45	99+
B. *Operated*	30	19.4	426	2	4	13	25	33	77	97
1. SINGLE DX	390	8.5	99	1	1	5	11	23	32	99+
2. MULTIPLE DX	749	12.5	210	1	2	8	17	32	45	99+
A. NOT OPERATED	1109	10.9	167	1	1	7	14	29	41	99+
B. OPERATED	30	19.4	426	2	4	13	25	33	77	97
TOTAL 0-19 YRS	226	17.1	382	1	2	11	32	80	99+	99+
20-34	419	9.2	115	1	1	6	12	22	27	57
35-49	285	9.4	96	1	1	6	12	23	30	44
50-64	121	9.0	81	1	2	6	11	21	28	45
65+	88	14.2	192	1	2	10	21	36	43	63
GRAND TOTAL	**1139**	**11.2**	**175**	**1**	**1**	**7**	**14**	**29**	**41**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	15.9	193	1	2	11	30	32	39	99
20-34	344	9.8	123	1	2	6	13	22	35	96
35-49	258	10.4	102	2	2	7	14	22	31	51
50-64	167	13.7	178	2	3	9	21	29	36	68
65+	152	14.6	148	3	4	12	19	30	42	71
B. *Operated*										
0-19 YRS	3	30.7	2465	2	2	2	66	88	88	88
20-34	7	9.6	20	3	4	10	13	16	16	16
35-49	6	4.5	10	1	1	4	7	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	19.0	288	7	7	19	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	383	17.3	265	1	2	12	26	37	52	99+
20-34	508	14.5	295	1	1	8	19	37	62	99+
35-49	445	13.1	209	1	2	8	16	32	47	80
50-64	330	13.2	183	2	2	9	17	28	38	80
65+	410	14.9	236	3	4	10	18	35	59	99+
B. *Operated*										
0-19 YRS	13	18.5	211	1	2	17	32	39	44	45
20-34	33	29.4	533	2	4	25	52	64	81	99+
35-49	24	26.3	579	5	7	17	30	72	83	92
50-64	21	27.7	415	4	5	27	40	67	81	99+
65+	19	30.7	474	9	12	34	43	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	12.4	150	1	2	8	17	31	37	71
B. *Operated*	19	12.1	386	1	2	7	10	25	62	88
2. MULTIPLE DX										
A. *Not Operated*	2076	14.6	243	1	2	9	19	34	53	99+
B. *Operated*	110	27.3	469	3	5	23	40	66	96	99+
1. SINGLE DX	1195	12.4	154	1	2	8	17	31	37	74
2. MULTIPLE DX	2186	15.2	262	1	2	10	20	36	57	99+
A. NOT OPERATED	3252	13.8	211	1	2	9	19	32	46	94
B. OPERATED	129	25.1	483	2	4	20	38	65	91	99+
TOTAL 0-19 YRS	654	16.8	243	1	2	12	27	34	45	99+
20-34	892	13.2	249	1	2	8	17	35	56	99+
35-49	733	12.5	190	2	2	8	16	28	44	79
50-64	519	14.0	198	2	2	9	19	30	42	80
65+	583	15.3	227	3	4	10	19	37	57	99+
GRAND TOTAL	**3381**	**14.2**	**226**	**1**	**2**	**9**	**19**	**33**	**48**	**99**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	16.3	123	2	5	15	27	55	99+	99+
20-34	21	18.2	176	2	3	21	28	38	41	43
35-49	11	21.5	413	1	6	12	38	78	97	99+
50-64	6	35.0	780	14	14	22	76	97	99+	99+
65+	2	16.0	450	<1	<1	31	83	99+	99+	99+
B. *Operated*										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	16	<1	<1	5	8	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	60	19.8	273	1	3	17	30	69	99+	99+
B. *Operated*	4	6.3	8	2	2	7	8	8	8	8
1. SINGLE DX	4	5.3	16	<1	<1	5	8	10	10	10
2. MULTIPLE DX	64	18.9	267	2	3	15	29	63	99+	99+
A. NOT OPERATED	64	18.9	269	<1	3	15	29	63	99+	99+
B. OPERATED	4	6.3	8	2	2	7	8	8	8	8
TOTAL 0-19 YRS	24	14.7	117	2	4	13	25	36	99+	99+
20-34	23	17.1	174	2	3	15	27	38	41	43
35-49	12	19.8	410	<1	<1	12	33	75	95	99+
50-64	7	31.0	762	7	9	21	69	95	99+	99+
65+	2	16.0	450	<1	<1	31	83	99+	99+	99+
GRAND TOTAL	**68**	**18.1**	**262**	**1**	**3**	**14**	**29**	**58**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	10.8	16	4	5	11	13	15	17	22
20-34	15	8.1	42	2	3	5	12	16	23	25
35-49	8	4.9	28	<1	<1	2	8	13	15	15
50-64	6	18.2	378	1	2	12	21	52	55	55
65+										
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	5	12.8	115	1	1	10	23	25	25	25
35-49	12	13.6	267	<1	1	6	19	45	45	45
50-64	3	8.7	154	1	1	2	18	23	23	23
65+	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	13.3	44	4	8	12	15	18	22	44
20-34	11	10.2	31	4	5	7	14	19	21	21
35-49	8	12.9	68	4	5	10	16	26	30	30
50-64	9	14.8	278	1	1	10	18	43	53	53
65+	11	20.5	317	4	6	13	32	49	59	60
B. *Operated*										
0-19 YRS	7	18.7	161	4	5	14	27	37	40	40
20-34	9	25.2	364	5	6	36	52	99+	99+	99+
35-49	9	21.0	244	1	3	16	32	43	47	47
50-64	11	17.4	600	2	3	13	89	99+	99+	99+
65+	3	34.0	1659	9	9	12	64	81	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	10.3	48	1	3	10	13	16	18	43
B. *Operated*	25	11.6	167	<1	1	5	17	27	45	45
2. MULTIPLE DX										
A. *Not Operated*	96	13.9	98	3	5	12	16	21	36	57
B. *Operated*	39	21.5	421	3	4	15	40	99+	99+	99+
1. SINGLE DX	115	10.6	73	1	2	10	14	17	24	49
2. MULTIPLE DX	135	16.1	201	3	5	12	18	41	70	99+
A. NOT OPERATED	186	12.1	77	2	4	11	15	18	26	54
B. OPERATED	64	17.6	341	1	2	12	30	71	99+	99+
TOTAL 0-19 YRS	127	12.4	38	4	6	11	15	17	23	41
20-34	40	13.1	155	2	3	9	21	42	73	99+
35-49	37	13.4	185	<1	1	9	16	35	45	47
50-64	29	15.8	380	1	1	11	22	92	99+	99+
65+	17	19.9	493	2	4	12	21	56	74	81
GRAND TOTAL	**250**	**13.5**	**149**	**1**	**3**	**11**	**15**	**30**	**45**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	12.0	40	5	5	10	18	20	20	20
50-64	24	10.9	44	2	4	10	18	21	41	99+
65+	75	11.7	101	2	3	8	16	22	33	90
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	2	27.5	1	27	27	27	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	27.0		27	27	27	27	27	27	27
35-49	10	19.0	145	4	5	18	33	61	97	99+
50-64	31	18.1	344	3	4	15	22	46	81	99+
65+	240	18.1	277	3	4	13	25	52	98	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	21.6	310	6	6	14	39	43	43	43
65+	17	34.5	343	14	19	33	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	11.3	84	2	3	9	17	21	32	99+
B. *Operated*	4	17.5	142	4	4	19	27	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	283	18.2	276	3	4	13	25	52	97	99+
B. *Operated*	22	31.6	351	7	10	33	46	99+	99+	99+
1. SINGLE DX	110	11.6	86	2	3	9	17	22	32	99+
2. MULTIPLE DX	305	19.1	293	3	5	14	28	55	99+	99+
A. NOT OPERATED	389	16.3	233	3	4	12	22	42	80	99+
B. OPERATED	26	29.4	339	6	8	28	41	92	99+	99+
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	10.7	202	1	1	4	21	27	27	27
35-49	15	16.7	116	4	5	16	29	35	81	99+
50-64	62	15.3	223	3	4	13	19	32	80	99+
65+	334	17.6	261	3	4	13	25	49	92	99+
GRAND TOTAL	**415**	**17.1**	**249**	**3**	**4**	**13**	**24**	**46**	**83**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.1	24	2	3	10	12	17	18	18
20-34	141	10.8	83	2	3	10	13	20	25	59
35-49	115	12.2	115	3	4	10	13	23	29	92
50-64	60	12.6	141	2	3	10	19	29	83	99+
65+	5	7.4	8	4	4	8	9	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	19	6.8	42	2	2	5	9	22	64	99+
35-49	13	8.5	52	1	2	7	11	18	26	28
50-64	8	12.9	56	<1	2	11	19	23	23	23
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	397	2	2	3	28	37	37	37
20-34	88	12.5	224	2	3	9	13	42	74	99+
35-49	108	15.1	233	2	4	11	18	36	93	99+
50-64	75	16.5	254	3	4	11	22	29	40	90
65+	16	22.6	535	2	3	15	29	77	92	99+
B. *Operated*										
0-19 YRS										
20-34	13	24.9	731	4	6	12	46	83	96	99+
35-49	35	15.8	166	2	3	13	27	41	45	99+
50-64	27	20.0	684	3	4	11	17	89	90	99+
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	11.6	102	2	3	10	13	23	28	99+
B. *Operated*	42	8.2	51	1	2	6	11	22	28	99+
2. MULTIPLE DX										
A. *Not Operated*	290	15.1	255	2	3	11	19	35	76	99+
B. *Operated*	76	18.9	441	3	3	12	27	66	89	99+
1. SINGLE DX	372	11.2	97	2	3	10	13	23	28	99+
2. MULTIPLE DX	366	15.9	295	2	3	11	21	42	84	99+
A. NOT OPERATED	620	13.2	176	2	3	10	16	28	55	99+
B. OPERATED	118	15.1	327	2	3	10	18	43	88	99+
TOTAL 0-19 YRS	14	9.7	91	1	2	9	11	20	33	37
20-34	261	11.8	167	2	3	9	13	24	60	99+
35-49	271	13.6	168	2	3	10	16	29	49	99+
50-64	170	15.5	275	3	4	11	21	30	75	99+
65+	22	19.0	425	2	4	12	25	77	85	99+
GRAND TOTAL	**738**	**13.5**	**200**	**2**	**3**	**10**	**16**	**29**	**62**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	3.8	14	1	1	3	5	8	11	20
20-34	263	4.4	34	<1	1	2	5	10	15	28
35-49	122	4.4	20	1	1	3	6	11	15	20
50-64	56	5.1	21	1	1	3	7	11	13	24
65+	47	7.7	50	1	2	5	11	20	23	28
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	7	24.6	694	3	3	15	47	65	67	67
35-49	5	9.6	92	2	2	4	17	24	24	24
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	344	5.9	53	1	1	4	7	12	15	32
20-34	291	6.5	49	1	1	4	8	15	21	41
35-49	205	6.2	84	1	1	4	8	13	17	51
50-64	203	7.3	78	1	2	5	9	15	20	43
65+	213	9.2	117	1	2	6	12	19	31	97
B. *Operated*										
0-19 YRS	11	13.0	142	2	2	8	20	34	35	35
20-34	22	17.3	267	1	3	11	22	45	55	59
35-49	20	9.9	70	1	2	9	13	27	64	99+
50-64	16	19.3	416	1	2	14	25	41	70	82
65+	19	17.6	162	4	5	12	22	38	44	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	4.4	24	1	1	3	5	10	14	23
B. *Operated*	14	18.7	430	2	3	11	24	57	65	67
2. MULTIPLE DX										
A. *Not Operated*	1256	6.9	73	1	1	5	8	14	20	46
B. *Operated*	88	15.5	214	2	2	11	22	36	49	93
1. SINGLE DX	872	4.6	33	1	1	3	5	10	15	26
2. MULTIPLE DX	1344	7.5	87	1	1	5	9	16	22	55
A. NOT OPERATED	2114	5.9	55	1	1	4	7	13	18	37
B. OPERATED	102	16.0	241	2	2	11	22	37	54	90
TOTAL 0-19 YRS	726	5.0	38	1	1	3	6	10	14	32
20-34	583	6.2	67	1	1	3	7	15	21	51
35-49	352	5.8	62	1	1	3	8	13	17	42
50-64	276	7.6	93	1	1	5	9	15	21	47
65+	279	9.5	113	1	2	6	12	20	31	84
GRAND TOTAL	**2216**	**6.3**	**68**	**1**	**1**	**4**	**8**	**14**	**20**	**44**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	24	1	1	4	6	8	10	29
20-34	69	7.6	106	1	1	5	9	16	23	96
35-49	56	6.7	65	1	2	5	8	14	17	97
50-64	50	10.1	149	1	2	6	12	24	38	57
65+	120	15.8	240	2	3	11	21	40	67	99+
B. *Operated*										
0-19 YRS	49	8.8	182	1	1	5	9	15	29	72
20-34	56	8.9	93	<1	2	5	10	24	26	46
35-49	52	7.9	55	<1	1	6	10	15	26	39
50-64	44	8.2	59	<1	<1	6	11	21	22	34
65+	28	12.9	83	1	2	11	17	27	29	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	7.5	48	1	1	5	9	19	22	30
20-34	112	10.7	158	1	2	7	12	31	44	78
35-49	84	9.5	110	2	2	6	11	20	39	85
50-64	146	14.2	283	2	2	8	17	40	57	99+
65+	331	18.9	368	2	3	14	26	60	98	99+
B. *Operated*										
0-19 YRS	65	10.2	155	2	2	7	13	18	26	73
20-34	116	13.4	272	1	2	9	17	42	64	99+
35-49	114	10.9	192	<1	1	6	14	21	34	84
50-64	109	11.8	124	1	3	9	15	31	52	99+
65+	142	20.5	446	2	2	14	28	62	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	10.1	156	1	1	6	12	27	41	99+
B. *Operated*	229	9.0	96	<1	1	6	11	21	27	50
2. MULTIPLE DX										
A. *Not Operated*	781	14.3	269	2	2	9	19	39	69	99+
B. *Operated*	546	14.0	271	1	2	9	17	38	63	99+
1. SINGLE DX	582	9.7	132	1	1	6	12	24	35	77
2. MULTIPLE DX	1327	14.2	270	1	2	9	18	38	65	99+
A. NOT OPERATED	1134	13.0	237	1	2	8	16	35	57	99+
B. OPERATED	775	12.5	224	1	2	8	16	30	52	99+
TOTAL 0-19 YRS	280	7.8	94	1	1	5	9	17	22	64
20-34	353	10.7	178	1	2	6	12	27	45	99+
35-49	306	9.2	125	1	2	6	11	20	32	84
50-64	349	12.1	189	1	2	8	15	31	50	99+
65+	621	18.4	351	2	3	13	26	54	87	99+
GRAND TOTAL	**1909**	**12.8**	**232**	**1**	**2**	**8**	**16**	**33**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	10	1	1	2	4	7	9	17
20-34	264	2.9	7	<1	1	2	4	6	8	14
35-49	235	3.3	8	1	1	2	4	7	9	15
50-64	84	3.3	19	1	1	2	3	6	9	29
65+	10	6.3	26	1	1	5	10	13	14	14
B. *Operated*										
0-19 YRS	3	6.3	8	3	3	8	8	8	8	8
20-34	8	5.9	6	2	2	6	7	9	9	9
35-49	12	5.7	5	3	3	5	7	9	10	10
50-64	4	6.3	20	2	2	6	10	11	11	11
65+	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.1	10	1	1	3	5	8	10	16
20-34	185	4.3	20	1	1	3	5	9	11	25
35-49	178	4.8	21	1	1	4	6	9	12	23
50-64	91	5.1	37	1	1	4	6	8	13	40
65+	29	5.9	20	1	2	5	7	10	14	24
B. *Operated*										
0-19 YRS	3	6.3	5	5	5	5	8	9	9	9
20-34	9	5.6	18	2	2	4	8	12	15	15
35-49	9	10.1	89	2	2	9	11	25	33	33
50-64	13	14.3	214	4	4	9	14	39	52	55
65+	5	9.2	1	8	8	9	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	696	3.2	10	1	1	2	4	7	9	15
B. *Operated*	30	5.5	7	2	2	5	8	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	530	4.7	22	1	1	3	6	9	12	25
B. *Operated*	39	10.1	103	2	3	8	10	15	34	55
1. SINGLE DX	726	3.3	10	1	1	2	4	7	9	15
2. MULTIPLE DX	569	5.1	29	1	1	3	6	9	13	30
A. NOT OPERATED	1226	3.8	16	1	1	3	5	8	10	20
B. OPERATED	69	8.1	65	2	2	6	9	13	16	51
TOTAL 0-19 YRS	156	3.6	10	1	1	3	5	8	9	16
20-34	466	3.6	13	1	1	2	4	8	9	21
35-49	434	4.1	16	1	1	3	5	9	11	19
50-64	192	5.0	46	1	1	3	6	9	13	44
65+	47	6.1	20	1	1	5	9	11	13	24
GRAND TOTAL	**1295**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.0	2	<1	<1	1	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	113	1.9	1	<1	<1	2	2	3	4	6
35-49	148	2.2	2	<1	<1	2	2	3	5	10
50-64	172	2.0	1	<1	<1	2	2	3	4	5
65+	124	2.7	12	<1	1	2	3	4	5	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	3.0	7	<1	<1	2	5	7	7	7
35-49	5	4.4	12	1	1	4	6	10	10	10
50-64	6	8.8	159	<1	<1	3	12	31	33	33
65+	5	10.8	126	1	1	6	19	28	28	28
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	2.7	5	<1	<1	2	3	4	9	11
35-49	46	3.2	8	<1	<1	2	3	8	12	99+
50-64	102	3.2	14	<1	<1	2	3	6	10	22
65+	106	3.6	12	<1	1	3	4	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.3	2	<1	<1	2	4	4	4	4
B. *Operated*	562	2.2	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	23	6.4	74	<1	<1	3	7	18	30	33
B. *Operated*	285	3.3	11	<1	1	2	3	6	10	21
1. SINGLE DX	573	2.2	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX	308	3.5	16	<1	<1	2	4	7	12	26
A. NOT OPERATED	34	5.1	54	<1	<1	3	5	12	26	33
B. OPERATED	847	2.6	7	<1	<1	2	3	4	6	16
TOTAL 0-19 YRS	10	1.7		<1	<1	2	2	3	3	3
20-34	150	2.1	2	<1	<1	2	2	3	4	9
35-49	200	2.5	4	<1	<1	2	3	4	7	13
50-64	285	2.6	10	<1	<1	2	2	4	5	19
65+	236	3.3	15	<1	1	2	3	5	8	22
GRAND TOTAL	**881**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.2	38	2	2	5	7	26	81	99+
20-34	37	6.6	29	1	2	5	8	13	15	28
35-49	47	6.0	31	1	1	5	7	11	14	33
50-64	44	7.4	160	1	1	5	8	11	16	85
65+	63	6.9	22	1	1	6	9	14	15	21
B. *Operated*										
0-19 YRS	19	6.7	33	2	2	5	8	17	20	21
20-34	176	4.3	8	<1	1	4	6	8	10	14
35-49	183	4.7	33	<1	1	3	5	9	13	28
50-64	154	5.1	71	<1	1	3	6	10	12	32
65+	81	5.1	36	1	1	3	5	14	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.0	87	1	1	3	14	21	30	31
20-34	46	6.8	49	1	1	5	10	16	24	99+
35-49	60	7.4	37	1	1	6	10	15	20	30
50-64	90	9.0	54	2	2	7	10	20	22	37
65+	125	12.8	135	2	3	10	15	26	37	62
B. *Operated*										
0-19 YRS	18	5.6	13	2	2	5	7	10	14	16
20-34	99	8.9	182	2	2	5	8	17	26	82
35-49	133	7.6	68	2	2	5	9	15	20	56
50-64	145	8.1	107	1	2	5	10	19	23	70
65+	107	10.8	124	1	2	7	13	28	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	6.7	55	1	1	6	8	13	15	56
B. *Operated*	613	4.8	36	<1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	332	9.8	87	1	2	8	12	21	29	54
B. *Operated*	502	8.6	113	1	2	5	10	19	27	63
1. SINGLE DX	818	5.3	41	<1	1	4	6	11	14	29
2. MULTIPLE DX	834	9.1	103	1	2	6	11	20	28	58
A. NOT OPERATED	537	8.6	77	1	2	6	11	18	25	54
B. OPERATED	1115	6.5	74	1	2	4	7	13	20	45
TOTAL 0-19 YRS	62	6.5	36	1	2	5	8	15	23	91
20-34	358	6.1	67	1	2	4	7	12	16	65
35-49	423	6.2	46	1	1	4	7	12	18	34
50-64	433	7.2	90	1	2	5	9	15	20	44
65+	376	9.6	101	1	2	7	12	22	29	50
GRAND TOTAL	**1652**	**7.2**	**76**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	5.0	3	4	4	4	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	18	5.4	5	3	3	5	7	9	10	10
20-34	70	5.9	6	2	3	6	8	9	10	11
35-49	62	6.3	9	2	3	6	8	10	12	16
50-64	113	6.2	12	2	2	5	8	10	12	18
65+	109	6.9	11	2	3	7	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	8	3.8	19	<1	<1	2	4	11	14	14
B. *Operated*										
0-19 YRS	12	6.9	10	3	3	7	9	12	13	13
20-34	41	6.5	35	3	3	5	7	9	12	40
35-49	50	5.9	8	2	3	5	7	10	13	13
50-64	109	6.8	15	3	3	6	8	11	13	24
65+	141	7.5	21	3	3	7	9	12	14	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.3	5	1	1	3	5	6	7	7
B. *Operated*	372	6.3	10	2	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	16	2.8	11	<1	<1	2	3	5	11	14
B. *Operated*	353	6.9	18	3	3	6	8	11	13	25
1. SINGLE DX	380	6.3	10	2	3	6	8	10	12	16
2. MULTIPLE DX	369	6.7	19	2	3	6	8	11	13	25
A. NOT OPERATED	24	2.9	8	<1	<1	2	4	5	9	14
B. OPERATED	725	6.6	14	2	3	6	8	10	13	18
TOTAL 0-19 YRS	30	6.0	7	3	3	5	8	10	11	13
20-34	113	6.0	17	2	3	5	8	9	10	24
35-49	119	5.8	9	2	2	5	8	10	12	15
50-64	227	6.4	13	2	3	6	8	10	12	21
65+	260	7.1	17	2	3	7	9	12	14	18
GRAND TOTAL	**749**	**6.5**	**14**	**2**	**3**	**6**	**8**	**10**	**13**	**18**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	6	7.0	21	2	2	6	11	13	13	13
65+	6	3.2	6	1	1	3	7	82	99+	99+
B. *Operated*										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	5	4.2	24	2	2	2	5	13	13	13
35-49	12	6.2	17	1	2	6	9	11	14	15
50-64	47	5.7	13	2	2	5	8	11	13	17
65+	82	6.1	19	2	2	5	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	8	5.9	18	2	2	5	8	13	14	14
65+	14	8.7	66	2	2	5	11	25	27	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	14.0	93	7	7	10	21	25	25	25
35-49	6	7.0	16	4	4	6	8	13	14	14
50-64	22	10.0	211	2	2	6	10	17	42	71
65+	73	9.3	49	1	2	8	12	19	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.5	16	1	1	3	9	12	61	99+
B. *Operated*	149	5.9	17	2	2	5	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	25	7.2	45	1	2	5	8	15	25	27
B. *Operated*	105	9.4	81	2	2	7	12	19	25	49
1. SINGLE DX	167	5.8	17	2	2	5	8	12	14	23
2. MULTIPLE DX	130	8.9	74	2	2	7	11	18	25	39
A. NOT OPERATED	43	6.0	34	1	2	4	8	14	26	99+
B. OPERATED	254	7.3	46	2	2	6	9	14	19	28
TOTAL 0-19 YRS	4	4.8	5	2	2	5	6	7	7	7
20-34	10	7.5	58	1	1	5	11	19	25	25
35-49	25	5.4	15	1	1	4	8	10	14	15
50-64	83	7.0	68	2	2	5	8	12	15	55
65+	175	7.5	37	2	2	6	10	15	24	30
GRAND TOTAL	**297**	**7.2**	**44**	**2**	**2**	**6**	**9**	**14**	**19**	**30**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	6	5.5	4	3	3	6	8	82	99+	99+
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	6.5	14	1	1	8	9	10	10	10
35-49	5	6.2	20	1	1	6	10	12	12	12
50-64	23	4.9	7	1	2	4	6	9	10	10
65+	32	5.1	11	1	2	4	7	9	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7		2	2	3	3	3	3	3
35-49										
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	24	8.8	122	2	3	6	8	15	43	45
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	4.0	9	1	1	3	5	9	9	9
35-49	5	8.0	2	7	7	8	9	10	10	10
50-64	16	12.7	291	1	2	6	13	41	57	63
65+	55	7.6	59	1	2	6	8	13	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.1	3	3	3	5	7	54	99+	99+
B. *Operated*	69	5.2	10	1	1	5	7	10	10	14
2. MULTIPLE DX										
A. *Not Operated*	33	7.2	95	2	2	4	7	12	38	45
B. *Operated*	83	8.3	98	1	2	6	8	14	27	57
1. SINGLE DX	78	5.2	10	1	2	5	7	10	11	75
2. MULTIPLE DX	116	8.0	97	1	2	6	8	13	30	52
A. NOT OPERATED	42	6.8	75	2	2	5	7	12	43	99+
B. OPERATED	152	6.9	60	1	2	5	8	11	15	46
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	17	4.9	12	1	1	5	9	10	10	10
35-49	11	6.8	10	1	2	7	9	11	12	12
50-64	47	7.3	114	1	2	4	7	12	25	63
65+	117	7.1	57	2	2	6	8	12	22	63
GRAND TOTAL	**194**	**6.9**	**63**	**1**	**2**	**5**	**8**	**11**	**18**	**55**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	11	8.0	73	1	1	7	9	24	26	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	139	3.3	1	2	2	3	4	5	5	7
50-64	733	3.7	3	2	2	3	5	6	7	11
65+	2821	3.8	4	2	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	1.8	2	<1	<1	1	2	3	6	6
50-64	20	2.3	3	<1	<1	2	2	5	6	7
65+	123	2.4	6	<1	<1	2	3	5	9	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	93	4.6	7	2	2	4	6	7	9	16
50-64	663	4.0	10	2	2	3	5	7	8	18
65+	3351	4.5	13	2	2	4	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.8	62	1	1	3	8	22	25	26
B. *Operated*	3693	3.8	4	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	155	2.3	5	<1	<1	2	2	5	8	12
B. *Operated*	4107	4.4	12	2	2	4	5	7	10	19
1. SINGLE DX	3707	3.8	4	2	2	3	5	6	7	11
2. MULTIPLE DX	4262	4.3	12	2	2	3	5	7	10	19
A. NOT OPERATED	169	2.7	11	<1	<1	2	3	6	9	20
B. OPERATED	7800	4.1	9	2	2	3	5	7	9	15
TOTAL 0-19 YRS										
20-34										
35-49	245	3.7	4	1	2	3	5	6	7	12
50-64	1418	3.8	7	2	2	3	5	6	7	12
65+	6306	4.2	9	2	2	3	5	7	9	16
GRAND TOTAL	**7969**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.2	2	2	2	3	4	5	7	8
20-34	14	3.4	1	2	2	3	4	5	5	5
35-49	19	4.1	5	1	2	4	5	7	9	11
50-64	25	3.1	1	2	2	3	4	4	5	5
65+	51	3.4	6	1	1	3	4	5	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	9	3.8	5	2	2	3	5	7	9	9
20-34	16	3.8	2	2	2	4	5	5	6	7
35-49	14	3.3	2	1	2	3	5	5	6	6
50-64	23	3.8	3	1	2	4	4	6	8	9
65+	49	4.6	10	1	2	4	6	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	125	3.4	4	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	5	4.4	18	1	1	3	7	11	11	11
B. *Operated*	111	4.1	6	2	2	4	5	7	9	14
1. SINGLE DX	125	3.4	4	1	2	3	4	5	6	12
2. MULTIPLE DX	116	4.1	7	1	2	4	5	7	9	14
A. NOT OPERATED	5	4.4	18	1	1	3	7	11	11	11
B. OPERATED	236	3.7	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	27	3.4	4	1	2	3	4	6	8	9
20-34	32	3.8	3	2	2	4	4	5	7	11
35-49	33	3.7	4	1	2	3	5	6	7	11
50-64	48	3.4	2	2	2	3	4	5	6	9
65+	101	4.0	8	1	2	3	4	7	11	15
GRAND TOTAL	**241**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	7	1	1	3	4	8	9	9
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	5.3	16	2	2	4	8	11	11	11
50-64	4	11.5	38	7	7	10	16	20	20	20
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	435	1.6		<1	<1	2	2	2	2	3
20-34	177	2.1		<1	2	2	2	3	3	5
35-49	82	2.0		<1	1	2	2	3	3	4
50-64	40	2.4	3	1	2	2	2	3	5	11
65+	21	2.6	3	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	2	<1	<1	1	1	5	5	5
20-34	8	3.5	10	<1	<1	2	5	9	10	10
35-49	5	2.4	4	<1	<1	1	4	5	5	5
50-64	10	9.1	80	1	1	8	14	22	28	28
65+	10	7.9	12	4	5	7	8	13	16	16
B. *Operated*										
0-19 YRS	82	2.1	2	<1	1	2	2	3	5	8
20-34	58	2.2	1	<1	1	2	3	3	4	5
35-49	19	2.0	1	<1	<1	2	3	3	3	3
50-64	26	4.3	19	2	2	3	3	13	16	18
65+	15	3.3	9	2	2	2	3	4	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.8	26	1	1	4	9	12	17	20
B. *Operated*	755	1.8	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	52	4.6	29	<1	<1	2	6	11	16	28
B. *Operated*	200	2.5	5	<1	1	2	3	3	5	14
1. SINGLE DX	774	1.9	2	<1	<1	2	2	3	3	7
2. MULTIPLE DX	252	2.9	10	<1	1	2	3	6	9	17
A. NOT OPERATED	71	4.9	28	<1	<1	3	7	12	16	26
B. OPERATED	955	2.0	2	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS	545	1.7	1	<1	<1	2	2	2	3	6
20-34	244	2.2	1	<1	1	2	2	3	3	6
35-49	110	2.1	1	<1	<1	2	2	3	4	7
50-64	80	4.3	25	1	2	2	3	12	16	26
65+	47	3.9	11	2	2	2	4	8	11	16
GRAND TOTAL	**1026**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.2	4	<1	<1	1	3	5	6	10
20-34	42	2.7	5	<1	1	2	3	5	7	12
35-49	23	4.5	31	<1	1	2	6	11	16	25
50-64	27	4.4	15	1	1	3	6	8	10	20
65+	31	8.0	76	1	2	5	8	17	34	36
B. *Operated*										
0-19 YRS	92	2.0	4	<1	<1	1	2	4	6	11
20-34	115	3.3	8	<1	<1	3	4	6	8	16
35-49	146	2.7	2	<1	<1	2	4	5	6	7
50-64	169	2.8	3	<1	<1	2	3	5	6	10
65+	240	3.3	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	5.7	33	<1	1	4	7	11	13	36
20-34	32	4.6	7	<1	1	5	6	9	9	11
35-49	23	5.7	94	<1	1	3	5	12	30	45
50-64	25	7.7	41	1	2	7	9	14	22	31
65+	84	9.1	65	1	1	8	12	19	24	43
B. *Operated*										
0-19 YRS	25	2.9	4	<1	<1	3	4	6	7	8
20-34	48	4.8	25	<1	<1	3	6	11	18	25
35-49	52	5.9	94	<1	1	3	5	12	17	52
50-64	113	4.7	41	<1	<1	3	5	9	20	36
65+	257	4.8	15	<1	2	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	3.4	19	<1	1	2	4	7	11	25
B. *Operated*	762	2.9	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	288	6.7	47	1	1	5	9	13	19	41
B. *Operated*	495	4.8	29	<1	1	3	5	9	14	31
1. SINGLE DX	1017	3.0	8	<1	<1	2	4	6	7	13
2. MULTIPLE DX	783	5.5	37	<1	1	4	7	11	16	34
A. NOT OPERATED	543	5.2	37	<1	1	3	7	11	15	34
B. OPERATED	1257	3.6	15	<1	<1	3	4	7	9	20
TOTAL 0-19 YRS	373	3.4	16	<1	<1	2	4	7	10	16
20-34	237	3.7	11	<1	<1	3	5	7	9	19
35-49	244	3.8	35	<1	<1	2	4	7	10	45
50-64	334	3.9	22	<1	<1	3	4	7	10	29
65+	612	4.9	24	<1	1	3	6	10	14	28
GRAND TOTAL	**1800**	**4.1**	**22**	**<1**	**<1**	**3**	**5**	**8**	**12**	**26**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.4	12	1	1	4	6	7	10	21
20-34	69	5.4	16	2	2	4	7	9	12	22
35-49	38	5.0	10	1	1	5	7	8	9	17
50-64	34	6.8	26	2	2	6	8	12	21	24
65+	31	5.4	12	1	1	5	6	10	13	15
B. *Operated*										
0-19 YRS	11	2.1	2	<1	<1	2	3	4	6	6
20-34	29	3.9	7	<1	<1	3	5	7	10	12
35-49	32	4.3	10	2	2	4	5	8	11	16
50-64	87	3.8	10	1	2	3	4	7	9	20
65+	207	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.8	10	1	1	4	7	10	11	14
20-34	46	5.8	17	1	1	5	7	12	14	21
35-49	31	5.6	10	2	2	5	8	9	11	17
50-64	43	4.6	12	1	1	4	6	8	11	18
65+	84	7.9	114	2	2	6	8	13	19	71
B. *Operated*										
0-19 YRS	17	4.4	8	1	2	4	5	8	11	12
20-34	46	6.8	30	2	3	5	7	13	18	33
35-49	50	5.3	9	2	2	5	7	9	11	14
50-64	105	5.8	22	2	2	4	7	12	14	27
65+	229	6.0	50	2	2	4	7	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	5.3	15	1	2	5	7	9	12	23
B. *Operated*	366	3.6	7	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	271	6.0	45	1	1	5	7	10	13	25
B. *Operated*	447	5.9	35	2	2	4	7	11	16	28
1. SINGLE DX	593	4.3	11	1	2	3	5	8	11	19
2. MULTIPLE DX	718	5.9	39	1	2	4	7	11	14	27
A. NOT OPERATED	498	5.7	31	1	2	5	7	10	13	24
B. OPERATED	813	4.9	24	1	2	4	6	9	12	25
TOTAL 0-19 YRS	150	4.4	10	<1	1	4	6	8	11	14
20-34	190	5.6	19	1	2	5	7	10	13	22
35-49	151	5.1	9	1	2	4	7	8	11	17
50-64	269	5.1	18	1	2	4	6	10	12	25
65+	551	5.3	43	1	2	4	6	10	13	27
GRAND TOTAL	**1311**	**5.2**	**27**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.9	19	1	1	2	7	11	12	12
20-34	8	4.4	6	1	1	5	6	7	8	8
35-49	9	5.7	19	2	2	3	8	13	15	15
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	4.2	5	2	2	4	5	8	8	8
35-49	8	3.8	4	2	2	3	5	7	8	8
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	4	12.3	139	4	4	8	20	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.2	6	<1	<1	3	4	7	8	9
20-34	4	7.5	26	1	1	8	11	12	12	12
35-49	9	6.4	34	1	1	4	9	16	18	18
50-64	13	5.5	9	2	2	5	8	10	10	10
65+	20	8.6	38	1	2	7	11	20	21	21
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	3.4	8	1	1	2	5	8	8	8
35-49	14	6.3	19	2	2	5	8	13	17	18
50-64	6	6.5	10	4	4	5	10	11	11	11
65+	9	7.4	27	2	3	6	9	16	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.5	12	1	1	3	7	9	12	15
B. Operated	21	5.5	35	2	2	4	6	10	20	29
2. MULTIPLE DX										
A. Not Operated	63	6.1	25	1	1	4	8	12	18	21
B. Operated	35	6.1	18	2	2	5	8	11	16	20
1. SINGLE DX	52	4.9	21	1	1	4	6	9	12	29
2. MULTIPLE DX	98	6.1	22	1	1	5	8	12	18	21
A. NOT OPERATED	94	5.6	21	1	1	4	8	12	15	21
B. OPERATED	56	5.9	24	2	2	5	7	11	16	28
TOTAL 0-19 YRS	26	3.4	8	<1	1	2	4	8	10	12
20-34	23	4.7	10	1	1	4	6	9	11	12
35-49	40	5.7	19	1	2	4	8	12	16	18
50-64	24	5.8	8	2	2	5	8	10	11	11
65+	37	8.0	44	1	2	6	10	20	21	29
GRAND TOTAL	**150**	**5.7**	**22**	**1**	**1**	**4**	**8**	**11**	**15**	**21**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	659	3.6	10	1	1	3	4	7	9	15
20-34	20	3.1	3	<1	<1	3	4	6	7	7
35-49	4	5.0	18	1	1	4	8	10	10	10
50-64	6	3.3	8	<1	<1	2	3	8	9	9
65+	4	6.3	14	1	1	7	9	10	10	10
B. Operated										
0-19 YRS	798	1.3	2	<1	<1	1	1	2	3	7
20-34	113	2.4	2	<1	<1	2	3	4	5	7
35-49	69	2.9	7	<1	1	2	3	5	6	18
50-64	67	2.9	6	1	1	2	3	5	6	17
65+	18	3.7	10	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1298	4.7	14	1	1	4	6	9	12	20
20-34	28	4.6	13	1	1	4	6	9	12	17
35-49	9	5.1	14	1	2	4	5	11	14	14
50-64	15	5.1	8	1	2	5	7	9	10	10
65+	22	7.4	40	<1	1	5	9	18	22	23
B. Operated										
0-19 YRS	656	2.1	5	<1	<1	2	2	3	6	15
20-34	113	2.9	3	1	2	3	3	4	6	11
35-49	80	3.0	3	<1	2	3	3	6	7	9
50-64	60	2.5	2	<1	1	2	3	4	6	7
65+	26	3.6	9	1	1	3	4	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	693	3.6	10	1	1	3	4	7	9	15
B. Operated	1065	1.7	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	1372	4.8	14	1	1	4	6	9	12	21
B. Operated	935	2.4	5	<1	<1	2	2	4	7	12
1. SINGLE DX	1758	2.4	7	<1	<1	1	3	5	7	13
2. MULTIPLE DX	2307	3.8	12	<1	1	3	5	8	10	17
A. NOT OPERATED	2065	4.4	13	1	1	3	6	9	11	20
B. OPERATED	2000	2.0	4	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	3411	3.2	10	<1	<1	2	4	7	9	15
20-34	274	2.9	4	<1	1	2	3	5	6	11
35-49	162	3.1	6	<1	1	2	3	6	7	14
50-64	148	3.0	5	1	1	2	3	6	7	10
65+	70	5.0	21	1	1	3	7	10	15	23
GRAND TOTAL	**4065**	**3.2**	**10**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.7	5	1	1	3	5	7	9	10
20-34	32	3.7	4	1	1	3	5	6	8	8
35-49	14	5.0	8	3	3	4	5	7	12	14
50-64										
65+	6	7.2	19	3	3	6	9	14	15	15
B. *Operated*										
0-19 YRS	83	2.8	10	<1	<1	1	4	6	8	17
20-34	27	4.3	3	1	2	4	6	6	7	8
35-49	23	4.6	3	2	2	5	6	7	8	8
50-64	13	3.2	2	1	2	3	3	6	6	6
65+	6	4.3	3	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	4.9	13	1	1	4	7	10	12	17
20-34	31	4.4	5	1	2	4	6	8	8	11
35-49	14	7.4	12	3	3	7	9	11	15	16
50-64	9	6.2	5	3	4	6	7	9	11	11
65+	17	8.8	57	1	2	6	11	21	26	28
B. *Operated*										
0-19 YRS	92	3.1	9	<1	<1	2	3	8	9	14
20-34	38	4.1	4	2	2	3	5	7	8	12
35-49	27	3.7	4	2	2	3	4	6	7	11
50-64	24	7.0	116	2	3	4	6	11	25	56
65+	16	10.3	83	2	2	7	15	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.0	6	1	1	4	5	7	9	14
B. *Operated*	152	3.4	7	<1	<1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	258	5.3	16	1	1	4	7	10	12	21
B. *Operated*	197	4.4	30	<1	1	3	5	9	11	29
1. SINGLE DX	274	3.7	7	<1	<1	3	5	7	8	14
2. MULTIPLE DX	455	4.9	22	1	1	3	6	9	12	23
A. NOT OPERATED	380	4.9	13	1	1	4	6	9	12	17
B. OPERATED	349	4.0	20	<1	<1	3	5	8	9	23
TOTAL 0-19 YRS	432	3.9	11	<1	<1	3	5	9	11	16
20-34	128	4.1	4	1	2	4	5	7	8	11
35-49	78	4.9	7	2	2	4	6	8	10	15
50-64	46	5.7	64	2	2	3	6	9	11	56
65+	45	8.5	55	2	2	6	10	22	28	29
GRAND TOTAL	**729**	**4.5**	**17**	**<1**	**1**	**3**	**6**	**9**	**11**	**19**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	4	1	1	2	3	6	8	8
20-34	68	2.9	3	1	1	3	4	5	6	10
35-49	86	3.6	7	1	1	3	4	8	9	13
50-64	121	3.7	8	1	1	3	5	7	9	13
65+	137	5.2	23	1	1	4	7	11	16	23
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	14	4.0	4	1	2	4	4	7	9	9
50-64	17	4.6	9	2	2	3	6	10	11	12
65+	8	5.9	12	2	2	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	3	1	1	3	4	5	6	6
20-34	29	4.1	7	1	1	3	5	8	10	12
35-49	57	5.1	12	1	1	4	8	11	12	13
50-64	137	5.2	17	1	2	4	7	11	15	20
65+	304	7.1	73	1	2	5	8	13	17	40
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	14.0	332	3	3	3	23	45	45	45
35-49	3	3.3		3	3	3	4	4	4	4
50-64	10	7.3	19	2	2	6	12	14	15	15
65+	14	13.4	176	2	3	8	19	32	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.0	12	1	1	3	5	8	11	18
B. *Operated*	44	4.5	7	2	2	4	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	538	6.2	48	1	2	4	8	12	14	30
B. *Operated*	33	10.4	134	2	3	5	13	24	43	49
1. SINGLE DX	465	4.1	12	1	1	3	5	8	11	17
2. MULTIPLE DX	571	6.4	54	1	2	4	8	12	16	33
A. NOT OPERATED	959	5.2	34	1	1	4	7	10	13	22
B. OPERATED	77	7.0	69	2	2	4	8	15	22	48
TOTAL 0-19 YRS	23	3.0	4	1	1	3	4	6	7	8
20-34	105	3.8	22	1	1	3	4	6	8	29
35-49	160	4.2	9	1	1	3	6	9	11	13
50-64	285	4.6	13	1	1	3	6	9	12	18
65+	463	6.7	62	1	2	5	8	13	17	34
GRAND TOTAL	**1036**	**5.3**	**36**	**1**	**1**	**4**	**7**	**10**	**14**	**29**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	80	3.0	1	2	2	3	3	4	4	5
35-49	99	2.8	1	2	2	3	3	4	4	6
50-64	63	3.1	1	2	2	3	3	4	5	8
65+	12	2.8	2	1	1	3	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	23	4.0	3	2	2	3	5	7	8	8
35-49	36	2.9	1	<1	1	3	3	4	5	6
50-64	23	2.9	1	1	2	3	3	4	5	6
65+	4	2.5	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	258	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	89	3.1	2	1	2	3	3	5	6	8
1. SINGLE DX	258	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	91	3.1	2	1	2	3	3	5	6	8
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	347	3.0	1	2	2	3	3	4	5	7
TOTAL 0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	103	3.2	1	2	2	3	4	4	5	8
35-49	136	2.8	1	1	2	3	3	4	4	6
50-64	87	3.0	1	2	2	3	3	4	5	8
65+	16	2.8	2	1	1	3	3	4	5	6
GRAND TOTAL	**349**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	10	<1	1	3	4	6	12	14
20-34	6	5.8	25	1	1	5	10	13	13	13
35-49	19	3.5	5	<1	<1	3	4	7	8	9
50-64	6	6.0	20	2	2	4	10	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	127	2.4	2	1	1	2	3	4	5	8
20-34	193	2.7	1	2	2	2	3	4	5	8
35-49	134	2.8	2	2	2	2	3	4	5	10
50-64	83	2.7	2	1	2	3	3	4	5	8
65+	24	2.8	2	2	2	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.1	69	<1	<1	5	8	16	20	42
20-34	15	2.4	4	<1	<1	1	4	5	7	7
35-49	14	3.5	6	<1	1	3	6	7	8	8
50-64	17	9.2	135	<1	1	6	9	33	39	40
65+	22	8.7	49	1	2	6	13	20	22	23
B. *Operated*										
0-19 YRS	116	2.3	2	<1	1	2	3	3	4	9
20-34	147	2.8	2	1	2	2	3	4	5	9
35-49	120	3.0	6	1	2	2	3	4	8	14
50-64	79	3.2	6	1	2	3	3	5	7	16
65+	34	4.9	33	1	1	3	5	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.2	11	<1	1	3	5	10	13	14
B. *Operated*	561	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	96	6.6	61	<1	<1	4	8	16	20	41
B. *Operated*	496	2.9	6	1	1	2	3	4	7	15
1. SINGLE DX	609	2.8	3	1	2	2	3	4	5	10
2. MULTIPLE DX	592	3.5	17	1	1	2	3	7	10	20
A. NOT OPERATED	144	5.8	45	<1	1	4	7	13	18	40
B. OPERATED	1057	2.8	4	1	2	2	3	4	6	11
TOTAL 0-19 YRS	287	2.9	11	1	1	2	3	5	7	16
20-34	361	2.8	2	1	2	2	3	4	5	9
35-49	287	3.0	4	1	2	3	3	4	7	12
50-64	185	3.6	19	1	2	3	3	6	9	31
65+	81	5.3	32	1	2	3	5	14	19	26
GRAND TOTAL	**1201**	**3.1**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.6	80	<1	1	5	6	22	31	31
20-34	8	6.0	12	3	3	5	6	12	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34										
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	143	3	3	6	18	29	29	29
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	20.0	648	2	2	20	38	38	38	38
50-64	7	11.4	135	1	2	8	13	31	36	36
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	42.0		42	42	42	42	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.6	47	1	2	5	6	14	23	31
B. *Operated*	2	18.5	61	13	13	18	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	15	11.3	157	1	1	6	13	36	37	38
B. *Operated*	3	16.0	511	1	1	5	33	42	42	42
1. SINGLE DX	21	7.8	58	1	2	5	8	18	27	31
2. MULTIPLE DX	18	12.1	193	1	1	6	13	37	40	42
A. NOT OPERATED	34	8.7	98	1	2	5	8	29	35	38
B. OPERATED	5	17.0	273	1	1	13	28	42	42	42
TOTAL 0-19 YRS	15	9.7	101	<1	2	6	12	29	30	31
20-34	9	5.8	11	3	3	5	6	11	14	14
35-49	3	14.0	432	2	2	2	29	38	38	38
50-64	9	9.6	116	1	1	6	12	27	36	36
65+	3	18.7	444	1	1	13	35	42	42	42
GRAND TOTAL	**39**	**9.8**	**121**	**1**	**1**	**5**	**13**	**30**	**37**	**42**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	7.3	5	6	6	6	9	10	10	10
50-64	5	4.0	7	1	1	3	6	8	8	8
65+	5	13.0	199	4	4	8	16	38	38	38
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	9.3	33	<1	<1	10	14	17	18	18
35-49	34	5.2	22	1	1	3	9	12	14	17
50-64	34	6.8	65	1	2	3	11	13	19	43
65+	8	5.8	40	1	1	3	8	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	7	4.6	12	2	2	3	5	11	12	12
35-49	26	7.4	23	2	3	6	9	14	16	22
50-64	55	9.4	59	2	3	8	12	19	31	97
65+	93	11.3	104	2	3	9	14	19	29	61
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	18	9.3	40	1	2	10	11	17	22	25
35-49	53	10.5	52	2	3	11	14	20	23	31
50-64	102	13.8	172	2	3	11	19	31	46	85
65+	68	14.2	209	1	1	12	18	31	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	8.0	75	1	3	6	8	10	31	38
B. *Operated*	93	6.5	42	1	1	3	11	14	17	33
2. MULTIPLE DX										
A. *Not Operated*	184	9.8	77	2	3	8	12	18	26	63
B. *Operated*	242	12.9	148	1	2	11	18	26	39	72
1. SINGLE DX	108	6.7	46	1	1	3	10	14	17	40
2. MULTIPLE DX	426	11.6	120	2	2	10	15	22	33	70
A. NOT OPERATED	199	9.7	77	2	3	8	12	18	26	60
B. OPERATED	335	11.1	127	1	2	10	15	22	33	62
TOTAL 0-19 YRS	5	9.2	121	2	2	3	14	28	28	28
20-34	43	8.4	33	<1	2	9	12	16	18	25
35-49	116	8.2	40	1	2	7	12	17	21	30
50-64	196	11.1	126	2	2	9	13	24	41	86
65+	174	12.2	147	2	2	10	15	24	37	65
GRAND TOTAL	**534**	**10.6**	**108**	**2**	**2**	**9**	**13**	**20**	**31**	**62**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	2	1	1	3	4	4	4	4
20-34	36	5.5	24	1	2	4	6	10	15	28
35-49	98	5.1	14	1	2	4	6	9	12	21
50-64	174	5.7	22	1	2	5	7	10	14	21
65+	252	6.2	23	1	2	5	8	13	16	22
B. *Operated*										
0-19 YRS										
20-34	7	6.3	18	<1	<1	6	8	13	14	14
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	10	6.6	50	1	1	3	10	18	22	22
65+	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.0	23	1	2	4	9	14	15	15
20-34	80	5.0	14	1	1	4	7	10	14	18
35-49	231	6.5	21	1	2	6	8	13	16	22
50-64	558	7.2	32	2	2	6	9	13	17	29
65+	1104	8.6	54	2	2	7	11	16	22	46
B. *Operated*										
0-19 YRS	3	6.0	21	1	1	7	9	10	10	10
20-34	13	5.7	11	1	1	5	8	10	12	12
35-49	31	9.4	37	2	3	9	13	18	22	23
50-64	62	13.1	253	1	2	8	16	30	53	99
65+	63	12.8	223	1	2	8	14	29	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	5.8	21	1	2	4	7	11	14	22
B. *Operated*	24	5.5	32	<1	1	3	8	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	1985	7.8	43	2	2	6	10	15	19	39
B. *Operated*	172	11.7	184	1	2	8	14	24	39	88
1. SINGLE DX	594	5.7	21	1	2	4	7	11	14	22
2. MULTIPLE DX	2157	8.1	56	2	2	6	10	15	20	42
A. NOT OPERATED	2555	7.3	39	2	2	6	9	14	18	35
B. OPERATED	196	10.9	169	1	1	7	14	22	36	85
TOTAL 0-19 YRS	25	4.6	16	1	1	3	5	10	14	15
20-34	136	5.3	16	1	1	4	7	10	14	19
35-49	364	6.3	21	1	2	5	8	13	15	23
50-64	[illegible]04	7.3	50	1	2	6	9	14	18	37
65+	1422	8.4	58	2	2	6	11	16	21	46
GRAND TOTAL	**2751**	**7.6**	**49**	**2**	**2**	**6**	**10**	**15**	**19**	**39**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	15	5.8	20	2	2	5	6	12	17	19
65+	30	6.2	14	1	2	6	9	12	14	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	10	5.1	5	3	3	4	6	9	10	10
50-64	42	8.7	131	2	2	5	10	18	20	73
65+	233	12.0	79	3	4	10	15	23	28	59
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	11	13.1	45	1	5	13	16	23	25	25
65+	16	23.8	235	4	7	24	42	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.9	16	1	2	5	8	12	14	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	286	11.3	86	3	3	9	14	21	27	60
B. *Operated*	27	19.4	182	3	6	19	29	81	99+	99+
1. SINGLE DX	47	5.9	16	1	2	5	8	12	14	19
2. MULTIPLE DX	313	12.0	99	3	3	10	16	24	32	99+
A. NOT OPERATED	333	10.5	80	2	3	8	13	21	26	59
B. OPERATED	27	19.4	182	3	6	19	29	81	99+	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	4.7	6	1	2	4	6	9	10	10
50-64	68	8.8	96	2	2	6	11	18	21	64
65+	279	12.1	92	3	4	10	16	25	34	99+
GRAND TOTAL	**360**	**11.2**	**93**	**2**	**3**	**9**	**14**	**23**	**30**	**96**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	3	6.3		6	6	6	7	7	7	7
50-64	9	5.4	12	1	1	5	8	10	12	12
65+	12	10.0	56	2	3	8	11	21	29	30
B. *Operated*										
0-19 YRS	3	15.3	42	9	9	15	20	22	22	22
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	6.3	11	3	3	6	9	10	10	10
50-64	8	8.9	54	2	3	5	13	21	24	24
65+	3	6.7	44	1	1	5	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	9	5.9	7	2	2	6	7	9	10	10
35-49	14	7.0	9	3	3	7	9	11	13	13
50-64	32	12.5	204	2	2	8	13	28	52	62
65+	63	12.7	198	1	1	10	13	28	42	71
B. *Operated*										
0-19 YRS	4	12.5	66	2	2	13	18	21	21	21
20-34	8	13.9	60	2	3	15	20	23	23	23
35-49	16	18.1	166	4	5	15	22	42	48	50
50-64	55	19.9	265	1	3	15	27	47	55	60
65+	28	19.3	146	3	3	17	29	37	38	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	7.3	31	2	2	6	8	12	18	30
B. *Operated*	19	8.7	43	1	2	5	13	19	23	24
2. MULTIPLE DX										
A. *Not Operated*	120	11.4	164	1	2	8	13	25	40	66
B. *Operated*	111	18.8	198	2	3	15	24	43	48	59
1. SINGLE DX	48	7.9	36	2	2	6	10	15	22	30
2. MULTIPLE DX	231	14.9	193	1	2	11	19	35	47	62
A. NOT OPERATED	149	10.6	140	1	2	7	12	24	34	63
B. OPERATED	130	17.3	188	2	3	15	22	37	48	58
TOTAL 0-19 YRS	10	11.5	46	2	3	10	16	21	22	22
20-34	22	8.5	41	2	2	6	10	20	22	23
35-49	37	11.6	105	3	3	8	14	23	37	50
50-64	104	15.5	230	1	2	10	20	42	54	61
65+	106	14.0	173	1	1	11	17	32	40	67
GRAND TOTAL	**279**	**13.7**	**173**	**1**	**2**	**10**	**17**	**31**	**45**	**61**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	14.0	8	12	12	14	16	16	16	16
20-34	25	9.9	12	3	5	10	13	13	15	15
35-49	232	10.9	18	3	6	11	13	16	18	24
50-64	557	12.3	28	3	6	12	15	19	21	28
65+	539	13.7	47	6	7	12	16	21	26	38
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	1	12.0		12	12	12	12	12	12	12
35-49	24	10.1	21	1	2	11	13	15	17	17
50-64	37	13.4	57	1	1	14	17	24	27	32
65+	26	12.4	39	1	4	12	16	19	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	31	11.6	11	7	8	11	13	16	19	23
35-49	374	12.2	30	5	7	12	15	18	21	34
50-64	1269	13.4	38	5	8	12	16	20	24	36
65+	1967	15.6	96	5	8	14	18	25	32	63
B. *Operated*										
0-19 YRS										
20-34	11	13.5	35	3	6	13	17	22	23	23
35-49	80	13.4	70	2	3	12	17	24	33	81
50-64	190	17.2	90	7	9	15	19	29	36	54
65+	227	21.6	154	8	10	18	26	39	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1355	12.6	34	4	7	12	15	19	22	34
B. *Operated*	90	12.0	43	1	1	12	15	19	25	30
2. MULTIPLE DX										
A. *Not Operated*	3642	14.4	70	5	7	13	17	23	28	53
B. *Operated*	508	18.5	124	6	9	15	23	34	41	67
1. SINGLE DX	1445	12.5	35	4	6	12	15	19	22	32
2. MULTIPLE DX	4150	14.9	78	5	8	13	17	24	31	56
A. NOT OPERATED	4997	13.9	61	5	7	13	16	22	26	47
B. OPERATED	598	17.5	117	3	8	15	21	33	40	66
TOTAL 0-19 YRS	5	11.0	36	1	1	12	15	16	16	16
20-34	68	11.3	16	5	7	11	13	16	19	23
35-49	710	11.9	31	3	6	11	14	18	21	35
50-64	2053	13.4	42	5	7	12	16	20	24	38
65+	2759	15.7	95	6	8	14	18	25	33	63
GRAND TOTAL	**5595**	**14.3**	**68**	**5**	**7**	**13**	**17**	**23**	**28**	**51**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	9	3.7	6	1	1	3	5	7	9	9
35-49	105	4.6	12	1	1	4	5	10	12	15
50-64	249	5.0	19	1	2	4	6	9	11	19
65+	339	4.9	11	1	2	4	7	10	12	17
B. Operated										
0-19 YRS										
20-34	4	3.5	14	1	1	2	6	9	9	9
35-49	17	3.2	12	<1	<1	2	4	8	12	14
50-64	40	3.9	26	<1	<1	1	4	12	16	23
65+	14	2.1	3	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	16	3.4	12	<1	1	2	4	6	12	15
35-49	191	5.3	27	1	1	4	7	10	14	28
50-64	716	6.0	25	1	2	5	8	12	16	23
65+	1196	7.5	42	2	2	6	9	14	18	35
B. Operated										
0-19 YRS										
20-34	16	5.6	12	1	3	4	9	11	12	12
35-49	257	5.2	20	<1	<1	3	9	11	12	17
50-64	656	5.6	31	<1	<1	3	9	12	15	29
65+	304	8.0	60	<1	<1	4	11	18	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	702	4.9	14	1	1	4	6	9	12	17
B. Operated	75	3.4	18	<1	<1	1	3	8	14	21
2. MULTIPLE DX										
A. Not Operated	2122	6.7	35	1	2	5	8	13	17	32
B. Operated	1233	6.1	37	<1	<1	3	10	13	17	30
1. SINGLE DX	777	4.7	14	<1	1	4	6	9	12	17
2. MULTIPLE DX	3355	6.5	36	<1	1	5	9	13	17	31
A. NOT OPERATED	2824	6.3	30	1	2	5	8	12	16	28
B. OPERATED	1308	6.0	36	<1	<1	3	10	13	16	30
TOTAL 0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	45	4.2	11	<1	1	3	5	9	11	15
35-49	570	5.0	21	<1	1	3	7	11	12	22
50-64	1661	5.7	26	<1	1	4	8	12	15	23
65+	1853	7.0	40	1	2	5	9	14	18	33
GRAND TOTAL	**4132**	**6.2**	**32**	**<1**	**1**	**4**	**8**	**12**	**16**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	6.7	30	3	3	4	11	13	13	13
35-49	84	5.5	10	1	2	5	8	10	11	13
50-64	230	7.3	22	1	2	6	10	13	16	21
65+	314	8.0	34	2	3	7	10	14	18	28
B. Operated										
0-19 YRS										
20-34										
35-49	5	8.8	14	4	4	9	11	14	14	14
50-64	15	9.2	24	3	3	8	12	17	18	19
65+	10	10.4	28	2	3	11	13	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.7	52	3	3	4	13	16	16	16
20-34	9	3.6	3	1	1	4	5	6	6	6
35-49	177	6.7	31	1	2	6	9	12	15	23
50-64	729	7.9	29	2	3	7	10	14	17	27
65+	1485	9.4	55	2	3	8	12	17	21	38
B. Operated										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	84	10.4	67	<1	2	9	13	20	25	44
50-64	239	11.6	58	1	3	10	14	22	26	38
65+	211	17.3	149	3	6	14	22	32	45	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	631	7.4	27	1	2	6	10	13	16	27
B. Operated	30	9.5	23	3	3	9	13	16	19	19
2. MULTIPLE DX										
A. Not Operated	2403	8.7	46	2	3	7	11	16	19	35
B. Operated	535	13.7	104	2	3	11	18	26	34	58
1. SINGLE DX	661	7.5	27	1	2	6	10	13	16	27
2. MULTIPLE DX	2938	9.6	60	2	3	8	12	18	22	42
A. NOT OPERATED	3034	8.4	42	2	3	7	11	15	19	33
B. OPERATED	565	13.4	101	2	3	11	17	26	33	57
TOTAL 0-19 YRS	3	7.7	52	3	3	4	13	16	16	16
20-34	13	4.6	10	1	2	4	6	9	12	13
35-49	350	7.4	37	1	2	6	10	13	17	36
50-64	1213	8.5	36	2	3	7	11	15	19	32
65+	2020	10.0	68	2	3	8	12	18	24	46
GRAND TOTAL	**3599**	**9.2**	**55**	**2**	**3**	**8**	**12**	**17**	**22**	**39**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	57	5.3	17	1	2	4	7	10	12	24
50-64	156	6.4	24	1	1	5	8	13	18	21
65+	271	8.4	65	1	2	6	10	17	23	41
B. *Operated*										
0-19 YRS										
20-34	9	3.8	12	<1	<1	3	5	10	10	10
35-49	171	4.4	24	<1	1	2	6	11	13	25
50-64	446	4.2	22	<1	<1	2	5	11	13	22
65+	188	4.4	30	<1	1	2	5	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	3.7	14	<1	<1	1	6	9	10	10
35-49	171	5.6	22	1	2	4	7	10	15	26
50-64	662	7.2	35	1	2	6	9	14	18	27
65+	1579	10.4	115	2	3	7	13	20	31	90
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	26	3.5	11	<1	<1	2	3	9	12	12
35-49	350	5.5	51	<1	<1	2	8	14	18	29
50-64	998	6.1	65	<1	<1	3	9	15	20	37
65+	464	9.1	121	<1	1	5	13	21	31	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	7.3	47	1	2	5	9	15	20	34
B. *Operated*	814	4.2	24	<1	<1	2	5	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	2424	9.2	89	2	2	7	11	18	26	80
B. *Operated*	1841	6.7	77	<1	<1	3	10	16	21	52
1. SINGLE DX	1301	5.4	35	<1	1	3	8	12	16	26
2. MULTIPLE DX	4265	8.1	86	1	1	5	11	17	24	63
A. NOT OPERATED	2911	8.9	83	2	2	6	11	18	24	74
B. OPERATED	2655	5.9	62	<1	<1	2	9	15	20	42
TOTAL 0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	48	3.6	11	<1	<1	2	5	9	10	12
35-49	749	5.2	35	<1	1	3	7	12	16	27
50-64	2262	6.1	46	<1	1	3	9	13	18	27
65+	2502	9.5	107	1	2	7	12	20	29	84
GRAND TOTAL	5566	7.5	75	<1	1	5	10	16	22	52

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	18.5	5	17	17	18	20	20	20	20
20-34	20	12.2	11	8	9	11	14	17	19	20
35-49	24	11.8	18	6	7	11	14	17	21	22
50-64	27	11.6	21	5	6	11	14	16	20	26
65+	40	14.9	110	4	6	12	16	32	41	48
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	5	9.4	8	7	7	8	11	14	14	14
35-49	5	16.2	71	9	9	15	20	30	30	30
50-64	7	13.0	21	8	8	14	16	19	20	20
65+	5	19.2	53	11	11	19	26	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.5	32	1	1	13	14	15	15	15
20-34	32	11.5	20	6	7	11	13	18	22	25
35-49	46	11.5	26	3	4	12	14	18	20	25
50-64	86	13.1	33	7	8	12	16	18	23	39
65+	158	15.4	121	6	7	13	17	26	40	85
B. *Operated*										
0-19 YRS										
20-34	13	17.7	180	6	8	15	17	30	54	60
35-49	9	13.4	38	6	6	12	18	23	25	25
50-64	40	18.9	181	6	9	14	21	35	56	64
65+	45	22.6	318	9	11	17	27	47	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	13.0	51	6	7	11	15	19	26	44
B. *Operated*	24	13.8	45	6	8	13	17	26	28	30
2. MULTIPLE DX										
A. *Not Operated*	328	13.8	76	5	7	12	16	21	27	61
B. *Operated*	107	19.9	230	7	9	15	23	39	60	99+
1. SINGLE DX	137	13.2	50	6	7	11	15	20	27	43
2. MULTIPLE DX	435	15.3	120	6	7	13	17	25	38	90
A. NOT OPERATED	441	13.6	69	5	7	12	15	20	27	49
B. OPERATED	131	18.8	201	7	8	15	22	35	57	99+
TOTAL 0-19 YRS	10	11.7	36	1	2	13	15	18	20	20
20-34	70	12.7	50	7	7	11	15	18	22	53
35-49	84	12.1	27	4	6	12	15	19	22	28
50-64	160	14.3	73	6	8	13	16	21	28	57
65+	248	16.7	160	6	7	13	18	31	43	99+
GRAND TOTAL	572	14.8	104	6	7	13	16	24	35	81

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	23.0	532	5	5	15	40	49	49	49
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	29.0	72	23	23	29	35	35	35	35
20-34	2	14.5	113	7	7	14	22	22	22	22
35-49	7	33.0	131	10	14	33	42	43	43	43
50-64	4	23.3	480	4	4	21	42	46	46	46
65+	10	31.8	73	14	21	31	34	44	46	46
B. *Operated*										
0-19 YRS	1	47.0		47	47	47	47	47	47	47
20-34	2	37.5	113	30	30	37	45	45	45	45
35-49	3	28.0	361	7	7	33	41	44	44	44
50-64	7	38.4	104	21	23	37	47	50	50	50
65+	2	39.0	162	30	30	39	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	20.0	388	1	1	15	35	49	49	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	29.2	158	5	7	32	39	43	46	46
B. *Operated*	15	36.9	142	10	21	37	47	48	50	50
1. SINGLE DX	5	20.0	388	1	1	15	35	49	49	49
2. MULTIPLE DX	40	32.1	163	6	9	33	43	47	48	50
A. NOT OPERATED	30	27.6	197	4	5	31	38	44	46	49
B. OPERATED	15	36.9	142	10	21	37	47	48	50	50
TOTAL 0-19 YRS	3	35.0	144	23	23	35	44	47	47	47
20-34	5	26.8	192	7	7	30	34	45	45	45
35-49	11	28.7	240	1	5	33	42	43	44	44
50-64	14	30.8	303	4	5	36	46	49	50	50
65+	12	33.0	82	15	24	31	38	47	48	48
GRAND TOTAL	**45**	**30.7**	**194**	**5**	**7**	**32**	**42**	**47**	**48**	**50**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	23	1.4		<1	<1	1	2	2	3	3
35-49	34	2.1	3	<1	<1	2	3	5	7	8
50-64	52	3.3	7	<1	1	2	5	7	8	12
65+	49	2.7	5	<1	1	2	3	7	7	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	18	<1	<1	1	4	10	15	15
20-34	25	3.2	12	<1	<1	2	3	10	11	13
35-49	33	3.0	4	1	1	2	4	6	8	9
50-64	78	4.7	14	1	1	3	7	10	13	18
65+	116	6.9	70	1	1	5	8	13	16	55
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.3	30	1	1	10	11	11	11	11
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	8	10.4	57	1	2	10	20	69	99+	99+
65+	5	15.0	73	9	9	12	17	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	2.6	5	<1	1	2	3	6	7	10
B. *Operated*	4	3.0	8	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	263	5.2	40	1	1	4	7	11	14	23
B. *Operated*	19	10.3	56	1	2	10	13	26	65	99+
1. SINGLE DX	167	2.6	5	<1	1	2	3	6	7	10
2. MULTIPLE DX	282	5.6	42	1	1	4	7	13	14	41
A. NOT OPERATED	426	4.2	28	<1	1	3	5	9	13	19
B. OPERATED	23	9.0	55	1	1	9	12	23	51	99+
TOTAL 0-19 YRS	18	2.8	12	<1	1	1	3	6	11	15
20-34	52	2.6	9	<1	<1	1	3	8	11	13
35-49	69	2.7	5	<1	1	2	3	6	8	11
50-64	140	4.5	16	1	1	3	6	10	13	29
65+	170	5.9	57	1	1	4	7	13	14	44
GRAND TOTAL	**449**	**4.5**	**30**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	28	<1	<1	3	9	11	11	11
20-34	24	1.9	1	<1	<1	2	2	3	5	5
35-49	48	2.6	4	<1	1	2	3	5	6	9
50-64	134	3.5	9	<1	1	3	4	7	11	15
65+	197	4.9	29	1	1	4	6	9	13	37
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	2	4.0	18	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	26	4.5	23	1	1	3	6	8	13	24
35-49	92	4.3	31	1	1	3	4	10	14	31
50-64	352	6.0	31	1	1	4	8	14	17	25
65+	893	8.0	71	1	2	6	10	16	22	62
B. *Operated*										
0-19 YRS										
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	6	5.5	10	<1	<1	5	9	9	9	9
50-64	27	14.9	296	1	2	8	20	38	46	77
65+	74	16.7	276	3	4	11	23	35	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	4.0	19	<1	1	3	5	8	10	21
B. *Operated*	8	3.3	7	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1365	7.2	58	1	1	5	9	15	20	45
B. *Operated*	110	15.4	266	2	3	10	[illegible]	34	43	86
1. SINGLE DX	414	4.0	19	<1	1	3	5	8	10	21
2. MULTIPLE DX	1475	7.8	78	1	1	5	10	16	23	53
A. NOT OPERATED	1771	6.5	51	1	1	4	8	14	18	38
B. OPERATED	118	14.5	258	1	2	9	19	33	42	85
TOTAL 0-19 YRS	5	4.8	15	<1	<1	3	7	11	11	11
20-34	54	3.4	14	<1	1	2	4	8	9	23
35-49	147	3.8	22	<1	1	2	4	8	11	23
50-64	517	5.8	44	1	1	4	7	13	17	33
65+	1166	8.1	83	1	2	6	10	16	23	59
GRAND TOTAL	**1889**	**7.0**	**68**	**1**	**1**	**5**	**8**	**15**	**21**	**45**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	23	<1	<1	2	3	8	14	24
20-34	46	4.5	27	1	1	3	4	10	18	23
35-49	66	3.2	9	<1	1	2	4	6	9	17
50-64	122	4.3	14	<1	1	3	6	8	11	21
65+	169	5.7	22	1	2	4	7	12	14	25
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	6.1	24	<1	1	4	9	13	17	18
35-49	17	4.7	17	<1	<1	4	7	12	13	13
50-64	46	5.9	24	1	1	5	8	12	17	24
65+	124	6.3	19	2	3	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.6	10	<1	<1	3	5	9	13	99+
20-34	73	4.1	16	<1	1	3	5	8	14	19
35-49	138	5.3	40	1	1	4	6	10	16	42
50-64	429	7.0	74	1	1	5	8	14	20	45
65+	841	8.8	89	1	2	6	11	18	23	72
B. *Operated*										
0-19 YRS	6	8.8	191	2	2	3	4	34	37	37
20-34	13	10.4	99	3	4	9	22	99+	99+	99+
35-49	35	8.8	77	<1	1	6	11	17	29	43
50-64	147	11.2	165	1	2	8	13	24	32	67
65+	471	11.7	121	3	4	9	14	23	29	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.7	19	1	1	3	6	10	14	23
B. *Operated*	202	6.0	20	1	1	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	1511	7.6	78	1	1	5	9	16	21	55
B. *Operated*	672	11.4	128	2	3	8	14	23	32	84
1. SINGLE DX	631	5.1	20	1	1	4	6	10	14	23
2. MULTIPLE DX	2183	8.8	96	1	2	6	11	18	25	65
A. NOT OPERATED	1940	7.0	66	1	1	5	9	14	20	43
B. OPERATED	874	10.2	108	1	3	7	12	20	28	67
TOTAL 0-19 YRS	63	4.0	32	<1	1	2	4	9	16	91
20-34	146	5.0	30	<1	1	3	6	12	18	99+
35-49	256	5.2	38	<1	1	4	6	11	16	41
50-64	744	7.3	84	1	1	5	9	15	21	54
65+	1605	9.1	90	2	2	7	11	18	24	64
GRAND TOTAL	**2814**	**8.0**	**81**	**1**	**1**	**5**	**10**	**17**	**23**	**59**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.8	12	2	2	9	10	11	11	11
20-34	4	12.8	165	2	2	9	21	31	31	31
35-49	14	8.1	61	2	2	5	11	18	27	30
50-64	77	9.1	78	2	3	7	10	17	26	48
65+	607	9.4	103	2	2	7	11	19	24	68
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	6.7	24	<1	<1	9	10	10	10	10
65+	5	15.6	12	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.4	18	2	2	4	6	12	16	19
20-34	17	9.1	73	2	2	7	11	16	30	38
35-49	87	9.9	124	2	2	7	13	18	23	70
50-64	641	10.2	78	3	3	8	13	19	28	51
65+	3961	12.5	143	2	3	9	15	26	39	83
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	20.0		20	20	20	20	20	20	20
35-49	8	13.4	120	2	3	11	22	29	31	31
50-64	46	17.9	145	2	4	16	24	34	38	57
65+	277	23.4	297	5	7	19	32	56	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	707	9.3	99	2	2	7	11	18	25	58
B. *Operated*	8	12.3	35	<1	3	12	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	4729	12.1	133	2	3	9	15	25	36	77
B. *Operated*	333	22.4	275	4	7	19	30	52	72	99+
1. SINGLE DX	715	9.3	98	2	2	7	11	19	25	57
2. MULTIPLE DX	5062	12.8	149	2	3	9	16	27	40	84
A. NOT OPERATED	5436	11.8	130	2	3	8	14	24	35	75
B. OPERATED	341	22.1	271	4	7	19	30	52	71	99+
TOTAL 0-19 YRS	29	6.0	17	2	2	5	8	12	14	19
20-34	22	10.3	86	2	2	8	12	23	34	38
35-49	109	9.9	115	2	2	7	13	20	25	67
50-64	767	10.6	85	2	3	8	13	20	29	51
65+	4850	12.8	154	2	3	9	16	27	40	87
GRAND TOTAL	**5777**	**12.4**	**144**	**2**	**3**	**9**	**15**	**26**	**38**	**82**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	7.3	84	1	2	4	8	17	29	43
20-34	88	4.7	15	1	2	4	6	9	12	21
35-49	65	6.1	101	1	2	4	6	10	14	71
50-64	72	5.7	20	1	1	4	7	12	15	24
65+	35	9.0	74	2	3	6	10	15	31	41
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	20	5.3	29	<1	<1	3	8	13	17	19
35-49	41	5.1	18	<1	<1	3	8	12	14	15
50-64	57	6.0	60	<1	1	3	9	16	26	34
65+	45	8.1	85	1	1	4	13	16	26	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	9.9	68	1	2	7	14	21	27	35
20-34	73	5.7	23	1	2	4	6	13	15	28
35-49	120	6.9	33	1	1	5	9	15	18	27
50-64	205	8.8	76	2	2	6	11	17	22	48
65+	329	12.0	141	2	3	9	14	25	39	86
B. *Operated*										
0-19 YRS	8	4.1	14	1	1	3	6	10	11	11
20-34	29	12.0	210	2	2	10	12	20	29	81
35-49	77	11.4	196	<1	1	9	14	26	43	94
50-64	196	9.8	118	<1	1	7	14	23	31	65
65+	170	13.4	172	<1	1	11	19	33	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	6.0	50	1	2	4	7	11	15	38
B. *Operated*	169	6.1	52	<1	1	3	10	15	18	39
2. MULTIPLE DX										
A. *Not Operated*	755	9.6	97	1	2	7	12	19	29	65
B. *Operated*	480	11.4	156	<1	1	9	15	27	35	86
1. SINGLE DX	451	6.1	50	1	1	4	8	13	16	40
2. MULTIPLE DX	1235	10.3	120	1	2	7	13	22	32	76
A. NOT OPERATED	1037	8.6	87	1	2	6	11	17	25	55
B. OPERATED	649	10.0	134	<1	1	7	14	24	33	80
TOTAL 0-19 YRS	64	7.6	65	1	2	5	9	17	24	42
20-34	210	6.1	50	1	2	4	7	13	15	28
35-49	303	7.6	91	1	1	5	10	15	22	77
50-64	530	8.5	84	1	1	5	11	18	27	51
65+	579	11.9	143	1	2	9	15	28	39	86
GRAND TOTAL	**1686**	**9.2**	**105**	**1**	**1**	**6**	**12**	**19**	**30**	**67**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	15.0	25	10	10	15	19	20	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	9	14.1	89	2	4	10	25	26	26	26
65+	37	17.1	319	2	3	10	24	42	55	80
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.5	61	5	5	10	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	15.0	25	10	10	15	19	20	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	47	16.2	271	2	3	10	24	37	51	80
B. *Operated*	2	10.5	61	5	5	10	16	16	16	16
1. SINGLE DX	3	15.0	25	10	10	15	19	20	20	20
2. MULTIPLE DX	49	16.0	262	2	3	10	24	37	50	80
A. NOT OPERATED	50	16.1	255	2	3	10	24	36	50	80
B. OPERATED	2	10.5	61	5	5	10	16	16	16	16
TOTAL 0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	9	14.1	89	2	4	10	25	26	26	26
65+	42	16.6	285	2	3	11	21	39	53	80
GRAND TOTAL	**52**	**15.9**	**248**	**2**	**3**	**10**	**22**	**36**	**49**	**80**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	3	4.7	12	1	1	5	7	8	8	8
50-64	3	4.3	12	1	1	4	7	8	8	8
65+										
B. *Operated*										
0-19 YRS	2	13.0	8	11	11	13	15	15	15	15
20-34	10	17.6	130	2	3	17	21	34	44	44
35-49	10	18.8	264	2	2	15	34	42	45	45
50-64	4	19.3	335	5	5	13	30	46	46	46
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.0	288	2	2	14	26	26	26	26
65+	6	28.0	379	7	7	25	42	56	58	58
B. *Operated*										
0-19 YRS	3	42.7	1122	19	19	28	68	81	81	81
20-34	7	29.7	319	10	11	32	42	55	58	58
35-49	8	27.8	195	8	11	25	32	50	56	56
50-64	28	33.3	716	7	9	23	59	99	99+	99+
65+	6	28.2	286	13	14	32	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	9	1	1	4	6	8	8	8
B. *Operated*	27	18.6	188	2	3	15	25	43	45	46
2. MULTIPLE DX										
A. *Not Operated*	8	24.5	354	2	3	23	36	53	58	58
B. *Operated*	52	31.9	528	8	10	26	54	97	99+	99+
1. SINGLE DX	36	14.9	185	1	1	12	19	39	45	46
2. MULTIPLE DX	60	30.9	505	7	9	26	50	89	99+	99+
A. NOT OPERATED	17	13.5	274	1	1	7	21	40	52	58
B. OPERATED	79	27.4	449	5	7	22	41	82	99+	99+
TOTAL 0-19 YRS	5	30.8	827	11	11	19	41	81	81	81
20-34	20	19.5	251	1	2	16	28	44	51	58
35-49	21	20.2	248	1	2	19	30	41	50	56
50-64	37	28.4	661	3	5	21	48	94	99+	99+
65+	13	28.6	281	8	11	32	54	99+	99+	99+
GRAND TOTAL	**96**	**24.9**	**443**	**2**	**4**	**20**	**36**	**65**	**99**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	41.0		41	41	41	41	41	41	41
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	68.0		68	68	68	68	68	68	68
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	49.0		49	49	49	49	49	49	49
65+	2	44.5	5	43	43	44	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	41.0		41	41	41	41	41	41	41
B. *Operated*	5	43.2	440	10	10	46	54	68	68	68
1. SINGLE DX										
2. MULTIPLE DX	6	42.8	353	10	13	44	49	66	68	68
A. NOT OPERATED	1	41.0		41	41	41	41	41	41	41
B. OPERATED	5	43.2	440	10	10	46	54	68	68	68
TOTAL 0-19 YRS										
20-34	1	68.0		68	68	68	68	68	68	68
35-49	2	25.5	481	10	10	25	41	41	41	41
50-64	1	49.0		49	49	49	49	49	49	49
65+	2	44.5	5	43	43	44	46	46	46	46
GRAND TOTAL	**6**	**42.8**	**353**	**10**	**13**	**44**	**49**	**66**	**68**	**68**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	3	16.3	465	<1	<1	7	32	41	41	41
65+	9	10.7	14	7	7	10	15	59	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	4	11.0	25	5	5	11	14	17	17	17
50-64	6	16.2	95	6	6	14	21	32	33	33
65+	15	12.9	36	5	5	13	19	20	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	8	22.8	591	8	8	13	23	64	81	81
65+	35	23.5	422	3	4	18	40	68	90	99+
B. *Operated*										
0-19 YRS	4	19.8	333	2	2	16	32	45	45	45
20-34	4	28.8	267	15	15	25	42	49	49	49
35-49	3	59.3	2010	9	9	95	99+	99+	99+	99+
50-64	20	17.0	124	7	7	14	20	31	43	52
65+	27	26.4	224	9	10	24	41	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	12.1	93	1	6	10	15	47	88	99+
B. *Operated*	27	13.1	44	5	5	12	18	21	24	33
2. MULTIPLE DX										
A. *Not Operated*	48	21.8	418	3	4	13	33	65	81	99+
B. *Operated*	58	24.6	334	7	9	20	38	78	99+	99+
1. SINGLE DX	40	12.8	58	5	6	11	17	22	37	99+
2. MULTIPLE DX	106	23.3	370	4	7	18	36	70	99+	99+
A. NOT OPERATED	61	19.8	362	3	5	12	29	63	87	99+
B. OPERATED	85	20.9	269	6	7	17	30	55	99+	99+
TOTAL 0-19 YRS	6	15.7	240	2	2	10	19	42	45	45
20-34	7	22.0	214	9	9	16	31	46	49	49
35-49	10	24.2	1052	2	4	12	84	99+	99+	99+
50-64	37	18.1	226	6	7	14	22	34	48	81
65+	86	21.2	279	5	6	18	33	61	99+	99+
GRAND TOTAL	**146**	**20.4**	**306**	**5**	**7**	**15**	**30**	**60**	**99**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	48.8	1001	21	21	47	76	80	80	80
65+	12	39.1	731	14	16	47	87	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	56.5	113	49	49	56	64	64	64	64
35-49	1	19.0		19	19	59	99+	99+	99+	99+
50-64	11	25.2	274	7	8	25	43	46	47	47
65+	3	24.0	511	9	9	31	75	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	41.5	755	15	17	47	78	99+	99+	99+
B. *Operated*	17	28.3	357	8	9	26	48	85	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	33	34.7	577	9	10	34	67	99+	99+	99+
A. NOT OPERATED	16	41.5	755	15	17	47	78	99+	99+	99+
B. OPERATED	17	28.3	357	8	9	26	48	85	99+	99+
TOTAL 0-19 YRS										
20-34	2	56.5	113	49	49	56	64	64	64	64
35-49	1	19.0		19	19	59	99+	99+	99+	99+
50-64	15	31.5	526	7	9	25	45	72	78	80
65+	15	36.1	686	11	13	47	87	99+	99+	99+
GRAND TOTAL	**33**	**34.7**	**577**	**9**	**10**	**34**	**67**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	11.0	72	5	5	11	17	17	17	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	8.5	26	5	5	6	11	16	16	16
65+	4	6.3	14	2	2	6	9	11	11	11
B. *Operated*										
0-19 YRS										
20-34	2	15.0	392	<1	<1	14	29	29	29	29
35-49	8	10.3	71	3	4	7	13	24	29	29
50-64	58	7.4	20	1	2	7	9	12	17	22
65+	110	8.2	37	1	1	7	12	17	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	4	8.8	31	1	1	10	12	14	14	14
50-64	12	7.7	26	1	2	6	10	17	18	18
65+	16	9.7	55	2	3	8	12	18	28	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	17	8.9	54	1	2	8	14	26	71	99+
50-64	204	10.0	59	1	1	9	14	20	23	39
65+	342	11.0	105	1	1	9	14	22	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.7	24	2	3	6	10	16	17	17
B. *Operated*	178	8.1	35	1	1	7	11	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	33	8.7	39	1	3	7	11	16	18	32
B. *Operated*	563	10.6	87	1	1	9	14	20	27	55
1. SINGLE DX	189	8.1	35	1	1	7	11	17	19	28
2. MULTIPLE DX	596	10.5	85	1	1	9	14	20	27	53
A. NOT OPERATED	44	8.4	35	2	3	7	11	16	18	32
B. OPERATED	741	10.0	76	1	1	8	13	20	25	47
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	13.0	160	<1	<1	11	23	29	29	29
35-49	30	9.1	51	1	2	7	13	23	29	99+
50-64	278	9.4	50	1	2	8	12	18	21	32
65+	472	10.2	88	1	1	8	13	20	27	49
GRAND TOTAL	**785**	**9.9**	**74**	**1**	**1**	**8**	**13**	**19**	**25**	**46**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	21.2	444	4	4	16	21	58	62	62
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	51	99+	99+	99+	99+
50-64	18	19.5	334	4	5	15	22	47	63	73
65+	21	17.4	315	2	4	12	17	48	63	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	21.2	444	4	4	16	21	58	62	62
B. *Operated*	40	18.0	315	3	4	12	20	52	71	99+
1. SINGLE DX										
2. MULTIPLE DX	46	18.4	323	3	4	12	21	56	70	99+
A. NOT OPERATED	6	21.2	444	4	4	16	21	58	62	62
B. OPERATED	40	18.0	315	3	4	12	20	52	71	99+
TOTAL 0-19 YRS										
20-34										
35-49	1	2.0		2	2	51	99+	99+	99+	99+
50-64	18	19.5	334	4	5	15	22	47	63	73
65+	27	18.2	330	3	4	12	20	55	63	70
GRAND TOTAL	**46**	**18.4**	**323**	**3**	**4**	**12**	**21**	**56**	**70**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	9.0	50	2	2	7	16	19	19	19
50-64	18	12.6	144	2	3	8	21	23	40	51
65+	33	12.6	136	2	3	9	15	28	41	52
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	16.7	192	5	5	13	27	32	32	32
35-49	7	14.1	202	5	5	8	18	39	44	44
50-64	9	12.9	63	2	3	10	20	23	24	24
65+	3	13.7	5	11	11	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	3	12.7	96	7	7	7	20	24	24	24
35-49	20	20.6	449	2	3	13	26	54	65	74
50-64	92	15.9	218	4	4	11	18	38	50	70
65+	261	19.0	299	3	5	14	25	54	85	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	16	16.9	66	4	6	17	22	28	31	33
50-64	45	12.2	123	4	4	9	14	30	52	99+
65+	57	22.1	272	5	7	18	32	52	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	12.1	126	2	2	8	16	23	39	52
B. *Operated*	23	13.3	105	2	4	10	19	26	36	44
2. MULTIPLE DX										
A. *Not Operated*	378	18.2	285	3	5	13	24	51	67	99+
B. *Operated*	122	17.2	204	4	5	13	24	39	55	99+
1. SINGLE DX	81	12.5	119	2	3	9	17	24	38	52
2. MULTIPLE DX	500	18.0	265	4	5	13	24	50	66	99+
A. NOT OPERATED	436	17.4	267	3	4	12	22	47	64	99+
B. OPERATED	145	16.6	189	4	5	13	22	38	52	99+
TOTAL 0-19 YRS	4	7.8	28	1	1	8	11	14	14	14
20-34	10	10.9	91	4	4	6	13	28	32	32
35-49	49	17.1	244	2	3	13	20	40	52	74
50-64	164	14.3	176	3	4	10	18	32	50	74
65+	354	18.9	281	3	5	14	25	52	79	99+
GRAND TOTAL	**581**	**17.2**	**248**	**3**	**4**	**12**	**22**	**44**	**61**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	45.0		45	45	45	45	45	45	45
50-64	26	21.1	269	6	7	16	32	59	99+	99+
65+	74	28.2	477	5	8	23	45	87	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	12.5	61	7	7	12	18	18	18	18
50-64	7	30.0	1211	5	6	42	99+	99+	99+	99+
65+	12	32.6	702	12	15	30	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	101	26.6	429	5	7	19	45	85	99+	99+
B. *Operated*	21	29.8	787	7	8	28	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	122	27.1	486	6	7	21	52	99+	99+	99+
A. NOT OPERATED	101	26.6	429	5	7	19	45	85	99+	99+
B. OPERATED	21	29.8	787	7	8	28	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	23.3	382	7	7	18	38	45	45	45
50-64	33	23.0	451	6	7	17	51	99+	99+	99+
65+	86	28.8	503	6	10	24	52	99+	99+	99+
GRAND TOTAL	**122**	**27.1**	**486**	**6**	**7**	**21**	**52**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.7	40	1	1	4	6	17	18	18
35-49	15	3.5	8	<1	1	2	5	7	10	11
50-64	85	5.2	18	1	1	4	7	11	14	22
65+	291	6.0	41	1	1	4	7	11	16	40
B. *Operated*										
0-19 YRS										
20-34	4	6.5	30	2	2	5	10	14	14	14
35-49	17	4.8	16	1	2	4	6	8	15	18
50-64	53	4.9	18	<1	1	4	6	11	15	18
65+	52	5.5	19	1	1	4	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.8	24	1	1	3	5	13	18	18
35-49	23	6.9	121	<1	1	4	8	12	27	55
50-64	196	7.0	28	1	2	6	9	14	16	21
65+	968	8.7	96	1	2	6	11	18	26	70
B. *Operated*										
0-19 YRS										
20-34	4	7.8	16	3	3	8	11	12	12	12
35-49	37	7.0	20	1	1	7	9	12	16	22
50-64	142	7.5	32	1	2	6	10	14	19	26
65+	192	11.4	118	1	2	9	15	23	29	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	5.7	35	1	1	4	7	11	15	37
B. *Operated*	126	5.2	18	1	1	4	7	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	1198	8.4	85	1	2	6	10	17	23	63
B. *Operated*	375	9.4	78	1	2	7	11	20	24	52
1. SINGLE DX	523	5.6	31	1	1	4	7	11	15	34
2. MULTIPLE DX	1573	8.6	83	1	2	6	11	17	24	59
A. NOT OPERATED	1595	7.7	74	1	2	5	9	15	21	54
B. OPERATED	501	8.4	66	1	1	7	11	17	23	42
TOTAL 0-19 YRS										
20-34	25	5.8	25	1	1	3	7	14	18	18
35-49	92	6.0	43	1	1	5	8	11	13	41
50-64	476	6.6	27	1	1	5	9	13	16	24
65+	1503	8.4	88	1	2	6	10	17	24	60
GRAND TOTAL	**2096**	**7.9**	**72**	**1**	**2**	**6**	**10**	**16**	**22**	**53**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	12.8	552	1	1	1	25	48	48	48
50-64	59	10.9	204	1	2	8	12	20	52	98
65+	248	16.3	250	2	3	11	23	40	59	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	4	11.8	12	8	8	11	14	16	16	16
50-64	12	6.1	9	2	3	5	9	10	11	11
65+	8	12.6	55	5	5	11	19	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34	7	10.1	46	4	4	8	13	21	23	23
35-49	21	11.0	123	2	2	8	14	24	37	50
50-64	172	14.0	179	3	3	10	18	33	57	99+
65+	818	22.3	395	3	5	16	33	64	92	99+
B. *Operated*										
0-19 YRS										
20-34	3	17.7	129	5	5	21	25	27	27	27
35-49	7	25.4	439	8	9	22	29	61	69	69
50-64	41	16.1	181	3	4	10	22	34	48	56
65+	96	25.0	407	5	8	20	49	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	15.1	246	2	3	10	19	39	58	99+
B. *Operated*	25	8.9	34	2	3	8	11	16	22	24
2. MULTIPLE DX										
A. *Not Operated*	1021	20.5	362	3	4	15	29	60	89	99+
B. *Operated*	147	22.4	351	4	6	18	33	82	99+	99+
1. SINGLE DX	339	14.7	233	2	3	10	18	38	57	99+
2. MULTIPLE DX	1168	20.8	361	3	4	15	30	63	94	99+
A. NOT OPERATED	1335	19.3	340	3	4	14	27	55	83	99+
B. OPERATED	172	20.4	327	4	5	16	31	70	99+	99+
TOTAL 0-19 YRS	6	5.2	17	1	1	5	7	11	12	12
20-34	11	11.5	75	2	3	8	19	25	27	27
35-49	36	14.1	226	1	2	9	16	30	49	69
50-64	284	13.3	181	2	3	9	16	31	48	99+
65+	1170	21.2	370	3	4	15	32	63	94	99+
GRAND TOTAL	**1507**	**19.4**	[illegible]	**3**	**4**	**14**	**27**	**56**	**88**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34										
35-49	5	23.4	911	7	7	10	31	77	77	77
50-64	38	21.8	372	3	6	19	34	97	99+	99+
65+	244	28.3	582	4	6	25	57	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	19.3	352	8	8	9	33	41	41	41
50-64	8	28.5	494	1	3	25	49	56	59	59
65+	19	37.8	958	6	7	66	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	289	27.2	559	4	6	22	53	99+	99+	99+
B. *Operated*	31	32.9	763	5	7	40	89	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	320	27.8	579	4	6	24	60	99+	99+	99+
A. NOT OPERATED	289	27.2	559	4	6	22	53	99+	99+	99+
B. OPERATED	31	32.9	763	5	7	40	89	99+	99+	99+
TOTAL 0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	1	15.0		15	15	15	15	15	15	15
35-49	8	21.9	626	7	7	9	28	66	77	77
50-64	46	23.0	389	2	5	19	34	82	99+	99+
65+	263	29.0	612	4	6	26	67	99+	99+	99+
GRAND TOTAL	**320**	**27.8**	**579**	**4**	**6**	**24**	**60**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7		3	3	4	4	4	4	4
35-49	9	3.0	5	1	1	2	4	7	8	8
50-64	24	7.1	34	1	2	6	9	15	21	23
65+	82	12.1	114	2	3	11	18	30	47	99+
B. *Operated*										
0-19 YRS										
20-34	6	9.0	38	2	2	7	15	18	18	18
35-49	8	4.3	13	<1	<1	3	7	10	10	10
50-64	12	8.4	146	<1	<1	5	9	22	42	45
65+	16	6.8	63	<1	<1	4	8	18	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	14	5.4	14	1	2	4	6	12	12	12
50-64	80	13.1	338	2	2	7	14	34	86	99+
65+	411	15.0	272	2	3	11	20	55	99+	99+
B. *Operated*										
0-19 YRS										
20-34	6	11.7	80	2	2	11	22	22	22	22
35-49	16	16.3	405	2	4	11	18	25	68	87
50-64	36	11.2	115	1	2	7	15	25	29	54
65+	51	17.9	407	<1	1	11	25	62	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	10.2	96	2	2	7	14	23	43	99+
B. *Operated*	42	7.1	72	<1	<1	5	8	16	23	45
2. MULTIPLE DX										
A. *Not Operated*	510	14.4	276	2	3	10	19	52	99+	99+
B. *Operated*	109	15.1	295	1	2	11	20	39	70	99+
1. SINGLE DX	160	9.4	91	1	2	6	13	22	35	99+
2. MULTIPLE DX	619	14.5	279	2	3	10	19	49	94	99+
A. NOT OPERATED	628	13.6	244	2	2	9	18	45	95	99+
B. OPERATED	151	12.9	245	<1	1	8	15	31	54	99
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	19	7.8	46	2	2	5	11	20	22	22
35-49	47	8.4	172	1	1	4	11	15	23	87
50-64	152	11.4	224	1	2	6	13	27	43	99+
65+	560	14.6	258	2	3	10	20	51	99+	99+
GRAND TOTAL	**779**	**13.5**	**244**	**1**	**2**	**9**	**18**	**42**	**85**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	5.9	41	<1	<1	3	10	16	17	17
65+	33	14.3	134	2	3	14	19	28	41	53
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	5.4	28	<1	<1	3	10	13	14	14
50-64	39	5.7	35	<1	1	4	9	14	17	26
65+	47	4.9	31	<1	1	2	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	11	7.6	24	3	3	5	11	15	18	18
65+	110	13.1	146	2	3	9	23	38	99+	99+
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	14.5	25	11	11	14	18	18	18	18
35-49	38	13.8	227	2	3	11	15	27	33	92
50-64	171	13.3	157	1	1	12	16	29	39	88
65+	288	15.6	272	1	1	12	22	42	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	12.4	123	1	2	11	17	23	36	53
B. *Operated*	95	5.2	32	<1	1	2	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	124	12.4	136	2	3	9	22	36	98	99+
B. *Operated*	500	14.7	228	1	1	12	19	36	58	99+
1. SINGLE DX	138	7.4	71	<1	1	4	11	18	22	43
2. MULTIPLE DX	624	14.2	210	1	1	11	19	36	60	99+
A. NOT OPERATED	167	12.4	132	2	2	9	19	34	52	99+
B. OPERATED	595	13.1	209	1	1	10	17	31	51	99+
TOTAL 0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	3	10.0	73	<1	<1	11	16	18	18	18
35-49	50	11.6	192	1	1	10	13	20	30	92
50-64	229	11.5	135	1	1	10	15	24	36	66
65+	478	13.9	219	1	1	10	20	37	69	99+
GRAND TOTAL	**762**	**13.0**	**192**	**1**	**1**	**10**	**17**	**32**	**51**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	14	6.8	75	1	1	4	7	19	30	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	16.0	200	6	6	16	26	26	26	26
50-64	18	10.6	37	1	2	10	12	17	24	28
65+	59	13.2	49	2	3	13	16	21	28	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	6	8.2	59	1	1	6	13	20	21	21
65+	54	9.0	42	2	2	7	12	18	25	27
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	11.0	19	6	6	13	14	14	14	14
35-49	3	12.0	43	5	5	13	17	18	18	18
50-64	136	16.1	140	3	8	13	18	26	34	85
65+	284	18.9	117	8	10	16	23	33	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.4	67	1	1	4	7	16	28	33
B. *Operated*	79	12.7	49	2	3	12	16	21	27	34
2. MULTIPLE DX										
A. *Not Operated*	62	9.0	42	1	2	7	12	19	24	27
B. *Operated*	427	17.9	125	7	9	15	21	31	39	99+
1. SINGLE DX	95	11.6	57	1	2	11	15	20	28	35
2. MULTIPLE DX	489	16.8	123	4	7	14	21	29	37	96
A. NOT OPERATED	78	8.5	48	1	2	6	11	18	25	31
B. OPERATED	506	17.1	116	5	9	14	20	29	37	94
TOTAL 0-19 YRS	2	10.5	85	4	4	10	17	17	17	17
20-34	3	11.0	19	6	6	13	14	14	14	14
35-49	6	14.2	63	5	5	15	18	25	26	26
50-64	162	15.1	130	2	5	13	17	24	33	83
65+	411	16.4	111	3	6	14	21	29	37	94
GRAND TOTAL	**584**	**15.9**	**116**	**3**	**5**	**14**	**19**	**27**	**35**	**88**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	8.2	33	2	2	11	12	14	14	14
35-49	1	10.0		10	10	10	10	10	10	10
50-64	11	7.1	16	<1	<1	8	10	11	11	11
65+	9	11.6	41	1	3	11	15	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	7	11.0	28	5	5	9	16	18	18	18
B. *Operated*										
0-19 YRS										
20-34	5	18.8	258	<1	<1	19	26	44	44	44
35-49	10	11.3	144	1	1	7	17	28	39	39
50-64	24	13.1	58	1	2	12	18	25	27	28
65+	66	15.2	156	2	6	13	19	28	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	9.0	29	<1	1	10	11	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	9	9.6	32	1	3	8	15	18	18	18
B. *Operated*	105	14.5	136	1	2	13	18	27	34	94
1. SINGLE DX	26	9.0	29	<1	1	10	11	15	18	23
2. MULTIPLE DX	114	14.1	129	1	2	13	18	26	33	93
A. NOT OPERATED	9	9.6	32	1	3	8	15	18	18	18
B. OPERATED	131	13.4	119	1	2	12	17	25	32	91
TOTAL 0-19 YRS										
20-34	10	13.5	161	<1	1	11	19	32	44	44
35-49	11	11.2	130	1	1	10	17	26	38	39
50-64	37	10.8	52	<1	1	11	15	20	26	28
65+	82	14.4	134	2	5	13	18	25	32	96
GRAND TOTAL	**140**	**13.2**	**114**	**1**	**2**	**11**	**17**	**24**	**31**	**90**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	11.0	11	8	8	10	14	15	15	15
35-49	6	7.0	15	2	2	7	9	13	13	13
50-64	9	8.7	40	2	2	10	11	18	22	22
65+	15	10.8	142	2	2	9	11	13	42	52
B. *Operated*										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34	8	7.1	27	<1	1	6	10	15	16	16
35-49	46	8.1	26	1	2	8	12	14	16	19
50-64	138	8.0	39	1	2	8	11	15	19	31
65+	166	8.7	59	1	2	8	12	18	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	113	4	4	11	19	19	19	19
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	8	6.1	37	1	1	4	11	15	16	16
50-64	23	8.3	68	<1	1	6	11	20	28	33
65+	33	10.6	65	1	2	11	13	16	23	44
B. *Operated*										
0-19 YRS	3	13.7	20	9	9	14	17	18	18	18
20-34	8	11.1	61	2	3	10	17	21	23	23
35-49	89	12.5	141	1	1	11	16	24	32	99+
50-64	487	12.8	141	1	1	11	17	24	37	69
65+	631	14.3	163	1	1	12	19	31	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	9.6	74	2	2	9	11	14	20	52
B. *Operated*	361	8.3	46	1	2	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	68	9.3	62	1	1	8	13	18	23	42
B. *Operated*	1218	13.5	152	1	1	12	18	28	40	99+
1. SINGLE DX	396	8.4	48	1	2	8	12	16	20	34
2. MULTIPLE DX	1286	13.3	148	1	1	12	17	27	39	99+
A. NOT OPERATED	103	9.4	65	1	2	8	12	15	22	48
B. OPERATED	1579	12.3	133	1	1	11	16	25	36	97
TOTAL 0-19 YRS	8	9.5	46	1	2	8	16	19	19	19
20-34	23	9.4	34	1	2	8	14	17	20	23
35-49	149	10.6	100	1	1	11	14	19	27	99+
50-64	657	11.5	120	1	1	10	15	22	32	59
65+	845	13.0	143	1	1	11	17	28	40	99+
GRAND TOTAL	**1682**	**12.2**	**129**	**1**	**1**	**11**	**16**	**24**	**35**	**90**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.5	20	1	2	7	10	14	16	16
20-34	5	5.8	35	2	2	3	8	16	16	16
35-49	10	3.8	14	<1	<1	3	4	9	14	14
50-64	31	6.5	67	1	1	4	7	15	19	43
65+	50	5.5	15	1	1	5	7	10	13	18
B. *Operated*										
0-19 YRS	7	7.1	38	<1	<1	8	13	16	16	16
20-34	9	6.2	43	<1	<1	2	10	16	19	19
35-49	47	6.9	54	<1	1	4	10	16	19	38
50-64	113	7.9	81	<1	<1	4	12	18	25	49
65+	125	9.0	137	<1	<1	4	12	20	31	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.0	14	1	1	6	9	11	11	11
20-34	14	4.7	23	<1	1	3	7	11	16	18
35-49	25	8.8	132	<1	<1	6	10	19	30	57
50-64	51	8.1	55	1	2	6	11	18	23	99
65+	153	11.0	153	1	2	8	14	26	39	99+
B. *Operated*										
0-19 YRS	10	14.7	148	3	3	11	17	36	39	39
20-34	21	20.5	571	<1	1	12	23	69	79	82
35-49	67	11.9	159	1	1	9	17	22	29	80
50-64	240	13.5	222	1	1	9	17	32	48	98
65+	303	16.0	214	1	2	13	22	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	5.8	31	1	1	5	7	13	16	29
B. *Operated*	301	8.1	97	<1	<1	4	11	18	26	53
2. MULTIPLE DX										
A. *Not Operated*	252	9.7	121	1	2	7	12	21	33	99+
B. *Operated*	641	14.8	223	1	2	11	19	35	49	99+
1. SINGLE DX	408	7.5	81	<1	<1	4	10	17	23	49
2. MULTIPLE DX	893	13.3	200	1	2	10	17	32	48	99+
A. NOT OPERATED	359	8.5	97	1	1	6	11	18	27	99+
B. OPERATED	942	12.6	192	<1	1	9	17	30	45	98
TOTAL 0-19 YRS	37	9.0	65	1	1	8	11	16	27	39
20-34	49	11.9	312	<1	<1	6	13	24	64	82
35-49	149	9.2	117	<1	1	6	13	19	26	57
50-64	435	10.9	162	<1	1	8	13	26	41	90
65+	631	12.6	180	1	1	9	17	31	46	99+
GRAND TOTAL	**1301**	**11.5**	**169**	**<1**	**1**	**8**	**15**	**27**	**41**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.2	14	2	2	4	10	12	13	13
20-34	52	7.7	31	1	2	6	10	16	18	30
35-49	88	8.6	18	3	4	8	11	14	15	24
50-64	73	8.2	26	2	3	7	10	14	15	32
65+	97	10.7	60	3	4	9	13	19	28	43
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	23	9.1	30	2	3	8	12	17	19	23
35-49	23	7.6	29	1	1	7	10	16	19	19
50-64	34	9.7	100	1	2	8	12	16	22	58
65+	26	10.0	13	3	4	10	12	15	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.3	16	1	2	7	10	12	13	13
20-34	36	9.2	35	3	4	8	10	13	25	30
35-49	67	11.4	29	4	5	10	14	18	21	29
50-64	168	10.1	40	3	3	8	14	19	25	32
65+	224	12.7	105	2	4	10	16	24	35	55
B. *Operated*										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	30	12.7	175	3	4	10	12	16	44	71
35-49	23	12.1	71	3	4	10	14	19	30	44
50-64	62	12.5	66	3	4	11	16	24	27	43
65+	78	18.5	209	6	7	15	19	29	52	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	8.9	36	2	3	8	11	15	18	36
B. *Operated*	107	9.3	48	1	2	9	12	16	18	38
2. MULTIPLE DX										
A. *Not Operated*	502	11.3	68	3	4	9	14	20	28	52
B. *Operated*	195	14.9	147	4	5	12	17	25	42	69
1. SINGLE DX	432	9.0	39	2	3	8	11	15	18	36
2. MULTIPLE DX	697	12.3	93	3	4	10	15	22	30	56
A. NOT OPERATED	827	10.4	57	2	4	9	13	18	24	42
B. OPERATED	302	12.9	119	2	4	11	15	22	29	65
TOTAL 0-19 YRS	25	7.3	19	2	2	7	11	13	14	18
20-34	141	9.4	64	2	3	8	11	17	19	46
35-49	201	9.8	31	3	4	9	13	16	19	29
50-64	337	10.1	49	2	3	9	13	18	24	37
65+	425	13.1	115	3	4	10	16	23	34	57
GRAND TOTAL	**1129**	**11.0**	**75**	**2**	**4**	**9**	**14**	**19**	**26**	**52**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	9	7.8	28	1	2	7	11	16	18	18
50-64	19	10.3	72	1	1	7	14	24	29	32
65+	62	18.2	304	1	2	14	21	39	65	76
B. *Operated*										
0-19 YRS	6	5.3	20	2	2	4	5	13	14	14
20-34	357	3.8	3	2	2	4	5	6	7	9
35-49	579	4.4	18	2	2	4	5	7	8	12
50-64	390	5.5	35	2	2	4	6	9	14	36
65+	114	7.9	79	1	2	5	7	21	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.5	11	8	8	13	15	15	15	15
20-34	10	6.6	58	1	1	3	10	19	24	24
35-49	20	11.2	111	<1	<1	9	14	22	35	46
50-64	53	18.0	319	2	3	10	25	48	62	99
65+	201	24.0	386	4	5	20	33	55	77	99+
B. *Operated*										
0-19 YRS	4	6.8	7	3	3	7	8	9	9	9
20-34	65	5.7	24	2	3	5	6	9	13	31
35-49	187	6.2	50	2	3	5	6	9	16	34
50-64	232	8.7	116	2	3	5	9	19	32	62
65+	147	20.4	441	2	3	13	31	60	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	15.1	239	1	2	11	18	32	50	74
B. *Operated*	1446	4.8	24	2	2	4	5	7	10	27
2. MULTIPLE DX										
A. *Not Operated*	288	21.2	359	2	4	15	31	49	68	99+
B. *Operated*	635	10.3	193	2	3	5	9	26	43	93
1. SINGLE DX	1539	5.5	43	2	2	4	5	8	14	35
2. MULTIPLE DX	923	13.7	270	2	3	7	17	37	53	99+
A. NOT OPERATED	381	19.7	336	2	3	14	28	47	65	99+
B. OPERATED	2081	6.5	82	2	2	4	6	11	20	56
TOTAL 0-19 YRS	15	7.3	23	1	2	7	11	15	15	15
20-34	434	4.2	7	2	2	4	5	6	8	14
35-49	795	5.0	29	2	2	4	5	8	10	20
50-64	694	7.6	95	2	2	5	7	15	29	56
65+	524	18.8	360	2	3	12	27	47	69	99+
GRAND TOTAL	**2462**	**8.6**	**144**	**2**	**2**	**5**	**8**	**20**	**34**	**76**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	33	3.3	5	<1	1	3	5	6	7	9
35-49	34	2.6	3	<1	<1	2	3	5	6	7
50-64	30	5.3	42	1	1	3	6	14	15	33
65+	20	7.6	182	1	1	5	6	9	37	64
B. *Operated*										
0-19 YRS	9	4.0	3	<1	1	4	5	6	7	7
20-34	312	4.9	5	2	3	5	6	8	8	10
35-49	467	5.2	11	3	3	5	6	8	8	11
50-64	262	5.5	6	2	3	5	6	8	10	13
65+	87	5.7	9	2	2	6	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	30	3.3	13	<1	<1	2	4	9	13	14
35-49	30	3.9	26	1	1	3	4	6	8	29
50-64	48	5.6	23	<1	<1	5	7	11	16	23
65+	63	10.0	131	2	2	7	12	20	30	62
B. *Operated*										
0-19 YRS	5	9.4	25	5	5	8	11	18	18	18
20-34	315	5.5	6	2	3	5	7	8	9	12
35-49	477	5.6	9	3	3	5	6	8	10	15
50-64	379	6.4	13	3	3	6	7	10	13	22
65+	187	7.4	36	2	3	6	9	14	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.3	45	<1	1	3	5	7	10	42
B. *Operated*	1137	5.2	8	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	172	6.5	68	<1	1	4	8	13	20	55
B. *Operated*	1363	6.0	14	3	3	5	7	9	11	22
1. SINGLE DX	1257	5.1	12	2	3	5	6	8	9	13
2. MULTIPLE DX	1535	6.1	20	2	3	5	7	10	13	23
A. NOT OPERATED	292	5.6	59	<1	1	4	6	11	16	51
B. OPERATED	2500	5.7	11	2	3	5	7	9	10	18
TOTAL 0-19 YRS	18	5.3	15	<1	1	5	7	9	14	18
20-34	690	5.0	6	1	2	5	6	8	9	12
35-49	1008	5.3	11	2	3	5	6	8	9	14
50-64	719	6.0	13	2	3	5	7	10	12	21
65+	357	7.5	56	2	3	6	8	13	17	46
GRAND TOTAL	**2792**	**5.7**	**16**	**2**	**3**	**5**	**7**	**9**	**10**	**21**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.0	17	1	1	7	9	14	15	15
20-34	66	6.9	28	1	1	7	10	13	15	29
35-49	72	7.4	18	1	2	6	10	13	16	18
50-64	76	8.8	30	2	2	8	11	14	17	32
65+	102	9.8	53	2	3	8	12	18	26	37
B. *Operated*										
0-19 YRS	40	4.1	9	1	2	3	4	9	11	14
20-34	115	4.5	15	<1	1	3	5	10	13	19
35-49	46	7.6	36	1	2	6	11	17	21	22
50-64	50	8.3	27	2	3	8	11	13	22	25
65+	44	9.5	64	1	2	8	12	18	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	3	1	1	3	4	6	7	7
20-34	48	8.3	31	1	2	7	13	17	18	22
35-49	59	7.8	41	1	2	7	10	14	20	37
50-64	162	9.4	45	2	2	8	13	17	22	31
65+	315	10.6	74	2	3	9	14	19	26	45
B. *Operated*										
0-19 YRS	22	4.8	16	1	2	4	6	11	14	18
20-34	76	5.4	25	1	2	4	7	12	16	27
35-49	72	11.7	142	2	2	9	14	22	31	73
50-64	124	13.5	70	3	5	11	18	25	30	62
65+	147	17.5	194	4	7	13	22	41	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	8.3	35	1	2	8	11	15	18	31
B. *Operated*	295	6.3	31	1	2	4	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	595	9.7	59	2	2	8	13	18	23	42
B. *Operated*	441	12.7	132	2	2	10	17	26	37	99+
1. SINGLE DX	627	7.4	34	1	2	6	10	14	18	29
2. MULTIPLE DX	1036	11.0	93	2	2	9	14	22	30	65
A. NOT OPERATED	927	9.2	51	1	2	8	12	17	21	39
B. OPERATED	736	10.2	102	1	2	8	14	22	30	75
TOTAL 0-19 YRS	89	4.7	13	1	2	3	7	10	11	17
20-34	305	5.8	25	1	1	4	8	13	16	23
35-49	249	8.8	65	1	2	7	11	17	21	36
50-64	412	10.4	52	2	3	9	13	19	25	38
65+	608	12.1	108	2	3	10	15	24	36	73
GRAND TOTAL	**1663**	**9.6**	**73**	**1**	**2**	**8**	**13**	**19**	**25**	**48**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4212	3.2	6	1	1	3	4	6	8	13
20-34	278	3.3	4	1	1	3	4	6	7	10
35-49	93	4.0	9	1	2	3	5	7	7	19
50-64	58	4.3	7	1	1	4	6	8	10	13
65+	99	7.3	38	1	2	6	9	13	20	34
B. *Operated*										
0-19 YRS	171	3.4	49	2	2	2	3	4	7	40
20-34	36	4.0	12	1	2	3	4	10	12	17
35-49	6	3.3	1	2	2	3	4	5	5	5
50-64	6	3.2	15	1	1	2	2	10	11	11
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4266	4.5	13	1	1	4	6	9	11	18
20-34	332	4.0	7	1	1	3	5	7	9	16
35-49	135	4.3	8	1	2	4	5	8	10	14
50-64	146	5.5	12	2	2	5	7	10	13	15
65+	425	9.0	67	2	3	7	11	18	25	39
B. *Operated*										
0-19 YRS	67	5.8	37	2	2	3	8	14	17	32
20-34	20	6.7	29	1	2	4	11	14	18	21
35-49	10	6.6	30	1	1	4	13	15	16	16
50-64	9	10.1	56	2	2	11	17	61	99+	99+
65+	22	15.3	93	2	4	15	18	29	34	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4740	3.4	7	1	1	3	4	6	8	13
B. *Operated*	221	3.5	40	1	2	2	3	5	9	26
2. MULTIPLE DX										
A. *Not Operated*	5304	4.9	19	1	1	4	6	9	12	21
B. *Operated*	128	8.0	57	2	2	5	13	18	26	53
1. SINGLE DX	4961	3.4	9	1	1	3	4	6	8	13
2. MULTIPLE DX	5432	4.9	20	1	1	4	6	9	13	22
A. NOT OPERATED	10044	4.1	14	1	1	3	5	8	10	19
B. OPERATED	349	5.1	51	2	2	3	5	13	17	40
TOTAL 0-19 YRS	8716	3.9	11	1	1	3	5	7	10	16
20-34	666	3.8	7	1	1	3	5	7	8	15
35-49	244	4.2	9	1	2	4	5	7	10	16
50-64	219	5.3	13	1	2	4	7	11	13	19
65+	548	8.9	65	2	3	7	11	18	25	38
GRAND TOTAL	**10393**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2324	4.5	10	1	2	4	6	8	10	17
20-34	87	3.8	5	1	1	3	5	7	8	10
35-49	73	4.9	9	1	2	4	6	8	9	18
50-64	71	5.8	13	1	2	5	7	9	11	23
65+	127	6.3	12	2	2	6	8	11	13	16
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1749	5.6	19	1	2	5	7	11	13	22
20-34	102	4.1	6	1	1	4	5	8	9	12
35-49	132	5.6	18	1	2	5	7	9	13	27
50-64	306	7.1	26	2	3	6	9	13	16	26
65+	774	9.1	50	3	3	7	11	17	22	35
B. *Operated*										
0-19 YRS	11	12.4	190	3	3	8	12	33	49	51
20-34	3	9.0	97	1	1	6	16	20	20	20
35-49	7	8.1	3	6	6	8	10	11	11	11
50-64	10	8.1	64	<1	1	5	11	21	27	27
65+	14	25.6	397	5	6	22	33	57	72	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2682	4.6	10	1	2	4	6	9	10	17
B. *Operated*	4	8.3	6	5	5	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	3063	6.6	30	2	2	5	8	12	16	27
B. *Operated*	45	14.7	237	2	3	9	20	33	52	76
1. SINGLE DX	2686	4.6	10	1	2	4	6	9	10	17
2. MULTIPLE DX	3108	6.7	34	2	2	5	8	13	16	28
A. NOT OPERATED	5745	5.7	22	1	2	5	7	11	13	24
B. OPERATED	49	14.1	221	2	3	9	19	32	51	76
TOTAL 0-19 YRS	4085	5.0	15	1	2	4	6	9	12	19
20-34	193	4.1	7	1	1	3	5	7	9	12
35-49	213	5.4	15	1	2	5	7	9	11	24
50-64	388	6.9	25	2	3	6	9	13	16	26
65+	915	9.0	55	2	3	7	11	16	22	36
GRAND TOTAL	**5794**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	168	2.8	1	2	2	3	3	4	5	7
20-34	602	2.8	1	2	2	3	3	4	4	6
35-49	231	2.8	1	2	2	3	3	4	4	5
50-64	104	2.7	1	2	2	2	3	4	5	6
65+	13	3.0	2	2	2	3	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	12	1.2		<1	<1	1	1	2	2	2
35-49	8	1.6	1	<1	<1	1	2	3	3	3
50-64	5	1.2		<1	<1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS	238	2.7	1	2	2	3	3	3	4	7
20-34	770	2.8	1	2	2	3	3	3	4	6
35-49	365	2.8	1	2	2	3	3	4	5	6
50-64	191	2.9	2	2	2	3	3	4	4	10
65+	41	3.4	8	1	2	3	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	1118	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	30	1.3		<1	<1	1	2	2	2	3
B. *Operated*	1605	2.8	1	2	2	3	3	4	4	6
1. SINGLE DX	1119	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1635	2.8	1	1	2	3	3	4	4	6
A. NOT OPERATED	31	1.3		<1	<1	1	2	2	2	3
B. OPERATED	2723	2.8	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	412	2.7	1	2	2	3	3	4	4	7
20-34	1384	2.8	1	1	2	3	3	4	4	6
35-49	604	2.8	1	2	2	3	3	4	4	6
50-64	300	2.8	2	2	2	3	3	4	4	8
65+	54	3.3	7	2	2	3	3	5	7	19
GRAND TOTAL	**2754**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.4	1	1	2	2	3	4	5	5
20-34	20	2.6	1	1	2	2	3	4	4	4
35-49	32	2.7	1	<1	2	2	3	4	4	5
50-64	62	2.5	1	<1	1	2	3	4	5	7
65+	29	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	2.0	3	<1	<1	1	3	5	5	5
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	25	2.5	2	<1	1	2	3	5	6	6
20-34	54	2.9	1	1	2	3	4	5	5	6
35-49	82	2.7	1	1	1	3	3	4	5	7
50-64	116	3.1	6	2	2	3	3	5	7	16
65+	57	2.9	2	1	2	3	3	5	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	160	2.6	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	10	1.5	2	<1	<1	1	1	3	5	5
B. *Operated*	334	2.9	3	1	2	3	3	5	5	10
1. SINGLE DX	160	2.6	1	<1	1	2	3	4	5	7
2. MULTIPLE DX	344	2.9	3	1	1	2	3	5	5	10
A. NOT OPERATED	10	1.5	2	<1	<1	1	1	3	5	5
B. OPERATED	494	2.8	3	1	2	2	3	4	5	9
TOTAL 0-19 YRS	43	2.4	2	<1	1	2	3	4	5	6
20-34	74	2.8	1	1	2	3	3	4	5	6
35-49	116	2.6	1	1	1	2	3	4	5	6
50-64	183	2.9	5	1	2	2	3	4	5	12
65+	88	2.9	2	1	1	3	3	5	6	9
GRAND TOTAL	**504**	**2.8**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.6	2	1	1	2	4	4	5	6
20-34	19	2.6	1	1	1	2	4	4	5	5
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	6496	2.0	1	1	1	2	2	3	3	4
20-34	1184	2.6	1	1	2	3	3	4	4	6
35-49	114	2.7	1	2	2	3	3	4	4	6
50-64	23	3.0	4	2	2	2	3	4	8	11
65+	11	2.8	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	2.0	2	<1	<1	1	3	4	5	7
20-34	21	2.0	3	<1	<1	1	3	5	6	7
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	3	2.3	5	1	1	1	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	2659	2.0	1	1	1	2	2	3	3	6
20-34	208	3.1	2	1	2	3	3	5	6	8
35-49	31	2.4	1	1	2	2	3	4	5	6
50-64	11	2.6	1	1	1	3	3	4	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.6	2	1	1	2	4	4	5	6
B. *Operated*	7828	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	186	2.0	3	<1	<1	1	3	4	5	7
B. *Operated*	2911	2.1	1	1	1	2	2	3	4	6
1. SINGLE DX	7919	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX	3097	2.1	1	1	1	2	2	3	4	6
A. NOT OPERATED	277	2.2	2	<1	<1	2	3	4	5	7
B. OPERATED	10739	2.1	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	9381	2.0	1	1	1	2	2	3	3	5
20-34	1432	2.7	1	1	2	3	3	4	4	6
35-49	151	2.6	1	1	2	2	3	4	4	6
50-64	39	2.8	3	1	1	2	3	5	6	11
65+	13	2.8	1	1	1	3	4	4	5	5
GRAND TOTAL	**11016**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	3.8	11	<1	1	3	4	7	9	17
20-34	145	3.5	10	1	2	3	4	5	6	11
35-49	82	3.3	4	<1	1	3	5	6	6	9
50-64	33	3.0	8	<1	1	2	4	5	6	17
65+	24	4.0	9	<1	1	3	5	10	10	11
B. *Operated*										
0-19 YRS	129	2.8	4	1	1	2	3	6	7	9
20-34	220	2.9	3	1	1	3	3	4	6	10
35-49	150	2.7	5	<1	1	2	3	4	6	13
50-64	163	2.5	3	<1	1	2	3	4	5	12
65+	76	3.6	17	1	2	2	3	7	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	4.3	10	1	1	3	6	8	11	14
20-34	77	4.6	51	1	1	3	5	7	9	50
35-49	39	4.1	8	<1	1	3	5	9	11	11
50-64	45	4.9	12	1	2	4	6	8	11	18
65+	61	7.6	64	1	2	6	8	15	25	46
B. *Operated*										
0-19 YRS	111	3.1	7	<1	1	2	3	7	10	14
20-34	268	3.1	6	<1	<1	3	3	5	7	16
35-49	183	3.1	4	<1	1	3	3	5	6	12
50-64	200	3.8	14	1	2	3	4	9	12	20
65+	121	4.4	21	1	1	3	4	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	3.6	9	1	1	3	4	6	8	13
B. *Operated*	738	2.8	5	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	368	5.0	29	1	1	4	6	9	13	26
B. *Operated*	883	3.4	10	<1	1	3	3	7	10	17
1. SINGLE DX	1247	3.1	7	1	1	2	4	5	7	13
2. MULTIPLE DX	1251	3.9	16	<1	1	3	4	8	11	18
A. NOT OPERATED	877	4.2	18	1	1	3	5	7	10	19
B. OPERATED	1621	3.2	8	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	611	3.6	9	1	1	3	4	7	9	14
20-34	710	3.3	11	<1	1	3	4	5	7	13
35-49	454	3.1	5	<1	1	3	3	5	7	11
50-64	441	3.4	10	<1	1	2	3	6	10	17
65+	282	4.8	30	1	1	3	6	11	15	29
GRAND TOTAL	**2498**	**3.5**	**11**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2837	5.7	19	2	2	5	7	10	13	22
20-34	436	5.1	7	2	2	4	6	8	10	14
35-49	286	6.1	11	2	3	5	8	11	12	16
50-64	306	7.1	19	2	3	6	9	12	15	24
65+	653	9.2	40	3	4	8	11	16	22	36
B. *Operated*										
0-19 YRS	11	11.5	83	5	5	9	11	23	37	38
20-34	5	11.8	23	7	7	12	14	19	19	19
35-49	17	11.7	49	1	2	11	19	21	21	21
50-64	19	13.1	123	2	2	10	18	31	38	42
65+	24	11.9	65	3	4	11	16	29	51	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2360	6.9	29	2	2	6	9	13	16	26
20-34	292	7.4	49	2	3	6	8	13	16	47
35-49	317	8.3	54	2	3	7	10	14	18	33
50-64	673	9.4	69	3	3	7	11	17	22	41
65+	2425	12.8	121	3	4	10	15	24	34	72
B. *Operated*										
0-19 YRS	43	15.6	137	3	4	12	20	27	45	53
20-34	27	16.3	137	4	6	13	19	36	41	42
35-49	40	16.4	74	4	6	15	22	28	37	99+
50-64	113	18.1	154	6	8	14	22	31	41	87
65+	227	26.4	342	6	9	22	35	55	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4518	6.2	22	2	2	5	8	11	14	25
B. *Operated*	76	12.1	73	2	3	10	16	22	34	84
2. MULTIPLE DX										
A. *Not Operated*	6067	9.6	80	2	3	7	12	18	24	53
B. *Operated*	450	21.8	260	5	7	17	29	47	56	99+
1. SINGLE DX	4594	6.3	24	2	2	5	8	11	15	25
2. MULTIPLE DX	6517	10.5	102	2	3	8	13	20	29	59
A. NOT OPERATED	10585	8.2	58	2	2	6	10	15	21	41
B. OPERATED	526	20.4	245	4	6	16	27	43	55	99+
TOTAL 0-19 YRS	5251	6.3	26	2	2	5	8	12	15	25
20-34	760	6.4	33	2	2	5	7	11	14	33
35-49	660	7.9	42	2	3	6	10	14	19	32
50-64	1111	9.7	74	3	3	7	12	17	24	43
65+	3329	13.0	135	3	4	10	15	25	36	77
GRAND TOTAL	**11111**	**8.7**	**74**	**2**	**2**	**6**	**10**	**17**	**23**	**50**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	427	4.0	11	1	1	3	5	7	10	19
20-34	194	3.2	5	1	1	3	4	5	7	11
35-49	93	3.6	12	1	1	3	4	6	9	22
50-64	79	4.1	5	1	2	3	5	7	8	14
65+	184	5.9	28	1	2	5	8	10	13	31
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	4.2	11	1	1	3	5	9	11	16
20-34	195	3.8	10	1	1	3	4	7	10	18
35-49	119	4.6	9	1	1	4	6	9	10	14
50-64	186	5.8	14	2	2	5	8	11	14	18
65+	560	8.6	65	2	3	6	11	17	21	37
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	11.0	18	8	8	11	14	14	14	14
50-64	4	12.0	184	2	2	7	20	32	32	32
65+	13	13.2	100	2	3	12	20	27	34	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	977	4.2	13	1	1	3	5	8	10	19
B. *Operated*	3	4.7	22	1	1	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1322	6.3	38	1	2	5	8	12	17	26
B. *Operated*	23	11.0	96	2	2	8	14	26	33	36
1. SINGLE DX	980	4.2	13	1	1	3	5	8	10	19
2. MULTIPLE DX	1345	6.4	40	1	2	5	8	12	17	26
A. NOT OPERATED	2299	5.4	29	1	2	4	7	11	14	24
B. OPERATED	26	10.3	90	2	2	7	13	24	33	36
TOTAL 0-19 YRS	693	4.1	11	1	1	3	5	8	11	17
20-34	390	3.5	8	1	1	3	4	6	8	17
35-49	215	4.3	11	1	1	3	5	9	10	16
50-64	269	5.4	14	2	2	4	7	9	13	18
65+	758	8.0	59	2	2	6	10	16	21	37
GRAND TOTAL	**2325**	**5.4**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	857	4.4	10	1	2	4	6	8	10	16
20-34	67	3.7	4	1	2	3	4	6	8	12
35-49	68	5.2	11	2	2	4	7	10	11	17
50-64	142	6.7	25	1	2	5	8	11	16	26
65+	258	8.2	51	2	3	7	10	13	16	42
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	9	2.8	2	<1	<1	3	4	5	5	5
50-64	28	5.5	21	<1	<1	4	8	11	14	19
65+	20	6.5	24	<1	1	5	8	12	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	717	5.6	18	1	2	4	7	11	13	21
20-34	93	5.3	10	2	2	5	7	9	11	17
35-49	129	5.9	15	1	2	5	7	11	14	19
50-64	297	8.0	36	2	3	7	10	14	21	38
65+	786	10.1	88	2	3	7	12	20	29	58
B. *Operated*										
0-19 YRS	7	7.6	11	2	3	9	10	11	11	11
20-34	7	6.1	39	2	2	2	10	17	18	18
35-49	22	8.1	27	1	2	8	12	15	18	20
50-64	63	12.3	83	2	3	9	18	25	31	41
65+	73	15.9	166	2	4	13	21	32	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1392	5.3	21	1	2	4	7	10	12	23
B. *Operated*	62	5.2	19	<1	<1	4	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	2022	7.7	51	2	2	6	9	15	20	39
B. *Operated*	172	12.8	115	2	2	10	19	24	33	54
1. SINGLE DX	1454	5.3	21	1	2	4	7	10	12	22
2. MULTIPLE DX	2194	8.1	58	2	2	6	10	16	22	42
A. NOT OPERATED	3414	6.7	41	1	2	5	8	13	17	34
B. OPERATED	234	10.8	101	1	2	8	14	22	31	51
TOTAL 0-19 YRS	1584	4.9	14	1	2	4	6	9	12	19
20-34	169	4.7	9	1	2	4	6	8	10	17
35-49	228	5.8	15	1	2	5	7	11	14	19
50-64	530	8.0	41	2	2	6	10	15	22	37
65+	1137	10.0	86	2	3	7	12	19	27	55
GRAND TOTAL	**3648**	**7.0**	**45**	**1**	**2**	**5**	**9**	**13**	**19**	**36**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	5.4	6	3	3	4	7	9	9	9
50-64	40	9.0	38	3	3	6	12	18	21	25
65+	91	10.9	85	3	3	8	13	22	32	49
B. *Operated*										
0-19 YRS										
20-34	4	8.0	5	6	6	7	9	11	11	11
35-49	5	14.0	84	7	7	8	23	25	25	25
50-64	2	12.0	32	8	8	12	16	16	16	16
65+	4	5.8	12	1	1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	17	9.2	63	1	2	6	11	24	27	28
50-64	130	12.6	144	3	4	10	16	29	51	99+
65+	306	13.5	171	2	4	9	17	28	52	99+
B. *Operated*										
0-19 YRS										
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49										
50-64	17	17.4	248	1	1	13	24	39	52	58
65+	32	22.5	321	4	6	17	35	59	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	10.1	69	3	3	8	12	21	24	48
B. *Operated*	15	9.9	42	2	6	8	10	23	24	25
2. MULTIPLE DX										
A. *Not Operated*	454	13.1	159	2	4	9	17	28	51	99+
B. *Operated*	51	20.3	289	2	5	15	29	50	59	99+
1. SINGLE DX	152	10.0	66	3	3	8	12	21	25	47
2. MULTIPLE DX	505	13.8	176	2	4	10	17	30	52	99+
A. NOT OPERATED	591	12.4	140	2	3	9	16	26	46	99+
B. OPERATED	66	17.9	250	1	5	13	23	40	59	96
TOTAL 0-19 YRS										
20-34	8	9.9	50	1	2	8	12	21	25	25
35-49	27	9.4	60	1	2	7	11	24	26	28
50-64	189	12.3	132	2	3	9	16	25	46	99+
65+	433	13.5	169	2	4	9	17	29	50	99+
GRAND TOTAL	**657**	**12.9**	**153**	**2**	**3**	**9**	**17**	**28**	**47**	**99+**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3820	3.8	7	1	1	3	5	7	9	14
20-34	713	3.9	8	1	1	3	5	7	9	13
35-49	523	5.1	16	1	2	4	6	9	11	18
50-64	649	5.7	19	1	2	5	7	11	14	22
65+	538	6.7	25	1	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	6	6.3	11	2	2	6	9	11	11	11
20-34	5	7.0	12	5	5	6	8	13	13	13
35-49	7	10.0	43	3	3	9	15	20	21	21
50-64	7	8.6	5	5	6	8	10	12	12	12
65+	6	6.7	15	4	4	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1869	4.7	16	1	2	4	6	9	12	23
20-34	374	4.6	13	1	1	4	6	9	11	21
35-49	310	6.9	37	2	2	5	9	14	17	30
50-64	741	8.2	51	2	3	6	10	15	21	46
65+	1025	9.2	55	2	3	8	11	17	24	49
B. *Operated*										
0-19 YRS	25	9.6	51	3	3	8	13	20	48	99+
20-34	14	15.4	266	2	4	10	24	32	56	63
35-49	25	14.2	176	4	5	9	20	27	39	65
50-64	56	15.8	244	3	4	10	17	38	45	85
65+	41	18.5	275	4	6	14	22	41	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6243	4.4	12	1	1	3	6	8	10	17
B. *Operated*	31	7.8	17	3	4	6	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	4319	6.5	37	1	2	5	8	13	17	33
B. *Operated*	161	15.2	216	3	4	10	20	35	47	99
1. SINGLE DX	6274	4.4	12	1	1	4	6	8	10	17
2. MULTIPLE DX	4480	6.9	46	1	2	5	8	13	18	39
A. NOT OPERATED	10562	5.3	23	1	2	4	6	10	13	25
B. OPERATED	192	14.0	191	3	4	9	16	31	42	97
TOTAL 0-19 YRS	5720	4.1	11	1	1	3	5	8	10	17
20-34	1106	4.3	14	1	1	3	5	8	10	17
35-49	865	6.1	31	1	2	5	7	11	16	27
50-64	1453	7.4	48	2	2	6	9	14	18	41
65+	1610	8.6	54	2	3	7	10	16	22	46
GRAND TOTAL	**10754**	**5.4**	**27**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.4	12	2	3	5	9	11	14	14
20-34	23	9.4	241	<1	1	3	8	30	52	60
35-49	36	6.2	10	2	2	6	8	10	13	15
50-64	227	9.3	86	2	2	7	12	18	22	63
65+	593	9.2	65	2	3	7	11	17	24	53
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	15.0	42	8	8	14	20	23	23	23
35-49	1	6.0		6	6	6	6	6	6	6
50-64	14	10.6	26	4	4	10	15	17	19	20
65+	7	9.3	28	4	4	7	14	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.7	14	1	2	6	8	13	15	16
20-34	21	7.0	14	2	3	7	8	12	14	16
35-49	73	8.3	49	1	2	6	11	18	24	32
50-64	613	11.3	106	2	3	9	14	22	31	57
65+	1754	12.1	136	2	3	9	14	26	35	90
B. *Operated*										
0-19 YRS	6	20.8	218	5	6	16	25	46	48	48
20-34	7	13.4	70	3	4	11	17	27	29	29
35-49	19	12.9	57	4	6	10	19	26	28	28
50-64	79	22.1	364	4	6	16	24	56	67	85
65+	153	22.1	309	4	5	18	29	51	65	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	9.1	72	2	3	7	11	17	23	58
B. *Operated*	27	10.9	29	4	4	11	15	17	20	23
2. MULTIPLE DX										
A. *Not Operated*	2483	11.7	125	2	3	9	14	24	33	76
B. *Operated*	264	21.2	303	4	5	16	26	47	65	89
1. SINGLE DX	918	9.1	70	2	3	7	11	17	23	58
2. MULTIPLE DX	2747	12.6	150	2	3	9	15	26	38	81
A. NOT OPERATED	3374	11.0	112	2	3	8	13	22	32	72
B. OPERATED	291	20.2	287	4	5	15	24	45	63	88
TOTAL 0-19 YRS	41	8.9	64	2	3	6	10	16	21	48
20-34	55	9.4	120	1	1	6	11	23	28	59
35-49	129	8.4	43	2	2	7	11	18	24	31
50-64	933	11.7	132	2	3	9	14	22	33	68
65+	2507	12.0	137	2	3	9	14	26	36	82
GRAND TOTAL	**3665**	**11.8**	**132**	**2**	**3**	**8**	**14**	**24**	**34**	**75**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	10	1	1	3	5	9	10	11
20-34	45	4.2	11	1	1	3	6	7	9	20
35-49	19	4.7	8	<1	1	4	6	9	11	12
50-64	5	5.2	5	3	3	5	7	8	8	8
65+	6		16	1	1	5	7	11	12	12
B. *Operated*										
0-19 YRS	29	5.9	13	3	3	6	7	9	11	21
20-34	134	6.5	28	2	3	5	7	12	13	33
35-49	28	6.8	12	2	3	6	9	11	15	15
50-64	16	7.0	15	2	2	6	9	13	15	16
65+	5	6.8	18	3	3	5	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	8	3.3	3	1	1	3	4	6	6	6
35-49	6	6.0	18	<1	<1	6	9	12	12	12
50-64	5	16.2	224	<1	<1	8	30	36	36	36
65+	11	11.0	88	3	3	9	14	28	31	31
B. *Operated*										
0-19 YRS	16	9.2	28	3	4	8	13	17	18	19
20-34	63	9.7	33	3	4	8	12	19	23	29
35-49	21	9.3	41	3	3	7	12	20	22	23
50-64	29	8.8	38	3	3	7	12	16	18	32
65+	34	12.3	65	4	4	12	16	26	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.4	10	1	1	3	6	8	10	17
B. *Operated*	212	6.5	22	2	3	5	8	12	14	30
2. MULTIPLE DX										
A. *Not Operated*	32	8.7	82	<1	2	6	9	27	31	36
B. *Operated*	163	10.0	42	3	4	8	13	19	23	32
1. SINGLE DX	303	5.9	20	2	2	5	7	11	13	25
2. MULTIPLE DX	195	9.8	48	3	3	8	12	19	25	32
A. NOT OPERATED	123	5.5	31	1	1	4	7	9	13	32
B. OPERATED	375	8.0	34	2	3	6	10	15	20	31
TOTAL 0-19 YRS	63	6.3	19	2	2	5	8	11	17	21
20-34	250	6.8	29	2	2	5	8	12	16	30
35-49	74	6.9	22	2	3	6	9	12	18	23
50-64	55	8.6	48	2	3	7	10	16	25	36
65+	56	10.8	64	3	3	7	14	25	30	32
GRAND TOTAL	**498**	**7.4**	**34**	**2**	**2**	**6**	**9**	**14**	**19**	**31**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	4.5	11	1	1	4	6	9	11	15
20-34	69	4.5	27	1	1	3	4	8	13	30
35-49	76	5.6	25	1	1	4	7	12	17	25
50-64	98	6.7	55	2	2	4	7	13	22	41
65+	127	7.2	34	1	2	5	10	15	19	29
B. *Operated*										
0-19 YRS	13	4.9	18	1	1	3	10	11	12	12
20-34	23	9.3	26	2	4	9	12	15	18	24
35-49	40	8.9	31	3	4	7	11	15	22	28
50-64	51	10.9	62	1	3	9	14	21	30	38
65+	58	11.5	195	2	2	9	13	20	37	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	500	6.1	44	1	2	4	7	11	15	36
20-34	105	6.4	85	1	2	4	7	12	24	85
35-49	113	6.1	18	2	2	5	8	13	17	48
50-64	293	8.4	56	1	2	6	11	16	24	44
65+	724	11.2	102	2	3	8	14	23	30	64
B. *Operated*										
0-19 YRS	25	13.8	240	1	2	9	16	29	59	63
20-34	36	15.6	141	2	2	12	21	35	38	43
35-49	69	14.7	162	2	3	11	17	34	45	62
50-64	173	15.4	164	2	3	13	20	29	41	86
65+	201	18.0	248	2	4	14	24	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	5.4	26	1	1	4	7	11	15	29
B. *Operated*	185	10.1	91	2	2	8	12	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	1735	8.6	76	1	2	6	11	17	24	50
B. *Operated*	504	16.3	200	2	3	13	20	34	47	92
1. SINGLE DX	872	6.4	43	1	1	5	8	13	17	31
2. MULTIPLE DX	2239	10.3	114	2	2	7	13	22	30	64
A. NOT OPERATED	2422	7.7	64	1	2	5	10	16	22	45
B. OPERATED	689	14.6	178	2	3	11	18	30	43	86
TOTAL 0-19 YRS	855	5.7	39	1	1	4	7	11	14	30
20-34	233	7.6	83	1	1	4	9	18	28	50
35-49	298	8.3	68	1	2	6	11	17	22	52
50-64	615	10.3	97	2	2	8	13	22	29	53
65+	1110	12.0	135	2	3	9	15	25	34	73
GRAND TOTAL	**3111**	**9.2**	**97**	**1**	**2**	**6**	**12**	**19**	**28**	**57**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.6	6	1	1	3	4	6	8	12
20-34	62	3.3	4	1	1	3	4	7	8	10
35-49	17	5.4	71	1	1	3	5	9	28	37
50-64	11	3.6	3	1	1	4	4	6	7	7
65+	7	5.3	13	2	2	3	7	11	12	12
B. *Operated*										
0-19 YRS	754	1.8	2	<1	<1	1	2	4	5	7
20-34	970	2.3	2	<1	<1	2	3	4	5	6
35-49	367	2.1	3	<1	<1	2	2	4	5	7
50-64	180	2.3	8	<1	1	2	3	4	5	10
65+	68	2.8	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.4	6	<1	1	3	4	7	8	10
20-34	76	3.8	12	<1	1	3	5	7	10	20
35-49	30	3.9	19	<1	<1	3	5	8	10	23
50-64	31	3.7	19	<1	1	2	5	9	13	20
65+	13	9.2	127	2	2	5	9	22	40	44
B. *Operated*										
0-19 YRS	449	3.1	4	<1	1	3	4	6	7	10
20-34	487	3.0	5	<1	<1	2	4	5	6	10
35-49	246	3.1	10	<1	<1	2	4	6	7	21
50-64	237	3.6	49	<1	1	2	3	5	8	43
65+	149	3.5	10	1	1	2	4	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.7	12	1	1	3	4	7	9	13
B. *Operated*	2339	2.1	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	248	3.9	18	<1	1	3	5	8	10	21
B. *Operated*	1568	3.2	13	<1	1	2	4	6	7	16
1. SINGLE DX	2513	2.2	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1816	3.3	14	<1	1	2	4	6	8	17
A. NOT OPERATED	422	3.9	15	<1	1	3	5	7	9	20
B. OPERATED	3907	2.5	7	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	1378	2.4	4	<1	<1	2	4	5	6	9
20-34	1595	2.6	4	<1	<1	2	4	5	6	9
35-49	660	2.6	8	<1	<1	2	3	5	7	16
50-64	459	3.1	30	<1	1	2	3	5	7	32
65+	237	3.6	17	1	1	2	4	7	11	17
GRAND TOTAL	**4329**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	4.8	12	1	1	4	7	9	11	19
20-34	18	3.9	3	1	2	4	5	7	7	7
35-49	15	4.4	5	<1	1	5	6	7	8	8
50-64	10	4.2	2	2	2	4	6	6	6	6
65+	14	4.4	8	1	1	4	6	9	9	9
B. *Operated*										
0-19 YRS	56	3.4	8	<1	1	2	5	7	10	12
20-34	75	3.4	5	<1	1	3	4	6	6	13
35-49	48	4.6	12	<1	2	4	5	8	10	22
50-64	47	4.6	12	<1	2	4	6	8	11	19
65+	28	3.4	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	6.3	35	1	2	5	8	13	16	33
20-34	28	5.6	30	1	2	5	7	11	14	29
35-49	16	7.6	28	2	2	6	12	14	18	20
50-64	15	5.9	14	<1	1	6	9	10	12	13
65+	47	8.9	35	2	3	7	11	18	21	26
B. *Operated*										
0-19 YRS	26	3.9	6	1	2	3	5	7	9	12
20-34	46	6.0	60	1	2	4	6	10	22	44
35-49	36	4.9	8	2	3	4	6	10	10	14
50-64	36	5.0	8	2	2	4	6	10	12	12
65+	46	5.6	28	1	2	4	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.6	9	1	1	4	6	8	9	14
B. *Operated*	254	3.9	8	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	242	6.8	34	1	2	5	9	13	18	29
B. *Operated*	190	5.2	25	2	2	4	6	10	12	31
1. SINGLE DX	406	4.1	9	1	1	3	5	8	9	14
2. MULTIPLE DX	432	6.1	30	1	2	4	7	12	16	29
A. NOT OPERATED	394	5.9	25	1	2	5	8	11	15	25
B. OPERATED	444	4.4	16	1	1	3	5	8	11	22
TOTAL 0-19 YRS	313	5.1	22	1	1	4	7	10	13	23
20-34	167	4.5	25	1	2	3	5	7	11	32
35-49	115	5.1	13	1	2	4	6	10	12	21
50-64	108	4.9	10	1	2	4	6	9	11	16
65+	135	6.2	28	1	2	5	8	13	18	26
GRAND TOTAL	**838**	**5.1**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.4	14	1	1	4	5	10	13	18
20-34	75	2.7	6	<1	1	2	4	6	8	13
35-49	67	3.6	6	<1	1	3	4	7	9	12
50-64	101	4.7	15	<1	1	3	6	10	12	19
65+	85	5.4	24	1	1	4	7	11	14	27
B. *Operated*										
0-19 YRS	9	6.9	29	1	1	6	9	15	18	18
20-34	27	6.4	13	1	2	7	9	11	13	14
35-49	59	7.8	19	1	2	8	10	12	16	22
50-64	52	6.5	26	1	2	5	9	14	15	28
65+	58	5.6	23	<1	2	4	8	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	4.4	9	1	1	4	6	9	12	13
20-34	84	4.1	14	1	1	3	5	8	10	20
35-49	131	4.9	14	1	1	4	7	11	14	16
50-64	229	5.7	27	1	1	4	8	11	15	21
65+	322	8.5	91	1	2	6	10	18	26	62
B. *Operated*										
0-19 YRS	41	11.2	136	1	2	8	13	24	40	55
20-34	49	9.6	30	2	2	10	12	16	20	27
35-49	117	10.4	68	2	3	9	12	17	24	51
50-64	187	10.7	97	1	2	9	13	23	33	60
65+	237	14.1	233	2	2	10	17	30	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	4.2	14	1	1	3	5	9	12	20
B. *Operated*	205	6.6	22	1	2	6	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	866	6.3	49	1	1	4	8	13	17	39
B. *Operated*	631	11.9	142	1	2	9	14	25	36	90
1. SINGLE DX	599	5.1	18	1	1	4	7	10	13	21
2. MULTIPLE DX	1497	8.7	96	1	1	6	11	18	26	58
A. NOT OPERATED	1260	5.7	39	1	1	4	7	12	15	30
B. OPERATED	836	10.6	118	1	2	8	13	21	30	72
TOTAL 0-19 YRS	216	5.8	42	1	1	4	7	12	15	38
20-34	235	5.1	21	1	1	3	8	11	14	21
35-49	374	6.9	38	1	1	5	9	13	16	34
50-64	569	7.2	54	1	1	5	10	15	20	42
65+	702	9.8	136	1	2	6	12	21	30	84
GRAND TOTAL	**2096**	**7.6**	**76**	**1**	**1**	**5**	**10**	**15**	**22**	**50**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	10	1	1	4	6	8	8	8
20-34	30	3.9	9	<1	<1	3	6	9	10	11
35-49	32	4.5	10	<1	<1	4	6	9	11	14
50-64	28	6.4	25	1	2	5	8	12	19	22
65+	38	8.6	93	<1	<1	7	10	14	30	51
B. *Operated*										
0-19 YRS	3	3.0	12	<1	<1	<1	5	7	7	7
20-34	15	5.9	29	<1	<1	5	8	13	18	20
35-49	21	8.5	21	<1	<1	8	11	14	17	18
50-64	26	6.7	43	<1	<1	5	9	18	22	24
65+	19	8.0	40	<1	<1	8	12	15	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	28	6.9	28	1	2	6	9	13	20	23
35-49	49	6.8	30	<1	1	5	9	12	15	34
50-64	48	6.0	12	<1	1	6	8	11	12	15
65+	104	10.5	119	1	2	8	12	22	30	95
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	14	9.9	63	3	4	9	10	14	31	36
35-49	46	10.3	43	2	3	10	13	18	21	37
50-64	66	13.0	160	<1	3	9	14	28	36	73
65+	92	13.6	92	2	4	12	17	27	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.9	39	<1	<1	4	8	11	14	37
B. *Operated*	84	7.2	33	<1	<1	7	10	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	232	8.2	69	1	2	6	10	15	22	49
B. *Operated*	221	12.4	101	2	4	10	15	25	33	47
1. SINGLE DX	217	6.4	37	<1	<1	5	9	12	18	28
2. MULTIPLE DX	453	10.3	89	1	2	8	12	21	27	47
A. NOT OPERATED	365	7.4	59	<1	1	6	9	14	21	40
B. OPERATED	305	10.9	87	<1	1	9	14	22	28	46
TOTAL 0-19 YRS	14	3.6	6	<1	<1	4	6	7	8	8
20-34	87	6.2	30	<1	<1	5	9	11	15	31
35-49	148	7.6	33	<1	1	6	11	14	18	34
50-64	168	8.9	87	<1	1	7	10	19	25	43
65+	253	11.1	102	<1	2	9	14	23	30	51
GRAND TOTAL	**670**	**9.0**	**75**	**<1**	**1**	**7**	**11**	**18**	**25**	**45**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	3	4	4	5	6	8	8	8
20-34	23	5.0	7	<1	1	5	7	8	9	9
35-49	29	5.9	15	1	2	4	8	11	13	17
50-64	26	5.3	9	2	2	5	7	9	10	15
65+	33	6.5	20	2	3	5	7	14	15	23
B. *Operated*										
0-19 YRS										
20-34	9	8.4	30	1	1	10	11	15	18	18
35-49	16	10.6	29	5	7	10	11	13	24	29
50-64	18	9.1	21	3	4	9	11	16	19	20
65+	15	8.1	15	2	4	9	11	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	4.6	9	1	2	4	6	8	11	16
35-49	34	5.2	7	2	3	5	6	8	10	15
50-64	56	6.2	15	2	2	5	8	12	14	20
65+	141	11.0	151	3	4	8	12	19	27	84
B. *Operated*										
0-19 YRS										
20-34	14	11.2	36	4	5	9	16	20	22	22
35-49	31	11.1	54	3	3	10	17	22	24	29
50-64	62	14.0	122	4	5	11	18	27	40	95
65+	160	18.2	300	4	5	12	22	35	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.7	13	1	2	5	8	9	14	19
B. *Operated*	58	9.1	23	2	4	9	11	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	256	8.6	95	2	3	6	10	15	21	66
B. *Operated*	267	16.0	223	4	4	12	19	30	47	92
1. SINGLE DX	174	6.9	18	2	3	6	9	12	15	22
2. MULTIPLE DX	523	12.4	174	3	3	8	14	25	33	81
A. NOT OPERATED	372	7.7	71	2	3	6	9	13	17	43
B. OPERATED	325	14.8	194	4	4	11	18	28	45	84
TOTAL 0-19 YRS	6	5.7	3	4	4	5	7	8	8	8
20-34	70	6.5	23	1	2	5	8	15	16	22
35-49	110	7.8	32	2	3	6	10	15	20	29
50-64	162	9.4	70	2	3	7	12	18	26	63
65+	349	13.7	218	3	4	9	15	27	43	84
GRAND TOTAL	**697**	**11.0**	**141**	**2**	**3**	**8**	**12**	**21**	**29**	**73**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.3	7	<1	1	4	5	8	10	12
20-34	183	4.0	8	<1	1	3	5	7	9	15
35-49	159	3.8	10	<1	<1	3	5	8	10	17
50-64	131	4.9	11	<1	1	4	7	9	11	16
65+	85	6.6	29	<1	1	5	8	12	15	31
B. *Operated*										
0-19 YRS	7	12.1	37	6	6	9	16	22	23	23
20-34	35	9.0	18	5	6	9	10	11	13	31
35-49	46	9.3	14	2	5	9	11	14	16	21
50-64	23	8.4	11	1	4	9	10	12	14	15
65+	8	11.8	12	6	7	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	4	2	3	5	6	8	8	9
20-34	119	5.4	17	2	2	4	6	11	14	22
35-49	164	5.8	24	1	2	5	7	11	14	26
50-64	170	7.5	31	1	2	6	10	14	17	30
65+	243	9.1	61	2	3	7	12	17	22	52
B. *Operated*										
0-19 YRS	3	10.0	43	4	4	9	15	17	17	17
20-34	34	9.7	35	2	2	9	12	14	20	33
35-49	74	12.3	40	5	7	11	15	21	26	33
50-64	71	13.2	98	3	4	11	16	25	33	52
65+	48	13.4	84	1	5	11	17	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	4.5	13	<1	<1	4	6	9	11	17
B. *Operated*	119	9.4	17	4	6	9	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	721	7.2	38	2	2	6	9	14	17	30
B. *Operated*	230	12.4	67	2	5	10	15	22	28	45
1. SINGLE DX	740	5.3	16	<1	1	4	7	10	12	18
2. MULTIPLE DX	951	8.5	50	2	2	7	11	16	21	33
A. NOT OPERATED	1342	6.0	28	<1	1	5	8	12	15	27
B. OPERATED	349	11.4	52	3	5	10	13	19	25	43
TOTAL 0-19 YRS	98	5.2	13	1	2	4	7	9	12	20
20-34	371	5.4	18	1	2	4	7	10	13	22
35-49	443	6.5	30	<1	1	5	9	12	17	27
50-64	395	7.7	43	1	2	6	10	15	19	33
65+	384	9.2	59	2	3	7	12	17	22	44
GRAND TOTAL	**1691**	**7.1**	**38**	**1**	**2**	**6**	**9**	**14**	**18**	**31**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.0	4	1	2	5	6	8	8	8
20-34	86	4.8	9	1	2	4	6	8	9	18
35-49	88	5.0	8	2	2	4	6	8	11	15
50-64	89	5.6	9	2	3	5	7	9	10	18
65+	75	7.2	20	2	3	6	9	12	16	25
B. *Operated*										
0-19 YRS	4	7.3	5	5	5	7	9	10	10	10
20-34	32	10.1	40	5	5	8	11	16	27	33
35-49	32	9.9	28	6	6	9	11	15	16	34
50-64	28	10.0	10	6	7	9	12	14	16	19
65+	37	13.2	54	6	7	11	16	26	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.3	12	<1	1	3	7	8	12	13
20-34	54	5.0	7	1	2	4	6	8	11	14
35-49	86	5.8	15	2	2	5	6	10	12	23
50-64	125	6.6	18	2	3	6	8	11	16	22
65+	220	10.1	102	2	3	7	12	19	28	74
B. *Operated*										
0-19 YRS	5	14.0	91	3	3	14	20	28	28	28
20-34	21	14.2	308	5	5	8	16	21	53	87
35-49	38	14.0	93	4	5	11	17	24	39	47
50-64	79	14.8	138	4	5	11	18	32	42	91
65+	138	21.4	282	6	8	16	26	51	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	5.5	11	2	2	5	7	9	11	19
B. *Operated*	133	10.8	35	5	6	9	12	17	26	34
2. MULTIPLE DX										
A. *Not Operated*	500	7.7	58	2	3	6	9	14	20	40
B. *Operated*	281	17.9	224	5	6	14	21	40	59	99+
1. SINGLE DX	488	7.0	23	2	3	6	9	12	16	29
2. MULTIPLE DX	781	11.4	141	2	3	8	14	23	38	79
A. NOT OPERATED	855	6.8	40	2	2	5	8	12	16	35
B. OPERATED	414	15.6	174	5	6	11	18	33	45	91
TOTAL 0-19 YRS	41	6.1	25	1	2	5	8	11	15	28
20-34	193	6.7	55	2	2	5	8	12	16	31
35-49	244	7.3	37	2	2	6	9	13	17	36
50-64	321	8.6	58	2	3	7	10	16	23	46
65+	470	13.2	168	3	4	9	16	28	41	80
GRAND TOTAL	**1269**	**9.7**	**100**	**2**	**3**	**7**	**11**	**19**	**28**	**70**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	5	4.4	22	<1	<1	2	7	12	12	12
50-64	6	11.0	61	1	1	12	17	21	21	21
65+	5	18.8	297	5	5	12	27	48	48	48
B. *Operated*										
0-19 YRS										
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49	5	19.8	221	8	8	10	33	41	41	41
50-64	9	12.8	15	7	8	13	15	19	20	20
65+	3	16.0	109	9	9	11	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	<1	<1	6	12	12	12	12
35-49	5	7.4	39	<1	<1	7	12	16	16	16
50-64	8	5.8	3	3	3	6	7	8	8	8
65+	6	5.5	6	2	2	6	8	82	99+	99+
B. *Operated*										
0-19 YRS										
20-34	6	12.2	35	6	6	10	16	21	22	22
35-49	21	17.0	48	8	9	16	22	26	30	33
50-64	12	13.8	19	8	8	15	16	18	22	23
65+	25	22.0	248	8	11	17	23	53	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	9.9	121	<1	1	7	13	20	34	48
B. *Operated*	19	14.8	81	7	8	11	16	29	36	41
2. MULTIPLE DX										
A. *Not Operated*	21	6.1	14	<1	1	6	8	13	50	99+
B. *Operated*	64	17.9	129	8	8	16	21	33	45	96
1. SINGLE DX	39	12.3	105	1	2	10	14	25	36	48
2. MULTIPLE DX	85	15.0	126	3	5	13	18	27	44	99+
A. NOT OPERATED	41	8.0	68	<1	1	6	11	18	32	99+
B. OPERATED	83	17.2	119	8	8	15	20	30	41	91
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	8.7	36	<1	1	9	11	17	21	22
35-49	36	14.3	89	<1	2	12	19	27	32	41
50-64	35	11.2	29	3	4	11	16	17	21	23
65+	39	18.6	230	4	6	15	22	50	85	99+
GRAND TOTAL	**124**	**14.2**	**120**	**2**	**4**	**12**	**17**	**27**	**41**	**99+**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	2.5	3	1	1	2	3	5	6	10
20-34	384	2.7	5	<1	1	2	3	5	7	11
35-49	277	3.4	8	<1	1	3	4	7	8	15
50-64	196	4.6	38	<1	1	3	6	9	10	32
65+	210	4.9	14	1	1	4	7	10	13	17
B. *Operated*										
0-19 YRS	3	4.3	12	<1	<1	4	7	8	8	8
20-34	25	5.0	25	<1	<1	3	8	12	15	20
35-49	28	5.4	34	<1	<1	2	9	13	14	25
50-64	22	5.9	38	<1	<1	4	7	16	20	23
65+	16	5.4	22	<1	<1	4	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	3.5	10	1	1	3	4	7	8	12
20-34	464	4.0	10	1	1	3	5	8	11	15
35-49	426	4.6	15	1	1	4	6	9	12	22
50-64	432	5.8	32	1	1	4	7	11	14	25
65+	692	7.6	51	1	2	6	9	16	21	34
B. *Operated*										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	45	8.0	79	<1	1	5	10	16	24	52
35-49	56	9.2	129	<1	<1	6	11	20	34	59
50-64	85	11.1	117	<1	2	9	14	19	25	68
65+	139	13.8	123	1	3	11	18	30	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1428	3.4	12	<1	1	2	4	7	9	14
B. *Operated*	94	5.4	29	<1	<1	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	2310	5.5	30	1	1	4	7	11	15	26
B. *Operated*	328	11.5	119	<1	2	9	15	23	33	57
1. SINGLE DX	1522	3.5	13	<1	1	2	4	8	10	15
2. MULTIPLE DX	2638	6.2	45	1	1	4	8	13	17	33
A. NOT OPERATED	3738	4.7	24	1	1	3	6	9	13	24
B. OPERATED	422	10.1	106	<1	<1	8	13	21	31	55
TOTAL 0-19 YRS	663	3.0	7	1	1	2	4	6	7	11
20-34	918	3.7	13	<1	1	3	5	8	10	16
35-49	787	4.5	23	<1	1	3	6	9	12	24
50-64	735	6.1	47	<1	1	4	8	12	16	31
65+	1057	7.9	59	1	2	6	10	17	22	40
GRAND TOTAL	**4160**	**5.2**	**35**	**<1**	**1**	**4**	**6**	**11**	**15**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.9	27	<1	1	3	4	8	11	34
20-34	123	2.9	8	<1	<1	2	4	6	8	14
35-49	94	3.7	20	<1	<1	2	5	7	10	28
50-64	69	3.8	15	<1	1	3	5	7	9	24
65+	73	4.9	10	<1	1	4	7	9	11	15
B. *Operated*										
0-19 YRS	11	5.5	11	<1	2	5	7	11	11	11
20-34	15	8.9	72	<1	<1	8	9	26	30	31
35-49	21	9.4	28	1	4	8	13	16	20	24
50-64	11	9.5	50	<1	<1	8	17	19	20	20
65+	12	19.1	215	2	5	17	21	41	55	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.3	8	1	1	4	6	7	10	14
20-34	100	4.6	12	<1	1	4	7	10	12	15
35-49	127	5.1	18	<1	1	4	7	10	14	23
50-64	114	5.0	14	1	1	4	7	9	14	17
65+	200	9.4	125	1	2	6	11	21	29	80
B. *Operated*										
0-19 YRS	7	13.3	147	<1	1	8	24	31	32	32
20-34	18	14.3	231	1	3	9	13	43	49	52
35-49	36	11.6	52	1	2	11	16	20	24	32
50-64	44	16.4	160	3	6	14	21	28	34	76
65+	54	22.2	197	4	7	20	33	42	50	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	3.7	15	<1	<1	3	5	7	10	20
B. *Operated*	70	10.3	84	<1	1	8	13	20	26	52
2. MULTIPLE DX										
A. *Not Operated*	597	6.3	56	1	1	4	8	13	18	39
B. *Operated*	159	16.9	169	2	4	13	23	35	43	75
1. SINGLE DX	484	4.7	30	<1	<1	3	6	9	13	30
2. MULTIPLE DX	756	8.6	98	1	1	5	10	20	28	52
A. NOT OPERATED	1011	5.3	41	<1	1	4	7	10	14	31
B. OPERATED	229	14.9	152	<1	3	11	20	32	40	70
TOTAL 0-19 YRS	129	4.7	27	<1	1	3	6	9	12	33
20-34	256	4.7	37	<1	<1	3	6	9	13	39
35-49	278	5.8	31	<1	<1	4	7	13	17	25
50-64	238	7.0	64	1	1	4	9	16	21	32
65+	339	10.8	146	1	2	7	13	26	36	78
GRAND TOTAL	**1240**	**7.1**	**75**	**<1**	**1**	**4**	**8**	**16**	**24**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	2	1	1	2	3	4	5	5
20-34	6	2.2	1	1	1	2	3	4	4	4
35-49	5	3.2	4	<1	<1	3	4	6	6	6
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	1485	4.0	2	2	3	4	5	6	7	9
20-34	1054	4.2	3	2	3	4	5	6	7	10
35-49	268	4.7	3	3	3	4	6	7	8	11
50-64	91	5.3	7	3	3	5	6	8	11	17
65+	24	7.0	5	3	4	7	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	4	6.8	8	5	5	6	8	11	11	11
B. *Operated*										
0-19 YRS	234	5.7	15	3	3	5	7	9	13	18
20-34	254	5.7	12	3	3	5	7	10	13	20
35-49	67	8.9	107	3	4	6	10	15	22	71
50-64	47	7.7	26	3	4	6	8	15	18	26
65+	26	10.3	33	4	4	8	15	19	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.4	2	<1	1	2	3	4	5	6
B. *Operated*	2922	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	12	3.3	9	1	1	2	5	7	10	11
B. *Operated*	628	6.4	27	3	3	5	7	11	15	22
1. SINGLE DX	2947	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX	640	6.3	27	3	3	5	7	11	15	22
A. NOT OPERATED	37	2.7	4	<1	1	2	3	5	6	11
B. OPERATED	3550	4.6	8	2	3	4	5	7	8	15
TOTAL 0-19 YRS	1738	4.2	4	2	3	4	5	6	7	11
20-34	1315	4.5	5	2	3	4	5	7	8	13
35-49	341	5.5	26	3	3	4	6	8	11	22
50-64	138	6.1	15	3	3	5	7	11	14	23
65+	55	8.4	22	4	4	7	10	18	19	21
GRAND TOTAL	**3587**	**4.6**	**8**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	9	5	5	9	11	12	12	12
20-34	10	5.4	4	2	2	5	7	8	8	8
35-49	3	4.7	12	1	1	5	7	8	8	8
50-64	3	7.0	16	3	3	7	10	11	11	11
65+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-19 YRS	240	7.2	16	3	3	7	9	12	14	22
20-34	180	6.9	14	2	3	7	9	11	12	22
35-49	81	7.7	9	3	4	7	9	12	14	16
50-64	59	8.2	15	3	4	8	9	12	17	23
65+	20	9.2	10	3	4	10	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	13.7	16	10	10	13	17	18	18	18
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	136	9.1	29	4	4	8	10	15	19	30
20-34	138	9.4	27	4	5	9	11	13	16	29
35-49	75	10.8	34	5	6	10	14	18	21	32
50-64	59	12.2	42	5	7	11	14	20	26	37
65+	60	19.5	273	6	7	13	22	42	59	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.5	8	2	3	6	8	11	12	12
B. *Operated*	580	7.3	14	3	3	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	4	12.5	16	9	9	11	15	18	18	18
B. *Operated*	468	11.2	72	4	5	9	12	19	25	51
1. SINGLE DX	604	7.3	14	3	3	7	9	11	14	22
2. MULTIPLE DX	472	11.2	72	4	5	9	12	18	25	51
A. NOT OPERATED	28	7.4	14	2	3	7	9	12	13	18
B. OPERATED	1048	9.1	44	3	4	8	10	14	19	38
TOTAL 0-19 YRS	382	7.9	21	3	4	7	9	13	17	24
20-34	331	8.0	21	3	3	8	10	12	15	23
35-49	159	9.1	24	4	4	8	11	15	18	29
50-64	121	10.1	32	4	5	9	12	17	21	35
65+	83	16.6	221	5	6	11	18	39	48	79
GRAND TOTAL	**1076**	**9.0**	**43**	**3**	**4**	**8**	**10**	**14**	**19**	**38**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.0	1	<1	<1	2	3	3	5	6
20-34	30	2.2	4	<1	<1	2	2	5	6	9
35-49	8	3.1	5	1	1	3	5	6	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	174	4.3	3	2	2	4	5	6	7	10
20-34	142	4.3	3	2	3	4	5	6	8	11
35-49	36	5.6	5	3	3	5	7	9	10	12
50-64	13	6.2	21	3	3	4	6	12	18	20
65+	7	12.9	73	5	6	10	14	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.7	1	1	1	2	2	3	3	4
20-34	13	2.5	2	1	1	3	3	4	6	6
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	2	9.5	25	6	6	9	13	13	13	13
65+	5	4.8	13	2	2	3	6	11	11	11
B. *Operated*										
0-19 YRS	83	4.7	5	2	3	4	5	7	10	12
20-34	77	6.2	13	3	3	5	7	10	14	20
35-49	18	7.4	10	4	4	7	8	12	15	16
50-64	11	9.3	20	4	4	8	12	16	17	17
65+	8	11.9	42	4	5	11	14	22	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.3	4	<1	1	2	3	5	6	11
B. *Operated*	372	4.7	6	2	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	47	2.7	6	1	1	2	3	5	7	13
B. *Operated*	197	6.1	13	3	3	5	7	11	13	20
1. SINGLE DX	468	4.2	7	1	2	4	5	7	8	13
2. MULTIPLE DX	244	5.4	14	1	2	5	7	10	12	18
A. NOT OPERATED	143	2.5	4	<1	1	2	3	5	6	12
B. OPERATED	569	5.1	9	2	3	4	6	8	11	17
TOTAL 0-19 YRS	335	3.8	4	1	1	4	5	6	7	11
20-34	262	4.6	8	1	2	4	5	8	9	17
35-49	66	5.7	8	2	3	5	7	9	11	16
50-64	27	7.6	21	3	4	6	10	15	17	20
65+	22	10.4	48	2	3	10	12	19	27	31
GRAND TOTAL	**712**	**4.6**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	5	2.8	4	1	1	2	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.5	6	<1	<1	1	4	6	6	6
65+	7	2.3	5	1	1	1	3	6	7	7
B. *Operated*										
0-19 YRS	768	2.5	2	<1	1	2	3	4	5	8
20-34	935	3.6	2	1	2	4	4	5	6	8
35-49	892	3.8	2	1	2	4	5	6	6	8
50-64	1124	4.3	4	2	2	4	5	7	8	10
65+	776	5.0	7	2	2	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	4	<1	<1	1	2	4	7	10
20-34	8	1.1		<1	<1	1	1	2	2	2
35-49	15	2.5	5	<1	<1	1	4	5	8	9
50-64	9	5.7	123	<1	<1	2	4	23	35	35
65+	29	5.2	25	1	1	3	7	11	18	20
B. *Operated*										
0-19 YRS	394	3.0	8	<1	1	2	3	5	7	16
20-34	241	4.5	6	2	2	4	5	7	9	14
35-49	386	4.5	5	2	3	4	5	7	8	13
50-64	804	5.5	11	2	3	5	6	9	12	17
65+	967	7.2	28	2	3	6	8	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.1	3	<1	<1	1	2	5	6	7
B. *Operated*	4495	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	95	3.3	23	<1	<1	1	4	8	10	28
B. *Operated*	2792	5.5	17	1	2	4	6	10	14	22
1. SINGLE DX	4518	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX	2887	5.4	17	1	2	4	6	10	14	22
A. NOT OPERATED	118	3.1	19	<1	<1	1	3	7	10	25
B. OPERATED	7287	4.5	10	1	2	4	5	7	9	17
TOTAL 0-19 YRS	1202	2.6	4	<1	1	2	3	4	6	11
20-34	1189	3.8	3	1	2	4	5	6	7	9
35-49	1294	4.0	3	1	2	4	5	6	7	9
50-64	1941	4.8	7	2	2	4	6	8	9	15
65+	1779	6.2	20	2	2	5	7	11	15	25
GRAND TOTAL	**7405**	**4.5**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	2.8	6	1	1	1	5	6	6	6
B. *Operated*										
0-19 YRS	75	2.3	4	1	1	2	3	4	4	12
20-34	30	4.1	2	2	2	4	5	6	6	8
35-49	34	4.5	3	2	3	4	5	8	8	8
50-64	36	5.1	7	2	2	5	6	8	10	15
65+	56	6.8	16	2	3	6	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	76	2.9	5	1	1	2	4	6	7	11
20-34	17	4.6	7	1	2	4	6	8	11	12
35-49	21	6.3	10	3	4	5	6	12	14	15
50-64	38	7.5	37	2	2	6	10	15	19	32
65+	127	11.2	100	4	4	9	13	20	28	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.1	3	<1	<1	1	2	5	6	6
B. *Operated*	231	4.4	10	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	7	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	279	7.7	65	1	2	6	10	15	21	59
1. SINGLE DX	241	4.3	10	1	1	4	5	8	10	16
2. MULTIPLE DX	286	7.6	64	1	2	6	10	15	21	58
A. NOT OPERATED	17	2.2	2	<1	<1	2	3	5	6	6
B. OPERATED	510	6.2	43	1	1	5	8	12	16	33
TOTAL 0-19 YRS	155	2.6	4	1	1	2	3	5	7	11
20-34	47	4.3	4	2	2	4	5	6	8	12
35-49	56	5.2	7	2	3	5	6	8	11	15
50-64	77	6.2	23	2	2	5	7	11	15	29
65+	192	9.5	77	2	3	8	11	18	24	72
GRAND TOTAL	**527**	**6.1**	**42**	**1**	**1**	**4**	**8**	**12**	**15**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	3	5.3	16	3	3	3	8	10	10	10
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	105	2.3	2	<1	<1	2	3	4	6	8
20-34	57	3.3	4	1	2	3	4	6	8	12
35-49	79	3.6	3	1	2	3	4	6	7	10
50-64	53	3.6	4	<1	1	3	5	7	7	8
65+	25	4.3	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	16	1	1	3	5	11	11	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	10	4.3	17	1	1	3	5	11	14	14
B. *Operated*										
0-19 YRS	15	3.7	10	<1	<1	3	4	8	12	13
20-34	26	4.9	12	1	2	4	7	10	11	16
35-49	57	5.3	18	1	2	4	6	11	13	27
50-64	66	5.3	10	1	2	5	7	8	11	16
65+	43	11.2	141	2	3	8	14	21	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	7	2	2	3	5	9	10	10
B. *Operated*	319	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	24	3.1	12	<1	<1	2	4	8	12	14
B. *Operated*	207	6.4	45	1	2	5	8	13	16	33
1. SINGLE DX	326	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	231	6.0	43	<1	1	4	7	12	16	30
A. NOT OPERATED	31	3.4	11	<1	<1	2	4	9	11	14
B. OPERATED	526	4.4	22	<1	1	3	5	8	11	21
TOTAL 0-19 YRS	126	2.6	4	<1	<1	2	3	5	7	11
20-34	85	3.8	7	1	2	3	4	7	10	15
35-49	139	4.2	10	1	2	4	5	7	10	16
50-64	127	4.4	8	<1	1	4	6	8	9	14
65+	80	8.0	91	1	2	5	9	16	21	60
GRAND TOTAL	**557**	**4.4**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	3.0	4	1	1	2	5	5	5	5
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	41	2.7	2	<1	1	2	4	5	6	7
20-34	135	4.1	5	2	2	4	5	7	9	12
35-49	201	5.0	5	2	2	5	6	8	9	10
50-64	197	6.3	8	3	3	6	8	10	12	15
65+	119	7.3	13	3	3	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	26	1	1	2	5	13	13	13
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	11	3.3	12	<1	<1	2	4	9	12	12
50-64	15	4.3	10	<1	1	4	5	8	11	12
65+	23	10.7	153	<1	1	6	12	29	41	47
B. *Operated*										
0-19 YRS	10	3.3	15	<1	<1	2	4	9	14	14
20-34	61	5.5	8	2	2	5	7	9	11	14
35-49	153	7.1	17	2	3	6	9	12	15	20
50-64	242	9.3	61	3	4	8	11	16	19	59
65+	230	10.4	55	3	4	9	12	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	4	<1	<1	2	5	5	7	7
B. *Operated*	693	5.4	9	2	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	57	6.5	79	<1	1	3	8	13	27	46
B. *Operated*	696	8.8	47	3	3	7	10	15	19	37
1. SINGLE DX	707	5.4	9	2	2	5	7	9	11	15
2. MULTIPLE DX	753	8.6	49	2	3	7	10	15	19	38
A. NOT OPERATED	71	5.7	67	<1	<1	3	7	12	26	45
B. OPERATED	1389	7.1	30	2	3	6	9	12	16	29
TOTAL 0-19 YRS	57	2.9	6	<1	1	2	4	5	7	14
20-34	202	4.4	6	1	2	4	6	8	9	13
35-49	367	5.8	11	2	2	5	7	9	12	17
50-64	459	7.8	39	3	3	7	9	13	16	34
65+	375	9.4	49	3	4	8	11	16	23	45
GRAND TOTAL	**1460**	**7.0**	**32**	**2**	**2**	**6**	**9**	**12**	**16**	**30**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	7	5.4	26	<1	<1	3	8	14	15	15
35-49	26	3.4	5	<1	<1	3	5	7	8	9
50-64	49	4.4	10	<1	<1	4	7	8	10	15
65+	46	5.6	11	<1	1	5	7	9	12	17
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	8.8	4	6	6	9	10	11	11	11
35-49	13	9.4	9	5	6	9	11	14	15	15
50-64	17	8.6	19	1	4	8	10	12	18	22
65+	5	12.2	49	7	7	9	16	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.1	40	1	1	4	8	17	19	19
20-34	28	4.8	11	<1	<1	4	6	9	12	14
35-49	72	4.6	11	<1	<1	4	7	9	10	15
50-64	154	5.7	19	<1	<1	5	7	12	14	21
65+	273	7.8	43	<1	2	7	10	15	19	35
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	36	10.2	39	4	6	8	12	15	23	37
35-49	109	9.6	27	<1	5	8	11	15	17	32
50-64	118	10.9	52	3	6	10	12	18	26	71
65+	86	12.6	81	1	3	11	15	24	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.7	10	<1	<1	4	6	9	11	16
B. *Operated*	40	9.2	18	4	5	9	10	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	534	6.6	32	<1	1	5	9	13	17	28
B. *Operated*	351	10.8	51	2	5	9	12	18	25	42
1. SINGLE DX	172	5.7	16	<1	1	5	8	10	13	21
2. MULTIPLE DX	885	8.3	43	<1	1	7	10	15	20	36
A. NOT OPERATED	666	6.2	28	<1	1	5	8	12	16	23
B. OPERATED	391	10.6	47	2	5	9	12	17	25	40
TOTAL 0-19 YRS	14	5.3	20	1	2	4	6	10	17	19
20-34	75	7.6	32	<1	2	7	9	13	15	34
35-49	220	7.2	25	<1	<1	7	9	13	15	29
50-64	338	7.5	36	<1	1	7	10	13	18	35
65+	410	8.6	52	<1	2	7	11	17	22	38
GRAND TOTAL	**1057**	**7.8**	**40**	**<1**	**1**	**7**	**10**	**14**	**18**	**36**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.8	3	1	1	3	4	5	5	5
20-34	19	3.9	4	1	2	3	4	8	9	9
35-49	36	3.8	2	1	2	4	5	5	6	6
50-64	25	4.1	2	2	3	4	5	6	7	8
65+	30	5.5	7	2	2	5	7	8	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	7.3	37	2	2	6	12	14	14	14
35-49										
50-64	4	9.5	81	2	2	8	17	20	20	20
65+	4	7.5	47	2	2	5	12	17	17	17
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	5.2	6	3	3	4	7	9	9	9
35-49	16	5.8	14	1	2	5	7	11	14	16
50-64	24	7.0	35	2	2	5	9	15	19	27
65+	28	7.6	25	3	3	7	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.0	22	1	1	2	9	11	11	11
B. *Operated*	120	4.2	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	7.6	47	1	1	4	14	18	20	20
B. *Operated*	81	6.7	23	2	3	5	8	12	15	27
1. SINGLE DX	125	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	93	6.8	26	2	2	5	8	14	16	27
A. NOT OPERATED	17	6.8	39	1	1	3	12	16	19	20
B. OPERATED	201	5.2	13	1	2	4	6	9	12	21
TOTAL 0-19 YRS	13	3.2	8	1	1	3	4	6	10	11
20-34	36	4.9	9	2	3	4	7	9	11	14
35-49	54	4.3	6	1	2	4	5	6	8	16
50-64	53	5.8	24	2	2	4	6	12	16	27
65+	62	6.5	18	2	3	6	8	11	14	26
GRAND TOTAL	**218**	**5.3**	**15**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	8	3.5	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	12	2.8	4	<1	<1	2	4	6	7	7
20-34	25	4.6	8	1	2	4	7	9	10	13
35-49	47	4.4	4	2	2	4	5	7	8	11
50-64	43	6.5	16	2	3	5	9	12	12	22
65+	51	7.9	15	3	4	7	10	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64	7	6.7	24	2	2	7	10	14	15	15
65+	19	6.0	22	1	2	5	7	18	59	99+
B. *Operated*										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	20	7.8	39	1	2	5	11	16	21	26
35-49	26	11.0	213	1	2	6	11	25	53	60
50-64	43	10.6	114	2	4	8	13	18	21	71
65+	109	14.0	98	4	5	11	18	26	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.9	3	<1	1	3	4	5	7	7
B. *Operated*	178	5.8	13	2	2	5	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	33	5.6	19	1	2	5	7	15	19	99+
B. *Operated*	201	12.1	113	2	3	10	15	23	32	66
1. SINGLE DX	193	5.6	13	1	2	5	7	11	13	16
2. MULTIPLE DX	234	11.2	104	2	3	8	14	22	31	75
A. NOT OPERATED	48	4.8	16	1	1	3	7	10	17	99+
B. OPERATED	379	9.2	76	2	3	7	11	18	23	58
TOTAL 0-19 YRS	16	3.3	7	<1	1	2	5	7	8	9
20-34	47	5.9	24	2	2	5	7	12	16	26
35-49	82	6.3	79	1	2	4	6	11	21	57
50-64	95	8.3	65	2	3	7	10	15	19	49
65+	187	11.1	76	3	4	9	14	21	31	85
GRAND TOTAL	**427**	**8.7**	**71**	**2**	**2**	**7**	**11**	**18**	**23**	**60**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	6	<1	1	2	4	5	8	13
20-34	79	4.2	11	<1	1	4	5	8	11	19
35-49	123	4.9	19	1	1	4	6	9	11	31
50-64	180	4.8	16	1	1	4	6	9	10	22
65+	206	6.4	22	2	2	5	8	13	15	25
B. *Operated*										
0-19 YRS	34	6.2	12	1	3	5	8	11	12	16
20-34	45	9.6	22	5	5	9	10	16	17	31
35-49	64	10.0	50	4	5	8	11	18	20	49
50-64	61	12.6	38	7	7	10	15	21	25	35
65+	61	13.8	39	7	8	12	16	21	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.8	25	1	1	4	6	9	12	26
20-34	107	5.4	23	1	1	4	7	11	14	25
35-49	151	5.6	20	1	1	5	7	10	12	25
50-64	193	7.2	38	1	2	6	9	14	19	32
65+	416	8.7	60	2	3	7	11	15	21	51
B. *Operated*										
0-19 YRS	36	12.2	122	3	4	9	14	31	51	99+
20-34	82	15.0	171	4	6	11	17	32	47	74
35-49	105	14.9	131	6	7	12	17	28	31	76
50-64	140	17.6	188	6	7	14	20	34	44	95
65+	218	22.0	240	7	8	17	28	47	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	5.1	18	1	1	4	6	10	13	25
B. *Operated*	265	10.9	41	4	5	9	13	18	22	35
2. MULTIPLE DX										
A. *Not Operated*	897	7.3	45	1	2	6	9	14	19	35
B. *Operated*	581	18.1	201	6	7	14	22	37	51	98
1. SINGLE DX	901	6.8	32	1	2	5	9	14	16	28
2. MULTIPLE DX	1478	11.6	134	2	2	8	14	24	35	70
A. NOT OPERATED	1533	6.4	35	1	2	5	8	13	16	31
B. OPERATED	846	15.8	161	5	6	12	18	32	45	82
TOTAL 0-19 YRS	148	6.3	51	1	1	5	8	13	18	60
20-34	313	8.2	77	1	2	6	10	17	21	48
35-49	443	8.3	66	1	2	6	10	16	21	38
50-64	574	9.6	93	1	2	7	12	19	27	47
65+	901	11.7	130	2	3	8	15	24	37	69
GRAND TOTAL	**2379**	**9.8**	**100**	**1**	**2**	**7**	**12**	**20**	**29**	**61**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3255	3.3	7	1	1	3	4	6	8	12
20-34	797	2.6	4	1	1	2	3	5	6	10
35-49	331	3.2	10	<1	1	2	4	6	8	17
50-64	232	4.2	13	1	1	3	5	8	11	19
65+	440	5.2	38	1	1	4	6	10	14	23
B. *Operated*										
0-19 YRS	20	7.1	23	3	3	5	8	13	18	22
20-34	45	7.0	19	2	3	6	8	11	16	24
35-49	25	6.8	22	2	2	5	9	12	17	22
50-64	13	8.3	32	<1	2	9	12	15	20	21
65+	7	9.3	69	2	2	9	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2056	4.9	18	1	1	4	6	9	12	20
20-34	541	3.5	10	1	1	3	4	7	9	15
35-49	271	4.5	9	1	2	4	5	8	10	15
50-64	343	5.8	39	1	2	4	7	12	15	28
65+	953	7.8	53	2	2	6	10	16	22	39
B. *Operated*										
0-19 YRS	31	7.6	26	2	3	7	11	13	14	27
20-34	44	7.3	31	1	2	6	10	15	18	27
35-49	43	12.6	128	2	3	10	17	20	31	61
50-64	39	12.3	77	3	4	10	15	27	33	36
65+	74	15.6	196	2	4	12	18	29	41	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5055	3.4	10	1	1	3	4	6	8	15
B. *Operated*	110	7.2	24	2	2	6	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	4164	5.4	28	1	2	4	7	11	14	26
B. *Operated*	231	11.8	119	2	3	9	15	26	30	61
1. SINGLE DX	5165	3.5	11	1	1	3	4	6	9	15
2. MULTIPLE DX	4395	5.8	35	1	2	4	7	11	15	29
A. NOT OPERATED	9219	4.3	19	1	1	3	5	8	11	21
B. OPERATED	341	10.3	93	2	3	8	13	21	27	55
TOTAL 0-19 YRS	5362	4.0	12	1	1	3	5	7	10	17
20-34	1427	3.3	9	1	1	2	4	6	9	15
35-49	670	4.5	23	1	1	3	5	8	12	22
50-64	627	5.6	35	1	1	4	7	12	15	28
65+	1474	7.5	61	1	2	5	9	15	22	40
GRAND TOTAL	**9560**	**4.5**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**24**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	18	3.7	6	1	1	4	5	7	9	10
35-49	96	5.8	9	2	2	5	8	11	12	14
50-64	174	5.8	11	1	2	5	8	9	11	16
65+	282	6.7	27	1	2	6	9	12	16	29
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	17	11.0	42	3	4	8	15	23	24	24
35-49	24	11.8	15	7	7	11	13	17	21	23
50-64	38	14.0	22	8	9	13	17	21	23	27
65+	46	16.2	74	6	8	14	21	29	31	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.4	7	1	1	5	7	8	8	8
35-49	55	5.9	10	2	2	6	7	9	12	20
50-64	165	7.1	44	2	2	6	8	11	14	28
65+	623	9.6	72	2	3	8	11	18	24	47
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	6	11.0	18	7	7	10	12	18	19	19
35-49	45	16.8	125	7	8	13	21	27	29	77
50-64	139	15.9	103	5	7	14	19	26	35	95
65+	211	20.0	206	5	7	17	25	39	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	6.2	19	1	2	5	8	11	13	21
B. *Operated*	126	13.9	45	6	7	12	17	22	27	38
2. MULTIPLE DX										
A. *Not Operated*	850	8.9	64	2	3	7	10	17	22	43
B. *Operated*	402	18.0	162	6	7	15	21	34	43	99
1. SINGLE DX	698	7.6	32	2	2	6	10	14	18	29
2. MULTIPLE DX	1252	11.8	114	2	3	9	15	23	31	73
A. NOT OPERATED	1422	7.8	47	2	2	6	9	14	19	35
B. OPERATED	528	17.1	137	6	7	14	21	30	40	95
TOTAL 0-19 YRS	4	7.0	14	3	3	6	9	12	12	12
20-34	48	7.3	32	1	1	6	9	16	19	24
35-49	220	8.7	53	2	3	7	11	16	22	29
50-64	516	9.5	66	2	3	8	12	18	23	38
65+	1162	11.1	106	2	3	8	13	22	30	63
GRAND TOTAL	**1950**	**10.3**	**89**	**2**	**3**	**8**	**12**	**20**	**27**	**52**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	11	<1	<1	2	4	10	11	12
20-34	49	2.5	5	<1	<1	2	3	6	7	10
35-49	33	3.4	5	<1	<1	3	5	7	8	8
50-64	17	2.8	5	<1	<1	2	4	6	8	9
65+	8	8.8	78	<1	<1	6	15	22	23	23
B. *Operated*										
0-19 YRS	67	3.4	4	<1	1	3	4	6	7	11
20-34	357	3.7	7	1	1	3	4	6	9	13
35-49	391	3.8	7	1	1	3	5	6	9	15
50-64	177	4.4	9	1	2	4	5	8	9	17
65+	57	4.9	12	1	1	4	6	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	9	<1	1	4	5	7	11	12
20-34	34	5.0	24	<1	<1	3	8	12	16	18
35-49	28	4.2	20	<1	<1	3	5	10	15	20
50-64	22	5.2	27	<1	1	4	8	10	16	24
65+	20	13.9	435	1	1	8	12	64	94	99+
B. *Operated*										
0-19 YRS	32	4.6	16	1	1	4	5	9	14	20
20-34	251	4.9	33	1	1	3	5	8	11	38
35-49	261	4.9	11	1	2	4	6	9	12	15
50-64	179	5.2	23	1	2	4	6	10	12	21
65+	88	8.8	97	2	2	5	9	23	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.3	12	<1	<1	2	4	7	9	22
B. *Operated*	1049	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	119	6.2	99	<1	1	4	8	12	19	93
B. *Operated*	811	5.3	31	1	2	4	6	9	14	35
1. SINGLE DX	1173	3.8	8	1	1	3	5	7	9	15
2. MULTIPLE DX	930	5.5	40	1	2	4	6	10	14	37
A. NOT OPERATED	243	4.7	57	<1	<1	3	6	10	14	50
B. OPERATED	1860	4.5	18	1	1	4	5	8	11	23
TOTAL 0-19 YRS	131	3.7	9	<1	1	3	5	7	10	15
20-34	691	4.1	18	1	1	3	5	7	10	22
35-49	713	4.2	9	1	1	4	5	8	10	15
50-64	395	4.7	17	1	2	4	6	9	11	21
65+	173	8.1	112	1	2	5	9	18	31	81
GRAND TOTAL	**2103**	**4.6**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	4.2	24	1	1	3	5	9	12	30
20-34	530	5.5	21	1	1	4	7	11	15	22
35-49	253	5.9	38	1	1	4	8	12	16	27
50-64	184	6.1	33	1	1	5	8	12	18	25
65+	291	6.1	35	1	1	4	8	13	17	29
B. *Operated*										
0-19 YRS	115	7.7	45	<1	1	6	11	16	23	30
20-34	265	11.7	94	2	3	9	15	23	28	51
35-49	148	9.6	47	2	2	9	12	17	20	30
50-64	104	10.2	72	1	2	8	14	22	26	39
65+	115	10.5	67	2	2	9	14	19	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	5.1	27	1	1	4	6	10	14	25
20-34	443	7.1	46	1	2	5	9	14	18	41
35-49	339	7.1	35	1	2	6	10	15	19	30
50-64	373	7.3	41	1	2	6	9	14	19	40
65+	923	8.2	53	1	2	6	10	17	22	45
B. *Operated*										
0-19 YRS	108	12.6	160	2	3	9	15	28	35	69
20-34	418	16.3	182	3	4	12	22	36	47	82
35-49	305	15.6	166	3	4	13	19	34	50	99+
50-64	325	15.8	198	2	4	11	20	36	52	99+
65+	385	19.2	289	3	4	14	25	47	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	5.4	29	1	1	4	7	11	15	26
B. *Operated*	747	10.3	71	1	2	9	13	20	25	43
2. MULTIPLE DX										
A. *Not Operated*	2415	7.3	45	1	2	5	9	15	20	38
B. *Operated*	1541	16.5	210	3	4	12	21	37	52	99+
1. SINGLE DX	2417	6.9	47	1	1	5	9	15	20	32
2. MULTIPLE DX	3956	10.9	129	1	2	8	14	24	35	77
A. NOT OPERATED	4085	6.5	39	1	1	5	8	13	18	33
B. OPERATED	2288	14.5	173	2	3	11	18	31	46	89
TOTAL 0-19 YRS	972	5.9	49	1	1	4	7	13	19	34
20-34	1656	9.6	99	1	2	7	12	21	29	52
35-49	1045	9.7	91	1	2	7	12	19	28	60
50-64	986	10.2	111	1	2	7	12	22	33	71
65+	1714	10.4	127	1	2	7	13	22	34	84
GRAND TOTAL	**6373**	**9.4**	**102**	**1**	**2**	**6**	**12**	**20**	**29**	**61**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.4	19	4	4	7	12	15	15	15
35-49	16	9.8	71	1	2	7	16	22	26	28
50-64	32	11.4	67	2	3	9	16	25	26	29
65+	4	12.0	41	7	7	10	16	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	8.4	65	1	1	7	11	22	25	25
50-64	6	5.8	41	1	1	4	7	17	18	18
65+	3	10.0	19	5	5	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	11.0	142	1	2	7	13	23	38	54
35-49	101	12.3	145	2	3	9	15	29	38	87
50-64	142	15.8	239	2	3	11	20	33	52	81
65+	54	16.1	192	3	4	13	21	40	53	99
B. *Operated*										
0-19 YRS										
20-34	11	12.7	134	1	1	11	17	30	39	40
35-49	42	16.9	316	1	2	11	18	41	63	75
50-64	45	16.5	178	1	2	14	22	37	46	54
65+	20	14.9	163	1	2	13	23	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	10.7	60	2	2	9	15	23	26	29
B. *Operated*	17	7.8	46	1	1	6	12	17	23	25
2. MULTIPLE DX										
A. *Not Operated*	319	14.4	197	2	3	10	17	31	49	84
B. *Operated*	118	16.0	217	1	2	13	21	40	51	99+
1. SINGLE DX	76	10.0	57	1	2	8	14	22	26	29
2. MULTIPLE DX	437	14.8	202	2	3	10	18	34	50	95
A. NOT OPERATED	378	13.8	177	2	3	10	17	29	44	79
B. OPERATED	135	15.0	203	1	1	12	19	39	47	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	39	11.0	115	1	1	7	14	22	33	54
35-49	167	13.0	181	1	2	9	16	29	42	76
50-64	225	15.1	201	2	3	11	20	32	46	65
65+	81	15.4	170	2	4	13	20	40	58	99+
GRAND TOTAL	**513**	**14.1**	**183**	**2**	**2**	**10**	**18**	**30**	**45**	**85**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.0	7	2	2	5	7	8	8	8
35-49	4	6.8	16	1	1	8	9	10	10	10
50-64	7	9.3	9	5	5	10	11	13	14	14
65+	11	8.8	40	3	3	7	11	20	21	21
B. *Operated*										
0-19 YRS										
20-34	23	1.9	2	<1	1	1	2	3	5	8
35-49	23	3.2	13	<1	1	2	4	10	12	13
50-64	17	1.9	2	1	1	1	3	4	5	5
65+	13	4.2	24	1	1	2	5	11	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	8	15.1	286	3	4	10	13	44	56	56
35-49	25	10.1	107	2	2	7	13	20	29	52
50-64	41	13.0	109	2	3	11	18	28	38	41
65+	60	13.7	153	2	4	10	17	31	52	96
B. *Operated*										
0-19 YRS	7	6.4	58	1	1	3	11	19	21	21
20-34	19	7.1	107	1	1	2	8	26	34	36
35-49	29	10.1	143	1	1	5	14	36	47	99+
50-64	39	12.2	111	1	1	10	18	30	36	38
65+	29	19.4	249	2	5	15	27	42	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	8.0	24	2	3	8	10	14	20	21
B. *Operated*	76	2.7	9	1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	137	12.7	136	2	3	10	16	28	41	67
B. *Operated*	123	12.3	163	1	1	9	19	36	38	99+
1. SINGLE DX	102	4.1	18	1	1	2	6	10	12	20
2. MULTIPLE DX	260	12.5	148	1	2	9	17	32	39	96
A. NOT OPERATED	163	12.0	120	2	3	9	14	23	37	62
B. OPERATED	199	8.6	126	1	1	4	12	24	37	86
TOTAL 0-19 YRS	10	5.7	41	1	1	3	6	17	21	21
20-34	54	5.9	96	1	1	2	6	12	29	55
35-49	81	8.0	96	1	1	5	10	20	36	85
50-64	104	10.7	100	1	1	8	15	23	36	40
65+	113	13.6	170	1	2	10	19	33	48	99+
GRAND TOTAL	**362**	**10.1**	**126**	**1**	**1**	**7**	**13**	**23**	**36**	**71**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.8	170	3	3	5	17	34	39	39
20-34	20	5.3	9	2	3	4	6	10	12	13
35-49	7	8.9	25	3	3	8	12	16	17	17
50-64	12	11.4	243	1	3	6	11	30	55	59
65+	13	8.5	39	2	3	6	11	18	22	23
B. *Operated*										
0-19 YRS										
20-34	9	5.2	37	1	1	3	6	16	18	18
35-49	7	4.6	19	<1	<1	4	5	12	14	14
50-64	6	5.8	23	2	2	4	9	13	14	14
65+	5	7.6	202	1	1	1	10	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	18	2	2	5	9	13	14	14
20-34	17	6.8	24	1	2	6	9	14	18	20
35-49	21	8.6	27	2	3	8	11	15	20	24
50-64	58	10.8	91	2	3	8	14	23	34	96
65+	53	14.4	238	2	3	10	18	32	61	99+
B. *Operated*										
0-19 YRS	4	9.3	24	2	2	11	12	12	12	12
20-34	13	18.5	134	1	1	18	25	37	39	39
35-49	24	14.5	211	1	1	11	22	35	47	55
50-64	23	12.4	82	1	1	14	19	25	27	29
65+	26	21.8	285	2	3	17	31	46	54	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	8.5	86	2	3	5	9	17	23	57
B. *Operated*	27	5.6	52	<1	1	3	5	14	20	33
2. MULTIPLE DX										
A. *Not Operated*	156	11.1	128	2	3	8	13	23	33	99
B. *Operated*	90	16.4	190	1	1	14	22	34	44	67
1. SINGLE DX	87	7.6	76	1	2	5	9	17	23	52
2. MULTIPLE DX	246	13.0	157	1	2	10	17	28	37	87
A. NOT OPERATED	216	10.3	117	2	3	7	13	22	32	91
B. OPERATED	117	13.9	178	1	1	12	20	31	38	62
TOTAL 0-19 YRS	19	9.2	82	2	2	6	12	20	32	39
20-34	59	8.6	71	1	1	5	12	19	26	39
35-49	59	10.6	110	1	2	8	14	24	31	54
50-64	99	10.9	102	1	2	8	15	23	30	79
65+	97	15.2	238	2	2	10	20	34	48	94
GRAND TOTAL	**333**	**11.6**	**141**	**1**	**2**	**8**	**16**	**25**	**36**	**77**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	4	<1	1	2	3	5	6	10
20-34	194	2.5	4	<1	<1	2	3	5	6	11
35-49	136	2.9	6	<1	1	2	4	6	8	12
50-64	129	3.6	10	<1	1	3	4	7	8	17
65+	119	5.2	45	1	1	4	7	9	12	32
B. *Operated*										
0-19 YRS	104	6.9	5	4	5	7	8	10	12	14
20-34	1163	7.0	5	4	5	7	8	9	11	15
35-49	1008	7.3	6	5	5	7	8	10	12	16
50-64	847	8.2	9	5	6	8	9	12	14	20
65+	401	10.1	38	6	6	9	12	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	6	<1	<1	4	5	8	8	8
20-34	86	3.0	7	1	1	2	4	6	7	16
35-49	91	3.8	9	1	1	3	5	8	11	14
50-64	146	5.2	12	1	1	5	7	10	12	15
65+	303	8.8	64	2	3	7	11	17	23	49
B. *Operated*										
0-19 YRS	62	10.8	86	5	5	8	12	18	24	66
20-34	812	8.4	13	5	5	7	10	13	15	22
35-49	968	9.2	23	5	6	8	10	15	18	27
50-64	1291	10.6	40	5	6	9	12	17	22	34
65+	1135	15.2	106	6	7	12	18	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	3.4	15	<1	1	2	4	7	9	14
B. *Operated*	3523	7.7	11	5	5	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	640	6.4	41	1	1	5	8	13	17	30
B. *Operated*	4268	11.1	56	5	6	9	12	19	25	43
1. SINGLE DX	4129	7.1	14	2	3	7	8	11	13	18
2. MULTIPLE DX	4908	10.5	56	4	5	8	12	18	24	43
A. NOT OPERATED	1246	4.9	30	1	1	3	6	10	14	25
B. OPERATED	7791	9.6	38	5	5	8	10	15	20	35
TOTAL 0-19 YRS	208	7.3	36	1	2	7	9	12	14	25
20-34	2255	7.0	11	2	3	7	8	10	13	19
35-49	2203	7.7	17	3	4	7	9	12	15	23
50-64	2413	9.1	30	3	5	8	10	15	18	31
65+	1958	12.6	92	3	5	10	15	23	30	53
GRAND TOTAL	**9037**	**8.9**	**40**	**2**	**4**	**8**	**10**	**15**	**20**	**34**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	2	1	1	3	4	5	5	6
20-34	166	3.2	5	<1	1	3	4	6	7	13
35-49	123	3.3	4	1	1	3	4	6	7	10
50-64	94	4.5	9	1	1	4	7	9	10	13
65+	88	6.0	25	1	2	5	7	11	16	29
B. *Operated*										
0-19 YRS	12	6.8	7	4	4	6	7	12	12	12
20-34	110	7.6	15	4	5	7	8	10	15	26
35-49	115	7.9	11	5	5	7	9	13	15	21
50-64	74	9.2	23	5	5	8	10	14	19	30
65+	38	13.5	71	7	7	10	16	22	30	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	6	6
20-34	82	3.9	10	1	1	3	5	8	10	18
35-49	56	4.7	14	1	1	4	6	8	14	18
50-64	67	7.9	132	2	2	5	8	14	19	80
65+	140	8.5	45	2	3	7	11	15	20	37
B. *Operated*										
0-19 YRS	9	9.7	17	5	5	9	12	16	17	17
20-34	118	9.8	35	4	5	8	11	18	22	35
35-49	146	9.7	30	5	5	8	11	17	23	31
50-64	149	13.6	103	6	7	10	15	25	32	66
65+	128	18.1	136	7	8	16	22	34	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	3.9	10	1	1	3	5	7	10	15
B. *Operated*	349	8.7	24	4	5	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	353	6.6	51	1	2	5	8	13	16	32
B. *Operated*	550	12.7	86	5	6	9	15	24	31	68
1. SINGLE DX	848	5.9	21	1	1	5	8	10	14	25
2. MULTIPLE DX	903	10.3	82	2	3	8	13	20	27	52
A. NOT OPERATED	852	5.0	29	1	1	4	6	10	13	24
B. OPERATED	899	11.2	66	5	5	9	13	20	27	49
TOTAL 0-19 YRS	57	4.8	12	1	1	4	6	11	12	17
20-34	476	5.9	23	1	1	5	8	11	15	25
35-49	440	6.8	23	1	2	6	8	13	16	26
50-64	384	9.5	82	2	2	8	11	17	25	47
65+	394	11.6	97	2	3	9	15	23	32	73
GRAND TOTAL	**1751**	**8.2**	**57**	**1**	**2**	**7**	**10**	**16**	**22**	**42**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	16	3.5	8	1	1	3	5	7	10	11
35-49	13	3.1	8	<1	<1	2	3	7	10	11
50-64	17	5.2	22	1	1	3	7	13	15	16
65+	19	8.8	69	<1	1	6	12	23	29	31
B. *Operated*										
0-19 YRS	7	5.3	11	1	1	5	7	10	11	11
20-34	41	7.9	14	3	4	7	9	13	15	21
35-49	33	7.8	20	1	4	7	9	11	13	27
50-64	36	9.3	28	1	3	8	13	17	20	21
65+	51	11.6	57	3	4	11	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.4	21	<1	<1	2	3	10	16	16
35-49	13	4.0	7	<1	1	4	5	8	10	10
50-64	16	9.3	339	1	2	4	7	14	58	77
65+	36	8.1	35	2	2	7	10	13	19	33
B. *Operated*										
0-19 YRS	5	13.0	45	6	6	11	19	21	21	21
20-34	25	9.7	21	2	4	9	13	16	17	19
35-49	32	13.0	55	2	4	12	16	23	28	32
50-64	50	15.5	127	5	6	13	18	24	29	79
65+	132	21.0	211	4	7	18	28	41	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.4	33	<1	1	3	7	12	16	30
B. *Operated*	168	9.2	34	2	3	8	11	16	21	33
2. MULTIPLE DX										
A. *Not Operated*	76	6.9	93	1	1	5	8	12	16	66
B. *Operated*	244	17.5	166	3	6	14	22	31	42	80
1. SINGLE DX	235	8.1	36	1	2	7	11	16	20	31
2. MULTIPLE DX	320	15.0	168	2	3	12	19	30	40	78
A. NOT OPERATED	143	6.2	65	<1	1	4	8	12	16	36
B. OPERATED	412	14.1	128	3	5	11	17	28	34	68
TOTAL 0-19 YRS	15	7.5	35	1	1	5	10	19	20	21
20-34	92	7.1	21	1	1	7	9	14	16	20
35-49	91	8.4	43	<1	1	7	11	16	23	30
50-64	119	11.3	122	1	2	9	15	21	24	78
65+	238	16.1	171	2	3	13	21	32	42	75
GRAND TOTAL	**555**	**12.1**	**124**	**1**	**2**	**9**	**15**	**25**	**31**	**65**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	4.8	20	<1	1	3	6	12	15	16
35-49	17	3.2	3	<1	1	3	5	6	6	6
50-64	13	5.5	19	1	2	4	7	13	14	14
65+	25	6.2	19	2	2	6	7	10	15	23
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	5	11.2	29	3	3	11	14	18	18	18
35-49	5	6.8	20	3	3	5	11	13	13	13
50-64	12	12.1	97	1	1	13	16	26	32	33
65+	5	12.6	17	6	6	15	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	39	2	2	11	13	14	14	14
20-34	12	4.0	18	1	1	3	4	10	15	16
35-49	14	5.7	37	<1	1	4	6	13	22	24
50-64	14	10.6	151	4	4	8	10	18	44	52
65+	48	9.7	62	3	4	7	11	20	23	45
B. *Operated*										
0-19 YRS										
20-34	11	11.3	26	5	6	10	13	20	22	22
35-49	20	18.6	237	1	4	15	22	39	56	67
50-64	29	19.0	180	2	2	20	26	36	41	57
65+	54	21.6	201	5	9	18	28	46	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	5.0	16	1	1	4	6	10	13	21
B. *Operated*	28	11.1	54	1	2	12	15	18	24	33
2. MULTIPLE DX										
A. *Not Operated*	91	8.4	68	1	2	6	10	17	23	49
B. *Operated*	114	19.4	190	2	6	16	25	41	54	99+
1. SINGLE DX	100	6.7	34	1	1	5	10	15	17	28
2. MULTIPLE DX	205	14.5	165	2	3	11	20	30	45	83
A. NOT OPERATED	163	6.9	47	1	1	5	8	14	20	43
B. OPERATED	142	17.8	174	2	3	15	24	38	46	99+
TOTAL 0-19 YRS	5	9.4	24	2	2	11	13	14	14	14
20-34	44	6.9	31	1	1	5	11	16	18	22
35-49	56	9.6	140	1	1	5	13	23	31	66
50-64	68	13.4	152	1	2	10	20	29	38	56
65+	132	14.0	150	3	3	11	19	28	45	99+
GRAND TOTAL	**305**	**12.0**	**135**	**1**	**2**	**8**	**16**	**27**	**40**	**68**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	5.4	15	1	1	4	7	12	13	15
20-34	162	6.2	24	1	2	5	7	12	19	22
35-49	186	6.2	20	1	2	5	7	12	14	26
50-64	124	6.9	19	2	3	6	8	13	15	27
65+	67	8.4	26	1	3	7	11	14	19	25
B. *Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	16	14.2	125	2	3	11	20	27	38	43
35-49	27	14.6	253	1	3	10	18	29	40	81
50-64	19	12.8	65	2	4	11	15	26	30	32
65+	10	18.6	289	2	6	15	35	74	98	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.0	32	3	3	6	11	14	21	24
20-34	220	7.2	25	2	3	6	9	14	17	24
35-49	312	8.4	59	2	3	6	9	15	21	44
50-64	211	8.5	36	2	3	7	11	16	21	30
65+	183	10.8	75	3	4	8	14	20	29	60
B. *Operated*										
0-19 YRS	5	28.8	202	10	10	35	39	44	44	44
20-34	54	23.5	406	5	6	19	33	59	79	99+
35-49	91	22.6	286	5	8	19	31	49	83	99+
50-64	75	21.5	267	7	8	16	24	45	60	80
65+	67	23.3	287	7	8	18	30	46	77	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	6.6	22	1	2	6	8	12	16	26
B. *Operated*	76	13.9	174	1	3	11	19	29	42	95
2. MULTIPLE DX										
A. *Not Operated*	942	8.6	50	2	3	7	10	16	21	42
B. *Operated*	292	22.8	300	6	8	18	30	46	71	99+
1. SINGLE DX	639	7.5	45	1	2	6	9	14	20	32
2. MULTIPLE DX	1234	12.0	145	2	3	8	14	26	37	78
A. NOT OPERATED	1505	7.8	40	2	3	6	9	15	20	35
B. OPERATED	368	20.9	286	4	6	16	27	44	67	99+
TOTAL 0-19 YRS	49	8.4	85	1	2	5	10	17	35	44
20-34	452	9.0	103	1	3	6	10	19	26	70
35-49	616	10.1	119	2	3	7	11	23	33	70
50-64	429	10.5	99	2	3	8	13	21	29	56
65+	327	13.1	143	3	4	9	16	27	40	84
GRAND TOTAL	**1873**	**10.4**	**116**	**2**	**3**	**7**	**12**	**22**	**32**	**69**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.1	5	<1	1	3	4	5	7	12
20-34	62	3.5	9	<1	1	3	5	6	8	19
35-49	60	4.5	6	1	2	4	6	7	9	14
50-64	68	4.4	8	1	1	4	6	8	10	13
65+	106	6.9	39	1	2	6	8	12	18	35
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	11.0	99	1	1	8	16	27	27	27
35-49	3	9.3	34	5	5	7	14	16	16	16
50-64	3	5.7	6	3	3	6	7	8	8	8
65+	12	7.8	25	3	3	6	9	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.1	10	1	1	3	6	8	10	16
20-34	99	4.1	6	1	1	4	5	8	9	11
35-49	124	5.9	19	1	2	5	7	10	11	27
50-64	208	7.6	40	2	3	6	9	14	17	28
65+	585	9.5	56	2	3	7	12	18	26	45
B. *Operated*										
0-19 YRS	3	17.0	139	4	4	20	25	27	27	27
20-34	12	9.3	55	3	4	6	10	23	26	27
35-49	21	11.1	119	3	4	9	11	20	39	53
50-64	36	12.7	46	2	5	12	16	25	27	28
65+	112	16.9	190	4	7	13	21	43	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	4.9	20	1	1	4	6	9	12	20
B. *Operated*	24	8.3	36	2	3	7	10	16	22	27
2. MULTIPLE DX										
A. *Not Operated*	1064	8.0	46	2	2	6	10	16	21	39
B. *Operated*	184	14.9	149	4	5	12	19	30	48	99+
1. SINGLE DX	351	5.2	21	1	1	4	6	10	13	20
2. MULTIPLE DX	1248	9.0	67	2	2	7	11	18	26	53
A. NOT OPERATED	1391	7.3	41	1	2	6	9	14	19	35
B. OPERATED	208	14.1	140	3	4	11	18	28	47	99+
TOTAL 0-19 YRS	83	4.2	18	<1	1	3	5	8	12	25
20-34	178	4.4	16	1	1	4	5	8	11	25
35-49	208	6.1	28	1	2	5	7	10	13	28
50-64	315	7.5	38	2	2	6	10	15	18	28
65+	815	10.2	80	2	3	8	12	20	29	75
GRAND TOTAL	**1599**	**8.2**	**60**	**1**	**2**	**6**	**10**	**16**	**23**	**48**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.8	11	1	2	4	6	9	12	17
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49	6	7.3	25	1	1	7	12	14	14	14
50-64	5	5.4	31	<1	<1	3	7	15	15	15
65+	5	17.8	651	3	3	10	23	63	63	63
B. *Operated*										
0-19 YRS	4	8.8	11	4	4	10	11	11	11	11
20-34	6	9.8	57	3	3	7	17	21	21	21
35-49	6	7.5	18	3	3	6	12	13	13	13
50-64	8	14.1	160	4	4	11	16	35	43	43
65+	5	7.8	19	2	2	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	9.1	65	1	2	7	11	18	27	44
20-34	3	6.7	2	5	5	7	8	8	8	8
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	10	9.5	47	2	2	8	13	20	23	23
65+	22	18.0	211	1	3	16	24	44	79	99+
B. *Operated*										
0-19 YRS	9	11.8	52	3	4	12	20	62	99+	99+
20-34	9	10.9	100	1	2	9	11	26	36	36
35-49	10	16.9	184	<1	2	15	21	36	50	50
50-64	20	17.0	125	7	9	13	20	30	45	54
65+	10	19.4	436	5	5	12	24	86	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	6.1	61	1	1	4	7	12	14	53
B. *Operated*	29	10.0	65	3	3	9	12	18	22	43
2. MULTIPLE DX										
A. *Not Operated*	93	10.8	109	1	2	8	15	23	34	85
B. *Operated*	58	15.6	170	3	5	12	20	36	65	99+
1. SINGLE DX	100	7.2	65	1	2	5	9	14	17	53
2. MULTIPLE DX	151	12.7	137	1	3	10	17	25	44	99+
A. NOT OPERATED	164	8.8	93	1	2	6	11	18	26	66
B. OPERATED	87	13.8	141	3	4	11	18	25	50	99+
TOTAL 0-19 YRS	120	7.4	43	1	2	6	9	16	20	61
20-34	20	9.7	63	2	3	8	11	19	28	36
35-49	26	10.2	108	<1	1	8	13	21	28	50
50-64	43	13.3	114	2	3	11	18	23	38	54
65+	42	17.1	281	2	3	13	21	63	83	99+
GRAND TOTAL	**251**	**10.5**	**115**	**1**	**2**	**8**	**13**	**21**	**36**	**99**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	8.1	25	1	2	8	11	15	17	23
20-34	10	7.9	28	4	4	6	7	17	20	20
35-49	4	9.5	46	3	3	8	14	19	19	19
50-64	7	10.4	103	1	2	7	12	28	32	32
65+	8	9.4	33	2	3	8	11	19	21	21
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	12	5.9	38	1	1	3	8	15	21	22
35-49	9	3.8	6	1	1	4	6	7	7	7
50-64	9	7.8	33	1	1	7	13	15	15	15
65+	5	17.0	247	1	1	15	31	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	9.4	52	1	2	7	12	19	26	31
20-34	17	5.4	7	2	2	4	8	9	10	11
35-49	14	9.8	55	3	4	7	13	17	29	32
50-64	12	10.9	103	2	3	9	12	24	38	40
65+	18	16.3	197	3	4	11	17	39	47	52
B. *Operated*										
0-19 YRS	18	14.0	388	1	2	10	16	20	62	89
20-34	43	15.1	183	2	2	13	25	39	65	99+
35-49	46	11.3	107	2	2	9	16	24	28	48
50-64	35	13.3	113	2	2	10	19	29	33	41
65+	26	17.5	217	2	3	12	29	39	46	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	8.5	32	1	2	7	11	16	20	29
B. *Operated*	38	7.2	64	1	1	4	8	15	27	36
2. MULTIPLE DX										
A. *Not Operated*	86	10.3	90	2	3	7	12	19	33	48
B. *Operated*	168	13.9	174	2	2	11	20	31	42	98
1. SINGLE DX	120	8.1	42	1	1	6	11	15	21	33
2. MULTIPLE DX	254	12.7	148	2	2	9	17	30	40	87
A. NOT OPERATED	168	9.4	62	2	3	7	12	17	25	40
B. OPERATED	206	12.7	160	1	2	9	17	30	40	94
TOTAL 0-19 YRS	99	9.4	99	1	2	8	12	17	21	61
20-34	82	10.9	125	2	2	6	15	32	42	99+
35-49	73	10.0	85	1	2	7	14	22	24	47
50-64	63	11.7	98	1	2	10	15	28	33	41
65+	57	15.9	186	2	3	10	23	38	41	60
GRAND TOTAL	**374**	**11.2**	**119**	**1**	**2**	**8**	**14**	**26**	**34**	**59**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.9	12	1	2	6	7	10	13	16
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.5	14	2	3	5	8	13	15	16
20-34	3	10.3	186	<1	<1	4	20	26	26	26
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	6.7	2	5	5	7	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	8	22.8	317	5	6	17	36	50	50	50
35-49	3	12.3	44	8	8	9	17	20	20	20
50-64	6	12.7	48	2	3	13	15	22	23	23
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.6	11	1	2	5	7	10	12	16
B. *Operated*	5	6.8	37	2	2	4	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	26	7.2	30	1	2	5	8	15	18	26
B. *Operated*	17	17.4	187	3	5	14	21	44	50	50
1. SINGLE DX	32	5.8	15	1	2	5	8	10	15	16
2. MULTIPLE DX	43	11.2	114	2	3	8	14	23	34	50
A. NOT OPERATED	53	6.4	21	1	2	5	8	12	16	26
B. OPERATED	22	15.0	170	2	2	13	19	31	50	50
TOTAL 0-19 YRS	39	6.1	13	1	2	5	8	11	15	16
20-34	16	14.8	246	1	2	8	21	47	50	50
35-49	8	8.6	43	2	2	8	13	19	20	20
50-64	9	11.6	45	2	2	13	15	20	23	23
65+	3	6.7	2	5	5	7	8	8	8	8
GRAND TOTAL	**75**	**8.9**	**78**	**2**	**2**	**7**	**11**	**16**	**23**	**50**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	14.8	99	4	4	14	23	27	27	27
B. *Operated*										
0-19 YRS										
20-34	4	5.3	35	1	1	3	9	14	14	14
35-49	3	10.0	109	3	3	5	18	22	22	22
50-64	3	21.7	264	4	4	25	33	36	36	36
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.0	162	<1	<1	5	19	28	28	28
20-34	12	5.7	20	1	1	4	9	12	14	14
35-49	13	7.5	30	1	2	7	12	16	18	18
50-64	31	9.0	75	1	1	7	12	22	28	38
65+	84	15.4	216	3	4	10	19	38	50	68
B. *Operated*										
0-19 YRS	6	15.0	148	3	3	14	19	34	36	36
20-34	34	14.5	207	<1	1	11	20	45	57	99+
35-49	39	13.7	170	3	4	10	14	35	57	99+
50-64	63	18.6	285	2	3	13	27	39	53	75
65+	43	22.6	272	4	5	18	32	48	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	13.3	99	4	4	7	22	26	27	27
B. *Operated*	13	9.5	126	1	1	4	16	27	34	36
2. MULTIPLE DX										
A. *Not Operated*	144	12.3	163	2	2	8	15	29	40	67
B. *Operated*	185	17.6	246	2	3	13	27	45	61	99+
1. SINGLE DX	20	10.9	114	1	2	5	21	26	31	36
2. MULTIPLE DX	329	15.3	216	2	3	11	20	36	49	99+
A. NOT OPERATED	151	12.4	159	2	2	8	16	28	39	67
B. OPERATED	198	17.1	241	2	3	13	25	44	60	99+
TOTAL 0-19 YRS	10	13.0	143	<1	<1	10	19	32	36	36
20-34	50	11.6	164	1	1	9	16	30	47	99+
35-49	55	12.1	138	2	3	10	14	27	44	98
50-64	98	15.5	233	1	2	10	22	35	48	75
65+	136	17.4	237	3	4	12	25	43	52	99+
GRAND TOTAL	**349**	**15.1**	**211**	**2**	**3**	**10**	**20**	**35**	**49**	**99**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+	18	9.5	51	2	2	7	11	22	24	25
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	4	3.3		3	3	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	4.4	8	1	1	5	6	8	8	8
35-49	11	6.5	28	1	1	3	11	14	16	16
50-64	27	9.9	77	2	2	7	13	19	31	38
65+	75	14.1	195	3	4	9	17	31	45	77
B. *Operated*										
0-19 YRS										
20-34	7	19.4	470	3	4	10	21	57	66	66
35-49	6	17.5	397	3	3	10	17	53	57	57
50-64	22	17.4	251	2	3	12	24	37	50	70
65+	31	28.0	507	4	9	22	46	83	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.9	44	1	2	6	11	20	23	25
B. *Operated*	8	5.8	31	3	3	4	6	15	19	19
2. MULTIPLE DX										
A. *Not Operated*	119	12.0	151	2	2	8	15	24	39	65
B. *Operated*	66	22.6	416	3	4	17	33	60	81	99+
1. SINGLE DX	33	7.4	41	1	2	5	9	19	23	25
2. MULTIPLE DX	185	15.8	270	2	3	10	20	39	57	98
A. NOT OPERATED	144	11.3	135	2	2	8	14	23	34	59
B. OPERATED	74	20.8	401	3	3	13	30	57	77	99+
TOTAL 0-19 YRS	5	4.4	17	1	1	4	6	11	11	11
20-34	15	11.6	262	1	2	6	10	21	55	66
35-49	22	8.8	139	1	2	4	11	16	33	57
50-64	51	12.9	162	2	2	9	17	29	37	70
65+	125	16.9	290	3	4	11	21	45	58	99+
GRAND TOTAL	**218**	**14.5**	**244**	**2**	**3**	**10**	**18**	**37**	**53**	**96**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.0	4	2	2	4	5	6	8	12
20-34	97	4.4	5	2	2	4	6	7	8	12
35-49	35	4.9	8	2	2	5	6	8	10	15
50-64	24	5.8	9	1	2	6	8	10	11	11
65+	22	5.7	6	2	3	5	8	9	10	11
B. *Operated*										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49										
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.1	7	2	2	5	6	8	10	14
20-34	100	5.1	9	2	2	5	6	8	11	18
35-49	48	6.9	17	2	3	6	9	13	15	18
50-64	43	6.5	8	3	4	6	8	11	12	13
65+	69	9.0	35	2	3	8	11	17	23	29
B. *Operated*										
0-19 YRS	13	10.6	41	2	3	10	15	19	23	24
20-34	13	8.4	11	3	4	9	11	13	13	13
35-49	6	11.3	37	4	4	10	14	21	22	22
50-64	14	18.6	586	5	6	8	18	66	80	84
65+	12	16.2	53	5	8	15	22	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.5	6	2	2	4	6	8	10	12
B. *Operated*	6	7.2	1	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	341	6.3	17	2	3	5	8	12	14	23
B. *Operated*	58	13.3	174	4	5	10	15	23	27	82
1. SINGLE DX	281	4.6	6	2	2	4	6	8	9	12
2. MULTIPLE DX	399	7.3	45	2	3	6	9	13	17	27
A. NOT OPERATED	616	5.5	13	2	2	5	7	10	12	19
B. OPERATED	64	12.7	161	4	5	9	14	22	26	81
TOTAL 0-19 YRS	193	5.0	10	2	2	4	6	9	11	18
20-34	212	5.0	8	2	2	4	6	8	11	14
35-49	89	6.4	17	2	2	5	8	12	15	20
50-64	83	8.3	121	2	3	6	9	11	15	77
65+	103	9.1	39	2	3	8	11	19	24	28
GRAND TOTAL	**680**	**6.2**	**31**	**2**	**2**	**5**	**7**	**11**	**14**	**25**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	4.4	6	1	2	4	5	7	9	13
20-34	176	4.5	28	1	2	4	5	7	9	26
35-49	65	4.2	4	1	2	4	5	7	8	10
50-64	35	6.5	9	2	3	6	8	10	12	14
65+	32	6.6	14	2	3	6	8	13	13	16
B. *Operated*										
0-19 YRS	8	6.1	9	<1	1	7	8	9	10	10
20-34	13	6.2	8	1	3	5	8	10	12	12
35-49	4	5.3	15	3	3	4	7	11	11	11
50-64	6	9.3	41	3	3	8	14	18	19	19
65+	5	8.0	32	2	2	6	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	4.9	9	2	2	4	6	8	11	15
20-34	173	5.4	30	2	2	5	6	9	10	16
35-49	61	6.1	19	2	3	5	7	9	12	31
50-64	72	6.7	13	2	2	6	9	12	13	15
65+	128	10.6	104	3	4	8	12	19	28	59
B. *Operated*										
0-19 YRS	14	7.4	24	1	2	7	10	16	17	17
20-34	38	10.2	47	3	4	8	12	22	26	29
35-49	28	14.5	137	4	5	9	17	37	40	42
50-64	30	15.3	183	2	3	11	17	38	48	53
65+	35	15.5	136	4	5	12	21	25	45	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	4.7	15	1	2	4	6	8	10	14
B. *Operated*	36	6.9	17	1	3	6	9	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	593	6.6	42	2	2	5	8	11	14	35
B. *Operated*	145	13.1	117	3	4	9	16	27	40	52
1. SINGLE DX	511	4.8	16	1	2	4	6	8	10	15
2. MULTIPLE DX	738	7.9	63	2	2	6	9	14	21	46
A. NOT OPERATED	1068	5.8	31	2	2	5	7	10	12	28
B. OPERATED	181	11.8	103	2	3	9	14	24	36	51
TOTAL 0-19 YRS	348	4.8	9	1	2	4	6	8	10	16
20-34	400	5.5	33	1	2	4	6	9	11	28
35-49	158	6.8	47	2	2	5	8	10	17	40
50-64	143	8.6	60	2	3	7	10	14	20	48
65+	200	10.7	99	3	3	8	12	20	27	54
GRAND TOTAL	**1249**	**6.6**	**46**	**2**	**2**	**5**	**8**	**12**	**16**	**40**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	2	1	2	3	4	5	6	7
20-34	126	2.9	9	<1	1	2	3	5	7	18
35-49	131	2.2	2	<1	1	2	3	4	5	7
50-64	101	2.5	5	1	1	2	3	5	6	13
65+	48	4.0	11	<1	1	3	5	9	10	17
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	47	9.8	42	2	2	10	11	16	20	34
35-49	76	8.8	30	1	2	9	11	14	16	34
50-64	69	9.4	30	2	3	9	12	16	20	30
65+	38	10.5	42	1	2	10	12	19	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	5	1	1	4	5	6	6	6
20-34	62	3.8	9	1	1	3	5	7	8	19
35-49	74	3.5	8	1	1	3	5	7	10	13
50-64	64	4.0	8	1	1	3	5	8	10	14
65+	50	5.7	14	1	2	5	8	10	13	18
B. *Operated*										
0-19 YRS	3	17.3	166	3	3	21	26	28	28	28
20-34	63	12.0	71	3	4	10	13	20	32	47
35-49	86	12.3	82	3	4	10	15	24	29	55
50-64	100	11.9	63	2	4	10	15	20	24	49
65+	105	14.3	137	2	3	12	17	26	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	422	2.7	6	1	1	2	3	5	7	14
B. *Operated*	231	9.5	34	2	2	9	12	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	254	4.1	10	1	1	3	6	8	10	15
B. *Operated*	357	12.8	92	3	4	10	15	22	29	51
1. SINGLE DX	653	5.1	27	1	1	3	8	12	14	24
2. MULTIPLE DX	611	9.2	76	1	2	7	12	18	25	48
A. NOT OPERATED	676	3.2	8	1	1	2	4	7	9	15
B. OPERATED	588	11.5	72	2	3	10	14	20	27	49
TOTAL 0-19 YRS	24	5.3	42	1	2	3	5	13	23	28
20-34	298	6.1	42	1	1	4	9	13	17	34
35-49	367	6.2	45	1	1	4	9	13	17	29
50-64	334	7.0	44	1	1	5	11	15	19	30
65+	241	9.8	90	1	2	8	13	19	26	51
GRAND TOTAL	**1264**	**7.1**	**55**	**1**	**1**	**5**	**10**	**15**	**19**	**36**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	1	1	2	3	3	4	4
20-34	223	2.4	3	1	1	2	3	5	6	8
35-49	267	2.2	2	1	1	2	3	4	5	7
50-64	183	2.7	4	1	1	2	3	5	7	9
65+	65	3.3	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	20	6.1	15	2	2	5	8	13	15	15
20-34	274	6.2	20	2	2	5	8	12	14	24
35-49	353	6.2	17	2	2	5	8	12	15	19
50-64	266	6.8	18	2	2	6	9	12	15	19
65+	98	8.7	32	2	3	8	11	16	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	4	2	2	4	6	7	7	7
20-34	69	3.3	5	1	1	3	4	7	8	11
35-49	79	2.8	4	<1	1	2	4	5	7	11
50-64	109	3.1	5	1	1	3	4	6	8	11
65+	52	3.9	11	1	1	3	4	8	13	17
B. *Operated*										
0-19 YRS	5	7.8	18	4	4	6	10	15	15	15
20-34	111	8.6	34	2	3	8	12	15	19	34
35-49	139	10.0	39	2	3	9	13	18	22	30
50-64	202	10.5	53	2	3	9	14	22	25	33
65+	139	11.1	71	2	3	9	15	20	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	751	2.5	3	1	1	2	3	5	6	9
B. *Operated*	1011	6.6	20	2	2	5	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	313	3.2	6	1	1	3	4	6	8	13
B. *Operated*	596	10.2	50	2	3	9	13	19	24	35
1. SINGLE DX	1762	4.8	17	1	1	3	7	10	13	19
2. MULTIPLE DX	909	7.8	46	1	2	6	11	16	21	32
A. NOT OPERATED	1064	2.7	4	1	1	2	3	5	7	10
B. OPERATED	1607	7.9	34	2	2	7	11	15	18	30
TOTAL 0-19 YRS	42	4.8	14	1	1	4	7	10	15	15
20-34	677	5.0	20	1	1	4	7	11	14	22
35-49	838	5.3	22	1	1	4	7	12	15	22
50-64	760	6.3	31	1	1	4	9	13	17	29
65+	354	7.9	49	1	2	6	11	17	20	39
GRAND TOTAL	**2671**	**5.8**	**29**	**1**	**1**	**4**	**8**	**13**	**16**	**26**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	19	1	1	3	7	13	14	14
20-34	12	3.9	17	1	1	3	5	10	14	15
35-49	12	3.4	3	1	1	3	5	6	6	6
50-64	16	3.6	5	1	1	3	5	7	8	8
65+	10	4.8	9	1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	87	9.1	25	1	1	10	12	15	17	23
20-34	52	9.0	50	<1	1	9	11	17	20	35
35-49	38	7.7	35	<1	1	7	11	15	18	27
50-64	35	7.4	32	1	1	7	11	16	17	23
65+	36	10.1	60	<1	<1	9	15	22	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.4	10	1	1	4	7	9	10	13
20-34	30	5.6	38	<1	1	4	7	11	14	32
35-49	29	5.6	23	1	1	4	7	10	15	25
50-64	22	7.8	39	1	2	7	10	14	22	28
65+	70	9.9	60	2	3	8	13	18	22	43
B. *Operated*										
0-19 YRS	132	10.9	58	1	3	10	13	19	24	44
20-34	110	12.2	64	2	3	11	15	22	29	38
35-49	74	10.2	50	2	2	10	14	18	23	36
50-64	106	13.9	119	2	3	11	20	28	35	53
65+	104	14.0	134	1	2	11	20	27	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.1	10	1	1	3	5	8	12	15
B *Operated*	248	8.8	38	<1	1	9	12	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	179	7.4	44	1	1	6	9	16	18	36
B. *Operated*	526	12.3	87	2	2	11	16	23	31	49
1. SINGLE DX	312	7.8	36	1	1	8	11	15	20	27
2. MULTIPLE DX	705	11.1	81	1	2	9	14	21	29	46
A. NOT OPERATED	243	6.5	37	1	1	5	8	14	17	32
B. OPERATED	774	11.2	74	1	2	10	14	21	28	43
TOTAL 0-19 YRS	261	9.3	44	1	1	9	12	16	20	31
20-34	204	9.9	61	1	2	9	12	20	26	36
35-49	153	8.2	42	1	2	7	11	16	20	31
50-64	179	11.0	95	1	2	8	14	23	31	47
65+	220	11.7	98	1	2	9	16	23	29	52
GRAND TOTAL	**1017**	**10.1**	**69**	**1**	**2**	**9**	**13**	**20**	**25**	**41**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	1.9	1	<1	1	1	3	4	4	4
35-49	18	2.6	3	1	1	2	3	6	6	6
50-64	21	3.2	11	<1	<1	2	3	9	12	12
65+	11	3.5	6	1	1	3	4	7	10	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.3	98	1	1	3	4	20	34	34
35-49	13	4.5	15	1	1	3	6	11	13	14
50-64	17	3.6	10	<1	1	3	4	8	11	13
65+	20	9.3	106	1	1	6	11	22	33	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	11	4.2	10	<1	1	4	5	9	12	12
35-49	8	4.0	11	1	1	2	6	9	10	10
50-64	9	4.8	18	<1	<1	3	7	12	14	14
65+	11	4.1	4	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	12	7.7	62	<1	<1	4	14	19	23	24
35-49	25	10.1	49	1	3	9	13	17	24	35
50-64	34	8.7	59	2	2	5	12	20	31	99+
65+	99	11.0	80	2	3	8	15	25	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.7	6	1	1	2	3	5	8	12
B. *Operated*	61	6.0	59	1	1	3	7	13	22	42
2. MULTIPLE DX										
A. *Not Operated*	41	4.2	9	<1	1	4	6	8	11	14
B. *Operated*	172	10.2	69	2	2	8	14	22	28	42
1. SINGLE DX	131	4.3	33	1	1	3	4	10	13	36
2. MULTIPLE DX	213	9.0	63	1	2	7	12	20	27	40
A. NOT OPERATED	111	3.3	7	1	1	3	4	7	10	13
B. OPERATED	233	9.1	70	1	2	7	12	20	28	43
TOTAL 0-19 YRS	6	5.5	26	1	1	4	7	14	15	15
20-34	52	4.6	38	<1	1	3	4	13	17	34
35-49	64	6.1	35	1	1	4	8	13	16	33
50-64	81	5.8	37	<1	1	3	9	13	20	78
65+	141	9.6	78	1	2	7	12	22	28	43
GRAND TOTAL	**344**	**7.2**	**57**	**1**	**1**	**4**	**10**	**17**	**24**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.2	4	1	1	3	4	6	8	11
20-34	35	2.5	2	<1	1	2	3	5	5	6
35-49	15	3.9	4	1	1	3	5	7	8	8
50-64	16	4.6	8	<1	1	5	7	9	9	9
65+	45	6.7	18	1	2	6	10	12	13	20
B. *Operated*										
0-19 YRS	24	2.9	6	<1	<1	2	4	7	8	8
20-34	33	2.2	4	<1	<1	1	3	6	7	7
35-49	24	2.2	3	<1	<1	1	3	4	6	7
50-64	34	3.1	5	<1	<1	2	4	5	6	13
65+	64	4.6	18	<1	<1	3	7	10	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.4	10	1	1	4	6	8	11	17
20-34	52	4.5	9	1	2	4	6	8	9	15
35-49	39	5.7	9	1	2	5	8	10	11	12
50-64	62	5.8	9	2	2	5	8	10	12	13
65+	182	8.6	47	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS	27	4.9	15	1	1	3	7	10	13	15
20-34	44	6.0	32	<1	<1	4	8	12	21	24
35-49	47	6.5	36	<1	1	4	9	13	22	27
50-64	89	5.8	32	<1	1	4	7	15	17	24
65+	194	7.8	49	1	2	5	11	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	4.2	10	1	1	3	5	9	10	14
B. *Operated*	179	3.3	10	<1	<1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	409	6.6	29	1	2	5	8	13	15	30
B. *Operated*	401	6.8	40	<1	1	5	9	15	20	27
1. SINGLE DX	342	3.7	10	<1	<1	3	5	8	10	14
2. MULTIPLE DX	810	6.7	35	1	2	5	9	14	18	29
A. NOT OPERATED	572	5.9	25	1	2	5	8	12	14	28
B. OPERATED	580	5.7	34	<1	<1	4	7	13	17	26
TOTAL 0-19 YRS	177	3.9	9	<1	1	3	5	8	10	14
20-34	164	4.0	15	<1	<1	3	5	8	10	22
35-49	125	5.1	20	<1	1	4	7	10	12	24
50-64	201	5.2	19	<1	1	4	7	11	14	23
65+	485	7.6	43	1	2	6	10	15	20	33
GRAND TOTAL	**1152**	**5.8**	**29**	**<1**	**1**	**4**	**8**	**12**	**16**	**26**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	7	4.7	3	2	2	5	6	7	7	7
35-49	5	3.8	10	1	1	3	5	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	9	5.1	14	<1	1	3	8	11	11	11
B. *Operated*										
0-19 YRS	97	2.6	7	<1	<1	2	3	6	8	16
20-34	83	4.6	11	<1	1	4	6	8	11	17
35-49	53	4.2	14	<1	<1	3	6	9	12	16
50-64	74	4.6	11	<1	1	4	6	10	11	16
65+	108	6.0	33	1	2	5	7	13	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	25	8.2	85	1	2	4	9	22	28	38
B. *Operated*										
0-19 YRS	66	3.2	9	1	1	2	4	7	10	16
20-34	40	7.7	119	<1	<1	4	7	22	37	48
35-49	50	6.8	50	<1	1	5	8	14	23	37
50-64	106	6.1	21	1	1	5	8	13	16	20
65+	317	7.4	38	2	2	6	9	15	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	8	1	1	4	6	9	10	11
B. *Operated*	415	4.4	18	<1	1	3	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	33	6.8	71	1	1	4	7	22	35	99+
B. *Operated*	579	6.6	40	1	1	5	8	14	18	37
1. SINGLE DX	441	4.4	17	<1	1	3	6	9	13	18
2. MULTIPLE DX	612	6.7	41	1	1	5	8	14	19	38
A. NOT OPERATED	59	5.7	44	1	1	4	6	14	23	94
B. OPERATED	994	5.7	32	1	1	4	7	12	16	33
TOTAL 0-19 YRS	167	2.8	8	<1	1	2	3	6	8	18
20-34	133	5.5	45	<1	1	4	6	9	15	42
35-49	109	5.4	31	<1	1	4	7	11	16	29
50-64	185	5.4	17	1	1	4	7	11	14	19
65+	459	7.1	39	1	2	5	9	15	19	37
GRAND TOTAL	**1053**	**5.7**	**32**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	345	3.5	5	1	1	3	4	7	8	11
20-34	156	3.2	5	1	1	3	5	7	8	11
35-49	61	4.4	14	1	1	3	6	8	10	23
50-64	67	3.9	8	1	1	3	5	7	8	17
65+	173	5.8	25	1	2	5	7	10	14	44
B. *Operated*										
0-19 YRS	108	3.3	14	<1	<1	2	4	8	12	18
20-34	95	4.1	13	<1	<1	3	6	10	12	15
35-49	91	4.0	23	<1	<1	2	5	11	14	26
50-64	111	4.7	22	<1	<1	4	6	9	14	25
65+	158	5.5	35	<1	1	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	4.8	16	1	1	4	6	9	12	20
20-34	250	5.8	59	1	2	4	7	10	16	38
35-49	160	5.8	22	1	1	4	7	11	14	25
50-64	266	6.8	59	1	2	5	8	12	17	37
65+	882	10.2	126	2	3	7	12	21	32	87
B. *Operated*										
0-19 YRS	128	5.5	30	1	1	3	8	15	17	25
20-34	137	9.0	178	<1	<1	6	11	17	28	83
35-49	126	8.3	94	<1	<1	6	10	18	25	84
50-64	271	9.2	164	<1	1	6	10	19	25	67
65+	532	10.4	132	1	2	7	13	23	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	802	4.1	11	1	1	3	5	8	9	15
B. *Operated*	563	4.5	23	<1	<1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	2017	7.6	81	1	2	5	9	15	21	65
B. *Operated*	1194	9.2	132	<1	1	6	11	19	30	82
1. SINGLE DX	1365	4.2	16	<1	1	3	5	8	11	19
2. MULTIPLE DX	3211	8.2	100	1	2	5	9	17	24	70
A. NOT OPERATED	2819	6.6	64	1	2	5	8	13	18	51
B. OPERATED	1757	7.7	102	<1	1	5	9	17	24	65
TOTAL 0-19 YRS	1040	4.3	15	1	1	3	5	9	12	18
20-34	638	5.6	68	<1	1	4	7	11	15	44
35-49	438	5.9	44	<1	1	4	7	13	17	34
50-64	715	7.1	92	<1	1	5	8	15	19	63
65+	1745	9.4	113	1	2	6	11	19	31	86
GRAND TOTAL	**4576**	**7.0**	**79**	**1**	**1**	**5**	**8**	**15**	**21**	**61**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	29	4.0	6	1	1	4	5	8	8	11
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	4.3	16	<1	<1	3	7	9	9	9
35-49	31	4.2	10	<1	1	2	7	9	10	11
50-64	583	6.7	12	<1	2	7	8	11	12	19
65+	1087	8.2	21	2	3	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	7	3	3	4	7	9	9	9
50-64	34	5.7	35	1	1	4	7	12	16	32
65+	135	7.2	91	1	1	4	8	15	24	60
B. *Operated*										
0-19 YRS	3	11.0	217	2	2	3	22	28	28	28
20-34	3	7.3	2	6	6	7	8	9	9	9
35-49	42	7.0	20	1	2	7	10	13	15	19
50-64	883	8.8	30	2	4	8	11	15	18	31
65+	2331	11.3	73	3	4	9	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.2	10	1	1	4	5	8	10	17
B. *Operated*	1706	7.6	19	1	2	7	9	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	174	6.9	78	1	1	4	8	13	22	57
B. *Operated*	3262	10.6	62	2	4	9	13	18	24	45
1. SINGLE DX	1744	7.6	19	1	2	7	9	12	16	22
2. MULTIPLE DX	3436	10.4	64	2	3	9	12	18	24	45
A. NOT OPERATED	212	6.4	67	1	1	4	7	12	17	53
B. OPERATED	4968	9.6	49	2	3	8	11	16	21	40
TOTAL 0-19 YRS	5	12.4	115	2	2	12	20	28	28	28
20-34	9	5.3	9	<1	<1	6	7	9	9	9
35-49	81	5.7	17	<1	1	5	9	11	13	18
50-64	1503	7.9	24	1	3	7	10	14	16	24
65+	3582	10.2	60	2	3	8	12	18	24	44
GRAND TOTAL	**5180**	**9.4**	**50**	**2**	**3**	**8**	**11**	**16**	**21**	**40**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	12	2.7	2	1	1	3	4	4	5	5
35-49	8	4.1	3	1	2	4	5	6	7	7
50-64	13	3.3	3	1	1	3	4	6	6	6
65+	12	8.5	46	2	3	6	11	17	26	27
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	2.8	6	<1	<1	2	4	7	8	8
35-49	19	2.9	6	<1	<1	1	5	6	7	8
50-64	19	4.2	9	<1	1	3	5	8	11	13
65+	22	7.7	71	1	2	5	8	23	29	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	5.0	10	1	1	4	7	10	10	10
35-49	20	5.4	11	1	1	5	7	10	12	14
50-64	29	4.7	4	1	2	5	6	7	8	10
65+	28	6.8	29	2	2	5	9	17	19	20
B. *Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	19	4.4	12	<1	<1	4	6	8	12	15
35-49	18	3.4	8	<1	<1	3	5	6	10	12
50-64	61	7.9	46	1	2	6	10	15	22	35
65+	91	8.0	52	1	2	6	10	15	18	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.7	18	1	1	4	6	7	13	27
B. *Operated*	74	4.7	30	<1	<1	3	6	8	13	31
2. MULTIPLE DX										
A. *Not Operated*	88	5.5	15	1	2	5	7	10	14	20
B. *Operated*	191	7.2	44	<1	1	6	9	14	18	48
1. SINGLE DX	121	4.7	25	<1	1	3	6	8	13	29
2. MULTIPLE DX	279	6.6	35	1	1	5	8	14	18	34
A. NOT OPERATED	135	5.2	16	1	2	4	6	10	13	21
B. OPERATED	265	6.5	41	<1	1	5	8	14	18	35
TOTAL 0-19 YRS	6	5.5	16	1	1	5	8	12	12	12
20-34	54	3.7	9	<1	<1	3	5	7	9	15
35-49	65	4.0	8	<1	<1	4	6	7	10	14
50-64	122	6.1	29	1	2	5	7	12	15	31
65+	153	7.8	49	2	2	6	10	15	22	55
GRAND TOTAL	**400**	**6.1**	**33**	**<1**	**1**	**5**	**7**	**13**	**16**	**30**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.7	24	1	1	9	10	10	10	10
B. *Operated*										
0-19 YRS	176	2.3	2	<1	1	2	3	4	5	7
20-34	35	3.4	1	2	2	3	4	5	5	6
35-49	48	3.5	5	<1	2	3	4	5	7	14
50-64	69	3.6	3	1	2	3	5	5	7	9
65+	53	3.6	4	2	2	3	4	7	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	4	<1	<1	3	4	6	6	6
20-34										
35-49	3	2.7	2	<1	<1	3	4	4	4	4
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	2	7.5	5	6	6	7	9	9	9	9
B. *Operated*										
0-19 YRS	89	2.6	2	1	1	2	3	5	6	8
20-34	29	5.0	14	2	2	4	6	10	12	19
35-49	28	4.0	6	1	2	3	5	8	9	11
50-64	83	6.1	27	2	3	5	7	10	17	32
65+	80	7.6	69	2	3	5	8	15	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	16	1	1	5	9	10	10	10
B. *Operated*	381	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	12	3.8	8	<1	<1	3	6	8	9	9
B. *Operated*	309	5.2	31	1	2	4	6	9	14	35
1. SINGLE DX	386	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	321	5.1	30	1	2	4	6	9	13	35
A. NOT OPERATED	17	4.3	10	<1	<1	3	7	9	10	10
B. OPERATED	690	4.0	17	1	1	3	5	7	9	22
TOTAL 0-19 YRS	271	2.4	2	<1	1	2	3	4	5	7
20-34	64	4.2	8	2	2	3	5	6	10	18
35-49	79	3.6	5	<1	2	3	5	6	8	13
50-64	155	4.9	17	2	2	4	6	8	10	23
65+	138	6.0	45	2	2	4	7	10	18	40
GRAND TOTAL	**707**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**21**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.1	11	1	1	3	6	8	11	16
20-34	95	5.1	12	1	2	4	6	9	10	21
35-49	33	5.5	7	2	3	5	7	9	11	12
50-64	36	6.0	16	3	3	5	7	9	13	25
65+	23	6.9	25	1	2	6	10	10	15	25
B. *Operated*										
0-19 YRS	18	4.5	6	2	2	4	6	9	9	9
20-34	20	4.6	9	1	1	4	5	7	11	15
35-49	11	3.4	6	<1	1	3	4	8	9	9
50-64	14	8.6	48	1	1	6	14	19	22	23
65+	6	7.7	23	3	3	6	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.5	13	<1	1	3	5	12	13	13
20-34	22	5.0	10	1	2	4	7	8	12	16
35-49	23	6.5	15	1	2	7	9	12	13	14
50-64	32	6.8	18	2	3	6	9	12	17	18
65+	51	9.1	27	3	4	8	10	18	21	24
B. *Operated*										
0-19 YRS	5	3.6	7	1	1	3	5	8	8	8
20-34	21	7.0	25	2	2	6	9	12	18	23
35-49	11	7.2	21	1	2	8	11	13	15	15
50-64	25	9.8	45	3	3	9	11	21	23	28
65+	29	13.3	260	2	4	9	14	21	26	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.2	13	1	2	5	7	9	10	25
B. *Operated*	69	5.4	19	1	2	4	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	145	7.0	21	2	3	6	9	13	17	22
B. *Operated*	91	9.6	110	2	2	8	12	18	22	66
1. SINGLE DX	303	5.3	15	1	2	4	7	10	11	24
2. MULTIPLE DX	236	8.0	57	2	3	7	10	15	19	25
A. NOT OPERATED	379	5.9	17	1	2	5	8	10	13	23
B. OPERATED	160	7.8	75	1	2	6	10	15	20	28
TOTAL 0-19 YRS	87	4.2	10	1	1	3	6	8	11	15
20-34	158	5.2	13	1	2	4	7	9	11	22
35-49	78	5.7	12	1	2	5	8	11	12	15
50-64	107	7.5	29	2	3	6	10	15	19	26
65+	109	9.6	92	2	3	8	11	18	22	52
GRAND TOTAL	**539**	**6.5**	**35**	**1**	**2**	**5**	**8**	**12**	**16**	**24**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	1.8	1	<1	<1	2	2	3	4	5
20-34	35	2.4	1	<1	<1	2	3	4	5	6
35-49	20	2.2	1	<1	<1	2	3	3	4	4
50-64	11	1.8	1	<1	<1	2	2	3	4	4
65+	12	3.5	22	<1	1	2	3	8	17	18
B. *Operated*										
0-19 YRS	228	1.8	5	<1	<1	1	2	3	4	5
20-34	34	2.1	2	<1	<1	2	2	3	4	9
35-49	14	1.6		<1	<1	2	2	2	2	2
50-64	14	2.3	3	<1	1	2	3	4	6	7
65+	6	3.2	9	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.0	2	<1	<1	2	2	3	4	8
20-34	20	2.3	1	<1	1	2	2	4	5	5
35-49	6	1.7		1	1	2	2	2	2	2
50-64	16	3.9	14	1	1	2	5	11	12	12
65+	17	3.6	9	<1	<1	3	6	10	64	99+
B. *Operated*										
0-19 YRS	53	2.3	3	<1	<1	2	3	5	6	8
20-34	11	2.9	6	<1	1	2	3	7	8	8
35-49	14	3.1	5	1	1	3	4	5	9	10
50-64	18	3.8	7	2	2	3	4	9	11	11
65+	30	4.7	16	1	1	3	6	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	2.0	2	<1	<1	2	2	3	4	6
B. *Operated*	296	1.8	4	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	140	2.4	4	<1	<1	2	3	4	7	20
B. *Operated*	126	3.2	8	<1	<1	2	4	7	9	14
1. SINGLE DX	605	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	266	2.8	6	<1	<1	2	3	6	8	12
A. NOT OPERATED	449	2.1	3	<1	<1	2	2	3	4	11
B. OPERATED	422	2.3	6	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	593	1.9	3	<1	<1	2	2	3	4	7
20-34	100	2.3	2	<1	<1	2	3	4	5	8
35-49	54	2.2	2	<1	<1	2	2	3	4	10
50-64	59	3.1	7	1	1	2	3	7	11	12
65+	65	4.1	14	<1	1	3	5	9	13	87
GRAND TOTAL	**871**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.2	4	<1	1	2	2	4	5	14
20-34	31	2.3	3	<1	<1	2	3	5	6	9
35-49	10	2.9	7	<1	1	2	3	7	10	10
50-64	8	4.3	13	<1	1	3	6	10	11	11
65+	10	5.2	8	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	215	2.4	3	<1	1	2	3	4	5	7
20-34	143	2.9	4	<1	1	2	3	5	7	10
35-49	91	3.2	3	<1	1	3	4	6	7	9
50-64	91	3.7	4	1	1	3	5	6	8	11
65+	42	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	13	<1	1	3	4	7	7	23
20-34	23	3.9	12	<1	1	3	6	9	11	14
35-49	22	3.1	3	<1	1	3	4	5	7	9
50-64	20	5.4	33	1	2	3	7	11	19	26
65+	16	10.6	115	1	1	7	14	23	37	43
B. *Operated*										
0-19 YRS	85	3.1	6	<1	1	2	4	5	8	14
20-34	82	3.6	9	1	1	3	5	6	8	19
35-49	65	4.9	13	1	2	4	6	11	13	17
50-64	114	5.6	19	1	2	4	7	12	15	50
65+	54	8.3	57	1	2	6	10	20	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.6	6	<1	1	2	3	5	8	12
B. *Operated*	582	2.9	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	121	4.8	32	<1	1	3	5	10	15	31
B. *Operated*	400	4.9	21	1	1	3	6	10	14	25
1. SINGLE DX	714	2.9	4	<1	1	2	4	5	7	11
2. MULTIPLE DX	521	4.9	24	1	1	3	6	10	14	25
A. NOT OPERATED	253	3.6	19	<1	1	2	4	7	10	24
B. OPERATED	982	3.7	12	1	1	3	4	7	10	20
TOTAL 0-19 YRS	413	2.6	5	<1	1	2	3	5	6	14
20-34	279	3.1	6	<1	1	2	4	6	8	13
35-49	188	3.8	7	<1	1	3	5	7	9	15
50-64	233	4.8	15	1	2	4	5	9	12	24
65+	122	6.7	49	1	1	4	8	15	24	36
GRAND TOTAL	**1235**	**3.7**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.2	13	<1	<1	2	3	8	13	15
20-34	173	2.2	2	<1	<1	2	2	3	5	8
35-49	380	2.3	2	<1	<1	2	3	4	5	10
50-64	169	2.4	2	<1	<1	2	3	4	4	9
65+	52	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	9	2.1	5	1	1	1	2	6	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	79	2.8	11	<1	<1	2	3	5	8	22
35-49	248	3.1	18	<1	<1	2	3	6	7	13
50-64	180	3.1	9	<1	<1	2	4	6	7	17
65+	87	3.6	5	1	2	3	5	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	17	1	1	2	4	11	11	11
B. *Operated*	790	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	13	1.8	4	<1	<1	1	2	5	7	7
B. *Operated*	598	3.1	12	<1	<1	2	4	6	7	16
1. SINGLE DX	795	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX	611	3.1	12	<1	<1	2	4	6	7	16
A. NOT OPERATED	18	2.3	7	<1	1	1	2	6	9	11
B. OPERATED	1388	2.7	7	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	20	3.0	11	<1	<1	2	3	6	11	15
20-34	256	2.4	5	<1	<1	2	3	4	6	11
35-49	640	2.6	9	<1	<1	2	3	4	6	11
50-64	351	2.7	6	<1	<1	2	3	4	6	13
65+	139	3.3	4	1	2	3	4	6	7	11
GRAND TOTAL	**1406**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	4	<1	1	4	5	7	8	8
20-34	44	4.2	11	1	2	4	5	7	10	21
35-49	8	2.6	2	1	1	2	3	5	6	6
50-64	6	4.5	6	1	1	5	7	7	7	7
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	134	3.2	3	<1	1	3	4	5	7	9
20-34	377	3.5	5	1	1	3	4	6	7	12
35-49	183	3.2	5	<1	1	3	4	6	7	14
50-64	99	3.3	3	<1	1	3	4	6	7	9
65+	45	3.8	9	<1	2	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	26	1	1	5	7	14	14	14
20-34	33	3.9	22	<1	<1	2	5	8	12	25
35-49	10	2.1	2	<1	<1	1	3	4	5	5
50-64	7	5.4	18	1	1	7	9	10	10	10
65+	7	6.0	8	2	2	6	9	9	9	9
B. *Operated*										
0-19 YRS	39	3.4	2	<1	1	3	4	5	6	8
20-34	173	4.0	5	1	2	4	5	7	9	13
35-49	125	4.3	7	1	2	4	5	7	8	15
50-64	98	4.7	12	1	2	4	6	9	11	20
65+	51	5.2	60	1	1	3	5	8	16	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.0	8	1	1	4	5	7	9	19
B. *Operated*	838	3.4	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	62	4.1	17	<1	<1	3	5	9	11	24
B. *Operated*	486	4.3	13	1	2	4	5	7	9	17
1. SINGLE DX	909	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	548	4.3	13	1	1	4	5	7	9	18
A. NOT OPERATED	133	4.1	13	<1	<1	3	5	8	10	22
B. OPERATED	1324	3.7	8	1	1	3	5	6	8	14
TOTAL 0-19 YRS	189	3.3	4	<1	1	3	4	5	7	11
20-34	627	3.7	6	1	1	3	5	6	8	13
35-49	326	3.6	6	<1	1	3	4	6	7	14
50-64	210	4.1	8	1	1	3	5	7	9	15
65+	105	4.6	34	1	2	3	5	8	11	36
GRAND TOTAL	**1457**	**3.8**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.8	4	1	1	2	3	5	8	11
20-34	212	2.2	3	<1	1	2	3	4	5	7
35-49	42	2.8	4	<1	<1	2	4	5	7	8
50-64	4	2.5	2	<1	<1	2	3	4	4	4
65+	5	2.4	2	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	126	4.3	8	1	1	4	6	8	9	14
20-34	571	4.4	6	1	1	4	6	7	8	12
35-49	135	6.1	13	1	2	6	7	9	10	21
50-64	12	7.8	19	5	5	7	8	13	20	21
65+	7	8.9	21	6	6	7	11	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.1	5	1	1	2	4	6	7	11
20-34	112	3.1	6	1	1	2	4	6	9	14
35-49	36	3.1	7	<1	1	2	4	7	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
0-19 YRS	77	4.8	5	2	2	5	6	8	9	11
20-34	605	5.9	11	1	2	6	7	9	12	16
35-49	328	7.5	17	2	3	7	9	12	15	23
50-64	30	8.5	12	4	5	8	10	13	16	18
65+	21	16.3	95	7	9	14	17	33	41	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	851	4.7	8	1	1	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	182	3.2	7	1	1	2	4	6	9	14
B. *Operated*	1061	6.6	17	1	2	6	8	11	14	22
1. SINGLE DX	1179	4.1	8	1	1	4	6	7	9	13
2. MULTIPLE DX	1243	6.1	17	1	2	6	8	10	13	19
A. NOT OPERATED	510	2.7	5	1	1	2	3	5	7	11
B. OPERATED	1912	5.8	14	1	2	5	7	9	12	19
TOTAL 0-19 YRS	299	4.0	7	1	1	3	5	7	9	11
20-34	1500	4.6	9	1	1	4	6	8	10	14
35-49	541	6.5	17	1	2	6	8	10	14	23
50-64	47	7.7	15	2	4	7	9	12	16	21
65+	35	12.5	89	1	4	11	15	22	36	44
GRAND TOTAL	**2422**	**5.1**	**14**	**1**	**1**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	4.5	5	1	2	4	6	7	8	11
20-34	869	4.7	6	2	2	4	6	8	9	12
35-49	92	4.8	7	2	2	4	6	8	10	14
50-64	4	5.0	15	1	1	4	8	10	10	10
65+	3	5.3	5	4	4	4	7	8	8	8
B. *Operated*										
0-19 YRS	98	6.0	17	1	2	5	7	12	13	22
20-34	378	5.1	10	1	1	5	7	9	11	17
35-49	83	6.9	24	<1	1	6	8	13	17	26
50-64	12	8.3	18	2	4	7	10	14	17	18
65+	2	8.5	25	5	5	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	5.1	7	2	2	5	6	8	10	13
20-34	452	5.1	7	2	2	5	7	8	10	13
35-49	81	5.9	21	1	2	5	7	10	13	29
50-64	4	7.5	14	4	4	7	10	12	12	12
65+	5	11.8	105	4	4	5	22	24	24	24
B. *Operated*										
0-19 YRS	99	6.3	11	1	2	6	9	11	12	17
20-34	849	6.3	13	1	2	6	8	10	13	19
35-49	285	7.5	20	2	2	7	8	12	15	30
50-64	23	10.9	51	2	3	9	14	22	28	29
65+	11	19.8	246	2	3	18	31	42	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1341	4.6	5	1	2	4	6	8	9	12
B. *Operated*	573	5.6	14	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	726	5.3	9	2	2	5	7	9	11	14
B. *Operated*	1267	6.8	19	1	2	6	8	11	14	26
1. SINGLE DX	1914	4.9	8	1	2	5	6	8	10	15
2. MULTIPLE DX	1993	6.2	16	1	2	6	8	10	13	22
A. NOT OPERATED	2067	4.9	7	2	2	4	6	8	9	13
B. OPERATED	1840	6.4	18	1	2	6	8	11	13	22
TOTAL 0-19 YRS	754	5.1	8	1	2	5	6	8	10	13
20-34	2548	5.4	9	1	2	5	7	9	11	15
35-49	541	6.7	19	1	2	6	8	11	14	29
50-64	43	9.3	37	2	3	8	11	17	23	29
65+	21	14.8	179	3	3	9	22	33	43	52
GRAND TOTAL	**3907**	**5.6**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	23	3.1	4	1	1	3	4	6	7	8
35-49	15	4.4	17	<1	1	3	7	11	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.5	3	<1	<1	2	4	5	6	6
20-34	271	4.7	7	<1	1	5	7	8	8	12
35-49	141	6.4	6	2	3	7	8	9	10	13
50-64	7	6.6	6	2	3	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	3.8	7	1	1	3	6	8	9	10
35-49	12	2.9	4	<1	<1	2	4	6	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	17	4.1	7	<1	1	3	6	8	9	9
20-34	627	6.0	9	1	2	6	7	9	10	14
35-49	752	7.4	10	2	5	7	8	10	13	21
50-64	89	8.2	10	4	6	8	9	12	14	21
65+	6	10.2	71	2	2	8	16	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.6	10	1	1	3	5	8	11	14
B. *Operated*	433	5.2	7	<1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	41	3.5	6	<1	1	3	5	7	8	10
B. *Operated*	1491	6.8	11	1	2	7	8	10	12	19
1. SINGLE DX	476	5.1	8	<1	1	6	7	8	9	12
2. MULTIPLE DX	1532	6.7	11	1	2	7	8	10	12	19
A. NOT OPERATED	84	3.6	8	1	1	3	5	8	9	13
B. OPERATED	1924	6.5	10	1	2	7	8	9	11	16
TOTAL 0-19 YRS	37	3.5	7	<1	1	2	5	7	9	11
20-34	948	5.5	9	<1	1	6	7	8	10	14
35-49	920	7.1	10	2	4	7	8	10	12	20
50-64	97	8.0	10	2	5	8	9	12	14	21
65+	6	10.2	71	2	2	8	16	23	24	24
GRAND TOTAL	**2008**	**6.3**	**11**	**1**	**2**	**7**	**8**	**9**	**11**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.8	4	<1	<1	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	45	3.1	9	<1	<1	2	4	7	9	13
35-49	25	3.6	11	<1	<1	2	6	7	11	13
50-64	5	2.4	1	2	2	2	3	4	4	4
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	4.0	14	1	1	3	4	10	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.3	8	<1	<1	2	5	7	7	7
20-34	81	5.7	13	<1	1	6	7	9	12	20
35-49	85	6.2	16	<1	1	7	8	9	11	23
50-64	13	5.8	15	<1	1	6	8	10	13	14
65+	6	6.0	10	2	2	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	4	<1	<1	4	5	5	5	5
B. *Operated*	79	3.2	9	<1	<1	2	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	9	3.8	10	<1	<1	3	5	9	11	11
B. *Operated*	189	5.9	14	<1	1	6	8	9	11	20
1. SINGLE DX	83	3.3	8	<1	<1	2	5	7	9	13
2. MULTIPLE DX	198	5.8	14	<1	1	6	8	9	11	20
A. NOT OPERATED	13	3.8	8	<1	<1	4	5	7	10	11
B. OPERATED	268	5.1	14	<1	<1	5	7	9	11	18
TOTAL 0-19 YRS	7	3.0	5	<1	<1	3	4	6	7	7
20-34	136	4.7	13	<1	<1	5	7	8	11	15
35-49	111	5.6	16	<1	1	6	8	9	11	21
50-64	18	4.8	13	1	2	3	8	9	12	14
65+	9	4.9	10	1	1	5	8	9	9	9
GRAND TOTAL	**281**	**5.0**	**14**	**<1**	**<1**	**5**	**7**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	6	<1	1	3	5	8	8	8
20-34	75	3.4	4	1	1	3	4	7	7	10
35-49	18	3.1	3	1	1	3	4	5	6	7
50-64	3	3.3	4	1	1	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	34	2.7	4	<1	1	2	3	5	7	10
20-34	217	2.1	2	<1	1	2	3	4	5	8
35-49	112	2.6	6	<1	1	2	3	5	7	14
50-64	28	1.9	1	<1	<1	2	3	3	4	4
65+	7	3.6	7	1	1	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.6	4	1	1	3	5	6	8	8
20-34	54	4.3	8	<1	1	4	5	8	10	15
35-49	15	4.5	12	<1	<1	4	7	9	12	13
50-64	13	8.0	15	3	4	7	10	15	15	15
65+	10	8.6	12	4	4	8	11	13	15	15
B. *Operated*										
0-19 YRS	8	2.9	4	1	1	2	4	6	7	7
20-34	110	4.0	13	<1	1	2	6	9	11	17
35-49	57	3.5	8	<1	<1	2	5	8	9	12
50-64	23	3.4	10	<1	1	3	4	7	10	15
65+	23	9.2	70	1	1	7	13	24	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.4	4	1	1	3	4	6	8	9
B. *Operated*	398	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	117	4.9	11	1	1	4	6	10	12	15
B. *Operated*	221	4.3	20	<1	1	2	6	9	12	24
1. SINGLE DX	518	2.6	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	338	4.5	17	<1	1	3	6	9	12	22
A. NOT OPERATED	237	4.1	8	1	1	4	5	8	10	15
B. OPERATED	619	3.0	10	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	91	3.1	4	1	1	3	4	6	8	9
20-34	456	3.1	7	<1	1	2	4	6	8	13
35-49	202	3.0	7	<1	1	2	4	7	8	13
50-64	67	3.7	12	<1	<1	3	4	8	12	15
65+	40	8.1	48	1	1	7	11	18	24	29
GRAND TOTAL	**856**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+	5	5.6	68	<1	<1	1	9	20	20	20
B. *Operated*										
0-19 YRS										
20-34	54	7.6	8	3	4	7	9	11	14	16
35-49	155	7.6	9	4	4	7	8	12	13	20
50-64	244	8.4	14	5	5	7	10	12	15	26
65+	208	8.7	13	5	6	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.8	4	<1	<1	1	1	6	6	6
35-49	6	2.3	3	<1	<1	2	2	6	6	6
50-64	14	3.7	19	<1	1	2	5	8	15	17
65+	39	6.6	53	1	1	5	8	15	24	34
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	195	8.2	20	3	5	7	9	12	15	30
35-49	518	9.4	20	5	6	8	11	15	18	27
50-64	661	10.1	31	5	6	8	12	16	21	29
65+	548	11.3	44	6	6	9	13	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	46	<1	<1	3	5	17	20	20
B. *Operated*	661	8.2	12	4	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	65	5.2	39	<1	1	3	6	13	17	33
B. *Operated*	1923	10.1	31	5	6	8	11	16	20	31
1. SINGLE DX	668	8.2	13	4	5	7	9	12	15	20
2. MULTIPLE DX	1988	9.9	32	4	6	8	11	16	20	31
A. NOT OPERATED	72	5.2	39	<1	1	3	6	13	17	33
B. OPERATED	2584	9.6	27	5	6	8	11	15	19	29
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	255	8.0	18	3	4	7	9	12	15	27
35-49	681	8.9	19	4	5	8	10	14	17	25
50-64	919	9.5	27	5	6	8	11	15	19	27
65+	800	10.4	39	5	6	9	12	17	21	33
GRAND TOTAL	**2656**	**9.5**	**28**	**4**	**5**	**8**	**11**	**15**	**19**	**29**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.4	2	<1	<1	2	3	5	6	6
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	37	1.9	3	<1	<1	1	2	3	6	10
35-49	40	2.0	5	<1	<1	1	2	3	9	11
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.7	1	<1	<1	1	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	50	3.4	12	<1	<1	2	4	10	12	12
35-49	70	4.6	15	<1	<1	3	7	9	11	18
50-64	6	5.7	24	<1	<1	5	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.4	2	<1	1	2	3	5	6	6
B. *Operated*	86	2.0	4	<1	<1	1	2	3	7	11
2. MULTIPLE DX										
A. *Not Operated*	8	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	127	4.2	14	<1	<1	2	7	10	11	17
1. SINGLE DX	98	2.0	4	<1	<1	1	2	3	7	11
2. MULTIPLE DX	135	4.1	14	<1	<1	2	7	9	11	16
A. NOT OPERATED	20	2.3	2	<1	<1	2	3	4	5	6
B. OPERATED	213	3.3	11	<1	<1	2	4	8	11	14
TOTAL 0-19 YRS	5	2.8	6	1	1	2	4	7	7	7
20-34	103	2.7	8	<1	<1	2	3	7	10	12
35-49	113	3.7	13	<1	<1	2	6	8	11	17
50-64	12	3.5	16	<1	<1	1	5	11	11	11
65+										
GRAND TOTAL	**233**	**3.2**	**11**	**<1**	**<1**	**2**	**4**	**8**	**11**	**13**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	2	1	1	2	3	4	5	9
20-34	177	2.2	7	<1	1	2	2	4	5	7
35-49	70	2.4	3	<1	<1	2	3	4	6	9
50-64	3	3.7	4	2	2	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	80	1.7	1	<1	<1	1	2	3	5	6
20-34	1094	2.5	6	<1	<1	1	2	7	8	9
35-49	1155	2.7	7	<1	<1	1	3	7	8	9
50-64	114	2.2	4	<1	<1	1	2	6	7	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.1	6	1	1	3	4	6	7	13
20-34	109	2.4	3	<1	<1	2	3	5	5	9
35-49	77	3.1	11	<1	1	2	4	7	11	17
50-64	9	2.7	2	1	1	2	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	54	2.3	3	<1	<1	2	3	5	7	8
20-34	1317	5.3	13	<1	<1	6	7	9	10	16
35-49	2182	5.6	16	<1	<1	6	8	9	11	17
50-64	239	4.5	15	<1	1	3	7	9	11	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	2.3	5	<1	1	2	3	4	6	8
B. *Operated*	2443	2.5	6	<1	<1	1	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	236	2.8	6	<1	1	2	4	5	7	15
B. *Operated*	3792	5.3	15	<1	<1	6	8	9	11	17
1. SINGLE DX	2744	2.5	6	<1	<1	1	2	7	8	9
2. MULTIPLE DX	4028	5.2	15	<1	<1	6	7	9	11	17
A. NOT OPERATED	537	2.5	6	<1	1	2	3	5	6	12
B. OPERATED	6235	4.2	13	<1	<1	2	7	8	10	15
TOTAL 0-19 YRS	226	2.2	3	<1	1	2	3	5	6	8
20-34	2697	3.8	11	<1	<1	2	6	8	9	14
35-49	3484	4.5	14	<1	<1	3	7	9	10	16
50-64	365	3.8	13	<1	<1	2	7	8	10	15
65+										
GRAND TOTAL	**6772**	**4.1**	**13**	**<1**	**<1**	**2**	**7**	**8**	**10**	**15**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	5	2.0	3	<1	<1	1	3	5	5	5
65+	5	4.0	8	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	114	1.9	4	<1	<1	1	2	3	8	10
50-64	315	1.6	1	<1	<1	1	2	2	3	8
65+	79	2.2	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	7	4.6	11	1	1	5	7	9	9	9
50-64	27	2.7	7	<1	<1	2	4	5	7	14
65+	19	5.4	22	<1	1	4	7	12	17	19
B. *Operated*										
0-19 YRS										
20-34	6	7.0	16	1	1	7	9	13	13	13
35-49	133	3.3	14	<1	<1	2	3	8	10	20
50-64	440	3.1	10	<1	<1	2	3	8	10	15
65+	182	4.5	71	1	1	2	4	9	13	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	5	<1	<1	2	4	6	8	8
B. *Operated*	512	1.8	2	<1	<1	1	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*	55	3.8	14	<1	<1	3	5	9	13	19
B. *Operated*	761	3.5	26	<1	<1	2	4	8	11	16
1. SINGLE DX	524	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	816	3.5	25	<1	<1	2	4	8	11	17
A. NOT OPERATED	67	3.6	12	<1	<1	2	5	8	11	18
B. OPERATED	1273	2.8	17	<1	<1	2	2	7	9	15
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	4.7	16	<1	<1	5	7	11	13	13
35-49	256	2.7	10	<1	<1	2	2	7	9	16
50-64	787	2.5	7	<1	<1	2	2	6	8	14
65+	285	3.9	49	<1	1	2	4	8	11	20
GRAND TOTAL	**1340**	**2.8**	**17**	**<1**	**<1**	**2**	**2**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	8	<1	<1	2	3	7	10	11
20-34	65	2.4	3	<1	<1	2	3	5	6	8
35-49	21	1.6	1	<1	<1	1	2	3	3	3
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	7	6.4	103	<1	<1	2	6	25	29	29
B. *Operated*										
0-19 YRS	32	3.5	9	<1	<1	3	5	7	7	16
20-34	453	3.7	8	<1	1	3	5	7	8	14
35-49	289	3.5	10	<1	<1	2	6	8	8	14
50-64	151	2.8	7	<1	<1	2	3	7	8	11
65+	51	3.3	8	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	<1	<1	1	2	3	3	3
20-34	53	2.8	6	1	1	2	3	6	8	14
35-49	21	3.3	11	<1	<1	2	4	8	11	14
50-64	10	3.9	5	1	1	4	5	7	8	8
65+	19	6.8	12	2	3	6	9	11	14	16
B. *Operated*										
0-19 YRS	51	3.7	4	1	1	3	5	7	8	9
20-34	533	5.3	13	<1	1	5	7	8	10	16
35-49	576	6.1	19	<1	1	6	8	10	12	23
50-64	308	5.4	45	<1	1	3	7	10	13	31
65+	140	9.6	143	1	2	6	11	19	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.5	10	<1	<1	2	3	5	7	17
B. *Operated*	976	3.5	9	<1	1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	116	3.5	9	1	1	2	5	8	10	15
B. *Operated*	1608	6.0	34	<1	1	6	8	10	13	33
1. SINGLE DX	1092	3.4	9	<1	1	2	5	7	8	14
2. MULTIPLE DX	1724	5.8	33	<1	1	5	8	10	13	32
A. NOT OPERATED	232	3.0	10	<1	1	2	4	7	9	15
B. OPERATED	2584	5.0	26	<1	1	4	7	9	11	25
TOTAL 0-19 YRS	115	3.2	6	<1	1	3	4	7	8	13
20-34	1104	4.4	11	<1	1	4	6	8	9	14
35-49	907	5.1	17	<1	1	5	7	9	11	18
50-64	473	4.5	33	<1	<1	2	7	9	11	27
65+	217	7.8	105	1	2	5	9	16	31	51
GRAND TOTAL	**2816**	**4.9**	**25**	**<1**	**1**	**4**	**7**	**9**	**11**	**24**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.0	2	<1	1	1	3	4	4	6
20-34	187	2.3	4	<1	1	2	3	4	6	12
35-49	29	2.4	5	<1	1	2	3	5	9	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	6	6.5	17	2	2	5	11	12	12	12
B. *Operated*										
0-19 YRS	51	2.6	4	<1	<1	2	3	6	7	10
20-34	650	2.9	8	<1	<1	2	4	7	8	13
35-49	312	7.1	15	<1	1	7	9	11	14	19
50-64	138	9.2	16	2	6	9	11	14	16	23
65+	47	10.3	59	2	4	8	12	16	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.4	8	<1	1	2	5	7	8	15
20-34	142	2.5	6	<1	<1	2	3	5	7	14
35-49	42	4.2	15	<1	1	3	5	11	13	14
50-64	11	5.1	18	<1	<1	4	9	10	12	12
65+	13	14.4	401	1	1	9	14	35	69	77
B. *Operated*										
0-19 YRS	35	3.5	7	<1	1	2	5	7	9	10
20-34	1297	4.4	12	<1	<1	4	7	8	9	15
35-49	609	7.5	24	1	1	7	9	12	15	24
50-64	235	11.7	40	4	6	11	14	18	23	29
65+	120	12.0	89	2	4	11	15	18	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	2.2	4	<1	1	2	3	4	5	11
B. *Operated*	1198	5.0	19	<1	<1	4	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	269	3.7	32	<1	1	2	5	8	11	16
B. *Operated*	2296	6.3	29	<1	1	6	8	12	15	24
1. SINGLE DX	1574	4.3	17	<1	<1	2	7	10	11	17
2. MULTIPLE DX	2565	6.1	30	<1	1	6	8	12	15	24
A. NOT OPERATED	645	2.8	16	<1	1	2	3	6	9	14
B. OPERATED	3494	5.9	26	<1	<1	6	8	11	14	23
TOTAL 0-19 YRS	299	2.6	4	<1	1	2	3	6	7	10
20-34	2276	3.7	11	<1	<1	2	6	8	9	14
35-49	992	7.1	22	<1	1	7	9	12	14	22
50-64	386	10.5	33	2	6	9	13	17	21	29
65+	186	11.5	100	2	3	10	14	18	26	67
GRAND TOTAL	**4139**	**5.4**	**26**	**<1**	**1**	**5**	**8**	**11**	**14**	**22**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	1.6	1	<1	<1	1	2	3	4	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.9	3	1	3	5	6	7	8	8
20-34	497	5.1	3	3	3	5	6	7	8	12
35-49	44	4.9	2	3	3	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	9	2.6	1	1	1	2	3	4	4	4
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	4.8	2	2	2	5	6	7	7	7
20-34	366	5.6	4	3	4	5	6	8	10	13
35-49	57	6.0	4	3	4	6	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	564	5.1	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	13	3.0	4	<1	1	2	4	6	8	8
B. *Operated*	435	5.7	4	3	4	5	6	8	10	13
1. SINGLE DX	584	4.9	3	2	3	5	6	7	8	11
2. MULTIPLE DX	448	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	33	2.2	3	<1	<1	2	3	4	6	8
B. OPERATED	999	5.3	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	38	4.7	3	1	2	5	6	7	7	8
20-34	890	5.2	4	2	3	5	6	7	8	12
35-49	104	5.4	4	3	3	5	6	8	9	12
50-64										
65+										
GRAND TOTAL	**1032**	**5.2**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	702	1.2		<1	<1	<1	1	2	2	3
20-34	1437	1.1	1	<1	<1	<1	<1	1	2	3
35-49	87	1.2		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	281	1.6	1	<1	<1	1	2	2	3	6
20-34	1097	1.8	4	<1	<1	1	2	3	4	8
35-49	241	2.2	3	<1	<1	2	3	4	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.3		<1	<1	1	1	2	3	3
B. *Operated*	2226	1.2	1	<1	<1	<1	<1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	1619	1.8	4	<1	<1	1	2	3	4	8
1. SINGLE DX	2236	1.2	1	<1	<1	<1	<1	2	2	3
2. MULTIPLE DX	1624	1.8	4	<1	<1	1	2	3	4	8
A. NOT OPERATED	15	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	3845	1.4	2	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	986	1.3	1	<1	<1	<1	1	2	2	4
20-34	2545	1.4	2	<1	<1	<1	1	2	3	6
35-49	329	1.9	2	<1	<1	1	2	4	5	8
50-64										
65+										
GRAND TOTAL	**3860**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	2.2	4	<1	1	2	3	4	5	13
20-34	612	1.9	2	<1	1	1	2	3	5	7
35-49	63	2.0	2	<1	1	1	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	364	1.8	2	<1	<1	1	2	3	4	7
20-34	3267	1.7	2	<1	<1	1	2	3	4	7
35-49	321	1.7	2	<1	<1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	3	3
20-34	81	2.2	3	<1	1	2	3	4	6	10
35-49	4	5.3	18	2	2	4	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	49	2.2	2	<1	1	2	3	5	5	8
20-34	539	2.3	7	<1	1	1	3	5	7	13
35-49	119	2.3	4	<1	1	2	3	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	3952	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	97	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	707	2.3	6	<1	1	1	3	5	7	12
1. SINGLE DX	4718	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	804	2.3	6	<1	1	2	3	5	6	11
A. NOT OPERATED	863	2.0	2	<1	1	1	2	4	5	8
B. OPERATED	4659	1.8	2	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	516	1.9	2	<1	1	1	2	3	5	9
20-34	4499	1.8	2	<1	<1	1	2	3	5	8
35-49	507	1.9	2	<1	1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	5522	1.8	2	<1	<1	1	2	3	5	8

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.4	3	1	1	3	5	6	7	7
20-34	159	2.8	4	<1	1	2	4	5	7	9
35-49	8	3.4	4	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	48	2.5	4	<1	1	2	3	4	6	13
20-34	638	1.9	2	<1	1	2	2	3	4	8
35-49	43	2.0	3	<1	<1	1	2	4	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	3	1	2	4	5	7	8	8
20-34	51	3.5	6	1	1	3	5	7	8	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.4	7	<1	1	3	4	7	9	12
20-34	194	3.2	14	<1	1	2	4	6	8	22
35-49	32	2.4	7	<1	<1	2	2	5	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.0	4	1	1	3	4	6	7	9
B. *Operated*	729	2.0	3	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	68	3.6	5	1	1	3	5	7	8	11
B. *Operated*	250	3.1	12	<1	1	2	4	6	8	21
1. SINGLE DX	939	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	318	3.2	11	<1	1	2	4	6	8	18
A. NOT OPERATED	278	3.1	4	1	1	3	4	6	7	9
B. OPERATED	979	2.3	5	<1	1	2	2	4	6	12
TOTAL 0-19 YRS	131	3.1	4	1	1	3	4	6	7	12
20-34	1042	2.4	5	<1	1	2	3	5	6	10
35-49	84	2.3	5	<1	<1	2	3	4	7	11
50-64										
65+										
GRAND TOTAL	1257	2.4	5	<1	1	2	3	5	6	11

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	130	2.8	7	1	1	2	3	5	6	14
20-34	983	3.0	5	1	1	2	4	5	7	11
35-49	58	2.6	3	<1	1	2	3	4	6	10
50-64										
65+										
B. ***Operated***										
0-19 YRS										
20-34	19	2.7	6	<1	<1	2	3	7	9	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	24	4.0	13	<1	1	3	5	8	13	15
20-34	214	4.0	20	1	1	3	5	8	11	26
35-49	17	5.3	18	1	1	4	8	12	14	15
50-64										
65+										
B. ***Operated***										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	13	3	3	5	9	10	10	10
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	1171	2.9	5	1	1	2	4	5	7	11
B. ***Operated***	21	2.6	5	<1	<1	2	3	6	9	9
2. MULTIPLE DX										
A. ***Not Operated***	255	4.1	19	1	1	3	5	8	11	23
B. ***Operated***	4	5.0	13	2	2	4	7	10	10	10
1. SINGLE DX	1192	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	259	4.1	19	1	1	3	5	9	11	23
A. NOT OPERATED	1426	3.1	8	1	1	2	4	6	8	13
B. OPERATED	25	3.0	7	<1	1	2	3	9	9	10
TOTAL 0-19 YRS	155	3.0	8	1	1	2	3	5	8	15
20-34	1219	3.1	8	1	1	2	4	6	8	13
35-49	77	3.1	7	1	1	2	4	6	10	14
50-64										
65+										
GRAND TOTAL	**1451**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	33	4.0	23	1	1	3	4	7	9	28
35-49										
50-64										
65+										
B. ***Operated***										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS										
20-34	7	4.1	8	<1	<1	3	7	8	8	8
35-49										
50-64										
65+										
B. ***Operated***										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	36	3.7	22	1	1	3	4	7	8	28
B. ***Operated***	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. ***Not Operated***	7	4.1	8	<1	<1	3	7	8	8	8
B. ***Operated***	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	37	3.8	22	1	1	3	4	7	9	28
2. MULTIPLE DX	8	4.8	10	<1	<1	5	7	9	9	9
A. NOT OPERATED	43	3.8	19	<1	1	3	4	7	8	28
B. OPERATED	2	8.5	1	8	8	8	9	9	9	9
TOTAL 0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	42	4.2	20	1	1	3	6	8	9	28
35-49										
50-64										
65+										
GRAND TOTAL	**45**	**4.0**	**19**	**<1**	**1**	**3**	**5**	**8**	**9**	**28**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.2	10	1	1	3	5	9	11	15
20-34	402	4.0	9	1	1	3	5	7	9	15
35-49	36	4.3	9	2	2	3	5	9	12	13
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.5	30	1	1	2	5	11	19	22
20-34	119	3.9	6	1	2	3	5	7	9	13
35-49	17	5.6	34	<1	1	4	6	14	21	24
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.5	5	1	2	5	6	8	9	9
20-34	136	5.1	48	1	1	3	6	10	13	34
35-49	10	3.8	6	2	2	3	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	12	7.2	30	2	2	6	9	16	19	20
20-34	76	4.8	16	1	1	3	6	10	14	17
35-49	5	4.2	11	2	2	3	5	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	4.1	9	1	1	3	5	8	10	15
B. *Operated*	151	4.1	12	1	1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	165	4.9	40	1	1	3	6	9	12	27
B. *Operated*	93	5.1	18	1	1	3	7	11	15	19
1. SINGLE DX	638	4.1	9	1	1	3	5	8	10	16
2. MULTIPLE DX	258	5.0	32	1	1	3	6	10	13	23
A. NOT OPERATED	652	4.3	17	1	1	3	5	8	10	16
B. OPERATED	244	4.5	14	1	1	3	5	10	12	20
TOTAL 0-19 YRS	95	4.7	15	1	1	3	6	9	11	21
20-34	733	4.3	16	1	1	3	5	8	10	16
35-49	68	4.5	15	1	2	3	5	9	12	22
50-64										
65+										
GRAND TOTAL	**896**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.0	8	1	2	3	5	7	9	17
20-34	712	5.2	20	2	2	4	6	9	13	24
35-49	27	6.2	23	2	3	4	7	11	19	22
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.4	3	1	1	2	3	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.6	7	1	1	3	5	7	9	13
20-34	214	6.1	52	1	2	4	7	10	15	42
35-49	8	7.8	17	3	3	7	11	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	12	3.3	9	1	1	3	4	7	11	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	835	5.1	19	1	2	4	6	9	13	22
B. *Operated*	7	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	259	5.8	45	1	2	4	7	10	14	41
B. *Operated*	14	3.1	8	1	1	3	4	5	10	12
1. SINGLE DX	842	5.0	19	1	2	4	6	9	13	22
2. MULTIPLE DX	273	5.7	43	1	1	4	6	10	14	41
A. NOT OPERATED	1094	5.2	25	1	2	4	6	9	13	25
B. OPERATED	21	3.1	7	1	1	3	4	6	9	12
TOTAL 0-19 YRS	136	3.9	8	1	1	3	5	7	9	15
20-34	943	5.3	27	1	2	4	6	10	14	29
35-49	36	6.6	21	2	3	5	8	12	17	22
50-64										
65+										
GRAND TOTAL	**1115**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	463	1.3	1	<1	<1	1	1	2	3	4
20-34	2651	1.3	2	<1	<1	1	1	2	2	5
35-49	97	1.3	1	<1	<1	1	1	2	3	8
50-64										
65+										
B. *Operated*										
0-19 YRS	90	1.4	1	<1	<1	1	1	2	3	6
20-34	494	1.5	2	<1	<1	1	1	3	4	6
35-49	18	1.5	3	<1	<1	1	1	2	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	1.7	2	<1	<1	1	2	4	5	6
20-34	271	1.8	6	<1	<1	1	2	3	6	13
35-49	11	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.1	31	<1	<1	1	6	14	17	17
20-34	104	2.1	7	<1	<1	1	2	4	5	18
35-49	4	1.5	1	<1	<1	<1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3211	1.3	2	<1	<1	1	1	2	3	5
B. *Operated*	602	1.5	2	<1	<1	1	1	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	324	1.8	5	<1	<1	1	2	3	5	12
B. *Operated*	117	2.2	9	<1	<1	1	2	4	6	19
1. SINGLE DX	3813	1.3	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX	441	1.9	6	<1	<1	1	2	3	5	14
A. NOT OPERATED	3535	1.3	2	<1	<1	1	1	2	3	6
B. OPERATED	719	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	604	1.4	1	<1	<1	1	1	2	3	5
20-34	3520	1.4	2	<1	<1	1	1	2	3	7
35-49	130	1.4	1	<1	<1	1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**4254**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6		<1	<1	2	2	2	2	2
20-34	91	4.3	23	1	1	3	5	7	13	30
35-49	11	6.0	8	1	2	6	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	41	9.3	170	1	1	4	8	27	41	60
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	11.6	280	1	2	4	8	37	52	64
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	7.9	49	3	3	5	9	19	26	26
35-49	3	6.3	26	2	2	5	10	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.3	21	1	1	3	5	8	12	28
B. *Operated*	47	8.6	152	1	1	4	8	22	40	60
2. MULTIPLE DX										
A. *Not Operated*	23	10.2	239	1	2	4	8	36	47	64
B. *Operated*	13	7.5	41	2	3	5	10	15	24	26
1. SINGLE DX	154	5.6	64	1	1	3	6	10	21	44
2. MULTIPLE DX	36	9.3	166	1	2	5	8	26	37	64
A. NOT OPERATED	130	5.4	63	1	1	3	5	9	18	43
B. OPERATED	60	8.4	127	1	1	4	8	22	37	58
TOTAL 0-19 YRS	9	3.2	5	<1	<1	2	4	7	8	8
20-34	161	6.6	98	1	1	4	6	13	30	58
35-49	20	5.1	10	1	1	4	7	10	11	12
50-64										
65+										
GRAND TOTAL	**190**	**6.3**	**85**	**1**	**1**	**4**	**6**	**12**	**23**	**54**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.2	1	<1	<1	2	3	4	4	4
20-34	374	2.8	7	<1	<1	2	4	5	7	15
35-49	25	3.6	9	<1	1	3	4	8	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.7	3	<1	<1	2	4	5	6	6
20-34	151	2.8	10	<1	<1	2	3	5	7	21
35-49	6	6.7	104	1	1	2	7	25	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	1	<1	1	2	3	4	4	4
20-34	111	3.4	12	1	1	3	4	6	8	22
35-49	6	2.8	2	<1	<1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.1	71	1	1	3	11	22	24	24
20-34	71	4.6	52	1	1	3	4	9	15	48
35-49	8	4.9	18	2	2	3	6	12	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	2.8	7	<1	<1	2	4	5	7	14
B. *Operated*	174	2.9	13	<1	<1	2	3	5	7	25
2. MULTIPLE DX										
A. *Not Operated*	132	3.2	11	<1	1	2	4	6	8	22
B. *Operated*	86	4.9	49	1	1	3	4	10	15	44
1. SINGLE DX	615	2.8	9	<1	<1	2	3	5	7	16
2. MULTIPLE DX	218	3.9	26	1	1	3	4	7	12	24
A. NOT OPERATED	573	2.9	8	<1	1	2	4	5	7	15
B. OPERATED	260	3.5	25	<1	1	2	4	7	11	26
TOTAL 0-19 YRS	81	2.7	9	<1	<1	2	3	4	5	21
20-34	707	3.1	13	<1	1	2	4	6	8	20
35-49	45	4.1	21	<1	1	3	4	8	14	27
50-64										
65+										
GRAND TOTAL	**833**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**5**	**8**	**21**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.2	6	1	1	3	4	7	8	13
20-34	243	3.0	4	<1	<1	3	4	6	7	10
35-49	4	3.5	3	1	1	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.4	3	1	2	3	4	6	7	7
20-34	28	3.1	4	<1	1	3	4	6	7	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.7	8	1	1	3	4	6	9	16
20-34	309	4.0	15	1	1	3	5	7	9	13
35-49	15	2.9	3	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.5	5	<1	1	4	5	6	8	9
20-34	75	3.3	10	<1	1	2	4	7	10	17
35-49	4	6.8	42	1	1	5	11	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	3.1	4	<1	1	3	4	6	7	10
B. *Operated*	40	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	422	3.9	13	1	1	3	5	7	9	14
B. *Operated*	94	3.5	11	<1	1	3	4	7	11	17
1. SINGLE DX	354	3.1	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	516	3.8	13	1	1	3	5	7	9	15
A. NOT OPERATED	736	3.6	10	<1	1	3	5	6	8	13
B. OPERATED	134	3.4	9	<1	1	3	4	6	9	16
TOTAL 0-19 YRS	192	3.5	7	1	1	3	4	6	8	14
20-34	655	3.5	10	<1	1	3	5	7	8	12
35-49	23	3.7	10	1	1	4	5	5	9	16
50-64										
65+										
GRAND TOTAL	**870**	**3.5**	**9**	**<1**	**1**	**3**	**5**	**6**	**8**	**14**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	66	<1	<1	3	5	8	19	42
20-34	229	4.9	30	<1	1	4	6	10	14	25
35-49	26	4.3	9	<1	<1	4	7	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3	6.0	75	<1	<1	<1	12	16	16	16
20-34	30	4.2	12	1	1	3	8	9	10	11
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.6	61	<1	1	2	3	5	6	53
20-34	641	4.2	28	<1	1	3	5	8	12	31
35-49	38	4.9	13	1	2	4	7	11	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	58	2.4	3	<1	<1	2	3	4	6	9
20-34	248	3.6	15	<1	1	2	5	8	10	24
35-49	17	4.3	13	<1	<1	3	6	9	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.8	31	<1	1	3	6	9	13	35
B. *Operated*	35	4.5	16	<1	1	3	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	772	4.1	31	<1	1	3	5	8	12	32
B. *Operated*	323	3.5	13	<1	<1	2	4	8	9	17
1. SINGLE DX	315	4.8	29	<1	1	3	6	10	12	28
2. MULTIPLE DX	1095	3.9	26	<1	1	2	5	8	11	26
A. NOT OPERATED	1052	4.3	31	<1	1	3	5	8	12	32
B. OPERATED	358	3.6	14	<1	<1	2	5	8	10	16
TOTAL 0-19 YRS	179	3.5	43	<1	<1	2	3	6	8	41
20-34	1148	4.2	25	<1	1	3	5	9	12	25
35-49	83	4.7	11	<1	1	4	7	9	12	15
50-64										
65+										
GRAND TOTAL	**1410**	**4.1**	**27**	**<1**	**1**	**3**	**5**	**8**	**11**	**26**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	2.3	6	<1	<1	1	3	5	7	16
20-34	1311	3.2	28	<1	<1	2	3	6	10	24
35-49	76	3.1	17	<1	<1	1	4	8	8	24
50-64										
65+										
B. *Operated*										
0-19 YRS	90	2.5	5	<1	<1	2	3	6	8	12
20-34	1012	3.1	19	<1	<1	2	3	6	9	24
35-49	43	2.6	5	<1	<1	1	3	6	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.2	10	<1	<1	2	4	7	9	17
20-34	724	4.1	48	<1	<1	2	4	8	12	42
35-49	37	4.3	22	<1	1	2	6	12	18	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	66	5.0	81	<1	<1	2	6	9	16	61
20-34	588	4.0	45	<1	<1	2	5	8	12	29
35-49	37	4.2	28	<1	<1	2	5	10	16	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1614	3.0	24	<1	<1	1	3	6	9	23
B. *Operated*	1145	3.0	18	<1	<1	2	3	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	851	4.1	43	<1	<1	2	4	8	12	41
B. *Operated*	691	4.1	47	<1	<1	2	5	8	12	29
1. SINGLE DX	2759	3.0	22	<1	<1	2	3	6	9	23
2. MULTIPLE DX	1542	4.1	45	<1	<1	2	5	8	12	34
A. NOT OPERATED	2465	3.4	31	<1	<1	2	4	7	10	28
B. OPERATED	1836	3.4	29	<1	<1	2	4	7	10	24
TOTAL 0-19 YRS	473	2.9	18	<1	<1	2	3	6	8	17
20-34	3635	3.5	32	<1	<1	2	4	7	11	27
35-49	193	3.4	18	<1	<1	2	4	8	11	26
50-64										
65+										
GRAND TOTAL	**4301**	**3.4**	**30**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	2	1	2	4	5	6	6	6
20-34	117	4.6	13	2	3	4	5	6	8	23
35-49	11	3.6	1	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.4	2	3	3	4	5	7	7	7
20-34	62	5.6	10	3	3	5	7	8	10	23
35-49	9	8.7	91	3	4	6	6	23	34	34
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	4	<1	2	5	6	7	8	8
20-34	141	5.0	16	2	2	4	5	8	10	23
35-49	9	3.7	5	1	1	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	31	7.4	53	3	4	6	8	11	12	44
20-34	417	9.4	118	3	4	6	9	19	30	62
35-49	46	9.3	132	3	3	6	10	15	19	78
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.5	11	2	3	4	5	6	7	18
B. *Operated*	78	5.9	19	3	3	5	6	8	11	31
2. MULTIPLE DX										
A. *Not Operated*	164	4.9	15	2	2	4	5	8	10	20
B. *Operated*	494	9.3	115	3	4	6	9	17	29	63
1. SINGLE DX	217	5.0	14	3	3	4	5	7	8	27
2. MULTIPLE DX	658	8.2	93	3	3	5	8	16	26	60
A. NOT OPERATED	303	4.7	13	2	3	4	5	7	8	18
B. OPERATED	572	8.8	103	3	4	6	8	17	28	62
TOTAL 0-19 YRS	63	5.9	29	2	3	5	7	9	11	40
20-34	737	7.5	77	3	3	5	7	14	24	57
35-49	75	7.7	97	2	3	5	8	15	17	67
50-64										
65+										
GRAND TOTAL	875	7.4	76	3	3	5	7	13	22	54

270: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1241	4.3	2	2	3	4	5	6	7	9
20-34	10600	4.0	2	2	3	4	5	6	6	8
35-49	390	4.0	2	2	3	4	5	6	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	225	4.6	3	3	3	4	5	6	7	11
20-34	2005	4.4	2	3	3	4	5	6	7	9
35-49	74	4.4	2	3	3	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.7	2	2	3	5	5	6	7	9
20-34	831	4.3	3	2	3	4	5	6	7	9
35-49	60	4.0	4	2	2	4	5	6	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	55	5.3	8	3	3	5	6	8	10	19
20-34	1617	4.8	3	3	3	4	5	6	8	10
35-49	173	4.7	2	3	3	4	6	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12231	4.1	2	2	3	4	5	6	6	8
B. *Operated*	2304	4.4	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	967	4.3	3	2	3	4	5	6	7	9
B. *Operated*	1845	4.8	4	3	3	4	5	6	8	10
1. SINGLE DX	14535	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	2812	4.6	3	3	3	4	5	6	7	10
A. NOT OPERATED	13198	4.1	2	2	3	4	5	6	6	8
B. OPERATED	4149	4.6	3	3	3	4	5	6	7	10
TOTAL 0-19 YRS	1597	4.4	2	2	3	4	5	6	7	10
20-34	15053	4.2	2	2	3	4	5	6	7	8
35-49	697	4.2	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	17347	4.2	2	2	3	4	5	6	7	9

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	18.5	221	8	8	18	29	29	29	29
20-34	30	14.7	290	4	5	7	11	37	45	82
35-49	6	8.7	32	5	5	7	8	19	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	3	6.3	2	5	5	6	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	19.2	371	7	7	14	24	53	53	53
20-34	123	15.5	265	4	5	9	20	34	47	95
35-49	12	15.5	351	7	7	8	12	41	68	72
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.5	4	2	2	4	5	8	8	8
B. *Operated*	38	13.9	244	4	5	7	11	34	43	82
2. MULTIPLE DX										
A. *Not Operated*	8	4.9	4	2	2	5	6	7	8	8
B. *Operated*	140	15.7	271	4	5	9	19	35	57	94
1. SINGLE DX	44	12.7	221	3	4	7	10	30	41	82
2. MULTIPLE DX	148	15.1	263	4	5	8	17	34	53	93
A. NOT OPERATED	14	4.7	4	2	2	5	6	8	8	8
B. OPERATED	178	15.3	264	4	5	8	19	35	49	90
TOTAL 0-19 YRS	9	15.9	254	2	4	8	18	43	53	53
20-34	161	14.8	260	4	5	8	18	35	43	92
35-49	22	11.8	210	4	5	8	10	22	46	72
50-64										
65+										
GRAND TOTAL	**192**	**14.5**	**253**	**4**	**5**	**8**	**17**	**34**	**44**	**88**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	4	<1	<1	3	4	6	8	8
20-34	72	4.2	25	1	1	3	5	6	7	36
35-49	6	4.0	8	1	1	4	4	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	5	5.2	8	1	1	6	7	8	8	8
20-34	56	5.6	14	3	3	5	6	7	10	26
35-49	4	5.5	3	3	3	6	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.6	45	1	1	4	5	15	24	24
20-34	71	5.1	66	1	1	4	5	6	13	56
35-49	5	3.6	4	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	17	6.9	18	2	3	7	8	10	17	21
20-34	260	6.8	35	3	3	6	7	10	17	39
35-49	29	8.0	39	3	4	6	8	14	19	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.0	21	1	1	3	5	6	8	31
B. *Operated*	65	5.5	13	2	3	5	6	7	9	26
2. MULTIPLE DX										
A. *Not Operated*	86	5.1	60	1	1	4	5	7	13	52
B. *Operated*	306	6.9	35	3	3	6	7	11	18	37
1. SINGLE DX	154	4.6	18	1	2	4	6	7	8	27
2. MULTIPLE DX	392	6.5	41	2	3	5	7	10	17	38
A. NOT OPERATED	175	4.5	40	1	1	3	5	6	9	41
B. OPERATED	371	6.7	31	3	3	6	7	10	17	35
TOTAL 0-19 YRS	43	5.4	21	1	1	5	7	8	14	24
20-34	459	6.0	37	2	2	5	6	8	14	39
35-49	44	6.7	30	2	3	6	7	11	17	35
50-64										
65+										
GRAND TOTAL	**546**	**6.0**	**35**	**2**	**2**	**5**	**7**	**9**	**14**	**37**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3		3	3	3	4	4	4	4
20-34	35	3.7	2	1	2	4	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.5	2	1	1	3	4	5	6	6
20-34	193	4.1	3	1	2	4	5	6	7	10
35-49	11	3.8	2	<1	1	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	33	4.2	4	1	2	4	5	6	6	13
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.0	5	3	3	5	6	7	10	12
20-34	186	4.6	5	2	3	4	5	7	7	12
35-49	13	5.3	3	3	3	5	7	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.7	1	1	2	4	4	5	6	6
B. *Operated*	214	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	35	4.3	4	1	2	4	5	6	6	13
B. *Operated*	222	4.7	5	2	3	4	5	7	8	12
1. SINGLE DX	256	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX	257	4.7	5	2	3	4	5	7	8	13
A. NOT OPERATED	77	3.9	3	1	2	4	5	6	6	11
B. OPERATED	436	4.4	4	1	3	4	5	6	7	10
TOTAL 0-19 YRS	41	4.3	4	2	3	4	5	6	8	12
20-34	447	4.3	4	1	3	4	5	6	7	10
35-49	25	4.6	3	1	3	5	6	7	7	8
50-64										
65+										
GRAND TOTAL	**513**	**4.3**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.4	30	3	3	5	5	7	8	34
20-34	201	4.2	2	2	3	4	5	6	7	8
35-49	8	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.8	1	2	2	4	5	5	5	5
20-34	56	4.7	3	3	3	4	5	7	8	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9		3	3	4	4	5	5	5
20-34	96	4.6	2	3	3	4	5	6	8	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.9	1	3	3	5	6	6	6	6
20-34	103	5.0	4	3	3	5	6	7	8	14
35-49	4	6.0	3	4	4	6	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.3	5	2	3	4	5	6	7	9
B. *Operated*	63	4.6	3	3	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	105	4.5	2	3	3	4	5	6	7	9
B. *Operated*	117	5.0	4	3	3	5	6	7	8	13
1. SINGLE DX	303	4.4	5	2	3	4	5	6	7	10
2. MULTIPLE DX	222	4.8	3	3	3	5	5	7	8	11
A. NOT OPERATED	345	4.4	4	3	3	4	5	6	7	9
B. OPERATED	180	4.9	3	3	3	5	6	7	8	12
TOTAL 0-19 YRS	55	4.9	18	3	3	4	5	6	7	33
20-34	456	4.5	3	3	3	4	5	6	7	10
35-49	14	4.4	2	2	3	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	**525**	**4.5**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	9.1	64	3	4	7	9	19	32	34
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	14	15.4	274	4	5	8	16	48	55	57
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	43	7.0	14	2	3	6	9	11	15	19
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	11.3	145	5	5	7	10	30	43	43
20-34	263	12.1	152	4	5	7	12	30	40	75
35-49	25	13.4	273	4	4	7	13	19	63	72
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.7	61	3	3	6	9	19	31	34
B. *Operated*	15	14.9	258	4	5	8	15	47	54	57
2. MULTIPLE DX										
A. *Not Operated*	46	6.9	14	2	3	6	8	11	14	19
B. *Operated*	297	12.2	161	4	5	7	12	29	41	74
1. SINGLE DX	42	10.9	136	3	4	7	9	26	39	57
2. MULTIPLE DX	343	11.5	144	4	4	7	11	24	40	72
A. NOT OPERATED	73	7.5	31	3	3	6	8	12	19	33
B. OPERATED	312	12.3	165	4	5	7	12	30	42	73
TOTAL 0-19 YRS	11	10.3	122	5	5	6	9	24	41	43
20-34	345	11.4	136	4	4	7	11	26	39	68
35-49	29	12.1	244	3	4	7	12	19	61	72
50-64										
65+										
GRAND TOTAL	**385**	**11.4**	**143**	**4**	**4**	**7**	**11**	**24**	**40**	**71**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	1	3	3	5	5	6	6	6
20-34	65	4.3	2	2	3	4	5	6	6	10
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	31	6.3	5	3	4	6	8	9	10	12
20-34	432	5.9	3	3	4	6	7	8	9	11
35-49	16	6.3	4	3	4	6	7	8	10	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	3	1	1	5	5	6	6	6
20-34	34	4.8	6	1	2	5	6	6	10	14
35-49	5	17.0	784	2	2	5	21	67	67	67
50-64										
65+										
B. *Operated*										
0-19 YRS	49	7.1	10	2	4	7	8	10	12	18
20-34	831	6.6	13	3	4	6	7	9	12	21
35-49	61	7.6	25	3	4	7	8	11	18	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.3	2	3	3	4	5	6	6	10
B. *Operated*	479	5.9	3	3	4	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	45	6.1	92	1	2	5	6	6	12	67
B. *Operated*	941	6.6	13	3	4	6	7	9	12	22
1. SINGLE DX	553	5.7	3	3	4	6	7	8	9	11
2. MULTIPLE DX	986	6.6	17	3	4	6	7	9	12	22
A. NOT OPERATED	119	4.9	36	2	3	4	5	6	7	30
B. OPERATED	1420	6.4	10	3	4	6	7	9	10	20
TOTAL 0-19 YRS	91	6.5	8	2	3	6	8	10	10	18
20-34	1362	6.2	9	3	4	6	7	8	10	19
35-49	86	7.7	61	3	4	6	8	10	16	55
50-64										
65+										
GRAND TOTAL	**1539**	**6.3**	**12**	**3**	**4**	**6**	**7**	**9**	**10**	**20**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	1	2	3	4	4	5	5	5
20-34	154	4.0	1	2	3	4	5	5	6	7
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.8	2	3	3	5	6	7	7	8
20-34	482	5.1	3	3	3	5	6	7	8	12
35-49	23	5.7	8	2	3	5	7	9	11	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.1	1	2	2	4	5	5	5	5
20-34	183	4.4	2	2	3	4	5	6	7	9
35-49	11	4.6	3	1	2	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	143	6.2	8	3	4	6	7	9	11	18
20-34	1807	5.7	6	3	4	5	7	8	9	15
35-49	128	5.8	5	3	3	6	7	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.0	1	2	3	4	4	5	6	7
B. *Operated*	553	5.1	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	204	4.4	2	2	3	4	5	6	7	9
B. *Operated*	2078	5.7	6	3	4	5	7	8	9	16
1. SINGLE DX	723	4.8	3	3	3	4	6	7	8	11
2. MULTIPLE DX	2282	5.6	6	3	3	5	7	8	9	15
A. NOT OPERATED	374	4.2	2	2	3	4	5	6	7	8
B. OPERATED	2631	5.6	6	3	3	5	7	8	9	15
TOTAL 0-19 YRS	214	5.6	6	3	3	5	7	8	9	17
20-34	2626	5.4	5	3	3	5	6	8	9	14
35-49	165	5.7	5	3	3	5	7	9	10	13
50-64										
65+										
GRAND TOTAL	**3005**	**5.4**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**14**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	18	3.7	2	<1	1	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	62	7.0	10	4	5	7	7	9	11	25
20-34	470	6.4	2	4	5	6	7	8	9	11
35-49	12	7.2	18	3	4	6	7	12	19	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	8	3.9	1	3	3	4	5	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	168	7.2	7	5	5	7	8	9	12	19
20-34	1427	7.0	11	4	5	6	7	9	11	19
35-49	97	7.1	6	4	5	7	8	10	12	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.0	2	1	2	4	5	6	7	8
B. *Operated*	544	6.5	3	4	5	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	10	4.2	2	3	3	4	5	6	6	6
B. *Operated*	1692	7.0	10	4	5	6	8	9	11	19
1. SINGLE DX	565	6.4	4	4	5	6	7	8	9	12
2. MULTIPLE DX	1702	7.0	10	4	5	6	8	9	11	19
A. NOT OPERATED	31	4.1	2	1	2	4	5	6	6	8
B. OPERATED	2236	6.9	9	4	5	6	7	9	11	17
TOTAL 0-19 YRS	235	7.1	8	4	5	7	8	9	11	20
20-34	1923	6.8	9	4	5	6	7	9	10	17
35-49	109	7.1	7	4	5	7	8	10	12	18
50-64										
65+										
GRAND TOTAL	**2267**	**6.9**	**9**	**4**	**5**	**6**	**7**	**9**	**11**	**17**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	3	2	3	5	5	7	8	10
20-34	242	4.6	2	3	3	4	5	6	7	10
35-49	13	3.8	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	63	5.3	3	3	4	5	7	7	8	10
20-34	513	4.9	3	3	3	5	6	7	8	10
35-49	14	4.5	2	3	3	4	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.8	3	3	3	4	5	6	8	12
20-34	273	5.0	4	3	3	5	6	7	8	11
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	163	5.9	4	4	4	5	7	8	9	14
20-34	1801	5.5	5	3	4	5	6	8	9	14
35-49	119	6.0	6	3	3	6	7	9	11	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	4.6	2	3	3	4	5	6	7	10
B. *Operated*	590	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	307	5.0	4	3	3	5	6	7	8	12
B. *Operated*	2083	5.5	5	3	4	5	6	8	9	14
1. SINGLE DX	882	4.8	2	3	3	5	6	7	8	10
2. MULTIPLE DX	2390	5.5	5	3	4	5	6	8	9	14
A. NOT OPERATED	599	4.8	3	3	3	5	5	6	8	11
B. OPERATED	2673	5.4	5	3	3	5	6	8	9	13
TOTAL 0-19 YRS	292	5.5	4	3	4	5	7	8	9	12
20-34	2829	5.2	4	3	3	5	6	7	8	12
35-49	151	5.6	5	3	3	5	7	9	10	13
50-64										
65+										
GRAND TOTAL	**3272**	**5.3**	**4**	**3**	**3**	**5**	**6**	**7**	**9**	**12**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	1	2	2	4	5	6	6	6
20-34	46	5.2	53	2	3	4	5	6	7	53
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.9	4	3	3	6	8	9	9	9
20-34	141	4.8	3	3	3	4	6	7	8	9
35-49	7	5.3	3	3	3	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	4.9	3	2	4	4	6	7	8	12
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	22	5.9	7	3	3	5	6	10	12	13
20-34	346	7.0	58	3	3	6	7	9	13	55
35-49	33	12.2	301	3	4	6	9	44	80	99+
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.9	45	2	2	4	5	6	7	51
B. *Operated*	160	4.9	3	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	44	4.8	3	2	3	4	6	7	8	12
B. *Operated*	401	7.4	76	3	3	6	7	9	14	63
1. SINGLE DX	215	4.9	13	3	3	4	6	7	8	10
2. MULTIPLE DX	445	7.1	69	3	3	6	7	9	13	59
A. NOT OPERATED	99	4.9	26	2	3	4	5	6	7	33
B. OPERATED	561	6.7	56	3	3	5	7	9	12	55
TOTAL 0-19 YRS	41	5.6	5	3	3	5	7	9	10	13
20-34	574	6.2	41	3	3	5	7	8	10	50
35-49	45	10.1	232	3	3	6	8	28	57	99+
50-64										
65+										
GRAND TOTAL	**660**	**6.4**	**52**	**3**	**3**	**5**	**7**	**8**	**11**	**55**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	33	4.4	3	2	3	4	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	34	6.3	3	4	5	6	7	8	8	11
20-34	1670	6.4	2	4	5	6	7	8	8	10
35-49	81	7.2	9	4	5	7	8	8	12	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	4.7	6	<1	1	5	6	8	10	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	26	8.1	16	5	6	7	8	11	16	25
20-34	2325	7.0	13	5	5	7	7	9	10	18
35-49	266	7.5	14	5	5	7	8	9	11	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	3	2	3	4	5	7	8	8
B. *Operated*	1785	6.5	3	4	5	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	13	4.8	6	<1	1	5	6	8	10	10
B. *Operated*	2617	7.1	13	5	5	7	8	9	10	19
1. SINGLE DX	1821	6.4	3	4	5	6	7	8	8	11
2. MULTIPLE DX	2630	7.1	13	5	5	7	8	9	10	19
A. NOT OPERATED	49	4.5	3	2	3	4	6	7	8	10
B. OPERATED	4402	6.8	9	5	5	6	7	8	10	16
TOTAL 0-19 YRS	62	7.0	9	4	5	7	8	9	11	24
20-34	4040	6.8	9	4	5	6	7	8	9	15
35-49	349	7.4	13	5	5	7	8	9	11	27
50-64										
65+										
GRAND TOTAL	**4451**	**6.8**	**9**	**4**	**5**	**6**	**7**	**8**	**10**	**16**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.7	2	3	3	5	6	7	7	8
20-34	397	4.2	4	3	3	4	5	6	7	10
35-49	20	3.9	2	2	3	4	4	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	44	4.5	2	2	3	4	6	6	7	8
20-34	354	4.9	10	3	3	4	5	7	8	11
35-49	16	4.8	1	3	3	5	6	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.5	7	3	3	4	6	10	11	12
20-34	278	5.0	11	3	3	4	6	7	9	15
35-49	27	4.9	3	3	3	4	6	8	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	96	5.6	10	3	3	5	6	8	10	23
20-34	1438	5.8	16	3	3	5	6	8	10	25
35-49	108	5.9	7	3	4	5	7	9	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	4.2	4	3	3	4	5	6	7	9
B. *Operated*	414	4.8	9	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	326	5.0	10	3	3	4	6	7	9	14
B. *Operated*	1642	5.8	15	3	3	5	6	8	10	23
1. SINGLE DX	869	4.5	6	3	3	4	5	6	7	10
2. MULTIPLE DX	1968	5.7	14	3	3	5	6	8	10	21
A. NOT OPERATED	781	4.6	7	3	3	4	5	7	8	11
B. OPERATED	2056	5.6	14	3	3	5	6	8	10	21
TOTAL 0-19 YRS	199	5.2	7	3	3	5	6	7	9	17
20-34	2467	5.3	13	3	3	5	6	8	9	19
35-49	171	5.4	6	3	3	5	6	8	10	16
50-64										
65+										
GRAND TOTAL	**2837**	**5.3**	**12**	**3**	**3**	**5**	**6**	**8**	**9**	**19**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.3	2	3	3	4	5	6	7	10
20-34	691	4.1	1	2	3	4	5	6	6	8
35-49	29	4.0	2	2	2	4	5	6	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	4.6	1	2	3	5	5	6	6	6
20-34	221	4.6	2	3	3	4	5	7	8	10
35-49	9	4.4	5	3	3	4	5	8	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	1	3	4	4	5	5	6	6
20-34	254	4.2	2	2	3	4	5	6	7	9
35-49	17	4.1	2	2	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.6	3	3	3	4	5	7	8	10
20-34	481	4.6	4	3	3	4	5	7	8	12
35-49	40	4.9	2	3	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	4.1	2	2	3	4	5	6	6	8
B. *Operated*	250	4.6	2	3	3	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	285	4.2	2	2	3	4	5	6	7	9
B. *Operated*	559	4.6	4	3	3	4	5	7	7	12
1. SINGLE DX	1047	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX	844	4.5	3	2	3	4	5	6	7	11
A. NOT OPERATED	1082	4.1	2	2	3	4	5	6	6	8
B. OPERATED	809	4.6	3	3	3	4	5	7	7	11
TOTAL 0-19 YRS	149	4.4	2	3	3	4	5	6	7	10
20-34	1647	4.3	2	2	3	4	5	6	7	9
35-49	95	4.4	3	2	3	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**1891**	**4.3**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.3	2	2	3	4	5	6	7	9
20-34	352	3.8	2	2	2	4	4	5	6	7
35-49	21	3.8	2	2	2	4	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	254	4.0	2	2	3	4	5	6	6	8
20-34	3759	3.9	2	2	3	4	5	5	6	8
35-49	231	4.1	4	2	3	4	5	6	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.1	2	2	3	4	5	6	7	7
20-34	135	3.8	3	1	2	4	4	5	6	10
35-49	11	3.7	4	1	1	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	128	4.6	3	3	3	4	6	7	8	10
20-34	2264	4.6	5	3	3	4	5	6	7	12
35-49	214	4.7	4	2	3	4	5	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.9	2	2	2	4	5	5	6	8
B. *Operated*	4244	4.0	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	163	3.8	3	1	2	4	5	6	6	9
B. *Operated*	2606	4.6	5	3	3	4	5	6	8	12
1. SINGLE DX	4659	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX	2769	4.5	5	2	3	4	5	6	8	12
A. NOT OPERATED	578	3.8	2	2	2	4	5	5	6	8
B. OPERATED	6850	4.2	3	2	3	4	5	6	7	9
TOTAL 0-19 YRS	441	4.2	2	2	3	4	5	6	7	9
20-34	6510	4.1	3	2	3	4	5	6	7	9
35-49	477	4.4	4	2	3	4	5	7	8	13
50-64										
65+										
GRAND TOTAL	**7428**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.9	1	2	2	4	5	5	6	6
20-34	74	4.3	1	3	3	4	5	6	6	8
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	53	4.2	1	3	3	4	5	5	6	6
20-34	513	4.3	2	3	3	4	5	6	7	9
35-49	15	4.3	1	3	3	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	5.0	4	2	3	5	6	7	9	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	39	5.4	10	3	3	5	6	7	13	19
20-34	462	5.0	11	3	3	4	6	7	8	15
35-49	16	5.6	5	2	3	5	6	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.2	1	3	3	4	5	6	6	8
B. *Operated*	581	4.3	2	3	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	24	5.0	4	2	3	5	6	7	9	11
B. *Operated*	517	5.0	11	3	3	4	6	7	9	15
1. SINGLE DX	670	4.3	2	3	3	4	5	6	6	8
2. MULTIPLE DX	541	5.0	11	3	3	4	6	7	9	15
A. NOT OPERATED	113	4.4	2	3	3	4	5	6	7	9
B. OPERATED	1098	4.6	6	3	3	4	5	6	7	13
TOTAL 0-19 YRS	106	4.6	5	3	3	4	5	6	7	16
20-34	1071	4.6	6	3	3	4	5	6	7	12
35-49	34	4.8	3	3	3	5	5	7	10	10
50-64										
65+										
GRAND TOTAL	**1211**	**4.6**	**6**	**3**	**3**	**4**	**5**	**6**	**7**	**12**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	1	3	3	4	5	5	5	5
20-34	29	3.9	2	2	2	4	4	5	7	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.7	2	3	3	5	6	7	7	7
20-34	197	4.2	5	2	3	4	5	6	7	15
35-49	10	3.9	1	3	3	4	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	10	2	2	5	7	11	11	11
20-34	13	4.5	3	1	3	4	5	7	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	4.6	6	2	2	4	5	7	10	12
20-34	138	4.8	8	3	3	4	5	6	8	15
35-49	5	4.2	1	3	3	4	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.1	2	2	3	4	5	5	7	9
B. *Operated*	225	4.2	4	2	3	4	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	19	4.9	5	1	2	4	6	8	10	11
B. *Operated*	160	4.7	7	3	3	4	5	7	8	13
1. SINGLE DX	261	4.2	4	2	3	4	5	6	7	13
2. MULTIPLE DX	179	4.7	7	3	3	4	5	7	8	13
A. NOT OPERATED	55	4.3	3	2	3	4	5	7	8	11
B. OPERATED	385	4.4	6	3	3	4	5	6	7	13
TOTAL 0-19 YRS	47	4.7	4	2	3	4	6	7	8	12
20-34	377	4.4	6	2	3	4	5	6	7	13
35-49	16	4.2	2	3	3	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	**440**	**4.4**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	4.6	6	2	3	4	5	7	9	15
20-34	2086	4.2	5	2	3	4	5	6	7	11
35-49	81	4.5	3	2	3	4	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	302	5.3	10	3	3	5	6	8	11	21
20-34	2780	4.8	6	3	3	4	5	7	8	14
35-49	126	5.1	10	3	3	4	6	8	9	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	4.8	7	2	2	4	6	7	9	15
20-34	1493	4.5	6	2	3	4	5	7	8	14
35-49	91	4.9	7	1	3	5	6	7	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	628	6.1	21	3	3	5	7	9	13	26
20-34	7657	6.0	23	3	3	5	7	9	13	27
35-49	590	6.8	32	3	3	5	7	11	16	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2386	4.2	5	2	3	4	5	6	7	12
B. *Operated*	3208	4.9	7	3	3	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1736	4.6	6	2	3	4	5	7	8	14
B. *Operated*	8875	6.1	23	3	3	5	7	9	13	28
1. SINGLE DX	5594	4.6	6	2	3	4	5	7	8	14
2. MULTIPLE DX	10611	5.9	21	3	3	5	6	9	12	26
A. NOT OPERATED	4122	4.4	5	2	3	4	5	6	8	13
B. OPERATED	12083	5.8	19	3	3	5	6	9	11	25
TOTAL 0-19 YRS	1301	5.5	15	3	3	5	6	8	11	25
20-34	14016	5.4	16	3	3	5	6	8	10	22
35-49	888	6.2	25	3	3	5	7	9	13	33
50-64										
65+										
GRAND TOTAL	**16205**	**5.4**	**16**	**3**	**3**	**5**	**6**	**8**	**11**	**23**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	5	1	2	4	5	7	9	10
20-34	79	4.1	3	1	2	4	5	6	7	12
35-49	5	6.2	36	<1	<1	5	9	16	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	13	5.3	25	<1	1	4	8	14	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	5	2	2	4	5	7	9	9
20-34	37	5.4	10	1	2	5	8	10	11	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	25	8.2	46	1	2	6	12	16	23	28
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.2	5	1	2	4	5	6	7	14
B. *Operated*	15	5.6	22	<1	1	4	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	48	5.1	8	2	2	4	7	9	10	12
B. *Operated*	28	8.0	45	1	1	6	12	16	23	28
1. SINGLE DX	114	4.4	7	1	2	4	5	7	10	16
2. MULTIPLE DX	76	6.2	24	1	2	5	9	12	16	26
A. NOT OPERATED	147	4.5	6	1	2	4	5	8	10	12
B. OPERATED	43	7.2	38	<1	1	5	10	16	18	28
TOTAL 0-19 YRS	29	4.7	9	2	2	4	6	9	10	15
20-34	154	5.2	15	1	2	4	6	10	13	22
35-49	7	5.1	28	<1	<1	4	6	14	16	16
50-64										
65+										
GRAND TOTAL	**190**	**5.1**	**15**	**1**	**2**	**4**	**6**	**10**	**13**	**20**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	3	1	1	2	3	4	7	7
20-34	104	2.0	1	<1	1	2	2	4	4	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.7	1	1	1	1	2	3	4	5
20-34	320	1.7	1	<1	1	1	2	3	3	6
35-49	14	1.5		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	33	2.8	2	<1	1	3	3	4	5	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.2	12	1	1	2	3	9	12	12
20-34	128	2.7	5	<1	1	2	3	5	7	12
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.0	1	<1	1	2	2	4	5	6
B. *Operated*	363	1.7	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	2	<1	1	3	4	4	5	8
B. *Operated*	142	2.7	5	<1	1	2	3	5	8	12
1. SINGLE DX	481	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	177	2.8	5	<1	1	2	3	5	7	12
A. NOT OPERATED	153	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	505	2.0	3	<1	1	1	2	3	4	10
TOTAL 0-19 YRS	53	2.2	4	1	1	2	3	4	6	12
20-34	585	2.0	2	<1	1	2	2	4	5	9
35-49	20	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	658	2.0	2	<1	1	2	2	4	5	9

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.5	6	1	2	4	5	7	10	11
20-34	67	4.2	10	1	1	3	5	9	12	16
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	60	4.6	27	1	1	3	5	7	14	28
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	41	7.0	84	1	2	5	7	10	27	49
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.0	1	4	4	5	6	6	6	6
20-34	42	8.3	84	1	1	4	13	22	30	36
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.2	9	1	1	4	5	8	12	15
B. *Operated*	64	4.7	26	1	1	4	5	7	13	28
2. MULTIPLE DX										
A. *Not Operated*	46	6.7	76	2	2	5	7	10	20	49
B. *Operated*	47	8.0	76	1	1	5	10	21	29	36
1. SINGLE DX	148	4.4	16	1	1	4	5	7	12	28
2. MULTIPLE DX	93	7.4	75	1	2	5	7	17	27	46
A. NOT OPERATED	130	5.1	34	1	2	4	5	9	12	43
B. OPERATED	111	6.1	49	1	1	4	6	16	23	34
TOTAL 0-19 YRS	19	4.7	4	1	2	5	6	6	9	11
20-34	210	5.7	46	1	1	4	6	12	19	38
35-49	12	3.9	3	2	2	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	241	5.6	41	1	1	4	6	11	17	36

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	4.7	9	1	2	4	6	8	11	16
20-34	271	4.5	8	2	2	4	6	8	10	16
35-49	149	5.5	15	1	2	5	7	10	13	21
50-64	92	5.7	11	2	2	5	8	10	12	17
65+	98	8.9	45	2	3	7	11	18	22	35
B. *Operated*										
0-19 YRS	96	4.9	10	1	2	4	6	9	12	16
20-34	83	5.7	44	1	1	4	7	9	12	45
35-49	42	5.5	22	<1	1	4	8	11	16	20
50-64	25	7.3	28	<1	<1	7	10	15	17	19
65+	18	9.6	53	2	3	8	10	20	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	5.6	13	2	2	5	7	9	12	21
20-34	202	6.2	27	2	2	5	8	11	14	31
35-49	160	6.8	19	1	2	6	9	13	14	22
50-64	225	9.0	71	2	3	7	10	15	24	45
65+	358	12.4	120	3	4	9	15	25	34	59
B. *Operated*										
0-19 YRS	77	7.4	55	1	1	5	9	17	21	43
20-34	84	10.5	165	1	2	7	12	23	37	73
35-49	56	11.7	108	2	3	9	15	30	35	97
50-64	92	15.3	225	3	3	10	20	39	57	87
65+	86	22.8	425	4	5	15	28	65	74	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	843	5.4	16	2	2	4	7	10	13	21
B. *Operated*	264	5.8	28	1	1	5	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*	1114	8.7	70	2	3	6	10	16	24	45
B. *Operated*	395	13.8	233	2	2	8	18	33	55	82
1. SINGLE DX	1107	5.5	19	1	2	4	7	10	13	21
2. MULTIPLE DX	1509	10.1	118	2	3	7	11	21	32	66
A. NOT OPERATED	1957	7.3	49	2	2	5	8	14	19	39
B. OPERATED	659	10.6	166	1	2	7	11	25	40	76
TOTAL 0-19 YRS	575	5.4	17	1	2	4	7	9	13	21
20-34	640	6.0	43	2	2	4	7	11	15	36
35-49	407	6.9	34	1	2	5	9	13	19	32
50-64	434	9.5	99	2	3	7	10	18	29	61
65+	560	13.3	169	3	4	9	16	27	41	74
GRAND TOTAL	**2616**	**8.1**	**81**	**2**	**2**	**6**	**9**	**16**	**24**	**53**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	5.2	11	1	2	5	7	9	11	18
20-34	56	4.4	6	2	2	4	6	8	10	12
35-49	36	5.0	8	2	2	4	7	9	11	13
50-64	26	6.2	18	2	2	6	7	13	15	18
65+	26	8.6	48	2	3	6	11	17	24	34
B. *Operated*										
0-19 YRS	38	4.2	19	<1	<1	2	6	10	14	20
20-34	34	4.9	10	1	1	5	7	9	12	13
35-49	17	7.4	64	<1	1	4	9	18	27	31
50-64	17	5.4	11	1	2	5	7	9	12	14
65+	9	16.0	351	4	4	10	18	48	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	6.4	21	2	2	5	8	12	14	27
20-34	48	6.3	27	2	2	5	8	12	14	30
35-49	53	7.7	47	1	2	5	9	18	23	32
50-64	52	9.9	93	2	3	7	10	19	31	57
65+	74	11.7	124	2	4	8	15	25	35	57
B. *Operated*										
0-19 YRS	32	6.3	36	1	1	4	10	15	19	24
20-34	20	9.3	95	1	1	5	14	25	29	32
35-49	19	10.6	227	2	2	5	12	21	47	67
50-64	27	14.9	128	3	3	13	21	35	39	40
65+	35	14.5	263	2	2	10	15	32	55	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	5.4	14	2	2	5	7	10	12	20
B. *Operated*	115	6.0	54	<1	1	4	7	12	16	42
2. MULTIPLE DX										
A. *Not Operated*	393	8.0	58	2	2	6	9	15	23	38
B. *Operated*	133	11.3	158	1	2	7	15	25	34	69
1. SINGLE DX	444	5.6	24	1	2	5	7	10	13	22
2. MULTIPLE DX	526	8.8	85	2	2	6	11	19	26	56
A. NOT OPERATED	722	6.8	40	2	2	5	8	13	18	33
B. OPERATED	248	8.8	116	1	1	5	11	20	27	62
TOTAL 0-19 YRS	421	5.7	18	1	2	5	7	11	14	21
20-34	158	5.7	26	1	2	4	7	11	13	30
35-49	125	7.3	66	1	2	5	8	16	21	41
50-64	122	9.6	83	2	3	7	12	20	30	45
65+	144	12.1	158	2	3	8	14	27	35	63
GRAND TOTAL	**970**	**7.3**	**60**	**1**	**2**	**5**	**8**	**14**	**21**	**38**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	84	<1	<1	3	9	23	23	23
20-34	13	3.4	4	<1	1	3	5	6	7	7
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	298	4.4	8	1	2	4	5	8	10	17
20-34	572	4.0	6	1	2	4	5	7	9	12
35-49	89	3.9	6	<1	2	3	5	7	8	15
50-64	17	3.4	5	<1	<1	3	5	7	8	8
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	5.5	61	<1	<1	3	5	19	21	21
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	35	6.4	56	1	2	4	6	14	17	43
20-34	110	4.7	11	<1	2	4	5	9	12	17
35-49	25	6.6	49	1	2	4	7	13	21	34
50-64	3	11.7	17	7	7	13	14	15	15	15
65+	6	9.2	80	1	1	5	16	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.0	19	<1	1	3	5	6	11	23
B. *Operated*	978	4.1	7	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	11	4.9	39	<1	<1	1	7	14	20	21
B. *Operated*	179	5.5	28	1	2	4	6	12	15	31
1. SINGLE DX	1003	4.1	7	1	2	4	5	7	9	14
2. MULTIPLE DX	190	5.5	29	1	1	4	6	12	15	30
A. NOT OPERATED	36	4.3	24	<1	<1	3	5	8	18	23
B. OPERATED	1157	4.3	10	1	2	4	5	8	10	16
TOTAL 0-19 YRS	340	4.6	14	1	2	4	5	8	11	18
20-34	701	4.1	7	1	2	4	5	7	9	15
35-49	120	4.4	16	<1	1	3	5	7	11	22
50-64	23	5.0	15	<1	1	4	7	11	14	15
65+	9	7.3	59	1	1	5	9	21	24	24
GRAND TOTAL	**1193**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	33	1.5	2	<1	<1	1	2	2	3	8
20-34	44	1.6	1	<1	<1	1	2	3	3	4
35-49	25	2.6	13	<1	<1	1	3	5	10	18
50-64	21	2.1	2	<1	<1	2	3	4	5	6
65+	9	3.8	5	<1	<1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.0	32	3	3	7	11	11	11	11
B. *Operated*										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	15	1.9	2	<1	<1	2	2	4	5	5
35-49	14	3.1	9	<1	<1	2	4	7	11	12
50-64	20	3.6	8	<1	<1	3	5	8	9	10
65+	17	4.2	14	<1	<1	3	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*	132	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	6	4.2	16	1	1	2	7	11	11	11
B. *Operated*	71	3.2	8	<1	<1	2	4	8	10	12
1. SINGLE DX	136	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	77	3.3	9	<1	<1	2	4	8	10	12
A. NOT OPERATED	10	3.7	10	1	1	3	5	9	11	11
B. OPERATED	203	2.4	6	<1	<1	2	3	5	8	12
TOTAL 0-19 YRS	38	1.6	2	<1	<1	1	2	3	4	8
20-34	64	1.8	1	<1	<1	2	2	3	4	7
35-49	39	2.8	11	<1	<1	1	3	6	10	18
50-64	42	2.8	5	<1	<1	2	4	6	8	10
65+	30	4.2	11	<1	<1	3	5	10	11	12
GRAND TOTAL	**213**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**8**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	4.7	16	<1	1	4	6	9	12	22
20-34	150	6.5	42	1	1	4	9	14	22	31
35-49	102	8.0	52	1	2	5	10	17	23	37
50-64	86	9.4	135	1	2	7	12	20	22	72
65+	120	13.1	133	1	2	9	19	30	39	76
B. *Operated*										
0-19 YRS	176	3.1	22	<1	<1	2	3	7	13	23
20-34	282	4.3	38	<1	<1	3	5	9	11	33
35-49	177	4.9	40	<1	<1	3	5	9	19	39
50-64	143	5.6	56	<1	1	3	6	14	19	29
65+	104	9.2	152	<1	1	3	11	26	35	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	6.4	43	1	1	4	8	14	21	33
20-34	165	8.0	85	1	1	5	9	21	26	43
35-49	134	9.2	101	1	1	6	11	20	27	89
50-64	204	13.0	178	2	2	9	16	28	36	75
65+	388	16.2	244	2	4	12	21	40	63	99+
B. *Operated*										
0-19 YRS	93	8.6	131	<1	1	4	8	26	41	77
20-34	192	13.9	300	1	2	7	18	39	54	93
35-49	171	11.7	225	1	2	7	16	31	63	99+
50-64	234	14.1	260	1	2	7	20	40	50	84
65+	266	16.8	297	2	2	11	25	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	7.3	65	1	1	5	9	16	22	39
B. *Operated*	882	5.0	54	<1	<1	3	5	11	18	39
2. MULTIPLE DX										
A. *Not Operated*	1216	11.2	158	1	2	7	14	26	36	85
B. *Operated*	956	13.8	265	1	2	7	20	39	56	99+
1. SINGLE DX	1672	6.1	60	<1	1	3	7	14	21	40
2. MULTIPLE DX	2172	12.3	207	1	2	7	16	32	47	99+
A. NOT OPERATED	2006	9.6	125	1	2	6	12	22	31	74
B. OPERATED	1838	9.6	183	<1	1	4	11	27	42	81
TOTAL 0-19 YRS	926	5.4	41	<1	1	3	6	12	18	39
20-34	789	7.8	126	<1	1	4	9	19	31	62
35-49	584	8.4	117	1	1	5	9	20	30	85
50-64	667	11.3	186	1	2	6	14	29	42	77
65+	878	15.1	239	1	2	10	21	36	57	99+
GRAND TOTAL	**3844**	**9.6**	**153**	**1**	**1**	**5**	**12**	**25**	**36**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	21	7.0	33	1	2	4	10	17	19	20
35-49	25	9.8	58	2	3	7	17	22	24	26
50-64	19	13.4	165	3	3	6	20	35	42	45
65+	6	14.7	92	8	8	11	13	32	34	34
B. *Operated*										
0-19 YRS	6	11.2	69	<1	<1	10	16	23	24	24
20-34	13	7.2	26	<1	1	7	12	14	15	15
35-49	8	14.5	30	7	7	15	19	21	21	21
50-64	4	10.0	39	5	5	8	14	19	19	19
65+	3	15.0	3	14	14	14	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	10.8	45	3	4	9	15	21	21	21
20-34	58	10.7	68	3	3	8	14	19	30	42
35-49	52	12.5	113	2	3	9	17	25	34	58
50-64	35	12.1	98	1	3	10	17	25	30	45
65+	28	17.9	108	3	6	15	26	32	35	44
B. *Operated*										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	39	21.6	353	3	4	18	23	36	67	95
35-49	21	20.8	201	5	6	18	27	47	49	50
50-64	23	12.8	61	2	4	12	18	24	27	32
65+	14	25.6	223	7	10	25	31	41	60	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	10.2	85	2	3	7	13	23	28	44
B. *Operated*	34	10.6	40	<1	2	10	15	19	21	24
2. MULTIPLE DX										
A. *Not Operated*	181	12.6	96	2	3	10	17	26	33	45
B. *Operated*	98	20.2	250	3	5	18	25	36	50	85
1. SINGLE DX	107	10.3	70	1	2	7	14	21	26	42
2. MULTIPLE DX	279	15.3	162	3	3	12	20	31	37	64
A. NOT OPERATED	254	11.9	94	2	3	9	17	25	32	45
B. OPERATED	132	17.7	213	2	4	15	22	33	48	78
TOTAL 0-19 YRS	17	12.2	132	1	2	8	17	23	40	48
20-34	131	13.0	174	2	3	10	17	24	34	78
35-49	106	13.7	123	3	3	10	18	26	35	54
50-64	81	12.5	98	2	3	10	17	26	31	45
65+	51	19.5	142	5	8	16	27	34	38	66
GRAND TOTAL	**386**	**13.9**	**142**	**2**	**3**	**11**	**19**	**29**	**35**	**59**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	8.7	58	1	2	7	11	19	26	37
20-34	32	10.4	59	1	3	8	16	20	27	31
35-49	77	10.1	41	2	3	9	15	20	22	25
50-64	146	12.9	82	2	2	12	18	24	29	33
65+	100	12.9	114	3	4	9	17	26	37	78
B. *Operated*										
0-19 YRS	6	7.3	30	1	1	7	12	15	15	15
20-34	22	9.6	74	1	2	5	15	25	27	28
35-49	55	8.4	69	1	2	6	11	21	24	43
50-64	95	10.5	120	1	2	6	15	24	31	57
65+	55	12.8	84	1	2	12	20	26	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	13.1	267	1	2	8	15	24	44	87
20-34	39	10.1	70	2	2	6	14	23	27	32
35-49	73	12.8	67	3	4	11	17	23	31	36
50-64	217	14.5	102	2	5	13	19	25	34	94
65+	321	15.8	146	3	5	13	21	31	41	90
B. *Operated*										
0-19 YRS	3	17.0	181	6	6	13	27	32	32	32
20-34	25	19.3	187	4	5	16	27	38	49	56
35-49	52	14.4	174	2	2	12	23	31	51	99
50-64	164	19.6	235	2	3	17	26	41	55	98
65+	167	22.8	295	3	5	20	32	53	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	11.6	79	2	2	10	16	23	28	50
B. *Operated*	233	10.4	94	1	2	7	16	24	27	45
2. MULTIPLE DX										
A. *Not Operated*	681	14.6	126	2	4	12	19	28	37	87
B. *Operated*	411	20.2	254	2	4	17	27	45	61	99+
1. SINGLE DX	644	11.1	85	2	2	9	16	23	28	48
2. MULTIPLE DX	1092	16.7	181	2	4	14	22	35	46	99+
A. NOT OPERATED	1092	13.5	110	2	3	11	18	25	33	64
B. OPERATED	644	16.7	218	2	2	14	24	38	53	99+
TOTAL 0-19 YRS	96	10.3	129	1	2	7	12	20	29	68
20-34	118	12.0	104	2	2	9	18	27	31	50
35-49	257	11.3	85	2	2	9	16	23	30	53
50-64	622	14.8	144	2	2	13	20	28	38	82
65+	643	16.9	187	2	4	14	23	37	51	99+
GRAND TOTAL	**1736**	**14.7**	**153**	**2**	**3**	**12**	**20**	**30**	**40**	**97**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.4	54	4	4	7	16	21	21	21
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	13	7.8	41	2	2	5	11	15	23	25
50-64	43	7.5	43	1	1	6	10	14	21	30
65+	180	10.0	84	1	2	8	13	20	27	68
B. *Operated*										
0-19 YRS	5	4.0	4	2	2	5	5	6	6	6
20-34	50	4.8	11	1	1	4	6	10	12	16
35-49	125	6.5	25	2	2	5	9	16	17	23
50-64	381	10.0	48	2	2	9	14	18	22	31
65+	526	14.4	70	2	5	14	19	24	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	4	1	1	5	5	5	5	5
20-34	8	15.6	167	3	3	13	23	36	40	40
35-49	29	11.8	98	1	2	8	19	28	32	37
50-64	133	8.0	43	1	2	7	10	16	18	36
65+	681	12.6	190	2	3	8	15	28	49	99+
B. *Operated*										
0-19 YRS	8	7.8	36	2	2	7	9	18	21	21
20-34	43	8.4	111	1	2	5	9	18	31	55
35-49	111	10.1	61	1	2	8	15	21	23	36
50-64	412	13.2	80	2	3	12	17	25	30	43
65+	808	18.4	145	4	6	16	23	33	43	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	9.3	74	1	2	7	12	19	25	45
B. *Operated*	1087	11.5	64	2	2	10	16	22	25	34
2. MULTIPLE DX										
A. *Not Operated*	855	11.8	166	2	3	8	14	25	42	99+
B. *Operated*	1382	15.8	127	2	4	14	21	30	39	72
1. SINGLE DX	1331	11.1	67	2	2	9	16	21	25	36
2. MULTIPLE DX	2237	14.3	146	2	3	12	19	29	40	89
A. NOT OPERATED	1099	11.3	147	2	3	8	14	24	37	99+
B. OPERATED	2469	13.9	104	2	3	12	18	26	33	52
TOTAL 0-19 YRS	22	6.8	30	1	2	5	7	17	21	21
20-34	104	7.0	72	1	2	4	8	15	21	48
35-49	278	8.5	51	2	2	6	11	20	23	35
50-64	969	11.0	65	2	2	10	15	21	26	36
65+	2195	14.9	144	2	4	13	19	29	40	98
GRAND TOTAL	**3568**	**13.1**	**119**	**2**	**3**	**11**	**17**	**26**	**33**	**72**

99: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
				PERCENTILES						
. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.6	37	2	2	6	10	15	22	28
20-34	51	6.3	34	1	1	5	7	11	22	31
35-49	27	7.7	30	1	2	6	10	17	19	22
50-64	39	9.5	79	2	2	7	13	17	33	41
65+	94	7.9	36	2	3	6	10	16	21	30
B. *Operated*										
0-19 YRS	10	15.5	169	2	3	12	20	34	47	47
20-34	29	5.6	43	1	2	5	5	9	14	37
35-49	28	5.6	12	1	1	5	8	12	12	13
50-64	27	8.3	92	2	2	7	9	10	20	54
65+	17	12.1	68	1	2	10	18	23	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	12.4	165	1	2	8	17	28	46	51
20-34	32	10.1	87	1	2	8	13	18	24	51
35-49	40	7.9	35	2	2	6	10	16	18	28
50-64	60	9.3	50	3	3	6	12	19	21	40
65+	255	12.2	181	2	3	8	15	26	40	99+
B. *Operated*										
0-19 YRS	13	11.3	41	2	4	13	14	20	24	25
20-34	27	11.7	170	1	2	6	16	34	41	51
35-49	32	16.3	371	3	4	9	18	51	80	99+
50-64	54	17.5	367	2	2	12	22	50	77	99
65+	37	19.4	246	4	6	14	32	64	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	7.8	42	2	2	6	10	16	21	31
B. *Operated*	111	8.2	70	1	2	6	10	16	22	50
2. MULTIPLE DX										
A. *Not Operated*	412	11.2	141	2	3	8	14	22	33	96
B. *Operated*	163	16.2	284	2	3	11	22	44	78	99+
1. SINGLE DX	367	7.9	50	2	2	6	10	16	22	37
2. MULTIPLE DX	575	12.6	186	2	3	9	16	28	45	99+
A. NOT OPERATED	668	9.9	106	2	2	7	12	20	28	64
B. OPERATED	274	13.0	213	2	2	8	15	33	51	99+
TOTAL 0-19 YRS	93	10.2	90	2	2	7	14	21	27	49
20-34	139	8.1	79	1	2	5	10	17	25	51
35-49	127	9.5	128	2	2	6	11	17	29	85
50-64	180	11.7	171	2	3	8	14	23	42	80
65+	403	11.9	156	2	3	8	15	26	38	99+
ND TOTAL	942	10.8	139	2	2	7	13	23	34	95

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
				PERCENTILES						
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	15	3.0	4	<1	1	2	4	6	7	8
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	312	3.4	3	1	2	3	4	6	6	10
20-34	952	3.3	3	1	2	3	4	5	6	9
35-49	417	3.5	4	1	2	3	4	6	7	11
50-64	170	3.9	5	1	1	4	5	6	8	13
65+	39	4.4	11	1	1	4	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	<1	<1	1	2	3	3	3
20-34	11	4.0	70	<1	<1	1	3	14	28	29
35-49	8	4.6	41	<1	<1	2	6	16	19	19
50-64	7	1.6	1	<1	<1	1	2	4	4	4
65+	4	4.3	8	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	144	3.6	6	1	1	3	4	6	7	14
20-34	457	3.6	6	<1	1	3	5	6	8	14
35-49	248	3.5	4	1	1	3	5	6	7	10
50-64	186	4.5	11	1	2	4	6	8	11	17
65+	74	6.4	31	1	1	5	8	16	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.7	4	<1	1	2	4	6	6	8
B. *Operated*	1890	3.4	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	39	3.2	29	<1	<1	1	3	7	14	29
B. *Operated*	1109	3.9	9	1	1	3	5	7	8	17
1. SINGLE DX	1920	3.4	3	1	2	3	4	6	7	11
2. MULTIPLE DX	1148	3.9	9	<1	1	3	5	7	8	17
A. NOT OPERATED	69	3.0	18	<1	<1	2	3	6	8	27
B. OPERATED	2999	3.6	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	470	3.4	4	1	1	3	4	6	7	12
20-34	1435	3.4	4	1	1	3	4	6	7	10
35-49	678	3.5	4	1	1	3	4	6	7	11
50-64	365	4.1	8	1	1	4	5	7	10	16
65+	120	5.6	24	1	1	4	7	12	17	25
GRAND TOTAL	3068	3.6	6	1	1	3	4	6	7	13

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	4.1	12	1	1	3	6	9	11	16
20-34	72	3.9	12	<1	1	3	5	7	12	19
35-49	35	7.7	84	1	1	4	9	23	29	40
50-64	20	4.5	16	1	1	3	6	10	14	15
65+	33	7.9	33	2	2	7	10	15	22	25
B. *Operated*										
0-19 YRS	384	3.8	4	1	2	4	5	6	7	12
20-34	782	3.6	5	1	2	3	4	6	7	12
35-49	175	4.0	9	1	2	3	5	7	10	14
50-64	84	5.9	35	1	2	4	7	14	18	31
65+	35	13.6	167	<1	1	9	21	36	40	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	5.6	22	1	1	4	7	13	15	21
20-34	69	4.4	30	<1	1	3	5	8	12	36
35-49	28	10.1	99	1	1	7	15	19	38	40
50-64	53	9.3	115	1	1	4	11	28	37	43
65+	111	10.7	127	2	3	8	12	25	45	74
B. *Operated*										
0-19 YRS	132	5.5	25	2	2	4	6	9	12	31
20-34	258	5.4	26	1	2	4	6	10	14	30
35-49	100	5.5	28	1	1	4	6	12	15	29
50-64	66	8.0	76	1	1	5	10	19	29	41
65+	54	12.4	164	2	3	9	16	28	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	5.1	27	1	1	3	7	10	14	26
B. *Operated*	1460	4.1	13	1	2	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*	321	8.1	88	1	1	5	10	17	31	50
B. *Operated*	610	6.3	48	1	2	4	7	12	19	35
1. SINGLE DX	1715	4.2	15	1	1	3	5	7	10	23
2. MULTIPLE DX	931	6.9	62	1	2	4	8	14	21	40
A. NOT OPERATED	576	6.8	63	1	1	4	8	14	21	45
B. OPERATED	2070	4.8	24	1	2	4	5	8	12	30
TOTAL 0-19 YRS	671	4.4	12	1	2	4	5	8	10	17
20-34	1181	4.1	12	1	1	3	5	7	9	19
35-49	338	5.3	33	1	1	4	6	11	16	36
50-64	223	7.2	66	1	1	4	8	17	27	40
65+	233	11.1	129	2	2	8	13	26	36	62
GRAND TOTAL	**2646**	**5.2**	**34**	**1**	**1**	**4**	**6**	**10**	**14**	**35**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	8	9.4	51	3	3	7	14	21	22	22
35-49	16	6.2	9	2	2	7	9	10	10	10
50-64	7	12.7	41	5	6	13	15	23	25	25
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	12.5	221	2	2	12	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	10.8	58	2	4	8	14	23	28	28
35-49	7	11.3	53	2	2	10	16	22	23	23
50-64	14	9.7	94	2	3	6	11	27	34	36
65+	6	19.8	557	2	2	14	19	61	66	66
B. *Operated*										
0-19 YRS										
20-34	4	12.5	70	8	8	9	17	25	25	25
35-49	6	17.7	102	6	6	18	23	32	33	33
50-64	4	22.3	297	1	1	23	35	41	41	41
65+	2	26.5	365	13	13	26	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	8.2	31	2	3	8	9	16	22	25
B. *Operated*	3	10.0	129	2	2	5	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	40	11.5	141	2	2	8	15	24	32	66
B. *Operated*	16	18.6	154	2	6	16	27	39	41	41
1. SINGLE DX	36	8.4	36	2	2	8	10	19	23	25
2. MULTIPLE DX	56	13.5	153	2	2	9	18	30	39	64
A. NOT OPERATED	73	10.0	93	2	2	8	12	20	26	59
B. OPERATED	19	17.3	153	1	3	15	25	37	41	41
TOTAL 0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	24	10.4	52	3	4	8	14	22	26	28
35-49	31	10.0	60	2	2	8	14	23	23	33
50-64	25	12.6	119	2	3	9	15	30	37	41
65+	8	21.5	460	2	3	15	29	58	66	66
GRAND TOTAL	**92**	**11.5**	**113**	**2**	**2**	**8**	**15**	**25**	**33**	**55**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	3	<1	1	4	4	6	7	7
35-49	37	6.2	16	2	2	5	8	11	15	19
50-64	43	6.6	26	2	2	5	9	13	17	27
65+	79	8.7	39	1	2	6	14	17	19	27
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	6.3	71	1	2	4	6	12	29	36
35-49	56	6.7	19	1	1	6	10	12	15	20
50-64	62	9.1	57	1	1	7	15	20	24	29
65+	22	12.1	88	1	1	10	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	8.6	85	1	1	4	12	25	27	27
35-49	38	8.7	30	2	3	8	10	18	21	22
50-64	93	8.8	46	2	3	7	12	18	23	36
65+	307	11.7	122	2	3	9	14	24	33	66
B. *Operated*										
0-19 YRS										
20-34	4	8.0	2	7	7	8	9	10	10	10
35-49	45	11.0	34	3	4	11	15	17	23	26
50-64	92	11.0	72	1	3	9	15	23	27	44
65+	73	17.5	247	2	4	15	26	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	7.4	31	1	2	6	10	16	18	26
B. *Operated*	157	8.3	51	1	1	7	11	19	23	29
2. MULTIPLE DX										
A. *Not Operated*	453	10.7	99	2	3	8	13	21	30	58
B. *Operated*	214	13.2	131	2	3	11	17	27	41	99+
1. SINGLE DX	323	7.8	41	1	2	6	11	17	20	29
2. MULTIPLE DX	667	11.5	110	2	3	9	15	24	32	88
A. NOT OPERATED	619	9.8	83	2	3	7	12	19	27	50
B. OPERATED	371	11.1	103	1	2	9	15	24	29	99+
TOTAL 0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	41	6.8	58	1	1	4	7	16	26	36
35-49	176	8.1	28	1	2	7	11	16	19	24
50-64	290	9.2	55	1	2	7	13	19	24	36
65+	481	12.1	132	2	3	9	16	27	37	99+
GRAND TOTAL	**990**	**10.3**	**91**	**1**	**2**	**8**	**14**	**21**	**28**	**68**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	7.9	28	2	2	7	9	19	19	19
20-34	232	6.1	16	1	2	5	8	12	14	19
35-49	363	7.3	27	2	2	6	9	14	17	28
50-64	205	7.6	29	2	3	6	9	14	18	31
65+	74	10.4	43	3	5	9	13	18	24	36
B. *Operated*										
0-19 YRS	50	8.3	41	1	2	7	11	16	21	33
20-34	855	7.4	26	1	2	7	10	14	16	24
35-49	1151	8.6	35	1	2	8	11	16	20	28
50-64	492	8.5	36	1	2	8	12	16	19	26
65+	78	9.2	44	1	1	9	14	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	13	<1	<1	2	5	10	10	10
20-34	91	7.8	49	1	2	6	10	19	21	36
35-49	170	8.0	26	2	3	7	10	16	19	23
50-64	207	9.5	48	2	3	7	12	17	22	39
65+	195	13.3	134	2	3	10	16	25	36	55
B. *Operated*										
0-19 YRS	10	11.9	41	2	4	11	13	22	24	24
20-34	291	10.2	54	2	3	9	13	19	25	42
35-49	561	11.4	70	2	3	10	14	20	26	41
50-64	358	12.3	85	2	3	10	16	23	28	48
65+	149	15.9	220	2	3	13	19	29	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	7.3	27	2	2	6	9	14	17	29
B. *Operated*	2626	8.2	33	1	2	8	11	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	668	10.0	72	2	3	8	12	20	24	44
B. *Operated*	1369	11.9	89	2	3	10	15	22	28	54
1. SINGLE DX	3514	8.0	32	1	2	7	11	15	19	27
2. MULTIPLE DX	2037	11.2	84	2	3	9	14	21	27	48
A. NOT OPERATED	1556	8.5	48	2	2	7	10	16	21	37
B. OPERATED	3995	9.5	55	1	2	8	12	18	22	35
TOTAL 0-19 YRS	79	8.4	39	1	2	8	11	18	20	30
20-34	1469	7.8	33	1	2	7	10	14	18	29
35-49	2245	9.0	44	2	2	8	12	17	21	32
50-64	1262	9.6	54	2	2	8	12	18	23	36
65+	496	13.0	137	2	2	10	16	24	32	62
GRAND TOTAL	**5551**	**9.2**	**53**	**1**	**2**	**8**	**12**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	46	6.8	31	2	3	5	8	14	18	32
35-49	56	6.1	16	1	2	5	8	12	14	19
50-64	42	7.5	35	1	2	6	9	13	24	27
65+	28	10.7	207	1	2	7	12	20	35	76
B. *Operated*										
0-19 YRS										
20-34	43	7.7	46	1	1	4	11	18	21	26
35-49	122	7.3	27	1	1	6	11	14	17	22
50-64	87	6.3	27	1	1	5	9	14	19	23
65+	11	9.3	62	1	2	6	14	22	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	7.0	23	<1	<1	7	10	14	14	14
35-49	55	7.4	19	1	2	6	10	14	16	20
50-64	54	8.1	63	2	2	6	9	15	24	48
65+	61	10.1	47	2	3	8	14	23	28	91
B. *Operated*										
0-19 YRS										
20-34	24	9.2	35	1	2	9	13	15	19	26
35-49	78	9.8	93	1	2	8	13	16	20	64
50-64	80	10.7	99	1	2	9	14	18	36	89
65+	25	17.7	244	1	1	12	22	52	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	7.3	56	1	2	6	8	13	19	31
B. *Operated*	263	7.1	31	1	1	6	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	182	8.5	43	2	2	7	11	17	23	42
B. *Operated*	207	11.0	111	1	2	9	14	19	31	70
1. SINGLE DX	438	7.2	41	1	1	6	10	15	18	27
2. MULTIPLE DX	389	9.8	81	1	2	8	13	18	27	60
A. NOT OPERATED	357	7.9	50	1	2	6	9	15	21	32
B. OPERATED	470	8.8	70	1	1	7	12	16	20	53
TOTAL 0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	124	7.6	36	1	1	6	11	15	20	28
35-49	311	7.7	41	1	2	6	11	15	17	23
50-64	263	8.2	60	1	2	7	10	16	22	48
65+	125	11.7	129	2	2	9	15	27	30	82
GRAND TOTAL	**827**	**8.4**	**61**	**1**	**2**	**7**	**11**	**16**	**20**	**50**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	22	1	1	5	10	12	12	12
20-34	26	5.9	18	2	2	5	10	11	14	18
35-49	25	5.4	10	1	2	5	7	11	12	14
50-64	11	5.3	11	1	1	4	9	10	10	10
65+	7	6.9	13	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	28	8.1	46	1	2	7	11	17	24	29
35-49	31	7.7	32	1	1	8	11	14	18	25
50-64	9	7.9	44	2	2	6	10	19	23	23
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	19	4.7	13	1	1	4	6	11	14	15
35-49	15	6.1	16	<1	1	6	9	12	13	13
50-64	13	13.9	169	1	3	7	24	34	38	39
65+	13	7.4	31	1	2	5	10	17	19	20
B. *Operated*										
0-19 YRS	2	15.5	1	15	15	15	16	16	16	16
20-34	19	11.0	68	2	3	8	14	26	27	28
35-49	23	10.7	35	2	4	10	11	20	23	24
50-64	7	12.7	59	4	5	9	18	24	25	25
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.7	14	2	2	5	8	11	12	17
B. *Operated*	70	8.0	38	1	2	8	11	15	23	28
2. MULTIPLE DX										
A. *Not Operated*	61	7.7	60	1	2	5	9	15	26	38
B. *Operated*	51	11.3	48	3	3	10	15	23	26	28
1. SINGLE DX	144	6.8	26	1	2	6	10	12	16	25
2. MULTIPLE DX	112	9.3	57	1	2	7	12	20	26	35
A. NOT OPERATED	135	6.6	35	1	2	5	9	12	16	34
B. OPERATED	121	9.4	44	1	2	8	11	19	24	28
TOTAL 0-19 YRS	10	9.3	26	1	1	10	12	15	16	16
20-34	92	7.4	40	1	2	5	10	15	23	29
35-49	94	7.6	28	1	2	7	11	13	19	25
50-64	40	10.0	87	1	2	7	11	24	33	39
65+	20	7.2	24	1	2	6	10	14	18	20
GRAND TOTAL	**256**	**7.9**	**41**	**1**	**2**	**7**	**10**	**15**	**22**	**33**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	37	5.7	14	1	2	5	7	10	13	19
35-49	54	6.2	14	1	2	5	9	12	13	16
50-64	36	8.6	34	3	3	7	11	16	20	31
65+	14	7.1	31	1	2	6	9	12	21	23
B. *Operated*										
0-19 YRS										
20-34	43	4.6	19	1	1	3	7	10	15	19
35-49	42	4.9	38	1	1	2	6	12	18	29
50-64	17	4.2	26	1	1	1	7	10	16	20
65+	2	12.5	25	9	9	12	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	27	7.3	20	2	2	6	11	15	16	17
35-49	29	8.1	48	1	1	7	9	19	27	28
50-64	51	9.4	47	2	3	8	13	18	24	36
65+	56	11.8	102	3	3	10	14	21	31	54
B. *Operated*										
0-19 YRS										
20-34	18	4.8	18	1	1	3	7	11	14	16
35-49	23	11.0	64	1	2	9	18	25	25	25
50-64	20	7.5	32	1	1	7	11	15	18	20
65+	10	14.8	508	1	1	8	23	85	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	6.8	22	1	2	6	9	12	15	24
B. *Operated*	104	4.8	28	1	1	3	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	165	9.6	63	2	3	7	12	18	25	44
B. *Operated*	71	9.0	109	1	1	7	12	20	25	94
1. SINGLE DX	247	6.0	25	1	1	5	9	12	16	24
2. MULTIPLE DX	236	9.4	77	1	2	7	12	19	25	58
A. NOT OPERATED	308	8.3	46	2	2	7	11	15	20	34
B. OPERATED	175	6.5	65	1	1	4	9	16	21	63
TOTAL 0-19 YRS	4	7.0	8	5	5	6	9	11	11	11
20-34	125	5.5	18	1	1	4	7	12	15	19
35-49	148	6.9	38	1	1	5	9	14	22	28
50-64	124	8.1	40	1	1	7	11	16	20	32
65+	82	11.4	136	2	3	9	13	24	37	92
GRAND TOTAL	**483**	**7.6**	**53**	**1**	**1**	**6**	**10**	**16**	**20**	**35**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	7	1	1	2	5	7	8	14
20-34	342	5.7	45	1	1	4	7	12	16	33
35-49	348	6.2	39	1	1	4	8	11	16	39
50-64	230	7.0	42	1	2	6	9	14	17	39
65+	122	8.0	56	1	2	6	9	16	26	37
B. *Operated*										
0-19 YRS	23	4.6	6	1	2	3	7	8	9	9
20-34	238	5.1	20	1	1	4	7	11	15	22
35-49	325	6.5	30	1	1	5	9	13	18	25
50-64	209	8.0	55	1	1	6	10	17	22	31
65+	91	8.8	55	1	1	8	12	18	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.9	14	1	1	4	6	10	12	18
20-34	260	7.4	54	1	1	5	9	16	20	40
35-49	323	8.6	70	1	2	6	11	18	27	40
50-64	278	8.1	46	1	2	6	10	17	19	37
65+	333	10.4	90	2	3	7	12	23	28	48
B. *Operated*										
0-19 YRS	10	6.4	33	1	1	4	10	15	17	17
20-34	157	7.9	48	1	2	6	10	16	22	36
35-49	297	8.4	75	1	2	6	11	17	26	48
50-64	256	11.3	79	1	2	9	15	24	31	38
65+	191	16.5	158	2	4	14	21	31	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	6.3	42	1	1	5	7	13	16	38
B. *Operated*	886	6.7	37	1	1	5	9	14	19	27
2. MULTIPLE DX										
A. *Not Operated*	1245	8.6	66	1	2	6	10	18	25	40
B. *Operated*	911	10.8	98	1	2	8	14	23	31	49
1. SINGLE DX	1988	6.4	40	1	1	5	8	13	17	32
2. MULTIPLE DX	2156	9.5	81	1	2	7	12	20	28	43
A. NOT OPERATED	2347	7.5	56	1	2	5	9	16	21	40
B. OPERATED	1797	8.8	72	1	2	7	11	19	26	39
TOTAL 0-19 YRS	144	4.3	12	1	1	3	6	9	11	17
20-34	997	6.3	43	1	1	5	8	14	17	35
35-49	1293	7.4	54	1	2	5	9	15	21	40
50-64	973	8.7	58	1	2	7	11	18	24	38
65+	737	11.4	107	2	2	8	15	25	31	57
GRAND TOTAL	**4144**	**8.0**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.7	14	1	1	4	6	9	12	20
20-34	53	5.5	26	1	2	5	7	10	11	32
35-49	59	5.4	27	1	2	4	6	11	13	34
50-64	45	5.4	11	<1	1	5	7	10	12	14
65+	36	6.6	28	1	1	5	9	14	18	23
B. *Operated*										
0-19 YRS	101	2.5	2	<1	1	2	3	4	5	7
20-34	171	3.4	17	<1	1	2	4	5	7	29
35-49	210	3.3	7	<1	1	3	4	6	8	16
50-64	200	2.8	5	<1	1	2	3	5	6	13
65+	69	3.1	12	1	1	2	4	6	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	10	<1	1	3	5	10	12	12
20-34	42	5.4	16	<1	1	5	7	11	14	19
35-49	53	6.4	33	1	1	5	7	12	16	34
50-64	73	7.2	32	1	2	6	10	14	19	26
65+	116	10.3	71	1	2	8	12	23	27	43
B. *Operated*										
0-19 YRS	26	4.0	16	1	2	3	4	8	11	21
20-34	92	4.3	35	1	1	3	4	10	13	37
35-49	120	4.2	18	<1	1	3	5	9	14	49
50-64	130	4.8	31	1	1	3	5	9	15	30
65+	87	6.4	94	1	1	4	7	15	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	5.4	21	1	1	4	7	10	14	23
B. *Operated*	751	3.1	8	<1	1	2	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	315	7.7	47	1	2	6	10	15	23	33
B. *Operated*	455	4.8	40	1	1	3	5	10	15	34
1. SINGLE DX	1024	3.7	13	<1	1	3	4	7	9	20
2. MULTIPLE DX	770	6.0	45	1	1	4	7	13	18	34
A. NOT OPERATED	588	6.6	36	1	1	5	8	13	19	31
B. OPERATED	1206	3.7	21	<1	1	3	4	7	10	24
TOTAL 0-19 YRS	238	3.6	9	1	1	3	4	7	9	17
20-34	358	4.1	23	1	1	3	4	8	11	30
35-49	442	4.2	17	<1	1	3	5	8	12	25
50-64	448	4.4	20	<1	1	3	5	9	13	23
65+	308	7.1	66	1	1	5	9	15	23	35
GRAND TOTAL	**1794**	**4.7**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**27**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.5	13	8	8	10	13	13	13	13
B. *Operated*										
0-19 YRS	116	3.6	2	1	2	4	4	6	6	8
20-34	213	4.1	3	1	2	4	5	7	7	9
35-49	238	4.3	21	1	2	4	5	6	7	10
50-64	291	4.2	5	1	2	4	5	7	9	11
65+	146	4.0	5	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	5.0	37	<1	<1	2	9	12	12	12
65+	7	3.0	7	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	73	4.1	4	2	2	4	5	6	7	13
20-34	152	4.7	18	2	2	4	5	7	8	30
35-49	183	4.5	6	2	2	4	5	7	9	13
50-64	419	5.2	10	2	2	5	6	8	9	19
65+	329	5.4	13	1	2	5	7	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	10.5	13	8	8	10	13	13	13	13
B. *Operated*	1004	4.1	8	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	17	2.8	9	<1	<1	1	3	7	11	12
B. *Operated*	1156	5.0	11	2	2	4	6	8	10	19
1. SINGLE DX	1006	4.1	8	1	2	4	5	7	8	11
2. MULTIPLE DX	1173	5.0	11	1	2	4	6	8	10	19
A. NOT OPERATED	19	3.6	15	<1	<1	2	5	10	13	13
B. OPERATED	2160	4.6	10	1	2	4	6	7	9	15
TOTAL 0-19 YRS	193	3.7	3	1	2	4	5	6	6	9
20-34	366	4.4	9	1	2	4	5	7	8	15
35-49	423	4.3	14	1	2	4	5	7	8	12
50-64	713	4.8	8	1	2	4	6	8	9	15
65+	484	5.0	11	1	2	4	6	9	12	18
GRAND TOTAL	**2179**	**4.6**	**10**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	117	1.8	1	<1	<1	2	2	3	4	7
20-34	198	1.6	1	<1	<1	1	2	3	4	5
35-49	95	1.8	1	<1	<1	2	2	3	4	6
50-64	64	2.9	14	<1	<1	2	3	5	6	26
65+	16	2.4	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	5	4.2	25	<1	<1	2	5	13	13	13
50-64	9	5.9	8	1	2	6	8	9	9	9
65+	7	2.6	5	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	17	2.0	1	<1	<1	2	2	4	4	4
20-34	43	3.5	19	<1	<1	2	4	7	13	25
35-49	38	2.4	2	<1	<1	2	3	4	6	7
50-64	43	3.6	9	<1	1	2	5	7	11	14
65+	26	4.5	39	<1	<1	2	4	10	22	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	1	<1	<1	2	3	3	4	4
B. *Operated*	490	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	3.7	11	<1	<1	2	6	9	10	13
B. *Operated*	167	3.3	14	<1	<1	2	4	7	10	24
1. SINGLE DX	504	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	193	3.3	14	<1	<1	2	4	7	10	23
A. NOT OPERATED	40	3.2	8	<1	<1	2	4	8	9	13
B. OPERATED	657	2.3	6	<1	<1	2	2	4	5	13
TOTAL 0-19 YRS	136	1.8	1	<1	<1	2	2	3	4	7
20-34	250	2.0	4	<1	<1	1	2	3	5	13
35-49	141	2.1	2	<1	<1	2	2	4	4	8
50-64	121	3.3	12	<1	<1	2	4	7	9	18
65+	49	3.6	22	<1	<1	2	4	6	11	27
GRAND TOTAL	**697**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**4**	**6**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	14.3	77	4	4	11	20	28	33	33
20-34	18	8.8	38	<1	1	7	13	17	21	23
35-49	17	9.5	54	1	4	10	11	13	27	35
50-64	9	8.7	14	2	4	8	11	14	14	14
65+	13	14.3	147	5	6	9	17	37	41	42
B. *Operated*										
0-19 YRS	26	17.5	179	3	4	14	29	40	41	43
20-34	37	17.3	400	2	3	10	19	43	68	88
35-49	20	14.3	171	1	2	7	26	34	40	43
50-64	12	15.5	306	2	3	10	16	40	62	66
65+	13	14.1	137	1	2	10	22	29	37	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	19.8	98	5	7	[illegible]	22	35	38	40
20-34	15	16.7	117	3	5	[illegible]	27	33	34	34
35-49	14	18.2	271	3	5	[illegible]	32	53	88	99+
50-64	14	22.4	247	3	8	15	30	51	55	56
65+	29	16.0	185	3	3	14	20	29	32	72
B. *Operated*										
0-19 YRS	25	17.9	147	3	7	14	21	43	45	49
20-34	39	24.7	280	4	5	22	38	51	57	99+
35-49	23	29.2	316	8	10	26	40	48	68	76
50-64	37	27.6	441	6	7	25	44	74	96	99+
65+	33	24.3	342	4	6	24	42	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	11.7	73	2	4	10	14	24	33	40
B. *Operated*	108	16.2	256	2	3	10	22	39	43	83
2. MULTIPLE DX										
A. *Not Operated*	90	18.2	176	3	5	15	26	35	50	88
B. *Operated*	157	24.9	320	4	7	22	37	56	83	99+
1. SINGLE DX	197	14.2	177	2	3	10	18	32	40	73
2. MULTIPLE DX	247	22.4	277	4	6	18	31	50	71	99+
A. NOT OPERATED	179	15.0	135	2	4	12	20	31	36	67
B. OPERATED	265	21.3	311	3	4	16	31	49	67	99+
TOTAL 0-19 YRS	101	17.0	125	4	5	14	22	34	41	46
20-34	109	18.5	283	2	3	13	27	45	52	93
35-49	74	18.6	260	2	4	12	30	42	52	94
50-64	72	22.2	364	3	6	15	29	56	77	99+
65+	88	18.6	245	2	4	14	29	45	78	99+
GRAND TOTAL	**444**	**18.8**	**249**	**3**	**4**	**14**	**27**	**43**	**56**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	8.4	45	1	1	7	12	18	21	30
20-34	28	4.4	14	1	1	3	7	8	10	18
35-49	30	5.0	15	<1	1	3	9	10	12	13
50-64	30	6.3	55	1	1	4	6	20	23	29
65+	68	12.7	187	2	2	10	16	23	28	88
B. *Operated*										
0-19 YRS	234	6.0	60	1	2	4	6	13	17	47
20-34	375	5.2	21	1	2	4	6	10	12	25
35-49	148	6.0	30	1	2	5	8	11	15	30
50-64	89	7.7	41	2	2	5	11	16	19	32
65+	60	10.3	143	1	2	7	15	18	30	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	10.9	303	1	1	5	15	22	53	84
20-34	31	6.4	48	<1	1	4	9	15	26	28
35-49	48	5.9	19	1	1	5	8	12	16	18
50-64	85	10.1	89	2	2	7	14	19	24	51
65+	393	18.0	281	3	4	13	23	41	56	97
B. *Operated*										
0-19 YRS	107	6.9	83	1	1	4	8	14	20	83
20-34	153	7.4	105	1	2	4	8	16	21	66
35-49	119	10.3	135	2	3	7	13	21	34	96
50-64	111	14.9	189	3	4	12	19	32	48	90
65+	172	21.5	306	3	5	17	29	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	8.4	92	1	1	6	11	18	23	42
B. *Operated*	906	6.1	44	1	2	4	7	12	17	35
2. MULTIPLE DX										
A. *Not Operated*	591	14.8	241	2	2	10	19	34	50	90
B. *Operated*	662	12.8	206	2	2	8	16	30	44	97
1. SINGLE DX	1122	6.6	54	1	2	4	8	14	18	35
2. MULTIPLE DX	1253	13.7	224	2	2	9	18	33	48	93
A. NOT OPERATED	807	13.1	209	1	2	9	16	30	45	87
B. OPERATED	1568	8.9	123	1	2	5	10	20	30	68
TOTAL 0-19 YRS	435	6.9	83	1	1	4	8	15	19	58
20-34	587	5.8	45	1	2	4	6	11	16	33
35-49	345	7.4	68	1	2	5	9	15	20	44
50-64	315	10.7	117	2	2	7	14	22	31	61
65+	693	17.7	276	2	3	13	23	40	58	99
GRAND TOTAL	**2375**	**10.3**	**156**	**1**	**2**	**6**	**13**	**23**	**35**	**78**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	58	4.1	7	1	1	3	5	7	10	14
20-34	47	3.6	6	<1	1	2	5	7	9	11
35-49	25	3.4	8	1	1	2	5	7	9	13
50-64	14	5.8	16	1	1	5	9	11	13	14
65+	8	8.9	20	1	2	9	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	4	5.8	68	<1	<1	2	10	18	18	18
35-49										
50-64										
65+	6	12.3	151	<1	<1	9	18	32	34	34
B. *Operated*										
0-19 YRS	50	4.7	10	1	2	4	6	8	11	19
20-34	48	7.6	140	2	2	4	7	14	47	99+
35-49	28	6.7	57	<1	<1	5	7	17	27	33
50-64	35	6.9	18	1	2	6	10	15	15	99+
65+	23	9.7	57	1	2	8	12	21	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.3	70	1	1	2	12	16	16	16
B. *Operated*	152	4.2	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	15	6.8	94	<1	<1	1	10	18	30	34
B. *Operated*	184	6.8	60	1	2	5	8	14	21	88
1. SINGLE DX	155	4.3	10	1	1	3	6	9	11	16
2. MULTIPLE DX	199	6.8	62	1	2	5	8	15	22	83
A. NOT OPERATED	18	6.7	86	<1	<1	2	11	18	28	34
B. OPERATED	336	5.6	39	1	2	4	7	11	15	48
TOTAL 0-19 YRS	114	4.2	9	1	1	4	5	7	10	16
20-34	99	5.6	76	1	2	3	6	10	16	83
35-49	54	5.1	35	<1	1	3	6	10	18	33
50-64	49	6.6	18	1	2	6	9	14	15	99+
65+	38	10.1	60	1	2	9	13	20	27	34
GRAND TOTAL	**354**	**5.7**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**45**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	9	7.0	27	1	2	6	9	16	18	18
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	5	6.8	15	3	3	7	10	12	12	12
B. *Operated*										
0-19 YRS										
20-34	3	5.3	5	4	4	4	7	8	8	8
35-49	5	3.8	2	3	3	3	4	6	6	6
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	6	12.8	188	2	2	8	12	37	40	40
65+	15	12.2	53	3	4	10	17	26	26	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	10.8	48	2	2	11	16	18	18	18
50-64	2	12.0	8	10	10	12	14	14	14	14
65+	2	16.5	181	7	7	16	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.7	20	<1	1	4	8	12	15	18
B. *Operated*	11	5.3	12	2	2	4	7	10	14	14
2. MULTIPLE DX										
A. *Not Operated*	27	10.5	78	2	2	8	12	25	28	40
B. *Operated*	8	12.5	54	2	3	12	16	24	26	26
1. SINGLE DX	31	5.5	17	1	1	4	8	12	14	18
2. MULTIPLE DX	35	11.0	72	2	2	9	14	26	26	40
A. NOT OPERATED	47	8.5	58	1	1	7	10	18	26	40
B. OPERATED	19	8.3	41	2	2	7	13	17	22	26
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	3.1	6	<1	<1	2	4	7	8	8
35-49	20	6.8	25	1	2	5	8	16	18	18
50-64	12	10.1	103	2	2	8	11	22	37	40
65+	23	11.5	53	3	3	10	15	26	26	26
GRAND TOTAL	**66**	**8.4**	**53**	**1**	**2**	**7**	**10**	**18**	**26**	**38**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.5	3	<1	<1	2	3	5	6	8
20-34	104	3.8	11	1	1	3	4	8	10	19
35-49	95	4.4	12	1	1	3	6	9	13	15
50-64	70	4.9	12	<1	1	4	6	10	12	15
65+	76	6.1	36	1	2	5	7	12	18	36
B. *Operated*										
0-19 YRS	122	4.2	24	<1	1	2	4	11	18	23
20-34	307	3.8	19	<1	<1	2	4	9	12	23
35-49	200	4.3	16	<1	1	3	5	10	12	21
50-64	217	3.9	24	<1	1	2	4	8	12	34
65+	132	3.0	5	1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.3	39	1	1	3	5	7	11	39
20-34	109	5.3	30	1	1	3	7	11	13	32
35-49	129	5.7	26	1	1	4	8	12	15	26
50-64	126	7.2	43	1	2	5	9	14	20	36
65+	201	9.5	87	2	2	7	12	19	25	65
B. *Operated*										
0-19 YRS	172	6.2	49	<1	2	3	8	16	19	28
20-34	391	4.4	20	<1	1	3	4	10	14	24
35-49	226	5.1	22	<1	1	3	7	12	15	22
50-64	203	6.7	52	<1	1	4	9	16	21	31
65+	165	7.8	145	1	2	3	8	17	28	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	4.4	16	1	1	3	6	9	12	20
B. *Operated*	978	3.9	18	<1	<1	2	4	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	625	7.0	54	1	1	5	9	15	19	39
B. *Operated*	1157	5.7	49	<1	1	3	6	13	18	31
1. SINGLE DX	1380	4.0	18	<1	1	3	5	9	12	22
2. MULTIPLE DX	1782	6.2	52	1	1	3	8	14	18	36
A. NOT OPERATED	1027	6.0	41	1	1	4	7	13	16	37
B. OPERATED	2135	4.9	36	<1	1	3	5	11	16	28
TOTAL 0-19 YRS	411	4.8	35	<1	1	3	5	12	16	28
20-34	911	4.2	20	<1	<1	3	4	10	13	24
35-49	650	4.9	19	1	1	3	7	11	14	22
50-64	616	5.6	38	<1	1	3	7	13	17	32
65+	574	7.1	84	1	2	4	8	15	23	53
GRAND TOTAL	**3162**	**5.2**	**38**	**<1**	**1**	**3**	**6**	**12**	**16**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	5.0	7	3	3	4	7	9	9	9
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.0	8	3	3	4	8	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
1. SINGLE DX	7	5.0	8	3	3	4	8	9	9	9
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. NOT OPERATED	8	5.0	7	3	3	4	7	9	9	9
B. OPERATED										
TOTAL 0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	4	5.0	7	3	3	4	7	9	9	9
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
GRAND TOTAL	**8**	**5.0**	**7**	**3**	**3**	**4**	**7**	**9**	**9**	**9**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	13	<1	<1	3	5	10	11	11
20-34										
35-49	1	32.0		32	32	32	32	32	32	32
50-64	2	10.5	5	9	9	10	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	12	7.0	21	1	1	8	11	12	14	14
20-34	4	5.3	16	2	2	4	8	11	11	11
35-49	2	17.5	181	8	8	17	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.7	31	1	1	4	7	9	19	28
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	95.0		95	95	95	95	95	95	95
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	31	11.9	276	3	3	8	11	18	25	97
20-34	8	17.3	118	5	5	19	31	74	99+	99+
35-49	5	15.4	67	5	5	17	22	24	24	24
50-64	3	13.7	80	8	8	9	20	24	24	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.1	87	<1	<1	5	11	22	32	32
B. *Operated*	18	7.8	40	1	1	7	11	13	22	27
2. MULTIPLE DX										
A. *Not Operated*	47	7.3	199	1	1	4	7	10	25	95
B. *Operated*	47	13.3	212	3	4	9	17	25	42	99+
1. SINGLE DX	28	7.9	54	1	1	6	11	13	27	32
2. MULTIPLE DX	94	10.3	212	1	2	7	11	24	29	99
A. NOT OPERATED	57	7.4	177	1	1	4	7	12	27	91
B. OPERATED	65	11.8	169	2	3	9	14	24	30	99+
TOTAL 0-19 YRS	90	7.9	119	1	1	5	9	14	18	69
20-34	14	11.6	114	1	2	11	19	36	84	99+
35-49	9	26.6	744	5	6	22	28	70	95	95
50-64	6	11.2	45	5	5	9	12	23	24	24
65+	3	4.0	9	1	1	4	6	7	7	7
GRAND TOTAL	**122**	**9.7**	**176**	**1**	**2**	**7**	**11**	**22**	**28**	**98**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.5	1	<1	<1	1	2	2	3	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	265	2.3	4	<1	<1	2	3	4	5	10
20-34	68	2.7	2	<1	<1	2	3	5	5	8
35-49	29	4.6	24	<1	<1	3	5	10	20	20
50-64	12	2.9	1	1	1	3	4	4	4	4
65+	8	3.4	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	3	<1	<1	1	3	5	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	69	4.3	49	<1	1	2	5	8	10	49
20-34	27	5.1	57	1	2	3	5	9	15	41
35-49	15	2.9	3	<1	<1	2	5	5	6	6
50-64	14	4.2	5	2	2	4	5	7	9	10
65+	7	3.6	3	1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	382	2.6	5	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	20	2.0	3	<1	<1	1	3	5	6	6
B. *Operated*	132	4.3	38	<1	1	3	5	7	10	44
1. SINGLE DX	408	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX	152	4.0	34	<1	1	3	5	7	9	41
A. NOT OPERATED	46	1.7	2	<1	<1	1	2	3	5	6
B. OPERATED	514	3.0	14	<1	<1	2	3	5	7	19
TOTAL 0-19 YRS	376	2.6	13	<1	<1	2	3	5	7	12
20-34	96	3.4	19	<1	<1	3	4	5	8	27
35-49	46	3.9	17	<1	<1	3	5	7	14	20
50-64	27	3.6	4	1	2	3	4	6	7	10
65+	15	3.5	3	1	2	4	5	5	7	7
GRAND TOTAL	**560**	**2.9**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.8	17	<1	<1	4	7	10	12	19
20-34	7	5.0	7	1	1	6	7	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	6.3	18	1	1	6	9	11	11	11
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	126	5.1	14	2	2	3	8	9	12	15
20-34	44	5.9	38	<1	1	4	8	11	21	28
35-49	19	5.6	48	<1	<1	3	8	18	23	23
50-64	10	6.7	23	1	1	7	11	12	12	12
65+	4	5.0	29	1	1	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	6.5	71	<1	1	4	7	12	22	51
20-34	20	3.8	10	<1	<1	3	6	9	10	11
35-49	13	5.2	31	1	1	3	7	12	19	21
50-64	9	6.9	21	1	1	7	12	57	99+	99+
65+	8	19.0	291	5	6	12	23	48	58	58
B. *Operated*										
0-19 YRS	153	6.8	56	2	2	3	9	16	19	40
20-34	51	9.0	64	1	2	7	12	20	29	33
35-49	24	10.6	73	2	3	9	14	20	31	37
50-64	17	9.4	112	1	2	4	14	22	35	42
65+	9	10.6	133	1	1	8	12	29	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.0	14	<1	1	4	7	10	11	19
B. *Operated*	203	5.4	23	1	2	3	9	11	12	25
2. MULTIPLE DX										
A. *Not Operated*	135	6.7	76	<1	1	4	8	13	24	67
B. *Operated*	254	7.9	66	2	2	5	11	17	22	40
1. SINGLE DX	243	5.3	21	1	1	3	8	10	12	24
2. MULTIPLE DX	389	7.5	70	1	2	4	10	17	22	50
A. NOT OPERATED	175	6.3	62	<1	1	4	8	12	21	61
B. OPERATED	457	6.8	48	1	2	4	9	14	19	37
TOTAL 0-19 YRS	390	6.1	43	1	2	3	9	12	17	32
20-34	122	6.8	46	<1	1	5	9	14	24	31
35-49	57	7.5	59	1	1	4	10	19	23	36
50-64	40	7.9	59	1	1	5	12	15	32	99+
65+	23	12.2	175	1	2	9	13	28	46	58
GRAND TOTAL	**632**	**6.7**	**52**	**1**	**1**	**4**	**9**	**13**	**19**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	122	5.6	5	2	3	6	7	8	9	12
20-34	5	5.4	4	2	2	6	7	7	7	7
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	125	6.8	23	2	3	6	8	11	14	28
20-34	6	5.2	5	2	2	5	7	8	8	8
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*	129	5.6	5	2	2	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	12	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*	132	6.8	22	2	3	6	8	11	14	26
1. SINGLE DX	132	5.5	5	2	2	6	7	8	9	12
2. MULTIPLE DX	144	6.3	22	1	2	6	8	10	13	24
A. NOT OPERATED	15	1.9	2	<1	<1	1	3	5	5	5
B. OPERATED	261	6.2	14	2	3	6	7	9	11	22
TOTAL 0-19 YRS	261	6.0	14	1	2	6	7	9	11	22
20-34	12	4.9	6	1	2	5	7	8	8	8
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65+										
GRAND TOTAL	**276**	**5.9**	**14**	**1**	**2**	**6**	**7**	**9**	**11**	**21**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	5	1	1	2	3	6	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	75	5.4	14	3	3	4	6	8	9	28
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	23	8.0	57	3	4	6	8	15	26	38
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.4	5	1	1	2	3	6	7	7
B. *Operated*	75	5.4	14	3	3	4	6	8	9	28
2. MULTIPLE DX										
A. *Not Operated*	3	5.0	3	3	3	6	6	6	6	6
B. *Operated*	23	8.0	57	3	4	6	8	15	26	38
1. SINGLE DX	82	5.1	14	2	3	4	6	8	9	27
2. MULTIPLE DX	26	7.7	52	3	3	6	7	14	24	38
A. NOT OPERATED	10	3.2	5	1	1	2	6	7	7	7
B. OPERATED	98	6.0	25	3	3	5	6	8	12	36
TOTAL 0-19 YRS	108	5.8	24	2	3	5	6	8	11	35
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**108**	**5.8**	**24**	**2**	**3**	**5**	**6**	**8**	**11**	**35**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.7	3	<1	<1	1	2	3	5	9
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	9	4.9	27	<1	<1	4	6	14	16	16
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	76	4.9	23	<1	<1	3	7	11	15	23
20-34	44	3.7	14	<1	<1	2	5	6	12	21
35-49	11	4.9	41	<1	<1	3	6	14	22	23
50-64	9	8.3	20	2	2	8	10	15	17	17
65+	5	4.4	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.3	33	1	1	3	6	13	20	24
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	3	12.3	57	7	7	9	18	21	21	21
65+	6	8.8	24	2	2	9	11	16	16	16
B. *Operated*										
0-19 YRS	91	10.6	116	1	2	9	14	20	27	65
20-34	34	8.3	53	<1	<1	6	12	16	24	34
35-49	15	10.5	112	<1	1	6	18	21	34	38
50-64	13	8.7	61	1	2	6	16	19	24	25
65+	9	17.0	164	7	7	13	20	38	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.2	7	<1	<1	1	2	4	8	15
B. *Operated*	145	4.7	21	<1	<1	3	6	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	48	6.1	34	1	1	4	8	14	21	24
B. *Operated*	162	10.3	102	1	2	9	14	20	26	56
1. SINGLE DX	209	4.0	18	<1	<1	2	5	9	12	22
2. MULTIPLE DX	210	9.3	89	1	1	7	13	20	25	52
A. NOT OPERATED	112	3.9	22	<1	<1	2	4	11	15	23
B. OPERATED	307	7.7	71	<1	1	5	11	17	22	42
TOTAL 0-19 YRS	253	6.4	65	<1	<1	3	9	15	19	37
20-34	82	5.6	35	<1	<1	4	7	13	17	31
35-49	28	7.7	83	<1	<1	4	11	21	24	38
50-64	34	7.9	42	1	1	7	11	17	20	25
65+	22	10.7	101	1	2	8	13	20	33	48
GRAND TOTAL	**419**	**6.7**	**61**	**<1**	**<1**	**4**	**9**	**16**	**21**	**37**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	1	1	1	2	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	282	2.9	2	<1	1	3	4	5	6	9
20-34	44	4.3	10	1	2	3	5	8	11	18
35-49	12	3.9	11	<1	1	3	4	9	12	13
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	202	3.2	5	1	1	3	4	5	7	14
20-34	31	3.6	7	<1	1	3	5	6	6	15
35-49	7	4.7	9	2	2	4	6	10	11	11
50-64	5	10.2	101	3	3	5	16	27	27	27
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	3	1	1	1	2	5	5	5
B. *Operated*	339	3.1	4	<1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	14	1.1		<1	<1	1	1	2	2	2
B. *Operated*	245	3.4	8	1	1	3	4	6	8	15
1. SINGLE DX	344	3.1	4	<1	1	3	4	5	7	11
2. MULTIPLE DX	259	3.3	8	<1	1	3	4	6	8	15
A. NOT OPERATED	19	1.3	1	<1	<1	1	1	2	4	5
B. OPERATED	584	3.2	6	<1	1	3	4	5	7	13
TOTAL 0-19 YRS	501	2.9	4	<1	1	3	4	5	6	10
20-34	77	3.9	9	<1	1	3	5	6	10	17
35-49	19	4.2	10	1	2	3	5	9	12	13
50-64	6	8.8	92	2	2	4	12	25	27	27
65+										
GRAND TOTAL	**603**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	3	14.0	331	3	3	4	27	35	35	35
35-49	4	5.0	5	3	3	5	7	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	147	6.7	29	1	1	5	10	13	17	22
20-34	70	5.5	26	<1	1	4	6	13	18	22
35-49	13	4.0	5	<1	1	3	6	7	8	8
50-64	9	6.8	12	2	2	7	9	11	13	13
65+	9	4.9	17	2	2	3	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	9	<1	1	2	5	8	10	11
20-34	9	3.1	5	<1	<1	2	5	6	6	6
35-49	9	5.6	9	1	1	6	8	9	9	9
50-64	7	5.0	12	1	1	7	8	9	9	9
65+	7	6.9	11	2	2	7	9	11	11	11
B. *Operated*										
0-19 YRS	124	9.2	75	1	2	8	13	17	20	50
20-34	74	7.9	55	<1	2	6	10	14	18	48
35-49	46	11.3	92	2	2	9	15	24	30	45
50-64	37	13.5	107	1	3	11	18	26	38	43
65+	14	17.6	343	2	3	12	16	57	62	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.5	63	1	1	3	7	8	26	35
B. *Operated*	248	6.2	27	<1	1	4	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	47	4.6	10	1	1	4	7	9	10	11
B. *Operated*	295	10.1	93	1	2	8	13	19	25	56
1. SINGLE DX	265	6.1	29	1	1	4	9	13	16	22
2. MULTIPLE DX	342	9.4	85	1	2	7	12	18	25	56
A. NOT OPERATED	64	4.8	23	1	1	4	7	8	10	32
B. OPERATED	543	8.3	66	1	2	6	12	16	21	44
TOTAL 0-19 YRS	293	7.5	50	1	1	5	11	15	18	28
20-34	156	6.7	45	<1	1	5	8	14	18	34
35-49	72	8.9	71	1	2	6	12	19	25	44
50-64	54	11.1	88	1	2	9	14	23	35	43
65+	32	10.9	187	2	2	8	12	18	53	63
GRAND TOTAL	**607**	**8.0**	**63**	**1**	**1**	**6**	**11**	**16**	**21**	**43**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	6	1	1	2	4	6	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	119	4.4	6	2	2	4	5	8	9	11
20-34	14	5.9	13	2	3	5	8	10	15	16
35-49	8	5.1	2	3	3	5	6	7	7	7
50-64	4	5.3	2	4	4	5	6	7	7	7
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	62	4.6	10	2	2	4	5	9	11	16
20-34	26	5.0	10	1	2	4	6	8	11	17
35-49	16	4.3	4	2	2	4	6	7	8	8
50-64	23	4.0	9	2	2	3	4	5	10	17
65+	11	4.3	6	2	2	4	5	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.6	6	1	1	2	4	6	8	8
B. *Operated*	147	4.6	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	5	5
B. *Operated*	138	4.5	8	2	2	4	5	8	10	17
1. SINGLE DX	157	4.4	6	1	2	4	5	8	9	14
2. MULTIPLE DX	149	4.3	9	1	2	4	5	8	9	17
A. NOT OPERATED	21	2.0	4	<1	<1	1	2	5	6	8
B. OPERATED	285	4.5	7	2	2	4	5	8	9	16
TOTAL 0-19 YRS	200	4.2	7	1	1	3	5	8	9	13
20-34	41	5.2	11	1	2	5	6	8	12	17
35-49	24	4.5	3	2	3	4	6	7	8	8
50-64	28	4.2	8	2	2	4	4	6	8	17
65+	13	4.2	5	2	2	4	4	6	10	11
GRAND TOTAL	**306**	**4.4**	**7**	**1**	**2**	**4**	**5**	**8**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.8	14	<1	1	2	5	9	13	16
20-34	10	4.5	6	2	2	4	6	8	10	10
35-49	10	3.8	3	1	1	4	5	6	6	6
50-64	11	6.8	102	1	2	4	5	18	35	37
65+	5	6.4	15	1	1	7	10	10	10	10
B. *Operated*										
0-19 YRS	295	4.8	17	1	1	3	7	10	13	22
20-34	195	4.4	29	1	2	3	4	8	11	25
35-49	65	4.6	15	1	2	3	5	9	12	23
50-64	40	6.8	24	1	2	5	10	14	16	19
65+	10	3.9	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	7.3	40	1	1	5	11	16	20	28
20-34	20	8.9	99	2	3	6	8	16	33	48
35-49	14	6.6	37	1	1	4	9	17	19	20
50-64	13	8.5	21	4	4	7	12	16	17	17
65+	21	9.5	21	3	4	10	12	15	18	20
B. *Operated*										
0-19 YRS	137	8.9	79	2	2	7	11	16	27	57
20-34	98	7.8	93	1	2	5	10	16	21	59
35-49	51	9.0	93	2	2	6	13	17	39	99
50-64	44	12.7	179	2	2	9	22	26	33	74
65+	23	11.5	65	2	3	10	15	21	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.4	22	1	1	3	5	10	13	27
B. *Operated*	605	4.8	21	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	155	7.8	43	1	2	6	12	16	19	28
B. *Operated*	353	9.2	98	2	2	7	12	19	27	62
1. SINGLE DX	703	4.7	21	1	1	3	5	10	12	22
2. MULTIPLE DX	508	8.8	81	1	2	6	12	18	25	55
A. NOT OPERATED	253	6.5	38	1	1	4	9	14	17	28
B. OPERATED	958	6.4	54	1	2	4	8	13	18	37
TOTAL 0-19 YRS	581	6.0	38	1	1	4	8	13	16	29
20-34	323	5.7	55	1	2	3	6	11	15	42
35-49	140	6.4	48	1	2	4	8	14	18	59
50-64	108	9.4	100	2	2	6	12	23	26	53
65+	59	9.1	42	1	2	8	12	18	21	36
GRAND TOTAL	**1211**	**6.4**	**51**	**1**	**2**	**4**	**8**	**13**	**17**	**36**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	3.4	11	1	1	3	4	6	9	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.4	48	1	1	2	3	10	22	32
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	7.5	88	1	1	4	8	17	27	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	14.5	200	1	1	10	23	40	44	45
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	3.4	11	1	1	3	4	6	9	15
B. *Operated*	21	4.4	48	1	1	2	3	10	22	32
2. MULTIPLE DX										
A. *Not Operated*	289	7.5	88	1	1	4	8	17	27	55
B. *Operated*	16	14.5	200	1	1	10	23	40	44	45
1. SINGLE DX	494	3.5	13	1	1	3	4	6	9	19
2. MULTIPLE DX	305	7.8	95	1	1	4	10	20	29	55
A. NOT OPERATED	762	5.0	44	1	1	3	5	10	15	37
B. OPERATED	37	8.8	136	1	1	3	13	24	38	45
TOTAL 0-19 YRS	799	5.2	49	1	1	3	5	11	17	41
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**799**	**5.2**	**49**	**1**	**1**	**3**	**5**	**11**	**17**	**41**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	620	3.0	5	1	1	2	4	6	7	12
20-34	119	4.4	28	1	1	3	5	10	14	28
35-49	57	3.6	6	1	1	3	4	7	8	14
50-64	50	4.6	11	1	1	4	6	9	12	16
65+	43	6.0	31	<1	1	4	8	13	20	26
B. Operated										
0-19 YRS	4	6.5	16	3	3	5	9	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	920	4.0	16	1	1	3	5	8	10	23
20-34	117	4.4	16	1	1	3	6	9	11	23
35-49	105	7.2	78	1	1	5	9	15	18	50
50-64	132	5.9	24	1	1	5	8	11	16	26
65+	190	9.1	74	2	2	7	11	19	27	55
B. Operated										
0-19 YRS	10	9.4	71	1	2	7	10	21	32	32
20-34	7	6.6	50	1	1	5	6	19	22	22
35-49	5	9.6	44	3	3	8	16	18	18	18
50-64	9	8.7	17	2	3	9	12	14	15	15
65+	10	22.6	274	6	7	17	34	48	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	889	3.5	10	1	1	3	4	7	9	16
B. Operated	8	6.3	11	3	3	5	8	11	12	12
2. MULTIPLE DX										
A. Not Operated	1464	5.1	32	1	1	3	6	10	15	28
B. Operated	41	12.0	131	2	3	8	15	26	35	60
1. SINGLE DX	897	3.5	10	1	1	3	4	7	9	16
2. MULTIPLE DX	1505	5.3	36	1	1	4	6	11	16	31
A. NOT OPERATED	2353	4.5	24	1	1	3	5	9	13	26
B. OPERATED	49	11.1	115	2	3	8	13	22	34	60
TOTAL 0-19 YRS	1554	3.6	12	1	1	3	4	7	9	18
20-34	244	4.5	23	1	1	3	6	10	12	23
35-49	169	6.1	55	1	1	4	7	14	17	27
50-64	191	5.7	21	1	1	5	7	11	15	26
65+	244	9.1	82	1	2	6	11	20	28	60
GRAND TOTAL	**2402**	**4.6**	**27**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	418	2.9	5	1	1	2	4	5	7	11
20-34	34	4.9	13	1	2	3	6	10	14	15
35-49	14	4.3	10	1	1	4	5	8	12	13
50-64	15	4.7	7	1	2	4	7	9	10	10
65+	29	5.9	13	2	2	5	8	11	13	16
B. Operated										
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20
20-34	7	3.0		3	3	3	3	3	3	3
35-49	3	16.0	469	3	3	4	32	41	41	41
50-64										
65+	1	53.0		53	53	53	53	53	53	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	494	3.6	6	1	1	3	5	7	8	13
20-34	63	5.3	21	1	2	4	6	10	12	25
35-49	33	4.8	10	2	2	4	6	8	12	15
50-64	52	6.7	14	1	3	6	9	12	15	97
65+	97	7.8	32	2	2	6	10	16	19	68
B. Operated										
0-19 YRS	7	16.4	182	1	2	14	21	39	43	43
20-34	9	7.4	41	2	2	3	15	16	17	17
35-49	5	14.4	46	7	7	15	19	24	24	24
50-64	11	20.8	414	3	4	13	25	56	69	70
65+	10	20.8	116	2	8	20	26	36	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	510	3.3	7	1	1	2	4	6	9	14
B. Operated	13	11.5	277	3	3	3	10	43	51	53
2. MULTIPLE DX										
A. Not Operated	739	4.5	14	1	1	4	6	9	12	20
B. Operated	42	16.5	193	2	3	14	22	34	44	70
1. SINGLE DX	523	3.5	15	1	1	3	4	6	9	16
2. MULTIPLE DX	781	5.2	30	1	1	4	6	11	15	29
A. NOT OPERATED	1249	4.0	12	1	1	3	5	8	11	17
B. OPERATED	55	15.3	213	2	3	13	20	41	45	69
TOTAL 0-19 YRS	921	3.4	9	1	1	3	4	6	8	14
20-34	113	5.2	19	1	2	4	6	11	15	24
35-49	55	6.2	43	1	2	4	7	13	17	40
50-64	78	8.3	91	1	2	6	10	14	24	91
65+	137	8.6	60	2	2	6	12	18	22	59
GRAND TOTAL	**1304**	**4.5**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.8	5	<1	1	2	4	6	9	10
20-34	124	3.9	11	1	1	3	5	10	11	15
35-49	76	3.6	10	1	1	2	5	9	10	13
50-64	32	5.3	61	<1	<1	3	5	10	24	40
65+	30	4.2	6	<1	1	4	5	7	10	11
B. *Operated*										
0-19 YRS										
20-34	6	3.2	3	2	2	3	4	6	6	6
35-49	12	3.3	3	1	1	3	4	6	7	7
50-64	5	8.8	68	3	3	5	12	23	23	23
65+	8	4.0	6	2	2	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.4	8	1	1	4	6	8	10	11
20-34	134	6.0	81	1	1	4	7	11	13	36
35-49	88	5.7	39	1	1	3	7	14	19	33
50-64	77	6.6	42	1	1	4	8	13	18	38
65+	81	7.8	35	2	3	6	10	16	25	77
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	8	8.3	50	2	2	5	13	20	22	22
35-49	24	8.0	58	1	2	6	10	17	24	35
50-64	11	7.5	38	<1	2	7	9	16	23	24
65+	11	13.8	153	3	4	7	18	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	3.8	14	1	1	2	5	8	11	15
B. *Operated*	31	4.3	16	1	2	3	5	8	9	23
2. MULTIPLE DX										
A. *Not Operated*	445	6.1	48	1	1	4	8	12	17	31
B. *Operated*	56	9.0	72	2	2	7	11	20	32	39
1. SINGLE DX	364	3.8	14	1	1	3	5	8	10	15
2. MULTIPLE DX	501	6.5	51	1	1	4	8	13	19	37
A. NOT OPERATED	778	5.1	35	1	1	4	6	11	14	27
B. OPERATED	87	7.3	57	2	2	4	9	16	23	38
TOTAL 0-19 YRS	138	3.6	7	1	1	2	5	8	9	11
20-34	272	5.0	48	1	1	3	6	11	13	24
35-49	200	5.1	30	1	1	3	6	10	16	28
50-64	125	6.5	47	1	1	4	8	12	21	40
65+	130	7.3	42	1	2	5	8	15	24	51
GRAND TOTAL	**865**	**5.4**	**37**	**1**	**1**	**4**	**7**	**11**	**14**	**31**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.6	1	<1	<1	1	2	3	4	6
20-34	30	2.2	3	<1	1	2	3	4	7	7
35-49	32	2.7	2	<1	1	3	4	5	5	8
50-64	72	2.7	3	<1	<1	2	3	5	6	9
65+	85	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	19	1.5		1	1	1	2	2	3	3
20-34	17	3.2	3	<1	<1	3	4	6	7	7
35-49	14	4.3	5	1	2	4	6	8	8	8
50-64	22	3.7	3	1	2	4	5	6	7	7
65+	19	2.8	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.3	16	<1	1	2	3	7	10	23
20-34	29	2.9	3	1	1	3	4	6	6	7
35-49	37	4.5	16	<1	1	4	5	8	12	22
50-64	70	4.0	8	1	1	3	5	8	9	17
65+	166	4.7	15	1	1	3	6	9	13	20
B. *Operated*										
0-19 YRS	10	3.2	12	1	1	2	4	9	12	12
20-34	11	4.5	14	<1	1	3	6	10	14	14
35-49	26	5.0	13	1	1	4	7	11	12	15
50-64	37	4.3	9	1	1	4	6	8	9	15
65+	91	6.8	53	1	2	4	8	15	20	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	91	3.0	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	350	4.2	13	1	1	3	5	8	11	20
B. *Operated*	175	5.6	34	1	1	4	7	11	15	29
1. SINGLE DX	348	2.7	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	525	4.7	21	1	1	3	6	9	14	21
A. NOT OPERATED	607	3.5	10	<1	1	3	4	7	9	18
B. OPERATED	266	4.7	25	1	1	3	6	8	14	24
TOTAL 0-19 YRS	115	2.4	9	<1	1	1	2	5	8	18
20-34	87	2.9	5	<1	1	2	4	6	7	12
35-49	109	4.1	10	<1	1	3	5	8	9	18
50-64	201	3.5	6	<1	1	3	5	7	8	13
65+	361	4.7	24	1	1	3	6	9	14	21
GRAND TOTAL	**873**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**9**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	3	<1	1	3	4	5	6	7
20-34	11	2.2	1	1	1	2	3	4	4	4
35-49	18	3.2	8	<1	<1	2	3	8	9	10
50-64	14	2.5	4	<1	<1	2	3	4	8	9
65+	14	5.9	18	<1	1	5	10	13	13	13
B. *Operated*										
0-19 YRS	42	2.6	5	<1	<1	2	3	6	8	10
20-34	55	2.8	6	<1	<1	2	3	5	7	14
35-49	34	3.2	8	<1	1	3	4	5	6	17
50-64	22	2.9	3	<1	1	3	4	5	6	7
65+	8	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.2	3	<1	1	3	4	6	6	6
20-34	19	3.0	10	<1	1	2	4	7	11	14
35-49	20	4.7	12	1	2	4	5	9	13	16
50-64	44	6.7	29	1	1	6	10	13	19	24
65+	59	6.2	31	1	1	4	9	14	21	24
B. *Operated*										
0-19 YRS	15	5.5	19	1	1	4	9	13	13	13
20-34	17	6.9	53	<1	1	3	10	20	23	24
35-49	16	5.6	23	<1	<1	5	7	17	71	99+
50-64	20	5.7	22	1	2	3	11	13	14	14
65+	21	8.9	109	1	1	4	11	25	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.4	8	<1	1	3	4	7	10	13
B. *Operated*	161	2.8	5	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	164	5.4	24	1	1	4	7	11	15	24
B. *Operated*	89	6.6	48	<1	1	4	10	15	23	77
1. SINGLE DX	244	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	253	5.8	32	1	1	4	8	13	18	28
A. NOT OPERATED	247	4.7	19	1	1	3	6	10	14	22
B. OPERATED	250	4.2	24	<1	1	2	5	10	14	28
TOTAL 0-19 YRS	105	3.3	6	<1	1	3	4	7	9	13
20-34	102	3.4	16	<1	1	2	3	7	13	22
35-49	88	4.0	12	<1	1	3	5	9	15	68
50-64	100	5.1	21	<1	1	3	7	12	14	22
65+	102	6.4	44	1	1	4	8	14	22	35
GRAND TOTAL	**497**	**4.5**	**21**	**<1**	**1**	**3**	**5**	**10**	**14**	**24**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	5	10.0	82	3	3	6	16	24	24	24
B. *Operated*										
0-19 YRS	2	22.0	512	6	6	22	38	38	38	38
20-34	8	4.9	29	1	1	3	4	14	18	18
35-49	4	12.3	30	8	8	10	16	20	20	20
50-64	5	10.6	180	2	2	6	15	34	34	34
65+	13	13.5	89	2	3	12	21	27	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	10.0	72	2	2	9	13	24	24	24
65+	30	14.9	191	2	4	12	18	47	59	99+
B. *Operated*										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34	5	23.4	1726	1	1	2	35	97	97	97
35-49	8	21.1	341	3	4	16	29	52	58	58
50-64	34	21.2	266	3	5	17	29	42	47	85
65+	84	27.0	423	5	7	23	38	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.7	59	3	3	6	12	22	24	24
B. *Operated*	32	11.3	104	2	2	7	18	27	34	38
2. MULTIPLE DX										
A. *Not Operated*	39	13.2	165	1	3	9	17	36	54	99+
B. *Operated*	132	25.2	417	3	5	21	34	65	94	99+
1. SINGLE DX	39	10.8	95	2	2	6	17	25	32	38
2. MULTIPLE DX	171	22.4	383	3	4	18	30	58	87	99+
A. NOT OPERATED	46	12.5	150	2	3	9	16	24	50	99+
B. OPERATED	164	22.5	385	3	3	19	30	53	85	99+
TOTAL 0-19 YRS	3	29.7	432	6	6	38	43	45	45	45
20-34	16	10.4	557	1	1	3	5	18	73	97
35-49	13	17.4	232	4	6	12	20	42	55	58
50-64	46	18.2	246	2	3	13	26	34	45	85
65+	132	22.3	361	3	4	19	30	60	95	99+
GRAND TOTAL	**210**	**20.3**	**350**	**2**	**3**	**16**	**28**	**47**	**84**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	2	<1	<1	2	3	4	5	6
20-34	202	2.6	4	<1	1	2	3	5	6	9
35-49	486	3.4	9	1	1	3	4	6	8	14
50-64	482	3.6	8	1	1	3	5	7	9	15
65+	337	4.8	22	1	1	3	6	10	13	27
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	4.3	9	1	2	3	5	10	11	11
35-49	70	3.8	10	1	1	3	5	8	10	17
50-64	91	2.7	6	1	1	2	3	5	8	13
65+	18	3.8	19	1	1	2	4	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.0	5	1	1	2	4	6	7	9
20-34	207	3.8	23	<1	1	2	5	8	9	26
35-49	626	3.9	9	1	1	3	5	8	10	15
50-64	935	5.0	16	1	1	4	6	10	13	21
65+	943	6.0	25	1	2	4	8	13	16	27
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	34	6.3	29	1	1	5	9	14	17	25
35-49	151	5.6	51	1	2	4	7	12	14	29
50-64	225	6.0	46	1	1	4	8	12	17	35
65+	117	8.8	69	1	2	6	13	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1540	3.6	11	1	1	3	5	7	9	16
B. *Operated*	192	3.3	9	1	1	2	4	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	2760	5.0	19	1	1	4	6	10	13	22
B. *Operated*	528	6.5	52	1	2	4	8	14	18	35
1. SINGLE DX	1732	3.6	11	1	1	3	4	7	9	16
2. MULTIPLE DX	3288	5.2	24	1	1	4	7	11	14	24
A. NOT OPERATED	4300	4.5	17	1	1	3	6	9	12	21
B. OPERATED	720	5.7	43	1	1	3	7	13	17	31
TOTAL 0-19 YRS	84	2.7	4	<1	1	2	4	5	7	9
20-34	455	3.5	15	<1	1	2	4	7	9	16
35-49	1333	3.9	14	1	1	3	5	8	10	16
50-64	1733	4.6	18	1	1	3	6	9	12	21
65+	1415	5.9	29	1	2	4	8	13	16	28
GRAND TOTAL	**5020**	**4.7**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.6	15	<1	1	2	4	8	10	20
20-34	16	3.3	11	<1	<1	2	4	9	12	13
35-49	14	4.6	12	1	1	3	7	10	12	12
50-64	17	4.6	15	1	1	3	6	10	14	15
65+	49	6.4	37	1	1	5	8	14	17	35
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	12	4.4	13	<1	1	3	7	10	11	11
35-49	14	4.4	8	1	2	4	5	8	10	11
50-64	23	6.4	37	1	2	5	9	12	19	29
65+	28	8.7	180	1	1	3	7	26	45	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	4.8	32	1	1	3	6	9	12	29
20-34	37	3.9	17	<1	1	3	5	8	10	23
35-49	52	3.2	9	<1	1	2	4	7	11	14
50-64	74	6.7	51	1	1	5	8	14	17	43
65+	181	7.6	50	1	2	6	10	17	24	83
B. *Operated*										
0-19 YRS	6	10.7	42	5	5	8	12	22	23	23
20-34	11	6.1	17	2	2	5	8	12	16	16
35-49	20	5.8	15	1	1	5	8	11	13	14
50-64	49	8.4	46	1	2	7	12	18	21	33
65+	61	9.3	47	1	2	8	14	18	24	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	4.3	20	<1	1	3	5	9	13	20
B. *Operated*	80	6.4	79	1	1	4	8	12	26	52
2. MULTIPLE DX										
A. *Not Operated*	478	5.9	40	1	1	4	7	13	18	46
B. *Operated*	147	8.4	41	1	2	7	12	17	21	36
1. SINGLE DX	331	4.8	35	1	1	3	6	10	13	31
2. MULTIPLE DX	625	6.5	42	1	1	5	8	14	19	44
A. NOT OPERATED	729	5.4	34	1	1	4	7	12	17	31
B. OPERATED	227	7.7	55	1	1	6	10	17	23	46
TOTAL 0-19 YRS	298	4.3	24	1	1	3	5	9	12	24
20-34	76	4.2	15	<1	<1	3	5	9	11	21
35-49	100	4.1	11	1	1	3	5	9	12	14
50-64	163	7.0	44	1	1	5	9	15	18	33
65+	319	7.9	59	1	2	6	10	17	25	67
GRAND TOTAL	**956**	**5.9**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**35**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.1	4	1	1	3	4	7	7	8
20-34	224	2.6	3	1	1	2	3	5	6	9
35-49	235	2.4	5	<1	1	2	3	4	5	10
50-64	156	2.7	5	1	1	2	3	5	7	13
65+	113	4.6	44	1	1	3	5	8	12	36
B. *Operated*										
0-19 YRS	42	2.0	4	<1	<1	1	2	5	7	9
20-34	42	4.8	18	<1	<1	3	6	11	14	18
35-49	56	4.4	11	<1	<1	3	7	8	11	17
50-64	35	6.2	19	2	2	4	9	13	14	17
65+	47	7.3	39	1	1	6	8	14	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.8	21	1	1	5	8	12	13	23
20-34	102	2.8	7	<1	1	2	4	6	6	16
35-49	99	3.2	9	1	1	2	4	7	8	17
50-64	121	4.5	19	1	1	3	5	8	14	23
65+	196	7.8	71	1	2	5	9	17	28	78
B. *Operated*										
0-19 YRS	25	4.5	19	<1	<1	3	6	10	14	18
20-34	39	6.8	39	<1	1	5	7	18	21	26
35-49	36	7.4	25	<1	2	6	10	16	18	20
50-64	64	8.8	82	2	2	6	11	15	29	51
65+	160	10.5	132	2	3	8	12	19	35	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	2.8	11	1	1	2	4	5	7	13
B. *Operated*	222	4.9	21	<1	1	3	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	551	5.2	38	1	1	4	6	11	16	36
B. *Operated*	324	8.9	93	1	2	6	11	17	24	57
1. SINGLE DX	988	3.3	14	<1	1	2	4	7	9	17
2. MULTIPLE DX	875	6.6	61	1	1	4	8	13	20	46
A. NOT OPERATED	1317	3.8	23	1	1	2	5	7	11	27
B. OPERATED	546	7.3	68	<1	1	5	9	15	20	42
TOTAL 0-19 YRS	138	3.7	13	<1	1	2	5	8	11	19
20-34	407	3.3	11	<1	1	2	4	6	9	20
35-49	426	3.2	11	<1	1	2	4	7	9	17
50-64	376	4.6	28	1	1	3	5	10	13	30
65+	516	7.9	85	1	2	5	10	16	25	68
GRAND TOTAL	**1863**	**4.8**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1703	2.5	4	<1	1	2	3	5	6	10
20-34	1310	3.0	8	<1	1	2	4	6	8	13
35-49	645	3.5	7	<1	1	3	4	7	9	13
50-64	350	4.3	14	<1	1	3	6	9	12	21
65+	377	5.1	30	1	1	4	6	9	13	24
B. *Operated*										
0-19 YRS	172	4.3	8	1	2	4	5	8	11	15
20-34	313	4.8	22	1	1	4	6	9	14	24
35-49	99	5.3	29	<1	1	4	6	10	12	34
50-64	45	7.0	29	<1	1	6	10	14	17	27
65+	17	5.6	35	<1	1	5	6	13	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	827	3.1	7	<1	1	2	4	6	8	13
20-34	1013	3.9	15	1	1	3	5	8	11	18
35-49	516	4.8	15	1	1	4	6	9	13	19
50-64	503	6.2	26	1	1	5	8	13	16	25
65+	767	7.9	62	1	2	6	10	16	23	45
B. *Operated*										
0-19 YRS	105	6.2	14	2	3	5	8	11	15	18
20-34	237	6.5	40	1	1	4	8	14	21	29
35-49	127	8.6	85	1	2	7	11	16	21	45
50-64	90	12.6	198	1	3	9	13	26	45	83
65+	108	13.0	179	2	3	9	17	24	33	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4385	3.1	9	<1	1	2	4	6	8	14
B. *Operated*	646	4.9	20	1	1	4	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	3626	5.0	28	1	1	3	6	11	14	25
B. *Operated*	667	8.7	95	1	2	6	11	18	24	49
1. SINGLE DX	5031	3.4	11	<1	1	2	4	7	9	15
2. MULTIPLE DX	4293	5.6	40	1	1	4	7	12	16	29
A. NOT OPERATED	8011	4.0	19	1	1	3	5	8	11	21
B. OPERATED	1313	6.8	62	1	1	5	8	14	19	34
TOTAL 0-19 YRS	2807	2.9	6	<1	1	2	4	6	8	12
20-34	2873	3.8	16	<1	1	3	5	8	11	21
35-49	1387	4.6	21	1	1	3	6	9	12	20
50-64	988	6.1	43	1	1	4	8	13	16	29
65+	1269	7.5	66	1	2	5	9	15	22	44
GRAND TOTAL	**9324**	**4.4**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	4.1	14	<1	1	3	6	9	11	18
20-34	40	2.9	8	<1	1	2	4	7	9	13
35-49	29	3.8	14	1	1	2	5	10	11	16
50-64	26	3.0	5	<1	1	2	4	5	6	11
65+	68	5.3	18	1	1	4	7	11	15	20
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	4.9	48	<1	<1	2	5	16	23	24
35-49	11	4.8	19	<1	1	3	8	12	12	12
50-64	14	8.6	52	2	2	7	11	16	26	29
65+	12	6.3	34	2	2	4	10	14	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	4.3	17	1	1	3	6	8	11	22
20-34	89	5.1	36	1	1	4	5	10	15	35
35-49	66	4.7	20	1	1	4	7	9	12	27
50-64	110	7.0	64	1	1	4	8	15	21	47
65+	260	8.8	98	1	2	6	10	18	28	43
B. *Operated*										
0-19 YRS	9	9.7	52	3	3	7	11	22	26	26
20-34	12	9.3	32	<1	3	8	11	16	23	24
35-49	18	14.2	309	1	2	7	18	45	59	64
50-64	20	13.6	233	1	2	7	31	44	70	99+
65+	54	16.9	185	3	4	15	24	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	4.1	14	1	1	3	5	9	11	18
B. *Operated*	49	6.4	39	1	1	4	10	14	21	29
2. MULTIPLE DX										
A. *Not Operated*	770	6.3	57	1	1	4	8	14	19	38
B. *Operated*	113	14.5	189	2	3	9	19	38	53	99+
1. SINGLE DX	426	4.[illegible]	17	1	1	3	6	10	12	20
2. MULTIPLE DX	883	7.4	81	1	1	5	8	16	26	53
A. NOT OPERATED	1147	5.6	44	1	1	4	7	11	17	34
B. OPERATED	162	12.1	157	1	2	8	16	30	45	99+
TOTAL 0-19 YRS	469	4.4	17	1	1	3	6	9	11	22
20-34	152	4.8	31	1	1	3	6	10	14	30
35-49	124	5.9	70	1	1	4	7	11	17	55
50-64	170	7.3	80	1	1	4	8	16	30	52
65+	394	9.2	104	1	2	6	11	20	31	67
GRAND TOTAL	**1309**	**6.4**	**62**	**1**	**1**	**4**	**8**	**14**	**21**	**43**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	704	4.1	15	1	1	3	5	9	12	19
20-34	251	3.5	10	<1	1	2	5	7	9	16
35-49	184	4.9	30	1	1	3	6	10	14	27
50-64	267	4.6	34	1	1	3	6	8	13	21
65+	526	6.7	73	1	1	4	8	14	19	54
B. *Operated*										
0-19 YRS	31	3.4	9	<1	1	2	4	8	11	13
20-34	113	3.7	16	<1	<1	3	5	7	9	22
35-49	46	4.2	40	<1	<1	3	5	7	10	43
50-64	73	5.4	43	1	1	3	7	10	14	40
65+	31	6.6	41	1	1	5	10	21	22	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	706	6.4	47	1	1	4	8	13	19	37
20-34	289	4.6	18	1	1	4	6	9	10	23
35-49	326	5.9	44	1	1	4	7	12	17	40
50-64	613	6.8	72	1	1	5	8	13	19	38
65+	1861	9.9	128	1	2	7	12	21	36	95
B. *Operated*										
0-19 YRS	41	9.9	145	<1	1	6	11	23	40	58
20-34	63	5.4	32	<1	<1	3	8	13	19	25
35-49	87	8.2	51	1	2	6	11	17	21	40
50-64	113	9.6	117	1	2	6	13	18	25	63
65+	189	15.3	295	2	3	11	18	41	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1932	4.9	36	1	1	3	6	10	14	29
B. *Operated*	294	4.5	29	<1	1	3	5	10	13	39
2. MULTIPLE DX										
A. *Not Operated*	3795	8.0	92	1	1	5	10	17	25	70
B. *Operated*	493	11.0	178	1	1	7	13	23	41	97
1. SINGLE DX	2226	4.8	35	1	1	3	6	10	14	30
2. MULTIPLE DX	4288	8.4	103	1	1	6	10	18	26	72
A. NOT OPERATED	5727	7.0	75	1	1	5	8	14	21	55
B. OPERATED	787	8.6	132	1	1	5	11	19	30	82
TOTAL 0-19 YRS	1482	5.3	35	1	1	3	6	11	15	31
20-34	716	4.1	16	<1	1	3	5	8	11	23
35-49	643	5.8	42	1	1	4	7	12	17	39
50-64	1066	6.5	67	1	1	4	8	13	19	40
65+	2607	9.6	132	1	2	6	11	21	34	95
GRAND TOTAL	**6514**	**7.2**	**82**	**1**	**1**	**5**	**8**	**15**	**22**	**59**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.0	4	<1	1	2	2	3	5	14
20-34	13	4.0	8	1	1	3	6	8	9	9
35-49	5	2.2	1	<1	<1	2	3	4	4	4
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	15	6.1	7	3	3	6	8	10	10	10
20-34	2	13.0	98	6	6	13	20	20	20	20
35-49	2	11.0	98	4	4	11	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.5	30	1	1	3	5	10	14	35
20-34	19	5.5	14	<1	1	5	7	12	14	14
35-49	5	10.4	257	2	2	3	13	39	39	39
50-64	16	8.6	128	1	1	6	10	14	38	48
65+	10	8.9	135	1	1	4	13	28	37	37
B. *Operated*										
0-19 YRS	34	12.2	235	1	2	8	15	47	93	99+
20-34	33	16.0	226	1	2	12	18	35	51	69
35-49	14	13.1	250	2	3	8	18	60	90	99+
50-64	5	29.0	439	11	11	26	40	63	63	63
65+	3	13.7	310	3	3	4	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	2.2	4	1	1	2	2	4	6	13
B. *Operated*	19	7.3	23	3	3	6	9	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	123	5.8	58	1	1	3	6	12	17	42
B. *Operated*	89	14.8	249	1	2	10	19	41	68	99+
1. SINGLE DX	208	2.6	8	1	1	2	3	6	8	17
2. MULTIPLE DX	212	9.5	157	1	1	5	12	26	39	99+
A. NOT OPERATED	312	3.6	28	1	1	2	4	7	11	38
B. OPERATED	108	13.4	217	2	3	9	17	34	63	99+
TOTAL 0-19 YRS	289	4.1	47	1	1	2	4	9	15	66
20-34	67	10.6	147	1	1	7	14	23	34	66
35-49	26	10.3	193	1	2	4	17	37	66	99+
50-64	24	12.0	244	1	1	7	12	34	52	63
65+	14	9.6	148	1	1	4	13	34	36	37
GRAND TOTAL	**420**	**6.1**	**95**	**1**	**1**	**3**	**7**	**15**	**26**	**71**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.3	3	1	1	2	3	5	6	8
20-34	19	4.7	13	<1	1	4	7	11	12	12
35-49	8	5.0	8	2	2	4	7	9	10	10
50-64	4	8.8	22	2	2	10	12	12	12	12
65+	5	3.4	1	3	3	3	4	5	5	5
B. *Operated*										
0-19 YRS	5	6.2	6	3	3	6	8	9	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.6	16	1	1	5	8	13	13	15
20-34	37	6.8	96	1	1	3	8	11	35	44
35-49	15	7.5	34	2	2	6	12	13	19	21
50-64	17	6.2	23	2	2	6	8	11	17	21
65+	13	11.2	57	2	3	10	14	24	27	28
B. *Operated*										
0-19 YRS	25	15.1	378	2	3	8	20	30	51	95
20-34	33	14.7	296	<1	1	11	19	26	43	92
35-49	17	14.1	103	2	3	13	23	34	74	99+
50-64	7	24.9	1115	2	2	8	49	79	84	84
65+	3	14.0	1	13	13	14	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.2	7	1	1	2	4	7	10	12
B. *Operated*	8	5.9	16	1	1	5	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	138	6.7	45	1	1	5	10	13	18	42
B. *Operated*	85	15.5	328	1	2	10	19	30	66	98
1. SINGLE DX	123	3.3	8	1	1	2	4	8	10	13
2. MULTIPLE DX	223	10.1	170	1	2	6	12	22	29	93
A. NOT OPERATED	253	5.1	31	1	1	3	7	11	13	28
B. OPERATED	93	14.7	308	1	2	9	19	29	58	98
TOTAL 0-19 YRS	165	5.5	81	1	1	3	6	11	15	35
20-34	91	9.1	165	1	1	4	11	21	27	73
35-49	41	9.9	69	2	2	8	13	24	32	99+
50-64	28	11.2	329	2	2	6	10	18	63	84
65+	21	9.8	49	2	3	10	14	18	25	28
GRAND TOTAL	**346**	**7.7**	**123**	**1**	**1**	**4**	**9**	**17**	**26**	**84**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	<1	<1	1	2	3	5	5
20-34	34	1.8	2	<1	<1	1	2	3	4	8
35-49	15	3.0	11	<1	1	1	4	8	11	12
50-64	3	1.3		1	1	1	2	2	2	2
65+	4	4.5	2	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	217	2.1	2	<1	1	2	2	4	5	8
20-34	447	2.8	4	<1	1	2	4	5	7	10
35-49	96	3.0	8	<1	1	2	4	5	7	18
50-64	21	3.5	6	<1	1	2	5	7	8	8
65+	8	4.5	12	1	1	4	5	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	6	<1	1	2	4	8	8	9
20-34	64	3.5	15	<1	1	2	5	7	10	24
35-49	20	2.9	6	<1	<1	2	4	7	8	8
50-64	16	4.3	4	1	2	4	5	7	9	10
65+	20	8.5	51	1	3	6	11	20	25	27
B. *Operated*										
0-19 YRS	127	4.5	18	<1	1	3	6	10	14	21
20-34	357	4.9	41	1	1	3	5	10	13	32
35-49	107	5.3	26	1	1	4	7	10	11	29
50-64	36	8.8	43	1	2	7	12	20	20	26
65+	20	16.9	273	1	2	11	20	51	53	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.2	4	<1	<1	1	3	5	6	11
B. *Operated*	789	2.7	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	153	4.1	18	<1	1	3	5	8	10	26
B. *Operated*	647	5.5	46	1	1	4	6	11	16	32
1. SINGLE DX	860	2.6	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	800	5.2	41	1	1	3	6	10	16	29
A. NOT OPERATED	224	3.5	14	<1	1	2	4	8	10	25
B. OPERATED	1436	3.9	25	1	1	3	5	8	11	24
TOTAL 0-19 YRS	392	2.9	9	<1	1	2	4	6	9	16
20-34	902	3.6	20	1	1	3	4	7	10	19
35-49	238	4.0	18	1	1	3	5	8	11	25
50-64	76	6.1	29	1	1	5	8	13	19	25
65+	52	10.8	148	1	2	6	13	24	49	54
GRAND TOTAL	**1660**	**3.9**	**24**	**<1**	**1**	**2**	**5**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.0	34	1	1	4	6	10	14	36
20-34	141	5.8	29	1	1	4	7	12	17	23
35-49	60	7.2	33	1	2	6	9	14	17	35
50-64	56	9.8	58	1	2	8	13	21	23	40
65+	57	13.5	195	3	4	10	16	25	34	92
B. *Operated*										
0-19 YRS	10	9.8	43	3	3	7	15	20	21	21
20-34	14	9.7	91	1	3	6	12	23	35	38
35-49	6	10.2	48	5	5	8	9	22	24	24
50-64	5	22.2	336	2	2	15	40	44	44	44
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	6.3	34	1	2	5	6	14	20	30
20-34	120	8.8	107	1	2	6	10	15	22	62
35-49	61	8.9	55	1	2	7	11	18	27	37
50-64	83	13.5	134	2	2	11	20	26	34	63
65+	229	18.0	195	3	5	15	26	37	62	99+
B. *Operated*										
0-19 YRS	12	17.8	136	3	3	19	28	33	34	34
20-34	51	16.7	314	2	3	10	21	43	63	79
35-49	22	24.7	558	2	4	15	32	65	78	89
50-64	23	21.2	303	4	6	19	31	48	87	99+
65+	21	20.8	241	3	4	17	35	49	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	7.6	67	1	1	6	9	16	21	39
B. *Operated*	36	11.5	109	2	3	8	14	24	39	44
2. MULTIPLE DX										
A. *Not Operated*	555	13.0	153	2	3	9	17	29	39	97
B. *Operated*	129	19.6	325	2	3	15	24	46	66	99+
1. SINGLE DX	419	8.0	71	1	1	6	9	16	22	40
2. MULTIPLE DX	684	14.3	192	2	3	10	19	33	46	99+
A. NOT OPERATED	938	10.8	125	1	2	7	14	25	33	75
B. OPERATED	165	17.9	288	2	3	12	22	43	63	98
TOTAL 0-19 YRS	153	6.8	53	1	1	5	7	17	24	34
20-34	326	8.8	117	1	2	6	10	18	24	64
35-49	149	10.6	152	1	2	7	11	20	32	71
50-64	167	13.6	149	1	2	10	19	27	40	78
65+	308	17.3	200	3	5	14	24	36	54	99+
GRAND TOTAL	**1103**	**11.9**	**155**	**1**	**2**	**8**	**15**	**27**	**38**	**80**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	15	<1	1	3	4	7	14	16
20-34	8	6.6	27	3	3	5	7	15	19	19
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	3	5.3	4	3	3	6	7	7	7	7
65+	4	10.3	72	1	1	9	16	21	21	21
B. *Operated*										
0-19 YRS										
20-34	5	28.0	1070	8	8	14	36	86	86	86
35-49	1	9.0		9	9	54	99+	99+	99+	99+
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	6	10.7	39	3	3	11	17	18	18	18
35-49	7	12.4	181	4	4	7	13	36	42	42
50-64	1	11.0		11	11	11	11	11	11	11
65+	10	13.4	98	1	3	11	19	29	34	34
B. *Operated*										
0-19 YRS	2	27.0	18	24	24	27	30	30	30	30
20-34	9	54.4	608	27	36	79	99+	99+	99+	99+
35-49	4	14.3	72	6	6	20	42	99+	99+	99+
50-64	2	51.5	181	42	42	80	99+	99+	99+	99+
65+	2	19.5	5	18	18	21	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.5	26	1	1	4	7	14	19	21
B. *Operated*	6	24.8	916	8	8	14	69	97	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	27	11.3	94	2	2	9	14	23	35	42
B. *Operated*	19	39.1	624	8	19	48	99+	99+	99+	99+
1. SINGLE DX	37	8.7	201	1	1	5	9	20	60	99+
2. MULTIPLE DX	46	22.8	496	2	4	20	51	99+	99+	99+
A. NOT OPERATED	58	8.2	65	1	1	6	11	19	23	41
B. OPERATED	25	35.7	698	8	9	41	99+	99+	99+	99+
TOTAL 0-19 YRS	19	5.9	67	<1	1	3	5	21	27	30
20-34	28	26.7	786	3	4	19	75	99+	99+	99+
35-49	14	11.7	110	3	4	8	21	94	99+	99+
50-64	6	21.7	577	3	4	26	80	99+	99+	99+
65+	16	13.4	81	1	2	13	21	32	77	99+
GRAND TOTAL	**83**	**16.5**	**410**	**1**	**2**	**11**	**31**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	42	2.9	4	<1	1	2	4	5	8	9
35-49	27	4.8	44	1	1	3	5	8	12	36
50-64	46	4.1	6	1	2	4	5	8	9	12
65+	58	7.9	41	1	2	6	11	16	19	37
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	15	1	2	4	7	9	14	18
20-34	63	5.1	24	1	1	4	6	12	17	24
35-49	109	5.4	27	1	1	4	7	11	14	28
50-64	147	8.1	60	1	2	6	10	17	21	30
65+	243	13.7	208	2	3	10	16	27	39	94
B. *Operated*										
0-19 YRS	6	10.0	24	5	5	8	16	16	16	16
20-34	32	8.9	74	1	2	7	11	22	28	38
35-49	36	9.3	77	1	2	6	12	25	28	41
50-64	39	16.7	226	2	4	11	21	39	54	66
65+	31	16.6	171	4	6	14	19	42	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	5.0	26	1	1	4	6	10	14	31
B. *Operated*	4	10.3	211	2	2	3	18	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	582	9.5	123	1	2	6	11	20	26	69
B. *Operated*	144	12.8	146	1	3	10	16	26	42	68
1. SINGLE DX	189	5.1	29	1	1	4	6	10	15	34
2. MULTIPLE DX	726	10.2	129	1	2	7	13	22	28	68
A. NOT OPERATED	767	8.4	103	1	1	5	10	17	24	63
B. OPERATED	148	12.7	146	1	3	9	16	27	42	66
TOTAL 0-19 YRS	39	5.7	36	1	1	4	7	14	17	32
20-34	138	5.3	34	1	1	4	6	11	18	30
35-49	173	6.1	42	1	1	4	7	13	16	35
50-64	233	8.7	91	1	2	6	11	19	23	60
65+	332	13.0	180	2	3	9	16	25	38	95
GRAND TOTAL	**915**	**9.1**	**113**	**1**	**2**	**6**	**11**	**20**	**27**	**65**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.9	42	1	1	4	7	13	22	27
20-34	34	10.3	67	1	3	8	15	20	26	38
35-49	14	9.1	41	3	4	7	10	18	24	26
50-64	20	15.6	121	2	4	13	23	32	36	39
65+	81	17.4	133	3	5	14	22	32	36	57
B. *Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	4	38.0	477	11	11	41	55	59	59	59
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	13.0	163	2	4	9	18	32	45	51
20-34	39	16.3	262	3	5	10	18	35	49	88
35-49	22	17.8	81	5	6	17	24	27	34	43
50-64	43	18.8	268	4	5	15	24	33	61	79
65+	182	23.1	253	5	7	20	31	52	69	99+
B. *Operated*										
0-19 YRS	13	18.2	333	2	3	14	24	66	92	99+
20-34	33	23.5	266	3	6	17	33	47	51	68
35-49	16	24.6	242	2	3	20	41	46	49	51
50-64	7	36.1	310	9	12	37	46	60	63	63
65+	22	31.1	388	8	11	29	54	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	13.5	116	1	3	11	18	29	34	55
B. *Operated*	6	32.5	403	11	11	31	52	58	59	59
2. MULTIPLE DX										
A. *Not Operated*	311	20.5	246	4	6	17	27	44	59	99+
B. *Operated*	91	25.7	317	3	6	22	40	54	68	99+
1. SINGLE DX	180	14.1	135	1	3	12	19	30	35	57
2. MULTIPLE DX	402	21.6	266	4	6	18	29	49	63	99+
A. NOT OPERATED	485	18.0	210	3	4	14	24	38	53	99+
B. OPERATED	97	26.2	320	3	6	22	40	55	68	99+
TOTAL 0-19 YRS	63	11.3	167	1	2	6	15	27	50	95
20-34	107	16.7	225	3	3	13	22	38	46	77
35-49	56	19.0	194	3	5	17	25	44	49	59
50-64	71	19.5	254	4	5	15	25	41	56	77
65+	285	22.1	241	5	7	19	30	51	63	99+
GRAND TOTAL	**582**	**19.3**	**237**	**3**	**4**	**15**	**26**	**43**	**56**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.0	5	<1	<1	1	2	3	5	15
20-34	18	2.9	6	<1	1	3	4	6	8	10
35-49	10	3.5	6	<1	<1	3	6	7	7	7
50-64	20	6.3	67	<1	1	3	8	14	26	36
65+	87	9.8	119	1	1	6	14	27	35	47
B. *Operated*										
0-19 YRS	339	3.1	15	1	1	2	3	6	11	23
20-34	46	3.3	12	1	1	3	4	6	10	21
35-49	33	3.9	13	1	1	3	5	6	13	18
50-64	42	4.6	13	1	1	3	6	8	13	16
65+	46	7.6	128	1	1	4	7	14	38	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.3	102	1	1	2	5	24	33	36
20-34	12	6.0	73	1	1	4	6	15	30	32
35-49	12	4.7	14	<1	1	3	7	11	11	11
50-64	28	10.0	141	1	1	5	13	32	39	45
65+	159	16.7	241	2	3	12	25	39	50	99
B. *Operated*										
0-19 YRS	78	9.3	166	1	1	5	11	20	28	81
20-34	39	10.8	125	1	2	7	15	25	31	57
35-49	31	12.3	155	1	2	7	16	31	43	47
50-64	49	10.1	207	1	2	6	12	20	30	94
65+	96	14.2	152	3	4	11	19	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	5.7	69	<1	1	2	6	16	26	41
B. *Operated*	506	3.7	26	1	1	2	4	7	12	24
2. MULTIPLE DX										
A. *Not Operated*	232	13.8	215	1	1	8	20	36	44	94
B. *Operated*	293	11.5	163	1	2	7	15	27	37	94
1. SINGLE DX	719	4.3	40	1	1	2	4	9	16	36
2. MULTIPLE DX	525	12.5	187	1	2	8	17	32	43	93
A. NOT OPERATED	445	9.9	161	1	1	5	13	29	38	63
B. OPERATED	799	6.6	91	1	1	3	7	16	23	53
TOTAL 0-19 YRS	516	4.0	45	1	1	2	4	9	16	30
20-34	115	6.1	66	1	1	3	6	15	22	41
35-49	86	7.0	78	1	1	4	7	16	28	46
50-64	139	7.9	119	1	1	4	9	16	26	50
65+	388	13.5	189	1	2	8	19	36	44	97
GRAND TOTAL	**1244**	**7.8**	**118**	**1**	**1**	**4**	**9**	**20**	**31**	**57**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4	1	<1	<1	1	2	3	4	5
20-34	27	1.7	1	<1	<1	1	2	3	4	5
35-49	9	1.3	1	<1	<1	1	2	3	3	3
50-64	15	2.5	11	<1	1	1	2	10	11	11
65+	21	4.7	30	<1	1	3	6	10	18	24
B. *Operated*										
0-19 YRS	1206	1.6	3	<1	1	1	2	3	4	7
20-34	266	2.4	3	1	1	2	3	5	6	7
35-49	217	2.2	3	1	1	2	3	4	6	9
50-64	279	2.5	7	1	1	2	3	5	7	14
65+	215	2.7	7	1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	4	1	1	3	4	6	7	7
20-34	21	2.5	2	1	1	2	3	5	6	7
35-49	9	3.2	5	<1	<1	3	5	6	7	7
50-64	17	4.6	6	1	1	4	7	7	8	9
65+	43	12.6	238	1	1	8	17	30	65	99+
B. *Operated*										
0-19 YRS	175	3.7	48	1	1	2	3	6	10	39
20-34	142	5.9	46	1	1	4	7	12	20	41
35-49	112	5.8	44	1	1	4	8	11	13	41
50-64	133	4.7	40	1	1	3	5	10	14	33
65+	174	8.1	153	1	1	4	9	18	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.2	9	<1	<1	1	2	4	6	18
B. *Operated*	2183	2.0	4	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	105	7.1	120	1	1	4	7	18	27	82
B. *Operated*	736	5.7	73	1	1	3	6	11	20	43
1. SINGLE DX	2296	2.0	5	1	1	1	2	4	5	11
2. MULTIPLE DX	841	5.8	79	1	1	3	6	12	21	54
A. NOT OPERATED	218	4.6	68	<1	1	2	5	10	18	65
B. OPERATED	2919	2.9	24	1	1	2	3	6	9	24
TOTAL 0-19 YRS	1437	1.9	9	<1	1	1	2	3	4	11
20-34	456	3.5	19	1	1	2	4	6	10	23
35-49	347	3.4	19	1	1	2	4	7	10	23
50-64	444	3.2	18	1	1	2	4	7	10	24
65+	453	5.8	96	1	1	3	6	13	21	64
GRAND TOTAL	**3137**	**3.0**	**27**	**1**	**1**	**2**	**3**	**6**	**9**	**27**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34	26	1.7	2	<1	<1	1	2	4	5	6
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	7	1.4	1	1	1	1	2	3	3	3
65+	6	12.7	301	1	1	5	17	43	46	46
B. *Operated*										
0-19 YRS	192	1.5	1	<1	<1	1	2	3	3	5
20-34	248	2.1	3	<1	<1	2	2	4	5	9
35-49	90	2.2	3	<1	<1	2	3	4	6	11
50-64	51	2.1	5	<1	1	1	2	3	5	14
65+	25	2.3	6	<1	1	1	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.5	10	1	1	2	6	8	9	10
20-34	14	2.9	4	<1	1	2	3	6	7	7
35-49	7	2.0	2	<1	<1	1	3	5	5	5
50-64	5	3.2	19	<1	<1	1	4	11	11	11
65+	18	14.1	256	1	2	9	19	32	53	66
B. *Operated*										
0-19 YRS	60	3.3	24	<1	1	2	3	7	12	27
20-34	128	4.5	39	1	1	3	5	9	14	30
35-49	50	4.2	16	1	1	3	6	9	12	22
50-64	40	6.5	63	1	1	4	8	13	22	42
65+	18	5.7	56	1	1	3	6	17	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.7	38	<1	<1	1	2	4	6	43
B. *Operated*	606	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	60	6.3	105	<1	1	3	7	15	24	63
B. *Operated*	296	4.5	37	1	1	2	5	10	14	30
1. SINGLE DX	666	2.0	6	<1	<1	1	2	3	5	10
2. MULTIPLE DX	356	4.8	49	1	1	2	6	11	16	33
A. NOT OPERATED	120	4.5	74	<1	<1	2	4	10	18	52
B. OPERATED	902	2.8	15	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	278	2.0	7	<1	<1	1	2	3	5	14
20-34	416	2.8	15	<1	<1	2	3	6	8	19
35-49	158	2.8	8	<1	1	2	3	6	8	14
50-64	103	3.8	32	<1	1	2	4	10	13	36
65+	67	7.3	130	1	1	3	8	19	30	63
GRAND TOTAL	**1022**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	10.9	155	1	1	5	19	32	34	34
20-34	2	30.0	1250	5	5	30	55	55	55	55
35-49	1	7.0		7	7	7	7	7	7	7
50-64	13	11.9	523	<1	<1	3	10	38	75	84
65+	39	13.8	195	1	2	11	17	41	55	99+
B. *Operated*										
0-19 YRS	13	16.5	204	2	3	14	16	46	48	48
20-34	11	6.8	12	2	3	5	9	12	14	14
35-49	28	10.3	27	4	4	10	12	16	18	29
50-64	84	13.5	53	6	7	12	16	20	26	85
65+	423	18.5	157	6	7	15	24	36	43	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	40.5	13	38	38	40	43	43	43	43
20-34	5	27.6	1472	5	5	12	34	96	96	96
35-49	7	16.4	229	5	5	11	17	43	49	49
50-64	12	16.8	221	4	6	11	27	62	93	99+
65+	85	25.4	591	1	3	16	37	72	89	99+
B. *Operated*										
0-19 YRS	23	23.2	336	3	4	17	34	48	57	63
20-34	21	19.6	326	6	6	11	24	51	61	68
35-49	40	17.0	114	5	6	16	20	30	39	53
50-64	144	18.8	165	6	7	15	23	38	50	73
65+	1157	27.5	380	7	10	22	40	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	13.3	264	1	1	8	15	36	55	97
B. *Operated*	559	17.1	140	5	7	14	22	33	41	80
2. MULTIPLE DX										
A. *Not Operated*	111	24.3	556	2	4	15	37	70	91	99+
B. *Operated*	1385	26.1	358	6	9	21	37	65	95	99+
1. SINGLE DX	625	16.7	154	3	6	13	22	33	43	86
2. MULTIPLE DX	1496	26.0	373	6	8	21	37	66	94	99+
A. NOT OPERATED	177	20.2	473	1	2	13	28	57	83	99+
B. OPERATED	1944	23.5	312	6	8	19	32	55	81	99+
TOTAL 0-19 YRS	49	19.4	282	1	2	13	31	46	48	63
20-34	39	17.6	420	4	5	10	17	52	63	96
35-49	76	14.3	98	4	5	11	18	28	37	52
50-64	253	16.6	153	5	7	13	20	32	49	99
65+	1704	24.9	348	6	8	20	34	62	89	99+
GRAND TOTAL	**2121**	**23.2**	**326**	**5**	**7**	**18**	**31**	**55**	**81**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	22.6	173	1	3	24	32	40	45	51
20-34	7	16.3	417	<1	<1	3	35	47	48	48
35-49	3	33.0	741	2	2	44	51	53	53	53
50-64	7	14.1	367	1	1	8	14	48	56	56
65+	11	20.0	343	1	2	12	29	51	55	55
B. *Operated*										
0-19 YRS	87	21.8	340	3	3	15	34	48	56	73
20-34	41	15.0	181	2	4	12	18	33	40	73
35-49	10	12.1	55	1	2	14	20	53	96	99+
50-64	11	15.3	155	<1	2	14	23	35	40	41
65+	19	14.5	67	6	6	13	19	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	23.2	282	1	2	21	34	47	53	60
20-34	9	24.2	870	<1	1	9	69	85	99+	99+
35-49	3	49.0	2212	1	1	51	84	95	95	95
50-64	9	16.8	195	4	7	17	75	99+	99+	99+
65+	40	24.7	480	2	5	20	51	99+	99+	99+
B. *Operated*										
0-19 YRS	102	22.3	337	3	4	17	34	52	65	99+
20-34	84	24.4	346	2	7	18	37	56	66	99+
35-49	25	22.8	354	4	7	17	31	62	81	99+
50-64	21	30.3	593	3	7	22	68	99+	99+	99+
65+	67	32.7	607	10	11	28	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	21.7	226	1	2	23	32	44	48	55
B. *Operated*	168	18.3	252	2	3	13	26	42	50	75
2. MULTIPLE DX										
A. *Not Operated*	107	24.0	441	1	3	20	46	71	99+	99+
B. *Operated*	299	25.8	431	3	6	20	40	72	99+	99+
1. SINGLE DX	279	19.6	243	1	3	16	30	43	48	72
2. MULTIPLE DX	406	25.3	433	2	5	20	41	72	99+	99+
A. NOT OPERATED	218	22.8	331	1	2	22	35	53	72	99+
B. OPERATED	467	23.1	379	3	5	18	35	64	80	99+
TOTAL 0-19 YRS	318	22.4	284	2	3	20	33	47	54	76
20-34	141	21.2	344	2	3	15	32	53	70	99+
35-49	41	22.8	460	2	2	17	38	66	97	99+
50-64	48	22.0	421	1	3	16	45	99+	99+	99+
65+	137	26.8	510	4	7	23	47	96	99+	99+
GRAND TOTAL	**685**	**23.0**	**363**	**2**	**4**	**19**	**35**	**60**	**79**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.6	3	1	1	2	3	6	6	8
20-34	58	4.0	15	1	1	3	5	8	9	22
35-49	22	6.0	47	<1	1	4	7	13	25	30
50-64	25	6.4	45	1	1	4	7	18	22	30
65+	20	11.3	70	3	4	9	16	54	99+	99+
B. *Operated*										
0-19 YRS	293	4.1	18	1	1	3	5	9	11	25
20-34	234	5.9	27	1	1	5	7	12	17	29
35-49	130	6.7	44	1	1	5	8	13	17	44
50-64	78	8.0	41	1	1	6	11	18	20	32
65+	24	10.7	67	2	2	8	14	21	29	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	6	1	1	3	6	6	8	12
20-34	35	4.9	23	1	1	3	6	12	17	18
35-49	23	9.7	172	1	2	5	10	30	43	55
50-64	30	10.7	105	1	2	6	16	29	32	37
65+	47	20.2	285	3	4	14	30	46	65	99+
B. *Operated*										
0-19 YRS	90	12.7	206	1	2	8	15	30	47	67
20-34	177	14.9	279	2	3	8	19	42	58	98
35-49	102	11.5	161	2	2	8	14	25	37	94
50-64	73	15.8	245	2	3	11	22	38	50	99+
65+	55	24.0	364	3	4	21	42	55	61	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	4.2	24	1	1	3	5	8	16	34
B. *Operated*	759	5.7	32	1	1	4	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	169	10.6	167	1	1	6	13	30	40	73
B. *Operated*	497	14.9	257	2	3	9	19	43	54	99+
1. SINGLE DX	1019	5.3	30	1	1	4	6	11	17	30
2. MULTIPLE DX	666	13.9	237	1	2	8	17	37	51	98
A. NOT OPERATED	429	6.8	90	1	1	4	7	17	30	66
B. OPERATED	1256	9.4	141	1	1	5	11	22	35	72
TOTAL 0-19 YRS	552	5.1	56	1	1	3	5	11	17	46
20-34	504	8.8	134	1	1	5	9	20	31	69
35-49	277	8.7	102	1	2	5	11	17	28	58
50-64	206	11.0	136	1	2	7	15	27	37	96
65+	146	18.9	276	2	4	13	28	48	61	99+
GRAND TOTAL	**1685**	**8.7**	**129**	**1**	**1**	**5**	**10**	**21**	**33**	**70**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.7	6	1	1	2	3	7	8	10
20-34	100	3.3	15	<1	<1	2	4	7	9	24
35-49	52	3.8	9	1	1	3	5	6	10	17
50-64	56	4.8	17	1	1	4	5	10	15	20
65+	51	7.1	88	1	1	4	8	15	19	59
B. *Operated*										
0-19 YRS	283	3.6	9	1	1	3	4	6	9	17
20-34	487	4.3	9	1	2	4	5	7	10	15
35-49	306	4.5	9	2	2	4	5	7	11	19
50-64	211	6.0	20	2	2	5	7	10	13	26
65+	112	9.2	55	2	3	8	11	17	22	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.1	17	<1	1	2	5	12	14	16
20-34	48	6.2	168	1	1	4	6	12	16	90
35-49	29	7.1	62	2	2	5	8	12	22	42
50-64	53	11.1	246	1	1	5	10	33	43	83
65+	80	12.5	155	2	2	8	16	29	41	56
B. *Operated*										
0-19 YRS	110	7.4	104	1	2	5	9	14	16	60
20-34	295	6.9	57	1	2	5	8	12	18	46
35-49	179	7.4	77	2	3	6	8	14	17	62
50-64	160	8.5	85	2	3	6	10	16	19	68
65+	107	15.4	206	3	4	11	18	33	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	4.1	25	<1	1	3	5	8	11	24
B. *Operated*	1399	4.9	16	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	236	9.3	159	1	1	5	10	24	37	63
B. *Operated*	851	8.5	98	2	2	6	9	16	24	55
1. SINGLE DX	1735	4.7	18	1	1	4	6	9	12	21
2. MULTIPLE DX	1087	8.7	111	1	2	5	9	16	29	57
A. NOT OPERATED	572	6.2	87	1	1	4	6	13	23	47
B. OPERATED	2250	6.2	50	1	2	4	7	12	16	37
TOTAL 0-19 YRS	496	4.3	32	1	1	3	5	9	13	24
20-34	930	5.2	34	1	1	4	6	9	12	33
35-49	566	5.5	35	1	2	4	6	10	13	25
50-64	480	7.3	69	2	2	5	8	13	18	45
65+	350	11.5	137	2	3	8	14	27	35	59
GRAND TOTAL	**2822**	**6.2**	**58**	**1**	**2**	**4**	**7**	**12**	**17**	**43**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.8	2	<1	<1	1	2	4	6	7
20-34	29	2.6	6	<1	<1	2	3	5	9	11
35-49	8	2.4	8	1	1	1	3	7	9	9
50-64	5	3.6	14	1	1	3	5	10	10	10
65+	9	7.7	130	1	1	3	9	27	36	36
B. *Operated*										
0-19 YRS	23	3.1	6	1	1	2	4	6	10	10
20-34	16	2.6	2	1	1	2	3	4	5	6
35-49	10	3.1	3	1	1	3	3	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.2	44	1	1	2	4	9	19	37
20-34	56	3.9	9	1	1	3	5	8	11	14
35-49	21	6.3	16	1	1	5	9	12	14	15
50-64	18	6.9	26	1	2	5	10	15	17	18
65+	43	10.3	91	1	2	8	14	25	29	42
B. *Operated*										
0-19 YRS	12	4.8	25	<1	1	3	5	12	18	19
20-34	21	11.5	319	2	2	4	10	37	62	65
35-49	9	5.7	9	2	2	6	8	10	10	10
50-64	7	9.3	92	1	1	6	12	26	29	29
65+	3	12.3	290	2	2	3	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.7	18	<1	1	1	3	6	9	26
B. *Operated*	51	3.0	4	1	1	3	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	186	6.0	45	1	1	4	8	14	19	35
B. *Operated*	52	8.7	163	1	2	4	9	20	32	65
1. SINGLE DX	145	2.8	13	<1	1	2	3	6	9	15
2. MULTIPLE DX	238	6.6	72	1	1	4	8	14	23	44
A. NOT OPERATED	280	4.9	38	1	1	3	6	11	16	34
B. OPERATED	103	5.9	92	1	1	3	5	10	20	62
TOTAL 0-19 YRS	126	3.2	22	<1	1	2	3	6	10	27
20-34	122	4.7	68	1	1	3	5	9	12	61
35-49	48	4.9	13	1	1	4	7	10	11	15
50-64	32	6.7	38	1	1	4	10	14	18	29
65+	55	9.9	102	1	1	6	14	25	32	42
GRAND TOTAL	**383**	**5.2**	**53**	**1**	**1**	**3**	**5**	**11**	**18**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64	1	22.0		22	22	22	22	22	22	22
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	9.6	101	1	1	4	20	22	22	22
B. *Operated*	2	8.0	32	4	4	8	12	12	12	12
1. SINGLE DX	5	2.2	2	1	1	2	3	4	4	4
2. MULTIPLE DX	7	9.1	73	1	1	4	17	21	22	22
A. NOT OPERATED	10	5.9	61	1	1	3	4	20	22	22
B. OPERATED	2	8.0	32	4	4	8	12	12	12	12
TOTAL 0-19 YRS	5	3.6	22	1	1	2	5	12	12	12
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49										
50-64	2	13.0	162	4	4	13	22	22	22	22
65+	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**12**	**6.3**	**53**	**1**	**1**	**3**	**8**	**20**	**22**	**22**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	17	1.3	1	<1	<1	1	1	3	4	4
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	6	2.3	3	1	1	2	4	5	5	5
65+	5	6.4	67	2	2	3	8	21	21	21
B. *Operated*										
0-19 YRS	65	2.2	2	<1	1	2	3	4	4	9
20-34	283	2.4	2	<1	1	2	3	4	5	7
35-49	73	2.4	2	<1	1	2	3	4	6	9
50-64	34	1.9	2	1	1	1	3	3	5	8
65+	32	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	27	1	1	3	8	12	12	12
20-34	10	4.1	30	1	1	2	5	12	19	19
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	6	7.8	44	1	1	7	14	16	16	16
65+	8	8.6	48	2	2	6	13	20	21	21
B. *Operated*										
0-19 YRS	15	3.3	8	1	1	3	5	6	10	11
20-34	55	3.4	24	1	1	3	4	5	5	36
35-49	19	8.5	406	1	2	4	5	10	56	91
50-64	33	3.5	12	1	1	3	5	6	9	19
65+	35	9.9	78	1	1	8	17	22	27	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.2	11	<1	<1	1	3	4	5	21
B. *Operated*	487	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	32	5.7	36	<1	1	3	8	16	19	21
B. *Operated*	157	5.5	84	1	1	3	5	13	21	38
1. SINGLE DX	525	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	189	5.5	75	1	1	3	5	14	19	35
A. NOT OPERATED	70	3.8	25	<1	<1	2	4	11	17	21
B. OPERATED	644	3.1	24	<1	1	2	3	5	7	22
TOTAL 0-19 YRS	90	2.4	4	<1	1	2	3	4	6	12
20-34	365	2.5	6	<1	1	2	3	4	5	8
35-49	100	3.5	81	<1	1	2	3	5	6	52
50-64	79	3.1	11	1	1	2	3	6	10	18
65+	80	6.4	55	<1	1	3	8	20	22	30
GRAND TOTAL	**714**	**3.1**	**24**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	1	1	2	3	4	8	9
20-34	17	1.6	1	<1	<1	1	2	4	4	4
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	110	3.5	3	1	1	3	5	5	7	11
20-34	266	3.4	3	1	2	3	4	5	6	9
35-49	138	3.7	3	1	2	4	5	6	7	9
50-64	38	4.6	7	1	2	4	5	8	10	13
65+	5	6.2	8	4	4	5	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	10.5	1	10	10	10	11	11	11	11
B. *Operated*										
0-19 YRS	34	4.6	41	1	1	4	5	7	8	39
20-34	108	4.1	5	1	2	4	5	7	9	12
35-49	54	4.9	12	1	2	4	6	9	14	16
50-64	42	5.6	34	1	2	4	6	9	13	38
65+	8	7.1	57	2	2	5	7	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.3	6	<1	<1	2	3	4	7	14
B. *Operated*	557	3.6	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	10	4.3	12	1	1	3	6	10	11	11
B. *Operated*	246	4.7	18	1	2	4	5	8	11	26
1. SINGLE DX	597	3.5	4	1	1	3	5	6	7	12
2. MULTIPLE DX	256	4.7	18	1	2	4	5	8	11	24
A. NOT OPERATED	50	2.7	8	<1	<1	2	3	5	10	14
B. OPERATED	803	3.9	8	1	2	3	5	6	8	14
TOTAL 0-19 YRS	160	3.6	12	1	1	3	5	6	7	13
20-34	395	3.5	4	1	1	3	4	6	7	11
35-49	198	4.0	6	1	2	4	5	7	8	14
50-64	84	5.0	20	1	2	4	6	8	12	30
65+	16	7.7	33	2	2	6	10	14	22	25
GRAND TOTAL	**853**	**3.9**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.5	18	<1	<1	3	8	11	12	12
20-34	10	4.0	15	1	1	2	7	10	13	13
35-49	5	5.2	21	<1	<1	5	8	12	12	12
50-64	5	6.8	3	5	5	6	8	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	61	3.1	14	<1	1	2	4	9	12	18
20-34	73	3.5	21	<1	1	2	3	9	14	25
35-49	35	3.2	17	<1	<1	2	3	8	15	18
50-64	16	2.9	10	<1	<1	2	3	8	11	13
65+	8	8.6	115	1	1	4	11	27	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	6	1	1	2	3	6	9	9
20-34	8	3.3	6	1	1	2	5	7	8	8
35-49	13	8.8	58	2	2	6	13	19	27	29
50-64	6	6.0	10	1	1	6	7	11	11	11
65+	5	8.4	18	3	3	10	11	13	13	13
B. *Operated*										
0-19 YRS	29	7.2	264	1	1	1	5	20	36	82
20-34	54	7.2	88	1	1	4	9	13	21	60
35-49	36	6.0	35	1	1	3	8	14	19	26
50-64	16	15.1	823	1	2	4	10	77	90	92
65+	23	12.5	276	1	1	6	22	42	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.7	15	<1	1	4	7	10	12	13
B. *Operated*	193	3.5	22	<1	1	2	3	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	44	5.7	29	1	1	5	7	12	16	29
B. *Operated*	158	8.5	211	1	1	3	9	20	32	91
1. SINGLE DX	226	3.7	21	<1	1	2	4	9	13	22
2. MULTIPLE DX	202	7.9	172	1	1	4	9	17	29	88
A. NOT OPERATED	77	5.3	23	1	1	5	7	12	13	26
B. OPERATED	351	5.7	113	<1	1	2	6	13	21	82
TOTAL 0-19 YRS	114	4.3	78	<1	1	2	4	9	14	51
20-34	145	4.9	48	1	1	2	6	12	15	30
35-49	89	5.3	33	<1	1	3	7	14	17	28
50-64	43	8.3	329	<1	1	4	7	11	38	92
65+	37	10.8	199	1	1	6	13	32	58	99+
GRAND TOTAL	**428**	**5.7**	**96**	**1**	**1**	**2**	**7**	**12**	**18**	**73**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	4	<1	1	2	4	5	8	9
20-34	78	2.3	3	<1	1	2	3	4	6	10
35-49	25	2.9	5	<1	1	2	4	6	7	9
50-64	15	4.5	18	1	1	3	5	10	15	17
65+	11	6.8	30	1	2	6	7	16	20	20
B. *Operated*										
0-19 YRS	122	3.6	3	1	2	3	5	6	7	9
20-34	258	3.7	8	1	1	3	4	6	7	14
35-49	39	3.5	4	1	1	4	5	6	7	9
50-64	13	4.3	3	2	2	4	5	7	9	9
65+	3	6.7	25	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	9	1	1	3	4	8	11	12
20-34	19	2.9	9	<1	<1	2	3	6	11	13
35-49	16	3.6	17	<1	1	2	4	12	14	14
50-64	13	5.2	65	1	1	3	4	13	28	31
65+	35	8.7	83	2	3	6	11	20	23	50
B. *Operated*										
0-19 YRS	66	4.9	9	2	2	4	6	7	9	18
20-34	168	4.6	6	1	2	4	5	7	10	14
35-49	68	5.0	9	2	2	4	6	9	11	16
50-64	14	4.1	4	2	2	4	5	6	8	9
65+	4	8.5	27	2	2	9	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	3.0	8	1	1	2	4	6	8	16
B. *Operated*	435	3.7	6	1	1	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	100	5.5	48	1	1	3	6	12	19	40
B. *Operated*	320	4.8	7	2	2	4	6	7	10	15
1. SINGLE DX	605	3.5	7	1	1	3	4	6	7	13
2. MULTIPLE DX	420	4.9	17	1	2	4	6	8	12	21
A. NOT OPERATED	270	3.9	24	1	1	2	4	8	12	23
B. OPERATED	755	4.1	7	1	2	4	5	7	8	14
TOTAL 0-19 YRS	246	3.8	6	1	1	3	5	7	8	13
20-34	523	3.8	7	1	1	3	5	6	8	13
35-49	148	4.1	8	1	1	4	5	7	10	14
50-64	55	4.5	21	1	2	3	5	9	10	30
65+	53	8.2	63	2	2	6	11	18	22	49
GRAND TOTAL	**1025**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.1	36	2	2	3	5	6	21	26
20-34	93	3.6	6	1	1	3	4	7	9	13
35-49	72	6.0	13	2	2	5	8	10	12	22
50-64	40	6.7	15	2	3	6	9	12	13	20
65+	9	7.8	36	1	2	5	11	17	18	18
B. *Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	5	16.2	359	6	6	8	20	50	50	50
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	59	5.2	17	1	1	4	7	10	12	25
35-49	55	5.7	21	1	2	4	7	10	12	28
50-64	44	7.3	30	1	2	5	9	16	20	26
65+	45	10.2	67	2	3	7	14	20	28	41
B. *Operated*										
0-19 YRS										
20-34	6	8.7	13	3	3	10	10	13	13	13
35-49	3	6.3	9	3	3	7	8	9	9	9
50-64	3	35.7	4	34	34	35	37	38	38	38
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	5.2	15	1	2	4	7	9	12	21
B. *Operated*	8	11.8	244	2	3	7	9	38	50	50
2. MULTIPLE DX										
A. *Not Operated*	209	6.7	35	1	2	5	8	14	20	29
B. *Operated*	12	14.8	167	3	3	10	23	36	38	38
1. SINGLE DX	237	5.4	23	1	2	4	7	10	12	23
2. MULTIPLE DX	221	7.2	45	1	2	5	9	14	20	36
A. NOT OPERATED	438	5.9	25	1	2	4	7	11	16	27
B. OPERATED	20	13.6	189	2	3	8	12	36	44	50
TOTAL 0-19 YRS	21	4.3	27	1	1	3	4	6	15	26
20-34	160	4.4	12	1	1	3	6	9	10	15
35-49	135	6.2	30	2	2	5	8	10	12	31
50-64	88	7.9	50	2	2	6	9	15	21	37
65+	54	9.8	62	2	3	7	14	20	27	41
GRAND TOTAL	**458**	**6.2**	**34**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.2	3	<1	1	1	3	5	6	9
20-34	268	4.1	16	1	1	3	5	9	10	15
35-49	178	4.7	10	1	1	4	6	8	10	17
50-64	68	5.3	16	1	2	4	7	11	13	22
65+	23	6.0	27	<1	1	4	8	13	19	20
B. *Operated*										
0-19 YRS										
20-34	6	6.3	89	1	1	2	7	23	25	25
35-49	9	6.2	64	1	1	5	5	19	27	27
50-64	3	9.0	57	1	1	10	14	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.5	5	<1	1	2	3	5	8	9
20-34	149	3.9	12	1	1	3	5	7	10	18
35-49	129	5.3	25	1	1	4	7	10	13	30
50-64	83	5.8	13	1	2	5	8	11	13	18
65+	79	7.9	45	1	2	6	10	15	18	39
B. *Operated*										
0-19 YRS	7	3.0	5	1	1	3	5	7	7	7
20-34	9	4.9	12	1	1	4	7	10	11	11
35-49	5	15.8	265	1	1	6	33	34	34	34
50-64	4	7.3	8	4	4	7	9	10	10	10
65+	7	17.9	67	6	6	21	22	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	4.2	14	1	1	3	6	8	10	17
B. *Operated*	18	6.7	64	1	1	4	7	22	26	27
2. MULTIPLE DX										
A. *Not Operated*	494	5.1	22	1	1	4	7	10	13	26
B. *Operated*	32	9.3	90	1	1	6	10	24	32	34
1. SINGLE DX	651	4.2	15	1	1	3	6	8	11	19
2. MULTIPLE DX	526	5.4	27	1	1	4	7	11	14	28
A. NOT OPERATED	1127	4.6	18	1	1	3	6	9	12	19
B. OPERATED	50	8.4	81	1	1	5	10	23	28	34
TOTAL 0-19 YRS	157	2.3	4	<1	1	1	3	5	7	9
20-34	432	4.1	15	1	1	3	5	8	10	17
35-49	321	5.2	22	1	1	4	6	9	12	29
50-64	158	5.7	15	1	2	5	7	11	13	19
65+	109	8.1	49	1	2	6	10	18	21	35
GRAND TOTAL	**1177**	**4.7**	**21**	**1**	**1**	**3**	**6**	**10**	**12**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.3	3	<1	<1	2	3	5	6	8
20-34	63	2.4	4	<1	<1	2	3	5	7	9
35-49	34	2.8	8	<1	<1	2	3	7	9	12
50-64	15	4.7	18	<1	1	3	8	10	13	14
65+	21	5.1	31	1	1	4	6	11	18	26
B. *Operated*										
0-19 YRS	55	2.7	2	1	1	2	3	4	6	8
20-34	170	2.6	2	<1	1	2	3	4	5	8
35-49	119	3.0	3	1	1	3	4	5	6	10
50-64	45	4.5	12	1	1	3	5	9	12	15
65+	22	5.9	16	2	2	5	8	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.8	15	<1	1	2	3	5	6	22
20-34	53	3.4	12	<1	<1	2	3	9	12	17
35-49	22	3.6	9	1	1	3	4	9	11	12
50-64	26	5.9	27	1	1	5	7	11	18	23
65+	66	8.1	41	2	2	7	10	17	21	34
B. *Operated*										
0-19 YRS	13	3.4	2	<1	1	3	4	6	6	6
20-34	44	4.0	13	<1	1	3	5	10	13	16
35-49	24	3.4	7	<1	1	2	4	7	10	11
50-64	24	9.5	136	1	2	5	11	20	44	45
65+	18	6.6	19	1	2	5	9	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	2.9	9	<1	1	2	4	6	9	13
B. *Operated*	411	3.1	5	1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	199	5.2	29	1	1	3	7	12	17	25
B. *Operated*	123	5.3	40	1	1	3	6	11	15	44
1. SINGLE DX	615	3.0	6	<1	1	2	4	5	8	13
2. MULTIPLE DX	322	5.2	33	1	1	3	7	12	16	28
A. NOT OPERATED	403	4.0	20	<1	1	2	5	9	12	23
B. OPERATED	534	3.6	14	1	1	3	4	7	10	16
TOTAL 0-19 YRS	171	2.6	5	<1	1	2	3	5	6	8
20-34	330	2.9	6	<1	1	2	3	5	8	13
35-49	199	3.1	5	<1	1	3	4	6	7	12
50-64	110	5.9	46	1	1	4	8	12	16	44
65+	127	7.0	33	1	2	6	9	14	18	28
GRAND TOTAL	**937**	**3.8**	**16**	**<1**	**1**	**3**	**4**	**8**	**11**	**19**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	922	1.4	1	<1	1	1	1	2	3	5
20-34	201	1.6	2	<1	<1	1	2	3	4	7
35-49	60	1.7	1	<1	1	1	2	3	4	6
50-64	28	2.1	2	<1	1	2	2	5	6	6
65+	17	2.4	6	1	1	1	3	5	8	10
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	465	1.8	3	<1	1	1	2	3	5	9
20-34	264	3.0	32	<1	1	1	3	5	9	37
35-49	99	3.3	11	<1	1	2	4	8	10	16
50-64	68	4.2	68	1	1	2	3	6	10	57
65+	86	8.1	165	1	1	3	7	22	45	54
B. *Operated*										
0-19 YRS	104	3.7	33	<1	1	2	4	8	11	34
20-34	136	3.3	18	<1	1	2	4	8	11	26
35-49	35	3.5	20	<1	1	2	4	6	17	20
50-64	30	5.0	43	<1	1	2	5	12	16	33
65+	32	8.3	251	1	1	4	7	14	54	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	1.4	1	<1	1	1	2	2	3	6
B. *Operated*	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	982	3.0	33	<1	1	2	3	5	9	37
B. *Operated*	337	4.1	48	<1	1	2	5	9	12	35
1. SINGLE DX	1231	1.5	1	<1	1	1	2	2	3	6
2. MULTIPLE DX	1319	3.3	37	<1	1	2	3	6	10	37
A. NOT OPERATED	2210	2.1	16	<1	1	1	2	4	5	15
B. OPERATED	340	4.1	48	<1	1	2	5	9	12	35
TOTAL 0-19 YRS	1492	1.7	4	<1	1	1	2	3	4	9
20-34	602	2.6	19	<1	1	1	2	5	8	23
35-49	194	2.8	10	<1	1	2	3	6	9	18
50-64	127	3.9	48	1	1	2	4	6	11	40
65+	135	7.4	167	1	1	3	6	13	42	61
GRAND TOTAL	**2550**	**2.4**	**21**	**<1**	**1**	**1**	**2**	**4**	**6**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	550	1.4	1	<1	1	1	1	2	3	6
20-34	132	1.8	2	<1	<1	1	2	3	6	9
35-49	41	2.7	14	<1	<1	1	3	5	8	23
50-64	28	2.8	9	<1	1	2	4	6	8	15
65+	23	6.7	98	1	1	2	10	14	29	45
B. *Operated*										
0-19 YRS	8	9.6	216	1	1	5	9	34	45	45
20-34	16	9.4	88	<1	1	8	11	27	29	30
35-49	5	8.2	28	1	1	9	12	14	14	14
50-64	2	7.0		7	7	7	7	7	7	7
65+	12	17.9	247	5	7	11	24	39	58	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	2.2	6	1	1	1	2	4	7	15
20-34	171	3.3	44	<1	<1	2	3	5	11	37
35-49	69	3.9	28	<1	1	2	4	10	16	28
50-64	50	5.4	41	1	1	3	6	13	18	33
65+	71	9.8	123	1	2	6	13	22	36	58
B. *Operated*										
0-19 YRS	71	5.7	114	<1	1	2	6	14	22	66
20-34	85	9.9	304	<1	1	3	11	33	59	99+
35-49	33	7.5	157	<1	<1	2	7	21	26	63
50-64	27	8.2	124	<1	1	5	11	43	99+	99+
65+	33	9.3	95	<1	1	5	23	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	1.7	6	<1	1	1	2	3	5	10
B. *Operated*	43	11.6	151	1	1	8	12	28	35	61
2. MULTIPLE DX										
A. *Not Operated*	694	3.7	37	<1	1	2	4	9	13	33
B. *Operated*	249	8.1	184	<1	1	3	10	26	55	99+
1. SINGLE DX	817	2.2	18	<1	1	1	2	4	8	22
2. MULTIPLE DX	943	4.8	79	<1	1	2	4	13	22	85
A. NOT OPERATED	1468	2.6	21	<1	1	1	2	5	9	21
B. OPERATED	292	8.6	180	<1	1	3	11	27	53	99+
TOTAL 0-19 YRS	962	2.1	14	<1	1	1	2	3	6	16
20-34	404	4.4	96	<1	<1	2	3	9	21	76
35-49	148	4.5	55	<1	<1	2	4	13	21	30
50-64	107	5.4	55	<1	1	3	7	14	21	99+
65+	139	9.9	127	1	1	7	13	27	44	99+
GRAND TOTAL	**1760**	**3.6**	**53**	**<1**	**1**	**1**	**3**	**9**	**15**	**51**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	4	1	1	2	3	5	7	7
20-34	17	2.7	3	<1	<1	2	4	5	6	7
35-49	7	2.4	2	<1	<1	2	4	5	5	5
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	3	11.0	76	5	5	7	17	21	21	21
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	15	6.9	18	2	3	5	10	12	15	16
35-49	5	8.8	5	5	5	9	10	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.5	52	1	1	5	9	18	26	26
20-34	23	5.6	11	<1	1	5	8	10	12	13
35-49	19	4.4	9	1	2	4	6	8	11	13
50-64	17	6.3	12	3	3	5	7	13	14	14
65+	25	8.4	22	3	3	7	12	16	17	19
B. *Operated*										
0-19 YRS	21	11.3	220	2	4	8	10	20	46	72
20-34	54	10.6	111	2	3	7	11	22	28	61
35-49	31	11.5	92	2	4	9	15	22	39	41
50-64	21	17.1	315	4	5	9	19	48	64	64
65+	12	23.7	648	2	3	14	31	70	79	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.4	12	<1	1	2	5	7	7	21
B. *Operated*	25	7.4	12	3	3	8	10	12	13	16
2. MULTIPLE DX										
A. *Not Operated*	94	6.4	19	1	2	5	8	13	14	23
B. *Operated*	139	13.0	207	2	3	8	14	26	43	73
1. SINGLE DX	64	5.0	16	<1	1	4	7	10	12	20
2. MULTIPLE DX	233	10.4	142	2	3	7	11	19	29	67
A. NOT OPERATED	133	5.5	19	1	1	5	7	12	14	22
B. OPERATED	164	12.2	181	2	3	8	12	24	40	71
TOTAL 0-19 YRS	42	8.3	132	1	1	6	9	14	25	72
20-34	109	7.8	69	1	1	6	9	15	22	51
35-49	62	8.1	62	1	2	6	10	16	22	41
50-64	42	11.7	189	3	3	7	12	27	48	64
65+	42	12.9	238	2	3	8	14	22	50	80
GRAND TOTAL	**297**	**9.2**	**119**	**1**	**2**	**6**	**10**	**17**	**26**	**65**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	4.2	15	1	1	3	6	9	13	19
20-34	51	4.1	10	1	1	3	6	8	11	16
35-49	12	4.8	19	1	1	3	7	10	15	16
50-64	8	6.3	18	1	1	6	9	12	13	13
65+	3	5.7	12	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS	38	7.5	8	4	5	7	9	11	12	18
20-34	29	7.7	12	1	4	8	9	13	14	16
35-49	7	6.7	23	2	2	6	8	15	16	16
50-64	8	9.0	20	4	4	8	13	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.6	30	1	1	4	7	11	19	30
20-34	63	4.7	10	1	1	4	7	9	11	13
35-49	12	7.0	22	1	1	7	11	13	14	14
50-64	20	6.3	15	1	2	5	8	13	13	13
65+	9	5.7	24	1	1	5	7	14	16	16
B. *Operated*										
0-19 YRS	55	16.3	349	5	6	10	16	28	59	98
20-34	112	14.3	194	2	5	10	15	35	55	99+
35-49	34	16.0	233	2	3	11	22	34	48	72
50-64	18	19.2	195	6	8	14	23	42	52	56
65+	13	15.8	66	6	8	14	18	26	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.3	14	1	1	3	6	9	12	16
B. *Operated*	82	7.7	11	3	4	7	9	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	173	5.5	20	1	1	4	7	11	13	21
B. *Operated*	232	15.5	228	3	6	11	16	34	53	98
1. SINGLE DX	246	5.4	15	1	1	5	7	10	13	16
2. MULTIPLE DX	405	11.2	163	1	2	8	13	22	38	89
A. NOT OPERATED	337	4.9	17	1	1	4	7	10	13	20
B. OPERATED	314	13.4	183	3	5	9	14	27	46	94
TOTAL 0-19 YRS	252	7.7	111	1	1	6	9	14	21	62
20-34	255	9.1	112	1	2	7	10	17	33	84
35-49	65	11.3	155	1	1	8	13	24	36	69
50-64	54	11.0	108	2	2	9	13	17	35	56
65+	25	10.9	69	1	2	9	14	21	27	38
GRAND TOTAL	**651**	**9.0**	**115**	**1**	**2**	**7**	**11**	**16**	**27**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	12	<1	<1	2	4	10	11	11
20-34	10	2.7	4	<1	<1	2	4	6	7	7
35-49	4	6.0	5	3	3	6	7	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	38	4.7	15	<1	1	4	6	9	12	19
20-34	38	4.2	7	<1	1	4	6	7	9	13
35-49	19	6.1	14	1	2	5	8	12	13	13
50-64	11	4.8	17	<1	<1	4	6	10	16	16
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	8	<1	<1	4	5	8	9	9
20-34	8	3.5	4	<1	1	3	4	7	8	8
35-49	3	1.0		1	1	1	1	1	1	1
50-64	4	6.5	30	1	1	5	10	14	14	14
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	45	5.2	9	1	1	5	7	9	11	14
20-34	62	6.2	11	1	2	6	8	10	12	17
35-49	28	5.7	17	1	1	5	7	12	16	16
50-64	20	7.5	96	1	1	6	7	11	29	47
65+	6	9.8	99	4	4	6	8	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.4	8	<1	<1	2	5	8	9	11
B. *Operated*	109	4.8	12	<1	1	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	28	3.8	9	<1	<1	3	5	8	9	14
B. *Operated*	161	6.1	25	1	1	6	8	10	13	29
1. SINGLE DX	136	4.5	12	<1	1	4	6	9	12	16
2. MULTIPLE DX	189	5.8	23	1	1	5	7	10	12	25
A. NOT OPERATED	55	3.6	9	<1	<1	3	5	8	9	14
B. OPERATED	270	5.6	20	1	1	5	7	10	13	19
TOTAL 0-19 YRS	106	4.7	12	<1	1	4	6	9	10	16
20-34	118	5.1	10	1	1	5	7	9	11	16
35-49	54	5.6	15	1	1	5	8	12	13	16
50-64	36	6.4	61	1	1	5	7	12	15	47
65+	11	7.3	62	2	2	5	8	17	29	30
GRAND TOTAL	**325**	**5.2**	**19**	**1**	**1**	**5**	**7**	**10**	**12**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.9	2	<1	<1	1	2	4	5	7
20-34	16	1.6	1	<1	<1	1	2	4	5	5
35-49	8	6.0	104	<1	<1	3	4	23	31	31
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	8	2.1	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	118	2.0	4	<1	<1	1	2	5	6	11
20-34	60	2.2	14	<1	<1	1	2	4	6	25
35-49	22	1.7	1	<1	1	2	2	3	4	4
50-64	12	4.0	13	1	1	3	5	8	13	14
65+	9	4.0	26	1	1	2	4	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.3	4	<1	1	1	3	6	6	10
20-34	59	2.6	8	<1	<1	1	4	6	9	13
35-49	35	2.5	5	<1	<1	2	3	5	6	12
50-64	31	3.7	10	<1	<1	2	6	9	9	11
65+	43	14.1	431	1	1	7	14	36	74	88
B. *Operated*										
0-19 YRS	202	2.9	10	<1	<1	2	4	6	8	16
20-34	274	3.6	18	<1	<1	2	4	8	12	28
35-49	100	4.2	43	<1	1	2	5	10	13	74
50-64	86	5.1	36	<1	1	3	7	13	17	32
65+	129	8.0	93	1	1	5	11	20	24	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	2.3	13	<1	<1	1	3	4	5	25
B. *Operated*	221	2.2	8	<1	<1	1	2	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	233	4.8	103	<1	1	2	5	9	13	73
B. *Operated*	791	4.4	36	<1	1	2	5	10	16	34
1. SINGLE DX	297	2.2	9	<1	<1	1	2	4	6	16
2. MULTIPLE DX	1024	4.5	51	<1	1	2	5	10	16	38
A. NOT OPERATED	309	4.2	82	<1	<1	2	4	8	11	57
B. OPERATED	1012	3.9	31	<1	<1	2	5	9	14	29
TOTAL 0-19 YRS	425	2.5	7	<1	<1	1	3	5	8	11
20-34	409	3.2	15	<1	<1	2	4	7	11	27
35-49	165	3.6	33	<1	1	2	4	7	12	48
50-64	133	4.6	27	<1	1	3	6	10	14	28
65+	189	8.9	170	1	1	4	11	20	30	85
GRAND TOTAL	**1321**	**4.0**	**43**	**<1**	**<1**	**2**	**4**	**9**	**13**	**33**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	2	<1	<1	1	2	4	5	6
20-34	27	2.0	2	<1	<1	1	3	3	6	7
35-49	8	3.3	3	<1	1	3	4	6	7	7
50-64	4	3.0	1	2	2	3	4	4	4	4
65+	2	16.0	200	6	6	16	26	26	26	26
B. *Operated*										
0-19 YRS	32	3.7	24	1	1	2	4	8	13	26
20-34	37	3.4	5	<1	1	3	5	6	7	11
35-49	17	3.9	23	1	1	2	4	9	16	20
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	3	6.0	39	1	1	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	28	1	1	2	4	11	18	19
20-34	24	4.9	44	<1	1	3	6	10	19	32
35-49	10	2.6	3	<1	<1	2	4	5	6	6
50-64	7	13.4	223	1	1	10	17	39	44	44
65+	4	4.0	1	3	3	4	29	99+	99+	99+
B. *Operated*										
0-19 YRS	22	3.9	9	1	1	3	5	9	10	11
20-34	51	6.6	57	<1	1	5	8	15	20	40
35-49	19	13.5	354	1	2	7	15	36	61	79
50-64	10	8.4	66	1	2	6	11	20	29	29
65+	4	23.5	327	7	7	22	39	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.7	12	<1	<1	2	3	5	6	24
B. *Operated*	91	3.7	16	1	1	2	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	56	5.3	59	1	1	3	5	16	27	96
B. *Operated*	106	8.1	124	1	1	5	9	17	33	58
1. SINGLE DX	153	3.3	14	<1	1	2	4	6	8	26
2. MULTIPLE DX	162	7.1	103	1	1	4	8	16	32	74
A. NOT OPERATED	118	3.9	35	<1	1	2	4	7	17	61
B. OPERATED	197	6.1	78	1	1	3	7	12	20	41
TOTAL 0-19 YRS	86	3.3	15	<1	1	2	4	8	10	23
20-34	139	4.6	33	<1	1	3	6	10	14	33
35-49	54	7.0	152	1	1	3	7	17	30	77
50-64	23	8.6	104	1	1	4	11	19	34	44
65+	13	12.3	182	1	3	6	26	48	88	99+
GRAND TOTAL	**315**	**5.3**	**63**	**1**	**1**	**3**	**6**	**11**	**19**	**43**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.1	4	1	1	3	4	6	7	9
20-34	72	3.7	6	1	1	3	5	7	8	11
35-49	35	3.9	12	<1	1	3	4	8	11	17
50-64	15	3.9	9	<1	1	3	5	7	11	12
65+	9	6.9	44	1	2	3	10	18	19	19
B. *Operated*										
0-19 YRS	178	2.8	11	<1	1	2	3	6	9	20
20-34	299	3.0	16	<1	1	2	3	7	9	25
35-49	126	2.8	14	<1	1	2	3	5	8	20
50-64	68	2.8	13	1	1	2	3	5	9	21
65+	28	4.3	32	<1	1	2	5	13	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.8	65	<1	1	4	7	10	10	46
20-34	63	6.3	45	1	1	4	8	12	22	38
35-49	19	5.0	10	1	2	4	6	11	12	12
50-64	12	6.4	35	1	1	4	9	16	19	20
65+	11	11.0	45	4	4	10	18	47	92	99+
B. *Operated*										
0-19 YRS	148	4.3	39	1	1	2	4	9	13	46
20-34	317	4.7	61	1	1	2	4	10	18	49
35-49	104	5.5	67	1	1	3	6	10	17	51
50-64	84	4.9	32	1	1	3	6	13	18	27
65+	33	3.8	10	1	1	3	5	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.8	9	1	1	3	5	7	9	17
B. *Operated*	699	3.0	15	<1	1	2	3	7	9	22
2. MULTIPLE DX										
A. *Not Operated*	136	6.4	45	1	1	4	8	12	22	53
B. *Operated*	686	4.7	51	1	1	3	5	10	16	43
1. SINGLE DX	880	3.1	14	<1	1	2	3	7	9	20
2. MULTIPLE DX	822	5.0	50	1	1	3	5	11	16	45
A. NOT OPERATED	317	4.9	26	1	1	3	6	10	13	30
B. OPERATED	1385	3.8	33	<1	1	2	4	8	13	32
TOTAL 0-19 YRS	407	3.6	25	<1	1	2	4	7	10	23
20-34	751	4.1	37	1	1	2	4	8	12	37
35-49	284	4.1	34	<1	1	2	4	8	12	32
50-64	179	4.1	24	1	1	2	5	9	16	24
65+	81	5.3	31	1	1	3	7	14	20	76
GRAND TOTAL	**1702**	**4.0**	**32**	**1**	**1**	**2**	**4**	**8**	**13**	**32**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	13	<1	1	3	5	7	9	22
20-34	54	3.8	8	<1	1	3	5	8	9	15
35-49	16	3.2	6	1	1	2	4	8	8	8
50-64	6	4.3	3	1	1	5	5	6	6	6
65+	14	6.3	68	1	1	3	7	17	28	31
B. *Operated*										
0-19 YRS	153	4.2	26	<1	1	2	5	10	18	23
20-34	137	4.4	22	<1	1	3	5	11	14	28
35-49	59	5.0	37	<1	1	4	6	9	14	38
50-64	24	4.6	19	<1	1	3	7	10	13	18
65+	15	7.8	106	<1	1	5	8	15	35	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.7	18	1	1	4	9	12	14	16
20-34	35	5.1	14	1	1	4	6	12	14	14
35-49	13	10.0	147	1	3	5	9	29	42	45
50-64	16	7.6	89	2	3	4	8	15	33	40
65+	8	10.5	203	1	1	7	44	99+	99+	99+
B. *Operated*										
0-19 YRS	67	9.6	185	1	1	4	11	30	37	74
20-34	80	7.1	62	1	1	5	9	14	19	45
35-49	35	10.4	162	1	2	7	14	20	27	72
50-64	22	10.6	68	1	1	8	17	20	25	31
65+	15	19.8	263	2	3	17	33	59	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	4.0	15	<1	1	3	5	8	9	22
B. *Operated*	388	4.6	29	<1	1	3	5	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	100	6.7	60	1	2	4	8	14	31	99+
B. *Operated*	219	9.6	137	1	1	6	13	22	34	74
1. SINGLE DX	534	4.4	25	<1	1	3	5	9	14	26
2. MULTIPLE DX	319	8.7	114	1	1	5	11	20	34	85
A. NOT OPERATED	246	5.1	35	1	1	4	6	11	15	46
B. OPERATED	607	6.4	74	1	1	3	8	15	22	44
TOTAL 0-19 YRS	304	5.5	62	<1	1	3	6	12	20	38
20-34	306	5.1	30	1	1	3	6	11	14	29
35-49	123	6.8	86	1	1	4	7	16	23	52
50-64	68	7.2	55	1	1	5	10	18	20	38
65+	52	11.3	178	1	1	5	16	42	90	99+
GRAND TOTAL	**853**	**6.0**	**63**	**1**	**1**	**4**	**7**	**14**	**20**	**45**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	3	<1	<1	1	2	5	6	6
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	6.0	39	<1	<1	4	11	13	13	13
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	21	1	1	4	8	10	10	10
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+	2	17.5	365	4	4	17	31	31	31	31
B. *Operated*										
0-19 YRS	6	10.3	35	2	3	10	12	19	20	20
20-34	30	10.0	123	1	1	5	12	28	36	41
35-49	7	15.9	415	2	2	7	22	51	58	58
50-64	7	17.3	407	2	2	9	28	51	56	56
65+	3	9.7	20	5	5	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.7	9	<1	<1	1	4	6	10	13
B. *Operated*	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	8.6	106	1	1	4	9	27	31	31
B. *Operated*	53	11.7	176	1	2	7	14	31	40	58
1. SINGLE DX	24	2.4	7	<1	<1	1	3	5	8	13
2. MULTIPLE DX	60	11.4	167	1	2	7	13	31	38	58
A. NOT OPERATED	25	4.3	40	<1	<1	2	5	10	17	31
B. OPERATED	59	10.7	167	1	1	6	13	29	39	58
TOTAL 0-19 YRS	20	4.4	27	<1	1	2	7	11	16	20
20-34	38	8.4	107	1	1	4	10	25	34	41
35-49	12	11.6	262	<1	1	5	13	35	55	58
50-64	8	15.6	371	2	2	7	23	49	56	56
65+	6	11.5	106	4	4	8	14	29	31	31
GRAND TOTAL	**84**	**8.8**	**137**	**1**	**1**	**4**	**10**	**25**	**34**	**57**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	14	1	1	2	5	10	10	10
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	6.5	6	3	3	7	8	9	9	9
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	39	3.6	19	1	1	2	4	7	9	27
20-34	70	3.8	8	<1	1	3	5	8	10	15
35-49	38	3.2	7	<1	1	3	4	6	7	15
50-64	19	4.7	17	1	1	3	7	12	14	15
65+	6	4.7	10	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	7	1	2	5	7	8	10	10
20-34	28	4.3	10	1	1	3	6	8	11	13
35-49	14	13.6	574	2	2	5	11	90	97	99+
50-64	8	10.0	90	4	4	7	9	26	33	33
65+	15	12.8	131	3	5	9	18	21	41	48
B. *Operated*										
0-19 YRS	21	8.1	120	1	1	4	9	22	39	43
20-34	56	5.5	29	1	1	4	6	16	17	25
35-49	25	6.8	58	2	2	5	7	18	24	35
50-64	25	9.2	236	1	2	5	9	13	33	80
65+	23	12.4	106	2	4	10	18	24	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.1	11	1	1	3	7	10	11	11
B. *Operated*	172	3.7	11	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	77	8.3	152	1	2	5	8	18	37	97
B. *Operated*	150	7.8	96	1	2	5	9	17	22	44
1. SINGLE DX	189	3.8	11	1	1	3	4	8	10	16
2. MULTIPLE DX	227	8.0	114	1	2	5	9	17	27	82
A. NOT OPERATED	94	7.5	129	1	2	5	8	13	30	95
B. OPERATED	322	5.6	54	1	1	3	6	12	17	37
TOTAL 0-19 YRS	77	5.0	46	1	1	3	5	10	13	41
20-34	157	4.5	16	1	1	3	5	10	14	17
35-49	80	6.1	130	1	1	3	6	11	27	97
50-64	56	7.6	126	1	1	5	8	13	17	77
65+	46	11.2	104	2	3	8	15	21	36	48
GRAND TOTAL	**416**	**6.0**	**72**	**1**	**1**	**4**	**7**	**12**	**18**	**45**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.9	3	1	1	4	5	6	7	9
20-34	129	3.9	4	1	2	4	5	6	7	10
35-49	35	3.6	4	<1	1	4	5	6	7	10
50-64	6	3.2	1	2	2	3	4	5	5	5
65+	8	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	9.3	12	5	5	9	12	13	13	13
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.1	5	1	1	4	5	7	9	9
20-34	61	3.6	4	1	1	3	5	6	6	11
35-49	32	4.0	4	<1	1	5	5	6	7	9
50-64	8	4.1	3	2	2	4	5	7	7	7
65+	8	4.5	9	2	2	3	6	9	10	10
B. *Operated*										
0-19 YRS	8	4.3	1	2	2	4	5	5	5	5
20-34	21	5.1	24	<1	1	4	5	14	17	19
35-49	6	4.3	7	2	2	3	6	9	9	9
50-64	4	7.0	13	4	4	6	9	12	12	12
65+	4	9.8	59	4	4	7	14	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.9	4	1	1	4	5	6	7	10
B. *Operated*	6	10.3	11	5	5	11	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	166	3.9	5	1	1	4	5	6	8	10
B. *Operated*	43	5.5	20	1	2	4	5	12	17	21
1. SINGLE DX	332	4.0	4	1	1	4	5	6	7	11
2. MULTIPLE DX	209	4.2	8	1	1	4	5	7	9	17
A. NOT OPERATED	492	3.9	4	1	1	4	5	6	7	10
B. OPERATED	49	6.1	21	1	2	5	7	13	16	21
TOTAL 0-19 YRS	217	4.1	4	1	1	4	5	7	8	11
20-34	212	4.0	6	1	1	4	5	6	8	15
35-49	74	4.0	5	<1	1	4	5	6	8	11
50-64	18	4.4	6	2	2	4	5	7	10	12
65+	20	5.0	20	1	2	4	6	9	15	21
GRAND TOTAL	**541**	**4.1**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**13**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	2.0	3	<1	<1	1	2	4	5	9
20-34	345	2.2	5	<1	<1	1	2	4	6	13
35-49	146	2.8	5	<1	1	2	3	6	8	11
50-64	85	3.7	12	<1	1	3	5	7	8	21
65+	118	7.1	38	1	2	6	9	15	18	33
B. *Operated*										
0-19 YRS	37	3.1	7	1	1	2	4	7	8	14
20-34	35	3.7	7	1	1	3	5	7	8	14
35-49	18	4.4	33	<1	1	3	4	10	19	25
50-64	5	4.8	18	1	1	4	8	11	11	11
65+	6	12.5	95	3	3	9	20	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	2.3	5	<1	1	1	3	5	6	11
20-34	460	2.6	7	<1	<1	2	3	5	8	14
35-49	212	4.1	16	1	1	3	5	8	12	21
50-64	178	5.4	33	<1	1	4	6	11	14	36
65+	512	10.8	132	1	2	7	14	23	33	81
B. *Operated*										
0-19 YRS	32	6.3	66	1	1	3	7	22	26	32
20-34	50	4.1	16	<1	<1	3	7	10	11	18
35-49	24	9.0	276	1	2	4	6	21	41	82
50-64	28	11.5	124	1	2	7	16	26	35	48
65+	41	18.4	360	2	3	14	25	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	2.8	10	<1	<1	2	3	6	8	16
B. *Operated*	101	4.2	21	1	1	3	5	8	13	26
2. MULTIPLE DX										
A. *Not Operated*	1775	5.4	59	<1	1	3	6	13	19	45
B. *Operated*	175	9.7	184	1	1	5	12	24	38	99+
1. SINGLE DX	1247	2.9	11	<1	1	2	3	6	8	17
2. MULTIPLE DX	1950	5.7	72	<1	1	3	7	14	21	52
A. NOT OPERATED	2921	4.4	42	<1	1	2	5	10	15	33
B. OPERATED	276	7.7	131	1	1	4	9	20	30	95
TOTAL 0-19 YRS	934	2.3	7	<1	<1	1	3	5	6	13
20-34	890	2.6	7	<1	<1	2	3	5	8	14
35-49	400	3.9	30	1	1	2	5	8	11	23
50-64	296	5.5	39	<1	1	4	6	11	16	37
65+	677	10.6	135	1	2	7	14	22	34	98
GRAND TOTAL	**3197**	**4.6**	**50**	**<1**	**1**	**2**	**5**	**11**	**17**	**39**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	6	1	1	2	3	5	9	10
20-34	21	2.3	5	<1	<1	1	3	5	8	10
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	3	4.7		4	4	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	19	6.4	84	1	1	3	9	18	30	37
35-49	7	13.7	739	1	1	3	8	62	75	75
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	3	6.0	13	3	3	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	7	1	1	3	6	7	7	7
20-34	19	3.1	4	1	1	3	4	5	7	9
35-49	8	4.0	9	1	1	3	6	9	9	9
50-64	3	5.0	48	<1	<1	1	10	13	13	13
65+	3	5.0	1	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	7	10.4	57	<1	<1	12	17	20	20	20
20-34	12	3.3	6	1	1	3	5	7	8	8
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	7	22.1	641	4	4	8	30	66	74	74
65+	3	20.0	868	2	2	4	41	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.7	5	<1	1	2	4	5	7	10
B. *Operated*	35	7.3	189	1	1	3	8	12	33	75
2. MULTIPLE DX										
A. *Not Operated*	43	3.6	8	1	1	3	5	7	9	13
B. *Operated*	34	10.1	247	1	1	4	9	26	50	74
1. SINGLE DX	79	4.7	90	1	1	2	4	10	12	64
2. MULTIPLE DX	77	6.5	122	1	1	4	6	13	23	69
A. NOT OPERATED	87	3.1	6	<1	1	2	4	6	9	12
B. OPERATED	69	8.7	216	1	1	3	8	21	38	75
TOTAL 0-19 YRS	34	4.5	25	1	1	2	6	12	17	20
20-34	71	3.8	28	1	1	2	4	8	11	34
35-49	24	6.3	222	1	1	2	6	9	29	75
50-64	15	12.8	365	<1	1	6	12	32	63	74
65+	12	8.9	205	2	3	5	6	23	50	54
GRAND TOTAL	**156**	**5.6**	**106**	**1**	**1**	**3**	**5**	**10**	**19**	**73**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	5	4.0	22	1	1	2	6	12	12	12
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	7.0	76	2	2	3	12	20	20	20
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	14	3.9	14	<1	<1	2	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	9	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	5	5.8	64	1	1	2	8	20	20	20
1. SINGLE DX	23	2.8	10	<1	<1	1	4	7	11	12
2. MULTIPLE DX	14	3.4	24	<1	<1	2	3	6	17	20
A. NOT OPERATED	18	1.6	1	<1	<1	1	2	3	4	4
B. OPERATED	19	4.4	25	<1	<1	2	5	12	16	20
TOTAL 0-19 YRS	19	2.6	19	<1	<1	1	2	5	13	20
20-34	11	2.9	10	<1	<1	2	3	7	12	12
35-49	5	5.2	14	1	1	5	7	11	11	11
50-64	2	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**37**	**3.0**	**15**	**<1**	**<1**	**2**	**3**	**6**	**12**	**20**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	1.4	1	<1	<1	1	1	2	3	5
20-34	37	1.5	1	<1	<1	1	2	3	3	5
35-49	36	1.4	1	<1	<1	1	1	2	2	8
50-64	32	1.9	6	1	1	1	2	3	6	14
65+	35	1.8	3	<1	1	1	2	4	5	9
B. *Operated*										
0-19 YRS	44	2.3	5	1	1	1	3	4	7	12
20-34	9	2.3	6	<1	<1	1	3	7	7	7
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	6	3.5	3	1	1	4	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	2.1	4	<1	1	1	2	4	7	11
20-34	13	3.9	19	1	1	2	4	12	14	15
35-49	13	1.8	2	<1	<1	1	2	4	6	6
50-64	24	1.8	1	<1	1	1	2	3	4	4
65+	31	5.7	46	1	1	3	8	14	19	32
B. *Operated*										
0-19 YRS	23	5.8	51	<1	1	4	6	12	21	35
20-34	17	14.2	293	<1	1	8	15	44	57	62
35-49	7	7.0	7	2	3	8	9	10	10	10
50-64	15	11.3	87	1	1	8	17	23	31	34
65+	29	6.3	101	1	1	3	6	13	39	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	1.5	2	<1	<1	1	1	2	4	8
B. *Operated*	70	2.3	4	1	1	1	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	136	3.0	16	<1	1	2	3	7	11	21
B. *Operated*	91	8.5	121	1	1	5	9	20	35	56
1. SINGLE DX	450	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	227	5.2	65	<1	1	2	6	12	19	43
A. NOT OPERATED	516	1.9	6	<1	<1	1	2	3	5	14
B. OPERATED	161	5.8	79	1	1	3	6	12	22	47
TOTAL 0-19 YRS	362	1.9	6	<1	<1	1	2	3	5	12
20-34	76	4.9	93	<1	1	2	3	11	20	58
35-49	64	2.1	5	<1	<1	1	2	6	8	10
50-64	74	3.8	34	1	1	1	3	12	17	31
65+	101	4.4	47	1	1	2	4	10	15	40
GRAND TOTAL	**677**	**2.8**	**26**	**<1**	**<1**	**1**	**3**	**6**	**10**	**31**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	28	1	1	2	9	13	15	15
20-34	6	6.0	13	2	2	5	8	12	12	12
35-49	4	18.5	242	3	3	15	28	40	40	40
50-64	1	22.0		22	22	22	22	22	22	22
65+	2	13.0	128	5	5	21	80	99+	99+	99+
B. *Operated*										
0-19 YRS	18	13.6	137	1	1	10	21	33	38	40
20-34	19	21.5	469	3	4	14	29	48	74	92
35-49	8	14.6	100	4	5	12	20	31	34	34
50-64	5	11.2	112	2	2	7	16	29	29	29
65+	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.2	112	1	2	10	13	20	36	49
20-34	13	7.8	26	1	2	8	13	15	15	15
35-49	10	5.3	14	1	1	6	6	10	14	14
50-64	5	9.8	96	3	3	6	13	27	27	27
65+	3	42.7	389	20	20	52	55	56	56	56
B. *Operated*										
0-19 YRS	38	17.3	134	3	7	12	29	33	39	45
20-34	42	26.5	311	4	7	25	41	52	68	99+
35-49	28	23.5	258	7	9	19	31	39	53	83
50-64	26	34.2	460	3	6	35	46	69	74	75
65+	11	38.5	619	11	13	37	78	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	9.5	92	1	1	7	15	27	64	99+
B. *Operated*	51	16.8	259	1	2	11	23	34	43	92
2. MULTIPLE DX										
A. *Not Operated*	51	10.9	144	1	2	7	13	22	48	56
B. *Operated*	145	25.8	339	4	7	21	38	52	74	99+
1. SINGLE DX	72	14.7	220	1	2	11	21	34	43	98
2. MULTIPLE DX	196	21.9	330	3	4	16	33	50	68	99+
A. NOT OPERATED	72	10.5	128	1	2	7	14	22	48	90
B. OPERATED	196	23.5	333	3	6	18	34	50	70	99+
TOTAL 0-19 YRS	84	13.9	130	1	2	11	18	31	38	48
20-34	80	20.7	335	3	3	15	32	51	59	98
35-49	50	18.0	225	2	4	15	21	37	40	83
50-64	37	27.5	456	2	4	25	45	55	73	75
65+	17	35.9	523	8	12	35	65	99+	99+	99+
GRAND TOTAL	**268**	**20.0**	**310**	**2**	**3**	**14**	**30**	**46**	**56**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	5.6	74	1	1	3	7	11	16	45
20-34	95	3.5	13	<1	<1	2	5	9	11	17
35-49	32	6.5	69	1	1	3	7	19	28	34
50-64	25	6.9	84	<1	1	4	10	14	25	44
65+	13	8.5	67	1	1	5	12	23	24	24
B. *Operated*										
0-19 YRS	33	12.5	100	2	3	9	20	30	34	38
20-34	21	13.7	101	2	4	11	17	29	37	37
35-49	10	12.7	94	1	1	11	23	23	23	23
50-64	8	15.3	158	<1	1	12	24	33	37	37
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	6.9	48	1	1	5	10	14	17	42
20-34	185	5.6	26	1	1	4	8	12	16	23
35-49	83	8.2	63	1	1	6	9	22	25	37
50-64	47	11.0	102	2	2	8	14	22	30	55
65+	36	16.2	231	4	6	13	19	24	38	92
B. *Operated*										
0-19 YRS	37	18.9	194	1	2	19	25	34	51	58
20-34	33	24.3	375	2	4	19	33	56	60	78
35-49	22	12.5	86	2	3	10	18	26	31	38
50-64	16	22.3	216	8	9	17	28	39	57	64
65+	13	32.4	468	1	6	33	45	62	76	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	5.3	58	1	1	3	7	12	17	34
B. *Operated*	73	13.1	102	1	3	10	20	26	36	38
2. MULTIPLE DX										
A. *Not Operated*	604	7.6	64	1	1	6	10	16	22	40
B. *Operated*	121	21.1	279	2	4	18	27	45	58	78
1. SINGLE DX	425	6.6	74	1	1	4	8	16	23	37
2. MULTIPLE DX	725	9.8	125	1	1	7	12	22	32	58
A. NOT OPERATED	956	6.7	63	1	1	4	9	15	20	40
B. OPERATED	194	18.1	227	1	3	15	24	37	52	72
TOTAL 0-19 YRS	510	7.7	83	1	1	5	10	17	23	46
20-34	334	7.4	97	1	1	4	9	17	23	56
35-49	147	8.8	73	1	1	6	12	23	25	38
50-64	96	12.2	143	1	1	9	16	28	36	60
65+	63	17.8	301	2	3	14	22	36	54	90
GRAND TOTAL	**1150**	**8.7**	**109**	**1**	**1**	**5**	**11**	**21**	**27**	**55**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	5	<1	<1	2	4	6	8	9
20-34	18	3.4	9	<1	1	2	4	8	10	12
35-49	7	2.3	2	1	1	2	4	4	4	4
50-64	7	6.4	13	<1	1	7	8	11	12	12
65+	5	5.2	8	1	1	6	7	8	8	8
B. *Operated*										
0-19 YRS	16	1.7	1	<1	1	1	2	3	4	4
20-34	37	4.7	44	<1	1	3	4	10	21	34
35-49	17	3.3	4	1	2	2	5	7	7	7
50-64	3	6.3	33	3	3	3	11	13	13	13
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	3	1	1	1	4	81	99+	99+
20-34	13	3.9	5	1	2	4	4	8	9	9
35-49	11	4.7	10	2	2	3	8	10	10	10
50-64	9	9.1	95	1	1	4	14	25	31	31
65+	6	18.7	99	4	4	22	24	29	30	30
B. *Operated*										
0-19 YRS	17	2.1	2	1	1	2	3	4	5	6
20-34	55	4.0	57	<1	1	2	4	8	10	53
35-49	14	5.7	72	1	1	3	4	25	26	26
50-64	17	6.0	36	1	2	3	7	17	20	21
65+	9	13.9	262	1	1	11	23	75	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.7	8	<1	1	3	5	8	9	12
B. *Operated*	74	3.8	26	1	1	2	4	7	13	31
2. MULTIPLE DX										
A. *Not Operated*	45	6.8	60	1	1	4	9	23	30	99+
B. *Operated*	112	5.0	69	1	1	2	4	13	23	72
1. SINGLE DX	127	3.8	18	<1	1	2	4	8	11	26
2. MULTIPLE DX	157	5.6	66	1	1	3	6	15	25	96
A. NOT OPERATED	98	5.1	34	1	1	3	7	11	23	66
B. OPERATED	186	4.6	52	1	1	2	4	10	21	54
TOTAL 0-19 YRS	55	2.2	3	<1	1	2	3	5	6	94
20-34	123	4.1	40	<1	1	2	4	8	11	40
35-49	49	4.2	25	1	1	3	4	8	11	26
50-64	36	6.9	44	1	2	4	9	15	20	31
65+	21	12.9	158	1	1	9	23	36	71	99+
GRAND TOTAL	**284**	**4.8**	**46**	**1**	**1**	**3**	**5**	**10**	**21**	**54**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.7	14	<1	1	2	3	5	8	13
20-34	189	2.8	7	<1	1	2	3	6	9	13
35-49	72	3.5	5	<1	1	3	5	7	8	11
50-64	41	5.2	19	1	1	4	6	12	16	17
65+	39	7.2	29	1	2	7	10	15	16	25
B. *Operated*										
0-19 YRS	22	5.2	24	1	1	4	6	13	18	19
20-34	39	4.5	12	1	1	3	6	10	11	15
35-49	16	5.5	65	1	1	3	5	20	27	29
50-64	8	12.1	153	3	3	5	20	32	36	36
65+	4	5.0	54	1	1	2	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	12	<1	1	2	3	5	8	24
20-34	135	3.4	7	<1	1	3	4	7	9	13
35-49	68	4.9	17	1	1	3	6	10	15	19
50-64	62	9.2	142	1	2	6	10	19	31	74
65+	173	12.3	143	1	2	8	15	31	38	63
B. *Operated*										
0-19 YRS	17	10.1	127	1	1	7	12	31	38	40
20-34	35	7.7	65	<1	1	5	11	18	35	99+
35-49	29	8.6	72	<1	1	5	12	21	25	37
50-64	14	7.6	46	1	1	7	11	15	24	26
65+	12	22.9	532	2	2	19	33	51	78	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	3.3	13	<1	1	2	4	7	10	16
B. *Operated*	89	5.6	41	1	1	3	6	14	19	33
2. MULTIPLE DX										
A. *Not Operated*	552	6.9	83	1	1	4	8	16	27	51
B. *Operated*	107	10.0	142	1	1	6	13	25	37	90
1. SINGLE DX	638	3.7	18	1	1	2	4	8	11	19
2. MULTIPLE DX	659	7.4	94	1	1	4	9	18	29	54
A. NOT OPERATED	1101	5.1	52	1	1	3	6	11	17	38
B. OPERATED	196	8.0	100	1	1	4	10	20	29	63
TOTAL 0-19 YRS	361	3.3	22	<1	1	2	3	6	10	26
20-34	398	3.6	14	<1	1	2	4	8	10	18
35-49	185	5.0	27	1	1	3	6	9	16	27
50-64	125	7.9	94	1	1	5	9	17	24	51
65+	228	11.8	151	1	2	8	15	30	37	68
GRAND TOTAL	**1297**	**5.6**	**60**	**1**	**1**	**3**	**6**	**12**	**19**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	708	1.6	2	<1	<1	1	2	3	4	7
20-34	289	2.3	11	<1	<1	1	2	4	6	11
35-49	111	2.2	3	<1	1	2	3	4	6	10
50-64	57	3.8	13	1	1	2	6	8	9	18
65+	78	5.8	32	<1	1	4	8	12	19	29
B. *Operated*										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	646	4.3	40	<1	1	2	5	9	17	35
20-34	1059	6.5	112	<1	1	3	7	15	29	65
35-49	578	6.3	66	1	1	3	7	15	24	46
50-64	364	8.1	108	1	1	5	10	19	27	47
65+	412	9.6	112	1	2	7	12	19	28	97
B. *Operated*										
0-19 YRS	9	18.1	612	1	1	4	36	59	69	69
20-34	28	12.4	150	1	1	9	19	38	44	99+
35-49	25	13.2	98	2	2	12	18	31	54	99+
50-64	24	17.4	185	1	4	13	26	39	44	45
65+	33	20.3	212	6	8	18	28	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	2.2	8	<1	<1	1	2	4	7	12
B. *Operated*	6	3.5	6	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	3059	6.6	90	1	1	3	7	16	25	52
B. *Operated*	119	16.2	200	1	2	13	24	40	64	99+
1. SINGLE DX	1249	2.2	8	<1	<1	1	2	4	7	12
2. MULTIPLE DX	3178	7.0	97	1	1	3	8	17	27	61
A. NOT OPERATED	4302	5.3	70	<1	1	2	6	13	21	48
B. OPERATED	125	15.6	198	1	2	12	23	39	62	99+
TOTAL 0-19 YRS	1367	3.0	27	<1	1	1	3	6	9	31
20-34	1376	5.7	95	<1	1	2	6	13	26	63
35-49	715	5.9	62	1	1	3	7	15	24	45
50-64	445	8.0	106	1	1	5	10	19	27	45
65+	524	9.7	115	1	2	7	12	21	29	99+
GRAND TOTAL	**4427**	**5.6**	**77**	**<1**	**1**	**2**	**6**	**14**	**23**	**50**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	1.3	1	<1	<1	1	1	2	3	6
20-34	91	2.2	12	<1	<1	1	2	4	7	23
35-49	38	1.6	1	<1	1	1	2	4	4	5
50-64	19	3.3	10	<1	<1	1	6	9	9	9
65+	8	2.1	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	2.9	35	<1	1	2	3	6	8	33
20-34	101	3.4	16	<1	1	1	4	10	12	18
35-49	57	7.2	109	1	1	3	8	25	34	45
50-64	48	7.3	123	1	1	3	8	15	35	60
65+	26	8.1	60	1	1	6	10	18	25	35
B. *Operated*										
0-19 YRS	4	12.3	278	1	1	5	22	37	37	37
20-34	4	14.5	116	3	3	14	23	26	26	26
35-49	5	9.6	207	1	1	3	14	35	35	35
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	5	15.8	455	1	1	9	23	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	1.6	4	<1	<1	1	2	3	4	9
B. *Operated*	3	8.0	52	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	343	4.8	59	<1	1	2	5	11	17	39
B. *Operated*	20	12.4	213	1	1	7	17	36	45	53
1. SINGLE DX	442	1.7	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX	363	5.2	70	<1	1	2	5	12	21	45
A. NOT OPERATED	782	3.0	31	<1	1	1	3	6	11	33
B. OPERATED	23	11.8	191	1	1	7	15	35	43	53
TOTAL 0-19 YRS	400	1.9	14	<1	<1	1	2	3	5	14
20-34	197	3.1	19	<1	1	1	3	8	11	24
35-49	100	5.2	79	<1	1	2	4	14	30	41
50-64	69	6.2	91	<1	1	3	7	14	20	56
65+	39	7.9	103	1	1	4	10	17	29	53
GRAND TOTAL	**805**	**3.3**	**37**	**<1**	**1**	**1**	**3**	**7**	**12**	**36**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	2.7	8	<1	1	2	3	6	7	15
20-34	107	3.0	10	<1	<1	2	4	6	9	18
35-49	56	3.2	10	<1	1	2	4	6	9	18
50-64	35	4.4	48	1	1	2	5	9	19	36
65+	52	4.7	26	1	1	3	6	11	16	28
B. *Operated*										
0-19 YRS	4	13.8	408	2	2	4	24	44	44	44
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	7.0	50	2	2	7	12	12	12	12
65+	3	37.0	103	26	26	39	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.9	45	1	1	2	5	13	20	33
20-34	112	3.9	22	1	1	2	5	7	13	29
35-49	67	6.3	56	1	1	4	8	14	19	40
50-64	95	6.8	43	1	1	5	9	14	24	31
65+	143	9.4	147	1	2	5	11	17	34	70
B. *Operated*										
0-19 YRS	4	16.0	281	4	4	15	55	99+	99+	99+
20-34	21	13.0	405	1	1	6	20	49	94	99+
35-49	15	20.6	461	2	4	14	19	61	68	70
50-64	16	18.0	436	4	4	8	22	51	70	77
65+	30	18.3	190	3	3	15	30	43	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	3.2	15	<1	1	2	4	7	10	19
B. *Operated*	12	16.9	300	1	2	9	32	45	46	46
2. MULTIPLE DX										
A. *Not Operated*	559	6.3	71	1	1	4	7	14	21	43
B. *Operated*	86	17.2	330	2	3	11	26	49	78	99+
1. SINGLE DX	441	3.6	27	<1	1	2	4	7	12	29
2. MULTIPLE DX	645	7.8	119	1	1	4	9	17	31	70
A. NOT OPERATED	988	5.0	49	1	1	3	6	11	16	35
B. OPERATED	98	17.2	323	2	3	11	26	47	73	99+
TOTAL 0-19 YRS	329	3.9	34	1	1	2	4	8	15	41
20-34	242	4.3	56	<1	1	2	5	9	15	37
35-49	139	6.5	104	1	1	3	7	15	19	62
50-64	148	7.5	98	1	1	4	9	15	26	53
65+	228	9.8	148	1	1	5	11	26	39	71
GRAND TOTAL	**1086**	**6.1**	**86**	**1**	**1**	**3**	**6**	**15**	**24**	**54**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.5	26	<1	1	5	7	11	17	23
20-34	39	3.1	12	<1	<1	2	4	8	12	16
35-49	13	5.2	15	<1	1	6	8	10	12	13
50-64	17	12.6	249	1	1	8	14	34	52	61
65+	35	8.9	79	<1	1	7	12	21	29	39
B. *Operated*										
0-19 YRS	58	5.2	17	1	1	4	8	12	14	17
20-34	214	4.1	22	<1	<1	2	5	10	14	24
35-49	123	7.6	79	<1	1	5	10	18	23	54
50-64	181	8.7	94	1	1	5	11	20	26	49
65+	264	9.5	101	2	2	6	13	21	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.9	9	1	1	3	5	9	11	13
20-34	85	6.4	40	1	1	4	8	13	17	36
35-49	56	6.4	21	<1	1	5	9	12	15	21
50-64	85	7.6	51	1	1	6	10	15	19	40
65+	127	7.5	54	1	2	6	9	13	20	63
B. *Operated*										
0-19 YRS	153	10.8	126	1	2	7	13	25	37	50
20-34	298	8.7	121	<1	1	5	10	19	31	58
35-49	284	11.3	141	1	2	8	15	27	39	63
50-64	486	15.1	243	1	2	10	21	37	54	98
65+	664	15.2	210	2	3	11	21	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	6.6	74	<1	<1	3	8	14	24	44
B. *Operated*	840	7.4	75	<1	1	4	9	17	23	46
2. MULTIPLE DX										
A. *Not Operated*	404	6.7	41	1	1	5	9	13	17	41
B. *Operated*	1885	13.2	194	1	2	9	17	31	45	90
1. SINGLE DX	965	7.3	75	<1	1	4	9	17	23	45
2. MULTIPLE DX	2289	12.1	173	1	2	8	16	29	42	80
A. NOT OPERATED	529	6.7	49	1	1	5	9	13	18	41
B. OPERATED	2725	11.4	164	1	2	7	15	28	41	76
TOTAL 0-19 YRS	283	8.0	85	1	1	5	10	18	28	42
20-34	636	6.5	75	<1	<1	4	8	14	21	44
35-49	476	9.6	112	<1	1	6	12	23	30	57
50-64	769	12.7	196	1	2	8	17	31	45	82
65+	1090	12.7	171	2	2	8	17	30	43	99
GRAND TOTAL	**3254**	**10.6**	**149**	**1**	**1**	**7**	**14**	**26**	**38**	**70**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.1	1	1	1	2	3	4	5	7
20-34	166	2.8	4	1	1	2	4	5	6	11
35-49	77	3.1	5	<1	1	2	4	6	8	11
50-64	55	3.6	6	1	1	3	5	7	9	10
65+	64	4.3	8	1	2	4	5	7	9	18
B. *Operated*										
0-19 YRS	44	2.2	3	<1	1	2	3	5	6	8
20-34	104	3.0	6	1	1	2	4	5	8	13
35-49	65	4.4	34	1	1	3	5	7	12	40
50-64	22	7.0	86	1	1	4	7	18	30	40
65+	21	6.3	13	1	2	5	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.3	29	<1	1	2	3	5	9	32
20-34	56	3.2	7	1	1	2	4	7	9	14
35-49	40	4.2	10	1	1	3	5	8	11	17
50-64	44	4.0	7	1	1	3	5	8	9	13
65+	77	6.3	24	1	2	5	9	13	17	24
B. *Operated*										
0-19 YRS	12	7.3	34	1	1	8	12	15	16	16
20-34	49	4.6	20	1	1	3	6	10	15	21
35-49	26	5.7	19	1	1	4	9	12	15	15
50-64	22	6.1	15	1	2	5	8	12	14	15
65+	42	7.1	25	1	2	7	10	13	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	3.1	5	1	1	2	4	6	7	11
B. *Operated*	256	3.8	22	1	1	3	4	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	252	4.5	17	1	1	3	6	9	13	19
B. *Operated*	151	5.9	22	1	1	4	9	13	15	20
1. SINGLE DX	694	3.3	11	1	1	2	4	6	8	14
2. MULTIPLE DX	403	5.0	19	1	1	3	7	11	14	20
A. NOT OPERATED	690	3.6	10	1	1	3	5	7	9	17
B. OPERATED	407	4.6	23	1	1	3	6	10	14	20
TOTAL 0-19 YRS	167	2.8	11	1	1	2	3	5	9	16
20-34	375	3.2	7	1	1	2	4	6	7	15
35-49	208	4.0	18	1	1	3	5	8	11	17
50-64	143	4.6	21	1	1	3	6	9	12	25
65+	204	5.8	19	1	2	5	8	11	14	20
GRAND TOTAL	**1097**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	5.2	15	1	2	4	6	11	14	18
20-34	115	5.4	8	1	2	5	7	9	10	15
35-49	86	7.2	20	2	3	6	9	14	16	23
50-64	58	7.4	41	2	3	6	8	13	17	42
65+	31	7.3	15	2	3	7	10	13	14	16
B. *Operated*										
0-19 YRS	28	6.6	23	1	2	5	10	13	16	21
20-34	48	8.9	50	2	3	7	11	24	30	99+
35-49	29	8.8	86	2	2	6	10	17	28	47
50-64	31	8.8	34	1	2	8	13	19	20	21
65+	25	16.4	182	2	4	13	21	32	46	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	6.5	20	1	2	6	8	11	13	28
20-34	95	6.5	24	2	3	5	7	12	17	27
35-49	72	7.1	40	2	3	6	9	13	14	44
50-64	82	9.9	94	3	3	7	11	23	33	51
65+	70	12.5	133	2	3	9	16	22	33	69
B. *Operated*										
0-19 YRS	26	16.0	291	3	4	9	15	37	62	69
20-34	47	17.9	355	3	4	10	25	44	85	99+
35-49	51	11.5	69	3	3	9	15	25	30	32
50-64	70	17.8	251	3	4	14	21	37	42	85
65+	59	21.1	250	4	6	16	29	41	53	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	6.3	19	2	2	5	8	12	14	19
B. *Operated*	161	9.6	77	2	3	7	12	21	28	58
2. MULTIPLE DX										
A. *Not Operated*	370	8.5	67	2	3	6	10	16	23	50
B. *Operated*	253	17.1	244	3	4	13	22	36	47	86
1. SINGLE DX	505	7.4	40	2	2	6	9	14	18	36
2. MULTIPLE DX	623	12.0	157	2	3	8	14	27	36	74
A. NOT OPERATED	714	7.4	45	2	3	6	9	13	18	36
B. OPERATED	414	14.2	192	2	3	10	18	31	42	85
TOTAL 0-19 YRS	159	7.6	75	1	2	5	8	14	20	58
20-34	305	8.2	90	2	3	6	9	16	26	87
35-49	238	8.3	47	2	3	6	10	15	22	34
50-64	241	11.4	135	2	3	7	13	24	36	56
65+	185	14.9	180	3	3	11	19	31	42	72
GRAND TOTAL	**1128**	**9.9**	**110**	**2**	**3**	**7**	**12**	**21**	**29**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.8	3	<1	1	2	4	5	5	5
20-34	39	4.6	35	1	1	3	5	12	13	34
35-49	41	5.8	23	1	1	4	8	12	15	22
50-64	26	6.0	45	1	1	3	8	20	22	24
65+	24	6.8	20	1	1	6	10	12	14	18
B. *Operated*										
0-19 YRS	16	4.4	34	<1	1	2	3	16	17	18
20-34	55	5.2	34	1	1	3	6	11	18	32
35-49	35	8.9	113	1	2	5	11	17	34	53
50-64	45	8.2	96	1	1	6	8	21	22	58
65+	55	8.1	156	1	1	4	8	20	28	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.0	21	<1	1	2	6	8	9	29
20-34	144	5.5	68	1	1	3	6	11	15	39
35-49	125	5.4	23	1	1	4	7	11	14	25
50-64	130	7.6	76	1	1	5	10	15	20	50
65+	163	9.6	137	1	2	5	11	18	33	61
B. *Operated*										
0-19 YRS	47	11.9	171	<1	1	9	15	25	48	55
20-34	96	11.0	161	1	1	6	17	28	34	65
35-49	119	11.0	145	1	1	9	15	23	29	89
50-64	152	15.1	290	2	3	10	17	30	56	96
65+	164	15.9	303	2	2	10	19	44	59	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.3	28	1	1	4	7	12	15	24
B. *Operated*	206	7.2	95	1	1	4	8	17	21	55
2. MULTIPLE DX										
A. *Not Operated*	612	6.9	78	1	1	4	8	14	19	45
B. *Operated*	578	13.5	236	1	2	9	17	29	47	90
1. SINGLE DX	352	6.4	68	1	1	4	8	14	20	39
2. MULTIPLE DX	1190	10.1	166	1	1	6	12	23	33	76
A. NOT OPERATED	758	6.6	69	1	1	4	8	13	18	41
B. OPERATED	784	11.9	207	1	2	7	15	27	42	84
TOTAL 0-19 YRS	129	6.8	89	<1	1	4	9	16	23	55
20-34	334	6.9	91	1	1	3	8	17	27	44
35-49	320	7.9	84	1	1	5	10	17	23	58
50-64	353	10.8	182	1	2	7	13	22	32	90
65+	406	11.8	211	1	2	7	14	28	45	79
GRAND TOTAL	**1542**	**9.3**	**146**	**1**	**1**	**5**	**11**	**20**	**30**	**75**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.1	2	<1	<1	2	3	4	5	5
20-34	5	3.8	2	2	2	4	5	6	6	6
35-49	5	3.0	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.2	7	<1	1	3	4	5	9	13
20-34	8	8.4	88	2	2	4	12	25	27	27
35-49	15	5.2	25	1	3	4	5	9	19	22
50-64	6	5.8	14	2	2	5	9	11	11	11
65+	22	6.8	31	1	1	5	10	15	19	20
B. *Operated*										
0-19 YRS	4	3.8	18	1	1	2	6	10	10	10
20-34	4	4.8	3	3	3	4	6	7	7	7
35-49	3	10.7	30	5	5	11	15	16	16	16
50-64	5	7.6	56	1	1	5	13	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.7	3	<1	1	2	4	5	6	6
B. *Operated*	5	5.2	9	2	2	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	71	5.5	29	1	1	4	6	13	19	26
B. *Operated*	16	6.5	30	1	1	5	10	16	18	19
1. SINGLE DX	41	3.0	4	<1	1	2	4	6	7	8
2. MULTIPLE DX	87	5.7	29	1	1	4	7	13	19	25
A. NOT OPERATED	107	4.6	22	1	1	3	5	10	15	24
B. OPERATED	21	6.2	24	1	1	5	9	13	17	19
TOTAL 0-19 YRS	48	2.8	6	<1	1	2	4	5	8	13
20-34	19	5.9	40	2	2	4	6	14	23	27
35-49	24	5.5	23	1	2	4	6	11	18	22
50-64	13	5.9	28	1	1	3	9	13	18	19
65+	24	6.8	29	1	1	5	10	14	19	20
GRAND TOTAL	**128**	**4.8**	**23**	**1**	**1**	**3**	**6**	**11**	**16**	**23**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.8	1	1	1	3	4	4	5	5
20-34	2535	2.2	2	<1	<1	2	3	4	4	6
35-49	841	2.1	1	<1	<1	2	3	4	4	6
50-64	10	1.8	3	<1	<1	1	2	4	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	43	1.0		<1	<1	<1	1	1	2	2
35-49	14	1.4	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.3	3	<1	<1	2	3	5	6	6
20-34	1009	2.9	5	<1	<1	3	4	5	6	10
35-49	435	2.6	4	<1	<1	2	3	5	6	10
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	3403	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	59	1.2		<1	<1	<1	1	2	2	3
B. *Operated*	1455	2.8	5	<1	<1	2	4	5	6	10
1. SINGLE DX	3410	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1514	2.7	5	<1	<1	2	4	5	6	10
A. NOT OPERATED	66	1.2		<1	<1	<1	1	2	2	4
B. OPERATED	4858	2.4	3	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	26	2.6	2	<1	1	2	3	4	5	6
20-34	3592	2.4	3	<1	<1	2	3	4	5	7
35-49	1292	2.3	2	<1	<1	2	3	4	5	7
50-64	13	1.9	2	<1	<1	1	2	4	6	6
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**4924**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499										
1500-1749										
1750-2499	202	5.2	6	3	3	5	6	8	9	16
2500+	26903	4.1	2	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	7	4.4	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	76.8	218	49	54	84	96	99+	99+	99+
1000-1499	116	51.7	281	28	35	50	64	79	88	99+
1500-1749	99	31.6	106	17	18	32	37	43	47	71
1750-2499	1807	10.6	63	3	4	8	14	21	26	38
2500+	34809	4.8	5	3	3	4	6	7	8	13
B. *Operated*										
1-999 G	13	81.5	172	64	72	99+	99+	99+	99+	99+
1000-1499	36	67.7	333	40	45	77	94	99+	99+	99+
1500-1749	16	47.8	259	30	32	47	71	96	99+	99+
1750-2499	85	21.6	164	5	8	20	28	36	54	99+
2500+	296	10.1	94	3	4	6	10	22	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27106	4.1	2	2	3	4	5	6	7	9
B. *Operated*	7	4.4	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	36844	5.3	21	3	3	4	6	7	10	24
B. *Operated*	446	20.4	520	4	4	10	32	82	99+	99+
1. SINGLE DX	27113	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX	37290	5.5	30	3	3	4	6	7	10	31
A. NOT OPERATED	63950	4.8	14	3	3	4	5	7	8	18
B. OPERATED	453	20.1	516	4	4	10	32	81	99+	99+
TOTAL 1-999 G	27	76.5	378	50	65	93	99+	99+	99+	99+
1000-1499	152	55.5	337	31	35	54	73	93	99+	99+
1500-1749	115	33.9	157	17	19	33	40	48	67	99+
1750-2499	2094	10.5	69	3	4	7	14	21	27	40
2500+	62015	4.5	5	3	3	4	5	6	7	12
GRAND TOTAL	**64403**	**4.9**	**19**	**3**	**3**	**4**	**5**	**7**	**8**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	31	9.1	28	4	5	7	10	17	24	24
2500+	208	5.9	4	3	4	6	7	8	9	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	74.0	261	64	64	69	98	99+	99+	99+
1000-1499	29	43.5	152	23	26	44	53	60	62	64
1500-1749	36	34.6	126	18	20	36	42	52	58	99+
1750-2499	334	13.5	74	4	5	12	18	24	29	42
2500+	460	7.1	12	4	4	6	8	10	14	23
B. *Operated*										
1-999 G	1	75.0		75	75	99+	99+	99+	99+	99+
1000-1499	13	67.8	265	39	46	81	93	99+	99+	99+
1500-1749	6	32.3	45	26	26	30	36	43	44	44
1750-2499	18	23.6	167	8	9	20	27	43	51	55
2500+	7	22.4	403	9	9	11	27	57	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	6.3	8	3	4	6	7	9	10	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	863	12.2	132	4	5	7	14	26	39	62
B. *Operated*	45	38.5	617	9	10	37	74	99+	99+	99+
1. SINGLE DX	239	6.3	8	3	4	6	7	9	10	22
2. MULTIPLE DX	908	13.5	188	4	5	8	16	31	45	99
A. NOT OPERATED	1102	11.0	111	4	4	7	12	23	34	61
B. OPERATED	45	38.5	617	9	10	37	74	99+	99+	99+
TOTAL 1-999 G	5	74.2	196	64	64	98	99+	99+	99+	99+
1000-1499	42	51.0	310	25	29	53	64	90	99+	99+
1500-1749	42	34.3	114	18	22	33	42	51	56	99+
1750-2499	383	13.6	81	4	5	11	18	24	29	44
2500+	675	6.9	16	4	4	6	8	9	13	23
GRAND TOTAL	**1147**	**12.0**	**159**	**4**	**4**	**7**	**14**	**26**	**42**	**84**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+	49	3.8	4	1	2	4	4	5	7	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	23.0		23	23	23	23	23	23	23
1500-1749	1	16.0		16	16	16	16	16	16	16
1750-2499	7	13.9	15	6	7	15	17	18	18	18
2500+	55	4.4	5	1	2	4	6	7	8	14
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	21.0	338	8	8	21	34	34	34	34
2500+	2	32.5	61	27	27	32	38	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.8	4	1	2	4	4	5	7	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	64	5.9	21	2	2	5	7	14	16	22
B. *Operated*	4	26.8	177	8	10	36	99+	99+	99+	99+
1. SINGLE DX	50	3.8	4	1	2	4	4	5	7	13
2. MULTIPLE DX	68	7.1	52	2	2	5	8	17	34	99+
A. NOT OPERATED	114	5.0	15	1	2	4	5	8	15	20
B. OPERATED	4	26.8	177	8	10	36	99+	99+	99+	99+
TOTAL 1-999 G										
1000-1499	1	23.0		23	23	23	23	23	23	23
1500-1749	1	16.0		16	16	16	16	16	16	16
1750-2499	10	14.3	70	4	5	14	17	26	34	34
2500+	106	4.6	20	1	2	4	5	7	8	32
GRAND TOTAL	**118**	**5.7**	**34**	**1**	**2**	**4**	**6**	**14**	**20**	**99+**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	147	2.7	2	1	1	2	3	4	5	8
20-34	244	2.9	3	<1	1	3	4	4	6	9
35-49	106	3.3	6	1	2	2	4	6	8	13
50-64	93	3.3	4	1	1	3	4	5	8	10
65+	51	4.6	42	1	1	3	4	9	12	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	3	2.7	4	1	1	3	52	99+	99+	99+
B. *Operated*										
0-19 YRS	41	3.8	11	1	1	3	4	8	11	19
20-34	60	4.4	18	<1	1	3	5	7	15	23
35-49	43	4.5	19	<1	1	3	5	10	11	26
50-64	38	4.9	45	<1	1	3	5	8	12	42
65+	25	6.0	75	1	2	3	4	14	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	641	3.1	7	<1	1	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	7	3.9	5	1	1	4	6	72	99+	99+
B. *Operated*	207	4.6	28	1	1	3	5	9	13	32
1. SINGLE DX	650	3.1	7	<1	1	3	4	5	8	11
2. MULTIPLE DX	214	4.5	28	1	1	3	5	9	13	41
A. NOT OPERATED	16	2.9	3	<1	1	2	4	7	67	99+
B. OPERATED	848	3.5	12	<1	1	3	4	6	8	17
TOTAL 0-19 YRS	194	2.9	4	1	1	3	3	5	6	11
20-34	307	3.1	6	<1	1	3	4	5	7	16
35-49	153	3.6	9	1	1	3	4	7	9	15
50-64	131	3.8	16	1	1	3	4	7	9	18
65+	79	5.0	51	1	1	3	4	10	20	83
GRAND TOTAL	**864**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**19**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	3	34.0	607	11	11	31	53	60	60	60
65+	2	27.0	1058	4	4	27	50	50	50	50
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	5	24.6	586	5	5	11	41	63	63	63
50-64	11	13.4	167	1	2	10	19	35	42	43
65+	19	7.1	151	1	1	2	9	17	39	53
B. *Operated*										
0-19 YRS										
20-34	3	9.0	27	6	6	6	13	15	15	15
35-49	5	16.2	234	<1	<1	18	28	36	36	36
50-64	5	9.6	86	<1	<1	9	15	24	24	24
65+	3	14.3	236	4	4	7	26	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	22.3	496	1	2	12	40	57	60	60
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	39	10.8	217	1	1	5	11	32	48	63
B. *Operated*	16	12.4	131	<1	<1	8	21	31	35	36
1. SINGLE DX	11	17.1	426	1	1	8	26	54	59	60
2. MULTIPLE DX	55	11.3	190	1	1	6	12	32	41	62
A. NOT OPERATED	47	12.7	274	1	1	6	11	41	54	63
B. OPERATED	19	11.0	121	<1	<1	6	17	29	34	36
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	6.6	30	1	1	6	11	15	15	15
35-49	14	15.6	331	<1	1	9	25	39	58	63
50-64	20	15.1	242	<1	1	10	23	37	51	60
65+	24	9.7	219	1	1	4	10	34	51	53
GRAND TOTAL	**66**	**12.2**	**228**	**1**	**1**	**6**	**13**	**34**	**51**	**63**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1247	3.6	29	<1	1	2	4	7	11	24
20-34	1250	3.0	21	<1	<1	2	3	6	10	24
35-49	320	3.5	20	<1	<1	2	4	8	14	27
50-64	239	8.1	142	<1	1	3	10	22	32	65
65+	342	10.4	164	1	1	5	15	29	40	99+
B. *Operated*										
0-19 YRS	232	3.4	20	<1	<1	2	3	6	10	25
20-34	805	3.4	17	<1	<1	3	4	6	8	16
35-49	354	3.9	15	<1	<1	3	5	8	11	20
50-64	225	4.7	54	1	1	3	5	10	12	24
65+	201	4.7	47	1	1	3	4	11	14	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	742	4.6	48	<1	<1	2	5	10	17	32
20-34	744	5.2	73	<1	1	3	5	11	20	41
35-49	768	5.3	60	1	1	3	6	11	19	48
50-64	1514	5.8	73	<1	1	3	6	15	23	51
65+	1513	10.1	172	1	1	5	14	26	43	99+
B. *Operated*										
0-19 YRS	196	5.0	38	<1	<1	3	6	10	16	34
20-34	819	5.0	43	<1	<1	4	6	10	14	46
35-49	706	5.4	43	<1	<1	3	6	12	17	38
50-64	951	6.3	74	<1	1	3	8	14	21	44
65+	1134	6.5	81	<1	1	3	8	16	25	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3398	4.4	52	<1	1	2	4	10	17	40
B. *Operated*	1817	3.8	25	<1	<1	3	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	5281	6.7	100	<1	1	3	7	17	27	76
B. *Operated*	3806	5.9	62	<1	<1	3	7	13	19	49
1. SINGLE DX	5215	4.2	43	<1	<1	2	4	9	14	34
2. MULTIPLE DX	9087	6.3	84	<1	1	3	7	16	24	63
A. NOT OPERATED	8679	5.8	83	<1	1	3	6	15	24	63
B. OPERATED	5623	5.2	51	<1	<1	3	6	12	17	40
TOTAL 0-19 YRS	2417	4.0	35	<1	<1	2	4	8	13	31
20-34	3618	4.0	36	<1	<1	2	5	8	12	33
35-49	2148	4.8	41	<1	1	3	5	11	16	36
50-64	2929	6.1	78	<1	1	3	7	15	23	51
65+	3190	8.5	135	1	1	4	11	23	35	99+
GRAND TOTAL	**14302**	**5.6**	**70**	**<1**	**1**	**3**	**6**	**13**	**21**	**52**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any [illegible], except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

A5030 1.12-a

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

LENGTH OF STAY BY OPERATION

CANADA

1984



Length of Stay by Operation, Canada, 1984

A Companion Volume To Length of Stay by Diagnosis, Canada, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 15

- Summary of All Patients. 16
- Operation Groups 501-764. 17

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals: Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds: Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	21	8.7	3,434	371	10.8
25-49	194	68	35.1	6,680	2,313	34.6
50-99	174	44	25.3	12,300	2,962	24.1
100-199	120	20	16.7	16,507	2,663	16.1
200-299	74	11	14.9	17,869	2,657	14.9
300-399	58	6	10.3	20,119	2,114	10.5
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	9	24.3	25,481	6,336	24.9
Total	919	181	19.7	111,371	20,383	18.3
Province or Territory						
Alberta	125	114	91.2	11,653	10,714	91.9
British Columbia	111	22	19.8	12,355	3,063	24.8
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	2	5.7	2,588	304	11.7
Nova Scotia	48	7	14.6	4,833	1,887	39.0
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	1	0.7	26,125	534	2.0
Saskatchewan	132	1	0.8	6,260	196	3.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	181	19.7	111,371	20,383	18.3

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in ***Length of Stay by Diagnosis, Canada, 1984*** or ***Length of Stay by Operation, Canada, 1984***.

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] ***ICD-9-CM List B: Hospital Procedure Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. [illegible]ostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to th
top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43528	3.6	15	<1	1	2	4	7	9	19
20-34	78670	4.1	13	<1	1	4	5	7	9	17
35-49	28700	5.0	23	<1	1	4	7	10	13	23
50-64	22626	6.2	37	1	1	4	8	13	17	30
65+	22214	7.8	64	1	2	5	10	16	22	43
2. MULTIPLE DX										
0-19 YRS	32925	6.1	65	1	1	4	7	12	19	46
20-34	65366	6.2	48	1	2	5	7	11	16	41
35-49	35680	7.8	68	1	2	6	9	15	22	48
50-64	42381	10.2	114	1	2	7	13	22	31	64
65+	67222	13.1	175	2	2	9	17	29	44	99+
TOT. SINGLE DX	195738	4.8	25	<1	1	4	6	9	13	25
" MULTIPLE DX	243574	9.0	108	1	2	6	11	20	29	68
TOTAL 0-19 YRS	76453	4.6	38	1	1	3	5	9	13	32
20-34	144036	5.0	30	<1	1	4	6	8	12	29
35-49	64380	6.6	50	1	1	5	8	13	18	38
50-64	65007	8.8	91	1	2	6	11	18	26	54
65+	89436	11.7	153	2	2	8	15	26	39	92
GRAND TOTAL	**439312**	**7.1**	**76**	**1**	**1**	**5**	**8**	**15**	**22**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	16.6	250	1	2	11	18	44	49	51
20-34	26	14.0	163	<1	2	11	18	28	36	62
35-49	57	17.5	176	5	6	14	21	35	53	98
50-64	43	17.2	207	3	6	13	19	36	48	74
65+	38	19.8	134	5	8	18	27	36	43	50
2. MULTIPLE DX										
0-19 YRS	53	19.9	319	2	3	16	27	40	65	99+
20-34	37	26.4	273	5	9	25	43	60	99+	99+
35-49	55	23.0	292	6	8	18	39	58	99+	99+
50-64	118	25.7	259	7	9	22	36	57	64	99+
65+	105	29.1	365	8	10	23	39	61	76	94
TOT. SINGLE DX	182	17.3	179	2	5	13	22	35	46	73
" MULTIPLE DX	368	25.5	311	5	8	22	36	57	75	99+
TOTAL 0-19 YRS	71	19.0	300	2	2	14	27	44	54	99
20-34	63	21.3	263	2	4	17	34	50	75	99+
35-49	112	20.2	239	6	7	15	27	54	73	99+
50-64	161	23.5	259	6	8	19	33	52	63	99+
65+	143	26.6	320	7	9	22	34	54	65	91
GRAND TOTAL	550	22.8	282	4	7	19	32	51	64	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.4	9	3	4	9	10	12	13	14
20-34	11	9.8	26	4	5	8	10	19	20	20
35-49	8	11.6	7	8	8	11	14	15	15	15
50-64	5	14.0	25	9	9	13	18	21	21	21
65+	12	18.1	231	7	8	11	22	37	58	61
2. MULTIPLE DX										
0-19 YRS	10	17.6	28	9	12	16	24	56	96	99+
20-34	23	26.5	288	5	7	23	35	53	58	64
35-49	16	24.8	253	7	9	21	36	58	86	99+
50-64	23	16.3	109	7	8	11	22	34	42	42
65+	10	18.4	134	7	8	19	36	99+	99+	99+
TOT. SINGLE DX	50	12.1	77	4	6	10	14	21	23	61
" MULTIPLE DX	82	21.2	193	7	8	17	32	52	71	99+
TOTAL 0-19 YRS	24	12.2	38	4	5	11	16	26	45	99+
20-34	34	21.1	263	4	5	17	28	50	55	64
35-49	24	20.4	208	7	9	15	31	52	70	99+
50-64	28	15.9	94	7	8	12	21	29	42	42
65+	22	18.2	179	7	8	13	27	65	99+	99+
GRAND TOTAL	132	17.8	168	5	7	14	23	41	58	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.8	6	4	4	8	9	11	13	13
20-34	8	10.0	30	3	4	9	11	19	22	22
35-49	11	7.9	29	4	4	5	13	16	18	18
50-64	5	9.4	9	6	6	9	12	13	13	13
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	28	16.3	235	5	7	11	17	31	52	78
20-34	33	11.5	58	2	3	10	14	27	33	99+
35-49	13	14.7	58	5	8	12	19	27	30	31
50-64	6	9.0	8	6	6	8	10	14	14	14
65+	4	11.8	77	3	3	10	17	24	24	24
TOT. SINGLE DX	49	8.4	15	4	4	8	10	13	15	22
" MULTIPLE DX	84	13.4	117	3	5	10	14	27	32	92
TOTAL 0-19 YRS	52	12.4	146	4	5	9	13	21	31	77
20-34	41	11.2	53	2	3	10	13	24	32	99+
35-49	24	11.6	55	4	4	10	15	23	27	31
50-64	11	9.2	8	6	6	9	11	13	14	14
65+	5	11.4	59	3	3	10	14	24	24	24
GRAND TOTAL	133	11.6	85	3	4	9	13	22	31	81

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.2	6	5	6	11	12	13	14	14
20-34	6	12.3	28	7	7	11	16	20	21	21
35-49	6	16.2	202	7	7	11	16	41	44	44
50-64	5	13.0	26	8	8	10	18	19	19	19
65+	9	21.8	79	8	10	25	28	33	35	35
2. MULTIPLE DX										
0-19 YRS	37	19.3	315	5	6	15	22	45	82	99+
20-34	3	7.0	21	3	3	6	10	12	12	12
35-49	7	19.7	122	6	7	17	29	36	37	37
50-64	9	28.2	726	6	9	25	99+	99+	99+	99+
65+	26	36.7	562	5	9	35	63	85	99+	99+
TOT. SINGLE DX	36	14.8	76	7	7	12	17	28	33	44
" MULTIPLE DX	82	25.4	469	5	6	19	40	85	99+	99+
TOTAL 0-19 YRS	47	17.4	262	5	6	13	18	37	63	99+
20-34	9	10.6	30	3	4	10	13	19	21	21
35-49	13	18.1	149	6	7	15	24	38	43	44
50-64	14	22.8	512	6	8	19	80	99+	99+	99+
65+	35	32.8	476	6	9	28	49	75	96	99+
GRAND TOTAL	118	22.2	371	5	7	16	30	69	99+	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.4	19	2	3	7	9	14	16	17
20-34	15	24.3	674	2	4	13	32	67	81	86
35-49	8	15.4	219	4	4	9	23	40	46	46
50-64	3	24.3	177	13	13	21	34	39	39	39
65+	5	10.2	46	5	5	9	12	22	22	22
2. MULTIPLE DX										
0-19 YRS	94	11.3	98	3	3	8	15	24	31	49
20-34	36	20.9	378	3	3	14	27	46	53	96
35-49	12	15.8	556	3	4	12	19	99+	99+	99+
50-64	8	18.9	141	10	10	17	33	78	99+	99+
65+	12	19.2	326	5	5	11	29	52	53	53
TOT. SINGLE DX	48	15.4	309	3	4	8	20	37	57	86
" MULTIPLE DX	162	14.7	223	3	3	10	19	40	50	99+
TOTAL 0-19 YRS	111	10.7	88	3	3	7	13	23	29	48
20-34	51	21.9	456	3	4	13	28	51	66	96
35-49	20	15.7	403	3	4	11	19	92	99+	99+
50-64	11	20.4	141	10	10	17	34	61	94	99+
65+	17	16.5	254	5	5	9	19	49	52	53
GRAND TOTAL	210	14.9	241	3	3	9	19	40	51	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	10.2	21	6	6	10	13	17	17	17
20-34	42	10.6	37	5	6	9	11	18	23	36
35-49	108	11.2	34	6	6	9	13	20	24	35
50-64	103	12.4	62	[illegible]	7	10	15	20	25	48
65+	57	12.3	32	[illegible]	7	11	15	22	25	27
2. MULTIPLE DX										
0-19 YRS	5	12.0	9	8	8	13	14	16	16	16
20-34	42	15.4	118	6	7	11	19	35	40	48
35-49	109	13.8	105	5	6	11	16	25	31	85
50-64	130	16.7	153	6	8	13	22	32	40	99+
65+	125	20.1	192	7	8	16	25	42	62	99+
TOT. SINGLE DX	315	11.7	44	6	6	10	14	20	24	35
" MULTIPLE DX	411	16.8	152	6	7	13	21	33	44	99+
TOTAL 0-19 YRS	10	11.1	15	6	6	11	13	16	17	17
20-34	84	13.0	83	6	6	10	15	25	37	46
35-49	217	12.5	71	6	6	10	14	24	27	63
50-64	233	14.8	117	6	7	11	18	27	35	95
65+	182	17.7	155	6	7	15	22	35	53	99+
GRAND TOTAL	726	14.6	111	6	7	11	17	27	36	95

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	11.2	30	4	4	10	15	18	21	21
20-34	65	6.2	26	2	2	5	7	13	16	31
35-49	84	7.4	35	2	2	6	9	14	22	31
50-64	42	6.7	18	2	2	6	10	13	14	18
65+	13	9.1	43	2	2	8	14	18	22	23
2. MULTIPLE DX										
0-19 YRS	14	23.1	277	4	5	18	38	46	48	49
20-34	43	16.0	249	2	3	12	26	63	99+	99+
35-49	52	12.0	120	3	3	10	15	22	25	63
50-64	54	16.3	167	2	3	13	21	34	42	62
65+	29	20.6	183	1	4	21	29	43	52	99+
TOT. SINGLE DX	214	7.2	30	2	2	6	10	14	17	27
" MULTIPLE DX	192	16.2	191	2	3	12	22	38	51	99+
TOTAL 0-19 YRS	24	18.1	204	4	5	12	29	40	47	49
20-34	108	10.1	137	2	2	6	13	30	53	99+
35-49	136	9.2	72	2	3	7	12	18	23	51
50-64	96	12.1	124	2	2	9	15	25	35	57
65+	42	17.0	168	1	2	14	25	37	49	99+
GRAND TOTAL	406	11.5	126	2	3	8	14	26	38	78

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.0	32	<1	<1	3	12	15	16	16
20-34	64	3.6	10	<1	1	3	4	9	11	15
35-49	55	3.3	7	<1	1	3	4	5	7	18
50-64	67	6.7	212	<1	1	3	5	11	18	92
65+	36	5.6	55	1	1	3	5	18	22	35
2. MULTIPLE DX										
0-19 YRS	11	7.7	170	1	1	3	7	25	44	46
20-34	32	7.5	47	<1	1	4	13	20	22	23
35-49	43	6.7	21	1	2	5	10	13	16	20
50-64	56	10.6	193	2	2	6	14	21	27	91
65+	35	8.6	88	1	2	6	11	29	82	99+
TOT. SINGLE DX	233	4.9	77	<1	1	3	4	10	14	42
" MULTIPLE DX	177	8.5	103	1	2	5	12	19	27	98
TOTAL 0-19 YRS	22	6.9	98	<1	1	3	8	15	28	46
20-34	96	4.9	26	<1	1	3	5	14	15	23
35-49	98	4.8	16	1	2	3	5	11	14	19
50-64	123	8.5	206	1	2	4	7	19	25	95
65+	71	7.1	73	1	1	4	9	20	34	99+
GRAND TOTAL	410	6.4	91	1	1	3	7	14	20	84

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.4	4	1	1	2	3	4	7	11
20-34	196	2.7	12	<1	<1	2	3	4	7	18
35-49	228	2.6	8	<1	<1	2	3	4	6	14
50-64	245	2.5	7	<1	<1	2	3	4	7	12
65+	166	3.2	19	<1	1	2	3	5	8	31
2. MULTIPLE DX										
0-19 YRS	32	3.3	9	1	1	3	3	5	11	16
20-34	122	3.5	14	<1	1	2	4	7	11	20
35-49	109	4.2	22	<1	1	3	4	11	20	99+
50-64	195	5.6	84	<1	1	2	5	12	20	58
65+	167	5.4	35	1	1	3	6	15	19	36
TOT. SINGLE DX	867	2.7	11	<1	<1	2	3	4	7	16
" MULTIPLE DX	625	4.8	44	<1	1	3	5	11	17	39
TOTAL 0-19 YRS	64	2.9	7	1	1	2	3	5	8	15
20-34	318	3.0	13	<1	<1	2	3	6	9	19
35-49	337	3.1	14	<1	<1	2	3	6	11	27
50-64	440	3.9	44	<1	<1	2	3	8	12	32
65+	333	4.3	29	1	1	3	4	10	16	34
GRAND TOTAL	**1492**	**3.6**	**26**	**<1**	**<1**	**2**	**3**	**7**	**12**	**30**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.0	17	5	5	9	14	16	16	16
20-34	11	5.8	7	<1	2	6	7	9	11	11
35-49	10	8.4	39	3	3	5	17	18	18	18
50-64	11	10.4	19	2	3	11	14	15	15	15
65+	15	11.1	24	3	3	12	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	5	10.0	31	5	5	7	15	17	17	17
20-34	10	10.5	39	5	5	8	12	21	24	24
35-49	24	17.6	396	5	6	11	17	32	69	94
50-64	40	14.7	163	5	6	11	19	25	30	81
65+	69	14.4	75	6	7	13	17	23	43	89
TOT. SINGLE DX	53	9.2	24	3	3	8	14	17	18	18
" MULTIPLE DX	148	14.6	147	5	6	11	17	25	42	94
TOTAL 0-19 YRS	11	10.0	21	5	5	8	15	16	17	17
20-34	21	8.0	27	2	4	7	9	15	21	24
35-49	34	14.9	305	4	4	10	17	27	53	94
50-64	51	13.7	135	5	6	11	16	23	27	80
65+	84	13.9	67	6	7	12	17	20	42	80
GRAND TOTAL	**201**	**13.2**	**120**	**4**	**5**	**11**	**16**	**21**	**29**	**87**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.0	200	1	1	11	21	21	21	21
20-34	6	8.0	94	<1	<1	5	8	25	27	27
35-49	13	8.8	53	<1	1	7	11	18	26	28
50-64	11	6.3	61	<1	<1	2	9	17	26	27
65+	10	8.4	153	<1	1	5	8	26	43	43
2. MULTIPLE DX										
0-19 YRS	2	27.5	313	15	15	27	40	40	40	40
20-34	8	14.0	179	<1	1	10	19	37	41	41
35-49	13	14.2	253	1	2	9	14	40	55	58
50-64	18	10.6	68	2	2	9	18	24	27	27
65+	30	15.9	424	1	2	9	19	30	83	86
TOT. SINGLE DX	42	8.0	82	<1	<1	6	10	23	28	43
" MULTIPLE DX	71	14.4	268	1	2	10	17	30	41	85
TOTAL 0-19 YRS	4	19.3	262	1	1	18	30	40	40	40
20-34	14	11.4	142	<1	<1	8	11	29	38	41
35-49	26	11.5	155	1	2	9	14	27	40	58
50-64	29	9.0	68	<1	1	8	12	24	27	27
65+	40	14.1	362	1	2	7	15	30	63	86
GRAND TOTAL	**113**	**12.0**	**207**	**<1**	**1**	**8**	**14**	**27**	**39**	**84**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	4.8	4	2	2	5	6	7	8	12
20-34	175	5.1	4	3	4	5	6	7	8	13
35-49	190	5.2	3	3	4	5	6	7	8	12
50-64	144	5.2	2	3	4	5	6	8	9	11
65+	58	8.3	52	4	4	6	8	14	21	49
2. MULTIPL[illegible]										
0-[illegible] YRS	16	8.2	67	4	4	5	8	21	30	34
20-34	60	6.6	30	3	3	5	6	10	17	33
35-49	114	6.2	15	4	4	5	7	8	13	25
50-64	130	7.2	27	4	4	6	7	11	22	28
65+	77	9.7	79	3	4	7	10	17	29	53
TOT. SINGLE DX	599	5.4	9	3	4	5	6	8	9	17
" MULTIPLE DX	397	7.4	37	3	4	6	7	12	19	37
TOTAL 0-19 YRS	48	5.9	27	2	3	5	6	9	13	34
20-34	235	5.5	11	3	4	5	6	7	10	22
35-49	304	5.5	8	3	4	5	6	7	9	15
50-64	274	6.2	16	3	4	5	7	9	12	25
65+	135	9.1	68	4	4	7	9	15	23	52
GRAND TOTAL	996	6.2	21	3	4	5	7	9	13	27

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.4	7	1	1	3	4	5	8	16
20-34	41	3.8	3	1	2	3	4	6	7	12
35-49	26	4.3	3	2	3	4	6	7	8	8
50-64	20	5.4	15	2	2	4	7	9	14	19
65+	7	5.1	11	2	2	5	6	11	12	12
2. MULTIPLE DX										
0-19 YRS	9	4.2	6	1	1	4	6	8	9	9
20-34	18	8.6	48	3	3	7	11	26	68	99+
35-49	24	8.9	40	3	4	6	13	16	20	30
50-64	33	9.6	34	4	5	7	11	19	23	26
65+	31	22.8	397	3	5	15	33	56	68	75
TOT. SINGLE DX	142	4.0	7	1	2	3	5	7	9	16
" MULTIPLE DX	115	12.4	172	3	3	8	15	28	43	83
TOTAL 0-19 YRS	57	3.5	7	1	1	3	4	6	9	16
20-34	59	5.2	22	2	2	4	6	10	18	93
35-49	50	6.5	26	2	3	5	7	14	16	30
50-64	53	8.0	31	2	3	6	9	18	22	26
65+	38	19.6	372	2	3	11	27	50	65	75
GRAND TOTAL	257	7.8	98	2	2	5	8	16	27	67

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	61	5	5	6	16	19	19	19
20-34	12	13.5	53	1	4	13	18	25	25	25
35-49	7	11.3	14	7	7	10	14	16	17	17
50-64	4	14.3	41	7	7	14	19	21	21	21
65+	3	9.7	21	7	7	7	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	4	20.3	111	10	10	18	27	35	35	35
20-34	21	13.7	73	5	6	11	16	25	32	40
35-49	24	20.8	498	6	7	14	19	48	86	94
50-64	33	23.2	400	3	7	16	29	51	75	81
65+	5	31.6	398	16	16	25	42	65	65	65
TOT. SINGLE DX	29	12.3	37	5	6	11	16	21	25	25
" MULTIPLE DX	87	20.6	343	5	7	15	23	44	67	90
TOTAL 0-19 YRS	7	15.9	106	5	5	18	19	32	35	35
20-34	33	13.6	64	5	6	11	17	25	26	40
35-49	31	18.6	401	6	7	13	18	34	80	94
50-64	37	22.2	367	4	7	16	28	50	70	81
65+	8	23.4	363	7	7	17	29	56	65	65
GRAND TOTAL	116	18.5	279	5	7	14	21	39	52	86

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.5	1	<1	<1	<1	2	3	3	7
20-34	16	1.8	1	<1	<1	1	2	4	5	6
35-49	20	1.9	1	<1	<1	1	2	4	5	6
50-64	17	2.2	3	<1	<1	1	3	5	7	8
65+	21	4.0	35	<1	<1	2	3	10	19	26
2. MULTIPLE DX										
0-19 YRS	11	2.3	5	<1	<1	1	2	6	8	8
20-34	10	7.2	116	<1	<1	2	6	27	28	28
35-49	10	4.2	28	<1	<1	2	6	12	18	18
50-64	26	6.3	104	<1	<1	3	5	16	25	51
65+	56	6.8	45	1	2	4	9	17	21	31
TOT. SINGLE DX	131	2.1	8	<1	<1	1	2	4	6	16
" MULTIPLE DX	113	6.1	60	<1	<1	3	7	16	21	38
TOTAL 0-19 YRS	68	1.6	2	<1	<1	1	2	3	5	8
20-34	26	3.8	51	<1	<1	1	2	6	27	28
35-49	30	2.7	11	<1	<1	2	2	6	7	18
50-64	43	4.7	68	<1	<1	2	4	10	17	51
65+	77	6.1	44	<1	1	3	8	16	21	30
GRAND TOTAL	**244**	**3.9**	**36**	**<1**	**<1**	**2**	**3**	**9**	**17**	**28**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.0	3	<1	1	2	2	3	4	12
20-34	38	2.2	4	<1	<1	2	3	3	6	13
35-49	55	2.3	1	<1	<1	2	3	4	5	7
50-64	90	2.2	1	<1	<1	2	3	4	4	9
65+	111	2.7	3	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	78	3.8	22	<1	1	2	4	7	11	30
20-34	87	3.5	12	<1	<1	2	5	7	11	19
35-49	69	3.9	129	<1	<1	2	3	7	9	79
50-64	111	5.3	115	<1	<1	2	4	9	26	66
65+	152	6.8	117	<1	1	3	7	16	27	74
TOT. SINGLE DX	361	2.3	3	<1	<1	2	3	4	5	12
" MULTIPLE DX	497	5.0	87	<1	<1	2	5	10	18	65
TOTAL 0-19 YRS	145	2.9	15	<1	1	2	3	6	8	17
20-34	125	3.1	10	<1	<1	2	4	6	9	17
35-49	124	3.2	73	<1	<1	2	3	5	8	34
50-64	201	3.9	67	<1	<1	2	3	5	11	55
65+	263	5.0	73	<1	1	3	4	10	18	64
GRAND TOTAL	**858**	**3.9**	**53**	**<1**	**<1**	**2**	**3**	**7**	**11**	**46**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.4	3	<1	<1	2	3	5	8	8
20-34	13	4.5	31	2	2	2	4	12	20	22
35-49	30	2.8	1	2	2	3	3	4	5	6
50-64	35	3.3	2	2	2	3	4	5	7	10
65+	41	4.6	56	1	2	3	5	6	9	50
2. MULTIPLE DX										
0-19 YRS	11	7.4	97	1	1	3	6	27	28	28
20-34	12	3.1	1	2	2	3	4	4	4	4
35-49	8	5.9	36	2	2	3	10	16	16	16
50-64	21	4.7	36	1	2	3	4	7	18	30
65+	47	4.4	5	2	3	3	6	7	9	14
TOT. SINGLE DX	131	3.6	22	1	2	3	4	5	7	27
" MULTIPLE DX	99	4.7	24	1	2	3	5	8	15	29
TOTAL 0-19 YRS	23	4.8	53	<1	1	2	4	12	27	28
20-34	25	3.8	17	2	2	2	4	5	12	22
35-49	38	3.4	9	2	2	3	4	5	11	16
50-64	56	3.8	15	2	2	3	4	5	8	29
65+	88	4.5	29	2	2	3	5	7	9	36
GRAND TOTAL	**230**	**4.1**	**23**	**1**	**2**	**3**	**4**	**6**	**9**	**28**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.8	2	<1	<1	1	2	5	5	5
20-34	11	2.2	3	<1	<1	1	3	5	6	6
35-49	5	3.2	8	1	1	2	5	8	8	8
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	3	1.7	1	<1	<1	<1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	7	6.1	41	<1	<1	4	7	17	20	20
20-34	4	9.5	245	<1	<1	2	18	33	33	33
35-49	5	3.0	2	1	1	3	4	5	5	5
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	9	8.0	91	<1	1	3	21	63	99+	99+
TOT. SINGLE DX	29	2.2	3	<1	<1	1	3	5	6	8
" MULTIPLE DX	30	5.9	67	<1	<1	3	6	23	33	99+
TOTAL 0-19 YRS	13	4.2	27	<1	<1	2	5	10	18	20
20-34	15	4.1	66	<1	<1	2	3	6	26	33
35-49	10	3.1	5	1	1	3	4	6	8	8
50-64	9	1.9	1	<1	<1	2	3	3	3	3
65+	12	6.4	75	<1	<1	3	13	42	89	99+
GRAND TOTAL	**59**	**4.1**	**39**	**<1**	**<1**	**2**	**4**	**9**	**24**	**93**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.5	10	3	3	5	9	11	12	12
20-34	45	5.1	2	3	3	5	6	7	8	11
35-49	36	4.9	4	2	3	4	6	7	7	15
50-64	23	5.0	5	2	3	5	6	7	10	13
65+	59	5.1	4	2	2	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	6	5.5	4	3	3	6	7	8	8	8
20-34	18	7.5	36	1	2	6	8	16	22	25
35-49	19	8.0	122	3	4	5	6	13	36	52
50-64	23	5.2	6	2	3	5	6	9	10	11
65+	81	6.1	10	2	3	5	7	12	13	16
TOT. SINGLE DX	174	5.1	4	2	3	5	6	7	10	13
" MULTIPLE DX	147	6.4	27	2	3	5	7	12	14	26
TOTAL 0-19 YRS	17	6.1	8	3	3	6	7	11	12	12
20-34	63	5.8	13	3	3	5	6	8	12	24
35-49	55	6.0	46	2	3	5	6	7	13	50
50-64	46	5.1	6	2	3	5	6	9	10	13
65+	140	5.7	8	2	3	5	7	10	12	15
GRAND TOTAL	321	5.7	15	2	3	5	6	9	12	17

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.7	20	<1	<1	2	5	7	12	22
20-34	48	2.6	7	<1	<1	1	3	5	10	13
35-49	58	2.7	4	<1	<1	2	3	6	7	10
50-64	43	2.4	7	<1	<1	2	2	6	8	16
65+	54	3.0	6	<1	<1	2	4	5	8	15
2. MULTIPLE DX										
0-19 YRS	24	5.5	9	<1	1	6	8	9	11	12
20-34	16	6.4	9	2	2	6	8	9	13	15
35-49	17	3.9	10	<1	1	3	6	7	12	14
50-64	26	7.5	81	<1	<1	5	8	20	30	40
65+	28	9.1	118	2	2	5	11	19	31	54
TOT. SINGLE DX	226	2.8	8	<1	<1	2	3	6	8	15
" MULTIPLE DX	111	6.8	56	<1	1	5	8	13	21	45
TOTAL 0-19 YRS	47	4.6	15	<1	<1	4	7	9	10	22
20-34	64	3.6	11	<1	<1	2	5	8	11	15
35-49	75	3.0	6	<1	<1	2	4	6	8	13
50-64	69	4.4	41	<1	<1	2	5	9	16	38
65+	82	5.1	52	<1	1	3	5	11	16	46
GRAND TOTAL	337	4.1	27	<1	<1	3	5	8	12	27

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.1	6	<1	<1	4	7	7	7	7
20-34	10	5.9	18	1	1	6	9	11	13	13
35-49	15	6.9	22	1	1	6	9	12	18	20
50-64	37	5.7	10	2	2	5	7	10	12	16
65+	64	5.9	13	2	2	5	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	6	14.8	447	1	1	5	19	52	56	56
20-34	14	10.1	121	2	2	7	9	27	38	41
35-49	7	7.1	11	4	4	7	8	13	14	14
50-64	26	14.1	321	2	2	8	14	41	65	71
65+	93	9.0	57	1	2	6	12	20	26	34
TOT. SINGLE DX	133	5.9	14	1	2	5	8	11	13	17
" MULTIPLE DX	146	10.1	124	2	2	6	13	22	29	63
TOTAL 0-19 YRS	13	9.1	220	<1	1	4	7	26	50	56
20-34	24	8.3	80	1	2	7	9	19	30	41
35-49	22	7.0	18	1	2	6	8	13	16	20
50-64	63	9.2	153	2	2	6	9	15	29	70
65+	157	7.7	42	2	2	6	10	16	23	31
GRAND TOTAL	279	8.1	75	1	2	6	9	16	23	52

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.9	21	1	2	5	6	12	17	19
20-34	23	3.9	6	1	1	4	5	6	9	12
35-49	14	7.1	18	2	2	6	11	13	15	15
50-64	36	4.9	10	2	2	4	6	9	11	17
65+	60	5.5	20	1	2	5	7	12	13	24
2. MULTIPLE DX										
0-19 YRS	8	5.8	22	2	2	4	9	13	14	14
20-34	20	7.3	26	1	2	5	10	16	18	19
35-49	15	5.3	28	1	1	4	5	8	19	23
50-64	26	6.9	39	1	2	5	9	14	22	29
65+	55	6.3	31	1	2	5	7	12	18	30
TOT. SINGLE DX	151	5.3	16	1	2	4	6	11	13	20
" MULTIPLE DX	124	6.4	31	1	2	5	8	13	19	29
TOTAL 0-19 YRS	26	5.9	21	1	2	5	6	13	15	19
20-34	43	5.5	18	1	1	4	7	11	16	19
35-49	29	6.2	24	1	2	5	8	13	15	23
50-64	62	5.7	24	1	2	4	7	11	15	28
65+	115	5.9	26	1	2	5	7	12	14	26
GRAND TOTAL	275	5.8	23	1	2	5	7	12	15	24

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	86	3.8	1	2	2	4	5	5	6	7
50-64	444	4.0	2	2	2	4	5	6	7	11
65+	1731	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	5	4.4	4	2	2	5	6	7	7	7
20-34	11	4.1	2	2	2	4	5	6	6	6
35-49	52	5.4	7	2	3	5	7	9	10	17
50-64	304	5.0	14	2	2	4	5	7	10	21
65+	1470	5.7	30	2	2	5	6	9	13	30
TOT. SINGLE DX	2265	4.1	4	2	2	4	5	6	7	11
" MULTIPLE DX	1842	5.6	27	2	2	5	6	9	12	28
TOTAL 0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	13	4.2	2	2	2	4	5	6	6	6
35-49	138	4.4	4	2	2	4	5	7	8	13
50-64	748	4.4	8	2	2	4	5	6	8	13
65+	3201	4.9	17	2	2	4	6	7	10	19
GRAND TOTAL	**4107**	**4.8**	**15**	**2**	**2**	**4**	**5**	**7**	**10**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.0	17	1	2	3	4	8	12	22
20-34	22	3.6	2	2	2	3	4	6	7	8
35-49	76	3.1	2	<1	2	3	4	5	5	10
50-64	302	3.0	3	1	2	2	3	5	7	11
65+	1085	3.3	4	2	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	16	4.3	7	2	2	3	6	9	10	11
20-34	19	7.3	108	2	2	4	7	11	32	49
35-49	64	4.3	13	2	2	3	5	7	11	24
50-64	395	3.8	22	2	2	3	4	6	9	23
65+	1859	4.0	22	2	2	3	4	7	10	23
TOT. SINGLE DX	1510	3.3	5	2	2	3	4	5	7	11
" MULTIPLE DX	2353	4.0	23	2	2	3	4	7	10	23
TOTAL 0-19 YRS	41	4.1	13	2	2	3	4	8	10	22
20-34	41	5.3	54	2	2	4	5	8	10	49
35-49	140	3.7	8	2	2	3	4	6	7	16
50-64	697	3.5	14	2	2	2	4	5	8	17
65+	2944	3.7	16	2	2	3	4	6	10	19
GRAND TOTAL	**3863**	**3.7**	**16**	**2**	**2**	**3**	**4**	**6**	**9**	**19**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	4.6	10	2	2	4	6	10	10	10
35-49	15	3.2	2	1	2	3	4	6	7	7
50-64	102	3.2	2	1	2	3	4	5	6	10
65+	267	3.8	6	1	2	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	13	3.9	6	1	2	3	5	7	10	11
50-64	52	3.8	5	2	2	3	5	6	8	14
65+	278	5.5	30	2	2	4	6	10	13	19
TOT. SINGLE DX	389	3.6	5	1	2	3	4	6	7	12
" MULTIPLE DX	346	5.2	26	2	2	4	6	10	13	19
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.0	8	2	2	3	4	9	10	10
35-49	28	3.5	4	1	2	3	4	6	7	11
50-64	154	3.4	4	1	2	3	4	6	7	11
65+	545	4.7	20	1	2	4	5	8	11	19
GRAND TOTAL	**735**	**4.4**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**17**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.4	4	3	3	5	7	9	10	10
20-34	73	5.8	6	2	3	6	8	9	10	11
35-49	64	6.4	10	2	3	6	8	10	13	16
50-64	113	6.2	11	2	2	5	8	10	12	18
65+	104	7.0	10	2	3	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	15	6.7	8	3	3	6	8	11	12	13
20-34	45	6.6	32	2	3	5	8	10	11	40
35-49	54	5.9	7	2	3	6	7	10	12	13
50-64	112	7.0	14	3	3	6	9	11	13	24
65+	143	7.3	15	3	3	7	9	12	14	19
TOT. SINGLE DX	372	6.4	10	2	3	6	8	10	12	16
" MULTIPLE DX	369	6.9	16	3	3	6	8	11	13	23
TOTAL 0-19 YRS	33	6.0	7	3	3	5	8	10	11	13
20-34	118	6.1	16	2	3	5	8	9	10	22
35-49	118	6.2	9	2	3	6	8	10	13	16
50-64	225	6.6	13	2	3	6	9	11	12	21
65+	247	7.2	13	2	3	7	9	12	13	16
GRAND TOTAL	**741**	**6.6**	**13**	**2**	**3**	**6**	**8**	**11**	**13**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.1	11	<1	<1	1	5	9	10	10
20-34	13	4.9	31	<1	<1	3	6	10	20	22
35-49	11	6.4	20	1	2	5	8	14	16	16
50-64	17	5.1	10	1	1	5	7	10	11	12
65+	34	4.4	6	2	2	4	6	8	8	12
2. MULTIPLE DX										
0-19 YRS	8	15.3	846	2	2	6	8	63	87	87
20-34	38	6.9	12	3	3	6	9	12	14	16
35-49	41	6.1	5	3	3	6	7	9	10	14
50-64	55	6.3	23	2	2	5	8	12	15	28
65+	85	6.4	35	2	3	5	7	12	17	37
TOT. SINGLE DX	83	4.8	13	<1	1	4	7	8	12	20
" MULTIPLE DX	227	6.7	50	2	3	5	7	11	15	32
TOTAL 0-19 YRS	16	9.2	440	<1	<1	3	7	10	64	87
20-34	51	6.4	17	<1	2	6	8	12	15	22
35-49	52	6.2	9	3	3	6	7	9	13	16
50-64	72	6.0	20	2	2	5	8	11	15	26
65+	119	5.8	27	2	2	4	7	10	15	29
GRAND TOTAL	310	6.2	41	2	2	5	7	11	14	24

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	1.6		<1	<1	2	2	2	2	3
20-34	177	2.1		<1	2	2	2	3	3	5
35-49	84	1.9		<1	1	2	2	2	3	4
50-64	37	2.4	2	2	2	2	2	3	4	11
65+	17	2.1		1	2	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	88	2.8	22	<1	1	2	2	4	6	32
20-34	62	2.2		<1	1	2	2	3	3	5
35-49	21	2.0		<1	1	2	2	3	3	3
50-64	25	2.6		2	2	2	3	3	4	5
65+	19	2.8	2	2	2	2	3	5	7	8
TOT. SINGLE DX	744	1.8	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	215	2.5	10	<1	1	2	3	3	5	10
TOTAL 0-19 YRS	517	1.8	4	<1	<1	2	2	2	3	6
20-34	239	2.1		<1	1	2	2	3	3	5
35-49	105	2.0		<1	1	2	2	3	3	4
50-64	62	2.5	2	2	2	2	3	3	4	10
65+	36	2.5	2	2	2	2	3	4	5	8
GRAND TOTAL	959	2.0	3	<1	<1	2	2	3	3	5

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	3	2.3	2	<1	<1	2	3	4	4	4
" MULTIPLE DX	4	3.8	5	<1	<1	4	5	6	6	6
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	7	3.1	4	<1	<1	3	5	6	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.2	11	<1	1	3	6	8	12	14
20-34	26	4.3	10	1	1	4	4	10	12	14
35-49	17	3.8	6	2	2	3	5	8	10	11
50-64	15	5.1	14	1	2	4	7	7	15	17
65+	13	9.6	177	2	2	4	9	28	46	50
2. MULTIPLE DX										
0-19 YRS	4	4.3	1	3	3	4	5	6	6	6
20-34	20	7.7	36	2	2	6	10	18	21	22
35-49	20	6.9	29	2	2	5	8	14	20	24
50-64	23	10.7	173	2	2	6	14	21	39	63
65+	40	11.7	222	1	2	7	13	30	40	79
TOT. SINGLE DX	89	5.1	36	1	2	4	6	10	14	39
" MULTIPLE DX	107	9.6	135	2	2	6	12	20	28	70
TOTAL 0-19 YRS	22	4.2	9	<1	1	4	6	8	11	14
20-34	46	5.8	24	1	2	4	7	13	16	22
35-49	37	5.5	21	2	2	4	7	11	15	24
50-64	38	8.5	116	1	2	5	7	17	24	63
65+	53	11.2	209	1	2	6	12	28	41	78
GRAND TOTAL	196	7.5	95	1	2	4	8	16	22	57

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	2.1	3	<1	<1	2	2	3	5	11
20-34	57	2.6	2	<1	<1	2	3	5	6	7
35-49	26	3.2	6	<1	<1	3	3	8	10	11
50-64	15	3.1	10	<1	1	2	3	5	12	14
65+	18	2.8	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	102	3.8	6	<1	1	3	5	7	8	13
20-34	58	4.6	63	<1	<1	2	3	11	15	51
35-49	32	7.0	85	<1	<1	3	9	21	30	39
50-64	23	8.2	175	1	1	3	7	20	46	56
65+	51	9.5	95	1	2	7	13	30	40	99+
TOT. SINGLE DX	339	2.4	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	266	5.8	64	<1	<1	3	7	12	23	55
TOTAL 0-19 YRS	325	2.6	5	<1	<1	2	3	5	7	11
20-34	115	3.6	34	<1	<1	2	3	6	11	36
35-49	58	5.3	53	<1	<1	3	5	12	23	38
50-64	38	6.2	115	<1	1	3	5	14	30	56
65+	69	7.8	80	1	1	5	10	22	39	99+
GRAND TOTAL	**605**	**3.9**	**33**	**<1**	**<1**	**2**	**4**	**8**	**12**	**39**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.0	1	1	1	2	2	4	4	4
20-34	87	2.9		2	2	3	3	4	4	5
35-49	101	2.8		2	2	3	3	4	4	6
50-64	70	3.1	1	2	2	3	3	4	6	8
65+	13	3.1	1	1	2	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	8	2.9		2	2	3	3	3	3	3
20-34	38	3.6	2	2	2	3	4	6	7	8
35-49	60	2.8	1	1	2	3	3	3	5	8
50-64	35	2.8		1	2	3	3	4	4	6
65+	7	2.9	1	1	1	3	4	4	4	4
TOT. SINGLE DX	281	2.9	1	2	2	3	3	4	4	7
" MULTIPLE DX	148	3.0	1	1	2	3	3	4	5	8
TOTAL 0-19 YRS	18	2.4	1	1	1	2	3	4	4	4
20-34	125	3.1	1	2	2	3	3	4	5	8
35-49	161	2.8	1	2	2	3	3	4	4	6
50-64	105	3.0	1	1	2	3	3	4	5	8
65+	20	3.0	1	1	1	3	4	4	5	6
GRAND TOTAL	**429**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	2.6	2	1	2	2	3	4	6	8
20-34	212	2.5	1	1	2	2	3	4	5	7
35-49	142	2.6	1	1	2	2	3	4	5	7
50-64	99	2.6	1	1	2	2	3	3	5	7
65+	18	3.0	6	1	2	2	3	4	9	13
2. MULTIPLE DX										
0-19 YRS	108	2.7	4	1	1	2	3	4	7	13
20-34	153	2.5	2	1	2	2	3	3	4	9
35-49	110	2.5		<1	2	2	3	3	4	6
50-64	85	2.5		1	2	2	3	4	4	7
65+	29	2.4	2	1	1	2	3	3	4	9
TOT. SINGLE DX	607	2.6	2	1	2	2	3	4	5	7
" MULTIPLE DX	485	2.6	2	1	2	2	3	3	4	10
TOTAL 0-19 YRS	244	2.6	3	1	1	2	3	4	6	11
20-34	365	2.5	2	1	2	2	3	3	5	8
35-49	252	2.6	1	1	2	2	3	3	4	6
50-64	184	2.6	1	1	2	2	3	3	4	7
65+	47	2.6	4	1	1	2	3	3	5	13
GRAND TOTAL	**1092**	**2.6**	**2**	**1**	**2**	**2**	**3**	**3**	**5**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	795	1.3	2	<1	<1	1	1	1	2	7
20-34	36	1.7		<1	<1	1	2	3	3	4
35-49	17	1.8	1	<1	<1	2	2	2	5	6
50-64	15	1.9	1	<1	<1	2	2	3	4	5
65+	11	2.5	1	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	666	2.5	12	<1	<1	2	2	4	8	17
20-34	26	3.0	5	<1	<1	2	4	7	8	10
35-49	14	2.3	4	<1	<1	2	2	4	8	9
50-64	12	5.2	79	<1	<1	1	2	23	26	27
65+	9	4.2	9	1	1	3	7	8	8	8
TOT. SINGLE DX	874	1.3	2	<1	<1	1	1	2	2	7
" MULTIPLE DX	727	2.5	13	<1	<1	2	2	5	8	17
TOTAL 0-19 YRS	1461	1.8	7	<1	<1	1	2	2	5	12
20-34	62	2.2	3	<1	<1	2	2	4	6	10
35-49	31	2.0	3	<1	<1	2	2	3	6	9
50-64	27	3.3	37	<1	<1	2	2	5	22	27
65+	20	3.3	5	1	1	2	5	7	8	8
GRAND TOTAL	**1601**	**1.9**	**8**	**<1**	**<1**	**1**	**2**	**2**	**6**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.0	5	2	2	3	5	6	9	13
20-34	52	4.0	2	2	2	3	5	6	7	9
35-49	49	4.8	11	2	2	4	6	8	12	20
50-64	26	4.4	11	2	2	3	5	7	10	19
65+	8	4.8	7	2	2	5	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	53	4.8	11	2	2	3	6	9	12	16
20-34	85	4.2	10	2	2	3	5	7	8	23
35-49	55	4.0	3	2	2	3	5	7	8	11
50-64	44	5.6	57	2	2	4	6	9	11	52
65+	19	4.8	12	2	2	4	6	8	13	17
TOT. SINGLE DX	169	4.4	7	2	2	3	5	7	9	18
" MULTIPLE DX	256	4.6	17	2	2	3	5	8	9	17
TOTAL 0-19 YRS	87	4.5	9	2	2	3	5	9	11	16
20-34	137	4.1	8	2	2	3	5	7	7	14
35-49	104	4.4	8	2	2	4	5	7	10	17
50-64	70	5.1	40	2	2	4	6	8	11	45
65+	27	4.8	10	2	2	4	6	8	10	17
GRAND TOTAL	**425**	**4.5**	**13**	**2**	**2**	**3**	**5**	**7**	**9**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.9	9	<1	<1	2	3	7	9	14
20-34	15	3.5	5	<1	2	3	4	6	10	11
35-49	24	3.4	3	1	2	3	4	5	8	9
50-64	30	3.7	6	1	2	3	4	7	10	12
65+	9	3.6	1	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	33	2.5	8	<1	<1	2	3	6	9	15
20-34	28	3.3	3	2	2	3	4	5	7	10
35-49	21	3.1	1	1	2	3	4	5	5	5
50-64	17	4.9	17	1	2	4	5	10	16	18
65+	9	6.4	67	1	1	3	6	21	27	27
TOT. SINGLE DX	102	3.4	6	<1	1	3	4	6	8	13
" MULTIPLE DX	108	3.5	12	<1	1	3	4	6	10	22
TOTAL 0-19 YRS	57	2.7	9	<1	<1	2	3	6	8	15
20-34	43	3.3	4	2	2	3	4	5	8	11
35-49	45	3.2	2	1	2	3	4	5	6	9
50-64	47	4.1	10	1	2	3	5	8	11	18
65+	18	5.0	35	1	2	3	5	9	21	27
GRAND TOTAL	**210**	**3.5**	**9**	**<1**	**1**	**3**	**4**	**6**	**9**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.8		2	2	3	3	4	4	6
20-34	321	2.8	1	2	2	3	3	4	4	5
35-49	112	2.7		2	2	3	3	4	4	5
50-64	66	2.8	1	1	2	3	3	5	5	7
65+	12	3.4	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	174	2.8	6	1	2	3	3	3	4	6
20-34	631	2.7		<1	2	3	3	3	4	5
35-49	296	2.9	1	1	2	3	3	4	5	7
50-64	143	3.3	5	2	2	3	3	5	7	15
65+	31	4.1	22	2	2	3	4	6	9	28
TOT. SINGLE DX	601	2.8	1	2	2	3	3	4	4	6
" MULTIPLE DX	1275	2.8	3	1	2	3	3	4	4	8
TOTAL 0-19 YRS	264	2.8	4	2	2	3	3	4	4	6
20-34	952	2.7	1	<1	2	3	3	4	4	5
35-49	408	2.9	1	1	2	3	3	4	5	7
50-64	209	3.2	4	1	2	3	3	5	6	15
65+	43	3.9	17	2	2	3	4	6	8	28
GRAND TOTAL	1876	2.8	2	1	2	3	3	4	4	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.8	1	<1	1	3	3	4	5	8
20-34	606	2.6	1	<1	<1	3	3	4	5	6
35-49	196	2.7	1	1	1	3	3	4	5	8
50-64	79	2.7	1	1	2	2	3	4	5	7
65+	14	4.1	17	2	2	3	4	7	16	18
2. MULTIPLE DX										
0-19 YRS	209	3.1	7	<1	1	3	3	4	7	19
20-34	651	2.6	2	<1	<1	3	3	4	5	8
35-49	264	2.7	2	<1	<1	3	3	4	5	10
50-64	115	3.2	6	<1	2	3	3	5	6	17
65+	42	7.0	152	1	1	3	7	15	21	78
TOT. SINGLE DX	1068	2.7	2	<1	1	3	3	4	5	7
" MULTIPLE DX	1281	2.9	9	<1	<1	3	3	4	5	14
TOTAL 0-19 YRS	382	2.9	5	<1	1	3	3	4	5	15
20-34	1257	2.6	2	<1	<1	3	3	4	5	7
35-49	460	2.7	2	<1	1	3	3	4	5	9
50-64	194	3.0	4	<1	2	3	3	4	5	14
65+	56	6.3	120	1	2	3	5	14	19	75
GRAND TOTAL	2349	2.8	6	<1	<1	3	3	4	5	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.7	4	<1	<1	2	3	5	9	10
20-34	43	2.4		<1	1	2	3	4	4	5
35-49	47	2.9	5	<1	1	2	3	4	7	14
50-64	76	2.5	1	<1	<1	2	3	4	5	8
65+	53	3.3	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	43	3.5	13	<1	1	2	4	6	11	19
20-34	78	3.2	3	1	2	3	4	5	6	14
35-49	101	3.1	5	<1	1	3	3	5	8	14
50-64	155	4.2	18	2	2	3	4	8	12	24
65+	122	6.4	64	2	2	3	7	15	25	41
TOT. SINGLE DX	247	2.7	3	<1	1	2	3	4	6	10
" MULTIPLE DX	499	4.3	26	1	2	3	4	9	13	27
TOTAL 0-19 YRS	71	3.2	10	<1	1	2	3	6	9	19
20-34	121	2.9	3	1	2	3	3	5	6	10
35-49	148	3.0	5	<1	1	2	3	5	8	14
50-64	231	3.6	14	1	2	2	4	7	9	24
65+	175	5.4	48	1	2	3	5	11	20	34
GRAND TOTAL	746	3.8	19	1	2	3	4	7	10	24

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.6		<1	<1	1	2	2	3	6
20-34	130	2.1	3	<1	<1	2	2	4	5	9
35-49	37	3.7	16	<1	1	3	4	7	8	25
50-64	25	3.4	4	<1	1	3	5	7	7	7
65+	20	2.5	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	49	3.8	40	<1	<1	2	4	9	13	38
20-34	87	3.8	17	1	1	2	4	8	11	25
35-49	46	4.7	10	1	1	4	7	9	11	15
50-64	38	4.6	10	1	1	4	6	9	11	15
65+	95	7.5	149	1	2	5	8	14	18	97
TOT. SINGLE DX	346	2.2	1	<1	<1	2	3	4	5	8
" MULTIPLE DX	315	5.1	61	1	1	3	6	10	14	51
TOTAL 0-19 YRS	183	2.2	12	<1	<1	1	2	3	5	19
20-34	217	2.8	9	<1	<1	2	3	5	8	15
35-49	83	4.2	13	<1	1	3	6	8	10	22
50-64	63	4.1	8	<1	1	3	6	7	9	15
65+	115	6.6	127	1	1	4	7	13	18	96
GRAND TOTAL	661	3.6	33	<1	1	2	4	7	10	25

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	22	3.1	4	1	2	3	3	5	8	11
35-49	25	3.8	2	2	2	3	4	6	7	7
50-64	25	3.5	5	1	2	3	4	5	8	13
65+	7	3.7	1	2	2	4	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	33	3.5	1	2	2	3	4	5	6	7
35-49	42	4.2	7	2	2	3	5	8	11	14
50-64	47	5.6	36	2	2	3	5	13	22	31
65+	12	3.8	15	1	1	3	4	9	14	15
TOT. SINGLE DX	82	3.5	3	2	2	3	4	5	7	12
" MULTIPLE DX	139	4.4	17	2	2	3	5	7	13	24
TOTAL 0-19 YRS	8	2.8	1	2	2	3	3	4	4	4
20-34	55	3.4	3	2	2	3	4	5	6	11
35-49	67	4.0	5	2	2	3	5	7	9	14
50-64	72	4.9	27	2	2	3	4	10	17	29
65+	19	3.7	10	1	1	3	4	6	11	15
GRAND TOTAL	**221**	**4.1**	**12**	**2**	**2**	**3**	**4**	**6**	**10**	**22**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.1	1	<1	1	2	2	5	5	6
20-34	56	3.8	22	<1	1	2	4	8	12	29
35-49	48	2.6	4	<1	1	2	3	5	7	13
50-64	37	2.7	7	<1	<1	2	3	5	6	17
65+	20	5.5	41	1	2	3	6	12	22	29
2. MULTIPLE DX										
0-19 YRS	40	2.8	11	<1	1	2	3	6	10	18
20-34	61	4.0	20	1	1	3	3	11	16	21
35-49	59	4.5	16	1	2	3	5	11	13	21
50-64	68	6.8	99	1	2	3	6	16	30	51
65+	43	7.8	195	1	2	3	8	15	33	80
TOT. SINGLE DX	185	3.2	15	<1	1	2	3	6	9	25
" MULTIPLE DX	271	5.2	68	1	1	3	4	12	17	50
TOTAL 0-19 YRS	64	2.5	8	<1	1	2	2	5	7	17
20-34	117	3.9	21	<1	1	2	3	9	15	24
35-49	107	3.6	12	1	1	3	3	8	12	17
50-64	105	5.3	71	1	1	2	4	14	21	50
65+	63	7.1	146	1	2	3	7	14	26	76
GRAND TOTAL	**456**	**4.4**	**47**	**1**	**1**	**2**	**3**	**10**	**15**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	418	1.2		<1	<1	1	1	2	2	5
20-34	558	1.4		<1	<1	1	2	2	2	4
35-49	247	1.5		<1	<1	1	2	2	2	4
50-64	128	1.6		<1	<1	1	2	3	3	5
65+	44	2.7	12	1	1	2	3	5	5	24
2. MULTIPLE DX										
0-19 YRS	179	2.9	12	<1	1	2	3	7	9	23
20-34	273	4.0	89	<1	<1	2	3	7	17	87
35-49	178	3.5	29	<1	<1	2	3	8	15	83
50-64	202	4.2	69	<1	1	2	3	7	17	49
65+	153	6.9	168	1	1	3	7	16	26	91
TOT. SINGLE DX	1395	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	985	4.2	74	<1	<1	2	3	9	17	72
TOTAL 0-19 YRS	597	1.7	5	<1	<1	1	2	3	5	11
20-34	831	2.3	31	<1	<1	1	2	3	5	25
35-49	425	2.3	14	<1	<1	1	2	4	7	30
50-64	330	3.2	44	<1	1	2	2	4	9	39
65+	197	6.0	137	1	1	2	5	14	20	90
GRAND TOTAL	**2380**	**2.6**	**33**	**<1**	**<1**	**1**	**2**	**4**	**7**	**29**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	1.3	1	<1	<1	1	1	2	2	5
20-34	31	1.2		<1	<1	1	1	2	2	3
35-49	13	1.4		<1	<1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	70	1.8	1	<1	<1	1	2	3	3	8
20-34	35	2.2	11	<1	<1	1	2	4	6	21
35-49	8	3.5	18	<1	<1	2	3	11	14	14
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	2	10.0	162	<1	<1	9	19	19	19	19
TOT. SINGLE DX	204	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	119	2.2	8	<1	<1	2	2	3	5	20
TOTAL 0-19 YRS	228	1.4	2	<1	<1	1	2	2	2	6
20-34	66	1.8	7	<1	<1	1	2	2	4	19
35-49	21	2.2	8	<1	<1	2	2	3	8	14
50-64	6	2.3	2	1	1	2	3	5	5	5
65+	2	10.0	162	<1	<1	9	19	19	19	19
GRAND TOTAL	**323**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**15**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.9	2	<1	<1	1	2	4	6	8
20-34	32	3.0	2	<1	1	3	4	5	5	5
35-49	35	3.7	3	1	1	4	5	6	6	8
50-64	36	5.4	40	1	2	4	6	10	21	33
65+	15	6.8	106	1	2	4	6	11	35	43
2. MULTIPLE DX										
0-19 YRS	22	3.4	9	<1	<1	2	4	7	10	13
20-34	20	4.1	41	<1	<1	2	3	9	21	29
35-49	25	6.8	109	1	2	4	7	22	62	99+
50-64	31	5.8	89	1	1	3	5	13	32	43
65+	24	7.3	102	1	1	4	7	19	33	46
TOT. SINGLE DX	140	4.0	25	<1	1	3	5	6	8	34
" MULTIPLE DX	122	5.6	73	<1	1	3	5	11	28	65
TOTAL 0-19 YRS	44	2.6	6	<1	<1	2	3	7	8	13
20-34	52	3.4	17	<1	<1	3	4	5	5	29
35-49	60	5.0	49	1	1	4	5	8	16	95
50-64	67	5.6	62	1	1	3	5	10	25	41
65+	39	7.1	101	1	1	4	6	15	36	46
GRAND TOTAL	**262**	**4.8**	**48**	**<1**	**1**	**3**	**5**	**8**	**16**	**46**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.3	4	<1	<1	3	4	6	7	11
20-34	117	3.6	3	1	2	3	4	5	7	11
35-49	101	5.3	12	2	3	4	6	9	10	23
50-64	76	4.6	8	2	2	4	5	7	8	19
65+	50	5.5	38	1	2	4	6	9	13	42
2. MULTIPLE DX										
0-19 YRS	13	5.5	20	2	3	5	5	9	18	20
20-34	48	6.7	64	2	2	4	7	11	33	40
35-49	52	6.4	34	2	3	4	8	13	15	38
50-64	74	7.0	46	2	3	5	7	12	19	44
65+	83	9.0	75	2	3	6	10	22	26	46
TOT. SINGLE DX	374	4.5	12	1	2	4	5	7	9	21
" MULTIPLE DX	270	7.4	56	2	3	5	8	15	22	40
TOTAL 0-19 YRS	43	4.0	10	<1	1	3	5	6	8	20
20-34	165	4.5	23	1	2	3	5	7	9	34
35-49	153	5.7	20	2	3	4	7	10	14	25
50-64	150	5.7	29	2	2	4	6	9	15	31
65+	133	7.7	65	2	3	5	8	18	25	43
GRAND TOTAL	**644**	**5.7**	**32**	**2**	**2**	**4**	**6**	**10**	**16**	**34**

551: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	5.5	6	1	1	6	6	8	10	14
20-34	7	4.4	3	1	2	5	6	6	6	6
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	84	7.5	34	2	3	6	8	13	18	37
20-34	5	5.4	8	3	3	4	8	9	9	9
35-49										
50-64	2	6.5	25	3	3	6	10	10	10	10
65+										
TOT. SINGLE DX	77	5.3	6	1	1	6	6	8	9	13
" MULTIPLE DX	91	7.4	33	2	3	6	8	13	17	36
TOTAL 0-19 YRS	150	6.6	23	1	3	6	7	10	14	30
20-34	12	4.8	5	1	2	5	6	8	9	9
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	3	4.7	22	1	1	3	8	10	10	10
65+										
GRAND TOTAL	**168**	**6.4**	**21**	**1**	**2**	**6**	**7**	**10**	**14**	**29**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	3.6	8	<1	<1	3	6	7	9	12
20-34	59	3.9	17	<1	1	3	4	7	10	25
35-49	27	4.0	9	<1	1	3	5	9	10	12
50-64	53	5.5	33	<1	1	3	8	12	14	32
65+	55	6.6	39	1	2	3	9	17	21	24
2. MULTIPLE DX										
0-19 YRS	141	4.9	16	1	1	4	6	10	12	23
20-34	78	4.9	35	<1	1	3	6	8	12	39
35-49	55	8.0	98	1	2	5	9	19	31	48
50-64	116	11.3	180	1	2	6	13	31	44	63
65+	111	10.1	126	1	2	7	13	27	35	99+
TOT. SINGLE DX	374	4.4	19	<1	1	3	6	9	12	24
" MULTIPLE DX	501	7.9	98	1	1	5	9	18	30	57
TOTAL 0-19 YRS	321	4.2	12	<1	1	3	6	8	10	18
20-34	137	4.5	28	<1	1	3	6	8	11	29
35-49	82	6.7	73	1	1	4	8	13	29	45
50-64	169	9.5	141	1	2	5	12	23	34	57
65+	166	8.9	100	1	2	6	11	24	30	93
GRAND TOTAL	**875**	**6.4**	**67**	**<1**	**1**	**4**	**7**	**13**	**23**	**51**

53: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
0-19 YRS	2203	2.3	2	1	1	2	3	3	4	5
20-34	1156	2.7	1	1	2	3	3	4	4	6
35-49	113	2.7		2	2	3	3	4	4	6
50-64	20	3.3	4	2	2	3	3	5	8	11
65+	5	3.2	2	1	1	3	4	5	5	5
MULTIPLE DX										
0-19 YRS	386	2.7	4	1	1	2	3	4	5	12
20-34	196	3.2	2	2	2	3	4	5	6	9
35-49	33	3.2	5	1	2	2	3	7	10	11
50-64	11	5.5	45	1	1	3	5	16	23	24
65+	2	6.5	41	2	2	6	11	11	11	11
OT. SINGLE DX	3497	2.4	2	1	2	2	3	3	4	5
" MULTIPLE DX	628	2.9	5	1	1	2	3	4	6	12
OTAL 0-19 YRS	2589	2.3	3	1	1	2	3	3	4	6
20-34	1352	2.7	1	1	2	3	3	4	4	6
35-49	146	2.8	2	2	2	3	3	4	5	10
50-64	31	4.0	19	1	2	3	4	8	11	24
65+	7	4.1	11	1	1	3	5	10	11	11
RAND TOTAL	**4125**	**2.5**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

54: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
. SINGLE DX										
0-19 YRS	4115	1.9		1	1	2	2	2	3	4
20-34	39	3.0		2	2	3	3	4	5	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	5	2.2		2	2	2	3	3	3	3
. MULTIPLE DX										
0-19 YRS	1921	2.1	2	1	1	2	2	3	3	7
20-34	10	2.8	1	1	1	3	4	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
OT. SINGLE DX	4160	2.0		1	1	2	2	2	3	4
" MULTIPLE DX	1934	2.1	2	1	1	2	2	3	3	7
OTAL 0-19 YRS	6036	2.0	1	1	1	2	2	3	3	4
20-34	49	2.9	1	1	2	3	3	4	5	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	2.2		2	2	2	3	3	3	3
RAND TOTAL	**6094**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	386	1.6		<1	1	2	2	2	2	3
20-34	4	2.0		1	1	2	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	483	1.7	3	<1	1	2	2	2	2	8
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	391	1.6		<1	1	2	2	2	2	3
" MULTIPLE DX	483	1.7	3	<1	1	2	2	2	2	8
TOTAL 0-19 YRS	869	1.7	2	<1	1	2	2	2	2	5
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**874**	**1.7**	**2**	**<1**	**1**	**2**	**2**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	2.9	4	1	1	2	3	5	7	11
20-34	98	3.1	3	1	1	3	4	5	7	10
35-49	38	3.7	11	1	2	3	4	7	9	20
50-64	28	3.8	14	1	2	2	4	8	14	18
65+	22	4.9	19	1	1	3	5	14	15	16
2. MULTIPLE DX										
0-19 YRS	23	4.3	7	1	1	3	6	9	10	11
20-34	40	4.4	10	1	2	3	6	10	14	99+
35-49	32	10.9	345	1	2	5	10	22	43	99
50-64	43	9.1	122	1	2	5	12	20	31	60
65+	42	14.8	353	1	2	8	15	41	64	79
TOT. SINGLE DX	309	3.3	7	1	1	3	4	6	8	17
" MULTIPLE DX	180	9.1	189	1	2	5	10	20	40	93
TOTAL 0-19 YRS	146	3.1	6	1	1	3	4	6	7	11
20-34	138	3.4	6	1	1	3	4	6	8	26
35-49	70	7.0	174	1	2	3	6	16	20	88
50-64	71	7.0	86	1	2	3	9	17	26	54
65+	64	11.4	259	1	2	5	12	26	47	78
GRAND TOTAL	**489**	**5.4**	**82**	**1**	**1**	**3**	**5**	**10**	**18**	**60**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	1.6	3	<1	<1	1	1	3	6	11
20-34	16	2.3	2	<1	<1	2	3	3	6	7
35-49	16	3.1	4	<1	<1	3	4	6	7	8
50-64	22	3.2	1	<1	1	3	4	5	6	6
65+	29	3.0	3	<1	1	2	5	6	6	7
2. MULTIPLE DX										
0-19 YRS	66	4.9	7	2	2	5	6	8	8	18
20-34	18	3.3	2	1	1	3	4	6	6	6
35-49	17	5.2	27	1	1	4	6	13	19	22
50-64	33	4.3	10	1	2	3	5	9	11	16
65+	82	5.0	47	1	1	3	5	8	15	46
TOT. SINGLE DX	129	2.5	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	216	4.7	24	1	2	4	5	8	11	25
TOTAL 0-19 YRS	112	3.6	8	<1	<1	3	5	7	8	14
20-34	34	2.8	3	<1	1	3	3	6	6	7
35-49	33	4.2	17	<1	1	3	5	7	13	22
50-64	55	3.9	7	1	1	3	4	7	10	16
65+	111	4.5	37	1	1	3	5	7	13	39
GRAND TOTAL	**345**	**3.9**	**18**	**<1**	**1**	**3**	**5**	**7**	**9**	**20**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.1		<1	1	2	2	3	3	3
20-34	42	2.0		<1	1	2	2	3	3	4
35-49	46	3.3	34	<1	1	2	2	4	10	36
50-64	125	2.5	6	<1	1	2	2	4	6	15
65+	82	4.1	50	1	2	2	3	8	12	48
2. MULTIPLE DX										
0-19 YRS	9	5.7	34	1	1	3	9	16	17	17
20-34	11	1.7		<1	<1	2	2	3	3	3
35-49	33	2.6	5	<1	<1	2	2	5	6	13
50-64	106	4.8	85	1	1	2	4	10	17	58
65+	82	5.2	80	1	1	2	3	13	25	45
TOT. SINGLE DX	315	3.0	21	<1	1	2	2	4	7	25
" MULTIPLE DX	241	4.5	68	<1	1	2	3	9	18	44
TOTAL 0-19 YRS	29	3.2	13	1	1	2	3	6	14	17
20-34	53	1.9		<1	<1	2	2	3	3	4
35-49	79	3.0	23	<1	<1	2	2	5	6	32
50-64	231	3.6	44	<1	1	2	3	6	10	33
65+	164	4.7	65	1	1	2	3	10	19	45
GRAND TOTAL	**556**	**3.6**	**42**	**<1**	**1**	**2**	**3**	**6**	**11**	**41**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.3		2	2	2	3	3	3	3
50-64	11	12.6	127	1	2	12	17	30	39	40
65+	4	10.8	43	1	1	13	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	19.8	156	1	2	19	30	36	36	36
65+	10	9.0	55	2	2	6	14	21	25	25
TOT. SINGLE DX	20	9.9	91	1	1	8	13	20	31	40
" MULTIPLE DX	26	13.5	125	2	2	9	22	31	36	36
TOTAL 0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	4	2.5		2	2	2	3	3	3	3
50-64	23	16.3	149	1	2	12	26	36	38	40
65+	14	9.5	49	1	2	7	14	18	23	25
GRAND TOTAL	**46**	**12.0**	**111**	**1**	**2**	**9**	**17**	**30**	**36**	**40**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	3	31.7	226	22	22	24	43	49	49	49
65+	6	41.5	742	21	21	33	48	88	93	93
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	4	27.8	269	11	11	28	62	99+	99+	99+
50-64	25	28.7	282	16	16	24	30	63	93	99+
65+	22	26.3	240	13	14	23	26	46	67	79
TOT. SINGLE DX	10	36.5	514	21	21	26	48	71	93	93
" MULTIPLE DX	51	27.6	254	13	16	24	29	60	89	99+
TOTAL 0-19 YRS										
20-34										
35-49	5	26.4	211	11	12	25	50	95	99+	99+
50-64	28	29.0	268	16	17	24	31	59	91	99+
65+	28	29.6	364	13	15	24	29	56	80	93
GRAND TOTAL	**61**	**29.0**	**300**	**14**	**16**	**24**	**30**	**60**	**92**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	16.7	96	11	11	11	24	28	28	28
2. MULTIPLE DX										
0-19 YRS	1	57.0		57	57	57	57	57	57	57
20-34	2	4.5	25	1	1	8	77	99+	99+	99+
35-49	4	44.3	1635	6	6	43	79	84	84	84
50-64	4	30.5	629	8	8	25	49	64	64	64
65+	1	56.0		56	56	56	56	56	56	56
TOT. SINGLE DX	3	16.7	96	11	11	11	24	28	28	28
" MULTIPLE DX	12	35.1	912	2	5	35	66	87	98	99+
TOTAL 0-19 YRS	1	57.0		57	57	57	57	57	57	57
20-34	2	4.5	25	1	1	8	77	99+	99+	99+
35-49	4	44.3	1635	6	6	43	79	84	84	84
50-64	4	30.5	630	8	8	25	49	64	64	64
65+	4	26.5	451	11	11	20	42	56	56	56
GRAND TOTAL	**15**	**31.4**	**788**	**2**	**6**	**21**	**60**	**83**	**95**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	15.4	595	<1	1	5	11	56	80	80
20-34	5	3.8	5	1	1	4	6	6	6	6
35-49	8	5.4	83	2	2	2	3	20	28	28
50-64	7	4.7	7	1	1	5	7	8	8	8
65+	3	5.3	33	2	2	2	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	14	19.9	363	3	3	15	18	59	63	64
20-34	12	39.6	935	4	9	43	77	99+	99+	99+
35-49	13	17.7	356	2	2	10	35	66	92	99+
50-64	33	32.3	920	2	2	31	73	99+	99+	99+
65+	46	37.1	925	2	3	38	77	96	99+	99+
TOT. SINGLE DX	33	8.0	215	1	1	3	7	15	31	80
" MULTIPLE DX	118	31.8	829	2	3	26	66	96	99+	99+
TOTAL 0-19 YRS	24	18.0	444	2	3	10	17	59	69	80
20-34	17	29.1	927	1	2	19	70	95	99+	99+
35-49	21	13.0	281	2	2	5	28	47	77	99+
50-64	40	27.5	869	2	2	22	66	99+	99+	99+
65+	49	35.2	929	2	2	33	73	94	99+	99+
GRAND TOTAL	**151**	**26.6**	**790**	**2**	**2**	**18**	**61**	**90**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	30	7.4	23	2	3	6	9	14	17	23
35-49	30	7.0	16	2	3	6	9	12	16	19
50-64	93	9.7	44	2	3	9	13	16	23	36
65+	91	9.4	71	1	2	7	12	20	28	44
2. MULTIPLE DX										
0-19 YRS	7	21.0	380	3	3	14	36	50	53	53
20-34	24	14.0	240	2	3	10	15	39	49	66
35-49	57	14.4	121	2	3	10	24	32	34	43
50-64	237	14.5	112	2	4	12	19	29	38	55
65+	308	17.9	220	3	4	14	23	35	46	80
TOT. SINGLE DX	246	9.0	49	1	2	7	12	17	22	38
" MULTIPLE DX	633	16.2	175	3	4	13	22	32	41	71
TOTAL 0-19 YRS	9	18.1	320	3	4	11	31	47	53	53
20-34	54	10.3	128	2	3	7	11	23	36	65
35-49	87	11.8	97	2	3	8	15	29	32	41
50-64	330	13.2	98	2	3	11	17	26	36	51
65+	399	16.0	199	2	3	12	21	32	45	74
GRAND TOTAL	**879**	**14.2**	**150**	**2**	**3**	**11**	**18**	**29**	**39**	**65**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	11.6	31	6	6	10	13	21	21	21
20-34	37	11.3	87	2	4	9	12	18	29	54
35-49	40	12.2	43	5	7	10	15	22	24	34
50-64	81	12.8	68	2	3	11	17	24	32	80
65+	76	17.9	251	2	5	14	22	35	43	95
2. MULTIPLE DX										
0-19 YRS	13	11.2	59	4	5	9	16	20	30	32
20-34	52	13.0	167	5	6	10	13	22	25	94
35-49	72	14.2	110	3	5	13	16	23	26	67
50-64	215	18.0	148	4	6	15	24	33	42	64
65+	235	20.8	211	5	9	17	24	44	53	83
TOT. SINGLE DX	239	14.1	130	2	4	11	17	26	35	85
" MULTIPLE DX	587	18.1	176	4	6	15	22	34	45	78
TOTAL 0-19 YRS	18	11.3	49	4	5	10	16	20	28	32
20-34	89	12.3	134	4	5	10	13	22	28	79
35-49	112	13.5	87	3	6	11	16	23	26	55
50-64	296	16.6	132	2	5	14	22	31	40	66
65+	311	20.1	222	4	8	16	24	41	51	90
GRAND TOTAL	826	16.9	166	3	6	14	21	32	43	78

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	15.0	72	9	9	15	21	21	21	21
35-49	7	26.1	227	9	10	23	39	47	49	49
50-64	40	19.4	53	10	11	19	24	30	33	33
65+	15	21.8	94	9	11	20	29	35	40	42
2. MULTIPLE DX										
0-19 YRS	5	18.0	20	15	15	15	21	25	25	25
20-34	4	18.5	49	11	11	17	23	28	28	28
35-49	19	18.3	78	8	9	17	21	34	39	39
50-64	131	23.2	219	10	11	18	29	43	47	78
65+	111	23.2	122	11	13	21	29	38	49	99+
TOT. SINGLE DX	65	20.4	82	9	10	19	26	33	36	48
" MULTIPLE DX	270	22.7	164	10	11	19	28	40	47	88
TOTAL 0-19 YRS	6	17.3	19	14	14	15	20	24	25	25
20-34	6	17.3	47	9	9	17	21	27	28	28
35-49	26	20.4	124	9	9	18	23	39	43	49
50-64	171	22.3	183	10	11	18	27	41	45	74
65+	126	23.0	118	11	12	21	29	37	45	99+
GRAND TOTAL	335	22.3	149	9	11	19	27	39	45	77

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	4.8	61	1	1	2	4	10	14	45
20-34	39	9.0	95	1	1	6	12	16	28	52
35-49	59	8.2	153	<1	1	5	9	20	26	82
50-64	106	8.3	54	1	2	7	11	17	21	36
65+	126	9.7	112	1	2	7	11	23	29	77
2. MULTIPLE DX										
0-19 YRS	67	11.3	99	2	2	9	16	25	36	91
20-34	64	10.6	87	1	2	8	15	29	35	91
35-49	100	12.3	125	1	2	9	16	27	35	57
50-64	274	12.9	132	2	3	10	15	24	32	65
65+	357	16.3	195	2	3	13	22	36	46	99+
TOT. SINGLE DX	405	8.2	94	1	1	5	10	18	26	55
" MULTIPLE DX	862	13.9	156	2	3	11	18	31	40	88
TOTAL 0-19 YRS	142	7.9	90	1	1	4	10	20	33	53
20-34	103	10.0	90	1	2	8	13	20	35	74
35-49	159	10.8	139	1	1	7	14	25	32	62
50-64	380	11.6	115	2	2	9	15	22	31	57
65+	483	14.6	182	2	2	11	20	34	43	99+
GRAND TOTAL	1267	12.1	143	1	2	9	16	27	37	79

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
0-19 YRS	3	5.3	20	<1	<1	5	9	10	10	10
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	3	15.3	41	8	8	18	19	20	20	20
50-64	7	30.0	512	4	5	29	51	55	56	56
65+	11	19.4	436	3	5	13	18	48	76	79
TOT. SINGLE DX	4	8.3	35	4	4	6	12	17	17	17
" MULTIPLE DX	27	18.4	372	2	3	11	20	51	59	79
TOTAL 0-19 YRS	4	5.5	14	<1	<1	5	8	10	10	10
20-34	5	4.4	1	3	3	4	5	6	6	6
35-49	3	15.3	41	8	8	18	19	20	20	20
50-64	8	28.4	461	4	5	23	51	55	56	56
65+	11	19.4	436	3	5	13	18	48	76	79
GRAND TOTAL	31	17.1	338	3	3	10	19	51	56	79

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.4	7	2	3	5	6	8	12	14
20-34	128	5.9	26	2	2	4	7	11	13	34
35-49	31	6.5	9	2	3	6	9	11	12	14
50-64	30	9.3	59	2	3	6	11	20	26	37
65+	16	10.0	96	2	2	7	12	19	35	42
2. MULTIPLE DX										
0-19 YRS	63	24.8	730	4	5	12	55	93	99+	99+
20-34	96	11.1	125	2	3	7	13	22	33	65
35-49	87	13.2	172	3	4	9	15	27	42	73
50-64	122	14.3	166	3	4	10	17	28	37	69
65+	132	16.0	240	3	4	12	20	33	42	99
TOT. SINGLE DX	231	6.6	33	2	2	5	8	12	15	37
" MULTIPLE DX	500	15.3	264	3	4	10	18	34	55	99+
TOTAL 0-19 YRS	89	19.1	596	3	4	9	22	87	99+	99+
20-34	224	8.1	75	2	3	6	9	16	22	50
35-49	118	11.5	138	3	4	8	13	25	35	62
50-64	152	13.3	149	3	4	10	17	27	37	59
65+	148	15.4	228	3	4	12	19	33	42	99
GRAND TOTAL	**731**	**12.5**	**207**	**2**	**3**	**8**	**14**	**28**	**43**	**99**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.4	9	1	3	8	9	11	12	12
20-34	44	7.8	35	1	2	7	11	15	16	34
35-49	37	8.6	60	<1	1	7	11	21	26	31
50-64	35	7.7	40	1	2	5	12	16	19	27
65+	28	14.8	163	3	3	11	20	28	46	53
2. MULTIPLE DX										
0-19 YRS	20	11.8	56	2	3	9	18	21	25	30
20-34	35	17.5	280	2	3	11	26	41	72	99+
35-49	40	17.8	276	2	3	13	22	43	61	65
50-64	136	15.6	140	2	3	13	21	31	37	62
65+	146	17.5	186	3	5	14	24	38	54	99+
TOT. SINGLE DX	167	9.1	65	1	2	8	11	17	27	43
" MULTIPLE DX	377	16.5	181	2	4	13	22	34	47	94
TOTAL 0-19 YRS	43	9.4	35	2	3	8	11	19	21	30
20-34	79	12.1	165	2	2	9	15	29	40	93
35-49	77	13.4	192	1	2	9	18	29	44	65
50-64	171	14.0	130	2	2	12	19	28	34	60
65+	174	17.1	183	3	4	13	24	37	52	99+
GRAND TOTAL	**544**	**14.3**	**157**	**2**	**3**	**11**	**19**	**30**	**39**	**77**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.7	4	6	7	9	9	12	12	12
20-34	25	10.7	12	7	7	10	12	17	18	19
35-49	23	13.0	20	9	9	12	14	20	24	26
50-64	23	13.3	23	9	10	12	14	20	26	28
65+	18	14.7	48	10	10	13	15	20	32	40
2. MULTIPLE DX										
0-19 YRS	39	14.9	108	8	8	10	18	31	42	47
20-34	34	13.0	59	7	8	11	13	18	31	47
35-49	56	15.1	48	9	10	12	17	24	30	43
50-64	122	20.2	219	9	9	15	23	45	58	99+
65+	84	19.7	172	10	10	15	24	38	51	99+
TOT. SINGLE DX	115	11.8	24	7	8	11	13	17	21	32
" MULTIPLE DX	335	17.9	156	8	9	13	21	34	47	99+
TOTAL 0-19 YRS	65	12.4	75	7	8	9	12	22	35	46
20-34	59	12.0	40	7	8	11	13	17	21	46
35-49	79	14.5	41	9	9	12	16	23	28	40
50-64	145	19.1	194	9	9	14	22	41	54	99+
65+	102	18.8	153	10	10	14	22	34	47	99+
GRAND TOTAL	**450**	**16.3**	**129**	**8**	**9**	**12**	**18**	**31**	**44**	**88**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	35	11.4	15	8	8	10	13	18	19	26
50-64	82	12.3	17	9	9	11	14	17	21	28
65+	43	12.8	32	9	9	11	13	19	28	33
2. MULTIPLE DX										
0-19 YRS										
20-34	4	9.8	3	8	8	9	11	12	12	12
35-49	137	13.0	44	9	9	11	14	20	24	40
50-64	432	14.0	68	9	9	11	15	22	28	45
65+	228	17.1	108	9	10	13	19	28	42	68
TOT. SINGLE DX	161	12.3	21	8	9	11	13	18	21	32
" MULTIPLE DX	801	14.7	78	9	9	12	16	24	30	57
TOTAL 0-19 YRS										
20-34	5	9.8	2	8	8	10	11	12	12	12
35-49	172	12.6	39	8	9	11	13	19	24	36
50-64	514	13.7	61	9	9	11	14	21	27	43
65+	271	16.4	99	9	10	13	18	27	33	65
GRAND TOTAL	**962**	**14.3**	**69**	**9**	**9**	**11**	**15**	**23**	**28**	**55**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	2.3	1	2	2	2	2	3	4	10
20-34	59	2.3	2	<1	<1	2	3	4	7	9
35-49	257	2.9	7	<1	<1	2	3	7	10	14
50-64	511	2.5	10	<1	<1	1	3	5	8	19
65+	198	2.4	7	<1	<1	1	3	4	8	14
2. MULTIPLE DX										
0-19 YRS	114	4.6	68	1	2	2	3	9	19	50
20-34	125	5.4	27	<1	<1	3	8	12	17	23
35-49	797	4.3	30	<1	<1	3	4	10	14	27
50-64	1889	4.5	37	<1	<1	2	4	11	16	30
65+	850	6.1	65	<1	1	3	8	16	21	42
TOT. SINGLE DX	1104	2.6	8	<1	<1	2	3	5	8	15
" MULTIPLE DX	3775	4.8	43	<1	<1	3	5	12	17	33
TOTAL 0-19 YRS	193	3.6	42	1	2	2	2	5	11	43
20-34	184	4.4	22	<1	<1	3	5	11	14	23
35-49	1054	4.0	26	<1	<1	3	4	9	13	24
50-64	2400	4.1	32	<1	<1	2	4	10	15	27
65+	1048	5.4	57	<1	<1	2	6	15	20	39
GRAND TOTAL	**4879**	**4.3**	**36**	**<1**	**<1**	**2**	**4**	**11**	**15**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.7	16	1	1	7	9	12	12	12
20-34	17	6.5	17	2	3	4	9	12	16	18
35-49	15	6.6	14	1	2	6	10	12	13	13
50-64	85	5.7	13	1	2	5	8	11	12	18
65+	250	6.2	23	2	2	5	7	13	17	25
2. MULTIPLE DX										
0-19 YRS	11	6.5	20	3	3	4	10	42	92	99+
20-34	23	9.0	74	2	3	6	11	16	30	42
35-49	52	11.2	48	3	4	11	15	19	24	33
50-64	233	12.7	94	3	3	11	17	22	30	56
65+	851	12.2	104	3	3	9	16	25	33	65
TOT. SINGLE DX	373	6.1	21	2	2	5	8	12	16	24
" MULTIPLE DX	1170	12.1	99	3	3	10	16	24	32	62
TOTAL 0-19 YRS	17	6.5	18	2	3	5	9	16	67	99+
20-34	40	8.0	51	2	3	6	10	13	20	42
35-49	67	10.1	44	2	3	9	14	17	23	33
50-64	318	10.8	83	2	3	8	14	21	26	53
65+	1101	10.8	92	2	3	8	14	23	29	60
GRAND TOTAL	**1543**	**10.7**	**87**	**2**	**3**	**8**	**14**	**22**	**28**	**58**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	12	2	2	5	8	8	8	8
20-34	6	9.7	13	3	4	10	12	13	13	13
35-49	40	4.0	15	1	2	2	4	10	13	17
50-64	77	4.8	35	2	2	3	4	10	18	33
65+	36	3.5	11	2	2	2	3	6	12	18
2. MULTIPLE DX										
0-19 YRS	6	12.3	246	2	2	3	26	37	38	38
20-34	13	12.5	157	3	3	8	16	31	42	44
35-49	65	9.7	143	2	2	6	12	22	25	75
50-64	163	8.2	56	2	2	5	12	16	22	39
65+	62	12.6	198	2	2	8	17	29	42	66
TOT. SINGLE DX	163	4.5	25	2	2	2	4	11	15	29
" MULTIPLE DX	309	9.6	112	2	2	6	13	21	28	53
TOTAL 0-19 YRS	10	9.4	155	2	2	3	8	32	38	38
20-34	19	11.6	111	3	3	9	12	27	37	44
35-49	105	7.5	101	2	2	4	10	17	24	61
50-64	240	7.1	52	2	2	4	10	16	20	35
65+	98	9.2	14[illegible]	2	2	3	12	20	38	65
GRAND TOTAL	**472**	**7.9**	[illegible]	**2**	**2**	**4**	**11**	**17**	**26**	**44**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	4.7	67	<1	1	2	5	8	17	48
20-34	32	4.0	29	<1	<1	2	3	13	17	23
35-49	38	3.1	11	<1	<1	2	3	7	11	16
50-64	48	3.3	24	<1	<1	2	3	8	12	30
65+	50	4.3	17	1	1	3	5	9	14	22
2. MULTIPLE DX										
0-19 YRS	60	8.6	138	1	2	6	8	17	29	76
20-34	35	8.3	74	1	1	5	12	22	25	36
35-49	39	12.4	95	1	2	12	19	29	34	99+
50-64	135	11.1	152	1	2	8	15	25	33	71
65+	253	16.8	237	2	3	13	22	36	49	89
TOT. SINGLE DX	206	3.9	29	<1	<1	2	4	9	14	26
" MULTIPLE DX	522	13.5	193	1	2	9	18	30	40	83
TOTAL 0-19 YRS	98	7.1	114	1	1	4	7	13	23	65
20-34	67	6.3	57	<1	1	2	9	18	23	34
35-49	77	7.8	75	<1	1	3	14	21	30	82
50-64	183	9.1	130	1	1	5	13	22	29	59
65+	303	14.7	223	1	2	10	21	34	47	81
GRAND TOTAL	**728**	**10.8**	**165**	**1**	**1**	**6**	**14**	**26**	**36**	**70**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.6	2	2	2	4	5	5	5	5
20-34	360	3.9	3	2	2	4	5	6	7	10
35-49	573	4.3	17	2	2	4	5	7	8	11
50-64	383	4.9	14	2	2	4	5	8	11	20
65+	104	5.2	18	1	2	4	6	8	12	27
2. MULTIPLE DX										
0-19 YRS	5	5.0	5	3	3	4	7	8	8	8
20-34	59	5.7	19	2	3	5	6	10	14	93
35-49	178	5.6	13	2	3	5	6	9	14	20
50-64	223	7.4	70	2	2	5	8	12	21	53
65+	75	7.9	42	2	3	6	10	19	25	84
TOT. SINGLE DX	1425	4.4	13	2	2	4	5	7	9	16
" MULTIPLE DX	540	6.6	43	2	3	5	7	12	18	49
TOTAL 0-19 YRS	10	4.3	4	2	2	4	5	7	8	8
20-34	419	4.1	6	2	2	4	5	6	8	14
35-49	751	4.6	17	2	2	4	5	7	9	17
50-64	606	5.8	36	2	2	4	6	9	14	35
65+	179	6.4	30	2	2	5	7	13	19	35
GRAND TOTAL	**1965**	**5.1**	**22**	**2**	**2**	**4**	**5**	**8**	**11**	**25**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	8	9.1	53	1	2	8	14	20	22	22
35-49	33	10.6	17	3	5	11	13	16	19	21
50-64	109	13.4	42	6	8	12	15	23	25	40
65+	108	13.4	29	6	8	12	16	20	24	33
2. MULTIPLE DX										
0-19 YRS	11	12.6	51	2	2	12	16	23	26	26
20-34	33	21.5	338	3	3	18	27	56	59	63
35-49	136	16.9	229	4	6	12	18	32	57	93
50-64	487	17.4	134	7	9	14	20	30	40	71
65+	605	19.7	168	8	10	16	24	37	63	99+
TOT. SINGLE DX	260	12.9	35	5	7	12	15	20	24	35
" MULTIPLE DX	1272	18.5	167	7	9	15	22	35	51	99+
TOTAL 0-19 YRS	13	11.9	46	2	2	12	15	22	25	26
20-34	41	19.1	305	3	3	16	23	54	58	63
35-49	169	15.7	194	4	6	12	17	26	53	89
50-64	596	16.7	120	7	9	13	19	26	39	69
65+	713	18.8	152	7	9	15	23	35	53	99+
GRAND TOTAL	**1532**	**17.6**	**149**	**6**	**8**	**14**	**20**	**33**	**47**	**99+**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	17.0	72	11	11	17	23	23	23	23
65+										
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	4	12.8	17	8	8	12	15	18	18	18
TOT. SINGLE DX	2	17.0	72	11	11	17	23	23	23	23
" MULTIPLE DX	6	12.3	11	8	8	12	13	17	18	18
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	3	15.3	44	11	11	12	20	23	23	23
65+	4	12.8	17	8	8	12	15	18	18	18
GRAND TOTAL	**8**	**13.5**	**23**	**8**	**9**	**12**	**15**	**21**	**23**	**23**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	5	5.2	13	1	1	4	8	10	10	10
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	10.2	43	1	1	10	16	17	17	17
20-34	30	6.3	34	1	1	5	8	14	16	29
35-49	58	7.3	36	1	2	5	11	18	21	24
50-64	88	9.4	86	1	1	7	12	20	31	45
65+	46	11.0	99	1	2	7	15	27	35	39
TOT. SINGLE DX	8	4.6	10	1	1	4	7	9	10	10
" MULTIPLE DX	227	8.8	70	1	2	6	12	20	25	40
TOTAL 0-19 YRS	5	10.2	44	1	1	10	16	17	17	17
20-34	30	6.3	34	1	1	5	8	14	16	29
35-49	63	7.1	35	1	2	5	10	17	21	24
50-64	90	9.3	85	1	1	7	12	20	30	45
65+	47	10.7	100	1	2	7	15	26	35	39
GRAND TOTAL	**235**	**8.6**	**69**	**1**	**2**	**6**	**11**	**19**	**24**	**40**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	7.9	28	1	1	8	10	15	20	22
20-34	62	10.4	86	<1	1	7	17	26	30	32
35-49	83	7.3	53	1	1	5	10	17	24	33
50-64	183	7.8	35	1	2	7	10	14	18	30
65+	226	10.3	44	2	3	9	14	19	25	30
2. MULTIPLE DX										
0-19 YRS	300	21.7	506	3	5	14	34	83	99+	99+
20-34	135	11.6	146	1	2	8	17	26	35	61
35-49	187	12.5	167	2	2	9	15	28	37	82
50-64	739	15.2	190	2	3	12	18	30	47	84
65+	1054	17.0	180	4	6	14	21	34	49	99+
TOT. SINGLE DX	600	8.9	47	1	2	8	12	18	24	31
" MULTIPLE DX	2415	16.4	227	2	4	12	20	36	56	99+
TOTAL 0-19 YRS	346	19.9	465	2	4	12	29	81	99+	99+
20-34	197	11.2	128	1	1	8	17	26	32	59
35-49	270	10.9	137	1	2	8	14	26	34	76
50-64	922	13.7	169	2	3	11	16	27	42	78
65+	1280	15.8	163	3	5	13	20	32	46	99+
GRAND TOTAL	**3015**	**14.9**	**200**	**2**	**3**	**11**	**18**	**32**	**49**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.2	18	<1	1	3	5	11	12	22
20-34	146	4.5	22	<1	<1	3	5	10	14	23
35-49	64	5.6	26	<1	1	3	7	13	17	24
50-64	73	8.1	88	<1	1	5	8	22	30	43
65+	62	8.5	60	2	2	5	11	23	26	30
2. MULTIPLE DX										
0-19 YRS	45	8.5	88	1	1	6	10	14	28	48
20-34	73	8.5	53	1	2	7	12	20	24	29
35-49	100	9.3	89	<1	1	6	13	22	31	45
50-64	169	13.2	138	2	2	10	17	28	34	61
65+	200	15.2	156	2	3	13	22	31	42	99+
TOT. SINGLE DX	436	5.8	41	<1	1	3	7	13	21	30
" MULTIPLE DX	587	12.3	128	1	2	9	17	27	34	66
TOTAL 0-19 YRS	136	5.6	45	<1	1	3	7	12	14	45
20-34	219	5.9	36	<1	1	3	8	14	21	28
35-49	164	7.9	68	<1	1	5	10	18	25	40
50-64	242	11.7	128	1	2	8	16	26	34	58
65+	262	13.6	141	2	2	11	20	28	38	97
GRAND TOTAL	**1023**	**9.5**	**101**	**1**	**2**	**6**	**13**	**23**	**29**	**52**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	16.0	2	15	15	16	17	17	17	17
20-34	14	9.2	69	1	1	7	14	19	28	31
35-49	7	6.4	19	1	1	6	10	12	13	13
50-64	12	7.7	22	2	2	7	12	13	16	16
65+	7	18.4	159	4	5	18	21	39	43	43
2. MULTIPLE DX										
0-19 YRS	3	10.7	22	7	7	9	14	16	16	16
20-34	27	11.4	37	4	5	10	12	20	24	30
35-49	25	16.8	207	3	5	11	20	41	52	56
50-64	75	14.0	81	5	6	11	19	27	32	46
65+	75	16.6	112	4	6	15	20	29	42	49
TOT. SINGLE DX	42	10.2	72	1	2	9	15	19	25	43
" MULTIPLE DX	205	14.9	104	4	6	12	18	28	37	51
TOTAL 0-19 YRS	5	12.8	20	7	7	15	16	17	17	17
20-34	41	10.6	48	2	3	10	13	19	26	31
35-49	32	14.5	183	3	3	10	16	34	50	56
50-64	87	13.2	78	3	5	11	17	26	32	44
65+	82	16.8	115	4	6	15	20	31	43	49
GRAND TOTAL	**247**	**14.1**	**101**	**3**	**4**	**11**	**18**	**27**	**34**	**51**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
GRAND TOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	4	45.5	43	39	39	49	65	99+	99+	99+
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	4	45.5	44	39	39	49	65	99+	99+	99+
TOTAL 0-19 YRS										
20-34	4	45.5	44	39	39	49	65	99+	99+	99+
35-49										
50-64										
65+										
GRAND TOTAL	**4**	**45.5**	**44**	**39**	**39**	**49**	**65**	**99+**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	8.4	43	2	3	7	10	16	25	34
20-34	74	9.7	109	1	2	7	10	16	27	66
35-49	53	9.5	105	1	2	7	9	20	34	57
50-64	82	12.0	83	2	3	9	16	22	31	46
65+	108	12.4	73	3	4	11	15	22	30	46
2. MULTIPLE DX										
0-19 YRS	106	13.5	238	2	3	9	15	27	50	96
20-34	152	13.1	104	3	4	11	16	22	32	56
35-49	169	14.2	120	4	4	11	18	29	40	55
50-64	325	19.4	253	4	5	15	24	40	52	85
65+	701	19.3	203	4	6	16	25	39	56	99+
TOT. SINGLE DX	411	10.5	81	2	3	8	13	21	28	51
" MULTIPLE DX	1453	17.7	204	4	5	14	22	37	50	93
TOTAL 0-19 YRS	200	11.1	153	2	3	8	13	23	31	92
20-34	226	12.0	108	2	4	9	14	22	30	58
35-49	222	13.1	121	3	4	9	18	27	39	57
50-64	407	17.9	228	4	5	14	22	37	48	83
65+	809	18.4	192	4	5	15	23	38	54	99+
GRAND TOTAL	**1864**	**16.1**	**185**	**3**	**4**	**12**	**20**	**34**	**45**	**86**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	10.4	126	1	1	4	20	24	34	40
20-34	8	9.3	97	2	2	5	15	25	27	27
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	3	7.7	44	2	2	6	13	15	15	15
65+	2	17.5	181	8	8	17	27	27	27	27
2. MULTIPLE DX										
0-19 YRS	28	24.1	553	2	3	21	33	55	86	91
20-34	50	19.3	219	2	3	21	27	45	52	99+
35-49	48	15.9	190	2	3	12	24	38	66	99+
50-64	53	22.8	359	3	4	16	33	57	79	99+
65+	33	28.2	600	1	3	26	47	82	97	99+
TOT. SINGLE DX	34	9.4	101	1	2	4	15	24	27	40
" MULTIPLE DX	212	21.4	361	2	3	17	32	54	82	99+
TOTAL 0-19 YRS	45	18.9	431	2	2	10	29	39	68	91
20-34	58	17.9	213	2	2	17	27	44	51	96
35-49	52	14.8	188	2	2	12	24	35	63	99+
50-64	56	21.9	353	2	3	16	31	56	78	99+
65+	35	27.6	577	1	3	26	44	81	96	99+
GRAND TOTAL	**246**	**19.7**	**341**	**2**	**2**	**15**	**29**	**51**	**78**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.1	13	1	1	2	6	10	11	11
20-34	12	3.9	8	<1	1	3	6	8	10	10
35-49	23	6.4	27	2	2	5	9	13	19	22
50-64	37	7.1	49	2	2	5	8	15	22	36
65+	70	7.4	82	1	1	5	8	15	28	48
2. MULTIPLE DX										
0-19 YRS	34	7.9	151	1	1	4	9	18	19	72
20-34	29	15.1	208	1	2	11	21	38	43	63
35-49	81	10.6	117	1	2	8	15	23	39	87
50-64	165	13.0	169	2	2	9	17	30	44	71
65+	297	14.9	242	1	2	10	19	38	52	99+
TOT. SINGLE DX	151	6.7	56	1	2	4	8	13	21	48
" MULTIPLE DX	606	13.4	202	1	2	9	17	33	47	99+
TOTAL 0-19 YRS	43	7.1	124	1	1	4	8	12	19	72
20-34	41	11.8	175	1	1	9	14	29	40	63
35-49	104	9.7	100	1	2	6	13	22	34	77
50-64	202	12.0	152	2	2	8	16	28	40	67
65+	367	13.5	220	1	2	9	17	34	48	99+
GRAND TOTAL	**757**	**12.1**	**180**	**1**	**2**	**8**	**16**	**29**	**45**	**95**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	5.5	13	3	3	5	6	8	11	26
20-34	2	29.5	1013	7	7	29	52	52	52	52
35-49	4	8.3	6	7	7	7	10	12	12	12
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
0-19 YRS	27	10.4	86	3	4	6	12	26	32	38
20-34	4	13.0	104	6	6	9	19	28	28	28
35-49	3	14.0	52	8	8	12	19	22	22	22
50-64	4	11.3	22	7	7	10	14	18	18	18
65+	4	25.3	3	23	23	25	26	27	27	27
TOT. SINGLE DX	90	6.3	40	3	3	5	7	9	12	44
" MULTIPLE DX	42	12.4	86	3	4	8	20	27	29	38
TOTAL 0-19 YRS	110	6.7	36	3	3	5	7	11	20	35
20-34	6	18.5	338	6	6	9	28	50	52	52
35-49	7	10.7	30	7	7	8	12	20	22	22
50-64	5	13.2	36	7	7	10	19	21	21	21
65+	4	25.3	3	23	23	25	26	27	27	27
GRAND TOTAL	132	8.3	62	3	3	6	8	20	27	41

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	4.1	78	<1	<1	<1	<1	18	26	26
35-49	9	9.0	205	<1	<1	5	9	31	46	46
50-64	9	13.6	935	<1	<1	<1	6	65	93	93
65+	12	16.9	381	<1	<1	9	20	56	57	57
2. MULTIPLE DX										
0-19 YRS	5	18.8	208	6	6	11	34	35	35	35
20-34	4	24.0	940	8	8	9	40	70	70	70
35-49	5	21.2	184	9	9	22	42	94	99+	99+
50-64	10	22.5	443	3	3	14	37	57	68	68
65+	22	29.3	809	5	6	19	67	99+	99+	99+
TOT. SINGLE DX	40	11.0	384	<1	<1	<1	10	36	56	93
" MULTIPLE DX	46	25.3	580	4	6	15	42	92	99+	99+
TOTAL 0-19 YRS	7	13.7	215	<1	<1	8	28	35	35	35
20-34	12	10.8	402	<1	<1	<1	9	39	66	70
35-49	14	13.4	220	<1	<1	9	24	46	86	99+
50-64	19	18.3	659	<1	<1	9	20	59	82	93
65+	34	24.9	678	<1	4	16	55	93	99+	99+
GRAND TOTAL	86	18.7	535	<1	<1	10	27	69	94	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.8	56	<1	1	9	13	21	24	24
20-34	26	6.2	12	2	3	5	8	13	14	14
35-49	38	9.6	76	1	2	8	12	17	30	43
50-64	61	9.3	80	1	2	7	11	21	24	52
65+	60	11.0	131	1	2	8	13	23	28	73
2. MULTIPLE DX										
0-19 YRS	16	8.4	28	2	3	8	11	15	21	23
20-34	67	11.0	102	3	3	8	12	24	37	51
35-49	146	9.8	69	3	3	8	11	21	26	50
50-64	242	12.9	138	2	4	9	16	28	34	77
65+	572	15.9	204	3	4	12	19	30	44	88
TOT. SINGLE DX	193	9.5	86	1	2	7	12	19	25	49
" MULTIPLE DX	1043	13.9	167	3	4	10	17	28	38	82
TOTAL 0-19 YRS	24	8.9	36	1	3	8	11	16	23	24
20-34	93	9.6	82	3	3	7	11	17	29	49
35-49	184	9.8	70	2	3	8	12	20	28	48
50-64	303	12.2	129	2	3	9	16	26	33	72
65+	632	15.4	200	3	4	12	19	30	42	86
GRAND TOTAL	1236	13.2	156	2	4	9	16	27	35	79

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	13.9	49	8	9	11	15	26	31	33
35-49	38	12.5	41	7	8	10	13	23	28	34
50-64	27	14.8	28	9	9	14	18	23	25	29
65+	26	17.0	31	10	10	16	21	25	27	31
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	21	14.5	71	8	9	12	15	23	37	45
35-49	55	17.1	109	8	9	15	19	25	38	69
50-64	114	20.3	180	8	10	16	25	39	54	99+
65+	146	26.0	259	11	12	21	32	50	67	99+
TOT. SINGLE DX	108	14.4	39	8	9	12	18	24	28	33
" MULTIPLE DX	337	21.9	210	9	10	17	26	43	57	99+
TOTAL 0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	38	14.2	60	8	9	11	15	26	32	45
35-49	93	15.2	86	8	8	12	19	24	30	60
50-64	141	19.3	156	8	10	15	24	36	52	99+
65+	172	24.7	236	11	12	19	29	47	64	99
GRAND TOTAL	**445**	**20.1**	**179**	**9**	**10**	**16**	**24**	**38**	**51**	**95**

594: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	5	13.6	10	9	9	14	16	17	17	17
50-64	8	26.8	185	16	17	21	30	51	57	57
65+	6	16.0	16	12	12	14	20	22	22	22
2. MULTIPLE DX										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	7	24.7	175	14	15	21	26	48	53	53
50-64	25	24.4	57	14	16	23	31	33	40	42
65+	30	28.2	329	9	14	24	29	52	75	89
TOT. SINGLE DX	19	19.9	116	10	12	17	22	31	48	57
" MULTIPLE DX	63	26.4	197	13	15	23	30	42	55	87
TOTAL 0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	12	20.1	132	9	11	17	21	35	50	53
50-64	33	25.0	84	14	16	22	31	37	42	57
65+	36	26.2	297	10	13	22	28	45	70	89
GRAND TOTAL	**82**	**24.9**	**184**	**12**	**14**	**21**	**28**	**41**	**55**	**85**

595: Vagotomy (44.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.1	37	6	6	9	16	22	23	23
20-34	36	10.3	20	6	7	9	11	14	19	31
35-49	42	10.8	37	6	7	9	11	16	21	41
50-64	28	10.5	10	7	8	10	12	14	18	21
65+	9	13.0	30	9	9	11	14	22	26	26
2. MULTIPLE DX										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	38	13.6	76	7	7	11	15	22	30	52
35-49	66	13.9	52	8	8	12	15	21	33	43
50-64	61	14.3	46	7	8	12	17	26	29	35
65+	43	23.1	226	10	11	17	31	48	62	99+
TOT. SINGLE DX	122	10.8	25	6	7	9	12	15	21	34
" MULTIPLE DX	210	15.8	103	7	8	12	18	29	40	63
TOTAL 0-19 YRS	9	12.9	31	6	7	14	16	21	23	23
20-34	74	11.9	51	7	7	10	12	21	24	47
35-49	108	12.7	49	7	7	11	14	20	27	42
50-64	89	13.1	38	7	8	11	15	23	27	33
65+	52	21.3	206	9	10	16	26	45	57	99
GRAND TOTAL	**332**	**14.0**	**80**	**7**	**7**	**11**	**15**	**25**	**33**	**55**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	9.0	24	3	4	8	10	18	20	21
20-34	146	8.5	12	6	6	8	9	11	14	28
35-49	143	9.1	7	6	7	8	10	13	15	19
50-64	55	11.2	25	7	7	9	12	20	22	28
65+	44	14.7	106	7	7	11	17	29	34	60
2. MULTIPLE DX										
0-19 YRS	27	16.3	229	4	5	10	22	44	55	55
20-34	159	11.8	88	6	7	9	12	17	31	52
35-49	253	12.9	100	6	7	10	14	25	36	99
50-64	197	17.2	155	7	7	12	21	35	44	64
65+	178	21.6	220	8	9	17	26	46	67	99+
TOT. SINGLE DX	404	9.8	27	6	6	8	10	15	19	30
" MULTIPLE DX	814	15.8	155	6	7	11	19	32	45	87
TOTAL 0-19 YRS	43	13.6	164	4	4	9	14	31	50	55
20-34	305	10.2	55	6	6	8	11	15	20	38
35-49	396	11.6	71	6	7	9	12	19	30	73
50-64	252	15.9	133	7	7	11	19	30	41	61
65+	222	20.3	205	8	9	16	25	44	60	99+
GRAND TOTAL	**1218**	**13.8**	**120**	**6**	**7**	**10**	**15**	**27**	**39**	**70**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	8.4	29	2	3	8	11	14	17	31
20-34	124	8.8	38	2	3	7	11	17	22	29
35-49	53	8.4	15	2	3	8	11	14	16	16
50-64	52	7.9	45	1	1	6	12	17	24	27
65+	67	9.7	93	1	2	7	13	19	22	52
2. MULTIPLE DX										
0-19 YRS	64	10.9	132	3	3	8	13	22	32	97
20-34	157	11.4	108	3	3	8	14	24	35	53
35-49	134	10.8	67	3	3	9	14	23	27	99+
50-64	217	13.1	115	2	4	11	16	27	35	63
65+	349	14.6	178	2	3	12	18	30	41	76
TOT. SINGLE DX	343	8.7	46	1	2	8	11	16	21	31
" MULTIPLE DX	921	12.9	134	2	3	10	16	27	36	77
TOTAL 0-19 YRS	111	9.8	90	2	3	8	12	18	28	88
20-34	281	10.2	79	2	3	8	12	22	27	47
35-49	187	10.1	54	2	3	8	13	20	26	80
50-64	269	12.1	106	2	2	10	15	26	34	49
65+	416	13.8	168	2	2	11	17	29	40	73
GRAND TOTAL	**1264**	**11.8**	**114**	**2**	**3**	**9**	**15**	**24**	**33**	**61**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	11.5	34	5	6	10	14	21	23	23
20-34	16	14.3	76	8	8	11	15	23	37	43
35-49	16	15.9	152	7	7	12	19	23	47	58
50-64	12	21.5	109	9	10	19	27	37	42	43
65+	18	14.5	11	9	10	14	16	20	21	21
2. MULTIPLE DX										
0-19 YRS	22	17.1	97	7	8	16	36	99+	99+	99+
20-34	45	21.4	183	8	9	17	25	47	53	99+
35-49	72	21.4	308	8	9	17	22	42	67	84
50-64	71	21.9	297	9	9	15	27	43	70	99
65+	103	25.8	285	8	9	22	36	50	79	99+
TOT. SINGLE DX	70	15.6	82	7	8	13	18	23	35	55
" MULTIPLE DX	313	22.6	269	8	9	17	31	50	76	99+
TOTAL 0-19 YRS	30	15.6	85	6	7	14	23	99+	99+	99+
20-34	61	19.5	163	8	9	16	23	46	49	95
35-49	88	20.4	283	7	8	16	21	38	64	83
50-64	83	21.8	268	9	9	16	27	42	61	98
65+	121	24.1	261	8	10	19	32	50	67	99+
GRAND TOTAL	**383**	**21.4**	**242**	**8**	**9**	**16**	**27**	**47**	**64**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	13.6	13	8	10	13	14	19	21	22
20-34	66	17.0	130	8	9	13	21	27	40	67
35-49	63	13.1	13	8	9	13	15	17	20	24
50-64	113	14.3	32	8	9	13	17	22	24	34
65+	129	16.6	56	9	10	15	19	27	32	64
2. MULTIPLE DX										
0-19 YRS	31	19.8	221	7	7	15	26	47	69	99+
20-34	117	22.0	237	8	9	17	29	48	53	99+
35-49	146	18.7	173	8	9	15	22	32	35	89
50-64	353	18.6	110	9	10	16	21	33	46	99+
65+	711	22.6	210	10	11	18	28	43	57	99+
TOT. SINGLE DX	385	15.3	55	8	9	13	18	24	27	52
" MULTIPLE DX	1358	21.0	186	9	10	17	26	41	53	99+
TOTAL 0-19 YRS	45	17.9	163	7	7	14	21	35	57	99+
20-34	183	20.2	204	8	9	14	26	46	52	99+
35-49	209	17.0	131	8	9	14	19	28	34	88
50-64	466	17.5	95	9	9	15	20	30	42	94
65+	840	21.6	191	9	11	18	26	41	55	99+
GRAND TOTAL	**1743**	**19.7**	**163**	**9**	**10**	**16**	**23**	**36**	**48**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.2	33	3	3	7	10	18	18	18
20-34	7	8.0	14	2	3	9	11	13	13	13
35-49	7	12.6	54	4	4	12	15	24	26	26
50-64	9	11.8	37	2	4	11	15	20	24	24
65+	4	31.0	150	13	13	35	38	40	40	40
2. MULTIPLE DX										
0-19 YRS	6	22.7	352	6	6	17	32	53	55	55
20-34	15	12.5	35	6	6	12	15	19	26	29
35-49	10	19.9	236	9	9	14	20	45	60	60
50-64	30	27.7	359	9	10	24	42	67	99	99+
65+	63	25.1	304	8	9	19	32	52	63	99+
TOT. SINGLE DX	32	13.0	94	2	4	11	15	28	37	40
" MULTIPLE DX	124	23.7	295	8	9	18	31	54	62	99+
TOTAL 0-19 YRS	11	16.1	247	3	4	8	22	41	54	55
20-34	22	11.1	33	4	5	10	13	18	23	29
35-49	17	16.9	167	4	6	13	18	29	49	60
50-64	39	24.0	328	8	9	18	34	56	94	99+
65+	67	25.5	295	8	9	20	34	51	62	99+
GRAND TOTAL	**156**	**21.5**	**272**	**6**	**8**	**17**	**30**	**51**	**59**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.0	10	1	2	5	8	10	12	13
20-34	25	9.9	20	4	4	9	13	16	17	18
35-49	31	10.7	38	5	5	10	13	18	24	33
50-64	27	11.4	32	4	5	10	14	20	24	29
65+	41	16.6	229	3	6	12	19	33	49	83
2. MULTIPLE DX										
0-19 YRS	42	15.0	140	4	6	12	16	26	41	60
20-34	77	13.7	76	5	6	10	17	25	35	46
35-49	80	16.9	192	5	7	13	19	30	58	95
50-64	124	16.8	157	8	9	12	18	29	54	81
65+	189	17.8	147	7	8	14	22	36	49	99+
TOT. SINGLE DX	148	11.6	94	3	4	10	13	20	26	57
" MULTIPLE DX	512	16.6	147	6	7	13	19	31	47	99+
TOTAL 0-19 YRS	66	11.7	111	3	3	9	13	24	28	59
20-34	102	12.8	65	5	6	10	16	21	31	44
35-49	111	15.1	156	5	5	12	17	28	37	91
50-64	151	15.9	139	7	8	12	17	27	47	75
65+	230	17.6	162	6	8	14	21	36	48	99+
GRAND TOTAL	**660**	**15.5**	**139**	**5**	**6**	**12**	**18**	**28**	**42**	**85**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	14.8	67	6	6	14	21	25	25	25
20-34	3	11.3	65	2	2	16	16	16	16	16
35-49	1	25.0		25	25	25	25	25	25	25
50-64	11	15.9	21	9	10	16	19	22	23	23
65+	14	26.4	205	10	12	22	31	50	53	54
2. MULTIPLE DX										
0-19 YRS	9	21.0	71	9	9	22	26	32	34	34
20-34	9	23.4	171	9	11	18	32	44	51	51
35-49	19	26.2	247	9	11	20	35	54	59	61
50-64	46	21.8	82	10	10	21	27	35	38	41
65+	72	30.2	297	11	13	25	36	56	76	96
TOT. SINGLE DX	33	20.1	136	6	9	17	23	35	49	54
" MULTIPLE DX	155	26.3	218	10	11	23	33	51	59	81
TOTAL 0-19 YRS	13	19.1	74	6	8	21	25	29	33	34
20-34	12	20.4	167	3	7	17	25	39	49	51
35-49	20	26.1	235	9	11	21	34	53	58	61
50-64	57	20.6	75	10	10	19	26	34	38	41
65+	86	29.6	282	11	12	24	36	54	69	93
GRAND TOTAL	**188**	**25.2**	**208**	**9**	**11**	**22**	**31**	**49**	**54**	**80**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2123	4.4	4	2	3	4	5	7	8	13
20-34	1529	4.5	4	2	3	4	5	7	8	12
35-49	408	5.2	5	3	3	5	6	8	9	13
50-64	168	6.4	12	3	3	6	8	10	12	21
65+	50	8.0	8	4	4	8	10	12	14	14
2. MULTIPLE DX										
0-19 YRS	589	6.4	26	3	3	5	8	11	13	22
20-34	536	6.8	19	3	3	6	8	11	14	23
35-49	176	9.0	49	4	4	7	10	15	20	65
50-64	119	9.7	36	4	4	8	12	17	22	35
65+	100	17.2	205	5	6	12	21	39	48	73
TOT. SINGLE DX	4278	4.7	5	2	3	4	5	7	9	13
" MULTIPLE DX	1520	7.8	47	3	3	6	9	13	18	39
TOTAL 0-19 YRS	2712	4.8	10	2	3	4	6	8	10	16
20-34	2065	5.1	10	2	3	4	6	9	10	17
35-49	584	6.4	22	3	3	5	8	10	14	22
50-64	287	7.8	25	3	3	7	9	14	18	27
65+	150	14.2	159	4	5	10	16	26	42	64
GRAND TOTAL	**5798**	**5.5**	**18**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.3	9	2	2	5	6	8	12	16
20-34	11	5.9	9	3	3	5	7	11	13	13
35-49	4	5.0	2	3	3	5	6	6	6	6
50-64										
65+	2	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	13	5.1	5	3	3	5	6	9	10	10
20-34	13	4.8	3	3	3	4	5	7	9	10
35-49	5	15.2	227	6	6	9	19	42	42	42
50-64	2	11.5	85	5	5	11	18	18	18	18
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX	42	5.6	9	2	3	5	7	9	12	16
" MULTIPLE DX	34	7.1	49	3	3	5	8	11	17	42
TOTAL 0-19 YRS	38	5.2	8	2	3	5	6	9	11	16
20-34	24	5.3	6	3	3	5	6	9	11	13
35-49	9	10.7	144	3	4	6	9	30	42	42
50-64	2	11.5	85	5	5	11	18	18	18	18
65+	3	10.3	5	9	9	9	12	13	13	13
GRAND TOTAL	**76**	**6.3**	**27**	**3**	**3**	**5**	**7**	**10**	**13**	**36**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.0	54	1	2	4	9	20	23	23
20-34	6	9.5	56	5	5	6	11	23	24	24
35-49	5	10.8	10	7	7	10	13	15	15	15
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	9	11.2	10	7	7	11	13	16	17	17
35-49	1	29.0		29	29	29	29	29	29	29
50-64	3	15.0	21	11	11	14	18	20	20	20
65+	3	34.0	1099	11	11	19	59	72	72	72
TOT. SINGLE DX	22	8.8	39	2	3	7	13	17	23	24
" MULTIPLE DX	18	16.7	219	7	7	12	17	26	55	72
TOTAL 0-19 YRS	10	7.9	49	1	2	4	13	19	23	23
20-34	15	10.5	27	5	5	10	13	17	22	24
35-49	6	13.8	63	7	7	11	15	28	29	29
50-64	5	12.4	38	3	3	14	16	20	20	20
65+	4	28.0	877	10	10	15	45	72	72	72
GRAND TOTAL	40	12.4	132	3	4	10	14	21	26	72

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	4.4	15	<1	<1	3	6	11	12	15
20-34	58	7.1	34	<1	1	6	9	13	22	28
35-49	44	5.9	12	1	2	5	8	11	12	15
50-64	54	5.6	39	<1	1	3	7	11	16	40
65+	90	5.2	22	1	1	4	6	11	14	24
2. MULTIPLE DX										
0-19 YRS	37	8.1	137	1	1	5	8	12	25	70
20-34	63	8.7	50	2	2	7	10	18	25	34
35-49	56	10.4	63	1	2	8	16	20	22	40
50-64	112	11.5	160	2	3	8	16	23	37	99+
65+	217	11.1	124	1	2	8	15	27	34	96
TOT. SINGLE DX	306	5.6	25	<1	1	4	7	11	14	25
" MULTIPLE DX	485	10.6	117	1	2	8	14	23	31	98
TOTAL 0-19 YRS	97	5.8	64	<1	<1	4	8	11	13	52
20-34	121	7.9	43	1	2	7	10	17	23	32
35-49	100	8.4	46	1	2	7	11	18	20	35
50-64	166	9.5	128	1	2	6	12	21	29	99+
65+	307	9.4	102	1	2	6	12	23	29	67
GRAND TOTAL	791	8.6	88	1	2	6	11	19	27	78

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	12	4.4	47	<1	1	2	4	11	24	26
35-49	9	3.8	3	2	2	3	5	7	7	7
50-64	9	5.2	19	1	1	5	7	12	15	15
65+	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.2	196	1	1	3	7	30	45	45
35-49	6	9.7	38	2	2	9	14	18	18	18
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	13.0	98	6	6	13	20	20	20	20
TOT. SINGLE DX	35	4.5	21	1	1	4	5	7	13	26
" MULTIPLE DX	20	8.6	105	1	2	5	11	19	32	45
TOTAL 0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	21	6.0	108	<1	1	2	4	15	35	45
35-49	15	6.1	24	2	2	4	7	14	17	18
50-64	11	4.6	17	1	1	3	7	11	15	15
65+	5	8.2	44	4	4	6	10	20	20	20
GRAND TOTAL	55	6.0	54	1	2	4	6	14	19	44

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	11.0	29	2	2	12	14	16	16	16
20-34	17	15.8	54	7	8	13	22	26	30	32
35-49	24	14.5	22	8	10	13	16	21	24	27
50-64	69	15.5	30	10	10	14	18	24	27	35
65+	66	18.7	77	9	10	17	21	30	35	54
2. MULTIPLE DX										
0-19 YRS	17	14.8	63	6	8	12	20	34	75	99+
20-34	39	20.6	119	7	9	20	27	33	42	52
35-49	52	20.3	134	10	11	17	27	41	47	99
50-64	200	20.5	158	10	11	17	23	33	46	87
65+	290	25.8	275	11	12	20	31	48	65	87
TOT. SINGLE DX	181	16.4	52	9	10	14	19	26	29	45
" MULTIPLE DX	598	22.9	216	10	11	18	27	40	57	88
TOTAL 0-19 YRS	22	13.9	57	4	7	12	17	29	59	99+
20-34	56	19.1	104	7	9	16	25	33	37	52
35-49	76	18.5	106	9	11	15	22	34	44	90
50-64	269	19.2	131	10	10	16	22	31	38	79
65+	356	24.5	246	11	12	19	29	44	60	85
GRAND TOTAL	779	21.4	185	10	11	17	25	37	52	84

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	5.8	27	<1	<1	5	6	11	20	22
20-34	109	5.9	24	<1	<1	5	8	12	13	26
35-49	80	5.8	20	<1	1	5	8	12	16	21
50-64	59	7.9	49	1	2	6	11	15	20	37
65+	69	8.4	80	1	2	6	9	17	20	59
2. MULTIPLE DX										
0-19 YRS	24	10.9	119	1	1	7	16	21	40	41
20-34	165	7.6	78	1	2	5	9	14	21	61
35-49	215	7.9	32	2	2	6	11	15	18	28
50-64	318	10.1	85	2	3	7	13	20	25	57
65+	498	12.4	109	2	4	10	15	24	33	72
TOT. SINGLE DX	330	6.7	41	<1	1	5	8	13	18	32
" MULTIPLE DX	1220	10.3	89	2	3	8	13	20	27	56
TOTAL 0-19 YRS	37	9.1	92	<1	1	5	15	19	34	41
20-34	274	6.9	58	<1	1	5	8	13	17	35
35-49	295	7.4	30	1	2	6	10	15	18	26
50-64	377	9.7	80	2	3	7	13	19	25	53
65+	567	11.9	108	2	3	9	15	23	31	64
GRAND TOTAL	**1550**	**9.6**	**81**	**1**	**2**	**7**	**12**	**19**	**25**	**54**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.2	5	<1	<1	3	4	7	8	9
20-34	100	4.2	5	2	2	4	5	7	9	13
35-49	132	4.1	6	1	2	3	5	7	9	15
50-64	77	4.5	6	2	2	4	5	8	9	16
65+	13	5.8	12	3	3	5	7	10	15	16
2. MULTIPLE DX										
0-19 YRS	7	4.1	6	2	2	3	5	8	9	9
20-34	84	5.7	54	1	1	3	6	9	26	40
35-49	79	5.6	59	1	2	4	6	8	11	55
50-64	57	5.4	10	1	2	4	8	10	11	15
65+	25	8.6	72	2	3	6	9	19	30	40
TOT. SINGLE DX	343	4.2	7	1	2	4	5	7	9	14
" MULTIPLE DX	252	5.9	47	1	2	4	6	10	12	40
TOTAL 0-19 YRS	28	3.5	6	<1	1	3	5	8	9	9
20-34	184	4.9	28	1	2	4	5	9	11	36
35-49	211	4.7	27	1	2	4	5	8	10	22
50-64	134	4.9	9	2	2	4	6	9	11	16
65+	38	7.7	53	3	3	5	9	14	24	40
GRAND TOTAL	**595**	**4.9**	**24**	**1**	**2**	**4**	**6**	**9**	**10**	**27**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.3	20	<1	<1	2	4	5	6	26
20-34	99	2.7	2	<1	<1	2	4	5	6	9
35-49	75	3.1	3	<1	<1	3	4	5	6	9
50-64	35	4.2	13	<1	1	3	5	8	9	21
65+	15	4.9	7	2	3	4	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	10	3.7	8	1	1	3	5	8	10	10
20-34	68	4.3	10	<1	1	3	5	6	11	18
35-49	76	5.1	15	1	3	4	5	9	11	27
50-64	60	5.7	29	1	2	4	6	12	20	27
65+	33	10.5	152	2	2	5	10	30	43	46
TOT. SINGLE DX	254	3.2	7	<1	<1	3	4	6	7	10
" MULTIPLE DX	247	5.7	39	1	2	4	6	10	18	33
TOTAL 0-19 YRS	40	3.4	17	<1	<1	2	4	6	8	26
20-34	167	3.4	6	<1	<1	3	4	6	7	17
35-49	151	4.1	10	<1	1	4	5	7	9	15
50-64	95	5.2	24	1	1	4	6	10	18	26
65+	48	8.7	113	2	2	4	9	24	34	46
GRAND TOTAL	**501**	**4.4**	**24**	**<1**	**1**	**3**	**5**	**8**	**11**	**28**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.0	1	2	2	4	5	5	5	5
20-34	296	5.0	3	2	3	5	6	8	8	10
35-49	451	5.3	11	3	3	5	6	8	9	11
50-64	246	5.5	4	3	3	5	6	8	9	12
65+	80	6.0	8	2	3	6	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	3	10.3	46	5	5	8	15	18	18	18
20-34	307	5.5	5	3	3	5	7	9	9	12
35-49	480	5.7	15	3	3	5	6	9	10	19
50-64	371	6.8	18	3	3	6	8	11	14	24
65+	179	8.2	56	2	3	6	9	15	22	42
TOT. SINGLE DX	1079	5.3	8	3	3	5	6	8	9	12
" MULTIPLE DX	1340	6.3	20	3	3	5	7	10	13	23
TOTAL 0-19 YRS	9	6.1	23	2	2	5	6	14	18	18
20-34	603	5.2	5	2	3	5	6	8	9	11
35-49	931	5.5	14	3	3	5	6	8	9	14
50-64	617	6.3	13	3	3	5	7	10	12	22
65+	259	7.5	43	2	3	6	8	13	18	37
GRAND TOTAL	**2419**	**5.8**	**15**	**3**	**3**	**5**	**7**	**9**	**10**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	3.4	4	<1	1	3	5	6	7	11
20-34	224	3.6	6	1	1	3	4	7	9	13
35-49	201	3.6	7	1	1	3	4	6	10	15
50-64	82	4.1	8	1	1	3	5	8	9	15
65+	36	4.6	10	1	1	4	6	10	11	12
2. MULTIPLE DX										
0-19 YRS	35	8.1	145	<1	1	5	9	16	19	71
20-34	133	4.7	19	1	1	4	5	8	17	22
35-49	114	5.4	26	1	2	4	6	12	14	28
50-64	96	6.4	68	1	2	4	7	13	19	54
65+	62	8.4	73	1	2	6	11	19	40	99+
TOT. SINGLE DX	583	3.7	7	1	1	3	5	7	9	14
" MULTIPLE DX	440	6.0	51	1	2	4	7	13	18	51
TOTAL 0-19 YRS	75	5.6	75	<1	1	4	6	11	16	58
20-34	357	4.0	12	1	1	3	5	8	10	19
35-49	315	4.2	15	1	1	3	5	9	12	16
50-64	178	5.4	42	1	1	4	6	9	14	43
65+	98	7.0	53	1	1	5	10	16	23	99+
GRAND TOTAL	**1023**	**4.7**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	2	8.0	72	2	2	8	14	14	14	14
65+	4	9.3	251	1	1	2	17	33	33	33
2. MULTIPLE DX										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	7	26.7	312	3	5	25	39	53	55	55
50-64	4	24.5	95	15	15	23	32	36	36	36
65+	7	24.3	96	10	11	28	30	36	37	37
TOT. SINGLE DX	10	9.0	104	1	1	4	14	24	33	33
" MULTIPLE DX	19	25.2	153	6	11	25	31	41	50	55
TOTAL 0-19 YRS										
20-34	3	14.3	100	4	4	15	22	24	24	24
35-49	9	22.8	301	3	3	20	30	51	55	55
50-64	6	19.0	144	2	3	16	29	35	36	36
65+	11	18.8	191	1	1	22	30	35	37	37
GRAND TOTAL	**29**	**19.6**	**194**	**1**	**2**	**18**	**29**	**37**	**45**	**55**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.6	28	1	1	6	11	13	13	13
20-34	61	4.5	20	1	1	2	7	11	14	18
35-49	46	5.8	79	<1	1	2	5	15	28	39
50-64	47	4.6	21	1	1	3	6	12	15	18
65+	31	8.1	116	1	1	3	10	19	37	48
2. MULTIPLE DX										
0-19 YRS	25	16.5	448	1	2	12	20	42	60	98
20-34	90	13.0	203	1	1	10	17	27	40	79
35-49	134	11.8	146	1	1	9	16	27	34	80
50-64	181	15.5	205	1	2	12	21	33	39	81
65+	159	16.2	150	2	3	14	22	30	38	70
TOT. SINGLE DX	190	5.5	52	1	1	2	8	13	18	39
" MULTIPLE DX	589	14.5	189	1	2	11	20	30	40	79
TOTAL 0-19 YRS	30	14.9	389	1	1	11	18	36	48	98
20-34	151	9.6	147	1	1	7	12	21	27	78
35-49	180	10.3	136	1	1	7	14	25	33	73
50-64	228	13.2	187	1	1	10	18	30	36	69
65+	190	14.9	153	1	2	12	21	30	38	69
GRAND TOTAL	**779**	**12.3**	**170**	**1**	**1**	**9**	**17**	**28**	**35**	**75**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	7.1	5	4	5	7	8	10	12	14
20-34	1300	7.1	6	4	5	7	8	9	11	17
35-49	1143	7.3	6	5	5	7	8	10	12	16
50-64	939	8.3	9	5	5	8	9	12	14	21
65+	455	10.4	40	6	6	9	12	15	19	34
2. MULTIPLE DX										
0-19 YRS	74	10.1	24	5	5	8	12	18	21	25
20-34	961	8.9	22	5	5	8	10	14	17	24
35-49	1151	9.7	39	5	6	8	10	15	20	33
50-64	1504	11.5	62	5	6	9	13	19	25	46
65+	1328	16.2	122	6	7	13	20	30	40	77
TOT. SINGLE DX	3959	7.8	12	5	5	7	9	11	14	20
" MULTIPLE DX	5018	11.8	73	5	6	9	13	21	28	51
TOTAL 0-19 YRS	196	8.2	15	4	5	7	9	13	16	24
20-34	2261	7.8	14	4	5	7	9	11	14	22
35-49	2294	8.5	25	5	5	7	9	13	16	27
50-64	2443	10.2	45	5	6	8	11	16	22	39
65+	1783	14.7	108	6	7	11	17	27	36	67
GRAND TOTAL	**8977**	**10.0**	**50**	**5**	**5**	**8**	**11**	**17**	**23**	**42**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	11	1	1	4	8	9	9	9
20-34	20	8.8	20	2	3	9	12	15	17	18
35-49	16	9.9	64	<1	1	9	11	21	30	33
50-64	29	14.2	78	2	2	14	20	27	31	33
65+	43	13.5	57	3	4	14	19	23	26	34
2. MULTIPLE DX										
0-19 YRS	3	8.0	19	5	5	6	11	13	13	13
20-34	25	13.9	51	3	5	13	19	22	26	31
35-49	30	18.0	155	1	8	15	21	30	39	67
50-64	77	21.7	141	6	9	20	27	40	46	56
65+	181	22.7	211	7	10	19	29	41	52	87
TOT. SINGLE DX	113	12.0	60	2	3	11	16	22	27	34
" MULTIPLE DX	316	21.2	181	5	9	18	27	39	50	72
TOTAL 0-19 YRS	8	6.1	14	1	2	5	8	12	13	13
20-34	45	11.6	43	3	4	11	16	21	23	31
35-49	46	15.2	137	1	2	13	20	27	35	67
50-64	106	19.7	135	3	7	18	25	34	43	55
65+	224	21.0	194	4	8	17	27	39	51	81
GRAND TOTAL	**429**	**18.8**	**166**	**3**	**5**	**16**	**24**	**34**	**45**	**68**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.2	24	1	1	3	3	13	14	14
20-34	26	12.0	106	1	1	9	18	24	35	43
35-49	35	10.6	194	1	1	9	11	21	28	81
50-64	24	10.5	73	1	1	9	15	23	28	32
65+	18	15.8	260	1	2	11	24	52	81	99+
2. MULTIPLE DX										
0-19 YRS	8	20.3	226	1	3	16	33	42	44	44
20-34	43	15.4	232	1	2	9	20	35	47	71
35-49	79	15.9	142	2	3	14	20	41	52	99+
50-64	92	17.7	275	1	2	12	22	36	47	85
65+	100	22.2	347	3	5	17	33	46	91	99+
TOT. SINGLE DX	109	11.4	150	1	1	9	14	25	41	89
" MULTIPLE DX	322	18.4	263	2	3	14	25	44	54	99+
TOTAL 0-19 YRS	14	13.4	199	1	1	9	18	38	43	44
20-34	69	14.1	185	1	2	9	18	33	40	69
35-49	114	14.2	163	1	3	11	19	36	50	99+
50-64	116	16.2	241	1	2	12	21	34	45	80
65+	118	21.3	337	2	4	16	33	47	91	99+
GRAND TOTAL	**431**	**16.6**	**243**	**1**	**2**	**12**	**22**	**41**	**50**	**99+**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	6.3	50	1	1	4	7	12	24	39
20-34	222	5.4	15	1	1	5	7	10	12	20
35-49	193	6.5	40	1	1	4	8	14	19	31
50-64	212	6.7	39	<1	1	5	8	15	19	29
65+	241	7.3	34	1	2	6	9	14	19	28
2. MULTIPLE DX										
0-19 YRS	46	5.9	18	1	1	5	8	9	14	24
20-34	236	8.8	68	1	2	6	10	21	28	49
35-49	255	8.2	61	1	2	7	10	15	19	43
50-64	427	9.9	75	1	2	8	12	20	28	54
65+	1021	12.2	117	2	3	9	16	24	32	69
TOT. SINGLE DX	936	6.5	34	1	1	5	8	13	18	29
" MULTIPLE DX	1985	10.7	96	2	2	8	13	22	30	62
TOTAL 0-19 YRS	114	6.1	37	1	1	4	8	12	19	33
20-34	458	7.1	46	1	2	5	8	14	22	34
35-49	448	7.5	53	1	2	6	10	15	19	39
50-64	639	8.8	66	1	2	7	11	18	25	49
65+	1262	11.3	105	2	2	8	15	23	30	66
GRAND TOTAL	**2921**	**9.3**	**80**	**1**	**2**	**7**	**11**	**20**	**26**	**52**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	771	2.5	2	<1	1	2	3	4	5	8
20-34	908	3.6	2	1	2	4	4	5	6	8
35-49	858	3.8	2	1	2	4	5	6	6	8
50-64	1038	4.3	3	2	2	4	5	7	8	11
65+	767	5.0	7	2	2	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	419	3.1	8	<1	1	2	3	6	8	15
20-34	240	4.5	6	1	2	4	5	8	9	14
35-49	364	4.8	14	2	3	4	5	7	9	19
50-64	752	5.7	15	2	3	5	7	10	13	20
65+	997	7.8	46	2	3	6	9	15	20	37
TOT. SINGLE DX	4342	3.9	4	1	2	4	5	6	7	11
" MULTIPLE DX	2772	5.8	27	1	2	4	7	11	15	27
TOTAL 0-19 YRS	1190	2.7	5	<1	1	2	3	5	6	11
20-34	1148	3.8	3	1	2	4	4	6	7	9
35-49	1222	4.1	6	1	2	4	5	6	7	11
50-64	1790	4.9	9	2	2	4	6	8	10	15
65+	1764	6.6	31	2	3	5	8	12	16	28
GRAND TOTAL	**7114**	**4.6**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**19**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.4	1	1	1	2	3	4	5	8
20-34	52	4.2	2	2	3	4	5	6	7	9
35-49	69	4.2	3	2	2	4	5	6	7	12
50-64	117	4.8	3	2	3	5	6	7	8	10
65+	59	5.3	4	2	3	5	7	8	9	11
2. MULTIPLE DX										
0-19 YRS	78	6.5	220	1	1	2	4	14	48	96
20-34	21	4.8	4	3	3	4	5	7	9	12
35-49	43	4.7	2	3	3	4	6	7	7	8
50-64	100	6.1	13	3	3	5	7	9	12	24
65+	104	8.5	49	3	4	7	10	14	20	46
TOT. SINGLE DX	371	4.2	4	1	2	4	5	7	8	9
" MULTIPLE DX	346	6.7	70	1	2	5	7	11	15	67
TOTAL 0-19 YRS	152	4.5	117	1	1	2	3	6	14	85
20-34	73	4.4	3	2	3	4	5	6	7	11
35-49	112	4.4	3	2	3	4	5	7	7	10
50-64	217	5.4	9	2	3	5	6	8	9	18
65+	163	7.4	36	3	3	6	9	12	16	39
GRAND TOTAL	717	5.4	37	1	2	4	6	9	11	27

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.2	3	1	1	3	5	6	6	6
20-34	21	3.9	3	2	2	3	4	7	8	9
35-49	43	3.8	2	1	2	4	5	6	6	7
50-64	39	4.3	2	2	3	4	5	7	8	9
65+	54	6.3	12	3	3	5	7	12	14	19
2. MULTIPLE DX										
0-19 YRS										
20-34	14	4.4	5	1	2	4	5	9	9	9
35-49	19	5.4	12	1	2	5	7	10	14	16
50-64	29	6.7	19	2	3	5	8	15	15	18
65+	64	10.9	77	3	4	8	13	19	28	52
TOT. SINGLE DX	170	4.7	7	2	2	4	6	8	9	16
" MULTIPLE DX	126	8.4	53	2	3	6	10	17	19	43
TOTAL 0-19 YRS	13	3.2	4	1	1	3	5	6	6	6
20-34	35	4.1	4	2	3	3	5	8	9	9
35-49	62	4.3	6	1	2	4	5	7	8	15
50-64	68	5.4	11	2	3	4	6	10	14	18
65+	118	8.8	53	3	3	7	10	17	20	44
GRAND TOTAL	296	6.3	30	2	3	5	7	12	16	28

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.3	2	<1	<1	2	3	4	6	8
20-34	62	3.4	4	1	2	3	4	6	8	12
35-49	101	3.7	3	1	2	3	4	6	8	10
50-64	67	4.0	5	1	1	3	5	7	8	12
65+	32	4.8	5	1	2	5	6	8	8	11
2. MULTIPLE DX										
0-19 YRS	21	3.8	10	<1	1	2	4	9	12	13
20-34	25	4.4	10	1	2	4	5	8	11	16
35-49	66	5.3	16	1	2	4	6	11	12	26
50-64	78	6.1	18	1	2	5	8	10	15	24
65+	65	10.6	58	3	3	9	14	20	24	40
TOT. SINGLE DX	371	3.4	4	<1	1	3	4	6	8	11
" MULTIPLE DX	255	6.7	32	1	2	5	8	13	17	28
TOTAL 0-19 YRS	130	2.6	4	<1	<1	2	3	5	7	11
20-34	87	3.7	6	1	2	3	4	7	8	15
35-49	167	4.3	9	1	2	4	5	7	10	15
50-64	145	5.1	13	1	2	4	7	8	11	18
65+	97	8.6	48	2	3	7	11	17	22	39
GRAND TOTAL	626	4.7	18	1	1	3	6	9	12	23

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.6	2	<1	1	2	4	5	5	7
20-34	150	4.2	5	2	2	4	5	7	9	13
35-49	210	4.9	4	2	2	5	6	8	9	10
50-64	209	6.3	7	3	3	6	8	10	12	14
65+	133	7.5	13	3	3	7	9	11	15	17
2. MULTIPLE DX										
0-19 YRS	12	3.6	15	<1	<1	2	4	10	13	14
20-34	75	6.1	14	2	2	5	8	10	13	23
35-49	169	7.6	21	2	3	7	9	14	18	29
50-64	272	9.3	53	3	4	8	11	16	19	46
65+	264	11.5	84	4	4	9	13	22	28	50
TOT. SINGLE DX	748	5.5	9	2	2	5	7	9	11	15
" MULTIPLE DX	792	9.3	56	3	3	8	11	17	22	48
TOTAL 0-19 YRS	58	2.8	5	<1	1	2	4	5	7	14
20-34	225	4.8	9	2	2	4	6	9	10	15
35-49	379	6.1	14	2	3	5	8	10	13	22
50-64	481	8.0	36	3	3	7	10	13	16	33
65+	397	10.1	64	3	4	8	12	17	24	49
GRAND TOTAL	1540	7.4	37	2	3	6	9	13	17	34

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.0	7	1	1	4	6	8	8	8
20-34	7	7.3	11	1	2	8	10	11	11	11
35-49	15	8.0	13	1	3	8	11	12	14	14
50-64	11	8.6	8	4	4	10	11	12	12	12
65+	4	8.5	21	3	3	8	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	7	20.0	219	4	4	19	29	41	44	44
20-34	16	10.4	19	6	7	9	13	17	20	22
35-49	60	11.6	71	6	7	9	11	16	32	50
50-64	54	12.1	36	6	8	10	13	19	32	97
65+	39	16.3	83	7	9	14	18	26	40	46
TOT. SINGLE DX	42	7.6	13	1	3	8	10	12	13	14
" MULTIPLE DX	176	13.0	68	6	7	10	14	22	36	50
TOTAL 0-19 YRS	12	13.3	190	1	2	7	23	34	43	44
20-34	23	9.5	18	4	6	9	12	14	19	22
35-49	75	10.9	62	5	6	9	11	15	28	48
50-64	65	11.5	33	6	7	10	13	18	26	90
65+	43	15.6	82	5	8	13	18	25	39	46
GRAND TOTAL	**218**	**12.0**	**62**	**4**	**6**	**10**	**13**	**21**	**29**	**48**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.8	13	1	1	3	6	10	12	16
20-34	73	5.6	29	1	1	4	6	13	17	30
35-49	70	7.0	21	2	2	6	9	14	17	21
50-64	57	11.4	179	1	1	7	13	29	44	65
65+	40	11.9	70	2	3	10	17	21	32	37
2. MULTIPLE DX										
0-19 YRS	32	10.5	153	1	3	6	12	22	39	62
20-34	69	13.8	236	2	3	8	16	36	43	75
35-49	103	12.6	109	2	3	10	17	29	32	79
50-64	180	13.6	118	2	3	11	19	28	34	92
65+	207	19.0	283	3	4	14	25	40	56	93
TOT. SINGLE DX	288	7.8	67	1	2	5	10	17	21	44
" MULTIPLE DX	591	15.2	197	2	3	11	20	32	43	84
TOTAL 0-19 YRS	80	7.1	76	1	2	5	9	14	20	56
20-34	142	9.6	146	1	2	6	11	21	35	75
35-49	173	10.4	81	2	2	8	13	21	30	60
50-64	237	13.1	133	1	2	10	18	28	38	79
65+	247	17.8	256	3	4	13	23	37	51	88
GRAND TOTAL	**879**	**12.8**	**166**	**1**	**2**	**9**	**17**	**29**	**38**	**76**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	7.0	117	2	3	5	7	11	14	79
20-34	160	6.5	19	2	3	5	7	11	15	27
35-49	48	10.3	60	2	3	8	11	20	25	44
50-64	29	8.7	30	1	3	8	11	18	20	23
65+	30	16.0	83	5	7	13	16	32	38	41
2. MULTIPLE DX										
0-19 YRS	55	8.7	57	3	3	6	9	16	30	37
20-34	194	10.6	141	3	4	7	11	23	36	98
35-49	97	12.2	113	4	5	9	14	24	34	99+
50-64	95	18.3	210	5	7	14	23	35	42	89
65+	120	21.3	223	6	8	17	29	38	63	99+
TOT. SINGLE DX	330	8.2	58	2	3	6	9	15	20	39
" MULTIPLE DX	561	14.3	178	4	4	10	18	32	41	99
TOTAL 0-19 YRS	118	7.8	90	2	3	5	8	13	21	53
20-34	354	8.7	91	2	3	6	9	16	27	82
35-49	145	11.6	96	3	5	9	13	22	32	99+
50-64	124	16.1	184	4	5	12	21	29	39	87
65+	150	20.2	199	6	8	16	27	37	46	99+
GRAND TOTAL	**891**	**12.0**	**142**	**3**	**4**	**8**	**14**	**26**	**36**	**88**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	3.5	9	<1	1	2	5	7	9	13
20-34	1004	2.6	7	<1	<1	2	3	6	7	12
35-49	148	2.7	8	<1	<1	2	2	5	8	18
50-64	10	2.8	5	<1	<1	2	2	7	7	7
65+	7	6.7	50	2	2	3	10	19	21	21
2. MULTIPLE DX										
0-19 YRS	132	4.7	22	1	1	3	7	9	11	22
20-34	1075	3.0	15	<1	<1	2	3	7	9	15
35-49	217	3.5	19	<1	<1	2	3	9	14	23
50-64	21	9.8	109	1	1	5	19	26	32	35
65+	13	7.8	61	1	1	5	10	22	24	24
TOT. SINGLE DX	1390	2.8	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1458	3.4	19	<1	<1	2	4	8	10	22
TOTAL 0-19 YRS	353	4.0	15	<1	1	3	5	8	10	15
20-34	2079	2.8	12	<1	<1	2	3	6	9	14
35-49	365	3.2	15	<1	<1	2	3	7	11	19
50-64	31	7.5	86	<1	1	3	9	22	30	35
65+	20	7.5	55	1	2	4	10	21	23	24
GRAND TOTAL	**2848**	**3.1**	**14**	**<1**	**<1**	**2**	**3**	**7**	**9**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	6.9	16	1	1	7	10	12	14	16
20-34	91	6.8	23	2	2	6	9	12	16	29
35-49	80	9.5	47	3	4	8	10	15	21	45
50-64	54	11.6	30	6	7	9	14	21	25	26
65+	40	11.9	15	6	7	11	15	17	19	21
2. MULTIPLE DX										
0-19 YRS	35	13.9	181	2	4	10	15	30	43	68
20-34	179	10.9	141	2	3	7	12	28	36	61
35-49	134	13.4	134	3	5	10	14	25	38	61
50-64	138	19.9	215	6	7	15	27	42	52	86
65+	158	24.3	358	7	8	18	32	65	81	99+
TOT. SINGLE DX	287	9.2	34	2	3	8	11	16	20	27
" MULTIPLE DX	644	16.8	239	3	5	12	21	38	56	99+
TOTAL 0-19 YRS	57	11.2	128	1	2	8	12	18	34	66
20-34	270	9.5	105	2	3	6	10	18	32	55
35-49	214	11.9	105	3	5	9	13	21	35	55
50-64	192	17.6	177	6	7	13	22	36	48	80
65+	198	21.8	314	7	8	16	28	58	76	99+
GRAND TOTAL	**931**	**14.5**	**188**	**3**	**4**	**10**	**17**	**32**	**46**	**84**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.6	15	4	4	9	11	14	14	14
20-34	13	10.7	13	7	7	10	11	18	18	18
35-49	17	13.6	24	9	10	11	15	23	24	24
50-64	35	16.5	46	8	9	15	20	23	30	40
65+	26	17.5	56	11	11	15	21	28	37	39
2. MULTIPLE DX										
0-19 YRS	21	15.1	75	4	5	13	21	25	32	39
20-34	41	15.0	113	7	8	12	16	25	40	56
35-49	50	17.3	137	8	8	13	19	32	41	67
50-64	103	19.8	148	8	9	16	24	34	39	73
65+	99	22.3	158	9	10	19	28	37	43	73
TOT. SINGLE DX	96	15.1	46	8	9	14	18	23	28	40
" MULTIPLE DX	314	19.2	146	8	9	15	24	34	41	64
TOTAL 0-19 YRS	26	13.8	69	4	5	12	20	25	29	39
20-34	54	14.0	92	7	7	11	15	21	28	56
35-49	67	16.4	111	8	9	12	19	26	38	64
50-64	138	18.9	125	8	9	16	23	33	38	62
65+	125	21.3	140	9	10	18	27	37	41	68
GRAND TOTAL	**410**	**18.3**	**126**	**8**	**9**	**15**	**22**	**33**	**39**	**62**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	11.5	33	3	4	11	13	20	21	30
20-34	64	10.8	41	2	2	10	12	16	22	34
35-49	78	9.6	34	1	3	9	12	16	20	35
50-64	70	10.7	25	2	3	11	13	17	20	23
65+	45	14.6	52	4	8	12	19	26	28	36
2. MULTIPLE DX										
0-19 YRS	72	14.6	173	2	3	12	18	23	36	82
20-34	194	15.8	170	2	4	12	19	34	48	91
35-49	166	15.4	101	3	4	14	20	27	34	65
50-64	164	16.1	147	2	6	13	20	30	44	73
65+	127	20.1	200	4	7	15	27	45	51	57
TOT. SINGLE DX	290	11.1	39	2	3	11	13	19	21	33
" MULTIPLE DX	723	16.4	157	2	4	13	20	33	45	74
TOTAL 0-19 YRS	105	13.6	131	2	3	12	17	21	31	71
20-34	258	14.5	143	2	3	11	17	32	39	80
35-49	244	13.5	87	2	4	11	17	25	30	57
50-64	234	14.5	117	2	4	12	18	26	34	71
65+	172	18.6	167	4	7	14	24	37	51	56
GRAND TOTAL	**1013**	**14.9**	**129**	**2**	**4**	**12**	**18**	**28**	**38**	**66**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	25	3	3	7	12	15	15	15
20-34	81	9.8	25	3	4	9	12	15	20	27
35-49	102	10.1	19	3	4	10	13	16	18	24
50-64	79	11.0	16	6	7	11	13	16	18	26
65+	43	11.6	17	6	8	10	14	18	19	22
2. MULTIPLE DX										
0-19 YRS	2	16.0	2	15	15	16	17	17	17	17
20-34	49	13.0	50	6	7	12	15	18	26	48
35-49	72	13.2	40	4	8	12	16	22	26	35
50-64	98	14.6	61	5	7	13	17	24	31	46
65+	64	14.9	73	5	8	14	17	20	26	57
TOT. SINGLE DX	310	10.4	20	3	5	10	13	16	18	25
" MULTIPLE DX	285	14.1	56	5	8	13	16	22	27	48
TOTAL 0-19 YRS	7	10.3	32	3	3	11	15	17	17	17
20-34	130	11.0	37	3	5	10	13	17	21	34
35-49	174	11.4	30	3	5	11	14	18	22	29
50-64	177	13.0	44	5	7	12	15	22	25	37
65+	107	13.6	53	6	8	13	16	20	21	52
GRAND TOTAL	**595**	**12.2**	**41**	**4**	**6**	**11**	**14**	**19**	**23**	**36**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	11.4	11	8	8	10	13	16	17	24
20-34	12	13.0	24	7	8	11	17	21	22	22
35-49	5	20.6	129	11	11	15	28	39	39	39
50-64	3	11.7	134	<1	<1	10	20	24	24	24
65+	3	29.3	257	14	14	28	41	46	46	46
2. MULTIPLE DX										
0-19 YRS	76	13.2	27	8	9	11	15	20	25	31
20-34	34	19.7	201	8	9	16	20	35	44	81
35-49	15	17.7	95	3	4	15	26	28	35	38
50-64	14	27.5	227	12	12	23	42	50	57	59
65+	20	32.6	328	8	9	32	49	63	81	99+
TOT. SINGLE DX	74	13.0	46	8	8	11	14	22	24	44
" MULTIPLE DX	159	18.7	168	8	9	14	23	39	48	79
TOTAL 0-19 YRS	127	12.5	22	8	9	11	14	18	24	30
20-34	46	17.9	163	7	9	14	20	32	41	81
35-49	20	18.4	99	3	7	15	25	33	38	39
50-64	17	24.7	240	3	10	23	33	48	55	59
65+	23	32.1	308	9	9	30	47	61	75	99+
GRAND TOTAL	**233**	**16.9**	**136**	**8**	**9**	**12**	**19**	**31**	**44**	**68**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	5.2	14	2	2	4	6	11	14	15
20-34	133	4.6	7	2	2	4	6	8	10	13
35-49	168	5.0	13	2	2	4	6	9	11	20
50-64	110	5.6	14	2	2	5	7	10	12	20
65+	33	5.5	18	1	2	4	7	9	13	24
2. MULTIPLE DX										
0-19 YRS	12	10.9	78	1	2	9	15	23	32	33
20-34	63	9.0	161	1	2	6	8	13	38	77
35-49	67	7.3	48	2	2	5	9	12	24	36
50-64	91	7.5	30	2	3	6	9	14	21	27
65+	61	9.7	84	2	2	6	12	19	32	42
TOT. SINGLE DX	456	5.1	12	2	2	4	6	9	11	18
" MULTIPLE DX	294	8.4	76	2	2	6	9	17	24	45
TOTAL 0-19 YRS	24	8.0	53	1	2	5	10	18	23	33
20-34	196	6.0	60	1	2	4	7	10	12	49
35-49	235	5.7	24	2	2	5	7	10	14	30
50-64	201	6.5	22	2	2	5	8	12	15	24
65+	94	8.2	65	2	2	5	10	18	28	41
GRAND TOTAL	**750**	**6.4**	**40**	**2**	**2**	**5**	**7**	**11**	**16**	**33**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.7	8	<1	<1	1	3	7	9	13
20-34	231	4.1	19	<1	<1	2	6	9	12	30
35-49	236	3.8	13	<1	<1	3	5	8	10	23
50-64	296	3.8	13	<1	<1	2	5	9	12	18
65+	402	4.9	45	<1	<1	3	6	10	16	27
2. MULTIPLE DX										
0-19 YRS	199	6.2	56	<1	1	4	8	14	23	37
20-34	291	8.4	147	<1	<1	5	9	21	35	98
35-49	345	8.6	116	<1	<1	6	10	18	31	71
50-64	731	8.6	138	<1	<1	5	10	20	29	86
65+	1645	10.0	166	<1	1	5	13	27	42	99+
TOT. SINGLE DX	1359	4.0	24	<1	<1	2	5	9	12	23
" MULTIPLE DX	3211	9.1	147	<1	1	5	11	22	36	84
TOTAL 0-19 YRS	393	4.5	36	<1	<1	2	6	11	15	32
20-34	522	6.5	95	<1	<1	4	8	15	23	84
35-49	581	6.7	80	<1	<1	4	8	14	22	49
50-64	1027	7.2	107	<1	<1	4	9	16	24	65
65+	2047	9.0	147	<1	1	5	11	23	37	84
GRAND TOTAL	**4570**	**7.6**	**116**	**<1**	**<1**	**4**	**9**	**18**	**30**	**76**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	18	4.7	6	2	2	4	7	9	10	10
35-49	54	4.6	11	1	2	4	6	9	12	19
50-64	187	4.4	13	1	2	4	5	8	9	22
65+	466	5.2	23	1	2	4	6	10	13	26
2. MULTIPLE DX										
0-19 YRS	4	11.5	8	8	8	11	13	15	15	15
20-34	21	9.9	81	2	3	7	9	26	32	33
35-49	59	6.8	28	2	2	5	9	14	17	26
50-64	310	6.4	68	1	2	5	7	11	17	58
65+	918	8.5	81	2	2	6	10	17	24	54
TOT. SINGLE DX	728	5.0	20	1	2	4	6	9	12	24
" MULTIPLE DX	1312	8.0	76	2	2	6	9	16	22	54
TOTAL 0-19 YRS	7	8.4	22	2	2	8	12	14	15	15
20-34	39	7.5	53	2	2	5	8	17	27	33
35-49	113	5.8	21	2	2	4	8	12	15	23
50-64	497	5.7	48	1	2	4	6	9	14	32
65+	1384	7.4	64	2	2	5	9	15	21	43
GRAND TOTAL	2040	6.9	58	2	2	5	8	14	20	40

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.3	36	<1	1	4	8	17	19	19
20-34	29	8.0	64	1	1	5	13	19	26	34
35-49	50	7.9	40	2	2	6	12	15	18	31
50-64	65	9.2	99	1	1	5	12	20	34	51
65+	69	9.8	89	1	1	7	15	23	28	43
2. MULTIPLE DX										
0-19 YRS	29	13.3	206	2	3	8	15	29	54	65
20-34	52	14.6	352	1	1	9	16	23	62	98
35-49	76	13.9	95	2	3	13	20	29	37	85
50-64	140	13.5	127	2	3	11	20	29	38	67
65+	281	16.2	245	2	3	12	24	41	58	99+
TOT. SINGLE DX	221	8.8	76	1	2	6	13	19	26	43
" MULTIPLE DX	578	14.9	205	2	3	11	20	34	47	99+
TOTAL 0-19 YRS	37	11.8	176	1	2	8	13	21	46	65
20-34	81	12.2	257	1	1	8	14	23	30	94
35-49	126	11.5	82	2	2	10	16	24	33	57
50-64	205	12.2	122	2	2	9	18	27	35	58
65+	350	14.9	221	2	2	10	21	36	53	99+
GRAND TOTAL	799	13.2	177	2	2	9	18	30	42	99+

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	1.4		<1	<1	1	2	2	3	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	6.0	18	2	2	5	7	13	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	16	2.2	3	1	1	2	2	5	7	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	5	9.8	114	<1	<1	6	16	27	27	27
65+	11	9.6	26	4	4	9	12	18	19	19
TOT. SINGLE DX	36	2.3	6	<1	<1	1	2	5	6	14
" MULTIPLE DX	35	6.0	37	1	1	4	9	13	19	27
TOTAL 0-19 YRS	43	1.7	2	<1	<1	1	2	3	5	8
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64	11	7.7	59	<1	1	5	11	19	26	27
65+	12	9.0	29	2	3	9	11	18	19	19
GRAND TOTAL	71	4.1	24	<1	1	2	5	10	14	25

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	8.6	27	1	2	8	13	17	17	20
20-34	33	6.8	21	<1	1	6	9	15	17	17
35-49	19	8.3	22	<1	1	9	11	15	16	16
50-64	29	5.2	10	1	2	4	8	10	11	12
65+	17	8.9	39	1	2	7	14	19	20	20
2. MULTIPLE DX										
0-19 YRS	70	8.8	34	<1	1	9	12	16	20	26
20-34	24	13.3	99	2	3	12	16	31	35	41
35-49	21	10.2	93	2	2	7	13	25	34	37
50-64	37	7.1	40	1	2	5	11	16	20	27
65+	44	10.6	113	1	2	8	14	25	32	54
TOT. SINGLE DX	185	7.8	25	1	2	7	11	16	17	20
" MULTIPLE DX	196	9.6	70	1	2	8	13	19	27	39
TOTAL 0-19 YRS	157	8.7	30	<1	2	9	12	16	18	24
20-34	57	9.6	64	1	2	8	13	17	27	40
35-49	40	9.3	59	1	2	8	12	17	26	37
50-64	66	6.3	28	1	2	4	9	12	17	26
65+	61	10.2	92	1	2	7	14	22	29	52
GRAND TOTAL	381	8.7	49	1	2	7	12	17	20	33

641: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	2.3	4	<1	<1	1	3	5	7	9
20-34	35	3.1	5	<1	<1	2	4	7	8	8
35-49	44	2.9	6	<1	<1	2	4	7	9	9
50-64	39	4.2	16	<1	1	3	5	9	14	20
65+	82	5.0	19	1	1	4	6	10	13	25
2. MULTIPLE DX										
0-19 YRS	80	5.9	128	1	1	3	6	12	17	75
20-34	60	7.5	48	<1	<1	5	11	16	24	30
35-49	69	7.2	63	<1	<1	5	9	16	23	45
50-64	110	9.6	150	<1	<1	4	12	29	43	75
65+	376	10.4	139	1	2	6	14	25	46	99+
TOT. SINGLE DX	265	3.6	12	<1	<1	2	5	8	10	17
" MULTIPLE DX	695	9.2	127	<1	1	5	12	23	35	99+
TOTAL 0-19 YRS	145	4.3	76	<1	1	2	4	9	12	30
20-34	95	5.9	36	<1	<1	4	8	13	22	28
35-49	113	5.5	45	<1	<1	4	7	12	16	37
50-64	149	8.2	121	<1	<1	4	10	23	36	59
65+	458	9.4	123	1	2	6	13	21	36	99+
GRAND TOTAL	**960**	**7.6**	**101**	**<1**	**1**	**4**	**9**	**18**	**30**	**99**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.6	7	1	1	3	6	8	9	9
20-34	42	4.8	3	2	2	5	6	7	8	9
35-49	25	5.2	6	1	2	5	8	9	9	10
50-64	26	6.0	7	2	2	6	8	10	11	11
65+	38	7.2	41	2	2	5	8	10	22	35
2. MULTIPLE DX										
0-19 YRS	10	4.6	15	1	1	3	7	10	13	13
20-34	20	8.6	24	3	4	7	12	17	18	19
35-49	19	8.0	27	1	2	7	11	15	19	22
50-64	42	8.2	67	2	3	6	10	14	18	53
65+	92	7.5	23	2	3	6	9	13	18	26
TOT. SINGLE DX	145	5.6	16	2	2	5	7	9	10	28
" MULTIPLE DX	183	7.7	34	2	3	6	10	14	18	26
TOTAL 0-19 YRS	24	4.0	10	1	1	3	6	8	10	13
20-34	62	6.0	13	2	3	5	7	11	14	19
35-49	44	6.4	17	1	2	6	8	12	15	22
50-64	68	7.4	45	2	3	6	9	12	15	47
65+	130	7.4	28	2	3	6	9	12	18	29
GRAND TOTAL	**328**	**6.7**	**27**	**2**	**2**	**6**	**8**	**12**	**16**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	26	8.6	8	6	6	8	9	12	16	17
35-49	123	8.6	6	6	6	8	10	11	13	19
50-64	72	9.7	11	6	6	9	11	13	15	22
65+	27	10.6	41	6	6	9	11	15	30	33
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	26	9.4	14	5	6	8	11	13	16	23
35-49	129	10.3	29	6	6	9	12	16	19	39
50-64	122	13.4	96	6	7	11	15	21	27	70
65+	43	18.5	241	7	8	14	18	33	60	82
TOT. SINGLE DX	248	9.1	12	6	6	8	10	12	14	22
" MULTIPLE DX	321	12.5	89	6	7	10	14	19	26	64
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	52	9.0	11	5	6	8	11	13	16	23
35-49	252	9.5	19	6	6	8	10	13	16	28
50-64	194	12.0	68	6	7	10	13	19	24	49
65+	70	15.5	178	6	7	11	16	30	39	79
GRAND TOTAL	**569**	**11.0**	**58**	**6**	**6**	**9**	**12**	**16**	**21**	**41**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	15	8.3	7	6	6	8	8	13	15	16
35-49	45	9.4	12	5	6	8	11	15	17	22
50-64	35	10.1	14	7	7	9	11	14	21	24
65+	11	14.0	104	6	6	11	15	29	41	42
2. MULTIPLE DX										
0-19 YRS										
20-34	21	10.3	54	6	7	8	10	14	27	41
35-49	80	10.3	35	6	7	9	11	16	19	43
50-64	66	12.1	33	6	7	10	15	19	23	33
65+	29	13.9	82	6	6	12	17	21	25	54
TOT. SINGLE DX	106	10.0	23	6	6	9	11	15	18	32
" MULTIPLE DX	196	11.4	45	6	7	9	13	18	22	47
TOTAL 0-19 YRS										
20-34	36	9.5	35	6	6	8	9	13	16	41
35-49	125	10.0	27	6	6	9	11	15	18	30
50-64	101	11.4	28	6	7	10	14	18	23	31
65+	40	14.0	86	6	6	12	16	21	33	54
GRAND TOTAL	**302**	**10.9**	**38**	**6**	**7**	**9**	**12**	**17**	**22**	**41**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.3	10	3	3	6	9	9	9	9
35-49	4	4.0	2	2	2	4	5	6	6	6
50-64	5	8.8	15	4	4	8	10	15	15	15
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	8.0	7	5	5	9	10	10	10	10
20-34	11	11.8	297	3	3	7	10	32	60	63
35-49	6	12.7	115	2	2	9	22	28	29	29
50-64	7	13.0	212	3	3	9	12	39	45	45
65+	13	9.2	102	1	1	9	11	20	35	39
TOT. SINGLE DX	16	6.2	16	<1	1	5	9	12	14	15
" MULTIPLE DX	40	11.0	159	1	2	8	11	25	42	63
TOTAL 0-19 YRS	4	6.3	17	1	1	7	9	10	10	10
20-34	15	10.3	221	3	3	7	9	12	50	63
35-49	10	9.2	85	2	2	5	12	25	29	29
50-64	12	11.3	126	3	4	8	12	24	42	45
65+	15	8.8	93	<1	1	9	12	15	33	39
GRAND TOTAL	**56**	**9.6**	**122**	**1**	**2**	**7**	**11**	**15**	**36**	**62**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	8.4	31	2	3	7	11	18	19	19
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	10	13.5	31	3	5	14	18	20	21	21
35-49	6	22.0	100	11	12	18	30	37	38	38
50-64	9	22.6	170	7	8	18	33	43	43	43
65+	9	24.0	147	<1	7	24	31	40	43	43
TOT. SINGLE DX	10	8.2	21	2	3	7	8	15	19	19
" MULTIPLE DX	34	20.2	121	4	8	18	28	38	43	43
TOTAL 0-19 YRS										
20-34	17	11.4	36	2	3	11	16	20	21	21
35-49	7	19.9	115	7	8	17	27	36	38	38
50-64	11	19.9	171	7	7	17	27	42	43	43
65+	9	24.0	148	<1	7	24	31	40	43	43
GRAND TOTAL	**44**	**17.5**	**123**	**3**	**6**	**17**	**21**	**36**	**42**	**43**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	12	7.2	3	3	4	7	8	9	10	10
50-64	511	7.8	9	4	5	7	9	11	13	18
65+	1053	8.7	17	4	5	8	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	2	15.5	313	3	3	15	28	28	28	28
20-34	4	12.3	23	7	7	12	16	18	18	18
35-49	38	9.6	18	4	5	9	12	17	19	21
50-64	875	10.1	56	4	5	8	11	16	21	43
65+	2625	13.4	116	5	6	10	15	25	35	67
TOT. SINGLE DX	1581	8.4	15	4	5	8	10	13	16	22
" MULTIPLE DX	3544	12.5	103	5	6	9	14	22	31	63
TOTAL 0-19 YRS	5	10.0	116	3	3	4	16	28	28	28
20-34	6	10.7	21	6	6	9	14	18	18	18
35-49	50	9.0	16	4	5	8	10	15	18	21
50-64	1386	9.2	40	4	5	8	10	14	18	34
65+	3678	12.1	93	5	6	9	13	21	29	59
GRAND TOTAL	**5125**	**11.3**	**79**	**4**	**5**	**9**	**13**	**19**	**27**	**54**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	25.0	50	20	20	25	30	30	30	30
50-64	13	13.3	48	6	7	10	16	26	28	28
65+	87	14.8	44	8	9	13	18	26	31	33
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	3	15.7	96	10	10	10	23	27	27	27
50-64	63	16.8	71	7	9	15	21	30	34	41
65+	232	18.6	131	8	9	15	22	34	44	68
TOT. SINGLE DX	103	14.7	47	6	8	13	18	26	30	33
" MULTIPLE DX	299	18.1	119	8	9	15	22	32	40	61
TOTAL 0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34										
35-49	5	19.4	87	10	10	20	28	30	30	30
50-64	76	16.2	69	6	8	14	20	29	32	40
65+	319	17.5	111	8	9	14	20	31	40	60
GRAND TOTAL	402	17.2	103	8	9	14	21	30	39	58

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	2.8	3	<1	<1	3	4	5	5	5
35-49	20	3.2	6	1	1	2	4	7	9	11
50-64	87	3.4	6	1	1	3	4	7	9	13
65+	187	5.3	32	1	2	3	6	11	14	26
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	9.1	106	1	1	6	13	27	30	30
35-49	15	6.1	184	<1	<1	2	4	5	42	55
50-64	138	6.3	46	1	2	4	8	12	19	39
65+	417	8.2	84	2	2	5	10	19	25	54
TOT. SINGLE DX	299	4.5	24	1	2	3	5	10	13	23
" MULTIPLE DX	578	7.7	78	2	2	4	10	17	25	49
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	6.5	70	<1	<1	4	6	19	28	30
35-49	35	4.4	82	<1	1	2	4	6	10	55
50-64	225	5.2	33	1	2	3	6	10	14	36
65+	604	7.3	70	2	2	4	9	16	23	47
GRAND TOTAL	877	6.6	62	1	2	4	8	14	21	41

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.9	7	1	1	2	3	5	7	18
20-34	34	2.7	1	1	1	3	4	5	5	5
35-49	28	3.8	3	1	2	3	5	7	7	9
50-64	28	4.4	9	1	1	4	5	8	10	15
65+	18	4.5	8	<1	1	4	7	9	10	11
2. MULTIPLE DX										
0-19 YRS	28	6.0	177	1	1	3	5	8	16	73
20-34	24	5.7	13	1	2	5	8	11	14	14
35-49	23	6.0	18	1	2	5	8	12	15	17
50-64	41	8.3	47	3	3	6	9	23	27	99+
65+	51	8.8	55	2	3	6	11	20	28	35
TOT. SINGLE DX	170	3.4	6	1	1	3	4	7	8	14
" MULTIPLE DX	167	7.4	63	2	2	5	8	14	24	66
TOTAL 0-19 YRS	90	3.9	61	1	1	2	4	6	8	51
20-34	58	3.9	9	1	1	3	5	8	10	14
35-49	51	4.8	11	1	2	4	6	9	12	17
50-64	69	6.8	35	1	2	5	8	15	26	86
65+	69	7.7	47	2	2	6	9	16	24	34
GRAND TOTAL	337	5.4	38	1	1	4	7	10	16	30

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	3.9	8	1	1	3	5	7	7	19
20-34	71	5.4	13	2	2	5	7	10	13	19
35-49	28	4.0	5	1	1	4	5	7	9	11
50-64	23	6.3	30	1	2	5	8	13	20	23
65+	46	7.5	31	2	2	6	10	13	19	29
2. MULTIPLE DX										
0-19 YRS	38	4.2	14	1	1	3	5	8	14	19
20-34	49	9.3	131	1	1	5	12	21	29	63
35-49	27	6.1	39	2	2	4	6	14	22	29
50-64	50	10.2	76	3	3	8	13	20	27	45
65+	133	11.5	69	3	3	9	15	22	28	46
TOT. SINGLE DX	221	5.4	18	1	2	4	7	11	13	22
" MULTIPLE DX	297	9.5	77	2	2	6	13	21	25	45
TOTAL 0-19 YRS	91	4.0	11	1	1	3	5	7	10	19
20-34	120	7.0	65	1	2	5	8	16	20	48
35-49	55	5.1	23	1	2	4	6	9	14	29
50-64	73	9.0	65	2	3	6	12	18	23	43
65+	179	10.5	63	3	3	8	14	21	25	42
GRAND TOTAL	518	7.7	56	2	2	5	10	17	22	39

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	350	2.7	2	<1	1	2	3	5	5	8
20-34	56	3.3	9	<1	1	2	4	6	10	18
35-49	6	3.3	2	2	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	214	3.2	4	1	1	3	4	5	7	14
20-34	27	4.3	6	2	2	4	6	7	9	13
35-49	3	7.0	27	4	4	4	11	13	13	13
50-64	4	9.8	26	4	4	10	14	15	15	15
65+										
TOT. SINGLE DX	412	2.8	3	<1	1	2	3	5	6	9
" MULTIPLE DX	248	3.4	6	1	1	3	4	6	8	14
TOTAL 0-19 YRS	564	2.9	3	<1	1	2	4	5	6	9
20-34	83	3.6	8	1	1	3	4	6	10	16
35-49	9	4.6	12	2	2	4	5	10	13	13
50-64	4	9.8	26	4	4	10	14	15	15	15
65+										
GRAND TOTAL	660	3.0	4	<1	1	3	4	5	7	13

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.5	2	1	1	2	3	5	6	9
20-34	56	3.0	3	<1	1	3	3	6	6	9
35-49	23	3.7	13	1	2	3	4	5	10	20
50-64	6	3.0		2	2	3	4	4	4	4
65+	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	19	2.6	4	<1	1	2	3	4	7	10
20-34	33	3.9	18	1	1	3	4	8	10	25
35-49	4	16.3	475	1	1	8	30	48	48	48
50-64	7	7.7	72	2	2	5	8	23	26	26
65+	5	8.0	26	3	3	5	13	14	14	14
TOT. SINGLE DX	160	2.9	4	1	1	2	3	5	6	9
" MULTIPLE DX	68	5.0	50	1	1	3	5	10	15	44
TOTAL 0-19 YRS	91	2.6	3	1	1	2	3	5	6	10
20-34	89	3.3	9	<1	1	3	4	6	8	19
35-49	27	5.6	87	1	1	3	4	11	24	48
50-64	13	5.5	42	2	2	3	5	12	23	26
65+	8	6.1	22	3	3	4	9	14	14	14
GRAND TOTAL	228	3.5	19	1	1	3	4	6	9	25

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	182	1.1		<1	<1	<1	1	1	2	4
35-49	71	1.1		<1	<1	<1	1	2	2	3
50-64	8	1.4		<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	40	1.9	4	<1	<1	1	2	5	6	10
35-49	24	2.3	8	<1	<1	1	2	6	11	11
50-64	2	6.5	61	<1	<1	6	12	12	12	12
65+										
TOT. SINGLE DX	261	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	66	2.2	7	<1	<1	1	2	6	10	12
TOTAL 0-19 YRS										
20-34	222	1.3	1	<1	<1	<1	1	2	3	6
35-49	95	1.4	2	<1	<1	<1	1	2	3	11
50-64	10	2.4	12	<1	<1	1	2	7	12	12
65+										
GRAND TOTAL	327	1.3	2	<1	<1	<1	1	2	3	10

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	2.4	2	<1	1	2	3	4	5	8
20-34	201	2.9	3	<1	1	3	3	5	5	9
35-49	137	2.8	3	<1	<1	2	3	5	6	14
50-64	110	3.5	3	1	2	3	4	5	7	10
65+	66	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	86	2.9	4	1	1	2	3	5	7	11
20-34	107	3.3	5	1	2	3	4	6	7	15
35-49	70	4.0	15	1	2	3	4	6	13	24
50-64	97	5.3	21	1	2	4	6	10	12	30
65+	67	6.2	33	2	2	5	7	10	15	36
TOT. SINGLE DX	730	2.9	3	<1	1	3	3	5	6	9
" MULTIPLE DX	427	4.3	16	1	2	3	5	8	11	23
TOTAL 0-19 YRS	302	2.6	3	<1	1	2	3	5	6	10
20-34	308	3.0	4	<1	1	3	4	5	6	11
35-49	207	3.2	8	<1	1	3	4	5	7	15
50-64	207	4.3	12	1	2	3	5	8	10	18
65+	133	4.7	20	1	2	3	6	8	10	27
GRAND TOTAL	1157	3.4	8	<1	1	3	4	6	8	14

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	1.8	4	<1	<1	1	2	3	4	5
20-34	40	2.1	1	<1	<1	2	2	3	4	9
35-49	16	1.6		<1	<1	2	2	2	3	3
50-64	18	2.2	2	<1	1	2	3	4	6	7
65+	9	3.7	9	1	1	2	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	77	2.4	3	<1	<1	2	3	5	6	10
20-34	15	2.9	4	<1	1	2	3	7	8	8
35-49	20	6.7	247	1	1	3	4	8	41	73
50-64	32	4.3	15	2	2	3	4	7	11	22
65+	34	8.2	179	1	1	4	9	14	22	78
TOT. SINGLE DX	673	1.9	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	336	4.4	74	<1	1	2	4	9	12	73
TOTAL 0-19 YRS	627	2.0	4	<1	<1	2	2	3	4	8
20-34	134	2.9	37	<1	<1	2	3	4	6	26
35-49	78	4.3	134	<1	<1	2	3	4	9	75
50-64	91	3.6	14	1	1	2	4	7	11	23
65+	79	6.3	99	1	1	3	8	13	24	93
GRAND TOTAL	1009	2.8	28	<1	<1	2	3	4	7	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.3		<1	<1	1	1	3	3	3
20-34	37	2.8	8	<1	<1	1	3	6	10	12
35-49	18	6.1	61	<1	<1	3	7	17	27	31
50-64	27	5.4	4	2	3	5	6	9	10	10
65+	8	7.4	16	2	2	7	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	20	5.0	30	<1	<1	4	5	9	18	26
20-34	15	4.7	12	2	2	3	6	8	13	15
35-49	24	10.9	136	3	3	6	12	32	39	49
50-64	60	7.2	21	2	3	6	9	13	16	23
65+	31	13.7	223	2	3	10	16	25	26	84
TOT. SINGLE DX	112	4.0	18	<1	<1	3	6	9	12	25
" MULTIPLE DX	150	8.6	90	2	2	6	10	16	24	49
TOTAL 0-19 YRS	42	3.1	18	<1	<1	1	4	5	8	26
20-34	52	3.3	10	<1	<1	2	4	8	11	15
35-49	42	8.9	108	<1	1	6	9	24	33	49
50-64	87	6.7	17	2	3	6	8	12	14	23
65+	39	12.4	187	2	3	10	15	24	26	84
GRAND TOTAL	262	6.6	65	<1	<1	5	8	13	22	35

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	5.4	4	3	3	5	6	8	9	13
20-34	327	5.5	3	3	4	5	6	7	8	12
35-49	54	6.5	15	4	4	6	7	9	12	29
50-64	8	6.8	4	5	5	6	8	10	10	10
65+	4	11.8	37	6	6	11	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	48	5.9	4	3	3	5	7	9	10	11
20-34	409	6.2	7	3	4	6	7	8	11	16
35-49	120	8.1	22	3	4	7	9	14	18	29
50-64	13	13.5	39	6	7	12	16	23	27	28
65+	13	21.1	331	8	8	14	22	50	68	72
TOT. SINGLE DX	460	5.7	6	3	4	5	6	8	9	16
" MULTIPLE DX	603	7.0	23	3	4	6	8	11	14	28
TOTAL 0-19 YRS	115	5.6	4	3	3	5	7	8	9	12
20-34	736	5.8	6	3	4	6	7	8	9	15
35-49	174	7.6	21	4	4	7	8	12	16	29
50-64	21	11.0	36	5	5	9	14	19	25	28
65+	17	18.9	273	6	7	14	18	41	62	72
GRAND TOTAL	1063	6.4	16	3	4	6	7	9	12	20

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	6.4	7	3	4	5	7	11	13	13
20-34	239	6.5	5	4	4	6	7	9	12	15
35-49	133	6.7	5	4	4	6	8	9	11	15
50-64	17	7.5	2	5	5	7	8	10	11	11
65+	9	7.9	2	6	6	8	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	29	7.0	5	4	4	7	8	9	12	15
20-34	470	7.3	10	4	5	7	8	11	13	23
35-49	298	7.7	11	4	5	7	8	12	15	22
50-64	31	9.4	21	5	5	8	11	14	15	28
65+	24	20.0	103	9	10	17	25	37	39	40
TOT. SINGLE DX	420	6.6	6	4	4	6	7	9	11	14
" MULTIPLE DX	852	7.9	18	4	5	7	8	12	15	26
TOTAL 0-19 YRS	51	6.7	6	3	4	7	8	10	13	15
20-34	709	7.0	9	4	4	6	8	10	13	20
35-49	431	7.4	10	4	5	7	8	11	14	21
50-64	48	8.7	16	5	5	8	10	14	15	28
65+	33	16.7	105	6	7	13	20	36	39	40
GRAND TOTAL	1272	7.4	14	4	5	7	8	11	14	25

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	35	6.7	10	3	3	6	8	11	14	16
35-49	21	7.6	5	4	5	7	9	11	13	14
50-64	14	8.6	16	4	5	8	10	11	19	21
65+	8	11.1	20	6	6	10	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	99	8.4	53	5	5	7	9	12	14	51
35-49	146	10.2	68	5	6	8	11	16	22	61
50-64	69	13.1	51	6	6	11	16	22	29	41
65+	38	17.0	112	7	8	14	21	29	52	99+
TOT. SINGLE DX	81	7.6	12	3	4	7	9	13	15	20
" MULTIPLE DX	354	11.0	72	5	5	8	12	20	26	61
TOTAL 0-19 YRS	5	4.4	4	<1	<1	5	6	6	6	6
20-34	134	8.0	42	4	5	7	8	11	14	35
35-49	167	9.9	62	5	5	8	10	15	21	56
50-64	83	12.3	48	5	6	10	16	21	26	39
65+	46	16.0	101	7	7	14	20	28	46	99+
GRAND TOTAL	435	10.4	63	5	5	8	12	18	24	60

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.5	4	1	1	3	5	6	7	7
20-34	83	4.2	4	1	1	4	6	7	7	11
35-49	12	4.4	3	<1	1	5	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	6.2	5	2	4	6	7	10	11	11
20-34	270	4.9	6	1	1	5	6	7	9	12
35-49	43	4.9	16	<1	1	5	7	9	11	22
50-64	2	9.0		9	9	9	9	9	9	9
65+										
TOT. SINGLE DX	114	4.1	5	1	1	4	6	7	7	10
" MULTIPLE DX	328	5.0	8	1	1	5	6	8	9	14
TOTAL 0-19 YRS	32	4.6	6	1	1	5	6	8	9	11
20-34	353	4.7	6	1	1	5	6	7	8	12
35-49	55	4.8	13	<1	1	5	6	8	10	22
50-64	2	9.0		9	9	9	9	9	9	9
65+										
GRAND TOTAL	442	4.7	7	1	1	5	6	7	9	13

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	22	1	1	2	7	11	11	11
20-34	932	1.3	1	<1	<1	<1	1	2	2	4
35-49	344	1.3		<1	<1	1	2	2	2	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	368	2.1	4	<1	<1	1	2	4	6	11
35-49	177	1.8	3	<1	<1	1	2	3	6	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1281	1.3	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	549	2.0	4	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	7	3.1	12	<1	<1	2	3	9	11	11
20-34	1300	1.5	2	<1	<1	1	2	2	3	7
35-49	521	1.5	1	<1	<1	1	2	2	3	7
50-64	2	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	1830	1.5	2	<1	<1	1	2	2	3	7

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.1	8	1	2	3	4	9	11	12
20-34	1529	3.0	1	1	2	3	3	4	5	8
35-49	454	2.9	1	1	2	3	3	4	5	7
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	5	3.0	4	<1	<1	3	5	5	5	5
20-34	817	4.0	7	1	2	4	5	6	8	12
35-49	280	3.8	6	1	2	3	4	6	8	16
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	2001	3.0	2	1	2	3	3	4	5	8
" MULTIPLE DX	1103	4.0	7	1	2	3	5	6	8	13
TOTAL 0-19 YRS	20	3.8	7	<1	1	3	4	7	10	12
20-34	2346	3.3	4	1	2	3	4	5	6	9
35-49	734	3.2	4	1	2	3	4	5	6	11
50-64	4	3.5	4	1	1	3	5	6	6	6
65+										
GRAND TOTAL	3104	3.3	4	1	2	3	4	5	6	10

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.9	2	4	4	6	7	8	9	10
20-34	654	5.0	4	2	3	5	6	7	8	11
35-49	97	5.0	3	2	3	5	6	7	8	10
50-64	2	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	20	5.3	2	2	3	5	6	7	8	10
20-34	729	5.7	4	3	4	6	6	8	9	12
35-49	103	5.9	4	2	4	6	7	8	10	13
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	1	53.0		53	53	53	53	53	53	53
TOT. SINGLE DX	778	5.1	4	2	3	5	6	7	8	11
" MULTIPLE DX	855	5.8	7	3	4	6	7	8	9	13
TOTAL 0-19 YRS	45	5.6	3	3	4	5	6	8	9	10
20-34	1383	5.4	5	3	3	5	6	7	8	12
35-49	200	5.4	4	2	3	5	7	8	9	12
50-64	4	6.0	11	2	2	6	8	10	10	10
65+	1	53.0		53	53	53	53	53	53	53
GRAND TOTAL	1633	5.4	6	3	3	5	6	8	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.3	1	1	1	2	3	4	5	5
20-34	459	2.4	1	<1	<1	2	3	4	5	8
35-49	165	2.4	3	<1	<1	2	3	4	5	10
50-64	58	2.4	1	<1	1	2	3	4	4	9
65+	12	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	2.5	1	<1	<1	2	4	4	4	4
20-34	221	2.8	6	<1	<1	2	3	5	6	10
35-49	119	2.7	2	<1	1	2	3	4	5	10
50-64	38	3.9	19	<1	1	2	4	6	15	23
65+	8	5.9	17	1	1	5	9	11	12	12
TOT. SINGLE DX	706	2.4	2	<1	1	2	3	4	5	9
" MULTIPLE DX	392	2.9	7	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	18	2.4	2	<1	1	2	3	4	5	5
20-34	680	2.6	3	<1	<1	2	3	5	5	9
35-49	284	2.5	3	<1	1	2	3	4	5	10
50-64	96	3.0	9	<1	1	2	3	5	6	20
65+	20	3.9	10	<1	1	3	5	9	11	12
GRAND TOTAL	1098	2.6	4	<1	<1	2	3	4	5	10

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	58	2.9	26	<1	<1	2	3	5	7	36
35-49	46	3.5	53	<1	<1	2	3	8	13	48
50-64	30	3.7	34	<1	<1	2	3	9	17	29
65+	18	6.4	56	<1	<1	2	13	18	22	24
2. MULTIPLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	47	2.2	2	<1	<1	2	3	5	6	7
35-49	72	3.9	27	<1	<1	2	5	10	13	28
50-64	44	7.3	179	<1	1	2	4	36	44	51
65+	39	10.0	136	1	1	6	12	35	44	99+
TOT. SINGLE DX	154	3.6	39	<1	<1	2	3	8	16	39
" MULTIPLE DX	205	5.4	81	<1	<1	2	6	12	31	49
TOTAL 0-19 YRS	5	2.6	4	<1	<1	2	4	6	6	6
20-34	105	2.6	15	<1	<1	2	3	5	6	22
35-49	118	3.8	37	<1	<1	2	3	9	13	36
50-64	74	5.8	122	<1	1	2	3	11	39	50
65+	57	8.9	112	<1	1	5	12	24	40	96
GRAND TOTAL	359	4.6	64	<1	<1	2	4	10	19	48

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	193	3.0	5	1	2	2	4	4	6	9
35-49	18	2.6	1	1	1	2	3	4	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	56	6.5	179	2	2	3	6	10	15	94
35-49	10	3.3	4	1	1	3	5	7	8	8
50-64										
65+										
TOT. SINGLE DX	214	2.9	6	1	1	2	3	4	5	8
" MULTIPLE DX	68	6.0	149	1	2	3	5	9	13	86
TOTAL 0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	249	3.8	47	1	2	3	4	5	7	31
35-49	28	2.8	2	1	1	3	3	5	6	8
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	282	3.7	41	1	2	3	4	5	7	26

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	61	5.3	5	1	2	6	7	8	9	11
35-49	24	3.7	8	<1	<1	3	6	8	9	10
50-64	6	3.2	4	1	1	3	4	7	7	7
65+	4	1.8		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	84	6.1	20	1	2	6	7	9	12	31
35-49	47	7.2	94	1	1	6	7	11	27	56
50-64	15	5.7	58	<1	1	2	7	19	25	27
65+	10	4.3	10	<1	<1	3	8	9	10	10
TOT. SINGLE DX	96	4.6	7	<1	1	5	7	8	8	11
" MULTIPLE DX	159	6.2	45	<1	1	6	7	9	14	40
TOTAL 0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	145	5.8	14	1	2	6	7	8	11	23
35-49	71	6.0	68	<1	1	5	7	9	12	53
50-64	21	5.0	43	<1	1	2	6	13	23	27
65+	14	3.6	9	<1	<1	2	4	8	10	10
GRAND TOTAL	255	5.6	31	<1	1	5	7	8	11	35

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	422	7.2	2	5	6	7	8	9	10	13
35-49	716	7.6	3	5	6	7	8	9	11	15
50-64	124	8.0	5	5	6	7	9	11	13	17
65+	64	9.4	34	6	6	8	9	13	18	39
2. MULTIPLE DX										
0-19 YRS	25	8.5	14	5	6	7	8	16	18	20
20-34	1742	7.8	8	5	6	7	8	10	13	19
35-49	3823	8.1	11	6	6	7	9	11	13	20
50-64	866	9.5	27	6	6	8	10	14	17	34
65+	257	13.8	89	7	7	11	15	25	29	63
TOT. SINGLE DX	1327	7.6	5	5	6	7	8	9	11	16
" MULTIPLE DX	6713	8.4	17	6	6	7	9	12	15	25
TOTAL 0-19 YRS	26	8.4	14	5	6	7	8	16	18	20
20-34	2164	7.7	7	5	6	7	8	10	12	19
35-49	4539	8.1	10	6	6	7	8	10	13	20
50-64	990	9.3	25	6	6	8	10	14	17	31
65+	321	12.9	81	7	7	10	14	23	28	56
GRAND TOTAL	8040	8.3	15	5	6	7	9	11	14	24

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	188	6.6	2	5	5	6	7	8	9	13
35-49	190	6.8	3	5	5	7	7	9	10	15
50-64	72	8.6	12	5	6	7	9	14	15	22
65+	80	9.8	17	6	6	9	11	15	18	28
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	587	7.4	9	5	5	7	8	10	12	20
35-49	1021	7.7	10	5	5	7	8	11	14	23
50-64	356	9.8	20	6	6	8	11	15	18	23
65+	289	11.2	26	6	7	10	13	18	21	31
TOT. SINGLE DX	531	7.4	8	5	5	7	8	10	13	18
" MULTIPLE DX	2254	8.4	16	5	5	7	9	13	16	24
TOTAL 0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	775	7.2	8	5	5	7	8	10	12	18
35-49	1211	7.6	9	5	5	7	8	11	13	21
50-64	428	9.6	19	6	6	8	11	15	18	23
65+	369	10.9	24	6	7	9	13	18	21	31
GRAND TOTAL	2785	8.2	14	5	5	7	9	12	15	23

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	17.0	8	15	15	17	19	19	19	19
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34	14	18.5	98	9	12	15	18	36	44	46
35-49	16	20.4	74	10	13	18	26	29	40	44
50-64	11	26.1	134	11	12	27	35	41	46	47
65+	8	41.9	172	24	26	39	50	62	65	65
TOT. SINGLE DX	5	15.6	25	8	8	15	19	21	21	21
" MULTIPLE DX	49	24.6	170	11	13	19	33	45	48	65
TOTAL 0-19 YRS										
20-34	16	18.3	86	9	13	15	18	33	43	46
35-49	17	20.4	70	10	13	19	26	29	39	44
50-64	12	24.6	150	8	10	24	34	40	46	47
65+	9	38.9	231	15	19	38	49	61	65	65
GRAND TOTAL	**54**	**23.8**	**163**	**9**	**13**	**19**	**31**	**44**	**47**	**65**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.4	1	<1	<1	1	1	2	3	9
20-34	113	1.7	2	<1	<1	1	2	2	3	11
35-49	5	1.8		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	86	3.5	31	<1	1	2	3	7	15	34
35-49	29	2.6	2	1	1	2	3	5	6	7
50-64										
65+										
TOT. SINGLE DX	167	1.6	2	<1	<1	1	2	2	3	9
" MULTIPLE DX	127	3.1	23	<1	1	2	3	6	8	27
TOTAL 0-19 YRS	61	1.4	1	<1	<1	1	1	2	3	8
20-34	199	2.5	16	<1	<1	1	2	4	7	22
35-49	34	2.5	2	1	1	2	3	5	6	7
50-64										
65+										
GRAND TOTAL	**294**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**6**	**19**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	551	1.9	2	<1	1	1	2	3	5	8
20-34	5191	1.7	1	<1	<1	1	2	3	4	7
35-49	1531	1.5	1	<1	<1	1	2	2	3	6
50-64	524	1.7	5	<1	<1	1	2	2	3	9
65+	133	2.3	4	<1	1	2	2	4	5	14
2. MULTIPLE DX										
0-19 YRS	175	2.5	3	<1	1	2	3	5	6	10
20-34	1733	2.6	16	<1	<1	2	3	5	7	17
35-49	1468	2.2	10	<1	<1	1	2	4	7	16
50-64	740	2.8	16	<1	<1	2	2	6	9	25
65+	267	5.1	72	<1	1	2	5	11	19	88
TOT. SINGLE DX	7930	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	4383	2.6	18	<1	<1	2	2	5	8	20
TOTAL 0-19 YRS	726	2.0	3	<1	1	1	2	4	5	9
20-34	6924	1.9	5	<1	<1	1	2	3	5	9
35-49	2999	1.9	6	<1	<1	1	2	3	4	11
50-64	1264	2.4	12	<1	<1	2	2	4	7	21
65+	400	4.2	52	<1	1	2	4	9	14	46
GRAND TOTAL	**12313**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	563	1.1		<1	<1	<1	<1	1	2	3
20-34	1264	1.1		<1	<1	<1	<1	1	2	2
35-49	76	1.0		<1	<1	<1	<1	1	1	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	140	1.7	5	<1	<1	<1	1	2	5	15
20-34	774	1.9	16	<1	<1	<1	2	3	4	11
35-49	187	1.9	2	<1	<1	1	3	3	4	8
50-64										
65+										
TOT. SINGLE DX	1903	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	1101	1.9	12	<1	<1	<1	2	3	4	12
TOTAL 0-19 YRS	703	1.2	1	<1	<1	<1	<1	1	2	5
20-34	2038	1.4	6	<1	<1	<1	<1	2	3	6
35-49	263	1.7	2	<1	<1	<1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**3004**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.6		<1	<1	1	2	3	4	4
20-34	237	1.6	1	<1	<1	1	2	3	4	5
35-49	14	1.4		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	2.8	1	1	1	3	4	5	5	5
20-34	68	2.5	5	<1	1	2	3	5	8	15
35-49	9	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	276	1.6	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	85	2.4	5	<1	1	2	3	4	6	14
TOTAL 0-19 YRS	33	1.8	1	<1	<1	1	3	3	4	5
20-34	305	1.8	2	<1	<1	1	2	3	4	9
35-49	23	1.4		<1	<1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	361	1.8	2	<1	<1	1	2	3	4	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	31	5.8	3	4	4	6	6	8	9	13
35-49	4	5.0	8	1	1	6	7	7	7	7
50-64	3	9.0	13	6	6	8	12	13	13	13
65+	6	9.0	3	7	7	9	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	5.7		5	5	6	6	7	7	7
20-34	59	5.7	5	2	4	5	7	8	9	17
35-49	19	8.8	107	3	4	7	8	10	33	51
50-64	8	22.5	559	8	9	14	20	63	80	80
65+	11	10.5	13	4	6	10	13	16	17	17
TOT. SINGLE DX	45	6.4	6	3	4	6	7	9	12	13
" MULTIPLE DX	103	8.1	83	3	4	6	8	12	17	65
TOTAL 0-19 YRS	7	5.6	1	5	5	5	6	7	7	7
20-34	90	5.7	5	3	4	5	7	8	9	15
35-49	23	8.2	92	2	3	7	8	9	25	51
50-64	11	18.8	434	6	7	13	18	45	77	80
65+	17	9.9	10	5	7	10	11	15	16	17
GRAND TOTAL	148	7.6	60	3	4	6	8	12	14	52

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	75	2.6	4	<1	<1	2	3	6	7	9
35-49	9	3.1	5	<1	<1	2	5	6	6	6
50-64	4	6.3	5	4	4	6	8	9	9	9
65+	6	21.2	320	5	5	13	41	45	46	46
2. MULTIPLE DX										
0-19 YRS	5	2.6	4	1	1	2	3	6	6	6
20-34	101	3.6	7	<1	<1	2	6	8	9	12
35-49	21	6.7	138	<1	<1	3	5	19	40	47
50-64	11	12.4	283	<1	1	7	13	39	56	58
65+	10	8.3	108	1	1	6	7	23	37	37
TOT. SINGLE DX	100	3.9	40	<1	<1	2	5	7	9	43
" MULTIPLE DX	148	5.0	57	<1	<1	3	6	9	11	47
TOTAL 0-19 YRS	11	2.3	4	<1	<1	2	2	6	6	6
20-34	176	3.2	7	<1	<1	2	5	7	8	10
35-49	30	5.6	100	<1	<1	3	5	8	35	47
50-64	15	10.7	211	<1	2	7	9	27	50	58
65+	16	13.1	213	1	2	7	14	41	44	46
GRAND TOTAL	248	4.5	50	<1	<1	2	6	8	10	46

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	31	8.8	14	3	4	8	12	15	15	16
35-49	117	8.0	12	4	4	7	9	12	15	20
50-64	162	8.5	15	5	5	7	10	12	15	27
65+	99	7.9	7	5	5	7	9	11	13	19
2. MULTIPLE DX										
0-19 YRS										
20-34	96	9.0	39	4	4	8	10	14	16	43
35-49	262	10.3	33	5	6	9	12	16	20	30
50-64	358	10.0	30	5	6	8	12	16	20	33
65+	236	10.7	36	5	6	9	12	17	22	35
TOT. SINGLE DX	409	8.3	13	4	5	7	9	12	15	20
" MULTIPLE DX	952	10.2	34	5	6	9	12	16	20	33
TOTAL 0-19 YRS										
20-34	127	8.9	33	4	4	8	11	14	15	34
35-49	379	9.6	28	4	5	8	12	16	19	28
50-64	520	9.5	26	5	6	8	11	15	18	30
65+	335	9.9	29	5	6	8	11	16	20	30
GRAND TOTAL	1361	9.6	28	5	5	8	11	15	18	29

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	82	<1	<1	1	3	20	27	27
20-34	53	5.2	19	1	1	4	7	11	15	22
35-49	25	4.4	6	1	1	4	6	8	9	11
50-64	13	6.7	6	1	3	7	8	10	10	10
65+	7	9.3	41	2	2	8	14	19	20	20
2. MULTIPLE DX										
0-19 YRS	6	6.3	25	1	1	6	8	14	15	15
20-34	32	6.2	17	<1	2	6	8	11	17	19
35-49	21	7.6	29	1	2	7	10	12	18	26
50-64	17	11.1	167	1	3	8	10	26	46	55
65+	14	20.1	201	3	6	17	27	41	47	49
TOT. SINGLE DX	106	5.4	21	1	1	4	7	10	15	24
" MULTIPLE DX	90	9.6	97	1	2	7	10	23	30	53
TOTAL 0-19 YRS	14	5.4	55	<1	<1	2	7	16	25	27
20-34	85	5.6	19	1	1	4	7	10	15	21
35-49	46	5.9	19	1	1	5	8	11	11	26
50-64	30	9.2	100	1	3	7	9	11	30	55
65+	21	16.5	170	2	3	11	24	38	44	49
GRAND TOTAL	196	7.3	60	1	1	5	8	13	23	45

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.3	18	<1	<1	2	2	11	15	15
20-34	92	3.4	15	<1	<1	2	4	8	11	23
35-49	42	3.7	21	<1	<1	2	4	7	13	24
50-64	20	5.6	12	<1	1	6	7	11	12	13
65+	21	5.3	12	1	2	5	7	10	12	15
2. MULTIPLE DX										
0-19 YRS	25	4.4	16	<1	1	3	6	11	13	17
20-34	62	5.2	17	<1	<1	4	7	11	14	20
35-49	54	7.3	36	1	1	6	10	17	20	24
50-64	64	8.4	55	1	2	7	9	16	19	43
65+	78	11.3	123	2	3	8	13	23	41	57
TOT. SINGLE DX	205	3.8	17	<1	<1	2	5	9	12	22
" MULTIPLE DX	283	7.9	64	1	2	6	9	16	21	46
TOTAL 0-19 YRS	55	3.8	17	<1	<1	2	5	11	14	17
20-34	154	4.1	17	<1	<1	3	5	9	12	21
35-49	96	5.7	33	<1	1	3	7	16	20	24
50-64	84	7.7	46	1	2	7	9	15	17	41
65+	99	10.1	105	2	2	7	12	19	33	54
GRAND TOTAL	488	6.2	48	<1	1	4	8	13	18	41

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	1.9	1	<1	<1	2	3	3	4	5
20-34	321	2.1	4	<1	<1	2	2	4	5	10
35-49	145	2.4	4	<1	1	2	3	4	5	13
50-64	50	3.1	24	<1	<1	2	3	4	6	32
65+	19	6.5	146	1	2	3	4	16	39	53
2. MULTIPLE DX										
0-19 YRS	22	3.4	11	<1	<1	2	3	8	11	15
20-34	99	4.3	107	<1	1	2	3	9	12	65
35-49	49	3.2	12	<1	<1	2	4	7	10	20
50-64	39	4.0	22	<1	1	2	4	11	21	99+
65+	32	7.3	57	2	2	4	10	22	26	28
TOT. SINGLE DX	596	2.4	11	<1	<1	2	3	4	5	16
" MULTIPLE DX	241	4.4	60	<1	1	2	4	10	15	36
TOTAL 0-19 YRS	83	2.3	4	<1	<1	2	3	4	6	13
20-34	420	2.7	30	<1	<1	2	3	4	6	15
35-49	194	2.6	7	<1	1	2	3	4	7	16
50-64	89	3.5	23	<1	<1	2	3	6	18	73
65+	51	7.0	88	2	2	3	7	21	26	53
GRAND TOTAL	837	3.0	26	<1	<1	2	3	5	8	24

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	5	3.6	6	<1	<1	3	5	7	7	7
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	6	21.7	146	12	12	18	27	41	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34	9	6.9	27	1	1	5	11	14	16	16
35-49	5	20.0	354	5	5	9	40	42	42	42
50-64	10	20.9	228	4	4	20	37	39	40	40
65+	15	17.3	117	5	7	12	23	38	41	42
TOT. SINGLE DX	18	9.7	122	1	2	5	12	25	37	43
" MULTIPLE DX	39	16.2	169	2	4	12	25	39	41	42
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	5.7	23	1	2	3	9	13	15	16
35-49	10	11.8	235	<1	1	5	9	40	42	42
50-64	12	18.4	221	4	4	12	35	38	40	40
65+	21	18.5	123	6	8	14	25	40	42	43
GRAND TOTAL	57	14.1	161	2	2	11	19	38	41	43

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	5.4	58	1	1	3	4	19	25	26
20-34	17	3.1	3	<1	<1	3	3	7	7	7
35-49	4	3.8	11	1	1	3	6	8	8	8
50-64	5	4.6	5	2	2	4	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	4	4.5	5	3	3	4	6	8	8	8
20-34	20	2.9	2	<1	<1	3	4	5	5	5
35-49	4	11.5	15	7	7	11	14	16	16	16
50-64	7	4.6	12	2	2	3	8	10	10	10
65+	5	5.6	15	2	2	4	7	12	12	12
TOT. SINGLE DX	38	4.1	22	<1	1	3	4	8	13	26
" MULTIPLE DX	40	4.5	13	<1	1	3	5	10	12	16
TOTAL 0-19 YRS	16	5.2	44	1	1	3	4	15	23	26
20-34	37	2.9	3	<1	<1	3	4	5	6	7
35-49	8	7.6	29	1	1	7	11	15	16	16
50-64	12	4.6	8	2	2	4	6	9	10	10
65+	5	5.6	15	2	2	4	7	12	12	12
GRAND TOTAL	78	4.3	17	<1	1	3	5	9	13	23

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.6	8	<1	<1	1	3	7	10	10
20-34	23	3.6	21	<1	<1	1	4	11	15	18
35-49	3	4.7	10	<1	<1	6	7	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	8	6.4	48	1	1	3	11	18	18	18
2. MULTIPLE DX										
0-19 YRS	7	6.4	31	2	2	3	12	15	15	15
20-34	17	5.1	111	<1	<1	2	3	10	33	45
35-49	7	5.3	19	2	2	4	7	13	14	14
50-64	6	9.2	56	2	2	7	14	20	21	21
65+	10	14.5	261	2	2	8	16	44	45	45
TOT. SINGLE DX	45	3.9	22	<1	<1	2	4	10	17	18
" MULTIPLE DX	47	7.9	117	<1	1	3	10	16	43	45
TOTAL 0-19 YRS	16	4.3	21	<1	1	3	4	14	15	15
20-34	40	4.2	59	<1	<1	2	4	10	16	45
35-49	10	5.1	15	<1	1	5	7	11	14	14
50-64	8	7.6	49	2	2	4	12	19	21	21
65+	18	10.9	176	1	2	5	16	35	44	45
GRAND TOTAL	92	5.9	74	<1	<1	3	7	15	18	45

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	171	4.7	3	3	3	4	5	6	7	13
20-34	1701	4.5	4	3	3	4	5	6	7	9
35-49	63	4.4	1	3	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	283	5.3	10	3	3	5	6	7	9	24
20-34	3010	5.4	14	3	3	5	6	7	9	19
35-49	183	6.1	34	3	3	5	6	9	13	38
50-64										
65+										
TOT. SINGLE DX	1935	4.5	5	3	3	4	5	6	7	10
" MULTIPLE DX	3476	5.4	15	3	3	5	6	7	9	21
TOTAL 0-19 YRS	454	5.1	8	3	3	5	6	7	8	22
20-34	4711	5.1	11	3	3	5	6	7	8	15
35-49	246	5.7	27	3	3	5	6	8	10	33
50-64										
65+										
GRAND TOTAL	5411	5.1	11	3	3	5	6	7	9	16

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.1	7	3	3	4	7	10	10	10
20-34	86	4.6	6	3	3	4	5	6	7	19
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	4.7	6	1	2	4	6	8	10	11
20-34	308	5.9	51	2	2	5	6	8	10	40
35-49	23	5.3	14	1	2	5	6	7	13	21
50-64										
65+										
TOT. SINGLE DX	96	4.6	6	3	3	4	5	6	8	18
" MULTIPLE DX	354	5.8	46	2	2	5	6	8	10	31
TOTAL 0-19 YRS	30	4.8	7	1	2	4	6	9	10	11
20-34	394	5.6	42	2	3	4	6	8	10	31
35-49	26	5.2	13	2	2	5	6	7	11	21
50-64										
65+										
GRAND TOTAL	450	5.5	38	2	2	4	6	8	10	30

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	4.8	3	3	3	4	5	7	8	11
20-34	554	4.6	2	3	3	4	5	6	7	10
35-49	28	4.5	2	2	2	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	145	5.5	8	3	3	5	6	8	8	15
20-34	1912	5.5	13	3	3	5	6	8	9	17
35-49	131	6.0	15	3	3	5	7	9	10	30
50-64										
65+										
TOT. SINGLE DX	632	4.6	3	3	3	4	5	6	8	10
" MULTIPLE DX	2188	5.5	13	3	3	5	6	8	9	18
TOTAL 0-19 YRS	195	5.3	7	3	3	5	6	8	8	13
20-34	2466	5.3	11	3	3	5	6	7	9	15
35-49	159	5.8	14	3	3	5	6	9	10	28
50-64										
65+										
GRAND TOTAL	**2820**	**5.3**	**11**	**3**	**3**	**5**	**6**	**7**	**9**	**15**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2107	4.5	3	2	3	4	5	6	7	11
20-34	18712	4.2	3	2	3	4	5	6	7	9
35-49	739	4.2	5	2	3	4	5	6	7	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	734	5.3	8	2	3	5	6	8	10	18
20-34	9314	5.0	12	2	3	4	6	7	9	19
35-49	736	5.2	22	2	3	5	6	7	9	18
50-64										
65+										
TOT. SINGLE DX	21558	4.2	4	2	3	4	5	6	7	9
" MULTIPLE DX	10784	5.1	13	2	3	4	6	7	9	19
TOTAL 0-19 YRS	2841	4.7	5	2	3	4	5	7	8	14
20-34	28026	4.5	7	2	3	4	5	6	7	13
35-49	1475	4.7	14	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**32342**	**4.5**	**7**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	6.9	7	4	5	7	7	8	10	21
20-34	2830	6.6	6	5	5	6	7	8	9	13
35-49	129	7.1	7	4	5	7	8	8	11	21
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	422	8.3	28	5	5	7	9	11	16	41
20-34	7142	7.8	27	5	5	7	8	11	14	34
35-49	674	8.5	38	5	5	7	9	12	16	38
50-64										
65+										
TOT. SINGLE DX	3124	6.6	6	5	5	6	7	8	9	14
" MULTIPLE DX	8238	7.9	29	5	5	7	8	11	15	35
TOTAL 0-19 YRS	587	7.9	23	5	5	7	8	11	14	27
20-34	9972	7.5	22	5	5	7	8	10	13	29
35-49	803	8.3	34	5	5	7	8	11	16	36
50-64										
65+										
GRAND TOTAL	**11362**	**7.6**	**23**	**5**	**5**	**7**	**8**	**10**	**13**	**30**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.0	3	7	7	7	9	11	11	11
20-34	59	7.5	4	5	5	7	8	10	10	18
35-49	5	9.6	49	5	5	7	11	22	22	22
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	7.6		7	7	8	8	8	8	8
20-34	109	10.9	135	5	5	7	9	20	30	76
35-49	13	8.2	5	5	5	8	10	11	12	12
50-64										
65+										
TOT. SINGLE DX	71	7.7	7	5	5	7	8	10	11	21
" MULTIPLE DX	129	10.4	116	5	5	8	9	16	26	70
TOTAL 0-19 YRS	14	7.8	2	7	7	7	8	10	11	11
20-34	168	9.7	92	5	5	7	9	15	23	61
35-49	18	8.6	16	5	5	8	10	12	18	22
50-64										
65+										
GRAND TOTAL	**200**	**9.5**	**79**	**5**	**5**	**7**	**9**	**14**	**22**	**56**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	29	5.7	16	2	3	6	6	7	9	25
35-49	3	4.3		4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	44	5.3	5	2	3	5	7	8	10	12
35-49	12	5.3	3	3	3	5	7	8	9	9
50-64										
65+										
TOT. SINGLE DX	33	5.7	15	2	3	6	6	7	9	25
" MULTIPLE DX	56	5.3	5	2	3	5	7	7	10	12
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	73	5.5	9	2	3	5	6	7	10	22
35-49	15	5.1	3	3	3	5	6	7	9	9
50-64										
65+										
GRAND TOTAL	89	5.5	8	2	3	5	6	7	9	20

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	1.7		1	1	2	2	3	3	5
20-34	91	1.8	1	1	1	1	2	3	4	8
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	114	1.6		1	1	1	2	2	3	4
20-34	197	1.8	1	1	1	2	2	3	4	6
35-49	17	1.8		1	1	2	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	158	1.7	1	1	1	1	2	3	4	7
" MULTIPLE DX	328	1.7	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	174	1.6	1	1	1	1	2	3	3	4
20-34	288	1.8	1	1	1	1	2	3	4	7
35-49	24	1.8	1	1	1	2	2	3	4	4
50-64										
65+										
GRAND TOTAL	486	1.7	1	1	1	1	2	3	3	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.5	64	<1	<1	4	7	20	22	22
20-34	91	3.3	25	<1	<1	1	3	9	14	26
35-49	4	3.5	9	<1	<1	3	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	16.5	666	3	3	7	9	63	69	69
20-34	30	8.0	117	<1	<1	5	9	17	25	56
35-49	5	5.8	61	<1	<1	1	10	19	19	19
50-64										
65+										
TOT. SINGLE DX	101	3.5	27	<1	<1	1	3	9	15	25
" MULTIPLE DX	41	9.0	185	<1	<1	5	9	19	39	69
TOTAL 0-19 YRS	12	11.5	360	<1	<1	6	8	36	64	69
20-34	121	4.5	52	<1	<1	1	5	11	17	35
35-49	9	4.8	35	<1	<1	1	7	14	19	19
50-64										
65+										
GRAND TOTAL	142	5.1	78	<1	<1	2	6	12	20	57

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	2.8	4	<1	<1	2	4	5	7	10
20-34	2344	3.4	15	<1	<1	3	4	5	7	18
35-49	114	3.6	10	<1	<1	3	5	6	8	19
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	299	4.3	13	<1	1	4	5	7	9	23
20-34	2842	4.5	12	1	1	4	5	7	9	18
35-49	179	5.1	16	1	2	4	6	8	10	29
50-64										
65+										
TOT. SINGLE DX	2781	3.3	14	<1	<1	3	4	5	7	17
" MULTIPLE DX	3320	4.5	13	1	1	4	5	7	9	19
TOTAL 0-19 YRS	622	3.5	9	<1	<1	3	5	6	8	19
20-34	5186	4.0	14	<1	1	4	5	6	8	18
35-49	293	4.5	15	<1	1	4	5	8	9	27
50-64										
65+										
GRAND TOTAL	6101	4.0	14	<1	1	4	5	6	8	18

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	4.1	2	2	2	4	5	6	6	9
20-34	3949	3.9	2	2	3	4	5	5	6	8
35-49	232	4.1	3	2	2	4	5	6	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	276	4.8	5	2	3	4	6	7	8	15
20-34	4052	4.7	8	2	3	4	5	7	8	14
35-49	326	5.1	24	2	3	4	6	7	9	22
50-64										
65+										
TOT. SINGLE DX	4459	3.9	2	2	3	4	5	5	6	8
" MULTIPLE DX	4654	4.7	9	2	3	4	5	7	8	15
TOTAL 0-19 YRS	554	4.4	4	2	3	4	5	6	7	12
20-34	8001	4.3	5	2	3	4	5	6	7	11
35-49	558	4.7	16	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	9113	4.3	6	2	3	4	5	6	7	12

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	3	3	3	4	6	7	8	8
20-34	16	4.7	66	1	2	2	4	5	26	35
35-49	7	5.4	17	2	2	4	8	12	13	13
50-64	12	8.9	44	2	2	8	13	20	21	21
65+	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	4.4	7	2	2	4	5	9	9	9
20-34	13	8.1	128	1	2	4	7	26	38	41
35-49	9	6.2	39	<1	<1	5	8	17	21	21
50-64	16	22.1	507	5	5	10	43	57	69	74
65+	10	27.4	617	1	2	24	30	67	86	86
TOT. SINGLE DX	46	5.9	40	2	2	4	6	13	19	35
" MULTIPLE DX	53	15.3	371	1	2	6	21	44	57	86
TOTAL 0-19 YRS	13	4.5	4	2	2	4	5	8	9	9
20-34	29	6.2	94	1	2	3	5	17	35	41
35-49	16	5.9	28	<1	<1	4	8	13	19	21
50-64	28	16.4	344	2	3	10	17	45	60	74
65+	13	22.3	558	1	3	15	28	56	80	86
GRAND TOTAL	99	10.9	237	1	2	5	11	29	45	80

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.8	1	2	2	4	5	6	6	8
20-34	344	3.7	3	2	2	4	4	5	6	8
35-49	64	3.3	1	1	2	3	4	5	6	7
50-64	15	3.3	1	1	1	4	4	4	5	5
65+	8	4.8	35	1	1	3	4	15	19	19
2. MULTIPLE DX										
0-19 YRS	220	4.1	2	2	2	4	5	6	7	10
20-34	194	4.3	2	2	2	4	5	6	7	10
35-49	61	5.1	26	1	2	4	5	7	15	29
50-64	14	6.7	61	1	2	4	7	14	28	32
65+	6	20.2	612	2	2	7	39	60	62	62
TOT. SINGLE DX	596	3.7	3	2	2	4	4	5	6	8
" MULTIPLE DX	495	4.6	16	2	2	4	5	6	8	24
TOTAL 0-19 YRS	385	4.0	2	2	2	4	5	6	6	9
20-34	538	3.9	3	2	2	4	5	6	6	10
35-49	125	4.2	14	1	2	4	5	6	7	26
50-64	29	5.0	32	1	1	4	4	8	13	32
65+	14	11.4	317	1	1	4	10	41	57	62
GRAND TOTAL	1091	4.1	9	2	2	4	5	6	7	11

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	2.6	2	1	1	2	3	5	6	8
20-34	151	3.1	4	1	1	3	4	6	7	11
35-49	29	3.0	5	1	1	2	4	5	7	13
50-64	10	3.0	6	1	1	2	5	7	8	8
65+	2	7.5	61	2	2	7	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	45	4.0	10	1	1	3	5	8	11	16
20-34	119	4.6	35	1	1	3	5	9	11	32
35-49	26	6.2	33	1	2	4	8	16	19	24
50-64	8	7.4	46	2	2	4	12	18	20	20
65+	3	12.7	65	4	4	14	18	20	20	20
TOT. SINGLE DX	250	3.0	5	1	1	2	4	6	7	13
" MULTIPLE DX	201	4.9	31	1	1	3	6	10	13	22
TOTAL 0-19 YRS	103	3.2	6	1	1	3	4	6	8	15
20-34	270	3.7	19	1	1	3	4	7	10	13
35-49	55	4.5	21	1	1	3	6	11	15	24
50-64	18	4.9	27	1	1	2	6	13	17	20
65+	5	10.6	56	2	2	13	15	20	20	20
GRAND TOTAL	451	3.8	17	1	1	3	4	7	11	20

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.7	5	1	1	2	3	7	7	10
20-34	146	3.3	5	1	1	3	4	6	8	11
35-49	49	3.2	11	1	1	2	4	5	7	21
50-64	8	4.4	8	1	1	4	7	8	8	8
65+	4	5.5	19	3	3	4	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	44	7.7	31	2	2	6	10	16	20	25
20-34	149	6.3	59	1	2	4	8	12	18	33
35-49	52	7.1	47	2	2	5	7	16	26	32
50-64	24	10.3	39	1	3	10	13	19	22	26
65+	7	12.7	344	2	2	6	11	46	54	54
TOT. SINGLE DX	238	3.3	7	1	1	2	4	7	8	14
" MULTIPLE DX	276	7.2	59	1	2	5	9	15	21	33
TOTAL 0-19 YRS	75	5.7	26	1	1	4	8	12	16	24
20-34	295	4.8	35	1	1	3	6	10	13	26
35-49	101	5.2	34	1	1	4	6	10	19	30
50-64	32	8.8	38	1	1	8	12	18	20	26
65+	11	10.1	226	2	2	4	11	29	52	54
GRAND TOTAL	514	5.4	39	1	1	4	6	11	16	27

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.7	116	2	2	5	18	22	22	22
20-34	14	3.0	8	<1	<1	1	5	9	9	9
35-49	20	3.9	8	<1	1	4	5	7	10	13
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	3	3.0	3	1	1	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	14	3.6	4	1	1	4	5	6	7	8
35-49	7	10.9	60	1	2	9	18	20	21	21
50-64	5	5.8	34	1	1	2	11	14	14	14
65+	2	7.5	1	7	7	7	8	8	8	8
TOT. SINGLE DX	45	3.8	15	<1	<1	3	5	7	10	22
" MULTIPLE DX	32	5.8	28	1	1	4	8	15	18	21
TOTAL 0-19 YRS	7	6.4	54	2	2	3	8	19	22	22
20-34	28	3.3	6	<1	<1	2	5	7	9	9
35-49	27	5.7	30	1	1	5	6	16	18	21
50-64	10	4.0	20	1	1	2	5	12	14	14
65+	5	4.8	8	1	1	4	7	8	8	8
GRAND TOTAL	77	4.6	21	<1	1	3	5	9	16	22

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	7.3	74	2	2	4	8	15	25	48
20-34	117	6.7	83	2	2	5	8	11	16	54
35-49	71	5.7	22	1	2	5	7	11	14	28
50-64	129	7.4	17	2	3	7	9	13	16	21
65+	72	9.7	32	4	4	8	12	18	24	27
2. MULTIPLE DX										
0-19 YRS	80	9.2	88	2	3	6	13	18	23	52
20-34	73	13.3	174	1	2	10	18	32	46	93
35-49	75	13.6	263	2	3	8	16	36	52	78
50-64	125	9.3	60	3	3	7	12	18	29	59
65+	139	13.4	93	4	5	11	17	29	37	58
TOT. SINGLE DX	502	7.3	49	2	2	6	9	14	17	36
" MULTIPLE DX	492	11.7	125	2	3	8	15	26	38	74
TOTAL 0-19 YRS	193	8.1	81	2	2	5	9	17	25	51
20-34	190	9.2	128	1	2	5	11	20	32	81
35-49	146	9.8	161	1	2	5	11	20	37	77
50-64	254	8.4	39	2	3	7	10	15	19	44
65+	211	12.2	76	4	5	9	15	24	31	51
GRAND TOTAL	994	9.5	92	2	3	7	11	18	28	54

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	3.6	2	1	2	4	4	6	6	8
20-34	158	4.2	2	2	2	4	5	7	7	8
35-49	173	4.7	27	1	2	4	6	7	8	11
50-64	197	4.4	6	1	2	4	5	7	9	11
65+	81	4.4	9	1	1	4	6	7	9	19
2. MULTIPLE DX										
0-19 YRS	71	4.4	3	2	2	4	5	6	7	13
20-34	150	4.9	15	2	2	4	6	7	8	30
35-49	143	4.7	5	2	2	4	6	8	9	13
50-64	305	5.3	10	2	3	5	6	8	10	22
65+	223	5.9	16	1	2	5	7	11	13	23
TOT. SINGLE DX	708	4.3	11	1	2	4	5	7	8	11
" MULTIPLE DX	892	5.2	12	2	2	5	6	8	11	22
TOTAL 0-19 YRS	170	3.9	3	1	2	4	5	6	6	9
20-34	308	4.6	9	2	2	4	5	7	8	17
35-49	316	4.7	18	2	2	4	6	7	8	13
50-64	502	5.0	9	2	2	4	6	8	9	21
65+	304	5.5	15	1	2	5	7	10	13	22
GRAND TOTAL	1600	4.8	11	1	2	4	6	7	9	19

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	4.5	32	1	2	3	5	8	11	29
20-34	451	5.0	37	1	2	4	5	9	13	32
35-49	252	5.4	48	1	2	4	6	8	13	44
50-64	166	4.7	30	1	1	3	5	9	12	22
65+	91	7.0	77	1	1	4	9	16	25	47
2. MULTIPLE DX										
0-19 YRS	117	10.8	220	1	2	5	12	39	48	99+
20-34	251	10.0	217	1	2	5	9	23	49	73
35-49	186	8.6	151	1	2	5	9	21	34	93
50-64	187	12.1	269	1	2	6	14	26	57	97
65+	139	16.4	264	2	2	13	22	40	64	99+
TOT. SINGLE DX	1348	5.0	40	1	1	3	5	9	13	38
" MULTIPLE DX	880	11.2	228	1	2	5	14	29	49	97
TOTAL 0-19 YRS	505	5.9	83	1	2	3	5	11	24	70
20-34	702	6.8	107	1	2	4	6	13	23	63
35-49	438	6.8	94	1	2	4	7	14	25	76
50-64	353	8.6	170	1	2	4	9	19	31	89
65+	230	12.7	211	1	2	7	18	35	46	99+
GRAND TOTAL	**2228**	**7.5**	**123**	**1**	**2**	**4**	**7**	**17**	**29**	**77**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	6.5	42	1	2	4	8	15	21	36
20-34	153	5.3	50	2	2	4	5	8	11	38
35-49	63	8.5	107	2	2	5	9	14	26	58
50-64	41	11.7	119	3	3	8	12	22	38	58
65+	94	17.5	165	6	7	13	21	37	43	97
2. MULTIPLE DX										
0-19 YRS	44	10.5	260	2	2	6	9	20	41	95
20-34	58	13.4	308	1	2	6	12	50	63	97
35-49	47	10.6	85	3	3	8	15	40	99+	99+
50-64	44	18.3	345	4	5	11	22	47	67	84
65+	163	28.2	423	6	8	23	40	73	95	99+
TOT. SINGLE DX	444	9.2	108	2	2	5	11	19	32	58
" MULTIPLE DX	356	20.0	388	3	3	13	29	59	84	99+
TOTAL 0-19 YRS	137	7.8	115	1	2	5	8	16	23	59
20-34	211	7.5	133	2	2	4	6	12	35	69
35-49	110	9.4	98	2	3	7	11	26	50	99+
50-64	85	15.1	245	3	4	10	17	30	51	80
65+	257	24.3	354	6	7	19	34	57	90	99+
GRAND TOTAL	**800**	**14.0**	**262**	**2**	**3**	**8**	**18**	**38**	**59**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	2.8	2	1	1	2	3	5	6	10
20-34	304	3.3	12	<1	1	3	4	5	8	16
35-49	130	3.7	11	1	2	2	4	7	9	23
50-64	118	4.5	43	1	1	3	4	8	11	36
65+	79	5.8	63	1	1	3	6	11	18	43
2. MULTIPLE DX										
0-19 YRS	59	6.1	105	1	2	3	5	11	17	68
20-34	117	8.1	126	1	1	4	8	20	35	61
35-49	77	6.8	45	1	2	4	8	14	25	33
50-64	87	10.2	186	1	2	4	11	29	42	70
65+	90	12.7	165	1	2	9	19	32	38	92
TOT. SINGLE DX	803	3.7	21	<1	1	3	4	7	9	22
" MULTIPLE DX	430	9.0	134	1	2	4	10	23	35	67
TOTAL 0-19 YRS	231	3.7	31	1	1	3	4	6	9	23
20-34	421	4.6	49	<1	1	3	4	8	14	44
35-49	207	4.8	26	1	2	3	5	9	14	27
50-64	205	6.9	112	1	2	3	6	14	28	56
65+	169	9.5	129	1	1	4	12	26	37	73
GRAND TOTAL	**1233**	**5.5**	**66**	**1**	**1**	**3**	**5**	**11**	**21**	**44**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	30.4	270	4	7	33	48	49	52	53
20-34	6	9.5	10	5	5	10	12	13	13	13
35-49	8	8.0	23	2	3	7	11	15	16	16
50-64	10	11.8	20	7	7	10	16	18	20	20
65+	31	18.1	95	7	8	17	22	30	42	45
2. MULTIPLE DX										
0-19 YRS	12	26.2	250	9	14	21	26	54	63	65
20-34	8	12.0	80	2	3	10	16	26	30	30
35-49	10	16.2	191	5	7	11	17	38	53	53
50-64	26	19.1	148	6	7	16	25	32	51	52
65+	143	26.0	394	6	9	21	38	83	99+	99+
TOT. SINGLE DX	73	18.5	170	5	6	15	23	43	48	52
" MULTIPLE DX	199	24.0	342	5	8	19	34	67	99+	99+
TOTAL 0-19 YRS	30	28.7	258	5	10	25	47	50	53	65
20-34	14	10.9	49	2	4	10	13	19	28	30
35-49	18	12.6	128	3	4	10	14	21	41	53
50-64	36	17.1	122	6	7	15	21	29	45	52
65+	174	24.6	349	6	8	19	35	74	99+	99+
GRAND TOTAL	**272**	**22.5**	**301**	**5**	**7**	**18**	**31**	**54**	**86**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.7	34	3	3	8	14	18	20	26
20-34	34	10.0	20	2	4	10	13	16	18	19
35-49	21	11.4	34	4	5	11	14	18	25	29
50-64	43	13.8	44	5	6	13	17	25	32	99+
65+	173	19.4	218	5	6	14	26	39	53	95
2. MULTIPLE DX										
0-19 YRS	37	20.2	263	5	7	13	28	49	55	63
20-34	67	26.0	413	6	8	18	38	60	70	99
35-49	43	20.5	133	6	7	18	26	40	44	49
50-64	93	19.1	214	5	7	14	24	42	76	99+
65+	498	28.2	410	8	9	23	43	76	99+	99+
TOT. SINGLE DX	297	16.1	157	4	5	12	20	34	41	90
" MULTIPLE DX	738	26.0	374	7	8	20	39	68	99	99+
TOTAL 0-19 YRS	63	15.8	194	4	5	12	17	37	50	62
20-34	101	20.6	337	4	6	13	25	52	64	96
35-49	64	17.5	118	5	6	15	21	38	42	48
50-64	136	17.4	166	5	7	14	22	36	74	99+
65+	671	25.9	376	6	8	21	39	68	99	99+
GRAND TOTAL	**1035**	**23.1**	**332**	**5**	**7**	**17**	**33**	**58**	**84**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	23.5	446	2	3	18	35	58	68	75
20-34	8	28.9	108	12	14	32	36	41	42	42
35-49	2	16.0	50	11	11	16	21	21	21	21
50-64	5	11.2	17	4	4	13	14	14	14	14
65+	7	13.4	184	2	2	6	27	33	33	33
2. MULTIPLE DX										
0-19 YRS	45	25.6	367	2	3	20	43	49	61	75
20-34	10	31.1	530	9	9	24	55	86	99	99+
35-49	3	35.7	622	17	17	45	82	99+	99+	99+
50-64	7	35.3	1068	1	2	22	65	82	84	84
65+	26	45.3	777	9	13	37	75	86	97	99+
TOT. SINGLE DX	64	21.8	348	2	3	15	33	45	66	74
" MULTIPLE DX	91	32.9	606	2	4	28	49	76	86	99+
TOTAL 0-19 YRS	87	24.6	402	2	3	20	40	53	65	75
20-34	18	30.1	327	9	10	32	41	68	89	99+
35-49	5	27.8	440	11	12	23	64	96	99+	99+
50-64	12	25.3	743	1	3	14	33	76	83	84
65+	33	38.6	818	3	6	32	69	84	94	99+
GRAND TOTAL	**155**	**28.3**	**527**	**2**	**3**	**24**	**44**	**69**	**78**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	5.6	74	<1	1	2	4	23	25	42
20-34	46	4.7	36	<1	1	3	5	8	19	32
35-49	31	5.5	59	1	1	4	5	12	14	43
50-64	21	3.6	6	1	1	2	5	7	9	10
65+	5	12.8	217	2	2	5	23	36	36	36
2. MULTIPLE DX										
0-19 YRS	12	3.0	8	<1	<1	2	4	7	10	10
20-34	27	12.2	430	<1	1	4	9	49	72	74
35-49	14	11.6	182	<1	1	6	14	39	43	44
50-64	9	8.1	34	3	3	6	9	18	20	20
65+	11	6.9	25	1	2	6	10	14	18	18
TOT. SINGLE DX	148	5.2	55	1	1	3	5	12	23	42
" MULTIPLE DX	73	9.3	209	1	1	4	9	18	43	74
TOTAL 0-19 YRS	57	5.0	61	<1	1	2	4	13	24	41
20-34	73	7.5	191	1	1	3	6	18	30	74
35-49	45	7.4	102	1	1	4	7	14	39	44
50-64	30	4.9	18	1	1	4	6	9	16	20
65+	16	8.8	83	1	2	5	11	19	31	36
GRAND TOTAL	**221**	**6.6**	**108**	**1**	**1**	**3**	**6**	**16**	**24**	**61**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	3.7	13	1	1	3	4	7	9	20
20-34	741	4.3	10	1	1	4	5	8	11	15
35-49	402	4.6	11	1	2	4	6	8	11	19
50-64	269	6.3	23	1	2	5	8	12	14	25
65+	115	8.3	43	2	3	7	10	15	18	40
2. MULTIPLE DX										
0-19 YRS	185	9.4	179	1	2	5	11	22	38	88
20-34	445	8.8	115	1	2	5	9	20	32	56
35-49	249	8.2	70	2	2	6	10	15	22	48
50-64	218	10.1	131	2	3	6	11	21	36	81
65+	164	15.0	188	2	3	11	19	38	51	99+
TOT. SINGLE DX	1970	4.7	16	1	1	4	6	9	12	22
" MULTIPLE DX	1261	9.8	132	2	2	6	11	22	35	75
TOTAL 0-19 YRS	628	5.4	69	1	1	3	5	11	17	49
20-34	1186	6.0	55	1	2	4	6	11	17	45
35-49	651	6.0	37	1	2	4	7	11	15	31
50-64	487	8.0	76	2	2	6	9	15	22	66
65+	279	12.2	139	2	3	9	15	29	46	99+
GRAND TOTAL	**3231**	**6.7**	**68**	**1**	**2**	**4**	**8**	**13**	**20**	**49**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1839	2.0	5	<1	1	1	2	4	5	12
20-34	499	3.0	8	<1	1	2	4	6	8	15
35-49	344	3.3	30	1	1	2	4	6	9	25
50-64	350	3.1	14	1	1	2	4	7	12	17
65+	290	4.1	36	1	1	2	4	9	15	27
2. MULTIPLE DX										
0-19 YRS	316	5.3	64	1	1	2	5	13	23	39
20-34	269	8.3	117	1	1	4	9	23	32	52
35-49	180	7.5	121	1	1	4	8	16	29	80
50-64	198	7.9	144	1	1	4	9	21	34	99+
65+	267	11.3	154	1	1	7	15	31	41	60
TOT. SINGLE DX	3322	2.6	13	1	1	1	3	5	7	17
" MULTIPLE DX	1230	8.0	121	1	1	4	9	22	32	60
TOTAL 0-19 YRS	2155	2.5	16	1	1	1	2	4	7	23
20-34	768	4.9	53	1	1	3	5	10	18	40
35-49	524	4.8	66	1	1	3	5	9	14	49
50-64	548	4.9	66	1	1	2	5	12	17	46
65+	557	7.5	106	1	1	3	9	20	31	57
GRAND TOTAL	4552	4.0	48	1	1	2	4	9	15	39

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	3.2	16	<1	<1	1	3	10	13	17
20-34	134	2.0	8	<1	<1	1	2	4	6	17
35-49	45	2.3	8	<1	<1	1	2	6	7	18
50-64	42	3.3	27	<1	<1	1	3	8	15	28
65+	56	4.8	44	<1	<1	3	6	12	14	42
2. MULTIPLE DX										
0-19 YRS	39	7.1	200	<1	1	2	7	18	28	82
20-34	62	7.3	112	<1	1	4	9	16	31	58
35-49	41	5.9	198	<1	1	3	5	10	15	91
50-64	36	4.4	109	<1	1	2	4	6	10	64
65+	68	10.6	138	1	1	7	17	30	39	99+
TOT. SINGLE DX	382	2.9	19	<1	<1	1	3	7	12	20
" MULTIPLE DX	246	7.5	150	1	1	3	9	19	33	91
TOTAL 0-19 YRS	144	4.3	68	<1	<1	1	4	11	16	37
20-34	196	3.7	47	<1	<1	1	3	9	13	39
35-49	86	4.0	101	<1	<1	2	4	7	13	65
50-64	78	3.8	65	<1	1	1	3	7	12	54
65+	124	8.0	104	<1	1	4	11	22	33	99+
GRAND TOTAL	628	4.7	75	<1	<1	2	5	12	18	62

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	3.9	15	1	1	3	4	7	15	20
20-34	225	2.8	2	1	1	3	3	4	5	8
35-49	62	2.7	2	1	1	2	3	5	6	8
50-64	19	4.1	20	1	2	2	3	11	16	19
65+	7	9.9	249	1	1	4	8	38	45	45
2. MULTIPLE DX										
0-19 YRS	26	9.0	97	1	2	6	9	27	35	35
20-34	58	5.3	32	1	2	3	5	12	17	31
35-49	25	7.0	30	2	2	5	8	18	19	21
50-64	20	7.6	70	1	2	4	8	17	28	37
65+	8	15.8	230	2	2	14	19	41	49	49
TOT. SINGLE DX	384	3.2	11	1	1	3	3	5	7	18
" MULTIPLE DX	137	7.3	65	2	2	4	7	18	23	39
TOTAL 0-19 YRS	97	5.3	42	1	1	3	5	13	19	35
20-34	283	3.3	10	1	1	3	3	5	7	19
35-49	87	3.9	14	1	1	3	4	7	12	20
50-64	39	5.8	48	1	2	3	6	14	19	37
65+	15	13.0	232	1	1	7	16	45	48	49
GRAND TOTAL	521	4.2	28	1	1	3	4	7	15	33

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	4.5	28	1	1	3	5	7	11	37
20-34	209	4.0	21	1	1	3	4	6	8	25
35-49	83	4.0	10	1	1	3	5	7	8	22
50-64	49	3.7	3	1	2	3	5	6	8	9
65+	23	9.8	153	2	2	4	9	31	41	50
2. MULTIPLE DX										
0-19 YRS	95	5.0	18	1	2	3	5	11	14	23
20-34	115	5.4	41	1	2	3	5	13	20	39
35-49	71	5.9	56	1	2	4	5	13	24	39
50-64	79	9.7	191	2	2	5	8	24	45	74
65+	60	20.0	462	2	4	12	38	78	99+	99+
TOT. SINGLE DX	531	4.4	27	1	1	3	5	7	10	36
" MULTIPLE DX	420	8.3	151	1	2	4	8	21	40	99+
TOTAL 0-19 YRS	262	4.7	25	1	2	3	5	9	13	26
20-34	324	4.5	29	1	1	3	4	8	13	37
35-49	154	4.9	33	1	1	3	5	7	13	36
50-64	128	7.4	127	1	2	4	6	14	27	61
65+	83	17.1	395	2	3	8	30	66	99+	99+
GRAND TOTAL	951	6.1	86	1	2	4	5	12	23	66

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	10.1	46	2	2	10	12	19	22	33
20-34	580	9.1	24	3	3	8	11	15	19	25
35-49	839	10.1	29	4	5	9	12	17	20	28
50-64	361	11.0	36	4	5	10	13	19	22	30
65+	52	12.3	41	3	6	11	14	18	27	36
2. MULTIPLE DX										
0-19 YRS	9	13.3	14	8	9	13	16	19	20	20
20-34	212	12.6	69	4	6	11	15	24	29	61
35-49	461	13.1	63	5	6	11	15	23	27	41
50-64	341	15.2	110	6	7	13	17	26	35	72
65+	148	21.1	232	7	9	17	25	36	57	94
TOT. SINGLE DX	1861	10.0	31	3	4	9	12	17	20	28
" MULTIPLE DX	1171	14.6	106	5	6	12	17	25	33	68
TOTAL 0-19 YRS	38	10.9	40	2	3	10	13	19	21	33
20-34	792	10.0	39	3	4	9	12	17	22	31
35-49	1300	11.2	44	4	5	10	14	19	23	35
50-64	702	13.0	77	4	6	11	15	22	27	50
65+	200	18.8	197	6	8	15	22	34	48	93
GRAND TOTAL	3032	11.8	65	3	5	10	14	20	26	41

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	3.5	2	1	2	3	5	5	6	8
20-34	829	3.4	2	1	2	3	4	5	6	8
35-49	457	3.7	3	1	2	3	5	6	7	11
50-64	184	4.6	15	1	2	4	5	7	10	23
65+	42	6.1	29	1	2	4	7	13	17	29
2. MULTIPLE DX										
0-19 YRS	98	3.7	7	1	1	3	5	6	8	16
20-34	350	3.6	3	1	1	3	5	6	7	10
35-49	226	3.8	4	1	1	4	5	6	8	11
50-64	193	5.0	21	1	2	4	6	9	13	28
65+	78	7.2	56	1	1	5	8	17	25	40
TOT. SINGLE DX	1739	3.7	5	1	2	3	4	6	7	12
" MULTIPLE DX	945	4.2	13	1	1	4	5	7	9	21
TOTAL 0-19 YRS	325	3.6	4	1	2	3	5	6	6	11
20-34	1179	3.5	3	1	2	3	4	5	6	9
35-49	683	3.7	4	1	2	3	5	6	7	11
50-64	377	4.8	18	1	2	4	5	8	12	24
65+	120	6.8	47	1	1	5	8	16	23	34
GRAND TOTAL	2684	3.9	8	1	2	3	5	6	8	15

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	3.0	16	<1	1	2	3	5	7	24
20-34	434	2.9	8	<1	1	2	3	5	7	17
35-49	207	3.2	11	1	1	2	3	5	10	19
50-64	100	4.0	31	1	1	2	4	8	12	34
65+	43	5.6	43	1	1	2	8	15	22	26
2. MULTIPLE DX										
0-19 YRS	69	4.7	57	1	1	2	5	11	14	51
20-34	186	4.9	81	<1	1	2	4	9	15	50
35-49	118	5.4	51	1	1	3	6	14	24	61
50-64	102	7.9	207	<1	1	3	7	19	44	77
65+	71	9.6	238	1	1	4	11	24	35	91
TOT. SINGLE DX	1004	3.2	15	<1	1	2	3	5	9	23
" MULTIPLE DX	546	6.2	118	1	1	3	5	14	24	69
TOTAL 0-19 YRS	289	3.4	27	<1	1	2	3	6	10	29
20-34	620	3.5	31	<1	1	2	3	6	9	27
35-49	325	4.0	27	1	1	2	4	8	14	33
50-64	202	6.0	123	1	1	2	5	12	22	63
65+	114	8.1	167	1	1	3	10	20	27	79
GRAND TOTAL	1550	4.3	53	1	1	2	4	8	14	43

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	14.5	39	5	7	14	19	22	27	29
20-34	63	12.0	34	5	6	10	14	20	25	31
35-49	72	11.0	19	5	6	10	13	17	21	24
50-64	29	13.8	77	5	7	10	16	24	37	44
65+	2	21.5	85	15	15	21	28	28	28	28
2. MULTIPLE DX										
0-19 YRS	51	18.4	107	9	10	16	22	28	32	74
20-34	58	16.1	179	6	7	12	18	34	54	98
35-49	70	13.7	42	5	7	12	17	22	26	37
50-64	47	20.9	222	7	9	17	26	48	82	99+
65+	11	17.8	79	9	9	13	25	31	35	35
TOT. SINGLE DX	188	12.3	38	5	7	11	15	20	24	35
" MULTIPLE DX	237	16.9	132	7	8	14	20	29	39	99+
TOTAL 0-19 YRS	73	17.2	89	8	10	16	20	28	31	65
20-34	121	14.0	108	5	7	11	16	24	33	85
35-49	142	12.3	32	5	7	11	14	19	23	34
50-64	76	18.2	178	7	8	15	23	37	61	99+
65+	13	18.4	75	9	10	15	26	30	34	35
GRAND TOTAL	425	14.9	96	6	7	12	18	26	32	79

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.3	6	2	2	4	6	7	9	14
20-34	89	5.0	11	1	2	5	6	9	12	18
35-49	65	5.3	10	2	2	5	7	9	10	20
50-64	92	4.7	9	1	2	4	6	10	11	14
65+	52	6.3	118	1	1	4	6	10	12	78
2. MULTIPLE DX										
0-19 YRS	28	5.9	31	2	2	5	7	11	15	30
20-34	56	8.1	98	1	2	5	9	16	32	54
35-49	50	6.5	30	2	2	5	7	14	22	99
50-64	89	6.8	41	2	2	5	8	13	17	39
65+	70	7.4	62	1	2	5	9	13	23	44
TOT. SINGLE DX	326	5.1	28	1	2	4	6	9	11	20
" MULTIPLE DX	293	7.1	54	2	2	5	8	13	22	43
TOTAL 0-19 YRS	56	5.1	19	2	2	4	6	8	12	29
20-34	145	6.2	47	1	2	5	7	11	16	42
35-49	115	5.9	19	2	2	5	7	11	14	55
50-64	181	5.7	26	2	2	4	7	11	13	31
65+	122	6.9	86	1	2	5	8	12	18	54
GRAND TOTAL	**619**	**6.0**	**41**	**1**	**2**	**5**	**7**	**11**	**14**	**41**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	9	12.7	25	7	7	11	16	20	22	22
35-49	45	14.4	57	7	8	13	17	22	23	53
50-64	192	14.6	40	7	8	13	17	22	29	34
65+	372	16.3	61	7	8	15	20	25	30	41
2. MULTIPLE DX										
0-19 YRS	2	37.5	1201	13	13	37	62	62	62	62
20-34	16	18.4	81	8	8	17	23	32	36	38
35-49	59	17.6	90	8	10	15	20	29	35	63
50-64	275	18.6	91	8	10	16	22	31	36	53
65+	664	20.8	153	7	9	18	25	39	47	99+
TOT. SINGLE DX	619	15.6	55	7	8	14	18	24	29	40
" MULTIPLE DX	1016	20.0	134	7	9	17	24	35	44	95
TOTAL 0-19 YRS	3	29.0	817	12	12	13	50	62	62	62
20-34	25	16.4	67	7	8	16	21	29	33	38
35-49	104	16.2	78	8	8	14	19	23	32	59
50-64	467	16.9	75	7	8	15	20	29	33	45
65+	1036	19.2	125	7	8	17	23	32	43	94
GRAND TOTAL	**1635**	**18.3**	**109**	**7**	**8**	**16**	**22**	**31**	**39**	**73**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	4	8.5	15	5	5	7	11	14	14	14
35-49	3	13.0	37	6	6	16	17	17	17	17
50-64	38	14.6	26	7	9	13	17	23	25	26
65+	163	17.1	77	6	8	15	22	28	32	48
2. MULTIPLE DX										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	6	16.5	62	9	9	15	19	29	30	30
35-49	8	12.4	67	1	2	11	17	25	27	27
50-64	60	22.1	184	9	10	18	26	47	63	99+
65+	472	26.8	324	8	10	22	36	66	99	99+
TOT. SINGLE DX	209	16.6	73	6	8	15	21	28	31	48
" MULTIPLE DX	548	25.9	307	7	10	21	35	63	98	99+
TOTAL 0-19 YRS	3	22.3	506	6	6	13	39	48	48	48
20-34	10	13.3	57	5	6	11	19	25	30	30
35-49	11	12.5	55	1	4	12	17	22	27	27
50-64	98	19.2	136	8	9	16	22	39	50	99+
65+	635	24.3	279	7	9	20	31	55	84	99+
GRAND TOTAL	**757**	**23.3**	**260**	**7**	**9**	**19**	**30**	**52**	**76**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	4.6	4	2	2	4	5	7	8	13
20-34	349	4.4	6	2	2	4	5	7	8	14
35-49	61	7.3	58	1	2	5	8	15	19	50
50-64	60	15.5	134	2	4	13	19	29	38	62
65+	129	18.6	82	2	7	18	24	29	34	49
2. MULTIPLE DX										
0-19 YRS	95	5.4	9	2	3	5	6	8	12	18
20-34	250	5.8	15	2	3	5	6	9	12	26
35-49	85	7.3	46	2	3	5	7	17	21	36
50-64	99	18.6	155	4	6	16	24	34	45	90
65+	178	24.6	251	6	8	21	32	45	56	99+
TOT. SINGLE DX	821	7.7	61	2	2	5	8	19	24	36
" MULTIPLE DX	707	12.5	165	3	3	7	17	30	40	77
TOTAL 0-19 YRS	317	4.8	6	2	3	5	6	7	9	15
20-34	599	5.0	11	2	2	4	6	8	10	21
35-49	146	7.3	51	2	2	5	8	16	21	37
50-64	159	17.4	149	4	5	15	22	33	44	78
65+	307	22.1	189	6	8	19	27	40	48	90
GRAND TOTAL	**1528**	**9.9**	**115**	**2**	**3**	**5**	**13**	**24**	**32**	**53**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	3.2	1	1	2	3	4	5	5	7
20-34	608	3.4	4	1	1	3	4	5	6	10
35-49	174	3.8	8	1	1	3	4	7	10	18
50-64	121	4.8	14	1	2	4	5	9	13	19
65+	60	6.4	62	1	2	4	6	15	20	48
2. MULTIPLE DX										
0-19 YRS	61	4.8	25	2	2	4	5	8	10	36
20-34	160	4.3	21	1	1	3	5	8	11	31
35-49	119	5.3	41	1	1	4	6	10	14	37
50-64	162	6.5	40	1	2	5	7	11	19	41
65+	103	10.1	119	2	3	7	12	22	37	59
TOT. SINGLE DX	1163	3.7	9	1	1	3	4	6	7	16
" MULTIPLE DX	605	6.1	51	1	2	4	7	12	19	40
TOTAL 0-19 YRS	261	3.6	8	1	2	3	4	5	7	11
20-34	768	3.6	8	1	1	3	4	5	7	13
35-49	293	4.4	23	1	1	3	5	8	11	20
50-64	283	5.8	30	1	2	4	6	11	16	29
65+	163	8.8	101	2	2	5	10	19	30	51
GRAND TOTAL	**1768**	**4.5**	**25**	**1**	**2**	**3**	**5**	**7**	**11**	**28**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	6.7	99	1	1	4	8	13	22	61
20-34	92	4.1	10	1	1	3	6	8	10	17
35-49	74	3.6	8	<1	1	3	4	7	9	16
50-64	68	3.6	19	<1	<1	2	4	8	11	27
65+	23	7.8	208	1	1	2	4	30	42	62
2. MULTIPLE DX										
0-19 YRS	82	6.6	35	1	2	5	9	12	16	35
20-34	56	10.2	145	1	1	5	12	24	38	61
35-49	47	6.5	45	<1	1	5	8	16	29	99+
50-64	31	12.1	339	1	2	6	13	33	51	88
65+	37	7.5	95	<1	1	5	10	27	78	99+
TOT. SINGLE DX	347	4.8	49	<1	1	3	6	9	14	34
" MULTIPLE DX	253	8.2	110	1	1	5	9	19	33	99
TOTAL 0-19 YRS	172	6.6	69	1	1	4	9	13	18	44
20-34	148	6.4	70	1	1	4	7	14	19	46
35-49	121	4.8	25	<1	1	3	6	10	15	52
50-64	99	6.3	133	<1	1	2	6	14	26	70
65+	60	7.6	136	1	1	4	8	31	56	99+
GRAND TOTAL	**600**	**6.2**	**77**	**<1**	**1**	**4**	**7**	**13**	**22**	**62**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	2.5	8	<1	<1	2	2	4	7	16
20-34	251	2.3	5	<1	<1	2	3	4	6	13
35-49	140	3.1	15	<1	<1	2	3	5	11	21
50-64	104	3.7	29	<1	<1	2	3	6	13	36
65+	33	4.3	21	<1	1	3	4	13	14	22
2. MULTIPLE DX										
0-19 YRS	36	3.8	22	<1	1	2	4	8	17	22
20-34	74	6.6	94	<1	<1	3	6	17	25	53
35-49	67	8.2	209	<1	1	3	8	25	38	76
50-64	105	9.3	159	1	1	4	12	26	30	64
65+	70	11.3	131	<1	2	6	19	28	31	49
TOT. SINGLE DX	681	2.8	13	<1	<1	2	3	5	8	20
" MULTIPLE DX	352	8.3	139	<1	1	3	9	23	30	63
TOTAL 0-19 YRS	189	2.8	11	<1	<1	2	3	5	8	21
20-34	325	3.3	29	<1	<1	2	3	6	9	28
35-49	207	4.7	84	<1	<1	2	4	10	19	52
50-64	209	6.5	102	<1	1	3	5	16	28	62
65+	103	9.0	107	<1	2	4	13	24	30	46
GRAND TOTAL	**1033**	**4.7**	**63**	**<1**	**<1**	**2**	**4**	**11**	**20**	**41**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	16	2.4		<1	<1	2	3	4	4	4
35-49	57	2.5	2	<1	<1	2	3	4	6	10
50-64	112	2.7	5	<1	<1	2	3	4	8	14
65+	97	2.7	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10
20-34	10	6.3	32	<1	1	4	11	15	18	18
35-49	21	3.5	8	<1	1	2	5	8	10	11
50-64	69	4.1	14	1	1	3	5	8	14	18
65+	82	3.5	8	1	2	3	4	5	10	17
TOT. SINGLE DX	286	2.6	3	<1	1	2	3	4	5	12
" MULTIPLE DX	185	3.9	12	1	1	3	4	8	12	18
TOTAL 0-19 YRS	7	3.3	10	1	1	3	3	9	10	10
20-34	26	3.9	16	<1	<1	3	4	11	13	18
35-49	78	2.7	4	<1	1	2	3	6	8	11
50-64	181	3.2	9	<1	1	2	4	7	10	15
65+	179	3.1	5	1	1	3	3	5	7	13
GRAND TOTAL	**471**	**3.1**	**7**	**<1**	**1**	**2**	**3**	**5**	**9**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.4	2	<1	1	2	3	4	6	10
20-34	160	2.1	1	<1	1	2	3	3	4	8
35-49	77	2.2	1	<1	1	2	3	4	5	7
50-64	39	2.2	1	<1	1	2	3	4	4	4
65+	9	2.1		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	74	2.6	4	1	1	2	3	5	7	78
20-34	165	2.8	4	1	1	2	3	5	7	12
35-49	64	3.8	20	<1	1	2	5	7	11	26
50-64	42	2.9	7	<1	1	2	3	6	8	16
65+	16	3.5	31	<1	1	2	3	4	18	24
TOT. SINGLE DX	372	2.2	2	<1	1	2	3	4	5	8
" MULTIPLE DX	361	3.0	9	1	1	2	3	5	7	23
TOTAL 0-19 YRS	161	2.5	3	<1	1	2	3	5	6	13
20-34	325	2.5	3	<1	1	2	3	4	6	10
35-49	141	2.9	11	<1	1	2	3	5	7	24
50-64	81	2.6	4	<1	1	2	3	4	6	14
65+	25	3.0	20	<1	1	2	3	4	9	24
GRAND TOTAL	733	2.6	5	<1	1	2	3	5	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.2	10	<1	1	3	4	5	7	23
20-34	150	3.4	16	1	1	3	3	5	6	29
35-49	146	3.6	14	1	2	3	4	6	7	12
50-64	87	4.5	11	1	2	3	5	9	10	19
65+	34	5.4	23	1	2	4	6	13	17	21
2. MULTIPLE DX										
0-19 YRS	33	5.8	65	1	1	3	8	10	11	47
20-34	96	5.6	81	1	1	3	5	13	22	57
35-49	58	6.8	121	1	2	4	6	11	19	70
50-64	66	8.5	168	1	2	4	8	21	33	72
65+	52	11.5	237	1	2	6	11	31	51	77
TOT. SINGLE DX	479	3.8	15	1	1	3	4	6	9	23
" MULTIPLE DX	305	7.5	136	1	1	4	8	15	28	68
TOTAL 0-19 YRS	95	4.1	31	<1	1	3	4	8	10	37
20-34	246	4.3	43	1	1	3	4	7	13	34
35-49	204	4.5	47	1	2	3	5	7	10	45
50-64	153	6.2	82	1	2	4	6	11	20	59
65+	86	9.1	160	1	2	5	9	20	38	69
GRAND TOTAL	784	5.2	65	1	1	3	5	10	15	48

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	4.0	6	2	2	3	4	7	8	17
20-34	133	4.4	35	1	2	3	4	6	8	45
35-49	81	4.2	10	1	2	3	5	7	11	18
50-64	36	4.0	5	2	2	3	4	7	8	14
65+	20	7.6	109	1	2	5	8	12	31	50
2. MULTIPLE DX										
0-19 YRS	99	4.9	24	2	2	4	5	8	14	29
20-34	77	8.1	112	2	2	4	8	23	41	88
35-49	26	7.4	91	1	1	5	7	17	29	47
50-64	35	14.3	278	1	2	7	20	35	48	79
65+	15	9.9	131	<1	2	7	8	20	41	48
TOT. SINGLE DX	442	4.3	20	1	2	3	5	7	9	20
" MULTIPLE DX	252	7.7	107	2	2	4	7	18	31	56
TOTAL 0-19 YRS	271	4.3	13	2	2	3	5	7	9	20
20-34	210	5.7	66	1	2	4	5	9	25	50
35-49	107	5.0	31	1	2	4	6	8	15	34
50-64	71	9.1	165	1	2	4	9	25	35	73
65+	35	8.6	117	1	2	6	8	14	41	50
GRAND TOTAL	694	5.6	55	1	2	4	5	9	17	47

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.5	5	<1	1	2	3	7	8	9
20-34	45	2.6	6	<1	1	2	3	7	8	12
35-49	29	2.6	19	1	1	2	2	4	6	25
50-64	20	2.4	2	<1	1	2	3	5	6	6
65+	12	7.7	194	1	1	2	3	32	44	46
2. MULTIPLE DX										
0-19 YRS	14	6.7	68	1	2	4	9	13	29	33
20-34	36	4.3	35	1	1	2	4	9	17	32
35-49	17	5.1	26	<1	1	3	6	14	18	19
50-64	31	9.9	133	1	1	5	14	28	32	50
65+	25	13.8	310	1	2	6	21	47	78	99+
TOT. SINGLE DX	135	3.0	26	<1	1	2	3	6	8	29
" MULTIPLE DX	123	8.0	128	1	1	4	9	22	33	79
TOTAL 0-19 YRS	43	3.9	29	<1	1	2	5	9	10	33
20-34	81	3.4	20	<1	1	2	3	8	10	28
35-49	46	3.5	23	<1	1	2	3	7	17	25
50-64	51	6.9	94	1	1	3	6	19	29	50
65+	37	11.8	274	1	1	4	21	42	62	99+
GRAND TOTAL	258	5.4	80	1	1	2	5	13	27	50

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	8	6.3	32	1	1	4	10	15	16	16
35-49	5	8.0	36	2	2	5	14	15	15	15
50-64	4	17.3	465	1	1	9	30	49	49	49
65+	3	15.0	433	2	2	4	30	39	39	39
2. MULTIPLE DX										
0-19 YRS	2	17.0	162	8	8	17	26	26	26	26
20-34	5	34.4	627	1	1	46	53	59	59	59
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	2	14.5	365	1	1	14	28	28	28	28
65+	5	5.4	22	1	1	5	8	13	13	13
TOT. SINGLE DX	22	10.1	149	1	2	5	14	23	43	49
" MULTIPLE DX	16	17.8	360	1	1	11	27	50	57	59
TOTAL 0-19 YRS	4	13.0	99	3	3	11	20	26	26	26
20-34	13	17.1	431	1	1	6	23	53	58	59
35-49	7	8.9	28	2	2	9	14	15	15	15
50-64	6	16.3	354	1	1	9	28	47	49	49
65+	8	9.0	161	1	1	4	9	31	39	39
GRAND TOTAL	38	13.3	245	1	1	7	15	44	50	59

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.3	31	1	1	3	7	15	15	15
20-34	18	6.6	37	1	2	4	7	13	22	27
35-49	9	3.6	13	1	1	2	5	10	12	12
50-64	8	6.4	119	1	1	2	5	25	33	33
65+	19	9.7	108	<1	1	4	20	27	31	31
2. MULTIPLE DX										
0-19 YRS	5	11.0	56	3	3	7	19	19	19	19
20-34	26	22.6	631	2	3	13	30	57	91	97
35-49	34	23.0	451	1	2	20	34	61	74	99+
50-64	60	21.1	404	2	4	15	32	50	87	99+
65+	73	22.8	485	1	2	19	31	70	84	99+
TOT. SINGLE DX	63	6.9	66	1	1	3	7	21	28	33
" MULTIPLE DX	198	22.0	459	2	3	16	31	61	83	99+
TOTAL 0-19 YRS	14	7.4	45	1	1	4	15	19	19	19
20-34	44	16.0	445	2	3	9	16	37	68	97
35-49	43	19.0	422	1	1	12	27	58	72	99+
50-64	68	19.3	391	1	2	13	30	47	81	99+
65+	92	20.1	434	1	2	17	28	61	76	99+
GRAND TOTAL	261	18.4	406	1	2	12	27	50	76	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	8.0	61	3	3	4	14	17	17	17
35-49	2	21.0	578	4	4	21	38	38	38	38
50-64	1	10.0		10	10	10	10	10	10	10
65+	9	31.7	364	6	9	25	49	59	61	61
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	28.9	212	12	14	26	39	52	54	54
35-49	7	37.3	600	9	11	39	68	93	99+	99+
50-64	37	38.3	444	14	19	37	63	99+	99+	99+
65+	100	36.8	565	9	13	37	70	99+	99+	99+
TOT. SINGLE DX	15	24.1	366	3	4	22	36	57	60	61
" MULTIPLE DX	152	36.7	518	9	13	36	66	99+	99+	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	22.6	256	3	3	20	26	48	54	54
35-49	9	33.7	574	4	6	38	61	88	99+	99+
50-64	38	37.6	454	10	18	36	62	99+	99+	99+
65+	109	36.4	547	8	13	36	67	99+	99+	99+
GRAND TOTAL	167	35.5	515	8	11	35	63	99+	99+	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	53.0		53	53	53	53	53	53	53
50-64	3	14.0	112	6	6	10	22	26	26	26
65+	9	30.6	407	4	7	28	49	59	59	59
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	2	21.5	221	11	11	32	83	99+	99+	99+
35-49	2	60.5	1985	29	29	60	92	92	92	92
50-64	20	27.6	379	12	13	22	34	72	98	99+
65+	103	29.2	440	7	9	27	46	99+	99+	99+
TOT. SINGLE DX	15	26.7	364	4	6	26	42	58	59	59
" MULTIPLE DX	128	29.2	445	7	10	26	44	99	99+	99+
TOTAL 0-19 YRS	2	19.5	1	19	19	19	20	20	20	20
20-34	3	18.0	147	11	11	22	66	99+	99+	99+
35-49	3	58.0	1011	29	29	53	82	92	92	92
50-64	23	25.8	359	9	12	22	32	60	97	99+
65+	112	29.3	434	6	9	27	46	99	99+	99+
GRAND TOTAL	143	29.0	435	7	9	26	44	96	99+	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	28.3	1823	2	2	9	52	92	92	92
35-49	3	17.3	121	10	10	12	25	30	30	30
50-64	1	42.0		42	42	42	42	42	42	42
65+	2	17.0	50	12	12	17	22	22	22	22
2. MULTIPLE DX										
0-19 YRS	3	24.7	466	2	2	36	72	99+	99+	99+
20-34	3	40.3	1332	14	14	25	68	82	82	82
35-49	3	34.7	12	31	31	35	37	38	38	38
50-64	13	46.5	565	19	21	44	58	81	95	98
65+	12	42.6	480	15	25	49	99+	99+	99+	99+
TOT. SINGLE DX	11	23.2	648	2	5	12	28	62	89	92
" MULTIPLE DX	34	41.6	516	12	20	41	75	99+	99+	99+
TOTAL 0-19 YRS	4	22.0	339	2	2	27	59	99+	99+	99+
20-34	7	33.4	1397	2	3	14	68	90	92	92
35-49	6	26.0	144	10	10	30	35	38	38	38
50-64	14	46.1	524	19	22	43	53	79	94	98
65+	14	38.9	497	11	16	48	96	99+	99+	99+
GRAND TOTAL	45	37.1	598	7	11	33	69	99+	99+	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.9	11	1	1	2	7	9	9	9
20-34	4	6.3	13	1	1	7	8	9	9	9
35-49	4	6.3	15	1	1	7	9	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	23.5	405	6	6	21	40	46	46	46
20-34	6	9.7	51	1	1	9	15	19	20	20
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	21.5	25	18	18	21	25	25	25	25
65+	1	37.0		37	37	37	37	37	37	37
TOT. SINGLE DX	17	4.6	13	1	1	4	8	9	10	10
" MULTIPLE DX	14	17.0	196	1	3	12	25	38	44	46
TOTAL 0-19 YRS	11	11.0	227	1	1	6	9	39	45	46
20-34	10	8.3	36	1	1	8	10	17	20	20
35-49	5	6.2	11	1	1	6	8	10	10	10
50-64	3	14.7	152	1	1	18	23	25	25	25
65+	2	19.0	648	1	1	19	37	37	37	37
GRAND TOTAL	31	10.2	131	1	1	7	10	29	37	46

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0	1	1	1	1	3	4	4	4
20-34	19	2.6	3	<1	1	2	3	5	7	9
35-49	8	4.9	9	1	1	4	8	9	9	9
50-64	8	3.9	4	<1	1	3	5	7	7	7
65+	8	10.0	82	1	1	7	16	24	26	26
2. MULTIPLE DX										
0-19 YRS	5	2.0		1	1	2	2	3	3	3
20-34	9	8.7	44	3	3	5	16	18	19	19
35-49	11	17.0	672	<1	1	5	23	52	87	90
50-64	13	10.5	85	1	2	6	17	26	28	29
65+	25	25.6	452	3	7	17	31	73	74	75
TOT. SINGLE DX	50	4.3	22	1	1	3	4	8	12	26
" MULTIPLE DX	63	16.7	373	1	2	11	21	39	73	88
TOTAL 0-19 YRS	12	2.0	1	1	1	2	3	4	4	4
20-34	28	4.6	24	1	1	3	5	14	17	19
35-49	19	11.9	415	<1	1	5	10	26	62	90
50-64	21	8.0	63	1	1	5	8	23	27	29
65+	33	21.8	403	2	3	16	26	50	74	75
GRAND TOTAL	113	11.2	254	1	1	5	15	26	43	81

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	38.0	1568	10	10	38	66	66	66	66
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	26.0		26	26	26	26	26	26	26
65+										
TOT. SINGLE DX	5	16.8	767	2	2	3	24	66	66	66
" MULTIPLE DX	2	28.5	13	26	26	28	31	31	31	31
TOTAL 0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	17.0	392	3	3	17	31	31	31	31
50-64	3	34.0	832	10	10	26	56	66	66	66
65+										
GRAND TOTAL	7	20.1	546	2	2	10	30	59	66	66

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	1.9		<1	<1	2	2	4	4	4
20-34	349	2.3	4	<1	<1	2	2	4	5	9
35-49	581	2.4	5	<1	<1	2	2	4	6	13
50-64	338	3.0	5	<1	1	2	3	7	9	12
65+	174	4.3	14	1	2	3	5	8	13	21
2. MULTIPLE DX										
0-19 YRS	14	3.4	11	<1	1	2	3	8	12	13
20-34	153	2.8	9	<1	<1	2	3	5	8	15
35-49	362	3.7	25	<1	<1	2	4	8	10	23
50-64	367	4.8	27	<1	1	3	6	11	16	26
65+	318	7.0	55	1	2	5	9	14	18	55
TOT. SINGLE DX	1497	2.7	6	<1	<1	2	3	5	7	15
" MULTIPLE DX	1214	4.8	34	<1	1	3	6	10	15	28
TOTAL 0-19 YRS	69	2.2	3	<1	<1	2	2	4	4	12
20-34	502	2.4	6	<1	<1	2	3	4	6	15
35-49	943	2.9	14	<1	<1	2	3	6	8	21
50-64	705	4.0	18	<1	1	2	4	9	11	23
65+	492	6.0	43	1	2	4	7	12	17	36
GRAND TOTAL	**2711**	**3.6**	**20**	**<1**	**<1**	**2**	**4**	**8**	**11**	**22**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	3.5	9	<1	1	3	4	6	10	15
20-34	22	2.8	2	<1	1	3	4	5	6	7
35-49	26	4.1	7	<1	2	3	5	9	10	11
50-64	35	6.3	14	2	3	6	8	10	13	20
65+	50	8.4	26	2	2	8	11	15	18	25
2. MULTIPLE DX										
0-19 YRS	6	2.7		2	2	3	3	4	4	4
20-34	12	4.7	8	<1	1	4	6	10	11	11
35-49	25	6.3	11	1	3	6	7	12	13	14
50-64	50	7.7	18	3	4	7	10	13	14	24
65+	73	15.7	227	3	5	10	18	33	49	84
TOT. SINGLE DX	159	5.7	19	1	2	4	8	11	14	20
" MULTIPLE DX	166	10.6	129	2	3	7	12	19	28	56
TOTAL 0-19 YRS	32	3.3	8	<1	1	3	4	6	9	15
20-34	34	3.5	5	<1	1	3	4	6	9	11
35-49	51	5.2	10	<1	2	4	7	10	12	14
50-64	85	7.1	17	2	3	6	9	13	14	23
65+	123	12.8	158	2	3	9	15	25	41	66
GRAND TOTAL	**325**	**8.2**	**81**	**1**	**2**	**6**	**10**	**15**	**22**	**50**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	6.8	5	3	3	7	9	10	11	11
35-49	87	8.7	7	5	6	8	10	12	14	17
50-64	143	9.2	8	5	6	9	10	13	16	18
65+	113	10.2	15	6	6	9	12	16	18	24
2. MULTIPLE DX										
0-19 YRS										
20-34	17	9.5	23	2	3	9	13	16	18	18
35-49	144	8.9	10	5	5	9	10	12	14	22
50-64	272	10.7	43	5	6	9	12	16	19	46
65+	283	12.4	65	6	7	10	14	21	25	48
TOT. SINGLE DX	364	9.2	11	5	6	9	10	14	16	22
" MULTIPLE DX	716	11.0	46	5	6	9	12	17	22	41
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	37	8.0	15	3	3	7	10	14	16	18
35-49	231	8.8	9	5	6	9	10	12	14	19
50-64	415	10.2	32	5	6	9	11	15	18	41
65+	396	11.8	52	6	7	10	13	19	24	37
GRAND TOTAL	**1080**	**10.4**	**35**	**5**	**6**	**9**	**12**	**16**	**20**	**36**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	3.3	2	1	2	3	4	5	6	9
20-34	542	3.4	3	<1	1	3	4	6	7	9
35-49	205	3.8	5	<1	1	3	5	7	8	11
50-64	92	4.2	4	1	2	4	5	7	8	13
65+	20	4.1	6	1	2	3	5	8	10	11
2. MULTIPLE DX										
0-19 YRS	60	4.0	3	<1	2	4	4	6	8	11
20-34	364	3.7	4	1	1	4	4	6	8	11
35-49	255	4.5	21	<1	1	4	5	8	10	16
50-64	155	4.4	7	1	2	4	5	9	11	13
65+	40	5.7	24	1	2	4	6	12	18	24
TOT. SINGLE DX	995	3.6	4	<1	1	3	4	6	7	11
" MULTIPLE DX	874	4.2	11	1	1	4	5	7	9	15
TOTAL 0-19 YRS	196	3.5	3	1	2	3	4	5	7	10
20-34	906	3.5	4	1	1	3	4	6	7	10
35-49	460	4.2	14	<1	1	4	5	7	9	15
50-64	247	4.3	6	1	2	4	5	7	10	13
65+	60	5.1	19	1	2	4	5	11	15	23
GRAND TOTAL	1869	3.8	7	<1	1	3	5	7	8	13

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	294	4.3	8	1	2	4	5	8	10	17
20-34	565	4.0	5	1	2	3	5	7	9	12
35-49	88	3.9	6	<1	2	3	5	7	8	15
50-64	17	3.4	5	<1	<1	3	5	7	8	8
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	34	6.3	56	1	2	4	6	14	18	43
20-34	112	5.3	27	<1	2	4	6	11	14	33
35-49	27	7.0	50	1	2	6	7	16	21	34
50-64	5	12.8	39	7	7	13	17	22	22	22
65+	6	9.2	79	1	1	5	16	23	24	24
TOT. SINGLE DX	966	4.1	7	1	2	4	5	7	9	13
" MULTIPLE DX	184	6.0	39	1	2	4	6	13	17	39
TOTAL 0-19 YRS	328	4.5	13	1	2	4	5	8	10	17
20-34	677	4.2	10	1	2	4	5	7	9	15
35-49	115	4.6	18	1	2	4	6	8	12	24
50-64	22	5.5	28	<1	1	4	7	14	18	22
65+	8	7.9	64	1	1	5	11	22	24	24
GRAND TOTAL	1150	4.4	12	1	2	4	5	8	10	17

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	2.9	20	<1	<1	1	3	6	9	26
20-34	343	3.4	19	<1	<1	2	4	8	11	23
35-49	202	3.9	25	<1	<1	2	4	9	15	25
50-64	168	5.3	60	<1	<1	3	5	11	19	39
65+	126	6.1	67	<1	1	3	8	14	20	78
2. MULTIPLE DX										
0-19 YRS	111	6.8	103	<1	1	4	7	15	29	83
20-34	202	10.2	218	<1	<1	4	12	29	43	73
35-49	208	9.1	98	1	1	6	12	21	26	66
50-64	275	11.8	156	1	2	8	16	29	39	81
65+	442	13.9	208	1	2	9	20	38	66	99+
TOT. SINGLE DX	1134	3.9	33	<1	<1	2	4	9	14	30
" MULTIPLE DX	1238	11.4	176	1	1	7	15	30	47	99+
TOTAL 0-19 YRS	406	4.0	46	<1	<1	2	4	9	14	41
20-34	545	6.0	104	<1	<1	2	5	14	26	53
35-49	410	6.5	69	<1	<1	3	8	17	22	46
50-64	443	9.3	130	<1	1	5	11	24	36	59
65+	568	12.2	188	1	2	8	17	33	58	99+
GRAND TOTAL	2372	7.8	121	<1	<1	3	9	21	33	84

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	4.1	21	<1	1	2	5	9	14	23
20-34	437	4.8	31	<1	1	3	6	10	13	32
35-49	206	5.6	47	<1	1	3	7	14	20	40
50-64	136	7.0	52	1	1	4	9	18	22	37
65+	112	9.2	98	1	1	5	13	23	32	68
2. MULTIPLE DX										
0-19 YRS	617	6.4	94	<1	1	3	7	14	23	59
20-34	904	6.9	110	<1	1	3	8	18	32	69
35-49	454	9.0	127	1	1	5	12	23	32	98
50-64	459	12.4	201	1	1	8	17	35	48	97
65+	527	15.2	331	1	1	9	21	51	75	99+
TOT. SINGLE DX	1326	5.3	41	<1	1	3	6	12	18	34
" MULTIPLE DX	2961	9.5	174	1	1	5	11	25	42	99+
TOTAL 0-19 YRS	1052	5.4	65	<1	1	3	6	12	19	42
20-34	1341	6.2	86	<1	1	3	7	14	24	60
35-49	660	7.9	105	1	1	4	9	20	30	77
50-64	595	11.2	173	1	1	7	15	29	44	79
65+	639	14.2	296	1	1	8	20	46	72	99+
GRAND TOTAL	4287	8.2	137	1	1	4	9	21	35	77

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	10.9	114	1	2	8	15	28	35	43
20-34	63	10.0	97	1	2	6	15	22	34	42
35-49	31	10.7	96	1	1	7	21	25	27	34
50-64	38	15.0	224	1	2	12	19	34	56	58
65+	36	19.7	201	1	3	15	32	41	42	48
2. MULTIPLE DX										
0-19 YRS	58	19.4	234	2	3	15	28	38	46	78
20-34	97	22.7	378	2	4	18	30	52	68	79
35-49	56	18.0	122	3	3	16	24	35	38	49
50-64	89	27.3	407	4	5	26	40	56	74	96
65+	116	30.1	438	5	10	25	44	79	99+	99+
TOT. SINGLE DX	237	12.6	148	1	2	9	19	33	37	56
" MULTIPLE DX	416	24.7	364	3	4	20	34	56	75	99+
TOTAL 0-19 YRS	127	14.8	186	1	2	10	21	34	40	63
20-34	160	17.7	306	1	2	12	23	43	58	78
35-49	87	15.4	124	2	2	15	23	32	37	47
50-64	127	23.7	383	2	3	19	35	55	68	91
65+	152	27.6	400	3	7	25	39	69	96	99+
GRAND TOTAL	653	20.3	319	2	2	16	29	45	65	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	5.4	50	1	1	3	4	20	22	23
20-34	17	11.6	251	1	2	4	16	30	52	63
35-49	13	12.0	151	1	2	7	19	31	38	40
50-64	7	13.9	247	<1	<1	3	30	36	36	36
65+	3	9.3	121	2	2	4	17	22	22	22
2. MULTIPLE DX										
0-19 YRS	3	11.0	127	4	4	14	62	99+	99+	99+
20-34	32	21.4	739	<1	<1	11	44	68	98	99+
35-49	12	35.0	668	1	3	33	57	86	97	99+
50-64	23	24.2	582	1	2	15	37	53	79	95
65+	11	25.6	434	4	5	18	34	53	76	78
TOT. SINGLE DX	54	10.3	165	1	1	4	17	29	36	62
" MULTIPLE DX	81	24.4	624	1	2	16	41	78	97	99+
TOTAL 0-19 YRS	17	6.4	61	1	1	3	8	24	70	99+
20-34	49	18.0	584	<1	1	8	25	60	96	99+
35-49	25	23.0	520	1	2	18	38	75	86	99+
50-64	30	21.8	513	1	2	14	36	47	70	95
65+	14	22.1	401	2	4	17	34	40	70	78
GRAND TOTAL	135	18.7	485	1	1	11	31	50	80	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	3.0	11	<1	<1	2	3	7	11	18
20-34	234	3.5	7	<1	<1	3	5	7	8	13
35-49	171	3.7	4	<1	1	3	5	7	8	10
50-64	121	3.9	6	1	1	3	4	7	10	13
65+	51	4.7	14	<1	1	3	7	10	13	15
2. MULTIPLE DX										
0-19 YRS	75	6.1	78	<1	1	3	6	15	21	54
20-34	216	6.0	45	<1	2	4	6	10	20	46
35-49	237	5.3	32	<1	1	4	6	9	11	28
50-64	164	6.4	57	<1	2	4	7	14	23	51
65+	126	10.8	109	2	2	7	13	23	32	56
TOT. SINGLE DX	721	3.6	8	<1	<1	3	5	7	9	14
" MULTIPLE DX	818	6.6	60	<1	1	4	7	14	21	49
TOTAL 0-19 YRS	219	4.1	36	<1	<1	2	4	9	15	23
20-34	450	4.7	27	<1	<1	4	5	8	10	36
35-49	408	4.6	22	<1	1	4	6	8	10	16
50-64	285	5.3	37	1	1	4	6	10	15	42
65+	177	9.1	90	1	2	6	12	19	28	52
GRAND TOTAL	1539	5.2	38	<1	1	4	6	10	15	33

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	6	16.8	353	4	4	10	16	50	54	54
20-34	2	7.0	18	4	4	10	77	99+	99+	99+
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	3	14.7	64	7	7	18	61	99+	99+	99+
TOT. SINGLE DX	9	6.3	19	1	1	5	10	12	13	13
" MULTIPLE DX	14	12.9	170	4	4	9	19	95	99+	99+
TOTAL 0-19 YRS	7	15.9	301	4	4	10	15	46	54	54
20-34	3	5.0	21	1	1	7	55	99+	99+	99+
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64	4	6.3	4	4	4	6	8	8	8	8
65+	6	10.5	60	2	2	13	21	85	99+	99+
GRAND TOTAL	**23**	**10.3**	**118**	**2**	**3**	**8**	**14**	**54**	**99+**	**99+**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.3	20	1	1	3	5	10	15	22
20-34	597	4.1	16	1	1	3	5	9	12	22
35-49	773	4.5	22	1	1	3	6	10	13	24
50-64	422	4.5	25	1	1	3	6	10	15	24
65+	109	6.0	63	1	1	3	7	17	24	38
2. MULTIPLE DX										
0-19 YRS	25	6.0	34	1	2	4	7	15	19	24
20-34	340	6.5	53	1	1	5	8	12	19	30
35-49	523	6.9	69	1	1	4	8	14	22	41
50-64	460	7.1	48	1	1	5	10	16	20	35
65+	212	11.0	167	1	1	7	15	23	32	77
TOT. SINGLE DX	1949	4.5	24	1	1	3	6	10	14	24
" MULTIPLE DX	1560	7.4	74	1	1	5	9	16	22	45
TOTAL 0-19 YRS	73	4.8	26	1	1	3	6	14	16	24
20-34	937	5.0	31	1	1	3	6	11	15	25
35-49	1296	5.5	43	1	1	3	7	12	16	30
50-64	882	5.9	39	1	1	4	8	14	18	32
65+	321	9.3	138	1	1	5	13	21	28	63
GRAND TOTAL	**3509**	**5.8**	**48**	**1**	**1**	**3**	**7**	**13**	**18**	**32**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.3	13	1	1	3	7	10	12	12
20-34	64	6.5	57	1	1	4	7	14	23	42
35-49	105	6.4	46	1	2	4	8	12	17	42
50-64	127	6.5	92	1	1	4	7	12	17	47
65+	112	4.9	23	1	1	3	6	12	16	24
2. MULTIPLE DX										
0-19 YRS	10	13.5	127	2	2	11	20	30	37	37
20-34	61	8.4	59	1	2	5	12	18	26	35
35-49	144	8.2	40	2	2	7	10	18	21	33
50-64	393	8.3	68	1	2	6	11	16	22	76
65+	338	10.5	148	1	1	7	14	22	31	99+
TOT. SINGLE DX	418	6.0	55	1	1	4	7	12	17	35
" MULTIPLE DX	946	9.1	94	1	2	7	12	19	26	88
TOTAL 0-19 YRS	20	8.9	89	1	1	5	13	21	30	37
20-34	125	7.4	59	1	2	5	9	15	24	37
35-49	249	7.4	44	2	2	5	9	15	21	35
50-64	520	7.8	75	1	1	6	10	15	20	72
65+	450	9.1	123	1	1	6	12	20	27	97
GRAND TOTAL	**1364**	**8.1**	**84**	**1**	**1**	**6**	**10**	**17**	**23**	**65**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	8	5.3	28	1	1	4	7	14	17	17
50-64	26	5.6	30	1	1	3	10	15	17	17
65+	12	6.4	26	1	1	4	11	13	14	14
2. MULTIPLE DX										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	19	11.4	55	3	3	10	14	25	27	28
50-64	43	10.6	79	2	3	8	14	23	30	41
65+	25	13.8	148	1	4	13	17	25	42	56
TOT. SINGLE DX	46	5.8	28	1	1	3	11	14	17	17
" MULTIPLE DX	88	11.8	93	2	3	9	15	24	29	50
TOTAL 0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	27	9.6	54	1	2	8	12	23	25	28
50-64	69	8.7	66	1	1	6	13	17	24	40
65+	37	11.4	119	1	1	11	15	21	33	56
GRAND TOTAL	**134**	**9.7**	**79**	**1**	**1**	**8**	**14**	**19**	**25**	**43**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	6.2	26	1	1	4	10	14	16	18
20-34	143	7.1	49	<1	1	5	9	15	20	35
35-49	153	5.5	24	<1	1	4	7	14	16	21
50-64	310	5.5	39	<1	1	3	8	12	16	37
65+	304	5.2	34	<1	1	3	7	14	16	25
2. MULTIPLE DX										
0-19 YRS	32	10.1	161	1	1	6	13	20	27	69
20-34	169	8.5	71	1	1	7	12	17	23	99+
35-49	249	9.1	97	1	1	7	12	18	22	46
50-64	771	7.9	69	1	1	5	11	18	23	40
65+	985	10.2	140	1	1	7	14	24	36	75
TOT. SINGLE DX	941	5.7	37	<1	1	3	8	14	16	26
" MULTIPLE DX	2206	9.2	107	1	1	6	12	20	29	61
TOTAL 0-19 YRS	63	8.2	98	1	1	5	12	17	20	63
20-34	312	7.8	62	1	1	6	11	17	21	81
35-49	402	7.7	73	1	1	5	11	16	20	45
50-64	1081	7.2	62	1	1	5	10	16	22	40
65+	1289	9.1	120	1	1	5	13	21	32	65
GRAND TOTAL	**3147**	**8.1**	**88**	**1**	**1**	**5**	**11**	**18**	**25**	**55**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6034	4.0	18	1	1	3	5	8	10	21
20-34	6032	4.3	23	1	1	3	5	8	11	23
35-49	3282	5.0	24	1	1	4	6	10	13	26
50-64	2904	6.6	45	1	1	5	8	13	19	36
65+	3344	8.5	70	1	2	6	11	17	24	48
2. MULTIPLE DX										
0-19 YRS	6069	6.0	54	1	1	4	7	12	18	40
20-34	5362	6.2	64	1	1	4	7	12	18	45
35-49	4354	7.8	73	1	2	5	10	16	22	51
50-64	6864	9.6	94	2	2	7	12	19	27	61
65+	15744	12.6	155	2	3	9	16	27	41	99+
TOT. SINGLE DX	21596	5.3	35	1	1	4	7	11	15	31
" MULTIPLE DX	38393	9.6	114	1	2	7	12	21	30	76
TOTAL 0-19 YRS	12103	5.0	37	1	1	3	6	10	14	32
20-34	11394	5.2	44	1	1	3	6	10	14	35
35-49	7636	6.6	55	1	1	5	8	13	18	40
50-64	9768	8.7	82	1	2	6	11	18	24	53
65+	19088	11.9	143	2	3	8	15	25	38	99+
GRAND TOTAL	**59989**	**8.0**	**90**	**1**	**1**	**5**	**10**	**17**	**25**	**61**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1942	4.8	31	1	1	3	6	9	13	33
20-34	968	7.0	78	1	1	4	8	14	20	54
35-49	732	7.4	48	1	2	6	9	15	21	39
50-64	730	7.9	50	1	2	6	10	16	22	39
65+	814	10.8	117	2	3	8	13	21	34	82
2. MULTIPLE DX										
0-19 YRS	2045	7.5	116	1	2	5	7	15	26	84
20-34	981	10.0	177	1	2	6	11	21	34	85
35-49	980	10.6	127	2	2	7	13	25	34	92
50-64	1576	11.6	128	2	3	8	14	24	34	87
65+	3545	14.8	200	3	4	10	18	34	50	99+
TOT. SINGLE DX	5186	7.0	63	1	1	5	8	14	21	47
" MULTIPLE DX	9127	11.7	167	2	2	7	14	27	40	97
TOTAL 0-19 YRS	3987	6.2	77	1	1	4	7	11	19	52
20-34	1949	8.5	131	1	1	5	10	18	29	71
35-49	1712	9.3	96	1	2	6	11	20	30	73
50-64	2306	10.4	107	2	3	8	13	22	30	78
65+	4359	14.1	188	3	3	10	17	32	47	99+
GRAND TOTAL	**14313**	**10.0**	**134**	**1**	**2**	**6**	**12**	**22**	**34**	**84**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7035	4.2	15	1	1	3	5	8	11	19
20-34	2884	3.9	22	<1	1	3	5	7	11	25
35-49	1388	5.2	30	1	1	4	6	11	14	29
50-64	1505	6.7	46	1	1	5	8	14	18	34
65+	2159	8.5	74	1	2	6	11	17	24	53
2. MULTIPLE DX										
0-19 YRS	9102	6.1	36	1	2	5	7	11	16	33
20-34	2926	5.4	47	1	1	3	6	11	16	41
35-49	2318	6.7	57	1	1	4	8	14	20	43
50-64	4044	8.5	80	1	2	6	11	17	23	52
65+	9470	11.2	137	2	3	8	14	24	36	99+
TOT. SINGLE DX	14971	5.1	32	1	1	4	6	10	14	29
" MULTIPLE DX	27860	8.1	86	1	2	5	10	17	25	60
TOTAL 0-19 YRS	16137	5.3	28	1	1	4	6	10	14	29
20-34	5810	4.7	36	1	1	3	5	9	13	34
35-49	3706	6.2	48	1	1	4	8	13	18	40
50-64	5549	8.0	72	1	2	6	10	16	21	48
65+	11629	10.7	127	2	2	7	13	23	34	93
GRAND TOTAL	**42831**	**7.1**	**69**	**1**	**1**	**5**	**8**	**15**	**21**	**51**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	**Title**
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

GER LENGTH OF STAY



BY DIAGNOSIS BY OPERATION



UNITED STATES

Geriatric



1984

Geriatric Length of Stay by Diagnosis and Operation, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients in Diagnosis Groups 17
    Diagnosis Groups 1-398 18
    Summary of All Patients in Operation Groups. 218
    Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[2] **Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** **Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extende[illegible] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** **and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic; (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	34900	12.1	68	3	5	10	15	21	27	44

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

1,650 Hospitals, United States, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32062	5.8	37	1	1	4	7	11	16	31
70-74	28408	6.0	38	1	1	4	7	12	16	32
75-79	22469	6.2	41	1	1	4	8	12	16	33
80-84	15886	6.3	39	1	2	5	8	12	16	32
85+	13825	6.3	38	1	2	5	8	12	16	31
B. *Operated*										
65-69 YRS	65000	5.2	25	1	1	3	7	11	15	23
70-74	56107	5.3	28	1	1	3	7	12	15	24
75-79	43190	5.4	32	1	1	3	7	13	16	26
80-84	26613	5.6	41	1	1	3	7	14	17	30
85+	17981	6.6	53	1	1	3	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	297512	7.4	46	1	2	6	9	14	19	35
70-74	322087	7.8	49	2	2	6	10	15	20	37
75-79	300450	8.2	55	2	2	6	10	16	21	40
80-84	242181	8.6	61	2	3	7	11	16	22	43
85+	227425	9.0	66	2	3	7	11	17	23	48
B. *Operated*										
65-69 YRS	240989	9.8	98	1	2	7	13	20	28	54
70-74	231142	10.5	107	2	2	8	14	22	30	58
75-79	187988	11.2	121	2	2	8	15	23	32	62
80-84	124224	12.1	133	2	2	9	16	25	34	69
85+	93395	13.1	146	2	2	10	17	27	37	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112650	6.1	38	1	1	4	8	12	16	32
B. *Operated*	208891	5.4	32	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1389655	8.1	55	2	2	6	10	15	21	40
B. *Operated*	877738	11.0	116	2	2	8	14	23	31	62
1. SINGLE DX	321541	5.7	34	1	1	4	7	12	16	28
2. MULTIPLE DX	2267393	9.2	81	2	2	7	12	19	25	50
A. NOT OPERATED	1502305	8.0	54	2	2	6	10	15	21	39
B. OPERATED	1086629	9.9	105	1	2	7	13	21	29	57
TOTAL 65-69 YRS	635563	8.0	66	1	2	6	10	16	22	43
70-74	637744	8.5	71	1	2	6	11	17	23	45
75-79	554097	8.9	78	2	2	7	11	18	25	49
80-84	408904	9.4	85	2	2	7	12	19	26	52
85+	352626	9.9	90	2	2	7	12	20	27	58
GRAND TOTAL	**2588934**	**8.8**	**76**	**1**	**2**	**6**	**11**	**18**	**24**	**48**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	165	3.5	4	1	1	3	5	6	7	10
70-74	151	3.5	6	1	1	3	4	7	10	11
75-79	118	4.3	13	1	1	3	5	9	11	21
80-84	71	4.3	12	1	1	4	5	9	12	16
85+	64	4.7	16	1	2	4	6	10	12	24
B. *Operated*										
65-69 YRS	7	9.3	115	3	3	5	9	28	33	33
70-74	8	7.1	23	1	2	6	9	15	17	17
75-79	5	13.6	203	3	3	8	20	38	38	38
80-84	4	6.3	4	4	4	6	8	9	9	9
85+	3	6.7	14	4	4	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1192	4.9	12	1	2	4	6	8	11	18
70-74	1432	5.4	23	1	2	4	7	10	13	24
75-79	1219	5.8	22	2	2	5	7	10	14	24
80-84	910	6.2	36	2	2	5	7	11	15	25
85+	834	6.9	49	2	2	5	8	13	18	42
B. *Operated*										
65-69 YRS	120	11.0	121	2	3	7	13	22	32	62
70-74	125	11.8	105	3	4	9	15	24	31	74
75-79	108	12.2	103	2	3	10	15	23	32	55
80-84	88	14.0	147	3	4	10	16	26	41	61
85+	58	14.5	174	3	4	10	17	31	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	3.9	9	1	1	3	5	7	10	14
B. *Operated*	27	8.7	72	2	3	6	9	16	34	38
2. MULTIPLE DX										
A. *Not Operated*	5587	5.7	27	2	2	4	7	10	14	25
B. *Operated*	499	12.4	124	3	4	9	15	24	33	64
1. SINGLE DX	596	4.1	13	1	1	3	5	8	10	17
2. MULTIPLE DX	6086	6.3	38	2	2	5	7	12	16	32
A. NOT OPERATED	6156	5.6	25	1	2	4	7	10	14	24
B. OPERATED	526	12.2	122	3	4	9	15	24	33	63
TOTAL 65-69 YRS	1484	5.2	24	1	2	4	6	9	12	23
70-74	1716	5.7	31	1	2	4	7	11	14	28
75-79	1450	6.2	31	2	2	5	7	12	15	30
80-84	1073	6.7	48	2	2	5	8	13	17	35
85+	959	7.2	58	2	2	5	9	14	19	48
GRAND TOTAL	**6682**	**6.1**	**36**	**2**	**2**	**4**	**7**	**11**	**15**	**31**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	10.7	74	1	2	10	13	25	31	33
70-74	16	10.3	68	<1	1	7	18	22	23	23
75-79	14	14.4	68	3	5	14	18	26	31	33
80-84	16	11.2	44	3	4	10	15	20	25	27
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	18	12.7	101	1	3	9	18	29	34	37
70-74	13	10.8	35	2	4	8	16	19	20	20
75-79	10	14.2	90	3	3	12	16	30	33	33
80-84	3	8.7	46	1	1	11	13	14	14	14
85+	6	14.0	70	4	4	14	19	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	14.1	135	3	4	12	17	30	37	83
70-74	115	13.5	121	2	4	12	18	24	28	68
75-79	89	15.0	153	3	4	12	17	30	42	94
80-84	80	15.6	244	3	4	11	18	31	53	87
85+	75	14.7	108	3	4	13	19	27	32	58
B. *Operated*										
65-69 YRS	131	18.0	198	4	6	14	24	34	49	97
70-74	131	16.5	185	3	4	12	22	32	40	72
75-79	107	19.7	256	3	5	15	27	42	58	99+
80-84	63	17.7	216	3	6	14	20	35	49	83
85+	44	25.8	336	7	9	23	31	56	63	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	11.4	62	1	3	11	15	22	27	33
B. *Operated*	50	12.4	72	2	3	10	18	26	29	37
2. MULTIPLE DX										
A. *Not Operated*	471	14.5	149	3	4	12	17	27	36	82
B. *Operated*	476	18.7	227	4	5	14	24	38	52	90
1. SINGLE DX	115	11.9	66	2	3	10	16	23	28	35
2. MULTIPLE DX	947	16.6	192	3	5	13	20	33	43	86
A. NOT OPERATED	536	14.1	139	3	4	12	17	26	35	74
B. OPERATED	526	18.1	216	3	5	14	23	37	46	88
TOTAL 65-69 YRS	278	15.6	164	3	4	12	19	32	41	89
70-74	275	14.6	147	2	4	12	20	29	35	68
75-79	220	17.2	199	3	5	14	22	37	49	99+
80-84	162	15.8	212	3	4	12	18	31	47	84
85+	127	18.4	211	3	5	15	24	35	45	72
GRAND TOTAL	**1062**	**16.1**	**181**	**3**	**4**	**13**	**20**	**33**	**42**	**86**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	14.7	196	1	1	14	25	29	29	29
70-74	4	8.8	17	5	5	8	12	14	14	14
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	6	3.3	4	1	1	3	4	7	7	7
70-74	4	10.0	55	3	3	8	15	20	20	20
75-79	2	8.0	2	7	7	8	9	9	9	9
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	10.9	68	2	2	9	16	17	28	36
70-74	24	12.5	99	3	3	11	15	24	38	42
75-79	16	15.9	116	3	6	12	24	31	37	39
80-84	12	19.5	157	4	5	18	30	38	40	40
85+	4	21.5	378	7	7	14	33	50	50	50
B. *Operated*										
65-69 YRS	28	19.3	304	1	7	15	25	35	46	91
70-74	33	22.4	267	6	7	19	30	42	56	76
75-79	29	25.0	234	6	8	19	39	47	53	59
80-84	25	29.6	402	3	7	24	48	66	81	99+
85+	11	22.8	278	1	4	18	39	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.5	70	1	1	9	14	22	29	29
B. *Operated*	13	6.6	26	1	2	6	9	13	19	20
2. MULTIPLE DX										
A. *Not Operated*	74	14.5	122	3	4	12	17	33	39	48
B. *Operated*	126	23.8	298	5	7	19	34	48	58	93
1. SINGLE DX	23	8.3	47	1	1	7	11	17	23	29
2. MULTIPLE DX	200	20.3	252	3	5	16	28	42	54	83
A. NOT OPERATED	84	14.0	116	2	3	11	17	31	38	47
B. OPERATED	139	22.2	297	3	6	18	32	46	57	92
TOTAL 65-69 YRS	55	14.6	211	1	2	11	18	29	36	88
70-74	65	17.2	202	3	5	13	23	37	43	73
75-79	48	21.1	203	6	6	17	30	43	49	59
80-84	38	25.9	338	3	6	22	36	57	72	99+
85+	17	20.5	279	1	2	12	38	44	48	50
GRAND TOTAL	**223**	**19.1**	**244**	**3**	**4**	**14**	**27**	**41**	**51**	**80**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	1	2	2	3	4	4	4	4
70-74	5	3.8	2	2	2	4	5	5	5	5
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	4.7	4	2	2	4	6	7	9	10
70-74	26	4.3	9	2	2	3	5	8	10	16
75-79	24	7.0	32	2	2	6	9	13	19	27
80-84	13	7.0	23	3	3	5	8	15	17	17
85+	11	6.9	41	<1	1	5	9	18	20	20
B. *Operated*										
65-69 YRS	2	18.0	18	15	15	18	21	21	21	21
70-74	3	7.0	7	4	4	8	9	9	9	9
75-79	4	8.5	14	5	5	8	11	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.4	1	2	2	3	4	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	111	5.6	18	2	2	4	7	11	15	23
B. *Operated*	9	10.1	30	4	4	9	13	19	21	21
1. SINGLE DX	13	3.4	1	2	2	3	4	5	5	5
2. MULTIPLE DX	120	5.9	20	2	2	5	7	12	16	23
A. NOT OPERATED	124	5.4	17	2	2	4	6	10	15	22
B. OPERATED	9	10.1	30	4	4	9	13	19	21	21
TOTAL 65-69 YRS	45	5.1	12	2	2	4	6	8	11	21
70-74	34	4.5	8	2	2	4	5	8	9	16
75-79	30	6.9	28	2	2	6	10	13	15	27
80-84	13	7.0	23	3	3	5	8	15	17	17
85+	11	6.9	41	<1	1	5	9	18	20	20
GRAND TOTAL	**133**	**5.7**	**19**	**2**	**2**	**4**	**7**	**11**	**15**	**22**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	8.1	23	2	3	7	12	14	17	21
70-74	50	[illegible]	16	3	3	7	10	13	16	17
75-79	44	[illegible]	50	3	3	8	9	12	20	42
80-84	34	9.1	25	3	3	8	11	15	21	21
85+	46	9.8	92	2	3	7	11	18	35	49
B. *Operated*										
65-69 YRS	4	21.5	166	5	5	23	31	34	34	34
70-74	4	13.5	153	3	3	10	22	31	31	31
75-79	3	13.7	4	12	12	13	15	16	16	16
80-84	4	23.3	90	13	13	26	51	99+	99+	99+
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1745	11.0	54	4	5	9	13	19	26	40
70-74	2164	11.4	62	4	5	9	14	20	27	45
75-79	2341	11.7	64	4	5	10	14	20	27	44
80-84	2364	12.1	64	4	5	10	14	20	26	43
85+	2823	12.1	71	4	5	10	14	20	27	52
B. *Operated*										
65-69 YRS	544	20.8	240	6	8	16	26	45	59	99+
70-74	628	19.9	182	6	8	17	24	37	49	86
75-79	651	20.7	217	6	7	17	25	42	55	93
80-84	540	21.6	240	7	8	17	27	43	57	99+
85+	504	19.8	156	6	8	16	26	38	48	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	8.6	42	3	3	7	11	14	19	38
B. *Operated*	16	17.4	115	3	4	16	29	35	77	99+
2. MULTIPLE DX										
A. *Not Operated*	11437	11.7	64	4	5	10	14	20	26	44
B. *Operated*	2867	20.5	207	6	8	17	25	40	54	94
1. SINGLE DX	231	9.2	51	3	3	7	11	16	26	43
2. MULTIPLE DX	14304	13.5	105	4	5	11	16	25	33	62
A. NOT OPERATED	11652	11.7	64	4	5	10	14	20	26	44
B. OPERATED	2883	20.5	207	6	8	17	25	40	54	96
TOTAL 65-69 YRS	2334	13.3	115	4	5	10	16	26	35	64
70-74	2846	13.2	101	4	5	10	16	25	33	57
75-79	3039	13.6	110	4	5	11	16	25	33	61
80-84	2942	13.8	109	4	6	11	16	25	34	70
85+	3374	13.2	92	4	5	11	15	24	31	58
GRAND TOTAL	**14535**	**13.4**	**105**	**4**	**5**	**11**	**16**	**25**	**33**	**61**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	5.5	11	3	3	5	6	10	14	16
70-74	13	5.1	7	2	2	5	6	8	11	12
75-79	8	5.5	5	3	3	5	8	8	8	8
80-84	9	7.0	24	3	3	6	7	15	19	19
85+	4	9.0	9	5	5	9	11	12	12	12
B. *Operated*										
65-69 YRS	4	7.3	47	2	2	5	12	17	17	17
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79	3	16.7	158	5	5	15	26	30	30	30
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	2	16.0	50	11	11	16	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	208	9.3	47	3	4	8	12	16	21	43
70-74	259	9.8	58	3	4	8	12	18	24	42
75-79	232	10.1	83	3	4	8	12	17	25	78
80-84	176	11.5	100	3	4	9	15	23	30	49
85+	203	10.8	74	3	4	8	14	20	26	45
B. *Operated*										
65-69 YRS	80	19.5	280	3	4	14	28	51	63	90
70-74	103	18.7	220	3	4	16	25	38	50	73
75-79	69	23.0	359	5	6	16	32	52	59	87
80-84	48	15.4	123	4	4	11	22	33	39	42
85+	48	16.8	111	4	6	15	22	30	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.9	11	3	3	5	7	10	13	19
B. *Operated*	13	10.3	69	2	3	7	15	23	29	30
2. MULTIPLE DX										
A. *Not Operated*	1078	10.2	71	3	4	8	13	19	25	46
B. *Operated*	348	19.0	236	3	5	14	26	39	54	72
1. SINGLE DX	67	6.8	25	3	3	5	8	13	17	28
2. MULTIPLE DX	1426	12.4	126	3	4	9	15	25	35	64
A. NOT OPERATED	1132	10.0	69	3	4	8	12	18	24	45
B. OPERATED	361	18.7	232	3	5	14	26	39	53	72
TOTAL 65-69 YRS	312	11.6	126	3	3	8	14	22	35	65
70-74	377	12.0	117	3	4	8	15	25	35	63
75-79	312	12.9	172	3	4	9	15	29	38	81
80-84	235	12.1	104	3	4	9	15	26	33	43
85+	257	12.0	84	3	4	10	15	23	30	46
GRAND TOTAL	**1493**	**12.1**	**123**	**3**	**4**	**9**	**15**	**24**	**34**	**64**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	10.6	79	1	1	9	14	25	25	25
70-74	5	6.6	11	3	3	5	9	11	11	11
75-79	4	6.0	21	2	2	5	9	12	12	12
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	8.4	24	2	3	8	11	16	18	20
70-74	29	11.9	109	2	3	8	17	26	29	46
75-79	16	11.0	61	1	2	9	16	23	26	27
80-84	19	14.1	46	5	6	14	19	24	26	27
85+	10	12.8	46	<1	3	13	16	22	23	23
B. *Operated*										
65-69 YRS	3	23.0	289	6	6	23	36	40	40	40
70-74	5	42.6	1281	10	10	21	80	84	84	84
75-79	2	27.5	613	10	10	27	45	45	45	45
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.2	32	1	2	6	10	12	20	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	104	11.2	62	2	3	9	15	23	26	36
B. *Operated*	12	31.8	669	6	9	22	42	80	83	84
1. SINGLE DX	17	7.2	32	1	2	6	10	12	20	25
2. MULTIPLE DX	116	13.4	158	2	3	10	17	25	28	81
A. NOT OPERATED	121	10.7	59	2	3	9	15	22	26	33
B. OPERATED	12	31.8	669	6	9	22	42	80	83	84
TOTAL 65-69 YRS	38	9.9	59	2	3	8	12	19	24	40
70-74	39	15.2	333	2	3	9	19	27	64	84
75-79	22	11.6	106	1	2	9	14	24	34	45
80-84	21	14.0	47	5	6	14	20	24	26	27
85+	13	12.2	57	<1	2	11	17	23	23	23
GRAND TOTAL	**133**	**12.6**	**146**	**2**	**3**	**9**	**16**	**24**	**27**	**80**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	5.8	15	2	2	5	7	10	13	22
70-74	101	6.2	42	1	2	5	7	11	12	40
75-79	98	6.1	30	1	2	4	8	11	13	35
80-84	82	5.9	16	1	2	5	8	11	14	19
85+	60	6.6	16	1	2	6	9	12	14	18
B. *Operated*										
65-69 YRS	11	5.0	10	3	3	4	6	9	14	14
70-74	6	4.0	10	1	1	3	7	9	9	9
75-79	7	3.0	6	1	1	2	5	7	7	7
80-84	4	4.3	20	2	2	2	7	11	11	11
85+	2	3.5	13	<1	<1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	682	7.6	32	2	3	6	9	13	17	30
70-74	844	7.8	36	2	3	7	10	14	18	32
75-79	854	9.0	59	2	3	7	11	16	23	42
80-84	646	8.9	48	2	3	7	11	17	24	39
85+	524	9.0	43	2	3	7	12	17	21	37
B. *Operated*										
65-69 YRS	73	11.7	112	1	2	8	16	29	31	46
70-74	83	11.0	58	2	4	9	15	21	27	82
75-79	85	14.9	179	2	3	11	18	36	49	59
80-84	54	14.7	156	3	4	10	20	30	46	59
85+	37	17.4	154	5	6	15	21	41	44	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	6.1	25	1	2	5	8	11	13	22
B. *Operated*	30	4.1	10	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	3550	8.4	44	2	3	7	10	15	20	37
B. *Operated*	332	13.5	131	2	3	10	17	29	41	58
1. SINGLE DX	480	6.0	24	1	2	5	7	11	13	21
2. MULTIPLE DX	3882	8.9	54	2	3	7	11	17	22	41
A. NOT OPERATED	4000	8.2	43	2	3	7	10	15	20	36
B. OPERATED	362	12.7	127	2	3	9	16	28	40	58
TOTAL 65-69 YRS	875	7.7	38	2	3	6	9	14	19	31
70-74	1034	7.9	39	2	3	7	10	15	18	34
75-79	1044	9.2	69	2	3	7	11	17	24	44
80-84	786	9.0	55	2	3	7	11	18	24	39
85+	623	9.3	52	2	3	7	12	18	22	42
GRAND TOTAL	**4362**	**8.5**	**51**	**2**	**3**	**7**	**10**	**16**	**21**	**40**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	8.7	61	2	2	7	10	17	24	39
70-74	27	6.1	14	2	2	5	9	11	12	16
75-79	10	6.3	21	2	2	5	7	14	16	16
80-84	3	8.7	16	4	4	11	11	11	11	11
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	8	9.4	101	1	1	7	12	26	31	31
70-74	3	11.3	85	6	6	6	18	22	22	22
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	9.0	42	2	2	7	12	18	21	32
70-74	81	9.1	45	2	3	7	10	17	21	38
75-79	78	9.4	33	2	4	8	11	16	22	29
80-84	53	12.6	206	3	3	9	14	28	34	92
85+	40	11.0	70	2	3	10	14	18	21	51
B. *Operated*										
65-69 YRS	41	9.4	35	2	3	9	12	19	22	24
70-74	28	11.4	47	1	2	12	15	22	32	99+
75-79	13	14.2	82	2	3	12	20	26	31	32
80-84	11	13.0	29	6	6	12	15	22	23	23
85+	5	15.0	48	9	9	13	19	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	7.3	34	2	2	6	10	15	16	36
B. *Operated*	14	8.5	77	1	1	6	10	23	29	31
2. MULTIPLE DX										
A. *Not Operated*	377	9.8	68	2	3	8	12	18	23	39
B. *Operated*	98	11.3	46	2	3	11	15	22	25	67
1. SINGLE DX	83	7.5	41	1	2	6	10	16	19	36
2. MULTIPLE DX	475	10.1	64	2	3	9	13	19	24	39
A. NOT OPERATED	446	9.4	63	2	3	8	12	17	22	39
B. OPERATED	112	11.0	50	1	3	10	15	22	25	57
TOTAL 65-69 YRS	202	9.1	45	2	2	7	12	18	22	34
70-74	139	9.1	42	2	2	7	12	18	22	46
75-79	103	9.6	42	2	3	8	12	19	24	30
80-84	68	12.4	167	3	3	9	14	26	32	84
85+	46	11.3	67	2	4	10	15	18	24	51
GRAND TOTAL	**558**	**9.7**	**61**	**2**	**3**	**8**	**12**	**19**	**23**	**39**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	9.5	5	8	8	9	11	11	11	11
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	7.1	55	<1	<1	6	10	18	24	26
70-74	6	5.0	30	1	1	2	11	13	13	13
75-79	4	6.5	34	1	1	6	11	12	12	12
80-84										
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	22.0		22	22	22	22	22	22	22
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.0	5	6	6	7	9	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	6.7	42	<1	1	5	11	13	19	26
B. *Operated*	4	11.5	54	6	6	9	16	22	22	22
1. SINGLE DX	4	8.0	5	6	6	7	9	11	11	11
2. MULTIPLE DX	28	7.4	44	1	1	6	11	15	22	26
A. NOT OPERATED	28	6.9	36	1	1	6	11	13	17	26
B. OPERATED	4	11.5	54	6	6	9	16	22	22	22
TOTAL 65-69 YRS	16	6.9	44	<1	1	6	9	15	23	26
70-74	9	6.7	26	1	1	8	11	12	13	13
75-79	6	9.2	60	1	1	9	12	21	22	22
80-84										
85+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**32**	**7.4**	**39**	**1**	**1**	**7**	**11**	**14**	**21**	**26**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	18	3.5	8	<1	1	2	4	8	10	11
70-74	7	1.3		<1	<1	1	2	2	2	2
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	3	3.7	4	2	2	3	5	6	6	6
85+	6	2.2	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	24	3.7	5	<1	1	3	5	7	8	9
70-74	20	6.2	34	1	1	4	7	14	19	24
75-79	11	4.2	20	2	2	2	5	10	16	17
80-84	5	7.0	11	4	4	6	10	11	11	11
85+	3	8.0	61	3	3	4	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	37	2.8	5	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	63	5.0	20	1	2	3	6	11	16	23
1. SINGLE DX	38	2.7	5	<1	1	2	3	6	8	11
2. MULTIPLE DX	65	5.0	20	1	2	3	6	11	15	23
A. NOT OPERATED	3	3.0	4	1	1	3	4	5	5	5
B. OPERATED	100	4.2	16	<1	1	3	5	9	12	21
TOTAL 65-69 YRS	44	3.5	6	<1	1	3	5	7	9	11
70-74	27	4.9	30	<1	1	2	6	13	16	24
75-79	15	3.9	15	1	2	2	5	6	14	17
80-84	8	5.8	11	2	2	5	8	11	11	11
85+	9	4.1	24	1	1	2	4	12	17	17
GRAND TOTAL	**103**	**4.2**	**15**	**<1**	**1**	**3**	**5**	**9**	**12**	**20**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.1	8	1	1	3	6	7	10	15
70-74	53	4.7	10	1	2	4	5	8	10	17
75-79	39	4.5	5	2	2	4	6	8	9	10
80-84	30	4.0	4	2	2	4	5	7	8	8
85+	34	3.8	7	2	2	3	4	6	8	15
B. *Operated*										
65-69 YRS	4	14.5	114	3	3	15	23	25	25	25
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	718	5.1	15	2	2	4	6	9	12	21
70-74	683	5.4	20	1	2	4	6	10	13	21
75-79	667	5.6	20	2	2	4	7	10	13	24
80-84	504	6.5	47	2	2	5	8	12	16	31
85+	428	6.6	33	2	2	5	8	12	16	31
B. *Operated*										
65-69 YRS	63	12.1	185	2	3	7	15	25	33	83
70-74	66	11.7	85	2	3	9	14	20	33	52
75-79	44	12.0	143	2	3	6	15	29	36	61
80-84	31	11.4	80	2	3	8	14	29	30	36
85+	22	19.7	477	3	4	9	23	57	70	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.2	7	1	2	4	5	8	9	16
B. *Operated*	7	9.6	95	3	3	3	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	3000	5.7	26	2	2	4	7	10	13	25
B. *Operated*	226	12.6	164	2	3	9	15	28	36	67
1. SINGLE DX	222	4.4	10	1	2	4	5	8	10	18
2. MULTIPLE DX	3226	6.2	38	2	2	5	7	11	15	32
A. NOT OPERATED	3215	5.6	24	2	2	4	7	10	13	25
B. OPERATED	233	12.5	161	2	3	9	15	26	36	65
TOTAL 65-69 YRS	844	5.6	31	1	2	4	7	10	13	27
70-74	803	5.9	28	1	2	4	7	11	15	25
75-79	751	5.9	28	2	2	5	7	10	14	32
80-84	566	6.7	48	2	2	5	8	12	17	33
85+	484	7.0	59	2	2	5	8	12	19	44
GRAND TOTAL	**3448**	**6.1**	**37**	**2**	**2**	**5**	**7**	**11**	**15**	**31**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	6.4	23	2	2	5	7	15	17	17
70-74	5	4.8	7	2	2	4	7	8	8	8
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	9.0	79	2	2	6	7	25	26	26
70-74	8	5.6	22	1	2	4	7	14	16	16
75-79	12	9.8	31	5	5	9	10	16	25	26
80-84	3	13.3	165	4	4	8	23	28	28	28
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	3	7.3	9	4	4	8	9	10	10	10
70-74	2	12.5	145	4	4	12	21	21	21	21
75-79	4	8.0	17	3	3	8	11	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.4	16	1	2	5	7	10	15	17
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	34	8.8	51	2	3	7	9	25	26	28
B. *Operated*	9	8.8	31	3	3	8	11	18	21	21
1. SINGLE DX	16	5.8	16	1	2	5	7	10	15	17
2. MULTIPLE DX	43	8.8	46	2	3	7	10	22	26	28
A. NOT OPERATED	48	7.8	43	2	2	6	9	17	26	28
B. OPERATED	11	8.6	26	3	3	8	10	16	21	21
TOTAL 65-69 YRS	22	7.7	44	2	3	5	8	19	25	26
70-74	15	6.3	30	1	2	4	8	16	20	21
75-79	17	9.4	25	4	5	9	10	13	21	26
80-84	4	10.3	148	1	1	6	18	28	28	28
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**59**	**7.9**	**39**	**2**	**3**	**6**	**9**	**17**	**25**	**28**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	12.1	301	1	1	8	11	36	60	60
70-74	11	7.0	53	1	1	3	11	19	21	21
75-79	7	4.3	61	1	1	1	2	18	22	22
80-84	4	6.3	20	1	1	7	10	10	10	10
85+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
65-69 YRS	5	4.0	6	<1	<1	5	6	7	7	7
70-74	4	2.5	2	1	1	2	3	4	4	4
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	8.9	68	1	2	7	12	19	24	40
70-74	31	10.6	113	1	1	9	15	21	34	51
75-79	38	8.0	26	2	3	7	11	15	19	21
80-84	14	8.9	29	2	3	7	13	16	19	20
85+	12	5.8	24	1	1	4	9	14	15	15
B. *Operated*										
65-69 YRS	27	11.0	80	2	2	10	18	25	27	30
70-74	19	11.1	68	2	3	9	16	24	27	30
75-79	11	12.6	166	2	3	8	12	36	43	44
80-84	7	13.1	125	3	3	9	23	30	31	31
85+	4	7.5	15	4	4	6	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.5	118	1	1	3	10	17	22	60
B. *Operated*	10	3.1	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	122	8.8	58	1	2	7	12	16	20	43
B. *Operated*	68	11.3	87	2	2	8	15	27	30	42
1. SINGLE DX	45	6.6	96	<1	1	3	10	12	21	60
2. MULTIPLE DX	190	9.7	69	1	2	7	13	20	27	42
A. NOT OPERATED	157	8.5	71	1	1	6	11	16	21	50
B. OPERATED	78	10.3	84	1	2	7	13	25	30	40
TOTAL 65-69 YRS	69	9.8	101	1	2	7	12	22	27	56
70-74	65	9.6	86	1	1	7	14	21	27	48
75-79	57	8.3	60	1	1	6	11	18	22	43
80-84	25	9.7	55	2	3	8	11	20	28	31
85+	19	5.8	20	1	1	4	7	14	15	15
GRAND TOTAL	**235**	**9.1**	**75**	**1**	**1**	**7**	**12**	**20**	**26**	**45**

1,650 Hospitals, United States, January-December 1984

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	8.8	53	<1	2	8	10	18	27	29
70-74	5	7.2	16	3	3	5	11	12	12	12
75-79	5	6.2	20	3	3	4	8	14	14	14
80-84	1	5.0		5	5	5	5	5	5	5
85+	6	6.7	53	<1	<1	4	7	20	21	21
B. *Operated*										
65-69 YRS	18	7.4	38	<1	<1	7	12	16	20	21
70-74	13	5.7	13	<1	1	5	8	12	12	12
75-79	10	4.4	10	<1	1	4	6	9	11	11
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	3	12.7	4	11	11	12	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	123	10.2	128	2	2	7	11	19	28	67
70-74	120	12.3	149	3	3	10	14	23	36	67
75-79	75	9.7	98	1	3	6	12	20	26	61
80-84	101	9.2	33	3	4	8	10	16	19	33
85+	77	11.6	112	3	3	8	13	25	31	62
B. *Operated*										
65-69 YRS	94	16.9	217	2	3	12	23	43	52	88
70-74	77	14.9	154	3	3	11	20	38	45	99+
75-79	50	16.3	296	2	3	10	24	45	51	99+
80-84	43	14.8	152	2	3	11	20	31	39	62
85+	13	12.7	55	2	3	13	17	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	7.5	37	<1	3	5	9	14	21	29
B. *Operated*	46	6.6	24	<1	<1	6	10	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	496	10.7	107	2	3	8	12	20	27	66
B. *Operated*	277	15.7	195	2	3	12	21	38	49	99+
1. SINGLE DX	75	6.9	29	<1	1	5	10	13	17	27
2. MULTIPLE DX	773	12.5	144	2	3	9	15	26	40	70
A. NOT OPERATED	525	10.5	104	2	3	8	12	20	27	65
B. OPERATED	323	14.4	181	2	3	10	19	34	47	99+
TOTAL 65-69 YRS	247	12.5	163	1	2	9	14	26	45	69
70-74	215	12.7	144	3	3	10	15	30	40	80
75-79	140	11.6	173	2	2	7	15	26	40	95
80-84	147	10.8	74	3	4	9	14	20	27	43
85+	99	11.5	98	2	3	8	14	23	29	57
GRAND TOTAL	**848**	**12.0**	**137**	**2**	**3**	**9**	**14**	**26**	**38**	**69**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74										
75-79	3	16.3	142	8	8	11	25	30	30	30
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	8.4	43	4	4	6	9	17	26	28
70-74	5	8.4	15	5	5	7	10	15	15	15
75-79	4	15.5	16	10	10	16	18	19	19	19
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	9	16.8	130	5	5	17	21	35	40	40
70-74	2	19.5	25	16	16	19	23	23	23	23
75-79	3	13.0	300	3	3	3	26	33	33	33
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	16.3	95	8	8	13	23	30	30	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	9.3	37	3	4	7	12	18	22	28
B. *Operated*	14	16.4	132	3	3	16	23	34	39	40
1. SINGLE DX	4	16.3	95	8	8	13	23	30	30	30
2. MULTIPLE DX	38	11.9	81	3	4	8	17	26	31	40
A. NOT OPERATED	28	10.3	48	3	4	8	14	19	28	30
B. OPERATED	14	16.4	132	3	3	16	23	34	39	40
TOTAL 65-69 YRS	23	12.0	88	4	4	9	17	27	32	40
70-74	7	11.6	43	5	5	8	16	22	23	23
75-79	10	15.0	106	3	3	13	19	31	33	33
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**42**	**12.3**	**82**	**3**	**4**	**9**	**17**	**27**	**31**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.4	3	1	1	4	5	5	5	5
70-74	6	5.7	5	3	3	5	7	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	13	5.0	10	1	1	4	7	9	11	11
70-74	6	5.3	39	2	2	3	4	17	18	18
75-79	5	5.0	46	1	1	3	7	17	17	17
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	9.4	53	2	2	8	12	18	22	39
70-74	36	7.4	20	2	3	7	9	12	16	23
75-79	50	10.3	63	3	3	9	14	18	27	43
80-84	28	9.0	23	3	4	8	12	17	18	19
85+	36	9.9	106	2	3	8	11	14	21	64
B. *Operated*										
65-69 YRS	59	14.2	138	2	4	10	18	33	37	65
70-74	33	13.1	124	2	2	10	16	29	39	46
75-79	21	11.4	126	2	3	6	16	25	37	49
80-84	14	14.2	51	5	6	14	20	30	82	99+
85+	3	9.3	41	2	2	12	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.0	4	1	1	4	5	7	8	9
B. *Operated*	24	5.1	22	1	1	3	7	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	219	9.3	55	2	3	8	11	17	22	41
B. *Operated*	130	13.4	119	2	3	10	18	29	38	73
1. SINGLE DX	42	4.6	14	1	1	4	6	9	13	18
2. MULTIPLE DX	349	10.8	82	2	3	9	14	20	30	49
A. NOT OPERATED	237	8.9	53	2	3	8	11	16	21	40
B. OPERATED	154	12.1	113	2	2	9	17	27	35	66
TOTAL 65-69 YRS	148	10.7	91	2	2	9	14	19	33	41
70-74	81	9.4	71	2	2	7	11	19	28	44
75-79	78	10.1	79	2	3	8	14	20	27	47
80-84	43	10.5	39	3	4	10	15	19	24	99+
85+	41	9.5	97	2	2	8	11	14	20	64
GRAND TOTAL	**391**	**10.2**	**79**	**2**	**3**	**8**	**13**	**19**	**28**	**48**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	10.8	11	7	7	11	13	14	14	14
70-74	10	6.6	19	2	2	6	9	13	14	14
75-79	3	7.7	4	6	6	7	9	10	10	10
80-84	3	4.0		4	4	4	4	4	4	4
85+	3	12.7	116	5	5	8	21	25	25	25
B. *Operated*										
65-69 YRS	2	9.0	72	3	3	9	15	15	15	15
70-74	5	4.4	14	1	1	4	7	10	10	10
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0	2	1	1	2	3	3	3	3
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	7.9	28	2	3	7	10	14	18	25
B. *Operated*	10	4.6	21	1	1	3	6	12	15	15
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	33	6.9	27	1	2	6	9	14	15	25
A. NOT OPERATED	24	8.0	27	2	3	7	10	14	17	25
B. OPERATED	10	4.6	21	1	1	3	6	12	15	15
TOTAL 65-69 YRS	6	10.2	22	3	3	11	14	15	15	15
70-74	15	5.9	18	1	1	6	9	13	14	14
75-79	4	6.3	11	2	2	6	8	10	10	10
80-84	6	4.3	9	1	1	4	4	9	10	10
85+	3	12.7	116	5	5	8	21	25	25	25
GRAND TOTAL	**34**	**7.0**	**27**	**1**	**2**	**6**	**10**	**14**	**15**	**25**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
65-69 YRS	36	4.6	14	<1	1	4	6	8	9	22
70-74	26	5.1	22	<1	1	3	7	12	17	17
75-79	15	6.2	27	1	1	5	7	16	18	19
80-84	10	4.0	5	1	1	3	7	7	7	7
85+	3	4.7	1	4	4	4	6	6	6	6
B. ***Operated***										
65-69 YRS	283	5.5	58	<1	1	3	6	11	18	43
70-74	207	4.6	24	<1	1	3	5	11	15	22
75-79	157	4.6	21	<1	1	3	5	10	14	22
80-84	109	4.8	51	1	1	3	5	9	13	39
85+	65	4.6	13	1	1	4	6	9	13	17
2. MULTIPLE DX										
A. ***Not Operated***										
65-69 YRS	228	8.7	126	1	2	6	9	16	29	66
70-74	149	9.9	127	2	2	7	12	20	25	67
75-79	105	7.4	50	1	2	6	9	13	15	47
80-84	72	10.7	96	2	3	7	13	28	30	40
85+	64	9.3	72	1	2	7	12	20	33	38
B. ***Operated***										
65-69 YRS	830	12.2	188	1	2	8	16	26	37	79
70-74	666	11.5	161	1	2	8	15	25	35	68
75-79	437	11.7	168	2	2	8	15	24	41	63
80-84	244	9.9	93	1	2	8	13	22	28	47
85+	176	9.8	129	2	2	7	12	22	30	80
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	90	5.0	17	1	1	4	6	9	16	21
B. ***Operated***	821	4.9	38	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. ***Not Operated***	618	9.1	105	1	2	6	11	18	28	58
B. ***Operated***	2353	11.5	163	1	2	8	15	25	36	66
1. SINGLE DX	911	4.9	36	<1	1	3	6	10	15	25
2. MULTIPLE DX	2971	11.0	152	1	2	7	14	24	34	65
A. NOT OPERATED	708	8.5	95	1	2	6	10	17	25	55
B. OPERATED	3174	9.8	139	1	2	6	13	22	31	63
TOTAL 65-69 YRS	1377	10.0	155	1	2	6	12	22	32	66
70-74	1048	9.8	133	1	2	6	13	21	30	65
75-79	714	9.4	124	1	2	5	12	20	30	60
80-84	435	8.6	86	1	2	5	11	19	27	45
85+	308	8.6	96	1	2	5	11	19	24	56
GRAND TOTAL	**3882**	**9.6**	**131**	**1**	**2**	**6**	**12**	**21**	**30**	**63**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
65-69 YRS	22	5.5	33	1	2	4	6	9	18	29
70-74	24	6.3	36	1	2	5	6	13	19	30
75-79	24	6.8	38	1	1	4	9	16	20	24
80-84	12	10.7	75	1	2	9	15	25	28	28
85+	3	3.7	4	2	2	3	5	6	6	6
B. ***Operated***										
65-69 YRS	60	10.3	93	1	2	7	14	20	32	46
70-74	49	8.2	54	1	1	5	11	18	27	31
75-79	40	7.6	45	1	1	5	12	18	21	28
80-84	10	8.9	89	2	2	4	11	24	32	32
85+	13	8.2	39	1	2	6	12	19	21	21
2. MULTIPLE DX										
A. ***Not Operated***										
65-69 YRS	133	8.2	48	2	2	6	10	17	22	35
70-74	127	9.7	52	2	3	8	13	18	22	42
75-79	124	9.0	84	1	2	6	10	19	31	49
80-84	69	7.3	24	2	3	6	9	15	18	24
85+	44	11.1	158	2	3	7	14	22	32	72
B. ***Operated***										
65-69 YRS	349	17.6	253	2	3	14	23	36	51	88
70-74	294	15.1	199	2	3	11	20	31	45	75
75-79	229	17.4	249	2	3	12	22	38	49	83
80-84	137	16.9	227	2	3	13	21	37	47	72
85+	69	12.4	209	2	3	8	15	30	37	88
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	85	6.7	41	1	2	4	8	15	24	30
B. ***Operated***	172	8.8	66	1	2	6	13	19	26	40
2. MULTIPLE DX										
A. ***Not Operated***	497	8.9	65	2	2	7	11	18	23	43
B. ***Operated***	1078	16.4	233	2	3	12	21	35	48	82
1. SINGLE DX	257	8.1	59	1	2	5	11	18	24	38
2. MULTIPLE DX	1575	14.1	192	2	3	10	18	31	42	72
A. NOT OPERATED	582	8.6	62	2	2	6	10	18	23	42
B. OPERATED	1250	15.4	217	2	3	11	20	33	46	79
TOTAL 65-69 YRS	564	14.1	199	2	2	10	18	32	42	75
70-74	494	12.6	148	2	2	9	17	26	36	64
75-79	417	13.4	188	1	2	9	17	30	43	71
80-84	228	13.3	170	2	3	10	17	29	39	65
85+	129	11.3	171	2	2	7	15	23	36	77
GRAND TOTAL	**1832**	**13.2**	**178**	**2**	**2**	**9**	**17**	**29**	**40**	**71**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.8	3	1	2	4	5	6	7	7
70-74	15	5.0	11	1	2	4	7	11	12	12
75-79	11	5.4	4	2	3	5	7	8	9	9
80-84	11	6.5	27	<1	1	5	9	14	19	19
85+	15	11.1	179	2	3	7	8	37	45	48
B. *Operated*										
65-69 YRS	71	13.1	70	1	3	12	17	23	30	42
70-74	59	13.0	111	1	2	11	16	24	31	61
75-79	58	12.7	74	1	3	12	16	26	30	35
80-84	39	14.6	118	2	2	14	19	29	32	53
85+	21	15.0	146	3	4	10	22	34	39	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	8.9	68	1	2	6	11	20	26	40
70-74	190	7.8	68	1	2	5	10	16	22	43
75-79	179	8.0	47	2	2	6	10	17	22	33
80-84	157	9.0	98	2	2	6	11	18	21	67
85+	165	11.1	155	2	2	8	13	19	30	70
B. *Operated*										
65-69 YRS	652	17.2	126	4	6	15	21	31	42	64
70-74	696	18.1	140	4	7	15	23	31	39	69
75-79	642	19.2	192	3	7	16	24	35	45	84
80-84	456	19.8	204	4	6	17	25	36	50	74
85+	365	19.7	166	5	7	17	26	37	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	6.5	55	1	2	5	7	10	17	46
B. *Operated*	248	13.4	94	2	2	12	17	26	31	44
2. MULTIPLE DX										
A. *Not Operated*	880	8.9	86	1	2	6	11	18	24	51
B. *Operated*	2811	18.6	163	4	7	16	23	34	44	72
1. SINGLE DX	313	11.9	93	2	2	10	16	24	31	46
2. MULTIPLE DX	3691	16.3	162	2	4	14	21	31	40	70
A. NOT OPERATED	945	8.7	84	1	2	6	11	17	24	49
B. OPERATED	3059	18.2	159	4	6	15	23	33	42	72
TOTAL 65-69 YRS	925	15.0	121	2	4	13	19	28	37	60
70-74	960	15.5	140	2	4	13	21	29	36	66
75-79	890	16.3	175	2	4	14	21	32	40	72
80-84	663	16.7	193	2	4	14	22	33	42	72
85+	566	16.8	177	3	4	13	22	34	44	70
GRAND TOTAL	**4004**	**16.0**	**158**	**2**	**4**	**13**	**21**	**31**	**39**	**69**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	11.5	113	4	4	11	19	19	19	19
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	8	11.9	37	3	4	11	16	20	21	21
70-74	9	15.9	204	5	6	10	18	41	45	45
75-79	5	15.8	26	11	11	14	19	24	24	24
80-84	3	13.3	33	10	10	10	18	20	20	20
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	8.6	57	2	2	6	11	18	27	32
70-74	26	7.3	45	1	2	5	9	18	24	26
75-79	10	11.4	47	1	2	12	17	20	20	20
80-84	8	5.6	16	2	2	4	7	12	14	14
85+	7	8.6	20	4	4	7	11	16	17	17
B. *Operated*										
65-69 YRS	87	19.7	162	8	8	16	23	36	43	70
70-74	78	18.6	107	8	9	17	24	34	41	88
75-79	69	21.9	231	9	10	17	24	40	57	85
80-84	40	22.5	192	8	10	21	26	38	56	66
85+	29	21.3	206	4	8	16	26	47	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.0	63	4	4	7	16	19	19	19
B. *Operated*	26	13.9	90	4	5	11	17	24	38	45
2. MULTIPLE DX										
A. *Not Operated*	73	8.2	44	2	2	6	11	18	23	31
B. *Operated*	303	20.4	171	8	9	17	24	37	53	79
1. SINGLE DX	29	13.5	86	4	5	10	17	23	36	45
2. MULTIPLE DX	376	18.1	170	3	5	15	23	34	47	70
A. NOT OPERATED	76	8.3	44	2	2	6	11	19	23	30
B. OPERATED	329	19.9	168	8	9	16	24	37	53	74
TOTAL 65-69 YRS	117	17.1	153	3	5	14	22	33	37	69
70-74	115	15.7	119	3	4	13	21	29	40	73
75-79	85	20.1	208	8	9	16	22	32	55	82
80-84	51	19.3	194	3	5	15	24	37	55	66
85+	37	18.5	195	4	5	15	25	44	59	99+
GRAND TOTAL	**405**	**17.7**	**165**	**3**	**5**	**15**	**22**	**34**	**45**	**70**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	5.0	15	1	1	4	7	11	13	18
70-74	28	5.8	90	<1	<1	3	6	9	28	47
75-79	32	6.6	170	<1	<1	3	6	14	16	74
80-84	31	7.1	92	1	1	4	7	18	36	41
85+	23	6.3	22	<1	1	5	10	12	15	18
B. *Operated*										
65-69 YRS	485	11.1	25	3	7	10	13	17	20	29
70-74	433	11.6	33	2	6	11	14	18	22	32
75-79	397	11.9	31	2	7	11	14	18	22	31
80-84	222	13.3	56	3	7	12	16	21	28	49
85+	145	15.3	71	3	6	15	19	24	29	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	455	8.1	59	1	2	6	9	17	22	43
70-74	509	8.6	62	1	2	6	11	18	23	45
75-79	504	9.2	96	1	2	6	10	19	28	54
80-84	424	8.5	67	2	3	6	10	18	25	40
85+	418	10.2	136	2	2	7	12	21	33	77
B. *Operated*										
65-69 YRS	3262	15.3	86	6	8	13	18	25	32	54
70-74	3808	16.4	104	7	8	14	19	28	36	61
75-79	3634	17.3	111	7	9	15	21	30	37	61
80-84	2586	18.6	124	7	9	16	23	32	41	69
85+	1884	19.4	123	7	9	17	24	34	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.0	73	<1	1	4	7	12	17	46
B. *Operated*	1682	12.1	38	3	7	11	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	2310	8.9	83	2	2	6	11	18	26	49
B. *Operated*	15174	17.1	109	7	8	14	20	29	37	62
1. SINGLE DX	1843	11.5	44	2	3	11	14	19	22	36
2. MULTIPLE DX	17484	16.1	114	4	6	14	20	28	36	62
A. NOT OPERATED	2471	8.7	83	1	2	6	10	18	25	49
B. OPERATED	16856	16.6	105	7	8	14	20	29	36	61
TOTAL 65-69 YRS	4249	13.9	82	3	6	12	17	24	30	51
70-74	4778	15.1	100	3	6	13	18	26	33	57
75-79	4567	15.9	112	4	6	13	19	28	35	59
80-84	3263	16.8	124	4	6	14	21	30	38	64
85+	2470	17.5	134	3	6	15	22	32	40	71
GRAND TOTAL	**19327**	**15.6**	**109**	**3**	**6**	**13**	**19**	**28**	**35**	**60**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	5.8	22	1	1	4	7	14	16	18
70-74	23	5.1	24	<1	1	4	5	13	18	21
75-79	25	6.3	22	1	2	4	10	14	15	16
80-84	11	3.8	3	1	2	3	5	6	7	7
85+	8	5.1	14	1	1	4	7	11	12	12
B. *Operated*										
65-69 YRS	349	11.2	53	2	3	12	15	18	22	35
70-74	333	10.8	38	2	2	11	14	19	21	29
75-79	249	12.9	94	2	3	12	16	22	27	49
80-84	183	10.9	62	2	2	10	15	20	27	37
85+	136	12.6	129	2	3	10	17	27	34	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	248	8.6	95	1	2	6	11	16	24	42
70-74	307	8.7	56	2	3	6	11	17	21	40
75-79	269	9.1	71	2	2	7	11	18	28	46
80-84	212	9.7	109	2	3	7	12	19	33	99+
85+	250	8.8	73	2	2	6	10	18	26	46
B. *Operated*										
65-69 YRS	1708	16.1	100	4	6	14	20	28	35	57
70-74	1792	17.0	115	3	6	15	22	30	38	60
75-79	1543	17.2	132	3	5	15	22	31	41	65
80-84	1073	18.3	155	3	5	16	23	34	44	71
85+	743	17.7	167	3	5	15	22	35	43	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.4	20	1	2	4	7	13	15	20
B. *Operated*	1250	11.6	67	2	3	11	15	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	1286	8.9	79	2	2	6	11	17	26	52
B. *Operated*	6859	17.1	127	3	6	15	21	31	39	64
1. SINGLE DX	1337	11.2	66	2	2	10	15	20	24	37
2. MULTIPLE DX	8145	15.8	129	3	4	14	20	30	38	64
A. NOT OPERATED	1373	8.7	76	2	2	6	11	17	25	49
B. OPERATED	8109	16.2	122	3	5	14	20	29	37	63
TOTAL 65-69 YRS	2325	14.5	100	2	4	13	18	26	33	54
70-74	2455	15.0	108	3	4	13	19	28	34	55
75-79	2086	15.5	127	2	4	14	20	29	38	63
80-84	1479	16.0	149	2	3	14	21	31	42	71
85+	1137	15.0	155	2	3	12	20	31	39	73
GRAND TOTAL	**9482**	**15.2**	**122**	**2**	**4**	**13**	**19**	**28**	**36**	**62**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.0	9	1	1	3	6	9	10	10
70-74	19	5.7	27	1	2	4	7	13	18	21
75-79	15	4.0	13	<1	<1	3	6	8	12	13
80-84	9	5.4	5	2	2	6	7	9	9	9
85+	5	4.2	6	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	56	10.1	69	1	1	8	14	21	25	38
70-74	63	12.7	88	1	4	11	15	19	29	57
75-79	53	11.0	88	1	1	9	14	27	32	36
80-84	31	10.9	44	1	4	11	14	18	26	32
85+	16	12.0	44	3	3	13	17	21	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	8.7	58	1	2	7	11	17	23	39
70-74	161	8.7	72	2	2	7	11	16	22	33
75-79	153	9.3	53	1	2	7	12	19	28	35
80-84	103	8.5	45	1	2	7	11	18	23	32
85+	73	10.4	62	3	3	8	13	21	32	87
B. *Operated*										
65-69 YRS	404	18.1	206	3	5	14	22	35	48	72
70-74	436	17.3	127	5	7	15	21	32	38	73
75-79	400	18.4	190	3	5	15	23	35	47	75
80-84	260	19.4	202	4	7	15	24	34	45	76
85+	185	18.0	176	4	6	15	22	32	47	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	4.8	15	<1	1	4	6	10	12	20
B. *Operated*	219	11.3	73	1	2	10	15	21	29	40
2. MULTIPLE DX										
A. *Not Operated*	656	9.0	59	2	2	7	11	19	23	39
B. *Operated*	1685	18.2	178	3	6	15	22	34	44	75
1. SINGLE DX	280	9.9	68	1	2	8	13	20	25	37
2. MULTIPLE DX	2341	15.6	161	2	4	13	20	31	39	73
A. NOT OPERATED	717	8.6	56	1	2	7	11	18	23	37
B. OPERATED	1904	17.4	171	3	5	14	22	33	42	74
TOTAL 65-69 YRS	639	14.7	172	2	3	11	18	31	40	69
70-74	679	14.5	122	3	4	12	19	27	35	66
75-79	621	15.2	163	2	3	12	21	30	39	72
80-84	403	15.6	171	3	4	13	20	30	37	75
85+	279	15.4	149	3	4	13	20	29	37	91
GRAND TOTAL	**2621**	**15.0**	**154**	**2**	**3**	**12**	**19**	**30**	**37**	**72**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	5.4	10	1	1	5	7	10	11	11
70-74	38	5.5	29	1	2	4	6	11	19	27
75-79	24	8.8	153	2	3	5	9	13	34	63
80-84	10	6.4	23	1	1	5	9	13	17	17
85+	10	6.5	31	2	2	4	10	15	20	20
B. *Operated*										
65-69 YRS	57	14.3	97	2	2	14	18	24	26	56
70-74	63	15.3	109	2	3	13	20	28	36	48
75-79	33	17.5	120	3	5	16	22	33	38	51
80-84	25	14.9	121	2	2	12	20	34	39	41
85+	18	16.8	155	3	6	14	19	33	48	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	319	8.5	60	1	2	6	11	17	23	41
70-74	341	9.3	79	2	3	7	11	18	27	46
75-79	306	9.1	68	2	2	7	11	19	22	39
80-84	211	10.0	65	2	3	7	13	20	28	41
85+	151	9.6	80	2	3	7	12	18	23	45
B. *Operated*										
65-69 YRS	785	18.2	156	4	6	15	24	34	43	65
70-74	754	18.8	143	4	6	16	25	34	41	61
75-79	606	19.4	142	4	7	17	25	34	43	63
80-84	397	19.5	163	4	6	17	25	35	47	73
85+	229	19.4	137	4	7	16	25	36	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.4	54	1	2	5	8	11	18	44
B. *Operated*	196	15.5	112	2	3	14	20	28	37	53
2. MULTIPLE DX										
A. *Not Operated*	1328	9.2	70	2	2	7	12	18	25	42
B. *Operated*	2771	18.9	149	4	7	16	25	34	43	65
1. SINGLE DX	299	12.4	110	2	2	10	17	24	34	53
2. MULTIPLE DX	4099	15.8	144	2	4	13	21	31	39	59
A. NOT OPERATED	1431	9.0	69	2	2	7	11	18	24	42
B. OPERATED	2967	18.7	147	4	6	16	24	34	43	64
TOTAL 65-69 YRS	1182	15.2	144	2	3	12	20	31	38	57
70-74	1196	15.5	140	2	4	13	21	30	38	58
75-79	969	15.8	141	2	3	14	21	31	38	60
80-84	643	16.0	148	2	4	13	21	32	39	68
85+	408	15.4	137	3	3	13	20	29	42	56
GRAND TOTAL	**4398**	**15.5**	**142**	**2**	**3**	**13**	**21**	**31**	**38**	**59**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	200	5.0	33	1	1	4	6	9	12	29
70-74	157	6.0	46	1	1	4	7	12	17	43
75-79	80	6.1	27	<1	1	5	8	11	14	30
80-84	39	5.6	20	1	1	4	8	12	16	19
85+	28	8.9	80	1	2	7	10	14	23	49
B. *Operated*										
65-69 YRS	705	9.0	46	1	2	8	12	18	21	33
70-74	569	8.8	54	1	1	8	12	18	24	33
75-79	354	9.1	53	1	1	8	12	18	22	38
80-84	173	8.7	90	1	2	6	11	18	23	57
85+	54	8.4	38	1	2	7	12	19	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2733	8.7	64	1	2	6	11	18	24	42
70-74	2335	9.2	76	2	2	7	11	18	24	47
75-79	1661	9.3	72	2	2	7	12	19	25	45
80-84	864	9.9	82	2	3	7	13	20	27	43
85+	401	10.8	107	2	3	8	13	21	33	59
B. *Operated*										
65-69 YRS	5124	13.0	101	2	3	11	17	24	32	52
70-74	4423	13.4	116	2	3	11	17	26	34	57
75-79	2879	13.5	118	2	3	11	17	26	33	58
80-84	1175	13.5	114	2	3	11	17	26	35	51
85+	475	13.8	109	3	4	11	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	5.8	38	1	1	4	7	11	14	32
B. *Operated*	1855	8.9	54	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	7994	9.2	73	2	2	7	12	19	25	45
B. *Operated*	14076	13.3	110	2	3	11	17	25	33	56
1. SINGLE DX	2359	8.2	52	1	1	7	11	17	21	34
2. MULTIPLE DX	22070	11.8	101	2	3	9	15	23	31	53
A. NOT OPERATED	8498	9.0	72	1	2	7	11	18	25	45
B. OPERATED	15931	12.8	106	2	3	10	16	25	32	54
TOTAL 65-69 YRS	8762	11.1	88	2	2	9	15	22	28	47
70-74	7484	11.6	102	2	3	9	15	23	31	55
75-79	4974	11.7	101	2	3	9	15	23	30	53
80-84	2251	11.6	102	2	3	9	15	23	31	50
85+	958	12.1	106	2	3	9	15	25	34	57
GRAND TOTAL	**24429**	**11.5**	**97**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.5	8	<1	1	3	4	6	11	13
70-74	15	4.1	24	<1	1	3	4	9	17	20
75-79	13	3.5	5	1	1	2	6	7	7	7
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	303	6.3	52	<1	1	2	11	16	20	35
70-74	207	6.7	78	<1	1	2	10	16	20	41
75-79	113	5.4	59	<1	1	2	6	13	19	40
80-84	49	3.3	9	<1	1	2	4	8	10	13
85+	30	3.0	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	135	7.5	87	1	1	5	9	16	23	51
70-74	94	7.2	57	1	1	5	9	16	21	44
75-79	64	8.6	65	1	2	6	11	22	31	91
80-84	37	7.6	35	1	1	6	10	17	21	23
85+	29	8.2	67	1	1	6	11	18	42	99+
B. *Operated*										
65-69 YRS	553	12.7	159	1	1	10	18	29	36	77
70-74	463	13.3	198	1	2	10	19	32	42	99
75-79	281	12.9	161	1	2	9	18	30	39	55
80-84	143	12.1	220	1	1	8	17	30	40	99+
85+	83	13.3	242	1	2	8	19	32	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	11	1	1	3	4	7	9	20
B. *Operated*	702	5.9	57	<1	1	2	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	359	7.7	68	1	1	5	10	17	23	54
B. *Operated*	1523	12.9	181	1	2	10	18	30	40	85
1. SINGLE DX	754	5.8	54	<1	1	2	8	15	19	35
2. MULTIPLE DX	1882	11.9	164	1	2	8	16	28	38	81
A. NOT OPERATED	411	7.2	62	1	1	5	9	16	22	51
B. OPERATED	2225	10.7	152	1	1	7	15	26	36	74
TOTAL 65-69 YRS	1009	9.9	124	1	1	6	14	23	32	55
70-74	779	10.7	156	1	1	6	15	25	36	87
75-79	471	10.3	130	1	1	6	14	27	35	54
80-84	233	9.4	155	1	1	5	12	22	36	99
85+	144	10.0	171	1	2	5	12	24	46	75
GRAND TOTAL	**2636**	**10.2**	**140**	**1**	**1**	**6**	**14**	**24**	**34**	**72**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	4	1	1	3	4	7	7	7
70-74	10	7.1	16	1	2	7	9	13	14	14
75-79	13	5.0	16	1	1	4	7	11	13	14
80-84										
85+	6	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*										
65-69 YRS	78	8.6	117	1	1	5	10	19	34	58
70-74	77	8.2	84	1	2	5	10	19	27	49
75-79	67	7.3	55	1	2	5	9	16	22	43
80-84	50	5.7	21	1	1	5	8	13	16	19
85+	31	7.1	34	1	1	6	10	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	6.6	26	2	2	5	9	12	16	27
70-74	61	7.8	66	1	1	5	10	20	27	39
75-79	68	8.2	55	1	2	6	11	15	19	43
80-84	36	12.6	139	1	2	9	19	28	33	57
85+	22	9.8	163	1	2	6	11	15	36	63
B. *Operated*										
65-69 YRS	180	12.7	170	2	2	9	16	29	39	89
70-74	191	12.9	163	2	2	9	15	28	43	67
75-79	141	13.4	142	1	2	10	19	32	38	47
80-84	108	13.3	204	2	3	8	18	29	49	95
85+	52	15.9	222	1	3	11	18	42	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.0	14	1	1	4	7	10	13	14
B. *Operated*	303	7.6	71	1	1	5	9	16	21	45
2. MULTIPLE DX										
A. *Not Operated*	252	8.5	74	1	2	6	11	18	25	45
B. *Operated*	672	13.2	171	2	2	9	17	30	41	76
1. SINGLE DX	338	7.3	66	1	1	5	9	16	21	45
2. MULTIPLE DX	924	11.9	149	2	2	8	15	27	38	70
A. NOT OPERATED	287	8.0	68	1	2	5	10	16	23	43
B. OPERATED	975	11.5	147	1	2	8	15	26	37	70
TOTAL 65-69 YRS	329	10.3	132	1	2	7	12	23	36	66
70-74	339	10.7	129	1	2	7	13	23	34	62
75-79	289	10.4	104	1	2	7	13	23	34	45
80-84	194	11.2	155	1	2	7	15	25	33	82
85+	111	11.5	163	1	1	9	15	22	42	87
GRAND TOTAL	**1262**	**10.7**	**131**	**1**	**2**	**7**	**14**	**23**	**34**	**63**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	10.7	134	3	3	5	19	24	24	24
70-74	3	5.7	4	4	4	5	7	8	8	8
75-79										
80-84	3	5.3	26	1	1	4	9	11	11	11
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	145	5.7	28	1	2	4	7	12	15	28
70-74	97	5.2	26	1	1	4	6	10	17	28
75-79	69	5.1	14	<1	1	4	7	10	12	20
80-84	43	7.4	105	1	2	4	8	13	20	64
85+	33	4.3	10	2	2	3	5	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	7.6	41	1	2	6	10	15	18	31
70-74	49	7.2	35	2	2	5	9	15	18	99+
75-79	33	6.8	25	2	2	5	9	13	16	25
80-84	19	7.9	46	1	1	6	11	15	23	30
85+	12	9.1	79	2	2	5	11	25	28	29
B. *Operated*										
65-69 YRS	198	8.3	64	2	2	6	10	17	23	49
70-74	190	8.2	61	2	2	6	10	16	24	35
75-79	130	9.8	124	2	2	7	12	20	24	78
80-84	87	9.1	82	2	2	6	11	18	30	46
85+	65	9.6	62	2	2	8	13	19	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.7	45	1	2	5	11	18	24	24
B. *Operated*	387	5.5	32	1	2	4	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*	143	7.5	38	1	2	5	10	15	20	39
B. *Operated*	670	8.8	77	2	2	6	11	18	24	45
1. SINGLE DX	397	5.6	33	1	2	4	7	11	15	29
2. MULTIPLE DX	813	8.6	70	2	2	6	11	18	24	44
A. NOT OPERATED	153	7.5	38	1	2	5	10	15	23	35
B. OPERATED	1057	7.6	63	1	2	5	10	16	22	39
TOTAL 65-69 YRS	376	7.3	50	1	2	5	9	15	20	39
70-74	339	7.2	48	1	2	5	9	15	21	35
75-79	232	8.0	82	1	2	5	10	17	21	40
80-84	152	8.4	83	1	2	6	10	15	29	49
85+	111	8.0	53	2	2	5	11	18	21	36
GRAND TOTAL	**1210**	**7.6**	**60**	**1**	**2**	**5**	**10**	**15**	**22**	**39**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	1	<1	<1	3	3	3	3	3
70-74	4	4.3	7	2	2	4	6	7	7	7
75-79										
80-84	8	5.8	21	2	2	5	6	13	16	16
85+	7	7.1	60	1	1	3	9	20	23	23
B. *Operated*										
65-69 YRS	319	2.8	10	<1	<1	2	3	6	8	17
70-74	341	2.7	6	<1	<1	2	3	6	8	12
75-79	274	2.6	7	<1	<1	2	3	5	7	12
80-84	268	3.3	23	<1	<1	2	3	6	9	33
85+	300	3.7	15	<1	1	3	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	6.9	77	1	1	5	8	12	26	42
70-74	30	7.8	76	<1	1	5	10	18	22	42
75-79	41	5.7	23	2	2	4	7	11	14	26
80-84	30	10.5	106	<1	1	8	13	21	41	42
85+	42	5.9	63	<1	1	3	7	14	26	39
B. *Operated*										
65-69 YRS	504	4.7	42	<1	1	3	5	10	14	37
70-74	582	5.5	49	<1	1	3	7	12	19	39
75-79	618	5.4	41	1	1	3	7	12	17	36
80-84	551	5.6	71	1	1	3	6	12	16	41
85+	590	6.5	73	1	2	3	8	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.5	28	1	1	3	7	12	19	23
B. *Operated*	1502	3.0	12	<1	<1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	164	7.2	66	<1	1	4	9	16	22	42
B. *Operated*	2845	5.6	55	1	1	3	7	12	18	38
1. SINGLE DX	1524	3.0	12	<1	<1	2	3	6	9	17
2. MULTIPLE DX	3009	5.7	56	1	1	3	7	12	18	41
A. NOT OPERATED	186	7.0	62	<1	1	4	9	16	22	42
B. OPERATED	4347	4.7	42	<1	1	3	5	10	15	32
TOTAL 65-69 YRS	847	4.0	32	<1	<1	2	4	9	12	31
70-74	957	4.6	37	<1	1	2	5	10	15	30
75-79	933	4.6	32	<1	1	3	6	10	15	32
80-84	857	5.1	59	<1	1	3	5	11	16	41
85+	939	5.6	55	1	1	3	7	12	18	35
GRAND TOTAL	**4533**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	4.9	7	1	2	4	6	9	10	12
70-74	14	4.4	21	1	2	3	4	15	15	15
75-79	13	7.2	129	1	1	3	9	17	38	43
80-84	18	3.0	4	1	1	3	4	6	8	8
85+	11	4.2	13	<1	<1	3	6	10	12	12
B. *Operated*										
65-69 YRS	1405	6.2	10	2	2	6	8	10	11	16
70-74	1168	6.3	11	2	2	6	8	10	12	17
75-79	892	6.6	11	2	2	6	8	10	12	17
80-84	503	6.4	13	2	3	6	8	10	12	20
85+	330	6.0	11	1	2	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	389	10.0	122	1	2	7	12	22	30	62
70-74	367	9.0	75	1	2	6	11	18	27	49
75-79	270	10.0	125	1	2	7	13	21	28	63
80-84	178	10.4	150	1	3	7	13	23	30	95
85+	153	9.5	81	1	2	7	12	20	27	46
B. *Operated*										
65-69 YRS	3302	8.6	39	2	4	7	10	14	19	34
70-74	3077	8.8	40	3	4	8	10	15	19	35
75-79	2434	9.0	39	3	4	8	10	15	19	35
80-84	1627	9.4	49	3	3	8	11	16	21	42
85+	1091	9.1	45	2	3	8	11	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.7	27	1	1	3	6	9	12	32
B. *Operated*	4298	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1357	9.7	109	1	2	7	12	20	29	53
B. *Operated*	11531	8.9	41	2	4	8	10	15	20	35
1. SINGLE DX	4388	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX	12888	9.0	48	2	3	8	10	15	21	38
A. NOT OPERATED	1447	9.4	105	1	2	6	12	20	29	53
B. OPERATED	15829	8.2	34	2	3	7	10	14	17	32
TOTAL 65-69 YRS	5130	8.0	38	2	3	7	9	13	18	33
70-74	4626	8.2	37	2	3	7	9	14	17	33
75-79	3609	8.4	40	2	3	7	10	14	18	34
80-84	2326	8.8	50	2	3	7	10	15	20	40
85+	1585	8.5	43	2	3	7	10	16	21	39
GRAND TOTAL	**17276**	**8.3**	**40**	**2**	**3**	**7**	**10**	**14**	**18**	**35**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	3.7	4	1	2	3	5	5	5	16
70-74	53	3.8	2	2	2	4	4	5	7	8
75-79	34	4.5	9	2	3	4	5	6	10	19
80-84	12	6.3	17	3	3	5	6	15	15	15
85+	6	7.5	84	2	2	4	5	24	26	26
B. *Operated*										
65-69 YRS	90	4.0	10	1	1	3	5	8	10	18
70-74	75	3.5	6	1	1	3	4	6	9	12
75-79	47	4.1	9	1	1	3	5	8	10	16
80-84	27	4.3	10	<1	1	4	6	8	11	14
85+	16	6.3	21	1	2	5	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	118	5.6	19	2	2	4	7	11	15	24
70-74	102	6.1	37	1	2	4	8	12	17	36
75-79	69	6.1	19	2	2	4	8	11	14	23
80-84	40	9.9	116	2	3	6	14	21	31	55
85+	52	9.9	212	2	2	5	12	18	28	94
B. *Operated*										
65-69 YRS	250	10.2	131	1	2	8	12	20	29	70
70-74	219	9.4	91	2	2	6	11	22	29	47
75-79	155	9.6	103	2	2	7	12	19	28	49
80-84	87	10.2	116	2	3	7	11	23	34	55
85+	66	11.8	251	2	2	7	12	21	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.2	8	2	2	4	5	5	8	19
B. *Operated*	255	4.0	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	381	6.9	62	2	2	4	8	14	19	38
B. *Operated*	777	10.0	122	2	2	7	12	21	30	60
1. SINGLE DX	424	4.1	9	1	2	3	5	7	10	16
2. MULTIPLE DX	1158	9.0	105	2	2	6	10	18	26	53
A. NOT OPERATED	550	6.1	47	2	2	4	6	12	16	36
B. OPERATED	1032	8.5	101	1	2	5	10	17	26	51
TOTAL 65-69 YRS	522	7.3	78	1	2	4	9	15	22	51
70-74	449	7.0	60	1	2	4	8	16	22	40
75-79	305	7.4	64	2	2	4	9	15	20	44
80-84	166	8.9	96	2	2	5	10	20	30	54
85+	140	10.3	204	2	2	6	12	19	32	90
GRAND TOTAL	**1582**	**7.7**	**84**	**1**	**2**	**5**	**9**	**16**	**22**	**48**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	3.7	9	1	2	3	4	5	6	22
70-74	60	3.7	6	1	2	3	4	5	6	17
75-79	31	3.3	1	1	2	3	4	5	5	5
80-84	12	3.6	3	1	1	3	4	6	7	7
85+	11	6.5	47	1	1	5	7	15	25	26
B. *Operated*										
65-69 YRS	367	5.9	11	1	2	6	8	10	11	15
70-74	295	5.9	12	1	1	6	8	10	12	16
75-79	158	5.9	13	1	1	6	8	10	12	17
80-84	89	7.7	34	2	2	6	10	16	20	28
85+	55	6.3	19	1	1	6	9	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	168	6.3	47	1	1	4	7	14	18	37
70-74	121	6.2	75	1	2	4	6	11	16	61
75-79	113	8.2	148	1	1	4	9	16	26	71
80-84	92	10.6	175	2	2	5	13	25	38	74
85+	67	9.3	66	2	2	7	14	20	29	99+
B. *Operated*										
65-69 YRS	1412	8.4	50	2	2	7	10	14	18	33
70-74	1136	9.0	51	2	2	8	10	16	21	41
75-79	751	9.6	49	1	2	8	12	17	22	38
80-84	386	9.8	70	2	2	8	12	19	23	42
85+	238	11.1	100	2	2	9	14	21	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.8	9	1	2	3	4	5	7	21
B. *Operated*	964	6.1	14	1	2	6	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	561	7.7	99	1	2	4	9	17	24	59
B. *Operated*	3923	9.1	56	2	2	8	11	16	21	40
1. SINGLE DX	1168	5.7	14	1	2	5	8	10	12	20
2. MULTIPLE DX	4484	8.9	61	1	2	8	11	16	21	42
A. NOT OPERATED	765	6.7	78	1	2	4	7	15	21	54
B. OPERATED	4887	8.5	49	1	2	7	10	15	20	36
TOTAL 65-69 YRS	2037	7.6	42	1	2	7	9	13	17	31
70-74	1612	8.1	47	1	2	7	9	14	19	37
75-79	1053	8.7	56	1	2	7	11	16	21	38
80-84	579	9.5	81	2	2	7	12	19	24	44
85+	371	9.9	83	1	2	8	13	20	28	55
GRAND TOTAL	**5652**	**8.3**	**53**	**1**	**2**	**7**	**10**	**15**	**20**	**38**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	2.7	4	1	1	2	3	5	6	13
70-74	70	2.9	13	1	1	2	2	4	8	21
75-79	30	3.3	11	<1	1	2	4	7	9	17
80-84	9	6.3	31	1	1	5	9	16	17	17
85+	7	2.4	2	<1	<1	2	3	5	5	5
B. *Operated*										
65-69 YRS	55	8.1	18	2	3	7	10	12	17	25
70-74	53	10.9	35	4	6	9	13	19	23	31
75-79	28	10.1	18	5	5	9	12	18	19	19
80-84	20	10.8	58	1	3	9	11	24	29	32
85+	5	16.8	148	8	8	13	21	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	341	5.7	59	1	1	3	6	13	18	42
70-74	313	6.2	61	1	1	3	7	15	23	41
75-79	163	6.0	27	1	2	4	8	13	17	22
80-84	101	9.5	128	1	2	6	12	21	27	66
85+	82	10.0	85	1	1	8	13	22	26	51
B. *Operated*										
65-69 YRS	616	15.0	104	6	7	12	18	27	34	77
70-74	504	16.0	117	5	7	13	20	29	41	63
75-79	354	17.7	160	6	7	15	20	32	51	72
80-84	201	17.9	118	7	8	15	23	31	39	69
85+	96	18.1	124	6	7	17	22	31	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.0	10	1	1	2	3	5	8	18
B. *Operated*	161	10.0	34	3	4	8	11	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	1000	6.6	65	1	1	4	8	15	22	41
B. *Operated*	1771	16.3	123	6	7	13	20	29	39	72
1. SINGLE DX	352	6.2	33	1	1	4	9	13	18	26
2. MULTIPLE DX	2771	12.8	124	2	2	10	17	26	33	61
A. NOT OPERATED	1191	6.0	58	1	1	3	7	14	20	38
B. OPERATED	1932	15.8	119	5	7	13	19	29	38	70
TOTAL 65-69 YRS	1087	10.9	102	1	2	9	14	23	30	57
70-74	940	11.5	112	1	2	9	16	24	31	54
75-79	575	13.3	140	2	2	11	17	24	37	64
80-84	331	14.6	132	2	3	12	19	29	34	60
85+	190	14.0	122	1	2	11	19	28	33	66
GRAND TOTAL	**3123**	**12.1**	**118**	**1**	**2**	**10**	**16**	**25**	**32**	**60**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.0	1	2	2	3	4	5	5	5
70-74	4	4.0	1	3	3	4	5	5	5	5
75-79	7	2.7	1	<1	<1	3	4	4	4	4
80-84	4	7.5	136	1	1	2	14	25	25	25
85+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
65-69 YRS	39	10.9	139	1	2	8	14	23	32	64
70-74	47	7.1	46	1	2	5	9	15	24	32
75-79	35	8.5	112	1	1	5	9	25	26	53
80-84	37	7.6	54	1	2	6	10	16	26	32
85+	28	7.8	47	2	2	6	9	19	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	8.5	87	1	1	5	10	25	30	38
70-74	30	6.8	40	2	2	5	9	14	17	32
75-79	35	7.4	72	2	3	6	8	11	25	47
80-84	35	14.8	429	2	2	7	16	39	77	80
85+	31	9.7	140	2	3	5	10	26	41	51
B. *Operated*										
65-69 YRS	123	12.2	132	2	3	9	15	23	33	60
70-74	134	12.4	151	2	3	10	17	26	32	65
75-79	126	14.0	113	2	3	12	20	30	37	62
80-84	97	14.8	228	2	3	10	20	31	42	82
85+	96	10.6	106	2	3	8	14	19	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.4	28	1	1	3	4	7	18	25
B. *Operated*	186	8.4	80	1	2	6	10	19	26	48
2. MULTIPLE DX										
A. *Not Operated*	155	9.6	167	2	2	5	10	21	36	79
B. *Operated*	576	12.8	145	2	3	9	17	27	35	68
1. SINGLE DX	209	7.9	75	1	2	5	10	18	26	44
2. MULTIPLE DX	731	12.1	151	2	3	8	15	26	35	71
A. NOT OPERATED	178	8.9	152	2	2	5	9	19	31	77
B. OPERATED	762	11.7	133	2	2	8	15	25	32	63
TOTAL 65-69 YRS	193	11.2	126	2	2	8	14	23	32	58
70-74	215	10.3	117	2	2	7	13	24	30	47
75-79	203	11.5	112	2	2	7	16	26	35	52
80-84	173	13.1	235	2	2	8	16	29	39	80
85+	156	9.9	102	2	3	7	12	19	29	54
GRAND TOTAL	**940**	**11.2**	**137**	**2**	**2**	**7**	**15**	**25**	**32**	**68**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.3	26	1	1	4	7	11	16	24
70-74	49	6.3	37	1	1	5	8	13	17	37
75-79	50	7.0	48	1	2	5	8	13	23	35
80-84	30	5.4	10	1	2	5	7	10	12	12
85+	17	10.0	142	1	2	6	10	27	42	48
B. *Operated*										
65-69 YRS	1156	6.1	21	1	2	5	8	12	15	24
70-74	1137	5.8	16	1	2	5	8	11	13	21
75-79	951	5.6	13	1	2	5	7	10	12	17
80-84	537	5.9	13	1	2	5	8	11	12	18
85+	257	7.3	36	2	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	599	8.2	64	1	2	6	10	17	25	44
70-74	737	8.2	59	1	2	6	10	18	24	38
75-79	771	8.4	72	1	2	6	10	17	24	49
80-84	640	9.1	82	2	2	7	11	18	24	45
85+	505	9.2	84	2	3	7	11	18	26	54
B. *Operated*										
65-69 YRS	3620	8.4	50	2	2	6	10	16	21	38
70-74	4568	8.6	51	2	3	7	10	16	22	38
75-79	4233	9.0	57	2	3	7	11	17	23	40
80-84	2985	9.6	63	2	3	7	12	18	23	48
85+	1890	10.8	66	3	4	9	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	6.5	44	1	1	5	8	12	17	36
B. *Operated*	4038	5.9	18	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	3252	8.6	71	1	2	6	10	18	24	45
B. *Operated*	17296	9.1	57	2	3	7	11	17	23	41
1. SINGLE DX	4222	6.0	19	1	2	5	8	11	13	21
2. MULTIPLE DX	20548	9.0	59	2	3	7	11	17	23	42
A. NOT OPERATED	3436	8.5	70	1	2	6	10	18	24	45
B. OPERATED	21334	8.5	51	2	2	7	10	16	21	38
TOTAL 65-69 YRS	5413	7.9	46	1	2	6	10	15	20	36
70-74	6491	8.0	47	2	2	6	10	15	21	36
75-79	6005	8.4	53	2	2	6	10	16	21	39
80-84	4192	9.0	61	2	3	7	11	17	22	46
85+	2669	10.1	68	2	3	8	13	19	25	47
GRAND TOTAL	**24770**	**8.5**	**53**	**2**	**2**	**7**	**10**	**16**	**21**	**39**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79	3	3.0	3	1	1	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	24	6.5	26	2	2	5	8	10	16	27
70-74	21	4.7	9	<1	1	5	7	9	10	11
75-79	10	4.7	4	1	1	5	6	7	7	7
80-84	6	4.3	4	2	2	4	5	8	8	8
85+	5	8.2	37	3	3	6	12	18	18	18
2. MULTIPLE DX										
A. *Not Operated* ·										
65-69 YRS	3	10.0	52	4	4	8	15	18	18	18
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	6	19.0	378	3	3	14	18	53	57	57
80-84										
85+	5	5.6	23	2	2	4	7	14	14	14
B. *Operated*										
65-69 YRS	37	9.9	149	1	2	6	10	24	43	54
70-74	43	5.5	21	1	2	4	6	12	16	21
75-79	43	7.3	26	2	3	6	9	13	16	29
80-84	31	10.7	193	2	2	5	11	27	45	64
85+	16	8.8	51	1	2	6	13	21	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*	66	5.6	17	1	2	5	7	10	11	26
2. MULTIPLE DX										
A. *Not Operated*	16	11.6	177	2	3	7	15	18	45	57
B. *Operated*	170	8.2	86	2	2	5	10	18	25	52
1. SINGLE DX	70	5.4	16	1	2	5	7	9	11	25
2. MULTIPLE DX	186	8.5	94	2	2	5	10	18	25	56
A. NOT OPERATED	20	9.9	152	1	2	5	13	18	38	57
B. OPERATED	236	7.5	68	1	2	5	9	14	21	47
TOTAL 65-69 YRS	65	8.6	98	2	2	5	10	18	30	52
70-74	66	5.3	17	1	2	4	7	11	13	21
75-79	62	7.8	65	2	2	6	9	14	18	54
80-84	37	9.6	167	2	2	5	9	25	40	64
85+	26	8.1	42	2	2	5	13	18	21	23
GRAND TOTAL	**256**	**7.6**	**74**	**1**	**2**	**5**	**9**	**15**	**21**	**54**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.9	6	<1	<1	2	4	7	8	8
70-74	21	3.7	14	<1	1	2	4	11	12	13
75-79	31	5.3	83	1	1	3	5	8	23	49
80-84	18	4.6	40	<1	<1	3	4	9	20	28
85+	13	6.0	38	1	2	5	7	11	22	25
B. *Operated*										
65-69 YRS	1208	4.4	19	1	1	3	5	9	13	22
70-74	1154	4.1	14	1	1	3	5	7	11	21
75-79	970	4.6	21	1	1	3	5	9	13	25
80-84	706	4.4	16	1	1	3	5	8	10	22
85+	514	5.1	19	1	2	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	7.3	60	1	1	4	9	17	24	45
70-74	196	6.9	44	1	1	5	8	15	21	31
75-79	238	8.2	101	1	1	5	10	18	28	56
80-84	191	9.4	98	1	2	6	11	20	34	49
85+	204	9.2	94	1	2	6	11	23	32	58
B. *Operated*										
65-69 YRS	2496	7.4	59	1	2	5	9	17	23	39
70-74	3056	7.9	79	1	2	5	9	17	25	47
75-79	2861	7.7	64	1	2	5	9	17	23	40
80-84	2114	8.2	73	2	2	5	10	17	25	43
85+	1686	8.8	75	2	2	6	11	18	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	41	<1	<1	3	5	8	12	38
B. *Operated*	4552	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	981	8.2	82	1	2	5	10	18	27	46
B. *Operated*	12213	7.9	70	1	2	5	9	17	24	44
1. SINGLE DX	4654	4.4	18	1	1	3	5	9	12	23
2. MULTIPLE DX	13194	7.9	71	1	2	5	10	17	24	44
A. NOT OPERATED	1083	7.9	79	1	1	5	9	17	26	46
B. OPERATED	16765	7.0	58	1	2	4	8	15	21	39
TOTAL 65-69 YRS	3875	6.4	48	1	2	4	8	15	20	36
70-74	4427	6.8	63	1	2	4	8	15	21	42
75-79	4100	6.9	58	1	2	4	8	15	22	38
80-84	3029	7.4	64	1	2	5	9	16	22	42
85+	2417	8.0	66	2	2	6	10	16	23	47
GRAND TOTAL	**17848**	**7.0**	**60**	**1**	**2**	**5**	**8**	**15**	**22**	**40**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	4.8	7	1	1	5	7	8	9	9
70-74	11	6.2	28	2	2	4	7	13	20	21
75-79	8	2.6	4	<1	<1	2	4	6	6	6
80-84	7	4.4	7	2	2	3	6	9	9	9
85+	6	8.3	18	3	3	9	12	13	13	13
B. *Operated*										
65-69 YRS	163	10.0	33	2	2	9	13	17	19	26
70-74	140	10.3	36	2	2	10	13	17	20	32
75-79	81	10.9	38	1	3	11	13	18	22	33
80-84	45	9.9	42	1	2	9	13	18	22	29
85+	16	10.8	70	1	2	9	16	23	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	163	8.0	45	1	2	6	10	17	22	31
70-74	174	8.6	43	1	2	7	12	18	22	30
75-79	122	9.3	100	1	2	7	11	20	23	60
80-84	85	10.1	65	2	3	8	14	21	26	43
85+	71	11.4	90	2	3	10	14	22	28	54
B. *Operated*										
65-69 YRS	720	13.4	77	2	4	12	17	23	30	48
70-74	706	14.8	90	3	6	13	18	26	33	51
75-79	518	14.5	99	3	5	12	18	26	33	58
80-84	316	15.2	104	3	4	13	20	28	36	51
85+	175	16.4	168	3	5	14	20	29	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.2	15	1	1	4	7	10	12	21
B. *Operated*	445	10.3	37	2	2	10	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	615	9.1	64	1	2	7	12	19	23	42
B. *Operated*	2435	14.5	96	3	5	13	18	26	33	54
1. SINGLE DX	488	9.8	37	1	2	9	13	17	20	30
2. MULTIPLE DX	3050	13.4	94	2	4	12	17	24	31	52
A. NOT OPERATED	658	8.9	62	1	2	7	12	18	23	40
B. OPERATED	2880	13.8	89	2	4	12	17	24	31	52
TOTAL 65-69 YRS	1057	11.9	69	2	3	10	16	22	27	44
70-74	1031	13.1	81	2	3	11	16	23	29	46
75-79	729	13.1	97	2	3	11	16	24	31	57
80-84	453	13.6	95	2	3	11	18	26	33	50
85+	268	14.6	144	2	4	12	18	27	38	98
GRAND TOTAL	**3538**	**12.9**	**88**	**2**	**3**	**11**	**16**	**23**	**30**	**50**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	20	3.2	4	<1	1	3	4	7	8	8
70-74	19	4.2	23	1	1	3	5	8	16	22
75-79	16	3.3	4	1	1	3	4	7	8	8
80-84	15	3.1	2	1	2	3	4	5	6	6
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	17	1	1	4	8	11	11	11
70-74	4	6.8	23	3	3	6	10	13	13	13
75-79	5	5.2	2	3	3	5	6	7	7	7
80-84	7	10.9	47	1	2	11	15	21	22	22
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	22	6.4	73	1	2	3	6	14	28	39
70-74	26	4.3	9	1	2	3	6	10	11	12
75-79	20	5.7	66	1	1	3	6	12	25	37
80-84	14	2.9	1	1	2	3	4	5	5	5
85+	11	5.8	15	2	2	5	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*	72	3.4	8	1	1	3	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	23	7.0	27	1	2	6	10	14	18	22
B. *Operated*	93	5.1	36	1	2	3	5	11	13	38
1. SINGLE DX	75	3.4	8	1	1	3	4	7	8	19
2. MULTIPLE DX	116	5.5	35	1	2	3	6	11	14	38
A. NOT OPERATED	26	6.6	25	1	2	5	8	13	17	22
B. OPERATED	165	4.3	25	1	2	3	5	8	11	35
TOTAL 65-69 YRS	49	4.8	37	1	1	3	5	9	12	39
70-74	50	4.4	15	1	2	3	6	9	12	22
75-79	41	4.7	35	1	1	3	5	8	12	37
80-84	36	4.6	19	1	2	3	5	11	15	22
85+	15	5.0	14	1	2	4	6	11	14	15
GRAND TOTAL	**191**	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**12**	**31**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	11.8	208	1	2	8	14	23	45	83
70-74	22	11.3	158	3	3	6	11	33	44	49
75-79	27	9.0	49	2	2	7	13	21	24	27
80-84	10	14.3	512	1	1	6	14	49	76	76
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	109	14.9	127	2	4	14	18	25	32	67
70-74	66	18.0	154	5	6	15	20	36	47	57
75-79	37	19.8	305	4	7	16	20	51	62	83
80-84	11	13.9	76	6	6	9	20	26	33	34
85+	3	18.7	10	15	15	20	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	11.2	127	2	2	8	13	24	39	70
70-74	170	12.2	171	2	2	7	16	28	47	73
75-79	131	13.5	178	2	3	9	16	33	51	75
80-84	81	11.9	127	2	4	9	13	24	36	61
85+	41	13.5	185	2	3	8	15	38	43	59
B. *Operated*										
65-69 YRS	224	23.3	297	5	7	18	30	52	63	77
70-74	178	23.0	318	5	7	18	29	53	64	99
75-79	142	23.2	282	6	8	18	30	54	79	99+
80-84	34	25.6	373	8	9	16	36	54	63	85
85+	18	21.4	110	7	12	19	23	35	44	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	11.2	181	2	2	7	14	23	41	79
B. *Operated*	226	16.6	162	4	5	14	20	28	43	65
2. MULTIPLE DX										
A. *Not Operated*	652	12.2	152	2	3	8	14	27	46	69
B. *Operated*	596	23.2	297	5	8	18	29	53	64	99+
1. SINGLE DX	337	14.8	174	2	3	12	18	26	43	73
2. MULTIPLE DX	1248	17.4	252	2	4	12	22	41	55	93
A. NOT OPERATED	763	12.0	156	2	3	8	14	26	45	70
B. OPERATED	822	21.4	268	5	7	17	26	47	60	94
TOTAL 65-69 YRS	613	16.3	225	2	3	12	21	36	54	75
70-74	436	17.4	252	3	4	13	22	39	55	93
75-79	337	17.9	250	3	4	14	23	44	60	99+
80-84	136	15.7	240	2	4	10	18	36	52	77
85+	63	15.8	166	2	3	12	21	36	42	58
GRAND TOTAL	**1585**	**16.9**	**237**	**2**	**3**	**12**	**21**	**38**	**55**	**85**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	4	6.3	33	1	1	5	10	14	14	14
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	3	9.3	54	1	1	12	14	15	15	15
70-74	5	10.4	87	1	1	10	18	23	23	23
75-79	3	28.7	280	19	19	19	41	48	48	48
80-84	5	11.4	29	3	3	14	15	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	10.4	66	1	1	9	16	22	25	26
70-74	9	9.0	24	3	3	8	12	17	17	17
75-79	8	16.1	172	3	4	12	21	38	44	44
80-84	9	9.3	71	1	1	6	14	23	27	27
85+	4	5.3	6	2	2	6	7	7	7	7
B. *Operated*										
65-69 YRS	23	23.4	335	2	5	19	37	63	77	99+
70-74	19	22.8	138	7	9	24	30	38	44	48
75-79	11	21.2	297	2	5	15	32	46	59	60
80-84	7	23.3	191	9	10	19	28	47	51	51
85+	7	20.7	145	3	5	23	29	36	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	28	1	1	3	9	14	14	14
B. *Operated*	16	13.9	130	1	1	14	17	23	40	48
2. MULTIPLE DX										
A. *Not Operated*	42	10.5	76	1	2	8	15	22	26	44
B. *Operated*	67	22.6	226	3	7	19	30	47	60	94
1. SINGLE DX	21	11.9	117	1	1	12	16	21	34	48
2. MULTIPLE DX	109	17.9	202	2	3	14	24	38	49	80
A. NOT OPERATED	47	9.9	72	1	2	7	14	21	26	44
B. OPERATED	83	20.9	217	2	5	17	29	46	54	89
TOTAL 65-69 YRS	38	18.2	265	1	2	14	23	48	65	99+
70-74	37	16.0	139	2	3	13	24	34	38	48
75-79	23	19.6	246	2	3	15	28	45	52	60
80-84	21	14.5	133	2	3	14	17	28	39	51
85+	11	15.1	149	2	3	12	25	33	38	38
GRAND TOTAL	**130**	**16.9**	**192**	**1**	**3**	**14**	**24**	**38**	**48**	**73**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	1	2	2	4	4	4	4	4
70-74	8	2.1	1	<1	<1	2	3	3	3	3
75-79	4	4.5	20	1	1	3	7	11	11	11
80-84	1	9.0		9	9	9	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	41	6.0	16	2	3	5	7	12	15	19
70-74	37	5.6	13	2	2	5	7	10	12	21
75-79	20	6.8	12	3	3	6	9	12	13	14
80-84	10	4.2	6	1	1	4	4	7	10	10
85+	2	10.5	85	4	4	10	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	7.8	73	1	1	5	9	18	25	42
70-74	47	7.9	39	2	2	6	12	16	20	28
75-79	35	8.4	140	2	2	5	10	12	18	72
80-84	28	17.0	598	2	3	8	14	51	91	96
85+	13	6.0	24	2	2	4	6	13	19	20
B. *Operated*										
65-69 YRS	144	9.5	93	3	3	6	11	22	32	99+
70-74	121	10.6	129	2	3	6	13	25	34	57
75-79	94	11.9	146	2	3	6	15	28	37	59
80-84	52	10.4	155	3	3	7	11	16	26	70
85+	29	14.2	238	3	4	10	14	33	51	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	7	<1	1	3	4	7	10	11
B. *Operated*	110	5.9	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	158	9.5	175	2	2	6	11	18	27	89
B. *Operated*	440	10.7	131	3	3	6	13	25	36	70
1. SINGLE DX	129	5.5	14	2	2	4	6	11	13	19
2. MULTIPLE DX	598	10.4	143	2	3	6	12	23	34	73
A. NOT OPERATED	177	8.8	160	1	2	5	10	17	25	86
B. OPERATED	550	9.8	112	2	3	6	11	22	32	67
TOTAL 65-69 YRS	226	8.5	76	2	3	6	10	18	25	70
70-74	213	8.8	89	2	2	5	11	20	26	44
75-79	153	10.2	127	2	3	6	12	24	35	66
80-84	91	11.8	284	2	3	7	11	21	55	94
85+	44	11.6	178	2	3	7	13	21	41	74
GRAND TOTAL	**727**	**9.5**	**123**	**2**	**3**	**6**	**11**	**20**	**28**	**70**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	6.1	32	1	1	4	9	12	15	31
70-74	89	8.0	104	1	1	5	9	18	28	60
75-79	76	7.6	48	1	2	6	10	14	19	40
80-84	51	9.6	152	2	2	7	11	18	28	83
85+	21	8.1	41	1	1	6	12	17	22	23
B. *Operated*										
65-69 YRS	196	7.3	65	1	1	5	10	15	18	39
70-74	185	7.6	52	1	1	5	10	16	20	37
75-79	137	6.7	47	1	1	5	8	14	19	39
80-84	72	6.6	57	<1	1	5	8	16	23	41
85+	69	6.5	31	1	2	4	9	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4848	9.3	79	1	2	7	12	20	26	45
70-74	4534	9.4	77	2	2	7	12	19	26	45
75-79	3513	10.0	90	2	2	7	13	20	28	50
80-84	2230	9.9	77	2	3	7	13	20	26	46
85+	1442	10.3	87	2	3	8	13	21	29	51
B. *Operated*										
65-69 YRS	4805	13.1	140	2	3	10	17	27	36	64
70-74	4443	13.3	136	2	3	10	17	27	37	61
75-79	3170	13.1	141	2	3	10	17	27	38	58
80-84	1791	13.3	125	2	3	10	18	28	35	57
85+	1034	13.3	136	2	3	10	17	27	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.6	74	1	1	5	10	15	21	44
B. *Operated*	659	7.1	53	1	1	5	10	15	19	38
2. MULTIPLE DX										
A. *Not Operated*	16567	9.6	82	2	2	7	12	20	27	47
B. *Operated*	15243	13.2	137	2	3	10	17	27	36	62
1. SINGLE DX	996	7.3	60	1	1	5	10	15	20	39
2. MULTIPLE DX	31810	11.4	111	2	3	8	15	23	32	55
A. NOT OPERATED	16904	9.6	81	2	2	7	12	20	27	47
B. OPERATED	15902	13.0	135	2	3	10	17	27	36	61
TOTAL 65-69 YRS	9949	11.1	112	2	2	8	14	23	31	56
70-74	9251	11.2	109	2	2	8	14	23	31	54
75-79	6896	11.4	115	2	2	8	15	23	32	55
80-84	4144	11.3	102	2	3	8	14	24	31	50
85+	2566	11.4	108	2	3	8	15	23	31	59
GRAND TOTAL	**32806**	**11.2**	**110**	**2**	**2**	**8**	**14**	**23**	**31**	**55**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.8	26	2	2	5	8	15	19	19
70-74	11	3.5	10	1	1	2	5	8	11	11
75-79	3	8.0	93	1	1	4	15	19	19	19
80-84	3	9.0	3	7	7	10	10	10	10	10
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	31	6.5	32	1	1	4	10	16	18	20
70-74	21	8.4	45	1	2	6	12	18	23	27
75-79	12	6.9	15	2	2	6	8	14	14	14
80-84	9	7.6	57	1	1	4	11	20	24	24
85+	7	9.3	41	4	4	9	11	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	6.4	39	1	2	5	8	13	17	37
70-74	41	6.8	36	1	1	5	9	16	19	26
75-79	24	11.0	71	2	3	9	16	25	28	32
80-84	28	10.2	79	2	2	8	12	28	30	32
85+	15	9.0	37	2	3	8	12	21	21	21
B. *Operated*										
65-69 YRS	89	14.5	126	2	3	12	19	31	36	56
70-74	76	19.7	379	2	3	13	26	44	66	86
75-79	41	20.3	373	2	3	13	25	51	65	79
80-84	37	20.9	358	3	4	16	26	51	81	99+
85+	14	17.8	211	3	5	13	34	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.7	23	1	1	5	8	11	19	19
B. *Operated*	80	7.4	36	1	2	6	10	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	164	8.1	52	1	2	6	10	18	25	32
B. *Operated*	257	18.1	281	3	3	13	24	41	54	83
1. SINGLE DX	107	7.0	33	1	1	5	9	16	19	25
2. MULTIPLE DX	421	14.2	215	2	2	9	18	33	45	80
A. NOT OPERATED	191	7.7	48	1	1	6	10	18	24	32
B. OPERATED	337	15.5	243	2	3	11	20	36	49	81
TOTAL 65-69 YRS	185	10.4	95	2	2	7	14	22	32	49
70-74	149	13.4	252	1	1	8	16	32	44	83
75-79	80	15.1	245	2	3	10	19	33	51	76
80-84	77	15.0	237	2	3	11	18	31	51	95
85+	37	12.2	117	3	3	8	18	32	39	42
GRAND TOTAL	**528**	**12.7**	**186**	**1**	**2**	**8**	**16**	**29**	**39**	**79**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	6.4	40	<1	1	3	11	16	18	19
70-74	16	5.9	37	1	1	3	8	17	21	22
75-79	16	6.6	43	1	2	4	8	18	22	24
80-84	12	5.5	28	1	2	3	6	14	19	20
85+	7	6.3	62	1	1	2	10	20	22	22
B. *Operated*										
65-69 YRS	25	6.8	50	1	2	4	6	22	25	25
70-74	20	10.1	240	1	2	5	11	20	47	71
75-79	20	6.4	24	1	2	5	9	14	16	17
80-84	10	6.3	34	<1	<1	5	9	15	21	21
85+	10	6.9	19	3	3	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	7.3	89	1	1	5	9	15	21	47
70-74	235	7.9	53	1	2	5	9	17	25	36
75-79	186	8.1	68	1	2	6	10	15	24	40
80-84	163	9.7	93	1	2	7	12	21	28	51
85+	146	8.8	63	1	2	6	12	18	23	39
B. *Operated*										
65-69 YRS	162	12.6	141	2	3	9	16	29	39	64
70-74	167	13.0	156	2	3	9	15	29	41	50
75-79	141	12.5	124	2	3	9	15	28	38	53
80-84	112	10.8	98	2	3	8	13	22	27	58
85+	64	11.1	102	2	3	8	14	22	27	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	6.1	38	1	1	3	9	18	20	24
B. *Operated*	85	7.4	82	1	2	5	8	16	22	55
2. MULTIPLE DX										
A. *Not Operated*	907	8.3	72	1	2	6	10	17	24	40
B. *Operated*	646	12.2	130	2	3	9	15	26	36	62
1. SINGLE DX	152	6.9	62	1	2	4	8	16	22	25
2. MULTIPLE DX	1553	9.9	100	1	2	7	12	21	29	51
A. NOT OPERATED	974	8.1	70	1	2	6	10	17	23	39
B. OPERATED	731	11.6	127	2	3	8	14	25	35	62
TOTAL 65-69 YRS	380	9.5	113	1	2	6	11	22	30	60
70-74	438	9.8	106	1	2	7	12	22	30	46
75-79	363	9.7	91	1	2	7	12	18	31	50
80-84	297	9.8	91	1	2	7	12	21	27	52
85+	227	9.3	73	1	2	7	12	19	25	42
GRAND TOTAL	**1705**	**9.6**	**97**	**1**	**2**	**7**	**12**	**21**	**29**	**51**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.5	123	<1	<1	3	6	15	27	61
70-74	37	4.7	38	1	1	3	5	13	17	32
75-79	37	2.8	10	<1	<1	2	3	7	9	17
80-84	18	10.8	155	1	2	5	14	28	40	46
85+	15	5.7	12	1	1	6	9	9	11	12
B. *Operated*										
65-69 YRS	22	7.6	77	1	2	4	8	26	29	30
70-74	38	11.4	202	1	2	7	13	21	37	80
75-79	28	16.3	347	2	3	7	18	52	58	63
80-84	20	13.4	324	2	3	6	11	39	62	71
85+	16	11.4	330	2	3	7	11	14	59	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	7.0	56	1	1	5	9	15	23	32
70-74	247	7.8	77	1	1	4	10	18	24	47
75-79	287	7.0	69	1	1	4	9	17	21	47
80-84	226	6.9	55	1	1	4	8	16	23	43
85+	177	6.9	39	1	1	5	10	16	20	24
B. *Operated*										
65-69 YRS	253	24.6	364	2	4	22	38	53	68	99+
70-74	240	20.0	264	3	3	15	30	43	51	76
75-79	239	18.5	283	3	4	12	26	50	57	72
80-84	152	16.7	288	2	3	11	21	38	58	75
85+	104	11.5	142	2	3	8	13	27	34	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	5.6	68	<1	1	3	6	13	20	47
B. *Operated*	124	12.2	248	2	2	7	12	30	55	79
2. MULTIPLE DX										
A. *Not Operated*	1196	7.1	60	1	1	4	9	16	22	42
B. *Operated*	988	19.4	299	3	3	13	30	45	57	82
1. SINGLE DX	267	8.6	162	1	1	4	9	20	34	70
2. MULTIPLE DX	2184	12.7	206	1	2	7	16	34	45	71
A. NOT OPERATED	1339	7.0	61	1	1	4	9	16	22	42
B. OPERATED	1112	18.6	298	2	3	12	29	45	57	79
TOTAL 65-69 YRS	570	14.8	274	1	1	8	23	40	53	78
70-74	562	13.1	200	1	2	8	18	34	44	63
75-79	591	11.8	199	1	1	7	14	33	48	65
80-84	416	10.9	177	1	2	6	14	27	38	72
85+	312	8.6	91	1	2	6	11	18	24	57
GRAND TOTAL	**2451**	**12.2**	**202**	**1**	**2**	**7**	**15**	**33**	**45**	**71**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	123	5.9	37	1	1	4	9	15	18	28
70-74	114	5.9	43	1	1	3	7	15	18	34
75-79	87	7.0	38	1	1	5	9	16	20	28
80-84	44	7.5	41	1	1	6	11	17	23	25
85+	35	7.5	33	1	2	7	10	14	20	25
B. *Operated*										
65-69 YRS	372	6.9	44	1	2	5	9	14	18	33
70-74	302	7.7	48	1	1	5	11	17	22	35
75-79	244	7.2	51	1	1	5	10	15	22	42
80-84	116	7.6	72	1	1	6	10	16	19	51
85+	58	7.0	32	1	2	5	10	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	906	8.2	72	1	1	5	10	18	27	46
70-74	941	9.4	73	1	2	7	12	19	25	40
75-79	792	9.9	107	1	2	7	12	21	31	60
80-84	522	10.2	98	2	2	7	13	21	29	53
85+	349	10.5	114	1	2	8	13	21	32	60
B. *Operated*										
65-69 YRS	1169	13.9	152	2	3	10	18	30	40	64
70-74	1251	14.3	151	3	4	11	18	28	39	64
75-79	955	14.8	166	2	3	11	19	32	41	69
80-84	652	15.2	167	2	3	12	19	30	41	71
85+	374	14.4	184	3	4	11	18	29	41	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	6.5	39	1	1	4	9	15	19	29
B. *Operated*	1092	7.3	49	1	1	5	10	15	21	35
2. MULTIPLE DX										
A. *Not Operated*	3510	9.4	89	1	2	7	12	20	28	51
B. *Operated*	4401	14.4	160	2	3	11	19	30	40	69
1. SINGLE DX	1495	7.1	46	1	1	5	10	15	20	34
2. MULTIPLE DX	7911	12.2	134	2	2	9	16	26	36	62
A. NOT OPERATED	3913	9.1	84	1	2	7	12	19	27	49
B. OPERATED	5493	13.0	146	2	2	10	17	28	37	64
TOTAL 65-69 YRS	2570	10.5	113	1	2	7	14	24	33	54
70-74	2608	11.4	114	1	2	9	15	24	31	55
75-79	2078	11.7	133	1	2	8	15	26	37	63
80-84	1334	12.3	136	2	2	9	16	25	34	63
85+	816	11.9	143	2	3	9	15	23	33	82
GRAND TOTAL	**9406**	**11.4**	**124**	**1**	**2**	**8**	**15**	**25**	**33**	**59**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	191	3.3	3	1	1	3	4	5	7	10
70-74	161	3.1	2	1	1	3	4	5	5	7
75-79	94	3.5	4	1	1	3	4	6	7	11
80-84	34	2.9	2	1	2	3	3	4	6	7
85+	16	4.6	3	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	7.5	25	4	4	7	11	11	11	11
85+										
B. *Operated*										
65-69 YRS	174	4.4	19	2	2	3	5	7	11	29
70-74	183	4.5	10	1	2	4	5	8	10	18
75-79	127	4.8	14	2	2	4	5	8	11	20
80-84	65	5.0	27	1	2	4	5	8	11	32
85+	26	5.5	10	1	2	5	7	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	496	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	8	3.6	11	1	1	3	4	9	11	11
B. *Operated*	575	4.6	16	1	2	4	5	8	10	26
1. SINGLE DX	496	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX	583	4.6	16	1	2	4	5	8	10	26
A. NOT OPERATED	8	3.6	11	1	1	3	4	9	11	11
B. OPERATED	1071	4.0	10	1	2	3	5	7	9	16
TOTAL 65-69 YRS	368	3.8	11	1	2	3	4	6	8	18
70-74	346	3.8	7	1	1	3	5	6	8	12
75-79	222	4.2	10	1	2	4	5	7	9	15
80-84	101	4.4	20	1	2	3	5	8	10	31
85+	42	5.1	7	1	2	5	7	8	10	15
GRAND TOTAL	**1079**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	1.8	3	<1	<1	1	2	3	4	11
70-74	32	2.1	1	<1	1	2	3	4	4	6
75-79	38	2.2	4	<1	<1	1	3	5	7	9
80-84	18	2.1	3	<1	<1	1	2	5	6	6
85+	9	4.4	21	1	1	3	6	12	15	15
B. *Operated*										
65-69 YRS	453	3.5	14	<1	<1	2	4	9	11	19
70-74	381	3.6	17	<1	<1	2	4	9	11	16
75-79	282	3.7	16	<1	<1	2	4	10	12	19
80-84	142	3.5	10	<1	1	2	4	9	11	13
85+	64	4.5	29	1	1	3	5	10	16	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	4.1	14	1	1	3	5	9	11	21
70-74	196	4.3	35	1	1	3	5	8	12	26
75-79	166	5.1	33	1	1	4	7	10	13	28
80-84	126	5.8	29	1	1	4	7	13	16	25
85+	79	6.8	40	1	1	5	9	13	22	80
B. *Operated*										
65-69 YRS	1536	6.3	40	1	1	4	9	14	19	29
70-74	1544	6.6	43	1	1	4	9	15	19	31
75-79	1369	6.9	55	1	1	4	10	15	21	35
80-84	751	7.9	78	1	2	5	10	16	22	46
85+	437	9.1	93	1	2	6	12	20	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.1	4	<1	<1	1	2	4	6	11
B. *Operated*	1322	3.6	16	<1	1	2	4	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	759	4.9	29	1	1	3	6	10	13	28
B. *Operated*	5637	6.9	54	1	1	4	10	15	20	36
1. SINGLE DX	1468	3.5	15	<1	<1	2	4	9	11	18
2. MULTIPLE DX	6396	6.7	52	1	1	4	9	15	20	35
A. NOT OPERATED	905	4.5	26	1	1	3	5	10	13	27
B. OPERATED	6959	6.3	48	1	1	4	9	14	19	33
TOTAL 65-69 YRS	2230	5.4	34	<1	1	3	8	12	17	27
70-74	2153	5.8	39	1	1	3	8	13	17	29
75-79	1855	6.2	47	1	1	4	9	14	18	33
80-84	1037	7.0	64	1	1	4	9	15	20	39
85+	589	8.2	80	1	2	5	10	19	26	48
GRAND TOTAL	**7864**	**6.1**	**46**	**1**	**1**	**4**	**8**	**14**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	60	4.6	18	<1	<1	3	7	11	12	19
70-74	53	5.1	25	1	1	2	8	13	17	19
75-79	35	4.1	17	<1	1	2	6	10	12	19
80-84	12	2.2	2	1	1	2	3	4	5	5
85+	5	3.0	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.4	11	<1	<1	2	4	9	11	11
70-74	6	4.2	2	2	2	4	5	6	6	6
75-79	5	13.8	128	1	1	14	20	31	31	31
80-84	2	18.5	545	2	2	18	35	35	35	35
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS	115	6.6	36	1	1	5	9	16	17	28
70-74	105	8.5	68	1	1	6	12	18	23	46
75-79	66	9.4	97	1	2	6	15	19	25	54
80-84	29	4.7	20	<1	1	2	8	12	14	14
85+	8	10.3	98	2	2	7	25	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	4	1	1	2	4	6	6	6
B. *Operated*	165	4.4	19	<1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	23	7.4	81	<1	1	4	8	19	32	35
B. *Operated*	323	7.7	60	1	1	5	10	18	23	44
1. SINGLE DX	173	4.3	18	<1	1	2	6	10	13	19
2. MULTIPLE DX	346	7.7	62	1	1	5	10	18	23	42
A. NOT OPERATED	31	6.2	65	1	1	4	6	15	30	35
B. OPERATED	488	6.6	49	1	1	4	9	16	19	34
TOTAL 65-69 YRS	186	5.7	30	<1	1	3	9	13	17	25
70-74	166	7.2	54	1	1	4	10	17	20	40
75-79	108	7.8	77	1	1	5	10	19	22	45
80-84	43	4.7	37	<1	1	2	6	11	14	35
85+	16	6.9	60	<1	1	4	9	26	74	99+
GRAND TOTAL	**519**	**6.6**	**50**	**1**	**1**	**4**	**9**	**16**	**19**	**35**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.8	17	1	1	2	5	11	11	11
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	3	3.0	7	1	1	2	5	6	6	6
80-84	3	2.7	2	1	1	3	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	384	2.7	6	<1	<1	2	3	5	6	12
70-74	288	3.0	13	<1	<1	2	3	5	7	26
75-79	136	3.1	6	1	1	2	4	6	8	13
80-84	42	3.5	29	<1	<1	2	3	6	17	26
85+	28	3.5	21	<1	<1	2	3	8	11	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	6.1	19	1	1	5	8	11	15	19
70-74	30	4.6	12	1	1	4	5	11	13	13
75-79	15	5.3	11	1	2	5	8	11	11	11
80-84	17	4.4	8	<1	1	3	8	8	9	10
85+	10	10.2	141	2	2	6	12	29	41	41
B. *Operated*										
65-69 YRS	526	4.8	29	1	1	3	5	10	13	30
70-74	392	4.9	27	1	1	3	6	11	14	25
75-79	265	5.7	53	1	1	3	7	12	17	32
80-84	100	6.5	41	1	2	4	9	16	20	31
85+	48	5.7	21	1	1	4	7	13	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	8	<1	1	2	3	7	10	11
B. *Operated*	878	2.9	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	93	5.6	28	1	1	4	8	11	13	32
B. *Operated*	1331	5.2	34	1	1	3	6	11	16	28
1. SINGLE DX	891	2.9	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX	1424	5.2	34	1	1	3	6	11	16	28
A. NOT OPERATED	106	5.3	26	1	1	4	7	11	13	29
B. OPERATED	2209	4.3	26	<1	1	3	5	9	13	25
TOTAL 65-69 YRS	936	4.0	20	<1	1	3	4	8	11	24
70-74	712	4.1	22	<1	1	3	5	9	12	25
75-79	419	4.8	37	1	1	3	5	10	14	29
80-84	162	5.4	36	<1	1	3	6	14	19	26
85+	86	5.5	37	<1	1	4	7	12	18	35
GRAND TOTAL	**2315**	**4.3**	**26**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	5	3.8	8	<1	<1	3	6	8	8	8
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	85	2.6	10	<1	<1	2	3	5	8	21
70-74	59	2.8	10	<1	<1	2	3	6	12	16
75-79	59	3.6	18	<1	<1	2	4	8	12	23
80-84	30	2.9	9	<1	<1	2	3	6	8	15
85+	14	3.2	19	<1	<1	2	4	6	15	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	5.9	14	1	2	5	9	12	13	13
70-74	15	6.1	41	1	2	5	7	12	23	27
75-79	29	7.4	22	2	3	5	11	15	16	17
80-84	25	5.6	41	1	1	4	7	10	24	24
85+	13	6.7	19	1	2	6	8	14	16	16
B. *Operated*										
65-69 YRS	165	5.2	34	<1	1	3	7	12	20	38
70-74	143	5.9	38	1	1	4	7	15	19	29
75-79	100	7.7	56	<1	1	5	11	16	23	39
80-84	63	9.1	145	1	2	4	9	23	32	64
85+	39	10.5	255	1	2	4	13	28	32	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.8	8	<1	<1	2	7	8	8	8
B. *Operated*	247	2.9	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	104	6.4	27	1	1	5	9	13	16	26
B. *Operated*	510	6.8	72	<1	1	4	8	16	23	40
1. SINGLE DX	258	3.0	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX	614	6.7	64	1	1	4	8	16	22	39
A. NOT OPERATED	115	6.1	26	1	1	5	8	13	16	25
B. OPERATED	757	5.5	56	<1	1	3	6	14	20	34
TOTAL 65-69 YRS	274	4.5	26	<1	<1	2	6	11	15	26
70-74	222	5.1	32	<1	1	3	5	13	17	29
75-79	189	6.3	42	<1	1	4	9	15	18	33
80-84	120	6.7	93	<1	1	3	8	17	24	55
85+	67	8.1	163	1	1	4	8	18	30	81
GRAND TOTAL	**872**	**5.6**	**52**	**<1**	**1**	**3**	**7**	**14**	**19**	**33**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	112	2.2	2	<1	1	2	2	3	5	8
70-74	83	2.1	1	<1	1	2	2	3	4	6
75-79	54	2.3	2	<1	<1	2	3	4	5	9
80-84	15	2.3	1	<1	1	2	3	4	4	4
85+	9	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	212	2.9	6	1	1	2	3	5	7	14
70-74	159	2.8	3	1	1	2	3	5	7	8
75-79	112	3.6	7	1	2	3	5	7	8	17
80-84	66	3.5	7	1	2	3	4	7	9	15
85+	34	4.7	13	<1	2	4	5	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	273	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	5	1.8		1	1	2	2	2	2	2
B. *Operated*	583	3.2	6	1	1	2	4	6	8	14
1. SINGLE DX	275	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX	588	3.2	6	1	1	2	4	6	8	14
A. NOT OPERATED	7	1.6		1	1	2	2	2	2	2
B. OPERATED	856	2.9	5	<1	1	2	3	5	7	12
TOTAL 65-69 YRS	327	2.6	4	<1	1	2	3	5	6	12
70-74	244	2.6	2	<1	1	2	3	4	6	8
75-79	167	3.2	6	1	1	2	4	6	8	16
80-84	82	3.3	6	1	1	3	3	6	8	14
85+	43	4.0	11	<1	1	3	5	10	12	14
GRAND TOTAL	**863**	**2.9**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	32	8	8	12	16	16	16	16
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	2	16.0	450	1	1	16	31	31	31	31
80-84	3	4.3	2	3	3	4	5	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	31	5.8	58	<1	1	5	7	8	9	44
70-74	15	4.7	5	<1	2	5	7	7	8	8
75-79	9	5.2	9	1	1	6	7	9	9	9
80-84	5	3.4	2	2	2	3	5	5	5	5
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.6	18	1	2	4	7	12	16	17
70-74	15	8.1	43	3	4	5	9	20	24	26
75-79	12	5.1	16	1	2	3	7	12	13	13
80-84	13	9.2	91	2	3	5	12	19	34	38
85+	15	5.2	9	<1	1	5	7	9	10	11
B. *Operated*										
65-69 YRS	378	7.9	21	2	4	7	9	13	16	33
70-74	224	8.8	35	2	3	8	10	14	20	35
75-79	127	9.9	44	2	5	8	11	16	22	41
80-84	56	11.2	61	2	3	9	14	22	25	39
85+	27	8.4	33	2	2	7	11	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.5	88	1	1	4	8	23	31	31
B. *Operated*	61	5.4	35	<1	1	5	7	8	9	41
2. MULTIPLE DX										
A. *Not Operated*	72	6.6	35	1	2	5	8	13	17	35
B. *Operated*	812	8.7	33	2	4	8	10	15	20	35
1. SINGLE DX	71	5.7	42	<1	1	5	7	9	16	41
2. MULTIPLE DX	884	8.5	33	2	3	7	10	14	20	35
A. NOT OPERATED	82	6.7	40	1	2	5	8	13	18	36
B. OPERATED	873	8.5	34	2	3	7	10	14	19	35
TOTAL 65-69 YRS	428	7.6	24	2	2	7	9	13	16	33
70-74	256	8.5	35	2	3	7	10	14	20	32
75-79	150	9.3	45	2	3	8	11	16	21	40
80-84	77	10.1	64	2	3	8	12	21	25	39
85+	44	7.4	28	1	2	6	9	14	19	24
GRAND TOTAL	**955**	**8.3**	**34**	**2**	**2**	**7**	**9**	**14**	**19**	**35**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	3.3	10	1	1	2	6	7	7	7
70-74	3	6.3	20	2	2	6	10	11	11	11
75-79	4	3.5	9	2	2	2	5	8	8	8
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	23	4.9	15	1	1	3	8	9	12	15
70-74	16	5.4	9	1	2	5	8	9	10	11
75-79	19	5.6	17	1	2	4	8	13	14	14
80-84	5	5.0	28	<1	<1	3	7	14	14	14
85+	4	4.8	2	3	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.1	11	1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	67	5.2	13	1	1	4	8	10	13	15
1. SINGLE DX	11	4.1	11	1	1	2	7	9	11	11
2. MULTIPLE DX	68	5.2	13	1	1	4	8	10	13	15
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	78	5.0	13	1	1	4	7	10	13	15
TOTAL 65-69 YRS	27	4.7	13	1	1	3	7	9	12	15
70-74	19	5.5	10	1	2	5	8	10	11	11
75-79	23	5.2	16	1	2	3	8	12	13	14
80-84	5	5.0	28	<1	<1	3	7	14	14	14
85+	5	4.2	3	2	2	5	5	6	6	6
GRAND TOTAL	**79**	**5.0**	**13**	**1**	**1**	**4**	**7**	**10**	**13**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	63	6.7	2	5	5	7	8	9	10	12
70-74	49	7.9	6	5	5	7	9	11	13	17
75-79	27	7.7	8	4	5	7	9	11	13	16
80-84	16	8.8	12	4	5	8	10	15	16	17
85+	3	4.7	1	4	4	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.0	31	1	1	5	10	13	13	13
70-74	1	23.0		23	23	23	23	23	23	23
75-79	3	7.7	33	1	1	11	11	11	11	11
80-84										
85+										
B. *Operated*										
65-69 YRS	342	9.3	39	5	6	8	10	14	18	36
70-74	254	10.6	49	5	6	8	13	18	25	41
75-79	191	12.2	60	6	6	10	14	23	28	45
80-84	101	12.3	56	6	7	10	14	20	26	45
85+	54	11.8	29	6	6	10	16	19	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	158	7.4	6	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	8	8.8	57	1	1	9	12	20	23	23
B. *Operated*	942	10.7	48	5	6	9	12	18	23	39
1. SINGLE DX	158	7.4	6	4	5	7	8	10	12	17
2. MULTIPLE DX	950	10.7	49	5	6	9	12	18	23	39
A. NOT OPERATED	8	8.8	57	1	1	9	12	20	23	23
B. OPERATED	1100	10.2	44	5	6	8	11	17	22	38
TOTAL 65-69 YRS	409	8.9	34	5	5	8	10	13	17	35
70-74	304	10.2	43	5	6	8	12	17	23	39
75-79	221	11.5	55	5	6	9	13	22	28	42
80-84	117	11.8	51	6	6	9	14	19	24	43
85+	57	11.4	30	5	6	10	16	19	20	29
GRAND TOTAL	**1108**	**10.2**	**44**	**5**	**6**	**8**	**12**	**17**	**22**	**38**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	3.3	5	<1	<1	3	6	7	7	7
70-74	6	3.2	6	<1	<1	2	3	8	8	8
75-79	2	6.5	41	2	2	6	11	11	11	11
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	14	3.6	7	1	1	3	6	7	9	10
70-74	11	4.2	5	1	1	4	6	7	9	9
75-79	11	6.2	19	1	2	5	10	13	15	15
80-84	4	10.0	120	2	2	6	17	26	26	26
85+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	3.5	8	<1	<1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	41	5.1	21	1	1	4	6	10	13	26
1. SINGLE DX	19	3.5	8	<1	<1	3	5	8	10	11
2. MULTIPLE DX	42	5.1	21	1	1	4	6	10	13	26
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	60	4.6	17	<1	1	3	6	9	11	25
TOTAL 65-69 YRS	24	3.5	6	<1	1	3	6	6	8	10
70-74	17	3.8	6	<1	1	3	5	8	9	9
75-79	13	6.2	19	1	2	5	11	12	14	15
80-84	5	9.4	92	2	2	7	12	26	26	26
85+	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**61**	**4.6**	**17**	**<1**	**1**	**3**	**6**	**9**	**11**	**25**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	24	3.8	6	<1	1	3	5	7	8	10
70-74	11	3.3	11	1	1	2	3	8	13	13
75-79	10	6.6	20	2	3	5	8	13	18	18
80-84	4	7.0	7	5	5	6	9	11	11	11
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*	13	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	50	4.7	13	1	1	4	6	9	13	18
1. SINGLE DX	15	2.2	3	<1	1	2	2	3	7	8
2. MULTIPLE DX	50	4.7	13	1	1	4	6	9	13	18
A. NOT OPERATED	2	5.0	18	2	2	5	8	8	8	8
B. OPERATED	63	4.1	12	1	1	3	5	8	12	18
TOTAL 65-69 YRS	30	3.6	6	1	1	3	5	7	8	10
70-74	15	2.9	9	1	1	2	3	4	11	13
75-79	14	5.3	19	1	2	5	5	10	16	18
80-84	5	5.8	13	<1	<1	6	7	11	11	11
85+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**65**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	25	5.1	34	<1	1	2	6	14	17	26
70-74	28	2.9	6	<1	<1	2	3	5	10	11
75-79	19	3.1	5	<1	1	3	4	6	8	9
80-84	12	3.9	7	2	2	4	4	7	11	12
85+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	8.0	32	4	4	8	12	12	12	12
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	7.7	49	1	1	7	13	15	15	15
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	64	5.1	17	1	1	3	7	12	13	19
70-74	86	5.5	44	1	1	3	7	12	26	32
75-79	71	6.0	26	1	1	4	8	14	17	24
80-84	39	5.7	32	2	2	3	7	13	20	26
85+	37	6.9	27	1	2	6	9	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	88	3.7	14	<1	1	3	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	9	6.1	29	1	1	4	11	14	15	15
B. *Operated*	297	5.7	30	1	2	4	8	12	15	28
1. SINGLE DX	88	3.7	14	<1	1	3	4	8	11	22
2. MULTIPLE DX	306	5.7	30	1	2	4	8	12	15	28
A. NOT OPERATED	9	6.1	29	1	1	4	11	14	15	15
B. OPERATED	385	5.2	27	1	1	3	7	12	14	28
TOTAL 65-69 YRS	90	5.1	22	1	1	3	7	12	14	24
70-74	116	4.9	36	1	1	3	5	11	13	30
75-79	92	5.3	22	1	1	4	7	13	15	23
80-84	54	5.4	27	2	2	3	7	12	15	26
85+	42	6.3	26	1	2	5	8	12	13	29
GRAND TOTAL	**394**	**5.3**	**27**	**1**	**1**	**3**	**7**	**12**	**14**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	1.8		1	1	2	2	2	2	2
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	3	2.3		2	2	2	3	3	3	3
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	5	5.4	23	1	1	4	8	13	13	13
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	9.0	43	3	3	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	14	4.9	21	1	1	3	7	13	15	16
1. SINGLE DX	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	15	5.3	21	1	1	3	8	13	15	16
A. NOT OPERATED	1	10.0		10	10	10	10	10	10	10
B. OPERATED	22	3.8	16	1	1	2	4	9	14	16
TOTAL 65-69 YRS	8	2.0		1	1	2	2	3	3	3
70-74	4	2.0	1	1	1	2	3	3	3	3
75-79	6	4.7	22	1	1	3	7	12	13	13
80-84	2	7.0	18	4	4	7	10	10	10	10
85+	3	9.0	43	3	3	8	14	16	16	16
GRAND TOTAL	**23**	**4.0**	**17**	**1**	**1**	**2**	**4**	**11**	**14**	**16**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.0	48	<1	<1	2	5	15	24	25
70-74	8	3.5	3	1	1	3	5	6	6	6
75-79	5	8.4	14	4	4	7	11	14	14	14
80-84	6	17.7	779	3	3	7	12	68	74	74
85+	3	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
65-69 YRS	87	12.1	57	3	5	10	16	21	25	42
70-74	49	12.5	181	2	2	11	15	21	25	90
75-79	24	10.7	18	3	3	11	14	16	16	16
80-84	10	19.4	60	8	10	16	27	30	32	32
85+	5	20.0	237	1	1	16	34	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.9	99	1	1	5	8	16	27	53
70-74	79	9.0	128	2	3	6	11	16	25	73
75-79	77	9.5	93	2	2	7	13	19	24	90
80-84	70	11.4	175	2	3	7	14	26	55	95
85+	77	11.3	131	3	3	8	14	28	35	60
B. *Operated*										
65-69 YRS	234	17.2	160	3	4	15	21	33	44	70
70-74	236	19.8	253	2	5	16	25	38	52	90
75-79	149	22.9	252	4	7	19	30	48	59	99+
80-84	55	23.9	289	7	8	19	35	58	73	99+
85+	20	20.9	202	4	5	17	30	43	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.3	162	<1	1	4	7	12	23	74
B. *Operated*	175	12.6	94	2	3	11	16	23	27	47
2. MULTIPLE DX										
A. *Not Operated*	365	9.9	126	2	2	7	11	19	31	73
B. *Operated*	694	19.9	227	3	6	16	26	40	53	92
1. SINGLE DX	209	11.8	108	2	2	10	15	22	27	59
2. MULTIPLE DX	1059	16.5	215	2	3	13	21	36	50	90
A. NOT OPERATED	399	9.6	129	2	2	6	11	19	30	74
B. OPERATED	[illegible]	18.5	209	2	5	15	24	37	50	90
TOTAL 65-69 YRS	395	14.2	139	2	3	12	18	30	38	62
70-74	372	16.2	235	2	3	12	21	33	44	89
75-79	255	17.4	220	2	3	13	22	40	53	99
80-84	141	17.1	264	2	3	12	24	40	61	99+
85+	105	13.3	160	3	3	9	16	32	39	59
GRAND TOTAL	**1268**	**15.7**	**200**	**2**	**3**	**12**	**20**	**33**	**48**	**87**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	118	3.8	2	2	2	4	5	6	7	9
70-74	73	3.9	1	2	3	4	4	5	6	7
75-79	35	4.7	5	2	3	4	5	7	8	15
80-84	12	5.0	9	3	3	4	6	9	12	13
85+	5	4.4	2	3	3	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.5	10	2	2	3	6	9	9	9
70-74	4	5.3	4	3	3	5	7	8	8	8
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	7	8.1	54	2	2	5	11	21	23	23
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	173	5.0	14	2	2	4	5	9	11	15
70-74	131	5.2	17	2	3	4	6	8	10	29
75-79	83	7.4	120	2	3	4	7	15	19	73
80-84	30	9.7	199	2	3	5	7	24	36	72
85+	6	7.2	4	4	4	7	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	243	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	18	6.4	25	2	2	5	8	11	19	23
B. *Operated*	423	5.9	50	2	3	4	6	9	14	36
1. SINGLE DX	244	4.1	3	2	2	4	5	6	7	11
2. MULTIPLE DX	441	5.9	49	2	3	4	6	9	14	36
A. NOT OPERATED	19	6.4	23	2	2	5	8	11	18	23
B. OPERATED	666	5.2	34	2	3	4	5	8	11	27
TOTAL 65-69 YRS	295	4.5	10	2	2	4	5	7	9	14
70-74	209	4.7	11	2	3	4	5	7	9	20
75-79	120	6.6	86	2	3	4	6	11	17	48
80-84	49	8.3	133	2	3	5	7	18	29	72
85+	12	5.8	5	3	3	5	7	9	10	10
GRAND TOTAL	**685**	**5.2**	**33**	**2**	**3**	**4**	**5**	**8**	**11**	**27**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	51	7.3	65	3	3	5	8	12	17	56
70-74	26	6.5	15	2	3	5	8	13	14	15
75-79	11	6.1	13	2	3	4	7	12	14	14
80-84	6	14.8	238	2	2	8	27	39	40	40
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.9	38	1	2	7	12	15	22	26
70-74	28	7.9	69	2	3	5	8	16	29	40
75-79	14	10.4	48	2	3	9	13	16	27	30
80-84	2	12.0	8	10	10	12	14	14	14	14
85+	4	5.5	10	2	2	5	8	9	9	9
B. *Operated*										
65-69 YRS	150	10.3	111	3	3	7	13	23	34	99
70-74	138	10.5	53	3	4	8	14	22	26	44
75-79	81	15.2	271	4	4	9	17	28	57	83
80-84	34	13.7	121	5	5	10	18	25	39	52
85+	10	20.4	524	6	7	10	25	58	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*	94	7.4	57	2	3	5	8	14	17	49
2. MULTIPLE DX										
A. *Not Operated*	75	8.3	49	2	2	7	11	15	25	37
B. *Operated*	413	11.9	137	3	4	8	15	24	34	82
1. SINGLE DX	97	7.3	56	2	3	5	8	13	17	48
2. MULTIPLE DX	488	11.3	125	3	3	8	14	23	31	81
A. NOT OPERATED	78	8.2	48	2	2	7	11	15	24	37
B. OPERATED	507	11.0	125	3	3	7	14	23	31	80
TOTAL 65-69 YRS	229	9.3	93	2	3	6	12	20	26	74
70-74	192	9.6	52	3	3	7	13	21	25	39
75-79	107	13.6	221	3	4	9	15	26	49	82
80-84	43	13.5	127	3	4	10	18	27	41	52
85+	14	16.1	414	2	4	9	11	42	71	79
GRAND TOTAL	**585**	**10.7**	**116**	**3**	**3**	**7**	**13**	**22**	**29**	**75**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	47	4.0	6	1	2	3	6	7	8	10
70-74	27	4.8	19	1	1	3	6	9	16	19
75-79	13	4.6	9	1	1	4	7	9	9	9
80-84	6	4.7	10	2	2	3	7	10	10	10
85+	6	7.0	28	2	2	6	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	26	2	2	6	10	12	12	12
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	3.0	8	<1	<1	2	5	5	5	5
80-84	2	3.5	5	2	2	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	123	6.8	28	1	2	7	8	11	14	29
70-74	85	6.7	26	1	2	6	8	12	17	28
75-79	63	6.3	12	2	2	6	9	11	14	15
80-84	25	5.4	17	1	2	3	8	13	14	15
85+	11	5.6	23	1	1	4	9	12	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	99	4.5	11	1	1	3	7	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	9	4.3	15	<1	<1	2	6	11	12	12
B. *Operated*	307	6.5	23	1	2	6	8	11	15	23
1. SINGLE DX	101	4.5	11	1	1	3	6	8	10	18
2. MULTIPLE DX	316	6.4	23	1	2	6	8	11	15	23
A. NOT OPERATED	11	4.2	12	<1	<1	3	5	10	12	12
B. OPERATED	406	6.0	21	1	2	6	8	10	14	22
TOTAL 65-69 YRS	174	6.0	23	1	2	6	8	10	13	23
70-74	113	6.2	25	1	2	5	8	11	17	26
75-79	79	5.9	12	1	2	6	8	10	13	15
80-84	34	5.1	15	2	2	3	7	10	14	15
85+	17	6.1	24	1	1	6	9	15	16	16
GRAND TOTAL	**417**	**6.0**	**21**	**1**	**2**	**6**	**8**	**10**	**14**	**22**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.3	9	<1	<1	2	4	8	9	9
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	138	5.0	24	1	1	3	6	11	13	30
70-74	137	4.7	29	1	1	3	6	10	14	25
75-79	84	3.9	11	1	1	3	4	9	10	16
80-84	56	4.3	13	<1	1	3	5	10	11	19
85+	31	3.6	11	<1	1	3	5	6	7	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	7.2	74	<1	1	4	7	20	30	34
70-74	15	3.5	11	1	1	2	4	10	11	12
75-79	12	6.6	20	1	2	5	9	13	16	17
80-84	16	7.3	47	1	1	4	12	20	21	21
85+	11	5.1	9	1	2	4	6	10	11	11
B. *Operated*										
65-69 YRS	395	7.7	55	1	2	5	10	17	24	32
70-74	365	7.6	49	1	2	5	10	16	22	31
75-79	310	8.8	80	1	2	6	12	19	26	51
80-84	188	9.1	84	1	2	6	13	22	27	45
85+	129	9.8	113	2	2	7	13	22	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	6	<1	<1	3	4	8	9	9
B. *Operated*	446	4.5	21	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	70	6.0	36	1	1	4	7	13	20	31
B. *Operated*	1387	8.3	69	1	2	6	11	18	25	38
1. SINGLE DX	456	4.5	20	1	1	3	6	10	13	21
2. MULTIPLE DX	1457	8.2	67	1	2	6	11	17	25	38
A. NOT OPERATED	80	5.7	32	1	1	4	7	12	18	30
B. OPERATED	1833	7.4	60	1	2	5	10	16	23	37
TOTAL 65-69 YRS	555	7.0	49	1	1	5	9	15	20	32
70-74	519	6.7	44	1	2	4	9	15	20	31
75-79	407	7.8	68	1	1	5	10	17	23	42
80-84	260	8.0	70	1	1	5	11	17	26	40
85+	172	8.3	93	1	2	5	10	19	26	43
GRAND TOTAL	**1913**	**7.3**	**59**	**1**	**1**	**5**	**10**	**16**	**22**	**36**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	4.2	7	1	1	4	6	9	9	11
70-74	54	4.7	31	1	1	2	7	10	16	27
75-79	56	6.1	78	1	1	3	8	13	16	59
80-84	30	6.7	109	<1	1	3	9	12	24	55
85+	20	7.4	26	1	1	7	10	14	17	20
B. *Operated*										
65-69 YRS	304	4.2	16	<1	1	3	5	10	12	18
70-74	297	5.0	43	1	1	3	6	11	15	31
75-79	230	4.3	17	1	1	3	6	10	12	15
80-84	129	4.5	17	1	1	3	6	12	15	17
85+	67	4.1	11	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	332	6.3	45	1	1	4	8	13	19	40
70-74	390	6.3	38	1	1	5	8	13	19	32
75-79	389	7.0	53	1	1	5	9	15	20	48
80-84	357	7.5	60	1	1	5	9	16	23	44
85+	309	8.3	45	1	2	7	11	16	21	33
B.·*Operated*										
65-69 YRS	899	8.3	72	1	2	6	11	17	25	46
70-74	868	8.7	66	1	2	7	11	18	22	40
75-79	800	10.0	105	1	2	7	13	21	28	63
80-84	514	10.5	116	2	2	7	13	22	30	62
85+	348	11.7	143	2	3	8	14	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	5.4	45	1	1	3	7	10	14	33
B. *Operated*	1027	4.5	24	1	1	3	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1777	7.1	49	1	1	5	9	15	20	41
B. *Operated*	3429	9.5	93	1	2	7	12	20	27	51
1. SINGLE DX	1255	4.7	28	1	1	3	6	10	13	22
2. MULTIPLE DX	5206	8.7	79	1	2	6	11	18	25	49
A. NOT OPERATED	2005	6.9	49	1	1	5	9	14	19	41
B. OPERATED	4456	8.3	82	1	2	6	11	18	25	49
TOTAL 65-69 YRS	1603	7.0	56	1	1	4	9	15	21	40
70-74	1609	7.3	56	1	1	5	10	15	20	38
75-79	1475	8.2	81	1	1	5	11	17	24	51
80-84	1030	8.6	88	1	2	6	11	18	27	56
85+	744	9.5	93	1	2	7	12	20	27	48
GRAND TOTAL	**6461**	**7.9**	**72**	**1**	**2**	**5**	**10**	**17**	**23**	**45**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	5	3.4	3	1	1	4	5	5	5	5
75-79	3	5.3	10	3	3	4	8	9	9	9
80-84	2	4.5	1	4	4	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	154	4.2	3	2	3	4	5	6	7	11
70-74	105	4.4	3	2	2	4	5	6	8	12
75-79	56	4.5	3	2	3	4	5	7	8	9
80-84	14	5.5	3	2	4	5	6	7	9	9
85+	4	4.0	6	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	5.7	43	<1	1	4	6	10	12	42
70-74	42	4.9	8	2	2	4	5	8	10	16
75-79	51	5.8	15	1	2	5	7	11	16	19
80-84	31	7.2	26	2	2	6	9	13	21	22
85+	13	7.2	12	2	4	7	9	12	14	15
B. *Operated*										
65-69 YRS	294	6.1	19	3	3	5	7	12	15	24
70-74	176	6.6	32	2	3	5	8	11	13	29
75-79	121	6.8	19	3	3	5	8	12	16	23
80-84	53	11.2	83	3	4	8	15	25	33	41
85+	14	10.6	95	1	3	8	13	24	36	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.2	4	1	2	4	5	7	9	9
B. *Operated*	333	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	180	5.9	22	1	2	5	7	11	14	22
B. *Operated*	658	6.9	31	3	3	5	8	13	16	33
1. SINGLE DX	344	4.3	3	2	3	4	5	6	8	11
2. MULTIPLE DX	838	6.7	29	2	3	5	8	12	16	29
A. NOT OPERATED	191	5.8	21	1	2	5	7	10	13	22
B. OPERATED	991	6.0	23	2	3	5	7	11	14	25
TOTAL 65-69 YRS	492	5.5	17	2	3	4	6	10	13	23
70-74	328	5.6	20	2	3	5	7	10	12	17
75-79	231	6.0	15	2	3	5	7	11	13	22
80-84	100	9.0	58	2	3	6	10	20	25	38
85+	31	8.3	52	1	3	7	10	14	22	39
GRAND TOTAL	**1182**	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	5.6	9	2	2	5	7	10	11	14
70-74	20	6.0	20	2	2	5	7	8	16	23
75-79	17	8.9	107	2	2	6	9	23	37	43
80-84	14	5.7	13	1	2	5	8	10	14	15
85+	8	9.4	62	2	2	7	12	22	26	26
B. *Operated*										
65-69 YRS	55	3.8	3	1	2	4	5	6	7	7
70-74	46	4.6	18	1	2	4	5	7	11	27
75-79	18	3.7	4	1	1	4	4	5	8	10
80-84	5	5.0	5	2	2	5	6	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	335	8.4	51	2	3	6	10	16	21	44
70-74	391	9.1	53	2	3	7	11	17	24	40
75-79	363	9.0	41	2	3	8	12	18	20	55
80-84	236	9.8	63	2	3	8	12	18	25	40
85+	209	11.5	136	3	4	9	13	21	31	99
B. *Operated*										
65-69 YRS	153	8.9	77	2	3	6	10	21	29	46
70-74	121	9.1	64	3	3	7	10	19	22	43
75-79	81	9.9	56	2	3	8	13	22	28	79
80-84	56	12.9	104	3	4	10	16	30	32	53
85+	25	13.8	69	4	4	14	19	29	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	6.6	34	2	2	5	8	10	15	35
B. *Operated*	125	4.2	8	1	2	4	5	6	7	18
2. MULTIPLE DX										
A. *Not Operated*	1534	9.4	63	2	3	7	12	18	23	46
B. *Operated*	436	9.9	74	2	3	7	12	21	29	53
1. SINGLE DX	221	5.2	21	1	2	4	6	9	11	26
2. MULTIPLE DX	1970	9.5	66	2	3	7	12	18	24	47
A. NOT OPERATED	1630	9.2	62	2	3	7	11	18	23	44
B. OPERATED	561	8.6	65	2	3	6	11	19	27	46
TOTAL 65-69 YRS	580	7.9	53	2	3	6	9	15	21	44
70-74	578	8.7	53	2	3	6	10	17	23	39
75-79	479	8.9	45	2	3	7	12	18	21	54
80-84	311	10.1	70	2	3	8	13	19	27	43
85+	243	11.6	127	3	4	9	14	22	31	99+
GRAND TOTAL	**2191**	**9.1**	**63**	**2**	**3**	**7**	**11**	**18**	**24**	**45**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	6.3	13	2	2	6	8	10	12	21
70-74	72	7.0	38	2	2	6	8	12	22	36
75-79	38	5.7	9	1	3	5	7	9	12	15
80-84	20	6.1	10	2	2	6	8	10	11	13
85+	13	3.9	1	1	2	4	5	5	6	6
B. *Operated*										
65-69 YRS	5	5.2	28	1	1	3	8	14	14	14
70-74	2	6.0	8	4	4	6	8	8	8	8
75-79	3	2.0	3	1	1	1	3	4	4	4
80-84	3	9.0	49	4	4	6	14	17	17	17
85+	1	36.0		36	36	36	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	755	6.9	16	2	3	6	9	12	14	20
70-74	675	7.3	28	2	3	6	9	13	16	28
75-79	582	7.8	33	2	3	6	10	13	16	34
80-84	343	8.3	62	2	3	6	10	14	20	50
85+	227	8.2	60	2	3	6	10	14	20	38
B. *Operated*										
65-69 YRS	120	11.3	64	2	3	10	14	22	31	60
70-74	94	12.2	105	2	3	9	16	23	27	58
75-79	78	14.3	103	4	5	11	19	27	43	85
80-84	33	17.5	287	4	4	12	21	37	53	80
85+	16	13.2	84	1	2	13	20	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	6.2	19	2	2	5	8	10	13	22
B. *Operated*	14	7.6	89	1	1	4	8	19	32	36
2. MULTIPLE DX										
A. *Not Operated*	2582	7.5	33	2	3	6	9	13	16	32
B. *Operated*	341	12.9	109	3	4	10	17	25	35	63
1. SINGLE DX	249	6.3	23	1	2	5	8	11	14	22
2. MULTIPLE DX	2923	8.1	45	2	3	7	10	14	19	40
A. NOT OPERATED	2817	7.4	32	2	3	6	9	13	16	31
B. OPERATED	355	12.7	109	2	4	10	17	25	35	61
TOTAL 65-69 YRS	972	7.4	24	2	3	6	9	13	16	28
70-74	843	7.8	40	2	3	6	9	14	19	31
75-79	701	8.4	44	2	3	7	10	15	20	43
80-84	399	8.9	84	2	3	7	10	15	25	59
85+	257	8.4	64	2	3	6	10	16	22	36
GRAND TOTAL	**3172**	**8.0**	**43**	**2**	**3**	**6**	**10**	**14**	**19**	**39**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	6.0	12	2	2	6	7	10	13	19
70-74	68	5.6	7	2	2	5	7	9	9	13
75-79	49	6.4	15	2	2	6	8	12	14	17
80-84	24	6.8	32	2	2	5	9	15	21	23
85+	16	7.0	19	2	3	7	8	12	17	19
B. *Operated*										
65-69 YRS	3	8.3	24	5	5	6	12	14	14	14
70-74	2	16.5	25	13	13	16	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	805	9.4	53	3	3	8	11	16	20	38
70-74	753	9.6	63	3	3	8	11	17	23	49
75-79	618	10.5	60	3	4	9	13	19	24	38
80-84	515	11.6	98	3	4	9	14	22	31	64
85+	410	11.3	66	3	4	10	13	21	26	51
B. *Operated*										
65-69 YRS	109	19.0	230	6	6	14	22	40	55	89
70-74	114	24.1	346	5	7	18	31	56	78	99+
75-79	85	20.1	196	5	8	16	22	36	57	66
80-84	61	17.3	146	5	7	14	20	37	47	57
85+	39	21.5	187	6	7	19	30	49	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	6.1	14	2	2	6	8	11	14	20
B. *Operated*	5	11.6	38	5	5	13	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	3101	10.3	67	3	4	8	12	18	24	47
B. *Operated*	408	20.6	242	5	7	16	24	46	58	99+
1. SINGLE DX	257	6.2	14	2	2	6	8	11	14	20
2. MULTIPLE DX	3509	11.5	98	3	4	9	14	21	30	62
A. NOT OPERATED	3353	10.0	64	3	3	8	12	18	24	46
B. OPERATED	413	20.5	241	5	7	16	24	46	58	99+
TOTAL 65-69 YRS	1012	10.1	79	3	3	8	12	18	24	55
70-74	937	11.1	117	3	3	8	13	22	32	78
75-79	752	11.3	83	3	4	9	14	20	27	53
80-84	600	12.0	104	3	4	9	15	23	31	63
85+	465	12.0	83	3	4	10	14	22	30	58
GRAND TOTAL	**3766**	**11.1**	**94**	**3**	**4**	**9**	**13**	**21**	**29**	**59**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	681	6.4	23	2	3	5	8	11	13	20
70-74	516	6.5	22	2	3	5	8	11	13	28
75-79	350	6.3	16	2	3	5	8	10	12	19
80-84	225	7.2	19	2	3	6	9	12	16	27
85+	90	7.5	23	2	2	6	10	15	18	21
B. *Operated*										
65-69 YRS	117	5.1	47	1	1	3	4	11	17	37
70-74	100	4.2	34	1	1	2	3	9	14	36
75-79	67	4.4	29	<1	1	2	3	15	19	22
80-84	27	3.7	10	1	2	2	5	10	11	11
85+	15	8.1	88	2	2	2	14	17	30	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7471	8.1	36	3	3	7	10	14	18	31
70-74	6916	8.1	33	3	3	7	10	14	18	32
75-79	5377	8.7	45	3	3	7	10	15	21	39
80-84	3289	9.2	72	3	3	7	11	17	22	55
85+	1958	9.5	55	3	4	8	11	17	23	48
B. *Operated*										
65-69 YRS	2706	17.0	236	2	3	13	22	37	51	90
70-74	2448	17.1	222	2	4	13	22	38	51	99
75-79	1724	17.9	230	2	4	14	23	40	54	99+
80-84	968	18.5	224	2	4	15	26	42	57	99+
85+	580	19.0	256	3	5	14	26	42	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	6.6	21	2	3	6	8	11	13	23
B. *Operated*	326	4.7	38	1	1	2	4	11	16	34
2. MULTIPLE DX										
A. *Not Operated*	25011	8.5	44	3	3	7	10	15	19	37
B. *Operated*	8426	17.5	231	2	4	13	23	39	53	99+
1. SINGLE DX	2188	6.3	24	2	2	5	8	11	14	24
2. MULTIPLE DX	33437	10.8	106	3	3	8	12	21	31	64
A. NOT OPERATED	26873	8.4	42	3	3	7	10	15	19	36
B. OPERATED	8752	17.0	230	2	3	13	22	38	52	99+
TOTAL 65-69 YRS	10975	10.1	101	2	3	7	12	20	28	60
70-74	9980	10.2	95	2	3	7	12	20	30	59
75-79	7518	10.7	102	2	3	8	13	21	30	62
80-84	4509	11.1	117	2	3	8	13	22	34	85
85+	2643	11.5	114	3	4	8	13	23	34	70
GRAND TOTAL	**35625**	**10.5**	**102**	**2**	**3**	**8**	**12**	**21**	**30**	**63**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	3	8.0	43	2	2	7	13	15	15	15
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	4	7.5	30	2	2	6	11	15	15	15
A. NOT OPERATED	3	8.0	43	2	2	7	13	15	15	15
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 65-69 YRS	3	3.0	7	1	1	2	5	6	6	6
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**5**	**6.2**	**31**	**1**	**1**	**6**	**9**	**15**	**15**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	4.5	24	1	1	3	5	10	16	25
70-74	56	3.8	5	<1	1	4	5	6	8	12
75-79	44	4.8	13	<1	1	4	6	9	12	18
80-84	43	5.3	26	1	1	4	7	10	12	30
85+	33	4.4	10	1	1	3	6	8	11	16
B. *Operated*										
65-69 YRS	26	7.2	43	2	3	5	7	20	23	27
70-74	16	5.5	13	1	2	5	6	10	14	16
75-79	9	10.0	30	4	4	10	12	19	21	21
80-84	3	9.7	80	4	4	5	16	20	20	20
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1391	6.2	31	1	2	5	8	12	15	30
70-74	1620	6.7	32	1	2	5	8	13	17	27
75-79	1568	7.2	45	1	2	5	9	14	18	32
80-84	1143	7.3	40	2	2	6	9	14	19	36
85+	834	7.4	39	2	2	6	9	14	19	34
B. *Operated*										
65-69 YRS	227	11.7	148	2	3	8	14	24	38	76
70-74	227	13.6	97	3	4	11	18	25	33	51
75-79	171	13.3	97	3	4	11	17	26	36	57
80-84	126	16.3	208	3	4	13	21	34	51	99
85+	55	14.4	108	3	4	13	21	28	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	4.5	17	1	1	3	5	9	12	23
B. *Operated*	55	7.2	34	2	3	5	8	16	21	27
2. MULTIPLE DX										
A. *Not Operated*	6556	6.9	37	1	2	5	9	13	17	32
B. *Operated*	806	13.5	131	3	4	10	17	26	38	66
1. SINGLE DX	310	5.0	21	1	1	4	6	10	15	24
2. MULTIPLE DX	7362	7.6	52	1	2	6	9	15	20	40
A. NOT OPERATED	6811	6.8	37	1	2	5	9	13	17	31
B. OPERATED	861	13.1	127	3	4	10	17	26	37	62
TOTAL 65-69 YRS	1723	6.9	49	1	2	5	8	14	18	39
70-74	1919	7.4	44	1	2	5	9	15	20	35
75-79	1792	7.7	52	2	2	6	9	15	20	39
80-84	1315	8.1	63	2	2	6	10	16	22	48
85+	923	7.7	45	2	2	6	9	15	21	45
GRAND TOTAL	**7672**	**7.5**	**51**	**1**	**2**	**6**	**9**	**15**	**20**	**39**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	128	4	4	12	20	20	20	20
70-74	8	4.5	7	2	2	4	6	9	9	9
75-79	5	14.6	315	4	4	7	20	46	46	46
80-84	7	6.3	31	1	1	5	9	16	17	17
85+	8	15.5	540	4	4	7	13	55	72	72
B. *Operated*										
65-69 YRS	6	8.2	48	1	1	7	15	16	16	16
70-74	4	10.8	137	2	2	6	17	28	28	28
75-79	3	7.3	2	6	6	7	8	9	9	9
80-84	6	6.8	12	3	3	7	9	12	12	12
85+	6	7.3	28	2	2	6	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	10.2	61	3	3	8	13	21	27	33
70-74	333	10.3	82	3	3	8	12	19	27	53
75-79	379	10.3	77	3	3	8	13	21	29	46
80-84	367	10.5	80	3	3	8	13	21	28	70
85+	454	10.2	83	2	3	8	13	19	26	68
B. *Operated*										
65-69 YRS	94	16.7	128	3	4	15	22	36	41	79
70-74	110	16.3	201	3	5	12	21	35	45	96
75-79	119	15.4	170	4	5	11	18	33	39	81
80-84	114	14.0	110	3	4	12	18	25	34	80
85+	145	15.2	180	3	4	11	20	32	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.0	210	2	2	5	9	19	46	72
B. *Operated*	25	8.0	37	1	2	7	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	1780	10.3	78	3	3	8	13	20	27	56
B. *Operated*	582	15.5	160	3	4	12	20	33	40	73
1. SINGLE DX	55	9.1	131	2	2	6	9	17	26	71
2. MULTIPLE DX	2362	11.6	103	3	3	9	14	23	32	65
A. NOT OPERATED	1810	10.3	80	3	3	8	13	20	28	57
B. OPERATED	607	15.2	157	3	4	12	20	31	39	73
TOTAL 65-69 YRS	349	11.9	87	3	3	9	16	25	32	52
70-74	455	11.7	116	3	4	8	14	24	35	60
75-79	506	11.6	105	3	3	9	14	24	34	66
80-84	494	11.2	88	3	3	9	14	23	28	70
85+	613	11.4	115	2	3	8	14	23	32	71
GRAND TOTAL	**2417**	**11.5**	**103**	**3**	**3**	**8**	**14**	**23**	**32**	**66**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	5.7	27	1	2	5	6	13	19	22
70-74	15	6.5	25	1	2	6	9	12	18	20
75-79	4	4.8		4	4	5	5	5	5	5
80-84	3	5.3	5	4	4	4	7	8	8	8
85+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	12	8.3	20	3	4	8	9	13	20	21
70-74	2	10.0		10	10	10	77	99+	99+	99+
75-79	2	4.5	25	1	1	4	8	8	8	8
80-84	2	10.5	61	5	5	10	16	16	16	16
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	44	5.7	21	1	2	5	7	10	17	22
B. *Operated*	18	8.3	20	2	4	8	10	19	64	99+
1. SINGLE DX	4	6.0	10	3	3	5	8	10	10	10
2. MULTIPLE DX	62	6.5	22	1	2	6	8	13	20	90
A. NOT OPERATED	46	5.6	20	1	2	4	7	10	17	22
B. OPERATED	20	8.4	19	2	4	8	10	18	56	99+
TOTAL 65-69 YRS	31	6.7	25	2	2	6	8	12	21	22
70-74	17	6.9	23	1	2	7	10	18	68	99+
75-79	9	4.7	4	1	2	5	6	8	8	8
80-84	6	7.8	22	4	4	6	10	15	16	16
85+	3	3.3	6	1	1	3	5	6	6	6
GRAND TOTAL	**66**	**6.4**	**21**	**1**	**2**	**6**	**8**	**12**	**20**	**87**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	5.4	20	1	1	4	8	12	16	18
70-74	23	5.2	23	1	1	4	7	11	18	19
75-79	26	3.3	3	1	1	3	5	6	7	8
80-84	20	5.0	12	<1	1	4	7	10	12	12
85+	6	3.2	3	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	33	3.6	8	<1	1	3	5	8	10	10
70-74	22	5.2	45	<1	1	3	6	10	20	32
75-79	10	3.3	3	<1	1	3	5	6	6	6
80-84	10	8.0	45	1	1	6	11	19	23	23
85+	3	5.3	16	3	3	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	330	8.6	64	2	2	7	10	16	23	37
70-74	351	7.5	45	2	2	6	10	14	19	29
75-79	288	8.1	40	2	2	7	11	15	18	27
80-84	229	9.3	70	2	3	7	11	18	25	39
85+	183	9.0	63	2	3	7	11	19	24	46
B. *Operated*										
65-69 YRS	205	10.3	67	1	2	9	14	20	25	43
70-74	194	11.5	114	2	3	8	15	27	34	82
75-79	122	13.4	114	3	3	10	17	27	39	69
80-84	74	14.4	192	2	3	10	16	31	52	61
85+	41	14.7	260	3	4	11	15	34	41	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.6	14	1	1	4	5	9	12	19
B. *Operated*	78	4.7	24	<1	1	3	6	10	12	29
2. MULTIPLE DX										
A. *Not Operated*	1381	8.4	55	2	2	7	10	16	21	36
B. *Operated*	636	12.0	119	2	3	9	15	25	35	59
1. SINGLE DX	176	4.6	18	<1	1	3	6	9	12	22
2. MULTIPLE DX	2017	9.5	78	2	2	7	12	19	25	50
A. NOT OPERATED	1479	8.1	53	2	2	6	10	16	21	35
B. OPERATED	714	11.2	114	2	2	8	15	24	33	59
TOTAL 65-69 YRS	591	8.8	63	1	2	7	11	18	23	39
70-74	590	8.6	71	2	2	6	11	18	25	57
75-79	446	9.1	66	2	2	7	12	18	24	45
80-84	333	10.1	98	2	3	7	12	20	29	58
85+	233	9.8	100	2	3	7	12	19	25	48
GRAND TOTAL	**2193**	**9.1**	**75**	**2**	**2**	**7**	**11**	**18**	**25**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	2.9	2	1	1	3	4	5	5	7
70-74	46	4.9	9	1	2	4	6	9	11	12
75-79	27	4.5	11	1	2	4	5	9	11	16
80-84	16	4.6	3	2	2	4	6	8	8	8
85+	16	5.4	10	1	2	5	7	10	12	13
B. *Operated*										
65-69 YRS	11	4.3	7	1	1	4	6	8	10	10
70-74	9	5.4	28	1	1	3	7	15	16	16
75-79	8	4.6	18	1	1	3	6	12	14	14
80-84	5	3.4	5	2	2	2	5	7	7	7
85+	3	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	344	6.3	18	2	2	5	8	12	14	19
70-74	378	6.2	15	2	2	5	8	11	13	21
75-79	343	6.5	26	2	2	5	8	12	16	24
80-84	252	6.9	50	2	2	5	8	12	16	41
85+	213	6.8	38	2	2	5	8	13	17	40
B. *Operated*										
65-69 YRS	56	8.9	45	2	3	7	11	17	23	35
70-74	52	9.0	39	2	2	8	11	17	21	30
75-79	77	12.1	135	2	2	7	18	28	40	53
80-84	41	11.1	107	1	2	8	14	21	33	53
85+	31	10.7	80	3	3	8	14	25	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.3	8	1	2	4	5	8	10	13
B. *Operated*	36	4.6	13	1	2	4	6	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	1530	6.5	27	2	2	5	8	12	15	25
B. *Operated*	257	10.4	85	2	2	7	14	22	29	47
1. SINGLE DX	175	4.4	9	1	2	4	6	8	10	15
2. MULTIPLE DX	1787	7.0	37	2	2	5	9	13	17	36
A. NOT OPERATED	1669	6.3	26	2	2	5	8	12	15	24
B. OPERATED	293	9.7	80	2	2	7	13	21	28	45
TOTAL 65-69 YRS	445	6.3	21	2	2	5	8	12	15	25
70-74	485	6.3	18	2	2	5	8	11	14	22
75-79	455	7.3	48	2	2	5	9	15	20	41
80-84	314	7.3	56	2	2	5	8	14	18	44
85+	263	7.1	42	2	2	5	9	13	17	40
GRAND TOTAL	**1962**	**6.8**	**35**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	4.6	17	1	2	4	5	7	11	27
70-74	92	5.1	37	1	1	4	6	9	15	38
75-79	109	5.8	37	1	2	4	6	10	20	35
80-84	93	5.0	14	2	2	4	6	9	12	20
85+	139	6.2	66	1	2	5	7	10	13	35
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	4.7	4	3	3	4	6	7	7	7
75-79										
80-84	3	14.7	34	8	8	17	18	19	19	19
85+	3	21.3	1012	1	1	5	45	58	58	58
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4200	6.6	32	2	2	5	8	12	16	31
70-74	5534	7.0	43	2	2	5	8	13	17	35
75-79	6249	7.6	41	2	3	6	9	14	19	35
80-84	6199	8.0	45	2	3	6	10	15	19	36
85+	7815	8.6	60	2	3	7	10	16	21	47
B. *Operated*										
65-69 YRS	410	14.8	167	2	3	11	19	30	41	72
70-74	544	14.4	138	3	4	11	19	30	43	99+
75-79	573	15.6	186	3	5	12	19	32	44	96
80-84	517	16.2	173	4	5	13	20	35	48	99+
85+	573	17.2	187	4	6	14	22	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	5.5	39	1	2	4	6	9	13	29
B. *Operated*	10	12.5	292	1	2	6	17	38	58	58
2. MULTIPLE DX										
A. *Not Operated*	29997	7.7	46	2	3	6	9	14	19	37
B. *Operated*	2617	15.7	172	3	5	12	20	32	44	99+
1. SINGLE DX	485	5.7	45	1	2	4	6	10	16	33
2. MULTIPLE DX	32614	8.3	61	2	3	6	10	16	22	45
A. NOT OPERATED	30472	7.6	46	2	3	6	9	14	19	37
B. OPERATED	2627	15.7	172	3	5	12	20	32	44	99+
TOTAL 65-69 YRS	4653	7.3	50	2	2	5	9	14	19	39
70-74	6173	7.6	56	2	2	6	9	14	20	44
75-79	6931	8.2	58	2	3	6	10	16	21	44
80-84	6812	8.6	59	2	3	7	10	16	22	45
85+	8530	9.2	74	2	3	7	11	17	23	54
GRAND TOTAL	**33099**	**8.3**	**61**	**2**	**3**	**6**	**10**	**16**	**21**	**45**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	3.9	7	1	1	4	5	7	10	13
70-74	37	5.7	159	<1	1	3	6	8	9	79
75-79	77	4.1	7	1	1	4	5	8	9	13
80-84	65	4.1	8	<1	<1	4	5	8	11	14
85+	79	4.2	12	1	1	3	6	10	11	16
B. *Operated*										
65-69 YRS	8	8.1	17	3	4	7	10	14	16	16
70-74	17	6.9	17	2	3	6	8	14	16	17
75-79	11	4.3	6	1	1	4	5	8	10	10
80-84	12	6.9	8	2	3	8	9	10	11	11
85+	12	7.8	59	<1	1	6	9	18	27	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	785	6.1	21	1	2	5	8	11	14	25
70-74	1080	6.1	23	1	2	5	8	11	14	22
75-79	1213	6.3	37	1	2	5	8	11	15	23
80-84	1234	6.6	39	1	2	5	8	12	16	29
85+	1482	6.8	42	1	2	5	8	13	17	32
B. *Operated*										
65-69 YRS	369	9.3	51	2	3	8	11	18	25	39
70-74	468	9.9	61	3	4	8	12	16	21	46
75-79	522	9.6	48	3	4	8	12	16	20	38
80-84	402	10.9	68	3	4	9	14	20	27	47
85+	388	11.8	113	3	3	9	14	23	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	4.3	26	<1	1	4	5	8	11	15
B. *Operated*	60	6.8	22	2	2	6	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	5794	6.4	34	1	2	5	8	12	15	27
B. *Operated*	2149	10.3	67	3	4	8	12	18	25	47
1. SINGLE DX	373	4.7	26	1	1	4	6	9	11	16
2. MULTIPLE DX	7943	7.5	46	1	2	6	9	14	18	36
A. NOT OPERATED	6107	6.3	34	1	2	5	8	12	15	26
B. OPERATED	2209	10.2	66	3	4	8	12	18	25	47
TOTAL 65-69 YRS	1217	7.0	32	1	2	6	9	13	18	32
70-74	1602	7.2	40	2	2	6	9	13	17	37
75-79	1823	7.2	41	1	2	6	9	13	16	30
80-84	1713	7.5	48	1	2	6	9	14	18	35
85+	1961	7.7	59	1	2	6	9	15	19	42
GRAND TOTAL	**8316**	**7.4**	**45**	**1**	**2**	**6**	**9**	**14**	**18**	**35**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	8.5	42	3	3	7	13	17	17	17
70-74										
75-79										
80-84										
85+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	8.1	9	3	4	9	9	12	14	14
70-74	5	9.2	32	2	2	8	13	17	17	17
75-79	4	5.3	4	3	3	5	7	8	8	8
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	8	4.8	7	1	1	5	6	8	9	9
B. *Operated*										
65-69 YRS	1	58.0		58	58	58	58	58	58	58
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.5	28	2	2	3	7	15	17	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	6.8	13	2	2	7	9	11	14	17
B. *Operated*	3	27.7	762	4	4	21	49	58	58	58
1. SINGLE DX	8	5.5	28	2	2	3	7	15	17	17
2. MULTIPLE DX	31	8.8	102	2	3	7	9	15	21	58
A. NOT OPERATED	36	6.5	16	2	2	6	9	12	16	17
B. OPERATED	3	27.7	762	4	4	21	49	58	58	58
TOTAL 65-69 YRS	14	11.8	192	3	3	9	10	21	50	58
70-74	6	8.3	30	2	2	7	12	16	17	17
75-79	4	5.3	4	3	3	5	7	8	8	8
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	13	5.3	27	1	2	4	6	11	19	21
GRAND TOTAL	**39**	**8.1**	**88**	**2**	**2**	**6**	**9**	**16**	**19**	**58**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	3.0	15	<1	1	2	4	6	8	19
70-74	176	2.9	8	1	1	2	4	6	9	14
75-79	221	3.0	9	<1	1	2	4	7	9	16
80-84	233	3.1	9	<1	1	2	4	7	10	12
85+	255	3.6	35	1	1	2	4	6	9	23
B. *Operated*										
65-69 YRS	39	8.1	48	2	3	7	9	15	23	37
70-74	50	7.9	25	2	3	7	11	15	18	22
75-79	60	7.0	46	2	2	5	8	14	17	44
80-84	38	6.4	23	1	2	5	9	13	15	23
85+	29	5.1	16	1	2	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1750	5.1	27	1	1	4	7	11	14	28
70-74	2038	5.1	30	1	1	4	7	11	13	24
75-79	2242	5.8	42	1	1	4	7	12	15	29
80-84	2203	6.0	35	1	1	4	8	12	16	30
85+	2512	6.6	67	1	1	5	8	13	19	44
B. *Operated*										
65-69 YRS	615	10.9	106	2	3	8	13	22	28	57
70-74	750	10.3	71	2	3	8	13	20	26	49
75-79	837	10.9	94	2	3	8	13	22	29	45
80-84	747	11.2	96	3	4	9	14	21	28	98
85+	639	11.4	92	3	3	9	14	21	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1027	3.1	16	<1	1	2	4	6	9	18
B. *Operated*	216	7.1	34	2	2	5	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*	10745	5.8	42	1	1	4	7	12	15	31
B. *Operated*	3588	10.9	91	2	3	8	14	21	28	58
1. SINGLE DX	1243	3.8	21	1	1	2	5	8	11	21
2. MULTIPLE DX	14333	7.1	59	1	1	5	9	15	20	39
A. NOT OPERATED	11772	5.6	40	1	1	4	7	11	15	30
B. OPERATED	3804	10.7	89	2	3	8	13	21	28	55
TOTAL 65-69 YRS	2546	6.4	52	1	1	5	8	14	19	34
70-74	3014	6.3	45	1	1	4	8	13	18	31
75-79	3360	6.9	59	1	1	5	9	14	20	38
80-84	3221	7.0	53	1	1	5	9	15	19	38
85+	3435	7.3	73	1	1	5	9	15	21	45
GRAND TOTAL	**15576**	**6.8**	**57**	**1**	**1**	**5**	**9**	**14**	**19**	**38**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.2	7	2	2	6	7	8	8	8
70-74	3	13.7	4	12	12	13	15	16	16	16
75-79	3	9.7	96	4	4	4	17	21	21	21
80-84										
85+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	13	8.5	35	2	2	7	12	17	20	21
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX	14	8.1	34	2	2	6	12	16	20	21
A. NOT OPERATED	15	7.9	33	2	2	6	12	16	20	21
B. OPERATED	2	2.5	5	1	1	2	4	4	4	4
TOTAL 65-69 YRS	7	5.0	5	2	2	5	7	8	8	8
70-74	3	13.7	4	12	12	13	15	16	16	16
75-79	5	6.6	66	1	1	4	8	21	21	21
80-84										
85+	2	7.0	50	2	2	7	12	12	12	12
GRAND TOTAL	**17**	**7.2**	**32**	**1**	**2**	**5**	**12**	**15**	**19**	**21**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	2.9	11	<1	1	1	3	7	13	14
70-74	29	5.9	34	<1	1	4	8	10	23	25
75-79	35	5.1	17	1	1	4	7	10	11	21
80-84	20	6.8	76	<1	1	3	8	16	27	37
85+	22	3.5	8	1	1	3	4	7	10	13
B. *Operated*										
65-69 YRS	50	7.5	30	1	2	7	10	14	20	27
70-74	49	6.8	20	1	2	6	9	11	17	22
75-79	31	8.5	44	1	2	7	12	16	22	33
80-84	20	8.9	74	2	2	6	10	20	29	38
85+	17	8.2	17	1	4	8	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	829	6.5	38	1	1	5	8	12	17	29
70-74	817	6.9	40	1	1	5	9	14	17	31
75-79	723	7.2	52	<1	1	5	9	15	20	38
80-84	485	7.3	42	1	2	6	9	15	19	32
85+	424	6.9	41	1	2	5	9	14	18	33
B. *Operated*										
65-69 YRS	536	11.6	107	2	3	8	14	23	31	50
70-74	486	12.1	108	3	3	9	15	25	34	53
75-79	427	12.2	105	2	3	10	15	24	31	56
80-84	303	13.3	94	3	4	11	18	26	34	52
85+	196	13.7	157	3	4	10	16	27	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	4.5	26	1	1	3	6	9	14	25
B. *Operated*	167	7.7	33	1	2	7	10	14	20	32
2. MULTIPLE DX										
A. *Not Operated*	3278	6.9	43	1	1	5	9	14	18	34
B. *Operated*	1948	12.3	110	2	3	9	15	25	33	55
1. SINGLE DX	323	6.2	32	1	1	5	9	12	17	29
2. MULTIPLE DX	5226	8.9	75	1	2	7	11	18	26	46
A. NOT OPERATED	3434	6.8	42	1	1	5	9	14	18	34
B. OPERATED	2115	12.0	105	2	3	9	15	24	33	53
TOTAL 65-69 YRS	1465	8.3	69	1	2	6	10	17	22	44
70-74	1381	8.7	69	1	2	7	11	17	24	44
75-79	1216	9.0	75	1	1	7	12	19	26	47
80-84	828	9.5	71	1	2	7	12	20	28	40
85+	659	8.8	84	1	2	6	11	17	26	59
GRAND TOTAL	**5549**	**8.8**	**73**	**1**	**2**	**7**	**11**	**18**	**25**	**45**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.9	4	1	1	2	4	6	7	7
70-74	2	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	2	10.0	98	3	3	10	17	17	17	17
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	4.3	6	2	2	4	5	9	9	9
70-74	6	4.3	6	1	1	4	6	8	8	8
75-79	4	4.0	2	3	3	4	5	6	6	6
80-84										
85+	3	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
65-69 YRS	6	7.3	2	5	5	7	8	9	9	9
70-74	7	11.6	28	3	4	12	15	18	19	19
75-79	3	7.0	7	5	5	6	9	10	10	10
80-84	1	28.0		28	28	28	28	28	28	28
85+	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	3	1	1	2	3	5	7	7
B. *Operated*	5	6.6	37	2	2	4	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	19	4.4	4	1	2	4	6	8	9	9
B. *Operated*	19	10.0	34	4	5	8	12	18	24	28
1. SINGLE DX	16	4.0	15	1	2	3	4	7	14	17
2. MULTIPLE DX	38	7.2	26	2	3	6	9	13	18	28
A. NOT OPERATED	30	3.8	4	1	2	3	5	7	8	9
B. OPERATED	24	9.3	35	3	3	8	11	17	22	28
TOTAL 65-69 YRS	21	5.2	14	1	2	4	7	9	13	17
70-74	17	7.3	26	2	3	6	10	15	18	19
75-79	7	5.3	6	3	3	5	6	9	10	10
80-84	2	15.0	338	2	2	15	28	28	28	28
85+	7	5.3	6	2	2	5	7	9	9	9
GRAND TOTAL	**54**	**6.3**	**25**	**2**	**2**	**5**	**8**	**12**	**17**	**28**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	13	2.8	4	<1	<1	2	3	5	8	9
70-74	18	3.1	4	<1	<1	3	3	6	7	7
75-79	6	1.7	1	<1	<1	1	2	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	5.0	32	<1	<1	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.4	15	2	2	6	9	12	12	12
70-74	7	6.4	3	5	5	6	8	9	9	9
75-79	9	7.1	13	2	2	8	10	12	12	12
80-84	6	4.3	2	3	3	4	5	7	7	7
85+	3	10.0	91	4	4	5	17	21	21	21
B. *Operated*										
65-69 YRS	28	6.4	39	1	1	4	9	16	22	23
70-74	34	7.4	215	<1	1	4	7	13	21	86
75-79	19	7.6	48	2	2	6	11	19	25	26
80-84	12	16.3	633	1	2	8	18	42	86	93
85+	9	10.7	71	1	2	7	14	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	19	2	2	3	8	10	10	10
B. *Operated*	40	2.8	4	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	30	6.6	15	2	3	6	8	11	12	21
B. *Operated*	102	8.5	173	1	1	5	10	19	24	89
1. SINGLE DX	43	3.0	5	<1	<1	2	3	6	9	10
2. MULTIPLE DX	132	8.1	138	1	2	5	9	17	23	87
A. NOT OPERATED	33	6.4	15	2	3	5	8	11	12	21
B. OPERATED	142	6.9	132	<1	1	3	8	14	23	87
TOTAL 65-69 YRS	47	5.5	29	<1	1	3	8	13	18	23
70-74	59	6.0	128	<1	1	3	6	9	14	80
75-79	35	6.3	34	1	2	4	9	12	20	26
80-84	20	11.3	407	1	1	5	12	19	56	93
85+	14	9.7	64	<1	1	7	11	24	25	25
GRAND TOTAL	**175**	**6.8**	**110**	**<1**	**1**	**4**	**8**	**13**	**22**	**71**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	14.5	150	1	2	12	20	34	39	51
70-74	31	10.9	122	<1	1	7	15	24	34	47
75-79	24	10.2	69	1	3	8	13	20	29	36
80-84	31	9.8	103	1	1	4	14	26	33	37
85+	19	5.9	41	<1	1	4	7	16	22	25
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	14.0		14	14	14	14	14	14	14
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	219	9.6	86	2	2	7	13	18	23	44
70-74	248	9.2	57	2	2	7	12	20	27	36
75-79	307	9.7	86	2	2	7	12	21	30	48
80-84	229	8.2	39	2	2	7	11	17	21	29
85+	241	7.6	44	2	2	6	9	15	20	35
B. *Operated*										
65-69 YRS	16	21.8	388	2	4	14	29	44	69	80
70-74	25	18.3	464	3	4	10	17	43	76	90
75-79	20	24.8	588	2	3	15	34	71	79	84
80-84	15	12.3	94	3	3	11	14	20	37	43
85+	11	13.3	186	4	5	8	16	32	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	10.5	104	1	1	7	14	25	34	48
B. *Operated*	4	9.0	33	1	1	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1244	8.9	64	2	2	7	12	18	24	42
B. *Operated*	87	18.8	385	3	4	12	20	43	72	88
1. SINGLE DX	134	10.4	102	1	1	7	14	25	34	48
2. MULTIPLE DX	1331	9.5	90	2	2	7	12	19	27	47
A. NOT OPERATED	1374	9.0	68	2	2	7	12	19	25	42
B. OPERATED	91	18.4	373	2	4	12	18	43	71	88
TOTAL 65-69 YRS	261	10.8	118	2	2	8	14	21	31	50
70-74	305	10.1	101	1	2	7	14	21	28	58
75-79	352	10.6	124	2	2	7	13	23	34	67
80-84	276	8.6	49	2	2	7	12	18	22	36
85+	271	7.7	50	2	2	6	9	15	21	36
GRAND TOTAL	**1465**	**9.6**	**92**	**2**	**2**	**7**	**12**	**20**	**27**	**47**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	164	10.1	91	1	2	7	13	22	31	52
70-74	238	10.6	171	2	2	7	12	20	28	84
75-79	300	11.5	131	1	2	8	15	23	39	88
80-84	297	9.5	73	2	2	7	12	20	27	47
85+	265	8.8	87	1	2	6	11	21	35	99+
B. *Operated*										
65-69 YRS	7	4.6	10	1	1	4	8	9	9	9
70-74	11	7.3	68	1	1	5	8	20	29	30
75-79	9	9.1	215	3	3	4	7	32	48	48
80-84	4	13.5	164	1	1	13	24	26	26	26
85+	5	6.0	6	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1018	12.0	132	2	3	9	15	25	37	95
70-74	1681	11.5	139	2	3	8	14	26	37	99+
75-79	2393	11.1	130	2	3	8	14	23	38	99+
80-84	2410	11.1	136	2	3	8	13	25	40	99+
85+	2521	10.9	146	2	3	7	13	24	42	99+
B. *Operated*										
65-69 YRS	106	15.8	186	2	4	12	20	43	52	99+
70-74	170	18.3	279	3	4	14	26	47	85	99+
75-79	230	18.8	232	3	5	15	27	48	99+	99+
80-84	213	19.3	324	3	5	14	24	55	90	99+
85+	210	17.3	217	4	5	13	22	39	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1264	10.1	111	1	2	7	13	21	32	87
B. *Operated*	36	7.7	92	1	2	4	8	22	29	48
2. MULTIPLE DX										
A. *Not Operated*	10023	11.2	137	2	3	8	14	25	39	99+
B. *Operated*	929	18.1	253	3	4	14	25	47	78	99+
1. SINGLE DX	1300	10.0	111	1	2	7	13	21	31	85
2. MULTIPLE DX	10952	11.8	151	2	3	8	14	27	43	99+
A. NOT OPERATED	11287	11.1	134	2	3	8	14	24	38	99+
B. OPERATED	965	17.7	251	3	4	14	24	47	76	99+
TOTAL 65-69 YRS	1295	12.0	132	2	3	8	15	26	38	99+
70-74	2100	11.9	157	2	3	8	15	27	40	99+
75-79	2932	11.8	143	2	3	8	15	26	42	99+
80-84	2924	11.6	148	2	3	8	14	26	43	99+
85+	3001	11.1	148	2	3	7	13	26	44	99+
GRAND TOTAL	**12252**	**11.6**	**147**	**2**	**3**	**8**	**14**	**26**	**42**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	11.6	55	4	4	9	19	22	23	23
70-74	10	6.8	17	2	2	6	8	13	16	16
75-79	13	15.1	90	3	3	15	19	27	35	37
80-84	12	12.3	95	1	2	11	19	26	31	32
85+	6	4.3	34	1	1	2	4	15	16	16
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	15.8	297	2	3	11	20	36	80	99+
70-74	143	12.2	193	2	3	8	14	23	35	94
75-79	201	12.9	210	2	4	9	14	23	32	85
80-84	196	10.7	111	2	3	7	13	25	33	66
85+	210	11.0	154	2	3	7	12	23	43	99+
B. *Operated*										
65-69 YRS	6	4.2	5	2	2	4	5	8	8	8
70-74	20	22.3	324	6	8	15	31	60	85	99+
75-79	21	24.6	489	3	4	21	36	72	85	99+
80-84	18	23.4	529	6	7	18	27	85	99	99+
85+	13	15.5	127	4	5	15	30	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	10.9	72	1	2	9	16	22	24	37
B. *Operated*	4	4.8	3	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	827	12.0	179	2	3	8	14	25	36	93
B. *Operated*	78	20.6	376	4	4	15	31	71	99+	99+
1. SINGLE DX	56	10.4	70	1	2	8	16	22	24	37
2. MULTIPLE DX	905	12.8	201	2	3	9	15	28	45	99+
A. NOT OPERATED	879	12.0	172	2	3	8	14	24	36	91
B. OPERATED	82	19.9	370	3	4	14	30	70	99+	99+
TOTAL 65-69 YRS	95	14.5	256	2	3	10	18	32	76	99+
70-74	174	13.0	208	2	3	9	15	30	48	98
75-79	236	14.0	236	3	4	9	15	31	40	89
80-84	227	11.8	152	2	3	8	14	26	35	98
85+	229	11.0	151	2	3	7	13	24	45	99+
GRAND TOTAL	**961**	**12.6**	**194**	**2**	**3**	**9**	**15**	**28**	**43**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	4.7	14	1	1	4	5	8	17	18
70-74	21	10.5	257	1	3	5	9	23	49	74
75-79	9	9.3	82	<1	2	6	10	23	32	32
80-84	5	4.6	1	4	4	4	5	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	575	9.6	78	2	2	7	12	21	28	42
70-74	334	9.4	84	2	3	7	12	18	25	54
75-79	177	9.7	65	2	3	8	13	20	23	55
80-84	51	11.1	163	2	3	7	12	23	43	64
85+	30	7.3	75	1	2	5	8	14	16	48
B. *Operated*										
65-69 YRS	32	18.5	163	3	6	16	23	37	42	58
70-74	37	17.0	139	4	5	16	21	34	86	99+
75-79	13	15.6	70	5	6	15	22	28	30	30
80-84	9	19.8	85	4	7	23	28	30	30	30
85+	3	17.3	100	6	6	21	24	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.6	84	1	2	4	6	15	18	59
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1167	9.6	81	2	3	7	12	20	26	50
B. *Operated*	94	17.6	128	4	6	17	23	33	41	99+
1. SINGLE DX	85	6.6	84	1	2	4	6	15	18	59
2. MULTIPLE DX	1261	10.2	89	2	3	7	13	21	28	53
A. NOT OPERATED	1252	9.4	82	2	3	7	12	19	26	50
B. OPERATED	94	17.6	128	4	6	17	23	33	41	99+
TOTAL 65-69 YRS	656	9.7	83	2	2	7	12	21	28	43
70-74	392	10.2	102	2	3	7	13	21	28	80
75-79	199	10.1	67	2	3	8	13	20	25	54
80-84	65	11.8	152	2	3	7	13	28	34	63
85+	34	8.0	81	1	2	5	9	17	24	48
GRAND TOTAL	**1346**	**9.9**	**90**	**2**	**3**	**7**	**13**	**21**	**28**	**53**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	7.6	36	1	1	6	11	17	17	17
70-74	16	5.1	35	1	1	3	5	13	21	24
75-79	12	5.9	8	2	3	5	8	10	11	11
80-84	10	4.6	7	3	3	3	5	9	10	10
85+	8	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	8.7	56	2	2	6	11	18	26	34
70-74	202	8.3	94	2	2	6	9	17	22	54
75-79	197	7.1	30	2	2	6	8	13	16	33
80-84	134	7.2	26	2	2	6	9	14	17	25
85+	99	7.8	34	2	3	6	10	15	19	32
B. *Operated*										
65-69 YRS	12	15.6	287	3	3	10	15	50	52	52
70-74	16	9.9	38	2	3	10	13	20	22	22
75-79	13	11.0	71	2	2	11	18	21	28	30
80-84	7	9.6	41	1	1	9	15	18	18	18
85+	3	10.3	16	8	8	8	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.4	21	1	1	4	6	11	16	24
B. *Operated*	1	10.0		10	10	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	796	7.8	52	2	2	6	9	15	21	34
B. *Operated*	51	11.5	103	2	3	10	15	19	30	52
1. SINGLE DX	58	5.5	21	1	1	4	7	11	17	93
2. MULTIPLE DX	847	8.1	55	2	2	6	10	16	21	36
A. NOT OPERATED	853	7.7	50	2	2	6	9	15	20	34
B. OPERATED	52	11.5	101	2	3	10	15	21	46	99
TOTAL 65-69 YRS	187	9.1	71	2	2	6	11	18	29	51
70-74	234	8.2	87	1	2	6	10	17	22	50
75-79	223	7.3	32	2	2	6	9	13	17	33
80-84	151	7.1	26	2	2	6	9	14	17	25
85+	110	7.5	33	2	2	6	9	15	19	31
GRAND TOTAL	**905**	**7.9**	**54**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	15.3	90	2	5	14	19	32	34	39
70-74	67	15.2	129	1	2	13	22	32	35	92
75-79	27	14.0	95	1	2	13	20	28	33	39
80-84	14	13.9	162	2	2	8	21	31	40	42
85+	4	8.5	17	4	4	8	11	14	14	14
B. *Operated*										
65-69 YRS										
70-74	1	45.0		45	45	45	45	45	45	45
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	201	18.6	239	3	4	15	25	36	51	86
70-74	124	18.0	204	3	4	15	24	38	47	70
75-79	87	16.2	139	2	3	14	23	32	37	59
80-84	38	12.4	63	3	4	11	17	23	27	39
85+	12	20.3	304	5	6	15	27	46	62	65
B. *Operated*										
65-69 YRS	21	28.6	421	11	14	22	43	72	98	99+
70-74	7	19.0	132	9	9	19	33	81	99+	99+
75-79	9	31.7	311	9	10	34	42	55	63	63
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	14.9	104	1	3	13	20	31	34	44
B. *Operated*	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	462	17.5	200	3	4	14	24	34	46	75
B. *Operated*	37	27.5	344	9	10	22	42	62	99	99+
1. SINGLE DX	238	15.1	108	1	3	14	20	32	35	46
2. MULTIPLE DX	499	18.3	216	3	4	15	24	38	47	86
A. NOT OPERATED	699	16.7	169	2	4	14	22	32	40	70
B. OPERATED	38	28.0	343	9	10	23	42	62	98	99+
TOTAL 65-69 YRS	347	18.0	205	3	5	15	23	35	46	88
70-74	199	17.3	179	2	4	14	24	35	45	86
75-79	123	16.9	157	2	3	15	23	33	42	64
80-84	52	12.8	87	2	3	10	18	26	30	42
85+	16	17.3	254	4	5	11	21	37	57	65
GRAND TOTAL	**737**	**17.2**	**183**	**2**	**4**	**14**	**23**	**34**	**43**	**79**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.0	30	9	9	11	16	21	21	21
70-74	4	19.8	158	11	11	15	28	38	38	38
75-79										
80-84	1	34.0		34	34	34	34	34	34	34
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.6	59	3	3	7	9	18	30	31
70-74	9	11.7	55	3	3	9	19	20	20	20
75-79	3	17.7	16	14	14	17	21	22	22	22
80-84	1	34.0		34	34	34	34	34	34	34
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.3	116	9	9	12	24	36	38	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	11.6	76	3	4	8	18	22	32	34
B. *Operated*										
1. SINGLE DX	9	18.3	116	9	9	12	24	36	38	38
2. MULTIPLE DX	25	11.6	76	3	4	8	18	22	32	34
A. NOT OPERATED	34	13.4	93	3	4	10	19	31	34	38
B. OPERATED										
TOTAL 65-69 YRS	15	9.8	53	3	4	8	10	21	28	31
70-74	13	14.2	91	3	4	12	19	24	35	38
75-79	3	17.7	16	14	14	17	21	22	22	22
80-84	2	34.0		34	34	34	34	34	34	34
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	34	13.4	93	3	4	10	19	31	34	38

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	152	15.2	193	1	3	13	19	33	38	78
70-74	95	18.4	228	2	3	16	24	40	46	68
75-79	43	17.2	134	3	6	16	21	29	38	64
80-84	18	22.0	451	4	5	11	36	57	68	73
85+	7	18.3	181	4	4	15	27	39	42	42
B. *Operated*										
65-69 YRS										
70-74	2	23.0	32	19	19	23	27	27	27	27
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	390	17.3	195	3	5	14	23	32	43	83
70-74	270	19.2	245	3	5	15	26	39	55	91
75-79	118	17.9	214	3	4	14	23	42	50	99+
80-84	67	12.9	94	4	5	10	17	31	38	99+
85+	34	14.5	134	3	4	13	19	42	50	99+
B. *Operated*										
65-69 YRS	33	27.0	211	8	9	25	36	48	55	58
70-74	23	36.0	604	9	11	30	40	74	92	98
75-79	12	33.1	816	6	8	22	65	96	99	99+
80-84	4	17.5	20	12	12	17	20	23	23	23
85+	3	13.7	12	10	10	14	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	16.9	210	2	3	14	21	36	44	74
B. *Operated*	3	18.0	91	8	8	19	25	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	879	17.5	205	3	5	14	23	35	49	95
B. *Operated*	75	29.7	429	8	9	24	39	62	83	99+
1. SINGLE DX	318	16.9	209	2	3	14	21	36	44	74
2. MULTIPLE DX	954	18.5	233	3	5	14	24	38	54	96
A. NOT OPERATED	1194	17.3	206	3	4	14	22	35	47	87
B. OPERATED	78	29.2	420	8	9	24	39	60	81	99+
TOTAL 65-69 YRS	575	17.3	201	3	4	14	22	33	44	77
70-74	390	20.0	275	2	4	16	27	40	57	93
75-79	174	18.7	245	3	5	15	23	43	57	99+
80-84	89	15.0	172	4	5	10	18	35	57	99+
85+	44	15.1	130	3	4	13	19	42	45	99+
GRAND TOTAL	1272	18.1	227	3	4	14	23	37	51	92

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	793	19.1	180	2	5	17	26	36	46	73
70-74	650	19.3	202	2	5	16	25	38	50	72
75-79	525	18.9	187	2	4	16	26	36	45	65
80-84	242	18.7	178	2	3	16	26	35	42	58
85+	60	16.8	219	1	3	14	23	33	40	80
B. *Operated*										
65-69 YRS	2	17.0		17	17	17	17	17	17	17
70-74	6	24.3	691	3	3	17	27	70	75	75
75-79	4	32.3	143	19	19	31	40	48	48	48
80-84	2	22.0	128	14	14	22	30	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2216	20.1	234	3	5	16	27	39	52	83
70-74	2062	19.7	229	3	4	16	28	40	52	83
75-79	1551	19.8	244	3	4	15	27	41	50	79
80-84	745	18.8	239	3	4	15	24	38	51	84
85+	323	18.8	276	3	4	14	25	41	56	96
B. *Operated*										
65-69 YRS	193	31.7	410	7	9	28	43	60	70	99
70-74	176	28.9	354	6	8	27	38	58	77	99+
75-79	116	27.7	321	7	9	24	37	59	71	99+
80-84	61	30.5	495	5	8	26	44	90	99+	99+
85+	25	29.0	298	4	8	30	44	60	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2270	19.0	189	2	4	16	26	36	46	70
B. *Operated*	14	25.2	336	4	7	19	30	51	70	75
2. MULTIPLE DX										
A. *Not Operated*	6897	19.7	237	3	4	16	27	40	52	83
B. *Operated*	571	29.8	379	6	9	27	40	60	77	99+
1. SINGLE DX	2284	19.0	190	2	4	16	26	37	46	71
2. MULTIPLE DX	7468	20.5	255	3	5	16	28	42	54	85
A. NOT OPERATED	9167	19.5	225	3	4	16	27	39	50	80
B. OPERATED	585	29.7	378	6	8	27	40	60	77	99+
TOTAL 65-69 YRS	3204	20.5	239	3	5	17	28	40	53	84
70-74	2894	20.2	236	3	5	16	28	41	53	83
75-79	2196	20.0	238	3	4	16	27	41	51	77
80-84	1050	19.5	247	3	4	16	26	39	53	94
85+	408	19.1	275	3	4	14	26	42	57	96
GRAND TOTAL	**9752**	**20.1**	**240**	**3**	**5**	**16**	**27**	**41**	**53**	**83**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	300	18.0	157	2	5	15	25	33	41	74
70-74	211	16.8	170	1	2	15	23	33	44	60
75-79	88	21.7	188	6	7	20	28	32	48	73
80-84	39	20.9	260	2	6	16	28	42	55	79
85+	18	14.8	104	2	3	14	22	28	34	38
B. *Operated*										
65-69 YRS	4	35.3	216	14	14	40	45	46	46	46
70-74	3	13.3	14	9	9	15	16	16	16	16
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	700	18.9	155	4	6	16	25	35	44	64
70-74	503	18.6	175	4	5	16	24	36	47	68
75-79	295	18.3	184	3	4	15	24	38	49	70
80-84	144	19.2	217	4	6	15	25	40	52	72
85+	45	17.8	271	4	5	14	23	35	69	99+
B. *Operated*										
65-69 YRS	76	24.9	221	6	10	23	31	39	43	89
70-74	45	31.0	426	8	9	27	44	60	65	94
75-79	25	35.4	481	13	16	28	51	78	86	99+
80-84	10	39.9	399	8	17	41	62	84	99	99+
85+	4	36.8	1559	10	10	21	61	95	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	18.2	172	2	4	16	25	33	44	71
B. *Operated*	8	24.6	226	9	10	16	40	45	46	46
2. MULTIPLE DX										
A. *Not Operated*	1687	18.7	174	4	5	16	24	36	47	69
B. *Operated*	160	29.5	371	7	10	26	38	60	77	99
1. SINGLE DX	664	18.3	173	2	4	16	25	34	44	70
2. MULTIPLE DX	1847	19.6	200	4	6	16	26	38	50	77
A. NOT OPERATED	2343	18.5	174	3	5	16	24	35	46	70
B. OPERATED	168	29.3	364	7	10	25	38	59	77	99
TOTAL 65-69 YRS	1080	19.1	164	4	6	16	26	36	44	69
70-74	762	18.8	197	3	5	15	24	38	48	69
75-79	408	20.0	219	3	5	17	27	39	55	80
80-84	194	20.6	252	3	6	16	28	44	54	78
85+	67	18.2	302	3	5	15	23	35	66	99
GRAND TOTAL	**2511**	**19.3**	**193**	**3**	**5**	**16**	**25**	**37**	**48**	**75**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	154	10.5	76	1	2	9	14	22	25	44
70-74	120	13.2	154	1	2	9	18	30	40	58
75-79	95	9.4	107	1	1	6	12	22	30	52
80-84	58	9.9	123	<1	1	6	14	23	31	61
85+	63	10.8	139	1	1	7	13	27	38	57
B. *Operated*										
65-69 YRS	4	6.3	21	1	1	6	10	11	11	11
70-74	4	13.0	349	3	3	4	23	41	41	41
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	662	11.6	121	2	3	8	15	24	33	60
70-74	744	11.7	123	2	3	8	16	25	33	56
75-79	726	10.3	93	2	2	7	14	23	29	49
80-84	645	10.3	102	2	3	8	13	22	29	60
85+	535	10.1	102	2	3	7	12	21	30	57
B. *Operated*										
65-69 YRS	68	19.0	288	4	5	13	27	39	58	99
70-74	72	18.2	220	5	6	14	22	40	52	78
75-79	68	15.3	204	2	3	11	20	34	62	99+
80-84	55	18.0	341	3	4	11	19	48	64	80
85+	34	15.8	108	4	5	12	24	29	37	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	10.9	116	1	1	8	15	24	33	56
B. *Operated*	9	8.8	157	1	1	4	9	29	41	41
2. MULTIPLE DX										
A. *Not Operated*	3312	10.8	109	2	3	8	14	23	31	56
B. *Operated*	297	17.4	241	3	5	12	22	39	56	98
1. SINGLE DX	499	10.9	116	1	1	8	15	24	33	56
2. MULTIPLE DX	3609	11.4	123	2	3	8	14	24	34	62
A. NOT OPERATED	3802	10.9	109	2	2	8	14	23	31	56
B. OPERATED	306	17.2	240	3	4	12	22	39	56	97
TOTAL 65-69 YRS	888	12.0	130	2	2	9	16	25	34	61
70-74	940	12.4	137	2	3	9	17	26	38	57
75-79	890	10.6	104	2	2	7	14	23	30	59
80-84	758	10.8	124	2	2	8	13	22	33	64
85+	632	10.5	107	2	2	7	13	23	33	56
GRAND TOTAL	**4108**	**11.3**	**122**	**2**	**2**	**8**	**14**	**24**	**34**	**61**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	6.1	30	1	2	4	9	13	17	28
70-74	53	6.3	35	1	2	5	7	13	22	26
75-79	40	8.3	235	<1	1	3	7	14	53	71
80-84	27	5.1	142	<1	<1	3	4	7	16	64
85+	14	3.6	12	1	1	2	4	8	13	14
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	23.0		23	23	23	23	23	23	23
80-84										
85+										
MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	460	6.8	70	1	2	4	8	15	22	36
70-74	465	6.5	50	1	2	4	7	14	19	36
75-79	337	6.2	63	1	1	4	7	13	20	32
80-84	209	5.1	23	1	1	4	7	11	15	25
85+	129	5.5	36	1	1	4	6	10	20	34
B. *Operated*										
65-69 YRS	32	10.6	207	1	2	5	9	31	52	55
70-74	19	8.5	41	1	1	8	11	20	22	22
75-79	9	14.7	177	3	3	11	20	37	37	37
80-84	11	11.5	54	3	5	9	12	25	27	27
85+	4	9.0	39	4	4	8	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	6.3	84	<1	1	3	7	13	19	61
B. *Operated*	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	1600	6.3	54	1	1	4	7	14	20	34
B. *Operated*	75	10.6	128	1	3	7	11	24	37	54
1. SINGLE DX	211	6.3	84	<1	1	3	7	13	19	61
2. MULTIPLE DX	1675	6.5	58	1	1	4	7	14	21	36
A. NOT OPERATED	1809	6.3	57	1	1	4	7	13	20	35
B. OPERATED	77	10.6	128	1	3	7	11	24	37	54
TOTAL 65-69 YRS	567	6.9	73	1	2	4	8	15	23	44
70-74	538	6.6	48	1	2	5	7	14	20	34
75-79	387	6.7	85	1	1	4	7	14	22	54
80-84	247	5.4	38	1	1	4	7	11	15	27
85+	147	5.4	35	1	1	4	6	10	18	31
GRAND TOTAL	**1886**	**6.5**	**61**	**1**	**1**	**4**	**7**	**14**	**21**	**37**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	159	11.5	120	2	3	7	16	25	34	50
70-74	133	12.5	121	1	3	9	19	25	33	62
75-79	72	11.2	125	1	2	7	14	23	36	53
80-84	35	9.9	99	1	2	7	14	22	32	46
85+	8	5.5	6	2	2	6	7	8	9	9
B. *Operated*										
65-69 YRS	2	45.5	1301	20	20	45	71	71	71	71
70-74	5	29.4	613	11	11	17	44	70	70	70
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	724	11.5	93	2	3	8	15	25	32	42
70-74	734	10.4	88	2	3	7	13	22	30	44
75-79	496	9.6	78	2	3	7	12	21	25	42
80-84	295	11.1	131	2	3	8	14	25	31	61
85+	146	9.6	63	2	3	7	13	20	28	40
B. *Operated*										
65-69 YRS	67	20.7	338	4	4	14	29	46	57	84
70-74	49	13.1	61	3	4	10	17	24	27	40
75-79	55	16.5	154	5	5	13	19	34	42	61
80-84	24	17.7	335	4	5	10	22	38	56	86
85+	8	23.0	170	11	12	19	28	45	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	11.5	118	1	2	7	15	25	34	52
B. *Operated*	7	34.0	687	11	11	20	61	71	71	71
2. MULTIPLE DX										
A. *Not Operated*	2395	10.6	92	2	3	8	14	23	30	44
B. *Operated*	203	17.5	219	4	5	13	22	35	47	81
1. SINGLE DX	414	11.9	134	1	2	7	16	25	35	62
2. MULTIPLE DX	2598	11.1	105	2	3	8	14	24	31	49
A. NOT OPERATED	2802	10.7	95	2	3	8	14	23	30	48
B. OPERATED	210	18.0	241	4	5	13	23	37	51	81
TOTAL 65-69 YRS	952	12.2	123	2	3	8	16	28	34	53
70-74	921	10.9	96	2	3	8	14	23	30	48
75-79	623	10.4	93	2	3	8	13	22	29	51
80-84	354	11.5	144	2	3	8	14	26	32	64
85+	162	10.1	74	2	3	8	13	20	29	43
GRAND TOTAL	**3012**	**11.3**	**109**	**2**	**3**	**8**	**14**	**24**	**32**	**50**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	8.2	55	1	1	6	13	20	25	29
70-74	37	7.3	45	1	1	5	10	17	21	28
75-79	24	8.2	89	1	2	5	9	21	34	38
80-84	15	5.7	17	1	1	5	9	11	13	14
85+	7	3.1	11	<1	<1	1	4	9	10	10
B. *Operated*										
65-69 YRS	16	6.3	77	1	1	4	6	9	29	38
70-74	4	3.5	10	1	1	2	5	8	8	8
75-79	6	5.5	12	2	2	5	5	11	12	12
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	8.7	79	1	2	6	12	18	24	47
70-74	218	9.1	107	1	2	6	11	21	27	74
75-79	171	9.3	70	2	2	7	12	20	30	39
80-84	100	9.4	63	1	2	7	14	21	26	70
85+	87	5.6	16	1	2	5	7	12	16	69
B. *Operated*										
65-69 YRS	47	11.1	235	2	2	6	11	21	50	84
70-74	32	11.2	178	3	3	6	11	27	46	64
75-79	21	19.4	321	3	4	15	24	46	65	72
80-84	8	17.3	130	6	6	14	27	33	36	36
85+	8	13.3	72	3	3	12	20	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	7.4	52	1	1	5	10	18	22	33
B. *Operated*	27	5.6	49	1	1	4	6	9	16	38
2. MULTIPLE DX										
A. *Not Operated*	818	8.7	77	1	2	6	11	19	24	49
B. *Operated*	116	13.2	221	2	3	8	15	28	49	76
1. SINGLE DX	155	7.1	52	1	1	5	9	15	22	37
2. MULTIPLE DX	934	9.2	97	1	2	6	11	20	28	59
A. NOT OPERATED	946	8.5	74	1	2	6	11	19	24	47
B. OPERATED	143	11.8	197	2	2	7	13	27	41	73
TOTAL 65-69 YRS	350	8.8	97	1	2	5	11	19	26	49
70-74	291	9.0	106	1	2	6	11	21	28	69
75-79	222	10.0	102	2	2	7	12	22	32	52
80-84	124	9.4	66	1	2	7	13	22	27	56
85+	102	6.0	24	1	2	5	8	14	18	61
GRAND TOTAL	**1089**	**8.9**	**91**	**1**	**2**	**6**	**11**	**20**	**27**	**52**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	255	9.8	94	1	2	5	14	28	29	40
70-74	129	9.6	86	1	2	5	14	22	28	42
75-79	43	9.6	93	1	2	5	13	26	30	35
80-84	20	8.7	61	1	1	5	13	22	24	25
85+	7	7.9	76	1	1	3	13	22	24	24
B. *Operated*										
65-69 YRS	4	6.5	31	1	1	5	10	14	14	14
70-74	1	27.0		27	27	27	27	27	27	27
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2221	11.9	96	2	3	8	20	27	30	39
70-74	1292	11.9	106	2	3	8	20	28	30	43
75-79	533	11.2	102	2	2	7	17	26	29	39
80-84	157	9.7	73	2	2	6	13	22	27	35
85+	38	11.0	115	1	1	5	19	29	33	35
B. *Operated*										
65-69 YRS	136	20.3	180	4	5	20	28	37	43	95
70-74	90	19.2	174	3	5	17	27	35	46	68
75-79	37	16.9	84	2	6	16	22	31	32	33
80-84	10	11.7	70	3	3	9	20	24	27	27
85+	1	35.0		35	35	35	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	9.7	89	1	2	5	14	25	29	40
B. *Operated*	6	9.3	95	1	1	5	14	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	4241	11.7	99	2	3	8	20	27	30	39
B. *Operated*	274	19.2	163	3	5	19	27	33	41	70
1. SINGLE DX	460	9.7	89	1	2	5	14	26	29	40
2. MULTIPLE DX	4515	12.2	106	2	3	8	21	28	30	42
A. NOT OPERATED	4695	11.5	99	2	2	7	20	27	30	39
B. OPERATED	280	19.0	163	3	5	18	27	33	41	69
TOTAL 65-69 YRS	2616	12.1	104	2	3	8	21	28	30	42
70-74	1512	12.1	112	2	3	8	20	28	30	45
75-79	614	11.4	102	2	2	7	18	26	29	38
80-84	187	9.7	71	2	2	6	13	22	27	33
85+	46	11.1	119	1	1	5	19	30	34	35
GRAND TOTAL	**4975**	**11.9**	**105**	**2**	**3**	**8**	**20**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	21.0		21	21	21	21	21	21	21
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	11.1	95	2	3	7	21	26	31	32
70-74	14	14.8	55	5	6	13	21	27	29	29
75-79	5	21.0	32	13	13	21	25	28	28	28
80-84	2	5.0		5	5	5	5	5	5	5
85+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	3	13.7	33	7	7	17	17	17	17	17
70-74	4	13.5	31	6	6	14	17	19	19	19
75-79	4	15.8	523	3	3	5	28	50	50	50
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	45	12.8	80	3	3	11	21	27	29	32
B. *Operated*	11	14.4	174	3	4	13	17	31	48	50
1. SINGLE DX	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX	56	13.1	96	3	3	11	20	27	30	49
A. NOT OPERATED	46	13.0	80	3	3	11	21	27	29	32
B. OPERATED	11	14.4	174	3	4	13	17	31	48	50
TOTAL 65-69 YRS	25	11.4	86	2	3	7	18	23	31	32
70-74	19	14.8	48	5	6	14	20	25	28	29
75-79	9	18.7	220	3	3	19	25	41	50	50
80-84	2	5.0		5	5	5	5	5	5	5
85+	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	57	13.2	96	3	3	11	21	26	30	49

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	17.5	116	4	4	19	26	31	32	32
70-74	3	11.0	21	6	6	12	14	15	15	15
75-79	2	12.0	72	6	6	12	18	18	18	18
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	18.3	168	2	3	16	28	38	42	52
70-74	41	15.7	59	5	7	15	21	27	29	30
75-79	16	16.3	108	3	4	16	28	30	30	30
80-84	5	6.8	25	1	1	5	12	12	12	12
85+	2	20.5	265	9	9	20	32	32	32	32
B. *Operated*										
65-69 YRS	2	25.5	41	21	21	25	30	30	30	30
70-74	1	22.0		22	22	22	22	22	22	22
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	14.2	92	2	4	13	23	28	31	32
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	128	16.8	123	2	4	15	25	30	38	45
B. *Operated*	4	19.3	120	4	4	21	26	30	30	30
1. SINGLE DX	14	14.2	92	2	4	13	23	28	31	32
2. MULTIPLE DX	132	16.9	122	2	4	15	25	30	37	44
A. NOT OPERATED	142	16.5	120	2	4	15	24	30	36	43
B. OPERATED	4	19.3	120	4	4	21	26	30	30	30
TOTAL 65-69 YRS	74	18.4	158	2	3	17	28	35	42	51
70-74	45	15.5	57	5	6	15	21	27	29	30
75-79	18	15.8	102	3	4	16	28	30	30	30
80-84	6	6.3	21	1	1	5	12	12	12	12
85+	3	14.3	246	2	2	9	26	32	32	32
GRAND TOTAL	146	16.6	119	2	4	15	24	30	36	43

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.0	47	<1	1	1	3	13	23	27
70-74	19	1.9	1	<1	<1	2	2	4	4	4
75-79	7	1.3		<1	<1	1	2	2	2	2
80-84	4	1.3		<1	<1	1	2	2	2	2
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	4.8	25	<1	1	3	6	10	12	30
70-74	79	5.7	48	1	1	3	6	14	23	33
75-79	57	7.4	161	1	1	3	7	13	33	69
80-84	22	4.4	29	1	1	3	6	15	51	99+
85+	13	4.2	9	1	1	3	7	8	9	9
B. *Operated*										
65-69 YRS	11	12.8	93	1	2	12	21	26	31	31
70-74	8	11.5	112	1	1	10	16	28	33	33
75-79	2	6.0	18	3	3	6	9	9	9	9
80-84	2	4.5	1	4	4	4	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.5	19	<1	<1	1	2	4	8	27
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	300	5.5	57	1	1	3	6	11	20	47
B. *Operated*	23	11.0	87	1	2	10	17	24	32	33
1. SINGLE DX	53	2.5	19	<1	<1	1	2	4	7	27
2. MULTIPLE DX	323	5.9	61	1	1	3	7	12	22	41
A. NOT OPERATED	352	5.0	52	1	1	3	6	10	19	35
B. OPERATED	24	10.7	86	1	2	9	16	23	32	33
TOTAL 65-69 YRS	161	5.2	36	<1	1	3	6	11	19	31
70-74	106	5.5	49	1	1	3	6	14	22	33
75-79	66	6.7	143	1	1	3	6	11	31	68
80-84	28	3.9	24	1	1	3	5	10	29	99+
85+	15	3.8	9	1	1	3	7	8	9	9
GRAND TOTAL	**376**	**5.4**	**56**	**1**	**1**	**3**	**6**	**12**	**21**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.3	108	4	4	10	20	28	28	28
70-74	7	7.0	68	<1	1	4	7	22	25	25
75-79	3	8.0	76	2	2	4	14	18	18	18
80-84	1	13.0		13	13	13	13	13	13	13
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	12.2	119	2	2	8	18	29	35	43
70-74	23	13.0	120	3	4	10	17	25	37	49
75-79	22	12.6	129	2	3	9	18	24	37	50
80-84	17	5.8	18	1	1	6	7	12	15	16
85+	10	5.9	74	1	1	3	4	18	30	30
B. *Operated*										
65-69 YRS	4	16.3	73	8	8	15	23	27	27	27
70-74	3	15.3	37	10	10	14	20	22	22	22
75-79	4	12.0	25	5	5	13	15	16	16	16
80-84	2	34.0	1458	7	7	34	61	61	61	61
85+	1	62.0		62	62	62	62	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	9.3	71	<1	2	5	13	25	27	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	114	10.9	107	2	2	6	16	26	31	49
B. *Operated*	14	20.6	335	5	7	14	22	61	62	62
1. SINGLE DX	15	9.3	71	<1	2	5	13	25	27	28
2. MULTIPLE DX	128	12.0	139	2	2	8	16	27	33	61
A. NOT OPERATED	129	10.8	103	2	2	6	16	26	31	49
B. OPERATED	14	20.6	335	5	7	14	22	61	62	62
TOTAL 65-69 YRS	50	12.6	112	2	2	8	19	28	32	43
70-74	33	12.0	105	3	3	8	17	24	30	49
75-79	29	12.0	107	2	3	9	17	22	30	50
80-84	20	9.0	167	1	1	6	9	15	38	61
85+	11	11.0	352	1	1	4	6	43	60	62
GRAND TOTAL	**143**	**11.7**	**132**	**2**	**2**	**8**	**16**	**27**	**32**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.6	6	1	1	3	5	7	9	10
70-74	11	3.4	6	1	1	2	5	7	8	8
75-79	8	3.1	3	1	1	3	4	6	7	7
80-84	9	5.1	7	2	2	6	7	8	9	9
85+	8	3.9	18	1	1	3	4	11	14	14
B. *Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	4.8	16	1	1	4	6	9	11	23
70-74	166	5.6	36	1	2	4	6	11	14	27
75-79	146	5.0	17	1	2	4	6	10	12	22
80-84	99	6.0	34	1	2	4	7	11	15	37
85+	61	4.9	13	1	1	4	6	9	13	18
B. *Operated*										
65-69 YRS	29	8.5	130	1	1	6	8	20	28	59
70-74	17	11.1	150	2	3	7	12	21	43	54
75-79	14	11.8	54	4	5	9	15	25	26	26
80-84	4	29.5	924	9	9	17	49	74	74	74
85+	3	8.0	37	4	4	5	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.8	7	1	1	3	5	7	9	14
B. *Operated*	5	6.2	32	2	2	4	8	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	664	5.2	24	1	2	4	6	10	13	25
B. *Operated*	67	11.1	169	2	2	7	12	24	30	71
1. SINGLE DX	59	4.0	9	1	1	3	5	8	10	16
2. MULTIPLE DX	731	5.8	40	1	2	4	7	11	15	28
A. NOT OPERATED	718	5.1	23	1	2	4	6	10	13	23
B. OPERATED	72	10.7	160	2	2	7	12	23	26	71
TOTAL 65-69 YRS	240	5.2	31	1	1	4	6	10	12	26
70-74	196	5.9	46	1	2	4	7	11	15	42
75-79	170	5.5	23	1	2	4	7	10	14	26
80-84	112	6.8	75	2	2	5	8	12	17	56
85+	72	4.9	14	1	1	4	6	10	15	17
GRAND TOTAL	**790**	**5.6**	**38**	**1**	**2**	**4**	**7**	**10**	**15**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	61	7.4	54	1	1	5	9	14	21	45
70-74	56	7.9	71	1	1	5	10	21	29	34
75-79	31	7.4	55	<1	1	3	12	17	24	30
80-84	28	8.2	53	2	2	6	11	18	26	30
85+	10	7.7	47	<1	<1	6	8	19	22	22
B. *Operated*										
65-69 YRS										
70-74										
75-79	2	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	344	8.5	69	2	2	6	10	18	25	40
70-74	265	8.9	71	2	2	6	12	18	26	45
75-79	226	9.1	87	1	2	6	12	19	26	41
80-84	147	7.8	46	2	2	6	10	14	25	32
85+	81	8.1	133	1	2	5	9	16	23	75
B. *Operated*										
65-69 YRS	32	12.5	65	4	4	9	18	26	28	29
70-74	20	8.8	55	2	3	6	10	22	26	28
75-79	16	17.5	237	2	3	16	26	55	86	99+
80-84	10	21.5	404	3	5	17	19	50	76	76
85+	6	25.0	418	7	7	21	32	58	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	7.7	58	1	1	5	10	18	24	33
B. *Operated*	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1063	8.6	75	1	2	6	11	18	25	40
B. *Operated*	84	14.5	174	3	4	10	20	28	43	92
1. SINGLE DX	188	7.6	57	1	1	5	10	18	24	33
2. MULTIPLE DX	1147	9.0	84	1	2	6	11	20	26	46
A. NOT OPERATED	1249	8.5	73	1	2	6	11	18	25	39
B. OPERATED	86	14.3	172	3	4	9	20	28	40	91
TOTAL 65-69 YRS	437	8.7	68	1	2	6	10	19	26	41
70-74	341	8.7	70	1	2	6	12	18	26	43
75-79	275	9.3	95	1	1	6	12	22	31	56
80-84	185	8.6	73	2	2	6	11	18	25	35
85+	97	9.1	154	1	1	6	10	21	28	78
GRAND TOTAL	**1335**	**8.8**	**81**	**1**	**2**	**6**	**11**	**19**	**26**	**45**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	10.2	86	1	3	7	13	25	29	43
70-74	84	11.4	124	1	1	8	15	26	36	49
75-79	57	9.9	133	1	2	5	14	22	33	65
80-84	28	9.8	74	2	2	7	13	21	25	41
85+	13	6.9	49	1	1	5	9	16	24	26
B. *Operated*										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	552	10.5	118	2	3	7	12	24	32	55
70-74	633	9.5	83	2	3	7	10	21	29	45
75-79	515	9.5	93	2	3	6	12	20	26	51
80-84	325	8.5	54	2	3	6	10	17	22	37
85+	199	8.5	79	2	3	6	10	17	23	65
B. *Operated*										
65-69 YRS	66	13.8	199	2	4	9	17	32	47	74
70-74	66	13.9	128	3	4	11	18	32	38	94
75-79	55	15.0	223	4	4	9	19	33	52	75
80-84	31	12.8	81	3	4	11	16	21	29	47
85+	12	18.5	276	5	6	13	31	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	10.3	104	1	2	7	14	23	32	48
B. *Operated*	4	4.8	8	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2224	9.5	90	2	3	6	11	20	28	48
B. *Operated*	230	14.2	171	3	4	10	18	32	48	82
1. SINGLE DX	282	10.2	103	1	2	7	13	23	32	48
2. MULTIPLE DX	2454	9.9	99	2	3	7	12	21	30	53
A. NOT OPERATED	2502	9.6	91	2	3	6	11	21	28	48
B. OPERATED	234	14.1	170	3	4	10	18	32	48	81
TOTAL 65-69 YRS	716	10.7	122	2	3	7	13	25	32	55
70-74	785	10.0	92	2	3	7	12	23	30	47
75-79	627	10.0	110	2	3	7	12	22	30	54
80-84	384	9.0	58	2	3	7	11	18	22	41
85+	224	9.0	91	2	3	6	11	20	26	94
GRAND TOTAL	**2736**	**10.0**	**99**	**2**	**3**	**7**	**12**	**22**	**30**	**51**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	7.3	52	1	1	4	10	19	23	23
70-74	5	10.8	70	2	2	8	16	24	24	24
75-79	3	14.7	177	6	6	8	24	30	30	30
80-84	3	8.0	37	4	4	5	12	15	15	15
85+										
B. *Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	9.4	66	1	2	7	13	23	27	30
B. *Operated*	3	5.7	2	4	4	6	7	7	7	7
1. SINGLE DX	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX	23	8.9	59	1	2	7	12	23	26	30
A. NOT OPERATED	21	9.5	63	1	2	7	13	23	27	30
B. OPERATED	3	5.7	2	4	4	6	7	7	7	7
TOTAL 65-69 YRS	12	7.3	41	1	1	5	10	17	22	23
70-74	6	10.2	58	2	2	8	13	23	24	24
75-79	3	14.7	177	6	6	8	24	30	30	30
80-84	3	8.0	37	4	4	5	12	15	15	15
85+										
GRAND TOTAL	**24**	**9.0**	**57**	**1**	**2**	**7**	**12**	**23**	**26**	**30**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	9.4	149	1	2	3	13	17	40	52
70-74	7	11.4	104	<1	1	9	14	29	32	32
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	2	10.5	25	7	7	10	14	14	14	14
85+	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	9	10.1	108	2	2	4	16	27	27	27
70-74	9	9.2	60	1	3	7	11	22	28	28
75-79	1	11.0		11	11	11	11	11	11	11
80-84	2	7.0	50	2	2	7	12	12	12	12
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	17.3	182	3	5	15	20	34	54	93
70-74	67	17.1	317	1	3	14	20	40	87	99+
75-79	56	14.5	179	3	4	12	18	23	33	90
80-84	44	14.6	94	3	3	13	21	30	33	36
85+	26	13.4	63	4	6	13	16	22	28	42
B. *Operated*										
65-69 YRS	64	24.7	346	2	4	24	34	55	67	98
70-74	50	22.0	268	6	8	17	27	46	59	99+
75-79	32	27.3	458	3	6	22	36	53	76	97
80-84	19	30.2	511	8	13	24	39	86	99	99+
85+	4	19.3	22	15	15	18	23	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.0	105	<1	1	6	12	16	30	52
B. *Operated*	22	9.8	70	1	2	7	13	27	28	28
2. MULTIPLE DX										
A. *Not Operated*	276	15.9	189	3	4	14	19	31	40	99
B. *Operated*	169	24.9	355	3	7	21	35	54	75	99+
1. SINGLE DX	54	9.3	89	<1	2	7	13	18	28	51
2. MULTIPLE DX	445	19.3	270	3	4	15	24	39	59	99+
A. NOT OPERATED	308	15.2	184	2	3	13	18	30	40	99
B. OPERATED	191	23.2	345	2	5	18	32	48	72	99+
TOTAL 65-69 YRS	173	18.9	259	2	3	15	26	40	59	96
70-74	133	18.1	280	2	4	14	22	40	63	99+
75-79	91	18.8	308	3	4	14	22	37	50	95
80-84	67	18.7	257	3	4	15	25	36	46	99+
85+	35	12.9	66	1	4	13	17	22	25	42
GRAND TOTAL	**499**	**18.2**	**260**	**2**	**4**	**14**	**23**	**38**	**56**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	8.6	23	3	4	7	11	14	18	27
70-74	127	8.3	36	2	3	7	10	16	20	33
75-79	93	8.3	38	2	3	6	10	17	25	70
80-84	44	8.7	43	2	3	8	10	16	22	36
85+	13	10.8	37	2	2	11	14	18	23	24
B. *Operated*										
65-69 YRS	4	13.3	77	4	4	13	20	23	23	23
70-74	3	8.3	25	3	3	9	12	13	13	13
75-79	3	9.0	52	3	3	7	14	17	17	17
80-84	2	12.0	18	9	9	12	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	640	10.6	99	2	3	8	13	21	29	76
70-74	979	10.4	80	2	3	8	12	22	32	63
75-79	1003	11.1	111	3	3	9	13	20	29	74
80-84	675	10.6	69	3	4	8	13	20	28	55
85+	319	11.7	118	3	3	9	13	24	44	99+
B. *Operated*										
65-69 YRS	89	17.6	220	3	5	13	21	40	53	71
70-74	115	17.9	185	4	6	15	24	43	56	99+
75-79	118	16.8	149	4	5	16	24	39	57	99+
80-84	67	16.3	263	3	4	10	21	45	66	99+
85+	32	20.8	453	4	5	14	28	59	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	8.5	34	2	3	7	11	16	21	32
B. *Operated*	12	10.8	42	3	3	9	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*	3616	10.8	93	3	3	8	13	21	30	76
B. *Operated*	421	17.5	214	4	5	14	23	42	57	99+
1. SINGLE DX	376	8.6	34	2	3	7	11	16	21	32
2. MULTIPLE DX	4037	11.5	110	3	3	9	14	23	34	89
A. NOT OPERATED	3980	10.6	88	3	3	8	13	21	29	75
B. OPERATED	433	17.3	210	4	5	14	23	42	57	99+
TOTAL 65-69 YRS	820	11.2	109	3	3	8	13	22	30	74
70-74	1224	10.9	90	2	3	8	13	23	34	79
75-79	1217	11.4	113	3	3	9	14	22	31	85
80-84	788	11.0	86	3	4	8	13	21	31	66
85+	364	12.4	150	3	4	10	14	26	46	99+
GRAND TOTAL	**4413**	**11.2**	**104**	**3**	**3**	**8**	**13**	**23**	**32**	**87**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	9.8	79	1	2	7	13	22	32	36
70-74	11	9.7	12	4	5	10	13	41	92	99+
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84										
85+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
65-69 YRS	5	3.0	1	2	2	3	4	4	4	4
70-74	1	20.0		20	20	20	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	99	10.2	85	2	2	8	13	18	35	99+
70-74	56	10.2	53	3	3	8	14	22	24	29
75-79	20	12.4	108	3	4	9	14	27	37	44
80-84	4	18.0	285	1	1	15	29	41	41	41
85+	2	10.5	41	6	6	10	15	15	15	15
B. *Operated*										
65-69 YRS	31	13.4	109	2	4	12	15	23	34	56
70-74	18	14.1	146	2	3	12	17	23	42	55
75-79	2	15.0	2	14	14	15	16	16	16	16
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	9.8	58	2	2	8	13	22	33	99+
B. *Operated*	6	5.8	49	2	2	3	4	18	20	20
2. MULTIPLE DX										
A. *Not Operated*	181	10.6	81	2	3	8	14	22	27	87
B. *Operated*	51	13.7	115	2	3	12	16	23	34	56
1. SINGLE DX	44	9.3	58	2	2	7	12	21	31	99+
2. MULTIPLE DX	232	11.3	90	2	3	9	14	22	28	68
A. NOT OPERATED	219	10.5	77	2	3	8	14	22	29	99+
B. OPERATED	57	12.9	113	2	3	12	16	22	31	56
TOTAL 65-69 YRS	159	10.5	89	2	2	8	14	19	32	96
70-74	86	11.1	68	3	3	10	15	22	24	83
75-79	24	12.0	95	3	4	9	14	25	34	44
80-84	4	18.0	285	1	1	15	29	41	41	41
85+	3	14.3	64	6	6	15	20	22	22	22
GRAND TOTAL	**276**	**11.0**	**85**	**2**	**3**	**9**	**14**	**22**	**29**	**89**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	4.1	31	1	1	3	5	7	8	38
70-74	98	4.5	12	1	2	3	5	9	13	18
75-79	66	3.5	7	1	1	3	5	6	7	18
80-84	41	5.3	24	1	1	4	6	12	18	20
85+	25	4.4	16	<1	1	3	5	7	15	18
B. *Operated*										
65-69 YRS	3	5.0	9	2	2	5	7	8	8	8
70-74	3	5.0	7	3	3	4	7	8	8	8
75-79	4	5.5	14	3	3	4	8	11	11	11
80-84	2	17.5	365	4	4	17	31	31	31	31
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1108	6.8	47	1	2	5	8	13	18	38
70-74	1049	6.8	42	1	2	5	8	13	18	33
75-79	865	7.2	45	2	2	5	9	14	19	34
80-84	622	8.0	57	2	2	6	10	16	22	46
85+	442	7.8	57	2	2	6	10	16	22	64
B. *Operated*										
65-69 YRS	121	13.1	108	2	3	10	18	29	37	99+
70-74	118	14.4	209	2	3	11	18	30	56	99+
75-79	84	13.7	187	3	3	10	18	28	32	96
80-84	49	14.5	202	2	3	10	19	36	63	99+
85+	31	12.6	87	2	3	8	17	28	30	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.2	19	1	1	3	5	7	12	20
B. *Operated*	13	6.9	59	2	2	4	8	15	28	31
2. MULTIPLE DX										
A. *Not Operated*	4086	7.2	48	1	2	5	9	14	19	39
B. *Operated*	403	13.7	163	2	3	10	18	29	40	99+
1. SINGLE DX	351	4.3	21	1	1	3	5	8	12	20
2. MULTIPLE DX	4489	7.8	62	2	2	6	9	16	22	46
A. NOT OPERATED	4424	7.0	46	1	2	5	8	14	19	39
B. OPERATED	416	13.5	161	2	3	10	18	29	39	99+
TOTAL 65-69 YRS	1340	7.1	55	1	2	5	8	14	21	40
70-74	1268	7.3	60	1	2	5	9	15	20	47
75-79	1019	7.5	59	2	2	5	9	15	21	40
80-84	714	8.3	68	1	2	6	10	18	25	58
85+	499	7.9	58	1	2	6	10	16	23	57
GRAND TOTAL	**4840**	**7.5**	**60**	**1**	**2**	**5**	**9**	**15**	**21**	**44**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	214	5.8	29	1	2	4	7	11	17	27
70-74	205	6.4	45	1	2	5	8	12	16	39
75-79	201	6.8	42	1	2	5	7	15	22	33
80-84	133	7.8	52	1	2	6	9	16	21	60
85+	60	6.8	50	1	1	6	8	12	16	48
B. *Operated*										
65-69 YRS	153	5.7	27	1	1	4	8	14	17	29
70-74	135	7.2	44	1	2	5	9	16	23	32
75-79	99	8.3	59	1	2	6	11	20	26	36
80-84	48	8.5	43	1	2	6	13	19	19	24
85+	15	8.0	67	1	1	4	13	18	26	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1695	11.1	137	2	3	7	14	25	36	77
70-74	2239	11.2	128	2	3	7	13	26	37	72
75-79	2388	11.7	149	2	3	8	14	26	41	99+
80-84	1789	11.4	126	2	3	8	14	23	37	94
85+	1383	11.0	113	2	3	8	13	22	33	87
B. *Operated*										
65-69 YRS	901	14.4	220	2	2	10	18	34	52	99+
70-74	950	15.4	221	2	3	11	21	36	50	99+
75-79	926	15.5	187	2	3	12	21	33	46	97
80-84	504	15.6	204	2	4	12	20	35	60	99+
85+	291	15.6	236	2	3	12	19	34	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	813	6.6	42	1	2	5	8	13	18	36
B. *Operated*	450	7.1	43	1	1	5	9	17	23	31
2. MULTIPLE DX										
A. *Not Operated*	9494	11.3	133	2	3	8	14	25	37	86
B. *Operated*	3572	15.2	211	2	3	11	20	34	50	99+
1. SINGLE DX	1263	6.8	42	1	2	5	8	14	20	34
2. MULTIPLE DX	13066	12.4	157	2	3	8	15	28	41	94
A. NOT OPERATED	10307	10.9	127	2	3	7	13	24	36	81
B. OPERATED	4022	14.3	199	2	2	10	19	32	47	99+
TOTAL 65-69 YRS	2963	11.4	155	2	2	7	14	26	39	87
70-74	3529	11.9	152	2	3	8	15	28	40	76
75-79	3614	12.3	155	2	3	8	15	28	41	96
80-84	2474	12.0	140	2	3	9	15	25	39	99+
85+	1749	11.6	135	2	3	8	14	24	37	92
GRAND TOTAL	**14329**	**11.9**	**149**	**2**	**3**	**8**	**15**	**27**	**39**	**90**

118: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	3.3	5	1	1	3	4	5	9	12
70-74	17	3.7	6	1	1	3	5	6	9	10
75-79	15	2.9	2	1	1	3	4	5	5	5
80-84	4	2.5	6	1	1	2	4	6	6	6
85+	5	3.8	15	1	1	2	6	10	10	10
B. *Operated*										
65-69 YRS	5	5.4	11	2	2	5	7	11	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	207	4.5	10	1	2	4	6	9	11	12
70-74	133	4.5	9	1	2	4	5	8	11	16
75-79	90	5.3	23	1	2	4	6	10	14	29
80-84	35	4.7	8	1	2	4	6	9	10	12
85+	22	4.6	8	1	2	4	6	10	11	11
B. *Operated*										
65-69 YRS	44	6.2	22	2	2	5	8	13	17	22
70-74	22	7.2	14	2	4	6	9	13	15	16
75-79	14	5.5	7	2	2	5	7	8	11	12
80-84	5	7.6	7	5	5	7	9	12	12	12
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.3	5	1	1	3	5	6	9	11
B. *Operated*	6	4.8	11	2	2	4	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	487	4.7	12	1	2	4	6	9	11	15
B. *Operated*	86	6.5	17	2	2	5	8	12	14	22
1. SINGLE DX	91	3.4	6	1	1	3	5	6	10	12
2. MULTIPLE DX	573	4.9	13	1	2	4	6	9	12	17
A. NOT OPERATED	572	4.5	11	1	2	4	5	9	11	15
B. OPERATED	92	6.4	17	2	2	5	8	12	14	22
TOTAL 65-69 YRS	300	4.6	11	1	2	4	6	9	11	18
70-74	173	4.8	11	1	2	4	6	9	12	16
75-79	119	5.0	19	1	2	4	6	9	13	24
80-84	44	4.8	9	1	1	4	7	9	11	12
85+	28	4.6	10	1	1	4	6	10	11	11
GRAND TOTAL	**664**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**16**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.5	1	2	2	2	3	4	4	4
70-74	5	2.0	1	1	1	2	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	469	1.9	3	<1	<1	2	2	3	3	7
70-74	403	1.9	2	<1	<1	2	2	3	4	6
75-79	323	2.0	3	<1	<1	2	2	3	4	7
80-84	197	2.0	2	<1	<1	2	2	3	5	9
85+	88	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.1	15	<1	1	5	6	11	15	16
70-74	40	4.8	19	1	1	4	6	11	15	20
75-79	21	4.8	32	<1	1	3	6	9	17	27
80-84	18	4.6	9	<1	1	4	6	10	11	11
85+	9	4.9	19	<1	<1	3	7	12	14	14
B. *Operated*										
65-69 YRS	682	2.7	5	<1	1	2	3	5	7	12
70-74	570	3.3	19	1	1	2	3	6	9	21
75-79	450	3.1	16	<1	1	2	3	5	8	24
80-84	260	3.4	17	1	1	2	3	6	10	27
85+	149	3.3	8	1	1	2	4	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	1	1	1	2	3	4	4	4
B. *Operated*	1480	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	120	4.8	18	<1	1	4	6	10	14	22
B. *Operated*	2111	3.1	13	<1	1	2	3	5	8	19
1. SINGLE DX	1492	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	2231	3.2	13	<1	1	2	3	6	9	19
A. NOT OPERATED	132	4.6	17	1	1	4	6	10	14	21
B. OPERATED	3591	2.6	9	<1	1	2	3	4	6	13
TOTAL 65-69 YRS	1187	2.5	4	<1	<1	2	3	4	6	12
70-74	1018	2.8	13	<1	1	2	3	5	7	18
75-79	795	2.7	11	<1	1	2	3	4	7	17
80-84	477	2.9	11	<1	1	2	3	5	8	20
85+	246	3.0	7	<1	1	2	3	6	8	14
GRAND TOTAL	**3723**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.6	23	1	1	4	7	11	16	26
70-74	128	5.1	21	1	1	4	7	11	13	46
75-79	79	6.5	42	1	2	4	8	13	17	40
80-84	46	5.0	15	1	2	4	6	10	11	22
85+	38	4.9	17	1	1	4	6	12	14	19
B. *Operated*										
65-69 YRS	397	3.4	13	<1	1	2	3	6	10	23
70-74	285	3.6	9	1	1	3	4	8	10	15
75-79	147	3.4	9	1	1	2	4	7	9	16
80-84	62	4.5	25	1	1	2	5	13	15	24
85+	34	4.1	17	1	1	3	4	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	903	7.8	72	1	2	5	9	15	22	53
70-74	908	7.4	52	2	2	5	9	15	19	41
75-79	706	8.6	68	2	2	6	10	17	23	49
80-84	430	8.3	54	2	3	6	10	15	22	42
85+	295	8.1	48	2	3	6	11	16	21	81
B. *Operated*										
65-69 YRS	767	8.4	128	1	2	4	10	19	29	74
70-74	580	9.0	124	1	2	5	11	21	31	91
75-79	410	9.9	144	1	2	6	13	23	39	99+
80-84	221	13.1	261	2	2	7	15	29	52	80
85+	111	10.3	143	1	2	6	12	22	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	5.5	25	1	1	4	7	11	16	28
B. *Operated*	925	3.6	12	1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	3242	7.9	61	2	2	6	10	15	22	45
B. *Operated*	2089	9.5	146	1	2	5	11	22	33	83
1. SINGLE DX	1359	4.2	17	1	1	3	5	9	12	22
2. MULTIPLE DX	5331	8.5	95	2	2	6	10	18	26	70
A. NOT OPERATED	3676	7.7	57	2	2	6	9	15	21	44
B. OPERATED	3014	7.7	113	1	1	4	9	18	27	74
TOTAL 65-69 YRS	2210	7.1	81	1	2	4	8	15	22	54
70-74	1901	7.2	69	1	2	5	9	15	22	58
75-79	1342	8.3	87	1	2	6	10	18	25	74
80-84	759	9.2	117	2	2	6	11	18	27	73
85+	478	8.1	68	1	2	6	10	17	22	58
GRAND TOTAL	**6690**	**7.7**	**82**	**1**	**2**	**5**	**9**	**16**	**23**	**59**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	530	3.7	3	1	2	3	5	6	7	11
70-74	399	3.9	5	1	2	3	5	6	8	12
75-79	267	4.0	5	1	2	3	5	7	8	12
80-84	126	4.0	3	2	2	4	5	6	8	10
85+	61	4.6	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	2.4	3	<1	<1	1	4	5	5	5
70-74	18	2.7	3	1	1	2	4	6	6	6
75-79	17	4.1	24	<1	<1	2	6	9	16	20
80-84	5	3.4	13	<1	<1	<1	6	9	9	9
85+	9	4.6	23	<1	<1	2	9	12	13	13
B. *Operated*										
65-69 YRS	907	4.5	6	2	2	4	5	7	9	14
70-74	801	5.0	16	2	2	4	6	8	10	17
75-79	534	4.6	7	2	2	4	6	7	9	15
80-84	317	5.0	15	2	2	4	6	8	10	18
85+	123	5.1	12	2	3	5	6	8	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*	1383	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	66	3.3	12	<1	<1	2	5	7	10	19
B. *Operated*	2682	4.7	10	2	2	4	6	8	9	15
1. SINGLE DX	1389	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX	2748	4.7	11	2	2	4	6	8	9	15
A. NOT OPERATED	72	3.2	11	<1	<1	2	5	7	9	18
B. OPERATED	4065	4.4	8	2	2	4	5	7	9	14
TOTAL 65-69 YRS	1457	4.2	5	1	2	4	5	7	8	13
70-74	1220	4.6	12	1	2	4	5	8	10	15
75-79	819	4.4	7	1	2	4	6	7	9	15
80-84	448	4.7	12	2	2	4	6	8	9	14
85+	193	4.9	10	2	2	4	6	8	9	14
GRAND TOTAL	**4137**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	1.6	1	1	1	1	2	3	4	4
70-74	27	2.4	8	<1	<1	2	2	4	9	15
75-79	13	1.8	1	1	1	2	2	3	5	5
80-84	13	2.1	3	<1	<1	1	3	5	6	6
85+	9	1.8	1	1	1	1	3	4	4	4
B. *Operated*										
65-69 YRS	209	2.5	3	<1	1	2	3	4	5	10
70-74	189	2.6	5	<1	1	2	3	4	5	12
75-79	148	2.6	2	1	1	2	3	4	5	7
80-84	94	2.5	3	1	1	2	3	4	6	11
85+	52	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	3.0	7	<1	1	2	4	6	10	11
70-74	34	4.1	47	1	1	2	3	7	25	31
75-79	45	3.4	12	1	1	2	5	7	10	17
80-84	31	4.7	26	1	1	3	6	9	11	28
85+	33	3.7	14	1	1	3	4	7	14	16
B. *Operated*										
65-69 YRS	264	3.6	9	1	1	3	4	7	10	17
70-74	296	3.6	13	1	1	3	4	7	10	15
75-79	313	3.7	11	1	1	3	4	6	9	20
80-84	207	3.9	9	1	1	3	5	7	10	18
85+	131	4.1	12	1	1	3	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.9	3	<1	1	1	2	4	4	12
B. *Operated*	692	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	187	3.7	20	1	1	2	4	8	11	29
B. *Operated*	1211	3.7	11	1	1	3	4	7	10	17
1. SINGLE DX	784	2.5	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	1398	3.7	12	1	1	3	4	7	10	18
A. NOT OPERATED	279	3.1	15	1	1	2	3	6	9	25
B. OPERATED	1903	3.3	8	1	1	3	4	6	9	15
TOTAL 65-69 YRS	547	3.0	6	1	1	2	4	5	8	14
70-74	546	3.3	12	1	1	2	4	6	8	15
75-79	519	3.3	9	1	1	3	4	6	8	17
80-84	345	3.5	9	1	1	3	4	7	9	18
85+	225	3.5	10	1	1	3	4	7	10	15
GRAND TOTAL	**2182**	**3.3**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	1.9	4	1	1	1	2	5	7	7
70-74	10	1.8	1	<1	<1	2	2	3	3	3
75-79	7	2.6	1	1	1	3	3	4	4	4
80-84	6	2.5	2	1	1	2	3	5	5	5
85+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	102	2.8	4	1	1	2	3	5	6	12
70-74	118	2.6	2	1	1	2	3	4	5	9
75-79	105	2.6	4	<1	1	2	3	4	5	12
80-84	48	2.3	1	1	1	2	3	3	4	7
85+	32	3.3	8	1	1	3	4	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	3.6	8	1	1	3	4	7	10	12
70-74	37	3.9	15	1	1	3	4	7	10	22
75-79	29	4.9	33	1	1	4	5	10	13	31
80-84	26	5.5	171	1	1	3	3	7	21	69
85+	18	5.1	17	1	1	4	8	10	14	17
B. *Operated*										
65-69 YRS	179	3.4	10	1	1	2	4	7	10	19
70-74	191	3.6	18	1	1	2	4	6	8	20
75-79	166	3.7	12	1	1	3	4	7	8	20
80-84	117	4.1	21	1	1	3	4	7	12	27
85+	89	4.8	72	1	1	3	5	8	9	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	2	1	1	2	3	3	5	7
B. *Operated*	405	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	131	4.5	48	1	1	3	5	8	12	38
B. *Operated*	742	3.8	21	1	1	3	4	7	9	22
1. SINGLE DX	441	2.6	3	1	1	2	3	4	5	10
2. MULTIPLE DX	873	3.9	25	1	1	3	4	7	10	24
A. NOT OPERATED	167	4.0	39	1	1	3	4	7	10	29
B. OPERATED	1147	3.4	15	1	1	2	4	6	8	19
TOTAL 65-69 YRS	311	3.2	8	1	1	2	4	6	9	16
70-74	356	3.2	12	1	1	2	4	6	8	12
75-79	307	3.4	11	1	1	3	4	6	8	19
80-84	197	3.8	36	1	1	3	4	6	10	28
85+	143	4.4	49	1	1	3	5	8	10	37
GRAND TOTAL	**1314**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	1.7	1	<1	<1	1	2	4	4	4
70-74	24	1.8	3	<1	<1	1	2	2	5	10
75-79	24	1.5		<1	<1	1	2	2	3	3
80-84	28	1.8	1	<1	<1	1	2	3	4	5
85+	11	1.9	2	<1	<1	2	2	4	6	6
B. *Operated*										
65-69 YRS	8377	1.9	1	<1	1	2	2	3	3	4
70-74	10886	2.0	1	<1	1	2	2	3	3	4
75-79	11693	2.0	1	1	1	2	2	3	3	4
80-84	8772	2.0	1	1	1	2	2	3	3	4
85+	5830	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	1.9	4	<1	<1	1	2	4	5	11
70-74	352	2.1	5	<1	<1	1	2	4	7	11
75-79	398	2.5	10	<1	1	1	2	5	8	18
80-84	353	2.2	8	<1	<1	1	2	4	6	13
85+	257	2.2	9	<1	<1	1	2	4	7	14
B. *Operated*										
65-69 YRS	9403	2.3	3	1	1	2	2	3	4	9
70-74	13099	2.4	4	1	1	2	2	3	4	10
75-79	14577	2.4	3	1	1	2	2	3	4	9
80-84	11264	2.4	4	1	1	2	2	3	5	10
85+	8189	2.6	7	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	1.7	1	<1	<1	1	2	2	4	8
B. *Operated*	45558	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1589	2.2	7	<1	<1	1	2	4	7	13
B. *Operated*	56532	2.4	4	1	1	2	2	3	4	10
1. SINGLE DX	45661	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	58121	2.4	4	1	1	2	2	3	4	10
A. NOT OPERATED	1692	2.2	7	<1	<1	1	2	4	6	13
B. OPERATED	102090	2.2	3	1	1	2	2	3	4	8
TOTAL 65-69 YRS	18025	2.1	2	1	1	2	2	3	3	7
70-74	24361	2.2	3	1	1	2	2	3	4	8
75-79	26692	2.2	2	1	1	2	2	3	4	8
80-84	20417	2.2	3	1	1	2	2	3	4	8
85+	14287	2.4	5	1	1	2	2	3	4	9
GRAND TOTAL	**103782**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	192	2.0	1	<1	1	2	2	3	4	7
70-74	194	1.9	1	<1	1	2	2	3	3	6
75-79	226	1.9	1	1	1	2	2	3	3	7
80-84	140	2.0	1	<1	1	2	2	3	3	6
85+	100	2.1	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	2.4	7	<1	<1	1	3	7	8	8
70-74	6	1.0		1	1	1	1	1	1	1
75-79	7	3.9	24	1	1	1	8	12	12	12
80-84	2	1.0		1	1	1	1	1	1	1
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	200	2.3	1	1	1	2	2	3	4	7
70-74	286	2.3	2	1	1	2	2	4	5	7
75-79	247	2.5	8	1	1	2	2	4	5	14
80-84	189	2.1	1	1	1	2	2	3	4	6
85+	125	2.5	6	1	1	2	3	3	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	852	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	25	2.5	9	<1	1	1	2	8	10	12
B. *Operated*	1047	2.3	3	1	1	2	2	3	4	8
1. SINGLE DX	856	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	1072	2.3	4	1	1	2	2	3	5	9
A. NOT OPERATED	29	2.3	8	<1	<1	1	2	7	10	12
B. OPERATED	1899	2.2	3	1	1	2	2	3	4	7
TOTAL 65-69 YRS	399	2.2	1	1	1	2	2	3	4	8
70-74	488	2.1	2	<1	1	2	2	3	4	7
75-79	481	2.3	5	1	1	2	2	3	4	11
80-84	331	2.1	1	1	1	2	2	3	3	6
85+	229	2.3	4	1	1	2	2	3	4	10
GRAND TOTAL	**1928**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.6	3	1	1	2	3	5	6	6
70-74	17	3.8	6	<1	1	4	5	7	9	10
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	50	2.2	2	1	1	2	2	3	7	8
70-74	38	1.9	1	<1	<1	2	2	3	4	6
75-79	11	2.4	1	1	1	2	3	4	5	5
80-84	8	2.1	2	<1	<1	1	3	4	4	4
85+	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	5.1	13	1	2	4	7	10	12	16
70-74	61	5.2	12	2	2	4	7	10	12	16
75-79	41	5.4	15	1	2	5	7	12	14	18
80-84	19	5.5	11	1	2	6	7	9	13	16
85+	8	4.9	18	1	1	3	8	12	12	12
B. *Operated*										
65-69 YRS	87	4.4	57	1	1	2	5	9	12	48
70-74	76	3.8	26	1	1	2	4	10	13	32
75-79	40	4.4	29	1	1	2	4	11	16	28
80-84	16	4.4	35	1	1	2	3	11	20	24
85+	11	2.7	8	<1	<1	2	3	6	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.4	5	1	1	3	4	7	8	10
B. *Operated*	113	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	190	5.2	13	1	2	4	7	11	13	16
B. *Operated*	230	4.1	38	1	1	2	4	10	13	30
1. SINGLE DX	141	2.3	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	420	4.6	27	1	1	3	6	10	13	21
A. NOT OPERATED	218	5.0	12	1	2	4	7	10	12	16
B. OPERATED	343	3.4	27	1	1	2	3	7	11	24
TOTAL 65-69 YRS	205	4.0	30	1	1	2	5	8	11	16
70-74	192	3.9	16	1	1	3	4	9	11	18
75-79	95	4.6	20	1	1	3	5	10	14	24
80-84	43	4.5	19	<1	1	3	6	8	13	24
85+	26	3.0	10	<1	<1	2	3	10	11	12
GRAND TOTAL	**561**	**4.0**	**22**	**1**	**1**	**2**	**5**	**9**	**12**	**19**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	6.4	150	<1	<1	3	7	12	15	72
70-74	24	4.5	14	1	1	3	6	9	12	17
75-79	32	4.3	21	<1	<1	3	4	8	19	20
80-84	16	4.7	13	1	2	3	7	8	12	14
85+	14	5.5	27	<1	1	4	6	14	19	20
B. *Operated*										
65-69 YRS	466	2.1	2	<1	<1	2	3	4	4	7
70-74	438	2.1	4	<1	<1	2	2	4	4	8
75-79	441	2.1	2	<1	<1	2	2	3	4	7
80-84	324	2.3	2	<1	1	2	3	4	5	7
85+	243	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	4.6	25	<1	1	3	6	8	11	30
70-74	118	6.0	26	<1	1	5	8	13	16	25
75-79	123	6.0	32	1	1	5	7	11	13	33
80-84	97	6.8	56	1	1	5	8	14	19	44
85+	92	6.6	65	1	1	5	8	12	19	50
B. *Operated*										
65-69 YRS	764	2.9	8	1	1	2	3	5	7	15
70-74	899	3.2	18	1	1	2	4	5	7	18
75-79	905	3.2	8	1	1	2	4	6	8	15
80-84	709	3.4	19	1	1	2	4	6	8	23
85+	504	3.3	8	1	1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.1	55	<1	1	3	6	10	15	36
B. *Operated*	1912	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	528	6.0	40	1	1	4	7	11	17	31
B. *Operated*	3781	3.2	12	1	1	2	4	5	8	16
1. SINGLE DX	2032	2.4	6	<1	<1	2	3	4	5	9
2. MULTIPLE DX	4309	3.5	17	1	1	2	4	7	9	20
A. NOT OPERATED	648	5.8	43	1	1	4	7	11	16	31
B. OPERATED	5693	2.9	9	<1	1	2	3	5	7	14
TOTAL 65-69 YRS	1362	2.9	11	<1	1	2	3	5	7	15
70-74	1479	3.1	15	<1	1	2	3	5	8	17
75-79	1501	3.1	9	<1	1	2	4	6	8	15
80-84	1146	3.4	18	1	1	2	4	6	8	22
85+	853	3.4	14	1	1	2	4	6	9	16
GRAND TOTAL	**6341**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	4.2	23	1	1	3	5	6	9	32
70-74	42	3.4	9	<1	1	3	5	6	7	18
75-79	35	3.9	5	1	1	4	5	7	8	10
80-84	22	4.2	9	1	1	3	6	8	10	11
85+	14	6.9	21	1	1	6	12	14	14	14
B. *Operated*										
65-69 YRS	565	2.2	2	<1	1	2	2	3	4	9
70-74	621	2.1	2	<1	1	2	2	3	3	9
75-79	652	2.2	3	<1	1	2	2	3	4	10
80-84	428	2.2	3	<1	1	2	2	3	5	9
85+	232	2.1	3	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	200	4.6	13	1	1	4	6	9	11	21
70-74	203	4.9	14	1	1	4	7	9	12	21
75-79	170	6.0	27	1	1	4	8	13	17	26
80-84	128	5.2	14	1	1	4	7	10	14	17
85+	100	5.7	24	1	2	4	7	10	13	30
B. *Operated*										
65-69 YRS	1031	3.6	15	1	1	2	4	7	10	17
70-74	1172	3.6	14	1	1	2	4	7	10	19
75-79	1057	3.4	11	1	1	2	3	7	10	17
80-84	717	3.2	16	1	1	2	3	6	8	17
85+	403	4.0	39	1	1	2	3	8	12	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.2	14	1	1	4	5	8	10	18
B. *Operated*	2498	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	801	5.2	18	1	1	4	7	10	13	22
B. *Operated*	4380	3.5	16	1	1	2	4	7	10	19
1. SINGLE DX	2658	2.3	3	<1	1	2	2	3	5	10
2. MULTIPLE DX	5181	3.8	17	1	1	2	4	8	11	20
A. NOT OPERATED	961	5.0	17	1	1	4	7	10	13	21
B. OPERATED	6878	3.0	11	1	1	2	3	5	9	17
TOTAL 65-69 YRS	1843	3.3	12	1	1	2	4	6	9	16
70-74	2038	3.2	11	1	1	2	3	7	10	18
75-79	1914	3.2	11	1	1	2	3	7	10	17
80-84	1295	3.1	12	1	1	2	3	6	8	15
85+	749	3.7	26	1	1	2	4	7	10	27
GRAND TOTAL	**7839**	**3.3**	**13**	**1**	**1**	**2**	**3**	**7**	**9**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	23.0	1423	3	3	4	33	90	90	90
70-74	9	2.3	2	1	1	2	3	4	4	4
75-79	4	4.0	1	3	3	4	5	5	5	5
80-84	5	5.8	4	4	4	5	7	9	9	9
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	11	2.0	1	<1	<1	2	2	4	5	5
70-74	10	1.8		1	1	2	2	3	3	3
75-79	9	1.9	1	<1	<1	2	2	3	3	3
80-84	3	2.0		2	2	2	2	2	2	2
85+	5	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	5.9	40	1	2	4	7	10	17	38
70-74	74	6.0	125	1	1	3	5	9	13	73
75-79	53	5.9	28	2	2	4	7	10	14	32
80-84	32	7.5	18	2	2	7	10	13	15	19
85+	25	4.3	11	1	1	3	6	10	11	13
B. *Operated*										
65-69 YRS	66	3.9	14	1	1	3	4	8	11	22
70-74	58	5.0	19	1	2	3	6	11	16	21
75-79	38	3.9	5	1	1	3	5	7	9	10
80-84	34	4.2	9	1	1	3	7	8	10	13
85+	15	8.9	248	<1	2	5	7	10	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.4	304	1	1	4	5	9	33	90
B. *Operated*	38	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	250	6.0	57	1	2	4	7	11	15	39
B. *Operated*	211	4.6	30	1	1	3	6	9	11	22
1. SINGLE DX	63	4.1	125	<1	1	2	3	5	7	80
2. MULTIPLE DX	461	5.3	45	1	1	4	7	10	13	32
A. NOT OPERATED	275	6.1	78	1	2	4	7	11	15	51
B. OPERATED	249	4.2	27	1	1	3	5	8	10	21
TOTAL 65-69 YRS	148	5.3	75	1	1	3	6	10	14	40
70-74	151	5.1	70	1	1	3	5	9	13	55
75-79	104	4.7	18	1	1	4	6	9	10	27
80-84	74	5.6	15	1	2	5	8	11	13	18
85+	47	5.4	88	<1	1	3	6	10	11	65
GRAND TOTAL	**524**	**5.2**	**55**	**1**	**1**	**3**	**6**	**10**	**13**	**34**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	8	<1	<1	1	5	6	6	6
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
65-69 YRS	164	1.8	1	<1	1	2	2	3	3	6
70-74	82	1.7		<1	1	2	2	3	3	3
75-79	41	1.9	1	<1	1	2	2	3	3	4
80-84	15	1.9	1	<1	1	2	2	3	4	5
85+	13	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	4.9	13	1	2	4	6	11	14	14
70-74	45	5.6	13	1	1	5	7	11	12	16
75-79	34	7.2	37	1	1	6	9	13	17	32
80-84	26	7.0	27	2	3	6	9	12	15	28
85+	19	6.2	20	2	3	4	9	12	16	19
B. *Operated*										
65-69 YRS	270	2.9	8	1	1	2	3	5	7	17
70-74	160	2.4	3	1	1	2	3	4	6	8
75-79	70	3.1	14	1	1	2	3	5	9	25
80-84	25	6.9	254	1	1	2	4	11	37	80
85+	20	4.4	18	<1	1	3	6	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	4	<1	<1	3	5	6	7	7
B. *Operated*	315	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	175	6.0	21	1	2	5	8	11	14	26
B. *Operated*	545	3.0	20	1	1	2	3	5	8	19
1. SINGLE DX	325	1.8	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	720	3.7	21	1	1	2	4	8	11	20
A. NOT OPERATED	185	5.8	20	1	2	5	8	11	13	25
B. OPERATED	860	2.6	13	1	1	2	3	4	6	15
TOTAL 65-69 YRS	488	2.8	7	1	1	2	3	5	7	14
70-74	290	2.7	6	1	1	2	3	5	7	13
75-79	146	3.7	19	1	1	2	4	9	11	28
80-84	66	5.8	109	1	1	3	6	10	14	72
85+	55	4.2	16	1	1	3	5	10	12	19
GRAND TOTAL	**1045**	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	4.4	5	2	2	4	6	8	9	9
70-74	7	3.4	3	<1	<1	4	5	5	5	5
75-79	3	5.0	1	4	4	5	6	6	6	6
80-84	3	15.3	170	3	3	14	25	29	29	29
85+	10	6.0	14	3	3	5	6	11	16	16
B. *Operated*										
65-69 YRS	29	3.2	14	1	1	2	3	8	13	17
70-74	17	3.1	11	<1	<1	2	3	7	12	14
75-79	15	4.5	31	<1	<1	2	4	17	17	17
80-84	5	3.4	15	1	1	1	5	10	10	10
85+	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	7.7	47	1	2	6	9	15	28	30
70-74	62	8.3	32	3	3	7	10	15	18	33
75-79	60	9.2	48	2	3	7	11	20	27	30
80-84	43	12.4	248	3	3	7	11	36	58	66
85+	42	8.1	55	2	3	6	10	13	21	43
B. *Operated*										
65-69 YRS	92	6.1	87	1	1	3	7	15	27	85
70-74	79	8.0	108	1	2	3	9	22	27	56
75-79	56	9.5	103	1	1	6	14	25	38	96
80-84	45	13.2	188	2	2	8	20	25	41	64
85+	25	11.0	70	1	2	11	16	19	29	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.6	24	2	2	5	6	9	15	29
B. *Operated*	70	3.4	16	<1	1	2	3	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	274	9.0	78	2	3	6	10	16	28	56
B. *Operated*	297	8.7	114	1	1	4	12	22	33	65
1. SINGLE DX	108	4.2	20	<1	1	3	5	10	14	22
2. MULTIPLE DX	571	8.8	96	1	2	6	11	20	29	62
A. NOT OPERATED	312	8.5	72	2	3	6	10	15	28	53
B. OPERATED	367	7.7	99	1	1	3	10	20	27	64
TOTAL 65-69 YRS	203	6.1	59	1	1	3	7	13	24	51
70-74	165	7.4	67	1	2	5	9	15	22	45
75-79	134	8.7	70	1	2	6	12	21	29	50
80-84	96	12.4	206	1	2	7	13	26	55	65
85+	81	8.5	55	1	2	6	11	16	23	40
GRAND TOTAL	**679**	**8.1**	**87**	**1**	**2**	**5**	**10**	**18**	**27**	**59**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	331	2.9	3	1	1	3	4	5	6	10
70-74	262	3.2	4	1	1	3	4	6	8	9
75-79	231	3.3	4	1	1	3	4	6	7	11
80-84	127	3.3	4	1	1	3	4	6	7	10
85+	79	4.1	9	1	2	3	5	8	10	18
B. *Operated*										
65-69 YRS	61	3.9	6	1	1	3	5	8	9	12
70-74	49	3.7	12	1	1	2	4	8	11	16
75-79	24	3.5	5	1	2	3	4	8	9	9
80-84	5	3.0	3	1	1	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1516	4.4	9	1	2	4	6	8	10	15
70-74	1615	4.5	11	1	2	4	6	8	11	16
75-79	1477	4.7	11	1	2	4	6	9	11	17
80-84	976	5.0	13	1	2	4	6	9	12	19
85+	636	5.3	12	1	2	4	7	10	12	17
B. *Operated*										
65-69 YRS	147	6.9	32	2	2	5	9	13	19	30
70-74	161	6.5	24	2	2	5	8	13	19	23
75-79	115	7.7	23	2	3	7	10	13	16	27
80-84	59	9.0	44	3	4	7	12	16	19	40
85+	47	7.1	17	2	2	6	10	13	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	3.2	4	1	1	3	4	6	7	10
B. *Operated*	140	3.7	8	1	1	3	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	6220	4.7	11	1	2	4	6	9	11	17
B. *Operated*	529	7.2	28	2	2	6	9	14	17	27
1. SINGLE DX	1170	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	6749	4.9	13	1	2	4	6	9	12	18
A. NOT OPERATED	7250	4.5	10	1	2	4	6	8	10	16
B. OPERATED	669	6.5	26	2	2	5	8	13	16	26
TOTAL 65-69 YRS	2055	4.4	10	1	2	4	5	8	10	16
70-74	2087	4.5	12	1	2	4	6	8	11	18
75-79	1847	4.7	12	1	2	4	6	9	11	17
80-84	1167	5.0	15	1	2	4	6	9	12	19
85+	763	5.3	13	1	2	4	7	10	12	18
GRAND TOTAL	**7919**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.8		<1	<1	2	2	2	2	2
70-74	6	2.0		2	2	2	2	2	2	2
75-79	3	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	170	2.0	1	1	1	2	3	3	4	5
70-74	106	2.0	1	1	1	2	3	3	3	5
75-79	61	2.1	1	1	1	2	3	3	4	5
80-84	17	1.5		1	1	1	2	2	3	3
85+	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	2	1	1	2	3	5	5	5
70-74	8	6.4	23	2	2	5	9	13	15	15
75-79	4	1.8		1	1	2	2	2	2	2
80-84	4	7.8	92	2	2	4	13	22	22	22
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	117	2.5	1	1	1	2	3	4	5	6
70-74	57	2.4	1	1	1	2	3	3	4	6
75-79	36	2.5	2	1	1	2	3	4	5	7
80-84	11	2.6	1	1	1	3	3	4	4	4
85+	4	2.5		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9		<1	2	2	2	2	2	2
B. *Operated*	360	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	22	4.7	27	1	1	2	5	11	18	22
B. *Operated*	225	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	375	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	247	2.7	4	1	1	2	3	4	5	10
A. NOT OPERATED	37	3.6	18	1	2	2	3	9	13	22
B. OPERATED	585	2.2	1	1	1	2	3	3	4	6
TOTAL 65-69 YRS	298	2.2	1	1	1	2	3	3	4	6
70-74	177	2.3	3	1	1	2	3	3	4	10
75-79	104	2.2	1	1	1	2	3	3	4	6
80-84	32	2.7	13	1	1	2	3	4	5	22
85+	11	2.5	1	1	1	2	3	4	5	5
GRAND TOTAL	**622**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.7	6	<1	<1	4	5	7	8	9
70-74	15	4.8	6	1	1	4	7	8	9	9
75-79	15	3.5	4	1	1	4	4	6	8	8
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	186	2.0	2	<1	1	2	2	3	4	10
70-74	113	2.2	1	1	1	2	3	3	4	6
75-79	56	1.9	1	<1	1	2	2	3	3	6
80-84	19	1.7	1	<1	1	2	2	2	3	4
85+	10	2.1	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	4.4	9	1	2	4	6	8	9	19
70-74	71	4.4	7	<1	1	4	6	8	10	11
75-79	37	4.4	6	1	2	4	5	6	10	13
80-84	32	6.2	36	1	2	5	7	11	14	34
85+	27	6.1	16	2	2	5	8	13	14	15
B. *Operated*										
65-69 YRS	312	2.7	6	1	1	2	3	5	7	15
70-74	184	2.5	2	1	1	2	3	4	5	9
75-79	117	3.1	6	1	1	2	4	6	8	13
80-84	34	3.5	10	1	1	2	4	9	11	14
85+	16	6.6	99	1	1	3	6	18	34	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.9	5	1	1	4	5	8	8	9
B. *Operated*	384	2.0	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	250	4.8	13	1	2	4	6	8	11	15
B. *Operated*	663	2.9	8	1	1	2	3	5	7	14
1. SINGLE DX	439	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	913	3.4	10	1	1	2	4	7	9	15
A. NOT OPERATED	305	4.7	11	1	1	4	6	8	11	15
B. OPERATED	1047	2.5	6	1	1	2	3	4	6	14
TOTAL 65-69 YRS	602	2.8	6	1	1	2	3	5	7	14
70-74	383	2.9	4	1	1	2	3	5	7	10
75-79	225	3.0	5	1	1	2	4	6	7	11
80-84	87	4.1	20	1	1	2	6	9	11	27
85+	55	5.4	39	1	1	3	7	12	15	39
GRAND TOTAL	**1352**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	18	5	5	8	11	11	11	11
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	9.4	51	2	2	8	10	19	20	34
70-74	40	8.5	26	1	3	7	11	17	19	23
75-79	34	11.2	102	3	3	8	12	24	34	49
80-84	22	8.1	30	1	2	6	12	15	19	22
85+	9	7.4	17	4	4	6	9	14	17	17
B. *Operated*										
65-69 YRS	27	10.5	91	2	2	7	18	29	40	99+
70-74	15	14.7	112	1	2	12	22	32	33	33
75-79	8	13.9	219	1	2	8	19	39	46	46
80-84	7	12.0	27	4	5	13	16	18	18	18
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	9	4	4	6	10	11	11	11
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	135	9.2	51	2	3	7	12	18	22	37
B. *Operated*	58	12.1	104	1	2	10	18	31	33	95
1. SINGLE DX	7	6.1	10	2	2	5	9	11	11	11
2. MULTIPLE DX	193	10.1	68	2	2	8	13	20	31	48
A. NOT OPERATED	141	9.1	50	2	3	7	11	18	21	36
B. OPERATED	59	11.9	104	1	2	9	17	30	33	95
TOTAL 65-69 YRS	59	9.8	67	2	2	8	14	22	32	93
70-74	58	9.8	55	1	2	8	12	19	28	33
75-79	44	11.6	116	2	3	8	13	25	38	49
80-84	29	9.0	32	2	3	7	13	17	18	22
85+	10	6.9	18	2	3	6	9	13	17	17
GRAND TOTAL	**200**	**10.0**	**67**	**2**	**2**	**8**	**12**	**20**	**30**	**47**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	4.3	10	1	1	3	7	9	9	9
70-74	12	4.3	4	1	2	4	6	7	8	8
75-79	7	5.1	10	2	2	4	8	10	10	10
80-84	5	2.8	3	2	2	2	3	6	6	6
85+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
65-69 YRS	51	6.6	50	1	1	2	12	19	20	26
70-74	43	5.9	31	1	1	2	11	15	17	18
75-79	13	16.1	647	1	2	10	18	41	86	96
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	317	8.2	49	2	2	6	10	17	22	35
70-74	368	8.9	54	2	3	7	11	16	22	40
75-79	316	8.9	38	3	3	7	11	17	21	35
80-84	210	9.6	83	2	3	7	11	17	24	61
85+	122	8.6	31	2	3	7	11	17	22	24
B. *Operated*										
65-69 YRS	607	12.6	128	2	2	11	17	27	36	55
70-74	464	12.3	147	2	2	10	17	28	36	58
75-79	225	13.5	155	2	2	11	19	29	37	57
80-84	54	15.1	218	1	2	10	20	33	53	67
85+	22	13.9	118	2	3	10	23	29	37	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.3	7	1	2	4	6	9	9	10
B. *Operated*	107	7.5	119	1	1	2	12	18	20	57
2. MULTIPLE DX										
A. *Not Operated*	1333	8.8	52	2	3	7	11	17	22	41
B. *Operated*	1372	12.8	142	2	2	11	17	28	36	57
1. SINGLE DX	141	6.7	94	1	1	3	10	16	19	33
2. MULTIPLE DX	2705	10.8	102	2	2	8	14	23	31	52
A. NOT OPERATED	1367	8.7	51	2	3	7	11	17	22	41
B. OPERATED	1479	12.4	142	2	2	10	17	27	36	57
TOTAL 65-69 YRS	983	10.8	103	2	2	8	15	24	31	49
70-74	887	10.4	105	2	2	7	14	22	31	50
75-79	561	10.9	103	2	2	8	14	22	30	54
80-84	269	10.6	114	2	3	8	12	20	32	65
85+	146	9.3	47	2	3	8	12	20	23	33
GRAND TOTAL	**2846**	**10.6**	**102**	**2**	**2**	**8**	**14**	**22**	**30**	**52**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	299	4.3	8	1	2	3	6	8	10	14
70-74	278	4.6	13	1	2	4	6	8	12	19
75-79	176	4.2	7	1	2	4	5	8	9	13
80-84	117	4.5	12	1	2	4	5	10	13	16
85+	61	4.8	20	1	1	4	6	8	11	29
B. *Operated*										
65-69 YRS	31	4.4	9	1	2	4	5	8	13	14
70-74	22	4.4	11	1	1	3	5	11	12	13
75-79	14	3.3	5	1	1	3	4	7	9	9
80-84	8	5.6	24	<1	<1	4	10	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2989	5.8	17	2	2	5	7	10	13	20
70-74	2918	6.1	28	2	2	5	7	11	15	28
75-79	2317	6.7	44	2	2	5	8	12	16	33
80-84	1538	6.7	31	2	2	5	8	13	16	29
85+	1068	7.0	46	2	2	5	8	14	19	41
B. *Operated*										
65-69 YRS	459	9.8	71	2	2	7	12	19	25	47
70-74	381	10.7	97	2	3	8	14	20	27	43
75-79	268	10.4	54	2	3	9	14	19	24	36
80-84	151	11.0	103	2	3	9	15	19	26	66
85+	106	12.7	111	2	3	10	17	25	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	931	4.4	11	1	2	4	6	8	11	17
B. *Operated*	76	4.3	10	1	1	3	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	10830	6.3	31	2	2	5	8	12	15	29
B. *Operated*	1365	10.5	82	2	3	8	14	20	26	47
1. SINGLE DX	1007	4.4	11	1	2	4	6	8	11	16
2. MULTIPLE DX	12195	6.8	38	2	2	5	8	13	17	32
A. NOT OPERATED	11761	6.2	29	2	2	5	7	11	15	28
B. OPERATED	1441	10.2	80	2	2	8	13	20	26	47
TOTAL 65-69 YRS	3778	6.2	25	2	2	5	8	11	15	25
70-74	3599	6.5	36	2	2	5	8	12	16	30
75-79	2775	6.9	44	2	2	5	8	13	17	33
80-84	1814	6.9	38	2	2	5	8	13	17	30
85+	1236	7.4	53	2	2	5	9	15	21	51
GRAND TOTAL	**13202**	**6.6**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	5.3	13	1	2	5	7	9	11	21
70-74	111	6.3	13	2	3	5	8	11	14	17
75-79	91	6.0	13	2	2	5	8	11	13	17
80-84	111	6.8	30	2	2	5	8	13	16	30
85+	71	7.5	43	2	3	6	8	13	17	40
B. *Operated*										
65-69 YRS	20	3.0	8	1	1	2	3	7	10	11
70-74	12	4.2	10	2	2	3	6	10	10	10
75-79	4	5.3	28	1	1	4	9	12	12	12
80-84	2	7.0	2	6	6	7	8	8	8	8
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2109	8.3	47	2	3	7	10	15	19	35
70-74	2467	8.3	42	2	3	7	10	15	20	33
75-79	2323	8.4	36	2	3	7	10	15	20	33
80-84	1974	9.3	70	2	3	7	11	17	22	56
85+	1593	9.7	68	3	3	7	12	19	25	51
B. *Operated*										
65-69 YRS	363	11.6	106	2	2	9	15	26	32	55
70-74	327	13.4	158	2	3	10	16	28	40	87
75-79	248	12.9	88	2	4	10	17	26	34	49
80-84	186	14.2	138	4	5	12	18	27	38	96
85+	113	15.8	143	4	5	12	22	30	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	6.3	21	2	2	5	8	11	14	25
B. *Operated*	39	3.8	10	1	1	2	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	10466	8.7	51	2	3	7	11	16	21	39
B. *Operated*	1237	13.1	125	2	3	10	17	27	36	78
1. SINGLE DX	529	6.1	21	2	2	5	8	11	14	24
2. MULTIPLE DX	11703	9.2	61	2	3	7	11	17	23	43
A. NOT OPERATED	10956	8.6	50	2	3	7	10	16	21	38
B. OPERATED	1276	12.8	124	2	3	10	17	27	35	77
TOTAL 65-69 YRS	2598	8.6	56	2	3	7	10	16	21	39
70-74	2917	8.8	57	2	3	7	10	16	22	39
75-79	2666	8.8	42	2	3	7	11	16	21	36
80-84	2273	9.5	75	2	3	7	11	18	24	57
85+	1778	10.0	74	3	3	7	12	20	26	55
GRAND TOTAL	**12232**	**9.1**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.3	37	1	1	4	9	12	21	26
70-74	26	7.4	29	3	3	6	9	16	19	25
75-79	11	7.4	20	3	3	6	11	14	16	16
80-84	8	13.6	150	1	1	13	17	33	39	39
85+	6	8.8	63	3	3	6	10	23	24	24
B. *Operated*										
65-69 YRS	33	5.5	25	1	1	4	7	11	14	25
70-74	24	6.9	103	1	2	5	7	9	24	53
75-79	9	7.3	38	1	1	7	12	16	18	18
80-84	4	9.5	23	5	5	9	13	15	15	15
85+	3	5.3	4	3	3	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	346	8.4	48	2	3	7	11	17	21	30
70-74	313	9.6	74	2	3	7	11	20	26	52
75-79	332	10.3	76	2	3	8	13	21	26	52
80-84	253	10.9	70	3	4	8	14	19	27	45
85+	175	11.8	124	3	3	9	15	22	30	65
B. *Operated*										
65-69 YRS	440	13.6	162	2	2	10	18	29	38	65
70-74	338	12.5	113	2	3	9	17	25	33	50
75-79	185	16.0	209	3	3	11	21	35	53	99+
80-84	91	16.6	252	3	4	12	20	37	53	95
85+	39	16.4	140	3	5	12	24	39	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	7.8	47	1	2	6	10	17	23	35
B. *Operated*	73	6.4	50	1	1	5	8	12	15	47
2. MULTIPLE DX										
A. *Not Operated*	1419	9.9	74	2	3	7	12	20	25	48
B. *Operated*	1093	14.0	163	2	3	10	18	30	40	75
1. SINGLE DX	150	7.1	49	1	2	5	9	14	18	39
2. MULTIPLE DX	2512	11.7	117	2	3	9	15	24	33	63
A. NOT OPERATED	1496	9.8	73	2	3	7	12	19	25	46
B. OPERATED	1166	13.5	160	2	3	10	18	29	39	74
TOTAL 65-69 YRS	845	10.9	114	2	2	8	14	23	30	58
70-74	701	10.8	95	2	3	8	14	22	29	51
75-79	537	12.1	128	2	3	9	16	27	35	76
80-84	356	12.4	123	3	4	9	15	25	32	72
85+	223	12.4	126	3	3	9	17	25	37	73
GRAND TOTAL	**2662**	**11.5**	**114**	**2**	**3**	**8**	**15**	**24**	**32**	**61**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1378	9.9	13	4	6	10	12	14	16	21
70-74	1203	10.2	16	4	6	10	12	15	16	23
75-79	760	10.4	17	4	6	10	12	15	18	24
80-84	441	10.4	17	5	6	10	12	15	17	23
85+	288	10.0	22	3	5	9	12	15	19	26
B. *Operated*										
65-69 YRS	172	10.7	72	2	3	10	13	16	20	37
70-74	78	11.4	44	2	2	11	14	20	25	29
75-79	47	12.4	46	3	4	11	15	21	25	36
80-84	21	13.5	44	4	7	14	15	23	27	31
85+	9	15.2	35	6	7	18	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11437	11.4	29	5	6	11	14	17	21	31
70-74	12251	11.9	36	5	6	11	14	18	22	35
75-79	10813	12.3	42	5	6	11	14	19	24	37
80-84	7818	12.7	50	5	6	11	15	20	25	41
85+	5401	13.0	58	5	6	11	15	21	27	46
B. *Operated*										
65-69 YRS	3128	15.1	101	3	6	13	18	26	34	60
70-74	2585	16.4	108	5	7	14	19	28	36	58
75-79	1631	18.0	127	7	8	15	22	32	41	68
80-84	897	18.1	108	7	8	16	23	32	40	68
85+	559	18.9	107	7	9	17	23	32	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4070	10.1	16	4	6	10	12	15	17	23
B. *Operated*	327	11.4	59	2	3	11	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	47720	12.1	41	5	6	11	14	19	23	36
B. *Operated*	8800	16.6	111	5	7	14	20	29	37	63
1. SINGLE DX	4397	10.2	19	4	6	10	12	15	17	24
2. MULTIPLE DX	56520	12.8	54	5	6	11	15	21	26	43
A. NOT OPERATED	51790	12.0	39	5	6	11	14	19	23	35
B. OPERATED	9127	16.4	110	5	7	14	20	29	37	63
TOTAL 65-69 YRS	16115	12.0	44	4	6	11	14	19	23	38
70-74	16117	12.5	49	5	6	11	14	20	25	40
75-79	13251	12.9	55	5	6	11	15	21	26	44
80-84	9177	13.1	57	5	7	12	15	21	27	44
85+	6257	13.4	64	5	6	12	16	22	28	47
GRAND TOTAL	**60917**	**12.6**	**52**	**5**	**6**	**11**	**15**	**20**	**25**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	659	3.5	4	1	1	3	4	6	8	10
70-74	559	3.8	10	1	1	3	5	7	8	13
75-79	437	3.8	5	1	2	3	5	7	8	10
80-84	269	3.8	5	1	2	3	5	6	8	13
85+	180	3.9	8	1	1	3	5	7	10	15
B. *Operated*										
65-69 YRS	179	3.2	8	1	1	2	3	8	10	14
70-74	83	3.1	15	1	1	2	3	6	9	25
75-79	28	3.6	16	1	1	2	4	9	13	18
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8257	4.8	11	1	2	4	6	9	11	17
70-74	8491	5.1	15	2	2	4	6	9	11	19
75-79	7277	5.3	16	2	2	4	7	10	12	20
80-84	5224	5.5	19	2	2	4	7	10	13	20
85+	3550	5.4	17	2	2	4	7	10	13	20
B. *Operated*										
65-69 YRS	3450	6.3	41	1	2	4	9	14	17	29
70-74	2274	6.6	42	1	2	4	9	14	19	30
75-79	1074	8.3	71	1	2	6	11	17	23	46
80-84	382	9.9	79	2	2	8	13	20	28	51
85+	198	11.1	119	3	3	8	14	22	31	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2104	3.7	6	1	1	3	5	7	8	12
B. *Operated*	293	3.3	11	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	32799	5.2	15	2	2	4	6	9	12	19
B. *Operated*	7378	7.0	51	1	2	5	10	15	19	35
1. SINGLE DX	2397	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	40177	5.5	22	1	2	4	7	10	13	23
A. NOT OPERATED	34903	5.1	15	2	2	4	6	9	11	19
B. OPERATED	7671	6.8	50	1	2	4	10	15	19	34
TOTAL 65-69 YRS	12545	5.1	19	1	2	4	6	10	13	21
70-74	11407	5.3	21	1	2	4	7	10	13	22
75-79	8816	5.6	23	2	2	4	7	10	13	23
80-84	5877	5.7	24	2	2	4	7	10	13	22
85+	3929	5.6	23	2	2	5	7	10	13	24
GRAND TOTAL	**42574**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	735	4.5	7	1	2	4	6	8	9	13
70-74	763	4.6	7	2	2	4	6	8	9	14
75-79	576	4.7	10	1	2	4	6	8	10	15
80-84	361	5.1	10	2	2	4	6	9	11	16
85+	234	4.9	11	1	2	4	6	9	11	17
B. *Operated*										
65-69 YRS	143	6.5	31	1	1	5	9	14	17	25
70-74	116	5.8	24	1	1	5	8	12	15	26
75-79	41	6.4	26	1	2	6	9	15	16	19
80-84	13	6.3	34	<1	1	5	10	16	18	18
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10016	5.9	16	2	2	5	7	10	13	20
70-74	10851	6.2	17	2	2	5	8	11	14	21
75-79	9770	6.4	19	2	3	5	8	11	14	22
80-84	6830	6.7	26	2	3	5	8	12	15	26
85+	4211	6.9	29	2	3	6	8	12	16	29
B. *Operated*										
65-69 YRS	3909	9.8	62	2	2	9	13	19	24	37
70-74	2878	10.8	77	2	2	9	14	21	26	42
75-79	1485	11.9	81	2	3	10	15	22	28	43
80-84	645	13.3	113	3	4	11	17	26	34	61
85+	240	13.5	107	4	4	11	18	25	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2669	4.7	8	2	2	4	6	8	10	14
B. *Operated*	314	6.2	28	1	1	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	41678	6.3	20	2	3	5	8	11	14	23
B. *Operated*	9157	10.8	76	2	2	9	14	21	26	42
1. SINGLE DX	2983	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX	50835	7.1	33	2	2	6	9	13	17	29
A. NOT OPERATED	44347	6.2	19	2	2	5	8	11	14	22
B. OPERATED	9471	10.7	75	2	2	9	14	20	26	42
TOTAL 65-69 YRS	14803	6.9	31	2	2	5	9	13	17	29
70-74	14608	7.0	32	2	2	5	9	13	17	29
75-79	11872	7.0	30	2	3	6	9	13	17	28
80-84	7849	7.2	36	2	3	6	9	13	17	31
85+	4686	7.1	35	2	3	6	9	13	17	33
GRAND TOTAL	**53818**	**7.0**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	182	5.1	29	1	2	4	6	9	13	27
70-74	143	4.9	30	1	2	3	6	9	12	26
75-79	110	4.7	10	1	2	4	6	9	11	16
80-84	77	6.2	41	1	2	4	9	12	17	86
85+	46	5.5	18	2	2	4	7	9	12	27
B. *Operated*										
65-69 YRS	1329	4.7	22	1	1	2	7	12	15	21
70-74	659	5.5	32	1	1	2	9	13	17	26
75-79	207	5.2	34	1	1	2	8	14	18	25
80-84	37	6.0	40	1	1	2	9	17	19	23
85+	5	5.8	53	1	1	2	10	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3437	6.0	22	2	2	5	7	11	14	23
70-74	3737	6.4	25	2	2	5	8	12	15	23
75-79	3439	6.7	28	2	2	5	8	12	16	28
80-84	2734	7.3	32	2	3	6	9	13	17	32
85+	2272	7.9	53	2	3	6	9	14	20	44
B. *Operated*										
65-69 YRS	7795	8.1	64	1	2	6	12	17	22	39
70-74	4826	9.2	82	1	2	7	13	19	25	44
75-79	1899	10.5	102	1	2	8	14	22	30	52
80-84	502	12.3	133	2	2	10	17	27	34	62
85+	207	13.7	177	2	3	10	16	26	38	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	5.2	26	1	2	4	6	10	13	27
B. *Operated*	2237	5.0	27	1	1	2	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	15619	6.8	31	2	2	5	8	12	16	29
B. *Operated*	15229	8.9	79	1	2	7	12	19	24	44
1. SINGLE DX	2795	5.0	27	1	1	2	7	12	15	24
2. MULTIPLE DX	30848	7.8	56	2	2	6	10	16	21	38
A. NOT OPERATED	16177	6.7	31	2	2	5	8	12	16	29
B. OPERATED	17466	8.4	74	1	2	6	12	18	24	42
TOTAL 65-69 YRS	12743	7.1	49	1	2	5	10	15	19	33
70-74	9365	7.8	57	1	2	6	10	16	21	36
75-79	5655	7.9	56	2	2	6	10	16	21	40
80-84	3350	8.0	51	2	2	6	10	15	20	40
85+	2530	8.3	65	2	3	6	10	15	21	47
GRAND TOTAL	**33643**	**7.6**	**54**	**1**	**2**	**6**	**10**	**16**	**20**	**37**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	9.9	15	5	6	9	12	15	17	22
70-74	108	10.0	43	5	6	9	11	14	16	41
75-79	78	9.1	22	2	5	8	10	14	18	30
80-84	49	11.0	28	3	5	11	13	15	21	33
85+	31	10.3	28	4	5	9	12	17	22	27
B. *Operated*										
65-69 YRS	26	12.3	52	3	4	11	15	20	30	31
70-74	25	11.5	38	2	4	11	14	16	24	32
75-79	8	12.6	15	9	9	11	16	18	18	18
80-84	4	4.8	8	2	2	4	7	8	8	8
85+	4	9.8	2	8	8	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1291	11.9	37	5	6	11	14	18	22	35
70-74	1364	12.2	40	5	7	11	14	19	23	35
75-79	1210	12.8	54	5	6	11	15	20	25	44
80-84	824	13.0	56	5	6	11	15	21	27	46
85+	570	14.2	71	5	7	12	18	23	30	48
B. *Operated*										
65-69 YRS	410	16.0	89	6	8	14	20	27	36	54
70-74	365	16.8	148	6	8	14	20	27	39	72
75-79	288	17.3	127	7	8	14	20	31	44	98
80-84	192	17.0	119	6	8	15	20	28	39	80
85+	98	16.8	86	7	8	16	21	29	34	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	9.9	26	4	6	9	12	15	17	25
B. *Operated*	67	11.4	39	2	4	11	14	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	5259	12.6	49	5	6	11	15	20	25	39
B. *Operated*	1353	16.7	117	6	8	14	20	28	39	71
1. SINGLE DX	483	10.1	28	4	5	9	12	15	18	31
2. MULTIPLE DX	6612	13.4	65	5	7	12	16	22	27	47
A. NOT OPERATED	5675	12.4	47	5	6	11	15	20	24	38
B. OPERATED	1420	16.4	115	6	8	14	20	28	38	67
TOTAL 65-69 YRS	1877	12.6	50	5	6	11	15	21	25	41
70-74	1862	12.9	65	5	7	11	15	21	26	43
75-79	1584	13.4	69	5	7	12	16	22	28	48
80-84	1069	13.6	68	5	7	12	16	23	29	50
85+	703	14.4	73	5	7	12	18	24	30	51
GRAND TOTAL	**7095**	**13.2**	**63**	**5**	**7**	**11**	**15**	**21**	**27**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	8.7	30	5	5	6	13	15	15	15
70-74	5	16.8	59	10	10	15	21	29	29	29
75-79	1	31.0		31	31	31	31	31	31	31
80-84										
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	2	17.5	265	6	6	17	29	29	29	29
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	26.9	157	7	10	29	35	45	47	74
70-74	113	27.8	223	5	8	28	35	45	59	72
75-79	109	26.4	188	9	11	24	36	45	51	65
80-84	62	25.6	203	3	6	25	36	45	49	57
85+	50	29.2	235	5	7	28	37	44	53	87
B. *Operated*										
65-69 YRS	67	34.3	207	13	15	33	43	54	59	74
70-74	84	37.5	235	15	19	36	46	64	82	99+
75-79	50	34.1	213	14	19	31	44	50	60	80
80-84	25	35.4	223	12	18	39	44	57	59	66
85+	24	37.3	191	18	21	33	45	56	68	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	15.1	79	5	5	13	19	30	31	31
B. *Operated*	4	11.3	151	<1	<1	7	19	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	447	27.1	196	6	9	28	35	45	51	66
B. *Operated*	250	35.7	216	14	18	34	44	56	66	99+
1. SINGLE DX	14	14.0	93	1	4	11	19	29	31	31
2. MULTIPLE DX	697	30.2	220	7	12	30	40	48	58	81
A. NOT OPERATED	457	26.8	196	6	9	28	35	45	51	66
B. OPERATED	254	35.3	224	14	17	34	44	55	66	99
TOTAL 65-69 YRS	184	29.2	193	7	11	29	37	47	55	73
70-74	204	31.4	251	6	12	30	40	53	65	99+
75-79	161	28.7	209	9	12	28	38	46	54	68
80-84	87	28.4	226	4	9	28	41	47	55	63
85+	75	31.5	236	6	10	30	39	48	56	83
GRAND TOTAL	**711**	**29.9**	**222**	**7**	**11**	**29**	**39**	**48**	**58**	**81**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	98	3.1	9	<1	1	2	3	6	9	18
70-74	82	2.7	3	1	1	2	4	5	6	8
75-79	46	3.1	5	<1	1	2	4	6	8	10
80-84	27	3.4	10	1	1	2	5	7	11	14
85+	28	3.5	6	1	1	3	4	6	9	11
B. *Operated*										
65-69 YRS	3	5.0	7	2	2	6	7	7	7	7
70-74	3	3.7	2	2	2	4	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	823	4.7	13	1	1	4	6	9	12	17
70-74	832	5.2	20	1	2	4	6	10	13	23
75-79	712	5.5	28	1	2	4	7	11	14	25
80-84	499	6.0	21	1	2	5	8	11	14	25
85+	357	6.2	23	2	2	5	7	12	15	31
B. *Operated*										
65-69 YRS	69	10.1	128	2	2	8	12	22	25	72
70-74	91	10.8	60	3	4	9	13	20	26	44
75-79	51	11.5	68	2	4	10	14	22	26	41
80-84	41	14.2	270	2	4	11	16	22	39	99
85+	19	14.8	402	2	5	11	14	17	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.0	6	1	1	2	4	6	8	12
B. *Operated*	7	4.3	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	3223	5.4	21	1	2	4	7	10	13	23
B. *Operated*	271	11.5	134	2	3	9	14	21	26	74
1. SINGLE DX	288	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	3494	5.8	32	1	2	4	7	11	14	26
A. NOT OPERATED	3504	5.2	20	1	2	4	6	10	13	23
B. OPERATED	278	11.3	132	2	3	9	13	21	25	72
TOTAL 65-69 YRS	993	4.9	23	1	1	4	6	10	13	22
70-74	1008	5.5	25	1	1	4	7	11	14	25
75-79	810	5.7	32	1	2	4	7	11	14	28
80-84	567	6.4	43	1	2	5	8	12	16	28
85+	404	6.4	42	1	2	5	8	12	15	31
GRAND TOTAL	**3782**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	485	2.9	5	<1	1	2	4	6	7	11
70-74	397	3.2	7	<1	1	2	4	7	9	12
75-79	280	3.2	5	<1	1	2	4	6	8	11
80-84	166	3.9	17	1	1	3	5	8	11	26
85+	127	4.0	9	1	1	3	5	8	10	15
B. *Operated*										
65-69 YRS	16	6.3	62	<1	1	4	8	11	26	33
70-74	7	5.7	28	1	1	4	10	14	14	14
75-79	10	6.8	81	1	1	4	6	21	31	31
80-84	4	9.8	86	2	2	7	16	23	23	23
85+	5	6.0	2	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4616	5.1	17	1	2	4	6	10	13	21
70-74	5229	5.7	25	1	2	4	7	11	14	25
75-79	4984	6.1	27	1	2	5	8	12	15	27
80-84	3825	7.0	42	2	2	5	8	13	18	33
85+	3212	7.5	55	2	2	6	9	14	19	45
B. *Operated*										
65-69 YRS	472	10.6	76	2	3	8	13	21	26	54
70-74	534	10.9	92	2	3	9	14	20	26	69
75-79	504	12.1	113	2	3	10	15	23	36	67
80-84	421	13.7	142	3	4	11	16	27	39	78
85+	333	12.8	119	3	4	10	17	25	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.2	7	<1	1	2	4	6	8	13
B. *Operated*	42	6.6	52	1	1	5	8	13	26	33
2. MULTIPLE DX										
A. *Not Operated*	21866	6.2	32	1	2	5	8	12	15	28
B. *Operated*	2264	11.9	108	2	3	9	15	23	31	69
1. SINGLE DX	1497	3.3	9	<1	1	2	4	7	8	14
2. MULTIPLE DX	24130	6.7	42	1	2	5	8	13	17	34
A. NOT OPERATED	23321	6.0	31	1	2	5	7	12	15	27
B. OPERATED	2306	11.8	107	2	3	9	15	22	31	69
TOTAL 65-69 YRS	5589	5.4	24	1	1	4	7	11	14	25
70-74	6167	6.0	32	1	2	4	8	12	15	27
75-79	5778	6.5	37	1	2	5	8	13	17	33
80-84	4416	7.6	55	2	2	6	9	15	20	39
85+	3677	7.9	62	2	2	6	10	15	20	49
GRAND TOTAL	**25627**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	396	3.8	10	1	1	3	5	8	9	15
70-74	364	4.0	8	1	1	3	5	8	9	15
75-79	312	4.3	12	1	1	3	6	8	9	16
80-84	183	4.5	9	1	1	4	6	9	11	12
85+	170	4.7	14	1	1	4	6	10	12	21
B. *Operated*										
65-69 YRS	191	5.4	12	1	2	5	7	10	12	14
70-74	269	5.9	16	2	2	5	7	11	14	22
75-79	270	6.0	20	2	2	5	7	11	13	20
80-84	209	6.1	14	2	2	5	7	11	14	18
85+	216	6.8	24	2	3	6	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6315	5.8	21	1	2	5	7	11	14	23
70-74	6938	6.2	24	2	2	5	8	12	15	25
75-79	6532	6.6	28	2	2	5	8	12	16	26
80-84	5049	6.9	31	2	2	6	8	13	17	29
85+	4070	7.3	40	2	2	6	9	14	18	32
B. *Operated*										
65-69 YRS	2422	9.3	61	2	3	7	11	18	23	47
70-74	3252	9.2	48	2	3	7	12	17	22	37
75-79	3592	9.9	57	3	3	8	12	18	23	42
80-84	3075	10.4	70	3	3	8	13	19	24	49
85+	2745	11.0	80	3	4	9	13	20	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	4.2	10	1	1	3	5	8	10	15
B. *Operated*	1155	6.0	18	2	2	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	28904	6.5	28	2	2	5	8	12	16	27
B. *Operated*	15086	10.0	63	3	3	8	12	18	24	46
1. SINGLE DX	2580	5.0	14	1	2	4	6	10	12	19
2. MULTIPLE DX	43990	7.7	43	2	2	6	9	15	19	34
A. NOT OPERATED	30329	6.4	27	2	2	5	8	12	15	26
B. OPERATED	16241	9.7	61	2	3	8	12	18	23	44
TOTAL 65-69 YRS	9324	6.6	34	1	2	5	8	12	16	30
70-74	10823	7.0	33	2	2	6	9	13	18	29
75-79	10706	7.6	40	2	2	6	9	14	18	33
80-84	8516	8.1	47	2	3	6	10	15	20	35
85+	7201	8.6	58	2	3	7	11	16	22	42
GRAND TOTAL	**46570**	**7.5**	**41**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	460	6.1	23	2	2	5	7	12	15	20
70-74	621	5.9	20	2	2	5	7	11	14	21
75-79	693	6.1	20	2	2	5	8	11	14	24
80-84	760	6.3	24	2	2	5	8	12	16	22
85+	911	6.5	26	2	2	5	8	12	15	31
B. *Operated*										
65-69 YRS	15	9.8	102	<1	1	8	12	29	33	35
70-74	17	9.5	34	3	3	8	11	17	24	27
75-79	12	11.2	109	<1	1	7	14	29	36	37
80-84	8	14.3	218	1	1	10	24	38	39	39
85+	13	8.8	25	2	2	10	13	26	84	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16926	8.2	39	2	3	7	10	15	19	32
70-74	22732	8.5	43	2	3	7	10	15	20	34
75-79	24396	8.8	46	2	3	7	11	16	21	36
80-84	23166	9.0	56	2	3	7	11	17	22	40
85+	24623	9.4	62	3	3	7	11	17	23	43
B. *Operated*										
65-69 YRS	2097	14.7	136	2	4	11	19	30	38	59
70-74	2582	15.8	161	3	5	13	20	32	41	78
75-79	2537	16.3	163	4	5	13	21	32	42	77
80-84	2053	16.3	144	4	6	13	20	30	42	77
85+	1872	17.3	173	4	6	14	22	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3445	6.2	23	2	2	5	8	11	14	24
B. *Operated*	65	10.3	81	1	2	8	13	27	36	90
2. MULTIPLE DX										
A. *Not Operated*	111843	8.8	50	2	3	7	11	16	21	37
B. *Operated*	11141	16.1	156	4	5	13	20	31	42	78
1. SINGLE DX	3510	6.3	24	2	2	5	8	12	15	26
2. MULTIPLE DX	122984	9.5	64	3	3	7	11	18	23	44
A. NOT OPERATED	115288	8.7	49	2	3	7	11	16	21	37
B. OPERATED	11206	16.0	156	4	5	13	20	31	42	78
TOTAL 65-69 YRS	19498	8.9	54	2	3	7	11	17	22	39
70-74	25952	9.1	59	2	3	7	11	17	22	42
75-79	27638	9.4	61	2	3	7	11	18	23	42
80-84	25987	9.5	66	3	3	7	12	18	24	46
85+	27419	9.8	73	3	3	8	12	19	25	50
GRAND TOTAL	**126494**	**9.4**	**63**	**2**	**3**	**7**	**11**	**18**	**23**	**44**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.1	12	1	2	4	7	9	13	16
70-74	108	4.8	14	1	1	4	6	9	11	22
75-79	81	6.7	27	1	2	5	8	13	15	31
80-84	44	6.5	14	2	3	6	8	12	14	16
85+	37	7.5	31	1	2	6	10	14	19	28
B. *Operated*										
65-69 YRS	242	5.0	31	1	1	2	7	13	15	23
70-74	151	5.1	26	1	1	2	9	13	16	23
75-79	65	6.7	50	1	2	2	9	16	24	28
80-84	24	6.2	48	2	2	2	9	15	22	29
85+	8	13.6	122	2	2	14	18	30	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2800	7.8	42	2	3	6	10	15	19	31
70-74	2620	8.3	49	2	3	7	10	16	20	35
75-79	2180	8.6	45	2	3	7	10	16	21	37
80-84	1505	8.6	51	2	3	7	10	16	22	41
85+	1137	9.2	66	2	3	7	11	17	24	40
B. *Operated*										
65-69 YRS	1923	9.9	96	1	2	8	14	21	27	54
70-74	1615	11.5	120	1	2	9	16	24	32	53
75-79	999	12.3	129	2	2	10	16	26	33	59
80-84	396	14.5	171	2	2	12	19	30	36	75
85+	165	15.6	142	3	5	13	21	26	46	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	5.7	18	1	2	5	7	11	14	21
B. *Operated*	490	5.4	36	1	1	2	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	10242	8.4	49	2	3	7	10	16	21	35
B. *Operated*	5098	11.4	120	1	2	9	15	24	32	57
1. SINGLE DX	903	5.6	27	1	2	3	8	13	15	25
2. MULTIPLE DX	15340	9.4	74	2	2	7	12	19	25	45
A. NOT OPERATED	10655	8.3	48	2	3	7	10	16	20	35
B. OPERATED	5588	10.9	115	1	2	9	15	23	31	55
TOTAL 65-69 YRS	5108	8.4	63	2	2	6	11	17	22	40
70-74	4494	9.3	76	2	2	7	12	19	25	45
75-79	3325	9.6	73	2	2	7	12	19	26	44
80-84	1969	9.7	80	2	3	7	12	19	27	47
85+	1347	9.9	79	2	3	7	12	20	26	53
GRAND TOTAL	**16243**	**9.2**	**72**	**2**	**2**	**7**	**12**	**19**	**24**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	4.1	5	1	1	4	6	7	7	7
70-74	13	3.7	8	<1	1	3	5	7	10	11
75-79	8	5.0	10	1	1	5	8	9	9	9
80-84	11	4.8	5	2	2	4	7	8	8	8
85+	6	2.2	2	1	1	2	2	5	5	5
B. *Operated*										
65-69 YRS	4	5.0	37	1	1	2	8	14	14	14
70-74	6	5.8	44	2	2	3	6	18	19	19
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	349	6.4	26	2	2	5	8	12	15	30
70-74	396	6.9	25	2	2	6	8	13	18	26
75-79	521	7.2	48	2	2	5	8	13	18	44
80-84	453	8.4	75	2	3	6	10	15	21	63
85+	487	8.4	58	2	3	6	10	16	23	46
B. *Operated*										
65-69 YRS	185	7.8	53	1	2	6	11	16	20	42
70-74	145	10.2	84	2	2	8	14	22	32	48
75-79	96	9.7	65	2	2	8	14	21	27	39
80-84	53	15.1	248	2	4	10	17	28	44	89
85+	44	11.0	157	3	3	8	14	19	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.1	7	1	1	4	6	8	8	11
B. *Operated*	11	5.2	34	1	1	3	5	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	2206	7.5	49	2	2	6	9	14	20	41
B. *Operated*	523	9.8	96	2	2	8	13	20	27	54
1. SINGLE DX	57	4.3	12	1	1	3	6	8	10	19
2. MULTIPLE DX	2729	8.0	59	2	2	6	10	15	21	46
A. NOT OPERATED	2252	7.4	48	2	2	6	9	14	19	41
B. OPERATED	534	9.7	95	2	2	7	13	19	27	52
TOTAL 65-69 YRS	546	6.8	35	1	2	5	9	14	17	32
70-74	560	7.6	43	2	2	6	9	16	21	34
75-79	625	7.5	51	2	2	6	9	15	20	41
80-84	518	9.0	96	2	3	6	10	18	22	68
85+	537	8.5	67	2	2	6	10	16	23	60
GRAND TOTAL	**2786**	**7.9**	**58**	**2**	**2**	**6**	**9**	**15**	**21**	**46**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	11.5	150	1	1	9	12	33	35	35
70-74	3	1.3		1	1	1	2	2	2	2
75-79	8	14.4	173	<1	1	12	24	32	35	35
80-84	4	6.8	14	2	2	7	9	11	11	11
85+	3	11.3	50	5	5	10	17	19	19	19
B. *Operated*										
65-69 YRS	16	21.9	721	<1	1	16	22	79	88	90
70-74	11	20.4	152	2	6	18	26	36	48	49
75-79	5	19.6	124	7	7	19	25	37	37	37
80-84	1	24.0		24	24	24	24	24	24	24
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	11.6	103	<1	1	7	18	29	32	35
70-74	46	15.3	235	3	3	10	23	43	73	99+
75-79	42	17.9	142	2	4	17	24	31	39	57
80-84	34	18.2	148	4	5	17	23	40	46	47
85+	38	15.3	100	2	6	13	22	31	42	99+
B. *Operated*										
65-69 YRS	78	27.2	274	7	9	23	37	60	83	99+
70-74	85	28.2	271	9	10	26	36	56	64	92
75-79	42	36.0	378	12	15	33	52	74	84	99+
80-84	21	29.1	567	5	6	26	33	64	92	93
85+	5	34.0	634	2	2	34	45	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	10.4	110	<1	1	7	15	26	35	35
B. *Operated*	33	21.1	402	1	2	18	24	39	80	90
2. MULTIPLE DX										
A. *Not Operated*	188	15.9	153	2	4	14	23	31	46	99+
B. *Operated*	231	29.5	329	8	10	26	39	61	75	99+
1. SINGLE DX	57	16.6	303	1	1	13	22	33	45	90
2. MULTIPLE DX	419	23.4	295	4	5	20	33	53	68	99+
A. NOT OPERATED	212	15.2	151	1	3	13	22	31	45	99+
B. OPERATED	264	28.4	344	6	9	24	37	60	76	99+
TOTAL 65-69 YRS	128	22.4	325	2	4	19	33	55	72	99+
70-74	145	23.0	287	3	5	19	33	54	65	99+
75-79	97	25.5	325	3	5	21	34	58	71	99+
80-84	60	21.4	318	4	5	18	28	42	47	93
85+	46	17.1	177	2	5	13	24	34	52	99+
GRAND TOTAL	**476**	**22.6**	**301**	**3**	**4**	**19**	**31**	**50**	**67**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	47.5	3445	6	6	47	89	89	89	89
70-74	1	20.0		20	20	99+	99+	99+	99+	99+
75-79	7	24.4	444	8	8	15	35	60	65	65
80-84	2	28.5	41	24	24	28	33	33	33	33
85+	5	21.6	165	3	3	25	28	38	38	38
B. *Operated*										
65-69 YRS	19	43.5	667	12	17	40	66	87	94	99+
70-74	9	38.8	332	19	21	34	47	67	78	78
75-79	5	42.0	291	16	16	49	52	60	60	60
80-84	2	48.0	2048	16	16	48	80	80	80	80
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	26.5	493	4	7	25	39	95	99+	99+
B. *Operated*	35	42.3	532	16	17	40	56	84	88	99+
1. SINGLE DX										
2. MULTIPLE DX	52	37.2	565	7	10	34	55	87	97	99+
A. NOT OPERATED	17	26.5	493	4	7	25	39	95	99+	99+
B. OPERATED	35	42.3	532	16	17	40	56	84	88	99+
TOTAL 65-69 YRS	21	43.9	774	7	14	40	74	88	93	99+
70-74	10	36.9	330	19	20	39	64	99+	99+	99+
75-79	12	31.8	430	8	9	30	49	61	64	65
80-84	4	38.3	823	16	16	28	56	80	80	80
85+	5	21.6	165	3	3	25	28	38	38	38
GRAND TOTAL	**52**	**37.2**	**565**	**7**	**10**	**34**	**55**	**87**	**97**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	9.3	78	<1	1	6	14	21	24	38
70-74	37	10.0	80	1	2	7	13	19	32	40
75-79	49	10.1	58	1	1	9	16	22	29	99+
80-84	39	9.4	29	3	3	8	12	18	20	22
85+	22	10.4	57	1	2	10	15	24	25	27
B. *Operated*										
65-69 YRS	51	11.9	146	3	4	8	12	25	33	68
70-74	57	12.6	86	3	4	10	15	28	34	38
75-79	53	10.9	61	4	4	9	12	20	29	45
80-84	46	12.8	57	4	5	11	17	25	29	32
85+	25	11.5	41	5	5	10	13	18	26	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	292	13.5	149	2	3	10	17	30	36	67
70-74	361	13.6	108	3	4	11	17	26	35	85
75-79	419	13.8	125	3	4	11	17	30	41	60
80-84	411	15.5	170	2	4	12	20	30	38	80
85+	343	14.8	177	3	4	12	17	29	41	75
B. *Operated*										
65-69 YRS	256	21.5	320	5	7	15	27	50	72	99+
70-74	309	20.4	275	4	5	15	27	44	60	99+
75-79	255	21.2	249	6	7	17	27	46	61	99+
80-84	207	20.8	222	6	7	17	27	43	57	99+
85+	134	24.1	297	7	10	19	30	50	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	9.8	59	1	2	8	14	20	25	39
B. *Operated*	232	12.0	82	3	4	9	14	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	1826	14.3	146	3	4	11	18	29	38	74
B. *Operated*	1161	21.3	272	5	7	16	28	47	65	99+
1. SINGLE DX	414	11.0	73	2	3	9	14	22	28	42
2. MULTIPLE DX	2987	17.0	207	3	5	13	22	36	49	98
A. NOT OPERATED	2008	13.9	139	2	3	11	17	29	37	74
B. OPERATED	1393	19.8	253	5	6	15	26	44	60	99+
TOTAL 65-69 YRS	634	16.4	232	2	4	12	21	36	52	98
70-74	764	16.1	185	3	4	12	21	34	45	96
75-79	776	15.8	172	3	4	12	21	34	46	97
80-84	703	16.6	179	3	5	13	21	32	43	86
85+	524	16.8	215	3	5	13	20	36	50	98
GRAND TOTAL	**3401**	**16.3**	**194**	**3**	**4**	**12**	**21**	**34**	**47**	**94**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	20.6	275	5	6	16	27	42	59	78
70-74	141	17.7	167	4	5	15	23	31	39	83
75-79	193	21.3	279	5	8	15	27	42	62	80
80-84	151	20.1	236	4	6	16	28	42	61	99+
85+	128	18.8	241	4	6	14	23	42	60	88
B. *Operated*										
65-69 YRS	70	28.9	383	8	10	25	44	63	76	99+
70-74	63	31.6	361	8	10	29	48	74	99+	99+
75-79	72	31.0	479	6	11	24	48	81	99	99+
80-84	54	26.7	391	8	9	20	35	72	93	99+
85+	47	25.8	298	7	8	23	36	46	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	745	19.8	242	4	6	15	26	40	60	90
B. *Operated*	306	29.1	389	8	10	24	43	66	91	99+
1. SINGLE DX										
2. MULTIPLE DX	1051	22.5	302	5	7	17	29	51	66	99+
A. NOT OPERATED	745	19.8	242	4	6	15	26	40	60	90
B. OPERATED	306	29.1	389	8	10	24	43	66	91	99+
TOTAL 65-69 YRS	202	23.5	326	6	7	17	31	51	66	96
70-74	204	22.0	267	4	7	18	29	49	65	99+
75-79	265	24.0	350	6	8	18	31	59	69	99+
80-84	205	21.9	283	5	7	17	29	52	73	99+
85+	175	20.7	264	4	6	16	27	43	61	98
GRAND TOTAL	**1051**	**22.5**	**302**	**5**	**7**	**17**	**29**	**51**	**66**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	3.6	8	1	1	3	4	7	10	13
70-74	46	4.0	13	1	1	3	5	10	11	19
75-79	41	4.1	11	<1	1	3	5	9	12	14
80-84	16	5.1	31	1	1	4	6	8	19	24
85+	16	6.9	26	2	3	6	9	13	19	22
B. *Operated*										
65-69 YRS	1117	5.3	14	1	2	5	7	10	12	19
70-74	1035	5.0	12	1	1	5	6	9	12	17
75-79	661	5.3	15	1	1	5	6	10	13	20
80-84	302	5.8	29	1	1	5	7	11	14	24
85+	77	5.7	28	1	1	5	6	10	19	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	432	6.5	61	1	2	5	8	12	16	47
70-74	524	6.2	34	1	2	5	8	12	15	32
75-79	541	7.0	38	1	2	6	8	13	16	35
80-84	389	7.3	44	2	3	6	9	13	16	26
85+	295	8.3	82	2	3	6	10	15	21	66
B. *Operated*										
65-69 YRS	4851	7.7	45	2	2	6	9	15	19	36
70-74	4895	7.9	45	2	2	6	10	15	19	33
75-79	3464	8.6	56	2	2	7	10	16	22	40
80-84	1542	8.8	56	2	2	7	11	17	22	38
85+	484	9.4	60	2	2	7	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.3	15	1	1	3	5	10	12	22
B. *Operated*	3192	5.3	15	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2181	6.9	49	1	2	5	8	13	16	37
B. *Operated*	15236	8.1	49	2	2	6	10	15	20	37
1. SINGLE DX	3353	5.2	15	1	1	5	7	10	12	19
2. MULTIPLE DX	17417	8.0	49	2	2	6	10	15	20	37
A. NOT OPERATED	2342	6.7	47	1	2	5	8	13	16	36
B. OPERATED	18428	7.6	45	2	2	6	9	15	19	34
TOTAL 65-69 YRS	6442	7.2	41	1	2	6	9	14	18	32
70-74	6500	7.3	40	2	2	6	9	14	18	31
75-79	4707	7.9	49	2	2	6	10	15	20	38
80-84	2249	8.1	51	1	2	6	10	16	21	36
85+	872	8.7	65	2	2	6	11	18	22	39
GRAND TOTAL	**20770**	**7.5**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	13.7	167	2	3	9	17	38	41	52
70-74	54	13.8	213	3	4	8	14	33	46	70
75-79	47	13.6	119	4	4	10	17	28	35	60
80-84	34	12.6	88	2	3	11	16	35	81	99+
85+	25	14.6	241	2	3	10	14	42	50	68
B. *Operated*										
65-69 YRS	225	12.4	128	2	3	9	16	26	38	90
70-74	247	13.4	166	2	3	10	17	28	43	84
75-79	165	13.9	153	2	4	11	18	27	40	80
80-84	56	14.6	157	1	3	11	20	32	39	65
85+	21	14.7	147	1	3	11	21	33	39	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	196	13.6	161	3	4	9	15	34	43	85
B. *Operated*	714	13.3	149	2	3	10	17	27	39	83
1. SINGLE DX										
2. MULTIPLE DX	910	13.4	152	2	3	10	17	29	41	83
A. NOT OPERATED	196	13.6	161	3	4	9	15	34	43	85
B. OPERATED	714	13.3	149	2	3	10	17	27	39	83
TOTAL 65-69 YRS	261	12.6	133	2	3	9	16	26	39	84
70-74	301	13.5	174	2	3	9	17	29	44	77
75-79	212	13.8	145	2	4	11	18	27	38	70
80-84	90	13.9	131	2	3	11	18	33	39	99+
85+	46	14.7	194	1	3	10	17	33	44	68
GRAND TOTAL	**910**	**13.4**	**152**	**2**	**3**	**10**	**17**	**29**	**41**	**83**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	8.3	47	2	2	6	10	15	21	40
70-74	228	9.0	54	2	3	7	11	17	25	40
75-79	233	10.6	115	2	3	7	13	20	28	61
80-84	206	9.6	65	2	3	8	11	17	27	42
85+	184	10.3	132	2	4	8	11	19	30	94
B. *Operated*										
65-59 YRS	54	7.9	57	1	2	6	9	16	23	39
70-74	45	8.1	46	2	2	6	9	19	24	32
75-79	31	8.5	46	2	2	8	11	14	19	36
80-84	15	10.9	151	2	4	6	10	39	41	42
85+	10	7.7	14	2	2	8	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2584	11.2	100	3	3	8	13	22	30	67
70-74	3541	11.5	100	3	4	9	14	22	30	62
75-79	3880	12.1	111	3	4	9	14	24	32	71
80-84	3350	12.3	109	3	4	9	15	24	32	68
85+	3244	12.7	113	3	4	10	15	25	33	78
B. *Operated*										
65-69 YRS	800	14.5	185	3	4	10	17	30	45	81
70-74	884	14.9	196	3	4	11	18	35	51	99+
75-79	690	17.5	267	3	4	12	23	46	66	99+
80-84	440	18.9	269	3	5	14	24	46	69	99+
85+	327	20.4	272	4	5	16	28	43	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	9.6	83	2	3	7	11	18	26	53
B. *Operated*	155	8.3	57	2	2	6	10	17	24	39
2. MULTIPLE DX										
A. *Not Operated*	16599	12.0	107	3	4	9	14	23	32	69
B. *Operated*	3141	16.5	231	3	4	12	21	38	56	99+
1. SINGLE DX	1201	9.4	80	2	3	7	11	18	26	48
2. MULTIPLE DX	19740	12.7	130	3	4	9	15	26	36	80
A. NOT OPERATED	17645	11.8	106	3	4	9	14	23	32	68
B. OPERATED	3296	16.1	226	3	4	11	21	38	55	99+
TOTAL 65-69 YRS	3633	11.7	118	3	3	9	14	24	32	70
70-74	4698	12.0	118	3	3	9	14	24	34	72
75-79	4834	12.7	137	3	4	9	15	26	38	83
80-84	4011	12.9	129	3	4	10	16	26	36	80
85+	3765	13.2	132	3	4	10	16	27	37	83
GRAND TOTAL	**20941**	**12.5**	**127**	**3**	**4**	**9**	**15**	**25**	**36**	**79**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1113	14.7	148	3	5	11	19	30	43	93
70-74	1550	15.6	184	4	5	11	19	31	44	86
75-79	1692	15.6	161	4	5	12	19	31	43	83
80-84	1570	16.0	163	4	5	12	20	32	43	88
85+	1282	15.3	143	4	5	12	19	31	41	98
B. *Operated*										
65-69 YRS	297	20.2	325	4	6	14	27	52	68	99+
70-74	317	20.7	267	4	6	16	28	49	58	99+
75-79	275	23.5	346	5	7	19	31	63	94	99+
80-84	181	24.8	371	6	8	20	35	62	87	99+
85+	131	23.1	228	7	10	19	30	54	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7207	15.5	161	4	5	12	19	31	43	88
B. *Operated*	1201	22.1	313	5	7	17	30	54	79	99+
1. SINGLE DX										
2. MULTIPLE DX	8408	16.4	188	4	5	12	20	34	48	99+
A. NOT OPERATED	7207	15.5	161	4	5	12	19	31	43	88
B. OPERATED	1201	22.1	313	5	7	17	30	54	79	99+
TOTAL 65-69 YRS	1410	15.8	190	3	5	11	20	34	48	99+
70-74	1867	16.4	201	4	5	12	20	34	48	90
75-79	1967	16.7	194	4	5	13	21	35	50	99+
80-84	1751	16.9	192	4	5	13	21	35	47	99
85+	1413	16.0	156	4	5	13	20	33	45	99+
GRAND TOTAL	**8408**	**16.4**	**188**	**4**	**5**	**12**	**20**	**34**	**48**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	487	3.9	9	1	1	3	5	7	9	16
70-74	569	3.6	7	1	1	3	5	7	9	13
75-79	615	4.5	31	1	1	3	5	8	11	19
80-84	522	4.5	19	1	1	3	6	8	10	21
85+	535	4.7	26	1	1	3	6	9	12	23
B. *Operated*										
65-69 YRS	238	4.1	14	1	1	3	5	8	10	19
70-74	206	4.3	21	1	1	3	6	8	9	18
75-79	131	4.2	10	1	1	4	6	8	10	16
80-84	63	4.9	13	1	2	4	6	10	12	17
85+	23	3.9	9	1	1	3	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4523	5.5	18	1	2	4	7	10	12	21
70-74	6276	5.8	20	2	2	5	7	10	13	22
75-79	7406	6.4	34	2	2	5	8	12	15	30
80-84	7284	6.9	47	2	2	5	8	13	17	39
85+	7457	7.2	53	2	2	5	8	13	18	46
B. *Operated*										
65-69 YRS	1682	7.3	50	2	2	6	9	14	18	37
70-74	1849	8.0	44	2	2	6	10	16	20	34
75-79	1609	8.6	69	2	2	7	11	16	22	40
80-84	1071	10.0	87	2	3	8	12	19	26	58
85+	663	12.9	172	2	3	9	16	29	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2728	4.2	19	1	1	3	5	8	10	19
B. *Operated*	661	4.3	15	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	32946	6.4	37	2	2	5	8	12	16	32
B. *Operated*	6874	8.8	73	2	2	7	11	17	23	51
1. SINGLE DX	3389	4.2	18	1	1	3	5	8	10	19
2. MULTIPLE DX	39820	6.8	44	2	2	5	8	13	17	36
A. NOT OPERATED	35674	6.3	36	2	2	5	8	11	15	31
B. OPERATED	7535	8.4	69	2	2	6	10	17	22	49
TOTAL 65-69 YRS	6930	5.8	26	1	2	5	7	11	14	25
70-74	8900	6.1	26	2	2	5	7	11	15	25
75-79	9761	6.6	40	2	2	5	8	12	17	31
80-84	8940	7.1	51	2	2	5	8	13	18	43
85+	8678	7.4	63	2	2	5	9	14	20	57
GRAND TOTAL	**43209**	**6.6**	**42**	**2**	**2**	**5**	**8**	**12**	**17**	**35**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	307	8.0	58	2	2	6	10	15	21	37
70-74	370	8.8	57	2	2	7	11	17	24	47
75-79	424	9.3	82	2	2	7	11	19	27	49
80-84	403	9.5	62	2	3	7	12	19	25	43
85+	435	10.1	72	2	3	8	13	19	26	48
B. *Operated*										
65-69 YRS	45	10.4	331	1	2	4	8	25	58	89
70-74	52	8.9	49	2	3	7	11	18	23	36
75-79	45	12.8	173	1	2	9	19	28	44	54
80-84	16	8.9	40	2	3	7	13	18	21	23
85+	11	10.0	38	3	3	10	16	45	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2841	10.7	96	2	3	8	13	20	28	55
70-74	4202	11.2	110	2	3	8	14	22	30	69
75-79	4844	11.9	109	3	4	9	15	23	32	72
80-84	4784	12.4	120	3	4	9	15	24	34	78
85+	4990	12.2	117	3	4	9	15	24	33	73
B. *Operated*										
65-69 YRS	649	14.9	191	3	4	10	18	36	51	99+
70-74	809	16.9	275	3	4	11	21	40	58	99+
75-79	767	17.6	242	3	4	13	22	41	56	99+
80-84	548	18.5	221	4	6	15	24	42	69	99+
85+	389	22.7	323	4	7	18	29	52	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	9.2	67	2	3	7	11	18	25	46
B. *Operated*	169	10.4	155	2	2	7	11	22	40	85
2. MULTIPLE DX										
A. *Not Operated*	21661	11.8	112	3	4	9	14	23	32	71
B. *Operated*	3162	17.6	251	3	5	13	23	41	59	99+
1. SINGLE DX	2108	9.3	74	2	2	7	11	18	25	49
2. MULTIPLE DX	24823	12.6	133	3	4	9	15	25	36	81
A. NOT OPERATED	23600	11.6	109	3	3	9	14	22	32	68
B. OPERATED	3331	17.3	249	3	4	12	22	41	58	99+
TOTAL 65-69 YRS	3842	11.2	115	2	3	8	13	22	34	69
70-74	5433	11.9	135	2	3	9	14	24	34	83
75-79	6080	12.5	129	3	4	9	15	25	36	77
80-84	5751	12.8	129	3	4	10	16	25	37	86
85+	5825	12.8	134	3	4	9	15	25	36	80
GRAND TOTAL	**26931**	**12.3**	**130**	**3**	**4**	**9**	**15**	**24**	**36**	**79**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1161	14.8	178	3	4	11	19	32	45	91
70-74	1712	14.9	170	3	4	11	19	32	44	85
75-79	1867	15.0	148	3	5	12	19	32	43	99+
80-84	1801	15.1	152	3	5	12	19	31	44	99+
85+	1782	15.0	150	4	5	12	18	30	43	99+
B. *Operated*										
65-69 YRS	233	18.1	203	4	6	13	25	39	59	99+
70-74	262	20.9	310	5	6	15	28	52	74	99+
75-79	278	25.0	387	5	7	19	37	62	89	99+
80-84	210	22.3	234	6	8	18	31	48	70	99+
85+	168	24.0	316	7	9	18	32	56	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8323	15.0	158	3	5	12	19	31	44	99+
B. *Operated*	1151	22.0	299	5	7	17	30	53	73	99+
1. SINGLE DX										
2. MULTIPLE DX	9474	15.8	180	3	5	12	20	33	48	99+
A. NOT OPERATED	8323	15.0	158	3	5	12	19	31	44	99+
B. OPERATED	1151	22.0	299	5	7	17	30	53	73	99+
TOTAL 65-69 YRS	1394	15.3	183	3	4	11	20	33	49	99+
70-74	1974	15.7	193	3	4	11	20	34	48	98
75-79	2145	16.3	190	4	5	12	21	35	50	99+
80-84	2011	15.8	165	4	5	12	20	33	47	99+
85+	1950	15.8	171	4	5	12	19	32	47	99+
GRAND TOTAL	**9474**	**15.8**	**180**	**3**	**5**	**12**	**20**	**33**	**48**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	122	4.1	14	1	1	3	5	8	11	19
70-74	150	4.8	25	1	1	3	5	9	12	26
75-79	119	5.1	14	1	2	4	6	10	13	50
80-84	92	5.3	15	1	2	4	7	11	14	20
85+	110	5.9	62	1	2	4	7	12	15	85
B. *Operated*										
65-69 YRS	81	4.8	17	1	1	3	7	11	14	19
70-74	73	4.3	24	<1	1	3	5	10	12	31
75-79	54	5.0	20	2	2	3	6	11	16	21
80-84	24	4.3	20	1	1	2	6	10	16	17
85+	6	9.7	214	1	1	4	8	36	39	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1475	7.2	54	2	2	5	8	13	19	42
70-74	1952	7.8	54	2	2	6	9	15	21	45
75-79	2324	8.4	70	2	3	6	10	16	23	48
80-84	2176	8.9	79	2	3	7	10	18	26	99+
85+	2383	8.8	78	2	3	6	10	17	25	67
B. *Operated*										
65-69 YRS	535	10.0	148	2	2	7	12	21	33	94
70-74	558	10.2	116	2	2	7	13	20	32	83
75-79	531	11.2	126	2	2	8	14	24	35	99+
80-84	311	12.1	127	2	3	9	16	26	33	99+
85+	213	14.3	175	2	4	11	19	32	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	5.0	26	1	2	4	6	10	13	27
B. *Operated*	238	4.8	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	10310	8.3	69	2	3	6	10	16	23	60
B. *Operated*	2148	11.1	135	2	2	8	14	24	36	99+
1. SINGLE DX	831	4.9	26	1	1	3	6	10	14	26
2. MULTIPLE DX	12458	8.8	81	2	2	6	10	17	25	68
A. NOT OPERATED	10903	8.1	67	2	2	6	10	16	23	58
B. OPERATED	2386	10.5	128	2	2	7	13	23	33	99+
TOTAL 65-69 YRS	2213	7.7	76	2	2	5	9	15	21	52
70-74	2733	8.0	66	2	2	6	10	16	22	51
75-79	3028	8.7	79	2	2	6	10	17	25	57
80-84	2603	9.1	84	2	3	7	11	18	27	99+
85+	2712	9.1	88	2	3	7	11	19	27	81
GRAND TOTAL	**13289**	**8.6**	**79**	**2**	**2**	**6**	**10**	**17**	**25**	**67**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	6.1	35	<1	<1	3	9	16	17	17
70-74	14	3.0	11	1	1	2	2	8	12	13
75-79	13	3.2	3	1	1	2	5	6	6	6
80-84	9	3.2	2	1	1	3	4	6	6	6
85+	13	5.9	27	2	3	4	6	12	20	22
B. *Operated*										
65-69 YRS	187	5.6	35	1	1	3	9	13	15	31
70-74	144	5.7	30	1	1	3	9	11	14	28
75-79	90	5.6	41	1	1	3	7	12	15	37
80-84	45	7.6	85	1	1	3	11	16	24	46
85+	33	5.3	20	1	1	4	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	204	6.1	35	1	2	4	8	12	17	29
70-74	277	6.5	31	1	2	5	8	13	18	33
75-79	329	7.8	39	1	2	6	10	16	21	37
80-84	294	9.5	105	2	3	7	11	20	29	71
85+	400	9.2	102	2	2	7	10	18	31	83
B. *Operated*										
65-69 YRS	1947	12.3	140	1	2	10	16	27	36	73
70-74	1849	13.3	158	2	2	10	17	28	39	78
75-79	1356	14.7	182	2	2	11	19	31	44	78
80-84	922	17.2	215	2	3	14	22	36	49	90
85+	849	17.2	239	3	4	13	22	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.2	17	1	1	3	5	9	14	22
B. *Operated*	499	5.8	38	1	1	3	9	13	15	34
2. MULTIPLE DX										
A. *Not Operated*	1504	8.0	68	2	2	6	10	16	23	49
B. *Operated*	6923	14.3	179	2	2	11	18	30	42	85
1. SINGLE DX	558	5.6	36	1	1	3	8	13	15	33
2. MULTIPLE DX	8427	13.2	165	2	2	10	17	28	40	82
A. NOT OPERATED	1563	7.9	67	1	2	6	9	15	23	48
B. OPERATED	7422	13.7	174	1	2	10	18	30	41	82
TOTAL 65-69 YRS	2348	11.2	128	1	2	9	15	24	34	69
70-74	2284	11.9	142	1	2	9	15	26	35	71
75-79	1788	12.9	158	2	2	10	17	27	41	76
80-84	1270	15.0	197	2	3	11	19	32	44	87
85+	1295	14.3	205	2	3	10	18	31	45	99+
GRAND TOTAL	**8985**	**12.7**	**160**	**1**	**2**	**9**	**16**	**28**	**39**	**80**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	2.5	15	<1	<1	1	2	6	13	16
70-74	23	4.1	17	1	1	3	4	11	13	16
75-79	29	4.8	15	1	1	4	6	10	15	16
80-84	18	6.4	24	1	2	5	9	14	16	18
85+	14	5.9	31	1	1	5	7	11	20	23
B. *Operated*										
65-69 YRS	231	9.0	30	1	2	9	11	15	18	28
70-74	212	10.3	39	2	2	11	13	16	19	26
75-79	153	10.3	35	1	1	10	13	17	19	27
80-84	62	11.3	31	2	2	12	14	17	20	30
85+	21	11.0	44	1	2	10	16	19	22	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	225	5.8	33	1	1	4	7	12	16	32
70-74	287	6.3	37	1	1	5	8	13	17	28
75-79	335	7.5	56	1	2	5	9	17	23	45
80-84	261	7.9	38	1	2	7	10	16	20	34
85+	281	7.6	48	2	2	6	9	14	21	42
B. *Operated*										
65-69 YRS	1901	14.4	109	2	6	12	17	24	33	60
70-74	1942	14.8	107	2	4	13	17	26	34	65
75-79	1342	15.9	133	2	6	13	19	29	40	81
80-84	612	16.8	133	2	4	14	21	31	40	67
85+	236	18.8	195	3	5	15	23	34	42	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.7	20	<1	1	3	6	11	15	20
B. *Operated*	679	10.0	35	1	2	10	13	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	1389	7.1	44	1	2	5	9	14	20	39
B. *Operated*	6033	15.3	120	2	5	13	18	27	36	67
1. SINGLE DX	779	9.3	36	1	2	10	12	16	19	27
2. MULTIPLE DX	7422	13.7	116	2	3	12	17	25	34	65
A. NOT OPERATED	1489	6.9	43	1	1	5	9	14	20	38
B. OPERATED	6712	14.7	114	2	4	12	17	26	35	66
TOTAL 65-69 YRS	2373	12.9	102	2	3	11	15	23	31	58
70-74	2464	13.3	101	2	3	12	16	24	32	59
75-79	1859	13.8	122	2	3	12	17	26	36	70
80-84	953	13.8	115	2	3	12	17	27	35	62
85+	552	12.5	140	2	2	9	16	28	35	68
GRAND TOTAL	**8201**	**13.3**	**110**	**2**	**3**	**11**	**16**	**24**	**33**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	52	2	2	3	12	15	15	15
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	64	6.9	22	1	1	6	10	14	14	23
70-74	65	6.6	25	1	2	6	9	13	16	24
75-79	22	7.7	23	2	2	8	9	11	17	25
80-84	20	9.2	81	1	2	8	11	12	28	44
85+	7	12.3	21	6	6	12	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	6.9	89	<1	1	4	7	15	29	44
70-74	16	6.6	37	1	1	5	8	15	20	22
75-79	23	5.7	13	1	1	5	9	10	12	13
80-84	20	6.7	35	1	1	5	8	17	20	22
85+	18	8.0	160	<1	1	5	8	11	39	57
B. *Operated*										
65-69 YRS	352	12.6	104	2	3	10	16	24	32	50
70-74	323	13.1	143	2	3	10	16	24	36	63
75-79	260	13.5	138	2	3	10	17	27	34	59
80-84	130	14.1	165	2	3	11	18	26	35	78
85+	58	14.6	199	2	4	11	17	27	34	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	20	2	2	2	3	11	15	15
B. *Operated*	178	7.4	31	1	2	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	101	6.7	63	1	1	5	8	14	20	50
B. *Operated*	1123	13.2	135	2	3	10	16	25	34	61
1. SINGLE DX	186	7.2	31	1	2	7	10	13	15	25
2. MULTIPLE DX	1224	12.7	132	2	3	10	16	24	34	60
A. NOT OPERATED	109	6.5	61	1	1	4	8	14	19	49
B. OPERATED	1301	12.4	125	2	2	10	15	24	33	59
TOTAL 65-69 YRS	443	11.4	96	2	2	9	14	23	30	50
70-74	405	11.8	127	2	2	9	15	22	33	56
75-79	308	12.4	126	2	2	9	16	23	33	56
80-84	171	12.6	146	2	3	10	16	24	33	71
85+	83	13.0	180	2	2	10	15	26	32	78
GRAND TOTAL	**1410**	**12.0**	**122**	**2**	**2**	**9**	**15**	**23**	**32**	**57**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.3	18	1	1	4	7	12	14	15
70-74	38	4.8	14	1	1	4	7	10	12	16
75-79	27	6.3	24	<1	1	6	10	13	15	19
80-84	11	5.5	9	2	2	5	7	10	12	12
85+	10	6.1	7	1	2	7	8	9	9	9
B. *Operated*										
65-69 YRS	448	7.3	46	1	1	7	10	14	17	32
70-74	345	7.4	40	1	1	7	10	15	19	32
75-79	234	7.3	35	1	1	7	10	15	18	24
80-84	134	7.4	27	1	2	7	11	14	17	22
85+	74	9.1	81	1	2	7	13	18	20	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	7.1	55	1	1	5	9	14	19	39
70-74	221	8.1	77	1	2	6	10	15	20	46
75-79	198	8.1	32	2	2	8	11	14	19	35
80-84	181	8.5	41	2	3	7	11	16	19	31
85+	197	9.2	60	2	2	8	12	17	20	58
B. *Operated*										
65-69 YRS	3143	12.7	124	2	2	10	16	24	32	63
70-74	2953	12.8	122	2	2	11	16	25	33	71
75-79	2108	14.2	151	2	2	11	18	30	40	75
80-84	1282	14.2	147	2	3	11	18	28	37	81
85+	1032	15.0	146	3	4	12	19	30	41	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.5	16	1	1	4	8	11	13	17
B. *Operated*	1235	7.5	42	1	1	7	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	1021	8.2	54	1	2	7	11	15	19	42
B. *Operated*	10518	13.4	134	2	2	11	17	26	36	72
1. SINGLE DX	1359	7.3	40	1	1	6	10	15	18	31
2. MULTIPLE DX	11539	13.0	129	2	2	10	16	26	35	71
A. NOT OPERATED	1145	7.9	51	1	2	7	10	15	19	36
B. OPERATED	11753	12.8	128	2	2	10	16	25	34	70
TOTAL 65-69 YRS	3853	11.7	114	1	2	10	15	23	30	59
70-74	3557	11.9	114	1	2	10	15	24	32	68
75-79	2567	13.0	136	2	2	10	16	27	38	70
80-84	1608	12.9	130	2	3	10	16	25	33	75
85+	1313	13.7	135	2	3	11	18	27	37	90
GRAND TOTAL	**12898**	**12.4**	**123**	**2**	**2**	**10**	**16**	**25**	**33**	**68**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	5.7	113	<1	1	3	5	13	18	73
70-74	48	3.9	10	1	1	3	5	9	10	14
75-79	45	5.0	16	<1	1	4	7	9	11	22
80-84	23	4.3	5	1	1	4	6	7	8	10
85+	24	4.2	18	<1	1	3	5	10	16	17
B. *Operated*										
65-69 YRS	310	5.3	41	1	1	3	7	12	15	30
70-74	261	5.1	31	1	1	3	7	11	17	28
75-79	166	5.4	25	1	1	4	7	12	14	28
80-84	81	5.2	27	1	1	3	7	11	14	29
85+	51	9.8	64	1	2	7	15	24	25	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	569	6.7	52	1	1	5	9	13	18	29
70-74	614	6.8	35	1	2	5	9	13	18	35
75-79	504	7.2	46	1	2	6	9	14	19	39
80-84	458	8.7	69	1	2	6	11	18	24	34
85+	428	8.7	78	2	2	6	10	17	24	55
B. *Operated*										
65-69 YRS	1901	11.3	140	1	2	8	14	25	35	68
70-74	1796	11.5	138	1	2	8	15	25	35	63
75-79	1349	12.9	188	2	2	9	16	28	41	89
80-84	872	14.3	178	2	2	11	19	31	41	87
85+	541	14.7	172	2	3	11	19	31	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	4.7	41	1	1	3	6	10	13	21
B. *Operated*	869	5.5	36	1	1	3	7	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	2573	7.5	55	1	2	6	9	15	20	39
B. *Operated*	6459	12.4	159	2	2	9	16	27	38	77
1. SINGLE DX	1064	5.4	37	1	1	3	7	12	16	28
2. MULTIPLE DX	9032	11.0	134	1	2	8	14	24	34	69
A. NOT OPERATED	2768	7.3	54	1	2	5	9	14	20	38
B. OPERATED	7328	11.6	149	1	2	8	15	26	36	72
TOTAL 65-69 YRS	2835	9.6	117	1	2	6	12	21	30	60
70-74	2719	9.7	109	1	2	7	12	21	30	55
75-79	2064	10.8	145	1	2	7	13	23	34	80
80-84	1434	11.9	142	1	2	9	15	26	35	72
85+	1044	11.8	134	2	2	8	15	25	34	72
GRAND TOTAL	**10096**	**10.4**	**127**	**1**	**2**	**7**	**13**	**23**	**32**	**67**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	494	7.5	11	3	4	7	9	11	14	18
70-74	354	8.0	16	3	4	7	9	14	16	21
75-79	299	7.7	14	3	4	7	10	13	15	18
80-84	181	7.8	14	2	3	7	10	12	14	19
85+	129	8.0	15	3	3	8	11	13	15	38
B. *Operated*										
65-69 YRS	209	7.9	18	1	2	8	11	13	15	20
70-74	147	7.3	12	1	2	7	10	12	13	15
75-79	86	8.0	21	2	3	8	10	14	16	21
80-84	59	7.7	16	2	2	7	10	13	14	20
85+	38	9.6	36	2	3	9	12	15	21	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2149	9.1	27	3	4	8	11	15	18	27
70-74	2150	9.4	28	3	4	8	11	15	18	27
75-79	1823	9.6	32	3	4	8	11	16	19	32
80-84	1303	10.1	45	4	4	9	12	17	21	42
85+	980	10.3	50	3	4	9	12	17	21	42
B. *Operated*										
65-69 YRS	1014	10.5	49	3	4	9	13	18	23	39
70-74	1086	11.1	60	3	4	9	13	19	24	47
75-79	868	12.0	72	3	5	10	14	21	28	53
80-84	590	12.4	75	4	5	10	14	21	29	51
85+	371	12.5	96	3	4	10	15	22	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1457	7.7	13	3	4	7	10	12	15	19
B. *Operated*	539	7.8	18	2	2	8	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*	8405	9.6	34	3	4	8	11	16	19	33
B. *Operated*	3929	11.5	66	3	4	10	14	20	26	50
1. SINGLE DX	1996	7.8	15	2	3	7	10	13	15	20
2. MULTIPLE DX	12334	10.2	45	3	4	9	12	17	21	38
A. NOT OPERATED	9862	9.3	31	3	4	8	11	15	18	31
B. OPERATED	4468	11.0	61	3	4	9	13	19	24	47
TOTAL 65-69 YRS	3866	9.2	31	3	4	8	11	15	19	30
70-74	3737	9.6	37	3	4	9	11	16	19	32
75-79	3076	10.1	43	3	4	9	12	17	21	39
80-84	2133	10.5	52	3	4	9	12	17	22	43
85+	1518	10.6	60	3	4	9	13	18	24	51
GRAND TOTAL	**14330**	**9.8**	**41**	**3**	**4**	**9**	**12**	**16**	**20**	**36**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	8.3	87	1	2	6	9	18	25	47
70-74	36	12.0	116	1	3	8	15	31	36	40
75-79	51	13.0	200	3	4	10	15	21	27	81
80-84	45	10.2	53	2	4	8	13	16	26	41
85+	33	9.2	26	1	3	9	12	17	18	21
B. *Operated*										
65-69 YRS	336	6.4	52	2	2	4	6	12	20	43
70-74	217	7.4	43	2	2	5	9	19	24	28
75-79	107	7.6	45	1	2	6	9	18	21	33
80-84	67	12.9	117	2	3	10	17	24	36	58
85+	32	15.1	113	2	4	13	24	30	34	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	316	11.4	86	3	4	9	15	21	30	52
70-74	404	11.0	79	3	4	9	14	21	26	55
75-79	531	11.4	75	3	3	9	14	21	27	41
80-84	484	11.2	73	3	4	8	14	22	27	41
85+	468	11.2	83	3	4	9	14	22	29	48
B. *Operated*										
65-69 YRS	634	11.5	136	2	3	7	15	26	35	56
70-74	534	14.6	182	3	3	10	20	33	43	74
75-79	480	17.4	220	3	4	13	24	38	51	68
80-84	301	19.4	232	3	5	16	25	40	56	99+
85+	191	20.2	248	3	5	17	26	40	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	10.8	105	1	3	8	13	20	27	61
B. *Operated*	759	7.8	62	2	2	5	9	19	24	41
2. MULTIPLE DX										
A. *Not Operated*	2203	11.2	78	3	4	9	14	21	28	46
B. *Operated*	2140	15.5	199	3	3	11	21	35	45	84
1. SINGLE DX	951	8.4	72	2	2	5	10	19	25	42
2. MULTIPLE DX	4343	13.3	142	3	3	10	17	28	37	66
A. NOT OPERATED	2395	11.2	81	3	4	9	14	21	28	46
B. OPERATED	2899	13.5	175	2	3	9	19	31	42	68
TOTAL 65-69 YRS	1313	10.1	106	2	3	6	13	23	32	51
70-74	1191	12.0	127	2	3	8	15	26	35	64
75-79	1169	13.6	148	2	3	10	17	28	38	61
80-84	897	14.0	143	3	4	10	18	28	38	70
85+	724	13.6	141	3	4	10	18	28	36	81
GRAND TOTAL	**5294**	**12.4**	**133**	**2**	**3**	**9**	**16**	**26**	**36**	**63**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	2.5	7	<1	<1	2	3	4	5	17
70-74	33	3.2	8	<1	<1	2	4	6	10	14
75-79	36	3.4	13	<1	<1	2	4	6	8	21
80-84	25	3.5	11	<1	<1	3	4	6	10	17
85+	12	3.3	4	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	161	4.2	3	1	2	4	5	7	7	10
70-74	109	4.5	5	2	2	4	5	8	9	12
75-79	53	4.6	7	1	2	4	6	7	11	14
80-84	32	5.2	4	1	2	5	7	8	8	10
85+	17	4.5	4	1	1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	351	3.9	6	1	1	3	5	7	9	13
70-74	325	4.5	14	1	2	3	6	9	11	20
75-79	267	4.8	13	1	2	4	6	11	12	17
80-84	234	5.2	28	1	2	4	6	9	13	34
85+	226	5.8	36	1	2	4	7	11	15	30
B. *Operated*										
65-69 YRS	1624	5.7	17	2	3	5	7	10	12	20
70-74	1131	6.0	17	2	3	5	7	10	13	23
75-79	636	6.7	23	2	3	5	8	13	15	27
80-84	296	8.1	31	2	3	7	10	14	19	28
85+	149	8.2	51	2	3	6	9	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.1	9	<1	<1	2	4	6	8	17
B. *Operated*	372	4.5	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1403	4.7	18	1	1	4	6	9	12	20
B. *Operated*	3836	6.3	21	2	3	5	7	11	14	24
1. SINGLE DX	517	4.1	6	<1	1	4	5	7	8	13
2. MULTIPLE DX	5239	5.8	21	2	2	5	7	11	14	24
A. NOT OPERATED	1548	4.6	18	1	1	4	6	9	12	19
B. OPERATED	4208	6.1	20	2	3	5	7	11	14	24
TOTAL 65-69 YRS	2175	5.3	15	1	2	5	6	9	11	18
70-74	1598	5.6	16	2	2	5	7	10	12	22
75-79	992	5.9	20	1	2	5	7	12	14	23
80-84	587	6.6	30	1	2	5	8	13	16	30
85+	404	6.6	41	2	2	5	8	12	16	33
GRAND TOTAL	**5756**	**5.7**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	173	6.8	15	1	2	7	9	11	14	19
70-74	173	7.1	27	1	2	7	9	12	16	25
75-79	144	6.9	19	1	2	7	9	12	13	20
80-84	91	7.6	89	1	2	6	9	13	16	60
85+	78	6.4	30	1	1	6	8	12	14	33
B. *Operated*										
65-69 YRS	162	7.3	35	1	1	7	10	12	15	32
70-74	116	7.8	25	1	2	7	10	14	17	25
75-79	83	7.4	35	1	1	7	10	15	16	32
80-84	40	8.7	31	2	3	8	11	15	19	26
85+	26	9.3	31	1	2	8	11	19	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1753	7.0	29	1	2	6	9	13	16	27
70-74	2041	7.0	26	2	2	6	9	13	16	28
75-79	1973	7.5	40	2	2	6	10	14	18	32
80-84	1562	7.4	29	2	2	6	9	14	17	28
85+	1256	7.5	43	2	2	6	9	14	17	37
B. *Operated*										
65-69 YRS	1008	11.2	105	2	2	9	13	21	29	64
70-74	1096	11.1	68	2	3	9	14	21	27	47
75-79	830	12.3	132	2	3	10	15	22	31	72
80-84	569	13.0	119	2	4	10	15	24	33	55
85+	397	12.8	130	2	3	9	15	25	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	7.0	31	1	2	6	9	12	14	21
B. *Operated*	427	7.7	32	1	2	7	11	14	16	31
2. MULTIPLE DX										
A. *Not Operated*	8585	7.3	33	2	2	6	9	13	17	29
B. *Operated*	3900	11.8	105	2	3	9	14	22	30	59
1. SINGLE DX	1086	7.3	31	1	2	7	10	13	15	26
2. MULTIPLE DX	12485	8.7	60	2	2	7	11	16	21	42
A. NOT OPERATED	9244	7.3	33	2	2	6	9	13	17	28
B. OPERATED	4327	11.4	100	2	3	9	14	21	29	56
TOTAL 65-69 YRS	3096	8.4	57	1	2	7	11	15	21	41
70-74	3426	8.3	43	2	2	7	11	16	20	34
75-79	3030	8.8	69	2	2	7	11	16	21	44
80-84	2262	8.8	60	2	3	7	11	16	21	43
85+	1757	8.7	67	2	2	7	11	16	22	47
GRAND TOTAL	**13571**	**8.6**	**58**	**2**	**2**	**7**	**11**	**16**	**21**	**40**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	3.9	7	1	1	3	5	7	8	16
70-74	49	4.3	5	1	1	4	5	8	8	10
75-79	42	4.3	10	1	1	4	5	8	12	16
80-84	30	4.4	6	1	2	4	5	7	8	12
85+	36	4.8	16	1	2	4	6	8	10	24
B. *Operated*										
65-69 YRS	13	3.5	9	1	1	2	4	7	11	12
70-74	10	3.3	8	1	1	3	4	8	11	11
75-79	6	4.2	21	<1	<1	2	9	11	11	11
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	803	5.8	15	2	2	5	7	10	13	23
70-74	832	6.5	26	2	2	5	8	12	15	25
75-79	703	6.5	20	2	2	5	8	11	15	25
80-84	621	7.3	38	2	3	6	9	13	17	27
85+	551	7.1	34	2	2	6	9	13	17	26
B. *Operated*										
65-69 YRS	122	8.7	93	1	2	6	11	17	26	54
70-74	118	9.0	56	2	2	7	12	18	23	40
75-79	72	10.2	102	2	2	8	11	21	25	62
80-84	45	10.0	48	2	3	9	12	15	25	38
85+	30	13.0	115	3	4	10	16	31	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	4.3	8	1	1	4	5	7	9	16
B. *Operated*	32	3.5	10	1	1	2	4	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	3510	6.6	26	2	2	5	8	12	15	26
B. *Operated*	387	9.6	80	2	2	7	12	19	25	45
1. SINGLE DX	252	4.2	9	1	1	4	5	7	9	16
2. MULTIPLE DX	3897	6.9	32	2	2	5	8	13	16	28
A. NOT OPERATED	3730	6.5	25	2	2	5	8	12	15	25
B. OPERATED	419	9.1	77	1	2	7	11	17	25	44
TOTAL 65-69 YRS	1001	6.0	25	2	2	5	7	11	14	26
70-74	1009	6.7	29	2	2	5	8	12	16	26
75-79	823	6.7	28	2	2	5	8	12	16	27
80-84	698	7.3	38	2	3	6	9	13	17	27
85+	618	7.3	39	2	2	6	9	14	18	33
GRAND TOTAL	**4149**	**6.7**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	249	5.0	9	2	2	4	6	8	10	17
70-74	228	5.2	8	2	2	5	7	9	10	16
75-79	198	5.0	7	2	2	4	6	8	10	14
80-84	120	5.3	10	1	2	5	6	9	12	17
85+	127	5.7	16	2	2	5	7	10	11	23
B. *Operated*										
65-69 YRS	9	4.3	27	<1	<1	2	7	13	16	16
70-74	9	4.4	10	1	1	3	7	9	10	10
75-79	9	8.3	96	2	2	4	10	24	33	33
80-84	4	5.0	9	2	2	5	7	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5879	7.1	30	2	3	6	8	12	15	29
70-74	6177	7.2	23	2	3	6	9	12	15	25
75-79	5198	7.3	24	2	3	6	9	13	16	26
80-84	3629	7.7	30	3	3	6	9	13	17	28
85+	3218	8.1	35	2	3	7	10	14	18	30
B. *Operated*										
65-69 YRS	521	11.2	82	2	3	9	14	21	33	55
70-74	519	11.8	102	3	3	9	15	23	31	69
75-79	385	12.5	88	3	4	10	16	25	31	46
80-84	241	13.4	80	4	5	11	18	26	33	55
85+	172	15.3	144	3	5	13	19	29	36	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	922	5.2	9	2	2	5	6	9	10	16
B. *Operated*	31	5.6	40	<1	1	3	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	24101	7.4	28	2	3	6	9	13	16	27
B. *Operated*	1838	12.3	96	3	4	10	16	25	32	59
1. SINGLE DX	953	5.2	10	2	2	4	6	9	10	16
2. MULTIPLE DX	25939	7.7	34	2	3	6	9	14	18	31
A. NOT OPERATED	25023	7.3	27	2	3	6	9	13	16	27
B. OPERATED	1869	12.2	95	3	4	10	15	24	32	59
TOTAL 65-69 YRS	6658	7.3	35	2	3	6	9	13	16	33
70-74	6933	7.5	30	2	3	6	9	13	16	30
75-79	5790	7.6	29	2	3	6	9	13	17	29
80-84	3994	7.9	34	3	3	6	10	14	19	32
85+	3517	8.3	42	2	3	7	10	15	19	33
GRAND TOTAL	**26892**	**7.6**	**33**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	115	2.0	1	1	1	2	2	3	4	5
70-74	55	2.1	2	1	1	2	3	3	4	10
75-79	22	2.9	10	<1	<1	2	3	4	9	16
80-84	8	1.8	1	<1	<1	1	2	4	4	4
85+	6	2.5	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	2.3	3	<1	<1	2	3	5	6	6
70-74	6	2.5	3	<1	<1	2	4	5	5	5
75-79	4	3.5	2	2	2	3	4	5	5	5
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	508	2.4	2	1	1	2	3	4	5	9
70-74	284	2.5	3	1	1	2	3	4	5	9
75-79	125	2.6	2	1	1	2	3	4	5	7
80-84	38	2.7	2	1	1	2	4	5	6	7
85+	15	5.9	27	1	1	4	9	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	206	2.1	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	22	2.7	3	<1	<1	2	4	5	6	6
B. *Operated*	970	2.5	3	1	1	2	3	4	5	11
1. SINGLE DX	208	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX	992	2.5	3	1	1	2	3	4	5	11
A. NOT OPERATED	24	2.7	3	<1	<1	2	4	5	6	6
B. OPERATED	1176	2.5	3	1	1	2	3	4	5	10
TOTAL 65-69 YRS	635	2.3	2	1	1	2	3	4	5	8
70-74	345	2.5	2	1	1	2	3	4	5	9
75-79	151	2.6	3	1	1	2	3	4	5	10
80-84	46	2.6	2	<1	1	2	3	5	5	7
85+	23	4.7	20	1	1	4	5	13	15	17
GRAND TOTAL	**1200**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	68	2.2	1	<1	1	2	3	4	4	5
70-74	45	2.5	3	<1	<1	2	3	5	6	9
75-79	38	2.1	1	<1	<1	2	3	3	4	4
80-84	12	2.2	2	1	1	2	2	4	6	6
85+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5	1	<1	<1	1	2	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	3	4.3	9	1	1	5	6	7	7	7
80-84	4	2.5	4	1	1	2	4	5	5	5
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	269	2.8	3	1	1	2	3	5	6	9
70-74	180	2.9	6	1	1	2	3	5	6	10
75-79	123	3.0	4	1	1	2	4	5	7	12
80-84	35	2.4	2	<1	1	2	3	4	4	9
85+	15	4.9	33	1	2	3	5	7	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	167	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	4	<1	1	1	3	5	7	7
B. *Operated*	622	2.9	5	1	1	2	4	5	6	10
1. SINGLE DX	168	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX	637	2.9	5	1	1	2	4	5	6	10
A. NOT OPERATED	16	2.3	4	<1	1	1	3	5	6	7
B. OPERATED	789	2.8	4	1	1	2	3	5	6	9
TOTAL 65-69 YRS	342	2.7	2	1	1	2	3	4	6	8
70-74	227	2.8	5	1	1	2	3	5	6	10
75-79	164	2.8	4	1	1	2	4	5	6	11
80-84	51	2.4	2	<1	1	2	3	4	5	9
85+	21	4.2	25	1	1	3	4	6	15	25
GRAND TOTAL	**805**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	26	2.0	1	1	1	2	2	3	4	6
70-74	20	1.9	1	1	1	2	2	3	4	4
75-79	13	2.3	4	1	1	2	3	6	7	7
80-84	10	1.5		1	1	1	2	2	2	2
85+	17	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	9.5	145	<1	<1	9	18	18	18	18
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	33	4.3	97	1	1	2	3	7	13	57
70-74	12	3.2	7	1	1	3	3	6	10	11
75-79	14	2.4	3	1	1	2	3	4	6	7
80-84	3	4.0	9	1	1	4	6	7	7	7
85+	13	2.3	5	<1	<1	1	2	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	86	1.8	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	6	7.2	45	<1	<1	5	12	17	18	18
B. *Operated*	75	3.4	45	1	1	2	3	6	9	46
1. SINGLE DX	88	1.8	1	1	1	2	2	3	3	7
2. MULTIPLE DX	81	3.7	46	<1	1	2	3	7	11	45
A. NOT OPERATED	8	5.8	39	<1	<1	3	9	16	18	18
B. OPERATED	161	2.5	22	1	1	2	2	4	7	14
TOTAL 65-69 YRS	63	3.4	55	1	1	2	2	6	11	52
70-74	33	2.5	4	1	1	2	3	4	6	11
75-79	28	2.7	6	1	1	2	3	7	8	12
80-84	14	2.3	3	1	1	2	2	5	7	7
85+	31	1.7	3	<1	<1	1	2	3	5	9
GRAND TOTAL	**169**	**2.7**	**23**	**1**	**1**	**2**	**2**	**5**	**7**	**17**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	52	2.5	4	<1	<1	2	3	4	9	10
70-74	35	2.4	1	1	1	2	3	4	4	5
75-79	29	3.5	7	1	1	3	5	6	7	13
80-84	20	3.1	3	1	1	2	5	6	6	6
85+	8	4.3	4	2	2	4	6	7	7	7
B. *Operated*										
65-69 YRS	456	2.1	3	<1	1	2	2	3	4	9
70-74	314	2.1	3	1	1	2	2	3	4	10
75-79	193	2.4	5	<1	1	2	3	4	6	14
80-84	85	2.5	9	<1	1	2	2	3	7	17
85+	37	3.0	8	1	1	2	3	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	273	4.8	10	1	2	4	6	9	11	15
70-74	215	5.2	19	1	1	4	7	9	13	24
75-79	164	5.0	19	1	1	4	7	9	12	29
80-84	112	5.6	16	2	2	4	7	13	15	16
85+	74	6.2	21	1	2	5	8	12	14	24
B. *Operated*										
65-69 YRS	987	3.7	29	1	1	2	4	7	11	25
70-74	699	4.1	32	1	1	2	4	9	13	25
75-79	455	5.0	42	1	1	3	5	12	18	36
80-84	189	6.4	64	1	1	3	7	17	22	43
85+	92	5.8	52	1	1	3	6	14	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.9	4	<1	1	2	4	5	6	10
B. *Operated*	1085	2.2	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*	838	5.2	16	1	2	4	7	10	13	18
B. *Operated*	2422	4.4	37	1	1	2	4	9	15	30
1. SINGLE DX	1229	2.3	4	<1	1	2	2	4	5	13
2. MULTIPLE DX	3260	4.6	31	1	1	3	5	10	14	29
A. NOT OPERATED	982	4.8	15	1	1	4	6	10	12	18
B. OPERATED	3507	3.7	27	1	1	2	4	7	13	26
TOTAL 65-69 YRS	1768	3.4	19	1	1	2	4	7	10	20
70-74	1263	3.8	23	1	1	2	4	8	12	22
75-79	841	4.4	29	1	1	3	5	9	14	30
80-84	406	5.2	39	1	1	3	6	13	17	31
85+	211	5.4	32	1	1	3	7	12	15	32
GRAND TOTAL	**4489**	**4.0**	**25**	**1**	**1**	**2**	**4**	**8**	**13**	**25**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1148	6.3	12	2	3	6	8	10	13	19
70-74	1121	6.7	15	2	3	6	8	11	14	19
75-79	972	6.8	15	3	3	6	8	11	14	21
80-84	817	7.1	18	3	3	6	9	12	15	23
85+	1066	7.6	25	2	3	7	9	13	16	25
B. *Operated*										
65-69 YRS	99	8.3	29	2	2	7	11	14	19	27
70-74	92	8.4	27	2	2	8	12	15	18	23
75-79	64	9.5	38	2	3	8	12	18	23	27
80-84	28	13.9	138	2	4	12	16	22	29	65
85+	32	11.2	58	3	5	9	13	23	29	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11468	8.5	33	3	4	7	10	15	18	29
70-74	14248	9.2	43	3	4	8	11	16	20	35
75-79	15030	9.6	47	3	4	8	12	17	21	36
80-84	13765	10.2	58	3	4	8	12	18	22	42
85+	17496	10.7	60	3	4	9	13	19	23	44
B. *Operated*										
65-69 YRS	1904	15.8	138	4	5	13	20	30	41	75
70-74	2206	16.9	175	4	6	13	21	33	46	87
75-79	1926	17.8	178	5	6	14	22	33	48	87
80-84	1561	19.1	215	5	7	15	23	38	51	95
85+	1398	19.6	191	6	7	16	25	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5124	6.9	17	2	3	6	8	12	14	21
B. *Operated*	315	9.4	45	2	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	72007	9.7	50	3	4	8	12	17	21	38
B. *Operated*	8995	17.6	179	4	6	14	22	34	47	93
1. SINGLE DX	5439	7.0	19	2	3	6	9	12	14	23
2. MULTIPLE DX	81002	10.6	70	3	4	8	13	19	25	49
A. NOT OPERATED	77131	9.5	48	3	4	8	12	17	21	37
B. OPERATED	9310	17.4	177	4	6	14	22	34	46	92
TOTAL 65-69 YRS	14619	9.3	52	3	4	8	11	16	21	40
70-74	17667	10.0	65	3	4	8	12	18	24	46
75-79	17992	10.3	66	3	4	8	12	19	24	47
80-84	16171	10.9	79	3	4	9	13	19	25	52
85+	19992	11.2	73	3	4	9	14	20	26	53
GRAND TOTAL	**86441**	**10.4**	**68**	**3**	**4**	**8**	**12**	**19**	**24**	**48**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	4.7	9	1	2	4	6	9	9	16
70-74	109	4.4	6	2	2	4	6	8	9	11
75-79	85	4.4	6	1	2	4	6	7	9	14
80-84	66	4.3	7	1	2	4	6	7	9	15
85+	48	5.7	13	2	2	5	8	10	13	18
B. *Operated*										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	848	5.6	11	2	2	5	7	10	13	17
70-74	975	6.0	15	2	2	5	7	11	13	21
75-79	887	6.2	18	2	2	5	8	11	14	23
80-84	733	6.9	36	2	3	5	8	12	15	27
85+	664	7.5	29	2	3	6	9	13	18	30
B. *Operated*										
65-69 YRS	33	11.4	92	3	5	9	12	19	27	55
70-74	42	14.4	143	4	6	11	16	27	40	67
75-79	42	13.6	195	4	5	9	12	29	45	76
80-84	32	12.4	54	4	4	12	15	18	23	42
85+	32	16.4	93	5	6	14	24	28	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	4.6	8	2	2	4	6	8	9	15
B. *Operated*	4	9.5	26	3	3	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	4107	6.3	21	2	3	5	8	12	14	23
B. *Operated*	181	13.7	121	4	5	11	16	27	36	63
1. SINGLE DX	408	4.7	8	2	2	4	6	8	10	15
2. MULTIPLE DX	4288	6.7	28	2	3	5	8	12	15	27
A. NOT OPERATED	4511	6.2	20	2	2	5	8	11	14	22
B. OPERATED	185	13.6	120	4	5	11	15	27	35	63
TOTAL 65-69 YRS	978	5.7	15	2	2	5	7	10	13	19
70-74	1127	6.2	22	2	2	5	8	11	14	23
75-79	1015	6.3	26	2	2	5	8	11	14	27
80-84	832	6.9	36	2	2	5	8	13	16	27
85+	744	7.8	34	2	3	6	10	15	19	30
GRAND TOTAL	**4696**	**6.5**	**26**	**2**	**2**	**5**	**8**	**12**	**15**	**26**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	296	6.1	19	2	2	5	7	11	14	22
70-74	276	6.1	21	2	2	5	7	11	14	20
75-79	168	5.8	12	2	2	5	7	10	13	22
80-84	99	5.6	13	2	2	5	7	9	11	22
85+	68	5.4	8	2	2	5	7	10	11	12
B. *Operated*										
65-69 YRS	43	3.9	12	1	1	2	5	9	10	17
70-74	28	4.1	15	<1	1	3	7	9	10	18
75-79	27	5.0	16	<1	1	3	8	12	13	14
80-84	10	6.3	14	<1	1	6	9	11	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2562	7.6	34	2	3	6	9	13	17	30
70-74	2719	7.6	31	2	3	6	9	13	17	28
75-79	2099	8.0	40	2	3	6	9	14	19	36
80-84	1463	8.1	43	2	3	7	10	14	19	35
85+	1142	7.7	31	2	3	6	9	14	18	31
B. *Operated*										
65-69 YRS	454	9.8	103	1	2	7	12	20	29	49
70-74	365	10.5	89	2	3	8	14	20	32	77
75-79	255	11.7	139	2	2	9	15	24	32	79
80-84	166	11.9	131	2	3	10	14	25	32	85
85+	74	13.9	188	2	4	11	16	31	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	5.9	17	2	2	5	7	10	13	20
B. *Operated*	108	4.5	14	<1	1	3	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	9985	7.7	35	2	3	6	9	14	18	32
B. *Operated*	1314	10.8	115	2	2	8	13	23	32	76
1. SINGLE DX	1015	5.8	17	2	2	5	7	10	13	19
2. MULTIPLE DX	11299	8.1	46	2	3	6	10	15	20	37
A. NOT OPERATED	10892	7.6	34	2	3	6	9	13	18	31
B. OPERATED	1422	10.4	110	2	2	8	13	22	31	75
TOTAL 65-69 YRS	3355	7.7	43	2	3	6	9	14	18	34
70-74	3388	7.7	38	2	3	6	9	14	18	36
75-79	2549	8.2	49	2	3	6	10	15	20	43
80-84	1738	8.3	51	2	3	7	10	15	21	38
85+	1284	7.9	41	2	3	6	10	14	19	34
GRAND TOTAL	**12314**	**7.9**	**44**	**2**	**3**	**6**	**10**	**14**	**19**	**36**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	7.2	49	2	2	6	9	14	18	28
70-74	136	6.7	20	2	2	6	8	13	16	22
75-79	93	6.4	43	2	2	5	7	10	15	42
80-84	46	6.3	37	1	2	5	8	11	14	40
85+	14	10.2	77	2	4	7	11	27	31	32
B. *Operated*										
65-69 YRS	3	7.3	12	4	4	7	10	11	11	11
70-74	4	4.3	11	2	2	3	6	9	9	9
75-79	4	5.8	41	1	1	3	10	15	15	15
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1450	8.8	49	2	3	7	11	16	21	38
70-74	1608	8.7	45	2	3	7	11	16	21	38
75-79	1170	9.1	64	2	3	7	11	17	23	44
80-84	638	8.8	59	3	3	7	11	16	21	37
85+	302	9.0	64	2	3	7	11	16	23	48
B. *Operated*										
65-69 YRS	187	15.9	232	3	4	12	19	35	47	99
70-74	165	15.7	155	2	4	13	19	33	43	79
75-79	124	16.5	192	3	4	11	22	39	48	81
80-84	66	19.9	268	6	6	14	26	51	62	99+
85+	23	20.5	328	5	5	16	28	55	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	6.9	38	2	2	5	8	13	17	27
B. *Operated*	13	5.8	22	1	1	4	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	5168	8.8	53	2	3	7	11	16	22	41
B. *Operated*	565	16.6	209	3	5	12	20	39	50	99+
1. SINGLE DX	442	6.8	38	2	2	5	8	13	17	27
2. MULTIPLE DX	5733	9.6	74	2	3	7	11	18	26	49
A. NOT OPERATED	5597	8.7	53	2	3	7	11	16	21	40
B. OPERATED	578	16.4	208	3	4	12	20	39	49	99+
TOTAL 65-69 YRS	1780	9.4	73	2	3	7	11	18	24	45
70-74	1913	9.1	57	2	3	7	11	17	23	43
75-79	1391	9.5	79	2	3	7	11	18	28	50
80-84	751	9.6	86	2	3	7	11	18	26	59
85+	340	9.8	89	2	3	7	12	19	29	63
GRAND TOTAL	**6175**	**9.4**	**72**	**2**	**3**	**7**	**11**	**18**	**25**	**48**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1105	5.2	10	1	2	5	7	9	11	17
70-74	880	5.6	12	2	2	5	7	10	12	17
75-79	535	5.5	11	2	2	5	7	10	12	17
80-84	240	6.0	15	1	2	5	8	11	13	19
85+	132	5.8	11	2	2	5	7	11	12	17
B. *Operated*										
65-69 YRS	15	8.7	14	3	4	8	12	14	15	15
70-74	12	6.3	33	<1	1	5	8	15	20	21
75-79	8	8.8	20	3	4	9	12	15	16	16
80-84	3	6.3	4	4	4	7	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5467	7.0	23	2	3	6	9	12	15	25
70-74	5013	7.3	26	2	3	6	9	13	16	26
75-79	3538	7.6	33	2	3	6	9	13	17	28
80-84	1899	7.8	35	2	3	6	10	14	18	30
85+	1200	8.6	46	2	3	7	10	15	19	33
B. *Operated*										
65-69 YRS	331	12.2	99	3	4	10	14	23	34	60
70-74	288	13.0	91	3	4	11	16	25	31	69
75-79	195	13.1	103	3	5	10	16	24	34	53
80-84	96	15.2	128	4	5	13	18	30	40	56
85+	63	16.1	181	4	5	13	20	33	46	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2892	5.5	11	2	2	5	7	10	12	17
B. *Operated*	38	7.8	21	1	2	7	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	17117	7.4	29	2	3	6	9	13	16	28
B. *Operated*	973	13.2	107	3	4	11	16	25	35	65
1. SINGLE DX	2930	5.5	12	2	2	5	7	10	12	17
2. MULTIPLE DX	18090	7.7	35	2	3	6	9	14	18	31
A. NOT OPERATED	20009	7.1	27	2	3	6	9	13	16	27
B. OPERATED	1011	13.0	104	3	4	10	16	25	34	63
TOTAL 65-69 YRS	6918	7.0	26	2	3	6	9	12	15	27
70-74	6193	7.3	29	2	3	6	9	13	17	28
75-79	4276	7.6	35	2	3	6	9	14	18	29
80-84	2238	8.0	39	2	3	6	10	14	18	31
85+	1395	8.6	52	2	3	7	10	15	20	37
GRAND TOTAL	**21020**	**7.4**	**32**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	967	6.2	21	2	2	5	8	11	14	23
70-74	862	6.6	29	2	2	5	8	11	14	22
75-79	603	6.2	19	2	2	5	8	11	14	27
80-84	279	7.0	31	2	2	6	9	12	16	34
85+	141	7.0	54	2	2	6	8	12	16	29
B. *Operated*										
65-69 YRS	41	6.6	35	1	1	4	9	16	21	23
70-74	31	5.8	22	1	1	4	8	13	16	18
75-79	26	7.3	23	2	3	6	9	15	17	22
80-84	9	8.3	43	<1	1	6	11	19	23	23
85+	6	7.0	24	3	3	5	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8305	8.1	42	2	3	7	10	15	19	34
70-74	8604	8.3	43	2	3	7	10	15	20	33
75-79	6494	8.5	48	2	3	7	10	16	21	37
80-84	3553	8.8	59	2	3	7	11	16	21	44
85+	1915	9.0	63	2	3	7	11	16	21	50
B. *Operated*										
65-69 YRS	953	13.9	175	2	4	10	17	29	42	79
70-74	952	13.9	162	3	4	10	18	28	43	99+
75-79	691	15.0	167	3	4	11	19	30	43	99
80-84	373	14.6	153	3	4	11	18	31	44	73
85+	149	15.6	171	3	4	12	20	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2852	6.4	26	2	2	5	8	11	14	25
B. *Operated*	113	6.7	28	1	2	5	9	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	28871	8.4	47	2	3	7	10	15	20	36
B. *Operated*	3118	14.3	167	3	4	11	18	29	44	99+
1. SINGLE DX	2965	6.4	26	2	2	5	8	11	15	24
2. MULTIPLE DX	31989	9.0	62	2	3	7	11	17	22	45
A. NOT OPERATED	31723	8.2	45	2	3	7	10	15	20	35
B. OPERATED	3231	14.0	164	3	4	10	18	29	43	99+
TOTAL 65-69 YRS	10266	8.5	55	2	3	7	10	16	21	41
70-74	10449	8.7	55	2	3	7	10	16	22	41
75-79	7814	8.9	60	2	3	7	11	17	23	43
80-84	4214	9.2	68	2	3	7	11	17	23	51
85+	2211	9.3	73	2	3	7	11	17	24	59
GRAND TOTAL	**34954**	**8.8**	**59**	**2**	**3**	**7**	**11**	**16**	**22**	**44**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.4	15	1	1	5	7	12	13	13
70-74	6	3.8	5	2	2	3	4	8	8	8
75-79	6	7.2	20	2	2	7	11	13	13	13
80-84	5	5.4	9	<1	<1	6	8	8	8	8
85+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
65-69 YRS	32	6.5	11	2	3	5	9	11	14	14
70-74	45	8.0	37	2	3	6	11	14	17	36
75-79	25	6.9	24	2	3	6	9	13	17	24
80-84	20	6.8	22	1	2	5	9	13	17	20
85+	9	9.9	66	3	3	9	11	22	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	78	6.9	24	2	2	6	9	13	16	28
70-74	90	7.5	21	2	3	7	10	13	16	23
75-79	82	9.3	112	2	3	7	9	14	28	60
80-84	59	9.0	44	3	3	7	12	14	23	36
85+	44	8.7	47	2	3	8	10	18	29	99+
B. *Operated*										
65-69 YRS	353	12.0	97	3	4	9	14	25	32	47
70-74	367	12.3	94	3	4	10	16	23	32	47
75-79	238	12.3	106	3	4	9	16	25	35	53
80-84	156	14.6	132	4	5	11	19	30	42	69
85+	73	13.3	126	4	4	10	16	31	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.8	13	1	2	5	9	12	13	13
B. *Operated*	131	7.4	28	2	3	6	10	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	353	8.2	50	2	3	7	10	14	21	52
B. *Operated*	1187	12.6	104	3	4	9	16	25	33	51
1. SINGLE DX	159	7.1	26	2	2	6	9	13	15	29
2. MULTIPLE DX	1540	11.6	95	3	3	8	14	23	32	51
A. NOT OPERATED	381	8.0	48	2	3	7	10	14	20	48
B. OPERATED	1318	12.0	99	3	4	9	15	24	33	50
TOTAL 65-69 YRS	472	10.6	82	2	3	8	13	22	29	40
70-74	508	11.0	80	3	3	8	14	21	29	44
75-79	351	11.1	103	3	3	8	13	23	32	55
80-84	240	12.4	108	3	4	10	15	25	36	55
85+	128	11.5	96	3	4	9	13	28	35	65
GRAND TOTAL	**1699**	**11.1**	**90**	**3**	**3**	**8**	**14**	**23**	**31**	**50**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	4.6	14	1	1	4	6	9	12	18
70-74	210	5.6	17	1	2	5	7	11	14	21
75-79	149	5.4	20	1	1	4	7	11	13	23
80-84	134	5.9	18	1	2	5	7	12	15	20
85+	155	6.4	24	1	1	5	8	13	16	22
B. *Operated*										
65-69 YRS	248	6.8	40	1	1	5	9	14	19	30
70-74	218	6.6	49	1	1	4	10	15	19	37
75-79	149	5.8	27	1	1	4	8	13	16	27
80-84	63	8.7	72	1	1	6	12	21	26	42
85+	34	11.2	136	2	2	8	14	21	32	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3924	7.6	40	2	2	6	10	14	18	34
70-74	4555	8.3	47	2	3	7	10	16	20	36
75-79	4401	8.7	50	2	3	7	11	16	22	36
80-84	3660	9.3	55	2	3	8	12	17	22	37
85+	3805	9.7	60	2	3	8	12	18	23	40
B. *Operated*										
65-69 YRS	1905	12.1	135	2	2	9	16	26	37	70
70-74	2030	12.6	133	2	3	9	17	27	36	78
75-79	1571	14.0	143	2	3	11	18	28	39	68
80-84	1036	15.3	157	3	4	12	19	30	42	76
85+	777	17.1	202	3	5	13	21	35	44	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	5.5	19	1	1	4	7	11	14	22
B. *Operated*	712	6.9	49	1	1	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	20345	8.7	50	2	3	7	11	16	21	37
B. *Operated*	7319	13.6	149	2	3	10	18	29	39	76
1. SINGLE DX	1571	6.2	33	1	1	5	8	13	17	28
2. MULTIPLE DX	27664	10.0	81	2	3	8	12	20	26	51
A. NOT OPERATED	21204	8.6	50	2	3	7	11	16	21	36
B. OPERATED	8031	13.0	144	2	3	10	17	28	37	72
TOTAL 65-69 YRS	6288	8.8	73	2	2	7	11	18	24	49
70-74	7013	9.4	75	2	2	7	12	19	25	47
75-79	6270	9.9	78	2	3	7	12	20	26	49
80-84	4893	10.5	82	2	3	8	13	20	27	53
85+	4771	10.8	90	2	3	8	13	21	27	55
GRAND TOTAL	**29235**	**9.8**	**79**	**2**	**3**	**7**	**12**	**19**	**26**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.6	3	1	1	3	5	6	6	6
70-74	5	6.2	71	<1	<1	3	9	21	21	21
75-79	5	7.6	45	2	2	5	11	19	19	19
80-84	2	1.0		1	1	1	1	1	1	1
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	211	2.5	4	<1	1	2	3	4	5	11
70-74	140	2.6	8	<1	1	2	3	4	6	16
75-79	72	2.5	1	1	1	2	3	4	5	6
80-84	52	2.5	4	1	1	2	3	4	5	13
85+	37	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	4.4	13	<1	1	4	6	9	12	18
70-74	64	5.6	31	<1	1	4	7	14	20	25
75-79	52	4.3	49	1	1	2	4	9	13	47
80-84	30	5.3	15	1	1	5	7	9	12	20
85+	24	5.3	12	<1	1	5	8	10	11	12
B. *Operated*										
65-69 YRS	791	3.3	12	1	1	2	3	5	9	17
70-74	622	3.2	10	1	1	2	3	6	9	19
75-79	470	3.4	17	1	1	2	4	6	8	19
80-84	270	3.5	12	1	2	2	4	7	9	17
85+	241	3.7	25	1	2	2	3	7	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.8	29	<1	1	3	5	12	20	21
B. *Operated*	512	2.5	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	242	4.9	25	<1	1	3	6	10	14	22
B. *Operated*	2394	3.3	14	1	1	2	3	6	9	19
1. SINGLE DX	533	2.6	6	1	1	2	3	4	5	13
2. MULTIPLE DX	2636	3.5	15	1	1	2	4	6	9	19
A. NOT OPERATED	263	4.9	26	<1	1	3	6	10	14	22
B. OPERATED	2906	3.2	12	1	1	2	3	5	8	19
TOTAL 65-69 YRS	1081	3.2	11	1	1	2	3	5	8	17
70-74	831	3.3	12	1	1	2	3	6	9	21
75-79	599	3.4	18	1	1	2	3	6	8	19
80-84	354	3.5	11	1	1	2	4	7	9	17
85+	304	3.7	21	1	1	2	3	7	10	20
GRAND TOTAL	**3169**	**3.3**	**14**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.6	11	<1	1	4	6	10	11	12
70-74	23	4.7	8	1	2	4	6	8	10	14
75-79	13	3.8	3	1	2	3	5	7	7	7
80-84	8	6.5	10	4	4	5	9	12	12	12
85+	9	7.7	13	4	4	7	9	13	15	15
B. *Operated*										
65-69 YRS	151	2.9	4	1	1	3	4	5	7	11
70-74	113	2.9	4	1	1	2	3	5	6	12
75-79	61	3.7	12	1	1	2	4	8	11	16
80-84	40	3.3	4	1	1	3	4	7	8	8
85+	28	4.0	30	1	1	3	4	6	12	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	133	6.0	15	1	2	5	8	11	14	19
70-74	123	7.7	34	2	2	6	9	15	21	30
75-79	126	6.8	25	2	2	6	8	12	16	28
80-84	113	7.9	32	2	2	6	10	16	17	29
85+	133	8.6	44	3	3	7	10	15	19	34
B. *Operated*										
65-69 YRS	292	5.3	45	1	1	3	5	10	16	41
70-74	258	4.7	47	1	1	3	5	9	13	22
75-79	177	5.6	47	1	2	3	6	12	18	34
80-84	102	5.7	31	1	2	4	7	11	13	33
85+	86	9.1	87	1	2	7	12	19	27	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.0	10	1	2	4	7	9	12	15
B. *Operated*	393	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	628	7.4	30	2	2	6	9	14	17	28
B. *Operated*	915	5.6	50	1	2	3	6	12	17	35
1. SINGLE DX	467	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX	1543	6.3	43	1	2	4	8	13	17	32
A. NOT OPERATED	702	7.1	29	2	2	6	9	13	17	27
B. OPERATED	1308	4.9	38	1	1	3	5	10	14	32
TOTAL 65-69 YRS	597	4.8	28	1	1	3	6	10	13	25
70-74	517	5.0	35	1	1	3	6	10	14	24
75-79	377	5.7	33	1	2	4	7	12	16	33
80-84	263	6.3	29	1	2	5	8	13	16	28
85+	256	8.2	58	2	2	6	10	16	20	57
GRAND TOTAL	**2010**	**5.7**	**36**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	162	3.5	8	1	1	3	4	6	8	12
70-74	123	4.0	10	1	1	3	5	8	10	17
75-79	109	4.4	20	1	1	3	5	9	12	28
80-84	63	4.6	21	1	1	3	6	9	16	26
85+	64	3.5	5	1	1	3	5	6	8	11
B. *Operated*										
65-69 YRS	156	4.7	20	<1	1	3	6	9	12	25
70-74	121	4.8	16	<1	1	4	7	10	12	19
75-79	114	4.6	16	1	1	4	6	9	10	24
80-84	66	4.7	13	1	1	4	6	9	10	22
85+	74	5.9	36	<1	<1	4	9	12	17	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1783	4.9	14	1	2	4	6	9	11	19
70-74	1747	5.3	16	1	2	4	7	10	12	22
75-79	1448	5.6	20	1	2	5	7	10	13	22
80-84	1106	6.3	34	2	2	5	8	12	15	27
85+	973	6.3	25	2	2	5	8	12	15	28
B. *Operated*										
65-69 YRS	1465	8.0	64	1	2	6	10	16	22	45
70-74	1360	9.0	85	1	2	6	11	19	28	49
75-79	1289	8.7	79	1	2	6	11	17	23	50
80-84	949	9.3	100	1	2	7	11	19	26	54
85+	726	10.4	124	2	2	7	13	20	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.9	12	1	1	3	5	7	10	18
B. *Operated*	531	4.9	20	<1	1	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	7057	5.6	21	1	2	4	7	10	13	23
B. *Operated*	5789	8.9	86	1	2	6	11	18	25	50
1. SINGLE DX	1052	4.4	16	1	1	3	6	9	11	23
2. MULTIPLE DX	12846	7.1	53	1	2	5	8	14	19	39
A. NOT OPERATED	7578	5.5	20	1	2	4	7	10	13	23
B. OPERATED	6320	8.6	82	1	2	6	10	17	24	49
TOTAL 65-69 YRS	3566	6.1	37	1	2	5	7	12	16	33
70-74	3351	6.8	47	1	2	5	8	13	19	37
75-79	2960	6.9	48	1	2	5	8	13	19	38
80-84	2184	7.5	64	1	2	6	9	15	20	41
85+	1837	7.8	68	1	2	6	9	15	21	40
GRAND TOTAL	**13898**	**6.9**	**51**	**1**	**2**	**5**	**8**	**13**	**19**	**38**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.2	6	<1	1	4	6	8	10	11
70-74	58	4.4	8	<1	2	4	5	8	9	17
75-79	55	4.0	7	<1	1	3	6	7	9	14
80-84	34	5.3	9	<1	2	5	7	9	9	15
85+	36	4.9	7	1	2	5	7	8	10	12
B. *Operated*										
65-69 YRS	52	5.7	15	<1	1	5	8	12	14	15
70-74	64	5.9	21	<1	<1	5	9	11	14	24
75-79	60	6.9	64	<1	1	5	8	11	18	54
80-84	33	5.3	15	1	2	4	7	11	12	17
85+	16	7.8	33	1	2	6	9	14	22	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	598	5.9	14	2	2	5	7	10	14	20
70-74	632	6.3	17	2	2	5	8	12	14	21
75-79	597	6.7	22	2	2	6	8	12	16	26
80-84	452	7.3	28	2	3	6	9	13	18	29
85+	406	7.5	33	2	3	6	9	14	18	29
B. *Operated*										
65-69 YRS	663	8.3	36	2	3	7	10	16	19	34
70-74	658	9.0	49	2	3	7	10	17	23	37
75-79	588	9.6	51	2	3	8	12	16	21	43
80-84	372	9.1	60	2	3	7	10	18	22	44
85+	291	9.9	57	3	3	8	13	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.4	7	<1	2	4	6	8	9	14
B. *Operated*	225	6.2	31	<1	1	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	2685	6.7	22	2	2	6	8	12	16	25
B. *Operated*	2572	9.1	49	2	3	7	11	17	21	38
1. SINGLE DX	467	5.3	19	<1	1	4	7	9	12	20
2. MULTIPLE DX	5257	7.9	37	2	3	6	10	15	19	31
A. NOT OPERATED	2927	6.5	21	2	2	5	8	12	15	24
B. OPERATED	2797	8.8	48	2	3	7	11	17	21	37
TOTAL 65-69 YRS	1372	7.0	26	2	2	6	9	13	17	28
70-74	1412	7.5	34	2	3	6	9	14	18	28
75-79	1300	7.9	39	2	2	6	10	15	18	32
80-84	891	7.9	42	2	2	6	9	15	20	33
85+	749	8.3	43	2	3	7	10	16	20	35
GRAND TOTAL	**5724**	**7.6**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	120	5.0	7	2	2	4	6	8	10	16
70-74	111	5.2	24	1	2	5	6	8	10	27
75-79	102	5.8	20	2	3	5	7	10	11	28
80-84	67	6.1	20	2	3	5	7	10	12	32
85+	43	6.3	10	3	3	6	7	11	14	15
B. *Operated*										
65-69 YRS	90	8.5	29	3	4	8	11	14	17	32
70-74	73	9.1	41	2	3	8	12	17	24	33
75-79	82	9.0	27	3	3	8	12	15	19	28
80-84	67	9.3	30	3	5	8	11	17	21	29
85+	35	11.5	75	2	4	8	15	23	33	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	860	7.0	26	2	3	6	8	12	15	28
70-74	985	7.0	18	3	3	6	8	13	15	22
75-79	921	7.3	23	3	3	6	9	13	15	24
80-84	784	8.2	47	3	3	7	10	14	18	39
85+	736	9.1	62	3	3	7	10	16	22	46
B. *Operated*										
65-69 YRS	970	11.5	99	3	4	8	13	22	29	54
70-74	1039	11.6	91	3	4	9	15	22	30	54
75-79	1039	11.7	95	3	4	9	14	22	30	54
80-84	808	12.4	97	3	4	10	15	24	32	65
85+	688	13.6	108	4	5	11	17	26	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	5.5	17	2	2	5	7	9	11	16
B. *Operated*	347	9.2	36	2	4	8	12	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	4286	7.7	34	3	3	6	9	13	17	30
B. *Operated*	4544	12.0	98	3	4	9	15	23	31	56
1. SINGLE DX	790	7.1	29	2	3	6	9	13	16	30
2. MULTIPLE DX	8830	9.9	72	3	4	7	12	18	25	49
A. NOT OPERATED	4729	7.5	33	2	3	6	9	13	16	30
B. OPERATED	4891	11.8	94	3	4	9	14	23	31	55
TOTAL 65-69 YRS	2040	9.1	65	3	3	7	11	17	23	49
70-74	2208	9.1	59	3	3	7	11	18	23	43
75-79	2144	9.5	63	3	3	7	11	17	23	47
80-84	1726	10.2	73	3	4	8	12	19	25	52
85+	1502	11.1	87	3	4	8	14	21	29	57
GRAND TOTAL	**9620**	**9.7**	**69**	**3**	**3**	**7**	**11**	**18**	**25**	**49**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	181	3.8	5	<1	1	3	5	7	9	11
70-74	147	4.4	5	2	2	4	5	8	9	12
75-79	108	4.4	6	1	2	4	6	8	9	12
80-84	64	5.0	6	2	2	4	7	8	10	13
85+	47	4.6	11	1	1	4	5	9	13	16
B. *Operated*										
65-69 YRS	24	7.8	41	<1	<1	7	10	17	22	24
70-74	22	7.6	24	<1	1	7	9	14	18	19
75-79	23	6.9	19	<1	<1	5	10	13	16	17
80-84	5	7.0	94	1	1	4	10	24	24	24
85+	9	8.3	13	4	4	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1323	5.8	17	2	2	5	7	10	12	20
70-74	1256	5.9	14	2	2	5	7	11	13	20
75-79	1085	6.4	26	2	3	5	8	11	14	21
80-84	765	6.9	34	2	3	6	8	12	15	26
85+	583	7.8	50	2	3	6	9	14	17	41
B. *Operated*										
65-69 YRS	348	10.7	86	3	4	8	13	20	30	58
70-74	339	11.1	75	3	4	9	13	20	29	42
75-79	251	11.3	114	2	4	8	14	22	28	79
80-84	163	12.2	146	3	4	9	14	21	33	84
85+	136	11.4	82	3	3	9	14	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	4.3	6	1	2	4	5	7	9	13
B. *Operated*	83	7.5	29	<1	<1	7	10	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	5012	6.4	25	2	2	5	8	11	14	23
B. *Operated*	1237	11.2	96	3	4	9	13	21	30	58
1. SINGLE DX	630	4.7	10	1	2	4	6	9	10	17
2. MULTIPLE DX	6249	7.3	43	2	3	6	9	13	17	33
A. NOT OPERATED	5559	6.1	24	2	2	5	8	11	14	22
B. OPERATED	1320	11.0	92	3	4	9	13	20	29	54
TOTAL 65-69 YRS	1876	6.6	33	2	2	5	8	11	15	31
70-74	1764	6.8	30	2	2	5	8	12	15	29
75-79	1467	7.1	43	2	3	6	9	13	16	31
80-84	997	7.6	55	2	3	6	9	14	18	39
85+	775	8.2	56	2	3	6	10	15	19	46
GRAND TOTAL	**6879**	**7.1**	**40**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	265	4.9	5	2	2	5	6	8	9	12
70-74	226	5.0	5	2	2	5	6	8	9	12
75-79	201	5.7	13	2	3	5	7	9	10	21
80-84	97	6.2	13	2	3	5	7	10	13	22
85+	79	6.9	46	3	3	6	8	10	13	49
B. *Operated*										
65-69 YRS	81	8.7	20	3	4	8	11	15	18	22
70-74	70	9.2	13	5	5	8	11	14	16	21
75-79	74	10.7	62	2	4	10	13	17	23	51
80-84	49	12.5	94	3	4	10	15	22	32	50
85+	31	14.2	75	5	6	13	17	22	40	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1363	6.6	18	2	3	5	8	11	14	24
70-74	1502	7.1	22	2	3	6	9	12	15	26
75-79	1398	7.7	30	3	3	6	9	14	18	29
80-84	1157	8.1	32	3	3	7	10	14	18	30
85+	1066	9.2	52	3	3	7	11	16	21	39
B. *Operated*										
65-69 YRS	703	13.8	119	4	5	11	17	25	36	61
70-74	819	14.0	144	4	5	11	16	26	38	68
75-79	762	15.2	139	5	6	12	18	27	37	81
80-84	569	15.2	137	4	5	12	18	28	37	84
85+	496	16.4	146	5	6	13	20	32	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	5.4	12	2	3	5	7	9	10	15
B. *Operated*	305	10.5	48	3	5	9	12	17	22	44
2. MULTIPLE DX										
A. *Not Operated*	6486	7.6	30	3	3	6	9	13	17	30
B. *Operated*	3349	14.8	137	4	5	12	18	28	38	76
1. SINGLE DX	1173	6.7	26	2	3	6	8	12	15	27
2. MULTIPLE DX	9835	10.1	78	3	3	8	12	19	26	53
A. NOT OPERATED	7354	7.4	29	2	3	6	9	13	16	29
B. OPERATED	3654	14.4	131	4	5	11	17	27	37	74
TOTAL 65-69 YRS	2412	8.6	58	2	3	6	10	16	22	42
70-74	2617	9.1	70	3	3	7	11	16	22	47
75-79	2435	10.0	76	3	3	8	12	19	25	53
80-84	1872	10.3	76	3	4	8	12	19	27	53
85+	1672	11.3	91	3	4	9	13	21	31	63
GRAND TOTAL	**11008**	**9.7**	**74**	**3**	**3**	**7**	**12**	**18**	**25**	**50**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.3	4	1	2	4	6	7	7	7
70-74	11	6.8	5	4	4	6	8	10	11	11
75-79	21	6.5	3	4	4	6	8	9	10	10
80-84	14	6.6	6	3	4	6	9	10	11	11
85+	20	7.5	25	1	2	7	11	14	17	19
B. *Operated*										
65-69 YRS	43	11.4	26	4	5	11	15	19	21	23
70-74	32	10.4	38	4	4	10	12	20	21	31
75-79	26	13.5	55	6	6	12	17	26	29	34
80-84	6	12.2	61	4	4	11	14	25	26	26
85+	11	15.7	113	2	4	14	20	31	41	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	134	7.7	27	2	3	6	9	13	17	30
70-74	144	7.7	22	2	3	7	10	15	17	22
75-79	133	8.3	30	2	3	7	10	14	19	28
80-84	116	9.8	57	3	4	8	11	17	25	46
85+	97	10.6	82	3	4	8	12	20	26	55
B. *Operated*										
65-69 YRS	261	16.4	137	5	6	13	21	32	45	65
70-74	272	16.9	117	5	6	14	21	33	40	55
75-79	236	17.0	118	5	6	14	21	34	40	77
80-84	140	18.9	186	4	6	15	23	38	46	75
85+	123	18.2	248	5	6	13	23	37	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.4	10	2	3	6	8	11	12	18
B. *Operated*	118	12.0	46	4	5	11	15	21	25	37
2. MULTIPLE DX										
A. *Not Operated*	624	8.7	42	2	3	7	10	15	20	34
B. *Operated*	1032	17.2	147	5	6	14	22	34	42	71
1. SINGLE DX	198	9.8	39	2	4	8	13	18	22	33
2. MULTIPLE DX	1656	14.0	124	3	4	11	18	28	38	62
A. NOT OPERATED	704	8.4	38	2	3	7	10	15	19	32
B. OPERATED	1150	16.7	139	4	6	14	21	33	41	70
TOTAL 65-69 YRS	452	13.0	107	3	4	10	16	27	35	62
70-74	459	13.3	98	3	4	11	17	26	35	50
75-79	416	13.5	98	4	4	11	17	27	37	53
80-84	276	14.3	142	3	4	11	17	27	40	67
85+	251	14.3	175	3	4	10	18	28	42	74
GRAND TOTAL	**1854**	**13.6**	**117**	**3**	**4**	**11**	**17**	**27**	**36**	**61**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	247	3.1	3	1	1	3	4	5	7	9
70-74	202	3.9	8	1	1	3	5	7	10	14
75-79	144	3.9	13	1	1	3	5	7	8	14
80-84	94	4.1	7	1	1	4	5	7	9	15
85+	80	3.4	5	1	1	3	4	6	8	73
B. *Operated*										
65-69 YRS	30	5.0	26	<1	<1	3	6	14	15	18
70-74	28	3.8	6	<1	<1	4	5	7	10	11
75-79	25	6.6	41	<1	1	4	9	15	20	29
80-84	17	5.9	36	<1	1	3	9	17	20	21
85+	8	8.3	19	1	2	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3133	5.4	16	2	2	4	7	9	12	20
70-74	3087	5.7	16	2	2	5	7	10	13	21
75-79	2614	6.5	36	2	2	5	8	12	15	27
80-84	1976	6.5	26	2	2	5	8	12	15	24
85+	1696	6.9	27	2	2	6	8	13	17	27
B. *Operated*										
65-69 YRS	946	8.8	58	2	3	7	10	17	23	36
70-74	902	8.8	65	2	3	7	10	16	21	56
75-79	817	9.3	59	2	3	7	11	18	22	41
80-84	561	10.5	105	3	4	8	12	20	27	88
85+	362	10.2	61	3	4	8	12	19	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	3.6	7	1	1	3	5	7	8	12
B. *Operated*	108	5.4	26	<1	<1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	12506	6.1	24	2	2	5	7	11	14	23
B. *Operated*	3588	9.3	68	2	3	7	11	17	23	46
1. SINGLE DX	875	3.8	10	1	1	3	5	7	10	15
2. MULTIPLE DX	16094	6.8	36	2	2	5	8	12	16	31
A. NOT OPERATED	13273	5.9	23	2	2	5	7	11	14	23
B. OPERATED	3696	9.2	67	2	3	7	11	17	23	45
TOTAL 65-69 YRS	4356	6.0	27	1	2	5	7	11	14	27
70-74	4219	6.3	28	2	2	5	8	11	15	27
75-79	3600	7.0	42	2	2	5	8	13	17	34
80-84	2648	7.2	45	2	2	6	9	13	18	36
85+	2146	7.3	34	2	2	6	9	14	18	29
GRAND TOTAL	**16969**	**6.6**	**35**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	3.8	7	1	1	3	5	8	10	12
70-74	45	3.9	11	<1	1	3	5	7	12	16
75-79	46	4.5	11	1	1	4	6	10	12	14
80-84	18	5.4	10	2	2	5	8	10	12	12
85+	23	5.1	26	1	1	4	6	9	16	25
B. *Operated*										
65-69 YRS	25	15.3	104	6	7	13	19	28	37	51
70-74	13	6.7	35	<1	1	4	10	14	20	22
75-79	13	8.5	38	2	2	7	12	19	20	20
80-84	13	10.8	33	2	4	11	16	19	20	20
85+	7	19.7	726	1	1	17	19	66	78	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	565	5.8	28	1	2	4	7	11	15	25
70-74	601	6.0	21	1	2	5	8	11	15	24
75-79	464	6.3	24	1	2	5	8	12	15	27
80-84	410	6.3	19	2	2	5	8	12	15	21
85+	321	7.3	42	2	2	6	9	14	17	38
B. *Operated*										
65-69 YRS	301	14.7	136	2	3	12	20	28	41	55
70-74	296	15.9	173	3	5	12	20	33	40	68
75-79	263	16.6	125	4	5	14	22	32	41	50
80-84	174	16.4	198	3	4	13	21	29	47	74
85+	124	16.3	94	4	6	14	21	32	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	4.3	12	1	1	3	6	9	11	15
B. *Operated*	71	12.1	133	1	2	9	17	21	28	72
2. MULTIPLE DX										
A. *Not Operated*	2361	6.2	26	1	2	5	8	12	16	25
B. *Operated*	1158	15.9	148	3	4	13	21	31	41	62
1. SINGLE DX	257	6.5	57	1	1	4	8	14	19	32
2. MULTIPLE DX	3519	9.4	87	2	2	7	12	20	27	49
A. NOT OPERATED	2547	6.1	25	1	2	5	8	12	15	24
B. OPERATED	1229	15.6	148	3	4	13	20	30	40	63
TOTAL 65-69 YRS	945	8.7	82	1	2	6	11	20	26	50
70-74	955	8.9	89	1	2	6	11	18	26	51
75-79	786	9.7	82	2	2	7	12	21	29	45
80-84	615	9.2	90	2	2	7	11	19	24	58
85+	475	9.7	81	2	2	7	12	19	29	45
GRAND TOTAL	**3776**	**9.2**	**85**	**2**	**2**	**6**	**11**	**20**	**27**	**49**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	5	2	2	6	6	6	6	6
70-74										
75-79										
80-84										
85+	2	9.0	50	4	4	9	14	14	14	14
B. *Operated*										
65-69 YRS	164	5.3	8	3	3	5	6	8	10	20
70-74	109	5.8	7	3	3	5	7	10	11	14
75-79	60	6.0	10	2	3	5	7	8	11	21
80-84	29	7.1	15	2	3	6	8	11	16	19
85+	21	4.7	6	1	2	5	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.8	17	<1	<1	5	9	11	11	11
70-74	10	4.2	3	2	2	4	6	7	7	7
75-79	10	6.4	34	1	2	4	7	15	22	22
80-84	5	11.0	18	6	6	10	14	17	17	17
85+	5	8.8	45	3	3	6	14	19	19	19
B. *Operated*										
65-69 YRS	212	7.7	26	3	4	7	9	13	17	24
70-74	179	8.3	35	3	4	7	10	14	17	35
75-79	110	9.4	54	4	4	8	11	16	19	44
80-84	65	11.4	110	4	4	9	11	18	37	63
85+	37	12.2	172	4	5	8	12	21	25	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	17	2	2	6	6	12	14	14
B. *Operated*	383	5.7	9	2	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	35	6.7	25	1	3	5	9	13	18	22
B. *Operated*	603	8.9	53	3	4	7	10	15	19	43
1. SINGLE DX	390	5.7	9	2	3	5	7	9	11	18
2. MULTIPLE DX	638	8.8	52	3	4	7	10	15	19	43
A. NOT OPERATED	42	6.5	23	1	2	5	8	13	18	22
B. OPERATED	986	7.6	38	3	3	6	9	13	17	32
TOTAL 65-69 YRS	386	6.6	19	3	3	6	8	11	15	21
70-74	298	7.2	25	3	3	6	8	12	15	31
75-79	180	8.1	40	3	4	7	9	14	19	28
80-84	99	10.1	81	3	4	8	11	17	24	55
85+	65	9.4	114	2	3	7	11	18	22	74
GRAND TOTAL	**1028**	**7.6**	**38**	**3**	**3**	**6**	**9**	**13**	**17**	**30**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.7	3	6	6	7	9	10	10	10
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	2	20.5	365	7	7	20	34	34	34	34
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	175	8.8	21	4	5	8	10	13	15	31
70-74	124	8.6	12	4	5	8	10	13	15	22
75-79	74	9.3	12	5	6	9	11	12	17	22
80-84	33	9.8	15	5	5	10	12	15	19	20
85+	18	11.2	13	7	8	10	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	11.1	53	1	3	10	13	21	27	29
70-74	13	8.7	43	<1	1	9	12	17	22	23
75-79	12	9.6	20	2	5	9	11	15	20	21
80-84	6	18.3	91	7	8	16	19	34	36	36
85+	8	9.1	35	3	3	8	12	19	21	21
B. *Operated*										
65-69 YRS	481	12.9	87	5	6	11	14	21	27	51
70-74	394	12.4	42	5	6	11	15	21	24	33
75-79	309	14.7	114	6	7	12	17	24	30	69
80-84	161	15.7	127	6	7	12	18	27	36	68
85+	148	16.8	134	6	8	13	20	32	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.5	69	4	5	7	9	20	33	34
B. *Operated*	424	9.0	16	4	5	8	11	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	52	10.7	49	1	3	9	14	20	23	36
B. *Operated*	1493	13.8	92	6	7	11	16	23	30	65
1. SINGLE DX	435	9.0	17	4	5	8	11	13	16	22
2. MULTIPLE DX	1545	13.7	91	5	7	11	16	23	29	64
A. NOT OPERATED	63	10.5	52	1	3	9	12	20	25	36
B. OPERATED	1917	12.8	79	5	6	11	15	21	27	54
TOTAL 65-69 YRS	675	11.8	72	5	6	10	13	20	24	46
70-74	533	11.4	38	4	6	10	14	19	23	31
75-79	397	13.5	97	6	7	11	15	22	28	67
80-84	201	14.8	112	5	6	12	17	25	35	61
85+	174	15.9	122	6	8	12	19	31	37	67
GRAND TOTAL	**1980**	**12.7**	**78**	**5**	**6**	**10**	**15**	**21**	**27**	**53**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	6	1	1	3	5	6	6	6
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	13	5.5	6	2	3	5	7	9	10	10
70-74	8	6.3	17	2	2	5	9	12	13	13
75-79	5	7.6	29	2	2	8	10	16	16	16
80-84	4	5.8	6	4	4	5	7	9	9	9
85+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	4.9	26	1	1	3	6	7	18	22
70-74	10	4.5	4	2	2	4	6	7	8	8
75-79	6	4.7	10	1	1	4	6	10	10	10
80-84	8	9.1	26	4	4	7	13	17	18	18
85+	3	7.0	3	6	6	6	8	9	9	9
B. *Operated*										
65-69 YRS	27	7.8	19	2	3	6	11	15	16	17
70-74	29	11.7	237	4	4	7	11	20	25	87
75-79	20	9.5	46	3	4	8	9	18	27	33
80-84	3	5.7	6	3	3	6	7	8	8	8
85+	7	15.3	206	3	4	11	17	40	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.2	4	1	1	3	5	6	6	6
B. *Operated*	32	6.1	11	2	2	5	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	42	5.7	19	1	2	5	7	10	16	22
B. *Operated*	86	10.0	115	3	3	7	11	18	21	72
1. SINGLE DX	38	5.6	11	2	2	5	8	10	12	16
2. MULTIPLE DX	128	8.6	87	2	3	6	10	16	20	55
A. NOT OPERATED	48	5.4	18	1	2	5	6	10	15	22
B. OPERATED	118	8.9	89	2	3	7	10	16	20	59
TOTAL 65-69 YRS	59	6.2	19	1	2	5	8	13	15	22
70-74	49	8.9	153	2	2	6	9	17	20	87
75-79	31	8.3	39	2	3	8	9	15	21	33
80-84	15	7.5	18	3	4	6	9	15	17	18
85+	12	11.7	133	3	5	8	12	26	43	46
GRAND TOTAL	**166**	**7.9**	**71**	**2**	**2**	**6**	**9**	**15**	**18**	**44**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.1	3	<1	<1	1	2	5	7	7
70-74	10	3.5	5	1	1	3	4	7	9	9
75-79	10	2.8	3	<1	<1	3	4	5	6	6
80-84	6	2.3	1	<1	<1	2	3	4	4	4
85+	11	3.3	10	1	1	2	4	8	12	12
B. *Operated*										
65-69 YRS	3972	3.4	3	1	1	3	4	5	6	8
70-74	3090	3.6	3	1	2	3	4	6	7	9
75-79	2059	3.7	3	1	2	3	5	6	7	9
80-84	1021	4.1	5	1	2	4	5	6	8	11
85+	486	4.3	6	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	3.0	7	<1	<1	2	4	6	9	13
70-74	137	2.9	7	<1	<1	2	4	6	7	13
75-79	97	3.9	24	<1	<1	3	4	8	11	31
80-84	97	4.9	15	<1	1	4	6	11	13	17
85+	67	5.5	22	1	1	4	8	11	15	22
B. *Operated*										
65-69 YRS	5819	4.5	9	1	2	4	5	8	10	15
70-74	5409	4.9	13	2	2	4	6	8	11	19
75-79	4120	5.2	17	2	2	4	6	9	12	21
80-84	2334	6.0	26	2	2	5	7	10	14	25
85+	1225	6.4	28	2	2	5	8	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.8	5	<1	<1	2	4	5	7	12
B. *Operated*	10628	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	510	3.9	15	<1	1	3	5	9	12	17
B. *Operated*	18907	5.1	16	2	2	4	6	9	11	20
1. SINGLE DX	10678	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX	19417	5.1	16	1	2	4	6	9	11	20
A. NOT OPERATED	560	3.8	14	<1	1	3	5	8	11	17
B. OPERATED	29535	4.6	12	1	2	4	5	8	10	17
TOTAL 65-69 YRS	9916	4.0	7	1	2	4	5	7	8	14
70-74	8646	4.4	10	1	2	4	5	7	9	16
75-79	6286	4.7	13	1	2	4	6	8	10	19
80-84	3458	5.4	20	2	2	4	6	9	12	23
85+	1789	5.8	23	2	2	5	7	10	14	25
GRAND TOTAL	**30095**	**4.5**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.7	4	1	1	2	3	6	7	7
70-74	5	1.4		<1	<1	1	2	2	2	2
75-79	6	1.5	1	<1	<1	1	2	3	3	3
80-84	7	1.1		<1	<1	1	1	2	2	2
85+	12	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*										
65-69 YRS	221	4.4	6	1	2	4	6	7	8	12
70-74	206	4.7	5	2	2	4	6	8	8	12
75-79	183	4.6	4	2	2	4	6	8	8	12
80-84	164	5.1	9	1	2	5	7	8	10	17
85+	149	6.1	19	2	2	5	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	5.9	22	1	1	5	8	11	15	21
70-74	32	4.3	9	1	1	4	6	8	9	13
75-79	41	5.0	23	1	1	4	7	10	15	23
80-84	53	6.0	27	1	1	4	8	14	17	25
85+	80	6.7	159	1	1	4	7	12	17	85
B. *Operated*										
65-69 YRS	529	6.9	31	2	3	6	8	12	17	30
70-74	733	8.2	53	2	3	6	10	15	20	39
75-79	688	7.8	34	2	3	6	9	15	20	31
80-84	616	9.3	73	3	3	7	11	18	22	46
85+	584	10.2	77	3	4	8	12	18	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*	923	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	230	5.8	69	1	1	4	7	12	15	32
B. *Operated*	3150	8.5	55	2	3	7	10	16	20	38
1. SINGLE DX	962	4.8	8	1	2	4	6	8	10	15
2. MULTIPLE DX	3380	8.3	56	2	3	6	10	15	20	38
A. NOT OPERATED	269	5.2	61	<1	1	3	7	11	14	25
B. OPERATED	4073	7.7	46	2	3	6	9	14	19	36
TOTAL 65-69 YRS	783	6.1	25	2	2	5	7	11	15	27
70-74	976	7.3	43	2	3	6	8	13	18	36
75-79	918	7.0	29	2	3	5	8	13	18	30
80-84	840	8.2	60	2	3	6	10	16	20	39
85+	825	9.0	77	2	3	7	11	16	21	52
GRAND TOTAL	**4342**	**7.5**	**48**	**2**	**3**	**6**	**9**	**14**	**19**	**35**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	111	3.3	2	1	2	3	4	6	6	8
70-74	72	4.1	5	1	2	4	5	7	9	14
75-79	45	3.8	5	<1	1	4	5	7	9	9
80-84	13	4.1	3	1	2	5	5	6	7	7
85+	6	4.3	7	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	3.6	9	1	1	3	4	8	11	12
70-74	12	4.0	7	<1	1	4	6	8	9	9
75-79	9	6.4	20	<1	1	7	9	13	13	13
80-84	5	4.2	17	1	1	2	6	11	11	11
85+	4	11.5	363	1	1	3	22	40	40	40
B. *Operated*										
65-69 YRS	262	5.5	20	1	2	4	7	10	13	22
70-74	210	5.2	9	2	2	5	7	9	11	15
75-79	108	6.6	36	1	2	5	7	13	23	59
80-84	42	6.2	18	2	3	5	7	10	12	27
85+	29	6.2	17	2	2	4	8	13	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5		2	2	2	3	3	3	3
B. *Operated*	247	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	42	5.1	42	<1	1	3	6	11	13	40
B. *Operated*	651	5.7	19	1	2	5	7	10	14	25
1. SINGLE DX	251	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX	693	5.6	20	1	2	5	7	10	13	26
A. NOT OPERATED	46	4.9	39	1	1	3	6	11	13	40
B. OPERATED	898	5.1	15	1	2	4	6	9	12	23
TOTAL 65-69 YRS	387	4.8	15	1	2	4	6	9	12	19
70-74	296	4.9	8	1	2	4	6	9	11	15
75-79	162	5.8	28	1	2	5	7	10	19	31
80-84	60	5.6	15	1	2	5	7	9	11	26
85+	39	6.5	45	1	1	4	8	13	15	40
GRAND TOTAL	**944**	**5.1**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	13	1	1	3	5	10	11	11
70-74	12	2.9	3	1	1	3	4	6	7	7
75-79	3	5.3	44	1	1	2	10	13	13	13
80-84	3	2.0	1	<1	<1	2	3	3	3	3
85+	4	4.8	2	4	4	4	6	7	7	7
B. *Operated*										
65-69 YRS	582	5.3	7	2	2	5	7	9	10	14
70-74	443	5.3	6	2	2	5	7	8	9	12
75-79	275	5.4	9	2	2	5	7	9	10	15
80-84	95	5.7	8	2	3	5	8	9	11	14
85+	42	6.0	15	1	2	5	7	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	3.9	11	1	1	3	4	8	12	17
70-74	86	4.6	15	1	1	4	6	9	10	23
75-79	71	4.5	10	1	1	4	6	9	11	15
80-84	48	5.5	35	1	1	4	7	12	16	33
85+	35	7.0	39	1	2	5	9	17	21	28
B. *Operated*										
65-69 YRS	1339	7.4	21	2	3	6	9	12	15	25
70-74	1136	7.6	25	2	3	7	9	13	16	26
75-79	725	8.4	46	3	3	7	10	15	19	34
80-84	331	8.9	37	3	4	7	10	16	20	36
85+	127	9.3	50	2	3	8	12	18	22	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.5	8	1	1	3	4	7	11	13
B. *Operated*	1437	5.4	7	2	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	322	4.8	19	1	1	4	6	10	13	24
B. *Operated*	3658	7.8	30	2	3	7	9	14	17	29
1. SINGLE DX	1466	5.3	7	2	2	5	7	9	10	13
2. MULTIPLE DX	3980	7.6	30	2	3	6	9	13	17	29
A. NOT OPERATED	351	4.7	18	1	1	4	6	10	13	22
B. OPERATED	5095	7.1	25	2	3	6	9	12	15	26
TOTAL 65-69 YRS	2010	6.6	17	2	3	6	8	11	14	22
70-74	1677	6.8	21	2	3	6	8	11	14	25
75-79	1074	7.4	36	2	3	6	9	13	17	31
80-84	477	7.9	33	2	3	7	9	14	18	32
85+	208	8.2	42	2	3	6	11	17	20	40
GRAND TOTAL	**5446**	**7.0**	**25**	**2**	**3**	**6**	**9**	**12**	**15**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	3.6	4	1	1	3	4	6	7	[illegible]
70-74	74	3.2	3	<1	1	3	4	6	6	[illegible]
75-79	58	3.9	4	1	2	4	5	7	8	10
80-84	39	3.6	5	<1	1	3	5	7	8	10
85+	24	3.8	8	1	2	3	4	6	11	14
B. *Operated*										
65-69 YRS	29	7.3	7	2	3	8	9	10	11	11
70-74	27	8.3	11	2	3	9	11	12	13	15
75-79	15	8.2	11	2	2	8	11	12	13	14
80-84	6	9.0	10	5	5	9	10	14	14	14
85+	5	9.0	16	3	3	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1306	4.8	11	2	2	4	6	8	10	16
70-74	1328	5.0	13	2	2	4	6	9	10	17
75-79	1099	5.3	17	2	2	4	6	9	12	22
80-84	866	6.0	18	2	2	5	7	11	14	24
85+	712	6.6	28	2	2	5	8	12	16	31
B. *Operated*										
65-69 YRS	496	9.5	48	2	3	9	11	16	21	35
70-74	397	9.1	44	2	3	8	12	17	20	33
75-79	279	11.5	79	2	3	10	15	21	28	43
80-84	185	10.6	79	2	3	8	14	22	31	55
85+	107	12.6	103	2	3	10	16	23	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.6	4	1	1	3	5	6	7	10
B. *Operated*	82	8.0	10	2	3	8	10	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	5311	5.4	16	2	2	4	7	9	12	21
B. *Operated*	1464	10.1	62	2	3	9	12	18	24	47
1. SINGLE DX	359	4.6	9	1	2	4	6	9	11	14
2. MULTIPLE DX	6775	6.4	30	2	2	5	8	12	16	29
A. NOT OPERATED	5588	5.3	16	2	2	4	6	9	12	21
B. OPERATED	1546	10.0	59	2	3	9	12	18	23	45
TOTAL 65-69 YRS	1913	6.0	24	2	2	5	8	11	14	23
70-74	1826	5.8	22	2	2	5	7	11	14	22
75-79	1451	6.5	34	2	2	5	8	12	17	30
80-84	1096	[illegible]	31	2	2	5	8	13	17	32
85+	848	7.3	41	2	2	5	9	14	19	38
GRAND TOTAL	**7134**	**6.3**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	89	4.1	5	1	2	4	5	6	7	14
70-74	71	4.1	3	1	2	4	5	6	8	10
75-79	71	3.9	6	1	1	4	5	7	8	16
80-84	32	4.8	8	1	2	4	6	8	12	13
85+	20	3.7	4	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	3.5	4	<1	1	4	5	6	7	7
70-74	22	6.5	21	1	2	5	7	14	17	20
75-79	15	5.0	7	2	2	5	7	8	10	11
80-84	12	4.9	17	<1	1	4	7	11	14	14
85+	6	5.7	1	4	4	6	7	7	7	7
B. *Operated*										
65-69 YRS	147	5.4	14	1	2	4	7	10	12	22
70-74	180	5.9	34	2	2	5	7	9	12	35
75-79	131	6.4	17	3	3	5	8	11	13	27
80-84	95	7.5	33	2	3	5	10	13	20	32
85+	48	7.6	31	2	3	5	9	16	22	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*	283	4.1	5	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	68	5.3	13	1	1	5	7	9	14	19
B. *Operated*	601	6.3	25	2	2	5	8	11	13	28
1. SINGLE DX	286	4.1	5	1	2	4	5	7	8	13
2. MULTIPLE DX	669	6.2	24	2	2	5	8	11	13	26
A. NOT OPERATED	71	5.1	13	1	1	4	7	9	14	19
B. OPERATED	884	5.6	20	2	2	4	7	10	12	23
TOTAL 65-69 YRS	249	4.8	10	1	2	4	6	9	11	17
70-74	274	5.5	25	2	2	4	7	9	11	28
75-79	218	5.5	14	1	2	4	6	10	12	23
80-84	139	6.6	27	2	2	5	9	12	18	30
85+	75	6.3	24	2	2	5	8	11	18	25
GRAND TOTAL	**955**	**5.5**	**19**	**1**	**2**	**4**	**7**	**10**	**12**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.2	5	1	1	3	4	7	8	9
70-74	11	4.6	5	1	2	4	7	8	8	8
75-79	4	2.8	2	<1	<1	3	4	4	4	4
80-84	8	3.9	6	1	1	4	5	7	8	8
85+	19	3.9	6	1	1	3	5	8	10	10
B. *Operated*										
65-69 YRS	252	5.9	12	1	2	5	8	11	12	16
70-74	257	6.3	15	2	3	5	8	11	14	20
75-79	175	6.7	16	2	2	6	9	12	14	21
80-84	140	7.2	25	2	2	6	9	13	16	29
85+	113	8.3	45	3	3	7	10	14	18	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	6.4	43	1	2	5	7	12	21	38
70-74	99	5.2	15	1	2	4	6	10	14	21
75-79	129	6.3	49	1	2	5	7	10	17	36
80-84	103	6.2	14	1	2	6	8	11	13	17
85+	144	6.2	22	2	2	5	7	11	16	23
B. *Operated*										
65-69 YRS	812	9.3	61	2	3	7	11	17	22	37
70-74	887	10.6	81	2	3	8	13	20	26	61
75-79	816	11.4	109	3	4	9	13	20	27	69
80-84	647	12.1	67	3	4	10	15	21	27	43
85+	550	12.8	95	3	5	10	15	23	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.8	5	1	1	3	5	7	9	10
B. *Operated*	937	6.6	20	2	2	6	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	565	6.1	29	1	2	5	7	11	15	27
B. *Operated*	3712	11.1	84	3	4	9	14	20	26	50
1. SINGLE DX	997	6.5	20	2	2	5	8	12	14	21
2. MULTIPLE DX	4277	10.4	79	2	3	8	13	19	25	47
A. NOT OPERATED	625	5.8	27	1	2	5	7	10	14	26
B. OPERATED	4649	10.2	74	2	3	8	13	19	24	46
TOTAL 65-69 YRS	1172	8.2	50	2	3	7	10	15	20	34
70-74	1254	9.3	66	2	3	7	12	18	23	47
75-79	1124	10.1	92	2	3	8	12	18	24	58
80-84	898	10.6	60	2	3	9	13	20	24	40
85+	826	10.8	82	2	3	9	14	20	27	45
GRAND TOTAL	**5274**	**9.7**	**71**	**2**	**3**	**8**	**12**	**18**	**23**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	511	4.8	12	1	2	4	6	9	11	17
70-74	482	4.8	9	1	2	4	6	9	11	16
75-79	380	5.0	12	1	2	4	6	9	11	17
80-84	240	5.1	12	1	2	4	6	10	12	20
85+	226	5.6	16	1	2	5	7	11	13	20
B. *Operated*										
65-69 YRS	215	11.1	24	6	6	10	14	18	21	27
70-74	200	11.5	31	5	6	10	13	20	24	29
75-79	173	12.2	34	5	7	11	15	20	23	31
80-84	112	12.8	34	5	7	11	15	21	25	32
85+	89	13.0	47	5	6	11	15	23	27	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2251	6.4	22	2	2	5	8	11	14	23
70-74	2567	6.9	26	2	2	6	9	13	16	28
75-79	2471	7.4	37	2	2	6	9	13	17	31
80-84	2254	7.9	44	2	3	6	10	14	19	33
85+	2307	8.6	52	2	3	7	11	16	21	40
B. *Operated*										
65-69 YRS	1648	16.6	130	6	7	13	20	29	40	73
70-74	1765	16.8	135	6	7	14	20	30	40	79
75-79	1702	17.8	138	7	8	15	22	30	40	78
80-84	1272	18.0	146	6	8	14	21	32	42	75
85+	1028	18.7	134	7	8	16	23	34	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1839	5.0	12	1	2	4	6	9	11	17
B. *Operated*	789	11.9	32	5	6	11	14	19	24	31
2. MULTIPLE DX										
A. *Not Operated*	11850	7.4	37	2	2	6	9	14	17	31
B. *Operated*	7415	17.5	137	6	8	14	21	31	41	77
1. SINGLE DX	2628	7.1	28	1	2	6	9	14	17	27
2. MULTIPLE DX	19265	11.3	99	2	3	9	14	22	30	56
A. NOT OPERATED	13689	7.1	34	2	2	6	9	13	17	29
B. OPERATED	8204	16.9	129	6	7	14	21	30	39	74
TOTAL 65-69 YRS	4625	10.0	84	2	3	8	13	20	27	49
70-74	5014	10.4	87	2	3	8	13	21	27	51
75-79	4726	11.1	98	2	3	8	14	22	29	55
80-84	3878	11.2	99	2	3	9	14	22	29	56
85+	3650	11.4	95	2	3	9	15	23	31	56
GRAND TOTAL	**21893**	**10.8**	**92**	**2**	**3**	**8**	**14**	**21**	**28**	**52**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	470	3.2	6	1	1	3	4	6	7	11
70-74	427	3.4	5	1	1	3	4	6	8	12
75-79	325	3.6	6	1	1	3	5	6	7	13
80-84	254	3.6	6	1	1	3	4	7	8	12
85+	238	3.9	7	1	1	3	5	7	9	12
B. *Operated*										
65-69 YRS	24	6.3	20	1	1	5	8	12	17	19
70-74	22	5.5	16	1	1	5	8	11	13	14
75-79	21	5.6	11	1	1	5	8	10	11	13
80-84	11	7.0	23	<1	1	8	10	13	17	17
85+	4	7.3	30	2	2	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3855	5.1	16	1	2	4	6	9	12	20
70-74	4363	5.4	21	2	2	4	7	10	12	24
75-79	4044	5.9	27	2	2	5	7	11	14	24
80-84	3434	6.3	33	2	2	5	7	11	15	30
85+	3371	6.6	39	2	2	5	8	12	16	35
B. *Operated*										
65-69 YRS	538	10.6	86	2	3	8	13	19	29	51
70-74	567	11.2	109	2	3	8	14	22	27	69
75-79	497	11.8	106	3	4	9	14	23	30	66
80-84	360	12.1	118	3	4	9	14	24	33	69
85+	300	14.9	171	3	4	11	18	33	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1714	3.5	6	1	1	3	4	6	8	12
B. *Operated*	82	6.0	17	1	1	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	19067	5.8	27	2	2	5	7	11	14	26
B. *Operated*	2262	11.8	114	3	4	9	14	23	32	67
1. SINGLE DX	1796	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	21329	6.5	40	2	2	5	8	12	16	33
A. NOT OPERATED	20781	5.6	26	2	2	4	7	10	14	25
B. OPERATED	2344	11.6	112	2	3	9	14	23	32	66
TOTAL 65-69 YRS	4887	5.5	26	1	2	4	7	10	14	25
70-74	5379	5.9	33	2	2	4	7	11	15	29
75-79	4887	6.3	37	2	2	5	7	12	16	31
80-84	4059	6.6	42	2	2	5	8	12	17	33
85+	3913	7.1	53	2	2	5	8	13	18	43
GRAND TOTAL	**23125**	**6.2**	**38**	**2**	**2**	**5**	**7**	**12**	**16**	**32**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	830	4.6	8	1	1	4	6	8	10	14
70-74	762	4.7	8	1	2	4	6	8	10	14
75-79	623	4.7	10	1	1	4	6	8	10	15
80-84	426	5.2	19	1	1	4	6	9	12	17
85+	307	5.7	19	1	2	5	8	10	13	20
B. *Operated*										
65-69 YRS	220	11.0	24	4	5	10	13	18	21	24
70-74	155	10.5	27	2	3	10	13	17	20	27
75-79	120	12.9	96	1	3	11	15	22	29	58
80-84	42	14.3	94	2	3	13	17	26	34	50
85+	30	14.1	107	2	3	12	18	26	40	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3743	5.8	15	2	2	5	7	10	12	20
70-74	4388	6.2	21	2	2	5	8	11	14	22
75-79	4534	6.5	22	2	2	5	8	11	14	24
80-84	4026	7.1	35	2	3	6	9	13	17	29
85+	3865	7.7	42	2	3	6	9	14	18	39
B. *Operated*										
65-69 YRS	1961	14.0	88	4	5	12	17	25	31	50
70-74	1997	14.4	108	3	5	12	18	27	34	62
75-79	1732	15.0	120	3	5	12	18	27	35	64
80-84	1180	16.4	157	3	5	14	21	31	42	81
85+	852	16.3	153	4	5	13	20	31	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2948	4.8	11	1	1	4	6	9	11	16
B. *Operated*	567	11.7	51	2	4	11	14	20	23	40
2. MULTIPLE DX										
A. *Not Operated*	20556	6.7	27	2	2	5	8	12	15	26
B. *Operated*	7722	15.0	119	3	5	12	18	28	36	64
1. SINGLE DX	3515	5.9	24	1	2	5	8	11	14	23
2. MULTIPLE DX	28278	8.9	66	2	3	7	11	17	24	43
A. NOT OPERATED	23504	6.4	26	2	2	5	8	11	15	25
B. OPERATED	8289	14.7	115	3	5	12	18	27	35	63
TOTAL 65-69 YRS	6754	8.2	51	2	2	6	10	16	21	36
70-74	7302	8.4	58	2	2	6	10	16	22	40
75-79	7009	8.5	61	2	2	6	10	17	23	40
80-84	5674	9.0	75	2	3	6	11	18	24	48
85+	5054	9.1	71	2	3	7	11	17	24	48
GRAND TOTAL	**31793**	**8.6**	**62**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.2	5	<1	<1	2	5	7	8	8
70-74	10	4.8	21	1	1	4	6	12	16	16
75-79	6	1.8	3	1	1	1	2	5	5	5
80-84	5	6.8	11	2	2	7	9	11	11	11
85+	7	4.3	4	2	2	4	6	7	7	7
B. *Operated*										
65-69 YRS	305	3.4	14	1	1	3	4	5	7	12
70-74	153	3.8	6	1	1	3	5	7	9	12
75-79	76	4.4	17	1	2	4	5	8	11	26
80-84	30	5.2	15	1	2	4	6	11	15	16
85+	14	5.5	22	1	2	4	7	13	17	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	5.3	18	<1	1	4	7	10	16	21
70-74	84	7.1	74	1	2	6	9	12	15	56
75-79	79	7.0	51	2	2	5	8	13	18	47
80-84	48	8.4	78	1	2	7	9	15	22	57
85+	38	9.4	62	2	3	7	10	20	27	39
B. *Operated*										
65-69 YRS	868	5.2	21	1	2	4	6	9	14	26
70-74	602	6.4	54	1	2	5	7	12	17	34
75-79	343	7.6	64	2	2	5	9	15	24	53
80-84	167	9.8	112	2	3	6	13	20	25	64
85+	100	10.3	110	2	2	8	13	23	30	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.1	11	1	1	3	6	8	10	16
B. *Operated*	578	3.8	13	1	1	3	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	321	7.1	56	1	2	6	8	13	18	43
B. *Operated*	2080	6.6	52	1	2	5	7	13	19	36
1. SINGLE DX	617	3.8	13	1	1	3	4	7	9	16
2. MULTIPLE DX	2401	6.7	52	1	2	5	8	13	19	36
A. NOT OPERATED	360	6.8	52	1	2	5	8	13	17	38
B. OPERATED	2658	6.0	44	1	2	4	6	12	17	34
TOTAL 65-69 YRS	1256	4.8	20	1	2	4	5	9	13	25
70-74	849	6.0	48	1	2	4	7	11	16	28
75-79	504	7.0	56	1	2	5	8	14	20	46
80-84	250	8.9	94	2	2	6	11	18	24	64
85+	159	9.4	89	2	2	7	11	20	28	61
GRAND TOTAL	**3018**	**6.1**	**45**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	426	4.3	11	1	1	3	6	9	10	15
70-74	365	4.1	13	1	1	3	5	8	10	17
75-79	331	4.3	18	1	1	3	5	8	12	22
80-84	271	4.3	16	1	1	3	5	9	10	17
85+	253	4.3	14	1	1	3	5	8	11	17
B. *Operated*										
65-69 YRS	340	7.2	43	<1	1	6	10	15	19	37
70-74	263	6.6	26	1	1	5	10	13	16	23
75-79	214	7.4	35	1	2	6	11	16	19	28
80-84	147	8.7	43	2	2	7	11	16	23	33
85+	87	7.7	24	1	2	7	11	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3055	5.9	25	1	2	5	7	11	15	25
70-74	3577	6.1	28	1	2	5	8	11	15	25
75-79	3486	6.3	34	1	2	5	8	12	16	31
80-84	3118	6.6	40	1	2	5	8	12	17	31
85+	3231	7.0	45	1	2	5	8	14	18	37
B. *Operated*										
65-69 YRS	2565	12.5	142	2	3	9	15	26	36	69
70-74	2521	13.0	151	2	3	10	16	28	39	68
75-79	2157	13.6	147	2	3	10	17	28	41	67
80-84	1526	14.8	163	3	4	11	19	31	41	77
85+	1132	15.5	171	3	4	12	20	31	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1646	4.3	14	1	1	3	5	8	11	18
B. *Operated*	1051	7.4	36	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	16467	6.4	34	1	2	5	8	12	16	29
B. *Operated*	9901	13.6	153	2	3	10	17	28	40	72
1. SINGLE DX	2697	5.5	25	1	1	4	7	11	15	25
2. MULTIPLE DX	26368	9.1	91	2	2	6	11	19	27	54
A. NOT OPERATED	18113	6.2	33	1	2	5	8	12	16	29
B. OPERATED	10952	13.0	145	2	3	10	16	27	38	69
TOTAL 65-69 YRS	6386	8.5	83	1	2	6	10	17	25	48
70-74	6726	8.6	85	1	2	6	10	17	25	53
75-79	6188	8.8	85	1	2	6	11	19	26	53
80-84	5062	9.0	91	1	2	6	11	19	27	52
85+	4703	8.9	87	1	2	6	11	19	26	56
GRAND TOTAL	**29065**	**8.7**	**86**	**1**	**2**	**6**	**11**	**18**	**26**	**52**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	8.1	25	3	3	8	10	14	18	25
70-74	11	8.6	35	2	3	8	13	17	21	21
75-79	8	7.4	10	4	4	7	10	12	12	12
80-84	2	5.0	32	1	1	5	9	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	21	5.1	24	<1	1	3	6	14	15	16
70-74	11	3.3	11	1	1	2	5	9	11	11
75-79	3	5.0	16	1	1	5	8	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	803	10.4	71	2	4	8	13	20	27	39
70-74	495	10.7	62	3	4	8	13	22	27	40
75-79	218	10.7	52	2	4	9	14	19	23	38
80-84	61	10.4	43	3	4	9	13	19	23	33
85+	31	9.7	27	2	4	8	13	17	21	22
B. *Operated*										
65-69 YRS	316	14.4	171	2	2	11	19	30	44	78
70-74	167	14.9	137	2	3	12	20	32	38	77
75-79	79	17.7	186	2	3	14	26	41	51	99+
80-84	24	15.1	119	1	3	15	20	25	34	52
85+	4	17.0	22	12	12	16	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.9	24	2	3	7	10	14	18	25
B. *Operated*	35	4.5	19	<1	1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	1608	10.5	63	3	4	8	13	20	26	39
B. *Operated*	590	15.0	161	2	3	12	20	31	42	81
1. SINGLE DX	87	6.5	24	1	1	5	9	14	15	24
2. MULTIPLE DX	2198	11.7	93	2	3	9	15	23	31	52
A. NOT OPERATED	1660	10.4	62	3	4	8	13	20	26	38
B. OPERATED	625	14.5	159	1	2	11	19	31	41	80
TOTAL 65-69 YRS	1170	11.4	100	2	3	8	14	23	30	57
70-74	684	11.6	83	2	3	9	15	24	31	43
75-79	308	12.3	95	2	4	10	16	25	31	62
80-84	87	11.6	67	3	4	9	16	21	25	45
85+	36	10.3	32	2	4	9	14	19	22	23
GRAND TOTAL	**2285**	**11.5**	**92**	**2**	**3**	**9**	**14**	**23**	**31**	**52**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.1	19	1	1	6	8	12	15	20
70-74	29	7.6	29	1	2	7	10	16	18	21
75-79	10	8.5	88	1	1	5	7	26	27	27
80-84	3	15.7	312	4	4	7	29	36	36	36
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	102	5.0	55	1	1	2	5	14	20	38
70-74	72	3.5	17	<1	1	2	4	9	10	21
75-79	30	3.9	17	1	1	2	6	9	13	18
80-84	7	1.7	2	1	1	1	2	4	5	5
85+	4	5.3	28	2	2	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	559	9.9	71	2	3	8	12	19	26	49
70-74	516	10.6	78	2	3	8	14	21	26	44
75-79	368	11.5	101	2	3	9	14	23	28	54
80-84	201	12.1	80	3	4	10	15	25	33	48
85+	103	11.7	121	2	3	10	14	23	30	67
B. *Operated*										
65-69 YRS	543	10.5	109	1	1	8	15	23	27	54
70-74	414	11.7	129	1	2	9	16	26	34	57
75-79	272	13.0	146	2	2	10	17	29	39	84
80-84	129	16.7	312	2	2	12	19	38	57	93
85+	49	13.0	160	1	3	10	17	22	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	7.3	41	1	1	6	9	15	21	33
B. *Operated*	215	4.3	35	1	1	2	5	11	16	36
2. MULTIPLE DX										
A. *Not Operated*	1747	10.8	84	2	3	8	14	21	27	51
B. *Operated*	1407	12.0	145	1	2	9	16	25	35	65
1. SINGLE DX	294	5.1	38	1	1	3	7	13	18	36
2. MULTIPLE DX	3154	11.3	112	1	2	9	15	23	31	56
A. NOT OPERATED	1826	10.6	83	2	3	8	13	21	27	50
B. OPERATED	1622	11.0	138	1	1	8	15	24	32	63
TOTAL 65-69 YRS	1240	9.6	87	1	1	7	13	20	26	50
70-74	1031	10.5	97	1	2	8	14	22	29	47
75-79	680	11.7	118	2	2	9	15	25	32	60
80-84	340	13.7	175	2	3	10	17	28	38	75
85+	157	11.9	131	2	3	9	15	22	31	70
GRAND TOTAL	**3448**	**10.8**	**108**	**1**	**2**	**8**	**14**	**23**	**30**	**54**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	5.6	14	2	2	5	6	9	15	20
70-74	46	5.5	7	1	2	5	7	8	11	12
75-79	34	5.1	20	1	1	4	7	9	13	23
80-84	8	5.4	7	2	3	5	6	10	11	11
85+	6	7.0	9	3	3	7	9	11	11	11
B. *Operated*										
65-69 YRS	27	5.3	36	<1	1	3	6	14	18	27
70-74	24	5.9	24	1	1	5	8	14	16	18
75-79	11	6.6	38	1	1	6	9	17	19	19
80-84	9	8.8	110	1	1	3	14	27	29	29
85+	4	9.3	58	2	2	7	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	776	8.9	46	3	3	7	11	17	22	34
70-74	678	9.6	66	2	3	7	11	17	26	41
75-79	443	9.6	58	3	3	8	11	18	24	37
80-84	227	10.6	95	2	3	8	12	20	27	60
85+	181	10.4	56	3	4	8	13	20	23	42
B. *Operated*										
65-69 YRS	299	13.3	163	1	2	10	18	28	40	71
70-74	231	14.0	114	2	2	11	21	30	36	50
75-79	151	15.8	181	3	3	12	20	39	48	99
80-84	93	18.9	311	3	4	13	23	44	57	85
85+	47	18.4	244	3	4	12	25	46	51	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	5.5	13	1	2	5	7	9	12	20
B. *Operated*	75	6.3	41	1	1	3	8	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	2305	9.5	60	3	3	7	12	18	24	40
B. *Operated*	821	14.9	177	2	2	11	20	33	44	74
1. SINGLE DX	214	5.8	23	1	1	5	7	11	16	25
2. MULTIPLE DX	3126	10.9	96	2	3	8	13	22	31	51
A. NOT OPERATED	2444	9.3	58	2	3	7	11	18	23	40
B. OPERATED	896	14.1	171	1	2	10	19	31	43	71
TOTAL 65-69 YRS	1147	9.8	80	2	3	7	12	20	27	47
70-74	979	10.3	79	2	3	8	13	22	30	43
75-79	639	10.8	93	2	3	8	12	22	33	51
80-84	337	12.7	167	2	3	9	14	27	40	74
85+	238	11.9	102	3	3	9	14	22	31	53
GRAND TOTAL	**3340**	**10.6**	**93**	**2**	**3**	**8**	**13**	**22**	**30**	**50**

15: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
65-69 YRS	284	3.6	7	1	1	3	4	7	9	12
70-74	237	4.0	6	1	2	4	5	7	9	13
75-79	169	4.2	7	1	2	4	5	8	10	13
80-84	148	4.7	8	2	2	4	6	8	10	14
85+	139	5.2	8	2	2	5	7	9	10	15
B. *Operated*										
65-69 YRS	1951	7.5	9	4	5	7	9	11	13	18
70-74	1347	8.1	10	5	5	7	9	12	14	20
75-79	771	8.9	17	5	5	8	10	14	16	26
80-84	292	9.2	13	5	5	9	11	14	16	20
85+	166	10.9	32	5	6	10	13	17	20	33
MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1707	5.3	16	1	2	4	6	9	12	19
70-74	1765	5.6	15	1	2	5	7	10	13	20
75-79	1661	6.4	23	2	2	5	8	12	15	27
80-84	1444	6.8	27	2	2	6	8	12	15	26
85+	1459	7.7	36	2	3	6	10	13	17	31
B. *Operated*										
65-69 YRS	7428	10.3	35	5	5	9	12	16	20	34
70-74	6527	11.3	43	5	6	10	13	18	23	36
75-79	4581	12.6	55	5	6	11	15	21	26	44
80-84	2786	14.3	69	6	7	12	17	24	30	45
85+	1700	16.4	102	6	8	14	19	28	36	66
UBTOTALS:										
. SINGLE DX										
A. *Not Operated*	977	4.2	7	1	2	4	5	8	9	14
B. *Operated*	4527	8.1	12	4	5	7	9	12	15	20
. MULTIPLE DX										
A. *Not Operated*	8036	6.3	24	2	2	5	8	11	14	25
B. *Operated*	23022	12.0	54	5	6	10	14	20	25	42
. SINGLE DX	5504	7.4	14	2	3	7	9	12	14	20
. MULTIPLE DX	31058	10.5	52	3	4	9	13	18	23	39
. NOT OPERATED	9013	6.1	22	2	2	5	8	11	14	24
. OPERATED	27549	11.3	49	5	6	9	13	19	24	40
OTAL 65-69 YRS	11370	8.9	32	3	4	8	11	15	18	30
70-74	9876	9.7	38	3	4	8	12	16	21	32
75-79	7182	10.6	50	3	4	9	13	19	23	39
80-84	4670	11.4	64	3	4	10	14	21	26	42
85+	3464	12.0	86	3	4	10	15	22	29	52
GRAND TOTAL	**36562**	**10.0**	**48**	**3**	**4**	**8**	**12**	**18**	**22**	**37**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	4.2	9	1	1	4	5	7	9	14
70-74	115	4.0	6	1	1	4	5	7	8	13
75-79	82	4.8	13	1	1	4	6	9	12	18
80-84	68	4.8	11	1	2	4	6	8	10	19
85+	70	6.1	24	2	2	5	7	10	12	33
B. *Operated*										
65-69 YRS	147	8.3	11	4	5	8	10	12	14	20
70-74	120	9.0	14	4	5	9	10	13	16	23
75-79	60	11.0	26	6	6	10	12	17	24	28
80-84	39	9.8	16	5	5	8	13	16	18	20
85+	13	10.8	20	4	6	11	13	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	626	5.8	14	1	2	5	8	11	12	17
70-74	614	6.5	19	2	2	5	8	12	16	22
75-79	599	6.6	24	2	2	5	8	11	15	25
80-84	484	7.4	45	2	3	6	9	12	15	38
85+	490	9.1	73	2	3	7	11	16	20	55
B. *Operated*										
65-69 YRS	773	11.5	47	5	6	10	14	19	23	42
70-74	687	12.9	77	5	6	11	15	22	28	51
75-79	551	14.3	84	6	7	12	17	25	30	45
80-84	351	16.2	126	5	7	13	20	30	36	74
85+	253	16.4	115	6	7	14	20	26	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.6	12	1	1	4	6	8	10	17
B. *Operated*	379	9.2	16	4	5	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2813	7.0	34	2	2	6	9	12	15	27
B. *Operated*	2615	13.6	83	5	6	11	16	23	30	52
1. SINGLE DX	848	6.7	19	1	2	6	9	12	14	22
2. MULTIPLE DX	5428	10.1	68	2	3	8	12	19	24	43
A. NOT OPERATED	3282	6.6	31	2	2	5	8	12	15	25
B. OPERATED	2994	13.0	77	5	6	11	15	22	28	49
TOTAL 65-69 YRS	1680	8.5	37	2	3	7	11	15	18	30
70-74	1536	9.4	55	2	3	8	12	17	22	39
75-79	1292	10.0	64	2	3	8	12	19	25	37
80-84	942	10.6	91	2	3	8	13	21	29	51
85+	826	11.1	94	3	3	9	14	21	25	58
GRAND TOTAL	**6276**	**9.7**	**63**	**2**	**3**	**8**	**12**	**18**	**23**	**41**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	3.5	7	1	1	3	5	7	9	11
70-74	40	3.2	4	1	1	3	4	6	6	10
75-79	34	4.4	9	1	1	4	7	9	10	11
80-84	37	5.4	29	1	1	4	7	11	11	31
85+	23	4.9	8	1	1	4	7	9	10	11
B. *Operated*										
65-69 YRS	139	9.0	36	1	2	8	12	16	20	29
70-74	138	8.7	43	1	1	8	11	16	20	33
75-79	108	9.6	29	1	2	10	13	17	19	22
80-84	103	10.0	45	1	2	9	13	17	22	35
85+	66	10.5	56	1	2	10	14	19	23	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	137	6.3	22	1	2	5	7	11	14	27
70-74	146	6.1	17	1	2	5	8	10	13	23
75-79	191	6.9	22	2	2	6	8	13	16	20
80-84	171	7.5	47	2	2	6	9	14	19	44
85+	212	8.5	58	2	3	7	10	15	20	54
B. *Operated*										
65-69 YRS	683	12.5	45	4	5	11	15	21	26	34
70-74	687	13.4	74	3	5	12	17	23	28	45
75-79	735	14.7	88	3	6	13	18	24	30	46
80-84	623	15.1	107	3	5	13	18	26	33	55
85+	538	16.8	122	3	6	15	21	29	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	4.2	12	1	1	3	6	8	10	11
B. *Operated*	554	9.4	40	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	857	7.2	36	2	2	6	9	13	17	27
B. *Operated*	3266	14.4	87	3	5	13	18	24	30	51
1. SINGLE DX	725	8.2	39	1	1	7	11	16	19	30
2. MULTIPLE DX	4123	12.9	85	3	4	11	16	23	29	49
A. NOT OPERATED	1028	6.7	33	1	2	6	8	12	16	26
B. OPERATED	3820	13.7	84	2	4	12	17	23	29	49
TOTAL 65-69 YRS	996	10.8	47	2	3	10	14	19	24	33
70-74	1011	11.3	69	2	3	10	15	21	25	42
75-79	1068	12.4	79	2	3	11	16	22	28	41
80-84	934	12.8	97	2	3	11	16	23	29	51
85+	839	13.9	114	2	4	12	18	26	32	66
GRAND TOTAL	**4848**	**12.2**	**81**	**2**	**3**	**11**	**16**	**22**	**28**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.1	15	<1	1	4	6	11	12	17
70-74	44	5.8	21	1	2	5	8	11	13	27
75-79	27	5.1	16	2	2	5	6	7	10	23
80-84	20	5.5	9	1	2	5	7	9	11	14
85+	23	5.2	10	1	2	4	8	9	11	14
B. *Operated*										
65-69 YRS	43	6.7	25	1	1	6	10	14	16	18
70-74	35	9.0	109	1	1	5	13	23	25	51
75-79	18	7.6	52	<1	1	6	9	18	24	27
80-84	10	6.6	28	1	1	5	12	14	16	16
85+	10	9.3	39	2	2	7	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	230	7.4	33	2	2	6	9	14	18	28
70-74	248	8.0	48	2	3	7	10	13	17	34
75-79	248	7.3	33	2	2	6	9	13	17	29
80-84	252	8.8	49	3	3	7	11	16	20	40
85+	259	9.1	82	2	3	7	11	16	21	80
B. *Operated*										
65-69 YRS	289	13.9	122	2	3	12	17	25	33	52
70-74	304	15.5	120	3	4	13	21	30	37	54
75-79	291	15.6	107	3	4	13	21	29	34	66
80-84	249	16.8	112	3	6	14	22	30	35	54
85+	184	16.1	93	5	6	14	21	30	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	5.4	15	1	2	5	7	10	13	23
B. *Operated*	116	7.7	55	1	1	6	12	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	1237	8.1	50	2	3	7	10	14	19	35
B. *Operated*	1317	15.5	113	3	5	13	20	29	35	61
1. SINGLE DX	268	6.4	34	1	2	5	8	13	17	26
2. MULTIPLE DX	2554	11.9	96	2	3	9	15	24	31	54
A. NOT OPERATED	1389	7.8	47	2	3	6	10	14	18	34
B. OPERATED	1433	14.9	113	2	3	13	20	29	35	61
TOTAL 65-69 YRS	600	10.3	86	2	2	8	13	20	27	47
70-74	631	11.5	99	2	3	9	14	24	31	50
75-79	584	11.3	87	2	3	9	15	24	30	51
80-84	531	12.4	94	3	4	10	16	25	31	52
85+	476	11.6	95	3	3	10	15	22	29	98
GRAND TOTAL	**2822**	**11.4**	**93**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	6.1	13	2	2	5	8	11	15	17
70-74	177	5.8	11	2	2	5	7	10	12	15
75-79	122	6.4	18	2	3	5	8	10	13	25
80-84	92	5.8	21	2	2	5	7	10	14	28
85+	64	6.1	11	2	3	5	8	10	13	18
B. *Operated*										
65-69 YRS	34	8.3	35	1	2	7	11	16	21	27
70-74	33	11.8	289	<1	1	7	12	25	45	87
75-79	32	8.3	78	1	1	5	10	22	31	34
80-84	10	5.8	27	<1	1	4	8	14	18	18
85+	5	13.2	311	1	1	7	19	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1432	7.6	28	2	3	6	9	13	17	27
70-74	1266	8.0	34	2	3	7	10	14	18	33
75-79	1008	8.2	31	3	3	7	10	14	18	30
80-84	790	8.9	45	3	4	7	11	15	20	35
85+	713	9.2	45	3	3	8	11	17	21	42
B. *Operated*										
65-69 YRS	527	17.5	259	2	4	12	21	38	56	93
70-74	515	18.6	246	3	5	15	22	38	54	86
75-79	382	18.5	266	4	6	13	22	39	66	99
80-84	231	17.1	193	3	5	14	21	33	45	82
85+	157	17.7	146	5	8	15	21	32	38	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	6.1	14	2	2	5	7	10	13	18
B. *Operated*	114	9.3	131	1	1	6	11	19	30	61
2. MULTIPLE DX										
A. *Not Operated*	5209	8.2	35	3	3	7	10	15	19	32
B. *Operated*	1812	18.0	238	3	5	14	22	37	54	90
1. SINGLE DX	780	6.5	32	2	2	5	8	11	15	30
2. MULTIPLE DX	7021	10.7	106	3	3	8	12	20	29	65
A. NOT OPERATED	5875	8.0	33	2	3	7	10	14	18	31
B. OPERATED	1926	17.5	236	3	5	13	21	37	52	89
TOTAL 65-69 YRS	2204	9.8	101	2	3	7	11	18	27	65
70-74	1991	10.6	114	2	3	8	12	21	28	63
75-79	1544	10.6	110	3	3	8	12	20	29	71
80-84	1123	10.3	86	3	3	8	12	19	28	53
85+	939	10.5	72	3	4	8	13	20	27	46
GRAND TOTAL	**7801**	**10.3**	**100**	**2**	**3**	**8**	**12**	**20**	**28**	**60**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	182	4.1	6	1	1	4	5	8	9	12
70-74	187	4.4	10	1	1	4	6	8	10	14
75-79	155	5.0	10	1	2	4	7	9	11	16
80-84	163	5.4	28	1	2	5	6	9	11	22
85+	193	5.5	15	1	2	5	7	10	13	20
B. *Operated*										
65-69 YRS	32	7.1	35	1	2	6	9	13	16	31
70-74	37	6.8	22	1	2	6	9	13	18	19
75-79	30	7.8	28	1	2	6	11	14	16	25
80-84	9	6.8	3	3	4	7	8	9	9	9
85+	20	9.9	46	2	3	8	13	21	25	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2702	6.2	22	2	2	5	8	11	14	23
70-74	3229	6.5	26	2	2	5	8	11	15	27
75-79	3565	6.8	26	2	2	6	8	12	16	26
80-84	3261	7.3	32	2	3	6	9	13	17	29
85+	4047	7.6	35	2	3	6	9	14	18	32
B. *Operated*										
65-69 YRS	916	10.5	99	3	3	8	12	20	30	56
70-74	1113	10.2	72	3	3	8	13	18	26	48
75-79	1109	11.2	118	3	4	8	14	22	31	68
80-84	908	11.6	87	3	4	9	14	22	30	50
85+	698	12.2	109	3	4	9	15	24	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	4.9	14	1	1	4	6	9	11	16
B. *Operated*	128	7.6	30	1	2	6	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	16804	6.9	29	2	2	6	8	13	16	27
B. *Operated*	4744	11.1	97	3	4	8	14	21	30	56
1. SINGLE DX	1008	5.2	17	1	1	4	7	9	12	19
2. MULTIPLE DX	21548	7.8	47	2	3	6	9	15	19	36
A. NOT OPERATED	17684	6.8	28	2	2	6	8	12	16	27
B. OPERATED	4872	11.0	95	3	4	8	13	21	29	55
TOTAL 65-69 YRS	3832	7.1	43	2	2	6	8	13	18	35
70-74	4566	7.3	39	2	2	6	9	14	18	34
75-79	4859	7.8	50	2	2	6	9	15	19	37
80-84	4341	8.1	47	2	3	6	10	15	20	36
85+	4958	8.2	48	2	3	7	10	15	20	38
GRAND TOTAL	**22556**	**7.7**	**46**	**2**	**3**	**6**	**9**	**14**	**19**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.2	8	1	1	4	6	8	8	8
70-74	5	8.6	28	3	3	7	13	16	16	16
75-79	5	9.8	21	4	4	10	13	16	16	16
80-84	1	16.0		16	16	16	16	16	16	16
85+	1	17.0		17	17	17	17	17	17	17
B. *Operated*										
65-69 YRS	2	10.0	18	7	7	10	13	13	13	13
70-74	6	12.2	156	2	2	8	10	34	37	37
75-79	5	6.4	8	2	2	8	8	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	9.8	54	2	3	8	13	17	26	35
70-74	75	11.3	87	2	3	9	13	24	33	47
75-79	77	9.1	59	3	3	7	10	17	24	46
80-84	65	11.0	183	3	3	8	11	21	30	84
85+	34	11.0	95	2	4	9	13	21	23	56
B. *Operated*										
65-69 YRS	86	16.8	254	3	4	12	21	38	48	88
70-74	78	17.2	254	3	4	12	20	43	61	94
75-79	36	19.2	199	4	7	16	24	35	55	66
80-84	34	17.1	212	3	4	13	22	43	45	71
85+	14	20.6	419	3	6	17	23	33	75	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	8.3	29	1	2	7	12	16	17	17
B. *Operated*	15	8.9	70	2	2	8	9	13	31	37
2. MULTIPLE DX										
A. *Not Operated*	312	10.4	94	2	3	8	12	20	29	53
B. *Operated*	248	17.5	246	3	4	13	22	38	54	87
1. SINGLE DX	33	8.6	46	1	2	7	11	16	17	37
2. MULTIPLE DX	560	13.5	174	3	3	9	16	27	39	73
A. NOT OPERATED	330	10.3	91	2	3	8	12	18	27	52
B. OPERATED	263	17.0	240	3	4	12	22	38	53	86
TOTAL 65-69 YRS	155	13.5	177	2	3	9	16	29	38	72
70-74	164	14.1	174	3	3	11	17	33	46	76
75-79	123	11.9	117	3	4	9	15	25	33	63
80-84	101	13.0	196	3	4	8	16	24	43	79
85+	50	13.8	195	2	4	10	17	23	27	87
GRAND TOTAL	**593**	**13.3**	**168**	**3**	**3**	**9**	**16**	**27**	**38**	**72**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.2	7	3	3	7	8	9	9	9
70-74	7	6.4	8	4	4	6	8	11	11	11
75-79	7	11.7	56	2	3	10	15	23	25	25
80-84	4	9.5	42	1	1	11	14	15	15	15
85+	8	7.4	15	3	3	6	10	13	14	14
B. *Operated*										
65-69 YRS	18	3.4	8	1	1	2	4	9	10	10
70-74	11	4.6	15	<1	1	3	6	11	14	14
75-79	4	2.3	1	<1	<1	2	3	3	3	3
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	134	9.4	57	2	2	8	13	19	22	37
70-74	112	9.5	66	1	3	8	13	17	21	49
75-79	105	8.7	32	3	3	8	11	14	17	34
80-84	74	12.0	140	2	3	9	14	25	32	69
85+	61	10.4	81	4	4	7	11	20	26	58
B. *Operated*										
65-69 YRS	152	10.2	73	2	2	8	14	22	27	42
70-74	135	11.1	80	2	2	9	15	23	30	38
75-79	79	14.4	247	1	2	8	17	34	47	83
80-84	36	19.6	228	5	6	14	26	51	56	99+
85+	15	14.6	139	2	3	11	20	32	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	8.2	26	2	3	7	11	15	16	25
B. *Operated*	35	3.6	9	<1	1	3	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	486	9.8	70	2	3	8	13	18	24	45
B. *Operated*	417	12.3	130	2	2	9	16	27	36	54
1. SINGLE DX	66	5.8	22	1	1	4	9	13	14	24
2. MULTIPLE DX	903	10.9	99	2	2	8	14	22	30	52
A. NOT OPERATED	517	9.7	67	2	3	8	12	18	24	43
B. OPERATED	452	11.6	126	2	2	8	15	26	35	52
TOTAL 65-69 YRS	309	9.4	63	2	2	8	13	20	25	38
70-74	265	10.1	71	2	2	8	14	20	24	39
75-79	195	11.0	127	2	3	8	12	23	33	57
80-84	116	14.1	175	2	3	10	15	32	50	80
85+	84	10.8	87	3	4	8	12	22	29	55
GRAND TOTAL	**969**	**10.6**	**95**	**2**	**2**	**8**	**13**	**21**	**30**	**51**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	16	4	4	4	9	11	11	11
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74										
75-79	3	2.7		2	2	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	7.9	20	1	3	7	11	15	17	17
70-74	27	7.5	21	2	3	7	8	16	18	21
75-79	34	10.3	45	3	4	9	12	21	27	30
80-84	24	9.5	50	3	3	7	11	17	26	35
85+	17	9.2	26	2	3	9	14	19	68	99+
B. *Operated*										
65-69 YRS	20	17.5	75	7	8	16	20	32	37	38
70-74	27	16.6	195	1	2	10	24	38	44	57
75-79	16	13.6	156	1	2	10	19	25	44	52
80-84	13	15.5	91	4	6	13	19	31	36	37
85+	3	15.3	49	8	8	16	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.6	9	4	4	6	9	11	11	11
B. *Operated*	4	4.8	18	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	121	9.0	34	3	3	8	11	17	21	53
B. *Operated*	79	16.0	130	2	4	13	22	29	40	56
1. SINGLE DX	9	5.8	12	2	2	4	9	11	11	11
2. MULTIPLE DX	200	11.8	84	2	3	9	16	23	29	54
A. NOT OPERATED	126	8.9	33	3	3	7	11	17	21	50
B. OPERATED	83	15.5	130	2	3	12	22	28	39	55
TOTAL 65-69 YRS	43	12.3	67	3	4	11	17	21	30	38
70-74	55	12.0	125	2	3	8	16	24	38	56
75-79	54	10.8	79	1	3	9	13	22	27	51
80-84	37	11.6	71	3	3	9	14	24	33	37
85+	20	10.2	32	2	3	9	15	21	57	99+
GRAND TOTAL	**209**	**11.5**	**82**	**2**	**3**	**9**	**15**	**23**	**29**	**54**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.9	49	2	2	3	7	18	23	23
70-74	10	4.8	26	<1	<1	2	11	12	13	13
75-79	5	5.0	39	1	1	2	7	16	16	16
80-84	6	5.5	20	<1	<1	4	5	13	14	14
85+	5	7.4	49	<1	<1	4	13	18	18	18
B. *Operated*										
65-69 YRS	48	4.6	33	1	1	3	5	10	17	31
70-74	49	6.1	34	1	2	4	9	15	19	29
75-79	23	4.8	23	1	1	3	6	13	16	20
80-84	16	9.8	66	1	2	9	15	29	75	99+
85+	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	299	9.5	72	1	2	8	11	20	28	46
70-74	389	9.3	81	2	2	7	11	19	26	43
75-79	320	9.7	65	2	3	7	12	18	27	38
80-84	300	9.9	66	2	3	7	13	20	26	40
85+	276	9.9	87	2	3	8	12	18	24	64
B. *Operated*										
65-69 YRS	620	12.3	166	2	2	8	16	26	37	69
70-74	602	14.1	208	2	2	10	18	31	46	90
75-79	396	14.4	153	2	3	11	20	30	41	76
80-84	180	14.4	161	2	3	11	19	32	41	93
85+	85	15.1	122	3	3	14	21	30	42	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.6	33	<1	<1	3	9	14	17	23
B. *Operated*	139	5.8	37	1	1	4	7	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	1584	9.7	74	2	3	7	12	19	26	45
B. *Operated*	1883	13.7	175	2	2	10	18	30	42	78
1. SINGLE DX	175	5.8	36	1	1	4	7	14	19	31
2. MULTIPLE DX	3467	11.8	133	2	3	8	15	25	35	68
A. NOT OPERATED	1620	9.6	74	2	3	7	12	19	26	44
B. OPERATED	2022	13.1	169	2	2	9	17	29	41	78
TOTAL 65-69 YRS	977	11.0	133	1	2	8	14	24	33	65
70-74	1050	11.9	158	2	2	8	14	26	36	75
75-79	744	12.0	118	2	3	9	16	26	35	58
80-84	502	11.5	104	2	3	8	15	24	32	66
85+	369	11.0	98	2	3	8	14	22	30	66
GRAND TOTAL	**3642**	**11.5**	**130**	**2**	**2**	**8**	**15**	**25**	**34**	**68**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.4	258	1	2	6	10	37	54	57
70-74	10	4.2	14	<1	<1	3	6	10	12	12
75-79	12	5.3	9	<1	1	5	8	9	10	10
80-84	7	10.0	33	1	2	9	14	18	19	19
85+	10	10.6	46	1	2	11	17	19	21	21
B. *Operated*										
65-69 YRS	9	9.0	71	1	1	6	15	22	25	25
70-74	10	6.2	19	2	2	5	9	12	15	15
75-79	5	10.0	139	<1	<1	5	16	30	30	30
80-84	5	4.4	20	1	1	2	7	12	12	12
85+	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	389	10.2	81	2	3	8	13	19	25	39
70-74	579	10.6	81	3	3	8	13	19	24	59
75-79	665	11.0	68	3	4	9	14	21	27	43
80-84	666	11.5	65	3	4	9	14	21	27	42
85+	754	11.5	76	3	4	9	15	21	27	86
B. *Operated*										
65-69 YRS	318	19.0	269	3	4	14	25	39	58	89
70-74	371	17.5	178	3	5	14	22	36	48	79
75-79	341	19.9	234	4	6	16	25	39	51	89
80-84	223	18.7	174	5	7	16	22	32	48	66
85+	177	20.9	218	7	8	17	27	39	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	8.2	83	1	1	6	10	17	21	57
B. *Operated*	32	7.1	50	1	1	5	10	16	24	30
2. MULTIPLE DX										
A. *Not Operated*	3053	11.1	74	3	4	9	14	21	27	47
B. *Operated*	1430	19.0	216	4	6	16	24	38	51	88
1. SINGLE DX	83	7.8	70	1	1	6	10	17	22	48
2. MULTIPLE DX	4483	13.6	133	3	4	10	17	27	36	71
A. NOT OPERATED	3104	11.0	74	3	4	9	14	21	27	47
B. OPERATED	1462	18.8	216	3	5	15	24	37	51	88
TOTAL 65-69 YRS	728	14.0	184	2	3	10	17	29	39	80
70-74	970	13.1	129	3	4	10	17	25	36	63
75-79	1023	13.9	141	3	4	11	18	28	37	71
80-84	901	13.2	102	3	4	11	16	25	30	54
85+	944	13.2	115	3	5	10	17	25	35	94
GRAND TOTAL	**4566**	**13.5**	**132**	**3**	**4**	**10**	**17**	**26**	**36**	**71**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	5.5	5	2	3	5	7	8	9	12
70-74	63	5.0	5	2	3	4	6	8	10	12
75-79	42	5.5	8	2	2	5	7	10	11	12
80-84	34	6.4	45	3	3	5	7	8	13	42
85+	27	6.4	13	3	3	5	8	10	12	21
B. *Operated*										
65-69 YRS	5	9.0	19	2	2	11	12	13	13	13
70-74	2	22.5	545	6	6	22	39	39	39	39
75-79										
80-84	3	8.3	1	7	7	9	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	781	7.2	23	3	3	6	9	12	15	27
70-74	925	7.0	17	3	3	6	9	12	14	22
75-79	847	8.0	28	3	4	7	10	14	17	30
80-84	719	8.2	30	3	4	7	10	14	17	34
85+	689	8.2	43	3	3	7	10	14	17	30
B. *Operated*										
65-69 YRS	191	12.3	81	4	5	10	15	22	30	49
70-74	190	13.7	112	4	5	11	16	24	36	60
75-79	174	12.2	85	4	5	10	14	23	27	68
80-84	96	14.3	122	4	6	12	17	23	27	70
85+	97	15.6	168	4	6	12	18	30	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	5.6	13	2	3	5	7	9	11	15
B. *Operated*	10	11.5	103	2	4	9	11	26	39	39
2. MULTIPLE DX										
A. *Not Operated*	3961	7.7	28	3	3	7	9	13	16	29
B. *Operated*	748	13.3	107	4	5	11	16	23	31	64
1. SINGLE DX	230	5.8	18	2	3	5	7	9	11	25
2. MULTIPLE DX	4709	8.6	44	3	3	7	10	15	19	37
A. NOT OPERATED	4181	7.6	27	3	3	7	9	13	16	28
B. OPERATED	758	13.3	107	4	5	11	16	23	31	64
TOTAL 65-69 YRS	1031	8.1	37	3	3	6	10	14	19	35
70-74	1180	8.0	39	3	3	7	9	14	18	39
75-79	1063	8.6	39	3	4	7	10	15	19	33
80-84	852	8.8	45	3	4	7	11	15	19	37
85+	813	9.0	62	3	3	7	11	15	20	40
GRAND TOTAL	**4939**	**8.5**	**44**	**3**	**3**	**7**	**10**	**15**	**19**	**37**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	4.9	6	2	2	5	7	8	10	11
70-74	40	4.9	11	1	2	4	6	10	11	18
75-79	47	5.1	5	2	3	5	6	8	9	11
80-84	17	6.4	13	3	3	5	7	13	14	14
85+	22	4.5	9	1	2	3	6	9	11	13
B. *Operated*										
65-69 YRS	18	7.7	30	<1	1	6	12	15	17	18
70-74	12	9.1	34	1	2	10	13	16	19	19
75-79	9	8.1	7	4	4	9	10	11	12	12
80-84	5	11.0	34	3	3	11	16	17	17	17
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	485	6.7	14	3	3	6	8	11	14	22
70-74	534	7.5	29	3	3	6	9	13	17	29
75-79	514	8.0	33	3	3	7	10	13	16	33
80-84	409	8.0	22	3	4	7	10	14	17	26
85+	423	8.8	37	3	3	7	11	16	20	35
B. *Operated*										
65-69 YRS	211	13.8	100	3	4	11	18	29	34	48
70-74	233	14.2	116	3	4	11	19	28	33	51
75-79	173	14.7	140	4	5	11	17	32	44	92
80-84	122	13.8	81	4	5	11	19	26	31	48
85+	100	15.7	88	3	6	14	21	28	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	5.1	8	2	2	4	6	9	11	14
B. *Operated*	46	8.5	25	1	2	9	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	2365	7.8	27	3	3	7	9	14	17	31
B. *Operated*	839	14.3	108	3	5	11	19	28	34	54
1. SINGLE DX	211	5.8	14	2	2	5	7	11	13	18
2. MULTIPLE DX	3204	9.5	57	3	3	7	11	18	25	39
A. NOT OPERATED	2530	7.6	26	3	3	6	9	13	16	29
B. OPERATED	885	14.0	106	3	5	11	18	28	33	54
TOTAL 65-69 YRS	753	8.6	49	2	3	7	10	17	22	38
70-74	819	9.3	63	2	3	7	11	19	24	38
75-79	743	9.4	65	3	3	7	11	16	24	51
80-84	553	9.3	40	3	4	8	11	17	23	32
85+	547	9.9	53	2	3	8	12	20	26	36
GRAND TOTAL	**3415**	**9.2**	**55**	**3**	**3**	**7**	**11**	**17**	**24**	**38**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	184	2.4	2	1	1	2	3	4	6	7
70-74	112	2.7	3	1	1	2	3	5	7	8
75-79	59	3.5	8	1	1	2	5	9	9	13
80-84	22	4.3	30	<1	1	3	4	10	17	26
85+	10	2.6	2	1	1	2	3	4	5	5
B. *Operated*										
65-69 YRS	231	7.5	20	2	2	7	9	13	15	26
70-74	142	7.0	17	2	2	6	9	12	14	21
75-79	72	6.5	13	1	2	7	9	11	13	17
80-84	20	7.5	15	2	2	8	10	12	14	16
85+	13	7.8	27	1	2	8	10	13	19	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	502	3.7	9	1	1	3	5	7	9	15
70-74	394	4.4	21	1	1	3	5	8	12	[illegible]3
75-79	252	5.2	25	1	1	4	6	11	14	[illegible]3
80-84	172	5.4	20	1	2	4	7	10	14	27
85+	114	7.0	35	2	2	6	9	14	18	34
B. *Operated*										
65-69 YRS	690	9.8	59	2	3	8	12	17	23	41
70-74	561	10.3	67	2	3	9	13	19	26	44
75-79	345	11.0	91	2	3	9	13	20	26	62
80-84	208	11.6	77	2	3	9	16	25	31	40
85+	111	12.1	105	2	3	9	17	24	34	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	2.8	5	1	1	2	3	5	7	10
B. *Operated*	478	7.2	18	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1434	4.6	19	1	1	3	6	9	12	22
B. *Operated*	1915	10.5	72	2	3	9	13	20	26	45
1. SINGLE DX	865	5.2	17	1	1	4	8	10	13	18
2. MULTIPLE DX	3349	8.0	58	1	2	6	10	16	22	39
A. NOT OPERATED	1821	4.2	17	1	1	3	5	8	11	21
B. OPERATED	2393	9.8	63	2	3	8	12	18	24	43
TOTAL 65-69 YRS	1607	6.7	41	1	1	5	9	13	17	30
70-74	1209	7.3	49	1	2	5	9	15	20	37
75-79	728	7.9	62	1	2	6	10	16	21	44
80-84	422	8.5	58	1	2	6	10	19	26	37
85+	248	9.2	72	2	2	6	11	20	24	54
GRAND TOTAL	**4214**	**7.4**	**51**	**1**	**2**	**6**	**9**	**15**	**20**	**37**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	603	2.2	2	1	1	2	3	4	5	7
70-74	385	2.3	2	1	1	2	3	4	5	8
75-79	162	2.6	3	1	1	2	4	4	5	9
80-84	70	2.8	3	1	1	2	3	5	6	10
85+	21	2.9	3	1	1	3	4	5	6	7
B. *Operated*										
65-69 YRS	580	5.9	14	2	2	5	8	11	13	18
70-74	369	5.5	14	1	2	5	8	11	13	18
75-79	180	6.2	19	1	2	5	8	12	15	22
80-84	62	6.3	11	2	2	6	8	11	12	15
85+	24	4.7	20	1	1	3	6	8	15	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	909	3.2	10	1	1	2	4	6	7	13
70-74	622	3.4	6	1	1	3	4	6	8	12
75-79	377	3.6	16	1	1	3	4	6	8	19
80-84	189	3.6	6	1	1	3	4	7	8	13
85+	88	4.1	9	1	1	3	5	7	11	16
B. *Operated*										
65-69 YRS	1304	8.2	34	2	2	7	11	15	19	31
70-74	990	9.1	47	2	3	8	11	17	21	35
75-79	591	9.2	39	2	3	8	12	17	20	33
80-84	273	11.5	89	3	4	9	14	20	30	48
85+	125	11.5	57	3	3	10	15	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1241	2.3	2	1	1	2	3	4	5	8
B. *Operated*	1215	5.8	14	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	2185	3.4	10	1	1	3	4	6	8	13
B. *Operated*	3283	9.0	45	2	3	8	11	17	21	34
1. SINGLE DX	2456	4.1	11	1	1	3	5	9	11	16
2. MULTIPLE DX	5468	6.8	39	1	2	5	9	14	18	31
A. NOT OPERATED	3426	3.0	7	1	1	2	4	5	7	12
B. OPERATED	4498	8.2	39	2	2	7	10	15	19	32
TOTAL 65-69 YRS	3396	5.4	24	1	1	4	7	11	15	24
70-74	2366	5.9	32	1	1	4	8	12	16	28
75-79	1310	6.3	32	1	1	5	8	13	18	30
80-84	594	7.4	59	1	2	5	9	15	20	40
85+	258	7.7	47	1	2	6	11	16	21	32
GRAND TOTAL	**7924**	**5.9**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**28**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.9	7	<1	1	2	3	6	10	12
70-74	25	4.7	18	1	1	3	5	11	16	17
75-79	16	2.9	3	1	1	3	4	5	6	6
80-84	11	4.3	6	2	2	4	6	8	9	9
85+	8	4.0	7	1	1	4	5	8	9	9
B. *Operated*										
65-69 YRS	129	5.1	19	<1	1	3	8	11	14	18
70-74	104	4.7	30	1	1	3	6	10	14	30
75-79	59	5.6	18	<1	1	5	9	11	13	18
80-84	35	5.4	24	<1	1	4	6	13	18	21
85+	14	3.4	7	1	1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	297	6.9	32	1	2	5	9	14	19	27
70-74	345	7.4	32	2	2	6	9	15	19	30
75-79	330	8.3	70	2	3	6	10	16	22	36
80-84	268	9.4	71	2	3	6	13	20	25	53
85+	261	9.5	68	2	3	7	11	18	28	43
B. *Operated*										
65-69 YRS	867	9.5	61	1	2	8	12	20	24	39
70-74	775	9.6	67	1	2	8	12	20	26	45
75-79	551	10.8	94	2	2	8	15	23	31	51
80-84	305	11.1	90	2	2	8	15	23	30	49
85+	200	13.1	126	2	3	10	18	29	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.8	10	1	1	3	4	8	10	17
B. *Operated*	341	5.1	22	<1	1	3	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	1501	8.2	54	2	2	6	10	17	22	37
B. *Operated*	2698	10.2	78	1	2	8	13	22	28	45
1. SINGLE DX	420	4.8	20	1	1	3	7	10	13	18
2. MULTIPLE DX	4199	9.5	71	2	2	7	12	20	26	43
A. NOT OPERATED	1580	8.0	53	2	2	6	10	16	22	37
B. OPERATED	3039	9.6	75	1	2	7	13	21	27	44
TOTAL 65-69 YRS	1312	8.4	52	1	2	7	11	18	22	35
70-74	1249	8.5	56	1	2	7	11	18	23	42
75-79	956	9.5	82	1	2	7	12	21	27	46
80-84	619	9.9	79	2	2	7	14	21	27	49
85+	483	10.7	94	2	3	8	13	24	32	43
GRAND TOTAL	**4619**	**9.1**	**68**	**1**	**2**	**7**	**12**	**19**	**25**	**42**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	2.8	2	1	1	3	3	5	5	7
70-74	17	2.5	2	<1	1	2	3	5	6	6
75-79	12	2.8	4	<1	1	2	3	6	7	7
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
65-69 YRS	73	4.0	9	1	1	3	6	8	9	15
70-74	77	4.1	15	1	1	3	5	8	12	23
75-79	49	5.1	27	1	1	3	8	12	18	21
80-84	31	3.8	6	1	1	3	4	8	10	10
85+	18	6.8	28	<1	1	6	9	13	18	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	3.9	7	1	1	3	5	8	10	11
70-74	63	3.7	9	1	1	3	4	6	8	18
75-79	42	4.2	24	1	1	3	4	8	11	31
80-84	18	5.3	22	1	1	4	5	14	17	18
85+	25	5.0	17	2	2	3	6	12	14	18
B. *Operated*										
65-69 YRS	353	6.7	28	1	2	6	9	13	16	25
70-74	326	6.5	24	2	2	5	8	13	16	23
75-79	305	8.7	46	2	2	7	12	17	22	40
80-84	209	8.3	40	2	2	7	10	16	20	29
85+	174	9.1	52	2	2	7	13	18	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.8	2	<1	1	3	3	5	6	7
B. *Operated*	248	4.4	16	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	203	4.1	13	1	1	3	5	8	11	19
B. *Operated*	1367	7.6	37	2	2	6	10	15	19	28
1. SINGLE DX	315	4.1	13	1	1	3	5	8	11	20
2. MULTIPLE DX	1570	7.2	35	1	2	6	9	15	18	28
A. NOT OPERATED	270	3.8	11	1	1	3	4	7	10	18
B. OPERATED	1615	7.1	35	1	2	6	9	15	18	27
TOTAL 65-69 YRS	513	5.8	23	1	2	4	8	12	15	24
70-74	483	5.6	22	1	2	4	7	11	15	23
75-79	408	7.6	44	1	2	6	10	16	20	35
80-84	262	7.5	37	2	2	6	10	15	19	28
85+	219	8.4	48	2	2	7	12	18	22	29
GRAND TOTAL	**1885**	**6.7**	**33**	**1**	**2**	**5**	**9**	**14**	**18**	**27**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.1	11	1	2	3	4	9	12	16
70-74	27	3.9	7	1	1	4	5	7	9	13
75-79	18	3.1	3	1	1	2	4	6	6	6
80-84	14	5.2	23	<1	1	4	6	10	18	20
85+	22	4.3	4	1	2	4	6	7	8	9
B. *Operated*										
65-69 YRS	229	2.7	4	<1	1	2	3	5	6	11
70-74	197	2.8	4	1	1	2	3	5	7	11
75-79	132	3.4	8	1	1	3	4	6	8	16
80-84	82	3.5	7	<1	1	3	4	7	9	15
85+	56	4.2	9	1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	289	6.0	18	2	2	5	8	11	15	21
70-74	369	6.6	21	2	2	5	8	12	15	21
75-79	409	6.4	17	2	2	5	8	12	15	21
80-84	442	7.5	23	2	3	6	9	14	17	27
85+	504	8.0	35	2	3	6	10	15	21	35
B. *Operated*										
65-69 YRS	1005	5.8	35	1	2	4	7	12	16	31
70-74	1061	5.8	34	1	2	4	7	12	15	28
75-79	955	6.8	54	1	2	5	8	14	18	40
80-84	746	7.7	64	2	2	6	10	15	19	40
85+	636	7.8	43	2	2	6	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.1	9	1	2	4	5	7	9	18
B. *Operated*	696	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2013	7.0	24	2	3	6	9	13	17	25
B. *Operated*	4403	6.6	46	1	2	5	8	13	18	34
1. SINGLE DX	799	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX	6416	6.8	39	1	2	5	9	13	17	30
A. NOT OPERATED	2116	6.9	24	2	2	6	9	13	16	25
B. OPERATED	5099	6.2	42	1	2	4	8	12	16	31
TOTAL 65-69 YRS	1545	5.3	28	1	1	4	7	11	15	26
70-74	1654	5.6	28	1	2	4	7	11	14	24
75-79	1514	6.4	41	1	2	5	8	13	17	30
80-84	1284	7.3	47	1	2	6	9	14	18	31
85+	1218	7.7	38	2	2	6	10	14	20	32
GRAND TOTAL	**7215**	**6.4**	**37**	**1**	**2**	**5**	**8**	**13**	**16**	**29**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	17	1	1	3	5	11	13	13
70-74	5	5.4	58	1	1	2	7	19	19	19
75-79	4	3.8	9	1	1	3	6	8	8	8
80-84	6	2.7	1	2	2	2	3	5	5	5
85+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
65-69 YRS	214	3.2	9	1	1	3	3	5	8	19
70-74	209	3.1	5	<1	1	2	4	6	7	15
75-79	149	3.6	6	<1	1	3	5	6	9	13
80-84	91	3.8	15	1	1	3	4	6	10	25
85+	56	3.8	6	1	1	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	3.3	5	<1	1	3	5	6	8	9
70-74	42	4.3	10	1	1	3	6	9	10	15
75-79	58	4.4	8	1	1	4	5	9	11	14
80-84	39	5.9	17	<1	1	5	8	13	14	15
85+	56	5.1	15	1	1	4	7	11	14	16
B. *Operated*										
65-69 YRS	814	4.8	21	1	1	3	6	9	12	22
70-74	956	5.1	19	1	2	4	7	10	13	21
75-79	859	5.6	23	1	2	4	7	11	14	27
80-84	542	6.3	43	1	2	4	8	12	16	37
85+	461	6.8	34	1	2	5	9	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.8	16	1	1	3	4	8	14	19
B. *Operated*	719	3.4	8	1	1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	219	4.7	12	1	1	4	6	9	13	15
B. *Operated*	3632	5.5	26	1	2	4	7	11	14	26
1. SINGLE DX	745	3.4	8	1	1	3	4	6	9	18
2. MULTIPLE DX	3851	5.5	26	1	2	4	7	11	14	26
A. NOT OPERATED	245	4.6	12	1	1	4	6	9	13	15
B. OPERATED	4351	5.2	24	1	2	4	6	10	13	24
TOTAL 65-69 YRS	1059	4.4	18	1	1	3	5	9	12	22
70-74	1212	4.7	17	1	1	4	6	9	12	21
75-79	1070	5.2	20	1	2	4	7	10	13	25
80-84	678	5.9	38	1	2	4	7	12	15	34
85+	577	6.3	30	1	2	5	8	12	16	30
GRAND TOTAL	**4596**	**5.1**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	165	4.3	7	1	2	4	5	8	10	17
70-74	207	4.4	18	1	1	4	5	8	9	14
75-79	193	5.1	12	1	2	4	7	9	11	17
80-84	176	4.9	9	1	2	4	6	9	11	15
85+	161	5.8	17	1	1	5	7	11	14	20
B. *Operated*										
65-69 YRS	464	3.3	6	<1	1	3	4	7	8	13
70-74	390	3.6	8	<1	1	3	5	7	9	15
75-79	295	3.6	5	1	1	3	4	6	8	12
80-84	158	4.2	14	1	1	3	5	8	10	19
85+	107	5.1	20	1	1	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3012	7.0	28	2	2	6	9	13	16	29
70-74	4182	7.5	34	2	3	6	9	14	18	30
75-79	5096	8.1	42	2	3	7	10	14	19	36
80-84	5111	8.3	46	2	3	7	10	15	19	37
85+	6016	8.8	51	2	3	7	11	15	20	42
B. *Operated*										
65-69 YRS	2843	7.2	55	1	2	5	9	14	20	37
70-74	3329	7.8	51	2	2	6	10	15	21	42
75-79	3259	8.9	78	2	2	6	11	18	24	49
80-84	2234	9.7	92	2	3	7	12	19	26	55
85+	1839	10.9	98	2	3	8	14	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	4.9	13	1	2	4	6	9	11	17
B. *Operated*	1414	3.7	9	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	23417	8.1	42	2	3	7	10	15	19	36
B. *Operated*	13504	8.6	73	2	2	6	11	17	24	47
1. SINGLE DX	2316	4.2	11	1	1	3	5	8	10	15
2. MULTIPLE DX	36921	8.3	54	2	3	6	10	15	20	41
A. NOT OPERATED	24319	7.9	42	2	3	6	10	14	18	35
B. OPERATED	14918	8.2	69	1	2	6	10	17	23	46
TOTAL 65-69 YRS	6484	6.7	39	1	2	5	8	13	17	32
70-74	8108	7.3	40	2	2	6	9	14	19	36
75-79	8843	8.2	55	2	2	6	10	15	20	40
80-84	7679	8.5	59	2	3	7	10	16	21	44
85+	8123	9.1	62	2	3	7	11	17	22	45
GRAND TOTAL	**39237**	**8.0**	**52**	**2**	**2**	**6**	**10**	**15**	**20**	**40**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	3.5	8	<1	<1	2	5	7	10	12
70-74	27	2.6	2	1	1	2	4	5	5	6
75-79	38	3.9	23	<1	<1	2	4	9	13	26
80-84	12	4.8	20	1	1	4	6	11	16	17
85+	9	3.7	9	<1	<1	2	5	9	10	10
B. *Operated*										
65-69 YRS	3579	5.4	7	2	2	5	7	8	10	14
70-74	2956	5.6	10	2	2	5	7	9	11	15
75-79	1978	6.0	11	2	3	5	7	10	12	18
80-84	855	6.2	15	2	2	6	7	10	12	18
85+	375	7.3	17	2	3	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	4.3	27	<1	1	3	5	8	11	29
70-74	448	4.4	17	1	1	3	6	8	10	24
75-79	419	4.9	23	<1	1	3	6	11	13	20
80-84	314	6.4	66	1	1	4	8	12	15	75
85+	297	7.2	56	1	2	6	9	15	19	31
B. *Operated*										
65-69 YRS	11540	6.9	19	2	3	6	8	12	14	22
70-74	11567	7.5	27	2	3	6	9	13	16	28
75-79	9065	8.2	36	3	4	7	10	14	18	32
80-84	5207	9.0	46	3	4	7	11	16	20	36
85+	2965	10.6	67	3	4	8	13	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.6	13	<1	1	2	5	7	10	20
B. *Operated*	9743	5.7	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1842	5.3	36	1	1	4	7	11	14	28
B. *Operated*	40344	7.9	33	2	3	6	9	14	18	30
1. SINGLE DX	9859	5.7	10	2	2	5	7	9	11	16
2. MULTIPLE DX	42186	7.8	33	2	3	6	9	14	17	30
A. NOT OPERATED	1958	5.2	35	1	1	4	6	10	14	28
B. OPERATED	50087	7.5	29	2	3	6	9	13	16	28
TOTAL 65-69 YRS	15513	6.5	17	2	3	6	8	11	13	21
70-74	14998	7.0	24	2	3	6	8	12	15	26
75-79	11500	7.7	32	2	3	6	9	13	17	30
80-84	6388	8.5	44	2	3	7	10	15	19	35
85+	3646	10.0	63	2	4	8	12	18	23	45
GRAND TOTAL	**52045**	**7.4**	**30**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	4.3	4	2	2	4	5	7	8	9
70-74	27	4.3	5	1	2	4	6	7	9	9
75-79	13	3.5	2	1	2	4	4	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	69	3.0	4	<1	1	2	4	6	7	11
70-74	55	3.5	7	<1	1	3	5	7	10	11
75-79	26	4.5	81	1	1	3	4	5	16	48
80-84	9	2.8	2	<1	<1	3	3	5	6	6
85+	6	3.3	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	5.4	10	2	2	5	6	9	11	19
70-74	223	5.5	9	2	2	5	7	10	12	17
75-79	143	5.3	13	2	2	5	7	9	11	18
80-84	92	4.9	15	2	2	4	6	8	9	24
85+	66	6.1	15	2	2	5	8	11	14	19
B. *Operated*										
65-69 YRS	389	5.9	30	1	2	5	8	13	15	25
70-74	301	6.6	27	1	2	5	9	13	16	28
75-79	253	6.6	26	1	2	5	8	13	18	23
80-84	155	8.0	39	2	2	6	10	17	21	31
85+	78	7.6	35	2	2	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.1	4	1	2	4	5	7	8	9
B. *Operated*	165	3.4	17	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	771	5.4	11	2	2	5	7	9	12	19
B. *Operated*	1176	6.6	30	1	2	5	9	13	17	29
1. SINGLE DX	249	3.6	12	1	1	3	5	6	8	11
2. MULTIPLE DX	1947	6.1	23	2	2	5	8	12	15	24
A. NOT OPERATED	855	5.3	11	2	2	5	7	9	11	19
B. OPERATED	1341	6.2	30	1	2	5	8	13	17	28
TOTAL 65-69 YRS	746	5.4	21	1	2	4	7	10	13	21
70-74	606	5.8	18	1	2	5	7	11	14	22
75-79	435	5.9	25	1	2	5	8	11	15	24
80-84	257	6.7	32	2	2	5	8	12	19	31
85+	152	6.7	26	2	2	6	8	12	17	23
GRAND TOTAL	**2196**	**5.9**	**23**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.0	7	<1	<1	5	6	6	6	6
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	237	2.6	2	1	1	2	3	4	5	6
70-74	156	2.6	2	<1	1	3	3	4	5	7
75-79	85	3.0	3	1	1	3	4	5	6	11
80-84	48	3.0	5	1	1	3	3	5	6	14
85+	16	3.3	4	<1	1	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.0	7	<1	1	3	7	8	8	8
70-74	10	2.5	6	<1	<1	2	3	6	9	9
75-79	9	4.7	9	<1	<1	5	7	8	8	8
80-84	2	4.0	2	3	3	4	5	5	5	5
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	382	3.9	9	1	1	3	5	7	9	14
70-74	277	4.2	9	1	2	3	5	8	10	17
75-79	179	4.7	15	1	2	3	6	9	12	21
80-84	83	4.8	21	1	2	3	5	8	15	28
85+	24	5.7	49	1	2	3	5	14	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	5	<1	<1	5	6	6	6	6
B. *Operated*	542	2.7	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	36	4.0	10	<1	<1	3	7	8	9	14
B. *Operated*	945	4.3	12	1	2	3	5	8	10	21
1. SINGLE DX	546	2.8	3	1	1	2	3	5	5	7
2. MULTIPLE DX	981	4.2	12	1	1	3	5	8	10	21
A. NOT OPERATED	40	4.1	9	<1	<1	3	6	8	9	14
B. OPERATED	1487	3.7	9	1	1	3	4	7	9	17
TOTAL 65-69 YRS	636	3.4	7	1	1	3	4	6	8	13
70-74	444	3.6	7	1	1	3	4	7	8	15
75-79	273	4.2	12	1	1	3	5	8	10	20
80-84	133	4.1	15	1	1	3	4	7	10	24
85+	41	5.0	33	1	2	3	5	11	15	33
GRAND TOTAL	**1527**	**3.7**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	5.7	6	3	3	5	7	9	10	12
70-74	53	5.6	5	3	3	5	7	9	10	11
75-79	29	6.3	23	3	3	5	7	9	18	26
80-84	15	4.7	3	2	2	5	6	6	7	7
85+	5	5.8	4	3	3	6	7	8	8	8
B. *Operated*										
65-69 YRS	43	3.6	7	1	1	3	5	7	10	12
70-74	37	3.7	4	<1	1	3	5	7	8	8
75-79	17	3.4	4	<1	1	3	4	7	8	9
80-84	9	7.6	24	2	2	7	11	15	16	16
85+	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	6.2	9	3	3	6	8	10	12	17
70-74	207	6.3	11	2	3	6	8	11	13	18
75-79	149	6.8	13	3	3	6	8	11	13	16
80-84	97	6.7	15	2	3	6	8	12	15	20
85+	54	8.0	21	3	4	6	10	16	17	20
B. *Operated*										
65-69 YRS	174	7.0	24	2	2	6	10	14	17	23
70-74	164	8.3	35	2	2	6	11	17	21	23
75-79	133	9.4	78	1	3	8	12	18	22	43
80-84	56	7.7	27	2	3	6	10	14	18	28
85+	40	11.8	84	2	3	10	15	24	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	5.7	8	3	3	5	7	9	10	17
B. *Operated*	110	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	766	6.5	12	2	3	6	8	11	14	19
B. *Operated*	567	8.3	46	2	2	7	11	17	21	31
1. SINGLE DX	283	5.0	9	1	2	4	6	9	10	15
2. MULTIPLE DX	1333	7.3	27	2	3	6	9	14	17	23
A. NOT OPERATED	939	6.4	12	2	3	6	8	10	13	19
B. OPERATED	677	7.6	42	1	2	6	10	16	20	28
TOTAL 65-69 YRS	547	6.2	14	2	2	5	8	11	13	20
70-74	461	6.7	20	2	2	6	8	13	17	22
75-79	328	7.6	42	2	3	6	9	14	18	29
80-84	177	6.9	19	2	3	6	8	13	16	20
85+	103	9.2	48	2	3	6	13	17	21	38
GRAND TOTAL	**1616**	**6.9**	**25**	**2**	**3**	**6**	**9**	**13**	**16**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	1.8		<1	<1	2	2	3	3	3
70-74	19	2.1	1	<1	1	2	2	3	4	4
75-79	13	1.7		<1	<1	2	2	3	3	3
80-84	7	1.7		<1	<1	2	2	2	2	2
85+	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
65-69 YRS	27	1.7		<1	1	2	2	2	3	3
70-74	20	1.8		<1	<1	2	2	3	3	3
75-79	25	2.1	4	<1	<1	2	2	3	6	10
80-84	15	2.6	3	<1	1	2	3	3	7	8
85+	5	4.0	8	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	2.4	3	<1	1	2	2	4	6	10
70-74	50	2.8	3	1	1	2	3	5	6	10
75-79	32	4.4	77	1	1	2	3	7	14	50
80-84	22	3.0	7	<1	1	2	3	7	9	11
85+	25	3.9	15	<1	1	2	5	9	14	15
B. *Operated*										
65-69 YRS	137	2.7	5	<1	1	2	3	5	7	12
70-74	138	3.2	11	<1	1	2	4	7	9	21
75-79	97	4.5	33	1	1	2	5	9	12	35
80-84	70	6.2	137	1	2	3	7	9	18	80
85+	62	4.3	11	1	2	3	6	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.8		<1	1	2	2	3	3	4
B. *Operated*	92	2.1	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	191	3.1	17	<1	1	2	3	6	8	15
B. *Operated*	504	3.9	32	1	1	2	4	8	11	25
1. SINGLE DX	156	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	695	3.7	28	1	1	2	4	8	10	23
A. NOT OPERATED	255	2.8	13	<1	1	2	3	5	7	15
B. OPERATED	596	3.6	28	<1	1	2	4	8	10	23
TOTAL 65-69 YRS	247	2.4	4	<1	1	2	3	4	6	11
70-74	227	2.9	8	<1	1	2	3	6	8	17
75-79	167	3.9	35	1	1	2	3	9	11	37
80-84	114	4.9	88	1	1	2	5	8	13	54
85+	96	4.1	11	<1	1	3	5	9	11	16
GRAND TOTAL	**851**	**3.4**	**24**	**<1**	**1**	**2**	**3**	**7**	**9**	**21**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.3	2	<1	1	2	4	4	4	4
70-74	17	2.6	4	<1	1	2	3	6	8	8
75-79	5	3.4	18	1	1	2	4	11	11	11
80-84	5	2.8	6	1	1	2	3	7	7	7
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	266	3.1	3	1	1	3	4	5	6	10
70-74	143	3.2	4	1	1	3	4	6	7	12
75-79	64	3.6	17	1	1	2	4	7	9	27
80-84	24	3.4	10	<1	1	3	4	5	9	17
85+	9	2.6	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	71	4.6	20	<1	1	3	6	10	15	20
70-74	62	6.2	24	1	1	5	8	14	16	21
75-79	50	5.7	40	<1	1	4	6	10	20	36
80-84	45	6.0	26	1	2	4	8	11	14	28
85+	32	8.8	44	2	4	7	10	14	19	39
B. *Operated*										
65-69 YRS	705	4.9	26	1	2	4	5	9	12	28
70-74	372	5.8	94	1	1	4	6	10	17	59
75-79	201	6.2	46	1	1	4	7	13	19	37
80-84	95	8.2	110	1	2	5	9	15	20	65
85+	53	9.9	183	1	1	5	12	19	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	4	<1	1	2	3	4	7	11
B. *Operated*	506	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	260	5.9	30	1	1	5	8	12	16	28
B. *Operated*	1426	5.7	59	1	2	4	6	11	17	40
1. SINGLE DX	553	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1686	5.8	55	1	1	4	6	11	17	36
A. NOT OPERATED	307	5.4	27	1	1	4	7	11	15	26
B. OPERATED	1932	5.1	46	1	1	3	5	9	14	33
TOTAL 65-69 YRS	1060	4.4	20	1	1	3	5	8	11	27
70-74	594	5.1	64	1	1	3	5	9	14	38
75-79	320	5.6	40	1	1	4	6	11	18	34
80-84	169	6.8	73	1	1	4	8	14	18	59
85+	96	8.7	120	1	2	6	10	17	24	68
GRAND TOTAL	**2239**	**5.1**	**44**	**1**	**1**	**3**	**6**	**10**	**14**	**32**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	2	2	2	3	4	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	528	2.0	1	<1	<1	2	2	3	4	5
70-74	410	2.2	1	<1	<1	2	2	3	4	7
75-79	203	2.0	1	<1	1	2	2	3	4	5
80-84	63	2.1	1	<1	<1	2	3	3	3	4
85+	20	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	3.1	9	1	1	2	4	7	11	12
70-74	16	3.6	8	<1	1	3	4	9	10	10
75-79	10	3.0	11	1	1	2	3	8	12	12
80-84	7	4.9	14	2	2	3	7	11	12	12
85+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
65-69 YRS	811	2.9	5	1	1	2	3	6	7	11
70-74	596	3.2	6	1	1	2	3	6	9	13
75-79	352	3.3	8	1	1	2	4	6	8	15
80-84	155	3.9	11	1	1	3	5	8	10	13
85+	62	4.4	12	1	2	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*	1224	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	50	3.5	9	1	1	3	4	8	12	12
B. *Operated*	1976	3.2	7	1	1	2	4	6	8	13
1. SINGLE DX	1228	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2026	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	54	3.4	9	1	1	3	4	7	11	12
B. OPERATED	3200	2.8	5	<1	1	2	3	5	7	11
TOTAL 65-69 YRS	1356	2.6	4	<1	1	2	3	4	6	10
70-74	1023	2.8	5	<1	1	2	3	5	7	12
75-79	565	2.8	5	<1	1	2	3	5	7	13
80-84	225	3.4	8	<1	1	2	4	8	9	12
85+	85	3.8	10	1	1	3	4	7	10	19
GRAND TOTAL	**3254**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.0	3	<1	<1	1	2	5	6	6
70-74	6	1.8	2	<1	<1	1	3	4	4	4
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	4	2.5	6	<1	<1	1	4	6	6	6
B. *Operated*										
65-69 YRS	210	2.4	2	<1	<1	2	3	4	5	7
70-74	144	2.3	3	<1	<1	2	3	4	5	11
75-79	94	2.3	2	<1	1	2	3	4	5	8
80-84	35	2.2	1	<1	<1	2	3	4	4	6
85+	19	2.3	4	<1	<1	2	3	4	7	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	3.3	8	<1	<1	2	5	7	9	12
70-74	42	4.9	20	1	1	4	6	10	15	21
75-79	20	3.7	9	<1	1	3	5	9	10	10
80-84	16	4.7	15	1	1	3	8	9	12	13
85+	23	5.2	9	<1	1	5	7	10	11	11
B. *Operated*										
65-69 YRS	413	3.8	10	1	2	3	5	7	9	16
70-74	298	4.1	20	1	1	3	4	8	11	31
75-79	163	3.8	12	1	1	3	4	8	11	18
80-84	104	4.9	44	1	2	3	5	8	10	44
85+	48	4.5	11	2	2	3	6	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.9	2	<1	<1	1	2	4	6	6
B. *Operated*	502	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	143	4.3	13	<1	1	3	6	9	11	17
B. *Operated*	1026	4.0	17	1	2	3	5	8	10	24
1. SINGLE DX	525	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1169	4.1	16	1	1	3	5	8	10	21
A. NOT OPERATED	166	4.0	12	<1	1	3	6	8	10	17
B. OPERATED	1528	3.5	13	<1	1	3	4	6	9	17
TOTAL 65-69 YRS	674	3.3	8	<1	1	3	4	6	8	15
70-74	490	3.6	16	<1	1	3	4	7	10	26
75-79	280	3.2	9	<1	1	2	4	7	9	16
80-84	156	4.3	32	1	1	3	5	8	9	42
85+	94	4.1	10	1	1	3	6	10	10	14
GRAND TOTAL	**1694**	**3.5**	**13**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	10.0		10	10	10	10	10	10	10
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	20	6.9	7	2	3	7	9	10	11	12
70-74	30	6.9	1	5	6	7	8	8	9	10
75-79	13	7.3	5	5	5	7	8	10	12	12
80-84	12	10.0	13	7	7	9	11	15	18	19
85+	6	7.7	39	3	3	6	7	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	4.3	2	3	3	4	5	6	6	6
70-74	5	5.8	3	3	3	6	7	8	8	8
75-79	7	4.3	14	1	1	4	5	11	12	12
80-84	12	6.3	19	2	2	5	9	14	15	15
85+	8	4.0	6	1	1	3	6	8	8	8
B. *Operated*										
65-69 YRS	146	8.7	27	4	5	7	10	14	19	35
70-74	121	8.7	25	4	5	7	10	13	18	35
75-79	101	10.1	46	5	5	8	11	16	22	45
80-84	55	11.7	77	6	6	10	14	16	21	64
85+	43	11.5	45	3	4	11	14	19	27	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.6	9	1	1	3	5	9	10	10
B. *Operated*	81	7.5	8	4	5	7	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	40	5.0	10	1	2	4	6	9	12	15
B. *Operated*	466	9.6	39	4	5	8	11	15	20	35
1. SINGLE DX	89	7.1	10	2	4	7	8	10	12	20
2. MULTIPLE DX	506	9.2	38	4	5	8	11	15	19	34
A. NOT OPERATED	48	4.8	10	1	2	4	6	9	12	15
B. OPERATED	547	9.3	35	4	5	8	10	15	19	34
TOTAL 65-69 YRS	174	8.3	25	4	4	7	9	12	18	33
70-74	157	8.3	20	4	5	7	9	12	15	33
75-79	125	9.2	42	2	5	8	10	15	19	39
80-84	81	10.5	61	3	5	9	13	15	18	55
85+	58	9.9	45	2	3	8	13	18	23	33
GRAND TOTAL	**595**	**8.9**	**35**	**3**	**5**	**8**	**10**	**14**	**19**	**34**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	48	2	2	3	7	18	18	18
70-74	4	7.8	14	3	3	8	10	12	12	12
75-79	4	6.8	35	2	2	5	11	15	15	15
80-84	3	8.0	27	5	5	5	12	14	14	14
85+	10	3.7	6	<1	1	3	4	7	9	9
B. *Operated*										
65-69 YRS	22	6.5	42	<1	<1	4	8	16	24	25
70-74	4	8.5	2	7	7	8	9	10	10	10
75-79	3	9.3	24	6	6	7	13	15	15	15
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	8.9	52	1	2	8	11	21	24	29
70-74	22	7.4	10	2	4	7	10	12	13	14
75-79	20	12.7	212	4	4	8	14	24	48	69
80-84	6	11.7	46	3	3	10	17	21	22	22
85+	23	7.4	20	2	3	6	10	15	16	18
B. *Operated*										
65-69 YRS	104	11.1	87	2	4	8	15	21	27	56
70-74	58	13.4	95	3	4	10	20	26	35	43
75-79	39	14.6	99	4	6	12	19	26	28	60
80-84	13	15.6	38	8	9	13	22	24	24	24
85+	20	15.9	310	2	4	9	16	41	61	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.7	21	1	2	4	7	14	16	18
B. *Operated*	34	6.6	31	<1	2	5	8	12	22	25
2. MULTIPLE DX										
A. *Not Operated*	94	9.2	70	2	3	7	11	17	21	51
B. *Operated*	234	12.9	108	3	5	9	16	25	29	61
1. SINGLE DX	60	6.2	26	<1	2	5	8	13	17	25
2. MULTIPLE DX	328	11.8	100	2	4	9	15	23	27	61
A. NOT OPERATED	120	8.4	61	2	2	7	10	16	21	41
B. OPERATED	268	12.1	103	2	3	9	15	25	28	58
TOTAL 65-69 YRS	154	9.9	76	2	2	7	13	21	26	48
70-74	88	11.5	73	3	4	9	14	25	27	42
75-79	66	13.3	127	3	5	11	15	25	28	68
80-84	23	13.0	46	3	4	11	20	23	24	24
85+	57	9.5	139	2	2	6	10	17	30	71
GRAND TOTAL	**388**	**11.0**	**93**	**2**	**3**	**8**	**14**	**22**	**27**	**56**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	4.0	5	2	2	3	5	7	7	7
70-74	2	7.5	13	5	5	7	10	10	10	10
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	5.0		5	5	5	5	5	5	5
85+	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	78	8.1	16	4	5	7	9	14	17	22
70-74	43	8.8	26	2	5	7	10	17	19	27
75-79	38	9.6	35	4	5	8	10	18	21	33
80-84	5	8.0	9	5	5	8	11	11	11	11
85+	3	6.7		6	6	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	11	5.2	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	167	8.6	22	4	5	7	10	15	18	26
1. SINGLE DX	13	4.8	7	1	2	4	6	9	10	10
2. MULTIPLE DX	168	8.5	23	3	5	7	10	15	18	26
A. NOT OPERATED	3	2.0	3	1	1	1	3	4	4	4
B. OPERATED	178	8.4	22	3	5	7	9	15	18	26
TOTAL 65-69 YRS	83	7.8	16	3	4	7	8	13	16	22
70-74	46	8.6	25	2	5	7	10	17	19	27
75-79	40	9.4	35	2	5	8	10	17	21	33
80-84	6	7.5	9	5	5	7	11	11	11	11
85+	6	5.3	3	3	3	5	7	7	7	7
GRAND TOTAL	**181**	**8.3**	**22**	**3**	**5**	**7**	**9**	**15**	**18**	**26**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	16	2.0	1	1	1	2	3	3	3	3
70-74	8	1.3		<1	<1	1	2	2	2	2
75-79	5	4.4	12	1	1	4	6	10	10	10
80-84										
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	78	3.9	8	1	1	2	6	8	10	13
70-74	47	5.3	20	1	1	3	7	11	14	22
75-79	39	5.5	19	2	2	3	8	11	15	19
80-84	17	5.2	36	2	2	3	5	9	21	27
85+	14	4.3	7	2	2	4	5	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	31	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	6	4.0	7	1	1	3	6	8	8	8
B. *Operated*	195	4.7	16	1	2	3	6	10	12	21
1. SINGLE DX	31	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	201	4.7	15	1	2	3	6	10	12	20
A. NOT OPERATED	6	4.0	7	1	1	3	6	8	8	8
B. OPERATED	226	4.4	15	1	1	3	6	10	11	20
TOTAL 65-69 YRS	95	3.6	7	1	1	2	5	8	9	13
70-74	58	4.6	19	1	1	2	7	11	13	21
75-79	45	5.4	18	1	2	4	8	10	13	19
80-84	18	5.1	34	2	2	3	5	9	20	27
85+	16	4.1	6	2	2	4	5	9	9	9
GRAND TOTAL	**232**	**4.4**	**14**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	5	6.4	6	3	3	6	8	10	10	10
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
65-69 YRS	35	2.5	3	1	1	2	3	4	6	11
70-74	19	2.6	4	<1	<1	2	3	6	8	8
75-79	10	4.1	9	1	1	3	6	9	10	10
80-84	10	2.8	4	1	1	2	4	6	7	7
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	6.1	22	1	2	5	8	12	14	22
70-74	29	7.7	20	3	4	7	9	14	20	21
75-79	25	7.1	21	3	3	6	9	15	17	22
80-84	28	6.6	18	1	2	7	9	11	13	20
85+	30	7.0	16	2	2	7	9	13	14	15
B. *Operated*										
65-69 YRS	75	5.0	24	1	1	3	7	10	14	28
70-74	70	7.1	79	1	1	4	8	15	22	46
75-79	60	7.2	50	1	2	5	10	17	23	93
80-84	40	5.6	14	2	2	5	8	10	12	19
85+	42	7.3	43	1	2	5	9	18	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	8	1	1	4	6	8	10	10
B. *Operated*	76	2.8	4	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	141	6.9	19	2	2	6	9	13	15	22
B. *Operated*	287	6.4	45	1	1	4	8	14	18	44
1. SINGLE DX	89	3.0	5	1	1	2	3	7	8	11
2. MULTIPLE DX	428	6.6	36	1	2	5	9	13	18	34
A. NOT OPERATED	154	6.7	19	1	2	6	9	13	15	22
B. OPERATED	363	5.6	38	1	1	3	8	12	18	39
TOTAL 65-69 YRS	141	4.6	20	1	1	3	6	10	13	23
70-74	123	6.5	53	1	1	4	8	14	19	46
75-79	98	6.7	38	1	2	5	9	15	19	71
80-84	79	5.6	15	1	2	5	8	10	12	20
85+	76	7.0	31	1	2	6	9	14	18	29
GRAND TOTAL	**517**	**5.9**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	5	4.2	13	<1	<1	3	7	9	9	9
80-84	4	2.3	1	1	1	2	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	985	6.7	5	4	4	6	8	9	11	14
70-74	792	6.8	5	4	4	7	8	9	11	14
75-79	424	6.9	7	4	4	7	8	10	11	17
80-84	178	7.0	6	3	4	7	8	11	12	15
85+	56	7.8	38	4	4	7	8	9	12	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	3.2	9	<1	1	2	4	7	9	16
70-74	74	3.9	16	<1	1	3	5	8	9	26
75-79	64	4.5	22	<1	1	3	6	9	14	27
80-84	61	5.2	22	1	1	4	6	12	15	23
85+	33	6.0	39	1	1	4	7	11	14	35
B. *Operated*										
65-69 YRS	3443	7.6	11	4	5	7	9	11	13	20
70-74	2846	7.9	16	4	5	7	9	11	14	21
75-79	1855	8.3	20	4	5	7	9	12	14	22
80-84	780	8.9	28	4	5	8	10	14	18	30
85+	282	9.5	30	4	5	8	11	15	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.3	6	<1	1	3	5	7	8	9
B. *Operated*	2435	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	317	4.3	20	<1	1	3	5	9	12	26
B. *Operated*	9206	8.0	16	4	5	7	9	12	14	22
1. SINGLE DX	2450	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX	9523	7.9	17	4	5	7	9	12	14	22
A. NOT OPERATED	332	4.2	19	<1	1	3	5	9	12	25
B. OPERATED	11641	7.8	15	4	5	7	9	11	14	21
TOTAL 65-69 YRS	4515	7.4	10	4	4	7	8	10	13	19
70-74	3715	7.6	14	4	4	7	9	11	13	20
75-79	2348	7.9	18	4	4	7	9	12	14	22
80-84	1023	8.3	25	3	4	7	10	13	17	27
85+	372	8.9	33	3	4	8	10	15	17	35
GRAND TOTAL	**11973**	**7.7**	**15**	**4**	**4**	**7**	**9**	**11**	**14**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	4	1	1	2	3	6	6	6
70-74	6	1.5		1	1	1	2	2	2	2
75-79	5	3.0	7	<1	<1	2	5	7	7	7
80-84	4	2.5	4	1	1	2	4	5	5	5
85+	4	4.0	7	2	2	3	6	8	8	8
B. *Operated*										
65-69 YRS	364	1.7	1	<1	<1	2	2	2	3	8
70-74	256	2.0	2	<1	<1	2	2	3	4	10
75-79	144	1.9	1	1	1	2	2	3	4	5
80-84	80	2.2	1	1	1	2	2	3	5	7
85+	39	2.5	3	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.8	14	<1	<1	2	5	8	11	18
70-74	48	4.0	12	<1	1	3	5	8	9	21
75-79	32	4.9	20	1	1	4	6	12	16	19
80-84	32	4.4	12	1	1	3	6	9	12	15
85+	40	5.9	39	1	1	4	7	14	27	99+
B. *Operated*										
65-69 YRS	886	3.2	10	<1	1	2	4	7	9	14
70-74	714	3.6	14	1	1	2	4	8	10	17
75-79	477	3.8	36	1	1	2	4	8	11	17
80-84	252	3.7	10	1	1	2	5	8	10	16
85+	124	5.0	38	1	2	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.6	4	<1	1	2	3	6	7	8
B. *Operated*	883	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	201	4.5	19	<1	1	3	6	9	14	28
B. *Operated*	2453	3.6	18	1	1	2	4	8	10	17
1. SINGLE DX	907	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	2654	3.6	18	1	1	2	4	8	10	17
A. NOT OPERATED	225	4.3	18	1	1	3	6	9	12	24
B. OPERATED	3336	3.1	14	<1	1	2	3	7	9	15
TOTAL 65-69 YRS	1304	2.8	8	<1	1	2	3	6	8	13
70-74	1024	3.2	11	<1	1	2	3	7	9	16
75-79	658	3.4	28	1	1	2	3	7	10	16
80-84	368	3.4	9	1	1	2	4	7	10	15
85+	207	4.7	32	1	1	3	6	9	14	43
GRAND TOTAL	**3561**	**3.2**	**14**	**<1**	**1**	**2**	**3**	**7**	**9**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.0	11	<1	<1	3	5	9	12	12
70-74	4	11.0	179	3	3	5	18	31	31	31
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84	4	1.5		1	1	1	2	2	2	2
85+	11	4.7	27	<1	<1	4	5	14	17	17
B. *Operated*										
65-69 YRS	248	2.9	6	<1	<1	2	3	6	8	13
70-74	162	2.9	7	<1	1	2	3	6	7	16
75-79	77	3.1	14	1	1	2	3	7	13	21
80-84	42	3.2	7	<1	1	2	4	7	9	12
85+	18	6.9	38	1	2	6	9	17	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.0	14	1	1	4	7	10	12	19
70-74	47	5.7	22	1	1	4	6	14	16	19
75-79	64	7.7	75	1	1	6	9	17	24	51
80-84	41	6.4	29	2	2	5	7	12	19	28
85+	73	5.8	21	1	1	4	8	13	15	22
B. *Operated*										
65-69 YRS	1077	5.9	34	1	1	5	8	12	16	31
70-74	780	6.2	46	1	1	4	8	13	18	34
75-79	531	6.8	57	1	1	4	9	15	20	38
80-84	266	8.1	88	1	1	5	11	18	26	45
85+	179	7.8	88	1	1	4	11	17	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	37	<1	1	3	5	12	17	31
B. *Operated*	547	3.1	9	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	288	6.1	33	1	2	4	8	12	16	27
B. *Operated*	2833	6.4	51	1	1	4	8	14	19	36
1. SINGLE DX	579	3.2	11	<1	1	2	4	7	9	17
2. MULTIPLE DX	3121	6.4	49	1	1	4	8	14	19	35
A. NOT OPERATED	320	6.0	34	1	1	4	7	12	16	29
B. OPERATED	3380	5.9	45	1	1	3	7	13	18	34
TOTAL 65-69 YRS	1398	5.3	29	<1	1	3	7	11	14	30
70-74	993	5.6	40	1	1	3	7	12	16	31
75-79	675	6.4	55	1	1	4	8	15	20	37
80-84	353	7.3	74	1	1	4	9	16	24	42
85+	281	7.1	65	1	1	4	9	15	21	36
GRAND TOTAL	**3700**	**5.9**	**44**	**1**	**1**	**4**	**7**	**13**	**17**	**33**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	3	3.7	4	2	2	3	5	6	6	6
85+	1	16.0		16	16	16	16	16	16	16
B. Operated										
65-69 YRS	224	7.2	9	3	4	7	9	10	12	21
70-74	159	7.1	7	3	4	7	8	11	12	16
75-79	98	7.6	8	4	4	8	9	11	13	17
80-84	37	7.9	14	3	4	7	9	12	13	25
85+	20	7.8	12	2	5	7	9	12	15	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	32	4.2	21	<1	1	3	5	7	11	26
70-74	48	5.6	17	<1	1	4	8	12	14	17
75-79	25	4.4	10	<1	1	3	6	8	11	13
80-84	12	4.4	6	1	1	4	6	8	9	9
85+	12	6.1	21	1	2	5	8	13	16	17
B. Operated										
65-69 YRS	661	8.1	15	4	5	8	9	12	15	22
70-74	452	8.6	22	3	4	8	10	14	17	27
75-79	305	8.3	20	3	4	8	10	13	16	29
80-84	136	9.1	33	2	4	8	11	15	18	29
85+	57	9.1	39	2	3	8	12	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.0	23	1	1	2	4	12	16	16
B. Operated	538	7.3	8	3	4	7	9	11	12	18
2. MULTIPLE DX										
A. Not Operated	129	4.9	16	<1	1	4	6	10	13	19
B. Operated	1611	8.4	20	3	4	8	10	13	17	24
1. SINGLE DX	547	7.3	9	3	4	7	9	11	12	18
2. MULTIPLE DX	1740	8.1	21	2	4	8	10	13	16	24
A. NOT OPERATED	138	4.9	17	<1	1	4	6	10	13	18
B. OPERATED	2149	8.1	18	3	4	8	9	12	16	23
TOTAL 65-69 YRS	919	7.8	14	3	4	7	9	11	15	22
70-74	661	8.0	19	3	4	7	9	13	16	24
75-79	429	7.9	18	2	3	7	10	13	15	24
80-84	188	8.4	29	2	3	8	10	14	17	25
85+	90	8.5	31	2	3	7	11	16	19	29
GRAND TOTAL	**2287**	**7.9**	**18**	**3**	**4**	**7**	**9**	**12**	**16**	**23**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. ***Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. ***Not Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. ***Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***										
B. ***Operated***										
2. MULTIPLE DX										
A. ***Not Operated***										
B. ***Operated***										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. ***Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. ***Not Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. ***Operated***										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***										
B. ***Operated***										
2. MULTIPLE DX										
A. ***Not Operated***										
B. ***Operated***										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. *Operated*										
2. MULTIPLE DX										
A. Not Operated										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. *Operated*										
2. MULTIPLE DX										
A. Not Operated										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	316	6.1	25	2	2	5	7	11	14	23
70-74	274	6.2	17	2	3	5	8	11	13	20
75-79	192	6.3	17	2	3	5	8	11	14	21
80-84	185	6.9	23	3	3	6	8	12	14	29
85+	165	6.6	13	2	3	6	8	11	13	20
B. *Operated*										
65-69 YRS	118	6.5	30	1	2	5	8	13	16	32
70-74	76	7.4	35	2	2	6	10	15	20	28
75-79	76	7.1	37	1	2	5	9	13	20	30
80-84	48	7.5	41	2	2	6	9	14	17	41
85+	41	11.5	149	2	3	7	11	29	42	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2412	8.1	31	3	3	7	10	15	19	29
70-74	2374	8.5	39	3	3	7	10	15	19	32
75-79	2076	8.9	48	3	4	7	11	15	20	40
80-84	1995	9.3	52	3	4	7	11	17	22	38
85+	2113	9.5	59	3	4	8	11	17	22	47
B. *Operated*										
65-69 YRS	1129	13.6	136	3	4	10	17	26	36	65
70-74	1060	13.9	145	3	4	11	17	29	40	86
75-79	849	14.8	173	3	4	11	19	30	42	78
80-84	675	15.0	174	3	4	11	18	32	45	99
85+	587	15.1	142	4	5	12	19	30	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	6.4	20	2	3	5	8	11	14	21
B. *Operated*	359	7.5	49	1	2	6	9	15	21	36
2. MULTIPLE DX										
A. *Not Operated*	10970	8.8	45	3	3	7	11	16	20	37
B. *Operated*	4300	14.3	152	3	4	11	18	29	40	81
1. SINGLE DX	1491	6.7	27	2	2	5	8	12	15	29
2. MULTIPLE DX	15270	10.4	82	3	4	8	12	20	27	56
A. NOT OPERATED	12102	8.6	44	3	3	7	10	15	20	35
B. OPERATED	4659	13.8	148	3	4	10	17	28	40	79
TOTAL 65-69 YRS	3975	9.5	67	2	3	7	12	18	24	44
70-74	3784	9.8	74	3	3	8	12	18	25	47
75-79	3193	10.2	87	3	3	8	12	20	27	60
80-84	2903	10.5	85	3	4	8	12	20	27	60
85+	2906	10.5	80	3	4	8	13	20	27	58
GRAND TOTAL	**16761**	**10.0**	**78**	**3**	**3**	**8**	**12**	**19**	**26**	**54**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	6.0	20	1	2	5	8	12	15	21
70-74	27	5.0	11	2	2	4	6	7	14	17
75-79	17	6.1	16	<1	1	5	9	12	14	14
80-84	17	6.4	13	3	3	6	9	12	14	15
85+	13	7.2	41	1	2	6	9	14	24	26
B. *Operated*										
65-69 YRS	48	4.7	18	1	1	4	6	10	12	25
70-74	31	6.3	65	<1	1	3	6	18	23	37
75-79	23	5.4	27	<1	<1	3	7	12	18	21
80-84	25	5.8	53	<1	1	3	6	13	24	33
85+	15	8.1	64	<1	1	6	11	14	28	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	306	7.9	32	3	3	7	9	14	16	34
70-74	283	8.3	31	3	3	7	10	15	18	27
75-79	284	8.1	35	2	3	7	10	14	18	40
80-84	240	8.5	45	2	3	7	10	15	21	37
85+	226	7.9	34	3	3	7	9	14	20	65
B. *Operated*										
65-69 YRS	285	10.6	104	2	2	8	12	19	34	55
70-74	223	12.0	158	2	3	9	15	23	37	65
75-79	198	10.9	99	2	3	8	14	20	32	53
80-84	130	12.5	99	3	4	10	15	26	35	46
85+	105	12.9	118	2	3	10	17	23	40	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	6.0	18	2	2	5	7	12	14	23
B. *Operated*	142	5.7	41	<1	1	4	7	12	20	34
2. MULTIPLE DX										
A. *Not Operated*	1339	8.1	35	2	3	7	10	14	18	36
B. *Operated*	941	11.5	117	2	3	9	14	22	36	56
1. SINGLE DX	248	5.8	31	1	1	4	7	12	17	33
2. MULTIPLE DX	2280	9.5	71	2	3	7	11	18	24	49
A. NOT OPERATED	1445	8.0	34	2	3	7	10	14	18	35
B. OPERATED	1083	10.7	111	2	2	8	14	21	34	56
TOTAL 65-69 YRS	671	8.7	64	2	2	7	11	16	21	48
70-74	564	9.5	86	2	3	7	11	18	23	56
75-79	522	9.0	61	2	3	7	11	16	21	43
80-84	412	9.5	65	2	3	7	12	19	27	43
85+	359	9.4	65	2	3	7	11	18	24	52
GRAND TOTAL	**2528**	**9.2**	**69**	**2**	**3**	**7**	**11**	**17**	**23**	**48**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	3.1	2	1	1	3	4	5	6	7
70-74	7	5.1	2	4	4	5	6	7	7	7
75-79	6	2.8	2	2	2	2	4	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	6	5.0	12	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	12.0		12	12	12	12	12	12	12
75-79	1	7.0		7	7	7	7	7	7	7
80-84	3	8.0	21	3	3	9	11	12	12	12
85+										
B. *Operated*										
65-69 YRS	32	6.1	20	1	2	5	8	12	16	20
70-74	16	5.9	9	3	3	5	8	10	13	14
75-79	7	9.7	66	2	2	10	12	23	26	26
80-84	5	4.0	13	1	1	3	5	10	10	10
85+	4	13.3	181	3	3	9	23	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	37	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	6	8.3	12	3	3	8	12	12	12	12
B. *Operated*	64	6.7	32	2	3	5	9	12	17	31
1. SINGLE DX	37	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX	70	6.9	30	2	3	5	10	12	16	31
A. NOT OPERATED	6	8.3	12	3	3	8	12	12	12	12
B. OPERATED	101	5.6	24	1	2	4	7	11	14	29
TOTAL 65-69 YRS	50	5.1	15	1	2	4	7	11	12	20
70-74	24	6.0	8	3	4	5	7	10	13	14
75-79	14	6.6	43	2	2	4	10	13	23	26
80-84	9	5.1	17	1	1	3	9	11	12	12
85+	10	8.3	85	1	2	4	10	23	32	32
GRAND TOTAL	**107**	**5.8**	**24**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.5	5	<1	<1	2	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	83	1.7	3	<1	<1	1	2	3	3	11
70-74	61	2.2	6	<1	<1	2	2	4	5	16
75-79	38	2.5	5	<1	<1	2	3	5	8	10
80-84	14	1.9	2	<1	<1	1	3	3	5	5
85+	9	3.2	7	<1	<1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	<1	<1	2	3	4	4	4
70-74	3	1.0		1	1	1	1	1	1	1
75-79	3	5.3	14	<1	<1	7	8	8	8	8
80-84	1	10.0		10	10	10	10	10	10	10
85+	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
65-69 YRS	72	4.0	23	<1	<1	3	4	9	15	24
70-74	71	3.5	8	<1	<1	3	5	8	9	13
75-79	45	4.9	32	1	1	3	6	11	15	33
80-84	29	5.3	43	<1	<1	3	6	8	25	30
85+	24	5.8	34	1	1	4	8	11	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*	205	2.1	4	<1	<1	1	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*	14	3.5	9	<1	<1	2	5	8	10	10
B. *Operated*	241	4.4	24	<1	1	3	5	9	13	28
1. SINGLE DX	208	2.1	4	<1	<1	1	2	4	5	13
2. MULTIPLE DX	255	4.3	23	<1	<1	3	5	9	13	28
A. NOT OPERATED	17	3.4	7	<1	<1	3	4	8	9	10
B. OPERATED	446	3.3	16	<1	<1	2	3	7	10	25
TOTAL 65-69 YRS	160	2.8	13	<1	<1	2	3	5	9	22
70-74	137	2.9	7	<1	<1	2	3	7	8	14
75-79	86	3.8	20	<1	<1	2	5	8	11	27
80-84	44	4.3	32	<1	<1	3	5	7	14	30
85+	36	5.0	25	<1	<1	3	7	11	12	28
GRAND TOTAL	**463**	**3.3**	**16**	**<1**	**<1**	**2**	**4**	**7**	**10**	**24**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	8.6	102	1	2	5	8	19	36	47
70-74	103	6.7	24	1	2	5	8	14	17	25
75-79	87	8.5	64	2	2	6	11	19	24	36
80-84	69	7.8	38	1	2	6	9	18	21	29
85+	82	7.4	35	2	2	6	9	17	22	77
B. *Operated*										
65-69 YRS	349	4.5	54	<1	<1	2	4	10	17	48
70-74	289	5.9	67	<1	<1	3	7	15	21	43
75-79	216	7.1	83	<1	<1	3	8	20	24	40
80-84	129	9.6	166	<1	<1	4	12	27	38	99+
85+	133	9.4	125	<1	1	5	13	21	35	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1278	10.2	89	2	3	8	12	20	30	52
70-74	1418	11.0	104	2	3	8	13	22	30	61
75-79	1479	10.9	86	2	3	8	13	21	27	56
80-84	1344	12.3	132	3	4	9	15	24	34	76
85+	1458	11.9	93	3	4	9	15	24	33	61
B. *Operated*										
65-69 YRS	1615	14.3	244	1	2	9	19	36	51	99+
70-74	1647	15.6	229	2	2	12	21	36	52	99+
75-79	1559	17.8	267	2	3	13	25	42	57	99+
80-84	1324	18.8	292	2	4	13	25	45	62	99+
85+	1349	18.3	262	2	4	14	25	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	470	7.8	57	2	2	5	9	18	22	40
B. *Operated*	1116	6.5	88	<1	<1	3	8	17	24	56
2. MULTIPLE DX										
A. *Not Operated*	6977	11.3	101	2	3	8	14	22	31	63
B. *Operated*	7494	16.8	260	2	3	12	23	40	56	99+
1. SINGLE DX	1586	6.9	79	<1	1	4	8	17	23	47
2. MULTIPLE DX	14471	14.1	191	2	3	10	18	32	45	95
A. NOT OPERATED	7447	11.1	99	2	3	8	14	22	30	62
B. OPERATED	8610	15.5	250	1	2	11	21	37	53	99+
TOTAL 65-69 YRS	3371	11.5	170	1	2	7	14	27	39	84
70-74	3457	12.6	168	1	2	9	16	28	40	83
75-79	3341	13.8	185	2	3	10	18	30	43	94
80-84	2866	15.1	218	2	3	11	19	34	52	99
85+	3022	14.5	181	2	3	10	18	32	44	99+
GRAND TOTAL	**16057**	**13.4**	**185**	**2**	**2**	**9**	**17**	**30**	**43**	**91**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.6	5	2	3	6	7	8	9	9
70-74	18	8.7	36	3	3	7	11	19	21	23
75-79	8	13.0	155	1	2	9	17	34	40	40
80-84	7	12.9	56	3	3	15	18	22	23	23
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	11	9.0	32	2	3	8	13	17	18	18
70-74	13	11.1	176	1	2	9	12	24	47	52
75-79	8	3.9	10	1	1	3	5	9	10	10
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	239	9.2	50	2	3	8	11	16	22	38
70-74	216	9.3	55	3	3	8	11	19	24	48
75-79	144	11.0	55	3	4	9	14	20	27	38
80-84	69	9.1	39	3	3	7	11	18	25	28
85+	26	12.7	65	3	4	11	19	22	27	35
B. *Operated*										
65-69 YRS	152	13.9	104	3	4	12	18	27	42	47
70-74	130	13.1	121	2	3	10	18	27	34	55
75-79	68	18.0	154	3	4	16	25	33	42	61
80-84	40	16.0	169	5	5	11	21	34	42	65
85+	15	13.9	39	4	5	15	18	20	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.3	59	2	3	7	13	19	23	40
B. *Operated*	35	8.2	82	1	2	5	11	17	18	52
2. MULTIPLE DX										
A. *Not Operated*	694	9.7	53	2	3	8	12	19	25	38
B. *Operated*	405	14.5	124	2	3	12	19	28	39	56
1. SINGLE DX	78	8.8	69	1	2	6	11	18	22	49
2. MULTIPLE DX	1099	11.5	84	2	3	9	14	23	29	47
A. NOT OPERATED	737	9.7	53	2	3	8	12	19	24	38
B. OPERATED	440	14.0	123	2	3	11	19	28	38	53
TOTAL 65-69 YRS	410	10.9	74	2	3	9	13	21	28	47
70-74	377	10.7	84	2	3	8	13	22	28	51
75-79	228	12.9	98	2	4	10	17	26	32	47
80-84	118	11.6	93	3	4	8	15	24	28	51
85+	44	12.4	58	3	4	11	18	22	25	35
GRAND TOTAL	**1177**	**11.3**	**84**	**2**	**3**	**9**	**14**	**23**	**29**	**47**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	159	6.7	19	2	3	6	8	12	16	25
70-74	139	7.8	21	2	3	6	10	15	17	20
75-79	77	7.1	22	2	3	6	9	11	15	29
80-84	36	6.7	17	2	3	6	8	11	15	23
85+	18	5.3	5	3	3	5	6	9	11	11
B. *Operated*										
65-69 YRS	364	9.0	56	2	2	7	13	17	20	37
70-74	221	9.7	47	2	2	9	14	18	20	31
75-79	129	10.2	40	2	2	10	14	19	22	27
80-84	24	11.4	80	3	3	9	15	20	34	38
85+	7	10.9	33	3	4	8	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	852	8.4	35	2	3	7	11	15	19	30
70-74	843	8.8	45	2	3	7	11	16	20	35
75-79	674	9.3	53	2	3	8	12	17	21	41
80-84	387	8.7	38	2	3	7	11	16	20	33
85+	170	10.0	53	2	4	8	12	18	25	50
B. *Operated*										
65-69 YRS	934	11.8	108	2	3	9	15	23	33	61
70-74	696	12.5	103	2	3	11	16	23	32	71
75-79	425	13.4	115	3	4	11	17	25	35	62
80-84	163	13.2	71	4	4	11	17	27	32	92
85+	39	16.8	188	2	5	13	20	36	48	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	7.1	20	2	3	6	9	13	16	22
B. *Operated*	745	9.5	51	2	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	2926	8.9	44	2	3	7	11	16	20	38
B. *Operated*	2257	12.5	107	2	3	10	16	24	33	61
1. SINGLE DX	1174	8.6	41	2	2	7	12	16	19	31
2. MULTIPLE DX	5183	10.4	74	2	3	8	13	19	27	50
A. NOT OPERATED	3355	8.6	41	2	3	7	11	16	19	34
B. OPERATED	3002	11.8	95	2	3	10	15	22	31	58
TOTAL 65-69 YRS	2309	9.7	70	2	3	8	13	18	24	47
70-74	1899	10.2	68	2	3	8	13	18	25	49
75-79	1305	10.6	74	2	3	9	13	19	26	45
80-84	610	9.9	51	2	3	8	13	19	24	38
85+	234	10.8	79	2	4	8	13	19	29	54
GRAND TOTAL	**6357**	**10.1**	**69**	**2**	**3**	**8**	**13**	**19**	**25**	**47**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	5.2	26	<1	1	3	7	12	18	25
70-74	92	5.0	14	1	1	4	7	10	12	18
75-79	96	5.0	13	1	1	4	7	10	13	16
80-84	98	6.4	41	1	1	5	8	13	16	37
85+	69	5.6	20	1	2	4	7	11	13	25
B. *Operated*										
65-69 YRS	2500	10.9	28	2	3	11	14	17	19	26
70-74	2269	11.7	30	2	4	12	15	17	20	28
75-79	1726	12.9	29	3	7	13	16	18	21	29
80-84	783	13.9	36	4	8	13	16	20	24	31
85+	271	14.1	32	4	8	14	17	20	23	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	815	6.0	27	1	1	5	8	12	14	21
70-74	1112	6.4	28	1	2	5	8	12	16	29
75-79	1240	7.1	36	1	2	6	9	14	19	30
80-84	1153	8.1	59	2	3	6	10	15	19	50
85+	1084	8.3	55	2	3	7	10	15	21	36
B. *Operated*										
65-69 YRS	4955	12.7	56	2	4	12	16	20	25	38
70-74	5323	13.6	61	3	5	13	16	22	26	42
75-79	4321	15.2	79	4	7	14	18	24	29	54
80-84	2217	16.2	83	5	8	15	19	26	32	55
85+	756	16.9	91	6	8	15	20	28	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	5.5	23	1	1	4	7	11	14	21
B. *Operated*	7549	12.0	31	2	5	12	15	18	20	28
2. MULTIPLE DX										
A. *Not Operated*	5404	7.2	42	1	2	6	9	14	18	32
B. *Operated*	17572	14.2	70	3	6	13	17	23	28	47
1. SINGLE DX	7986	11.7	33	2	4	12	15	18	20	28
2. MULTIPLE DX	22976	12.6	72	2	3	12	16	21	26	45
A. NOT OPERATED	5841	7.1	41	1	2	6	9	14	18	31
B. OPERATED	25121	13.6	59	3	5	13	16	21	26	42
TOTAL 65-69 YRS	8352	11.4	49	2	3	11	15	19	23	34
70-74	8796	12.1	55	2	3	12	15	19	24	38
75-79	7383	13.2	68	2	4	13	16	21	26	44
80-84	4251	13.3	80	3	4	13	17	22	28	51
85+	2180	11.9	80	2	3	10	16	22	27	52
GRAND TOTAL	**30962**	**12.3**	**62**	**2**	**3**	**12**	**16**	**20**	**25**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	5.8	18	1	1	5	7	13	15	17
70-74	52	6.5	36	2	2	5	8	13	16	40
75-79	35	6.1	37	1	2	4	7	11	12	37
80-84	44	6.9	130	2	2	4	6	9	23	64
85+	23	6.3	18	2	3	5	7	15	44	99+
B. *Operated*										
65-69 YRS	135	8.7	58	2	2	8	11	16	20	37
70-74	111	10.0	51	2	2	10	14	18	22	33
75-79	69	11.2	40	2	3	12	15	20	22	29
80-84	30	13.9	108	3	4	12	16	32	34	46
85+	18	14.4	67	5	7	13	16	22	33	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	333	7.9	40	2	2	6	10	16	22	30
70-74	361	8.4	74	2	2	6	10	17	26	61
75-79	366	8.5	56	2	2	6	11	16	25	39
80-84	293	8.7	65	2	3	6	10	18	25	48
85+	283	9.1	74	2	3	6	11	20	28	53
B. *Operated*										
65-69 YRS	416	13.5	156	2	2	10	17	29	41	69
70-74	360	17.2	197	2	4	13	22	39	48	66
75-79	271	16.9	174	3	4	14	20	36	47	81
80-84	156	17.4	174	3	5	15	22	33	53	98
85+	97	17.8	203	2	4	15	24	41	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.3	50	2	2	5	7	11	15	57
B. *Operated*	363	10.3	59	2	2	10	14	19	22	40
2. MULTIPLE DX										
A. *Not Operated*	1636	8.5	61	2	2	6	10	17	25	42
B. *Operated*	1300	16.0	180	2	3	13	21	34	45	72
1. SINGLE DX	563	8.9	59	2	2	7	12	17	21	44
2. MULTIPLE DX	2936	11.8	128	2	3	8	15	26	36	63
A. NOT OPERATED	1836	8.3	61	2	2	6	10	16	24	42
B. OPERATED	1663	14.8	159	2	3	12	19	30	42	70
TOTAL 65-69 YRS	930	10.4	101	2	2	8	14	21	29	58
70-74	884	12.1	138	2	3	8	15	26	39	62
75-79	741	11.7	113	2	3	9	15	24	35	56
80-84	523	11.5	122	2	3	8	15	24	37	70
85+	421	11.2	114	2	3	7	14	25	33	64
GRAND TOTAL	**3499**	**11.4**	**118**	**2**	**3**	**8**	**14**	**24**	**33**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	6	2.5	4	<1	<1	2	5	5	5	5
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	4.0	2	3	3	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	198	2.5	3	<1	1	2	3	5	6	9
70-74	113	2.9	4	1	1	2	3	5	7	12
75-79	42	3.5	8	1	1	3	4	6	7	17
80-84	23	3.2	4	1	1	3	4	6	8	9
85+	11	4.2	17	<1	<1	2	5	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	5.4	13	2	2	4	7	11	14	15
70-74	21	4.0	12	<1	1	3	6	8	12	14
75-79	16	6.0	18	<1	1	5	7	13	16	17
80-84	15	7.7	125	1	1	5	6	19	38	45
85+	4	6.8	25	2	2	6	11	12	12	12
B. *Operated*										
65-69 YRS	753	3.3	10	1	1	2	4	6	8	18
70-74	507	3.6	13	1	1	3	4	7	9	20
75-79	285	4.1	13	1	1	3	5	8	11	21
80-84	119	4.2	18	1	1	3	5	9	14	22
85+	29	5.0	28	1	1	3	5	13	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	3	<1	<1	3	5	5	5	5
B. *Operated*	387	2.8	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	72	5.7	37	1	1	4	7	11	15	39
B. *Operated*	1693	3.6	13	1	1	3	4	7	10	18
1. SINGLE DX	399	2.8	4	<1	1	2	4	5	6	12
2. MULTIPLE DX	1765	3.7	14	1	1	3	4	7	10	19
A. NOT OPERATED	84	5.3	33	1	1	4	6	11	14	36
B. OPERATED	2080	3.5	11	1	1	3	4	6	9	18
TOTAL 65-69 YRS	969	3.2	9	1	1	2	4	6	8	16
70-74	64[illegible]	3.5	11	1	1	3	4	6	9	17
75-79	345	4.1	13	1	1	3	5	8	11	18
80-84	159	4.4	26	1	1	3	5	8	14	31
85+	44	5.0	24	1	1	3	6	12	15	20
GRAND TOTAL	**2164**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**10**	**18**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	5.0	35	1	1	3	6	7	14	37
70-74	35	4.0	12	1	1	3	5	8	9	20
75-79	44	5.8	17	1	2	5	8	12	13	19
80-84	43	6.0	21	1	2	5	7	14	15	22
85+	38	5.9	27	1	2	4	9	14	18	21
B. *Operated*										
65-69 YRS	123	4.8	23	1	1	3	5	10	14	28
70-74	97	5.9	34	<1	1	3	8	15	18	27
75-79	66	6.7	30	1	1	4	10	15	17	22
80-84	28	6.9	38	1	1	6	9	17	20	23
85+	19	7.1	68	1	2	3	9	22	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	6.5	74	1	1	4	8	13	17	31
70-74	340	7.2	41	1	2	5	9	14	19	32
75-79	365	7.4	37	2	2	6	9	14	19	31
80-84	313	7.7	48	1	2	5	10	16	21	36
85+	372	8.2	76	1	2	6	10	15	22	40
B. *Operated*										
65-69 YRS	368	7.6	89	1	1	4	10	16	21	49
70-74	330	8.8	99	1	2	6	11	18	28	54
75-79	231	10.1	86	1	2	8	14	21	27	47
80-84	180	13.0	132	2	2	10	19	26	35	55
85+	107	12.6	202	2	2	8	15	25	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.4	23	1	1	4	7	12	15	23
B. *Operated*	333	5.8	32	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	1678	7.4	55	1	2	5	9	14	19	35
B. *Operated*	1216	9.6	111	1	2	6	12	21	28	55
1. SINGLE DX	551	5.6	28	1	1	4	7	13	16	26
2. MULTIPLE DX	2894	8.4	80	1	2	6	10	17	23	46
A. NOT OPERATED	1896	7.2	52	1	2	5	9	14	19	34
B. OPERATED	1549	8.8	96	1	2	5	12	19	25	52
TOTAL 65-69 YRS	837	6.6	72	1	1	4	8	14	18	38
70-74	802	7.5	64	1	2	5	10	15	21	42
75-79	706	8.1	53	1	2	6	10	16	21	39
80-84	564	9.2	79	1	2	6	12	20	26	46
85+	536	8.9	101	1	2	6	11	18	24	54
GRAND TOTAL	**3445**	**7.9**	**73**	**1**	**2**	**5**	**10**	**16**	**22**	**43**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	4	6.3	25	2	2	5	10	13	13	13
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	6.8	11	3	3	6	9	12	13	14
70-74	18	7.7	19	2	2	7	10	14	16	16
75-79	21	13.5	280	3	4	8	15	23	52	81
80-84	6	8.8	26	3	3	8	13	16	16	16
85+	9	5.9	16	1	1	6	8	12	14	14
B. *Operated*										
65-69 YRS	8	10.1	54	1	1	11	15	20	22	22
70-74	16	11.3	47	3	3	11	15	19	25	28
75-79	1	26.0		26	26	26	26	26	26	26
80-84	3	34.0	1183	8	8	21	60	73	73	73
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	18	2	2	3	7	12	13	13
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	74	9.0	96	2	3	7	10	15	17	68
B. *Operated*	28	13.9	186	2	3	12	17	25	32	73
1. SINGLE DX	7	6.3	24	2	2	4	11	13	13	13
2. MULTIPLE DX	102	10.3	124	2	3	8	13	17	24	77
A. NOT OPERATED	80	8.7	91	2	3	7	10	15	17	65
B. OPERATED	29	13.9	179	2	3	12	16	24	30	73
TOTAL 65-69 YRS	30	7.4	24	2	2	6	10	14	16	22
70-74	39	9.2	33	2	3	8	13	16	18	28
75-79	22	14.0	274	3	4	8	17	27	49	81
80-84	9	17.2	470	3	3	10	17	52	73	73
85+	9	5.9	16	1	1	6	8	12	14	14
GRAND TOTAL	**109**	**10.1**	**119**	**2**	**3**	**8**	**13**	**17**	**22**	**76**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	175	6.1	18	2	2	5	8	12	14	20
70-74	145	6.3	20	1	2	6	8	11	15	25
75-79	107	6.9	38	2	2	6	9	12	14	35
80-84	76	5.6	12	2	2	5	7	9	12	20
85+	74	6.2	19	2	2	5	8	12	16	22
B. *Operated*										
65-69 YRS	277	7.2	32	1	1	6	10	15	18	27
70-74	223	7.1	41	1	1	5	10	16	21	28
75-79	110	7.5	43	1	1	5	11	16	19	30
80-84	23	7.1	60	1	1	6	8	14	24	37
85+	6	7.5	23	1	1	8	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1409	6.9	21	2	3	6	9	12	15	23
70-74	1571	7.2	24	2	3	6	9	13	16	25
75-79	1637	7.6	38	2	3	6	9	14	18	35
80-84	1220	8.1	42	2	3	7	10	15	19	34
85+	1028	8.3	57	2	3	7	10	16	19	53
B. *Operated*										
65-69 YRS	1060	10.4	80	2	2	8	14	21	27	44
70-74	906	11.5	106	1	2	9	15	24	32	52
75-79	601	12.4	131	2	2	9	16	25	32	67
80-84	288	13.8	135	2	3	11	18	29	38	59
85+	125	14.6	109	3	4	13	20	30	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	6.2	21	2	2	5	8	11	14	22
B. *Operated*	639	7.2	38	1	1	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	6865	7.6	35	2	3	6	9	14	17	31
B. *Operated*	2980	11.6	106	2	2	9	15	24	31	57
1. SINGLE DX	1216	6.7	30	1	2	5	9	14	17	26
2. MULTIPLE DX	9845	8.8	60	2	3	7	11	17	22	41
A. NOT OPERATED	7442	7.5	34	2	3	6	9	14	17	30
B. OPERATED	3619	10.8	97	1	2	9	14	22	29	51
TOTAL 65-69 YRS	2921	8.1	46	2	2	7	10	16	21	36
70-74	2845	8.5	55	2	2	7	10	17	22	38
75-79	2455	8.7	66	2	3	7	11	17	22	42
80-84	1607	9.0	63	2	3	7	11	17	23	43
85+	1233	8.8	64	2	3	7	11	17	22	58
GRAND TOTAL	**11061**	**8.6**	**57**	**2**	**2**	**7**	**10**	**16**	**22**	**40**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	355	6.9	17	1	2	6	9	13	15	20
70-74	224	7.0	28	1	2	7	9	13	14	25
75-79	128	7.0	16	2	2	6	10	13	14	19
80-84	67	7.9	25	2	2	7	11	16	18	22
85+	36	6.2	16	1	1	5	9	12	14	16
B. *Operated*										
65-69 YRS	979	7.5	36	1	1	6	10	15	19	27
70-74	548	8.2	44	1	1	7	11	17	21	30
75-79	213	8.7	49	1	1	7	12	17	22	37
80-84	73	8.3	42	1	1	6	12	17	21	27
85+	23	9.0	36	1	2	8	14	17	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1335	8.2	26	2	3	7	11	15	17	24
70-74	1121	8.9	33	3	3	8	11	16	20	31
75-79	890	9.0	41	3	3	8	11	15	19	33
80-84	589	9.2	52	2	3	7	11	17	22	34
85+	372	9.2	47	2	3	8	11	17	24	45
B. *Operated*										
65-69 YRS	1950	11.2	73	2	3	10	14	21	26	42
70-74	1340	12.2	68	2	3	11	16	22	26	44
75-79	770	13.0	87	2	3	11	18	25	30	46
80-84	297	15.1	120	3	4	12	20	29	37	56
85+	100	15.6	154	3	4	13	22	32	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	810	7.0	21	1	2	6	9	13	15	21
B. *Operated*	1836	7.9	40	1	1	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	4307	8.8	36	2	3	8	11	15	19	31
B. *Operated*	4457	12.2	80	2	3	10	16	23	28	47
1. SINGLE DX	2646	7.6	34	1	2	7	10	15	18	27
2. MULTIPLE DX	8764	10.5	62	2	3	9	13	20	25	39
A. NOT OPERATED	5117	8.5	34	2	3	7	11	15	19	29
B. OPERATED	6293	10.9	72	1	2	9	14	21	26	41
TOTAL 65-69 YRS	4619	9.2	50	2	2	8	12	17	22	33
70-74	3233	10.0	52	2	3	9	13	19	24	35
75-79	2001	10.4	63	2	3	9	13	20	25	38
80-84	1026	10.8	77	2	3	9	14	21	27	45
85+	531	10.2	71	2	3	8	13	21	26	89
GRAND TOTAL	**11410**	**9.8**	**57**	**2**	**3**	**8**	**13**	**19**	**24**	**36**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	69	6.0	13	1	2	5	8	10	12	17
70-74	44	6.2	12	1	2	6	9	11	13	13
75-79	20	7.4	35	3	3	6	9	12	21	29
80-84	12	7.1	47	2	3	6	7	14	26	28
85+	5	7.4	19	3	3	6	11	13	13	13
B. *Operated*										
65-69 YRS	140	6.9	39	1	1	6	9	13	17	35
70-74	47	8.1	33	1	1	8	11	15	19	27
75-79	15	7.7	43	1	2	5	11	18	22	23
80-84	7	8.4	102	1	1	3	12	26	29	29
85+	3	12.0	196	2	2	6	22	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	369	7.6	27	2	3	7	9	14	17	25
70-74	301	7.2	44	2	2	6	8	12	16	33
75-79	276	8.1	42	2	3	7	10	15	18	35
80-84	152	8.0	36	2	3	7	10	14	19	37
85+	114	8.8	69	2	2	7	11	16	22	50
B. *Operated*										
65-69 YRS	304	10.1	77	2	2	8	13	19	26	48
70-74	170	9.3	53	1	2	8	11	20	24	37
75-79	94	11.7	92	2	3	10	15	25	38	76
80-84	31	19.3	267	3	5	14	25	45	52	70
85+	12	13.0	34	6	7	13	16	21	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	6.4	18	1	2	6	8	11	13	28
B. *Operated*	212	7.3	41	1	1	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	1212	7.8	40	2	3	7	10	14	18	34
B. *Operated*	611	10.7	85	2	2	8	13	22	29	50
1. SINGLE DX	362	6.9	32	1	2	6	9	13	17	29
2. MULTIPLE DX	1823	8.8	57	2	3	7	11	16	22	44
A. NOT OPERATED	1362	7.6	38	2	3	6	9	14	17	33
B. OPERATED	823	9.8	76	1	2	8	12	19	26	48
TOTAL 65-69 YRS	882	8.2	47	1	2	7	10	16	20	37
70-74	562	7.8	44	1	2	7	10	14	20	34
75-79	405	8.9	55	2	3	7	11	17	23	43
80-84	202	9.7	89	2	3	7	11	19	31	61
85+	134	9.2	67	2	2	7	12	16	24	47
GRAND TOTAL	**2185**	**8.5**	**53**	**2**	**2**	**7**	**10**	**16**	**22**	**41**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	5.7	12	1	1	6	8	11	12	12
70-74	12	7.3	63	2	2	5	8	16	29	31
75-79	6	3.0	6	1	1	2	5	7	7	7
80-84	4	3.3	5	1	1	3	5	6	6	6
85+	6	7.3	63	1	1	5	7	21	23	23
B. *Operated*										
65-69 YRS	5	9.4	143	1	1	2	18	28	28	28
70-74	1	9.0		9	9	9	9	9	9	9
75-79	3	5.0	7	2	2	6	7	7	7	7
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	7.0	16	2	3	6	9	12	14	20
70-74	76	7.5	17	2	2	7	10	13	15	21
75-79	57	6.3	13	2	2	6	10	12	12	15
80-84	39	8.8	84	2	2	7	9	16	29	50
85+	44	8.7	28	3	3	8	10	15	20	29
B. *Operated*										
65-69 YRS	33	11.8	69	2	3	10	15	22	31	35
70-74	17	9.8	31	2	3	9	14	17	19	20
75-79	8	10.4	33	3	3	9	16	17	18	18
80-84	3	10.7	14	8	8	9	13	15	15	15
85+	3	11.3	50	5	5	10	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.7	27	1	1	5	7	9	12	31
B. *Operated*	10	7.4	72	1	1	4	9	21	28	28
2. MULTIPLE DX										
A. *Not Operated*	328	7.5	26	2	2	7	9	13	15	27
B. *Operated*	64	11.0	49	2	3	10	15	19	23	35
1. SINGLE DX	65	6.0	33	1	1	5	7	11	17	31
2. MULTIPLE DX	392	8.0	31	2	3	7	10	14	18	30
A. NOT OPERATED	383	7.2	26	1	2	7	9	12	15	28
B. OPERATED	74	10.6	53	2	3	9	15	19	26	34
TOTAL 65-69 YRS	177	7.8	32	1	2	7	10	14	19	31
70-74	106	7.9	24	2	2	7	10	14	17	26
75-79	74	6.4	17	1	2	6	10	12	15	18
80-84	46	8.5	74	2	2	7	9	16	28	50
85+	54	8.6	32	3	3	8	10	18	22	29
GRAND TOTAL	**457**	**7.7**	**32**	**1**	**2**	**7**	**10**	**14**	**18**	**30**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	7.5	50	<1	1	6	10	14	19	45
70-74	45	6.3	23	2	2	5	8	12	15	26
75-79	30	7.1	37	<1	1	6	9	14	18	30
80-84	20	6.9	13	1	3	6	10	12	13	14
85+	8	7.1	10	3	3	7	9	11	12	12
B. *Operated*										
65-69 YRS	19	5.2	24	1	1	4	7	14	16	17
70-74	12	5.6	47	1	1	3	6	17	23	24
75-79	11	5.8	26	1	1	4	8	13	18	18
80-84	6	5.7	30	1	1	3	12	13	13	13
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	303	8.5	25	3	4	7	11	14	18	24
70-74	308	7.6	17	2	3	7	10	13	15	20
75-79	293	9.1	43	2	4	8	11	16	20	28
80-84	198	9.5	51	3	3	7	12	17	21	36
85+	132	8.7	36	2	3	7	11	17	20	31
B. *Operated*										
65-69 YRS	56	10.7	69	1	3	9	14	20	24	46
70-74	49	10.6	56	1	2	10	15	20	22	33
75-79	51	11.5	45	3	4	10	16	23	24	27
80-84	25	14.7	293	2	3	9	17	27	46	87
85+	8	11.6	65	1	2	11	18	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	7.0	33	1	2	6	9	13	15	30
B. *Operated*	49	5.4	29	1	1	3	8	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	1234	8.6	33	3	3	7	11	15	19	26
B. *Operated*	189	11.5	88	1	3	9	15	21	25	42
1. SINGLE DX	211	6.6	32	1	1	5	9	13	16	28
2. MULTIPLE DX	1423	9.0	41	3	3	8	11	16	20	29
A. NOT OPERATED	1396	8.4	33	2	3	7	11	15	18	27
B. OPERATED	238	10.2	82	1	2	8	15	21	24	36
TOTAL 65-69 YRS	437	8.5	35	2	3	7	11	15	19	28
70-74	414	7.8	24	2	3	7	10	14	17	26
75-79	385	9.2	44	2	3	8	12	16	21	28
80-84	249	9.7	74	3	3	7	13	17	22	41
85+	149	8.7	37	2	3	7	11	17	20	30
GRAND TOTAL	**1634**	**8.7**	**41**	**2**	**3**	**7**	**11**	**16**	**20**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	375	5.7	22	1	1	4	8	11	14	20
70-74	274	5.9	18	1	1	5	8	12	14	21
75-79	193	6.2	31	1	1	5	8	13	16	27
80-84	103	5.9	21	<1	1	4	9	13	14	21
85+	64	7.3	32	1	2	6	9	16	18	27
B. *Operated*										
65-69 YRS	613	6.6	30	1	1	6	9	13	17	27
70-74	407	7.1	33	1	1	6	10	14	17	28
75-79	234	8.2	41	1	1	8	11	16	21	31
80-84	95	8.4	53	1	1	8	12	16	22	37
85+	24	6.8	21	1	1	6	10	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1765	7.3	28	2	2	6	9	13	17	26
70-74	1693	7.4	28	2	2	6	9	14	17	26
75-79	1461	7.7	31	2	2	6	10	14	18	27
80-84	1055	8.2	43	2	3	7	10	15	20	31
85+	806	8.0	38	2	2	6	10	15	19	30
B. *Operated*										
65-69 YRS	1694	10.5	83	1	2	9	13	21	26	47
70-74	1496	11.7	83	2	3	10	15	22	28	43
75-79	1015	13.3	109	2	3	11	17	25	31	59
80-84	404	14.8	145	2	3	13	19	27	38	86
85+	170	14.2	104	3	4	12	17	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1009	6.0	23	1	1	5	8	12	15	22
B. *Operated*	1373	7.2	34	1	1	6	10	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	6780	7.6	32	2	2	6	10	14	18	28
B. *Operated*	4779	12.0	96	2	2	10	15	23	29	53
1. SINGLE DX	2382	6.7	30	1	1	5	9	13	16	27
2. MULTIPLE DX	11559	9.4	63	2	2	8	12	18	24	40
A. NOT OPERATED	7789	7.4	31	1	2	6	9	14	18	28
B. OPERATED	6152	10.9	87	1	2	9	14	21	27	48
TOTAL 65-69 YRS	4447	8.3	52	1	2	7	11	16	21	35
70-74	3870	8.9	54	1	2	7	11	17	22	37
75-79	2903	9.6	67	1	2	8	12	18	25	40
80-84	1657	9.7	76	2	3	7	12	19	25	47
85+	1064	8.9	53	2	2	7	12	17	22	37
GRAND TOTAL	**13941**	**8.9**	**59**	**1**	**2**	**7**	**11**	**17**	**23**	**38**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	4.3	14	1	1	3	6	8	13	18
70-74	58	4.2	7	1	2	4	5	8	10	11
75-79	38	6.5	31	2	2	5	9	14	15	30
80-84	28	4.9	18	1	1	4	5	9	16	20
85+	22	4.7	9	1	2	4	7	9	10	11
B. *Operated*										
65-69 YRS	459	3.1	6	<1	<1	2	4	6	8	12
70-74	235	2.9	8	<1	<1	2	3	5	8	13
75-79	125	3.3	8	<1	<1	2	4	6	9	15
80-84	59	3.2	8	<1	<1	2	4	8	10	11
85+	22	3.2	12	<1	<1	2	5	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	349	5.8	19	1	2	5	7	11	14	22
70-74	359	6.7	27	2	2	5	9	12	16	32
75-79	312	7.0	28	2	3	6	9	13	15	31
80-84	239	7.0	32	1	2	6	9	13	17	26
85+	173	7.3	50	2	2	5	9	13	19	48
B. *Operated*										
65-69 YRS	733	5.0	35	1	1	3	6	10	13	35
70-74	502	5.6	33	1	1	4	7	11	16	28
75-79	265	6.1	48	1	2	4	7	12	17	30
80-84	133	6.7	71	1	2	4	7	14	18	49
85+	72	8.7	71	2	2	6	11	18	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	4.8	15	1	1	4	6	10	13	19
B. *Operated*	900	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1432	6.7	29	2	2	5	8	12	16	28
B. *Operated*	1705	5.6	41	1	2	4	6	11	16	33
1. SINGLE DX	1116	3.4	9	<1	<1	2	4	7	9	15
2. MULTIPLE DX	3137	6.1	36	1	2	4	7	12	16	30
A. NOT OPERATED	1648	6.4	28	2	2	5	8	12	15	26
B. OPERATED	2605	4.8	31	<1	1	3	5	10	13	28
TOTAL 65-69 YRS	1611	4.6	23	1	1	3	5	9	12	23
70-74	1154	5.3	26	1	1	4	7	10	14	28
75-79	740	6.0	33	1	2	4	8	12	15	30
80-84	459	6.3	41	1	1	4	8	13	17	30
85+	289	7.1	51	1	2	5	9	13	19	43
GRAND TOTAL	**4253**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
65-69 YRS	563	3.2	3	1	1	3	4	5	6	9
70-74	377	3.2	5	1	1	3	4	5	7	11
75-79	196	3.0	3	<1	1	3	4	5	7	9
80-84	92	3.6	5	<1	1	3	5	6	7	11
85+	37	2.8	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	2.5	8	<1	<1	1	3	6	11	13
70-74	34	3.2	7	<1	<1	2	6	8	8	9
75-79	16	3.5	9	<1	<1	2	5	9	10	10
80-84	6	7.0	33	<1	<1	6	10	15	16	16
85+	4	3.8	6	2	2	3	5	7	7	7
B. *Operated*										
65-69 YRS	2503	4.0	6	1	2	4	5	6	8	13
70-74	1638	4.1	8	1	2	4	5	7	8	14
75-79	934	4.3	8	1	2	4	5	7	9	15
80-84	317	4.6	13	1	2	4	5	8	10	18
85+	124	6.0	39	1	2	5	7	12	15	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.0	36	2	2	4	5	17	18	18
B. *Operated*	1265	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	104	3.2	10	<1	<1	2	4	8	10	14
B. *Operated*	5516	4.2	8	1	2	4	5	7	8	15
1. SINGLE DX	1271	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX	5620	4.2	8	1	2	4	5	7	8	15
A. NOT OPERATED	110	3.4	11	<1	<1	2	4	8	10	17
B. OPERATED	6781	4.0	8	1	2	4	5	7	8	14
TOTAL 65-69 YRS	3112	3.9	6	1	2	3	5	6	8	13
70-74	2051	3.9	8	1	2	3	5	7	8	14
75-79	1147	4.1	8	1	1	4	5	7	9	14
80-84	415	4.4	11	1	2	4	5	7	9	17
85+	166	5.3	32	1	2	4	6	11	14	29
GRAND TOTAL	**6891**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	3	1	1	3	5	5	5	5
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	162	2.4	5	<1	<1	2	3	4	5	14
70-74	103	2.5	2	<1	<1	2	3	4	5	8
75-79	49	2.3	2	<1	1	2	3	4	5	8
80-84	29	3.1	4	1	1	2	4	6	8	8
85+	13	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	4.4	10	<1	1	4	6	9	12	12
70-74	13	4.2	7	<1	<1	3	6	8	9	9
75-79	11	8.2	46	1	1	6	14	18	22	22
80-84	8	3.9	4	2	2	3	5	7	8	8
85+	9	4.9	3	2	2	5	6	7	7	7
B. *Operated*										
65-69 YRS	199	4.0	10	<1	1	3	5	8	11	14
70-74	141	4.1	10	<1	1	3	5	8	10	19
75-79	86	4.6	16	<1	1	3	6	11	13	17
80-84	49	5.4	87	<1	1	3	7	9	11	66
85+	16	4.4	9	<1	2	4	5	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.2	3	1	1	3	5	6	6	6
B. *Operated*	356	2.4	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	69	5.0	15	<1	1	4	6	9	12	21
B. *Operated*	491	4.3	19	<1	1	3	5	9	11	17
1. SINGLE DX	367	2.4	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	560	4.4	18	<1	1	3	5	9	11	18
A. NOT OPERATED	80	4.7	13	<1	1	4	6	9	12	20
B. OPERATED	847	3.5	13	<1	<1	3	4	7	10	15
TOTAL 65-69 YRS	395	3.3	8	<1	<1	2	4	7	10	13
70-74	259	3.4	7	<1	<1	3	4	7	8	15
75-79	148	4.1	16	<1	1	3	5	10	12	18
80-84	87	4.5	51	1	1	3	5	8	9	47
85+	38	3.6	6	<1	1	3	5	7	9	12
GRAND TOTAL	**927**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	12.3	72	4	5	10	15	22	30	42
70-74	21	13.1	130	2	3	11	19	29	39	45
75-79	22	9.4	27	2	3	8	13	17	19	20
80-84	12	13.5	128	<1	2	11	22	29	37	38
85+	15	10.8	31	3	5	10	14	19	21	21
B. *Operated*										
65-69 YRS	82	11.3	78	1	2	10	15	22	31	82
70-74	75	11.0	106	2	3	9	13	23	33	59
75-79	33	9.6	46	2	2	8	13	20	26	28
80-84	18	14.9	172	3	3	10	16	40	46	46
85+	18	10.2	58	2	2	8	15	21	26	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	16.1	189	3	4	12	22	33	44	70
70-74	168	14.1	140	2	3	11	18	31	41	72
75-79	128	14.6	146	2	4	13	19	28	31	64
80-84	106	17.9	226	4	5	14	22	41	47	73
85+	126	15.6	192	3	4	12	18	31	40	76
B. *Operated*										
65-69 YRS	532	21.3	282	3	5	16	30	48	55	92
70-74	462	21.0	279	3	5	17	28	46	60	99+
75-79	339	21.0	288	4	5	16	30	48	63	99+
80-84	226	23.8	308	5	6	19	32	48	57	83
85+	212	20.5	326	3	5	16	23	45	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	11.7	74	3	3	10	15	22	27	44
B. *Operated*	226	11.1	88	2	3	9	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*	717	15.5	176	3	4	12	19	32	42	70
B. *Operated*	1771	21.4	291	3	5	17	29	47	59	99+
1. SINGLE DX	323	11.3	84	2	3	9	15	22	29	46
2. MULTIPLE DX	2488	19.7	265	3	5	15	27	44	56	95
A. NOT OPERATED	814	15.1	166	3	4	12	19	31	42	70
B. OPERATED	1997	20.3	279	3	5	15	28	46	57	99+
TOTAL 65-69 YRS	830	18.8	246	3	4	14	26	44	54	88
70-74	726	18.1	239	3	4	14	24	42	53	99+
75-79	522	18.2	243	3	4	14	24	43	56	99+
80-84	362	21.3	281	4	5	16	29	45	54	81
85+	371	17.9	265	3	4	14	21	37	53	94
GRAND TOTAL	**2811**	**18.7**	**252**	**3**	**4**	**14**	**25**	**43**	**54**	**94**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	121	5.7	19	1	2	5	7	11	14	23
70-74	176	6.2	18	1	2	6	8	11	14	20
75-79	154	7.1	51	2	2	6	9	12	15	22
80-84	171	7.7	23	2	2	7	10	14	18	25
85+	129	6.9	22	1	2	6	9	13	15	26
B. *Operated*										
65-69 YRS	297	7.2	35	1	2	5	11	16	19	24
70-74	241	8.5	43	1	2	8	12	15	18	23
75-79	162	10.3	62	2	2	9	14	19	22	30
80-84	103	12.6	85	2	3	11	16	25	30	45
85+	75	11.1	30	3	4	11	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1812	8.2	44	2	2	6	10	16	21	34
70-74	2357	8.9	48	2	3	7	11	16	21	33
75-79	2881	9.5	51	2	3	8	12	17	22	39
80-84	2737	9.6	53	3	3	8	12	18	22	37
85+	2773	9.8	71	2	3	8	12	18	23	52
B. *Operated*										
65-69 YRS	1187	13.3	135	2	3	11	17	25	36	73
70-74	1199	14.5	129	3	4	12	18	28	35	66
75-79	1128	15.9	145	3	5	13	20	29	38	75
80-84	770	16.8	144	4	5	14	21	31	41	72
85+	595	17.5	161	5	7	15	22	35	43	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	751	6.8	27	1	2	6	9	12	15	24
B. *Operated*	878	9.1	51	1	2	8	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	12560	9.3	54	2	3	8	12	17	22	39
B. *Operated*	4879	15.2	143	3	4	13	19	29	39	76
1. SINGLE DX	1629	8.0	41	1	2	7	11	16	19	28
2. MULTIPLE DX	17439	11.0	86	2	3	9	14	21	27	52
A. NOT OPERATED	13311	9.2	53	2	3	7	11	17	22	37
B. OPERATED	5757	14.3	133	2	3	12	18	27	37	72
TOTAL 65-69 YRS	3417	9.8	81	2	2	7	13	19	25	48
70-74	3973	10.5	78	2	3	8	13	20	26	49
75-79	4325	11.1	84	2	3	9	14	21	27	49
80-84	3781	11.1	79	3	3	9	14	21	28	48
85+	3572	11.0	92	2	3	9	14	21	27	62
GRAND TOTAL	**19068**	**10.7**	**83**	**2**	**3**	**8**	**14**	**20**	**27**	**51**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	23	4.4	26	<1	1	3	5	9	17	25
70-74	19	6.9	24	1	2	6	11	14	16	17
75-79	15	6.5	16	2	2	6	9	13	14	14
80-84	5	9.2	34	2	2	7	14	17	17	17
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	19.7	182	7	8	16	23	42	51	63
70-74	29	16.1	124	1	3	15	22	33	39	43
75-79	36	16.1	221	2	3	10	23	32	41	75
80-84	12	20.6	405	3	4	14	27	54	67	69
85+	14	19.2	256	2	4	12	28	47	52	53
B. *Operated*										
65-69 YRS	163	7.2	36	2	2	5	10	15	18	31
70-74	129	8.7	84	1	2	6	12	16	19	57
75-79	55	11.3	162	2	2	8	13	23	33	70
80-84	30	13.5	429	<1	3	6	13	30	78	90
85+	8	6.9	57	2	2	4	9	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*	62	6.1	25	1	2	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	124	17.8	205	2	4	15	24	36	46	71
B. *Operated*	385	8.8	103	2	2	6	11	17	24	65
1. SINGLE DX	64	6.2	25	1	2	4	9	13	16	24
2. MULTIPLE DX	509	11.0	143	2	2	7	14	24	32	70
A. NOT OPERATED	126	17.7	204	2	4	15	23	36	46	70
B. OPERATED	447	8.4	93	2	2	6	10	17	23	54
TOTAL 65-69 YRS	220	8.9	78	2	2	6	12	18	25	46
70-74	177	9.7	92	1	2	7	13	18	26	50
75-79	107	12.2	168	2	2	8	14	28	33	73
80-84	47	14.8	384	2	3	7	18	31	70	90
85+	22	14.7	215	2	2	9	21	39	49	53
GRAND TOTAL	**573**	**10.5**	**132**	**2**	**2**	**7**	**13**	**22**	**30**	**68**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	6.0	28	1	2	5	7	13	19	24
70-74	8	3.5	3	2	2	3	5	6	6	6
75-79	8	6.1	12	1	2	5	8	11	12	12
80-84	3	3.0	1	2	2	3	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	7	5.7	21	1	1	5	7	13	15	15
70-74	7	7.1	28	2	2	5	12	15	15	15
75-79	5	5.4	26	1	1	5	7	14	14	14
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	7.6	23	2	3	6	10	13	17	27
70-74	100	8.1	50	2	2	6	10	16	20	40
75-79	77	7.1	26	2	3	6	9	11	15	32
80-84	45	6.4	16	1	2	6	8	11	15	19
85+	42	7.6	19	2	3	7	9	15	17	19
B. *Operated*										
65-69 YRS	31	9.9	68	2	2	8	13	22	28	33
70-74	29	10.5	37	2	3	11	15	17	19	28
75-79	26	10.5	40	2	2	10	14	18	24	27
80-84	9	12.0	113	1	1	11	13	29	37	37
85+	3	11.0	67	2	2	13	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.4	20	1	2	4	6	10	16	24
B. *Operated*	21	6.1	21	1	1	5	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	354	7.5	30	2	2	6	9	14	17	27
B. *Operated*	98	10.5	53	2	2	10	14	19	26	35
1. SINGLE DX	68	5.6	20	1	2	5	7	13	15	23
2. MULTIPLE DX	452	8.1	36	2	2	7	10	15	19	31
A. NOT OPERATED	401	7.2	29	2	2	6	9	13	17	27
B. OPERATED	119	9.7	50	1	2	8	14	18	24	34
TOTAL 65-69 YRS	156	7.6	34	2	2	6	10	15	20	31
70-74	144	8.3	46	2	2	6	11	16	19	30
75-79	116	7.7	30	2	2	7	10	14	16	30
80-84	58	7.1	33	1	2	6	9	14	16	36
85+	46	7.7	21	2	2	7	9	16	18	19
GRAND TOTAL	**520**	**7.8**	**35**	**2**	**2**	**6**	**10**	**15**	**18**	**29**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	4.4	14	1	1	4	6	8	10	21
70-74	118	5.2	18	1	1	4	6	10	13	25
75-79	72	5.3	19	1	1	4	7	10	17	21
80-84	45	6.2	35	1	2	4	7	13	20	29
85+	41	6.1	41	1	1	4	8	11	18	37
B. *Operated*										
65-69 YRS	531	2.8	8	<1	1	2	3	5	7	13
70-74	313	2.8	6	<1	1	2	3	5	7	13
75-79	213	3.2	10	<1	1	2	3	6	10	18
80-84	82	3.6	9	<1	1	3	5	9	10	12
85+	26	4.0	14	1	1	2	4	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	821	6.1	29	1	2	5	8	11	14	27
70-74	819	6.4	22	2	2	5	8	12	16	24
75-79	714	7.1	30	2	2	6	9	13	17	29
80-84	526	7.2	40	2	2	6	9	14	17	32
85+	411	7.8	69	2	2	6	9	14	21	64
B. *Operated*										
65-69 YRS	904	5.9	37	1	1	4	8	13	18	31
70-74	715	7.4	89	1	1	4	9	16	25	62
75-79	518	8.4	94	1	2	5	11	18	24	51
80-84	246	8.9	74	2	2	7	11	19	27	52
85+	132	11.4	143	2	2	7	15	26	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	5.2	21	1	1	4	6	10	14	25
B. *Operated*	1165	2.9	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	3291	6.8	35	2	2	5	8	12	16	29
B. *Operated*	2515	7.4	75	1	2	4	9	16	23	48
1. SINGLE DX	1550	3.5	12	<1	1	2	4	7	10	19
2. MULTIPLE DX	5806	7.0	52	1	2	5	9	14	19	37
A. NOT OPERATED	3676	6.6	34	1	2	5	8	12	16	29
B. OPERATED	3680	6.0	58	1	1	3	7	13	19	40
TOTAL 65-69 YRS	2365	5.2	29	1	1	3	7	11	14	26
70-74	1965	6.1	46	1	1	4	7	12	18	32
75-79	1517	6.9	51	1	2	5	9	14	19	33
80-84	899	7.3	48	1	2	6	9	14	19	35
85+	610	8.3	84	2	2	6	10	16	23	58
GRAND TOTAL	**7356**	**6.3**	**46**	**1**	**1**	**4**	**8**	**13**	**18**	**33**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74										
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.5	30	2	2	4	5	12	20	23
70-74	19	5.6	12	<1	1	6	8	10	12	13
75-79	11	5.2	4	3	3	5	7	8	9	9
80-84	9	7.3	22	3	3	5	9	15	18	18
85+	6	7.8	23	3	3	7	7	16	17	17
B. *Operated*										
65-69 YRS	6	6.3	22	<1	<1	6	11	12	12	12
70-74	3	7.3	8	4	4	9	9	9	9	9
75-79										
80-84	3	8.0	3	7	7	7	9	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	60	6.0	17	2	2	5	7	10	15	22
B. *Operated*	12	7.0	13	<1	1	8	10	11	12	12
1. SINGLE DX	6	5.8	11	2	2	6	7	11	11	11
2. MULTIPLE DX	72	6.2	16	2	2	5	8	10	13	22
A. NOT OPERATED	64	5.9	17	2	2	5	7	9	14	22
B. OPERATED	14	7.3	12	<1	2	8	10	11	12	12
TOTAL 65-69 YRS	24	5.7	24	1	2	4	7	12	15	23
70-74	23	6.0	12	1	1	6	9	10	12	13
75-79	13	5.0	4	3	3	5	6	8	9	9
80-84	12	7.5	16	3	4	7	9	12	17	18
85+	6	7.8	23	3	3	7	7	16	17	17
GRAND TOTAL	**78**	**6.1**	**16**	**2**	**2**	**5**	**8**	**11**	**13**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	3	7.3	2	6	6	7	8	9	9	9
70-74	2	6.0	32	2	2	6	10	10	10	10
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	13.5	309	1	2	8	15	38	60	65
70-74	7	4.3	10	1	1	5	7	9	9	9
75-79	19	5.0	31	1	1	3	6	13	19	23
80-84	6	8.0	92	1	1	4	11	24	26	26
85+	6	2.8	5	1	1	2	3	7	7	7
B. *Operated*										
65-69 YRS	8	15.5	387	6	6	9	11	48	64	64
70-74	11	21.6	651	4	5	15	22	58	91	94
75-79	9	13.4	166	1	1	11	19	34	40	40
80-84	4	7.8	19	4	4	6	10	14	14	14
85+	4	8.5	42	4	4	6	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	7	8.9	24	2	3	9	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	51	7.2	112	1	1	3	8	17	26	65
B. *Operated*	36	15.2	332	2	4	9	16	33	57	94
1. SINGLE DX	10	7.1	25	1	1	6	10	14	18	18
2. MULTIPLE DX	87	10.5	216	1	1	6	11	24	35	83
A. NOT OPERATED	54	6.9	107	1	1	3	7	15	25	64
B. OPERATED	43	14.2	286	2	4	9	15	28	48	94
TOTAL 65-69 YRS	24	13.4	286	2	3	8	11	34	64	65
70-74	21	13.5	407	1	2	8	15	28	61	94
75-79	29	7.6	83	1	1	4	10	21	27	40
80-84	11	8.1	52	1	1	6	11	19	25	26
85+	12	5.8	37	1	1	4	7	18	18	18
GRAND TOTAL	**97**	**10.2**	**197**	**1**	**1**	**6**	**11**	**22**	**33**	**80**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	52	2.2	1	<1	1	2	2	4	5	6
70-74	49	2.2	1	<1	<1	2	3	3	4	5
75-79	44	1.9	2	<1	<1	2	2	3	5	7
80-84	21	2.2		1	2	2	2	3	4	4
85+	9	2.2	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
65-69 YRS	82	2.9	20	1	1	2	3	4	5	31
70-74	61	2.6	2	<1	1	2	3	4	5	9
75-79	59	3.3	17	1	2	2	3	6	9	24
80-84	52	4.3	33	1	1	2	3	13	22	24
85+	15	2.9	4	<1	2	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	175	2.1	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	7	2.3	2	1	1	2	3	5	5	5
B. *Operated*	269	3.2	17	1	1	2	3	5	8	24
1. SINGLE DX	176	2.1	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX	276	3.2	17	1	1	2	3	5	7	24
A. NOT OPERATED	8	2.1	2	1	1	2	3	4	5	5
B. OPERATED	444	2.8	11	<1	1	2	3	4	6	23
TOTAL 65-69 YRS	136	2.6	13	1	1	2	3	4	5	11
70-74	111	2.4	1	<1	1	2	3	4	4	7
75-79	104	2.8	11	<1	1	2	3	4	7	23
80-84	74	3.7	24	1	1	2	3	5	18	24
85+	27	2.6	3	<1	<1	2	3	6	7	8
GRAND TOTAL	**452**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**23**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	6	5.0	35	2	2	3	3	16	17	17
B. *Operated*										
65-69 YRS	26	6.8	35	<1	<1	4	11	14	20	21
70-74	11	5.4	29	<1	1	3	8	13	18	19
75-79	5	4.2	11	1	1	3	7	9	9	9
80-84	4	8.0	35	2	2	8	13	14	14	14
85+	3	4.3	24	1	1	6	55	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	5.8	14	2	2	5	7	10	15	18
70-74	64	7.1	29	2	2	6	9	12	17	32
75-79	65	6.5	34	1	2	5	7	13	20	30
80-84	44	6.3	23	1	2	5	8	12	15	25
85+	49	10.0	137	2	2	8	11	18	33	68
B. *Operated*										
65-69 YRS	126	10.4	117	1	2	8	14	25	32	99+
70-74	88	9.5	59	1	2	9	14	19	23	36
75-79	57	12.2	110	2	2	9	19	26	31	52
80-84	25	10.4	54	2	3	9	13	22	26	29
85+	20	12.8	118	1	3	11	17	27	38	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	25	1	1	2	3	12	17	17
B. *Operated*	49	6.1	30	<1	1	4	10	14	20	99+
2. MULTIPLE DX										
A. *Not Operated*	275	7.1	47	1	2	5	8	14	18	33
B. *Operated*	316	10.6	95	1	2	9	14	22	31	62
1. SINGLE DX	58	5.8	29	<1	1	3	9	14	20	93
2. MULTIPLE DX	591	9.0	75	1	2	6	12	20	26	46
A. NOT OPERATED	284	7.0	46	1	2	5	8	14	18	33
B. OPERATED	365	10.0	88	1	2	8	14	21	30	76
TOTAL 65-69 YRS	207	8.7	84	1	2	6	12	20	30	89
70-74	163	8.3	47	1	2	7	11	18	20	34
75-79	128	8.9	75	1	2	6	11	21	27	41
80-84	73	7.8	37	1	2	6	10	14	22	28
85+	78	10.1	123	1	2	8	12	21	39	91
GRAND TOTAL	**649**	**8.7**	**72**	**1**	**2**	**6**	**11**	**19**	**26**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	5	4.8	2	3	3	5	6	7	7	7
1. SINGLE DX	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX	6	4.2	4	1	1	4	5	7	7	7
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	8	3.9	3	<1	1	4	5	6	7	7
TOTAL 65-69 YRS										
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79	3	3.7	1	3	3	3	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	4.3	9	1	1	5	6	7	7	7
GRAND TOTAL	**9**	**3.6**	**4**	**<1**	**<1**	**3**	**5**	**6**	**7**	**7**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.0	9	1	1	3	6	8	8	8
70-74	5	4.6	16	1	1	3	7	11	11	11
75-79	4	2.8		2	2	3	3	3	3	3
80-84	5	5.8	16	2	2	4	9	11	11	11
85+	3	6.7	21	4	4	4	10	12	12	12
B. *Operated*										
65-69 YRS	15	5.1	16	1	1	4	8	11	13	13
70-74	12	4.4	22	<1	1	3	5	10	17	18
75-79	3	8.7	37	2	2	10	13	14	14	14
80-84	3	3.3	10	<1	<1	2	6	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	6.9	36	2	2	5	8	14	21	29
70-74	38	5.5	15	1	1	5	7	11	12	20
75-79	31	6.1	15	1	2	5	8	11	14	17
80-84	38	7.1	25	1	2	6	9	13	20	21
85+	22	6.1	17	2	2	6	7	12	16	17
B. *Operated*										
65-69 YRS	65	8.4	73	<1	1	7	10	19	24	48
70-74	83	10.3	49	1	2	9	14	19	22	36
75-79	55	11.4	95	2	2	9	16	21	30	51
80-84	28	11.5	64	1	3	10	14	23	27	36
85+	33	12.8	110	1	2	10	15	31	36	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.7	12	1	1	3	6	11	12	12
B. *Operated*	33	5.0	19	<1	1	4	7	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	169	6.4	22	1	2	5	8	12	15	25
B. *Operated*	264	10.5	74	1	2	9	14	21	25	43
1. SINGLE DX	54	4.9	16	1	1	3	7	11	13	18
2. MULTIPLE DX	433	8.9	58	1	2	7	11	18	23	40
A. NOT OPERATED	190	6.2	21	1	2	5	8	12	15	24
B. OPERATED	297	9.9	71	1	2	8	13	20	25	43
TOTAL 65-69 YRS	124	7.4	53	1	1	5	9	15	24	35
70-74	138	8.3	42	1	2	7	12	18	20	30
75-79	93	9.2	69	1	2	8	11	19	21	48
80-84	74	8.5	43	1	2	7	11	18	21	34
85+	58	9.9	79	1	2	7	13	21	32	42
GRAND TOTAL	**487**	**8.4**	**55**	**1**	**2**	**7**	**11**	**18**	**22**	**38**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	3.6	13	1	1	2	5	10	10	10
70-74	4	9.5	36	4	4	8	13	18	18	18
75-79	4	3.8	2	3	3	3	5	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		<1	<1	50	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	5.0	20	<1	1	3	8	17	75	99+
1. SINGLE DX	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX	15	5.0	20	<1	1	3	8	17	75	99+
A. NOT OPERATED										
B. OPERATED	18	4.7	18	<1	1	3	7	15	63	99+
TOTAL 65-69 YRS	6	3.3	11	1	1	2	3	9	10	10
70-74	4	9.5	36	4	4	8	13	18	18	18
75-79	4	3.8	2	3	3	3	5	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	3.0	4	<1	<1	4	52	99+	99+	99+
GRAND TOTAL	**18**	**4.7**	**18**	**<1**	**1**	**3**	**7**	**15**	**63**	**99+**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	3	<1	<1	2	3	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	13	5.6	28	1	1	4	7	16	18	18
70-74	19	5.1	7	1	2	5	7	9	10	10
75-79	12	4.0	8	1	1	4	6	8	9	9
80-84	5	5.4	33	<1	<1	4	8	15	15	15
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	8.3	29	2	3	6	11	16	20	23
70-74	32	6.3	19	1	2	5	8	13	17	18
75-79	21	5.2	12	2	2	4	6	11	13	15
80-84	18	6.4	8	1	2	7	9	10	10	10
85+	16	6.1	16	2	2	5	9	10	15	17
B. *Operated*										
65-69 YRS	72	8.3	50	1	2	7	11	19	25	31
70-74	61	10.6	139	1	2	7	12	25	29	69
75-79	43	7.6	26	1	2	7	11	13	18	21
80-84	35	9.3	47	2	2	8	11	23	25	25
85+	28	8.4	44	1	2	6	10	21	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	12	<1	<1	3	5	9	13	13
B. *Operated*	51	4.9	14	1	1	4	6	9	15	18
2. MULTIPLE DX										
A. *Not Operated*	107	6.4	18	2	2	5	9	11	15	20
B. *Operated*	239	8.9	68	1	2	7	11	20	25	33
1. SINGLE DX	61	4.7	14	1	1	4	6	9	14	18
2. MULTIPLE DX	346	8.2	53	2	2	6	10	17	23	31
A. NOT OPERATED	117	6.2	18	1	2	5	8	11	15	20
B. OPERATED	290	8.2	60	1	2	6	10	18	25	31
TOTAL 65-69 YRS	110	7.7	43	1	2	6	10	17	23	31
70-74	113	8.4	87	1	2	6	10	17	25	57
75-79	78	6.3	20	1	1	6	9	12	15	21
80-84	59	7.9	35	1	2	7	10	14	24	25
85+	47	7.5	34	2	2	5	10	16	22	26
GRAND TOTAL	**407**	**7.6**	**49**	**1**	**2**	**6**	**10**	**15**	**22**	**30**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	4.9	3	2	2	5	5	7	8	8
70-74	2	4.0		4	4	4	4	4	4	4
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	4.0	2	3	3	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	47	4.3	4	2	2	4	5	6	9	11
70-74	28	5.3	21	2	2	4	6	10	13	25
75-79	20	4.6	12	2	2	4	5	7	13	18
80-84	7	10.4	83	3	3	6	15	26	28	28
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	4.2	3	2	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	103	5.0	17	2	2	4	5	9	11	26
1. SINGLE DX	13	4.2	3	2	2	4	5	6	8	8
2. MULTIPLE DX	103	5.0	17	2	2	4	5	9	11	26
A. NOT OPERATED										
B. OPERATED	116	5.0	15	2	2	4	5	8	11	26
TOTAL 65-69 YRS	54	4.3	4	2	2	4	5	6	9	11
70-74	30	5.2	20	2	2	4	6	10	11	25
75-79	22	4.4	12	2	2	4	5	7	12	18
80-84	9	9.0	71	3	3	5	12	24	28	28
85+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**116**	**5.0**	**15**	**2**	**2**	**4**	**5**	**8**	**11**	**26**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.0	29	<1	1	5	7	15	19	19
70-74	8	7.3	20	2	2	6	10	14	15	15
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	5	5.4	13	2	2	4	8	11	11	11
B. *Operated*										
65-69 YRS	63	5.6	26	1	2	3	7	13	16	23
70-74	33	4.1	10	1	2	3	4	8	12	16
75-79	19	5.1	17	1	1	3	6	12	13	13
80-84	3	3.0		3	3	3	3	3	3	3
85+	5	10.6	129	2	2	4	20	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	8.3	36	1	1	7	11	16	24	26
70-74	69	7.9	22	2	3	7	10	15	17	21
75-79	55	7.9	21	2	3	7	10	13	18	21
80-84	47	8.0	48	2	2	7	10	15	22	35
85+	39	9.8	71	2	3	8	11	18	32	40
B. *Operated*										
65-69 YRS	156	10.3	91	1	2	8	14	23	30	46
70-74	120	10.4	122	1	2	8	13	20	26	56
75-79	71	12.2	167	2	2	8	17	30	43	93
80-84	28	12.1	62	1	2	12	16	24	27	29
85+	16	15.1	270	1	1	9	18	35	56	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.8	20	1	2	5	7	11	16	19
B. *Operated*	123	5.2	24	1	1	3	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	293	8.3	36	2	2	7	11	15	20	32
B. *Operated*	391	11.0	119	1	2	8	15	24	31	63
1. SINGLE DX	148	5.3	23	1	2	3	7	13	15	23
2. MULTIPLE DX	684	9.8	85	1	2	8	12	20	27	46
A. NOT OPERATED	318	8.1	35	2	2	7	10	15	19	32
B. OPERATED	514	9.6	102	1	2	7	13	21	27	57
TOTAL 65-69 YRS	311	8.7	64	1	2	6	12	20	24	33
70-74	230	8.6	77	2	2	7	11	17	21	36
75-79	147	9.5	98	2	2	7	11	21	29	70
80-84	79	9.2	56	2	2	7	13	19	26	34
85+	65	10.8	121	2	2	8	13	27	34	61
GRAND TOTAL	**832**	**9.0**	**77**	**1**	**2**	**7**	**12**	**19**	**25**	**41**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	198	3.6	6	1	1	3	4	7	8	11
70-74	156	3.9	15	1	1	3	5	7	8	22
75-79	127	4.4	11	1	1	4	6	9	10	18
80-84	82	4.0	6	1	1	4	5	7	9	14
85+	45	5.2	16	1	2	5	6	9	15	20
B. *Operated*										
65-69 YRS	16	3.6	10	<1	<1	3	5	7	11	13
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	3	8.3	104	1	1	4	16	20	20	20
80-84	3	4.7	4	3	3	5	53	99+	99+	99+
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1500	6.3	32	1	2	5	8	12	15	29
70-74	1627	6.3	38	1	2	5	8	12	16	30
75-79	1402	7.1	43	2	2	5	9	13	18	39
80-84	1014	7.1	40	2	2	5	9	14	19	44
85+	815	7.4	60	2	2	5	8	14	20	38
B. *Operated*										
65-69 YRS	182	11.0	95	2	3	8	14	22	31	46
70-74	177	11.7	124	3	3	8	14	23	37	65
75-79	122	12.3	75	2	4	10	17	24	33	41
80-84	74	12.3	88	2	4	10	15	21	32	50
85+	46	12.5	114	4	4	10	17	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	4.0	10	1	1	3	5	7	9	17
B. *Operated*	25	4.4	18	<1	1	3	6	12	36	99+
2. MULTIPLE DX										
A. *Not Operated*	6358	6.7	41	1	2	5	8	13	17	35
B. *Operated*	601	11.8	100	3	4	9	15	23	32	59
1. SINGLE DX	633	4.0	10	1	1	3	5	7	9	19
2. MULTIPLE DX	6959	7.2	48	2	2	5	9	14	19	39
A. NOT OPERATED	6966	6.5	39	1	2	5	8	12	16	34
B. OPERATED	626	11.5	99	2	3	9	15	23	32	63
TOTAL 65-69 YRS	1896	6.4	38	1	2	5	8	12	16	32
70-74	1962	6.6	47	1	2	5	8	13	17	36
75-79	1654	7.2	45	1	2	5	9	14	19	39
80-84	1173	7.2	43	2	2	5	9	15	20	44
85+	907	7.5	62	2	2	6	9	14	20	41
GRAND TOTAL	**7592**	**6.9**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	4.4	7	1	2	4	6	9	10	12
70-74	63	4.8	18	1	2	4	5	8	14	26
75-79	53	4.8	11	1	2	4	6	8	9	19
80-84	32	5.8	17	2	2	5	7	10	13	22
85+	27	5.3	11	2	2	4	6	11	14	14
B. *Operated*										
65-69 YRS	9	9.6	31	2	3	9	13	18	19	19
70-74	6	14.0	115	5	5	11	14	33	35	35
75-79	3	11.3	16	9	9	9	14	16	16	16
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	814	6.4	20	2	3	5	8	12	14	24
70-74	845	6.7	28	2	2	6	8	12	14	27
75-79	801	7.1	32	2	3	6	9	13	16	33
80-84	631	7.3	34	2	3	6	9	13	18	29
85+	556	7.6	40	2	3	6	9	15	19	30
B. *Operated*										
65-69 YRS	155	11.3	67	3	4	9	14	21	30	43
70-74	156	13.0	89	4	5	10	14	26	32	50
75-79	142	14.4	141	4	4	11	16	28	37	68
80-84	72	16.6	209	4	6	12	18	33	57	64
85+	51	16.9	199	3	4	13	22	33	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.9	12	1	2	4	6	9	11	19
B. *Operated*	20	11.2	49	3	4	10	13	18	27	35
2. MULTIPLE DX										
A. *Not Operated*	3647	7.0	30	2	3	6	8	13	16	29
B. *Operated*	576	13.7	123	4	4	10	16	28	36	60
1. SINGLE DX	262	5.4	18	1	2	4	7	10	14	22
2. MULTIPLE DX	4223	7.9	48	2	3	6	9	14	20	37
A. NOT OPERATED	3889	6.9	29	2	3	5	8	13	16	28
B. OPERATED	596	13.6	121	4	4	10	16	28	35	59
TOTAL 65-69 YRS	1045	7.0	29	2	3	6	9	13	17	31
70-74	1070	7.6	42	2	3	6	9	14	19	35
75-79	999	8.0	54	2	3	6	10	15	21	39
80-84	736	8.2	58	2	3	6	10	14	21	50
85+	635	8.3	58	2	3	6	10	16	22	45
GRAND TOTAL	**4485**	**7.7**	**47**	**2**	**3**	**6**	**9**	**14**	**20**	**36**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	3.3	4	1	1	3	4	7	8	9
70-74	26	3.6	5	1	1	3	4	7	9	10
75-79	17	2.6	5	1	1	2	3	4	9	11
80-84	16	3.3	8	1	1	2	4	9	10	11
85+	9	3.8	5	1	1	4	5	7	7	7
B. *Operated*										
65-69 YRS	13	2.5	2	1	1	2	4	4	5	5
70-74	6	4.8	9	1	1	5	7	9	9	9
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	403	4.8	15	1	2	4	6	9	11	20
70-74	337	5.2	13	1	2	4	6	10	12	18
75-79	267	4.7	11	1	2	4	6	9	11	18
80-84	152	4.9	11	1	2	4	6	9	12	18
85+	106	4.4	8	1	1	4	6	8	9	15
B. *Operated*										
65-69 YRS	68	6.2	19	2	2	5	8	11	16	22
70-74	77	7.7	39	2	2	6	9	17	22	30
75-79	45	9.4	50	2	3	7	11	18	23	38
80-84	29	8.7	133	1	2	6	8	17	23	63
85+	15	9.7	26	3	4	9	13	17	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	3.3	5	1	1	3	4	7	9	11
B. *Operated*	23	3.4	5	1	1	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	1265	4.8	12	1	2	4	6	9	12	18
B. *Operated*	234	7.9	47	2	2	6	9	16	20	32
1. SINGLE DX	140	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX	1499	5.3	19	1	2	4	6	10	13	22
A. NOT OPERATED	1382	4.7	12	1	2	4	6	9	11	18
B. OPERATED	257	7.5	44	2	2	6	9	16	20	31
TOTAL 65-69 YRS	533	4.8	15	1	2	4	6	9	11	20
70-74	446	5.5	18	1	2	4	7	10	13	24
75-79	332	5.2	18	1	2	4	7	10	13	22
80-84	198	5.3	30	1	2	4	6	9	13	21
85+	130	4.9	13	1	1	4	6	9	12	18
GRAND TOTAL	**1639**	**5.1**	**18**	**1**	**2**	**4**	**6**	**10**	**12**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	3.0	4	<1	1	3	4	6	6	9
70-74	101	2.9	3	<1	1	3	4	5	6	7
75-79	91	3.4	6	<1	1	3	4	6	7	15
80-84	71	2.9	4	<1	1	3	4	5	6	11
85+	61	3.5	12	<1	1	3	4	6	8	23
B. *Operated*										
65-69 YRS	125	4.2	5	1	1	4	6	7	8	11
70-74	88	4.2	7	1	1	4	6	7	9	15
75-79	67	4.2	8	1	1	4	6	9	10	11
80-84	48	4.6	12	1	2	3	6	8	12	19
85+	38	4.1	4	1	1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	475	4.1	10	1	1	3	5	8	10	14
70-74	474	4.0	7	1	1	3	5	7	10	14
75-79	494	4.3	11	1	1	3	5	9	11	15
80-84	397	4.3	19	1	1	3	5	8	11	20
85+	343	4.3	11	1	1	3	5	8	10	17
B. *Operated*										
65-69 YRS	340	6.3	47	1	2	5	7	12	14	25
70-74	314	5.7	22	1	2	5	7	10	13	23
75-79	302	6.3	49	1	2	5	7	11	15	45
80-84	186	6.0	28	1	2	5	7	11	17	30
85+	176	7.7	88	1	2	6	9	15	17	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.1	5	<1	1	3	4	5	6	10
B. *Operated*	366	4.3	7	1	1	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	2183	4.2	12	1	1	3	5	8	10	15
B. *Operated*	1318	6.3	44	1	2	5	7	11	15	33
1. SINGLE DX	819	3.6	6	1	1	3	5	6	8	12
2. MULTIPLE DX	3501	5.0	25	1	1	4	6	9	12	21
A. NOT OPERATED	2636	4.0	11	1	1	3	5	7	10	15
B. OPERATED	1684	5.8	37	1	2	5	7	11	14	27
TOTAL 65-69 YRS	1069	4.7	22	1	1	4	6	9	11	17
70-74	977	4.5	12	1	1	4	6	8	10	16
75-79	954	4.8	23	1	1	4	6	9	12	22
80-84	702	4.7	20	1	1	4	6	9	11	24
85+	618	5.2	35	1	1	4	6	9	14	22
GRAND TOTAL	**4320**	**4.7**	**22**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.3	10	<1	1	2	4	7	11	14
70-74	17	2.4	2	1	1	2	3	5	6	6
75-79	15	3.0	5	<1	<1	2	5	7	8	8
80-84	8	5.0	18	1	1	3	8	12	12	12
85+	5	4.6	18	2	2	3	6	12	12	12
B. *Operated*										
65-69 YRS	57	2.5	4	<1	<1	2	3	5	7	11
70-74	37	2.6	10	<1	1	2	3	4	6	20
75-79	26	2.5	3	<1	<1	2	3	5	6	9
80-84	6	5.0	63	<1	<1	2	4	19	21	21
85+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	279	6.3	40	1	2	4	8	14	17	34
70-74	323	6.7	30	1	2	5	9	14	18	25
75-79	286	6.8	30	1	2	5	9	15	19	25
80-84	208	9.2	110	1	2	7	11	17	21	71
85+	213	8.7	48	2	3	7	11	18	22	30
B. *Operated*										
65-69 YRS	203	7.8	74	1	1	5	10	16	24	50
70-74	174	10.3	100	1	2	7	17	24	30	55
75-79	120	12.5	158	1	2	9	16	32	40	78
80-84	88	14.5	202	1	2	12	20	29	40	97
85+	43	16.3	208	3	4	13	22	33	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.3	8	<1	1	2	4	7	11	14
B. *Operated*	129	2.7	8	<1	<1	2	3	5	6	20
2. MULTIPLE DX										
A. *Not Operated*	1309	7.4	49	1	2	5	10	15	19	30
B. *Operated*	628	10.9	131	1	2	7	15	24	33	72
1. SINGLE DX	194	2.9	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX	1937	8.5	78	1	2	6	11	18	24	52
A. NOT OPERATED	1374	7.2	48	1	2	5	9	15	19	30
B. OPERATED	757	9.5	120	1	1	5	13	23	31	68
TOTAL 65-69 YRS	559	6.4	50	1	1	4	8	14	18	35
70-74	551	7.5	55	1	2	5	10	18	23	38
75-79	447	7.9	71	1	2	5	10	18	24	48
80-84	310	10.5	139	1	2	8	13	21	29	78
85+	264	9.8	81	2	3	7	12	20	26	58
GRAND TOTAL	**2131**	**8.0**	**74**	**1**	**2**	**5**	**10**	**18**	**23**	**49**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	22	1	1	8	10	12	12	12
70-74	9	7.2	30	1	1	9	11	14	15	15
75-79	3	10.7	6	8	8	11	12	13	13	13
80-84	7	8.7	31	2	2	9	11	17	19	19
85+	15	9.2	45	3	4	7	11	18	25	28
B. *Operated*										
65-69 YRS	59	11.6	121	1	2	8	14	26	39	51
70-74	68	10.9	49	2	4	9	14	24	27	29
75-79	47	13.1	92	2	3	9	20	26	35	41
80-84	51	14.6	160	2	4	11	16	31	46	63
85+	80	11.9	52	4	4	10	17	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	92	10.3	104	1	2	8	12	22	24	61
70-74	124	10.4	134	2	3	8	12	20	27	92
75-79	137	9.7	65	2	3	8	12	19	23	99+
80-84	138	9.5	40	2	3	8	12	17	22	34
85+	222	9.9	82	2	3	8	12	18	22	44
B. *Operated*										
65-69 YRS	888	18.9	225	3	5	15	25	39	51	84
70-74	994	19.3	217	4	6	15	25	40	58	99+
75-79	864	20.2	224	4	7	16	26	40	55	99+
80-84	763	19.6	246	4	6	15	25	41	56	86
85+	1034	16.8	154	5	6	14	21	33	44	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.6	32	1	2	8	11	15	19	28
B. *Operated*	305	12.2	90	2	4	10	15	25	29	50
2. MULTIPLE DX										
A. *Not Operated*	713	9.9	82	2	3	8	12	19	24	64
B. *Operated*	4543	18.9	212	4	6	15	24	38	52	98
1. SINGLE DX	343	11.8	84	2	3	9	14	24	28	49
2. MULTIPLE DX	5256	17.7	203	3	5	14	23	36	50	94
A. NOT OPERATED	751	9.8	80	2	3	8	12	19	24	61
B. OPERATED	4848	18.5	206	4	6	15	24	37	51	95
TOTAL 65-69 YRS	1043	17.7	216	2	4	14	23	37	50	83
70-74	1195	17.8	208	3	5	14	24	36	55	99+
75-79	1051	18.4	211	4	5	15	24	37	53	99+
80-84	959	17.8	224	3	5	14	23	35	50	85
85+	1351	15.3	142	4	5	12	20	30	41	80
GRAND TOTAL	**5599**	**17.3**	**198**	**3**	**5**	**14**	**22**	**35**	**49**	**90**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	709	2.9	4	1	1	2	4	5	7	10
70-74	459	3.0	4	1	1	3	4	5	7	11
75-79	287	3.2	6	1	1	3	4	6	7	14
80-84	156	3.1	5	1	1	3	4	5	6	11
85+	111	3.0	6	1	1	2	3	6	8	15
B. *Operated*										
65-69 YRS	255	2.2	2	1	1	2	2	4	6	8
70-74	110	2.6	4	1	1	2	3	5	8	10
75-79	31	2.6	5	1	1	2	3	5	8	12
80-84	6	2.8	5	<1	<1	2	5	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5279	3.9	7	1	1	3	5	7	9	14
70-74	4494	4.2	9	1	2	3	5	8	9	15
75-79	3226	4.4	10	1	2	4	5	8	10	16
80-84	2019	4.5	12	1	2	4	5	8	10	16
85+	1393	4.8	21	1	2	4	6	9	11	20
B. *Operated*										
65-69 YRS	1342	4.5	20	1	1	3	6	9	13	22
70-74	792	5.7	29	1	2	4	8	12	16	23
75-79	339	5.9	26	1	2	4	8	12	16	26
80-84	135	8.0	36	2	2	6	11	17	22	28
85+	63	7.5	38	2	2	6	9	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1722	3.0	5	1	1	2	4	5	7	11
B. *Operated*	404	2.4	3	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	16411	4.2	10	1	2	3	5	8	10	15
B. *Operated*	2671	5.3	25	1	2	3	7	11	15	25
1. SINGLE DX	2126	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	19082	4.4	12	1	2	3	5	8	10	18
A. NOT OPERATED	18133	4.1	10	1	1	3	5	7	9	15
B. OPERATED	3075	4.9	23	1	1	3	6	11	14	24
TOTAL 65-69 YRS	7585	3.9	9	1	1	3	5	7	9	15
70-74	5855	4.3	12	1	2	3	5	8	10	17
75-79	3883	4.4	11	1	2	4	5	8	10	18
80-84	2316	4.6	14	1	2	4	6	8	11	19
85+	1569	4.7	21	1	2	4	6	9	11	20
GRAND TOTAL	**21208**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.0	12	<1	1	3	5	9	11	18
70-74	55	3.3	6	<1	1	3	5	7	10	11
75-79	43	5.0	27	<1	1	4	6	11	16	26
80-84	20	3.1	6	<1	1	2	4	6	8	10
85+	31	4.4	11	1	1	3	6	8	11	16
B. *Operated*										
65-69 YRS	91	3.2	17	<1	1	2	4	7	9	26
70-74	80	3.5	24	<1	1	2	3	6	8	32
75-79	44	3.2	8	<1	<1	2	5	6	8	16
80-84	23	3.5	7	1	1	3	4	7	10	11
85+	10	4.1	17	1	1	3	4	10	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1318	6.5	32	1	2	5	8	12	16	27
70-74	1325	6.9	37	1	2	5	8	14	18	31
75-79	1056	6.5	27	1	2	5	8	12	15	23
80-84	716	6.6	40	1	2	5	8	13	17	34
85+	520	6.7	32	1	2	5	8	14	17	29
B. *Operated*										
65-69 YRS	579	7.1	55	1	2	5	9	14	19	38
70-74	476	7.5	87	1	2	5	9	15	23	49
75-79	348	7.8	61	1	2	6	10	17	22	40
80-84	200	9.0	62	1	2	7	12	19	25	38
85+	97	9.5	61	2	2	7	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.0	13	<1	1	3	5	8	11	19
B. *Operated*	248	3.4	16	<1	1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	4935	6.7	33	1	2	5	8	13	17	29
B. *Operated*	1700	7.7	67	1	2	5	10	16	22	43
1. SINGLE DX	456	3.7	15	<1	1	2	4	7	11	20
2. MULTIPLE DX	6635	6.9	42	1	2	5	8	13	18	32
A. NOT OPERATED	5143	6.6	33	1	2	5	8	13	16	29
B. OPERATED	1948	7.1	62	1	1	5	9	15	21	39
TOTAL 65-69 YRS	2047	6.5	38	1	2	5	8	13	17	31
70-74	1936	6.8	48	1	2	5	8	13	19	32
75-79	1491	6.7	35	1	2	5	9	12	17	32
80-84	959	6.9	44	1	2	5	8	14	20	32
85+	658	6.9	36	1	2	5	8	15	18	29
GRAND TOTAL	**7091**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	2.4	3	1	1	2	3	5	6	10
70-74	89	2.5	5	1	1	2	3	4	6	14
75-79	61	2.9	4	1	1	2	4	5	6	12
80-84	42	3.0	3	<1	1	2	4	6	7	9
85+	35	3.3	6	<1	1	3	4	7	8	12
B. *Operated*										
65-69 YRS	58	5.6	14	1	1	5	7	10	14	18
70-74	60	4.8	8	1	1	4	7	9	10	12
75-79	39	4.5	10	<1	1	4	5	9	12	13
80-84	29	4.8	10	1	2	4	7	10	12	13
85+	20	5.8	31	1	1	5	7	10	19	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	4.4	13	1	1	4	5	8	10	19
70-74	618	5.1	33	1	1	4	6	10	12	23
75-79	576	5.7	30	1	2	4	7	11	14	30
80-84	485	6.0	37	1	2	4	7	12	16	32
85+	495	7.1	51	2	2	5	9	13	18	42
B. *Operated*										
65-69 YRS	528	7.9	27	2	3	7	10	14	19	29
70-74	689	8.4	39	2	3	7	10	15	19	34
75-79	611	8.8	44	2	3	7	11	17	21	55
80-84	415	9.1	52	2	3	7	12	16	20	37
85+	394	9.8	53	2	3	8	12	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	2.7	4	1	1	2	3	5	6	12
B. *Operated*	206	5.0	13	1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	2722	5.6	33	1	2	4	7	10	14	30
B. *Operated*	2637	8.7	42	2	3	7	11	16	21	36
1. SINGLE DX	550	3.6	9	1	1	3	5	7	9	14
2. MULTIPLE DX	5359	7.1	40	1	2	6	9	14	18	34
A. NOT OPERATED	3066	5.3	31	1	1	4	6	10	13	29
B. OPERATED	2843	8.4	41	2	3	7	11	15	20	36
TOTAL 65-69 YRS	1251	5.7	22	1	1	5	8	11	15	25
70-74	1456	6.5	37	1	2	5	8	12	16	29
75-79	1287	7.0	38	1	2	5	9	14	17	38
80-84	971	7.2	44	1	2	5	9	14	18	34
85+	944	8.1	53	2	2	6	10	15	22	41
GRAND TOTAL	**5909**	**6.8**	**38**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	385	3.2	5	1	1	3	4	6	7	12
70-74	325	3.5	8	1	1	3	5	7	8	12
75-79	245	3.7	16	1	1	3	4	7	8	15
80-84	174	3.3	5	<1	1	3	4	7	8	10
85+	131	3.8	9	1	1	3	5	8	9	15
B. *Operated*										
65-69 YRS	38	5.6	26	1	1	4	7	13	18	21
70-74	29	4.6	22	1	1	2	5	12	15	18
75-79	25	6.0	35	1	1	3	9	14	20	22
80-84	13	5.5	10	1	2	5	8	10	12	12
85+	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2240	4.8	14	1	2	4	6	9	11	19
70-74	2133	4.9	14	1	2	4	6	9	11	20
75-79	1864	5.2	20	1	2	4	6	10	12	20
80-84	1426	5.4	24	1	2	4	7	9	13	22
85+	1216	5.3	18	1	2	4	7	10	13	23
B. *Operated*										
65-69 YRS	368	7.8	30	2	2	7	10	15	19	24
70-74	427	8.7	48	2	3	7	11	18	21	39
75-79	280	8.9	41	2	3	7	11	18	22	27
80-84	177	10.4	72	2	3	8	13	19	24	55
85+	115	10.5	70	3	3	8	14	22	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1260	3.5	8	1	1	3	4	7	8	12
B. *Operated*	110	5.3	24	1	1	3	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*	8879	5.1	17	1	2	4	6	9	12	20
B. *Operated*	1367	8.9	47	2	3	7	11	18	21	35
1. SINGLE DX	1370	3.6	10	1	1	3	5	7	9	15
2. MULTIPLE DX	10246	5.6	23	1	2	4	7	10	14	24
A. NOT OPERATED	10139	4.9	17	1	2	4	6	9	12	20
B. OPERATED	1477	8.6	46	2	2	7	11	17	21	34
TOTAL 65-69 YRS	3031	5.0	16	1	2	4	6	9	12	20
70-74	2914	5.3	20	1	2	4	7	10	13	22
75-79	2414	5.5	24	1	2	4	7	10	13	25
80-84	1790	5.7	29	1	2	4	7	11	14	26
85+	1467	5.6	24	1	2	4	7	10	14	27
GRAND TOTAL	**11616**	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	2.9	3	1	1	2	3	6	7	10
70-74	73	3.8	8	1	1	3	5	9	11	12
75-79	58	3.3	4	<1	1	3	5	6	7	9
80-84	42	4.5	16	<1	1	3	5	9	15	18
85+	35	3.9	11	<1	<1	3	5	7	9	18
B. *Operated*										
65-69 YRS	33	4.2	18	<1	1	3	6	8	17	18
70-74	21	3.4	10	<1	<1	2	4	8	12	13
75-79	14	2.9	7	1	1	2	3	7	9	10
80-84	7	6.9	58	1	1	3	13	19	20	20
85+	9	15.1	284	1	2	7	23	44	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	929	5.5	22	1	2	4	7	11	13	20
70-74	1125	5.9	31	1	2	5	7	11	14	24
75-79	1094	6.1	31	1	2	5	8	12	15	24
80-84	805	6.5	43	1	2	5	8	13	16	39
85+	720	6.6	29	1	2	5	9	13	16	24
B. *Operated*										
65-69 YRS	309	9.1	72	1	2	7	12	18	23	43
70-74	296	10.1	84	1	2	8	13	21	27	61
75-79	246	10.0	90	2	2	8	13	20	26	50
80-84	199	10.0	62	2	3	8	13	21	24	40
85+	169	11.8	132	2	3	8	15	26	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.6	8	1	1	3	5	7	9	16
B. *Operated*	84	5.2	55	<1	1	3	6	11	18	45
2. MULTIPLE DX										
A. *Not Operated*	4673	6.1	31	1	2	5	8	12	15	24
B. *Operated*	1219	10.1	86	2	2	8	13	20	26	50
1. SINGLE DX	360	3.9	19	<1	1	3	5	7	11	19
2. MULTIPLE DX	5892	6.9	45	1	2	5	8	14	18	33
A. NOT OPERATED	4949	5.9	30	1	2	4	7	11	15	24
B. OPERATED	1303	9.7	85	1	2	7	13	20	26	50
TOTAL 65-69 YRS	1339	6.2	35	1	2	5	8	12	16	26
70-74	1515	6.6	44	1	2	5	8	13	18	33
75-79	1412	6.6	43	1	2	5	8	13	18	28
80-84	1053	7.1	48	1	2	5	9	14	19	37
85+	933	7.5	54	1	2	5	9	15	19	38
GRAND TOTAL	**6252**	**6.7**	**44**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	790	5.0	43	1	1	3	6	10	14	31
70-74	763	4.6	25	1	1	3	6	9	13	25
75-79	695	5.0	32	1	1	3	6	10	13	25
80-84	564	5.7	45	1	1	4	7	12	16	35
85+	476	5.8	35	1	1	4	8	12	17	31
B. *Operated*										
65-69 YRS	255	4.5	26	1	1	3	5	11	16	30
70-74	166	6.3	75	1	1	3	7	14	22	46
75-79	130	5.2	26	1	1	3	7	14	16	21
80-84	75	8.8	72	1	2	5	14	20	23	35
85+	48	11.0	91	2	2	9	14	22	30	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8312	6.6	35	1	2	5	8	13	17	29
70-74	9371	6.6	34	1	2	5	8	13	17	28
75-79	8791	6.6	35	1	2	5	8	12	17	31
80-84	6940	6.5	36	2	2	5	8	13	17	29
85+	6216	6.6	39	1	2	5	8	13	17	31
B. *Operated*										
65-69 YRS	1592	11.2	180	1	2	7	13	24	38	83
70-74	1554	11.4	159	2	2	8	14	24	36	84
75-79	1390	11.0	141	2	2	8	13	23	34	77
80-84	897	11.4	115	2	3	8	14	23	32	73
85+	669	11.5	126	2	3	8	14	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3288	5.1	36	1	1	3	6	10	14	29
B. *Operated*	674	6.0	51	1	1	3	8	15	20	36
2. MULTIPLE DX										
A. *Not Operated*	39630	6.6	36	1	2	5	8	13	17	30
B. *Operated*	6102	11.3	150	2	2	8	14	24	35	79
1. SINGLE DX	3962	5.3	38	1	1	3	6	11	15	31
2. MULTIPLE DX	45732	7.2	54	1	2	5	9	14	19	38
A. NOT OPERATED	42918	6.5	36	1	2	5	8	13	17	30
B. OPERATED	6776	10.8	143	1	2	7	13	23	33	76
TOTAL 65-69 YRS	10949	7.1	60	1	2	5	9	14	19	39
70-74	11854	7.1	54	1	2	5	9	14	19	38
75-79	11006	7.0	51	1	2	5	8	14	19	36
80-84	8476	7.0	47	1	2	5	9	14	19	36
85+	7409	7.0	49	1	2	5	8	14	18	37
GRAND TOTAL	**49694**	**7.1**	**53**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	4	8.5	142	1	1	4	16	26	26	26
75-79	5	17.4	260	7	7	12	21	46	46	46
80-84										
85+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	2	12.5	61	7	7	12	18	18	18	18
75-79	2	12.0	98	5	5	12	19	19	19	19
80-84	1	20.0		20	20	20	20	20	20	20
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	7.9	65	1	1	6	10	17	23	44
70-74	31	8.8	56	1	2	7	10	20	27	29
75-79	27	8.1	41	2	2	7	9	20	25	25
80-84	31	10.6	142	1	2	5	18	34	45	99+
85+	20	13.6	155	1	1	9	21	34	39	40
B. *Operated*										
65-69 YRS	26	19.0	346	2	3	15	28	62	99+	99+
70-74	29	22.5	528	1	2	15	35	63	96	99+
75-79	17	15.9	407	2	3	10	17	26	67	89
80-84	13	16.6	402	1	2	12	16	40	71	78
85+	10	27.1	471	3	4	23	37	61	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.5	158	<1	1	6	12	28	42	46
B. *Operated*	6	12.8	47	5	5	13	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	157	9.4	87	1	2	6	11	24	30	46
B. *Operated*	95	20.0	427	2	3	14	27	60	88	99+
1. SINGLE DX	20	10.5	123	<1	1	7	15	23	36	46
2. MULTIPLE DX	252	13.4	241	1	2	8	18	33	49	99+
A. NOT OPERATED	171	9.4	92	1	1	6	11	25	30	46
B. OPERATED	101	19.6	407	2	3	14	27	57	87	99+
TOTAL 65-69 YRS	78	11.3	184	1	1	7	15	30	59	99+
70-74	66	14.9	307	1	2	9	20	36	48	99
75-79	51	11.8	190	2	3	8	14	23	27	89
80-84	45	12.5	215	1	2	7	20	33	52	99+
85+	32	17.2	283	1	2	11	27	39	47	75
GRAND TOTAL	**272**	**13.2**	**232**	**1**	**2**	**8**	**18**	**32**	**47**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	7.0	44	<1	<1	5	12	17	18	18
70-74	9	7.0	31	<1	<1	5	12	14	15	15
75-79	6	6.5	46	2	2	4	6	19	20	20
80-84	1	2.0		2	2	2	2	2	2	2
85+	6	4.3	14	1	1	3	6	10	11	11
B. *Operated*										
65-69 YRS	5	6.6	36	1	1	4	11	16	16	16
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	8.4	47	2	2	6	12	17	23	32
70-74	66	8.2	41	1	2	6	11	18	23	27
75-79	50	10.3	114	1	1	8	12	30	43	99+
80-84	43	10.7	77	1	2	8	14	24	27	42
85+	42	11.0	72	2	2	8	16	21	26	43
B. *Operated*										
65-69 YRS	26	14.2	241	1	1	11	19	62	99+	99+
70-74	26	19.2	379	1	1	13	33	51	77	99+
75-79	23	22.0	422	1	2	17	27	59	65	66
80-84	24	17.4	357	1	2	11	22	39	62	84
85+	15	22.5	458	3	4	13	30	48	74	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	6.2	31	<1	1	4	10	14	18	20
B. *Operated*	7	5.7	29	1	1	4	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	257	9.5	68	1	2	7	13	20	26	43
B. *Operated*	114	18.7	358	1	2	13	26	52	71	99+
1. SINGLE DX	36	6.1	29	<1	1	4	10	15	17	20
2. MULTIPLE DX	371	12.3	174	1	2	8	16	28	43	96
A. NOT OPERATED	286	9.2	65	1	2	7	13	20	25	43
B. OPERATED	121	17.9	348	1	2	12	25	52	69	99+
TOTAL 65-69 YRS	94	9.8	104	1	2	7	14	22	31	99+
70-74	102	10.9	147	1	2	7	15	25	42	86
75-79	79	13.4	225	1	2	8	17	37	55	90
80-84	69	12.7	183	1	2	8	17	25	38	78
85+	63	13.1	184	2	2	9	17	28	40	78
GRAND TOTAL	**407**	**11.8**	**164**	**1**	**2**	**8**	**15**	**26**	**43**	**90**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	1.5		1	1	1	2	2	2	2
70-74	8	2.4	2	1	1	2	3	5	5	5
75-79	3	2.3	1	1	1	3	3	3	3	3
80-84	3	3.3	10	1	1	2	6	7	7	7
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	36	2.6	2	1	1	2	4	5	5	6
70-74	28	3.2	5	1	1	2	4	7	8	10
75-79	30	4.1	13	1	2	3	4	6	7	21
80-84	11	3.2	3	1	1	3	4	6	6	6
85+	9	4.4	10	2	2	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	4.4	8	1	1	4	6	8	11	12
70-74	80	5.6	24	1	1	5	8	10	12	30
75-79	95	6.0	26	1	1	5	8	11	16	28
80-84	101	6.4	39	1	1	5	7	13	17	39
85+	123	7.0	60	1	2	4	9	13	21	43
B. *Operated*										
65-69 YRS	187	6.8	63	1	1	4	8	15	20	47
70-74	186	7.6	48	1	2	5	11	19	24	34
75-79	148	7.5	41	1	2	6	10	16	18	34
80-84	117	8.7	153	1	1	5	11	16	23	81
85+	97	10.4	131	2	2	6	11	24	41	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.3	2	1	1	2	3	4	6	7
B. *Operated*	114	3.3	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	460	6.1	36	1	1	4	8	12	15	37
B. *Operated*	735	7.9	79	1	2	5	10	17	24	48
1. SINGLE DX	134	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1195	7.2	63	1	1	5	9	15	20	43
A. NOT OPERATED	480	5.9	35	1	1	4	7	11	15	37
B. OPERATED	849	7.3	72	1	1	5	9	16	22	44
TOTAL 65-69 YRS	288	5.7	46	1	1	4	6	11	17	39
70-74	302	6.5	39	1	1	5	9	14	22	33
75-79	276	6.6	34	1	2	5	9	14	18	31
80-84	232	7.4	96	1	1	5	8	15	18	48
85+	231	8.2	90	1	2	5	10	18	31	49
GRAND TOTAL	**1329**	**6.8**	**59**	**1**	**1**	**4**	**8**	**14**	**19**	**42**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	274	7.0	20	2	2	6	9	12	15	25
70-74	282	7.3	22	2	3	6	10	13	16	21
75-79	287	7.7	22	2	3	7	10	14	17	22
80-84	209	7.4	19	2	3	7	9	13	15	20
85+	196	8.8	86	2	2	6	10	16	22	55
B. *Operated*										
65-69 YRS	24	10.9	64	2	3	9	15	23	30	31
70-74	12	12.6	24	7	7	12	17	19	21	21
75-79	7	9.4	9	6	6	9	12	14	14	14
80-84	11	14.2	43	6	7	14	19	24	26	26
85+	2	16.0	8	14	14	16	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1250	9.1	36	2	3	8	11	16	19	33
70-74	1746	9.7	48	3	3	8	12	17	21	38
75-79	2162	10.5	67	3	4	9	13	18	23	41
80-84	2126	10.3	48	3	4	9	13	19	23	37
85+	2335	10.5	69	3	4	9	13	19	25	53
B. *Operated*										
65-69 YRS	222	15.8	203	2	4	12	21	31	46	73
70-74	226	16.9	184	4	5	13	21	32	45	71
75-79	231	18.4	238	5	6	14	21	39	55	89
80-84	216	19.1	213	5	7	15	22	36	47	89
85+	177	18.7	218	5	6	15	22	37	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	7.6	31	2	3	6	10	14	17	27
B. *Operated*	56	11.9	44	3	4	10	16	21	25	31
2. MULTIPLE DX										
A. *Not Operated*	9619	10.1	56	3	4	8	13	18	23	40
B. *Operated*	1072	17.7	212	4	5	14	21	36	48	85
1. SINGLE DX	1304	7.8	33	2	3	7	10	14	17	28
2. MULTIPLE DX	10691	10.9	77	3	4	9	13	20	26	49
A. NOT OPERATED	10867	9.8	54	3	3	8	12	18	22	39
B. OPERATED	1128	17.4	205	4	5	14	21	35	48	84
TOTAL 65-69 YRS	1770	9.6	61	2	3	8	12	17	23	41
70-74	2266	10.1	63	3	3	8	13	18	23	45
75-79	2687	10.8	82	3	4	9	13	19	25	52
80-84	2562	10.8	66	3	4	9	13	20	25	43
85+	2710	10.9	85	3	4	9	13	20	27	58
GRAND TOTAL	**11995**	**10.5**	**73**	**3**	**4**	**8**	**13**	**19**	**25**	**47**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	36	1	1	6	11	13	13	13
70-74	4	5.0	27	1	1	4	9	12	12	12
75-79	3	8.0	25	3	3	8	12	13	13	13
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	4	14.5	307	3	3	8	26	40	40	40
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	9.8	45	3	3	7	12	22	25	27
70-74	33	11.3	142	2	3	6	13	30	38	57
75-79	23	12.0	140	2	3	9	14	44	64	99+
80-84	31	10.7	37	3	4	10	14	20	21	25
85+	31	15.4	163	3	3	13	19	32	39	61
B. *Operated*										
65-69 YRS	13	29.8	614	6	8	24	43	96	99	99+
70-74	12	34.0	410	5	7	35	53	70	94	99+
75-79	16	27.9	787	1	3	19	48	91	97	99+
80-84	14	29.5	231	6	10	28	38	53	55	56
85+	5	31.2	644	7	7	27	57	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.5	90	1	1	3	12	13	31	40
B. *Operated*	4	14.5	122	8	8	9	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	143	11.9	107	3	3	9	14	25	38	63
B. *Operated*	60	30.2	501	4	7	26	48	67	97	99+
1. SINGLE DX	21	8.9	98	1	1	6	12	20	35	40
2. MULTIPLE DX	203	17.3	292	3	4	12	22	47	59	99+
A. NOT OPERATED	160	11.4	107	2	3	9	14	24	38	61
B. OPERATED	64	29.2	489	5	7	25	47	61	97	99+
TOTAL 65-69 YRS	42	15.7	300	3	4	10	22	42	65	99+
70-74	50	16.2	292	2	3	9	26	50	59	99+
75-79	43	17.6	421	2	3	12	20	53	94	99+
80-84	48	15.6	173	2	3	12	20	36	45	56
85+	41	17.6	242	3	3	13	24	39	57	61
GRAND TOTAL	**224**	**16.5**	**279**	**2**	**3**	**11**	**21**	**44**	**57**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	4.1	9	1	1	3	6	8	10	15
70-74	85	4.1	9	1	1	3	5	9	10	15
75-79	64	4.6	12	1	1	4	6	9	11	18
80-84	66	4.6	10	1	1	4	7	10	11	13
85+	64	5.1	11	1	1	5	7	9	10	18
B. *Operated*										
65-69 YRS	3	8.0	49	3	3	5	13	16	16	16
70-74	3	28.3	1649	1	1	9	58	75	75	75
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	11.0		11	11	11	11	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	948	6.7	27	1	2	5	8	13	17	25
70-74	991	7.0	33	1	2	6	9	13	16	30
75-79	1044	7.5	36	2	2	6	9	14	18	27
80-84	1025	8.2	47	2	3	7	10	15	19	43
85+	1352	8.4	60	2	3	7	10	15	21	44
B. *Operated*										
65-69 YRS	176	12.5	116	1	3	9	17	25	34	53
70-74	193	14.0	160	2	4	11	17	29	39	63
75-79	161	14.7	139	3	5	11	19	32	39	85
80-84	125	15.8	142	4	5	12	20	34	43	68
85+	121	15.2	123	4	5	12	19	29	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.4	10	1	1	4	6	9	11	16
B. *Operated*	9	15.2	524	1	2	9	12	51	75	75
2. MULTIPLE DX										
A. *Not Operated*	5360	7.6	43	2	2	6	10	14	19	35
B. *Operated*	776	14.3	138	3	4	11	18	30	39	63
1. SINGLE DX	367	4.7	24	1	1	4	6	9	11	16
2. MULTIPLE DX	6136	8.5	60	2	2	6	11	16	22	42
A. NOT OPERATED	5718	7.4	41	2	2	6	9	14	18	34
B. OPERATED	785	14.3	141	3	4	11	18	30	39	64
TOTAL 65-69 YRS	1206	7.4	43	1	2	6	9	15	20	35
70-74	1272	7.9	62	1	2	6	10	15	20	44
75-79	1270	8.2	55	2	2	6	10	16	21	38
80-84	1218	8.8	61	2	3	7	11	17	23	49
85+	1537	8.8	67	2	3	7	11	17	23	48
GRAND TOTAL	**6503**	**8.3**	**58**	**2**	**2**	**6**	**10**	**16**	**21**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	8.7	33	2	3	8	11	14	19	32
70-74	167	9.5	47	3	4	8	12	16	20	42
75-79	198	10.5	49	3	4	9	14	20	23	36
80-84	223	10.9	54	3	4	10	14	18	22	40
85+	327	9.9	54	2	3	9	12	17	22	35
B. *Operated*										
65-69 YRS	5	24.2	147	12	12	19	35	40	40	40
70-74	2	6.5	61	1	1	6	12	12	12	12
75-79	6	16.7	43	10	10	16	20	26	27	27
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	47.5	613	30	30	47	65	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	526	13.1	94	3	5	11	16	24	31	56
70-74	829	12.7	88	3	4	11	16	23	29	56
75-79	1147	13.1	98	3	5	11	16	24	30	63
80-84	1443	13.0	87	3	5	11	16	23	30	56
85+	2140	12.7	96	3	4	10	16	23	29	56
B. *Operated*										
65-69 YRS	99	25.3	368	5	7	19	35	54	61	93
70-74	144	25.9	360	5	7	20	38	53	71	84
75-79	183	23.2	281	6	8	18	31	48	58	83
80-84	172	23.5	255	7	9	19	29	48	57	99
85+	187	21.2	268	5	7	17	28	49	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	10.0	50	2	3	9	13	18	22	35
B. *Operated*	16	21.1	241	3	9	17	28	39	57	65
2. MULTIPLE DX										
A. *Not Operated*	6085	12.9	93	3	4	11	16	23	30	57
B. *Operated*	785	23.5	299	6	8	18	32	50	62	99+
1. SINGLE DX	1076	10.1	54	2	3	9	13	18	22	38
2. MULTIPLE DX	6870	14.1	128	3	5	11	17	27	37	70
A. NOT OPERATED	7145	12.4	88	3	4	10	15	23	29	55
B. OPERATED	801	23.5	297	6	8	18	31	50	62	99+
TOTAL 65-69 YRS	775	13.9	140	3	4	11	16	28	38	61
70-74	1142	13.9	138	3	4	11	17	26	39	71
75-79	1534	14.0	125	3	5	11	17	26	36	67
80-84	1839	13.7	109	3	5	11	17	25	33	62
85+	2656	12.9	110	3	4	10	16	24	32	70
GRAND TOTAL	**7946**	**13.5**	**120**	**3**	**4**	**11**	**17**	**25**	**34**	**67**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	3.1	7	1	1	3	4	5	7	15
70-74	142	4.2	19	<1	1	3	5	8	13	23
75-79	159	3.9	10	1	1	3	5	7	10	17
80-84	157	4.4	14	1	1	3	5	9	12	22
85+	167	4.9	35	1	1	3	5	10	13	31
B. *Operated*										
65-69 YRS	205	4.6	11	1	1	4	6	9	12	15
70-74	243	5.6	26	1	1	4	7	11	15	27
75-79	184	5.9	21	1	2	5	8	11	15	26
80-84	143	5.9	22	1	1	5	8	11	16	22
85+	134	8.6	72	1	2	6	11	20	27	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	389	6.7	39	1	2	5	8	14	20	33
70-74	583	6.9	45	1	2	5	8	14	19	34
75-79	726	7.8	56	1	2	6	10	15	21	40
80-84	762	8.8	83	2	2	6	11	18	26	47
85+	931	8.4	73	2	2	6	10	17	27	99+
B. *Operated*										
65-69 YRS	515	8.9	58	2	2	7	11	18	24	43
70-74	651	10.5	109	1	2	8	13	22	29	54
75-79	668	10.9	100	2	3	8	14	23	30	66
80-84	502	11.9	124	2	3	9	15	24	31	69
85+	462	13.5	182	2	3	9	17	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	4.2	18	1	1	3	5	8	11	23
B. *Operated*	909	5.9	29	1	1	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3391	7.9	63	2	2	6	10	16	23	46
B. *Operated*	2798	11.0	114	2	3	8	14	23	32	62
1. SINGLE DX	1638	5.2	25	1	1	4	6	10	14	26
2. MULTIPLE DX	6189	9.3	89	2	2	7	11	19	27	56
A. NOT OPERATED	4120	7.3	57	1	2	5	9	15	21	43
B. OPERATED	3707	9.8	98	1	2	7	12	20	29	55
TOTAL 65-69 YRS	1213	7.0	43	1	2	5	9	15	20	37
70-74	1619	7.9	71	1	2	5	10	16	23	43
75-79	1737	8.5	70	1	2	6	10	18	24	46
80-84	1564	9.1	89	1	2	6	11	19	26	53
85+	1694	9.5	106	2	2	6	11	21	32	91
GRAND TOTAL	**7827**	**8.5**	**78**	**1**	**2**	**6**	**10**	**18**	**25**	**51**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	1.7	1	1	1	1	3	3	4	4
70-74	30	2.7	7	1	1	2	3	4	5	15
75-79	27	2.9	19	<1	<1	2	3	5	8	24
80-84	24	2.8	6	1	1	2	4	5	8	11
85+	33	2.8	5	1	1	2	3	7	8	9
B. *Operated*										
65-69 YRS	671	2.6	4	1	1	2	3	5	6	10
70-74	510	2.7	5	1	1	2	3	5	7	11
75-79	424	3.0	10	1	1	2	4	6	8	15
80-84	275	3.4	9	1	1	2	4	6	8	16
85+	180	3.9	19	1	1	3	5	8	10	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	5.8	24	1	1	4	7	14	17	22
70-74	149	6.6	42	1	1	5	9	15	25	99
75-79	156	7.2	42	1	2	5	9	17	22	37
80-84	166	6.8	31	1	2	5	8	14	20	26
85+	226	8.0	108	1	2	5	9	15	21	83
B. *Operated*										
65-69 YRS	838	5.4	33	1	1	4	6	12	17	30
70-74	840	5.9	43	1	1	4	7	13	17	36
75-79	735	6.9	57	1	1	4	9	15	22	37
80-84	580	6.8	41	1	2	5	8	14	20	35
85+	560	7.9	89	1	2	5	9	16	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.6	8	1	1	2	3	4	7	17
B. *Operated*	2060	2.9	7	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	806	7.0	56	1	2	5	9	15	21	46
B. *Operated*	3553	6.4	51	1	1	4	8	14	20	38
1. SINGLE DX	2193	2.9	7	1	1	2	4	5	7	14
2. MULTIPLE DX	4359	6.5	52	1	1	4	8	14	20	38
A. NOT OPERATED	939	6.4	52	1	1	4	8	14	20	42
B. OPERATED	5613	5.2	38	1	1	3	6	11	16	31
TOTAL 65-69 YRS	1637	4.2	22	1	1	3	5	9	13	24
70-74	1529	4.8	32	1	1	3	6	10	15	33
75-79	1342	5.6	43	1	1	3	7	12	19	32
80-84	1045	5.8	33	1	1	4	7	12	17	26
85+	999	7.0	80	1	1	5	8	14	20	51
GRAND TOTAL	**6552**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**17**	**31**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.4	3	1	1	2	3	5	6	6
70-74	7	3.0	6	1	1	2	5	7	7	7
75-79	8	2.1	1	1	1	2	3	4	4	4
80-84	3	3.3	4	<1	<1	4	5	5	5	5
85+	9	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
65-69 YRS	98	1.9	1	1	1	2	2	4	5	6
70-74	63	2.3	5	<1	1	2	3	4	6	14
75-79	39	2.8	4	1	1	2	4	5	6	12
80-84	26	3.2	4	<1	1	3	5	6	7	7
85+	12	2.8	4	<1	<1	2	4	5	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	5.8	29	1	2	4	6	12	19	26
70-74	46	5.5	23	1	1	4	7	12	19	22
75-79	45	5.1	10	1	2	4	7	10	11	13
80-84	44	9.0	98	1	2	6	11	15	26	56
85+	71	7.0	25	2	2	6	9	13	18	84
B. *Operated*										
65-69 YRS	162	3.5	11	1	1	2	4	7	12	17
70-74	118	5.0	29	1	1	3	6	11	19	26
75-79	98	5.2	29	1	1	3	8	11	13	31
80-84	68	7.1	66	1	2	4	8	15	28	90
85+	52	6.6	49	1	2	4	8	22	27	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.6	3	<1	1	2	4	5	6	7
B. *Operated*	238	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	237	6.6	37	1	2	5	8	12	17	40
B. *Operated*	498	5.0	32	1	1	3	6	12	16	30
1. SINGLE DX	272	2.4	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	735	5.5	34	1	1	4	7	12	16	32
A. NOT OPERATED	271	6.1	34	1	1	4	8	12	15	36
B. OPERATED	736	4.1	24	1	1	2	5	9	13	28
TOTAL 65-69 YRS	298	3.2	11	1	1	2	4	6	11	18
70-74	234	4.3	22	1	1	3	5	9	15	23
75-79	190	4.6	19	1	1	3	6	10	12	24
80-84	141	6.9	67	1	1	4	8	14	23	59
85+	144	6.2	32	1	2	5	8	12	24	99+
GRAND TOTAL	**1007**	**4.7**	**28**	**1**	**1**	**3**	**6**	**11**	**13**	**28**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	7.7	36	1	1	6	10	18	20	24
70-74	68	6.7	24	1	1	6	10	13	17	22
75-79	109	8.9	72	1	1	7	11	16	22	49
80-84	133	9.2	95	1	1	7	12	18	23	58
85+	183	8.2	56	1	1	6	11	16	19	43
B. *Operated*										
65-69 YRS	965	12.3	28	6	7	11	15	19	22	28
70-74	1316	13.0	32	6	7	12	15	19	22	33
75-79	1752	14.4	53	6	8	13	17	22	28	42
80-84	1927	14.8	68	6	8	13	17	22	28	52
85+	2744	14.9	68	7	8	13	17	23	29	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	13.3	176	2	3	10	16	31	39	70
70-74	343	12.9	144	2	3	10	16	25	36	82
75-79	550	12.2	145	2	3	9	14	24	34	64
80-84	648	12.7	132	2	3	10	16	26	38	71
85+	1101	11.8	126	2	3	9	15	24	36	89
B. *Operated*										
65-69 YRS	3284	16.7	105	7	8	14	19	28	37	71
70-74	5194	17.6	123	7	9	15	20	30	40	77
75-79	7861	17.9	121	8	9	15	21	30	41	83
80-84	9376	18.1	122	8	9	15	21	31	42	84
85+	13420	18.1	139	7	9	15	21	32	44	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	8.3	62	1	1	6	11	16	21	41
B. *Operated*	8704	14.2	56	6	8	13	17	22	27	44
2. MULTIPLE DX										
A. *Not Operated*	2869	12.3	137	2	3	9	15	25	36	74
B. *Operated*	39135	17.9	126	7	9	15	21	31	42	86
1. SINGLE DX	9259	13.9	58	5	7	13	16	21	27	44
2. MULTIPLE DX	42004	17.5	129	7	8	15	20	30	41	85
A. NOT OPERATED	3424	11.7	127	1	2	9	15	23	34	70
B. OPERATED	47839	17.2	116	7	8	15	20	29	39	79
TOTAL 65-69 YRS	4538	15.5	96	6	7	13	18	26	34	64
70-74	6921	16.4	111	6	8	14	19	27	36	72
75-79	10272	16.9	114	6	8	14	20	29	38	74
80-84	12084	17.2	117	6	8	15	20	29	39	78
85+	17448	17.1	130	6	8	14	20	30	41	93
GRAND TOTAL	**51263**	**16.8**	**118**	**6**	**8**	**14**	**19**	**29**	**38**	**78**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	14.3	259	1	1	7	23	42	58	99+
70-74	39	12.3	229	1	1	6	15	34	44	75
75-79	38	19.1	485	2	3	9	25	51	68	93
80-84	41	15.7	340	1	2	8	19	44	54	89
85+	48	10.2	86	1	2	7	14	22	31	47
B. *Operated*										
65-69 YRS	81	15.4	84	5	7	13	19	27	32	51
70-74	89	20.4	214	7	8	16	25	43	59	91
75-79	80	14.1	44	4	6	13	17	24	25	34
80-84	110	18.8	205	6	7	15	21	36	46	72
85+	128	16.6	112	6	7	14	19	32	42	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	103	19.6	385	3	3	13	28	49	75	92
70-74	150	18.6	335	2	3	11	27	49	59	85
75-79	175	19.4	420	3	4	11	25	51	71	96
80-84	221	19.9	350	3	4	14	30	51	63	99+
85+	393	14.9	216	3	3	9	18	38	50	80
B. *Operated*										
65-69 YRS	345	22.0	243	7	8	17	28	45	61	99+
70-74	429	23.2	301	6	8	18	30	50	71	99+
75-79	486	24.5	318	7	10	19	31	52	75	99+
80-84	512	22.9	276	6	9	17	29	48	64	94
85+	689	20.8	249	5	8	16	25	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	14.1	275	1	2	8	18	41	50	91
B. *Operated*	488	17.2	139	5	7	14	20	31	46	72
2. MULTIPLE DX										
A. *Not Operated*	1042	17.7	316	3	3	11	24	47	60	99+
B. *Operated*	2461	22.6	278	6	8	17	28	48	66	99+
1. SINGLE DX	689	16.3	181	2	4	13	19	33	46	77
2. MULTIPLE DX	3503	21.1	294	4	6	16	27	48	64	99+
A. NOT OPERATED	1243	17.1	311	2	3	10	22	45	58	99
B. OPERATED	2949	21.7	259	6	8	17	27	46	63	99+
TOTAL 65-69 YRS	564	20.1	254	3	6	16	25	43	59	99+
70-74	707	21.2	300	3	6	16	28	49	65	99+
75-79	779	22.0	332	4	6	16	27	50	71	99+
80-84	884	21.3	292	4	6	16	28	48	63	99+
85+	1258	18.1	228	3	5	14	23	40	54	99+
GRAND TOTAL	**4192**	**20.3**	**279**	**4**	**6**	**15**	**26**	**46**	**62**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	6.7	24	2	2	5	8	15	18	23
70-74	99	5.6	13	1	2	5	8	12	12	18
75-79	79	6.2	20	1	2	5	8	12	14	24
80-84	68	7.4	27	2	2	6	9	12	19	27
85+	62	6.9	24	2	2	6	9	13	16	24
B. *Operated*										
65-69 YRS	235	8.6	48	2	3	7	10	15	18	42
70-74	159	9.1	45	2	3	8	11	16	21	34
75-79	101	10.1	55	2	3	9	13	16	24	43
80-84	62	13.8	176	2	2	9	19	30	48	60
85+	46	8.1	38	1	2	7	10	18	21	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	9.2	76	2	3	7	11	17	22	46
70-74	266	9.8	106	2	3	7	11	18	27	71
75-79	279	9.9	72	2	3	8	12	19	26	47
80-84	204	10.1	77	2	3	8	12	22	32	99+
85+	277	10.7	112	1	2	8	13	23	32	80
B. *Operated*										
65-69 YRS	448	13.5	130	3	4	11	17	27	37	86
70-74	391	16.3	209	3	4	12	19	37	53	98
75-79	318	16.7	177	4	6	13	21	33	45	99+
80-84	180	18.4	281	4	5	14	21	38	63	99
85+	164	14.0	189	2	3	10	16	33	45	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	6.5	21	1	2	5	8	12	15	24
B. *Operated*	603	9.5	63	2	3	8	12	17	23	50
2. MULTIPLE DX										
A. *Not Operated*	1250	10.0	90	2	3	7	12	20	29	58
B. *Operated*	1501	15.6	187	3	4	12	19	32	48	98
1. SINGLE DX	997	8.3	48	2	2	7	10	15	20	36
2. MULTIPLE DX	2751	13.0	151	2	3	10	16	28	41	86
A. NOT OPERATED	1644	9.1	75	2	2	7	11	18	26	54
B. OPERATED	2104	13.8	159	2	4	10	17	29	42	82
TOTAL 65-69 YRS	993	10.8	96	2	3	8	13	21	30	58
70-74	915	12.0	144	2	3	9	14	24	39	76
75-79	777	12.3	122	2	3	10	15	24	35	76
80-84	514	13.1	171	2	3	9	16	29	43	98
85+	549	11.0	124	2	2	8	13	22	34	65
GRAND TOTAL	**3748**	**11.8**	**128**	**2**	**3**	**9**	**14**	**24**	**34**	**75**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	139	4.3	12	1	1	3	6	9	12	17
70-74	123	4.2	9	1	2	3	5	8	10	15
75-79	113	4.8	23	1	1	3	5	9	12	28
80-84	71	5.9	37	1	1	5	7	12	14	41
85+	47	5.9	30	1	1	4	7	15	17	25
B. *Operated*										
65-69 YRS	794	5.9	13	2	2	5	7	11	13	19
70-74	549	6.8	23	2	2	6	8	12	15	25
75-79	341	7.6	21	2	3	6	9	14	16	23
80-84	156	8.6	34	2	3	7	11	16	20	32
85+	99	9.2	37	2	3	8	11	17	19	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	379	6.6	48	1	2	5	8	13	18	31
70-74	369	6.9	56	1	2	5	8	12	17	44
75-79	335	8.1	39	2	2	7	10	15	22	35
80-84	333	8.3	69	2	3	7	10	15	19	55
85+	349	8.2	54	2	3	6	10	15	21	49
B. *Operated*										
65-69 YRS	1235	8.7	58	2	3	7	10	16	21	48
70-74	1045	9.7	65	3	4	8	12	17	23	47
75-79	747	11.3	100	3	4	8	13	22	32	60
80-84	452	12.0	104	3	4	9	14	22	34	93
85+	305	13.0	116	3	4	10	16	24	32	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	4.8	19	1	1	4	6	10	13	20
B. *Operated*	1939	6.8	21	2	3	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1765	7.6	54	1	2	6	9	14	19	41
B. *Operated*	3784	10.3	80	3	4	8	12	19	25	59
1. SINGLE DX	2432	6.4	21	1	2	5	8	12	15	22
2. MULTIPLE DX	5549	9.4	73	2	3	7	11	18	24	54
A. NOT OPERATED	2258	7.0	48	1	2	5	9	13	18	38
B. OPERATED	5723	9.1	63	2	3	7	11	17	22	49
TOTAL 65-69 YRS	2547	7.3	42	2	2	6	9	13	18	34
70-74	2086	8.1	52	2	3	6	10	15	19	41
75-79	1536	9.3	68	2	3	7	11	17	24	53
80-84	1012	9.8	81	2	3	8	12	18	26	63
85+	800	10.0	80	2	3	8	12	19	26	57
GRAND TOTAL	**7981**	**8.5**	**59**	**2**	**3**	**7**	**10**	**16**	**21**	**46**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.4	2	1	1	3	3	4	4	4
70-74	7	3.4	6	1	1	2	6	7	7	7
75-79	11	2.1	3	1	1	1	3	5	6	6
80-84	9	3.2	4	1	1	3	4	6	7	7
85+	13	5.2	29	1	1	3	6	16	18	18
B. *Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	3	3.7		3	3	4	4	4	4	4
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	7.4	81	1	2	5	9	14	20	51
70-74	115	7.0	24	1	2	6	9	14	18	51
75-79	139	9.4	78	2	2	7	12	18	25	74
80-84	132	8.8	47	2	2	7	11	18	24	35
85+	178	8.9	77	1	2	7	11	19	24	38
B. *Operated*										
65-69 YRS	36	9.9	57	2	2	10	13	17	18	42
70-74	31	9.6	94	1	2	8	12	19	24	51
75-79	25	10.0	84	2	2	6	17	27	28	31
80-84	22	12.5	148	2	2	10	17	36	40	45
85+	19	12.0	78	4	4	8	18	26	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.4	11	1	1	3	4	7	8	18
B. *Operated*	8	3.4	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	688	8.4	64	1	2	7	10	17	23	40
B. *Operated*	133	10.6	87	2	2	8	14	22	31	46
1. SINGLE DX	57	3.4	10	1	1	3	4	6	7	18
2. MULTIPLE DX	821	8.7	68	2	2	7	11	18	24	41
A. NOT OPERATED	737	8.0	62	1	2	6	10	16	22	39
B. OPERATED	141	10.2	85	2	2	7	13	22	29	46
TOTAL 65-69 YRS	170	7.6	74	1	2	5	10	15	18	42
70-74	155	7.3	38	1	2	6	9	15	19	49
75-79	178	8.9	76	1	2	6	12	19	27	62
80-84	164	8.9	60	2	2	7	11	19	25	39
85+	211	8.9	75	1	2	7	11	19	25	38
GRAND TOTAL	**878**	**8.4**	**66**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	2	14.0	98	7	7	14	21	21	21	21
75-79										
80-84										
85+	2	8.5	25	5	5	8	12	12	12	12
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.2	42	1	1	4	9	17	17	17
70-74	5	18.0	285	4	4	12	24	47	47	47
75-79	4	10.3	25	5	5	10	14	15	15	15
80-84	4	15.0	106	7	7	11	21	30	30	30
85+	10	15.2	389	3	3	8	14	45	69	69
B. *Operated*										
65-69 YRS	5	25.8	97	14	14	26	35	36	36	36
70-74	5	22.8	326	1	1	20	39	44	44	44
75-79	7	16.3	151	2	2	17	31	80	99+	99+
80-84	5	18.2	96	11	11	15	22	35	35	35
85+	4	15.0	53	7	7	15	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	12.0	41	5	5	12	16	21	21	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	13.4	209	2	3	9	15	27	49	69
B. *Operated*	26	19.5	142	2	4	18	33	38	52	99+
1. SINGLE DX	5	12.0	41	5	5	12	16	21	21	21
2. MULTIPLE DX	54	16.3	183	2	3	14	21	36	46	98
A. NOT OPERATED	33	13.2	182	2	3	10	15	23	44	69
B. OPERATED	26	19.5	142	2	4	18	33	38	52	99+
TOTAL 65-69 YRS	11	15.9	152	1	2	15	24	35	36	36
70-74	12	19.3	242	1	3	14	29	45	47	47
75-79	11	14.1	107	2	3	14	23	54	93	99+
80-84	9	16.8	90	7	8	13	21	33	35	35
85+	16	14.3	251	3	3	10	17	23	55	69
GRAND TOTAL	**59**	**16.0**	**172**	**2**	**3**	**13**	**20**	**36**	**45**	**97**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	8	1	1	2	4	7	7	7
70-74	5	5.2	39	<1	<1	4	7	16	16	16
75-79	9	5.2	39	<1	<1	2	7	16	20	20
80-84	10	3.5	14	<1	<1	2	4	9	13	13
85+	5	2.6	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	59	2.2	4	1	1	1	3	5	7	8
70-74	52	2.3	6	1	1	1	2	5	6	13
75-79	40	1.9	3	<1	1	1	2	4	6	7
80-84	34	2.5	6	1	1	2	3	7	8	12
85+	31	2.5	7	<1	1	1	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	6.1	17	1	1	5	8	12	14	15
70-74	27	7.6	88	<1	1	4	11	21	27	41
75-79	29	6.1	55	1	1	4	8	13	23	35
80-84	22	5.0	14	1	2	4	6	9	13	18
85+	34	8.8	147	2	2	5	10	17	25	70
B. *Operated*										
65-69 YRS	86	4.7	22	<1	1	3	6	12	17	21
70-74	100	4.5	30	1	1	2	6	10	17	27
75-79	110	5.9	44	1	1	4	6	15	22	32
80-84	80	6.0	63	1	1	3	6	13	22	43
85+	75	5.4	23	1	1	4	7	12	18	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.0	21	<1	<1	2	5	10	16	20
B. *Operated*	216	2.3	5	1	1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	129	6.9	74	1	1	4	8	15	22	47
B. *Operated*	451	5.3	37	1	1	3	6	12	18	30
1. SINGLE DX	249	2.5	7	<1	1	1	3	6	8	13
2. MULTIPLE DX	580	5.7	45	1	1	3	7	13	19	35
A. NOT OPERATED	162	6.3	65	1	1	4	8	14	19	40
B. OPERATED	667	4.3	28	1	1	2	5	10	15	28
TOTAL 65-69 YRS	166	3.9	16	1	1	2	5	9	13	19
70-74	184	4.4	34	1	1	2	5	10	16	28
75-79	188	5.1	39	1	1	3	6	12	18	33
80-84	146	4.9	41	1	1	3	6	11	17	35
85+	145	5.5	52	1	1	4	7	11	17	71
GRAND TOTAL	**829**	**4.7**	**36**	**1**	**1**	**3**	**6**	**11**	**17**	**29**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	4	1	1	3	5	6	6	6
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	171	3.1	25	<1	1	2	3	5	8	12
70-74	97	3.0	4	1	1	2	4	5	7	12
75-79	54	3.6	11	<1	1	3	4	8	12	16
80-84	14	3.9	14	1	1	2	5	12	12	12
85+	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	3.8	16	<1	<1	2	6	10	13	15
70-74	23	6.2	22	1	2	4	8	15	16	16
75-79	14	6.8	26	1	1	6	10	15	16	16
80-84	13	7.5	19	4	4	6	9	16	18	18
85+	12	7.6	21	3	3	6	10	14	18	19
B. *Operated*										
65-69 YRS	583	3.5	11	<1	1	2	4	7	9	18
70-74	333	4.2	13	1	1	3	5	9	11	19
75-79	191	5.1	38	1	1	3	5	12	17	37
80-84	61	6.6	62	<1	1	4	8	12	21	43
85+	27	7.0	42	2	2	4	9	18	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	5	1	1	2	5	7	8	8
B. *Operated*	340	3.2	16	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	84	6.1	22	1	1	5	8	15	16	19
B. *Operated*	1195	4.2	20	1	1	3	5	9	12	21
1. SINGLE DX	350	3.2	16	1	1	2	4	6	8	13
2. MULTIPLE DX	1279	4.3	20	1	1	3	5	9	13	21
A. NOT OPERATED	94	5.8	20	1	1	4	8	15	15	19
B. OPERATED	1535	3.9	19	1	1	3	4	8	11	20
TOTAL 65-69 YRS	782	3.4	14	<1	1	2	4	7	9	17
70-74	455	4.0	12	1	1	3	5	9	11	16
75-79	260	4.9	32	1	1	3	5	11	16	27
80-84	89	6.3	48	1	1	4	8	12	15	42
85+	43	6.7	34	1	2	4	8	16	19	27
GRAND TOTAL	**1629**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.9	15	<1	<1	2	7	10	12	12
70-74	13	3.9	36	<1	<1	1	4	9	20	23
75-79	8	8.8	110	1	1	5	10	27	33	33
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	3	4.0	19	1	1	2	7	9	9	9
B. *Operated*										
65-69 YRS	42	3.9	28	<1	1	2	5	8	15	30
70-74	54	4.2	15	1	1	3	5	9	11	22
75-79	35	8.0	80	<1	1	4	11	18	28	42
80-84	19	3.1	7	<1	<1	2	4	7	8	9
85+	13	4.3	41	<1	1	2	4	10	22	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	7.6	48	1	2	5	11	16	21	39
70-74	58	7.3	33	1	2	6	9	15	22	26
75-79	37	7.2	44	1	1	5	11	18	21	28
80-84	46	8.0	116	1	2	4	9	12	31	58
85+	38	8.1	28	1	2	7	11	16	17	25
B. *Operated*										
65-69 YRS	141	9.4	152	1	1	5	11	24	38	78
70-74	111	10.2	207	1	1	5	12	29	41	98
75-79	85	9.7	126	1	2	5	13	30	35	84
80-84	56	12.3	193	1	2	7	16	26	38	83
85+	50	11.6	98	1	1	10	18	29	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.9	44	<1	1	2	6	11	20	33
B. *Operated*	163	4.8	36	<1	1	3	6	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	244	7.6	53	1	2	6	10	16	21	41
B. *Operated*	443	10.3	159	1	1	5	14	27	40	99+
1. SINGLE DX	199	4.8	37	<1	1	3	6	11	16	32
2. MULTIPLE DX	687	9.3	123	1	1	6	11	23	33	82
A. NOT OPERATED	280	7.3	52	1	1	5	9	15	21	39
B. OPERATED	606	8.8	132	1	1	4	11	23	34	90
TOTAL 65-69 YRS	258	7.9	104	1	1	5	9	20	30	68
70-74	236	7.8	117	1	1	4	8	21	28	66
75-79	165	8.7	97	1	1	5	11	23	33	54
80-84	123	9.1	142	1	1	5	10	21	29	66
85+	104	9.2	69	1	1	7	14	24	29	99+
GRAND TOTAL	**886**	**8.3**	**107**	**1**	**1**	**5**	**10**	**21**	**30**	**67**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.3	7	1	1	4	7	7	9	11
70-74	20	4.0	11	1	1	3	5	7	11	15
75-79	14	3.9	6	1	2	3	5	8	9	9
80-84	11	4.4	8	2	2	3	6	9	9	9
85+	12	6.0	27	2	2	4	8	14	18	19
B. *Operated*										
65-69 YRS	34	5.0	22	2	2	4	6	9	11	28
70-74	19	4.8	8	1	2	4	6	8	11	13
75-79	13	7.8	15	1	2	9	10	12	14	14
80-84	8	5.6	19	1	1	5	8	12	14	14
85+	6	5.3	31	<1	<1	4	6	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	7.3	38	2	2	5	10	16	18	33
70-74	98	6.6	31	2	2	5	8	12	16	33
75-79	120	6.6	31	1	2	5	9	13	15	27
80-84	121	7.4	72	2	2	5	9	14	16	40
85+	121	6.6	22	2	3	5	7	12	18	26
B. *Operated*										
65-69 YRS	89	7.9	46	1	2	7	10	14	19	41
70-74	56	8.8	37	2	2	7	12	16	22	27
75-79	46	7.8	30	2	2	6	11	18	19	20
80-84	30	8.8	37	2	2	6	13	19	21	22
85+	18	9.1	35	2	3	8	11	16	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.4	11	1	1	3	6	9	10	18
B. *Operated*	80	5.5	18	1	2	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	542	6.9	39	2	2	5	9	13	17	27
B. *Operated*	239	8.3	38	2	2	7	11	16	20	27
1. SINGLE DX	158	5.0	15	1	2	4	7	9	12	19
2. MULTIPLE DX	781	7.3	39	2	2	6	9	14	18	27
A. NOT OPERATED	620	6.6	36	2	2	5	8	13	16	26
B. OPERATED	319	7.6	35	2	2	6	10	15	19	27
TOTAL 65-69 YRS	226	6.9	37	2	2	5	9	13	18	31
70-74	193	6.8	31	1	2	5	8	13	17	26
75-79	193	6.8	29	1	2	5	9	14	17	20
80-84	170	7.3	60	2	2	5	10	14	18	22
85+	157	6.8	24	2	2	6	8	13	18	27
GRAND TOTAL	**939**	**6.9**	**36**	**2**	**2**	**5**	**9**	**14**	**18**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	159	5.6	9	2	2	5	7	9	11	18
70-74	89	5.7	11	2	2	5	7	10	12	16
75-79	70	6.2	19	2	2	5	7	12	15	23
80-84	42	5.2	11	2	2	5	6	9	10	20
85+	34	5.2	15	1	2	4	6	11	15	15
B. *Operated*										
65-69 YRS	8	6.3	15	1	2	6	8	12	14	14
70-74	2	9.5	25	6	6	9	13	13	13	13
75-79	2	17.5	113	10	10	17	25	25	25	25
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	828	7.0	22	2	3	6	8	12	16	27
70-74	725	7.0	21	2	3	6	9	12	16	23
75-79	677	7.7	30	2	3	7	9	14	16	25
80-84	517	7.8	38	2	3	6	9	14	19	36
85+	466	7.8	31	2	2	7	10	14	17	27
B. *Operated*										
65-69 YRS	55	9.7	32	2	3	9	13	18	20	28
70-74	57	11.9	53	3	4	11	15	19	28	37
75-79	54	13.3	109	4	5	11	16	21	25	74
80-84	36	11.8	57	4	5	9	16	21	24	39
85+	19	12.8	32	4	5	12	17	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	5.7	12	2	2	5	7	10	12	19
B. *Operated*	12	8.7	41	1	2	6	11	17	24	25
2. MULTIPLE DX										
A. *Not Operated*	3213	7.4	27	2	3	6	9	13	17	27
B. *Operated*	221	11.7	61	3	4	10	15	20	24	38
1. SINGLE DX	406	5.7	13	2	2	5	7	10	13	19
2. MULTIPLE DX	3434	7.7	31	2	3	6	10	14	18	28
A. NOT OPERATED	3607	7.2	26	2	3	6	9	13	16	26
B. OPERATED	233	11.6	60	3	4	10	15	20	25	38
TOTAL 65-69 YRS	1050	6.9	21	2	3	6	8	12	16	24
70-74	873	7.2	23	2	3	6	9	13	16	26
75-79	803	7.9	36	2	3	7	10	14	17	26
80-84	595	7.9	39	2	3	6	9	15	20	36
85+	519	7.8	32	2	2	7	10	15	18	27
GRAND TOTAL	**3840**	**7.4**	**29**	**2**	**3**	**6**	**9**	**14**	**17**	**27**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	105	4.7	16	1	1	4	6	9	10	22
70-74	62	4.8	13	1	1	4	6	9	12	19
75-79	40	5.0	22	1	2	4	6	8	11	29
80-84	21	3.9	10	1	1	3	5	8	11	12
85+	29	5.4	17	1	1	5	7	11	13	20
B. *Operated*										
65-69 YRS	4	3.5	4	1	1	4	5	5	5	5
70-74	4	7.0	23	3	3	5	10	14	14	14
75-79										
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	661	6.1	16	1	2	5	8	11	14	19
70-74	606	6.1	16	2	2	5	8	11	14	21
75-79	465	6.3	23	1	2	5	8	12	15	23
80-84	371	6.2	21	2	2	5	8	11	14	24
85+	414	6.8	31	2	2	6	8	12	15	31
B. *Operated*										
65-69 YRS	67	8.5	21	2	3	8	11	15	20	86
70-74	47	9.4	45	2	3	7	12	17	25	34
75-79	32	13.7	132	1	2	11	18	35	36	44
80-84	28	14.2	215	2	2	10	20	24	30	79
85+	14	13.5	110	2	2	12	20	30	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.8	16	1	1	4	6	9	11	20
B. *Operated*	11	4.5	13	1	1	5	5	9	14	14
2. MULTIPLE DX										
A. *Not Operated*	2517	6.3	20	2	2	5	8	11	14	22
B. *Operated*	188	10.8	85	2	2	9	13	21	29	65
1. SINGLE DX	268	4.8	15	1	1	4	6	9	11	20
2. MULTIPLE DX	2705	6.6	26	2	2	5	8	12	15	25
A. NOT OPERATED	2774	6.1	20	1	2	5	8	11	14	22
B. OPERATED	199	10.5	83	2	2	9	13	21	28	61
TOTAL 65-69 YRS	837	6.1	17	1	2	5	8	11	14	20
70-74	719	6.2	18	2	2	5	8	11	14	22
75-79	537	6.6	32	1	2	5	8	12	16	35
80-84	422	6.6	37	1	2	5	8	12	17	26
85+	458	6.9	34	2	2	6	8	13	16	33
GRAND TOTAL	**2973**	**6.4**	**26**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.0	24	<1	1	3	4	9	11	29
70-74	27	3.8	4	1	1	4	5	7	7	8
75-79	31	5.5	15	1	1	5	7	12	15	15
80-84	25	5.1	14	<1	1	5	7	11	12	14
85+	33	5.2	20	1	1	4	6	11	16	20
B. *Operated*										
65-69 YRS	289	4.1	4	2	2	4	5	6	8	13
70-74	173	4.5	6	2	2	4	6	7	10	12
75-79	77	4.7	7	1	2	4	6	9	11	14
80-84	26	5.1	8	1	2	5	7	9	10	11
85+	5	8.4	106	<1	<1	4	13	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	188	5.2	17	1	1	4	6	11	14	21
70-74	201	6.2	27	1	2	5	8	12	15	28
75-79	237	6.6	29	1	2	5	9	13	16	32
80-84	243	7.1	27	1	2	6	9	13	16	31
85+	296	7.1	33	2	2	5	9	14	19	33
B. *Operated*										
65-69 YRS	370	5.8	27	2	2	4	7	11	14	31
70-74	242	6.0	14	2	3	5	7	10	13	20
75-79	153	6.6	26	2	3	5	8	12	15	33
80-84	56	7.8	59	1	2	6	9	14	22	47
85+	30	10.0	67	2	4	9	12	15	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.7	16	1	1	4	6	9	12	20
B. *Operated*	570	4.4	6	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1165	6.5	28	1	2	5	9	13	16	30
B. *Operated*	851	6.3	27	2	2	5	7	11	14	32
1. SINGLE DX	722	4.5	8	1	2	4	5	8	10	15
2. MULTIPLE DX	2016	6.4	27	2	2	5	8	12	15	31
A. NOT OPERATED	1317	6.3	27	1	2	5	8	13	16	29
B. OPERATED	1421	5.5	20	2	2	4	6	10	13	22
TOTAL 65-69 YRS	883	5.1	18	1	2	4	6	9	12	21
70-74	643	5.6	16	2	2	5	7	10	12	21
75-79	498	6.3	24	1	2	5	8	12	14	27
80-84	350	6.9	30	1	2	6	9	13	16	31
85+	364	7.2	36	1	2	5	10	14	19	33

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	2.2	3	1	1	1	3	5	7	9
70-74	55	2.5	3	<1	1	2	4	5	6	8
75-79	45	2.8	5	1	1	2	3	6	8	10
80-84	34	4.1	13	1	1	3	6	11	11	12
85+	34	2.9	12	1	1	2	3	7	9	18
B. *Operated*										
65-69 YRS										
70-74	2	46.0	3528	4	4	46	88	88	88	88
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	580	4.7	24	1	1	3	6	10	13	20
70-74	616	5.1	29	1	1	4	6	10	14	28
75-79	629	5.6	42	1	1	4	7	12	18	48
80-84	529	6.2	45	1	2	4	8	12	17	40
85+	570	6.2	46	1	1	4	8	14	19	38
B. *Operated*										
65-69 YRS	196	5.8	41	1	1	4	8	13	17	38
70-74	203	6.5	58	1	1	5	8	12	18	46
75-79	198	7.3	104	1	1	4	8	15	27	52
80-84	161	10.0	180	1	1	6	11	22	43	61
85+	182	9.4	156	1	1	5	11	23	34	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.8	7	1	1	2	4	6	8	12
B. *Operated*	2	46.0	3528	4	4	46	88	88	88	88
2. MULTIPLE DX										
A. *Not Operated*	2924	5.5	38	1	1	4	7	12	16	31
B. *Operated*	940	7.7	106	1	1	5	9	16	25	56
1. SINGLE DX	223	3.2	39	1	1	2	4	7	8	14
2. MULTIPLE DX	3864	6.1	55	1	1	4	7	13	18	44
A. NOT OPERATED	3145	5.3	36	1	1	4	7	11	16	30
B. OPERATED	942	7.8	113	1	1	5	9	16	25	58
TOTAL 65-69 YRS	829	4.8	28	1	1	3	6	10	14	24
70-74	876	5.4	43	1	1	4	6	11	15	30
75-79	872	5.8	55	1	1	4	7	12	18	48
80-84	724	6.9	76	1	1	4	8	14	19	52
85+	786	6.8	73	1	1	4	8	15	22	61

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.3	9	<1	1	2	4	8	10	13
70-74	21	4.2	23	<1	1	3	4	11	17	19
75-79	19	3.9	17	<1	<1	3	5	9	14	17
80-84	29	7.6	62	1	1	5	9	18	29	30
85+	36	8.2	327	<1	1	3	5	17	56	88
B. *Operated*										
65-69 YRS	28	8.8	20	2	3	10	11	16	16	17
70-74	35	9.5	50	2	4	8	11	16	18	43
75-79	34	12.6	86	5	6	9	14	24	35	46
80-84	33	14.6	82	4	5	14	21	28	39	99+
85+	19	14.2	67	3	5	14	19	26	31	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	290	5.9	46	1	1	4	7	12	17	37
70-74	357	7.2	73	1	1	4	9	16	23	57
75-79	363	8.3	87	1	1	5	11	18	25	56
80-84	392	8.3	95	1	1	5	10	18	27	51
85+	440	9.0	96	1	2	6	11	20	28	90
B. *Operated*										
65-69 YRS	212	16.4	246	1	2	11	24	39	57	99+
70-74	240	18.1	272	1	2	14	27	42	56	99+
75-79	272	19.2	342	2	3	14	27	46	64	98
80-84	214	17.0	218	2	3	13	23	37	54	99+
85+	246	15.7	214	1	2	11	22	36	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	5.6	106	<1	1	3	6	12	18	70
B. *Operated*	149	11.8	66	3	4	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*	1842	7.9	83	1	1	5	10	17	24	58
B. *Operated*	1184	17.4	262	1	2	13	24	40	56	99+
1. SINGLE DX	290	8.8	95	1	1	7	11	19	27	59
2. MULTIPLE DX	3026	11.6	174	1	2	7	15	28	40	85
A. NOT OPERATED	1983	7.7	85	1	1	5	10	17	24	58
B. OPERATED	1333	16.8	243	1	2	12	23	39	54	99+
TOTAL 65-69 YRS	566	9.8	144	1	1	6	12	24	38	66
70-74	653	11.2	171	1	1	7	14	30	42	97
75-79	688	12.7	215	1	2	8	15	30	44	88
80-84	668	11.4	149	1	2	8	15	27	37	82
85+	741	11.3	155	1	2	7	15	27	38	75
GRAND TOTAL	**3316**	**11.4**	**168**	**1**	**1**	**7**	**14**	**27**	**40**	**83**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.8	5	<1	1	3	5	7	8	8
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	5	5.0	7	2	2	5	7	8	8	8
80-84	2	3.5	5	2	2	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	9	5.1	14	2	2	4	6	11	14	14
70-74	7	3.9	4	1	1	4	5	7	7	7
75-79	3	11.0	19	8	8	9	14	16	16	16
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	6.8	21	2	3	6	9	12	16	24
70-74	105	7.5	31	2	2	6	9	15	18	29
75-79	85	7.9	28	2	3	7	10	15	18	27
80-84	71	8.3	25	2	3	7	11	15	20	23
85+	73	9.1	59	2	3	7	11	17	19	47
B. *Operated*										
65-69 YRS	129	13.2	122	4	4	10	17	29	32	74
70-74	152	15.6	215	3	5	11	20	33	50	90
75-79	124	13.8	141	4	4	10	17	26	40	80
80-84	84	12.6	69	4	5	10	17	25	29	42
85+	59	16.1	274	4	5	10	16	43	53	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.7	5	<1	1	3	5	7	8	8
B. *Operated*	21	5.5	14	1	2	4	7	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	459	7.8	32	2	2	7	10	15	18	28
B. *Operated*	548	14.2	161	4	5	10	17	28	45	74
1. SINGLE DX	44	4.6	10	1	2	4	6	8	10	16
2. MULTIPLE DX	1007	11.3	112	2	3	8	13	22	31	68
A. NOT OPERATED	482	7.6	31	2	2	6	10	14	18	28
B. OPERATED	569	13.9	158	3	4	10	17	28	44	74
TOTAL 65-69 YRS	275	9.6	79	2	3	7	12	19	29	56
70-74	268	11.9	152	2	3	8	14	26	39	73
75-79	217	11.2	101	2	3	9	14	22	28	71
80-84	158	10.5	53	3	3	8	13	20	26	34
85+	133	12.2	165	2	3	9	13	22	45	73
GRAND TOTAL	**1051**	**11.0**	**110**	**2**	**3**	**8**	**13**	**22**	**30**	**67**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.7	1	1	1	2	2	3	3	3
70-74	4	1.5	1	1	1	1	2	3	3	3
75-79	7	2.4	2	1	1	2	3	5	5	5
80-84	4	4.3	7	2	2	4	6	7	7	7
85+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
65-69 YRS	9	7.9	10	3	4	7	9	13	15	15
70-74	4	5.5	3	4	4	5	7	7	7	7
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	2	7.0	32	3	3	7	11	11	11	11
85+	3	11.0	7	9	9	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	5.1	16	1	2	4	6	10	14	20
70-74	55	4.6	13	1	1	3	6	10	12	14
75-79	69	6.3	28	1	2	5	8	13	17	30
80-84	67	5.9	19	2	2	5	8	12	16	20
85+	81	7.1	35	2	2	5	9	15	20	30
B. *Operated*										
65-69 YRS	106	15.5	138	4	5	12	19	33	40	61
70-74	115	19.8	279	4	5	15	26	43	62	99+
75-79	75	13.8	121	3	5	12	18	28	35	99+
80-84	73	15.8	180	3	4	12	21	33	45	69
85+	44	15.0	256	2	3	11	19	26	45	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	3	1	1	2	3	5	6	7
B. *Operated*	20	7.7	11	3	3	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	367	5.9	23	1	2	4	8	12	16	23
B. *Operated*	413	16.4	197	3	4	12	21	35	46	92
1. SINGLE DX	44	4.9	13	1	1	4	7	9	12	15
2. MULTIPLE DX	780	11.4	143	2	2	8	15	24	37	78
A. NOT OPERATED	391	5.6	23	1	1	4	7	12	15	22
B. OPERATED	433	16.0	192	3	4	12	20	34	46	90
TOTAL 65-69 YRS	216	10.2	102	1	2	7	13	21	33	52
70-74	178	14.4	238	1	2	9	19	38	46	97
75-79	153	9.8	87	2	2	7	14	20	30	99
80-84	146	10.8	123	2	2	8	13	23	33	58
85+	131	9.8	121	2	2	7	12	21	26	75
GRAND TOTAL	**824**	**11.1**	**138**	**1**	**2**	**8**	**14**	**24**	**35**	**75**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	18	3	3	6	9	9	9	9
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	20	2.8	4	<1	1	2	4	6	7	7
70-74	14	2.9	5	<1	1	2	4	7	7	7
75-79	14	3.2	6	1	1	2	4	7	9	10
80-84	10	2.7	8	1	1	2	3	7	10	10
85+	9	2.2	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	13	4	4	6	9	9	9	9
70-74	5	2.8	1	2	2	2	4	4	4	4
75-79	4	4.3	15	2	2	3	6	10	10	10
80-84	6	4.7	5	3	3	4	7	8	8	8
85+	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
65-69 YRS	49	4.8	17	<1	1	4	6	9	13	20
70-74	50	4.1	8	1	1	4	5	7	10	15
75-79	49	5.6	42	1	1	4	7	14	19	37
80-84	42	6.7	34	1	2	5	8	15	19	29
85+	43	6.5	75	1	2	4	7	13	15	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.5	23	2	2	6	10	12	12	12
B. *Operated*	67	2.8	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	21	3.8	6	1	1	3	4	8	9	10
B. *Operated*	233	5.5	34	1	1	4	7	11	15	30
1. SINGLE DX	71	3.0	6	1	1	2	4	7	9	12
2. MULTIPLE DX	254	5.4	32	1	1	4	7	10	15	29
A. NOT OPERATED	25	4.2	9	1	2	3	5	9	10	12
B. OPERATED	300	4.9	29	1	1	4	6	10	14	26
TOTAL 65-69 YRS	73	4.4	14	<1	1	3	6	8	12	19
70-74	69	3.8	7	1	1	3	5	7	9	14
75-79	68	5.1	34	1	1	3	7	11	15	34
80-84	58	5.8	29	1	1	4	8	13	16	28
85+	57	5.4	60	1	1	3	6	11	14	53
GRAND TOTAL	**325**	**4.8**	**28**	**1**	**1**	**3**	**6**	**9**	**14**	**24**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.2	4	1	1	1	3	6	7	7
70-74	12	2.8	3	1	1	2	5	5	5	5
75-79	5	2.0	5	1	1	1	3	6	6	6
80-84	5	3.2	15	1	1	2	4	10	10	10
85+	10	2.4	6	<1	<1	1	2	7	8	8
B. *Operated*										
65-69 YRS	13	2.3	2	<1	<1	2	3	4	5	5
70-74	25	2.8	6	<1	1	2	3	7	8	9
75-79	11	2.6	4	1	1	2	3	6	7	7
80-84	11	1.7	2	1	1	1	2	4	5	5
85+	13	1.9	3	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	110	4.5	17	1	1	3	6	10	13	21
70-74	118	5.7	93	1	1	3	7	10	16	56
75-79	126	5.7	42	1	1	4	7	11	17	37
80-84	143	5.1	21	1	1	4	7	11	14	19
85+	218	5.6	27	1	1	4	7	12	18	25
B. *Operated*										
65-69 YRS	251	5.4	60	1	1	3	6	12	16	67
70-74	250	5.3	49	1	1	3	7	11	18	37
75-79	270	5.8	43	1	1	4	7	13	18	35
80-84	237	6.5	81	1	1	4	7	14	22	70
85+	311	6.1	66	1	1	4	7	11	18	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.5	5	1	1	1	3	6	7	10
B. *Operated*	73	2.4	4	<1	1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	715	5.4	38	1	1	4	7	11	15	26
B. *Operated*	1319	5.8	60	1	1	4	7	12	18	56
1. SINGLE DX	114	2.4	4	1	1	1	3	6	7	9
2. MULTIPLE DX	2034	5.7	52	1	1	4	7	12	17	37
A. NOT OPERATED	756	5.2	36	1	1	4	7	11	15	25
B. OPERATED	1392	5.6	57	1	1	4	7	11	18	52
TOTAL 65-69 YRS	383	4.9	45	1	1	3	6	11	14	44
70-74	405	5.2	58	1	1	3	7	10	16	37
75-79	412	5.6	42	1	1	4	7	11	18	34
80-84	396	5.8	57	1	1	4	7	13	17	40
85+	552	5.7	48	1	1	4	7	11	18	34
GRAND TOTAL	**2148**	**5.5**	**50**	**1**	**1**	**4**	**7**	**11**	**16**	**37**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	6	2.5	3	<1	<1	2	2	6	6	6
75-79	3	1.0		<1	<1	<1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	14	3.3	5	1	1	3	5	6	8	9
70-74	8	3.8	11	1	1	3	6	9	10	10
75-79	3	4.7	9	2	2	4	7	8	8	8
80-84	4	1.5	1	<1	<1	1	2	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	6.6	95	1	1	3	7	16	28	46
70-74	23	7.1	20	1	2	6	10	12	15	20
75-79	24	6.8	61	<1	1	4	10	18	52	99+
80-84	11	6.2	13	2	2	5	9	12	13	13
85+	16	5.3	7	1	2	5	7	9	10	10
B. *Operated*										
65-69 YRS	44	8.2	124	1	1	5	11	17	26	66
70-74	28	7.3	27	1	1	6	10	15	17	20
75-79	29	8.1	66	1	1	5	12	17	27	37
80-84	14	9.0	80	<1	1	6	11	25	29	30
85+	14	9.1	52	2	2	6	13	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	29	3.3	7	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	97	6.5	44	1	1	5	9	12	18	74
B. *Operated*	129	8.2	76	1	1	6	11	18	24	43
1. SINGLE DX	45	2.9	5	<1	1	2	4	6	8	10
2. MULTIPLE DX	226	7.5	62	1	1	5	10	16	22	51
A. NOT OPERATED	113	5.9	40	1	1	4	8	12	17	65
B. OPERATED	158	7.3	66	1	1	5	9	16	23	37
TOTAL 65-69 YRS	85	6.7	93	1	1	4	7	16	20	59
70-74	65	6.4	23	1	1	6	8	12	16	20
75-79	59	7.0	59	<1	1	5	10	16	31	94
80-84	30	6.7	48	<1	1	4	9	15	24	30
85+	32	6.8	30	1	2	5	8	13	21	25
GRAND TOTAL	**271**	**6.7**	**56**	**1**	**1**	**5**	**8**	**14**	**20**	**44**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	3.8	7	1	1	3	5	8	9	10
70-74	10	5.1	11	<1	1	4	5	10	13	13
75-79	20	3.5	6	<1	1	3	5	7	8	9
80-84	3	1.0		1	1	1	1	1	1	1
85+	5	4.0	4	2	2	3	5	7	7	7
B. *Operated*										
65-69 YRS	160	2.5	6	<1	<1	1	3	5	8	13
70-74	104	2.1	6	<1	1	1	2	4	5	16
75-79	59	3.1	7	<1	1	2	4	6	9	14
80-84	29	2.0	2	<1	<1	1	3	4	4	5
85+	26	2.8	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	5.0	11	1	2	4	7	9	11	16
70-74	40	6.1	38	1	2	4	8	11	14	37
75-79	47	6.7	32	1	1	5	8	16	19	28
80-84	24	9.4	179	2	3	6	9	15	37	68
85+	52	5.8	29	1	2	4	7	12	16	33
B. *Operated*										
65-69 YRS	254	3.8	14	1	1	2	5	9	12	16
70-74	192	4.1	30	1	1	2	4	8	15	30
75-79	134	5.6	80	1	1	3	6	13	19	41
80-84	75	6.3	60	<1	1	3	7	16	27	33
85+	75	7.3	40	1	2	6	10	17	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.8	7	1	1	3	5	8	9	13
B. *Operated*	378	2.4	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	204	6.3	46	1	2	5	8	11	16	35
B. *Operated*	730	4.8	39	1	1	3	6	11	16	31
1. SINGLE DX	432	2.6	6	<1	1	2	3	5	8	13
2. MULTIPLE DX	934	5.2	41	1	1	3	6	11	16	31
A. NOT OPERATED	258	5.8	39	1	1	4	7	11	15	33
B. OPERATED	1108	4.0	29	1	1	2	4	9	13	25
TOTAL 65-69 YRS	471	3.5	11	<1	1	2	4	8	10	16
70-74	346	3.8	24	1	1	2	4	8	13	28
75-79	260	5.0	50	1	1	3	6	10	17	28
80-84	131	5.8	72	<1	1	3	6	13	24	40
85+	158	5.9	32	1	1	4	7	12	17	32
GRAND TOTAL	**1366**	**4.3**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**27**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	5.1	10	1	1	5	6	9	13	14
70-74	16	4.4	12	<1	1	4	5	10	13	14
75-79	9	6.8	40	2	2	5	7	17	23	23
80-84	6	7.2	39	1	1	5	12	16	17	17
85+	11	7.5	22	2	2	8	9	14	18	18
B. *Operated*										
65-69 YRS	57	5.3	29	1	1	3	7	10	18	28
70-74	55	5.1	40	<1	1	3	6	10	14	42
75-79	27	6.6	32	1	2	5	9	13	19	26
80-84	18	7.5	37	1	2	5	11	16	21	24
85+	17	8.9	98	1	1	4	12	24	34	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	6.2	18	1	2	6	9	12	13	18
70-74	53	6.1	21	2	2	5	7	12	15	25
75-79	51	6.8	22	1	2	6	10	14	16	98
80-84	38	7.6	32	2	2	6	9	15	18	28
85+	50	7.1	23	2	2	6	8	14	18	22
B. *Operated*										
65-69 YRS	143	12.0	155	1	2	8	15	27	38	71
70-74	107	11.5	126	1	2	9	15	26	31	57
75-79	87	11.8	158	1	2	8	14	26	36	94
80-84	57	12.4	149	3	3	7	14	32	42	49
85+	59	13.3	222	1	2	9	19	27	34	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	5.9	21	1	2	5	7	12	16	23
B. *Operated*	174	6.0	41	1	1	4	7	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	243	6.7	23	1	2	6	9	14	16	25
B. *Operated*	453	12.1	156	1	2	8	15	27	38	69
1. SINGLE DX	230	6.0	36	1	1	4	7	13	17	30
2. MULTIPLE DX	696	10.2	116	1	2	7	13	23	29	66
A. NOT OPERATED	299	6.6	22	1	2	5	8	13	16	24
B. OPERATED	627	10.4	131	1	2	7	13	24	32	66
TOTAL 65-69 YRS	265	9.1	103	1	1	7	11	21	28	66
70-74	231	8.3	83	1	1	5	11	17	26	50
75-79	174	9.3	98	1	2	7	12	20	27	95
80-84	119	9.8	93	2	3	6	12	21	31	48
85+	137	10.0	125	1	2	7	12	23	27	55
GRAND TOTAL	**926**	**9.1**	**99**	**1**	**2**	**6**	**11**	**20**	**28**	**62**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	6	2.5	2	<1	<1	2	4	4	4	4
70-74	5	10.4	41	2	2	11	16	17	17	17
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	28	2	2	4	9	14	14	14
70-74	11	5.3	12	2	2	4	8	11	12	12
75-79	3	7.3	16	3	3	8	10	11	11	11
80-84	4	6.8	10	4	4	6	9	11	11	11
85+	8	7.3	43	1	1	5	10	18	20	20
B. *Operated*										
65-69 YRS	24	18.8	481	2	2	9	27	62	68	76
70-74	19	13.9	231	2	3	10	15	26	52	70
75-79	10	14.2	117	<1	1	13	23	29	33	33
80-84	12	11.5	53	1	2	11	18	21	22	22
85+	9	11.6	106	2	2	5	20	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	13	6.0	31	<1	<1	4	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	30	6.3	21	1	2	5	9	13	14	20
B. *Operated*	74	14.9	251	1	2	10	19	30	58	75
1. SINGLE DX	15	5.4	29	<1	<1	3	8	16	17	17
2. MULTIPLE DX	104	12.4	199	1	2	8	15	26	39	73
A. NOT OPERATED	32	6.0	21	1	2	5	8	13	14	20
B. OPERATED	87	13.5	227	1	2	10	17	28	45	74
TOTAL 65-69 YRS	35	14.0	380	<1	1	6	13	42	64	76
70-74	35	10.7	146	2	2	9	12	20	27	70
75-79	15	11.7	93	<1	2	11	17	25	31	33
80-84	17	9.8	47	1	2	9	16	20	21	22
85+	17	9.5	77	1	1	5	16	25	27	27
GRAND TOTAL	**119**	**11.5**	**182**	**1**	**2**	**7**	**14**	**25**	**36**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	4	7.0	11	3	3	7	9	11	11	11
80-84	2	8.5	25	5	5	8	12	12	12	12
85+	4	15.3	236	5	5	9	24	38	38	38
B. *Operated*										
65-69 YRS	28	4.4	29	1	1	3	5	10	14	27
70-74	8	3.8	20	<1	<1	2	4	12	14	14
75-79	16	5.9	22	<1	1	5	9	13	15	16
80-84	9	8.8	96	<1	<1	5	13	25	31	31
85+	4	11.3	86	3	3	9	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	9.2	75	1	2	5	13	20	22	46
70-74	36	9.2	80	1	2	6	12	19	29	44
75-79	28	10.3	241	2	2	6	11	19	28	85
80-84	18	10.1	124	2	2	6	12	32	38	38
85+	35	11.6	128	2	3	10	14	20	25	67
B. *Operated*										
65-69 YRS	75	8.1	58	1	1	5	12	17	21	37
70-74	57	10.3	125	2	2	7	12	24	28	70
75-79	41	11.5	124	2	2	8	17	24	29	58
80-84	28	14.9	162	3	3	12	20	30	40	60
85+	28	13.2	114	2	2	11	21	28	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.6	82	1	3	6	11	15	33	38
B. *Operated*	65	5.7	40	<1	1	3	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	156	10.1	121	1	2	6	13	20	25	66
B. *Operated*	229	10.7	109	1	2	7	14	23	29	58
1. SINGLE DX	79	6.2	48	<1	1	4	8	13	21	36
2. MULTIPLE DX	385	10.4	114	1	2	7	13	22	29	59
A. NOT OPERATED	170	9.9	118	1	2	6	12	20	26	63
B. OPERATED	294	9.6	98	1	2	6	13	22	28	50
TOTAL 65-69 YRS	144	7.6	59	1	1	5	11	17	21	39
70-74	103	9.3	101	1	2	6	12	21	27	58
75-79	89	9.9	139	2	2	7	11	22	24	74
80-84	57	12.2	137	2	2	9	15	30	38	58
85+	71	12.4	121	2	3	10	15	26	34	61
GRAND TOTAL	**464**	**9.7**	**105**	**1**	**2**	**6**	**13**	**22**	**28**	**56**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	1	2	2	3	4	5	5	5
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	4	3.8	6	1	1	3	5	7	7	7
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	5.1	15	1	1	5	7	8	12	19
70-74	25	4.6	39	<1	1	3	4	11	16	32
75-79	21	7.8	142	1	1	4	8	18	39	53
80-84	24	5.4	11	2	2	5	7	10	12	15
85+	29	7.3	80	1	1	6	8	12	23	48
B. *Operated*										
65-69 YRS	9	4.9	10	1	1	3	7	10	10	10
70-74	11	5.0	8	1	2	4	8	9	10	10
75-79	8	7.1	64	2	2	5	7	21	26	26
80-84	7	8.0	85	2	2	4	9	24	28	28
85+	5	20.4	847	4	4	7	28	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	3	1	1	3	4	6	7	7
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	122	6.1	56	1	1	4	7	11	17	49
B. *Operated*	40	7.9	140	1	2	5	8	12	27	72
1. SINGLE DX	21	3.0	3	1	1	3	4	6	6	7
2. MULTIPLE DX	162	6.5	77	1	1	4	7	11	20	52
A. NOT OPERATED	140	5.7	50	1	1	4	7	10	14	48
B. OPERATED	43	7.4	133	1	2	4	8	11	27	72
TOTAL 65-69 YRS	40	4.7	12	1	1	4	7	8	9	19
70-74	40	4.6	27	1	1	3	5	9	11	32
75-79	33	7.1	105	1	1	4	7	15	27	53
80-84	33	5.8	26	2	2	5	7	10	14	28
85+	37	8.6	181	1	1	6	8	14	39	72
GRAND TOTAL	**183**	**6.1**	**70**	**1**	**1**	**4**	**7**	**10**	**16**	**51**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	133	3.4	8	<1	1	2	4	8	9	12
70-74	114	3.3	5	1	1	3	5	6	8	11
75-79	102	4.4	12	1	1	3	6	9	11	17
80-84	126	4.0	14	1	1	3	5	8	11	19
85+	186	5.1	41	1	1	4	6	10	12	25
B. *Operated*										
65-69 YRS	24	4.3	9	<1	1	4	6	9	10	12
70-74	27	5.7	17	1	1	4	9	11	15	15
75-79	16	5.0	19	2	2	3	6	9	16	19
80-84	16	5.1	9	1	2	5	6	9	12	14
85+	14	5.9	13	1	2	6	8	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1013	5.6	28	1	1	4	7	11	15	28
70-74	1335	6.0	33	1	2	4	7	12	16	26
75-79	1526	6.4	32	1	2	5	8	12	17	29
80-84	1709	7.2	58	1	2	5	9	14	18	47
85+	2445	7.2	58	1	2	5	9	14	19	50
B. *Operated*										
65-69 YRS	162	7.8	87	1	1	5	9	15	21	55
70-74	184	9.4	69	2	2	7	12	18	24	46
75-79	185	9.5	73	2	2	7	14	21	29	49
80-84	204	12.5	128	2	2	9	16	25	38	68
85+	215	11.1	85	2	3	9	15	24	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	661	4.1	19	1	1	3	5	9	11	15
B. *Operated*	97	5.2	13	1	1	4	7	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	8028	6.6	45	1	2	5	8	13	17	36
B. *Operated*	950	10.2	91	1	2	8	14	21	29	66
1. SINGLE DX	758	4.2	18	1	1	3	5	9	11	15
2. MULTIPLE DX	8978	7.0	52	1	2	5	9	14	19	41
A. NOT OPERATED	8689	6.4	44	1	2	5	8	13	17	35
B. OPERATED	1047	9.7	86	1	2	7	13	21	28	65
TOTAL 65-69 YRS	1332	5.6	34	1	1	4	7	11	15	29
70-74	1660	6.2	37	1	1	4	8	13	17	28
75-79	1829	6.6	36	1	2	5	8	13	17	31
80-84	2055	7.5	65	1	2	5	9	15	21	49
85+	2860	7.3	60	1	2	5	9	14	21	55
GRAND TOTAL	**9736**	**6.8**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	2.0	2	1	1	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	6	1.5	1	<1	<1	1	2	3	3	3
70-74	5	7.0	72	1	1	3	12	21	21	21
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	7.0		7	7	7	7	7	7	7
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	7.8	15	3	3	7	12	13	13	13
70-74	6	5.0	8	2	2	5	7	9	9	9
75-79	8	4.8	24	1	1	3	5	13	16	16
80-84	5	9.6	12	6	6	10	11	15	15	15
85+	5	8.4	3	6	6	8	9	11	11	11
B. *Operated*										
65-69 YRS	16	7.3	39	1	1	5	10	18	21	22
70-74	14	5.9	32	1	1	4	9	14	19	20
75-79	8	7.9	58	1	1	5	14	19	21	21
80-84	7	20.6	215	5	6	18	24	45	50	50
85+	5	17.8	378	1	1	17	25	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*	16	3.6	27	<1	<1	2	3	9	17	21
2. MULTIPLE DX										
A. *Not Operated*	34	6.9	16	1	2	6	10	12	15	16
B. *Operated*	50	9.9	116	1	1	7	14	21	25	50
1. SINGLE DX	22	3.4	21	<1	<1	2	3	8	14	21
2. MULTIPLE DX	84	8.7	77	1	1	6	11	18	22	50
A. NOT OPERATED	40	6.3	16	1	1	6	9	12	14	16
B. OPERATED	66	8.4	101	1	1	5	12	21	23	50
TOTAL 65-69 YRS	34	6.2	28	<1	1	5	9	13	18	22
70-74	26	5.7	31	1	1	4	9	13	20	21
75-79	18	5.8	39	1	1	3	7	16	19	21
80-84	15	13.5	148	1	3	10	17	25	44	50
85+	13	10.5	169	1	1	8	12	24	45	50
GRAND TOTAL	**106**	**7.6**	**70**	**1**	**1**	**5**	**10**	**17**	**21**	**50**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
GRAND TOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	1.5	1	<1	<1	1	2	2	3	8
70-74	71	1.6	3	<1	1	1	2	3	3	13
75-79	75	1.8	3	<1	1	1	2	5	7	10
80-84	53	2.2	5	1	1	1	2	4	6	13
85+	40	1.7	1	1	1	1	2	3	4	4
B. *Operated*										
65-69 YRS	22	2.9	7	<1	1	2	4	8	9	10
70-74	15	2.3	8	<1	<1	1	3	3	10	12
75-79	19	1.7	2	<1	<1	1	2	3	5	6
80-84	12	3.0	30	1	1	1	2	9	18	20
85+	8	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	214	4.1	30	1	1	2	4	9	12	33
70-74	238	4.0	25	1	1	2	5	8	12	25
75-79	213	3.5	11	1	1	2	4	7	11	16
80-84	164	4.0	16	1	1	3	5	9	11	16
85+	190	4.4	18	1	1	3	6	10	14	68
B. *Operated*										
65-69 YRS	150	6.0	80	1	1	3	7	13	20	36
70-74	162	6.2	44	1	1	3	8	17	20	31
75-79	127	6.6	102	1	1	4	8	13	19	67
80-84	95	6.1	30	1	1	4	9	14	19	25
85+	83	8.6	151	1	2	5	8	22	29	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	1.7	3	<1	1	1	2	3	5	9
B. *Operated*	76	2.4	9	<1	1	1	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	1019	4.0	20	1	1	3	5	9	12	25
B. *Operated*	617	6.5	77	1	1	4	8	15	20	38
1. SINGLE DX	392	1.8	4	<1	1	1	2	3	5	11
2. MULTIPLE DX	1636	4.9	43	1	1	3	6	11	16	31
A. NOT OPERATED	1335	3.5	17	1	1	2	4	8	11	23
B. OPERATED	693	6.1	71	1	1	3	7	14	20	37
TOTAL 65-69 YRS	463	4.2	43	1	1	2	5	9	13	34
70-74	486	4.3	30	1	1	2	5	10	16	26
75-79	434	4.0	39	1	1	2	5	9	13	23
80-84	324	4.3	20	1	1	3	5	10	14	20
85+	321	5.1	55	1	1	3	6	10	18	65
GRAND TOTAL	**2028**	**4.3**	**37**	**1**	**1**	**2**	**5**	**10**	**14**	**29**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	12.4	21	7	7	12	16	18	18	18
70-74	2	28.0	882	7	7	28	49	49	49	49
75-79	2	9.0	50	4	4	9	14	14	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	18	16.2	259	2	3	15	20	28	55	71
70-74	12	10.9	222	1	1	4	15	36	45	47
75-79	14	12.0	65	3	4	11	13	24	29	30
80-84	4	14.8	339	1	1	8	27	41	41	41
85+	4	4.8	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	13.3	114	2	4	9	19	32	35	46
70-74	32	14.0	95	2	3	12	18	26	37	41
75-79	22	14.3	129	4	4	11	17	33	42	43
80-84	22	12.4	146	2	2	9	12	31	41	49
85+	15	14.3	109	3	5	12	16	22	41	47
B. *Operated*										
65-69 YRS	100	28.6	475	5	7	23	41	72	94	99+
70-74	94	22.4	333	4	4	18	35	54	91	99+
75-79	71	26.5	369	4	6	20	37	53	62	94
80-84	61	31.2	476	8	9	24	40	67	81	94
85+	52	31.0	557	6	7	25	50	86	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	14.3	151	4	6	12	15	30	47	49
B. *Operated*	52	12.9	182	1	2	7	18	30	40	70
2. MULTIPLE DX										
A. *Not Operated*	134	13.6	113	2	4	10	17	29	38	47
B. *Operated*	378	27.4	437	5	7	22	39	64	90	99+
1. SINGLE DX	63	13.1	174	2	2	8	16	30	43	68
2. MULTIPLE DX	512	23.8	389	4	5	19	34	54	77	99+
A. NOT OPERATED	145	13.6	115	2	4	10	17	29	39	49
B. OPERATED	430	25.7	429	4	5	21	36	61	86	99+
TOTAL 65-69 YRS	166	22.8	393	4	5	17	33	54	79	99+
70-74	140	19.6	288	2	4	15	28	50	59	99+
75-79	109	21.9	314	4	4	17	30	45	60	86
80-84	88	[illegible]	450	2	6	20	37	50	68	93
85+	72	25.[illegible]	498	5	6	19	38	73	92	99+
GRAND TOTAL	**575**	**22.6**	**376**	**3**	**5**	**17**	**32**	**53**	**73**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	8.6	49	<1	1	6	14	18	22	24
70-74	14	7.9	53	2	2	6	8	15	27	31
75-79	7	6.7	25	2	2	4	11	14	15	15
80-84	9	5.0	11	1	1	5	7	10	11	11
85+	3	5.7	5	3	3	7	7	7	7	7
B. *Operated*										
65-69 YRS	7	6.3	18	2	2	6	9	12	13	13
70-74	12	10.1	44	1	2	10	12	20	24	25
75-79	5	15.6	136	5	5	13	23	34	34	34
80-84										
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	7.6	38	1	2	6	10	14	17	32
70-74	119	9.9	131	2	2	6	12	20	30	60
75-79	103	12.3	228	2	3	8	14	26	48	99
80-84	86	11.2	103	2	3	8	14	21	26	56
85+	84	12.1	133	2	3	9	14	25	36	65
B. *Operated*										
65-69 YRS	65	16.2	149	2	3	14	25	46	99+	99+
70-74	55	20.3	348	4	4	15	24	62	71	99
75-79	43	20.0	204	4	7	16	24	45	49	63
80-84	31	21.2	300	5	7	14	24	48	68	70
85+	23	21.9	333	4	4	17	36	56	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	7.4	38	1	2	6	9	15	20	31
B. *Operated*	25	10.5	61	1	2	9	13	19	27	34
2. MULTIPLE DX										
A. *Not Operated*	524	10.4	125	2	2	7	13	21	30	67
B. *Operated*	217	19.3	251	3	5	15	25	47	69	99+
1. SINGLE DX	78	8.4	47	1	2	7	11	18	22	33
2. MULTIPLE DX	741	13.0	178	2	3	9	16	29	45	99+
A. NOT OPERATED	577	10.1	118	1	2	7	12	20	29	63
B. OPERATED	242	18.4	238	3	4	14	24	46	67	99+
TOTAL 65-69 YRS	224	10.1	85	1	2	8	13	23	37	99+
70-74	200	12.6	201	2	2	9	15	27	39	91
75-79	158	14.3	222	2	3	10	17	33	48	96
80-84	126	13.2	166	2	3	9	16	24	47	69
85+	111	14.0	185	2	3	10	18	35	44	85
GRAND TOTAL	**819**	**12.5**	**167**	**2**	**3**	**9**	**16**	**27**	**43**	**99**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	7	1	1	2	5	7	7	7
70-74	3	7.3	85	2	2	2	14	18	18	18
75-79	5	7.6	31	<1	<1	8	12	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.7	50	<1	1	2	3	17	24	26
70-74	4	5.3	25	1	1	4	9	12	12	12
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	2	6.5	13	4	4	6	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	8.5	54	2	3	7	10	19	33	99+
70-74	50	10.1	69	2	2	8	13	23	28	40
75-79	52	9.9	91	1	2	7	12	26	32	45
80-84	40	8.9	54	1	2	8	11	16	27	34
85+	34	11.6	228	2	2	8	14	20	23	90
B. *Operated*										
65-69 YRS	41	12.8	406	1	1	3	14	36	62	94
70-74	38	14.8	384	1	1	5	24	54	71	99+
75-79	32	16.8	411	1	2	11	21	60	86	99+
80-84	7	11.4	246	1	1	7	14	39	45	45
85+	7	17.6	170	7	8	14	17	40	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.1	33	<1	1	3	10	15	18	18
B. *Operated*	25	4.7	38	<1	1	2	5	12	21	26
2. MULTIPLE DX										
A. *Not Operated*	218	9.8	93	2	2	7	12	20	31	59
B. *Operated*	125	14.6	372	1	1	7	17	46	64	99+
1. SINGLE DX	37	5.1	36	<1	1	2	7	14	19	26
2. MULTIPLE DX	343	11.5	199	1	2	7	14	30	45	94
A. NOT OPERATED	230	9.6	90	1	2	7	12	20	30	54
B. OPERATED	150	13.0	330	1	1	6	16	41	62	99+
TOTAL 65-69 YRS	104	9.4	197	1	1	5	10	26	37	97
70-74	95	11.7	197	1	2	7	14	32	49	89
75-79	91	12.0	209	1	2	7	15	27	45	96
80-84	49	9.2	76	1	2	7	11	17	34	45
85+	41	12.6	219	2	3	9	15	21	33	90
GRAND TOTAL	**380**	**10.9**	**187**	**1**	**1**	**7**	**13**	**26**	**40**	**93**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	2.8	4	1	1	2	3	4	6	11
70-74	35	4.3	10	1	1	3	6	8	10	16
75-79	25	3.3	6	1	1	3	4	5	9	11
80-84	17	3.4	6	1	1	3	4	7	9	10
85+	32	4.8	23	<1	<1	3	7	11	12	24
B. *Operated*										
65-69 YRS	16	6.1	18	<1	2	5	8	12	15	16
70-74	10	18.3	764	1	1	5	15	70	73	73
75-79	5	5.6	26	2	2	3	9	14	14	14
80-84	8	11.1	80	2	2	9	18	24	25	25
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	222	6.2	24	1	2	5	8	14	17	23
70-74	257	6.7	30	1	2	5	9	14	18	30
75-79	281	6.7	35	1	2	5	8	13	16	28
80-84	296	7.1	34	2	2	6	9	15	20	33
85+	329	7.4	36	2	2	6	10	15	18	40
B. *Operated*										
65-69 YRS	96	11.0	134	2	2	8	16	22	27	67
70-74	82	13.8	158	2	4	11	17	26	39	69
75-79	65	12.0	109	2	3	9	15	23	32	59
80-84	50	17.9	444	1	2	10	20	48	74	90
85+	55	14.1	269	2	2	8	18	28	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.8	11	1	1	3	4	8	11	17
B. *Operated*	41	9.7	225	1	1	5	11	18	44	73
2. MULTIPLE DX										
A. *Not Operated*	1385	6.9	32	1	2	5	9	14	18	30
B. *Operated*	348	13.3	203	2	2	9	16	26	41	79
1. SINGLE DX	178	5.2	66	1	1	3	5	11	14	55
2. MULTIPLE DX	1733	8.2	73	1	2	6	10	16	23	48
A. NOT OPERATED	1522	6.6	31	1	2	5	8	14	17	28
B. OPERATED	389	13.0	206	2	2	9	16	26	41	77
TOTAL 65-69 YRS	362	7.2	57	1	2	5	9	16	20	35
70-74	384	8.3	85	1	2	6	10	17	23	64
75-79	376	7.3	51	1	2	6	9	15	18	38
80-84	371	8.5	103	1	2	6	10	17	25	73
85+	418	8.1	71	1	2	6	10	16	23	48
GRAND TOTAL	**1911**	**7.9**	**73**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	3.3	10	<1	1	2	4	7	9	16
70-74	58	3.2	5	<1	1	3	4	6	8	10
75-79	56	3.1	5	1	1	3	4	6	9	11
80-84	41	4.5	27	1	1	4	5	8	10	33
85+	39	3.3	15	1	1	2	4	5	8	24
B. *Operated*										
65-69 YRS	2	11.5	5	10	10	11	13	13	13	13
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	9.0	18	6	6	9	12	12	12	12
80-84										
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1149	6.2	37	1	2	5	8	12	16	34
70-74	1167	6.4	40	1	2	5	8	12	17	35
75-79	1224	6.5	39	1	2	5	8	13	17	31
80-84	931	7.1	49	1	2	5	9	13	18	37
85+	798	7.0	35	1	2	6	9	13	17	29
B. *Operated*										
65-69 YRS	100	12.5	118	2	3	9	16	25	35	54
70-74	94	14.0	222	2	3	10	16	40	72	99+
75-79	101	13.6	136	2	3	10	18	29	38	99+
80-84	63	12.5	110	3	4	10	15	24	34	64
85+	59	15.4	151	3	4	12	18	32	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	3.4	11	1	1	3	4	7	8	16
B. *Operated*	7	9.3	49	1	1	10	13	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	5269	6.6	40	1	2	5	8	13	17	32
B. *Operated*	417	13.5	149	2	3	10	17	29	41	99+
1. SINGLE DX	260	3.6	13	1	1	3	4	7	10	20
2. MULTIPLE DX	5686	7.1	51	1	2	5	9	14	19	39
A. NOT OPERATED	5522	6.5	39	1	2	5	8	13	17	32
B. OPERATED	424	13.4	147	2	3	10	16	29	41	99+
TOTAL 65-69 YRS	1310	6.6	45	1	1	5	8	13	18	40
70-74	1321	6.8	55	1	2	5	8	13	18	47
75-79	1383	6.9	48	1	2	5	8	14	20	34
80-84	1035	7.3	54	1	2	5	9	14	19	37
85+	897	7.4	47	1	2	6	9	14	19	36
GRAND TOTAL	**5946**	**7.0**	**50**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	1.8	2	1	1	1	2	3	5	8
70-74	57	1.9	3	1	1	1	2	3	4	12
75-79	26	2.0	6	<1	1	1	2	3	9	12
80-84	11	2.4	4	<1	<1	2	3	6	8	8
85+	12	1.6	2	1	1	1	1	4	5	5
B. *Operated*										
65-69 YRS	4	4.3	7	2	2	4	6	7	7	7
70-74	1	33.0		33	33	33	33	33	33	33
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	252	4.2	40	1	1	2	4	9	14	32
70-74	179	4.6	35	1	1	3	5	10	14	24
75-79	154	5.4	36	1	1	3	7	12	17	36
80-84	102	4.9	30	1	1	3	6	10	13	34
85+	76	5.4	39	1	1	3	6	13	15	37
B. *Operated*										
65-69 YRS	21	23.6	573	1	2	14	38	57	76	96
70-74	16	9.8	274	2	2	4	9	14	53	70
75-79	14	7.9	41	<1	1	7	11	15	23	25
80-84	11	19.6	660	5	6	9	20	55	91	94
85+	11	14.1	85	4	4	15	18	27	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	1.9	3	1	1	1	2	3	5	11
B. *Operated*	7	11.0	161	2	2	6	20	31	33	33
2. MULTIPLE DX										
A. *Not Operated*	763	4.7	37	1	1	3	5	10	15	32
B. *Operated*	73	15.5	368	2	2	9	16	38	59	96
1. SINGLE DX	178	2.2	12	1	1	1	2	4	7	21
2. MULTIPLE DX	836	5.7	74	1	1	3	6	12	17	44
A. NOT OPERATED	934	4.2	32	1	1	2	5	9	14	28
B. OPERATED	80	15.1	349	2	2	9	17	36	57	95
TOTAL 65-69 YRS	342	4.9	87	1	1	2	4	10	17	60
70-74	253	4.4	48	1	1	2	4	10	14	33
75-79	195	5.1	34	1	1	3	7	12	17	31
80-84	124	6.0	97	1	1	3	7	11	17	53
85+	100	6.1	52	1	1	4	7	15	20	38
GRAND TOTAL	**1014**	**5.1**	**65**	**1**	**1**	**3**	**5**	**11**	**16**	**40**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	111	2.9	8	1	1	2	3	6	9	15
70-74	97	2.9	5	1	1	2	4	5	8	12
75-79	80	3.5	11	1	1	2	4	8	10	17
80-84	40	3.8	7	1	1	3	6	8	9	10
85+	53	4.2	7	1	1	4	6	7	8	13
B. *Operated*										
65-69 YRS	7	9.6	53	2	2	9	11	22	24	24
70-74	5	4.6	11	1	1	3	7	9	9	9
75-79	3	6.0	37	2	2	3	10	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1057	5.8	34	1	1	4	7	11	14	31
70-74	1287	6.2	32	1	2	5	8	12	16	32
75-79	1215	6.5	48	1	2	5	8	12	16	33
80-84	961	6.6	40	1	2	5	8	13	17	40
85+	919	7.5	58	2	2	6	9	14	19	40
B. *Operated*										
65-69 YRS	151	13.9	213	2	2	9	18	29	40	98
70-74	169	13.9	173	1	2	10	18	34	41	99+
75-79	129	15.2	200	2	3	11	20	33	45	99+
80-84	91	15.1	181	2	3	11	20	33	53	84
85+	84	14.7	207	2	4	10	16	31	58	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.3	8	1	1	2	4	7	9	13
B. *Operated*	15	7.2	36	1	2	6	10	13	21	24
2. MULTIPLE DX										
A. *Not Operated*	5439	6.5	42	1	2	5	8	12	17	33
B. *Operated*	624	14.4	193	2	3	10	19	32	49	99+
1. SINGLE DX	396	3.4	9	1	1	2	5	7	9	13
2. MULTIPLE DX	6063	7.3	63	1	2	5	9	15	21	45
A. NOT OPERATED	5820	6.3	40	1	2	5	8	12	16	33
B. OPERATED	639	14.3	191	2	2	10	18	32	48	99+
TOTAL 65-69 YRS	1326	6.5	60	1	1	4	8	13	19	39
70-74	1558	6.8	53	1	2	5	8	14	20	40
75-79	1427	7.1	66	1	2	5	8	14	20	45
80-84	1092	7.2	56	1	2	5	9	15	20	51
85+	1056	7.9	72	2	2	6	9	15	21	56
GRAND TOTAL	**6459**	**7.1**	**61**	**1**	**2**	**5**	**8**	**14**	**20**	**44**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	7.1	67	<1	1	4	9	17	27	40
70-74	62	5.9	78	<1	1	4	6	13	18	58
75-79	79	5.5	44	1	1	4	6	10	17	40
80-84	54	6.2	52	1	1	3	8	15	20	41
85+	42	5.7	34	<1	1	3	9	14	16	28
B. *Operated*										
65-69 YRS	911	7.9	55	1	1	5	11	17	21	34
70-74	978	7.2	53	1	1	4	11	16	20	38
75-79	788	7.5	58	1	1	5	11	17	21	35
80-84	563	6.9	55	1	1	4	10	15	21	35
85+	434	6.6	40	1	1	4	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	430	7.2	61	1	1	5	9	15	20	43
70-74	515	7.0	53	1	1	5	9	14	21	47
75-79	455	8.2	85	1	2	6	10	18	26	46
80-84	371	7.7	73	1	1	5	9	16	21	43
85+	373	7.6	46	1	2	6	10	15	21	38
B. *Operated*										
65-69 YRS	3939	10.7	130	1	2	7	14	23	32	61
70-74	3710	11.2	146	1	2	8	15	25	36	66
75-79	3086	11.3	138	1	2	8	15	25	36	64
80-84	2125	10.8	130	1	2	7	15	24	32	62
85+	1544	10.4	112	2	2	7	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	6.1	56	1	1	4	8	14	20	41
B. *Operated*	3674	7.3	54	1	1	4	11	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	2144	7.5	64	1	1	5	9	15	21	43
B. *Operated*	14404	10.9	134	1	2	7	15	24	34	62
1. SINGLE DX	3990	7.2	54	1	1	4	10	16	21	36
2. MULTIPLE DX	16548	10.5	126	1	2	7	14	23	33	61
A. NOT OPERATED	2460	7.3	63	1	1	5	9	15	21	43
B. OPERATED	18078	10.2	120	1	2	7	14	22	31	59
TOTAL 65-69 YRS	5359	9.9	112	1	2	7	13	21	30	56
70-74	5265	10.0	122	1	2	6	13	22	32	62
75-79	4408	10.2	119	1	2	7	14	23	32	59
80-84	3113	9.6	111	1	2	6	13	21	29	56
85+	2393	9.2	90	1	2	6	12	20	29	50
GRAND TOTAL	**20538**	**9.9**	**114**	**1**	**2**	**6**	**13**	**22**	**30**	**58**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	221	3.5	5	1	1	3	4	6	7	13
70-74	207	3.3	5	1	1	3	4	6	6	8
75-79	149	4.0	10	1	1	3	5	7	9	14
80-84	92	3.7	5	1	2	3	5	6	7	14
85+	48	3.5	3	1	1	3	4	6	7	8
B. *Operated*										
65-69 YRS	93	3.9	10	<1	1	3	5	8	11	16
70-74	84	4.7	13	1	1	4	6	9	12	18
75-79	46	4.3	13	1	1	4	5	8	11	21
80-84	33	6.4	22	1	2	5	8	13	16	21
85+	16	4.1	6	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	390	4.2	9	1	1	4	5	8	10	15
70-74	388	4.5	16	1	1	3	6	8	12	24
75-79	334	4.6	14	1	2	4	5	9	12	16
80-84	233	5.3	54	1	1	4	6	9	12	38
85+	129	5.3	18	1	2	4	7	10	13	23
B. *Operated*										
65-69 YRS	272	6.7	56	1	1	5	8	13	22	48
70-74	223	6.0	29	1	1	5	7	13	18	30
75-79	218	7.4	78	1	1	5	9	15	20	51
80-84	143	7.7	49	1	2	6	10	16	20	35
85+	83	8.1	103	1	1	5	11	17	24	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	3.6	6	1	1	3	4	6	7	12
B. *Operated*	272	4.5	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1474	4.6	20	1	1	4	6	8	12	22
B. *Operated*	939	7.0	58	1	1	5	9	14	20	37
1. SINGLE DX	989	3.8	8	1	1	3	5	7	8	16
2. MULTIPLE DX	2413	5.6	36	1	1	4	7	11	15	27
A. NOT OPERATED	2191	4.3	15	1	1	3	5	7	10	19
B. OPERATED	1211	6.4	49	1	1	5	8	13	18	32
TOTAL 65-69 YRS	976	4.7	23	1	1	4	6	9	12	25
70-74	902	4.6	17	1	1	4	6	9	12	23
75-79	747	5.3	33	1	1	4	6	11	14	27
80-84	501	5.8	43	1	2	4	7	11	16	29
85+	276	5.8	43	1	1	4	7	12	16	27
GRAND TOTAL	**3402**	**5.1**	**28**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	84	7.8	58	2	3	6	9	14	19	88
70-74	74	.9	12	2	3	6	9	12	13	17
75-79	49	7.5	24	2	2	7	10	14	16	24
80-84	22	6.2	15	1	2	5	7	12	14	16
85+	19	7.7	26	2	3	7	9	15	20	23
B. *Operated*										
65-69 YRS	83	9.7	76	1	2	7	13	22	28	44
70-74	79	10.1	70	1	2	8	13	20	25	44
75-79	44	10.1	104	1	2	7	12	19	32	51
80-84	30	13.2	199	2	3	8	14	32	36	68
85+	16	9.1	67	1	2	7	13	17	28	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	428	9.0	57	2	3	7	11	16	20	43
70-74	381	9.0	49	2	3	7	11	16	22	34
75-79	291	9.6	57	2	3	8	12	19	25	44
80-84	175	9.6	37	3	4	8	12	19	21	32
85+	121	11.9	150	3	4	8	14	23	32	72
B. *Operated*										
65-69 YRS	523	15.3	140	3	4	12	20	30	42	58
70-74	429	15.8	165	3	4	12	20	32	44	74
75-79	282	14.8	177	2	3	11	19	32	43	76
80-84	147	16.2	162	3	5	13	22	39	53	99+
85+	102	16.8	145	4	5	13	22	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	7.3	31	2	3	6	9	13	16	24
B. *Operated*	252	10.3	93	1	2	8	13	22	29	48
2. MULTIPLE DX										
A. *Not Operated*	1396	9.5	61	2	3	7	12	17	23	41
B. *Operated*	1483	15.5	157	3	4	12	20	32	42	68
1. SINGLE DX	500	8.8	64	2	2	7	11	16	23	47
2. MULTIPLE DX	2879	12.6	119	3	3	9	16	26	35	60
A. NOT OPERATED	1644	9.1	57	2	3	7	11	16	22	41
B. OPERATED	1735	14.8	151	2	4	11	19	31	42	66
TOTAL 65-69 YRS	1118	11.9	107	2	3	9	15	24	33	53
70-74	963	11.9	112	2	3	9	15	24	33	58
75-79	666	11.7	116	2	3	9	14	24	33	60
80-84	374	12.3	108	3	4	9	15	26	36	93
85+	258	13.3	142	2	4	10	16	28	35	62
GRAND TOTAL	**3379**	**12.0**	**113**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	4.4	11	1	1	4	7	9	10	15
70-74	95	5.6	28	1	1	4	8	11	13	32
75-79	51	6.2	19	1	1	5	9	12	15	18
80-84	28	5.6	39	1	1	4	7	12	15	32
85+	21	4.2	10	<1	1	3	6	9	10	11
B. *Operated*										
65-69 YRS	188	5.4	23	1	1	4	7	11	14	24
70-74	186	6.3	64	1	1	4	8	13	20	48
75-79	95	6.2	96	<1	1	3	8	14	18	58
80-84	67	5.1	22	<1	1	3	8	12	14	23
85+	44	5.9	47	1	1	4	7	11	19	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	528	6.7	44	1	1	5	9	13	18	28
70-74	499	6.7	39	1	1	5	9	13	17	37
75-79	422	7.5	83	1	1	5	9	14	20	45
80-84	244	7.8	52	1	1	6	10	17	25	35
85+	184	7.2	30	1	1	6	10	14	17	24
B. *Operated*										
65-69 YRS	1024	11.3	151	1	2	8	14	26	37	72
70-74	925	11.4	146	1	2	8	15	25	35	63
75-79	682	11.7	152	1	2	8	15	28	39	65
80-84	412	11.4	142	1	1	8	16	26	36	72
85+	263	10.8	152	1	2	7	15	23	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	5.2	20	1	1	4	7	10	13	21
B. *Operated*	580	5.8	50	1	1	4	7	12	17	40
2. MULTIPLE DX										
A. *Not Operated*	1877	7.1	51	1	1	5	9	14	19	35
B. *Operated*	3306	11.4	149	1	2	8	15	26	37	71
1. SINGLE DX	881	5.6	40	1	1	4	7	11	15	34
2. MULTIPLE DX	5183	9.8	118	1	1	7	12	22	31	62
A. NOT OPERATED	2178	6.8	47	1	1	5	9	13	18	34
B. OPERATED	3886	10.6	138	1	1	7	14	24	35	66
TOTAL 65-69 YRS	1846	9.0	106	1	1	6	11	19	29	58
70-74	1705	9.2	105	1	1	6	11	20	29	56
75-79	1250	9.6	124	1	1	6	12	21	32	64
80-84	751	9.5	103	1	1	6	12	21	29	55
85+	512	8.8	98	1	1	6	11	20	24	77
GRAND TOTAL	**6064**	**9.2**	**108**	**1**	**1**	**6**	**12**	**20**	**29**	**60**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	76726	5.3	26	1	1	4	7	11	15	24
70-74	66445	5.4	29	1	1	4	7	12	15	25
75-79	51434	5.6	33	1	1	3	7	13	16	27
80-84	32421	5.8	41	1	1	3	8	13	17	30
85+	22728	6.6	51	1	1	4	9	15	19	34
2. MULTIPLE DX										
65-69 YRS	374417	9.2	81	2	2	7	11	18	25	49
70-74	379335	9.7	87	2	2	7	12	20	27	52
75-79	328049	10.2	95	2	2	8	13	21	28	55
80-84	237075	10.8	104	2	2	8	14	22	30	59
85+	195030	11.4	110	2	3	9	14	23	31	66
TOT. SINGLE DX	249754	5.6	33	1	1	4	7	12	16	27
" MULTIPLE DX	1513906	10.1	93	2	2	7	13	20	28	55
TOTAL 65-69 YRS	451143	8.5	74	1	2	6	11	17	24	46
70-74	445780	9.1	81	1	2	7	11	18	25	49
75-79	379483	9.6	89	2	2	7	12	20	27	53
80-84	269496	10.2	99	2	2	8	13	21	29	57
85+	217758	10.9	106	2	2	8	14	22	30	64
GRAND TOTAL	**1763660**	**9.4**	**87**	**2**	**2**	**7**	**12**	**19**	**26**	**52**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.5	3	1	1	2	4	5	5	5
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	3	3.0	7	1	1	2	5	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	4.6	42	1	1	2	5	11	15	41
70-74	87	6.7	39	1	1	4	10	17	19	28
75-79	58	4.6	21	1	1	3	7	9	13	25
80-84	36	4.2	24	1	1	2	5	15	17	17
85+	29	4.4	32	1	1	2	5	12	20	24
B. *Operated*										
65-69 YRS	26	12.0	90	1	2	10	13	21	36	44
70-74	19	13.0	85	1	2	12	18	29	30	31
75-79	11	7.1	55	1	2	5	7	20	25	26
80-84	4	22.8	1123	5	5	6	40	73	73	73
85+	2	22.0	882	1	1	22	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.5	3	1	1	2	4	5	6	6
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	269	5.2	33	1	1	3	7	12	17	26
B. *Operated*	62	12.4	156	1	2	9	15	29	38	69
1. SINGLE DX	16	2.8	4	1	1	2	4	6	7	7
2. MULTIPLE DX	331	6.6	64	1	1	4	9	16	19	43
A. NOT OPERATED	283	5.1	32	1	1	3	7	12	17	25
B. OPERATED	64	12.2	153	1	2	9	15	29	37	69
TOTAL 65-69 YRS	92	6.5	64	1	1	4	9	14	19	44
70-74	109	7.7	51	1	1	6	11	18	20	31
75-79	71	4.9	26	1	1	3	7	10	16	26
80-84	43	5.8	130	1	1	2	6	16	17	73
85+	32	5.4	77	1	1	2	5	15	24	43
GRAND TOTAL	**347**	**6.4**	**62**	**1**	**1**	**4**	**8**	**16**	**19**	**43**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	1.3		<1	<1	<1	2	2	2	2
70-74										
75-79	4	2.5		2	2	2	3	3	3	3
80-84										
85+	5	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	4	3.0	5	<1	<1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	3.0	5	<1	<1	2	4	6	6	6
1. SINGLE DX	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	4	3.0	5	<1	<1	2	4	6	6	6
A. NOT OPERATED										
B. OPERATED	16	2.0	2	<1	<1	2	3	3	5	6
TOTAL 65-69 YRS	3	1.3		<1	<1	<1	2	2	2	2
70-74										
75-79	4	2.5		2	2	2	3	3	3	3
80-84										
85+	9	2.0	3	<1	<1	<1	2	5	6	6
GRAND TOTAL	**16**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**3**	**5**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	8	<1	<1	1	4	7	8	8
70-74	7	7.0	25	2	2	5	10	15	16	16
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	230	2.8	4	<1	1	2	4	5	6	12
70-74	192	3.6	17	<1	1	2	4	7	10	23
75-79	138	3.4	9	<1	<1	2	4	7	10	17
80-84	85	4.1	12	<1	1	3	5	8	11	19
85+	55	5.3	15	<1	1	3	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	5.5	38	<1	<1	2	11	16	16	16
70-74	8	1.6	1	1	1	2	2	3	3	3
75-79	9	11.0	617	1	1	3	5	49	77	77
80-84	2	5.5	25	2	2	5	9	9	9	9
85+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
65-69 YRS	203	5.7	55	1	1	3	6	16	20	41
70-74	168	5.4	34	1	1	4	7	11	16	38
75-79	152	5.1	13	1	2	4	6	11	13	16
80-84	85	6.8	33	2	2	5	9	12	14	34
85+	96	9.1	60	2	2	7	10	18	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.1	18	<1	<1	2	6	10	14	16
B. *Operated*	700	3.5	11	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	34	5.7	177	<1	<1	2	4	13	16	77
B. *Operated*	704	6.1	40	1	2	4	7	13	17	35
1. SINGLE DX	718	3.5	11	<1	1	3	4	7	10	17
2. MULTIPLE DX	738	6.1	47	1	1	4	7	13	17	36
A. NOT OPERATED	52	5.1	121	<1	<1	2	5	12	16	76
B. OPERATED	1404	4.8	27	<1	1	3	6	10	14	25
TOTAL 65-69 YRS	453	4.2	30	<1	1	3	4	8	16	23
70-74	375	4.4	25	<1	1	3	5	9	13	29
75-79	300	4.5	29	<1	1	3	5	10	11	17
80-84	174	5.4	24	1	1	4	7	12	14	24
85+	154	7.6	47	1	2	6	9	16	21	34
GRAND TOTAL	**1456**	**4.8**	**31**	**<1**	**1**	**3**	**6**	**10**	**15**	**26**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.3		1	1	1	2	2	2	2
70-74	3	1.7		1	1	2	2	2	2	2
75-79										
80-84	3	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	203	1.4		<1	<1	1	2	2	2	4
70-74	29	2.7	7	<1	<1	2	3	5	10	12
75-79	74	1.6	2	1	1	1	2	2	6	9
80-84	69	1.5	6	1	1	1	1	2	2	18
85+	17	2.1	2	<1	1	2	2	4	5	5
B. *Operated*										
65-69 YRS	49	4.0	19	<1	<1	2	6	10	12	20
70-74	42	8.0	220	<1	<1	4	7	17	37	81
75-79	15	2.9	9	<1	<1	1	4	8	9	9
80-84	8	9.9	84	<1	<1	8	14	25	28	28
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.6		1	1	2	2	2	2	2
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	392	1.6	2	<1	<1	1	2	2	3	9
B. *Operated*	114	5.8	100	<1	<1	3	7	11	19	64
1. SINGLE DX	14	1.6		<1	1	2	2	2	2	2
2. MULTIPLE DX	506	2.5	27	<1	<1	1	2	5	8	22
A. NOT OPERATED	404	1.6	2	<1	<1	1	2	2	3	8
B. OPERATED	116	5.7	98	<1	<1	3	7	11	19	64
TOTAL 65-69 YRS	260	1.9	5	<1	<1	1	2	3	6	12
70-74	74	5.6	133	<1	<1	2	5	10	22	75
75-79	89	1.9	4	<1	<1	1	2	4	8	9
80-84	80	2.4	19	1	1	1	2	3	11	26
85+	17	2.1	2	<1	1	2	2	4	5	5
GRAND TOTAL	**520**	**2.5**	**26**	**<1**	**<1**	**1**	**2**	**5**	**8**	**22**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	488	2.6	29	<1	<1	1	2	5	6	26
70-74	420	4.5	77	<1	<1	1	3	11	24	51
75-79	280	5.1	85	<1	<1	2	5	12	23	46
80-84	152	6.7	170	<1	<1	2	7	19	34	99+
85+	100	8.2	193	<1	1	3	10	31	97	99+
B. *Operated*										
65-69 YRS	432	4.9	17	<1	1	3	8	11	13	16
70-74	333	4.9	24	<1	1	2	8	11	13	20
75-79	249	5.2	20	<1	1	3	9	12	14	17
80-84	135	4.6	19	<1	1	2	8	11	13	20
85+	74	6.2	142	<1	1	3	9	12	14	81
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13191	4.1	42	1	1	2	4	7	13	37
70-74	9640	5.0	67	1	1	3	5	9	19	47
75-79	5661	6.1	87	1	1	3	6	15	26	50
80-84	2404	8.3	108	1	1	4	10	21	30	55
85+	1410	11.0	183	1	1	6	15	29	39	99+
B. *Operated*										
65-69 YRS	3536	6.6	78	1	1	4	8	14	21	54
70-74	3071	6.9	83	1	1	4	9	15	23	52
75-79	2229	6.8	73	1	1	4	9	15	22	47
80-84	1154	7.1	79	1	1	4	10	16	25	55
85+	627	8.1	115	1	1	4	11	19	26	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1440	4.4	83	<1	<1	2	4	10	23	79
B. *Operated*	1223	5.0	27	<1	1	3	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	32306	5.3	71	1	1	3	5	11	22	47
B. *Operated*	10617	6.9	81	1	1	4	9	15	23	50
1. SINGLE DX	2663	4.7	57	<1	<1	2	6	11	15	46
2. MULTIPLE DX	42923	5.7	74	1	1	3	6	13	22	48
A. NOT OPERATED	33746	5.3	72	1	1	3	5	11	22	48
B. OPERATED	11840	6.7	76	1	1	4	9	14	21	49
TOTAL 65-69 YRS	17647	4.6	49	1	1	2	5	9	15	41
70-74	13464	5.4	71	1	1	3	5	11	20	47
75-79	8419	6.2	81	1	1	3	6	15	24	49
80-84	3845	7.7	99	1	1	4	10	19	28	56
85+	2211	9.9	165	1	1	5	13	25	37	96
GRAND TOTAL	**45586**	**5.7**	**73**	**1**	**1**	**3**	**6**	**13**	**22**	**48**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	202	13.9	111	4	6	11	17	24	32	65
70-74	145	15.2	152	5	6	12	17	26	37	80
75-79	114	13.9	155	4	5	11	16	23	35	70
80-84	67	14.1	70	4	6	12	20	28	32	88
85+	44	13.7	70	4	5	12	18	24	33	39
2. MULTIPLE DX										
65-69 YRS	720	23.3	301	6	8	18	30	53	66	99+
70-74	664	22.2	252	5	7	18	29	45	58	99+
75-79	572	23.2	271	6	8	19	30	48	64	99+
80-84	278	22.6	250	8	9	19	28	47	69	99+
85+	197	24.2	226	8	10	22	31	44	57	99
TOT. SINGLE DX	572	14.3	122	4	6	11	17	24	34	67
" MULTIPLE DX	2431	23.0	269	6	8	18	30	48	64	99+
TOTAL 65-69 YRS	922	21.2	275	5	7	16	26	48	63	98
70-74	809	20.9	241	5	7	17	27	42	55	97
75-79	686	21.6	264	5	7	17	28	46	62	99+
80-84	345	21.0	227	6	8	17	27	40	67	99+
85+	241	22.2	214	6	8	18	29	41	50	99
GRAND TOTAL	**3003**	**21.3**	**253**	**5**	**7**	**17**	**27**	**44**	**60**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	52	13.0	81	3	5	10	16	22	27	53
70-74	40	13.4	92	4	5	11	15	26	39	43
75-79	37	13.8	69	4	6	12	18	23	29	48
80-84	29	13.7	64	5	5	13	17	24	29	40
85+	12	10.3	26	1	2	10	14	17	18	18
2. MULTIPLE DX										
65-69 YRS	204	22.5	276	6	8	18	30	51	67	99+
70-74	193	24.0	302	7	8	18	32	52	66	99
75-79	162	24.4	376	7	8	17	32	56	73	99
80-84	117	23.5	367	6	7	17	30	51	66	99
85+	91	24.8	204	6	10	22	31	42	51	72
TOT. SINGLE DX	170	13.2	74	4	5	11	16	23	28	47
" MULTIPLE DX	767	23.7	309	6	8	18	31	51	66	99+
TOTAL 65-69 YRS	256	20.6	252	6	7	16	27	46	63	99+
70-74	233	22.2	282	6	7	16	30	48	64	97
75-79	199	22.4	336	6	8	17	27	53	72	96
80-84	146	21.6	322	5	6	15	26	48	61	98
85+	103	23.1	205	5	8	21	29	42	49	71
GRAND TOTAL	**937**	**21.8**	**283**	**6**	**7**	**17**	**27**	**47**	**63**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	6.9	19	2	2	5	11	13	13	13
70-74	4	6.0	4	3	3	7	7	7	7	7
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84										
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	33	10.5	135	3	3	7	11	23	58	99+
70-74	11	18.4	592	3	4	7	20	54	84	87
75-79	16	17.4	418	3	3	12	18	28	71	89
80-84	8	17.8	597	5	6	9	12	58	78	78
85+	3	7.0	4	5	5	7	8	9	9	9
TOT. SINGLE DX	14	7.1	15	2	3	7	9	13	14	14
" MULTIPLE DX	71	13.9	311	3	4	9	13	29	76	98
TOTAL 65-69 YRS	40	9.9	116	3	3	7	11	19	50	99+
70-74	15	15.1	456	3	3	7	15	32	73	87
75-79	18	16.2	382	3	3	11	14	27	65	89
80-84	8	17.8	598	5	6	9	12	58	78	78
85+	4	8.8	15	5	5	8	11	14	14	14
GRAND TOTAL	**85**	**12.8**	**268**	**3**	**3**	**8**	**12**	**26**	**65**	**96**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	14.6	253	3	4	11	17	25	29	90
70-74	49	10.7	41	3	4	9	13	22	25	26
75-79	44	13.0	73	5	6	10	17	27	31	39
80-84	18	12.3	46	2	3	12	18	20	23	24
85+	2	23.5	61	18	18	23	29	29	29	29
2. MULTIPLE DX										
65-69 YRS	154	22.2	299	6	8	17	29	50	74	99+
70-74	182	26.4	346	6	8	22	33	50	65	97
75-79	179	22.5	212	6	8	19	30	45	56	99+
80-84	86	21.8	227	5	8	20	29	45	91	99+
85+	34	19.3	121	7	8	16	27	33	37	57
TOT. SINGLE DX	143	12.6	98	4	5	10	17	23	28	43
" MULTIPLE DX	635	23.3	272	6	8	19	30	47	67	99+
TOTAL 65-69 YRS	184	21.0	298	6	7	16	27	45	71	99+
70-74	231	23.1	322	5	6	19	30	46	61	96
75-79	223	20.6	199	5	7	18	28	43	52	99+
80-84	104	20.2	208	5	6	18	26	36	77	99+
85+	36	19.5	117	7	8	17	27	32	37	57
GRAND TOTAL	**778**	**21.3**	**257**	**5**	**7**	**18**	**28**	**43**	**61**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	7.6	42	2	2	6	10	22	46	99+
70-74	14	7.9	12	2	5	8	8	14	16	16
75-79	10	9.9	177	1	1	5	11	30	46	46
80-84	4	7.8	19	4	4	6	10	14	14	14
85+	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	125	19.9	317	4	4	15	26	45	67	99+
70-74	100	23.5	334	3	5	19	33	49	58	84
75-79	76	19.6	295	2	3	15	28	46	62	96
80-84	36	22.7	305	2	2	18	36	51	67	99+
85+	23	19.9	225	3	4	16	29	39	51	62
TOT. SINGLE DX	55	8.1	53	2	2	7	9	16	26	97
" MULTIPLE DX	360	21.1	310	3	4	17	30	47	61	98
TOTAL 65-69 YRS	149	17.9	293	2	4	12	22	43	67	99+
70-74	114	21.6	320	3	5	17	32	48	56	83
75-79	86	18.5	289	2	3	13	27	46	60	94
80-84	40	21.2	296	2	3	16	35	48	62	99+
85+	26	18.4	216	3	4	13	26	38	48	62
GRAND TOTAL	**415**	**19.4**	**295**	**2**	**4**	**14**	**28**	**45**	**60**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	373	9.8	24	4	5	9	11	16	19	30
70-74	276	10.9	32	5	6	10	13	18	23	32
75-79	156	10.7	25	4	5	10	13	16	19	26
80-84	52	14.0	67	7	7	12	16	23	36	42
85+	8	9.0	24	4	4	7	14	15	16	16
2. MULTIPLE DX										
65-69 YRS	1177	15.4	126	5	6	12	18	28	38	62
70-74	1066	16.2	138	6	7	13	19	30	38	75
75-79	689	17.2	131	6	8	14	22	30	38	78
80-84	279	19.6	195	7	8	15	24	37	48	87
85+	81	19.4	141	8	10	16	23	30	40	77
TOT. SINGLE DX	865	10.6	31	5	5	9	12	17	21	32
" MULTIPLE DX	3292	16.5	139	6	7	13	20	30	39	73
TOTAL 65-69 YRS	1550	14.0	108	5	6	11	16	26	35	58
70-74	1342	15.1	121	6	7	12	18	28	35	72
75-79	845	16.0	118	6	7	13	19	28	36	66
80-84	331	18.7	179	7	8	15	23	36	44	86
85+	89	18.5	139	7	8	16	22	28	40	76
GRAND TOTAL	**4157**	**15.2**	**122**	**5**	**6**	**12**	**18**	**28**	**36**	**65**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	8.3	40	<1	1	7	12	17	19	26
70-74	42	7.0	26	1	1	6	10	16	18	19
75-79	26	9.0	85	1	2	6	11	22	28	43
80-84	17	7.6	59	<1	1	5	14	18	24	27
85+	5	15.6	115	2	2	15	20	32	32	32
2. MULTIPLE DX										
65-69 YRS	250	17.6	239	2	3	14	22	39	49	87
70-74	193	18.2	254	2	4	14	26	35	48	92
75-79	142	18.0	195	3	5	13	26	46	50	99+
80-84	78	20.1	200	4	5	16	29	36	47	66
85+	27	24.4	453	2	5	17	47	65	73	99+
TOT. SINGLE DX	143	8.2	50	1	1	7	11	17	21	33
" MULTIPLE DX	690	18.4	239	2	4	14	25	39	50	89
TOTAL 65-69 YRS	303	16.0	217	2	2	12	20	38	45	76
70-74	235	16.2	232	2	2	12	21	32	43	91
75-79	168	16.6	188	2	4	12	23	42	49	92
80-84	95	17.8	197	2	3	14	26	36	41	65
85+	32	23.1	406	2	4	16	35	61	70	99+
GRAND TOTAL	**833**	**16.7**	**221**	**2**	**3**	**13**	**22**	**37**	**49**	**87**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	207	3.3	12	<1	1	2	3	6	9	22
70-74	129	3.7	11	<1	1	3	4	8	10	19
75-79	62	3.4	9	1	1	2	4	8	10	16
80-84	33	4.8	23	1	1	3	7	11	14	24
85+	24	3.9	19	<1	1	2	4	10	15	19
2. MULTIPLE DX										
65-69 YRS	270	6.5	52	1	1	4	9	15	20	31
70-74	195	7.6	96	1	2	4	9	17	23	49
75-79	148	6.5	39	2	2	4	8	15	21	37
80-84	56	10.1	170	2	2	6	11	22	31	82
85+	39	9.5	101	1	2	5	12	20	35	45
TOT. SINGLE DX	455	3.6	13	<1	1	2	4	8	10	20
" MULTIPLE DX	708	7.3	74	1	2	4	9	16	22	45
TOTAL 65-69 YRS	477	5.1	38	1	1	3	6	12	17	27
70-74	324	6.0	66	1	1	3	7	14	20	47
75-79	210	5.6	33	1	2	3	7	14	17	31
80-84	89	8.1	122	2	2	5	9	15	25	69
85+	63	7.3	77	1	1	4	10	18	23	44
GRAND TOTAL	**1163**	**5.8**	**54**	**1**	**1**	**3**	**7**	**13**	**18**	**37**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	627	2.2	3	<1	<1	2	2	3	5	9
70-74	516	2.2	2	<1	<1	2	2	4	5	11
75-79	393	2.2	3	<1	<1	2	2	3	4	10
80-84	216	2.2	4	<1	<1	2	2	3	5	14
85+	95	2.7	13	<1	<1	2	3	4	6	22
2. MULTIPLE DX										
65-69 YRS	1013	3.7	19	1	1	2	4	8	12	25
70-74	821	4.6	38	1	1	2	5	10	15	33
75-79	600	4.6	47	1	1	2	4	10	15	30
80-84	336	4.8	61	1	1	2	4	10	15	33
85+	197	4.6	28	1	1	3	5	9	14	23
TOT. SINGLE DX	1847	2.2	4	<1	<1	2	2	4	5	10
" MULTIPLE DX	2967	4.3	36	1	1	2	4	9	14	30
TOTAL 65-69 YRS	1640	3.1	14	<1	1	2	3	6	10	21
70-74	1337	3.7	26	<1	1	2	4	7	11	28
75-79	993	3.6	32	<1	1	2	3	7	12	25
80-84	552	3.8	40	<1	1	2	3	8	12	31
85+	292	4.0	24	1	1	2	4	8	13	23
GRAND TOTAL	**4814**	**3.5**	**25**	**<1**	**1**	**2**	**3**	**7**	**11**	**25**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	9.3	25	3	4	8	13	17	18	19
70-74	16	8.1	19	3	3	8	10	11	18	21
75-79	12	8.9	16	1	4	8	12	14	15	15
80-84	9	11.6	90	4	5	8	11	26	36	36
85+	5	9.8	18	4	4	11	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	164	14.5	136	5	6	11	17	23	30	79
70-74	184	14.7	80	5	6	13	18	26	32	54
75-79	138	15.4	161	4	5	12	18	27	38	71
80-84	96	17.9	194	5	6	14	21	36	48	93
85+	62	17.7	133	5	7	15	21	33	38	66
TOT. SINGLE DX	64	9.3	30	3	4	8	12	15	18	34
" MULTIPLE DX	644	15.6	135	5	6	13	19	28	35	72
TOTAL 65-69 YRS	186	13.9	126	4	5	11	17	22	30	79
70-74	200	14.2	79	4	6	12	18	25	31	53
75-79	150	14.9	153	4	5	12	17	27	36	68
80-84	105	17.3	187	5	6	13	20	36	45	92
85+	67	17.1	129	4	7	14	21	33	37	65
GRAND TOTAL	**708**	**15.0**	**129**	**4**	**6**	**12**	**18**	**27**	**34**	**70**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	4.5	15	<1	1	3	6	12	13	13
70-74	11	3.8	11	<1	<1	2	6	9	10	10
75-79	15	4.1	16	<1	1	3	4	9	14	16
80-84	8	5.3	22	1	1	4	9	12	13	13
85+	2	13.0	288	1	1	13	25	25	25	25
2. MULTIPLE DX										
65-69 YRS	89	7.4	50	1	2	5	10	17	18	40
70-74	87	11.9	117	2	2	9	16	23	36	56
75-79	62	13.5	222	1	2	9	16	34	48	76
80-84	33	11.5	78	3	4	9	14	23	32	43
85+	23	9.3	80	1	1	7	13	30	53	99+
TOT. SINGLE DX	53	4.7	23	<1	1	3	7	11	13	25
" MULTIPLE DX	294	10.6	116	1	2	8	13	22	34	58
TOTAL 65-69 YRS	106	6.9	46	1	1	5	9	16	18	35
70-74	98	11.0	112	1	2	8	15	22	32	54
75-79	77	11.7	196	1	2	8	14	31	43	73
80-84	41	10.3	73	1	2	8	12	19	30	43
85+	25	9.6	87	1	1	7	13	29	46	99+
GRAND TOTAL	**347**	**9.7**	**106**	**1**	**2**	**7**	**12**	**20**	**32**	**56**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	359	4.2	3	2	2	4	5	6	7	11
70-74	246	4.5	8	2	3	4	5	6	8	22
75-79	121	4.7	4	2	3	4	5	7	9	12
80-84	38	5.4	6	2	3	5	6	9	11	13
85+	10	4.3	3	1	2	4	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	652	6.4	29	2	3	5	7	12	18	31
70-74	456	7.4	58	2	3	5	8	13	22	41
75-79	301	8.0	69	3	3	5	9	15	22	46
80-84	131	11.7	195	3	3	6	13	28	36	88
85+	44	12.2	162	3	4	8	13	19	40	74
TOT. SINGLE DX	774	4.4	5	2	3	4	5	6	8	13
" MULTIPLE DX	1584	7.6	65	2	3	5	8	15	22	42
TOTAL 65-69 YRS	1011	5.6	21	2	3	4	6	9	14	27
70-74	702	6.4	43	2	3	5	7	11	17	34
75-79	422	7.1	53	3	3	5	7	13	18	43
80-84	169	10.3	160	3	3	6	11	25	34	77
85+	54	10.7	142	3	4	7	13	18	37	73
GRAND TOTAL	**2358**	**6.5**	**48**	**2**	**3**	**5**	**7**	**12**	**18**	**40**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	88	4.5	12	1	2	4	5	8	9	21
70-74	42	4.9	13	1	2	4	5	9	12	21
75-79	31	6.2	20	1	2	5	7	13	16	21
80-84	8	3.6	1	2	2	3	4	6	6	6
85+	4	19.5	847	2	2	6	35	63	63	63
2. MULTIPLE DX										
65-69 YRS	284	8.7	70	2	3	6	10	19	24	48
70-74	221	9.4	75	2	3	6	11	21	28	40
75-79	145	12.6	165	3	4	8	16	24	34	83
80-84	81	13.1	195	3	4	8	18	31	54	91
85+	40	14.4	122	2	4	11	18	29	41	49
TOT. SINGLE DX	173	5.2	33	1	2	4	5	8	14	22
" MULTIPLE DX	771	10.4	109	2	3	7	13	23	30	55
TOTAL 65-69 YRS	372	7.7	60	2	2	5	8	17	23	45
70-74	263	8.6	69	2	3	6	10	19	27	39
75-79	176	11.5	145	2	3	7	15	23	32	73
80-84	89	12.3	186	3	3	7	16	28	52	89
85+	44	14.8	172	2	4	11	18	33	46	63
GRAND TOTAL	**944**	**9.4**	**99**	**2**	**3**	**6**	**11**	**21**	**27**	**52**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	11.5	109	3	5	9	12	17	31	56
70-74	16	10.1	24	6	6	8	12	15	22	25
75-79	6	9.5	17	4	4	9	14	14	14	14
80-84	5	18.4	217	5	5	12	30	40	40	40
85+										
2. MULTIPLE DX										
65-69 YRS	115	16.3	204	2	5	13	20	31	62	99+
70-74	114	14.6	94	4	6	12	20	26	37	99+
75-79	56	22.2	393	3	6	17	26	50	67	94
80-84	14	15.7	125	1	2	13	25	30	36	38
85+	4	31.8	1034	10	10	19	52	79	79	79
TOT. SINGLE DX	51	11.5	83	4	6	9	13	19	27	56
" MULTIPLE DX	303	16.9	210	3	6	13	21	31	53	99+
TOTAL 65-69 YRS	139	15.5	191	2	5	12	19	29	54	99+
70-74	130	14.1	88	4	6	12	18	25	36	99+
75-79	62	21.0	371	3	6	15	24	47	67	94
80-84	19	16.4	140	1	3	12	26	34	39	40
85+	4	31.8	1034	10	10	19	52	79	79	79
GRAND TOTAL	**354**	**16.2**	**195**	**3**	**6**	**13**	**20**	**30**	**51**	**99+**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	1.8	1	<1	<1	2	2	3	4	7
70-74	55	1.9	1	<1	<1	1	2	4	5	6
75-79	70	1.7		<1	<1	1	2	3	4	4
80-84	46	2.0	2	<1	<1	1	2	4	6	7
85+	38	2.9	6	<1	<1	2	3	7	10	11
2. MULTIPLE DX										
65-69 YRS	140	5.2	41	1	1	2	6	13	20	31
70-74	154	5.6	52	<1	1	2	7	13	20	35
75-79	135	4.4	21	<1	1	2	6	10	13	23
80-84	128	6.4	90	1	1	3	8	14	23	87
85+	103	6.3	106	1	1	3	8	13	21	97
TOT. SINGLE DX	278	2.0	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	660	5.6	60	<1	1	3	7	13	20	36
TOTAL 65-69 YRS	209	4.1	31	<1	<1	2	4	9	17	29
70-74	209	4.6	42	<1	<1	2	5	11	19	33
75-79	205	3.5	16	<1	<1	2	4	8	10	21
80-84	174	5.3	71	<1	1	2	6	13	21	73
85+	141	5.4	82	1	1	3	7	13	17	95
GRAND TOTAL	**938**	**4.5**	**45**	**<1**	**<1**	**2**	**5**	**10**	**16**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	241	1.7		<1	<1	2	2	3	3	5
70-74	208	1.8	1	<1	<1	2	2	3	3	6
75-79	196	1.7		<1	<1	2	2	3	3	4
80-84	148	1.8	1	<1	<1	2	2	3	3	8
85+	124	1.7		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	436	3.8	43	<1	1	2	3	8	13	40
70-74	463	4.1	32	<1	1	2	4	9	15	33
75-79	455	4.9	64	<1	1	2	4	11	18	41
80-84	380	5.2	79	1	1	2	5	12	16	54
85+	341	4.9	40	1	1	2	6	12	19	59
TOT. SINGLE DX	917	1.7	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	2075	4.5	52	1	1	2	4	11	16	42
TOTAL 65-69 YRS	677	3.0	29	<1	1	2	3	5	9	29
70-74	671	3.4	24	<1	1	2	3	7	12	29
75-79	651	3.9	47	<1	1	2	3	10	14	35
80-84	528	4.2	60	1	1	2	3	9	15	49
85+	465	4.1	32	<1	1	2	4	10	16	42
GRAND TOTAL	**2992**	**3.7**	**38**	**<1**	**1**	**2**	**3**	**8**	**13**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	2.1		1	1	2	3	3	3	4
70-74	78	2.1	2	1	1	2	2	3	4	10
75-79	62	2.3	5	<1	1	2	2	3	3	17
80-84	27	2.2		1	1	2	3	3	4	5
85+	34	2.4	2	1	1	2	3	3	7	8
2. MULTIPLE DX										
65-69 YRS	92	2.5	3	1	1	2	3	4	6	11
70-74	131	3.1	21	1	1	2	3	4	7	21
75-79	130	2.9	5	1	1	2	3	5	8	13
80-84	83	2.8	3	1	1	2	3	5	6	13
85+	68	3.8	13	1	1	3	5	6	9	24
TOT. SINGLE DX	286	2.2	2	1	1	2	2	3	4	8
" MULTIPLE DX	504	3.0	10	1	1	2	3	5	7	14
TOTAL 65-69 YRS	177	2.3	2	1	1	2	3	3	4	9
70-74	209	2.7	15	1	1	2	3	4	7	12
75-79	192	2.7	6	1	1	2	3	4	8	14
80-84	110	2.6	3	1	1	2	3	4	6	11
85+	102	3.3	10	1	1	2	4	6	8	21
GRAND TOTAL	**790**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	1.6		<1	<1	2	2	2	2	2
70-74	10	2.2	6	<1	<1	1	2	6	9	9
75-79	8	1.8		<1	<1	2	2	3	3	3
80-84	6	1.8		1	1	2	2	2	2	2
85+	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	19	4.6	30	<1	<1	2	6	15	18	19
70-74	18	3.5	15	<1	1	2	4	11	13	14
75-79	21	3.0	6	1	1	2	3	7	9	10
80-84	19	3.9	30	<1	1	2	4	8	17	25
85+	13	4.5	9	1	1	3	8	9	9	9
TOT. SINGLE DX	34	2.0	3	<1	<1	2	2	3	6	9
" MULTIPLE DX	90	3.9	18	<1	1	2	4	9	12	23
TOTAL 65-69 YRS	26	3.8	24	<1	<1	2	4	11	17	19
70-74	28	3.0	12	<1	<1	2	3	9	12	14
75-79	29	2.7	5	1	1	2	3	6	8	10
80-84	25	3.4	24	<1	1	2	3	8	12	25
85+	16	4.3	9	<1	1	3	7	9	9	9
GRAND TOTAL	**124**	**3.3**	**15**	**<1**	**1**	**2**	**3**	**8**	**11**	**21**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	125	3.2	4	1	1	3	4	5	6	13
70-74	145	3.0	7	1	1	3	4	5	6	10
75-79	168	2.8	2	1	1	3	3	5	6	8
80-84	134	2.8	1	1	1	3	4	5	6	7
85+	75	3.2	3	1	1	3	4	5	6	12
2. MULTIPLE DX										
65-69 YRS	343	3.6	5	1	1	3	4	6	7	15
70-74	448	3.8	13	1	1	3	4	6	8	18
75-79	485	3.7	5	1	1	3	4	6	7	14
80-84	362	3.7	12	1	1	3	4	6	8	22
85+	194	3.6	5	1	1	3	4	6	8	13
TOT. SINGLE DX	647	3.0	4	1	1	3	4	5	6	8
" MULTIPLE DX	1832	3.7	9	1	1	3	4	6	8	15
TOTAL 65-69 YRS	468	3.5	5	1	1	3	4	5	7	14
70-74	593	3.6	12	1	1	3	4	5	7	17
75-79	653	3.4	5	1	1	3	4	6	7	14
80-84	496	3.5	10	1	1	3	4	6	7	20
85+	269	3.5	5	1	1	3	4	6	8	13
GRAND TOTAL	**2479**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	1.8	1	<1	<1	1	2	4	5	6
70-74	51	2.1	2	<1	<1	2	2	4	5	7
75-79	33	2.0	2	<1	<1	1	2	4	4	8
80-84	35	2.5	3	<1	1	2	3	5	7	8
85+	19	1.6		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	92	3.8	16	1	1	2	4	7	14	22
70-74	88	3.3	11	1	1	2	4	9	10	17
75-79	83	4.5	41	<1	1	2	4	11	15	37
80-84	78	4.2	19	1	1	3	5	9	13	23
85+	41	6.3	74	<1	1	3	7	15	18	50
TOT. SINGLE DX	204	2.0	2	<1	<1	2	2	4	5	8
" MULTIPLE DX	382	4.2	28	1	1	2	4	10	14	24
TOTAL 65-69 YRS	158	3.0	11	<1	<1	2	3	6	8	19
70-74	139	2.9	8	<1	1	2	3	7	10	15
75-79	116	3.8	32	<1	1	2	3	8	14	35
80-84	113	3.7	15	<1	1	2	4	8	11	22
85+	60	4.8	56	<1	<1	2	5	13	16	47
GRAND TOTAL	**586**	**3.4**	**20**	**<1**	**1**	**2**	**4**	**7**	**12**	**23**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	249	2.7	3	<1	1	2	3	4	6	10
70-74	233	2.6	3	<1	1	2	3	4	5	10
75-79	188	2.6	3	1	1	2	3	4	5	11
80-84	105	2.5	2	1	1	2	3	4	6	11
85+	59	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	358	3.8	17	1	1	3	4	7	10	18
70-74	370	3.5	9	1	1	3	4	7	9	15
75-79	326	3.5	9	1	1	3	4	6	8	19
80-84	235	4.3	23	1	1	3	5	9	12	23
85+	136	3.8	15	1	1	3	4	7	9	19
TOT. SINGLE DX	834	2.6	3	<1	1	2	3	4	5	11
" MULTIPLE DX	1425	3.7	14	1	1	3	4	7	10	19
TOTAL 65-69 YRS	607	3.3	12	1	1	2	4	6	9	17
70-74	603	3.2	7	1	1	2	4	6	8	13
75-79	514	3.2	7	1	1	2	4	5	7	16
80-84	340	3.7	18	1	1	3	4	7	11	20
85+	195	3.4	11	1	1	2	4	6	8	17
GRAND TOTAL	**2259**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	96	2.3	2	<1	1	2	3	4	5	10
70-74	115	2.5	6	1	1	2	3	4	5	18
75-79	113	2.5	5	<1	1	2	3	5	7	13
80-84	52	2.4	2	1	1	2	3	4	4	10
85+	30	3.4	18	1	1	2	3	6	17	20
2. MULTIPLE DX										
65-69 YRS	180	5.0	26	1	1	3	6	12	15	28
70-74	205	4.6	32	<1	1	3	5	10	14	31
75-79	220	4.1	20	1	1	3	5	9	12	52
80-84	155	5.2	48	1	1	3	6	11	16	46
85+	126	4.7	26	1	1	3	5	10	15	27
TOT. SINGLE DX	406	2.5	6	<1	1	2	3	4	6	15
" MULTIPLE DX	886	4.7	30	1	1	3	5	10	15	33
TOTAL 65-69 YRS	276	4.0	20	1	1	2	4	10	13	20
70-74	320	3.9	24	1	1	2	4	8	12	26
75-79	333	3.6	16	1	1	2	4	8	11	28
80-84	207	4.5	38	1	1	3	5	9	13	41
85+	156	4.4	25	1	1	2	5	10	16	27
GRAND TOTAL	**1292**	**4.0**	**24**	**1**	**1**	**2**	**4**	**9**	**12**	**27**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2668	2.1	1	1	1	2	2	3	3	5
70-74	3483	2.2	1	1	1	2	2	3	3	5
75-79	3786	2.1		1	1	2	2	3	3	5
80-84	2819	2.2	1	1	1	2	2	3	3	5
85+	1949	2.2		1	1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	3131	2.7	8	1	2	2	3	4	5	11
70-74	4373	2.7	6	1	2	2	3	4	5	13
75-79	4883	2.8	10	1	2	2	3	4	6	14
80-84	3931	2.9	11	1	2	2	3	4	6	16
85+	2945	3.2	19	1	2	2	3	5	8	22
TOT. SINGLE DX	14705	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	19263	2.8	11	1	2	2	3	4	6	15
TOTAL 65-69 YRS	5799	2.4	5	1	1	2	3	3	4	9
70-74	7856	2.5	5	1	2	2	3	3	4	10
75-79	8669	2.5	6	1	2	2	3	3	4	11
80-84	6750	2.6	7	1	2	2	3	3	5	12
85+	4894	2.8	12	1	2	2	3	4	6	17
GRAND TOTAL	**33968**	**2.5**	**7**	**1**	**2**	**2**	**3**	**3**	**4**	**12**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5840	1.8		<1	1	2	2	2	3	4
70-74	7507	1.9		<1	1	2	2	2	3	4
75-79	7965	1.9		<1	1	2	2	2	3	4
80-84	5960	1.9		<1	1	2	2	3	3	4
85+	3881	2.0		<1	1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	6545	2.3	5	1	1	2	2	3	4	11
70-74	9041	2.4	6	1	1	2	2	3	4	11
75-79	10011	2.4	6	1	1	2	2	3	4	11
80-84	7594	2.5	8	1	1	2	2	3	5	14
85+	5394	2.6	9	1	1	2	2	4	5	15
TOT. SINGLE DX	31153	1.9	1	<1	1	2	2	2	3	4
" MULTIPLE DX	38585	2.4	7	1	1	2	2	3	4	12
TOTAL 65-69 YRS	12385	2.1	3	1	1	2	2	3	3	7
70-74	16548	2.1	4	1	1	2	2	3	3	9
75-79	17976	2.2	4	1	1	2	2	3	3	8
80-84	13554	2.2	5	1	1	2	2	3	4	10
85+	9275	2.4	6	1	1	2	2	3	4	11
GRAND TOTAL	**69738**	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	595	1.9		<1	1	2	2	2	3	4
70-74	730	1.8		<1	1	2	2	2	3	3
75-79	784	2.0		<1	1	2	2	3	3	5
80-84	549	1.9		1	1	2	2	3	3	5
85+	329	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
65-69 YRS	730	2.3	3	1	1	2	2	3	4	12
70-74	952	2.4	4	1	1	2	2	3	4	12
75-79	889	2.4	4	1	1	2	2	3	4	13
80-84	665	2.6	19	1	1	2	2	3	4	15
85+	414	2.6	16	1	1	2	2	4	5	15
TOT. SINGLE DX	2987	1.9	1	<1	1	2	2	3	3	4
" MULTIPLE DX	3650	2.4	8	1	1	2	2	3	4	13
TOTAL 65-69 YRS	1325	2.1	2	1	1	2	2	3	3	9
70-74	1682	2.1	3	1	1	2	2	3	3	10
75-79	1673	2.2	3	1	1	2	2	3	4	9
80-84	1214	2.3	11	1	1	2	2	3	4	12
85+	743	2.3	9	1	1	2	2	3	4	11
GRAND TOTAL	**6637**	**2.2**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	527	3.8	3	1	2	3	5	6	7	11
70-74	401	3.8	4	1	2	3	4	6	7	12
75-79	266	4.0	4	2	2	3	5	7	8	12
80-84	130	4.0	3	1	2	4	5	6	9	10
85+	61	4.5	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
65-69 YRS	969	4.5	8	2	2	4	5	7	9	15
70-74	832	4.8	8	2	2	4	6	8	10	16
75-79	560	4.6	7	2	2	4	6	8	9	15
80-84	334	4.8	9	2	2	4	6	8	9	15
85+	129	4.9	11	2	2	4	6	8	9	18
TOT. SINGLE DX	1385	3.9	4	1	2	4	5	6	7	12
" MULTIPLE DX	2824	4.7	9	2	2	4	6	8	9	15
TOTAL 65-69 YRS	1496	4.3	7	1	2	4	5	7	8	13
70-74	1233	4.5	8	2	2	4	5	8	10	15
75-79	826	4.4	7	2	2	4	6	7	9	15
80-84	464	4.6	8	2	2	4	6	7	9	14
85+	190	4.8	9	2	2	4	6	8	9	13
GRAND TOTAL	**4209**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	125	3.0	3	1	1	2	3	6	7	10
70-74	101	2.6	3	<1	1	2	3	5	7	11
75-79	114	3.1	7	1	1	2	3	6	8	15
80-84	59	3.3	10	1	1	3	4	5	7	23
85+	42	3.1	4	1	1	2	4	7	8	10
2. MULTIPLE DX										
65-69 YRS	422	3.9	14	1	2	3	4	7	10	15
70-74	460	4.1	27	1	2	3	4	7	10	29
75-79	380	4.1	24	1	2	3	4	8	10	17
80-84	232	4.1	33	1	1	3	4	7	10	28
85+	127	3.9	12	1	1	2	5	9	11	18
TOT. SINGLE DX	441	3.0	6	1	1	2	3	6	7	11
" MULTIPLE DX	1621	4.0	23	1	2	3	4	7	10	20
TOTAL 65-69 YRS	547	3.7	12	1	1	3	4	7	9	14
70-74	561	3.8	23	1	1	3	4	7	10	24
75-79	494	3.8	21	1	1	3	4	8	10	17
80-84	291	3.9	29	1	1	3	4	7	9	27
85+	169	3.7	10	1	1	2	4	8	10	16
GRAND TOTAL	**2062**	**3.8**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	1.8	1	1	1	2	2	2	3	8
70-74	37	1.6		<1	<1	2	2	2	3	3
75-79	8	2.3		1	1	2	3	4	4	4
80-84	7	1.4		<1	<1	1	2	3	3	3
85+	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	64	2.2	3	1	1	2	2	3	4	15
70-74	42	2.0	1	1	1	2	2	3	4	7
75-79	31	2.0		1	1	2	2	3	3	5
80-84	12	4.7	97	1	1	2	2	12	33	36
85+	15	2.7	6	<1	<1	2	3	10	73	99+
TOT. SINGLE DX	106	1.7	1	<1	<1	2	2	2	3	6
" MULTIPLE DX	164	2.4	10	1	1	2	2	3	5	33
TOTAL 65-69 YRS	112	2.0	3	1	1	2	2	3	3	11
70-74	79	1.8	1	<1	1	2	2	3	3	6
75-79	39	2.1	1	1	1	2	2	3	4	5
80-84	19	3.5	62	<1	<1	2	2	3	21	36
85+	21	2.3	5	<1	<1	2	2	7	47	99+
GRAND TOTAL	**270**	**2.1**	**6**	**<1**	**1**	**2**	**2**	**3**	**4**	**15**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	5.8	47	2	2	3	9	16	16	16
70-74	3	3.7	14	1	1	2	6	8	8	8
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84										
85+										
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	9	5.3	24	1	1	3	8	13	16	16
TOTAL 65-69 YRS	4	5.8	47	2	2	3	9	16	16	16
70-74	3	3.7	14	1	1	2	6	8	8	8
75-79	4	4.3	13	<1	<1	3	7	9	9	9
80-84										
85+										
GRAND TOTAL	**11**	**4.6**	**22**	**<1**	**1**	**2**	**7**	**12**	**16**	**16**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	2.7	3	1	1	2	3	4	7	10
70-74	79	3.3	13	1	1	2	3	7	8	22
75-79	63	2.7	4	1	1	2	3	5	8	11
80-84	57	3.0	5	1	1	2	3	6	7	15
85+	31	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	182	4.7	25	1	1	3	6	10	13	29
70-74	194	5.4	74	1	2	3	6	10	13	53
75-79	193	4.8	30	1	1	3	5	11	17	35
80-84	167	5.5	44	1	1	3	7	11	15	37
85+	135	6.5	61	1	2	4	8	13	17	50
TOT. SINGLE DX	296	2.9	7	1	1	2	3	5	7	16
" MULTIPLE DX	871	5.3	47	1	1	3	6	11	14	37
TOTAL 65-69 YRS	248	4.2	20	1	1	3	4	8	13	26
70-74	273	4.8	58	1	1	3	5	10	13	22
75-79	256	4.3	25	1	1	3	5	9	14	32
80-84	224	4.9	36	1	1	3	5	10	13	36
85+	166	5.8	53	1	1	3	6	12	15	45
GRAND TOTAL	**1167**	**4.7**	**38**	**1**	**1**	**3**	**5**	**10**	**14**	**31**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	64	2.2	3	<1	<1	2	3	4	6	12
70-74	85	2.7	4	<1	<1	2	3	7	8	10
75-79	58	2.6	6	<1	<1	2	3	6	7	16
80-84	47	3.5	28	<1	1	2	3	6	10	35
85+	49	3.6	10	<1	<1	2	5	9	10	14
2. MULTIPLE DX										
65-69 YRS	157	5.9	70	1	1	3	6	13	20	59
70-74	167	6.9	75	1	1	4	8	17	25	45
75-79	149	8.4	112	1	1	5	10	17	22	43
80-84	130	9.0	99	2	2	6	11	18	28	66
85+	129	8.8	99	1	2	7	11	18	31	74
TOT. SINGLE DX	303	2.8	10	<1	<1	2	3	6	8	14
" MULTIPLE DX	732	7.7	92	1	2	5	9	17	24	60
TOTAL 65-69 YRS	221	4.8	54	<1	1	3	5	11	15	58
70-74	252	5.5	56	<1	1	3	6	12	20	37
75-79	207	6.8	89	<1	1	4	8	16	19	41
80-84	177	7.5	86	1	1	4	9	16	22	57
85+	178	7.4	80	1	1	5	9	17	23	67
GRAND TOTAL	**1035**	**6.3**	**72**	**<1**	**1**	**3**	**7**	**14**	**20**	**50**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	191	2.0		1	1	2	3	3	4	5
70-74	113	1.9		1	1	2	3	3	3	5
75-79	68	2.0	1	1	1	2	3	3	4	5
80-84	17	1.5		1	1	1	2	2	3	3
85+	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	158	2.4	1	1	1	2	3	4	5	7
70-74	65	2.4	1	1	1	2	3	4	4	6
75-79	41	2.5	1	1	1	2	3	4	6	7
80-84	16	2.3		1	1	2	3	4	4	4
85+	4	2.5		2	2	2	3	3	3	3
TOT. SINGLE DX	394	2.0	1	1	1	2	3	3	3	5
" MULTIPLE DX	284	2.5	1	1	1	2	3	4	5	7
TOTAL 65-69 YRS	349	2.2	1	1	1	2	3	3	4	6
70-74	178	2.1	1	1	1	2	3	3	4	6
75-79	109	2.2	1	1	1	2	3	3	4	7
80-84	33	1.9	1	1	1	2	2	3	4	4
85+	9	2.1	1	1	1	2	3	3	3	3
GRAND TOTAL	**678**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	1.8		1	1	2	2	3	3	5
70-74	93	1.9		1	1	2	2	3	3	5
75-79	55	1.7		<1	1	2	2	3	3	3
80-84	17	1.8		1	1	2	2	2	3	3
85+	8	2.1	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
65-69 YRS	242	2.4	2	1	1	2	3	3	5	9
70-74	152	2.2	1	1	1	2	3	3	4	8
75-79	72	2.7	8	1	1	2	3	4	4	21
80-84	20	2.7	3	<1	1	2	3	5	7	9
85+	6	2.5		1	1	3	3	3	3	3
TOT. SINGLE DX	352	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	492	2.4	3	1	1	2	3	3	5	9
TOTAL 65-69 YRS	421	2.1	2	1	1	2	2	3	4	8
70-74	245	2.1	1	1	1	2	3	3	4	6
75-79	127	2.3	5	1	1	2	3	3	4	13
80-84	37	2.3	2	1	1	2	2	3	5	9
85+	14	2.3	1	1	1	2	3	4	5	5
GRAND TOTAL	**844**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	1.6	6	<1	<1	1	1	2	3	17
70-74	28	1.6	1	<1	<1	1	2	2	3	6
75-79	14	2.7	25	<1	<1	1	2	5	17	20
80-84	7	1.4		<1	<1	1	2	2	2	2
85+	9	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	75	7.8	170	<1	1	2	10	17	21	84
70-74	68	7.3	107	<1	1	3	8	21	29	92
75-79	45	8.8	204	<1	1	2	11	20	34	71
80-84	23	6.8	35	1	1	5	11	15	20	21
85+	25	8.4	68	<1	1	6	12	21	28	29
TOT. SINGLE DX	101	1.7	6	<1	<1	1	2	2	3	18
" MULTIPLE DX	236	7.8	134	<1	1	3	11	19	26	74
TOTAL 65-69 YRS	118	5.6	119	<1	<1	2	6	16	18	67
70-74	96	5.6	83	<1	<1	2	6	17	26	81
75-79	59	7.3	168	<1	1	2	10	18	24	70
80-84	30	5.6	33	1	1	2	8	13	20	21
85+	34	6.5	60	<1	1	2	9	18	27	29
GRAND TOTAL	337	6.0	103	<1	<1	2	7	16	21	65

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	74	2.6	1	1	1	2	3	4	5	9
70-74	41	3.2	5	1	1	3	3	5	7	14
75-79	17	2.7	1	1	1	2	3	5	6	6
80-84	9	2.2	2	1	1	1	4	5	5	5
85+	8	3.0	6	1	1	2	3	7	9	9
2. MULTIPLE DX										
65-69 YRS	232	4.1	32	1	1	3	4	7	13	41
70-74	140	4.0	35	1	1	3	4	6	12	33
75-79	88	5.2	56	1	1	3	5	13	28	99+
80-84	31	5.4	40	1	1	3	6	11	16	34
85+	15	7.9	65	2	2	4	13	19	26	28
TOT. SINGLE DX	149	2.8	3	1	1	3	3	5	5	10
" MULTIPLE DX	506	4.5	39	1	1	3	4	9	15	43
TOTAL 65-69 YRS	306	3.8	25	1	1	3	4	7	10	33
70-74	181	3.8	29	1	1	3	4	6	10	28
75-79	105	4.8	49	1	1	3	5	12	19	99+
80-84	40	4.7	34	1	1	3	5	10	14	34
85+	23	6.2	49	1	2	3	6	17	22	28
GRAND TOTAL	655	4.1	31	1	1	3	4	7	13	41

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	103	2.5	3	1	1	2	3	4	6	11
70-74	67	2.6	7	1	1	2	3	4	7	16
75-79	35	3.0	4	1	2	2	3	5	9	9
80-84	8	2.5	4	1	1	2	3	6	7	7
85+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	153	4.9	78	1	1	3	4	9	14	64
70-74	85	4.4	17	1	1	3	5	8	14	24
75-79	43	5.3	72	1	1	3	6	12	15	54
80-84	11	9.4	137	<1	1	3	18	30	31	31
85+	5	8.8	26	1	1	8	13	14	14	14
TOT. SINGLE DX	217	2.6	5	1	1	2	3	4	7	13
" MULTIPLE DX	297	5.0	62	1	1	3	5	11	15	46
TOTAL 65-69 YRS	256	3.9	50	1	1	2	3	7	12	36
70-74	152	3.6	14	1	1	2	4	7	10	21
75-79	78	4.3	43	1	1	2	5	9	13	43
80-84	19	6.5	90	<1	1	2	6	26	30	31
85+	9	5.9	25	1	1	3	9	14	14	14
GRAND TOTAL	514	4.0	39	1	1	2	4	8	13	30

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	2.6	2	1	1	2	3	5	6	7
70-74	20	1.7		1	1	2	2	2	3	3
75-79	6	6.2	60	2	2	3	4	20	22	22
80-84	2	4.0		4	4	4	4	4	4	4
85+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	215	3.0	8	1	1	2	3	6	8	16
70-74	124	2.9	3	1	1	3	3	4	6	13
75-79	56	4.4	39	1	1	3	4	9	11	35
80-84	20	3.4	2	1	2	3	4	6	6	7
85+	6	6.5	34	2	2	3	14	14	14	14
TOT. SINGLE DX	70	2.7	7	1	1	2	3	4	5	19
" MULTIPLE DX	421	3.3	12	1	1	3	3	5	9	16
TOTAL 65-69 YRS	254	3.0	8	1	1	2	3	5	7	14
70-74	144	2.7	4	1	1	2	3	4	5	12
75-79	62	4.6	41	1	1	3	4	9	15	35
80-84	22	3.4	2	1	2	3	4	6	6	7
85+	9	5.1	26	2	2	3	6	14	14	14
GRAND TOTAL	**491**	**3.2**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**18**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120	2.1	1	1	1	2	2	3	4	8
70-74	66	2.2	2	<1	1	2	3	4	4	9
75-79	46	3.2	8	<1	1	2	4	6	9	16
80-84	17	3.1	14	<1	1	2	3	9	13	15
85+	12	2.7	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	526	2.9	8	1	1	2	3	5	7	20
70-74	306	3.7	17	1	1	2	4	7	11	25
75-79	175	3.7	9	1	1	3	4	8	11	15
80-84	89	5.7	51	1	1	3	6	13	26	36
85+	51	7.4	79	1	2	5	8	18	29	99
TOT. SINGLE DX	261	2.4	4	1	1	2	3	4	5	10
" MULTIPLE DX	1147	3.7	19	1	1	2	4	7	11	26
TOTAL 65-69 YRS	646	2.8	7	1	1	2	3	5	7	16
70-74	372	3.4	15	1	1	2	4	6	10	24
75-79	221	3.6	10	1	1	3	4	8	11	15
80-84	106	5.3	46	<1	1	3	5	13	24	35
85+	63	6.5	68	1	1	4	7	13	25	94
GRAND TOTAL	**1408**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	170	2.4	3	<1	<1	2	3	4	6	12
70-74	123	2.3	4	<1	<1	2	3	4	5	13
75-79	102	2.1	2	<1	<1	2	3	4	5	8
80-84	89	2.8	12	<1	<1	2	3	5	9	24
85+	60	2.9	3	<1	1	3	4	5	6	11
2. MULTIPLE DX										
65-69 YRS	479	3.6	15	1	1	2	4	7	10	21
70-74	384	4.7	26	1	1	3	5	11	15	30
75-79	317	5.2	51	1	1	3	6	10	14	35
80-84	191	6.7	112	1	1	3	8	13	21	82
85+	179	8.3	108	1	2	5	10	16	32	61
TOT. SINGLE DX	544	2.5	5	<1	<1	2	3	4	6	11
" MULTIPLE DX	1550	5.1	50	1	1	3	6	11	15	39
TOTAL 65-69 YRS	649	3.3	13	<1	1	2	4	6	9	17
70-74	507	4.1	22	<1	1	3	4	9	14	27
75-79	419	4.4	41	<1	1	3	5	10	12	31
80-84	280	5.4	84	<1	1	3	6	12	19	69
85+	239	6.9	87	1	1	4	8	15	28	60
GRAND TOTAL	**2094**	**4.4**	**40**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	128	3.9	4	1	1	4	5	7	8	10
70-74	84	4.2	10	<1	1	4	6	7	10	18
75-79	67	4.0	7	1	1	3	5	8	10	11
80-84	47	4.6	12	1	1	3	6	9	12	19
85+	37	4.1	5	1	1	3	5	8	8	12
2. MULTIPLE DX										
65-69 YRS	417	5.9	24	1	2	5	7	11	14	26
70-74	409	6.5	51	1	2	5	8	11	17	36
75-79	359	6.0	25	1	2	5	7	12	15	29
80-84	235	6.1	33	1	2	4	7	12	18	32
85+	225	7.5	75	1	2	5	9	15	19	43
TOT. SINGLE DX	363	4.1	7	1	1	4	6	7	9	13
" MULTIPLE DX	1645	6.3	40	1	2	5	7	12	16	34
TOTAL 65-69 YRS	545	5.4	21	1	2	4	6	10	13	24
70-74	493	6.1	46	1	2	5	7	11	16	35
75-79	426	5.7	23	1	1	5	7	11	14	27
80-84	282	5.9	31	1	1	4	7	12	17	31
85+	262	7.0	67	1	2	5	8	14	17	41
GRAND TOTAL	**2008**	**5.9**	**35**	**1**	**2**	**5**	**7**	**11**	**15**	**32**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	95	2.7	2	1	1	2	3	4	5	11
70-74	73	2.7	2	1	1	2	3	4	6	10
75-79	41	3.4	7	1	1	3	4	6	10	14
80-84	11	2.2	1	1	1	2	3	4	5	5
85+	8	2.8	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	236	4.4	24	1	1	3	4	9	12	27
70-74	181	4.9	22	1	1	3	5	11	17	23
75-79	102	5.5	53	1	2	3	6	13	15	46
80-84	44	7.1	33	1	2	5	9	15	22	25
85+	27	6.7	45	1	2	4	8	19	23	25
TOT. SINGLE DX	228	2.8	4	1	1	2	3	5	5	12
" MULTIPLE DX	590	5.0	31	1	2	3	5	10	16	25
TOTAL 65-69 YRS	331	3.9	19	1	1	3	4	6	10	26
70-74	254	4.2	18	1	1	3	4	9	14	23
75-79	143	4.9	41	1	2	3	5	10	14	33
80-84	55	6.1	31	1	1	4	8	14	20	25
85+	35	5.8	38	1	2	3	6	14	22	25
GRAND TOTAL	**818**	**4.4**	**24**	**1**	**1**	**3**	**4**	**9**	**14**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	3.7	21	1	1	2	4	7	10	31
70-74	61	3.1	7	1	1	2	3	7	8	15
75-79	27	3.4	6	<1	1	2	5	8	9	10
80-84	13	3.9	21	<1	1	2	4	10	16	18
85+	8	3.4	6	1	1	3	4	8	9	9
2. MULTIPLE DX										
65-69 YRS	268	5.7	54	1	1	3	6	13	19	52
70-74	212	5.7	30	1	1	3	8	14	17	27
75-79	154	6.9	50	1	2	5	8	15	21	38
80-84	69	6.6	43	1	1	5	8	15	20	32
85+	29	11.8	251	2	2	8	13	25	58	70
TOT. SINGLE DX	178	3.4	13	1	1	2	4	8	9	17
" MULTIPLE DX	732	6.3	55	1	1	4	8	14	20	41
TOTAL 65-69 YRS	337	5.3	48	1	1	3	6	12	17	47
70-74	273	5.1	27	1	1	3	7	12	16	24
75-79	181	6.4	45	1	1	4	8	14	20	34
80-84	82	6.2	41	1	1	4	7	14	19	31
85+	37	10.0	209	2	2	5	10	23	46	70
GRAND TOTAL	**910**	**5.7**	**48**	**1**	**1**	**3**	**7**	**13**	**18**	**36**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.4	22	<1	<1	2	2	3	4	32
70-74	67	2.6	12	<1	1	2	2	4	6	26
75-79	43	2.4	2	1	1	2	2	4	5	11
80-84	36	1.8		1	1	2	2	2	3	3
85+	30	2.4		1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	699	5.5	67	1	1	2	5	13	20	60
70-74	603	6.3	101	1	1	3	7	15	27	66
75-79	491	6.9	120	1	1	3	7	17	26	89
80-84	348	7.7	107	1	2	3	8	21	33	56
85+	324	8.5	160	1	2	3	10	23	44	99+
TOT. SINGLE DX	257	2.4	11	<1	1	2	2	3	4	11
" MULTIPLE DX	2465	6.7	105	1	1	3	7	17	28	90
TOTAL 65-69 YRS	780	5.2	64	1	1	2	5	12	19	57
70-74	670	5.9	94	1	1	2	6	13	25	62
75-79	534	6.5	112	1	1	3	7	16	25	86
80-84	384	7.1	101	1	2	3	8	19	30	56
85+	354	7.9	150	1	2	3	9	22	41	99+
GRAND TOTAL	**2722**	**6.3**	**98**	**1**	**1**	**3**	**6**	**15**	**27**	**70**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	1.6		1	1	2	2	2	2	2
70-74	2	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	11	3.7	16	<1	<1	2	5	11	12	12
70-74	6	4.5	6	2	2	4	5	9	9	9
75-79	2	15.0	338	2	2	15	28	28	28	28
80-84	6	15.3	407	2	2	8	15	51	55	55
85+	4	2.3		2	2	2	3	3	3	3
TOT. SINGLE DX	9	1.7		1	1	2	2	2	2	2
" MULTIPLE DX	29	6.9	120	1	1	3	6	14	29	55
TOTAL 65-69 YRS	16	3.1	12	<1	1	2	3	10	12	12
70-74	8	3.9	6	2	2	3	5	8	9	9
75-79	2	15.0	338	2	2	15	28	28	28	28
80-84	6	15.3	407	2	2	8	15	51	55	55
85+	6	2.0		1	1	2	2	3	3	3
GRAND TOTAL	**38**	**5.6**	**96**	**1**	**1**	**2**	**4**	**13**	**23**	**55**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	3.1	8	1	1	3	4	4	5	21
70-74	45	2.9	2	1	1	3	4	5	6	6
75-79	11	2.7	2	<1	<1	2	3	5	7	7
80-84	11	3.5	9	1	1	2	4	8	12	12
85+	6	3.5		3	3	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	173	4.7	41	1	2	3	4	9	16	39
70-74	137	4.9	33	1	2	3	5	10	18	38
75-79	83	5.9	83	1	1	3	6	12	18	59
80-84	49	4.7	18	1	2	3	6	9	15	22
85+	27	6.2	41	2	2	3	8	17	21	24
TOT. SINGLE DX	122	3.1	5	1	1	3	4	5	6	15
" MULTIPLE DX	469	5.1	44	1	2	3	5	11	18	39
TOTAL 65-69 YRS	222	4.4	35	1	2	3	4	7	15	34
70-74	182	4.4	27	1	1	3	5	9	12	32
75-79	94	5.5	75	1	1	3	5	11	18	56
80-84	60	4.5	17	1	2	3	5	9	13	22
85+	33	5.7	35	2	2	3	6	16	20	24
GRAND TOTAL	**591**	**4.7**	**37**	**1**	**2**	**3**	**5**	**9**	**16**	**35**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	352	3.4	3	1	2	3	4	6	7	11
70-74	264	3.4	3	1	2	3	4	5	6	10
75-79	154	3.8	4	2	2	3	4	6	8	11
80-84	80	3.5	3	1	2	3	4	7	7	8
85+	52	4.1	3	1	2	4	5	7	8	10
2. MULTIPLE DX										
65-69 YRS	441	5.3	24	2	2	4	6	10	15	23
70-74	439	5.3	40	2	2	4	6	9	12	31
75-79	339	6.5	68	2	2	4	6	12	16	58
80-84	183	6.4	40	2	2	4	7	12	15	36
85+	122	8.4	38	2	3	6	11	16	20	32
TOT. SINGLE DX	902	3.5	4	1	2	3	4	6	7	11
" MULTIPLE DX	1524	6.0	42	2	2	4	7	11	15	35
TOTAL 65-69 YRS	793	4.5	16	1	2	3	5	8	11	20
70-74	703	4.6	27	1	2	4	5	8	10	19
75-79	493	5.7	50	2	2	4	6	10	14	50
80-84	263	5.5	31	1	2	4	7	10	14	35
85+	174	7.1	32	2	2	5	9	15	19	27
GRAND TOTAL	**2426**	**5.0**	**29**	**1**	**2**	**4**	**5**	**9**	**13**	**28**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	2.7	2	1	1	2	4	5	5	5
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	7	6.6	10	2	2	7	9	11	11	11
70-74	9	4.1	3	2	2	4	6	7	7	7
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	10	3.3	4	1	1	3	4	6	8	8
" MULTIPLE DX	20	4.9	7	1	2	5	7	8	10	11
TOTAL 65-69 YRS	13	4.8	10	1	1	4	7	9	11	11
70-74	11	4.3	5	2	2	4	6	7	8	8
75-79	3	3.0	4	1	1	3	4	5	5	5
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**30**	**4.4**	**6**	**1**	**1**	**4**	**6**	**8**	**9**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	253	4.1	40	<1	1	2	4	8	11	28
70-74	219	3.6	16	<1	1	2	4	8	12	19
75-79	148	3.4	7	<1	<1	2	4	8	9	14
80-84	97	3.7	10	<1	1	3	5	7	11	17
85+	71	4.0	18	1	1	2	5	9	10	27
2. MULTIPLE DX										
65-69 YRS	716	8.1	108	1	1	4	10	18	25	58
70-74	618	8.3	86	1	1	5	10	18	26	52
75-79	487	9.0	142	1	2	5	10	20	30	63
80-84	295	7.9	112	1	1	4	9	17	30	53
85+	240	9.3	133	1	2	6	11	21	31	88
TOT. SINGLE DX	788	3.8	22	<1	1	2	4	8	11	20
" MULTIPLE DX	2356	8.4	113	1	2	5	10	19	27	60
TOTAL 65-69 YRS	969	7.1	94	1	1	4	9	16	23	53
70-74	837	7.0	72	1	1	4	9	16	23	44
75-79	635	7.7	117	1	1	4	9	18	25	61
80-84	392	6.9	90	1	1	4	8	14	23	45
85+	311	8.1	112	1	2	5	10	18	27	65
GRAND TOTAL	**3144**	**7.3**	**94**	**1**	**1**	**4**	**9**	**16**	**24**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	2.4	3	1	1	2	3	6	7	8
70-74	16	2.1	1	1	1	2	3	4	4	4
75-79	9	3.6	15	1	1	2	4	10	13	13
80-84	7	2.0	1	1	1	2	3	3	3	3
85+	13	1.8	2	1	1	1	2	4	6	6
2. MULTIPLE DX										
65-69 YRS	30	3.8	16	1	1	2	4	10	12	16
70-74	13	5.0	16	1	1	3	7	12	13	13
75-79	19	6.2	24	1	1	4	10	13	16	18
80-84	3	9.0	129	1	1	4	17	22	22	22
85+	7	7.3	24	1	1	8	10	14	15	15
TOT. SINGLE DX	70	2.4	4	1	1	2	3	4	6	12
" MULTIPLE DX	72	5.2	24	1	1	3	9	12	15	21
TOTAL 65-69 YRS	55	3.2	11	1	1	2	3	9	11	16
70-74	29	3.4	10	1	1	2	4	9	11	13
75-79	28	5.4	22	1	1	3	8	13	14	18
80-84	10	4.1	41	1	1	2	3	13	22	22
85+	20	3.8	16	1	1	2	5	10	13	15
GRAND TOTAL	**142**	**3.8**	**16**	**1**	**1**	**2**	**4**	**10**	**12**	**18**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	7	1.6		1	1	1	2	3	3	3
75-79	2	1.0		1	1	1	1	1	1	1
80-84	4	1.3		1	1	1	2	2	2	2
85+	8	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	5	3.4	4	1	1	3	5	6	6	6
70-74										
75-79	4	2.0		1	1	2	3	3	3	3
80-84	1	14.0		14	14	14	14	14	14	14
85+	8	1.4		<1	<1	1	2	2	2	2
TOT. SINGLE DX	25	1.4		<1	1	1	2	2	3	3
" MULTIPLE DX	18	2.8	10	<1	1	2	3	6	11	14
TOTAL 65-69 YRS	9	2.7	3	1	1	2	3	6	6	6
70-74	7	1.6	1	1	1	1	2	3	3	3
75-79	6	1.7	1	1	1	2	2	3	3	3
80-84	5	3.8	33	1	1	1	5	14	14	14
85+	16	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**43**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**14**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	3.7	14	1	1	2	6	8	8	8
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX										
" MULTIPLE DX	4	3.0	11	<1	<1	1	5	8	8	8
TOTAL 65-69 YRS	3	3.7	14	1	1	2	6	8	8	8
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**4**	**3.0**	**11**	**<1**	**<1**	**1**	**5**	**8**	**8**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	110	3.4	8	<1	1	2	4	9	11	13
70-74	79	4.0	24	1	1	3	4	8	12	32
75-79	63	3.7	21	<1	1	2	5	8	9	31
80-84	38	3.8	17	1	1	2	3	9	15	19
85+	12	5.2	20	1	1	3	8	12	15	15
2. MULTIPLE DX										
65-69 YRS	264	8.6	157	1	1	4	10	21	33	88
70-74	229	8.3	138	1	1	4	10	17	27	70
75-79	130	8.9	75	1	2	6	13	20	24	38
80-84	81	11.4	138	1	2	8	15	29	37	57
85+	45	10.6	102	2	2	8	11	28	31	50
TOT. SINGLE DX	302	3.8	17	<1	1	2	4	9	11	17
" MULTIPLE DX	749	9.0	132	1	1	5	11	21	28	64
TOTAL 65-69 YRS	374	7.1	119	1	1	3	8	16	23	69
70-74	308	7.2	113	1	1	3	9	15	22	64
75-79	193	7.2	63	1	1	4	10	18	21	33
80-84	119	9.0	112	1	1	4	12	22	32	47
85+	57	9.5	90	1	2	8	11	25	29	49
GRAND TOTAL	**1051**	**7.5**	**105**	**1**	**1**	**4**	**9**	**18**	**26**	**59**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	3.3	6	<1	<1	2	5	7	9	10
70-74	39	3.1	3	<1	1	3	4	5	6	10
75-79	36	3.8	5	1	1	3	5	7	9	9
80-84	16	3.1	6	1	1	2	3	6	10	12
85+	14	2.8	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	182	5.1	29	1	1	3	5	13	15	20
70-74	188	5.0	57	1	1	4	6	9	11	71
75-79	200	5.2	30	1	1	4	6	11	15	40
80-84	136	6.1	76	1	2	4	7	11	14	50
85+	123	5.7	23	1	2	4	8	12	16	24
TOT. SINGLE DX	158	3.3	5	<1	1	3	5	6	8	10
" MULTIPLE DX	829	5.4	43	1	1	4	6	11	14	32
TOTAL 65-69 YRS	235	4.7	25	1	1	3	5	10	14	18
70-74	227	4.7	49	1	1	4	5	8	10	44
75-79	236	5.0	27	1	1	4	6	10	13	33
80-84	152	5.8	70	1	2	4	6	11	13	45
85+	137	5.4	22	1	1	4	7	11	15	23
GRAND TOTAL	**987**	**5.0**	**37**	**1**	**1**	**4**	**6**	**10**	**13**	**30**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	435	1.8	1	<1	1	2	2	3	3	9
70-74	294	2.3	27	<1	1	2	2	3	4	12
75-79	180	2.2	4	<1	<1	2	2	3	5	11
80-84	74	1.8		<1	1	2	2	2	3	7
85+	26	2.1		1	1	2	2	3	4	5
2. MULTIPLE DX										
65-69 YRS	688	4.4	48	1	1	2	4	10	16	32
70-74	497	5.1	76	1	1	2	4	12	20	59
75-79	319	5.4	77	<1	1	2	5	13	23	54
80-84	141	5.5	80	1	1	2	5	15	23	74
85+	72	7.7	156	1	1	2	8	25	44	94
TOT. SINGLE DX	1009	2.0	10	<1	1	2	2	3	4	10
" MULTIPLE DX	1717	5.0	70	1	1	2	4	11	20	53
TOTAL 65-69 YRS	1123	3.4	32	<1	1	2	3	7	11	27
70-74	791	4.1	60	<1	1	2	3	9	15	51
75-79	499	4.2	53	<1	1	2	3	9	18	43
80-84	215	4.2	56	1	1	2	3	11	18	51
85+	98	6.2	121	1	1	2	5	16	32	87
GRAND TOTAL	**2726**	**3.9**	**49**	**<1**	**1**	**2**	**3**	**9**	**15**	**40**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	9.2	40	1	1	10	13	17	21	25
70-74	35	9.3	94	1	1	4	14	19	33	40
75-79	12	7.2	49	1	1	4	13	18	21	22
80-84	5	3.8	26	1	1	2	5	13	13	13
85+										
2. MULTIPLE DX										
65-69 YRS	89	13.1	91	2	2	11	18	29	38	99+
70-74	81	14.4	314	2	2	10	17	33	46	95
75-79	48	10.7	216	1	1	7	13	28	59	99+
80-84	19	19.4	477	1	2	13	25	59	69	77
85+	14	11.9	33	3	5	11	15	21	21	21
TOT. SINGLE DX	95	8.7	61	1	1	9	13	18	22	39
" MULTIPLE DX	251	13.5	214	1	2	10	18	32	49	99+
TOTAL 65-69 YRS	132	11.8	78	1	2	11	17	25	33	99+
70-74	116	12.9	252	1	2	8	16	32	41	92
75-79	60	10.0	184	1	1	6	13	22	49	98
80-84	24	16.2	421	1	1	10	19	58	64	77
85+	14	11.9	34	3	5	11	15	21	21	21
GRAND TOTAL	**346**	**12.2**	**176**	**1**	**2**	**10**	**16**	**26**	**40**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	17.3	62	9	11	14	21	27	37	42
70-74	36	14.1	13	9	9	14	16	20	21	26
75-79	13	19.8	164	9	9	14	26	36	51	54
80-84	1	12.0		12	12	12	12	12	12	12
85+										
2. MULTIPLE DX										
65-69 YRS	196	21.6	215	9	10	17	25	37	50	96
70-74	165	23.5	220	10	11	20	28	46	72	99+
75-79	70	23.9	207	10	10	18	31	44	66	95
80-84	31	22.8	320	10	10	18	23	46	95	99+
85+	12	19.5	70	6	9	18	26	32	33	33
TOT. SINGLE DX	97	16.4	60	9	10	14	18	25	33	48
" MULTIPLE DX	474	22.6	219	10	10	18	27	42	62	99+
TOTAL 65-69 YRS	243	20.7	189	9	10	16	24	35	47	95
70-74	201	21.8	196	10	11	17	26	43	66	99+
75-79	83	23.2	201	10	10	18	30	44	60	91
80-84	32	22.5	314	10	10	18	23	44	93	99+
85+	12	19.5	70	6	9	18	26	32	33	33
GRAND TOTAL	**571**	**21.6**	**197**	**9**	**10**	**17**	**25**	**39**	**57**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	10.1	44	2	2	8	14	19	25	25
70-74	3	4.7	12	1	1	5	7	8	8	8
75-79	7	10.3	76	1	1	11	18	21	22	22
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	106	31.1	437	5	8	29	54	95	99+	99+
70-74	88	35.1	565	4	8	32	55	74	87	99+
75-79	63	36.5	691	4	7	32	60	97	99+	99+
80-84	31	30.2	313	3	7	29	48	59	96	99+
85+	22	32.5	594	6	10	32	51	99	99+	99+
TOT. SINGLE DX	22	9.1	49	1	2	8	15	20	23	25
" MULTIPLE DX	310	33.3	523	4	8	32	54	85	99+	99+
TOTAL 65-69 YRS	117	29.1	438	4	7	27	52	84	99+	99+
70-74	91	34.1	577	4	6	32	54	74	87	99+
75-79	70	33.9	691	2	6	31	54	94	99+	99+
80-84	32	29.4	325	3	5	29	48	57	95	99+
85+	22	32.5	594	6	10	32	51	99	99+	99+
GRAND TOTAL	**332**	**31.7**	**528**	**4**	**7**	**29**	**51**	**83**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	5.4	75	<1	<1	3	6	14	15	47
70-74	30	4.8	39	1	1	2	4	12	19	30
75-79	28	6.1	108	<1	<1	2	8	13	20	54
80-84	9	5.8	42	1	1	3	8	17	20	20
85+	8	2.3	5	1	1	2	2	6	8	8
2. MULTIPLE DX										
65-69 YRS	413	28.6	600	2	2	26	50	80	99+	99+
70-74	368	32.4	665	2	3	32	61	97	99+	99+
75-79	276	33.1	671	2	3	35	60	99	99+	99+
80-84	120	34.6	664	2	4	35	64	99+	99+	99+
85+	79	31.8	573	2	3	29	56	80	99+	99+
TOT. SINGLE DX	106	5.2	65	<1	1	2	6	13	17	50
" MULTIPLE DX	1256	31.5	642	2	3	31	57	93	99+	99+
TOTAL 65-69 YRS	444	27.0	599	1	2	23	48	77	99+	99+
70-74	398	30.3	671	2	2	30	56	95	99+	99+
75-79	304	30.6	680	1	2	31	57	95	99+	99+
80-84	129	32.6	675	2	3	32	62	98	99+	99+
85+	87	29.1	594	1	2	27	51	75	99	99+
GRAND TOTAL	**1362**	**29.4**	**647**	**1**	**2**	**28**	**54**	**89**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	454	5.8	31	1	1	4	8	13	15	28
70-74	409	6.3	44	1	1	4	8	14	20	32
75-79	274	6.1	30	<1	1	4	8	14	18	25
80-84	136	6.3	55	1	1	4	8	13	15	37
85+	60	8.1	35	1	2	6	12	18	19	22
2. MULTIPLE DX										
65-69 YRS	3875	11.2	91	2	3	9	15	22	29	52
70-74	3624	11.6	100	2	3	9	15	22	30	54
75-79	2676	12.3	103	2	3	10	16	24	31	54
80-84	1420	13.2	123	2	3	10	17	26	35	63
85+	753	14.4	138	2	4	11	18	29	38	67
TOT. SINGLE DX	1333	6.2	38	1	1	4	8	14	18	29
" MULTIPLE DX	12348	12.0	104	2	3	9	16	24	31	56
TOTAL 65-69 YRS	4329	10.6	88	2	2	8	14	21	29	51
70-74	4033	11.1	98	2	2	9	15	22	29	53
75-79	2950	11.8	100	2	2	9	16	23	30	52
80-84	1556	12.6	121	2	3	10	16	25	35	63
85+	813	13.9	134	2	4	11	18	28	36	63
GRAND TOTAL	**13681**	**11.4**	**101**	**2**	**2**	**9**	**15**	**23**	**30**	**54**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	15.0		15	15	15	15	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	11.5	61	6	6	11	17	17	17	17
70-74	5	7.0	16	2	2	7	11	11	11	11
75-79										
80-84	1	47.0		47	47	47	47	47	47	47
85+	3	12.7	6	10	10	13	14	15	15	15
TOT. SINGLE DX	2	8.5	85	2	2	8	15	15	15	15
" MULTIPLE DX	11	13.0	148	2	3	11	14	29	45	47
TOTAL 65-69 YRS	2	11.5	61	6	6	11	17	17	17	17
70-74	6	8.3	24	2	2	9	11	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	47.0		47	47	47	47	47	47	47
85+	3	12.7	6	10	10	13	14	15	15	15
GRAND TOTAL	**13**	**12.3**	**133**	**2**	**2**	**11**	**15**	**23**	**42**	**47**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	292	8.4	36	1	1	8	12	16	20	25
70-74	243	8.4	51	1	1	8	11	17	20	35
75-79	141	8.8	47	1	1	8	12	17	20	37
80-84	56	11.5	237	1	1	7	13	23	53	77
85+	20	10.8	39	2	3	9	15	21	22	22
2. MULTIPLE DX										
65-69 YRS	1790	13.6	114	2	3	11	17	26	34	58
70-74	1695	13.7	124	2	3	11	18	26	35	59
75-79	1152	14.5	154	2	3	11	19	28	36	68
80-84	448	14.0	144	2	3	10	18	29	38	62
85+	187	15.5	151	2	4	13	21	28	45	98
TOT. SINGLE DX	752	8.8	59	1	1	8	12	17	20	36
" MULTIPLE DX	5272	13.9	131	2	3	11	18	27	36	61
TOTAL 65-69 YRS	2082	12.8	107	2	3	10	17	25	32	54
70-74	1938	13.1	119	2	3	11	17	25	33	58
75-79	1293	13.9	146	2	3	11	18	27	35	67
80-84	504	13.7	155	2	3	10	18	28	38	65
85+	207	15.0	142	2	4	12	20	27	43	97
GRAND TOTAL	**6024**	**13.3**	**124**	**2**	**3**	**11**	**17**	**26**	**34**	**59**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	12.6	30	7	8	11	15	19	23	35
70-74	106	13.7	39	8	8	12	16	24	28	34
75-79	58	13.5	35	8	8	12	15	21	27	36
80-84	18	14.8	47	7	8	12	19	23	29	33
85+	2	16.0	2	15	15	16	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	954	17.4	91	8	9	15	22	30	36	56
70-74	738	17.8	103	8	9	15	22	29	39	60
75-79	367	18.1	102	8	9	16	22	32	37	58
80-84	103	20.2	153	8	10	16	24	37	48	66
85+	23	19.9	48	11	12	18	25	32	32	32
TOT. SINGLE DX	363	13.2	35	7	8	12	15	20	25	34
" MULTIPLE DX	2185	17.8	100	8	9	15	22	31	37	59
TOTAL 65-69 YRS	1133	16.7	85	8	8	14	20	28	35	52
70-74	844	17.2	97	8	9	14	21	29	35	59
75-79	425	17.5	96	8	9	15	21	30	36	53
80-84	121	19.4	141	8	9	16	23	36	47	65
85+	25	19.6	46	11	12	18	24	32	32	32
GRAND TOTAL	**2548**	**17.1**	**93**	**8**	**9**	**14**	**21**	**29**	**36**	**58**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	304	6.2	43	<1	1	4	8	13	17	35
70-74	246	6.1	36	1	1	4	8	14	18	27
75-79	177	7.4	51	1	2	5	10	15	22	38
80-84	87	6.9	43	1	1	5	9	16	21	28
85+	45	8.2	48	1	2	6	11	18	25	29
2. MULTIPLE DX										
65-69 YRS	2474	11.9	123	2	2	9	15	23	33	62
70-74	2392	12.3	127	2	3	9	16	24	33	65
75-79	1843	13.3	127	2	3	10	17	27	34	62
80-84	1071	14.7	153	2	4	12	19	28	36	83
85+	612	16.3	148	3	4	13	21	32	41	59
TOT. SINGLE DX	859	6.6	43	1	1	4	9	14	19	34
" MULTIPLE DX	8392	13.0	133	2	3	10	17	26	34	64
TOTAL 65-69 YRS	2778	11.3	118	2	2	9	15	23	31	61
70-74	2638	11.7	123	2	2	9	15	23	32	63
75-79	2020	12.8	123	2	3	10	17	26	34	60
80-84	1158	14.1	150	2	3	11	19	28	35	80
85+	657	15.7	146	2	4	13	20	31	40	58
GRAND TOTAL	**9251**	**12.4**	**128**	**2**	**2**	**10**	**16**	**25**	**33**	**62**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	8.6	41	1	1	9	12	18	18	18
70-74	8	6.6	34	1	1	4	11	16	17	17
75-79	11	5.2	31	1	1	4	6	12	20	21
80-84	4	5.0	8	2	2	4	7	9	9	9
85+	4	5.0	11	1	1	5	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	117	13.4	91	2	3	11	18	27	32	67
70-74	108	12.5	147	2	3	8	17	26	34	64
75-79	69	13.2	109	2	3	11	18	27	34	53
80-84	45	13.0	114	2	3	10	17	22	36	51
85+	19	12.7	42	4	5	13	19	24	62	99+
TOT. SINGLE DX	37	6.4	30	1	1	5	9	16	18	21
" MULTIPLE DX	358	13.0	111	2	3	10	18	26	33	56
TOTAL 65-69 YRS	127	13.0	89	2	3	11	18	27	30	63
70-74	116	12.1	141	2	3	8	16	25	33	62
75-79	80	12.1	106	1	2	10	17	26	31	52
80-84	49	12.3	110	2	3	10	17	22	34	51
85+	23	11.4	45	3	4	11	17	23	47	99+
GRAND TOTAL	**395**	**12.4**	**107**	**2**	**3**	**10**	**17**	**26**	**33**	**55**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	99	9.2	48	2	3	8	11	16	20	41
70-74	105	8.4	82	2	2	6	11	14	17	59
75-79	50	8.7	47	2	3	8	10	16	22	38
80-84	41	10.7	67	2	3	8	13	22	32	35
85+	17	8.3	63	2	2	7	9	18	29	34
2. MULTIPLE DX										
65-69 YRS	1235	13.9	118	3	4	11	18	26	34	68
70-74	1194	14.3	135	3	4	11	18	28	37	70
75-79	905	14.4	129	3	4	11	18	28	37	60
80-84	595	15.3	123	4	5	13	20	30	40	58
85+	379	15.7	182	4	5	12	20	31	45	84
TOT. SINGLE DX	312	9.0	63	2	3	7	11	16	21	41
" MULTIPLE DX	4308	14.5	132	3	4	11	18	28	37	67
TOTAL 65-69 YRS	1334	13.5	115	3	4	11	17	26	33	63
70-74	1299	13.8	134	3	4	11	17	27	36	70
75-79	955	14.1	126	3	4	11	18	27	37	60
80-84	636	15.0	121	4	5	12	19	29	39	58
85+	396	15.4	180	4	5	11	20	31	44	84
GRAND TOTAL	**4620**	**14.1**	**129**	**3**	**4**	**11**	**18**	**27**	**36**	**64**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	8.7	90	1	1	6	11	19	28	43
70-74	132	7.0	41	1	1	4	11	16	19	31
75-79	62	6.9	51	1	1	5	8	14	20	43
80-84	34	7.0	20	2	2	6	9	14	16	20
85+	16	6.5	30	1	2	4	10	16	18	19
2. MULTIPLE DX										
65-69 YRS	962	12.6	126	2	3	10	16	24	33	60
70-74	1020	13.1	118	2	3	10	18	27	34	53
75-79	693	14.5	154	2	3	11	19	33	38	58
80-84	464	14.3	133	3	3	11	19	27	38	57
85+	250	15.1	161	3	4	12	19	29	42	84
TOT. SINGLE DX	380	7.6	59	1	1	5	10	17	22	36
" MULTIPLE DX	3389	13.5	134	2	3	10	18	27	36	58
TOTAL 65-69 YRS	1098	12.1	123	2	2	9	16	24	32	59
70-74	1152	12.4	113	2	2	10	17	25	33	52
75-79	755	13.9	150	2	3	10	19	30	37	56
80-84	498	13.8	129	2	3	11	17	27	37	56
85+	266	14.6	158	2	3	12	18	29	37	82
GRAND TOTAL	**37[illegible]**	**12.9**	**129**	**2**	**3**	**10**	**17**	**27**	**35**	**57**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	71	13.7	25	8	9	13	16	20	22	36
70-74	52	13.0	12	8	9	12	15	17	20	23
75-79	22	19.2	324	9	10	15	17	27	55	96
80-84	7	11.9	18	6	7	12	14	18	19	19
85+	3	15.0	4	13	13	15	16	17	17	17
2. MULTIPLE DX										
65-69 YRS	979	18.8	131	9	9	15	22	35	45	74
70-74	831	19.6	151	9	10	16	23	35	44	82
75-79	447	20.7	148	9	10	17	25	38	50	76
80-84	114	24.4	240	10	12	20	28	45	61	83
85+	24	24.7	306	5	8	21	26	55	68	68
TOT. SINGLE DX	155	14.2	65	8	9	13	16	20	23	38
" MULTIPLE DX	2395	19.8	150	9	10	16	23	35	46	79
TOTAL 65-69 YRS	1050	18.4	126	9	9	15	22	34	44	73
70-74	883	19.3	146	9	10	16	23	33	42	79
75-79	469	20.6	156	9	10	17	24	37	50	81
80-84	121	23.7	236	9	11	19	27	42	59	83
85+	27	23.6	281	6	8	20	26	52	68	68
GRAND TOTAL	**2550**	**19.4**	**147**	**9**	**10**	**16**	**23**	**35**	**45**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	374	11.9	19	7	8	11	14	17	21	28
70-74	209	12.8	24	7	8	12	15	19	24	28
75-79	59	13.6	32	7	8	12	18	20	24	35
80-84	9	13.3	13	8	8	13	16	18	18	18
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	5592	14.9	66	8	8	12	17	24	30	52
70-74	3548	16.5	93	8	9	14	19	27	34	62
75-79	1340	18.1	111	8	9	15	21	30	39	68
80-84	247	20.3	147	8	10	17	24	35	42	87
85+	24	19.5	52	11	12	19	22	34	35	37
TOT. SINGLE DX	652	12.3	22	7	8	11	15	18	22	28
" MULTIPLE DX	10751	15.9	85	8	9	13	18	26	33	59
TOTAL 65-69 YRS	5966	14.7	64	8	8	12	17	24	30	51
70-74	3757	16.3	90	8	9	14	19	27	33	61
75-79	1399	17.9	109	8	9	15	21	30	38	66
80-84	256	20.0	145	8	10	17	24	35	42	86
85+	25	19.0	57	8	12	19	22	34	35	37
GRAND TOTAL	**11403**	**15.7**	**82**	**8**	**9**	**13**	**18**	**26**	**33**	**58**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1731	3.0	9	1	1	2	3	6	9	16
70-74	886	3.2	13	1	1	2	3	7	10	20
75-79	274	2.9	7	1	1	2	3	6	9	15
80-84	54	4.0	21	1	1	2	4	12	16	19
85+	9	4.8	40	1	1	2	10	60	99+	99+
2. MULTIPLE DX										
65-69 YRS	12606	5.2	31	1	1	3	7	12	16	26
70-74	8016	5.9	37	1	2	3	8	14	18	29
75-79	3217	6.8	50	1	2	4	9	15	21	35
80-84	830	8.9	81	1	2	6	12	20	27	43
85+	179	11.4	101	2	2	9	16	24	31	67
TOT. SINGLE DX	2954	3.1	11	1	1	2	3	6	9	17
" MULTIPLE DX	24848	5.8	39	1	1	3	8	13	18	29
TOTAL 65-69 YRS	14337	5.0	29	1	1	2	7	12	15	25
70-74	8902	5.6	36	1	1	3	8	13	18	28
75-79	3491	6.5	48	1	2	4	9	15	20	33
80-84	884	8.6	79	1	2	6	12	19	26	43
85+	188	11.1	101	2	2	9	16	24	33	90
GRAND TOTAL	**27802**	**5.5**	**37**	**1**	**1**	**3**	**7**	**13**	**17**	**29**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	358	5.1	18	1	1	4	7	10	13	20
70-74	546	4.7	13	1	1	4	6	10	12	19
75-79	534	5.1	20	1	1	4	6	10	13	22
80-84	459	4.8	13	1	2	4	6	10	13	18
85+	447	5.5	22	1	2	4	7	11	14	26
2. MULTIPLE DX										
65-69 YRS	3593	10.8	73	2	3	9	14	21	27	45
70-74	5028	10.5	73	2	3	8	14	20	26	44
75-79	5668	10.8	73	2	3	9	14	21	27	46
80-84	5104	11.0	77	2	3	9	14	21	28	47
85+	4554	11.4	89	2	3	9	14	22	29	60
TOT. SINGLE DX	2344	5.0	18	1	2	4	6	10	13	21
" MULTIPLE DX	23947	10.9	78	2	3	9	14	21	27	47
TOTAL 65-69 YRS	3951	10.3	72	2	3	8	13	20	26	44
70-74	5574	9.9	70	2	3	8	13	20	25	43
75-79	6202	10.3	72	2	3	8	13	20	26	44
80-84	5563	10.5	76	2	3	8	14	20	27	47
85+	5001	10.8	87	2	3	8	14	21	28	58
GRAND TOTAL	**26291**	**10.4**	**75**	**2**	**3**	**8**	**13**	**20**	**27**	**46**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	187	4.1	10	1	2	3	4	8	11	15
70-74	73	5.1	21	2	2	3	6	11	14	25
75-79	35	6.5	25	1	2	4	9	14	16	20
80-84	9	8.7	63	3	3	5	9	21	29	29
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	1499	8.2	64	2	2	6	11	16	22	41
70-74	973	8.9	69	2	2	7	11	17	23	43
75-79	430	11.6	121	2	3	9	14	24	36	63
80-84	117	14.7	150	3	4	11	18	31	45	56
85+	39	15.2	160	2	3	12	21	31	56	99+
TOT. SINGLE DX	305	4.8	17	1	2	3	6	11	14	21
" MULTIPLE DX	3058	9.2	82	2	2	7	12	19	26	49
TOTAL 65-69 YRS	1686	7.7	60	2	2	5	10	16	22	39
70-74	1046	8.6	67	2	2	6	11	17	22	41
75-79	465	11.2	116	2	3	8	13	23	35	62
80-84	126	14.3	146	3	4	11	18	30	44	55
85+	40	15.2	156	2	3	13	21	30	56	99+
GRAND TOTAL	**3363**	**8.8**	**77**	**2**	**2**	**6**	**11**	**18**	**24**	**47**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	4.0	31	<1	1	2	4	9	14	26
70-74	150	4.5	28	1	1	2	5	11	16	27
75-79	110	4.5	24	<1	1	2	6	11	16	23
80-84	77	6.5	92	1	1	3	7	16	22	59
85+	64	7.7	57	1	2	5	11	16	23	38
2. MULTIPLE DX										
65-69 YRS	2273	10.8	104	1	2	8	14	22	29	55
70-74	2385	10.9	93	2	2	8	14	22	29	53
75-79	2186	12.1	113	2	3	9	15	24	32	60
80-84	1806	13.2	122	2	3	11	17	25	34	61
85+	1920	13.7	119	3	4	11	17	27	34	70
TOT. SINGLE DX	618	4.9	41	<1	1	2	6	12	17	28
" MULTIPLE DX	10570	12.0	111	2	3	9	15	24	31	59
TOTAL 65-69 YRS	2490	10.2	102	1	2	8	13	21	28	53
70-74	2535	10.6	92	1	2	8	14	21	28	51
75-79	2296	11.7	112	2	2	9	15	24	32	60
80-84	1883	13.0	123	2	3	10	17	25	33	61
85+	1984	13.5	118	2	4	11	17	26	34	68
GRAND TOTAL	**11188**	**11.6**	**110**	**1**	**2**	**9**	**15**	**24**	**31**	**58**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	294	4.7	15	2	2	4	5	7	10	20
70-74	168	5.1	17	2	2	4	6	9	13	25
75-79	67	4.7	8	1	2	4	6	9	12	15
80-84	23	8.2	32	1	2	5	12	18	21	21
85+	6	7.2	29	2	2	5	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	424	7.0	40	2	3	5	8	13	19	32
70-74	270	8.6	84	2	3	6	10	19	24	42
75-79	182	10.3	141	2	3	7	12	20	30	66
80-84	74	11.8	128	2	2	9	15	21	37	63
85+	27	15.5	216	3	3	9	22	33	55	60
TOT. SINGLE DX	558	5.0	17	2	2	4	6	9	13	22
" MULTIPLE DX	977	8.7	86	2	3	6	10	17	25	55
TOTAL 65-69 YRS	718	6.0	31	2	2	4	7	11	16	30
70-74	438	7.3	62	2	2	5	8	16	21	37
75-79	249	8.8	112	2	2	6	10	17	25	60
80-84	97	10.9	107	2	2	9	14	20	28	59
85+	33	14.0	191	3	3	9	17	28	51	60
GRAND TOTAL	**1535**	**7.3**	**64**	**2**	**2**	**5**	**8**	**15**	**21**	**43**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	411	10.5	44	3	5	9	12	17	23	35
70-74	308	10.6	35	3	5	9	13	18	23	32
75-79	174	9.6	23	3	4	9	12	16	20	26
80-84	90	11.1	30	4	5	11	13	18	22	31
85+	48	14.0	98	3	5	13	16	24	31	63
2. MULTIPLE DX										
65-69 YRS	4026	16.0	144	5	6	12	19	30	41	74
70-74	3594	16.8	147	5	7	14	20	31	42	78
75-79	2324	18.4	185	6	7	14	22	36	49	86
80-84	1164	18.8	175	6	8	15	23	34	45	82
85+	560	20.4	183	7	8	17	26	36	50	94
TOT. SINGLE DX	1031	10.6	40	3	5	9	13	17	22	32
" MULTIPLE DX	11668	17.2	160	5	7	14	21	33	44	79
TOTAL 65-69 YRS	4437	15.5	138	5	6	12	18	29	40	72
70-74	3902	16.3	142	5	7	13	19	30	41	75
75-79	2498	17.8	179	5	7	14	22	35	48	85
80-84	1254	18.3	169	6	8	15	22	33	44	79
85+	608	19.9	179	6	8	16	25	36	50	93
GRAND TOTAL	**12699**	**16.7**	**154**	**5**	**7**	**13**	**20**	**32**	**43**	**78**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	39.0		39	39	39	39	39	39	39
70-74	1	24.0		24	24	24	24	24	24	24
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	11	10.7	25	1	3	12	14	17	19	19
70-74	4	8.0	8	4	4	8	10	11	11	11
75-79	4	19.3	200	4	4	18	30	37	37	37
80-84										
85+	1	44.0		44	44	44	44	44	44	44
TOT. SINGLE DX	3	27.3	108	19	19	24	35	39	39	39
" MULTIPLE DX	20	13.6	113	2	4	11	15	30	40	44
TOTAL 65-69 YRS	12	13.1	90	1	4	12	15	25	37	39
70-74	5	11.2	58	4	4	9	14	24	24	24
75-79	5	19.2	150	4	4	19	26	37	37	37
80-84										
85+	1	44.0		44	44	44	44	44	44	44
GRAND TOTAL	**23**	**15.3**	**130**	**3**	**4**	**12**	**19**	**37**	**41**	**44**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	4.8	20	<1	1	3	6	13	15	18
70-74	16	10.5	162	2	2	6	12	20	43	53
75-79	6	2.8	5	<1	<1	2	4	7	7	7
80-84	8	8.3	49	1	2	6	10	20	23	23
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	1542	7.9	68	1	2	5	9	16	22	44
70-74	1245	8.0	62	2	2	6	10	16	22	42
75-79	747	9.0	91	1	2	6	11	20	28	51
80-84	356	9.4	96	1	2	6	12	19	27	54
85+	103	8.8	56	2	3	6	12	19	24	35
TOT. SINGLE DX	55	6.8	69	<1	1	4	8	15	20	51
" MULTIPLE DX	3993	8.3	73	1	2	6	10	17	24	46
TOTAL 65-69 YRS	1566	7.8	68	1	2	5	9	16	22	44
70-74	1261	8.0	64	2	2	6	10	16	22	42
75-79	753	9.0	91	1	2	6	11	20	28	51
80-84	364	9.4	96	1	2	6	12	19	26	53
85+	104	8.8	56	2	3	6	12	19	24	35
GRAND TOTAL	**4048**	**8.3**	**73**	**1**	**2**	**6**	**10**	**17**	**24**	**46**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1492	7.2	30	2	3	6	9	13	16	26
70-74	1268	7.4	26	2	3	6	10	13	16	26
75-79	816	7.8	28	2	3	6	10	14	17	26
80-84	386	8.0	26	2	3	7	11	14	17	28
85+	160	8.5	44	2	3	6	11	18	21	33
2. MULTIPLE DX										
65-69 YRS	10682	11.6	103	2	3	9	14	23	31	58
70-74	10195	12.3	110	3	4	10	15	24	33	62
75-79	7310	13.1	125	3	4	10	16	26	36	64
80-84	3653	13.7	128	3	4	11	17	27	36	73
85+	1929	15.3	157	3	4	12	19	30	41	74
TOT. SINGLE DX	4122	7.5	29	2	3	6	10	14	17	26
" MULTIPLE DX	33769	12.6	117	3	4	10	16	25	33	63
TOTAL 65-69 YRS	12174	11.1	96	2	3	9	14	22	29	55
70-74	11463	11.7	103	3	4	9	15	23	31	60
75-79	8126	12.6	118	3	4	10	16	25	34	61
80-84	4039	13.2	122	3	4	10	17	26	35	69
85+	2089	14.8	152	3	4	11	19	29	39	72
GRAND TOTAL	**37891**	**12.0**	**110**	**2**	**4**	**9**	**15**	**24**	**32**	**60**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	335	5.4	25	<1	1	4	7	11	15	28
70-74	284	5.9	40	<1	1	4	8	13	17	36
75-79	172	4.7	16	<1	1	3	6	11	14	17
80-84	82	5.0	17	<1	1	4	8	10	12	20
85+	38	6.6	30	<1	1	4	9	15	19	22
2. MULTIPLE DX										
65-69 YRS	1376	9.6	83	1	2	7	12	20	26	46
70-74	1185	10.1	96	1	2	7	13	21	29	50
75-79	867	11.0	117	2	2	8	14	23	31	56
80-84	481	11.7	120	2	2	9	16	23	31	56
85+	288	10.7	67	2	3	9	15	20	25	41
TOT. SINGLE DX	911	5.4	28	<1	1	4	7	12	15	28
" MULTIPLE DX	4197	10.3	98	1	2	8	13	22	29	50
TOTAL 65-69 YRS	1711	8.8	75	1	2	6	11	18	24	44
70-74	1469	9.3	88	1	2	7	12	20	27	45
75-79	1039	10.0	107	1	2	7	13	21	29	53
80-84	563	10.7	110	1	2	8	14	22	30	50
85+	326	10.2	65	2	2	8	14	20	24	41
GRAND TOTAL	**5108**	**9.5**	**89**	**1**	**2**	**7**	**12**	**20**	**27**	**48**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	117	7.0	27	1	2	6	8	13	16	30
70-74	73	6.0	10	2	2	6	8	9	13	16
75-79	41	7.0	18	1	2	7	8	12	18	19
80-84	13	11.1	88	1	2	9	17	25	30	31
85+	7	3.6	1	2	2	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	467	11.6	106	3	4	8	14	23	30	61
70-74	385	10.9	110	3	3	8	12	20	29	65
75-79	199	12.2	113	3	5	9	14	23	33	58
80-84	116	10.6	54	3	4	8	13	22	26	33
85+	64	12.5	159	4	5	8	15	22	40	74
TOT. SINGLE DX	251	6.8	25	2	2	6	8	12	16	24
" MULTIPLE DX	1231	11.4	107	3	4	8	13	22	30	59
TOTAL 65-69 YRS	584	10.7	94	2	4	8	12	22	29	53
70-74	458	10.1	98	2	3	8	11	19	27	60
75-79	240	11.3	101	3	4	9	13	21	30	58
80-84	129	10.7	57	3	4	8	13	23	26	33
85+	71	11.6	151	3	4	8	14	20	39	73
GRAND TOTAL	**1482**	**10.7**	**96**	**2**	**3**	**8**	**12**	**21**	**29**	**55**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	6.5	41	2	2	6	11	11	11	11
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	8.7	58	2	2	7	14	17	17	17
75-79	4	8.8	22	2	2	10	12	13	13	13
80-84	1	3.0		3	3	3	3	3	3	3
85+										
TOT. SINGLE DX	3	5.3	24	2	2	3	9	11	11	11
" MULTIPLE DX	9	7.7	28	2	2	7	11	15	17	17
TOTAL 65-69 YRS	3	6.0	21	2	2	5	9	11	11	11
70-74	3	8.7	58	2	2	7	14	17	17	17
75-79	[illegible]	7.6	23	2	2	10	11	13	13	13
80-84	1	3.0		3	3	3	3	3	3	3
85+										
GRAND TOTAL	**12**	**7.1**	**26**	**2**	**2**	**6**	**11**	**14**	**17**	**17**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	71.0		71	71	71	71	71	71	71
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
TOT. SINGLE DX										
" MULTIPLE DX	2	43.5	1513	16	16	43	71	71	71	71
TOTAL 65-69 YRS	1	71.0		71	71	71	71	71	71	71
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
GRAND TOTAL	**2**	**43.5**	**1513**	**16**	**16**	**43**	**71**	**71**	**71**	**71**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	281	7.8	49	1	2	6	10	16	23	33
70-74	272	8.0	43	2	2	6	10	15	22	34
75-79	243	8.2	71	1	2	6	10	16	25	44
80-84	137	9.2	98	1	2	6	11	21	25	56
85+	96	8.3	80	2	2	6	10	14	18	56
2. MULTIPLE DX										
65-69 YRS	3632	12.2	112	2	3	9	15	25	33	57
70-74	4128	12.8	116	3	4	10	16	26	34	63
75-79	3963	12.6	118	3	4	9	15	24	33	63
80-84	3150	13.5	119	3	4	11	17	26	35	62
85+	2396	13.3	123	3	4	10	17	26	36	68
TOT. SINGLE DX	1029	8.2	62	2	2	6	10	16	23	42
" MULTIPLE DX	17269	12.8	118	3	4	10	16	25	34	62
TOTAL 65-69 YRS	3913	11.9	109	2	3	9	15	24	32	56
70-74	4400	12.5	113	3	4	10	15	25	33	62
75-79	4206	12.3	117	3	4	9	15	24	33	62
80-84	3287	13.3	119	3	4	10	16	26	34	61
85+	2492	13.1	123	3	4	10	16	25	35	68
GRAND TOTAL	**18298**	**12.6**	**116**	**3**	**4**	**10**	**15**	**25**	**33**	**61**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	59	9.1	87	1	2	5	12	27	33	94
70-74	35	10.6	350	1	2	4	8	22	62	88
75-79	27	13.4	226	1	1	9	17	29	54	63
80-84	9	9.9	28	2	3	9	15	17	17	17
85+	10	9.2	25	3	4	7	13	17	18	18
2. MULTIPLE DX										
65-69 YRS	1290	14.7	188	2	3	10	20	34	45	68
70-74	1114	15.5	197	2	3	11	21	36	45	80
75-79	763	16.9	186	2	4	14	23	37	45	71
80-84	423	18.3	252	3	4	14	22	36	56	78
85+	311	18.0	215	4	6	14	23	34	49	95
TOT. SINGLE DX	140	10.4	171	1	2	6	13	25	34	89
" MULTIPLE DX	3901	16.0	201	2	3	12	21	35	46	77
TOTAL 65-69 YRS	1349	14.5	186	2	3	10	20	34	44	69
70-74	1149	15.4	203	2	3	11	21	35	45	81
75-79	790	16.8	188	2	4	13	22	36	46	69
80-84	432	18.1	250	3	4	14	21	36	55	77
85+	321	17.7	212	4	5	14	23	34	49	94
GRAND TOTAL	**4041**	**15.8**	**201**	**2**	**3**	**12**	**21**	**35**	**46**	**77**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	210	5.3	28	<1	1	3	7	12	17	25
70-74	171	5.2	27	<1	1	4	7	11	13	31
75-79	138	5.2	39	<1	1	4	6	9	14	29
80-84	76	5.2	26	1	1	4	6	11	14	29
85+	73	5.5	27	<1	<1	4	9	12	16	25
2. MULTIPLE DX										
65-69 YRS	2021	9.6	103	1	2	7	12	20	27	53
70-74	2069	10.3	108	1	2	7	13	21	30	56
75-79	1738	10.0	97	2	2	7	13	21	28	57
80-84	1268	10.5	111	2	2	8	13	21	30	57
85+	923	11.1	122	2	3	8	14	21	31	73
TOT. SINGLE DX	668	5.3	30	<1	1	4	7	12	15	27
" MULTIPLE DX	8019	10.2	107	1	2	7	13	21	29	57
TOTAL 65-69 YRS	2231	9.2	98	1	2	6	12	19	26	51
70-74	2240	10.0	105	1	2	7	12	21	30	56
75-79	1876	9.6	95	1	2	7	12	21	27	57
80-84	1344	10.2	108	1	2	7	13	21	30	56
85+	996	10.7	117	1	2	8	14	21	30	72
GRAND TOTAL	**8687**	**9.8**	**103**	**1**	**2**	**7**	**12**	**20**	**28**	**56**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	12.5	35	4	4	14	16	18	18	18
70-74										
75-79	4	11.5	60	3	3	11	17	21	21	21
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	16.5	313	4	4	16	29	29	29	29
2. MULTIPLE DX										
65-69 YRS	38	17.0	135	5	6	14	20	34	47	52
70-74	43	18.9	140	5	8	15	24	40	44	51
75-79	48	19.4	273	5	8	16	[illegible]	31	41	95
80-84	31	22.7	284	7	9	19	28	50	80	99+
85+	26	24.3	384	8	10	17	27	53	79	81
TOT. SINGLE DX	11	12.1	71	3	3	14	17	24	29	29
" MULTIPLE DX	186	20.0	233	6	8	16	23	39	51	91
TOTAL 65-69 YRS	42	16.6	127	5	6	14	20	31	45	52
70-74	43	18.9	140	5	8	15	24	40	44	51
75-79	52	18.8	261	5	7	16	22	30	37	95
80-84	32	22.1	286	4	9	19	28	49	79	99+
85+	28	23.8	372	7	9	17	28	50	79	81
GRAND TOTAL	197	19.6	226	5	8	16	23	37	50	89

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	16.4	293	3	3	14	17	32	63	70
70-74	22	15.4	298	3	4	8	20	34	59	75
75-79	16	15.9	177	2	3	11	23	39	43	45
80-84	20	13.1	109	2	3	10	15	29	40	42
85+	26	16.2	243	1	2	9	30	54	99+	99+
2. MULTIPLE DX										
65-69 YRS	417	21.5	341	3	5	16	30	52	77	99+
70-74	537	22.8	311	5	6	18	33	52	83	99+
75-79	675	22.7	337	5	6	18	32	57	78	99+
80-84	685	22.1	290	4	6	18	30	49	75	99+
85+	893	20.3	245	4	6	16	27	46	61	99+
TOT. SINGLE DX	97	15.4	216	2	3	9	20	41	54	99+
" MULTIPLE DX	3207	21.8	299	4	6	17	30	51	75	99+
TOTAL 65-69 YRS	430	21.3	341	3	5	16	29	52	77	99+
70-74	559	22.5	312	4	6	18	33	52	82	99+
75-79	691	22.6	334	4	6	18	31	56	77	99+
80-84	705	21.8	288	4	6	18	30	49	75	99+
85+	919	20.2	246	4	5	16	27	46	61	99+
GRAND TOTAL	3304	21.6	297	4	6	17	30	51	74	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	178	6.7	39	1	1	5	9	14	17	39
70-74	187	5.6	14	<1	1	5	8	11	13	18
75-79	162	6.2	16	<1	1	5	9	12	15	17
80-84	103	6.7	38	1	2	6	8	12	17	75
85+	54	7.9	36	2	2	6	9	15	24	28
2. MULTIPLE DX										
65-69 YRS	3151	9.6	67	2	3	8	11	18	24	46
70-74	3595	9.8	63	2	3	8	12	18	24	42
75-79	3344	10.3	75	3	3	8	12	19	26	49
80-84	2428	10.8	81	3	4	8	13	21	28	55
85+	1753	11.6	83	3	4	9	14	22	30	53
TOT. SINGLE DX	684	6.4	27	<1	1	5	8	12	15	26
" MULTIPLE DX	14271	10.3	73	3	3	8	12	19	26	47
TOTAL 65-69 YRS	3329	9.5	66	2	3	8	11	18	24	46
70-74	3782	9.6	62	2	3	8	12	18	24	42
75-79	3506	10.1	74	2	3	8	12	19	25	48
80-84	2531	10.7	80	3	3	8	13	20	27	55
85+	1807	11.5	83	3	4	9	14	22	29	51
GRAND TOTAL	14955	10.1	72	2	3	8	12	19	26	47

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	110	14.1	39	8	9	12	16	22	24	40
70-74	77	13.7	31	7	8	12	17	22	25	30
75-79	67	16.5	67	8	9	15	19	26	30	53
80-84	34	17.1	67	8	9	15	20	27	31	50
85+	19	21.6	280	7	8	16	22	40	63	78
2. MULTIPLE DX										
65-69 YRS	774	19.0	139	8	9	16	22	33	48	75
70-74	777	20.7	161	9	10	17	25	37	45	83
75-79	662	22.0	194	9	10	18	27	40	51	86
80-84	424	23.5	220	9	11	20	28	44	62	94
85+	285	24.5	202	9	11	20	31	48	62	99+
TOT. SINGLE DX	307	15.3	64	8	8	14	18	24	29	47
" MULTIPLE DX	2922	21.3	179	9	10	18	25	38	50	84
TOTAL 65-69 YRS	884	18.4	130	8	9	15	22	32	45	73
70-74	854	20.0	154	8	9	17	24	36	44	83
75-79	729	21.5	186	9	10	18	26	39	51	84
80-84	458	23.1	212	9	10	19	28	41	58	92
85+	304	24.3	207	9	11	20	31	48	62	99+
GRAND TOTAL	**3229**	**20.7**	**171**	**8**	**9**	**17**	**25**	**37**	**49**	**83**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	19.8	55	12	13	18	23	31	37	40
70-74	16	17.0	172	10	10	13	16	25	52	63
75-79	12	18.0	44	10	11	17	23	28	30	30
80-84	1	32.0		32	32	32	32	32	32	32
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	151	24.0	209	10	12	20	29	45	69	99+
70-74	162	24.1	224	11	12	20	28	40	62	97
75-79	102	25.6	170	11	13	23	30	42	49	98
80-84	43	26.4	188	13	14	22	32	42	63	70
85+	20	27.5	196	8	11	23	36	43	57	68
TOT. SINGLE DX	51	18.7	89	10	10	16	23	29	35	63
" MULTIPLE DX	478	24.7	203	11	12	21	29	43	60	99+
TOTAL 65-69 YRS	172	23.5	192	10	12	19	28	43	65	99+
70-74	178	23.4	223	10	12	20	28	40	62	94
75-79	114	24.8	163	11	12	23	29	41	47	97
80-84	44	26.5	185	13	14	22	32	41	63	70
85+	21	27.0	191	9	11	23	35	42	56	68
GRAND TOTAL	**529**	**24.2**	**195**	**11**	**12**	**21**	**29**	**41**	**58**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	11.4	16	6	7	10	15	18	19	19
70-74	27	12.9	38	6	7	12	15	19	24	35
75-79	19	10.7	13	5	6	10	14	16	17	17
80-84	5	14.8	118	7	7	11	17	34	34	34
85+	7	18.3	114	10	10	14	20	37	41	41
2. MULTIPLE DX										
65-69 YRS	228	18.0	119	7	8	15	23	32	41	67
70-74	181	19.0	139	7	8	15	24	36	42	67
75-79	165	17.8	87	8	9	16	21	30	34	57
80-84	99	18.8	128	8	9	16	21	34	41	65
85+	72	19.2	169	9	10	16	22	36	43	99+
TOT. SINGLE DX	80	12.6	39	6	7	11	15	19	21	39
" MULTIPLE DX	745	18.4	123	7	8	16	22	32	41	62
TOTAL 65-69 YRS	250	17.4	114	7	8	14	22	31	41	62
70-74	208	18.2	130	7	8	15	22	35	41	64
75-79	184	17.1	85	8	8	15	20	30	33	57
80-84	104	18.6	128	8	9	15	21	34	40	64
85+	79	19.2	163	9	10	16	22	36	42	99+
GRAND TOTAL	**825**	**17.8**	**118**	**7**	**8**	**15**	**21**	**32**	**40**	**59**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	79	10.1	17	6	6	8	12	16	19	24
70-74	72	11.4	43	6	7	10	13	18	22	43
75-79	71	11.1	28	5	6	11	14	18	20	32
80-84	56	14.1	69	6	7	11	18	26	29	47
85+	47	14.9	79	5	6	13	18	27	37	42
2. MULTIPLE DX										
65-69 YRS	831	17.3	142	6	8	13	21	34	42	68
70-74	787	18.3	173	7	8	14	22	34	43	74
75-79	736	19.2	156	7	8	15	24	35	43	76
80-84	497	20.1	187	7	9	16	25	38	49	86
85+	434	20.6	172	8	9	17	25	39	47	73
TOT. SINGLE DX	325	12.0	46	5	7	10	14	20	25	39
" MULTIPLE DX	3285	18.8	165	7	8	15	22	36	45	76
TOTAL 65-69 YRS	910	16.7	135	6	7	13	20	32	40	67
70-74	859	17.7	166	7	8	14	21	33	43	73
75-79	807	18.5	151	7	8	15	22	34	42	76
80-84	553	19.5	179	7	8	15	24	37	48	84
85+	481	20.0	166	7	8	17	24	38	46	71
GRAND TOTAL	**3610**	**18.2**	**158**	**7**	**8**	**14**	**22**	**35**	**43**	**73**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	531	4.1	21	<1	<1	2	6	9	12	20
70-74	446	3.7	14	<1	<1	2	5	9	11	17
75-79	361	4.2	23	<1	<1	2	6	10	13	22
80-84	193	4.5	20	<1	1	3	6	10	12	25
85+	121	5.9	34	1	1	4	8	13	17	28
2. MULTIPLE DX										
65-69 YRS	4089	8.4	66	1	2	6	10	17	24	44
70-74	4472	8.7	65	1	2	7	11	17	23	40
75-79	4050	9.5	82	1	2	7	12	19	25	48
80-84	2773	10.2	91	2	2	8	13	20	26	56
85+	1957	11.1	93	2	3	9	14	21	28	52
TOT. SINGLE DX	1652	4.2	21	<1	1	2	6	10	12	22
" MULTIPLE DX	17341	9.3	78	1	2	7	12	19	25	48
TOTAL 65-69 YRS	4620	7.9	63	1	1	6	10	16	22	41
70-74	4918	8.2	63	1	2	6	11	17	23	39
75-79	4411	9.1	80	1	2	7	12	19	24	47
80-84	2966	9.9	89	1	2	8	12	19	25	55
85+	2078	10.8	92	2	3	8	13	21	27	51
GRAND TOTAL	**18993**	**8.9**	**75**	**1**	**2**	**7**	**11**	**18**	**24**	**46**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	12.1	41	6	7	10	13	21	27	37
70-74	66	12.7	48	5	6	11	16	19	27	42
75-79	46	12.6	37	7	8	11	15	18	23	42
80-84	32	14.1	45	6	7	13	17	21	28	38
85+	24	13.9	46	7	7	11	17	25	28	31
2. MULTIPLE DX										
65-69 YRS	668	20.5	222	7	8	16	24	41	52	90
70-74	723	20.1	199	8	9	16	23	39	57	89
75-79	639	20.5	189	8	9	17	25	41	55	99+
80-84	472	22.0	220	9	10	17	27	41	54	85
85+	352	20.3	149	9	9	17	25	36	48	90
TOT. SINGLE DX	204	12.9	44	6	7	11	16	20	27	40
" MULTIPLE DX	2854	20.6	200	8	9	16	25	39	53	88
TOTAL 65-69 YRS	704	20.1	217	7	8	15	24	39	51	87
70-74	789	19.5	191	7	9	15	23	38	54	86
75-79	685	19.9	183	8	9	16	24	39	54	98
80-84	504	21.5	213	9	10	17	26	40	52	84
85+	376	19.9	145	8	9	17	25	36	47	86
GRAND TOTAL	**3058**	**20.1**	**194**	**8**	**9**	**16**	**24**	**38**	**52**	**86**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	727	11.6	19	7	8	11	13	17	20	26
70-74	624	12.0	22	7	8	11	14	17	21	30
75-79	524	13.3	44	8	8	12	15	20	24	41
80-84	274	14.3	49	8	8	12	17	22	29	45
85+	164	16.3	64	8	8	15	19	25	30	45
2. MULTIPLE DX										
65-69 YRS	5151	16.4	100	8	9	13	19	27	34	64
70-74	5511	17.4	110	8	9	14	20	30	38	67
75-79	5066	18.3	121	9	9	15	21	31	40	68
80-84	3491	20.1	142	9	10	17	24	34	45	74
85+	2369	21.6	146	9	10	18	26	38	47	94
TOT. SINGLE DX	2313	12.8	35	7	8	11	15	19	23	37
" MULTIPLE DX	21588	18.3	123	8	9	15	21	31	40	70
TOTAL 65-69 YRS	5878	15.8	93	8	9	13	18	26	33	60
70-74	6135	16.8	104	8	9	14	19	29	37	66
75-79	5590	17.8	117	8	9	15	21	30	39	66
80-84	3765	19.7	138	9	10	16	23	34	44	71
85+	2533	21.2	143	9	10	18	25	37	47	91
GRAND TOTAL	**23901**	**17.7**	**117**	**8**	**9**	**15**	**21**	**30**	**39**	**67**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	12.9	61	5	6	10	17	24	29	39
70-74	29	11.5	107	5	6	10	11	15	23	62
75-79	30	13.5	33	3	7	13	17	22	25	26
80-84	12	11.3	44	4	5	9	13	21	28	29
85+	8	19.8	192	9	10	14	23	44	51	51
2. MULTIPLE DX										
65-69 YRS	284	18.6	149	7	8	15	22	34	43	69
70-74	302	20.6	201	7	9	17	25	36	55	86
75-79	248	19.2	140	8	9	16	24	35	47	99+
80-84	192	22.3	196	9	11	18	28	41	57	99+
85+	180	19.5	138	7	9	16	26	33	47	94
TOT. SINGLE DX	113	13.0	74	5	6	11	15	22	27	55
" MULTIPLE DX	1206	19.9	167	8	9	16	25	36	48	89
TOTAL 65-69 YRS	318	18.0	143	7	8	15	22	33	41	69
70-74	331	19.8	199	7	8	16	24	36	55	86
75-79	278	18.6	132	7	9	15	23	33	45	94
80-84	204	21.6	194	9	10	18	27	39	56	99+
85+	188	19.5	140	7	9	16	26	34	48	93
GRAND TOTAL	**1319**	**19.3**	**163**	**7**	**8**	**16**	**24**	**35**	**47**	**86**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	211	9.4	19	4	5	9	11	14	16	26
70-74	159	10.2	24	4	5	10	12	16	18	33
75-79	145	9.7	16	3	4	10	12	15	17	19
80-84	82	9.8	27	3	4	9	12	15	18	31
85+	47	11.1	36	5	6	10	12	15	17	44
2. MULTIPLE DX										
65-69 YRS	1194	14.3	106	5	6	11	16	25	34	64
70-74	1159	13.7	80	5	6	11	16	24	31	60
75-79	980	14.5	102	5	6	12	16	26	35	58
80-84	598	15.7	129	6	7	12	18	29	39	71
85+	397	17.1	113	5	7	15	21	29	38	59
TOT. SINGLE DX	644	9.8	22	4	5	9	12	15	17	28
" MULTIPLE DX	4328	14.6	103	5	7	12	17	26	34	61
TOTAL 65-69 YRS	1405	13.5	96	5	6	11	15	23	32	61
70-74	1318	13.3	75	5	6	11	16	23	30	55
75-79	1125	13.9	94	5	6	11	16	24	32	56
80-84	680	15.0	121	5	7	12	17	27	37	67
85+	444	16.4	108	5	7	14	20	29	37	58
GRAND TOTAL	4972	14.0	95	5	6	11	16	24	32	59

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	12.8	30	5	7	12	16	20	23	31
70-74	29	15.3	47	6	7	14	20	22	28	36
75-79	25	12.7	34	5	6	11	16	21	24	25
80-84	24	15.4	65	4	6	13	18	28	33	34
85+	18	18.7	102	6	8	19	21	27	41	51
2. MULTIPLE DX										
65-69 YRS	518	21.4	179	8	9	18	26	38	54	92
70-74	626	21.9	190	8	10	18	28	42	58	99+
75-79	559	23.2	218	8	10	19	29	45	56	88
80-84	420	22.2	178	8	10	19	27	42	51	99+
85+	417	23.8	229	8	10	21	30	45	64	99+
TOT. SINGLE DX	139	14.5	52	5	7	13	19	23	27	38
" MULTIPLE DX	2540	22.4	199	8	10	19	28	42	57	99+
TOTAL 65-69 YRS	561	20.8	174	7	9	17	25	38	50	89
70-74	655	21.6	186	8	9	18	28	41	57	99+
75-79	584	22.7	215	8	10	19	28	44	54	87
80-84	444	21.8	174	8	10	19	26	42	50	99+
85+	435	23.5	225	8	10	20	29	44	63	99+
GRAND TOTAL	2679	22.0	195	8	9	19	28	41	56	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	353	7.0	16	3	3	6	9	11	13	20
70-74	238	7.1	12	3	3	7	9	11	14	21
75-79	134	7.7	14	3	4	7	9	11	15	22
80-84	68	8.2	14	3	4	8	11	13	16	19
85+	42	7.2	20	2	2	6	9	13	16	20
2. MULTIPLE DX										
65-69 YRS	704	11.0	62	4	4	9	13	19	23	43
70-74	595	10.7	41	4	5	9	13	19	23	34
75-79	432	12.8	89	5	6	10	15	22	28	65
80-84	234	13.7	91	5	6	11	16	25	35	47
85+	181	14.5	118	5	6	11	17	25	32	71
TOT. SINGLE DX	835	7.3	15	3	3	7	9	11	14	21
" MULTIPLE DX	2146	11.9	72	4	5	10	14	21	26	48
TOTAL 65-69 YRS	1057	9.7	51	3	4	8	11	17	21	39
70-74	833	9.7	36	4	4	8	12	17	22	30
75-79	566	11.6	76	4	5	9	13	20	26	64
80-84	302	12.4	79	4	5	10	15	22	32	45
85+	223	13.1	108	3	5	11	16	22	31	61
GRAND TOTAL	2981	10.6	60	4	4	9	12	19	23	43

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	7.3	5	6	6	6	9	10	10	10
70-74	1	12.0		12	12	12	12	12	12	12
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	9	11.1	15	5	6	11	14	16	18	18
70-74	9	19.2	699	4	5	10	29	93	99+	99+
75-79	4	20.3	107	8	8	20	27	33	33	33
80-84	4	15.5	72	9	9	12	20	28	28	28
85+	4	28.0	450	8	8	25	45	53	53	53
TOT. SINGLE DX	6	9.3	33	3	3	8	12	18	19	19
" MULTIPLE DX	30	17.6	293	5	7	12	21	44	85	99+
TOTAL 65-69 YRS	12	10.2	15	5	6	10	13	15	18	18
70-74	10	18.5	627	4	6	11	25	92	99	99+
75-79	4	20.3	107	8	8	20	27	33	33	33
80-84	5	13.0	86	3	3	12	17	28	28	28
85+	5	26.2	354	8	8	19	42	53	53	53
GRAND TOTAL	36	16.2	257	4	6	12	18	37	75	99+

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	12.0	25	7	7	12	16	17	17	17
70-74	4	7.0	22	2	2	7	11	12	12	12
75-79	5	9.8	10	6	6	9	11	15	15	15
80-84	1	20.0		20	20	20	20	20	20	20
85+	3	9.0	1	8	8	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	18	16.7	254	5	6	12	16	39	60	68
70-74	11	14.6	21	9	10	12	18	22	23	23
75-79	8	18.8	76	5	6	20	26	28	29	29
80-84	4	15.3	24	11	11	15	19	20	20	20
85+	6	19.5	78	8	9	19	23	33	34	34
TOT. SINGLE DX	16	10.0	21	3	4	9	12	17	19	20
" MULTIPLE DX	47	16.8	123	6	8	15	20	27	36	68
TOTAL 65-69 YRS	21	16.0	222	5	6	12	16	31	56	68
70-74	15	12.6	33	2	4	12	16	21	22	23
75-79	13	15.3	68	5	6	15	23	27	29	29
80-84	5	16.2	23	11	11	19	20	20	20	20
85+	9	16.0	77	8	8	14	21	30	34	34
GRAND TOTAL	**63**	**15.1**	**106**	**5**	**7**	**12**	**19**	**24**	**31**	**65**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	245	4.0	14	1	1	3	5	8	11	21
70-74	251	4.4	22	1	1	3	5	9	13	25
75-79	169	4.3	16	1	1	3	5	8	14	24
80-84	132	4.7	12	1	2	4	7	9	12	16
85+	101	7.4	93	2	2	5	8	12	21	64
2. MULTIPLE DX										
65-69 YRS	784	7.9	70	1	2	5	10	16	21	51
70-74	944	8.8	83	1	2	6	11	19	25	53
75-79	871	9.0	75	2	2	6	12	19	26	48
80-84	758	10.4	100	2	2	8	13	21	30	54
85+	557	10.5	85	2	3	8	14	20	27	63
TOT. SINGLE DX	898	4.7	27	1	1	3	6	9	13	24
" MULTIPLE DX	3914	9.2	83	2	2	7	12	19	26	53
TOTAL 65-69 YRS	1029	7.0	60	1	2	4	9	15	19	47
70-74	1195	7.8	74	1	2	5	10	17	24	44
75-79	1040	8.2	69	1	2	5	10	18	25	43
80-84	890	9.5	91	2	2	7	12	20	28	53
85+	658	10.0	88	2	3	7	13	20	27	63
GRAND TOTAL	**4812**	**8.4**	**76**	**1**	**2**	**6**	**10**	**18**	**24**	**49**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	4.5	14	1	2	3	6	8	9	25
70-74	32	6.3	41	1	2	4	8	12	26	29
75-79	20	5.6	37	1	1	4	5	13	20	27
80-84	8	4.0	5	<1	1	4	6	7	8	8
85+	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	168	7.3	41	2	2	5	10	16	19	33
70-74	127	8.8	50	2	2	7	12	21	25	28
75-79	78	11.6	147	2	2	7	13	27	43	55
80-84	39	13.0	99	3	4	11	16	27	35	44
85+	37	13.3	155	2	3	9	16	32	42	56
TOT. SINGLE DX	110	5.3	27	1	2	4	6	9	14	28
" MULTIPLE DX	449	9.5	81	2	2	6	12	21	28	47
TOTAL 65-69 YRS	216	6.6	37	2	2	4	8	15	19	31
70-74	159	8.3	49	1	2	6	11	19	25	29
75-79	98	10.4	130	2	2	6	13	25	36	55
80-84	47	11.4	95	2	2	9	14	25	34	44
85+	39	13.3	149	2	3	9	17	32	41	56
GRAND TOTAL	**559**	**8.6**	**73**	**2**	**2**	**6**	**11**	**19**	**27**	**44**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	201	14.3	62	7	8	13	16	21	23	51
70-74	177	13.3	22	7	9	13	16	20	21	29
75-79	133	15.9	77	7	9	14	19	24	31	65
80-84	70	14.1	46	5	7	13	17	21	28	42
85+	48	16.6	61	6	7	16	20	28	32	36
2. MULTIPLE DX										
65-69 YRS	1187	17.8	93	8	10	15	21	29	35	61
70-74	1189	19.3	112	9	10	17	23	31	40	63
75-79	926	20.7	144	9	10	17	25	36	45	72
80-84	561	21.9	140	9	11	19	27	37	48	99+
85+	312	22.9	202	8	10	19	29	40	51	99
TOT. SINGLE DX	629	14.5	54	6	8	13	17	22	26	42
" MULTIPLE DX	4175	19.8	127	9	10	17	24	33	42	74
TOTAL 65-69 YRS	1388	17.3	91	8	9	15	20	28	34	59
70-74	1366	18.5	105	9	10	16	22	30	38	62
75-79	1059	20.1	139	8	10	17	25	35	44	71
80-84	631	21.0	136	9	10	18	27	37	46	99+
85+	360	22.1	188	8	10	19	27	39	49	97
GRAND TOTAL	**4804**	**19.1**	**121**	**8**	**10**	**16**	**23**	**32**	**40**	**71**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	586	4.7	23	<1	1	4	6	9	11	16
70-74	545	5.0	17	<1	1	4	6	10	12	20
75-79	460	5.7	32	<1	1	4	7	10	14	33
80-84	304	5.8	22	1	1	5	8	11	13	22
85+	185	7.1	34	1	2	6	9	14	16	34
2. MULTIPLE DX										
65-69 YRS	7809	8.2	51	2	3	6	10	15	20	39
70-74	7850	8.5	54	2	3	7	10	16	21	41
75-79	7127	9.1	61	2	3	7	11	17	22	42
80-84	5298	9.8	72	2	3	8	12	18	24	46
85+	4067	10.3	72	2	3	8	12	19	26	51
TOT. SINGLE DX	2080	5.4	25	<1	1	4	7	10	13	24
" MULTIPLE DX	32151	9.0	61	2	3	7	11	17	22	42
TOTAL 65-69 YRS	8395	8.0	50	2	2	6	10	15	20	38
70-74	8395	8.3	53	2	3	6	10	16	21	40
75-79	7587	8.9	60	2	3	7	11	17	22	41
80-84	5602	9.6	70	2	3	7	12	18	24	45
85+	4252	10.1	71	2	3	8	12	19	26	50
GRAND TOTAL	**34231**	**8.8**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	2.8	2	<1	1	3	4	5	5	9
70-74	60	3.3	3	1	1	3	4	5	6	11
75-79	22	3.6	4	1	1	3	4	7	9	10
80-84	14	4.4	10	1	2	3	5	9	12	13
85+	4	3.0	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	280	4.7	19	1	2	3	5	8	13	26
70-74	175	4.8	9	1	2	4	6	9	12	17
75-79	91	7.3	115	1	2	5	8	13	18	68
80-84	45	7.8	47	2	3	5	10	16	22	36
85+	27	10.7	124	1	2	7	12	26	35	50
TOT. SINGLE DX	236	3.1	3	1	1	3	4	5	6	10
" MULTIPLE DX	618	5.6	40	1	2	4	6	10	15	27
TOTAL 65-69 YRS	416	4.1	15	1	1	3	5	7	9	24
70-74	235	4.4	9	1	2	4	5	8	11	16
75-79	113	6.6	96	1	2	5	7	11	17	53
80-84	59	7.0	41	2	2	5	9	15	20	35
85+	31	9.7	115	1	2	6	12	25	32	50
GRAND TOTAL	**854**	**4.9**	**31**	**1**	**2**	**4**	**5**	**9**	**13**	**26**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	2.8	1	1	1	3	4	5	5	8
70-74	40	4.5	27	1	1	3	5	9	13	31
75-79	24	4.0	14	1	2	3	5	5	10	21
80-84	9	5.1	15	2	2	4	6	11	15	15
85+	7	4.3	6	2	2	3	5	8	9	9
2. MULTIPLE DX										
65-69 YRS	327	5.4	37	2	2	4	6	10	11	35
70-74	250	5.7	24	1	2	4	7	11	15	26
75-79	146	6.8	23	2	3	5	8	13	16	27
80-84	86	9.1	111	2	2	6	10	20	22	67
85+	53	10.0	86	2	3	8	12	17	26	57
TOT. SINGLE DX	149	3.7	12	1	1	3	4	6	9	21
" MULTIPLE DX	862	6.4	43	2	2	4	7	12	16	33
TOTAL 65-69 YRS	396	5.0	32	1	2	4	5	9	11	31
70-74	290	5.5	25	1	2	4	6	10	15	28
75-79	170	6.4	23	2	2	5	8	13	16	26
80-84	95	8.7	104	2	2	5	10	20	22	62
85+	60	9.3	80	2	3	7	12	16	25	56
GRAND TOTAL	**1011**	**6.0**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	148	4.3	3	2	2	4	5	7	7	10
70-74	109	4.6	4	2	3	4	5	8	9	12
75-79	51	4.9	7	1	2	4	6	8	11	14
80-84	28	5.0	4	1	2	5	6	8	8	10
85+	16	4.6	4	1	2	5	6	7	8	8
2. MULTIPLE DX										
65-69 YRS	1659	5.9	19	2	3	5	7	10	12	24
70-74	1156	6.3	23	2	3	5	7	11	15	24
75-79	651	7.0	28	2	3	5	8	13	16	30
80-84	293	8.5	42	2	3	7	10	15	22	36
85+	146	8.6	51	2	3	6	11	17	23	38
TOT. SINGLE DX	352	4.5	4	2	2	4	6	7	9	12
" MULTIPLE DX	3905	6.5	26	2	3	5	8	12	15	28
TOTAL 65-69 YRS	1807	5.8	18	2	3	5	7	10	12	23
70-74	1265	6.2	22	2	3	5	7	11	14	24
75-79	702	6.8	27	2	3	5	8	13	16	29
80-84	321	8.2	40	2	3	7	10	14	21	33
85+	162	8.2	48	2	3	6	9	16	22	38
GRAND TOTAL	**4257**	**6.4**	**24**	**2**	**3**	**5**	**7**	**11**	**14**	**27**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	3.7	7	1	1	3	4	7	11	14
70-74	66	3.9	6	1	1	3	5	8	9	13
75-79	54	4.0	3	2	2	4	5	6	8	12
80-84	25	5.4	10	2	2	5	8	9	11	15
85+	22	5.2	13	2	2	4	8	12	12	12
2. MULTIPLE DX										
65-69 YRS	349	6.7	56	1	2	5	7	13	20	37
70-74	281	7.0	50	2	2	5	8	14	20	46
75-79	209	9.0	116	2	3	6	10	17	23	69
80-84	134	9.1	60	2	3	6	13	17	22	45
85+	111	10.7	119	2	3	8	14	20	25	74
TOT. SINGLE DX	281	4.1	7	1	1	3	5	8	10	13
" MULTIPLE DX	1084	7.9	75	2	2	5	9	16	22	47
TOTAL 65-69 YRS	463	6.0	46	1	2	4	7	11	19	36
70-74	347	6.4	44	1	2	4	7	12	18	44
75-79	263	8.0	97	2	2	5	9	15	21	63
80-84	159	8.6	54	2	3	6	11	16	20	44
85+	133	9.8	106	2	3	7	12	19	24	72
GRAND TOTAL	**1365**	**7.1**	**64**	**1**	**2**	**5**	**8**	**15**	**20**	**43**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	7.8	47	1	1	7	14	16	16	16
70-74	4	9.5	37	2	2	10	14	15	15	15
75-79	2	17.5	5	16	16	17	19	19	19	19
80-84	4	14.3	190	2	2	13	26	29	29	29
85+										
2. MULTIPLE DX										
65-69 YRS	66	15.7	135	3	3	13	18	32	41	54
70-74	53	18.5	137	3	4	20	24	35	42	45
75-79	28	18.0	216	2	4	15	25	45	70	99+
80-84	29	20.3	274	3	4	18	27	40	59	74
85+	12	22.1	227	5	6	22	32	46	47	47
TOT. SINGLE DX	16	11.1	75	1	1	13	16	23	27	29
" MULTIPLE DX	188	18.0	175	3	4	15	24	36	46	72
TOTAL 65-69 YRS	72	15.1	132	2	3	13	18	31	39	54
70-74	57	17.9	135	3	4	17	24	34	41	45
75-79	30	18.0	202	2	5	16	25	41	67	99+
80-84	33	19.6	262	3	3	18	27	37	56	74
85+	12	22.1	227	5	6	22	32	46	47	47
GRAND TOTAL	**204**	**17.4**	**170**	**3**	**3**	**15**	**23**	**35**	**45**	**71**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	207	5.0	36	1	1	2	6	13	17	31
70-74	132	4.8	33	<1	1	2	7	11	18	29
75-79	81	7.2	78	1	1	4	8	21	30	39
80-84	29	7.4	36	1	1	6	12	16	17	19
85+	18	10.4	61	1	2	9	14	23	26	28
2. MULTIPLE DX										
65-69 YRS	1616	11.1	101	1	2	9	15	23	30	50
70-74	1327	12.2	102	1	2	10	16	24	31	49
75-79	902	13.0	145	1	2	10	17	27	39	67
80-84	466	13.3	121	2	3	11	17	26	36	59
85+	225	14.6	153	3	4	11	18	27	36	69
TOT. SINGLE DX	467	5.7	45	1	1	3	8	14	20	32
" MULTIPLE DX	4536	12.2	116	1	2	10	16	24	33	56
TOTAL 65-69 YRS	1823	10.4	98	1	1	8	14	22	29	49
70-74	1459	11.5	101	1	2	9	16	23	31	48
75-79	983	12.6	142	1	2	10	16	27	38	66
80-84	495	12.9	118	1	3	11	16	25	36	59
85+	243	14.3	148	2	4	11	18	27	35	68
GRAND TOTAL	**5003**	**11.6**	**113**	**1**	**2**	**9**	**15**	**24**	**32**	**55**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2141	7.7	10	4	5	7	9	12	14	20
70-74	1507	8.4	13	5	5	8	10	12	15	23
75-79	871	9.3	18	5	5	8	11	14	17	27
80-84	370	9.7	18	5	5	9	11	15	17	24
85+	200	10.8	22	5	6	10	13	17	20	30
2. MULTIPLE DX										
65-69 YRS	8784	11.1	49	5	6	9	13	18	23	41
70-74	7838	12.4	62	5	6	10	14	21	26	46
75-79	5678	13.7	75	6	6	12	16	23	29	53
80-84	3548	15.5	83	6	7	13	19	26	33	52
85+	2250	17.5	109	7	8	15	21	29	38	69
TOT. SINGLE DX	5089	8.4	15	4	5	8	10	13	15	23
" MULTIPLE DX	28098	13.0	71	5	6	11	15	22	28	49
TOTAL 65-69 YRS	10925	10.4	44	5	5	9	12	17	22	37
70-74	9345	11.7	57	5	6	10	14	20	25	44
75-79	6549	13.1	70	5	6	11	15	22	28	51
80-84	3918	15.0	80	6	7	13	18	26	32	50
85+	2450	16.9	106	7	8	14	20	29	37	68
GRAND TOTAL	**33187**	**12.3**	**65**	**5**	**6**	**10**	**15**	**21**	**27**	**46**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	10.8	63	1	2	10	14	20	27	39
70-74	117	11.7	105	1	1	10	16	22	31	54
75-79	86	11.2	55	2	2	10	15	20	25	36
80-84	74	10.9	68	1	2	10	13	21	29	38
85+	51	13.5	117	2	2	13	17	26	39	55
2. MULTIPLE DX										
65-69 YRS	774	16.3	124	3	6	14	20	30	38	59
70-74	838	17.2	122	4	7	15	22	30	38	69
75-79	832	17.9	136	4	6	16	22	31	40	73
80-84	714	17.9	146	3	6	15	23	33	41	71
85+	546	18.7	145	5	7	16	23	35	46	82
TOT. SINGLE DX	442	11.5	80	1	2	10	15	21	29	42
" MULTIPLE DX	3704	17.5	135	4	6	15	22	32	40	68
TOTAL 65-69 YRS	888	15.6	120	3	5	13	19	30	38	58
70-74	955	16.5	123	2	5	14	21	30	37	65
75-79	918	17.3	133	3	6	15	22	30	38	71
80-84	788	17.3	143	2	5	15	22	32	39	69
85+	597	18.3	145	4	7	15	23	35	45	77
GRAND TOTAL	**4146**	**16.9**	**132**	**3**	**5**	**14**	**21**	**31**	**39**	**66**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	112	7.8	78	1	1	5	10	19	23	45
70-74	124	8.1	130	<1	1	4	10	19	26	58
75-79	91	7.6	86	1	1	4	10	20	31	44
80-84	46	6.8	59	1	1	5	8	18	23	41
85+	27	5.4	22	<1	1	4	8	12	16	18
2. MULTIPLE DX										
65-69 YRS	868	14.5	218	2	2	10	19	33	46	77
70-74	799	14.4	184	2	3	10	19	30	42	74
75-79	633	14.5	191	2	3	11	20	32	42	82
80-84	429	14.0	177	2	3	10	17	28	44	77
85+	305	13.0	115	2	3	11	16	25	37	83
TOT. SINGLE DX	400	7.6	90	1	1	4	9	19	25	47
" MULTIPLE DX	3034	14.2	188	2	3	10	18	31	43	77
TOTAL 65-69 YRS	980	13.7	207	1	2	9	18	32	44	77
70-74	923	13.5	181	1	2	9	18	29	40	73
75-79	724	13.6	183	1	2	10	18	31	41	79
80-84	475	13.3	171	2	2	10	17	28	39	76
85+	332	12.4	112	2	3	10	16	25	34	75
GRAND TOTAL	**3434**	**13.5**	**181**	**1**	**2**	**10**	**17**	**29**	**41**	**77**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	713	4.5	22	<1	1	3	6	9	11	20
70-74	618	4.8	21	<1	1	4	6	10	13	22
75-79	533	4.9	30	<1	1	3	6	10	14	28
80-84	398	5.1	18	<1	1	4	7	9	13	22
85+	238	5.6	18	1	1	5	8	11	14	20
2. MULTIPLE DX										
65-69 YRS	6640	7.3	42	2	2	6	9	14	18	34
70-74	7640	7.7	47	2	2	6	9	15	19	38
75-79	7539	8.2	52	2	2	6	10	15	20	38
80-84	6005	8.8	58	2	3	7	11	16	22	46
85+	4915	9.4	70	2	3	7	11	18	24	50
TOT. SINGLE DX	2500	4.8	23	<1	1	4	6	10	13	23
" MULTIPLE DX	32739	8.2	54	2	2	6	10	15	21	41
TOTAL 65-69 YRS	7353	7.1	41	1	2	5	9	14	18	34
70-74	8258	7.5	46	1	2	6	9	14	19	37
75-79	8072	7.9	52	2	2	6	10	15	20	37
80-84	6403	8.5	57	2	3	7	10	16	22	43
85+	5153	9.2	69	2	3	7	11	18	23	49
GRAND TOTAL	**35239**	**7.9**	**52**	**2**	**2**	**6**	**10**	**15**	**20**	**40**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3704	3.4	2	1	1	3	4	5	6	8
70-74	2957	3.6	3	1	2	3	4	6	7	10
75-79	2016	3.7	3	1	2	3	5	6	7	10
80-84	1063	4.2	5	1	2	4	5	7	8	12
85+	579	4.8	10	1	2	4	6	8	10	18
2. MULTIPLE DX										
65-69 YRS	5556	4.8	15	1	2	4	5	8	11	20
70-74	5474	5.3	20	2	2	4	6	10	13	23
75-79	4333	5.8	26	2	2	4	7	10	15	28
80-84	2690	6.9	35	2	3	5	8	13	18	35
85+	1692	8.0	58	2	3	6	9	15	20	44
TOT. SINGLE DX	10319	3.7	4	1	2	3	5	6	7	10
" MULTIPLE DX	19745	5.7	27	2	2	4	7	10	14	27
TOTAL 65-69 YRS	9260	4.2	11	1	2	4	5	7	9	16
70-74	8431	4.7	15	1	2	4	5	8	11	19
75-79	6349	5.2	21	1	2	4	6	9	12	25
80-84	3753	6.1	28	2	2	5	7	11	16	31
85+	2271	7.2	49	2	2	5	8	14	18	40
GRAND TOTAL	**30064**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	483	4.0	3	1	2	4	5	6	7	9
70-74	328	4.0	3	1	2	4	5	6	7	10
75-79	230	4.4	3	1	2	4	6	7	8	9
80-84	118	4.5	3	2	2	4	6	7	8	10
85+	56	4.0	3	1	2	4	5	6	8	10
2. MULTIPLE DX										
65-69 YRS	875	5.3	11	2	2	4	6	9	11	17
70-74	738	6.0	24	2	3	5	7	10	14	22
75-79	567	6.4	21	2	3	5	8	11	14	26
80-84	337	7.4	53	2	3	6	8	13	18	40
85+	204	9.0	56	3	4	7	10	15	24	41
TOT. SINGLE DX	1215	4.1	4	1	2	4	5	6	7	10
" MULTIPLE DX	2721	6.3	27	2	3	5	7	11	14	26
TOTAL 65-69 YRS	1358	4.8	9	2	2	4	6	8	10	15
70-74	1066	5.4	19	2	2	4	6	9	12	20
75-79	797	5.8	17	2	2	5	7	10	12	23
80-84	455	6.7	42	2	3	5	8	11	16	32
85+	260	7.9	49	2	3	6	9	14	20	39
GRAND TOTAL	**3936**	**5.6**	**20**	**2**	**2**	**5**	**6**	**9**	**12**	**22**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	147	4.4	5	1	2	4	5	7	8	13
70-74	166	4.9	7	2	2	4	6	8	10	15
75-79	130	4.4	7	1	2	4	5	7	8	13
80-84	101	5.7	15	2	2	5	7	9	12	24
85+	82	6.4	17	2	3	5	8	12	16	20
2. MULTIPLE DX										
65-69 YRS	282	6.6	33	1	2	5	8	13	17	32
70-74	350	7.1	44	2	2	5	8	14	19	35
75-79	362	8.3	41	3	3	7	10	16	20	30
80-84	288	10.0	52	3	3	8	13	19	23	38
85+	269	11.1	111	3	4	8	13	22	30	65
TOT. SINGLE DX	626	5.0	10	1	2	4	6	8	11	18
" MULTIPLE DX	1551	8.5	57	2	3	6	10	17	22	38
TOTAL 65-69 YRS	429	5.9	25	1	2	4	7	11	14	27
70-74	516	6.4	33	2	2	5	7	12	16	32
75-79	492	7.3	35	2	3	6	9	13	18	30
80-84	389	8.9	46	2	3	7	11	17	21	36
85+	351	10.0	93	2	3	7	12	19	27	41
GRAND TOTAL	**2177**	**7.5**	**46**	**2**	**3**	**5**	**9**	**14**	**20**	**35**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	3.9	5	1	2	3	5	7	8	11
70-74	136	4.7	8	1	2	4	6	8	9	19
75-79	80	4.5	7	<1	1	4	6	9	10	12
80-84	37	4.6	6	2	2	5	6	8	10	11
85+	25	8.9	129	2	3	6	9	16	31	59
2. MULTIPLE DX										
65-69 YRS	483	7.1	43	2	2	5	8	14	19	40
70-74	402	7.2	51	2	2	6	8	13	16	38
75-79	277	9.2	76	2	3	7	10	19	24	55
80-84	151	9.6	88	2	3	8	12	16	21	51
85+	99	10.2	60	2	3	8	14	20	25	40
TOT. SINGLE DX	457	4.6	15	1	2	4	6	8	10	16
" MULTIPLE DX	1412	8.0	59	2	2	6	9	16	21	44
TOTAL 65-69 YRS	662	6.2	35	1	2	5	7	12	17	32
70-74	538	6.6	42	2	2	5	8	11	15	34
75-79	357	8.2	65	1	2	6	10	17	23	53
80-84	188	8.6	76	2	2	7	11	16	20	45
85+	124	9.9	73	2	3	7	13	20	24	48
GRAND TOTAL	**1869**	**7.2**	**51**	**2**	**2**	**5**	**8**	**14**	**19**	**42**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	685	5.4	7	2	2	5	7	9	10	14
70-74	510	5.5	6	2	2	5	7	9	10	12
75-79	324	5.7	10	2	2	5	7	9	12	17
80-84	125	6.1	8	2	3	5	8	10	11	14
85+	62	6.8	15	1	3	6	9	13	14	19
2. MULTIPLE DX										
65-69 YRS	1714	8.1	37	2	3	7	9	14	18	31
70-74	1546	8.7	38	2	3	7	11	16	21	35
75-79	1026	9.6	80	3	3	8	11	16	22	59
80-84	532	10.4	88	3	4	8	12	18	23	57
85+	285	11.4	64	3	4	10	14	20	28	53
TOT. SINGLE DX	1706	5.6	8	2	2	5	7	9	11	14
" MULTIPLE DX	5103	9.0	54	3	3	7	11	16	21	40
TOTAL 65-69 YRS	2399	7.4	30	2	3	6	9	12	16	28
70-74	2056	7.9	32	2	3	7	9	14	18	31
75-79	1350	8.6	66	2	3	7	10	15	19	52
80-84	657	9.6	76	3	4	8	11	17	21	46
85+	347	10.6	59	3	3	9	13	19	25	46
GRAND TOTAL	**6809**	**8.1**	**45**	**2**	**3**	**7**	**10**	**14**	**19**	**34**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	38	8.4	11	3	5	8	10	12	13	21
70-74	32	8.5	21	3	3	8	11	14	19	23
75-79	26	9.8	24	3	5	9	12	16	19	26
80-84	15	13.1	68	2	4	12	16	23	31	34
85+	10	8.0	14	3	3	8	10	13	14	14
2. MULTIPLE DX										
65-69 YRS	248	13.3	119	5	7	10	14	22	26	71
70-74	216	14.2	116	5	6	11	17	23	30	77
75-79	171	15.8	121	6	7	13	19	27	32	63
80-84	111	15.3	58	7	8	14	18	24	35	66
85+	76	18.9	144	7	8	15	22	38	45	92
TOT. SINGLE DX	121	9.3	26	3	4	9	11	15	20	28
" MULTIPLE DX	822	14.8	115	6	7	12	18	25	34	74
TOTAL 65-69 YRS	286	12.6	108	5	6	10	13	21	25	69
70-74	248	13.5	107	4	6	11	16	23	29	76
75-79	197	15.0	112	6	6	12	18	26	31	62
80-84	126	15.1	60	6	8	13	18	24	34	58
85+	86	17.6	141	6	7	14	20	36	42	88
GRAND TOTAL	943	14.1	107	5	6	11	17	23	32	71

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	6.4	30	1	1	5	8	13	17	28
70-74	141	7.8	40	1	2	6	10	17	20	31
75-79	101	8.3	39	1	2	7	11	17	22	29
80-84	61	10.6	110	1	2	7	13	22	33	54
85+	32	6.8	24	1	1	6	10	14	17	18
2. MULTIPLE DX										
65-69 YRS	1870	12.3	106	2	3	9	16	25	32	50
70-74	1590	12.9	116	2	3	10	17	25	33	57
75-79	1112	13.5	134	2	3	10	17	27	35	61
80-84	738	15.0	154	3	4	12	20	30	37	81
85+	486	13.9	146	2	3	11	18	29	36	59
TOT. SINGLE DX	515	7.7	45	1	2	6	10	16	20	32
" MULTIPLE DX	5796	13.2	125	2	3	10	17	26	34	60
TOTAL 65-69 YRS	2050	11.8	103	2	3	9	15	24	31	50
70-74	1731	12.5	112	2	3	10	16	24	32	56
75-79	1213	13.1	128	2	3	10	17	26	34	59
80-84	799	14.7	152	2	4	11	19	29	37	78
85+	518	13.4	142	2	3	10	17	28	36	59
GRAND TOTAL	6311	12.7	120	2	3	10	17	26	33	58

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	108	11.1	44	3	5	10	14	19	21	39
70-74	93	10.4	20	4	5	10	13	17	19	23
75-79	69	12.0	41	3	6	11	14	19	22	37
80-84	31	13.5	50	3	7	12	18	22	31	32
85+	25	12.4	84	3	5	10	15	25	57	99+
2. MULTIPLE DX										
65-69 YRS	782	16.6	144	5	7	13	21	30	41	70
70-74	737	17.7	154	5	7	14	22	34	44	87
75-79	644	18.3	161	6	8	15	22	36	44	71
80-84	377	20.2	191	6	8	17	24	37	51	82
85+	257	19.0	141	6	8	17	24	36	45	97
TOT. SINGLE DX	326	11.4	41	3	5	10	14	19	22	40
" MULTIPLE DX	2797	18.0	158	6	7	15	22	34	44	75
TOTAL 65-69 YRS	890	15.9	135	5	6	12	20	29	39	69
70-74	830	16.9	145	5	6	13	21	33	42	83
75-79	713	17.7	153	6	7	14	21	34	43	69
80-84	408	19.7	184	6	8	17	24	36	50	78
85+	282	18.4	140	5	7	16	23	36	45	99+
GRAND TOTAL	3123	17.3	150	5	7	14	21	32	43	73

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	2.9	6	<1	<1	2	3	9	9	10
70-74	9	2.9	10	<1	<1	2	3	9	11	11
75-79	15	2.5	2	<1	1	2	3	3	6	7
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	78	7.7	64	1	2	5	9	21	26	36
70-74	74	8.4	56	1	1	6	13	19	22	35
75-79	51	11.7	113	1	2	8	17	24	31	47
80-84	25	15.8	219	1	3	14	17	35	45	70
85+	20	14.5	167	1	2	13	17	32	43	53
TOT. SINGLE DX	58	2.7	6	<1	<1	2	3	6	9	11
" MULTIPLE DX	248	10.1	102	1	2	7	14	22	31	47
TOTAL 65-69 YRS	108	6.4	53	1	1	3	9	14	24	35
70-74	83	7.8	54	1	1	5	13	18	21	34
75-79	66	9.6	103	1	2	6	14	22	27	47
80-84	27	14.8	215	1	2	14	17	34	42	70
85+	22	13.3	166	<1	1	12	16	32	42	53
GRAND TOTAL	306	8.7	92	1	1	5	13	21	26	47

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	224	9.9	26	4	4	9	12	17	19	27
70-74	186	10.2	30	3	4	9	12	17	23	28
75-79	120	11.3	32	4	6	10	14	19	23	31
80-84	77	12.8	29	6	8	12	14	19	24	36
85+	47	12.1	28	6	7	11	14	19	22	35
2. MULTIPLE DX										
65-69 YRS	1258	16.0	162	4	6	12	19	30	40	76
70-74	1250	16.5	150	4	6	13	21	30	41	79
75-79	982	17.7	151	6	7	14	22	32	43	94
80-84	642	18.3	152	7	8	15	21	31	45	75
85+	430	18.4	128	8	9	15	22	31	40	65
TOT. SINGLE DX	654	10.7	30	4	5	10	13	18	22	29
" MULTIPLE DX	4562	17.0	153	5	7	14	21	31	42	80
TOTAL 65-69 YRS	1482	15.1	146	4	5	12	18	29	38	70
70-74	1436	15.7	139	4	6	12	19	29	38	77
75-79	1102	17.0	142	5	7	14	21	32	42	85
80-84	719	17.7	142	7	8	14	21	30	41	74
85+	477	17.8	122	7	9	15	21	30	38	63
GRAND TOTAL	**5216**	**16.2**	**142**	**5**	**6**	**13**	**20**	**30**	**40**	**76**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	11.4	28	5	7	10	13	17	20	34
70-74	122	11.6	28	6	7	10	14	18	20	34
75-79	60	11.9	13	7	8	12	13	17	20	23
80-84	35	13.0	20	8	9	11	16	21	22	23
85+	9	16.0	55	8	8	13	20	28	30	30
2. MULTIPLE DX										
65-69 YRS	770	15.0	79	7	7	13	18	24	32	60
70-74	710	16.4	95	7	8	14	20	28	37	63
75-79	523	17.5	109	7	8	15	22	31	39	77
80-84	283	18.5	110	8	9	16	23	32	41	59
85+	151	19.5	156	8	9	17	25	34	41	99+
TOT. SINGLE DX	362	11.8	26	6	7	11	14	18	21	31
" MULTIPLE DX	2437	16.6	101	7	8	14	20	29	37	65
TOTAL 65-69 YRS	906	14.5	74	6	7	12	17	23	31	53
70-74	832	15.7	89	7	8	13	19	28	35	59
75-79	583	16.9	103	7	8	14	21	30	38	71
80-84	318	17.9	104	8	9	16	22	31	39	59
85+	160	19.3	151	8	9	17	25	33	40	99+
GRAND TOTAL	**2799**	**16.0**	**94**	**7**	**8**	**13**	**19**	**28**	**36**	**63**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	255	7.7	24	1	2	7	9	13	16	30
70-74	153	7.0	22	1	2	7	9	12	14	22
75-79	86	7.1	28	1	1	7	10	13	17	30
80-84	35	7.2	23	1	2	6	10	12	16	23
85+	11	8.4	17	2	3	9	10	13	17	17
2. MULTIPLE DX										
65-69 YRS	1025	12.3	95	2	3	10	15	24	30	49
70-74	827	12.8	111	2	3	10	16	25	34	61
75-79	543	14.1	139	2	3	11	18	29	36	77
80-84	283	15.3	158	2	3	12	20	30	40	70
85+	135	15.7	141	3	4	14	20	30	39	55
TOT. SINGLE DX	540	7.4	24	1	2	7	9	13	16	26
" MULTIPLE DX	2813	13.3	118	2	3	10	17	26	34	57
TOTAL 65-69 YRS	1280	11.4	85	2	2	9	14	22	29	47
70-74	980	11.9	102	2	3	9	15	23	31	58
75-79	629	13.2	130	2	3	10	17	27	35	72
80-84	318	14.4	150	2	3	11	19	30	37	67
85+	146	15.2	136	3	4	13	18	29	38	51
GRAND TOTAL	**3353**	**12.3**	**108**	**2**	**3**	**10**	**15**	**24**	**32**	**55**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	174	8.7	15	3	5	8	10	13	16	21
70-74	115	8.8	16	3	4	8	11	15	18	48
75-79	56	9.0	19	2	4	8	11	14	18	25
80-84	25	8.0	12	1	3	7	11	14	14	15
85+	5	7.8	58	2	2	6	10	21	21	21
2. MULTIPLE DX										
65-69 YRS	562	12.0	58	3	5	10	15	21	27	38
70-74	495	12.1	62	2	4	11	15	21	28	43
75-79	337	12.4	77	2	4	11	15	23	30	51
80-84	188	13.7	66	3	5	12	18	24	29	41
85+	75	15.7	95	3	7	14	21	28	30	60
TOT. SINGLE DX	375	8.7	16	3	5	8	11	14	17	21
" MULTIPLE DX	1657	12.5	67	3	4	11	16	22	29	42
TOTAL 65-69 YRS	736	11.2	50	3	5	10	14	20	25	35
70-74	610	11.5	55	3	4	10	14	20	25	43
75-79	393	11.9	71	2	4	10	14	22	29	50
80-84	213	13.0	63	3	5	11	17	23	28	40
85+	80	15.2	96	2	5	14	21	27	29	58
GRAND TOTAL	**2032**	**11.8**	**60**	**3**	**5**	**10**	**15**	**21**	**27**	**41**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	10.7	42	1	2	9	16	20	22	22
70-74	9	10.4	18	2	4	11	13	15	16	16
75-79	7	17.3	50	5	6	21	23	24	24	24
80-84	7	21.9	112	9	10	19	33	36	36	36
85+	2	18.5	41	14	14	18	23	23	23	23
2. MULTIPLE DX										
65-69 YRS	127	18.0	127	5	7	15	24	32	41	81
70-74	107	18.0	130	6	9	15	22	32	43	61
75-79	79	21.5	190	7	8	18	26	40	44	83
80-84	52	19.7	177	6	7	16	26	38	62	99
85+	15	20.7	131	2	7	17	29	38	40	41
TOT. SINGLE DX	37	14.4	67	2	5	13	20	23	32	36
" MULTIPLE DX	380	19.1	149	6	8	16	25	34	43	77
TOTAL 65-69 YRS	139	17.4	124	5	7	15	23	31	39	78
70-74	116	17.4	125	6	8	14	21	30	41	58
75-79	86	21.1	179	7	8	18	25	40	43	81
80-84	59	20.0	168	6	8	17	26	37	53	97
85+	17	20.4	118	3	8	17	28	37	40	41
GRAND TOTAL	**417**	**18.6**	**143**	**5**	**8**	**16**	**24**	**34**	**42**	**77**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	306	4.7	11	1	2	4	6	9	11	15
70-74	190	4.5	17	1	2	3	5	8	12	16
75-79	86	5.1	9	1	2	4	7	9	11	16
80-84	32	5.0	10	1	2	5	7	8	10	18
85+	18	3.7	5	<1	1	3	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	667	7.1	32	2	2	6	9	14	18	30
70-74	514	8.1	52	2	2	6	10	16	21	37
75-79	333	9.3	56	2	2	8	12	18	24	41
80-84	144	10.1	81	2	2	8	13	23	31	61
85+	88	11.3	67	3	3	9	17	22	26	37
TOT. SINGLE DX	632	4.7	13	1	2	4	6	8	11	16
" MULTIPLE DX	1746	8.3	50	2	2	6	10	16	22	36
TOTAL 65-69 YRS	973	6.3	27	1	2	5	8	12	15	27
70-74	704	7.1	46	2	2	5	9	14	18	34
75-79	419	8.4	50	2	2	7	11	17	21	36
80-84	176	9.2	73	2	2	7	11	16	28	56
85+	106	10.0	65	2	2	7	15	21	25	36
GRAND TOTAL	**2378**	**7.3**	**43**	**2**	**2**	**6**	**9**	**15**	**19**	**34**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	883	3.7	12	<1	1	2	5	8	10	17
70-74	752	3.8	15	<1	1	2	5	8	10	17
75-79	582	4.2	16	1	1	3	5	9	11	21
80-84	300	3.7	13	<1	1	2	4	8	10	21
85+	206	4.6	18	1	1	3	6	10	12	24
2. MULTIPLE DX										
65-69 YRS	5428	7.5	68	1	1	5	10	16	22	45
70-74	5855	8.3	79	1	2	6	11	18	25	50
75-79	5565	9.0	88	1	2	7	12	19	26	56
80-84	4033	10.2	103	1	2	8	13	21	28	61
85+	3138	11.3	130	2	2	8	14	23	32	83
TOT. SINGLE DX	2723	3.9	15	<1	1	3	5	8	10	19
" MULTIPLE DX	24019	9.0	92	1	2	6	11	19	26	56
TOTAL 65-69 YRS	6311	7.0	63	1	1	5	9	15	21	43
70-74	6607	7.8	75	1	1	5	10	17	24	48
75-79	6147	8.6	84	1	2	6	11	18	25	53
80-84	4333	9.7	100	1	2	7	13	20	27	59
85+	3344	10.9	126	1	2	8	14	22	31	82
GRAND TOTAL	**26742**	**8.5**	**86**	**1**	**2**	**6**	**11**	**18**	**25**	**53**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1292	3.4	8	1	1	3	4	6	7	12
70-74	1305	3.4	4	1	1	3	4	6	7	11
75-79	1080	3.8	9	1	1	3	5	7	9	17
80-84	765	4.1	9	1	1	3	5	7	9	17
85+	516	4.7	10	1	2	4	6	9	10	17
2. MULTIPLE DX										
65-69 YRS	3331	5.6	35	1	2	4	6	11	16	30
70-74	4080	5.9	36	1	2	4	7	12	16	33
75-79	3823	6.6	48	1	2	5	8	13	18	36
80-84	2734	7.3	58	2	2	5	9	15	20	39
85+	2150	8.7	81	2	2	6	10	17	24	52
TOT. SINGLE DX	4958	3.7	8	1	1	3	5	7	8	14
" MULTIPLE DX	16118	6.6	50	1	2	5	8	14	19	37
TOTAL 65-69 YRS	4623	5.0	29	1	1	3	6	9	14	28
70-74	5385	5.3	30	1	2	4	6	10	15	29
75-79	4903	6.0	42	1	2	4	7	12	17	34
80-84	3499	6.6	49	1	2	4	8	14	18	38
85+	2666	7.9	70	2	2	6	9	16	21	48
GRAND TOTAL	**21076**	**5.9**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	370	6.5	29	1	1	5	9	15	17	23
70-74	325	5.7	32	1	1	3	7	13	17	26
75-79	203	6.6	42	1	1	4	8	15	21	32
80-84	151	6.3	35	1	2	4	8	13	21	29
85+	81	8.1	72	1	2	6	9	15	31	44
2. MULTIPLE DX										
65-69 YRS	1566	10.4	93	1	2	8	14	22	30	50
70-74	1669	10.9	118	2	2	8	14	24	34	62
75-79	1556	11.4	124	2	2	8	15	24	33	66
80-84	1102	12.0	120	2	2	9	16	26	34	68
85+	928	12.2	113	2	3	9	16	26	35	58
TOT. SINGLE DX	1130	6.4	37	1	1	4	9	14	18	30
" MULTIPLE DX	6821	11.3	114	2	2	8	15	24	32	63
TOTAL 65-69 YRS	1936	9.6	84	1	2	7	13	20	28	46
70-74	1994	10.1	108	1	2	7	14	22	31	60
75-79	1759	10.8	118	1	2	8	14	23	31	66
80-84	1253	11.3	113	2	2	8	15	24	32	66
85+	1009	11.9	111	2	3	9	16	25	34	56
GRAND TOTAL	**7951**	**10.6**	**106**	**1**	**2**	**8**	**14**	**23**	**31**	**59**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	2.7	12	<1	<1	2	3	7	13	13
70-74	11	2.9	2	<1	<1	3	4	5	6	6
75-79	8	3.6	8	<1	<1	3	5	8	9	9
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	6.0	-	6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	40	5.2	19	<1	1	3	7	11	14	21
70-74	40	4.7	11	1	2	4	7	9	10	17
75-79	26	8.3	31	2	2	7	12	15	18	24
80-84	17	7.4	43	1	2	5	11	17	23	25
85+	20	9.6	53	2	2	7	15	21	23	25
TOT. SINGLE DX	33	3.1	7	<1	<1	2	4	6	9	13
" MULTIPLE DX	143	6.5	30	1	2	5	9	14	18	25
TOTAL 65-69 YRS	51	4.7	19	<1	1	3	7	11	13	21
70-74	51	4.3	10	<1	1	3	6	9	10	17
75-79	34	7.2	30	<1	2	6	11	15	16	24
80-84	19	6.9	41	1	1	4	11	16	22	25
85+	21	9.4	51	2	2	6	14	21	23	25
GRAND TOTAL	**176**	**5.9**	**27**	**<1**	**1**	**4**	**8**	**13**	**17**	**25**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	102	3.7	8	1	1	3	5	8	9	15
70-74	86	4.2	13	<1	1	3	5	9	11	19
75-79	59	3.8	5	1	1	3	4	7	10	11
80-84	31	4.1	25	1	1	3	4	7	9	29
85+	30	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
65-69 YRS	265	5.8	27	1	2	4	8	11	14	28
70-74	285	6.9	59	1	1	4	8	15	20	42
75-79	273	6.8	47	1	2	5	8	14	22	36
80-84	170	7.6	57	2	2	5	9	17	23	41
85+	120	7.6	26	2	2	6	10	16	18	22
TOT. SINGLE DX	308	3.9	11	1	1	3	5	8	10	16
" MULTIPLE DX	1113	6.8	45	1	2	5	8	14	19	35
TOTAL 65-69 YRS	367	5.2	23	1	1	4	7	10	13	25
70-74	371	6.3	50	1	1	4	8	14	18	40
75-79	332	6.3	41	1	2	4	7	12	17	33
80-84	201	7.0	54	1	2	4	8	16	22	37
85+	150	6.8	25	2	2	5	9	15	17	21
GRAND TOTAL	**1421**	**6.2**	**39**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.7	4	<1	<1	2	3	5	6	12
70-74	91	2.9	4	<1	1	2	4	6	7	11
75-79	67	3.2	6	<1	1	3	4	6	9	13
80-84	31	3.6	8	1	2	2	4	7	10	15
85+	24	3.5	9	<1	1	2	4	8	11	13
2. MULTIPLE DX										
65-69 YRS	1038	7.5	60	1	2	5	9	16	22	48
70-74	1187	7.9	56	1	2	6	11	17	23	44
75-79	1119	9.0	81	1	2	7	11	18	25	45
80-84	858	9.6	64	2	2	8	12	19	26	39
85+	766	10.2	72	2	2	8	13	21	28	44
TOT. SINGLE DX	317	3.0	6	<1	1	2	4	6	8	13
" MULTIPLE DX	4968	8.7	68	1	2	7	11	18	25	44
TOTAL 65-69 YRS	1142	7.1	57	1	1	5	9	15	21	47
70-74	1278	7.6	54	1	2	5	10	16	22	41
75-79	1186	8.7	79	1	2	6	11	17	25	44
80-84	889	9.4	64	2	2	7	12	19	26	39
85+	790	10.0	72	2	2	8	13	21	27	44
GRAND TOTAL	**5285**	**8.4**	**66**	**1**	**2**	**6**	**11**	**17**	**24**	**43**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	131	3.3	6	1	1	3	4	6	8	14
70-74	132	3.8	8	1	1	3	5	8	10	15
75-79	85	3.8	7	1	1	3	5	7	10	14
80-84	60	4.0	13	<1	1	3	4	9	10	23
85+	33	4.3	12	1	2	4	5	7	9	21
2. MULTIPLE DX										
65-69 YRS	496	5.6	29	1	2	4	7	11	15	29
70-74	588	6.4	38	1	2	4	8	13	19	32
75-79	510	6.9	42	2	2	5	8	15	20	37
80-84	334	8.7	94	2	2	6	10	18	24	60
85+	250	9.3	67	2	2	7	12	22	25	40
TOT. SINGLE DX	441	3.7	8	1	1	3	4	7	9	15
" MULTIPLE DX	2178	7.0	51	1	2	5	8	15	21	39
TOTAL 65-69 YRS	627	5.1	25	1	2	4	6	10	13	26
70-74	720	5.9	34	1	2	4	7	12	16	31
75-79	595	6.4	39	1	2	4	8	14	19	37
80-84	394	8.0	85	1	2	5	9	17	23	58
85+	283	8.7	64	2	2	6	11	21	25	39
GRAND TOTAL	**2619**	**6.5**	**45**	**1**	**2**	**4**	**8**	**13**	**19**	**37**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	150	8.0	8	4	5	8	9	11	13	20
70-74	93	7.7	8	4	4	7	9	11	13	17
75-79	55	8.9	7	5	6	9	10	13	13	18
80-84	18	7.2	3	3	4	7	9	9	10	10
85+	11	9.0	13	6	6	8	10	15	18	18
2. MULTIPLE DX										
65-69 YRS	446	9.2	20	5	5	8	10	14	18	23
70-74	377	9.4	25	4	5	8	11	15	19	30
75-79	203	9.8	24	4	5	9	11	16	20	28
80-84	76	11.9	89	5	5	9	15	20	23	62
85+	22	11.1	21	4	5	10	15	18	19	20
TOT. SINGLE DX	327	8.1	8	4	5	8	9	12	13	18
" MULTIPLE DX	1124	9.6	28	4	5	8	11	15	19	29
TOTAL 65-69 YRS	596	8.9	18	4	5	8	10	13	17	23
70-74	470	9.1	22	4	5	8	10	14	17	29
75-79	258	9.6	21	4	5	9	11	15	19	27
80-84	94	11.0	76	4	5	9	12	19	22	60
85+	33	10.4	19	5	6	9	13	18	19	20
GRAND TOTAL	**1451**	**9.3**	**24**	**4**	**5**	**8**	**10**	**14**	**18**	**27**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	6.6	6	3	4	6	8	10	11	16
70-74	62	6.8	3	4	4	7	8	9	10	13
75-79	41	7.2	7	3	4	7	9	11	12	15
80-84	9	8.4	8	5	5	9	10	13	13	13
85+	6	7.0	3	5	5	7	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	265	7.6	9	4	4	7	9	10	13	20
70-74	165	8.5	21	4	4	7	10	14	17	25
75-79	130	8.3	15	4	4	7	10	13	14	43
80-84	52	9.3	17	4	5	8	11	15	17	25
85+	32	9.8	24	3	5	8	13	17	18	24
TOT. SINGLE DX	207	6.9	6	4	4	7	8	10	11	14
" MULTIPLE DX	644	8.2	16	4	4	8	10	13	15	24
TOTAL 65-69 YRS	354	7.3	9	4	4	7	9	10	12	20
70-74	227	8.0	17	4	4	7	9	13	15	24
75-79	171	8.0	14	4	4	7	10	13	14	28
80-84	61	9.2	16	4	5	8	11	15	17	24
85+	38	9.4	22	4	5	8	12	16	18	24
GRAND TOTAL	**851**	**7.9**	**14**	**4**	**4**	**7**	**9**	**12**	**15**	**23**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	4.1	9	<1	1	3	5	9	10	10
70-74	10	3.2	2	1	1	3	5	6	6	6
75-79	4	6.5	40	3	3	4	10	16	16	16
80-84	3	4.3	17	1	1	3	7	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	110	7.9	54	1	2	6	10	15	21	41
70-74	112	10.3	93	1	2	8	13	20	30	50
75-79	69	9.9	97	1	2	6	13	21	24	60
80-84	48	11.1	108	2	2	8	14	22	27	64
85+	31	11.6	74	2	3	10	14	20	34	40
TOT. SINGLE DX	40	4.1	10	1	1	3	5	9	10	16
" MULTIPLE DX	370	9.7	84	1	2	8	12	19	26	50
TOTAL 65-69 YRS	132	7.3	49	1	2	6	9	14	20	38
70-74	122	9.8	90	1	2	8	12	19	29	50
75-79	73	9.7	95	1	2	6	13	20	24	59
80-84	51	10.7	105	2	2	8	14	21	26	64
85+	32	11.3	74	2	3	10	14	19	34	40
GRAND TOTAL	**410**	**9.2**	**79**	**1**	**2**	**7**	**12**	**18**	**24**	**49**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	4.4	14	1	1	3	5	11	13	13
70-74	8	12.3	72	3	4	10	18	25	26	26
75-79	6	6.2	20	2	2	5	8	13	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	78	12.0	69	2	2	10	15	25	30	37
70-74	76	13.9	132	1	3	10	18	32	41	52
75-79	45	11.7	68	3	4	9	15	20	28	46
80-84	35	10.1	76	3	3	7	13	20	28	45
85+	19	12.4	225	2	3	6	13	36	52	59
TOT. SINGLE DX	25	8.2	48	1	2	6	11	21	24	26
" MULTIPLE DX	253	12.3	100	2	3	10	15	25	33	51
TOTAL 65-69 YRS	87	11.2	68	2	2	10	14	24	29	36
70-74	84	13.7	126	2	3	10	18	29	38	52
75-79	51	11.1	65	2	3	9	14	19	28	46
80-84	36	10.1	75	3	3	7	13	20	27	45
85+	20	12.9	217	2	3	7	14	34	51	59
GRAND TOTAL	**278**	**11.9**	**97**	**2**	**3**	**9**	**15**	**25**	**32**	**50**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3297	5.7	4	3	3	5	7	8	10	13
70-74	2958	5.9	7	3	4	5	7	9	10	15
75-79	2150	6.2	8	3	4	6	7	9	11	16
80-84	1048	6.7	14	3	4	6	8	10	12	20
85+	488	7.5	13	4	4	7	9	12	15	21
2. MULTIPLE DX										
65-69 YRS	12874	7.7	33	3	4	6	9	13	17	33
70-74	14099	8.5	43	3	4	7	10	15	19	36
75-79	12029	9.4	56	4	4	7	11	17	23	44
80-84	7645	10.5	71	4	4	8	12	19	26	50
85+	4810	12.3	97	4	5	9	15	23	30	58
TOT. SINGLE DX	9941	6.1	8	3	4	6	7	9	11	16
" MULTIPLE DX	51457	9.2	55	3	4	7	10	16	22	42
TOTAL 65-69 YRS	16171	7.3	29	3	4	6	8	12	16	31
70-74	17057	8.0	38	3	4	6	9	14	18	34
75-79	14179	8.9	51	3	4	7	10	16	21	42
80-84	8693	10.0	66	4	4	8	12	18	24	48
85+	5298	[illegible]	92	4	5	9	14	22	28	56
GRAND TOTAL	**61398**	**8.7**	**49**	**3**	**4**	**7**	**10**	**15**	**21**	**39**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	380	10.9	19	5	7	10	13	17	20	25
70-74	248	10.6	21	5	6	10	13	15	19	28
75-79	130	11.3	20	6	7	10	13	16	21	26
80-84	41	10.1	16	2	5	10	12	16	17	18
85+	29	12.3	31	7	8	11	13	22	27	28
2. MULTIPLE DX										
65-69 YRS	1250	12.7	41	6	7	11	15	20	24	35
70-74	1291	12.9	41	6	7	11	15	21	26	38
75-79	883	13.8	60	6	7	12	16	22	26	43
80-84	503	15.4	83	7	8	14	18	25	31	56
85+	220	17.2	102	6	9	15	20	30	35	61
TOT. SINGLE DX	828	10.9	21	5	7	10	13	16	20	27
" MULTIPLE DX	4147	13.6	55	6	7	12	16	22	27	43
TOTAL 65-69 YRS	1630	12.3	37	6	7	11	14	19	23	34
70-74	1539	12.5	39	5	7	11	15	20	24	36
75-79	1013	13.5	56	6	7	12	16	22	26	39
80-84	544	15.0	80	6	8	13	18	24	31	56
85+	249	16.6	96	6	8	14	19	29	33	59
GRAND TOTAL	**4975**	**13.1**	**51**	**6**	**7**	**11**	**15**	**21**	**26**	**40**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	716	2.5	5	<1	1	2	3	4	6	12
70-74	563	2.5	3	<1	1	2	3	5	6	11
75-79	375	2.8	5	1	1	2	3	5	8	12
80-84	172	3.4	9	<1	1	2	4	7	10	17
85+	60	5.2	121	1	1	3	4	8	13	71
2. MULTIPLE DX										
65-69 YRS	1435	5.0	36	1	1	3	6	11	15	26
70-74	1510	5.8	42	1	1	3	7	13	18	30
75-79	1186	6.8	62	1	1	4	9	15	22	41
80-84	620	7.5	58	1	2	5	10	17	23	37
85+	381	9.9	92	1	2	8	13	20	29	61
TOT. SINGLE DX	1886	2.7	9	<1	1	2	3	5	7	13
" MULTIPLE DX	5132	6.3	53	1	1	4	8	14	20	37
TOTAL 65-69 YRS	2151	4.2	28	1	1	2	4	9	13	25
70-74	2073	4.9	34	1	1	3	6	11	16	29
75-79	1561	5.9	51	1	1	3	7	13	19	39
80-84	792	6.6	51	1	1	4	9	16	21	35
85+	441	9.3	99	1	2	7	12	19	29	65
GRAND TOTAL	**7018**	**5.4**	**44**	**1**	**1**	**3**	**6**	**12**	**17**	**33**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	82	2.8	3	1	1	2	4	5	6	10
70-74	57	3.0	4	1	1	3	3	5	7	12
75-79	28	2.9	4	1	1	3	3	5	6	12
80-84	16	4.4	20	1	1	3	5	13	16	17
85+	6	5.0	4	3	3	4	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	180	7.0	77	1	1	4	9	16	22	71
70-74	141	6.7	32	1	2	5	9	13	17	27
75-79	91	7.5	53	1	2	5	9	18	32	99+
80-84	50	9.2	85	2	2	7	10	17	32	51
85+	39	13.9	237	3	3	8	18	30	54	70
TOT. SINGLE DX	189	3.1	5	1	1	3	4	5	7	13
" MULTIPLE DX	501	7.8	77	1	2	5	10	17	23	67
TOTAL 65-69 YRS	262	5.7	58	1	1	3	6	13	18	40
70-74	198	5.6	27	1	1	4	7	12	15	24
75-79	119	6.4	46	1	2	4	8	16	25	99+
80-84	66	8.0	74	2	2	5	9	17	29	48
85+	45	12.8	215	3	3	7	16	26	46	70
GRAND TOTAL	**690**	**6.5**	**61**	**1**	**1**	**4**	**8**	**15**	**20**	**47**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	167	3.4	5	1	1	3	4	7	8	12
70-74	169	3.6	9	1	1	3	4	7	11	18
75-79	180	4.0	10	1	1	3	5	8	10	16
80-84	89	4.3	10	1	2	3	5	9	12	15
85+	46	5.1	19	1	1	3	8	12	14	20
2. MULTIPLE DX										
65-69 YRS	748	7.4	63	1	2	4	10	17	22	42
70-74	880	8.1	68	1	2	5	11	19	23	43
75-79	902	8.3	65	1	2	5	11	18	23	42
80-84	579	8.1	84	1	2	5	10	16	22	62
85+	335	11.2	118	2	2	9	15	24	31	65
TOT. SINGLE DX	651	3.9	10	1	1	3	4	8	11	16
" MULTIPLE DX	3444	8.3	75	1	2	5	11	18	24	46
TOTAL 65-69 YRS	915	6.7	56	1	2	4	8	16	21	40
70-74	1049	7.4	62	1	2	4	10	18	22	40
75-79	1082	7.6	59	1	2	5	10	17	22	42
80-84	668	7.6	76	1	2	5	10	15	20	56
85+	381	10.5	110	2	2	8	14	22	30	62
GRAND TOTAL	**4095**	**7.6**	**68**	**1**	**2**	**5**	**10**	**17**	**22**	**44**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	3	4.0	1	3	3	4	5	5	5	5
70-74	1	20.0		20	20	20	20	20	20	20
75-79	3	28.0	1596	2	2	8	57	74	74	74
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	4	3.0	3	<1	<1	3	4	5	5	5
" MULTIPLE DX	9	13.3	551	<1	1	4	11	52	74	74
TOTAL 65-69 YRS	4	3.8	1	3	3	4	4	5	5	5
70-74	2	10.5	181	<1	<1	10	20	20	20	20
75-79	3	28.0	1596	2	2	8	57	74	74	74
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	3.0	4	<1	<1	3	4	5	5	5
GRAND TOTAL	13	10.2	392	<1	<1	3	6	31	66	74

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	2.7	6	1	1	2	3	7	9	9
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	24	6.4	27	2	2	4	8	14	17	22
70-74	16	3.8	6	1	1	3	5	9	9	9
75-79	10	10.6	91	1	1	7	19	25	31	31
80-84	7	12.0	145	3	3	7	19	32	35	35
85+	2	19.5	85	13	13	19	26	26	26	26
TOT. SINGLE DX	16	2.8	4	1	1	2	3	5	8	9
" MULTIPLE DX	59	7.5	57	1	2	4	9	19	24	35
TOTAL 65-69 YRS	33	5.4	24	1	2	4	7	13	15	22
70-74	19	3.7	6	1	1	3	4	8	9	9
75-79	13	8.8	80	1	2	7	12	22	29	31
80-84	7	12.0	145	3	3	7	19	32	35	35
85+	3	13.7	144	2	2	13	23	26	26	26
GRAND TOTAL	75	6.5	49	1	1	4	7	15	22	34

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	4	6.0	8	2	2	6	8	9	9	9
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	13	10.2	54	<1	2	11	13	19	27	29
70-74	1	21.0		21	21	21	21	21	21	21
75-79	5	14.8	192	4	4	9	22	38	38	38
80-84	3	8.0	36	2	2	8	12	14	14	14
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	6	5.8	13	1	1	6	9	10	10	10
" MULTIPLE DX	23	11.3	77	1	3	10	14	23	32	38
TOTAL 65-69 YRS	14	9.5	56	<1	1	8	13	17	26	29
70-74	5	9.0	52	2	2	7	12	21	21	21
75-79	6	14.0	158	4	4	9	17	36	38	38
80-84	3	8.0	36	2	2	8	12	14	14	14
85+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	29	10.2	68	1	2	9	13	19	29	38

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	281	2.6	2	1	1	2	3	4	5	7
70-74	173	2.6	1	1	1	3	3	4	5	7
75-79	83	2.8	2	<1	1	2	4	5	6	9
80-84	46	3.0	5	1	1	3	3	5	6	14
85+	11	2.6		1	1	3	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	480	4.2	14	1	2	3	5	8	10	20
70-74	313	4.3	15	1	2	3	5	8	12	24
75-79	184	5.4	59	1	2	4	6	9	11	47
80-84	84	5.8	33	2	2	4	6	13	18	31
85+	19	5.8	66	1	1	3	4	18	27	33
TOT. SINGLE DX	594	2.7	2	1	1	2	3	4	5	7
" MULTIPLE DX	1080	4.6	25	1	2	3	5	8	11	27
TOTAL 65-69 YRS	761	3.6	11	1	1	3	4	6	8	15
70-74	486	3.7	11	1	1	3	4	7	9	16
75-79	267	4.6	43	1	1	3	5	8	10	40
80-84	130	4.8	25	1	2	3	5	10	15	30
85+	30	4.6	44	1	1	3	4	10	19	33
GRAND TOTAL	1674	3.9	18	1	1	3	4	7	10	23

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	1.8		<1	1	2	2	3	3	4
70-74	21	1.7		<1	<1	2	2	3	3	3
75-79	31	2.4	7	<1	<1	2	2	4	10	13
80-84	16	2.5	2	<1	<1	2	3	3	7	8
85+	8	3.4	5	1	1	3	4	7	8	8
2. MULTIPLE DX										
65-69 YRS	195	3.6	14	1	1	2	4	8	11	25
70-74	189	4.3	39	<1	1	2	5	9	13	42
75-79	150	5.6	51	1	1	3	7	12	22	39
80-84	82	7.4	158	1	1	3	7	15	25	79
85+	92	6.1	24	2	2	5	9	12	16	24
TOT. SINGLE DX	196	2.0	2	<1	<1	2	2	3	4	9
" MULTIPLE DX	1011	5.2	56	1	1	2	6	11	17	43
TOTAL 65-69 YRS	358	3.3	14	<1	1	2	3	8	10	22
70-74	312	4.2	48	<1	1	2	4	8	12	45
75-79	247	5.4	63	1	1	2	5	12	21	43
80-84	148	6.3	120	1	1	3	6	13	23	61
85+	142	6.1	30	1	1	4	9	13	18	25
GRAND TOTAL	**1207**	**4.7**	**49**	**1**	**1**	**2**	**5**	**10**	**15**	**40**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	188	4.1	7	1	2	4	5	7	8	12
70-74	102	3.9	4	1	1	4	5	7	8	9
75-79	45	4.3	6	1	1	4	6	8	9	12
80-84	15	3.2	3	<1	1	3	4	5	7	8
85+	9	5.7	28	1	1	4	7	15	18	18
2. MULTIPLE DX										
65-69 YRS	549	5.1	25	1	2	4	6	9	14	23
70-74	267	5.0	19	1	2	4	6	9	13	24
75-79	133	6.9	40	2	2	5	8	13	21	34
80-84	66	8.4	101	2	2	5	9	17	22	61
85+	31	12.3	197	1	2	5	16	39	45	53
TOT. SINGLE DX	359	4.1	7	1	2	4	5	7	8	12
" MULTIPLE DX	1046	5.7	37	1	2	4	6	10	17	33
TOTAL 65-69 YRS	737	4.8	21	1	2	4	5	8	11	22
70-74	369	4.7	15	1	2	4	6	8	10	23
75-79	178	6.2	33	1	2	5	8	12	18	31
80-84	81	7.4	87	1	2	4	8	15	20	58
85+	40	10.8	165	1	1	5	14	29	44	53
GRAND TOTAL	**1405**	**5.3**	**30**	**1**	**2**	**4**	**6**	**9**	**14**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	6.2	11	1	1	6	8	11	12	12
70-74	13	7.5	16	1	3	8	9	12	16	17
75-79	8	9.3	11	6	6	8	12	14	14	14
80-84	7	11.3	14	8	8	11	12	18	19	19
85+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	91	14.0	107	5	6	11	16	26	33	61
70-74	86	14.4	104	5	6	12	18	27	37	52
75-79	74	16.4	138	5	6	13	20	29	47	65
80-84	37	15.4	86	6	6	11	21	31	33	36
85+	42	13.8	104	3	4	11	19	26	35	50
TOT. SINGLE DX	49	8.0	16	1	2	8	11	13	15	19
" MULTIPLE DX	330	14.8	111	5	6	12	18	28	34	51
TOTAL 65-69 YRS	110	12.6	99	3	5	10	15	25	31	55
70-74	99	13.5	98	3	5	11	17	25	34	52
75-79	82	15.7	131	5	6	13	18	28	44	63
80-84	44	14.7	76	6	7	11	19	29	32	36
85+	44	13.8	100	3	4	11	18	25	34	50
GRAND TOTAL	**379**	**13.9**	**103**	**4**	**5**	**11**	**17**	**27**	**33**	**51**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	6.7	5	4	4	7	7	8	11	15
70-74	29	8.5	16	5	5	7	9	12	18	24
75-79	16	7.0	3	4	5	7	8	10	11	11
80-84	15	8.7	10	4	6	8	10	14	16	17
85+	5	4.0		3	3	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	165	13.6	139	5	6	10	16	26	36	67
70-74	146	14.4	128	5	5	10	17	28	41	65
75-79	117	13.9	98	6	6	11	17	26	33	51
80-84	88	15.3	89	6	7	13	18	27	34	53
85+	48	14.6	49	5	6	15	19	25	26	33
TOT. SINGLE DX	86	7.6	11	4	4	7	8	11	14	22
" MULTIPLE DX	564	14.2	113	5	6	11	17	26	34	54
TOTAL 65-69 YRS	186	12.8	129	5	5	9	15	26	32	64
70-74	175	13.4	114	5	5	10	16	26	38	60
75-79	133	13.0	92	5	6	9	16	25	32	46
80-84	103	14.3	84	6	7	12	17	26	33	52
85+	53	13.6	55	4	4	13	18	25	26	33
GRAND TOTAL	650	13.3	104	5	6	10	16	25	32	53

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	8.3	17	5	5	7	9	12	20	24
70-74	49	8.0	11	4	4	8	10	12	13	20
75-79	25	8.6	14	4	5	8	10	13	18	19
80-84	8	10.1	16	5	6	9	13	16	17	17
85+	3	5.7	5	3	3	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	333	11.9	67	5	6	10	14	21	28	54
70-74	241	12.7	68	5	6	10	16	23	29	55
75-79	183	13.6	63	6	7	11	17	23	29	87
80-84	80	16.0	64	7	8	15	20	28	34	41
85+	58	15.9	68	6	7	14	19	30	33	39
TOT. SINGLE DX	119	8.3	14	4	5	7	10	12	17	23
" MULTIPLE DX	895	13.1	69	5	6	10	16	23	30	54
TOTAL 65-69 YRS	367	11.6	64	5	6	9	13	21	27	51
70-74	290	11.9	62	5	6	9	15	22	28	49
75-79	208	13.0	60	6	7	11	16	22	28	78
80-84	88	15.4	63	7	7	14	19	26	34	40
85+	61	15.4	70	6	7	13	19	30	33	39
GRAND TOTAL	1014	12.6	65	5	6	10	15	22	29	46

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	4.0	4	1	1	5	5	5	5	5
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	9.3	67	3	3	8	9	23	27	27
70-74	3	12.3	34	8	8	10	17	19	19	19
75-79	2	11.5	1	11	11	11	12	12	12	12
80-84	5	24.0	510	3	3	12	48	49	49	49
85+	7	11.9	27	6	6	14	17	17	17	17
TOT. SINGLE DX	6	4.2	3	1	1	5	5	6	6	6
" MULTIPLE DX	24	13.7	147	3	4	10	16	29	48	49
TOTAL 65-69 YRS	11	7.4	48	1	2	5	9	16	26	27
70-74	4	10.8	33	6	6	9	14	19	19	19
75-79	3	8.7	24	3	3	11	12	12	12	12
80-84	5	24.0	511	3	3	12	48	49	49	49
85+	7	11.9	28	6	6	14	17	17	17	17
GRAND TOTAL	30	11.8	132	3	3	8	14	23	48	49

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	6	15.0	148	2	2	13	21	34	35	35
70-74	2	9.5	13	7	7	9	12	12	12	12
75-79	6	19.5	110	9	9	15	31	34	34	34
80-84	2	11.0	18	8	8	11	14	14	14	14
85+										
TOT. SINGLE DX	6	5.2	2	3	3	5	6	7	7	7
" MULTIPLE DX	16	15.5	103	3	6	13	20	34	35	35
TOTAL 65-69 YRS	8	12.5	129	2	2	7	19	31	35	35
70-74	4	7.3	12	4	4	6	9	12	12	12
75-79	7	17.4	122	5	6	13	28	33	34	34
80-84	2	11.0	18	8	8	11	14	14	14	14
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**22**	**12.7**	**96**	**3**	**4**	**9**	**18**	**32**	**34**	**35**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	60	2.0		<1	<1	2	2	3	3	4
70-74	39	2.1	1	1	1	2	2	4	4	8
75-79	19	2.5	4	1	1	2	3	6	8	9
80-84	7	2.6	2	1	1	2	3	5	6	6
85+	7	3.9	12	2	2	2	5	10	11	11
2. MULTIPLE DX										
65-69 YRS	97	3.8	23	1	1	2	4	9	14	29
70-74	67	4.6	24	1	1	3	5	10	14	28
75-79	46	6.4	189	1	1	3	6	11	16	94
80-84	20	5.2	58	1	1	3	4	13	24	34
85+	14	8.4	113	1	2	4	11	18	36	41
TOT. SINGLE DX	132	2.2	2	<1	1	2	2	3	4	9
" MULTIPLE DX	244	4.9	63	1	1	2	5	10	15	38
TOTAL 65-69 YRS	157	3.1	16	<1	1	2	3	5	9	18
70-74	106	3.6	18	1	1	2	4	8	12	23
75-79	65	5.3	137	1	1	2	6	9	13	82
80-84	27	4.5	45	1	1	2	4	12	17	34
85+	21	6.9	82	1	2	3	10	15	27	41
GRAND TOTAL	**376**	**3.9**	**44**	**1**	**1**	**2**	**3**	**9**	**13**	**33**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	121	3.0	6	<1	1	2	4	6	8	13
70-74	89	3.3	5	1	1	2	4	7	8	11
75-79	54	3.4	4	1	2	3	5	6	7	11
80-84	29	4.8	16	<1	1	3	7	11	13	14
85+	14	5.8	20	1	2	4	8	14	15	15
2. MULTIPLE DX										
65-69 YRS	437	5.0	27	1	1	3	6	10	14	29
70-74	387	6.1	55	1	2	4	8	12	17	45
75-79	305	6.4	40	1	2	5	8	13	16	38
80-84	176	7.0	43	1	2	5	9	15	17	30
85+	123	7.4	64	1	2	4	9	17	22	44
TOT. SINGLE DX	307	3.4	8	1	1	2	5	7	10	14
" MULTIPLE DX	1428	6.1	43	1	2	4	8	12	17	34
TOTAL 65-69 YRS	558	4.6	23	1	1	3	6	10	13	29
70-74	476	5.6	48	1	2	3	7	11	16	43
75-79	359	5.9	36	1	2	4	8	12	16	33
80-84	205	6.7	40	1	2	5	9	14	17	27
85+	137	7.3	60	1	2	4	9	16	21	43
GRAND TOTAL	**1735**	**5.6**	**38**	**1**	**2**	**3**	**7**	**12**	**15**	**32**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	6.0		6	6	6	6	6	6	6
85+										
TOT. SINGLE DX	3	3.7	4	2	2	3	5	6	6	6
" MULTIPLE DX	2	9.0	18	6	6	9	12	12	12	12
TOTAL 65-69 YRS										
70-74										
75-79	3	7.0	21	3	3	6	10	12	12	12
80-84	2	4.0	8	2	2	4	6	6	6	6
85+										
GRAND TOTAL	**5**	**5.8**	**15**	**2**	**2**	**6**	**8**	**12**	**12**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	2.7	11	1	1	2	2	5	12	14
70-74	17	2.8	6	<1	<1	2	3	7	9	10
75-79	7	4.1	14	1	1	2	5	11	12	12
80-84	6	2.3	2	1	1	2	3	5	5	5
85+	5	3.4	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
65-69 YRS	82	6.0	46	1	1	3	7	16	22	34
70-74	71	8.1	98	1	2	4	11	19	26	53
75-79	62	7.2	60	2	2	4	8	19	27	33
80-84	40	9.5	153	1	2	7	11	22	47	99+
85+	33	12.3	200	1	2	8	17	23	40	73
TOT. SINGLE DX	49	3.0	8	<1	1	2	3	7	10	14
" MULTIPLE DX	288	8.0	97	1	2	4	10	19	24	65
TOTAL 65-69 YRS	96	5.5	42	1	1	3	7	15	21	32
70-74	88	7.1	84	1	1	3	9	17	24	53
75-79	69	6.9	57	2	2	4	8	19	25	33
80-84	46	8.6	139	1	2	5	10	21	32	99+
85+	38	11.2	183	1	2	7	15	22	36	73
GRAND TOTAL	**337**	**7.3**	**87**	**1**	**2**	**4**	**9**	**18**	**24**	**55**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	400	7.5	9	5	5	7	8	10	12	18
70-74	300	7.8	7	5	5	7	9	11	13	19
75-79	139	8.6	9	5	6	8	9	12	16	21
80-84	70	9.5	24	6	6	8	10	14	24	29
85+	29	8.9	16	4	5	7	10	15	18	21
2. MULTIPLE DX										
65-69 YRS	2661	9.3	27	5	6	8	10	14	19	32
70-74	1888	10.5	42	5	6	9	12	18	23	38
75-79	1200	11.6	54	6	6	9	13	20	26	41
80-84	476	12.9	100	6	7	10	14	22	31	64
85+	242	13.0	62	5	6	10	16	22	31	46
TOT. SINGLE DX	938	7.9	10	5	5	7	9	11	13	21
" MULTIPLE DX	6467	10.5	45	5	6	8	12	17	23	39
TOTAL 65-69 YRS	3061	9.1	26	5	6	8	10	14	18	31
70-74	2188	10.1	38	5	6	8	11	17	22	36
75-79	1339	11.3	51	6	6	9	13	19	24	41
80-84	546	12.5	92	6	6	9	14	21	29	60
85+	271	12.6	60	5	6	10	16	21	30	45
GRAND TOTAL	**7405**	**10.2**	**41**	**5**	**6**	**8**	**11**	**16**	**22**	**37**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	425	7.2	4	5	5	7	8	10	11	15
70-74	311	7.3	4	4	5	7	8	10	11	14
75-79	164	7.5	5	5	5	7	8	10	12	16
80-84	64	7.5	6	5	5	7	8	11	13	16
85+	20	9.5	72	5	5	8	9	10	28	45
2. MULTIPLE DX										
65-69 YRS	1796	7.9	10	5	5	7	9	11	13	20
70-74	1372	8.1	10	5	5	7	9	11	14	21
75-79	868	8.5	19	5	5	8	9	12	14	22
80-84	326	9.5	39	5	6	8	11	15	18	34
85+	146	10.0	33	5	6	8	11	16	18	33
TOT. SINGLE DX	984	7.3	6	5	5	7	8	10	11	15
" MULTIPLE DX	4508	8.3	16	5	5	7	9	12	14	22
TOTAL 65-69 YRS	2221	7.8	9	5	5	7	9	11	13	19
70-74	1683	8.0	10	5	5	7	9	11	13	20
75-79	1032	8.3	18	5	5	7	9	12	14	22
80-84	390	9.2	34	5	5	8	10	14	17	33
85+	166	10.0	38	5	6	8	11	16	18	43
GRAND TOTAL	**5492**	**8.1**	**14**	**5**	**5**	**7**	**9**	**11**	**14**	**22**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	11.1	20	6	6	11	15	18	18	18
70-74	7	11.7	4	9	9	13	13	14	14	14
75-79	4	17.0	34	9	9	18	21	23	23	23
80-84	2	11.0	32	7	7	11	15	15	15	15
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	62	17.1	70	8	9	15	20	25	27	63
70-74	39	18.6	76	9	9	18	22	33	37	44
75-79	24	20.9	295	9	9	17	24	36	55	91
80-84	5	40.8	1177	14	14	25	60	98	98	98
85+	3	13.7	10	10	10	15	16	16	16	16
TOT. SINGLE DX	21	12.4	20	6	7	12	15	18	21	23
" MULTIPLE DX	133	19.0	163	9	9	16	22	28	37	92
TOTAL 65-69 YRS	69	16.5	69	8	8	15	19	24	27	60
70-74	46	17.6	72	9	9	16	20	32	36	44
75-79	28	20.3	257	9	9	17	23	34	44	91
80-84	7	32.3	1002	7	8	20	41	88	98	98
85+	4	12.8	10	10	10	13	15	16	16	16
GRAND TOTAL	154	18.1	149	8	9	16	20	27	36	90

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	567	2.0	3	<1	<1	2	2	3	4	9
70-74	413	2.2	7	<1	<1	2	2	3	5	11
75-79	254	2.3	8	<1	1	2	2	4	5	10
80-84	133	3.1	10	1	1	2	3	5	8	20
85+	70	3.4	10	<1	1	2	4	8	9	19
2. MULTIPLE DX										
65-69 YRS	1560	3.7	26	<1	1	2	4	8	12	25
70-74	1312	4.2	30	1	1	2	5	9	14	27
75-79	939	4.7	32	1	1	2	6	12	16	26
80-84	546	5.3	60	1	1	3	6	10	17	39
85+	322	6.6	67	1	1	4	8	15	21	46
TOT. SINGLE DX	1437	2.3	6	<1	<1	2	2	4	5	11
" MULTIPLE DX	4679	4.4	36	1	1	2	5	10	15	28
TOTAL 65-69 YRS	2127	3.3	21	<1	1	2	3	7	11	22
70-74	1725	3.7	25	<1	1	2	4	8	12	25
75-79	1193	4.2	29	1	1	2	4	10	15	25
80-84	679	4.9	51	1	1	3	5	10	17	36
85+	392	6.0	59	1	1	3	7	14	19	44
GRAND TOTAL	6116	3.9	30	<1	1	2	4	9	13	26

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	18.1	942	2	2	7	17	68	98	98
70-74	9	9.0	102	<1	1	3	15	25	31	31
75-79	2	21.5	421	7	7	21	36	36	36	36
80-84	8	12.0	94	3	4	9	15	28	33	33
85+	2	20.5	613	3	3	20	38	38	38	38
TOT. SINGLE DX	5	2.0	1	1	1	2	2	3	3	3
" MULTIPLE DX	30	14.1	368	2	2	7	17	34	38	98
TOTAL 65-69 YRS	10	16.5	864	2	2	5	15	60	98	98
70-74	11	7.6	91	<1	1	3	13	23	30	31
75-79	4	12.0	261	2	2	5	21	36	36	36
80-84	8	12.0	95	3	4	9	15	28	33	33
85+	2	20.5	613	3	3	20	38	38	38	38
GRAND TOTAL	35	12.4	332	1	2	7	15	33	37	98

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	13.0		13	13	56	99+	99+	99+	99+
70-74	2	9.5	1	9	9	9	10	10	10	10
75-79	2	9.0	2	8	8	9	10	10	10	10
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	13	7.0	8	2	4	7	8	10	13	14
70-74	8	11.4	38	6	6	9	14	22	24	24
75-79	12	8.6	13	2	4	9	12	13	14	14
80-84	6	8.2	3	6	6	8	9	11	11	11
85+	6	12.7	26	8	8	10	17	21	21	21
TOT. SINGLE DX	6	9.2	7	5	6	10	12	83	99+	99+
" MULTIPLE DX	45	9.1	19	4	5	8	11	14	18	24
TOTAL 65-69 YRS	14	7.4	10	2	4	7	9	14	78	99+
70-74	10	11.0	31	6	6	9	12	20	24	24
75-79	14	8.6	12	3	4	9	12	12	14	14
80-84	6	8.2	3	6	6	8	9	11	11	11
85+	7	11.6	31	5	6	10	15	20	21	21
GRAND TOTAL	51	9.1	18	4	5	8	11	15	21	98

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	26	3.5	1	1	2	3	4	5	5	7
70-74	17	3.5	1	1	2	4	4	5	5	5
75-79	12	4.3	1	3	3	4	5	6	8	8
80-84	11	3.3	2	1	1	3	4	5	6	6
85+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	77	3.8	4	2	2	3	4	5	6	16
70-74	50	4.1	4	2	2	4	5	7	10	11
75-79	37	6.3	91	2	2	4	5	9	22	57
80-84	26	8.0	128	2	3	4	9	15	29	59
85+	17	6.6	23	2	2	4	10	14	17	18
TOT. SINGLE DX	68	3.6	2	2	2	4	4	5	6	8
" MULTIPLE DX	207	5.1	39	2	2	4	5	9	11	37
TOTAL 65-69 YRS	103	3.8	4	2	2	3	4	5	6	14
70-74	67	3.9	4	2	2	4	4	6	8	11
75-79	49	5.8	70	2	2	4	5	7	21	57
80-84	37	6.6	94	2	2	4	5	10	19	59
85+	19	6.4	21	2	2	4	9	13	17	18
GRAND TOTAL	275	4.7	30	2	2	4	5	7	10	22

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	439	6.2	4	3	4	6	7	9	10	14
70-74	356	6.5	5	3	4	6	8	9	11	15
75-79	172	6.5	7	4	4	6	8	9	11	19
80-84	69	7.0	5	4	4	7	8	11	11	14
85+	13	6.8	3	4	4	7	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	1108	7.3	9	4	4	7	8	11	13	18
70-74	967	7.8	25	4	4	7	9	11	15	26
75-79	619	8.2	23	4	5	7	9	12	15	24
80-84	253	8.6	21	4	5	7	10	14	17	26
85+	58	11.2	45	5	6	10	13	19	25	40
TOT. SINGLE DX	1049	6.4	6	3	4	6	8	9	11	15
" MULTIPLE DX	3005	7.8	20	4	4	7	9	12	14	24
TOTAL 65-69 YRS	1547	7.0	9	4	4	6	8	10	12	17
70-74	[illegible]	7.5	20	4	4	7	8	11	13	24
75-79	791	7.8	21	4	4	7	9	12	14	24
80-84	322	8.3	18	4	4	7	10	13	16	26
85+	71	10.4	40	4	5	9	11	15	24	40
GRAND TOTAL	4054	7.5	16	4	4	7	8	11	14	23

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	5.2	9	1	1	6	7	9	10	12
70-74	31	5.8	8	1	2	6	7	9	11	13
75-79	8	8.8	35	5	5	7	9	19	23	23
80-84	8	3.8	10	<1	<1	3	5	9	10	10
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	120	8.0	25	2	3	7	10	13	18	31
70-74	90	10.5	143	2	4	8	11	17	36	98
75-79	55	12.6	102	3	5	10	14	22	37	56
80-84	27	9.3	67	1	1	8	11	19	26	39
85+	17	14.7	337	2	3	7	23	32	60	75
TOT. SINGLE DX	78	5.7	13	1	1	6	7	9	11	20
" MULTIPLE DX	309	10.0	97	2	3	8	11	18	27	64
TOTAL 65-69 YRS	149	7.4	24	1	2	7	9	12	16	30
70-74	121	9.3	113	2	3	7	10	15	25	96
75-79	63	12.1	95	3	5	9	14	22	37	55
80-84	35	8.0	59	<1	1	7	10	17	23	39
85+	19	13.8	307	2	3	7	20	31	56	75
GRAND TOTAL	**387**	**9.2**	**83**	**1**	**2**	**7**	**10**	**16**	**24**	**55**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	4.1	5	<1	1	4	6	7	8	11
70-74	93	4.7	10	1	1	4	6	8	9	20
75-79	74	5.4	9	1	2	5	7	9	12	15
80-84	54	5.8	18	1	2	5	7	10	16	26
85+	35	5.7	13	2	2	5	7	8	14	19
2. MULTIPLE DX										
65-69 YRS	392	7.3	51	1	2	5	8	14	21	42
70-74	377	7.5	53	2	2	6	8	13	19	40
75-79	293	8.6	70	2	2	6	10	17	27	50
80-84	182	9.4	79	3	3	7	11	21	31	99+
85+	114	8.5	69	2	2	6	10	16	24	45
TOT. SINGLE DX	354	5.0	11	1	2	4	7	8	10	19
" MULTIPLE DX	1358	8.0	62	2	2	6	9	15	24	49
TOTAL 65-69 YRS	490	6.7	44	1	2	5	8	12	18	38
70-74	470	6.9	46	2	2	5	8	13	17	39
75-79	367	8.0	60	2	2	6	9	14	22	45
80-84	236	8.6	68	2	3	7	10	18	29	99+
85+	149	7.9	57	2	2	6	9	16	22	36
GRAND TOTAL	**1712**	**7.4**	**53**	**2**	**2**	**6**	**8**	**14**	**21**	**44**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	2.8	6	<1	1	2	3	5	7	14
70-74	55	3.1	5	1	1	2	3	5	8	13
75-79	34	2.9	4	<1	1	2	3	5	8	10
80-84	28	5.0	59	1	2	2	4	9	31	32
85+	13	5.8	46	1	2	3	6	13	24	27
2. MULTIPLE DX										
65-69 YRS	183	6.7	53	1	1	4	9	15	20	41
70-74	149	7.3	98	1	2	4	9	15	22	46
75-79	148	7.4	48	2	2	5	9	18	24	99+
80-84	79	6.5	49	1	2	5	8	11	23	40
85+	100	9.2	105	1	2	7	11	17	26	58
TOT. SINGLE DX	199	3.4	16	1	1	2	3	6	9	29
" MULTIPLE DX	659	7.4	70	1	2	5	9	16	22	48
TOTAL 65-69 YRS	252	5.6	44	1	1	3	7	13	18	32
70-74	204	6.2	77	1	2	3	7	14	18	42
75-79	182	6.5	44	1	2	4	8	16	21	80
80-84	107	6.1	52	1	2	4	7	10	24	40
85+	113	8.8	100	1	2	6	10	16	26	58
GRAND TOTAL	**858**	**6.4**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**45**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	11.5	160	1	2	9	14	24	37	64
70-74	20	9.1	77	1	2	6	11	25	29	32
75-79	24	9.1	132	1	2	5	7	26	34	53
80-84	17	8.5	21	1	3	9	11	15	16	16
85+	15	8.1	43	2	2	7	9	19	24	26
2. MULTIPLE DX										
65-69 YRS	64	13.2	101	3	4	11	18	26	35	49
70-74	63	14.8	224	2	3	11	18	30	36	92
75-79	67	17.1	136	3	4	15	23	35	42	58
80-84	54	16.7	162	3	4	13	24	32	43	67
85+	30	12.4	131	3	3	8	15	26	38	54
TOT. SINGLE DX	107	9.6	99	1	2	7	12	22	26	58
" MULTIPLE DX	278	15.1	159	3	4	12	20	30	38	60
TOTAL 65-69 YRS	95	12.6	120	2	3	11	16	25	36	58
70-74	83	13.4	193	2	3	9	18	29	33	84
75-79	91	15.0	162	2	3	12	21	32	41	57
80-84	71	14.7	141	3	4	11	20	28	38	64
85+	45	11.0	104	3	3	8	13	23	32	54
GRAND TOTAL	**385**	**13.5**	**148**	**2**	**3**	**10**	**18**	**28**	**37**	**60**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	3.0	1	2	2	3	4	5	5	5
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	8.5	61	3	3	8	14	14	14	14
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	10	9.0	123	2	2	4	9	26	39	39
70-74	10	5.8	24	1	1	4	7	14	16	16
75-79	11	7.6	39	3	3	4	14	18	18	18
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	1.5	1	<1	<1	1	2	2	2	2
TOT. SINGLE DX	13	3.7	11	1	1	3	4	7	13	14
" MULTIPLE DX	34	7.1	56	1	2	4	9	17	18	39
TOTAL 65-69 YRS	17	6.5	79	2	2	4	6	12	30	39
70-74	12	5.4	21	1	2	4	6	14	16	16
75-79	12	7.1	40	1	2	4	11	17	18	18
80-84	3	8.0	31	3	3	7	12	14	14	14
85+	3	1.7		<1	<1	2	2	2	2	2
GRAND TOTAL	47	6.2	45	1	2	4	7	16	17	39

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	2.8	2	2	2	2	4	5	5	5
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	8	6.9	97	1	1	3	7	24	30	30
70-74	11	3.9	7	<1	1	3	6	8	10	10
75-79	6	8.8	69	1	1	6	17	21	21	21
80-84	3	12.3	265	1	1	5	24	31	31	31
85+	3	9.3	16	5	5	10	12	13	13	13
TOT. SINGLE DX	5	2.4	2	1	1	2	3	5	5	5
" MULTIPLE DX	31	7.0	63	1	1	4	9	19	30	31
TOTAL 65-69 YRS	12	5.5	67	1	1	3	4	17	28	30
70-74	11	3.9	7	<1	1	3	6	8	10	10
75-79	7	7.7	67	1	1	6	14	20	21	21
80-84	3	12.3	265	1	1	5	24	31	31	31
85+	3	9.3	16	5	5	10	12	13	13	13
GRAND TOTAL	36	6.3	57	1	1	4	7	17	27	31

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

97: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

98: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	4.1	9	1	1	3	5	9	11	12
70-74	23	6.8	59	<1	1	3	9	17	25	30
75-79	20	4.9	16	1	1	3	7	12	12	13
80-84	11	5.6	10	2	2	5	7	11	13	13
85+	6	10.3	72	2	2	7	17	23	24	24
2. MULTIPLE DX										
65-69 YRS	104	10.0	108	1	1	6	15	26	31	76
70-74	93	9.6	106	2	2	6	13	25	33	47
75-79	47	9.3	69	2	2	6	13	20	23	40
80-84	23	10.2	46	2	3	11	13	21	24	25
85+	23	15.1	232	1	2	12	20	30	56	63
TOT. SINGLE DX	88	5.6	29	1	1	3	7	13	16	28
" MULTIPLE DX	290	10.2	107	1	2	7	15	23	30	54
TOTAL 65-69 YRS	132	8.7	93	1	1	5	11	21	27	63
70-74	116	9.1	98	1	2	5	12	22	30	45
75-79	67	7.9	57	2	2	5	12	19	20	39
80-84	34	8.7	39	2	3	7	13	17	23	25
85+	29	14.1	200	2	2	11	18	25	53	63
GRAND TOTAL	**378**	**9.1**	**93**	**1**	**2**	**6**	**13**	**21**	**27**	**52**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	3.8	16	1	1	3	4	5	14	24
70-74	24	3.3	9	1	1	2	3	9	11	14
75-79	13	4.8	22	2	2	3	4	11	17	19
80-84	7	4.3	6	1	1	4	5	8	9	9
85+	3	7.7	96	2	2	2	15	19	19	19
2. MULTIPLE DX										
65-69 YRS	90	5.7	53	2	2	3	6	13	22	78
70-74	49	6.9	52	2	2	4	9	19	25	99+
75-79	26	6.4	85	2	2	3	6	15	24	46
80-84	10	11.5	445	2	2	4	7	41	71	71
85+	5	7.2	33	2	2	6	9	17	17	17
TOT. SINGLE DX	104	3.9	17	1	1	3	4	9	15	22
" MULTIPLE DX	180	6.5	78	2	2	3	7	16	23	91
TOTAL 65-69 YRS	147	5.0	40	1	2	3	5	10	18	48
70-74	73	5.7	41	1	2	3	8	15	21	85
75-79	39	5.8	64	2	2	3	5	15	19	46
80-84	17	8.5	266	1	2	4	7	11	50	71
85+	8	7.4	47	2	2	5	12	18	19	19
GRAND TOTAL	**284**	**5.5**	**57**	**1**	**2**	**3**	**5**	**14**	**19**	**62**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	2.6	2	1	1	2	3	5	5	5
70-74	4	1.8		1	1	2	2	2	2	2
75-79	7	4.3	2	3	3	4	5	7	7	7
80-84	3	4.3	2	3	3	4	5	6	6	6
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	38	8.1	47	1	2	5	11	20	23	27
70-74	29	8.7	62	2	2	5	11	22	23	33
75-79	32	8.2	80	2	2	5	10	14	32	44
80-84	8	10.4	72	1	1	9	15	23	26	26
85+	12	8.4	43	2	3	5	11	21	22	22
TOT. SINGLE DX	20	3.5	3	1	1	3	5	6	7	7
" MULTIPLE DX	119	8.4	60	2	2	5	11	20	23	37
TOTAL 65-69 YRS	43	7.4	46	1	2	4	10	19	23	27
70-74	33	7.8	60	1	2	4	10	22	22	33
75-79	39	7.5	68	2	2	5	8	13	26	44
80-84	11	8.7	59	1	2	6	14	20	25	26
85+	13	8.2	40	2	3	5	10	20	22	22
GRAND TOTAL	**139**	**7.7**	**55**	**2**	**2**	**5**	**10**	**19**	**22**	**35**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	20	3.1	2	<1	1	3	4	5	6	6
70-74	17	3.8	3	1	2	4	5	7	7	7
75-79	12	3.1	2	1	1	3	4	5	7	7
80-84	3	3.0		3	3	3	3	3	3	3
85+	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	85	9.5	102	1	2	5	12	22	32	51
70-74	81	8.4	44	2	2	7	11	18	22	32
75-79	49	10.7	66	3	3	9	14	19	29	41
80-84	41	13.2	193	2	2	11	16	25	44	72
85+	28	13.0	117	3	3	11	14	30	43	44
TOT. SINGLE DX	55	3.4	3	1	1	3	4	6	7	9
" MULTIPLE DX	284	10.3	96	2	2	7	13	21	31	48
TOTAL 65-69 YRS	105	8.3	90	1	2	5	10	19	31	50
70-74	98	7.6	40	2	2	6	10	17	20	31
75-79	61	9.2	63	2	2	7	12	18	24	40
80-84	44	12.5	187	2	2	7	16	24	44	72
85+	31	12.2	113	2	3	10	14	28	42	44
GRAND TOTAL	**339**	**9.2**	**87**	**2**	**2**	**6**	**11**	**19**	**28**	**46**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	2.7	3	1	2	2	3	4	5	11
70-74	12	3.0	1	2	2	3	4	5	6	6
75-79	10	3.1	1	2	2	3	4	5	5	5
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	55	6.2	98	1	2	3	6	13	19	67
70-74	32	9.4	90	<1	1	7	12	25	29	39
75-79	23	5.9	27	1	2	4	7	13	19	21
80-84	9	8.3	18	2	3	9	11	14	15	15
85+	8	10.9	195	<1	<1	7	11	34	44	44
TOT. SINGLE DX	51	2.8	2	2	2	2	3	4	5	11
" MULTIPLE DX	127	7.4	84	1	2	4	10	15	24	50
TOTAL 65-69 YRS	84	5.0	68	1	2	3	4	11	14	54
70-74	44	7.7	74	1	2	4	10	20	28	39
75-79	33	5.0	21	1	2	4	5	12	17	21
80-84	9	8.3	18	2	3	9	11	14	15	15
85+	8	10.9	195	<1	<1	7	11	34	44	44
GRAND TOTAL	**178**	**6.1**	**65**	**1**	**2**	**3**	**7**	**13**	**20**	**43**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	162	6.2	20	2	2	5	7	10	15	39
70-74	89	7.2	40	2	2	6	9	13	14	40
75-79	43	9.5	59	2	4	7	11	22	27	36
80-84	23	12.6	178	2	2	8	17	29	49	52
85+	13	11.8	96	1	2	9	16	29	32	33
2. MULTIPLE DX										
65-69 YRS	412	8.9	99	1	2	6	10	18	25	57
70-74	248	9.5	81	2	2	7	11	20	29	49
75-79	157	10.1	72	2	3	7	13	23	26	42
80-84	80	14.6	133	2	4	12	20	32	38	88
85+	62	18.4	258	2	3	15	25	42	60	97
TOT. SINGLE DX	330	7.6	48	2	2	6	9	14	20	45
" MULTIPLE DX	959	10.4	110	2	2	7	12	22	30	60
TOTAL 65-69 YRS	574	8.1	79	1	2	6	9	17	22	54
70-74	337	8.9	72	2	2	7	10	18	27	48
75-79	200	10.0	69	2	3	7	13	23	26	42
80-84	103	14.1	143	2	3	11	19	31	42	80
85+	75	17.3	235	2	3	15	21	40	54	93
GRAND TOTAL	**1289**	**9.6**	**95**	**2**	**2**	**7**	**11**	**20**	**29**	**54**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	395	3.4	2	1	1	3	4	5	6	9
70-74	221	3.4	4	1	1	3	4	6	7	11
75-79	102	3.1	2	1	1	3	4	5	6	9
80-84	44	4.3	5	1	2	4	6	7	8	13
85+	11	3.6	5	2	2	3	4	7	10	10
2. MULTIPLE DX										
65-69 YRS	2027	4.3	8	1	2	4	5	7	8	16
70-74	1303	4.2	7	1	2	4	5	7	8	14
75-79	707	4.8	23	1	2	4	6	8	10	20
80-84	231	5.7	44	1	2	4	6	11	15	25
85+	85	7.4	52	2	3	5	8	17	21	43
TOT. SINGLE DX	773	3.4	4	1	1	3	4	6	7	10
" MULTIPLE DX	4353	4.5	14	1	2	4	5	7	9	18
TOTAL 65-69 YRS	2422	4.1	8	1	2	4	5	7	8	15
70-74	1524	4.1	7	1	2	4	5	7	8	13
75-79	809	4.6	21	1	2	4	5	8	9	19
80-84	275	5.5	38	1	2	4	6	10	15	22
85+	96	7.0	48	2	2	5	8	17	20	40
GRAND TOTAL	**5126**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	545	4.6	26	1	1	3	5	9	13	28
70-74	401	5.3	37	1	1	3	6	11	18	34
75-79	217	5.8	29	1	1	4	7	13	16	27
80-84	101	7.7	69	1	1	4	10	18	25	42
85+	49	7.3	58	<1	1	5	9	16	22	38
2. MULTIPLE DX										
65-69 YRS	1624	10.5	159	1	2	6	13	26	39	71
70-74	1408	12.1	179	2	2	8	15	28	43	80
75-79	910	13.5	208	2	2	9	18	31	45	85
80-84	525	15.0	198	2	3	11	20	31	46	82
85+	310	17.2	241	2	4	13	22	38	54	96
TOT. SINGLE DX	1313	5.4	35	1	1	4	6	11	17	34
" MULTIPLE DX	4777	12.5	188	2	2	8	16	29	43	83
TOTAL 65-69 YRS	2169	9.0	132	1	2	5	11	22	33	66
70-74	1809	10.6	156	1	2	6	13	25	38	77
75-79	1127	12.0	183	1	2	8	15	27	41	82
80-84	626	13.8	185	2	2	10	18	30	43	76
85+	359	15.8	228	2	3	11	20	36	49	93
GRAND TOTAL	**6090**	**10.9**	**163**	**1**	**2**	**6**	**14**	**26**	**39**	**76**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	8.1	27	2	2	8	11	14	16	30
70-74	135	10.6	46	2	4	9	14	18	21	33
75-79	127	11.7	71	3	4	11	15	18	21	49
80-84	135	13.7	134	3	4	12	16	23	28	75
85+	160	14.7	123	5	6	12	18	22	28	96
2. MULTIPLE DX										
65-69 YRS	399	13.6	137	2	4	11	17	28	38	92
70-74	457	16.2	166	4	5	12	19	34	45	67
75-79	507	18.1	211	5	6	14	21	36	48	85
80-84	461	17.8	179	6	7	14	21	33	47	88
85+	622	17.5	175	5	7	14	20	30	44	79
TOT. SINGLE DX	692	11.9	87	2	4	11	15	19	24	68
" MULTIPLE DX	2446	16.8	178	4	6	13	20	32	44	83
TOTAL 65-69 YRS	534	12.2	115	2	3	10	15	24	33	84
70-74	592	15.0	144	3	5	12	18	29	41	66
75-79	634	16.8	190	4	5	13	19	32	44	81
80-84	596	16.9	172	5	7	14	20	31	43	86
85+	782	16.9	166	5	7	14	19	28	41	79
GRAND TOTAL	**3138**	**15.7**	**162**	**4**	**5**	**13**	**18**	**30**	**41**	**78**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	358	3.7	11	<1	1	3	4	8	11	18
70-74	302	5.0	44	<1	1	3	5	13	17	42
75-79	242	5.6	64	<1	1	3	6	12	17	35
80-84	158	6.0	33	<1	1	4	8	14	18	27
85+	132	7.4	43	1	1	6	9	16	21	33
2. MULTIPLE DX										
65-69 YRS	505	9.4	142	1	2	5	11	23	37	77
70-74	489	9.8	122	1	2	6	13	22	33	57
75-79	488	10.0	121	2	2	6	13	22	31	62
80-84	361	12.5	157	2	3	9	16	25	36	70
85+	380	13.4	142	2	3	10	18	27	35	77
TOT. SINGLE DX	1192	5.1	38	<1	1	3	6	11	17	30
" MULTIPLE DX	2223	10.8	138	2	2	7	14	24	35	67
TOTAL 65-69 YRS	863	7.0	96	1	1	3	8	17	24	61
70-74	791	7.9	98	1	1	4	10	19	28	55
75-79	730	8.6	107	1	2	5	11	19	28	62
80-84	519	10.5	128	1	2	7	14	23	31	63
85+	512	11.8	124	2	2	8	16	26	33	66
GRAND TOTAL	**3415**	**8.8**	**111**	**1**	**2**	**5**	**11**	**21**	**29**	**62**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	12.2	58	4	6	11	14	18	20	51
70-74	116	12.7	40	6	7	12	15	18	20	40
75-79	127	12.3	38	4	6	12	15	19	23	52
80-84	144	15.3	108	6	7	14	17	22	31	73
85+	201	13.9	43	6	7	13	17	21	28	75
2. MULTIPLE DX										
65-69 YRS	284	15.3	75	6	7	13	18	26	35	47
70-74	395	18.1	167	6	8	14	21	33	45	75
75-79	570	17.4	146	7	8	14	20	32	44	83
80-84	709	17.5	108	7	9	15	20	29	40	63
85+	1003	17.1	133	7	8	14	20	33	46	99+
TOT. SINGLE DX	678	13.5	59	6	7	12	16	20	26	57
" MULTIPLE DX	2961	17.2	129	7	8	14	20	31	43	85
TOTAL 65-69 YRS	374	14.5	73	5	7	13	17	24	31	48
70-74	511	16.9	143	6	8	14	19	30	41	69
75-79	697	16.5	131	6	8	14	19	29	40	82
80-84	853	17.1	109	7	8	15	19	28	38	64
85+	1204	16.6	120	7	8	14	19	30	42	99+
GRAND TOTAL	**3639**	**16.5**	**118**	**6**	**8**	**14**	**19**	**29**	**39**	**83**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	548	12.6	29	6	7	12	15	20	23	28
70-74	714	13.6	42	6	8	12	16	21	26	38
75-79	947	14.4	53	6	8	13	17	22	28	43
80-84	1046	15.4	81	7	8	14	18	24	30	58
85+	1555	15.0	65	7	8	13	17	24	30	49
2. MULTIPLE DX										
65-69 YRS	2140	17.9	140	7	8	15	20	33	44	83
70-74	3055	18.5	142	7	9	15	21	33	44	89
75-79	4419	19.0	149	8	9	16	22	34	47	99+
80-84	5249	18.8	139	8	9	16	22	33	46	99+
85+	7923	18.5	148	7	9	15	21	33	46	99+
TOT. SINGLE DX	4810	14.5	60	6	8	13	17	23	28	46
" MULTIPLE DX	22786	18.6	145	7	9	15	22	33	46	99
TOTAL 65-69 YRS	2688	16.8	122	7	8	14	19	30	39	74
70-74	3769	17.5	127	7	8	15	20	30	40	82
75-79	5366	18.2	136	7	9	15	21	32	43	90
80-84	6295	18.2	131	7	9	15	21	32	43	92
85+	9478	17.9	137	7	9	15	21	31	43	95
GRAND TOTAL	27596	17.9	133	7	9	15	21	31	42	90

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	12.2	78	2	3	9	18	28	30	30
70-74	24	14.4	337	1	2	8	15	38	63	78
75-79	24	11.4	90	1	1	7	22	25	26	27
80-84	37	14.3	162	3	4	11	14	30	41	69
85+	48	16.3	197	3	6	11	18	37	48	65
2. MULTIPLE DX										
65-69 YRS	89	20.1	255	3	5	16	27	42	55	98
70-74	94	20.7	350	2	5	15	26	56	66	93
75-79	120	20.5	265	4	6	14	25	42	65	86
80-84	137	20.5	313	4	6	14	28	53	65	99+
85+	181	18.4	277	3	4	13	27	45	76	99+
TOT. SINGLE DX	150	14.2	179	1	3	10	17	30	40	69
" MULTIPLE DX	621	19.9	290	3	5	14	26	46	65	99+
TOTAL 65-69 YRS	106	18.8	235	3	4	15	25	39	53	97
70-74	118	19.4	352	2	3	14	23	54	66	90
75-79	144	19.0	248	2	4	14	24	41	55	82
80-84	174	19.2	287	4	6	13	25	47	65	96
85+	229	18.0	260	3	4	13	25	41	62	99+
GRAND TOTAL	771	18.8	273	3	4	13	25	42	63	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	213	3.6	21	1	1	2	4	8	10	16
70-74	143	3.7	12	1	1	3	5	7	11	19
75-79	130	4.2	20	1	1	3	5	10	12	22
80-84	62	3.9	13	<1	1	3	5	7	10	24
85+	32	6.3	54	1	1	4	7	17	22	35
2. MULTIPLE DX										
65-69 YRS	242	8.1	104	1	1	5	10	18	35	72
70-74	222	9.6	159	1	1	5	11	24	38	99+
75-79	182	8.3	68	1	2	6	10	19	25	40
80-84	131	10.6	113	2	2	7	13	27	36	61
85+	114	10.8	100	2	2	8	14	23	39	99+
TOT. SINGLE DX	580	3.9	20	1	1	3	5	8	11	20
" MULTIPLE DX	891	9.2	112	1	2	6	11	22	33	76
TOTAL 65-69 YRS	455	6.0	71	1	1	3	7	12	20	54
70-74	365	7.2	110	1	1	4	8	18	30	77
75-79	312	6.6	52	1	1	4	8	14	22	36
80-84	193	8.5	91	1	2	5	11	20	31	52
85+	146	9.8	94	1	2	7	13	22	33	99+
GRAND TOTAL	1471	7.1	83	1	1	4	8	17	26	57

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	951	6.0	18	2	2	5	7	11	13	21
70-74	717	6.5	20	2	2	5	8	12	15	21
75-79	448	7.4	29	2	2	6	9	14	17	26
80-84	238	8.3	40	2	2	7	11	17	21	32
85+	163	9.8	54	2	3	8	12	19	26	40
2. MULTIPLE DX										
65-69 YRS	1662	9.9	88	2	3	7	12	19	27	49
70-74	1512	11.0	105	3	3	8	13	21	29	64
75-79	1138	12.0	114	3	4	9	15	23	32	67
80-84	718	12.2	103	3	4	9	15	22	32	68
85+	506	15.2	167	3	5	12	18	30	44	80
TOT. SINGLE DX	2517	6.8	26	2	2	5	9	13	16	26
" MULTIPLE DX	5536	11.4	110	3	4	8	14	22	31	64
TOTAL 65-69 YRS	2613	8.5	67	2	3	6	10	16	23	41
70-74	2229	9.5	82	2	3	7	11	18	24	53
75-79	1586	10.7	95	2	3	8	13	21	29	61
80-84	956	11.2	91	3	3	9	14	21	29	63
85+	669	13.9	145	3	4	11	17	27	40	71
GRAND TOTAL	8053	10.0	88	2	3	7	12	19	26	55

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	684	3.5	9	1	1	2	5	8	10	15
70-74	570	3.9	21	1	1	2	5	8	11	25
75-79	449	4.1	17	1	1	2	5	9	12	23
80-84	334	5.2	50	1	1	3	6	10	16	48
85+	266	5.4	67	1	1	3	6	10	17	41
2. MULTIPLE DX										
65-69 YRS	1140	7.3	70	1	1	5	9	16	22	53
70-74	1213	8.6	116	1	1	5	10	18	28	65
75-79	1139	9.0	85	1	2	6	11	20	27	52
80-84	895	10.3	148	1	2	6	13	23	33	93
85+	921	10.3	165	1	2	7	12	23	41	85
TOT. SINGLE DX	2303	4.2	27	1	1	3	5	9	12	25
" MULTIPLE DX	5308	9.0	115	1	2	6	11	20	28	67
TOTAL 65-69 YRS	1824	5.9	51	1	1	4	7	13	18	39
70-74	1783	7.1	91	1	1	4	8	15	23	53
75-79	1588	7.6	71	1	1	5	10	17	24	46
80-84	1229	8.9	127	1	1	5	11	21	29	82
85+	1187	9.2	148	1	2	6	10	20	32	79
GRAND TOTAL	**7611**	**7.5**	**93**	**1**	**1**	**5**	**9**	**16**	**25**	**58**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	4.9	37	1	1	2	6	11	15	31
70-74	183	4.6	26	1	1	3	6	10	15	27
75-79	139	5.5	50	1	1	3	6	12	19	43
80-84	105	4.6	25	1	1	3	6	13	16	22
85+	86	5.1	29	1	1	3	7	13	17	24
2. MULTIPLE DX										
65-69 YRS	260	9.3	159	1	1	5	11	23	32	70
70-74	297	7.9	86	1	1	5	9	20	27	42
75-79	284	7.4	50	1	1	5	10	17	22	36
80-84	219	9.3	78	1	1	6	13	22	27	38
85+	212	9.7	128	1	1	6	13	21	33	70
TOT. SINGLE DX	659	4.9	34	1	1	3	6	12	16	29
" MULTIPLE DX	1272	8.6	99	1	1	5	11	21	28	49
TOTAL 65-69 YRS	406	7.7	120	1	1	4	9	18	29	58
70-74	480	6.6	66	1	1	4	8	16	24	40
75-79	423	6.8	51	1	1	4	9	16	22	38
80-84	324	7.8	66	1	1	5	10	20	24	35
85+	298	8.3	104	1	1	5	11	19	29	62
GRAND TOTAL	**1931**	**7.3**	**80**	**1**	**1**	**4**	**9**	**18**	**25**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	44	6.6	43	1	2	4	6	16	20	34
70-74	36	11.1	101	1	2	9	13	22	29	54
75-79	30	11.4	73	1	3	9	16	25	30	33
80-84	10	7.6	24	1	1	6	13	14	15	15
85+	12	11.8	56	1	1	12	17	21	25	26
2. MULTIPLE DX										
65-69 YRS	74	11.0	78	2	3	8	15	20	24	52
70-74	61	16.1	235	2	3	12	21	38	54	98
75-79	67	13.1	160	1	2	11	16	26	42	63
80-84	61	13.0	136	2	3	11	15	23	33	73
85+	53	14.8	71	3	5	15	20	28	32	98
TOT. SINGLE DX	132	9.5	69	1	2	7	13	19	26	38
" MULTIPLE DX	316	13.5	137	2	3	11	17	26	36	79
TOTAL 65-69 YRS	118	9.3	69	2	3	6	14	19	22	42
70-74	97	14.2	190	2	3	11	20	31	49	92
75-79	97	12.6	133	1	2	11	16	26	32	61
80-84	71	12.2	124	2	3	11	14	22	31	70
85+	65	14.3	69	2	4	14	19	28	31	90
GRAND TOTAL	**448**	**12.3**	**120**	**2**	**3**	**10**	**16**	**24**	**32**	**64**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	132	8.0	101	1	1	4	10	19	31	62
70-74	104	9.3	107	1	2	6	10	21	37	49
75-79	69	8.8	72	1	2	6	12	18	22	46
80-84	40	11.3	194	1	2	8	13	22	43	68
85+	26	8.6	43	1	2	7	13	16	19	29
2. MULTIPLE DX										
65-69 YRS	423	13.3	234	1	2	7	18	32	47	80
70-74	373	16.3	269	2	2	11	22	40	52	73
75-79	299	18.8	304	2	3	13	26	46	60	94
80-84	207	17.0	225	2	4	15	21	39	60	88
85+	128	20.2	232	3	5	16	28	42	48	79
TOT. SINGLE DX	371	8.9	104	1	2	5	12	19	30	57
" MULTIPLE DX	1430	16.4	261	2	2	12	22	39	52	88
TOTAL 65-69 YRS	555	12.1	208	1	2	6	16	30	45	77
70-74	477	14.8	242	2	2	9	20	38	49	70
75-79	368	16.9	276	2	3	12	23	42	57	89
80-84	247	16.0	224	2	3	13	20	36	60	80
85+	154	18.2	219	2	4	14	25	36	47	76
GRAND TOTAL	**1801**	**14.8**	**238**	**2**	**2**	**10**	**20**	**36**	**49**	**80**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	789	9.6	33	3	4	8	11	17	20	30
70-74	409	10.5	42	3	4	9	13	20	23	32
75-79	174	11.7	52	3	4	10	15	21	26	37
80-84	56	12.3	46	4	5	11	15	24	27	30
85+	24	10.8	37	3	3	9	14	18	24	28
2. MULTIPLE DX										
65-69 YRS	1757	13.6	94	4	6	11	16	24	30	55
70-74	1233	14.7	95	5	6	12	18	25	33	56
75-79	681	16.4	113	5	7	14	20	28	36	62
80-84	250	19.3	173	6	8	15	23	35	45	81
85+	82	19.4	150	7	8	16	23	36	55	86
TOT. SINGLE DX	1452	10.2	40	3	4	9	13	18	22	32
" MULTIPLE DX	4003	14.9	107	5	6	12	18	26	34	60
TOTAL 65-69 YRS	2546	12.3	79	4	5	10	15	22	28	48
70-74	1642	13.7	85	4	5	11	17	24	30	50
75-79	855	15.4	104	4	6	13	19	27	34	59
80-84	306	18.0	158	6	7	14	22	32	43	75
85+	106	17.4	138	5	7	14	22	33	49	76
GRAND TOTAL	**5455**	**13.6**	**93**	**4**	**5**	**11**	**17**	**24**	**31**	**54**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	308	2.7	3	<1	1	2	3	5	7	10
70-74	177	2.9	3	<1	1	2	4	5	6	10
75-79	72	3.8	14	1	1	3	4	7	10	23
80-84	33	4.0	51	1	1	2	3	5	7	43
85+	7	3.4	7	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
65-69 YRS	1223	3.3	11	1	1	2	4	6	8	16
70-74	834	3.9	21	1	1	3	4	8	11	21
75-79	458	3.8	14	1	1	3	4	7	11	18
80-84	152	5.3	47	1	1	3	6	9	17	32
85+	40	6.1	46	1	1	3	7	15	18	36
TOT. SINGLE DX	597	3.0	8	<1	1	2	4	5	7	12
" MULTIPLE DX	2707	3.7	18	1	1	3	4	7	10	21
TOTAL 65-69 YRS	1531	3.1	10	1	1	2	4	6	8	16
70-74	1011	3.7	19	1	1	3	4	7	10	19
75-79	530	3.8	14	1	1	3	4	7	10	18
80-84	185	5.0	48	1	1	3	5	9	17	39
85+	47	5.7	41	1	1	3	7	14	17	36
GRAND TOTAL	**3304**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	340	3.2	11	<1	1	2	3	6	8	20
70-74	229	3.7	18	1	1	2	4	8	10	23
75-79	133	4.6	25	<1	1	3	5	10	15	26
80-84	56	6.1	48	1	2	3	7	14	19	36
85+	26	6.3	45	1	2	3	7	17	20	29
2. MULTIPLE DX										
65-69 YRS	812	6.6	80	1	1	3	7	15	24	50
70-74	578	7.4	108	1	1	4	8	18	28	56
75-79	392	8.2	127	1	1	4	9	19	31	52
80-84	199	12.0	246	1	2	6	14	30	54	80
85+	97	10.8	108	1	2	8	15	25	33	47
TOT. SINGLE DX	784	3.9	20	<1	1	2	4	8	12	24
" MULTIPLE DX	2078	7.9	117	1	1	4	9	20	29	57
TOTAL 65-69 YRS	1152	5.6	62	1	1	3	6	12	22	45
70-74	807	6.4	86	1	1	3	6	14	24	45
75-79	525	7.3	104	1	1	4	8	17	27	49
80-84	255	10.7	208	1	2	5	12	28	50	74
85+	123	9.9	98	1	2	6	14	23	30	47
GRAND TOTAL	**2862**	**6.8**	**93**	**1**	**1**	**3**	**7**	**16**	**25**	**52**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	9.7	22	4	5	9	13	16	20	22
70-74	19	9.9	10	5	6	10	12	15	16	16
75-79	11	10.6	19	4	5	10	12	18	18	18
80-84	6	9.8	42	3	3	7	17	19	19	19
85+	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
65-69 YRS	197	15.7	154	5	6	12	17	34	43	98
70-74	100	19.8	259	6	7	15	25	40	57	80
75-79	80	21.6	309	5	7	16	26	41	54	95
80-84	25	28.2	392	12	12	21	32	56	80	86
85+	7	28.9	516	8	9	27	55	92	99+	99+
TOT. SINGLE DX	85	10.1	26	4	5	10	13	17	19	29
" MULTIPLE DX	409	18.9	242	6	7	13	23	38	54	96
TOTAL 65-69 YRS	245	14.5	134	5	5	11	16	28	37	96
70-74	119	18.2	233	5	7	13	22	36	53	79
75-79	91	20.3	287	5	7	15	23	39	53	95
80-84	31	24.7	376	6	7	19	27	49	77	86
85+	8	29.4	445	8	10	33	46	90	99+	99+
GRAND TOTAL	**494**	**17.4**	**215**	**5**	**6**	**13**	**21**	**36**	**49**	**94**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	192	3.9	9	<1	1	3	5	7	11	17
70-74	127	3.9	25	<1	1	3	4	6	10	29
75-79	69	4.9	18	1	1	3	6	11	16	20
80-84	42	4.3	19	<1	1	3	5	7	15	23
85+	18	4.4	15	1	1	3	5	12	14	14
2. MULTIPLE DX										
65-69 YRS	395	6.7	71	1	2	4	7	13	18	50
70-74	250	6.9	48	2	2	5	8	14	23	35
75-79	174	7.6	61	1	2	5	9	17	22	43
80-84	68	8.1	61	1	2	5	9	19	26	35
85+	21	7.4	60	1	2	5	9	20	26	31
TOT. SINGLE DX	448	4.1	17	<1	1	3	5	8	12	20
" MULTIPLE DX	908	7.0	62	1	2	5	8	15	22	39
TOTAL 65-69 YRS	587	5.8	53	1	2	4	6	11	16	39
70-74	377	5.9	43	1	1	4	7	12	20	35
75-79	243	6.8	51	1	1	5	8	16	21	37
80-84	110	6.6	49	<1	1	4	7	17	23	34
85+	39	6.0	41	1	1	4	8	14	20	31
GRAND TOTAL	**1356**	**6.1**	**49**	**1**	**1**	**4**	**7**	**13**	**19**	**36**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1304	12.6	21	7	8	12	15	17	20	28
70-74	1265	13.1	26	7	8	12	15	18	22	34
75-79	917	13.7	25	8	9	13	16	19	22	31
80-84	485	14.8	40	8	9	14	16	22	27	37
85+	280	15.3	59	7	8	14	18	23	27	42
2. MULTIPLE DX										
65-69 YRS	2906	15.5	70	8	9	14	17	25	32	56
70-74	3168	16.1	87	8	9	14	18	25	33	60
75-79	2830	17.5	100	9	10	15	20	27	36	66
80-84	1701	18.4	104	9	10	16	21	30	38	70
85+	1077	18.8	131	8	9	16	22	31	45	81
TOT. SINGLE DX	4251	13.4	29	7	8	13	15	19	22	32
" MULTIPLE DX	11682	16.9	94	8	9	15	19	27	35	65
TOTAL 65-69 YRS	4210	14.6	57	8	8	13	16	22	28	49
70-74	4433	15.3	72	8	9	13	17	23	30	53
75-79	3747	16.6	84	8	9	15	18	25	33	58
80-84	2186	17.6	93	9	10	15	20	28	35	60
85+	1357	18.1	119	8	9	16	21	29	42	77
GRAND TOTAL	**15933**	**16.0**	**79**	**8**	**9**	**14**	**18**	**25**	**32**	**58**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	388	12.8	23	7	8	12	15	19	22	27
70-74	494	13.2	28	7	8	13	15	18	21	34
75-79	640	15.0	48	7	8	14	17	21	28	42
80-84	636	14.6	45	7	8	13	17	22	27	44
85+	842	15.1	64	7	8	14	17	23	30	50
2. MULTIPLE DX										
65-69 YRS	1228	17.7	118	7	9	15	20	28	39	70
70-74	1955	18.1	125	8	9	15	21	31	41	78
75-79	2854	18.1	117	8	9	15	21	30	43	84
80-84	3293	18.5	125	8	9	15	21	31	42	83
85+	4076	18.3	131	8	9	15	21	32	43	95
TOT. SINGLE DX	3000	14.4	46	7	8	13	16	21	26	43
" MULTIPLE DX	13406	18.2	125	8	9	15	21	31	42	83
TOTAL 65-69 YRS	1616	16.5	100	7	8	14	19	26	35	64
70-74	2449	17.1	109	8	9	15	19	28	37	71
75-79	3494	17.5	106	8	9	15	20	29	39	71
80-84	3929	17.8	114	8	9	15	20	29	40	79
85+	4918	17.8	122	8	9	15	20	31	40	88
GRAND TOTAL	**16406**	**17.5**	**113**	**8**	**9**	**15**	**20**	**29**	**39**	**78**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1213	12.6	28	5	7	12	15	18	20	30
70-74	1155	13.0	26	7	8	12	15	18	21	29
75-79	1001	13.8	23	7	8	13	16	19	22	29
80-84	444	14.5	28	7	9	14	17	20	24	31
85+	137	13.8	20	6	8	14	17	19	21	24
2. MULTIPLE DX										
65-69 YRS	2567	14.4	52	6	8	13	17	22	27	42
70-74	2867	15.1	54	7	8	14	17	23	28	44
75-79	2476	16.2	63	8	9	15	18	24	30	49
80-84	1287	16.9	78	8	9	15	19	26	34	59
85+	403	17.9	100	8	9	16	21	28	37	65
TOT. SINGLE DX	3950	13.3	27	6	8	13	16	19	21	29
" MULTIPLE DX	9600	15.6	62	7	9	14	18	24	30	48
TOTAL 65-69 YRS	3780	13.8	45	6	8	13	16	20	25	39
70-74	4022	14.5	47	7	8	13	17	22	26	41
75-79	3477	15.5	53	8	9	14	18	23	28	46
80-84	1731	16.3	67	8	9	15	18	24	31	51
85+	540	16.9	83	8	9	15	19	26	32	58
GRAND TOTAL	**13550**	**14.9**	**53**	**7**	**8**	**14**	**17**	**22**	**27**	**44**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	370	4.6	18	1	2	4	5	8	11	16
70-74	242	4.7	12	1	2	4	6	9	11	19
75-79	130	5.8	18	1	2	4	7	12	15	20
80-84	44	7.4	35	1	2	6	10	16	18	32
85+	30	5.6	22	<1	1	4	8	13	15	19
2. MULTIPLE DX										
65-69 YRS	863	5.5	24	2	2	4	6	10	14	29
70-74	577	6.5	31	2	2	5	8	13	18	28
75-79	360	8.1	81	2	2	5	10	15	21	53
80-84	144	9.6	95	3	3	7	12	17	25	60
85+	55	11.3	157	2	2	9	14	19	25	82
TOT. SINGLE DX	816	5.0	18	1	2	4	6	10	12	19
" MULTIPLE DX	1999	6.7	48	2	2	5	8	13	18	36
TOTAL 65-69 YRS	1233	5.2	23	1	2	4	6	10	13	25
70-74	819	5.9	27	1	2	4	7	12	16	26
75-79	490	7.5	66	2	2	5	9	14	19	48
80-84	188	9.1	82	2	3	7	11	17	23	48
85+	85	9.3	116	1	2	6	13	19	23	69
GRAND TOTAL	**2815**	**6.2**	**40**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	3.7	30	<1	<1	2	3	7	16	30
70-74	83	2.8	8	<1	<1	2	3	5	11	14
75-79	49	3.3	9	<1	<1	2	4	7	11	15
80-84	24	5.1	21	<1	<1	3	8	13	14	15
85+	17	4.6	63	<1	<1	2	3	11	26	33
2. MULTIPLE DX										
65-69 YRS	251	9.8	133	1	2	6	12	23	34	62
70-74	213	9.8	113	<1	1	6	13	23	33	55
75-79	162	12.8	230	1	2	7	18	29	45	76
80-84	86	14.9	267	1	3	9	17	41	53	95
85+	62	14.2	123	2	3	12	20	31	37	94
TOT. SINGLE DX	308	3.6	23	<1	<1	2	4	8	12	28
" MULTIPLE DX	774	11.3	165	1	2	7	15	26	40	71
TOTAL 65-69 YRS	386	7.7	106	<1	<1	4	9	17	28	60
70-74	296	7.8	94	<1	1	4	11	19	26	51
75-79	211	10.6	195	<1	1	5	14	25	38	75
80-84	110	12.7	229	<1	1	8	15	32	51	91
85+	79	12.1	125	<1	1	9	17	30	34	87
GRAND TOTAL	**1082**	**9.1**	**137**	**<1**	**1**	**5**	**11**	**22**	**33**	**62**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	305	3.1	12	<1	<1	2	3	6	9	19
70-74	196	3.7	16	<1	<1	2	4	8	14	21
75-79	104	4.1	27	<1	<1	2	5	8	11	30
80-84	61	4.4	15	1	1	3	6	10	14	16
85+	23	5.1	31	<1	1	2	8	13	18	22
2. MULTIPLE DX										
65-69 YRS	544	8.3	96	1	2	5	10	18	24	52
70-74	379	9.1	102	1	2	6	11	22	33	50
75-79	300	9.4	85	1	2	6	12	22	27	53
80-84	174	10.8	112	2	2	8	14	24	33	62
85+	77	11.1	93	1	2	8	16	25	32	45
TOT. SINGLE DX	689	3.6	17	<1	<1	2	4	8	11	21
" MULTIPLE DX	1474	9.2	98	1	2	6	12	21	28	52
TOTAL 65-69 YRS	849	6.4	72	<1	1	3	8	15	21	44
70-74	575	7.3	80	<1	1	4	9	17	27	46
75-79	404	8.0	76	1	1	5	10	21	26	45
80-84	235	9.1	95	1	2	6	11	21	29	59
85+	100	9.7	86	<1	1	6	14	22	30	42
GRAND TOTAL	**2163**	**7.4**	**79**	**<1**	**1**	**4**	**9**	**18**	**24**	**46**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	357	2.0	1	<1	1	2	2	3	4	6
70-74	195	2.1	1	<1	1	2	3	3	4	6
75-79	123	2.1	2	<1	1	2	2	3	5	10
80-84	40	2.0		<1	1	2	3	3	3	4
85+	12	2.6	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	286	2.9	12	1	1	2	3	4	6	20
70-74	224	3.7	17	1	1	2	4	7	13	23
75-79	127	3.1	8	1	1	2	4	6	8	17
80-84	43	5.8	63	1	1	2	8	14	17	47
85+	21	4.2	9	1	1	3	5	10	11	12
TOT. SINGLE DX	727	2.1	1	<1	1	2	2	3	4	6
" MULTIPLE DX	701	3.4	17	1	1	2	3	6	10	22
TOTAL 65-69 YRS	643	2.4	6	<1	1	2	3	4	5	12
70-74	419	3.0	11	<1	1	2	3	5	8	22
75-79	250	2.6	5	1	1	2	3	5	7	15
80-84	83	4.0	37	<1	1	2	3	10	14	38
85+	33	3.6	7	1	1	3	4	7	11	12
GRAND TOTAL	**1428**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	2.4	5	<1	<1	2	3	4	6	14
70-74	38	2.1	4	<1	<1	2	2	3	4	13
75-79	32	2.2	1	<1	<1	2	3	4	4	6
80-84	18	2.6	2	1	1	2	3	5	6	7
85+	7	2.9	6	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
65-69 YRS	113	3.3	10	1	1	2	4	8	10	17
70-74	78	4.7	46	<1	1	2	4	10	20	39
75-79	46	4.2	23	<1	1	3	4	10	18	22
80-84	27	4.7	50	1	1	2	5	10	16	37
85+	14	4.5	13	1	2	3	5	11	13	14
TOT. SINGLE DX	163	2.3	4	<1	<1	2	3	4	5	13
" MULTIPLE DX	278	4.0	27	<1	1	2	4	9	12	29
TOTAL 65-69 YRS	181	3.0	9	<1	1	2	3	6	10	14
70-74	116	3.8	34	<1	<1	2	3	8	13	35
75-79	78	3.3	15	<1	1	2	4	7	11	22
80-84	45	3.8	32	1	1	2	4	7	11	37
85+	21	4.0	11	<1	1	3	5	9	12	14
GRAND TOTAL	441	3.4	19	<1	1	2	3	7	11	23

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	343	4.0	7	1	2	3	5	7	8	13
70-74	193	3.9	5	1	2	3	5	7	9	12
75-79	97	4.1	6	<1	1	4	5	7	9	14
80-84	58	4.8	8	1	1	4	7	9	10	13
85+	12	5.4	19	<1	<1	5	9	12	13	13
2. MULTIPLE DX										
65-69 YRS	475	6.6	77	1	2	4	7	12	18	50
70-74	335	6.9	89	1	2	5	7	13	19	69
75-79	217	8.4	81	2	2	5	9	18	30	48
80-84	97	9.8	128	1	2	7	12	20	29	96
85+	57	14.1	285	2	2	10	16	46	75	99+
TOT. SINGLE DX	703	4.1	7	1	2	3	5	7	9	13
" MULTIPLE DX	1181	7.6	98	1	2	5	8	14	24	63
TOTAL 65-69 YRS	818	5.5	50	1	2	4	6	10	14	42
70-74	528	5.8	60	1	2	4	6	10	14	60
75-79	314	7.1	62	1	2	5	8	14	23	44
80-84	155	7.9	89	1	2	6	9	15	23	88
85+	69	12.6	249	1	2	7	14	44	58	99+
GRAND TOTAL	1884	6.3	67	1	2	4	7	12	18	50

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	4.1	6	1	1	4	5	7	9	14
70-74	63	4.7	8	1	2	4	6	8	10	16
75-79	42	6.5	17	2	2	5	9	12	14	17
80-84	12	13.0	481	3	4	6	9	34	75	82
85+	11	9.7	105	1	1	7	11	28	32	32
2. MULTIPLE DX										
65-69 YRS	168	10.6	282	1	2	5	9	18	52	92
70-74	146	9.4	137	2	2	6	11	21	44	99+
75-79	76	10.7	171	2	2	7	13	21	29	84
80-84	42	14.4	316	2	3	8	14	45	65	99+
85+	23	13.3	153	2	3	11	17	31	73	99+
TOT. SINGLE DX	226	5.4	42	1	2	4	6	10	12	27
" MULTIPLE DX	455	10.7	214	2	2	6	12	22	45	99+
TOTAL 65-69 YRS	266	8.2	190	1	2	4	8	14	40	88
70-74	209	8.0	103	1	2	5	9	17	27	99+
75-79	118	9.2	120	2	2	6	11	19	21	61
80-84	54	14.1	345	2	4	7	14	45	74	99+
85+	34	12.2	137	2	2	9	16	28	54	99+
GRAND TOTAL	681	9.0	163	1	2	5	9	17	37	97

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	2.4	4	<1	1	1	3	5	6	10
70-74	48	2.3	4	<1	1	2	3	4	5	15
75-79	26	3.3	9	<1	1	3	4	7	12	13
80-84	12	5.5	67	1	1	2	4	20	27	28
85+	10	3.7	10	<1	<1	2	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	89	6.2	68	1	1	3	7	15	29	79
70-74	97	9.1	164	1	1	4	11	23	37	86
75-79	83	9.0	111	1	1	5	12	23	31	55
80-84	50	13.3	300	1	1	7	16	31	39	90
85+	41	12.9	297	1	2	5	15	35	47	83
TOT. SINGLE DX	141	2.9	11	<1	1	2	3	5	9	17
" MULTIPLE DX	360	9.4	166	1	1	4	11	25	34	82
TOTAL 65-69 YRS	134	4.9	50	1	1	3	5	11	21	55
70-74	145	6.8	121	1	1	3	6	19	32	71
75-79	109	7.7	93	1	1	4	9	20	26	52
80-84	62	11.8	263	1	1	5	16	30	35	88
85+	51	11.1	253	1	1	5	11	33	38	83
GRAND TOTAL	501	7.5	131	1	1	3	8	20	31	73

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	5.8	18	2	2	5	8	13	13	13
70-74	2	5.0	32	1	1	5	9	9	9	9
75-79	3	4.3	6	2	2	4	6	7	7	7
80-84	3	6.3	85	<1	<1	<1	13	17	17	17
85+	4	9.0	44	5	5	6	13	19	19	19
2. MULTIPLE DX										
65-69 YRS	18	20.1	348	3	4	15	28	38	63	79
70-74	19	10.8	243	2	2	8	9	19	50	72
75-79	17	20.7	400	5	5	10	32	41	67	80
80-84	9	21.7	328	6	6	14	30	52	57	57
85+	20	17.8	127	4	5	17	19	37	42	44
TOT. SINGLE DX	17	6.3	29	<1	<1	5	7	16	18	19
" MULTIPLE DX	83	17.7	281	3	4	11	23	40	49	80
TOTAL 65-69 YRS	23	17.0	309	2	3	13	22	37	53	79
70-74	21	10.2	224	1	2	8	9	16	46	72
75-79	20	18.3	374	3	4	8	28	40	61	80
80-84	12	17.8	302	<1	<1	12	23	49	56	57
85+	24	16.3	122	4	5	15	19	35	42	44
GRAND TOTAL	**100**	**15.8**	**256**	**2**	**3**	**9**	**19**	**38**	**44**	**79**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	8.5	112	1	1	4	9	21	36	49
70-74	56	6.3	19	1	2	5	8	12	15	24
75-79	35	6.8	72	<1	2	5	8	10	28	41
80-84	42	9.6	130	1	1	6	13	19	33	63
85+	34	8.1	65	1	2	4	11	19	25	36
2. MULTIPLE DX										
65-69 YRS	901	18.4	243	3	4	14	24	40	52	77
70-74	824	17.5	219	3	4	14	23	36	47	85
75-79	608	16.8	215	2	3	13	22	35	52	99+
80-84	404	17.8	220	2	4	14	24	41	54	99+
85+	376	16.0	189	2	4	13	21	34	43	99
TOT. SINGLE DX	214	7.8	78	1	2	5	9	16	25	46
" MULTIPLE DX	3113	17.5	223	3	4	14	23	37	50	94
TOTAL 65-69 YRS	948	17.9	242	2	4	14	24	39	50	76
70-74	880	16.8	214	3	4	13	22	36	46	84
75-79	643	16.3	213	2	3	13	22	35	51	99+
80-84	446	17.0	217	2	3	13	23	41	53	99+
85+	410	15.3	184	2	3	12	21	33	42	98
GRAND TOTAL	**3327**	**16.9**	**219**	**2**	**3**	**13**	**22**	**37**	**49**	**93**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	24.6	511	5	7	16	33	67	73	75
70-74	18	17.9	87	9	10	14	25	35	38	38
75-79	18	16.5	52	5	7	17	22	26	28	28
80-84	19	19.4	200	7	9	13	24	46	51	54
85+	25	13.8	54	4	6	12	20	26	26	26
2. MULTIPLE DX										
65-69 YRS	815	25.9	327	7	9	21	33	54	72	99+
70-74	902	24.9	265	8	10	21	32	51	64	99+
75-79	810	25.4	304	8	9	20	34	55	78	99+
80-84	608	25.6	331	8	9	21	34	56	83	99+
85+	585	21.2	257	6	7	16	27	46	67	99+
TOT. SINGLE DX	95	17.9	166	6	7	14	22	32	46	71
" MULTIPLE DX	3720	24.7	299	7	9	20	32	53	72	99+
TOTAL 65-69 YRS	830	25.9	330	7	9	21	33	54	72	99+
70-74	920	24.7	262	8	10	21	32	51	64	99+
75-79	828	25.2	300	8	9	20	34	55	77	99+
80-84	627	25.4	328	8	9	21	34	55	82	99+
85+	610	20.9	252	6	7	16	26	45	65	99+
GRAND TOTAL	**3815**	**24.6**	**297**	**7**	**9**	**20**	**32**	**53**	**72**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	23	17.1	147	4	5	12	23	37	44	46
70-74	17	9.4	19	4	5	8	14	16	18	19
75-79	29	12.6	111	5	5	8	14	29	38	49
80-84	27	13.9	79	6	7	11	15	25	39	41
85+	49	12.0	36	4	6	11	15	22	24	27
2. MULTIPLE DX										
65-69 YRS	564	22.6	271	7	8	18	29	49	72	99+
70-74	746	22.5	285	6	8	18	28	52	70	99+
75-79	791	21.6	234	7	8	17	28	46	61	99+
80-84	868	20.6	247	6	7	16	26	44	58	99+
85+	1299	18.4	220	5	6	14	23	39	61	99+
TOT. SINGLE DX	145	13.0	78	5	6	10	15	24	35	46
" MULTIPLE DX	4268	20.7	249	6	7	16	27	45	63	99+
TOTAL 65-69 YRS	587	22.4	267	7	8	18	29	46	70	99+
70-74	763	22.2	283	6	8	18	28	51	69	99+
75-79	820	21.3	233	6	8	17	27	46	61	99+
80-84	895	20.4	244	6	7	15	26	43	57	99+
85+	1348	18.2	215	5	6	14	22	39	60	99+
GRAND TOTAL	**4413**	**20.5**	**245**	**6**	**7**	**16**	**26**	**44**	**62**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	13.2	71	3	3	12	18	25	28	28
70-74	6	13.3	35	6	6	13	18	21	21	21
75-79	7	13.1	42	2	4	14	17	21	22	22
80-84	3	5.0	4	3	3	5	6	7	7	7
85+	3	7.3	1	6	6	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	270	26.0	362	5	8	21	38	53	68	99+
70-74	237	28.1	360	7	9	24	42	60	77	99+
75-79	164	27.4	360	6	9	22	36	55	63	90
80-84	105	27.0	324	7	9	24	34	53	68	93
85+	105	21.7	244	5	7	17	27	42	61	70
TOT. SINGLE DX	29	11.8	47	3	4	10	18	22	23	28
" MULTIPLE DX	881	26.5	345	6	8	22	36	54	68	99+
TOTAL 65-69 YRS	280	25.6	358	5	7	20	37	52	67	99+
70-74	243	27.7	358	6	9	23	40	59	75	99+
75-79	171	26.9	355	6	8	22	35	55	63	90
80-84	108	26.4	329	6	8	24	33	52	67	93
85+	108	21.3	243	5	7	17	26	42	61	70
GRAND TOTAL	**910**	**26.0**	**343**	**5**	**8**	**21**	**35**	**53**	**67**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	8.2	47	1	1	7	15	17	17	17
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	6	5.8	11	2	2	5	9	11	11	11
70-74	7	8.7	271	1	1	3	4	38	46	46
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	2	13.5	181	4	4	13	23	23	23	23
85+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	12	5.3	33	<1	<1	2	8	16	17	17
" MULTIPLE DX	18	7.4	119	1	1	4	5	19	37	46
TOTAL 65-69 YRS	12	7.0	28	1	2	5	10	16	17	17
70-74	9	7.0	215	<1	<1	2	3	29	46	46
75-79	3	2.3	5	<1	<1	1	4	5	5	5
80-84	3	10.0	127	3	3	4	18	23	23	23
85+	3	4.0	9	1	1	4	6	7	7	7
GRAND TOTAL	**30**	**6.5**	**84**	**<1**	**1**	**4**	**7**	**16**	**23**	**46**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	7.7	42	1	2	6	10	18	24	26
70-74	31	10.0	144	<1	1	4	13	29	34	48
75-79	16	11.6	133	2	3	8	15	33	40	42
80-84	8	7.0	13	2	2	7	10	12	12	12
85+	18	8.2	48	1	2	6	10	15	24	30
2. MULTIPLE DX										
65-69 YRS	146	16.8	250	3	3	12	23	37	47	99+
70-74	168	14.9	173	3	3	11	20	32	45	97
75-79	116	11.9	92	3	4	9	14	23	31	51
80-84	67	12.1	60	3	3	11	17	22	26	38
85+	70	12.0	90	2	2	9	19	25	31	89
TOT. SINGLE DX	108	9.0	84	1	2	6	10	22	29	45
" MULTIPLE DX	567	14.1	156	3	3	10	19	30	41	97
TOTAL 65-69 YRS	181	15.1	223	2	3	10	20	37	46	99+
70-74	199	14.2	171	2	3	10	19	31	44	93
75-79	132	11.9	96	3	4	9	14	23	35	49
80-84	75	11.5	58	2	3	10	16	21	26	37
85+	88	11.3	83	2	2	8	17	24	30	79
GRAND TOTAL	**675**	**13.3**	**148**	**2**	**3**	**9**	**18**	**29**	**39**	**88**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	13.0	7	10	10	14	15	15	15	15
70-74	5	5.4	8	3	3	4	7	10	10	10
75-79	2	6.0	18	3	3	6	9	9	9	9
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	11	11.2	71	2	2	10	20	23	24	24
70-74	13	9.4	25	3	3	9	11	14	21	23
75-79	11	12.8	26	3	6	12	17	20	20	20
80-84	6	12.0	61	<1	1	11	14	24	25	25
85+	4	20.3	87	11	11	19	28	31	31	31
TOT. SINGLE DX	11	7.7	18	3	3	7	10	14	15	15
" MULTIPLE DX	45	12.0	51	2	3	11	15	23	25	31
TOTAL 65-69 YRS	14	11.6	56	2	2	11	15	23	24	24
70-74	18	8.3	23	3	3	7	11	12	19	23
75-79	13	11.8	30	3	3	12	16	20	20	20
80-84	7	11.3	55	<1	1	10	14	23	25	25
85+	4	20.3	88	11	11	19	28	31	31	31
GRAND TOTAL	**56**	**11.1**	**47**	**2**	**3**	**10**	**14**	**23**	**25**	**31**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1087	2.5	4	<1	<1	2	3	4	7	10
70-74	852	2.6	5	<1	<1	2	3	5	7	12
75-79	528	2.8	6	<1	1	2	3	5	8	12
80-84	256	3.4	9	<1	1	2	4	6	9	14
85+	150	3.2	7	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
65-69 YRS	1940	4.9	41	1	1	3	6	10	15	29
70-74	1658	5.7	46	1	1	3	7	13	17	37
75-79	1223	6.3	48	1	2	4	8	14	19	37
80-84	762	7.6	71	1	2	5	9	17	25	43
85+	569	8.6	78	2	2	6	11	19	25	54
TOT. SINGLE DX	2873	2.7	6	<1	<1	2	3	5	7	12
" MULTIPLE DX	6152	6.1	52	1	1	3	8	14	19	37
TOTAL 65-69 YRS	3027	4.1	29	<1	1	2	4	9	13	26
70-74	2510	4.7	34	<1	1	3	5	11	15	31
75-79	1751	5.3	38	1	1	3	6	12	17	29
80-84	1018	6.5	59	1	1	4	8	15	22	40
85+	719	7.4	68	1	2	4	10	16	23	46
GRAND TOTAL	**9025**	**5.0**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**32**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	73	4.8	7	<1	2	4	6	8	9	14
70-74	92	4.9	12	1	2	4	6	8	9	22
75-79	92	5.4	12	1	2	5	8	9	11	19
80-84	73	5.8	11	2	3	5	7	9	11	21
85+	113	6.2	8	2	3	6	8	9	11	15
2. MULTIPLE DX										
65-69 YRS	264	8.4	50	2	2	6	10	17	25	36
70-74	258	8.5	48	2	3	7	10	17	23	35
75-79	273	9.1	56	3	3	7	10	16	25	45
80-84	322	10.4	82	3	4	8	12	21	28	74
85+	341	9.9	54	3	4	8	12	19	23	41
TOT. SINGLE DX	443	5.5	10	1	2	5	7	9	10	15
" MULTIPLE DX	1458	9.3	60	2	3	7	11	18	24	41
TOTAL 65-69 YRS	337	7.6	43	2	2	6	9	14	23	35
70-74	350	7.5	41	2	2	6	9	15	22	35
75-79	365	8.1	48	2	3	6	9	15	20	40
80-84	395	9.6	73	2	3	7	11	19	25	64
85+	454	9.0	46	3	3	7	11	16	22	40
GRAND TOTAL	**1901**	**8.4**	**51**	**2**	**3**	**7**	**10**	**16**	**22**	**39**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1074	6.8	7	3	4	6	8	10	12	16
70-74	853	7.1	9	4	4	7	8	10	12	17
75-79	642	7.4	8	4	4	7	9	11	12	17
80-84	306	7.3	9	3	4	7	9	10	12	18
85+	122	7.5	9	4	4	7	9	12	13	18
2. MULTIPLE DX										
65-69 YRS	2633	8.7	30	4	4	8	10	14	17	29
70-74	2381	8.8	24	4	5	8	10	14	17	28
75-79	1786	9.2	31	4	5	8	11	15	19	33
80-84	1018	9.7	31	4	5	9	11	15	19	31
85+	523	9.8	35	4	5	9	12	17	21	44
TOT. SINGLE DX	2997	7.1	8	3	4	7	8	10	12	17
" MULTIPLE DX	8341	9.0	30	4	5	8	10	15	18	31
TOTAL 65-69 YRS	3707	8.2	25	4	4	7	9	13	16	26
70-74	3234	8.3	21	4	4	7	10	13	16	27
75-79	2428	8.7	26	4	5	8	10	14	17	29
80-84	1324	9.1	27	4	5	8	11	15	18	30
85+	645	9.4	31	4	5	8	11	16	19	35
GRAND TOTAL	**11338**	**8.5**	**25**	**4**	**4**	**8**	**10**	**13**	**17**	**28**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	3.0	1	1	1	3	4	5	6	7
70-74	61	3.2	5	<1	1	3	4	6	9	12
75-79	36	3.4	7	<1	1	3	4	6	10	13
80-84	6	4.7	21	2	2	3	4	13	14	14
85+	6	5.5	15	1	1	5	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	300	4.2	9	1	2	3	5	7	11	17
70-74	161	5.0	26	1	2	3	5	10	15	33
75-79	76	6.3	67	1	2	4	7	12	16	50
80-84	34	6.0	20	2	2	5	6	13	18	18
85+	16	8.9	70	2	2	6	10	25	27	27
TOT. SINGLE DX	223	3.3	5	1	1	3	4	5	7	12
" MULTIPLE DX	587	4.9	25	1	2	4	5	9	13	27
TOTAL 65-69 YRS	414	3.9	8	1	2	3	4	6	8	16
70-74	222	4.5	22	1	2	3	5	9	12	31
75-79	112	5.4	50	1	1	4	6	11	13	50
80-84	40	5.8	20	2	2	4	6	13	17	18
85+	22	8.0	56	1	2	6	9	22	26	27
GRAND TOTAL	**810**	**4.5**	**20**	**1**	**2**	**3**	**5**	**8**	**12**	**24**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	2.9	2	<1	1	3	4	5	6	7
70-74	6	4.3	4	1	1	4	5	7	7	7
75-79	7	2.9	1	2	2	2	4	5	5	5
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	6	3.8	11	1	1	3	5	9	10	10
2. MULTIPLE DX										
65-69 YRS	37	8.6	198	2	3	5	9	14	19	88
70-74	22	7.4	59	2	3	5	8	11	23	40
75-79	17	13.6	203	1	2	10	19	40	48	50
80-84	10	6.5	47	1	1	4	10	17	24	24
85+	3	23.0	283	4	4	29	34	36	36	36
TOT. SINGLE DX	39	3.3	4	1	1	3	4	5	7	10
" MULTIPLE DX	89	9.5	156	2	2	5	10	21	36	73
TOTAL 65-69 YRS	55	6.8	140	1	2	4	7	12	16	85
70-74	28	6.8	49	2	3	5	8	10	15	40
75-79	24	10.5	167	1	2	5	11	28	45	50
80-84	12	5.9	41	1	1	4	7	14	23	24
85+	9	10.2	170	1	1	4	15	33	36	36
GRAND TOTAL	**128**	**7.6**	**117**	**1**	**2**	**4**	**8**	**14**	**26**	**58**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	569	3.1	12	<1	<1	2	3	6	9	16
70-74	504	3.4	15	<1	<1	2	3	7	12	19
75-79	306	3.7	19	<1	<1	2	4	8	11	24
80-84	205	3.8	25	<1	<1	2	4	10	12	24
85+	180	4.5	28	<1	1	3	5	10	14	31
2. MULTIPLE DX										
65-69 YRS	1987	9.4	112	1	2	6	11	20	30	58
70-74	1901	9.6	101	1	2	7	12	20	29	58
75-79	1590	10.6	127	1	2	8	13	23	34	88
80-84	1285	10.9	131	2	2	8	13	24	34	68
85+	1213	11.2	133	2	2	8	14	24	35	95
TOT. SINGLE DX	1764	3.5	18	<1	<1	2	4	8	12	22
" MULTIPLE DX	7976	10.2	120	1	2	7	13	22	32	70
TOTAL 65-69 YRS	2556	8.0	97	<1	1	5	10	18	26	53
70-74	2405	8.3	90	<1	1	5	10	18	26	53
75-79	1896	9.5	117	1	2	7	12	21	30	78
80-84	1490	9.9	123	1	2	7	12	22	32	64
85+	1393	10.4	125	1	2	7	13	22	33	89
GRAND TOTAL	**9740**	**9.0**	**108**	**1**	**1**	**6**	**11**	**20**	**29**	**63**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	588	5.9	42	<1	1	4	7	13	17	32
70-74	524	6.7	52	1	1	4	9	14	21	35
75-79	365	7.3	77	1	1	4	8	17	26	45
80-84	260	8.2	104	<1	1	5	9	18	35	61
85+	256	7.6	88	1	1	4	9	17	26	53
2. MULTIPLE DX										
65-69 YRS	3976	13.2	183	1	2	9	17	30	44	86
70-74	4110	13.8	197	2	2	10	17	31	45	95
75-79	3733	14.6	211	2	2	10	19	34	48	99+
80-84	3084	15.0	224	2	3	10	19	35	51	99+
85+	3438	14.6	223	2	3	10	19	35	54	99+
TOT. SINGLE DX	1993	6.9	66	1	1	4	9	15	23	44
" MULTIPLE DX	18341	14.2	207	2	2	10	18	33	48	99+
TOTAL 65-69 YRS	4564	12.3	172	1	2	8	16	28	41	80
70-74	4634	13.0	186	1	2	9	16	30	43	90
75-79	4098	14.0	204	1	2	10	18	32	46	99
80-84	3344	14.4	219	2	2	10	18	35	50	99+
85+	3694	14.1	218	2	2	10	18	34	52	99+
GRAND TOTAL	**20334**	**13.5**	**198**	**1**	**2**	**9**	**17**	**31**	**46**	**99**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	121	12.5	166	<1	1	9	17	27	38	61
70-74	119	10.2	117	1	1	7	16	23	27	55
75-79	93	10.5	53	2	2	9	15	22	23	31
80-84	73	14.0	145	1	2	12	18	31	41	90
85+	61	14.8	130	1	2	13	21	31	35	49
2. MULTIPLE DX										
65-69 YRS	635	20.1	253	3	4	16	28	45	57	99+
70-74	703	20.5	257	3	4	17	28	44	58	99+
75-79	642	20.7	223	2	5	18	28	42	51	84
80-84	476	22.6	284	4	6	19	31	47	66	99+
85+	395	22.5	269	4	6	19	29	50	59	99+
TOT. SINGLE DX	467	12.0	125	1	2	9	17	25	33	57
" MULTIPLE DX	2851	21.1	256	3	5	18	28	45	57	99+
TOTAL 65-69 YRS	756	18.9	248	2	3	15	26	43	57	99+
70-74	822	19.0	250	2	3	16	26	42	53	94
75-79	735	19.4	213	2	4	16	26	40	49	80
80-84	549	21.4	274	3	5	17	29	45	59	99+
85+	456	21.5	257	3	5	18	29	46	56	99
GRAND TOTAL	**3318**	**19.8**	**247**	**2**	**4**	**16**	**27**	**43**	**54**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	5.2	30	<1	1	4	7	12	20	22
70-74	24	10.4	129	1	1	6	15	26	38	42
75-79	15	7.3	39	<1	2	4	12	18	19	20
80-84	6	7.5	78	<1	<1	4	10	23	24	24
85+	10	5.9	34	1	1	4	10	15	18	18
2. MULTIPLE DX										
65-69 YRS	130	15.7	270	1	2	11	23	39	54	99+
70-74	132	19.5	419	1	2	12	28	60	79	99+
75-79	96	18.2	350	2	2	12	28	47	69	99+
80-84	76	26.9	584	3	5	20	34	78	90	99+
85+	53	21.1	379	2	3	16	27	53	80	99+
TOT. SINGLE DX	77	7.5	69	<1	1	5	9	19	24	41
" MULTIPLE DX	487	19.6	397	1	2	14	28	55	77	99+
TOTAL 65-69 YRS	152	14.2	249	1	1	8	20	38	52	99+
70-74	156	18.1	384	1	2	11	27	57	77	99+
75-79	111	16.7	322	2	2	10	26	43	65	99+
80-84	82	25.4	571	2	4	19	32	76	90	99+
85+	63	18.7	354	1	2	13	24	44	69	99
GRAND TOTAL	**564**	**17.9**	**369**	**1**	**2**	**12**	**26**	**52**	**74**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	157	2.4	5	<1	1	2	3	5	6	11
70-74	93	3.5	65	<1	<1	2	3	6	8	53
75-79	47	3.3	15	<1	1	2	3	6	13	22
80-84	18	2.2	1	<1	1	2	3	3	4	5
85+	13	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
65-69 YRS	461	8.8	131	1	1	5	10	21	32	89
70-74	417	10.3	110	1	2	8	13	23	34	79
75-79	392	11.6	119	2	2	8	15	28	39	99+
80-84	299	13.3	224	2	3	9	16	35	55	99+
85+	264	15.4	244	3	4	11	18	41	77	99+
TOT. SINGLE DX	328	2.9	24	<1	1	2	3	5	7	22
" MULTIPLE DX	1833	11.4	160	1	2	8	14	27	44	99+
TOTAL 65-69 YRS	618	7.2	107	1	1	3	9	18	25	75
70-74	510	9.0	109	1	1	6	12	21	32	72
75-79	439	10.7	115	1	2	7	14	26	39	99+
80-84	317	12.7	218	2	2	8	15	34	54	99+
85+	277	14.8	241	2	3	10	18	40	75	99+
GRAND TOTAL	**2161**	**10.1**	**149**	**1**	**1**	**7**	**13**	**24**	**39**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	4.6	16	1	1	3	6	12	14	14
70-74	12	3.8	14	1	1	2	5	9	13	14
75-79	15	3.3	3	1	1	3	4	4	8	9
80-84	7	4.9	7	2	2	4	7	9	9	9
85+	2	11.5	13	9	9	11	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	161	10.5	88	1	3	9	13	20	26	47
70-74	179	10.9	80	2	3	9	15	20	26	67
75-79	161	10.5	65	3	3	8	13	22	26	43
80-84	89	12.1	136	3	3	9	14	21	29	74
85+	60	10.5	38	3	4	8	14	19	23	29
TOT. SINGLE DX	55	4.4	13	1	1	3	5	9	14	14
" MULTIPLE DX	650	10.8	82	2	3	9	13	20	26	48
TOTAL 65-69 YRS	180	9.9	84	1	2	8	13	20	25	45
70-74	191	10.5	79	1	3	8	14	20	25	64
75-79	176	9.8	64	2	3	8	12	20	25	43
80-84	96	11.6	130	3	3	9	13	20	28	72
85+	62	10.5	37	3	4	9	14	19	23	29
GRAND TOTAL	**705**	**10.3**	**80**	**2**	**3**	**8**	**13**	**20**	**25**	**46**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	977	3.6	18	1	1	2	4	8	12	22
70-74	610	3.8	16	1	1	2	5	9	13	20
75-79	274	3.8	16	1	1	2	4	9	11	21
80-84	99	3.6	13	1	1	2	5	8	11	20
85+	29	5.5	23	1	1	3	10	14	14	14
2. MULTIPLE DX										
65-69 YRS	2600	7.4	54	1	1	5	10	17	22	35
70-74	2017	8.3	62	1	2	6	11	18	23	39
75-79	1230	9.3	88	1	1	6	12	21	27	48
80-84	504	10.5	95	2	2	8	14	23	30	58
85+	181	10.5	69	2	2	8	15	21	28	45
TOT. SINGLE DX	1989	3.7	17	1	1	2	4	9	12	21
" MULTIPLE DX	6532	8.3	68	1	1	6	11	19	24	41
TOTAL 65-69 YRS	3577	6.3	48	1	1	4	8	15	20	34
70-74	2627	7.2	55	1	1	5	10	16	21	37
75-79	1504	8.3	80	1	1	5	11	19	26	45
80-84	603	9.4	89	1	2	7	13	21	28	54
85+	210	9.8	66	1	2	8	14	20	27	44
GRAND TOTAL	**8521**	**7.3**	**60**	**1**	**1**	**4**	**10**	**17**	**22**	**38**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	815	3.4	11	1	1	2	4	7	9	18
70-74	749	3.8	23	1	1	2	4	8	10	30
75-79	450	3.7	18	1	1	2	4	8	11	20
80-84	199	3.6	29	1	1	2	4	7	10	25
85+	65	4.1	9	1	1	3	6	9	11	14
2. MULTIPLE DX										
65-69 YRS	4474	7.0	56	1	2	5	9	14	19	38
70-74	4540	7.2	52	1	2	5	9	14	19	39
75-79	3417	7.7	63	1	2	6	10	15	21	41
80-84	1691	7.9	60	1	2	6	10	15	20	41
85+	694	8.4	60	2	2	6	10	16	22	40
TOT. SINGLE DX	2278	3.6	18	1	1	2	4	7	10	21
" MULTIPLE DX	14816	7.4	57	1	2	5	9	15	20	40
TOTAL 65-69 YRS	5289	6.5	51	1	2	4	8	13	18	35
70-74	5289	6.8	50	1	2	5	9	14	19	38
75-79	3867	7.2	60	1	2	5	9	15	20	41
80-84	1890	7.4	59	1	2	6	9	15	19	39
85+	759	8.0	58	1	2	6	10	16	21	39
GRAND TOTAL	**17094**	**6.9**	**54**	**1**	**2**	**5**	**9**	**14**	**19**	**38**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	3.5	8	1	1	2	5	8	10	13
70-74	40	2.6	7	1	1	2	2	5	9	15
75-79	13	2.4	3	<1	<1	2	3	6	6	6
80-84	4	1.8	2	<1	<1	1	3	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	639	5.5	30	1	1	3	8	12	15	26
70-74	413	5.7	25	<1	1	4	8	12	15	26
75-79	162	7.2	40	1	1	5	11	16	21	37
80-84	27	5.6	14	1	1	5	8	11	13	14
85+	5	15.8	150	1	1	15	21	35	35	35
TOT. SINGLE DX	146	3.1	8	1	1	2	4	7	9	14
" MULTIPLE DX	1246	5.8	31	1	1	4	8	12	16	26
TOTAL 65-69 YRS	728	5.3	28	1	1	3	7	12	14	25
70-74	453	5.4	25	<1	1	4	7	11	14	26
75-79	175	6.8	39	1	1	5	10	15	20	36
80-84	31	5.1	14	1	1	4	8	10	13	14
85+	5	15.8	151	1	1	15	21	35	35	35
GRAND TOTAL	**1392**	**5.6**	**29**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1078	4.4	18	1	1	2	6	11	13	18
70-74	861	4.3	14	1	1	2	6	10	12	17
75-79	585	4.6	21	1	1	2	7	10	14	20
80-84	313	5.1	21	1	1	3	7	11	14	23
85+	175	6.0	27	1	1	5	9	13	15	22
2. MULTIPLE DX										
65-69 YRS	6424	7.8	59	1	2	6	10	16	21	41
70-74	6230	7.9	56	1	2	6	11	16	21	37
75-79	4689	8.6	64	1	2	7	11	17	23	43
80-84	2868	9.8	72	2	2	8	13	19	25	47
85+	1739	10.2	79	2	2	8	13	21	27	54
TOT. SINGLE DX	3012	4.6	19	1	1	3	7	11	13	20
" MULTIPLE DX	21950	8.5	64	1	2	7	11	17	22	42
TOTAL 65-69 YRS	7502	7.3	55	1	2	5	10	15	20	39
70-74	7091	7.5	53	1	2	6	10	15	20	37
75-79	5274	8.2	61	1	2	6	11	17	22	40
80-84	3181	9.3	70	1	2	8	12	18	24	43
85+	1914	9.8	76	2	2	8	13	20	26	50
GRAND TOTAL	**24962**	**8.0**	**60**	**1**	**2**	**6**	**11**	**16**	**22**	**40**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6666	5.8	29	1	2	4	7	11	15	27
70-74	5754	6.1	32	1	2	5	8	12	15	29
75-79	4630	6.5	35	1	2	5	8	12	16	30
80-84	3325	6.8	35	2	2	5	9	13	17	30
85+	2557	7.0	43	2	2	5	8	13	18	34
2. MULTIPLE DX										
65-69 YRS	73905	8.2	50	2	3	6	10	15	20	37
70-74	81960	8.6	55	2	3	7	10	16	22	40
75-79	77944	9.1	60	2	3	7	11	17	23	43
80-84	62895	9.5	68	2	3	7	12	18	24	47
85+	55127	9.9	74	2	3	8	12	19	25	51
TOT. SINGLE DX	22932	6.3	34	1	2	5	8	12	16	29
" MULTIPLE DX	351831	9.0	61	2	3	7	11	17	23	43
TOTAL 65-69 YRS	80571	8.0	49	2	2	6	10	15	20	37
70-74	87714	8.5	55	2	3	7	10	16	21	40
75-79	82574	8.9	59	2	3	7	11	17	22	43
80-84	66220	9.4	68	2	3	7	11	18	24	47
85+	57684	9.8	73	2	3	8	12	18	24	51
GRAND TOTAL	**374763**	**8.8**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1622	7.3	50	1	2	6	9	14	19	38
70-74	1495	7.5	57	1	2	6	9	14	20	45
75-79	1070	7.9	69	2	2	6	10	15	21	43
80-84	743	8.3	61	2	2	6	10	15	20	50
85+	750	7.6	44	2	2	6	10	14	19	32
2. MULTIPLE DX										
65-69 YRS	14542	9.2	69	2	3	7	11	17	24	46
70-74	16004	9.7	73	2	3	7	12	18	25	47
75-79	14979	10.0	75	2	3	8	12	19	26	49
80-84	12165	10.5	83	2	3	8	13	20	27	53
85+	12207	10.7	83	3	3	8	13	20	28	58
TOT. SINGLE DX	5680	7.7	56	1	2	6	9	14	20	42
" MULTIPLE DX	69897	10.0	77	2	3	8	12	19	26	50
TOTAL 65-69 YRS	16164	9.0	68	2	3	7	11	17	24	45
70-74	17499	9.5	73	2	3	7	11	18	25	46
75-79	16049	9.9	76	2	3	8	12	19	26	49
80-84	12908	10.4	82	2	3	8	13	20	27	53
85+	12957	10.5	82	2	3	8	13	20	27	56
GRAND TOTAL	**75577**	**9.8**	**76**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2723	6.0	32	1	2	4	8	12	15	29
70-74	2384	6.1	33	1	2	5	8	12	15	30
75-79	1907	6.1	29	1	2	5	8	12	15	26
80-84	1241	6.7	43	1	2	5	8	13	17	31
85+	1116	6.6	48	1	2	5	8	13	18	42
2. MULTIPLE DX										
65-69 YRS	35463	7.7	44	2	2	6	10	15	19	34
70-74	39591	8.2	49	2	3	6	10	15	20	37
75-79	36531	8.6	55	2	3	7	11	16	21	40
80-84	29086	8.9	60	2	3	7	11	17	22	43
85+	26574	9.3	66	2	3	7	11	17	23	47
TOT. SINGLE DX	9371	6.2	35	1	2	5	8	12	15	30
" MULTIPLE DX	167245	8.5	54	2	3	7	10	16	21	40
TOTAL 65-69 YRS	38186	7.6	44	2	2	6	10	14	19	34
70-74	41975	8.1	49	2	2	6	10	15	20	37
75-79	38438	8.5	54	2	3	7	10	16	21	40
80-84	30327	8.8	60	2	3	7	11	17	22	42
85+	27690	9.2	66	2	3	7	11	17	23	47
GRAND TOTAL	176616	8.4	54	2	3	7	10	16	21	39

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD 9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurys embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Titie
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's rhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number **Title**

- Incision (and drainage) (continued)
  - 626 Retroperitoneal abscess
  - 651 Scrotum
  - Sinus (nasal) — *see Sinusotomy*
  - 748 Skin, except pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
  - 506 Spinal meninges
  - 726 Tendon
  - 569 Thorax
  - 633 Ureter
  - 682 Vagina
  - 683 Vulva
- 690 Induction of labor (medical or surgical) for delivery
- Injection
  - 694 Intra-amniotic, for termination of pregnancy
  - 763 Therapeutic agent (drugs)
    - 745 Breast
    - 741 Bursa
    - 741 Joint
    - 741 Tendon
- 686 Insemination, artificial
- Insertion
  - 574 Cardiac pacemaker
  - 686 Intrauterine contraceptive device
  - 679 Laminaria, uterus
- 666 Insufflation, fallopian tubes
- 694 Intra-amniotic injection for termination of pregnancy
- 758 Intravenous pyelogram (IVP)
- 764 Intubation, nonoperative
- 764 Irrigation, nonoperative
- 758 IVP (intravenous pyelogram)

- Laceration repair (suture) — *see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 717 Excision of intervertebral disc
- 628 Laparoscopy, except for tubal ligation
  - 664 Tubal ligation
- 627 Laparotomy, exploratory
- 560 Laryngectomy, except partial
  - 559 Partial
- 576 Laryngoscopy

OPERATION INDEX (continued)

Group Number **Title**

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3550-1.14-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

PED LENGTH OF STAY BY DIAGNOSIS BY OPERATION

UNITED STATES

Pediatric

1984



Pediatric Length of Stay by Diagnosis and Operation, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 16
  Summary of All Patients Except Newborn 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	**3**		**17**
broncho-, organism not specified	**3**		**179**
chronic, interstitial	**3**		**186**
lobar	**3**		**179**
organism or type not specified	**3**		**179**
pneumococcal	**3**		**179**
viral	**3**		**179**
Criteria for admission (for above 7)			
1. ***Respiratory distress (cyanosis, dyspnea at rest, tachypnea $>$ 40 resp/min, $PO_2 < 50$)***			
2. ***Complicating respiratory disease e.g., emphysema, COPD, asthma***			
3. ***Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease***			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia **INDEX TO DISEASES**

Pleurodynia — *continued*
  epidemic 074.1
  viral 074.1
Pleurohepatitis 573.8
Pleuropericarditis *(see also* Pericarditis) 423.9
  acute 420.90
Pleuropneumonia (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  chronic *(see also* Fibrosis, lung) 515
Pleurorrhea *(see also* Hydrothorax) 511.8
Plexitis, brachial 353.0
Plica
  polonica 132.0
  tonsil 474.8
Plicae dysphonia ventricularis 784.49
Plicated tongue 529.5
  congenital 750.13
Plug
  bronchus NEC 519.1
  meconium (newborn) NEC 777.1
  mucus — *see* Mucus, plug
Plumbism 984.9
  specified type of lead — *see* Table of drugs and chemicals
Plummer's disease (toxic nodular goiter) 242.3
Plummer-Vinson syndrome (sideropenic dysphagia) 280.8
Pluricarential syndrome of infancy 260
Plurideficiency syndrome of infancy 260
Plus (and minus) hand (intrinsic) 736.09
Pneumathemia — *see* Air, embolism, by type
Pneumatic drill or hammer disease 994.9
Pneumatocele (lung) 518.8
  intracranial 348.8
  tension 492.0
Pneumatosis
  cystoides intestinalis 569.89
  peritonei 568.89
  pulmonum 492.8
Pneumaturia 599.8
Pneumoblastoma (M8981/3) — *see* Neoplasm, lung, malignant
Pneumocephalus 348.8
Pneumococcemia 038.2
  with pneumonia 481
Pneumococcus, pneumococcal — *see* condition
Pneumoconiosis (due to) (inhalation of) 505
  aluminum 503
  asbestos 501
  bagasse 495.1
  bauxite 503
  beryllium 503
  carbon electrode makers' 503
  coal
    miners' (simple) 500
    workers' (simple) 500
  cotton dust 504
Pneumoconiosis (due to) (inhalation of) — *continued*
  diatomite fibrosis 502
  dust NEC 504
    inorganic 503
    lime 502
    marble 502
    organic NEC 504
  fumes or vapors (from silo) 506.9
  graphite 503
  hard metal 503
  mica 502
  moldy hay 495.0
  rheumatoid 714.81
  silica NEC 502
    and carbon 500
  silicate NEC 502
  talc 502
Pneumocystis carinii pneumonia 136.3
Pneumocystosis 136.3
  with pneumonia 136.3
Pneumoenteritis 025
Pneumohemopericardium *(see also* Pericarditis) 423.9
Pneumohemothorax *(see also* Hemothorax) 511.8
  traumatic 860.4
    with open wound into thorax 860.5
Pneumohydropericardium *(see also* Pericarditis) 423.9
Pneumohydrothorax *(see also* Hydrothorax) 511.8
Pneumomediastinum 518.1
  congenital 770.2
  fetus or newborn 770.2
Pneumomycosis 117.9
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
  with influenza, flu, or grippe 487.0
  adenoviral 480.0
  adynamic 514
  alba 090.0
  allergic 518.3
  alveolar — *see* Pneumonia, lobar
  anthrax 022.1 *[484.5]*
  apex, apical — *see* Pneumonia, lobar
  ascaris 127.0
  aspiration 507.0

588

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. *Operated*										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32232	4.7	8	2	2	4	6	8	10	14
B. *Operated*	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	27446	5.5	15	2	2	5	7	10	12	19
B. *Operated*	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables Diagnosis Groups

1,662 Hospitals, United States, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	469311	2.8	2	1	1	3	3	4	5	7
1-11 MOS	40331	3.6	9	1	1	3	4	6	8	14
1-5 YRS	86262	3.1	9	1	1	2	4	6	7	15
6-12 YRS	55822	3.5	27	1	1	2	4	6	8	28
13-19 YRS	134194	3.7	39	<1	1	2	4	6	9	37
B. *Operated*										
0-27 DYS	1738	4.7	30	1	1	3	5	9	13	26
1-11 MOS	13276	3.5	17	<1	<1	2	4	7	10	20
1-5 YRS	53970	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	68611	2.7	12	<1	<1	2	3	5	8	17
13-19 YRS	156614	3.0	8	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	292321	4.3	22	1	2	3	5	6	9	24
1-11 MOS	68512	4.5	17	1	1	3	5	8	11	20
1-5 YRS	128184	3.8	15	1	1	3	4	7	9	18
6-12 YRS	63017	4.5	54	1	1	3	5	8	12	52
13-19 YRS	123641	6.0	98	1	1	3	5	12	26	62
B. *Operated*										
0-27 DYS	12174	17.5	397	2	3	10	25	54	79	99+
1-11 MOS	13142	7.6	109	<1	1	4	9	18	28	68
1-5 YRS	51199	4.0	44	<1	<1	2	4	9	15	35
6-12 YRS	46100	4.3	48	<1	1	2	4	10	16	38
13-19 YRS	118113	5.0	47	1	1	3	5	9	15	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785920	3.1	11	1	1	3	3	5	6	14
B. *Operated*	294209	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	675675	4.5	37	1	1	3	5	7	11	36
B. *Operated*	240728	5.5	76	<1	1	3	6	11	20	54
1. SINGLE DX	1080129	3.0	11	<1	1	2	3	5	6	14
2. MULTIPLE DX	916403	4.8	48	1	1	3	5	8	14	42
A. NOT OPERATED	1461595	3.7	24	1	1	3	4	6	8	26
B. OPERATED	534937	4.0	41	<1	1	2	4	8	12	36
TOTAL 0-27 DYS	775544	3.6	19	1	1	3	4	5	7	21
1-11 MOS	135261	4.4	25	1	1	3	5	8	11	25
1-5 YRS	319615	3.4	18	<1	1	2	4	7	9	21
6-12 YRS	233550	3.7	34	<1	1	2	4	7	11	32
13-19 YRS	532562	4.3	47	<1	1	3	4	8	12	42
GRAND TOTAL	**1996532**	**3.8**	**29**	**1**	**1**	**3**	**4**	**6**	**9**	**29**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12759	3.3	11	1	1	2	4	6	8	17
1-11 MOS	40331	3.6	9	1	1	3	4	6	8	14
1-5 YRS	86262	3.1	9	1	1	2	4	6	7	15
6-12 YRS	55822	3.5	27	1	1	2	4	6	8	28
13-19 YRS	134194	3.7	39	<1	1	2	4	6	9	37
B. *Operated*										
0-27 DYS	1531	4.5	23	1	1	3	5	9	12	23
1-11 MOS	13276	3.5	17	<1	<1	2	4	7	10	20
1-5 YRS	53970	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	68611	2.7	12	<1	<1	2	3	5	8	17
13-19 YRS	156614	3.0	8	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10229	6.1	61	1	2	4	7	13	20	43
1-11 MOS	68512	4.5	17	1	1	3	5	8	11	20
1-5 YRS	128184	3.8	15	1	1	3	4	7	9	18
6-12 YRS	63017	4.5	54	1	1	3	5	8	12	52
13-19 YRS	123641	6.0	98	1	1	3	5	12	26	62
B. *Operated*										
0-27 DYS	1791	12.9	241	1	2	7	15	32	56	99+
1-11 MOS	13142	7.6	109	<1	1	4	9	18	28	68
1-5 YRS	51199	4.0	44	<1	<1	2	4	9	15	35
6-12 YRS	46100	4.3	48	<1	1	2	4	10	16	38
13-19 YRS	118113	5.0	47	1	1	3	5	9	15	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329368	3.5	25	1	1	2	4	6	8	25
B. *Operated*	294002	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	393583	4.8	50	1	1	3	5	8	13	43
B. *Operated*	230345	4.9	53	<1	1	3	5	10	16	41
1. SINGLE DX	623370	3.2	18	<1	1	2	4	6	8	20
2. MULTIPLE DX	623928	4.8	51	1	1	3	5	9	14	43
A. NOT OPERATED	722951	4.2	39	1	1	3	4	7	11	36
B. OPERATED	524347	3.7	30	<1	1	2	4	7	11	28
TOTAL 0-27 DYS	26310	5.1	53	1	1	3	5	10	16	41
1-11 MOS	135261	4.4	25	1	1	3	5	8	11	25
1-5 YRS	319615	3.4	18	<1	1	2	4	7	9	21
6-12 YRS	233550	3.7	34	<1	1	2	4	7	11	32
13-19 YRS	532562	4.3	47	<1	1	3	4	8	12	42
GRAND TOTAL	**1247298**	**4.0**	**35**	**<1**	**1**	**3**	**4**	**7**	**11**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	202	3.6	5	1	1	3	4	5	8	15
1-11 MOS	1685	3.6	8	1	2	3	4	6	8	14
1-5 YRS	2452	3.0	3	1	1	3	4	5	6	10
6-12 YRS	1412	2.5	3	1	1	2	3	4	6	9
13-19 YRS	1455	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	5	5.8	11	3	3	4	8	11	11	11
1-11 MOS	16	6.7	43	1	2	5	7	14	23	27
1-5 YRS	17	4.6	14	1	1	4	6	8	13	16
6-12 YRS	32	3.9	8	2	2	3	4	6	7	17
13-19 YRS	61	4.5	6	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	194	4.6	11	1	2	4	5	8	10	19
1-11 MOS	3504	4.0	8	1	2	3	5	7	9	14
1-5 YRS	5632	3.4	6	1	1	3	4	6	7	12
6-12 YRS	1859	3.0	4	1	1	3	4	5	7	10
13-19 YRS	1580	3.1	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	5	15.0	202	3	3	7	27	35	35	35
1-11 MOS	87	11.2	139	3	3	6	15	26	33	66
1-5 YRS	101	9.1	113	2	2	5	10	23	32	57
6-12 YRS	37	6.6	88	1	1	5	7	12	15	58
13-19 YRS	71	5.0	9	2	2	4	7	10	11	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7206	3.0	5	1	1	3	4	5	7	10
B. *Operated*	131	4.7	12	1	2	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	12769	3.5	6	1	1	3	4	6	8	13
B. *Operated*	301	8.5	99	2	2	5	9	21	30	59
1. SINGLE DX	7337	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX	13070	3.6	9	1	1	3	4	6	8	14
A. NOT OPERATED	19975	3.3	6	1	1	3	4	6	7	12
B. OPERATED	432	7.4	76	2	2	5	7	16	26	56
TOTAL 0-27 DYS	406	4.2	11	1	2	4	5	7	9	22
1-11 MOS	5292	4.0	11	1	2	3	5	7	9	16
1-5 YRS	8202	3.3	7	1	1	3	4	6	7	12
6-12 YRS	3340	2.8	5	1	1	2	3	5	6	10
13-19 YRS	3167	3.0	5	1	1	2	4	5	7	11
GRAND TOTAL	**20407**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.9	49	1	1	5	7	19	22	22
1-5 YRS	43	5.5	14	1	2	4	7	10	12	20
6-12 YRS	14	7.9	88	2	2	5	7	21	33	37
13-19 YRS	26	12.8	126	2	2	9	17	33	39	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	6	1	1	3	6	7	7	7
6-12 YRS										
13-19 YRS	6	10.8	29	5	5	10	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	6.4	16	3	3	5	10	12	12	12
1-5 YRS	16	10.4	166	1	1	4	16	24	42	50
6-12 YRS	4	12.8	172	4	4	7	21	32	32	32
13-19 YRS	21	10.7	51	1	3	10	15	18	24	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	9.2	40	2	2	9	12	18	19	19
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	6	19.8	133	6	6	20	30	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	8.1	68	1	2	5	8	18	24	40
B. *Operated*	12	7.3	30	1	1	6	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	46	10.3	93	1	3	7	15	19	31	50
B. *Operated*	13	14.2	102	2	4	12	20	31	34	35
1. SINGLE DX	102	8.0	63	1	2	5	9	17	23	40
2. MULTIPLE DX	59	11.1	96	1	3	8	16	23	32	49
A. NOT OPERATED	136	8.8	77	1	2	6	11	19	29	43
B. OPERATED	25	10.8	77	1	2	8	16	21	31	35
TOTAL 0-27 DYS										
1-11 MOS	12	6.7	33	1	2	5	8	15	21	22
1-5 YRS	71	6.7	52	1	2	4	7	14	19	45
6-12 YRS	19	9.0	96	2	3	5	9	27	35	37
13-19 YRS	59	12.6	93	2	3	10	17	28	35	42
GRAND TOTAL	**161**	**9.1**	**77**	**1**	**2**	**6**	**12**	**19**	**30**	**42**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	11.8	202	3	3	5	19	33	33	33
6-12 YRS	3	16.7	482	3	3	5	33	42	42	42
13-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	3.5	11	<1	<1	2	4	8	11	13
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	4	5.0	9	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	6	18.3	351	2	2	14	25	48	51	51
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	6	7.2	39	2	2	6	11	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	2	55.0	1250	30	30	55	80	80	80	80
1-5 YRS	9	14.9	265	1	2	10	17	43	53	53
6-12 YRS	4	8.3	32	2	2	9	13	13	13	13
13-19 YRS	6	7.5	98	1	1	4	8	25	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	12.0	220	<1	1	5	16	38	42	42
B. *Operated*	22	3.9	10	<1	1	3	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	16	10.9	167	2	2	7	14	25	43	51
B. *Operated*	21	15.3	384	1	1	8	17	39	65	80
1. SINGLE DX	31	6.2	80	<1	1	4	7	11	32	42
2. MULTIPLE DX	37	13.4	288	1	2	7	15	30	52	80
A. NOT OPERATED	25	11.3	178	1	2	6	12	33	44	51
B. OPERATED	43	9.5	221	<1	1	4	10	27	38	80
TOTAL 0-27 DYS										
1-11 MOS	4	30.3	1235	4	4	18	55	80	80	80
1-5 YRS	35	9.9	176	<1	1	4	11	28	46	53
6-12 YRS	11	9.3	133	2	2	5	11	25	41	42
13-19 YRS	18	6.6	45	<1	1	4	9	15	23	27
GRAND TOTAL	**68**	**10.1**	**203**	**1**	**1**	**5**	**10**	**28**	**43**	**75**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	11	1	1	2	5	8	8	8
1-11 MOS	31	3.6	3	1	2	3	5	6	7	8
1-5 YRS	247	2.5	2	1	1	2	3	5	5	6
6-12 YRS	282	2.5	2	1	1	2	3	4	5	7
13-19 YRS	212	3.1	2	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	1.6		1	1	2	2	3	3	3
6-12 YRS	39	1.5		1	1	2	2	2	2	2
13-19 YRS	29	1.9	3	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.7	2	2	2	4	5	6	6	6
1-11 MOS	63	3.4	3	1	2	3	4	6	7	11
1-5 YRS	678	3.1	5	1	1	3	4	5	6	11
6-12 YRS	762	2.8	4	1	1	2	3	5	6	9
13-19 YRS	538	3.3	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	32	2.0	2	1	1	2	2	4	6	7
6-12 YRS	44	2.1	2	1	1	2	2	4	5	6
13-19 YRS	25	2.9	4	1	1	2	4	6	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776	2.7	2	1	1	2	3	5	5	7
B. *Operated*	85	1.7	1	1	1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	2048	3.1	4	1	1	3	4	5	6	10
B. *Operated*	102	2.3	3	1	1	2	3	5	6	8
1. SINGLE DX	861	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2150	3.0	4	1	1	3	4	5	6	9
A. NOT OPERATED	2824	3.0	4	1	1	3	4	5	6	9
B. OPERATED	187	2.0	2	1	1	2	2	4	5	8
TOTAL 0-27 DYS	11	3.5	5	1	1	3	5	7	8	8
1-11 MOS	95	3.5	3	1	2	3	4	6	7	10
1-5 YRS	974	2.9	4	1	1	2	4	5	6	9
6-12 YRS	1127	2.6	3	1	1	2	3	4	5	8
13-19 YRS	804	3.2	3	1	1	3	4	5	6	10
GRAND TOTAL	**3011**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	234	5.5	13	1	2	4	8	11	12	15
1-11 MOS	554	4.5	9	1	2	4	6	9	11	15
1-5 YRS	498	4.5	8	1	2	4	6	9	10	13
6-12 YRS	46	5.4	23	1	2	4	7	11	13	29
13-19 YRS	35	6.0	19	2	2	5	7	11	14	23
B. *Operated*										
0-27 DYS	6	4.7	12	2	2	3	6	10	11	11
1-11 MOS	13	10.2	111	2	3	6	12	26	37	40
1-5 YRS	12	8.3	23	2	3	8	11	16	17	17
6-12 YRS	3	12.3	4	10	10	13	14	14	14	14
13-19 YRS	2	11.5	25	8	8	11	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	240	6.6	19	2	2	5	9	12	14	18
1-11 MOS	867	5.8	20	2	2	4	8	11	13	24
1-5 YRS	884	5.9	17	2	2	5	7	11	13	21
6-12 YRS	176	6.9	32	2	2	5	9	13	15	32
13-19 YRS	216	7.7	52	2	2	6	9	14	17	34
B. *Operated*										
0-27 DYS	13	11.8	38	4	4	11	15	20	24	25
1-11 MOS	69	14.0	229	2	3	10	14	26	55	82
1-5 YRS	61	13.2	90	3	4	11	18	25	36	94
6-12 YRS	20	13.3	415	1	3	8	12	23	61	96
13-19 YRS	53	15.1	153	3	4	12	20	33	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	4.8	10	1	2	4	6	10	11	15
B. *Operated*	36	8.9	53	2	2	7	11	15	20	40
2. MULTIPLE DX										
A. *Not Operated*	2383	6.2	23	2	2	5	8	12	14	23
B. *Operated*	216	13.9	174	3	4	10	17	28	42	97
1. SINGLE DX	1403	4.9	12	1	2	4	6	10	11	15
2. MULTIPLE DX	2599	6.8	40	2	2	5	9	12	16	32
A. NOT OPERATED	3750	5.7	19	1	2	4	7	11	13	20
B. OPERATED	252	13.2	160	3	4	10	15	26	36	96
TOTAL 0-27 DYS	493	6.2	17	2	2	5	9	11	14	18
1-11 MOS	1503	5.7	30	1	2	4	7	11	13	27
1-5 YRS	1455	5.8	20	2	2	5	7	11	13	22
6-12 YRS	245	7.2	63	2	2	5	9	13	16	35
13-19 YRS	306	8.8	74	2	3	7	10	17	24	54
GRAND TOTAL	**4002**	**6.1**	**31**	**1**	**2**	**5**	**8**	**11**	**14**	**27**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	38	10.2	40	2	3	10	15	19	23	23
1-11 MOS	288	6.9	25	1	2	6	10	13	16	24
1-5 YRS	235	7.5	15	2	2	7	11	12	14	16
6-12 YRS	85	6.6	20	2	2	5	10	12	13	21
13-19 YRS	135	6.2	16	1	2	5	10	12	13	16
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	12.0	6	8	9	12	13	15	16	16
1-5 YRS	23	6.7	26	<1	1	6	11	13	16	17
6-12 YRS	8	10.1	36	2	3	10	13	19	21	21
13-19 YRS	6	5.7	19	1	1	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	9.9	52	2	2	7	15	21	25	27
1-11 MOS	280	8.2	51	2	2	7	11	14	17	38
1-5 YRS	292	6.9	20	2	2	6	10	12	14	21
6-12 YRS	112	5.8	22	2	2	4	7	11	13	25
13-19 YRS	180	7.7	36	2	3	6	10	14	17	29
B. *Operated*										
0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	36	19.8	205	6	7	15	25	36	47	74
1-5 YRS	35	13.6	59	1	2	12	19	27	32	99+
6-12 YRS	19	11.1	87	2	4	7	15	28	34	35
13-19 YRS	23	9.8	108	3	4	6	11	16	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	7.1	21	2	2	6	10	13	15	22
B. *Operated*	46	8.1	27	1	1	9	11	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	886	7.4	35	2	2	6	10	14	16	28
B. *Operated*	115	14.2	131	2	4	11	19	29	36	83
1. SINGLE DX	827	7.2	21	2	2	7	11	13	15	22
2. MULTIPLE DX	1001	8.2	50	2	2	6	11	15	20	36
A. NOT OPERATED	1667	7.3	28	2	2	6	10	13	15	25
B. OPERATED	161	12.5	109	1	2	11	15	25	35	71
TOTAL 0-27 DYS	63	10.0	42	2	3	9	15	20	23	27
1-11 MOS	612	8.3	56	2	2	7	11	15	20	37
1-5 YRS	585	7.5	22	2	2	7	11	13	15	23
6-12 YRS	224	6.7	29	2	2	5	10	12	16	31
13-19 YRS	344	7.2	33	2	2	6	10	13	15	29
GRAND TOTAL	**1828**	**7.7**	**38**	**2**	**2**	**7**	**11**	**14**	**17**	**31**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	245	4.6	6	2	2	4	5	7	10	15
1-11 MOS	696	3.7	3	2	2	3	4	6	7	10
1-5 YRS	396	4.0	8	1	2	3	5	8	11	15
6-12 YRS	468	3.1	5	1	1	3	4	6	7	13
13-19 YRS	518	3.4	6	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS	11	4.6	3	2	2	4	6	7	8	8
1-11 MOS	11	4.3	4	3	3	3	5	7	10	10
1-5 YRS	8	5.6	7	2	2	5	8	9	9	9
6-12 YRS										
13-19 YRS	5	7.4	35	3	3	5	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	94	4.9	9	2	3	4	6	7	9	20
1-11 MOS	424	4.7	11	1	2	4	5	9	11	18
1-5 YRS	255	4.6	12	1	2	4	5	9	12	19
6-12 YRS	175	3.6	6	1	2	3	4	7	8	13
13-19 YRS	173	3.9	9	1	1	3	4	7	9	19
B. *Operated*										
0-27 DYS	3	13.7	90	4	4	14	21	23	23	23
1-11 MOS	21	7.1	18	2	2	6	10	13	15	16
1-5 YRS	8	16.4	183	3	3	12	22	38	45	45
6-12 YRS	4	7.5	26	4	4	5	10	15	15	15
13-19 YRS	8	23.3	1092	2	3	7	31	81	98	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2323	3.7	5	1	1	3	4	6	8	13
B. *Operated*	35	5.1	9	2	3	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	1121	4.4	10	1	2	4	5	8	11	19
B. *Operated*	44	12.2	263	2	3	7	13	22	44	98
1. SINGLE DX	2358	3.7	6	1	2	3	4	6	8	13
2. MULTIPLE DX	1165	4.7	22	1	2	4	5	9	11	20
A. NOT OPERATED	3444	3.9	7	1	2	3	5	7	9	15
B. OPERATED	79	9.1	161	2	3	5	10	17	23	83
TOTAL 0-27 DYS	353	4.8	8	2	2	4	5	7	10	15
1-11 MOS	1152	4.1	7	1	2	4	5	7	9	15
1-5 YRS	667	4.4	13	1	2	3	5	9	11	19
6-12 YRS	647	3.3	5	1	1	3	4	6	7	13
13-19 YRS	704	3.7	22	1	1	3	4	7	8	19
GRAND TOTAL	**3523**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	27	5.4	24	1	2	4	6	11	19	22
1-11 MOS	267	2.8	1	1	1	3	3	4	5	7
1-5 YRS	452	3.1	5	1	1	3	4	5	6	9
6-12 YRS	140	3.3	6	1	1	3	4	6	8	15
13-19 YRS	172	4.1	6	1	1	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	9	9.3	130	1	1	4	14	29	30	30
6-12 YRS	4	5.5	6	4	4	5	7	9	9	9
13-19 YRS	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	10.2	64	2	2	8	15	23	27	27
1-11 MOS	450	3.4	8	1	2	3	4	5	6	15
1-5 YRS	1195	3.7	6	1	1	3	5	6	8	13
6-12 YRS	457	4.1	9	1	1	3	5	8	10	15
13-19 YRS	346	4.7	10	1	2	4	6	8	10	17
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	9.9	95	3	3	5	12	27	30	30
1-5 YRS	19	7.5	29	2	3	6	9	16	19	22
6-12 YRS	15	16.5	261	2	2	12	30	51	86	99+
13-19 YRS	15	7.0	25	1	1	6	11	18	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	3.3	5	1	1	3	4	6	7	11
B. *Operated*	20	6.5	63	1	2	4	5	19	29	30
2. MULTIPLE DX										
A. *Not Operated*	2468	3.9	8	1	2	3	5	7	9	15
B. *Operated*	57	10.1	107	2	2	6	13	29	50	99+
1. SINGLE DX	1078	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	2525	4.1	11	1	2	3	5	7	9	17
A. NOT OPERATED	3526	3.7	8	1	1	3	5	7	8	14
B. OPERATED	77	9.1	97	2	2	6	12	28	41	99+
TOTAL 0-27 DYS	48	7.5	45	2	2	4	11	19	22	27
1-11 MOS	728	3.3	7	1	2	3	4	5	6	12
1-5 YRS	1675	3.6	7	1	1	3	4	6	8	13
6-12 YRS	616	4.2	18	1	1	3	5	8	10	22
13-19 YRS	536	4.6	10	1	2	4	6	8	10	17
GRAND TOTAL	**3603**	**3.8**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**16**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	5.2	7	2	2	4	8	9	10	10
1-5 YRS	45	4.6	7	2	2	4	6	8	10	14
6-12 YRS	133	4.5	7	1	1	4	6	8	10	12
13-19 YRS	278	6.0	23	2	2	5	7	10	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	9.7	83	1	2	6	14	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.7	7	1	1	4	7	8	8	8
1-5 YRS	36	8.2	232	2	2	4	6	9	30	90
6-12 YRS	64	4.0	6	1	2	4	5	7	8	15
13-19 YRS	169	6.0	22	2	2	5	7	10	14	31
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	14.8	299	2	2	6	24	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.4	17	2	2	5	7	9	11	21
B. *Operated*	10	7.6	67	1	1	5	7	22	27	27
2. MULTIPLE DX										
A. *Not Operated*	276	5.8	46	2	2	4	6	9	13	33
B. *Operated*	8	15.1	206	2	2	11	22	38	44	44
1. SINGLE DX	475	5.4	18	1	2	5	7	9	11	22
2. MULTIPLE DX	284	6.1	52	2	2	4	7	10	15	35
A. NOT OPERATED	741	5.5	28	2	2	5	7	9	12	23
B. OPERATED	18	10.9	135	1	1	6	17	26	37	44
TOTAL 0-27 DYS										
1-11 MOS	18	5.8	21	1	2	4	8	9	17	21
1-5 YRS	83	6.4	109	2	2	4	6	9	17	71
6-12 YRS	199	4.3	7	1	2	4	6	8	9	13
13-19 YRS	459	6.1	27	2	2	5	7	10	13	28
GRAND TOTAL	**759**	**5.7**	**31**	**2**	**2**	**5**	**7**	**9**	**12**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	119	3.2	4	1	1	3	4	5	6	12
6-12 YRS	221	3.7	5	1	1	3	4	7	8	12
13-19 YRS	1328	4.0	7	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	13	<1	<1	6	7	8	8	8
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	11	4.8	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	5.1	6	2	2	4	8	8	8	8
1-5 YRS	207	4.1	5	1	2	4	5	7	8	11
6-12 YRS	363	3.7	5	1	2	3	5	6	7	12
13-19 YRS	2128	4.2	6	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	5.6	9	2	2	5	9	10	10	10
6-12 YRS	10	5.8	16	2	2	4	8	12	14	14
13-19 YRS	56	6.6	21	2	2	5	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1669	3.9	6	1	2	3	5	7	8	12
B. *Operated*	17	4.4	10	<1	1	4	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	2705	4.2	6	1	2	4	5	7	9	12
B. *Operated*	76	6.4	19	2	2	5	9	12	15	23
1. SINGLE DX	1686	3.9	6	1	2	3	5	7	8	12
2. MULTIPLE DX	2781	4.2	6	1	2	4	5	7	9	13
A. NOT OPERATED	4374	4.1	6	1	2	4	5	7	8	12
B. OPERATED	93	6.0	18	1	2	5	8	11	14	22
TOTAL 0-27 DYS										
1-11 MOS	8	4.8	7	2	2	4	7	8	8	8
1-5 YRS	339	3.8	5	1	1	3	5	7	8	11
6-12 YRS	597	3.7	6	1	1	3	5	6	8	12
13-19 YRS	3523	4.2	7	1	2	4	5	7	9	12
GRAND TOTAL	**4467**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**9**	**12**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	10	7.9	390	<1	<1	1	3	34	64	64
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	61	1.6	2	<1	<1	1	2	3	4	10
6-12 YRS	61	1.3		<1	<1	1	1	2	3	3
13-19 YRS	375	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.8	16	1	1	8	9	10	10	10
6-12 YRS	2	7.0	2	6	6	7	8	8	8	8
13-19 YRS	10	2.1	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	3.3	9	<1	<1	2	5	8	9	9
6-12 YRS	8	3.1	32	<1	<1	1	2	12	17	17
13-19 YRS	129	2.4	2	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	324	<1	<1	1	3	22	58	64
B. *Operated*	498	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.9	11	<1	<1	2	7	8	9	10
B. *Operated*	148	2.5	4	<1	<1	2	3	5	6	9
1. SINGLE DX	510	1.8	9	<1	<1	1	2	3	4	6
2. MULTIPLE DX	164	2.7	5	<1	<1	2	3	6	7	10
A. NOT OPERATED	28	5.2	140	<1	<1	2	5	8	15	64
B. OPERATED	646	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	78	2.1	5	<1	<1	1	2	4	8	11
6-12 YRS	71	1.6	5	<1	<1	1	1	3	3	15
13-19 YRS	524	2.1	9	<1	<1	2	2	4	4	7
GRAND TOTAL	**674**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	595	3.2	2	1	2	3	4	5	5	8
1-11 MOS	1664	2.8	2	1	1	3	3	4	5	8
1-5 YRS	1815	2.7	3	1	1	2	3	5	6	9
6-12 YRS	983	2.6	5	1	1	2	3	4	5	10
13-19 YRS	800	2.8	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	15	3.5	2	2	2	3	4	5	7	8
1-11 MOS	20	3.3	2	1	2	3	4	5	6	7
1-5 YRS	46	2.7	5	<1	<1	2	4	6	6	13
6-12 YRS	40	3.6	28	<1	<1	2	4	7	8	34
13-19 YRS	46	3.8	20	<1	<1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	384	3.7	5	2	2	3	4	6	7	13
1-11 MOS	1794	3.2	4	1	1	3	4	5	6	11
1-5 YRS	2799	3.1	5	1	1	3	4	5	6	10
6-12 YRS	1441	3.1	4	1	1	3	4	5	7	10
13-19 YRS	1277	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	18	6.1	62	1	2	4	5	11	26	36
1-11 MOS	44	5.5	44	1	1	3	6	10	16	41
1-5 YRS	53	4.7	22	1	1	4	6	8	14	25
6-12 YRS	48	5.0	19	1	1	4	7	10	12	23
13-19 YRS	89	6.8	67	1	1	4	7	16	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5857	2.8	3	1	1	3	3	5	5	9
B. *Operated*	167	3.4	14	<1	<1	3	4	6	7	24
2. MULTIPLE DX										
A. *Not Operated*	7695	3.2	5	1	1	3	4	5	7	11
B. *Operated*	252	5.7	44	1	1	4	6	11	18	36
1. SINGLE DX	6024	2.8	3	1	1	3	3	5	6	9
2. MULTIPLE DX	7947	3.2	6	1	1	3	4	5	7	12
A. NOT OPERATED	13552	3.0	4	1	1	3	4	5	6	10
B. OPERATED	419	4.8	33	<1	1	3	5	9	15	33
TOTAL 0-27 DYS	1012	3.5	4	2	2	3	4	5	6	11
1-11 MOS	3522	3.0	4	1	1	3	4	5	6	10
1-5 YRS	4713	2.9	5	1	1	2	4	5	6	10
6-12 YRS	2512	2.9	5	1	1	2	4	5	7	10
13-19 YRS	2212	3.3	9	1	1	3	4	6	7	15
GRAND TOTAL	**13971**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	64	4.2	5	1	2	4	6	7	8	10
6-12 YRS	98	4.0	5	1	2	4	5	7	8	12
13-19 YRS	69	4.0	4	2	2	4	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS										
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.8	6	2	2	2	6	7	7	7
1-5 YRS	33	5.2	7	2	2	5	6	9	11	13
6-12 YRS	35	4.5	8	2	2	4	6	9	9	14
13-19 YRS	23	4.1	7	1	1	4	6	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	7	2	2	5	7	7	7	7
6-12 YRS	5	29.4	1094	4	4	10	56	79	79	79
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.0	5	1	2	4	5	7	8	10
B. *Operated*	5	5.0	15	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	97	4.6	7	1	2	4	6	8	10	14
B. *Operated*	10	16.9	662	2	2	6	10	63	79	79
1. SINGLE DX	239	4.0	5	1	2	4	5	7	8	10
2. MULTIPLE DX	107	5.7	76	2	2	4	6	9	11	61
A. NOT OPERATED	331	4.2	6	1	2	4	6	7	9	12
B. OPERATED	15	12.9	464	1	2	6	9	48	71	79
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	4	2	2	2	4	7	7	7
1-5 YRS	103	4.6	6	1	2	4	6	8	9	12
6-12 YRS	138	5.0	60	1	2	4	6	8	10	52
13-19 YRS	96	4.0	4	2	2	4	5	7	8	11
GRAND TOTAL	**346**	**4.6**	**27**	**1**	**2**	**4**	**6**	**8**	**9**	**13**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	7.3	8	2	3	7	9	11	11	12
1-11 MOS	10	4.4	10	2	2	3	6	9	12	12
1-5 YRS	31	5.2	12	1	1	4	7	10	13	14
6-12 YRS	6	6.3	18	2	2	6	10	12	12	12
13-19 YRS	254	4.7	7	2	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.9	1	<1	<1	2	3	4	4	4
6-12 YRS	4	3.5	10	<1	<1	2	5	8	8	8
13-19 YRS	46	3.5	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	8.3	19	1	3	8	10	13	18	19
1-11 MOS	5	13.2	231	2	2	11	19	39	39	39
1-5 YRS	30	5.9	19	2	2	5	9	12	16	16
6-12 YRS	17	5.6	10	1	2	6	9	10	10	10
13-19 YRS	253	5.2	16	2	2	4	6	9	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	7.6	63	<1	<1	5	11	21	21	21
13-19 YRS	42	5.7	13	2	2	5	8	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	5.0	8	2	2	4	6	9	11	14
B. *Operated*	58	3.3	6	<1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	318	5.6	20	2	2	5	7	10	12	20
B. *Operated*	47	5.9	18	2	2	5	8	10	16	21
1. SINGLE DX	389	4.8	8	1	2	4	6	9	11	14
2. MULTIPLE DX	365	5.6	20	2	2	5	7	10	12	21
A. NOT OPERATED	649	5.3	14	2	2	4	7	10	11	16
B. OPERATED	105	4.5	13	1	1	3	6	8	10	20
TOTAL 0-27 DYS	43	7.6	11	2	3	7	9	11	12	19
1-11 MOS	15	7.3	91	2	2	3	10	12	32	39
1-5 YRS	69	5.1	15	1	1	3	7	10	14	16
6-12 YRS	32	5.8	18	<1	1	5	9	10	12	21
13-19 YRS	595	4.9	11	2	2	4	6	8	10	16
GRAND TOTAL	**754**	**5.2**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**16**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	2.2	1	1	1	2	3	4	4	4
1-11 MOS	24	3.5	8	1	1	2	5	6	9	13
1-5 YRS	19	7.9	176	<1	1	4	7	12	39	61
6-12 YRS	22	4.9	18	<1	1	4	6	10	15	20
13-19 YRS	17	4.1	5	1	2	3	5	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	46.0		46	46	46	46	46	46	46
1-5 YRS	10	8.4	120	<1	<1	4	5	29	29	29
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	10	8.8	106	1	1	6	11	24	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.3	4	1	1	3	5	6	7	7
1-11 MOS	88	5.5	41	1	1	4	6	10	15	41
1-5 YRS	114	3.7	17	<1	<1	2	5	8	12	21
6-12 YRS	29	4.6	9	1	1	4	7	9	10	11
13-19 YRS	46	4.0	13	<1	<1	3	5	8	13	17
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	23.7	352	7	7	20	38	44	44	44
1-5 YRS	10	25.3	387	2	3	23	46	53	59	59
6-12 YRS	6	11.3	107	3	3	9	12	29	31	31
13-19 YRS	15	26.6	586	3	4	13	48	63	70	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.8	47	1	1	3	6	8	11	45
B. *Operated*	24	9.4	153	<1	1	4	9	30	39	46
2. MULTIPLE DX										
A. *Not Operated*	291	4.4	23	<1	<1	3	6	9	12	25
B. *Operated*	35	22.9	416	3	3	12	41	57	62	72
1. SINGLE DX	112	5.8	72	1	1	4	6	11	19	52
2. MULTIPLE DX	326	6.4	97	<1	<1	4	7	12	22	57
A. NOT OPERATED	379	4.5	28	<1	<1	3	6	9	12	26
B. OPERATED	59	17.4	349	1	2	9	29	47	58	71
TOTAL 0-27 DYS	21	3.3	6	1	1	3	4	7	8	10
1-11 MOS	116	5.9	63	1	1	4	6	10	20	46
1-5 YRS	153	6.0	93	<1	<1	3	6	12	27	59
6-12 YRS	60	5.3	24	1	1	4	7	10	12	30
13-19 YRS	88	8.4	184	<1	<1	4	7	16	47	69
GRAND TOTAL	**438**	**6.2**	**90**	**<1**	**<1**	**4**	**6**	**11**	**22**	**57**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	13	2.4	2	1	1	2	3	4	5	5
6-12 YRS	22	3.6	12	<1	1	2	4	8	12	16
13-19 YRS	8	6.5	59	1	2	4	6	19	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	11	4.2	2	3	3	4	5	6	7	7
13-19 YRS	8	6.4	33	2	2	5	6	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.2	7	2	2	3	7	7	7	7
1-5 YRS	20	5.9	44	1	1	4	5	19	22	23
6-12 YRS	22	3.3	7	1	1	2	4	6	10	13
13-19 YRS	12	5.0	3	2	2	5	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	18	3.8	3	1	2	3	5	6	7	8
13-19 YRS	7	7.3	46	2	2	6	7	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	18	1	1	3	4	6	11	25
B. *Operated*	20	5.0	14	2	3	4	5	7	14	20
2. MULTIPLE DX										
A. *Not Operated*	59	4.6	19	1	1	3	5	8	15	23
B. *Operated*	27	4.9	15	2	2	4	6	8	10	22
1. SINGLE DX	64	4.2	17	1	1	3	5	7	11	24
2. MULTIPLE DX	86	4.7	18	1	2	4	5	8	14	23
A. NOT OPERATED	103	4.2	19	1	1	3	5	8	14	24
B. OPERATED	47	4.9	15	2	2	4	6	7	10	22
TOTAL 0-27 DYS										
1-11 MOS	7	4.3	5	2	2	4	6	7	7	7
1-5 YRS	35	4.6	29	1	1	3	4	10	20	23
6-12 YRS	73	3.6	7	1	2	3	4	6	8	15
13-19 YRS	35	6.1	29	2	2	5	6	8	21	25
GRAND TOTAL	**150**	**4.5**	**17**	**1**	**1**	**3**	**5**	**8**	**13**	**23**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	6.7	10	1	3	6	9	12	12	12
1-5 YRS	16	3.8	9	1	1	3	5	7	11	12
6-12 YRS	12	4.8	4	2	2	5	6	7	8	8
13-19 YRS	24	4.0	6	1	1	3	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	16	1	1	5	8	9	9	9
6-12 YRS	6	7.7	81	1	1	5	9	23	25	25
13-19 YRS	24	3.8	5	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	38	7.1	20	1	2	7	11	13	15	18
1-5 YRS	70	7.3	99	1	1	6	9	12	16	69
6-12 YRS	40	4.9	9	1	1	4	7	9	11	12
13-19 YRS	63	5.0	13	1	2	4	6	9	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS	3	22.0	700	2	2	12	42	52	52	52
1-5 YRS	7	8.7	49	2	2	8	14	19	20	20
6-12 YRS	7	13.1	148	2	2	9	20	33	36	36
13-19 YRS	21	7.8	28	1	2	7	10	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.7	8	1	1	4	6	9	11	12
B. *Operated*	33	4.6	20	1	1	4	6	9	10	25
2. MULTIPLE DX										
A. *Not Operated*	212	6.1	43	1	1	5	8	11	13	21
B. *Operated*	38	10.1	101	2	2	8	12	19	31	52
1. SINGLE DX	100	4.7	12	1	1	4	6	9	10	19
2. MULTIPLE DX	250	6.7	53	1	1	5	9	12	16	36
A. NOT OPERATED	279	5.8	35	1	1	5	8	11	12	20
B. OPERATED	71	7.5	70	1	1	5	9	18	23	49
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	56	7.8	53	1	2	6	11	12	15	50
1-5 YRS	96	6.8	78	1	1	5	9	12	16	53
6-12 YRS	65	6.0	34	1	1	5	8	10	15	34
13-19 YRS	132	5.0	14	1	2	4	6	9	12	19
GRAND TOTAL	**350**	**6.1**	**42**	**1**	**1**	**5**	**8**	**11**	**15**	**25**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	16.3	180	1	1	22	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	11.0	243	2	2	2	22	29	29	29
13-19 YRS	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	16.3	180	1	1	22	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	6	7.8	118	1	1	3	10	27	29	29
B. *Operated*	4	4.3	5	2	2	4	6	7	7	7
1. SINGLE DX	4	13.3	158	1	1	13	24	26	26	26
2. MULTIPLE DX	10	6.4	71	1	1	3	7	19	29	29
A. NOT OPERATED	7	7.3	101	1	1	3	8	25	29	29
B. OPERATED	7	9.4	104	1	1	5	18	25	26	26
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	4	9.0	178	2	2	3	16	29	29	29
13-19 YRS	7	10.6	94	1	1	7	19	25	26	26
GRAND TOTAL	**14**	**8.4**	**96**	**1**	**1**	**4**	**10**	**26**	**28**	**29**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	3	9.0	19	6	6	7	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	7.8	119	<1	<1	3	14	24	24	24
6-12 YRS	10	12.0	69	1	1	13	16	24	25	25
13-19 YRS	8	3.1	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	12	7.3	157	1	1	3	6	21	42	46
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	10	11.7	66	1	1	10	16	23	28	28
6-12 YRS	4	23.3	1343	1	1	7	43	78	78	78
13-19 YRS	14	7.4	36	1	2	5	9	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	13	1	1	3	6	9	13	14
B. *Operated*	23	7.7	63	<1	1	4	14	23	24	25
2. MULTIPLE DX										
A. *Not Operated*	15	7.1	127	1	1	4	8	11	37	46
B. *Operated*	30	10.8	205	1	1	7	15	19	28	78
1. SINGLE DX	35	6.6	48	1	1	4	7	16	24	25
2. MULTIPLE DX	45	9.6	179	1	1	6	10	18	32	78
A. NOT OPERATED	27	5.9	76	1	1	4	7	11	19	46
B. OPERATED	53	9.5	144	1	1	5	15	20	25	76
TOTAL 0-27 DYS										
1-11 MOS	5	5.0	7	2	2	4	7	9	9	9
1-5 YRS	19	8.3	71	<1	1	4	14	22	26	28
6-12 YRS	19	12.3	306	1	1	7	15	24	54	78
13-19 YRS	37	6.6	67	1	1	4	7	16	18	46
GRAND TOTAL	**80**	**8.3**	**122**	**1**	**1**	**5**	**10**	**18**	**24**	**68**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	11.5	85	5	5	11	18	18	18	18
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	2	11.5	85	5	5	11	18	18	18	18
A. NOT OPERATED										
B. OPERATED	3	8.3	72	2	2	5	15	18	18	18
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
GRAND TOTAL	**3**	**8.3**	**72**	**2**	**2**	**5**	**15**	**18**	**18**	**18**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.7	6	3	3	6	7	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS										
13-19 YRS	3	7.7	30	4	4	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.8	5	3	3	4	6	8	8	8
B. *Operated*	5	11.6	65	4	4	11	16	24	24	24
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	10	8.2	44	3	3	5	11	19	24	24
A. NOT OPERATED	5	4.8	5	3	3	4	6	8	8	8
B. OPERATED	6	11.0	54	4	4	9	14	23	24	24
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	4	6.3	6	3	3	7	8	8	8	8
13-19 YRS	4	6.5	26	3	3	4	9	14	14	14
GRAND TOTAL	11	8.2	40	3	3	6	10	18	23	24

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS	3	16.0	43	9	9	17	21	22	22	22
1-11 MOS	6	19.3	99	8	9	18	18	36	38	38
1-5 YRS	3	11.7	2	10	10	12	13	13	13	13
6-12 YRS	4	10.5	44	3	3	11	16	17	17	17
13-19 YRS	13	9.4	29	2	3	10	12	16	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	5	6.8	13	3	3	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	6	4.2	3	2	2	4	5	7	7	7
B. *Operated*	29	12.5	54	3	4	12	17	20	23	38
1. SINGLE DX	6	6.5	11	3	3	6	10	10	10	10
2. MULTIPLE DX	35	11.1	55	2	3	10	16	18	22	38
A. NOT OPERATED	7	4.3	3	2	2	4	5	7	7	7
B. OPERATED	34	11.7	52	3	3	10	16	19	22	38
TOTAL 0-27 DYS	3	16.0	43	9	9	17	21	22	22	22
1-11 MOS	11	13.2	103	2	3	10	18	26	37	38
1-5 YRS	6	7.8	19	3	3	7	12	13	13	13
6-12 YRS	6	8.0	41	3	3	5	15	17	17	17
13-19 YRS	15	9.3	25	2	4	10	12	14	20	22
GRAND TOTAL	**41**	**10.4**	**51**	**2**	**3**	**10**	**14**	**18**	**22**	**38**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	3	9.3	94	1	1	7	17	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	4	9.8	135	2	2	5	16	27	27	27
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	5	12.4	41	2	2	14	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.3	68	1	1	6	13	20	20	20
B. *Operated*	3	10.3	30	4	4	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	5	9.6	101	2	2	6	13	27	27	27
B. *Operated*	8	11.6	25	2	4	11	15	18	18	18
1. SINGLE DX	7	9.1	45	1	2	7	14	19	20	20
2. MULTIPLE DX	13	10.8	50	2	2	10	15	20	26	27
A. NOT OPERATED	9	9.0	77	1	1	6	12	24	27	27
B. OPERATED	11	11.3	24	2	3	12	14	17	18	18
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	7	4	4	5	8	9	9	9
1-5 YRS	3	11.0	7	9	9	10	13	14	14	14
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	13	10.9	66	1	2	11	17	21	26	27
GRAND TOTAL	**20**	**10.3**	**46**	**1**	**2**	**10**	**14**	**19**	**23**	**27**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	18	1.9	1	<1	<1	2	2	2	4	5
6-12 YRS	7	4.0	21	<1	<1	2	4	12	14	14
13-19 YRS	7	4.7	4	3	3	4	5	8	9	9
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	2	11.5	113	4	4	11	19	19	19	19
1-5 YRS	24	10.1	74	2	2	7	13	24	29	36
6-12 YRS	3	7.3	32	1	1	9	11	12	12	12
13-19 YRS	8	10.0	46	2	3	8	14	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	41	4.1	12	1	1	3	5	10	11	17
6-12 YRS	10	3.5	5	<1	1	3	4	7	9	9
13-19 YRS	7	5.9	19	2	2	5	7	13	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	7	23.7	502	1	3	15	46	56	56	56
1-5 YRS	36	18.0	137	5	7	15	22	36	45	49
6-12 YRS	4	6.5	3	5	5	6	8	8	8	8
13-19 YRS	8	19.5	801	2	2	11	17	67	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.8	6	<1	<1	2	3	5	8	14
B. *Operated*	38	10.1	61	2	2	8	13	22	25	36
2. MULTIPLE DX										
A. *Not Operated*	61	4.0	12	1	1	3	5	9	11	17
B. *Operated*	55	18.1	263	3	5	12	21	36	54	86
1. SINGLE DX	74	6.6	47	<1	1	4	9	15	22	34
2. MULTIPLE DX	116	10.7	179	1	1	6	12	22	36	67
A. NOT OPERATED	97	3.6	10	<1	1	3	4	7	11	16
B. OPERATED	93	14.8	195	2	3	11	18	33	47	74
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	16	12.5	323	1	1	3	17	51	56	56
1-5 YRS	119	9.2	101	1	1	6	12	22	34	49
6-12 YRS	24	4.6	13	<1	1	4	7	10	13	14
13-19 YRS	30	10.3	245	2	2	6	11	17	23	88
GRAND TOTAL	**190**	**9.1**	**132**	**1**	**1**	**5**	**12**	**20**	**33**	**56**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	33.0	288	21	21	33	45	45	45	45
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	15.5	85	9	9	15	22	22	22	22
6-12 YRS	2	21.0	8	19	19	21	23	23	23	23
13-19 YRS	4	24.5	212	10	10	22	35	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	5	18.8	243	7	7	12	27	45	45	45
B. *Operated*	9	19.8	127	7	8	19	24	37	44	44
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	14	19.4	154	7	7	18	23	44	45	45
A. NOT OPERATED	5	18.8	243	7	7	12	27	45	45	45
B. OPERATED	10	18.8	123	7	8	18	23	35	44	44
TOTAL 0-27 DYS										
1-11 MOS	3	24.3	369	7	7	21	39	45	45	45
1-5 YRS	3	12.7	66	7	7	9	19	22	22	22
6-12 YRS	2	21.0	8	19	19	21	23	23	23	23
13-19 YRS	7	18.4	164	9	9	12	24	40	44	44
GRAND TOTAL	**15**	**18.8**	**148**	**7**	**7**	**18**	**23**	**44**	**45**	**45**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.0	18	12	12	15	18	18	18	18
1-5 YRS	2	9.5	1	9	9	9	10	10	10	10
6-12 YRS	3	6.3	12	3	3	6	9	10	10	10
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	8	7.1	15	1	2	7	9	12	13	13
1-5 YRS	3	10.7	112	1	1	9	19	22	22	22
6-12 YRS	2	10.5	85	4	4	10	17	17	17	17
13-19 YRS										
B. *Operated*										
0-27 DYS	3	11.0	61	2	2	15	16	16	16	16
1-11 MOS	8	5.4	28	2	2	4	5	14	18	18
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	4	18.8	301	1	1	16	31	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	9.7	22	3	4	10	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	16	7.9	33	1	1	7	10	17	20	22
B. *Operated*	17	9.5	109	1	2	4	15	20	34	42
1. SINGLE DX	7	9.7	22	3	4	10	12	17	18	18
2. MULTIPLE DX	33	8.8	70	1	2	7	12	18	22	42
A. NOT OPERATED	16	7.9	33	1	1	7	10	17	20	22
B. OPERATED	24	9.6	81	1	2	7	14	18	27	42
TOTAL 0-27 DYS	6	8.3	37	2	2	7	15	16	16	16
1-11 MOS	18	7.2	27	1	2	6	10	16	18	18
1-5 YRS	6	9.2	52	1	1	9	10	21	22	22
6-12 YRS	6	7.8	26	3	3	6	10	16	17	17
13-19 YRS	4	18.8	301	1	1	16	31	42	42	42
GRAND TOTAL	**40**	**8.9**	**61**	**1**	**2**	**7**	**12**	**18**	**21**	**42**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	11	6.3	34	1	1	5	8	15	20	21
6-12 YRS	3	8.0	57	1	1	7	14	16	16	16
13-19 YRS	7	8.7	72	1	1	8	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	9	5.1	5	1	2	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	8	8.4	65	2	2	5	11	22	26	26
1-5 YRS	7	9.0	57	<1	1	8	11	22	24	24
6-12 YRS	4	22.5	804	1	1	13	42	63	63	63
13-19 YRS	12	9.8	45	3	3	8	14	19	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	27	6.8	40	1	1	5	10	16	22	25
2. MULTIPLE DX										
A. *Not Operated*	15	4.5	7	1	1	5	7	8	9	9
B. *Operated*	31	10.9	144	1	2	8	14	25	26	63
1. SINGLE DX	35	5.6	36	1	1	3	8	14	20	25
2. MULTIPLE DX	46	8.8	108	1	1	5	9	20	26	63
A. NOT OPERATED	23	3.4	7	<1	1	3	5	7	8	9
B. OPERATED	58	9.0	98	1	1	7	11	21	25	60
TOTAL 0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	16	5.1	42	1	1	2	5	13	22	26
1-5 YRS	24	5.9	37	<1	1	4	8	13	22	24
6-12 YRS	10	13.0	351	1	1	6	16	42	63	63
13-19 YRS	29	7.8	40	1	2	7	8	15	25	26
GRAND TOTAL	**81**	**7.4**	**78**	**1**	**1**	**5**	**9**	**16**	**24**	**52**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	26	4.2	21	<1	<1	3	4	8	18	19
6-12 YRS	43	4.0	12	<1	1	3	5	6	11	19
13-19 YRS	76	3.4	8	1	1	3	4	5	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS	7	6.4	13	<1	1	6	10	11	11	11
1-5 YRS	50	6.2	25	1	1	5	9	13	15	24
6-12 YRS	80	6.5	35	1	1	5	9	13	14	36
13-19 YRS	126	7.3	53	1	2	5	10	14	18	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	4.5	4	2	2	4	6	7	7	7
1-5 YRS	57	4.2	11	1	1	3	5	8	11	18
6-12 YRS	127	4.8	39	1	1	3	5	9	13	38
13-19 YRS	187	4.5	24	1	1	3	5	10	13	29
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	9.7	63	<1	<1	10	16	21	22	22
1-5 YRS	29	14.3	193	1	2	10	17	30	47	66
6-12 YRS	49	12.5	93	2	3	10	18	25	27	47
13-19 YRS	77	11.4	136	2	2	8	14	24	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.8	12	1	1	3	4	6	8	19
B. *Operated*	263	6.8	41	1	1	5	10	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	378	4.6	26	1	1	3	5	9	13	30
B. *Operated*	163	12.2	128	2	2	9	16	24	33	63
1. SINGLE DX	410	5.7	33	1	1	4	7	12	16	23
2. MULTIPLE DX	541	6.9	69	1	1	4	8	16	22	46
A. NOT OPERATED	525	4.3	22	1	1	3	5	8	12	23
B. OPERATED	426	8.9	81	1	2	6	11	18	24	50
TOTAL 0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	22	6.8	28	<1	1	6	10	13	20	22
1-5 YRS	162	6.6	62	1	1	4	8	14	18	44
6-12 YRS	299	6.4	51	1	1	4	7	14	20	41
13-19 YRS	466	6.2	54	1	2	4	7	13	19	37
GRAND TOTAL	**951**	**6.4**	**54**	**1**	**1**	**4**	**8**	**13**	**19**	**39**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	7	4.0	7	2	2	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	7.0	32	3	3	7	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS										
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	9	4.1	5	1	2	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	3.4	6	2	2	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	5.0	28	<1	<1	3	9	11	11	11
B. *Operated*	13	4.8	11	1	2	3	7	9	12	13
1. SINGLE DX	10	3.4	6	2	2	2	4	7	9	9
2. MULTIPLE DX	16	4.8	13	<1	1	3	7	11	12	13
A. NOT OPERATED	3	5.0	28	<1	<1	3	9	11	11	11
B. OPERATED	23	4.2	9	1	2	3	6	8	10	13
TOTAL 0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	3.0	8	<1	<1	2	4	8	8	8
13-19 YRS	18	4.4	8	1	2	3	6	9	10	11
GRAND TOTAL	**26**	**4.3**	**10**	**1**	**2**	**3**	**6**	**9**	**11**	**13**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.4	2	<1	<1	2	4	5	5	5
1-5 YRS	4	3.0	2	1	1	3	4	4	4	4
6-12 YRS	10	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	15	2.6	5	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS	2	12.5	113	5	5	12	20	20	20	20
1-11 MOS	5	6.8	23	1	1	6	9	14	14	14
1-5 YRS	5	13.4	175	4	4	8	19	36	36	36
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	5.5	34	2	2	3	6	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	13.0		13	13	13	13	13	13	13
B. *Operated*	36	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	19	8.5	74	1	2	5	12	19	29	36
1. SINGLE DX	37	2.6	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	21	8.0	69	1	2	5	10	18	27	36
A. NOT OPERATED	3	7.0	28	3	3	5	11	13	13	13
B. OPERATED	55	4.4	35	<1	<1	2	5	8	16	35
TOTAL 0-27 DYS	2	12.5	113	5	5	12	20	20	20	20
1-11 MOS	12	4.3	15	<1	<1	3	6	10	13	14
1-5 YRS	9	8.8	118	1	2	4	9	27	36	36
6-12 YRS	14	2.7	10	<1	<1	1	3	6	11	13
13-19 YRS	21	3.4	14	<1	<1	2	4	7	12	17
GRAND TOTAL	**58**	**4.6**	**35**	**<1**	**<1**	**2**	**5**	**12**	**16**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	5.4	2	3	3	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.3	72	2	2	5	15	18	18	18
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	11	8.8	59	2	3	7	10	19	29	30
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	10.4	61	2	2	7	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.5	4	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	5	7.0	40	2	2	5	9	18	18	18
B. *Operated*	20	8.8	50	2	2	7	11	18	25	30
1. SINGLE DX	11	4.5	4	1	2	5	6	7	7	7
2. MULTIPLE DX	25	8.4	47	2	2	6	11	18	23	30
A. NOT OPERATED	5	7.0	40	2	2	5	9	18	18	18
B. OPERATED	31	7.3	37	2	2	6	8	15	21	30
TOTAL 0-27 DYS	3	7.7	32	3	3	6	12	14	14	14
1-11 MOS	21	7.6	40	2	3	6	8	14	23	30
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	10	6.8	43	1	1	5	7	18	21	21
GRAND TOTAL	**36**	**7.3**	**36**	**2**	**2**	**6**	**8**	**16**	**20**	**30**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	19.5	113	12	12	19	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.2	13	2	2	6	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	8	9.5	64	2	2	8	11	22	27	27
1. SINGLE DX	4	4.3	10	2	2	3	6	9	9	9
2. MULTIPLE DX	9	8.7	62	2	2	8	11	21	27	27
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	11	8.2	53	2	2	8	11	18	26	27
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	14.0	147	3	3	12	23	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.7	13	2	2	4	9	10	11	11
GRAND TOTAL	**13**	**7.3**	**48**	**2**	**2**	**4**	**10**	**15**	**25**	**27**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	3	5.7	17	1	1	7	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	10.0	8	8	8	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	4	5.5	12	1	1	6	8	9	9	9
B. *Operated*	7	9.3	4	7	7	10	11	12	12	12
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	11	7.9	10	1	3	8	10	11	12	12
A. NOT OPERATED	4	5.5	12	1	1	6	8	9	9	9
B. OPERATED	8	9.4	3	7	7	10	11	12	12	12
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	3	7.3	6	5	5	7	9	10	10	10
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	6	7.8	14	1	2	8	10	12	12	12
GRAND TOTAL	**12**	**8.1**	**9**	**1**	**4**	**8**	**10**	**11**	**12**	**12**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	6	2.0		1	1	2	2	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	13	6.5	7	3	4	6	8	10	12	13
13-19 YRS	15	6.9	10	2	4	7	8	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	5	8.8	131	2	2	3	12	29	29	29
13-19 YRS	6	6.5	61	2	2	4	6	20	22	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	3	14.3	20	10	10	14	18	19	19	19
6-12 YRS	7	11.3	46	4	4	9	17	21	21	21
13-19 YRS	30	9.4	28	4	5	8	12	15	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.1	1	1	1	2	2	4	5	5
B. *Operated*	30	6.5	9	3	3	6	7	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	12	7.1	79	2	2	3	6	24	28	29
B. *Operated*	41	10.2	30	4	5	9	13	19	20	28
1. SINGLE DX	40	5.4	11	1	1	5	7	9	11	16
2. MULTIPLE DX	53	9.5	42	2	2	8	13	19	22	29
A. NOT OPERATED	22	4.8	49	1	1	2	5	11	25	29
B. OPERATED	71	8.6	24	3	4	7	10	15	19	27
TOTAL 0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS	8	6.9	46	1	1	4	12	17	19	19
6-12 YRS	31	7.1	40	2	2	5	9	16	21	29
13-19 YRS	52	8.3	27	2	3	7	10	14	20	28
GRAND TOTAL	**93**	**7.7**	**32**	**1**	**2**	**7**	**9**	**15**	**20**	**29**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.8	4	1	1	2	5	5	5	5
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	9.7	30	6	6	7	14	16	16	16
6-12 YRS										
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	13.0		13	13	13	13	13	13	13
B. *Operated*	2	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	6	3.2	4	1	1	3	5	5	5	5
B. *Operated*	5	8.6	18	6	6	7	10	16	16	16
1. SINGLE DX	3	11.0	3	10	10	10	12	13	13	13
2. MULTIPLE DX	11	5.6	17	1	1	5	7	11	16	16
A. NOT OPERATED	7	4.6	17	1	1	5	5	11	13	13
B. OPERATED	7	9.0	12	6	6	8	10	15	16	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	10	6.3	22	1	1	6	10	13	16	16
6-12 YRS										
13-19 YRS	4	8.0	13	5	5	7	10	13	13	13
GRAND TOTAL	**14**	**6.8**	**19**	**1**	**1**	**6**	**10**	**13**	**15**	**16**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	41	<1	<1	5	10	10	10	10
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.7	17	3	3	9	10	11	11	11
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	7	1	1	6	6	7	7	7
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	5.7	16	2	2	5	9	10	10	10
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	7.7	18	2	3	6	12	14	14	14
1-5 YRS	8	12.8	213	3	3	7	14	38	47	47
6-12 YRS	3	8.3	76	1	1	6	15	18	18	18
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	19	<1	<1	1	6	10	10	10
B. *Operated*	6	6.5	16	2	2	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	10	4.5	8	1	1	4	6	8	10	10
B. *Operated*	22	9.3	94	2	3	6	12	18	30	47
1. SINGLE DX	10	5.3	17	<1	<1	3	10	11	11	11
2. MULTIPLE DX	32	7.8	71	1	2	6	9	15	18	47
A. NOT OPERATED	14	4.2	10	<1	1	3	6	10	10	10
B. OPERATED	28	8.7	77	2	2	6	11	17	21	47
TOTAL 0-27 DYS	3	5.0	21	<1	<1	4	8	10	10	10
1-11 MOS	18	6.4	16	1	2	6	9	13	14	14
1-5 YRS	11	10.1	170	2	2	6	9	30	46	47
6-12 YRS	8	6.6	34	1	1	5	10	16	18	18
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**42**	**7.2**	**59**	**1**	**2**	**6**	**10**	**13**	**18**	**47**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	8	3.1	3	1	1	3	4	5	5	5
6-12 YRS										
13-19 YRS	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	6	3.2	12	<1	<1	2	3	9	10	10
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	54	4.5	14	1	1	4	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	15	3.9	3	1	2	4	5	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	9.5	113	2	2	9	17	17	17	17
13-19 YRS	30	7.8	29	1	2	7	10	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.9	2	1	1	3	4	5	5	5
B. *Operated*	65	4.2	13	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	16	4.0	2	1	2	4	5	5	7	7
B. *Operated*	34	7.6	31	1	1	7	10	14	18	25
1. SINGLE DX	79	4.0	11	1	1	3	5	8	11	19
2. MULTIPLE DX	50	6.4	24	1	1	5	9	13	17	25
A. NOT OPERATED	30	3.5	2	1	1	3	5	5	5	7
B. OPERATED	99	5.4	21	1	1	4	7	12	13	23
TOTAL 0-27 DYS										
1-11 MOS	6	2.3	1	1	1	2	3	4	4	4
1-5 YRS	17	3.1	5	<1	1	3	4	5	8	10
6-12 YRS	3	7.3	70	2	2	3	13	17	17	17
13-19 YRS	103	5.3	18	1	1	4	7	11	13	23
GRAND TOTAL	**129**	**4.9**	**17**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	7	<1	<1	3	5	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.4	43	1	1	2	9	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	5	7.6	30	2	2	5	11	16	16	16
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	8	6.8	45	2	2	4	8	18	22	22
1-5 YRS	3	11.7	12	8	8	12	14	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	5.7	16	1	1	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	7	<1	<1	3	5	7	7	7
B. *Operated*	10	4.8	30	<1	<1	2	5	14	18	18
2. MULTIPLE DX										
A. *Not Operated*	7	6.4	25	2	2	5	9	15	16	16
B. *Operated*	17	6.9	30	1	2	5	9	14	20	22
1. SINGLE DX	14	4.4	23	<1	<1	2	5	12	17	18
2. MULTIPLE DX	24	6.8	27	1	2	5	9	15	18	22
A. NOT OPERATED	11	5.4	19	<1	1	5	7	12	16	16
B. OPERATED	27	6.1	30	1	1	4	8	14	19	22
TOTAL 0-27 DYS	3	3.3	4	<1	<1	4	5	5	5	5
1-11 MOS	12	5.8	31	2	2	4	7	13	21	22
1-5 YRS	12	7.3	26	<1	1	6	11	15	16	16
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	5.5	32	1	1	2	8	14	18	18
GRAND TOTAL	**38**	**5.9**	**26**	**<1**	**1**	**4**	**8**	**14**	**17**	**22**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	21	<1	<1	1	7	9	9	9
1-5 YRS	19	2.6	4	<1	1	1	4	6	7	8
6-12 YRS	12	2.3	2	1	1	2	3	4	5	5
13-19 YRS	3	5.7	20	1	1	6	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	10	11.0	20	5	6	10	13	18	21	21
1-5 YRS	57	8.9	18	3	5	8	10	13	18	26
6-12 YRS	11	9.5	17	2	4	9	13	15	16	16
13-19 YRS	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	3.8	4	1	1	4	5	6	6	6
1-5 YRS	37	5.4	18	<1	1	4	6	11	13	21
6-12 YRS	30	6.2	48	1	1	3	7	14	23	31
13-19 YRS	3	10.3	33	7	7	7	15	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	15	14.2	237	4	5	10	11	24	56	67
1-5 YRS	55	12.7	99	4	6	10	14	25	39	48
6-12 YRS	23	12.1	74	1	3	11	13	20	31	43
13-19 YRS	7	9.6	14	6	6	9	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.8	6	<1	1	2	4	6	9	10
B. *Operated*	80	9.3	18	3	5	9	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	76	5.8	29	1	1	4	7	13	16	29
B. *Operated*	100	12.6	106	3	5	10	13	22	37	57
1. SINGLE DX	117	7.3	23	1	1	8	10	13	15	23
2. MULTIPLE DX	176	9.7	84	1	2	8	11	18	25	48
A. NOT OPERATED	113	4.9	24	1	1	4	6	11	14	26
B. OPERATED	180	11.1	69	3	5	9	12	19	25	48
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	33	10.7	129	1	3	9	11	19	24	67
1-5 YRS	168	8.7	54	1	2	8	10	14	21	46
6-12 YRS	76	7.9	55	1	1	6	11	15	22	40
13-19 YRS	15	9.1	18	2	6	8	13	15	16	17
GRAND TOTAL	**293**	**8.7**	**61**	**1**	**1**	**8**	**10**	**15**	**21**	**45**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	16.0	392	2	2	16	30	30	30	30
1-5 YRS	22	1.2		<1	<1	1	1	2	2	2
6-12 YRS	7	2.4	2	<1	<1	2	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	12	2.9	3	1	1	3	4	5	6	6
1-5 YRS	29	2.4	5	<1	<1	2	3	4	5	13
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	6.3	235	<1	<1	1	2	14	48	62
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.7	4	2	2	3	5	6	6	6
1-5 YRS	22	7.3	192	<1	<1	3	6	17	37	65
6-12 YRS	4	7.3	51	1	1	5	12	17	17	17
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.4	27	<1	<1	1	2	3	4	30
B. *Operated*	44	2.6	4	<1	<1	2	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	18	5.9	208	<1	<1	1	3	13	43	62
B. *Operated*	29	6.9	151	<1	<1	3	7	17	20	65
1. SINGLE DX	75	2.5	14	<1	<1	2	3	4	5	26
2. MULTIPLE DX	47	6.5	169	<1	<1	2	6	16	25	65
A. NOT OPERATED	49	3.7	94	<1	<1	1	2	4	16	62
B. OPERATED	73	4.3	66	<1	<1	2	4	8	16	54
TOTAL 0-27 DYS										
1-11 MOS	17	4.6	46	1	1	3	4	6	22	30
1-5 YRS	89	4.0	94	<1	<1	1	3	7	15	64
6-12 YRS	13	4.0	19	<1	1	3	4	10	16	17
13-19 YRS	3	3.3	1	2	2	4	4	4	4	4
GRAND TOTAL	**122**	**4.1**	**76**	**<1**	**<1**	**2**	**3**	**7**	**16**	**63**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	36	4.6	19	<1	1	3	6	10	15	18
6-12 YRS	44	5.1	47	<1	1	3	6	13	14	41
13-19 YRS	36	3.6	7	1	2	2	5	8	9	11
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	7	13.4	165	2	2	10	18	35	39	39
1-5 YRS	60	8.7	42	2	2	8	11	16	18	34
6-12 YRS	79	9.5	28	1	2	9	13	17	20	23
13-19 YRS	68	9.9	25	2	3	10	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.4	2	2	2	3	5	6	6	6
1-5 YRS	64	5.6	40	1	1	4	8	11	14	39
6-12 YRS	61	7.1	79	1	1	3	9	18	21	49
13-19 YRS	61	5.5	35	<1	1	4	6	13	21	29
B. *Operated*										
0-27 DYS	3	30.0	727	12	12	17	50	61	61	61
1-11 MOS	18	20.4	235	5	8	19	23	25	56	76
1-5 YRS	106	18.0	262	3	4	13	23	46	63	99+
6-12 YRS	121	15.6	218	2	3	11	20	32	46	94
13-19 YRS	114	16.6	261	2	4	12	20	30	58	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.4	25	<1	1	3	6	9	14	25
B. *Operated*	215	9.5	35	2	2	9	12	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	197	5.9	49	1	1	3	7	14	20	38
B. *Operated*	362	17.0	249	2	4	13	21	34	60	91
1. SINGLE DX	335	7.7	38	1	1	7	11	15	18	32
2. MULTIPLE DX	559	13.1	206	1	2	9	18	28	45	86
A. NOT OPERATED	317	5.3	40	1	1	3	7	12	17	37
B. OPERATED	577	14.2	182	2	3	10	18	27	44	85
TOTAL 0-27 DYS	5	20.6	539	2	2	12	28	61	61	61
1-11 MOS	39	12.8	196	1	2	9	20	24	33	76
1-5 YRS	266	11.1	159	1	2	8	14	25	41	84
6-12 YRS	305	10.8	133	1	1	8	14	22	32	77
13-19 YRS	279	10.9	147	2	2	8	14	22	29	74
GRAND TOTAL	**894**	**11.1**	**150**	**1**	**2**	**8**	**14**	**23**	**32**	**77**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.5	47	4	4	7	14	19	19	19
1-5 YRS	8	9.3	21	4	4	9	10	16	19	19
6-12 YRS	8	8.9	27	2	3	8	12	16	18	18
13-19 YRS	9	12.1	76	1	1	11	21	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.0	7	2	2	6	7	7	7	7
1-5 YRS	13	6.8	73	<1	1	3	7	21	28	30
6-12 YRS	5	5.6	43	1	1	3	8	17	17	17
13-19 YRS	16	9.9	184	1	2	5	9	30	46	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	14.6	119	3	4	11	28	31	32	32
6-12 YRS	22	12.2	64	3	5	10	16	24	31	33
13-19 YRS	21	24.4	320	4	7	18	34	55	61	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.6	4	1	1	2	3	6	7	7
B. *Operated*	29	10.1	41	2	3	9	12	20	23	25
2. MULTIPLE DX										
A. *Not Operated*	37	7.9	110	1	1	4	8	19	31	52
B. *Operated*	61	17.1	192	3	4	13	22	33	49	66
1. SINGLE DX	37	8.5	42	1	2	8	11	19	22	25
2. MULTIPLE DX	98	13.6	180	1	2	9	18	32	43	61
A. NOT OPERATED	45	6.9	95	1	1	3	7	17	30	52
B. OPERATED	90	14.9	153	2	4	11	19	31	39	62
TOTAL 0-27 DYS										
1-11 MOS	7	7.6	32	2	2	6	9	17	19	19
1-5 YRS	41	10.6	90	1	2	7	13	30	31	32
6-12 YRS	38	9.9	57	2	2	8	13	19	26	33
13-19 YRS	49	16.0	263	1	2	11	21	43	55	67
GRAND TOTAL	**135**	**12.2**	**147**	**1**	**2**	**8**	**17**	**30**	**33**	**57**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.0	6	1	1	4	6	7	7	7
1-5 YRS	35	3.0	5	<1	1	2	4	6	7	10
6-12 YRS	8	2.8	17	<1	<1	1	2	10	13	13
13-19 YRS	8	3.4	8	1	1	2	5	8	9	9
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	4	7.3	3	5	5	7	8	9	9	9
1-5 YRS	26	14.5	267	2	4	9	15	28	56	74
6-12 YRS	7	7.0	122	2	2	3	4	26	32	32
13-19 YRS	32	6.2	112	2	2	4	5	7	12	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.8	8	<1	<1	2	3	7	10	10
1-5 YRS	54	6.0	54	<1	1	4	7	17	21	35
6-12 YRS	15	5.5	25	1	2	4	7	15	17	18
13-19 YRS	26	6.1	91	1	1	3	6	13	25	48
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	9.5	9	6	6	9	12	14	14	14
1-5 YRS	53	12.3	249	2	2	8	12	25	40	84
6-12 YRS	22	10.9	250	2	3	5	11	27	46	74
13-19 YRS	44	8.8	77	2	3	6	10	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.2	7	<1	1	2	4	7	8	13
B. *Operated*	71	9.3	171	2	2	5	9	23	32	72
2. MULTIPLE DX										
A. *Not Operated*	104	5.7	55	<1	1	3	7	15	20	41
B. *Operated*	128	10.6	173	2	3	7	11	20	30	79
1. SINGLE DX	129	6.5	106	1	1	4	6	12	24	65
2. MULTIPLE DX	232	8.4	125	1	1	5	10	18	26	75
A. NOT OPERATED	162	4.8	39	<1	1	3	5	11	17	34
B. OPERATED	199	10.1	172	2	2	6	11	21	31	76
TOTAL 0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	28	5.6	15	1	1	5	8	10	13	14
1-5 YRS	168	8.7	154	1	1	5	10	20	28	77
6-12 YRS	52	7.5	136	1	1	4	8	16	28	73
13-19 YRS	110	7.0	86	1	2	5	7	13	20	55
GRAND TOTAL	**361**	**7.7**	**119**	**1**	**1**	**5**	**8**	**16**	**26**	**73**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	32	2.8	3	1	1	2	4	5	6	7
6-12 YRS	15	2.7	2	<1	1	2	4	4	6	6
13-19 YRS	20	3.2	6	<1	<1	2	4	7	8	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	7.8	44	3	3	6	9	17	25	26
1-5 YRS	18	4.7	11	<1	<1	5	7	8	12	14
6-12 YRS	14	5.1	16	1	1	5	6	12	14	14
13-19 YRS	16	6.1	13	1	2	6	8	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	23	7.7	54	1	2	5	9	15	26	33
1-5 YRS	73	4.4	33	<1	1	2	5	10	17	31
6-12 YRS	31	4.3	15	<1	<1	3	6	8	14	18
13-19 YRS	109	4.4	26	1	1	3	5	9	11	33
B. Operated										
0-27 DYS	2	5.0	32	1	1	5	9	9	9	9
1-11 MOS	22	11.0	198	1	2	8	13	19	39	68
1-5 YRS	70	12.5	261	1	2	8	12	32	43	79
6-12 YRS	30	11.1	61	4	5	8	14	19	23	42
13-19 YRS	133	9.6	66	2	2	8	12	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.9	3	<1	1	2	4	6	7	9
B. Operated	60	5.7	19	1	1	5	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	238	4.7	30	<1	1	3	5	10	14	33
B. Operated	257	10.7	129	1	2	8	12	19	31	71
1. SINGLE DX	128	4.2	13	1	1	3	6	8	11	17
2. MULTIPLE DX	495	7.8	90	1	1	5	9	16	23	52
A. NOT OPERATED	306	4.3	24	<1	1	3	5	9	12	30
B. OPERATED	317	9.7	112	1	2	7	11	18	26	69
TOTAL 0-27 DYS	5	5.2	14	1	1	5	9	9	9	9
1-11 MOS	57	8.9	107	1	2	6	10	19	25	66
1-5 YRS	193	7.1	124	<1	1	4	8	14	22	72
6-12 YRS	90	6.4	39	1	1	5	8	14	18	34
13-19 YRS	278	6.9	49	1	1	5	9	14	20	35
GRAND TOTAL	**623**	**7.1**	**76**	**1**	**1**	**5**	**9**	**14**	**20**	**43**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	13	2.2	3	<1	<1	2	3	5	7	7
13-19 YRS	44	2.9	11	<1	1	1	4	6	13	15
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.2	22	1	1	4	7	14	15	15
6-12 YRS	49	6.7	21	1	1	6	9	14	15	17
13-19 YRS	240	6.0	21	1	1	5	8	11	15	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.8	7	1	1	3	6	7	7	7
6-12 YRS	9	2.3	7	<1	<1	1	2	7	9	9
13-19 YRS	50	5.3	57	1	1	3	5	13	18	41
B. Operated										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS										
1-5 YRS	5	7.2	14	3	3	8	10	12	12	12
6-12 YRS	16	5.6	18	1	1	5	8	10	15	17
13-19 YRS	111	10.4	121	1	2	8	13	18	25	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.7	9	<1	1	2	3	5	10	15
B. Operated	301	6.1	21	1	1	5	8	12	15	19
2. MULTIPLE DX										
A. Not Operated	64	4.7	47	1	1	2	5	12	16	39
B. Operated	133	9.8	107	1	2	8	11	17	21	54
1. SINGLE DX	360	5.6	21	1	1	5	8	12	15	18
2. MULTIPLE DX	197	8.1	92	1	1	6	10	17	21	44
A. NOT OPERATED	123	3.8	29	<1	1	2	4	9	14	32
B. OPERATED	434	7.2	50	1	1	6	9	14	17	35
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS										
1-5 YRS	24	5.0	16	1	1	4	7	12	14	15
6-12 YRS	87	5.4	19	1	1	4	8	12	15	17
13-19 YRS	445	6.7	54	1	1	5	9	13	17	38
GRAND TOTAL	**557**	**6.5**	**47**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	10	7.4	69	<1	<1	5	8	20	29	29
1-5 YRS	169	4.3	24	<1	<1	3	5	9	11	23
6-12 YRS	151	3.5	13	<1	<1	3	4	7	9	24
13-19 YRS	89	4.1	25	<1	1	3	5	7	11	33
B. *Operated*										
0-27 DYS										
1-11 MOS	14	8.0	39	1	2	6	14	16	18	19
1-5 YRS	142	8.3	100	<1	1	6	9	17	26	61
6-12 YRS	99	6.0	59	<1	1	4	7	11	21	46
13-19 YRS	63	9.9	144	<1	1	5	11	25	40	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	6.3	11	1	1	6	9	10	11	11
1-5 YRS	286	5.4	39	<1	1	4	7	10	12	33
6-12 YRS	252	5.4	20	1	1	4	7	11	16	21
13-19 YRS	158	6.0	38	1	1	4	8	14	19	31
B. *Operated*										
0-27 DYS										
1-11 MOS	8	20.6	525	4	5	15	17	59	76	76
1-5 YRS	144	13.8	167	1	3	11	18	26	39	80
6-12 YRS	124	13.9	213	<1	1	9	18	37	46	73
13-19 YRS	94	17.2	229	1	2	14	25	39	48	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.1	22	<1	<1	3	5	8	11	26
B. *Operated*	318	7.9	94	<1	1	5	9	18	26	51
2. MULTIPLE DX										
A. *Not Operated*	706	5.5	31	1	1	4	7	11	16	27
B. *Operated*	370	14.8	206	1	2	10	19	37	45	75
1. SINGLE DX	738	5.7	57	<1	1	3	7	12	20	42
2. MULTIPLE DX	1076	8.7	111	1	1	5	10	20	29	62
A. NOT OPERATED	1126	5.0	28	<1	1	3	6	10	14	27
B. OPERATED	668	11.6	166	1	1	7	15	28	39	70
TOTAL 0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	41	10.0	151	1	1	7	14	17	23	76
1-5 YRS	741	7.3	83	<1	1	5	9	16	24	51
6-12 YRS	626	6.7	76	<1	1	4	8	15	24	47
13-19 YRS	404	8.8	120	1	1	5	10	22	33	50
GRAND TOTAL	**1814**	**7.5**	**91**	**<1**	**1**	**4**	**9**	**17**	**26**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	57	4.5	20	<1	<1	4	5	7	14	25
6-12 YRS	45	4.4	10	<1	1	4	5	8	9	18
13-19 YRS	43	4.5	15	<1	1	4	5	11	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	29	12.2	200	1	1	8	14	33	46	57
6-12 YRS	21	6.0	21	<1	<1	5	9	13	15	16
13-19 YRS	31	17.5	343	<1	1	9	31	47	50	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.3		<1	<1	1	2	2	2	2
1-5 YRS	103	5.1	77	<1	1	4	5	9	13	50
6-12 YRS	80	4.9	19	<1	1	4	6	10	14	24
13-19 YRS	83	5.1	23	<1	1	4	6	11	15	24
B. *Operated*										
0-27 DYS	1	44.0		44	44	44	44	44	44	44
1-11 MOS	7	16.4	126	4	6	13	31	81	99+	99+
1-5 YRS	56	18.3	367	1	2	12	24	41	49	91
6-12 YRS	32	19.6	305	1	2	13	29	47	57	61
13-19 YRS	74	25.5	393	3	3	25	37	52	72	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.4	15	<1	<1	4	5	8	11	20
B. *Operated*	82	12.6	222	<1	1	7	14	38	47	59
2. MULTIPLE DX										
A. *Not Operated*	273	5.0	41	<1	1	4	5	10	15	24
B. *Operated*	170	21.7	365	2	3	15	34	47	61	98
1. SINGLE DX	230	7.3	104	<1	1	4	8	16	31	51
2. MULTIPLE DX	443	11.4	232	<1	1	5	13	34	44	86
A. NOT OPERATED	421	4.8	32	<1	1	4	5	9	14	24
B. OPERATED	252	18.8	336	1	2	12	30	45	56	91
TOTAL 0-27 DYS	1	44.0		44	44	44	44	44	44	44
1-11 MOS	18	7.6	101	<1	<1	2	13	32	72	99+
1-5 YRS	245	8.8	174	<1	1	5	9	21	37	85
6-12 YRS	178	7.6	99	<1	1	4	8	16	28	56
13-19 YRS	231	13.2	269	1	1	5	18	39	49	86
GRAND TOTAL	**673**	**10.0**	**191**	**<1**	**1**	**5**	**11**	**29**	**43**	**82**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	22	3.3	22	<1	<1	2	4	6	13	23
6-12 YRS	34	3.6	25	<1	<1	2	4	7	9	29
13-19 YRS	37	2.9	4	<1	1	2	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.8	110	1	1	8	12	27	35	35
1-5 YRS	23	6.4	71	<1	1	4	6	15	30	35
6-12 YRS	34	6.6	30	1	1	6	9	13	16	26
13-19 YRS	60	7.8	58	1	2	5	11	17	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	13.3	145	3	3	9	18	33	39	39
1-5 YRS	34	4.5	24	<1	<1	3	5	13	16	20
6-12 YRS	66	3.8	8	1	1	3	4	9	9	14
13-19 YRS	73	3.8	18	<1	1	2	4	8	13	25
B. *Operated*										
0-27 DYS										
1-11 MOS	9	17.9	253	1	2	15	30	42	49	49
1-5 YRS	24	18.3	284	2	4	10	27	44	53	67
6-12 YRS	40	11.9	78	1	2	10	15	23	28	44
13-19 YRS	50	13.5	175	1	2	9	21	31	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.3	16	<1	<1	2	4	6	9	26
B. *Operated*	126	7.4	55	1	1	5	10	16	26	36
2. MULTIPLE DX										
A. *Not Operated*	181	4.3	24	<1	1	3	5	9	14	24
B. *Operated*	123	14.2	172	1	2	9	20	32	47	76
1. SINGLE DX	220	5.6	42	<1	1	3	7	13	17	35
2. MULTIPLE DX	304	8.3	107	1	1	4	10	21	31	55
A. NOT OPERATED	275	4.0	22	<1	1	3	4	8	13	25
B. OPERATED	249	10.8	124	1	2	7	13	26	35	56
TOTAL 0-27 DYS										
1-11 MOS	27	13.6	162	1	2	9	17	34	40	49
1-5 YRS	103	7.9	126	<1	<1	4	8	21	34	56
6-12 YRS	174	6.1	42	<1	1	4	8	13	19	31
13-19 YRS	220	6.9	78	1	1	4	8	18	26	55
GRAND TOTAL	**524**	**7.2**	**82**	**<1**	**1**	**4**	**9**	**17**	**27**	**48**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	17	2.2	7	<1	<1	1	2	6	10	11
6-12 YRS	32	3.2	6	<1	1	2	4	6	9	11
13-19 YRS	105	3.0	6	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	3.9	12	<1	<1	2	5	10	11	11
6-12 YRS	10	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	25	4.1	11	<1	1	3	5	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*	158	3.0	6	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	45	3.6	9	<1	1	2	5	6	11	14
1. SINGLE DX	161	2.9	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX	46	3.5	9	<1	1	2	5	6	11	14
A. NOT OPERATED	4	1.3		<1	<1	1	1	2	2	2
B. OPERATED	203	3.1	7	<1	1	2	4	6	9	13
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	6	2.3	1	1	1	2	3	4	4	4
1-5 YRS	24	2.7	9	<1	<1	2	2	7	11	11
6-12 YRS	44	2.8	5	<1	1	2	3	5	9	11
13-19 YRS	131	3.2	7	<1	1	2	4	6	8	15
GRAND TOTAL	**207**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**9**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	3	<1	<1	2	3	5	6	6
6-12 YRS	17	1.7		<1	<1	2	2	2	2	2
13-19 YRS	7	2.7	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	38	2.5	6	<1	1	2	2	6	7	14
6-12 YRS	51	3.8	16	<1	<1	2	3	10	13	17
13-19 YRS	51	5.3	17	1	1	4	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	7	5.0	26	1	1	3	5	14	16	16
6-12 YRS	11	3.5	6	<1	1	3	4	7	10	10
13-19 YRS	10	5.6	8	2	2	5	8	9	10	10
B. *Operated*										
0-27 DYS	4	29.3	753	10	10	19	47	69	69	69
1-11 MOS	7	15.6	341	1	1	9	23	47	52	52
1-5 YRS	29	4.9	29	1	1	2	6	10	19	24
6-12 YRS	39	4.8	22	1	1	3	6	11	16	21
13-19 YRS	52	7.4	37	1	2	6	9	17	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.1	2	<1	<1	2	2	4	6	6
B. *Operated*	141	4.0	15	<1	1	2	5	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	30	4.6	11	1	1	3	6	9	10	16
B. *Operated*	131	7.2	82	1	1	4	9	18	24	55
1. SINGLE DX	174	3.6	13	<1	1	2	5	10	12	16
2. MULTIPLE DX	161	6.7	70	1	1	4	8	15	21	49
A. NOT OPERATED	63	3.3	8	<1	<1	2	4	8	9	15
B. OPERATED	272	5.5	50	1	1	3	7	12	18	26
TOTAL 0-27 DYS	4	29.3	753	10	10	19	47	69	69	69
1-11 MOS	10	12.3	257	1	1	6	18	38	52	52
1-5 YRS	83	3.5	16	<1	1	2	4	7	12	22
6-12 YRS	118	3.8	16	<1	1	2	4	10	12	20
13-19 YRS	120	6.1	25	1	1	5	9	12	16	25
GRAND TOTAL	**335**	**5.1**	**42**	**<1**	**1**	**3**	**7**	**11**	**16**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	30	1.5		<1	<1	1	2	3	3	3
6-12 YRS	19	1.7	1	<1	<1	2	2	2	3	4
13-19 YRS	8	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	13	2.8	6	1	1	2	3	5	9	10
1-5 YRS	210	2.0	3	<1	1	2	2	2	4	12
6-12 YRS	116	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	93	2.6	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	14	1.4		<1	<1	1	2	2	3	3
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.4	19	2	2	2	6	12	12	12
1-5 YRS	43	4.2	22	1	1	2	5	9	14	25
6-12 YRS	34	2.2	3	1	1	2	3	4	6	7
13-19 YRS	40	2.6	3	1	1	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.6	1	<1	<1	1	2	2	3	6
B. *Operated*	433	2.1	4	<1	<1	2	2	3	6	11
2. MULTIPLE DX										
A. *Not Operated*	22	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*	122	3.1	11	1	1	2	3	6	9	20
1. SINGLE DX	493	2.0	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX	144	2.9	10	1	1	2	3	5	8	18
A. NOT OPERATED	82	1.7	1	<1	<1	1	2	3	4	7
B. OPERATED	555	2.3	5	<1	1	2	2	4	7	12
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	22	3.2	9	<1	1	2	4	9	11	12
1-5 YRS	297	2.2	6	<1	1	2	2	4	6	15
6-12 YRS	174	1.8	1	<1	1	2	2	3	4	7
13-19 YRS	142	2.5	5	<1	1	2	3	5	7	12
GRAND TOTAL	**637**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	12	3.1	17	1	1	2	2	9	14	15
13-19 YRS	11	1.9	3	<1	<1	1	2	5	7	7
B. *Operated*										
0-27 DYS	9	3.6	9	<1	1	2	5	9	9	9
1-11 MOS	45	3.1	9	<1	<1	2	3	8	9	14
1-5 YRS	194	2.5	5	<1	<1	2	3	5	6	15
6-12 YRS	580	2.5	3	<1	1	2	3	4	6	9
13-19 YRS	1264	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	7	1.7	1	<1	<1	2	2	3	3	3
6-12 YRS	20	2.6	15	<1	<1	1	2	7	13	16
13-19 YRS	16	5.4	61	<1	<1	3	6	12	26	32
B. *Operated*										
0-27 DYS	4	8.0	9	4	4	8	10	11	11	11
1-11 MOS	16	6.0	23	<1	1	4	9	14	16	17
1-5 YRS	43	6.8	97	<1	1	3	8	14	24	58
6-12 YRS	107	3.5	12	<1	1	2	4	7	11	20
13-19 YRS	239	3.5	10	1	1	3	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	9	<1	<1	1	2	6	8	15
B. *Operated*	2092	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	45	3.5	30	<1	<1	2	3	10	13	32
B. *Operated*	409	4.0	22	<1	1	3	4	8	12	21
1. SINGLE DX	2119	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	454	3.9	22	<1	1	2	4	8	12	23
A. NOT OPERATED	72	3.1	22	<1	<1	1	3	7	12	28
B. OPERATED	2501	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	13	4.9	12	<1	1	4	8	10	11	11
1-11 MOS	64	3.8	14	<1	<1	2	6	9	12	17
1-5 YRS	247	3.2	24	<1	<1	2	3	6	10	24
6-12 YRS	719	2.6	5	<1	1	2	3	5	6	13
13-19 YRS	1530	2.7	5	<1	1	2	3	5	6	12
GRAND TOTAL	**2573**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	14	4	4	5	9	11	11	11
1-11 MOS	21	3.3	8	<1	<1	2	4	7	10	12
1-5 YRS	26	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	14	3.0	6	<1	<1	2	5	7	8	8
B. *Operated*										
0-27 DYS	20	5.6	31	<1	<1	3	6	16	17	18
1-11 MOS	261	2.6	10	<1	<1	2	3	6	8	18
1-5 YRS	767	2.0	4	<1	<1	1	2	3	5	11
6-12 YRS	555	2.1	3	<1	<1	2	2	4	6	10
13-19 YRS	454	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	38	4.6	16	<1	1	4	6	11	12	17
1-5 YRS	32	2.5	8	<1	<1	1	3	6	8	14
6-12 YRS	11	2.0	3	<1	<1	1	2	5	6	6
13-19 YRS	12	5.3	59	<1	1	2	5	16	26	28
B. *Operated*										
0-27 DYS	5	8.0	6	4	4	9	9	10	10	10
1-11 MOS	83	6.6	88	1	1	4	8	15	19	58
1-5 YRS	182	4.3	46	<1	<1	2	5	9	13	37
6-12 YRS	121	3.4	33	<1	<1	2	3	6	11	38
13-19 YRS	145	3.1	15	<1	<1	2	3	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.7	6	<1	<1	2	4	5	8	12
B. *Operated*	2057	2.3	5	<1	<1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	95	3.8	18	<1	<1	2	5	10	12	23
B. *Operated*	536	4.2	42	<1	<1	2	4	9	14	34
1. SINGLE DX	2126	2.3	5	<1	<1	2	2	4	6	12
2. MULTIPLE DX	631	4.1	39	<1	<1	2	5	9	14	29
A. NOT OPERATED	164	3.3	13	<1	<1	2	5	8	11	17
B. OPERATED	2593	2.7	13	<1	<1	2	3	5	8	18
TOTAL 0-27 DYS	30	6.2	23	<1	1	5	9	14	17	18
1-11 MOS	403	3.7	29	<1	<1	2	4	8	12	21
1-5 YRS	1007	2.4	12	<1	<1	1	2	4	8	15
6-12 YRS	692	2.3	9	<1	<1	2	2	4	6	13
13-19 YRS	625	2.7	9	<1	<1	2	3	6	7	18
GRAND TOTAL	**2757**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.4	4	<1	<1	2	2	5	8	9
13-19 YRS	534	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	81	2.3	2	<1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0		2	2	2	2	2	2	2
B. *Operated*	550	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	85	2.3	2	<1	1	2	3	4	4	8
1. SINGLE DX	553	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX	87	2.3	2	<1	1	2	3	4	4	8
A. NOT OPERATED	5	2.0		2	2	2	2	2	2	2
B. OPERATED	635	1.9	2	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	17	2.3	4	<1	<1	2	2	5	8	9
13-19 YRS	620	1.9	2	<1	<1	2	2	3	3	6
GRAND TOTAL	**640**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	5.0	5	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	6	5.0	4	1	1	6	6	6	6	6
1-11 MOS	17	7.7	7	3	5	7	10	12	12	12
1-5 YRS	3	6.7	1	6	6	6	8	8	8	8
6-12 YRS	3	11.0	61	6	6	7	17	20	20	20
13-19 YRS	10	4.2	8	<1	<1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	7	4.7	5	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	39	6.6	13	1	2	6	8	11	12	20
1. SINGLE DX	9	4.1	5	<1	<1	5	5	7	8	8
2. MULTIPLE DX	42	6.2	14	1	1	6	8	10	12	20
A. NOT OPERATED	5	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	46	6.3	12	1	2	6	8	10	12	20
TOTAL 0-27 DYS	6	5.0	4	1	1	6	6	6	6	6
1-11 MOS	19	7.0	11	<1	1	7	10	11	12	12
1-5 YRS	3	6.7	1	6	6	6	8	8	8	8
6-12 YRS	4	9.0	57	3	3	6	13	20	20	20
13-19 YRS	19	4.1	7	<1	1	5	6	8	8	8
GRAND TOTAL	**51**	**5.8**	**13**	**1**	**1**	**6**	**7**	**10**	**12**	**20**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7	2	1	1	3	4	4	4	4
1. SINGLE DX	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX	3	2.7	2	1	1	3	4	4	4	4
A. NOT OPERATED										
B. OPERATED	6	2.2	1	1	1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.2	1	1	1	2	3	4	4	4
GRAND TOTAL	**6**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	10	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	37	5.4	2	3	4	5	6	7	8	8
13-19 YRS	324	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	4	6.0	2	5	5	6	7	8	8	8
6-12 YRS	23	6.7	13	2	3	6	8	10	15	20
13-19 YRS	257	5.6	5	3	4	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	2	1	1	3	4	5	5	5
B. *Operated*	365	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	288	5.7	6	3	4	5	6	8	9	16
1. SINGLE DX	377	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX	291	5.7	6	3	4	5	6	8	9	16
A. NOT OPERATED	15	2.8	2	1	1	3	4	5	5	5
B. OPERATED	653	5.4	4	3	3	5	6	8	8	14
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	4.4	2	2	2	5	5	6	6	6
1-5 YRS	6	5.5	2	4	4	5	6	8	8	8
6-12 YRS	62	5.7	7	2	3	5	7	8	9	19
13-19 YRS	594	5.3	4	3	3	5	6	7	8	13
GRAND TOTAL	**668**	**5.3**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**14**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	7	2.7	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	7	3.6	3	1	1	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0		5	5	5	5	5	5	5
B. *Operated*	10	2.2	2	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*	9	3.7	3	1	1	5	5	5	5	5
1. SINGLE DX	12	2.7	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX	11	3.5	3	<1	1	4	5	5	5	5
A. NOT OPERATED	4	3.8	4	<1	<1	4	5	5	5	5
B. OPERATED	19	2.9	3	<1	<1	2	5	5	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	17	3.4	2	1	1	4	5	5	5	5
GRAND TOTAL	**23**	**3.0**	**3**	**<1**	**<1**	**3**	**5**	**5**	**5**	**5**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	2.7	4	<1	<1	2	4	5	5	5
13-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	19	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	19	2.1	1	<1	<1	2	3	4	4	4
1. SINGLE DX	20	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	19	2.1	1	<1	<1	2	3	4	4	4
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	38	2.1	2	<1	<1	2	3	4	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	8	1.3		<1	<1	1	2	2	2	2
6-12 YRS	8	2.4	2	<1	<1	2	3	5	5	5
13-19 YRS	21	2.2	2	<1	<1	2	3	4	5	5
GRAND TOTAL	**39**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**5**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.5	313	5	5	17	30	30	30	30
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	5.4	13	2	2	4	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	5	2.0	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	11	7.2	68	1	1	5	9	19	29	30
1. SINGLE DX	6	2.2	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX	12	6.8	64	1	1	4	8	17	28	30
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	16	5.6	52	<1	1	3	6	11	24	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.3	236	2	2	5	24	30	30	30
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	12	4.3	11	<1	1	3	6	10	11	11
GRAND TOTAL	**18**	**5.2**	**47**	**<1**	**1**	**3**	**5**	**11**	**22**	**30**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.5		<1	<1	1	2	3	3	3
1-5 YRS	23	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	19	1.4		<1	<1	1	2	2	3	3
13-19 YRS	14	1.4	1	<1	<1	1	2	2	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	5	4.4	42	<1	<1	2	6	16	16	16
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	68	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	12	2.8	18	<1	<1	2	2	7	15	16
1. SINGLE DX	72	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	15	2.9	14	<1	1	2	3	4	13	16
A. NOT OPERATED	7	1.9	1	1	1	1	3	4	4	4
B. OPERATED	80	1.7	3	<1	<1	1	2	2	3	13
TOTAL 0-27 DYS										
1-11 MOS	15	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	32	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	25	2.0	9	<1	<1	1	2	2	6	16
13-19 YRS	15	1.5	1	<1	<1	1	2	2	4	4
GRAND TOTAL	**87**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**12**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS										
13-19 YRS	3	5.0	13	1	1	6	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.7	49	1	1	7	11	20	21	21
1-5 YRS	11	9.1	107	<1	<1	7	10	23	37	38
6-12 YRS	9	6.9	18	2	2	6	10	13	14	14
13-19 YRS	29	9.5	24	2	3	10	13	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	4.3	4	3	3	4	5	7	7	7
6-12 YRS										
13-19 YRS	4	5.5	19	2	2	5	9	11	11	11
B. *Operated*										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	12	11.8	54	2	3	11	16	22	27	28
1-5 YRS	16	13.9	88	2	3	11	18	24	35	40
6-12 YRS	12	7.9	39	2	3	6	10	18	23	24
13-19 YRS	22	11.6	36	3	4	11	16	19	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.8	10	<1	<1	3	6	8	8	8
B. *Operated*	55	8.9	41	1	2	8	12	14	20	37
2. MULTIPLE DX										
A. *Not Operated*	9	5.1	9	2	2	4	7	10	11	11
B. *Operated*	64	11.4	55	2	3	11	15	22	24	38
1. SINGLE DX	60	8.5	40	<1	1	8	12	14	18	36
2. MULTIPLE DX	73	10.6	53	2	3	10	14	20	24	37
A. NOT OPERATED	14	4.6	9	<1	1	4	7	8	10	11
B. OPERATED	119	10.3	49	2	2	10	14	19	24	39
TOTAL 0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	19	10.5	50	1	3	10	14	20	25	28
1-5 YRS	33	10.4	91	<1	1	9	12	23	36	40
6-12 YRS	21	7.5	29	2	2	6	10	14	19	24
13-19 YRS	58	9.8	31	2	2	9	14	16	20	25
GRAND TOTAL	**133**	**9.7**	**48**	**2**	**2**	**9**	**13**	**18**	**23**	**38**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		<1	<1	<1	1	2	2	2
6-12 YRS	6	2.8	3	1	1	3	4	5	5	5
13-19 YRS	89	3.4	3	1	2	3	4	5	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	23	4.3	3	2	3	4	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	99	3.3	3	1	1	3	4	5	5	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	25	4.2	3	2	3	4	5	6	7	11
1. SINGLE DX	100	3.3	3	1	1	3	4	5	5	12
2. MULTIPLE DX	25	4.2	3	2	3	4	5	6	7	11
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	124	3.5	3	1	2	3	4	5	6	12
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.3		<1	<1	<1	1	2	2	2
6-12 YRS	7	2.9	2	1	1	3	4	5	5	5
13-19 YRS	113	3.6	3	1	2	3	4	5	6	12
GRAND TOTAL	**125**	**3.5**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	6	9.2	15	5	5	9	13	14	14	14
13-19 YRS	15	6.7	18	1	2	8	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	2	12.0	8	10	10	12	14	14	14	14
13-19 YRS	21	11.5	146	2	3	9	12	19	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	3	1	1	3	4	5	5	5
B. *Operated*	22	8.0	23	1	2	8	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	7	3.0	1	1	1	3	4	4	4	4
B. *Operated*	25	11.4	124	2	3	10	14	16	33	59
1. SINGLE DX	27	7.0	23	1	1	7	9	14	16	19
2. MULTIPLE DX	32	9.6	109	2	2	7	11	15	23	59
A. NOT OPERATED	12	2.9	2	1	1	3	4	5	5	5
B. OPERATED	47	9.8	78	2	2	8	12	16	20	59
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.3	65	2	2	10	17	19	19	19
6-12 YRS	11	8.2	18	3	3	8	12	14	14	14
13-19 YRS	44	8.3	85	1	2	7	10	15	19	59
GRAND TOTAL	**59**	**8.4**	**70**	**1**	**2**	**7**	**10**	**15**	**18**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	29	2.2	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	24	3.3	13	<1	<1	2	3	7	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	32	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	27	3.3	12	<1	<1	2	3	7	13	16
1. SINGLE DX	32	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX	27	3.3	12	<1	<1	2	3	7	13	16
A. NOT OPERATED										
B. OPERATED	59	2.9	8	<1	<1	2	3	6	8	16
TOTAL 0-27 DYS										
1-11 MOS	4	4.5	7	1	1	5	6	7	7	7
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	53	2.7	8	<1	<1	2	3	5	7	16
GRAND TOTAL	**59**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

7: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS										
13-19 YRS	10	3.3	4	1	1	3	6	6	6	6
. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
UBTOTALS:										
. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	2.8	4	<1	1	2	3	6	6	6
. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	2	8.5	1	8	8	8	9	9	9	9
. SINGLE DX	14	2.8	4	<1	1	2	3	6	6	6
. MULTIPLE DX	3	8.0	1	7	7	8	9	9	9	9
. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
. OPERATED	16	3.5	7	<1	1	3	6	8	9	9
OTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	12	<1	<1	1	4	9	9	9
6-12 YRS										
13-19 YRS	12	4.0	6	1	1	3	6	7	8	8
RAND TOTAL	**17**	**3.7**	**7**	**<1**	**1**	**3**	**6**	**8**	**9**	**9**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	4	1	1	2	3	5	5	5
1-11 MOS	10	2.0	1	1	1	2	2	3	4	4
1-5 YRS	38	2.0	2	<1	<1	1	3	4	5	6
6-12 YRS	47	3.6	30	<1	<1	2	4	7	12	35
13-19 YRS	52	3.2	6	1	1	2	4	7	9	11
B. *Operated*										
0-27 DYS	11	8.0	31	2	2	8	11	16	20	20
1-11 MOS	36	5.1	37	<1	<1	3	8	12	16	31
1-5 YRS	104	5.1	55	<1	<1	3	6	11	14	43
6-12 YRS	126	4.7	30	<1	1	2	6	11	15	28
13-19 YRS	261	4.3	16	1	1	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	14	3.4	9	<1	<1	2	5	7	10	11
1-5 YRS	61	3.6	9	<1	1	3	5	9	11	90
6-12 YRS	58	4.1	90	1	1	2	4	6	9	68
13-19 YRS	72	4.0	15	1	1	3	5	9	13	18
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	22	9.0	33	1	1	9	13	16	18	19
1-5 YRS	47	8.0	46	1	1	6	10	19	22	27
6-12 YRS	98	9.2	81	1	2	7	12	19	31	79
13-19 YRS	164	6.9	44	1	2	5	8	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.9	12	<1	<1	2	3	6	9	15
B. *Operated*	538	4.7	28	<1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	209	3.8	33	1	1	3	4	8	11	40
B. *Operated*	332	7.9	55	1	2	6	11	18	22	38
1. SINGLE DX	689	4.3	25	<1	1	2	5	9	12	22
2. MULTIPLE DX	541	6.3	50	1	1	4	8	15	19	38
A. NOT OPERATED	360	3.5	25	<1	1	2	4	7	10	18
B. OPERATED	870	5.9	41	1	1	4	8	13	18	32
TOTAL 0-27 DYS	20	6.1	30	1	1	4	9	14	17	20
1-11 MOS	82	5.5	32	<1	1	3	9	13	16	27
1-5 YRS	250	4.8	37	<1	1	3	6	11	15	27
6-12 YRS	329	5.8	60	<1	1	3	7	14	18	43
13-19 YRS	549	4.9	25	1	1	3	6	11	15	25
GRAND TOTAL	**1230**	**5.2**	**37**	**<1**	**1**	**3**	**6**	**12**	**17**	**31**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	6	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	67	3.1	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	3.3	2	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	27	4.3	7	2	2	3	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	1	1	2	3	5	5	5
B. *Operated*	77	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	8	3.3	1	2	2	3	4	5	5	5
B. *Operated*	30	4.3	7	1	2	4	5	8	9	13
1. SINGLE DX	82	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX	38	4.1	6	1	2	3	5	8	9	13
A. NOT OPERATED	13	2.9	2	1	1	3	4	5	5	5
B. OPERATED	107	3.3	3	1	1	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	11	2.6	3	<1	<1	2	3	5	7	7
13-19 YRS	103	3.4	3	1	1	3	4	5	6	11
GRAND TOTAL	**120**	**3.3**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.1	3	1	1	3	4	6	6	6
1-11 MOS	9	2.9	4	<1	<1	2	5	6	6	6
1-5 YRS	15	4.2	6	1	2	4	5	8	9	10
6-12 YRS	21	2.6	1	1	2	2	3	5	5	5
13-19 YRS	66	4.5	8	1	2	4	6	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	5	3	3	3	6	7	7	7
6-12 YRS	20	3.7	4	1	1	3	5	7	8	8
13-19 YRS	109	4.7	11	2	2	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	6.0	22	1	1	5	9	13	15	15
1-11 MOS	12	4.6	12	1	1	4	6	10	13	13
1-5 YRS	14	5.2	68	<1	1	3	5	10	28	33
6-12 YRS	29	5.6	30	2	2	4	6	10	18	28
13-19 YRS	89	5.0	23	1	1	3	7	10	13	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	9.4	107	3	3	6	9	24	38	38
13-19 YRS	53	5.8	35	2	2	4	6	10	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.9	7	1	2	3	5	7	10	13
B. *Operated*	132	4.6	10	1	2	4	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*	153	5.1	27	1	1	3	6	10	14	33
B. *Operated*	63	6.4	46	2	3	4	7	11	23	37
1. SINGLE DX	255	4.2	8	1	2	4	5	7	9	18
2. MULTIPLE DX	216	5.5	33	1	1	4	6	10	15	34
A. NOT OPERATED	276	4.6	18	1	1	3	5	9	11	25
B. OPERATED	195	5.2	22	1	2	4	5	8	11	30
TOTAL 0-27 DYS	21	4.3	12	1	1	3	6	9	13	15
1-11 MOS	21	3.9	9	<1	1	3	5	7	11	13
1-5 YRS	32	4.7	32	1	1	3	5	8	10	33
6-12 YRS	80	4.8	29	1	2	3	5	9	10	35
13-19 YRS	317	4.9	18	1	2	4	5	9	12	26
GRAND TOTAL	**471**	**4.8**	**20**	**1**	**2**	**4**	**5**	**9**	**11**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	12	3	3	5	8	11	11	11
1-5 YRS	134	5.9	10	1	2	5	7	10	12	16
6-12 YRS	380	5.7	10	2	2	5	7	9	10	17
13-19 YRS	309	6.0	55	2	2	5	7	9	11	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	4.0	7	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	5.3	17	2	2	4	8	10	10	10
1-5 YRS	77	5.1	10	1	1	5	7	9	11	77
6-12 YRS	264	4.8	10	1	1	4	7	9	11	15
13-19 YRS	305	5.0	34	1	1	4	7	9	12	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	8	14.6	175	4	4	10	22	36	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827	5.8	27	2	2	5	7	9	11	17
B. *Operated*	9	4.4	6	1	1	6	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	650	4.9	21	1	1	4	7	9	11	25
B. *Operated*	10	12.8	151	4	4	7	16	34	40	40
1. SINGLE DX	836	5.8	27	2	2	5	7	9	11	17
2. MULTIPLE DX	660	5.1	24	1	1	4	7	9	11	38
A. NOT OPERATED	1477	5.4	24	1	2	5	7	9	11	19
B. OPERATED	19	8.8	96	1	2	6	7	23	35	40
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	5.9	12	2	2	5	9	11	11	11
1-5 YRS	214	5.6	10	1	2	5	7	10	11	18
6-12 YRS	646	5.3	10	1	2	5	7	9	11	15
13-19 YRS	628	5.6	47	1	2	5	7	9	12	86
GRAND TOTAL	**1496**	**5.5**	**25**	**1**	**2**	**5**	**7**	**9**	**11**	**23**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	56	1	1	1	11	14	14	14
1-11 MOS	6	8.3	18	2	2	8	11	14	14	14
1-5 YRS	106	6.2	11	2	2	6	8	10	12	18
6-12 YRS	833	4.6	10	1	2	4	6	9	10	15
13-19 YRS	1854	3.8	10	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	8	5.8	12	2	2	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	20	6.3	15	<1	1	5	8	11	14	17
1-5 YRS	104	6.1	14	1	2	6	9	11	13	16
6-12 YRS	695	5.1	26	1	2	4	6	9	11	26
13-19 YRS	1977	4.5	12	1	2	4	6	8	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	113	<1	<1	8	16	16	16	16
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS	17	9.7	124	2	3	7	11	15	38	50
13-19 YRS	72	8.7	77	3	3	7	9	14	22	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2802	4.2	10	1	1	3	5	8	9	14
B. *Operated*	11	5.7	9	2	2	6	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	2798	4.7	15	1	2	4	6	9	11	19
B. *Operated*	92	9.1	87	3	3	7	10	15	26	81
1. SINGLE DX	2813	4.2	10	1	1	3	5	8	9	14
2. MULTIPLE DX	2890	4.8	18	1	2	4	6	9	11	21
A. NOT OPERATED	5600	4.4	13	1	2	4	6	8	10	16
B. OPERATED	103	8.7	80	2	3	7	10	15	24	77
TOTAL 0-27 DYS	5	4.2	31	1	1	2	6	14	14	14
1-11 MOS	29	6.8	18	<1	1	6	9	13	16	17
1-5 YRS	212	6.3	14	1	2	6	8	11	13	18
6-12 YRS	1546	4.9	19	1	2	4	6	9	11	18
13-19 YRS	3911	4.3	12	1	2	3	5	8	10	16
GRAND TOTAL	**5703**	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	4	6.8	17	3	3	6	10	12	12	12
1-5 YRS	131	5.8	11	2	2	5	7	10	13	18
6-12 YRS	502	5.8	10	2	2	5	7	10	12	15
13-19 YRS	820	5.1	9	1	2	5	6	9	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	4	3.3	4	2	2	3	4	6	6	6
13-19 YRS	15	4.7	11	1	2	4	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.8	5	5	5	8	9	10	10	10
1-11 MOS	21	11.4	127	4	4	8	13	19	37	56
1-5 YRS	91	6.3	56	1	1	5	8	11	13	47
6-12 YRS	341	5.2	17	1	1	4	6	10	12	25
13-19 YRS	974	5.3	18	1	2	4	7	9	12	21
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	3	8.7	9	6	6	8	11	12	12	12
1-5 YRS	4	17.5	239	4	4	15	30	35	35	35
6-12 YRS	11	7.2	23	2	3	5	10	14	19	19
13-19 YRS	60	7.5	41	2	2	6	10	18	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1459	5.4	10	2	2	5	7	9	11	15
B. *Operated*	20	4.3	9	1	2	3	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	1431	5.4	23	1	2	4	7	10	12	22
B. *Operated*	79	8.2	51	2	2	6	10	19	24	34
1. SINGLE DX	1479	5.4	10	2	2	5	7	9	11	15
2. MULTIPLE DX	1510	5.6	24	1	2	5	7	10	13	25
A. NOT OPERATED	2890	5.4	16	1	2	5	7	9	12	20
B. OPERATED	99	7.4	45	2	2	5	9	18	23	33
TOTAL 0-27 DYS	7	9.3	40	5	5	7	10	20	23	23
1-11 MOS	29	10.1	99	3	4	8	12	16	23	56
1-5 YRS	226	6.3	34	1	2	5	7	11	13	28
6-12 YRS	858	5.6	13	1	2	5	7	10	12	21
13-19 YRS	1869	5.3	15	1	2	5	7	9	11	20
GRAND TOTAL	**2989**	**5.5**	**17**	**1**	**2**	**5**	**7**	**10**	**12**	**21**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	19	3.2	16	1	1	2	4	4	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	80	3.5	3	<1	1	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	24	3.3	3	1	1	3	4	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	4	3	3	5	6	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	112	3.9	6	1	1	4	5	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	15	1	1	2	3	4	12	19
B. *Operated*	82	3.5	3	<1	1	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	25	3.3	3	1	1	3	4	7	7	7
B. *Operated*	119	4.0	6	1	1	4	5	6	9	13
1. SINGLE DX	102	3.4	6	<1	1	3	5	6	6	13
2. MULTIPLE DX	144	3.8	5	1	1	4	5	6	8	13
A. NOT OPERATED	45	3.2	8	1	1	3	4	5	7	19
B. OPERATED	201	3.8	5	<1	1	4	5	6	7	13
TOTAL 0-27 DYS										
1-11 MOS	4	4.0	7	<1	<1	4	6	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	3.5	3	1	1	3	4	6	6	6
13-19 YRS	235	3.6	6	1	1	3	5	6	7	13
GRAND TOTAL	**246**	**3.7**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	5.6	12	<1	1	6	8	10	11	11
1-11 MOS	44	5.8	51	<1	1	2	7	16	23	32
1-5 YRS	182	2.2	8	<1	1	1	2	4	7	16
6-12 YRS	197	2.2	5	<1	1	2	3	4	6	12
13-19 YRS	163	3.1	13	<1	1	2	4	7	8	24
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.7	8	2	3	5	7	10	11	11
1-5 YRS	17	3.4	5	<1	1	2	5	7	8	8
6-12 YRS	20	4.3	6	<1	<1	4	6	8	9	9
13-19 YRS	19	5.1	15	1	1	3	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	9.4	297	1	2	5	8	9	56	71
1-11 MOS	78	5.4	34	1	1	4	7	11	16	34
1-5 YRS	311	3.5	18	1	1	2	4	7	11	17
6-12 YRS	333	3.0	12	<1	<1	2	4	6	9	23
13-19 YRS	418	3.5	8	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	4	25.3	181	8	8	26	35	40	40	40
1-11 MOS	14	15.6	525	1	3	6	28	87	97	99+
1-5 YRS	36	8.6	126	1	1	4	9	28	38	47
6-12 YRS	16	6.2	30	1	2	5	6	17	19	20
13-19 YRS	30	6.4	35	1	1	5	7	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	2.8	12	<1	1	2	3	6	8	21
B. *Operated*	63	4.5	9	<1	1	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1155	3.5	18	<1	1	2	4	7	10	19
B. *Operated*	100	9.2	154	1	1	5	9	28	36	93
1. SINGLE DX	662	2.9	12	<1	1	2	3	6	8	21
2. MULTIPLE DX	1255	4.0	31	<1	1	2	5	8	11	29
A. NOT OPERATED	1754	3.3	16	<1	1	2	4	7	9	21
B. OPERATED	163	7.4	103	1	1	4	8	16	29	81
TOTAL 0-27 DYS	32	9.8	195	1	2	6	9	25	39	71
1-11 MOS	143	6.6	92	1	1	4	8	14	27	88
1-5 YRS	546	3.4	23	<1	1	2	4	7	11	26
6-12 YRS	566	2.8	10	<1	1	2	3	6	8	20
13-19 YRS	630	3.6	12	1	1	3	5	7	9	16
GRAND TOTAL	**1917**	**3.6**	**25**	**<1**	**1**	**2**	**4**	**7**	**10**	**26**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5		2	2	2	3	3	3	3
1-11 MOS	16	6.6	20	1	2	5	9	12	16	17
1-5 YRS	17	6.2	19	1	1	6	9	12	13	14
6-12 YRS	8	3.0	3	<1	<1	3	4	6	6	6
13-19 YRS	3	5.7	30	2	2	3	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	6.0		6	6	6	6	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	7.3	16	2	3	6	9	[illegible]	14	14
1-11 MOS	83	7.5	30	2	3	6	9	14	18	29
1-5 YRS	76	10.7	117	2	3	7	13	24	36	57
6-12 YRS	29	11.9	232	2	2	7	13	32	37	73
13-19 YRS	22	21.9	511	1	2	14	42	63	86	99+
B. *Operated*										
0-27 DYS	2	29.0	578	12	12	29	46	46	46	46
1-11 MOS	8	27.3	499	5	6	27	49	88	99+	99+
1-5 YRS	19	13.6	125	4	4	8	18	28	41	47
6-12 YRS	5	10.6	10	7	7	9	14	14	14	14
13-19 YRS	19	14.7	394	2	3	8	12	40	68	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.4	17	1	1	4	8	12	13	17
B. *Operated*	4	8.8	32	3	3	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	221	10.6	147	2	3	6	13	24	36	74
B. *Operated*	53	16.4	290	3	4	10	19	46	65	99
1. SINGLE DX	52	5.7	18	1	1	4	9	12	14	17
2. MULTIPLE DX	274	11.7	179	2	3	7	14	28	45	82
A. NOT OPERATED	269	9.7	128	2	2	6	11	21	34	71
B. OPERATED	57	15.8	275	3	4	10	17	45	61	99
TOTAL 0-27 DYS	17	8.7	108	2	2	6	10	14	35	46
1-11 MOS	109	8.8	86	2	3	6	10	16	28	81
1-5 YRS	112	10.5	107	2	3	7	13	22	33	52
6-12 YRS	43	10.2	169	1	2	7	13	28	34	73
13-19 YRS	45	17.4	432	2	2	9	21	56	79	99+
GRAND TOTAL	**326**	**10.8**	**158**	**2**	**2**	**6**	**12**	**25**	**41**	**79**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	7.3	11	4	4	7	8	13	14	14
1-11 MOS	50	8.2	81	1	1	6	10	18	22	51
1-5 YRS	112	8.7	26	1	2	9	13	15	16	22
6-12 YRS	160	11.2	21	3	6	11	14	17	19	25
13-19 YRS	176	12.1	39	3	5	11	14	20	22	36
B. *Operated*										
0-27 DYS	1	71.0		71	71	71	71	71	71	71
1-11 MOS	3	8.0	49	1	1	8	13	15	15	15
1-5 YRS	4	11.8	128	1	1	12	21	22	22	22
6-12 YRS	10	13.2	65	2	2	14	17	23	29	29
13-19 YRS	9	16.1	48	8	9	18	18	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.5	36	2	3	7	13	18	18	18
1-11 MOS	110	9.5	78	1	2	7	12	19	26	46
1-5 YRS	217	8.7	30	1	2	8	12	15	17	25
6-12 YRS	295	12.7	37	2	5	13	16	21	24	30
13-19 YRS	412	12.3	72	3	4	11	15	21	28	43
B. *Operated*										
0-27 DYS	5	26.8	1412	3	3	12	38	93	93	93
1-11 MOS	19	24.2	440	1	2	17	33	56	69	78
1-5 YRS	24	16.2	340	1	4	11	18	32	52	91
6-12 YRS	33	14.8	147	2	3	13	17	35	41	56
13-19 YRS	48	15.8	182	4	5	13	17	28	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	10.6	36	2	3	10	14	17	20	28
B. *Operated*	27	15.5	185	1	2	14	18	28	37	71
2. MULTIPLE DX										
A. *Not Operated*	1042	11.3	56	2	3	11	14	20	24	36
B. *Operated*	129	17.3	284	2	4	13	18	37	55	91
1. SINGLE DX	532	10.9	45	2	3	10	14	18	21	32
2. MULTIPLE DX	1171	12.0	85	2	3	11	15	20	27	47
A. NOT OPERATED	1547	11.1	50	2	3	10	14	19	22	35
B. OPERATED	156	17.0	266	1	3	13	18	35	53	90
TOTAL 0-27 DYS	21	15.4	527	3	3	7	15	40	81	93
1-11 MOS	182	10.6	135	1	2	7	14	22	34	56
1-5 YRS	357	9.2	53	1	2	9	13	16	19	31
6-12 YRS	498	12.4	40	2	5	12	15	20	23	33
13-19 YRS	645	12.6	71	3	4	11	15	21	27	47
GRAND TOTAL	**1703**	**11.6**	**72**	**2**	**3**	**11**	**14**	**19**	**25**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	8	2.6	3	<1	<1	2	4	5	5	5
6-12 YRS	23	3.4	3	1	2	3	4	6	8	9
13-19 YRS	34	6.7	78	1	2	3	6	24	38	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	7.2	6	3	4	7	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	12	4.1	17	1	1	2	5	10	14	15
6-12 YRS	36	17.8	698	2	2	4	21	68	81	92
13-19 YRS	39	14.5	426	1	2	6	20	48	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	4	5.0	3	3	3	6	30	99+	99+	99+
13-19 YRS	38	7.4	7	4	5	7	9	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.0	44	1	2	3	5	9	25	89
B. *Operated*	42	7.2	6	3	4	7	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	90	14.0	482	1	2	4	12	49	76	97
B. *Operated*	44	7.1	7	3	4	7	9	12	13	99+
1. SINGLE DX	109	5.8	30	2	2	5	8	9	12	63
2. MULTIPLE DX	134	11.8	335	2	2	6	10	36	74	99+
A. NOT OPERATED	157	10.2	314	1	2	3	8	34	64	99
B. OPERATED	86	7.1	6	3	4	7	9	11	12	68
TOTAL 0-27 DYS										
1-11 MOS	5	3.4	5	1	1	3	5	7	7	7
1-5 YRS	22	3.6	11	<1	1	2	5	7	11	15
6-12 YRS	63	11.7	446	2	2	3	7	46	78	99
13-19 YRS	153	9.0	137	2	2	6	9	14	37	99
GRAND TOTAL	**243**	**9.1**	**206**	**2**	**2**	**5**	**8**	**19**	**44**	**99+**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	64	3.1	7	1	1	2	3	5	7	18
1-11 MOS	76	3.2	5	<1	<1	3	4	7	8	11
1-5 YRS	168	2.6	6	<1	<1	2	3	5	6	15
6-12 YRS	138	1.9	9	<1	<1	<1	2	4	5	13
13-19 YRS	134	2.3	5	<1	<1	1	2	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	12	6.6	56	<1	<1	3	11	16	25	26
1-5 YRS	45	5.3	119	<1	1	2	4	11	18	71
6-12 YRS	49	5.2	30	<1	1	4	5	11	17	32
13-19 YRS	40	4.5	25	1	1	2	5	11	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	38	6.4	59	1	2	4	6	19	27	32
1-11 MOS	143	5.0	29	1	1	4	6	10	12	21
1-5 YRS	275	5.5	57	1	1	3	6	12	17	47
6-12 YRS	187	3.7	15	<1	<1	2	5	8	10	22
13-19 YRS	166	4.8	35	<1	<1	4	6	10	14	27
B. *Operated*										
0-27 DYS	3	31.7	1530	2	2	46	88	99+	99+	99+
1-11 MOS	41	16.6	384	1	3	11	23	37	87	99+
1-5 YRS	73	14.3	495	1	1	5	13	69	78	97
6-12 YRS	60	8.6	65	1	2	7	11	22	29	93
13-19 YRS	52	9.2	115	2	2	5	10	22	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	2.5	7	<1	<1	2	3	5	7	13
B. *Operated*	146	5.1	57	<1	1	3	5	12	18	34
2. MULTIPLE DX										
A. *Not Operated*	809	4.9	38	<1	1	3	6	10	14	35
B. *Operated*	229	12.3	295	1	2	6	14	31	75	99+
1. SINGLE DX	726	3.0	18	<1	<1	2	3	6	9	20
2. MULTIPLE DX	1038	6.5	104	<1	1	4	7	14	24	78
A. NOT OPERATED	1389	3.9	26	<1	<1	2	4	8	11	28
B. OPERATED	375	9.5	214	1	1	4	10	23	37	99
TOTAL 0-27 DYS	105	5.1	78	1	1	3	5	8	22	87
1-11 MOS	272	6.3	95	<1	1	4	7	12	21	75
1-5 YRS	561	5.8	115	<1	1	3	5	12	22	77
6-12 YRS	434	4.0	26	<1	<1	2	5	9	13	30
13-19 YRS	392	4.5	39	<1	<1	3	5	9	14	33
GRAND TOTAL	**1764**	**5.1**	**72**	**<1**	**<1**	**3**	**5**	**10**	**17**	**58**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	2	3.0	2	2	2	3	4	4	4	4
A. NOT OPERATED	3	2.7	1	2	2	2	4	4	4	4
B. OPERATED										
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3**	**2.7**	**1**	**2**	**2**	**2**	**4**	**4**	**4**	**4**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.6	11	1	1	3	4	9	13	13
1-11 MOS	77	3.3	8	1	1	3	4	6	9	17
1-5 YRS	196	2.6	4	1	1	2	3	4	6	14
6-12 YRS	73	2.2	2	1	1	2	3	4	5	6
13-19 YRS	66	2.3	1	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	8.3	126	1	1	3	14	25	25	25
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	125	5.3	18	1	2	4	7	12	15	19
1-11 MOS	1513	3.8	10	1	2	3	4	7	8	17
1-5 YRS	2757	3.1	6	1	1	3	4	5	7	13
6-12 YRS	1029	3.0	5	1	1	2	4	5	7	12
13-19 YRS	932	3.4	13	1	1	3	4	6	8	15
B. *Operated*										
0-27 DYS	7	12.1	13	6	7	14	15	16	16	16
1-11 MOS	50	14.0	228	3	3	11	21	59	99+	99+
1-5 YRS	49	8.4	73	1	2	5	10	22	25	45
6-12 YRS	23	8.9	149	1	1	3	13	27	37	45
13-19 YRS	32	6.8	47	1	2	5	9	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	2.7	5	1	1	2	3	5	6	13
B. *Operated*	8	8.0	80	1	1	4	12	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	6356	3.3	8	1	1	3	4	6	8	14
B. *Operated*	161	10.1	130	1	2	6	14	25	45	99+
1. SINGLE DX	445	2.8	6	1	1	2	3	5	6	15
2. MULTIPLE DX	6517	3.5	12	1	1	3	4	6	8	17
A. NOT OPERATED	6793	3.3	8	1	1	3	4	6	8	14
B. OPERATED	169	10.0	127	1	2	6	14	25	43	99+
TOTAL 0-27 DYS	158	5.4	19	1	1	4	7	13	15	18
1-11 MOS	1644	4.1	20	1	1	3	5	7	10	29
1-5 YRS	3004	3.1	7	1	1	3	4	5	7	15
6-12 YRS	1126	3.1	8	1	1	2	4	5	7	15
13-19 YRS	1030	3.4	14	1	1	3	4	6	8	16
GRAND TOTAL	**6962**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	25	2.9	3	<1	1	3	4	5	6	8
1-5 YRS	60	3.6	10	1	1	3	4	7	12	14
6-12 YRS	10	3.3	3	1	1	3	4	6	7	7
13-19 YRS	52	3.2	5	1	1	2	4	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	5.3	9	1	1	6	7	8	8	8
13-19 YRS	15	5.3	13	1	3	4	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	51	4.2	6	1	1	4	6	8	8	10
1-5 YRS	104	4.2	7	1	1	4	6	8	9	54
6-12 YRS	39	3.4	7	1	1	3	5	6	9	13
13-19 YRS	127	4.0	7	1	1	3	5	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.2	62	3	3	7	15	23	23	23
1-5 YRS	11	5.8	10	2	2	5	9	10	11	11
6-12 YRS	2	6.0		6	6	6	6	6	6	6
13-19 YRS	38	5.6	11	2	2	5	7	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.3	6	1	1	3	4	7	8	13
B. *Operated*	23	4.7	11	1	1	4	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	322	4.0	7	1	1	3	5	8	8	14
B. *Operated*	56	6.1	16	2	2	5	8	11	12	23
1. SINGLE DX	170	3.5	7	1	1	3	4	7	8	14
2. MULTIPLE DX	378	4.3	9	1	1	4	6	8	10	16
A. NOT OPERATED	469	3.8	7	1	1	3	5	8	8	13
B. OPERATED	79	5.7	15	1	2	5	7	11	12	21
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	84	4.1	10	<1	1	3	5	8	8	19
1-5 YRS	176	4.1	8	1	1	3	6	8	11	15
6-12 YRS	55	3.6	6	1	1	3	5	6	8	13
13-19 YRS	232	4.2	8	1	1	3	6	8	10	15
GRAND TOTAL	**548**	**4.1**	**8**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	22	4.2	5	1	1	4	6	7	8	8
1-5 YRS	291	3.8	5	1	1	3	5	7	9	11
6-12 YRS	554	3.6	5	1	1	3	5	7	8	12
13-19 YRS	925	4.5	8	1	1	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.0	17	7	7	8	12	16	16	16
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	8.0	7	5	5	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	47	3.9	2	2	2	4	5	6	7	8
1-5 YRS	459	5.2	19	1	2	4	6	9	11	28
6-12 YRS	495	4.9	12	1	1	4	7	9	12	16
13-19 YRS	801	6.6	45	1	2	5	8	13	16	35
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.8	199	3	3	4	12	35	35	35
1-5 YRS	15	8.3	83	2	2	4	11	23	30	33
6-12 YRS	16	6.8	13	2	3	6	9	12	13	14
13-19 YRS	33	13.7	106	1	3	11	18	29	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1793	4.1	7	1	1	4	5	7	9	14
B. *Operated*	9	7.4	20	1	1	8	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	1803	5.7	29	1	2	4	7	11	14	27
B. *Operated*	69	10.7	91	2	2	8	14	23	33	43
1. SINGLE DX	1802	4.1	7	1	1	4	5	7	9	14
2. MULTIPLE DX	1872	5.9	32	1	2	5	7	11	14	29
A. NOT OPERATED	3596	4.9	19	1	1	4	6	9	12	20
B. OPERATED	78	10.3	83	1	2	8	13	22	32	42
TOTAL 0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	74	4.4	16	1	2	4	5	6	7	29
1-5 YRS	769	4.8	16	1	2	4	6	8	11	23
6-12 YRS	1067	4.3	9	1	1	3	5	8	10	14
13-19 YRS	1762	5.6	29	1	1	4	7	11	14	27
GRAND TOTAL	**3674**	**5.0**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.1	18	<1	1	2	3	7	15	18
1-11 MOS	94	2.2	3	<1	<1	2	3	4	6	11
1-5 YRS	244	2.8	10	<1	<1	2	3	7	9	17
6-12 YRS	168	2.3	4	<1	<1	1	3	6	7	10
13-19 YRS	240	2.1	8	<1	<1	1	2	5	7	17
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	26	6.3	123	1	1	2	4	19	37	47
1-5 YRS	63	4.8	71	1	1	4	5	6	7	61
6-12 YRS	55	5.4	5	2	3	5	6	9	10	12
13-19 YRS	29	6.1	22	1	2	5	7	9	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	6.3	13	2	2	5	9	12	12	12
1-11 MOS	140	3.4	9	<1	1	3	4	7	10	14
1-5 YRS	304	3.4	22	<1	<1	2	4	8	10	17
6-12 YRS	321	2.9	15	<1	<1	1	3	7	9	17
13-19 YRS	299	3.7	14	<1	1	2	5	8	11	19
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	29	8.6	165	1	1	4	11	16	37	63
1-5 YRS	73	9.5	134	1	1	5	11	28	51	99+
6-12 YRS	77	10.0	114	1	2	6	14	21	35	88
13-19 YRS	100	6.8	55	1	1	5	9	14	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	2.4	8	<1	<1	1	3	5	8	16
B. *Operated*	174	5.5	49	1	1	5	6	8	10	44
2. MULTIPLE DX										
A. *Not Operated*	1076	3.4	16	<1	<1	2	4	8	10	17
B. *Operated*	280	8.6	104	1	1	5	10	20	33	88
1. SINGLE DX	936	3.0	17	<1	<1	1	4	6	8	18
2. MULTIPLE DX	1356	4.4	39	<1	<1	2	5	10	15	36
A. NOT OPERATED	1838	3.0	13	<1	<1	1	4	7	9	16
B. OPERATED	454	7.4	85	1	1	5	8	17	24	63
TOTAL 0-27 DYS	30	4.6	17	1	1	3	7	11	12	18
1-11 MOS	289	3.8	36	<1	1	2	4	8	11	36
1-5 YRS	684	4.0	38	<1	<1	2	5	8	12	44
6-12 YRS	621	3.8	29	<1	<1	2	5	8	12	32
13-19 YRS	668	3.7	21	<1	<1	2	5	8	12	22
GRAND TOTAL	**2292**	**3.8**	**30**	**<1**	**<1**	**2**	**5**	**8**	**12**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.3	1	2	2	3	4	4	4	4
1-5 YRS	29	3.0	7	<1	1	2	3	7	8	12
6-12 YRS	31	5.2	26	2	2	3	6	11	13	27
13-19 YRS	21	4.3	11	1	1	3	5	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	18.0	392	4	4	18	32	32	32	32
13-19 YRS	3	16.7	50	9	9	18	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.2	33	1	1	10	12	17	17	17
1-11 MOS	10	2.7	7	<1	<1	2	4	7	9	9
1-5 YRS	70	2.6	5	<1	1	2	3	6	7	10
6-12 YRS	72	5.6	42	1	1	4	6	11	17	37
13-19 YRS	88	5.1	31	1	1	4	6	10	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.7	52	3	3	4	13	16	16	16
6-12 YRS	9	28.7	900	3	5	15	40	81	90	90
13-19 YRS	11	18.1	244	2	3	18	23	44	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.1	15	1	1	3	5	10	11	22
B. *Operated*	5	17.2	124	4	4	18	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	245	4.5	27	1	1	3	5	9	11	31
B. *Operated*	23	20.9	495	2	3	15	23	55	75	90
1. SINGLE DX	91	4.8	29	1	1	3	6	11	13	30
2. MULTIPLE DX	268	5.9	87	1	1	3	6	11	19	50
A. NOT OPERATED	331	4.4	24	1	1	3	5	9	11	29
B. OPERATED	28	20.2	424	3	3	15	23	48	69	90
TOTAL 0-27 DYS	6	8.2	33	1	1	9	10	16	17	17
1-11 MOS	14	2.9	5	<1	1	2	4	5	8	9
1-5 YRS	102	2.9	7	<1	1	2	3	6	8	14
6-12 YRS	114	7.5	142	1	2	4	7	15	30	75
13-19 YRS	123	6.4	62	1	1	4	7	13	22	43
GRAND TOTAL	**359**	**5.7**	**72**	**1**	**1**	**3**	**6**	**11**	**18**	**40**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.1	2	<1	<1	2	3	4	5	5
1-11 MOS	42	3.3	7	<1	1	3	4	7	10	11
1-5 YRS	496	3.0	5	<1	1	2	4	6	7	11
6-12 YRS	243	3.6	7	<1	1	3	4	7	9	15
13-19 YRS	112	3.4	7	1	1	3	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	13	4.4	17	<1	1	3	6	12	13	13
1-5 YRS	178	4.6	12	1	1	4	6	8	12	19
6-12 YRS	121	4.5	8	1	2	4	6	8	9	13
13-19 YRS	133	5.9	18	1	2	5	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.5	38	1	1	4	9	17	21	21
1-11 MOS	73	3.6	6	1	1	3	5	6	9	13
1-5 YRS	531	4.3	18	1	1	3	5	8	11	18
6-12 YRS	408	4.5	15	1	1	3	6	9	11	20
13-19 YRS	270	5.1	19	1	1	4	7	10	13	23
B. *Operated*										
0-27 DYS	3	6.0	27	3	3	3	10	12	12	12
1-11 MOS	25	12.4	263	2	2	6	14	22	47	79
1-5 YRS	121	8.4	131	1	2	5	8	18	28	66
6-12 YRS	85	8.5	104	1	2	5	9	20	29	57
13-19 YRS	149	8.0	75	1	1	6	9	13	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	3.2	6	<1	1	2	4	6	8	13
B. *Operated*	445	4.9	13	1	1	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1293	4.5	17	1	1	3	6	9	11	20
B. *Operated*	383	8.5	111	1	2	5	9	18	28	60
1. SINGLE DX	1350	3.8	9	<1	1	3	5	7	9	16
2. MULTIPLE DX	1676	5.4	41	1	1	4	6	10	14	33
A. NOT OPERATED	2198	4.0	13	<1	1	3	5	8	10	17
B. OPERATED	828	6.6	61	1	2	5	7	12	19	46
TOTAL 0-27 DYS	26	4.4	23	<1	<1	3	5	12	15	21
1-11 MOS	153	5.0	59	1	1	3	5	10	13	37
1-5 YRS	1326	4.2	25	<1	1	3	5	8	10	24
6-12 YRS	857	4.6	22	1	1	3	6	9	12	21
13-19 YRS	664	5.6	32	1	1	4	7	10	14	29
GRAND TOTAL	**3026**	**4.7**	**27**	**1**	**1**	**3**	**6**	**9**	**12**	**26**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	171	1.8	1	<1	1	2	2	3	3	6
6-12 YRS	1204	2.0	1	1	1	2	2	3	4	6
13-19 YRS	1185	2.1	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	86	3.0	2	1	1	3	4	5	5	6
6-12 YRS	515	3.3	2	2	2	3	4	5	6	7
13-19 YRS	714	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	149	2.2	2	1	1	2	3	4	5	6
6-12 YRS	766	2.6	3	1	1	2	3	4	6	9
13-19 YRS	637	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	50	3.9	3	2	2	4	5	6	7	7
6-12 YRS	246	4.2	11	2	2	4	5	6	8	14
13-19 YRS	338	4.6	7	2	3	4	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2567	2.0	1	1	1	2	2	3	4	6
B. *Operated*	1317	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1556	2.6	3	1	1	2	3	5	6	9
B. *Operated*	634	4.4	8	2	2	4	5	7	8	17
1. SINGLE DX	3884	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2190	3.1	5	1	1	3	4	6	7	12
A. NOT OPERATED	4123	2.2	2	1	1	2	3	4	5	8
B. OPERATED	1951	3.8	4	2	2	3	4	6	6	11
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	2.3	2	1	1	2	3	5	6	6
1-5 YRS	456	2.4	2	1	1	2	3	4	5	7
6-12 YRS	2731	2.6	3	1	1	2	3	4	5	8
13-19 YRS	2374	2.9	4	1	1	3	4	5	6	9
GRAND TOTAL	**6074**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	54	4.8	8	2	2	4	5	9	11	16
1-5 YRS	265	4.3	5	1	2	4	5	7	8	12
6-12 YRS	168	4.2	7	1	1	4	6	8	9	12
13-19 YRS	60	3.6	4	1	2	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.7	6	1	1	5	7	8	8	8
1-5 YRS	102	3.1	6	<1	<1	2	4	6	8	12
6-12 YRS	107	2.8	6	<1	<1	2	4	7	9	12
13-19 YRS	121	2.9	7	<1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	47	5.1	5	1	2	5	6	8	10	11
1-5 YRS	251	4.4	6	1	2	4	6	7	8	13
6-12 YRS	118	4.3	12	1	1	4	5	8	9	19
13-19 YRS	72	3.9	5	1	2	3	5	7	8	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	20	6.0	6	2	3	6	7	9	11	12
1-5 YRS	84	4.8	18	<1	1	4	7	9	12	24
6-12 YRS	42	3.5	14	<1	<1	2	5	8	14	16
13-19 YRS	53	3.8	6	1	1	3	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.3	6	1	2	4	5	7	9	12
B. *Operated*	340	3.0	7	<1	<1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	489	4.3	7	1	2	4	6	7	8	13
B. *Operated*	200	4.4	13	<1	1	3	6	8	10	16
1. SINGLE DX	889	3.8	6	<1	1	3	5	7	9	13
2. MULTIPLE DX	689	4.4	9	1	1	4	6	8	9	15
A. NOT OPERATED	1038	4.3	6	1	2	4	5	7	9	12
B. OPERATED	540	3.5	9	<1	1	2	5	8	9	15
TOTAL 0-27 DYS	4	3.5	6	2	2	3	5	7	7	7
1-11 MOS	131	5.1	7	1	2	5	6	8	10	13
1-5 YRS	702	4.2	7	1	1	4	5	7	9	13
6-12 YRS	435	3.8	9	<1	1	3	5	8	9	14
13-19 YRS	306	3.4	6	1	1	3	4	7	8	12
GRAND TOTAL	**1578**	**4.0**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.5	113	4	4	11	19	19	19	19
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	24	11.8	208	<1	1	5	18	38	46	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	37.0	2048	5	5	37	69	69	69	69
6-12 YRS	12	4.1	18	1	1	2	5	11	14	15
13-19 YRS	45	11.4	243	1	1	5	17	25	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	12.5	85	6	6	12	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	10.2	177	<1	1	4	17	28	43	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	60	10.8	252	1	1	5	14	24	69	97
B. *Operated*	3	8.7	86	1	1	6	16	19	19	19
1. SINGLE DX	31	10.2	177	<1	1	4	17	28	43	52
2. MULTIPLE DX	63	10.7	242	1	1	5	14	23	69	96
A. NOT OPERATED	91	10.6	224	1	1	4	15	24	51	88
B. OPERATED	3	8.7	86	1	1	6	16	19	19	19
TOTAL 0-27 DYS										
1-11 MOS	3	11.0	57	4	4	10	17	19	19	19
1-5 YRS	3	25.0	1456	1	1	5	53	69	69	69
6-12 YRS	17	3.4	14	1	1	2	3	9	13	15
13-19 YRS	71	11.6	222	<1	1	6	18	29	51	94
GRAND TOTAL	**94**	**10.5**	**219**	**1**	**1**	**4**	**15**	**23**	**50**	**87**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	1.5	1	1	1	1	2	3	3	3
1-5 YRS	110	1.6	1	<1	1	1	2	3	4	7
6-12 YRS	188	1.9	9	1	1	1	2	3	4	7
13-19 YRS	272	3.6	65	<1	1	2	3	6	9	56
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	4.5	20	1	1	2	5	13	15	15
1-5 YRS	101	2.7	8	<1	1	2	3	5	7	17
6-12 YRS	170	3.5	54	1	1	2	3	6	13	93
13-19 YRS	418	6.6	148	1	1	3	6	13	31	97
B. *Operated*										
0-27 DYS	2	34.0	1250	9	9	34	59	59	59	59
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	13	2.8	7	1	1	2	4	6	9	10
13-19 YRS	26	6.6	91	1	1	4	9	16	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	2.6	34	1	1	1	2	4	6	38
B. *Operated*	7	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	708	5.2	105	1	1	2	5	9	23	85
B. *Operated*	45	6.5	121	1	1	3	8	12	51	99+
1. SINGLE DX	587	2.6	34	1	1	1	2	4	6	38
2. MULTIPLE DX	753	5.3	106	1	1	3	5	9	25	94
A. NOT OPERATED	1288	4.1	75	1	1	2	4	7	13	61
B. OPERATED	52	5.8	107	1	1	3	5	11	44	99
TOTAL 0-27 DYS	2	34.0	1250	9	9	34	59	59	59	59
1-11 MOS	32	3.5	14	1	1	2	4	10	14	15
1-5 YRS	213	2.1	5	<1	1	1	3	4	5	14
6-12 YRS	372	2.6	30	1	1	1	3	4	7	44
13-19 YRS	721	5.4	115	1	1	2	5	9	26	75
GRAND TOTAL	**1340**	**4.1**	**76**	**1**	**1**	**2**	**4**	**7**	**13**	**61**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	16	2.7	23	<1	<1	1	2	5	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	4.6	16	1	1	3	7	11	11	11
1-5 YRS	3	2.7	8	1	1	1	5	6	6	6
6-12 YRS										
13-19 YRS	69	7.3	109	<1	1	4	7	17	30	55
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	6	28.8	607	2	2	30	52	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	21	<1	<1	1	2	5	15	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	78	7.0	99	<1	1	4	6	14	27	54
B. *Operated*	7	26.3	551	2	2	16	50	54	55	55
1. SINGLE DX	17	2.6	21	<1	<1	1	2	5	15	20
2. MULTIPLE DX	85	8.6	158	1	1	4	8	18	45	56
A. NOT OPERATED	95	6.2	87	<1	<1	3	6	13	24	52
B. OPERATED	7	26.3	551	2	2	16	50	54	55	55
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	6	5.7	20	1	1	4	11	11	11	11
1-5 YRS	4	2.5	6	1	1	2	4	6	6	6
6-12 YRS										
13-19 YRS	91	7.9	154	<1	<1	3	6	19	45	56
GRAND TOTAL	**102**	**7.6**	**140**	**<1**	**1**	**3**	**6**	**18**	**44**	**56**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	4.0	13	1	1	3	6	9	9	9
6-12 YRS	4	24.5	2026	1	1	2	47	92	92	92
13-19 YRS	70	7.7	98	1	1	4	8	23	34	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	3.2	5	1	1	3	5	6	6	6
6-12 YRS	10	4.5	27	2	2	3	4	12	19	19
13-19 YRS	172	13.5	246	1	2	7	15	40	52	69
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	13	34.5	611	5	7	26	60	68	74	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	8.3	180	1	1	4	8	23	37	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	190	12.6	232	1	2	7	15	37	50	69
B. *Operated*	14	32.3	631	4	4	24	60	67	74	76
1. SINGLE DX	79	8.3	180	1	1	4	8	23	37	98
2. MULTIPLE DX	204	13.9	281	1	2	7	17	42	55	72
A. NOT OPERATED	269	11.3	219	1	1	6	13	33	50	87
B. OPERATED	14	32.3	631	4	4	24	60	67	74	76
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	10	3.5	7	1	1	3	5	7	9	9
6-12 YRS	15	9.8	535	1	2	3	4	19	74	92
13-19 YRS	255	13.0	252	1	2	7	15	39	53	76
GRAND TO[illegible]	**283**	**12.4**	**258**	**1**	**1**	**6**	**14**	**37**	**52**	**86**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	18.0		18	18	18	18	18	18	18
1-11 MOS	3	9.7	25	5	5	9	13	15	15	15
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	259	17.2	225	1	2	15	23	37	56	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	187	21.9	361	2	4	17	31	56	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	23.6	434	3	3	14	39	56	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	17.1	221	1	2	15	22	37	55	99+
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	188	21.9	360	2	4	17	31	56	73	99+
B. *Operated*	9	23.6	434	3	3	14	39	56	58	58
1. SINGLE DX	266	17.1	220	1	2	15	22	37	55	99+
2. MULTIPLE DX	197	21.9	361	2	4	16	31	56	72	99+
A. NOT OPERATED	453	19.1	283	2	3	15	27	43	63	99+
B. OPERATED	10	22.3	401	3	3	13	34	55	58	58
TOTAL 0-27 DYS	2	18.0		18	18	18	18	18	18	18
1-11 MOS	4	10.3	18	5	5	10	13	15	15	15
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	456	19.3	289	2	3	15	27	44	63	99+
GRAND TOTAL	**463**	**19.2**	**285**	**2**	**3**	**15**	**27**	**44**	**62**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	4	38.3	216	17	17	43	48	49	49	49
13-19 YRS	137	21.3	386	2	4	14	29	47	70	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	61.0		61	61	80	99+	99+	99+	99+
13-19 YRS	74	21.4	329	3	5	17	29	68	91	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	21.7	385	3	5	14	29	48	68	97
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	75	21.9	345	3	5	18	30	73	99+	99+
B. *Operated*										
1. SINGLE DX	142	21.7	385	3	5	14	29	48	68	97
2. MULTIPLE DX	75	21.9	345	3	5	18	30	73	99+	99+
A. NOT OPERATED	217	21.8	370	3	5	15	30	52	76	99+
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	5	42.8	265	17	19	48	61	96	99+	99+
13-19 YRS	211	21.3	364	3	5	14	29	51	75	99+
GRAND TOTAL	**217**	**21.8**	**370**	**3**	**5**	**15**	**30**	**52**	**76**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	6.4	38	<1	<1	5	8	17	17	17
1-11 MOS	7	8.4	25	2	3	7	12	16	17	17
1-5 YRS										
6-12 YRS	11	21.8	456	4	6	10	24	58	73	74
13-19 YRS	636	20.5	334	2	3	16	29	49	65	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	18	9	9	12	15	15	15	15
1-11 MOS	4	11.0	55	4	4	10	17	20	20	20
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	10	22.6	243	2	5	20	34	45	55	55
13-19 YRS	507	22.8	377	2	4	19	33	54	77	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	31.2	423	11	12	26	41	55	78	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	20.2	332	2	3	15	28	48	65	99+
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	524	22.6	371	2	4	19	33	53	76	99+
B. *Operated*	20	31.2	423	11	12	26	41	55	78	92
1. SINGLE DX	660	20.2	332	2	3	15	28	48	65	99+
2. MULTIPLE DX	544	22.9	375	2	4	19	33	53	76	99+
A. NOT OPERATED	1183	21.3	351	2	3	16	30	52	68	99+
B. OPERATED	21	30.3	418	11	12	25	40	54	77	92
TOTAL 0-27 DYS	7	8.0	36	<1	1	5	13	17	17	17
1-11 MOS	11	9.4	33	2	3	7	14	18	20	20
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	21	22.2	338	3	6	20	28	51	64	74
13-19 YRS	1164	21.6	356	2	3	17	31	52	69	99+
GRAND TOTAL	**1204**	**21.5**	**353**	**2**	**3**	**17**	**31**	**52**	**68**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	11.6	246	<1	<1	4	15	44	49	50
6-12 YRS	53	25.9	495	2	3	26	44	85	99+	99+
13-19 YRS	8	29.6	833	<1	1	23	39	77	92	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	24.7	722	1	2	13	50	93	99+	99+
6-12 YRS	56	27.1	595	2	4	29	69	99+	99+	99+
13-19 YRS	8	28.1	456	3	5	33	52	81	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	35.0	578	18	18	52	88	99+	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	21.7	483	<1	1	14	41	55	95	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	88	26.5	605	2	3	25	60	99+	99+	99+
B. *Operated*	3	26.7	497	10	10	52	99+	99+	99+	99+
1. SINGLE DX	89	21.7	483	<1	1	14	41	55	95	99+
2. MULTIPLE DX	91	26.5	596	2	3	26	62	99+	99+	99+
A. NOT OPERATED	177	24.1	546	1	2	18	49	99	99+	99+
B. OPERATED	3	26.7	497	10	10	52	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	53	17.5	490	<1	1	9	29	54	90	99+
6-12 YRS	111	26.6	539	2	4	27	54	99+	99+	99+
13-19 YRS	16	28.9	602	1	4	29	52	97	99+	99+
GRAND TOTAL	**180**	**24.2**	**543**	**1**	**2**	**19**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	51.0		51	51	51	51	51	51	51
1-11 MOS	7	11.9	27	3	4	14	16	18	18	18
1-5 YRS	2	23.5	841	3	3	23	44	44	44	44
6-12 YRS	50	30.4	581	3	4	30	60	88	99+	99+
13-19 YRS	760	20.0	387	1	2	14	29	53	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	3	12.0	36	6	6	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	9.0	41	3	3	8	10	20	21	21
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	130	38.7	540	3	7	42	61	95	99+	99+
13-19 YRS	1390	22.8	459	2	3	17	36	65	90	99+
B. *Operated*										
0-27 DYS	1	63.0		63	63	63	63	63	63	63
1-11 MOS	3	26.3	420	14	14	15	41	50	50	50
1-5 YRS										
6-12 YRS	3	32.0	19	29	29	30	35	37	37	37
13-19 YRS	37	29.6	480	3	6	33	61	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	20.6	402	1	2	14	30	56	79	99+
B. *Operated*	4	12.0	24	6	6	12	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	1531	24.0	484	2	3	18	40	68	95	99+
B. *Operated*	44	30.3	449	3	7	33	57	99+	99+	99+
1. SINGLE DX	824	20.6	401	1	2	14	30	56	79	99+
2. MULTIPLE DX	1575	24.2	483	2	3	19	40	70	98	99+
A. NOT OPERATED	2351	22.8	458	2	3	17	36	63	89	99+
B. OPERATED	48	28.8	438	3	6	30	55	99+	99+	99+
TOTAL 0-27 DYS	2	57.0	72	51	51	57	63	63	63	63
1-11 MOS	20	12.6	109	3	3	10	15	20	35	50
1-5 YRS	3	17.0	547	3	3	4	34	44	44	44
6-12 YRS	184	36.2	553	3	6	38	60	94	99+	99+
13-19 YRS	2190	21.9	436	2	3	16	34	61	87	99+
GRAND TOTAL	**2399**	**23.0**	**458**	**2**	**3**	**17**	**37**	**64**	**90**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	10.8	24	4	4	10	16	17	17	17
1-5 YRS	2	9.0	72	3	3	9	15	15	15	15
6-12 YRS	14	29.9	492	7	9	27	42	49	82	91
13-19 YRS	438	20.7	335	2	3	15	29	46	64	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	50.0		50	50	50	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	10	20.5	297	<1	1	18	23	49	57	57
1-5 YRS	3	14.7	149	4	4	12	24	28	28	28
6-12 YRS	46	30.2	560	4	6	24	49	68	86	99+
13-19 YRS	557	22.7	408	2	4	17	31	55	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	62.0		62	62	62	62	62	62	62
13-19 YRS	22	32.8	556	5	8	28	48	87	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	20.8	338	2	4	15	29	46	64	99+
B. *Operated*	2	26.0	1152	2	2	26	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*	617	23.3	425	2	4	18	33	57	74	99+
B. *Operated*	23	34.1	568	5	8	32	50	86	92	99+
1. SINGLE DX	462	20.8	339	2	3	15	29	46	64	99+
2. MULTIPLE DX	640	23.6	433	2	4	18	33	57	81	99+
A. NOT OPERATED	1077	22.2	389	2	4	16	31	52	70	99+
B. OPERATED	25	33.4	573	2	7	32	50	84	91	99+
TOTAL 0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	16	16.9	210	1	2	13	21	39	52	57
1-5 YRS	6	10.7	100	2	2	8	15	27	28	28
6-12 YRS	61	30.6	543	4	6	25	44	67	86	99
13-19 YRS	1018	22.1	383	2	4	16	31	52	70	99+
GRAND TOTAL	**1102**	**22.5**	**395**	**2**	**4**	**16**	**32**	**52**	**71**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	11.7	229	1	1	5	23	29	29	29
6-12 YRS	26	21.1	699	<1	<1	10	49	71	86	99+
13-19 YRS	305	12.8	201	1	1	8	16	30	45	71
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	3.9	10	1	1	3	6	8	9	9
6-12 YRS	29	22.7	590	1	2	19	42	92	99+	99+
13-19 YRS	368	14.9	217	1	2	10	21	38	47	73
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS										
13-19 YRS	6	14.8	147	1	2	13	16	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	13.3	241	1	1	8	17	34	51	83
B. *Operated*	4	3.3	2	<1	<1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	406	15.2	245	1	2	10	22	40	51	99+
B. *Operated*	8	11.8	138	1	1	10	15	31	37	37
1. SINGLE DX	341	13.2	240	1	1	8	17	34	51	83
2. MULTIPLE DX	414	15.2	243	1	2	10	22	39	51	99+
A. NOT OPERATED	743	14.4	244	1	1	9	19	38	51	92
B. OPERATED	12	8.9	106	<1	1	4	13	22	35	37
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	13	5.5	57	1	1	4	6	13	26	29
6-12 YRS	56	21.6	627	<1	1	12	46	85	99+	99+
13-19 YRS	682	13.9	210	1	2	9	19	35	46	72
GRAND TOTAL	**755**	**14.3**	**242**	**1**	**1**	**9**	**19**	**37**	**51**	**92**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	2	8.5	113	<1	<1	8	16	16	16	16
6-12 YRS	23	3.6	13	<1	1	2	3	9	11	14
13-19 YRS	153	5.1	85	<1	1	3	4	9	17	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	1.8	2	1	1	1	2	4	4	4
1-5 YRS	5	4.8	28	1	1	3	6	14	14	14
6-12 YRS	55	9.3	231	<1	1	3	8	42	65	99+
13-19 YRS	276	8.1	141	1	1	3	9	22	33	64
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS	6	26.8	818	5	5	18	65	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	5.0	74	<1	1	3	4	10	16	54
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	342	8.2	151	1	1	3	9	23	41	80
B. *Operated*	7	25.1	702	5	5	16	63	90	99+	99+
1. SINGLE DX	182	5.0	74	<1	1	3	4	9	16	54
2. MULTIPLE DX	349	8.5	166	1	1	3	9	24	45	99
A. NOT OPERATED	523	7.1	127	1	1	3	7	19	32	69
B. OPERATED	8	22.3	669	2	3	15	60	87	99+	99+
TOTAL 0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	8	4.6	25	1	1	3	7	13	15	15
1-5 YRS	7	5.9	40	<1	<1	3	11	16	16	16
6-12 YRS	79	7.5	171	<1	1	3	8	24	56	99+
13-19 YRS	435	7.3	136	1	1	3	7	20	33	68
GRAND TOTAL	**531**	**7.3**	**137**	**1**	**1**	**3**	**7**	**20**	**34**	**71**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	65	28.0	634	2	4	18	44	69	98	99+
13-19 YRS	693	20.1	406	1	2	12	32	51	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	23.0	1298	4	4	6	42	77	77	77
1-11 MOS	8	8.3	68	2	2	5	10	22	27	27
1-5 YRS	4	5.8	7	3	3	6	8	8	8	8
6-12 YRS	108	39.1	799	3	5	42	79	99+	99+	99+
13-19 YRS	1270	23.1	495	2	3	16	37	62	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	25.0	307	7	7	26	38	42	42	42
13-19 YRS	36	26.5	387	3	7	23	43	55	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	20.7	429	1	2	13	33	56	71	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1394	24.2	536	2	3	17	41	68	90	99+
B. *Operated*	39	26.4	372	3	7	25	43	55	88	99+
1. SINGLE DX	762	20.7	429	1	2	13	33	56	71	99+
2. MULTIPLE DX	1433	24.2	532	2	3	17	41	68	90	99+
A. NOT OPERATED	2156	22.9	501	2	3	16	38	63	86	99+
B. OPERATED	39	26.4	372	3	7	25	43	55	88	99+
TOTAL 0-27 DYS	5	18.6	1070	<1	<1	4	24	77	77	77
1-11 MOS	10	7.3	57	2	2	4	10	19	27	27
1-5 YRS	5	9.0	58	3	3	8	12	22	22	22
6-12 YRS	176	34.8	754	3	5	31	61	98	99+	99+
13-19 YRS	1999	22.1	464	1	3	15	35	60	78	99+
GRAND TOTAL	**2195**	**23.0**	**499**	**2**	**3**	**16**	**38**	**63**	**86**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	2	35.5	1	35	35	35	36	36	36	36
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	85	10.6	262	1	1	4	13	51	79	99+
13-19 YRS	619	12.2	254	1	1	5	16	38	48	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	5	15.6	183	2	2	19	32	93	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	8.2	24	1	1	8	11	15	15	15
1-5 YRS	11	7.5	137	1	1	2	5	29	35	36
6-12 YRS	116	16.1	521	1	1	5	24	60	89	99+
13-19 YRS	944	14.5	348	1	1	7	20	45	67	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	14.7	184	2	2	13	25	29	29	29
13-19 YRS	44	20.9	692	1	2	10	23	61	83	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	12.0	254	1	1	5	16	38	54	99+
B. *Operated*	9	9.4	145	1	1	4	28	66	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1078	14.6	363	1	1	7	20	47	68	99+
B. *Operated*	48	20.1	651	<1	<1	10	23	60	78	99
1. SINGLE DX	721	12.0	252	1	1	5	16	38	54	99+
2. MULTIPLE DX	1126	14.8	376	1	1	7	20	48	70	99+
A. NOT OPERATED	1790	13.6	321	1	1	6	19	43	63	99+
B. OPERATED	57	18.4	582	<1	1	9	24	60	89	99+
TOTAL 0-27 DYS	3	9.7	2	8	8	10	11	11	11	11
1-11 MOS	8	15.0	177	1	2	10	25	36	36	36
1-5 YRS	16	5.6	100	<1	1	2	4	23	33	36
6-12 YRS	208	13.6	408	1	1	4	20	55	87	99+
13-19 YRS	1612	13.8	323	1	1	6	19	43	63	99+
GRAND TOTAL	**1847**	**13.7**	**329**	**1**	**1**	**6**	**19**	**43**	**64**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	15.0	338	2	2	15	28	28	28	28
1-11 MOS	9	8.9	91	1	1	4	12	26	28	28
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	12	2.6	7	1	1	2	3	8	9	9
13-19 YRS	539	13.4	200	<1	<1	6	25	34	38	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	36.6	401	1	1	45	46	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	16.1	146	4	4	13	29	30	30	30
1-11 MOS	18	7.1	92	<1	<1	4	6	26	31	32
1-5 YRS	6	6.7	18	1	1	6	10	13	13	13
6-12 YRS	13	20.2	623	1	1	8	38	53	77	82
13-19 YRS	2061	23.5	275	1	2	25	35	44	49	73
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	140	1	1	2	17	22	22	22
13-19 YRS	59	28.2	304	1	3	29	44	50	57	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	13.1	196	<1	<1	6	24	34	38	49
B. *Operated*	5	36.6	401	1	1	45	46	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	2106	23.3	277	1	2	25	34	44	49	73
B. *Operated*	62	27.2	313	1	2	29	44	49	57	95
1. SINGLE DX	569	13.3	202	<1	<1	6	24	34	40	49
2. MULTIPLE DX	2168	23.4	278	1	2	25	35	44	49	74
A. NOT OPERATED	2670	21.2	277	1	1	21	32	42	47	68
B. OPERATED	67	27.9	319	1	2	29	45	49	55	93
TOTAL 0-27 DYS	10	15.9	151	2	3	13	28	30	30	30
1-11 MOS	27	7.7	89	<1	1	4	6	27	29	32
1-5 YRS	8	5.8	17	1	1	5	8	12	13	13
6-12 YRS	28	11.4	363	1	1	2	9	40	50	82
13-19 YRS	2664	21.6	278	1	1	22	33	43	48	68
GRAND TOTAL	**2737**	**21.3**	**279**	**1**	**1**	**21**	**33**	**43**	**46**	**68**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	12.7	174	1	2	7	19	29	40	56
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	58	18.0	144	2	3	18	28	34	34	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	25	4	4	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	12.7	174	1	2	7	19	29	40	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	60	18.1	140	2	3	18	28	33	34	42
B. *Operated*	2	7.5	25	4	4	7	11	11	11	11
1. SINGLE DX	22	12.7	174	1	2	7	19	29	40	56
2. MULTIPLE DX	62	17.7	139	2	3	16	28	33	34	42
A. NOT OPERATED	82	16.6	153	2	3	15	28	33	34	52
B. OPERATED	2	7.5	25	4	4	7	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	82	16.3	154	2	3	14	28	33	34	52
GRAND TOTAL	**84**	**16.4**	**151**	**2**	**3**	**15**	**28**	**33**	**34**	**51**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	242	21.6	345	1	2	16	35	45	56	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	28.5	841	8	8	28	49	49	49	49
13-19 YRS	946	25.6	298	2	4	27	37	48	57	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	44.2	457	8	13	46	63	71	75	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	21.4	345	1	2	15	35	45	56	89
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	948	25.6	299	2	4	27	37	48	57	93
B. *Operated*	22	44.2	457	8	13	46	63	71	75	77
1. SINGLE DX	244	21.4	345	1	2	15	35	45	56	89
2. MULTIPLE DX	970	26.0	310	2	4	27	37	49	58	92
A. NOT OPERATED	1192	24.7	311	2	3	26	36	48	56	92
B. OPERATED	22	44.2	457	8	13	46	63	71	75	77
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	16.8	465	4	4	7	28	49	49	49
13-19 YRS	1210	25.1	319	2	3	26	37	48	58	92
GRAND TOTAL	**1214**	**25.1**	**320**	**2**	**3**	**26**	**37**	**48**	**57**	**92**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	78	1.2		<1	<1	1	1	2	2	3
13-19 YRS	832	1.6	9	<1	<1	1	1	2	3	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.0	7	1	1	4	6	7	7	7
1-5 YRS	5	2.4	4	1	1	2	3	6	6	6
6-12 YRS	31	1.5		<1	<1	1	2	3	3	3
13-19 YRS	796	5.8	150	<1	<1	1	3	19	33	68
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	5.4	138	<1	<1	1	3	17	38	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	923	1.5	8	<1	<1	1	1	2	3	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	836	5.6	144	<1	<1	1	3	18	31	66
B. *Operated*	21	5.4	138	<1	<1	1	3	17	38	49
1. SINGLE DX	923	1.5	8	<1	<1	1	1	2	3	16
2. MULTIPLE DX	857	5.6	143	<1	<1	1	3	18	31	66
A. NOT OPERATED	1759	3.5	77	<1	<1	1	2	5	19	55
B. OPERATED	21	5.4	138	<1	<1	1	3	17	38	49
TOTAL 0-27 DYS										
1-11 MOS	5	3.4	7	1	1	3	5	7	7	7
1-5 YRS	17	1.8	2	<1	1	1	2	3	5	6
6-12 YRS	109	1.3		<1	<1	1	1	2	2	3
13-19 YRS	1649	3.7	83	<1	<1	1	2	5	20	56
GRAND TOTAL	**1780**	**3.5**	**77**	**<1**	**<1**	**1**	**2**	**5**	**19**	**55**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	12.5	304	<1	<1	2	35	35	35	35
13-19 YRS	174	11.3	223	<1	1	4	18	32	42	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	3	4.3	6	2	2	4	6	7	7	7
13-19 YRS	650	21.9	412	1	1	17	35	52	61	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	33.9	769	4	6	29	63	82	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	11.3	224	<1	1	4	19	33	40	59
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	654	21.8	411	1	1	17	35	52	61	98
B. *Operated*	19	33.9	769	4	6	29	63	82	97	99+
1. SINGLE DX	181	11.3	224	<1	1	4	19	33	40	59
2. MULTIPLE DX	673	22.2	424	1	1	17	35	54	63	99
A. NOT OPERATED	835	19.6	389	1	1	13	32	49	59	93
B. OPERATED	19	33.9	769	4	6	29	63	82	97	99+
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	9.8	208	<1	<1	2	14	35	35	35
13-19 YRS	843	20.0	403	1	1	14	33	50	60	96
GRAND TOTAL	**854**	**19.9**	**401**	**1**	**1**	**13**	**33**	**50**	**60**	**96**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	2.2	1	<1	1	2	3	4	4	4
6-12 YRS	57	3.5	8	1	1	3	4	8	9	16
13-19 YRS	117	3.0	5	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.8	1	3	3	4	4	5	5	5
13-19 YRS	6	5.3	22	1	1	3	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	14	4.8	43	1	1	2	5	17	22	23
6-12 YRS	78	6.0	106	1	1	4	6	9	13	64
13-19 YRS	231	4.8	63	1	1	3	5	8	11	62
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	98	3	3	10	17	17	17	17
6-12 YRS	8	3.8	13	<1	<1	3	4	10	12	12
13-19 YRS	8	6.6	8	2	3	6	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.1	6	1	1	2	4	6	8	13
B. *Operated*	12	4.6	11	1	2	4	5	10	13	13
2. MULTIPLE DX										
A. *Not Operated*	325	5.0	72	1	1	3	5	9	12	62
B. *Operated*	18	5.7	19	<1	1	5	7	12	15	17
1. SINGLE DX	203	3.2	6	1	1	2	4	6	9	13
2. MULTIPLE DX	343	5.1	69	1	1	3	5	9	12	61
A. NOT OPERATED	516	4.3	48	1	1	3	5	7	10	51
B. OPERATED	30	5.3	15	1	1	4	7	12	13	17
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	31	3.9	27	1	1	2	4	10	17	23
6-12 YRS	149	4.8	60	1	1	3	5	9	12	50
13-19 YRS	362	4.3	43	1	1	3	5	7	10	52
GRAND TOTAL	**546**	**4.4**	**47**	**1**	**1**	**3**	**5**	**8**	**11**	**50**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.4	68	1	1	4	8	21	21	21
1-5 YRS	19	13.3	234	1	1	4	25	41	42	43
6-12 YRS	223	14.7	276	1	2	10	20	41	68	99+
13-19 YRS	1767	11.6	194	1	1	7	16	31	43	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	7	20.9	280	1	2	24	40	84	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.6	53	1	1	4	10	19	19	19
1-5 YRS	20	27.7	675	2	2	22	53	75	99+	99+
6-12 YRS	260	20.1	425	1	2	13	32	57	87	99+
13-19 YRS	2660	13.8	248	1	1	8	19	37	50	95
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS										
1-5 YRS	3	17.7	784	1	1	2	38	50	50	50
6-12 YRS	6	13.0	156	3	3	7	29	86	99+	99+
13-19 YRS	69	19.4	432	<1	2	11	28	51	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2015	12.0	204	1	1	7	16	32	44	99+
B. *Operated*	8	19.6	252	1	2	23	37	79	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2946	14.4	270	1	1	8	20	40	53	99+
B. *Operated*	79	18.8	410	1	2	11	29	51	78	99+
1. SINGLE DX	2023	12.0	204	1	1	7	16	33	44	99+
2. MULTIPLE DX	3025	14.5	274	1	1	8	20	40	55	99+
A. NOT OPERATED	4961	13.4	244	1	1	8	18	37	50	99+
B. OPERATED	87	18.9	392	1	2	12	30	51	81	99+
TOTAL 0-27 DYS	3	8.0	108	2	2	2	16	20	20	20
1-11 MOS	10	6.5	54	1	1	4	7	20	21	21
1-5 YRS	42	20.5	503	1	2	11	38	54	73	99+
6-12 YRS	490	17.5	359	1	2	11	28	49	75	99+
13-19 YRS	4503	13.0	231	1	1	7	17	35	48	98
GRAND TOTAL	**5048**	**13.5**	**247**	**1**	**1**	**8**	**19**	**37**	**51**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	4.9	28	1	1	3	5	12	18	22
1-5 YRS	160	7.3	204	<1	1	2	5	18	46	74
6-12 YRS	551	20.7	528	1	2	10	39	60	83	99+
13-19 YRS	1855	20.1	442	1	2	13	31	54	71	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	1	2	2	4	4	4	4	4
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	16	10.9	144	<1	1	5	18	26	38	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	8.0	91	2	2	5	7	25	27	27
1-11 MOS	39	5.5	47	1	1	3	5	15	24	30
1-5 YRS	255	11.9	326	1	1	4	14	39	78	99+
6-12 YRS	1038	27.8	684	2	3	25	54	99	99+	99+
13-19 YRS	3038	23.3	514	2	2	16	40	68	92	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	3	18.3	296	6	6	11	31	38	38	38
1-5 YRS	14	14.2	396	<1	1	8	37	96	99+	99+
6-12 YRS	29	36.0	1147	2	3	24	82	99+	99+	99+
13-19 YRS	91	29.0	609	2	3	29	55	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2588	19.3	454	1	2	11	31	54	71	99+
B. *Operated*	23	8.5	113	<1	1	4	11	24	32	43
2. MULTIPLE DX										
A. *Not Operated*	4376	23.6	554	1	2	17	42	76	99+	99+
B. *Operated*	137	28.7	717	1	3	25	59	99+	99+	99+
1. SINGLE DX	2611	19.2	452	1	2	11	31	54	71	99+
2. MULTIPLE DX	4513	23.7	560	1	2	17	42	77	99+	99+
A. NOT OPERATED	6964	22.0	521	1	2	14	38	67	92	99+
B. OPERATED	160	25.8	679	1	2	22	53	98	99+	99+
TOTAL 0-27 DYS	6	8.0	91	2	2	5	7	25	27	27
1-11 MOS	64	5.9	55	1	1	3	6	15	24	37
1-5 YRS	432	10.2	285	1	1	4	9	38	69	99+
6-12 YRS	1622	25.5	652	1	2	19	49	89	99+	99+
13-19 YRS	5000	22.2	491	1	2	15	37	63	86	99+
GRAND TOTAL	**7124**	**22.1**	**525**	**1**	**2**	**14**	**39**	**68**	**93**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	12	4.9	16	1	1	3	9	11	12	12
13-19 YRS	20	10.8	75	3	3	10	13	15	29	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	5.4	6	3	3	4	7	9	9	9
13-19 YRS	3	6.7	12	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	6.5	76	<1	1	4	7	24	53	99+
6-12 YRS	37	13.6	414	1	1	5	14	46	61	92
13-19 YRS	109	12.6	233	1	2	9	14	28	45	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	14.5	41	10	10	14	19	19	19	19
6-12 YRS	12	5.2	16	1	1	4	6	10	15	16
13-19 YRS	19	6.7	72	2	2	3	6	20	29	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	8.3	58	2	2	8	10	14	15	44
B. *Operated*	9	5.4	8	2	2	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	170	12.0	252	1	1	7	13	31	49	98
B. *Operated*	33	6.6	52	1	2	4	7	17	22	34
1. SINGLE DX	43	7.7	49	2	2	7	10	14	15	44
2. MULTIPLE DX	203	11.1	223	1	2	6	13	28	46	95
A. NOT OPERATED	204	11.4	221	1	2	7	13	28	46	95
B. OPERATED	42	6.4	42	1	2	4	7	15	21	34
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	28	6.9	71	<1	1	4	8	22	40	99+
6-12 YRS	66	9.9	253	1	1	4	9	25	48	88
13-19 YRS	151	11.5	190	1	2	8	13	26	44	85
GRAND TOTAL	**246**	**10.5**	**194**	**1**	**2**	**6**	**12**	**26**	**44**	**92**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	53	10.9	40	<1	3	11	15	21	23	27
1-11 MOS	508	11.0	17	3	5	11	13	15	18	24
1-5 YRS	577	10.8	17	3	5	11	12	15	16	24
6-12 YRS	112	6.8	19	1	2	6	11	12	13	16
13-19 YRS	79	7.3	32	1	2	7	10	12	15	33
B. *Operated*										
0-27 DYS	3	12.0	133	1	1	11	21	24	24	24
1-11 MOS	78	11.8	31	2	6	11	13	16	23	34
1-5 YRS	44	13.0	52	8	9	12	14	18	20	55
6-12 YRS	4	14.0	285	2	2	7	23	39	39	39
13-19 YRS	19	5.6	39	<1	1	3	9	11	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	75	15.5	98	3	5	15	21	25	39	89
1-11 MOS	695	11.6	24	3	5	11	14	16	20	29
1-5 YRS	733	11.4	24	3	6	11	13	16	18	28
6-12 YRS	104	9.9	44	1	2	10	13	16	22	34
13-19 YRS	82	10.2	76	1	2	9	14	18	29	48
B. *Operated*										
0-27 DYS	15	21.4	83	10	10	21	29	34	35	35
1-11 MOS	160	19.9	240	8	10	15	23	33	50	91
1-5 YRS	116	16.9	205	6	8	13	18	30	57	99+
6-12 YRS	36	23.6	262	5	9	21	28	45	56	84
13-19 YRS	51	27.2	438	4	6	24	41	52	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	10.3	21	2	3	11	12	15	16	24
B. *Operated*	148	11.4	49	1	2	11	13	16	24	39
2. MULTIPLE DX										
A. *Not Operated*	1689	11.5	32	2	4	11	14	16	21	33
B. *Operated*	378	20.4	260	6	9	15	24	41	56	96
1. SINGLE DX	1477	10.4	24	2	3	11	12	15	17	25
2. MULTIPLE DX	2067	13.2	85	3	5	11	15	21	28	56
A. NOT OPERATED	3018	11.0	27	2	4	11	13	16	19	28
B. OPERATED	526	17.8	217	3	7	13	21	34	47	92
TOTAL 0-27 DYS	146	14.4	84	2	4	13	20	25	30	60
1-11 MOS	1441	12.3	53	3	6	11	14	17	23	37
1-5 YRS	1470	11.7	39	3	6	11	13	16	19	37
6-12 YRS	256	10.5	96	1	2	10	13	21	28	52
13-19 YRS	231	12.6	198	1	2	9	14	31	43	64
GRAND TOTAL	**3544**	**12.0**	**61**	**2**	**4**	**11**	**14**	**18**	**23**	**46**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	1	10	10	10	11	11	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	12.7	100	5	5	9	20	24	24	24
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	8.3	16	6	6	6	11	13	13	13
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	10.5	1	10	10	10	11	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	9.1	44	4	4	6	11	21	24	24
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX	9	9.1	39	4	4	6	10	20	24	24
A. NOT OPERATED	10	9.4	35	4	4	8	11	18	24	24
B. OPERATED	1	9.0		9	9	9	9	9	9	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	12.7	100	5	5	9	20	24	24	24
1-5 YRS	3	9.0	7	6	6	10	11	11	11	11
6-12 YRS	3	8.3	16	6	6	6	11	13	13	13
13-19 YRS	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**11**	**9.4**	**31**	**4**	**5**	**9**	**11**	**17**	**23**	**24**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	33	8.4	40	1	2	6	11	17	21	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.4	18	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	11.3	152	1	1	8	21	25	25	25
13-19 YRS	24	6.9	15	1	2	8	10	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	3	19.0	181	4	4	23	28	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	8.1	40	1	2	6	11	16	21	28
B. *Operated*	5	4.4	18	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	29	7.2	26	1	1	8	10	12	15	25
B. *Operated*	7	11.9	133	1	1	7	21	29	30	30
1. SINGLE DX	40	7.6	38	1	1	6	10	16	20	28
2. MULTIPLE DX	36	8.1	47	1	1	7	10	17	24	30
A. NOT OPERATED	64	7.7	33	1	2	7	10	14	20	28
B. OPERATED	12	8.8	94	1	1	5	13	25	29	30
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	2.0	2	1	1	2	3	4	4	4
6-12 YRS	4	12.8	110	1	1	12	21	25	25	25
13-19 YRS	65	8.0	39	1	2	7	10	16	21	30
GRAND TOTAL	**76**	**7.8**	**42**	**1**	**1**	**7**	**10**	**16**	**22**	**29**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	4.1	11	2	2	3	4	8	13	15
1-11 MOS	201	4.0	13	1	1	3	5	8	11	17
1-5 YRS	783	3.1	11	1	1	2	4	6	10	20
6-12 YRS	742	3.2	12	1	1	2	4	6	8	17
13-19 YRS	829	3.2	10	1	1	2	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	4	16.3	404	2	2	8	28	46	46	46
1-5 YRS	13	7.8	57	2	2	5	9	17	28	30
6-12 YRS	7	4.3	5	1	1	4	6	8	8	8
13-19 YRS	24	6.1	21	1	2	6	8	11	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.0	43	<1	1	4	7	16	23	24
1-11 MOS	354	5.6	35	1	1	4	7	11	16	32
1-5 YRS	1407	4.5	30	1	1	3	5	9	13	29
6-12 YRS	1019	4.8	50	1	1	3	5	9	16	42
13-19 YRS	959	4.8	32	1	1	3	5	10	15	30
B. *Operated*										
0-27 DYS	4	22.5	546	5	5	15	39	55	55	55
1-11 MOS	33	14.6	425	2	2	7	17	35	77	83
1-5 YRS	67	12.2	226	1	2	7	14	40	55	99+
6-12 YRS	48	12.6	189	1	2	9	17	41	64	99+
13-19 YRS	56	9.7	126	2	2	6	10	19	41	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2573	3.2	11	1	1	2	4	6	9	17
B. *Operated*	48	7.1	60	1	2	5	8	13	21	46
2. MULTIPLE DX										
A. *Not Operated*	3750	4.8	37	1	1	3	5	10	14	32
B. *Operated*	208	12.2	227	1	2	7	14	36	53	99+
1. SINGLE DX	2621	3.3	12	1	1	2	4	6	9	18
2. MULTIPLE DX	3958	5.2	49	1	1	3	6	10	16	43
A. NOT OPERATED	6323	4.1	27	1	1	3	5	8	12	28
B. OPERATED	256	11.2	199	1	2	7	12	31	49	99+
TOTAL 0-27 DYS	33	7.0	105	1	2	3	6	17	24	55
1-11 MOS	592	5.6	56	1	1	4	7	11	16	37
1-5 YRS	2270	4.3	32	1	1	3	5	9	13	31
6-12 YRS	1816	4.4	40	1	1	3	4	9	14	37
13-19 YRS	1868	4.2	27	1	1	3	5	8	13	28
GRAND TOTAL	**6579**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.7	4	1	1	2	4	6	7	7
1-11 MOS	98	3.1	9	1	1	2	4	7	8	17
1-5 YRS	297	2.9	8	<1	<1	2	4	6	9	63
6-12 YRS	224	3.9	39	1	1	2	5	8	13	99+
13-19 YRS	270	5.3	80	1	1	3	6	9	16	95
B. *Operated*										
0-27 DYS	9	5.4	8	2	2	5	7	10	11	11
1-11 MOS	143	5.9	15	1	2	5	8	11	13	19
1-5 YRS	285	4.0	13	1	2	3	5	8	10	20
6-12 YRS	229	4.3	10	1	1	3	5	9	11	15
13-19 YRS	206	5.5	24	1	1	4	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	9.3	140	<1	<1	3	15	29	37	37
1-11 MOS	247	5.1	45	1	1	3	6	11	15	72
1-5 YRS	718	6.3	126	1	1	3	6	15	42	99+
6-12 YRS	671	6.6	147	1	2	4	6	29	99+	99+
13-19 YRS	648	8.9	200	1	1	4	9	26	64	99+
B. *Operated*										
0-27 DYS	6	9.5	16	5	5	8	15	83	99+	99+
1-11 MOS	170	11.1	146	2	3	8	12	28	55	99+
1-5 YRS	487	7.2	94	1	2	4	7	17	27	89
6-12 YRS	535	7.6	97	1	2	5	9	17	29	82
13-19 YRS	516	10.3	142	1	2	7	12	26	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.9	38	<1	1	2	4	8	11	89
B. *Operated*	872	4.8	15	1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2294	7.0	146	1	1	4	7	19	72	99+
B. *Operated*	1714	8.7	117	1	2	5	10	22	35	99+
1. SINGLE DX	1772	4.3	27	<1	1	3	5	9	12	31
2. MULTIPLE DX	4008	7.7	134	1	1	4	8	21	46	99+
A. NOT OPERATED	3194	6.1	117	1	1	3	6	14	46	99+
B. OPERATED	2586	7.3	86	1	2	4	8	16	27	82
TOTAL 0-27 DYS	36	6.4	50	1	1	4	8	15	31	99+
1-11 MOS	658	6.5	67	1	1	4	8	13	21	96
1-5 YRS	1787	5.6	82	1	1	3	6	12	23	99+
6-12 YRS	1659	6.3	99	1	1	4	6	15	45	99+
13-19 YRS	1640	8.3	144	1	1	4	9	21	40	99+
GRAND TOTAL	**5780**	**6.7**	**104**	**1**	**1**	**4**	**7**	**15**	**32**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	30	2.3	2	1	1	2	3	4	6	7
6-12 YRS	312	2.2	3	1	1	2	3	4	5	8
13-19 YRS	520	2.4	3	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	3.4	3	1	1	3	4	6	7	7
13-19 YRS	23	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	6.8	13	2	2	8	9	11	11	11
1-5 YRS	21	3.0	4	1	1	2	3	5	8	10
6-12 YRS	228	2.9	6	1	1	2	3	5	6	12
13-19 YRS	424	3.5	11	1	1	3	4	7	9	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	3	3.3	5	2	2	2	5	6	6	6
6-12 YRS	9	3.3	5	1	1	3	4	7	8	8
13-19 YRS	30	6.3	86	1	1	4	7	10	15	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	2.3	3	1	1	2	3	4	5	8
B. *Operated*	33	3.0	3	1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	681	3.3	9	1	1	3	4	6	8	16
B. *Operated*	43	5.4	62	1	1	4	6	9	12	52
1. SINGLE DX	901	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	724	3.4	12	1	1	3	4	6	8	16
A. NOT OPERATED	1549	2.8	6	1	1	2	3	5	7	12
B. OPERATED	76	4.3	37	1	1	3	5	7	9	42
TOTAL 0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	4.7	13	1	1	3	8	10	11	11
1-5 YRS	55	2.7	4	1	1	2	3	6	7	10
6-12 YRS	558	2.5	4	1	1	2	3	4	6	8
13-19 YRS	997	3.0	9	1	1	2	4	5	7	13
GRAND TOTAL	**1625**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	5	2.8	2	1	1	3	4	5	5	5
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	5	1.4		<1	<1	<1	2	2	2	2
13-19 YRS	70	1.8	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.8	5	1	1	2	4	6	6	6
6-12 YRS	6	3.0	7	1	1	2	4	8	8	8
13-19 YRS	46	2.0	1	<1	1	2	2	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	<1	<1	2	3	5	5	5
B. *Operated*	84	1.8	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	57	2.2	2	<1	1	2	3	4	5	8
1. SINGLE DX	90	1.8	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX	60	2.1	2	<1	1	2	2	4	5	8
A. NOT OPERATED	9	2.2	2	<1	<1	2	3	4	5	5
B. OPERATED	141	1.9	2	<1	<1	2	2	3	5	8
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	7	2.3	2	1	1	2	3	5	5	5
1-5 YRS	7	2.3	3	<1	<1	2	2	5	6	6
6-12 YRS	13	2.1	4	<1	<1	1	2	5	7	8
13-19 YRS	121	1.9	2	<1	<1	2	2	3	4	8
GRAND TOTAL	**150**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**5**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	4.4	9	1	1	4	5	9	11	11
1-5 YRS	46	5.8	68	<1	1	3	7	9	20	51
6-12 YRS	76	6.6	84	1	1	3	8	11	26	51
13-19 YRS	140	5.6	36	1	1	3	8	13	18	27
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	21	4.5	13	1	1	3	6	10	13	14
6-12 YRS	50	3.0	5	1	1	2	4	6	8	10
13-19 YRS	271	3.2	11	1	1	2	4	6	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.8	11	1	1	2	5	10	11	11
1-5 YRS	45	7.2	55	1	1	5	8	18	26	29
6-12 YRS	62	8.1	190	1	1	4	8	19	58	96
13-19 YRS	160	7.6	91	1	1	4	8	22	28	46
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	21	10.4	392	2	2	3	8	25	63	88
6-12 YRS	43	6.5	116	1	2	3	5	11	33	56
13-19 YRS	243	6.9	149	1	1	3	6	14	35	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	5.9	53	1	1	3	8	12	19	42
B. *Operated*	346	3.2	10	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	278	7.5	104	1	1	4	8	18	28	65
B. *Operated*	309	7.0	160	1	1	3	6	14	37	91
1. SINGLE DX	617	4.4	31	1	1	3	5	9	13	28
2. MULTIPLE DX	587	7.3	133	1	1	4	7	16	29	72
A. NOT OPERATED	549	6.7	80	1	1	4	8	16	26	51
B. OPERATED	655	5.0	84	1	1	3	5	8	15	63
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	24	3.5	9	<1	1	3	5	9	11	11
1-5 YRS	133	6.8	106	1	1	4	7	14	24	57
6-12 YRS	231	6.2	103	1	1	3	6	11	24	70
13-19 YRS	814	5.6	75	1	1	3	5	11	22	53
GRAND TOTAL	**1204**	**5.8**	**83**	**1**	**1**	**3**	**6**	**11**	**22**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	1	3	3	4	5	5	5	5
1-5 YRS	8	2.4	1	<1	<1	2	3	4	4	4
6-12 YRS	46	4.0	6	1	2	3	5	7	9	13
13-19 YRS	141	3.9	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	3.7	6	1	1	4	5	6	6	6
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	2.8	1	2	2	3	3	4	4	4
1-5 YRS	17	3.1	3	1	1	4	4	5	6	6
6-12 YRS	49	4.5	4	1	2	4	6	7	8	10
13-19 YRS	99	4.5	5	2	2	4	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	9	<1	<1	2	4	8	8	8
B. *Operated*	199	3.9	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	9	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*	172	4.3	5	1	2	4	6	7	8	11
1. SINGLE DX	204	3.9	5	1	1	4	5	7	8	12
2. MULTIPLE DX	181	4.2	5	1	2	4	5	7	8	11
A. NOT OPERATED	14	2.4	5	<1	<1	2	2	6	8	8
B. OPERATED	371	4.1	5	1	2	4	5	7	8	11
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	3.4	1	2	2	3	4	5	5	5
1-5 YRS	30	2.6	2	<1	<1	2	4	5	5	6
6-12 YRS	98	4.3	5	1	2	4	6	7	8	12
13-19 YRS	246	4.1	5	1	2	4	5	7	8	11
GRAND TOTAL	**385**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.8	4	1	1	3	4	5	5	5
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	13	3.0	5	<1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.0	47	1	1	1	2	16	18	18
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	4	3.8	8	2	2	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.0		<1	<1	1	1	1	1	1
B. *Operated*	24	2.7	3	<1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	9	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*	17	3.2	18	1	1	2	3	7	14	18
1. SINGLE DX	34	2.2	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	26	2.8	12	<1	1	2	3	5	10	18
A. NOT OPERATED	19	1.4	1	<1	<1	1	1	3	4	4
B. OPERATED	41	2.9	9	<1	1	2	3	6	8	18
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.1	20	1	1	1	4	6	15	18
1-5 YRS	13	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	10	1.6		<1	<1	1	2	3	3	3
13-19 YRS	22	2.8	5	<1	<1	2	4	7	8	8
GRAND TOTAL	**60**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	5	2.8	6	<1	<1	2	4	7	7	7
13-19 YRS	12	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	5	2.8	4	1	1	2	5	5	5	5
B. Operated										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	7	3.9	14	1	1	3	8	74	99+	99+
6-12 YRS	9	2.0	2	1	1	2	2	4	5	5
13-19 YRS	20	3.3	10	<1	1	2	4	6	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	1	<1	<1	1	2	3	3	3
B. Operated	21	2.4	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated	10	2.3	4	<1	<1	1	5	5	5	5
B. Operated	39	2.9	8	1	1	2	3	6	13	99+
1. SINGLE DX	26	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	49	2.8	7	1	1	2	3	5	12	99+
A. NOT OPERATED	15	2.1	3	<1	<1	1	3	5	5	5
B. OPERATED	60	2.8	6	1	1	2	3	5	9	91
TOTAL 0-27 DYS										
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	13	3.4	8	1	1	3	5	21	82	99+
6-12 YRS	18	2.0	3	<1	<1	1	2	4	6	7
13-19 YRS	40	2.8	6	1	1	2	3	5	6	15
GRAND TOTAL	**75**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**78**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	12	4.8	81	<1	<1	2	3	15	30	33
1-5 YRS	49	2.0	2	1	1	2	2	3	4	11
6-12 YRS	64	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	61	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	7	<1	<1	1	3	7	7	7
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	6	3.3	5	1	1	3	4	7	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	2.2	2	1	1	2	2	4	6	6
1-5 YRS	30	1.9	1	<1	1	2	2	3	3	4
6-12 YRS	49	2.6	2	<1	1	2	3	5	6	6
13-19 YRS	60	2.7	4	1	1	2	3	4	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	186	2.2	7	<1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	14	2.5	5	<1	<1	2	4	7	7	7
B. *Operated*	151	2.5	2	1	1	2	3	4	5	8
1. SINGLE DX	190	2.2	7	<1	1	2	2	3	4	10
2. MULTIPLE DX	165	2.5	3	<1	1	2	3	4	6	8
A. NOT OPERATED	18	2.4	4	<1	<1	2	3	6	7	7
B. OPERATED	337	2.3	5	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	3.6	43	<1	<1	2	3	6	16	33
1-5 YRS	84	1.9	2	<1	1	2	2	3	4	10
6-12 YRS	118	2.2	1	<1	1	2	3	4	5	6
13-19 YRS	129	2.5	3	<1	1	2	3	4	5	10
GRAND TOTAL	**355**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	39	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	15	1.7	2	<1	<1	1	2	4	5	6
13-19 YRS	14	2.9	6	1	1	2	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	271	1.3		<1	<1	1	2	2	2	2
1-5 YRS	2372	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1212	1.4	1	<1	<1	1	2	2	2	2
13-19 YRS	570	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	16	1.1		<1	<1	1	1	2	66	99+
1-5 YRS	110	1.6	4	<1	<1	1	1	3	5	12
6-12 YRS	39	1.7	3	<1	<1	1	2	4	5	10
13-19 YRS	20	2.3	3	<1	<1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	61	1.3		<1	<1	1	2	2	3	4
1-5 YRS	694	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	312	1.5	1	<1	<1	1	2	2	2	4
13-19 YRS	190	1.7	1	<1	1	2	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	4425	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	186	1.7	4	<1	<1	1	1	4	5	15
B. *Operated*	1257	1.5	1	<1	<1	1	2	2	2	4
1. SINGLE DX	4495	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX	1443	1.5	1	<1	<1	1	2	2	3	5
A. NOT OPERATED	256	1.7	4	<1	<1	1	1	4	5	14
B. OPERATED	5682	1.4		<1	<1	1	2	2	2	3
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	350	1.3		<1	<1	1	2	2	2	3
1-5 YRS	3215	1.4		<1	<1	1	2	2	2	3
6-12 YRS	1578	1.5	1	<1	<1	1	2	2	2	3
13-19 YRS	794	1.6	1	<1	<1	2	2	2	2	5
GRAND TOTAL	**5938**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	51	3.4	3	1	2	3	4	6	8	8
1-11 MOS	251	1.5	2	<1	<1	<1	1	3	4	10
1-5 YRS	318	2.0	4	<1	<1	1	3	4	6	9
6-12 YRS	55	2.8	5	<1	<1	2	4	6	6	11
13-19 YRS	39	3.2	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	24	1.7	2	<1	<1	1	2	3	6	7
1-5 YRS	241	1.6	2	<1	<1	1	2	2	4	6
6-12 YRS	176	1.8	2	<1	<1	1	2	3	3	10
13-19 YRS	195	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	71	3.9	8	1	1	3	5	6	9	17
1-11 MOS	165	3.3	5	<1	1	3	4	7	8	12
1-5 YRS	274	3.4	9	<1	<1	3	4	7	8	16
6-12 YRS	67	3.6	4	1	1	3	5	6	7	10
13-19 YRS	61	4.0	12	<1	<1	3	5	7	10	21
B. *Operated*										
0-27 DYS	4	4.3	8	<1	<1	4	6	7	7	7
1-11 MOS	17	7.5	394	<1	<1	2	5	9	58	84
1-5 YRS	105	2.1	8	<1	<1	1	2	4	5	19
6-12 YRS	91	2.2	3	<1	<1	2	2	4	5	9
13-19 YRS	121	2.5	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.0	3	<1	<1	1	3	4	6	9
B. *Operated*	639	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	638	3.5	8	<1	1	3	4	6	8	14
B. *Operated*	338	2.6	24	<1	<1	2	3	4	5	13
1. SINGLE DX	1353	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	976	3.2	14	<1	<1	2	4	6	8	14
A. NOT OPERATED	1352	2.7	6	<1	<1	2	4	6	7	12
B. OPERATED	977	2.0	10	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	129	3.7	6	1	2	3	4	7	8	15
1-11 MOS	457	2.4	19	<1	<1	1	3	5	7	11
1-5 YRS	938	2.3	6	<1	<1	1	3	5	6	13
6-12 YRS	389	2.3	3	<1	<1	2	3	5	6	10
13-19 YRS	416	2.4	4	<1	<1	2	3	4	5	10
GRAND TOTAL	**2329**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	3.7	3	1	2	3	4	7	8	8
1-11 MOS	213	3.4	3	1	1	3	4	6	7	9
1-5 YRS	675	3.5	4	1	2	3	4	6	8	11
6-12 YRS	223	3.8	4	1	2	3	5	6	8	11
13-19 YRS	138	3.9	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	20	2.6	2	<1	<1	2	4	5	5	5
1-5 YRS	54	2.9	6	<1	<1	2	4	7	9	10
6-12 YRS	69	3.2	11	<1	<1	2	4	7	11	18
13-19 YRS	72	2.6	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	30	5.5	37	2	2	4	6	7	11	36
1-11 MOS	323	4.1	8	1	2	3	5	7	10	13
1-5 YRS	690	4.0	7	1	2	3	5	7	9	14
6-12 YRS	281	4.5	10	1	1	4	6	8	10	13
13-19 YRS	165	4.5	9	1	1	4	6	9	10	16
B. *Operated*										
0-27 DYS	4	6.0	28	1	1	5	10	13	13	13
1-11 MOS	50	5.1	24	1	1	4	7	10	12	31
1-5 YRS	79	4.6	18	<1	1	3	7	11	11	23
6-12 YRS	96	5.3	17	1	1	4	7	11	13	20
13-19 YRS	123	5.7	45	1	1	4	7	11	15	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1272	3.6	4	1	1	3	4	6	8	11
B. *Operated*	218	2.8	7	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	1489	4.2	8	1	2	4	5	8	10	14
B. *Operated*	352	5.2	28	1	1	4	7	11	13	27
1. SINGLE DX	1490	3.5	5	1	1	3	4	6	8	11
2. MULTIPLE DX	1841	4.4	12	1	1	4	5	8	11	15
A. NOT OPERATED	2761	3.9	7	1	2	3	5	7	9	12
B. OPERATED	570	4.3	21	<1	1	3	5	9	12	22
TOTAL 0-27 DYS	60	4.7	22	1	2	4	5	7	9	34
1-11 MOS	606	3.9	8	1	1	3	5	7	9	13
1-5 YRS	1498	3.8	6	1	1	3	5	7	8	12
6-12 YRS	669	4.2	9	1	1	3	6	8	10	14
13-19 YRS	498	4.3	17	1	1	3	5	9	11	17
GRAND TOTAL	**3331**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	1.8	1	<1	<1	2	2	3	4	4
1-5 YRS	17	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	15	2.1	1	<1	1	2	3	4	4	4
13-19 YRS	12	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.5		<1	<1	1	2	2	2	2
6-12 YRS	10	1.6		1	1	2	2	2	2	2
13-19 YRS	12	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	2.9	5	<1	<1	2	3	7	9	9
1-5 YRS	27	2.1	4	<1	<1	1	2	6	7	8
6-12 YRS	28	1.9	2	<1	<1	2	2	4	5	6
13-19 YRS	34	3.2	7	<1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	23	1.7		<1	<1	2	2	3	3	3
13-19 YRS	16	2.8	2	1	2	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.9	1	<1	1	2	3	4	5	5
B. *Operated*	36	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	107	2.5	5	<1	<1	2	3	5	8	11
B. *Operated*	42	2.1	1	<1	1	2	2	3	4	7
1. SINGLE DX	92	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	149	2.4	4	<1	<1	2	3	5	7	9
A. NOT OPERATED	163	2.3	4	<1	<1	2	3	5	6	9
B. OPERATED	78	1.8	1	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	28	2.5	4	<1	<1	2	3	4	8	9
1-5 YRS	61	1.8	2	<1	<1	1	2	3	6	8
6-12 YRS	76	1.8	1	<1	1	2	2	3	4	6
13-19 YRS	74	2.7	4	1	1	2	3	5	7	13
GRAND TOTAL	**241**	**2.2**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	104	3.1	2	1	1	3	4	5	6	9
1-11 MOS	965	2.6	2	1	1	2	3	4	5	7
1-5 YRS	1074	2.9	3	1	1	2	4	5	6	9
6-12 YRS	114	3.3	6	<1	1	3	4	6	7	14
13-19 YRS	30	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
0-27 DYS	4	4.5	2	3	3	4	5	6	6	6
1-11 MOS	890	1.2	1	<1	<1	<1	<1	1	2	5
1-5 YRS	5547	1.1	2	<1	<1	<1	<1	1	1	3
6-12 YRS	2332	1.2	1	<1	<1	<1	1	2	2	3
13-19 YRS	645	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	179	4.1	6	2	2	3	5	7	9	15
1-11 MOS	3074	3.2	4	1	1	3	4	5	7	11
1-5 YRS	4711	3.2	5	1	1	3	4	6	7	11
6-12 YRS	485	3.4	15	<1	1	3	4	6	8	14
13-19 YRS	179	3.9	12	<1	1	3	5	7	10	19
B. *Operated*										
0-27 DYS	17	3.1	3	1	2	3	3	5	7	8
1-11 MOS	369	3.0	14	<1	<1	2	4	7	9	15
1-5 YRS	4595	1.5	2	<1	<1	1	2	2	3	8
6-12 YRS	2769	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	876	1.9	2	<1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2287	2.8	3	1	1	2	3	5	6	8
B. *Operated*	9418	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	8628	3.2	5	1	1	3	4	6	7	11
B. *Operated*	8626	1.6	2	<1	<1	1	2	2	3	8
1. SINGLE DX	11705	1.5	2	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	17254	2.4	5	<1	<1	2	3	5	6	10
A. NOT OPERATED	10915	3.1	5	1	1	3	4	5	7	11
B. OPERATED	18044	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS	304	3.7	5	1	2	3	4	6	8	13
1-11 MOS	5298	2.7	4	<1	<1	2	4	5	6	10
1-5 YRS	15927	1.9	4	<1	<1	1	2	4	5	9
6-12 YRS	5700	1.6	3	<1	<1	1	2	2	3	7
13-19 YRS	1730	2.0	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**28959**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.3	1	1	1	2	3	4	4	4
1-11 MOS	86	2.7	3	1	1	2	3	5	6	9
1-5 YRS	157	3.5	6	<1	1	3	4	7	10	12
6-12 YRS	82	3.1	3	1	1	3	4	6	7	10
13-19 YRS	64	3.5	3	2	2	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	47	1.8	4	<1	<1	1	1	4	6	11
1-5 YRS	456	1.3	1	<1	<1	<1	1	2	3	7
6-12 YRS	315	1.7	3	<1	<1	<1	1	3	5	9
13-19 YRS	109	2.2	5	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.2	4	1	2	3	4	5	8	9
1-11 MOS	210	3.4	4	1	1	3	4	6	8	10
1-5 YRS	502	3.7	8	1	1	3	5	7	9	14
6-12 YRS	180	4.2	7	1	1	4	5	8	9	13
13-19 YRS	127	4.9	43	1	2	4	5	7	10	32
B. *Operated*										
0-27 DYS	5	4.8	4	3	3	4	6	8	8	8
1-11 MOS	71	4.0	17	<1	<1	3	6	10	15	16
1-5 YRS	601	2.5	19	<1	<1	1	2	6	10	22
6-12 YRS	404	2.4	10	<1	<1	1	2	4	8	14
13-19 YRS	214	3.5	15	1	1	2	3	7	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	3.2	4	1	1	3	4	6	7	11
B. *Operated*	927	1.6	2	<1	<1	<1	1	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	1033	3.9	12	1	1	3	5	7	9	14
B. *Operated*	1295	2.7	15	<1	<1	1	3	6	10	18
1. SINGLE DX	1328	2.1	3	<1	<1	1	3	4	6	10
2. MULTIPLE DX	2328	3.2	14	<1	<1	2	4	7	9	16
A. NOT OPERATED	1434	3.7	10	1	1	3	4	7	9	13
B. OPERATED	2222	2.2	10	<1	<1	1	2	4	7	15
TOTAL 0-27 DYS	31	3.1	3	1	2	3	4	5	8	9
1-11 MOS	414	3.2	6	<1	1	2	4	6	9	14
1-5 YRS	1716	2.6	11	<1	<1	1	3	6	8	13
6-12 YRS	981	2.5	7	<1	<1	2	3	5	8	13
13-19 YRS	514	3.5	19	<1	1	3	4	6	9	20
GRAND TOTAL	**3656**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	15	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	17	2.8	4	1	1	2	3	6	7	8
13-19 YRS	50	3.4	5	1	1	3	5	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	10	1.7		<1	<1	2	2	3	3	3
13-19 YRS	18	2.6	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	8	1.9	1	1	1	2	3	4	4	4
1-5 YRS	11	3.0	5	1	1	2	4	7	8	8
6-12 YRS	23	3.1	2	1	1	3	4	5	6	6
13-19 YRS	91	3.7	3	1	2	4	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	6	2.2	1	1	1	2	2	4	4	4
13-19 YRS	16	4.3	8	1	1	3	7	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.0	4	<1	1	2	4	5	7	11
B. *Operated*	33	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	134	3.5	4	1	1	3	5	6	7	9
B. *Operated*	25	3.4	7	<1	1	2	4	8	9	10
1. SINGLE DX	118	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	159	3.5	4	1	1	3	5	6	8	10
A. NOT OPERATED	219	3.3	4	1	1	3	4	6	7	9
B. OPERATED	58	2.7	4	<1	<1	2	3	6	8	10
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	12	1.9	1	<1	<1	2	3	4	4	4
1-5 YRS	33	2.4	2	<1	<1	2	3	4	6	8
6-12 YRS	56	2.7	2	<1	1	2	4	5	6	8
13-19 YRS	175	3.6	4	1	1	3	5	6	8	10
GRAND TOTAL	**277**	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	12	1.8	1	1	1	1	2	3	4	4
13-19 YRS	57	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	12.5	265	1	1	12	24	24	24	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	24	2.1	1	1	1	2	3	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	71	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	5	6.2	101	<1	<1	1	9	24	24	24
B. *Operated*	28	2.1	1	1	1	2	3	3	3	4
1. SINGLE DX	73	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX	33	2.7	15	<1	1	2	3	3	4	24
A. NOT OPERATED	7	5.0	71	<1	<1	2	4	20	24	24
B. OPERATED	99	2.1	1	1	1	2	3	3	3	5
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	17	1.8	1	<1	1	1	2	3	4	4
13-19 YRS	85	2.4	6	1	1	2	3	3	3	17
GRAND TOTAL	**106**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**4**	**13**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	28	1.2		<1	<1	<1	1	2	3	3
6-12 YRS	26	2.8	8	<1	<1	1	3	7	11	11
13-19 YRS	22	2.2	3	<1	<1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	1.4		<1	<1	<1	2	2	2	2
1-5 YRS	315	1.5	2	<1	<1	1	2	2	2	4
6-12 YRS	1035	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	807	1.7	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	8	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	41	2.9	4	<1	<1	2	4	6	7	9
6-12 YRS	35	2.9	19	<1	<1	1	3	5	13	22
13-19 YRS	51	3.2	9	<1	<1	1	5	8	10	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	267	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	986	1.7	1	<1	<1	2	2	3	3	6
13-19 YRS	797	1.9	1	1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*	2171	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	137	3.0	10	<1	<1	1	4	7	9	16
B. *Operated*	2062	1.8	1	<1	1	2	2	3	3	7
1. SINGLE DX	2250	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	2199	1.9	2	<1	<1	2	2	3	4	8
A. NOT OPERATED	216	2.6	8	<1	<1	1	3	6	8	13
B. OPERATED	4233	1.7	1	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	5	2.4	3	<1	<1	2	3	5	5	5
1-11 MOS	34	1.7	1	<1	<1	1	2	3	4	5
1-5 YRS	651	1.6	2	<1	<1	1	2	2	3	7
6-12 YRS	2082	1.7	1	<1	<1	2	2	3	3	6
13-19 YRS	1677	1.9	1	<1	1	2	2	3	4	7
GRAND TOTAL	**4449**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	5.6	14	1	2	5	8	10	14	16
6-12 YRS	112	6.5	24	2	2	5	8	14	15	26
13-19 YRS	55	7.1	26	2	3	5	10	15	16	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	4.8	6	2	2	4	6	9	10	10
6-12 YRS	61	8.1	56	2	3	6	10	16	23	40
13-19 YRS	51	7.6	25	2	3	5	10	16	17	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	3	29.7	625	1	1	41	45	47	47	47
13-19 YRS	4	27.5	219	8	8	31	39	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	6.6	23	2	2	5	8	13	15	26
B. *Operated*	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	122	7.6	39	2	3	5	10	15	18	38
B. *Operated*	8	27.4	283	1	3	31	40	45	47	47
1. SINGLE DX	193	6.6	23	2	2	5	8	13	15	26
2. MULTIPLE DX	130	8.8	75	2	3	6	10	18	28	42
A. NOT OPERATED	313	7.0	30	2	2	5	8	14	17	29
B. OPERATED	10	22.8	316	<1	<1	22	39	44	47	47
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	34	5.8	17	2	2	5	8	11	15	20
6-12 YRS	177	7.4	51	2	2	6	8	14	21	41
13-19 YRS	111	8.1	44	2	3	5	10	16	21	39
GRAND TOTAL	**323**	**7.5**	**45**	**2**	**2**	**5**	**9**	**14**	**20**	**39**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	10	1	1	2	6	7	7	7
6-12 YRS	9	6.7	26	2	2	5	10	15	16	16
13-19 YRS	14	7.6	114	1	2	4	6	32	33	33
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	10.8	42	2	2	12	15	17	17	17
6-12 YRS	10	2.4	6	1	1	2	2	6	9	9
13-19 YRS	14	5.4	16	<1	1	4	9	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	4.2	15	<1	<1	3	7	10	10	10
6-12 YRS	9	4.1	10	2	2	2	6	10	10	10
13-19 YRS	27	4.5	12	1	2	3	5	10	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	12	5.0	40	1	1	2	6	14	22	23
6-12 YRS	8	6.8	47	2	2	3	10	19	21	21
13-19 YRS	36	11.0	282	1	2	5	14	23	42	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.8	70	1	2	4	7	16	32	33
B. *Operated*	29	5.1	21	1	1	2	9	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	43	4.5	12	1	1	3	6	10	11	16
B. *Operated*	58	8.9	195	1	2	3	10	20	27	88
1. SINGLE DX	55	5.9	44	1	1	3	8	13	17	33
2. MULTIPLE DX	101	7.0	121	1	2	3	8	16	22	69
A. NOT OPERATED	69	5.4	34	1	2	4	6	11	16	33
B. OPERATED	87	7.6	139	1	1	3	9	17	23	75
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	4.3	8	2	2	4	6	8	8	8
1-5 YRS	24	5.6	34	<1	1	2	9	14	19	23
6-12 YRS	36	4.9	23	1	2	2	7	12	15	21
13-19 YRS	91	7.7	140	1	2	4	9	16	29	73
GRAND TOTAL	**156**	**6.6**	**94**	**1**	**2**	**3**	**8**	**15**	**20**	**47**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	2.9	6	<1	<1	2	6	7	7	7
1-5 YRS	7	4.0	6	2	2	3	6	8	8	8
6-12 YRS	23	3.9	6	1	2	3	5	8	9	11
13-19 YRS	75	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	3	4	4	7	7	7	7	7
1-5 YRS	6	2.7	1	2	2	2	4	4	4	4
6-12 YRS	7	4.1	28	1	1	2	4	14	16	16
13-19 YRS	34	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	22	5.4	11	1	2	5	7	10	12	15
1-5 YRS	26	4.9	15	1	1	4	6	11	14	14
6-12 YRS	47	4.9	15	1	1	4	6	11	14	18
13-19 YRS	160	4.1	9	1	2	3	5	7	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	190	2	2	4	18	31	31	31
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	10	10.5	500	2	2	3	4	40	74	74
13-19 YRS	45	5.6	36	1	1	3	7	11	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.4	5	1	1	3	4	7	8	11
B. *Operated*	50	3.1	6	1	1	2	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	11	1	1	4	6	9	12	17
B. *Operated*	61	6.8	116	1	1	4	7	12	29	69
1. SINGLE DX	166	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX	318	4.9	32	1	1	4	6	10	13	29
A. NOT OPERATED	373	4.2	10	1	1	3	5	8	11	16
B. OPERATED	111	5.1	70	1	1	3	5	9	12	48
TOTAL 0-27 DYS	3	9.0	21	4	4	10	12	13	13	13
1-11 MOS	39	5.3	27	1	1	4	7	9	13	31
1-5 YRS	41	4.6	13	1	1	4	6	10	13	14
6-12 YRS	87	5.2	68	1	1	3	6	10	14	53
13-19 YRS	314	4.0	12	1	1	3	5	7	10	18
GRAND TOTAL	**484**	**4.4**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	5	8.6	40	3	3	6	12	19	19	19
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	6	5.5	18	3	3	3	8	12	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	3	5	5	5	7	8	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	6.6	17	3	3	6	8	12	17	19
B. *Operated*	2	12.0	2	11	11	12	13	13	13	13
1. SINGLE DX	3	6.0	3	5	5	5	7	8	8	8
2. MULTIPLE DX	20	7.1	18	3	3	6	9	13	16	19
A. NOT OPERATED	21	6.5	15	3	3	5	8	11	16	19
B. OPERATED	2	12.0	2	11	11	12	13	13	13	13
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	6	9.0	33	3	3	8	11	18	19	19
1-5 YRS	4	6.0	2	5	5	6	7	8	8	8
6-12 YRS	4	6.0	3	4	4	6	7	8	8	8
13-19 YRS	7	6.6	23	3	3	3	12	13	13	13
GRAND TOTAL	**23**	**7.0**	**16**	**3**	**3**	**6**	**8**	**13**	**15**	**19**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	9	4.3	5	2	2	4	6	8	8	8
13-19 YRS	16	3.6	4	1	1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	3.8	7	1	1	4	6	6	6	6
13-19 YRS	18	6.1	32	2	2	3	8	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	13	1	1	4	4	10	11	11
1-5 YRS	16	3.1	2	<1	1	3	4	5	6	6
6-12 YRS	29	5.6	20	2	2	4	6	11	17	20
13-19 YRS	35	5.2	19	1	1	4	7	12	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	17	10.6	199	1	1	5	15	24	46	57
6-12 YRS	24	13.5	234	1	2	7	16	41	47	52
13-19 YRS	53	9.1	50	2	2	7	13	19	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.7	4	1	1	3	5	7	7	8
B. *Operated*	23	5.8	27	1	2	4	8	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	86	4.9	16	1	1	4	6	11	13	20
B. *Operated*	95	10.4	122	1	2	7	13	24	37	55
1. SINGLE DX	50	4.7	15	1	2	3	6	9	15	20
2. MULTIPLE DX	181	7.8	79	1	2	5	9	17	25	50
A. NOT OPERATED	113	4.6	13	1	1	4	5	9	12	20
B. OPERATED	118	9.5	107	1	2	6	12	20	30	54
TOTAL 0-27 DYS										
1-11 MOS	7	4.1	11	1	1	4	4	10	11	11
1-5 YRS	36	6.8	106	1	1	4	6	15	24	57
6-12 YRS	66	8.2	109	2	2	5	7	19	40	51
13-19 YRS	122	6.8	36	1	2	5	9	15	20	29
GRAND TOTAL	**231**	**7.1**	**67**	**1**	**2**	**4**	**8**	**15**	**20**	**46**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	6	8.8	18	3	3	8	12	15	15	15
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	6	7.5	13	1	2	8	10	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	10.6	2	9	9	10	12	12	12	12
1-11 MOS	22	8.5	32	1	2	8	11	18	51	99+
1-5 YRS	13	11.2	37	2	4	10	14	21	23	23
6-12 YRS	8	12.1	23	6	7	11	16	19	20	20
13-19 YRS	21	7.8	15	2	3	8	11	13	13	13
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	4	12.3	22	6	6	13	15	17	17	17
1-5 YRS	5	7.6	32	1	1	8	11	16	16	16
6-12 YRS	2	7.5	85	1	1	7	14	14	14	14
13-19 YRS	4	11.3	19	7	7	10	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.4	13	2	3	9	11	12	14	15
B. *Operated*	4	5.8	24	1	1	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	69	9.3	26	2	3	9	13	16	21	85
B. *Operated*	17	9.4	26	1	2	9	14	17	17	17
1. SINGLE DX	20	7.9	16	1	2	9	11	12	14	15
2. MULTIPLE DX	86	9.4	26	2	3	9	13	16	20	72
A. NOT OPERATED	85	9.2	24	2	3	9	12	15	20	73
B. OPERATED	21	8.7	27	1	1	9	13	16	17	17
TOTAL 0-27 DYS	9	8.9	7	4	5	10	11	12	12	12
1-11 MOS	34	8.8	28	1	2	9	12	16	23	99+
1-5 YRS	19	10.3	35	1	3	9	14	19	22	23
6-12 YRS	11	11.3	28	1	4	11	15	18	20	20
13-19 YRS	33	8.0	16	2	3	9	11	13	13	17
GRAND TOTAL	**106**	**9.1**	**24**	**1**	**2**	**9**	**12**	**15**	**18**	**57**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DY										
1-11 M	1	1.0		1	1	1	1	1	1	1
1-5										
6-12	1	1.0		1	1	1	1	1	1	1
13-19 YRS	11	3.2	4	1	1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.6	7	2	2	4	6	9	9	9
1-11 MOS	26	3.8	7	1	2	3	4	7	11	12
1-5 YRS	5	5.2	25	2	2	3	6	14	14	14
6-12 YRS	5	5.8	17	1	1	5	8	12	12	12
13-19 YRS	24	4.2	4	1	2	4	5	7	9	9
B. *Operated*										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	7	4.9	12	1	1	5	8	10	10	10
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.7	2	3	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	4	1	1	2	5	6	7	7
B. *Operated*	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	65	4.3	8	1	2	4	5	9	11	14
B. *Operated*	14	4.9	15	1	1	4	6	10	13	14
1. SINGLE DX	16	2.6	4	1	1	2	4	5	6	7
2. MULTIPLE DX	79	4.4	9	1	2	4	5	9	11	14
A. NOT OPERATED	78	4.0	7	1	1	4	5	7	10	14
B. OPERATED	17	4.3	13	1	1	3	5	10	13	14
TOTAL 0-27 DYS	7	5.7	19	2	2	4	8	13	14	14
1-11 MOS	37	3.7	8	1	1	3	4	9	11	12
1-5 YRS	6	4.5	23	1	1	3	4	13	14	14
6-12 YRS	7	4.6	16	1	1	4	6	11	12	12
13-19 YRS	38	3.9	4	1	1	4	5	7	8	9
GRAND TOTAL	**95**	**4.1**	**8**	**1**	**1**	**3**	**5**	**9**	**11**	**14**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.4	8	3	3	4	7	10	10	10
1-11 MOS	31	5.2	14	2	3	3	7	10	10	20
1-5 YRS	8	5.8	16	3	3	4	8	12	12	12
6-12 YRS	8	6.0	29	2	2	4	9	15	16	16
13-19 YRS	7	6.1	16	3	3	4	8	13	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	6.6	14	1	1	8	10	11	11	11
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	4	2	2	3	5	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	5.5	15	2	3	4	7	11	14	20
B. *Operated*	12	6.0	15	1	1	6	10	11	11	11
1. SINGLE DX	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX	71	5.6	15	2	2	4	8	11	13	19
A. NOT OPERATED	63	5.4	14	2	2	4	7	11	13	19
B. OPERATED	12	6.0	15	1	1	6	10	11	11	11
TOTAL 0-27 DYS	5	5.4	8	3	3	4	7	10	10	10
1-11 MOS	41	5.4	14	1	2	4	8	10	11	20
1-5 YRS	10	5.1	15	1	2	4	5	12	12	12
6-12 YRS	8	6.0	29	2	2	4	9	15	16	16
13-19 YRS	11	5.7	14	2	2	4	8	12	14	14
GRAND TOTAL	**75**	**5.5**	**14**	**2**	**2**	**4**	**8**	**10**	**13**	**19**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.4	7	1	1	2	5	8	9	9
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	4	5.3	14	2	2	5	8	9	9	9
13-19 YRS	5	3.2	19	<1	<1	1	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	8	4.4	8	1	1	4	7	8	8	8
1-5 YRS	9	6.6	33	2	2	5	8	17	19	19
6-12 YRS	5	2.4	1	1	1	3	3	3	3	3
13-19 YRS	8	7.4	35	2	2	5	9	18	20	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	6.3	29	1	2	4	9	14	19	21
1-5 YRS	13	2.4	5	<1	1	2	2	4	9	10
6-12 YRS	6	4.2	11	2	2	2	8	9	9	9
13-19 YRS	6	7.3	37	2	2	6	10	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	23	3.4	10	<1	1	2	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	32	5.4	22	1	2	4	6	12	18	20
B. *Operated*	47	5.0	23	1	2	2	8	12	15	21
1. SINGLE DX	24	3.4	9	<1	1	2	4	9	10	11
2. MULTIPLE DX	79	5.2	22	1	2	3	7	12	17	21
A. NOT OPERATED	33	5.3	21	1	2	4	6	12	18	20
B. OPERATED	70	4.5	19	1	1	2	7	10	13	20
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	40	5.1	20	1	1	3	7	11	14	21
1-5 YRS	25	3.8	18	<1	1	2	4	10	14	19
6-12 YRS	15	3.9	9	1	2	2	7	9	9	9
13-19 YRS	19	6.3	32	<1	1	5	9	16	19	20
GRAND TOTAL	**103**	**4.7**	**20**	**1**	**1**	**3**	**7**	**11**	**14**	**20**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	9.2	13	2	5	10	11	13	15	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	11.0	29	5	5	10	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.5	20	3	3	9	12	13	13	13
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	7.5	1	7	7	7	8	8	8	8
13-19 YRS	40	9.1	26	2	4	8	11	15	18	27
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	15	11.4	22	3	5	13	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	9.2	13	2	5	10	11	13	15	18
B. *Operated*	4	11.0	29	5	5	10	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	47	8.9	24	3	4	8	11	15	17	27
B. *Operated*	19	10.8	23	2	3	12	14	17	18	18
1. SINGLE DX	27	9.4	15	3	5	10	12	14	18	18
2. MULTIPLE DX	66	9.4	24	2	3	9	13	15	18	26
A. NOT OPERATED	70	9.0	20	3	4	9	11	14	17	26
B. OPERATED	23	10.9	23	2	4	12	14	18	18	18
TOTAL 0-27 DYS	4	8.5	20	3	3	9	12	13	13	13
1-11 MOS	3	4.7	6	2	2	5	6	7	7	7
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	9.7	14	7	7	8	12	14	14	14
13-19 YRS	82	9.6	22	2	5	10	12	16	18	25
GRAND TOTAL	**93**	**9.4**	**21**	**2**	**4**	**10**	**12**	**15**	**18**	**24**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	4	19.8	190	3	3	22	31	32	32	32
13-19 YRS	5	23.4	189	8	8	30	35	35	35	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	18.0	578	<1	<1	17	35	35	35	35
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	21.5	106	8	8	25	28	33	33	33
1-5 YRS	14	23.7	457	2	3	24	31	43	74	83
6-12 YRS	20	24.2	366	<1	1	18	43	47	57	66
13-19 YRS	32	26.3	205	2	4	28	40	44	47	47
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	17.3	169	4	4	18	27	30	30	30
1-5 YRS	3	33.3	86	23	23	36	40	41	41	41
6-12 YRS	3	36.0	1153	13	13	20	61	75	75	75
13-19 YRS	15	32.1	322	6	8	31	44	55	65	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	22.5	156	3	5	29	32	35	35	35
B. *Operated*	3	12.3	385	<1	<1	1	26	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	72	24.8	281	2	3	25	37	44	47	79
B. *Operated*	25	30.2	346	5	8	30	42	55	70	75
1. SINGLE DX	13	20.2	201	<1	1	29	33	35	35	35
2. MULTIPLE DX	97	26.2	300	2	4	26	39	46	53	79
A. NOT OPERATED	82	24.5	264	2	3	25	35	43	47	78
B. OPERATED	28	28.3	367	1	4	29	39	53	70	75
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	9	20.1	113	4	6	22	29	32	33	33
1-5 YRS	19	24.3	385	1	2	25	34	40	64	83
6-12 YRS	29	24.4	392	<1	1	19	40	47	66	75
13-19 YRS	52	27.7	237	3	6	29	40	46	48	69
GRAND TOTAL	**110**	**25.5**	**290**	**2**	**3**	**26**	**35**	**44**	**49**	**78**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	3.8	5	1	1	3	5	7	8	9
1-11 MOS	30	3.9	44	1	1	3	4	6	7	38
1-5 YRS	19	1.4	1	<1	1	1	2	3	4	4
6-12 YRS	26	2.2	2	1	1	2	3	3	6	8
13-19 YRS	42	2.3	3	<1	<1	1	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	4.5	4	1	1	5	6	7	7	7
1-11 MOS	34	4.0	14	1	1	3	5	9	14	17
1-5 YRS	21	2.9	5	<1	<1	2	4	7	7	8
6-12 YRS	22	2.4	3	<1	<1	2	2	6	7	7
13-19 YRS	59	2.9	4	1	1	2	4	6	6	12
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.7	12	<1	1	2	3	5	7	13
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	147	3.2	7	1	1	2	4	6	7	15
B. *Operated*	6	4.0	7	2	2	3	5	9	9	9
1. SINGLE DX	138	2.7	12	<1	1	2	3	5	7	12
2. MULTIPLE DX	153	3.2	7	1	1	2	4	6	7	15
A. NOT OPERATED	284	3.0	10	<1	1	2	4	6	7	14
B. OPERATED	7	3.7	7	2	2	3	5	8	9	9
TOTAL 0-27 DYS	32	4.2	5	1	1	4	6	7	9	9
1-11 MOS	66	4.0	27	1	1	3	4	6	11	35
1-5 YRS	41	2.2	3	<1	1	2	3	5	7	8
6-12 YRS	50	2.3	3	1	1	2	3	5	6	8
13-19 YRS	102	2.6	4	<1	1	2	3	6	6	10
GRAND TOTAL	**291**	**3.0**	**9**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	18	1.8	6	<1	<1	1	2	3	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	5.9	21	<1	<1	6	9	12	16	17
1-5 YRS	12	4.9	12	<1	1	4	7	11	12	12
6-12 YRS	17	4.2	15	<1	1	2	5	12	13	13
13-19 YRS	62	3.0	14	1	1	2	3	6	10	24
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	21.5	841	1	1	21	42	42	42	42
1-5 YRS	4	4.5	40	<1	<1	1	8	14	14	14
6-12 YRS										
13-19 YRS	4	5.5	30	<1	<1	4	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.4	6	<1	<1	1	3	6	8	11
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	111	3.9	16	<1	1	2	5	10	12	20
B. *Operated*	11	7.8	151	<1	<1	2	11	25	41	42
1. SINGLE DX	25	2.4	6	<1	<1	1	3	6	8	11
2. MULTIPLE DX	122	4.3	28	<1	1	2	5	10	13	30
A. NOT OPERATED	134	3.7	14	<1	1	2	5	9	12	18
B. OPERATED	13	6.8	132	<1	<1	2	9	20	38	42
TOTAL 0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	24	6.9	74	<1	1	5	9	14	24	42
1-5 YRS	17	4.6	17	<1	<1	3	7	12	13	14
6-12 YRS	18	4.3	15	<1	1	3	6	11	13	13
13-19 YRS	85	2.9	13	<1	1	2	3	6	10	21
GRAND TOTAL	**147**	**4.0**	**25**	**<1**	**1**	**2**	**5**	**10**	**12**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	39	2.4	3	1	1	2	3	5	6	9
1-11 MOS	60	3.4	18	<1	1	2	4	8	14	21
1-5 YRS	32	2.5	3	<1	1	2	3	5	7	8
6-12 YRS	53	3.1	6	1	1	3	4	5	9	13
13-19 YRS	106	3.1	5	<1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	15	3.9	10	1	1	4	5	10	11	11
6-12 YRS	18	4.0	14	<1	1	3	5	10	13	15
13-19 YRS	35	3.7	11	1	1	2	4	8	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	40	4.2	14	<1	1	3	6	8	9	22
1-11 MOS	104	4.8	28	1	1	3	6	10	17	63
1-5 YRS	74	3.8	13	1	1	3	5	7	11	19
6-12 YRS	73	2.9	6	1	1	2	4	5	6	16
13-19 YRS	257	3.7	8	1	1	3	5	8	9	14
B. *Operated*										
0-27 DYS	4	11.8	54	6	6	9	17	22	22	22
1-11 MOS	21	19.6	586	1	3	10	23	51	84	97
1-5 YRS	29	6.6	43	1	2	5	10	12	14	34
6-12 YRS	34	5.6	31	1	1	4	8	10	15	30
13-19 YRS	71	7.4	66	1	2	5	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	3.0	8	<1	1	2	3	6	8	16
B. *Operated*	71	4.0	12	1	1	2	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	548	3.9	13	1	1	3	5	8	9	19
B. *Operated*	159	8.6	138	1	2	5	9	18	30	72
1. SINGLE DX	361	3.2	9	1	1	2	4	6	10	15
2. MULTIPLE DX	707	4.9	45	1	1	3	6	9	14	33
A. NOT OPERATED	838	3.6	11	1	1	3	4	7	9	18
B. OPERATED	230	7.2	104	1	1	5	9	14	22	58
TOTAL 0-27 DYS	84	3.8	15	<1	1	3	5	8	11	22
1-11 MOS	187	6.0	108	1	1	3	7	13	21	88
1-5 YRS	150	4.1	18	1	1	3	5	9	11	19
6-12 YRS	178	3.6	13	1	1	3	4	7	10	17
13-19 YRS	469	4.1	18	1	1	3	5	8	10	20
GRAND TOTAL	**1068**	**4.3**	**33**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS	16	6.6	50	1	1	4	7	17	25	28
1-5 YRS	15	7.9	27	1	2	7	10	18	18	18
6-12 YRS	7	8.7	35	2	2	8	13	17	18	18
13-19 YRS	3	7.3	60	<1	<1	5	13	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	31	4.2	22	<1	1	3	4	10	18	19
1-11 MOS	280	5.7	31	1	2	4	7	11	16	27
1-5 YRS	169	6.6	24	1	2	5	9	14	16	21
6-12 YRS	48	6.5	21	1	2	5	9	13	15	24
13-19 YRS	76	7.0	70	1	1	4	8	17	22	47
B. *Operated*										
0-27 DYS	7	13.9	116	3	4	13	27	80	99+	99+
1-11 MOS	45	10.9	96	2	2	8	13	31	35	99+
1-5 YRS	29	15.9	458	2	2	8	15	45	68	96
6-12 YRS	9	7.9	30	4	4	6	8	17	21	21
13-19 YRS	17	8.1	78	1	1	4	12	23	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	7.3	35	1	1	5	9	18	18	28
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	604	6.1	33	1	2	4	7	13	17	29
B. *Operated*	107	11.7	190	2	2	8	13	32	44	99+
1. SINGLE DX	47	7.0	34	1	1	5	9	17	18	28
2. MULTIPLE DX	711	6.9	60	1	2	5	8	15	20	44
A. NOT OPERATED	648	6.2	33	1	2	4	8	13	17	28
B. OPERATED	110	11.5	187	2	2	7	13	31	43	99+
TOTAL 0-27 DYS	41	5.9	48	<1	1	4	6	18	26	99+
1-11 MOS	341	6.4	43	1	2	5	7	13	20	35
1-5 YRS	216	7.9	90	1	2	6	9	15	19	52
6-12 YRS	64	6.9	23	1	2	5	9	13	17	24
13-19 YRS	96	7.2	70	1	1	4	9	17	24	43
GRAND TOTAL	**758**	**6.9**	**59**	**1**	**2**	**5**	**8**	**15**	**20**	**43**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	4	1	1	3	4	5	5	5
1-11 MOS	13	4.8	24	<1	1	3	6	12	17	18
1-5 YRS	24	5.5	17	1	1	5	8	11	14	16
6-12 YRS	29	5.8	38	1	1	4	6	15	23	25
13-19 YRS	177	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	3.9	9	<1	1	2	6	7	10	11
1-5 YRS	54	3.1	8	1	1	2	4	7	9	14
6-12 YRS	66	3.3	11	1	1	2	4	9	10	14
13-19 YRS	76	3.7	10	1	1	2	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	11	2	2	3	7	10	10	10
1-11 MOS	74	5.9	46	1	2	4	8	10	13	46
1-5 YRS	93	5.9	22	1	1	4	8	12	18	65
6-12 YRS	70	5.3	15	1	1	4	7	10	14	21
13-19 YRS	292	4.6	15	1	1	4	6	9	11	22
B. *Operated*										
0-27 DYS	5	8.6	61	1	1	8	14	20	20	20
1-11 MOS	31	11.3	126	1	1	6	19	27	36	43
1-5 YRS	102	6.7	102	1	1	3	8	14	25	61
6-12 YRS	85	4.7	34	<1	1	2	6	11	15	33
13-19 YRS	125	7.6	76	1	1	5	10	18	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	4.0	11	1	1	3	5	7	10	18
B. *Operated*	213	3.4	10	1	1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	534	5.1	21	1	1	4	6	10	13	23
B. *Operated*	348	7.0	80	1	1	3	8	17	24	43
1. SINGLE DX	459	3.7	10	1	1	2	5	8	10	16
2. MULTIPLE DX	882	5.8	45	1	1	4	7	12	18	37
A. NOT OPERATED	780	4.7	18	1	1	4	6	9	12	22
B. OPERATED	561	5.6	56	1	1	2	7	13	19	40
TOTAL 0-27 DYS	14	5.5	30	1	1	3	8	13	18	20
1-11 MOS	134	6.8	64	1	1	4	8	17	21	45
1-5 YRS	273	5.6	50	1	1	3	7	11	17	52
6-12 YRS	250	4.6	24	1	1	3	6	10	14	23
13-19 YRS	670	4.7	25	1	1	3	6	9	12	27
GRAND TOTAL	**1341**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	3.7	5	1	1	5	5	5	5	5
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
1. SINGLE DX										
2. MULTIPLE DX	5	3.6	6	1	1	5	5	6	6	6
A. NOT OPERATED	3	3.7	5	1	1	5	5	5	5	5
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**5**	**3.6**	**6**	**1**	**1**	**5**	**5**	**6**	**6**	**6**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	113	1	1	8	16	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	2	10.0		10	10	10	10	10	10	10
13-19 YRS	9	13.2	75	2	3	14	16	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	8.0	19	1	1	8	11	12	12	12
1-5 YRS	3	5.7	5	3	3	7	7	7	7	7
6-12 YRS	3	7.3	72	1	1	4	14	17	17	17
13-19 YRS	4	5.0	19	1	1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS	3	14.0	61	9	9	10	20	23	23	23
13-19 YRS	7	24.3	292	5	6	18	38	50	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	113	1	1	8	16	16	16	16
B. *Operated*	12	12.4	57	2	4	11	15	23	30	31
2. MULTIPLE DX										
A. *Not Operated*	16	6.8	21	1	1	7	10	12	15	17
B. *Operated*	12	21.9	194	5	8	20	26	46	51	52
1. SINGLE DX	14	11.9	59	1	2	11	15	20	29	31
2. MULTIPLE DX	28	13.3	149	1	2	10	17	26	44	52
A. NOT OPERATED	18	7.0	26	1	1	7	11	15	17	17
B. OPERATED	24	17.2	143	4	5	14	23	32	46	52
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	10.6	48	1	2	10	12	22	24	24
1-5 YRS	4	11.0	117	3	3	7	17	27	27	27
6-12 YRS	8	10.5	48	1	2	10	14	21	23	23
13-19 YRS	22	14.8	173	1	2	13	18	35	47	52
GRAND TOTAL	**42**	**12.8**	**117**	**1**	**2**	**10**	**16**	**25**	**36**	**52**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	39.0		39	39	69	99+	99+	99+	99+
13-19 YRS	2	18.0	50	13	13	18	23	23	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	4	54.8	618	29	29	56	76	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	19.8	225	4	4	23	54	99+	99+	99+
B. *Operated*	5	48.4	665	23	23	38	75	78	78	78
1. SINGLE DX										
2. MULTIPLE DX	9	35.7	645	4	8	33	74	89	99+	99+
A. NOT OPERATED	4	19.8	225	4	4	23	54	99+	99+	99+
B. OPERATED	5	48.4	665	23	23	38	75	78	78	78
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	31.0	128	23	23	39	85	99+	99+	99+
13-19 YRS	6	42.5	741	13	14	33	74	78	78	78
GRAND TOTAL	**9**	**35.7**	**645**	**4**	**8**	**33**	**74**	**89**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	6.4	44	1	1	4	11	17	17	17
1-5 YRS	2	10.0	162	1	1	10	19	19	19	19
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	7	6.7	51	1	1	3	12	18	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	21	9.0	39	3	3	7	11	17	23	29
1-5 YRS	8	6.5	7	3	3	7	8	10	10	10
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	9	11.0	33	4	4	11	14	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.2	15	<1	<1	3	7	10	10	10
1-11 MOS	21	8.2	46	1	1	7	9	18	23	29
1-5 YRS	7	3.9	7	<1	<1	4	6	8	8	8
6-12 YRS	6	5.3	8	<1	<1	6	8	8	8	8
13-19 YRS	13	8.5	88	<1	1	8	10	27	29	30
B. *Operated*										
0-27 DYS	3	14.3	70	9	9	10	20	24	24	24
1-11 MOS	19	12.9	166	2	2	10	20	40	77	99+
1-5 YRS	15	11.3	36	3	5	10	16	20	23	24
6-12 YRS	16	12.3	68	2	3	9	21	24	25	25
13-19 YRS	25	16.2	160	2	3	15	21	34	43	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.3	45	<1	<1	3	11	18	19	19
B. *Operated*	40	8.8	31	3	3	8	11	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	52	7.0	45	<1	1	6	8	14	25	30
B. *Operated*	78	13.6	114	2	3	11	19	25	37	87
1. SINGLE DX	60	7.9	36	1	1	7	11	17	19	28
2. MULTIPLE DX	130	11.0	96	1	2	8	15	24	30	63
A. NOT OPERATED	72	6.8	45	<1	1	5	8	17	19	30
B. OPERATED	118	12.0	91	3	3	9	17	24	31	68
TOTAL 0-27 DYS	9	7.8	49	<1	<1	6	10	18	24	24
1-11 MOS	69	9.5	78	1	2	7	13	21	29	91
1-5 YRS	32	8.4	34	1	2	7	10	18	20	24
6-12 YRS	26	9.3	59	<1	<1	8	10	23	24	25
13-19 YRS	54	12.3	118	1	1	10	17	26	34	52
GRAND TOTAL	**190**	**10.0**	**79**	**1**	**1**	**8**	**14**	**22**	**27**	**54**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	39.0		39	39	39	39	39	39	39
6-12 YRS	3	24.0	199	9	9	26	34	37	37	37
13-19 YRS	5	17.4	72	4	4	22	23	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	13.3	65	5	5	12	19	24	24	24
B. *Operated*	10	20.0	161	2	3	22	26	38	39	39
1. SINGLE DX										
2. MULTIPLE DX	14	18.1	137	2	4	18	24	37	39	39
A. NOT OPERATED	4	13.3	65	5	5	12	19	24	24	24
B. OPERATED	10	20.0	161	2	3	22	26	38	39	39
TOTAL 0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS	3	18.0	337	5	5	10	32	39	39	39
6-12 YRS	3	24.0	199	9	9	26	34	37	37	37
13-19 YRS	6	18.5	65	4	5	22	24	24	24	24
GRAND TOTAL	**14**	**18.1**	**137**	**2**	**4**	**18**	**24**	**37**	**39**	**39**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	5	7.4	39	<1	<1	7	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.0	98	5	5	12	19	19	19	19
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	3	17.0	64	9	9	17	23	25	25	25
1-5 YRS	3	7.0	52	1	1	5	12	15	15	15
6-12 YRS	5	10.0	86	1	1	7	18	23	23	23
13-19 YRS	6	4.7	15	1	1	4	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*	7	6.7	28	<1	<1	6	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	3	10.0	61	5	5	6	16	19	19	19
B. *Operated*	19	8.4	56	1	1	5	14	21	24	25
1. SINGLE DX	9	6.6	27	<1	<1	6	11	14	16	16
2. MULTIPLE DX	22	8.6	54	1	1	6	15	20	24	25
A. NOT OPERATED	5	8.4	48	1	1	6	13	19	19	19
B. OPERATED	26	7.9	48	<1	1	6	11	17	23	25
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	4	14.3	73	6	6	13	21	25	25	25
1-5 YRS	4	5.5	44	1	1	3	10	15	15	15
6-12 YRS	8	8.9	55	1	2	6	13	21	23	23
13-19 YRS	13	6.8	34	<1	1	5	11	17	19	19
GRAND TOTAL	**31**	**8.0**	**46**	**1**	**1**	**6**	**11**	**18**	**23**	**25**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	450	2	2	17	32	32	32	32
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2	12.5	13	10	10	12	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	16.0		16	16	16	16	16	16	16
B. *Operated*	5	13.6	127	2	2	10	19	32	32	32
1. SINGLE DX										
2. MULTIPLE DX	6	14.0	103	2	3	12	16	30	32	32
A. NOT OPERATED	1	16.0		16	16	16	16	16	16	16
B. OPERATED	5	13.6	127	2	2	10	19	32	32	32
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	450	2	2	17	32	32	32	32
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	13.7	10	10	10	15	16	16	16	16
GRAND TOTAL	**6**	**14.0**	**103**	**2**	**3**	**12**	**16**	**30**	**32**	**32**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	21	2	2	2	8	10	10	10
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	3.3	5	<1	<1	3	5	6	6	6
6-12 YRS	3	16.0	399	3	3	6	31	39	39	39
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	3	11.7	69	5	5	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	10.3	25	5	5	9	13	17	17	17
1-11 MOS	7	7.6	13	4	4	7	8	14	15	15
1-5 YRS	11	6.7	26	1	2	5	10	15	17	17
6-12 YRS	9	9.1	16	2	3	9	11	14	16	16
13-19 YRS	9	8.0	149	<1	1	5	8	70	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.0	246	1	1	2	28	33	33	33
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	5.3	14	1	1	7	8	8	8	8
13-19 YRS	13	11.5	38	4	6	9	15	20	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	108	<1	1	4	6	19	36	39
B. *Operated*	5	10.8	37	5	5	9	13	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	40	8.1	46	1	2	7	10	16	27	99+
B. *Operated*	22	10.8	76	1	2	8	15	27	30	33
1. SINGLE DX	17	8.1	87	1	2	5	9	19	33	39
2. MULTIPLE DX	62	9.0	57	1	2	8	11	17	29	92
A. NOT OPERATED	52	7.8	58	1	2	6	9	16	36	98
B. OPERATED	27	10.8	67	1	2	8	14	26	28	33
TOTAL 0-27 DYS	7	7.9	28	2	2	9	10	16	17	17
1-11 MOS	13	9.4	98	1	2	7	10	28	32	33
1-5 YRS	17	6.0	20	<1	1	5	8	13	16	17
6-12 YRS	16	9.8	76	1	2	9	11	16	32	39
13-19 YRS	26	10.0	76	1	3	8	14	26	49	99+
GRAND TOTAL	**79**	**8.8**	**63**	**1**	**2**	**7**	**10**	**18**	**30**	**82**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	11.8	149	3	3	7	16	33	33	33
1-5 YRS	9	13.1	58	3	4	14	19	23	25	25
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	4	8.5	24	3	3	8	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	11.0	93	3	3	8	17	25	25	25
13-19 YRS	5	9.2	16	5	5	11	13	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	11.1	68	3	3	8	15	23	29	33
B. *Operated*	10	9.9	39	3	4	9	13	55	96	99+
1. SINGLE DX										
2. MULTIPLE DX	30	10.7	57	3	3	9	14	25	33	99+
A. NOT OPERATED	20	11.1	68	3	3	8	15	23	29	33
B. OPERATED	10	9.9	39	3	4	9	13	55	96	99+
TOTAL 0-27 DYS										
1-11 MOS	5	11.8	149	3	3	7	16	33	33	33
1-5 YRS	10	12.7	53	3	4	12	19	23	25	25
6-12 YRS	6	9.0	67	3	3	7	9	23	25	25
13-19 YRS	9	8.9	17	3	4	10	13	57	99+	99+
GRAND TOTAL	**30**	**10.7**	**57**	**3**	**3**	**9**	**14**	**25**	**33**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	5	5.0	46	1	1	2	6	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	22	1	1	4	8	12	12	12
1-11 MOS	25	7.2	62	1	2	5	8	13	21	41
1-5 YRS	13	6.1	41	1	2	4	7	16	22	24
6-12 YRS	7	4.7	5	1	1	5	7	7	7	7
13-19 YRS	22	4.1	8	<1	1	4	6	7	10	11
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	5.4	17	1	1	5	9	11	11	11
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	3	10.0	13	6	6	11	12	13	13	13
13-19 YRS	4	4.5	6	3	3	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	23	1	1	2	3	11	17	17
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	71	5.7	34	1	1	4	7	11	14	37
B. *Operated*	15	6.1	14	1	2	6	9	11	13	13
1. SINGLE DX	12	4.0	20	1	1	3	4	10	16	17
2. MULTIPLE DX	86	5.8	30	1	1	4	7	11	13	35
A. NOT OPERATED	81	5.5	32	1	1	4	6	11	14	36
B. OPERATED	17	6.0	13	1	2	6	8	11	12	13
TOTAL 0-27 DYS	6	5.5	18	1	1	4	9	12	12	12
1-11 MOS	31	6.7	53	1	2	5	8	12	15	41
1-5 YRS	17	5.4	33	1	2	4	6	13	20	24
6-12 YRS	13	5.8	12	1	1	6	7	11	13	13
13-19 YRS	31	4.3	12	1	1	4	6	9	11	17
GRAND TOTAL	**98**	**5.6**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**33**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.0	13	4	4	6	10	11	11	11
1-5 YRS	3	8.7	8	7	7	7	11	12	12	12
6-12 YRS	7	8.7	110	1	2	6	7	27	32	32
13-19 YRS	6	6.3	26	2	2	4	10	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	4	9.8	46	3	3	9	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	7.5	15	3	4	6	9	13	16	17
1-5 YRS	15	9.7	39	1	2	10	15	18	19	20
6-12 YRS	12	6.3	37	1	1	5	8	13	22	23
13-19 YRS	13	8.3	33	2	2	8	11	17	19	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	25.0	578	8	8	25	42	42	42	42
1-5 YRS	5	6.4	11	3	3	7	9	10	10	10
6-12 YRS	3	4.7	22	1	1	3	8	10	10	10
13-19 YRS	1	38.0		38	38	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.7	48	1	2	6	9	14	24	32
B. *Operated*	9	6.2	31	1	1	4	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	53	8.1	31	1	2	7	11	17	19	23
B. *Operated*	12	12.3	182	1	2	9	19	54	91	99+
1. SINGLE DX	28	7.2	41	1	2	5	9	15	18	32
2. MULTIPLE DX	65	8.8	59	1	2	7	12	18	26	91
A. NOT OPERATED	72	8.0	35	1	2	7	11	17	19	30
B. OPERATED	21	9.7	122	1	2	7	13	39	65	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	18	9.4	78	3	4	7	11	15	32	42
1-5 YRS	26	8.2	30	2	2	7	12	17	18	20
6-12 YRS	24	6.6	51	1	1	5	8	11	26	32
13-19 YRS	24	9.3	68	2	2	8	15	19	53	99+
GRAND TOTAL	**93**	**8.3**	**54**	**1**	**2**	**7**	**11**	**17**	**22**	**74**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	1	7	7	8	9	9	9	9
1-11 MOS	5	19.2	849	2	2	7	26	71	71	71
1-5 YRS	5	4.0	10	1	1	3	6	9	9	9
6-12 YRS	3	16.3	177	1	1	23	24	25	25	25
13-19 YRS	10	11.7	174	3	3	6	15	33	45	45
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	3	24.7	1046	5	5	7	48	62	62	62
13-19 YRS	3	21.0	327	2	2	23	34	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	11.8	242	1	2	7	11	25	50	71
B. *Operated*	9	17.3	417	2	3	7	27	52	62	62
1. SINGLE DX										
2. MULTIPLE DX	35	13.2	282	1	2	7	14	38	58	71
A. NOT OPERATED	26	11.8	242	1	2	7	11	25	50	71
B. OPERATED	9	17.3	417	2	3	7	27	52	62	62
TOTAL 0-27 DYS	3	8.0	1	7	7	8	9	9	9	9
1-11 MOS	6	16.7	718	2	2	6	11	65	71	71
1-5 YRS	7	5.0	12	1	1	5	8	10	10	10
6-12 YRS	6	20.5	510	1	1	15	25	58	62	62
13-19 YRS	13	13.8	202	2	3	7	22	39	44	45
GRAND TOTAL	**35**	**13.2**	**282**	**1**	**2**	**7**	**14**	**38**	**58**	**71**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5	2.8	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	6	8.2	39	2	2	7	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	9	4.8	6	2	2	4	6	9	9	9
1-5 YRS	15	5.3	33	1	1	4	7	9	20	24
6-12 YRS	18	8.1	38	1	2	6	9	20	23	23
13-19 YRS	27	5.2	30	1	1	3	7	13	16	25
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	11.5	13	9	9	11	14	14	14	14
1-5 YRS	7	10.0	80	2	2	6	14	25	27	27
6-12 YRS	7	9.3	233	1	1	2	12	37	42	42
13-19 YRS	9	10.3	114	2	2	4	22	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	1	1	1	3	3	4	5	5
B. *Operated*	10	5.7	32	2	2	2	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	71	5.9	29	1	1	4	8	12	22	25
B. *Operated*	26	9.8	114	1	2	5	15	27	30	42
1. SINGLE DX	24	3.9	16	1	1	3	4	11	15	15
2. MULTIPLE DX	97	6.9	54	1	1	4	9	15	24	35
A. NOT OPERATED	85	5.4	26	1	1	4	6	11	16	25
B. OPERATED	36	8.7	93	1	2	4	14	25	27	42
TOTAL 0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	13	5.5	12	2	2	4	8	10	13	14
1-5 YRS	27	5.9	44	1	1	3	7	14	24	27
6-12 YRS	31	7.3	74	1	1	4	9	18	23	42
13-19 YRS	47	6.3	47	1	1	3	8	15	25	27
GRAND TOTAL	**121**	**6.3**	**48**	**1**	**1**	**4**	**8**	**15**	**24**	**32**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0	32	3	3	7	11	11	11	11
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	3.3	4	<1	<1	4	5	5	5	5
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	4	12.3	23	6	6	13	16	16	16	16
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	5.6	16	1	1	5	8	12	14	14
13-19 YRS	6	10.8	116	<1	<1	9	16	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	4	4.3	21	1	1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	2	<1	<1	4	4	5	5	5
B. *Operated*	23	8.8	54	<1	1	6	15	17	24	28
1. SINGLE DX	5	4.2	16	1	1	3	6	11	11	11
2. MULTIPLE DX	29	7.7	47	<1	1	5	12	16	22	28
A. NOT OPERATED	7	3.6	2	<1	1	4	4	5	5	5
B. OPERATED	27	8.1	51	1	1	5	13	16	23	28
TOTAL 0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	6	9.5	32	4	4	8	16	16	16	16
1-5 YRS	5	3.2	3	<1	<1	4	4	5	5	5
6-12 YRS	13	5.8	16	1	2	5	9	12	14	14
13-19 YRS	9	8.1	90	<1	<1	4	15	23	28	28
GRAND TOTAL	**34**	**7.2**	**44**	**<1**	**1**	**5**	**11**	**16**	**21**	**28**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	13	12	12	14	17	17	17	17
1-5 YRS	3	7.3	57	2	2	4	13	16	16	16
6-12 YRS	3	5.7	10	2	2	7	8	8	8	8
13-19 YRS	7	9.6	119	1	1	9	11	28	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	15	9.0	69	1	1	8	12	17	28	32
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	17	8.2	66	1	1	7	12	17	27	32
A. NOT OPERATED	3	1.7	1	1	1	1	3	3	3	3
B. OPERATED	15	9.0	69	1	1	8	12	17	28	32
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	14.5	13	12	12	14	17	17	17	17
1-5 YRS	3	7.3	57	2	2	4	13	16	16	16
6-12 YRS	4	5.0	9	2	2	5	7	8	8	8
13-19 YRS	8	8.5	111	1	1	5	11	26	32	32
GRAND TOTAL	**18**	**7.8**	**65**	**1**	**1**	**5**	**12**	**17**	**26**	**32**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	9	3.7	7	2	2	3	4	8	10	10
13-19 YRS	11	6.3	53	<1	<1	3	12	18	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.0	1	4	4	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	5	10.6	239	2	2	4	15	38	38	38
13-19 YRS	13	10.2	40	2	2	13	15	17	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	5.0	29	<1	1	3	5	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	4	7.8	31	4	4	5	11	16	16	16
B. *Operated*	21	11.1	104	2	2	8	15	27	36	38
1. SINGLE DX	24	5.0	29	<1	1	3	5	14	17	22
2. MULTIPLE DX	25	10.6	92	2	2	7	15	21	36	38
A. NOT OPERATED	4	7.8	31	4	4	5	11	16	16	16
B. OPERATED	45	7.8	72	1	2	4	13	16	25	38
TOTAL 0-27 DYS										
1-11 MOS	4	14.0	237	2	2	9	25	35	35	35
1-5 YRS	4	6.3	11	3	3	6	9	10	10	10
6-12 YRS	14	6.1	90	2	2	3	5	13	32	38
13-19 YRS	27	8.0	44	<1	1	5	14	16	21	22
GRAND TOTAL	**49**	**7.8**	**68**	**1**	**2**	**4**	**13**	**16**	**23**	**38**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	12	7.0	23	1	1	6	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	9.0	28	5	5	7	13	15	15	15
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS										
13-19 YRS	8	7.0	15	3	3	6	9	13	14	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	3.7	1	3	3	3	5	5	5	5
6-12 YRS	7	3.1	7	1	1	2	5	7	8	8
13-19 YRS	19	8.1	45	1	3	6	9	20	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	6.7	23	1	1	6	10	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	13	7.1	18	1	2	7	9	14	15	15
B. *Operated*	32	6.2	33	1	1	5	8	10	24	26
1. SINGLE DX	14	6.7	23	1	1	6	10	13	15	15
2. MULTIPLE DX	45	6.5	29	1	1	5	8	13	17	26
A. NOT OPERATED	13	7.1	18	1	2	7	9	14	15	15
B. OPERATED	46	6.4	30	1	1	5	9	13	17	26
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	6.6	25	2	2	5	9	15	15	15
1-5 YRS	6	4.8	10	1	1	4	8	9	9	9
6-12 YRS	8	2.9	7	1	1	2	4	7	8	8
13-19 YRS	39	7.5	31	1	3	6	10	14	20	26
GRAND TOTAL	**59**	**6.5**	**27**	**1**	**1**	**5**	**9**	**13**	**15**	**26**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	40	5.8	32	1	2	4	7	11	14	33
1-5 YRS	225	6.2	20	1	2	5	8	11	14	20
6-12 YRS	49	5.4	14	1	1	5	7	10	12	17
13-19 YRS	38	3.5	6	1	1	3	5	8	9	10
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	5.5	9	2	2	6	8	8	8	8
1-5 YRS	24	4.0	23	<1	1	2	4	9	16	22
6-12 YRS	11	10.1	109	1	1	9	11	24	38	39
13-19 YRS	36	5.9	37	<1	1	4	8	11	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	40	5.6	30	<1	1	4	6	13	16	28
1-5 YRS	136	6.8	29	2	2	5	9	15	17	28
6-12 YRS	43	7.4	46	1	2	4	10	18	20	33
13-19 YRS	57	4.5	13	1	1	4	6	9	11	21
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	14	16.7	249	2	3	9	29	42	47	48
1-5 YRS	28	7.5	45	1	1	5	11	15	23	28
6-12 YRS	21	6.7	83	1	1	2	7	18	30	38
13-19 YRS	50	6.5	21	2	2	5	10	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	5.7	19	1	2	5	8	11	14	19
B. *Operated*	76	5.9	43	1	1	3	8	11	17	37
2. MULTIPLE DX										
A. *Not Operated*	278	6.2	29	1	2	5	8	14	17	28
B. *Operated*	115	8.0	74	1	2	5	10	16	27	43
1. SINGLE DX	429	5.8	24	1	2	4	8	11	14	24
2. MULTIPLE DX	393	6.7	43	1	2	5	9	15	18	37
A. NOT OPERATED	631	6.0	24	1	2	5	8	12	16	25
B. OPERATED	191	7.1	62	1	1	4	9	15	23	40
TOTAL 0-27 DYS	6	4.3	11	1	1	4	7	9	9	9
1-11 MOS	98	7.2	74	1	1	4	8	15	29	45
1-5 YRS	413	6.4	25	1	2	5	9	13	16	24
6-12 YRS	124	6.7	45	1	1	5	9	14	18	38
13-19 YRS	181	5.1	19	1	1	4	6	10	14	20
GRAND TOTAL	**822**	**6.2**	**33**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS	8	5.4	37	2	2	3	5	16	20	20
13-19 YRS	123	6.0	16	1	2	6	8	11	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.3	23	<1	<1	8	11	11	11	11
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	6	8.7	18	6	6	7	9	16	17	17
13-19 YRS	65	7.0	14	1	2	7	9	13	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	11	7.5	15	2	3	7	10	13	16	16
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.7		4	4	5	5	5	5	5
13-19 YRS	104	7.6	20	1	2	7	10	14	15	20
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	11.0	1	10	10	11	12	12	12	12
13-19 YRS	56	10.1	58	2	3	9	12	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	6.0	17	1	2	5	8	11	13	21
B. *Operated*	76	7.1	15	1	2	7	9	13	14	18
2. MULTIPLE DX										
A. *Not Operated*	121	7.4	19	2	2	7	10	14	15	20
B. *Operated*	61	10.0	54	2	3	9	12	18	23	43
1. SINGLE DX	209	6.4	16	1	2	6	9	11	14	19
2. MULTIPLE DX	182	8.3	32	2	3	8	10	14	18	29
A. NOT OPERATED	254	6.7	18	1	2	6	9	12	14	20
B. OPERATED	137	8.4	34	1	2	8	11	14	18	33
TOTAL 0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	17	7.3	14	1	2	7	10	11	14	16
1-5 YRS	3	6.0	13	3	3	5	9	10	10	10
6-12 YRS	20	7.1	24	2	2	6	9	14	18	20
13-19 YRS	348	7.3	25	1	2	7	10	13	15	25
GRAND TOTAL	**391**	**7.3**	**24**	**1**	**2**	**7**	**10**	**13**	**16**	**24**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	3	1	1	3	4	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	83	2.9	2	<1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	11.5	1	11	11	11	12	12	12	12
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	8.3	12	5	5	8	11	12	12	12
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	4.8	28	1	1	3	6	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	12	6.6	63	1	1	3	7	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	89	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	19	1	1	7	11	12	12	12
B. *Operated*	18	6.3	49	1	1	3	10	17	23	26
1. SINGLE DX	91	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	26	6.5	39	1	1	4	11	14	20	26
A. NOT OPERATED	10	5.8	22	1	1	5	11	12	12	12
B. OPERATED	107	3.4	11	1	1	3	4	5	7	22
TOTAL 0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	13	4.8	20	1	1	3	6	12	14	14
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	98	3.5	11	1	1	3	4	5	8	23
GRAND TOTAL	**117**	**3.6**	**12**	**1**	**1**	**3**	**4**	**6**	**11**	**21**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	6	1	1	2	3	7	7	7
13-19 YRS	35	2.3	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	8	1.9	2	<1	<1	1	2	4	5	5
6-12 YRS	7	2.3	2	1	1	2	4	4	4	4
13-19 YRS	50	3.6	3	1	1	4	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	5	2.4		2	2	2	3	3	3	3
13-19 YRS	37	3.3	4	1	1	3	4	6	7	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	5.9	2	4	4	6	7	8	8	8
1-5 YRS	6	3.8	2	2	2	4	5	6	6	6
6-12 YRS	4	4.8	17	1	1	4	8	10	10	10
13-19 YRS	138	4.0	3	1	2	4	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.3	2	1	1	2	3	4	5	7
B. *Operated*	68	3.2	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	43	3.2	3	1	1	3	4	6	7	8
B. *Operated*	156	4.1	4	1	2	4	5	6	8	10
1. SINGLE DX	108	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	199	3.9	4	1	1	4	5	6	7	10
A. NOT OPERATED	83	2.8	3	1	1	3	3	5	6	8
B. OPERATED	224	3.8	4	1	1	4	5	6	7	10
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	4.8	3	2	2	5	6	7	8	8
1-5 YRS	14	2.7	3	<1	1	2	4	5	6	6
6-12 YRS	21	2.9	5	1	1	2	3	6	8	10
13-19 YRS	260	3.6	3	1	1	3	5	6	7	9
GRAND TOTAL	**307**	**3.6**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**9**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	17	1	1	3	7	9	9	9
1-11 MOS	7	2.3	2	1	1	2	4	4	4	4
1-5 YRS	28	2.8	8	1	1	2	3	5	9	14
6-12 YRS	27	5.0	22	1	1	4	7	10	14	22
13-19 YRS	80	4.6	16	1	1	3	7	10	13	18
B. *Operated*										
0-27 DYS	2	15.0	98	8	8	15	22	22	22	22
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	14	1.6	1	<1	<1	1	2	4	4	4
6-12 YRS	68	1.9	2	1	1	2	2	3	3	9
13-19 YRS	446	2.4	5	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	9.0	19	4	4	11	12	12	12	12
1-11 MOS	19	7.3	225	<1	<1	3	6	11	43	68
1-5 YRS	36	4.1	7	1	1	3	5	7	9	14
6-12 YRS	50	3.6	7	1	1	3	4	7	9	12
13-19 YRS	208	4.1	16	1	1	3	5	9	10	21
B. *Operated*										
0-27 DYS	4	4.5	32	1	1	2	8	13	13	13
1-11 MOS	13	17.1	302	1	1	11	25	49	53	54
1-5 YRS	30	7.6	45	1	1	5	12	18	21	22
6-12 YRS	45	6.6	116	1	1	2	6	21	32	51
13-19 YRS	216	5.2	53	<1	1	2	6	12	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.2	15	1	1	3	6	9	13	19
B. *Operated*	532	2.4	5	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	316	4.3	26	1	1	3	5	9	11	21
B. *Operated*	308	6.1	76	1	1	3	7	15	21	50
1. SINGLE DX	677	2.8	8	1	1	2	3	6	9	15
2. MULTIPLE DX	624	5.2	52	1	1	3	6	11	16	44
A. NOT OPERATED	461	4.2	23	1	1	3	5	9	11	21
B. OPERATED	840	3.8	35	<1	1	2	3	8	13	29
TOTAL 0-27 DYS	12	7.3	41	1	1	6	11	16	21	22
1-11 MOS	41	9.3	225	<1	1	4	8	26	51	68
1-5 YRS	108	4.4	21	1	1	3	5	10	16	21
6-12 YRS	190	3.9	36	1	1	2	4	8	12	37
13-19 YRS	950	3.6	21	1	1	2	4	8	11	21
GRAND TOTAL	**1301**	**3.9**	**30**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	190	2.6	2	1	1	2	3	4	5	7
1-11 MOS	2072	2.7	3	1	1	2	3	4	6	8
1-5 YRS	4877	2.4	2	<1	1	2	3	4	5	8
6-12 YRS	1149	2.5	2	1	1	2	3	4	5	7
13-19 YRS	1003	3.1	11	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	13	6.7	24	2	2	5	8	14	18	19
1-5 YRS	293	2.1	4	<1	<1	1	2	5	7	10
6-12 YRS	517	1.6	1	<1	1	1	2	2	3	5
13-19 YRS	667	1.8	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	329	3.5	5	1	1	3	4	6	8	11
1-11 MOS	4208	3.4	6	1	1	3	4	6	8	12
1-5 YRS	8763	3.1	5	1	1	3	4	5	7	10
6-12 YRS	2611	3.1	5	1	1	3	4	5	7	10
13-19 YRS	2479	3.5	4	1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	67	10.1	109	2	2	6	15	21	40	91
1-5 YRS	582	3.4	20	<1	1	2	3	8	11	23
6-12 YRS	538	2.1	6	1	1	2	2	3	6	11
13-19 YRS	448	3.2	13	1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9291	2.5	3	1	1	2	3	4	5	8
B. *Operated*	1492	1.8	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	18390	3.3	5	1	1	3	4	6	7	11
B. *Operated*	1636	3.2	19	1	1	2	3	7	11	23
1. SINGLE DX	10783	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	20026	3.3	6	1	1	3	4	6	7	11
A. NOT OPERATED	27681	3.0	5	1	1	3	4	5	7	10
B. OPERATED	3128	2.5	12	<1	1	2	2	5	8	17
TOTAL 0-27 DYS	522	3.2	4	1	1	3	4	6	7	10
1-11 MOS	6360	3.3	7	1	1	3	4	6	7	13
1-5 YRS	14515	2.9	5	1	1	2	4	5	6	10
6-12 YRS	4815	2.7	5	1	1	2	3	5	6	9
13-19 YRS	4597	3.1	6	1	1	3	4	5	7	11
GRAND TOTAL	**30809**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	153	5.0	62	2	2	4	5	9	10	15
1-11 MOS	6400	3.7	5	1	2	3	5	6	7	10
1-5 YRS	4883	3.1	3	1	1	3	4	5	6	9
6-12 YRS	706	3.0	2	1	1	3	4	5	6	8
13-19 YRS	370	3.4	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	4	4.0	7	2	2	3	6	8	8	8
1-11 MOS	23	4.5	13	<1	1	4	6	7	11	18
1-5 YRS	25	3.1	8	<1	<1	2	4	8	9	10
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	203	5.3	17	2	2	4	6	10	13	18
1-11 MOS	8253	4.4	7	1	2	4	6	8	9	14
1-5 YRS	5679	3.8	5	1	2	3	5	6	8	12
6-12 YRS	1001	3.8	7	1	2	3	5	7	8	15
13-19 YRS	928	4.4	9	1	2	4	5	8	10	16
B. *Operated*										
0-27 DYS	3	11.3	81	2	2	12	18	20	20	20
1-11 MOS	108	9.1	93	1	2	7	11	17	23	58
1-5 YRS	52	9.0	81	2	3	7	10	21	25	55
6-12 YRS	18	7.4	33	2	3	5	8	17	21	23
13-19 YRS	39	6.7	34	1	2	5	7	14	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12512	3.5	5	1	1	3	4	6	7	10
B. *Operated*	58	3.8	9	<1	1	3	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	16064	4.2	7	1	2	4	5	7	9	13
B. *Operated*	220	8.5	74	2	2	6	10	17	23	46
1. SINGLE DX	12570	3.5	5	1	1	3	4	6	7	10
2. MULTIPLE DX	16284	4.2	8	1	2	4	5	7	9	14
A. NOT OPERATED	28576	3.9	6	1	2	3	5	7	8	12
B. OPERATED	278	7.5	64	1	2	5	9	15	21	39
TOTAL 0-27 DYS	363	5.2	37	2	2	4	6	9	12	19
1-11 MOS	14784	4.2	7	1	2	4	5	7	9	13
1-5 YRS	10639	3.5	5	1	1	3	4	6	7	11
6-12 YRS	1728	3.5	6	1	1	3	4	6	7	13
13-19 YRS	1340	4.2	8	1	2	3	5	7	9	16
GRAND TOTAL	**28854**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	5	2.2	1	1	1	2	3	4	4	4
6-12 YRS	76	1.8	1	1	1	2	2	3	3	6
13-19 YRS	1672	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	46	1.4	1	<1	<1	1	1	3	3	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.3	1	1	1	2	3	4	4	4
1-5 YRS	10	1.3		<1	<1	1	1	2	3	3
6-12 YRS	192	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	3381	2.1	1	1	1	2	3	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	1758	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	53	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	3592	2.0	1	1	1	2	3	3	4	5
1. SINGLE DX	1762	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	3645	2.0	1	1	1	2	3	3	4	5
A. NOT OPERATED	57	1.4	1	<1	<1	1	1	2	3	5
B. OPERATED	5350	2.0	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	12	1.9	1	<1	<1	2	3	3	4	4
1-5 YRS	15	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	275	1.7	1	<1	1	1	2	3	3	5
13-19 YRS	5103	2.0	1	1	1	2	3	3	4	5
GRAND TOTAL	**5407**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	30	2.0	1	<1	1	2	2	4	4	5
13-19 YRS	62	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	7	2.7	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	2.0	3	<1	<1	1	2	5	6	6
6-12 YRS	78	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	179	2.4	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	96	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	8	2.6	2	1	1	2	4	5	5	5
B. *Operated*	268	2.4	2	<1	1	2	3	4	5	8
1. SINGLE DX	98	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	276	2.4	2	<1	1	2	3	4	5	8
A. NOT OPERATED	10	2.3	2	<1	<1	2	3	4	5	5
B. OPERATED	364	2.2	2	<1	1	2	3	4	4	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	1.9	2	<1	<1	1	2	3	5	6
6-12 YRS	109	2.2	2	<1	1	2	3	4	5	7
13-19 YRS	249	2.3	2	<1	1	2	3	4	4	8
GRAND TOTAL	**374**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	62	1.5	1	<1	<1	1	2	3	4	5
6-12 YRS	74	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	57	2.0	2	1	1	2	2	4	5	6
B. *Operated*										
0-27 DYS	10	1.1		1	1	1	1	2	2	2
1-11 MOS	42	1.5		<1	<1	1	2	2	3	3
1-5 YRS	10985	1.4		<1	<1	1	2	2	2	3
6-12 YRS	19213	1.4	1	<1	1	1	2	2	2	3
13-19 YRS	15543	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	3.3	1	1	1	4	4	4	4	4
1-5 YRS	461	1.6	2	<1	<1	1	1	3	5	7
6-12 YRS	372	1.4	1	<1	<1	1	1	2	4	7
13-19 YRS	175	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	72	2.6	29	<1	<1	1	2	4	8	37
1-5 YRS	13803	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	11912	1.5	1	<1	1	1	2	2	2	4
13-19 YRS	4317	1.7	1	1	1	2	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	45793	1.5	1	<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1016	1.6	2	<1	<1	1	1	3	4	7
B. *Operated*	30107	1.5	1	<1	1	1	2	2	3	4
1. SINGLE DX	45989	1.5	1	<1	1	1	2	2	2	3
2. MULTIPLE DX	31123	1.5	1	<1	<1	1	2	2	3	4
A. NOT OPERATED	1212	1.6	2	<1	<1	1	2	3	4	6
B. OPERATED	75900	1.5	1	<1	1	1	2	2	2	4
TOTAL 0-27 DYS	14	1.4	1	1	1	1	2	2	4	4
1-11 MOS	124	2.3	17	<1	<1	1	2	3	5	24
1-5 YRS	25311	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	31571	1.5	1	<1	1	1	2	2	2	3
13-19 YRS	20092	1.6	1	1	1	1	2	2	3	4
GRAND TOTAL	**77112**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	2.4	7	<1	<1	1	2	6	9	12
1-11 MOS	93	2.5	3	<1	<1	2	3	5	6	9
1-5 YRS	403	2.3	2	<1	<1	2	3	4	5	8
6-12 YRS	383	2.7	3	<1	1	2	3	5	6	9
13-19 YRS	752	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	68	5.7	107	<1	1	2	5	16	28	92
1-5 YRS	275	2.9	9	<1	<1	2	3	6	10	16
6-12 YRS	455	2.1	3	<1	<1	2	2	4	5	8
13-19 YRS	1156	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	2.8	4	1	1	2	3	6	7	10
1-11 MOS	229	4.2	11	1	1	3	5	8	11	18
1-5 YRS	516	3.7	7	1	1	3	5	7	9	14
6-12 YRS	440	3.6	5	1	1	3	4	6	8	10
13-19 YRS	651	3.7	5	1	2	3	5	6	8	12
B. *Operated*										
0-27 DYS	6	2.8	1	2	2	3	3	5	5	5
1-11 MOS	114	7.2	92	<1	1	3	10	19	23	54
1-5 YRS	454	3.8	45	<1	1	2	3	8	12	36
6-12 YRS	533	3.0	10	<1	1	2	3	7	9	19
13-19 YRS	1319	2.7	6	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1650	2.8	3	<1	1	3	4	5	6	8
B. *Operated*	1955	2.5	8	<1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1860	3.7	6	1	1	3	5	7	8	14
B. *Operated*	2426	3.2	19	<1	1	2	3	6	9	21
1. SINGLE DX	3605	2.7	6	<1	1	2	3	5	6	10
2. MULTIPLE DX	4286	3.4	14	1	1	2	4	6	9	18
A. NOT OPERATED	3510	3.3	5	1	1	3	4	6	7	11
B. OPERATED	4381	2.9	14	<1	1	2	3	5	8	18
TOTAL 0-27 DYS	50	2.7	5	<1	1	2	3	6	6	12
1-11 MOS	504	4.8	43	1	1	3	5	10	16	45
1-5 YRS	1648	3.2	17	<1	1	2	4	6	9	15
6-12 YRS	1811	2.8	6	<1	1	2	4	5	7	13
13-19 YRS	3878	2.9	5	1	1	2	4	5	6	11
GRAND TOTAL	**7891**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	471	4.7	6	2	2	4	6	8	10	12
1-11 MOS	6110	4.2	7	1	2	4	5	7	9	12
1-5 YRS	11674	3.8	5	1	2	3	5	6	8	11
6-12 YRS	3359	3.8	4	1	2	3	5	6	8	11
13-19 YRS	1879	4.3	6	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	7	7.6	16	1	1	10	10	11	11	11
1-11 MOS	33	5.5	19	1	1	5	8	11	16	19
1-5 YRS	57	4.6	12	1	1	4	6	9	10	19
6-12 YRS	18	5.2	9	1	2	5	6	10	12	12
13-19 YRS	25	8.0	61	1	2	6	10	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	457	6.1	20	2	2	5	8	11	13	19
1-11 MOS	9254	5.1	14	2	2	4	6	9	11	17
1-5 YRS	17184	4.3	9	1	2	4	5	7	9	15
6-12 YRS	4284	4.8	13	2	2	4	6	8	11	19
13-19 YRS	2510	5.8	22	2	2	5	7	10	13	22
B. *Operated*										
0-27 DYS	26	9.0	15	4	4	8	12	13	17	19
1-11 MOS	249	12.6	163	2	3	9	16	26	40	93
1-5 YRS	327	10.3	84	2	3	8	13	22	29	54
6-12 YRS	126	13.3	120	2	3	11	15	26	35	56
13-19 YRS	128	13.6	159	2	4	11	17	26	35	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23493	3.9	5	1	2	3	5	7	8	11
B. *Operated*	140	5.7	23	1	1	5	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	33689	4.7	12	2	2	4	6	8	11	16
B. *Operated*	856	11.9	123	2	3	9	15	24	33	76
1. SINGLE DX	23633	4.0	6	1	2	3	5	7	8	12
2. MULTIPLE DX	34545	4.9	16	2	2	4	6	9	11	19
A. NOT OPERATED	57182	4.4	10	1	2	4	5	8	10	15
B. OPERATED	996	11.0	114	2	2	8	14	23	31	63
TOTAL 0-27 DYS	961	5.5	14	2	2	5	7	10	12	16
1-11 MOS	15646	4.8	15	2	2	4	6	8	11	17
1-5 YRS	29242	4.2	9	1	2	4	5	7	9	15
6-12 YRS	7787	4.5	12	2	2	4	5	8	10	17
13-19 YRS	4542	5.4	22	2	2	4	6	9	13	23
GRAND TOTAL	**58178**	**4.5**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.7	7	2	2	3	3	8	9	9
1-11 MOS	84	3.2	4	1	1	3	4	5	6	11
1-5 YRS	247	2.8	2	1	1	2	3	5	6	7
6-12 YRS	241	3.0	4	1	1	3	4	5	6	9
13-19 YRS	279	2.8	2	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	20.5	613	3	3	20	38	38	38	38
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	3.4	3	1	2	3	5	5	7	7
1-11 MOS	175	3.9	6	1	1	3	5	8	9	11
1-5 YRS	624	3.3	5	1	1	3	4	5	7	12
6-12 YRS	505	3.0	3	1	1	3	4	5	6	9
13-19 YRS	529	3.3	4	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	14.0	90	7	7	10	19	28	28	28
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	6	5.5	2	4	4	5	6	8	8	8
13-19 YRS	13	6.2	52	<1	1	4	6	13	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	2.9	3	1	1	3	4	5	6	9
B. *Operated*	5	10.2	243	2	2	3	13	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	1848	3.3	4	1	1	3	4	5	7	11
B. *Operated*	26	7.4	48	1	3	5	8	14	28	29
1. SINGLE DX	862	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1874	3.3	5	1	1	3	4	6	7	11
A. NOT OPERATED	2705	3.1	4	1	1	3	4	5	6	10
B. OPERATED	31	7.8	73	1	2	5	8	20	29	38
TOTAL 0-27 DYS	22	3.5	3	1	2	3	4	6	8	9
1-11 MOS	264	3.8	8	1	1	3	5	7	9	12
1-5 YRS	874	3.1	4	1	1	3	4	5	7	11
6-12 YRS	754	3.1	5	1	1	3	4	5	6	9
13-19 YRS	822	3.2	4	1	1	3	4	5	6	9
GRAND TOTAL	**2736**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	3.6	5	1	2	3	4	6	9	11
1-11 MOS	708	3.4	3	1	1	3	4	6	7	9
1-5 YRS	1100	2.9	4	1	1	3	4	5	6	8
6-12 YRS	257	2.8	2	1	1	3	3	5	5	9
13-19 YRS	136	3.6	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	46	1	1	4	11	14	14	14
1-5 YRS	15	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	8	3.4	9	<1	<1	2	4	8	10	10
13-19 YRS	10	2.5	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	33	3.8	4	2	2	3	5	6	8	9
1-11 MOS	1032	4.2	6	1	2	4	5	7	9	12
1-5 YRS	1578	3.5	5	1	2	3	4	6	8	11
6-12 YRS	359	3.9	9	1	1	3	5	7	10	14
13-19 YRS	301	4.6	21	1	2	4	5	8	12	22
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	20	8.4	287	1	1	4	6	15	49	78
1-5 YRS	31	7.1	87	2	2	4	7	15	22	50
6-12 YRS	6	3.5	6	1	1	3	4	8	8	8
13-19 YRS	20	5.5	21	<1	1	4	8	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	3.1	4	1	1	3	4	5	6	9
B. *Operated*	36	2.7	7	<1	<1	2	3	5	9	14
2. MULTIPLE DX										
A. *Not Operated*	3303	3.9	7	1	2	3	5	7	8	13
B. *Operated*	78	6.7	112	1	2	4	7	12	20	70
1. SINGLE DX	2259	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	3381	3.9	10	1	2	3	5	7	9	14
A. NOT OPERATED	5526	3.6	6	1	1	3	4	6	8	12
B. OPERATED	114	5.4	82	1	1	3	5	11	17	60
TOTAL 0-27 DYS	56	3.8	4	2	2	3	5	6	8	11
1-11 MOS	1763	3.9	8	1	2	3	5	7	8	11
1-5 YRS	2724	3.3	6	1	1	3	4	6	7	11
6-12 YRS	630	3.4	7	1	1	3	4	6	8	14
13-19 YRS	467	4.3	15	1	2	3	5	8	10	18
GRAND TOTAL	**5640**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	50	3	3	4	11	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	12	10.1	30	5	5	9	12	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.3	17	<1	<1	3	7	9	9	9
B. *Operated*	3	8.7	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	9	5.4	24	1	2	4	5	13	18	18
B. *Operated*	16	10.1	38	2	4	9	14	18	22	24
1. SINGLE DX	6	6.5	14	<1	<1	7	9	11	11	11
2. MULTIPLE DX	25	8.4	37	1	3	6	12	18	20	24
A. NOT OPERATED	12	5.2	21	<1	1	4	6	12	17	18
B. OPERATED	19	9.9	33	2	4	8	13	18	21	24
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	8.4	46	3	3	5	15	18	18	18
1-5 YRS	4	8.3	61	1	1	7	14	18	18	18
6-12 YRS	4	4.3	6	<1	<1	4	6	7	7	7
13-19 YRS	15	8.8	32	2	4	8	11	15	22	24
GRAND TOTAL	**31**	**8.1**	**33**	**1**	**2**	**6**	**11**	**18**	**18**	**24**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.8	2	1	1	2	4	5	5	5
1-11 MOS	1599	3.9	5	1	2	3	5	7	8	11
1-5 YRS	12919	3.0	3	1	1	3	4	5	6	8
6-12 YRS	8986	3.2	4	1	1	3	4	5	6	9
13-19 YRS	5266	3.3	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.0	11	<1	<1	4	8	9	11	11
1-5 YRS	33	3.2	3	<1	1	3	4	5	7	8
6-12 YRS	20	4.9	10	1	2	4	6	10	11	12
13-19 YRS	9	4.0	2	1	2	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.8	24	1	2	4	7	11	18	23
1-11 MOS	2224	4.7	10	1	2	4	6	8	10	15
1-5 YRS	10581	3.6	5	1	2	3	4	6	7	11
6-12 YRS	4593	3.7	5	1	2	3	4	6	7	11
13-19 YRS	2952	4.0	8	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	49	10.3	101	2	3	8	12	19	25	62
1-5 YRS	106	7.2	95	1	2	5	8	13	17	61
6-12 YRS	52	6.5	20	2	2	6	8	16	18	97
13-19 YRS	66	8.9	88	2	3	7	11	18	26	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28781	3.2	3	1	1	3	4	5	6	9
B. *Operated*	75	4.0	6	<1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	20369	3.8	6	1	2	3	5	6	8	12
B. *Operated*	273	8.0	81	2	2	6	9	16	20	84
1. SINGLE DX	28856	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	20642	3.8	8	1	2	3	5	6	8	13
A. NOT OPERATED	49150	3.4	5	1	1	3	4	6	7	10
B. OPERATED	348	7.2	68	1	2	5	8	14	19	64
TOTAL 0-27 DYS	30	4.7	18	1	2	4	5	9	11	23
1-11 MOS	3885	4.4	10	1	2	4	5	8	9	14
1-5 YRS	23639	3.3	5	1	1	3	4	5	7	10
6-12 YRS	13651	3.3	4	1	2	3	4	5	7	10
13-19 YRS	8293	3.6	6	1	2	3	4	6	7	11
GRAND TOTAL	**49498**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	12	3.5	6	<1	1	3	4	7	10	10
1-5 YRS	15	2.9	4	<1	<1	2	4	7	7	7
6-12 YRS	14	4.6	10	1	2	4	6	10	11	11
13-19 YRS	17	4.9	13	1	1	4	8	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	5	3.2	15	1	1	1	5	10	10	10
13-19 YRS	3	10.7	64	3	3	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.4	13	2	2	7	8	12	13	13
1-11 MOS	32	5.7	23	2	2	4	7	8	13	28
1-5 YRS	57	5.5	16	1	2	4	9	11	13	19
6-12 YRS	42	8.5	32	2	3	7	11	17	18	28
13-19 YRS	76	8.8	14	3	4	8	11	14	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	12.0	72	2	2	12	17	24	26	26
1-5 YRS	10	4.3	7	<1	1	4	8	45	95	99+
6-12 YRS	19	8.1	38	1	1	9	11	15	20	24
13-19 YRS	20	10.8	48	2	2	10	14	22	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.1	9	<1	1	3	5	9	10	12
B. *Operated*	11	5.0	32	1	1	3	8	14	19	19
2. MULTIPLE DX										
A. *Not Operated*	214	7.3	22	2	2	7	10	13	16	23
B. *Operated*	56	8.9	44	1	2	8	13	21	24	95
1. SINGLE DX	71	4.2	12	1	1	3	5	10	10	18
2. MULTIPLE DX	270	7.6	27	2	2	7	10	14	18	27
A. NOT OPERATED	274	6.6	21	1	2	6	9	12	15	21
B. OPERATED	67	8.2	44	1	1	7	12	20	24	87
TOTAL 0-27 DYS	9	5.9	11	2	2	5	7	11	13	13
1-11 MOS	51	6.0	31	1	2	4	7	13	18	28
1-5 YRS	85	4.8	14	1	1	3	7	10	12	71
6-12 YRS	80	7.4	31	1	1	6	10	15	18	27
13-19 YRS	116	8.6	23	2	3	8	11	15	18	23
GRAND TOTAL	**341**	**6.9**	**25**	**1**	**2**	**6**	**10**	**13**	**17**	**26**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	181	3.2	6	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	2	6.0	8	4	4	6	8	8	8	8
1-5 YRS	3	4.7	22	1	1	3	8	10	10	10
6-12 YRS	6	8.0	9	4	4	8	9	13	13	13
13-19 YRS	452	6.0	18	2	3	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.2	14	1	1	4	8	10	10	10
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	11	3.2	5	1	1	2	4	7	9	9
13-19 YRS	60	4.1	11	1	1	4	5	7	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.0	129	9	9	10	21	32	32	32
1-5 YRS	2	13.5	41	9	9	13	18	18	18	18
6-12 YRS	6	13.5	22	5	6	14	16	19	19	19
13-19 YRS	156	9.6	39	3	4	8	12	19	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.1	6	1	1	2	4	6	7	12
B. *Operated*	465	6.0	18	2	3	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	78	3.9	10	1	1	3	5	8	9	19
B. *Operated*	168	9.9	41	4	4	8	13	19	22	32
1. SINGLE DX	653	5.2	16	1	2	4	7	10	12	21
2. MULTIPLE DX	246	8.0	39	2	2	6	10	16	21	30
A. NOT OPERATED	266	3.4	7	1	1	3	4	7	9	13
B. OPERATED	633	7.1	27	2	3	6	9	13	17	27
TOTAL 0-27 DYS	4	4.5	2	3	3	4	5	6	6	6
1-11 MOS	13	7.8	64	<1	1	8	9	15	29	32
1-5 YRS	8	6.0	35	<1	<1	3	9	16	18	18
6-12 YRS	25	6.7	28	1	2	5	10	14	17	19
13-19 YRS	849	5.9	23	1	2	5	7	11	15	23
GRAND TOTAL	**899**	**6.0**	**24**	**1**	**2**	**5**	**7**	**12**	**15**	**23**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	3.2	7	1	1	2	4	7	8	12
1-11 MOS	341	3.4	5	1	1	3	4	6	7	13
1-5 YRS	795	2.9	5	1	1	2	4	5	6	11
6-12 YRS	289	2.9	6	1	1	2	3	5	6	13
13-19 YRS	244	3.4	8	1	1	3	4	6	8	17
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	34	4.0	16	<1	<1	2	5	8	15	17
1-5 YRS	115	2.8	7	<1	1	2	3	7	9	14
6-12 YRS	44	4.5	20	<1	1	3	6	10	15	19
13-19 YRS	60	7.3	59	<1	<1	5	10	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	57	4.3	27	1	1	3	5	7	14	34
1-11 MOS	888	4.9	21	1	1	4	6	9	13	22
1-5 YRS	1449	4.2	14	1	1	3	5	8	11	20
6-12 YRS	545	4.9	24	1	2	4	6	10	13	21
13-19 YRS	513	5.0	23	1	1	3	6	10	15	23
B. *Operated*										
0-27 DYS	3	34.3	697	11	11	29	54	63	63	63
1-11 MOS	121	14.3	243	1	2	9	18	49	64	99+
1-5 YRS	302	8.9	137	1	1	4	12	23	32	65
6-12 YRS	159	9.1	157	<1	1	4	12	21	31	69
13-19 YRS	176	10.9	155	1	1	7	13	25	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1699	3.1	6	1	1	3	4	5	7	13
B. *Operated*	254	4.3	26	<1	1	2	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	3452	4.6	19	1	1	3	5	9	12	22
B. *Operated*	761	10.3	169	1	1	5	13	25	40	69
1. SINGLE DX	1953	3.2	8	1	1	3	4	6	8	16
2. MULTIPLE DX	4213	5.7	51	1	1	4	6	12	17	41
A. NOT OPERATED	5151	4.1	15	1	1	3	5	8	11	20
B. OPERATED	1015	8.8	140	1	1	4	11	22	32	67
TOTAL 0-27 DYS	91	4.9	64	1	1	3	5	8	16	51
1-11 MOS	1384	5.4	44	1	1	4	6	10	16	46
1-5 YRS	2661	4.3	28	1	1	3	5	8	12	27
6-12 YRS	1037	5.0	43	1	1	3	5	10	15	31
13-19 YRS	993	5.8	51	1	1	3	7	13	18	37
GRAND TOTAL	**6166**	**4.9**	**39**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	4	1	1	2	3	6	6	6
1-5 YRS	63	3.2	4	<1	1	3	5	6	7	11
6-12 YRS	29	3.2	3	1	1	3	4	6	6	6
13-19 YRS	47	2.7	2	<1	1	2	4	5	5	6
B. *Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	12	2.1	1	<1	<1	2	3	4	4	4
1-5 YRS	742	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	397	1.9	2	<1	<1	1	2	4	5	9
13-19 YRS	3888	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.9	7	1	1	3	5	7	10	11
1-5 YRS	230	2.9	4	<1	<1	3	4	5	7	9
6-12 YRS	79	3.2	5	<1	<1	2	4	6	8	13
13-19 YRS	188	2.9	6	<1	<1	2	4	6	7	13
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	9	2.6	1	1	1	3	3	4	4	4
1-5 YRS	904	1.5	1	<1	<1	1	2	2	3	7
6-12 YRS	644	2.0	3	<1	<1	2	2	4	5	10
13-19 YRS	2967	2.8	3	1	1	2	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	5041	2.0	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	514	3.0	5	<1	<1	2	4	6	7	12
B. *Operated*	4526	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	5186	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	5040	2.5	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	659	3.0	5	<1	<1	2	4	5	7	11
B. OPERATED	9567	2.2	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	5	2.2	2	<1	<1	2	3	4	4	4
1-11 MOS	43	2.9	4	<1	1	3	4	6	7	11
1-5 YRS	1939	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	1149	2.1	3	<1	<1	2	2	4	5	9
13-19 YRS	7090	2.4	3	<1	1	2	3	4	5	8
GRAND TOTAL	**10226**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	26	2	2	5	10	12	12	12
1-11 MOS	29	3.3	3	1	1	3	4	6	6	9
1-5 YRS	157	3.4	5	1	1	3	4	6	9	11
6-12 YRS	80	3.5	4	1	2	3	5	6	7	9
13-19 YRS	71	3.4	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	18	2.8	3	<1	<1	2	4	5	6	7
1-5 YRS	137	2.9	4	<1	<1	2	4	5	7	8
6-12 YRS	192	2.6	4	<1	<1	2	3	5	6	10
13-19 YRS	191	2.6	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	91	4.0	6	1	2	3	5	6	11	12
1-5 YRS	339	3.8	4	1	2	3	5	7	8	11
6-12 YRS	111	3.9	4	1	2	4	5	6	8	11
13-19 YRS	126	4.1	6	1	2	4	5	6	7	18
B. *Operated*										
0-27 DYS										
1-11 MOS	17	3.4	10	<1	<1	3	4	9	11	12
1-5 YRS	110	3.5	7	<1	1	3	5	7	9	14
6-12 YRS	138	3.3	12	1	1	2	4	6	8	19
13-19 YRS	146	3.8	10	1	1	3	4	7	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.4	4	1	1	3	4	6	8	10
B. *Operated*	540	2.7	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	669	3.9	5	1	2	3	5	6	8	12
B. *Operated*	411	3.5	10	<1	1	3	4	7	9	17
1. SINGLE DX	880	3.0	4	<1	1	3	4	5	7	10
2. MULTIPLE DX	1080	3.8	7	1	1	3	5	6	8	14
A. NOT OPERATED	1009	3.8	5	1	2	3	5	6	8	11
B. OPERATED	951	3.0	7	<1	1	2	4	6	8	13
TOTAL 0-27 DYS	7	5.7	15	1	1	5	8	11	12	12
1-11 MOS	155	3.6	6	1	1	3	5	6	9	12
1-5 YRS	743	3.5	5	1	1	3	5	6	8	11
6-12 YRS	521	3.2	6	<1	1	3	4	6	7	13
13-19 YRS	534	3.4	7	1	1	3	4	6	8	14
GRAND TOTAL	**1960**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	213	3.4	6	1	1	3	4	7	9	12
1-11 MOS	616	3.0	5	1	1	2	4	6	7	11
1-5 YRS	129	2.7	6	<1	<1	2	3	5	7	16
6-12 YRS	48	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	119	2.9	4	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	4	6.8	48	2	2	4	11	17	17	17
1-11 MOS	100	8.1	68	1	1	6	11	16	23	81
1-5 YRS	144	4.7	32	<1	<1	2	7	11	15	26
6-12 YRS	78	3.8	9	<1	1	2	6	9	10	12
13-19 YRS	81	5.2	17	1	1	5	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	219	4.3	11	1	1	4	6	8	10	17
1-11 MOS	794	4.3	12	1	1	3	6	8	10	19
1-5 YRS	224	4.6	33	1	1	3	5	10	13	32
6-12 YRS	109	3.9	23	1	1	2	5	8	10	32
13-19 YRS	293	3.6	7	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS	12	17.8	473	3	3	11	21	45	76	81
1-11 MOS	226	14.2	213	2	2	9	18	38	50	65
1-5 YRS	305	11.4	153	1	1	8	15	27	37	70
6-12 YRS	166	10.3	122	1	1	7	13	22	34	54
13-19 YRS	165	8.1	58	1	2	6	9	20	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1125	3.0	5	1	1	2	4	6	7	11
B. *Operated*	407	5.5	36	<1	1	3	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	1639	4.2	15	1	1	3	5	8	10	20
B. *Operated*	874	11.4	153	1	1	7	14	28	38	65
1. SINGLE DX	1532	3.7	14	1	1	2	4	8	10	19
2. MULTIPLE DX	2513	6.7	74	1	1	4	8	14	24	50
A. NOT OPERATED	2764	3.7	11	1	1	3	5	7	9	16
B. OPERATED	1281	9.5	123	1	1	6	12	23	32	60
TOTAL 0-27 DYS	448	4.3	25	1	1	3	5	8	11	23
1-11 MOS	1736	5.4	52	1	1	3	6	10	16	46
1-5 YRS	802	6.9	87	<1	1	3	9	16	25	49
6-12 YRS	401	6.3	70	1	1	3	8	14	21	45
13-19 YRS	658	4.8	25	1	1	3	6	9	13	29
GRAND TOTAL	**4045**	**5.6**	**54**	**1**	**1**	**3**	**6**	**11**	**18**	**42**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	9	1	1	3	6	7	7	7
1-5 YRS	5	3.6	3	1	1	4	5	6	6	6
6-12 YRS	11	3.1	2	1	1	3	4	5	5	5
13-19 YRS	56	3.7	7	1	1	3	5	7	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	3.7	4	1	1	4	5	6	6	6
13-19 YRS	13	4.5	4	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	17	4.2	7	1	1	4	6	9	9	9
13-19 YRS	67	4.6	6	1	2	4	6	8	9	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	5.7	2	4	4	6	7	7	7	7
1-5 YRS	3	6.7	26	<1	<1	8	10	11	11	11
6-12 YRS	3	17.7	152	4	4	21	26	28	28	28
13-19 YRS	22	6.9	16	2	3	5	10	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.6	6	1	1	3	4	6	9	13
B. *Operated*	21	4.5	4	1	2	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	90	4.7	7	1	2	4	6	9	9	13
B. *Operated*	32	7.7	34	2	3	6	10	14	20	28
1. SINGLE DX	96	3.8	6	1	1	3	5	7	9	13
2. MULTIPLE DX	122	5.5	15	1	2	5	7	10	13	23
A. NOT OPERATED	165	4.2	7	1	2	4	5	8	9	13
B. OPERATED	53	6.4	24	1	2	5	7	12	15	28
TOTAL 0-27 DYS	3	5.7	22	2	2	4	9	11	11	11
1-11 MOS	9	5.9	10	1	2	6	7	10	12	12
1-5 YRS	11	4.9	9	<1	1	4	7	9	11	11
6-12 YRS	37	4.9	28	1	1	4	5	9	17	28
13-19 YRS	158	4.6	8	1	2	4	6	9	11	14
GRAND TOTAL	**218**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	7	4.1	3	2	2	3	6	6	6	6
13-19 YRS	22	3.5	2	2	2	3	4	5	6	6
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	5.9	8	1	1	6	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.0	8	<1	<1	3	7	7	7	7
1-11 MOS	8	5.5	19	1	1	5	8	12	14	14
1-5 YRS	8	3.4	3	1	1	3	5	6	6	6
6-12 YRS	13	4.5	2	2	3	4	6	6	7	7
13-19 YRS	42	4.9	13	2	2	4	5	8	11	22
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.3	42	4	4	10	15	17	17	17
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	5	17.8	621	2	2	8	24	62	62	62
13-19 YRS	17	8.2	20	2	3	7	10	14	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.6	2	2	2	3	5	6	6	6
B. *Operated*	19	5.9	8	1	2	6	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	76	4.7	10	2	2	4	6	8	10	20
B. *Operated*	27	9.9	128	2	3	7	11	16	26	62
1. SINGLE DX	55	4.4	5	1	2	4	6	8	9	10
2. MULTIPLE DX	103	6.0	46	2	2	4	7	10	14	41
A. NOT OPERATED	112	4.3	8	2	2	4	6	7	9	17
B. OPERATED	46	8.3	81	2	2	7	9	13	18	62
TOTAL 0-27 DYS	7	4.1	6	<1	<1	3	7	7	7	7
1-11 MOS	13	6.2	25	1	2	4	9	15	17	17
1-5 YRS	14	3.5	3	1	1	3	5	6	6	6
6-12 YRS	25	7.1	135	2	2	5	6	8	24	62
13-19 YRS	99	5.3	13	2	2	4	7	9	12	21
GRAND TOTAL	**158**	**5.5**	**32**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.1	3	2	2	5	6	6	6	6
1-5 YRS	6	3.3	3	1	1	3	5	5	5	5
6-12 YRS	58	3.3	3	1	1	3	4	6	7	8
13-19 YRS	318	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	4	7.3	10	3	3	8	9	10	10	10
13-19 YRS	11	5.8	12	<1	1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	10	4.4	5	2	2	4	7	8	8	8
1-5 YRS	14	4.8	12	<1	1	4	8	11	11	11
6-12 YRS	79	4.2	22	1	2	3	5	7	8	33
13-19 YRS	291	4.2	7	1	2	4	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	17.5	1	17	17	17	18	18	18	18
1-5 YRS	3	7.3	30	1	1	10	11	11	11	11
6-12 YRS	9	5.7	7	1	2	6	8	9	9	9
13-19 YRS	24	7.5	22	1	2	7	9	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.3	4	1	1	3	4	6	7	9
B. *Operated*	16	6.4	11	1	2	6	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	395	4.3	10	1	2	4	5	8	9	14
B. *Operated*	38	7.6	23	1	2	7	9	15	18	20
1. SINGLE DX	405	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	433	4.5	12	1	2	4	6	8	10	16
A. NOT OPERATED	784	3.8	7	1	1	3	5	7	8	13
B. OPERATED	54	7.2	19	1	2	7	9	13	17	20
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	20	5.9	21	2	2	5	7	13	17	18
1-5 YRS	23	4.7	12	<1	1	4	7	11	11	11
6-12 YRS	150	4.0	14	1	2	3	5	7	8	10
13-19 YRS	644	3.9	7	1	1	3	5	7	9	14
GRAND TOTAL	**838**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	3	3.3		3	3	3	4	4	4	4
6-12 YRS	13	3.1	3	1	1	3	4	5	7	7
13-19 YRS	90	4.1	5	1	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.8		<1	<1	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	31	8.5	14	4	5	8	10	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	12	7.5	123	1	2	4	7	18	39	42
6-12 YRS	18	3.2	1	2	2	3	4	5	6	6
13-19 YRS	104	4.3	5	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	13	3	3	8	9	10	10	10
1-5 YRS	3	9.3	36	3	3	10	14	15	15	15
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	21	7.0	7	3	3	7	9	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.9	5	1	2	4	5	6	8	12
B. *Operated*	37	7.5	17	1	2	7	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	137	4.4	15	2	2	4	5	7	9	17
B. *Operated*	29	7.0	11	2	3	7	9	10	14	15
1. SINGLE DX	145	4.8	10	1	2	4	6	9	12	16
2. MULTIPLE DX	166	4.9	15	2	2	4	6	8	10	15
A. NOT OPERATED	245	4.2	11	2	2	4	5	7	8	12
B. OPERATED	66	7.2	14	2	2	7	9	12	15	18
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	5.0	8	2	2	4	7	9	10	10
1-5 YRS	22	6.1	75	1	1	3	6	11	26	42
6-12 YRS	34	3.1	2	1	2	3	4	5	6	7
13-19 YRS	246	5.0	9	2	2	4	6	9	11	15
GRAND TOTAL	**311**	**4.8**	**13**	**2**	**2**	**4**	**6**	**9**	**10**	**16**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	7	4.9	4	1	2	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	4	17.0	120	5	5	17	26	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	8	7.5	22	3	3	6	9	15	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	23.8	217	4	4	26	34	39	39	39
13-19 YRS	3	9.0	7	6	6	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	4	1	2	5	5	7	8	8
B. *Operated*	6	13.7	102	4	4	10	23	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	10	8.1	21	3	4	6	12	15	17	17
B. *Operated*	7	17.4	173	4	4	11	27	37	39	39
1. SINGLE DX	18	7.4	53	1	2	5	8	19	27	29
2. MULTIPLE DX	17	11.9	99	3	4	7	15	28	35	39
A. NOT OPERATED	22	6.0	15	1	2	5	7	13	15	17
B. OPERATED	13	15.7	133	4	4	11	25	31	38	39
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS	3	5.7	16	2	2	5	9	10	10	10
6-12 YRS	8	14.0	204	2	2	6	26	36	39	39
13-19 YRS	22	8.6	45	2	4	6	11	19	25	29
GRAND TOTAL	**35**	**9.6**	**79**	**2**	**3**	**6**	**11**	**23**	**29**	**39**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	2.6	2	1	1	2	3	5	6	7
1-11 MOS	115	2.8	3	1	1	2	3	5	7	9
1-5 YRS	338	2.3	1	1	1	2	3	4	4	6
6-12 YRS	530	2.4	2	1	1	2	3	4	5	8
13-19 YRS	1015	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	79.0		79	79	79	79	79	79	79
1-5 YRS	7	3.0	3	<1	<1	3	5	5	5	5
6-12 YRS	19	3.2	3	<1	1	3	4	6	7	7
13-19 YRS	35	3.9	4	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	5.0	34	1	2	3	5	13	20	25
1-11 MOS	276	3.3	5	1	1	3	4	6	8	11
1-5 YRS	1105	2.8	4	1	1	2	3	5	6	9
6-12 YRS	1154	2.9	4	1	1	2	3	5	6	10
13-19 YRS	1643	3.3	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	8	5.1	30	1	1	4	5	14	18	18
1-5 YRS	19	4.5	5	1	2	4	6	8	8	8
6-12 YRS	45	4.7	11	1	1	4	6	10	12	16
13-19 YRS	146	5.2	12	1	2	4	7	9	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2015	2.5	2	1	1	2	3	4	6	8
B. *Operated*	62	4.8	96	<1	1	3	5	7	8	70
2. MULTIPLE DX										
A. *Not Operated*	4202	3.1	5	1	1	3	4	5	7	11
B. *Operated*	220	5.0	12	1	1	4	7	9	12	17
1. SINGLE DX	2077	2.6	5	1	1	2	3	5	6	8
2. MULTIPLE DX	4422	3.2	5	1	1	3	4	5	7	12
A. NOT OPERATED	6217	2.9	4	1	1	2	4	5	6	10
B. OPERATED	282	5.0	30	1	1	4	6	9	12	17
TOTAL 0-27 DYS	43	4.1	22	1	1	3	4	9	15	25
1-11 MOS	400	3.4	20	1	1	3	4	6	8	12
1-5 YRS	1469	2.7	3	1	1	2	3	5	6	9
6-12 YRS	1748	2.8	4	1	1	2	3	5	6	10
13-19 YRS	2839	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**6499**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.0	1	<1	1	2	3	3	3	3
1-11 MOS	44	2.6	4	<1	1	2	3	5	7	9
1-5 YRS	55	3.4	8	1	1	3	4	7	8	17
6-12 YRS	109	3.0	6	1	1	2	3	6	8	14
13-19 YRS	199	2.8	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	59	3.8	3	2	2	3	4	6	8	10
1-11 MOS	158	3.7	2	2	2	3	4	6	7	9
1-5 YRS	27	4.3	19	1	1	3	5	7	12	23
6-12 YRS	6	4.7	7	2	2	4	7	8	8	8
13-19 YRS	11	5.8	10	2	2	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.5	12	1	1	2	4	8	13	13
1-11 MOS	89	3.8	10	1	1	3	5	7	9	19
1-5 YRS	119	3.4	14	1	1	2	4	6	8	25
6-12 YRS	191	3.8	12	1	1	3	4	6	9	21
13-19 YRS	374	5.1	60	1	1	3	5	7	22	46
B. *Operated*										
0-27 DYS	18	5.0	4	1	2	5	6	8	9	9
1-11 MOS	69	5.9	17	2	2	5	7	11	14	24
1-5 YRS	28	7.6	45	1	1	5	10	18	24	25
6-12 YRS	13	8.6	86	1	2	5	9	28	30	30
13-19 YRS	30	10.7	190	2	2	7	13	22	26	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	2.9	4	1	1	2	4	5	7	10
B. *Operated*	261	3.9	5	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	784	4.3	35	1	1	3	4	7	11	34
B. *Operated*	158	7.2	61	1	2	5	8	14	22	30
1. SINGLE DX	680	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX	942	4.8	41	1	1	3	5	8	14	33
A. NOT OPERATED	1203	3.8	25	1	1	3	4	6	8	31
B. OPERATED	419	5.1	28	2	2	4	6	9	13	26
TOTAL 0-27 DYS	100	3.8	4	1	2	3	4	7	8	11
1-11 MOS	360	4.0	8	1	1	3	5	7	9	16
1-5 YRS	229	4.0	19	1	1	3	5	8	12	24
6-12 YRS	319	3.7	14	1	1	3	4	7	9	23
13-19 YRS	614	4.6	49	1	1	3	4	7	13	38
GRAND TOTAL	**1622**	**4.2**	**26**	**1**	**1**	**3**	**5**	**7**	**10**	**29**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.3	3	1	1	2	4	5	5	5
6-12 YRS	66	2.1	1	<1	1	2	3	3	4	6
13-19 YRS	104	2.2	2	<1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS	5	4.2	2	2	2	4	5	6	6	6
1-11 MOS	17	3.8	4	2	2	3	4	7	9	9
1-5 YRS	490	3.6	3	2	2	3	4	6	7	10
6-12 YRS	6276	3.3	2	2	2	3	4	5	6	8
13-19 YRS	10398	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.9	2	<1	<1	1	3	4	4	4
6-12 YRS	43	2.0	1	1	1	2	2	4	5	6
13-19 YRS	61	2.9	10	1	1	2	3	6	7	21
B. *Operated*										
0-27 DYS	3	5.7	6	3	3	6	7	8	8	8
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	142	5.4	17	2	2	4	6	9	13	20
6-12 YRS	1036	4.7	10	2	2	4	5	8	11	16
13-19 YRS	1897	4.6	9	2	2	4	5	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.2	2	<1	1	2	3	4	4	6
B. *Operated*	17186	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	112	2.5	6	1	1	2	3	5	6	14
B. *Operated*	3081	4.7	10	2	2	4	5	8	10	16
1. SINGLE DX	17362	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3193	4.6	10	2	2	4	5	8	10	16
A. NOT OPERATED	288	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	20267	3.6	3	2	2	3	4	5	7	10
TOTAL 0-27 DYS	8	4.8	4	2	2	5	6	7	8	8
1-11 MOS	20	3.9	4	2	2	4	5	7	8	9
1-5 YRS	646	3.9	7	2	2	3	5	6	8	14
6-12 YRS	7421	3.4	3	2	2	3	4	5	7	10
13-19 YRS	12460	3.6	3	2	2	3	4	5	7	10
GRAND TOTAL	**20555**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**	**10**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.0	43	<1	<1	9	13	14	14	14
6-12 YRS	18	7.6	17	2	2	7	11	14	16	17
13-19 YRS	21	6.0	6	1	2	7	7	9	9	9
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	6	5.8	3	3	3	6	7	8	8	8
1-5 YRS	435	7.9	21	3	4	7	9	12	14	21
6-12 YRS	1565	6.7	10	3	3	6	8	10	12	17
13-19 YRS	1726	6.5	11	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	13.4	2	12	12	14	14	15	15	15
6-12 YRS	6	7.5	17	1	1	8	11	12	12	12
13-19 YRS	9	9.0	23	2	3	9	12	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.2	80	7	7	10	15	29	29	29
1-5 YRS	298	9.8	24	4	5	9	12	17	20	27
6-12 YRS	975	9.3	29	4	4	8	11	16	20	29
13-19 YRS	1017	9.3	33	3	4	8	11	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.8	13	1	2	7	8	12	14	17
B. *Operated*	3733	6.8	12	3	3	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	20	9.7	20	1	3	10	13	15	16	17
B. *Operated*	2295	9.4	30	4	4	8	11	16	20	30
1. SINGLE DX	3775	6.8	12	3	3	6	8	11	12	17
2. MULTIPLE DX	2315	9.4	30	4	4	8	11	16	20	30
A. NOT OPERATED	62	7.7	17	1	2	7	11	14	15	17
B. OPERATED	6028	7.8	20	3	3	7	9	12	16	25
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	11	9.2	48	3	4	7	10	18	28	29
1-5 YRS	741	8.7	23	3	4	8	10	14	17	25
6-12 YRS	2564	7.7	19	3	4	7	9	12	16	24
13-19 YRS	2773	7.6	21	3	3	7	9	12	15	25
GRAND TOTAL	**6090**	**7.8**	**20**	**3**	**3**	**7**	**9**	**12**	**16**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	74	1.8	1	1	1	2	2	3	4	5
13-19 YRS	141	2.1	1	1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	37	4.1	3	2	2	4	5	7	8	8
6-12 YRS	406	3.5	2	2	2	3	4	5	6	8
13-19 YRS	756	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	2.1	1	1	1	2	3	3	3	3
6-12 YRS	55	2.7	13	1	1	2	3	4	5	25
13-19 YRS	96	2.6	2	1	1	2	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	31	5.5	14	2	2	4	6	10	15	19
6-12 YRS	200	4.1	3	2	2	4	5	6	8	9
13-19 YRS	526	4.9	7	2	3	4	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.0	1	1	1	2	2	3	4	6
B. *Operated*	1201	3.7	3	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	161	2.6	6	1	1	2	3	4	5	10
B. *Operated*	757	4.7	6	2	3	4	6	7	9	13
1. SINGLE DX	1421	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX	918	4.3	7	1	2	4	5	7	8	13
A. NOT OPERATED	381	2.2	3	1	1	2	3	4	5	7
B. OPERATED	1958	4.1	4	2	2	4	5	6	8	11
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	82	4.3	8	1	2	4	5	8	9	18
6-12 YRS	735	3.4	4	1	1	3	4	5	6	9
13-19 YRS	1519	3.9	5	1	2	4	5	6	7	11
GRAND TOTAL	**2339**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	44	1.5	2	<1	<1	1	1	2	4	9
1-5 YRS	26	1.1		<1	<1	1	1	1	2	2
6-12 YRS	8	1.1		<1	<1	1	1	2	2	2
13-19 YRS	12	2.3	3	<1	<1	2	3	4	7	7
B. *Operated*										
0-27 DYS	90	1.5	1	<1	<1	1	2	3	3	4
1-11 MOS	2242	1.4	1	<1	<1	1	2	2	3	4
1-5 YRS	3564	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	1950	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	2971	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	186	1.7	9	<1	<1	1	1	3	4	8
1-5 YRS	274	1.5	4	<1	<1	1	1	2	3	8
6-12 YRS	53	1.3	1	<1	<1	1	1	2	3	7
13-19 YRS	34	1.2		<1	<1	1	1	2	3	4
B. *Operated*										
0-27 DYS	58	2.2	4	<1	<1	2	2	4	6	12
1-11 MOS	1879	2.0	4	<1	<1	2	2	3	4	10
1-5 YRS	2750	1.7	2	<1	<1	1	2	2	3	7
6-12 YRS	955	1.8	1	<1	<1	2	2	3	4	6
13-19 YRS	919	2.8	3	1	1	3	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.5	2	<1	<1	1	1	2	3	8
B. *Operated*	10817	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	550	1.5	5	<1	<1	1	1	2	4	7
B. *Operated*	6561	1.9	3	<1	<1	2	2	3	4	8
1. SINGLE DX	10909	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	7111	1.9	3	<1	<1	1	2	3	4	8
A. NOT OPERATED	642	1.5	5	<1	<1	1	1	2	4	7
B. OPERATED	17378	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	153	1.8	2	<1	<1	1	2	3	4	7
1-11 MOS	4351	1.7	2	<1	<1	1	2	3	3	7
1-5 YRS	6614	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	2966	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	3936	2.4	2	1	1	2	3	4	5	6
GRAND TOTAL	**18020**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	23	1.1		<1	<1	1	1	2	2	2
1-5 YRS	15	1.2		<1	<1	1	1	2	3	3
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	55	1.9	2	<1	<1	1	2	4	5	7
1-11 MOS	475	1.8	1	<1	1	1	2	3	4	7
1-5 YRS	430	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	63	1.9	1	<1	<1	2	2	4	4	5
13-19 YRS	141	2.9	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	20	2.2	3	<1	<1	2	3	4	6	8
1-5 YRS	22	1.8	1	<1	<1	1	3	3	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	47	3.3	9	1	1	2	4	7	8	16
1-11 MOS	432	2.7	6	<1	1	2	3	5	7	12
1-5 YRS	267	2.3	3	<1	1	2	3	4	6	10
6-12 YRS	36	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	58	3.1	2	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	1.1		<1	<1	1	1	2	2	3
B. *Operated*	1164	1.9	2	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	46	2.0	2	<1	<1	2	3	4	4	8
B. *Operated*	840	2.6	5	<1	1	2	3	5	7	11
1. SINGLE DX	1209	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	886	2.5	5	<1	1	2	3	5	7	11
A. NOT OPERATED	91	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	2004	2.2	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	108	2.5	6	<1	1	2	3	5	7	15
1-11 MOS	950	2.2	4	<1	1	2	3	4	6	10
1-5 YRS	734	1.9	2	<1	<1	1	2	3	4	9
6-12 YRS	103	2.0	1	<1	<1	2	2	4	5	5
13-19 YRS	200	3.0	2	1	1	3	4	5	5	8
GRAND TOTAL	**2095**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	5	10.4	173	1	1	3	18	32	32	32
1-11 MOS	174	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	931	1.9	10	<1	<1	2	2	3	3	6
6-12 YRS	424	1.8	1	<1	<1	2	2	3	3	4
13-19 YRS	188	2.1	1	<1	<1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	25	1.8	5	<1	<1	1	2	3	6	12
1-5 YRS	58	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	10	1.6	2	<1	<1	1	2	4	5	5
13-19 YRS	5	1.6	2	1	1	1	2	4	4	4
B. *Operated*										
0-27 DYS	2	13.0	32	9	9	17	79	99+	99+	99+
1-11 MOS	78	2.9	6	<1	<1	2	4	5	8	12
1-5 YRS	226	2.3	7	<1	<1	2	3	4	5	8
6-12 YRS	82	2.5	5	<1	<1	2	3	5	6	15
13-19 YRS	46	3.0	3	1	1	2	4	6	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	1722	1.9	6	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	98	1.4	2	<1	<1	1	1	3	4	9
B. *Operated*	434	2.5	7	<1	<1	2	3	5	6	13
1. SINGLE DX	1741	1.9	6	<1	<1	2	2	3	3	5
2. MULTIPLE DX	532	2.3	6	<1	<1	2	3	4	6	12
A. NOT OPERATED	117	1.5	2	<1	<1	1	1	3	4	7
B. OPERATED	2156	2.0	7	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	7	11.1	122	1	1	11	24	80	99+	99+
1-11 MOS	286	2.0	3	<1	<1	1	2	4	5	12
1-5 YRS	1220	1.9	9	<1	<1	2	2	3	4	6
6-12 YRS	519	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	241	2.3	1	<1	1	2	3	4	5	6
GRAND TOTAL	**2273**	**2.0**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	30	2.2	2	<1	<1	2	3	4	4	9
1-5 YRS	79	1.9	2	<1	<1	2	2	4	5	8
6-12 YRS	70	2.4	8	<1	<1	2	2	3	4	20
13-19 YRS	161	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	5.3	6	2	2	5	7	9	11	11
1-5 YRS	44	4.0	21	<1	<1	2	5	8	12	25
6-12 YRS	31	3.5	10	1	1	2	4	8	10	13
13-19 YRS	54	3.7	10	1	2	3	4	6	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*	341	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	13	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	143	3.9	13	<1	1	3	5	8	10	18
1. SINGLE DX	344	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	156	3.7	12	<1	1	3	5	7	10	18
A. NOT OPERATED	16	2.0	2	<1	1	2	2	3	5	6
B. OPERATED	484	2.7	7	<1	1	2	3	5	8	14
TOTAL 0-27 DYS	3	3.7	14	1	1	2	6	8	8	8
1-11 MOS	44	3.1	5	<1	1	2	4	7	8	11
1-5 YRS	128	2.6	9	<1	<1	2	3	6	7	20
6-12 YRS	104	2.7	9	<1	1	2	3	5	8	18
13-19 YRS	221	2.7	5	<1	1	2	3	5	6	14
GRAND TOTAL	**500**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	3.0	4	1	1	3	4	6	6	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS	4	6.3	2	5	5	6	7	8	8	8
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4	4.0	7	<1	<1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.6	25	1	1	5	7	14	14	14
1-11 MOS	5	4.2	4	2	2	4	5	7	7	7
1-5 YRS	5	3.2	5	2	2	2	4	7	7	7
6-12 YRS	9	3.3	3	<1	1	3	4	6	6	6
13-19 YRS	28	4.1	5	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	2	17.0	72	11	11	17	23	23	23	23
1-11 MOS	9	13.8	234	4	4	7	14	41	51	51
1-5 YRS	16	11.8	38	2	5	11	17	20	21	22
6-12 YRS	8	8.8	11	5	6	8	9	14	16	16
13-19 YRS	17	5.7	5	2	4	5	7	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	3	1	1	2	3	6	6	6
B. *Operated*	13	4.5	5	<1	<1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	52	4.0	6	1	2	4	5	7	7	14
B. *Operated*	52	9.9	64	4	4	7	11	19	23	50
1. SINGLE DX	19	3.9	5	<1	<1	4	6	7	8	8
2. MULTIPLE DX	104	6.9	43	1	2	5	8	15	19	37
A. NOT OPERATED	58	3.9	6	1	1	3	5	7	7	14
B. OPERATED	65	8.8	57	1	4	7	10	17	22	47
TOTAL 0-27 DYS	8	8.3	54	1	2	5	12	20	23	23
1-11 MOS	17	9.3	142	2	2	6	8	22	42	51
1-5 YRS	26	8.8	39	1	2	7	15	18	20	22
6-12 YRS	18	5.6	14	<1	1	5	8	10	14	16
13-19 YRS	54	4.5	6	1	2	4	6	7	9	11
GRAND TOTAL	**123**	**6.5**	**39**	**1**	**2**	**5**	**7**	**12**	**17**	**32**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	36.0		36	36	36	36	36	36	36
1-5 YRS	17	1.3		<1	<1	1	2	2	2	2
6-12 YRS	18	1.6		<1	1	2	2	2	2	2
13-19 YRS	40	3.2	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	1.7		<1	<1	2	2	2	2	2
6-12 YRS	4	3.8	18	<1	<1	2	6	10	10	10
13-19 YRS	12	3.4	4	1	1	3	4	6	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	76	2.8	18	<1	1	2	3	5	6	30
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	3	1	1	2	4	6	6	6
B. *Operated*	23	3.0	5	<1	<1	2	3	6	9	10
1. SINGLE DX	79	2.8	17	<1	1	2	3	5	6	29
2. MULTIPLE DX	30	2.9	5	<1	<1	2	4	5	9	10
A. NOT OPERATED	10	2.6	3	<1	<1	2	4	5	6	6
B. OPERATED	99	2.8	15	<1	1	2	3	5	6	24
TOTAL 0-27 DYS										
1-11 MOS	3	13.0	397	1	1	2	27	36	36	36
1-5 YRS	28	1.6	1	<1	<1	1	2	2	4	6
6-12 YRS	24	2.0	3	<1	1	2	2	2	5	10
13-19 YRS	54	3.3	4	1	1	3	4	5	6	12
GRAND TOTAL	**109**	**2.8**	**14**	**<1**	**1**	**2**	**3**	**5**	**6**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	22	2.2	2	1	1	2	2	4	5	6
1-5 YRS	62	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	44	2.0	2	<1	<1	2	2	3	6	7
13-19 YRS	66	3.1	6	<1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.1	2	<1	1	3	4	5	6	6
1-5 YRS	23	5.9	29	1	2	4	7	13	21	21
6-12 YRS	13	5.3	32	1	1	4	6	12	20	22
13-19 YRS	30	8.7	138	1	2	5	9	15	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	197	2.3	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	4	<1	<1	2	2	5	7	7
B. *Operated*	79	6.4	69	1	2	4	7	12	21	53
1. SINGLE DX	203	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	88	6.0	64	1	1	4	6	11	21	50
A. NOT OPERATED	15	1.7	3	<1	<1	1	2	3	6	7
B. OPERATED	276	3.4	25	<1	1	2	4	7	10	22
TOTAL 0-27 DYS	4	1.8	1	<1	<1	1	2	3	3	3
1-11 MOS	39	2.5	3	<1	1	2	4	5	6	7
1-5 YRS	93	2.6	11	<1	<1	2	3	5	7	21
6-12 YRS	57	2.8	10	<1	<1	2	3	6	8	21
13-19 YRS	98	4.8	52	1	1	3	5	9	14	47
GRAND TOTAL	**291**	**3.4**	**24**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.9	2	<1	<1	1	2	4	5	5
1-11 MOS	166	1.8	1	<1	1	2	2	3	4	6
1-5 YRS	201	2.2	3	1	1	2	3	4	6	9
6-12 YRS	73	2.7	3	1	1	2	3	6	6	9
13-19 YRS	168	3.6	6	1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS	5	5.6	14	1	1	8	8	9	9	9
1-11 MOS	200	5.1	11	2	2	4	6	8	10	20
1-5 YRS	149	5.8	10	2	2	5	8	10	12	16
6-12 YRS	79	7.4	48	2	3	6	8	12	18	47
13-19 YRS	143	7.4	7	4	4	7	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.1	7	<1	<1	4	5	8	9	9
1-11 MOS	100	3.2	6	<1	1	2	4	6	7	13
1-5 YRS	178	3.4	10	1	1	3	4	6	9	18
6-12 YRS	86	4.0	11	1	1	3	5	8	13	17
13-19 YRS	179	4.0	9	1	1	3	6	8	9	16
B. *Operated*										
0-27 DYS	3	13.7	58	7	7	12	19	22	22	22
1-11 MOS	210	8.7	80	3	3	6	9	15	23	55
1-5 YRS	172	9.5	64	3	4	8	10	16	23	53
6-12 YRS	115	8.9	28	3	4	8	11	14	19	33
13-19 YRS	208	10.6	99	4	5	8	11	17	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	2.6	4	1	1	2	3	5	6	10
B. *Operated*	576	6.2	16	2	3	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	551	3.6	9	1	1	3	5	7	9	16
B. *Operated*	708	9.5	73	3	4	8	11	15	23	44
1. SINGLE DX	1192	4.3	13	1	1	3	6	8	10	16
2. MULTIPLE DX	1259	6.9	54	1	2	5	9	13	17	34
A. NOT OPERATED	1167	3.1	7	1	1	2	4	6	8	14
B. OPERATED	1284	8.0	50	3	3	7	9	13	18	34
TOTAL 0-27 DYS	24	4.9	24	<1	<1	3	7	10	15	22
1-11 MOS	676	5.1	36	1	1	4	6	9	13	28
1-5 YRS	700	5.1	29	1	1	4	7	10	13	23
6-12 YRS	353	6.1	29	1	1	5	8	11	15	26
13-19 YRS	698	6.6	43	1	2	6	8	12	15	25
GRAND TOTAL	**2451**	**5.6**	**35**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	356	3.2	7	1	1	3	4	5	6	13
1-11 MOS	3560	3.2	4	1	1	3	4	5	6	10
1-5 YRS	5345	2.8	2	1	1	2	3	5	6	8
6-12 YRS	3165	2.1	2	1	1	2	3	4	4	6
13-19 YRS	3489	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	3	5.7	9	3	3	5	8	9	9	9
1-11 MOS	29	9.8	370	<1	1	3	7	29	47	94
1-5 YRS	76	3.7	11	<1	1	3	5	7	11	18
6-12 YRS	67	3.9	7	1	2	3	5	6	9	17
13-19 YRS	191	4.1	8	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	539	4.8	26	1	2	4	5	8	11	19
1-11 MOS	8985	3.9	6	1	2	3	5	6	8	13
1-5 YRS	14555	3.2	4	1	1	3	4	5	6	10
6-12 YRS	4008	2.8	5	1	1	2	3	5	6	9
13-19 YRS	3672	3.0	8	1	1	2	4	5	6	11
B. *Operated*										
0-27 DYS	14	17.4	341	4	4	7	38	48	53	55
1-11 MOS	169	10.8	190	2	3	6	11	27	46	99+
1-5 YRS	184	7.6	110	1	2	4	8	14	33	94
6-12 YRS	67	4.7	17	2	2	3	6	8	11	28
13-19 YRS	202	5.1	13	1	2	4	6	9	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15915	2.6	3	1	1	2	3	4	5	8
B. *Operated*	366	4.4	39	1	1	3	5	7	9	30
2. MULTIPLE DX										
A. *Not Operated*	31759	3.4	6	1	1	3	4	6	7	12
B. *Operated*	636	7.5	103	2	2	5	7	14	31	84
1. SINGLE DX	16281	2.7	4	1	1	2	3	5	6	8
2. MULTIPLE DX	32395	3.4	8	1	1	3	4	6	7	13
A. NOT OPERATED	47674	3.1	5	1	1	3	4	5	7	11
B. OPERATED	1002	6.4	82	1	2	4	6	11	19	64
TOTAL 0-27 DYS	912	4.4	26	1	2	3	5	7	10	21
1-11 MOS	12743	3.8	10	1	2	3	4	6	8	13
1-5 YRS	20160	3.1	5	1	1	3	4	5	6	10
6-12 YRS	7307	2.6	4	1	1	2	3	4	6	8
13-19 YRS	7554	2.8	6	1	1	2	3	5	6	9
GRAND TOTAL	**48676**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	3.2	2	<1	<1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	5	5.0	7	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	5.9	39	1	1	4	7	16	20	20
1-11 MOS	14	7.3	43	2	3	5	8	19	24	25
1-5 YRS	5	5.8	28	2	2	4	7	15	15	15
6-12 YRS										
13-19 YRS	6	6.3	7	4	4	5	8	11	11	11
B. *Operated*										
0-27 DYS	2	28.0	512	12	12	28	44	44	44	44
1-11 MOS	7	11.1	15	8	8	9	15	17	17	17
1-5 YRS	3	7.3	20	3	3	7	11	12	12	12
6-12 YRS	3	13.0	7	11	11	12	15	16	16	16
13-19 YRS	9	6.4	6	4	4	6	7	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.5	3	<1	1	5	6	7	7	7
B. *Operated*	8	6.4	9	1	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	33	6.5	31	1	2	5	8	16	20	25
B. *Operated*	24	10.5	66	4	4	8	12	16	25	44
1. SINGLE DX	18	5.3	6	<1	2	5	6	9	10	10
2. MULTIPLE DX	57	8.2	49	2	3	6	11	16	19	43
A. NOT OPERATED	43	6.1	25	1	2	5	7	12	19	25
B. OPERATED	32	9.5	54	3	4	8	12	16	17	44
TOTAL 0-27 DYS	11	10.0	158	1	1	7	11	30	43	44
1-11 MOS	25	8.2	31	2	3	8	9	17	20	25
1-5 YRS	8	6.4	22	2	2	4	9	14	15	15
6-12 YRS	6	10.2	15	6	6	10	12	16	16	16
13-19 YRS	25	5.5	7	1	3	5	7	8	11	12
GRAND TOTAL	**75**	**7.5**	**40**	**1**	**3**	**6**	**9**	**15**	**18**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	2.2	2	1	1	2	2	5	5	5
1-11 MOS	15	1.8	1	<1	<1	1	3	3	4	4
1-5 YRS	17	2.7	6	1	1	2	3	7	9	9
6-12 YRS	11	3.2	5	1	1	2	4	7	8	8
13-19 YRS	30	2.2	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS	5	3.0	4	1	1	3	4	6	6	6
1-11 MOS	120	1.9	2	<1	<1	1	2	3	5	9
1-5 YRS	72	2.7	6	<1	<1	2	3	5	8	14
6-12 YRS	38	2.8	6	<1	1	2	3	5	8	13
13-19 YRS	335	3.0	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	3.0	2	1	1	3	4	5	5	5
1-11 MOS	24	3.1	5	1	1	2	3	7	8	9
1-5 YRS	38	3.4	8	1	1	3	5	7	10	12
6-12 YRS	30	3.3	9	<1	1	2	3	8	11	12
13-19 YRS	39	4.2	8	1	1	3	6	9	9	10
B. *Operated*										
0-27 DYS	4	3.3	7	1	1	3	5	6	6	6
1-11 MOS	46	2.3	3	<1	<1	2	3	5	6	10
1-5 YRS	19	5.5	70	<1	<1	2	4	15	28	35
6-12 YRS	31	3.1	4	<1	1	3	4	6	7	7
13-19 YRS	228	4.4	12	1	1	4	5	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.4	4	<1	1	2	3	5	7	9
B. *Operated*	570	2.7	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	144	3.5	7	1	1	3	5	8	9	12
B. *Operated*	328	4.0	14	<1	1	3	5	8	11	21
1. SINGLE DX	649	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	472	3.9	12	1	1	3	5	8	10	19
A. NOT OPERATED	223	3.1	6	1	1	2	4	7	9	11
B. OPERATED	898	3.2	8	<1	1	3	4	6	8	15
TOTAL 0-27 DYS	28	2.9	3	1	1	3	4	5	6	6
1-11 MOS	205	2.1	3	<1	<1	2	3	4	6	9
1-5 YRS	146	3.2	15	<1	1	2	4	7	9	20
6-12 YRS	110	3.1	6	<1	1	2	4	7	8	12
13-19 YRS	632	3.6	8	1	1	3	4	7	9	15
GRAND TOTAL	**1121**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	2.3	1	1	1	2	3	3	4	5
1-11 MOS	89	3.2	83	<1	1	2	3	5	5	56
1-5 YRS	425	2.4	3	<1	1	2	3	4	5	9
6-12 YRS	694	2.9	5	1	1	2	4	6	7	11
13-19 YRS	1187	3.7	10	1	1	3	5	7	10	16
B. *Operated*										
0-27 DYS	5	19.8	1252	2	2	6	25	83	83	83
1-11 MOS	42	6.1	37	1	1	4	7	13	22	28
1-5 YRS	166	3.6	11	<1	<1	2	5	8	10	18
6-12 YRS	213	5.3	31	<1	1	3	6	11	15	28
13-19 YRS	491	7.6	54	1	2	5	9	15	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	4.2	10	1	1	3	5	10	11	12
1-11 MOS	143	4.1	14	1	1	3	5	7	11	25
1-5 YRS	553	3.5	18	1	1	3	4	7	9	15
6-12 YRS	784	3.8	16	1	1	3	4	7	9	20
13-19 YRS	1384	4.6	17	1	1	3	6	9	12	22
B. *Operated*										
0-27 DYS	5	14.4	127	5	5	21	82	99+	99+	99+
1-11 MOS	76	13.4	327	1	2	7	15	33	49	96
1-5 YRS	213	7.5	101	1	1	4	10	14	24	51
6-12 YRS	268	8.2	85	1	2	6	10	17	23	62
13-19 YRS	744	10.7	126	1	2	7	12	23	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2419	3.2	10	1	1	2	4	6	8	14
B. *Operated*	917	6.3	49	1	1	4	8	12	21	33
2. MULTIPLE DX										
A. *Not Operated*	2890	4.1	17	1	1	3	5	8	11	21
B. *Operated*	1306	9.8	128	1	2	7	11	21	33	66
1. SINGLE DX	3336	4.1	23	1	1	3	5	8	11	23
2. MULTIPLE DX	4196	5.9	58	1	1	4	7	12	18	43
A. NOT OPERATED	5309	3.7	14	1	1	3	4	7	10	18
B. OPERATED	2223	8.4	98	1	2	5	10	18	26	58
TOTAL 0-27 DYS	60	5.6	127	1	1	3	5	11	52	99+
1-11 MOS	350	6.1	117	1	1	3	6	12	24	57
1-5 YRS	1357	3.8	28	<1	1	2	4	8	11	24
6-12 YRS	1959	4.3	26	1	1	3	5	8	11	27
13-19 YRS	3806	5.9	48	1	1	4	7	12	18	39
GRAND TOTAL	**7532**	**5.1**	**43**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.0	1	2	2	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	10.7	57	4	4	7	18	22	22	22
B. *Operated*										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	1	2	2	3	3	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	13.0	107	4	4	8	20	30	33	33
B. *Operated*	3	16.7	282	2	2	13	29	35	35	35
1. SINGLE DX	5	3.0	1	2	2	3	3	4	4	4
2. MULTIPLE DX	11	14.0	135	2	3	9	21	34	35	35
A. NOT OPERATED	13	9.2	88	2	3	5	11	24	31	33
B. OPERATED	3	16.7	282	2	2	13	29	35	35	35
TOTAL 0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	2	17.5	481	2	2	17	33	33	33	33
1-5 YRS										
6-12 YRS	2	10.0	18	7	7	10	13	13	13	13
13-19 YRS	11	7.2	45	2	2	4	8	20	22	22
GRAND TOTAL	**16**	**10.6**	**118**	**2**	**2**	**5**	**15**	**32**	**34**	**35**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	8	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	15	3.0	7	<1	1	2	4	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.6	19	1	1	2	4	11	14	14
1-5 YRS	16	2.2	4	<1	<1	2	3	4	7	8
6-12 YRS	21	2.3	3	<1	1	2	3	4	6	8
13-19 YRS	28	2.5	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	23	2	2	2	3	13	14	14
1-5 YRS	16	5.6	8	1	2	5	7	10	11	11
6-12 YRS	15	4.1	13	<1	1	3	5	11	12	13
13-19 YRS	44	6.4	22	1	1	5	9	14	15	19
B. *Operated*										
0-27 DYS										
1-11 MOS	10	6.1	44	1	1	3	11	17	20	20
1-5 YRS	24	6.2	204	<1	1	2	5	10	29	72
6-12 YRS	20	8.3	145	1	1	3	11	21	37	51
13-19 YRS	28	5.4	32	1	2	3	7	14	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.6	5	<1	1	2	3	6	7	10
B. *Operated*	73	2.5	5	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	81	5.7	18	1	1	5	8	12	14	18
B. *Operated*	82	6.4	109	1	1	3	7	16	21	65
1. SINGLE DX	101	2.5	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	163	6.0	63	1	1	4	8	14	17	47
A. NOT OPERATED	109	4.9	16	1	1	4	6	11	14	17
B. OPERATED	155	4.6	63	1	1	2	4	10	16	50
TOTAL 0-27 DYS										
1-11 MOS	26	4.7	27	1	1	2	5	14	15	20
1-5 YRS	59	4.7	87	<1	1	2	6	9	10	66
6-12 YRS	64	4.5	55	<1	1	2	4	11	17	47
13-19 YRS	115	4.8	20	1	1	3	6	11	14	21
GRAND TOTAL	264	4.7	44	1	1	2	5	11	14	24

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.1	19	1	1	2	6	12	13	13
1-5 YRS	27	3.8	13	1	1	3	4	7	13	18
6-12 YRS	54	3.6	5	1	1	3	4	6	8	12
13-19 YRS	112	4.6	7	1	2	4	6	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	6	6.3	30	2	2	4	7	16	17	17
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	17	6.1	34	1	1	4	8	17	19	19
13-19 YRS	26	8.3	150	<1	1	2	8	29	37	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	5.7	20	<1	<1	4	8	13	15	15
1-5 YRS	38	4.4	18	1	1	3	6	8	13	23
6-12 YRS	57	3.6	6	1	1	3	5	6	8	13
13-19 YRS	132	5.0	13	1	2	4	7	9	11	21
B. *Operated*										
0-27 DYS	2	13.5	265	2	2	13	25	25	25	25
1-11 MOS	7	12.6	77	2	3	11	21	24	24	24
1-5 YRS	13	11.7	211	1	2	6	14	33	48	52
6-12 YRS	20	6.8	59	1	1	3	9	18	25	29
13-19 YRS	41	13.0	172	1	2	6	20	32	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.2	8	1	1	3	5	7	9	14
B. *Operated*	51	7.1	91	1	1	3	8	19	30	47
2. MULTIPLE DX										
A. *Not Operated*	237	4.6	13	1	1	3	6	9	11	20
B. *Operated*	83	11.3	144	1	1	6	17	30	34	51
1. SINGLE DX	251	4.8	26	1	1	3	5	8	13	30
2. MULTIPLE DX	320	6.3	55	1	1	4	7	13	23	39
A. NOT OPERATED	437	4.4	10	1	1	3	6	8	11	17
B. OPERATED	134	9.7	127	1	1	5	14	28	32	50
TOTAL 0-27 DYS	2	13.5	265	2	2	13	25	25	25	25
1-11 MOS	30	7.1	42	1	1	4	11	17	22	24
1-5 YRS	80	5.3	53	1	1	3	6	10	20	45
6-12 YRS	148	4.3	17	1	1	3	5	8	13	21
13-19 YRS	311	6.2	50	1	2	4	7	12	20	39
GRAND TOTAL	571	5.6	43	1	1	4	6	11	18	34

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	149	2.9	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS	7	5.3	1	4	4	5	6	7	7	7
1-11 MOS	16	6.3	3	4	4	6	7	8	9	10
1-5 YRS	8	4.1	2	2	2	4	5	6	7	7
6-12 YRS	21	6.3	16	1	2	6	7	12	16	17
13-19 YRS	972	5.8	5	3	4	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	10	4.7	19	<1	<1	3	7	12	13	13
1-5 YRS	12	4.4	10	1	1	4	6	9	11	11
6-12 YRS	10	4.0	8	<1	<1	4	4	8	11	11
13-19 YRS	133	3.4	5	<1	1	3	5	6	7	10
B. *Operated*										
0-27 DYS	4	9.5	35	4	4	9	14	16	16	16
1-11 MOS	15	9.3	48	3	4	6	10	17	27	30
1-5 YRS	10	7.2	24	1	2	6	8	14	20	20
6-12 YRS	42	12.2	174	4	5	9	14	23	27	86
13-19 YRS	709	8.0	20	3	4	7	10	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	2.9	4	1	1	2	4	5	6	10
B. *Operated*	1024	5.8	5	3	4	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	167	3.6	6	<1	1	3	5	7	9	11
B. *Operated*	780	8.2	30	3	4	7	10	14	17	28
1. SINGLE DX	1178	5.5	6	2	3	5	6	8	10	14
2. MULTIPLE DX	947	7.4	29	2	3	6	9	13	16	26
A. NOT OPERATED	321	3.3	5	<1	1	3	4	6	8	11
B. OPERATED	1804	6.9	17	3	4	6	8	11	14	22
TOTAL 0-27 DYS	13	7.1	13	4	4	5	8	14	16	16
1-11 MOS	42	7.0	25	1	2	6	8	12	15	30
1-5 YRS	32	5.0	14	1	1	4	7	8	11	20
6-12 YRS	75	9.2	115	1	2	6	10	16	24	72
13-19 YRS	1963	6.2	13	2	3	6	7	10	12	20
GRAND TOTAL	**2125**	**6.3**	**17**	**2**	**3**	**6**	**7**	**10**	**13**	**21**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	3.8	5	2	2	3	5	7	7	7
13-19 YRS	117	3.5	5	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS	3	7.3	1	6	6	8	8	8	8	8
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS										
6-12 YRS	5	8.0	31	2	2	7	10	17	17	17
13-19 YRS	71	6.8	15	3	4	6	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.0	4	3	3	5	6	7	7	7
1-5 YRS	7	6.0	29	<1	<1	3	10	14	15	15
6-12 YRS	7	2.9	1	2	2	3	4	4	4	4
13-19 YRS	96	3.9	5	1	2	3	5	6	8	13
B. *Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	4	11.8	68	1	1	12	17	21	21	21
1-5 YRS	6	10.0	112	1	1	7	12	28	30	30
6-12 YRS	3	4.0	4	2	2	4	5	6	6	6
13-19 YRS	117	7.7	18	3	3	6	9	15	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.5	4	1	1	3	5	6	7	10
B. *Operated*	81	6.8	15	3	4	6	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	114	4.0	7	1	2	3	5	7	9	15
B. *Operated*	132	7.8	23	2	3	6	10	16	18	23
1. SINGLE DX	207	4.8	11	1	1	4	6	8	10	17
2. MULTIPLE DX	246	6.0	19	2	2	5	7	11	16	21
A. NOT OPERATED	240	3.7	6	1	1	3	5	6	8	12
B. OPERATED	213	7.5	20	3	3	6	9	14	17	24
TOTAL 0-27 DYS	6	6.0	11	2	2	7	8	10	10	10
1-11 MOS	13	6.3	34	1	1	5	8	15	20	21
1-5 YRS	14	7.5	62	<1	1	5	11	16	27	30
6-12 YRS	19	4.6	13	2	2	3	6	8	13	17
13-19 YRS	401	5.4	14	1	2	5	6	10	14	19
GRAND TOTAL	**453**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**14**	**19**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.3	2	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	7.4	11	3	4	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	10	4.1	2	2	2	4	5	6	7	7
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	7	12.0	41	5	5	12	14	22	24	24
13-19 YRS	52	9.6	52	3	5	8	11	14	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	2	1	1	2	3	4	5	5
B. *Operated*	43	7.4	11	3	4	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	14	4.7	4	2	3	4	5	7	9	10
B. *Operated*	61	9.9	50	4	5	9	11	16	22	47
1. SINGLE DX	56	6.2	14	1	1	6	9	10	13	18
2. MULTIPLE DX	75	9.0	45	3	4	8	11	15	20	44
A. NOT OPERATED	27	3.6	4	1	1	4	5	6	7	10
B. OPERATED	104	8.9	35	3	4	8	10	14	18	36
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	11.5	61	6	6	11	17	17	17	17
6-12 YRS	9	10.3	42	4	4	9	13	20	24	24
13-19 YRS	118	7.5	33	1	2	7	9	12	15	33
GRAND TOTAL	**131**	**7.8**	**33**	**1**	**3**	**7**	**9**	**13**	**17**	**30**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	10.8	12	7	7	11	13	16	16	16
6-12 YRS	5	5.0	9	<1	<1	6	7	8	8	8
13-19 YRS	10	4.0	5	<1	<1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.0	49	5	5	7	15	18	18	18
1-5 YRS	5	10.0	38	1	1	10	13	18	18	18
6-12 YRS										
13-19 YRS	9	5.9	41	1	1	3	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	41	11.1	57	2	4	10	14	19	28	36
1-5 YRS	44	9.2	32	4	4	8	11	17	21	27
6-12 YRS	6	8.7	36	3	3	8	12	17	18	18
13-19 YRS	14	4.6	14	1	1	3	7	10	12	12
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	13	15.1	188	4	5	12	16	25	52	58
1-5 YRS	20	19.3	371	2	4	14	20	48	72	75
6-12 YRS	5	9.2	80	2	2	5	17	22	22	22
13-19 YRS	18	12.5	191	1	2	7	15	39	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.9	16	<1	1	6	7	12	14	16
B. *Operated*	17	7.8	41	1	1	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	105	9.3	43	2	3	8	12	18	20	34
B. *Operated*	57	15.2	241	2	2	12	17	28	54	75
1. SINGLE DX	40	6.7	27	<1	1	6	9	15	18	18
2. MULTIPLE DX	162	11.4	120	2	3	9	15	19	28	69
A. NOT OPERATED	128	8.7	39	1	2	7	11	17	19	33
B. OPERATED	74	13.5	204	1	2	11	17	22	47	74
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	59	11.6	85	2	4	10	15	19	28	56
1-5 YRS	75	12.1	136	3	4	9	14	19	27	74
6-12 YRS	16	7.7	39	1	2	5	11	18	21	22
13-19 YRS	51	7.5	90	1	1	4	9	16	27	48
GRAND TOTAL	**202**	**10.5**	**105**	**1**	**2**	**8**	**14**	**18**	**26**	**64**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.0	9	2	2	5	9	10	10	10
1-5 YRS	14	6.3	28	1	2	5	8	15	18	19
6-12 YRS	39	3.9	3	1	2	4	5	6	7	9
13-19 YRS	242	4.8	10	1	2	4	6	8	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	6	5.2	23	1	1	3	9	13	13	13
13-19 YRS	17	10.1	40	2	3	8	15	18	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	12	7.3	17	2	3	6	11	13	14	14
1-5 YRS	23	6.1	64	1	2	5	6	8	23	41
6-12 YRS	39	6.1	21	2	2	5	8	13	14	22
13-19 YRS	266	5.6	14	1	2	5	8	11	13	18
B. *Operated*										
0-27 DYS	2	30.5	761	11	11	30	50	50	50	50
1-11 MOS	3	16.7	345	4	4	8	30	38	38	38
1-5 YRS	11	19.8	281	4	5	12	26	50	51	51
6-12 YRS	13	14.5	156	2	4	11	18	33	42	44
13-19 YRS	69	17.3	315	2	3	11	21	40	61	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.8	10	1	2	4	6	8	11	19
B. *Operated*	25	8.9	38	1	2	7	13	18	20	24
2. MULTIPLE DX										
A. *Not Operated*	341	5.8	18	2	2	5	8	11	13	19
B. *Operated*	98	17.5	290	2	4	11	22	44	54	78
1. SINGLE DX	326	5.1	13	1	2	4	6	9	12	19
2. MULTIPLE DX	439	8.4	102	2	2	5	9	15	28	56
A. NOT OPERATED	642	5.3	14	1	2	4	7	10	12	19
B. OPERATED	123	15.7	250	2	3	10	18	36	51	77
TOTAL 0-27 DYS	3	23.3	534	9	9	11	40	50	50	50
1-11 MOS	21	8.3	59	2	3	6	10	13	25	38
1-5 YRS	50	9.3	127	2	2	5	10	20	41	51
6-12 YRS	97	6.3	42	1	2	4	7	13	15	37
13-19 YRS	594	6.8	63	1	2	5	8	12	17	48
GRAND TOTAL	**765**	**7.0**	**67**	**1**	**2**	**5**	**8**	**13**	**19**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	3.1	4	1	1	2	4	6	8	9
1-11 MOS	57	2.6	2	1	1	2	4	4	6	7
1-5 YRS	68	2.3	2	<1	1	2	3	5	5	7
6-12 YRS	58	2.6	3	1	1	2	3	4	6	10
13-19 YRS	137	2.7	3	1	1	2	4	5	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.5	113	2	2	9	17	17	17	17
1-5 YRS	4	3.3	7	1	1	2	5	7	7	7
6-12 YRS	3	3.7	9	1	1	3	6	7	7	7
13-19 YRS	18	4.3	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	3.4	7	1	1	3	4	6	10	11
1-11 MOS	99	3.6	5	1	1	3	4	7	8	10
1-5 YRS	187	3.7	12	1	1	3	5	7	9	18
6-12 YRS	111	3.5	7	1	1	3	5	6	8	15
13-19 YRS	313	3.6	7	1	1	3	5	7	8	15
B. *Operated*										
0-27 DYS	4	7.5	17	4	4	7	11	12	12	12
1-11 MOS	8	5.1	24	1	1	3	6	13	16	16
1-5 YRS	20	8.5	68	1	2	5	11	21	29	32
6-12 YRS	23	5.6	22	1	2	4	6	12	18	20
13-19 YRS	52	6.2	16	2	2	5	8	13	14	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.6	3	1	1	2	3	5	6	9
B. *Operated*	27	4.5	12	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	735	3.6	8	1	1	3	5	7	8	14
B. *Operated*	107	6.4	27	1	2	5	8	13	18	60
1. SINGLE DX	367	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	842	4.0	11	1	1	3	5	7	10	19
A. NOT OPERATED	1075	3.3	7	1	1	3	4	6	8	13
B. OPERATED	134	6.0	25	1	2	5	7	13	17	42
TOTAL 0-27 DYS	49	3.6	8	1	1	3	4	8	10	12
1-11 MOS	166	3.4	6	1	1	3	4	7	8	15
1-5 YRS	279	3.7	15	1	1	3	5	7	9	24
6-12 YRS	195	3.5	8	1	1	3	4	6	8	19
13-19 YRS	520	3.7	8	1	1	3	5	7	9	15
GRAND TOTAL	**1209**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	3.2	3	1	1	3	4	6	7	9
1-11 MOS	114	3.2	4	1	1	3	4	6	8	11
1-5 YRS	43	4.8	20	1	1	4	6	11	13	26
6-12 YRS	8	4.1	14	1	1	3	6	10	12	12
13-19 YRS	8	3.8	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	5	16.8	529	2	2	3	30	55	55	55
1-5 YRS	27	5.9	308	<1	<1	1	5	7	20	93
6-12 YRS	4	2.5	6	<1	<1	1	4	6	6	6
13-19 YRS	3	17.7	184	2	2	25	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	70	4.4	9	1	1	4	6	8	11	16
1-11 MOS	237	5.2	32	1	2	4	6	10	13	36
1-5 YRS	82	6.5	83	1	1	4	8	15	21	91
6-12 YRS	31	7.5	78	1	2	4	10	17	29	40
13-19 YRS	17	8.4	46	1	2	5	14	19	21	22
B. *Operated*										
0-27 DYS	3	19.0	37	12	12	22	23	23	23	23
1-11 MOS	25	22.1	549	1	2	13	28	69	78	99+
1-5 YRS	21	9.4	214	1	2	4	9	66	99+	99+
6-12 YRS	13	6.8	24	2	2	5	8	15	18	19
13-19 YRS	11	13.5	314	2	2	9	13	38	62	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.6	8	1	1	3	4	7	9	13
B. *Operated*	39	7.8	300	<1	<1	2	6	24	42	93
2. MULTIPLE DX										
A. *Not Operated*	437	5.6	42	1	1	4	7	11	17	37
B. *Operated*	73	14.3	331	2	2	7	21	63	72	99+
1. SINGLE DX	257	4.2	54	1	1	3	4	7	10	26
2. MULTIPLE DX	510	6.8	92	1	2	4	7	14	23	73
A. NOT OPERATED	655	4.9	32	1	1	3	6	10	14	33
B. OPERATED	112	12.1	327	1	1	5	14	51	68	99+
TOTAL 0-27 DYS	118	4.3	13	1	1	3	5	8	11	22
1-11 MOS	381	5.9	82	1	2	3	6	10	20	65
1-5 YRS	173	6.3	117	1	1	4	7	13	27	99+
6-12 YRS	56	6.5	52	1	1	4	8	16	19	39
13-19 YRS	39	9.6	130	1	2	5	13	22	26	64
GRAND TOTAL	**767**	**6.0**	**81**	**1**	**1**	**4**	**6**	**11**	**21**	**68**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	2	3	3	5	53	99+	99+	99+
1-5 YRS	200	5.1	20	1	1	4	6	10	13	21
6-12 YRS	155	4.6	12	1	1	4	6	8	12	17
13-19 YRS	76	5.2	51	1	1	4	5	10	12	46
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	46	3.4	9	1	2	2	3	8	9	17
6-12 YRS	91	3.6	9	1	1	2	4	7	10	16
13-19 YRS	106	2.9	7	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	8.9	41	1	1	11	14	16	17	17
1-5 YRS	196	6.4	41	1	1	4	9	12	17	46
6-12 YRS	196	5.0	15	1	1	4	6	11	13	19
13-19 YRS	111	4.9	26	1	1	3	5	10	15	30
B. *Operated*										
0-27 DYS										
1-11 MOS	7	23.3	588	3	4	21	51	92	99+	99+
1-5 YRS	48	14.0	384	2	2	5	15	44	64	86
6-12 YRS	60	9.7	230	1	1	4	9	27	45	81
13-19 YRS	119	8.1	74	1	2	5	11	22	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	4.9	22	1	1	4	6	10	13	26
B. *Operated*	244	3.3	8	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	510	5.6	28	1	1	4	7	11	15	30
B. *Operated*	234	10.2	199	1	2	5	12	28	37	85
1. SINGLE DX	678	4.3	18	1	1	3	5	8	11	19
2. MULTIPLE DX	744	7.0	86	1	1	4	8	15	24	54
A. NOT OPERATED	944	5.3	25	1	1	4	7	11	14	28
B. OPERATED	478	6.7	113	1	1	3	6	16	27	70
TOTAL 0-27 DYS										
1-11 MOS	18	13.3	293	1	2	10	21	87	99+	99+
1-5 YRS	490	6.3	69	1	2	4	7	12	18	52
6-12 YRS	502	5.2	41	1	1	4	6	10	15	33
13-19 YRS	412	5.4	43	1	1	3	6	12	20	35
GRAND TOTAL	**1422**	**5.7**	**55**	**1**	**1**	**4**	**7**	**12**	**17**	**45**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	32	4.5	9	2	2	4	5	7	12	16
6-12 YRS	85	4.6	7	1	2	4	6	8	9	15
13-19 YRS	52	4.4	6	2	2	4	6	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	8	5.3	11	2	2	4	7	11	11	11
13-19 YRS	12	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	50	5.7	27	<1	1	4	7	14	16	26
6-12 YRS	92	5.7	10	2	2	5	8	11	13	15
13-19 YRS	43	5.1	9	1	2	5	7	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	9	2	2	5	7	8	8	8
6-12 YRS	13	6.2	28	1	2	4	8	15	16	16
13-19 YRS	22	8.5	38	2	3	6	11	17	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.5	7	1	2	4	6	8	9	15
B. *Operated*	24	3.9	7	1	1	3	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	185	5.5	15	1	2	4	7	11	13	17
B. *Operated*	38	7.4	33	2	2	5	11	16	18	26
1. SINGLE DX	194	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	223	5.9	18	1	2	5	8	12	15	20
A. NOT OPERATED	355	5.1	11	1	2	4	6	9	12	16
B. OPERATED	62	6.0	26	1	2	4	8	14	17	25
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	89	5.1	19	1	2	4	5	12	16	22
6-12 YRS	198	5.2	10	1	2	4	6	10	12	16
13-19 YRS	129	5.3	15	1	2	4	7	9	13	20
GRAND TOTAL	**417**	**5.2**	**13**	**1**	**2**	**4**	**6**	**10**	**13**	**17**

224: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.0	300	<1	<1	<1	23	31	31	31
1-5 YRS	7	3.0	6	<1	<1	2	4	7	8	8
6-12 YRS	30	2.6	12	<1	1	1	3	7	13	14
13-19 YRS	9	5.1	20	<1	<1	4	6	13	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	10.9	330	3	3	4	6	43	52	52
6-12 YRS	29	9.8	45	2	3	8	12	19	23	30
13-19 YRS	36	9.1	80	1	2	6	12	19	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.2	31	<1	<1	3	7	15	17	18
1-5 YRS	48	7.2	318	<1	1	3	5	10	21	94
6-12 YRS	90	4.3	32	<1	1	2	5	10	14	29
13-19 YRS	96	4.1	38	1	1	2	4	9	13	39
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	9	7.0	47	1	1	5	8	18	24	24
1-5 YRS	52	19.2	249	1	3	14	28	46	50	62
6-12 YRS	99	16.1	250	2	3	11	23	33	44	81
13-19 YRS	203	12.5	119	2	3	9	18	25	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.6	28	<1	<1	1	4	10	14	31
B. *Operated*	72	9.5	85	2	2	7	12	20	27	51
2. MULTIPLE DX										
A. *Not Operated*	247	4.9	90	<1	1	2	5	10	14	44
B. *Operated*	364	14.3	177	2	3	10	20	30	43	62
1. SINGLE DX	121	7.1	70	<1	1	4	10	15	23	48
2. MULTIPLE DX	611	10.5	163	1	1	5	15	26	36	61
A. NOT OPERATED	296	4.6	80	<1	1	2	5	10	14	39
B. OPERATED	436	13.5	165	2	3	10	19	29	41	61
TOTAL 0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	25	6.6	60	<1	<1	5	8	18	26	31
1-5 YRS	114	12.6	301	1	1	5	15	38	50	90
6-12 YRS	248	9.4	150	1	1	4	13	26	31	68
13-19 YRS	344	9.6	103	1	1	5	14	22	27	48
GRAND TOTAL	**732**	**9.9**	**149**	**1**	**1**	**5**	**13**	**24**	**34**	**54**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.3	1	1	1	2	3	3	3	3
1-5 YRS	3	5.0	28	1	1	3	9	11	11	11
6-12 YRS	3	14.0	364	2	2	4	28	36	36	36
13-19 YRS	4	5.0	18	1	1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	8.4	22	1	1	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	4	<1	<1	3	5	6	6	6
1-11 MOS	14	5.6	36	<1	<1	3	10	16	18	19
1-5 YRS	16	7.1	19	2	2	6	11	14	15	15
6-12 YRS	14	5.7	19	<1	1	5	6	11	16	18
13-19 YRS	18	5.3	13	1	2	3	8	11	12	12
B. *Operated*										
0-27 DYS	2	35.0	882	14	14	35	56	56	56	56
1-11 MOS	6	13.7	27	8	8	13	16	21	22	22
1-5 YRS	3	11.0	39	4	4	13	15	16	16	16
6-12 YRS	11	19.1	270	3	4	14	27	45	57	58
13-19 YRS	22	12.6	100	1	2	9	16	31	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.3	67	1	1	3	4	11	26	36
B. *Operated*	7	7.9	16	1	2	8	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	66	5.8	20	<1	1	4	9	12	15	19
B. *Operated*	44	15.3	164	2	3	13	17	32	42	58
1. SINGLE DX	25	6.0	53	1	1	3	8	11	19	36
2. MULTIPLE DX	110	9.6	98	1	1	6	13	18	31	57
A. NOT OPERATED	84	5.7	29	1	1	4	8	11	15	30
B. OPERATED	51	14.3	150	2	3	12	16	31	36	58
TOTAL 0-27 DYS	7	12.3	390	<1	<1	4	12	48	56	56
1-11 MOS	27	6.5	40	<1	1	3	10	16	19	22
1-5 YRS	23	7.4	22	1	2	7	11	14	15	16
6-12 YRS	29	11.6	173	1	2	6	14	33	37	58

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	33	3.9	5	2	2	3	4	6	10	11
1-5 YRS	180	3.7	3	1	2	3	4	6	7	9
6-12 YRS	271	3.9	4	2	2	4	5	6	8	10
13-19 YRS	670	4.0	5	1	2	4	5	6	7	11
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	10.0	98	3	3	10	17	17	17	17
1-5 YRS	13	4.3	4	<1	2	4	5	8	8	8
6-12 YRS	17	4.8	12	2	2	4	5	8	14	16
13-19 YRS	29	4.5	2	2	2	5	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	6.7	4	5	5	6	8	10	10	10
1-11 MOS	69	5.0	8	2	2	4	7	9	11	12
1-5 YRS	290	4.7	8	2	2	4	6	8	9	17
6-12 YRS	324	4.3	4	2	2	4	5	7	8	11
13-19 YRS	1131	4.3	4	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	8	5.4	9	3	3	4	7	10	11	11
1-5 YRS	66	6.4	16	2	3	5	8	11	13	24
6-12 YRS	54	5.9	11	2	3	5	7	9	12	22
13-19 YRS	118	7.7	36	3	3	6	9	13	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1157	3.9	4	1	2	4	5	6	7	10
B. *Operated*	62	4.8	8	2	2	4	6	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1820	4.4	5	2	2	4	5	7	8	12
B. *Operated*	247	6.9	25	2	3	6	8	11	19	26
1. SINGLE DX	1219	4.0	5	1	2	4	5	6	7	11
2. MULTIPLE DX	2067	4.7	8	2	2	4	6	8	9	14
A. NOT OPERATED	2977	4.2	5	2	2	4	5	7	8	11
B. OPERATED	309	6.5	22	2	3	5	8	11	15	25
TOTAL 0-27 DYS	11	7.2	20	2	4	6	8	14	19	19
1-11 MOS	112	4.8	8	2	2	4	6	9	11	14
1-5 YRS	549	4.5	8	2	2	4	6	8	9	15
6-12 YRS	666	4.3	5	2	2	4	5	7	8	12

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	30	3.7	5	1	1	3	5	7	8	10
1-5 YRS	175	4.1	7	2	2	4	5	7	9	13
6-12 YRS	255	3.6	4	1	2	3	5	6	7	12
13-19 YRS	570	3.8	4	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	23	4.2	8	<1	<1	4	5	8	11	12
6-12 YRS	22	4.3	10	<1	1	3	4	11	12	12
13-19 YRS	44	5.6	20	1	2	4	7	10	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7		7	7	8	8	8	8	8
1-11 MOS	47	4.8	7	2	2	4	6	10	11	11
1-5 YRS	248	4.5	8	2	2	4	5	8	9	14
6-12 YRS	261	4.3	5	2	2	4	5	7	9	12
13-19 YRS	794	4.4	7	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	20	8.2	42	3	3	6	10	16	24	29
1-5 YRS	53	7.1	29	<1	1	6	10	13	18	27
6-12 YRS	78	6.1	27	1	2	5	7	12	16	31
13-19 YRS	148	7.0	26	2	2	6	9	13	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	3.8	4	1	2	3	5	6	7	11
B. *Operated*	91	5.0	14	<1	1	4	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1353	4.4	7	2	2	4	5	7	9	13
B. *Operated*	299	6.9	28	1	2	6	9	13	17	28
1. SINGLE DX	1122	3.9	5	1	2	3	5	6	8	12
2. MULTIPLE DX	1652	4.8	11	2	2	4	6	8	11	19
A. NOT OPERATED	2384	4.1	6	2	2	4	5	7	8	13
B. OPERATED	390	6.4	25	1	2	5	8	12	16	27
TOTAL 0-27 DYS	4	6.8	4	4	4	7	8	8	8	8
1-11 MOS	99	5.2	15	1	2	4	6	10	11	25
1-5 YRS	499	4.6	10	1	2	4	5	8	11	20
6-12 YRS	616	4.2	8	1	2	4	5	7	9	15
13-19 YRS	1556	4.4	9	2	2	4	5	7	9	16
GRAND TOTAL	**2774**	**4.5**	**9**	**1**	**2**	**4**	**5**	**7**	**10**	**16**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	34	3	3	4	9	15	15	15
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	34	2.1	1	1	1	2	2	3	5	5
13-19 YRS	181	2.1	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	3	4.3		4	4	4	5	5	5	5
6-12 YRS	13	6.6	33	<1	2	6	7	14	21	23
13-19 YRS	68	6.0	14	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	7	3.3	8	1	1	3	4	8	9	9
6-12 YRS	26	4.5	33	1	1	3	6	8	13	30
13-19 YRS	142	2.9	7	1	1	2	4	5	6	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	8.7	14	6	6	7	11	13	13	13
1-5 YRS	14	7.3	9	3	3	6	9	11	13	13
6-12 YRS	24	11.2	62	2	3	10	14	23	26	32
13-19 YRS	86	9.1	88	1	2	6	10	21	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	2.2	2	1	1	2	3	4	5	6
B. *Operated*	87	5.9	16	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	178	3.1	11	1	1	2	4	5	7	22
B. *Operated*	128	9.3	73	1	2	7	11	21	26	40
1. SINGLE DX	309	3.2	9	1	1	2	4	7	9	15
2. MULTIPLE DX	306	5.7	46	1	1	4	6	12	20	33
A. NOT OPERATED	400	2.6	6	1	1	2	3	5	6	12
B. OPERATED	215	7.9	52	1	2	6	9	15	23	34
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	12	5.4	18	2	2	4	6	14	15	15
1-5 YRS	27	5.3	11	1	1	5	7	10	12	13
6-12 YRS	97	5.6	41	1	1	3	7	12	22	31
13-19 YRS	477	4.2	27	1	1	3	5	8	13	26
GRAND TOTAL	**615**	**4.5**	**29**	**1**	**1**	**3**	**5**	**9**	**14**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.4		<1	<1	1	2	2	2	2
1-11 MOS	10	1.7	1	<1	<1	2	2	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	42	2.3	4	<1	1	2	2	4	6	13
13-19 YRS	630	2.0	1	1	1	2	2	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.3	3	3	3	5	7	7	7	7
1-5 YRS	3	5.0	7	3	3	4	7	8	8	8
6-12 YRS	47	4.5	12	1	1	4	6	10	12	17
13-19 YRS	326	4.4	8	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	2.1	2	1	1	2	3	5	5	5
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	17	3.5	15	1	1	2	4	7	13	17
13-19 YRS	261	2.6	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	7.9	15	1	2	7	11	12	12	12
1-5 YRS	5	5.6	9	2	2	5	8	10	10	10
6-12 YRS	23	6.2	13	2	2	5	9	11	13	15
13-19 YRS	165	5.8	12	2	2	5	8	11	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	2.0	1	1	1	2	2	4	4	6
B. *Operated*	383	4.4	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	288	2.6	3	1	1	2	3	5	6	12
B. *Operated*	202	5.9	12	2	2	5	8	11	12	17
1. SINGLE DX	1074	2.9	5	1	1	2	4	6	8	12
2. MULTIPLE DX	490	3.9	10	1	1	3	5	8	11	16
A. NOT OPERATED	979	2.2	2	1	1	2	3	4	5	7
B. OPERATED	585	4.9	10	1	2	4	6	9	11	15
TOTAL 0-27 DYS	7	2.1	2	<1	<1	2	3	5	5	5
1-11 MOS	32	3.9	11	1	1	3	6	8	12	12
1-5 YRS	14	3.9	8	1	1	3	5	8	10	10
6-12 YRS	129	4.0	12	1	1	3	5	9	12	17
13-19 YRS	1382	3.1	6	1	1	2	4	6	8	13
GRAND TOTAL	**1564**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**9**	**13**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	6.2	37	2	2	4	7	17	18	18
1-11 MOS	19	4.0	22	<1	1	3	5	6	15	22
1-5 YRS	43	3.5	24	<1	1	3	4	6	9	32
6-12 YRS	35	2.4	5	<1	1	2	3	6	7	11
13-19 YRS	39	2.7	3	1	1	2	4	6	7	8
B. *Operated*										
0-27 DYS	3	5.0		5	5	5	5	5	5	5
1-11 MOS	76	5.8	14	<1	1	6	8	10	12	18
1-5 YRS	496	5.8	10	<1	1	6	8	9	11	13
6-12 YRS	465	5.9	12	<1	1	6	8	10	11	14
13-19 YRS	218	6.5	17	1	1	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.6	58	1	2	5	13	21	23	23
1-11 MOS	52	7.9	209	1	2	4	9	12	17	92
1-5 YRS	98	3.4	9	1	1	3	4	7	9	16
6-12 YRS	107	3.5	7	1	1	3	5	7	10	13
13-19 YRS	110	3.5	7	<1	1	3	4	7	9	14
B. *Operated*										
0-27 DYS	9	6.2	4	4	4	6	7	9	10	10
1-11 MOS	112	8.4	37	<1	3	7	10	15	22	31
1-5 YRS	664	6.7	27	<1	1	6	9	13	14	25
6-12 YRS	524	6.8	21	1	1	7	9	12	15	24
13-19 YRS	362	8.1	36	1	2	7	11	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.2	14	<1	1	2	4	6	8	23
B. *Operated*	1258	6.0	12	<1	1	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	374	4.2	39	1	1	3	5	8	11	17
B. *Operated*	1671	7.1	28	1	1	7	9	13	16	27
1. SINGLE DX	1400	5.7	13	<1	1	6	8	10	11	16
2. MULTIPLE DX	2045	6.6	31	1	1	6	9	13	15	26
A. NOT OPERATED	516	3.9	32	1	1	3	4	7	10	19
B. OPERATED	2929	6.6	22	1	1	6	9	12	14	24
TOTAL 0-27 DYS	25	6.7	25	2	3	5	7	14	19	23
1-11 MOS	259	7.2	65	<1	1	6	9	13	18	38
1-5 YRS	1301	6.0	20	<1	1	6	8	11	13	22
6-12 YRS	1131	6.0	16	<1	1	6	8	11	12	20
13-19 YRS	729	6.7	28	1	1	6	9	13	16	25
GRAND TOTAL	**3445**	**6.2**	**24**	**1**	**1**	**6**	**8**	**11**	**14**	**23**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	42	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	14	1	1	6	9	10	10	10
6-12 YRS	9	3.4	5	<1	<1	4	5	7	7	7
13-19 YRS	16	4.8	11	1	2	4	5	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	24	3.8	19	<1	1	2	4	10	14	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	4.4	15	<1	1	3	7	10	12	13
6-12 YRS	8	3.5	9	<1	<1	3	4	8	10	10
13-19 YRS	31	6.6	40	1	1	4	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.1	2	1	1	2	3	4	4	8
B. *Operated*	30	4.6	10	1	1	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	27	3.8	18	<1	1	2	4	9	12	21
B. *Operated*	54	5.5	29	1	1	4	8	11	15	31
1. SINGLE DX	76	3.1	6	1	1	2	4	6	9	12
2. MULTIPLE DX	81	4.9	26	<1	1	3	6	11	14	29
A. NOT OPERATED	73	2.7	8	1	1	2	3	4	8	19
B. OPERATED	84	5.2	22	1	1	4	7	11	13	27
TOTAL 0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	21	4.5	14	<1	1	3	7	10	11	13
6-12 YRS	21	3.2	6	<1	<1	2	5	7	8	10
13-19 YRS	113	4.1	20	1	1	3	4	10	12	25
GRAND TOTAL	**157**	**4.0**	**17**	**1**	**1**	**3**	**5**	**10**	**11**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	65	2.6	3	1	1	2	3	4	5	10
6-12 YRS	66	2.7	4	1	1	2	3	5	6	11
13-19 YRS	106	2.6	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS	58	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	72	2.0	2	<1	<1	1	2	4	5	8
13-19 YRS	95	2.4	4	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	10	3	3	4	4	10	11	11
1-11 MOS	9	3.4	1	2	2	3	4	5	5	5
1-5 YRS	103	3.5	8	1	1	3	5	6	7	17
6-12 YRS	90	3.3	4	1	1	3	4	6	7	12
13-19 YRS	201	3.1	3	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	8	4.3	9	1	1	5	7	64	99+	99+
1-5 YRS	129	2.5	5	<1	<1	2	3	5	7	10
6-12 YRS	168	2.5	5	<1	<1	2	3	5	6	13
13-19 YRS	212	3.1	6	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.6	3	1	1	2	3	4	6	9
B. *Operated*	229	2.1	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	409	3.3	4	1	1	3	4	6	7	10
B. *Operated*	518	2.8	6	<1	1	2	4	6	7	14
1. SINGLE DX	469	2.4	3	<1	<1	2	3	4	6	8
2. MULTIPLE DX	927	3.0	5	<1	1	2	4	6	7	12
A. NOT OPERATED	649	3.0	4	1	1	3	4	5	6	10
B. OPERATED	747	2.6	5	<1	<1	2	3	5	7	13
TOTAL 0-27 DYS	8	6.4	43	2	2	4	8	18	21	21
1-11 MOS	23	3.6	5	1	1	3	5	7	37	99+
1-5 YRS	355	2.7	5	<1	1	2	3	5	6	10
6-12 YRS	396	2.6	4	<1	<1	2	3	5	6	12
13-19 YRS	614	2.9	4	1	1	2	4	6	6	10
GRAND TOTAL	**1396**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**5**	**6**	**11**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	6	2.8	3	1	1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	8	1.8	3	<1	<1	1	2	5	6	6
1-5 YRS	627	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	475	1.6	2	<1	<1	1	2	2	3	9
13-19 YRS	246	2.4	6	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	26	2.1	3	<1	<1	1	3	4	6	8
6-12 YRS	18	2.1	2	<1	<1	2	3	4	6	6
13-19 YRS	12	3.2	6	<1	<1	3	4	7	9	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.3		<1	<1	1	1	2	3	3
1-5 YRS	522	1.7	3	<1	<1	1	2	3	4	9
6-12 YRS	522	1.9	3	<1	<1	1	2	4	5	10
13-19 YRS	276	2.6	4	<1	<1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.0	2	<1	1	2	3	3	5	6
B. *Operated*	1356	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	58	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*	1335	2.0	3	<1	<1	1	2	4	5	9
1. SINGLE DX	1371	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1393	2.0	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	73	2.3	3	<1	<1	2	3	5	6	9
B. OPERATED	2691	1.8	3	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	24	1.7	2	<1	<1	1	2	3	5	6
1-5 YRS	1179	1.6	2	<1	<1	1	2	3	3	8
6-12 YRS	1020	1.8	3	<1	<1	1	2	3	4	10
13-19 YRS	540	2.5	5	<1	<1	2	3	5	6	10
GRAND TOTAL	**2764**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	49	3.9	4	2	2	3	5	7	8	10
1-11 MOS	239	3.7	5	1	2	3	4	6	8	10
1-5 YRS	541	3.0	4	1	1	3	4	5	6	9
6-12 YRS	477	2.9	5	1	1	3	4	5	6	8
13-19 YRS	604	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	7	3.9		3	3	4	4	5	5	5
1-11 MOS	27	4.0	5	1	1	4	6	7	8	9
1-5 YRS	370	2.3	4	<1	<1	1	3	5	7	9
6-12 YRS	400	2.2	5	<1	<1	1	3	5	6	10
13-19 YRS	308	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	170	5.3	9	2	2	4	7	10	11	14
1-11 MOS	845	4.6	7	2	2	4	6	8	10	14
1-5 YRS	1384	4.0	7	1	2	3	5	7	9	14
6-12 YRS	977	3.6	6	1	1	3	4	6	8	12
13-19 YRS	1422	3.8	7	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	23	6.2	12	2	2	5	9	12	13	13
1-11 MOS	137	6.3	31	1	1	5	7	13	18	27
1-5 YRS	686	3.5	18	<1	<1	2	5	8	10	15
6-12 YRS	595	3.7	27	<1	<1	2	4	8	12	21
13-19 YRS	552	4.7	44	1	1	3	5	9	13	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1910	3.0	4	1	1	3	4	5	6	9
B. *Operated*	1112	2.4	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	4798	4.0	7	1	2	3	5	7	9	13
B. *Operated*	1993	4.1	29	<1	<1	3	5	9	12	24
1. SINGLE DX	3022	2.8	4	<1	1	2	4	5	6	9
2. MULTIPLE DX	6791	4.0	13	1	1	3	5	8	10	15
A. NOT OPERATED	6708	3.7	6	1	1	3	5	7	8	13
B. OPERATED	3105	3.5	21	<1	<1	2	4	8	10	19
TOTAL 0-27 DYS	249	5.1	9	2	2	4	7	10	11	14
1-11 MOS	1248	4.6	10	1	2	4	5	8	10	15
1-5 YRS	2981	3.5	9	<1	1	3	4	7	8	13
6-12 YRS	2449	3.3	11	<1	1	3	4	6	8	14
13-19 YRS	2886	3.6	13	1	1	3	4	7	8	14
GRAND TOTAL	**9813**	**3.6**	**11**	**<1**	**1**	**3**	**5**	**7**	**9**	**14**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	5.2	8	2	2	7	7	9	9	9
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	3	5.7	12	2	2	6	8	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	9	5.0	2	3	3	5	6	7	7	7
1-11 MOS	18	7.4	7	4	5	7	9	11	13	14
1-5 YRS	11	10.1	43	1	3	9	17	19	20	20
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	5	7.8	11	4	4	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	15	5.5	7	2	2	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	46	7.3	18	2	3	6	9	14	18	20
1. SINGLE DX	16	5.2	8	<1	2	6	7	9	9	9
2. MULTIPLE DX	49	6.9	19	1	2	6	9	13	18	20
A. NOT OPERATED	4	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	61	6.8	16	2	2	6	9	11	16	20
TOTAL 0-27 DYS	11	4.7	3	<1	2	5	6	7	7	7
1-11 MOS	28	6.5	9	2	2	7	8	10	11	14
1-5 YRS	14	8.9	41	<1	1	7	15	18	20	20
6-12 YRS	6	3.8	9	2	2	2	6	9	9	9
13-19 YRS	6	6.7	16	1	1	6	11	11	11	11
GRAND TOTAL	**65**	**6.5**	**17**	**1**	**2**	**6**	**8**	**11**	**16**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	34	2.7	2	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	26	2.2	3	<1	<1	1	3	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	26	4.1	5	1	2	3	5	8	9	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	42	3.0	5	<1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.6	2	1	1	2	3	4	5	7
B. *Operated*	27	2.1	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	30	4.2	6	1	2	3	5	8	10	10
B. *Operated*	47	3.0	4	<1	1	2	4	5	7	11
1. SINGLE DX	62	2.4	2	<1	<1	2	3	4	6	7
2. MULTIPLE DX	77	3.5	5	1	1	3	4	6	9	11
A. NOT OPERATED	65	3.4	4	1	1	3	4	6	8	10
B. OPERATED	74	2.7	4	<1	<1	2	4	5	6	11
TOTAL 0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	5	1.8		1	1	2	2	2	2	2
13-19 YRS	128	3.0	4	<1	1	3	4	5	7	10
GRAND TOTAL	**139**	**3.0**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**	**10**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	8	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	10	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	111	1.5	1	<1	<1	1	2	2	3	7
1-5 YRS	449	1.5		<1	<1	1	2	2	3	4
6-12 YRS	151	1.5	1	<1	<1	1	2	3	3	4
13-19 YRS	294	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	1.6	2	<1	<1	1	1	4	5	5
1-5 YRS	46	1.5	2	<1	<1	1	1	3	3	8
6-12 YRS	9	1.3	1	<1	<1	1	2	3	3	3
13-19 YRS	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*										
0-27 DYS	6	1.8	1	1	1	2	2	4	4	4
1-11 MOS	117	2.6	40	<1	<1	2	2	3	6	48
1-5 YRS	448	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	176	1.8	1	<1	1	2	2	3	4	5
13-19 YRS	139	2.6	2	1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.3		<1	<1	1	1	2	3	3
B. *Operated*	1006	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	75	1.5	2	<1	<1	1	1	3	4	7
B. *Operated*	886	2.0	6	<1	<1	2	2	3	4	8
1. SINGLE DX	1029	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	961	1.9	6	<1	<1	2	2	3	4	8
A. NOT OPERATED	98	1.5	1	<1	<1	1	1	3	4	7
B. OPERATED	1892	1.8	4	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	9	2.3	3	<1	<1	2	3	5	6	6
1-11 MOS	250	2.0	19	<1	<1	1	2	3	4	10
1-5 YRS	953	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	338	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	440	2.4	2	1	1	2	3	4	5	6
GRAND TOTAL	**1990**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.3	3	1	1	3	4	6	7	7
6-12 YRS	74	2.9	4	<1	1	2	4	6	7	10
13-19 YRS	306	3.8	7	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	3	7.7	2	6	6	8	9	9	9	9
1-11 MOS	5	2.6	1	<1	<1	3	3	4	4	4
1-5 YRS	11	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	32	1.8	1	1	1	2	2	3	4	5
13-19 YRS	117	3.1	5	1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	7	1	1	5	6	6	6	6
1-5 YRS	8	3.8	7	1	1	3	6	8	8	8
6-12 YRS	30	3.1	7	1	1	2	4	5	10	13
13-19 YRS	120	4.1	7	1	1	3	5	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	7	<1	<1	2	3	8	8	8
1-5 YRS	8	3.5	6	1	1	3	5	7	8	8
6-12 YRS	22	3.9	11	1	1	3	4	9	12	14
13-19 YRS	85	3.7	6	1	1	3	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.6	7	1	1	3	5	7	8	12
B. *Operated*	168	2.8	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	161	3.9	7	1	1	3	5	8	10	13
B. *Operated*	121	3.7	7	1	1	3	5	8	9	12
1. SINGLE DX	557	3.4	6	1	1	3	4	7	8	11
2. MULTIPLE DX	282	3.8	7	1	1	3	5	8	9	13
A. NOT OPERATED	550	3.7	7	1	1	3	5	7	9	13
B. OPERATED	289	3.2	5	1	1	2	4	7	8	11
TOTAL 0-27 DYS	3	7.7	2	6	6	8	9	9	9	9
1-11 MOS	14	3.1	4	<1	<1	3	4	6	8	8
1-5 YRS	36	2.9	4	<1	1	2	4	7	8	8
6-12 YRS	158	2.8	5	1	1	2	4	5	8	13
13-19 YRS	628	3.7	7	1	1	3	5	7	9	12
GRAND TOTAL	**839**	**3.5**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	1.5	2	<1	<1	1	1	4	5	5
1-11 MOS	94	1.1		<1	<1	1	1	2	2	3
1-5 YRS	770	1.3		<1	<1	1	2	2	2	3
6-12 YRS	302	1.4		<1	<1	1	2	2	2	4
13-19 YRS	176	1.7	1	<1	<1	2	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS	119	1.2		<1	<1	1	1	2	2	3
1-5 YRS	657	1.3		<1	<1	1	2	2	2	3
6-12 YRS	272	1.3		<1	<1	1	2	2	2	3
13-19 YRS	169	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	36	1.8	3	<1	<1	1	2	3	5	9
1-5 YRS	194	1.5	1	<1	<1	1	2	2	3	7
6-12 YRS	61	1.4		<1	<1	1	2	2	3	4
13-19 YRS	49	1.8	2	<1	<1	1	2	3	3	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	47	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	249	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	95	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	76	1.8	1	<1	<1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	1.4		<1	<1	1	2	2	2	4
B. *Operated*	1217	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	342	1.5	1	<1	<1	1	2	2	3	8
B. *Operated*	468	1.7	2	<1	<1	1	2	3	4	6
1. SINGLE DX	2571	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX	810	1.6	1	<1	<1	1	2	3	3	6
A. NOT OPERATED	1696	1.4	1	<1	<1	1	2	2	2	5
B. OPERATED	1685	1.4	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS	15	1.5	1	<1	<1	1	1	3	5	5
1-11 MOS	296	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	1870	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	730	1.4		<1	<1	1	2	2	2	4
13-19 YRS	470	1.7	1	<1	<1	2	2	2	3	5
GRAND TOTAL	**3381**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.8	3	1	1	3	4	6	6	6
1-11 MOS	12	3.0	6	<1	1	2	4	6	9	10
1-5 YRS	65	1.9	2	<1	<1	1	2	4	5	7
6-12 YRS	65	3.3	133	<1	<1	1	2	3	4	81
13-19 YRS	80	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS	7	2.1	1	1	1	2	3	4	4	4
1-11 MOS	26	1.7	2	<1	<1	1	2	3	5	7
1-5 YRS	263	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	620	1.6	1	<1	1	1	2	2	3	5
13-19 YRS	1435	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.6	4	2	2	3	4	6	9	9
1-11 MOS	7	3.0	4	<1	<1	3	5	6	6	6
1-5 YRS	82	2.3	4	<1	<1	2	3	4	6	12
6-12 YRS	44	3.8	113	<1	<1	2	3	5	6	72
13-19 YRS	60	3.4	21	<1	1	2	4	8	10	29
B. *Operated*										
0-27 DYS	8	2.3	4	<1	<1	1	3	5	6	6
1-11 MOS	29	3.1	19	<1	<1	2	3	6	8	24
1-5 YRS	160	2.4	9	<1	<1	2	2	4	6	18
6-12 YRS	266	2.2	10	<1	1	2	2	4	5	11
13-19 YRS	543	2.8	8	1	1	2	3	5	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.4	39	<1	<1	1	2	4	5	10
B. *Operated*	2351	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	205	3.0	32	<1	<1	2	3	5	8	22
B. *Operated*	1006	2.6	9	<1	1	2	3	5	6	14
1. SINGLE DX	2582	1.9	5	<1	1	1	2	3	4	7
2. MULTIPLE DX	1211	2.7	13	<1	1	2	3	5	7	15
A. NOT OPERATED	436	2.7	36	<1	<1	2	3	5	7	13
B. OPERATED	3357	2.0	4	<1	1	2	2	4	5	9
TOTAL 0-27 DYS	36	2.8	3	1	1	2	4	5	6	9
1-11 MOS	74	2.6	10	<1	<1	2	3	5	7	21
1-5 YRS	570	1.9	4	<1	<1	1	2	3	4	11
6-12 YRS	995	2.0	17	<1	1	1	2	3	4	7
13-19 YRS	2118	2.2	4	<1	1	2	3	4	5	10
GRAND TOTAL	**3793**	**2.1**	**8**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	1.9		1	1	2	2	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	7	1.6	1	<1	<1	<1	2	3	3	3
13-19 YRS	211	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	65	2.4	2	<1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	1	1	2	3	4	4	4
B. *Operated*	228	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*	71	2.4	2	<1	1	2	3	4	6	8
1. SINGLE DX	233	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX	76	2.5	2	<1	1	2	3	5	6	8
A. NOT OPERATED	10	2.9	2	1	1	3	4	5	5	5
B. OPERATED	299	1.9	1	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	11	2.0	1	<1	<1	2	2	3	4	4
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	10	1.6		<1	<1	1	2	3	3	3
13-19 YRS	284	1.9	1	<1	<1	2	2	4	4	6
GRAND TOTAL	**309**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**4**	**4**	**6**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.4	2	2	2	3	4	5	6	6
1-11 MOS	9	4.1	3	2	2	4	5	7	7	7
1-5 YRS	7	4.1	5	2	2	3	6	8	8	8
6-12 YRS	10	5.2	18	<1	<1	4	6	12	13	13
13-19 YRS	43	3.4	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	8	2.3	4	<1	<1	1	3	6	7	7
6-12 YRS	74	2.5	1	<1	1	2	3	4	4	7
13-19 YRS	1256	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.1	3	2	2	4	5	7	7	7
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	5	3.6	7	<1	<1	4	5	7	7	7
6-12 YRS	7	3.6	15	1	1	2	4	10	12	12
13-19 YRS	40	3.3	6	<1	<1	2	5	7	8	9
B. *Operated*										
0-27 DYS	3	4.0	13	1	1	3	7	8	8	8
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS										
6-12 YRS	15	3.1	5	<1	<1	3	4	6	8	9
13-19 YRS	331	2.9	2	1	1	3	4	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.8	5	1	2	3	5	6	8	13
B. *Operated*	1343	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	65	3.4	6	<1	<1	3	5	7	8	12
B. *Operated*	352	2.9	2	1	1	3	4	4	5	9
1. SINGLE DX	1420	2.7	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	417	3.0	3	1	1	3	4	5	6	9
A. NOT OPERATED	142	3.6	6	<1	1	3	5	7	8	12
B. OPERATED	1695	2.7	2	<1	1	3	3	4	5	7
TOTAL 0-27 DYS	22	3.6	3	1	2	3	4	6	7	8
1-11 MOS	19	3.5	3	<1	1	3	5	6	7	7
1-5 YRS	20	3.3	5	<1	<1	3	5	7	8	8
6-12 YRS	106	2.9	5	<1	1	2	4	5	6	13
13-19 YRS	1670	2.7	2	<1	1	3	3	4	5	8
GRAND TOTAL	**1837**	**2.8**	**3**	**<1**	**1**	**3**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	77	2.3	2	1	1	2	3	4	5	9
13-19 YRS	1328	2.3	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	4	5.0	9	2	2	4	7	9	9	9
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	63	4.1	4	1	2	4	5	6	8	11
13-19 YRS	1541	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	43	2.9	4	1	1	2	4	5	8	9
13-19 YRS	883	2.8	3	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	7	5.3	10	<1	1	5	6	10	11	11
1-11 MOS	12	6.3	9	1	2	6	9	10	11	11
1-5 YRS	7	9.3	77	1	2	7	12	24	27	27
6-12 YRS	48	4.5	4	1	2	4	5	7	8	11
13-19 YRS	1611	4.7	7	1	2	4	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1410	2.3	3	1	1	2	3	4	5	7
B. *Operated*	1612	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	929	2.8	3	1	1	2	4	5	6	9
B. *Operated*	1685	4.7	7	1	2	4	6	8	9	13
1. SINGLE DX	3022	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	2614	4.0	6	1	1	4	5	7	9	12
A. NOT OPERATED	2339	2.5	3	1	1	2	3	5	6	9
B. OPERATED	3297	4.3	6	1	1	4	6	7	8	12
TOTAL 0-27 DYS	13	4.3	9	<1	<1	5	6	9	11	11
1-11 MOS	18	5.5	10	1	1	5	8	10	11	11
1-5 YRS	11	7.5	57	1	1	5	9	19	26	27
6-12 YRS	231	3.4	4	1	1	3	4	6	7	10
13-19 YRS	5363	3.5	5	1	1	3	5	6	8	11
GRAND TOTAL	**5636**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**11**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5		3	3	3	4	4	4	4
1-11 MOS	7	4.7	12	2	2	4	6	11	12	12
1-5 YRS	4	5.5	4	4	4	5	7	8	8	8
6-12 YRS	16	3.8	5	1	1	3	5	7	9	10
13-19 YRS	3193	4.0	4	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	13	2	2	4	8	9	9	9
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	15	6.1	8	3	3	6	8	10	11	12
13-19 YRS	672	4.9	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	7	5.9	32	2	2	4	6	16	18	18
1-5 YRS										
6-12 YRS	11	6.7	10	2	3	6	8	12	13	13
13-19 YRS	2279	4.6	6	2	2	4	6	8	9	13
B. *Operated*										
0-27 DYS	3	5.7	4	4	4	5	7	8	8	8
1-11 MOS	4	6.8	6	4	4	6	8	10	10	10
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	27	8.4	45	2	3	7	11	15	23	32
13-19 YRS	1420	6.1	14	1	2	5	8	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3224	4.0	4	1	2	4	5	7	8	11
B. *Operated*	692	4.9	9	1	2	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	2300	4.6	6	2	2	4	6	8	9	13
B. *Operated*	1456	6.1	14	1	2	6	8	10	13	18
1. SINGLE DX	3916	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	3756	5.2	10	2	2	5	7	9	11	16
A. NOT OPERATED	5524	4.3	5	1	2	4	5	7	8	11
B. OPERATED	2148	5.7	13	1	2	5	7	10	12	17
TOTAL 0-27 DYS	10	4.2	3	2	2	4	5	7	8	8
1-11 MOS	21	5.5	16	2	2	4	7	11	15	18
1-5 YRS	8	6.0	9	2	2	5	8	10	11	11
6-12 YRS	69	6.6	25	2	2	5	8	12	14	30
13-19 YRS	7564	4.7	8	1	2	4	6	8	10	14
GRAND TOTAL	**7672**	**4.7**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	35	3.4	4	1	1	3	5	5	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	167	3.0	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	37	3.5	8	<1	1	3	4	5	11	14
B. *Operated*										
0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	13	6.2	8	<1	1	6	8	10	11	11
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	248	3.9	5	1	1	4	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.5	4	1	1	3	5	5	8	9
B. *Operated*	170	3.1	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	39	3.7	10	<1	1	3	4	6	13	14
B. *Operated*	266	4.0	6	1	1	4	6	7	8	11
1. SINGLE DX	206	3.1	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	305	4.0	7	1	1	4	5	7	8	12
A. NOT OPERATED	75	3.6	7	<1	1	3	5	5	9	14
B. OPERATED	436	3.6	6	<1	1	3	5	7	8	11
TOTAL 0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	18	6.1	12	<1	1	6	8	11	13	14
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	487	3.5	5	<1	1	3	5	7	8	11
GRAND TOTAL	**511**	**3.6**	**6**	**<1**	**1**	**3**	**5**	**7**	**8**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	6	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	1	<1	<1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	4.9	6	2	2	5	7	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	53	2.7	4	<1	1	2	3	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	3	1	1	3	5	6	6	6
B. *Operated*	15	2.1	1	<1	<1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	15	4.9	6	2	2	5	7	8	9	10
B. *Operated*	56	2.8	4	<1	1	2	3	6	7	10
1. SINGLE DX	22	2.5	2	<1	1	2	3	5	6	6
2. MULTIPLE DX	71	3.3	5	1	1	3	4	7	8	10
A. NOT OPERATED	22	4.4	6	1	2	4	6	8	9	10
B. OPERATED	71	2.7	3	<1	1	2	3	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	89	3.0	4	<1	1	2	4	6	7	10
GRAND TOTAL	**93**	**3.1**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**	**10**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.2	1	1	1	2	3	3	3	3
1-5 YRS	13	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	20	2.0	1	<1	<1	2	3	4	4	5
13-19 YRS	157	3.3	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	2.7	3	<1	<1	2	3	5	6	6
6-12 YRS	9	2.3	5	1	1	2	2	6	8	8
13-19 YRS	248	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	23	4.6	11	1	2	3	5	8	14	15
6-12 YRS	21	3.3	5	<1	<1	3	5	6	8	10
13-19 YRS	204	3.9	7	1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	3	<1	<1	1	4	4	4	4
6-12 YRS	12	3.8	10	1	1	3	6	8	11	11
13-19 YRS	161	3.7	10	1	1	3	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.0	4	1	1	3	4	5	7	11
B. *Operated*	268	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	252	4.0	7	1	1	3	5	7	8	15
B. *Operated*	178	3.7	10	1	1	3	5	7	10	17
1. SINGLE DX	465	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	430	3.8	8	1	1	3	5	7	10	15
A. NOT OPERATED	449	3.5	6	1	1	3	4	6	7	13
B. OPERATED	446	2.7	6	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	3	6.3	16	4	4	4	9	11	11	11
1-11 MOS	9	3.6	11	1	1	2	4	9	11	11
1-5 YRS	51	3.4	7	<1	1	3	4	6	7	15
6-12 YRS	62	2.8	5	<1	1	2	4	6	7	11
13-19 YRS	770	3.1	6	1	1	2	4	6	7	12
GRAND TOTAL	**895**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	7	7.7	18	2	2	8	10	13	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	4.5	3	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	4	5.5	6	3	3	5	7	8	8	8
1-11 MOS	9	6.2	3	3	4	6	8	8	8	8
1-5 YRS	3	7.7	2	6	6	8	9	9	9	9
6-12 YRS	3	8.0	1	7	7	8	9	9	9	9
13-19 YRS	19	5.4	8	1	2	6	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	6.4	13	2	2	5	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	38	6.0	6	2	3	6	8	9	9	13
1. SINGLE DX	15	6.4	13	2	2	5	9	11	13	14
2. MULTIPLE DX	39	5.9	7	1	2	6	8	9	9	13
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	53	6.1	8	2	3	6	8	9	11	14
TOTAL 0-27 DYS	6	6.3	9	3	3	6	8	11	11	11
1-11 MOS	16	6.9	9	2	3	7	8	10	13	14
1-5 YRS	4	6.5	7	3	3	7	8	9	9	9
6-12 YRS	4	7.3	3	5	5	7	8	9	9	9
13-19 YRS	24	5.1	8	1	2	5	6	9	10	13
GRAND TOTAL	**54**	**6.0**	**8**	**2**	**2**	**6**	**8**	**9**	**11**	**14**

1,662 Hospitals, United States, January-December 1984

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	23	1.9	2	<1	<1	1	3	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.5	1	1	1	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	2.9	3	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		1	1	1	2	2	2	2
B. *Operated*	24	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	2.5	1	1	1	3	3	4	5	5
B. *Operated*	26	2.9	3	1	1	2	4	6	6	6
1. SINGLE DX	29	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	41	2.8	2	1	1	2	4	5	6	6
A. NOT OPERATED	20	2.3	1	1	1	2	3	4	4	5
B. OPERATED	50	2.4	3	1	1	2	3	5	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	69	2.4	2	1	1	2	3	5	6	7
GRAND TOTAL	70	2.4	2	1	1	2	3	5	6	7

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	2.8	12	<1	<1	2	3	3	11	17
13-19 YRS	298	1.9	1	<1	1	1	2	3	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.0	4	<1	<1	1	2	5	7	7
13-19 YRS	566	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	2.9	3	1	1	2	4	5	7	8
13-19 YRS	402	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	3.2	4	<1	1	3	5	6	7	7
13-19 YRS	618	2.7	4	<1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	1.9	2	<1	1	1	3	3	5	7
B. *Operated*	577	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	443	2.6	3	1	1	2	3	5	6	9
B. *Operated*	637	2.7	4	<1	1	2	4	5	7	9
1. SINGLE DX	894	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1080	2.7	4	1	1	2	3	5	6	9
A. NOT OPERATED	760	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	1214	2.3	3	<1	1	2	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	90	2.8	5	<1	1	2	3	5	7	13
13-19 YRS	1884	2.3	3	<1	1	2	3	4	6	9
GRAND TOTAL	1974	2.3	3	<1	1	2	3	4	6	9

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	4	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	6	2.7	4	1	1	2	4	6	6	6
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	7	2.9	3	1	1	2	4	6	6	6
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	7	2.6	3	1	1	2	4	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	2.8	3	1	1	2	4	5	6	6
GRAND TOTAL	**8**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	4	3.5	4	2	2	3	5	6	6	6
1-5 YRS	13	2.5	2	<1	<1	2	4	4	5	5
6-12 YRS	22	2.3	5	<1	<1	1	3	5	8	10
13-19 YRS	124	2.3	3	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.0	2	<1	<1	2	3	4	4	4
1-5 YRS	8	2.1	5	<1	<1	1	3	6	7	7
6-12 YRS	41	2.7	4	<1	<1	2	3	6	7	9
13-19 YRS	386	2.8	6	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	3.1	9	1	1	2	5	8	9	9
6-12 YRS	29	4.1	29	1	1	3	5	7	8	30
13-19 YRS	134	2.6	3	<1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS	4	4.3	3	2	2	4	5	6	6	6
1-11 MOS	19	5.8	14	<1	1	6	8	11	14	15
1-5 YRS	19	4.3	10	<1	1	4	6	9	11	11
6-12 YRS	44	3.8	4	1	1	4	5	6	7	9
13-19 YRS	426	3.9	9	<1	1	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.3	3	<1	<1	2	3	5	5	9
B. *Operated*	441	2.8	6	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	173	3.0	8	<1	1	2	4	6	7	14
B. *Operated*	512	4.0	9	<1	1	3	5	7	9	16
1. SINGLE DX	608	2.6	5	<1	<1	2	4	5	6	13
2. MULTIPLE DX	685	3.7	9	<1	1	3	5	7	8	15
A. NOT OPERATED	340	2.7	6	<1	1	2	4	5	6	10
B. OPERATED	953	3.4	8	<1	<1	3	5	6	8	15
TOTAL 0-27 DYS	10	3.9	19	1	1	2	5	10	15	15
1-11 MOS	29	4.8	12	<1	<1	4	7	9	12	15
1-5 YRS	48	3.2	7	<1	<1	2	5	7	9	11
6-12 YRS	136	3.3	10	<1	1	3	5	6	7	13
13-19 YRS	1070	3.2	7	<1	1	2	4	6	7	14
GRAND TOTAL	**1293**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	43	1.8	1	<1	1	2	2	3	4	5
13-19 YRS	670	1.9	2	<1	1	2	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	14	1	1	7	8	8	8	8
1-5 YRS										
6-12 YRS	9	3.0	5	<1	<1	3	4	7	7	7
13-19 YRS	371	2.5	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	24	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	504	2.2	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	3	3.3	4	1	1	4	5	5	5	5
1-11 MOS	6	5.3	5	1	1	6	6	8	8	8
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	11	3.6	6	<1	<1	3	5	7	9	9
13-19 YRS	415	3.2	6	<1	1	2	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	716	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	383	2.5	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	531	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	438	3.2	6	<1	1	2	5	6	8	11
1. SINGLE DX	1099	2.1	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	969	2.7	4	<1	1	2	3	5	7	10
A. NOT OPERATED	1247	2.1	2	<1	1	2	3	4	4	7
B. OPERATED	821	2.9	5	<1	<1	2	4	6	7	10
TOTAL 0-27 DYS	4	2.8	4	<1	<1	2	4	5	5	5
1-11 MOS	10	4.9	8	1	1	6	7	8	8	8
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	87	2.2	2	<1	<1	2	3	5	5	8
13-19 YRS	1960	2.4	3	<1	1	2	3	5	6	9
GRAND TOTAL	**2068**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	465	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	423	5.0	3	3	3	5	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*	466	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	424	5.0	3	3	3	5	6	7	8	11
1. SINGLE DX	486	4.3	3	1	2	4	5	6	7	9
2. MULTIPLE DX	433	4.9	3	3	3	5	6	7	8	11
A. NOT OPERATED	29	2.0	2	<1	<1	1	3	4	4	4
B. OPERATED	890	4.7	3	2	3	5	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	917	4.6	3	2	3	4	5	6	7	11
GRAND TOTAL	**919**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	124	1.6	1	<1	1	1	2	3	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	1.8	3	<1	<1	1	2	3	6	8
13-19 YRS	4051	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	1.6	2	<1	<1	<1	2	3	4	9
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.3	6	1	1	2	6	7	7	7
13-19 YRS	1261	1.5	2	<1	<1	<1	1	2	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	1.6	1	<1	1	1	2	3	4	6
B. Operated	4069	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	86	1.6	2	<1	<1	<1	2	3	4	9
B. Operated	1267	1.5	2	<1	<1	<1	1	2	4	8
1. SINGLE DX	4193	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1353	1.5	2	<1	<1	<1	1	2	4	8
A. NOT OPERATED	210	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	5336	1.4	1	<1	<1	<1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.2	4	<1	<1	1	2	6	7	8
13-19 YRS	5522	1.4	1	<1	<1	<1	1	2	3	5
GRAND TOTAL	**5546**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated										
1. SINGLE DX	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	3	1.7		1	1	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.0	4	1	1	2	4	6	6	6
GRAND TOTAL	**5**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	805	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.7	1	<1	<1	2	2	3	3	3
13-19 YRS	5581	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	173	2.0	10	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	924	2.1	3	<1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	808	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	5590	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	173	2.0	10	<1	<1	1	2	4	5	8
B. *Operated*	925	2.1	3	<1	1	2	3	4	5	8
1. SINGLE DX	6398	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1098	2.1	4	<1	1	2	2	4	5	8
A. NOT OPERATED	981	1.6	2	<1	<1	1	2	3	4	6
B. OPERATED	6515	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.8	1	<1	<1	2	2	3	4	4
13-19 YRS	7483	1.5	1	<1	<1	1	2	3	3	6
GRAND TOTAL	**7496**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	261	2.7	3	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	631	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	3.3	7	1	1	2	5	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	238	3.1	7	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	631	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	100	3.3	7	1	1	2	5	6	8	14
B. *Operated*	238	3.1	7	1	1	2	4	7	9	14
1. SINGLE DX	892	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	338	3.1	7	1	1	2	4	7	9	14
A. NOT OPERATED	361	2.9	4	<1	1	2	4	5	7	10
B. OPERATED	869	2.2	4	<1	<1	2	2	4	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1230	2.4	4	<1	1	2	3	5	6	11
GRAND TOTAL	**1230**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	743	2.0	2	<1	1	2	2	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	2.6	6	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	203	3.0	4	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	2.5	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	743	2.0	2	<1	1	2	2	4	4	6
B. *Operated*	26	2.6	6	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	203	3.0	4	1	1	3	4	5	6	12
B. *Operated*	12	2.5	2	1	1	2	3	5	6	6
1. SINGLE DX	769	2.0	2	<1	1	2	2	4	4	6
2. MULTIPLE DX	215	2.9	4	1	1	3	4	5	6	11
A. NOT OPERATED	946	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	38	2.6	5	<1	1	2	3	4	6	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	984	2.2	2	<1	1	2	3	4	5	7
GRAND TOTAL	**984**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	15	2.1	1	1	1	2	3	3	4	4
B. *Operated*	2	2.5	5	1	1	2	4	4	4	4
1. SINGLE DX	50	2.0	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX	17	2.2	1	1	1	2	3	4	4	4
A. NOT OPERATED	62	2.0	1	<1	<1	2	3	3	4	8
B. OPERATED	5	2.2	2	<1	<1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	67	2.0	1	<1	<1	2	3	3	4	7
GRAND TOTAL	**67**	**2.0**	**1**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	916	3.0	4	1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	115	3.6	13	<1	<1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	289	3.2	5	<1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	3.7	9	<1	<1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	3.0	4	1	1	2	4	5	7	11
B. *Operated*	115	3.6	13	<1	<1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	290	3.2	5	<1	1	3	4	6	8	11
B. *Operated*	64	3.7	9	<1	<1	3	5	7	9	15
1. SINGLE DX	1032	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX	354	3.3	6	<1	1	3	4	6	8	14
A. NOT OPERATED	1207	3.1	5	1	1	3	4	6	7	11
B. OPERATED	179	3.6	11	<1	<1	3	5	7	10	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1384	3.1	5	<1	1	3	4	6	7	12
GRAND TOTAL	**1386**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1355	3.2	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.1	8	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	673	3.6	7	1	1	3	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.9	10	1	1	3	5	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	3.2	4	1	1	3	4	5	7	11
B. *Operated*	12	3.1	8	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	674	3.6	7	1	1	3	4	6	9	14
B. *Operated*	27	3.9	10	1	1	3	5	9	11	14
1. SINGLE DX	1369	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX	701	3.6	7	1	1	3	4	7	9	14
A. NOT OPERATED	2031	3.3	5	1	1	3	4	6	7	13
B. OPERATED	39	3.6	9	<1	1	3	4	8	10	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	2067	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**2070**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	4774	1.1		<1	<1	<1	1	1	2	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	605	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	549	1.5	1	<1	<1	1	2	3	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	92	1.8	3	<1	<1	1	2	3	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4779	1.1		<1	<1	<1	1	1	2	4
B. Operated	605	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	549	1.5	1	<1	<1	1	2	3	4	6
B. Operated	92	1.8	3	<1	<1	1	2	3	5	11
1. SINGLE DX	5384	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	641	1.6	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	5328	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	697	1.3	1	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	6020	1.2	1	<1	<1	<1	1	1	2	4
GRAND TOTAL	**6025**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	174	2.6	4	<1	1	2	3	5	6	13
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	66	3.3	14	<1	<1	3	4	6	9	21
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	21	1	2	5	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	2.6	4	<1	1	2	3	5	6	13
B. Operated	10	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	66	3.3	14	<1	<1	3	4	6	9	21
B. Operated	8	6.1	21	1	2	5	8	13	15	15
1. SINGLE DX	184	2.5	4	<1	1	2	3	4	6	13
2. MULTIPLE DX	74	3.6	15	<1	<1	3	4	7	10	21
A. NOT OPERATED	240	2.8	7	<1	<1	2	4	5	7	15
B. OPERATED	18	3.6	15	<1	<1	2	4	9	13	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	258	2.9	8	<1	<1	2	4	6	7	15
GRAND TOTAL	**258**	**2.9**	**8**	**<1**	**<1**	**2**	**4**	**6**	**7**	**15**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	471	1.8	2	<1	<1	1	2	3	4	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	186	2.4	4	<1	<1	2	3	4	6	13
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	2.8	7	1	1	2	3	6	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	471	1.8	2	<1	<1	1	2	3	4	7
B. Operated	47	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	186	2.4	4	<1	<1	2	3	4	6	13
B. Operated	17	2.8	7	1	1	2	3	6	10	11
1. SINGLE DX	518	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	203	2.5	5	<1	<1	2	3	4	6	13
A. NOT OPERATED	657	2.0	3	<1	<1	1	2	4	5	8
B. OPERATED	64	1.7	2	<1	<1	1	2	3	4	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	721	1.9	2	<1	<1	1	2	4	5	8
GRAND TOTAL	**721**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1092	3.0	3	<1	1	3	4	5	6	8
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	127	1.7	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1456	3.5	4	<1	1	3	5	6	7	10
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	120	3.5	11	<1	<1	2	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1093	3.0	3	<1	1	3	4	5	6	8
B. Operated	127	1.7	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	1456	3.5	4	<1	1	3	5	6	7	10
B. Operated	121	3.4	11	<1	<1	2	5	7	10	17
1. SINGLE DX	1220	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	1577	3.5	5	<1	1	3	5	6	7	11
A. NOT OPERATED	2549	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	248	2.6	7	<1	<1	1	3	6	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2795	3.3	4	<1	<1	3	4	6	7	10
GRAND TOTAL	**2797**	**3.3**	**4**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	313	3.1	10	<1	1	2	4	6	8	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	3.0	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1086	3.3	14	<1	<1	2	4	7	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	136	4.0	34	<1	<1	3	5	9	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.1	10	<1	1	2	4	6	8	21
B. *Operated*	30	3.0	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	1086	3.3	14	<1	<1	2	4	7	8	17
B. *Operated*	136	4.0	34	<1	<1	3	5	9	10	23
1. SINGLE DX	343	3.1	9	<1	1	2	4	6	8	21
2. MULTIPLE DX	1222	3.4	17	<1	<1	2	4	7	9	17
A. NOT OPERATED	1399	3.3	13	<1	1	2	4	6	8	19
B. OPERATED	166	3.8	29	<1	<1	3	5	7	9	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1565	3.3	15	<1	<1	2	4	7	8	18
GRAND TOTAL	**1565**	**3.3**	**15**	**<1**	**<1**	**2**	**4**	**7**	**8**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3417	2.1	5	<1	<1	1	3	4	5	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	827	2.2	5	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1580	2.8	9	<1	<1	2	3	5	7	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	485	3.0	12	<1	<1	2	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3418	2.1	5	<1	<1	1	3	4	5	12
B. *Operated*	828	2.2	5	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1580	2.8	9	<1	<1	2	3	5	7	18
B. *Operated*	485	3.0	12	<1	<1	2	4	6	9	19
1. SINGLE DX	4246	2.1	5	<1	<1	1	3	4	5	11
2. MULTIPLE DX	2065	2.9	10	<1	<1	2	3	5	8	18
A. NOT OPERATED	4998	2.3	6	<1	<1	1	3	4	6	13
B. OPERATED	1313	2.5	8	<1	<1	1	3	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	6309	2.4	7	<1	<1	1	3	5	6	13
GRAND TOTAL	**6311**	**2.4**	**7**	**<1**	**<1**	**1**	**3**	**5**	**6**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	382	2.8	1	1	2	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	180	3.5	5	2	2	3	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	530	3.0	2	1	2	3	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	657	5.0	47	2	2	3	5	7	12	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.8	1	1	2	3	3	4	4	6
B. *Operated*	180	3.5	5	2	2	3	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	530	3.0	2	1	2	3	3	4	5	10
B. *Operated*	657	5.0	47	2	2	3	5	7	12	38
1. SINGLE DX	562	3.0	2	1	2	3	3	4	5	8
2. MULTIPLE DX	1187	4.1	28	1	2	3	4	6	8	30
A. NOT OPERATED	912	2.9	2	1	2	3	3	4	5	7
B. OPERATED	837	4.7	38	2	2	3	5	7	11	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1749	3.8	20	1	2	3	4	6	7	24
GRAND TOTAL	**1749**	**3.8**	**20**	**1**	**2**	**3**	**4**	**6**	**7**	**24**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.6	1	1	1	3	3	4	4	4
13-19 YRS	27097	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5798	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	1024	2.8	1	1	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	613	2.9	1	1	2	3	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27111	2.5	1	1	1	3	3	4	4	5
B. *Operated*	5800	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1027	2.8	1	1	2	3	3	4	5	6
B. *Operated*	614	2.9	1	1	2	3	3	4	5	6
1. SINGLE DX	32911	2.5	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1641	2.8	1	1	2	3	3	4	5	6
A. NOT OPERATED	28138	2.5	1	1	1	3	3	4	4	5
B. OPERATED	6414	2.6	1	1	1	3	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	2.7	1	1	1	3	3	4	4	4
13-19 YRS	34532	2.5	1	1	1	3	3	4	4	5
GRAND TOTAL	**34552**	**2.5**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	2.7	3	1	1	2	3	4	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	50	4.7	7	2	2	5	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	2.8	3	1	1	3	3	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	116	6.2	32	2	3	5	7	10	13	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	3	1	1	2	3	4	7	8
B. *Operated*	50	4.7	7	2	2	5	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	21	2.8	3	1	1	3	3	5	7	8
B. *Operated*	116	6.2	32	2	3	5	7	10	13	38
1. SINGLE DX	67	4.2	7	1	2	4	5	7	8	17
2. MULTIPLE DX	137	5.7	29	1	2	4	7	9	13	35
A. NOT OPERATED	38	2.7	3	1	1	2	3	4	7	8
B. OPERATED	166	5.8	25	2	2	5	6	9	13	31
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	203	5.2	22	1	2	4	6	8	12	26
GRAND TOTAL	**204**	**5.2**	**22**	**1**	**2**	**4**	**6**	**8**	**11**	**26**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	141	2.2	1	<1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	140	4.1	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	2.6	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	406	4.5	10	1	2	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.2	1	<1	1	2	3	4	4	5
B. *Operated*	141	4.1	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	123	2.6	2	1	1	2	3	4	6	7
B. *Operated*	406	4.5	10	1	2	4	5	7	8	13
1. SINGLE DX	282	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	529	4.0	9	1	2	4	5	7	8	12
A. NOT OPERATED	264	2.4	2	1	1	2	3	4	5	7
B. OPERATED	547	4.4	9	1	2	4	5	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	810	3.7	7	1	1	3	5	6	7	11
GRAND TOTAL	**811**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	2.9	7	1	1	2	3	4	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	285	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.6	1	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	159	2.9	2	1	1	3	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.9	7	1	1	2	3	4	8	14
B. *Operated*	285	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	16	2.6	1	1	1	2	3	4	5	5
B. *Operated*	160	2.9	2	1	1	3	3	4	5	8
1. SINGLE DX	307	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX	176	2.8	2	1	1	3	3	4	5	8
A. NOT OPERATED	38	2.7	5	1	1	2	3	4	5	14
B. OPERATED	445	2.6	1	1	1	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	482	2.6	1	1	1	3	3	4	4	6
GRAND TOTAL	**483**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	149	2.6	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	88	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	98	3.0	2	1	2	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	141	3.0	1	1	2	3	4	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.6	1	1	1	3	3	4	4	5
B. *Operated*	88	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	98	3.0	2	1	2	3	4	4	5	7
B. *Operated*	141	3.0	1	1	2	3	4	4	5	6
1. SINGLE DX	237	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	239	3.0	1	1	2	3	4	4	5	7
A. NOT OPERATED	247	2.8	1	1	1	3	3	4	4	5
B. OPERATED	229	2.9	1	1	2	3	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	476	2.8	1	1	2	3	3	4	5	5
GRAND TOTAL	**476**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**5**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	2.9	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	3.8	6	1	1	3	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	41	3.3	10	1	1	3	4	5	7	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	229	5.9	23	2	2	5	6	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.9	1	1	1	3	3	4	4	5
B. *Operated*	30	3.8	6	1	1	3	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	41	3.3	10	1	1	3	4	5	7	21
B. *Operated*	229	5.9	23	2	2	5	6	10	15	30
1. SINGLE DX	70	3.3	3	1	1	3	4	5	6	13
2. MULTIPLE DX	270	5.5	22	2	2	4	6	9	14	29
A. NOT OPERATED	81	3.1	5	1	1	3	3	4	5	17
B. OPERATED	259	5.6	22	2	2	5	6	9	14	29
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	340	5.0	19	1	2	4	6	8	12	27
GRAND TOTAL	**340**	**5.0**	**19**	**1**	**2**	**4**	**6**	**8**	**12**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	76	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	899	4.5	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	966	5.0	5	2	3	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	2.2	1	1	1	2	3	3	4	5
B. *Operated*	899	4.5	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	47	2.6	3	1	1	2	3	5	6	9
B. *Operated*	967	5.0	5	2	3	5	6	7	9	13
1. SINGLE DX	975	4.3	2	2	2	4	5	6	7	9
2. MULTIPLE DX	1014	4.9	5	2	3	5	6	7	9	13
A. NOT OPERATED	123	2.4	2	1	1	2	3	4	5	8
B. OPERATED	1866	4.8	4	2	3	5	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1988	4.6	4	2	2	5	5	7	8	11
GRAND TOTAL	**1989**	**4.6**	**4**	**2**	**2**	**5**	**5**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	227	2.9	32	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	561	3.6	2	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	3.0	9	1	1	3	3	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1818	4.2	4	2	2	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	2.9	32	1	1	3	3	4	4	4
B. *Operated*	561	3.6	2	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	135	3.0	9	1	1	3	3	4	6	12
B. *Operated*	1819	4.2	4	2	2	4	5	6	7	11
1. SINGLE DX	788	3.4	11	1	2	3	4	5	6	8
2. MULTIPLE DX	1954	4.1	4	2	2	4	5	6	7	11
A. NOT OPERATED	362	2.9	24	1	1	3	3	4	4	8
B. OPERATED	2380	4.0	4	2	2	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2741	3.9	6	2	2	3	5	6	7	11
GRAND TOTAL	**2742**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.0	3	<1	1	3	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	1570	5.0	2	3	4	5	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	4.2	5	1	2	4	6	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.7	14	3	3	4	8	10	10	10
13-19 YRS	3761	5.6	4	3	4	5	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.0	3	<1	1	3	3	5	7	9
B. *Operated*	1573	5.0	2	3	4	5	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	23	4.2	5	1	2	4	6	7	8	9
B. *Operated*	3764	5.6	4	3	4	5	6	8	9	13
1. SINGLE DX	1600	5.0	2	3	3	5	6	7	7	10
2. MULTIPLE DX	3787	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	50	3.5	4	1	1	3	5	7	8	9
B. OPERATED	5337	5.4	4	3	4	5	6	7	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	5.5	7	3	3	5	7	10	10	10
13-19 YRS	5381	5.4	4	3	4	5	6	7	9	13
GRAND TOTAL	**5387**	**5.4**	**4**	**3**	**4**	**5**	**6**	**7**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	446	2.8	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	692	3.7	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	291	3.0	2	1	2	3	4	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	1921	4.1	4	2	2	4	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	2.8	1	1	2	3	3	4	4	5
B. *Operated*	692	3.7	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	291	3.0	2	1	2	3	4	4	5	8
B. *Operated*	1923	4.1	4	2	2	4	5	6	8	11
1. SINGLE DX	1138	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX	2214	4.0	4	2	2	4	5	6	7	11
A. NOT OPERATED	737	2.9	1	1	2	3	3	4	5	7
B. OPERATED	2615	4.0	4	1	2	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	3350	3.8	4	1	2	3	5	6	7	10
GRAND TOTAL	**3352**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	49	2.6	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	160	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	2.9	3	1	1	3	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	438	4.9	6	2	2	5	6	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.6	1	1	1	2	3	4	4	7
B. *Operated*	160	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	3	1	1	3	3	4	5	11
B. *Operated*	438	4.9	6	2	2	5	6	7	8	14
1. SINGLE DX	209	3.8	3	1	2	4	5	6	6	9
2. MULTIPLE DX	473	4.8	6	2	2	5	6	7	8	14
A. NOT OPERATED	84	2.8	2	1	1	3	3	4	5	10
B. OPERATED	598	4.7	5	2	2	5	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	682	4.5	5	2	2	4	6	7	8	13
GRAND TOTAL	**682**	**4.5**	**5**	**2**	**2**	**4**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.6	2	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1441	5.0	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.6	2	1	1	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1050	5.3	7	3	3	5	6	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.6	2	1	1	2	3	5	6	8
B. *Operated*	1442	5.0	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	20	2.6	2	1	1	3	3	4	5	6
B. *Operated*	1051	5.3	7	3	3	5	6	7	8	12
1. SINGLE DX	1473	5.0	2	3	3	5	6	7	7	8
2. MULTIPLE DX	1071	5.2	7	3	3	5	6	7	8	12
A. NOT OPERATED	51	2.6	2	1	1	3	3	4	6	8
B. OPERATED	2493	5.1	4	3	3	5	6	7	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	2542	5.1	4	3	3	5	6	7	7	10
GRAND TOTAL	**2544**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	751	3.0	2	1	2	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	522	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	593	3.4	5	1	2	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1802	4.4	12	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	751	3.0	2	1	2	3	4	4	5	7
B. *Operated*	522	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	593	3.4	5	1	2	3	4	5	6	11
B. *Operated*	1803	4.4	12	2	2	4	5	7	9	16
1. SINGLE DX	1273	3.1	2	1	2	3	4	4	5	8
2. MULTIPLE DX	2396	4.2	11	2	2	3	5	7	8	16
A. NOT OPERATED	1344	3.2	3	1	2	3	4	5	6	9
B. OPERATED	2325	4.2	10	2	2	3	5	7	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3668	3.8	8	2	2	3	4	6	7	13
GRAND TOTAL	**3669**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2337	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1190	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	634	2.7	1	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1383	3.0	5	1	1	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2339	2.5	1	1	1	3	3	4	4	5
B. *Operated*	1190	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	634	2.7	1	1	1	3	3	4	4	6
B. *Operated*	1385	3.0	5	1	1	3	3	4	5	8
1. SINGLE DX	3529	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	2019	2.9	4	1	1	3	3	4	5	7
A. NOT OPERATED	2973	2.5	1	1	1	3	3	4	4	5
B. OPERATED	2575	2.8	3	1	1	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	5544	2.7	2	1	1	3	3	4	4	6
GRAND TOTAL	**5548**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	521	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	4194	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	2.6	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2080	2.7	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4196	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	172	2.6	1	1	1	2	3	4	4	7
B. *Operated*	2081	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	4717	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2253	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	693	2.3	1	1	1	2	3	3	4	5
B. OPERATED	6277	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	6967	2.5	1	1	1	2	3	4	4	5
GRAND TOTAL	**6970**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	329	2.6	1	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	4009	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	109	3.0	2	1	2	3	4	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.8	2	2	2	4	5	5	5	5
13-19 YRS	2696	3.1	3	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.6	1	1	1	3	3	4	4	6
B. *Operated*	4011	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	109	3.0	2	1	2	3	4	4	6	8
B. *Operated*	2700	3.1	3	1	2	3	3	4	5	8
1. SINGLE DX	4340	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	2809	3.1	3	1	2	3	3	4	5	8
A. NOT OPERATED	438	2.7	1	1	2	3	3	4	4	6
B. OPERATED	6711	2.8	2	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.5	2	2	2	4	4	5	5	5
13-19 YRS	7143	2.8	2	1	2	3	3	4	4	6
GRAND TOTAL	**7149**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	275	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1569	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	125	2.7	1	1	2	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1220	2.9	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1570	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	125	2.7	1	1	2	3	3	4	4	7
B. *Operated*	1220	2.9	2	1	2	3	3	4	5	8
1. SINGLE DX	1845	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1345	2.9	2	1	2	3	3	4	5	8
A. NOT OPERATED	400	2.5	1	1	1	2	3	3	4	5
B. OPERATED	2790	2.7	1	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3189	2.7	1	1	2	3	3	4	4	6
GRAND TOTAL	**3190**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.4	4	1	1	3	5	7	7	7
13-19 YRS	4418	2.7	2	1	1	3	3	4	5	8
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.1	2	1	1	3	4	5	5	5
13-19 YRS	8966	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3053	3.0	4	1	1	3	3	5	6	10
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	4.3	6	2	2	4	5	9	9	9
13-19 YRS	12600	4.1	9	1	2	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4425	2.7	2	1	1	3	3	4	5	8
B. Operated	8973	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	3053	3.0	4	1	1	3	3	5	6	10
B. Operated	12606	4.1	9	1	2	3	5	7	9	15
1. SINGLE DX	13398	3.0	3	1	1	3	3	5	6	9
2. MULTIPLE DX	15659	3.9	8	1	2	3	5	6	8	14
A. NOT OPERATED	7478	2.8	3	1	1	3	3	4	5	9
B. OPERATED	21579	3.7	7	1	2	3	4	6	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	3.6	4	1	1	3	4	6	8	9
13-19 YRS	29037	3.5	6	1	2	3	4	6	7	12
GRAND TOTAL	**29057**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	165	3.4	2	1	2	3	4	6	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	3.3	7	2	2	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	94	4.3	9	2	2	4	5	7	8	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	5.1	13	1	2	4	6	8	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.4	2	1	2	3	4	6	6	8
B. *Operated*	7	3.3	7	2	2	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	94	4.3	9	2	2	4	5	7	8	20
B. *Operated*	23	5.1	13	1	2	4	6	8	13	18
1. SINGLE DX	172	3.4	2	2	2	3	4	6	6	9
2. MULTIPLE DX	117	4.5	10	2	2	4	5	7	9	21
A. NOT OPERATED	259	3.7	5	2	2	3	5	6	7	11
B. OPERATED	30	4.7	12	1	2	4	6	8	11	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	289	3.8	6	2	2	3	5	6	7	12
GRAND TOTAL	**289**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	1.6	1	<1	1	1	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	133	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	38	2.3	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	105	2.5	4	1	1	2	3	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.6	1	<1	1	1	2	3	3	4
B. *Operated*	133	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	38	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	105	2.5	4	1	1	2	3	4	7	13
1. SINGLE DX	189	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	143	2.5	4	1	1	2	3	4	6	11
A. NOT OPERATED	94	1.9	2	<1	1	2	2	3	4	8
B. OPERATED	238	2.0	2	<1	1	2	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	332	2.0	2	<1	1	2	2	3	4	8
GRAND TOTAL	**332**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	72	3.4	5	1	1	3	4	6	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	126	3.5	13	1	1	3	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	52	4.3	19	1	1	3	5	9	16	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	12	3	3	3	8	9	9	9
13-19 YRS	91	4.0	21	1	1	3	4	8	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.5	6	1	1	3	4	6	9	11
B. *Operated*	126	3.5	13	1	1	3	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	53	4.3	18	1	1	3	5	9	16	21
B. *Operated*	94	4.0	20	1	1	3	4	9	12	28
1. SINGLE DX	199	3.5	10	1	1	3	4	6	10	15
2. MULTIPLE DX	147	4.1	19	1	1	3	4	9	13	21
A. NOT OPERATED	126	3.8	11	1	1	3	5	8	10	18
B. OPERATED	220	3.7	16	1	1	3	4	7	11	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	6.0	14	3	3	4	9	11	11	11
13-19 YRS	341	3.7	14	1	1	3	4	7	10	18
GRAND TOTAL	**346**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	4.3	7	1	2	4	5	8	10	12
1-11 MOS	219	4.0	4	1	2	4	5	7	8	11
1-5 YRS	830	3.7	4	1	2	3	5	6	8	11
6-12 YRS	822	3.8	5	2	2	3	5	7	8	12
13-19 YRS	824	4.0	5	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	5	3.6	3	1	1	4	5	5	5	5
1-11 MOS	104	4.9	20	<1	1	3	7	9	12	24
1-5 YRS	404	4.0	13	<1	1	3	5	8	10	19
6-12 YRS	282	4.6	13	1	1	4	6	9	11	18
13-19 YRS	423	5.0	18	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	45	5.6	17	1	2	4	6	12	13	21
1-11 MOS	390	4.8	14	2	2	4	6	8	10	15
1-5 YRS	1035	4.3	10	2	2	4	5	8	9	15
6-12 YRS	800	4.3	8	1	2	4	5	8	10	17
13-19 YRS	1040	4.6	9	2	2	4	5	8	11	16
B. *Operated*										
0-27 DYS	12	10.5	186	1	2	6	10	31	46	49
1-11 MOS	122	5.6	17	1	2	4	7	9	14	22
1-5 YRS	355	5.5	20	1	2	4	7	10	14	25
6-12 YRS	293	7.2	57	1	2	5	8	14	20	39
13-19 YRS	500	6.6	30	2	2	5	7	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2720	3.9	5	1	2	3	5	7	8	11
B. *Operated*	1218	4.6	15	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	3310	4.5	10	2	2	4	5	8	10	16
B. *Operated*	1282	6.4	34	1	2	5	7	12	17	29
1. SINGLE DX	3938	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	4592	5.0	17	2	2	4	6	9	12	22
A. NOT OPERATED	6030	4.2	8	2	2	4	5	7	9	14
B. OPERATED	2500	5.5	26	1	1	4	7	10	14	25
TOTAL 0-27 DYS	87	5.8	38	1	2	4	6	11	13	40
1-11 MOS	835	4.7	13	1	2	4	6	8	10	20
1-5 YRS	2624	4.3	10	1	2	3	5	8	10	16
6-12 YRS	2197	4.6	15	1	2	4	5	8	11	19
13-19 YRS	2787	4.9	14	2	2	4	6	8	11	20
GRAND TOTAL	**8530**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	116	3.3	4	1	1	3	4	5	6	12
1-11 MOS	68	4.2	5	1	2	4	5	8	9	10
1-5 YRS	388	4.1	5	1	2	4	5	7	8	11
6-12 YRS	187	3.9	4	1	2	3	5	7	8	11
13-19 YRS	176	4.1	11	1	2	3	5	7	8	22
B. *Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	39	3.8	11	<1	<1	2	6	9	11	14
1-5 YRS	206	3.3	9	<1	<1	2	4	8	9	15
6-12 YRS	185	3.5	8	<1	1	3	5	8	9	14
13-19 YRS	234	3.5	7	<1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	104	4.3	8	2	2	4	5	7	9	18
1-11 MOS	136	4.3	5	2	2	4	5	7	9	13
1-5 YRS	511	4.3	6	1	2	4	6	8	9	12
6-12 YRS	267	4.1	6	1	2	4	5	7	9	12
13-19 YRS	255	4.8	11	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS	4	4.3	6	1	1	4	6	7	7	7
1-11 MOS	74	5.1	14	<1	1	5	7	9	10	22
1-5 YRS	179	6.5	44	1	2	5	8	13	17	44
6-12 YRS	137	4.6	12	<1	1	4	6	9	12	16
13-19 YRS	222	5.0	20	1	1	4	6	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	935	3.9	6	1	2	3	5	7	8	12
B. *Operated*	666	3.5	8	<1	<1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1273	4.4	7	1	2	4	6	8	9	14
B. *Operated*	616	5.4	25	1	1	4	7	10	14	24
1. SINGLE DX	1601	3.7	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	1889	4.7	13	1	2	4	6	9	10	17
A. NOT OPERATED	2208	4.2	7	1	2	4	5	7	9	13
B. OPERATED	1282	4.4	17	<1	1	3	6	9	11	19
TOTAL 0-27 DYS	226	3.8	6	1	2	3	4	6	7	15
1-11 MOS	317	4.4	8	1	1	4	6	8	10	14
1-5 YRS	1284	4.4	12	1	1	4	6	8	9	17
6-12 YRS	776	4.0	7	1	1	3	5	8	9	14
13-19 YRS	887	4.4	12	1	1	3	5	8	10	17
GRAND TOTAL	**3490**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**15**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	29	3.8	15	<1	1	3	4	5	14	19
B. *Operated*										
0-27 DYS	8	3.8	10	1	1	3	5	9	10	10
1-11 MOS	33	2.9	4	<1	1	2	4	6	7	9
1-5 YRS	27	2.1	3	<1	<1	2	2	4	6	8
6-12 YRS	36	3.5	5	1	2	3	4	7	7	12
13-19 YRS	2797	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	24	3.1	5	<1	<1	3	5	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	7.1	114	1	1	3	4	26	34	34
1-5 YRS	9	3.9	3	2	2	3	5	7	7	7
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	364	4.1	7	1	2	4	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.6	14	<1	1	2	4	5	14	19
B. *Operated*	2901	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	25	3.1	5	<1	<1	3	4	6	8	8
B. *Operated*	386	4.1	10	1	2	3	5	7	9	16
1. SINGLE DX	2932	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX	411	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	56	3.4	10	<1	<1	3	4	6	8	19
B. OPERATED	3287	3.2	6	1	1	3	4	5	7	10
TOTAL 0-27 DYS	8	3.8	10	1	1	3	5	9	10	10
1-11 MOS	45	3.8	29	<1	1	2	4	6	11	34
1-5 YRS	37	2.6	3	<1	<1	2	3	6	7	8
6-12 YRS	39	3.5	5	1	1	3	4	6	7	12
13-19 YRS	3214	3.2	6	1	1	3	4	5	7	10
GRAND TOTAL	**3343**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	4	3.3	11	<1	<1	2	5	8	8	8
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	44	1.5	1	<1	<1	1	2	2	3	5
1-5 YRS	165	1.3		<1	<1	1	2	2	2	4
6-12 YRS	119	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	147	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	8	1.6	2	<1	<1	1	2	4	5	5
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	6	3.5	7	1	1	3	4	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	29	2.0	3	<1	<1	1	2	5	5	8
6-12 YRS	20	1.7	2	<1	<1	1	2	3	5	7
13-19 YRS	41	2.7	3	<1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	5	<1	<1	1	3	6	8	8
B. *Operated*	476	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	20	2.2	4	<1	<1	1	3	5	6	8
B. *Operated*	94	2.2	3	<1	<1	2	3	5	6	9
1. SINGLE DX	489	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	114	2.2	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	33	2.2	4	<1	<1	1	3	5	7	8
B. OPERATED	570	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	55	1.5	1	<1	<1	1	2	3	3	5
1-5 YRS	206	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	144	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	197	1.9	2	<1	<1	1	2	3	5	8
GRAND TOTAL	**603**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	27	3.3	3	1	1	3	4	6	7	7
1-11 MOS	164	3.2	5	1	1	3	4	6	7	14
1-5 YRS	530	3.1	6	1	1	3	4	6	7	13
6-12 YRS	296	3.8	15	1	1	3	4	7	12	21
13-19 YRS	386	4.8	27	1	1	3	6	10	15	26
B. *Operated*										
0-27 DYS	2	14.5	13	12	12	14	17	17	17	17
1-11 MOS	26	2.7	5	<1	<1	2	4	6	8	10
1-5 YRS	315	2.9	20	<1	<1	2	2	6	10	23
6-12 YRS	486	2.6	7	<1	<1	2	3	5	7	14
13-19 YRS	1009	3.0	27	<1	<1	2	3	5	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	62	4.1	5	1	2	4	5	7	9	11
1-11 MOS	280	4.2	14	1	1	3	5	8	10	23
1-5 YRS	683	3.9	11	1	1	3	5	7	10	15
6-12 YRS	410	4.7	20	1	1	3	6	10	14	23
13-19 YRS	499	6.4	64	1	1	4	7	15	22	43
B. *Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	40	6.9	53	<1	1	5	9	13	22	36
1-5 YRS	300	4.8	34	<1	<1	3	6	11	15	33
6-12 YRS	399	5.9	76	<1	1	2	7	13	20	44
13-19 YRS	765	8.9	195	<1	1	3	9	25	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1403	3.7	14	1	1	3	4	7	10	21
B. *Operated*	1838	2.9	20	<1	<1	2	3	5	9	21
2. MULTIPLE DX										
A. *Not Operated*	1934	4.8	28	1	1	3	5	9	13	26
B. *Operated*	1506	7.2	130	<1	1	3	8	17	31	61
1. SINGLE DX	3241	3.2	18	<1	<1	2	4	6	9	21
2. MULTIPLE DX	3440	5.9	74	1	1	3	6	12	20	48
A. NOT OPERATED	3337	4.3	22	1	1	3	5	8	12	23
B. OPERATED	3344	4.8	75	<1	<1	2	4	11	18	48
TOTAL 0-27 DYS	93	4.1	7	1	2	4	5	7	9	15
1-11 MOS	510	4.0	15	1	1	3	5	7	10	23
1-5 YRS	1828	3.7	15	<1	1	3	4	7	10	17
6-12 YRS	1591	4.2	31	<1	1	2	5	9	13	27
13-19 YRS	2659	5.6	88	<1	1	3	5	13	22	52
GRAND TOTAL	**6681**	**4.6**	**48**	**<1**	**1**	**3**	**5**	**9**	**15**	**39**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	6.8	67	2	2	3	11	19	19	19
6-12 YRS	42	4.2	14	<1	<1	3	6	11	13	14
13-19 YRS	89	5.3	19	1	1	4	7	10	16	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0		4	4	4	4	4	4	4
6-12 YRS	24	4.3	12	1	2	3	6	11	11	11
13-19 YRS	49	4.7	20	1	2	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	6	6.7	21	3	3	4	12	13	13	13
6-12 YRS	55	7.5	53	1	2	6	9	15	22	42
13-19 YRS	222	7.4	61	1	2	5	9	16	20	34
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	12.7	366	2	2	7	9	43	63	63
6-12 YRS	28	14.5	181	2	3	9	21	51	99+	99+
13-19 YRS	95	12.9	245	2	2	8	16	26	51	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	5.0	18	<1	1	4	7	11	14	22
B. *Operated*	76	4.5	16	1	2	3	6	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	284	7.5	58	1	2	5	9	16	20	35
B. *Operated*	134	13.2	233	2	2	8	17	30	57	99+
1. SINGLE DX	213	4.8	17	1	1	3	6	11	13	22
2. MULTIPLE DX	418	9.3	121	1	2	6	11	20	28	74
A. NOT OPERATED	421	6.6	47	1	1	5	8	14	19	32
B. OPERATED	210	10.0	172	2	2	6	12	22	38	96
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	3	7.7	114	1	1	2	15	20	20	20
1-5 YRS	22	8.8	166	2	2	4	8	15	37	63
6-12 YRS	149	7.4	72	1	2	4	9	18	26	99
13-19 YRS	455	7.9	94	1	2	5	9	17	22	58
GRAND TOTAL	**631**	**7.8**	**91**	**1**	**2**	**5**	**9**	**17**	**24**	**61**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	107	5.1	12	1	1	4	7	10	12	17
6-12 YRS	160	5.2	21	1	2	4	7	10	13	34
13-19 YRS	77	6.7	21	2	3	5	9	12	17	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	3.4	6	<1	<1	3	5	7	8	9
6-12 YRS	18	8.7	139	<1	1	4	10	32	38	39
13-19 YRS	49	7.0	32	1	1	4	10	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	7.8	27	1	1	8	11	15	17	17
1-5 YRS	97	6.4	29	1	1	5	7	14	18	25
6-12 YRS	111	8.8	95	2	2	5	9	19	28	54
13-19 YRS	84	7.4	46	1	2	5	9	15	23	32
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.8	77	2	2	6	12	24	24	24
1-5 YRS	15	12.5	93	3	4	7	22	27	28	29
6-12 YRS	21	9.4	58	1	2	7	12	20	26	30
13-19 YRS	54	10.4	140	1	2	6	13	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.5	18	1	2	4	7	10	13	24
B. *Operated*	83	6.6	52	1	1	4	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*	301	7.6	58	1	2	5	9	16	23	36
B. *Operated*	95	10.4	109	1	2	7	14	25	30	53
1. SINGLE DX	429	5.7	25	1	2	4	7	11	15	27
2. MULTIPLE DX	396	8.3	72	1	2	5	10	18	25	40
A. NOT OPERATED	647	6.4	38	1	2	5	8	12	17	32
B. OPERATED	178	8.7	86	1	1	5	11	22	28	40
TOTAL 0-27 DYS										
1-11 MOS	16	7.6	39	1	1	7	10	16	22	24
1-5 YRS	235	6.0	27	1	1	5	7	12	15	26
6-12 YRS	310	6.9	59	1	2	5	8	14	22	41
13-19 YRS	264	7.7	56	1	2	5	10	16	22	34
GRAND TOTAL	**825**	**6.9**	**49**	**1**	**2**	**5**	**8**	**14**	**22**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	8	5.4	11	<1	1	6	8	9	10	10
1-5 YRS										
6-12 YRS	4	3.5	14	<1	<1	2	6	9	9	9
13-19 YRS	43	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.5	16	1	1	5	8	12	12	12
1-5 YRS	4	9.8	41	5	5	7	14	19	19	19
6-12 YRS	4	9.0	89	3	3	5	14	23	23	23
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	3	13.3	12	10	10	13	16	17	17	17
1-11 MOS	18	8.9	43	1	2	10	14	19	20	20
1-5 YRS	2	9.5	5	8	8	9	11	11	11	11
6-12 YRS	5	8.6	12	4	4	8	11	13	13	13
13-19 YRS	58	5.2	62	<1	1	3	5	12	15	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.8	5	1	1	3	6	6	6	6
B. *Operated*	56	3.4	9	1	1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	16	7.1	38	1	1	5	8	18	22	23
B. *Operated*	86	6.5	56	1	1	4	9	14	17	44
1. SINGLE DX	61	3.4	8	1	1	2	4	8	9	15
2. MULTIPLE DX	102	6.6	53	1	1	4	9	14	18	39
A. NOT OPERATED	21	6.3	32	1	1	5	7	15	21	23
B. OPERATED	142	5.3	40	1	1	3	7	13	15	23
TOTAL 0-27 DYS	4	14.0	10	10	10	14	16	17	17	17
1-11 MOS	33	7.3	31	1	1	6	11	15	19	20
1-5 YRS	7	8.7	28	3	3	8	10	17	19	19
6-12 YRS	14	7.1	34	<1	1	6	9	14	21	23
13-19 YRS	105	4.0	37	1	1	2	4	9	13	34
GRAND TOTAL	**163**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**16**	**23**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	8.5	66	1	1	8	15	16	16	16
1-11 MOS	33	9.1	34	1	3	8	12	21	22	22
1-5 YRS	148	7.4	30	1	2	6	11	15	17	22
6-12 YRS	125	6.6	24	1	2	5	8	13	17	23
13-19 YRS	102	5.9	20	2	2	5	7	11	16	23
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	27	13.0	40	4	5	12	15	22	24	30
1-5 YRS	113	12.0	42	3	5	11	15	21	25	30
6-12 YRS	88	13.0	60	4	5	11	17	23	27	38
13-19 YRS	124	7.3	49	1	1	4	11	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	11.3	318	2	2	3	20	38	38	38
1-11 MOS	44	12.2	30	5	6	11	16	21	22	23
1-5 YRS	141	8.7	45	2	2	7	12	17	23	30
6-12 YRS	100	9.4	66	2	2	7	12	20	27	42
13-19 YRS	161	6.6	22	2	2	6	8	13	15	22
B. *Operated*										
0-27 DYS	6	21.2	61	15	15	19	24	34	35	35
1-11 MOS	66	15.3	88	3	6	13	21	24	38	43
1-5 YRS	121	14.1	53	4	7	13	19	24	28	33
6-12 YRS	108	16.7	77	5	6	15	24	29	35	99+
13-19 YRS	117	10.6	74	2	2	8	15	22	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	6.9	27	1	2	5	9	15	18	23
B. *Operated*	353	10.7	55	2	2	9	14	22	25	32
2. MULTIPLE DX										
A. *Not Operated*	450	8.4	44	2	2	7	11	17	22	29
B. *Operated*	418	14.1	76	3	4	13	20	27	31	42
1. SINGLE DX	765	8.7	43	1	2	7	12	19	22	29
2. MULTIPLE DX	868	11.2	68	2	2	9	15	22	28	41
A. NOT OPERATED	862	7.7	37	2	2	6	10	16	21	28
B. OPERATED	771	12.5	69	2	3	11	17	24	29	41
TOTAL 0-27 DYS	15	15.5	146	1	2	15	23	35	37	38
1-11 MOS	170	12.9	59	3	5	12	17	22	23	41
1-5 YRS	523	10.3	49	2	2	9	14	21	24	30
6-12 YRS	421	11.2	70	2	3	9	15	24	28	41
13-19 YRS	504	7.6	43	1	2	5	10	16	22	31
GRAND TOTAL	**1633**	**10.0**	**58**	**2**	**2**	**8**	**14**	**21**	**25**	**37**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.7	4	<1	<1	2	4	6	7	7
13-19 YRS	38	2.6	4	<1	1	2	3	5	8	9
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	8	2.6	4	<1	<1	2	3	6	7	7
1-5 YRS	10	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	88	2.8	4	<1	<1	2	4	5	7	65
13-19 YRS	2106	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	12	3.0	7	<1	<1	2	4	7	10	10
13-19 YRS	59	1.9	4	<1	<1	1	2	4	7	9
B. *Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	8	2.5	3	1	1	2	3	5	6	6
1-5 YRS	6	4.2	3	2	2	4	6	6	6	6
6-12 YRS	46	2.7	3	1	1	2	4	5	6	8
13-19 YRS	1720	2.6	3	<1	1	2	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.6	4	<1	1	2	3	6	7	9
B. *Operated*	2214	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	72	2.1	4	<1	<1	1	2	5	8	10
B. *Operated*	1784	2.6	3	<1	1	2	4	5	6	9
1. SINGLE DX	2262	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1856	2.6	3	<1	1	2	4	5	6	9
A. NOT OPERATED	120	2.3	4	<1	<1	1	3	5	8	10
B. OPERATED	3998	2.5	3	<1	<1	2	3	5	5	8
TOTAL 0-27 DYS	6	1.5	1	<1	<1	1	2	3	3	3
1-11 MOS	16	2.6	3	<1	1	2	3	6	7	7
1-5 YRS	17	2.9	3	<1	1	2	4	6	6	6
6-12 YRS	156	2.8	4	<1	1	2	4	5	7	11
13-19 YRS	3923	2.4	3	<1	<1	2	3	5	5	8
GRAND TOTAL	**4118**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	3.5	8	<1	1	3	4	9	10	11
1-5 YRS	198	3.2	7	1	1	3	4	6	8	13
6-12 YRS	205	3.5	7	1	1	3	4	7	9	13
13-19 YRS	130	3.6	12	<1	<1	3	5	7	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS	9	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	72	2.9	4	<1	1	2	4	6	7	9
6-12 YRS	221	2.8	4	<1	1	2	3	5	7	10
13-19 YRS	3307	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.6	21	1	1	3	10	11	11	11
1-11 MOS	17	2.9	3	<1	1	3	4	5	6	7
1-5 YRS	147	3.2	7	<1	1	2	4	6	9	11
6-12 YRS	170	3.8	9	<1	1	3	4	8	10	15
13-19 YRS	228	4.6	26	<1	1	3	5	11	15	37
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	2.6	5	1	1	2	3	5	8	9
1-5 YRS	267	4.7	29	1	2	3	5	8	12	23
6-12 YRS	397	5.1	27	1	2	4	5	10	14	24
13-19 YRS	1608	4.0	23	1	1	3	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	3.4	8	1	1	3	4	7	8	13
B. *Operated*	3609	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	567	3.9	15	<1	1	3	5	8	11	18
B. *Operated*	2286	4.3	25	1	1	3	5	8	11	24
1. SINGLE DX	4158	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2853	4.2	23	1	1	3	5	8	11	24
A. NOT OPERATED	1116	3.7	12	<1	1	3	4	8	10	17
B. OPERATED	5895	3.4	12	1	1	3	4	6	8	18
TOTAL 0-27 DYS	7	5.0	16	1	1	3	9	11	11	11
1-11 MOS	54	2.8	5	<1	1	2	4	5	8	11
1-5 YRS	684	3.7	16	1	1	3	4	7	9	20
6-12 YRS	993	4.0	15	1	1	3	5	8	11	19
13-19 YRS	5273	3.4	11	1	1	3	4	6	7	17
GRAND TOTAL	**7011**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	6	4.8	9	2	2	4	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	13	1	1	6	7	8	8	8
13-19 YRS	9	9.2	78	1	2	8	12	24	29	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	8	2	2	3	7	9	9	9
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	12	8.2	63	1	1	7	10	20	28	29
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	9	4.9	9	2	2	4	8	9	9	9
2. MULTIPLE DX	13	7.8	60	1	1	6	9	19	27	29
A. NOT OPERATED	19	6.8	45	1	1	4	9	14	23	29
B. OPERATED	3	5.3	10	3	3	4	8	9	9	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	5.0	13	1	1	6	7	8	8	8
13-19 YRS	18	7.1	45	1	2	4	9	14	24	29
GRAND TOTAL	**22**	**6.6**	**39**	**1**	**2**	**4**	**9**	**12**	**21**	**29**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	9	3.2	3	1	1	3	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	8	6	6	8	10	10	10	10
1-5 YRS										
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	10	3.3	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	15.3	260	2	2	10	26	38	38	38
1-5 YRS	4	8.3	64	2	2	5	13	20	20	20
6-12 YRS	3	6.7	10	3	3	8	9	9	9	9
13-19 YRS	13	4.8	29	1	2	3	4	11	20	22
B. *Operated*										
0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	2	13.0	32	9	9	13	17	17	17	17
1-5 YRS	1	37.0		37	37	37	37	37	37	37
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	4.0	4	2	2	4	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.1	3	1	1	3	4	5	6	6
B. *Operated*	14	4.1	7	1	1	3	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	24	7.4	73	1	2	4	8	20	27	38
B. *Operated*	16	7.4	79	2	2	4	8	16	31	37
1. SINGLE DX	25	3.6	5	1	1	3	5	7	8	10
2. MULTIPLE DX	40	7.4	73	2	2	4	8	18	29	38
A. NOT OPERATED	35	6.0	54	1	2	4	6	15	21	38
B. OPERATED	30	5.9	47	1	2	4	7	10	17	37
TOTAL 0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	8	12.9	127	2	3	9	16	32	38	38
1-5 YRS	5	14.0	214	2	2	6	24	37	37	37
6-12 YRS	8	4.5	10	1	1	4	7	9	9	9
13-19 YRS	42	3.9	11	1	2	3	5	6	8	22
GRAND TOTAL	**65**	**6.0**	**50**	**1**	**2**	**4**	**6**	**11**	**20**	**38**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	13	6.2	27	1	1	5	9	15	17	18
6-12 YRS	7	10.3	47	4	4	7	15	21	22	22
13-19 YRS	141	6.6	20	1	1	6	9	11	13	23
B. *Operated*										
0-27 DYS	6	6.7	44	1	1	4	9	18	19	19
1-11 MOS	20	8.5	33	1	2	7	11	17	20	22
1-5 YRS	5	6.8	50	2	2	3	10	19	19	19
6-12 YRS	8	6.1	39	1	2	4	6	17	21	21
13-19 YRS	586	5.7	22	1	1	4	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	5	4.6	10	<1	<1	5	7	9	9	9
1-5 YRS	5	10.0	116	3	3	4	16	28	28	28
6-12 YRS	5	8.2	17	4	4	9	11	13	13	13
13-19 YRS	63	7.1	27	1	3	6	9	12	18	32
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	6.8	34	3	3	5	9	17	17	17
1-5 YRS	5	14.8	56	6	6	12	22	24	24	24
6-12 YRS	6	6.0	6	3	3	6	8	9	9	9
13-19 YRS	144	7.6	46	1	2	6	11	15	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	6.6	22	1	1	6	9	12	14	22
B. *Operated*	625	5.8	23	1	1	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	81	7.0	30	1	2	6	9	12	18	32
B. *Operated*	161	7.7	45	1	2	6	11	15	18	33
1. SINGLE DX	790	6.0	23	1	1	5	8	12	16	22
2. MULTIPLE DX	242	7.5	40	1	2	6	10	14	18	34
A. NOT OPERATED	246	6.8	24	1	2	6	9	12	15	28
B. OPERATED	786	6.2	28	1	1	5	8	13	17	24
TOTAL 0-27 DYS	11	4.8	28	<1	<1	4	5	13	18	19
1-11 MOS	33	7.2	29	1	2	6	9	16	19	22
1-5 YRS	28	8.5	55	1	2	6	12	20	24	28
6-12 YRS	26	7.6	29	2	3	6	9	15	21	22
13-19 YRS	934	6.2	26	1	1	5	8	13	16	23
GRAND TOTAL	**1032**	**6.3**	**27**	**1**	**1**	**5**	**8**	**13**	**17**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	3.3	6	1	1	2	6	7	7	7
6-12 YRS	9	4.6	6	1	1	5	6	8	8	8
13-19 YRS	24	5.0	8	1	2	5	6	8	11	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.0	12	2	2	7	10	11	11	11
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	33	5.8	24	1	2	5	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	8	9.0	97	1	1	5	13	26	29	29
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	19	1	1	2	7	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	11	8.0	73	1	1	5	9	22	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.5	7	1	1	4	6	7	9	13
B. *Operated*	42	5.7	22	1	1	5	8	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	13	6.6	67	1	1	4	6	21	27	29
B. *Operated*	17	6.5	53	1	1	4	8	15	25	30
1. SINGLE DX	85	5.1	15	1	1	4	7	8	11	22
2. MULTIPLE DX	30	6.5	57	1	1	4	7	17	29	30
A. NOT OPERATED	56	5.0	21	1	1	4	6	8	12	28
B. OPERATED	59	5.9	30	1	1	4	8	11	16	30
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	5.8	13	1	1	6	9	10	11	11
1-5 YRS	13	3.2	4	1	1	2	5	6	7	7
6-12 YRS	15	3.7	5	1	1	3	6	7	8	8
13-19 YRS	76	6.2	33	1	1	5	7	13	18	30
GRAND TOTAL	**115**	**5.5**	**26**	**1**	**1**	**4**	**7**	**10**	**15**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.5	41	11	11	15	20	20	20	20
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	23	4.8	14	1	2	3	6	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.7	24	1	1	3	5	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	3	16.7	112	7	7	15	25	28	28	28
13-19 YRS	25	7.8	25	2	2	7	10	14	17	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	11	6.6	38	1	1	5	8	15	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.5	23	1	1	4	7	13	15	20
B. *Operated*	11	4.4	21	1	1	3	5	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	29	8.8	37	2	2	8	12	16	21	28
B. *Operated*	13	6.2	32	1	2	5	8	13	21	23
1. SINGLE DX	37	5.1	22	1	1	3	6	13	16	20
2. MULTIPLE DX	42	8.0	36	2	2	7	10	15	22	28
A. NOT OPERATED	55	7.2	33	1	2	6	10	14	19	28
B. OPERATED	24	5.4	27	1	1	4	6	11	19	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	6	8.3	47	1	1	7	11	19	20	20
6-12 YRS	5	11.2	114	1	1	7	18	28	28	28
13-19 YRS	68	6.2	24	1	2	5	8	14	16	23
GRAND TOTAL	**79**	**6.7**	**31**	**1**	**2**	**5**	**9**	**14**	**19**	**27**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	3.8	3	<1	<1	5	5	5	5	5
13-19 YRS	21	5.5	9	2	2	5	7	10	12	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	24	6.5	23	1	2	6	9	12	15	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	6	5.7	22	1	1	5	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	8	1	2	5	6	10	11	13
B. *Operated*	14	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	27	6.2	23	1	1	5	9	11	14	23
B. *Operated*	9	5.1	16	1	1	3	8	11	12	12
1. SINGLE DX	41	4.2	7	1	2	3	5	7	10	13
2. MULTIPLE DX	36	5.9	21	1	1	5	8	12	12	23
A. NOT OPERATED	54	5.7	16	1	2	5	8	10	12	23
B. OPERATED	23	3.4	9	1	1	2	4	8	11	12
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	3	3.0	3	2	2	2	4	5	5	5
6-12 YRS	8	4.1	6	<1	<1	5	5	7	8	8
13-19 YRS	62	5.3	16	1	2	4	7	11	12	22
GRAND TOTAL	**77**	**5.0**	**14**	**1**	**1**	**4**	**7**	**10**	**12**	**20**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	7	5.1	8	1	1	4	8	9	9	9
1-5 YRS	45	2.8	43	<1	<1	1	2	4	6	45
6-12 YRS	75	3.0	5	1	1	2	4	6	8	11
13-19 YRS	291	4.2	8	1	1	3	6	8	9	12
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	4.1	28	<1	<1	2	4	14	16	16
1-5 YRS	12	2.9	5	<1	1	2	4	6	9	9
6-12 YRS	28	3.8	6	1	2	3	6	7	8	11
13-19 YRS	194	3.7	14	1	1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.0	16	3	3	7	10	11	11	11
1-11 MOS	12	6.3	28	<1	1	4	9	14	17	18
1-5 YRS	42	3.8	19	<1	1	3	4	10	14	22
6-12 YRS	58	4.3	12	1	1	4	5	10	15	92
13-19 YRS	364	4.9	17	<1	1	4	6	10	12	21
B. *Operated*										
0-27 DYS	3	8.0	21	4	4	7	11	13	13	13
1-11 MOS	10	10.6	91	1	1	9	14	26	29	29
1-5 YRS	7	6.0	36	2	2	3	6	17	19	19
6-12 YRS	20	7.2	91	1	1	5	9	11	28	45
13-19 YRS	162	5.9	70	1	1	4	7	11	15	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	3.8	12	1	1	3	6	8	9	12
B. *Operated*	242	3.7	13	1	1	2	4	8	12	17
2. MULTIPLE DX										
A. *Not Operated*	479	4.8	17	<1	1	4	6	10	13	22
B. *Operated*	202	6.3	71	1	1	4	8	12	17	51
1. SINGLE DX	662	3.8	12	1	1	3	5	8	9	16
2. MULTIPLE DX	681	5.2	33	1	1	4	6	10	14	30
A. NOT OPERATED	899	4.3	15	1	1	3	6	9	11	19
B. OPERATED	444	4.9	41	1	1	3	6	10	14	30
TOTAL 0-27 DYS	9	6.7	14	1	2	7	9	12	13	13
1-11 MOS	36	6.9	45	<1	1	4	9	16	22	29
1-5 YRS	106	3.4	29	<1	<1	2	3	6	11	32
6-12 YRS	181	4.0	18	1	1	3	5	8	11	35
13-19 YRS	1011	4.6	23	1	1	3	6	9	12	21
GRAND TOTAL	**1343**	**4.5**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	14	4.0	7	2	2	4	4	7	11	12
1-5 YRS	295	2.7	3	1	1	2	3	5	6	9
6-12 YRS	216	3.8	8	1	1	3	5	7	8	16
13-19 YRS	124	4.7	16	1	2	3	6	9	11	23
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.3	9	<1	<1	2	4	9	10	10
1-5 YRS	102	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	119	2.6	6	<1	<1	2	3	6	8	12
13-19 YRS	726	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	3.5	7	<1	1	3	4	8	9	9
1-5 YRS	139	3.8	7	1	1	3	5	7	9	13
6-12 YRS	108	4.2	10	1	1	3	5	8	9	18
13-19 YRS	126	4.5	12	1	1	4	6	9	12	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	21	3.0	5	<1	<1	3	4	6	9	10
6-12 YRS	64	4.5	20	1	1	3	5	8	11	29
13-19 YRS	361	3.4	17	<1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	3.5	8	1	1	3	4	6	8	14
B. *Operated*	964	2.4	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	386	4.1	9	1	1	3	5	8	9	16
B. *Operated*	451	3.5	17	<1	1	2	4	7	10	18
1. SINGLE DX	1614	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	837	3.8	13	1	1	3	5	7	10	17
A. NOT OPERATED	1036	3.7	8	1	1	3	5	7	9	14
B. OPERATED	1415	2.7	8	<1	<1	2	3	5	7	12
TOTAL 0-27 DYS	4	4.8	9	2	2	4	7	9	9	9
1-11 MOS	46	3.5	7	<1	1	3	4	8	10	12
1-5 YRS	557	2.8	5	<1	1	2	4	5	7	10
6-12 YRS	507	3.7	10	1	1	3	5	7	9	16
13-19 YRS	1337	3.0	9	<1	1	2	4	6	8	13
GRAND TOTAL	**2451**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.8		2	2	3	3	3	3	3
1-5 YRS	11	2.4	1	<1	<1	3	3	4	4	4
6-12 YRS	80	3.1	4	1	1	3	4	5	7	11
13-19 YRS	843	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	22	1.5	3	<1	<1	1	1	3	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.8	3	2	2	3	6	6	6	6
1-5 YRS	15	3.0	2	<1	<1	3	4	5	5	5
6-12 YRS	98	3.2	3	1	1	3	4	5	7	9
13-19 YRS	924	3.3	3	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	1	1	2	2	2
B. *Operated*	939	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	28	1.4	2	<1	<1	1	1	2	6	7
B. *Operated*	1043	3.3	3	1	1	3	4	5	6	9
1. SINGLE DX	947	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX	1071	3.2	3	1	1	3	4	5	6	9
A. NOT OPERATED	36	1.4	2	<1	<1	1	1	2	5	7
B. OPERATED	1982	3.1	2	1	1	3	4	5	6	8
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	11	3.4	2	2	2	3	3	6	6	6
1-5 YRS	27	2.7	2	<1	<1	3	4	5	5	5
6-12 YRS	184	3.1	3	1	1	3	4	5	7	9
13-19 YRS	1795	3.0	2	1	1	3	4	5	6	8
GRAND TOTAL	**2018**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.4		<1	<1	1	2	2	2	2
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	8	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	8	1.4		1	1	1	2	2	2	2
1-5 YRS	163	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	343	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	673	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	9	1.0		<1	<1	1	1	1	1	1
13-19 YRS	16	2.3	12	<1	<1	1	1	6	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	28	2.1	2	<1	1	2	2	3	5	8
13-19 YRS	113	2.0	1	<1	<1	2	2	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5		<1	<1	1	2	2	3	3
B. *Operated*	1189	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	29	1.8	7	<1	<1	1	1	3	7	14
B. *Operated*	151	2.0	1	<1	<1	2	2	3	4	6
1. SINGLE DX	1206	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	180	2.0	2	<1	<1	2	2	3	5	8
A. NOT OPERATED	46	1.7	5	<1	<1	1	2	2	5	14
B. OPERATED	1340	1.6	1	<1	<1	1	2	3	3	5
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	1.7	1	1	1	1	2	3	4	4
1-5 YRS	183	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	382	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	810	1.7	1	<1	<1	1	2	3	3	5
GRAND TOTAL	**1386**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	16.8	30	12	12	17	21	22	22	22
1-11 MOS	20	16.7	99	6	7	13	22	33	38	39
1-5 YRS	118	10.4	59	1	2	8	15	22	25	32
6-12 YRS	126	13.9	73	3	4	12	18	27	29	43
13-19 YRS	73	12.8	87	2	3	11	17	26	29	42
B. *Operated*										
0-27 DYS										
1-11 MOS	11	13.4	64	1	3	12	15	26	31	31
1-5 YRS	64	13.6	93	3	4	12	18	29	32	43
6-12 YRS	117	15.0	114	1	3	14	22	29	34	44
13-19 YRS	153	12.8	135	2	2	10	17	29	35	64
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	18.5	96	7	7	18	26	30	30	30
1-11 MOS	19	18.3	205	2	3	14	22	45	49	50
1-5 YRS	96	14.5	114	2	4	11	21	30	38	46
6-12 YRS	95	15.8	85	2	4	15	23	29	30	38
13-19 YRS	98	13.5	96	2	4	10	18	28	36	39
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	26	24.8	220	6	7	21	33	47	51	57
1-5 YRS	72	18.0	170	2	4	16	24	35	46	58
6-12 YRS	192	19.7	175	3	5	17	27	41	47	58
13-19 YRS	221	18.5	178	3	4	15	25	37	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	12.6	75	2	3	11	17	24	29	40
B. *Operated*	345	13.7	118	2	2	11	19	29	34	47
2. MULTIPLE DX										
A. *Not Operated*	312	14.9	105	2	4	13	22	29	34	45
B. *Operated*	512	19.2	179	3	5	16	26	39	46	58
1. SINGLE DX	686	13.2	97	2	3	11	18	27	31	43
2. MULTIPLE DX	824	17.6	155	3	4	15	24	34	43	55
A. NOT OPERATED	653	13.7	90	2	3	11	20	28	31	43
B. OPERATED	857	17.0	162	2	4	15	23	34	43	56
TOTAL 0-27 DYS	9	18.8	60	7	9	21	24	29	30	30
1-11 MOS	76	19.4	174	4	5	15	24	43	47	55
1-5 YRS	350	13.7	110	2	3	11	20	29	33	47
6-12 YRS	530	16.6	127	2	4	14	23	30	41	49
13-19 YRS	545	15.3	146	2	3	13	21	32	39	56
GRAND TOTAL	**1510**	**15.6**	**133**	**2**	**4**	**13**	**22**	**30**	**39**	**50**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	117	5.4	20	<1	1	4	7	12	15	20
6-12 YRS	238	5.6	27	<1	1	4	7	13	15	28
13-19 YRS	150	3.9	39	1	1	2	4	7	15	63
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	12	5.3	8	1	1	6	7	8	11	11
1-5 YRS	143	4.2	30	<1	1	3	5	9	13	22
6-12 YRS	1100	5.2	24	1	1	4	7	10	13	24
13-19 YRS	2204	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	14	5.8	16	1	1	5	9	12	14	14
1-5 YRS	50	5.9	34	1	2	4	7	10	17	37
6-12 YRS	156	7.8	137	1	1	4	8	18	29	80
13-19 YRS	199	4.9	38	<1	1	3	5	10	20	99+
B. *Operated*										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	8	6.0	39	1	1	4	8	17	19	19
1-5 YRS	71	4.4	26	<1	<1	3	5	9	11	27
6-12 YRS	355	7.1	60	1	1	5	8	15	23	42
13-19 YRS	1019	5.1	44	1	1	3	6	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	5.0	29	<1	1	3	7	11	15	26
B. *Operated*	3460	4.3	17	1	1	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	423	6.1	75	1	1	4	7	12	23	85
B. *Operated*	1455	5.6	48	1	1	3	6	12	19	36
1. SINGLE DX	3972	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX	1878	5.7	54	1	1	3	6	12	19	41
A. NOT OPERATED	935	5.5	50	<1	1	4	7	12	17	49
B. OPERATED	4915	4.7	26	1	1	3	6	9	13	27
TOTAL 0-27 DYS	11	3.7	16	1	1	2	5	9	15	15
1-11 MOS	37	5.4	17	1	1	5	6	11	13	19
1-5 YRS	381	4.8	27	<1	1	3	6	10	14	23
6-12 YRS	1849	5.9	42	1	1	4	7	12	16	35
13-19 YRS	3572	4.3	24	1	1	3	5	8	12	27
GRAND TOTAL	**5850**	**4.8**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	9	3.2	8	1	1	2	4	8	10	10
13-19 YRS	13	2.2	6	<1	<1	1	2	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	26	3.6	2	1	1	4	4	6	6	6
1-5 YRS	104	3.3	12	1	1	3	4	5	5	20
6-12 YRS	294	4.1	12	1	2	4	5	6	8	16
13-19 YRS	457	4.0	27	<1	1	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	113	1	1	8	16	16	16	16
1-5 YRS	24	2.5	5	<1	1	2	3	5	7	11
6-12 YRS	32	2.8	11	<1	<1	1	4	8	15	99+
13-19 YRS	33	6.5	78	1	1	3	8	18	26	42
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	15	3.5	1	2	2	3	4	5	6	6
1-5 YRS	264	3.7	8	1	1	3	4	6	7	25
6-12 YRS	572	5.2	48	1	2	4	5	8	10	48
13-19 YRS	634	5.5	37	1	2	4	6	9	12	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.4	6	<1	<1	1	3	6	9	10
B. *Operated*	881	4.0	19	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	91	4.2	38	<1	<1	2	4	13	18	76
B. *Operated*	1487	5.1	36	1	2	4	6	8	11	35
1. SINGLE DX	908	3.9	19	1	1	3	4	6	8	17
2. MULTIPLE DX	1578	5.0	36	1	1	4	5	8	11	36
A. NOT OPERATED	118	3.8	31	<1	<1	2	4	10	16	60
B. OPERATED	2368	4.7	30	1	2	4	5	7	10	31
TOTAL 0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	45	3.7	5	1	1	4	4	6	6	16
1-5 YRS	395	3.5	9	1	1	3	4	5	7	21
6-12 YRS	907	4.8	35	1	2	4	5	7	10	40
13-19 YRS	1137	4.9	34	1	1	4	5	9	11	26
GRAND TOTAL	**2486**	**4.6**	**30**	**1**	**1**	**4**	**5**	**7**	**10**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	10	1	1	2	6	7	7	7
13-19 YRS	8	3.4	2	<1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	6	3.7	5	1	1	4	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	3	12.7	185	2	2	8	23	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	4	<1	1	3	5	6	7	7
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	10	3.5	4	1	1	3	6	6	6	6
B. *Operated*	6	7.5	107	1	1	3	8	26	28	28
1. SINGLE DX	13	3.0	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX	16	5.0	42	1	1	3	6	8	22	28
A. NOT OPERATED	21	3.4	4	<1	1	3	5	6	7	7
B. OPERATED	8	5.9	85	<1	<1	2	6	22	28	28
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS										
6-12 YRS	8	2.6	4	1	1	2	3	6	7	7
13-19 YRS	19	4.7	36	<1	<1	3	5	7	19	28
GRAND TOTAL	**29**	**4.1**	**25**	**<1**	**1**	**3**	**5**	**7**	**9**	**28**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	9	2.1	2	1	1	2	3	4	5	5
1-5 YRS	67	2.2	2	<1	1	2	3	4	5	7
6-12 YRS	194	2.4	4	<1	1	2	3	5	7	11
13-19 YRS	414	3.1	21	1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	20	2.6	3	<1	<1	2	4	5	6	6
1-5 YRS	170	2.7	6	<1	<1	2	3	5	7	12
6-12 YRS	442	5.3	23	<1	1	3	9	11	13	21
13-19 YRS	1528	5.3	22	<1	1	3	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	17	3.0	4	<1	1	2	5	5	7	8
1-5 YRS	108	2.5	7	<1	1	2	3	6	7	14
6-12 YRS	206	3.9	24	1	1	3	4	7	10	28
13-19 YRS	443	4.4	35	<1	1	3	5	9	12	25
B. *Operated*										
0-27 DYS	2	18.5	613	1	1	18	36	36	36	36
1-11 MOS	31	5.4	136	<1	1	2	3	9	15	66
1-5 YRS	342	3.8	12	1	1	3	4	7	10	21
6-12 YRS	557	6.5	68	1	1	4	8	14	20	51
13-19 YRS	1680	5.6	66	1	1	3	7	13	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	2.8	14	1	1	2	3	6	8	12
B. *Operated*	2162	5.1	21	<1	1	3	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	776	4.0	28	<1	1	3	5	8	11	24
B. *Operated*	2612	5.6	61	1	1	3	7	13	18	43
1. SINGLE DX	2850	4.5	21	<1	1	2	7	11	13	20
2. MULTIPLE DX	3388	5.2	54	1	1	3	6	12	16	37
A. NOT OPERATED	1464	3.4	22	<1	1	2	4	7	9	18
B. OPERATED	4774	5.3	43	<1	1	3	8	12	15	30
TOTAL 0-27 DYS	10	5.3	117	<1	<1	2	3	20	36	36
1-11 MOS	77	3.8	57	<1	<1	2	4	6	8	52
1-5 YRS	687	3.2	9	<1	1	2	4	6	8	19
6-12 YRS	1399	5.2	40	1	1	3	7	11	15	33
13-19 YRS	4065	5.1	42	<1	1	3	7	11	15	28
GRAND TOTAL	**6238**	**4.9**	**39**	**<1**	**1**	**3**	**6**	**11**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	7	2:1	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	12	4	4	4	9	10	10	10
13-19 YRS	17	4.2	5	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	1	1	1	2	3	4	4	4
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	20	4.5	6	1	1	4	6	7	9	10
B. *Operated*	2	2.0		2	2	2	2	2	2	2
1. SINGLE DX	9	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX	22	4.2	6	1	1	4	6	7	8	10
A. NOT OPERATED	28	3.8	6	1	1	3	5	7	8	10
B. OPERATED	3	2.0		2	2	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	5.0	12	2	2	4	7	10	10	10
13-19 YRS	26	3.5	4	1	1	3	5	7	7	7
GRAND TOTAL	**31**	**3.6**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**10**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	4.8	25	1	1	2	8	13	13	13
1-11 MOS	36	2.3	6	<1	<1	2	2	5	7	13
1-5 YRS	79	2.2	15	<1	<1	1	2	5	6	25
6-12 YRS	18	2.9	8	<1	<1	2	3	6	10	13
13-19 YRS	36	3.8	30	1	1	2	4	7	17	28
B. *Operated*										
0-27 DYS	63	9.0	36	1	3	8	12	16	21	31
1-11 MOS	144	6.1	9	2	3	6	8	9	11	17
1-5 YRS	81	5.7	15	1	2	5	7	11	13	22
6-12 YRS	71	6.2	32	1	2	5	8	13	16	32
13-19 YRS	42	4.7	13	1	1	4	7	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	34	9.0	115	1	1	5	10	22	29	53
1-11 MOS	135	4.7	34	1	1	3	5	10	17	31
1-5 YRS	234	5.2	85	<1	1	3	5	11	15	81
6-12 YRS	86	7.7	208	1	1	4	8	28	94	99+
13-19 YRS	84	6.1	106	1	1	4	6	10	21	92
B. *Operated*										
0-27 DYS	54	19.2	244	3	5	14	27	50	56	98
1-11 MOS	166	11.6	182	2	2	7	12	30	39	91
1-5 YRS	227	8.3	80	1	2	6	10	19	25	84
6-12 YRS	179	10.1	144	2	2	5	11	24	37	62
13-19 YRS	107	9.7	67	2	2	7	14	22	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.7	16	<1	<1	1	3	6	8	26
B. *Operated*	401	6.4	21	2	2	6	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	573	5.8	97	<1	1	3	6	13	22	99
B. *Operated*	733	10.5	136	2	2	7	13	24	36	72
1. SINGLE DX	578	5.2	22	<1	1	4	7	10	14	24
2. MULTIPLE DX	1306	8.4	124	1	1	5	10	21	31	85
A. NOT OPERATED	750	5.1	80	<1	1	3	5	11	18	93
B. OPERATED	1134	9.0	99	2	2	6	10	20	29	57
TOTAL 0-27 DYS	159	12.2	147	1	2	9	15	28	47	60
1-11 MOS	481	7.3	86	1	1	5	8	15	25	44
1-5 YRS	621	6.0	69	<1	1	4	7	14	20	52
6-12 YRS	354	8.3	133	1	2	5	9	22	35	99
13-19 YRS	269	7.0	71	1	1	4	8	17	23	47
GRAND TOTAL	**1884**	**7.5**	**95**	**1**	**1**	**4**	**9**	**17**	**26**	**72**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	140	1.2		<1	<1	<1	1	2	2	4
1-5 YRS	170	1.3	1	<1	<1	<1	1	2	4	7
6-12 YRS	12	3.1	26	<1	<1	1	3	9	18	19
13-19 YRS	6	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-27 DYS	28	2.1	2	<1	1	2	2	3	5	7
1-11 MOS	210	1.9	4	<1	<1	1	2	3	4	8
1-5 YRS	708	1.9	3	<1	<1	2	2	3	4	9
6-12 YRS	604	1.9	2	<1	<1	2	2	3	4	7
13-19 YRS	345	2.1	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	5.1	24	1	1	4	7	13	15	15
1-11 MOS	48	1.7	2	<1	<1	1	2	4	4	7
1-5 YRS	105	1.7	3	<1	<1	1	1	3	5	10
6-12 YRS	22	1.8	2	<1	<1	1	2	3	5	6
13-19 YRS	15	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS	19	5.7	163	1	1	2	4	10	38	57
1-11 MOS	100	2.9	15	<1	<1	2	3	6	8	23
1-5 YRS	278	2.3	3	<1	1	2	3	4	6	9
6-12 YRS	228	2.6	9	<1	1	2	3	5	7	14
13-19 YRS	144	3.0	8	1	1	2	3	5	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	1.3	2	<1	<1	<1	1	2	4	6
B. *Operated*	1895	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	197	1.8	3	<1	<1	1	2	4	5	11
B. *Operated*	769	2.7	12	<1	1	2	3	5	7	15
1. SINGLE DX	2225	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	966	2.5	10	<1	<1	2	3	5	7	14
A. NOT OPERATED	527	1.5	2	<1	<1	1	1	3	4	8
B. OPERATED	2664	2.2	5	<1	<1	2	2	4	5	9
TOTAL 0-27 DYS	56	3.7	60	1	1	2	3	6	12	54
1-11 MOS	498	1.9	5	<1	<1	1	2	3	5	10
1-5 YRS	1261	1.9	3	<1	<1	2	2	3	5	8
6-12 YRS	866	2.1	4	<1	<1	2	2	4	5	9
13-19 YRS	510	2.3	3	<1	1	2	3	4	5	8
GRAND TOTAL	**3191**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	3.1	15	<1	1	3	3	4	6	24
1-11 MOS	58	3.2	15	<1	<1	2	4	6	9	21
1-5 YRS	44	2.4	4	<1	<1	1	3	6	7	8
6-12 YRS	23	2.3	3	<1	1	2	3	4	6	9
13-19 YRS	20	2.5	9	<1	<1	2	3	4	9	14
B. *Operated*										
0-27 DYS	34	7.5	24	1	1	8	10	13	16	21
1-11 MOS	576	5.5	27	1	1	4	8	11	14	25
1-5 YRS	1524	4.4	14	1	1	3	7	9	11	16
6-12 YRS	541	4.5	17	1	1	2	7	9	12	19
13-19 YRS	366	4.5	18	1	1	2	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	114	5.7	32	1	1	4	7	11	16	34
1-11 MOS	368	4.8	39	<1	1	3	6	10	14	25
1-5 YRS	359	3.7	38	<1	<1	2	4	7	11	36
6-12 YRS	73	2.7	5	<1	1	2	3	6	7	11
13-19 YRS	92	4.0	22	1	1	3	5	8	11	29
B. *Operated*										
0-27 DYS	225	13.5	176	2	2	10	17	30	41	84
1-11 MOS	1612	8.8	117	1	1	6	11	20	30	67
1-5 YRS	2359	6.1	51	1	1	3	8	13	18	37
6-12 YRS	786	5.7	45	1	1	3	8	12	15	36
13-19 YRS	508	6.1	52	1	1	2	8	13	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	2.8	10	<1	<1	2	3	5	7	21
B. *Operated*	3041	4.7	18	1	1	3	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	1006	4.3	35	<1	1	3	5	9	12	32
B. *Operated*	5490	7.1	78	1	1	5	9	16	23	51
1. SINGLE DX	3221	4.5	18	1	1	2	7	9	12	20
2. MULTIPLE DX	6496	6.7	72	1	1	3	9	15	21	49
A. NOT OPERATED	1186	4.0	31	<1	1	2	5	8	11	29
B. OPERATED	8531	6.3	58	1	1	4	8	13	19	40
TOTAL 0-27 DYS	408	9.9	126	1	2	7	13	22	32	76
1-11 MOS	2614	7.4	87	1	1	4	10	16	24	52
1-5 YRS	4286	5.2	38	1	1	2	7	11	15	32
6-12 YRS	1423	5.1	33	1	1	2	7	10	14	26
13-19 YRS	986	5.2	36	1	1	2	8	11	15	31
GRAND TOTAL	**9717**	**6.0**	**55**	**1**	**1**	**3**	**8**	**13**	**18**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	13	2.0	3	<1	<1	1	3	5	5	5
1-5 YRS	8	2.4	8	<1	<1	1	2	7	9	9
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	28	3.5	4	1	1	3	5	7	7	8
1-11 MOS	778	3.9	4	2	2	3	5	7	7	8
1-5 YRS	662	3.6	3	1	2	3	5	6	7	8
6-12 YRS	225	2.9	2	1	1	3	4	5	5	7
13-19 YRS	175	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	5.3	21	<1	1	4	6	13	16	17
1-11 MOS	65	2.0	13	<1	<1	1	1	4	8	23
1-5 YRS	75	1.2		<1	<1	1	1	2	2	3
6-12 YRS	8	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	7	1.6	2	1	1	1	1	4	5	5
B. *Operated*										
0-27 DYS	14	6.4	52	2	2	4	6	17	26	28
1-11 MOS	481	4.6	21	2	2	4	5	7	8	23
1-5 YRS	708	4.2	8	2	2	4	5	7	8	13
6-12 YRS	230	3.3	10	1	2	3	4	5	6	9
13-19 YRS	227	3.5	4	1	2	3	5	7	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	5	<1	<1	1	4	6	7	9
B. *Operated*	1868	3.6	3	1	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	167	1.8	8	<1	<1	1	1	3	5	16
B. *Operated*	1660	4.1	12	1	2	3	5	7	8	14
1. SINGLE DX	1892	3.6	3	1	2	3	5	6	7	8
2. MULTIPLE DX	1827	3.9	12	1	1	3	5	7	8	14
A. NOT OPERATED	191	1.9	7	<1	<1	1	1	4	6	15
B. OPERATED	3528	3.8	7	1	2	3	5	6	7	11
TOTAL 0-27 DYS	56	4.7	20	1	2	4	6	7	14	27
1-11 MOS	1337	4.0	11	1	2	3	5	7	8	12
1-5 YRS	1453	3.8	6	1	2	3	5	6	7	11
6-12 YRS	463	3.1	6	1	1	3	4	5	6	7
13-19 YRS	410	3.2	3	1	1	3	4	6	7	10
GRAND TOTAL	**3719**	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	2.2	2	1	1	2	3	4	5	7
1-11 MOS	40	2.2	1	<1	<1	2	3	4	4	6
1-5 YRS	8	4.8	12	2	2	3	7	10	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	602	3.4	3	1	2	3	4	5	6	9
1-11 MOS	1359	3.3	3	1	2	3	4	5	6	9
1-5 YRS	178	4.3	4	2	2	4	6	7	8	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	2.6	2	1	1	2	4	4	5	6
1-11 MOS	39	3.0	4	1	1	2	4	6	7	9
1-5 YRS	10	4.2	4	2	2	3	6	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	158	5.3	12	2	2	4	6	10	12	19
1-11 MOS	388	4.5	9	2	2	4	5	7	9	11
1-5 YRS	50	7.5	30	3	4	6	9	13	17	34
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	2139	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	72	3.0	3	1	1	2	4	6	7	9
B. *Operated*	596	4.9	12	2	2	4	6	8	11	18
1. SINGLE DX	2217	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.7	12	2	2	4	6	8	10	17
A. NOT OPERATED	150	2.7	3	1	1	2	3	5	6	9
B. OPERATED	2735	3.8	5	2	2	3	4	6	7	12
TOTAL 0-27 DYS	813	3.7	5	1	2	3	4	6	7	12
1-11 MOS	1826	3.6	4	1	2	3	4	5	7	10
1-5 YRS	246	5.0	11	2	2	4	6	8	10	17
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2885**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	37	3.9	13	1	1	3	4	8	13	17
1-11 MOS	124	3.3	20	<1	<1	2	3	6	10	29
1-5 YRS	130	2.0	6	<1	<1	1	2	4	6	14
6-12 YRS	44	2.2	5	<1	<1	1	3	4	6	12
13-19 YRS	21	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS	76	8.9	46	1	2	8	11	18	24	36
1-11 MOS	348	6.5	39	1	1	5	9	15	18	28
1-5 YRS	439	4.6	19	<1	<1	3	7	10	12	21
6-12 YRS	198	3.8	11	<1	1	3	5	7	10	15
13-19 YRS	188	3.5	8	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	3.9	14	1	1	3	4	8	15	18
1-11 MOS	221	5.5	59	1	1	3	6	12	19	55
1-5 YRS	205	5.0	37	<1	1	3	6	11	15	39
6-12 YRS	31	4.1	20	<1	<1	3	4	10	14	21
13-19 YRS	29	5.3	59	<1	<1	3	5	10	23	39
B. *Operated*										
0-27 DYS	108	17.9	343	2	3	12	23	46	68	99+
1-11 MOS	397	11.0	156	1	2	7	13	25	35	60
1-5 YRS	499	8.4	90	1	1	6	10	17	27	64
6-12 YRS	230	5.7	31	1	1	4	7	12	16	27
13-19 YRS	224	4.3	14	1	1	3	6	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	2.7	12	<1	<1	2	3	6	8	17
B. *Operated*	1249	5.1	25	<1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	535	5.1	44	<1	1	3	6	11	17	39
B. *Operated*	1458	8.7	118	1	1	6	10	19	29	67
1. SINGLE DX	1605	4.6	23	<1	<1	3	6	10	13	23
2. MULTIPLE DX	1993	7.8	100	1	1	5	9	16	26	58
A. NOT OPERATED	891	4.1	32	<1	<1	2	5	9	14	32
B. OPERATED	2707	7.1	78	1	1	5	9	15	22	53
TOTAL 0-27 DYS	270	10.9	190	1	2	6	13	25	40	93
1-11 MOS	1090	7.6	91	1	1	5	9	16	25	55
1-5 YRS	1273	5.9	53	<1	<1	4	8	12	17	41
6-12 YRS	503	4.5	21	<1	1	3	5	10	13	25
13-19 YRS	462	3.9	14	1	1	3	5	8	10	16
GRAND TOTAL	**3598**	**6.3**	**68**	**<1**	**1**	**4**	**8**	**14**	**21**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	10	1.1		<1	<1	<1	1	2	2	2
6-12 YRS	8	1.1		<1	<1	1	1	2	2	2
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	29	1.7	1	<1	<1	1	2	3	3	4
1-5 YRS	1179	1.7	1	<1	<1	2	2	3	4	5
6-12 YRS	1004	2.0	1	<1	1	2	3	3	4	6
13-19 YRS	316	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	99	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	40	1.3	1	<1	<1	1	1	3	3	4
13-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	4	1.5		<1	<1	1	2	2	2	2
1-11 MOS	75	1.8	1	<1	<1	1	2	3	5	7
1-5 YRS	1326	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	852	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	262	2.6	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.1		<1	<1	1	1	2	2	2
B. *Operated*	2529	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	150	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	2519	2.1	2	<1	<1	2	3	4	5	7
1. SINGLE DX	2552	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2669	2.1	2	<1	<1	2	3	4	5	7
A. NOT OPERATED	173	1.3		<1	<1	1	1	2	3	4
B. OPERATED	5048	2.0	2	<1	<1	2	2	4	4	7
TOTAL 0-27 DYS	6	1.3		<1	<1	1	2	2	2	2
1-11 MOS	109	1.8	1	<1	<1	1	2	3	4	6
1-5 YRS	2614	1.8	1	<1	<1	2	2	3	4	6
6-12 YRS	1904	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	588	2.5	2	1	1	2	3	4	5	8
GRAND TOTAL	**5221**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	1.7	1	<1	<1	1	2	3	4	4
1-11 MOS	11	2.4	4	<1	<1	1	4	5	5	5
1-5 YRS	47	1.8	3	<1	<1	1	2	4	7	8
6-12 YRS	17	3.5	12	1	1	2	4	9	12	14
13-19 YRS	22	2.2	2	<1	<1	2	2	4	5	6
B. *Operated*										
0-27 DYS	34	6.4	21	1	1	5	9	12	16	21
1-11 MOS	269	4.2	12	<1	1	3	6	9	12	15
1-5 YRS	1694	4.7	15	<1	1	4	7	10	12	15
6-12 YRS	423	4.4	15	<1	1	3	7	10	12	17
13-19 YRS	377	4.3	14	<1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	5.7	24	1	1	4	9	14	15	15
1-11 MOS	51	4.4	82	<1	<1	1	4	8	15	55
1-5 YRS	138	2.3	7	<1	<1	1	3	5	8	14
6-12 YRS	35	3.6	12	<1	<1	2	4	7	12	14
13-19 YRS	39	2.7	5	<1	<1	2	3	5	8	12
B. *Operated*										
0-27 DYS	39	9.9	57	2	2	8	13	22	26	33
1-11 MOS	229	7.2	42	<1	1	6	9	14	17	31
1-5 YRS	1100	5.9	29	<1	1	5	8	12	16	27
6-12 YRS	374	6.5	51	<1	1	4	8	13	17	39
13-19 YRS	422	6.3	28	1	1	5	8	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.2	4	<1	<1	1	2	5	7	11
B. *Operated*	2797	4.6	15	<1	1	3	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	276	3.1	23	<1	<1	1	3	7	11	15
B. *Operated*	2164	6.3	35	<1	1	5	8	13	16	31
1. SINGLE DX	2905	4.5	14	<1	1	3	7	10	12	16
2. MULTIPLE DX	2440	5.9	35	<1	1	4	8	12	16	31
A. NOT OPERATED	384	2.8	18	<1	<1	1	3	6	9	15
B. OPERATED	4961	5.3	24	<1	1	4	7	11	14	25
TOTAL 0-27 DYS	97	7.2	40	1	1	5	10	16	21	30
1-11 MOS	560	5.4	33	<1	1	4	7	12	14	28
1-5 YRS	2979	5.0	20	<1	1	4	7	11	13	22
6-12 YRS	849	5.3	32	<1	1	3	7	12	14	32
13-19 YRS	860	5.2	22	<1	1	4	7	12	14	21
GRAND TOTAL	**5345**	**5.2**	**24**	**<1**	**1**	**4**	**7**	**11**	**13**	**24**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	28	4	4	6	12	14	14	14
1-11 MOS	30	1.6	7	<1	<1	<1	1	2	2	15
1-5 YRS	19	1.2		<1	<1	<1	1	2	3	3
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	603	3.2	5	1	1	3	4	5	7	11
1-5 YRS	564	3.3	3	1	1	3	4	5	7	10
6-12 YRS	214	3.9	5	1	2	4	5	7	7	11
13-19 YRS	172	4.1	6	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	44	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	49	1.3	1	<1	<1	1	1	2	2	7
6-12 YRS	21	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	6	1.0		1	1	1	1	80	99+	99+
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	146	4.0	6	1	1	3	5	8	10	12
1-5 YRS	339	4.3	46	1	2	3	5	7	9	24
6-12 YRS	250	4.0	5	1	2	4	5	7	8	11
13-19 YRS	277	4.5	19	1	2	4	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	1.8	7	<1	<1	<1	1	3	6	15
B. *Operated*	1554	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	120	1.3	1	<1	<1	1	1	2	3	34
B. *Operated*	1013	4.2	23	1	2	3	5	7	9	15
1. SINGLE DX	1613	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1133	3.9	21	1	1	3	5	7	9	15
A. NOT OPERATED	179	1.5	3	<1	<1	1	1	2	4	15
B. OPERATED	2567	3.8	12	1	1	3	4	6	8	12
TOTAL 0-27 DYS	5	5.6	25	2	2	4	8	14	14	14
1-11 MOS	823	3.2	5	<1	1	3	4	5	7	12
1-5 YRS	971	3.5	18	<1	1	3	4	5	7	12
6-12 YRS	489	3.8	5	1	1	3	5	7	8	11
13-19 YRS	458	4.3	14	1	2	4	5	7	8	19
GRAND TOTAL	**2746**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.7	7	<1	<1	3	6	8	9	9
1-11 MOS	249	2.6	27	<1	<1	1	2	5	9	20
1-5 YRS	303	2.1	6	<1	<1	1	2	4	6	13
6-12 YRS	54	3.0	7	<1	<1	2	4	9	12	99+
13-19 YRS	85	4.8	91	<1	1	3	5	8	11	95
B. *Operated*										
0-27 DYS	26	6.1	46	<1	<1	4	7	13	19	33
1-11 MOS	938	5.0	20	<1	1	4	6	10	16	23
1-5 YRS	1799	3.6	15	<1	1	2	4	7	10	21
6-12 YRS	1223	3.7	16	1	1	3	5	7	9	17
13-19 YRS	1485	3.9	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	69	7.1	119	1	2	4	7	14	28	94
1-11 MOS	327	5.1	53	<1	1	3	6	12	16	40
1-5 YRS	410	4.1	61	<1	<1	2	4	8	15	40
6-12 YRS	168	4.0	25	<1	<1	2	4	10	14	33
13-19 YRS	131	6.3	161	<1	1	3	7	12	24	94
B. *Operated*										
0-27 DYS	43	16.7	145	2	3	15	28	34	42	99+
1-11 MOS	409	7.9	95	1	1	5	9	20	33	99+
1-5 YRS	1015	5.8	61	1	1	4	6	11	18	39
6-12 YRS	719	6.3	68	1	2	4	7	12	18	57
13-19 YRS	854	5.8	52	1	1	4	7	11	15	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	2.7	24	<1	<1	2	3	6	9	24
B. *Operated*	5471	4.0	15	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	1105	4.8	69	<1	<1	2	5	10	16	61
B. *Operated*	3040	6.4	67	1	1	4	7	13	20	50
1. SINGLE DX	6188	3.8	16	<1	1	3	5	7	10	20
2. MULTIPLE DX	4145	5.9	68	1	1	4	7	12	19	51
A. NOT OPERATED	1822	4.0	53	<1	<1	2	4	9	13	57
B. OPERATED	8511	4.8	35	1	1	3	6	9	14	32
TOTAL 0-27 DYS	164	8.9	119	1	1	5	11	27	33	95
1-11 MOS	1923	5.3	45	<1	1	3	6	12	17	39
1-5 YRS	3527	4.2	34	<1	1	2	5	8	12	27
6-12 YRS	2164	4.6	35	1	1	3	5	9	12	35
13-19 YRS	2555	4.7	36	1	1	3	6	9	12	28
GRAND TOTAL	**10333**	**4.7**	**38**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7122	2.9	11	1	1	2	3	5	7	19
1-11 MOS	654	4.5	44	1	1	3	5	9	14	29
1-5 YRS	772	4.9	24	1	1	3	6	11	15	22
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	81	4.9	24	1	1	3	5	10	16	27
1-11 MOS	73	3.7	20	<1	<1	2	4	9	14	23
1-5 YRS	44	2.9	11	<1	<1	2	3	5	12	16
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3913	7.9	111	1	2	4	9	20	29	54
1-11 MOS	1133	9.8	160	1	1	5	11	26	38	71
1-5 YRS	862	11.0	149	1	2	6	14	28	36	62
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	413	20.2	448	3	4	12	28	61	89	99+
1-11 MOS	168	14.4	296	1	1	9	23	51	92	99+
1-5 YRS	122	19.2	568	1	2	9	29	76	99	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8548	3.2	16	1	1	2	3	5	9	21
B. *Operated*	198	4.0	20	<1	<1	2	4	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	5908	8.7	127	1	2	4	10	22	32	58
B. *Operated*	703	18.7	437	1	2	11	27	61	89	99+
1. SINGLE DX	8746	3.2	16	1	1	2	3	6	9	21
2. MULTIPLE DX	6611	9.8	170	1	2	5	11	26	39	77
A. NOT OPERATED	14456	5.5	68	1	1	3	5	12	21	45
B. OPERATED	901	15.4	382	1	1	8	21	52	78	99+
TOTAL 0-27 DYS	11529	5.2	75	1	1	3	4	11	20	51
1-11 MOS	2028	8.2	138	1	1	4	9	23	36	76
1-5 YRS	1800	8.8	137	1	2	4	10	21	32	72
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**15357**	**6.0**	**92**	**1**	**1**	**3**	**5**	**14**	**24**	**56**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	79	3.9	6	<1	1	3	5	7	8	11
1-11 MOS	817	3.0	7	1	1	2	4	5	7	15
1-5 YRS	2963	2.5	3	1	1	2	3	4	5	9
6-12 YRS	1380	2.6	4	1	1	2	3	5	6	10
13-19 YRS	1376	2.8	5	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	8	7.5	63	1	1	4	12	21	23	23
1-5 YRS	22	4.5	21	1	1	3	4	12	17	17
6-12 YRS	10	2.8	5	1	1	2	5	6	7	7
13-19 YRS	24	3.1	3	1	2	3	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	71	4.8	19	1	2	4	5	10	14	26
1-11 MOS	1581	3.6	14	1	1	3	4	6	9	18
1-5 YRS	6405	2.9	7	1	1	2	3	5	6	12
6-12 YRS	1244	3.4	11	1	1	3	4	6	9	16
13-19 YRS	1174	4.0	17	1	1	3	5	8	10	20
B. *Operated*										
0-27 DYS	4	5.8	18	3	3	4	8	12	12	12
1-11 MOS	67	8.7	106	2	2	5	11	19	26	64
1-5 YRS	94	6.1	36	1	2	4	6	15	24	70
6-12 YRS	37	8.7	154	2	2	5	9	16	41	61
13-19 YRS	61	7.0	57	1	2	5	7	16	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6615	2.6	4	1	1	2	3	5	6	10
B. *Operated*	64	4.1	18	1	1	3	4	9	16	22
2. MULTIPLE DX										
A. *Not Operated*	10475	3.2	10	1	1	2	4	6	8	15
B. *Operated*	263	7.3	75	1	2	5	8	17	25	59
1. SINGLE DX	6679	2.6	5	1	1	2	3	5	6	10
2. MULTIPLE DX	10738	3.3	12	1	1	3	4	6	8	16
A. NOT OPERATED	17090	3.0	8	1	1	2	4	5	7	13
B. OPERATED	327	6.7	65	1	2	4	7	16	24	52
TOTAL 0-27 DYS	154	4.4	12	1	1	4	5	8	12	16
1-11 MOS	2473	3.5	15	1	1	3	4	6	9	19
1-5 YRS	9484	2.8	6	1	1	2	3	5	6	11
6-12 YRS	2671	3.0	10	1	1	2	4	5	7	14
13-19 YRS	2635	3.4	12	1	1	3	4	6	8	16
GRAND TOTAL	**17417**	**3.0**	**9**	**1**	**1**	**2**	**4**	**5**	**7**	**14**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	183	2.9	2	1	1	3	4	4	5	8
1-11 MOS	676	2.7	2	1	1	2	3	4	5	7
1-5 YRS	761	2.9	8	1	1	2	3	5	6	11
6-12 YRS	275	2.7	2	1	1	3	3	5	5	7
13-19 YRS	159	3.6	5	1	2	3	4	7	9	11
B. *Operated*										
0-27 DYS	3	8.7	96	3	3	3	16	20	20	20
1-11 MOS	7	3.4	4	1	1	3	5	7	7	7
1-5 YRS	12	6.2	10	2	2	6	8	11	11	11
6-12 YRS	7	5.1	23	<1	<1	2	8	13	14	14
13-19 YRS	13	7.6	23	1	3	6	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	211	3.3	3	1	2	3	4	5	6	9
1-11 MOS	1189	3.1	5	1	1	3	4	5	6	11
1-5 YRS	1716	3.2	6	1	1	3	4	6	7	12
6-12 YRS	581	3.6	9	1	1	3	4	6	8	16
13-19 YRS	422	3.9	6	1	2	3	4	7	9	13
B. *Operated*										
0-27 DYS	5	4.0	3	2	2	4	5	6	6	6
1-11 MOS	38	6.6	48	1	2	4	8	13	19	38
1-5 YRS	60	6.7	68	1	2	4	7	13	22	45
6-12 YRS	29	8.7	32	3	3	8	11	14	23	28
13-19 YRS	36	8.5	26	1	2	8	12	13	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2054	2.8	4	1	1	2	3	5	6	9
B. *Operated*	42	6.2	21	1	2	5	8	14	15	20
2. MULTIPLE DX										
A. *Not Operated*	4119	3.3	6	1	1	3	4	6	7	12
B. *Operated*	168	7.3	47	1	2	5	9	13	20	41
1. SINGLE DX	2096	2.9	5	1	1	3	3	5	6	10
2. MULTIPLE DX	4287	3.5	8	1	1	3	4	6	8	15
A. NOT OPERATED	6173	3.2	6	1	1	3	4	5	7	11
B. OPERATED	210	7.1	42	1	2	5	9	14	18	40
TOTAL 0-27 DYS	402	3.2	3	1	1	3	4	5	6	8
1-11 MOS	1910	3.0	5	1	1	3	4	5	6	11
1-5 YRS	2549	3.2	8	1	1	3	4	5	7	12
6-12 YRS	892	3.5	8	1	1	3	4	6	8	15
13-19 YRS	630	4.1	9	1	2	3	5	8	10	15
GRAND TOTAL	**6383**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	38	1.7	1	<1	1	1	2	3	3	4
6-12 YRS	223	2.2	1	1	1	2	3	4	4	6
13-19 YRS	447	2.8	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	30	3.0	6	1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.2	22	2	2	4	10	13	13	13
1-5 YRS	73	2.5	5	1	1	2	3	5	7	13
6-12 YRS	303	2.8	3	1	1	2	3	5	6	10
13-19 YRS	628	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.0	139	2	2	9	21	25	25	25
6-12 YRS	13	5.2	20	2	2	3	6	11	17	18
13-19 YRS	36	6.4	50	1	1	3	9	14	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	710	2.5	3	1	1	2	3	5	5	9
B. *Operated*	35	2.9	5	1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1010	3.1	5	1	1	3	4	6	7	12
B. *Operated*	52	6.4	47	1	2	3	9	15	22	36
1. SINGLE DX	745	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1062	3.3	8	1	1	3	4	6	8	14
A. NOT OPERATED	1720	2.9	4	1	1	2	4	5	6	11
B. OPERATED	87	5.0	33	1	1	3	7	10	18	32
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	5.7	19	2	2	4	9	13	13	13
1-5 YRS	115	2.5	8	<1	1	2	3	4	7	18
6-12 YRS	543	2.6	3	1	1	2	3	5	6	9
13-19 YRS	1141	3.2	7	1	1	3	4	6	7	12
GRAND TOTAL	**1807**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	19	1.5	1	<1	<1	1	2	2	4	5
6-12 YRS	42	2.3	2	<1	<1	2	3	4	5	8
13-19 YRS	34	2.9	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	30	1.3	1	<1	<1	1	1	3	5	99+
6-12 YRS	54	1.9	4	<1	<1	1	2	5	6	11
13-19 YRS	48	3.0	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	58	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	56	2.2	3	<1	<1	2	3	4	5	10
13-19 YRS	61	2.5	3	<1	1	2	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	25	2.3	4	<1	1	2	2	4	6	11
6-12 YRS	29	2.5	2	1	1	2	4	5	5	6
13-19 YRS	45	4.3	8	1	2	3	6	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.3	2	<1	<1	2	3	5	5	8
B. *Operated*	134	2.2	4	<1	<1	1	3	5	6	24
2. MULTIPLE DX										
A. *Not Operated*	178	2.3	2	<1	1	2	3	4	5	9
B. *Operated*	99	3.3	6	1	1	2	4	7	9	12
1. SINGLE DX	229	2.2	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX	277	2.6	4	<1	1	2	3	5	7	11
A. NOT OPERATED	273	2.3	2	<1	1	2	3	4	5	8
B. OPERATED	233	2.6	5	<1	<1	2	4	6	8	11
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	3.3	5	1	1	3	5	6	6	6
1-5 YRS	132	1.8	2	<1	<1	1	2	3	5	26
6-12 YRS	181	2.2	3	<1	<1	2	3	4	6	9
13-19 YRS	188	3.1	5	<1	1	2	4	6	8	11
GRAND TOTAL	**506**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.8	3	1	1	2	4	5	5	5
1-11 MOS	21	3.2	9	1	1	2	4	8	10	12
1-5 YRS	50	3.8	8	<1	1	3	6	8	9	12
6-12 YRS	39	2.6	4	<1	<1	2	3	6	7	9
13-19 YRS	50	3.6	14	1	1	3	4	7	10	25
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.3	10	<1	<1	2	5	8	9	9
1-5 YRS	143	1.9	3	<1	<1	1	2	3	5	9
6-12 YRS	160	1.8	2	<1	<1	1	2	3	5	8
13-19 YRS	314	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.8	32	<1	<1	3	5	13	20	20
1-11 MOS	37	6.8	56	<1	1	4	9	17	21	37
1-5 YRS	78	3.5	8	<1	1	3	4	6	10	14
6-12 YRS	61	3.8	30	1	1	2	4	6	8	37
13-19 YRS	96	3.2	6	<1	1	3	4	6	9	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	8.5	41	1	1	7	13	15	22	24
1-5 YRS	47	3.5	12	<1	1	3	4	7	12	19
6-12 YRS	49	3.2	17	1	1	2	3	5	12	23
13-19 YRS	112	3.7	11	1	1	2	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.3	9	<1	1	2	4	7	8	12
B. *Operated*	625	2.0	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	282	4.0	20	1	1	3	5	8	11	22
B. *Operated*	223	3.8	16	1	1	2	5	8	13	22
1. SINGLE DX	790	2.3	5	<1	<1	2	2	5	7	11
2. MULTIPLE DX	505	3.9	18	1	1	3	5	8	12	22
A. NOT OPERATED	447	3.7	16	1	1	3	5	7	10	21
B. OPERATED	848	2.5	7	<1	<1	2	3	5	7	14
TOTAL 0-27 DYS	16	4.2	21	<1	1	3	5	6	16	20
1-11 MOS	80	5.8	39	<1	1	4	8	13	17	33
1-5 YRS	318	2.8	7	<1	<1	2	4	6	8	13
6-12 YRS	309	2.5	11	<1	<1	2	3	5	6	19
13-19 YRS	572	2.8	7	<1	1	2	3	6	8	14
GRAND TOTAL	**1295**	**2.9**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**17**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	15	4.2	16	<1	<1	3	6	9	14	15
6-12 YRS	10	4.1	10	<1	<1	3	6	9	10	10
13-19 YRS	24	6.0	35	<1	<1	4	8	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	12	1	1	5	7	8	8	8
1-5 YRS	2	13.0	72	7	7	13	19	19	19	19
6-12 YRS										
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	5	14.4	267	1	1	14	21	41	41	41
1-5 YRS	14	9.8	77	<1	<1	10	14	21	27	29
6-12 YRS	15	7.9	76	<1	<1	4	11	26	27	27
13-19 YRS	37	7.2	77	<1	1	4	8	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	11.0	72	5	5	11	17	17	17	17
B. *Operated*	50	5.1	24	<1	<1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	8	6.0	35	1	1	5	7	16	19	19
B. *Operated*	71	8.4	88	<1	1	4	12	21	27	44
1. SINGLE DX	52	5.4	26	<1	<1	3	7	15	16	24
2. MULTIPLE DX	79	8.1	83	<1	1	4	11	20	27	44
A. NOT OPERATED	10	7.0	39	1	1	5	8	18	19	19
B. OPERATED	121	7.0	64	<1	<1	4	10	16	24	42
TOTAL 0-27 DYS										
1-11 MOS	9	10.4	160	1	1	8	14	31	41	41
1-5 YRS	32	7.6	54	<1	<1	3	12	19	20	29
6-12 YRS	26	6.3	50	<1	<1	4	9	15	26	27
13-19 YRS	64	6.5	58	<1	<1	4	8	16	23	42
GRAND TOTAL	**131**	**7.0**	**62**	**<1**	**<1**	**4**	**10**	**16**	**24**	**42**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	11	2.3	3	1	1	2	4	5	5	5
1-5 YRS	6	2.7	1	<1	<1	3	3	4	4	4
6-12 YRS	62	2.1	1	1	1	2	3	4	4	7
13-19 YRS	183	2.5	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.2	11	1	1	4	5	10	10	10
1-11 MOS	16	3.9	4	1	1	4	5	6	8	9
1-5 YRS	10	4.1	9	1	1	3	6	9	11	11
6-12 YRS	73	2.8	4	1	1	2	3	5	8	11
13-19 YRS	361	3.0	4	<1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.6	2	2	2	2	3	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	8.8	133	2	2	3	15	26	26	26
13-19 YRS	22	3.3	11	<1	1	2	5	6	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.4	2	1	1	2	3	4	5	7
B. *Operated*	9	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	466	3.0	4	1	1	3	4	5	7	11
B. *Operated*	32	3.8	24	1	1	2	4	6	15	26
1. SINGLE DX	274	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	498	3.1	5	1	1	3	4	5	7	11
A. NOT OPERATED	731	2.8	3	1	1	2	4	5	6	9
B. OPERATED	41	3.5	20	1	1	2	4	6	11	26
TOTAL 0-27 DYS	9	3.4	9	<1	<1	3	5	8	10	10
1-11 MOS	33	3.1	3	1	1	3	4	5	6	9
1-5 YRS	17	3.5	6	<1	1	3	4	6	9	11
6-12 YRS	142	2.7	7	1	1	2	3	5	6	12
13-19 YRS	571	2.8	3	1	1	2	4	5	6	9
GRAND TOTAL	**772**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	250	3.5	11	1	1	3	4	7	8	14
1-11 MOS	1176	3.0	8	1	1	2	4	6	7	13
1-5 YRS	313	2.7	9	1	1	2	3	5	9	17
6-12 YRS	44	2.6	4	1	1	2	3	4	7	10
13-19 YRS	66	2.5	6	<1	1	2	3	5	8	13
B. *Operated*										
0-27 DYS	3	4.0	9	1	1	4	6	7	7	7
1-11 MOS	28	3.5	8	1	1	3	4	7	9	14
1-5 YRS	32	2.1	3	<1	<1	1	3	5	5	6
6-12 YRS	22	2.2	4	<1	<1	1	2	6	7	7
13-19 YRS	28	3.4	8	1	1	2	4	7	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	196	4.3	18	1	1	3	6	8	11	18
1-11 MOS	1411	4.3	15	1	1	3	5	9	12	19
1-5 YRS	633	3.5	12	1	1	3	4	6	8	16
6-12 YRS	167	3.5	8	1	1	3	4	7	9	16
13-19 YRS	224	3.6	11	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	10	5.2	11	<1	<1	5	8	10	11	11
1-11 MOS	91	9.4	83	1	1	7	13	21	27	82
1-5 YRS	81	4.3	28	1	1	2	6	9	12	32
6-12 YRS	32	6.7	88	1	1	3	6	19	30	40
13-19 YRS	47	5.2	39	1	1	3	6	12	13	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1849	3.0	8	1	1	2	4	6	8	14
B. *Operated*	113	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	2631	4.0	14	1	1	3	5	8	11	19
B. *Operated*	261	6.6	60	1	1	4	9	14	22	40
1. SINGLE DX	1962	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2892	4.3	18	1	1	3	5	8	12	21
A. NOT OPERATED	4480	3.6	12	1	1	3	4	7	9	17
B. OPERATED	374	5.4	46	1	1	3	7	13	19	39
TOTAL 0-27 DYS	459	3.9	14	1	1	3	5	7	9	17
1-11 MOS	2706	3.9	15	1	1	3	5	8	11	20
1-5 YRS	1059	3.3	12	1	1	2	4	6	9	18
6-12 YRS	265	3.6	18	1	1	3	4	7	10	28
13-19 YRS	365	3.6	14	<1	1	2	4	7	10	16
GRAND TOTAL	**4854**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	46	2.0	2	1	1	2	2	3	5	8
6-12 YRS	53	2.0	2	1	1	1	3	4	5	6
13-19 YRS	170	2.2	2	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	68	1.9	4	<1	<1	1	2	4	6	11
6-12 YRS	138	2.2	13	<1	<1	1	2	3	7	19
13-19 YRS	60	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.3	9	<1	<1	2	6	8	8	8
1-11 MOS	10	3.1	6	1	1	2	5	7	8	8
1-5 YRS	59	2.1	3	<1	1	2	3	4	4	12
6-12 YRS	74	3.1	8	1	1	2	4	6	8	16
13-19 YRS	183	3.1	8	1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	102	2.2	8	<1	<1	1	2	4	6	18
6-12 YRS	182	2.7	10	<1	<1	2	3	6	8	19
13-19 YRS	128	5.3	27	1	1	4	7	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.1	2	1	1	2	3	4	5	8
B. *Operated*	267	2.2	8	<1	<1	1	2	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	332	2.9	7	1	1	2	3	6	7	13
B. *Operated*	414	3.4	17	<1	<1	2	4	7	11	23
1. SINGLE DX	540	2.2	5	<1	<1	2	2	4	6	11
2. MULTIPLE DX	746	3.2	12	<1	1	2	4	7	9	20
A. NOT OPERATED	605	2.6	5	1	1	2	3	5	6	10
B. OPERATED	681	2.9	14	<1	<1	2	3	6	9	21
TOTAL 0-27 DYS	9	4.0	21	<1	<1	2	6	12	14	14
1-11 MOS	14	3.3	5	1	1	3	5	6	8	8
1-5 YRS	275	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	447	2.6	10	<1	<1	2	3	6	7	17
13-19 YRS	541	3.2	11	<1	1	2	4	6	9	17
GRAND TOTAL	1286	2.8	10	<1	<1	2	3	6	8	17

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	2.3	3	<1	1	2	3	4	6	9
1-11 MOS	114	2.4	2	1	1	2	3	4	5	7
1-5 YRS	495	1.8	1	<1	1	1	2	3	4	6
6-12 YRS	2425	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	4056	2.3	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	17	1	1	4	8	9	9	9
1-5 YRS	17	3.2	4	<1	1	3	4	6	8	9
6-12 YRS	185	3.2	2	1	2	3	4	5	6	8
13-19 YRS	575	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	2.6	4	1	1	2	3	5	7	10
1-11 MOS	134	2.5	2	1	1	2	3	4	5	8
1-5 YRS	430	2.4	3	<1	1	2	3	5	6	9
6-12 YRS	1698	2.5	3	1	1	2	3	4	6	9
13-19 YRS	3168	2.8	5	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	4.4	15	2	2	2	6	11	11	11
1-5 YRS	28	3.1	3	1	1	3	4	5	7	8
6-12 YRS	156	4.4	10	1	2	4	6	8	10	19
13-19 YRS	516	4.5	18	1	1	4	5	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7113	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	781	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	5457	2.6	4	1	1	2	3	5	6	10
B. *Operated*	706	4.4	15	1	1	4	5	8	11	18
1. SINGLE DX	7894	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	6163	2.8	6	1	1	2	4	5	7	12
A. NOT OPERATED	12570	2.4	3	1	1	2	3	4	6	9
B. OPERATED	1487	4.0	10	1	1	3	5	7	9	15
TOTAL 0-27 DYS	51	2.5	4	1	1	2	3	5	7	10
1-11 MOS	257	2.5	3	1	1	2	3	5	5	9
1-5 YRS	970	2.1	2	<1	1	2	3	4	5	8
6-12 YRS	4464	2.3	3	1	1	2	3	4	5	9
13-19 YRS	8315	2.7	5	1	1	2	3	5	7	10
GRAND TOTAL	14057	2.5	4	1	1	2	3	5	6	10

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	49	2.7	3	1	1	2	3	4	5	12
1-11 MOS	182	2.7	5	1	1	2	3	5	7	11
1-5 YRS	189	2.5	3	1	1	2	3	5	6	9
6-12 YRS	170	2.8	4	1	1	2	3	5	7	9
13-19 YRS	129	3.0	4	<1	1	2	4	6	8	10
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	1.9	1	<1	<1	2	3	4	4	4
1-5 YRS	14	3.4	10	<1	1	2	3	9	11	12
6-12 YRS	24	4.4	18	<1	1	3	5	11	15	18
13-19 YRS	28	3.8	8	<1	<1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	75	2.8	9	1	1	2	3	5	7	19
1-11 MOS	464	3.4	9	1	1	3	4	6	8	16
1-5 YRS	726	2.9	7	1	1	2	3	5	7	16
6-12 YRS	534	3.1	8	1	1	2	4	6	9	15
13-19 YRS	474	3.5	28	1	1	2	4	6	9	19
B. *Operated*										
0-27 DYS										
1-11 MOS	19	6.6	29	1	1	5	10	13	18	21
1-5 YRS	70	5.9	54	1	1	4	7	12	15	48
6-12 YRS	73	5.4	50	1	1	3	7	12	20	41
13-19 YRS	92	5.6	22	1	1	5	8	11	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	2.7	4	1	1	2	3	5	7	10
B. *Operated*	76	3.7	11	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	2273	3.2	12	1	1	2	4	6	8	17
B. *Operated*	254	5.7	39	1	1	4	8	12	15	30
1. SINGLE DX	795	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	2527	3.4	15	1	1	2	4	6	9	18
A. NOT OPERATED	2992	3.1	10	1	1	2	4	6	8	14
B. OPERATED	330	5.2	33	1	1	4	7	11	14	28
TOTAL 0-27 DYS	126	2.7	6	1	1	2	3	5	6	15
1-11 MOS	673	3.3	9	1	1	3	4	6	8	16
1-5 YRS	999	3.0	10	1	1	2	4	6	8	15
6-12 YRS	801	3.3	12	1	1	2	4	6	9	18
13-19 YRS	723	3.7	23	1	1	3	4	7	10	17
GRAND TOTAL	**3322**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	534	3.3	10	1	1	3	4	6	7	13
1-11 MOS	1142	4.3	15	1	1	3	5	8	12	20
1-5 YRS	1087	3.4	14	1	1	2	4	7	9	17
6-12 YRS	626	2.4	5	1	1	2	3	4	6	9
13-19 YRS	1215	3.0	16	<1	1	2	4	5	7	20
B. *Operated*										
0-27 DYS	17	6.6	40	1	2	3	11	15	20	22
1-11 MOS	50	6.9	134	<1	1	3	9	16	36	99+
1-5 YRS	110	2.4	5	<1	<1	2	3	4	8	12
6-12 YRS	110	2.4	4	<1	<1	2	3	4	6	12
13-19 YRS	159	2.9	12	<1	<1	2	3	5	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	481	5.0	22	1	2	4	6	9	13	29
1-11 MOS	2427	5.8	27	1	2	4	7	12	16	27
1-5 YRS	1945	4.7	42	1	1	3	5	9	12	26
6-12 YRS	931	3.2	8	1	1	2	4	6	8	15
13-19 YRS	2014	3.6	16	1	1	3	4	6	8	19
B. *Operated*										
0-27 DYS	13	6.4	10	1	2	6	8	11	13	13
1-11 MOS	171	14.9	261	1	3	10	20	37	67	99+
1-5 YRS	221	9.0	112	1	1	5	12	25	34	53
6-12 YRS	105	5.3	29	<1	1	3	7	12	18	24
13-19 YRS	232	5.8	88	1	1	3	6	12	21	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4604	3.4	13	1	1	2	4	6	8	18
B. *Operated*	446	3.2	25	<1	<1	2	3	6	10	22
2. MULTIPLE DX										
A. *Not Operated*	7798	4.6	26	1	1	3	5	9	12	24
B. *Operated*	742	8.8	138	1	1	4	11	23	35	83
1. SINGLE DX	5050	3.4	14	1	1	2	4	6	8	19
2. MULTIPLE DX	8540	5.0	38	1	1	3	6	10	14	31
A. NOT OPERATED	12402	4.1	22	1	1	3	5	8	11	23
B. OPERATED	1188	6.7	103	<1	1	3	8	17	27	72
TOTAL 0-27 DYS	1045	4.2	17	1	1	3	5	7	11	24
1-11 MOS	3790	5.8	40	1	1	4	7	12	16	33
1-5 YRS	3363	4.5	38	1	1	3	5	9	13	30
6-12 YRS	1772	3.0	8	1	1	2	4	6	8	15
13-19 YRS	3620	3.5	21	1	1	3	4	6	8	23
GRAND TOTAL	**13590**	**4.4**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	40	1.8	1	1	1	2	3	3	3	3
1-11 MOS	578	1.7	2	<1	1	1	2	3	4	8
1-5 YRS	508	2.0	3	1	1	1	2	4	5	10
6-12 YRS	244	2.6	3	1	1	2	3	5	6	10
13-19 YRS	90	3.4	7	<1	1	3	4	7	8	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	4.3	19	<1	1	3	5	9	12	25
1-5 YRS	80	5.6	32	1	1	4	6	10	18	30
6-12 YRS	123	5.1	8	2	2	5	6	9	11	14
13-19 YRS	50	5.6	11	2	2	5	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	3.8	15	1	1	2	5	10	12	16
1-11 MOS	323	2.8	7	1	1	2	3	6	7	15
1-5 YRS	394	2.9	9	1	1	2	3	6	9	15
6-12 YRS	218	3.6	16	1	1	2	4	7	9	21
13-19 YRS	168	4.6	17	1	1	3	6	10	14	19
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	29	10.7	109	<1	1	7	15	25	34	41
1-5 YRS	92	7.8	63	1	1	5	10	17	23	43
6-12 YRS	146	10.4	187	1	2	6	11	30	53	99+
13-19 YRS	180	13.0	207	1	2	8	16	36	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1460	2.1	3	1	1	1	2	4	5	10
B. *Operated*	297	5.2	17	1	2	4	6	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	1127	3.3	11	1	1	2	4	7	10	17
B. *Operated*	448	10.9	167	1	2	7	13	29	46	99+
1. SINGLE DX	1757	2.6	7	1	1	2	3	5	7	13
2. MULTIPLE DX	1575	5.5	67	1	1	3	6	12	20	55
A. NOT OPERATED	2587	2.6	7	1	1	2	3	5	7	14
B. OPERATED	745	8.7	115	1	2	5	10	20	32	74
TOTAL 0-27 DYS	66	2.6	7	1	1	2	3	5	9	15
1-11 MOS	973	2.4	10	1	1	2	3	5	6	16
1-5 YRS	1074	3.1	15	1	1	2	3	6	10	22
6-12 YRS	731	4.9	53	1	1	3	5	9	14	53
13-19 YRS	488	7.6	102	1	1	4	9	16	30	67
GRAND TOTAL	**3332**	**3.9**	**37**	**1**	**1**	**2**	**4**	**8**	**13**	**36**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.3		1	1	1	2	2	2	2
1-11 MOS	91	1.5	1	1	1	1	2	3	3	7
1-5 YRS	280	1.9	2	1	1	1	2	4	5	8
6-12 YRS	234	2.4	3	1	1	2	3	5	6	9
13-19 YRS	138	3.6	7	<1	1	3	5	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	15	5.8	31	1	1	5	6	7	20	25
6-12 YRS	28	5.4	13	1	2	4	7	11	12	17
13-19 YRS	32	3.9	11	1	1	3	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	60	3.5	16	1	1	2	4	8	12	21
1-5 YRS	223	3.6	20	1	1	2	4	7	10	22
6-12 YRS	218	4.3	33	1	1	3	5	9	14	26
13-19 YRS	294	6.0	70	1	1	4	7	13	16	49
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	6	17.3	269	2	2	10	36	40	40	40
1-5 YRS	56	9.8	150	1	1	6	13	24	48	97
6-12 YRS	79	8.5	199	1	1	5	7	19	33	83
13-19 YRS	206	14.1	227	1	2	9	19	38	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	2.3	4	1	1	2	3	5	6	10
B. *Operated*	79	4.8	16	1	1	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	797	4.7	43	1	1	3	5	9	14	36
B. *Operated*	348	12.2	214	1	2	7	15	31	45	89
1. SINGLE DX	831	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1145	7.0	107	1	1	3	7	16	25	59
A. NOT OPERATED	1549	3.5	25	1	1	2	4	7	10	21
B. OPERATED	427	10.9	186	1	2	6	13	28	43	80
TOTAL 0-27 DYS	12	4.3	63	1	1	2	4	13	27	29
1-11 MOS	161	2.9	24	1	1	1	3	5	9	34
1-5 YRS	574	3.4	29	1	1	2	4	7	11	29
6-12 YRS	559	4.2	47	1	1	2	4	8	12	28
13-19 YRS	670	7.9	121	1	1	4	8	18	30	58
GRAND TOTAL	**1976**	**5.1**	**69**	**1**	**1**	**3**	**5**	**11**	**18**	**48**

343: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	1.7	1	<1	1	1	2	3	4	5
6-12 YRS	33	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	94	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	90	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	519	1.6	2	<1	<1	1	2	3	4	6
13-19 YRS	2023	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	41	2.8	6	1	1	2	3	7	8	11
6-12 YRS	78	2.2	3	<1	1	2	3	5	6	8
13-19 YRS	279	2.3	12	<1	<1	2	3	4	6	12
B. *Operated*										
0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	9	2.3	2	1	1	2	3	4	5	5
1-5 YRS	128	3.9	22	1	1	2	4	9	13	24
6-12 YR	434	3.1	12	<1	1	2	3	6	7	14
13-19 YRS	2151	3.8	18	1	1	3	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2641	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	401	2.3	10	<1	1	2	3	4	6	11
B. *Operated*	2726	3.7	17	1	1	3	4	7	10	21
1. SINGLE DX	2784	2.0	3	<1	<1	1	2	4	4	8
2. MULTIPLE DX	3127	3.5	16	1	1	2	4	7	9	20
A. NOT OPERATED	544	2.1	7	<1	<1	1	2	4	5	10
B. OPERATED	5367	2.8	11	<1	<1	2	3	5	8	16
TOTAL 0-27 DYS	5	2.2	1	1	1	2	3	3	3	3
1-11 MOS	21	1.9	2	<1	<1	1	2	4	5	5
1-5 YRS	274	3.0	13	<1	1	2	3	6	9	21
6-12 YRS	1064	2.3	6	<1	<1	2	3	4	6	10
13-19 YRS	4547	2.9	11	<1	1	2	3	5	8	16
GRAND TOTAL	**5911**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	20	5.0	59	1	1	2	7	9	22	35
6-12 YRS	126	3.2	5	1	1	2	4	7	8	11
13-19 YRS	613	4.2	12	1	1	3	6	8	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	16.0	200	6	6	16	26	26	26	26
6-12 YRS	6	8.5	32	3	3	7	10	18	19	19
13-19 YRS	103	9.1	33	2	3	8	11	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	<1	<1	3	7	7	7	7
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS	15	7.1	34	1	3	6	8	11	22	26
6-12 YRS	81	3.9	11	1	1	3	5	7	10	17
13-19 YRS	670	5.2	27	1	1	4	7	10	14	37
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	15.7	133	9	9	9	24	29	29	29
6-12 YRS	9	11.2	66	2	2	9	18	22	23	23
13-19 YRS	286	13.6	188	2	3	9	17	30	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	4.1	12	1	1	3	5	8	10	17
B. *Operated*	112	9.1	34	2	3	8	11	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	770	5.1	26	1	1	4	6	10	13	31
B. *Operated*	298	13.6	183	2	3	9	17	29	42	69
1. SINGLE DX	874	4.7	18	1	1	4	6	10	13	21
2. MULTIPLE DX	1068	7.5	84	1	1	5	9	16	23	53
A. NOT OPERATED	1532	4.6	19	1	1	4	6	9	12	23
B. OPERATED	410	12.4	146	2	3	9	15	24	34	64
TOTAL 0-27 DYS	4	4.8	8	<1	<1	5	7	7	7	7
1-11 MOS	4	5.0	29	1	1	3	8	13	13	13
1-5 YRS	40	7.2	65	1	1	5	8	18	28	35
6-12 YRS	222	3.9	13	1	1	3	5	8	10	19
13-19 YRS	1672	6.5	61	1	1	4	8	13	19	46
GRAND TOTAL	**1942**	**6.2**	**56**	**1**	**1**	**4**	**7**	**13**	**18**	**42**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	5.4	26	1	1	5	7	9	18	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	10.7	69	4	4	8	17	20	20	20
13-19 YRS	20	12.2	99	<1	2	12	14	30	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	24	11.4	193	1	1	6	18	50	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	5	26.8	244	16	16	23	31	54	54	54
13-19 YRS	83	28.1	341	8	10	26	40	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.4	26	1	1	5	7	9	18	23
B. *Operated*	24	11.6	90	1	3	10	14	30	32	37
2. MULTIPLE DX										
A. *Not Operated*	25	11.1	187	1	1	6	18	49	99+	99+
B. *Operated*	89	27.9	331	8	11	24	39	74	99+	99+
1. SINGLE DX	42	9.0	71	1	1	6	12	21	30	37
2. MULTIPLE DX	114	24.2	346	2	5	21	38	68	99+	99+
A. NOT OPERATED	43	8.7	125	1	1	5	8	35	62	99+
B. OPERATED	113	24.4	323	3	6	21	37	61	93	99+
TOTAL 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	19.0	228	4	4	17	23	42	54	54
13-19 YRS	145	20.3	326	1	3	16	32	56	97	99+
GRAND TOTAL	**156**	**20.1**	**317**	**1**	**3**	**16**	**31**	**55**	**89**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	22	1.8	1	<1	1	2	3	3	4	4
13-19 YRS	76	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	13	5.9	12	1	2	5	7	10	14	15
1-5 YRS	21	5.7	73	1	1	3	5	12	27	39
6-12 YRS	49	3.7	28	1	1	2	5	8	9	36
13-19 YRS	245	3.1	6	1	1	2	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	20.5	481	5	5	20	36	36	36	36
1-5 YRS	6	5.7	14	1	1	5	9	11	11	11
6-12 YRS	17	6.6	49	1	1	4	8	14	24	30
13-19 YRS	113	8.0	93	1	2	5	10	17	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.0	2	<1	<1	2	3	4	5	7
B. *Operated*	5	3.0	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	330	3.5	14	1	1	2	4	7	9	16
B. *Operated*	138	7.9	88	1	2	5	10	16	24	55
1. SINGLE DX	108	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	468	4.8	40	1	1	3	5	10	13	35
A. NOT OPERATED	433	3.1	12	1	1	2	4	6	8	13
B. OPERATED	143	7.7	86	1	2	5	10	16	23	54
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	18	7.0	63	1	1	5	7	13	28	36
1-5 YRS	30	5.3	54	1	1	3	5	10	18	39
6-12 YRS	88	3.8	27	1	1	2	4	8	10	34
13-19 YRS	438	4.2	32	1	1	3	5	9	12	24
GRAND TOTAL	**576**	**4.3**	**34**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	7.0	12	3	3	9	9	9	9	9
1-5 YRS	36	2.8	2	1	1	3	3	5	6	7
6-12 YRS	68	4.1	9	1	1	3	5	7	12	15
13-19 YRS	257	5.6	25	1	2	4	7	11	16	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	11.7	285	1	1	5	11	41	49	49
13-19 YRS	31	12.1	173	1	2	8	13	37	46	48
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	8.0	49	3	3	5	13	16	16	16
1-5 YRS	46	5.0	14	1	1	4	7	11	13	16
6-12 YRS	98	5.9	20	1	2	4	8	13	15	21
13-19 YRS	412	8.1	46	1	2	7	10	15	22	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	5.6	19	2	2	4	6	13	17	17
6-12 YRS	26	14.3	178	2	3	10	19	30	41	60
13-19 YRS	266	18.8	301	3	4	12	24	44	59	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	5.1	20	1	2	4	6	10	13	22
B. *Operated*	38	12.1	187	1	2	7	12	40	47	49
2. MULTIPLE DX										
A. *Not Operated*	560	7.5	40	1	2	6	9	15	20	31
B. *Operated*	303	17.9	287	3	4	12	23	43	58	84
1. SINGLE DX	403	5.7	40	1	2	4	7	11	16	41
2. MULTIPLE DX	863	11.2	151	2	2	7	13	24	40	66
A. NOT OPERATED	925	6.5	33	1	2	5	8	13	18	29
B. OPERATED	341	17.3	278	2	3	11	23	43	54	84
TOTAL 0-27 DYS	2	7.5	85	1	1	7	14	14	14	14
1-11 MOS	6	7.5	25	3	3	7	9	15	16	16
1-5 YRS	93	4.2	11	1	2	3	5	9	12	17
6-12 YRS	199	6.6	55	1	2	4	8	14	18	43
13-19 YRS	966	10.5	142	1	2	7	12	23	39	65
GRAND TOTAL	**1266**	**9.4**	**122**	**1**	**2**	**6**	**11**	**21**	**33**	**59**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	44	3.0	19	1	1	2	3	6	8	28
1-5 YRS	230	2.4	12	<1	1	1	2	4	9	19
6-12 YRS	269	3.1	23	<1	1	1	2	9	14	26
13-19 YRS	100	4.3	37	<1	<1	2	4	13	19	28
B. *Operated*										
0-27 DYS										
1-11 MOS	21	1.8	1	<1	1	2	2	3	3	3
1-5 YRS	1311	3.3	16	1	1	2	3	8	13	21
6-12 YRS	2102	3.6	22	1	1	2	3	9	15	23
13-19 YRS	1039	3.0	11	1	1	2	3	5	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.3	6	4	4	7	9	10	10	10
1-11 MOS	48	5.7	23	1	2	4	7	12	18	23
1-5 YRS	83	3.5	18	1	1	2	4	7	10	25
6-12 YRS	74	4.0	32	<1	1	2	5	9	13	30
13-19 YRS	88	3.2	15	<1	1	2	4	6	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS	9	12.3	116	2	2	13	21	28	32	32
1-5 YRS	223	5.4	36	1	1	3	6	14	18	27
6-12 YRS	542	6.2	50	1	1	3	7	17	22	29
13-19 YRS	427	6.8	66	1	1	4	8	17	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	3.0	21	<1	1	1	2	7	14	26
B. *Operated*	4473	3.4	18	1	1	2	3	7	13	21
2. MULTIPLE DX										
A. *Not Operated*	297	4.0	22	1	1	2	5	8	13	27
B. *Operated*	1201	6.3	54	1	1	4	7	17	22	35
1. SINGLE DX	5117	3.3	18	1	1	2	3	7	14	21
2. MULTIPLE DX	1498	5.9	48	1	1	3	7	15	21	32
A. NOT OPERATED	941	3.3	21	<1	1	2	3	7	14	26
B. OPERATED	5674	4.0	27	1	1	2	4	10	16	25
TOTAL 0-27 DYS	5	6.2	10	2	2	7	8	10	10	10
1-11 MOS	122	4.5	31	1	1	2	5	11	18	29
1-5 YRS	1847	3.4	19	1	1	2	3	8	14	21
6-12 YRS	2987	4.0	28	1	1	2	4	11	17	26
13-19 YRS	1654	4.1	29	1	1	2	4	9	16	28
GRAND TOTAL	**6615**	**3.9**	**26**	**1**	**1**	**2**	**4**	**9**	**16**	**25**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.0	2	<1	<1	1	3	5	5	5
1-5 YRS	58	1.3		<1	<1	1	1	2	3	4
6-12 YRS	148	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	92	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	16	1.5	1	<1	<1	1	2	2	4	4
1-5 YRS	1103	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	4398	1.5	1	<1	1	1	2	3	3	6
13-19 YRS	2344	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	54	2	2	5	12	18	18	18
1-5 YRS	41	2.8	19	<1	<1	1	3	4	8	27
6-12 YRS	83	2.4	13	1	1	1	2	4	7	23
13-19 YRS	108	2.3	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	9	1	1	5	9	91	99+	99+
1-5 YRS	149	2.1	6	1	1	1	2	4	6	15
6-12 YRS	733	2.7	12	1	1	2	3	5	7	22
13-19 YRS	882	4.3	31	1	1	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	7863	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	236	2.5	11	<1	1	2	3	4	6	19
B. *Operated*	1769	3.5	22	1	1	2	4	7	10	26
1. SINGLE DX	8169	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	2005	3.4	20	1	1	2	4	7	10	25
A. NOT OPERATED	542	2.0	5	<1	<1	1	2	4	5	10
B. OPERATED	9632	2.0	6	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	32	2.8	11	<1	<1	2	3	7	17	99+
1-5 YRS	1351	1.5	2	<1	<1	1	1	2	3	6
6-12 YRS	5362	1.7	3	<1	1	1	2	3	4	8
13-19 YRS	3426	2.7	11	1	1	2	3	5	7	17
GRAND TOTAL	**10174**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	24	2.1	4	<1	<1	1	2	4	8	9
13-19 YRS	43	2.1	2	<1	<1	1	3	4	4	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	1.7	1	1	1	2	2	3	3	3
1-5 YRS	120	1.9	2	<1	<1	1	2	3	5	8
6-12 YRS	391	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	1301	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	5.1	75	1	1	2	4	13	29	33
6-12 YRS	35	2.7	3	<1	1	2	4	6	7	7
13-19 YRS	84	2.8	11	<1	1	2	3	5	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS	6	4.2	8	1	1	4	6	8	8	8
1-5 YRS	97	2.6	14	<1	1	2	3	5	8	22
6-12 YRS	168	3.2	17	<1	1	2	4	6	9	25
13-19 YRS	624	3.1	13	1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	3	<1	<1	1	3	4	4	9
B. *Operated*	1822	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	132	3.0	15	<1	1	2	3	5	7	23
B. *Operated*	895	3.1	14	<1	1	2	4	6	9	19
1. SINGLE DX	1903	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1027	3.1	14	<1	1	2	3	6	8	20
A. NOT OPERATED	213	2.6	11	<1	1	2	3	5	7	20
B. OPERATED	2717	2.2	6	<1	<1	1	2	4	6	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	2.7	5	1	1	2	4	6	7	8
1-5 YRS	244	2.4	11	<1	1	2	3	4	6	11
6-12 YRS	618	2.1	6	<1	<1	1	2	4	6	14
13-19 YRS	2052	2.2	6	<1	<1	1	2	4	6	13
GRAND TOTAL	**2930**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.0	2	<1	<1	1	3	5	5	5
1-5 YRS	58	1.3		<1	<1	1	1	2	3	4
6-12 YRS	148	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	92	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	16	1.5	1	<1	<1	1	2	2	4	4
1-5 YRS	1103	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	4398	1.5	1	<1	1	1	2	3	3	6
13-19 YRS	2344	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	54	2	2	5	12	16	18	18
1-5 YRS	41	2.8	19	<1	<1	1	3	4	8	27
6-12 YRS	83	2.4	13	1	1	1	2	4	7	23
13-19 YRS	108	2.3	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	9	1	1	5	9	91	99+	99+
1-5 YRS	149	2.1	6	1	1	1	2	4	6	15
6-12 YRS	733	2.7	12	1	1	2	3	5	7	22
13-19 YRS	882	4.3	31	1	1	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	7863	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	236	2.5	11	<1	1	2	3	4	6	19
B. *Operated*	1769	3.5	22	1	1	2	4	7	10	26
1. SINGLE DX	8169	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	2005	3.4	20	1	1	2	4	7	10	25
A. NOT OPERATED	542	2.0	5	<1	<1	1	2	4	5	10
B. OPERATED	9632	2.0	6	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	32	2.8	11	<1	<1	2	3	7	17	99+
1-5 YRS	1351	1.5	2	<1	<1	1	1	2	3	6
6-12 YRS	5362	1.7	3	<1	1	1	2	3	4	8
13-19 YRS	3426	2.7	11	1	1	2	3	5	7	17
GRAND TOTAL	**10174**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	24	2.1	4	<1	<1	1	2	4	8	9
13-19 YRS	43	2.1	2	<1	<1	1	3	4	4	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	1.7	1	1	1	2	2	3	3	3
1-5 YRS	120	1.9	2	<1	<1	1	2	3	5	8
6-12 YRS	391	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	1301	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	5.1	75	1	1	2	4	13	29	33
6-12 YRS	35	2.7	3	<1	1	2	4	6	7	7
13-19 YRS	84	2.8	11	<1	1	2	3	5	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS	6	4.2	8	1	1	4	6	8	8	8
1-5 YRS	97	2.6	14	<1	1	2	3	5	8	22
6-12 YRS	168	3.2	17	<1	1	2	4	6	9	25
13-19 YRS	624	3.1	13	1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	3	<1	<1	1	3	4	4	9
B. *Operated*	1822	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	132	3.0	15	<1	1	2	3	5	7	23
B. *Operated*	895	3.1	14	<1	1	2	4	6	9	19
1. SINGLE DX	1903	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1027	3.1	14	<1	1	2	3	6	8	20
A. NOT OPERATED	213	2.6	11	<1	1	2	3	5	7	20
B. OPERATED	2717	2.2	6	<1	<1	1	2	4	6	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	2.7	5	1	1	2	4	6	7	8
1-5 YRS	244	2.4	11	<1	1	2	3	4	6	11
6-12 YRS	618	2.1	6	<1	<1	1	2	4	6	14
13-19 YRS	2052	2.2	6	<1	<1	1	2	4	6	13
GRAND TOTAL	**2930**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	8.3	81	1	1	4	13	23	28	28
1-5 YRS	49	12.0	94	<1	1	13	20	25	28	29
6-12 YRS	58	16.9	283	1	2	11	27	38	49	85
13-19 YRS	38	17.8	392	1	1	7	32	41	55	87
B. *Operated*										
0-27 DYS										
1-11 MOS	6	11.3	51	2	2	13	15	20	21	21
1-5 YRS	48	12.6	79	1	2	13	19	23	27	36
6-12 YRS	155	10.5	108	2	3	7	12	23	30	47
13-19 YRS	169	9.7	84	2	3	7	11	20	27	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	8.2	151	<1	<1	2	11	30	32	32
1-5 YRS	35	12.5	118	<1	1	10	21	26	35	44
6-12 YRS	34	20.1	211	1	2	22	30	38	47	50
13-19 YRS	24	7.9	103	1	2	4	7	28	34	38
B. *Operated*										
0-27 DYS	6	17.7	51	9	9	16	25	27	27	27
1-11 MOS	24	14.0	34	2	7	15	17	19	22	30
1-5 YRS	47	16.0	93	2	5	13	24	31	35	37
6-12 YRS	79	15.8	143	4	5	12	23	32	38	54
13-19 YRS	190	15.0	138	3	5	12	18	31	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	15.1	242	1	1	9	24	35	42	86
B. *Operated*	378	10.4	93	2	3	7	13	22	29	49
2. MULTIPLE DX										
A. *Not Operated*	100	13.7	167	<1	1	8	23	32	38	48
B. *Operated*	346	15.3	124	3	5	13	20	30	35	55
1. SINGLE DX	532	11.8	141	1	2	8	16	27	34	55
2. MULTIPLE DX	446	14.9	134	2	3	12	21	31	36	52
A. NOT OPERATED	254	14.5	213	1	1	8	23	34	40	61
B. OPERATED	724	12.8	113	2	3	10	17	26	33	53
TOTAL 0-27 DYS	7	16.1	59	7	7	15	23	27	27	27
1-11 MOS	45	11.8	62	1	1	13	16	19	28	32
1-5 YRS	179	13.3	95	1	1	13	20	26	30	38
6-12 YRS	326	13.9	169	2	3	8	21	31	37	53
13-19 YRS	421	12.7	145	2	3	9	15	29	36	61
GRAND TOTAL	**978**	**13.2**	**140**	**2**	**3**	**9**	**18**	**29**	**35**	**54**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.3	23	2	2	5	9	13	13	13
1-11 MOS	171	8.5	58	1	1	6	14	20	23	28
1-5 YRS	771	14.4	90	1	2	16	21	25	29	39
6-12 YRS	499	22.4	167	2	3	23	29	37	44	60
13-19 YRS	173	22.6	374	1	1	23	35	48	58	75
B. *Operated*										
0-27 DYS										
1-11 MOS	71	5.3	42	1	1	2	8	16	20	28
1-5 YRS	514	10.9	104	1	1	7	19	25	29	41
6-12 YRS	527	17.4	174	1	2	18	27	34	41	50
13-19 YRS	707	11.8	137	1	2	8	15	27	37	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	9.0	109	2	2	4	17	21	21	21
1-11 MOS	90	9.9	59	1	1	8	16	20	23	34
1-5 YRS	282	14.8	115	1	2	15	21	28	35	44
6-12 YRS	243	24.2	299	2	2	23	32	47	58	90
13-19 YRS	139	21.7	389	1	2	14	38	50	58	81
B. *Operated*										
0-27 DYS										
1-11 MOS	32	11.5	83	1	2	10	17	27	29	31
1-5 YRS	231	15.3	128	2	2	15	22	30	34	52
6-12 YRS	458	21.8	189	3	4	22	30	40	48	57
13-19 YRS	1096	20.0	275	3	5	15	26	45	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	17.1	164	1	2	18	24	32	39	58
B. *Operated*	1819	12.9	144	1	1	9	20	30	36	50
2. MULTIPLE DX										
A. *Not Operated*	757	18.5	244	1	2	17	26	39	48	76
B. *Operated*	1817	19.7	236	2	4	16	27	42	50	78
1. SINGLE DX	3437	14.9	158	1	2	13	23	31	37	53
2. MULTIPLE DX	2574	19.3	239	2	3	16	27	41	50	78
A. NOT OPERATED	2375	17.5	190	1	2	17	24	34	42	63
B. OPERATED	3636	16.3	202	1	2	13	24	35	45	67
TOTAL 0-27 DYS	7	7.4	50	2	2	4	11	19	21	21
1-11 MOS	364	8.5	60	1	1	6	14	20	23	30
1-5 YRS	1798	13.6	106	1	1	14	21	26	30	43
6-12 YRS	1727	21.0	199	2	3	22	29	38	46	62
13-19 YRS	2115	17.6	262	2	3	12	24	42	51	79
GRAND TOTAL	**6011**	**16.8**	**197**	**1**	**2**	**14**	**24**	**34**	**44**	**66**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	17	3.2	21	<1	<1	1	5	7	15	19
1-5 YRS	232	1.8	2	<1	1	1	2	3	5	8
6-12 YRS	445	2.7	25	1	1	2	3	5	6	13
13-19 YRS	482	2.5	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	4	4.0	7	1	1	4	6	7	7	7
1-11 MOS	4	7.8	51	2	2	5	12	18	18	18
1-5 YRS	279	2.5	6	1	1	2	3	5	7	14
6-12 YRS	1034	3.1	7	1	1	2	4	6	7	13
13-19 YRS	1856	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	3.5	6	1	1	3	5	7	8	9
1-5 YRS	106	3.5	27	<1	1	2	4	6	9	32
6-12 YRS	130	5.1	81	1	1	3	5	8	13	45
13-19 YRS	189	4.4	44	1	1	3	4	8	11	44
B. *Operated*										
0-27 DYS	3	9.0	19	4	4	11	12	12	12	12
1-11 MOS	5	19.4	465	5	5	9	28	57	57	57
1-5 YRS	100	5.4	47	1	1	3	7	11	18	39
6-12 YRS	393	7.1	75	1	1	4	8	14	25	46
13-19 YRS	1131	9.4	121	1	2	6	11	19	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	2.4	12	1	1	2	3	5	6	10
B. *Operated*	3177	3.7	12	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	439	4.4	50	1	1	3	5	8	11	36
B. *Operated*	1632	8.6	108	1	2	5	10	17	29	55
1. SINGLE DX	4353	3.4	12	1	1	2	4	7	9	16
2. MULTIPLE DX	2071	7.7	99	1	1	5	9	16	25	55
A. NOT OPERATED	1615	3.0	23	1	1	2	3	5	7	16
B. OPERATED	4809	5.4	50	1	1	3	6	11	16	39
TOTAL 0-27 DYS	7	6.1	17	1	1	5	10	12	12	12
1-11 MOS	40	5.8	91	<1	1	3	6	13	19	57
1-5 YRS	717	2.8	15	1	1	2	3	6	8	19
6-12 YRS	2002	3.9	32	1	1	2	4	7	10	30
13-19 YRS	3658	5.6	55	1	1	4	6	11	16	42
GRAND TOTAL	**6424**	**4.8**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**36**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.7	14	<1	<1	1	2	9	11	11
1-5 YRS	69	2.2	4	<1	1	1	3	5	6	11
6-12 YRS	185	2.3	2	1	1	2	3	4	5	7
13-19 YRS	319	2.1	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	2.3	4	<1	<1	1	3	6	7	7
1-5 YRS	95	2.6	13	<1	1	2	3	5	7	23
6-12 YRS	757	2.8	5	1	1	2	4	5	7	10
13-19 YRS	2743	3.3	8	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	3.3	7	1	1	2	5	7	7	7
1-5 YRS	43	3.3	11	1	1	2	5	7	11	15
6-12 YRS	68	2.6	3	1	1	2	3	5	6	10
13-19 YRS	221	3.5	19	<1	1	2	4	6	10	17
B. *Operated*										
0-27 DYS	5	4.8	6	2	2	5	6	8	8	8
1-11 MOS	10	4.3	5	2	2	4	6	8	9	9
1-5 YRS	67	5.7	35	1	1	4	7	12	18	31
6-12 YRS	294	5.7	52	1	1	4	6	10	16	37
13-19 YRS	1544	5.7	36	1	1	4	6	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	3605	3.2	7	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	337	3.3	15	<1	1	2	4	6	9	14
B. *Operated*	1920	5.7	38	1	1	4	6	11	17	33
1. SINGLE DX	4185	3.0	7	1	1	2	4	6	7	11
2. MULTIPLE DX	2257	5.3	36	1	1	4	6	10	16	32
A. NOT OPERATED	917	2.6	7	<1	1	2	3	5	7	11
B. OPERATED	5525	4.0	20	1	1	3	5	7	10	25
TOTAL 0-27 DYS	7	4.6	7	1	1	5	7	8	8	8
1-11 MOS	30	3.2	7	<1	<1	2	4	7	9	11
1-5 YRS	274	3.4	18	1	1	2	4	7	11	23
6-12 YRS	1304	3.4	16	1	1	2	4	6	8	19
13-19 YRS	4827	4.0	19	1	1	3	5	7	10	25
GRAND TOTAL	**6442**	**3.8**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	17	2.1	3	<1	1	1	3	4	6	7
6-12 YRS	26	1.8	3	<1	1	1	2	3	6	8
13-19 YRS	74	1.7	1	<1	1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	25	2.4	2	1	1	2	3	4	5	6
13-19 YRS	165	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	14	4.1	8	1	1	4	6	8	10	10
1-5 YRS	51	2.6	6	<1	1	2	3	5	9	13
6-12 YRS	65	2.6	4	1	1	2	3	6	7	9
13-19 YRS	256	2.8	6	<1	1	2	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	1	4	4	5	5	6	6	6
6-12 YRS	29	3.0	5	1	1	2	4	6	7	11
13-19 YRS	134	6.1	53	1	1	4	7	13	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	194	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	387	2.8	6	<1	1	2	3	6	8	13
B. *Operated*	167	5.5	45	1	1	3	6	12	19	40
1. SINGLE DX	315	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX	554	3.6	19	1	1	2	4	7	11	23
A. NOT OPERATED	508	2.6	5	<1	1	2	3	5	7	12
B. OPERATED	361	3.8	24	1	1	2	4	7	11	28
TOTAL 0-27 DYS	3	4.7	21	2	2	2	8	10	10	10
1-11 MOS	18	3.5	7	1	1	3	5	7	9	10
1-5 YRS	74	2.6	5	<1	1	2	3	5	7	12
6-12 YRS	145	2.5	4	1	1	2	3	6	6	9
13-19 YRS	629	3.2	17	1	1	2	4	6	10	21
GRAND TOTAL	**869**	**3.1**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	2.2	3	1	1	2	3	5	6	6
1-5 YRS	14	2.1	1	1	1	2	3	4	4	4
6-12 YRS	9	2.2	1	1	1	2	3	4	4	4
13-19 YRS	7	4.6	17	1	1	4	7	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	16.5	313	4	4	16	29	29	29	29
6-12 YRS	4	4.5	26	1	1	2	7	12	12	12
13-19 YRS	12	6.6	14	1	2	6	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.9	29	1	1	5	10	14	17	18
1-5 YRS	19	6.6	336	<1	1	2	3	6	48	82
6-12 YRS	5	5.2	34	1	1	1	11	13	13	13
13-19 YRS	11	13.9	748	1	1	4	14	96	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS	4	11.8	147	2	2	8	21	28	28	28
6-12 YRS	10	19.5	589	3	3	9	29	57	82	82
13-19 YRS	24	14.4	127	2	3	13	26	44	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.6	4	1	1	2	3	4	7	12
B. *Operated*	19	7.1	42	1	1	6	10	13	22	29
2. MULTIPLE DX										
A. *Not Operated*	48	7.9	309	1	1	3	8	15	83	99+
B. *Operated*	40	15.2	232	2	3	12	26	37	89	99+
1. SINGLE DX	62	4.0	20	1	1	2	4	9	12	27
2. MULTIPLE DX	88	11.2	284	1	1	5	14	31	82	99+
A. NOT OPERATED	91	5.4	171	1	1	2	4	11	16	98
B. OPERATED	59	12.6	183	1	2	9	17	31	62	99+
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	27	4.6	21	1	1	3	6	12	15	18
1-5 YRS	39	6.0	195	1	1	2	4	11	29	82
6-12 YRS	28	9.3	266	1	1	3	10	24	38	82
13-19 YRS	54	11.3	218	1	1	7	15	33	98	99+
GRAND TOTAL	**150**	**8.2**	**187**	**1**	**1**	**4**	**10**	**23**	**34**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	14	2.0	2	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	10	2.7	1	<1	<1	3	3	4	5	5
13-19 YRS	400	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	20	2.7	2	<1	1	2	3	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	3	6.0	49	1	1	3	11	14	14	14
6-12 YRS	4	3.3	1	2	2	3	4	4	4	4
13-19 YRS	93	2.9	5	1	1	2	4	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	2	<1	1	2	3	4	5	5
B. *Operated*	416	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	24	2.7	2	<1	1	2	3	4	5	6
B. *Operated*	102	3.2	7	1	1	2	4	5	7	15
1. SINGLE DX	434	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	126	3.1	6	1	1	2	4	5	7	15
A. NOT OPERATED	42	2.4	2	<1	1	2	3	4	5	6
B. OPERATED	518	2.6	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	4	5.8	47	2	2	3	9	16	16	16
1-5 YRS	5	4.6	29	1	1	3	6	14	14	14
6-12 YRS	22	2.6	1	<1	1	3	3	4	5	5
13-19 YRS	527	2.5	2	<1	1	2	3	4	5	7
GRAND TOTAL	**560**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	1.7	1	1	1	1	2	4	4	4
13-19 YRS	60	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	6	3.7	1	3	3	3	5	5	5	5
6-12 YRS	104	2.6	3	<1	1	2	3	5	6	9
13-19 YRS	2273	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	78	2.7	35	<1	<1	1	3	5	8	86
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	4	3.3	1	2	2	3	4	4	4	4
6-12 YRS	51	2.4	2	<1	<1	2	4	5	5	6
13-19 YRS	1733	2.9	6	<1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.0	2	<1	<1	2	2	4	4	8
B. *Operated*	2389	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	83	2.7	33	<1	<1	1	3	5	7	84
B. *Operated*	1791	2.9	6	<1	1	2	4	5	6	11
1. SINGLE DX	2457	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1874	2.9	7	<1	1	2	4	5	7	12
A. NOT OPERATED	151	2.3	19	<1	<1	1	2	4	6	51
B. OPERATED	4180	2.6	4	<1	1	2	3	5	6	9
TOTAL 0-27 DYS	3	6.3	70	1	1	2	12	16	16	16
1-11 MOS	6	3.3	10	<1	<1	2	5	9	9	9
1-5 YRS	11	3.4	1	2	2	3	4	5	5	5
6-12 YRS	167	2.5	3	<1	1	2	3	5	5	7
13-19 YRS	4144	2.6	5	<1	1	2	3	5	6	9
GRAND TOTAL	**4331**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	13	2.4	6	<1	<1	1	3	6	8	9
6-12 YRS	39	2.6	6	<1	1	2	3	6	7	12
13-19 YRS	79	4.1	23	<1	1	2	5	10	15	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	6.8	45	1	1	4	12	17	17	17
1-5 YRS	73	3.4	16	<1	<1	2	4	7	12	22
6-12 YRS	232	2.2	8	<1	1	1	2	5	7	12
13-19 YRS	450	2.9	14	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	11	3.1	6	<1	<1	3	4	7	9	9
6-12 YRS	34	4.1	34	<1	1	2	3	13	17	27
13-19 YRS	99	5.4	37	<1	1	4	7	11	18	35
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	49	5.4	58	<1	<1	4	6	9	17	43
6-12 YRS	108	7.6	122	1	1	4	8	18	24	63
13-19 YRS	350	7.6	84	1	1	5	9	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.5	16	<1	1	2	4	7	12	22
B. *Operated*	764	2.8	13	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	147	4.9	34	<1	1	3	6	11	17	28
B. *Operated*	512	7.4	89	1	1	4	9	16	24	52
1. SINGLE DX	898	2.9	13	<1	1	2	3	6	9	20
2. MULTIPLE DX	659	6.8	78	1	1	4	8	15	23	44
A. NOT OPERATED	281	4.2	26	<1	1	3	5	9	15	26
B. OPERATED	1276	4.6	48	<1	1	2	5	11	16	36
TOTAL 0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	17	4.4	26	<1	<1	2	5	15	17	17
1-5 YRS	146	4.0	29	<1	<1	2	5	8	11	33
6-12 YRS	413	3.8	45	<1	1	2	4	8	14	31
13-19 YRS	978	5.0	47	<1	1	3	6	11	18	36
GRAND TOTAL	**1557**	**4.5**	**44**	**<1**	**1**	**2**	**5**	**11**	**16**	**34**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	2.3	1	1	1	2	3	4	4	4
6-12 YRS	27	2.4	3	<1	1	2	3	5	6	8
13-19 YRS	91	1.9	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	4	2.5		2	2	2	3	3	3	3
6-12 YRS	47	3.0	3	1	1	3	4	5	6	10
13-19 YRS	1355	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	11	2.7	2	1	1	3	4	5	6	6
6-12 YRS	21	3.1	3	1	1	3	4	5	7	8
13-19 YRS	94	2.5	3	<1	1	2	3	6	6	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.5	3	<1	<1	2	29	99+	99+	99+
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	44	3.7	8	<1	1	3	6	7	8	15
13-19 YRS	1518	3.8	6	1	1	4	5	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.0	2	<1	<1	2	3	4	5	8
B. *Operated*	1410	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	128	2.6	3	1	1	2	4	5	6	8
B. *Operated*	1568	3.7	6	1	1	3	5	6	7	14
1. SINGLE DX	1543	2.9	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1696	3.7	6	1	1	3	5	6	7	13
A. NOT OPERATED	261	2.3	2	<1	1	2	3	4	6	3
B. OPERATED	2978	3.4	5	<1	1	3	5	6	7	10
TOTAL 0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	8	2.4	2	<1	<1	2	4	62	99+	99+
1-5 YRS	31	2.5	1	1	1	2	3	4	4	6
6-12 YRS	139	3.1	5	1	1	3	4	6	7	11
13-19 YRS	3058	3.3	5	<1	1	3	4	6	7	10
GRAND TOTAL	**3239**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	6.4	15	1	1	6	9	11	11	11
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	29	3.5	6	1	1	3	4	7	8	13
13-19 YRS	324	4.3	9	1	1	4	6	8	11	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	25	5.7	18	1	2	4	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.3	22	2	2	9	10	11	11	11
1-11 MOS	6	5.0	6	3	3	4	7	9	9	9
1-5 YRS	4	8.3	14	3	3	9	11	12	12	12
6-12 YRS	22	2.7	5	<1	1	2	4	6	7	8
13-19 YRS	336	4.8	10	1	1	4	7	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	28	8.7	59	1	2	6	10	20	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	4.3	9	1	1	3	6	8	11	13
B. *Operated*	26	5.5	18	1	1	4	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*	371	4.8	10	1	1	4	7	9	11	14
B. *Operated*	30	8.4	56	1	2	6	9	20	21	35
1. SINGLE DX	387	4.4	9	1	1	4	6	8	11	15
2. MULTIPLE DX	401	5.0	15	1	1	4	7	9	11	20
A. NOT OPERATED	732	4.5	10	1	1	4	6	9	11	14
B. OPERATED	56	7.1	40	1	1	5	9	16	20	34
TOTAL 0-27 DYS	4	6.5	18	2	2	6	10	11	11	11
1-11 MOS	11	5.6	10	1	2	5	8	10	11	11
1-5 YRS	6	6.0	21	1	1	6	9	12	12	12
6-12 YRS	54	3.2	6	1	1	3	4	7	7	13
13-19 YRS	713	4.8	12	1	1	4	6	9	11	19
GRAND TOTAL	**788**	**4.7**	**12**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.5	38	1	1	5	11	15	15	15
1-5 YRS	44	1.8	2	1	1	1	2	3	4	8
6-12 YRS	131	2.3	4	<1	1	2	3	4	6	11
13-19 YRS	548	2.9	6	<1	1	2	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	31	5.1	17	1	1	4	8	10	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	6.9	44	1	2	5	7	19	23	24
1-5 YRS	21	3.6	6	<1	1	3	5	7	8	9
6-12 YRS	105	3.1	5	1	1	2	5	6	7	10
13-19 YRS	927	4.2	12	1	1	3	6	8	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	9	3.7	9	<1	<1	3	5	8	10	10
13-19 YRS	66	4.7	13	1	1	4	7	10	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	2.8	6	<1	1	2	3	6	7	13
B. *Operated*	34	5.2	17	1	1	4	8	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	1069	4.1	12	1	1	3	6	8	10	17
B. *Operated*	77	4.9	18	1	1	4	7	11	14	19
1. SINGLE DX	761	2.9	6	<1	1	2	4	6	8	14
2. MULTIPLE DX	1146	4.2	13	1	1	3	6	8	11	18
A. NOT OPERATED	1796	3.6	10	1	1	3	5	7	10	14
B. OPERATED	111	5.0	17	1	1	4	7	11	15	19
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	21	7.1	44	1	1	5	9	18	21	24
1-5 YRS	66	2.7	8	1	1	2	3	6	8	18
6-12 YRS	247	2.7	5	<1	1	2	3	6	7	12
13-19 YRS	1572	3.8	11	1	1	3	5	8	10	15
GRAND TOTAL	**1907**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**15**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	28	2.5	6	<1	<1	2	3	5	7	12
6-12 YRS	65	2.8	5	1	1	2	3	6	8	13
13-19 YRS	183	2.4	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	7	6.3	122	1	1	2	5	26	31	31
6-12 YRS	30	2.2	1	1	1	2	3	3	4	5
13-19 YRS	531	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	27	3.1	16	<1	<1	1	4	7	10	20
6-12 YRS	39	2.7	11	<1	1	2	3	5	6	21
13-19 YRS	195	2.8	7	<1	1	2	3	5	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	10	3.1	14	<1	<1	1	2	10	11	11
6-12 YRS	14	2.0	2	<1	<1	2	3	4	5	6
13-19 YRS	264	2.8	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	574	2.3	3	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	263	2.9	8	<1	1	2	3	5	8	19
B. *Operated*	289	2.7	4	<1	1	2	3	5	6	10
1. SINGLE DX	854	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	552	2.8	6	<1	1	2	3	5	7	11
A. NOT OPERATED	543	2.7	6	<1	1	2	3	5	8	12
B. OPERATED	863	2.4	3	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	3	4.3	16	2	2	2	7	9	9	9
1-11 MOS	10	2.8	7	<1	<1	2	3	7	9	9
1-5 YRS	72	3.2	21	<1	<1	2	3	7	11	29
6-12 YRS	148	2.6	6	<1	1	2	3	4	7	13
13-19 YRS	1173	2.5	3	<1	1	2	3	4	6	9
GRAND TOTAL	**1406**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.0		<1	<1	1	1	1	1	1
1-11 MOS	162	1.3	1	<1	<1	1	1	2	3	4
1-5 YRS	1705	1.3		<1	1	1	1	2	2	4
6-12 YRS	3082	1.3	1	1	1	1	1	2	3	4
13-19 YRS	2947	1.6	1	<1	1	1	2	3	3	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	15	2.5	11	1	1	1	2	10	11	11
13-19 YRS	23	2.8	13	<1	1	1	2	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.0	2	1	1	2	3	4	4	4
1-11 MOS	141	1.8	1	1	1	1	2	3	4	6
1-5 YRS	1254	1.8	2	1	1	1	2	3	4	8
6-12 YRS	2614	1.8	3	1	1	1	2	3	4	8
13-19 YRS	5297	2.2	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	3.8	18	1	1	2	4	12	14	14
1-5 YRS	136	2.7	13	1	1	2	3	5	8	21
6-12 YRS	378	2.9	26	1	1	2	3	5	8	31
13-19 YRS	1540	3.4	27	<1	1	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7904	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	46	2.5	10	1	1	1	2	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	9312	2.0	4	<1	1	1	2	4	5	9
B. *Operated*	2066	3.3	26	<1	1	2	3	6	10	27
1. SINGLE DX	7950	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	11378	2.3	8	<1	1	2	2	4	6	13
A. NOT OPERATED	17216	1.8	2	<1	1	1	2	3	4	8
B. OPERATED	2112	3.2	25	<1	1	2	3	6	10	26
TOTAL 0-27 DYS	16	1.6	1	<1	<1	1	2	4	4	4
1-11 MOS	314	1.6	2	<1	1	1	2	3	4	7
1-5 YRS	3102	1.5	2	<1	1	1	2	3	4	7
6-12 YRS	6089	1.6	3	1	1	1	2	3	4	7
13-19 YRS	9807	2.2	7	<1	1	1	2	4	6	12
GRAND TOTAL	**19328**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**10**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.7	12	<1	<1	1	2	10	11	11
1-11 MOS	225	1.4	1	<1	1	1	1	2	3	6
1-5 YRS	940	1.4	1	<1	1	1	1	2	3	6
6-12 YRS	1030	1.6	2	<1	1	1	2	3	4	9
13-19 YRS	877	2.0	5	<1	1	1	2	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	14	8.9	29	2	4	7	12	15	21	23
1-5 YRS	27	6.1	28	1	2	5	7	9	15	29
6-12 YRS	49	9.4	213	1	2	5	10	15	27	99
13-19 YRS	72	11.2	135	1	2	7	14	22	40	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	2.6	7	1	1	2	3	8	9	9
1-11 MOS	242	3.2	31	<1	1	2	3	6	10	34
1-5 YRS	1109	2.4	12	<1	1	1	2	5	6	18
6-12 YRS	1181	2.2	8	1	1	1	2	4	6	13
13-19 YRS	1806	3.7	48	<1	1	2	3	7	11	43
B. *Operated*										
0-27 DYS										
1-11 MOS	46	11.0	118	1	1	8	16	29	41	99+
1-5 YRS	153	8.1	150	1	1	3	9	26	44	99+
6-12 YRS	200	8.6	207	1	1	4	10	29	71	99+
13-19 YRS	674	14.0	361	<1	1	6	20	48	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3084	1.6	3	<1	1	1	2	3	4	9
B. *Operated*	162	9.6	133	1	2	6	12	20	30	55
2. MULTIPLE DX										
A. *Not Operated*	4351	2.9	27	<1	1	2	3	6	8	28
B. *Operated*	1073	12.0	298	1	1	5	16	42	67	99+
1. SINGLE DX	3246	2.0	12	<1	1	1	2	4	6	14
2. MULTIPLE DX	5424	4.7	94	<1	1	2	4	10	22	70
A. NOT OPERATED	7435	2.4	18	<1	1	1	2	4	7	20
B. OPERATED	1235	11.7	277	1	1	5	15	38	63	99+
TOTAL 0-27 DYS	25	2.6	9	<1	1	1	2	9	10	11
1-11 MOS	527	3.3	33	<1	1	1	3	7	13	34
1-5 YRS	2229	2.4	20	<1	1	1	2	4	7	26
6-12 YRS	2460	2.6	30	1	1	1	2	5	8	30
13-19 YRS	3429	5.4	120	<1	1	2	4	13	28	85
GRAND TOTAL	**8670**	**3.7**	**65**	**<1**	**1**	**1**	**3**	**7**	**14**	**54**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	5	3.0	3	1	1	3	4	5	5	5
6-12 YRS	18	1.7	1	<1	1	2	2	3	3	3
13-19 YRS	90	2.9	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	12	4.5	5	2	2	4	6	8	9	9
13-19 YRS	140	5.3	10	2	2	5	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	4.5	15	1	1	3	7	10	10	10
1-5 YRS	32	4.6	47	1	1	3	5	7	14	39
6-12 YRS	40	4.3	8	1	1	3	5	10	11	12
13-19 YRS	218	3.5	6	1	1	3	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	28	7.9	16	3	3	7	11	14	15	15
6-12 YRS	45	6.2	9	2	3	5	7	10	13	15
13-19 YRS	355	9.9	115	2	3	7	11	19	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.7	3	1	1	2	4	5	6	9
B. *Operated*	154	5.2	10	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	295	3.8	11	1	1	3	5	8	10	12
B. *Operated*	429	9.4	98	2	3	7	10	17	25	60
1. SINGLE DX	271	4.1	9	1	1	4	5	8	10	15
2. MULTIPLE DX	724	7.1	70	1	2	5	8	13	19	43
A. NOT OPERATED	412	3.5	9	1	1	3	4	7	9	12
B. OPERATED	583	8.3	78	2	3	6	9	15	22	50
TOTAL 0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	7	3.9	10	1	1	3	5	9	10	10
1-5 YRS	67	5.8	32	1	1	4	7	13	15	35
6-12 YRS	115	4.6	10	1	1	4	6	9	11	15
13-19 YRS	803	6.6	64	1	2	5	8	12	18	41
GRAND TOTAL	**995**	**6.3**	**55**	**1**	**2**	**4**	**7**	**11**	**16**	**39**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	83	3.0	8	<1	1	2	4	7	9	12
6-12 YRS	253	3.4	10	1	1	2	5	7	9	14
13-19 YRS	563	3.3	8	1	1	2	4	7	9	13
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	34	6.0	21	1	1	6	7	9	11	27
6-12 YRS	125	6.4	18	2	3	6	8	10	12	24
13-19 YRS	259	6.6	11	3	4	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	3.0	4	<1	<1	3	3	6	8	8
1-5 YRS	103	4.1	10	1	1	3	6	9	11	12
6-12 YRS	326	3.9	10	1	1	3	5	8	10	16
13-19 YRS	732	3.8	16	1	1	3	5	7	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	5	14.8	108	7	7	10	21	32	32	32
1-5 YRS	95	10.9	94	3	4	8	13	22	28	55
6-12 YRS	244	10.1	73	2	4	8	11	20	27	38
13-19 YRS	963	11.6	123	3	4	8	12	22	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	3.3	8	1	1	2	4	7	9	13
B. *Operated*	420	6.5	14	2	3	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1172	3.8	13	1	1	3	5	8	10	17
B. *Operated*	1307	11.3	112	3	4	8	12	22	32	61
1. SINGLE DX	1322	4.3	12	1	1	4	6	8	10	16
2. MULTIPLE DX	2479	7.7	79	1	1	6	9	15	23	48
A. NOT OPERATED	2074	3.6	11	1	1	3	5	7	10	16
B. OPERATED	1727	10.1	92	3	4	7	11	19	28	57
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	19	5.7	57	<1	1	3	8	14	25	32
1-5 YRS	315	6.1	46	1	1	5	8	12	17	36
6-12 YRS	948	5.7	35	1	1	4	7	11	16	29
13-19 YRS	2517	7.0	69	1	1	5	8	13	20	45
GRAND TOTAL	**3801**	**6.6**	**58**	**1**	**1**	**5**	**8**	**13**	**19**	**39**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	14	1.4	1	<1	<1	1	1	3	4	4
6-12 YRS	22	2.2	5	<1	<1	1	3	5	7	10
13-19 YRS	28	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.7	2	<1	<1	1	2	4	5	5
1-5 YRS	271	2.2	3	<1	1	1	3	5	6	7
6-12 YRS	219	2.4	3	<1	1	2	3	5	6	7
13-19 YRS	245	2.9	4	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	35	2.7	3	<1	1	2	4	5	6	7
6-12 YRS	33	2.7	2	1	1	3	4	5	5	5
13-19 YRS	47	2.9	4	<1	<1	2	4	6	7	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	3.6	14	<1	<1	1	7	9	9	9
1-5 YRS	201	2.8	6	1	1	2	4	6	7	14
6-12 YRS	247	3.6	7	1	1	3	5	7	9	13
13-19 YRS	357	3.8	15	1	1	3	5	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.4	4	<1	<1	1	3	5	6	10
B. *Operated*	742	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	116	2.8	3	<1	1	2	4	5	6	8
B. *Operated*	811	3.5	11	1	1	3	5	7	9	14
1. SINGLE DX	807	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	927	3.4	10	1	1	3	4	6	8	14
A. NOT OPERATED	181	2.6	3	<1	<1	2	4	5	6	9
B. OPERATED	1553	3.0	7	1	1	2	4	6	7	12
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.8	7	<1	<1	1	5	6	8	9
1-5 YRS	521	2.4	4	<1	1	2	3	5	7	10
6-12 YRS	521	3.0	5	1	1	2	4	6	7	11
13-19 YRS	677	3.3	10	1	1	3	4	6	8	13
GRAND TOTAL	**1734**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	1.1		<1	<1	1	1	2	2	2
1-5 YRS	146	2.0	2	<1	1	1	2	4	5	7
6-12 YRS	76	2.3	2	1	1	2	3	4	6	7
13-19 YRS	107	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	32	1.8	3	<1	<1	1	2	4	5	9
1-5 YRS	647	1.6	2	<1	<1	1	2	3	4	8
6-12 YRS	276	1.9	2	<1	1	1	2	4	5	7
13-19 YRS	311	2.1	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	29	3.0	23	<1	1	2	3	5	7	27
1-5 YRS	203	3.0	26	<1	1	2	3	5	8	14
6-12 YRS	162	2.8	18	1	1	2	3	5	6	29
13-19 YRS	422	2.5	4	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	32	2.4	9	<1	<1	1	3	5	6	17
1-5 YRS	605	2.5	17	1	1	1	3	5	7	22
6-12 YRS	488	2.7	15	1	1	2	3	5	7	21
13-19 YRS	1304	3.0	19	<1	1	2	3	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	2.0	2	<1	1	1	3	4	5	7
B. *Operated*	1268	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	817	2.7	13	<1	1	2	3	5	7	12
B. *Operated*	2431	2.8	18	<1	1	2	3	6	8	20
1. SINGLE DX	1607	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	3248	2.8	16	<1	1	2	3	5	8	18
A. NOT OPERATED	1156	2.5	10	<1	1	2	3	5	6	11
B. OPERATED	3699	2.5	13	<1	1	1	3	5	7	16
TOTAL 0-27 DYS	6	3.2	6	1	1	2	5	7	7	7
1-11 MOS	102	2.3	10	<1	<1	1	2	4	6	22
1-5 YRS	1601	2.2	11	<1	1	1	2	4	6	13
6-12 YRS	1002	2.5	11	1	1	2	3	5	6	14
13-19 YRS	2144	2.7	13	<1	1	2	3	5	7	16
GRAND TOTAL	**4855**	**2.5**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	41	2.4	22	<1	<1	1	2	3	8	30
6-12 YRS	101	2.0	2	<1	1	1	2	4	5	8
13-19 YRS	297	1.9	1	<1	<1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	104	2.0	6	<1	<1	1	2	3	6	14
6-12 YRS	177	2.0	3	<1	1	1	2	4	5	10
13-19 YRS	335	2.9	7	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	4.5	6	1	1	4	6	8	9	9
1-5 YRS	33	2.8	7	1	1	2	3	7	10	11
6-12 YRS	41	2.4	2	<1	1	2	3	5	5	6
13-19 YRS	223	2.5	5	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	9	11.4	360	1	1	6	9	42	61	61
1-5 YRS	71	3.4	16	<1	1	2	4	7	9	24
6-12 YRS	128	3.5	11	<1	1	2	4	9	10	15
13-19 YRS	452	6.3	57	1	1	4	7	11	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	1.9	3	<1	<1	2	2	3	4	7
B. *Operated*	618	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	306	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	660	5.5	50	1	1	4	7	10	14	41
1. SINGLE DX	1060	2.3	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	966	4.6	37	1	1	3	6	9	12	34
A. NOT OPERATED	748	2.2	4	<1	1	2	3	4	6	10
B. OPERATED	1278	4.1	31	<1	1	2	5	9	11	27
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	7.0	156	<1	1	3	6	11	33	61
1-5 YRS	249	2.6	12	<1	<1	1	3	5	9	20
6-12 YRS	447	2.4	5	<1	1	2	3	5	7	12
13-19 YRS	1307	3.8	26	<1	1	2	4	8	10	24
GRAND TOTAL	**2026**	**3.4**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.0	2	1	1	3	4	5	5	5
1-5 YRS	72	3.2	5	<1	1	3	4	6	7	11
6-12 YRS	99	2.6	3	1	1	2	3	5	6	10
13-19 YRS	284	2.5	3	<1	1	2	3	5	5	9
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	1.9	1	<1	<1	2	2	3	4	5
1-5 YRS	510	1.9	4	<1	<1	1	2	3	5	11
6-12 YRS	672	2.0	4	<1	1	1	2	4	5	11
13-19 YRS	1707	2.2	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.3	6	<1	<1	3	4	8	8	8
1-5 YRS	47	2.8	5	<1	1	2	3	4	8	11
6-12 YRS	88	2.8	3	1	1	2	4	5	7	9
13-19 YRS	297	3.4	16	<1	1	3	4	6	8	17
B. *Operated*										
0-27 DYS	6	1.8	1	1	1	2	2	4	4	4
1-11 MOS	16	2.9	6	1	1	2	4	6	9	10
1-5 YRS	308	2.4	7	<1	1	2	3	5	7	11
6-12 YRS	531	2.7	13	1	1	2	3	5	7	19
13-19 YRS	1677	3.1	21	<1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	2920	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	439	3.3	12	<1	1	3	4	6	7	16
B. *Operated*	2538	2.9	17	<1	1	2	3	6	9	19
1. SINGLE DX	3380	2.2	5	<1	1	2	2	4	6	11
2. MULTIPLE DX	2977	3.0	17	<1	1	2	3	6	8	18
A. NOT OPERATED	899	2.9	8	<1	1	2	4	5	7	11
B. OPERATED	5458	2.5	11	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	8	2.1	2	1	1	2	3	4	4	4
1-11 MOS	57	2.4	3	<1	1	2	3	5	6	10
1-5 YRS	937	2.2	5	<1	1	1	2	4	7	11
6-12 YRS	1390	2.4	8	<1	1	2	3	4	6	14
13-19 YRS	3965	2.7	13	<1	1	2	3	5	7	16
GRAND TOTAL	**6357**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	74	2.7	7	<1	1	2	3	5	9	15
6-12 YRS	163	3.2	7	<1	1	2	4	6	9	17
13-19 YRS	322	2.9	6	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	8	3.6	6	1	1	3	4	8	9	9
1-5 YRS	300	3.6	15	<1	<1	2	5	8	11	20
6-12 YRS	717	3.6	18	<1	1	2	4	8	11	21
13-19 YRS	1025	3.8	17	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.3	34	1	1	3	10	12	12	12
1-5 YRS	53	4.3	13	<1	1	3	6	8	12	20
6-12 YRS	113	4.4	19	1	1	3	5	8	11	27
13-19 YRS	188	4.7	29	1	1	4	5	8	11	33
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	131	6.2	66	1	1	3	7	15	21	44
6-12 YRS	303	6.8	71	1	1	4	8	14	23	50
13-19 YRS	683	6.3	76	1	1	4	7	12	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	2.9	7	<1	1	2	4	6	8	14
B. *Operated*	2052	3.7	17	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	357	4.5	23	1	1	3	5	8	11	25
B. *Operated*	1121	6.4	73	1	1	4	7	14	21	50
1. SINGLE DX	2614	3.5	15	<1	1	2	4	7	10	20
2. MULTIPLE DX	1478	6.0	62	1	1	4	7	12	19	48
A. NOT OPERATED	919	3.5	14	1	1	3	4	7	9	19
B. OPERATED	3173	4.7	39	1	1	3	5	9	14	32
TOTAL 0-27 DYS	3	3.3	4	1	1	4	5	5	5	5
1-11 MOS	17	3.5	9	1	1	3	4	8	11	12
1-5 YRS	558	4.1	27	<1	1	2	5	9	13	28
6-12 YRS	1296	4.4	31	1	1	3	5	9	14	30
13-19 YRS	2218	4.5	36	1	1	3	5	9	13	31
GRAND TOTAL	**4092**	**4.4**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	10	2.5	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	3.6	19	1	1	2	4	11	13	13
6-12 YRS	11	3.3	7	1	1	2	6	7	7	7
13-19 YRS	33	3.4	13	1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	1.6	1	1	1	1	2	3	3	3
6-12 YRS	8	2.5	4	1	1	2	4	6	6	6
13-19 YRS	19	7.1	39	1	1	6	9	18	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.3	14	1	1	2	6	11	12	13
6-12 YRS	32	5.5	24	1	1	4	8	12	16	19
13-19 YRS	146	7.7	113	1	1	4	8	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	2	<1	<1	2	2	4	6	6
B. *Operated*	52	3.4	12	1	1	2	5	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	35	4.8	28	1	1	3	6	9	20	23
B. *Operated*	193	7.0	91	1	1	4	8	16	25	52
1. SINGLE DX	72	3.0	10	<1	1	2	4	7	8	17
2. MULTIPLE DX	228	6.7	82	1	1	4	8	15	23	51
A. NOT OPERATED	55	3.8	21	<1	1	2	5	8	10	23
B. OPERATED	245	6.3	77	1	1	4	7	13	22	51
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	33	3.3	11	1	1	2	3	9	12	13
6-12 YRS	56	4.3	17	1	1	3	6	11	13	19
13-19 YRS	208	6.7	88	1	1	4	7	16	25	52
GRAND TOTAL	**300**	**5.8**	**67**	**1**	**1**	**3**	**7**	**12**	**21**	**51**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	9	2.8	6	<1	<1	1	5	7	7	7
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	28	5.0	28	<1	<1	3	6	12	17	21
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	58	5.2	28	<1	1	3	7	12	15	28
6-12 YRS	106	3.6	15	<1	1	2	4	8	11	23
13-19 YRS	251	3.3	14	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	14	4.5	32	<1	1	3	4	12	20	22
6-12 YRS	22	4.4	19	<1	<1	3	6	12	14	16
13-19 YRS	55	9.4	168	1	2	4	12	38	53	99+
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	25	5.4	58	<1	1	3	5	11	19	38
6-12 YRS	52	5.0	73	<1	1	3	5	8	13	60
13-19 YRS	246	4.6	49	1	1	3	4	8	17	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.1	21	<1	<1	2	5	12	14	21
B. *Operated*	418	3.6	17	<1	1	2	4	7	11	21
2. MULTIPLE DX										
A. *Not Operated*	93	7.4	113	1	1	3	7	23	44	99+
B. *Operated*	327	4.7	53	1	1	3	4	8	14	72
1. SINGLE DX	462	3.7	17	<1	1	2	4	8	11	21
2. MULTIPLE DX	420	5.3	67	1	1	3	5	11	23	99+
A. NOT OPERATED	137	6.4	86	<1	1	3	6	17	28	99+
B. OPERATED	745	4.1	33	1	1	3	4	8	11	38
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	3.3	4	<1	1	3	5	6	7	7
1-5 YRS	106	5.0	33	<1	1	3	6	11	14	33
6-12 YRS	184	4.0	32	<1	1	2	4	8	12	23
13-19 YRS	580	4.5	47	1	1	3	4	8	15	63
GRAND TOTAL	**882**	**4.4**	**42**	**1**	**1**	**3**	**4**	**9**	**14**	**53**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	4	<1	<1	2	4	5	5	5
1-5 YRS	114	3.6	4	1	1	3	5	6	7	11
6-12 YRS	375	4.0	4	1	2	4	5	6	7	10
13-19 YRS	412	3.9	5	1	1	4	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.3	12	1	1	4	8	10	10	10
6-12 YRS	19	6.7	30	1	1	5	11	13	17	21
13-19 YRS	8	6.5	15	<1	1	6	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.7	6	1	1	3	6	7	8	8
1-5 YRS	70	3.1	4	1	1	3	4	5	6	11
6-12 YRS	220	3.8	5	1	1	3	5	7	8	12
13-19 YRS	274	3.8	6	1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.5	12	2	2	5	6	11	14	14
6-12 YRS	33	5.3	11	1	2	5	7	11	12	13
13-19- YRS	53	4.7	6	1	1	5	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	3.9	4	1	1	4	5	6	7	10
B. *Operated*	35	6.3	22	1	1	5	10	12	13	21
2. MULTIPLE DX										
A. *Not Operated*	575	3.7	5	1	1	3	5	6	8	12
B. *Operated*	98	5.0	8	1	2	5	6	9	11	14
1. SINGLE DX	940	4.0	5	1	1	4	5	6	8	11
2. MULTIPLE DX	673	3.9	6	1	1	4	5	7	8	12
A. NOT OPERATED	1480	3.8	5	1	1	4	5	6	8	11
B. OPERATED	133	5.4	12	1	2	5	7	10	12	15
TOTAL 0-27 DYS										
1-11 MOS	15	3.5	5	<1	1	3	5	7	8	8
1-5 YRS	204	3.6	5	1	1	3	5	6	8	11
6-12 YRS	647	4.1	5	1	1	4	5	7	8	12
13-19 YRS	747	3.9	5	1	1	4	5	6	8	12
GRAND TOTAL	**1613**	**3.9**	**5**	**1**	**1**	**4**	**5**	**6**	**8**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	1.4	1	<1	<1	1	2	3	3	3
1-11 MOS	79	1.5	1	<1	1	1	2	3	4	5
1-5 YRS	479	1.7	2	<1	1	1	2	3	4	6
6-12 YRS	613	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	1141	1.9	2	<1	1	1	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.6	2	<1	<1	2	4	5	5	5
1-5 YRS	60	2.1	5	<1	<1	1	2	3	6	13
6-12 YRS	121	2.2	5	<1	<1	2	2	4	7	13
13-19 YRS	217	2.9	7	<1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	2.1	2	<1	1	2	3	5	6	6
1-11 MOS	163	2.2	3	<1	1	2	3	4	6	9
1-5 YRS	814	2.2	3	1	1	2	3	4	6	9
6-12 YRS	971	2.1	3	1	1	2	2	4	5	9
13-19 YRS	2506	2.3	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	3.4	8	1	1	3	4	7	10	11
1-5 YRS	90	4.0	29	1	1	2	5	8	16	31
6-12 YRS	140	3.8	20	1	1	2	5	8	11	24
13-19 YRS	401	3.8	22	<1	1	2	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2319	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	405	2.6	6	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	4471	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	644	3.8	22	1	1	2	5	8	11	22
1. SINGLE DX	2724	1.9	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	5115	2.4	6	<1	1	2	3	5	6	12
A. NOT OPERATED	6790	2.1	3	<1	1	1	2	4	5	9
B. OPERATED	1049	3.3	16	<1	1	2	4	7	9	19
TOTAL 0-27 DYS	25	2.1	2	<1	1	1	3	5	6	6
1-11 MOS	261	2.0	3	<1	1	1	2	4	5	9
1-5 YRS	1443	2.1	5	<1	1	1	2	4	6	9
6-12 YRS	1845	2.1	4	<1	1	1	2	4	5	11
13-19 YRS	4265	2.3	6	<1	1	2	3	5	6	11
GRAND TOTAL	**7839**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	69	2.2	8	1	1	1	2	3	8	18
6-12 YRS	38	2.1	2	1	1	2	2	5	6	6
13-19 YRS	60	2.2	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	21	4.9	50	<1	<1	2	6	15	24	26
6-12 YRS	19	4.2	105	<1	1	1	2	6	28	46
13-19 YRS	64	3.6	14	<1	1	2	4	9	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	46	2.5	3	<1	1	2	3	5	6	8
6-12 YRS	20	2.7	3	<1	1	2	3	4	7	9
13-19 YRS	55	3.8	15	1	1	3	4	8	12	19
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	43	4.6	50	<1	1	2	5	9	11	46
6-12 YRS	39	8.4	78	1	1	5	12	21	30	32
13-19 YRS	111	7.6	66	1	1	4	10	17	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.2	5	1	1	2	2	4	6	12
B. *Operated*	105	4.0	36	<1	1	2	4	9	14	35
2. MULTIPLE DX										
A. *Not Operated*	125	3.1	9	1	1	2	4	6	8	18
B. *Operated*	195	7.1	66	1	1	4	9	17	28	39
1. SINGLE DX	272	2.9	18	1	1	2	3	6	9	22
2. MULTIPLE DX	320	5.6	47	1	1	3	7	13	19	33
A. NOT OPERATED	292	2.6	7	1	1	2	3	5	7	16
B. OPERATED	300	6.0	58	1	1	3	7	15	21	39
TOTAL 0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	5	2.2	2	1	1	2	3	4	4	4
1-5 YRS	179	3.2	23	1	1	2	3	7	9	25
6-12 YRS	116	4.7	51	1	1	2	4	11	20	37
13-19 YRS	290	4.9	36	1	1	3	6	11	17	33
GRAND TOTAL	**592**	**4.3**	**35**	**1**	**1**	**2**	**5**	**10**	**16**	**33**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	1.1		<1	<1	1	1	1	2	2
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	1.0		<1	<1	<1	1	1	2	2
6-12 YRS	12	1.8	2	<1	<1	1	2	4	6	6
13-19 YRS	9	2.6	5	1	1	1	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.8	3	1	1	4	4	4	4	4
13-19 YRS	5	2.8	6	1	1	2	3	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.2		<1	<1	1	1	2	2	3
B. *Operated*	42	1.6	2	<1	<1	1	1	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	8	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	12	2.5	4	1	1	2	4	5	7	7
1. SINGLE DX	79	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX	20	2.2	3	<1	<1	2	3	4	6	7
A. NOT OPERATED	45	1.3		<1	<1	1	1	2	3	4
B. OPERATED	54	1.8	2	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	49	1.1		<1	<1	1	1	1	2	2
6-12 YRS	29	1.8	2	<1	<1	1	2	4	4	6
13-19 YRS	21	2.3	4	1	1	2	3	6	7	7
GRAND TOTAL	**99**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	59	1.8	1	<1	1	1	2	3	5	6
1-11 MOS	286	1.5	1	<1	<1	1	2	2	3	5
1-5 YRS	1216	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	446	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	216	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	58	1.9	3	<1	1	1	2	4	5	9
1-5 YRS	476	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	98	1.8	3	<1	<1	1	2	4	5	11
13-19 YRS	73	2.3	4	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	2.4	5	1	1	2	3	5	8	12
1-11 MOS	144	2.5	7	<1	1	2	3	5	6	15
1-5 YRS	284	2.0	3	<1	1	1	2	4	5	9
6-12 YRS	81	2.0	3	<1	<1	1	2	4	5	11
13-19 YRS	88	2.3	4	<1	<1	2	3	5	7	9
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	34	4.5	19	1	1	3	7	11	12	22
1-5 YRS	169	3.7	33	<1	1	2	4	7	10	34
6-12 YRS	38	3.7	17	<1	1	2	5	7	13	21
13-19 YRS	47	4.0	14	<1	<1	2	6	11	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	705	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	650	2.2	4	<1	1	1	3	4	6	10
B. *Operated*	289	3.9	26	<1	1	2	5	8	12	22
1. SINGLE DX	2928	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	939	2.7	12	<1	1	2	3	6	8	14
A. NOT OPERATED	2873	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	994	2.4	10	<1	<1	1	3	5	7	13
TOTAL 0-27 DYS	113	2.2	4	<1	1	1	3	4	6	12
1-11 MOS	522	2.0	5	<1	<1	1	2	4	5	11
1-5 YRS	2145	1.6	4	<1	<1	1	2	3	4	8
6-12 YRS	663	1.6	3	<1	<1	1	2	3	4	9
13-19 YRS	424	2.1	4	<1	<1	1	2	5	6	12
GRAND TOTAL	**3867**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	9.3	40	3	3	6	14	18	21	22
1-5 YRS	70	6.0	34	1	1	5	8	13	16	33
6-12 YRS	29	6.5	26	1	1	6	9	14	18	19
13-19 YRS	31	6.5	30	1	1	4	10	16	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS	14	12.8	235	1	2	6	13	38	46	48
1-5 YRS	99	10.2	121	1	2	6	15	23	33	54
6-12 YRS	100	8.5	66	1	2	7	9	17	30	39
13-19 YRS	94	8.7	64	1	1	6	11	20	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	33	8.2	79	1	2	5	10	19	31	38
1-5 YRS	137	8.3	66	1	1	7	10	19	26	36
6-12 YRS	50	7.2	47	1	1	5	8	15	19	34
13-19 YRS	76	6.8	30	1	1	5	10	14	15	25
B. *Operated*										
0-27 DYS										
1-11 MOS	43	15.0	179	1	2	12	22	36	41	57
1-5 YRS	215	16.9	190	1	3	14	24	34	47	79
6-12 YRS	139	18.9	349	2	4	13	23	41	59	98
13-19 YRS	203	16.3	223	2	3	12	21	38	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	6.5	32	1	1	5	9	15	17	23
B. *Operated*	307	9.3	91	1	2	6	11	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	296	7.7	55	1	1	6	10	15	25	34
B. *Operated*	600	17.0	237	2	3	13	23	38	49	92
1. SINGLE DX	452	8.4	74	1	1	6	10	18	26	42
2. MULTIPLE DX	896	13.9	196	1	2	10	18	32	44	83
A. NOT OPERATED	441	7.3	48	1	1	5	10	15	22	33
B. OPERATED	907	14.4	201	1	2	9	20	34	44	83
TOTAL 0-27 DYS										
1-11 MOS	105	11.7	141	1	2	7	14	32	37	52
1-5 YRS	521	11.9	142	1	2	8	16	27	36	63
6-12 YRS	318	12.7	213	1	2	8	15	31	39	90
13-19 YRS	404	12.0	154	1	2	8	15	26	38	64
GRAND TOTAL	**1348**	**12.1**	**162**	**1**	**2**	**8**	**15**	**28**	**38**	**66**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.0	2	1	1	3	4	4	4	4
1-11 MOS	162	3.8	14	1	1	3	5	8	12	19
1-5 YRS	622	4.8	19	1	1	3	7	10	13	20
6-12 YRS	159	5.1	22	1	1	4	7	11	15	20
13-19 YRS	207	4.0	15	1	1	3	5	9	11	22
B. *Operated*										
0-27 DYS	2	13.0	162	4	4	13	22	22	22	22
1-11 MOS	26	7.3	48	1	1	4	11	18	20	27
1-5 YRS	120	8.6	75	1	1	6	11	20	30	40
6-12 YRS	57	10.3	167	1	2	7	12	21	31	78
13-19 YRS	71	9.3	132	1	2	7	12	16	20	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	363	5.4	21	1	1	4	8	12	15	20
1-5 YRS	1389	5.9	36	1	1	4	8	12	16	24
6-12 YRS	360	5.7	26	1	1	4	8	12	15	24
13-19 YRS	602	4.6	19	1	1	3	6	10	12	21
B. *Operated*										
0-27 DYS	3	29.3	1785	2	2	8	60	78	78	78
1-11 MOS	50	10.9	143	1	1	6	12	26	38	54
1-5 YRS	290	11.6	138	1	2	8	15	25	34	61
6-12 YRS	121	12.9	158	1	2	8	19	28	40	59
13-19 YRS	188	9.6	89	1	2	7	12	24	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1155	4.5	18	1	1	3	6	10	13	20
B. *Operated*	276	9.0	106	1	1	6	11	20	24	46
2. MULTIPLE DX										
A. *Not Operated*	2717	5.5	29	1	1	4	7	12	15	23
B. *Operated*	652	11.3	135	1	2	8	14	25	35	55
1. SINGLE DX	1431	5.4	38	1	1	4	7	12	16	28
2. MULTIPLE DX	3369	6.6	55	1	1	5	8	14	19	37
A. NOT OPERATED	3872	5.2	26	1	1	4	7	11	15	22
B. OPERATED	928	10.6	128	1	2	7	13	24	32	55
TOTAL 0-27 DYS	13	10.8	436	1	2	4	6	33	70	78
1-11 MOS	601	5.5	33	1	1	4	7	12	16	26
1-5 YRS	2421	6.4	50	1	1	5	8	14	19	33
6-12 YRS	697	7.2	68	1	1	5	9	16	22	43
13-19 YRS	1068	5.7	43	1	1	4	8	12	16	31
GRAND TOTAL	**4800**	**6.3**	**50**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	2.7	3	1	1	2	4	5	5	5
6-12 YRS	24	1.7	1	<1	1	1	2	3	5	5
13-19 YRS	83	3.3	27	<1	1	2	4	6	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	28	2.2	4	<1	1	2	3	5	6	10
6-12 YRS	42	2.0	2	<1	1	2	2	4	5	7
13-19 YRS	152	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	6.7	52	1	1	4	9	18	24	24
6-12 YRS	30	2.6	9	1	1	2	3	4	5	17
13-19 YRS	101	4.7	45	1	1	3	5	8	14	43
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.6	202	<1	<1	1	10	33	33	33
1-5 YRS	35	5.9	216	<1	<1	2	3	13	22	85
6-12 YRS	61	4.5	134	<1	1	2	3	6	35	97
13-19 YRS	267	3.1	23	<1	<1	2	3	5	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.9	21	<1	1	2	3	5	9	25
B. *Operated*	225	2.1	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	140	4.4	38	1	1	3	5	8	14	34
B. *Operated*	368	3.6	62	<1	1	2	3	6	11	45
1. SINGLE DX	339	2.4	9	<1	1	2	3	4	6	13
2. MULTIPLE DX	508	3.8	56	<1	1	2	4	7	12	44
A. NOT OPERATED	254	3.7	31	1	1	2	4	7	11	32
B. OPERATED	593	3.0	40	<1	1	2	3	4	9	38
TOTAL 0-27 DYS										
1-11 MOS	9	5.1	110	<1	<1	1	3	21	33	33
1-5 YRS	78	4.4	106	<1	1	2	4	9	17	68
6-12 YRS	157	3.0	55	1	1	2	3	4	6	76
13-19 YRS	603	3.1	23	<1	1	2	3	6	9	25
GRAND TOTAL	**847**	**3.2**	**37**	**<1**	**1**	**2**	**3**	**6**	**9**	**33**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	23	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	205	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	319	2.1	3	<1	1	1	2	4	6	10
13-19 YRS	501	2.2	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	38	5.1	42	<1	1	3	6	14	17	33
6-12 YRS	57	3.3	12	<1	1	2	4	7	12	19
13-19 YRS	187	3.7	21	<1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	20	3.4	8	1	1	2	5	8	9	9
1-5 YRS	195	3.2	9	1	1	2	4	6	8	18
6-12 YRS	289	3.0	18	1	1	2	3	5	9	18
13-19 YRS	618	3.0	18	<1	1	2	3	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.3	193	<1	<1	3	17	30	30	30
1-5 YRS	46	6.0	35	1	1	4	7	16	17	27
6-12 YRS	87	6.5	70	<1	1	3	8	14	24	42
13-19 YRS	254	7.2	86	1	1	4	8	15	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1050	2.1	3	<1	1	1	2	4	6	9
B. *Operated*	283	3.8	22	<1	1	2	4	8	13	27
2. MULTIPLE DX										
A. *Not Operated*	1124	3.0	16	1	1	2	3	6	8	16
B. *Operated*	391	6.9	77	1	1	4	8	15	25	54
1. SINGLE DX	1333	2.4	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	1515	4.0	35	1	1	2	4	8	13	34
A. NOT OPERATED	2174	2.6	10	<1	1	2	3	5	7	14
B. OPERATED	674	5.6	56	<1	1	3	6	13	19	43
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	48	3.0	20	<1	<1	2	4	7	9	30
1-5 YRS	484	3.1	13	1	1	2	3	6	9	18
6-12 YRS	752	3.1	19	1	1	2	3	6	10	20
13-19 YRS	1560	3.5	28	<1	1	2	4	7	10	32
GRAND TOTAL	**2848**	**3.3**	**23**	**<1**	**1**	**2**	**4**	**7**	**10**	**25**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.9	13	1	1	1	3	9	12	12
1-11 MOS	153	1.4	2	<1	<1	1	1	2	3	11
1-5 YRS	3051	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	353	1.9	3	<1	1	1	2	3	5	10
13-19 YRS	2899	1.9	2	<1	<1	1	2	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.4	5	<1	<1	2	3	6	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	4.2	3	2	2	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	114	3.1	25	1	1	2	3	5	9	31
1-5 YRS	1163	2.0	5	<1	1	1	2	4	5	9
6-12 YRS	456	3.7	32	1	1	2	4	7	10	38
13-19 YRS	5962	3.9	44	<1	1	2	4	7	13	37
B. *Operated*										
0-27 DYS										
1-11 MOS	3	18.3	202	2	2	25	27	28	28	28
1-5 YRS	22	6.0	22	1	2	4	9	12	16	20
6-12 YRS	6	5.8	44	1	1	4	5	18	19	19
13-19 YRS	73	11.9	217	1	1	6	17	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6465	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	15	2.9	5	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	7698	3.6	38	<1	1	2	3	6	11	33
B. *Operated*	104	10.5	171	1	1	5	13	28	47	99+
1. SINGLE DX	6480	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	7802	3.6	40	<1	1	2	4	7	11	36
A. NOT OPERATED	14163	2.7	22	<1	1	1	3	5	7	24
B. OPERATED	119	9.6	156	1	1	5	11	27	44	99+
TOTAL 0-27 DYS	12	2.9	10	1	1	2	3	7	11	12
1-11 MOS	270	2.3	16	<1	1	1	2	4	7	29
1-5 YRS	4245	1.5	2	<1	<1	1	2	3	4	7
6-12 YRS	816	2.9	20	1	1	2	3	5	8	23
13-19 YRS	8939	3.3	33	<1	1	2	3	6	10	31
GRAND TOTAL	**14282**	**2.7**	**24**	**<1**	**1**	**1**	**3**	**5**	**8**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		1	1	1	1	2	2	2
1-11 MOS	136	1.5	1	<1	<1	1	2	3	3	6
1-5 YRS	1989	2.0	4	<1	1	1	2	5	6	10
6-12 YRS	444	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	653	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	19	3.2	7	1	1	2	5	6	9	11
6-12 YRS	6	2.8	13	1	1	2	2	9	10	10
13-19 YRS	16	4.1	7	1	2	3	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.2	30	1	1	2	10	14	14	14
1-11 MOS	63	2.9	12	<1	1	2	3	8	10	18
1-5 YRS	1003	2.9	12	1	1	2	3	6	7	14
6-12 YRS	162	3.0	30	<1	1	2	4	6	7	13
13-19 YRS	531	3.3	41	<1	1	2	3	5	10	37
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	17	10.3	142	1	1	6	13	32	37	38
6-12 YRS	9	16.9	299	2	3	10	25	47	49	49
13-19 YRS	40	7.8	87	<1	1	5	10	14	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3228	1.8	3	<1	1	1	2	4	6	9
B. *Operated*	42	3.4	7	1	1	2	5	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	1765	3.0	22	<1	1	2	3	6	8	22
B. *Operated*	67	9.8	132	1	1	6	11	26	39	50
1. SINGLE DX	3270	1.9	3	<1	1	1	2	4	6	9
2. MULTIPLE DX	1832	3.3	28	<1	1	2	3	6	9	30
A. NOT OPERATED	4993	2.3	10	<1	1	1	2	5	6	13
B. OPERATED	109	7.3	93	1	1	4	8	16	31	49
TOTAL 0-27 DYS	13	4.2	29	1	1	1	5	14	16	16
1-11 MOS	200	1.9	5	<1	1	1	2	3	6	13
1-5 YRS	3028	2.3	8	<1	1	1	2	5	7	13
6-12 YRS	621	2.2	16	<1	1	1	2	4	6	11
13-19 YRS	1240	2.6	23	<1	<1	1	2	4	7	29
GRAND TOTAL	**5102**	**2.4**	**13**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	2.0	2	<1	<1	1	3	4	5	5
1-11 MOS	114	2.3	7	<1	1	2	3	4	5	15
1-5 YRS	607	2.3	15	1	1	1	2	4	6	19
6-12 YRS	319	2.5	6	<1	1	2	3	5	7	12
13-19 YRS	424	2.1	5	<1	1	2	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	5.9	13	1	1	5	9	11	11	11
6-12 YRS	6	2.5	2	<1	<1	2	3	5	5	5
13-19 YRS	12	6.8	21	<1	1	7	9	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	4.3	11	1	1	4	5	7	12	16
1-11 MOS	250	4.1	15	1	1	2	5	9	12	19
1-5 YRS	676	4.0	29	1	1	2	5	8	12	33
6-12 YRS	387	3.6	39	1	1	2	4	6	9	33
13-19 YRS	583	3.2	12	1	1	2	4	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	19	16.4	347	<1	1	8	21	49	52	54
1-5 YRS	36	18.0	302	2	3	13	33	55	82	99+
6-12 YRS	26	5.7	88	<1	1	2	7	21	53	99+
13-19 YRS	38	11.4	257	1	1	5	14	41	51	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1474	2.3	9	<1	1	2	3	4	6	12
B. *Operated*	28	5.4	16	<1	1	5	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	1916	3.7	24	1	1	2	4	8	11	24
B. *Operated*	119	13.0	264	1	1	6	17	47	55	99+
1. SINGLE DX	1502	2.4	10	<1	1	2	3	4	6	14
2. MULTIPLE DX	2035	4.2	42	1	1	2	4	9	13	44
A. NOT OPERATED	3390	3.1	18	1	1	2	3	6	9	21
B. OPERATED	147	11.5	225	1	1	5	14	44	55	99+
TOTAL 0-27 DYS	30	3.5	9	<1	1	3	4	6	8	16
1-11 MOS	384	4.1	37	1	1	2	5	9	13	39
1-5 YRS	1328	3.6	36	1	1	2	4	7	12	42
6-12 YRS	738	3.2	26	1	1	2	3	6	9	26
13-19 YRS	1057	3.1	21	<1	1	2	3	6	9	23
GRAND TOTAL	**3537**	**3.4**	**29**	**1**	**1**	**2**	**4**	**7**	**10**	**30**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	31	2.5	4	<1	<1	2	3	5	7	10
1-5 YRS	77	2.5	8	<1	1	1	3	6	8	15
6-12 YRS	60	3.2	9	<1	1	2	4	8	10	14
13-19 YRS	85	3.6	7	<1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	8	4.8	13	2	2	4	5	11	13	13
1-11 MOS	191	5.6	35	1	1	4	7	12	19	31
1-5 YRS	383	4.6	16	1	1	4	5	9	14	22
6-12 YRS	366	4.2	14	<1	1	3	5	8	11	21
13-19 YRS	509	4.2	17	<1	1	3	5	9	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	84	5.7	41	1	1	3	7	14	19	34
1-5 YRS	219	5.2	36	<1	1	3	6	12	18	30
6-12 YRS	135	5.2	24	1	1	4	7	11	15	25
13-19 YRS	189	5.2	26	1	1	4	7	10	15	23
B. *Operated*										
0-27 DYS	15	14.1	123	2	3	12	24	37	81	99+
1-11 MOS	438	10.2	116	2	2	6	14	25	31	53
1-5 YRS	847	8.3	100	1	1	5	10	20	27	53
6-12 YRS	685	7.0	61	1	1	4	8	16	23	43
13-19 YRS	865	7.9	69	1	2	5	10	18	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	3.1	7	<1	1	2	4	7	9	13
B. *Operated*	1457	4.5	19	<1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	628	5.2	31	1	1	3	7	12	17	26
B. *Operated*	2850	8.2	85	1	2	5	10	19	27	49
1. SINGLE DX	1711	4.3	17	<1	1	3	5	8	12	25
2. MULTIPLE DX	3478	7.7	77	1	1	5	9	18	25	46
A. NOT OPERATED	882	4.6	25	1	1	3	6	10	14	25
B. OPERATED	4307	6.9	66	1	1	4	8	16	24	43
TOTAL 0-27 DYS	25	10.3	99	1	2	6	13	31	50	99+
1-11 MOS	744	8.2	88	1	2	5	10	19	27	44
1-5 YRS	1526	6.6	69	1	1	4	8	15	22	45
6-12 YRS	1246	5.8	43	1	1	4	7	13	19	33
13-19 YRS	1648	6.2	48	1	1	4	8	14	20	35
GRAND TOTAL	**5189**	**6.5**	**59**	**1**	**1**	**4**	**8**	**15**	**22**	**40**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	14	1.2		<1	<1	1	1	2	2	2
1-5 YRS	197	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	326	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	289	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	173	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	259	1.4		<1	1	1	2	2	3	4
13-19 YRS	324	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	14	2.9	4	1	1	3	4	5	7	8
1-5 YRS	54	2.1	4	<1	1	1	2	4	7	10
6-12 YRS	63	1.9	2	<1	1	2	2	4	4	8
13-19 YRS	85	3.0	8	1	1	2	4	7	8	16
B. *Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	5	2.2	1	<1	<1	3	3	3	3	3
1-5 YRS	51	2.5	7	1	1	2	3	5	9	15
6-12 YRS	72	2.2	5	1	1	1	3	4	5	13
13-19 YRS	73	3.4	15	1	1	2	4	9	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	1.6	1	<1	<1	1	2	3	3	7
B. *Operated*	765	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	221	2.4	5	<1	1	2	3	5	7	10
B. *Operated*	203	2.7	9	1	1	2	3	5	10	16
1. SINGLE DX	1594	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	424	2.6	7	1	1	2	3	5	8	15
A. NOT OPERATED	1050	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	968	1.9	4	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	11	1.9	1	<1	<1	2	2	3	4	4
1-11 MOS	41	2.0	2	<1	1	1	3	4	5	8
1-5 YRS	475	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	720	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	771	2.2	5	<1	1	1	2	4	6	13
GRAND TOTAL	**2018**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

Length of Stay Tables
Operation Groups

1,662 Hospitals, United States, January-December 1984, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7209	3.6	10	1	1	3	4	6	8	15
1-11 MOS	22179	3.6	14	<1	<1	3	4	7	10	19
1-5 YRS	72797	2.7	12	<1	<1	2	3	6	8	19
6-12 YRS	83520	2.9	16	<1	1	2	3	6	8	21
13-19 YRS	217085	3.1	14	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	28752	11.4	244	2	2	5	12	32	53	99+
1-11 MOS	29886	6.2	62	1	1	4	7	12	19	47
1-5 YRS	79940	4.1	35	<1	1	2	4	9	13	31
6-12 YRS	63469	4.5	49	<1	1	2	5	9	15	39
13-19 YRS	160824	5.2	53	1	1	3	5	10	15	43
TOT. SINGLE DX	402790	3.0	14	<1	1	2	3	5	8	18
" MULTIPLE DX	362871	5.4	68	1	1	3	6	11	18	50
TOTAL 0-27 DYS	35961	9.9	207	1	2	5	10	27	46	97
1-11 MOS	52065	5.1	43	<1	1	3	6	10	15	36
1-5 YRS	152737	3.5	25	<1	<1	2	4	7	11	25
6-12 YRS	146989	3.6	31	<1	1	2	4	7	11	29
13-19 YRS	377909	4.0	32	1	1	3	4	7	10	30
GRAND TOTAL	**765661**	**4.1**	**41**	**<1**	**1**	**3**	**4**	**8**	**12**	**36**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.4	8	1	1	3	4	8	10	10
1-11 MOS	17	3.9	7	1	1	3	6	7	9	10
1-5 YRS	52	4.5	11	1	2	4	6	8	11	18
6-12 YRS	79	4.8	7	1	2	4	6	9	10	13
13-19 YRS	162	4.7	10	1	2	4	6	9	11	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	6.8	32	1	1	5	10	16	16	16
1-5 YRS	50	5.7	25	<1	1	4	8	12	19	22
6-12 YRS	89	7.2	42	2	2	5	9	14	19	39
13-19 YRS	138	7.5	27	1	3	6	10	14	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.5	3	1	1	3	4	6	8	8
1-11 MOS	22	7.1	19	2	2	5	11	13	15	18
1-5 YRS	69	4.2	12	1	1	3	5	8	11	19
6-12 YRS	81	6.2	17	2	2	5	8	11	15	21
13-19 YRS	150	6.1	20	2	2	5	8	11	15	26
B. *Operated*										
0-27 DYS	4	11.5	63	4	4	10	18	21	21	21
1-11 MOS	11	10.7	104	<1	<1	5	20	25	29	29
1-5 YRS	62	9.5	69	1	1	8	13	20	25	44
6-12 YRS	76	10.6	78	2	2	8	14	19	25	45
13-19 YRS	196	12.5	151	2	3	9	15	24	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.6	9	1	2	4	6	9	11	14
B. *Operated*	287	7.1	31	1	2	6	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*	332	5.7	18	1	2	5	7	11	14	21
B. *Operated*	349	11.5	119	1	2	9	15	23	28	56
1. SINGLE DX	605	5.8	21	1	2	5	7	11	14	21
2. MULTIPLE DX	681	8.7	78	1	2	6	11	18	24	49
A. NOT OPERATED	650	5.2	14	1	2	4	7	10	12	18
B. OPERATED	636	9.5	84	1	2	7	12	18	25	51
TOTAL 0-27 DYS	23	4.8	23	1	1	3	4	11	17	21
1-11 MOS	59	6.8	37	1	1	5	10	16	20	28
1-5 YRS	233	6.0	34	1	1	4	8	13	18	26
6-12 YRS	325	7.1	39	2	2	5	9	14	18	39
13-19 YRS	646	8.0	68	2	2	6	10	15	21	50
GRAND TOTAL	**1286**	**7.3**	**53**	**1**	**2**	**5**	**9**	**15**	**19**	**38**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	23	2.7	3	1	1	2	4	5	6	6
1-5 YRS	62	2.3	4	<1	1	2	3	5	7	12
6-12 YRS	37	2.5	9	1	1	1	3	5	7	17
13-19 YRS	93	3.5	10	1	1	2	5	8	11	14
B. *Operated*										
0-27 DYS	4	4.5	19	1	1	4	8	10	10	10
1-11 MOS	18	5.4	26	<1	1	4	7	11	17	21
1-5 YRS	78	4.8	23	<1	1	3	6	12	15	23
6-12 YRS	56	3.9	29	<1	<1	2	3	7	13	32
13-19 YRS	125	4.8	30	<1	1	3	6	10	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	44	<1	<1	2	4	17	18	18
1-11 MOS	34	3.9	14	1	1	3	5	8	14	17
1-5 YRS	160	3.0	14	<1	1	2	3	6	11	27
6-12 YRS	101	3.6	52	1	1	2	3	7	11	45
13-19 YRS	183	3.3	10	1	1	2	5	7	10	15
B. *Operated*										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	60	11.3	266	1	1	5	12	32	49	99+
1-5 YRS	152	6.0	50	<1	1	4	7	15	23	40
6-12 YRS	115	4.7	48	<1	1	2	6	11	14	43
13-19 YRS	191	7.1	69	1	1	4	9	18	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.9	7	1	1	2	4	6	8	14
B. *Operated*	281	4.7	27	<1	1	3	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	484	3.3	21	1	1	2	4	7	11	22
B. *Operated*	520	6.7	85	1	1	3	8	17	26	51
1. SINGLE DX	501	3.9	19	<1	1	2	5	8	12	23
2. MULTIPLE DX	1004	5.1	57	1	1	2	6	12	19	40
A. NOT OPERATED	704	3.2	17	1	1	2	4	7	10	18
B. OPERATED	801	6.0	65	1	1	3	7	14	22	40
TOTAL 0-27 DYS	17	4.1	23	<1	<1	2	4	12	16	18
1-11 MOS	135	7.2	139	1	1	4	7	21	30	96
1-5 YRS	452	4.2	29	<1	1	2	5	10	16	33
6-12 YRS	309	3.9	42	1	1	2	4	9	13	35
13-19 YRS	592	4.9	36	1	1	3	6	11	17	31
GRAND TOTAL	**1505**	**4.7**	**45**	**1**	**1**	**2**	**5**	**11**	**17**	**34**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	25	1.7	1	1	1	2	2	2	3	5
1-5 YRS	57	2.7	6	1	1	2	3	5	6	16
6-12 YRS	21	2.8	3	1	1	2	3	5	7	9
13-19 YRS	18	3.0	4	<1	1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	34	2.6	3	<1	1	2	4	5	7	8
1-5 YRS	71	3.0	3	1	1	2	4	5	6	8
6-12 YRS	21	3.8	15	1	1	3	4	8	13	17
13-19 YRS	31	5.2	91	1	1	3	5	7	12	55
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.7	602	2	2	3	34	45	45	45
1-5 YRS	5	11.2	80	4	4	7	16	26	26	26
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	32.3	510	<1	1	38	44	60	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.6	4	1	1	2	3	5	6	11
B. *Operated*	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	158	3.4	22	1	1	2	4	6	7	17
B. *Operated*	15	20.5	398	<1	2	11	40	45	58	62
1. SINGLE DX	124	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	173	4.9	76	1	1	3	4	7	13	53
A. NOT OPERATED	279	3.1	15	1	1	2	4	6	7	15
B. OPERATED	18	17.3	380	<1	1	7	34	45	55	62
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	63	2.9	31	1	1	2	3	5	6	40
1-5 YRS	135	3.1	9	1	1	2	4	6	7	18
6-12 YRS	43	3.4	9	1	1	3	4	7	9	17
13-19 YRS	55	7.5	177	<1	1	3	6	12	43	62
GRAND TOTAL	**297**	**3.9**	**47**	**1**	**1**	**2**	**4**	**6**	**8**	**45**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.8	3	<1	<1	<1	2	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	45	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	4	3.8	4	1	1	4	5	5	5	5
13-19 YRS	55	2.6	4	<1	<1	2	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	52	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	60	2.7	4	<1	<1	2	4	5	6	11
1. SINGLE DX	52	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	64	2.6	4	<1	1	2	4	5	6	11
A. NOT OPERATED	4	1.0		1	1	1	1	1	1	1
B. OPERATED	112	2.4	3	<1	<1	2	3	5	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.8	3	<1	<1	1	2	5	5	5
1-5 YRS										
6-12 YRS	5	3.4	3	1	1	4	5	5	5	5
13-19 YRS	104	2.3	3	<1	<1	2	3	4	5	9
GRAND TOTAL	**116**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**5**	**9**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	8.5	1	8	8	8	9	9	9	9
1000-1499	6	35.7	188	18	19	34	50	52	52	52
1500-1749	14	17.1	51	7	8	20	23	24	27	28
1750-2499	6625	3.0	3	1	1	3	4	5	6	10
2500+	443868	2.7	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	5	38.0	220	15	15	39	46	56	56	56
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	11	12.5	50	1	2	14	16	20	25	25
2500+	184	4.6	35	1	2	3	5	8	11	44
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	152	63.5	486	17	37	68	86	99	99+	99+
1000-1499	905	40.4	253	16	21	40	50	61	69	95
1500-1749	1320	24.3	96	11	13	23	29	36	42	54
1750-2499	20588	7.0	40	2	2	5	9	15	19	30
2500+	251050	3.6	4	1	2	3	4	6	7	10
B. *Operated*										
1-999 G	284	72.0	465	27	56	89	99+	99+	99+	99+
1000-1499	894	50.8	333	23	30	51	66	89	99+	99+
1500-1749	597	33.6	180	16	20	32	40	52	62	94
1750-2499	1998	17.3	169	3	5	15	22	31	42	80
2500+	5676	7.6	63	1	2	5	9	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450515	2.8	2	1	1	3	3	4	5	7
B. *Operated*	201	5.9	69	1	2	3	5	12	18	48
2. MULTIPLE DX										
A. *Not Operated*	274015	4.1	17	1	2	3	5	6	8	21
B. *Operated*	9449	17.3	399	2	3	9	24	54	79	99+
1. SINGLE DX	450716	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	283464	4.5	36	1	2	3	5	7	10	34
A. NOT OPERATED	724530	3.3	8	1	1	3	4	5	6	12
B. OPERATED	9650	17.1	395	2	3	9	24	53	78	99+
TOTAL 1-999 G	438	68.8	502	22	47	84	99+	99+	99+	99+
1000-1499	1810	45.5	319	18	24	45	58	75	92	99+
1500-1749	1932	27.1	140	11	14	25	33	42	49	71
1750-2499	29222	6.8	51	1	2	4	8	15	20	34
2500+	700778	3.1	3	1	1	3	4	5	6	8
GRAND TOTAL	**734180**	**3.4**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	27.5	247	13	13	25	40	46	46	46
1500-1749	9	18.2	52	8	10	16	22	29	32	32
1750-2499	879	4.7	7	2	2	4	5	7	9	16
2500+	3917	4.1	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749										
1750-2499	1	19.0		19	19	19	19	19	19	19
2500+	3	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	18	59.6	924	10	13	71	92	99+	99+	99+
1000-1499	170	40.6	261	18	23	39	51	60	70	93
1500-1749	329	24.5	105	12	14	23	29	37	44	62
1750-2499	3430	9.0	48	3	3	7	12	18	22	32
2500+	3258	5.3	10	2	3	5	6	7	9	20
B. *Operated*										
1-999 G	52	63.0	648	15	33	88	99+	99+	99+	99+
1000-1499	197	51.4	381	22	30	50	68	88	99+	99+
1500-1749	133	31.3	130	15	19	30	37	46	52	70
1750-2499	367	18.6	142	5	6	17	25	32	37	72
2500+	100	9.9	119	2	4	7	10	17	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4809	4.3	5	2	2	4	5	6	7	11
B. *Operated*	5	16.0	318	5	5	5	26	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	7205	8.9	88	2	3	6	10	19	27	51
B. *Operated*	849	29.9	500	5	7	26	46	79	99+	99+
1. SINGLE DX	4814	4.3	5	2	2	4	5	6	7	11
2. MULTIPLE DX	8054	11.1	173	3	3	6	13	26	40	87
A. NOT OPERATED	12014	7.0	60	2	3	5	7	14	21	43
B. OPERATED	854	29.8	500	5	7	26	46	78	99+	99+
TOTAL 1-999 G	70	62.1	709	14	23	84	99+	99+	99+	99+
1000-1499	372	46.2	355	19	24	44	58	79	91	99+
1500-1749	471	26.3	121	12	14	25	32	39	48	66
1750-2499	4677	9.0	58	2	3	6	12	18	24	36
2500+	7278	4.7	8	2	2	4	6	7	8	14
GRAND TOTAL	**12868**	**8.6**	**121**	**2**	**3**	**5**	**8**	**19**	**30**	**71**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	51	2.8	4	1	1	3	3	5	5	14
2500+	1177	2.2	2	<1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	49.5	950	25	25	59	92	99+	99+	99+
1000-1499	17	44.4	281	22	30	42	49	56	83	98
1500-1749	21	27.2	78	10	14	29	31	36	43	49
1750-2499	209	7.9	59	1	2	5	11	18	20	39
2500+	621	3.6	11	1	1	3	4	7	9	14
B. *Operated*										
1-999 G	4	58.0	686	23	30	86	99+	99+	99+	99+
1000-1499	7	62.6	589	35	36	72	81	92	94	94
1500-1749	8	25.5	43	16	17	26	31	33	34	34
1750-2499	28	16.9	254	2	4	12	22	34	60	66
2500+	38	6.2	39	1	1	4	7	14	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	2.3	2	<1	1	2	3	3	4	6
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	872	6.2	85	1	1	3	6	13	26	49
B. *Operated*	85	18.6	479	1	2	11	28	66	87	99+
1. SINGLE DX	1229	2.3	2	<1	1	2	3	3	4	6
2. MULTIPLE DX	957	7.3	132	1	1	3	7	18	31	76
A. NOT OPERATED	2100	3.9	40	1	1	2	3	6	12	36
B. OPERATED	86	18.5	476	1	2	10	28	66	86	99+
TOTAL 1-999 G	8	53.8	722	23	24	75	99+	99+	99+	99+
1000-1499	24	49.7	420	26	32	42	55	83	95	98
1500-1749	29	26.8	67	10	16	28	31	35	39	49
1750-2499	288	7.9	80	1	2	5	10	18	23	52
2500+	1837	2.8	6	1	1	2	3	5	6	12
GRAND TOTAL	**2186**	**4.5**	**65**	**1**	**1**	**2**	**4**	**8**	**16**	**48**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	7	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	17	2.6	4	<1	<1	2	4	4	7	8
13-19 YRS	20	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*										
0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	13	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	142	1.8	1	<1	<1	1	2	3	4	6
6-12 YRS	373	2.0	2	<1	<1	2	3	4	4	8
13-19 YRS	1813	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	4.1	43	<1	<1	1	4	13	22	23
6-12 YRS	19	2.7	17	<1	<1	1	2	6	13	18
13-19 YRS	36	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	7	6.6	137	<1	<1	3	4	27	33	33
1-5 YRS	139	2.2	3	<1	<1	2	3	4	5	9
6-12 YRS	250	2.8	4	<1	<1	2	3	5	6	12
13-19 YRS	512	3.1	8	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.1	3	<1	<1	1	3	4	6	9
B. *Operated*	2344	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	66	2.2	13	<1	<1	1	2	4	7	22
B. *Operated*	908	2.9	7	<1	<1	2	3	5	7	12
1. SINGLE DX	2391	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	974	2.9	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	113	2.2	9	<1	<1	1	2	4	7	20
B. OPERATED	3252	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	23	3.1	43	<1	<1	1	3	3	14	33
1-5 YRS	299	2.0	4	<1	<1	2	2	3	4	8
6-12 YRS	659	2.4	3	<1	<1	2	3	4	5	9
13-19 YRS	2381	2.4	3	<1	<1	2	3	4	5	9
GRAND TOTAL	**3365**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	36	1.1		<1	<1	<1	<1	1	2	3
1-5 YRS	11	2.0	4	1	1	1	3	5	7	7
6-12 YRS	17	1.9	5	1	1	1	1	5	8	9
13-19 YRS	18	1.8	1	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	13	3	3	5	9	10	10	10
13-19 YRS	8	3.8	8	2	2	3	4	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	2	<1	<1	<1	2	4	4	4
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	82	1.5	2	<1	<1	1	1	3	5	8
B. *Operated*	11	4.4	9	2	2	3	5	10	10	10
1. SINGLE DX	6	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	93	1.9	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	87	1.6	2	<1	<1	1	1	3	5	8
B. OPERATED	12	4.2	9	2	2	3	5	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	38	1.1		<1	<1	<1	<1	1	2	3
1-5 YRS	11	2.0	4	1	1	1	3	5	7	7
6-12 YRS	23	2.4	7	<1	1	1	3	6	9	10
13-19 YRS	27	2.4	4	<1	1	2	3	5	6	10
GRAND TOTAL	**99**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	308	2.7	8	<1	<1	2	3	5	8	15
1-11 MOS	434	2.2	4	<1	<1	1	3	4	5	11
1-5 YRS	796	2.2	10	<1	<1	1	2	4	6	13
6-12 YRS	522	2.9	17	<1	<1	1	3	6	9	23
13-19 YRS	1324	2.2	18	<1	<1	1	2	4	5	19
B. *Operated*										
0-27 DYS	5	5.8	13	1	1	6	7	11	11	11
1-11 MOS	98	5.3	15	<1	<1	5	8	10	11	16
1-5 YRS	308	2.9	10	<1	<1	2	3	8	9	15
6-12 YRS	328	2.4	5	<1	<1	2	3	5	7	11
13-19 YRS	828	2.8	9	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	306	5.8	72	1	1	3	6	12	22	48
1-11 MOS	530	3.2	20	<1	<1	2	4	7	9	23
1-5 YRS	2171	3.0	19	<1	<1	2	3	5	7	25
6-12 YRS	2052	3.3	21	<1	1	2	4	6	9	25
13-19 YRS	2975	4.5	91	<1	1	2	4	7	16	71
B. *Operated*										
0-27 DYS	7	13.7	649	<1	<1	3	9	59	71	71
1-11 MOS	218	6.2	48	1	1	5	9	12	19	49
1-5 YRS	808	4.1	36	<1	1	2	5	9	13	35
6-12 YRS	551	3.6	38	<1	1	2	4	8	12	32
13-19 YRS	1032	4.8	76	<1	<1	2	5	10	15	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3384	2.4	13	<1	<1	1	3	4	6	17
B. *Operated*	1567	2.9	9	<1	<1	2	3	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	8034	3.8	49	<1	1	2	4	6	11	44
B. *Operated*	2616	4.5	55	<1	1	2	5	10	14	47
1. SINGLE DX	4951	2.5	12	<1	<1	1	3	5	8	15
2. MULTIPLE DX	10650	3.9	50	<1	1	2	4	7	12	45
A. NOT OPERATED	11418	3,3	39	<1	<1	2	4	6	9	36
B. OPERATED	4183	3.9	38	<1	<1	2	4	9	11	32
TOTAL 0-27 DYS	626	4.4	48	<1	<1	2	4	9	15	42
1-11 MOS	1280	3.5	21	<1	<1	2	4	8	11	21
1-5 YRS	4083	3.0	20	<1	<1	2	3	6	9	24
6-12 YRS	3453	3.2	22	<1	<1	2	4	6	10	25
13-19 YRS	6159	3.9	63	<1	<1	2	4	7	11	55
GRAND TOTAL	**15601**	**3.5**	**39**	**<1**	**<1**	**2**	**4**	**7**	**10**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	60	8.5	51	1	1	7	11	20	23	32
1-5 YRS	120	7.9	65	<1	1	6	10	16	23	43
6-12 YRS	115	8.8	35	1	3	8	11	15	18	38
13-19 YRS	142	9.1	30	1	2	9	12	16	20	26
2. MULTIPLE DX										
0-27 DYS	16	26.1	629	4	5	15	34	75	80	81
1-11 MOS	155	14.5	174	1	3	12	21	29	41	83
1-5 YRS	219	15.8	247	1	2	11	23	36	56	99+
6-12 YRS	186	15.4	221	3	4	11	19	31	46	98
13-19 YRS	231	21.2	363	2	4	15	30	54	65	99+
TOT. SINGLE DX	439	8.6	44	1	2	8	11	16	21	34
" MULTIPLE DX	807	17.2	275	2	3	12	22	41	60	99+
TOTAL 0-27 DYS	18	23.8	600	2	4	14	34	72	79	81
1-11 MOS	215	12.8	147	1	2	10	19	25	37	75
1-5 YRS	339	13.0	197	1	2	9	18	30	47	88
6-12 YRS	301	12.9	161	2	3	10	15	26	37	93
13-19 YRS	373	16.6	271	2	2	11	20	43	60	99
GRAND TOTAL	**1246**	**14.2**	**211**	**1**	**2**	**10**	**18**	**31**	**48**	**92**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	133	6.1	22	2	3	5	7	9	13	31
1-5 YRS	71	7.6	38	2	3	6	8	14	22	31
6-12 YRS	96	7.3	21	3	3	6	9	14	16	25
13-19 YRS	81	9.3	51	3	4	8	12	15	18	45
2. MULTIPLE DX										
0-27 DYS	6	17.8	227	5	5	11	37	88	99+	99+
1-11 MOS	49	13.3	132	3	4	8	23	29	33	56
1-5 YRS	87	13.0	124	3	4	9	14	30	38	54
6-12 YRS	103	16.0	203	3	4	10	23	38	50	99+
13-19 YRS	171	19.8	266	5	6	15	30	50	76	99+
TOT. SINGLE DX	384	7.3	32	2	3	6	9	13	16	31
" MULTIPLE DX	416	16.6	211	4	5	11	24	43	54	99+
TOTAL 0-27 DYS	9	12.9	197	2	2	8	36	69	99+	99+
1-11 MOS	182	8.0	62	2	3	5	8	15	28	37
1-5 YRS	158	10.6	93	3	3	7	12	24	31	48
6-12 YRS	199	11.8	134	3	3	8	14	27	40	85
13-19 YRS	252	16.4	221	4	5	11	21	44	56	99+
GRAND TOTAL	**800**	**12.2**	**147**	**3**	**4**	**8**	**14**	**30**	**43**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	4.9	11	1	1	4	6	11	11	11
1-11 MOS	298	5.1	5	2	3	5	6	8	9	16
1-5 YRS	135	5.2	8	2	2	5	6	8	10	15
6-12 YRS	156	5.3	13	2	2	4	7	9	11	17
13-19 YRS	88	4.9	7	2	2	4	6	9	10	15
2. MULTIPLE DX										
0-27 DYS	13	14.7	271	3	3	10	18	62	92	99+
1-11 MOS	96	7.2	25	3	4	6	9	12	15	31
1-5 YRS	118	8.7	60	2	3	7	10	17	22	47
6-12 YRS	108	9.7	195	2	2	6	9	18	30	85
13-19 YRS	151	9.9	87	2	3	7	11	21	33	57
TOT. SINGLE DX	688	5.1	8	2	2	5	6	8	10	15
" MULTIPLE DX	486	9.1	98	2	3	7	10	18	26	65
TOTAL 0-27 DYS	24	10.2	171	2	2	6	13	40	68	99+
1-11 MOS	394	5.6	11	2	3	5	7	9	11	17
1-5 YRS	253	6.8	36	2	3	5	7	11	18	36
6-12 YRS	264	7.1	92	2	2	5	8	11	16	67
13-19 YRS	239	8.0	64	2	2	6	9	17	23	52
GRAND TOTAL	**1174**	**6.8**	**49**	**2**	**3**	**5**	**7**	**11**	**17**	**43**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	40	7.1	30	2	3	6	8	13	16	32
1-11 MOS	209	6.4	18	2	3	6	8	10	12	27
1-5 YRS	106	5.6	16	2	3	4	6	10	16	21
6-12 YRS	59	4.4	8	2	2	4	6	8	10	17
13-19 YRS	52	6.5	10	2	3	6	8	11	13	16
2. MULTIPLE DX										
0-27 DYS	113	33.6	699	7	8	29	64	99	99+	99+
1-11 MOS	260	12.8	192	3	3	8	14	29	41	78
1-5 YRS	181	9.8	109	2	3	7	12	21	33	99+
6-12 YRS	125	9.5	107	2	3	7	10	20	30	83
13-19 YRS	98	11.2	97	3	4	9	15	21	33	99+
TOT. SINGLE DX	466	6.0	17	2	3	5	7	10	13	23
" MULTIPLE DX	777	14.4	285	3	3	8	17	41	73	99+
TOTAL 0-27 DYS	153	26.7	661	3	4	18	54	92	99+	99+
1-11 MOS	469	9.9	125	2	3	7	10	23	30	74
1-5 YRS	287	8.3	79	2	3	6	9	18	24	87
6-12 YRS	184	7.9	81	2	2	5	9	17	22	67
13-19 YRS	150	9.6	72	3	3	8	12	17	26	99
GRAND TOTAL	**1243**	**11.3**	**201**	**2**	**3**	**7**	**12**	**28**	**49**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	12	7.3	21	2	2	6	10	15	15	15
1-11 MOS	172	5.7	24	1	2	4	7	11	17	28
1-5 YRS	316	5.2	18	1	2	4	6	9	14	25
6-12 YRS	235	4.7	12	2	2	4	5	9	12	21
13-19 YRS	173	5.2	18	1	2	4	7	10	13	26
2. MULTIPLE DX										
0-27 DYS	39	35.3	941	5	6	24	64	81	93	98
1-11 MOS	389	10.8	158	2	2	7	14	25	33	88
1-5 YRS	621	9.8	163	2	2	5	11	24	35	76
6-12 YRS	401	8.4	98	2	2	5	9	21	28	68
13-19 YRS	334	10.6	122	2	2	6	14	28	37	66
TOT. SINGLE DX	908	5.2	18	1	2	4	6	10	14	25
" MULTIPLE DX	1784	10.4	171	2	2	6	12	25	36	83
TOTAL 0-27 DYS	51	28.7	864	3	4	13	45	79	90	98
1-11 MOS	561	9.3	123	2	2	5	11	21	29	54
1-5 YRS	937	8.2	119	1	2	5	9	17	27	61
6-12 YRS	636	7.0	70	2	2	4	8	15	23	57
13-19 YRS	507	8.8	93	1	2	5	10	22	32	56
GRAND TOTAL	2692	8.7	126	2	2	5	9	20	30	72

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	10	8.0	32	3	3	5	10	17	19	19
1-5 YRS	13	9.0	17	5	5	9	10	15	18	19
6-12 YRS	15	7.8	6	4	5	7	9	11	13	14
13-19 YRS	46	12.2	111	5	5	8	14	23	32	62
2. MULTIPLE DX										
0-27 DYS	4	7.0	11	3	3	7	9	11	11	11
1-11 MOS	10	18.8	107	3	6	16	24	35	37	37
1-5 YRS	22	11.7	141	5	6	7	11	21	38	60
6-12 YRS	32	15.7	228	5	5	9	18	32	45	77
13-19 YRS	74	18.3	202	5	7	13	24	37	50	72
TOT. SINGLE DX	85	10.4	71	4	5	8	13	19	24	54
" MULTIPLE DX	142	16.4	191	5	6	12	20	33	45	74
TOTAL 0-27 DYS	5	7.4	9	3	3	8	9	11	11	11
1-11 MOS	20	13.4	97	3	3	12	18	28	35	37
1-5 YRS	35	10.7	[illegible]	5	5	8	11	19	23	60
6-12 YRS	47	13.2	[illegible]	5	5	8	14	24	44	77
13-19 YRS	120	16.0	175	5	6	12	18	32	42	68
GRAND TOTAL	227	14.2	154	5	5	10	16	28	40	67

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	21	14.0	55	4	6	13	16	23	30	37
1-11 MOS	31	7.1	11	3	3	7	8	13	15	16
1-5 YRS	34	7.6	41	1	2	6	9	13	23	32
6-12 YRS	42	7.7	26	2	2	6	10	13	18	28
13-19 YRS	88	8.5	43	1	2	7	11	17	21	32
2. MULTIPLE DX										
0-27 DYS	95	20.5	229	6	8	16	25	48	72	99+
1-11 MOS	33	12.2	158	1	3	8	14	31	35	61
1-5 YRS	82	10.3	38	3	4	9	13	21	24	75
6-12 YRS	77	11.5	85	3	3	9	14	23	32	51
13-19 YRS	132	14.6	202	2	4	11	17	32	44	85
TOT. SINGLE DX	216	8.5	39	2	2	7	11	16	21	34
" MULTIPLE DX	419	14.3	164	3	4	11	18	31	44	99+
TOTAL 0-27 DYS	116	19.3	204	6	7	15	22	42	65	99+
1-11 MOS	64	9.7	93	3	3	7	10	16	31	57
1-5 YRS	116	9.5	40	2	3	8	12	21	24	54
6-12 YRS	119	10.1	68	2	3	8	12	19	26	46
13-19 YRS	220	12.2	148	2	2	9	15	23	36	75
GRAND TOTAL	635	12.4	129	2	3	9	15	24	37	76

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	24	3.5	10	<1	1	2	4	8	11	14
6-12 YRS	24	3.4	6	<1	1	3	4	8	9	10
13-19 YRS	84	2.7	4	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	21	8.1	84	1	1	4	12	23	31	31
6-12 YRS	18	3.9	20	1	1	3	4	6	15	21
13-19 YRS	88	5.3	65	<1	1	3	5	14	18	49
TOT. SINGLE DX	133	2.9	6	<1	<1	2	3	7	8	11
" MULTIPLE DX	129	5.6	62	1	1	3	5	14	19	38
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	21	1	1	7	9	10	10	10
1-5 YRS	45	5.6	50	<1	1	3	6	14	21	31
6-12 YRS	42	3.6	12	1	1	3	4	8	9	21
13-19 YRS	172	4.0	37	<1	<1	2	4	8	14	27
GRAND TOTAL	262	4.2	35	<1	1	2	4	9	14	30

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	13	2.8	5	<1	<1	2	4	7	8	8
1-5 YRS	36	3.4	19	1	1	2	4	6	15	21
6-12 YRS	74	2.1	2	<1	1	2	2	4	5	9
13-19 YRS	348	2.1	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	1.5		<1	<1	1	2	3	3	3
1-5 YRS	79	2.6	6	<1	1	2	3	6	9	13
6-12 YRS	131	3.4	63	1	1	2	3	4	8	83
13-19 YRS	474	2.8	12	<1	1	2	3	5	8	24
TOT. SINGLE DX	474	2.2	4	<1	1	2	3	4	5	10
" MULTIPLE DX	692	2.9	22	<1	1	2	3	5	8	27
TOTAL 0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	21	2.3	4	<1	<1	2	3	6	7	8
1-5 YRS	115	2.8	10	<1	1	2	3	6	10	19
6-12 YRS	205	2.9	42	<1	1	2	3	4	6	56
13-19 YRS	822	2.5	9	<1	1	2	3	4	6	14
GRAND TOTAL	1166	2.6	15	<1	1	2	3	4	7	17

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3	3	2	2	3	4	6	6	6
13-19 YRS	10	5.3	2	4	4	5	6	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	8.4	36	2	3	6	12	19	19	19
TOT. SINGLE DX	14	4.7	3	2	2	5	6	7	8	9
" MULTIPLE DX	12	7.8	36	2	2	6	10	19	19	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	3	2	2	2	4	6	6	6
13-19 YRS	21	6.9	22	3	4	5	6	16	19	19
GRAND TOTAL	26	6.2	20	2	2	5	6	13	19	19

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	18	6.2	32	1	2	4	9	15	20	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	12.5	387	2	2	3	23	42	42	42
13-19 YRS	12	5.8	14	1	2	5	9	12	12	12
TOT. SINGLE DX	22	5.9	28	1	1	4	8	12	19	22
" MULTIPLE DX	17	7.1	94	1	1	4	8	12	32	42
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	13	1	1	6	7	8	8	8
6-12 YRS	6	9.0	262	1	1	3	3	38	42	42
13-19 YRS	30	6.1	24	1	2	5	9	12	17	22
GRAND TOTAL	39	6.4	55	1	1	4	8	12	20	42

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	2.7	9	<1	<1	2	3	6	11	12
6-12 YRS	41	3.2	3	1	1	3	4	5	7	8
13-19 YRS	289	3.9	6	1	2	4	4	5	7	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	3	3.7	2	2	2	4	5	5	5	5
6-12 YRS	20	4.5	5	2	3	4	6	8	9	10
13-19 YRS	130	5.0	11	2	3	4	6	8	12	21
TOT. SINGLE DX	344	3.7	6	1	2	3	4	5	7	15
" MULTIPLE DX	156	4.9	10	2	3	4	6	8	11	19
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	3.3	2	2	2	3	4	5	5	5
1-5 YRS	15	2.9	8	<1	1	2	3	5	10	12
6-12 YRS	61	3.6	4	1	1	3	4	7	8	10
13-19 YRS	419	4.2	8	2	2	4	5	6	8	18
GRAND TOTAL	500	4.1	8	1	2	4	5	6	8	18

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	22	2.0		<1	<1	2	2	3	4	4
1-5 YRS	358	1.9	1	<1	<1	2	2	3	4	7
6-12 YRS	246	2.1	1	<1	1	2	3	3	4	7
13-19 YRS	185	2.3	3	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.8	8	<1	<1	4	6	8	8	8
1-5 YRS	43	2.8	9	<1	1	2	3	5	10	17
6-12 YRS	49	3.8	15	1	1	2	4	9	11	21
13-19 YRS	60	5.3	30	1	1	3	7	11	19	26
TOT. SINGLE DX	812	2.0	2	<1	1	2	2	3	4	7
" MULTIPLE DX	159	4.1	20	1	1	2	5	9	15	24
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	27	2.3	2	<1	<1	2	3	4	5	8
1-5 YRS	401	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	295	2.3	4	<1	1	2	3	4	6	11
13-19 YRS	245	3.0	11	1	1	2	3	5	9	21
GRAND TOTAL	971	2.4	5	<1	1	2	3	4	5	14

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.3	4	3	3	6	7	7	7	7
1-11 MOS	3	7.0	4	5	5	7	8	9	9	9
1-5 YRS	15	9.0	60	1	2	6	13	22	25	26
6-12 YRS	22	7.9	36	4	4	6	8	13	21	32
13-19 YRS	28	10.5	117	3	4	8	10	15	21	63
2. MULTIPLE DX										
0-27 DYS	2	8.5	41	4	4	8	13	13	13	13
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	10	23.1	616	5	6	12	29	65	84	84
6-12 YRS	13	8.6	19	2	3	7	14	14	15	15
13-19 YRS	31	12.5	110	5	6	9	13	23	32	59
TOT. SINGLE DX	71	9.0	71	2	4	7	9	15	22	56
" MULTIPLE DX	58	13.2	184	4	5	9	14	23	40	82
TOTAL 0-27 DYS	5	6.6	15	3	3	6	8	13	13	13
1-11 MOS	5	8.0	10	5	5	7	10	13	13	13
1-5 YRS	25	14.6	316	2	2	8	19	29	55	84
6-12 YRS	35	8.1	30	3	4	6	10	14	15	32
13-19 YRS	59	11.5	113	4	5	9	12	17	28	63
GRAND TOTAL	129	10.9	125	3	4	8	12	18	29	67

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	58	1.3		<1	<1	1	1	2	2	5
1-5 YRS	241	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	114	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	100	1.4		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.7	6	1	1	1	4	7	8	8
1-5 YRS	35	1.7	5	<1	<1	1	2	2	4	14
6-12 YRS	23	1.4		<1	<1	1	2	2	3	3
13-19 YRS	26	5.1	95	<1	<1	2	3	16	36	37
TOT. SINGLE DX	515	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	94	2.7	31	<1	<1	1	2	4	8	37
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	67	1.5	1	<1	<1	1	2	2	4	8
1-5 YRS	276	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	137	1.2		<1	<1	1	1	2	2	3
13-19 YRS	126	2.1	22	<1	<1	1	2	3	4	36
GRAND TOTAL	609	1.4	5	<1	<1	1	1	2	2	6

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	1.3		<1	<1	1	2	2	2	2
1-5 YRS	408	1.7	1	<1	<1	1	2	3	3	6
6-12 YRS	253	1.8	2	<1	<1	1	2	3	3	7
13-19 YRS	176	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	5	2.8	2	1	1	3	5	90	99+	99+
1-11 MOS	10	3.6	28	1	1	2	3	12	18	18
1-5 YRS	251	2.6	12	<1	1	2	3	4	7	27
6-12 YRS	210	2.7	20	1	1	2	3	5	7	11
13-19 YRS	507	3.1	19	<1	1	2	3	6	8	24
TOT. SINGLE DX	853	1.7	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	983	2.9	18	<1	1	2	3	5	7	24
TOTAL 0-27 DYS	6	2.5	2	1	1	3	5	81	99+	99+
1-11 MOS	25	2.2	12	<1	<1	1	2	3	9	18
1-5 YRS	659	2.0	6	<1	<1	1	2	3	5	15
6-12 YRS	463	2.2	11	<1	<1	2	2	4	5	10
13-19 YRS	683	2.7	15	<1	1	2	3	5	7	19
GRAND TOTAL	1836	2.3	11	<1	1	2	2	4	6	15

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	1.4	2	<1	<1	1	1	3	6	6
1-5 YRS	62	1.6		<1	<1	1	2	2	3	6
6-12 YRS	49	1.8		1	1	2	2	3	3	6
13-19 YRS	47	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	5	2.4	3	<1	<1	2	3	5	5	5
1-5 YRS	39	1.8	1	<1	<1	1	2	4	4	6
6-12 YRS	20	1.8		1	1	2	2	2	3	4
13-19 YRS	42	3.1	26	1	1	2	3	3	10	31
TOT. SINGLE DX	170	1.7	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	108	2.4	12	<1	1	2	2	4	5	23
TOTAL 0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	17	1.7	2	<1	<1	1	2	5	6	6
1-5 YRS	101	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	69	1.8	1	1	1	2	2	2	3	6
13-19 YRS	89	2.4	13	1	1	2	2	3	4	26
GRAND TOTAL	278	2.0	5	<1	<1	2	2	3	4	8

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.0	8	<1	<1	2	5	7	7	7
1-5 YRS	23	2.1	8	<1	<1	1	1	6	9	13
6-12 YRS	19	1.4		<1	<1	1	2	2	3	4
13-19 YRS	23	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	4.4	21	1	1	3	6	12	15	15
6-12 YRS	16	2.1	2	<1	<1	2	2	5	6	6
13-19 YRS	21	3.1	5	<1	<1	2	4	6	8	10
TOT. SINGLE DX	69	1.8	4	<1	<1	1	2	3	6	12
" MULTIPLE DX	47	3.0	8	<1	<1	2	4	6	8	15
TOTAL 0-27 DYS										
1-11 MOS	5	2.6	7	<1	<1	1	4	7	7	7
1-5 YRS	32	2.8	12	<1	<1	1	3	7	12	15
6-12 YRS	35	1.7	2	<1	<1	1	2	3	5	6
13-19 YRS	44	2.3	4	<1	<1	2	3	5	6	10
GRAND TOTAL	116	2.3	6	<1	<1	1	2	5	7	14

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	10	2.8	2	1	1	3	4	5	6	6
6-12 YRS	16	5.9	26	2	2	3	7	13	19	21
13-19 YRS	32	2.7	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	4.3	4	1	2	4	5	7	8	8
1-5 YRS	25	4.6	25	1	1	3	5	9	17	24
6-12 YRS	22	3.9	7	1	1	3	5	7	10	11
13-19 YRS	28	3.5	2	2	2	3	4	5	6	8
TOT. SINGLE DX	62	3.6	10	1	1	3	4	6	9	20
" MULTIPLE DX	83	4.0	11	1	1	3	5	6	9	21
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	4.0	4	1	2	4	5	6	8	8
1-5 YRS	35	4.1	19	1	1	3	4	6	13	24
6-12 YRS	38	4.7	16	1	2	3	6	11	12	21
13-19 YRS	60	3.1	2	1	1	3	4	5	5	8
GRAND TOTAL	**145**	**3.8**	**10**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	118	2.7	3	<1	<1	2	4	5	7	10
6-12 YRS	113	2.9	3	<1	1	2	4	6	6	9
13-19 YRS	105	2.8	4	<1	<1	2	4	6	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	70	3.6	9	1	1	3	4	7	10	16
6-12 YRS	108	3.9	4	1	1	4	5	7	9	11
13-19 YRS	85	3.6	5	1	1	3	5	7	8	11
TOT. SINGLE DX	339	2.8	4	<1	<1	2	4	6	6	9
" MULTIPLE DX	265	3.8	6	1	1	3	5	7	8	13
TOTAL 0-27 DYS										
1-11 MOS	5	3.0	6	1	1	3	4	7	7	7
1-5 YRS	188	3.0	6	<1	<1	2	4	6	7	14
6-12 YRS	221	3.4	5	1	1	3	5	6	7	10
13-19 YRS	190	3.2	5	<1	1	3	4	6	7	11
GRAND TOTAL	**604**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	52	2.4	11	<1	1	1	2	4	7	24
1-5 YRS	35	2.6	14	<1	1	2	2	4	5	24
6-12 YRS	22	2.1	2	<1	<1	2	3	4	5	7
13-19 YRS	37	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	8	2.4	2	1	1	2	3	5	5	5
1-11 MOS	36	2.1	2	<1	1	2	3	5	5	8
1-5 YRS	32	2.6	10	1	1	2	3	6	16	99+
6-12 YRS	16	4.3	61	<1	1	2	3	6	25	33
13-19 YRS	34	3.3	8	1	1	2	4	7	9	15
TOT. SINGLE DX	150	2.3	8	<1	1	2	3	4	5	24
" MULTIPLE DX	126	2.9	13	1	1	2	3	5	8	48
TOTAL 0-27 DYS	12	2.2	2	1	1	2	3	4	5	5
1-11 MOS	88	2.3	8	<1	1	2	2	4	6	18
1-5 YRS	67	2.6	12	1	1	2	3	5	8	86
6-12 YRS	38	3.0	27	<1	<1	2	3	5	7	33
13-19 YRS	71	2.7	5	1	1	2	3	5	7	14
GRAND TOTAL	**276**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**6**	**24**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.8		1	1	2	2	3	3	3
1-5 YRS	27	3.8	8	<1	<1	3	5	9	10	10
6-12 YRS	51	4.4	18	1	1	3	5	11	13	21
13-19 YRS	48	3.4	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	3.1	11	<1	<1	2	4	8	12	12
1-5 YRS	19	4.1	12	<1	<1	3	6	9	12	14
6-12 YRS	56	4.4	13	1	1	3	5	10	12	20
13-19 YRS	65	4.8	39	<1	1	4	6	8	11	43
TOT. SINGLE DX	131	3.8	12	<1	1	3	5	8	11	17
" MULTIPLE DX	154	4.4	24	<1	1	3	5	8	12	20
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	16	2.7	8	<1	1	2	3	6	10	12
1-5 YRS	46	3.9	10	<1	<1	3	5	9	10	14
6-12 YRS	107	4.4	16	1	1	3	5	11	12	20
13-19 YRS	113	4.2	26	<1	1	3	5	7	10	29
GRAND TOTAL	**285**	**4.1**	**18**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.1	4	<1	<1	1	2	6	7	7
1-11 MOS	29	2.3	2	<1	<1	2	2	4	7	8
1-5 YRS	17	2.4	5	1	1	2	2	3	8	11
6-12 YRS	22	2.0		<1	1	2	2	3	3	3
13-19 YRS	19	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	15	2.8	4	<1	1	2	3	4	9	10
1-5 YRS	16	3.4	4	1	2	3	4	6	9	10
6-12 YRS	13	2.1	1	<1	<1	2	3	4	5	5
13-19 YRS	15	4.0	12	<1	1	3	5	10	12	13
TOT. SINGLE DX	95	2.2	2	<1	1	2	2	3	5	10
" MULTIPLE DX	62	3.1	6	<1	1	3	4	5	10	13
TOTAL 0-27 DYS	11	2.5	4	<1	<1	2	3	6	7	7
1-11 MOS	44	2.5	3	<1	<1	2	3	4	7	10
1-5 YRS	33	2.9	5	1	1	2	3	5	9	11
6-12 YRS	35	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	34	3.0	7	1	1	2	3	5	9	13
GRAND TOTAL	**157**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**4**	**7**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	5	3.0	5	2	2	2	4	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	2.7	2	1	1	2	4	5	5	5
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	12	1.8		1	1	2	2	2	2	2
TOT. SINGLE DX	14	2.1	2	<1	1	2	2	3	6	7
" MULTIPLE DX	23	2.0	1	1	1	2	2	4	5	5
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.7	2	1	1	2	4	5	5	5
1-5 YRS	6	1.3		1	1	1	2	2	2	2
6-12 YRS	6	2.0	2	<1	<1	2	3	4	4	4
13-19 YRS	17	2.1	2	1	1	2	2	2	5	7
GRAND TOTAL	**37**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**7**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	2.3		2	2	2	2	4	5	5
1-11 MOS	55	2.5	18	<1	<1	2	2	3	4	32
1-5 YRS	76	1.9		1	1	2	2	3	4	4
6-12 YRS	79	1.8	1	<1	<1	2	2	3	4	6
13-19 YRS	75	2.0	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	8	19.1	857	1	1	2	37	68	70	70
1-11 MOS	35	2.9	9	1	1	2	3	5	12	15
1-5 YRS	57	2.6	5	<1	1	2	3	6	7	15
6-12 YRS	58	3.5	13	1	1	2	4	6	9	24
13-19 YRS	80	2.6	2	1	1	2	3	4	7	9
TOT. SINGLE DX	297	2.1	4	<1	1	2	2	3	4	7
" MULTIPLE DX	238	3.4	41	1	1	2	3	6	8	29
TOTAL 0-27 DYS	20	9.1	388	1	1	2	3	37	66	70
1-11 MOS	90	2.7	15	<1	1	2	3	4	6	26
1-5 YRS	133	2.2	3	1	1	2	2	3	5	9
6-12 YRS	137	2.6	7	<1	1	2	3	5	6	15
13-19 YRS	155	2.3	2	<1	1	2	3	4	5	9
GRAND TOTAL	**535**	**2.7**	**21**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	3.1	1	2	2	3	4	5	5	5
1-5 YRS	13	2.8	2	<1	1	2	4	5	6	6
6-12 YRS	50	3.9	6	1	1	3	5	7	8	13
13-19 YRS	148	4.0	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
0-27 DYS	2	5.0	18	2	2	99+	99+	99+	99+	99+
1-11 MOS	9	3.3	2	2	2	3	4	6	6	6
1-5 YRS	19	3.5	4	1	1	3	5	6	8	9
6-12 YRS	48	4.4	3	1	2	4	6	7	8	10
13-19 YRS	113	4.7	7	2	2	4	6	8	10	15
TOT. SINGLE DX	218	3.9	5	1	1	4	5	7	8	12
" MULTIPLE DX	191	4.5	6	1	2	4	6	8	10	99+
TOTAL 0-27 DYS	2	5.0	18	2	2	99+	99+	99+	99+	99+
1-11 MOS	16	3.3	2	2	2	3	4	5	6	6
1-5 YRS	32	3.3	4	1	1	3	4	6	7	9
6-12 YRS	98	4.2	5	1	2	4	5	7	8	12
13-19 YRS	261	4.3	6	1	2	4	5	7	9	12
GRAND TOTAL	**409**	**4.1**	**5**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.6	2	1	1	2	4	5	5	5
1-5 YRS	16	2.6	3	<1	<1	2	4	5	6	7
6-12 YRS	23	2.5	3	1	1	2	3	4	7	10
13-19 YRS	37	3.4	10	1	1	3	4	6	7	20
2. MULTIPLE DX										
0-27 DYS	3	61.3	2736	1	1	89	93	94	94	94
1-11 MOS	13	3.4	10	1	1	2	4	9	11	11
1-5 YRS	36	3.2	13	<1	1	2	4	6	9	21
6-12 YRS	49	3.9	4	1	2	3	5	7	8	9
13-19 YRS	53	4.4	8	1	2	4	6	8	9	17
TOT. SINGLE DX	85	2.9	6	1	1	2	4	5	6	16
" MULTIPLE DX	154	5.0	107	1	1	3	5	8	9	86
TOTAL 0-27 DYS	4	46.5	2704	1	1	45	91	94	94	94
1-11 MOS	21	3.1	7	1	1	2	4	7	10	11
1-5 YRS	52	3.0	10	<1	1	2	4	5	7	21
6-12 YRS	72	3.5	5	1	1	3	5	7	8	10
13-19 YRS	90	4.0	9	1	1	3	5	7	9	19
GRAND TOTAL	239	4.3	72	1	1	3	4	7	9	28

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	272	1.3		<1	<1	1	2	2	2	2
1-5 YRS	2392	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1218	1.4		<1	<1	1	2	2	2	2
13-19 YRS	573	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	67	1.5	1	<1	<1	1	2	3	4	7
1-5 YRS	719	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	328	1.5		<1	<1	1	2	2	2	3
13-19 YRS	190	1.6		<1	1	2	2	2	2	4
TOT. SINGLE DX	4455	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	1304	1.5	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS										
1-11 MOS	339	1.4		<1	<1	1	2	2	2	4
1-5 YRS	3111	1.4		<1	<1	1	2	2	2	3
6-12 YRS	1546	1.4	1	<1	<1	1	2	2	2	3
13-19 YRS	763	1.5		<1	<1	1	2	2	2	3
GRAND TOTAL	5759	1.4		<1	<1	1	2	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	5	2.8	5	1	1	2	3	7	7	7
13-19 YRS	7	2.4	1	1	1	2	3	4	4	4
TOT. SINGLE DX	11	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	16	2.2	3	<1	1	2	2	4	6	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.1		<1	<1	1	1	2	2	2
6-12 YRS	6	2.5	5	1	1	2	2	7	7	7
13-19 YRS	13	2.0	1	<1	<1	2	2	4	4	4
GRAND TOTAL	27	1.9	2	<1	<1	2	2	3	5	7

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	55	3.8	5	<1	<1	4	6	6	8	8
1-5 YRS	117	2.5	3	<1	<1	2	3	6	7	39
6-12 YRS	90	2.6	3	<1	1	2	3	5	7	10
13-19 YRS	131	3.0	5	1	1	2	4	5	8	11
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	20	7.4	55	<1	1	6	9	17	26	31
1-5 YRS	85	6.6	123	<1	1	4	7	12	14	75
6-12 YRS	86	5.0	18	1	1	3	7	11	13	22
13-19 YRS	148	4.6	13	1	2	3	5	9	12	18
TOT. SINGLE DX	393	2.9	5	<1	<1	2	4	6	8	11
" MULTIPLE DX	341	5.3	45	1	1	3	6	11	14	26
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	75	4.8	21	<1	<1	5	6	8	10	28
1-5 YRS	202	4.2	58	<1	<1	2	5	9	12	72
6-12 YRS	176	3.7	12	1	1	2	5	8	11	16
13-19 YRS	279	3.8	10	1	1	3	5	8	11	16
GRAND TOTAL	734	4.0	25	<1	1	2	5	8	11	[illegible]

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	95th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	8	2.5	1	1	1	3	4	4	4	4
1-11 MOS	35	1.5	1	<1	<1	<1	1	3	5	7
1-5 YRS	332	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	465	1.9	1	<1	<1	1	2	4	5	7
13-19 YRS	287	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	288	3.5	9	1	2	3	4	5	6	20
1-11 MOS	16	3.4	10	<1	<1	1	6	7	10	11
1-5 YRS	148	3.1	26	<1	<1	2	3	6	8	25
6-12 YRS	213	2.9	18	<1	1	2	3	5	7	22
13-19 YRS	243	3.5	38	<1	1	2	3	6	14	39
TOT. SINGLE DX	1127	1.9	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	908	3.3	22	<1	1	2	4	6	7	29
TOTAL 0-27 DYS	296	3.4	9	1	2	3	4	5	6	19
1-11 MOS	51	2.1	5	<1	<1	1	2	6	7	11
1-5 YRS	480	2.3	10	<1	<1	1	2	4	6	14
6-12 YRS	678	2.2	7	<1	<1	2	2	4	6	9
13-19 YRS	530	2.7	19	<1	<1	2	3	5	7	20
GRAND TOTAL	2035	2.5	12	<1	<1	2	3	5	6	15

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	42	1.7		<1	1	2	2	3	3	4
13-19 YRS	122	2.0		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	8	1.8		1	1	2	2	3	3	3
6-12 YRS	58	1.6		1	1	1	2	3	3	4
13-19 YRS	81	2.2	1	1	1	2	3	3	4	9
TOT. SINGLE DX	171	2.0	1	1	1	2	3	3	3	5
" MULTIPLE DX	150	1.9	1	1	1	2	2	3	3	8
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	13	1.7	1	1	1	2	2	3	3	3
6-12 YRS	100	1.7	1	<1	1	2	2	3	3	4
13-19 YRS	203	2.1	1	1	1	2	3	3	3	7
GRAND TOTAL	321	1.9	1	1	1	2	2	3	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	169	1.6	2	<1	<1	1	2	2	3	3
6-12 YRS	971	1.6		<1	1	2	2	2	3	4
13-19 YRS	742	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	2.1	1	1	1	2	3	4	4	4
1-5 YRS	164	1.6		<1	<1	1	2	2	3	6
6-12 YRS	944	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	799	1.8	1	1	1	2	2	3	3	7
TOT. SINGLE DX	1888	1.6	1	[illegible]	1	2	2	2	3	3
" MULTIPLE DX	1915	1.7	1	<1	1	2	2	3	3	6
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	12	1.9	1	1	1	2	2	3	4	4
1-5 YRS	333	1.6	2	<1	<1	1	2	2	3	6
6-12 YRS	1915	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	1541	1.8	1	1	1	2	2	3	3	4
GRAND TOTAL	3803	1.7	1	<1	1	2	2	2	3	4

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	4.4	2	3	3	5	5	6	6	6
1-11 MOS	924	1.2		<1	<1	<1	<1	1	2	5
1-5 YRS	5722	1.1	1	<1	<1	<1	<1	1	1	2
6-12 YRS	2080	1.1		<1	<1	<1	1	1	1	2
13-19 YRS	307	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	26	4.9	18	1	2	4	6	8	13	23
1-11 MOS	552	4.3	23	<1	<1	3	6	9	12	23
1-5 YRS	4667	1.7	6	<1	<1	1	2	3	5	11
6-12 YRS	2177	1.5	3	<1	<1	1	2	2	2	7
13-19 YRS	275	2.3	25	<1	<1	1	2	3	6	38
TOT. SINGLE DX	9038	1.1	1	<1	<1	<1	<1	1	1	3
" MULTIPLE DX	7697	1.9	8	<1	<1	1	2	3	6	12
TOTAL 0-27 DYS	31	4.8	16	2	2	4	6	8	10	23
1-11 MOS	1476	2.4	11	<1	<1	<1	2	6	9	15
1-5 YRS	10389	1.4	4	<1	<1	<1	1	2	3	8
6-12 YRS	4257	1.3	2	<1	<1	1	1	2	2	5
13-19 YRS	582	1.7	12	<1	<1	1	1	2	3	24
GRAND TOTAL	16735	1.5	5	<1	<1	<1	1	2	3	9

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	30	<1	<1	2	9	11	11	11
1-5 YRS	96	2.1	2	1	1	2	2	4	6	9
6-12 YRS	307	2.1	2	1	1	2	3	3	4	8
13-19 YRS	251	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	5.8	38	1	1	3	10	16	16	16
1-5 YRS	143	4.2	34	1	1	2	4	10	13	30
6-12 YRS	527	2.6	15	1	1	2	3	3	5	12
13-19 YRS	530	2.6	4	1	1	2	3	4	5	11
TOT. SINGLE DX	657	2.1	2	1	1	2	2	3	4	8
" MULTIPLE DX	1209	2.8	13	1	1	2	3	4	7	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	5.5	33	<1	<1	3	9	15	16	16
1-5 YRS	239	3.4	22	1	1	2	3	8	11	26
6-12 YRS	834	2.4	10	1	1	2	3	3	5	11
13-19 YRS	781	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	1866	2.6	9	1	1	2	3	4	6	13

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	178	1.6	2	<1	<1	1	2	2	3	11
6-12 YRS	268	1.6	1	<1	<1	1	2	2	2	12
13-19 YRS	218	1.9	3	<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	3.6	12	<1	<1	1	5	9	11	11
1-5 YRS	180	2.6	10	<1	<1	1	2	7	10	17
6-12 YRS	263	2.2	9	<1	<1	1	2	3	5	17
13-19 YRS	238	2.2	3	1	1	2	3	3	4	9
TOT. SINGLE DX	668	1.7	2	<1	<1	1	2	2	3	10
" MULTIPLE DX	690	2.3	8	<1	<1	2	2	4	7	16
TOTAL 0-27 DYS										
1-11 MOS	13	2.9	10	<1	<1	1	4	8	10	11
1-5 YRS	358	2.1	7	<1	<1	1	2	4	8	14
6-12 YRS	531	1.9	6	<1	<1	1	2	3	4	14
13-19 YRS	456	2.1	3	<1	1	2	2	3	4	6
GRAND TOTAL	1358	2.0	5	<1	<1	1	2	3	5	13

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	15	2.2	1	<1	1	2	2	3	5	6
13-19 YRS	631	2.1		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.8		1	1	2	2	2	2	2
1-5 YRS	5	1.8		<1	<1	2	2	3	3	3
6-12 YRS	106	1.9	1	<1	<1	2	2	3	3	7
13-19 YRS	1516	2.3	5	1	1	2	3	3	4	6
TOT. SINGLE DX	651	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	1633	2.2	5	1	1	2	3	3	4	6
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	1.6		<1	<1	2	2	2	2	2
1-5 YRS	7	1.9		<1	<1	2	2	3	3	3
6-12 YRS	121	1.9	1	<1	<1	2	2	3	3	7
13-19 YRS	2147	2.2	4	1	1	2	3	3	4	5
GRAND TOTAL	**2284**	**2.2**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	15	3.9	7	1	1	3	7	8	8	8
1-5 YRS	68	2.2	3	<1	<1	2	3	4	5	12
6-12 YRS	185	2.1	1	1	1	2	3	4	4	7
13-19 YRS	1798	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	17	6.1	39	<1	1	4	7	14	21	25
1-11 MOS	25	4.0	12	1	1	3	5	7	13	15
1-5 YRS	112	2.6	2	1	1	2	4	5	6	8
6-12 YRS	291	2.3	2	1	1	2	3	4	5	8
13-19 YRS	3400	2.2	2	1	1	2	3	3	4	7
TOT. SINGLE DX	2068	2.0	2	1	1	2	2	3	4	6
" MULTIPLE DX	3845	2.2	3	1	1	2	3	4	4	7
TOTAL 0-27 DYS	19	5.7	36	<1	1	3	6	14	20	25
1-11 MOS	40	4.0	10	1	1	3	6	8	11	15
1-5 YRS	180	2.5	3	<1	1	2	3	5	5	8
6-12 YRS	476	2.2	2	1	1	2	3	4	5	8
13-19 YRS	5198	2.1	2	1	1	2	3	3	4	6
GRAND TOTAL	**5913**	**2.1**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	23	2.6	3	<1	<1	2	3	5	7	8
1-5 YRS	71	1.9	1	<1	<1	2	2	3	5	8
6-12 YRS	97	2.0	2	<1	<1	2	2	4	5	9
13-19 YRS	126	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	14	4.1	14	<1	1	3	5	9	13	14
1-5 YRS	36	2.2	2	<1	1	2	3	5	6	7
6-12 YRS	168	2.8	10	<1	1	2	3	6	7	18
13-19 YRS	371	2.3	3	<1	1	2	3	4	5	12
TOT. SINGLE DX	318	2.0	2	<1	<1	2	2	3	5	8
" MULTIPLE DX	590	2.5	6	<1	1	2	3	5	6	14
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	37	3.2	8	<1	<1	2	4	8	9	14
1-5 YRS	107	2.0	2	<1	<1	2	2	4	5	8
6-12 YRS	265	2.6	7	<1	<1	2	3	5	7	16
13-19 YRS	497	2.2	3	<1	1	2	3	4	5	11
GRAND TOTAL	**908**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	1.8	3	<1	<1	<1	1	5	6	6
1-5 YRS	75	1.5	2	<1	<1	1	1	2	5	77
6-12 YRS	407	1.4	1	<1	<1	1	1	2	3	6
13-19 YRS	1132	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	21	4.0	15	<1	1	3	4	6	12	20
1-11 MOS	6	3.5	14	1	1	2	3	10	11	11
1-5 YRS	75	2.7	7	<1	1	2	3	6	9	15
6-12 YRS	200	2.4	8	<1	<1	2	3	5	6	14
13-19 YRS	921	3.2	25	<1	1	2	4	6	8	26
TOT. SINGLE DX	1622	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1223	3.1	22	<1	1	2	3	5	8	22
TOTAL 0-27 DYS	21	4.0	15	<1	1	3	4	6	12	20
1-11 MOS	14	2.5	8	<1	<1	1	3	6	10	11
1-5 YRS	150	2.1	5	<1	<1	1	2	5	8	16
6-12 YRS	607	1.8	4	<1	<1	1	2	3	5	8
13-19 YRS	2053	2.3	13	<1	<1	1	2	4	6	13
GRAND TOTAL	**2845**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	29	2.2	1	1	1	2	3	4	5	7
13-19 YRS	113	2.4	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	32.0	1728	8	8	8	62	80	80	80
6-12 YRS	45	3.7	11	1	1	2	4	7	12	16
13-19 YRS	194	3.1	21	1	1	2	3	5	7	31
TOT. SINGLE DX	147	2.3	3	1	1	2	3	4	5	10
" MULTIPLE DX	242	3.6	44	1	1	2	3	6	8	42
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	16.7	973	1	1	5	8	73	80	80
6-12 YRS	74	3.1	8	1	1	2	4	6	9	16
13-19 YRS	307	2.9	15	1	1	2	3	5	6	16
GRAND TOTAL	389	3.1	29	1	1	2	3	5	7	17

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	2.8	2	1	1	3	4	4	4	4
1-5 YRS	31	2.0	2	<1	<1	1	2	5	5	6
6-12 YRS	90	2.2	4	<1	<1	1	2	5	8	11
13-19 YRS	143	2.9	8	<1	1	2	3	7	10	13
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	2.6	5	<1	<1	2	3	7	7	7
1-5 YRS	62	3.8	27	<1	<1	2	5	9	10	34
6-12 YRS	166	5.0	27	<1	1	3	7	12	15	37
13-19 YRS	308	5.4	53	1	1	3	6	12	18	41
TOT. SINGLE DX	269	2.6	6	<1	<1	2	3	6	8	12
" MULTIPLE DX	549	5.0	42	<1	1	3	6	11	16	37
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	16	2.6	4	<1	1	2	4	7	7	7
1-5 YRS	93	3.2	20	<1	<1	2	4	7	10	26
6-12 YRS	256	4.0	21	<1	<1	2	5	10	13	27
13-19 YRS	451	4.6	40	<1	1	2	5	11	15	35
GRAND TOTAL	818	4.2	31	<1	1	2	5	10	13	34

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	203	1.3		<1	<1	1	1	2	2	4
6-12 YRS	223	1.4		<1	<1	1	2	2	3	4
13-19 YRS	2442	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	44	3.4	3	1	2	3	4	6	7	12
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS	329	2.0	10	<1	<1	1	2	4	6	16
6-12 YRS	366	2.8	43	<1	<1	2	2	4	9	84
13-19 YRS	1393	2.2	14	<1	1	2	2	3	5	17
TOT. SINGLE DX	2870	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	2134	2.3	19	<1	<1	2	2	4	5	26
TOTAL 0-27 DYS	45	3.4	4	1	2	3	4	6	6	12
1-11 MOS	3	7.7	82	1	1	4	14	18	18	18
1-5 YRS	532	1.7	7	<1	<1	1	2	3	5	11
6-12 YRS	589	2.3	27	<1	<1	1	2	3	6	37
13-19 YRS	3835	1.7	6	<1	<1	1	2	2	3	8
GRAND TOTAL	5004	1.8	8	<1	<1	1	2	2	3	11

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	6	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	454	1.1		<1	<1	1	1	1	2	2
6-12 YRS	59	1.2		<1	<1	1	1	2	2	2
13-19 YRS	51	1.7		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	533	1.4	2	<1	<1	1	1	2	2	6
6-12 YRS	140	1.7	5	<1	<1	1	2	2	4	30
13-19 YRS	146	2.6	19	<1	<1	2	2	5	6	28
TOT. SINGLE DX	572	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	822	1.7	6	<1	<1	1	2	2	4	11
TOTAL 0-27 DYS	3	2.7	8	<1	<1	1	5	6	6	6
1-11 MOS	8	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	987	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	199	1.6	4	<1	<1	1	2	2	3	17
13-19 YRS	197	2.4	15	<1	<1	2	2	4	6	24
GRAND TOTAL	1394	1.5	4	<1	<1	1	1	2	3	8

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	79	1.6	5	<1	<1	1	1	3	5	16
6-12 YRS	66	2.6	4	<1	1	2	3	5	6	12
13-19 YRS	79	2.7	5	1	1	2	3	5	5	15
2. MULTIPLE DX										
0-27 DYS	8	3.1		2	2	3	3	5	5	5
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	97	1.7	2	<1	<1	1	2	3	5	10
6-12 YRS	143	3.6	120	<1	<1	2	3	4	6	91
13-19 YRS	195	2.7	4	1	1	2	3	5	7	60
TOT. SINGLE DX	227	2.3	5	<1	<1	2	3	4	5	14
" MULTIPLE DX	448	2.8	41	<1	<1	2	3	4	6	16
TOTAL 0-27 DYS	9	3.0	1	2	2	3	3	4	5	5
1-11 MOS	7	2.4	2	<1	<1	2	4	4	4	4
1-5 YRS	176	1.7	4	<1	<1	1	2	3	5	11
6-12 YRS	209	3.3	84	<1	<1	2	3	4	6	44
13-19 YRS	274	2.7	5	1	1	2	3	5	7	17
GRAND TOTAL	**675**	**2.6**	**29**	**<1**	**<1**	**2**	**3**	**4**	**6**	**16**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	11	2.7	2	1	1	2	4	5	6	6
1-5 YRS	51	3.4	12	<1	1	2	5	8	12	16
6-12 YRS	114	2.6	3	<1	<1	2	3	5	7	10
13-19 YRS	227	2.7	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	5	3.2	2	<1	<1	3	4	5	5	5
1-5 YRS	25	4.0	10	<1	1	3	7	9	10	10
6-12 YRS	54	3.9	22	1	1	2	4	9	14	26
13-19 YRS	94	3.5	7	1	1	3	4	6	9	15
TOT. SINGLE DX	405	2.8	5	<1	1	2	3	5	6	12
" MULTIPLE DX	180	3.7	12	1	1	3	5	7	10	17
TOTAL 0-27 DYS	4	4.0	5	1	1	4	5	6	6	6
1-11 MOS	16	2.9	2	<1	1	2	4	5	6	6
1-5 YRS	76	3.6	11	<1	1	2	5	9	11	15
6-12 YRS	168	3.0	10	<1	<1	2	3	6	8	17
13-19 YRS	321	2.9	5	<1	1	3	4	5	6	13
GRAND TOTAL	**585**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**5**	**8**	**14**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	201	3.5	2	1	2	3	4	6	6	8
1-5 YRS	694	3.4	3	1	1	3	5	6	7	8
6-12 YRS	188	3.4	2	1	2	3	4	5	6	8
13-19 YRS	68	3.2	1	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	4.8	13	2	2	3	7	10	10	10
1-11 MOS	187	3.7	4	2	2	3	5	7	7	9
1-5 YRS	675	4.3	7	2	2	4	5	7	8	13
6-12 YRS	185	3.5	2	1	2	3	4	5	6	9
13-19 YRS	72	3.8	4	1	2	3	5	7	8	11
TOT. SINGLE DX	1152	3.4	3	1	1	3	4	6	7	8
" MULTIPLE DX	1123	4.0	6	2	2	4	5	7	8	11
TOTAL 0-27 DYS	5	4.4	10	2	2	3	5	10	10	10
1-11 MOS	388	3.6	3	2	2	3	4	6	7	9
1-5 YRS	1369	3.9	6	1	1	4	5	6	7	11
6-12 YRS	373	3.5	2	1	2	3	4	5	6	8
13-19 YRS	140	3.5	3	1	2	3	4	6	7	11
GRAND TOTAL	**2275**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	42	3.5	7	1	1	3	4	6	8	16
1-11 MOS	619	3.8	4	1	2	3	5	7	7	9
1-5 YRS	538	2.2	3	<1	<1	1	3	5	7	9
6-12 YRS	318	2.3	7	<1	<1	2	3	4	5	8
13-19 YRS	262	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	113	7.1	111	2	2	4	7	13	26	63
1-11 MOS	337	5.7	59	1	2	4	6	8	13	44
1-5 YRS	392	3.4	14	<1	1	2	4	7	9	12
6-12 YRS	339	2.7	8	1	1	2	3	5	6	19
13-19 YRS	534	3.6	26	<1	1	2	4	7	10	27
TOT. SINGLE DX	1779	2.9	5	<1	<1	2	4	6	7	9
" MULTIPLE DX	1715	4.0	34	1	1	3	5	7	10	30
TOTAL 0-27 DYS	155	6.1	86	1	2	4	6	10	16	45
1-11 MOS	956	4.5	25	1	2	3	6	7	8	27
1-5 YRS	930	2.7	8	<1	<1	2	3	6	8	11
6-12 YRS	657	2.5	8	<1	<1	2	3	5	6	17
13-19 YRS	796	3.3	19	<1	1	2	4	6	8	23
GRAND TOTAL	**3494**	**3.4**	**20**	**<1**	**1**	**2**	**4**	**6**	**8**	**20**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	12	1.8		1	1	2	2	3	3	3
1-5 YRS	1154	1.4		<1	<1	1	2	2	2	4
6-12 YRS	4242	1.5		<1	1	1	2	2	2	3
13-19 YRS	12309	1.6		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	3.2		1	1	2	4	9	9	9
1-5 YRS	828	1.6	1	<1	1	1	2	2	3	7
6-12 YRS	1370	1.6	1	<1	1	1	2	2	3	5
13-19 YRS	2790	1.9	2	1	1	2	2	3	4	8
TOT. SINGLE DX	17720	1.6	1	<1	1	1	2	2	3	4
" MULTIPLE DX	4993	1.8	2	1	1	1	2	3	3	7
TOTAL 0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	17	2.2	4	1	1	2	2	3	7	9
1-5 YRS	1982	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	5612	1.5	1	<1	1	1	2	2	2	4
13-19 YRS	15099	1.7	1	1	1	2	2	2	3	4
GRAND TOTAL	**22713**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	1.0		1	1	1	1	1	1	1
1-11 MOS	30	1.5		<1	<1	1	2	2	2	3
1-5 YRS	9741	1.4		<1	<1	1	2	2	2	3
6-12 YRS	14948	1.5	1	<1	1	1	2	2	2	3
13-19 YRS	3930	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	34	3.5	31	1	1	2	2	5	21	26
1-5 YRS	11451	1.5	1	<1	1	1	2	2	2	4
6-12 YRS	9992	1.5	1	<1	1	1	2	2	3	4
13-19 YRS	1902	1.7	1	1	1	2	2	3	3	7
TOT. SINGLE DX	28656	1.5	1	<1	1	1	2	2	2	3
" MULTIPLE DX	23381	1.6	1	<1	1	1	2	2	3	5
TOTAL 0-27 DYS	9	1.2		1	1	1	2	2	2	2
1-11 MOS	64	2.6	17	<1	1	2	2	3	5	26
1-5 YRS	21192	1.5	1	<1	1	1	2	2	2	4
6-12 YRS	24940	1.5	1	<1	1	1	2	2	2	3
13-19 YRS	5832	1.6	1	1	1	1	2	2	3	4
GRAND TOTAL	**52037**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	604	1.3		<1	<1	1	2	2	2	2
6-12 YRS	763	1.3		<1	<1	1	1	2	2	2
13-19 YRS	151	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	60	3.2	39	<1	<1	1	2	7	14	40
1-5 YRS	2886	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	1647	1.4	5	<1	<1	1	2	2	2	3
13-19 YRS	216	2.0	28	<1	<1	1	2	2	3	12
TOT. SINGLE DX	1521	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	4810	1.4	5	<1	<1	1	2	2	2	5
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	63	3.1	38	<1	<1	1	2	7	14	40
1-5 YRS	3490	1.3	1	<1	<1	1	1	2	2	4
6-12 YRS	2410	1.4	4	<1	<1	1	2	2	2	3
13-19 YRS	367	1.8	17	<1	<1	1	2	2	3	6
GRAND TOTAL	**6331**	**1.4**	**4**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.5	5	<1	<1	1	4	6	6	6
1-11 MOS	51	2.0	3	<1	<1	1	2	5	6	10
1-5 YRS	363	1.9	2	<1	<1	1	2	4	5	9
6-12 YRS	463	1.9	2	<1	1	1	2	3	4	9
13-19 YRS	849	2.4	6	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	10	15.2	259	3	3	9	15	44	45	45
1-11 MOS	29	6.2	119	1	1	2	7	14	23	57
1-5 YRS	144	3.5	20	1	1	2	4	7	11	29
6-12 YRS	163	3.3	42	1	1	2	4	5	8	27
13-19 YRS	305	3.6	12	1	1	3	4	6	9	21
TOT. SINGLE DX	1730	2.2	5	<1	1	2	3	4	5	8
" MULTIPLE DX	651	3.8	32	1	1	3	4	6	10	30
TOTAL 0-27 DYS	14	11.6	216	<1	1	5	14	44	45	45
1-11 MOS	80	3.5	49	<1	<1	2	3	8	10	46
1-5 YRS	507	2.4	8	<1	<1	2	3	5	6	14
6-12 YRS	626	2.3	13	<1	1	2	3	4	5	10
13-19 YRS	1154	2.7	8	1	1	2	3	5	6	10
GRAND TOTAL	**2381**	**2.6**	**13**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	22	3.6	2	2	2	3	5	6	7	7
1-11 MOS	16	2.0	2	<1	<1	1	3	4	5	6
1-5 YRS	84	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	35	1.6	2	<1	<1	<1	2	2	5	9
13-19 YRS	30	2.3	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	316	3.3	2	1	2	3	4	5	6	8
1-11 MOS	13	11.5	250	1	2	6	10	36	53	57
1-5 YRS	38	3.0	12	<1	<1	2	3	7	8	21
6-12 YRS	26	2.3	6	<1	1	2	3	6	8	12
13-19 YRS	23	3.4	8	<1	1	3	4	9	11	11
TOT. SINGLE DX	187	1.8	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	416	3.5	13	1	1	3	4	6	7	12
TOTAL 0-27 DYS	338	3.3	2	2	2	3	4	5	6	8
1-11 MOS	29	6.2	131	<1	<1	2	6	10	32	57
1-5 YRS	122	1.7	5	<1	<1	1	2	3	5	12
6-12 YRS	61	2.1	4	<1	<1	1	2	4	6	12
13-19 YRS	53	2.8	6	<1	1	2	4	6	8	11
GRAND TOTAL	**603**	**3.0**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	3.7	19	<1	<1	2	4	10	15	18
1-5 YRS	191	1.7	1	<1	<1	2	2	2	3	6
6-12 YRS	153	1.6		<1	<1	1	2	2	3	6
13-19 YRS	115	1.8	2	<1	<1	1	2	2	4	11
2. MULTIPLE DX										
0-27 DYS	2	6.5	41	2	2	11	78	99+	99+	99+
1-11 MOS	19	5.3	42	<1	<1	2	5	17	20	21
1-5 YRS	97	3.1	7	<1	1	2	4	8	9	13
6-12 YRS	64	1.8	2	<1	1	1	2	4	5	8
13-19 YRS	60	3.5	54	<1	1	2	3	5	10	52
TOT. SINGLE DX	489	1.8	3	<1	<1	1	2	2	4	10
" MULTIPLE DX	242	3.1	21	<1	1	2	3	7	10	23
TOTAL 0-27 DYS	3	4.7	30	1	1	6	55	99+	99+	99+
1-11 MOS	48	4.3	28	<1	<1	2	4	14	18	21
1-5 YRS	288	2.2	4	<1	<1	2	2	4	7	12
6-12 YRS	217	1.7	1	<1	<1	1	2	2	4	7
13-19 YRS	175	2.4	21	<1	<1	2	2	3	6	16
GRAND TOTAL	**731**	**2.2**	**9**	**<1**	**<1**	**2**	**2**	**4**	**7**	**14**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	22	3.6	23	<1	1	2	2	12	16	17
6-12 YRS	7	1.4		<1	<1	1	2	2	2	2
13-19 YRS	11	2.2	4	<1	<1	2	2	5	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	11	7.9	85	1	1	3	8	26	26	26
1-5 YRS	36	5.7	63	1	1	2	6	14	21	41
6-12 YRS	19	8.1	189	<1	<1	2	8	34	45	47
13-19 YRS	19	7.3	225	1	1	2	5	17	45	66
TOT. SINGLE DX	43	2.8	13	<1	1	2	2	8	12	17
" MULTIPLE DX	85	6.9	127	<1	1	2	7	20	30	59
TOTAL 0-27 DYS										
1-11 MOS	14	6.8	71	1	2	3	8	26	26	26
1-5 YRS	58	4.9	48	1	1	2	6	13	19	39
6-12 YRS	26	6.3	146	<1	<1	2	3	20	43	47
13-19 YRS	30	5.4	148	1	1	2	3	11	19	66
GRAND TOTAL	**128**	**5.5**	**92**	**<1**	**1**	**2**	**5**	**15**	**22**	**51**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	1	1.0		1	1	1	1	1	1	1
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	17.0	84	5	5	18	24	26	26	26
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	2	23.5	841	3	3	44	86	99+	99+	99+
1-11 MOS	13	20.8	190	8	9	16	28	42	51	53
1-5 YRS	12	28.8	699	3	4	29	55	99+	99+	99+
6-12 YRS	7	16.1	324	1	2	10	39	86	99+	99+
13-19 YRS	11	32.3	579	1	2	45	60	99+	99+	99+
TOT. SINGLE DX	6	11.8	115	1	1	10	22	26	26	26
" MULTIPLE DX	45	25.1	457	2	4	24	53	99+	99+	99+
TOTAL 0-27 DYS	2	23.5	841	3	3	44	86	99+	99+	99+
1-11 MOS	17	19.9	161	6	8	16	25	38	48	53
1-5 YRS	12	28.8	699	3	4	29	55	99+	99+	99+
6-12 YRS	8	14.4	303	1	1	9	33	81	99+	99+
13-19 YRS	12	29.7	609	1	1	42	59	99+	99+	99+
GRAND TOTAL	51	23.5	432	1	3	20	47	98	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0		8	8	8	8	8	8	8
1-11 MOS	14	10.4	211	1	1	5	16	53	88	99+
1-5 YRS	81	5.0	29	<1	1	3	7	10	14	30
6-12 YRS	33	3.8	12	<1	1	2	4	9	11	15
13-19 YRS	26	6.2	111	<1	<1	4	6	12	23	55
2. MULTIPLE DX										
0-27 DYS	41	35.7	556	10	12	32	69	99+	99+	99+
1-11 MOS	66	16.7	182	1	2	15	23	47	99+	99+
1-5 YRS	177	13.2	282	1	1	7	17	48	74	99+
6-12 YRS	83	9.7	198	<1	1	5	14	38	80	99+
13-19 YRS	104	23.2	623	1	2	15	41	91	99+	99+
TOT. SINGLE DX	156	5.5	57	<1	1	3	7	11	17	55
" MULTIPLE DX	471	17.2	403	1	1	11	26	65	99+	99+
TOTAL 0-27 DYS	43	34.4	564	8	10	32	68	99+	99+	99+
1-11 MOS	80	15.6	191	1	2	14	23	52	99+	99+
1-5 YRS	258	10.6	217	1	1	6	13	33	59	99+
6-12 YRS	116	8.0	152	<1	1	4	10	20	57	99+
13-19 YRS	130	19.8	566	<1	2	10	34	72	99	99+
GRAND TOTAL	627	14.3	343	1	1	8	20	56	95	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	4.4	32	1	1	1	7	14	14	14
1-5 YRS	20	3.0	4	<1	<1	2	3	6	8	10
6-12 YRS	22	3.5	9	<1	1	2	5	9	10	10
13-19 YRS	28	5.3	20	<1	1	4	7	12	17	17
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	21	8.8	138	1	1	4	12	22	37	49
1-5 YRS	28	9.6	86	1	2	5	14	23	32	34
6-12 YRS	15	8.3	52	2	3	7	10	14	27	31
13-19 YRS	60	8.7	69	1	2	6	11	20	24	43
TOT. SINGLE DX	75	4.1	14	<1	1	3	5	10	12	17
" MULTIPLE DX	125	8.9	81	1	2	6	12	22	30	61
TOTAL 0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	26	8.0	119	1	1	3	11	18	32	49
1-5 YRS	48	6.8	62	<1	1	3	8	19	24	34
6-12 YRS	37	5.4	32	1	1	4	8	10	13	31
13-19 YRS	88	7.6	56	1	2	5	10	17	23	39
GRAND TOTAL	200	7.1	61	1	1	4	10	17	24	47

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	89.0		89	89	89	89	89	89	89
1-11 MOS	1	44.0		44	44	44	44	44	44	44
1-5 YRS	6	5.0	19	1	1	4	7	12	12	12
6-12 YRS										
13-19 YRS	2	8.0	32	4	4	8	12	12	12	12
TOT. SINGLE DX										
" MULTIPLE DX	10	17.9	785	1	1	7	12	66	89	89
TOTAL 0-27 DYS	1	89.0		89	89	89	89	89	89	89
1-11 MOS	1	44.0		44	44	44	44	44	44	44
1-5 YRS	6	5.0	20	1	1	4	7	12	12	12
6-12 YRS										
13-19 YRS	2	8.0	32	4	4	8	12	12	12	12
GRAND TOTAL	10	17.9	785	1	1	7	12	66	89	89

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	6	7.5	6	5	5	7	9	11	11	11
1-5 YRS	13	12.1	318	4	4	7	9	23	62	71
6-12 YRS	10	10.8	103	4	4	7	13	26	38	38
13-19 YRS	57	10.7	60	2	3	8	13	21	23	47
2. MULTIPLE DX										
0-27 DYS	7	12.9	75	4	4	14	16	26	29	29
1-11 MOS	19	23.5	426	3	5	18	35	72	89	99+
1-5 YRS	31	15.4	277	2	3	9	21	41	61	63
6-12 YRS	34	11.6	47	4	5	10	15	21	23	31
13-19 YRS	134	12.7	115	4	5	9	15	27	33	69
TOT. SINGLE DX	88	10.6	95	3	4	8	12	20	24	62
" MULTIPLE DX	225	13.8	159	3	5	9	18	29	47	84
TOTAL 0-27 DYS	9	11.6	65	4	4	10	15	24	29	29
1-11 MOS	25	19.7	370	4	5	12	29	63	83	99+
1-5 YRS	44	14.4	285	3	4	8	14	34	62	71
6-12 YRS	44	11.4	58	4	5	9	14	21	25	38
13-19 YRS	191	12.1	100	3	5	9	14	23	32	62
GRAND TOTAL	**313**	**12.9**	**143**	**3**	**4**	**9**	**15**	**26**	**39**	**74**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	11.3	60	5	5	9	17	20	20	20
1-11 MOS	6	10.5	18	7	7	9	12	17	18	18
1-5 YRS	3	7.3	10	5	5	6	10	11	11	11
6-12 YRS	5	9.6	22	5	5	10	12	17	17	17
13-19 YRS	6	17.5	136	7	7	15	25	35	36	36
2. MULTIPLE DX										
0-27 DYS	4	12.0	12	9	9	12	15	15	15	15
1-11 MOS	6	13.3	39	8	8	11	15	24	25	25
1-5 YRS	6	13.8	128	5	5	10	14	34	36	36
6-12 YRS	12	14.7	36	7	8	13	20	23	24	24
13-19 YRS	20	15.4	123	6	7	11	19	35	43	44
TOT. SINGLE DX	23	11.8	59	5	5	10	16	21	29	36
" MULTIPLE DX	48	14.5	78	7	7	11	17	25	37	44
TOTAL 0-27 DYS	7	11.7	26	5	6	9	15	19	20	20
1-11 MOS	12	11.9	28	7	7	10	14	20	24	25
1-5 YRS	9	11.7	94	5	5	9	12	27	36	36
6-12 YRS	17	13.2	36	5	6	11	18	23	24	24
13-19 YRS	26	15.9	122	6	7	11	21	35	42	44
GRAND TOTAL	**71**	**13.6**	**73**	**5**	**6**	**10**	**17**	**24**	**35**	**44**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.1	4	2	2	4	5	6	9	10
1-11 MOS	169	3.8	23	<1	1	2	5	8	14	35
1-5 YRS	474	2.2	5	<1	1	1	2	4	7	11
6-12 YRS	95	4.8	114	<1	<1	2	5	9	14	67
13-19 YRS	74	4.6	45	<1	1	2	5	10	16	38
2. MULTIPLE DX										
0-27 DYS	40	14.3	373	2	3	9	18	75	99+	99+
1-11 MOS	310	8.4	97	1	1	5	11	19	26	61
1-5 YRS	493	6.5	83	1	1	3	8	15	23	52
6-12 YRS	151	8.6	110	1	1	5	11	17	26	56
13-19 YRS	206	11.6	191	1	2	8	13	23	36	86
TOT. SINGLE DX	828	3.1	26	<1	1	2	3	7	9	22
" MULTIPLE DX	1200	8.4	123	1	1	5	10	19	27	79
TOTAL 0-27 DYS	56	11.4	287	2	2	5	14	44	99	99+
1-11 MOS	479	6.7	76	1	1	4	8	16	23	54
1-5 YRS	967	4.4	50	1	1	2	5	10	15	37
6-12 YRS	246	7.1	115	<1	1	4	9	15	23	57
13-19 YRS	280	9.7	162	1	1	6	11	20	34	82
GRAND TOTAL	**2028**	**6.2**	**90**	**1**	**1**	**3**	**7**	**14**	**22**	**56**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.6	5	1	2	6	7	8	8	8
6-12 YRS	2	10.0	128	2	2	10	18	18	18	18
13-19 YRS	51	5.5	8	2	2	5	7	10	11	13
2. MULTIPLE DX										
0-27 DYS	32	8.7	93	3	3	6	9	17	36	47
1-11 MOS	3	5.7	65	1	1	1	12	15	15	15
1-5 YRS	7	12.3	116	2	3	8	17	30	33	33
6-12 YRS	11	13.0	303	2	3	9	12	35	62	64
13-19 YRS	43	10.7	71	3	3	8	16	23	26	40
TOT. SINGLE DX	60	5.7	11	2	2	5	7	10	12	17
" MULTIPLE DX	96	10.3	106	2	3	7	12	22	33	56
TOTAL 0-27 DYS	32	8.7	93	3	3	6	9	17	36	47
1-11 MOS	3	5.7	65	1	1	1	12	15	15	15
1-5 YRS	14	8.9	68	1	2	6	8	19	30	33
6-12 YRS	13	12.5	265	2	2	9	14	27	57	64
13-19 YRS	94	7.9	44	2	3	6	9	17	23	36
GRAND TOTAL	**156**	**8.5**	**74**	**2**	**3**	**6**	**9**	**17**	**23**	**47**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	6.3	42	<1	1	4	6	17	22	22
1-11 MOS	6	5.3	8	3	3	4	8	10	10	10
1-5 YRS	18	4.1	23	<1	<1	3	5	8	16	21
6-12 YRS	22	4.9	8	1	1	5	7	9	10	11
13-19 YRS	507	5.4	10	2	2	5	7	10	11	16
2. MULTIPLE DX										
0-27 DYS	294	20.0	452	3	4	11	28	63	90	99+
1-11 MOS	22	19.5	167	5	6	15	28	38	47	51
1-5 YRS	77	12.1	67	2	4	10	15	24	30	40
6-12 YRS	106	11.4	133	2	3	8	14	19	38	63
13-19 YRS	507	9.3	84	2	3	7	11	17	27	77
TOT. SINGLE DX	561	5.3	11	2	2	5	7	9	11	18
" MULTIPLE DX	1006	13.1	220	2	3	8	15	32	51	99+
TOTAL 0-27 DYS	302	19.6	447	3	4	11	27	61	88	99+
1-11 MOS	28	16.5	167	3	4	12	24	34	46	51
1-5 YRS	95	10.6	69	<1	1	9	14	21	29	39
6-12 YRS	128	10.3	118	1	3	7	14	18	33	56
13-19 YRS	1014	7.3	52	2	3	5	9	13	18	47
GRAND TOTAL	**1567**	**10.3**	**159**	**2**	**3**	**6**	**11**	**22**	**37**	**94**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	17	4.8	14	<1	<1	3	7	10	12	13
1-5 YRS	238	5.5	6	2	3	5	7	8	9	17
6-12 YRS	183	5.7	6	1	3	6	7	7	10	12
13-19 YRS	283	5.9	13	1	2	6	7	9	13	22
2. MULTIPLE DX										
0-27 DYS	2	35.5	1405	9	9	35	62	62	62	62
1-11 MOS	18	10.2	137	1	2	7	13	17	38	52
1-5 YRS	72	8.4	42	2	3	7	10	18	23	31
6-12 YRS	69	8.9	43	2	3	7	10	19	23	33
13-19 YRS	198	10.8	128	2	3	7	12	22	29	68
TOT. SINGLE DX	723	5.7	10	1	2	6	7	8	10	18
" MULTIPLE DX	359	10.1	103	2	3	7	11	21	28	53
TOTAL 0-27 DYS	4	23.0	677	9	9	10	36	62	62	62
1-11 MOS	35	7.6	83	<1	1	4	10	16	17	52
1-5 YRS	310	6.2	16	2	3	6	7	9	12	25
6-12 YRS	252	6.5	19	2	3	6	7	10	13	26
13-19 YRS	481	7.9	67	1	2	6	8	15	22	38
GRAND TOTAL	**1082**	**7.2**	**45**	**1**	**2**	**6**	**8**	**12**	**18**	**31**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	11.8	19	8	8	11	14	19	21	21
1-11 MOS	141	11.1	30	6	7	9	12	17	24	34
1-5 YRS	400	8.3	15	5	5	7	9	12	15	23
6-12 YRS	155	8.6	20	4	5	7	9	15	18	26
13-19 YRS	83	9.2	12	6	6	8	10	13	15	27
2. MULTIPLE DX										
0-27 DYS	44	14.9	136	4	5	11	20	39	65	99+
1-11 MOS	485	15.7	138	6	7	12	18	30	40	96
1-5 YRS	789	11.4	64	5	6	9	12	20	28	60
6-12 YRS	251	11.4	100	5	6	9	12	19	27	75
13-19 YRS	196	13.5	130	5	7	10	15	25	38	81
TOT. SINGLE DX	789	9.0	20	5	5	8	10	14	17	26
" MULTIPLE DX	1765	12.9	103	5	6	10	15	24	33	81
TOTAL 0-27 DYS	54	14.3	116	4	6	11	18	34	54	99+
1-11 MOS	626	14.6	118	6	7	11	17	27	37	91
1-5 YRS	1189	10.4	50	5	6	9	11	17	23	51
6-12 YRS	406	10.3	72	5	5	8	11	17	21	63
13-19 YRS	279	12.2	99	5	6	9	13	19	30	67
GRAND TOTAL	**2554**	**11.7**	**80**	**5**	**6**	**9**	**13**	**20**	**29**	**68**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	12	11.3	15	6	7	10	12	17	20	21
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	2	9.0		9	9	9	9	9	9	9
" MULTIPLE DX	15	12.2	16	6	8	11	15	18	20	21
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	13	11.1	14	6	8	10	12	16	20	21
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**17**	**11.8**	**15**	**7**	**8**	**11**	**14**	**18**	**20**	**21**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	3.7	17	<1	<1	2	4	11	14	14
1-11 MOS	297	2.0	7	1	1	2	2	2	5	13
1-5 YRS	854	1.7	1	1	1	2	2	2	2	7
6-12 YRS	339	1.7	1	1	1	2	2	2	2	6
13-19 YRS	267	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	104	8.4	206	1	1	5	7	16	32	80
1-11 MOS	913	3.6	40	1	1	2	3	8	12	38
1-5 YRS	1524	2.2	11	1	1	2	2	2	4	14
6-12 YRS	650	2.1	5	1	1	2	2	3	5	10
13-19 YRS	463	2.7	15	1	1	2	2	5	7	19
TOT. SINGLE DX	1769	1.8	3	1	1	2	2	2	3	9
" MULTIPLE DX	3654	2.7	25	1	1	2	2	4	7	24
TOTAL 0-27 DYS	116	7.9	189	1	1	4	7	16	26	78
1-11 MOS	1210	3.2	33	1	1	2	2	6	11	34
1-5 YRS	2378	2.0	8	1	1	2	2	2	3	11
6-12 YRS	989	2.0	4	1	1	2	2	2	4	9
13-19 YRS	730	2.4	11	1	1	2	2	4	6	15
GRAND TOTAL	**5423**	**2.4**	**18**	**1**	**1**	**2**	**2**	**3**	**6**	**18**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	5.0	7	3	3	4	7	8	8	8
1-5 YRS	14	5.0	8	<1	2	5	6	10	11	11
6-12 YRS	29	4.3	7	1	1	4	6	8	11	11
13-19 YRS	32	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
0-27 DYS	6	21.2	116	7	7	21	28	36	37	37
1-11 MOS	16	12.4	130	1	2	7	16	31	39	42
1-5 YRS	32	7.0	25	2	3	5	10	13	18	23
6-12 YRS	43	5.9	22	2	2	4	8	10	12	30
13-19 YRS	60	5.9	21	1	1	5	7	11	14	25
TOT. SINGLE DX	79	4.6	8	1	2	4	6	9	10	13
" MULTIPLE DX	157	7.3	47	1	2	5	9	14	22	37
TOTAL 0-27 DYS	7	19.0	130	6	6	21	26	35	37	37
1-11 MOS	19	11.2	117	1	2	7	16	28	37	42
1-5 YRS	46	6.4	21	2	2	5	9	12	15	23
6-12 YRS	72	5.3	17	1	2	4	7	9	11	26
13-19 YRS	92	5.4	17	1	2	5	6	10	14	24
GRAND TOTAL	**236**	**6.4**	**35**	**1**	**2**	**5**	**8**	**12**	**18**	**33**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	21	5.9	7	2	2	6	8	10	10	11
1-5 YRS	37	5.7	12	1	1	6	8	11	12	14
6-12 YRS	22	5.7	8	1	2	6	9	9	9	9
13-19 YRS	32	6.6	8	2	3	7	8	11	11	13
2. MULTIPLE DX										
0-27 DYS	19	21.1	384	1	4	15	26	41	69	88
1-11 MOS	49	12.5	209	1	2	8	16	25	31	96
1-5 YRS	63	10.5	110	1	2	8	11	23	35	56
6-12 YRS	33	6.6	17	1	2	7	8	11	15	22
13-19 YRS	67	12.0	173	1	2	8	12	24	49	59
TOT. SINGLE DX	113	6.0	9	1	2	6	8	10	11	13
" MULTIPLE DX	231	11.7	168	1	2	8	13	24	37	65
TOTAL 0-27 DYS	20	20.4	375	1	4	15	25	40	67	88
1-11 MOS	70	10.5	157	2	2	7	12	20	28	83
1-5 YRS	100	8.7	79	1	1	7	10	16	27	50
6-12 YRS	55	6.2	14	1	2	6	8	9	12	22
13-19 YRS	99	10.3	126	1	2	8	11	18	40	58
GRAND TOTAL	**344**	**9.8**	**123**	**1**	**2**	**7**	**11**	**19**	**29**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	142	2.9	1	1	2	3	3	4	5	7
1-11 MOS	181	3.0	12	<1	<1	2	3	7	12	17
1-5 YRS	413	2.6	7	<1	<1	2	3	6	8	15
6-12 YRS	189	2.5	8	<1	<1	2	2	6	8	17
13-19 YRS	116	3.6	26	<1	1	2	3	8	14	32
2. MULTIPLE DX										
0-27 DYS	1136	4.9	53	2	2	3	5	7	12	49
1-11 MOS	211	8.1	88	1	1	5	11	20	28	88
1-5 YRS	480	5.9	43	1	1	4	8	13	16	30
6-12 YRS	180	6.1	56	<1	1	3	8	15	20	40
13-19 YRS	254	7.4	50	1	1	5	10	16	23	33
TOT. SINGLE DX	1041	2.8	10	<1	<1	2	3	6	8	17
" MULTIPLE DX	2261	5.8	56	1	1	3	6	12	18	43
TOTAL 0-27 DYS	1278	4.7	48	2	2	3	5	7	11	47
1-11 MOS	392	5.7	60	<1	1	3	7	14	20	48
1-5 YRS	893	4.4	30	<1	1	2	5	10	14	26
6-12 YRS	369	4.2	35	<1	1	2	4	11	15	29
13-19 YRS	370	6.2	46	<1	1	3	9	15	20	33
GRAND TOTAL	**3302**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**10**	**15**	**36**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.0	2	1	1	3	4	5	5	5
1-5 YRS										
6-12 YRS	3	3.3	16	1	1	1	6	8	8	8
13-19 YRS	82	2.8	2	<1	1	3	4	5	6	7
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	2.5	1	1	1	2	3	4	4	4
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	12	4.3	23	<1	1	3	4	9	18	19
TOT. SINGLE DX	90	2.9	2	<1	1	3	4	5	6	8
" MULTIPLE DX	19	5.2	36	<1	1	3	4	16	21	23
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	9	2.8	2	1	1	3	4	5	5	5
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	4	3.3	11	1	1	2	5	8	8	8
13-19 YRS	94	3.0	5	<1	1	3	4	5	6	14
GRAND TOTAL	109	3.3	9	<1	1	3	4	5	6	21

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	4	9.8	6	7	7	9	11	13	13	13
1-11 MOS	27	7.9	4	5	6	8	10	11	11	12
1-5 YRS	41	7.9	20	3	4	7	9	13	14	28
6-12 YRS	12	6.8	7	3	3	7	9	10	11	11
13-19 YRS	20	4.2	7	<1	1	3	6	9	10	10
2. MULTIPLE DX										
0-27 DYS	42	15.2	171	6	6	12	18	28	60	99+
1-11 MOS	94	13.0	71	6	6	10	15	21	27	53
1-5 YRS	109	10.6	85	5	5	8	11	17	21	60
6-12 YRS	63	13.6	246	2	3	8	16	24	53	83
13-19 YRS	113	12.2	138	2	3	9	16	28	36	90
TOT. SINGLE DX	104	7.2	14	2	3	7	9	11	13	21
" MULTIPLE DX	421	12.5	130	3	5	9	15	22	33	81
TOTAL 0-27 DYS	46	14.7	159	6	6	11	17	26	54	99+
1-11 MOS	121	11.8	61	5	6	10	13	20	26	46
1-5 YRS	150	9.9	69	4	5	8	11	16	20	50
6-12 YRS	75	12.5	214	3	3	8	13	23	45	82
13-19 YRS	133	11.0	127	2	2	8	15	24	32	87
GRAND TOTAL	525	11.4	111	3	4	9	13	20	30	76

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX	2	17.5	85	11	11	17	24	24	24	24
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS										
1-5 YRS	2	9.0	8	7	7	9	11	11	11	11
6-12 YRS										
13-19 YRS										
GRAND TOTAL	3	14.0	79	7	7	11	21	24	24	24

580: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	2.5	10	<1	<1	<1	2	8	9	9
13-19 YRS	7	4.7	8	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	6.0	3	5	5	5	7	8	8	8
1-5 YRS	9	13.2	168	1	1	8	22	33	38	38
6-12 YRS	21	6.1	50	<1	<1	4	6	17	25	29
13-19 YRS	159	4.9	19	1	1	3	6	10	15	24
TOT. SINGLE DX	14	3.7	9	<1	<1	3	5	9	9	9
" MULTIPLE DX	192	5.5	32	1	1	4	6	12	18	29
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	3	5	5	5	7	8	8	8
1-5 YRS	10	12.3	158	1	1	6	21	32	38	38
6-12 YRS	27	5.3	43	<1	<1	4	5	12	23	29
13-19 YRS	166	4.9	19	1	1	4	6	9	15	23
GRAND TOTAL	206	5.3	30	1	1	4	6	12	17	28

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	89	9.8	106	1	2	6	12	21	37	52
1-11 MOS	209	8.0	49	2	3	6	10	13	17	46
1-5 YRS	440	6.3	16	2	3	6	7	11	13	22
6-12 YRS	152	5.7	14	1	2	5	7	10	12	21
13-19 YRS	230	5.7	27	1	1	4	8	12	15	28
2. MULTIPLE DX										
0-27 DYS	6188	20.2	418	2	4	12	30	57	80	99+
1-11 MOS	584	13.4	172	3	4	10	15	26	44	94
1-5 YRS	713	10.7	139	2	3	7	12	21	33	83
6-12 YRS	286	9.1	100	1	1	7	10	20	27	61
13-19 YRS	604	9.4	132	1	1	6	11	22	32	57
TOT. SINGLE DX	1120	6.7	33	1	2	5	8	12	15	32
" MULTIPLE DX	8375	17.8	364	2	3	10	24	51	74	99+
TOTAL 0-27 DYS	6277	20.1	416	2	4	12	29	56	80	99+
1-11 MOS	793	11.9	146	3	4	9	14	24	36	87
1-5 YRS	1153	9.0	97	2	3	6	10	17	25	69
6-12 YRS	438	7.9	73	1	1	6	9	15	23	53
13-19 YRS	834	8.4	106	1	1	5	10	18	29	54
GRAND TOTAL	9495	16.5	337	2	3	9	22	48	69	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	7.2	30	1	1	5	11	15	18	18
1-11 MOS	63	3.4	6	<1	1	2	5	7	9	11
1-5 YRS	410	2.8	10	<1	<1	2	3	6	8	15
6-12 YRS	393	2.8	6	<1	<1	2	3	6	8	13
13-19 YRS	646	3.1	10	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
0-27 DYS	5	6.2	3	4	4	6	7	9	9	9
1-11 MOS	61	4.5	9	1	1	5	6	8	10	15
1-5 YRS	203	4.9	20	<1	1	4	6	11	14	21
6-12 YRS	184	4.6	22	<1	1	3	6	10	12	22
13-19 YRS	342	5.1	22	1	1	4	7	11	14	24
TOT. SINGLE DX	1522	3.0	9	<1	<1	2	4	6	9	15
" MULTIPLE DX	795	4.9	21	1	1	4	7	11	13	22
TOTAL 0-27 DYS	15	6.9	21	1	2	5	10	12	16	18
1-11 MOS	124	4.0	8	1	1	4	6	8	9	14
1-5 YRS	613	3.5	14	<1	<1	2	4	8	11	18
6-12 YRS	577	3.3	12	<1	<1	2	4	8	10	16
13-19 YRS	988	3.8	15	<1	1	2	5	9	12	19
GRAND TOTAL	2317	3.6	14	<1	<1	2	5	8	11	18

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	2.7	2	1	1	3	3	5	6	6
6-12 YRS	12	3.2	6	1	1	2	4	7	9	9
13-19 YRS	41	4.3	10	1	2	3	6	9	10	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	7.0	28	2	2	6	9	16	16	16
1-5 YRS	10	5.0	14	<1	<1	4	9	10	10	10
6-12 YRS	9	4.9	14	1	1	3	7	11	13	13
13-19 YRS	40	7.5	29	1	2	6	9	14	20	25
TOT. SINGLE DX	65	3.8	8	1	1	3	5	8	10	14
" MULTIPLE DX	64	6.7	25	1	2	6	9	13	17	25
TOTAL 0-27 DYS										
1-11 MOS	6	6.2	27	2	2	5	6	15	16	16
1-5 YRS	21	3.8	9	<1	1	3	5	9	10	10
6-12 YRS	21	3.9	10	1	1	3	6	8	11	13
13-19 YRS	81	5.9	22	1	2	5	8	11	15	24
GRAND TOTAL	129	5.2	19	1	1	4	7	10	13	23

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	22.0	192	6	6	30	30	30	30	30
1-5 YRS										
6-12 YRS										
13-19 YRS	1	17.0		17	17	17	17	17	17	17
TOT. SINGLE DX	2	4.5	5	3	3	4	6	6	6	6
" MULTIPLE DX	4	20.8	134	6	6	23	30	30	30	30
TOTAL 0-27 DYS										
1-11 MOS	3	22.0	192	6	6	30	30	30	30	30
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	2	10.0	98	3	3	10	17	17	17	17
GRAND TOTAL	6	15.3	152	3	3	12	30	30	30	30

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	50.0	1393	7	7	69	73	74	74	74
6-12 YRS	1	47.0		47	47	47	47	47	47	47
13-19 YRS	3	18.0	549	3	3	6	35	45	45	45
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	33.0	32	29	29	33	37	37	37	37
1-5 YRS	7	53.9	774	3	11	50	77	84	85	85
6-12 YRS	12	45.0	246	24	26	45	60	79	96	99+
13-19 YRS	10	31.6	178	11	12	37	42	72	98	99+
TOT. SINGLE DX	8	32.0	914	3	4	26	58	72	74	74
" MULTIPLE DX	31	41.9	377	11	19	44	55	82	98	99+
TOTAL 0-27 DYS										
1-11 MOS	3	23.7	277	5	5	29	35	37	37	37
1-5 YRS	10	52.7	829	3	5	58	74	83	85	85
6-12 YRS	13	45.2	226	24	26	45	59	77	95	99+
13-19 YRS	13	28.5	261	4	6	35	44	58	91	99+
GRAND TOTAL	**39**	**39.9**	**483**	**4**	**7**	**44**	**55**	**77**	**92**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	58	3.3	10	1	1	2	3	8	12	15
1-5 YRS	383	5.6	43	1	1	4	7	10	13	34
6-12 YRS	346	5.9	23	1	2	5	7	10	13	29
13-19 YRS	504	6.6	31	1	2	6	8	10	15	32
2. MULTIPLE DX										
0-27 DYS	20	16.0	156	2	3	14	23	37	42	44
1-11 MOS	99	7.6	84	1	1	5	10	18	24	99+
1-5 YRS	494	9.1	112	1	1	5	10	22	29	51
6-12 YRS	411	8.5	86	<1	2	6	10	18	25	48
13-19 YRS	922	11.0	128	2	3	8	12	24	34	64
TOT. SINGLE DX	1291	6.0	32	1	1	5	7	10	13	32
" MULTIPLE DX	1946	9.9	115	1	2	7	11	22	30	55
TOTAL 0-27 DYS	20	16.0	156	2	3	14	23	37	42	44
1-11 MOS	157	6.0	61	1	1	4	8	14	22	98
1-5 YRS	877	7.5	85	1	1	5	8	16	26	49
6-12 YRS	757	7.3	59	1	2	6	9	14	20	39
13-19 YRS	1426	9.5	98	2	3	7	10	19	29	53
GRAND TOTAL	**3237**	**8.3**	**86**	**1**	**2**	**6**	**9**	**17**	**25**	**50**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	10.2	92	2	3	5	17	27	28	28
1-11 MOS	36	14.3	175	2	2	9	20	34	39	59
1-5 YRS	95	8.4	169	1	1	4	8	19	29	77
6-12 YRS	74	7.7	83	<1	1	4	10	21	27	44
13-19 YRS	93	12.2	152	1	2	7	18	31	42	49
2. MULTIPLE DX										
0-27 DYS	269	16.8	354	2	3	9	22	47	71	99+
1-11 MOS	155	22.4	475	1	2	16	38	70	91	99+
1-5 YRS	266	14.5	244	1	2	10	21	36	55	99+
6-12 YRS	141	15.4	220	1	2	11	23	38	50	99+
13-19 YRS	234	16.3	269	1	2	10	23	43	51	95
TOT. SINGLE DX	311	10.1	145	1	2	5	14	27	35	54
" MULTIPLE DX	1065	16.7	313	1	2	10	24	46	67	99+
TOTAL 0-27 DYS	282	16.5	344	2	3	9	22	46	71	99+
1-11 MOS	191	20.8	428	2	2	14	35	65	83	99+
1-5 YRS	361	12.9	232	1	2	7	16	32	51	99
6-12 YRS	215	12.8	186	1	1	7	17	36	46	78
13-19 YRS	327	15.1	239	1	2	9	21	39	49	89
GRAND TOTAL	**1376**	**15.2**	**283**	**1**	**2**	**9**	**21**	**42**	**58**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	18.7	366	1	1	16	33	39	39	39
1-11 MOS	38	4.2	35	<1	1	2	4	13	20	26
1-5 YRS	124	2.8	16	<1	<1	1	2	5	10	25
6-12 YRS	66	3.4	14	<1	1	2	4	6	10	22
13-19 YRS	76	3.6	10	1	1	2	5	8	9	17
2. MULTIPLE DX										
0-27 DYS	9	38.9	1636	4	5	21	93	97	99+	99+
1-11 MOS	95	9.1	146	1	1	4	10	21	39	62
1-5 YRS	200	6.9	92	<1	1	3	9	17	24	53
6-12 YRS	129	5.4	76	1	1	2	5	13	21	52
13-19 YRS	155	7.2	71	1	1	5	9	14	26	66
TOT. SINGLE DX	307	3.4	21	<1	<1	2	4	8	11	24
" MULTIPLE DX	588	7.5	130	1	1	3	9	17	29	69
TOTAL 0-27 DYS	12	33.8	1340	1	3	16	89	96	99	99+
1-11 MOS	133	7.7	119	1	1	3	9	19	29	56
1-5 YRS	324	5.3	67	<1	<1	2	5	13	19	48
6-12 YRS	195	4.7	57	1	1	2	5	11	18	45
13-19 YRS	231	6.0	54	1	1	4	8	12	18	43
GRAND TOTAL	**895**	**6.1**	**96**	**<1**	**1**	**3**	**7**	**14**	**22**	**55**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	651	3.4	2	2	2	3	4	5	7	9
1-11 MOS	1489	3.4	2	2	2	3	4	5	6	9
1-5 YRS	187	4.4	6	2	2	4	6	7	9	12
6-12 YRS	6	3.7	5	2	2	3	4	8	8	8
13-19 YRS	7	5.3	2	3	3	5	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	178	6.0	41	2	2	5	6	10	13	33
1-11 MOS	452	4.8	13	2	2	4	6	8	10	16
1-5 YRS	56	7.7	30	3	4	6	9	13	19	33
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	6.8	12	2	3	6	11	65	99+	99+
TOT. SINGLE DX	2340	3.5	3	2	2	3	4	5	6	9
" MULTIPLE DX	695	5.3	23	2	2	4	6	9	12	25
TOTAL 0-27 DYS	829	4.0	12	2	2	3	4	6	8	13
1-11 MOS	1941	3.7	5	2	2	3	4	6	7	11
1-5 YRS	243	5.2	14	2	2	4	6	9	11	20
6-12 YRS	7	4.0	5	2	2	3	5	8	8	8
13-19 YRS	15	6.1	8	2	3	6	8	13	74	99+
GRAND TOTAL	**3035**	**3.9**	**8**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	25.0	968	3	3	25	47	47	47	47
1-11 MOS	3	30.3	1374	6	6	12	58	73	73	73
1-5 YRS	13	14.3	335	1	2	8	18	39	62	67
6-12 YRS	7	13.4	133	4	4	8	21	32	34	34
13-19 YRS	8	10.0	52	2	3	7	17	20	20	20
2. MULTIPLE DX										
0-27 DYS	22	36.4	394	9	14	38	49	71	92	99+
1-11 MOS	61	24.9	496	5	6	19	39	95	99+	99+
1-5 YRS	122	15.9	206	3	5	12	21	34	50	99+
6-12 YRS	53	15.5	163	4	4	12	19	33	56	98
13-19 YRS	60	18.2	351	2	3	11	30	59	74	99+
TOT. SINGLE DX	33	15.2	314	2	2	8	20	37	64	73
" MULTIPLE DX	318	19.4	324	3	4	14	27	55	80	99+
TOTAL 0-27 DYS	24	35.4	412	4	11	38	48	67	91	99+
1-11 MOS	64	25.1	518	5	6	18	39	90	99+	99+
1-5 YRS	135	15.7	216	3	4	12	21	34	52	99+
6-12 YRS	60	15.2	158	4	4	12	19	33	52	96
13-19 YRS	68	17.3	322	2	3	11	23	54	74	99+
GRAND TOTAL	**351**	**19.0**	**324**	**3**	**4**	**14**	**26**	**53**	**76**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	3	6.0	12	4	4	4	9	10	10	10
1-5 YRS	4	8.0	64	<1	<1	6	14	18	18	18
6-12 YRS	11	4.3	6	<1	1	4	5	8	10	10
13-19 YRS	61	5.4	15	1	2	5	7	11	14	91
2. MULTIPLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	7	6.4	10	2	2	6	9	11	11	11
1-5 YRS	14	4.7	25	<1	<1	3	5	10	18	20
6-12 YRS	26	5.2	6	1	3	5	7	8	10	12
13-19 YRS	157	6.9	53	2	2	5	7	12	20	36
TOT. SINGLE DX	80	5.6	18	1	1	5	7	11	16	76
" MULTIPLE DX	206	6.5	44	1	2	5	7	11	18	34
TOTAL 0-27 DYS	3	11.7	64	4	4	11	18	20	20	20
1-11 MOS	10	6.3	10	2	3	5	10	11	11	11
1-5 YRS	18	5.4	33	<1	<1	3	8	16	19	20
6-12 YRS	37	4.9	6	1	2	5	6	8	10	12
13-19 YRS	218	6.5	43	1	2	5	7	11	18	45
GRAND TOTAL	**286**	**6.3**	**37**	**1**	**2**	**5**	**7**	**11**	**18**	**35**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS										
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	12	8.8	17	5	5	7	10	16	18	18
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	13.2	85	3	3	17	19	24	24	24
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	9	18.2	202	7	8	13	19	44	50	50
TOT. SINGLE DX	18	7.7	22	2	2	7	10	15	17	18
" MULTIPLE DX	16	15.4	144	3	4	12	17	33	45	50
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	8	9.3	79	2	2	4	17	22	24	24
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	21	12.8	113	5	5	10	13	24	41	50
GRAND TOTAL	**34**	**11.3**	**92**	**2**	**3**	**9**	**14**	**19**	**32**	**50**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	1	16.0		16	16	16	16	16	16	16
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	6	11.3	8	8	8	11	13	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	26.5	5	25	25	26	28	28	28	28
1-5 YRS	1	48.0		48	48	48	48	48	48	48
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	8	11.0	66	6	7	8	15	72	99+	99+
TOT. SINGLE DX	9	11.1	7	8	8	10	13	15	16	16
" MULTIPLE DX	12	17.7	176	6	7	10	29	58	92	99+
TOTAL 0-27 DYS										
1-11 MOS	2	26.5	5	25	25	26	28	28	28	28
1-5 YRS	2	30.5	613	13	13	30	48	48	48	48
6-12 YRS	3	14.0	61	9	9	10	20	23	23	23
13-19 YRS	14	11.1	39	6	8	9	13	31	83	99+
GRAND TOTAL	**21**	**14.9**	**110**	**7**	**8**	**10**	**23**	**36**	**69**	**99+**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	4.5	21	1	1	3	5	11	17	17
1-11 MOS	81	8.6	70	2	3	6	11	18	23	88
1-5 YRS	72	7.6	36	1	2	7	10	14	20	31
6-12 YRS	27	6.1	11	1	2	6	8	12	12	12
13-19 YRS	89	7.9	14	5	5	8	9	11	12	28
2. MULTIPLE DX										
0-27 DYS	25	33.6	782	5	6	26	61	92	96	99+
1-11 MOS	197	19.7	273	4	6	14	26	51	61	99+
1-5 YRS	255	16.1	190	2	4	12	20	37	47	77
6-12 YRS	120	17.1	207	5	6	12	21	37	48	94
13-19 YRS	155	13.8	151	5	6	9	15	30	40	74
TOT. SINGLE DX	279	7.7	37	2	2	7	9	13	18	35
" MULTIPLE DX	752	17.3	238	4	5	12	22	40	56	99+
TOTAL 0-27 DYS	35	25.3	736	2	2	15	38	79	94	99+
1-11 MOS	278	16.5	239	3	4	12	22	45	59	99+
1-5 YRS	327	14.2	169	2	3	10	18	31	43	72
6-12 YRS	147	15.1	189	2	5	11	18	30	45	92
13-19 YRS	244	11.6	109	5	5	8	11	24	32	65
GRAND TOTAL	**1031**	**14.7**	**202**	**2**	**4**	**10**	**18**	**34**	**50**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	8.4	36	5	5	6	10	19	19	19
1-11 MOS	38	9.3	231	1	2	5	10	16	24	94
1-5 YRS	160	3.5	8	<1	1	3	5	8	9	14
6-12 YRS	128	4.1	14	<1	1	3	5	7	10	25
13-19 YRS	286	5.6	20	1	1	5	7	10	13	24
2. MULTIPLE DX										
0-27 DYS	15	20.6	231	2	5	15	36	47	84	99+
1-11 MOS	89	12.7	215	1	2	8	14	31	49	72
1-5 YRS	224	6.3	48	1	1	4	8	14	19	37
6-12 YRS	172	5.5	14	1	2	5	7	10	11	20
13-19 YRS	416	7.0	61	1	2	5	8	12	16	51
TOT. SINGLE DX	617	5.0	31	1	1	4	6	9	12	25
" MULTIPLE DX	916	7.3	73	1	2	5	8	14	21	52
TOTAL 0-27 DYS	20	17.6	208	3	5	13	32	46	71	99+
1-11 MOS	127	11.7	221	1	2	7	12	26	38	78
1-5 YRS	384	5.1	34	1	1	4	6	11	15	28
6-12 YRS	300	4.9	15	1	1	4	6	9	11	22
13-19 YRS	702	6.4	45	1	2	5	8	11	14	35
GRAND TOTAL	**1533**	**6.4**	**58**	**1**	**1**	**5**	**8**	**12**	**16**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	13.0	55	5	5	12	19	24	25	25
1-11 MOS	14	7.6	5	5	5	7	9	11	12	12
1-5 YRS	11	7.3	6	3	4	8	9	10	11	11
6-12 YRS	10	9.3	12	5	5	9	10	14	18	18
13-19 YRS	41	11.1	41	5	5	9	13	21	26	31
2. MULTIPLE DX										
0-27 DYS	38	43.4	767	7	15	68	99+	99+	99+	99+
1-11 MOS	35	16.1	201	5	5	11	27	42	89	99+
1-5 YRS	53	11.8	77	6	6	10	13	20	26	58
6-12 YRS	41	9.9	17	5	6	9	12	15	20	22
13-19 YRS	130	14.1	184	5	6	9	15	26	44	79
TOT. SINGLE DX	85	10.0	31	5	5	8	12	18	23	30
" MULTIPLE DX	297	17.1	321	5	6	11	21	70	99+	99+
TOTAL 0-27 DYS	47	37.6	773	6	8	44	99+	99+	99+	99+
1-11 MOS	49	13.7	159	5	5	9	17	38	69	99+
1-5 YRS	64	11.1	68	5	6	9	12	19	24	55
6-12 YRS	51	9.7	16	5	6	9	11	15	20	22
13-19 YRS	171	13.4	152	5	6	9	13	24	35	72
GRAND TOTAL	**382**	**15.5**	**265**	**5**	**6**	**10**	**18**	**48**	**95**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	23.8	1114	2	2	10	31	83	83	83
1-11 MOS	39	9.0	23	4	4	8	10	15	19	26
1-5 YRS	14	10.1	16	4	5	10	14	15	17	17
6-12 YRS	19	9.7	22	3	4	10	12	15	20	23
13-19 YRS	83	12.4	66	6	6	10	13	23	31	49
2. MULTIPLE DX										
0-27 DYS	43	44.3	673	12	13	52	76	99+	99+	99+
1-11 MOS	51	15.3	254	5	6	9	17	29	45	92
1-5 YRS	36	11.0	44	4	6	10	12	16	18	44
6-12 YRS	47	14.4	127	5	6	11	18	22	31	73
13-19 YRS	183	15.5	196	6	7	10	17	32	45	75
TOT. SINGLE DX	160	11.4	79	4	6	9	12	17	26	51
" MULTIPLE DX	360	18.3	328	6	7	11	20	50	71	99+
TOTAL 0-27 DYS	48	42.2	737	10	12	48	76	99+	99+	99+
1-11 MOS	90	12.6	162	4	5	9	13	22	29	83
1-5 YRS	50	10.7	36	4	6	10	12	16	17	44
6-12 YRS	66	13.1	101	5	5	11	15	21	27	68
13-19 YRS	266	14.5	157	6	7	10	16	29	41	69
GRAND TOTAL	**520**	**16.2**	**261**	**5**	**6**	**10**	**17**	**37**	**64**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	11.5	26	9	9	10	11	20	24	24
1-11 MOS	13	8.2	16	4	4	6	11	13	16	17
1-5 YRS	13	5.4	10	1	2	5	6	9	13	14
6-12 YRS	6	8.3	32	2	2	7	13	17	17	17
13-19 YRS	8	7.8	12	2	3	8	9	13	14	14
2. MULTIPLE DX										
0-27 DYS	17	17.5	273	6	6	12	19	61	87	99+
1-11 MOS	20	12.4	59	4	5	10	15	24	29	33
1-5 YRS	16	12.9	157	3	5	8	13	30	44	50
6-12 YRS	4	8.3	25	3	3	7	11	15	15	15
13-19 YRS	23	12.8	115	<1	3	11	16	20	34	55
TOT. SINGLE DX	48	7.9	20	2	3	7	10	14	17	24
" MULTIPLE DX	80	13.5	138	4	5	10	15	28	48	90
TOTAL 0-27 DYS	25	15.6	198	6	7	10	16	45	74	99+
1-11 MOS	33	10.8	46	4	5	9	14	19	26	33
1-5 YRS	29	9.5	103	3	3	6	9	21	32	50
6-12 YRS	10	8.3	26	2	2	7	13	16	17	17
13-19 YRS	31	11.5	93	<1	3	10	15	18	23	55
GRAND TOTAL	**128**	**11.4**	**101**	**3**	**4**	**9**	**14**	**21**	**33**	**74**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	9.0	21	2	3	9	10	16	18	18
1-11 MOS	230	5.4	11	2	2	5	7	9	10	21
1-5 YRS	148	5.7	8	2	2	5	8	9	10	14
6-12 YRS	49	6.5	7	3	3	7	8	10	11	14
13-19 YRS	114	7.8	11	3	4	8	9	12	14	21
2. MULTIPLE DX										
0-27 DYS	49	26.6	535	7	8	21	40	82	99+	99+
1-11 MOS	269	9.7	90	3	4	7	10	20	31	99+
1-5 YRS	224	9.7	62	3	4	8	11	15	26	99+
6-12 YRS	106	10.9	104	3	4	8	13	21	30	62
13-19 YRS	208	10.9	73	4	5	8	12	20	31	57
TOT. SINGLE DX	549	6.1	11	2	3	6	8	10	12	18
" MULTIPLE DX	856	11.1	121	3	4	8	12	22	34	99+
TOTAL 0-27 DYS	57	24.1	500	5	7	18	31	72	99	99+
1-11 MOS	499	7.7	59	2	3	6	9	13	22	69
1-5 YRS	372	8.1	45	2	3	7	10	13	17	71
6-12 YRS	155	9.5	78	3	3	7	10	17	24	48
13-19 YRS	322	9.8	54	4	5	8	11	15	26	46
GRAND TOTAL	**1405**	**9.2**	**84**	**3**	**3**	**7**	**10**	**16**	**26**	**78**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	8.9	10	5	5	8	12	13	13	13
1-11 MOS	17	9.2	21	4	4	8	14	15	17	18
1-5 YRS	14	10.1	38	4	5	8	13	21	22	22
6-12 YRS	10	13.4	80	4	4	10	25	26	26	26
13-19 YRS	8	19.9	429	5	5	11	30	55	60	60
2. MULTIPLE DX										
0-27 DYS	48	22.7	334	5	8	17	33	55	97	99+
1-11 MOS	18	28.6	708	4	5	20	40	71	90	98
1-5 YRS	31	18.1	305	3	4	12	23	38	42	92
6-12 YRS	19	20.2	393	3	5	12	23	57	67	70
13-19 YRS	43	20.5	428	5	6	13	21	54	74	91
TOT. SINGLE DX	58	11.6	95	4	5	8	14	22	26	59
" MULTIPLE DX	159	21.6	401	4	6	14	25	53	73	99+
TOTAL 0-27 DYS	57	20.5	308	5	6	15	23	53	81	99+
1-11 MOS	35	19.2	461	4	5	12	22	50	72	98
1-5 YRS	45	15.6	234	3	4	11	20	32	41	92
6-12 YRS	29	17.8	290	4	4	12	25	43	63	70
13-19 YRS	51	20.4	420	5	6	13	21	55	69	91
GRAND TOTAL	**217**	**18.9**	**338**	**4**	**5**	**13**	**22**	**47**	**64**	**99**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	10.1	254	<1	1	5	8	37	49	49
1-11 MOS	31	4.3	3	2	2	4	5	7	8	9
1-5 YRS	1046	5.2	14	2	2	4	7	10	11	17
6-12 YRS	8814	3.9	4	2	2	3	4	7	8	12
13-19 YRS	14006	3.8	3	2	2	3	4	6	8	11
2. MULTIPLE DX										
0-27 DYS	5	10.4	60	3	3	8	15	23	23	23
1-11 MOS	12	5.8	8	2	3	5	8	10	10	10
1-5 YRS	540	7.6	26	2	3	6	10	14	18	25
6-12 YRS	2527	6.3	22	2	2	5	8	11	15	24
13-19 YRS	4170	5.8	18	2	3	5	7	10	13	23
TOT. SINGLE DX	23905	3.9	5	2	2	3	4	7	8	12
" MULTIPLE DX	7254	6.1	21	2	3	5	7	11	14	24
TOTAL 0-27 DYS	13	10.2	168	<1	2	6	10	28	45	49
1-11 MOS	43	4.7	5	2	2	4	6	8	10	10
1-5 YRS	1586	6.0	20	2	2	5	8	11	14	21
6-12 YRS	11341	4.4	10	2	2	3	5	8	10	17
13-19 YRS	18176	4.2	8	2	2	4	5	7	9	15
GRAND TOTAL	**31159**	**4.4**	**9**	**2**	**2**	**4**	**5**	**8**	**10**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	14	2	2	3	7	9	9	9
1-5 YRS	17	6.6	41	2	2	4	7	18	24	25
6-12 YRS	74	3.6	2	2	2	3	4	5	7	8
13-19 YRS	134	3.9	2	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	7	5.1	4	3	3	4	7	8	8	8
6-12 YRS	32	5.9	20	1	2	4	8	12	17	19
13-19 YRS	84	5.5	12	2	3	5	6	9	12	23
TOT. SINGLE DX	228	4.0	6	2	2	4	5	6	8	13
" MULTIPLE DX	125	5.6	14	2	3	4	7	10	13	21
TOTAL 0-27 DYS										
1-11 MOS	5	6.0	19	2	2	4	10	12	12	12
1-5 YRS	24	6.2	31	2	3	4	7	10	22	25
6-12 YRS	106	4.3	9	2	2	4	5	8	10	18
13-19 YRS	218	4.5	7	2	2	4	5	7	9	16
GRAND TOTAL	**353**	**4.6**	**9**	**2**	**2**	**4**	**5**	**8**	**9**	**19**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.3	14	6	6	12	13	13	13	13
6-12 YRS	37	8.3	23	2	3	8	10	15	19	22
13-19 YRS	30	8.0	23	2	3	7	10	15	18	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	11.2	26	4	5	12	14	19	19	19
6-12 YRS	21	12.4	29	4	6	13	16	20	22	23
13-19 YRS	21	10.4	25	4	5	11	13	17	21	23
TOT. SINGLE DX	70	8.2	23	2	3	8	11	15	18	22
" MULTIPLE DX	51	11.4	27	4	5	11	14	19	22	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	12	11.0	22	4	5	12	13	18	19	19
6-12 YRS	58	9.8	29	2	3	9	13	17	21	23
13-19 YRS	51	9.0	25	3	3	8	13	15	20	23
GRAND TOTAL	**121**	**9.6**	**27**	**3**	**3**	**9**	**13**	**17**	**20**	**23**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	7.2	21	2	2	6	12	13	13	13
1-11 MOS	43	4.6	13	<1	1	3	7	10	13	14
1-5 YRS	126	2.8	5	<1	<1	2	4	6	9	11
6-12 YRS	80	2.7	4	<1	<1	2	3	5	7	12
13-19 YRS	122	3.9	13	1	1	3	4	8	10	20
2. MULTIPLE DX										
0-27 DYS	24	19.1	496	2	3	10	20	63	67	74
1-11 MOS	30	6.9	44	1	1	5	9	17	24	26
1-5 YRS	85	4.9	25	<1	1	3	6	11	16	25
6-12 YRS	78	4.2	9	<1	1	3	6	8	10	15
13-19 YRS	96	6.4	47	2	2	5	7	11	19	41
TOT. SINGLE DX	377	3.4	10	<1	1	2	4	7	10	14
" MULTIPLE DX	313	6.5	78	1	1	4	7	13	18	62
TOTAL 0-27 DYS	30	16.7	421	2	3	8	15	62	64	74
1-11 MOS	73	5.5	27	<1	1	4	8	13	14	26
1-5 YRS	211	3.7	15	<1	<1	2	4	9	11	18
6-12 YRS	158	3.4	7	<1	1	3	4	7	9	14
13-19 YRS	218	5.0	30	1	1	4	5	9	12	34
GRAND TOTAL	**690**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**10**	**13**	**31**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	18	2.2	1	<1	<1	2	3	4	5	6
1-5 YRS	26	3.3	9	<1	1	2	4	6	10	15
6-12 YRS	15	3.5	11	1	1	2	5	8	12	13
13-19 YRS	122	2.8	4	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	15	3.8	11	<1	<1	3	4	9	12	13
1-5 YRS	7	2.6	1	<1	<1	3	3	4	4	4
6-12 YRS	16	5.8	29	<1	1	4	7	17	19	19
13-19 YRS	73	4.4	11	1	1	4	5	8	11	20
TOT. SINGLE DX	183	2.8	6	1	1	2	3	5	7	14
" MULTIPLE DX	114	4.4	13	1	1	4	5	8	11	20
TOTAL 0-27 DYS	5	2.4	2	1	1	2	3	5	5	5
1-11 MOS	33	2.9	6	<1	<1	2	3	6	9	13
1-5 YRS	33	3.1	8	<1	1	2	4	6	9	15
6-12 YRS	31	4.7	21	1	1	3	6	10	18	19
13-19 YRS	195	3.4	8	1	1	3	4	7	9	15
GRAND TOTAL	**297**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	42	10.3	17	5	7	9	12	15	17	28
1-5 YRS	46	10.4	13	6	7	10	12	13	16	25
6-12 YRS	9	9.7	23	<1	1	11	13	14	15	15
13-19 YRS	14	14.3	60	8	9	11	13	30	32	33
2. MULTIPLE DX										
0-27 DYS	6	20.3	220	7	7	14	38	40	40	40
1-11 MOS	46	12.3	109	5	6	10	13	21	42	99+
1-5 YRS	79	11.8	44	5	6	10	14	22	27	38
6-12 YRS	11	13.9	47	1	5	11	20	23	25	25
13-19 YRS	18	16.1	183	5	8	12	18	25	49	65
TOT. SINGLE DX	111	10.8	23	5	7	10	12	15	19	31
" MULTIPLE DX	160	12.9	86	5	6	10	14	23	30	69
TOTAL 0-27 DYS	6	20.3	221	7	7	14	38	40	40	40
1-11 MOS	88	11.3	66	5	6	10	12	17	25	88
1-5 YRS	125	11.3	34	5	7	10	13	17	24	35
6-12 YRS	20	12.0	40	<1	1	11	15	20	23	25
13-19 YRS	32	15.3	127	8	8	12	17	27	33	65
GRAND TOTAL	**271**	**12.0**	**61**	**5**	**7**	**10**	**13**	**20**	**27**	**60**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	5.0	5	3	3	4	6	9	9	9
1-11 MOS	40	6.0	149	1	1	3	6	9	12	79
1-5 YRS	156	2.6	5	<1	<1	2	3	6	8	11
6-12 YRS	202	2.9	5	<1	1	2	4	6	7	12
13-19 YRS	505	4.0	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	10	4.8	15	<1	1	3	7	11	12	12
1-11 MOS	105	6.9	62	1	1	5	8	11	16	49
1-5 YRS	202	6.3	57	1	1	4	7	15	26	36
6-12 YRS	279	4.8	19	1	1	4	6	9	13	33
13-19 YRS	1144	5.7	29	1	2	4	7	10	13	28
TOT. SINGLE DX	909	3.6	14	<1	1	3	5	7	9	13
" MULTIPLE DX	1740	5.7	33	1	2	4	7	10	14	32
TOTAL 0-27 DYS	16	4.9	11	<1	2	4	6	11	12	12
1-11 MOS	145	6.6	86	1	1	5	8	11	15	52
1-5 YRS	358	4.7	38	<1	<1	3	5	10	16	34
6-12 YRS	481	4.0	14	1	1	3	5	8	10	28
13-19 YRS	1649	5.1	23	1	2	4	6	9	12	24
GRAND TOTAL	**2649**	**5.0**	**27**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	73	1.5		<1	<1	1	2	2	3	6
1-5 YRS	21	2.0	2	<1	<1	2	2	4	5	7
6-12 YRS	8	2.8	2	1	1	3	4	5	5	5
13-19 YRS	63	3.1	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	13	1.5		<1	<1	1	2	2	2	2
1-5 YRS	4	5.8	78	<1	<1	1	10	19	19	19
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	43	4.5	16	1	1	3	5	9	13	22
TOT. SINGLE DX	167	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	64	3.8	17	<1	1	3	4	8	12	22
TOTAL 0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	86	1.5	1	<1	<1	1	2	2	3	5
1-5 YRS	25	2.6	13	<1	<1	2	2	4	10	19
6-12 YRS	10	2.7	2	1	1	3	3	4	5	5
13-19 YRS	106	3.7	9	1	1	3	4	6	9	18
GRAND TOTAL	**231**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	31	1.6		<1	<1	1	2	3	4	4
6-12 YRS	5	2.0		1	1	2	2	3	3	3
13-19 YRS	105	2.5	3	<1	1	2	3	4	5	13
2. MULTIPLE DX										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	6	3.0	2	1	1	3	3	6	6	6
1-5 YRS	10	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	6	2.8	2	1	1	3	4	5	5	5
13-19 YRS	72	5.0	100	2	2	3	4	6	8	72
TOT. SINGLE DX	148	2.3	3	<1	<1	2	3	4	4	12
" MULTIPLE DX	95	4.6	80	1	1	3	4	5	8	58
TOTAL 0-27 DYS	2	12.0	162	3	3	12	21	21	21	21
1-11 MOS	12	2.7	2	<1	1	2	4	5	6	6
1-5 YRS	41	1.8	1	<1	<1	1	2	4	4	4
6-12 YRS	11	2.5	2	1	1	2	3	4	5	5
13-19 YRS	177	3.5	44	<1	1	3	4	5	6	23
GRAND TOTAL	**243**	**3.2**	**34**	**<1**	**1**	**2**	**4**	**5**	**6**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	2.0	3	<1	<1	1	3	5	5	5
6-12 YRS	6	2.5	2	1	1	2	4	4	4	4
13-19 YRS	49	3.6	3	1	1	4	4	6	7	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	5.9	1	4	4	6	7	8	8	8
1-5 YRS	5	3.6	2	2	2	3	4	6	6	6
6-12 YRS	3	6.0	16	2	2	6	9	10	10	10
13-19 YRS	142	4.2	8	1	2	4	5	6	8	13
TOT. SINGLE DX	62	3.4	3	1	1	3	4	6	7	9
" MULTIPLE DX	158	4.3	8	1	2	4	5	6	8	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	5.2	3	2	3	5	6	8	8	8
1-5 YRS	10	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	9	3.7	8	1	1	3	5	8	10	10
13-19 YRS	191	4.1	7	1	2	4	5	6	7	12
GRAND TOTAL	**220**	**4.0**	**7**	**1**	**1**	**4**	**5**	**6**	**8**	**11**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.3	3	<1	<1	2	3	5	6	6
1-11 MOS	60	2.9	4	<1	1	2	4	6	7	9
1-5 YRS	65	3.6	9	<1	1	3	5	8	9	16
6-12 YRS	31	3.1	14	<1	<1	2	3	6	15	18
13-19 YRS	154	3.2	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-27 DYS	31	7.1	75	2	3	4	8	16	17	48
1-11 MOS	56	4.5	13	<1	1	4	6	10	13	17
1-5 YRS	67	7.3	93	1	1	5	8	10	18	64
6-12 YRS	20	4.7	11	1	2	4	5	10	13	15
13-19 YRS	89	5.0	17	1	2	4	6	10	14	22
TOT. SINGLE DX	318	3.2	6	<1	1	3	4	6	8	14
" MULTIPLE DX	263	5.7	43	1	2	4	7	10	15	36
TOTAL 0-27 DYS	39	6.1	64	<1	1	3	6	13	17	48
1-11 MOS	116	3.7	9	<1	1	3	5	7	10	16
1-5 YRS	132	5.5	55	1	1	4	7	10	11	43
6-12 YRS	51	3.7	14	<1	1	3	4	8	15	18
13-19 YRS	243	3.9	10	1	1	3	5	7	10	16
GRAND TOTAL	**581**	**4.3**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	5	11.2	37	4	4	10	17	18	18	18
13-19 YRS	4	9.3	74	3	3	6	14	22	22	22
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS										
1-5 YRS	4	14.5	81	4	4	22	42	99+	99+	99+
6-12 YRS	4	15.0	24	11	11	14	19	21	21	21
13-19 YRS	22	16.8	133	5	6	13	27	34	40	41
TOT. SINGLE DX	11	10.1	48	2	3	7	17	20	22	22
" MULTIPLE DX	32	15.4	111	4	5	11	22	33	41	99+
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	14.8	61	4	5	19	22	92	99+	99+
6-12 YRS	9	12.9	32	4	5	11	17	20	21	21
13-19 YRS	26	15.6	129	4	5	11	22	32	39	41
GRAND TOTAL	**43**	**14.1**	**99**	**3**	**4**	**11**	**21**	**31**	**40**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.6	38	2	2	6	9	17	17	17
1-11 MOS	46	5.5	24	1	1	3	8	14	16	19
1-5 YRS	59	3.9	24	1	1	2	4	10	17	24
6-12 YRS	45	4.5	27	1	1	2	5	11	19	25
13-19 YRS	90	5.4	23	1	1	4	8	13	14	22
2. MULTIPLE DX										
0-27 DYS	16	23.2	315	2	3	25	30	40	63	72
1-11 MOS	95	9.8	153	1	1	6	11	23	43	59
1-5 YRS	112	13.0	306	1	1	7	17	35	69	94
6-12 YRS	73	8.6	86	1	1	6	10	22	27	48
13-19 YRS	221	11.7	142	1	2	7	14	28	34	58
TOT. SINGLE DX	245	4.9	25	1	1	3	6	13	16	23
" MULTIPLE DX	517	11.5	182	1	2	7	14	28	37	75
TOTAL 0-27 DYS	21	19.2	296	2	2	17	28	37	55	72
1-11 MOS	141	8.4	115	1	1	5	10	18	33	57
1-5 YRS	171	9.8	227	1	1	4	11	25	36	88
6-12 YRS	118	7.0	67	1	1	4	8	19	24	41
13-19 YRS	311	9.9	116	1	1	7	11	23	31	52
GRAND TOTAL	**762**	**9.4**	**141**	**1**	**1**	**6**	**11**	**23**	**32**	**71**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	5.9	1	4	4	6	7	8	8	8
1-11 MOS	18	6.7	6	4	4	6	8	9	13	15
1-5 YRS	10	6.5	49	2	2	4	6	16	26	26
6-12 YRS	23	7.7	17	3	4	6	8	16	17	17
13-19 YRS	1080	6.0	5	3	4	5	7	9	10	15
2. MULTIPLE DX										
0-27 DYS	6	8.8	24	4	4	8	13	16	16	16
1-11 MOS	23	12.3	112	3	4	10	16	23	37	50
1-5 YRS	16	12.0	75	4	6	8	16	25	32	35
6-12 YRS	58	13.0	167	4	5	10	14	25	34	83
13-19 YRS	888	8.5	30	4	4	7	10	14	18	31
TOT. SINGLE DX	1141	6.0	6	3	4	5	7	9	10	15
" MULTIPLE DX	991	8.9	42	4	4	7	10	15	19	34
TOTAL 0-27 DYS	16	7.0	11	4	4	6	8	13	15	16
1-11 MOS	41	9.9	73	4	4	7	11	19	25	50
1-5 YRS	26	9.9	70	3	4	7	11	25	28	35
6-12 YRS	81	11.5	130	4	5	8	13	20	27	75
13-19 YRS	1968	7.1	18	3	4	6	8	11	14	24
GRAND TOTAL	**2132**	**7.3**	**25**	**3**	**4**	**6**	**8**	**12**	**15**	**26**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	24	15.7	27	8	8	17	20	22	23	23
1-5 YRS	6	10.7	24	3	4	11	12	17	18	18
6-12 YRS	3	6.7	10	3	3	8	9	9	9	9
13-19 YRS	13	8.1	61	1	2	5	10	18	28	30
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	43	23.8	345	6	8	17	29	55	59	95
1-5 YRS	18	21.6	396	4	7	16	22	58	73	75
6-12 YRS	4	13.0	76	5	5	12	20	22	22	22
13-19 YRS	21	12.5	203	1	1	8	13	43	46	48
TOT. SINGLE DX	46	12.3	48	2	3	11	18	22	22	30
" MULTIPLE DX	87	20.0	322	2	4	15	22	44	58	88
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	67	20.9	244	7	8	17	22	39	57	89
1-5 YRS	24	18.9	321	3	6	14	20	35	71	75
6-12 YRS	7	10.3	53	3	3	8	16	21	22	22
13-19 YRS	34	10.8	150	1	1	7	12	31	44	48
GRAND TOTAL	**133**	**17.3**	**239**	**2**	**3**	**14**	**21**	**36**	**53**	**78**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	3	10.7	26	5	5	12	14	15	15	15
6-12 YRS	8	2.5	2	1	1	2	3	5	6	6
13-19 YRS	26	6.3	43	<1	1	3	8	17	20	27
2. MULTIPLE DX										
0-27 DYS	4	46.3	327	26	26	45	59	69	69	69
1-11 MOS	6	32.3	868	4	5	27	38	82	87	87
1-5 YRS	12	13.2	98	5	6	9	15	27	39	41
6-12 YRS	19	15.3	163	1	1	14	26	32	39	44
13-19 YRS	60	18.6	312	1	2	13	25	43	58	80
TOT. SINGLE DX	38	5.9	36	1	1	3	8	14	18	27
" MULTIPLE DX	101	19.2	325	1	2	13	27	43	58	84
TOTAL 0-27 DYS	5	38.8	523	9	9	40	55	69	69	69
1-11 MOS	6	32.3	869	4	5	27	38	82	87	87
1-5 YRS	15	12.7	83	5	5	10	14	21	36	41
6-12 YRS	27	11.5	149	1	1	6	19	30	35	44
13-19 YRS	86	14.9	262	1	1	10	21	34	53	76
GRAND TOTAL	**139**	**15.6**	**281**	**1**	**2**	**10**	**22**	**37**	**52**	**82**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	3.0	3	1	1	3	4	6	6	6
1-11 MOS	50	3.3	6	<1	<1	3	4	7	9	12
1-5 YRS	147	2.5	4	<1	<1	2	3	5	8	11
6-12 YRS	184	3.3	10	<1	1	2	4	6	10	16
13-19 YRS	518	4.2	13	1	1	3	5	8	9	21
2. MULTIPLE DX										
0-27 DYS	23	6.9	39	1	2	5	8	20	22	23
1-11 MOS	100	8.7	160	1	1	5	8	19	38	66
1-5 YRS	158	4.8	25	1	1	3	6	10	15	28
6-12 YRS	216	4.3	11	1	1	3	6	8	11	20
13-19 YRS	712	5.8	33	1	2	4	7	11	16	29
TOT. SINGLE DX	905	3.7	11	<1	1	3	4	7	9	19
" MULTIPLE DX	1209	5.7	40	1	2	4	7	11	15	33
TOTAL 0-27 DYS	29	6.1	34	1	2	4	7	16	21	23
1-11 MOS	150	6.9	115	1	1	4	7	12	32	54
1-5 YRS	305	3.7	17	<1	1	2	4	8	12	22
6-12 YRS	400	3.9	11	1	1	3	5	8	10	18
13-19 YRS	1230	5.1	25	1	2	4	6	9	13	25
GRAND TOTAL	**2114**	**4.8**	**28**	**1**	**1**	**3**	**6**	**9**	**12**	**26**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	84	1.7	1	<1	<1	1	2	3	4	6
1-11 MOS	1520	1.6		<1	<1	1	2	2	3	6
1-5 YRS	2894	1.5		<1	<1	1	2	2	3	4
6-12 YRS	1748	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	2961	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	91	13.2	410	<1	1	4	27	64	99+	99+
1-11 MOS	1216	2.4	7	<1	<1	2	3	5	7	12
1-5 YRS	2213	1.8	4	<1	<1	1	2	3	4	8
6-12 YRS	905	1.9	1	<1	<1	2	2	3	4	8
13-19 YRS	940	2.9	7	1	1	3	3	5	6	12
TOT. SINGLE DX	9207	1.8	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	5365	2.3	14	<1	<1	2	2	4	5	13
TOTAL 0-27 DYS	175	7.7	246	<1	1	2	5	40	67	99+
1-11 MOS	2736	1.9	4	<1	<1	1	2	3	5	10
1-5 YRS	5107	1.6	2	<1	<1	1	2	2	3	6
6-12 YRS	2653	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	3901	2.5	3	1	1	2	3	4	5	7
GRAND TOTAL	**14572**	**2.0**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	62	1.5		<1	<1	1	2	3	4	5
1-11 MOS	1202	1.5		<1	<1	1	2	2	3	4
1-5 YRS	1116	1.4		<1	<1	1	2	2	2	4
6-12 YRS	272	1.6		<1	<1	1	2	2	3	5
13-19 YRS	145	2.7	1	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-27 DYS	95	30.6	1150	1	1	36	80	99+	99+	99+
1-11 MOS	1202	2.4	16	<1	<1	2	2	4	6	24
1-5 YRS	892	1.8	5	<1	<1	1	2	3	4	12
6-12 YRS	135	1.8	2	<1	<1	1	2	3	4	9
13-19 YRS	62	3.3	7	1	1	3	4	5	7	17
TOT. SINGLE DX	2797	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	2386	3.3	87	<1	<1	1	2	4	9	86
TOTAL 0-27 DYS	157	19.1	897	<1	<1	2	55	96	99+	99+
1-11 MOS	2404	1.9	9	<1	<1	1	2	3	4	13
1-5 YRS	2008	1.6	3	<1	<1	1	2	2	3	8
6-12 YRS	407	1.7	1	<1	<1	1	2	3	3	6
13-19 YRS	207	2.9	3	1	1	3	4	5	5	11
GRAND TOTAL	**5183**	**2.3**	**41**	**<1**	**<1**	**1**	**2**	**3**	**4**	**47**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	1.3		<1	<1	1	2	2	2	2
6-12 YRS	19	1.4		<1	<1	1	2	2	2	2
13-19 YRS	42	3.2	3	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	4.5	19	<1	<1	3	7	11	11	11
1-5 YRS	6	5.0	62	<1	<1	2	3	19	21	21
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	9	6.6	61	2	2	4	6	19	27	27
TOT. SINGLE DX	77	2.4	3	<1	1	2	3	4	5	11
" MULTIPLE DX	20	5.4	47	<1	<1	3	5	16	24	27
TOTAL 0-27 DYS										
1-11 MOS	5	3.8	17	<1	<1	3	5	11	11	11
1-5 YRS	21	2.4	19	<1	<1	1	2	3	11	21
6-12 YRS	20	1.4		<1	<1	1	2	2	2	2
13-19 YRS	51	3.8	15	1	1	3	4	6	8	27
GRAND TOTAL	**97**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**24**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	8.3	108	1	1	4	10	27	32	32
1-11 MOS	188	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	985	1.9	9	<1	<1	2	2	3	3	6
6-12 YRS	446	1.8		<1	<1	2	2	3	3	4
13-19 YRS	217	2.1		<1	<1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	34	18.1	266	5	6	13	28	36	77	99+
1-11 MOS	91	3.1	7	<1	<1	2	4	6	9	15
1-5 YRS	243	2.3	6	<1	<1	2	3	4	5	8
6-12 YRS	92	2.7	5	<1	<1	2	3	5	6	14
13-19 YRS	56	3.4	5	1	1	3	5	6	8	12
TOT. SINGLE DX	1844	1.9	6	<1	<1	2	2	3	3	5
" MULTIPLE DX	516	3.7	38	<1	<1	2	4	6	11	36
TOTAL 0-27 DYS	42	16.2	248	2	4	11	26	36	58	99+
1-11 MOS	279	2.2	4	<1	<1	2	2	4	5	12
1-5 YRS	1228	1.9	9	<1	<1	2	2	3	4	6
6-12 YRS	538	2.0	2	<1	<1	2	2	3	4	6
13-19 YRS	273	2.4	2	<1	1	2	3	4	5	8
GRAND TOTAL	**2360**	**2.3**	**14**	**<1**	**<1**	**2**	**2**	**3**	**5**	**13**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	35	2.4	2	<1	<1	2	3	4	6	9
1-5 YRS	82	1.9	2	<1	<1	2	2	4	5	8
6-12 YRS	86	2.3	7	<1	<1	2	2	3	5	18
13-19 YRS	186	2.4	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	6.3	36	2	2	5	7	11	22	27
1-5 YRS	56	3.9	17	<1	<1	3	5	7	9	25
6-12 YRS	42	3.8	14	<1	1	3	4	8	9	22
13-19 YRS	62	4.0	10	1	1	3	4	8	13	15
TOT. SINGLE DX	391	2.3	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	177	4.1	16	<1	1	3	5	8	11	24
TOTAL 0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	51	3.6	16	<1	1	2	4	7	9	27
1-5 YRS	138	2.7	9	<1	<1	2	3	6	7	19
6-12 YRS	128	2.8	10	<1	<1	2	3	5	8	22
13-19 YRS	248	2.8	5	<1	1	2	3	5	7	14
GRAND TOTAL	**568**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.3	12	4	4	7	10	11	11	11
1-11 MOS	15	4.7	3	<1	2	5	6	6	8	9
1-5 YRS	19	2.7	3	<1	<1	2	5	6	6	6
6-12 YRS	10	3.5	6	1	1	3	5	7	9	9
13-19 YRS	17	5.1	16	<1	1	5	6	11	14	15
2. MULTIPLE DX										
0-27 DYS	23	26.5	404	7	8	24	36	86	99+	99+
1-11 MOS	23	11.3	335	1	2	5	8	29	58	84
1-5 YRS	33	9.6	39	2	2	10	12	19	22	25
6-12 YRS	10	7.2	30	1	1	7	9	15	20	20
13-19 YRS	18	6.3	11	1	2	6	9	10	13	15
TOT. SINGLE DX	64	4.2	9	<1	1	4	6	7	11	14
" MULTIPLE DX	107	12.8	225	2	2	8	16	28	59	99+
TOTAL 0-27 DYS	26	24.3	396	6	7	21	32	79	99+	99+
1-11 MOS	38	8.7	212	1	2	5	7	11	36	84
1-5 YRS	52	7.1	37	1	1	5	11	16	21	25
6-12 YRS	20	5.4	21	1	1	4	8	10	15	20
13-19 YRS	35	5.7	14	1	1	6	7	11	14	15
GRAND TOTAL	**171**	**9.6**	**161**	**1**	**1**	**6**	**11**	**23**	**33**	**97**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.8	11	2	2	4	5	10	13	15
1-11 MOS	69	4.4	27	<1	<1	2	6	10	11	30
1-5 YRS	225	3.3	9	<1	<1	2	4	8	10	14
6-12 YRS	167	3.6	9	<1	1	2	5	8	9	14
13-19 YRS	230	4.3	19	1	1	3	6	8	10	17
2. MULTIPLE DX										
0-27 DYS	26	13.4	134	1	2	9	23	30	34	42
1-11 MOS	58	7.1	47	1	1	6	9	15	20	38
1-5 YRS	175	7.1	69	<1	1	5	10	12	18	59
6-12 YRS	110	6.8	42	1	1	5	9	15	19	32
13-19 YRS	319	6.8	48	1	2	5	8	14	21	29
TOT. SINGLE DX	707	3.9	15	<1	1	3	5	8	10	15
" MULTIPLE DX	688	7.2	57	1	1	5	9	15	22	41
TOTAL 0-27 DYS	42	10.1	104	2	2	5	15	25	31	42
1-11 MOS	127	5.6	38	<1	1	3	8	11	17	33
1-5 YRS	400	5.0	40	<1	<1	3	7	11	13	39
6-12 YRS	277	4.9	25	<1	1	3	6	11	15	25
13-19 YRS	549	5.8	38	1	1	4	7	11	16	25
GRAND TOTAL	**1395**	**5.5**	**39**	**<1**	**1**	**4**	**7**	**11**	**16**	**31**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	18.4	869	2	2	6	24	71	71	71
1-11 MOS	19	6.3	26	1	2	5	8	14	19	21
1-5 YRS	76	6.2	28	1	1	5	8	12	16	32
6-12 YRS	150	6.3	16	2	2	5	8	12	15	19
13-19 YRS	506	5.3	11	2	2	5	6	9	11	20
2. MULTIPLE DX										
0-27 DYS	10	23.2	839	3	3	13	73	99+	99+	99+
1-11 MOS	28	12.8	199	2	2	8	16	29	36	68
1-5 YRS	96	10.2	78	3	3	7	13	18	30	48
6-12 YRS	192	9.5	75	3	3	7	11	16	23	45
13-19 YRS	790	8.6	78	3	3	6	9	15	22	50
TOT. SINGLE DX	756	5.7	21	2	2	5	7	10	13	21
" MULTIPLE DX	1116	9.1	89	3	3	6	10	16	29	60
TOTAL 0-27 DYS	15	21.6	794	2	3	9	60	98	99+	99+
1-11 MOS	47	10.1	138	2	2	6	13	24	30	68
1-5 YRS	172	8.4	60	1	2	6	11	16	23	42
6-12 YRS	342	8.1	52	2	3	6	9	15	19	41
13-19 YRS	1296	7.3	55	2	3	5	8	13	18	42
GRAND TOTAL	**1872**	**7.7**	**64**	**2**	**3**	**6**	**9**	**14**	**19**	**46**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.8	1	1	1	2	2	4	4	4
6-12 YRS	24	2.5	2	<1	1	2	3	5	6	7
13-19 YRS	1262	2.9	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	4	3.8	11	<1	<1	3	6	8	8	8
6-12 YRS	16	3.8	5	<1	1	4	6	6	8	9
13-19 YRS	1292	3.9	9	<1	1	3	5	8	9	14
TOT. SINGLE DX	1295	2.9	5	<1	1	2	4	6	8	11
" MULTIPLE DX	1319	3.9	10	<1	1	3	5	8	9	14
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	6	1.2		<1	<1	1	1	2	2	2
1-5 YRS	10	2.6	6	<1	<1	2	4	6	8	8
6-12 YRS	40	3.1	4	<1	1	2	5	6	7	9
13-19 YRS	2554	3.4	8	<1	1	2	5	7	9	13
GRAND TOTAL	**2614**	**3.4**	**8**	**<1**	**1**	**2**	**5**	**7**	**9**	**13**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	10.4	58	4	5	9	11	19	31	33
1-11 MOS	31	7.7	17	3	4	7	8	14	18	21
1-5 YRS	55	6.0	8	1	1	6	8	10	11	14
6-12 YRS	87	6.7	42	1	2	6	7	9	17	43
13-19 YRS	219	5.8	12	1	2	6	8	10	12	17
2. MULTIPLE DX										
0-27 DYS	54	29.6	566	5	7	26	37	84	98	99+
1-11 MOS	67	10.6	58	2	3	9	14	23	27	34
1-5 YRS	122	12.8	160	2	4	9	15	27	38	67
6-12 YRS	138	9.6	60	2	3	7	12	17	29	49
13-19 YRS	447	7.7	43	1	2	6	9	14	18	36
TOT. SINGLE DX	404	6.3	21	1	2	6	8	10	13	22
" MULTIPLE DX	828	10.4	127	2	3	7	12	21	32	69
TOTAL 0-27 DYS	66	26.1	527	5	6	20	35	64	96	99+
1-11 MOS	98	9.7	47	2	4	8	12	19	25	33
1-5 YRS	177	10.7	123	2	3	8	11	22	34	54
6-12 YRS	225	8.5	56	2	2	7	10	15	22	46
13-19 YRS	666	7.1	34	1	2	6	9	12	16	27
GRAND TOTAL	**1232**	**9.1**	**96**	**1**	**2**	**7**	**10**	**17**	**26**	**58**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	6.3	16	1	1	8	9	11	12	12
1-11 MOS	28	7.0	18	3	3	6	9	12	16	21
1-5 YRS	47	8.2	13	3	4	8	9	11	13	26
6-12 YRS	22	8.2	10	4	5	7	10	14	15	16
13-19 YRS	31	8.9	25	4	5	8	11	14	19	29
2. MULTIPLE DX										
0-27 DYS	14	11.7	55	4	4	9	18	23	25	26
1-11 MOS	51	7.8	16	3	3	7	10	13	18	19
1-5 YRS	96	10.6	63	3	4	9	12	19	29	45
6-12 YRS	116	9.6	47	4	4	7	11	18	24	39
13-19 YRS	154	10.7	42	5	5	9	13	20	25	30
TOT. SINGLE DX	135	8.0	17	3	4	8	10	12	15	26
" MULTIPLE DX	431	10.1	46	4	4	8	12	18	24	38
TOTAL 0-27 DYS	21	9.9	48	2	3	8	14	21	24	26
1-11 MOS	79	7.5	17	3	3	7	10	13	18	20
1-5 YRS	143	9.8	48	3	4	8	11	16	25	42
6-12 YRS	138	9.4	42	4	4	7	11	16	24	38
13-19 YRS	185	10.4	40	5	5	8	12	19	24	30
GRAND TOTAL	**566**	**9.6**	**40**	**3**	**4**	**8**	**11**	**17**	**23**	**35**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	7.3	13	3	4	6	9	13	15	16
1-11 MOS	47	5.8	13	2	2	5	8	10	14	15
1-5 YRS	152	6.2	36	2	2	5	8	11	13	30
6-12 YRS	273	5.6	22	1	2	4	8	11	14	23
13-19 YRS	351	5.6	23	1	1	4	8	12	14	19
2. MULTIPLE DX										
0-27 DYS	21	14.7	125	3	4	10	20	27	39	49
1-11 MOS	84	11.3	125	3	4	8	12	22	26	72
1-5 YRS	227	11.6	130	2	2	8	14	28	36	64
6-12 YRS	281	11.5	128	2	2	8	14	26	35	49
13-19 YRS	535	11.6	93	2	2	9	16	24	32	42
TOT. SINGLE DX	842	5.7	25	1	2	4	8	11	14	23
" MULTIPLE DX	1148	11.6	112	2	2	8	15	25	33	49
TOTAL 0-27 DYS	40	11.2	84	3	4	9	15	22	27	49
1-11 MOS	131	9.3	92	2	3	7	10	18	25	68
1-5 YRS	379	9.4	100	2	2	6	11	23	31	52
6-12 YRS	554	8.6	85	2	2	6	11	19	28	45
13-19 YRS	886	9.2	74	1	2	7	12	20	26	38
GRAND TOTAL	**1990**	**9.1**	**84**	**1**	**2**	**6**	**11**	**20**	**28**	**45**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	4.7	6	2	2	5	7	7	7	7
1-5 YRS	4	6.0	19	1	1	6	9	11	11	11
6-12 YRS	21	6.0	15	1	2	5	8	12	14	17
13-19 YRS	53	6.4	9	1	3	7	8	11	12	13
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	7.3	20	3	3	7	11	12	12	12
1-5 YRS	12	7.2	13	3	4	6	10	12	15	15
6-12 YRS	19	7.0	24	<1	1	7	10	14	17	18
13-19 YRS	56	6.5	16	1	1	6	9	12	14	17
TOT. SINGLE DX	84	6.1	11	1	2	6	8	11	12	16
" MULTIPLE DX	91	6.7	17	1	1	7	10	12	15	18
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	5.6	11	2	2	7	7	10	12	12
1-5 YRS	16	6.9	14	2	3	6	10	11	14	15
6-12 YRS	40	6.5	19	1	1	6	9	12	16	18
13-19 YRS	109	6.4	13	1	1	7	9	11	12	16
GRAND TOTAL	**175**	**6.4**	**14**	**1**	**2**	**6**	**9**	**11**	**13**	**17**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	43	7.5	12	3	3	7	9	12	14	19
1-5 YRS	342	6.8	6	3	4	7	8	10	11	14
6-12 YRS	285	6.8	5	3	4	7	8	10	11	13
13-19 YRS	73	8.0	11	3	5	8	9	12	13	22
2. MULTIPLE DX										
0-27 DYS	13	16.0	43	4	6	17	20	25	26	26
1-11 MOS	71	10.1	29	3	4	9	12	16	22	31
1-5 YRS	415	8.8	27	3	4	8	10	14	19	30
6-12 YRS	308	8.8	38	3	4	8	10	12	15	28
13-19 YRS	132	12.0	58	3	5	10	16	21	25	43
TOT. SINGLE DX	744	6.9	7	3	4	7	8	10	11	14
" MULTIPLE DX	939	9.4	38	3	4	8	11	16	20	34
TOTAL 0-27 DYS	14	15.3	47	4	6	16	18	24	26	26
1-11 MOS	114	9.1	25	3	4	8	11	14	19	27
1-5 YRS	757	7.9	19	3	4	7	9	12	15	27
6-12 YRS	593	7.8	24	3	4	7	9	11	13	22
13-19 YRS	205	10.6	46	3	5	9	12	19	22	40
GRAND TOTAL	**1683**	**8.3**	**26**	**3**	**4**	**7**	**10**	**13**	**16**	**27**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	9	8.8	27	1	2	7	13	16	16	16
1-5 YRS	49	5.4	16	<1	<1	6	8	10	13	16
6-12 YRS	33	5.0	13	<1	<1	4	8	10	11	14
13-19 YRS	208	4.1	8	1	2	3	5	8	9	15
2. MULTIPLE DX										
0-27 DYS	11	8.3	40	3	3	5	12	19	20	20
1-11 MOS	26	9.2	59	1	2	8	11	14	25	39
1-5 YRS	74	9.3	57	1	1	8	12	17	20	46
6-12 YRS	56	8.8	43	1	2	7	14	18	23	24
13-19 YRS	123	6.8	42	1	2	5	8	12	17	35
TOT. SINGLE DX	301	4.5	11	<1	1	4	6	9	12	15
" MULTIPLE DX	290	8.1	49	1	2	6	11	16	20	35
TOTAL 0-27 DYS	13	7.8	35	3	3	5	11	19	20	20
1-11 MOS	35	9.1	50	1	2	8	12	15	20	39
1-5 YRS	123	7.7	45	<1	1	7	10	15	18	33
6-12 YRS	89	7.4	35	<1	1	6	10	16	20	24
13-19 YRS	331	5.1	23	1	2	4	6	9	13	26
GRAND TOTAL	**591**	**6.3**	**33**	**1**	**1**	**5**	**8**	**13**	**16**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	2.9	2	1	1	3	4	5	5	5
1-11 MOS	40	3.7	11	<1	<1	2	5	10	11	13
1-5 YRS	487	1.9	4	<1	<1	1	2	4	5	11
6-12 YRS	638	1.8	2	<1	<1	1	2	3	5	8
13-19 YRS	577	2.6	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
0-27 DYS	20	8.1	35	2	3	6	9	19	21	23
1-11 MOS	70	4.5	17	<1	<1	3	6	12	15	83
1-5 YRS	763	2.7	10	<1	<1	1	3	7	9	16
6-12 YRS	861	2.7	8	<1	<1	2	3	6	8	13
13-19 YRS	987	4.8	41	1	1	3	6	9	12	29
TOT. SINGLE DX	1749	2.1	4	<1	<1	1	2	5	6	11
" MULTIPLE DX	2701	3.6	23	<1	<1	2	4	8	10	20
TOTAL 0-27 DYS	27	6.7	32	1	2	4	9	17	20	23
1-11 MOS	110	4.2	16	<1	<1	3	6	11	14	51
1-5 YRS	1250	2.4	8	<1	<1	1	3	6	8	14
6-12 YRS	1499	2.3	6	<1	<1	1	3	5	7	11
13-19 YRS	1564	4.0	29	<1	1	3	5	8	11	22
GRAND TOTAL	**4450**	**3.0**	**16**	**<1**	**<1**	**2**	**4**	**7**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	4	4.0	3	2	2	4	5	6	6	6
6-12 YRS	13	2.4	3	<1	<1	1	4	5	6	6
13-19 YRS	27	3.3	10	<1	1	2	3	9	11	12
2. MULTIPLE DX										
0-27 DYS	4	8.3	35	4	4	6	12	17	17	17
1-11 MOS	14	5.5	15	1	2	5	6	10	15	17
1-5 YRS	10	9.1	190	1	1	4	9	29	47	47
6-12 YRS	26	4.0	14	1	1	3	4	12	13	13
13-19 YRS	57	5.5	44	1	1	3	7	13	18	34
TOT. SINGLE DX	48	3.1	7	<1	<1	2	4	7	9	12
" MULTIPLE DX	111	5.6	47	1	1	3	7	13	17	39
TOTAL 0-27 DYS	5	6.8	37	<1	<1	5	9	17	17	17
1-11 MOS	17	5.3	13	1	2	5	6	9	14	17
1-5 YRS	14	7.6	139	1	2	4	8	15	40	47
6-12 YRS	39	3.5	11	<1	1	2	4	9	12	13
13-19 YRS	84	4.8	35	<1	1	2	6	11	14	33
GRAND TOTAL	**159**	**4.8**	**36**	**<1**	**1**	**3**	**6**	**11**	**13**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	25	4.4	17	1	2	3	4	9	13	21
1-11 MOS	37	4.6	9	1	1	4	6	10	11	12
1-5 YRS	89	5.7	25	1	2	4	8	10	12	32
6-12 YRS	47	6.5	36	1	1	5	8	15	17	32
13-19 YRS	53	5.0	19	1	1	4	7	12	15	18
2. MULTIPLE DX										
0-27 DYS	177	8.9	69	3	3	6	10	17	26	52
1-11 MOS	108	7.9	88	2	2	4	9	19	26	51
1-5 YRS	197	8.5	124	1	2	5	10	17	29	82
6-12 YRS	125	8.6	65	1	1	6	12	19	25	39
13-19 YRS	200	11.0	124	1	2	8	13	25	42	99+
TOT. SINGLE DX	251	5.4	23	1	1	4	7	11	15	28
" MULTIPLE DX	807	9.2	99	1	2	6	11	20	29	60
TOTAL 0-27 DYS	202	8.4	65	2	3	6	10	16	24	50
1-11 MOS	145	7.0	70	1	2	4	8	15	22	47
1-5 YRS	286	7.7	95	1	2	5	8	15	24	67
6-12 YRS	172	8.0	58	1	1	6	11	17	24	36
13-19 YRS	253	9.7	108	1	2	7	12	23	35	97
GRAND TOTAL	**1058**	**8.3**	**84**	**1**	**2**	**6**	**10**	**17**	**26**	**54**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	243	1.2		<1	<1	<1	1	1	2	3
6-12 YRS	162	1.2		<1	<1	1	1	2	2	3
13-19 YRS	22	2.9	23	<1	<1	2	3	4	12	24
2. MULTIPLE DX										
0-27 DYS	6	4.0	2	2	2	4	5	6	6	6
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	142	1.9	2	<1	<1	1	2	3	6	9
6-12 YRS	157	2.0	2	<1	<1	1	2	4	5	7
13-19 YRS	41	2.8	3	<1	<1	2	4	5	6	7
TOT. SINGLE DX	432	1.3	2	<1	<1	1	1	2	2	4
" MULTIPLE DX	351	2.1	3	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS	6	4.0	2	2	2	4	5	6	6	6
1-11 MOS	10	1.4		<1	<1	1	2	3	3	3
1-5 YRS	385	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	319	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	63	2.8	10	<1	<1	2	4	5	6	22
GRAND TOTAL	**783**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	146	3.9	11	<1	<1	2	6	9	11	15
1-5 YRS	1428	5.0	13	<1	1	4	8	10	12	15
6-12 YRS	330	4.7	16	<1	1	3	7	10	12	18
13-19 YRS	151	4.9	18	1	1	3	7	12	14	20
2. MULTIPLE DX										
0-27 DYS	13	14.1	205	3	4	10	15	41	48	50
1-11 MOS	79	6.2	29	<1	1	4	9	16	18	23
1-5 YRS	807	5.8	19	1	1	5	8	12	14	21
6-12 YRS	246	5.4	16	<1	1	4	8	12	14	16
13-19 YRS	129	5.7	22	<1	1	4	7	13	16	22
TOT. SINGLE DX	2057	4.8	15	<1	1	4	7	10	12	16
" MULTIPLE DX	1274	5.9	23	<1	1	5	8	12	14	21
TOTAL 0-27 DYS	15	12.4	195	1	2	6	14	39	47	50
1-11 MOS	225	4.7	19	<1	<1	3	7	11	13	18
1-5 YRS	2235	5.3	16	<1	1	4	8	11	13	16
6-12 YRS	576	5.0	17	<1	1	4	7	11	13	18
13-19 YRS	280	5.3	20	1	1	4	7	12	16	21
GRAND TOTAL	**3331**	**5.2**	**18**	**<1**	**1**	**4**	**8**	**11**	**13**	**17**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	175	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	152	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	110	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	6	3.8	7	1	1	3	4	8	9	9
1-11 MOS	21	3.1	7	<1	<1	1	5	7	8	10
1-5 YRS	439	2.1	5	<1	<1	1	2	4	6	10
6-12 YRS	377	2.2	5	<1	<1	1	2	5	7	12
13-19 YRS	266	4.1	57	<1	1	2	5	7	11	58
TOT. SINGLE DX	440	1.8	2	<1	<1	1	2	3	5	8
" MULTIPLE DX	1109	2.6	19	<1	<1	1	3	6	8	16
TOTAL 0-27 DYS	6	3.8	7	1	1	3	4	8	9	9
1-11 MOS	24	2.8	7	<1	<1	1	5	7	8	10
1-5 YRS	614	1.9	4	<1	<1	1	2	4	6	9
6-12 YRS	529	2.0	4	<1	<1	1	2	4	6	11
13-19 YRS	376	3.6	42	<1	<1	2	4	6	10	40
GRAND TOTAL	1549	2.4	14	<1	<1	1	3	5	7	13

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	176	1.7	2	<1	<1	1	2	3	5	8
6-12 YRS	111	1.7	2	<1	<1	1	2	3	5	8
13-19 YRS	109	2.6	3	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	5	3.4	1	2	2	4	4	4	4	4
1-11 MOS	4	6.5	28	1	1	6	11	12	12	12
1-5 YRS	162	2.1	3	<1	<1	1	2	4	6	11
6-12 YRS	139	2.5	11	<1	<1	1	3	4	7	24
13-19 YRS	136	4.1	63	<1	1	2	4	7	10	33
TOT. SINGLE DX	397	2.0	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	446	2.9	25	<1	<1	2	3	6	8	21
TOTAL 0-27 DYS	5	3.4	1	2	2	4	4	4	4	4
1-11 MOS	5	5.4	27	1	1	3	10	12	12	12
1-5 YRS	338	1.9	3	<1	<1	1	2	3	5	10
6-12 YRS	250	2.2	8	<1	<1	1	2	4	6	16
13-19 YRS	245	3.4	37	<1	1	2	4	6	8	21
GRAND TOTAL	843	2.4	15	<1	<1	2	3	5	7	13

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	6	5.0	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.0		8	8	8	8	8	8	8
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	4.0	5	3	3	3	5	8	8	8
TOT. SINGLE DX	9	6.2	9	2	2	7	8	10	11	11
" MULTIPLE DX	9	5.2	7	3	3	3	8	8	8	8
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	7.8		7	7	8	8	8	8	8
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	11	4.5	6	2	2	3	7	8	8	8
GRAND TOTAL	18	5.7	8	2	3	7	8	8	10	11

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	4.3	1	2	2	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	6	8.7	15	5	5	8	9	15	16	16
13-19 YRS	7	7.0	12	4	4	5	11	11	11	11
TOT. SINGLE DX	8	4.6	2	2	3	5	5	7	7	7
" MULTIPLE DX	17	6.6	15	1	2	6	9	11	14	16
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	7	8.4	13	5	5	8	9	15	16	16
13-19 YRS	14	5.6	8	2	3	5	5	11	11	11
GRAND TOTAL	25	6.0	12	2	2	5	8	11	12	16

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	8	3.8	9	<1	<1	3	5	9	10	10
13-19 YRS	13	4.8	5	<1	1	6	6	7	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.3	23	<1	<1	1	3	12	15	15
6-12 YRS	10	3.3	10	1	1	2	4	9	9	9
13-19 YRS	31	7.3	97	1	2	4	7	17	24	52
TOT. SINGLE DX	24	4.0	7	<1	1	3	6	7	9	10
" MULTIPLE DX	49	5.8	70	<1	1	3	7	14	18	52
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.7	17	<1	<1	1	2	8	14	15
6-12 YRS	18	3.5	9	<1	1	2	5	9	10	10
13-19 YRS	44	6.6	71	1	2	4	7	13	20	52
GRAND TOTAL	73	5.2	50	<1	1	3	6	10	16	46

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	10	6.4	71	1	1	4	7	18	29	29
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	10	8.9	71	3	3	5	10	22	31	31
6-12 YRS	3	12.7	46	5	5	15	17	18	18	18
13-19 YRS	10	10.3	51	1	2	9	14	21	24	24
TOT. SINGLE DX	15	5.9	52	1	1	4	7	12	25	29
" MULTIPLE DX	24	9.9	54	2	3	7	14	19	26	31
TOTAL 0-27 DYS										
1-11 MOS	2	9.5	13	7	7	9	12	12	12	12
1-5 YRS	13	7.4	63	1	2	5	8	17	28	31
6-12 YRS	4	11.0	42	5	5	10	16	18	18	18
13-19 YRS	20	8.4	62	1	1	7	11	21	26	29
GRAND TOTAL	39	8.4	55	1	1	6	11	19	27	31

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	6.1	6	2	2	7	8	9	9	9
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	6.0	9	3	3	6	8	9	9	9
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	10	10.0	297	3	3	5	6	33	59	59
1-11 MOS	24	7.3	7	4	4	7	9	11	13	14
1-5 YRS	14	13.1	67	2	4	13	19	24	26	27
6-12 YRS	3	9.7	52	5	5	6	15	18	18	18
13-19 YRS	6	8.0	7	4	4	8	11	11	11	11
TOT. SINGLE DX	12	6.2	5	2	3	7	8	9	9	9
" MULTIPLE DX	57	9.4	75	3	4	7	10	18	23	57
TOTAL 0-27 DYS	11	9.6	269	3	3	5	6	27	56	59
1-11 MOS	31	7.1	7	3	4	7	9	11	12	14
1-5 YRS	15	12.7	65	2	4	9	19	24	26	27
6-12 YRS	6	7.8	29	3	3	6	9	17	18	18
13-19 YRS	6	8.0	8	4	4	8	11	11	11	11
GRAND TOTAL	69	8.8	64	3	3	7	9	18	20	53

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	6	4.0	5	2	2	3	5	8	8	8
1-11 MOS	3	12.7	2	11	11	13	14	14	14	14
1-5 YRS	3	9.0	36	3	3	9	13	15	15	15
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	3	2.3		2	2	2	3	3	3	3
" MULTIPLE DX	13	8.2	31	2	2	8	13	16	18	18
TOTAL 0-27 DYS	9	3.4	4	2	2	3	4	7	8	8
1-11 MOS	3	12.7	2	11	11	13	14	14	14	14
1-5 YRS	3	9.0	36	3	3	9	13	15	15	15
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**16**	**7.1**	**30**	**2**	**2**	**4**	**12**	**15**	**17**	**18**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	6.2	42	1	1	4	9	17	18	18
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	6	4.7	10	1	1	4	7	9	9	9
TOT. SINGLE DX	8	3.0	10	1	1	2	4	8	10	10
" MULTIPLE DX	16	4.6	20	<1	1	3	6	9	15	18
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	8	5.4	34	1	1	4	7	15	18	18
6-12 YRS	4	3.8	18	<1	<1	2	6	10	10	10
13-19 YRS	9	3.6	9	1	1	2	6	8	9	9
GRAND TOTAL	**24**	**4.1**	**17**	**<1**	**1**	**2**	**6**	**9**	**12**	**18**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	37	1.6	1	<1	<1	1	2	2	4	7
1-5 YRS	106	1.8	1	<1	<1	1	2	3	3	8
6-12 YRS	99	1.7		<1	<1	1	2	3	4	5
13-19 YRS	218	2.5	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
0-27 DYS	7	5.7	48	1	1	4	6	18	21	21
1-11 MOS	33	3.4	36	<1	<1	1	3	6	21	28
1-5 YRS	93	2.1	4	<1	<1	2	2	4	6	13
6-12 YRS	62	2.3	5	1	1	2	2	4	6	16
13-19 YRS	109	3.8	15	1	1	3	4	7	11	22
TOT. SINGLE DX	462	2.1	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	304	3.0	13	<1	1	2	3	6	8	22
TOTAL 0-27 DYS	9	6.1	38	1	1	4	7	16	21	21
1-11 MOS	70	2.4	18	<1	<1	1	2	4	7	27
1-5 YRS	199	1.9	3	<1	<1	2	2	3	5	9
6-12 YRS	161	1.9	3	<1	1	1	2	3	5	7
13-19 YRS	327	2.9	8	1	1	2	3	5	7	14
GRAND TOTAL	**766**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**16**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	1.8		1	1	2	2	3	3	3
1-11 MOS	17	2.1	1	<1	<1	2	3	4	5	5
1-5 YRS	156	1.6		<1	<1	1	2	3	3	4
6-12 YRS	122	1.8		<1	1	2	2	3	4	31
13-19 YRS	365	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	33	3.5	2	1	2	3	4	6	7	7
1-11 MOS	21	2.2	2	<1	<1	2	2	4	6	8
1-5 YRS	149	1.9	1	<1	<1	2	2	3	4	6
6-12 YRS	116	2.3	1	<1	1	2	3	4	5	7
13-19 YRS	342	3.1	9	1	1	2	4	5	8	13
TOT. SINGLE DX	666	2.2	3	<1	1	2	3	4	5	8
" MULTIPLE DX	661	2.6	6	<1	1	2	3	5	6	11
TOTAL 0-27 DYS	39	3.2	2	1	1	3	4	6	7	7
1-11 MOS	38	2.1	2	<1	<1	2	3	4	5	8
1-5 YRS	305	1.7	1	<1	<1	2	2	3	4	6
6-12 YRS	238	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	707	2.8	6	1	1	2	3	5	7	12
GRAND TOTAL	**1327**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	30	1.5		<1	<1	1	2	3	3	3
1-5 YRS	1118	1.7		<1	<1	1	2	3	4	5
6-12 YRS	1102	1.9	1	<1	1	2	2	3	4	6
13-19 YRS	1015	2.0	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	11	3.5	24	<1	<1	2	3	10	17	18
1-11 MOS	70	1.7		<1	<1	1	2	3	3	6
1-5 YRS	1204	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	814	2.5	4	<1	1	2	3	4	6	9
13-19 YRS	332	2.8	14	1	1	2	3	5	6	10
TOT. SINGLE DX	3268	1.9	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	2431	2.2	5	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	14	3.2	20	<1	<1	2	3	6	15	18
1-11 MOS	100	1.6	1	<1	<1	1	2	3	3	5
1-5 YRS	2322	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	1916	2.1	3	<1	1	2	3	4	5	7
13-19 YRS	1347	2.2	5	<1	1	2	3	4	5	8
GRAND TOTAL	**5699**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.0	12	2	2	2	7	8	8	8
1-11 MOS	9	2.4	2	<1	<1	2	3	5	6	6
1-5 YRS	93	1.5		<1	<1	1	2	3	3	5
6-12 YRS	312	1.5		<1	1	1	2	3	3	5
13-19 YRS	265	2.1	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	5	2.6	2	<1	<1	3	4	4	4	4
1-5 YRS	32	2.6	10	<1	<1	2	2	5	12	15
6-12 YRS	132	2.5	7	<1	1	2	2	4	7	17
13-19 YRS	104	3.4	11	1	1	2	4	6	9	20
TOT. SINGLE DX	682	1.8	2	<1	1	1	2	3	4	6
" MULTIPLE DX	276	2.9	9	<1	1	2	3	5	9	18
TOTAL 0-27 DYS	6	3.7	5	2	2	3	4	8	8	8
1-11 MOS	14	2.5	2	<1	<1	2	3	4	6	6
1-5 YRS	125	1.8	3	<1	<1	1	2	3	4	13
6-12 YRS	444	1.8	3	<1	1	1	2	3	4	11
13-19 YRS	369	2.5	5	1	1	2	3	5	6	12
GRAND TOTAL	**958**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
" MULTIPLE DX	6	2.0	1	<1	<1	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	2.3	1	<1	<1	3	3	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**10**	**1.9**	**1**	**<1**	**<1**	**2**	**3**	**3**	**3**	**3**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	101	1.4		<1	<1	1	2	2	2	5
1-5 YRS	437	1.5		<1	<1	1	2	2	3	4
6-12 YRS	258	1.6		<1	<1	1	2	3	3	4
13-19 YRS	832	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	11	2.5	3	1	1	2	3	5	7	7
1-11 MOS	119	2.7	38	<1	<1	2	2	3	5	48
1-5 YRS	404	1.7	1	<1	<1	1	2	3	3	6
6-12 YRS	182	1.8		<1	1	2	2	3	4	5
13-19 YRS	313	2.6	10	1	1	2	3	4	5	7
TOT. SINGLE DX	1630	1.8	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	1029	2.1	9	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	13	2.6	3	1	1	3	3	5	7	7
1-11 MOS	220	2.1	22	<1	<1	1	2	3	4	21
1-5 YRS	841	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	440	1.7	1	<1	1	1	2	3	3	5
13-19 YRS	1145	2.2	4	<1	1	2	3	3	4	7
GRAND TOTAL	**2659**	**1.9**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**6**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	134	1.6	7	<1	<1	1	1	2	2	21
1-5 YRS	669	1.4		<1	<1	1	2	2	2	5
6-12 YRS	282	1.4		<1	<1	1	2	2	2	3
13-19 YRS	195	1.6		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	83	7.0	74	<1	<1	3	11	19	24	38
1-5 YRS	282	2.1	7	<1	<1	1	2	4	6	18
6-12 YRS	104	1.7		<1	<1	1	2	3	4	6
13-19 YRS	89	2.3	6	<1	<1	2	2	5	7	67
TOT. SINGLE DX	2691	1.5	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	926	3.8	38	<1	<1	2	3	10	17	33
TOTAL 0-27 DYS										
1-11 MOS	371	3.5	37	<1	<1	1	2	10	18	32
1-5 YRS	1976	2.2	15	<1	<1	1	2	3	6	21
6-12 YRS	751	1.4		<1	<1	1	2	2	2	4
13-19 YRS	519	1.9	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**3617**	**2.1**	**13**	**<1**	**<1**	**1**	**2**	**3**	**6**	**21**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	18	2.6	1	1	1	3	3	4	5	5
1-11 MOS	27	2.6	3	<1	<1	2	3	5	7	7
1-5 YRS	172	2.7	6	<1	<1	2	3	7	8	12
6-12 YRS	61	2.6	7	<1	<1	2	3	5	8	16
13-19 YRS	62	3.5	12	<1	1	2	4	9	12	16
2. MULTIPLE DX										
0-27 DYS	82	3.8	22	1	1	3	4	6	8	33
1-11 MOS	23	5.3	90	<1	<1	1	5	13	31	41
1-5 YRS	121	3.2	8	<1	<1	2	4	7	9	13
6-12 YRS	34	3.7	9	<1	1	3	4	9	11	12
13-19 YRS	48	6.3	44	<1	1	4	9	14	18	35
TOT. SINGLE DX	340	2.8	7	<1	<1	2	3	7	8	13
" MULTIPLE DX	308	4.1	25	<1	<1	3	4	9	11	30
TOTAL 0-27 DYS	100	3.6	19	1	1	3	4	6	7	27
1-11 MOS	50	3.8	44	<1	<1	2	4	7	10	41
1-5 YRS	293	2.9	7	<1	<1	2	4	7	8	11
6-12 YRS	95	3.0	8	<1	<1	2	4	7	9	15
13-19 YRS	110	4.7	28	<1	1	3	5	12	16	27
GRAND TOTAL	**648**	**3.4**	**16**	**<1**	**<1**	**2**	**4**	**7**	**10**	**18**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	3.9	7	<1	<1	4	5	8	9	9
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	42	5.1	3	2	3	5	6	8	9	11
13-19 YRS	911	4.9	3	2	3	5	6	7	8	12
2. MULTIPLE DX										
0-27 DYS	8	7.6	66	<1	1	5	8	22	27	27
1-11 MOS	7	7.4	6	5	5	6	10	11	11	11
1-5 YRS	3	6.7	2	5	5	7	8	8	8	8
6-12 YRS	32	5.1	4	3	3	5	6	7	9	14
13-19 YRS	1029	5.6	7	2	3	5	6	9	11	16
TOT. SINGLE DX	964	4.9	4	2	3	5	6	7	8	12
" MULTIPLE DX	1079	5.6	8	2	3	5	6	9	11	16
TOTAL 0-27 DYS	10	6.9	55	<1	1	5	6	18	27	27
1-11 MOS	14	5.6	10	<1	2	5	9	10	11	11
1-5 YRS	5	5.6	3	4	4	5	7	8	8	8
6-12 YRS	74	5.1	4	2	3	5	6	7	9	13
13-19 YRS	1940	5.3	6	2	3	5	6	8	10	14
GRAND TOTAL	**2043**	**5.3**	**6**	**2**	**3**	**5**	**6**	**8**	**10**	**14**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	3.2	2	2	2	2	5	5	5	5
6-12 YRS	53	5.5	4	3	3	5	6	8	9	13
13-19 YRS	403	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	5.3		5	5	5	6	6	6	6
1-11 MOS	8	7.0	3	5	5	7	8	10	10	10
1-5 YRS	13	7.5	45	1	2	5	8	17	25	27
6-12 YRS	44	5.8	9	2	3	5	7	9	11	19
13-19 YRS	612	6.4	8	3	4	6	7	10	11	17
TOT. SINGLE DX	463	5.3	4	3	3	5	6	8	8	12
" MULTIPLE DX	680	6.4	9	−3	4	6	7	10	11	18
TOTAL 0-27 DYS	4	6.0	2	5	5	6	7	8	8	8
1-11 MOS	9	6.8	3	5	5	6	8	10	10	10
1-5 YRS	18	6.3	36	1	2	5	6	13	22	27
6-12 YRS	97	5.6	7	3	3	5	7	8	10	16
13-19 YRS	1015	6.0	7	3	4	5	7	9	10	16
GRAND TOTAL	**1143**	**5.9**	**7**	**3**	**4**	**5**	**7**	**9**	**10**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS										
6-12 YRS	3	3.3	4	1	1	4	5	5	5	5
13-19 YRS	9	5.4		4	4	6	6	53	99+	99+
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	23.0	549	8	8	11	40	50	50	50
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	7.8	44	3	3	5	8	20	21	21
13-19 YRS	15	5.9	3	3	4	6	7	9	10	10
TOT. SINGLE DX	14	4.7	2	1	3	5	6	7	77	99+
" MULTIPLE DX	26	8.2	85	3	4	6	8	11	27	50
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	15.2	389	3	3	8	21	50	50	50
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	6.3	34	1	2	5	6	16	21	21
13-19 YRS	24	5.7	2	3	4	6	6	9	32	99+
GRAND TOTAL	**40**	**7.0**	**58**	**3**	**3**	**5**	**7**	**10**	**34**	**99+**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.7	2	1	1	3	4	5	5	5
13-19 YRS	232	3.1	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	313	4.7	9	1	1	4	6	8	10	14
TOT. SINGLE DX	243	3.1	4	<1	1	3	4	5	7	12
" MULTIPLE DX	315	4.7	9	1	1	4	6	8	11	14
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS										
6-12 YRS	12	2.7	2	1	1	3	4	5	5	5
13-19 YRS	545	4.0	8	<1	1	3	5	7	9	13
GRAND TOTAL	**558**	**4.0**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	1.8	2	<1	<1	<1	2	4	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	26	1.5		<1	<1	1	2	3	3	3
TOT. SINGLE DX	23	1.8	2	<1	<1	<1	2	4	6	7
" MULTIPLE DX	27	1.5		<1	<1	1	2	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	49	1.7	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**50**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	60	2.9	1	<1	1	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	142	3.7	9	1	2	3	4	5	8	15
TOT. SINGLE DX	61	2.9	2	<1	1	3	4	4	5	7
" MULTIPLE DX	142	3.7	9	1	2	3	4	5	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	202	3.4	7	1	1	3	4	5	7	14
GRAND TOTAL	203	3.4	7	1	1	3	4	5	7	14

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	12	3.8	4	2	2	3	4	7	9	9
13-19 YRS	435	4.5	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	4	4.3	11	1	1	4	7	8	8	8
1-5 YRS										
6-12 YRS	14	5.6	6	3	4	5	6	8	12	13
13-19 YRS	516	5.1	4	2	3	5	6	8	9	13
TOT. SINGLE DX	448	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	536	5.2	5	2	3	5	6	8	9	13
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	5	4.2	8	1	1	4	6	8	8	8
1-5 YRS										
6-12 YRS	26	4.7	6	2	2	4	6	8	10	13
13-19 YRS	951	4.8	4	2	3	5	6	7	8	12
GRAND TOTAL	984	4.8	4	2	3	5	6	7	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	84	1.9	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	65	2.4	4	<1	<1	2	3	4	6	14
TOT. SINGLE DX	84	1.9	1	<1	<1	2	2	3	3	7
" MULTIPLE DX	67	2.4	5	<1	<1	2	3	4	6	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	149	2.1	3	<1	<1	2	2	3	4	9
GRAND TOTAL	151	2.1	3	<1	<1	2	2	3	4	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	52	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	93	2.4	3	<1	<1	2	3	5	8	9
TOT. SINGLE DX	57	1.9	2	<1	<1	2	2	4	4	9
" MULTIPLE DX	98	2.4	3	<1	<1	2	3	5	7	9
TOTAL 0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	145	2.2	3	<1	<1	2	3	4	6	8
GRAND TOTAL	155	2.2	3	<1	<1	2	3	4	7	9

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	126	3.3	10	1	1	3	4	5	7	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	45	3.9	5	1	2	3	4	7	10	12
TOT. SINGLE DX	128	3.3	10	1	1	3	4	5	7	15
" MULTIPLE DX	45	3.9	6	1	2	3	4	7	10	12
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	171	3.5	9	1	1	3	4	6	8	12
GRAND TOTAL	**173**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	39	3.9	8	<1	1	4	5	6	8	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	64	3.7	5	<1	1	3	5	7	8	10
TOT. SINGLE DX	41	3.9	9	<1	1	4	5	6	7	18
" MULTIPLE DX	67	3.7	6	<1	1	3	5	7	8	10
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	103	3.8	7	<1	1	4	5	7	8	14
GRAND TOTAL	**108**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**13**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	6	4.3	2	3	3	4	6	6	6	6
13-19 YRS	20	6.6	6	4	5	6	7	9	12	15
2. MULTIPLE DX										
0-27 DYS	10	6.0	5	4	4	6	6	9	12	12
1-11 MOS	42	7.2	3	5	5	7	8	10	11	12
1-5 YRS	9	6.7	3	3	4	6	8	9	10	10
6-12 YRS	18	5.8	15	2	3	5	6	8	15	20
13-19 YRS	142	8.2	19	4	5	7	9	13	16	29
TOT. SINGLE DX	29	6.3	6	3	3	6	7	9	10	15
" MULTIPLE DX	221	7.6	15	4	4	6	9	12	15	23
TOTAL 0-27 DYS	10	6.0	5	4	4	6	6	9	12	12
1-11 MOS	44	7.3	4	5	5	7	8	10	11	12
1-5 YRS	10	6.8	4	3	4	7	8	9	10	10
6-12 YRS	24	5.4	12	2	3	5	6	7	12	20
13-19 YRS	162	8.0	18	4	5	7	9	13	16	28
GRAND TOTAL	**250**	**7.5**	**15**	**4**	**4**	**6**	**8**	**12**	**15**	**20**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	7.4	17	4	4	7	9	14	14	14
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	3	6.0	7	3	3	7	8	8	8	8
1-11 MOS	6	6.2	2	4	4	6	8	8	8	8
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	4	7.5	1	6	6	7	8	9	9	9
13-19 YRS	24	4.7	3	2	2	5	6	7	8	8
TOT. SINGLE DX	8	6.6	11	4	4	6	7	12	14	14
" MULTIPLE DX	39	5.4	4	2	2	6	7	8	8	9
TOTAL 0-27 DYS	3	6.0	7	3	3	7	8	8	8	8
1-11 MOS	11	6.7	8	4	4	6	8	11	14	14
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	5	7.0	3	5	5	7	8	9	9	9
13-19 YRS	26	4.8	3	2	2	5	6	7	8	8
GRAND TOTAL	**47**	**5.6**	**5**	**2**	**2**	**6**	**7**	**8**	**9**	**14**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	19.5	113	12	12	19	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
TOT. SINGLE DX	1	10.0		10	10	10	10	10	10	10
" MULTIPLE DX	4	14.0	82	6	6	11	19	27	27	27
TOTAL 0-27 DYS										
1-11 MOS	2	19.5	113	12	12	19	27	27	27	27
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
GRAND TOTAL	**5**	**13.2**	**65**	**6**	**6**	**11**	**16**	**27**	**27**	**27**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	542	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	128	2.9	7	<1	<1	2	4	6	8	13
TOT. SINGLE DX	543	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	129	2.9	7	<1	<1	2	4	6	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	670	1.5	2	<1	<1	<1	1	3	4	9
GRAND TOTAL	**672**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**9**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	23	1.7	1	<1	<1	1	2	3	5	7
13-19 YRS	6447	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	3	7.3	120	1	1	1	15	20	20	20
1-11 MOS	7	2.4	1	<1	<1	3	3	4	4	4
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	22	3.1	5	<1	1	3	4	6	8	11
13-19 YRS	2471	2.8	6	<1	1	2	3	6	7	13
TOT. SINGLE DX	6471	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2505	2.8	6	<1	1	2	3	6	7	13
TOTAL 0-27 DYS	3	7.3	120	1	1	1	15	20	20	20
1-11 MOS	8	2.3	1	<1	<1	2	3	4	4	4
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	45	2.4	4	<1	<1	2	3	5	6	11
13-19 YRS	8918	1.9	3	<1	<1	1	2	4	5	9
GRAND TOTAL	**8976**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0	7	<1	<1	<1	<1	6	8	8
13-19 YRS	1990	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	923	1.8	28	<1	<1	<1	<1	2	4	16
TOT. SINGLE DX	1997	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	925	1.8	28	<1	<1	<1	<1	2	4	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	2.4	8	<1	<1	<1	2	8	8	8
13-19 YRS	2913	1.3	9	<1	<1	<1	<1	1	2	7
GRAND TOTAL	**2922**	**1.3**	**9**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1020	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	206	2.9	13	<1	1	2	3	6	7	21
TOT. SINGLE DX	1020	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	208	3.0	14	<1	1	2	3	6	7	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	1226	1.6	3	<1	<1	1	2	3	4	7
GRAND TOTAL	1228	1.6	3	<1	<1	1	2	3	4	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	5.3	2	4	4	5	6	8	8	9
TOT. SINGLE DX	5	4.6	2	3	3	5	6	6	6	6
" MULTIPLE DX	35	5.3	2	4	4	5	6	8	8	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	5.3	2	3	4	5	6	8	8	9
GRAND TOTAL	40	5.3	2	3	4	5	6	8	8	9

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	153	2.3	4	<1	1	1	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS										
13-19 YRS	89	4.0	10	1	1	3	5	7	10	18
TOT. SINGLE DX	157	2.3	4	<1	1	1	3	5	6	9
" MULTIPLE DX	93	4.0	10	1	1	3	5	7	10	17
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	5	3.0	1	2	2	3	4	4	4	4
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	242	2.9	7	<1	1	2	4	6	8	15
GRAND TOTAL	250	2.9	7	<1	1	2	4	6	8	15

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	19	2	2	3	8	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	7.3	3	6	6	7	8	10	10	10
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
TOT. SINGLE DX	6	4.3	10	1	1	4	5	10	10	10
" MULTIPLE DX	7	6.4	6	3	3	6	8	10	10	10
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	6.3	10	2	2	6	9	10	10	10
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	4	3.3	3	1	1	3	4	5	5	5
GRAND TOTAL	13	5.5	9	1	2	5	7	10	10	10

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	16	1.9	3	<1	<1	1	2	5	6	7
6-12 YRS	31	2.5	5	1	1	1	4	6	8	9
13-19 YRS	122	3.1	9	<1	<1	2	4	7	10	15
2. MULTIPLE DX										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	4	4.0	3	2	2	4	5	6	6	6
1-5 YRS	21	5.5	31	<1	<1	4	6	16	18	20
6-12 YRS	36	5.2	49	1	1	2	7	11	18	38
13-19 YRS	102	4.6	18	1	1	3	6	11	13	19
TOT. SINGLE DX	173	2.9	8	<1	<1	2	4	7	9	14
" MULTIPLE DX	165	4.9	26	1	1	3	6	11	15	21
TOTAL 0-27 DYS	3	7.3	46	2	2	5	12	15	15	15
1-11 MOS	7	3.7	3	2	2	3	5	6	6	6
1-5 YRS	37	3.9	22	<1	<1	2	5	10	16	20
6-12 YRS	67	4.0	30	1	1	2	4	9	11	35
13-19 YRS	224	3.8	14	<1	1	2	5	10	12	17
GRAND TOTAL	**338**	**3.9**	**18**	**<1**	**1**	**2**	**5**	**10**	**12**	**20**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.8	1	1	1	3	4	4	4	4
1-11 MOS	3	8.7	6	6	6	9	10	11	11	11
1-5 YRS	16	3.0	12	<1	<1	1	3	10	11	11
6-12 YRS	27	3.3	10	<1	<1	2	5	9	10	12
13-19 YRS	315	3.1	12	<1	<1	2	3	7	10	15
2. MULTIPLE DX										
0-27 DYS	29	5.0	125	1	2	3	4	5	10	63
1-11 MOS	3	6.3	24	3	3	4	10	12	12	12
1-5 YRS	7	1.9	5	<1	<1	1	4	72	99+	99+
6-12 YRS	24	4.0	17	1	1	3	5	9	16	17
13-19 YRS	333	4.0	25	<1	1	3	5	8	10	19
TOT. SINGLE DX	365	3.2	12	<1	<1	2	4	7	10	14
" MULTIPLE DX	396	4.1	31	<1	1	3	5	8	11	35
TOTAL 0-27 DYS	33	4.7	111	1	2	3	4	5	7	63
1-11 MOS	6	7.5	14	3	3	7	11	12	12	12
1-5 YRS	23	2.7	10	<1	<1	1	3	10	38	99+
6-12 YRS	51	3.6	13	<1	<1	2	5	9	12	17
13-19 YRS	648	3.6	19	<1	<1	2	5	7	10	17
GRAND TOTAL	**761**	**3.6**	**22**	**<1**	**<1**	**2**	**5**	**8**	**10**	**18**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.5		2	2	2	3	3	3	3
1-11 MOS	10	3.2	6	<1	<1	2	5	7	7	7
1-5 YRS	53	2.7	7	<1	<1	1	3	7	8	15
6-12 YRS	50	2.1	2	<1	<1	2	3	4	6	7
13-19 YRS	425	2.0	1	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
0-27 DYS	5	3.0		2	2	3	3	4	4	4
1-11 MOS	9	3.8	3	1	1	3	5	6	7	7
1-5 YRS	34	3.5	13	<1	<1	2	4	9	11	16
6-12 YRS	28	6.8	76	<1	1	5	8	11	20	47
13-19 YRS	199	3.7	30	1	1	3	4	6	7	21
TOT. SINGLE DX	542	2.1	3	<1	<1	2	2	4	6	8
" MULTIPLE DX	275	4.0	32	1	1	3	5	7	10	23
TOTAL 0-27 DYS	9	2.8		2	2	3	3	4	4	4
1-11 MOS	19	3.5	5	<1	1	3	5	7	7	7
1-5 YRS	87	3.0	10	<1	<1	2	4	8	9	16
6-12 YRS	78	3.8	33	<1	<1	2	4	7	10	39
13-19 YRS	624	2.5	11	<1	1	2	3	5	6	11
GRAND TOTAL	**817**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	7	2.7		1	1	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.0	1	2	2	3	4	4	4	4
TOT. SINGLE DX	9	2.4	1	<1	<1	3	3	3	3	3
" MULTIPLE DX	5	2.6	2	1	1	2	4	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	11	2.8	1	1	1	3	3	4	4	4
GRAND TOTAL	**14**	**2.5**	**1**	**<1**	**1**	**3**	**3**	**4**	**4**	**4**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	45	1.4		<1	<1	1	1	2	3	6
6-12 YRS	78	1.3		<1	<1	1	1	2	3	5
13-19 YRS	31	3.0	10	<1	1	2	3	5	14	15
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	2.4	6	<1	<1	1	3	7	9	10
6-12 YRS	31	1.9	4	<1	<1	1	2	3	4	13
13-19 YRS	33	4.3	45	1	1	3	4	7	10	40
TOT. SINGLE DX	156	1.7	3	<1	<1	1	2	3	4	14
" MULTIPLE DX	89	3.0	21	<1	1	2	3	6	9	29
TOTAL 0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	68	1.7	3	<1	<1	1	2	3	6	10
6-12 YRS	109	1.5	2	<1	<1	1	2	3	3	8
13-19 YRS	64	3.7	29	<1	1	2	4	6	11	36
GRAND TOTAL	**245**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	12	2.2	8	<1	<1	1	2	5	10	11
6-12 YRS	7	1.9		<1	<1	2	3	3	3	3
13-19 YRS	10	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.3	1	<1	<1	3	3	4	4	4
6-12 YRS	9	3.3	17	<1	<1	2	3	10	14	14
13-19 YRS	9	5.1	22	<1	<1	3	9	12	13	13
TOT. SINGLE DX	32	2.0	4	<1	<1	1	2	3	6	11
" MULTIPLE DX	26	3.6	14	<1	<1	2	4	11	13	14
TOTAL 0-27 DYS										
1-11 MOS	4	3.5	4	2	2	3	5	6	6	6
1-5 YRS	19	2.2	5	<1	<1	1	3	4	8	11
6-12 YRS	16	2.7	10	<1	<1	2	3	4	11	14
13-19 YRS	19	3.1	14	<1	<1	1	3	10	12	13
GRAND TOTAL	**58**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**7**	**11**	**14**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	6351	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	5362	3.2	3	1	2	3	4	5	5	9
TOT. SINGLE DX	6354	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	5364	3.2	4	1	2	3	4	5	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.8	1	3	3	4	4	5	5	5
13-19 YRS	11713	3.0	2	1	2	3	3	4	5	8
GRAND TOTAL	**11718**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	78	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	204	2.7	2	1	1	2	3	5	6	9
TOT. SINGLE DX	78	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	204	2.7	3	1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	282	2.7	2	1	1	2	3	4	5	8
GRAND TOTAL	**282**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1118	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	6	2	2	5	6	7	7	7
13-19 YRS	1874	3.1	3	1	2	3	4	4	5	9
TOT. SINGLE DX	1119	2.8	2	1	2	3	3	4	4	5
" MULTIPLE DX	1877	3.1	3	1	2	3	4	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.3	5	2	2	4	6	7	7	7
13-19 YRS	2992	3.0	3	1	2	3	3	4	5	7
GRAND TOTAL	**2996**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.8	1	<1	1	3	3	4	5	7
13-19 YRS	44088	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	3.0		2	2	3	3	4	5	5
13-19 YRS	13486	3.0	3	1	1	3	3	4	6	9
TOT. SINGLE DX	44112	2.6	1	1	1	3	3	4	4	5
" MULTIPLE DX	13499	3.0	4	1	1	3	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	37	2.9	1	1	1	3	3	4	5	7
13-19 YRS	57574	2.7	2	1	1	3	3	4	4	6
GRAND TOTAL	**57611**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.8	1	4	4	4	5	7	7	7
13-19 YRS	5302	5.1	2	3	4	5	6	7	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.6	7	3	3	4	8	10	10	10
13-19 YRS	11926	5.9	9	3	4	5	6	8	10	17
TOT. SINGLE DX	5307	5.1	2	3	4	5	6	7	7	10
" MULTIPLE DX	11933	5.9	9	3	4	5	6	8	10	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	5.3	5	3	3	4	6	9	10	10
13-19 YRS	17228	5.6	7	3	4	5	6	8	9	15
GRAND TOTAL	**17240**	**5.6**	**7**	**3**	**4**	**5**	**6**	**8**	**9**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	409	5.0	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	586	6.0	14	3	4	5	7	9	10	21
TOT. SINGLE DX	411	5.0	2	3	3	5	6	6	7	9
" MULTIPLE DX	586	6.0	14	3	4	5	7	9	10	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	995	5.6	9	3	4	5	6	8	10	16
GRAND TOTAL	**997**	**5.6**	**9**	**3**	**4**	**5**	**6**	**8**	**10**	**16**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	4.1	2	2	2	4	5	7	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	5.0	7	2	3	4	6	7	11	16
TOT. SINGLE DX	25	4.1	2	2	2	4	5	7	7	8
" MULTIPLE DX	22	5.0	8	2	3	4	6	7	11	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	4.5	5	2	3	4	5	7	7	16
GRAND TOTAL	**47**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**7**	**16**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0		1	1	2	2	3	3	3
13-19 YRS	1362	1.7		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	248	1.9	1	<1	1	2	2	3	4	8
TOT. SINGLE DX	1369	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	251	1.9	2	<1	1	2	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.4	2	1	1	2	2	4	6	6
13-19 YRS	1610	1.7	1	1	1	2	2	2	3	5
GRAND TOTAL	**1620**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	186	3.6	9	<1	1	3	5	8	9	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	128	5.4	47	1	1	3	6	11	18	33
TOT. SINGLE DX	186	3.6	9	<1	1	3	5	8	9	16
" MULTIPLE DX	128	5.4	48	1	1	3	6	11	18	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	314	4.3	26	<1	1	3	5	9	11	24
GRAND TOTAL	**314**	**4.3**	**26**	**<1**	**1**	**3**	**5**	**9**	**11**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3743	2.2	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1563	2.8	6	<1	<1	3	3	4	5	10
TOT. SINGLE DX	3744	2.2	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	1563	2.8	6	<1	<1	3	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5306	2.3	3	<1	<1	2	3	4	4	7
GRAND TOTAL	**5307**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	1	2	2	3	4	4	4	4
13-19 YRS	6565	2.5		1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.3	3	3	3	4	5	7	7	7
13-19 YRS	6054	2.9	3	1	1	3	3	4	5	8
TOT. SINGLE DX	6570	2.5	1	1	1	3	3	4	4	5
" MULTIPLE DX	6058	2.9	3	1	1	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	3.6	2	2	2	3	4	6	7	7
13-19 YRS	12619	2.7	2	1	1	3	3	4	4	7
GRAND TOTAL	12628	2.7	2	1	1	3	3	4	4	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	13	4.5	15	1	1	3	6	11	13	13
6-12 YRS	34	2.5	1	<1	1	2	3	4	5	6
13-19 YRS	73	3.0	3	<1	1	2	4	6	8	78
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	6.2	29	<1	1	4	9	15	18	18
6-12 YRS	22	3.3	7	<1	1	3	4	7	10	12
13-19 YRS	83	3.5	3	1	2	3	4	5	6	11
TOT. SINGLE DX	121	3.0	5	<1	1	2	4	6	8	37
" MULTIPLE DX	117	3.6	6	1	1	3	4	5	8	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	22	5.2	21	<1	1	4	8	12	15	18
6-12 YRS	56	2.8	4	<1	1	2	4	5	7	12
13-19 YRS	156	3.2	4	1	1	3	4	5	7	12
GRAND TOTAL	238	3.3	6	1	1	3	4	5	8	14

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	5.5	6	3	3	5	8	9	9	9
1-5 YRS	22	7.4	10	2	3	7	9	12	14	15
6-12 YRS	34	5.4	45	2	2	4	6	8	9	42
13-19 YRS	1329	3.4	1	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	10.0	84	3	3	8	10	23	35	36
1-5 YRS	20	8.4	57	2	3	7	10	13	25	37
6-12 YRS	43	7.1	50	2	3	5	8	12	16	45
13-19 YRS	1354	3.9	5	2	2	4	4	5	7	12
TOT. SINGLE DX	1396	3.5	3	1	2	3	4	5	6	9
" MULTIPLE DX	1429	4.1	8	2	2	4	4	6	8	14
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	7.9	50	3	3	7	9	12	24	36
1-5 YRS	42	7.9	32	2	3	7	9	12	14	37
6-12 YRS	77	6.4	48	2	2	5	7	11	13	44
13-19 YRS	2683	3.6	3	2	2	3	4	5	6	9
GRAND TOTAL	2825	3.8	6	2	2	3	4	5	7	12

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.3	24	1	1	2	8	10	10	10
1-5 YRS	31	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	92	2.1	1	1	1	2	3	4	4	6
13-19 YRS	403	2.7	4	1	1	[illegible]	3	4	6	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	49	4.2	21	1	1	3	5	7	12	26
6-12 YRS	152	3.8	14	1	1	3	4	7	9	27
13-19 YRS	575	4.8	61	1	1	3	5	8	11	45
TOT. SINGLE DX	529	2.5	4	1	1	2	3	4	5	10
" MULTIPLE DX	778	4.6	50	1	1	3	5	8	11	30
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	17	1	1	2	6	10	10	10
1-5 YRS	80	3.4	15	1	1	2	4	7	8	24
6-12 YRS	244	3.1	10	1	1	2	4	5	7	21
13-19 YRS	978	3.9	39	1	1	3	4	7	9	24
GRAND TOTAL	1307	3.8	32	1	1	3	4	7	9	23

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	15	2.6	3	1	1	2	4	5	7	7
6-12 YRS	58	2.9	13	1	1	2	3	5	7	25
13-19 YRS	425	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	35	7.6	93	1	1	3	9	18	22	52
6-12 YRS	103	4.4	10	1	1	3	6	10	12	53
13-19 YRS	800	5.9	45	1	2	4	7	11	16	41
TOT. SINGLE DX	501	2.9	6	1	1	2	4	5	7	12
" MULTIPLE DX	942	5.8	43	1	2	4	7	11	16	43
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	50	6.1	71	1	1	3	7	14	21	52
6-12 YRS	161	3.9	12	1	1	3	5	8	11	25
13-19 YRS	1225	4.9	33	1	1	3	5	9	13	31
GRAND TOTAL	**1443**	**4.8**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	2.5		2	2	2	3	3	3	3
1-5 YRS	11	4.4	8	2	2	3	5	10	11	11
6-12 YRS	39	3.3	2	1	2	3	4	5	7	10
13-19 YRS	54	3.1	5	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	9	3.9	9	1	1	3	5	9	10	10
6-12 YRS	43	3.6	11	1	2	3	4	5	10	20
13-19 YRS	66	4.5	13	1	2	4	6	8	10	23
TOT. SINGLE DX	115	3.2	5	1	1	3	4	5	8	12
" MULTIPLE DX	122	4.1	12	1	2	3	5	7	10	21
TOTAL 0-27 DYS										
1-11 MOS	15	2.3		2	2	2	3	3	3	3
1-5 YRS	20	4.2	8	1	2	3	4	9	10	11
6-12 YRS	82	3.5	8	1	2	3	4	5	7	19
13-19 YRS	120	3.9	10	1	1	3	5	7	9	18
GRAND TOTAL	**237**	**3.6**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.6	4	1	1	5	5	5	5	5
1-11 MOS	16	8.4	36	1	1	8	13	15	20	22
1-5 YRS	319	5.1	22	1	2	4	5	9	15	29
6-12 YRS	545	5.7	34	1	2	4	6	12	16	35
13-19 YRS	735	4.4	19	1	1	3	5	9	11	19
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	19	13.2	138	2	3	6	22	30	38	43
1-5 YRS	332	5.5	24	2	2	4	6	9	16	30
6-12 YRS	565	7.5	57	2	2	5	8	17	23	45
13-19 YRS	701	7.3	77	1	2	5	8	15	22	45
TOT. SINGLE DX	1620	5.0	26	1	1	4	6	10	14	25
" MULTIPLE DX	1618	7.1	61	2	2	5	7	15	22	43
TOTAL 0-27 DYS	6	4.2	5	1	1	5	5	7	7	7
1-11 MOS	35	11.0	95	1	2	8	15	25	31	43
1-5 YRS	651	5.3	23	2	2	4	6	9	15	29
6-12 YRS	1110	6.6	47	1	2	5	7	13	20	42
13-19 YRS	1436	5.8	50	1	1	4	6	11	17	39
GRAND TOTAL	**3238**	**6.0**	**45**	**1**	**2**	**4**	**6**	**12**	**18**	**38**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	2.8		2	2	3	3	3	3	3
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	71	3.2	2	1	1	3	4	5	7	8
13-19 YRS	722	2.9	1	1	1	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	3.2	2	2	2	3	4	6	6	6
1-5 YRS	11	2.8	1	1	1	2	4	5	5	5
6-12 YRS	103	3.5	4	1	2	3	4	5	7	12
13-19 YRS	927	3.3	2	1	1	3	4	5	6	8
TOT. SINGLE DX	802	3.0	2	1	1	3	4	5	5	7
" MULTIPLE DX	1046	3.3	3	1	1	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS	11	3.0	1	2	2	3	3	4	6	6
1-5 YRS	14	2.7	2	1	1	2	4	5	5	5
6-12 YRS	174	3.4	3	1	1	3	4	5	7	9
13-19 YRS	1649	3.1	2	1	1	3	4	5	6	8
GRAND TOTAL	**1848**	**3.2**	**2**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	8.2	28	2	2	11	12	14	14	14
1-11 MOS	30	3.5	11	<1	1	3	5	6	12	17
1-5 YRS	218	4.6	30	1	1	3	5	10	16	30
6-12 YRS	1138	3.5	11	1	1	3	4	6	9	17
13-19 YRS	2995	3.2	13	<1	1	2	4	5	8	19
2. MULTIPLE DX										
0-27 DYS	5	16.6	241	4	4	8	29	40	40	40
1-11 MOS	25	12.2	197	1	2	6	14	37	45	47
1-5 YRS	148	6.5	59	1	1	4	7	17	24	35
6-12 YRS	467	8.6	103	1	1	4	10	24	30	47
13-19 YRS	1686	6.8	109	1	1	3	7	17	29	58
TOT. SINGLE DX	4386	3.4	14	1	1	2	4	6	8	20
" MULTIPLE DX	2331	7.3	107	1	1	3	7	19	30	55
TOTAL 0-27 DYS	10	12.4	139	2	2	9	14	32	40	40
1-11 MOS	55	7.4	113	1	1	3	6	18	36	47
1-5 YRS	366	5.4	43	1	1	3	6	12	21	33
6-12 YRS	1605	5.0	44	1	1	3	5	10	18	36
13-19 YRS	4681	4.5	51	1	1	3	4	8	15	41
GRAND TOTAL	6717	4.7	50	1	1	3	4	9	17	39

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	12	6.3	69	<1	1	3	7	19	28	30
1-5 YRS	105	8.5	75	1	2	4	16	21	24	40
6-12 YRS	664	7.2	65	1	2	5	7	14	27	42
13-19 YRS	1034	5.0	25	1	1	4	6	10	12	25
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	5.6	11	1	1	6	8	10	11	11
1-5 YRS	92	9.6	132	1	2	4	13	25	33	54
6-12 YRS	387	9.9	174	1	2	5	9	27	40	71
13-19 YRS	629	9.2	158	1	2	5	9	21	36	69
TOT. SINGLE DX	1817	6.0	44	1	2	4	7	11	20	36
" MULTIPLE DX	1117	9.4	161	1	2	5	9	23	38	69
TOTAL 0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	20	6.1	44	<1	1	4	7	12	22	30
1-5 YRS	197	9.0	102	1	2	4	15	22	29	44
6-12 YRS	1051	8.2	107	1	2	5	8	21	31	57
13-19 YRS	1663	6.6	80	1	2	4	7	12	20	52
GRAND TOTAL	2934	7.3	91	1	2	4	7	16	26	52

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	18	1.6		<1	<1	1	2	3	4	4
1-5 YRS	183	2.7	22	<1	<1	1	2	4	7	27
6-12 YRS	467	3.0	22	<1	<1	2	3	5	8	28
13-19 YRS	2096	2.4	6	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	6.3	120	<1	<1	2	5	25	33	33
1-5 YRS	211	3.7	47	<1	<1	2	3	6	9	44
6-12 YRS	406	5.0	65	<1	1	3	4	9	21	53
13-19 YRS	838	5.3	81	1	1	3	5	9	18	53
TOT. SINGLE DX	2766	2.5	10	<1	<1	2	3	4	6	18
" MULTIPLE DX	1463	5.0	73	<1	1	3	4	9	18	51
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	26	3.0	39	<1	<1	1	3	4	11	33
1-5 YRS	394	3.2	36	<1	<1	2	3	5	8	36
6-12 YRS	873	3.9	43	<1	<1	2	3	6	17	39
13-19 YRS	2934	3.2	30	<1	<1	2	3	5	8	28
GRAND TOTAL	4229	3.4	33	<1	<1	2	3	5	9	33

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	55	17.6	75	2	4	18	23	29	32	35
6-12 YRS	139	19.8	182	2	4	21	28	36	46	57
13-19 YRS	166	14.2	187	3	4	9	17	33	46	57
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	4	9.0	20	4	4	8	12	15	15	15
1-5 YRS	28	18.9	84	3	3	20	26	29	30	34
6-12 YRS	95	26.1	189	5	8	25	34	47	49	60
13-19 YRS	222	19.1	245	5	7	13	22	41	48	84
TOT. SINGLE DX	361	16.8	174	3	4	13	24	33	44	55
" MULTIPLE DX	350	20.9	225	5	7	17	27	43	48	81
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	5	7.6	25	2	2	8	10	15	15	15
1-5 YRS	83	18.0	78	2	4	19	25	29	31	35
6-12 YRS	234	22.4	194	3	5	22	30	43	48	58
13-19 YRS	388	17.0	226	4	5	12	20	37	46	83
GRAND TOTAL	711	18.8	203	3	5	15	25	37	46	70

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	11.5	4	9	9	11	13	14	14	14
1-5 YRS	20	12.8	71	2	3	13	19	26	27	28
6-12 YRS	145	7.9	41	2	3	6	10	14	23	33
13-19 YRS	415	9.9	47	2	4	8	12	19	22	35
2. MULTIPLE DX										
0-27 DYS	3	17.3	64	9	9	18	23	25	25	25
1-11 MOS	23	17.0	53	7	9	16	20	29	30	31
1-5 YRS	38	12.7	98	2	3	10	17	25	32	47
6-12 YRS	105	13.7	137	3	4	10	16	28	44	78
13-19 YRS	687	17.2	177	4	6	14	21	31	47	77
TOT. SINGLE DX	584	9.5	48	2	3	8	12	18	23	33
" MULTIPLE DX	856	16.6	167	4	6	13	20	31	46	76
TOTAL 0-27 DYS	3	17.3	64	9	9	18	23	25	25	25
1-11 MOS	27	16.1	50	7	9	14	19	29	30	31
1-5 YRS	58	12.7	88	2	3	11	17	26	29	46
6-12 YRS	250	10.4	90	2	3	8	12	23	31	55
13-19 YRS	1102	14.5	141	3	5	12	18	26	37	70
GRAND TOTAL	1440	13.7	130	3	4	11	17	26	34	66

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	77	5.1	40	<1	1	2	7	16	20	28
1-5 YRS	409	8.9	94	1	1	4	15	22	27	44
6-12 YRS	341	13.5	157	1	2	9	22	31	35	47
13-19 YRS	238	11.3	176	1	1	5	12	32	42	61
2. MULTIPLE DX										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	29	7.3	51	1	1	3	11	18	21	29
1-5 YRS	161	12.5	118	1	2	9	19	27	33	52
6-12 YRS	197	18.8	182	2	3	20	27	35	44	63
13-19 YRS	179	18.3	248	2	3	13	26	41	47	78
TOT. SINGLE DX	1067	10.6	135	1	1	5	17	27	33	49
" MULTIPLE DX	568	16.2	189	2	2	13	24	35	43	60
TOTAL 0-27 DYS	4	5.5	19	3	3	4	8	12	12	12
1-11 MOS	106	5.7	44	<1	1	2	9	16	20	29
1-5 YRS	570	9.9	104	1	1	5	17	24	29	50
6-12 YRS	538	15.4	173	1	2	12	25	33	40	51
13-19 YRS	417	14.3	219	1	2	8	21	36	44	63
GRAND TOTAL	1635	12.6	161	1	1	8	20	30	37	52

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	296	4.6	29	1	1	2	5	14	18	22
6-12 YRS	571	4.5	37	1	1	2	4	14	18	28
13-19 YRS	534	3.4	27	<1	1	2	4	6	11	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	11.3	72	5	5	8	18	21	21	21
1-5 YRS	54	7.0	53	<1	1	5	10	15	20	41
6-12 YRS	163	9.5	108	1	1	4	16	24	32	55
13-19 YRS	260	7.3	87	1	1	4	8	16	23	53
TOT. SINGLE DX	1404	4.1	32	1	1	2	4	11	17	24
" MULTIPLE DX	480	8.0	91	1	1	4	11	20	26	52
TOTAL 0-27 DYS										
1-11 MOS	6	6.3	59	1	1	3	8	20	21	21
1-5 YRS	350	5.0	34	1	1	2	6	14	18	22
6-12 YRS	734	5.6	57	1	1	2	6	17	22	36
13-19 YRS	794	4.7	51	<1	1	2	5	11	17	45
GRAND TOTAL	1884	5.1	50	1	1	2	5	14	20	35

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	6	2	2	5	6	7	7	7
1-11 MOS	18	2.4	3	1	1	2	3	5	7	7
1-5 YRS	486	2.6	4	1	1	2	3	5	7	11
6-12 YRS	1559	2.8	6	1	1	2	3	5	7	12
13-19 YRS	4742	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	6	7.7	25	2	2	6	12	15	15	15
1-11 MOS	12	8.7	235	2	2	4	7	66	94	99+
1-5 YRS	178	4.8	43	1	1	3	5	11	14	42
6-12 YRS	583	5.9	70	1	1	3	6	13	20	52
13-19 YRS	2319	6.8	68	1	1	4	7	15	22	49
TOT. SINGLE DX	6808	3.1	6	1	1	2	4	6	7	12
" MULTIPLE DX	3098	6.5	68	1	1	4	7	14	21	50
TOTAL 0-27 DYS	9	6.7	20	2	2	5	9	14	15	15
1-11 MOS	30	4.9	101	1	1	3	5	8	55	99+
1-5 YRS	664	3.2	16	1	1	2	4	6	9	18
6-12 YRS	2142	3.7	26	1	1	2	4	6	10	29
13-19 YRS	7061	4.4	30	1	1	3	5	8	12	29
GRAND TOTAL	9906	4.2	28	1	1	3	5	8	11	29

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	3.0	8	1	1	2	5	7	7	7
1-11 MOS	42	2.1	7	<1	<1	1	2	3	4	18
1-5 YRS	2074	2.0	6	<1	1	1	2	3	6	16
6-12 YRS	6402	2.0	5	<1	1	1	2	3	5	14
13-19 YRS	3915	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	7	5.0	8	3	3	4	6	10	11	11
1-11 MOS	18	6.2	31	<1	1	4	9	14	19	21
1-5 YRS	387	3.9	23	1	1	2	4	9	16	22
6-12 YRS	1357	4.1	36	1	1	2	4	9	14	30
13-19 YRS	1724	5.7	65	1	1	3	6	12	20	48
TOT. SINGLE DX	12437	2.1	6	<1	1	1	2	4	6	14
" MULTIPLE DX	3493	4.8	50	1	1	2	5	11	17	39
TOTAL 0-27 DYS	11	4.3	8	1	1	3	6	9	11	11
1-11 MOS	60	3.3	17	<1	<1	2	3	8	14	21
1-5 YRS	2461	2.3	10	<1	1	1	2	4	8	18
6-12 YRS	7759	2.3	12	<1	1	1	2	4	7	19
13-19 YRS	5639	3.5	27	1	1	2	4	7	10	26
GRAND TOTAL	**15930**	**2.7**	**17**	**<1**	**1**	**1**	**3**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	150	7.3	43	<1	<1	5	11	17	20	24
1-5 YRS	148	5.8	60	<1	<1	2	7	18	22	28
6-12 YRS	223	2.4	12	<1	1	1	2	4	9	18
13-19 YRS	414	2.8	20	<1	<1	1	2	6	10	25
2. MULTIPLE DX										
0-27 DYS	32	4.9	31	1	2	4	5	6	17	31
1-11 MOS	29	10.4	133	<1	1	5	16	25	35	48
1-5 YRS	38	7.4	101	<1	<1	3	10	21	25	51
6-12 YRS	65	5.4	49	<1	1	2	6	14	23	32
13-19 YRS	267	7.8	99	1	1	4	9	20	30	45
TOT. SINGLE DX	937	3.9	32	<1	<1	2	4	11	17	24
" MULTIPLE DX	431	7.4	91	1	1	4	9	19	29	47
TOTAL 0-27 DYS	34	5.1	33	1	1	4	5	8	17	31
1-11 MOS	179	7.8	59	<1	<1	5	14	17	22	33
1-5 YRS	186	6.1	69	<1	<1	2	8	19	22	42
6-12 YRS	288	3.1	23	<1	1	1	3	6	13	29
13-19 YRS	681	4.7	57	<1	1	2	5	11	20	35
GRAND TOTAL	**1368**	**5.0**	**53**	**<1**	**1**	**2**	**5**	**14**	**20**	**33**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	48	6.1	38	1	1	3	8	17	19	26
1-5 YRS	143	5.5	21	1	2	4	6	12	17	23
6-12 YRS	95	2.6	6	<1	<1	1	3	6	9	13
13-19 YRS	301	2.8	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	31	7.0	41	2	2	4	9	17	21	27
1-5 YRS	52	9.2	153	1	2	5	9	23	28	75
6-12 YRS	56	4.8	11	1	2	4	6	9	11	21
13-19 YRS	129	7.2	103	1	2	4	7	14	25	59
TOT. SINGLE DX	588	3.7	13	1	1	3	4	7	11	19
" MULTIPLE DX	268	7.1	88	1	2	4	7	15	23	57
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	79	6.5	39	1	2	4	8	17	20	27
1-5 YRS	195	6.5	59	1	2	4	7	15	20	36
6-12 YRS	151	3.4	10	<1	1	2	5	7	10	14
13-19 YRS	430	4.1	37	1	1	3	4	7	12	37
GRAND TOTAL	**856**	**4.8**	**39**	**1**	**1**	**3**	**5**	**9**	**15**	**27**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	229	4.2	21	1	1	3	4	8	13	24
1-5 YRS	315	5.0	23	1	1	3	5	11	15	25
6-12 YRS	324	5.3	41	<1	1	3	6	13	21	32
13-19 YRS	1618	2.8	8	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	6	33.2	1318	2	2	22	83	97	99+	99+
1-11 MOS	102	9.5	89	1	2	6	13	21	30	46
1-5 YRS	263	7.6	51	1	2	4	10	19	23	31
6-12 YRS	254	9.7	112	1	2	5	14	25	31	54
13-19 YRS	1137	3.8	25	1	1	2	4	7	14	32
TOT. SINGLE DX	2487	3.5	17	<1	1	2	4	7	11	22
" MULTIPLE DX	1762	5.7	58	1	1	3	6	15	22	41
TOTAL 0-27 DYS	7	29.1	1212	2	2	18	78	96	99+	99+
1-11 MOS	331	5.8	48	1	1	3	6	13	21	38
1-5 YRS	578	6.2	38	1	1	4	8	15	20	29
6-12 YRS	578	7.2	77	1	1	4	9	19	27	45
13-19 YRS	2755	3.2	16	<1	1	2	3	6	9	22
GRAND TOTAL	**4249**	**4.4**	**35**	**1**	**1**	**3**	**4**	**10**	**16**	**31**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	7.8	45	2	2	5	11	19	19	19
1-11 MOS	20	9.4	28	2	3	9	12	17	20	22
1-5 YRS	3	4.3	5	3	3	3	6	7	7	7
6-12 YRS	8	8.1	32	3	3	7	9	18	21	21
13-19 YRS	385	6.9	21	2	2	6	8	13	17	23
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	16.7	276	3	3	12	17	46	49	49
1-5 YRS	7	9.4	5	6	6	10	11	12	12	12
6-12 YRS	10	15.7	260	3	5	10	31	72	98	99+
13-19 YRS	128	11.2	150	2	3	8	13	23	37	91
TOT. SINGLE DX	421	7.0	23	2	2	6	9	13	17	23
" MULTIPLE DX	152	11.6	154	2	3	8	13	24	47	99
TOTAL 0-27 DYS	6	8.0	37	2	2	7	9	18	19	19
1-11 MOS	26	11.0	86	3	3	9	13	19	27	49
1-5 YRS	10	7.9	11	3	3	8	11	12	12	12
6-12 YRS	18	12.3	166	3	4	8	12	47	79	99+
13-19 YRS	513	8.0	57	2	3	6	9	16	19	45
GRAND TOTAL	**573**	**8.2**	**61**	**2**	**3**	**6**	**10**	**16**	**20**	**52**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	5	1.8		<1	<1	2	2	3	3	3
1-5 YRS	7	3.4	4	2	2	3	3	7	8	8
6-12 YRS	60	2.8	2	<1	1	3	4	5	6	7
13-19 YRS	1889	2.2	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	4	2.5	3	1	1	2	4	5	5	5
1-11 MOS	8	2.4	2	<1	<1	2	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	36	2.6	2	<1	<1	2	3	5	6	8
13-19 YRS	1737	2.7	5	<1	1	2	4	5	6	9
TOT. SINGLE DX	1963	2.2	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	1786	2.7	6	<1	1	2	4	5	6	9
TOTAL 0-27 DYS	6	2.0	3	<1	<1	1	3	5	5	5
1-11 MOS	13	2.2	2	<1	<1	2	3	5	5	5
1-5 YRS	8	3.8	5	2	2	3	5	7	8	8
6-12 YRS	96	2.7	2	<1	1	2	3	5	6	8
13-19 YRS	3626	2.4	4	<1	1	2	3	4	5	8
GRAND TOTAL	**3749**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**5**	**5**	**8**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.6	130	1	1	2	8	27	27	27
1-11 MOS	14	3.3	25	<1	<1	2	2	7	17	20
1-5 YRS	83	4.1	24	<1	<1	2	4	11	17	22
6-12 YRS	310	3.3	22	<1	<1	2	3	6	13	27
13-19 YRS	3007	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	7	2.9		2	2	3	3	4	4	4
1-11 MOS	15	9.9	92	1	1	6	18	22	29	32
1-5 YRS	50	9.7	65	1	2	8	14	21	25	34
6-12 YRS	175	5.7	92	<1	1	2	5	15	22	44
13-19 YRS	1955	2.6	10	<1	<1	2	3	5	7	18
TOT. SINGLE DX	3419	2.2	7	<1	<1	2	2	4	5	15
" MULTIPLE DX	2202	3.1	21	<1	1	2	3	5	9	23
TOTAL 0-27 DYS	12	4.4	51	1	1	2	3	11	25	27
1-11 MOS	29	6.7	69	<1	1	2	7	21	22	32
1-5 YRS	133	6.2	47	<1	1	3	9	18	21	28
6-12 YRS	485	4.2	49	<1	1	2	4	9	17	31
13-19 YRS	4962	2.3	7	<1	<1	2	2	4	5	13
GRAND TOTAL	**5621**	**2.6**	**12**	**<1**	**<1**	**2**	**3**	**4**	**6**	**21**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	41	4	4	8	13	13	13	13
1-5 YRS	23	7.5	23	2	3	7	10	12	18	24
6-12 YRS	219	10.2	19	5	6	9	11	16	20	26
13-19 YRS	726	10.4	18	6	6	9	12	15	19	26
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	7.8	5	5	5	8	9	11	11	11
1-5 YRS	71	12.1	78	4	5	9	13	27	36	40
6-12 YRS	231	14.2	116	6	7	11	16	26	41	99+
13-19 YRS	607	15.6	142	6	7	12	17	29	43	71
TOT. SINGLE DX	970	10.3	19	5	6	9	11	15	19	26
" MULTIPLE DX	916	14.9	131	6	7	11	16	28	40	73
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	8	8.0	10	4	4	8	10	12	13	13
1-5 YRS	94	11.0	69	4	4	9	12	24	31	39
6-12 YRS	450	12.3	73	5	7	10	13	20	27	64
13-19 YRS	1333	12.7	81	6	7	10	14	21	29	57
GRAND TOTAL	**1886**	**12.5**	**79**	**5**	**7**	**10**	**14**	**21**	**29**	**57**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	23	2.7	1	<1	1	2	3	5	5	5
6-12 YRS	70	4.1	5	1	1	4	5	7	8	12
13-19 YRS	333	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	30	3.4	1	1	1	3	4	5	6	6
6-12 YRS	162	4.8	6	2	2	4	6	8	10	14
13-19 YRS	364	5.9	38	1	2	5	7	10	14	44
TOT. SINGLE DX	429	3.9	9	1	1	3	5	7	8	13
" MULTIPLE DX	559	5.5	28	1	2	4	6	9	12	32
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	3.0	2	<1	<1	4	4	4	4	4
1-5 YRS	53	3.1	2	1	1	3	4	5	5	6
6-12 YRS	232	4.6	6	1	2	4	5	8	9	13
13-19 YRS	697	5.0	26	1	2	4	6	9	12	31
GRAND TOTAL	988	4.8	20	1	2	4	6	8	11	22

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	10.0	8	8	8	10	12	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	15	12.3	18	6	6	13	15	18	21	22
2. MULTIPLE DX										
0-27 DYS	2	26.0	162	17	17	26	35	35	35	35
1-11 MOS	8	13.1	16	9	9	12	16	19	20	20
1-5 YRS	4	12.3	1	11	11	12	13	13	13	13
6-12 YRS	2	10.5	13	8	8	10	13	13	13	13
13-19 YRS	26	18.7	265	6	7	12	22	53	58	64
TOT. SINGLE DX	18	12.3	17	6	7	12	15	17	20	22
" MULTIPLE DX	42	17.0	182	7	8	12	17	34	56	64
TOTAL 0-27 DYS	3	22.7	114	16	16	17	30	35	35	35
1-11 MOS	10	12.5	15	8	8	11	16	18	20	20
1-5 YRS	4	12.3	1	11	11	12	13	13	13	13
6-12 YRS	2	10.5	13	8	8	10	13	13	13	13
13-19 YRS	41	16.4	182	6	7	12	17	31	56	64
GRAND TOTAL	60	15.6	136	6	8	12	16	26	45	63

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	13.3	40	6	6	13	18	21	21	21
1-5 YRS	6	13.5	106	5	5	10	12	32	34	34
6-12 YRS	9	8.2	32	3	3	7	9	18	22	22
13-19 YRS	24	7.2	33	1	2	5	10	15	22	22
2. MULTIPLE DX										
0-27 DYS	2	21.0	72	15	15	21	27	27	27	27
1-11 MOS	5	17.2	4	15	15	18	19	19	19	19
1-5 YRS	8	9.8	52	2	2	7	15	21	22	22
6-12 YRS	18	6.3	6	3	4	6	9	10	11	12
13-19 YRS	14	12.5	263	1	3	9	12	20	57	67
TOT. SINGLE DX	43	8.8	47	2	3	7	11	21	22	34
" MULTIPLE DX	47	10.5	105	3	3	8	14	19	23	67
TOTAL 0-27 DYS	2	21.0	72	15	15	21	27	27	27	27
1-11 MOS	9	15.4	22	6	8	15	19	20	21	21
1-5 YRS	14	11.4	73	2	3	9	13	23	32	34
6-12 YRS	27	6.9	15	3	4	6	9	11	13	22
13-19 YRS	38	9.1	120	1	2	6	11	15	22	67
GRAND TOTAL	90	9.7	77	2	3	7	12	19	22	54

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	4.4	10	<1	<1	3	7	9	10	10
1-5 YRS	8	4.3	3	3	3	4	5	7	8	8
6-12 YRS	75	3.9	5	1	1	4	5	7	9	78
13-19 YRS	1900	3.8	3	1	1	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	5	8.2	47	1	1	10	14	16	16	16
1-11 MOS	10	9.3	32	2	2	11	14	52	96	99+
1-5 YRS	7	4.1	3	1	1	4	6	7	7	7
6-12 YRS	52	5.3	29	1	1	4	5	12	15	30
13-19 YRS	1821	4.5	9	1	2	4	5	7	8	17
TOT. SINGLE DX	1994	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	1895	4.6	11	1	2	4	5	7	9	18
TOTAL 0-27 DYS	6	7.3	43	1	1	6	13	16	16	16
1-11 MOS	20	6.9	26	1	1	6	11	16	56	99+
1-5 YRS	15	4.2	3	1	3	4	5	7	8	8
6-12 YRS	127	4.4	15	1	1	4	5	8	13	45
13-19 YRS	3721	4.1	7	1	2	4	5	6	8	13
GRAND TOTAL	3889	4.2	7	1	2	4	5	6	8	14

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	3.5	1	2	2	3	4	6	7	7
1-5 YRS	63	2.9	7	1	1	2	3	5	8	16
6-12 YRS	86	2.9	2	1	1	3	4	5	6	9
13-19 YRS	2102	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	6	4.7	9	1	1	4	6	10	10	10
1-5 YRS	30	3.5	32	<1	<1	2	4	5	9	32
6-12 YRS	58	5.3	46	1	1	3	5	12	24	31
13-19 YRS	636	3.4	7	1	1	3	4	6	7	14
TOT. SINGLE DX	2262	2.9	3	1	1	3	4	4	5	8
" MULTIPLE DX	732	3.6	12	1	1	3	4	6	8	26
TOTAL 0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	17	3.9	4	1	2	3	4	7	9	10
1-5 YRS	93	3.1	15	<1	1	2	3	5	9	26
6-12 YRS	144	3.9	21	1	1	3	4	6	10	31
13-19 YRS	2738	3.0	4	1	1	3	4	5	5	8
GRAND TOTAL	**2994**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	106	4.8	29	<1	1	3	5	13	17	26
1-5 YRS	341	3.0	10	<1	<1	2	3	5	9	18
6-12 YRS	297	4.0	18	<1	1	2	5	10	13	21
13-19 YRS	475	3.4	14	<1	1	2	4	7	9	22
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	47	8.2	133	1	1	3	13	20	23	66
1-5 YRS	415	4.6	19	1	2	3	5	8	12	26
6-12 YRS	425	5.4	24	1	2	4	6	11	14	28
13-19 YRS	421	7.1	91	1	1	4	8	16	25	56
TOT. SINGLE DX	1219	3.5	16	<1	<1	2	4	8	11	21
" MULTIPLE DX	1309	5.8	50	1	2	4	6	11	18	36
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	153	5.9	64	<1	1	3	6	17	20	36
1-5 YRS	756	3.9	16	<1	<1	3	4	7	12	22
6-12 YRS	722	4.8	22	1	1	4	6	10	14	26
13-19 YRS	896	5.1	54	<1	1	3	6	10	17	39
GRAND TOTAL	**2528**	**4.7**	**35**	**<1**	**1**	**3**	**5**	**10**	**15**	**30**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.5		<1	<1	1	2	2	2	2
1-11 MOS	68	2.6	7	<1	<1	2	3	6	8	16
1-5 YRS	312	2.1	4	<1	<1	2	2	4	5	12
6-12 YRS	507	1.9	2	<1	<1	2	2	3	4	11
13-19 YRS	866	1.9	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	6	13.7	128	2	2	12	22	29	30	30
1-11 MOS	42	8.5	69	1	2	6	11	23	26	37
1-5 YRS	91	5.2	76	1	1	3	6	10	12	58
6-12 YRS	91	4.3	38	<1	<1	2	5	9	12	39
13-19 YRS	200	3.9	31	<1	1	2	4	8	12	27
TOT. SINGLE DX	1757	2.0	4	<1	<1	2	2	3	5	11
" MULTIPLE DX	430	4.8	50	<1	1	2	5	10	16	39
TOTAL 0-27 DYS	10	8.8	111	<1	<1	3	18	26	30	30
1-11 MOS	110	4.9	39	<1	<1	2	6	11	18	32
1-5 YRS	403	2.8	22	<1	<1	2	3	5	8	20
6-12 YRS	598	2.3	9	<1	<1	2	2	4	6	14
13-19 YRS	1066	2.3	9	<1	<1	2	2	4	6	14
GRAND TOTAL	**2187**	**2.6**	**14**	**<1**	**<1**	**2**	**2**	**4**	**8**	**17**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.5		<1	<1	1	2	2	3	3
6-12 YRS	15	1.5		<1	<1	1	2	2	3	3
13-19 YRS	38	2.4	3	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
0-27 DYS	12	4.2	26	1	1	3	4	10	19	20
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	16	3.3	14	<1	<1	2	3	7	13	16
6-12 YRS	15	4.3	48	1	1	2	3	7	23	29
13-19 YRS	41	4.8	61	1	1	2	4	10	21	44
TOT. SINGLE DX	81	1.9	2	<1	<1	2	2	3	6	8
" MULTIPLE DX	85	4.3	44	1	1	2	4	7	20	39
TOTAL 0-27 DYS	12	4.2	27	1	1	3	4	10	19	20
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	42	2.2	6	[illegible]	<1	2	2	3	6	16
6-12 YRS	30	2.9	26	[illegible]	<1	2	3	4	7	29
13-19 YRS	79	3.6	35	<1	1	2	4	6	12	38
GRAND TOTAL	**166**	**3.2**	**25**	**<1**	**1**	**2**	**3**	**5**	**7**	**28**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	1.9	1	<1	1	2	2	4	4	4
1-5 YRS	218	1.7	1	<1	<1	1	2	3	4	7
6-12 YRS	277	1.9	2	<1	<1	2	2	3	4	9
13-19 YRS	799	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	4	2.3	3	1	1	2	3	5	5	5
1-11 MOS	12	2.4		1	1	2	3	3	3	3
1-5 YRS	158	2.1	2	<1	1	2	2	4	5	9
6-12 YRS	229	2.1	2	1	1	2	3	4	5	7
13-19 YRS	733	2.3	3	<1	1	2	3	4	5	11
TOT. SINGLE DX	1313	1.9	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1136	2.2	3	<1	1	2	3	4	5	10
TOTAL 0-27 DYS	5	2.0	3	1	1	1	3	5	5	5
1-11 MOS	30	2.1	1	1	1	2	3	3	4	4
1-5 YRS	376	1.9	2	<1	1	2	2	3	4	8
6-12 YRS	506	2.0	2	<1	1	2	2	4	5	7
13-19 YRS	1532	2.1	3	<1	1	2	2	4	5	9
GRAND TOTAL	2449	2.0	3	<1	1	2	2	4	5	8

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	2.1	1	<1	<1	2	3	4	5	5
1-5 YRS	95	2.3	4	<1	1	2	3	5	6	12
6-12 YRS	189	2.7	14	<1	1	2	3	5	8	26
13-19 YRS	502	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	43	3.3	14	1	1	2	4	7	12	18
6-12 YRS	121	5.0	130	<1	1	3	5	6	11	95
13-19 YRS	368	4.0	34	1	1	2	4	7	12	35
TOT. SINGLE DX	798	2.5	6	<1	1	2	3	4	6	13
" MULTIPLE DX	538	4.2	54	1	1	2	4	7	11	43
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	14	2.0	1	<1	<1	2	2	3	5	5
1-5 YRS	138	2.7	8	<1	1	2	3	5	8	17
6-12 YRS	310	3.6	61	<1	1	2	3	6	9	55
13-19 YRS	870	3.1	17	<1	1	2	3	5	7	22
GRAND TOTAL	1336	3.1	26	<1	1	2	3	6	8	24

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.7	8	2	2	2	6	7	7	7
1-11 MOS	392	3.2	4	1	1	3	4	5	7	12
1-5 YRS	487	3.1	5	1	1	3	4	5	6	10
6-12 YRS	340	3.2	4	1	1	3	4	5	7	11
13-19 YRS	544	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	111	4.0	7	1	1	3	5	7	10	14
1-5 YRS	705	3.5	21	1	1	3	4	5	7	14
6-12 YRS	715	4.0	19	1	1	3	4	7	9	21
13-19 YRS	559	6.1	109	1	2	4	6	9	20	80
TOT. SINGLE DX	1766	3.2	5	1	1	3	4	5	6	11
" MULTIPLE DX	2091	4.4	44	1	1	3	5	7	10	29
TOTAL 0-27 DYS	4	3.3	6	2	2	2	5	7	7	7
1-11 MOS	503	3.4	5	1	1	3	4	6	7	13
1-5 YRS	1192	3.3	15	1	1	3	4	5	7	12
6-12 YRS	1055	3.8	15	1	1	3	4	6	8	18
13-19 YRS	1103	4.6	59	1	1	3	5	7	10	38
GRAND TOTAL	3857	3.8	27	1	1	3	4	6	8	22

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	2.0	1	<1	1	2	2	4	5	5
1-5 YRS	69	1.7	1	<1	1	2	2	2	3	7
6-12 YRS	51	2.0	3	<1	1	1	2	4	5	11
13-19 YRS	130	2.6	5	1	1	2	3	5	8	13
2. MULTIPLE DX										
0-27 DYS	14	4.7	9	1	2	4	6	8	13	14
1-11 MOS	10	2.1	3	1	1	2	2	5	7	7
1-5 YRS	32	3.8	17	<1	<1	2	5	10	12	19
6-12 YRS	27	3.4	7	<1	1	3	5	8	9	11
13-19 YRS	114	4.0	38	1	1	2	5	9	12	33
TOT. SINGLE DX	268	2.2	4	<1	1	2	2	4	6	11
" MULTIPLE DX	197	3.8	27	1	1	2	5	9	11	19
TOTAL 0-27 DYS	14	4.7	10	1	2	4	6	8	13	14
1-11 MOS	28	2.0	2	<1	1	2	2	4	5	7
1-5 YRS	101	2.4	7	<1	1	2	2	4	8	15
6-12 YRS	78	2.5	5	<1	1	2	3	5	8	11
13-19 YRS	244	3.2	22	1	1	2	4	7	11	16
GRAND TOTAL	465	2.9	14	1	1	2	3	6	9	15

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.8	57	<1	<1	2	9	19	21	21
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	15	5.4	25	1	2	4	8	11	17	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	14.6	328	<1	<1	6	26	44	44	44
6-12 YRS	2	27.0	128	19	19	27	35	35	35	35
13-19 YRS	12	16.2	704	<1	1	5	16	58	86	91
TOT. SINGLE DX	27	4.9	31	<1	1	2	5	13	19	21
" MULTIPLE DX	20	16.2	506	<1	<1	6	20	44	68	91
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	13	9.2	163	<1	<1	2	15	26	41	44
6-12 YRS	6	10.0	199	1	1	2	19	33	35	35
13-19 YRS	27	10.2	341	1	1	4	10	20	51	91
GRAND TOTAL	**47**	**9.7**	**258**	**<1**	**1**	**4**	**11**	**21**	**44**	**91**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	1.8		1	1	2	2	3	3	3
1-5 YRS	32	2.3	2	<1	1	2	3	4	4	8
6-12 YRS	23	4.5	20	<1	<1	3	6	10	14	19
13-19 YRS	70	4.5	16	<1	1	3	5	10	14	18
2. MULTIPLE DX										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	6	2.5	1	1	1	2	3	4	4	4
1-5 YRS	22	5.6	52	1	1	4	6	12	24	34
6-12 YRS	20	7.6	41	1	1	6	9	16	21	26
13-19 YRS	59	7.3	93	1	1	4	7	18	28	54
TOT. SINGLE DX	137	3.7	13	<1	1	3	4	9	12	18
" MULTIPLE DX	108	6.9	72	1	1	4	7	17	24	43
TOTAL 0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	18	2.0	1	1	1	2	2	3	4	4
1-5 YRS	54	3.6	25	1	1	3	4	6	10	33
6-12 YRS	43	5.9	32	<1	1	4	8	15	18	26
13-19 YRS	129	5.8	53	1	1	3	7	14	18	38
GRAND TOTAL	**245**	**5.1**	**42**	**1**	**1**	**3**	**5**	**12**	**17**	**33**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	3	27.3	352	16	16	17	41	49	49	49
13-19 YRS	4	15.0	162	7	7	9	22	34	34	34
2. MULTIPLE DX										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	3	12.3	66	3	3	16	17	18	18	18
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	5	20.0	362	4	4	10	36	47	47	47
13-19 YRS	14	20.7	263	3	5	18	30	61	90	99+
TOT. SINGLE DX	9	18.9	205	6	6	16	25	43	49	49
" MULTIPLE DX	25	18.3	235	3	3	16	28	47	69	99+
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	4	10.8	54	3	3	11	17	18	18	18
1-5 YRS	3	10.0	109	3	3	5	18	22	22	22
6-12 YRS	8	22.8	322	4	5	16	40	48	49	49
13-19 YRS	18	19.4	236	4	6	16	30	54	82	99+
GRAND TOTAL	**34**	**18.5**	**221**	**3**	**4**	**16**	**27**	**47**	**58**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.7	40	4	4	4	12	15	15	15
6-12 YRS	9	8.4	9	5	5	7	11	13	13	13
13-19 YRS	6	9.8	24	4	4	9	12	17	18	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	15.5	184	4	4	12	18	39	41	41
1-5 YRS	10	16.9	375	3	3	10	20	49	66	66
6-12 YRS	10	17.3	85	4	6	18	23	29	32	32
13-19 YRS	12	19.5	137	3	6	18	27	38	40	40
TOT. SINGLE DX	18	8.8	17	4	4	8	12	14	17	18
" MULTIPLE DX	38	17.6	180	3	4	14	23	36	41	66
TOTAL 0-27 DYS										
1-11 MOS	6	15.5	184	4	4	12	18	39	41	41
1-5 YRS	13	14.8	304	3	4	10	16	39	61	66
6-12 YRS	19	13.1	67	4	5	10	19	25	30	32
13-19 YRS	18	16.3	118	3	5	14	21	35	39	40
GRAND TOTAL	**56**	**14.8**	**143**	**4**	**4**	**11**	**19**	**32**	**39**	**64**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	11	3.7	1	2	2	4	5	5	5	5
6-12 YRS	5	5.0	4	2	2	6	6	7	7	7
13-19 YRS	9	9.7	41	2	2	7	15	19	20	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	4.3	1	3	3	5	5	5	5	5
1-5 YRS	13	9.4	98	<1	2	5	13	21	35	38
6-12 YRS	6	16.8	107	6	6	16	23	31	32	32
13-19 YRS	13	17.2	290	<1	2	11	31	38	55	59
TOT. SINGLE DX	28	5.7	22	2	2	4	6	13	18	20
" MULTIPLE DX	35	13.1	174	1	3	7	18	33	37	59
TOTAL 0-27 DYS										
1-11 MOS	6	3.3	3	1	1	3	5	5	5	5
1-5 YRS	24	6.8	60	1	2	4	5	16	23	38
6-12 YRS	11	11.5	93	2	3	7	19	27	32	32
13-19 YRS	22	14.1	197	1	3	9	19	33	44	59
GRAND TOTAL	63	9.8	119	1	2	5	12	24	33	56

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	46	2.8	14	<1	<1	2	3	7	10	20
6-12 YRS	22	4.6	27	1	1	2	7	11	17	22
13-19 YRS	30	6.9	70	1	1	4	8	11	29	41
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	2.6	4	<1	<1	2	3	6	7	7
6-12 YRS	14	7.8	157	<1	1	4	8	14	42	50
13-19 YRS	24	5.5	17	1	1	5	8	11	13	17
TOT. SINGLE DX	101	4.4	36	<1	1	2	6	9	14	35
" MULTIPLE DX	49	5.6	55	1	1	4	7	10	12	50
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.8	5	1	1	2	4	6	6	6
1-5 YRS	55	2.8	13	<1	<1	2	3	7	9	20
6-12 YRS	36	5.9	77	1	1	3	8	10	19	50
13-19 YRS	54	6.3	46	1	1	5	8	11	16	41
GRAND TOTAL	150	4.8	42	1	1	2	7	10	13	41

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	1.4		<1	1	1	2	2	3	3
6-12 YRS	18	1.8	1	<1	1	1	2	4	4	4
13-19 YRS	47	3.0	9	<1	<1	2	3	7	11	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	8	4.9	43	1	1	3	4	16	21	21
6-12 YRS	17	4.4	67	<1	<1	1	3	14	27	33
13-19 YRS	33	3.2	4	1	1	2	4	7	8	9
TOT. SINGLE DX	81	2.4	6	<1	1	2	2	5	7	13
" MULTIPLE DX	61	3.7	26	<1	1	2	4	7	12	32
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	22	2.7	18	<1	1	2	3	4	11	21
6-12 YRS	35	3.0	34	<1	<1	1	3	4	13	33
13-19 YRS	80	3.1	7	<1	1	2	4	7	9	13
GRAND TOTAL	142	3.0	15	<1	1	2	3	6	9	22

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	52.0		52	52	52	52	52	52	52
TOT. SINGLE DX	4	5.3	35	1	1	3	9	14	14	14
" MULTIPLE DX	3	19.7	786	2	2	5	40	52	52	52
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	2	33.0	722	14	14	33	52	52	52	52
GRAND TOTAL	7	11.4	339	1	1	3	12	44	52	52

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4	4	1	1	2	3	6	6	6
1-11 MOS	10	2.4	4	<1	<1	2	2	6	7	7
1-5 YRS	7	1.9	3	<1	<1	1	2	5	6	6
6-12 YRS	40	1.9		<1	<1	2	2	3	4	5
13-19 YRS	925	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	4	5.8	39	2	2	3	9	15	15	15
1-11 MOS	11	6.3	55	<1	1	3	8	16	26	27
1-5 YRS	3	5.0	28	1	1	3	9	11	11	11
6-12 YRS	11	2.5	5	<1	<1	2	4	6	8	8
13-19 YRS	213	3.4	30	<1	1	2	3	5	8	39
TOT. SINGLE DX	987	1.8	2	<1	<1	2	2	3	3	5
" MULTIPLE DX	242	3.5	30	<1	1	2	3	6	9	38
TOTAL 0-27 DYS	9	3.9	20	1	1	2	4	11	15	15
1-11 MOS	21	4.4	34	<1	<1	2	6	9	17	27
1-5 YRS	10	2.8	11	<1	<1	1	3	8	11	11
6-12 YRS	51	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	1138	2.1	7	<1	<1	2	2	3	4	8
GRAND TOTAL	1229	2.1	8	<1	<1	2	2	3	4	10

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.5	3	<1	<1	2	3	5	7	7
13-19 YRS	158	2.4	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	33	2.7	2	<1	1	2	3	5	6	7
TOT. SINGLE DX	169	2.4	2	<1	1	2	3	4	5	7
" MULTIPLE DX	36	2.7	2	<1	1	2	3	4	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	13	2.5	3	<1	1	2	3	5	7	7
13-19 YRS	191	2.5	2	<1	1	2	3	4	5	7
GRAND TOTAL	205	2.5	2	<1	1	2	3	4	5	7

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.5	2	3	3	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.6	1	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	4	23.0	734	3	3	13	38	63	63	63
1-11 MOS	6	12.2	84	4	4	10	12	28	30	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	4.2	5	2	2	4	6	7	7	7
TOT. SINGLE DX	13	3.9	4	1	2	4	6	7	7	7
" MULTIPLE DX	17	11.4	223	1	2	7	12	27	51	63
TOTAL 0-27 DYS	4	23.0	734	3	3	13	38	63	63	63
1-11 MOS	12	8.8	52	3	4	7	10	17	28	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	12	3.3	3	1	1	3	4	6	7	7
GRAND TOTAL	30	8.2	139	1	2	5	7	13	30	63

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.0	8	3	3	6	8	9	9	9
1-11 MOS	8	2.6		2	2	3	3	4	4	4
1-5 YRS	8	4.3	13	1	1	3	5	10	12	12
6-12 YRS	48	2.5		1	1	2	3	4	4	5
13-19 YRS	1047	2.8		1	1	3	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	8	5.9	9	1	2	6	7	10	11	11
1-11 MOS	7	4.0	2	1	1	4	5	6	6	6
1-5 YRS	5	3.2	2	1	1	3	4	5	5	5
6-12 YRS	7	3.7	6	1	1	3	4	8	9	9
13-19 YRS	345	3.4	14	1	1	3	4	5	6	14
TOT. SINGLE DX	1115	2.8	2	1	1	3	3	4	5	8
" MULTIPLE DX	372	3.5	14	1	1	3	4	5	7	14
TOTAL 0-27 DYS	12	5.9	8	1	2	6	8	10	11	11
1-11 MOS	15	3.3	2	1	2	3	4	5	6	6
1-5 YRS	13	3.8	9	1	1	3	4	8	11	12
6-12 YRS	55	2.7	2	1	1	3	3	4	5	9
13-19 YRS	1392	2.9	5	1	1	3	4	4	5	8
GRAND TOTAL	**1487**	**2.9**	**5**	**1**	**1**	**3**	**4**	**5**	**5**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	3.7	12	1	1	3	5	9	10	10
1-11 MOS	19	2.4	1	<1	<1	2	3	5	6	6
1-5 YRS	20	1.7		<1	<1	1	2	2	4	5
6-12 YRS	39	3.6	5	<1	1	3	4	7	9	12
13-19 YRS	2698	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	12.2	184	2	2	4	21	34	34	34
1-5 YRS	5	3.0	2	1	1	3	4	5	5	5
6-12 YRS	5	2.4	3	1	1	2	3	5	5	5
13-19 YRS	368	4.3	22	1	2	4	5	8	10	16
TOT. SINGLE DX	2782	3.1	6	1	1	3	4	5	6	9
" MULTIPLE DX	383	4.4	25	1	2	4	5	8	10	22
TOTAL 0-27 DYS	6	3.7	13	1	1	3	5	9	10	10
1-11 MOS	24	4.4	50	<1	1	2	4	7	22	34
1-5 YRS	25	1.9	1	<1	<1	2	2	3	5	5
6-12 YRS	44	3.4	6	<1	1	3	4	7	8	12
13-19 YRS	3066	3.3	8	1	1	3	4	5	7	10
GRAND TOTAL	**3165**	**3.3**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	3.9	7	<1	1	3	5	9	10	10
1-11 MOS	224	2.5	7	<1	<1	2	3	5	7	19
1-5 YRS	973	1.9	3	<1	<1	1	2	3	6	11
6-12 YRS	854	2.1	5	<1	<1	1	2	4	6	12
13-19 YRS	1222	2.5	8	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	178	5.1	69	1	1	3	5	7	16	42
1-11 MOS	112	6.2	39	<1	1	4	9	13	22	60
1-5 YRS	355	4.7	46	<1	<1	2	5	10	19	42
6-12 YRS	376	4.3	44	<1	<1	2	4	10	16	38
13-19 YRS	713	7.5	159	<1	1	3	6	20	39	65
TOT. SINGLE DX	3292	2.2	6	<1	<1	1	2	4	6	13
" MULTIPLE DX	1734	5.9	96	<1	1	3	6	12	25	59
TOTAL 0-27 DYS	197	5.0	64	1	1	3	5	7	13	41
1-11 MOS	336	3.7	21	<1	<1	2	4	10	13	30
1-5 YRS	1328	2.7	17	<1	<1	1	2	6	9	20
6-12 YRS	1230	2.8	18	<1	<1	2	3	5	8	25
13-19 YRS	1935	4.4	70	<1	<1	2	4	8	14	53
GRAND TOTAL	**5026**	**3.5**	**40**	**<1**	**<1**	**2**	**3**	**7**	**11**	**38**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	3.2	3	1	1	3	4	6	7	7
1-11 MOS	162	4.4	17	<1	1	3	5	9	12	22
1-5 YRS	1367	3.5	19	<1	<1	2	4	8	11	25
6-12 YRS	1501	3.8	26	<1	1	2	4	8	12	26
13-19 YRS	2373	4.2	27	<1	1	3	5	9	13	27
2. MULTIPLE DX										
0-27 DYS	175	6.9	52	2	2	5	7	15	22	39
1-11 MOS	279	6.3	48	1	1	4	8	13	21	39
1-5 YRS	1699	5.7	53	1	1	3	7	13	20	38
6-12 YRS	1872	5.9	79	1	1	3	6	14	23	46
13-19 YRS	5283	5.5	82	<1	1	3	6	11	20	54
TOT. SINGLE DX	5415	3.9	25	<1	1	2	5	8	12	26
" MULTIPLE DX	9308	5.7	75	1	1	3	6	12	21	49
TOTAL 0-27 DYS	187	6.7	50	1	2	5	6	12	21	39
1-11 MOS	441	5.6	37	1	1	4	7	12	17	29
1-5 YRS	3066	4.7	39	<1	1	3	6	10	16	32
6-12 YRS	3373	4.9	57	1	1	3	5	11	18	41
13-19 YRS	7656	5.1	66	<1	1	3	5	10	17	47
GRAND TOTAL	**14723**	**5.0**	**57**	**<1**	**1**	**3**	**5**	**11**	**17**	**42**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	27	10.3	157	<1	<1	6	13	33	39	48
1-5 YRS	239	7.5	84	1	1	4	9	19	27	46
6-12 YRS	260	6.3	45	1	1	4	8	14	20	38
13-19 YRS	373	6.0	60	<1	1	3	8	13	18	39
2. MULTIPLE DX										
0-27 DYS	3	50.3	706	25	25	48	70	78	78	78
1-11 MOS	52	14.9	150	<1	2	12	22	35	38	57
1-5 YRS	294	14.5	171	1	2	11	21	34	43	87
6-12 YRS	256	13.6	181	1	2	9	20	30	41	57
13-19 YRS	387	12.3	157	1	2	8	16	28	41	66
TOT. SINGLE DX	901	6.6	66	1	1	4	8	15	22	41
" MULTIPLE DX	992	13.6	173	1	2	9	19	31	42	71
TOTAL 0-27 DYS	5	36.2	730	13	13	25	55	78	78	78
1-11 MOS	79	13.4	155	<1	1	10	18	35	38	54
1-5 YRS	533	11.4	145	1	1	7	17	28	39	66
6-12 YRS	516	10.0	126	1	1	7	13	24	32	55
13-19 YRS	760	9.2	120	1	1	6	12	22	31	63
GRAND TOTAL	1893	10.3	134	1	1	7	14	24	35	60

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.3	14	1	1	4	7	9	9	9
1-5 YRS	71	3.3	27	<1	<1	2	3	7	11	32
6-12 YRS	74	2.7	8	<1	1	2	3	5	7	19
13-19 YRS	159	3.7	50	<1	1	2	3	8	11	29
2. MULTIPLE DX										
0-27 DYS	2	31.5	1301	6	6	31	57	57	57	57
1-11 MOS	4	6.3	22	2	2	5	9	13	13	13
1-5 YRS	39	8.9	237	1	1	3	6	29	49	67
6-12 YRS	60	6.2	156	<1	<1	2	8	13	17	86
13-19 YRS	145	7.9	108	1	1	3	8	23	29	52
TOT. SINGLE DX	311	3.4	34	<1	<1	2	3	7	10	26
" MULTIPLE DX	250	7.8	147	1	1	3	8	21	29	63
TOTAL 0-27 DYS	3	21.7	940	2	2	6	44	57	57	57
1-11 MOS	10	5.1	16	1	1	5	7	11	13	13
1-5 YRS	110	5.3	108	<1	<1	2	4	12	28	65
6-12 YRS	134	4.3	77	<1	<1	2	4	10	13	36
13-19 YRS	304	5.7	82	<1	1	2	5	15	25	47
GRAND TOTAL	561	5.4	89	<1	1	2	5	12	23	55

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.5	61	<1	<1	6	12	12	12	12
1-11 MOS	83	1.7		<1	1	2	2	2	3	4
1-5 YRS	415	2.6	10	<1	1	2	2	4	7	14
6-12 YRS	335	2.3	4	<1	<1	2	2	4	6	12
13-19 YRS	576	2.3	6	<1	<1	2	2	4	5	13
2. MULTIPLE DX										
0-27 DYS	9	4.6	8	3	3	3	5	10	12	12
1-11 MOS	53	2.6	8	<1	1	2	3	4	5	21
1-5 YRS	280	3.8	25	<1	1	2	4	7	10	33
6-12 YRS	242	4.1	17	<1	1	2	5	9	14	23
13-19 YRS	417	4.7	63	<1	1	3	5	9	16	49
TOT. SINGLE DX	1411	2.3	7	<1	<1	2	2	4	6	13
" MULTIPLE DX	1001	4.2	39	<1	1	2	4	9	13	34
TOTAL 0-27 DYS	11	4.9	14	<1	2	3	6	12	12	12
1-11 MOS	136	2.1	4	<1	1	2	2	3	4	11
1-5 YRS	695	3.0	17	<1	1	2	3	6	9	25
6-12 YRS	577	3.1	11	<1	<1	2	3	7	9	18
13-19 YRS	993	3.3	32	<1	<1	2	3	6	9	31
GRAND TOTAL	2412	3.1	21	<1	<1	2	3	6	9	25

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.7	4	6	6	7	9	10	10	10
1-11 MOS	14	3.6	15	<1	1	2	5	6	14	16
1-5 YRS	28	5.0	42	1	1	3	4	15	18	30
6-12 YRS	24	2.8	4	1	1	2	4	6	7	8
13-19 YRS	40	3.5	7	1	1	3	5	9	10	11
2. MULTIPLE DX										
0-27 DYS	44	24.9	435	5	6	16	37	57	67	80
1-11 MOS	23	8.7	55	2	3	5	13	17	25	37
1-5 YRS	50	5.0	20	1	1	4	6	10	16	22
6-12 YRS	39	4.9	28	1	1	3	6	9	14	30
13-19 YRS	78	5.3	18	1	2	4	7	9	12	25
TOT. SINGLE DX	109	3.9	17	1	1	2	5	8	11	22
" MULTIPLE DX	234	9.2	160	1	2	5	9	22	37	66
TOTAL 0-27 DYS	47	23.8	425	5	6	14	35	56	65	80
1-11 MOS	37	6.8	51	1	1	4	8	16	18	37
1-5 YRS	78	5.0	28	1	1	3	5	13	17	28
6-12 YRS	63	4.1	20	1	1	3	5	8	9	28
13-19 YRS	118	4.7	15	1	1	4	6	9	11	25
GRAND TOTAL	343	7.5	120	1	1	4	7	16	27	62

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.5	3	1	1	2	4	6	6	6
1-11 MOS	29	3.8	24	1	1	2	4	7	11	27
1-5 YRS	85	2.8	9	1	1	2	3	4	4	21
6-12 YRS	132	2.8	7	1	1	2	3	5	7	14
13-19 YRS	613	3.4	13	1	1	2	4	7	11	19
2. MULTIPLE DX										
0-27 DYS	8	8.5	121	2	2	5	8	27	35	35
1-11 MOS	47	5.1	31	1	2	3	5	13	18	29
1-5 YRS	122	5.0	72	1	1	3	5	11	16	40
6-12 YRS	155	4.0	53	1	1	2	4	6	9	44
13-19 YRS	433	4.8	22	1	1	3	6	11	14	25
TOT. SINGLE DX	867	3.2	13	1	1	2	3	6	10	20
" MULTIPLE DX	765	4.7	38	1	1	3	5	10	15	27
TOTAL 0-27 DYS	16	5.5	68	1	1	3	6	8	27	35
1-11 MOS	76	4.6	29	1	2	3	4	10	17	28
1-5 YRS	207	4.0	48	1	1	2	3	8	14	23
6-12 YRS	287	3.4	32	1	1	2	3	6	8	23
13-19 YRS	1046	4.0	18	1	1	2	5	9	12	23
GRAND TOTAL	1632	3.9	25	1	1	2	4	8	12	23

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	14	5.5	17	1	2	4	10	11	13	14
1-5 YRS	41	3.5	6	1	1	2	4	9	9	12
6-12 YRS	67	3.1	8	1	1	2	3	7	10	17
13-19 YRS	173	3.9	25	1	1	2	4	8	13	21
2. MULTIPLE DX										
0-27 DYS	6	8.5	32	1	1	9	13	16	16	16
1-11 MOS	24	9.3	125	1	2	5	12	27	39	41
1-5 YRS	62	6.1	35	1	1	4	9	14	16	31
6-12 YRS	83	5.9	40	1	1	4	7	12	21	34
13-19 YRS	196	6.8	73	1	1	4	8	17	24	38
TOT. SINGLE DX	297	3.8	19	1	1	2	4	9	11	19
" MULTIPLE DX	371	6.7	63	1	1	4	8	16	24	38
TOTAL 0-27 DYS	8	7.1	30	1	1	6	11	15	16	16
1-11 MOS	38	7.9	88	1	2	5	10	18	33	41
1-5 YRS	103	5.0	26	1	1	3	7	11	14	28
6-12 YRS	150	4.7	28	1	1	2	6	10	13	26
13-19 YRS	369	5.4	53	1	1	3	6	12	20	36
GRAND TOTAL	668	5.4	45	1	1	3	6	12	18	37

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	10	5.8	18	1	1	5	10	11	12	12
TOT. SINGLE DX	4	2.0	4	<1	<1	1	3	5	5	5
" MULTIPLE DX	17	4.1	15	1	1	2	7	11	12	12
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	11	5.7	17	1	1	5	9	11	12	12
GRAND TOTAL	21	3.7	13	<1	1	2	5	10	11	12

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	5.4	8	3	3	4	8	9	9	9
1-11 MOS	20	4.0	10	<1	<1	3	6	9	11	11
1-5 YRS	45	2.8	6	<1	1	2	3	6	8	13
6-12 YRS	67	3.1	8	<1	1	2	3	7	10	16
13-19 YRS	388	4.3	16	1	1	3	6	10	11	18
2. MULTIPLE DX										
0-27 DYS	5	15.0	222	4	4	6	27	37	37	37
1-11 MOS	58	6.9	52	1	2	4	9	16	22	35
1-5 YRS	103	4.8	31	1	1	2	5	12	14	30
6-12 YRS	80	5.0	22	1	1	3	7	10	12	28
13-19 YRS	385	6.7	49	1	1	4	9	14	18	41
TOT. SINGLE DX	525	4.0	14	1	1	2	5	9	11	17
" MULTIPLE DX	631	6.3	45	1	1	4	8	13	18	37
TOTAL 0-27 DYS	10	10.2	128	3	3	5	9	30	37	37
1-11 MOS	78	6.2	43	1	1	3	8	14	20	34
1-5 YRS	148	4.2	24	1	1	2	5	11	13	17
6-12 YRS	147	4.1	17	1	1	2	5	10	11	22
13-19 YRS	773	5.5	34	1	1	3	7	11	15	28
GRAND TOTAL	**1156**	**5.2**	**32**	**1**	**1**	**3**	**7**	**11**	**15**	**30**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1367	3.6	5	1	2	3	4	6	8	12
1-11 MOS	3554	3.7	10	1	1	3	5	7	9	17
1-5 YRS	6916	3.1	9	1	1	2	4	6	8	14
6-12 YRS	7814	3.2	12	1	1	2	4	6	8	15
13-19 YRS	17303	3.8	31	1	1	3	4	7	9	29
2. MULTIPLE DX										
0-27 DYS	5037	9.5	146	2	2	5	10	24	36	64
1-11 MOS	6771	5.4	29	1	2	4	7	10	14	27
1-5 YRS	11392	4.4	22	1	1	3	5	8	11	24
6-12 YRS	9911	4.4	34	1	1	3	5	8	12	32
13-19 YRS	22817	5.2	54	1	1	3	5	9	14	45
TOT. SINGLE DX	36954	3.6	20	1	1	3	4	6	8	20
" MULTIPLE DX	55928	5.3	51	1	1	3	6	10	15	43
TOTAL 0-27 DYS	6404	8.2	122	2	2	4	8	19	31	62
1-11 MOS	10325	4.8	23	1	1	4	6	9	12	23
1-5 YRS	18308	3.9	18	1	1	3	5	7	10	21
6-12 YRS	17725	3.9	25	1	1	3	4	7	10	24
13-19 YRS	40120	4.6	45	1	1	3	5	8	12	39
GRAND TOTAL	**92882**	**4.6**	**40**	**1**	**1**	**3**	**5**	**8**	**12**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1113	3.1	2	1	1	3	4	5	6	8
1-11 MOS	2253	4.3	11	1	2	3	5	7	10	19
1-5 YRS	5693	4.6	29	1	1	3	5	10	19	27
6-12 YRS	3656	6.4	87	1	1	3	5	19	27	44
13-19 YRS	3693	9.2	206	1	1	4	8	29	43	75
2. MULTIPLE DX										
0-27 DYS	3946	7.6	120	1	2	4	7	17	29	60
1-11 MOS	3560	5.3	32	1	2	4	6	9	12	25
1-5 YRS	6474	4.7	23	1	2	3	5	8	13	26
6-12 YRS	2841	7.3	111	1	1	4	7	19	29	65
13-19 YRS	4574	10.9	221	1	2	5	11	31	46	85
TOT. SINGLE DX	16408	5.9	82	1	1	3	5	13	23	46
" MULTIPLE DX	21395	7.0	102	1	2	4	7	15	27	61
TOTAL 0-27 DYS	5059	6.6	98	1	2	4	6	14	25	57
1-11 MOS	5813	4.9	24	1	2	4	6	9	12	22
1-5 YRS	12167	4.6	26	1	1	3	5	9	16	26
6-12 YRS	6497	6.8	98	1	1	3	6	19	28	49
13-19 YRS	8267	10.1	215	1	1	4	10	30	44	80
GRAND TOTAL	**37803**	**6.5**	**94**	**1**	**1**	**4**	**6**	**14**	**25**	**56**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2981	3.3	4	1	1	3	4	5	6	11
1-11 MOS	3156	3.8	10	1	1	3	5	7	9	15
1-5 YRS	5517	3.2	8	1	1	3	4	6	7	12
6-12 YRS	3204	3.8	27	1	1	3	4	6	8	28
13-19 YRS	5183	4.2	48	<1	1	3	4	7	12	39
2. MULTIPLE DX										
0-27 DYS	8294	7.9	121	1	2	4	7	17	29	70
1-11 MOS	6777	4.8	21	1	2	4	6	8	11	22
1-5 YRS	11129	4.1	16	1	1	3	5	7	9	20
6-12 YRS	4870	5.2	65	1	1	3	5	9	15	51
13-19 YRS	8360	6.3	99	1	1	3	6	12	24	62
TOT. SINGLE DX	20041	3.7	22	1	1	3	4	6	8	23
" MULTIPLE DX	39430	5.6	65	1	1	4	6	10	17	50
TOTAL 0-27 DYS	11275	6.7	94	1	2	4	6	14	23	61
1-11 MOS	9933	4.5	18	1	1	4	5	8	10	20
1-5 YRS	16646	3.8	14	1	1	3	4	6	9	18
6-12 YRS	8074	4.7	51	1	1	3	5	8	11	43
13-19 YRS	13543	5.5	81	1	1	3	5	10	20	56
GRAND TOTAL	**59471**	**5.0**	**51**	**1**	**1**	**3**	**5**	**8**	**14**	**43**

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number **Title**

- Biopsy (continued)
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

OPERATION INDEX (continued)

Group Number **Title**

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number — Title

- Excision (continued)
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 With adenoids
  - 556 Tonsil tag
  - Tubes and ovaries
    - 662 Bilateral
    - 661 Unilateral
  - 670 Uterine fibroid
  - 577 Varicocele, except of spermatic cord
    - 656 Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number **Title**

- Fracture-reduction, except facial bone, femur, and nose (continued)
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy
- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin